Law Offices

ROSE, SUNDSTROM & BENTLEY, LLP

2548 BLAIRSTONE PINES DRIVE RECEIVED-TALLAHASSEE, FLORIDA 32301

(850) 877-6555

99 DEC -2 PM 4: 05

RECORDS AND REPORTING

MAILING ADDRESS POST OFFICE BOX 1567 TALLAHASSEE, FLORIDA 32302-1567

December 2, 1999

TELECOPIER (850) 656-4029

VIA HAND DELIVERY

ROBERT M. C. ROSE OF COUNSEL

Blanca S. Bayo, Director Division of Records and Reporting Florida Public Service Commission 2540 Shumard Oak Boulevard Tallahassee, FL 32399-0850

Re:

CHRIS H. BENTLEY, P.A.

CAROL L. DUTRA

F. MARSHALL DETERDING

MARTIN S. FRIEDMAN, P.A. JOHN R. JENKINS, P.A.

STEVENT MINDLIN, P.A. DAREN L. SHIPPY

DIANE D. TREMOR, P.A. JOHN L. WHARTON

WILLIAM E. SUNDSTROM, P.A.

Aloha Utilities, Inc.; PSC Docket No. 991699-WS

Application for Amendment of Certificate

Our File No. 26038.28

Dear Ms. Bayo:

Enclosed please find the original and fifteen (15) copies of Late Filed Exhibit I, the Affidavit of Stephen G. Watford concerning notice to customers regarding the above-referenced Application.

Should you have any questions or comments regarding this matter, please do not hesitate to contact me.

Sincerely,

ROSE, SUNDSTROM & BENTLEY, LLP

F. Marshall Deterding

For The Firm

CAF

AFA

CMU

-FMD\tmg

-Enclosure

ee: Richard Redemann, P.E. Stephen G. Watford

OPC

PAL

DOCUMENT NUMBER-DATE

14750 DEC-28

FPSC-RECORDS/REPORTING

Territory Extension Notice

AFFIDAVIT

I, Stephen G. Watford, President of Aloha Utilities, Inc., do hereby certify and swear that I have mailed the Notice to all the customers of the Utility and property owners within the territory affected by the proposed extension on this 1st day of December, 1999, in accordance with the requirements of PSC Rule 25-30.030, Florida Administrative Code

STATE OF FLORIDA COUNTY OF PASCO

The foregoing instrument was acknowledged before me this 1st day of December, 1999 by Stephen G. Watford, who is personally known to me and who did (did not) take an oath.

Print Name

onnie L. Kuris Notary Public

State of Florida at Large My Commission Expires:

OSEALOUS TREESEL

COMMUNICATION

NOTARY SUBSTITUTE

COMMUNICATION

COMMUNICATION MY COMMISSION EXP. DCC. 2,2001

NOTICE OF APPLICATION FOR AMENDMENT OF CERTIFICATES

Pursuant to the provisions of Section 367.045, Florida Statutes, and the provisions of Florida Public Service Commission Rule 25-30.030, Notice is hereby given this 1st day of December, 1999 by Aloha Utilities, Inc., 2514 Aloha Place, Holiday, Florida 34691, of its Application to extend its service area to provide water and wastewater service to the following described lands in Pasco County, Florida:

PARCEL I

THE WEST ½ OF THE NORTHWEST 1/4 AND THE NORTHWEST 1/4 OF SOUTHWEST 1/4, OF SECTION 33, TOWNSHIP 26 SOUTH, RANGE 16 EAST, PASCO COUNTY, FLORIDA, LESS THE FOLLOWING:

DESCRIPTION: AS SURVEYED

THE NORTHWEST 1/4 OF THE SOUTHWEST 1/4 AND THE SOUTHWEST 1/4 OF THE NORTHWEST 1/4 LYING SOUTH OF THE CENTERLINE OF DUCK SLOUGH ALL LYING AND BEING IN SECTION 33, TOWNSHIP 26 SOUTH, RANGE 16 EAST, PASCO COUNTY, FLORIDA, EXPLICITLY DESCRIBED AS FOLLOWS:

COMMENCE AT THE SOUTHEAST CORNER OF THE NORTHWEST 1/4 OF THE SOUTHWEST 1/4 OF SAID SECTION 33 FOR A POINT OF BEGINNING THE SAME ALSO BEING THE SOUTHWEST CORNER OF LOT 468, OAK RIDGE UNIT THREE, AS RECORDED IN PLAT BOOK 17, PAGES 108 THRU 122 OF THE PUBLIC RECORDS OF PASCO COUNTY, FLORIDA, THENCE ON THE SOUTH BOUNDARY OF AFORESAID NORTHWEST 1/4 OF THE SOUTHWEST 1/4 N89'45'47"W, A DISTANCE OF 1324.47 FEET TO THE SOUTHWEST CORNER OF THE NORTHWEST 1/4 OF THE SOUTHWEST 1/4; THENCE ON THE WEST BOUNDARY OF SAID SECTION 33 N00'36'04"E, A DISTANCE OF 1863.15 FEET TO A POINT LYING S00'36'04"W, A DISTANCE OF 2124.77 FEET MORE OR LESS FROM THE NORTHWEST CORNER OF SAID SECTION 33; THENCE DEPARTING THE WEST BOUNDARY OF SECTION 33 S89'44'17"E, A DISTANCE OF 70.32 FEET MORE OR LESS TO A POINT ON THE CENTERLINE OF DUCK SLOUGH; THENCE MEANDERING ON SAID CENTERLINE OF DUCK SLOUGH THE FOLLOWING 39 COURSES: (1) S62'13'16"E, A DISTANCE OF 33.69 FEET; (2) THENCE S19'43'52"E, A DISTANCE OF 33.69 FEET; (3) THENCE S38'27'55"E, A DISTANCE OF 59.34 FEET; (4) THENCE S85'45'19"E, A DISTANCE OF 47.77 FEET; (5) THENCE N47'22'22"E, A DISTANCE OF 45.33 FEET; (6) THENCE N19'03'27"E, A DISTANCE OF 24.43 FEET; (7) THENCE NO7'32'05"E, A DISTANCE OF 50.01 FEET; (8) THENCE N30'22'54"E, A DISTANCE OF 38.14 FEET; (9) THENCE N51'49'22"E, A DISTANCE OF 25.92 FEET; (10) THENCE S67'01'12"E, A DISTANCE OF 17.32 FEET; (11) THENCE S46'00'30"E, A DISTANCE OF 104.61 FEET; (12) THENCE S59'51'49"E, A DISTANCE OF 128.83 FEET; (13) THENCE S50'15'41"E, A DISTANCE OF 25.07 FEET; (14) THENCE S81'07'53"E, A DISTANCE OF 30.62 FEET; (15) THENCE S34'41'17"E, A DISTANCE OF 101.93 FEET; (16) THENCE S74'49'07"E, A DISTANCE OF 33.80 FEET; (17) THENCE S29'57'09"E, A DISTANCE OF 44.68 FEET; (18) THENCE N44'16'42"E, A DISTANCE OF 87.91 FEET; (19) THENCE N58'41'18"E, A DISTANCE OF 75.04 FEET; (20) THENCE N36'20'41"E, A DISTANCE OF 80.01 FEET; (21) THENCE N48'01'15"E, A DISTANCE OF 25.29 FEET; (22) THENCE N67'23'56"E, A DISTANCE OF 25.44 FEET; (23) THENCE N53'59'34"E, A DISTANCE OF 30.35 FEET; (24) THENCE S72'31'00"E, A DISTANCE OF 21.95 FEET; (25) THENCE S38'33'21"E, A DISTANCE OF 75.36 FEET; (26) THENCE S48'50'51"E, A DISTANCE OF 50.08 FEET; (27) THENCE S67'52'04"E, A DISTANCE OF 61.04 FEET; (28) THENCE S85'21'41"E, A DISTANCE OF 22.66 FEET; (29) THENCE N67'29'06"E, A DISTANCE OF 25.10 FEET; (30) THENCE N36'36'53"E, A DISTANCE OF 15.47 FEET; (31) THENCE N42'55'34"E, A DISTANCE OF 13.55 FEET; (32) THENCE N64'40'37"E, A DISTANCE OF 16.53 FEET; THENCE N80'12'54"E, A DISTANCE OF 21.53 FEET; (33) THENCE N88'39'04"E, A DISTANCE OF 25.02 FEET; (34) THENCE S77'02'33"E, A DISTANCE OF 25.58 FEET; (35) THENCE S64'26'29"E, A DISTANCE OF 14.58 FEET; (36) THENCE S76'53'29"E, A DISTANCE OF 12.06 FEET; (37) THENCE S84'29'38"E, A DISTANCE OF 64.09 FEET; (38) THENCE S53'49'52"E, A DISTANCE OF 13.67 FEET; (39) THENCE S86'31'15"E, A DISTANCE OF 22.94 FEET

TO THE POINT OF INTERSECTION OF THE CENTERLINE OF DUCK SLOUGH AND THE EAST BOUNDARY OF THE SOUTHWEST 1/4 OF THE NORTHWEST 1/4 OF SAID SECTION 33 SAID POINT ALSO BEING A POINT ON THE WEST BOUNDARY OF AFORESAID OAK RIDGE UNIT THREE; THENCE ON THE EAST BOUNDARY OF THE SOUTHWEST 1/4 OF THE NORTHWEST 1/4 OF SECTION 33 THE SAME BEING THE WEST BOUNDARY OF SAID OAK RIDGE UNIT THREE SOO'25'38"W, A DISTANCE OF 401.36 FEET TO THE SOUTHEAST CORNER OF THE SOUTHWEST 1/4 OF THE NORTHWEST 1/4; THENCE SOO'40'36"W (NOO'40'03"E PER THE PLAT OF OAK RIDGE UNIT THREE), A DISTANCE OF 1326.10 FEET TO THE POINT OF BEGINNING; CONTAINING 53.95 ACRES, MORE OR LESS.

PARCEL II

THAT PART OF THE SOUTH 7/8 OF THE SOUTH ½ OF SECTION 32, TOWNSHIP 26 SOUTH, RANGE 16 EAST, PASCO COUNTY, FLORIDA, LYING EAST OF THE ANCLOTE RIVER AND THAT PART OF THE SOUTHWEST 1/4 OF THE SOUTHWEST 1/4 OF SECTION 33, TOWNSHIP 26 SOUTH, RANGE 16 EAST, PASCO COUNTY, FLORIDA, BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCE AT THE SOUTHEAST CORNER OF SAID SECTION 32 FOR A POINT OF BEGINNING AND THENCE RUN SOUTH 89°57'44" WEST ALONG THE SOUTH BOUNDARY OF SAID SECTION 32 FOR 1227.01 FEET TO THE EAST BANK OF THE ANCLOTE RIVER, ALSO BEING THE MEAN HIGH WATER LINE; THENCE, ALONG THE SAID EAST BANK OF THE ANCLOTE RIVER ALONG THE FOLLOWING 26 CALLS: NORTH 51°58'57" EAST, 11.97 FEET; THENCE NORTH 51°58'58" EAST, 78.86 FEET; THENCE NORTH 54°41'19" EAST, 91.24 FEET; THENCE NORTH 54°18'18" EAST, 50.67 FEET; THENCE NORTH 42°04'01" EAST, 64.01 FEET; THENCE NORTH 57°27'30" EAST, 75.66 FEET; THENCE NORTH 53°17'50" EAST, 50.09 FEET; THENCE NORTH 57°50'00" EAST 50.49 FEET; THENCE NORTH 48°43;04" EAST, 50.01 FEET; THENCE NORTH 52°09'15" EAST 50.04 FEET; THENCE NORTH 56°42'23" EAST, 50.36 FEET; THENCE NORTH 52°09'15" EAST 50.04 FEET; THENCE NORTH 58°40'55" EAST, 65.23 FEET; THENCE NORTH 45°37'53" EAST, 40.65 FEET; THENCE SOUTH 74°38'42" EAST, 38.83 FEET; THENCE NORTH 86°57'20" EAST, 24.80 FEET; THENCE NORTH 66°24'53" EAST, 33.03 FEET; THENCE NORTH 36°06'44" EAST, 40.50 FEET; THENCE NORTH 33°37'55" EAST, 26.25 FEET; THENCE NORTH 13°26'00" EAST, 35.03 FEET; THENCE NORTH 17°26'58" EAST, 55.02 FEET; THENCE NORTH 20°39'03" EAST, 24.08 FEET; THENCE NORTH 08°44'04" WEST, 65.81 FEET; THENCE NORTH 08°36'23" WEST, 52.52 FEET; THENCE NORTH 19°41'18" WEST, 34.70 FEET; THENCE NORTH 06°13'19" WEST, 13.53 FEET; THENCE LEAVING SAID EAST BANK OF THE ANCLOTE RIVER AND CONTINUING ALONG THE SAID MEAN HIGH WATER LINE SOUTH 47°29'58" EAST, 7.02 FEET; THENCE SOUTH 40°52'42" EAST, 12.02 FEET; THENCE SOUTH 65°47'06" EAST, 18.24 FEET; THENCE SOUTH 86°12'32" EAST 37.28 FEET; THENCE NORTH 86°34'03" EAST, 18.88 FEET; THENCE NORTH 77°06'26" EAST, 35.87 FEET; THENCE SOUTH 89°52'14" EAST ALONG A LINE PARALLEL WITH THE SOUTH BOUNDARY OF THE SOUTHWEST 1/4 OF SAID SECTION 33 FOR 360.63 FEET TO THE EAST BOUNDARY OF SAID SECTION 32; THENCE CONTINUING SOUTH 89°52'14" EAST, 1323.39 FEET TO THE EAST BOUNDARY OF THE SOUTHWEST 1/4 OF THE SOUTHWEST 1/4 OF SAID SECTION 33: THENCE SOUTH 00°40'03" WEST, ALONG THE EAST BOUNDARY OF THE SAID SOUTHWEST 1/4 OF THE SOUTHWEST 1/4 FOR 784.08 FEET; THENCE NORTH 89°52'12" WEST ALONG THE SOUTH BOUNDARY OF SAID SECTION 33 FOR 1321.78 FEET TO THE POINT OF BEGINNING.

CONTAINING 37.102 ACRES OR 1616163.120 SQ. FT. MORE OR LESS.

Written objections of the above noted extension must be made in writing and filed with the Director of the Division of Records and Reporting, Florida Public Service Commission, 2540 Shumard Oak Boulevard, Tallahassee, Florida 32399-0870, and a copy provided to F. Marshall Deterding, Rose, Sundstrom & Bentley, 2548 Blairstone Pines Drive, Tallahassee, Florida 32301, no later than 30 days after the last date this notice was mailed or published whichever is later.