

BellSouth Telecommunications, Inc. Regulatory & External Affairs 150 South Monroe Street Suite 400

Tallahassee, FL 32301-1556

marshall.criser@bellsouth.com

Marshall M. Criser III

Vice President Regulatory & External Affairs

840 224 7798 Fax 850 224 5073

January 30, 2004

Mrs. Blanca S. Bayo Director, Division of Commission Clerk and Administrative Services Florida Public Service Commission 2540 Shumard Oak Boulevard Tallahassee, Florida 32399 CLERK OF

Re: Approval of Amendment to the Interconnection, Unbundling, Resale, and Collocation Agreement between BellSouth Telecommunications, Inc. ("BellSouth") and Level 3 Communications, LLC

Dear Mrs. Bayo:

Please find enclosed for filing and approval, an original and two copies of BellSouth Telecommunications, Inc.'s Amendment to Interconnection, Unbundling, Resale, and Collocation Agreement with Level 3 Communications, LLC.

If you have any questions, please do not hesitate to call Kathleen Arant at (850) 222-9380.

Very truly yours,

Regulatory Vice President

RECEIVED & FILED

FPSC-BUREAU OF RECORDS

O 1429 JAN 30 3

FPSC-COMMISSION CLERK

Amendment to the Agreement Between Level 3 Communications, LLC and BellSouth Telecommunications, Inc. Dated January 1, 2001

Pursuant to this Amendment, (the "Amendment"), Level 3 Communications, LLC, (Level 3), and BellSouth Telecommunications, Inc. ("BellSouth"), hereinafter referred to collectively as the "Parties," hereby agree to amend that certain Interconnection Agreement between the Parties dated January 1, 2001, ("Agreement") to be effective 30 days after the date of the last signature executing the Amendment.

WHEREAS, BellSouth and Level 3 entered into the Agreement on January 1, 2001, and;

WHEREAS, BellSouth and Level 3 desire replace the Term of the Agreement Section to the General Terms and Conditions, and;

WHEREAS, BellSouth and Level 3 desire replace Attachment 4-Collocation with a new Attachment 4-Collocation;

NOW THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows:

- 1. Section 2 Term of Agreement of the General Terms and Conditions of the Interconnection Agreement is deleted in its entirety and replaced with the following Section 2 Term of Agreement below:
 - 2. Term of the Agreement
 - 2.1 The term of this Agreement shall be through December 31, 2003 and shall apply to the state(s) of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee. Upon mutual written agreement of the Parties, this Agreement may be renewed for such additional period of time as the Parties may agree.
 - 2.2 The Parties agree that if either Party provides notice of intent to renegotiate no later than one hundred and eighty (180) days prior, and no sooner than two hundred and seventy (270) days prior, to the expiration of this Agreement, they shall negotiate as soon as practicable with regard to the terms, conditions and prices of resale and/or local interconnection to be effective beginning on the expiration date of this Agreement ("Subsequent Agreement"). If as of the expiration of this Agreement a Subsequent Agreement has not been executed by the Parties, this Agreement shall continue on a month-to-month basis while a Subsequent Agreement is being negotiated or arbitrated. The Parties' rights and obligations with respect to this Agreement after expiration shall be as set forth in Section 2.4 below.

- 2.3 If, within one hundred and thirty-five (135) to one hundred and sixty (160) days of commencing the negotiation referred to in Section 2.2 above, the Parties are unable to satisfactorily negotiate new resale and/or local interconnection terms, conditions and prices, either Party may petition the Commission to establish appropriate local interconnection and/or resale arrangements pursuant to 47 U.S.C. 252. The Parties agree that, in such event, they shall encourage the Commission to issue its order regarding the appropriate local interconnection and/or resale arrangements no later than the expiration date of this Agreement. The Parties further agree that in the event the Commission does not issue its order prior to the expiration date of this Agreement, or if the Parties continue beyond the expiration date of this Agreement to negotiate the local interconnection and/or resale arrangements without Commission intervention, the terms, conditions and prices ultimately ordered by the Commission, or negotiated by the Parties, will be effective as of the date as stated in the Subsequent Agreement and shall not be applied retroactively to the expiration date of this Agreement unless the Parties subsequently agree otherwise. .
- 2.4 In those circumstances where a Party has delivered notice pursuant to Section 2.2, in the event that as of the date of expiration of this Agreement and conversion of this Agreement to a month-to-month term, the Parties have not entered into a Subsequent Agreement and (i) the Parties are not involved in active good faith negotiations or mediation for a Subsequent Agreement, or (ii) no arbitration proceeding has been filed in accordance with Section 2.3 above, then either Party may terminate this Agreement upon sixty (60) days notice to the other Party. In the event that BellSouth terminates this Agreement as provided above, BellSouth shall continue to offer services to Level 3 pursuant to the terms, conditions and rates set forth in BellSouth's Statement of Generally Available Terms (SGAT) to the extent an SGAT has been approved by the applicable Commission(s). If any state Commission has not approved a BellSouth SGAT, then upon BellSouth's termination of this Agreement as provided herein, BellSouth will continue to provide services to Level 3 pursuant to BellSouth's then current standard interconnection agreement. In the event that the SGAT or BellSouth's standard interconnection agreement becomes effective as between the Parties, the Parties may continue to negotiate a Subsequent Agreement, and the terms of such Subsequent Agreement shall be effective as of the date stated in the Subsequent Agreement and shall not be applied retroactively to the expiration date of this Agreement unless the Parties subsequently agree otherwise.

- 2. The Parties agree to delete Attachment 4, Collocation including the Exhibits in their entirety and replace with a new Attachment 4, Collocation and Exhibits, as set forth in Exhibit 1 to this Amendment, attached hereto and incorporated herein by this reference.
- 3. All of the other provisions of the Agreement, dated January 1, 2001, shall remain in full force and effect.
- 4. Either or both of the Parties is authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996.

Signature Page

IN WITNESS WHEREOF, the Parties have executed this Agreement the day and year written below.

BellSouth Telecommunications, Inc.

--

Level 3 Communications, LLC

Name:

Title: \

Date:

Title: Date:

12-24-03

Level 3 Term and Collocation Amendment

[CCCS Amendment 4 of 84]

Exhibit 1 to Amendment Attachment 4-Central Office Page 1

Attachment 4

Physical Collocation

BELLSOUTH

PHYSICAL COLLOCATION

1. Scope of Attachment

- 1.1 The rates, terms, and conditions contained within this Attachment shall only apply when Level 3 is physically collocated as a sole occupant or as a Host within a BellSouth Premises location pursuant to this Attachment. BellSouth Premises include, for the purposes of this Attachment, BellSouth Central Offices and Serving Wire Centers and Adjacent Arrangements, as defined in Section 3.4 of this Attachment (hereinafter "Premises"). This Attachment is applicable to Premises owned or leased by BellSouth. However, if the Premises occupied by BellSouth is leased by BellSouth from a third party, special considerations and intervals may apply in addition to the terms and conditions contained in this Attachment. Where BellSouth notifies Level 3 that BellSouth's agreement with a third party does not grant BellSouth the ability to provide access and use rights to others, upon Level 3's request, BellSouth will use commercially reasonable efforts to obtain the third party's consent and to otherwise secure such rights. Upon Level 3's request, BellSouth will provide documentation of BellSouth's commercially reasonable efforts to obtain the third party's consent and to otherwise secure such rights.
- Right to Occupy. BellSouth shall offer to Level 3 collocation on rates, terms, and conditions that are just, reasonable, non-discriminatory and consistent with the rules of the FCC. Subject to the rates, terms and conditions of this Attachment, where space is available and it is technically feasible, BellSouth will allow Level 3 to occupy a certain area designated by BellSouth within a Premises, or on BellSouth property upon which the Premises is located, of a size which is specified by Level 3 and agreed to by BellSouth (hereinafter "Collocation Space"). The necessary rates, terms and conditions for the premises as defined by the FCC, other than BellSouth Premises, shall be negotiated upon reasonable request for collocation at such premises.
- 1.2.1 Neither BellSouth nor any of BellSouth's affiliates may reserve space for future use on more preferential terms than those set forth in this Attachment.
- 1.2.1.1 In all states other than Florida, the size specified by Level 3 may contemplate a request for space sufficient to accommodate Level 3's growth within a twenty-four (24) month period.
- 1.2.1.2 In the state of Florida, the size specified by Level 3 may contemplate a request for space sufficient to accommodate Level 3's growth within an eighteen (18) month period.

- 1.3 Space Allocation. BellSouth shall attempt to accommodate Level 3's requested preferences, if any. In allocating Collocation Space, BellSouth shall not materially increase Level 3's cost or materially delay Level 3's occupation and use of the Collocation Space, assign Collocation Space that will impair the quality of service or otherwise limit the service Level 3 wishes to offer, reduce unreasonably the total space available for physical collocation or preclude unreasonable physical collocation within the Premises. Space shall not be available for collocation if it is: (a) physically occupied by non-obsolete equipment; (b) assigned to another collocated telecommunications carrier; (c) used to provide physical access to occupied space; (d) used to enable technicians to work on equipment located within occupied space; (e) properly reserved for future use, either by BellSouth or another collocated telecommunications carrier; or (f) essential for the administration and proper functioning of Premises. BellSouth may segregate Collocation Space and require separate entrances for collocated telecommunications carriers to access their Collocation Space, pursuant to FCC Rules.
- 1.4 <u>Space Reclamation.</u> In the event of space exhaust within a Premises, BellSouth may include in its documentation for the Petition for Waiver filed with the Commission, any unutilized space in the Premises. Upon request, Level 3 will be responsible for the justification of unutilized space within its Collocation Space, if the Commission requires such justification.
- 1.5 <u>Use of Space</u>. Level 3 shall use the Collocation Space for the purposes of installing, maintaining and operating Level 3's equipment (to include testing and monitoring equipment) necessary for interconnection with BellSouth services and facilities or for accessing BellSouth unbundled network elements for the provision of telecommunications services, as specifically set forth in this Agreement.
- 1.6 <u>Rates and Charges</u>. Level 3 agrees to pay the rates and charges identified in Exhibit B attached hereto.
- 1.7 If any due date contained in this Attachment falls on a weekend or National holiday, the due date will be the next business day thereafter. For intervals of ten (10) calendar days or less, National holidays will be excluded.
- 1.8 The Parties agree to comply with all applicable federal, state, county, local and administrative laws, rules, ordinances, regulations and codes in the performance of their obligations hereunder.

2. Space Availability Report

2.1 Space Availability Report. Upon request from Level 3 and at Level 3's expense, BellSouth will provide a written report (Space Availability Report) describing in detail the space that is available for collocation at a particular Premises. This report will include the amount of Collocation Space available at the Premises requested, the

number of collocators present at the Premises, any modifications in the use of the space since the last report on the Premises requested and the measures BellSouth is taking to make additional space available for collocation arrangements. A Space Availability Report does not reserve space at the Premises for which the Space Availability Report was requested by Level 3.

- 2.1.1 The request from Level 3 for a Space Availability Report must be in writing and include the Premises street address, as identified in the Local Exchange Routing Guide (LERG) and Common Language Location Identification (CLLI) code of the Premises. CLLI code information is located in the National Exchange Carrier Association (NECA) Tariff FCC No. 4.
- 2.1.2 BellSouth will respond to a request for a Space Availability Report for a particular Premises within ten (10) calendar days of the receipt of such a request. BellSouth will make its best efforts to respond in ten (10) calendar days to a Space Availability Report request when the request includes from two (2) to five (5) Premises within the same state. The response time for Space Availability Report requests of more than five (5) Premises shall be negotiated between the Parties. If BellSouth cannot meet the ten (10) calendar day response time for two (2) to five (5) Premises within the same state, BellSouth shall notify Level 3 and inform Level 3 of the timeframe under which it can respond.

3. Collocation Options

- 3.1 <u>Cageless</u>. BellSouth shall allow Level 3 to collocate Level 3's equipment and facilities without requiring the construction of a cage or similar structure. BellSouth shall allow Level 3 to have direct access to Level 3's equipment and facilities in accordance with Section 5.9. BellSouth shall make cageless collocation available in single bay increments. Except where Level 3's equipment requires special technical considerations (e.g., special cable racking or isolated ground plane), BellSouth shall assign cageless Collocation Space in conventional equipment rack lineups where feasible. For equipment requiring special technical considerations, Level 3 must provide the equipment layout, including spatial dimensions for such equipment pursuant to generic requirements contained in Telcordia GR-63-Core, and shall be responsible for compliance with all special technical requirements associated with such equipment.
- 3.2 <u>Caged.</u> At Level 3's expense, Level 3 will arrange with a Supplier certified by BellSouth (BellSouth Certified Supplier) to construct a collocation arrangement enclosure in accordance with BellSouth's Technical References (TRs) (Specifications) prior to starting equipment installation. BellSouth will provide Specifications upon request. Where local building codes require enclosure specifications more stringent than BellSouth's enclosure Specifications, Level 3 and Level 3's BellSouth Certified Supplier must comply with the more stringent local building code requirements. Level

3's BellSouth Certified Supplier shall be responsible for filing and receiving any and all necessary permits and/or licenses for such construction. BellSouth shall cooperate with Level 3 and provide, the documentation, including existing building architectural drawings, enclosure drawings, and Specifications required and necessary for Level 3's BellSouth Certified Supplier to obtain the zoning, permits and/or other licenses. Level 3 shall reimburse its BellSouth Certified Supplier or BellSouth, where applicable, the commercially reasonable and demonstrable costs, which include, but are not limited to, copying, printing and administrative costs for producing the documentation in providing such information. Level 3's BellSouth Certified Supplier shall bill Level 3 directly for all work performed for Level 3 pursuant to this Attachment. BellSouth shall have no liability for, nor responsibility to pay, such charges imposed by Level 3's BellSouth Certified Supplier. Level 3 must provide the local BellSouth Central Office building contact with two Access Keys that will allow entry into the locked enclosure. Except in the case of an emergency, BellSouth will not access Level 3's locked enclosure prior to notifying Level 3 at least forty-eight (48) hours or two (2) business days, whichever is greater, before access to the Collocation Space is required. Upon request, BellSouth shall construct the enclosure for Level 3.

3.2.1 BellSouth may elect to review Level 3's plans and specifications prior to allowing construction to start, to ensure compliance with BellSouth's Specifications. BellSouth will notify Level 3 of its desire to execute this review in BellSouth's response to the Initial Application, if Level 3 has indicated its desire to construct its own enclosure. If Level 3's Initial Application, as defined in Section 6.2 of this Attachment, does not indicate its desire to construct its own enclosure, and Level 3 subsequently decides to construct its own enclosure, then Level 3 will submit an application modification pursuant to Section 6.10.1 of this Attachment, indicating its desire to construct its own enclosure. If BellSouth elects to review Level 3's plans and specifications, then BellSouth will provide notification within ten (10) calendar days after the Subsequent Application, as defined in Section 6.3 of this Attachment, firm order date. BellSouth shall complete its review within fifteen (15) calendar days after the receipt of Level 3's plans and specifications. Regardless of whether or not BellSouth elects to review Level 3's plans and specifications, BellSouth reserves the right to inspect the enclosure after construction has been completed to ensure that it is constructed according to Level 3's submitted plans and specifications and/or BellSouth's Specifications, as applicable. If BellSouth decides to inspect the constructed Collocation Space, BellSouth will complete its inspection within fifteen (15) calendar days after receipt of written notification of completion of the enclosure from Level 3. When a deviation is detected by BellSouth during a review or an inspection, unless the Parties mutually agree that deviations from Level 3's plans and specifications or BellSouth's specifications are permitted, BellSouth shall require Level 3 to remove or correct within seven (7) calendar days, at Level 3's expense, any structure that does not meet Level 3's plans and specifications or BellSouth's Specifications, if applicable.

- Shared Caged Collocation. Level 3 may allow other telecommunications carriers to share Level 3's caged collocation arrangement, pursuant to the terms and conditions agreed to by Level 3 (Host) and the other telecommunications carriers (Guests) pursuant to this Section, except where the Premises is located within a leased space and BellSouth is prohibited by said lease from offering such an option to Level 3. BellSouth shall be notified in writing by Level 3 upon the execution of any agreement between the Host and its Guest(s) within ten (10) calendar days of its execution and prior to the submission of any firm orders ("Firm Order(s)"). Further, such notification shall include the name of the Guest(s), the term of the agreement, and a certification by Level 3 that said agreement imposes upon the Guest(s) the same terms and conditions for Collocation Space as set forth in this Attachment between BellSouth and Level 3.
- 3.3.1 Level 3, as the Host, shall be the sole interface and responsible Party to BellSouth for the assessment and billing of rates and charges contained within this Attachment and for the purposes of ensuring that the safety and security requirements of this Attachment are fully complied with by the Guest(s), its employees and agents. BellSouth shall provide Level 3 with a proration of the costs of the Collocation Space based on the number of collocators and the space used by each, with a minimum charge of one (1) bay/rack per Host/Guest. In all states other than Florida, and in addition to the above, where Level 3 is the Host, Level 3 shall be the responsible party to BellSouth for the purpose of submitting applications for initial and additional equipment placement for the Guest(s). In Florida, the Guest(s) may submit its own initial and additional equipment placement applications using the Host's Access Carrier Name Abbreviation (ACNA). A separate Guest application shall result in the assessment of an Initial Application Fee or a Subsequent Application Fee, as set forth in Exhibit B, which will be billed to the Host on the date that BellSouth provides its written response to the Guest(s) Bona Fide Application (Application Response).
- 3.3.2 Notwithstanding the foregoing, the Guest(s) may submit service orders directly to BellSouth to request the provisioning of interconnecting facilities between BellSouth and the Guest(s), the provisioning of services, and access to unbundled network elements. The bill for these interconnecting facilities, services and access to UNEs will be charged to the Guest(s) pursuant to the applicable Tariff or the Guest's Interconnection Agreement with BellSouth.
- 3.3.3 Level 3 shall indemnify and hold harmless BellSouth from any and all claims, actions, causes of action, of whatever kind or nature arising out of the presence of Level 3's Guest(s) in the Collocation Space, except to the extent caused by BellSouth's sole negligence, gross negligence, or willful misconduct and except for claims, action, causes of action, of whatever kind or nature directly arising out of or directly related to the interconnection agreement between BellSouth and the Guest(s) or BellSouth's provision of access to UNEs to the Guest(s) pursuant to the BellSouth and Guest's interconnection agreement directly.

- Adjacent Collocation. Subject to technical feasibility and space availability, BellSouth will permit an adjacent collocation arrangement (Adjacent Arrangement) on Premises' property only when space within the Premises is legitimately exhausted and where the Adjacent Arrangement does not interfere with access to existing or planned structures or facilities on the Premises' property. An Adjacent Arrangement shall be constructed or procured by Level 3 and must be in conformance with BellSouth's design and construction Specifications. Further, Level 3 shall construct, procure, maintain and operate said Adjacent Arrangement(s) pursuant to all of the rates, terms and conditions set forth in this Attachment.
- 3.4.1 If Level 3 requests Adjacent Collocation, pursuant to the conditions stated in 3.4 above, Level 3 must arrange with a BellSouth Certified Supplier to construct the Adjacent Arrangement structure in accordance with BellSouth's Specifications. BellSouth will provide Specifications upon request. Where local building codes require enclosure specifications more stringent than BellSouth's Specifications, Level 3 and Level 3's BellSouth Certified Supplier must comply with the more stringent local building code requirements. Level 3's BellSouth Certified Supplier shall be responsible for filing and receiving any and all necessary zoning, permits and/or licenses for such construction. Level 3's BellSouth Certified Supplier shall bill Level 3 directly for all work performed for Level 3 pursuant to this Attachment. BellSouth shall have no liability for, nor responsibility to pay, such charges imposed by Level 3's BellSouth Certified Supplier. Level 3 must provide the local BellSouth Central Office building contact with two cards, keys or other access devices used to gain entry into the locked enclosure. Except in the case of an emergency, BellSouth will not access Level 3's locked enclosure prior to notifying Level 3 at least forty-eight (48) hours or two (2) business days, whichever is greater, before access to the Collocation Space is required.
- 3.4.2 Level 3 must submit its Adjacent Arrangement construction plans and specifications to BellSouth when it places its Firm Order. BellSouth shall review Level 3's plans and specifications prior to construction of an Adjacent Arrangement(s) to ensure Level 3's compliance with BellSouth's Specifications. BellSouth shall complete its review within fifteen (15) calendar days after receipt of the plans and specifications from Level 3 for the Adjacent Arrangement. BellSouth may inspect the Adjacent Arrangement during and after construction is completed to ensure that it is constructed according to Level 3's submitted plans and specifications. If BellSouth decides to inspect the completed Adjacent Arrangement, BellSouth will complete its inspection within fifteen (15) calendar days after receipt of written notification of completion of the enclosure from Level 3. When a deviation is detected by BellSouth during a review or an inspection, unless the Parties mutually agree that deviations from Level 3's plans and specifications or BellSouth's specifications are permitted, BellSouth shall require Level 3 to remove or correct within seven (7) calendar days at

Level 3's expense, any structure that does not meet its submitted plans and specifications or BellSouth's Specifications, if applicable.

- 3.4.3 Level 3 shall provide a concrete pad, the structure housing the arrangement, heating/ventilation/air conditioning (HVAC), lighting, and all of the facilities that are required to connect the structure (i.e., racking, conduits, etc.) to the BellSouth point of demarcation. At Level 3's option, and where the local authority having jurisdiction permits, BellSouth shall provide an AC power source and access to physical collocation services and facilities, subject to the same nondiscriminatory requirements as those applicable to any other physical collocation arrangement. In Alabama and Louisiana, BellSouth will provide DC power to Adjacent Collocation sites where technically feasible, as that term has been defined by the FCC subject to individual case basis pricing that shall in all respects conform with Section 251 (c)(6) of the Act. Level 3's BellSouth Certified Supplier shall be responsible, at Level 3's sole expense, for filing and receiving any and all necessary zoning, permits and/or licenses for an Adjacent Arrangement. BellSouth shall allow Shared Caged Collocation within an Adjacent Arrangement, pursuant to the terms and conditions set forth in 3.3 above.
- 3.5 Co-Carrier Cross Connect (CCXC). The primary purpose of collocation is for a telecommunications carrier to interconnect with BellSouth's network or to access BellSouth's UNEs for the provision of telecommunications services. BellSouth will permit Level 3 to interconnect between its virtual or physical collocation arrangements and those of another collocated telecommunications carrier within the same Premises. Both Level 3's agreement and the other collocated telecommunications carrier's agreement must contain rates, terms and conditions for CCXC language. Level 3 is prohibited from using the Collocation Space for the sole or primary purpose of cross connecting to other collocated telecommunications carriers.
- 3.5.1. Level 3 must contract with a BellSouth Certified Supplier to place the CCXC. The CCXC shall be provisioned through facilities owned by Level 3. Such connections to other collocated telecommunications carriers may be made using either optical or electrical facilities. In cases where Level 3's equipment and the equipment of the other collocated telecommunications carrier are located in contiguous caged Collocation Spaces, Level 3 may use its own technicians to install co-carrier cross connects using either electrical or optical facilities between the equipment of both collocated telecommunications carriers and construct a dedicated cable support structure between the two contiguous cages. Level 3 shall deploy such optical or electrical connections directly between its own facilities and the facilities of another collocated telecommunications carrier without being routed through BellSouth's equipment. Level 3 shall not provision CCXC on any BellSouth distribution frame, POT (Point of Termination) Bay, DSX (Digital System Cross-connect) or LGX (Light Guide Cross-connect). Level 3 is responsible for ensuring the integrity of the signal.

- 3.5.2 Level 3 shall be responsible for providing a letter of authorization (LOA), with the application, to BellSouth from the other collocated telecommunications carrier to which it will be cross-connecting Level 3-provisioned CCXC shall utilize common cable support structure. There will be a recurring charge per linear foot, per cable, of common cable support structure used. In the case of two contiguous caged collocation arrangements, Level 3 may use its own technicians to construct the dedicated support structure between the two collocation arrangements.
- 3.5.3 To order CCXCs, Level 3 must submit an Initial Application or Subsequent Application to BellSouth. If no modification to the Collocation Space is requested other than the placement of CCXCs, the Subsequent Application Fee for CCXCs, as defined in Exhibit B, will apply. If modifications, in addition to the placement of CCXCs, are requested, the Initial Application or Subsequent Application Fee will apply. BellSouth will bill this nonrecurring fee on the date that it provides an Application Response to Level 3.

4. Occupancy

4.1 Occupancy. BellSouth will notify Level 3 in writing when the Collocation Space is ready for occupancy (Space Ready Date). Level 3 will schedule and complete an acceptance walkthrough of the Collocation Space with BellSouth within fifteen (15) calendar days of the Space Ready Date. BellSouth, at its own expense, will correct any BellSouth caused deviations from Level 3's original or jointly amended application requirements within seven (7) calendar days after the walkthrough, unless the Parties jointly agree upon a different time frame. Any other additions or changes to the original or jointly amended request will be at Level 3's expense. BellSouth will also establish a new Space Ready Date. Another acceptance walkthrough will then be scheduled and conducted within fifteen (15) calendar days of the new Space Ready Date. This follow-up acceptance walkthrough will be limited to only those items identified in the initial walkthrough. If Level 3 completes its acceptance walkthrough within the fifteen (15) calendar day interval, billing will begin upon the date of Level 3's acceptance of the Collocation Space (Space Acceptance Date). In the event that Level 3 fails to complete an acceptance walkthrough within this fifteen (15) calendar day interval, the Collocation Space shall be deemed accepted by Level 3 on the Space Ready Date and billing will commence from that date. If Level 3 decides to occupy the space prior to the Space Ready Date, the date Level 3 occupies the space becomes the new Space Acceptance Date and billing will begin from that date. Level 3 must notify BellSouth in writing that collocation equipment installation is complete and operational with BellSouth's network. BellSouth may, at its discretion, refuse to accept orders for cross connects until it has received such notice. For the purposes of this paragraph, Level 3's telecommunications equipment will be deemed operational when it has been cross-connected to BellSouth's network for the purpose of provisioning telecommunication services to Level 3's customers.

- 4.2 Termination of Occupancy. In addition to any other provisions addressing termination of occupancy in this Agreement, Level 3 may terminate occupancy in a particular Collocation Space by submitting a Subsequent Application requesting termination of occupancy. Such termination shall be effective upon BellSouth's acceptance of the Space Relinquishment Form. Billing for monthly recurring charges will cease on the date that Level 3 and BellSouth conduct an inspection of the terminated space and jointly sign off on the Space Relinquishment Form or on the date that Level 3 signs off on the Space Relinquishment Form and sends this form to BellSouth, if a subsequent inspection of the terminated space by BellSouth reveals no discrepancies. If the subsequent inspection by BellSouth does reveal discrepancies, billing will cease on the date that BellSouth and Level 3 jointly conduct an inspection, which confirms that Level 3 has corrected all of the noted discrepancies. A Subsequent Application Fee will not apply for the termination of occupancy. BellSouth may terminate Level 3's right to occupy the Collocation Space in the event that Level 3 fails to comply with any material provision directly related to Collocation in this Agreement provided BellSouth gives Level 3 thirty (30) calendar days' prior written notice of the failure to comply and gives Level 3 an opportunity to cure during such period. Notwithstanding the above, any termination for non-payment of applicable fees, shall be in accordance with Attachment 7, Billing.
- 4.2.1 Upon termination of occupancy, Level 3, at its sole expense, shall remove its equipment and any other property from the Collocation Space. Level 3 shall have thirty (30) calendar days from the Bona Fide Firm Order (BFFO) Subsequent Application date (Termination Date) to complete such removal, including the removal of all equipment and facilities of Level 3's Guest(s), unless Level 3's Guest(s) has assumed responsibility for the Collocation Space housing the Guest(s)'s equipment and executed the appropriate documentation required by BellSouth prior to the Level 3 removal date. Level 3 shall continue the payment of all monthly fees to BellSouth until the date that Level 3, and if applicable Level 3's Guest(s), has fully vacated the Collocation Space and the Space Relinquishment Form has been accepted by BellSouth. Should Level 3 or Level 3's Guest(s) fail to vacate the Collocation Space within thirty (30) calendar days from the Termination Date, BellSouth shall have the right to remove the equipment and dispose of the equipment and other property of Level 3 or Level 3's Guest(s), in any manner that BellSouth deems fit, at Level 3's expense and with no liability whatsoever for Level 3's property or Level 3's Guest(s)'s property. Upon termination of Level 3's right to occupy specific Collocation Space, the Collocation Space will revert back to BellSouth's space inventory, and Level 3 shall surrender the Collocation Space to BellSouth in the same condition as when it was first occupied by Level 3, with the exception of ordinary wear and tear, unless otherwise agreed to by the Parties. Level 3's BellSouth Certified Supplier shall be responsible for updating and making any necessary changes to BellSouth's records as required by BellSouth's Specifications including, but not limited to, Central Office Record Drawings and ERMA Records. Level 3 shall be responsible for the cost of removing any Level 3 constructed enclosure, together with any supporting structures

(e.g., racking, conduits, or power cables), at the termination of occupancy and restoring the grounds to their original condition.

5. Use of Collocation Space

- 5.1 Equipment Type. BellSouth permits the collocation of any equipment necessary for interconnection to BellSouth's network or access to BellSouth's unbundled network elements in the provision of telecommunications services, as the term "necessary" is defined by FCC 47 C.F.R. Section 51.323 (b). The primary purpose and function of any equipment collocated in a Premises must be for interconnection to BellSouth's network or access to BellSouth's unbundled network elements in the provision of telecommunications services.
- 5.1.1 Examples of equipment that would not be considered necessary include, but are not limited to: traditional circuit switching equipment, equipment used exclusively for call related databases, computer servers used exclusively for providing information services, operations support system (OSS) equipment used to support collocated telecommunications carrier network operations, equipment that generates customer orders, manages trouble tickets or inventory, or stores customer records in centralized databases, etc. BellSouth will determine upon receipt of an application if the requested equipment is necessary based on the criteria established by the FCC. Multifunctional equipment placed on Premises must not place any greater relative burden on BellSouth's property than comparable single-function equipment. BellSouth reserves the right to permit collocation of any equipment on a nondiscriminatory basis.
- 5.1.2 Such equipment must, at a minimum, meet the following Telcordia Network Equipment Building Systems (NEBS) General Equipment Requirements: Criteria Level 1 requirements as outlined in Telcordia Special Report SR-3580, Issue 1. Except where otherwise required by a Commission, BellSouth shall comply with the applicable FCC rules relating to denial of collocation based on Level 3's failure to comply with this Section.
- 5.1.3 Level 3 may submit an application for equipment installation and DSO, DS1, DS3 and optical terminations on the same application. However, Level 3 shall not request more DS0, DS1, DS3 and optical terminations in an Initial Application or a Subsequent Application for a collocation arrangement than the total port or termination capacity of the equipment already physically installed in the arrangement or contained in an application. If full network termination capacity of the equipment being installed is not requested in the application, additional network terminations for the installed equipment will require the submission of another application. In the event Level 3 submits an application for terminations that will exceed the total capacity of the collocated equipment Level 3 will be informed of the discrepancy by BellSouth and required to submit a revision to the application.

- 5.2 Level 3 shall not use the Collocation Space for marketing purposes, nor shall it place any identifying signs or markings outside the Collocation Space or on the grounds of the Premises. Provided, however Level 3 shall not be prohibited from identifying to its customers or potential customers a detailed list of those BellSouth Premises in which Level 3 maintains Collocation Space.
- 5.3 Level 3 shall place a plaque or affix other identification (e.g., stenciling) to Level 3's equipment, in order for BellSouth to identify Level 3's equipment, including a list of emergency contacts with telephone numbers.
- 5.4. Entrance Facilities. Level 3 may elect to place Level 3-owned or Level 3-leased fiber entrance facilities into its Collocation Space. BellSouth will designate the point of interconnection in close proximity to the Premises building housing the Collocation Space, such as at an entrance manhole or a cable vault, which are physically accessible by both Parties. Level 3 will provide and place fiber cable at the point of entrance of sufficient length to be pulled through conduit and into the splice location. Level 3 will provide and install a sufficient length of fire retardant riser cable, to which the entrance cable will be spliced by BellSouth. The fire retardant riser cable will extend from the splice location to Level 3's equipment in the Collocation Space. In the event Level 3 utilizes a non-metallic, riser-type entrance facility, a splice will not be required. Level 3 must contact BellSouth for instructions prior to placing any entrance facility cable in the manhole. Level 3 is responsible for maintenance of the entrance facilities. At Level 3's option, BellSouth will accommodate, where technically feasible, a microwave entrance facility, pursuant to separately negotiated terms and conditions. In the case of adjacent collocation, copper facilities may be used between the adjacent collocation arrangement and the central office demarcation point unless BellSouth determines that limited space is available for the placement of entrance facilities.
- Dual Entrance Facilities. BellSouth will provide at least two interconnection points at each Premise where at least two such interconnection points are available and capacity exists. Upon receipt of a request by Level 3 for dual entrance facilities to its physical Collocation Space, BellSouth shall provide Level 3 with information regarding BellSouth's capacity to accommodate the requested dual entrance facilities. If conduit in the serving manhole(s) is available and is not reserved for another purpose or for utilization within twelve (12) months of the receipt of an application for collocation, BellSouth will make the requested conduit space available for installing a second entrance facility to Level 3's arrangement. The location of the serving manhole(s) will be determined at the sole discretion of BellSouth. Where dual entrance facilities are not available due to lack of capacity, BellSouth will provide this information to Level 3 in the Application Response.
- 5.4.2 <u>Shared Use</u>. Level 3 may utilize spare capacity on an existing interconnector's entrance facility for the purpose of providing an entrance facility to Level 3's collocation arrangement within the same Premises. BellSouth shall allow the splice, as

long as the fiber is non-working fiber. Level 3 must arrange with BellSouth in accordance with BellSouth's Special Construction Procedures, RL93-11-030BT, and provide a LOA from the other telecommunications carrier for BellSouth to perform the splice of the Level 3 provided riser cable to the spare capacity on the entrance facility. If Level 3 desires to allow another telecommunications carrier to use its entrance facilities, that telecommunications carrier must arrange with BellSouth in accordance with BellSouth's Special Construction Procedures, RL93-11-030BT, and provide a LOA from Level 3 for BellSouth to perform the splice of that telecommunications carrier's provided riser cable to the spare capacity on Level 3's entrance facility.

- 5.5 <u>Demarcation Point</u>. BellSouth will designate the point(s) of demarcation between Level 3's equipment and/or network and BellSouth's network. Each Party will be responsible for the maintenance and operation of all equipment/facilities on its side of the demarcation point. For 2-wire and 4-wire connections to BellSouth's network, the demarcation point shall be a common block on the BellSouth designated conventional distributing frame (CDF). Level 3 shall be responsible for providing, and Level 3's BellSouth Certified Supplier shall be responsible for installing and properly labeling/stenciling the common block and any necessary cabling identified in Section 7 of this Attachment. For all other terminations, BellSouth shall designate a demarcation point on a per arrangement basis. Level 3 or its agent must perform all required maintenance to the equipment/facilities on its side of the demarcation point. pursuant to Section 5.7, following, and may self-provision cross-connects that may be required within the Collocation Space to activate service requests. At Level 3's option, a Point of Termination (POT) bay or frame may be placed in the Collocation Space.
- 5.5.1 In Tennessee, BellSouth will designate the point(s) of demarcation between Level 3's equipment and/or network and BellSouth's network. Each Party will be responsible for the maintenance and operation of all equipment/facilities on its side of the demarcation point. For connections to BellSouth's network, the demarcation point shall be a Level 3-provided Point of Termination Bay (POT Bay) in a common area within the Premises. Level 3 shall be responsible for providing, and Level 3's BellSouth Certified Supplier shall be responsible for installing and properly labeling/stenciling the POT Bay, as well as installing the necessary cabling between Level 3's Collocation Space and the demarcation point. Level 3 or its agent must perform all required maintenance to equipment/facilities on its side of the demarcation point, pursuant to Section 5.7, following, and may self-provision cross-connects that may be required within the Collocation Space to activate service requests. BellSouth will negotiate alternative rates, terms and conditions related to the demarcation point in Tennessee, in the event that Level 3 desires to avoid the use of an intermediary device as contemplated by the Tennessee Regulatory Authority.
- 5.6 <u>Level 3's Equipment and Facilities</u>. Level 3, or if required by this Attachment, Level 3's BellSouth Certified Supplier, is solely responsible for the design, engineering, Version 1Q03: 02/28/03

installation, testing, provisioning, performance, monitoring, maintenance and repair of the equipment and facilities used by Level 3 which must be performed in compliance with all applicable BellSouth Specifications. Such equipment and facilities may include, but are not limited to, cable(s), equipment, and point of termination connections. Level 3 and its selected BellSouth Certified Supplier must follow and comply with all of the reasonable and nondiscriminatory requirements, outlined in BellSouth's TR 73503, TR 73519, TR 73572, and TR 73564.

- 5.7 <u>BellSouth's Access to Collocation Space</u>. From time to time, BellSouth may require access to the Collocation Space. BellSouth retains the right to access Level 3's space for the purpose of making BellSouth equipment and building modifications (e.g., running, altering or removing racking, ducts, electrical wiring, HVAC, and cabling). BellSouth will give notice to Level 3 at least forty-eight (48) hours before access to the Collocation Space is required. Level 3 may elect to be present whenever BellSouth performs work in the Collocation Space. The Parties agree that Level 3 will not bear any of the expense associated with this type of work.
- 5.8 Access. Pursuant to Section 12, Level 3 shall have access to its Collocation Space twenty-four (24) hours a day, seven (7) days a week. Level 3 agrees to provide the name and social security number, date of birth, or driver's license number of each employee, supplier, or agent of Level 3 or Level 3's Guests that will be provided with access keys or cards (Access Keys) prior to the issuance of said Access Keys, using form RF-2906-C, the "CLEC and CLEC Certified Supplier Access Request and Acknowledgement" form. All information contained on this form including, but not limited to, personal information regarding the employee or agent shall be deemed strictly confidential regardless of whether it is marked as such, and shall be held and protected in accordance with the Confidentiality provisions set forth in Section 10 of the General Terms and Conditions of this Agreement, Key acknowledgement forms, the "Collocation Acknowledgement Sheet" for access cards and the "Key Acknowledgement Form" for keys must be signed by Level 3 and returned to BellSouth Access Management within fifteen (15) calendar days of Level 3's receipt. Failure to return these properly acknowledged forms will result in the holding of subsequent access key or card requests until the proper acknowledgement documents have been received by BellSouth and reflect current information. Access Keys may not be duplicated under any circumstances. Level 3 agrees to be responsible for all Access Keys and for the return of all Access Keys in the possession of Level 3's employees, suppliers, Guests, or agents after termination of the employment relationship, the contractual obligation with Level 3 ends, upon the termination of this Attachment, or upon the termination of occupancy of an individual collocation arrangement.
 - 5.8.1 BellSouth will permit one accompanied site visit to Level 3's designated collocation arrangement location, after receipt of the BFFO without charge to Level 3. Level 3 must submit to BellSouth the completed Access Control Request Form for all employees or agents requiring access to the Premises within a minimum of thirty (30)

calendar days prior to the date Level 3 desires access to the Collocation Space. All information contained on this form including, but not limited to, personal information regarding the employee or agent shall be deemed strictly confidential regardless of whether it is marked as such, and shall be held and protected in accordance with the Confidentiality provisions set forth in Section 10 of the General Terms and Conditions of this Agreement. In order to permit reasonable access during construction of the Collocation Space, Level 3 may submit a request for its one accompanied site visit to its designated collocation arrangement location at any time subsequent to BellSouth's receipt of the BFFO. In the event Level 3 desires access to the Collocation Space after submitting such a request, but prior to the approval of its access request, in addition to the first accompanied free visit, BellSouth shall permit Level 3 to access the Collocation Space accompanied by a security escort, at Level 3's expense. Level 3 must request escorted access to its designated collocation arrangement location at least three (3) business days prior to the date such access is desired.

- 5.9 <u>Lost or Stolen Access Keys</u>. Level 3 shall notify BellSouth in writing <u>immediately</u> in the case of lost or stolen Access Keys. If it becomes necessary for BellSouth to rekey buildings or deactivate a card as a result of a lost Access Key(s) or for failure to return an Access Key(s), Level 3 shall pay for all costs of re-keying or deactivating the card as set forth in Exhibit B of this Attachment.
- 5.10 <u>Interference or Impairment</u>. Notwithstanding any other provisions of this Attachment, Level 3 shall not use any product or service provided under this Agreement, any other service related thereto or used in combination therewith, or place or use any equipment or facilities in any manner that 1) significantly degrades, interferes with or impairs service provided by BellSouth or by any other entity or any person's use of its telecommunications services; 2) endangers or damages the equipment, facilities or any other property of BellSouth or of any other entity or person; 3) compromises the privacy of any communications; or 4) creates an unreasonable risk of injury or death to any individual or to the public. If BellSouth reasonably determines that any equipment or facilities of Level 3 violates the provisions of this paragraph, BellSouth shall provide written notice to Level 3, which shall direct Level 3 to cure the violation within forty-eight (48) hours of Level 3's actual receipt of written notice or, at a minimum, to commence curative measures within twenty-four (24) hours and to exercise reasonable diligence to complete such measures as soon as possible thereafter. After receipt of the notice, the Parties agree to consult immediately and, if necessary, to conduct an inspection of the arrangement.
- 5.10.1 Except in the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services, if Level 3 fails to take curative action within forty-eight (48) hours or if the violation is of a character that poses an immediate and substantial threat of damage to property or injury or death to any person, or any other significant degradation, interference or impairment of BellSouth's or another entity's service, then and only in

that event, BellSouth may take such action as it deems appropriate to correct the violation, including, without limitation, the interruption of electrical power to Level 3's equipment. BellSouth will endeavor, but is not required, to provide notice to Level 3 prior to the taking of such action and BellSouth shall have no liability to Level 3 for any damages arising from such action, except to the extent that such action by BellSouth constitutes willful misconduct or gross negligence.

- 5.10.2 For purposes of this Section, the term "significantly degrades" shall be defined as an action that noticeably impairs a service from a user's perspective. In the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services and Level 3 fails to take curative action within forty-eight (48) hours, then BellSouth will establish before the Commission that the technology deployment is causing the significant degradation. Any claims of network harm presented to Level 3 or, if subsequently necessary, the Commission must be supported by BellSouth with specific and verifiable information. When BellSouth so demonstrates, Level 3 shall discontinue deployment of that technology and migrate its customers to technologies that will not significantly degrade the performance of other such services. Where the only degraded service itself is a known disturber, and the newly deployed technology satisfies at least one of the criteria for a presumption that it is acceptable for deployment under Section 47 C.F.R. 51.230, the degraded service shall not prevail against the newly-deployed technology
- Personalty and its Removal. Facilities and equipment placed by Level 3 in the Collocation Space shall not become a part of the Collocation Space, even if nailed, screwed or otherwise fastened to the Collocation Space, but shall retain their status as personal property and may be removed by Level 3 at any time. Any damage caused to the Collocation Space by Level 3's employees, suppliers, agents or representatives during the removal of such property shall be promptly repaired by Level 3 at its sole expense. If Level 3 decides to remove equipment from its Collocation Space and the removal requires no physical change, BellSouth will bill Level 3 a Supplemental Application Fee (Administrative Only Application Fee) as set forth in Exhibit B. This non-recurring fee will be billed on the date that BellSouth provides an Application Response.
- Alterations. Under no condition shall Level 3 or any person acting on behalf of Level 3 make any rearrangement, modification, augment, improvement, addition, and/or other alteration which could affect in any way space, power, HVAC, and/or safety considerations to the Collocation Space or the Premises, hereinafter referred to individually or collectively as "Augments", without the express written consent of BellSouth, which shall not be unreasonably withheld. The cost of any such Augment shall be paid by Level 3. Any such Augment shall require an application and will result in the assessment of an application fee, which will be billed by BellSouth on the date that BellSouth provides Level 3 with an Application Response.

5.13 <u>Janitorial Service</u>. Level 3 shall be responsible for the general upkeep of its Collocation Space. Level 3 shall arrange directly with a BellSouth Certified Supplier for janitorial services applicable to Caged Collocation Space. BellSouth shall provide a list of such suppliers on a site-specific basis, upon request.

6. Ordering and Preparation of Collocation Space

- 6.1 If any state or federal regulatory agency imposes procedures or intervals applicable to Level 3 and BellSouth that are different from the procedures or intervals set forth in this Section, whether now in effect or that become effective after execution of this Agreement, those procedures or intervals shall supersede the requirements set forth herein for that jurisdiction for all applications that are submitted for the first time after the effective date thereof.
- 6.2 <u>Initial Application</u>. For Level 3 or Level 3's Guest(s) initial equipment placement, Level 3 shall submit to BellSouth a Physical Expanded Interconnection Application Document (Initial Application). The Initial Application is considered Bona Fide when it is complete and accurate, meaning that all of the required fields on the application are completed with the appropriate type of information. An application fee will apply to each application submitted by Level 3, which will be billed by BellSouth on the date that BellSouth provides Level 3 with an Application Response.
- 6.3 Subsequent Application. In the event Level 3 or Level 3's Guest(s) desires to modify the use of the Collocation Space after a BFFO, Level 3 shall complete an application that contains all of the detailed information associated with an Augment to the Collocation Space, as defined in Section 5.13 of this Attachment (Subsequent Application). The Subsequent Application is considered Bona Fide when it is complete and accurate, meaning that all of the required fields on the Subsequent Application are completed with the appropriate type of information associated with the Augment. BellSouth shall determine what modifications, if any, to the Premises are required to accommodate the change requested by Level 3 in the application. Such modifications to the Premises may include, but are not limited to: floor loading changes, changes necessary to meet HVAC requirements, changes to power plant requirements, equipment additions, etc.
- 6.3.1 Subsequent Application Fee. The application fee paid by Level 3 for its request for an Augment shall be dependent upon the level of assessment needed for the Augment requested. Where the Subsequent Application does not require assessment for provisioning or construction work but requires administrative costs by BellSouth, a Subsequent Application Fee (Administrative Only Application Fee) will be required as set forth in Exhibit B. This Administrative Only Application Fee will be applicable in instances such as Transfer of Ownership of the Collocation Space, Removal of Equipment from the Collocation Space, modification to an application prior to BFFO and V-to-P Conversion (In Place). The fee for a Subsequent Application where the Augment requested has limited effect (e.g., requires limited assessment but no capital

expenditure by BellSouth as sufficient cable support structure, HVAC, power and terminations are available) shall be the Subsequent Application Fee as set forth in Exhibit B. If the modification requires capital expenditure, an Initial Application Fee shall apply. This nonrecurring fee will be billed on the date that BellSouth provides Level 3 with an Application Response.

- 6.4 Space Preferences. If Level 3 has previously requested and received a Space Availability Report for the Premises, Level 3 may submit up to three (3) space preferences on its application by identifying the specific space identification numbers referenced on the Space Availability Report for the space it is requesting. In the event BellSouth cannot accommodate the Level 3's preference(s), Level 3 may accept the space allocated by BellSouth or cancel its application and submit another application requesting additional space preferences for the same central office. This application will be treated as a new application and an application fee will apply. The application fee will be billed by BellSouth on the date that BellSouth provides Level 3 with an Application Response.
- 6.5 Space Availability Notification.
- Unless otherwise specified, BellSouth will respond to an application within ten (10) calendar days as to whether space is available or not available within a requested Premises. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide, the items necessary to cause the application to become Bona Fide. If the amount of space requested is not available, BellSouth will notify Level 3 of the amount of space that is available and no application fee will apply. When BellSouth's response includes an amount of space less than that requested by Level 3 or space that is configured differently, no application fee will apply. If Level 3 decides to accept the available space, Level 3 must resubmit its application to reflect the actual space available, including the configuration of the space, prior to submitting a BFFO. When Level 3 resubmits its application, BellSouth will bill Level 3 the appropriate application fee.
- 6.5.2 BellSouth will respond to a Florida or Tennessee application within fifteen (15) calendar days as to whether space is available or not available within a Premises. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide, the items necessary to cause the application to become Bona Fide. If a lesser amount of space than requested is available, BellSouth will provide an Application Response for the amount of space that is available and bill Level 3 an appropriate application fee on the date that BellSouth provides the Application Response. When BellSouth's Application Response includes an amount of space less than that requested by Level 3 or space that is configured differently, if Level 3 decides to accept the available space, Level 3 must amend its application to reflect the actual space available, including the configuration of the space, prior to submitting a BFFO.

- 6.5.3 <u>Denial of Application</u>. If BellSouth notifies Level 3 that no space is available (Denial of Application), BellSouth will not assess an application fee to Level 3. After notifying Level 3 that BellSouth has no available space in the requested Premises, BellSouth will allow Level 3, upon request, to tour the entire Premises within ten (10) calendar days of such Denial of Application. In order to schedule this tour within ten (10) calendar days, the request for the tour of the Premises must be received by BellSouth within five (5) calendar days of the Denial of Application.
- 6.6 Filing of Petition for Waiver. Upon Denial of Application, BellSouth will timely file a petition with the Commission pursuant to 47 U.S.C. § 251(c)(6). BellSouth shall provide to the Commission any information requested by that Commission. Such information shall include which space, if any, BellSouth or any of BellSouth's affiliates have reserved for future use and a detailed description of the specific future uses for which the space has been reserved. Subject to an appropriate nondisclosure agreement or provision, BellSouth shall permit Level 3 to inspect any floor plans or diagrams that BellSouth provides to the Commission.
- Maiting List. On a first-come, first-served basis, governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Premises is out of space, have submitted a Letter of Intent to collocate in that Premises. BellSouth will notify the telecommunications carriers on the waiting list that can be accommodated by the amount of space that becomes available, according to the position of the telecommunications carriers on said waiting list.
- 6.7.1 In Florida, on a first-come, first-served basis, governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Premises is out of space, have submitted a Letter of Intent to collocate in that Premises. Sixty (60) calendar days prior to space becoming available, if known, BellSouth will notify the Commission and the telecommunications carriers on the waiting list by mail when space becomes available according to the position of each telecommunications carrier on said waiting list. If BellSouth does not know sixty (60) calendar days in advance of when space will become available, BellSouth will notify the Commission and the telecommunications carriers on the waiting list within two (2) business days of the determination that space is available. A telecommunications carrier that, upon denial of physical collocation, requests virtual collocation shall be automatically placed on the waiting list.
- 6.7.2 When space becomes available, Level 3 must submit an updated, complete, and correct application to BellSouth within thirty (30) calendar days of notification by BellSouth that space will be available in the Premises previously out of space. If Level 3 has originally requested caged Collocation Space and cageless Collocation Space becomes available, Level 3 may refuse such space and notify BellSouth in writing within the thirty (30) day timeframe that Level 3 wants to maintain its place on the

waiting list, without accepting the available cageless Collocation Space. Level 3 may accept an amount of space less than its originally requested space by submitting an application as set forth above, and upon request, may maintain its position on the waiting list for the remaining space that was initially requested. If Level 3 does not submit an application or notify BellSouth in writing as described above, BellSouth will offer the space to the next telecommunications carrier on the waiting list and remove Level 3 from the waiting list. Upon request, BellSouth will advise Level 3 as to its position on the waiting list.

- 6.8 Public Notification. BellSouth will maintain on its Interconnection Services website a notification document that will indicate all Premises that are without available space. BellSouth shall update such document within ten (10) calendar days of the date that BellSouth becomes aware that insufficient space is available to accommodate physical collocation. BellSouth will also post a document on its Interconnection Services website that contains a general notice when space has become available in a Premises previously on the space exhaust list.
- 6.9 Application Response.
- 6.9.1 In Alabama, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, and South Carolina, when space has been determined to be available for caged or cageless arrangements, BellSouth will provide an Application Response within twenty (20) calendar days of receipt of a Bona Fide application. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and any other applicable space preparation fees, as described in Section 8.
 - 6.9.2 In Florida and Tennessee, within fifteen (15) calendar days of receipt of a Bona Fide application, when space has been determined to be available or when a lesser amount of space than that requested is available, then with respect to the space available, BellSouth will provide an Application Response including sufficient information to enable Level 3 to place a Firm Order. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8. When Level 3 submits ten (10) or more applications within ten (10) calendar days, the initial fifteen (15) calendar day response interval will increase by ten (10) calendar days for every additional ten (10) applications or fraction thereof.
- 6.10 Application Modifications.
- 6.10.1 Level 3 may make an application modification or revision to (1) modifications to Customer Information, (2) Contact Information or, (3) Billing Contact Information, prior to a BFFO. However, any other modifications or revisions made prior to a BFFO will be treated as a revised application and handled as a revised application with respect to the response and provisioning intervals. BellSouth will charge Level 3 the

appropriate application fee associated with the level of assessment performed by BellSouth. If the modification requires no labor or capital expenditure by BellSouth, but BellSouth must perform an assessment of the application to evaluate whether or not BellSouth would be required to perform necessary infrastructure or provisioning activities, then an Administrative Only Application Fee shall apply. The fee for an application modification where the modification requested has limited effect (e.g., requires labor expenditure but no capital expenditure by BellSouth and where sufficient cable support structure, HVAC, power and terminations are available) shall be the Subsequent Application Fee as set forth in Exhibit B. A modification involving a capital expenditure by BellSouth shall require Level 3 to submit the application with an Initial Application Fee. This nonrecurring fee will be billed by BellSouth on the date that BellSouth provides Level 3 with an Application Response.

6.11 Bona Fide Firm Order.

- 6.11.1 Level 3 shall indicate its intent to proceed with equipment installation in a BellSouth Premises by submitting a Bona Fide Firm Order (BFFO) to BellSouth. The BFFO must be received by BellSouth no later than thirty (30) calendar days after BellSouth's Application Response to Level 3's Bona Fide Application or Level 3's application will expire.
 - 6.11.2 BellSouth will establish a Firm Order date based upon the date BellSouth is in receipt of Level 3's BFFO. BellSouth will acknowledge the receipt of Level 3's BFFO within seven (7) calendar days of receipt, so that Level 3 will have positive confirmation that its BFFO has been received. BellSouth's response to a BFFO will include a Firm Order Confirmation, which contains the Firm Order date. No revisions can be made to a BFFO.

7. Construction and Provisioning

7.1 Construction and Provisioning Intervals.

7.1.1 In Florida and Tennessee, BellSouth will complete construction for collocation arrangements as soon as possible within a maximum of ninety (90) calendar days from receipt of a BFFO or as agreed to by the Parties. For Augments requested to the Collocation Space after initial space completion, BellSouth will complete construction for collocation arrangements as soon as possible within a maximum of forty-five (45) calendar days from receipt of a BFFO or as agreed to by the Parties. If BellSouth does not believe that construction will be completed within the relevant timeframe and BellSouth and Level 3 cannot agree upon a completion date, within forty-five (45) calendar days of receipt of the BFFO for an initial request, and within thirty (30) calendar days of receipt of the BFFO for an Augment, BellSouth may seek an extension from the Commission.

- 7.1.2 In Alabama, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, BellSouth will complete construction for caged collocation arrangements under ordinary conditions as soon as possible within a maximum of ninety (90) calendar days from receipt of a BFFO or as agreed to by the Parties. BellSouth will complete construction for cageless collocation arrangements under ordinary conditions as soon as possible within a maximum of sixty (60) calendar days from receipt of a BFFO and ninety (90) calendar days from receipt of a BFFO for extraordinary conditions, or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required such as, but not limited to, HVAC, cabling and the power plant. Extraordinary conditions shall include, but not be limited to, major BellSouth equipment rearrangements or additions; power plant additions or upgrades; major mechanical additions or upgrades; a major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.
- 7.1.3 When Level 3 adds equipment within initial demand parameters that requires no additional space preparation work on the part of BellSouth, then no additional charges or additional intervals will be imposed by BellSouth that would delay Level 3's operation.
- 7.1.4 In the states of Alabama, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, and South Carolina, BellSouth will provide the reduced intervals outlined below to Level 3, when Level 3 requests an Augment after the Space Ready Date for existing physical collocation space. In such instances, Level 3 must provide an accurate front equipment view (a.k.a. rack elevation drawing) specifying bay(s) for Level 3's point of termination.
- 7.1.4.1 Simple Augments will be completed within twenty (20) calendar days after receipt of the BFFO for an:
 - Extension of Existing AC Circuit Capacity within Arrangement Where Sufficient Circuit Capacity is Available
 - Fuse Change and/or Increase or Decrease -48V DC Power from Existing ILEC BDFB
- 7.1.4.2 Minor Augments will be completed within forty-five (45) calendar days after receipt of the BFFO for:
 - 168 DS1s Terminations at the ILEC Demarcation Frame (Databasing Only; Panels, Relay Racks and Overhead Racking Exist)
 - 96 DS3s Terminations at the ILEC Demarcation Frame (Databasing Only; Panels, Relay Racks and Overhead Racking Exist)

- 99 Fiber Terminations at the ILEC Demarcation Frame (Databasing Only; Panels, Relay Racks and Overhead Racking Exist)
- Maximum of 2000 Service Ready DS0 Terminations at the ILEC Demarcation Frame (Databasing Only; Panels, Relay Racks and Overhead Racking Exist)
- 7.1.4.3 Intermediate Augments will be completed within sixty (60) calendar days after receipt of the BFFO for:
 - 168 DS1s (Databasing and Installation of Termination Panels, Relay Racks or Additional Structure as Required)
 - 96 DS3s (Databasing and Installation of Termination Panels, Relay Racks or Additional Structure as Required)
 - 99 Fiber Terminations (Databasing and Installation of Termination Panels, Relay Racks or Additional Structure as Required)
 - 2000 DS0s (Databasing and Installation of Termination Panels, Relay Racks or Additional Structure as Required)
 - Install Cable Racking or Other Support Structures as Required to Support Co-Carrier Cross Connects (Adequate Floor or Ceiling Structural Capacity Exists and Support/Protection Structure for Fiber Patch Cord is Excluded)
- 7.1.4.4 Major Augments Physical Collocation will be completed within ninety (90) calendar days after BFFO and includes all requests for additional physical collocation space (caged or cageless).
- 7.1.4.5 Major Augments Virtual Collocation will be completed within seventy-five (75) calendar days after BFFO and includes all requests for additional virtual collocation space.
- 7.1.4.6 If Level 3 submits an augment application request that includes two augment items from the same category in Sections 7.1.4.1, 7.1.4.2, and 7.1.4.3 above, the augment interval associated with the next highest augment category will apply (e.g., if two items from the minor augment category are requested on the same request, then an interval of sixty (60) calendar days from the receipt of the BFFO would apply, which is the interval associated with the intermediate category).
- 7.1.4.7 If Level 3 submits an augment application request that includes three augment items from the same category in Sections 7.1.4.1, 7.1.4.2, and 7.1.4.3 above, the major augment interval of ninety (90) calendar days from the receipt of the BFFO would apply (e.g., if three items from the simple augment category are requested on the same request for a physical collocation arrangement, then an interval of ninety (90) calendar days from the receipt of the BFFO would apply, which is the major physical augment interval; likewise if three items from the simple augment category are requested on the same request for a virtual collocation arrangement, then an interval of seventy-five (75) calendar days from the receipt of the BFFO would apply, which is the major virtual augment interval;).

- 7.1.4.8 If Level 3 submits an augment application request that includes one augment item from two separate categories in Sections 7.1.4.1, 7.1.4.2 and 7.1.4.3 above, the augment interval associated with the highest augment category will apply (e.g., if an item from the minor augment category and an item from the intermediate augment category are requested on the same request, then an interval of sixty (60) calendar days from the receipt of the BFFO would apply, which is the interval associated with the intermediate augment category).
- 7.1.4.9 All Augments not expressly included in the Simple, Minor, Intermediate or Major categories as outlined above will be placed into the appropriate category as negotiated by Level 3 and BellSouth. If Level 3 and BellSouth are unable to determine the appropriate category through negotiation, then the appropriate major augment category identified in Sections 7.1.4.4 and 7.1.4.5 would apply based on whether the augment request is for Level 3's physical or virtual collocation arrangement.
- 7.1.4.10 Individual application fees associated with simple, minor and intermediate augment applications are contained in Exhibit B. The appropriate application fee will be assessed to Level 3 at the time BellSouth provides Level 3 with the Application Response. Level 3 will be assessed a Subsequent Application Fee for all Major Augment applications (Major Augments are defined above in Sections 7.1.4.4 and 7.1.4.5). The Subsequent Application Fee is also reflected in Exhibit B of this Attachment.
- Joint Planning. Joint planning between BellSouth and Level 3 will commence within a maximum of twenty (20) calendar days from BellSouth's receipt of a BFFO. BellSouth will provide the preliminary design of the Collocation Space and the equipment configuration requirements as reflected in the Bona Fide application and affirmed in the BFFO. The Collocation Space completion interval will be provided to Level 3 during the joint planning meeting.
- 7.3 Permits. Each Party or its agent(s) will diligently pursue filing for the permits required for the scope of work to be performed by that Party or its agent(s) within ten (10) calendar days of the completion of the finalized construction design and specifications.
- Acceptance Walkthrough. Level 3 will schedule and complete an acceptance walkthrough of each Collocation Space with BellSouth within fifteen (15) calendar days of BellSouth's notification to Level 3 that the Collocation Space is ready for occupancy. In the event Level 3 fails to complete an acceptance walkthrough within this fifteen (15) day interval, the Collocation Space shall be deemed accepted by Level 3 on the Space Ready Date. BellSouth will correct any deviations to Level 3's original or jointly amended design and/or specification requirements within seven (7) calendar days after the walkthrough, unless the Parties jointly agree upon a different timeframe.
- 7.5 <u>Circuit Facility Assignments (CFAs).</u> Unless otherwise specified, BellSouth will provide CFAs to Level 3 prior to the applicable provisioning interval set forth herein

(Provisioning Interval) for those Premises in which Level 3 has a physical collocation arrangement with no POT bay or with a POT bay provided by BellSouth. BellSouth cannot provide CFAs to Level 3 prior to the Provisioning Interval for those Premises in which Level 3 has a physical collocation arrangement with a POT bay provided by Level 3 or a virtual collocation arrangement, until Level 3 provides BellSouth with the following information:

- 7.5.1 For a physical collocation arrangement with a Level 3-provided POT bay a complete layout of the POT panels (equipment inventory update (EIU) form) showing locations, speeds, etc.
- 7.5.2 For a virtual collocation arrangement a complete layout of Level 3's equipment (equipment inventory update (EIU) form), including the locations of the low speed ports and the specific frame terminations to which the equipment will be wired by Level 3's BellSouth Certified Supplier.
- 7.5.3 BellSouth cannot begin work on the CFAs until the complete and accurate EIU form is received from Level 3. If the EIU form is provided ten (10) calendar days prior to the ending date of the Provisioning Interval, then CFAs will be made available by the ending date of the Provisioning Interval. If the EIU form is not received ten (10) calendar days prior to the ending date of the Provisioning Interval, then the CFAs will be provided within ten (10) calendar days of receipt of the EIU form.
- 7.5.4 BellSouth will bill Level 3 a nonrecurring charge, as set forth in Exhibit B, each time Level 3 requests a resend of its CFAs for any reason other than a BellSouth error in the CFAs initially provided to Level 3.
- 7.6 Use of BellSouth Certified Supplier. Level 3 shall select a supplier which has been approved as a BellSouth Certified Supplier to perform all engineering and installation work. Level 3 and Level 3's BellSouth Certified Supplier must follow and comply with all of the reasonable and nondiscriminatory requirements, outlined in BellSouth TR 73503, TR 73519, TR 73572, and TR 73564. In some cases, Level 3 must select separate BellSouth Certified Suppliers for those work activities associated with transmission equipment, switching equipment and power equipment. BellSouth shall provide Level 3 with a list of BellSouth Certified Suppliers, upon request The BellSouth Certified Supplier(s) shall be responsible for installing Level 3's equipment and associated components, extending power cabling to the BellSouth power distribution frame, performing operational tests after installation is complete, and notifying BellSouth's equipment engineers and Level 3 upon successful completion of installation, etc. The BellSouth Certified Supplier shall bill Level 3 directly for all work performed for Level 3 pursuant to this Attachment. BellSouth shall have no liability for, nor responsibility to pay, such charges imposed by Level 3's BellSouth Certified Supplier. BellSouth shall make available its supplier certification program to Level 3 or any supplier proposed by Level 3 and will not unreasonably withhold

- certification. All work performed by or for Level 3 shall conform to generally accepted industry standards.
- Alarm and Monitoring. BellSouth shall place environmental alarms in the Premises for the protection of BellSouth equipment and facilities. Level 3 shall be responsible for placement, monitoring and removal of environmental and equipment alarms used to service Level 3's Collocation Space. Upon request, BellSouth will provide Level 3 with an applicable tariffed service(s) to facilitate remote monitoring of collocated equipment by Level 3. Both Parties shall use best efforts to notify the other of any verified environmental condition known to that Party.
- 7.8 Virtual to Physical Collocation Relocation. In the event physical Collocation Space was previously denied at a location due to technical reasons or space limitations and physical Collocation Space has subsequently become available, Level 3 may relocate its existing virtual collocation arrangement(s) to a physical collocation arrangement(s) and pay the appropriate fees associated with physical collocation and the rearrangement or reconfiguration of services terminated in the virtual collocation arrangement, as outlined in the appropriate BellSouth Tariffs. In the event BellSouth knows when additional space for physical collocation may become available at the location requested by Level 3, such information will be provided to Level 3 in BellSouth's written denial of physical collocation space. To the extent that (i) physical Collocation Space becomes available to Level 3 within one hundred eighty (180) calendar days of BellSouth's written denial of Level 3's request for physical collocation, (ii) BellSouth had knowledge that the space was going to become available, and (iii) Level 3 was not informed in the written denial that physical Collocation Space would become available within such one hundred eighty (180) calendar days, then Level 3 may relocate its virtual collocation arrangement to a physical collocation arrangement and will receive a credit for any nonrecurring charges previously paid for such virtual collocation. Level 3 must arrange with a BellSouth Certified Supplier for the relocation of equipment from its virtual Collocation Space to its physical Collocation Space and will bear the cost of such relocation.
- 7.8.1 In Alabama, BellSouth will complete a relocation from virtual collocation to cageless physical collocation within sixty (60) calendar days and from virtual collocation to caged physical collocation within ninety (90) calendar days.
- 7.9 <u>Virtual to Physical Conversion (In-Place)</u>. Virtual collocation arrangements may be converted to "in-place" physical arrangements if the potential conversion meets the following four criteria: 1) there is no change in the amount of equipment or the configuration of the equipment that was in the virtual collocation arrangement; 2) the conversion of the virtual collocation arrangement will not cause the equipment or the results of that conversion to be located in a space that BellSouth has reserved for its own future needs; 3) the converted arrangement does not limit BellSouth's ability to secure its own equipment and facilities due to the location of the virtual collocation arrangement; and 4) any changes to the arrangement can be accommodated by existing

power, HVAC, and other requirements. Unless otherwise specified, BellSouth will complete virtual to in-place physical collocation conversions within sixty (60) calendar days from receipt of the BFFO. BellSouth will bill Level 3 an Administrative Only Application Fee as set forth in Exhibit B on the date that BellSouth provides an Application Response to Level 3.

- 7.9.1 In Alabama and Tennessee, BellSouth will complete Virtual to Physical Conversions (In Place) within thirty (30) calendar days from receipt of the BFFO.
- 7.10 <u>Cancellation</u>. If at any time prior to space acceptance, Level 3 cancels its order for the Collocation Space(s) (Cancellation), BellSouth will bill the applicable nonrecurring rate(s) for any and all work processes for which work has begun or been completed. In Georgia, if Level 3 cancels its order for Collocation Space at any time prior to space acceptance, BellSouth will bill Level 3 for all costs incurred prior to the date of Cancellation and for any costs incurred as a direct result of the Cancellation, not to exceed the total amount that would have been due had the order not been cancelled.
- 7.11 <u>Licenses.</u> Level 3, at its own expense, will be solely responsible for obtaining from governmental authorities, and any other appropriate agency, entity, or person, all rights, privileges, and licenses necessary or required to operate as a provider of telecommunications services to the public or to build-out, equip and/or occupy the Collocation Space.
- 7.12 <u>Environmental Compliance.</u> The Parties agree to utilize and adhere to the Environmental Hazard Guidelines identified in Exhibit A attached hereto.
- 7.13 <u>Basic Telephone Service</u>. Upon request of Level 3, BellSouth will provide basic telephone service to the Collocation Space under the rates, terms and conditions of the current tariff offering for the service requested.

8. Rates and Charges

- 8.1 <u>Application Fee.</u> BellSouth shall assess an application fee via a service order, which shall be issued at the time BellSouth responds that space is available pursuant to Section 6.10 (Application Response). BellSouth will bill this nonrecurring fee on the date that BellSouth provides an Application Response to Level 3.
- 8.1.1 In Tennessee the applicable application fee is the planning fee for both Initial Applications and Subsequent Applications placed by Level 3. BellSouth will bill this nonrecurring fee on the date that BellSouth provides an Application Response to Level 3.
- 8.2 <u>Cable Installation</u>. Cable Installation Fee(s) are assessed per entrance cable placed. This nonrecurring fee will be billed by BellSouth upon receipt of Level 3's BFFO.

- 8.3 Recurring Charges. If Level 3 has met the applicable fifteen (15) calendar day walkthrough interval(s) specified in Section 4, billing for recurring charges will begin upon the Space Acceptance Date. In the event that Level 3 fails to complete an acceptance walkthrough within the applicable fifteen (15) calendar day interval(s), billing for recurring charges will commence on the Space Ready Date. If Level 3 occupies the space prior to the Space Ready Date, the date Level 3 occupies the space becomes the new Space Acceptance Date and billing for recurring charges begin on that date.
- Space Preparation. Space preparation fees consist of a nonrecurring charge for Firm Order processing and monthly recurring charges for central office modifications assessed per arrangement, per square foot and common systems modifications assessed per arrangement, per square foot for cageless collocation and per cage for caged collocation. Level 3 shall remit payment of the nonrecurring Firm Order processing fee coincident with submission of a BFFO. The charges recover the costs associated with preparing the Collocation Space, which includes survey, engineering of the Collocation Space, design and modification costs for network, building and support systems. In the event Level 3 opts for cageless space, the space preparation fees will be assessed based on the total floor space dedicated to Level 3 as prescribed in this Section.
- 8.5 Floor Space. The Floor Space Charge includes reasonable charges for lighting, HVAC, and other allocated expenses associated with maintenance of the Premises but does not include any power-related costs incurred by BellSouth. When the Collocation Space is enclosed, Level 3 shall pay floor space charges based upon the number of square feet so enclosed. When the Collocation Space is not enclosed, Level 3 shall pay floor space charges based upon the following floor space calculation: (depth of the equipment lineup in which the rack is placed) + (0.5 x maintenance aisle depth) + (0.5 x wiring aisle depth)] X (width of rack and spacers). For purposes of this calculation, the depth of the equipment lineup shall consider the footprint of equipment racks plus any equipment overhang. BellSouth will assign unenclosed Collocation Space in conventional equipment rack lineups where feasible. In the event Level 3's collocated equipment requires special cable racking, isolated grounding or other treatment which prevents placement within conventional equipment rack lineups. Level 3 shall be required to request an amount of floor space sufficient to accommodate the total equipment arrangement.
- 8.6 Power. BellSouth shall make available –48 Volt (-48V) Direct Current (DC) power for Level 3's Collocation Space at a BellSouth Power Board or BellSouth Battery Distribution Fuse Bay (BDFB) at Level 3's option within the Premises. Recurring charges for DC Power will be monthly billed on a per fused amp basis. BellSouth will revise recurring power charges to reflect a power upgrade upon notification of the completion of the upgrade by Level 3's BellSouth Certified Vendor. BellSouth will revise recurring power charges to reflect a power reduction upon BellSouth's receipt of the Power Reduction Form from Level 3 certifying the completion of the power

reduction, including the removal of the power cabling by Level 3's BellSouth Certified Supplier.

- 8.6.1 When obtaining power from a BDFB, fuses and power cables (A&B) must be engineered (sized), and installed by Level 3's BellSouth Certified Supplier. When obtaining power from a BellSouth power board, power cables (A&B) must be engineered (sized), and installed by Level 3's BellSouth Certified Supplier. Level 3 is responsible for contracting with a BellSouth Certified Supplier for power distribution feeder cable runs from a BellSouth BDFB or BellSouth power board to Level 3's equipment. The determination of the BellSouth BDFB or BellSouth power board as the power source will be made at BellSouth's sole, but reasonable, discretion. The BellSouth Certified Supplier contracted by Level 3 must provide BellSouth with a copy of the engineering power specifications prior to the day on which Level 3's equipment becomes operational (Commencement Date). BellSouth will provide the common power feeder cable support structure between the BellSouth BDFB or BellSouth power board and Level 3's arrangement area. Level 3 shall contract with a BellSouth Certified Supplier who will be responsible for the following: dedicated power cable support structure within Level 3's arrangement, power cable feeds, and terminations of cable. Any terminations at a BellSouth power board must be performed by a BellSouth Certified Supplier. Level 3 shall comply with all applicable National Electric Code (NEC), BellSouth TR73503, Telcordia and ANSI Standards regarding power cabling, installation, and maintenance.
- 8.6.2 If Level 3 elects to install its own DC Power Plant, BellSouth shall provide Alternating Current (AC) power to feed Level 3's DC Power Plant. Charges for AC power will be assessed per breaker ampere per month. Rates include the provision of commercial and standby AC power. When obtaining power from a BellSouth service panel, protection devices and power cables must be engineered (sized), and installed by Level 3's BellSouth Certified Supplier except that BellSouth shall engineer and install protection devices and power cables for Adjacent Collocation. Level 3's BellSouth Certified Supplier must also provide a copy of the engineering power specifications prior to the Commencement Date. Charges for AC power shall be assessed pursuant to the rates specified in Exhibit B. AC power voltage and phase ratings shall be determined on a per location basis. At Level 3's option, Level 3 may arrange for AC power in an Adjacent Collocation arrangement from a retail provider of electrical power.
- 8.6.3 In Tennessee, recurring charges for -48V DC power consumption will be assessed per ampere per month based upon the engineered and installed power feed fused ampere capacity. Rates include redundant feeder fuse positions (A&B) and common cable racks to Level 3's equipment or space enclosure. Level 3 shall contract with a BellSouth Certified Supplier who will be responsible for the following: dedicated power cable support structure within Level 3's arrangement and terminations of cable within the Collocation Space.

- 8.6.3.1 In Tennessee, nonrecurring charges for –48V DC power distribution will be based on the common power feeder cable support structure between the BellSouth BDFB and Level 3's arrangement area.
- 8.6.4 In Alabama and Louisiana, Level 3 has the option to purchase power directly from an electric utility company. Under such an option, Level 3 is responsible for contracting with the electric utility company for its own power feed and meter, and is financially responsible for purchasing all equipment necessary to accomplish the arrangement, including inverters, batteries, power boards, bus bars, BDFBs, backup power supplies and cabling. The actual work to install this arrangement must be performed by a BellSouth Certified Supplier hired by Level 3. Level 3's BellSouth Certified Supplier must comply with all applicable safety codes, including the National Electric Safety Codes, in installing this power arrangement. If Level 3 previously had power supplied by BellSouth, Level 3 may request to change its arrangement to obtain power from an electric utility company by submitting a Subsequent Application. BellSouth will waive any application fee for this subsequent application if no other change was requested therein. Any floor space, cable racking, etc. utilized by Level 3 in provisioning said power will be billed on an ICB basis.
- 8.6.5 In South Carolina, Level 3 has the option to purchase power directly from an electric utility company where technically feasible and where space is available in a requested Premises. Under such an option, Level 3 is responsible for contracting with the electric utility company for its own power feed and meter, and is financially responsible for purchasing all equipment necessary to accomplish the arrangement, including inverters, batteries, power boards, bus bars, BDFBs, backup power supplies and power cabling. The actual work to install this arrangement must be performed by a BellSouth Certified Supplier hired by Level 3. Level 3's BellSouth Certified Supplier must comply with all applicable national, regional, state and local safety, electrical, fire and building codes, including the National Electric Safety Code standards, in installing this power arrangement, just as BellSouth is required to comply with these codes. Level 3 must submit an application to BellSouth for the appropriate amount of Collocation Space that Level 3 requires to install this type of power arrangement. BellSouth will evaluate the request and determine if the appropriate amount of space is available within the office for the installation of Level 3's power equipment and facilities. This type of power arrangement must be located in an appropriate area in the central office that has been properly conditioned for the installation of power equipment and conforms to the applicable national, regional, state and local safety, electrical, fire and building codes. BellSouth shall waive the application fee or any other nonrecurring charge that would otherwise be due from a CLEC that decides to reconfigure an existing collocation power arrangement so as to purchase power directly from an electric utility company as provided herein. Level 3 shall be responsible for the recurring charges associated with the central office space needed for collocation of this type of power arrangement, including space required to place associated power-related equipment and facilities (i.e., batteries, generator, power meter, etc.). If there is no space available for this type of power arrangement in the requested central office,

BellSouth may seek a waiver of these requirements from the Commission for the central office requested. Level 3 would still have the option to order its power needs directly from BellSouth.

- 8.6.6 If Level 3 requests a reduction in the amount of power that BellSouth is currently providing, Level 3 must submit a Subsequent Application. If no modification to the Collocation Space is requested other than the reduction in power, the Subsequent Application Fee for Power Reduction as set forth in Exhibit B will apply. If modifications are requested in addition to the reduction of power, the Subsequent Application Fee will apply. BellSouth will bill this nonrecurring fee on the date that BellSouth provides an Application Response.
- In Alabama and Louisiana, if Level 3 is currently served from the BellSouth main power board and requests that its power be reconfigured to connect to a BellSouth BDFB, in a specific central office, Level 3 must submit a Subsequent Application. BellSouth will respond to such application within seven (7) calendar days and no application fee will apply.
- 8.7 Security Escort. A security escort will be required whenever Level 3 or its approved agent desires access to the entrance manhole or must have access to the Premises after the one accompanied site visit allowed pursuant to Section 5 prior to completing BellSouth's Security Training requirements. Rates for a security escort are assessed according to the schedule appended hereto as Exhibit B beginning with the scheduled escort time. BellSouth will wait for one-half (1/2) hour after the scheduled time for such an escort and Level 3 shall pay for such half-hour charges in the event Level 3 fails to show up. The BellSouth Access Customer Advocacy Center (ACAC) emergency access contact numbers will be provided to Level 3 for access related issues.
- 8.8 <u>Cable Record charges.</u> These charges apply for work required to build cable records in BellSouth systems. The VG/DS0 per cable record charge is for a maximum of 3600 records. The Fiber cable record charge is for a maximum of 99 records. These nonrecurring fees will be billed upon receipt of Level 3's BFFO.
- 8.9 Other. If no rate is identified in the contract, the rate for the specific service or function will be negotiated by the Parties upon request by either Party.

9. <u>Insurance</u>

- 9.1 Level 3 shall, at its sole cost and expense, procure, maintain, and keep in force insurance as specified in this Section and underwritten by insurance companies licensed to do business in the states applicable under this Agreement and having a Best's Insurance Rating of B+.
- 9.2 Level 3 shall maintain the following specific coverage:

- 9.2.1 Commercial General Liability coverage in the amount of ten million dollars (\$10,000,000.00) or a combination of Commercial General Liability and Excess/Umbrella coverage totaling not less than ten million dollars (\$10,000,000.00). BellSouth shall be named as an Additional Insured on the Commercial General Liability policy as specified herein.
- 9.2.2 Statutory Workers Compensation coverage and Employers Liability coverage in the amount of one hundred thousand dollars (\$100,000.00) each accident, one hundred thousand dollars (\$100,000.00) each employee by disease, and five hundred thousand dollars (\$500,000.00) policy limit by disease.
- 9.3 All policies purchased by Level 3 shall be deemed to be primary and not contributing to or in excess of any similar coverage purchased by BellSouth. All insurance must be in effect on or before the date equipment is delivered to Premises and shall remain in effect for the term of this Attachment or until all Level 3's property has been removed from BellSouth's Premises, whichever period is longer.
- 9.4 Level 3 shall submit certificates of insurance reflecting the coverage required pursuant to this Section 30 business days prior to the commencement of any initial work in the Collocation Space. Failure to meet this interval may result in construction and equipment installation delays. Level 3 shall arrange for BellSouth to receive thirty (30) business days' advance notice of cancellation from Level 3's insurance company. Level 3 shall forward a certificate of insurance and notice of cancellation/non-renewal to BellSouth at the following address:

BellSouth Telecommunications, Inc. Attn.: Risk Management Coordinator 17H53 BellSouth Center 675 W. Peachtree Street Atlanta, Georgia 30375

- 9.5 Level 3 must conform to recommendations made by BellSouth's fire insurance company, if capital expenditures are not required on Level 3's part, to the extent BellSouth has agreed to, or shall hereafter agree to, such recommendations.
- 9.6 BellSouth shall procure and maintain insurance coverage, or will maintain a program of self insurance, at equivalent or higher levels as those imposed upon Level 3 under this Section.
- 9.7 Notwithstanding self-insured retentions, if Level 3's net worth exceeds five hundred million dollars (\$500,000,000), Level 3 may elect to request self insurance in lieu of obtaining any of the insurance required in Sections 9.2.1 and 9.2.2. Level 3 shall provide audited financial statements to BellSouth thirty (30) calendar days prior to the commencement of any work in the Collocation Space. BellSouth shall then review such audited financial statements and respond in writing to Level 3 in the event that

self insurance status is not granted to Level 3. If BellSouth approves Level 3 for self insurance, Level 3 shall annually furnish to BellSouth, and keep current, evidence of such net worth that is attested to by one of Level 3's corporate officers. The ability to self insure shall continue so long as Level 3 meets all of the requirements of this Section. If Level 3 subsequently no longer satisfies this Section, Level 3 is required to purchase insurance as indicated by Sections 9.2.1 and 9.2.2. 9.9 Failure to comply with the provisions of this Section will be deemed a material breach of this Attachment.

9.8 Failure to comply with the provisions of this Section will be deemed a material breach of this Attachment.

10. Mechanics Liens

10.1 If any mechanics lien or other liens shall be filed against property of either Party (BellSouth or Level 3), or any improvement thereon by reason of or arising out of any labor or materials furnished or alleged to have been furnished or to be furnished to or for the other Party or by reason of any changes, or additions to said property made at the request or under the direction of the other Party, the other Party directing or requesting those changes shall, within thirty (30) business days after receipt of written notice from the Party against whose property said lien has been filed, either pay such lien or cause the same to be bonded off the affected property in the manner provided by law. The Party causing said lien to be placed against the property of the other shall also defend, at its sole cost and expense, on behalf of the other, any action, suit or proceeding which may be brought for the enforcement of such liens and shall pay any damage and discharge any judgment entered thereon.

11. <u>Inspections</u>

BellSouth may conduct an inspection of Level 3's equipment and facilities in the Collocation Space(s) prior to the activation of facilities between Level 3's equipment and equipment of BellSouth. BellSouth may conduct an inspection if Level 3 adds equipment and may otherwise conduct routine inspections at reasonable intervals mutually agreed upon by the Parties. BellSouth shall provide Level 3 with a minimum of forty-eight (48) hours or two (2) business days, whichever is greater, advance notice of all such inspections. All costs of such inspection shall be borne by BellSouth.

12. Security and Safety Requirements

Unless otherwise specified, consistent with FCC requirements, Level 3 will be required, at its own expense, to conduct a statewide investigation of criminal history records for each Level 3 employee hired in the past five years being considered for work on the Premises, for the states/counties where the Level 3 employee has worked and lived for the past five years. Where state law does not permit statewide collection

or reporting, an investigation of the applicable counties is acceptable. Level 3 shall not be required to perform this investigation if an affiliated company of Level 3 has performed an investigation of the Level 3 employee seeking access, if such investigation meets the criteria set forth above. This requirement will not apply if Level 3 has performed a pre-employment statewide investigation of criminal history records of the Level 3 employee for the states/counties where the Level 3 employee has worked and lived for the past five years or, where state law does not permit a statewide investigation, an investigation of the applicable counties.

- 12.2 Level 3 will be required to administer to its personnel assigned to the Premises security training provided on the BellSouth website, and as outlined in the CLEC Security Training documents.
- 12.3 Level 3 shall provide its employees and agents with picture identification, which must be worn and visible at all times while in the Collocation Space or other areas in or around the Premises. The photo identification card shall bear, at a minimum, the employee's name and photo, and the Level 3 employee will also have other photo identification identifying employment with Level 3. BellSouth reserves the right to remove from its Premises any employee of Level 3 not possessing identification issued by Level 3 or who has violated any of BellSouth's policies as outlined in the CLEC Security Training documents Level 3 shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth Premises. Level 3 shall be solely responsible for ensuring that any Guest(s) of Level 3 is in compliance with all subsections of this Section.
- Level 3 shall not assign to the Premises any personnel with records of felony criminal convictions. Level 3 shall not assign to the Premises any personnel with records of misdemeanor convictions, except for misdemeanor traffic violations, without advising BellSouth of the nature and gravity of the offense(s). BellSouth on a reasonable and nondiscriminatory basis, reserves the right to refuse building access to any Level 3 personnel who have been identified to have misdemeanor criminal convictions, as long as such misdemeanor convictions do represent a security risk. Notwithstanding the foregoing, in the event that Level 3 chooses not to advise BellSouth of the nature and gravity of any misdemeanor conviction, Level 3 may, in the alternative, certify to BellSouth that it shall not assign to the Premises any personnel with records of misdemeanor convictions (other than misdemeanor traffic violations).
 - 12.4.1 Level 3 shall not knowingly assign to the Premises any individual who was a former employee of BellSouth and whose employment with BellSouth was terminated for a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.
 - 12.4.2 Level 3 shall not knowingly assign to the Premises any individual who was a former supplier of BellSouth and whose access to a Premises was revoked due to commission

of a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.

- 12.5 For each Level 3 employee or agent hired by Level 3 within five years of being considered for work on the Premises, who requires access to a Premises pursuant to this Attachment, Level 3 shall furnish BellSouth, prior to an employee or agent gaining such access, a certification that the aforementioned background check and security training were completed. The certification will contain a statement that no felony convictions were found and certify that the employee completed the security training. If the employee's criminal history includes misdemeanor convictions, Level 3 will disclose the nature of the convictions to BellSouth at that time. In the alternative, Level 3 may certify to BellSouth that it shall not assign to the Premises any personnel with records of misdemeanor convictions other than misdemeanor traffic violations.
- 12.5.1 For all other Level 3 employees requiring access to a Premises pursuant to this Attachment, Level 3 shall furnish BellSouth, prior to an employee gaining such access, a certification that the employee is not subject to the requirements of Section 12.5 above and that security training was completed by the employee.
- At BellSouth's request, Level 3 shall promptly remove from Premises any employee of Level 3 BellSouth does not wish to grant access to its Premises 1) pursuant to any investigation conducted by BellSouth or 2) prior to the initiation of an investigation if an employee of Level 3 is found interfering with the property or personnel of BellSouth or another collocated telecommunications carrier, provided that an investigation shall promptly be commenced by BellSouth.
- 12.7 Security Violations. BellSouth reserves the right to interview Level 3's employees, agents, or suppliers in the event of wrongdoing in or around BellSouth's property or involving BellSouth's or another collocated telecommunications carrier's property or personnel, provided that BellSouth shall provide reasonable notice to Level 3's Security representative of such interview. Level 3 and its suppliers shall reasonably cooperate with BellSouth's investigation into allegations of wrongdoing or criminal conduct committed by, witnessed by, or involving Level 3's employees, agents, or suppliers. Additionally, BellSouth reserves the right to bill Level 3 for all reasonable costs associated with investigations involving its employees, agents, or suppliers if it is established and mutually agreed in good faith that Level 3's employees, agents, or suppliers are responsible for the alleged act. BellSouth shall bill Level 3 for BellSouth property, which is stolen or damaged where an investigation determines the culpability of Level 3's employees, agents, or suppliers and where Level 3 agrees, in good faith, with the results of such investigation. Level 3 shall notify BellSouth in writing immediately in the event that Level 3 discovers one of its employees already working on the Premises is a possible security risk. Upon request of the other Party, the Party who is the employer shall discipline consistent with its employment practices, up to and including removal from BellSouth's Premises, any employee found to have violated the security and safety requirements of this Section. Level 3 shall hold

BellSouth harmless for any damages resulting from such removal of its personnel from Premises.

- 12.8 <u>Use of Supplies</u>. Unauthorized use of equipment, supplies or other property by either Party, whether or not used routinely to provide telephone service will be strictly prohibited and handled appropriately. Costs associated with such unauthorized use may be charged to the offending Party, as may be all associated investigative costs.
- 12.9 <u>Use of Official Lines</u>. Except for non-toll calls necessary in the performance of their work, neither Party shall use the telephones of the other Party on the Premises. Charges for unauthorized telephone calls may be charged to the offending Party, as may be all associated investigative costs.
- 12.10 <u>Accountability</u>. Full compliance with the Security requirements of this Section shall in no way limit the accountability of either Party to the other for the improper actions of its employees.

13. Destruction of Collocation Space

13.1 In the event a Collocation Space is wholly or partially damaged by fire, windstorm, tornado, flood or by similar causes to such an extent as to be rendered wholly unsuitable for Level 3's permitted use hereunder, then either Party may elect within ten (10) calendar days after such damage, to terminate occupancy of the damaged Collocation Space, and if either Party shall so elect, by giving the other written notice of termination, both Parties shall stand released of and from further liability under the terms hereof. If the Collocation Space shall suffer only minor damage and shall not be rendered wholly unsuitable for Level 3's permitted use, or is damaged and the option to terminate is not exercised by either Party, BellSouth covenants and agrees to proceed promptly without expense to Level 3, except for improvements not to the property of BellSouth, to repair the damage. BellSouth shall have a reasonable time within which to rebuild or make any repairs, and such rebuilding and repairing shall be subject to delays caused by storms, shortages of labor and materials, government regulations, strikes, walkouts, and causes beyond the control of BellSouth, which causes shall not be construed as limiting factors, but as exemplary only. Level 3 may, at its own expense, accelerate the rebuild of its collocated space and equipment provided however that a BellSouth Certified Supplier is used and the necessary space preparation has been completed. If Level 3's acceleration of the project increases the cost of the project, then those additional charges will be incurred by Level 3. Where allowed and where practical, Level 3 may erect a temporary facility while BellSouth rebuilds or makes repairs. In all cases where the Collocation Space shall be rebuilt or repaired, Level 3 shall be entitled to an equitable abatement of rent and other charges, depending upon the unsuitability of the Collocation Space for Level 3's permitted use, until such Collocation Space is fully repaired and restored and Level 3's equipment installed therein (but in no event later than thirty (30) calendar days after the

Collocation Space is fully repaired and restored). Where Level 3 has placed an Adjacent Arrangement pursuant to Section 3.4, Level 3 shall have the sole responsibility to repair or replace said Adjacent Arrangement provided herein. Pursuant to this Section, BellSouth will restore the associated services to the Adjacent Arrangement.

14 Eminent Domain

14.1 If the whole of a Collocation Space or Adjacent Arrangement shall be taken by any public authority under the power of eminent domain, then this Attachment shall terminate with respect to such Collocation Space or Adjacent Arrangement as of the day possession shall be taken by such public authority and rent and other charges for the Collocation Space or Adjacent Arrangement shall be paid up to that day with proportionate refund by BellSouth of such rent and charges as may have been paid in advance for a period subsequent to the date of the taking. If any part of the Collocation Space or Adjacent Arrangement shall be taken under eminent domain, BellSouth and Level 3 shall each have the right to terminate this Attachment with respect to such Collocation Space or Adjacent Arrangement and declare the same null and void, by written notice of such intention to the other Party within ten (10) calendar days after such taking.

15 Nonexclusivity

15.1 Level 3 understands that this Attachment is not exclusive and that BellSouth may enter into similar agreements with other Parties. Assignment of space pursuant to all such agreements shall be determined by space availability and made on a first come, first served basis

ENVIRONMENTAL AND SAFETY PRINCIPLES

The following principles provide basic guidance on environmental and safety issues when applying for and establishing Physical Collocation arrangements.

1. GENERAL PRINCIPLES

- 1.1 Compliance with Applicable Law. BellSouth and Level 3 agree to comply with applicable federal, state, and local environmental and safety laws and regulations including U.S. Environmental Protection Agency (USEPA) regulations issued under the Clean Air Act (CAA), Clean Water Act (CWA), Resource Conservation and Recovery Act (RCRA), Comprehensive Environmental Response, Compensation and Liability Act (CERCLA), Superfund Amendments and Reauthorization Act (SARA), the Toxic Substances Control Act (TSCA), and OSHA regulations issued under the Occupational Safety and Health Act of 1970, as amended and NFPA and National Electrical Codes (NEC) and the NESC (Applicable Laws). Each Party shall notify the other if compliance inspections are conducted by regulatory agencies and/or citations are issued that relate to any aspect of this Attachment.
- Notice. BellSouth and Level 3 shall provide notice to the other, including Material Safety Data Sheets (MSDSs), of known and recognized physical hazards or Hazardous Chemicals existing on site or brought on site. A Hazardous Chemical inventory list is posted on an OSHA Poster and updated annually at each Central Office. This Poster is normally located near the front entrance of the building or in the lounge area. Each Party is required to provide specific notice for known potential Imminent Danger conditions. Level 3 should contact 1-800-743-6737 for any BellSouth MSDS required.
- 1.3 Practices/Procedures. BellSouth may make available additional environmental control procedures for Level 3 to follow when working at a Premises (See Section 2, below). These practices/procedures will represent the regular work practices required to be followed by the employees and suppliers of BellSouth for environmental protection. Level 3 will require its suppliers, agents and others accessing the Premises to comply with these practices. Section 2 lists the Environmental categories where BST practices should be followed by Level 3 when operating in the Premises.
- 1.4 <u>Environmental and Safety Inspections</u>. BellSouth reserves the right to inspect the Level 3 space with proper notification. BellSouth reserves the right to stop any Level 3 work operation that imposes Imminent Danger to the environment, employees or other persons in the area or Premises.
- 1.5 <u>Hazardous Materials Brought On Site</u>. Any hazardous materials brought into, used, stored or abandoned at the Premises by Level 3 are owned by Level 3. Level 3 will indemnify BellSouth for claims, lawsuits or damages to persons or property caused by these materials. Without prior written BellSouth approval, no substantial new safety or environmental hazards can be created by Level 3 or different hazardous materials used by Level 3 at Premises. Level 3 must demonstrate adequate emergency response capabilities for its materials used or remaining at the Premises.
- 1.6 <u>Spills and Releases</u>. The Parties disagree on the issue contained in this Section 1.6 of Exhibit A; however, in the interim, the Parties agree to use the language as stated in this Section 1.6, until a

subsequent agreement has been put into place. When contamination is discovered at a Premises, either Party discovering the condition must notify the other Party. All Spills or Releases of regulated materials will immediately be reported by Level 3 to BellSouth.

- 1.7 Coordinated Environmental Plans and Permits. BellSouth and Level 3 will coordinate plans, permits or information required to be submitted to government agencies, such as emergency response plans, spill prevention control and countermeasures (SPCC) plans and community reporting. If fees are associated with filing, BellSouth and Level 3 will develop a cost sharing procedure. If BellSouth's permit or EPA identification number must be used, Level 3 must comply with all of BellSouth's permit conditions and environmental processes, including environmental "best management practices (BMP)" (see Section 2, below) and/or selection of BST disposition vendors and disposal sites.
- Environmental and Safety Indemnification. BellSouth and Level 3 shall indemnify, defend and hold harmless the other Party from and against any claims (including, without limitation, third-party claims for personal injury or death or real or personal property damage), judgments, damages (including direct and indirect damages and punitive damages), penalties, fines, forfeitures, costs, liabilities, interest and losses arising in connection with the violation or alleged violation of any Applicable Law or contractual obligation or the presence or alleged presence of contamination arising out of the acts or omissions of the indemnifying Party, its agents, suppliers, or employees concerning its operations at the Premises.

2. CATEGORIES FOR CONSIDERATION OF ENVIRONMENTAL ISSUES

- When performing functions that fall under the following Environmental categories on BellSouth's Premises, Level 3 agrees to comply with the applicable sections of the current issue of BellSouth's Environmental and Safety Methods and Procedures (M&Ps), incorporated herein by this reference. Level 3 further agrees to cooperate with BellSouth to ensure that Level 3's employees, agents, and/or suppliers are knowledgeable of and satisfy those provisions of BellSouth's Environmental M&Ps which apply to the specific Environmental function being performed by Level 3, its employees, agents and/or suppliers.
- The most current version of the reference documentation must be requested from Level 3's BellSouth Regional Contract Manager (RCM) (f/k/a Account Team Collocation Coordinator ATCC).

ENVIRONMENTAL CATEGORIES	ENVIRONMENTAL ISSUES	ADDRESSED BY THE FOLLOWING DOCUMENTATION
Disposal of hazardous material or other regulated material (e.g., batteries, fluorescent	Compliance with all applicable local, state, & federal laws and regulations	Std T&C 450 Fact Sheet Series 17000

tubes, solvents & cleaning	Pollution liability insurance	Std T&C 660-3
materials)	EVET approval of supplier	Approved Environmental Vendor List (Contact RCM Representative)
Emergency response	Hazmat/waste release/spill fire safety emergency	Fact Sheet Series 17000 Building Emergency Operations Plan (EOP) (specific to and located on Premises)
Contract labor/outsourcing for services with environmental implications	Compliance with all applicable local, state, & federal laws and regulations	Std T&C 450
to be performed on BellSouth Premises (e.g., disposition of hazardous material/waste;	Performance of services in accordance with BST's environmental M&Ps	Std T&C 450-B (Contact RCM Representative for copy of appropriate E/S M&Ps.)
maintenance of storage tanks)	Insurance	Std T&C 660
Transportation of hazardous material	Compliance with all applicable local, state, & federal laws and regulations	Std T&C 450 Fact Sheet Series 17000
	Pollution liability insurance	Std T&C 660-3
	EVET approval of supplier	Approved Environmental Vendor List (Contact RCM Representative)
Maintenance/operations work which may produce a waste	Compliance with all applicable local, state, & federal laws and regulations	Std T&C 450
Other maintenance work	Protection of BST employees and equipment	29CFR 1910.147 (OSHA Standard) 29CFR 1910 Subpart O (OSHA Standard)
Janitorial services	All waste removal and disposal must conform to all applicable federal, state and local regulations	Procurement Manager (CRES Related Matters)-BST Supply Chain Services
	All Hazardous Material and	

	Asbestos notification and protection of employees and equipment	Fact Sheet Series 17000 GU-BTEN-001BT, Chapter 3 BSP 010-170-001BS (Hazcom)
Manhole cleaning	Compliance with all applicable local, state, & federal laws and regulations Pollution liability insurance	Std T&C 450 Fact Sheet 14050 BSP 620-145-011PR Issue A, August 1996 Std T&C 660-3
	EVET approval of supplier	Approved Environmental Vendor List (Contact RCM Representative)
Removing or disturbing building materials that may contain asbestos	Asbestos work practices	GU-BTEN-001BT, Chapter 3 For questions regarding removing or disturbing materials that contain asbestos, call the BellSouth Building Service Center: AL, MS, TN, KY & LA (local area code) 557-6194 FL, GA, NC & SC (local area code) 780-2740

3. **DEFINITIONS**

<u>Generator</u>. Under RCRA, the person whose act produces a Hazardous Waste, as defined in 40 CFR 261, or whose act first causes a Hazardous Waste to become subject to regulation. The Generator is legally responsible for the proper management and disposal of Hazardous Wastes in accordance with regulations.

<u>Hazardous Chemical</u>. As defined in the U.S. Occupational Safety and Health (OSHA) hazard communication standard (29 CFR 1910.1200), any chemical which is a health hazard or physical hazard.

Hazardous Waste. As defined in Section 1004 of RCRA.

<u>Imminent Danger</u>. Any conditions or practices at a Premises which are such that a danger exists which could reasonably be expected to cause immediate death or serious harm to people or immediate significant damage to the environment or natural resources.

Spill or Release. As defined in Section 101 of CERCLA.

4. ACRONYMS

RCM - Regional Collocation Manager (f/k/a Account Team Collocation Coordinator)

BST - BellSouth Telecommunications

<u>CRES</u> – Corporate Real Estate and Services (formerly PS&M)

<u>DEC/LDEC</u> - Department Environmental Coordinator/Local Department Environmental Coordinator

<u>E/S</u> – Environmental/Safety

EVET - Environmental Vendor Evaluation Team

<u>GU-BTEN-001BT</u> - BellSouth Environmental Methods and Procedures

NESC - National Electrical Safety Codes

P&SM - Property & Services Management

Std T&C - Standard Terms & Conditions

COLLOCAT	ION - Alabama		, . 			,					,	,		ment: 4		bit: B
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc		7	RATES (\$)				Submitted Manually	Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
		1				Rec	Nonrec First	urning Add'l	Nonrecurring First	g Disconnect Add'l	SOMEC	SOMAN	OSS SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
		1														
PHYSICAL C	DLLOCATION	ļ			l											
	Physical Collocation - Initial Application Fee	ļ		CLO	PE1BA PE1CA		1,879 48		0.51						ļ	
	Physical Collocation - Subsequent Application Fee Physical Collocation Administrative Only - Application Fee	-	 i	CLO	PEIBL		1,566 60 742 15							ļ	 	
	Physical Collocation - Space Preparation - Firm Order	_	1	CLO	FEIDE	 	742 13		-		 	 				<u> </u>
	Processing			CLO	PE1SJ		600 71		1						1	ĺ.
	Physical Collocation - Space Preparation - C O Modification per		†		1 - 1 - 1	1		-	·		 				 	
	square ft			CLO	PE1SK	1 96			1	ļ]		(
	Physical Collocation - Space Preparation, Common Systems	1														i
	Modifications-Cageless, per square foot			CLO	PE1SL	2 62								1		l
_	Physical Collocation - Space Preparation - Common Systems	I -]							1						
	Modifications-Caged, per cage	<u> </u>	1	CLO	PE1SM	88 86				ļ						
	Physical Collocation - Cable Installation, Pricing, non-recurring			CLC	PE1BD	1	859 71		22 49	}					1	ĺ.
	charge, per Entrance Cable Physical Collocation - Floor Space, per sq feet	 		CLO	PE1PJ	3 22	009 / 1		22 49	 	 			-	-	
	Physical Collocation - Cable Support Structure, per Entrance	 	 	0.0	+						 				· · · · · ·	
	Cable			CLO	PE1PM	17 11				1		ł			1	ĺ
	Physical Collocation - Power, -48V DC Power - per Fused Amp			CLO	PE1PL	7 83									ļ	L
	Physical Collocation - Power Reconfiguration Only, Application								1							
	Fee			CLO	PE1PR		398 76				ļ					
	Physical Collocation - Power, 120V AC Power, Single Phase,	l		01.0	DE4ED		,									ĺ.
	per Breaker Amp	 	 	CLO	PE1FB	4 91					-					
	Physical Collocation - Power, 240V AC Power, Single Phase, per Breaker Amp	ì		CLO	PE1FD	984					1			,		1
	Physical Collocation - Power, 120V AC Power, Three Phase, per	 	 	OLO	1 2 11 0	304			 		 					
	Breaker Amp	}		CLO	PE1FE	14 74										1
	Physical Collocation - Power, 277V AC Power, Three Phase, per										1					
	Breaker Amp	<u> </u>		CLO	PE1FG	34 06									l	
	Physical Collocation - 2-wire cross-connect, loop, provisioning			UEANL,UEQ, .UNLDX, UNCNX, UEA, UCL, UAL, UHL, UDC, UDN, UNCVX	PE1P2	0 03	12 30	11 80	6 03	5 44						
				UEA, UHL, UNCVX,	l											1
	Physical Collocation - 4-wire cross-connect, loop, provisioning			UNCDX, UCL, UDL WDS1L, WDS1S,	PE1P4	0 05	12 39	11 87	6 39	5 73				1		
	Physical Collocation -DS1 Cross-Connect for Physical Collocation, provisioning			UXTD1, ULDD1, USLEL, UNLD1, UEPEX, UEPDX, USL, ULC, U1TD1, UNC1X	PE1P1	1 11	22 03	15 93	6 40	5 79						
-	Conocation, provisioning	+	+	UE3,U1TD3,	PER ITE	 '-'-	22 03	10 93	0.40	3 /9	 			 	 	
			:	UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1,						ļ						
	Physical Collocation - DS3 Cross-Connect, provisioning	1	-	UNLD3	PE1P3	14 16	20 89	15 20	7 38	5 92	L				1	—
	Physical Collegeton 2 Eiber Conn. Connect			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1F2	2 81	20 89	15 20	7 38	500						
 	Physical Collocation - 2-Fiber Cross-Connect	+	+	ULDO3, ULD12.	IFE IFZ	2 81	20 89	15 20	/ 38	5 92	 	 		 	 	<u> </u>
				ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12.												
	Physical Collocation - 4-Fiber Cross-Connect	L	ل	UDF	PE1F4	4 99	25 55	19 86	971	8 25	L	l	L	L	<u> </u>	L

COLLOCAT	ION - Alabama					,					T= -	/	Attachi			bit: B
CATEGORY	RATE ELEMENTS	Inters m	Zone	BCS	USOC			RATES (\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svo Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	Discoulation of the state of th	<u> </u>	-				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Space enclosure, welded wire, first 100 square feet			CLO	PE1BW	156 33					1					(
	Physical Collocation - Space enclosure, welded wire, each	· · · · -	· · · · · · · · · · · · · · · · · · ·	CEO	TEIDN	150 55										·
	additional 50 square feet			CLO	PE1CW	15 34										L
İ	Physical Collocation - Security Access System - Security System			CLO	PE1AX	45 70									İ	İ
	per Central Office Physical Collocation -Security Access System - New Card			CLO	PETAX	45 70					<u> </u>					
	Activation, per Card Activation (First), per State			CLO	PE1A1	0.05	27 79			i					1	ĺ
1	Physical Collocation-Security Access System-Administrative				PE1AA							1				ĺ
	Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or		 	CLO	PETAA	,	7 79		——							
	Stolen Card, per Card			cro	PE1AR		22 78		1						1	ı
	Physical Collocation - Security Access - Initial Key, per Key		1	CLO	PE1AK		13 10	······································	 						 	
	Physical Collocation - Security Access - Key, Replace Lost or			020							 					
	Stolen Key, per Key		L	cro	PE1AL		13 10									
	Physical Collocation - Space Availability Report, per Central	Ī	T											-		
	Office Requested			CLO	PE1SR		1,075 17									
İ	Physical Collocation - CFA Information Resend Request, per		ŀ	CLO	PE1C9		77 56									i
	premises, per request Physical Collocation - Cable Records, per request		+	CLO	PE1CR		759 29	488 11	133 00		 			 		h
	Physical Collocation, Cable Records, VG/DS0 Cable, per cable		 	CLO	FEIGN		139 25	400 11	133 00	 -	 					
	record (maximum 3600 records)		İ	CLO	PE1CD	1	326 92		189 12							I
	Physical Collocation, Cable Records, VG/DS0 Cable, per each	1														
	100 pair		<u> </u>	CLO	PE1CO		4 81		5 90		1					L
	Physical Collocation, Cable Records, DS1, per T1 TIE	ļ	<u> </u>	CLO	PE1C1		2 25		2 76							ļ
	Physical Collocation, Cable Records, DS3, per T3 TIE		_	CFO	PE1C3		7 88		9 66					ļ		ļ
	Physical Collocation - Cable Records, Fiber Cable, per cable			CLO	PE1CB	ļ	84 49		77 13	!	1	ļ		l		l .
	record (maximum 99 records) Physical Collocation - Security Escort for Basic Time - normally		+	CLO	PEIGE		04 49		// 13		-					
	scheduled work, per half hour			cro	PE1BT		16 93	10 73	ł		1			ĺ		ĺ.
	Physical Collocation - Security Escort for Overtime - outside of									i						
1	normally scheduled working hours on a scheduled work day,				1	ł i						ļ			ļ	l .
	per half hour	L	<u> </u>	CLO	PE1OT		22 05	13 86		L	1				i	1
1	Physical Collocation - Security Escort for Premium Time -															1
	outside of scheduled work day, per half hour		-	Cro	PE1PT		27 17	16 98								
	Physical Collocation - Virtual to Physical Collocation Relocation, per Voice Grade Circuit			CLO	PE1BV		33 00		1	Ì		1				l .
	Physical Collocation - Virtual to Physical Collocation Relocation,			CLO	PEIBV		33 00				ļ	ļ			 	t
	per DSO Circuit			CLO	PE1BO		33 00		I	1						1
	Physical Collocation - Virtual to Physical Collocation Relocation,		-								·					
	per DS1 Circuit		.1	CLO	PE1B1		52 00									i .
	Physical Collocation - Virtual to Physical Collocation Relocation,								1							
	per DS3 Circuit	L	<u> </u>	CLO	PE1B3		52 00									
	Physical Collocation - Virtual to Physical Collocation In-Place,				05100						ŀ					1
-	Per Voice Grade Circuit Physical Collocation Virtual to Physical Collocation In-Place, Per		 	cro	PE1BR		23 00				ļ					
	DSO Circuit			CLO	PE18P		23 00		1				i		}	1
	Physical Collocation - Virtual to Physical Collocation In-Place,	 -	 				20 00		 	 	 				1	
	Per DS1 Circuit			CLO	PE1BS	<u> </u>	33 00					1	1			1
	Physical Collocation - Virtual to Physical Collocation In-Place,															
	per DS3 Circuit		-	CLO	PE1BE		37 00				ļ					
	Physical Collocation - Virtual to Physical Collocation In- Place/Relocation, space cable facilities assigned to Collocation									1			ļ			1
	Space, per 700 cable pairs or fraction thereof			cro	PE1B7		592 00									1
	Physical Collocation - Co-Carrier Cross Connects/Direct	<u> </u>	┼	0.0	1-610/		392 00		 	 	 	 -	ļ			
i	Connect - Fiber Cable Support Structure, per linear ft			CLO	PE1ES	0 0011				I			}		1	1
	Physical Collocation - Co-Carner Cross Connect/Direct Connect -		T	i i							1			 	1	
	Copper/Coax Cable Support Structure, per lin_ft	<u></u>		CLO	PE1DS	0 0016			ĺ	1				}		1

COLLOCA	TION - Alabama											Attach	ment: 4	Exh	bit: B
CATEGORY	RATE ELEMENTS	interi m	Zone BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
					Rec		curring	Nonrecurring					Rates (\$)		
					1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Co-Carrier Cross Connects/Direct		1 000	DE 4DT	l	504.00								į.	1
	Connect, Application Fee, per application		CLO	PE10T		584 22									ļ
	Physical Collocation - Copper Entrance Cable per Cable (CO manhole to vault splice)		CLO	PE1EA		1,196 424	42 721								1
	Physical Collocation - Copper Entrance Cable Installation, per		1 000	FLICA	 	1,150 424	42 /21			 					
	100 Pairs		CLO	PE1EB		18 103									
	Physical Collocation - Fiber Entrance Cable per Cable (CO														<u> </u>
	manhole to vault splice)		CLO	PE1EC		1,000 913	42 721					ļ			
	Physical Collocation - Fiber Entrance Cable Installation, per		T												
	Fiber		CLO	PE1ED		7 241									
	Physical Collocation - Application Cost, Simple Augment		CLO	PE1KS		594 41		1 21		ļ					ļ
	Physical Collocation - Application Cost, Minor Augment	ļ	CLO	PE1KM PE1K1		833 47 1,058 00		1 21							<u> </u>
	Physical Collocation - Application Cost, Intermediate Augment Physical Collocation - Co-Carner Cross Connect/Direct Connect		CLO	PEIKI		1,056 00		1 21		 					
	Fiber Cable Support Structure, per cable	1 .	CLO	PE1DU		535 37						ļ			
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -	 	1 550	TEIDO		000 01			-					-	
	Copper/Coax Cable Support Structure, per cable	1	CLO	PE1DV		535 37				l				1	
ADJACENT C	COLLOCATION								··						
T	Adjacent Collocation - Space Charge per Sq. Ft.		CLOAC	PE1JA	0 14										
	Adjacent Collocation - Electrical Facility Charge per Linear Ft		CLOAC	PE1JC	5 41		i								
	Adjacent Collocation - 2-Wire Cross-Connects		UEA,UHL,UDL,UCL		0 02	12 30	11 80	6 03	5 44						
T I	Adjacent Collocation - 4-Wire Cross-Connects		UEA,UHL,UDL,UCL		0 04	12 39	11 87	6 39	5 73						1
	Adjacent Collocation - DS1 Cross-Connects		UEA,UHL,UDL,UCL		1 03	22 03	15 93	6 40	5 79						1
	Adjacent Collocation - DS3 Cross-Connects		UEA,UHL,UDL,UCL		13 95	20 89	15 20	7 38	5 92						
	Adjacent Collocation - 2-Fiber Cross-Connect		CLOAC	PE1F2	2 36	20 89	15 20	7 38	5 92						
	Adjacent Collocation - 4-Fiber Cross-Connect		CLOAC	PE1F4	4 52	25 55	19 86	9 71	8 25						ļ
	Adjacent Collocation - Application Fee		CLOAC	PE1JB		1,576 69		0 51		 					
	Adjacent Collocation - 120V, Single Phase Standby Power Rate		CLOAC	PE1FB	4 91									ì	1
	per AC Breaker Amp Adjacent Collocation - 240V, Single Phase Standby Power Rate		CLUAC	PEIFB	491										ļ
	per AC Breaker Amo		CLOAC	PE1FD	9 84			l :							
	Adjacent Collocation - 120V, Three Phase Standby Power Rate		CEOAC	IFEIFD	3 04			·							
	per AC Breaker Amp		CLOAC	PE1FE	14 74										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate		020/10	1	13.73										-
	per AC Breaker Amp		CLOAC	PE1FG	34 06			l j							
VIRTUAL CO	LLOCATION					-									
	Virtual Collocation - Application Fee		AMTFS	EAF		1,205 26		0.51						<u> </u>	1
	Virtual Collocation Administrative Only - Application Fee	i	AMTFS	VE1AF		742 15				L				1	1
	Virtual Collocation - Cable Installation Cost, per cable		AMTFS	ESPCX		859 71	l	22 49		I					
	Virtual Collocation - Floor Space, per sq. ft		AMTES	ESPVX	3 22										
	Virtual Collocation - Power, per fused amp		AMTES	ESPAX	7 83										
	Virtual Collocation - Cable Support Structure, per entrance		1				ĺ							}	
	cable		AMTFS	ESPSX	14 97										
			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, UNCVX,												
1	Virtual Collocation - 2-wire Cross Connects (loop)	1	UNCDX, UNCNX	UEAC2	0.03	12 30	11 80	6 03	5 44						
		 	UEA,UHL,UCL,UDL		0.03	12 30	11.60	0 03	5 44	 	ļ	ļ	<u> </u>	 	+
			UAL, UDN, UNCVX					[
İ	Virtual Collocation - 4-wire Cross Connects (loop)	i	UNCDX	UEAC4	0.05	12 39	11 87	6 39	5 73	1		1		1	1
	V		1 - 1				1		5 / 3	+ -				+	
			UDL12, UDL03, U1T48, U1T12.												
i			U1T03, ULDO3,					1							
	Virtual Collocation - 2-Fiber Cross Connects		ULD12, ULD48, UD	1						1		I	1	F	1

Exhibit 1 to Amendment

COLLOCAT	ION - Alabama												Attach	ment: 4	Exhil	bit: B
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge -	incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec		urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Nec	First	Add'!	First	Addʻl	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	151 0 0 11			UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3,	0.1045	5.00	or er	40.00								
ļ 	Virtual Collocation - 4-Fiber Cross Connects	-		ULD12, ULD48, UDF	CNC4F	5 69	25 55	19 86	971	8.25	 					
	Virtual collocation - Special Access & UNE, cross-connect per DS1			USL,ULC, ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1, UEPEX, UEPDX	CNC1X	1 11	22 03	15 93	6 40	5 79						
	Virtual collocation - Special Access & UNE, cross-connect per DS3			USL,UE3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CND3X	14 16	20 89	15 20	7 38	5 92						1
	Virtual Collocation - Co-Carner Cross Connects - Fiber Cable								1							
	Support Structure, per linear foot	l .		AMTES	VE1CB	0 0026			i 1						!	1
	Virtual Collocation - Co-Carner Cross Connects - Copper/Coax			-									T			
	Cable Support Structure, per linear ft			AMTFS	VE1CD	0 0038									ĺ	
	Virtual Collocation - Co-Camer Cross Connects - Fiber Cable															
	Support Structure,per cable			AMTFS	VE1CC		535 37									
	Virtual Collocation - Co-Carner Cross Connects - Copper/Coax Cable Support Structure, per cable			AMTES	VE1CE		535 37									
	Virtual Collocation Cable Records - per request			AMTES	VE1BA		759 29	488 11	133 00							
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable record			AMTES	VE1BB		326 92	326 92	189 12							
	Virtual Collocation Cable Records - VG/DS0 Cable, per each	i			1											
	100 pair	l		AMTFS	VE1BC	1	4 81		5 90		1					
	Virtual Collocation Cable Records - DS1, per T1TIE			AMTFS	VE1BD		2 25		2 76							
	Virtual Collocation Cable Records - DS3, per T3TIE	<u></u>		AMTES	VE1BE		7 88		9 66							
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber records			AMTFS	VE1BF	<u> </u>	84 49		77 13							
	Virtual collocation - Security Escort - Basic, per half hour			AMTFS	SPTBX		16 93	10 73								
	Virtual collocation - Security Escort - Overtime, per half hour				SPTOX		22 05	13 86								
	Virtual collocation - Security Escort - Premium, per half hour			AMTFS	SPTPX		27 17	16 98						-		
<u> </u>	Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS	CTRLX		27 93	10 73								
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		36 47	13 86								
	Virtual collocation - Maintenance in CO - Premium per half hour	<u> </u>		AMTFS	SPTPM		45 02	16 98								
	Virtual Collocation - Request Resend of CFA Information, per CLLI			AMTES	VE1QR		77 56									

COLLOCAT	ION - Florida													ment: 4		bit: B
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
			ļ			Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	Fırst	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL CO	DLLOCATION					i i	-								†·	-
	Physical Collocation - Initial Application Fee		1	CLO	PE1BA	1	2,597 00								-	
	Physical Collocation - Subsequent Application Fee			CLO	PE1CA		2,236 00									
	Physical Collocation Administrative Only - Application Fee		<u> </u>	CLO	PE1BL		742 00									
	Physical Collocation - Space Preparation - Firm Order Processing			CLO	PE1SJ		288 93									
	Physical Collocation - Space Preparation - C O Modification per square ft			CLO	PE1SK	2 38										
	Physical Collocation - Space Preparation - Common Systems Modifications-Caged, per cage			CLO	PE1SM	92 55										;
	Physical Collocation - Cable Installation, Pricing, non-recurring charge, per Entrance Cable			CLO	PE1BD		1,750 00		45,16]					
	Physical Collocation - Floor Space, per sq feet		 	CLO	PE1PJ	7 86	1,100 00		10.10							
	Physical Collocation - Cable Support Structure, per Entrance														1	
-	Cable			CLO	PE1PM	18 96										
	Physical Collocation - Power, -48V DC Power - per Fused Amp		1	CLO	PE1PL	7 80			ii							
	Physical Collocation - Power Reconfiguration Only, Application Fee			CLO	PE1PR		399 43						5			
	Physical Collocation - Power, 120V AC Power, Single Phase, per Breaker Amp			CLO	PE1FB	5 38										
	Physical Collocation - Power, 240V AC Power, Single Phase, per Breaker Amp			CLO	PE1FD	10 77										
	Physical Coliocation - Power, 120V AC Power. Three Phase, per Breaker Amp			cro	PE1FE	16 15										
	Physical Collocation - Power, 277V AC Power, Three Phase, per Breaker Amp		<u></u>	cro	PE1FG	37 30										
	Physical Collocation - 2-wire cross-connect, loop, provisioning			UEANL, UEQ, UNLDX, UNCNX, UEA, UCL, UAL, UHL, UDC, UDN, UNCVX	PE1P2	0 0276	8.22	7 22	5 74	4 58						
				UEA, UHL, UNCVX,								· · · · · · · · · · · · · · · · · · ·				
	Physical Collocation - 4-wire cross-connect, loop, provisioning	_		WDS1L,WDS1S,	PE1P4	0 0552	8 42	7 36	5 90	4 66						
	Physical Collocation -DS1 Cross-Connect for Physical Collocation, provisioning			UXTD1, ULDD1, USLEL, UNLD1, UEPEX, UEPDX, USL, ULC, U1TD1, UNC1X	PE1P1	1 32 [27 77	15 52	5 93	4 77						
				UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1,												
	Physical Collocation - DS3 Cross-Connect, provisioning			UNLD3 CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3,	PE1P3	16 81	25 48	14 05	7.77	5.01						
	Physical Collocation - 2-Fiber Cross-Connect			UDL12, UDF ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12,	PE1F2	3 34	41 94	30 52	13 91	11 16						
	Physical Colfocation - 4-Fiber Cross-Connect			UDF	PE1F4	5 92	51 30	39 87	18.29	15 54						
	Physical Collocation - Space enclosure, welded wire, first 100 square feet			CLO	PE1BW	189 45										

COLLOCAT	ION - Florida										10 - :	.	Attachr			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	Physical Collocation - Space enclosure, wetded wire, each	ļ	├				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	additional 50 square feet			CLO	PE1CW	18 58										
	Physical Collocation - Security Access System - Security System per Central Office			CLO	PE1AY	0 0105										
	Physical Collocation -Security Access System - New Card Activation, per Card Activation (First), per State			CLO	PE1A1	0 0577	55 80									
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card			CLO	PE1AA		15 65									
	Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card			CLO	PE1AR		45 75		ļ							
	Physical Collocation - Security Access - Initial Key, per Key	<u> </u>	 	CLO	PE1AK		26 30				 					
	Physical Collocation - Security Access - Key, Replace Lost or															
	Stolen Key, per Key Physical Collocation - Space Availability Report, per Central			CLO	PE1AL		26 30									
	Office Requested Physical Collocation - CFA Information Resend Request, per	ļ		cro	PE1SR		2,159 00				 					
	premises, per request	1	i	cro	PE1C9		77 54				İ		1			1
	Physical Collocation - Cable Records, per request			CLO	PE1CR		1,525 00	980 22	267 OB							
	Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records)			cro	PE1CD		656.50		379 78							
İ	Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pair			CLO	PE1CO		9 66		11 84						ŀ	1
	Physical Collocation, Cable Records, DS1, per T1 TIE	†		CLO	PE1C1		4 52		5 54							
	Physical Collocation, Cable Records, DS3, per T3 TIE			CLO	PE1C3		15.82		19 40							
	Physical Collocation - Cable Records, Fiber Cable, per cable record (maximum 99 records)			cro	PE1CB		169 67		154 89							
	Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour Physical Collocation - Security Escort for Overtime - outside of		ļ	CLO	PE1BT		16 52	10 83								
	normally scheduled working hours on a scheduled work day, per half hour			CLO	PE1OT		21 92	14 19								
	Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour			ÇLO	PE1PT		27 31	17 55								
	Physical Collocation - Virtual to Physical Collocation Relocation, per Voice Grade Circuit Physical Collocation - Virtual to Physical Collocation Relocation,			сго	PE1BV		33 00									
	per DSO Circuit Physical Collocation - Virtual to Physical Collocation Relocation,	ı		сго	PE1BO		33 00				ļ					
	per DS1 Circuit Physical Collocation - Virtual to Physical Collocation Relocation.			CLO	PE1B1		52.00				 					
	per DS3 Circuit Physical Collocation - Virtual to Physical Collocation In-Place,			CLO	PE1B3		52 00									
	Per Voice Grade Circuit Physical Collocation Virtual to Physical Collocation In-Place, Per			CLO	PE1BR		23 00	· · · · · · · · · · · · · · · · · · ·			<u> </u>					-
	DSO Circuit Physical Collocation - Virtual to Physical Collocation In-Place,			CLO	PE1BP		23 00				ļ			-		
	Per DS1 Circuit Physical Collocation - Virtual to Physical Collocation in-Place, per DS3 Circuit	1		CLO	PE1BS PE1BE		33 00 37 00									<u> </u>
	Physical Collocation - Virtual to Physical Collocation in- Place/Relocation, space cable facilities assigned to Collocation Space, per 700 cable pairs or fraction thereof	,_		CLO	PE1B7		592 00									
	Physical Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear ft			cro	PE1ES	0 001										
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect Copper/Coax Cable Support Structure, per lin ft Physical Collocation - Co-Carrier Cross Connects/Direct	_		CLO	PE1DS	0 0014					ļ					<u> </u>
	Connect, Application Fee, per application	L		CLO	PE1DT		584 11				1					

COLLOCAT	ION - Florida				· · · · · · · · · · · · · · · · · · ·								Attach			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrect		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ļ	Physical Collocation - Copper Entrance Cable per Cable (CO manhole to vault spice)			CLO	PE1EA		1,169 133	42 712							1	
	Physical Collocation - Copper Entrance Cable Installation, per			1000	1 -1-		1,103 133	72112			 				 	
ł	100 Pairs			CLO	PE1EB		18 009		L		ļ					
	Physical Collocation - Fiber Entrance Cable per Cable (CO															
	manhole to vault spice)		ļ	CLO	PE1EC		973 661	42 712	 		ļ					
	Physical Collocation - Fiber Entrance Cable Installation, per Fiber			CLO	PE1ED		7 24								1	
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -			1020	7 2 120										 	
	Fiber Cable Support Structure, per cable	1		CLO	PE1DU		535 54								İ	
	Physical Collocation - Co-Carner Cross Connect/Direct Connect -		Ī													
	Copper/Coax Cable Support Structure, per cable			CLO	PE1DV		535 54		ļ					ļ		
AUJACENT C	OLLOCATION Adjacent Collocation - Space Charge per Sq. Ft	 	-	CLOAC	PE1JA	0 1635			 	 	 					
	Adjacent Collocation - Space Charge per Sq. Ft Adjacent Collocation - Electrical Facility Charge per Linear Ft	 -	 	CLOAC	PE1JC	5 11		***	 		 			-	 	
	Adjacent Collocation - 2-Wire Cross-Connects		1	UEA,UHL,UDL,UCL		0 0213	24.69	23 69	11 77	10 62						
	Adjacent Collocation - 4-Wire Cross-Connects			UEA,UHL,UDL,UCL		0 0426	24 88	23 83		10 80						
	Adjacent Collocation - DS1 Cross-Connects			UEA,UHL,UDL,UCL		1 22	44 24	31 98		10 91					<u> </u>	
	Adjacent Collocation - DS3 Cross-Connects	ļ		UEAUHL,UDL,UCL		16 56	41 94	30 52		11 15						
	Adjacent Collocation - 2-Fiber Cross-Connect		-	CLOAC	PE1F2	2 81 5 36	41 94 51.30	30 52 39 87		11 16 15 54						
	Adjacent Collocation - 4-Fiber Cross-Connect Adjacent Collocation - Application Fee	<u> </u>	 	CLOAC	PE1JB	5 36	2,785.00	39 67	10 29	15 54	 		· · · · · · · · · · · · · · · · · · ·			
 -	Adjacent Collocation - Application Fee Adjacent Collocation - 120V, Single Phase Standby Power Rate		 	OLOAO	1 2 100		2,100.00		 				 			
	per AC Breaker Amp		ļ	CLOAC	PE1FB	5 38										
	Adjacent Collocation - 240V, Single Phase Standby Power Rate						1									
	per AC Breaker Amp	<u> </u>	<u> </u>	CLOAC	PE1FD	10 77					ļ					L
	Adjacent Collocation - 120V, Three Phase Standby Power Rate	l		CLOAC	PE1FE	16 15							1			
	per AC Breaker Amp Adjacent Collocation - 277V, Three Phase Standby Power Rate	-	+	CLOAC	reire	10 15										
ĺ	per AC Breaker Amp			CLOAC	PE1FG	37 30										
	Adjacent Collocation - Cable Support Structure per Entrance		1		1				ĺ					· · · · · · · · · · · · · · · · · · ·		
	Cable	1	ļ	CLOAC	PE1PM	18 96					1					
VIRTUAL CO		ļ	ļ		 				ļ							<u> </u>
	Virtual Collocation - Application Fee Virtual Collocation Administrative Only - Application Fee			AMTFS AMTFS	EAF VE1AF		4,122 00 742 00	1,249 00	 							
	Virtual Collocation - Cable Installation Cost, per cable		-	AMTES	ESPCX	12 45	965,00		 							
	Virtual Collocation - Floor Space, per sq. ft		 	AMTES	ESPVX	4 25	000,00		†					· · · · · · · · · · · · · · · · · · ·		
	Virtual Collocation - Power, per fused amp			AMTFS	ESPAX	6 95										
	Virtual Collocation - Cable Support Structure, per entrance															
 	cable		-	AMTFS UEANL,UEA,UDN,U	ESPSX	13 35										
				DC,UAL,UHL,UCL,U												
		1		EQ. UNCVX.			i								j	
	Virtual Collocation - 2-wire Cross Connects (loop)			UNCDX, UNCNX	UEAC2	0 0502	11 57		ŀ				i	ł	1	
				UEA,UHL,UCL,UDL,										i		
				UAL, UDN, UNCVX,						1						
	Virtual Collocation - 4-wire Cross Connects (loop)		1	UNCDX	UEAC4	0 0502	11 57								.	
				UDL12 UDLO3.					1							1
				U1T48, U1T12,										1		
				U1T03, ULDO3,	Ì]									
	Virtual Collocation - 2-Fiber Cross Connects	L		ULD12, ULD48, UDF	CNC2F	6 71	2,431 00						<u></u>			L
				1101 40 1121 00												
		1		UDL12, UDLO3, U1T48, U1T12.)						
				U1148, U1112, U1T03, ULDO3,						i	1	ŀ				
{	Virtual Collocation - 4-Fiber Cross Connects			ULD12, ULD48, UDF	CNC4F	671	2,431 00				1	1			1	
	1	·			,		_,.0100				<u> </u>	· · · · · · · · · · · · · · · · · · ·		L		

OLLUCAI	ION - Florida				,									ment: 4		bit; B
ATEGORY	RATE ELEMENTS	Interi m	Zóne	BCS	usoc			RATES (\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs, Electronic- Disc 1st	Increment Charge - Manual Sy Order vs. Electronic Disc Add
						Rec	Nonrect	irning	Nonrecurring	Disconnect			OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual collocation - Special Access & UNE, cross-connect per DS1		U	SL,ULC, ÜLR, IXTD1, UNC1X, ILDD1. U1TD1, ISLEL. UNLD1, IEPEX, UEPDX	CNC1X	7 50	155 00	14 00								
	Virtual collocation - Special Access & UNE, cross-connect per DS3		U U U	ISL, UE3, U1TD3, IXTS1, UXTD3, INC3X, UNCSX, ILDD3, U1TS1, ILDS1, UDLSX, INLD3	CND3X	56 25	151 90	11 83								
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable						701 00	11 00				ļ				
	Support Structure, per linear foot		A	MTFS	VE1CB	0 0028										
	Virtual Collocation - Co-Carner Cross Connects - Copper/Coax Cable Support Structure, per linear ft	1	l la	MTFS	VE1CD	0 0041										
	Virtual Collocation - Co-Carner Cross Connects - Fiber Cable		1		1.2.2	3 33							-			
	Support Structure,per cable		L A	MTFS	VE1CC		535 54					1				1
	Virtual Collocation - Co-Carner Cross Connects - Copper/Coax															
	Cable Support Structure, per cable			MTFS	VÉ1CE		535 54									L
	Virtual Collocation Cable Records - per request Virtual Collocation Cable Records - VG/DS0 Cable, per cable		<u>^</u>	MTFS	VE1BA		1,525 00		267 08							
ļ	record Cable Records - VG/DSU Cable, per cable		,	MTFS	VE1BB		656 50		379 78			i l				1
	Virtual Collocation Cable Records - VG/DS0 Cable, per each			WIIFS	VE 100		636 30	**	3/9 /8			 				-
	100 pair		_A	MTFS	VE1BC		9 66		11 84		ļ					1
	Virtual Collocation Cable Records - DS1, per T1TIE			MTFS	VE1BD		4 52		5 54							ł
	Virtual Collocation Cable Records - DS3, per T3TIE			MTFS	VE1BE	-	15 82		19 40		 	·				
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber															
	records		A	MTFS	VE1BF		169 67		154 89			i				1
	Virtual collocation - Security Escort - Basic, per quarter hour		Α	MTFS	SPTBQ	T	10 89									
	Virtual collocation - Security Escort - Overtime, per quarter hour		Α	MTFS	SPTOQ		13 64									
	Virtual collocation - Security Escort - Premium, per quarter hour		_A	MTFS	SPTPQ		16 40									
	Virtual Collocation - 2-wire Cross Connects (loop), per ckts			MTFS	VE1R2	0.05	11 57				 					
	Virtual Collocation - 4-wire Cross Connects (loop), per ckts		Α	MTFS	VE1R4	0 05	11 57				t					· · · · · · · · · · · · · · · · · · ·
	Virtual Collocation - DS-1/DCS Cross Connects, PER CKTS			MTFS	VE11S	8 09	69 64									
	Virtual Collocation - DS-1 DSX Cross Connects, PER CKTS			MTFS	VE11X	0 41	69 64									
	Virtual Collocation - DS-3/DCS Cross Connects, PER CKT			MTFS	VE13S	59 67	528 00				I					
	Virtual Collocation - DS-3/DSC Cross Connects, PER CKT		A	MTFS	VE13X	10 06	528 00									
	Virtual collocation - Maintenance in CO - Basic, per quarter hour		ΑΑ	MTFS	SPTRE		10 89									
	Virtual collocation - Maintenance in CO - Overtime, per quarter hour		A	MTFS	SPTOE		13 64									
	Virtual collocation - Maintenance in CO - Premium per quarter hour		A	MTFS	SPTPE		16 40									
	Virtual Collocation - Request Resend of CFA Information, per CLLI		A	MTFS	VE1QR		77 54									

COLLOCAT	ION - Georgia												Attach	ment: 4	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
			Ι			Rec		cumng		Disconnect				Rates (\$)		
			 			 	First	Addi	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL CO	LLOCATION		 	 	+				 		+					
11110101200	Physical Collocation - Initial Application Fee		-	CLO	PE1BA	1	1,285 98	-	0.59							
1	Physical Collocation - Subsequent Application Fee			CLO	PE1CA	· · · · · · · · · · · · · · · · · · ·	1,085 48		0 59							
	Physical Collocation Administrative Only - Application Fee	1	1	CLO	PE1BL		740 83									
	Physical Collocation - Space Preparation - Firm Order Processing			CLO	PE1SJ		141 10					-				
	Physical Collocation - Space Preparation - C O Modification per square ft			CLO	PE1SK	2 01	•									
	Physical Collocation - Space Preparation, Common Systems Modifications-Cageless, per square foot			CLO	PE1SL	2 23										
	Physical Collocation - Space Preparation - Common Systems		 													
	Modifications-Caged, per cage Physical Collocation - Cable Installation, Phong, non-recurring		-	CLO	PE1SM	75 61			ļ							·-·-
	charge, per Entrance Cable			CLO	PE1BD		736 93		21 51							
	Physical Collocation - Floor Space, per sq feet			CLO	PE1PJ	4 52										
	Physical Collocation - Cable Support Structure, per Entrance Cable			CLO	PE1PM	7 21										
	Physical Collocation - Power, -48V DC Power - per Fused Amp			CLO	PE1PL	4 78										
	Physical Collocation - Power Reconfiguration Only, Application Fee	1		CLO	PE1PR		398 80									
	Physical Collocation - Power, 120V AC Power, Single Phase, per Breaker Amp			CLO	IPE1FB	5 14							******	,		
	Physical Collocation - Power, 240V AC Power, Single Phase, per Breaker Amp			cro	PE1FD	10 30										
	Physical Collocation - Power, 120V AC Power, Three Phase, per Breaker Amp			CLO	PE1FE	15,44										
	Physical Collocation - Power, 277V AC Power, Three Phase, per Breaker Amp			CLO	PE1FG				1							
	Physical Collocation - 2-wire cross-connect, loop, provisioning			UEANL, UEQ, UNLDX, UNCNX, UEA, UCL, UAL, UHL, UDC, UDN, UNCVX UEA, UHL, UNCVX,	PE1P2	35 65 0 0197										
	Physical Collocation - 4-wire cross-connect, loop, provisioning				PE1P4	0 0393			İ		1					
	Physical Collocation -DS1 Cross-Connect for Physical Collocation, provisioning			WDS1L.WDS1S, UXTD1, ULDD1, USLEL, UNLD1, UEPEX, UEPDX, USL, ULC, U1TD1, UNC1X	PE1P1	0 3726										
				UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1,												
	Physical Collocation - DS3 Cross-Connect, provisioning			UNLD3 CLO, ULDO3, ULD12, ULD48,	PE1P3	4 06			-							
	Physical Collocation - 2-Fiber Cross-Connect			U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF ULDO3, ULD12,	PE1F2	1 72										
				ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12,							:					
	Physical Collocation - 4-Fiber Cross-Connect	L	<u>!</u>	UDF	PE1F4	3 30			1	L						

COLLOCAT	ION - Georgia													Attach	ment: 4	Exhi	ibıt: B
CATEGORY	RATE ELEMENTS	Inten m	Zone		BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental		Incremental Charge -	Incrementa Charge -
														1st	Addʻl	Disc 1st	Disc Add'l
							Rec	Nonrec			Disconnect			oss	Rates (\$)		
	Physical Collocation - Space enclosure, welded wire, first 100						7.00	First	Add'l	First	Addíl	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	square feet			CLO		PE1BW	160 45]							
	Physical Collocation - Space enclosure, welded wire, each																
	additional 50 square feet			CLO		PE1CW	15 74					ļ					
	Physical Collocation - Security Access System - Security System per Central Office, per Sq. Ft			CLO		PE1AY	0 0106										
	Physical Collocation -Security Access System - New Card															-	
	Activation, per Card Activation (First), per State			CLO		PE1A1		22 00									
	Physical Collocation - Security Access System - New Access Card Deactivation, per Card			CLO		PE1A4		8 72	8 72						1		
	Oald Deactivation, per Caro			OLO.		12174		0.12	072			 -				 	
	Physical Collocation-Security Access System-Administrative			a													1
	Change, existing Access Card, per Request, per State, per Card			CLO		PE1AA		5 38				ļ					ļ
	Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card			CLO		PE1AR		17 01					İ			1	ŀ
	Physical Collocation - Security Access - Initial Key, per Key		-	CLO		PE1AK		13 20				 				 	
	Physical Collocation - Security Access - Key, Replace Lost or																
	Stolen Key, per Key Physical Collocation - Space Availability Report, per Central			CLO		PE1AL		13 20				-					
	Office Requested			CLO		PE1SR		248 75							ŀ		}
· · · · · · · · · · · · · · · · · · ·	Physical Collocation - CFA Information Resend Request, per																<u> </u>
	premises, per request			CLO		PE1C9 PE1CR		77 42 743 65	478 06	125 75							ļ
	Physical Collocation - Cable Records, per request Physical Collocation, Cable Records, VG/DS0 Cable, per cable			CLO		PEICK		743 65	4/8 05	125 /5		 					ļ
	record (maximum 3600 records)			CLO_		PE1CD		317 60		177 77							
	Physical Collocation, Cable Records, VG/DS0 Cable, per each																
	100 pair Physical Collocation, Cable Records, DS1, per T1 TIE		-	CLO		PE1CO PE1C1		4 48 2 22		5 30 2 63							ļ
	Physical Collocation, Cable Records, DS3, per T3 TIE			CLO		PE1C3		7 76		9 19		 					
	Physical Collocation - Cable Records, Fiber Cable, per cable																-
 	record (maximum 99 records) Physical Collocation - Security Escort for Basic Time - normally			CLO		PE1CB		83 45		73 57					ļ		ļ
	scheduled work, per half hour			CLO		PE1BT		16 52	10 83			1					
	Physical Collocation - Security Escort for Overtime - outside of																1
	normally scheduled working hours on a scheduled work day,					DE407											ł
	per half hour Physical Collocation - Security Escort for Premium Time -			CLO		PE10T		21 92	14 19							-	
	outside of scheduled work day, per half hour			CLO		PE1PT		27 31	17 55								
	Physical Collocation - Virtual to Physical Collocation Relocation,																
	per Voice Grade Circuit Physical Collocation - Virtual to Physical Collocation Relocation,			CLO		PE1BV		33 00				 	ļ				
	per DSO Circuit			CLO		PE1BO		33 00									į
	Physical Collocation - Virtual to Physical Collocation Relocation.																1
	per DS1 Circuit			CLO		PE1B1		52 00				ļ					<u> </u>
	Physical Collocation - Virtual to Physical Collocation Relocation, per DS3 Circuit			CLO		PE1B3	ĺ	52 00							}		
	Physical Collocation - Virtual to Physical Collocation In-Place,					7 2 180		32 00	• • • • • • • • • • • • • • • • • • • •			 					
	Per Voice Grade Circuit			CLO		PE1BR		23 00		<u> </u>							
	Physical Collocation Virtual to Physical Collocation In-Place, Per DSO Circuit			CLO		PE1BP		23 00									
	Physical Collocation - Virtual to Physical Collocation In-Place,		 	320		I LIBE		23 00				 			 	1	
	Per DS1 Circuit			CLO		PE1BS		33 00			····						
	Physical Collocation - Virtual to Physical Collocation In-Place, per DS3 Circuit			CLO		PE1BE		37 00									
	Physical Collocation - Virtual to Physical Collocation In-		-	ULU_		PEIBE		37 00				 	 	 	ļ	ļ	+
	Place/Relocation, space cable facilities assigned to Collocation																1
	Space, per 700 cable pairs or fraction thereof		ļ	CFO		PE1B7		592 00				ļ <u>.</u>					
	Physical Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear ft			CLO		PE1ES	0 001										

COLLOCA	TION - Georgia													ment; 4		bit: B
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
						Rec	Nonrec			g Disconnect				Rates (\$)		
						100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -	1		CLO	PE1DS	0 0015	1								ļ	
	Copper/Coax Cable Support Structure, per lin. ft Physical Collocation - Co-Carrier Cross Connects/Direct		 	CLO	PEIDS	0 00 15			 	-	 					
	Connect, Application Fee, per application	ļ	1	cro	PE1DT		583 18			1	1			1	l	
	Physical Collocation - Copper Entrance Cable per Cable (CO		 	020	1 2 7 2 1		- 555 10		 	 	†					
	manhole to vault splice)			CLO	PE1EA	ł l	1,198 43	42 645							1	ŀ
	Physical Collocation - Copper Entrance Cable Installation, per															
	100 Pairs			CLO	PE1EB		18 071				1					
	Physical Collocation - Fiber Entrance Cable per Cable (CO											ļ				
	manhole to vault splice)			CLO	PE1EC		1,003 267	42 645		ļ						ļ
	Physical Collocation - Fiber Entrance Cable Installation, per			CLO	PE1ED	j	7.228						1	1		1
	Fiber Physical Collocation - Application Cost, Simple Augment	 	-	CLO	PE1KS	 	594.05		1 21	 	+		 			
	Physical Collocation - Application Cost, Simple Augment Physical Collocation - Application Cost, Minor Augment			CLO	PE1KM	l	832 95		1 21							1
	Physical Collocation - Application Cost, Intermediate Augment			CLO	PE1K1	1	1,057 00		121	1	1			<u> </u>		1
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -															
	Fiber Cable Support Structure, per cable	l_		CLO	PE1DU		553 43	1	<u> </u>							ļ
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -	1				1 1					Ì					1
	Copper/Coax Cable Support Structure, per cable	1		CLO	PE1DV	İ	553 43		ļ.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		<u> </u>				ļ	
	Physical Collocation, Entrance Cable Support Structure,		1		i	1			1		1					
	Copper, per each 100 pairs or fraction thereof (CO Manhole to Frame)	١.		CLO	PE1EE	0 2629			1		1			1		ļ
	Physical Collocation, Entrance Cable Installation, Copper, per		 	CLO	FEICE	0 2025					+			 		
	Cable (CO Manhole to Frame)	۱.		CLO	PE1EF	1	755 15		21.51					1		
	Physical Collocation, Entrance Cable Installation, Copper, per				1						1					
	each 100 pairs or fraction thereof (CO Manhole to Frame)			CLO	PE1EG		9 12									
ADJACENT (COLLOCATION										<u> </u>					1
	Adjacent Collocation - Space Charge per Sq. Ft			CLOAC	PE1JA	0 164					 				ļ	
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC UEA,UHL,UDL,UCL	PE1JC	4 01 0 0172				 	 				 	ļ
	Adjacent Collocation - 2-Wire Cross-Connects Adjacent Collocation - 4-Wire Cross-Connects			UEA,UHL,UDL,UCL		0 0344				-	1	 			 	+
	Adjacent Collocation - DS1 Cross-Connects	<u> </u>	 	UEA,UHL,UDL,UCL		0 3608				1	 					
	Adjacent Collocation - DS3 Cross-Connects	-	 	UEA,UHL,UDL,UCL		4 73					 					
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F2	1 66										
	Adjacent Collocation - 4-Fiber Cross-Connect		1	CLOAC	PE1F4	3 24					1					
	Adjacent Collocation - Application Fee			CLOAC	PE1J8		1,382 19		0 50							
	Adjacent Collocation - 120V, Single Phase Standby Power Rate									i						
	per AC Breaker Amp			CLOAC	PE1FB	5 14			 	ļ	<u> </u>	ļ		ļ		
	Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp	1	1	CLOAC	PE1FD	10 30					1	ļ			i	1
	Adjacent Collocation - 120V, Three Phase Standby Power Rate	 	 	CLOAC	FLIFD	10 30		 	 	· · · · · · · · · · · · · · · · · · ·		 	 		· · · · · · · · · · · · · · · · · · ·	
	per AC Breaker Amp	1		CLOAC	PE1FE	15 44						1	•		,	1
	Adjacent Collocation - 277V, Three Phase Standby Power Rate		1						 					ļ		
	per AC Breaker Amp		L	CLOAC	PE1FG	35 65]	1	1		1			1	1
	Adjacent Collocation - 240V, Three Phase Standby Power Rate		T													
	per AC Breaker Amp			CLOAC	PE1JD	35 65						ļ		<u> </u>		
VIRTUAL CO	DLLOCATION	 	₩-	110000		ļ.	000 82		 		+		ļ	ļ		
	Virtual Collocation - Application Fee	 	-	AMTES AMTES	EAF VE1AF		609 52 609 52		0 59		+		}	ļ		
	Virtual Collocation Administrative Only - Application Fee Virtual Collocation - Cable Installation Cost, per cable	<u> </u>	 	AMTES	ESPCX	 	736 93		21 51	1	+	 		 	 	
	Virtual Collocation - Floor Space, per sq. ft		1	AMTES	ESPVX	4 52	100 80		2/31	+	 	 	 	 	 	†
	Virtual Collocation - Power, per fused amp	t	1	AMTFS	ESPAX	4 78		1		1	+			 	1	1
	Virtual Collocation - Cable Support Structure, per entrance		1						1	1	†		 		1	· · · · · · · · · · · · · · · · · · ·
	cable			AMTFS	ESPSX	7 57						<u> </u>				
				UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U	1			1		1		I			1	
	Net of Orlinston Co. 100 100 100 100 100 100 100 100 100 10			EQ, UNCVX,	LIEAGO	2 2 2 2				1		1		1		1
	Virtual Collocation - 2-wire Cross Connects (loop)	1	J	UNCDX, UNCNX	UEAC2	0 0188		L		1		J	1	L	1	_1

COLLUCAI	FION - Georgia													ment: 4		bit: B
											Svc Order	Svc Order	Incremental	incremental	Incremental	Increment
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc		Manual Sy
ATEGORY	RATE ELEMENTS	inten	Zone	BCS	usoc			RATES (\$)								
AIEGORT	RAIE ELEMENIS	m	Zone	803	USOC			KAICO (3)			per LSR	per LSR	Order vs.	Order vs.	Order vs	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
			1								1	•	1st	Add'I	Disc 1st	Disc Add'l
			1								1	1	184	Addi	DISC 181	DISC AGG
		 					Nonre	urring	Nonrecurring	Disconnoct			088	Rates (\$)		L
			 		-	Rec	First	Add'l			COMEC	SOMAN	000		001111	
			ļ				FIFSC	AGG I	First	Add'l	SUMEC	SUMAN	SOMAN	SOMAN	SOMAN	SOMAN
				UEA,UHL,UCL,UDL,							1		ŀ			
				UAL, UDN, UNCVX,	1						1					
	Virtual Collocation - 4-wire Cross Connects (loop)		1	UNCDX	UEAC4	0 0375]					
		· · · · · ·														
1			1	UDL12, UDLO3,	1						1			F		
- 1			1	U1T48, U1T12.]				1							
		1		U1T03, ULDO3,										1		
	Virtual Collocation - 2-Fiber Cross Connects		1	ULD12, ULD48, UDF	CNC2F	1 73					i			1		
			1						1							
		1		UDL12, UDLO3,	!!	1							l	[
1		1			1								l			
	İ	i		U1T48, U1T12,	1	- 1							l	t		
		1	}	U1T03, ULDO3,		1			1				l			
-	Virtual Collocation - 4-Fiber Cross Connects	L	l	ULD12, ULD48, UDF	CNC4F	3 45			1		1	1	l			1
		T		USL,ULC, ULR,					T					·		1
	1	i		UXTD1, UNC1X,		1			1		1	1	1	İ		Į.
		1		ULDD1, U1TD1,		i			1		1	1	1			1
	Manual collection of the colle	1				- 1			1							
	Virtual collocation - Special Access & UNE, cross-connect per	l		USLEL, UNLD1,							1					
	DS1			UEPEX, UEPDX	CNC1X	0 3726										i
1				USL,UE3, U1TD3,							i					
1				UXTS1, UXTD3,		Į.			į		ŀ					l
ł		1		UNC3X, UNCSX,	i 1	1			1		1		l			1
		l			l i	1			•		ì					1
				ULDD3, U1TS1,		ļ					i					l
	Virtual collocation - Special Access & UNE, cross-connect per	ļ		ULDS1, UDLSX,	l !	1			1		1					i
	DS3	i	1	UNLD3	CND3X	4 06			1							1
	Virtual Collocation - Co-Carner Cross Connects - Fiber Cable															
1	Support Structure, per linear foot	1		AMTFS	VE1CB	0 0023]					
	Virtual Collocation - Co-Carner Cross Connects - Copper/Coax	 		741110	1100	0 0020			 		ļ					
ł		İ		*******												
	Cable Support Structure, per linear ft			AMTFS	VE1CD	0 0034										
i	Virtual Collocation - Co-Carner Cross Connects - Fiber Cable					1					1					
	Support Structure,per cable			AMTFS	VE1CC	1	553 43									
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax						·				1					
	Cable Support Structure, per cable			AMTES	VE1CE	Į.	553 43		i		Ì		1			1
	Virtual Collocation Cable Records - per request			AMTES	VE1BA		743 65	478 06	125 75		 	·				
				MAILES	VEIDA		743 00	476 06	125 / 3							
l	Virtual Collocation Cable Records - VG/DS0 Cable, per cable			l	l	1					i					ŀ
	record			AMTFS	VE1BB		317 60		177 77		Į					1
	Virtual Collocation Cable Records - VG/DS0 Cable, per each												1	T		
	100 pair			AMTFS	VE1BC		4 48		5 30		1		l			
	Virtual Collocation Cable Records - DS1, per T1TIE			AMTES	VE1BD		2 22		2 63					 	· · · · · · · · · · · · · · · · · · ·	
	Virtual Collocation Cable Records - DS3, per T3TIE				VE1BE		7 76		9 19		 					
			1	ranili U	*LIDE		/ /0		9 19	L	 	<u> </u>	ļ			<u></u>
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber	1	1		l .	ŀ			1			1	1			ŀ
	records			AMTFS	VE1BF		83 45		73 57	L	i		l			1
	Virtual collocation - Security Escort - Basic, per half hour		7	AMTES	SPTBX		16 52	10 83					i			
	Virtual collocation - Security Escort - Overtime, per half hour			AMTFS	SPTOX		21 92	14 19	T					1		
	Virtual collocation - Security Escort - Premium, per half hour			AMTES	SPTPX		27 31	17 55			 			t		
	Virtual collocation - Security Escort - Premium, per half hour			AMTES							+		 -	ļ		ļ
	virtual conocation - Maintenance in CO - basic, per nan nour	 -		MINILLO	CTRLX		26 54	10 83					L			
		1				ļ					1	1				
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		35 44	14 19	L		1					1
									T				l			
1	Virtual collocation - Maintenance in CO - Premium per half hour	1		AMTFS	SPTPM	1	44 34	17 55				1	l	Į.		1
	Virtual Collocation - Request Resend of CFA Information, per				S. 11 17		77.54	1, 33	————							
				ALCCC.	L/5405	j						1	l	1		
	CLLI		<u> </u>	AMTES	VE1QR		77 42				ļ					
		1												1		T
1	Virtual Collocation, Entrance Cable Support Structure, Copper,	1				1			1			l	ŀ	I		1
1	per each 100 pairs or fraction thereof (CO Manhole to Frame)	1		AMTFS	VE1EE	0 23							ł	J		
	Virtual Collocation, Entrance Cable Installation, Copper, per	 				5 25					 	ļ				
1	Coble (CO Manhata to Essent)				l I	1			1	1		1	l	1	1	Į.
	Cable (CO Manhole to Frame)	1		AMTFS	VE1EF		755 15		21 51		L		1	1		
	Virtual Collocation, Entrance Cable Installation, Copper, per		1		!									1		
1	each 100 pairs or fraction thereof (CO Manhole to Frame)			AMTES	VE1EG											

COLLOCAT	TION - Kentucky												Attach			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec		urring		Disconnect		,		Rates (\$)		
		-	 		}]	First	Add'i	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL C	DLLOCATION		+						 	-						
THI GIOAL C	Physical Collocation - Initial Application Fee		 	CLO	PE1BA		3,773 54									
	Physical Collocation - Subsequent Application Fee		1	CLO	PE1CA	· · · · · · · · · · · · · · · · · · ·	3,145 35									1
	Physical Collocation Administrative Only - Application Fee			CLO	PEIBL		742 12									
	Physical Collocation - Space Preparation - Firm Order Processing			CLO	PE1SJ		1,206.07									
	Physical Collocation - Space Preparation - C O Modification per square ft			CLO	PE1SK	2 32										
	Physical Collocation - Space Preparation, Common Systems							1								
	Modifications-Cageless, per square foot	L	L	CLO	PE1SL	3 26						<u> </u>				
	Physical Collocation - Space Preparation - Common Systems Modifications-Caged, per cage			CLO	PE1SM	110 57										
	Physical Collocation - Cable Installation, Pricing, non-recurring		1			1 1					{	1	(1	-	
	charge, per Entrance Cab e			CLO	PE1BD		1,729 11		45 16	ļ	 					Ì
	Physica Collocator - Floor Space, per sq feet	<u> </u>		CLO	PE1PJ	7 99							-		<u> </u>	
	Physica Collocation - Cable Support Structure, per Entrance Cable			cro	PE1PM	19 86										
	Physical Collocation - Power, -48V DC Power - per Fused Amp			CLO	PE1PL	8 06					L					1
	Physical Collocation - Power Reconfiguration Only, Application Fee	1.		cro	PE1PR		399 50									
	Physical Collocation - Power, 120V AC Power, Single Phase, per Breaker Amp			GLO	PE1FB	5 44										
	Physical Collocation - Power, 240V AC Power, Single Phase, per Breaker Amp			CLO	PE1FD	10 88						}				
	Physical Collocation - Power, 120V AC Power, Three Phase, per Breaker Amp]	CLO	PE1FE	16 32										
	Physical Collocation - Power, 277V AC Power, Three Phase, per Breaker Amp		1	CLO	PE1FG	37 68										
	Physical Collocation - 2-wire cross-connect, loop, provisioning			UEANLUEQ, UNLDX, UNCNX, UEA, UCL, UAL, UHL, UDC, UDN, UNCVX UEA, UHL, UNCVX,	PE1P2	0 0333	24 68	23,68	12 14	10 95						
	Physical Collocation - 4-wire cross-connect, loop, provisioning			UNCDX, UCL, UDL	PE1P4	0 0665	24 88	23 82	12 77	11 46			l		İ	
	Physical Collocation -DS1 Cross-Connect for Physical			WDS1L,WDS1S, UXTD1, ULDD1, USLEL, UNLD1, UEPEX, UEPDX, USL, ULC, U1TD1,												
	Collocation, provisioning	L	1_	UNC1X	PE1P1	1 48	44 23	31 98	12 81	11 57			<u> </u>			
				UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1,												
L	Physical Collocation - DS3 Cross-Connect, provisioning	L		UNLD3	PE1P3	18 89	41 93	30 51	14 75	11 83					<u></u>	
	Discourse College to a Constant			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3,	PE1F2	375	41 93	30 51	14 76	44.84						
	Physical Collocation - 2-Fiber Cross-Connect			UDL12, UDF ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48,	PEIFL	375	41 93	30 51	1478	11 84						
	Physical Collocation - 4-Fiber Cross-Connect			UDLO3, UDL12, UDF	PE1F4	6 65	51 29	39 87	19 41	16 49						

COLLOCAT	TION - Kentucky	,									12 2 -			ment: 4		bit: B
CATEGORY	RATE ELEMENTS	inten m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs Electronic- Disc Add'l
						Rec	Nonrec			g Disconnect				Rates (\$)		
	Physical Collocation - Space enclosure, welded wire, first 100						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	square feet			CLO	PE1BW	184 97			1							
	Physical Collocation - Space enclosure, welded wire, each additional 50 square feet			CLO	PE1CW	18 14	-						· · · · · · · · · · · · · · · · · · ·			
	Physical Collocation - Security Access System, Security System, per Central Office			CLO	PE1AX	76 10										
	Physical Collocation -Security Access System - New Card	-								†		·				
	Activation, per Card Activation (First), per State			CLO	PE1A1	0 058	55 79									
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card			CLO	PE1AA		15 64									
	Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card			CLO	PE1AR		45 74									
	Physical Collocation - Security Access - Initial Key, per Key	 		CLO	PE1AK		26 29		 	1	 			 		——
	Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key			CLO	PE1AL		26 29									
	Physical Collocation - Space Availability Report, per Central Office Requested			CLO	PE1SR		2,158.67									
	Physical Collocation - CFA Information Resend Request, per premises, per request			CLO	PE1C9		77 55									
	Physical Collocation - Cable Records, per request			CLO	PE1CR		1,524 45	980 01	267 02							
	Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3500 records)			CLO	PE1CD	_	656 37		379 70							
	Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pair			CLO	PE1CO		9 65		11 84							,
	Physical Collocation, Cable Records, DS1, per T1 TIE			CLO	PE1C1		4 52		5 54							
	Physical Collocation, Cable Records, DS3, per T3 TIE			CLO	PE1C3		15 81		19 39	ļ	_					
	Physical Collocation - Cable Records, Fiber Cable, per cable record (maximum 99 records)			CLO	PE1CB		169 63		154 85							
	Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour			CLO	PE1BT		33 98	21 53								
	Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour			CLO	PE1OT		44 26	27 81								
	Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour			CLO	PE1PT		54 54	34 09								
	Physical Collocation - Virtual to Physical Collocation Relocation,			CLO	PE18V		33 00									
	per Voice Grade Circuit Physical Collocation - Virtual to Physical Collocation Relocation,									<u> </u>						
	per DSO Circuit Physical Collocation - Virtual to Physical Collocation Relocation,			CLO	PE1BO	 	33 00		-		+				 	
	per DS1 Circuit Physical Collocation - Virtual to Physical Collocation Relocation,	ļ	 	CLO	PE1B1		52 00			 	+	 			-	
	per DS3 Circuit Physical Collocation - Virtual to Physical Collocation In-Place,			CLO	PE1B3		52 00			ļ			ļ			ļ
ļ	Per Voice Grade Circuit			CLO	PE1BR		23 00			ļ						
	Physical Collocation Virtual to Physical Collocation In-Place, Per DSO Circuit			cro	PE1BP		23 00									
	Physical Collocation - Virtual to Physical Collocation In-Place, Per DS1 Circuit			CLO	PE1BS		33 00									
	Physical Collocation - Virtual to Physical Collocation In-Place, per DS3 Circuit			CLO	PE1BE		37 00									
	Physical Collocation - Virtual to Physical Collocation In- Place/Relocation, space cable facilities assigned to Collocation Space, per 700 cable pairs or fraction thereof			CLO	PE1B7		592 00									
	Physical Collocation - Co-Carner Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear ft			CLO	PE1ES	0 0012	302.00			1				<u> </u>		
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect		1						 	 	+					
L	Copper/Coax Cable Support Structure, per lin ft	٠	1	CLO	PE1DS	0 0018		l	J	I	.1	L		I	l	

COLLOCA	FION - Kentucky			,	· · · · · · · · · · · · · · · · · · ·						T			ment: 4		bit: B
CATEGORY	RATE ELEMENTS	Intei m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svo Order vs. Electronic- 1st	Charge - Manual Svo Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Increment Charge - Manual Sv Order vs Electronic Disc Add
			ļ	<u></u>		Rec	Nonrec			Disconnect				Rates (\$)		
			L				First	Add'i	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Co-Carrier Cross Connects/Direct	[į.	l					İ			'				1
	Connect, Application Fee, per application	<u> </u>	<u> </u>	CLO	PE1DT		584 20									L
	Physical Collocation - Copper Entrance Cable per Cable (CO manhole to vault splice)	ł		CLO	PE1EA		1,224 485	42 719			!					1
	Physical Collocation - Copper Entrance Cable Installation, per			CLO	FEIEA		1,224 400 (42 / 19			 					
	100 Pairs			lcLo	PE1EB	1	18 102									I
	Physical Collocation - Fiber Entrance Cable per Cable (CO			OLO	1		10 102				l	 				
	manho/e to vault splice)			cro	PE1EC	i i	1.028 981	42,719	1			[i,
	Physical Collocation - Fiber Entrance Cable Installation, per															
	Fiber		L '	CLO	PE1ED		7 241		<u> </u>							L.
	Physical Collocation - Application Cost, Simple Augment			CLO	PE1KS		594 98		1 21							
	Physical Collocation - Application Cost, Minor Augment			CLO	PE1KM		834 26		1 21							
	Physical Collocation - Application Cost, Intermediate Augment			CLO	PE1K1		1.059 00		1 21							
ł	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -		i i	CLO	PE1DU	·	535.55									I
	Fiber Cable Support Structure, per cable Physical Collocation - Co-Carrier Cross Connect/Direct Connect -		ļi	CLO .	PEIDU		535 55									
1	Copper/Coax Cable Support Structure, per cable		}	cro	PE1DV		535 55				1			1		ŀ
ADJACENT C	OLLOCATION		 	CLO	7 2.100	· · · · · · · · i	333 33									
ADDAOLINI O	Adjacent Collocation - Space Charge per Sq. Ft		i i	CLOAC	PE1JA	0 0173										
	Adjacent Collocation - Electrical Facility Charge per Linear Ft			CLOAC	PE1JC	5 35										
	Adjacent Collocation - 2-Wire Cross-Connects			UEA,UHL,UDL,UCL		0 0258	24 68	23 68	12 14	10 95						
	Adjacent Collocation - 4-Wire Cross-Connects			UEA,UHL,UDL,UCL	PE1P4	0 0515	24 88	23 82	12 77	11 46						
	Adjacent Collocation - DS1 Cross-Connects			UEA,UHL,UDL,UCL		1 37	44 23	31 98	12 81	11 57						
	Adjacent Collocation - DS3 Cross-Connects			UEA,UHL,UDL,UCL		18 61	41 93	30 51	14 75	11 83						
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F2	3 15	41 93	30 51	14 76	11 84						
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1F4	6 02	51 29	39 87	19 41	16 49						
	Adjacent Collocation - Application Fee			CLOAC	PE1JB		3,165 50	<u>-</u> -								
1	Ad,acent Co location - 120V, Single Phase Standoy Power Rate per AC Breaker Amp			CLOAC	PE1FB	5 44	i				!	!			Ī	
	Adjacent Collocation - 240V, Single Phase Standby Power Rate			CLUAC	PEILD	3 44										
	per AC Breaker Amp		i l	CLOAC	PE1FD	10 88						1				
	Adjacent Collocation - 120V, Three Phase Standby Power Rate		-	020710												
	per AC Breaker Amp		l [CLOAC	PE1FE	16 32					! !			ĺ		
	Adjacent Collocation - 277V, Three Phase Standby Power Rate						·									
	per AC Breaker Amp			CLOAC	PE1FG	37 68						i	- 1			
/IRTUAL COL										-						
	Virtual Collocation - Application Fee				EAF		2,419 86		1 01							
	Virtual Collocation Administrative Only - Application Fee	1			VE1AF		742 12									
	Virtual Collocation - Cable Installation Cost, per cable Virtual Collocation - Floor Space, per sq. ft			AMTES	ESPCX		1,729 11		45 16							
	Virtual Collocation - Power, per fused amp			AMTES AMTES	ESPVX ESPAX	7 99										
	Virtual Collocation - Cable Support Structure, per entrance	•		AWIFS	ESPAX	8 06										
	cable			AMTES	ESPSX	17 38						į	l	-		
				UEANL,UEA,UDN,U	LOFOX	17 36							-			
				DC,UAL,UHL,UCL,U				-				:		- 1		
	ļ			EQ, UNCVX,				l				į		1		
	Virtuel Collocation - 2-wire Cross Connects (loop)		l l	UNCDX, UNCNX	UEAC2	0 0309	24 68	23 68	12 14	10 95			1	1	ļ	
				UEA,UHL,UCL,UDL,												
				UAL, UDN, UNCVX,		1									1	
	Virtual Collocation - 4-wire Cross Connects (loop)			UNCDX	UEAC4	0 0619	24 88	23 82	12 77	11 46				ĺ	j	
İ			7													~
				UDL12, UDLO3,		1					ļ		J	-	į	
				U1T48, U1T12,		1	:	†	,		ļ			1	į	
	Virtual Collocation - 2-Fiber Cross Connects			U1T03, ULDO3, ULD12, ULD48, UDF	CNCSE	200	44.04.1	20.51			į			ŀ	ļ	
	- A TOUR CONDUCTION - Z-T IDER CHOSS CONNECTS		L	ULU 12, ULU48, UUF	UNUZE	3 80	41 94	30 51	14 76	11 84				1		

COLLOCAT	ION - Kentucky												Attach	ment: 4	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Inten m	Zone	вcs	usoc			RATES (\$)				Submitted Manually	Charge - Manual Svc Order vs Electronic- 1st	Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs Electronic- Disc Add'l
		1				Rec	Nonrec			g Disconnect				Rates (\$)		,
		l			I	, nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation - 4-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC4E	7 59	51 29	39 87	19 41	16 49						
	Virtual Collocation - 4-Fiber Cross Connects	-		USL.ULC. ULR.	CNC4F	7 33	3123	33 67	1341	10 48	 	 	·	·		
	Virtual collocation - Special Access & UNE, cross-connect per DS1			UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1, UEPEX, UEPDX	CNC1X	1 48	44 23	31 98	12 81	11 57						
	Virtual collocation - Special Access & UNE, cross-connect per DS3			USL,UE3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CND3X	18 89	41 93	30 5 1	14 75	11 83						
	Virtual Collocation - Co-Camer Cross Connects - Fiber Cable			AMTFS	VE1CB	0 003										
	Support Structure, per linear foot Virtual Collocation - Co-Camer Cross Connects - Copper/Coax	-	1													
	Cable Support Structure, per linear ft			AMTFS	VE1CD	0 0045										
	Virtual Collocation - Co-Camer Cross Connects - Fiber Cable Support Structure per cable			AMTES	VE1CC		535 55									
	Virtual Collocation - Co-Carner Cross Connects - Copper/Coax Cable Support Structure, per cable			AMTFS	VE1CE		535 55									
	Virtual Collocation Cable Records - per request			AMTES	VE1BA		1,524 45	980 01	267 02							
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable record			AMTFS	VE1BB		656 37		379 70							
·	Virtual Collocation Cable Records - VG/DS0 Cable, per each	-		AMITO	VEIDD		030 31		3/3/0							
ļ	100 pair		1	AMTFS	VE1BC		9 65		11.84		İ					
	Virtual Collocation Cable Records -DS1, per T1TIE			AMTFS	VE1BD		4.52		5 54			·				
	Virtual Collocation Cable Records - DS3, per T3TIE			AMTFS	VE1BE		15 81		19 39							
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber records			AMTFS	∨E1BF		169 63		154 85				-			
	Virtual collocation - Security Escort - Basic, per half hour	J		AMTFS	SPTBX		33.98	21 53								
	Virtual collocation - Security Escort - Overtime, per half hour	<u> </u>		AMTFS	SPTOX		44.26	27 81								
	Virtual collocation - Security Escort - Premium, per half hour			AMTES	SPTPX		54 54	34 09								
	Virtual collocation - Maintenance in CO - Basic, per half hour			AMTES	CTRLX		56 07	21 53								
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		73 23	27 81								
	Virtual collocation - Maintenance in CO - Premium per half hour			AMTES	SPTPM		90 39	34 09								
	Virtual Collocation - Request Resend of CFA Information, per CLLI			AMTFS	VE1QR		77 55									

COLLOCAT	TION - Louisiana												Attach			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
			-			Rec	Nonrec First	urnng Add'!	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	OSS SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
			<u> </u>													
PHYSICAL C	OLLOCATION	1														
	Physical Collocation - Initial Application Fee		1	CLO	PE1BA		1,837 24									
	Physical Collocation - Subsequent Application Fee			CLO	PE1CA		1,533 41									
	Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		741 97									
	Physical Collocation - Space Preparation - Firm Order Processing			CLO	PE1SJ		583 33	-								
	Physical Collocation - Space Preparation - C O Modification per square ft			CLO	PE1SK	2 31										
	Physical Collocation - Space Preparation, Common Systems															
	Modifications-Cageless, per square foot	ļ	ļ	cro	PE1SL	2 70			ļ							
	Physical Collocation - Space Preparation - Common Systems Modifications-Caged, per cage			CLO	PE1SM	91 60										
_	Physical Collocation - Cable Installation, Pricing, non-recurring				D54D5					1	1					
<u> </u>	charge, per Entrance Cable	├	<u> </u>	CLO	PE1BD	500	841 54		ļ						ļ	
	Physical Collocation - Floor Space, per sq feet			CLO	PE1PJ	5 30			 	}	+					
	Physical Collocation - Cable Support Structure, per Entrance Cable		ļ	CTO	PE1PM	18 31										
	Physical Collocation - Power, -48V DC Power - per Fused Amp	1		cro	PE1PL	8 32										
	Physical Collocation - Power Reconfiguration Only, Application Fee	ı	ļ	CLO	PE1PR		398 76									
	Physical Collocation - Power, 120V AC Power, Single Phase, per Breaker Amp		ļ	CLO	PE1FB	5 45										
	Physical Collocation - Power, 240V AC Power, Single Phase, per Breaker Amp	ļ	L	cro	PE1FD	10 92							. ,			
<u> </u>	Physical Collocation - Power 120V AC Power, Three Phase, per Breaker Amp		<u> </u>	сго	PE1FE	16 37										
	Physical Collocation - Power, 277V AC Power, Three Phase, per Breaker Amp			CLO UEANL.UEQ.	PE1FG	37 80										
	Physical Collocation - 2-wire cross-connect, loop, provisioning			UNLDX, UNCNX, UEA, UCL, UAL, UHL, UDC, UDN, UNCVX	PE1P2	0 0318	11 94	11 46								
	Physical Collocation - 4-wire cross-connect, loop, provisioning		Ĺ	UEA, UHL, UNCVX, UNCDX, UCL, UDL	PE1P4	0 0636	12 04	11 53								
	Physical Collocation -DS1 Cross-Connect for Physical			WDS1L,WDS1S, UXTD1, ULDD1, USLEL, UNLD1, UEPEX, UEPDX, USL, ULC, U1TD1,												
	Collocation, previsioning			UNC1X	PE1P1	1 04	21 39	15 47]	
	Physical Collocation - DS3 Cross-Connect, provisioning			UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1, UNLD3	PE1P3	13 21	20 28	14 76								
				CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3,												
	Physical Collocation - 2-Fiber Cross-Connect	↓		UDL12, UDF	PE1F2	2 62	20 28	14 76	<u> </u>							
				ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12,												
	Physical Collocation - 4-Fiber Cross-Connect	1		UDF	PE1F4	4 65	24 81	19 29		1		1			1	1

COLLOCA	FION - Louisiana				, , , , , , , , , , , , , , , , , , , 						1-			ment: 4		bit: B
CATEGORY	RATE ELEMENTS	Intera m	Zone	BCS	usoc			RATES (\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonre			g Disconnect				Rates (\$)		
 			-				First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
l [Physical Collocation - Space enclosure, welded wire, first 100 square feet			CLO	PE1BW	184 50							l			
 	Physical Collocation - Space enclosure, welded wire, each		 	CLO	I CIOW	104 30				·			 			
	additional 50 square feet			CLO	PE1CW	18.10]			
	Physical Collocation - Security Access System - Security System															
	per Central Office, per Sq. Ft Physical Collocation -Security Access System - New Card			CLO	PE1AY	0.0224			ļ							
	Activation, per Card Activation (First), per State			CLO	PE1A1	0 0579	27 50		1							
		1	1						1							
	Physical Collocation-Security Access System-Administrative				DE44.				1		1		ŀ			
ļ ļ	Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or			CLO	PE1AA		7 74		 	-						ļ
	Stolen Card, per Card	l		CLO	PE1AR		22 64		İ	1			ŀ		1	
	Physical Collocation - Security Access - Initial Key, per Key		L^-	CLO	PE1AK		13 01									
	Physical Collocation - Security Access - Key, Replace Lost or						40.71									
-+-	Stolen Key, per Key Physical Collocation - Space Availability Report, per Central		-	CLO	PE1AL		13 01				 					
	Office Requested			CLO	PE1SR		1,044 07									1
	Physical Collocation - CFA Information Resend Request, per									1	1					
	premises, per request	L	-	CLO	PE1C9		77 43			ļ						
	Recurring Collocation Cable Records - per request	ļ		CLO	PE1CU	10 97										
	Recumng Collocation Cable Records - VG/DS0 Cable, per cable record	1		CLO	PE1CE	5 29										
	Recurring Collocation Cable Records - VG/DS0 Cable, per each	<u> </u>	†	<u> </u>	1, 2, 32	323	-		<u> </u>	1	 					
	100 pair			CLO	PE1CT	0 08										
ļ	Recurring Collocation Cable Records - DS1, per T1TIE	 		CLO	PE1C2	0 04										
	Recurring Collocation Cable Records - DS3, per T3TIE Recurring Collocation Cable Records - Fiber Cable, per 99 fiber	 		CLO	PE1C4	0 13				1	ļ					
1	records	1		CLO	PE1CG	1 37				1						
	Physical Collocation - Security Escort for Basic Time - normally								<u> </u>							
	scheduled work, per half hour			CLO	PE1BT		16 44	10 42								
	Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour			CLO	PE1OT		21 41	13 45								
	Physical Collocation - Security Escort for Premium Time -															
	outside of scheduled work day, per half hour Physical Collocation - Virtual to Physical Collocation Relocation,	ļ		CLO	PE1PT		26 38	16 49					ļ			<u> </u>
	per Voice Grade Circuit			CLO	PE1BV		33 00									
	Physical Collocation - Virtual to Physical Collocation Relocation,		 				00 00		† · · · · · · · ·	1	 		 	 		
	per DSO Circuit		ļ	CLO	PE1BO		33 00									
	Physical Collocation - Virtual to Physical Collocation Relocation, per DS1 Circuit			CLO	PE1B1	İ	52 00									
	Physical Collocation - Virtual to Physical Collocation Relocation,	-		CLO	PEIBI		52 00				 					
	per DS3 Circuit			CLO	PE1B3		52 00									
	Physical Collocation - Virtual to Physical Collocation In-Place, Per Voice Grade Circuit			CLO	PE1BR		23 00					_				
1	Physical Coflocation Virtual to Physical Collocation In-Place, Per	· · · · · ·			1					1	+	<u> </u>				-
	DSO Circuit		<u> </u>	CLO	PE1BP		23 00			ļ						
	Physical Collocation - Virtual to Physical Collocation in-Place, Per DS1 Circuit			CLO	PE1BS	1	00.00									
 	Physical Collocation - Virtual to Physical Collocation In-Place,		 	CLO	FE1B5		33 00		 -	 						
	per DS3 Circuit			CLO	PE1BE	1	37 00			-			1			
	Physical Collocation - Virtual to Physical Collocation In-		1						† · · · ·	-		 			 	
1 1	Place/Relocation, space cable facilities assigned to Collocation			0.0					i						İ	1
 	Space, per 700 cable pairs or fraction thereof Physical Collocation - Co-Carner Cross Connects/Direct	ļ	 -	CLO	PE1B7		592 00		 	1						<u> </u>
	Connect - Fiber Cable Support Structure, per linear ft			CLO	PE1ES	0 001										
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect	-	†		1 2	0.001	• • • • • • • • • • • • • • • • • • • •		 	+	 		 		-	
L	Copper/Coax Cable Support Structure, per lin. ft			CLO	PE1DS	0 0015						ŀ	1		Í	

COLLOCK	ΓΙΟΝ - Louisiana												Attach	ment; 4	Exhi	ibıt: B
ATEGORY	RATE ELEMENTS	Inten m	Zопе	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Charge -	Charge
							Nonrec	umna	Nonrecurning	Disconnect				Rates (\$)	Diac 180	Diac Add
				•		Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Co-Carrier Cross Connects/Direct				1						1					
	Connect, Application Fee, per application			CLO	PE1DT		583 30		1							1
	Physical Collocation - Copper Entrance Cable per Cable (CO				1								-			
	manhole to vault splice)			CLO	PE1EA		1,358 81	42 653	ì	ļ	1					1
	Physical Collocation - Copper Entrance Cable Installation, per										1					<u> </u>
	100 Pairs			CLO	PE1EB	1 1	18 074		į	1				1		1
	Physical Collocation - Fiber Entrance Cable per Cable (CO								l							
	manhole to vault splice)			CLO	PE1EC	1	1,163 609	42 653						i		
	Physical Collocation - Fiber Entrance Cable Installation, per										1					
i i	Fiber			CLO	PE1ED		7 23				ľ					1
	Physical Collocation - Application Cost, Simple Augment			CLO	PE1KS	i	596 35		1 22							
	Physical Collocation - Application Cost, Minor Augment			CLO	PE1KM		836 18		1 22							
	Physical Collocation - Application Cost, Intermediate Augment			CLO	PE1K1		1,061.00		1 22		1					
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -															
	Fiber Cable Support Structure, per cable	1		CLO	PE1DU		534 79				l					1
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -															
1	Copper/Coax Cable Support Structure, per cable	1	1 1	CLO	PE1DV		534 79				1					
ADJACENT C	OLLOCATION		1			***************************************					 					
-	Adjacent Collocation - Space Charge per Sq. Ft		1	CLOAC	PE1JA	0 0552					 					
	Adjacent Collocation - Electrical Facility Charge per Linear Ft			CLOAC	PE1JC	5 61					 					
	Adjacent Collocation - 2-Wire Cross-Connects			UEA,UHL,UDL,UCL		0 0245	11 94	11 46	-		ļ					-
	Adjacent Collocation - 4-Wire Cross-Connects			UEA,UHL,UDL,UCL		0 0491	12 04	11 53		<u> </u>	 					
-	Adjacent Collocation - DS1 Cross-Connects			UEA,UHL,UDL,UCL		0 9605	21 39	15 47			 	-				
	Adjacent Collocation - DS3 Cross-Connects			UEA,UHL,UDL,UCL		13 01	20 28	14 76								
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F2	2 20	20 28	14 76			 					
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1F4	4 21	24 81	19 29			 					
+	Adjacent Collocation - Application Fee			CLOAC	PE1JB	421	1,543 20	19 29			 		 			
	Adjacent Collocation - 120V, Single Phase Standby Power Rate		-	CLUAC	I L IOD		1,543 20				 					ļ
	per AC Breaker Amp			CLOAC	PE1FB	5 45			1		1					1
	Adjacent Collocation - 240V, Single Phase Standby Power Rate		 	OLOAG	1	343										
	per AC Breaker Amp			CLOAC	PE1FD	10 92	İ		1					1		ĺ
	Adjacent Collocation - 120V, Three Phase Standby Power Rate			CEONO	7 (11 0	10 92										ļ
	per AC Breaker Amp		1 1	CLOAC	PE1FE	16 37						l i				
	Adjacent Collocation - 277V, Three Phase Standby Power Rate		 	OLUAG	F C. 11 C	10 37										
{	per AC Breaker Amp		f 1	CLOAC	PE1FG	37 80								i		
VIRTUAL COL				CLOAG	FEIFG	37 60										ļ
INTOAL COL	Virtual Collocation - Application Fee			AMTES	EAF		1,770 40									
 -	Virtual Collocation Administrative Only - Application Fee	1		AMTES	VE1AF		741 97				<u> </u>	-				
 -	Virtual Collocation - Cable Installation Cost, per cable			AMTES	ESPCX		841 54									
	Virtual Collocation - Cable Installation Cost, per cable Virtual Collocation - Floor Space, per sq. ft.			AMTES	ESPVX	3 20	841 54									
	Virtual Collocation - Power, per fused amp			AMTES	ESPAX	8 32										
	Virtual Collocation - Cable Support Structure, per entrance			AVVIITO	ESPAX	8.32										
	cable			AMTFS	ESPSX	10.00								l		
	Cable				ESPSA	16 02										
				UEANL,UEA,UDN,U DC.UAL.UHL.UCL.U]										-
				EQ. UNCVX.	į.											1
	Victoria Callacatora Rossa Constantino									1	i					
	Virtual Collocation - 2-wire Cross Connects (loop)			UNCDX, UNCNX	UEAC2	0 0296	11 94	11.46			ļ					1
	}			UEA,UHL,UCL,UDL,	i				1					ĺ		-
	N. 10 H			UAL, UDN, UNCVX,	i					j						
	Virtual Collocation - 4-wire Cross Connects (loop)		\vdash	UNCDX	UEAC4	0 0591	12 04	11 53						L		
					1	1 7										
				UDL12, UDLO3,	1				1					1		
				U1T48, U1T12,	1				1		1					
				U1T03, ULDO3,]	ļ l										
	Virtual Collocation - 2-Fiber Cross Connects			ULD12, ULD48, UDF	CNC2F	2 65	20 29	14 76						1		

COLLOCAT	ION - Louisiana												Attach	ment: 4	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Submitted Elec	Submitted	Incremental Charge - Manual Svo Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec			Disconnect				Rates (\$)		
						1100	First	Addʻl	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation - 4-Fiber Cross Connects		1	JDL12, UDLO3, J1T48, U1T12, J1T03, ULDO3, JLD12, ULD48, UDF	CNC4F	5 31	24 81	19 29								
 	Virtual Conocation - 4-1 Der Closs Connects	-		JSL,ULC, ULR,	0.10	0.01	m.+ 01	10 20			1				-	
	Virtual collocation - Special Access & UNE, cross-connect per DS1			JXTD1, UNC1X, JLDD1, U1TD1, JSLEL, UNLD1,	CNC1X	1 04	21 39	15 47								
	Virtual collocation - Special Access & UNE, cross-connect per DS3		1	JXTS1, UXTD3, JNC3X, UNCSX, JLDD3, U1TS1, JLDS1, UDLSX,	CND3X	13 21	20 28	14 76								
ł I	Virtual Collocation - Co-Camer Cross Connects - Fiber Cable					. 1					1				1	
l	Support Structure, per linear foot	ļ	/	AMTFS	VE1CB	0.0024										
	Virtual Collocation - Co-Carner Cross Connects - Copper/Coax Cable Support Structure, per linear ft		,	AMTFS	VE1CD	0 0036										
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable	1	\Box													
	Support Structure per cable			AMTFS	VE1CC		534 79		ŀ	1		i I			l	ļ
	Virtual Collocation - Co-Carner Cross Connects - Copper/Coax Cable Support Structure, per cable			AMTES	VE1CE		534 79						-			
	Virtual Collocation Cable Records - per request	 			VE1BA	10 97			l							
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable	1	 			1001										
1	record		1 1	AMTFS	VE1BB	5 29			1	i					1	
	Virtual Collocation Cable Records - VG/DS0 Cable, per each	†	 							· · · · · ·	-					
	100 pair			AMTES	VE1BC	0.08	1			İ					i	}
	Virtual Collocation Cable Records - DS1, per T1TIE		,	AMTFS	VE1BD	0 04				†						
,	Virtual Collocation Cable Records - DS3, per T3TIE		, I	AMTFS	VE1BE	0 13		· · · · · · · · · · · · · · · · · · ·								
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber									1	1	1				
	records				VE1BF	1 37			1	l					ĺ	
	Virtual collocation - Security Escort - Basic, per half hour				SPTBX		16 44	10 42			1					
	Virtual collocation - Security Escort - Overtime, per half hour				SPTOX		21 41	13 45					· - · · · · · ·		[
	Virtual collocation - Security Escort - Premium, per half hour		, i	AMTES	SPTPX		26 38	16 49		1	1	1				1
	Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS	CTRLX		27 12	10 42				I				
	Virtual collocation - Maintenance in CO - Overtime, per half hour		,	AMTES	SPTOM		35 42	13 45								
	Virtual collocation - Maintenance in CO - Premium per half hour		,	AMTFS	SPTPM		43 72	16,49			<u> </u>					
	Virtual Collocation - Request Resend of CFA Information, per CLLI			AMTES	VE1QR		77 43									

COLLOCAT	TION - Mississippi				· · · · · · · · · · · · · · · · · · ·	······					T=			ment: 4		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	<u> </u>	ļ		<u> </u>			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL CO	DLLOCATION	1	 		 	l										
THI GIOAL O	Physical Collocation - Initial Application Fee	t —		CLO	PE1BA		1.890 38			ł	 					
	Physical Collocation - Subsequent Application Fee	t	†	CLO	PE1CA		1,575 69									
	Physical Collocation Administrative Only - Application Fee	T		CLO	PE1BL		740 76									
	Physical Collocation - Space Preparation - Firm Order Processing	1		CLO	PE1SJ		604 19									
	Physical Collocation - Space Preparation - C O Modification per square ft.			CLO	PE1SK	2 30			:							
	Physical Collocation - Space Preparation, Common Systems Modifications-Cageless, per square foot			CLO	PE1SL	2 52										
	Physical Collocation - Space Preparation - Common Systems Modifications-Caged, per cage			CLO	PE1SM	85 67										
	Physical Collocation - Cable Installation, Pricing, non-recurring	1														
	charge, per Entrance Cable		<u> </u>	CLO	PE18D		926 27		22 62							
	Physical Collocation - Floor Space, per sq feet		ļ	CLO	PE1PJ	5 74					I					
	Physical Collocation - Cable Support Structure, per Entrance Cable			CLO	PE1PM	17.42					<u> </u>					
	Physical Collocation - Power, -48V DC Power - per Fused Amp			CLO	PE1PL	7 33										
	Physical Collocation - Power Reconfiguration Only, Application Fee			CLO	PE1PR		398 76									
	Physical Collocation - Power, 120V AC Power, Single Phase, per Breaker Amp	1		CLO	PE1FB	5 29										
	Physical Collocation - Power, 240V AC Power, Single Phase, per Breaker Amp			cro	PE1FD	10 58										
	Physical Collocation - Power, 120V AC Power, Three Phase, per Breaker Amp	1		CLO	PE1FE	15 87		,								
	Physical Collocation - Power, 277V AC Power, Three Phase, per Breaker Amp	1		CLO	PE1FG	36 65										
	Physical Collocation - 2-wire cross-connect, loop, provisioning			UEANL, UEQ, UNLDX, UNCNX, UEA, UCL, UAL, UHL, UDC, UDN, UNCVX	PE1P2	0 0288	12 37	11 87	6 04	5 45						
	Physical Collocation - 4-wire cross-connect, loop, provisioning			UEA, UHL, UNCVX, UNCDX, UCL, UDL	PE1P4	0 0576	12 47	11 94	6 59	5 91						L
	Physical Collocation -DS1 Cross-Connect for Physical			WDS1L,WDS1S, UXTD1, ULDD1, USLEL, UNLD1, UEPEX, UEPDX, USL, ULC, U1TD1,												
	Collocation, provisioning			UNC1X UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1,	PE1P1	1 14	22 16	16 02	6 60	5 97						
	Physical Collocation - DS3 Cross-Connect, provisioning			UNLD3 CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12.	PE1P3	14 49	21 01	15 29	7 61	6 10						
	Physical Collocation - 2-Fiber Cross-Connect			U1T48, UDLO3, UDL12, UDF	PE1F2	2 87	21 01	15 29	7 61	6 10			İ			
	Priyarca Conocaron - 2-riogi Cross-Connect		1	ULDO3, ULD12, ULD48, U1TO3,	ILC ILS	201	2101	15 29	/ 61	6 10						
				U1T12, U1T48, UDLO3, UDL12,												
	Physical Collocation - 4-Fiber Cross-Connect	1		UDF	PE1F4	5 10	25 70	19 97	10 01	8 50	İ	}				

COLLOCAT	ION - Mississippi													Attach	ment: 4	Exhi	ibit: 8
CATEGORY	RATE ELEMENTS	inten m	Zone	В	ocs (usoc	RATES (\$)						Submitted	Manual Svc	Charge - Manual Svc Order vs	Charge - Manual \$vc Order vs.	Charge - Manual Svc Order vs.
							Rec	Nonrec First	urring Add'l		Disconnect	SOMEC	001111	OSS SOMAN	Rates (\$)		
	Physical Collocation - Space enclosure, welded wire, first 100		1					rirst	Aggi	First	Add'l	SUMEC	SUMAN	SUMAN	SOMAN	SOMAN	SOMAN
	square feet		1 1	CLO	PE1	IBW	183 20							1			1
	Physical Collocation - Space enclosure, weided wire, each											1					
	additional 50 square feet			CLO	PE1	CW	17 97										
	Physical Collocation - Security Access System, Security System, per Central Office		1 1	CLO	PE1		75 23										
	Physical Collocation -Security Access System - New Card			CLO		AX	/5 23				<u> </u>						
	Activation, per Card Activation (First), per State	l ,		CLO	PE1	IA1	0 0576	27 95		1				ĺ			ŀ
										-							
	Physical Collocation-Security Access System-Administrative				1										1		
	Change, existing Access Card, per Request, per State, per Card	1		CLO	PE1	IAA .		7 84									<u> </u>
	Physical Collocation - Security Access System - Replace Lost or			CLO	PE1	IAD.		22.04				1					
	Stolen Card, per Card Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1		-	22 91 13 17							 		
 	Physical Collocation - Security Access - Initial Rey, per Rey Physical Collocation - Security Access - Key, Replace Lost or		 				 	13 17			 	+			<u> </u>	-	
	Stolen Key, per Key			CLO	PE1	IAL		13 17		1				}			
	Physical Collocation - Space Availability Report, per Central														<u> </u>	<u> </u>	
	Office Requested	_!_		CLO	PE1	SR		1,081 40									
	Physical Collocation - CFA Information Resend Request, per	l	1 1														
	premises, per request			CLO	PE1			77 41	100.01								<u> </u>
	Physical Collocation - Cable Records, per request Physical Collocation, Cable Records, VG/DS0 Cable, per cable			CLO	PE1	ICR		763 69	490 94	133 77				!		ļ	
	record (maximum 3600 records)			CLO	PE1	ICD		328 81		190 22	i	1		1		1	
	Physical Collocation, Cable Records, VG/DS0 Cable, per each			020		00		525 51		130 22	· · ·					 	
	100 pair		1 1	CFO	PE1	ico		4 84		5 93	i	1			1		i
	Physical Collocation, Cable Records, DS1, per T1 TIE			CLO	PE1			2 27		2 78							
	Physical Collocation, Cable Records, DS3, per T3 TIE			CLO	PE1	IC3		7 92		9 72							
i i	Physical Collocation - Cable Records, Fiber Cable, per cable											1		1			
	record (maximum 99 records) Physical Collocation - Security Escort for Basic Time - normally		1	CLO	PE1	CB		84 98		77 58							ļ
	scheduled work, per half hour		1 1	CLO	PE1	IBT		17 02	10 79		l			1	1		
	Physical Collocation - Security Escort for Overtime - outside of		+						10.10					-			†
	normally scheduled working hours on a scheduled work day,		1 1												i		1
	per half hour			CLO	PE1	IOT		22 17	13.94								
	Physical Collocation - Security Escort for Premium Time -]			
	outside of scheduled work day, per half hour			CLO	PE1	IPT		27 32	17.08							<u> </u>	ļ
1	Physical Collocation - Virtual to Physical Collocation Relocation, per Voice Grade Circuit			CLO	PE1	IRV/		33 00						1			
	Physical Collocation - Virtual to Physical Collocation Relocation,		-	CLO		100		33 00				+					
	per DSO Circuit			CLO	PE1	во		33 00]		1	l .
	Physical Collocation - Virtual to Physical Collocation Relocation,											†			i		
	per DS1 Circuit			CLO	PE1	B1		52 00						ł			
	Physical Collocation - Virtual to Physical Collocation Relocation,														1		
	per DS3 Circuit	ļ	ļ	CLO	PE1	IB3		52 00				ļ					
	Physical Collocation - Virtual to Physical Collocation In-Place, Per Voice Grade Circuit		1 1	CLO	PE1			23 00								ĺ	
	Physical Collocation Virtual to Physical Collocation In-Place, Per			CLO	PEI	IBR		23 00				 					ļ
	DSO Circuit			CLO	PE1	IBP		23 00			ł					1	1
	Physical Collocation - Virtual to Physical Collocation In-Place,		1		- 1'-		——————————————————————————————————————	25 00		 		+		 			
	Per DS1 Circuit			CLO	PE1	IBS		33 00				1				1	
	Physical Collocation - Virtual to Physical Collocation In-Place,									1						T	<u> </u>
	per DS3 Circuit		\sqcup	CLO	PE1	BE		37 00				1					
	Physical Collocation - Virtual to Physical Collocation In-]					
	Place/Relocation, space cable facilities assigned to Collocation Space, per 700 cable pairs or fraction thereof			CLO	PE1	107		£00.00			l					1	
	Physical Collocation - Co-Carner Cross Connects/Direct	 	 	OLO	PET	107		592 00		ļ	 	-		-	 	 	
	Connect - Fiber Cable Support Structure, per linear ft	-		CLO	PE1	IES	0.001	}							1	1	
	Physical Collocation - Co-Carner Cross Connect/Direct Connect -		 				0.001				 	 			 	 	
	Copper/Coax Cable Support Structure, per lin ft			CLO	PE1	IDS	0 0015				l	[1]	1	

COLLOCAT	ION - Mississippi													ment: 4	Exhibit: B		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR		Order vs	Charge - Manual Svc Order vs.	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l	
						Rec	Nonrec		Nonrecurring					Rates (\$)			
						1400	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
	Physical Collocation - Co-Carrier Cross Connects/Direct	İ			DE 4 D T		500.40				1						
	Connect, Application Fee, per application		-	CLO	PE1DT_		583 13				 	 		ļ			
	Physical Collocation - Copper Entrance Cable per Cable (CO manhole to vault splice)	ĺ		cro	PE1EA	[1,265 629	42 641			1						
	Physical Collocation - Copper Entrance Cable Installation, per		 	CLO	T E I EA		1,200 023	72 041		 	 		 				
	100 Pairs		İ	CLO	PE1EB		18 069			1						İ	
	Physical Collocation - Fiber Entrance Cable per Cable (CO		· · · · · ·														
	manhole to vault splice)			CLO	PE1EC		1,070 484	42 641			<u> </u>						
	Physical Collocation - Fiber Entrance Cable Installation, per		T														
	Fiber		ļ.,	CLO	PE1ED		7 228				1		ļ				
	Physical Collocation - Application Cost, Simple Augment		<u> </u>	CLO	PE1KS_		597 34		1 22		 	ļ					
	Physical Collocation - Application Cost, Minor Augment	ļ	ļ	CLO	PE1KM	ļ	837 57		1 22	ļ		<u> </u>	 			 	
	Physical Collocation - Application Cost, Intermediate Augment		├	CLO	PE1K1		1,063 00		1 22		-					-	
I	Physical Collocation - Co-Carner Cross Connect/Direct Connect Fiber Cable Support Structure, per cable	١,		CLO	PE1DU		534 65		i		1		1				
	Physical Collocation - Co-Carner Cross Connect/Direct Connect	 	┼─	CLO	1 2100	 	334 63				+	 	 	 	 		
	Copper/Coax Cable Support Structure, per cable	1 .		CLO	PE10V		534 65		ł						1		
ADJACENT C	OLLOCATION		1	020	1 2 70 4		307.00				+		 				
ADUAUCIU O	Adjacent Collocation - Space Charge per Sq. Ft	—	· · · · ·	CLOAC	PE1JA	0 0678					†		 				
	Adjacent Collocation - Electrical Facility Charge per Linear Ft			CLOAC	PE1JC	4 68					-					T	
	Adjacent Collocation - 2-Wire Cross-Connects		1	UEA,UHL,UDL,UCL		0 0223	12 37	11 87	6 04	5 45		T					
	Adjacent Collocation - 4-Wire Cross-Connects		1	UEA UHL, UDL, UCL		0 0446	12 47	11 94	6 59	5 91							
	Adjacent Collocation - DS1 Cross-Connects			UEA,UHL,UDL,UCL	PE1P1	1.05	22 16	16.02	6 60	5 97			1				
	Adjacent Collocation - DS3 Cross-Connects		T	UEA,UHL,UDL,UCL		14 27	21 01	15 29		6 10							
	Adjacent Collocation - 2-Fiber Cross-Connect	L		CLOAC	PE1F2	2 42	21 01	15 29	7 61	6 10			L			<u> </u>	
	Adjacent Collocation - 4-Fiber Cross-Connect	L		CLOAC	PE1F4	4 62	25 70	19 97	10 01	8 50			ļ <u> </u>	ļ			
	Adjacent Collocation - Application Fee	!	ļ	CLOAC	PE1JB		1,585 83				ļ						
	Adjacent Collocation - 120V, Single Phase Standby Power Rate	l	i	0.010	DE45B				l					ĺ	ł		
	per AC Breaker Amp Adjacent Collocation - 240V, Single Phase Standby Power Rate		 	CLOAC	PE1FB	5 29			ļ		 		 			 	
	Iper AC Breaker Amo	İ	1	CLOAC	PE1FD	10 58			i			ļ	ŀ			i	
	Adjacent Collocation - 120V, Three Phase Standby Power Rate	<u> </u>	+	CLOAC	FEIFD	10 38		· · · · · ·				 	 			 	
	per AC Breaker Amp	1		CLOAC	PE1FE	15 87			l					i		ļ	
	Adjacent Collocation - 277V, Three Phase Standby Power Rate	 	+	OLORO	1.211.2	 			 		+	 				 	
	per AC Breaker Amp		1	CLOAC	PE1FG	36 65			1			1	!			1	
VIRTUAL COL		-		020/10	1 2 3				 		<u> </u>		1				
1	Virtual Collocation - Application Fee	 	1	AMTFS	EAF		1,212 25		0.51				1	i			
	Virtual Collocation Administrative Only - Application Fee	1	T	AMTES	VE1AF	I	740 76		1				T	1			
	Virtual Collocation - Cable Installation Cost, per cable			AMTES	ESPCX		926 27		22.62								
	Virtual Collocation - Floor Space, per sq. ft			AMTES	ESPVX	5 74											
	Virtual Collocation - Power, per fused amp			AMTES	ESPAX	7 33						L					
I	Virtual Collocation - Cable Support Structure, per entrance			I	L					1							
	cable	ļ	↓	AMTFS	ESPSX	15 24					1	ļ <u>.</u>	ļ			<u> </u>	
				UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, UNCVX,													
	Virtual Collocation - 2-wire Cross Connects (loop)	l	L	UNCDX, UNCNX	UEAC2	0 0268	12 37	11 87	6 04	5 45			<u> </u>				
			_	UEA,UHL,UCL,UDL.]											
		1		UAL, UDN, UNCVX,	l	1 1				1		1		1		-	
	Virtual Collocation - 4-wire Cross Connects (loop)		-	UNCDX	UEAC4	0 0536	12 47	11,94	6 59	5 91	ļ	ļ	ļ	ļ	<u> </u>	 	
				UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3,													
	Virtual Collocation - 2-Fiber Cross Connects		1	ULD12, ULD48, UDF	CNC2F	2.91	21 01	15 29	7 61	6 10			1	1		1	

COLLOCAT	OLLOCATION - Mississippi													ment: 4	Exhibit: B	
CATEGORY		Interi m	Zone	ne BCS	usoc			RATES (\$)				Submitted Manually	Charge -	Charge - Manual Svc Order vs.	Charge - Charge - Manual Svc Order vs Electronic- Disc 1st	Charge - Manual Svc Order vs.
		ļ				Rec	Nonrec		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation - 4-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	GNC4F	5 82	25,70	19 97	10 01	8 50						
	Titled Condition 4 Fiber Cross Comments	 	++	USL.ULC, ULR.	1		20110		1001		 					
	Virtual Collocation - Special Access & UNE, cross-connect per DS1			UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1, UEPEX, UEPDX USL,UE3, U1TD3,	CNC1X	1 14	22 16	16 02	6 60	5 97			-			
	Virtual collocation - Special Access & UNE, cross-connect per DS3			UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CND3X	14 49	21.01	15 29	761	6 10						
	Virtual Collocation - Co-Camer Cross Connects - Fiber Cable					1					I	l				1
	Support Structure, per linear foot			AMTES	VE1CB	0 0025										
	Virtual Collocation - Co-Carner Cross Connects - Copper/Coax		1 1								ļ					ı
	Cable Support Structure, per linear ft	ļ		AMTES	VE1CD	0 0037					ļ					
	Virtual Collocation - Co-Carner Cross Connects - Fiber Cable				i						1					ı
	Support Structure,per cable		\vdash	AMTFS	VE1CC		534 65									
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable			AMTFS	VE1CE		534 65									
	Virtual Collocation Cable Records - per request	ļ	ļ	AMTFS	VE1BA		763 69	490 94	133 77							
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable record			AMTFS	VE1BB		328 81		190 22							
	Virtual Collocation Cable Records - VG/DS0 Cable, per each				1						i					
	100 pair			AMTFS	VE1BC		4.84		5 93							<u> </u>
	Virtual Collocation Cable Records - DS1, per T1TIE	ļ		AMTES	VE1BD		2.27		2 78							L
	Virtual Collocation Cable Records - DS3, per T3TIE		\perp	AMTFS	VE1BE		7 92		9 72			l				
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber records			AMTFS	VE1BF		84 98		77 58							
	Virtual collocation - Security Escort - Basic, per half hour			AMTFS	SPTBX		17 02	10 79								
	Virtual collocation - Security Escort - Overtime, per half hour			AMTFS	SPTOX		22.17	13 94								
	Virtual collocation - Security Escort - Premium, per half hour			AMTES	SPTPX		27 32	17 08								
	Virtual collocation - Maintenance in CO - Basic, per half hour	L		AMTES	CTRLX		28 09	10 79								
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		36 69	13 94								
	Virtual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM		45 28	17 08								
	Virtual Collocation - Request Resend of CFA Information, per CLLI			AMTFS	VE1QR		77 41									

COLLOCATION - North Carolina													Attachment: 4		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs, Electronic- 1st	Incremental Charge - Manual Syc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l				
			1			Rec	Nonrec			g Disconnect				Rates (\$)		,
		 	 		+		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL CO	LLOCATION	†	t			-				 	 		-			ļ
	Physical Collocation - Initial Application Fee	T	T	CLO	PE1BA		2,322 00			· · · · · · · · · · · · · · · · · · ·					 	
	Physical Collocation - Subsequent Application Fee			CLO	PE1CA		2,311 00			T						<u> </u>
	Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		741 44				1	-				-
	Physical Collocation - Space Preparation - Firm Order															
	Processing	ļ		CLO	PE1SJ		1,196 00									
!!	Physical Collocation - Space Preparation - C O Modification per	١.							i							
	square ft			Cro	PE1SK	2 42			ļ	ļ						
	Physical Collocation - Space Preparation, Common Systems Modifications-Caceless, per square foot			cro	PE1SL	2 88	I									
 	Physical Collocation - Space Preparation - Common Systems	 	_	OLO _	FEIOL	∠ 88			 	 				· · · · · · · · · · · · · · · · · · ·		
	Modifications-Caged, per cage	1 .		CLO	PE1SM	97 98	Į									
	Space Preparation Fees - Power Per Nominal -48V Dc Amp			CLO	PE1FH	5 76				 	+					
	Physical Collocation - Cable Installation, Pricing, non-recurring			-	 				 	 						
	charge, per Entrance Cable		1	CLO	PE1BD		1,701 00		-	1	1					
	Physical Collocation - Floor Space, per sq feet	1		CLO	PE1PJ	2 30										
	Physical Collocation - Cable Support Structure, per Entrance								T		 				-	-
	Cable	ļ		CLO	PE1PM	20 57										
					!											
	Physical Collocation - Power, -48V DC Power - per Fused Amp	ı		CLO	PE1PL	7 65										
	Physical Collocation - Power Reconfiguration Only, Application	1			l [i									
	Fee Physical Collocation - Power, 120V AC Power, Single Phase,	<u> </u>		CLO	PE1PR		399 13	- · · · · · · · · · · · · · · · · · · ·								
	per Breaker Amp	١,		CLO	PE1FB	5 50			1							
	Physical Collocation - Power, 240V AC Power, Single Phase,			CLU	PEIFB	3 50										
	iper Breaker Amp	1 ,		cro	PE1FD	11 01										
	Physical Collocation - Power, 120V AC Power, Three Phase, per	 	-	020	ren b	1101			 		1					
	Breaker Amp	1		cro	PE1FE	16 51					1					
	Physical Collocation - Power, 277V AC Power, Three Phase, per				1 1			-			1					
	Breaker Amp	1		CLO	PE1FG	38 12					1	i				
	Physical Collocation - 2-wire cross-connect, loop, provisioning			UEANL, UEQ, UNLDX, UNCNX, UEA, UCL, UAL, UHL, UDC, UDN, UNCVX	PE1P2	0 0309	33 53	31 65								
	Trijorodi Sonosatori - 2-wire Gross-Cormect, 100p, provisioning	- '		UEA, UHL, UNCVX,	I CIFZ	0 0309	33 33	3165	 	 	1					
	Physical Collocation - 4-wire cross-connect, toop, provisioning	1		UNCDX, UCL, UDL	PE1P4	0 0618	33 67	31 70		1						
				WDS1L,WDS1S, UXTD1, ULDD1, USLEL, UNLD1, UEPEX, UEPDX,			\$2.01	0.70								
.	Physical Collocation -DS1 Cross-Connect for Physical	١.		USL, ULC, U1TD1,												
 	Collocation, provisioning	<u> </u>		UNC1X	PE1P1	1 38	52 87	39 86	L		.					
	Physical Collocation - DS3 Cross-Connect, provisioning	ı		UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1, UNLD3	PE1P3	17 62	51 97	38 59								
				CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3,				30 39								
	Physical Collocation - 2-Fiber Cross-Connect	l 1		UDL12, UDF	PE1F2	3 50	51 97	38 59			1					

COLLOCAT	ON - North Carolina	,											Attachi			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		Nonrec	RATES (\$)	I Noncourt	p Disconnect		Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronio- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svc Order vs.
			-		+	Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12,					THAT	Audi	SOMES	SOMAN	SOURCE	JOMAR	SOMAN	SUMAN
	Physical Collocation - 4-Fiber Cross-Connect	<u> </u>	ļ	UDF	PE1F4	6.20	64.53	51.15					<u> </u>		ļ	
	Physical Collocation - Space enclosure, welded wire, first 100 square feet			cro	PE1BW		559.81									
	Physical Collocation - Space enclosure, welded wire, each additional 50 square feet	1		cro	PE1CW		25.37									
	Physical Collocation - Security Access System - Security System per Central Office, per Sq. Ft.			CLO	PE1AY	0.0135										
	Physical Collocation - Security Access System, Security System, per Central Office	ı		cro	PE1AX	41.03]					
	Physical Collocation -Security Access System - New Card Activation, per Card Activation (First), per State	ı		CLO	PE1A1	0.062	15.00									
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card			CLO	PE1AA		15.51									
	Physical Collocation - Security Access System - Replace Lost or			alo	PE1AR		15.00				 					
	Stolen Card, per Card Physical Collocation - Security Access - Initial Key, per Key			GLO	PETAK		15.00				 	 				
	Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key			cro	PE1AL		15.00									
	Physical Collocation - Space Availability Report, per Central Office Requested			CLO	PE1SR		2,140.00	2,140.00								
	Physical Collocation - CFA Information Resend Request, per premises, per request			cro	PE1C9		77.48									
	Physical Collocation - Cable Records, per request			CLO	PE1CR		1,707.00									<u> </u>
	Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records)			cro	PE1CD		923.08					<u> </u>				
	Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pair	ļ		ao	PE1CO		18.02									
	Physical Collocation, Cable Records, DS1, per T1 TIE Physical Collocation, Cable Records, DS3, per T3 TIE			CLO	PE1C1 PE1C3	ļ	8.43 29.51				 	 		<u> </u>		
	Physical Collocation - Cable Records, Fiber Cable, per cable			cro	PE1CB		278.82									
	record (maximum 99 records) Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour			cro	PE1BT	<u> </u>	33.68	21.34		 						
	Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day,															
	per half hour Physical Collocation - Security Escort for Premium Time -			CLO	PE1OT		43.87	27.57	<u> </u>		1	<u> </u>			 	-
	outside of scheduled work day, per half hour Physical Collocation - Virtual to Physical Collocation Relocation,	-		cro	PE1PT		54.06	33.80			ļ				 	
	per Voice Grade Circuit Physical Collocation - Virtual to Physical Collocation Relocation,	 -		CLO	PE1BV		33.00				<u> </u>				 	
	per DSO Circuit Physical Collocation - Virtual to Physical Collocation Relocation,			CLO	PE1BO		33.00				 					
` 	per DS1 Circuit Physical Collocation - Virtual to Physical Collocation Relocation,			CLO	PE1B1		52.00			-			 	 	 	
	per DS3 Circuit Physical Collocation - Virtual to Physical Collocation In-Place, Per Voice Grade Circuit			cro	PE1B3 PE1BR		52.00 23.00			 	 	<u> </u>			 	
	Physical Collocation Virtual to Physical Collocation In-Place, Per			cro	PE1BR		23.00			 	†				 	
	DSO Circuit Physical Collocation - Virtual to Physical Collocation In-Place, Per DS1 Circuit			cro	PE1BP PE1BS		33.00				 					
	Physical Collocation - Virtual to Physical Collocation In-Place, per DS3 Circuit			CLO	PE1BE		37.00									

COLLOCAT	TION - North Carolina													ment: 4		bit: B
CATEGORY	RATE ELEMENTS	inten m	Zone	BCS	usoc			RATES (\$)			Submitted Elec	Submitted		Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec			Disconnect				Rates (\$)		
	Physical Collocation - Virtual to Physical Collocation In-	-	-		-		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Place/Relocation, space cable facilities assigned to Collocation	ŀ	1						ĺ							
	Space, per 700 cable pairs or fraction thereof	ĺ	1 1	CLO	PE1B7		592 00		ļ							
	Physical Collocation - Co-Carrier Cross Connects/Direct				, 2,0,	-	302.00				 					
ļ	Connect - Fiber Cable Support Structure, per linear ft			CLO	PE1ES	0 0028			Ĺ		l					
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -							•								
	Copper/Coax Cable Support Structure, per lin ft.			CLO	PE1DS	0 0041										
	Physical Collocation - Co-Carrier Cross Connects/Direct			CLO	PE1DT		583 66		}							i
	Connect, Application Fee, per application Physical Collocation - Copper Entrance Cable per Cable (CO			CLO	PEIDI		203 00				<u> </u>					
Ì	manhole to vault splice)		1.	CLO	PE1EA		1,167 175	42 68								-
	Physical Collocation - Copper Entrance Cable Installation, per							,2 00			 	-		-		
	100 Pairs		السل	CLO	PE1EB		18.086			L	1					1
	Physical Collocation - Fiber Entrance Cable per Cable (CO															
	manhole to vault splice)		1	CLO	PE1EC		971 852	42 68	ļ		<u> </u>					
İ	Physical Collocation - Fiber Entrance Cable Installation, per		Į l	21.0	PE1ED		7 234									
	Physical Collocation - Application Cost, Simple Augment			CLO CLO	PE1ED PE1KS		7 234 575 93		1 16							
	Physical Collocation - Application Cost, Simple Augment Physical Collocation - Application Cost, Minor Augment			CLO	PE1KM		806 66		1 16		 					
	Physical Collocation - Application Cost, Millor Augment			CLO	PE1K1		1,023 00		1 16							
	Physical Collocation - Co-Carner Cross Connect/Direct Connect -		1	-		-	1,020 00		110							
	Fiber Cable Support Structure, per cable	1		CLO	PE1DU		532 72				-					1
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -										1					
	Copper/Coax Cable Support Structure, per cable	- 1	<u> </u>	CLO	PE1DV		532 72									
DJACENT C	OLLOCATION										ļ					
	Adjacent Collocation - Space Charge per Sq. Ft			CLOAC	PE1JA	0 1555					<u> </u>					
	Adjacent Collocation - Electrical Facility Charge per Linear Ft Adjacent Collocation - 2-Wire Cross-Connects			CLOAC UEA,UHL,UDL,UCL	PE1JC	5.78 0.0239	33 53	31 65								
	Adjacent Collocation - 2-Wire Cross-Connects			UEA,UHL,UDL,UCL		0.0233	33 67	31 70			+					
	Adjacent Collocation - DS1 Cross-Connects		1	UEA,UHL,UDL,UCL	PE1P1	1 28	52 87	39 86			 					
	Adjacent Collocation - DS3 Cross-Connects			UEA,UHL,UDL,UCL		17 35	51 97	38 59			 					<u> </u>
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F2	2 94	51 97	38 59								
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1F4	5,62	64,53	51 15			1					
	Adjacent Collocation - Application Fee			CLOAC	PE1JB		3,139 00									
1	Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp		l 1.	CLOAC	PE1FB	5 50										ĺ
	Adjacent Collocation - 240V, Single Phase Standby Power Rate			LLUAC	PEIFB	5 50					-					
	per AC Breaker Amp			CLOAC	PE1FD	11 01	l									l
	Adjacent Collocation - 120V, Three Phase Standby Power Rate				 						 					
	per AC Breaker Amp			CLOAC	PE1FE	16.51										l
	Adjacent Collocation - 277V, Three Phase Standby Power Rate															
IDTUG: CO	per AC Breaker Amp			CLOAC	PE1FG	38 12					<u> </u>					
IRTUAL COL	LLOCATION Midwell Collegation Application Fine		1	AMTES	FAC		1 000 00				-					ļ
	Virtual Collocation - Application Fee Virtual Collocation Administrative Only - Application Fee			AMTES	EAF VE1AF		1,208 00 741 44		1 16		1		26 94	12 76		
	Virtual Collocation - Cable Installation Cost, per cable			AMTES	ESPCX		2,750 00						26 94	12 76		
	Virtual Collocation - Floor Space, per sq. ft			AMTES	ESPVX	3 20	2,730 00				+		20 94	12 /6		
	Virtual Collocation - Power, per fused amp			AMTFS	ESPAX	3 48					†					l
	Virtual Collocation - Cable Support Structure, per entrance										1					i
	cable			AMTFS	ESPSX	12.60								L		
				UEANL,UEA,UDN,U DC.UAL,UHL,UCL,U												
	Virtual Collocation - 2-wire Cross Connects (loop)			EQ, UNCVX, UNCDX, UNCNX	UEAC2	0 0208	!			ļ						1
	virtual Congication - 2-wire Cross Confects (100p)			UEA,UHL,UCL,UDL,	DEACZ	0 0208			· · · · · · · · · · · · · · · · · · ·		 		26 94	12 76		
1				UAL, UDN, UNCVX,		•	ļ									1
	Virtual Collocation - 4-wire Cross Connects (foop)	1		UNCDX	UEAC4	0 0417			ľ		1		26 94	12 76		1

COLLOCAL	ION - North Carolina												Attach	ment: 4	Exhi	bit [.] B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
						Rec	Nonre	curning	Nonrecurr	ing Disconnect			oss	Rates (\$)		L
						Nec	First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation - 2-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC2F	1 86							26 94	12 76		
				UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3,												
	Virtual Collocation - 4-Fiber Cross Connects	l		ULD12, ULD48, UDF	CNC4F	3 73	1						26 94	12 76		
	Virtual collocation - Special Access & UNE, cross-connect per IDS1			USL,ULC, ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1, UEPEX, UEPDX	CNC1X	0 3978							26 94	12 76		
	Virtual collocation - Special Access & UNE, cross-connect per DS3			USL, UE3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CND3X	4 18							26 94	12 76		
	Virtual Collocation - Co-Camer Cross Connects - Fiber Cable Support Structure per linear foot				VE1CB	0 0028							20 54	12.70		
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft			AMTES	VE1CD	0 0041										
	Virtual Collocation - Co-Carner Cross Connects - Fiber Cable Support Structure per cable			AMTES	VE1CC		532 72					-	26 94	12 76		
	Virtual Collocation - Co-Carner Cross Connects - Copper/Coax Cable Support Structure, per cable			AMTES	VE1CE		532 72						26 94	12 76		
	Virtual Collocation Cable Records - per request			AMTES	VE1BA		1474 00	947 42 S	247 64	247 64 S						
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable record			AMTFS	VE1BB		629 42	629 42 S	350 10 1	350 10 S						
	Virtual Collocation Cable Records - VG/DS0 Cable, per each 100 pair				VE1BC		8.87	8 87 S	10 43 I	10 43 S						
	Virtual Collocation Cable Records - DS1, per T1TIE			AMTES	VE1BD		4 40 1	4 40 S	5 17	5 17 S						
	Virtual Collocation Cable Records - DS3, per T3TIE			AMTES	VE1BE		15 38	15 38 S	18.09 I	18 09 S						
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber records			AMTFS	VE1BF		165 38 I	165 38 S	144 87 1	144 87 S						
	Virtual collocation - Security Escort - Basic, per half hour			AMTFS	SPTBX		41 00						26 94	12 76		
	Virtual collocation - Security Escort - Overtime, per half hour				SPTOX		48 00	30 00			T		26 94	12 76		
	Virtual collocation - Security Escort - Premium, per half hour Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS AMTFS	SPTPX CTRLX		55 00 52 59	35 00 21,45					26 94 26 94	12.76 12.76		
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		70 24	28,11					26 94	12 76		
	Virtual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM		87 88	34 77					26 94	12 76	1	
	Virtual Collocation - Request Resend of CFA Information, per CLLI			AMTFS	VE1QR		77 48									

COLLOCAL	TION - South Carolina			,	, -									ment: 4		bit: B
CATEGORY	RATE ELEMENTS	Intern m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec			g Disconnect				Rates (\$)		
			ļ		1	1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
			ļ						 	ļ	ļ	L				
PHYSICAL CO	DLLOCATION		ļ	0.0	DEADA		4.000.07		 			ļ				
	Physical Collocation - Initial Application Fee	-	1	CLO	PE1BA		1,883 67		ļ	i						
	Physical Collocation - Subsequent Application Fee Physical Collocation Administrative Only - Application Fee		 -	CLO	PE1CA PE1BL		1,570 10 743 66		}	 						
	Physical Collocation - Space Preparation - Firm Order		 -	GLO	FEIBL		743 66		-	 	ļ					
	Processing			CLO	PE1SJ		602 05									
	Physical Collocation - Space Preparation - C O Modification per square ft			CLO	PE1SK	2 75										
	Physical Collocation - Space Preparation, Common Systems Modifications-Cageless, per square foot			Cro	PE1SL	3 24										
	Physical Collocation - Space Preparation - Common Systems Modifications-Caged, per cage			cro	PE1SM	110 16										
	Physical Collocation - Cable Installation, Pricing, non-recurring										† · · · · · ·					
	charge, per Entrance Cable		ļ	CLO	PE1BD		794 22		22 54	<u> </u>	<u> </u>			!		
	Physical Collocation - Floor Space, per sq feet		L	CLO	PE1PJ	3 95										
	Physical Collocation - Cable Support Structure, per Entrance Cable			CLO	PE1PM	21 33				ļ						
	Physical Collocation - Power, -48V DC Power - per Fused Amp			cro	PE1PL	9 19										
	Physical Collocation - Power Reconfiguration Only, Application Fee	1		cro	PE1PR		400 33									
	Physical Collocation - Power, 120V AC Power, Single Phase, per Breaker Amp			CLO	PE1FB	5 67										
	Physical Collocation - Power, 240V AC Power, Single Phase, per Breaker Amp			CLO	PE1FD	11 36			T				-			
	Physical Collocation - Power, 120V AC Power, Three Phase, per Breaker Amp			CLO	PE1FE	17 03										
	Physical Collocation - Power, 277V AC Power, Three Phase, per Breaker Amp	ļ — —		CLO	PE1FG	39 33			<u> </u>							
	Physical Collocation - 2-wire cross-connect, loop, provisioning			UEANL, UEQ, UNLDX, UNCNX, UEA, UCL, UAL, UHL, UDC, UDN, UNCVX	PE1P2	0.0341	12 32	11 83	6 04	5 45						
	Physical Collocation - 4-wire cross-connect, loop, provisioning			UEA, UHL, UNCVX, UNCDX, UCL, UDL	PE1P4	0 0682	12 42	11 90	6 40	5 74						
	Physical Collocation -DS1 Cross-Connect for Physical Collocation, provisioning			WD\$1L,WD\$1\$, UXTD1, ULDD1, USLEL, UNLD1, UEPEX, UEPDX, USL, ULC, U1TD1, UNC1X	PE1P1	1 12	22 08	15 96	6 42	5 80						
				UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1,		1,2	22.00	10 30	0 42	330						
	Physical Collocation - DS3 Cross-Connect, provisioning			UNLD3 CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3.	PE1P3	14 21	20 94	15 23	7 39	5 93						
	Physical Collocation - 2-Fiber Cross-Connect			UDL12, UDF	PE1F2	2 82	20 94	15 23	7 40	5 93						
				ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12,			2001	10 20	140							<u> </u>
	Physical Collocation - 4-Fiber Cross-Connect		<u> </u>	UDF	PE1F4	5 01	25 61	19 90	9 73	8 26						

COLLOCA	TION - South Carolina													Attach	ment: 4	Exhi	bit: B
CATEGORY	RATE ELEMENTS	interi m	Zone		BC\$	usoc			RATES (\$)				Submitted		Incremental Charge - Manual Svc Order vs Electronic- Add'l	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svo Order vs Electronic- Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates (\$)	· · · · · · · · · · · · · · · · · · ·	
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Space enclosure, welded wire, first 100			1		1	1										
	square feet			CLO		PE1BW	219 19										
1	Physical Collocation - Space enclosure, welded wire, each		ļ			DE 4 0141	24.52					1		i			
L	additional 50 square feet		-	CLO		PE1CW	21 50			 							
	Physical Collocation - Security Access System, Security System, iper Central Office	1	ļ	CLO		PE1AX	74 72							ì			
···	Physical Collocation -Security Access System - New Card	 	+	CLO		- (FE 1700	7472			-							
	Activation, per Card Activation (First), per State	}	1	CLO		PE1A1	0 0601	27 85								i	ł
	remaion, per out a remaion (i iis), per oute		 	0.00			0.0001	21 00							 	 	
	Physical Collocation-Security Access System-Administrative	1	1			1 1							ļ			1	l
	Change, existing Access Card, per Request, per State, per Card			CLO		PE1AA		7 81				1		1			}
	Physical Collocation - Security Access System - Replace Lost or																
	Stolen Card, per Card		L	CLO		PE1AR		22 83									
	Physical Collocation - Security Access - Initial Key, per Key		<u> </u>	CLO		PE1AK		13 13		ļ							
	Physical Collocation - Security Access - Key, Replace Lost or					35441		40]	1			1
├	Stolen Key, per Key	 		CLO		PE1AL PE1AL		13 13		1		1				ļ	
	Physical Collocation - Space Availability Report, per Central Office Requested	Ì		CLO		PE1SR		1.077.57		i i			i				
 	Physical Collocation - CFA Information Resend Request, per		-	CLO		PEIOR		1,077.57								1	
	premises, per request			CLO		PE1C9		77 71							ł		
	Physical Collocation - Cable Records, per request	-	<u> </u>	CLO		PE1CR		760 98	489 20	133 29					 	-	
	Physical Collocation, Cable Records, VG/DS0 Cable, per cable	<u> </u>	†	000		1 5 10 1		70005	100 20	100 20							
	record (maximum 3600 records)	1	1	CLO		PE1CD		327 65		189 54							ì
	Physical Collocation, Cable Records, VG/DS0 Cable, per each	i															
	100 pair			CLO		PE1CO		4 82		5 91							
	Physical Collocation, Cable Records, DS1, per T1 TIE			CLO		PE1C1		2 26		2 77							
L	Physical Collocation, Cable Records, D\$3, per T3 TIE		L	CLO		PE1C3		7 90		9 68							
	Physical Collocation - Cable Records, Fiber Cable, per cable	l	ì														l
	record (maximum 99 records)		ļ	CLO		PE1CB		84.68		77 30							
	Physical Collocation - Security Escort for Basic Time - normally			CLO		PE1BT	ļ	16 96	10 75								İ
	scheduled work, per half hour Physical Collocation - Security Escort for Overtime - outside of		ļ	CLO		PEIBI		10 90	10 /5	-					 	<u> </u>	
	normally scheduled working hours on a scheduled work day,																
1	per half hour		ŀ	CLO		PE1OT		22 10	13 89	1							}
	Physical Collocation - Security Escort for Premium Time -									<u> </u>							
	outside of scheduled work day, per half hour		ļ	CLO		PE1PT	Í	27 23	17 02							ļ	ļ
	Physical Collocation - Virtual to Physical Collocation Relocation,			Ī													
	per Voice Grade Circuit			CLO		PE1BV		33 00			_					<u> </u>	
	Physical Collocation - Virtual to Physical Collocation Relocation,	ļ.	ł													}	
	per DSO Circuit		!	CLO		PE1BO		33 00					·		.	ļ	
	Physical Collocation - Virtual to Physical Collocation Relocation,	İ	1	CLO		PE1B1		50.00				ļ			1	1	
	per DS1 Circuit Physical Collocation - Virtual to Physical Collocation Relocation,		 	CLO		PEIBI		52 00									
	per DS3 Circuit	ĺ	1	CLO		PE1B3		52 00									ľ
	Physical Collocation - Virtual to Physical Collocation In-Place,		 	CLO		F L 103		32 00		 		+					
1	Per Voice Grade Circuit	1	1	CLO		PE1BR		23 00									Ì
	Physical Collocation Virtual to Physical Collocation (n-Place, Per		·									1					t
	DSO Circuit		1	CLO		PE1BP		23 00		1		1					1
	Physical Collocation - Virtual to Physical Collocation in-Place.		1									T				1	1
	Per DS1 Circuit	L.	<u> </u>	CLO		PE1BS		33 00							L		
1 1	Physical Collocation - Virtual to Physical Collocation in-Place,													1			
	per DS3 Circuit		1	CLO		PE1BE		37 00				ļ		ļ		1	
	Physical Collocation - Virtual to Physical Collocation In-					į l	l							1		1	
	Place/Relocation, space cable facilities assigned to Collocation Space, per 700 cable pairs or fraction thereof			CLO		PE187	l	E00.00								1	1
 	Physical Collocation - Co-Carrier Cross Connects/Direct	-	-	CFO		PE 18/		592 00		 				 	ļ	 	-
	Connect - Fiber Cable Support Structure, per linear ft		Į	CLO		PE1ES	0 001			1		1		1	1	1	
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -		+	ULU_		FLIC	0 001			+			 		1	+	
	Copper/Coax Cable Support Structure, per lin ft	1	İ	CLO		PE1DS	0 0015					1		1			

COLLOCAT	ION - South Carolina		,		т						T=	·		ment: 4		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manuał Svo Order vs. Electronic- Disc Add'l
						Rec		urning		Disconnect				Rates (\$)		
						1	First	Add'l	First	Addʻl	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Co-Carrier Cross Connects/Direct											ļ				1
	Connect, Application Fee, per application		L	CLO	PE1DT	ļ	584 42									
	Physical Collocation - Copper Entrance Cable per Cable (CO	i				1								ļ		1
	manhole to vault splice)		 	CLO	PE1EA	ļ	1,136 597	42 808								ļ
	Physical Collocation - Copper Entrance Cable Installation, per 100 Pairs			CLO	PE1EB		18 14									
	Physical Collocation - Fiber Entrance Cable per Cable (CO										1		Į			i
	manhole to vault splice)			CLO	PE1EC		940 686	42.808			ļ		ļ			
	Physical Collocation - Fiber Entrance Cable Installation, per			01.0	DEACD		7.050			1	1		1			i
	Fiber	<u> </u>		CLO	PE1ED	 	7 256		4.5.	-	-					
	Physical Collocation - Application Cost, Simple Augment	-		CLO	PE1KS	ļ	594 27		1 21		-		-			
	Physical Collocation - Application Cost, Minor Augment			CLO	PE1KM PE1K1	 	833 26 1,058 00		1 21						L	·
	Physical Collocation - Application Cost, Intermediate Augment		-	CLO	PEIKI	 	1,056 00		1 21							
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect - Fiber Cable Support Structure, per cable			CLO	PE1DU	1	536 56									l
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -		-	CLU	PEIDO	l	336 36		ļ							
	Copper/Coax Cable Support Structure, per cable	,	1	CLO	PE1DV	1	536 56			Ì						i
ADJACENT CO				CLO	FEIDV	 	330 30									
TOUTOEIT C	Adjacent Collocation - Space Charge per Sq. Ft		-	CLOAC	PE1JA	0 0939										
	Adjacent Collocation - Electrical Facility Charge per Linear Ft			CLOAC	PE1JC	6 40				-						
	Adjacent Collocation - 2-Wire Cross-Connects			UEA,UHL,UDL,UCL		0 0264	12 32	11 83	6 04	5 45						
	Adjacent Collocation - 4-Wire Cross-Connects			UEA,UHL,UDL,UCL	PE1P4	0 0527	12 42	11 90	6 40	5 74						
	Adjacent Collocation - DS1 Cross-Connects			UEA,UHL,UDL,UCL		1 03	22 08	15 96	6 42	5 80						
	Adjacent Collocation - DS3 Cross-Connects			UEA,UHL,UDL,UCL		14 00	20 94	15 23	7 39	5 93	 					
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F2	2 37	20 94	15 23	7 40	5 93						
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1F4	4 53	25 61	19 90	9 73	8 26	· · · · · · · · · · · · · · · · · · ·					
	Adjacent Collocation - Application Fee			CLOAC	PE1JB		1,580 20				İ					l
	Adjacent Collocation - 120V, Single Phase Standby Power Rate															
	per AC Breaker Amp			CLOAC	PE1FB	5 67					ĺ					ř
	Adjacent Collocation - 240V, Single Phase Standby Power Rate											i i				
	per AC Breaker Amp			CLOAC	PE1FD	11 36										1
	Adjacent Collocation - 120V, Three Phase Standby Power Rate										-					
	per AC Breaker Amp			CLOAC	PE1FE	17 03										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate		1 1	0.0.0	DE 45 0											
### A A A	per AC Breaker Amp			CLOAC	PE1FG	39 33										
VIRTUAL COL	Virtual Collocation - Application Fee			AMTFS	EAF	 	1,207 95		ļ 					L		
-	Virtual Collocation Administrative Only - Application Fee			AMTES	VE1AF	1	743 66		0 51	 -						
	Virtual Collocation - Cable Installation Cost, per cable			AMTES	ESPCX	 	794 22		22 54	 			ļ			
	Virtual Collocation - Floor Space, per sq. ft			AMTES	ESPVX	3 95	154 22		22 34		ļ				-	
	Virtual Collocation - Power, per fused amp			AMTES	ESPAX	9 19				 						
	Virtual Collocation - Cable Support Structure, per entrance	-			-31 /35	- 5 18								L		
	cable			AMTFS	ESPSX	18 66				ļ						ł
				UEANL,UEA,UDN,U	-	1000	-				-					
				DC,UAL,UHL,UCL,U	1	 		ĺ								
				EQ, UNCVX,												ı
	Virtual Collocation - 2-wire Cross Connects (loop)			UNCDX, UNCNX	UEAC2	0 0317	12 32	11 83	6 04	5 45						I
				UEA,UHL,UCL,UDL.						1						
ľ				UAL, UDN, UNCVX,												I
	Virtual Collocation - 4-wire Cross Connects (loop)			UNCDX	UEAC4	0 0634	12 42	11 90	6 40	5 74					ł	l
					1		-									
				UDL12, UDLO3,	1				·	1	l					I
				U1T48, U1T12,							i					I
	he. 10 " . 05. 0 0 .			U1T03, ULDO3,		ı <u>.</u> .					1					ı
1	Virtual Collocation - 2-Fiber Cross Connects		L l	ULD12, ULD48, UDF	CNC2F	2 86	20 94	15 23	7 40	5.93						ı

COLLOCAT	ION - South Carolina													ment: 4		bit: B
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Charge - Manual Svc Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Charge -	Charge -
						Rec	Nonrec		Nonrecurning					Rates (\$)	,	
			1			1100	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation - 4-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC4F	571	25 61	19 90	973	8 26						
	VIII dai Conocation - 4-Fiber Cross Confidence			USL,ULC, ULR,	10110-11		2001	10 00		- 020		-				
	Virtual collocation - Special Access & UNE,cross-connect per DS1			UXTD1, UNC1X, ULDD1, U1TD1, USLEL. UNLD1, UEPEX, UEPDX USL.UE3, U1TD3,	CNC1X	1 12	22 08	15 96	6 42	5 80						
	Virtual collocation - Special Access & UNE, cross-connect per DS3			UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CND3X	14 21	20 94	15 23	7 39	5 93						
	Virtual Collocation - Co-Carner Cross Connects - Fiber Cable				l					•	i	i		i		
	Support Structure, per linear foot	ļ	<u> </u>	AMTFS	VE1CB	0 0022						ļ				
	Virtual Collocation - Co-Carner Cross Connects - Copper/Coax	1		AMTES	VE1CD	0 0033	į							l		
	Cable Support Structure, per linear ft Virtual Collocation - Co-Camer Cross Connects - Fiber Cable	+		AMIFO	VEIGD	0 0033				-	 	 				
1	Support Structure, per cable		ļ	AMTES	VE1CC	1	536 56]				ŀ		1
	Virtual Collocation - Co-Carner Cross Connects - Copper/Coax	+	+		1.2.00											1
1	Cable Support Structure, per cable		1	AMTES	VE1CE	i	536 56					ļ		l		
	Virtual Collocation Cable Records - per request		1	AMTES	VE1BA		760 98	489 20	133 29	Ì						
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable	T			1						ŀ	1				
	record			AMTFS	VE1BB		327 65		189 54			<u> </u>				
	Virtual Collocation Cable Records - VG/DS0 Cable, per each	1	ł						l			i		1		
	100 pair	<u> </u>	ļ	AMTFS	VE1BC	ļ	4 82		5,91			ļ				
	Virtual Collocation Cable Records - DS1, per T1TIE			AMTES AMTES	VE1BD VE1BE	1	2 26 7 90	 	2 77 9 68			 			ļ	
	Virtual Collocation Cable Records - DS3, per T3TIE Virtual Collocation Cable Records - Fiber Cable, per 99 fiber	-	1	AMIFS	VETBE	 	7 90	·····	9 00		 -	}			<u> </u>	
İ	records			AMTES	VE1BF	1	84 68		77 30			ĺ				ļ
	Virtual collocation - Security Escort - Basic, per half hour	+	1	AMTES	SPTBX		16 96	10.75	i		t			 	<u> </u>	1
	Virtual collocation - Security Escort - Overtime, per half hour			AMTF\$	SPTOX		22 10	13 89				†				
	Virtual collocation - Security Escort - Premium, per half hour	1	· · · ·	AMTES	SPTPX		27 23	17 02								
	Virtual collocation - Maintenance in CO - Basic, per half hour		1	AMTFS	CTRLX		27 99	10 75								
	Virtual collocation - Maintenance in CO - Overtime, per half hour	r		AMTFS	SPTOM		36 56	13 89								
	Virtual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM		45 12	17 02								
	Virtual Collocation - Request Resend of CFA Information, per CLLI			AMTFS	VE1QR		77 71					<u> </u>				

COLLOCAT	ION - Tennessee				,	,								ment: 4		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge -	incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs Electronic- Disc Add'l
						Rec	Nonrecurring			g Disconnect				Rates (\$)		
						iteo	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	<u> </u>				↓											
PHYSICAL CO	DLLOCATION					ļ										
	Physical Collocation - Cageless - Application Fee	ļ		CLO	PE1CH		2,633 00				ļ					
	Physical Collocation Administrative Only - Application Fee	1		CLO	PE1BL		743 25		ļ		 					
1	Physical Collocation - Space Preparation - Firm Order Processing	1 .		CLO	PE1SJ		1,204 00									i
	Physical Collocation - Space Preparation - C O Modification per	 - 		CLO	PEIOJ		1,204 00				· 	ļ	ļ		ļ	
	square ft			CLO	PE1SK	2 74				1						ĺ
	Physical Collocation - Space Preparation, Common Systems	- '-		CLO	FEIOR	214			ļ	 				-		
1	Modifications-Cageless, per square foot	1	ł	CLO	PE1SL	2 95			İ	1				l		1
	Physical Collocation - Space Preparation - Common Systems	 '		020	1.2.02	250				 						
	Modifications-Caged, per cage	l i		CLO	PE1SM	100 14			1	l	1			1		1
-	Physical Collocation - Cageless - Cable Installation Cost, per	<u> </u>	 	 	1	1.55.14			 	t	 			 	 	
	cable	ŀ		lcLo	PE1ZA	ļ	1,749 00				1					1
	Physical Collocation - Cageless - Floor Space, per sq. ft			CLO	PE1ZB	3 91					1			1		t
	Physical Collocation - Floor Space, per sq feet	1		CLO	PE1PJ	5 94			-		i			i		
	Physical Collocation - Cageless - Cable Support Structure, per															
	Entrance Cable		<u> </u>	CLO	PE1CJ	17 87		_		ľ						1
	Physical Collocation - Cable Support Structure, per Entrance								T							ſ
	Cable	i		CLO	PE1PM	19 80										ĺ
	Physical Collocation - Cageless - Power, per Fused Amp			CLO	PE1ZC	6 79					1					
																f
	Physical Collocation - Power, -48V DC Power - per Fused Amp	<u> </u>	ļ	CLO	PE1PL	8 87			ļ							Ĺ
	Physical Collocation - Power Reconfiguration Only, Application			l					İ		1					(
	Fee	<u> </u>	ļ	CLO	PE1PR		400 10		ļ							
ļ	Physical Collocation - Power, 120V AC Power, Single Phase, per Breaker Amp	١.		CLO	DEAED				1		1			i		1
	Physical Collocation - Power, 240V AC Power, Single Phase,			CLO	PE1FB	5 60			ļ							
	per Breaker Amp			CLO	PE1FD	11 22										i
	Physical Collocation - Power, 120V AC Power, Three Phase, per	,	 	CLO	PEIFU	11 22			ļ		ļ					
	Breaker Amp			CLO	PE1FE	16 82					1					i
	Physical Collocation - Power, 277V AC Power, Three Phase, per			CLO	FEITE	10.02			ļ		 				 	
	Breaker Amp	,		CLO	PE1FG	38 84									1	i
	Distance Pump		-	UEANL, UEQ,	12110	30 04		······································			 					
				UNLDX, UNCNX,					ļ		1					ĺ
				UEA, UCL, UAL,	1				1							į.
				UHL, UDC, UDN.	l		Ì		ł		1 1			1		ı
	Physical Collocation - 2-wire cross-connect, loop, provisioning			UNCVX	PE1P2	0 033	33 82	31,92	İ							ı
	Physical Collocation - Cageless - 2-Wire Cross-Connects			UNLDX, UNCNX	PE1ZD	0 57	11 62	9 90		8 66	l				·	
				UEA, UHL, UNCVX,					<u> </u>					-		ſ~ ~
	Physical Collocation - 4-wire cross-connect, loop, provisioning	1			PE1P4	0 066	33 94	31 95	1					İ		ł
	Physical Collocation - Cageless - 4-Wire Cross Connects			UNCVX, UNCDX,	PE1ZE	0 57	11 81	10.04	10.44	8 67						
				WDS1L,WDS1S,												i
				UXTD1, ULDD1,	1		l i									į.
				USLEL, UNLD1,					!							i
				UEPEX, UEPDX,	1									1		ł
	Physical Collocation -DS1 Cross-Connect for Physical			USL, ULC, U1TD1,												ł
	Collocation, provisioning				PE1P1	1 51	53 27	40 16								
				WDS1L,WDS1S,	1											
		l i		UXTD1, ULDD1,										(1	ł.
	Physical Collegation, Considere, DS4 Cross Connects			USLEL, UNLD1,	05175	4.00										1
	Physical Collocation - Cageless - DS1 Cross Connects				PE1ZF	1 32	32 22	17 76	10 46	8 75					ļ	l
]			UE3,U1TD3,]											1
				UXTD3, UXTS1, UNC3X, UNCSX,	1										1	l .
				ULDD3,					l					1		ł.
				ULDD3, U1TS1,ULDS1,					ŀ					1		ł.
	Physical Collocation - DS3 Cross-Connect, provisioning				PE1P3	19 26	52 37	20.00	1					1		l .
	It mysical confocation - Dos cross-connect, provisioning			UNLUS	ILE IL2	19.26	523/	38 89		L	1			<u> </u>	L	

COLLOCAT	ION - Tennessee					T :					1			ment: 4		bit: B
CATEGORY	RATE ELEMENTS	inten m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Manual Svc Order vs, Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
			<u> </u>			Rec	Nonrecurring	4 3 3 3 3	Nonrecurring					Rates (\$)		
				UE3,U1TD3,			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Discord Callegary Country DOS Country			UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1, UNLD3	DE170	40.00	20.07	40.00	40.00							:
	Physical Collocation - Cageless - DS3 Cross Connects			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12,	PE1ZG	12 32	29 97	16 30	12 03	8 99						
1				U1T48, UDLO3,												
	Physical Collocation - 2-Fiber Cross-Connect	1		UDL12, UDF CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3,	PE1F2	15 64	41 56	29 82	12 96	10 34			2.69	2.69	1.56	1 56
l	Physical Collocation - Cageless - 2 Fiber Cross Connect			UDL12, UDF	PE1CK	3 03	41 56	29 82	12 96	10 34						
				ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12,				-								
	Physical Collocation - 4-Fiber Cross-Connect			UDF	PE1F4	28 11	50 53	38.78	16.97	14 35			2 69	2 69	1 56	1 56
	Physical Collocation - Cageless - 4-Fiber Cross-Connect Physical Collocation - Space enclosure, welded wire, first 100 square feet			ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1CL PE1BW	6 06 218 53	50 53	38 78	16 97	14 35						
	Physical Collocation - Space enclosure, welded wire, each		 	CLO	FEIDW	210 00										
	additional 50 square feet	1	l. 1	CLO	PE1CW	21 44										
	Physical Collocation - Security Access System - Security System per Central Office	ı		CLO	PE1AX	55 99										
	Physical Collocation -Security Access System - New Card Activation, per Card Activation (First), per State			CLO	PE1A1	0 059	55 67									
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or			CLO	PE1AA		15 61	707 - Od - NG								
	Stolen Card, per Card	1		CLO	PE1AR		45 64									ĺ
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		26 24									
	Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key			CLO	PE1AL		26 24									
	Physical Collocation - Space Availability Report, per Central Office Requested			CLO	PE1SR		2,027 00	2,154 00								
	Physical Collocation - CFA Information Resend Request, per			a. a	25100											
	premises, per request Physical Collocation - Cable Records, per request			CLO CLO	PE1C9 PE1CR		77 67 1,711 00									
	Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records)			CLO	PE1CD		925 06									
	Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pair								-							
	Physical Collocation, Cable Records, DS1, per T1 TIE	H		CLO CLO	PE1C0 PE1C1		18 05 8 45					<u> </u>				
	Physical Collocation, Cable Records, DS3, per T3 TIE			CLO	PE1C3		29 57					-				
	Physical Collocation - Cable Records, Fiber Cable, per cable record (maximum 99 records) Physical Collocation - Cageless - Security Escort - Basic, per			CLO	PE1CB		279 42									
	Half Hour	ļ		CLO	PE1ZM		33 15	20 44								
	Physical Collocation - Cagaless - Security Escort - Overtime, per Half Hour			CLO	PE1ZN		41 50	25 61								

JULLUCA	FION - Tennessee		T .								Ta			ment: 4		ibit: B
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sv Order vs
		ļ	<u> </u>			Rec	Nonrecurring First	Add'l	Nonrecurrin First	g Disconnect Add'l	SOMEC	COMAN		Rates (\$)		- COM AN
	Physical Collocation - Cageless - Security Escort - Premium, per		1			 	Filst	Addi	FIISt	Addi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Half Hour	<u></u>		LO	PE1ZO_	1	49.86	30 79	1	1						
	Physical Collocation - Security Escort for Basic Time - normally								1		T					
	scheduled work, per half hour Physical Collocation - Security Escort for Overtime - outside of		 	LO	PE1BT	 	33 91	21 49		1						
	normally scheduled working hours on a scheduled work day, per half hour			CLO	PE1OT		44 17	27 76								
	Physical Collocation - Security Escort for Premium Time -	 	 		PEIOI		44 17	27 76		 						
	outside of scheduled work day, per half hour			LO	PE1PT		54 42	34 02								
	Physical Collocation - Virtual to Physical Collocation Relocation, per Voice Grade Circuit	1		:LO	PE18V		33 00									
	Physical Collocation - Virtual to Physical Collocation Relocation, per DSO Circuit	3		LO:	PE1BO		33.00									
	Physical Collocation - Virtual to Physical Collocation Relocation,					1				İ					i	
	per DS1 Circuit Physical Collocation - Virtual to Physical Collocation Relocation,		- 4	LO	PE181		52 00		ļ	ļ	ļ					ļ
	per DS3 Circuit	1		LO	PE1B3		52 00									
	Physical Collocation - Virtual to Physical Collocation In-Place, Per Voice Grade Circuit			LO	PE1BR		23 00									
	Physical Collocation Virtual to Physical Collocation In-Place, Per DSO Circuit	ι		LO	PE1BP		23 00									
	Physical Collocation - Virtual to Physical Collocation In-Place, Per DS1 Circuit	1		LO	PE1BS		33 00									
	Physical Collocation - Virtual to Physical Collocation In-Place, per DS3 Circuit	1		LO	PE1BE		37 00									
	Physical Collocation - Virtual to Physical Collocation In- Place/Relocation, space cable facilities assigned to Collocation Space, per 700 cable pairs or fraction thereof			LO	PE1B7		592 00		•							
	Physical Caged Collocation-App Cost(initial & sub)-Planning, per request			LO	PE1AC	16,16	2,903 66									
	Physical Caged Collocation-Space Prep-Grounding, per location			LO	PE18B	4 32										
	Physical Collocation, Caged Collocation - Space Prep-Power															
	Cable, 40 AMP, includes 20 AMP A and B Feed Physical Collocation, Caged Collocation - Space Prep-Power		°	LO	PE1SN		142 40									
	Cable, 100 AMP, includes 50 AMP A and B Feed Physical Collocation, Caged Collocation - Space Prep-Power	 _	c	LO	PE1SO		185 72		,							
	Cable, 200 AMP, includes 100 AMP A and B Feed			LO	PE1SP		242 05									L
	Physical Caged Collocation-Space Enclosure-Cage Preparation, per first 100 sq. ft		c	LO	PE1S1	110 97										
	Phycical Caged Collocation-Space Enclosure-Cage Preparation2, per add't 50 sq. ft.			LO	PE1S5	55 49										
	Physical Caged collocation-Cable Installation-Entrance Fiber Structure, interduct per ft		c	LO	PE1CP	0 0156		-141							-	
	Phycical Caged Collocation-Cable Installation-Entrance Fiber, per cable			LO	PE1CQ	2 56	944 27									
	Physical Caged Collocation-Floor Space-Land & Buildings, per so, ft						944 27									<u> </u>
	Physical Caged Collocation-Cable Support Structure-Cable			LO	PEIFS	. 5 94				-	 					
	Racking, per entrance cable Physical Caged Collocation-Power-Power Construction, per amp DC plant			LO LO	PE1CS	21 47										-
	Physical Caged Collocation-Power-Power Consumption.per amo	<u> </u>	°	LU .	PE1PN	3 55				-	+					
	AC usage			LO	PE1PO	2 03										

COLLOCAT	ION - Tennessee													ment: 4		bit: B
CATEGORY	RATE ELEMENTS	Intern m	Zone	BCS	usoc			RATES (\$)				Submitted Manually		Charge -	Charge -	Charge - Manual Svo Order vs
						Rec	Nonrecurring			Disconnect				Rates (\$)	<u> </u>	
		ļ		LIE O LIATEDO		1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Caged Collocation-2-wire Cross Connects-Voice Grade ckts, per ckt			UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1, UNLD3	PE12C	0 0475	7 68									
	Physical Caged Collocation-4-wire Cross Connects-Voice Grade			UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1,			200									
	Ckts, per ckt			UNLD3 UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3,	PE14C	0 0475	7 68									
	Physical Caged Collocation-DS1 Cross Connects-connection to DCS, per ckt		1	U1TS1,ULDS1, UNLD3	PE11S	7 68	41 65									
	Physical Caged Collocation-DS1 Cross Connects-Connection to DSX, per ckt			UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1, UNLD3	PE11X	0 38	41 65									
	Physical Caged Collocation-DS3 Cross Connects-Connection to DCS, per ckt			U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1, UNLD3 U1TD3, UXTD3,	PE13S	53 96	298 03									
	Physical Caged Collocation-DS3 Cross Connects-Connection to DSX, per ckt Physical Caged Collocation-Security Access-Access Cards, per			UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1, UNLD3	PE13X	9 32	298 03									
	5 Cards			CLO	PE1A2		76 10									
	Physical Collocation - Co-Carner Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear ft Physical Collocation - Cageless - Co-Carner Cross Connects -			cro	PE1ES	0 0013										
	Fiber Cable Support Structure, per linear ft			CLO	PE1ZH	0 0031										
	Physical Collocation - Cageless - Co-Carner Cross Connects- Fiber Cable Support Structure, per cable			cLO	PE1ZK		555 03									
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect- Copper/Coax Cable Support Structure, per lim ft		<u> </u>	cro	PE1D\$	0 0019										
	Physical Collocation - Cageless - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft			CLO	PE1ZJ	0 0045										
	Physical Collocation - Cageless - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable		_	CLO	PE1ZL		555 03									
	Physical Collocation - Co-Carrier Cross Connects/Direct Connect, Application Fee, per application			CLO	PE1DT		585 09									
	Physical Collocation - Copper Entrance Cable per Cable (CO manhole to vault splice)			CLO	PE1EA		1,279,91	42 784								
	Physical Collocation - Copper Entrance Cable Installation, per 100 Pairs Physical Collocation - Fiber Entrance Cable per Cable (CO		<u> </u>	CLO	PE1EB		18 13									
	manhole to vault splice)		_	CLO	PE1EC		1,084 11	42 784								
	Physical Collocation - Fiber Entrance Cable Installation, per Fiber			CLO	PE1ED		7 252									

COLLOCAT	ION - Tennessee											15 5		ment: 4		bit; B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrecurring First	Add'l	Nonrecurring First	Disconnect Add'I	SOMEC	SOMAN	OSS	Rates (\$)	SOMAN	SOMAN
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect	 			 		FIFE	Addi	FIFE	Addi	SUMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
	Fiber Cable Support Structure, per cable	1		CLO	PE1DU		555 03									İ
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -		t								 					
L1	Copper/Coax Cable Support Structure, per cable			CLO	PE1DV	l	555 03		i	L						
ADJACENT CO																
	Adjacent Collocation - Space Charge per Sq. Ft.	l		CLOAC	PE1JA	0 0656					1					
	Adjacent Collocation - Electrical Facility Charge per Linear Ft		ļ	CLOAC	PE1JC	5 53										
	Adjacent Collocation - 2-Wire Cross-Connects	\vdash		UEA,UHL,UDL,UCL		0 34	11 12	10 18	11 33	10 23	ļ		1 77	1 77	1 12	1 12
	Adjacent Collocation - 4-Wire Cross-Connects	<u> </u>		UEA,UHL,UDL,UCL UEA,UHL,UDL,UCL		0 33	11 30	10 31	11 62	10 44	ļ	.	1 77	1 77	1 12	1 12
	Adjacent Collocation - DS1 Cross-Connects Adjacent Collocation - DS3 Cross-Connects	-		UEA,UHL,UDL,UCL		1 70	28 39 26 23	16 88 15 51	11 65 13 40	10 54 10 77			1 77 1 77	1 77 1 77	1 12	1 12 1 12
 	Adjacent Collocation - DS3 Cross-Connects Adjacent Collocation - 2-Fiber Cross-Connect	 	\vdash	CLOAC	PE1F2	3 49	26 23	15 51	13 40	10 78	 		1 77	177	1 12	
 	Adjacent Collocation - 4-Fiber Cross-Connect	 		CLOAC	PE1F4	6 50	29 75	19 02	17 60	14 97	 		1 77	1 77	1 12	
	Adjacent Collocation - Application Fee	t		CLOAC	PE1JB	5 30	2,973 00	10 02	1, 00	17 31	 	 			1 12	1 12
	Adjacent Collocation - 120V, Single Phase Standby Power Rate	†	\vdash			† 	2,0.000							-		
	per AC Breaker Amp	1		CLOAC	PE1FB	5 81						1				
	Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FD	11 64									,	
	Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FE	17 45				•						
	Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FG	40 30										
VIRTUAL COL		i –				1		-								
1	Virtual Collocation - Application Fee			AMTFS	EAF	1	2,633 00						2 07	2.81	0 67	1 41
	Virtual Collocation Administrative Only - Application Fee	I		AMTFS	VE1AF		743.25				1					
	Virtual Collocation - Cable Installation Cost, per cable			AMTFS	ESPCX		1,749 00						2 07	2 81	0 67	1 41
	Virtual Collocation - Floor Space, per sq. ft			AMTES	ESPVX	3 91										
	Virtual Collocation - Power, per fused amp		\vdash	AMTES	ESPAX	6 79										
	Virtual Collocation - Cable Support Structure, per entrance cable			AMTFS	ESPSX	17 87										
				UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, UNCVX,												
	Virtual Collocation - 2-wire Cross Connects (loop)			UNCDX, UNCNX	UEAC2	0 57	11 62	9.90	10 38	8 66	ļ		2 07	281	0 67	1 41
				UEA,UHL,UCL,UDL, UAL, UDN, UNCVX,						_						
	Virtual Collocation - 4-wire Cross Connects (loop)	 	\vdash	UNCDX	UEAC4	0 57	11 81	10 04	10 44	8 67		ļ	2 07	2 81	0 67	1 41
	Virtual Collocation - 2-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC2F	3 03	41.56	29 82	12 96	10 34			2 69	2 69	1 56	1 56
				UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3,												
	Virtual Collocation - 4-Fiber Cross Connects	<u> </u>		ULD12, ULD48, UDF	CNC4F	6 06	50 53	38 78	16 97	14 35		L	2 69	2 69	1 56	1 56
	Virtual collocation - Special Access & UNE, cross-connect per DS1			USL,ULC,ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1, UEPEX, UEPDX USL,UE3, U1TD3,	CNC1X	1 32	32 22	17 76	10 46	8 75			2 07	2.81	0 67	1 41
	Virtual collocation - Special Acess & UNE, cross-connect per DS3			UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CND3X	12 32	29 97	16 30	12 03	8 99			2 07	2 81	0 67	1 41

Exhibit 1 to Amendment

COLLOCAT	ION - Tennessee												Attachment: 4		Exhibit: B	
		[_	1		1						Svc Order	Svc Order	incremental	incremental	incremental	Incremental
	RATE ELEMENTS	Inten m	Zone	e BCS	usoc						Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
						RATES (\$)					Manually per LSR	Manual Svc Order vs.	Manual Svc Order vs	Manual Svc Order vs.	Manual Svc Order vs.	
CATEGORY																
Ì											1	1	Electronic-	Electronic-	Electronic-	Electronic-
												1st	Add'l	Disc 1st	Disc Add'i	
						Rec	Nonrecurring		Nonrecurring Disconnect				OSS Rates (\$)			
						, Kec	First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable	ĺ	ĺ			1										1
	Support Structure, per linear foot		1	AMTFS	VE1CB	0 0031			L		<u> </u>					
	Virtual Collocation - Co-Carner Cross Connects - Copper/Coax	'														
	Cable Support Structure, per linear ft	<u> </u>	1	AMTFS	VE1CD	0 0045	l		. 1		1					i
	Virtual Collocation - Co-Carner Cross Connects - Fiber Cable	1]							1					
	Support Structure,per cable			AMTFS	VE1CC		555 03		1			1	2 07	2.81	0 67	1 41
	Virtual Collocation - Co-Camer Cross Connects - Copper/Coax		1						1							
	Cable Support Structure, per cable			AMTFS	VE1CE		555 03	_			1		2 07	2 81	0 67	1 41
	Virtual Collocation Cable Records - per request		1	AMTFS	VE1BA		1,711 00			I						
1	Virtual Collocation Cable Records - VG/DS0 Cable, per cable	1							1		1					
	record	<u> </u>		AMTFS	VE1BB	_	925 06									1
	Virtual Collocation Cable Records - VG/DS0 Cable, per each															
	100 pair	<u> </u>		AMTFS	VE1BC		18 05			l						!
	Virtual Collocation Cable Records - DS1, per T1TIE			AMTFS	VE1BD		8 45									
	Virtual Collocation Cable Records - DS3, per T3TIE			AMTFS	VE1BE		29 57									
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber	Ī	1			<u></u>										
	records		1	AMTES	VE1BF		279 42		.]				:		Ì	
	Virtual collocation - Security Escort - Basic, per half hour			AMTFS	SPTBX		33.15						2 07	2 81	0.67	1 41
L	Virtual collocation - Security Escort - Overtime, per half hour		T	AMTES	SPTOX		41 50						2.07	2 81	0 67	1 41
	Virtual collocation - Security Escort - Premium, per half hour	1		AMTFS	SPTPX		49 86				1		2 07	2 81	0 67	1 41
	Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS	CTRLX		30.64						2 07	2 81	0 67	1 41
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		35 77						2 07	2 81	0 67	1,41
	Virtual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM		40 90		İ				2 07	2 81	0 67	1,41
	Virtual Collocation - Request Resend of CFA Information, per CLLI			AMTES	VE1QR		77 67									