ORIGINAL BELLSOUTH

BellSouth Telecommunications, Inc. Regulatory & External Affairs 150 South Monroe Street

Suite 400 Tallahassee, FL 32301-1556

marshall.criser@bellsouth.com

Marshall M. Criser III Vice President Regulatory & External Affairs

840 224 7798 Fax 850 224 5073

CUMMISSION

March 4, 2004

040205-TP

Mrs. Blanca S. Bayo Director, Division of Commission Clerk and Administrative Services Florida Public Service Commission 2540 Shumard Oak Boulevard Tallahassee, Florida 32399

Re: Approval of Amendment to the Interconnection Agreement between BellSouth Telecommunications, Inc. ("BellSouth") and DukeNet Communications, Inc. ("BellSouth") and DukeNet Communications, Inc.

Please find enclosed for filing and approval, an original and two copies of BellSouth Telecommunications, Inc.'s Amendment to Interconnection Agreement with DukeNet Communications, Inc.

If you have any questions, please do not hesitate to call Robyn Holland at (850) 222-9380.

Very truly yours,

Marshall M. Crish III
Regulatory Vice President OH

RECEIVED & FILED

FPSC-BUREAU OF RECORDS

DOCUMENT NUMBER-CATE

03209 MAR-43

FPSC-COMMISSION CLERK

Amendment to the Agreement Between DukeNet Communications, LLC and BellSouth Telecommunications, Inc. Dated July 25, 2001

Pursuant to this Amendment, (the "Amendment"), DukeNet Communications, LLC, ("DukeNet"), and BellSouth Telecommunications, Inc. ("BellSouth"), hereinafter referred to collectively as the "Parties." hereby agree to amend that certain Interconnection Agreement between the Parties dated July 25, 2001 ("Agreement") to be effective 30 days after the date of the last signature executing the Amendment.

WHEREAS, BellSouth and DukeNet entered into the Agreement on July 25, 2001, and;

NOW THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows:

- 1. Section 2 of the General Terms and Conditions of the Agreement shall be modified with the language reflected in Exhibit 1 attached hereto and by reference made a part of this Amendment.
- 2. Section 1.8 of Attachment 7, Billing, of the Agreement shall be modified with the language reflected in Exhibit 2 attached hereto and by reference made a part of this Amendment.
- 3. Attachment 4, Physical Collocation, Remote Site Collocation and Rates, of the Agreement is replaced in its entirety with that reflected as Exhibit 3 attached hereto and by reference made a part or this Amendment.
- 4. Except as modified in this Amendment and in the prior Amendment dated January 23, 2002, the terms and conditions of the Agreement, dated July 25, 2001, shall remain in full force and effect as originally written.
- 5. Either or both of the Parties is authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996.

IN WITNESS WHEREOF, the Parties have executed this Amendment through their authorized representatives.

BellSouth Telecommunications, Inc.	DukeNet Communications, LLC
By: La Guinter Name: Elizabeth R.A. Shiroisti	By: / Delle
Name: Elizabeth R.A. Shiroishi	Name: Richard Deason
Title: Dincto	Title: Vice President - Operations
Date: (0/24/63	Date: 6/19/03

EXHIBIT 1

Replacement language for Section 2, General Terms and Conditions

2. Term of the Agreement

- 2.1. The Effective Date of this Agreement shall be July 25, 2001 and the term of this Agreement shall expire on January 23, 2004. This Agreement shall apply to the BellSouth territory in the state(s) of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina and Tennessee. Notwithstanding any prior agreement of the Parties, the rates, terms and conditions of this Agreement shall not be applied retroactively prior to the Effective Date.
- 2.2. The Parties agree that by no earlier than two hundred seventy (270) days and no later than one hundred and eighty (180) days prior to the expiration of this Agreement, they shall commence negotiations for a new agreement to be effective beginning on the expiration date of this Agreement ("Subsequent Agreement").
- 2.3. If, within one hundred and thirty-five (135) days of commencing the negotiation referred to in Section 2.2 above, the Parties are unable to negotiate new terms, conditions and prices for a Subsequent Agreement, either Party may petition the Commission to establish appropriate terms, conditions and prices for the Subsequent Agreement pursuant to 47 U.S.C. 252.
- 2.4. If, as of the expiration of this Agreement, a Subsequent Agreement has not been executed by the Parties, and neither Party has initiated arbitration in accordance with Section 2.3 above and pursuant to 47 U.S.C. 252, this Agreement shall terminate. Upon termination of this Agreement, BellSouth shall continue to offer services to DukeNet pursuant to the terms, conditions and rates set forth in BellSouth's then current standard interconnection agreement. In the event that BellSouth's standard interconnection agreement becomes effective as between the Parties, the Parties may continue to negotiate a Subsequent Agreement or arbitrate disputed issues to reach a Subsequent Agreement as set forth in Section 2.3 above, and the terms of such Subsequent Agreement shall be effective as of the effective date as stated in the Subsequent Agreement.

Exhibit 1 Page 2 of 2

If an arbitration proceeding has been filed in accordance with Section 252 of the Act and if the Commission does not issue its order prior to the expiration of this Agreement, this Agreement shall be deemed extended on a month-to-month basis. Upon conversion to a month-to-month term either Party in its discretion may terminate this Agreement upon thirty (30) days notice to the Party; however, the Agreement cannot be terminated prior to one year after the original expiration date. In the event that BellSouth terminates this Agreement as provided above, BellSouth shall continue to provide service to DukeNet pursuant to (1) the terms, conditions and rates set forth in BellSouth's standard interconnection agreement then in effect and made available to CLECs requesting negotiations pursuant to Section 251 of the Act, or (2) an agreement adopted by DukeNet pursuant to Section 15 of this Agreement. Neither Party shall refuse to provide services to the other Party during the negotiation of the Subsequent Agreement or the transition from this Agreement to the Subsequent Agreement. In the event that the Parties begin operating under BellSouth's standard interconnection agreement or an agreement adopted by DukeNet, the Parties may continue to negotiate a Subsequent Agreement or may continue to pursue arbitration of a Subsequent Agreement before the Commission. The terms of such Subsequent Agreement shall be effective as of the effective date stated in such Subsequent Agreement and shall not be applied retroactively to the expiration date of this Agreement unless the Parties agree otherwise.

EXHIBIT 2

Deposit Policy. DukeNet shall complete the BellSouth Credit Profile and 1.8 provide information to BellSouth regarding credit worthiness. Based on the results of the credit analysis, BellSouth reserves the right to secure the account with a suitable form of security deposit. Such security deposit shall take the form of cash, an Irrevocable Letter of Credit (BellSouth form), Surety Bond (BellSouth form) or, in BellSouth's sole discretion, some other form of security proposed by DukeNet. Any such security deposit shall in no way release DukeNet from its obligation to make complete and timely payments of its bill. DukeNet shall pay any applicable deposits prior to the inauguration of service. If, in the sole opinion of BellSouth, circumstances so warrant and/or gross monthly billing has increased beyond the level initially used to determine the level of security deposit, BellSouth reserves the right to request additional security. Interest on a security deposit, if provided in cash, shall accrue and be paid in accordance with the terms in the appropriate BellSouth tariff. Security deposits collected under this Section shall not exceed two months' estimated billing. In the event DukeNet fails to remit to BellSouth any deposit requested pursuant to this Section, service to DukeNet may be terminated in accordance with the terms of Section 1.7 of this Attachment, and any security deposits will be applied to DukeNet's account(s). In the event DukeNet defaults on its account, service to DukeNet will be terminated in accordance with the terms of Section 1.7 above, and any security deposits will be applied to DukeNet's account.

EXHIBIT 3

Attachment 4

Physical Collocation

BELLSOUTH

PHYSICAL COLLOCATION

1. Scope of Attachment

- 1.1 The rates, terms, and conditions contained within this Attachment shall only apply when DukeNet is physically collocated as a sole occupant or as a Host within a BellSouth Premises location pursuant to this Attachment. BellSouth Premises include BellSouth Central Offices and Serving Wire Centers (hereinafter "Premises"). This Attachment is applicable to Premises owned or leased by BellSouth. However, if the Premises occupied by BellSouth is leased by BellSouth from a third party, special considerations and intervals may apply in addition to the terms and conditions contained in this Attachment.
- Right to Occupy. BellSouth shall offer to DukeNet collocation on rates, terms, and conditions that are just, reasonable, non-discriminatory and consistent with the rules of the FCC. Subject to the rates, terms and conditions of this Attachment, where space is available and it is technically feasible, BellSouth will allow DukeNet to occupy a certain area designated by BellSouth within a Premises, or on BellSouth property upon which the Premises is located, of a size which is specified by DukeNet and agreed to by BellSouth (hereinafter "Collocation Space"). The necessary rates, terms and conditions for h premises as defined by the FCC, other than BellSouth Premises, shall be negotiated upon reasonable request for collocation at such premises.
- 1.2.1 Neither BellSouth nor any of BellSouth's affiliates may reserve space for future use on more preferential terms than those set forth in this Attachment.
- 1.2.1.1 In all states other than Florida, the size specified by DukeNet may contemplate a request for space sufficient to accommodate DukeNet's growth within a twenty-four (24) month period.
- 1.2.1.2 In the state of Florida, the size specified by DukeNet may contemplate a request for space sufficient to accommodate DukeNet's growth within an eighteen (18) month period.
- 1.3 Space Allocation. BellSouth shall attempt to accommodate DukeNet's requested preferences, if any. In allocating Collocation Space, BellSouth shall not materially increase DukeNet's cost or materially delay DukeNet's occupation and use of the Collocation Space, assign Collocation Space that will impair the quality of service or otherwise limit the service DukeNet wishes to offer, reduce unreasonably the total space available for physical collocation or preclude unreasonable physical collocation within the Premises. Space shall not be available for collocation if it is: (a) physically occupied by non-obsolete equipment; (b) assigned to another collocated telecommunications carrier; (c) used to provide physical access to occupied space; (d) used to enable technicians to work on equipment located within occupied space; (e)

properly reserved for future use, either by BellSouth or another collocated telecommunications carrier; or (f) essential for the administration and proper functioning of Premises. BellSouth may segregate Collocation Space and require separate entrances for collocated telecommunications carriers to access their Collocation Space, pursuant to FCC Rules.

- 1.4 <u>Space Reclamation.</u> In the event of space exhaust within a Premises, BellSouth may include in its documentation for the Petition for Waiver filed with the Commission, any unutilized space in the Premises. DukeNet will be responsible for the justification of unutilized space within its Collocation Space, if the Commission requires such justification.
- 1.5 <u>Use of Space</u>. DukeNet shall use the Collocation Space for the purposes of installing, maintaining and operating DukeNet's equipment (to include testing and monitoring equipment) necessary for interconnection with BellSouth services and facilities or for accessing BellSouth unbundled network elements for the provision of telecommunications services, as specifically set forth in this Agreement. The Collocation Space assigned to DukeNet may not be used for any purposes other than as specifically described herein or in any amendment hereto.
- 1.6 <u>Rates and Charges</u>. DukeNet agrees to pay the rates and charges identified in Exhibit B attached hereto.
- 1.7 If any due date contained in this Attachment falls on a weekend or National holiday, the due date will be the next business day thereafter. For intervals of ten (10) calendar days or less, National holidays will be excluded.
- 1.8 The Parties agree to comply with all applicable federal, state, county, local and administrative laws, rules, ordinances, regulations and codes in the performance of their obligations hereunder.

2. Space Availability Report

- 2.1 Space Availability Report. Upon request from DukeNet and at the DukeNet's expense, BellSouth will provide a written report (Space Availability Report) describing in detail the space that is available for collocation at a particular Premises. This report will include the amount of Collocation Space available at the Premises requested, the number of collocators present at the Premises, any modifications in the use of the space since the last report on the Premises requested and the measures BellSouth is taking to make additional space available for collocation arrangements. A Space Availability Report does not reserve space at the Premises for which the Space Availability Report was requested by DukeNet.
- 2.1.1 The request from DukeNet for a Space Availability Report must be in writing and include the Premises street address, as identified in the Local Exchange Routing Guide (LERG) and Common Language Location Identification (CLLI) code of the Premises.

CLLI code information is located in the National Exchange Carrier Association (NECA) Tariff FCC No. 4.

2.1.2 BellSouth will respond to a request for a Space Availability Report for a particular Premises within ten (10) calendar days of the receipt of such a request. BellSouth will make its best efforts to respond in ten (10) calendar days to a Space Availability Report request when the request includes from two (2) to five (5) Premises within the same state. The response time for Space Availability Report requests of more than five (5) Premises shall be negotiated between the Parties. If BellSouth cannot meet the ten (10) calendar day response time, BellSouth shall notify DukeNet and inform DukeNet of the timeframe under which it can respond.

3. Collocation Options

- 3.1 <u>Cageless</u>. BellSouth shall allow DukeNet to collocate DukeNet's equipment and facilities without requiring the construction of a cage or similar structure. BellSouth shall allow DukeNet to have direct access to DukeNet's equipment and facilities in accordance with Section 5.9. BellSouth shall make cageless collocation available in single bay increments. Except where DukeNet's equipment requires special technical considerations (e.g., special cable racking or isolated ground plane), BellSouth shall assign cageless Collocation Space in conventional equipment rack lineups where feasible. For equipment requiring special technical considerations, DukeNet must provide the equipment layout, including spatial dimensions for such equipment pursuant to generic requirements contained in Telcordia GR-63-Core, and shall be responsible for compliance with all special technical requirements associated with such equipment.
- 3.2 Caged. At DukeNet's expense, DukeNet will arrange with a Supplier certified by BellSouth (BellSouth Certified Supplier) to construct a collocation arrangement enclosure in accordance with BellSouth's Technical References (TRs) (Specifications) prior to starting equipment installation. BellSouth will provide Specifications upon request. Where local building codes require enclosure specifications more stringent than BellSouth's enclosure Specifications, DukeNet and DukeNet's BellSouth Certified Supplier must comply with the more stringent local building code requirements. DukeNet's BellSouth Certified Supplier shall be responsible for filing and receiving any and all necessary permits and/or licenses for such construction. BellSouth shall cooperate with DukeNet and provide, at DukeNet's expense, the documentation, including existing building architectural drawings, enclosure drawings, and Specifications required and necessary for DukeNet's BellSouth Certified Supplier to obtain the zoning, permits and/or other licenses. DukeNet's BellSouth Certified Supplier shall bill DukeNet directly for all work performed for DukeNet pursuant to this Attachment. BellSouth shall have no liability for, nor responsibility to pay, such charges imposed by DukeNet's BellSouth Certified Supplier. DukeNet must provide the local BellSouth Central Office building contact with two Access Keys that will allow entry into the locked enclosure. Except in the case of an emergency, BellSouth

will not access DukeNet's locked enclosure prior to notifying DukeNet at least fortyeight (48) hours or two (2) business days, whichever is greater, before access to the Collocation Space is required. Upon request, BellSouth shall construct the enclosure for DukeNet.

- 3.2.1 BellSouth may elect to review DukeNet's plans and specifications prior to allowing construction to start, to ensure compliance with BellSouth's Specifications. BellSouth will notify DukeNet of its desire to execute this review in BellSouth's response to the Initial Application, if DukeNet has indicated its desire to construct its own enclosure. If DukeNet's Initial Application does not indicate its desire to construct its own enclosure, but its subsequent firm order does indicate its desire to construct its own enclosure, then notification to review will be given within ten (10) calendar days after the Firm Order date. BellSouth shall complete its review within fifteen (15) calendar days after the receipt of DukeNet's plans and specifications. Regardless of whether or not BellSouth elects to review DukeNet's plans and specifications, BellSouth reserves the right to inspect the enclosure after construction has been completed to ensure that it is constructed according to DukeNet's submitted plans and specifications and/or BellSouth's Specifications, as applicable. If BellSouth decides to inspect the constructed Collocation Space, BellSouth will complete its inspection within fifteen (15) calendar days after receipt of written notification of completion of the enclosure from DukeNet. BellSouth shall require DukeNet to remove or correct within seven (7) calendar days, at DukeNet's expense, any structure that does not meet DukeNet's plans and specifications or BellSouth's Specifications, if applicable.
- 3.3 Shared Caged Collocation. DukeNet may allow other telecommunications carriers to share DukeNet's caged collocation arrangement, pursuant to the terms and conditions agreed to by DukeNet (Host) and the other telecommunications carriers (Guests) pursuant to this Section, except where the Premises is located within a leased space and BellSouth is prohibited by said lease from offering such an option to DukeNet. BellSouth shall be notified in writing by DukeNet upon the execution of any agreement between the Host and its Guest(s) within ten (10) calendar days of its execution and prior to the submission of any Firm Orders. Further, such notification shall include the name of the Guest(s), the term of the agreement, and a certification by DukeNet that said agreement imposes upon the Guest(s) the same terms and conditions for Collocation Space as set forth in this Attachment between BellSouth and DukeNet.
- 3.3.1 DukeNet, as the Host, shall be the sole interface and responsible Party to BellSouth for the assessment and billing of rates and charges contained within this Attachment and for the purposes of ensuring that the safety and security requirements of this Attachment are fully complied with by the Guest(s), its employees and agents. BellSouth shall provide DukeNet with a proration of the costs of the Collocation Space based on the number of collocators and the space used by each, with a minimum charge of one (1) bay/rack per Host/Guest. In all states other than Florida, and in addition to the above, DukeNet shall be the responsible party to BellSouth for the purpose of submitting applications for initial and additional equipment placement for

the Guest(s). In Florida, the Guest(s) may submit its own initial and additional equipment placement applications using the Host's Access Carrier Name Abbreviation (ACNA). A separate Guest application shall result in the assessment of an Initial Application Fee or a Subsequent Application Fee, as set forth in Exhibit B, which will be billed to the Host on the date that BellSouth provides its written response to the Guest(s) Bona Fide Application (Application Response).

- 3.3.2 Notwithstanding the foregoing, the Guest(s) may submit service orders directly to BellSouth to request the provisioning of interconnecting facilities between BellSouth and the Guest(s), the provisioning of services, and access to unbundled network elements. The bill for these interconnecting facilities, services and access to UNEs will be charged to the Guest(s) pursuant to the applicable Tariff or the Guest's Interconnection Agreement with BellSouth.
- 3.3.3 DukeNet shall indemnify and hold harmless BellSouth from any and all claims, actions, causes of action, of whatever kind or nature arising out of the presence of DukeNet's Guest(s) in the Collocation Space, except to the extent caused by BellSouth's sole negligence, gross negligence, or willful misconduct.
- Adjacent Collocation. Subject to technical feasibility and space availability, BellSouth will permit an adjacent collocation arrangement (Adjacent Arrangement) on Premises' property only when space within the Premises is legitimately exhausted and where the Adjacent Arrangement does not interfere with access to existing or planned structures or facilities on the Premises' property. An Adjacent Arrangement shall be constructed or procured by DukeNet and must be in conformance with BellSouth's design and construction Specifications. Further, DukeNet shall construct, procure, maintain and operate said Adjacent Arrangement(s) pursuant to all of the rates, terms and conditions set forth in this Attachment.
- 3.4.1 If DukeNet requests Adjacent Collocation, pursuant to the conditions stated in 3.4 above, DukeNet must arrange with a BellSouth Certified Supplier to construct the Adjacent Arrangement structure in accordance with BellSouth's Specifications. BellSouth will provide Specifications upon request. Where local building codes require enclosure specifications more stringent than BellSouth's Specifications, DukeNet and DukeNet's BellSouth Certified Supplier must comply with the more stringent local building code requirements. DukeNet's BellSouth Certified Supplier shall be responsible for filing and receiving any and all necessary zoning, permits and/or licenses for such construction. DukeNet's BellSouth Certified Supplier shall bill DukeNet directly for all work performed for DukeNet pursuant to this Attachment. BellSouth shall have no liability for, nor responsibility to pay, such charges imposed by DukeNet's BellSouth Certified Supplier. DukeNet must provide the local BellSouth Central Office building contact with two cards, keys or other access devices used to gain entry into the locked enclosure. Except in the case of an emergency, BellSouth will not access DukeNet's locked enclosure prior to notifying DukeNet at least fortyeight (48) hours or two (2) business days, whichever is greater, before access to the Collocation Space is required.

- DukeNet must submit its Adjacent Arrangement construction plans and specifications to BellSouth when it places its Firm Order. BellSouth shall review DukeNet's plans and specifications prior to construction of an Adjacent Arrangement(s) to ensure DukeNet's compliance with BellSouth's Specifications. BellSouth shall complete its review within fifteen (15) calendar days after receipt of the plans and specifications from DukeNet for the Adjacent Arrangement. BellSouth may inspect the Adjacent Arrangement during and after construction is completed to ensure that it is constructed according to DukeNet's submitted plans and specifications. If BellSouth decides to inspect the completed Adjacent Arrangement, BellSouth will complete its inspection within fifteen (15) calendar days after receipt of written notification of completion of the enclosure from DukeNet. BellSouth shall require DukeNet to remove or correct within seven (7) calendar days at DukeNet's expense, any structure that does not meet its submitted plans and specifications or BellSouth's Specifications, if applicable.
- 3.4.3 DukeNet shall provide a concrete pad, the structure housing the arrangement, heating/ventilation/air conditioning (HVAC), lighting, and all of the facilities that are required to connect the structure (i.e., racking, conduits, etc.) to the BellSouth point of demarcation. At DukeNet's option, and where the local authority having jurisdiction permits, BellSouth shall provide an AC power source and access to physical collocation services and facilities, subject to the same nondiscriminatory requirements as those applicable to any other physical collocation arrangement. In Alabama and Louisiana, BellSouth will provide DC power to Adjacent Collocation sites where technically feasible, as that term has been defined by the FCC subject to individual case basis pricing. DukeNet's BellSouth Certified Supplier shall be responsible, at DukeNet's sole expense, for filing and receiving any and all necessary zoning, permits and/or licenses for an Adjacent Arrangement. BellSouth shall allow Shared Caged Collocation within an Adjacent Arrangement, pursuant to the terms and conditions set forth in 3.3 above.
- 3.5 Co-Carrier Cross Connect (CCXC). The primary purpose of collocation is for a telecommunications carrier to interconnect with BellSouth's network or to access BellSouth's unbundled network elements for the provision of telecommunications services. BellSouth will permit DukeNet to interconnect between its virtual or physical collocation arrangements and those of another collocated telecommunications carrier within the same Premises. Both DukeNet's agreement and the other collocated telecommunications carrier's agreement must contain rates, terms and conditions for CCXC language. DukeNet is prohibited from using the Collocation Space for the sole or primary purpose of cross connecting to other collocated telecommunications carriers.
- 3.5.1 DukeNet must contract with a BellSouth Certified Supplier to place the CCXC. The CCXC shall be provisioned through facilities owned by DukeNet. Such connections to other collocated telecommunications carriers may be made using either optical or electrical facilities. In cases where DukeNet's equipment and the equipment of the other collocated telecommunications carrier are located in contiguous caged

Collocation Spaces, DukeNet may use its own technicians to install co-carrier cross connects using either electrical or optical facilities between the equipment of both collocated telecommunications carriers and construct a dedicated cable support structure between the two contiguous cages. DukeNet shall deploy such optical or electrical connections directly between its own facilities and the facilities of another collocated telecommunications carrier without being routed through BellSouth's equipment. DukeNet shall not provision CCXC on any BellSouth distribution frame, POT (Point of Termination) Bay, DSX (Digital System Cross-connect) or LGX (Light Guide Cross-connect). DukeNet is responsible for ensuring the integrity of the signal.

- 3.5.2 DukeNet shall be responsible for providing a letter of authorization (LOA), with the application, to BellSouth from the other collocated telecommunications carrier to which it will be cross-connecting DukeNet-provisioned CCXC shall utilize common cable support structure. There will be a recurring charge per linear foot, per cable, of common cable support structure used. In the case of two contiguous caged collocation arrangements, DukeNet may use its own technicians to construct the dedicated support structure between the two collocation arrangements.
- 3.5.3 To order CCXCs, DukeNet must submit an Initial Application or Subsequent Application to BellSouth. If no modification to the Collocation Space is requested other than the placement of CCXCs, the Subsequent Application Fee for CCXCs, as defined in Exhibit B, will apply. If modifications, in addition to the placement of CCXCs, are requested, the Initial Application or Subsequent Application Fee will apply. BellSouth will bill this nonrecurring fee on the date that it provides an Application Response to DukeNet.

4. Occupancy

4.1 Occupancy. BellSouth will notify DukeNet in writing when the Collocation Space is ready for occupancy (Space Ready Date). DukeNet will schedule and complete an acceptance walkthrough of the Collocation Space with BellSouth within fifteen (15) calendar days of the Space Ready Date. BellSouth will correct any deviations in DukeNet's original or jointly amended application requirements within seven (7) calendar days after the walkthrough, unless the Parties jointly agree upon a different time frame. BellSouth will also establish a new Space Ready Date. Another acceptance walkthrough will then be scheduled and conducted within fifteen (15) calendar days of the new Space Ready Date. This follow-up acceptance walkthrough will be limited to only those items identified in the initial walkthrough. If DukeNet completes its acceptance walkthrough within the fifteen (15) calendar day interval, billing will begin upon the date of DukeNet's acceptance of the Collocation Space (Space Acceptance Date). In the event that DukeNet fails to complete an acceptance walkthrough within this fifteen (15) calendar day interval, the Collocation Space shall be deemed accepted by DukeNet on the Space Ready Date and billing will commence from that date. If DukeNet decides to occupy the space prior to the Space Ready Date, the date DukeNet occupies the space becomes the new Space Acceptance Date and billing will begin from that date. DukeNet must notify BellSouth in writing that

collocation equipment installation is complete and operational with BellSouth's network. BellSouth may, at its discretion, refuse to accept orders for cross connects until it has received such notice. For the purposes of this paragraph, DukeNet's telecommunications equipment will be deemed operational when it has been cross-connected to BellSouth's network for the purpose of provisioning telecommunication services to its customers.

- 4.2 Termination of Occupancy. In addition to any other provisions addressing termination of occupancy in this Agreement, DukeNet may terminate occupancy in a particular Collocation Space by submitting a Subsequent Application requesting termination of occupancy. Such termination shall be effective upon BellSouth's acceptance of the Space Relinquishment Form. Billing for monthly recurring charges will cease on the date that DukeNet and BellSouth conduct an inspection of the terminated space and jointly sign off on the Space Relinquishment Form or on the date that DukeNet signs off on the Space Relinquishment Form and sends this form to BellSouth, if a subsequent inspection of the terminated space by BellSouth reveals no discrepancies. If the subsequent inspection by BellSouth does reveal discrepancies, billing will cease on the date that BellSouth and DukeNet jointly conduct an inspection, which confirms that DukeNet has corrected all of the noted discrepancies. A Subsequent Application Fee will not apply for the termination of occupancy. BellSouth may terminate DukeNet's right to occupy the Collocation Space in the event that DukeNet fails to comply with any provision of this Agreement, including the payment of the applicable fees.
- 4.2.1 Upon termination of occupancy, DukeNet, at its sole expense, shall remove its equipment and any other property from the Collocation Space. DukeNet shall have thirty (30) calendar days from the Bona Fide Firm Order (BFFO) Subsequent Application date (Termination Date) to complete such removal, including the removal of all equipment and facilities of DukeNet's Guest(s), unless DukeNet's Guest(s) has assumed responsibility for the Collocation Space housing the Guest(s)'s equipment and executed the appropriate documentation required by BellSouth prior to the DukeNet removal date. DukeNet shall continue the payment of all monthly fees to BellSouth until the date thatDukeNet, and if applicable DukeNet's Guest(s), has fully vacated the Collocation Space and the Space Relinquishment Form has been accepted by BellSouth. Should DukeNet or DukeNet's Guest(s) fail to vacate the Collocation Space within thirty (30) calendar days from the Termination Date, BellSouth shall have the right to remove the equipment and dispose of the equipment and other property of DukeNet or DukeNet's Guest(s), in any manner that BellSouth deems fit, at DukeNet's expense and with no liability whatsoever for DukeNet's property or DukeNet's Guest(s)'s property. Upon termination of DukeNet's right to occupy specific Collocation Space, the Collocation Space will revert back to BellSouth's space inventory, and DukeNet shall surrender the Collocation Space to BellSouth in the same condition as when it was first occupied by DukeNet, with the exception of ordinary wear and tear, unless otherwise agreed to by the Parties. DukeNet's BellSouth Certified Supplier shall be responsible for updating and making any necessary changes to BellSouth's records as required by BellSouth's Specifications

including, but not limited to, Central Office Record Drawings and ERMA Records. DukeNet shall be responsible for the cost of removing any DukeNet constructed enclosure, together with any supporting structures (e.g., racking, conduits, or power cables), at the termination of occupancy and restoring the grounds to their original condition.

5. Use of Collocation Space

- 5.1 Equipment Type. BellSouth permits the collocation of any equipment necessary for interconnection to BellSouth's network or access to BellSouth's unbundled network elements in the provision of telecommunications services, as the term "necessary" is defined by FCC 47 C.F.R. Section 51.323 (b). The primary purpose and function of any equipment collocated in a Premises must be for interconnection to BellSouth's network or access to BellSouth's unbundled network elements in the provision of telecommunications services.
- 5.1.1 Examples of equipment that would not be considered necessary include, but are not limited to: traditional circuit switching equipment, equipment used exclusively for call-related databases, computer servers used exclusively for providing information services, operations support system (OSS) equipment used to support collocated telecommunications carrier network operations, equipment that generates customer orders, manages trouble tickets or inventory, or stores customer records in centralized databases, etc. BellSouth will determine upon receipt of an application if the requested equipment is necessary based on the criteria established by the FCC. Multifunctional equipment placed on Premises must not place any greater relative burden on BellSouth's property than comparable single-function equipment. BellSouth reserves the right to permit collocation of any equipment on a nondiscriminatory basis.
- 5.1.2 Such equipment must, at a minimum, meet the following Telcordia Network
 Equipment Building Systems (NEBS) General Equipment Requirements: Criteria
 Level 1 requirements as outlined in Telcordia Special Report SR-3580, Issue 1.
 Except where otherwise required by a Commission, BellSouth shall comply with the
 applicable FCC rules relating to denial of collocation based on DukeNet's failure to
 comply with this Section.
- DukeNet shall not request more DS0, DS1, DS3 and optical terminations for a collocation arrangement than the total port or termination capacity of the equipment physically installed in the arrangement. The total capacity of the equipment collocated in the arrangement will include equipment contained in an application, as well as equipment already placed in the collocation arrangement. If full network termination capacity of the equipment being installed is not requested in the application, additional network terminations for the installed equipment will require the submission of another application. In the event DukeNet submits an application for terminations that will exceed the total capacity of the collocated equipment, DukeNet will be informed of the discrepancy by BellSouth and required to submit a revision to the application.

- DukeNet shall notify BellSouth whenever DukeNet submits a Method of Procedure (MOP) adding equipment to DukeNet's Collocation Space and shall provide to BellSouth a list of all UCC-1 lien holders or other entities that have a financial interest, secured or otherwise, in the equipment in DukeNet's Collocation Space. DukeNet shall submit a list of any lien holders or other entities that have a financial interest in the equipment that is collocated by DukeNet to its RCM Representative.
- 5.3 DukeNet shall not use the Collocation Space for marketing purposes, nor shall it place any identifying signs or markings outside the Collocation Space or on the grounds of the Premises.
- DukeNet shall place a plaque or affix other identification (e.g., stenciling) to DukeNet's equipment, in order for BellSouth to identify DukeNet's equipment, including a list of emergency contacts with telephone numbers.
- 5.5 Entrance Facilities. DukeNet may elect to place DukeNet-owned or DukeNet-leased fiber entrance facilities into its Collocation Space. BellSouth will designate the point of interconnection in close proximity to the Premises building housing the Collocation Space, such as at an entrance manhole or a cable vault, which are physically accessible by both Parties. DukeNet will provide and place fiber cable at the point of entrance of sufficient length to be pulled through conduit and into the splice location. DukeNet will provide and install a sufficient length of fire retardant riser cable, to which the entrance cable will be spliced by BellSouth. The fire retardant riser cable will extend from the splice location to DukeNet's equipment in the Collocation Space. In the event DukeNet utilizes a non-metallic, riser-type entrance facility, a splice will not be required. DukeNet must contact BellSouth for instructions prior to placing any entrance facility cable in the manhole. DukeNet is responsible for maintenance of the entrance facilities. At DukeNet's option, BellSouth will accommodate, where technically feasible, a microwave entrance facility, pursuant to separately negotiated terms and conditions. In the case of adjacent collocation, copper facilities may be used between the adjacent collocation arrangement and the central office demarcation point unless BellSouth determines that limited space is available for the placement of entrance facilities.
- 5.5.1 <u>Dual Entrance Facilities</u>. BellSouth will provide at least two interconnection points at each Premise where at least two such interconnection points are available and capacity exists. Upon receipt of a request by DukeNet for dual entrance facilities to its physical Collocation Space, BellSouth shall provide DukeNet with information regarding BellSouth's capacity to accommodate the requested dual entrance facilities. If conduit in the serving manhole(s) is available and is not reserved for another purpose or for utilization within twelve (12) months of the receipt of an application for collocation, BellSouth will make the requested conduit space available for installing a second entrance facility to DukeNet's arrangement. The location of the serving manhole(s) will be determined at the sole discretion of BellSouth. Where dual entrance facilities are not available due to lack of capacity, BellSouth will provide this information to DukeNet in the Application Response.

- 5.5.2 Shared Use. DukeNet may utilize spare capacity on an existing interconnector's entrance facility for the purpose of providing an entrance facility to DukeNet's collocation arrangement within the same Premises. BellSouth shall allow the splice, as long as the fiber is non-working fiber. DukeNet must arrange with BellSouth in accordance with BellSouth's Special Construction Procedures, RL93-11-030BT, and provide a LOA from the other telecommunications carrier for BellSouth to perform the splice of the DukeNet provided riser cable to the spare capacity on the entrance facility. If DukeNet desires to allow another telecommunications carrier to use its entrance facilities, that telecommunications carrier must arrange with BellSouth in accordance with BellSouth's Special Construction Procedures, RL93-11-030BT, and provide a LOA from DukeNet for BellSouth to perform the splice of that telecommunications carrier's provided riser cable to the spare capacity on DukeNet's entrance facility.
- Demarcation Point. BellSouth will designate the point(s) of demarcation between DukeNet's equipment and/or network and BellSouth's network. Each Party will be responsible for the maintenance and operation of all equipment/facilities on its side of the demarcation point. For 2-wire and 4-wire connections to BellSouth's network, the demarcation point shall be a common block on the BellSouth designated conventional distributing frame (CDF). DukeNet shall be responsible for providing, and DukeNet's BellSouth Certified Supplier shall be responsible for installing and properly labeling/stenciling the common block and any necessary cabling identified in Section 7 of this Attachment. For all other terminations, BellSouth shall designate a demarcation point on a per arrangement basis. DukeNet or its agent must perform all required maintenance to the equipment/facilities on its side of the demarcation point, pursuant to Section 5.7, following, and may self-provision cross-connects that may be required within the Collocation Space to activate service requests.
- 5.6.1 In Tennessee, BellSouth will designate the point(s) of demarcation between DukeNet's equipment and/or network and BellSouth's network. Each Party will be responsible for the maintenance and operation of all equipment/facilities on its side of the demarcation point. For connections to BellSouth's network, the demarcation point shall be a DukeNet-provided Point of Termination Bay (POT Bay) in a common area within the Premises. DukeNet shall be responsible for providing, and DukeNet's BellSouth Certified Supplier shall be responsible for installing and properly labeling/stenciling the POT Bay, as well as installing the necessary cabling between DukeNet's Collocation Space and the demarcation point. DukeNet or its agent must perform all required maintenance to equipment/facilities on its side of the demarcation point, pursuant to Section 5.7, following, and may self-provision cross-connects that may be required within the Collocation Space to activate service requests. BellSouth will negotiate alternative rates, terms and conditions related to the demarcation point in Tennessee, in the event that DukeNet desires to avoid the use of an intermediary device as contemplated by the Tennessee Regulatory Authority.

- DukeNet's Equipment and Facilities. DukeNet, or if required by this Attachment, DukeNet's BellSouth Certified Supplier, is solely responsible for the design, engineering, installation, testing, provisioning, performance, monitoring, maintenance and repair of the equipment and facilities used by DukeNet which must be performed in compliance with all applicable BellSouth Specifications. Such equipment and facilities may include, but are not limited to, cable(s), equipment, and point of termination connections. DukeNet and its selected BellSouth Certified Supplier must follow and comply with all BellSouth requirements outlined in BellSouth's TR 73503, TR 73519, TR 73572, and TR 73564.
- BellSouth's Access to Collocation Space. From time to time, BellSouth may require access to the Collocation Space. BellSouth retains the right to access DukeNet's space for the purpose of making BellSouth equipment and building modifications (e.g., running, altering or removing racking, ducts, electrical wiring, HVAC, and cabling). BellSouth will give notice to DukeNet at least forty-eight (48) hours before access to the Collocation Space is required. DukeNet may elect to be present whenever BellSouth performs work in the Collocation Space. The Parties agree that DukeNet will not bear any of the expense associated with this type of work.
- 5.9 Access. Pursuant to Section 12, DukeNet shall have access to its Collocation Space twenty-four (24) hours a day, seven (7) days a week. DukeNet agrees to provide the name and social security number, date of birth, or driver's license number of each employee, supplier, or agent of DukeNet or DukeNet's Guests that will be provided with access keys or cards (Access Keys) prior to the issuance of said Access Keys, using form RF-2906-C, the "CLEC and CLEC Certified Supplier Access Request and Acknowledgement" form. Key acknowledgement forms, the "Collocation Acknowledgement Sheet" for access cards and the "Key Acknowledgement Form" for keys must be signed by DukeNet and returned to BellSouth Access Management within fifteen (15) calendar days of DukeNet's receipt. Failure to return these properly acknowledged forms will result in the holding of subsequent access key or card requests until the proper acknowledgement documents have been received by BellSouth and reflect current information. Access Keys may not be duplicated under any circumstances. DukeNet agrees to be responsible for all Access Keys and for the return of all Access Keys in the possession of DukeNet's employees, suppliers, Guests, or agents after termination of the employment relationship, the contractual obligation with DukeNet ends, upon the termination of this Attachment, or upon the termination of occupancy of an individual collocation arrangement.
- 5.9.1 BellSouth will permit one accompanied site visit to DukeNet's designated collocation arrangement location, after receipt of the BFFO without charge to DukeNet. DukeNet must submit to BellSouth the completed Access Control Request Form for all employees or agents requiring access to the Premises within a minimum of thirty (30) calendar days prior to the date DukeNet desires access to the Collocation Space. In order to permit reasonable access during construction of the Collocation Space, DukeNet may submit a request for its one accompanied site visit to its designated collocation arrangement location at any time subsequent to BellSouth's receipt of the

BFFO. In the event DukeNet desires access to the Collocation Space after submitting such a request, but prior to the approval of its access request, in addition to the first accompanied free visit, BellSouth shall permit DukeNet to access the Collocation Space accompanied by a security escort, at DukeNet's expense. DukeNet must request escorted access to its designated collocation arrangement location at least three (3) business days prior to the date such access is desired.

- 5.10 <u>Lost or Stolen Access Keys</u>. DukeNet shall notify BellSouth in writing <u>immediately</u> in the case of lost or stolen Access Keys. If it becomes necessary for BellSouth to rekey buildings or deactivate a card as a result of a lost Access Key(s) or for failure to return an Access Key(s), DukeNet shall pay for all reasonable costs associated with the re-keying or deactivating the card.
- 5.11 Interference or Impairment. Notwithstanding any other provisions of this Attachment, DukeNet shall not use any product or service provided under this Agreement, any other service related thereto or used in combination therewith, or place or use any equipment or facilities in any manner that 1) significantly degrades, interferes with or impairs service provided by BellSouth or by any other entity or any person's use of its telecommunications services; 2) endangers or damages the equipment, facilities or any other property of BellSouth or of any other entity or person; 3) compromises the privacy of any communications; or 4) creates an unreasonable risk of injury or death to any individual or to the public. If BellSouth reasonably determines that any equipment or facilities of DukeNet violates the provisions of this paragraph, BellSouth shall provide written notice to DukeNet, which shall direct DukeNet to cure the violation within forty-eight (48) hours of DukeNet's actual receipt of written notice or, at a minimum, to commence curative measures within twenty-four (24) hours and to exercise reasonable diligence to complete such measures as soon as possible thereafter. After receipt of the notice, the Parties agree to consult immediately and, if necessary, to conduct an inspection of the arrangement.
- 5.11.1 Except in the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services, if DukeNet fails to take curative action within forty-eight (48) hours or if the violation is of a character that poses an immediate and substantial threat of damage to property or injury or death to any person, or any other significant degradation, interference or impairment of BellSouth's or another entity's service, then and only in that event, BellSouth may take such action as it deems appropriate to correct the violation, including, without limitation, the interruption of electrical power to DukeNet's equipment. BellSouth will endeavor, but is not required, to provide notice to DukeNet prior to the taking of such action and BellSouth shall have no liability to DukeNet for any damages arising from such action, except to the extent that such action by BellSouth constitutes willful misconduct.
- 5.11.2 For purposes of this Section, the term "significantly degrades" shall be defined as an action that noticeably impairs a service from a user's perspective. In the case of the deployment of an advanced service which significantly degrades the performance of

other advanced services or traditional voice band services and DukeNet fails to take curative action within forty-eight (48) hours, then BellSouth will establish before the Commission that the technology deployment is causing the significant degradation. Any claims of network harm presented to DukeNet or, if subsequently necessary, the Commission must be supported by BellSouth with specific and verifiable information. When BellSouth demonstrates that a certain technology deployed by DukeNet is significantly degrading the performance of other advanced services or traditional voice band services, DukeNet shall discontinue deployment of that technology and migrate its customers to technologies that will not significantly degrade the performance of other such services. Where the only degraded service itself is a known disturber, and the newly deployed technology satisfies at least one of the criteria for a presumption that it is acceptable for deployment under Section 47 C.F.R. 51.230, the degraded service shall not prevail against the newly-deployed technology

- Personalty and its Removal. Facilities and equipment placed by DukeNet in the Collocation Space shall not become a part of the Collocation Space, even if nailed, screwed or otherwise fastened to the Collocation Space, but shall retain their status as personal property and may be removed by DukeNet at any time. Any damage caused to the Collocation Space by DukeNet's employees, suppliers, agents or representatives during the removal of such property shall be promptly repaired by DukeNet at its sole expense. If DukeNet decides to remove equipment from its Collocation Space and the removal requires no physical change, BellSouth will bill DukeNet a Supplemental Application Fee (Administrative Only Application Fee) as set forth in Exhibit B. This non-recurring fee will be billed on the date that BellSouth provides an Application Response.
- Alterations. Under no condition shall DukeNet or any person acting on behalf of DukeNet make any rearrangement, modification, augment, improvement, addition, and/or other alteration which could affect in any way space, power, HVAC, and/or safety considerations to the Collocation Space or the Premises, hereinafter referred to individually or collectively as "Augments", without the express written consent of BellSouth, which shall not be unreasonably withheld. The cost of any such Augment shall be paid by DukeNet. Any such Augment shall require an application and will result in the assessment of an application fee, which will be billed by BellSouth on the date that BellSouth provides DukeNet with an Application Response.
- 5.14 <u>Janitorial Service</u>. DukeNet shall be responsible for the general upkeep of its Collocation Space. DukeNet shall arrange directly with a BellSouth Certified Supplier for janitorial services applicable to Caged Collocation Space. BellSouth shall provide a list of such suppliers on a site-specific basis, upon request.

6. Ordering and Preparation of Collocation Space

6.1 If any state or federal regulatory agency imposes procedures or intervals applicable to DukeNet and BellSouth that are different from the procedures or intervals set forth in

this Section, whether now in effect or that become effective after execution of this Agreement, those procedures or intervals shall supersede the requirements set forth herein for that jurisdiction for all applications that are submitted for the first time after the effective date thereof.

- 6.2 <u>Initial Application</u>. For DukeNet or DukeNet's Guest(s) initial equipment placement, DukeNet shall submit to BellSouth a Physical Expanded Interconnection Application Document (Initial Application). The Initial Application is considered Bona Fide when it is complete and accurate, meaning that all of the required fields on the application are completed with the appropriate type of information. An application fee will apply to each application submitted by DukeNet, which will be billed by BellSouth on the date that BellSouth provides DukeNet with an Application Response.
- 6.3 <u>Subsequent Application.</u> In the event DukeNet or DukeNet's Guest(s) desires to modify the use of the Collocation Space after a BFFO, DukeNet shall complete an application that contains all of the detailed information associated with an Augment to the Collocation Space, as defined in Section 5.13 of this Attachment (Subsequent Application). The Subsequent Application is considered Bona Fide when it is complete and accurate, meaning that all of the required fields on the Subsequent Application are completed with the appropriate type of information associated with the Augment. BellSouth shall determine what modifications, if any, to the Premises are required to accommodate the change requested by DukeNet in the application. Such modifications to the Premises may include, but are not limited to: floor loading changes, changes necessary to meet HVAC requirements, changes to power plant requirements, equipment additions, etc.
- 6.3.1 Subsequent Application Fee. The application fee paid by DukeNet for its request for an Augment shall be dependent upon the level of assessment needed for the Augment requested. Where the Subsequent Application does not require assessment for provisioning or construction work but requires administrative costs by BellSouth, a Subsequent Application Fee (Administrative Only Application Fee) will be required as set forth in Exhibit B. This Administrative Only Application Fee will be applicable in instances such as Transfer of Ownership of the Collocation Space, Removal of Equipment from the Collocation Space, modification to an application prior to BFFO and V-to-P Conversion (In Place). The fee for a Subsequent Application where the Augment requested has limited effect (e.g., requires limited assessment but no capital expenditure by BellSouth as sufficient cable support structure, HVAC, power and terminations are available) shall be the Subsequent Application Fee as set forth in Exhibit B. If the modification requires capital expenditure, an Initial Application Fee shall apply. This nonrecurring fee will be billed on the date that BellSouth provides DukeNet with an Application Response.
- 6.4 <u>Space Preferences.</u> If DukeNet has previously requested and received a Space Availability Report for the Premises, DukeNet may submit up to three (3) space preferences on its application by identifying the specific space identification numbers referenced on the Space Availability Report for the space it is requesting. In the event

BellSouth cannot accommodate the DukeNet's preference(s), DukeNet may accept the space allocated by BellSouth or cancel its application and submit another application requesting additional space preferences for the same central office. This application will be treated as a new application and an application fee will apply. The application fee will be billed by BellSouth on the date that BellSouth provides DukeNet with an Application Response.

- 6.5 Space Availability Notification.
- 6.5.1 Unless otherwise specified, BellSouth will respond to an application within ten (10) calendar days as to whether space is available or not available within a requested Premises. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide, the items necessary to cause the application to become Bona Fide. If the amount of space requested is not available, BellSouth will notify DukeNet of the amount of space that is available and no application fee will apply. When BellSouth's response includes an amount of space less than that requested by DukeNet or space that is configured differently, no application fee will apply. If DukeNet decides to accept the available space, DukeNet must resubmit its application to reflect the actual space available, including the configuration of the space, prior to submitting a BFFO. When DukeNet resubmits its application, BellSouth will bill DukeNet the appropriate application fee.
- BellSouth will respond to a Florida application within fifteen (15) calendar days as to whether space is available or not available within a Premises. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide, the items necessary to cause the application to become Bona Fide. If a lesser amount of space than requested is available, BellSouth will provide an Application Response for the amount of space that is available and bill DukeNet an appropriate application fee on the date that BellSouth provides the Application Response. When BellSouth's Application Response includes an amount of space less than that requested by DukeNet or space that is configured differently, if DukeNet decides to accept the available space, DukeNet must amend its application to reflect the actual space available, including the configuration of the space, prior to submitting a BFFO.
- 6.5.3 BellSouth will respond to a Louisiana application within ten (10) calendar days in regard to space availability for one (1) to ten (10) applications; fifteen (15) calendar days for eleven (11) to twenty (20) applications; and for more than twenty (20) applications, the response interval is increased by five (5) calendar days for every five additional applications received within five (5) business days. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide, the items necessary to cause the application to become Bona Fide. If the amount of space requested is not available, BellSouth will notify DukeNet of the amount of space that is available and no application fee will apply. When BellSouth's response includes an amount of space less than that requested by DukeNet or space that is configured differently, no application fee will apply. If DukeNet decides to accept the available space, DukeNet must resubmit its application to reflect the actual space available,

including the configuration of the space, prior to submitting a BFFO. When DukeNet resubmits its application, BellSouth will bill DukeNet the appropriate application fee. Denial of Application. If BellSouth notifies DukeNet that no space is available (Denial of Application), BellSouth will not assess an application fee to DukeNet. After notifying DukeNet that BellSouth has no available space in the requested Premises, BellSouth will allow DukeNet, upon request, to tour the entire Premises within ten (10) calendar days of such Denial of Application. In order to schedule this tour within ten (10) calendar days, the request for the tour of the Premises must be received by BellSouth within five (5) calendar days of the Denial of Application.

- 6.6 Filing of Petition for Waiver. Upon Denial of Application, BellSouth will timely file a petition with the Commission pursuant to 47 U.S.C. § 251(c)(6). BellSouth shall provide to the Commission any information requested by that Commission. Such information shall include which space, if any, BellSouth or any of BellSouth's affiliates have reserved for future use and a detailed description of the specific future uses for which the space has been reserved. Subject to an appropriate nondisclosure agreement or provision, BellSouth shall permit DukeNet to inspect any floor plans or diagrams that BellSouth provides to the Commission.
- 6.7 <u>Waiting List.</u> On a first-come, first-served basis, governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Premises is out of space, have submitted a Letter of Intent to collocate in that Premises. BellSouth will notify the telecommunications carriers on the waiting list that can be accommodated by the amount of space that becomes available, according to the position of the telecommunications carriers on said waiting list.
- 6.7.1 In Florida, on a first-come, first-served basis, governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Premises is out of space, have submitted a Letter of Intent to collocate in that Premises. Sixty (60) calendar days prior to space becoming available, if known, BellSouth will notify the Commission and the telecommunications carriers on the waiting list by mail when space becomes available according to the position of each telecommunications carrier on said waiting list. If BellSouth does not know sixty (60) calendar days in advance of when space will become available, BellSouth will notify the Commission and the telecommunications carriers on the waiting list within two (2) business days of the determination that space is available. A telecommunications carrier that, upon denial of physical collocation, requests virtual collocation shall be automatically placed on the waiting list.
- 6.7.2 When space becomes available, DukeNet must submit an updated, complete, and correct application to BellSouth within thirty (30) calendar days of notification by BellSouth that space will be available in the Premises previously out of space. If DukeNet has originally requested caged Collocation Space and cageless Collocation Space becomes available, DukeNet may refuse such space and notify BellSouth in

writing within the thirty (30) day timeframe that DukeNet wants to maintain its place on the waiting list, without accepting the available cageless Collocation Space. DukeNet may accept an amount of space less than its originally requested space by submitting an application as set forth above, and upon request, may maintain its position on the waiting list for the remaining space that was initially requested. If DukeNet does not submit an application or notify BellSouth in writing as described above, BellSouth will offer the space to the next telecommunications carrier on the waiting list and remove DukeNet from the waiting list. Upon request, BellSouth will advise DukeNet as to its position on the waiting list.

- 6.8 Public Notification. BellSouth will maintain on its Interconnection Services website a notification document that will indicate all Premises that are without available space. BellSouth shall update such document within ten (10) calendar days of the date that BellSouth becomes aware that insufficient space is available to accommodate physical collocation. BellSouth will also post a document on its Interconnection Services website that contains a general notice when space has become available in a Premises previously on the space exhaust list.
- 6.9 Application Response.
- 6.9.1 In Alabama, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, and Tennessee, when space has been determined to be available for caged or cageless arrangements, BellSouth will provide an Application Response within twenty (20) calendar days of receipt of a Bona Fide application. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and any other applicable space preparation fees, as described in Section 8.
- In Florida, within fifteen (15) calendar days of receipt of a Bona Fide application, when space has been determined to be available or when a lesser amount of space than that requested is available, then with respect to the space available, BellSouth will provide an Application Response including sufficient information to enable DukeNet to place a Firm Order. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8. When DukeNet submits ten (10) or more applications within ten (10) calendar days, the initial fifteen (15) calendar day response interval will increase by ten (10) calendar days for every additional ten (10) applications or fraction thereof.
- 6.9.3 In Louisiana, when space has been determined to be available, BellSouth will provide an Application Response within thirty (30) calendar days for one (1) to ten (10) applications; thirty-five (35) calendar days for eleven (11) to twenty (20) applications; and for requests of more than twenty (20) applications, the Application Response interval will be increased by five (5) calendar days for every five (5) applications received within five (5) business days. The Application Response will include, at a

minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8.

6.10 Application Modifications.

If a modification or revision is made to any information in the Bona Fide Application 6.10.1prior to a BFFO, with the exception of modifications to Customer Information, Contact Information or Billing Contact Information, at the request of DukeNet, or necessitated by technical considerations, the application shall be considered a new application and handled as a new application with respect to the response and provisioning intervals. BellSouth will charge DukeNet the appropriate application fee associated with the level of assessment performed by BellSouth. If the modification requires no labor or capital expenditure by BellSouth, but BellSouth must perform an assessment of the application to evaluate whether or not BellSouth would be required to perform necessary infrastructure or provisioning activities, then an Administrative Only Application Fee shall apply. The fee for an application modification where the modification requested has limited effect (e.g., requires labor expenditure but no capital expenditure by BellSouth and where sufficient cable support structure, HVAC, power and terminations are available) shall be the Subsequent Application Fee as set forth in Exhibit B. A modification involving a capital expenditure by BellSouth shall require DukeNet to submit the application with an Initial Application Fee. This nonrecurring fee will be billed by BellSouth on the date that BellSouth provides DukeNet with an Application Response.

6.11 Bona Fide Firm Order.

- 6.11.1 DukeNet shall indicate its intent to proceed with equipment installation in a BellSouth Premises by submitting a Bona Fide Firm Order (BFFO) to BellSouth. The BFFO must be received by BellSouth no later than thirty (30) calendar days after BellSouth's Application Response to DukeNet's Bona Fide Application or DukeNet's application will expire.
- 6.11.2 BellSouth will establish a firm order date based upon the date BellSouth is in receipt of DukeNet's BFFO. BellSouth will acknowledge the receipt of DukeNet's BFFO within seven (7) calendar days of receipt, so that DukeNet will have positive confirmation that its BFFO has been received. BellSouth's response to a BFFO will include a Firm Order Confirmation, which contains the firm order date. No revisions can be made to a BFFO.

7. Construction and Provisioning

7.1 Construction and Provisioning Intervals.

7.1.1 In Florida, BellSouth will complete construction for collocation arrangements as soon as possible within a maximum of ninety (90) calendar days from receipt of a BFFO or as agreed to by the Parties. For Augments requested to the Collocation Space after

initial space completion, BellSouth will complete construction for collocation arrangements as soon as possible within a maximum of forty-five (45) calendar days from receipt of a BFFO or as agreed to by the Parties. If BellSouth does not believe that construction will be completed within the relevant timeframe and BellSouth and DukeNet cannot agree upon a completion date, within forty-five (45) calendar days of receipt of the BFFO for an initial request, and within thirty (30) calendar days of receipt of the BFFO for an Augment, BellSouth may seek an extension from the Commission.

- 7.1.2 In Alabama, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee, BellSouth will complete construction for caged collocation arrangements under ordinary conditions as soon as possible within a maximum of ninety (90) calendar days from receipt of a BFFO or as agreed to by the Parties. BellSouth will complete construction for cageless collocation arrangements under ordinary conditions as soon as possible within a maximum of sixty (60) calendar days from receipt of a BFFO and ninety (90) calendar days from receipt of a BFFO for extraordinary conditions, or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required such as, but not limited to, HVAC, cabling and the power plant. Extraordinary conditions shall include, but not be limited to, major BellSouth equipment rearrangements or additions; power plant additions or upgrades; major mechanical additions or upgrades; a major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.
- 7.1.3 When DukeNet adds equipment within initial demand parameters that requires no additional space preparation work on the part of BellSouth, then no additional charges or additional intervals will be imposed by BellSouth that would delay DukeNet's operation.
- 7.1.4 In the states of Alabama, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, and South Carolina, BellSouth will provide the reduced intervals outlined below to DukeNet, when DukeNet requests an Augment after the Space Ready Date for existing physical collocation space. In such instances, DukeNet must provide an accurate front equipment view (a.k.a. rack elevation drawing) specifying bay(s) for DukeNet's point of termination.
- 7.1.4.1 Simple Augments will be completed within twenty (20) calendar days after receipt of the BFFO for an:
 - Extension of Existing AC Circuit Capacity within Arrangement Where Sufficient Circuit Capacity is Available
 - Fuse Change and/or Increase or Decrease -48V DC Power from Existing ILEC BDFB

- 7.1.4.2 Minor Augments will be completed within forty-five (45) calendar days after receipt of the BFFO for:
 - 168 DS1s Terminations at the ILEC Demarcation Frame (Databasing Only; Panels, Relay Racks and Overhead Racking Exist)
 - 96 DS3s Terminations at the ILEC Demarcation Frame (Databasing Only; Panels, Relay Racks and Overhead Racking Exist)
 - 99 Fiber Terminations at the ILEC Demarcation Frame (Databasing Only; Panels, Relay Racks and Overhead Racking Exist)
 - Maximum of 2000 Service Ready DS0 Terminations at the ILEC Demarcation Frame (Databasing Only; Panels, Relay Racks and Overhead Racking Exist)
- 7.1.4.3 Intermediate Augments will be completed within sixty (60) calendar days after receipt of the BFFO for:
 - 168 DS1s (Databasing and Installation of Termination Panels, Relay Racks or Additional Structure as Required)
 - 96 DS3s (Databasing and Installation of Termination Panels, Relay Racks or Additional Structure as Required)
 - 99 Fiber Terminations (Databasing and Installation of Termination Panels, Relay Racks or Additional Structure as Required)
 - 2000 DS0s (Databasing and Installation of Termination Panels, Relay Racks or Additional Structure as Required)
 - Install Cable Racking or Other Support Structures as Required to Support Co-Carrier Cross Connects (Adequate Floor or Ceiling Structural Capacity Exists and Support/Protection Structure for Fiber Patch Cord is Excluded)
- 7.1.4.4 Major Augments Physical Collocation will be completed within ninety (90) calendar days after BFFO and includes all requests for additional physical collocation space (caged or cageless).
- 7.1.4.5 Major Augments Virtual Collocation will be completed within seventy-five (75) calendar days after BFFO and includes all requests for additional virtual collocation space.
- 7.1.4.6 If DukeNet submits an augment application request that includes two augment items from the same category in Sections 7.1.4.1, 7.1.4.2, and 7.1.4.3 above, the augment interval associated with the next highest augment category will apply (e.g., if two items from the minor augment category are requested on the same request, then an interval of sixty (60) calendar days from the receipt of the BFFO would apply, which is the interval associated with the intermediate category).
- 7.1.4.7 If DukeNet submits an augment application request that includes three augment items from the same category in Sections 7.1.4.1, 7.1.4.2, and 7.1.4.3 above, the major augment interval of ninety (90) calendar days from the receipt of the BFFO would apply (e.g., if three items from the simple augment category are requested on the same request for a physical collocation arrangement, then an interval of ninety (90) calendar

days from the receipt of the BFFO would apply, which is the major physical augment interval; likewise if three items from the simple augment category are requested on the same request for a virtual collocation arrangement, then an interval of seventy-five (75) calendar days from the receipt of the BFFO would apply, which is the major virtual augment interval;).

- 7.1.4.8 If DukeNet submits an augment application request that includes one augment item from two separate categories in Sections 7.1.4.1, 7.1.4.2 and 7.1.4.3 above, the augment interval associated with the highest augment category will apply (e.g., if an item from the minor augment category and an item from the intermediate augment category are requested on the same request, then an interval of sixty (60) calendar days from the receipt of the BFFO would apply, which is the interval associated with the intermediate augment category).
- 7.1.4.9 All Augments not expressly included in the Simple, Minor, Intermediate or Major categories as outlined above will be placed into the appropriate category as negotiated by DukeNet and BellSouth. If DukeNet and BellSouth are unable to determine the appropriate category through negotiation, then the appropriate major augment category identified in Sections 7.1.4.4 and 7.1.4.5 would apply based on whether the augment request is for DukeNet's physical or virtual collocation arrangement.
- 7.1.4.10 Individual application fees associated with simple, minor and intermediate augment applications are contained in Exhibit B. The appropriate application fee will be assessed to DukeNet at the time BellSouth provides DukeNet with the Application Response. DukeNet will be assessed a Subsequent Application Fee for all Major Augment applications (Major Augments are defined above in Sections 7.1.4.4 and 7.1.4.5). The Subsequent Application Fee is also reflected in Exhibit B of this Attachment.
- Joint Planning. Joint planning between BellSouth and DukeNet will commence within a maximum of twenty (20) calendar days from BellSouth's receipt of a BFFO. BellSouth will provide the preliminary design of the Collocation Space and the equipment configuration requirements as reflected in the Bona Fide application and affirmed in the BFFO. The Collocation Space completion interval will be provided to DukeNet during the joint planning meeting.
- 7.3 Permits. Each Party or its agent(s) will diligently pursue filing for the permits required for the scope of work to be performed by that Party or its agent(s) within ten (10) calendar days of the completion of the finalized construction design and specifications.
- Acceptance Walkthrough. DukeNet will schedule and complete an acceptance walkthrough of each Collocation Space with BellSouth within fifteen (15) calendar days of BellSouth's notification to DukeNet that the Collocation Space is ready for occupancy. In the event DukeNet fails to complete an acceptance walkthrough within this fifteen (15) day interval, the Collocation Space shall be deemed accepted by DukeNet on the Space Ready Date. BellSouth will correct any deviations to DukeNet's original or jointly amended design and/or specification requirements within

- seven (7) calendar days after the walkthrough, unless the Parties jointly agree upon a different timeframe.
- 7.5 <u>Circuit Facility Assignments (CFAs).</u> Unless otherwise specified, BellSouth will provide CFAs to DukeNet prior to the applicable provisioning interval set forth herein (Provisioning Interval) for those Premises in which DukeNet has a physical collocation arrangement with no POT bay or with a POT bay provided by BellSouth. BellSouth cannot provide CFAs to DukeNet prior to the Provisioning Interval for those Premises in which DukeNet has a physical collocation arrangement with a POT bay provided by DukeNet or a virtual collocation arrangement, until DukeNet provides BellSouth with the following information:
- 7.5.1 For a physical collocation arrangement with a DukeNet-provided POT bay a complete layout of the POT panels (equipment inventory update (EIU) form) showing locations, speeds, etc.
- 7.5.2 For a virtual collocation arrangement a complete layout of DukeNet's equipment (equipment inventory update (EIU) form), including the locations of the low speed ports and the specific frame terminations to which the equipment will be wired by DukeNet's BellSouth Certified Supplier.
- 7.5.3 BellSouth cannot begin work on the CFAs until the complete and accurate EIU form is received from DukeNet. If the EIU form is provided ten (10) calendar days prior to the ending date of the Provisioning Interval, then CFAs will be made available by the ending date of the Provisioning Interval. If the EIU form is not received ten (10) calendar days prior to the ending date of the Provisioning Interval, then the CFAs will be provided within ten (10) calendar days of receipt of the EIU form.
- 7.5.4 BellSouth will bill DukeNet a nonrecurring charge, as set forth in Exhibit B, each time DukeNet requests a resend of its CFAs for any reason other than a BellSouth error in the CFAs initially provided to DukeNet.
- 7.6 Use of BellSouth Certified Supplier. DukeNet shall select a supplier which has been approved as a BellSouth Certified Supplier to perform all engineering and installation work. DukeNet and DukeNet's BellSouth Certified Supplier must follow and comply with all of BellSouth's requirements, outlined in BellSouth TR 73503, TR 73519, TR 73572, and TR 73564. In some cases, DukeNet must select separate BellSouth Certified Suppliers for those work activities associated with transmission equipment, switching equipment and power equipment. BellSouth shall provide DukeNet with a list of BellSouth Certified Suppliers, upon request. The BellSouth Certified Supplier(s) shall be responsible for installing DukeNet's equipment and associated components, extending power cabling to the BellSouth power distribution frame, performing operational tests after installation is complete, and notifying BellSouth's equipment engineers and DukeNet upon successful completion of installation, etc. The BellSouth Certified Supplier shall bill DukeNet directly for all work performed for DukeNet pursuant to this Attachment. BellSouth shall have no liability for, nor responsibility to pay, such charges imposed by DukeNet's BellSouth Certified

Supplier. BellSouth shall make available its supplier certification program to DukeNet or any supplier proposed by DukeNet and will not unreasonably withhold certification. All work performed by or for DukeNet shall conform to generally accepted industry standards.

- 7.7 <u>Alarm and Monitoring</u>. BellSouth shall place environmental alarms in the Premises for the protection of BellSouth equipment and facilities. DukeNet shall be responsible for placement, monitoring and removal of environmental and equipment alarms used to service DukeNet's Collocation Space. Upon request, BellSouth will provide DukeNet with an applicable tariffed service(s) to facilitate remote monitoring of collocated equipment by DukeNet. Both Parties shall use best efforts to notify the other of any verified environmental condition known to that Party.
- 7.8 Virtual to Physical Collocation Relocation. In the event physical Collocation Space was previously denied at a location due to technical reasons or space limitations and physical Collocation Space has subsequently become available, DukeNet may relocate its existing virtual collocation arrangement(s) to a physical collocation arrangement(s) and pay the appropriate fees associated with physical collocation and the rearrangement or reconfiguration of services terminated in the virtual collocation arrangement, as outlined in the appropriate BellSouth Tariffs. In the event BellSouth knows when additional space for physical collocation may become available at the location requested by DukeNet, such information will be provided to DukeNet in BellSouth's written denial of physical collocation space. To the extent that (i) physical Collocation Space becomes available to DukeNet within one hundred eighty (180) calendar days of BellSouth's written denial of DukeNet's request for physical collocation, (ii) BellSouth had knowledge that the space was going to become available, and (iii) DukeNet was not informed in the written denial that physical Collocation Space would become available within such one hundred eighty (180) calendar days, then DukeNet may relocate its virtual collocation arrangement to a physical collocation arrangement and will receive a credit for any nonrecurring charges previously paid for such virtual collocation. DukeNet must arrange with a BellSouth Certified Supplier for the relocation of equipment from its virtual Collocation Space to its physical Collocation Space and will bear the cost of such relocation.
- 7.8.1 In Alabama, BellSouth will complete a relocation from virtual collocation to cageless physical collocation within thirty (30) calendar days and from virtual collocation to caged physical collocation within ninety (90) calendar days.
- 7.9 <u>Virtual to Physical Conversion (In-Place)</u>. Virtual collocation arrangements may be converted to "in-place" physical arrangements if the potential conversion meets the following four criteria: 1) there is no change in the amount of equipment or the configuration of the equipment that was in the virtual collocation arrangement; 2) the conversion of the virtual collocation arrangement will not cause the equipment or the results of that conversion to be located in a space that BellSouth has reserved for its own future needs; 3) the converted arrangement does not limit BellSouth's ability to secure its own equipment and facilities due to the location of the virtual collocation

arrangement; and 4) any changes to the arrangement can be accommodated by existing power, HVAC, and other requirements. Unless otherwise specified, BellSouth will complete virtual to in-place physical collocation conversions within sixty (60) calendar days from receipt of the BFFO. BellSouth will bill DukeNet an Administrative Only Application Fee as set forth in Exhibit B on the date that BellSouth provides an Application Response to DukeNet.

- 7.9.1 In Alabama and Tennessee, BellSouth will complete Virtual to Physical Conversions (In Place) within thirty (30) calendar days from receipt of the BFFO.
- 7.10 <u>Cancellation</u>. If at any time prior to space acceptance, DukeNet cancels its order for the Collocation Space(s) (Cancellation), BellSouth will bill the applicable nonrecurring rate(s) for any and all work processes for which work has begun or been completed. In Georgia, if DukeNet cancels its order for Collocation Space at any time prior to space acceptance, BellSouth will bill DukeNet for all costs incurred prior to the date of Cancellation and for any costs incurred as a direct result of the Cancellation, not to exceed the total amount that would have been due had the order not been cancelled.
- 7.11 <u>Licenses.</u> DukeNet, at its own expense, will be solely responsible for obtaining from governmental authorities, and any other appropriate agency, entity, or person, all rights, privileges, and licenses necessary or required to operate as a provider of telecommunications services to the public or to build-out, equip and/or occupy the Collocation Space.
- 7.12 <u>Environmental Compliance.</u> The Parties agree to utilize and adhere to the Environmental Hazard Guidelines identified in Exhibit A attached hereto.

8. Rates and Charges

- 8.1 Application Fee. BellSouth shall assess an application fee via a service order, which shall be issued at the time BellSouth responds that space is available pursuant to Section 6.10 (Application Response). BellSouth will bill this nonrecurring fee on the date that BellSouth provides an Application Response to DukeNet.
- 8.1.1 In Tennessee the applicable application fee is the planning fee for both Initial Applications and Subsequent Applications placed by DukeNet. BellSouth will bill this nonrecurring fee on the date that BellSouth provides an Application Response to DukeNet.
- 8.2 <u>Cable Installation</u>. Cable Installation Fee(s) are assessed per entrance cable placed. This nonrecurring fee will be billed by BellSouth upon receipt of DukeNet's BFFO.
- 8.3 <u>Recurring Charges.</u> If DukeNet has met the applicable fifteen (15) calendar day walkthrough interval(s) specified in Section 4, billing for recurring charges will begin upon the Space Acceptance Date. In the event that DukeNet fails to complete an acceptance walkthrough within the applicable fifteen (15) calendar day interval(s),

billing for recurring charges will commence on the Space Ready Date. If DukeNet occupies the space prior to the Space Ready Date, the date DukeNet occupies the space becomes the new Space Acceptance Date and billing for recurring charges begin on that date.

- Space Preparation. Space preparation fees consist of a nonrecurring charge for firm order processing and monthly recurring charges for central office modifications assessed per arrangement, per square foot and common systems modifications assessed per arrangement, per square foot for cageless collocation and per cage for caged collocation. DukeNet shall remit payment of the nonrecurring firm order processing fee coincident with submission of a BFFO. The charges recover the costs associated with preparing the Collocation Space, which includes survey, engineering of the Collocation Space, design and modification costs for network, building and support systems. In the event DukeNet opts for cageless space, the space preparation fees will be assessed based on the total floor space dedicated to DukeNet as prescribed in this Section.
- 8.5 Floor Space. The Floor Space Charge includes reasonable charges for lighting, HVAC, and other allocated expenses associated with maintenance of the Premises but does not include any power-related costs incurred by BellSouth. When the Collocation Space is enclosed, DukeNet shall pay floor space charges based upon the number of square feet so enclosed. When the Collocation Space is not enclosed, DukeNet shall pay floor space charges based upon the following floor space calculation: [(depth of the equipment lineup in which the rack is placed) + (0.5 x maintenance aisle depth) + (0.5 x wiring aisle depth)] X (width of rack and spacers). For purposes of this calculation, the depth of the equipment lineup shall consider the footprint of equipment racks plus any equipment overhang. BellSouth will assign unenclosed Collocation Space in conventional equipment rack lineups where feasible. In the event DukeNet's collocated equipment requires special cable racking, isolated grounding or other treatment which prevents placement within conventional equipment rack lineups, DukeNet shall be required to request an amount of floor space sufficient to accommodate the total equipment arrangement.
- 8.6 Power. BellSouth shall make available –48 Volt (-48V) Direct Current (DC) power for DukeNet's Collocation Space at a BellSouth Power Board or BellSouth Battery Distribution Fuse Bay (BDFB) at DukeNet's option within the Premises. BellSouth will revise recurring power charges to reflect a power upgrade upon notification of the completion of the upgrade by DukeNet's BellSouth Certified Vendor. BellSouth will revise recurring power charges to reflect a power reduction upon BellSouth's receipt of the Power Reduction Form from DukeNet certifying the completion of the power reduction, including the removal of the power cabling by DukeNet's BellSouth Certified Supplier.
- 8.6.1 When obtaining power from a BDFB, fuses and power cables (A&B) must be engineered (sized), and installed by DukeNet's BellSouth Certified Supplier. When obtaining power from a BellSouth power board, power cables (A&B) must be

engineered (sized), and installed by DukeNet's BellSouth Certified Supplier. DukeNet is responsible for contracting with a BellSouth Certified Supplier for power distribution feeder cable runs from a BellSouth BDFB or BellSouth power board to DukeNet's equipment. The determination of the BellSouth BDFB or BellSouth power board as the power source will be made at BellSouth's sole, but reasonable, discretion. The BellSouth Certified Supplier contracted by DukeNet must provide BellSouth with a copy of the engineering power specifications prior to the day on which DukeNet's equipment becomes operational (Commencement Date). BellSouth will provide the common power feeder cable support structure between the BellSouth BDFB or BellSouth power board and DukeNet's arrangement area. DukeNet shall contract with a BellSouth Certified Supplier who will be responsible for the following: dedicated power cable support structure within DukeNet's arrangement, power cable feeds, and terminations of cable. Any terminations at a BellSouth power board must be performed by a BellSouth Certified Supplier. DukeNet shall comply with all applicable National Electric Code (NEC), BellSouth TR73503, Telcordia and ANSI Standards regarding power cabling, installation, and maintenance.

- 8.6.2 If DukeNet elects to install its own DC Power Plant, BellSouth shall provide Alternating Current (AC) power to feed DukeNet's DC Power Plant. Charges for AC power will be assessed per breaker ampere per month. Rates include the provision of commercial and standby AC power. When obtaining power from a BellSouth service panel, protection devices and power cables must be engineered (sized), and installed by DukeNet's BellSouth Certified Supplier except that BellSouth shall engineer and install protection devices and power cables for Adjacent Collocation. DukeNet's BellSouth Certified Supplier must also provide a copy of the engineering power specifications prior to the Commencement Date. Charges for AC power shall be assessed pursuant to the rates specified in Exhibit B. AC power voltage and phase ratings shall be determined on a per location basis. At DukeNet's option, DukeNet may arrange for AC power in an Adjacent Collocation arrangement from a retail provider of electrical power.
- 8.6.3 In Tennessee, recurring charges for -48V DC power consumption will be assessed per ampere per month based upon the engineered and installed power feed fused ampere capacity. Rates include redundant feeder fuse positions (A&B) and common cable racks to DukeNet's equipment or space enclosure. DukeNet shall contract with a BellSouth Certified Supplier who will be responsible for the following: dedicated power cable support structure within DukeNet's arrangement and terminations of cable within the Collocation Space.
- 8.6.3.1 In Tennessee, nonrecurring charges for –48V DC power distribution will be based on the common power feeder cable support structure between the BellSouth BDFB and DukeNet's arrangement area.
- 8.6.4 In Alabama and Louisiana, DukeNet has the option to purchase power directly from an electric utility company. Under such an option, DukeNet is responsible for contracting with the electric utility company for its own power feed and meter, and is

financially responsible for purchasing all equipment necessary to accomplish the arrangement, including inverters, batteries, power boards, bus bars, BDFBs, backup power supplies and cabling. The actual work to install this arrangement must be performed by a BellSouth Certified Supplier hired by DukeNet. DukeNet's BellSouth Certified Supplier must comply with all applicable safety codes, including the National Electric Safety Codes, in installing this power arrangement. If DukeNet previously had power supplied by BellSouth, DukeNet may request to change its arrangement to obtain power from an electric utility company by submitting a Subsequent Application. BellSouth will waive any application fee for this subsequent application if no other change was requested therein. Any floor space, cable racking, etc. utilized by DukeNet in provisioning said power will be billed on an ICB basis.

- 8.6.5 In South Carolina, DukeNet has the option to purchase power directly from an electric utility company where technically feasible and where space is available in a requested Premises. Under such an option, DukeNet is responsible for contracting with the electric utility company for its own power feed and meter, and is financially responsible for purchasing all equipment necessary to accomplish the arrangement, including inverters, batteries, power boards, bus bars, BDFBs, backup power supplies and power cabling. The actual work to install this arrangement must be performed by a BellSouth Certified Supplier hired by DukeNet. DukeNet's BellSouth Certified Supplier must comply with all applicable national, regional, state and local safety, electrical, fire and building codes, including the National Electric Safety Code standards, in installing this power arrangement, just as BellSouth is required to comply with these codes. DukeNet must submit an application to BellSouth for the appropriate amount of Collocation Space that DukeNet requires to install this type of power arrangement. BellSouth will evaluate the request and determine if the appropriate amount of space is available within the office for the installation of DukeNet's power equipment and facilities. This type of power arrangement must be located in an appropriate area in the central office that has been properly conditioned for the installation of power equipment and conforms to the applicable national, regional, state and local safety, electrical, fire and building codes. BellSouth shall waive the application fee or any other nonrecurring charge that would otherwise be due from a CLEC that decides to reconfigure an existing collocation power arrangement so as to purchase power directly from an electric utility company as provided herein. DukeNet shall be responsible for the recurring charges associated with the central office space needed for collocation of this type of power arrangement, including space required to place associated power-related equipment and facilities (i.e., batteries, generator, power meter, etc.). If there is no space available for this type of power arrangement in the requested central office, BellSouth may seek a waiver of these requirements from the Commission for the central office requested. DukeNet would still have the option to order its power needs directly from BellSouth.
- 8.6.6 If DukeNet requests a reduction in the amount of power that BellSouth is currently providing, DukeNet must submit a Subsequent Application. If no modification to the Collocation Space is requested other than the reduction in power, the Subsequent Application Fee for Power Reduction as set forth in Exhibit B will apply. If

- modifications are requested in addition to the reduction of power, the Subsequent Application Fee will apply. BellSouth will bill this nonrecurring fee on the date that BellSouth provides an Application Response.
- In Alabama and Louisiana, if DukeNet is currently served from the BellSouth main power board and requests that its power be reconfigured to connect to a BellSouth BDFB, in a specific central office, DukeNet must submit a Subsequent Application. BellSouth will respond to such application within seven (7) calendar days and no application fee will apply.
- 8.7 <u>Security Escort</u>. A security escort will be required whenever DukeNet or its approved agent desires access to the entrance manhole or must have access to the Premises after the one accompanied site visit allowed pursuant to Section 5 prior to completing BellSouth's Security Training requirements. Rates for a security escort are assessed according to the schedule appended hereto as Exhibit B beginning with the scheduled escort time. BellSouth will wait for one-half (1/2) hour after the scheduled time for such an escort and DukeNet shall pay for such half-hour charges in the event DukeNet fails to show up.
- 8.8 <u>Cable Record charges.</u> These charges apply for work required to build cable records in BellSouth systems. The VG/DS0 per cable record charge is for a maximum of 3600 records. The Fiber cable record charge is for a maximum of 99 records. These nonrecurring fees will be billed upon receipt of DukeNet's BFFO.
- 8.9 Other. If no rate is identified in the contract, the rate for the specific service or function will be negotiated by the Parties upon request by either Party.

9. Insurance

- 9.1 DukeNet shall, at its sole cost and expense, procure, maintain, and keep in force insurance as specified in this Section and underwritten by insurance companies licensed to do business in the states applicable under this Agreement and having a Best's Insurance Rating of A-.
- 9.2 DukeNet shall maintain the following specific coverage:
- 9.2.1 Commercial General Liability coverage in the amount of ten million dollars (\$10,000,000.00) or a combination of Commercial General Liability and Excess/Umbrella coverage totaling not less than ten million dollars (\$10,000,000.00). BellSouth shall be named as an Additional Insured on the Commercial General Liability policy as specified herein.
- 9.2.2 Statutory Workers Compensation coverage and Employers Liability coverage in the amount of one hundred thousand dollars (\$100,000.00) each accident, one hundred thousand dollars (\$100,000.00) each employee by disease, and five hundred thousand dollars (\$500,000.00) policy limit by disease.

- 9.2.3 All Risk Property coverage on a full replacement cost basis insuring all of DukeNet's real and personal property situated on or within BellSouth's Central Office location(s).
- 9.2.4 DukeNet may elect to purchase business interruption and contingent business interruption insurance, having been advised that BellSouth assumes no liability for loss of profit or revenues should an interruption of service occur.
- 9.3 The limits set forth in Section 9.2 above may be increased by BellSouth from time to time during the term of this Agreement upon thirty (30) calendar days notice to DukeNet to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- 9.4 All policies purchased by DukeNet shall be deemed to be primary and not contributing to or in excess of any similar coverage purchased by BellSouth. All insurance must be in effect on or before the date equipment is delivered to Premises and shall remain in effect for the term of this Attachment or until all DukeNet's property has been removed from BellSouth's Premises, whichever period is longer. If DukeNet fails to maintain required coverage, BellSouth may pay the premiums thereon and seek reimbursement of same from DukeNet.
- 9.5 DukeNet shall submit certificates of insurance reflecting the coverage required pursuant to this Section a minimum of ten (10) business days prior to the commencement of any work in the Collocation Space. Failure to meet this interval may result in construction and equipment installation delays. DukeNet shall arrange for BellSouth to receive thirty (30) business days' advance notice of cancellation from DukeNet's insurance company. DukeNet shall forward a certificate of insurance and notice of cancellation/non-renewal to BellSouth at the following address:

BellSouth Telecommunications, Inc. Attn.: Risk Management Coordinator 17H53 BellSouth Center 675 W. Peachtree Street Atlanta, Georgia 30375

- 9.6 DukeNet must conform to recommendations made by BellSouth's fire insurance company to the extent BellSouth has agreed to, or shall hereafter agree to, such recommendations.
- 9.7 <u>Self-Insurance</u>. If DukeNet's net worth exceeds five hundred million dollars (\$500,000,000), DukeNet may elect to request self-insurance status in lieu of obtaining any of the insurance required in Sections 9.2.1 and 9.2.2. DukeNet shall provide audited financial statements to BellSouth thirty (30) calendar days prior to the commencement of any work in the Collocation Space. BellSouth shall then review such audited financial statements and respond in writing to DukeNet in the event that self-insurance status is not granted to DukeNet. If BellSouth approves DukeNet for self-insurance, DukeNet shall annually furnish to BellSouth, and keep current, evidence of such net worth that is attested to by one of DukeNet's corporate officers.

The ability to self-insure shall continue so long as the DukeNet meets all of the requirements of this Section. If DukeNet subsequently no longer satisfies this Section, DukeNet is required to purchase insurance as indicated by Sections 9.2.1 and 9.2.2.

- 9.8 The net worth requirements set forth in Section 9.7 may be increased by BellSouth from time to time during the term of this Attachment upon thirty (30) calendar days' notice to DukeNet to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- 9.9 Failure to comply with the provisions of this Section will be deemed a material breach of this Attachment.

10. Mechanics Liens

10.1 If any mechanics lien or other liens shall be filed against property of either Party (BellSouth or DukeNet), or any improvement thereon by reason of or arising out of any labor or materials furnished or alleged to have been furnished or to be furnished to or for the other Party or by reason of any changes, or additions to said property made at the request or under the direction of the other Party, the other Party directing or requesting those changes shall, within thirty (30) business days after receipt of written notice from the Party against whose property said lien has been filed, either pay such lien or cause the same to be bonded off the affected property in the manner provided by law. The Party causing said lien to be placed against the property of the other shall also defend, at its sole cost and expense, on behalf of the other, any action, suit or proceeding which may be brought for the enforcement of such liens and shall pay any damage and discharge any judgment entered thereon.

11. Inspections

BellSouth may conduct an inspection of DukeNet's equipment and facilities in the Collocation Space(s) prior to the activation of facilities between DukeNet's equipment and equipment of BellSouth. BellSouth may conduct an inspection if DukeNet adds equipment and may otherwise conduct routine inspections at reasonable intervals mutually agreed upon by the Parties. BellSouth shall provide DukeNet with a minimum of forty-eight (48) hours or two (2) business days, whichever is greater, advance notice of all such inspections. All costs of such inspection shall be borne by BellSouth.

12. Security and Safety Requirements

12.1 Unless otherwise specified, DukeNet will be required, at its own expense, to conduct a statewide investigation of criminal history records for each DukeNet employee hired in the past five years being considered for work on the Premises, for the states/counties where the DukeNet employee has worked and lived for the past five years. Where

state law does not permit statewide collection or reporting, an investigation of the applicable counties is acceptable. DukeNet shall not be required to perform this investigation if an affiliated company of DukeNet has performed an investigation of the DukeNet employee seeking access, if such investigation meets the criteria set forth above. This requirement will not apply if DukeNet has performed a pre-employment statewide investigation of criminal history records of the DukeNet employee for the states/counties where the DukeNet employee has worked and lived for the past five years or, where state law does not permit a statewide investigation, an investigation of the applicable counties.

- DukeNet will be required to administer to its personnel assigned to the Premises security training either provided by BellSouth, or meeting criteria defined by BellSouth.
- DukeNet shall provide its employees and agents with picture identification, which must be worn and visible at all times while in the Collocation Space or other areas in or around the Premises. The photo identification card shall bear, at a minimum, the employee's name and photo and DukeNet's name. BellSouth reserves the right to remove from its Premises any employee of DukeNet not possessing identification issued by DukeNet or who has violated any of BellSouth's policies as outlined in the CLEC Security Training documents. DukeNet shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth Premises. DukeNet shall be solely responsible for ensuring that any Guest(s) of DukeNet is in compliance with all subsections of this Section.
- DukeNet shall not assign to the Premises any personnel with records of felony criminal convictions. DukeNet shall not assign to the Premises any personnel with records of misdemeanor convictions, except for misdemeanor traffic violations, without advising BellSouth of the nature and gravity of the offense(s). BellSouth reserves the right to refuse building access to any DukeNet personnel who have been identified to have misdemeanor criminal convictions. Notwithstanding the foregoing, in the event that DukeNet chooses not to advise BellSouth of the nature and gravity of any misdemeanor conviction, DukeNet may, in the alternative, certify to BellSouth that it shall not assign to the Premises any personnel with records of misdemeanor convictions (other than misdemeanor traffic violations).
- 12.4.1 DukeNet shall not knowingly assign to the Premises any individual who was a former employee of BellSouth and whose employment with BellSouth was terminated for a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.
- 12.4.2 DukeNet shall not knowingly assign to the Premises any individual who was a former supplier of BellSouth and whose access to a Premises was revoked due to commission of a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.

- 12.5 For each DukeNet employee or agent hired by DukeNet within five years of being considered for work on the Premises, who requires access to a Premises pursuant to this Attachment, DukeNet shall furnish BellSouth, prior to an employee or agent gaining such access, a certification that the aforementioned background check and security training were completed. The certification will contain a statement that no felony convictions were found and certify that the employee completed the security training. If the employee's criminal history includes misdemeanor convictions, DukeNet will disclose the nature of the convictions to BellSouth at that time. In the alternative, DukeNet may certify to BellSouth that it shall not assign to the Premises any personnel with records of misdemeanor convictions other than misdemeanor traffic violations.
- 12.5.1 For all other DukeNet employees requiring access to a Premises pursuant to this Attachment, DukeNet shall furnish BellSouth, prior to an employee gaining such access, a certification that the employee is not subject to the requirements of Section 12.5 above and that security training was completed by the employee.
- At BellSouth's request, DukeNet shall promptly remove from Premises any employee of DukeNet BellSouth does not wish to grant access to its Premises 1) pursuant to any investigation conducted by BellSouth or 2) prior to the initiation of an investigation if an employee of DukeNet is found interfering with the property or personnel of BellSouth or another collocated telecommunications carrier, provided that an investigation shall promptly be commenced by BellSouth.
- 12.7 Security Violations. BellSouth reserves the right to interview DukeNet's employees, agents, or suppliers in the event of wrongdoing in or around BellSouth's property or involving BellSouth's or another collocated telecommunications carrier's property or personnel, provided that BellSouth shall provide reasonable notice to DukeNet's Security representative of such interview. DukeNet and its suppliers shall reasonably cooperate with BellSouth's investigation into allegations of wrongdoing or criminal conduct committed by, witnessed by, or involving DukeNet's employees, agents, or suppliers. Additionally, BellSouth reserves the right to bill DukeNet for all reasonable costs associated with investigations involving its employees, agents, or suppliers if it is established and mutually agreed in good faith that DukeNet's employees, agents, or suppliers are responsible for the alleged act. BellSouth shall bill DukeNet for BellSouth property, which is stolen or damaged where an investigation determines the culpability of DukeNet's employees, agents, or suppliers and where DukeNet agrees, in good faith, with the results of such investigation. DukeNet shall notify BellSouth in writing immediately in the event that DukeNet discovers one of its employees already working on the Premises is a possible security risk. Upon request of the other Party, the Party who is the employer shall discipline consistent with its employment practices, up to and including removal from BellSouth's Premises, any employee found to have violated the security and safety requirements of this Section. DukeNet shall hold BellSouth harmless for any damages resulting from such removal of its personnel from Premises.

- 12.8 <u>Use of Supplies</u>. Unauthorized use of equipment, supplies or other property by either Party, whether or not used routinely to provide telephone service will be strictly prohibited and handled appropriately. Costs associated with such unauthorized use may be charged to the offending Party, as may be all associated investigative costs.
- 12.9 <u>Use of Official Lines</u>. Except for non-toll calls necessary in the performance of their work, neither Party shall use the telephones of the other Party on the Premises. Charges for unauthorized telephone calls may be charged to the offending Party, as may be all associated investigative costs.
- 12.10 <u>Accountability</u>. Full compliance with the Security requirements of this Section shall in no way limit the accountability of either Party to the other for the improper actions of its employees.

13. <u>Destruction of Collocation Space</u>

13.1 In the event a Collocation Space is wholly or partially damaged by fire, windstorm, tornado, flood or by similar causes to such an extent as to be rendered wholly unsuitable for DukeNet's permitted use hereunder, then either Party may elect within ten (10) calendar days after such damage, to terminate occupancy of the damaged Collocation Space, and if either Party shall so elect, by giving the other written notice of termination, both Parties shall stand released of and from further liability under the terms hereof. If the Collocation Space shall suffer only minor damage and shall not be rendered wholly unsuitable for DukeNet's permitted use, or is damaged and the option to terminate is not exercised by either Party, BellSouth covenants and agrees to proceed promptly without expense to DukeNet, except for improvements not to the property of BellSouth, to repair the damage. BellSouth shall have a reasonable time within which to rebuild or make any repairs, and such rebuilding and repairing shall be subject to delays caused by storms, shortages of labor and materials, government regulations, strikes, walkouts, and causes beyond the control of BellSouth, which causes shall not be construed as limiting factors, but as exemplary only. DukeNet may, at its own expense, accelerate the rebuild of its collocated space and equipment provided however that a BellSouth Certified Supplier is used and the necessary space preparation has been completed. If DukeNet's acceleration of the project increases the cost of the project, then those additional charges will be incurred by DukeNet. Where allowed and where practical, DukeNet may erect a temporary facility while BellSouth rebuilds or makes repairs. In all cases where the Collocation Space shall be rebuilt or repaired, DukeNet shall be entitled to an equitable abatement of rent and other charges, depending upon the unsuitability of the Collocation Space for DukeNet's permitted use, until such Collocation Space is fully repaired and restored and DukeNet's equipment installed therein (but in no event later than thirty (30) calendar days after the Collocation Space is fully repaired and restored). Where DukeNet has placed an Adjacent Arrangement pursuant to Section 3.4, DukeNet shall have the sole responsibility to repair or replace said Adjacent Arrangement provided herein. Pursuant to this Section, BellSouth will restore the associated services to the Adjacent Arrangement.

14. Eminent Domain

14.1 If the whole of a Collocation Space or Adjacent Arrangement shall be taken by any public authority under the power of eminent domain, then this Attachment shall terminate with respect to such Collocation Space or Adjacent Arrangement as of the day possession shall be taken by such public authority and rent and other charges for the Collocation Space or Adjacent Arrangement shall be paid up to that day with proportionate refund by BellSouth of such rent and charges as may have been paid in advance for a period subsequent to the date of the taking. If any part of the Collocation Space or Adjacent Arrangement shall be taken under eminent domain, BellSouth and DukeNet shall each have the right to terminate this Attachment with respect to such Collocation Space or Adjacent Arrangement and declare the same null and void, by written notice of such intention to the other Party within ten (10) calendar days after such taking.

15. Nonexclusivity

DukeNet understands that this Attachment is not exclusive and that BellSouth may enter into similar agreements with other Parties. Assignment of space pursuant to all such agreements shall be determined by space availability and made on a first come, first served basis

ENVIRONMENTAL AND SAFETY PRINCIPLES

The following principles provide basic guidance on environmental and safety issues when applying for and establishing Physical Collocation arrangements.

1. GENERAL PRINCIPLES

- 1.1 Compliance with Applicable Law. BellSouth and DukeNet agree to comply with applicable federal, state, and local environmental and safety laws and regulations including U.S. Environmental Protection Agency (USEPA) regulations issued under the Clean Air Act (CAA), Clean Water Act (CWA), Resource Conservation and Recovery Act (RCRA), Comprehensive Environmental Response, Compensation and Liability Act (CERCLA), Superfund Amendments and Reauthorization Act (SARA), the Toxic Substances Control Act (TSCA), and OSHA regulations issued under the Occupational Safety and Health Act of 1970, as amended and NFPA and National Electrical Codes (NEC) and the NESC (Applicable Laws). Each Party shall notify the other if compliance inspections are conducted by regulatory agencies and/or citations are issued that relate to any aspect of this Attachment.
- 1.2 Notice. BellSouth and DukeNet shall provide notice to the other, including Material Safety Data Sheets (MSDSs), of known and recognized physical hazards or Hazardous Chemicals existing on site or brought on site. A Hazardous Chemical inventory list is posted on an OSHA Poster and updated annually at each Central Office. This Poster is normally located near the front entrance of the building or in the lounge area. Each Party is required to provide specific notice for known potential Imminent Danger conditions. DukeNet should contact 1-800-743-6737 for any BellSouth MSDS required.
- 1.3 Practices/Procedures. BellSouth may make available additional environmental control procedures for DukeNet to follow when working at a Premises (See Section 2, below). These practices/procedures will represent the regular work practices required to be followed by the employees and suppliers of BellSouth for environmental protection. DukeNet will require its suppliers, agents and others accessing the Premises to comply with these practices. Section 2 lists the Environmental categories where BST practices should be followed by DukeNet when operating in the Premises.
- 1.4 <u>Environmental and Safety Inspections</u>. BellSouth reserves the right to inspect the DukeNet space with proper notification. BellSouth reserves the right to stop any DukeNet work operation that imposes Imminent Danger to the environment, employees or other persons in the area or Premises.
- 1.5 <u>Hazardous Materials Brought On Site</u>. Any hazardous materials brought into, used, stored or abandoned at the Premises by DukeNet are owned by DukeNet. DukeNet will indemnify BellSouth for claims, lawsuits or damages to persons or property caused by these materials. Without prior written BellSouth approval, no substantial new safety or environmental hazards can be created by DukeNet or different hazardous materials used by DukeNet at Premises. DukeNet must demonstrate adequate emergency response capabilities for its materials used or remaining at the Premises.
- 1.6 <u>Spills and Releases</u>. When contamination is discovered at a Premises, either Party discovering the condition must notify the other Party. All Spills or Releases of regulated materials will immediately

be reported by DukeNet to BellSouth.

- 1.7 <u>Coordinated Environmental Plans and Permits</u>. BellSouth and DukeNet will coordinate plans, permits or information required to be submitted to government agencies, such as emergency response plans, spill prevention control and countermeasures (SPCC) plans and community reporting. If fees are associated with filing, BellSouth and DukeNet will develop a cost sharing procedure. If BellSouth's permit or EPA identification number must be used, DukeNet must comply with all of BellSouth's permit conditions and environmental processes, including environmental "best management practices (BMP)" (see Section 2, below) and/or selection of BST disposition vendors and disposal sites.
- 1.8 Environmental and Safety Indemnification. BellSouth and DukeNet shall indemnify, defend and hold harmless the other Party from and against any claims (including, without limitation, third-party claims for personal injury or death or real or personal property damage), judgments, damages (including direct and indirect damages and punitive damages), penalties, fines, forfeitures, costs, liabilities, interest and losses arising in connection with the violation or alleged violation of any Applicable Law or contractual obligation or the presence or alleged presence of contamination arising out of the acts or omissions of the indemnifying Party, its agents, suppliers, or employees concerning its operations at the Premises.

2. CATEGORIES FOR CONSIDERATION OF ENVIRONMENTAL ISSUES

- When performing functions that fall under the following Environmental categories on BellSouth's Premises, DukeNet agrees to comply with the applicable sections of the current issue of BellSouth's Environmental and Safety Methods and Procedures (M&Ps), incorporated herein by this reference. DukeNet further agrees to cooperate with BellSouth to ensure that DukeNet's employees, agents, and/or suppliers are knowledgeable of and satisfy those provisions of BellSouth's Environmental M&Ps which apply to the specific Environmental function being performed by DukeNet, its employees, agents and/or suppliers.
- 2.2 The most current version of the reference documentation must be requested from DukeNet's BellSouth Regional Contract Manager (RCM) (f/k/a Account Team Collocation Coordinator ATCC).

ENVIRONMENTAL CATEGORIES	ENVIRONMENTAL ISSUES	ADDRESSED BY THE FOLLOWING DOCUMENTATION
Disposal of hazardous material or other regulated material (e.g., batteries, fluorescent	Compliance with all applicable local, state, & federal laws and regulations	Std T&C 450 Fact Sheet Series 17000

tubes, solvents & cleaning materials)	Pollution liability insurance	Std T&C 660-3
materials)	EVET approval of supplier	Approved Environmental Vendor List (Contact RCM Representative)
Emergency response	Hazmat/waste release/spill fire safety emergency	Fact Sheet Series 17000 Building Emergency Operations Plan (EOP) (specific to and located on Premises)
Contract labor/outsourcing for services with environmental implications	Compliance with all applicable local, state, & federal laws and regulations	Std T&C 450
to be performed on BellSouth Premises (e.g., disposition of hazardous material/waste; maintenance of storage tanks)	Performance of services in accordance with BST's environmental M&Ps	Std T&C 450-B (Contact RCM Representative for copy of appropriate E/S M&Ps.)
	Insurance	Std T&C 660
Transportation of hazardous material	Compliance with all applicable local, state, & federal laws and regulations	Std T&C 450 Fact Sheet Series 17000
	Pollution liability insurance	Std T&C 660-3
	EVET approval of supplier	Approved Environmental Vendor List (Contact RCM Representative)
Maintenance/operations work which may produce a waste	Compliance with all applicable local, state, & federal laws and regulations	Std T&C 450
Other maintenance work	Protection of BST employees and equipment	29CFR 1910.147 (OSHA Standard) 29CFR 1910 Subpart O (OSHA Standard)
Janitorial services	All waste removal and disposal must conform to all applicable federal, state and local regulations	Procurement Manager (CRES Related Matters)-BST Supply Chain Services
	All Hazardous Material and	

	Waste Asbestos notification and protection of employees and equipment	Fact Sheet Series 17000 GU-BTEN-001BT, Chapter 3 BSP 010-170-001BS (Hazcom)
Manhole cleaning	Compliance with all applicable local, state, & federal laws and regulations Pollution liability insurance	Std T&C 450 Fact Sheet 14050 BSP 620-145-011PR Issue A, August 1996 Std T&C 660-3
	EVET approval of supplier	Approved Environmental Vendor List (Contact RCM Representative)
Removing or disturbing building materials that may contain asbestos	Asbestos work practices	GU-BTEN-001BT, Chapter 3 For questions regarding removing or disturbing materials that contain asbestos, call the BellSouth Building Service Center: AL, MS, TN, KY & LA (local area code) 557-6194 FL, GA, NC & SC (local area code) 780-2740

3. **DEFINITIONS**

Generator. Under RCRA, the person whose act produces a Hazardous Waste, as defined in 40 CFR 261, or whose act first causes a Hazardous Waste to become subject to regulation. The Generator is legally responsible for the proper management and disposal of Hazardous Wastes in accordance with regulations.

<u>Hazardous Chemical</u>. As defined in the U.S. Occupational Safety and Health (OSHA) hazard communication standard (29 CFR 1910.1200), any chemical which is a health hazard or physical hazard.

Hazardous Waste. As defined in Section 1004 of RCRA.

<u>Imminent Danger</u>. Any conditions or practices at a Premises which are such that a danger exists which could reasonably be expected to cause immediate death or serious harm to people or immediate significant damage to the environment or natural resources.

Spill or Release. As defined in Section 101 of CERCLA.

4. ACRONYMS

<u>RCM</u> – Regional Collocation Manager (f/k/a Account Team Collocation Coordinator)

BST - BellSouth Telecommunications

<u>CRES</u> – Corporate Real Estate and Services (formerly PS&M)

<u>DEC/LDEC</u> - Department Environmental Coordinator/Local Department Environmental Coordinator

E/S – Environmental/Safety

EVET - Environmental Vendor Evaluation Team

<u>GU-BTEN-001BT</u> - BellSouth Environmental Methods and Procedures

NESC - National Electrical Safety Codes

P&SM - Property & Services Management

Std T&C - Standard Terms & Conditions

Attachment 4

Remote Site Physical Collocation

BELLSOUTH

REMOTE SITE PHYSICAL COLLOCATION

1. Scope of Attachment

- 1.1 Scope of Attachment. The rates, terms, and conditions contained within this Attachment shall only apply when DukeNet is occupying the collocation space as a sole occupant or as a Host within a Remote Site Location ("Remote Collocation Space") pursuant to this Attachment.
- 1.2 Right to occupy. BellSouth shall offer to DukeNet Remote Collocation Space on rates, terms, and conditions that are just, reasonable, non-discriminatory and consistent with the rules of the Federal Communications Commission ("FCC"). Subject to the rates, terms, and conditions of this Attachment, where space is available and collocation is technically feasible, BellSouth will allow DukeNet to occupy that certain area designated by BellSouth within a BellSouth Remote Site Location, or on BellSouth property upon which the BellSouth Remote Site Location is located, of a size, which is specified by DukeNet and agreed to by BellSouth. BellSouth Remote Site Locations include cabinets, huts, and controlled environmental vaults owned or leased by BellSouth that house BellSouth Network Facilities. To the extent this Attachment does not include all the necessary rates, terms and conditions for BellSouth Remote Site Locations other than cabinets, huts and controlled environmental vaults, the Parties will negotiate said rates, terms, and conditions upon request for collocation at BellSouth Remote Site Locations other than those specified above.

1.3 Space Reservation.

- 1.3.1 In all states other than Florida, the number of racks/bays specified by DukeNet may contemplate a request for space sufficient to accommodate DukeNet's growth within a two-year period.
- 1.3.2 In the state of Florida, the number of racks/bays specified by DukeNet may contemplate a request for space sufficient to accommodate DukeNet's growth within an eighteen (18) month period.
- 1.3.3 Neither BellSouth nor any of BellSouth's affiliates may reserve space for future use on more preferential terms than those set forth above.
- 1.4 <u>Third Party Property.</u> If the Premises, or the property on which it is located, is leased by BellSouth from a Third Party or otherwise controlled by a Third Party, special

considerations and intervals may apply in addition to the terms and conditions of this Attachment. Additionally, where BellSouth notifies DukeNet that BellSouth's agreement with a Third Party does not grant BellSouth the ability to provide access and use rights to others, upon DukeNet's request, BellSouth will use its best efforts to obtain the owner's consent and to otherwise secure such rights for DukeNet. DukeNet agrees to reimburse BellSouth for the reasonable and demonstrable costs incurred by BellSouth in obtaining such rights for DukeNet. In cases where a Third Party agreement does not grant BellSouth the right to provide access and use rights to others as contemplated by this Attachment and BellSouth, despite its best efforts, is unable to secure such access and use rights for DukeNet as above, DukeNet shall be responsible for obtaining such permission to access and use such property. BellSouth shall cooperate with DukeNet in obtaining such permission.

- 1.5 <u>Space Reclamation</u>. In the event of space exhaust within a Remote Site Location, BellSouth may include in its documentation for the Petition for Waiver filing any unutilized space in the Remote Site Location. DukeNet will be responsible for any justification of unutilized space within its Remote Collocation Space, if the Commission requires such justification.
- 1.6 <u>Use of Space.</u> DukeNet shall use the Remote Collocation Space for the purposes of installing, maintaining and operating DukeNet's equipment (to include testing and monitoring equipment) necessary for interconnection with BellSouth services and facilities or for accessing BellSouth unbundled network elements (UNEs) for the provision of telecommunications services, as specifically set forth in this Agreement. The Remote Collocation Space may be used for no other purposes except as specifically described herein or in any amendment hereto.
- 1.7 <u>Rates and charges</u>. DukeNet agrees to pay the rates and charges identified in Exhibit B attached hereto.
- 1.8 If any due date contained in this Attachment falls on a weekend or National holiday, then the due date will be the next business day thereafter. For intervals of ten (10) calendar days or less National holidays will be excluded.
- 1.9 The Parties agree to comply with all applicable federal, state, county, local and administrative laws, rules, ordinances, regulations and codes in the performance of their obligations hereunder.

2. Space Availability Report

2.1 <u>Space Availability Report</u>. Upon request from DukeNet, BellSouth will provide a written report ("Space Availability Report"), describing in detail the space that is available for collocation and specifying the amount of Remote Collocation Space available at the Remote Site Location requested, the number of collocators present at the Remote Site Location, any modifications in the use of the space since the last

report on the Remote Site Location requested and the measures BellSouth is taking to make additional space available for collocation arrangements. A Space Availability Report does not reserve space at the Remote Site Location.

- 2.1.1 The request from DukeNet for a Space Availability Report must be written and must include the Common Language Location Identification ("CLLI") code for both the Remote Site Location and the serving wire center. The CLLI code information for the serving wire center is located in the National Exchange Carrier Association (NECA) Tariff FCC No. 4. If DukeNet is unable to obtain the CLLI code for the Remote Site Location from, for example, a site visit to the remote site, DukeNet may request the CLLI code from BellSouth. To obtain a CLLI code for a Remote Site Location directly from BellSouth, DukeNet should submit to BellSouth a Remote Site Interconnection Request for the serving wire center CLLI code prior to submitting its request for a Space Availability Report. DukeNet should complete all the requested information and submit the Request to BellSouth. BellSouth will bill the applicable fee upon receipt of the request.
- 2.1.2 BellSouth will respond to a request for a Space Availability Report for a particular Remote Site Location within ten (10) calendar days of receipt of such request. BellSouth will make best efforts to respond in ten (10) calendar days to such a request when the request includes from two (2) to five (5) Remote Site Locations within the same state. The response time for requests of more than five (5) Remote Site Locations shall be negotiated between the Parties. If BellSouth cannot meet the ten (10) calendar day response time, BellSouth shall notify DukeNet and inform DukeNet of the time frame under which it can respond.
- 2.2 <u>Remote Terminal information.</u> Upon request, BellSouth will provide DukeNet with the following information concerning BellSouth's remote terminals: (i) the address of the remote terminal; (ii) the CLLI code of the remote terminal; (iii) the carrier serving area of the remote terminal; (iv) the designation of which remote terminals subtend a particular central office; and (v) the number and address of customers that are served by a particular remote terminal.
- 2.2.1 BellSouth will provide this information on a first come, first served basis within thirty (30) calendar days of a DukeNet request subject to the following conditions: (i) the information will only be provided on a CD in the same format in which it appears in BellSouth's systems; (ii) the information will only be provided for each serving wire center designated by DukeNet, up to a maximum of thirty (30) wire centers per DukeNet request per month per state, and up to for a maximum of one hundred twenty (120) wire centers total per month per state for all CLECs; and (iii) DukeNet agrees to pay the costs incurred by BellSouth in providing the information.

3. Collocation Options

3.1 <u>Cageless.</u> BellSouth shall allow DukeNet to collocate DukeNet's equipment and facilities without requiring the construction of a cage or similar structure. BellSouth

shall allow DukeNet to have direct access to DukeNet's equipment and facilities in accordance with Section 5.8. BellSouth shall make cageless collocation available in single rack/bay increments. Except where DukeNet's equipment requires special technical considerations (e.g., special cable racking or isolated ground plane), BellSouth shall assign cageless Remote Collocation Space in conventional equipment rack lineups where feasible. For equipment requiring special technical considerations, DukeNet must provide the equipment layout, including spatial dimensions for such equipment pursuant to generic requirements contained in Telcordia GR-63-Core, and shall be responsible for compliance with all special technical requirements associated with such equipment pursuant to Section 7.6 following.

- 3.2 Caged. At DukeNet's expense, DukeNet may arrange with a Supplier certified by BellSouth ("BellSouth Certified Supplier") to construct a collocation arrangement enclosure, where technically feasible as that term has been defined by the FCC, in accordance with BellSouth's Technical References (TR) ("Specifications") prior to starting equipment installation. BellSouth will provide Specifications upon request. DukeNet's BellSouth Certified Supplier shall be responsible for filing and receiving any and all necessary permits and/or licenses for such construction. BellSouth shall cooperate with DukeNet and provide, at DukeNet's expense, the documentation, including existing building architectural drawings, enclosure drawings, and Specifications required and necessary for DukeNet's BellSouth Certified Supplier to obtain the zoning, permits and/or other licenses. DukeNet's BellSouth Certified Supplier shall bill DukeNet directly for all work performed for DukeNet pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by DukeNet's BellSouth Certified Supplier. DukeNet must provide the local BellSouth Remote Site Location contact with two Access Keys used to enter the locked enclosure. Except in case of emergency, BellSouth will not access DukeNet's locked enclosure prior to notifying DukeNet at least forty-eight (48) hours before access to the Remote Site Location is required. Upon request, BellSouth shall construct the enclosure for DukeNet.
- 3.2.1 BellSouth may elect to review DukeNet's plans and specifications prior to allowing construction to start to ensure compliance with BellSouth's Specifications. Notification to DukeNet indicating BellSouth's desire to execute this review will be provided in BellSouth's response to the Application, if DukeNet has indicated their desire to construct their own enclosure. If DukeNet's Application does not indicate their desire to construct their own enclosure, but their firm order does indicate their desire to construct their own enclosure, then notification to review will be given within ten (10) calendar days after the Firm Order date. BellSouth shall complete its review within fifteen (15) calendar days after the receipt of the plans and specifications. Regardless of whether or not BellSouth elects to review DukeNet's plans and specifications, BellSouth reserves the right to inspect the enclosure after construction to make sure it is constructed according to the submitted plans and specifications and/or BellSouth's Specifications, as applicable. BellSouth shall require DukeNet to remove or correct within seven (7) calendar days at DukeNet's expense any structure

that does not meet these plans and specifications or, where applicable, BellSouth's Specifications.

- 3.3 Shared Collocation. DukeNet may allow other telecommunications carriers to share DukeNet's Remote Collocation Space pursuant to terms and conditions agreed to by DukeNet ("Host") and other telecommunications carriers ("Guests") and pursuant to this Section, except where the BellSouth Remote Site Location is located within a leased space and BellSouth is prohibited by said lease from offering such an option or is located on property for which BellSouth holds an easement and such easement does not permit such an option. DukeNet shall notify BellSouth in writing upon execution of any agreement between the Host and its Guest within ten (10) calendar days of its execution and prior to any Firm Order. Further, such notice shall include the name of the Guest(s) and the term of the agreement, and shall contain a certification by DukeNet that said agreement imposes upon the Guest(s) the same terms and conditions for Remote Collocation Space as set forth in this Attachment between BellSouth and DukeNet.
- 3.3.1 DukeNet, as the Host, shall be the sole interface and responsible Party to BellSouth for assessment of rates and charges contained within this Attachment and for the purposes of ensuring that the safety and security requirements of this Attachment are fully complied with by the Guest, its employees and agents. BellSouth shall provide DukeNet with a proration of the costs of the Remote Collocation Space based on the number of collocators and the space used by each with a minimum charge of one (1) bay/rack per Host/Guest. In those instances where the Host permits a Guest to use a shelf within the Host's bay, BellSouth will not prorate the cost of the bay. In all states other than Florida, and in addition to the foregoing, DukeNet shall be the responsible party to BellSouth for the purpose of submitting applications for bay/rack placement for the Guest. In Florida the Guest may directly submit bay/rack placement applications using the Host's access carrier name abbreviation (ACNA). A separate Guest application shall require the assessment of an Application Fee, as set forth in Exhibit B, which will be charged to the Host. BellSouth shall bill this nonrecurring fee on the date that BellSouth provides it written response ("Application Response").
- 3.3.2 Notwithstanding the foregoing, the Guest may arrange directly with BellSouth for the provision of the interconnecting facilities between BellSouth and the Guest and for the provision of the services and access to unbundled network elements. The bill for these interconnecting facilities, services and access to UNEs will be charged to the Guest pursuant to the applicable tariff or the Guest's Interconnection Agreement with BellSouth.
- 3.3.3 DukeNet shall indemnify and hold harmless BellSouth from any and all claims, actions, causes of action, of whatever kind or nature arising out of the presence of DukeNet's Guest(s) in the Remote Collocation Space except to the extent caused by BellSouth's sole negligence, gross negligence, or willful misconduct.

- Adjacent Collocation. Subject to technical feasibility and space availability, BellSouth will permit adjacent Remote Site collocation arrangements ("Remote Site Adjacent Arrangement") on the property on which the Remote Site is located when space within the Remote Site Location is legitimately exhausted, where the Remote Site Adjacent Arrangement does not interfere with access to existing or planned structures or facilities on the Remote Site Location property. The Remote Site Adjacent Arrangement shall be constructed or procured by DukeNet and in conformance with BellSouth's design and construction Specifications. Further, DukeNet shall construct, procure, maintain and operate said Remote Site Adjacent Arrangement(s) pursuant to all of the terms and conditions set forth in this Attachment. Rates shall be negotiated at the time of the application for the Remote Site Adjacent Arrangement.
- 3.4.1 Should DukeNet elect Adjacent Collocation, DukeNet must arrange with a BellSouth Certified Supplier to construct a Remote Site Adjacent Arrangement structure in accordance with BellSouth's Specifications. Where local building codes require enclosure specifications more stringent than BellSouth's Specifications, DukeNet and DukeNet's BellSouth Certified Supplier must comply with local building code requirements. DukeNet's BellSouth Certified Supplier shall be responsible for filing and receiving any and all necessary zoning, permits and/or licenses for such construction. DukeNet's BellSouth Certified Supplier shall bill DukeNet directly for all work performed for DukeNet pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by DukeNet's BellSouth Certified Supplier. DukeNet must provide the local BellSouth Remote Site Location contact with two cards, keys or other access device used to enter the locked enclosure. Except in cases of emergency, BellSouth shall not access DukeNet's locked enclosure prior to notifying DukeNet at least forty-eight (48) hours or two (2) business days, whichever is greater, before access to the locked enclosure is required.
- 3.4.2 DukeNet must submit its plans and specifications to BellSouth with its Firm Order. BellSouth shall review DukeNet's plans and specifications prior to construction of a Remote Site Adjacent Arrangement(s) to ensure compliance with BellSouth's Specifications. BellSouth shall complete its review within fifteen (15) calendar days after receipt of plans and specifications. BellSouth may inspect the Remote Site Adjacent Arrangement(s) during and after construction to confirm it is constructed according to the submitted plans and specifications. BellSouth shall require DukeNet to remove or correct within seven (7) calendar days at DukeNet's expense any structure that does not meet these plans and specifications or, where applicable, BellSouth's Specifications.
- 3.4.3 DukeNet shall provide a concrete pad, the structure housing the arrangement, heating/ventilation/air conditioning ("HVAC"), lighting, and all facilities that connect the structure (i.e. racking, conduits, etc.) to the BellSouth point of demarcation. At DukeNet's option, and where the local authority having jurisdiction permits, BellSouth shall provide an AC power source and access to physical collocation services and facilities subject to the same nondiscriminatory requirements as applicable to any other

physical collocation arrangement. In Alabama and Louisiana, BellSouth will provide DC power to Adjacent Collocation sites where technically feasible, as that term has been defined by the FCC, and subject to individual case basis pricing. DukeNet's BellSouth Certified Supplier shall be responsible, at DukeNet's expense, for filing and receiving any and all necessary zoning, permits and/or licenses for such arrangement. BellSouth shall allow Shared Collocation within a Remote Site Adjacent Arrangement pursuant to the terms and conditions set forth herein.

- 3.5 Co-carrier cross-connect (CCXC). The primary purpose of collocation is for a collocated telecommunications carrier to interconnect with BellSouth's network or to access BellSouth's unbundled network elements for the provision of telecommunications services within a BellSouth Premises. BellSouth will permit DukeNet to interconnect between its virtual or physical collocation arrangements and those of another collocated telecommunications carrier within the same Remote Site Location. Both DukeNet's agreement and the other collocated telecommunications carrier's agreement must contain rates, terms and conditions for CCXC language. At no point in time shall DukeNet use the Remote Collocation Space for the sole or primary purpose of cross connecting to other collocated telecommunications carriers.
- 3.5.1 DukeNet must use a BellSouth Certified Supplier to place the CCXC. The CCXC shall be provisioned through facilities owned by DukeNet. Such connections to other collocated telecommunications carriers may be made using either optical or electrical facilities. In cases where DukeNet's equipment and the equipment of the other collocated telecommunications carrier are located in contiguous caged Collocation Spaces, DukeNet will have the option of using DukeNet's own technicians to deploy co-carrier cross connects using either electrical or optical facilities between the sets of equipment and construct its own dedicated cable support structure. DukeNet shall deploy such optical or electrical connections directly between its own facilities and the facilities of other collocated telecommunications carriers without being routed through BellSouth equipment. DukeNet shall not provision CCXC on any BellSouth distribution frame, POT (Point of Termination) Bay, DSX (Digital System Crossconnect) or LGX (Light Guide Cross-connect). DukeNet is responsible for ensuring the integrity of the signal.
- 3.5.2 DukeNet shall be responsible for providing a letter of authorization ("LOA") to BellSouth from the other collocated telecommunications carrier prior to installing the CCXC. DukeNet-provisioned CCXC shall utilize common cable support structure. There will be a recurring charge per linear foot, per cable, of common cable support structure used. In the case of two contiguous caged collocation arrangements, DukeNet will have the option of using DukeNet's own technicians to construct its own dedicated support structure.
- 3.5.3 To order CCXCs, DukeNet must submit an Application. If no modification to the Remote Collocation Space is requested other than the placement of CCXCs, the Subsequent Application Fee for CCXCs, as defined in Exhibit B, will apply. If

modifications in addition to the placement of CCXCs are requested, the Application Fee will apply. This nonrecurring fee will be billed by BellSouth on the date that BellSouth provides an Application Response.

4. Occupancy

- 4.1 Occupancy. BellSouth will notify DukeNet in writing that the Remote Collocation Space is ready for occupancy ("Space Ready Date"). DukeNet will schedule and complete an acceptance walkthrough of each Remote Collocation Space with BellSouth within fifteen (15) calendar days of BellSouth's notifying DukeNet that Remote Collocation Space is ready for occupancy ("Space Ready Date"). BellSouth will correct any deviations to DukeNet's original or jointly amended requirements within seven (7) calendar days after the walkthrough, unless the Parties jointly agree upon a different time frame, and BellSouth shall establish a new Space Ready Date. Another acceptance walkthrough will then be scheduled and conducted within fifteen (15) calendar days of the new Space Ready Date. This follow-up acceptance walkthrough will be limited to those items identified in the initial walkthrough. If DukeNet has met the fifteen (15) calendar day interval(s), billing will begin upon the date of DukeNet's acceptance of the Collocation Space ("Space Acceptance Date"). In the event that DukeNet fails to complete an acceptance walkthrough within this fifteen (15) calendar day interval, the Remote Collocation Space shall be deemed accepted by DukeNet on the Space Ready Date and billing will commence from that date. If DukeNet decides to occupy the space prior to the Space Ready Date, the date DukeNet occupies the space becomes the new Space Acceptance Date and billing begins from that date. DukeNet must notify BellSouth in writing that collocation equipment installation is complete and is operational with BellSouth's network. BellSouth may, at its option, not accept orders for cross connects until receipt of such notice. For purposes of this paragraph, DukeNet's telecommunications equipment will be deemed operational when cross-connected to BellSouth's network for the purpose of service provision.
- 4.2 Termination of Occupancy. In addition to any other provisions addressing termination of occupancy in this Attachment, DukeNet may terminate occupancy in a particular Remote Collocation Space by submitting an Application requesting termination of occupancy; such termination shall be effective upon BellSouth's acceptance of the Space Relinquishment Form. Billing for monthly recurring charges will cease on the date DukeNet and BellSouth conduct an inspection of the terminated space and jointly sign off on the Space Relinquishment Form or on the date that DukeNet signs off on the Space Relinquishment Form and sends the form to BellSouth if a subsequent inspection of the terminated space by BellSouth reveals no discrepancies. If the subsequent inspection by BellSouth reveals discrepancies, billing will cease on the date that BellSouth and DukeNet jointly conduct an inspection which confirms that DukeNet has corrected the discrepancies. An Application Fee will not apply for termination of occupancy. BellSouth may terminate DukeNet's right to occupy the Remote Collocation Space in the event DukeNet fails to comply with any provision of this Agreement.

4.2.1 Upon termination of occupancy, DukeNet at its expense shall remove its equipment and other property from the Remote Collocation Space. DukeNet shall have thirty (30) calendar days from the Bona Fide Firm Order ("BFFO") Application Date ("Termination Date") to complete such removal, including the removal of all equipment and facilities of DukeNet's Guest(s), unless DukeNet's Guest(s) has assumed responsibility for the Remote Collocation Space housing the Guest(s)'s equipment and executed the documentation required by BellSouth prior to such removal date. DukeNet shall continue payment of monthly fees to BellSouth until such date as DukeNet, and if applicable DukeNet's Guest(s), has fully vacated the Remote Collocation Space and the Space Relinquish Form has been accepted by BellSouth. Should DukeNet or DukeNet's Guest(s) fail to vacate the Remote Collocation Space within thirty (30) calendar days from the Termination Date, BellSouth shall have the right to remove the equipment and dispose of the equipment and other property of DukeNet or DukeNet's Guest(s), in any manner that BellSouth deems fit, at DukeNet's expense and with no liability whatsoever for DukeNet's or DukeNet's Guest(s)'s property. Upon termination of DukeNet's right to occupy Remote Collocation Space, the Remote Collocation Space will revert back to BellSouth, and DukeNet shall surrender such Remote Collocation Space to BellSouth in the same condition as when first occupied by the DukeNet except for ordinary wear and tear unless otherwise agreed to by the Parties. For CEVs and huts DukeNet's BellSouth Certified Supplier shall be responsible for updating and making any necessary changes to BellSouth's records as required by BellSouth's Specifications including but not limited to Record Drawings and ERMA Records. DukeNet shall be responsible for the cost of removing any DukeNet constructed enclosure, together with all support structures (e.g., racking, conduits, or power cables), at the termination of occupancy and restoring the grounds to their original condition.

5. Use of Remote Collocation Space

- 5.1 Equipment Type. BellSouth permits the collocation of any type of equipment necessary for interconnection to BellSouth's network or for access to BellSouth's unbundled network elements in the provision of telecommunications services, as the term "necessary" is defined by FCC 47 C.F.R. Section 51.323 (b). The primary purpose and function of any equipment collocated in a Remote Collocation Space must be for interconnection to BellSouth's network or for access to BellSouth's unbundled network elements in the provision of telecommunications services.
- 5.1.1 Examples of equipment that would not be considered necessary include but are not limited to: traditional circuit switching equipment, equipment used exclusively for call-related databases, computer servers used exclusively for providing information services, operations support system (OSS) equipment used to support collocated telecommunications carrier network operations, equipment that generates customer orders, manages trouble tickets or inventory, or stores customer records in centralized databases, etc. BellSouth will determine upon receipt of an application if the requested equipment is necessary based on the criteria established by the FCC.

Multifunctional equipment placed on BellSouth's Premises must not place any greater relative burden on BellSouth's property than comparable single-function equipment. BellSouth reserves the right to permit collocation of any equipment on a nondiscriminatory basis.

- 5.1.2 Such equipment must, at a minimum, meet the following Telcordia Network Equipment Building Systems (NEBS) General Equipment Requirements: Criteria Level 3 requirements as outlined in the Telcordia Special Report SR-3580, Issue 1. Except where otherwise required by a Commission, BellSouth shall comply with the applicable FCC rules relating to denial of collocation based on DukeNet's failure to comply with this Section.
- 5.1.2.1 All DukeNet equipment installation shall comply with BellSouth TR 73503-11h, "Grounding Engineering Procedures". Metallic cable sheaths and metallic strength members of optical fiber cables as well as the metallic cable sheaths of all copper conductor cables shall be bonded to the designated grounding bus for the Remote Site Location. All copper conductor pairs, working and non-working, shall be equipped with a solid-state protector unit (over-voltage protection only), which has been listed by a nationally recognized testing laboratory.
- DukeNet shall identify to BellSouth whenever DukeNet submits a Method of Procedure ("MOP") adding equipment to DukeNet's Remote Collocation Space all UCC-1 lien holders or other entities that have a financial interest, secured or otherwise, in the equipment in DukeNet's Remote Collocation Space. DukeNet shall submit a copy of the list of any lien holders or other entities that have a financial interest to DukeNet's ATCC Representative.
- 5.2 DukeNet shall not use the Remote Collocation Space for marketing purposes nor shall it place any identifying signs or markings in the area surrounding the Remote Collocation Space or on the grounds of the Remote Site Location.
- 5.3 DukeNet shall place a plaque or other identification affixed to DukeNet's equipment to identify DukeNet's equipment, including a list of emergency contacts with telephone numbers.
- Entrance Facilities. DukeNet may elect to place DukeNet-owned or DukeNet-leased fiber entrance facilities into the Remote Collocation Space. BellSouth will designate the point of interconnection at the Remote Site Location housing the Remote Collocation Space, which is physically accessible by both Parties. DukeNet will provide and place copper cable through conduit from the Remote Collocation Space to the Feeder Distribution Interface to the splice location of sufficient length for splicing by BellSouth. DukeNet must contact BellSouth for instructions prior to placing the entrance facility cable. DukeNet is responsible for maintenance of the entrance facilities.

- Shared Use. DukeNet may utilize spare capacity on an existing interconnector entrance facility for the purpose of providing an entrance facility to DukeNet's collocation arrangement within the same BellSouth Remote Site Location. BellSouth shall allow splicing to the entrance facility, provided that the fiber is non-working fiber. DukeNet must arrange with BellSouth in accordance with BellSouth's Special Construction Procedures, RL93-11-030BT, and provide a LOA from the other telecommunications carrier for BellSouth to splice the DukeNet provided riser cable to the spare capacity on the entrance facility. If DukeNet desires to allow another telecommunications carrier to use its entrance facilities, then that telecommunications carrier must arrange with BellSouth in accordance with BellSouth's Special Construction Procedures, RL93-11-030BT, and provide a LOA from DukeNet for BellSouth to splice that telecommunications carrier's provided riser cable to the spare capacity on DukeNet's entrance facility.
- Demarcation Point. BellSouth will designate the point(s) of demarcation between DukeNet's equipment and/or network and BellSouth's network. Each Party will be responsible for maintenance and operation of all equipment/facilities on its side of the demarcation point. DukeNet or its agent must perform all required maintenance to DukeNet equipment/facilities on its side of the demarcation point, pursuant to Section 5.6, following.
- DukeNet's Equipment and Facilities. DukeNet, or if required by this Attachment, DukeNet's BellSouth Certified Supplier, is solely responsible for the design, engineering, installation, testing, provisioning, performance, monitoring, maintenance and repair of the equipment and facilities used by DukeNet which must be performed in compliance with all applicable BellSouth Specifications. Such equipment and facilities may include but are not limited to cable(s), equipment, and point of termination connections. DukeNet and its selected BellSouth Certified Supplier must follow and comply with all BellSouth requirements outlined in BellSouth's TR 73503, TR 73519, TR 73572, and TR 73564.
- 5.7 <u>BellSouth's Access to Remote Collocation Space</u>. From time to time BellSouth may require access to the Remote Collocation Space. BellSouth retains the right to access the Remote Collocation Space for the purpose of making BellSouth equipment and Remote Site Location modifications. Except in case of emergency, BellSouth will give notice to DukeNet at least forty-eight (48) hours before access to the Remote Collocation Space is required. DukeNet may elect to be present whenever BellSouth performs work in the Collocation Space. The Parties agree that DukeNet will not bear any of the expense associated with this work.
- 5.8 Access. Pursuant to Section 12, DukeNet shall have access to the Remote Collocation Space twenty-four (24) hours a day, seven (7) days a week. DukeNet agrees to provide the name and social security number or date of birth or driver's license number of each employee, supplier, or agents of DukeNet or DukeNet's Guests to be provided with access keys or cards ("Access Keys") prior to the issuance of said Access Keys

using form RF-2906-C "CLEC and CLEC Certified Supplier Access Request and Acknowledgement". Key acknowledgement forms, "Collocation Acknowledgement Sheet" for access cards and "Key Acknowledgement Form" for keys, must be signed by DukeNet and returned to BellSouth Access Management within fifteen (15) calendar days of DukeNet's receipt. Failure to return properly acknowledged forms will result in the holding of subsequent requests until acknowledgements are current. Access Keys shall not be duplicated under any circumstances. DukeNet agrees to be responsible for all Access Keys and for the return of all said Access Keys in the possession of DukeNet's employees, suppliers, Guests, or agents after termination of the employment relationship, contractual obligation with DukeNet or upon the termination of this Attachment or the termination of occupancy of an individual Remote Collocation Space arrangement.

- BellSouth will permit one accompanied site visit to DukeNet's designated collocation arrangement location after receipt of the BFFO without charge to DukeNet. DukeNet must submit to BellSouth the completed Access Control Request Form for all employees or agents requiring access to the BellSouth Remote Site Location a minimum of thirty (30) calendar days prior to the date DukeNet desires access to the Remote Collocation Space. In order to permit reasonable access during construction of the Remote Collocation Space, DukeNet may submit such a request at any time subsequent to BellSouth's receipt of the BFFO. In the event DukeNet desires access to the Remote Collocation Space after submitting such a request but prior to access being approved, in addition to the first accompanied free visit, BellSouth shall permit DukeNet to access the Remote Collocation Space accompanied by a security escort at DukeNet's expense. DukeNet must request escorted access at least three (3) business days prior to the date such access is desired.
- 5.9 <u>Lost or Stolen Access Keys</u>. DukeNet shall notify BellSouth in writing immediately in the case of lost or stolen Access Keys. Should it become necessary for BellSouth to re-key Remote Site Locations or deactivate a card as a result of a lost Access Key(s) or for failure to return an Access Key(s), DukeNet shall pay for all reasonable costs associated with the re-keying or deactivating the card.
- 5.10 Interference or Impairment. Notwithstanding any other provisions of this Attachment, DukeNet shall not use any product or service provided under this Agreement, any other service related thereto or used in combination therewith, or place or use any equipment and facilities in any manner that 1) significantly degrades, interferes with or impairs service provided by BellSouth or by any other entity or any person's use of its telecommunications service; 2) endangers or damages the equipment, facilities or other property of BellSouth or of any other entity or person; 3) compromises the privacy of any communications; or 4)creates an unreasonable risk of injury or death to any individual or to the public. If BellSouth reasonably determines that any equipment or facilities of DukeNet violates the provisions of this paragraph, BellSouth shall give written notice to DukeNet, which notice shall direct DukeNet to cure the violation within forty-eight (48) hours of DukeNet's actual receipt of written notice or, at a

minimum, to commence curative measures within 24 hours and to exercise reasonable diligence to complete such measures as soon as possible thereafter. After receipt of the notice, the Parties agree to consult immediately and, if necessary, to inspect the arrangement.

- 5.10.1 Except in the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services, if DukeNet fails to take curative action within forty-eight (48) hours or if the violation is of a character which poses an immediate and substantial threat of damage to property, injury or death to any person, or any other significant degradation, interference or impairment of BellSouth's or any other entity's service, then and only in that event BellSouth may take such action as it deems appropriate to correct the violation, including without limitation the interruption of electrical power to DukeNet's equipment. BellSouth will endeavor, but is not required, to provide notice to DukeNet prior to taking such action and shall have no liability to DukeNet for any damages arising from such action, except to the extent that such action by BellSouth constitutes willful misconduct.
- 5.10.2 For purposes of this section, the term significantly degrade shall mean an action that noticeably impairs a service from a user's perspective. In the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services and DukeNet fails to take curative action within forty-eight (48) hours then BellSouth will establish before the Commission that the technology deployment is causing the significant degradation. Any claims of network harm presented to DukeNet or, if subsequently necessary, the Commission must be supported with specific and verifiable information. Where BellSouth demonstrates that a deployed technology is significantly degrading the performance of other advanced services or traditional voice band services, DukeNet shall discontinue deployment of that technology and migrate its customers to technologies that will not significantly degrade the performance of other such services. Where the only degraded service itself is a known disturber, and the newly deployed technology satisfies at least one of the criteria for a presumption that is acceptable for deployment under Section 47 C.F.R. 51.230, the degraded service shall not prevail against the newly-deployed technology.
- Personalty and its Removal. Facilities and equipment placed by DukeNet in the Remote Collocation Space shall not become a part of the Remote Site Location, even if nailed, screwed or otherwise fastened to the Remote Collocation Space but shall retain their status as personalty and may be removed by DukeNet at any time. Any damage caused to the Remote Collocation Space by DukeNet's employees, agents or representatives shall be promptly repaired by DukeNet at its expense.
- 5.11.1 If DukeNet decides to remove equipment from its Remote Collocation Space and the removal requires no physical changes, BellSouth will bill DukeNet an Administrative

Only Application Fee as set forth in Exhibit B for these changes. This nonrecurring fee will be billed on the date that BellSouth provides an Application Response.

- Alterations. In no case shall DukeNet or any person acting on behalf of DukeNet make any rearrangement, modification, improvement, addition, or other alteration which could affect in any way space, power, HVAC, and/or safety considerations to the Remote Collocation Space or the BellSouth Remote Site Location without the written consent of BellSouth, which consent shall not be unreasonably withheld. The cost of any specialized alterations shall be paid by DukeNet. Any such material rearrangement, modification, improvement, addition, or other alteration shall require an application and Application Fee. BellSouth will bill the nonrecurring fee on the date that BellSouth provides an Application Response.
- 5.13 <u>Upkeep of Remote Collocation Space</u>. DukeNet shall be responsible for the general upkeep and cleaning of the Remote Collocation Space. DukeNet shall be responsible for removing any DukeNet debris from the Remote Collocation Space and from in and around the Remote Site Location on each visit.

6. Ordering and Preparation of Remote Collocation Space

- 6.1 Should any state or federal regulatory agency impose procedures or intervals applicable to DukeNet and BellSouth that are different from procedures or intervals set forth in this Section, whether now in effect or that become effective after execution of this Agreement, those procedures or intervals shall supersede the requirements set forth herein for that jurisdiction for all applications submitted for the first time after the effective date thereof
- Remote Site Application. When DukeNet or DukeNet's Guest(s) desires to install a bay/rack in a Remote Site Location, DukeNet shall submit to BellSouth a Physical Expanded Interconnection Application Document ("Application"). The application is Bona Fide when it is complete and accurate, meaning that all required fields on the application are completed with the appropriate type of information. An application fee will apply which will be billed on the date that BellSouth provides an Application Response. The placement of an additional bay/rack at a later date will be treated in the same fashion and an application will be required. The installation of additional shelves/equipment, subject to the restrictions contained in Section 5.10, within an existing bay/rack does not require an application.
- Availability of Space. Upon submission of an application, BellSouth will permit DukeNet to physically collocate, pursuant to the terms of this Attachment, at any BellSouth Remote Site Location, unless BellSouth has determined that there is no space available due to space limitations or that collocation at the Remote Site Location is not practical for technical reasons. In the event space is not immediately available at a Remote Site Location, BellSouth reserves the right to make additional space available, in which case the conditions in Section 7 shall apply, or BellSouth may elect to deny space in accordance with this Section in which case virtual or adjacent

collocation options may be available. If the amount of space requested is not available, BellSouth will notify DukeNet of the amount that is available.

- 6.4 Space Availability Notification.
- Unless otherwise specified, BellSouth will respond to an application within ten (10) calendar days as to whether space is available or not available within a BellSouth Remote Site Location. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide the items necessary to cause the application to become Bona Fide. If the amount of space requested is not available, BellSouth will notify DukeNet of the amount of space that is available and no Application Fee shall apply. When BellSouth's response includes an amount of space less than that requested by DukeNet or differently configured no application fee shall apply. If DukeNet decides to accept the available space, DukeNet must resubmit its application to reflect the actual space available prior to submitting a BFFO and an application fee will be billed.
- 6.4.2 BellSouth will respond to a Florida application within fifteen (15) calendar days as to whether space is available or not available within a BellSouth Remote Site Location. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide the items necessary to cause the application to become Bona Fide. If a lesser amount of space than requested is available, BellSouth will provide an Application Response for the amount of space that is available and an Application Fee will be billed by BellSouth on the date that BellSouth provides an Application Response. When BellSouth's Application Response includes an amount of space less than that requested by DukeNet or differently configured, if DukeNet decides to accept the available space, DukeNet must amend its application to reflect the actual space available prior to submitting a BFFO.
- BellSouth will respond to a Louisiana application within ten (10) calendar days for space availability for one (1) to ten (10) applications; fifteen (15) calendar days for eleven (11) to twenty (20) applications; and for more than twenty (20) applications, the response interval is increased by five (5) calendar days for every five additional applications received within five (5) business days. If the amount of space requested is not available, BellSouth will notify DukeNet of the amount of space that is available and no Application Fee will apply. When BellSouth's response includes an amount of space less than that requested by DukeNet or differently configured no application fee shall apply. If DukeNet decides to accept the available space, DukeNet must resubmit its application to reflect the actual space available prior to submitting a BFFO and an application fee will be billed. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide the items necessary to cause the application to become Bona Fide.
- 6.5 <u>Denial of Application</u>. If BellSouth notifies DukeNet that no space is available ("Denial of Application"), BellSouth will not assess an Application Fee. After notifying DukeNet that BellSouth has no available space in the requested Remote Site

Location, BellSouth will allow DukeNet, upon request, to tour the Remote Site Location within ten (10) calendar days of such Denial of Application. In order to schedule said tour within ten (10) calendar days, the request for a tour of the Remote Site Location must be received by BellSouth within five (5) calendar days of the Denial of Application.

- 6.6 Filing of Petition for Waiver. Upon Denial of Application BellSouth will timely file a petition with the Commission pursuant to 47 U.S.C. § 251(c)(6). BellSouth shall provide to the Commission any information requested by that Commission. Such information shall include which space, if any, BellSouth or any of BellSouth's affiliates have reserved for future use and a detailed description of the specific future uses for which the space has been reserved. Subject to an appropriate nondisclosure agreement or provision, BellSouth shall permit DukeNet to inspect any plans or diagrams that BellSouth provides to the Commission.
- Maiting List. On a first-come, first-served basis governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Remote Site Location is out of space, have submitted a Letter of Intent to collocate. BellSouth will notify the telecommunications carriers on the waiting list that can be accommodated by the amount of space that becomes available according to the position of the telecommunications carriers on said waiting list.
- 6.7.1 In Florida, on a first-come, first-served basis governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Remote Site Location is out of space, have submitted a Letter of Intent to collocate. Sixty (60) calendar days prior to space becoming available, if known, BellSouth will notify the Florida PSC and the telecommunications carriers on the waiting list by mail when space becomes available according to the position of the telecommunications carrier on said waiting list. If not known sixty (60) calendar days in advance, BellSouth shall notify the Florida PSC and the telecommunications carriers on the waiting list within two business days of the determination that space is available. A telecommunications carrier that, upon denial of physical collocation, requests virtual collocation shall be automatically placed on the waiting list.
- 6.7.2 When space becomes available, DukeNet must submit an updated, complete, and correct application to BellSouth within thirty (30) calendar days of such notification. If DukeNet has originally requested caged Remote Collocation Space and cageless Remote Collocation Space becomes available, DukeNet may refuse such space and notify BellSouth in writing within that time that DukeNet wants to maintain its place on the waiting list without accepting such space. DukeNet may accept an amount of space less than its original request by submitting an application as set forth above, and upon request, may maintain its position on the waiting list for the remaining space that was initially requested. If DukeNet does not submit such an application or notify

BellSouth in writing as described above, BellSouth will offer such space to the next telecommunications carrier on the waiting list and remove DukeNet from the waiting list. Upon request, BellSouth will advise DukeNet as to its position on the list.

- 6.8 Public Notification. BellSouth will maintain on its Interconnection Services website a notification document that will indicate all Remote Site Locations that are without available space. BellSouth shall update such document within ten (10) calendar days of the date that BellSouth becomes aware that there is insufficient space to accommodate collocation at the Remote Site Location. BellSouth will also post a document on its Interconnection Services website that contains a general notice where space has become available in a Remote Site Location previously on the space exhaust list.
- 6.9 Application Response.
- 6.9.1 In Florida, within fifteen (15) calendar days of receipt of a Bona Fide application, when space has been determined to be available or when a lesser amount of space than that requested is available, then with respect to the space available, BellSouth will provide an Application Response including sufficient information to enable DukeNet to place a Firm Order. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8. When DukeNet submits ten (10) or more applications within ten (10) calendar days, the initial fifteen (15) calendar day response period will increase by ten (10) calendar days for every additional ten (10) applications or fraction thereof.
- 6.9.2 In Alabama, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, and Tennessee when space has been determined to be available, BellSouth will provide an Application Response within twenty (20) calendar days of receipt of a Bona Fide application. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8.
- 6.9.3 In Louisiana, when space has been determined to be available, BellSouth will respond with an Application Response within thirty (30) calendar days for one (1) to ten (10) applications; thirty (35) calendar days for eleven (11) to twenty (20) applications; and for requests of more than twenty (20) applications, the Application Response interval will be increased by five (5) calendar days for every five (5) applications received within five (5) business days. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8.
- 6.10 Application Modifications.
- 6.10.1 If a modification or revision is made to any information in the Bona Fide application prior to a BFFO, with the exception of modifications to Customer Information,

Contact Information or Billing Contact Information, either at the request of DukeNet or necessitated by technical considerations, said application shall be considered a new application and shall be handled as a new application with respect to response and provisioning intervals and BellSouth will charge DukeNet a full application fee as set forth in Exhibit B. BellSouth will bill the nonrecurring fee on the date that BellSouth provides an Application Response.

- 6.10.2 Bona Fide Firm Order.
- 6.10.3 DukeNet shall indicate its intent to proceed with equipment installation in a BellSouth Remote Site Location by submitting a Firm Order to BellSouth. The BFFO must be received by BellSouth no later than thirty (30) calendar days after BellSouth's Application Response to DukeNet's Bona Fide application or the application will expire.
- 6.10.4 BellSouth will establish a firm order date based upon the date BellSouth is in receipt of a BFFO. BellSouth will acknowledge the receipt of DukeNet's BFFO within seven (7) calendar days of receipt indicating that the BFFO has been received. A BellSouth response to a BFFO will include a Firm Order Confirmation containing the firm order date. No revisions will be made to a BFFO.

7. Construction and Provisioning

- 7.1 Construction and Provisioning Intervals.
- 7.1.1 In Florida, BellSouth will complete construction for collocation arrangements as soon as possible and within a maximum of ninety (90) calendar days from receipt of a BFFO or as agreed to by the Parties. For changes to Remote Collocation Space after initial space completion ("Augmentation"), BellSouth will complete construction for collocation arrangements as soon as possible and within a maximum of forty-five (45) calendar days from receipt of a BFFO or as agreed to by the Parties. If BellSouth does not believe that construction will be completed within the relevant time frame and BellSouth and DukeNet cannot agree upon a completion date, within forty-five (45) calendar days of receipt of the BFFO for an initial request, and within thirty (30) calendar days for Augmentations, BellSouth may seek an extension from the Florida Commission.
- 7.1.2 In Alabama, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, and Tennessee, BellSouth will complete construction for collocation arrangements under ordinary conditions as soon as possible and within a maximum of sixty (60) calendar days from receipt of a BFFO and ninety (90) calendar days from receipt of a BFFO for extraordinary conditions or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). Extraordinary conditions shall include, but not limited to, major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade;

major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.

- 7.1.3 In Louisiana, BellSouth will complete construction for collocation arrangements under ordinary conditions as soon as possible and within a maximum of sixty (60) calendar days from receipt of a BFFO for an initial request, and within 60 calendar days for an Augmentation, or as agreed to by the Parties. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.
- 7.2 In the event BellSouth does not have space immediately available at a Remote Site Location, BellSouth may elect to make additional space available by, for example but not limited to, rearranging BellSouth facilities or constructing additional capacity. In such cases, the above intervals shall not apply and BellSouth will provision the Remote Collocation Space in a nondiscriminatory manner and at parity with BellSouth and will provide DukeNet with the estimated completion date in its Response.
- Joint Planning. Joint planning between BellSouth and DukeNet will commence within a maximum of twenty (20) calendar days from BellSouth's receipt of a BFFO. BellSouth will provide the preliminary design of the Remote Collocation Space and the equipment configuration requirements as reflected in the Bona Fide application and affirmed in the BFFO. The Remote Collocation Space completion time period will be provided to DukeNet during joint planning.
- 7.4 Permits. Each Party or its agents will diligently pursue filing for the permits required for the scope of work to be performed by that Party or its agents within ten (10) calendar days of the completion of finalized construction designs and specifications.
- Acceptance Walkthrough. DukeNet will schedule and complete an acceptance walkthrough of each Remote Collocation Space with BellSouth within fifteen (15) calendar days of BellSouth's notifying DukeNet that the Remote Collocation Space is ready for occupancy. In the event that DukeNet fails to complete an acceptance walkthrough within this fifteen (15) calendar day interval, the Remote Collocation Space shall be deemed accepted by DukeNet on the Space Ready Date. BellSouth will correct any deviations to DukeNet's original or jointly amended requirements within seven (7) calendar days after the walkthrough, unless the Parties jointly agree upon a different time frame.
- 7.6 <u>Use of BellSouth Certified Supplier</u>. DukeNet shall select a supplier which has been approved by BellSouth to perform all engineering and installation work DukeNet and DukeNet's BellSouth Certified Supplier must follow and comply with all BellSouth requirements outlined in BellSouth's TR 73503, TR 73519, TR 73572, and TR 73564. In some cases, DukeNet must select separate BellSouth Certified Suppliers for

transmission equipment, switching equipment and power equipment. BellSouth shall provide DukeNet with a list of BellSouth Certified Suppliers upon request. The BellSouth Certified Supplier(s) shall be responsible for installing DukeNet's equipment and components, extending power cabling to the BellSouth power distribution frame, performing operational tests after installation is complete, and notifying BellSouth's Outside Plant engineers and DukeNet upon successful completion of installation. The BellSouth Certified Supplier shall bill DukeNet directly for all work performed for DukeNet pursuant to this Attachment, and BellSouth shall have no liability for nor responsibility to pay such charges imposed by the BellSouth Certified Supplier. BellSouth shall make available its supplier certification program to DukeNet or any supplier proposed by DukeNet and will not unreasonably withhold certification. All work performed by or for DukeNet shall conform to generally accepted industry standards.

- 7.7 Alarm and Monitoring. BellSouth may place alarms in the Remote Site Location for the protection of BellSouth equipment and facilities. DukeNet shall be responsible for placement, monitoring and removal of environmental and equipment alarms used to service DukeNet's Remote Collocation Space. Upon request, BellSouth will provide DukeNet with applicable tariffed service(s) to facilitate remote monitoring of collocated equipment by DukeNet. Both Parties shall use best efforts to notify the other of any verified hazardous conditions known to that Party.
- 7.8 Virtual Remote Collocation Space Relocation. In the event physical Remote Collocation Space was previously denied at a Remote Site Location due to technical reasons or space limitations, and physical Remote Collocation Space has subsequently become available, DukeNet may relocate its virtual Remote Collocation arrangements to physical Remote Collocation Space arrangements and pay the appropriate fees for physical Remote Collocation Space and for the rearrangement or reconfiguration of services terminated in the virtual Remote Collocation Space arrangement, as outlined in the appropriate BellSouth tariffs. In the event that BellSouth knows when additional space for physical Remote Collocation Space may become available at the location requested by DukeNet, such information will be provided to DukeNet in BellSouth's written denial of physical Remote Collocation Space. To the extent that (i) physical Remote Collocation Space becomes available to DukeNet within one hundred eighty (180) calendar days of BellSouth's written denial of DukeNet's request for physical collocation, (ii) BellSouth had knowledge that the space was going to become available, and (iii) DukeNet was not informed in the written denial that physical Remote Collocation Space would become available within such one hundred eighty (180) calendar days, then DukeNet may relocate its virtual Remote Collocation Space arrangement to a physical Remote Collocation Space arrangement and will receive a credit for any nonrecurring charges previously paid for such virtual Remote Collocation Space. DukeNet must arrange with a BellSouth Certified Supplier for the relocation of equipment from its virtual Remote Collocation Space to its physical Remote Collocation Space and will bear the cost of such relocation.

- 7.8.1 In Alabama, BellSouth will complete a relocation from virtual collocation to physical collocation within ninety (90) calendar days.
- Virtual to Physical Conversion (In-Place). Virtual collocation arrangements may be converted to "in-place" physical arrangements if the potential conversion meets the following four criteria: 1) there is no change in the amount of equipment or the configuration of the equipment that was in the virtual collocation arrangement; 2) the conversion of the virtual collocation arrangement will not cause the equipment or the results of that conversion to be located in a space that BellSouth has reserved for its own future needs; 3) the converted arrangement does not limit BellSouth's ability to secure its own equipment and facilities due to the location of the virtual collocation arrangement; and 4) any changes to the arrangement can be accommodated by existing power, HVAC, and other requirements. Unless otherwise specified, BellSouth will complete virtual to in-place physical collocation conversions within sixty (60) calendar days from receipt of the BFFO. BellSouth will bill DukeNet an Administrative Only Application Fee as set forth in Exhibit B for these charges on the date that BellSouth provides an Application Response.
- 7.9.1 In Alabama and Tennessee, BellSouth will complete Virtual to Physical Conversions (In Place) within thirty (30) calendar days from receipt of the BFFO.
- 7.10 <u>Cancellation</u>. If, at any time prior to space acceptance, DukeNet cancels its order for the Remote Collocation Space(s) ("Cancellation"), BellSouth will bill the applicable nonrecurring rate for any and all work processes for which work has begun. In Georgia, if DukeNet cancels its order for Remote Collocation Space at any time prior to space acceptance, BellSouth will bill DukeNet for all costs incurred prior to the date of Cancellation and for any costs incurred as a direct result of the Cancellation, not to exceed the total amount that would have been due had the order not been cancelled.
- 7.11 <u>Licenses.</u> DukeNet, at its own expense, will be solely responsible for obtaining from governmental authorities, and any other appropriate agency, entity, or person, all rights, privileges, and licenses necessary or required to operate as a provider of telecommunications services to the public or to build-out, equip and occupy the Remote Collocation Space.
- 7.12 <u>Environmental Hazard Guidelines</u>. The Parties agree to utilize and adhere to the Environmental Hazard Guidelines identified in Exhibit A attached hereto.

8. Rates and Charges

8.1 Recurring Charges. If DukeNet has met the applicable fifteen (15) calendar day walkthrough interval(s) specified in Section 4, billing for recurring charges will begin upon the Space Acceptance Date. In the event that DukeNet fails to complete an acceptance walkthrough within the applicable fifteen (15) calendar day interval(s), billing for recurring charges will commence on the Space Ready Date. If DukeNet

- occupies the space prior to the Space Ready Date, the date DukeNet occupies the space becomes the new Space Acceptance Date and billing for recurring charges begin on that date.
- 8.2 <u>Application Fee.</u> BellSouth shall assess an Application Fee via a service order, which shall be issued at the time BellSouth responds that space is available pursuant to Section 6.10 (Application Response). This nonrecurring fee will be billed by BellSouth on the date that BellSouth provides an Application Response.
- 8.2.1 In Tennessee, the applicable application fee is the planning fee for both Initial Applications and Subsequent Applications placed by DukeNet. This nonrecurring fee will be billed by BellSouth on the date that BellSouth provides an Application Response.
- 8.3 Rack/Bay Space. The rack/bay space charge includes reasonable charges for air conditioning, ventilation and other allocated expenses associated with maintenance of the Remote Site Location, and includes amperage necessary to power DukeNet's equipment. DukeNet shall pay rack/bay space charges based upon the number of racks/bays requested. BellSouth will assign Remote Collocation Space in conventional remote site rack/bay lineups where feasible.
- Remote Collocation Space at a BellSouth Power Board or BellSouth Battery
 Distribution Fuse Bay (BDFB) at DukeNet's option within the Remote Site Location.
 The charge for power shall be assessed as part of the recurring charge for rack/bay space. If the power requirements for DukeNet's equipment exceeds the capacity available, then such power requirements shall be assessed on an individual case basis.
 BellSouth will revise recurring power charges to reflect a power upgrade upon notification of the completion of the upgrade by DukeNet's BellSouth Certified Vendor. BellSouth will revise recurring power charges to reflect a power reduction upon BellSouth's receipt of the Power Reduction Form from DukeNet certifying the completion of the power reduction, including the removal of the power cabling by DukeNet's BellSouth Certified Supplier.
- Adjacent Collocation Power. Charges for AC power will be assessed per breaker ampere per month. Rates include the provision of commercial and standby AC power, where available. When obtaining power from a BellSouth service panel, protection devices and power cables must be engineered (sized), and installed by DukeNet's BellSouth Certified Supplier except that BellSouth shall engineer and install protection devices and power cables for Adjacent Collocation. DukeNet's BellSouth Certified Supplier must also provide a copy of the engineering power specification prior to the equipment becoming operational. Charges for AC power shall be assessed pursuant to the rates specified in Exhibit B. AC power voltage and phase ratings shall be determined on a per location basis. At DukeNet's option, DukeNet may arrange for

AC power in an Adjacent Collocation arrangement from a retail provider of electrical power.

- 8.5 <u>Security Escort</u>. A security escort will be required whenever DukeNet or its approved agent desires access to the Remote Site Location after the one accompanied site visit allowed pursuant to Section 5 prior to completing BellSouth's Security Training requirements. Rates for a security escort are assessed according to the schedule appended hereto as Exhibit B beginning with the scheduled escort time. BellSouth will wait for one-half (1/2) hour after the scheduled time for such an escort and DukeNet shall pay for such half-hour charges in the event DukeNet fails to show up.
- 8.6 Other. If no rate is identified in the contract, the rate for the specific service or function will be negotiated by the Parties upon request by either Party.

9. Insurance

- 9.1 DukeNet shall, at its sole cost and expense, procure, maintain, and keep in force insurance as specified in this Section and underwritten by insurance companies licensed to do business in the states applicable under this Agreement and having a Best's Insurance Rating of A-.
- 9.2 DukeNet shall maintain the following specific coverage:
- 9.2.1 Commercial General Liability coverage in the amount of ten million dollars (\$10,000,000.00) or a combination of Commercial General Liability and Excess/Umbrella coverage totaling not less than ten million dollars (\$10,000,000.00). BellSouth shall be named as an Additional Insured on the Commercial General Liability policy as specified herein.
- 9.2.2 Statutory Workers Compensation coverage and Employers Liability coverage in the amount of one hundred thousand dollars (\$100,000.00) each accident, one hundred thousand dollars (\$100,000.00) each employee by disease, and five hundred thousand dollars (\$500,000.00) policy limit by disease.
- 9.2.3 All Risk Property coverage on a full replacement cost basis insuring all of DukeNet's real and personal property situated on or within BellSouth's Remote Site Location.
- 9.2.4 DukeNet may elect to purchase business interruption and contingent business interruption insurance, having been advised that BellSouth assumes no liability for loss of profit or revenues should an interruption of service occur.
- 9.3 The limits set forth in Section 9.2 above may be increased by BellSouth from time to time during the term of this Agreement upon thirty (30) calendar days notice to DukeNet to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.

- All policies purchased by DukeNet shall be deemed to be primary and not contributing to or in excess of any similar coverage purchased by BellSouth. All insurance must be in effect on or before the date equipment is delivered to BellSouth's Remote Site Location and shall remain in effect for the term of this Attachment or until all of DukeNet's property has been removed from BellSouth's Remote Site Location, whichever period is longer. If DukeNet fails to maintain required coverage, BellSouth may pay the premiums thereon and seek reimbursement of same from DukeNet.
- 9.5 DukeNet shall submit certificates of insurance reflecting the coverage required pursuant to this Section a minimum of ten (10) business days prior to the commencement of any work in the Remote Collocation Space. Failure to meet this interval may result in construction and equipment installation delays. DukeNet shall arrange for BellSouth to receive thirty (30) business days' advance notice of cancellation from DukeNet's insurance company. DukeNet shall forward a certificate of insurance and notice of cancellation/non-renewal to BellSouth at the following address:

BellSouth Telecommunications, Inc. Attn.: Risk Management Coordinator 17H53 BellSouth Center 675 W. Peachtree Street Atlanta, Georgia 30375

- 9.6 DukeNet must conform to recommendations made by BellSouth's fire insurance company to the extent BellSouth has agreed to, or shall hereafter agree to, such recommendations.
- 9.7 Self-Insurance. If DukeNet's net worth exceeds five hundred million dollars (\$500,000,000), DukeNet may elect to request self-insurance status in lieu of obtaining any of the insurance required in Sections 9.2.1 and 9.2.2. DukeNet shall provide audited financial statements to BellSouth thirty (30) calendar days prior to the commencement of any work in the Remote Collocation Space. BellSouth shall then review such audited financial statements and respond in writing to DukeNet in the event that self-insurance status is not granted to DukeNet. If BellSouth approves DukeNet for self-insurance, DukeNet shall annually furnish to BellSouth, and keep current, evidence of such net worth that is attested to by one of DukeNet's corporate officers. The ability to self-insure shall continue so long as DukeNet meets all of the requirements of this Section. If DukeNet subsequently no longer satisfies this Section, DukeNet is required to purchase insurance as indicated by Sections 9.2.1 and Section 9.2.2.
- 9.8 The net worth requirements set forth in Section 9.7 may be increased by BellSouth from time to time during the term of this Attachment upon thirty (30) calendar days' notice to DukeNet to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.

9.9 Failure to comply with the provisions of this Section will be deemed a material breach of this Attachment.

10. Mechanics Liens

10.1 If any mechanics lien or other liens shall be filed against property of either Party (BellSouth or DukeNet), or any improvement thereon by reason of or arising out of any labor or materials furnished or alleged to have been furnished or to be furnished to or for the other Party or by reason of any changes, or additions to said property made at the request or under the direction of the other Party, the other Party directing or requesting those changes shall, within thirty (30) business days after receipt of written notice from the Party against whose property said lien has been filed, either pay such lien or cause the same to be bonded off the affected property in the manner provided by law. The Party causing said lien to be placed against the property of the other shall also defend, at its sole cost and expense, on behalf of the other, any action, suit or proceeding which may be brought for the enforcement of such liens and shall pay any damage and discharge any judgment entered thereon.

11. <u>Inspections</u>

11.1 BellSouth may conduct an inspection of DukeNet's equipment and facilities in the Remote Collocation Space(s) prior to the activation of facilities between DukeNet's equipment and equipment of BellSouth. BellSouth may conduct an inspection if DukeNet adds equipment and may otherwise conduct routine inspections at reasonable intervals mutually agreed upon by the Parties. BellSouth shall provide DukeNet with a minimum of forty-eight (48) hours or two (2) business days, whichever is greater, advance notice of all such inspections. All costs of such inspection shall be borne by BellSouth.

12. Security and Safety Requirements

Unless otherwise specified, DukeNet will be required, at its own expense, to conduct a statewide investigation of criminal history records for each DukeNet employee hired in the past five years being considered for work on the BellSouth Remote Site Location, for the states/counties where the DukeNet employee has worked and lived for the past five years. Where state law does not permit statewide collection or reporting, an investigation of the applicable counties is acceptable. DukeNet shall not be required to perform this investigation if an affiliated company of DukeNet has performed an investigation of the DukeNet employee seeking access, if such investigation meets the criteria set forth above. This requirement will not apply if DukeNet has performed a pre-employment statewide investigation of criminal history records of the DukeNet employee for the states/counties where the DukeNet employee has worked and lived for the past five years or, where state law does not permit a statewide investigation, an investigation of the applicable counties.

- DukeNet will be required to administer to their personnel assigned to the BellSouth Premises security training either provided by BellSouth, or meeting criteria defined by BellSouth.
- DukeNet shall provide its employees and agents with picture identification, which must be worn, and visible at all times while in the Remote Collocation Space or other areas in or around the Remote Site Location. The photo Identification card shall bear, at a minimum, the employee's name and photo, and DukeNet's name. BellSouth reserves the right to remove from its Remote Site Location any employee of DukeNet not possessing identification issued by DukeNet or who have violated any of BellSouth's policies as outlined in the CLEC Security Training documents. DukeNet shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth Remote Site Location. DukeNet shall be solely responsible for ensuring that any Guest(s) of DukeNet is in compliance with all subsections of this Section.
- DukeNet shall not assign to the BellSouth Remote Site Location any personnel with records of felony criminal convictions. DukeNet shall not assign to the BellSouth Remote Site Location any personnel with records of misdemeanor convictions, except for misdemeanor traffic violations, without advising BellSouth of the nature and gravity of the offense(s). BellSouth reserves the right to refuse access to any DukeNet personnel who have been identified to have misdemeanor criminal convictions. Notwithstanding the foregoing, in the event that DukeNet chooses not to advise BellSouth of the nature and gravity of any misdemeanor conviction, DukeNet may, in the alternative, certify to BellSouth that it shall not assign to the BellSouth Remote Site Location any personnel with records of misdemeanor convictions (other than misdemeanor traffic violations).
- DukeNet shall not knowingly assign to the BellSouth Remote Site Location any individual who was a former employee of BellSouth and whose employment with BellSouth was terminated for a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.
- DukeNet shall not knowingly assign to the BellSouth Remote Site Location any individual who was a former supplier of BellSouth and whose access to a BellSouth Remote Site Location was revoked due to commission of a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.
- 12.5 For each DukeNet employee or agent hired by DukeNet within five years of being considered for work on the BellSouth Remote Site Location, who requires access to a BellSouth Remote Site Location pursuant to this Attachment, DukeNet shall furnish BellSouth, prior to an employee gaining such access, a certification that the aforementioned background check and security training were completed. The certification will contain a statement that no felony convictions were found and certifying that the security training was completed by the employee. If the employee's

criminal history includes misdemeanor convictions, DukeNet will disclose the nature of the convictions to BellSouth at that time. In the alternative, DukeNet may certify to BellSouth that it shall not assign to the BellSouth Remote Site Location any personnel with records of misdemeanor convictions other than misdemeanor traffic violations.

- 12.5.1 For all other DukeNet employees requiring access to a BellSouth Remote Site Location pursuant to this Attachment, DukeNet shall furnish BellSouth, prior to an employee gaining such access, a certification that the employee is not subject to the requirements of Section 12.5 above and that security training was completed by the employee.
- At BellSouth's request, DukeNet shall promptly remove from BellSouth's Remote Site Location any employee of DukeNet BellSouth does not wish to grant access to its Remote Site Location 1) pursuant to any investigation conducted by BellSouth or 2) prior to the initiation of an investigation if an employee of DukeNet is found interfering with the property or personnel of BellSouth or another collocated telecommunications carrier, provided that an investigation shall promptly be commenced by BellSouth.
- 12.7 Security Violations. BellSouth reserves the right to interview DukeNet's employees, agents, or suppliers in the event of wrongdoing in or around BellSouth's property or involving BellSouth's or another collocated telecommunications carrier's property or personnel, provided that BellSouth shall provide reasonable notice to DukeNet's Security representative of such interview. DukeNet and its suppliers shall reasonably cooperate with BellSouth's investigation into allegations of wrongdoing or criminal conduct committed by, witnessed by, or involving DukeNet's employees, agents, or suppliers. Additionally, BellSouth reserves the right to bill DukeNet for all reasonable costs associated with investigations involving its employees, agents, or suppliers if it is established and mutually agreed in good faith that DukeNet's employees, agents, or suppliers are responsible for the alleged act. BellSouth shall bill DukeNet for BellSouth property, which is stolen or damaged where an investigation determines the culpability of DukeNet's employees, agents, or suppliers and where DukeNet agrees, in good faith, with the results of such investigation. DukeNet shall notify BellSouth in writing immediately in the event that the DukeNet discovers one of its employees already working on the BellSouth Remote Site Location is a possible security risk. Upon request of the other Party, the Party who is the employer shall discipline consistent with its employment practices, up to and including removal from BellSouth's Remote Site Location, any employee found to have violated the security and safety requirements of this section. DukeNet shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth's Remote Site Location.
- 12.8 <u>Use of Supplies</u>. Unauthorized use of telecommunications equipment or supplies by either Party, whether or not used routinely to provide telephone service (e.g. plug-in cards,) will be strictly prohibited and handled appropriately. Costs associated with such

- unauthorized use may be charged to the offending Party, as may be all associated investigative costs.
- 12.9 <u>Use of Official Lines</u>. Except for non-toll calls necessary in the performance of their work, neither Party shall use the telephones of the other Party on the BellSouth Remote Site Location. Charges for unauthorized telephone calls may be charged to the offending Party, as may be all associated investigative costs.
- 12.10 <u>Accountability</u>. Full compliance with the Security requirements of this Section shall in no way limit the accountability of either Party to the other for the improper actions of its employees.

13. <u>Destruction of Remote Collocation Space</u>

In the event a Remote Collocation Space is wholly or partially damaged by fire, 13.1 windstorm, tornado, flood or by similar causes to such an extent as to be rendered wholly unsuitable for DukeNet's permitted use hereunder, then either Party may elect within ten (10) calendar days after such damage, to terminate this Attachment with respect to the affected Remote Collocation Space, and if either Party shall so elect, by giving the other written notice of termination, both Parties shall stand released of and from further liability under the terms hereof with respect to such Remote Collocation Space. If the Remote Collocation Space shall suffer only minor damage and shall not be rendered wholly unsuitable for DukeNet's permitted use, or is damaged and the option to terminate is not exercised by either Party, BellSouth covenants and agrees to proceed promptly without expense to DukeNet, except for improvements not to the property of BellSouth, to repair the damage. BellSouth shall have a reasonable time within which to rebuild or make any repairs, and such rebuilding and repairing shall be subject to delays caused by storms, shortages of labor and materials, government regulations, strikes, walkouts, and causes beyond the control of BellSouth, which causes shall not be construed as limiting factors, but as exemplary only. DukeNet may, at its own expense, accelerate the rebuild of its Remote Collocation Space and equipment provided however that a BellSouth Certified Supplier is used and the necessary space preparation has been completed. Rebuild of equipment must be performed by a BellSouth Certified Vendor. If DukeNet's acceleration of the project increases the cost of the project, then those additional charges will be incurred by DukeNet. Where allowed and where practical, DukeNet may erect a temporary facility while BellSouth rebuilds or makes repairs. In all cases where the Remote Collocation Space shall be rebuilt or repaired, DukeNet shall be entitled to an equitable abatement of rent and other charges, depending upon the unsuitability of the Remote Collocation Space for DukeNet's permitted use, until such Remote Collocation Space is fully repaired and restored and DukeNet's equipment installed therein (but in no event later than thirty (30) calendar days after the Remote Collocation Space is fully repaired and restored). Where DukeNet has placed a Remote Site Adjacent Arrangement pursuant to Section 3.4, DukeNet shall have the sole responsibility to repair or replace said Remote Site Adjacent Arrangement

provided herein. Pursuant to this Section, BellSouth will restore the associated services to the Remote Site Adjacent Arrangement.

14. Eminent Domain

14.1 If the whole of a Remote Collocation Space or Remote Site Adjacent Arrangement shall be taken by any public authority under the power of eminent domain, then this Attachment shall terminate with respect to such Remote Collocation Space or Remote Site Adjacent Arrangement as of the day possession shall be taken by such public authority and rent and other charges for the Remote Collocation Space or Remote Site Adjacent Arrangement shall be paid up to that day with proportionate refund by BellSouth of such rent and charges as may have been paid in advance for a period subsequent to the date of the taking. If any part of the Remote Collocation Space or Remote Site Adjacent Arrangement shall be taken under eminent domain, BellSouth and DukeNet shall each have the right to terminate this Attachment with respect to such Remote Collocation Space or Remote Site Adjacent Arrangement and declare the same null and void, by written notice of such intention to the other Party within ten (10) calendar days after such taking.

15. <u>Nonexclusivity</u>

DukeNet understands that this Attachment is not exclusive and that BellSouth may enter into similar agreements with other Parties. Assignment of space pursuant to all such agreements shall be determined by space availability and made on a first come, first served basis.

ENVIRONMENTAL AND SAFETY PRINCIPLES

The following principles provide basic guidance on environmental and safety issues when applying for and establishing Physical Collocation arrangements.

1. GENERAL PRINCIPLES

- 1.1 Compliance with Applicable Law. BellSouth and DukeNet agree to comply with applicable federal, state, and local environmental and safety laws and regulations including U.S. Environmental Protection Agency (USEPA) regulations issued under the Clean Air Act (CAA), Clean Water Act (CWA), Resource Conservation and Recovery Act (RCRA), Comprehensive Environmental Response, Compensation and Liability Act (CERCLA), Superfund Amendments and Reauthorization Act (SARA), the Toxic Substances Control Act (TSCA), and OSHA regulations issued under the Occupational Safety and Health Act of 1970, as amended and NFPA and National Electrical Codes (NEC) and the NESC ("Applicable Laws"). Each Party shall notify the other if compliance inspections are conducted by regulatory agencies and/or citations are issued that relate to any aspect of this Attachment.
- 1.2 <u>Notice</u>. BellSouth and DukeNet shall provide notice to the other, including Material Safety Data Sheets (MSDSs), of known and recognized physical hazards or Hazardous Chemicals existing on site or brought on site. A Hazardous Chemical inventory list is posted on an OSHA Poster and updated annually at each Central Office. This Poster is normally located near the front entrance of the building or in the lounge area. Each Party is required to provide specific notice for known potential Imminent Danger conditions. DukeNet should contact 1-800-743-6737 for any BellSouth MSDS required.
- 1.3 Practices/Procedures. BellSouth may make available additional environmental control procedures for DukeNet to follow when working at a BellSouth Remote Site Location (See Section 2, below). These practices/procedures will represent the regular work practices required to be followed by the employees and suppliers of BellSouth for environmental protection. DukeNet will require its suppliers, agents and others accessing the BellSouth Remote Site Location to comply with these practices. Section 2 lists the Environmental categories where BST practices should be followed by DukeNet when operating in the BellSouth Remote Site Location.
- 1.4 <u>Environmental and Safety Inspections</u>. BellSouth reserves the right to inspect the DukeNet space with proper notification. BellSouth reserves the right to stop any DukeNet work operation that imposes Imminent Danger to the environment, employees or other persons in the area or Remote Site Location.
- 1.5 <u>Hazardous Materials Brought On Site</u>. Any hazardous materials brought into, used, stored or abandoned at the BellSouth Remote Site Location by DukeNet are owned by DukeNet. DukeNet will indemnify BellSouth for claims, lawsuits or damages to persons or property caused by these materials. Without prior written BellSouth approval, no substantial new safety or environmental hazards can be created by DukeNet or different hazardous materials used by DukeNet at the BellSouth Remote Site Location. DukeNet must demonstrate adequate emergency response capabilities for its materials used or remaining at the BellSouth Remote Site Location.

- 1.6 <u>Spills and Releases</u>. When contamination is discovered at a BellSouth Remote Site Location, either Party discovering the condition must notify the other Party. All Spills or Releases of regulated materials will immediately be reported by DukeNet to BellSouth.
- 1.7 <u>Coordinated Environmental Plans and Permits</u>. BellSouth and DukeNet will coordinate plans, permits or information required to be submitted to government agencies, such as emergency response plans, spill prevention control and countermeasures (SPCC) plans and community reporting. If fees are associated with filing, BellSouth and DukeNet will develop a cost sharing procedure. If BellSouth's permit or EPA identification number must be used, DukeNet must comply with all of BellSouth's permit conditions and environmental processes, including environmental "best management practices (BMP)" (see Section 2, below) and/or selection of BST disposition vendors and disposal sites.
- 1.8 Environmental and Safety Indemnification. BellSouth and DukeNet shall indemnify, defend and hold harmless the other Party from and against any claims (including, without limitation, third-party claims for personal injury or death or real or personal property damage), judgments, damages, (including direct and indirect damages, and punitive damages), penalties, fines, forfeitures, costs, liabilities, interest and losses arising in connection with the violation or alleged violation of any Applicable Law or contractual obligation or the presence or alleged presence of contamination arising out of the acts or omissions of the indemnifying Party, its agents, suppliers, or employees concerning its operations at the Remote Site Location.

2. CATEGORIES FOR CONSIDERATION OF ENVIRONMENTAL ISSUES

- When performing functions that fall under the following Environmental categories on BellSouth's Remote Site Location, DukeNet agrees to comply with the applicable sections of the current issue of BellSouth's Environmental and Safety Methods and Procedures (M&Ps), incorporated herein by this reference. DukeNet further agrees to cooperate with BellSouth to ensure that DukeNet's employees, agents, and/or suppliers are knowledgeable of and satisfy those provisions of BellSouth's Environmental M&Ps which apply to the specific Environmental function being performed by DukeNet, its employees, agents and/or suppliers.
- 2.1.1 The most current version of reference documentation must be requested from DukeNet's BellSouth Account Team Collocation Coordinator (ATCC) Representative.

ENVIRONMENTAL CATEGORIES	ENVIRONMENTAL ISSUES	ADDRESSED BY THE FOLLOWING DOCUMENTATION
Disposal of hazardous material or other regulated material (e.g., batteries, fluorescent	Compliance with all applicable local, state, & federal laws and regulations	Std T&C 450 Fact Sheet Series 17000
tubes, solvents & cleaning materials)	Pollution liability insurance	 Std T&C 660-3 Approved Environmental Vendor List (Contact ATCC

	EVET approval of supplier	Representative)
Emergency response	Hazmat/waste release/spill fire safety emergency	 Fact Sheet Series 1700 Building Emergency Operations Plan (EOP) (specific to and located on Remote Site Location)
Contract labor/outsourcing for services with environmental implications to be performed on BellSouth Remote Site Location (e.g., disposition of hazardous material/waste; maintenance of storage tanks)	Compliance with all applicable local, state, & federal laws and regulations Performance of services in accordance with BST's environmental M&Ps Insurance	 Std T&C 450 Std T&C 450-B (Contact ATCC Representative for copy of appropriate E/S M&Ps.) Std T&C 660
Transportation of hazardous material	Compliance with all applicable local, state, & federal laws and regulations Pollution liability insurance	 Std T&C 450 Fact Sheet Series 17000 Std T&C 660-3
	EVET approval of supplier	Approved Environmental Vendor List (Contact ATCC Representative)
Maintenance/operations work which may produce a waste	Compliance with all applicable local, state, & federal laws and regulations	• Std T&C 450
Other maintenance work	Protection of BST employees and equipment	 29CFR 1910.147 (OSHA Standard) 29CFR 1910 Subpart O (OSHA Standard)
Janitorial services	All waste removal and disposal must conform to all applicable federal, state and local regulations	-Procurement Manager (CRES Related Matters)-BST Supply Chain Services
	All Hazardous Material and Waste Asbestos notification and	Fact Sheet Series 17000
	protection of employees and equipment	 GU-BTEN-001BT, Chapter 3 BSP 010-170-001BS (Hazcom)

Manhole cleaning	Compliance with all applicable local, state, & federal laws and regulations	 Std T&C 450 Fact Sheet 14050 BSP 620-145-011PR Issue A, August 1996
	Pollution liability insurance	• Std T&C 660-3
	EVET approval of supplier	Approved Environmental Vendor List (Contact ATCC Representative)
Removing or disturbing building materials that may contain asbestos	Asbestos work practices	GU-BTEN-001BT, Chapter 3 For questions regarding removing or disturbing materials that contain asbestos, call the BellSouth Building Service Center: AL, MS, TN, KY & LA (local area code) 557-6194 FL, GA, NC & SC (local area code) 780-2740

3. **DEFINITIONS**

<u>Generator</u>. Under RCRA, the person whose act produces a Hazardous Waste, as defined in 40 CFR 261, or whose act first causes a Hazardous Waste to become subject to regulation. The Generator is legally responsible for the proper management and disposal of Hazardous Wastes in accordance with regulations.

<u>Hazardous Chemical</u>. As defined in the U.S. Occupational Safety and Health (OSHA) hazard communication standard (29 CFR 1910.1200), any chemical which is a health hazard or physical hazard.

Hazardous Waste. As defined in section 1004 of RCRA.

<u>Imminent Danger</u>. Any conditions or practices at a remote site location which are such that a danger exists which could reasonably be expected to cause immediate death or serious harm to people or immediate significant damage to the environment or natural resources.

Spill or Release. As defined in Section 101 of CERCLA.

4. ACRONYMS

ATCC - Account Team Collocation Coordinator

BST - BellSouth Telecommunications

<u>CRES</u> – Corporate Real Estate and Services (formerly PS&M)

<u>DEC/LDEC</u> - Department Environmental Coordinator/Local Department Environmental Coordinator

E/S – Environmental/Safety

EVET - Environmental Vendor Evaluation Team

<u>GU-BTEN-001BT</u> - BellSouth Environmental Methods and Procedures

NESC - National Electrical Safety Codes

P&SM - Property & Services Management

Std T&C - Standard Terms & Conditions

COLLOCAT	ION - Alabama											D . C .		ment 4		bit B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring			,		Rates (\$)	,	
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		ļ	L								i					
HYSICAL CO	DLLOCATION															
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Analog - Res			UEPSR	PE1R2	0 03	12 30	11 80	6 03	5 44		15 66		_		
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus			UEPSP	PE1R2	0.03	12 30	11 80	6 03	5 44		15 66				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Voice Grade PBX Trunk - Res			UEPSE	PE1R2	0 03	12 30	11 80	6 03	5 44		15 66				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Analog - Bus			UEPSB	PE1R2	0 03	12 30	11 80	6 03	5 44		15 66		_		
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire ISDN			UEPSX	PE1R2	0 03	12 30	11 80	6 03	5 44		15 66				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire ISDN			UEPTX	PE1R2	0 03	12 30	11 80	6 03	5 44		15 66				
	Physical Collocation 4-Wire Cross Connect, Exchange Port 4- Wire ISDN DS1			UEPEX	PE1R4	0.05	12 39	11 87	6 39	5 73	-	15 66				
ILIVEICAL CO	DLLOCATION	-	1	UEPEX	PEIK4	0.03	12 38	1107	0.39	373	···	13 00				
HISICAL CO	Physical Collocation - Application Fee - Initial			CLO	PE1BA		1.879 48	1 879 48			 					
_	Physical Collocation - Application Fee - Subsequent		 		PE1CA		1,566 60	1,566 60								
	Physical Collocation - Cageless - Application Fee	-	 		PE1CH		1,205 26	1,205 26			-	1				
	Physical Collocation Administrative Only - Application Fee				PE18L		742 15	1,200 20							<u> </u>	†
	Physical Collocation - Space Preparation - Firm Order Processing			CLO	PE1SJ		600 71	600 71								
	Physical Collocation - Space Preparation - C O Modification per square ft			CLO	PE1SK	1 96						<u> </u>				
	Physical Collocation - Space Preparation - Common Systems Modification per square ft - Cageless			cro	PE1SL	2 62								_		
-	Physical Colfocation - Space Preparation - Common Systems			Cro	PE1SM	88 86					-					
	Modification per Cage		-	CLO	PE1BD	00 00	859 71	859 71	22 49	22 49		 	+	_		
	Physical Collocation - Cable Installation		-	CLO	PE1BU	3 22	009 / 1	60971	22 49	22 49	-		-			
	Physical Collocation - Floor Space per Sq. FI Physical Collocation - Cable Support Structure, Per Entrance			CLO	PE1PM	17 11					<u> </u>				-	
	Cable Street Control C			CLO	PE1CJ	14 97					-	!				·
	Physical Collocation - Cageless - Cable Support Structure Physical Collocation - Power -48V DC Power, per Fused Amp			CLO	PE1CJ PE1PL	7 83										
	Physical Collocation - 120V, Single Phase Standby Power Rate			CLO	PE1FB	4 91										
	Physical Collocation - 240V, Single Phase Standby Power Rate	į		CLÓ	PE1FD	9 84										
	Physical Collocation - 120V, Three Phase Standby Power Rate			CLO	PE1FE	14 74										
	Physical Collocation - 277V, Three Phase Standby Power Rate			CLO	PE1FG	34 06										
	Physical Collocation - 2-Wire Cross-Connects				PE1P2	0 03	12 30	11 80	6 03	5 44						
				CLO, UAL, UDL, UDN, UEA, UHL, UNCVX, UNCDX,												
	Physical Collocation - 4-Wire Cross-Connects			UCL CLO,UEANL,UEQ,W	PE1P4	0 05	12 39	11 87	6 39	5 73			-			
				DS1L,WDS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1,			:									
	Physical Collocation - DS1 Cross-Connects			UDL CIVED 1,	PE1P1	1 11	22 03	15 93	6 40	5 79						

COLLOCAT	ION - Alabama													ment: 4		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'i	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs Electronic- Disc Add'l
													ļ		Disc 1st	Disc Add 1
				· · · · · · · · · · · · · · · · · · ·		Rec	Nonrec		Nonrecurring					Rates (\$)		
ļi				OLO LIEGUATRO			First	Add'l	First	Add*l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				CLO, UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3,												
	Physical Collocation - DS3 Cross-Connects			U1TS1,ULDS1, UNLD3, UDL	PE1P3	14 16	20 89	15 20	7 38	5 92						1
<u> </u>	Physical Collocation - DS3 Cross-Connects		 	CLO, ULDO3,	PE IP3	14 16	20 89	15 20	/ 30	5 92						
	Change College for 3 5 to a Case Conse			ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1F2	2 81	20 89	15.20	7.20	5 92						
—	Physical Collocation - 2-Fiber Cross-Connect				PE IF2	281	20.89	15 20	7 38	5 92						
				CLO, ULDO3 ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3,												
	Physical Collocation - Cageless - 2 Fiber Cross Connect			UDL12, UDF	PE1CK	2 84	20 89	15 20	7 38	5 92						
	Physical Collocation - 4-Fiber Cross-Connect			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1F4	4 99	25 55	19 8 6	9 71	8 25	į.					
	1 Trysical Conocation - 4-1 iber Closs-Commect		1	CLO, ULDO3.	1 2 11 4	7 55	20 00	10 00	571	0 23	 				-	1
	Physical Collocation - Cageless - 4-Fiber Cross-Connect			ULD12 ULD48 U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1CL	5 69	25 55	19 86	9 71	8 25						
1	Physical Collocation - Cageless - 4-Fiber Cross-Conflect Physical Collocation - Welded Wire Cage - First 100 Sq. Ft			CLO	PE1BW	156 33	20 00	19 00	971	0 23	1					
1	Physical Collocation - Welded Wire Cage - rifs 100 Sq. Ft		-	CLO	PE1CW	15 34					1					
	Physical Collocation - Security Access System - Security System			CLO	FLICVV	13 34										-
	per Central Office			CLO	PE1AX	45 70										
	Physical Collocation - Security Access System - New Access				1	i			1 1					ĺ		
	Card Activation, per Card			CLO	PE1A1	0.05	27 79	27 79								-
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card			CLO	PE1AA		7 79	7 79								
1 1	Physical Collocation - Security Access System - Replace Lost or			0.0	B544B	1 1	20.70	00.70			ł					
\vdash	Stolen Card, per Card Physical Collocation - Security Access - Initial Key, per Key		-	CLO CLO	PE1AR PE1AK	 	22 78 13 10	22 78 13 10							ļ	
\vdash	Physical Collocation - Security Access - Initial Rey, per Rey Physical Collocation - Security Access - Key, Reptace Lost or		 	CLO	F E IAIN	 	13 10	13 10	 		<u> </u>	1	 	 		
1	Stolen Key, per Key			CLO	PE1AL		13 10	13 10			1				1	1
 	Physical Collocation - Space Availability Report per premises	 	 	CLO	PE1SR		1,075 17	1,075 17			† ·				1	
				UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,UDL				,=== //								
	POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect	1	1	UNCVX UNCDX, UNCNX	PE1PE	0 08									1	1
	per cross-connect		1	UEANL,UEA,UDN,U	FEIRE	0.08			-		1	-	 	 		+
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect			DC,UAL,UHL,UCL.,U EQ,CLO, USL, UNCVX, UNCDX	PE1PF	0 17										
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect			UĒANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ.CLO,WDS1L,W DS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL UNLD1	PE1PG	1 20										

COLLOCAT	ION - Alabama													ment [.] 4	Exhi	bit [.] B
CATEGORY	RATE ELEMENTS	Interi m	Zone.	BCS	USOC			RATES (\$)				Submitted	Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs Electronic Disc Add
			<u> </u>	<u> </u>		Rec	Nonrec		Nonrecurring				oss			
				UEANL.UEA.UDN.U		-	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMÁN	SOMAN
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect,			DC,UAL,UHL,UCL,U EQ,CLO,UE3, U1TD3, UXTD3, UXTS1, UNC3X UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UDL,												
	per cross-connect				PE1PH	10 67			!							
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B2	36 40										
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect	:		UEANL,UEA,UDN,U DC UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48 UDLO3, JUDL12, UDF	PE1B4	49 09										
	Physical Collocation - Request Resend of CFA Information, per	Ì		i									•			
	CLU	-	ļ		PE1C9 PE1CR		77 56 759 29	488 11	133 00	400.00						
	Nonrecurring Collocation Cable Records - per request Nonrecurring Collocation Cable Records - VG/DS0 Cable, per		 	CLO	PETCR		/59 29	488 11	133 00	133 00						
	cable record			CLO	PE1CD		326 92	326 92	189 12	189 12						
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per each 100 pair			CLO	PE1CO		4 81	4 81	1	5 90	1					
	Nonrecurring Collocation Cable Records - DS1, per T1TIE		-		PE1C1	-	2 25	2 25		2 76						
	Nonrecurring Collocation Cable Records - DS3 per T3TIE		1		PE1C3		7 88	7 88		9 66						
	Nonrecurring Colocation Cable Records - Fiber Cable, per 99								-							
	fiber records		<u> </u>	cro	PE1CB		84 49	84 49	77 13	77 13						
	Physical Collocation - Security Escort - Basic, per Half Hour			CLO,CLORS	PE1BT		16 93	10 73	ļ					ļ	<u> </u>	
	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE1OT		22 05	13 86								ļ
ĺ	Physical Collocation - Security Escort - Premium, per Half Hour				PE1PT]	27 17	16 98]		1					
	V to P Conversion, Per Customer Request-Voice Grade				PE1BV		33 00									
	V to P Conversion, Per Customer Request-DS0				PE1BO		33 00									
	V to P Conversion, Per Customer Request-DS1			CLO	PE1B1		52 00									
	V to P Conversion, Per Customer request-DS3 V to P Conversion, Per Customer Request per VG Circuit		-	CLO	PE1B3		52 00						_	ļ		
l	Reconfigured	ļ		CLO	PE1BR		23 00		()		[ĺ		
	V to P Conversion, Per Customer Request per DS0 Circuit Reconfigured			CLO	PE1BP		23 00									
	V to P Conversion, Per Customer Request per DS1 Circuit Reconfigured				PE1B\$		33 00									
	V to P Conversion, Per Customer Request per DS3 Circuit Reconfigured			CLO	PE1BE		37 00									
	V to P Conversion, Cable Pairs Assigned to Collo Space per 700 prs or fraction thereof				PE1B7		592 00									
	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per cable, per linear ft				PE1ES	0 0011	352 00									
	Physical Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable, per lin. ft.			CLO, UE3, USL	PE1DS	0 0016										
	Physical Collocation - Co-Carner Cross Connects Only - Application Fee, per application			CLO	PE1DT	_	584 22									

COLLOCAT	ION - Alabama													ment: 4	·	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	всѕ	USOC			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svo Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add
					!	Rec	Nonrec		Nonrecurring		CONTEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
			ļ		<u> </u>		First	Add'l	First	Add'l	SUMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
	Physical Collocation - Application to Augment Exsisting Space -			CLO	PE1KS	ì	594 41		1 21							
	Simple		1	CLO	PEINS	<u> </u>	394 41		121	1						-
	Physical Collocation - Application to Augment Exsisting Space - Minor			CLO	PE1KM		833 47		1 21	İ						ĺ
	Physical Collocation - Application to Augment Exsisting Space -		 	020	1 = 113141	 	000 17			 						
	Intermediate			CLO	PE1K1	į	1,058 00		1 21	ļ						
ADJACENT CO				320			.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,									
ADDAOLITI O	Adjacent Collocation - Space Charge per Sq. Ft			CLOAC	PE1JA	0 14				-						•
	Adjacent Collocation - Electrical Facility Charge per Linear Ft		†	CLOAC	PE1JC	5 41			·				·		-	
	Adjacent Collocation - 2-Wire Cross-Connects			CLOAC	PE1P2	0 02	12 30	11 80	6 03	5 44						
			ĺ	UEA,UHL,UDL,UCL]	
	Adjacent Collocation - 4-Wire Cross-Connects			CLOAC	PE1P4	0 04	12 39	11 87	6 39	5 73						
	Adjacent Collocation - DS1 Cross-Connects			USL,CLOAC	PE1P1	1 03	22 03	15 93	6 40	5 79	1				1	
	Adjacent Collocation - DS3 Cross-Connects			CLOAC	PE1P3	13 95	20 89	15 20	7 38	5 92						
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F2	2 36	20 89	15 20	7 38	5 92						
	Adjacent Collocation - 4-Fiber Cross-Connect		1	CLOAC	PE1F4	4 52	25 55	19 86	9 71	8 25						
	Adjacent Collocation - Application Fee		1	CLOAC	PE1JB		1,576 69									
	Adjacent Collocation - 120V, Single Phase Standby Power Rate	l	ì													
	per AC Breaker Amp			CLOAC	PE1FB	4 91										
	Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FD	9 84										
	Adjacent Collocation - 120V Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FE	14 74										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate														1	
	per AC Breaker Amp		<u> </u>	CLOAC	PE1FG	34 06										
	Adjacent Collocation - DC power provisioning (Alabama Only Mandate)			CLOAC			ICB									
	Note ICB means Individual Case Basis					<u></u>										
PHYSICAL CO	LLOCATION IN THE REMOTE SITE															
L	Physical Collocation in the Remote Site - Application Fee			CLORS	PE 1RA		307 70	307 70	168 22	168 22						
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	201 42										
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		13 10	13 10				·				
	Physical Collocation in the Remote Site - Space Availability		I												i	
	Report per Premises Requested			CLORS	PE1SR		115 87	115 87								
	Physical Collocation in the Remote Site - Remote Site CLLI				l										1	
	Code Request, per CLLI Code Requested			CLORS	PE1RE		37 56	37 56								
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		233 38									
	Power, DC Power Provisioning (Alabama Only)			CLORS		ICB										
PHYSICAL CO	LLOCATION IN THE REMOTE SITE - ADJACENT															
	Remote Site-Adjacent Collocation - AC Power, per breaker amp		<u> </u>	CLORS	PE1RS	6 27										
	Denote Site Advanced College Deal Enter	Ι.		CI OUE	DE 4DT	0.424									1	
	Remote Site-Adjacent Collocation - Real Estate, per square foot		ļ	CLORS	PE1RT	0 134	755.00	755.00								
NOTE	Remote Site-Adjacent Collocation-Application Fee	<u> </u>	<u> </u>	CLORS	PE1RU	l. <u>.</u>	755 62	755 62								
VIRTUAL COL	If Security Escort and/or Add'l Engineering Fees become nec	essary	ror rem	ote site collocation,	tne Parties	will negotiate a	ppropriate rate	S								
VIRTUAL COL	Virtual Collocation - Application Fee			AMTFS	EĀF		1,205 26	1,205 26	0.51	0.51		15 66				
	Virtual Collocation - Cable Installation Cost, per cable	-	<u> </u>	AMTES	ESPCX		859 71	859 71	22 49	22 49		15 66				
	Virtual Collocation - Cable Installation Cost, per cable Virtual Collocation - Floor Space, per sq. ft	 	\vdash	AMTES	ESPVX	3 22	029 (1	71 806	22 49	22 49		10 00	<u> </u>	ļ. ————		
	Virtual Collocation - Ploor Space, per sq. it Virtual Collocation - Power, per fused amp	\vdash	+	AMTES	ESPAX	7 83									-	
<u> </u>	Virtual Collocation - Cable Support Structure, per entrance		 	- V4111 0	LOFAX	1 63			-		 				-	
	cable			AMTES	ESPSX	14 97										
	- Caule			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U	ESFSA	14 97										
				EQ, AMTFS, UDL, UNCVX, UNCDX												
	Virtual Collocation - 2-wire Cross Connects (loop)	l	1	UNCNX	UEAC2	0 03	12 30	11 80	6 03	5 44	1	15 66	l	1	I .	l

COLLOCATI	ON - Alabama					-							Attach	ment. 4	Exhi	ıbıt: B
COLLOCATI	ON - Alabama				_	·-					Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc		Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	perLSR	Order vs.	Order vs	Order vs.	Order vs
CATEBORT		m											Electronic-	Electronic-	Electronic-	Electronic-
	!		1										1st	Add'l	Disc 1st	Disc Add'l
}									N	Discount		_	088	Rates (\$)		
					<u> </u>	Rec	Nonrec First	Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
							FIRST	Addi	First	Addi	OOM LO	Company	00			
1 1		1	}	UEA UHL.UCL.UDL.]		1	
l i			1	AMTES UAL UDN.								1	1			
	Virtual Collocation - 4-wire Cross Connects (loop)		1	UNCVX, UNCDX	UEAC4	0.05	12 39	11 87	6 39	5 73	i	15 66			1	
	Virtual Collocation - 4-wire Cross Connects (100p)		+	AMTFS,UDL12,	027104								1			
				UDLO3, U1T48,	İ											1
1				U1T12, U1T03	ł .		Į.							i		
				ULDO3, ULD12,			i		1							
1	Virtual Collocation - 2-Fiber Cross Connects		1	ULD48, UDF	CNC2F	2 84	20 89	15 20	7 38	5 92		15 66				
	Virtual Collocation - 2-1 iber Cross Collineato			AMTFS,UDL12,	-	1										
1			1	UDLO3, U1T48									1		ŀ	
1				U1T12, U1T03,							1				i	
				ULDO3, ULD12,							1				1	
	Virtual Collocation - 4-Fiber Cross Connects			ULD48, UDF	CNC4F	5 69	25 55	19 86	9 71	8 25	L	15 66				
			Ι	USL,ULC,AMTFS,					1				1	1		
			1	ULR UXTD1,	1]		1				1			
		l	1	UNC1X ULDD1,] ;					1	1				
	Virtual collocation - Special Access & UNE, cross-connect per	1	i	U1TD1, USLEL,		1						ì				
	DS1	İ	1	UNLD1	CNC1X	1 11	22 03	15 93	6 40	5 79		15 66	1		L	
			1	USL,ULC,AMTFS,U	T										1	ŀ
				E3, U1TD3, UXTS1,		1 1					1				1	ĺ
1				UXTD3, UNC3X,												
				UNCSX, ULDD3,			1							i		
	Virtual collocation - Special Access & UNE, cross-connect per		1	U1TS1, ULDS1,	1	1 1										
	DS3			UDLSX, UNLD3	CND3X	14 16	20 89	15 20	7 38	5 92		15 66		 		
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable] [+		1			1	ł	1		
l	Support Structure per linear foot		ļ	AMTFS	VE1CB	0 0026					ļ	1	-			+
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax	i									1	1	į		1	
	Cable Support Structure, per linear ft		_	AMTES	VE1CD	0 0038			-		+			-	+	+
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable			*******	VE1CC	1	535 37				i	15 66			1	1
	Support Structure per cable	ļ. —	+	AMTES	VEICC		333 31		 			10.00	†			
1	Virtual Collocation - Co-Carner Cross Connects - Copper/Coax			AMTFS	VE1CE		535 37			ĺ		15 66		İ		
!	Cable Support Structure, per cable		-	AMTES	VE1BA		1,518 57	1,518 57	265 99	265 99	 	15 66		l		
	Virtual Collocation Cable Records - per request	 	+	AVIIFO	VEIDA	 	1,510 51	1,010 07	200 00	200 00						
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable record			AMTES	VE1BB	1	653 83	653 83	378 24	378 24		15 66				
	Virtual Collocation Cable Records - VG/DS0 Cable, per each	 	1			1	222.59			1						
	100 pair		1	AMTES	VE1BC	1	9 62	9 62	11 79	11 79	l	15 66		L		
 	Virtual Collocation Cable Records - DS1, per T1TIE	1	1	AMTES	VE1BD		4 50	4 50	5 52	5 52		15 66				
 	Virtual Collocation Cable Records - DS3, per T3TIE		1	AMTES	VE1BE		15 75	15 75	19 32	19 32		15 66				
 	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber		1			1]				1	1	I
1	records		1	AMTFS	VE1BF	l l	168 97	168 97	154 25	154 25		15 66	ļ			
	Virtual collocation - Security Escort - Basic, per half hour			AMTES	SPTBX		16 93	10 73			l	15 66				
·	Virtual collocation - Security Escort - Overtime, per half hour		1	AMTES	SPTOX		22 05	13 86				15 66		L		
	Virtual collocation - Security Escort - Premium, per half hour			AMTFS	SPTPX		27 17	16 98				15 66		J		
	Virtual collocation - Maintenance in CO - Basic, per half hour			AMTES	CTRLX		27 93	10 73				15 66		ļ <u></u>	1	+
										i			l	I		1
	Virtual collocation - Maintenance in CO - Overtime, per half hour	<u> </u>	1	AMTES	SPTOM		36 47	13 <u>86</u>	_		ļ	15 66	 	 	 	+
			1		l					1		15.00	1	1		1
	Virtual collocation - Maintenance in CO - Premium per half hour	<u> </u>	4	AMTFS	SPTPM		45 02	16 98			+	15 66		+	+	+
VIRTUAL COL			_	ļ	ļ	1			 		+	 	+		1	+
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-			LUEBOD	Les Control		40.00		6 03	5 44		15 66		1		
	Wire Analog - Res	-	 	UEPSR	VE1R2	0 03	12 30	11 80	+ 6 U3	5 44	 	13 00	+	+		+
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-		1	LIEDOD	VE450	1 200	40.00	14.00	6 03	5 44	1	15 66				
\vdash	Wire Line Side PEX Trunk - Bus	-		UEPSP	VE1R2	0 03	12 30	11 80	- 6 03	5 44	+	13 00	+	-	+	+
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire	1		LUEBEE	VE1R2	0 03	12 30	11 80	6 03	5 44	1	15 66	ļ		l	
	Voice Grade PBX Trunk - Res	L		UEPSE	VETRZ	0 03	12 30	11 00	0 03	1	+	19 00	+	 	+	
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire															

COLLOCA	TION - Alabama												Attach	ment [.] 4	Exhi	bit. B
							-				Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
			1 1								Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC	1		RATES (\$)			perLSR	per LSR	Order vs	Order vs	Order vs	Order vs
1			l I		1								Electronic-	Electronic-	Electronic-	Electronic-
			1 1										1st	Add'l	Disc 1st	Disc Add'l
					ļ	Rec	Nonreci	ırnıng	Nonrecurring D	isconnect			oss	Rates (\$)		
					1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire					1										
	ISDN			UEPSX	VE1R2	0 03	12 30	11 80	6 03	5 44		15 66				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire															
	ISDN			UEPTX	VE1R2	0 03	12 30	11 80	6 03	5 44		15 66				
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire]											
	ISDN DS1			UEPEX	VE1R4	0 05	12 39	11 87	6 39	5 44		15 66				i
Note	: Rates displaying an "R" in Interim column are interim and sub	ect to	rate tru	e-up as set forth in	General Term	ns and Condition	าธ									

COLLOCAT	ION - Florida		-									Attach	ment: 4	Exhi	ıbit. B
CATEGORY	RATE ELEMENTS	Interi	Zone BC	s us	ос		RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs	Charge -	Incremental Charge - Manual Svc Order vs	Incrementa Charge - Manual Sv Order vs
		m								perzen	por zon	Electronic- 1st	Electronic-	Electronic- Disc 1st	Electronic Disc Add
					Rec	Nonre	curring		g Disconnect				Rates (\$)		
					- Nec	First	Add'l	First	Addʻl	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL CO	N LOCATION				-						-				
PHISICAL CO	Physical Collocation 2-Wire Cross Connect Exchange Port 2-								+		<u> </u>				
	Wire Analog - Res		UEPSR	PE1R	0 0276	8 22	7 22				11 90				
	Physical Collocation 2-Wire Cross Connect Exchange Port 2- Wire Line Side PBX Trunk - Bus		UEPSP	PE1R	2 0 0276	8 22	7 22				11 90				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-		0,131	1 2 11 0	0.0210	022	7 22	1			1130				
	Wire Voice Grade PBX Trunk - Res		UEPSE	PE1R	0 0276	8 22	7 22				11 90				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			L											
	Wire Analog - Bus Physical Collocation 2-Wire Cross Connect Exchange Port 2-		UEPSB	PE1R	0 0276	8 22	7 22	ļ	ļ		11 90				-
	Wire ISDN		UEPSX	PE1R	0 0276	8 22	7 22				11 90				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-							†** · · · **	1	† · · · · · ·			1	<u> </u>	
	Wire ISDN		UEPTX	PE1R	2 0 0276	8 22	7 22				11 90				
i l	Physical Collocation 4-Wire Cross Connect, Exchange Port 4-	1	UEBEY	D540	0.0552		7.05				44.00			1	
PHYSICAL CO	Wire ISDN DS1		UEPEX	PE1R	0 0552	8 42	7 36	ļ-			11 90				
T TOO LE GO	Physical Collocation - Application Fee - Initial		CLO	PE1B	A	2,597 00	-								
	Physical Collocation - Application Fee - Subsequent		CLO	PE1C		2,236 00									
	Physical Collocation Administrative Only - Application Fee		CLO	PE1BI	-	742 00									
	Physical Collocation - Space Preparation - Firm Order									İ		ĺ			
	Processing Physical Collocation - Space Preparation - C O Modification per		CLO	PE1S.		288 93		-							-
	square ft		CLO	PE1SI	2 38							1	1		
	Physical Collocation - Space Preparation - Common Systems		020		200										
	Modification per Cage		CLO	PE1SI									i		
	Physical Collocation - Cable Installation per Cable		CLÖ	PE1BI		1,750 00		45 16	ļ						
	Physical Collocation - Floor Space per Sq. Ft		CLO	PE1P.	7 86										
	Physical Collocation - Cable Support Structure, Per Entrance Cable		CLO	PE1PI	A 18 96				1				İ		
	Physical Collocation - Power, per Fused Amp		CLO	PE1PI											
	Physical Collocation - Power Reduction, Application Fee	1	CLO	PE1PI		399 43									
	Physical Collocation - 120V, Single Phase Standby Power Rate		CLO	PE1F8	5 38				ļ						
	Physical Collocation - 240V, Single Phase Standby Power Rate	1	CLO	PE1FI	10 77					İ					l
 	Friysical Collocation - 240V, Single Friase Standby Fower Rate		CEO	PEIFE	0 10 17										
	Physical Collocation - 120V, Three Phase Standby Power Rate		CLO	PE1FE	16 15										l
															i
	Physical Collocation - 277V, Three Phase Standby Power Rate		CLO	PE1F0	37 30										ļ
[]			UEANL,UEA	LIDNIII					ŀ						ĺ
		!!!	DC,UAL,UH												ĺ
		1	EQ, UDL, U	NCVX					ŀ						l
	Physical Collocation - 2-Wire Cross-Connects		UNLDX UN		0 0276	8 22	7 22	5 74	4 58						
			CLO, UAL												
		1 1	UDN, UEA, UNCVX, UN												1
	Physical Collocation - 4-Wire Cross-Connects]]	UCL	PE1P4	0 0552	8 42	7 36	5 90	4 66						
	THE COST CONTINUE		CLO,UEAN		0 0002	342	7 30	3 30	7 00	+					l
			DS1L,WDS	1S, USL,					1						1
			U1TD1, UX						İ						
			UNC1X, UL USLEL, UN												
	Physical Collocation - DS1 Cross-Connects		USLEL, UN	-D1, PE1P	1 32	27 77	15 52	5 93	4 77				ļ		1
	ppc. concouron - Do i cross-connects	ــــــــــــــــــــــــــــــــــــــ	JOUL	IFEIP	1 32	2111	10 02	<u> </u>	4 //	1	1	L	L	1	

COLLOCAT	ION - Florida													ment: 4		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)	-			Submitted Manually	Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add
							Nonred		Nonrecurring	Disconnect				Rates (\$)	DISC 1St	DISC Add I
						Rec -	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - DS3 Cross-Connects			CLO, UE3,U1TD3, UXTD3, UXTS1, UNC3X UNCSX ULDD3, U1TS1,ULDS1 UNLD3, UDL	PE1P3	16 81	25 48	14 05	7 77	5 01						
				CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3,												
	Physical Collocation - 2-Fiber Cross-Connect			UDL12, UDF	PE1F2	3 34	41 94	30 52	13 91	11 16		ļ		-		ļ
	Physical Collocation - 4-Fiber Cross-Connect			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1F4	5 92	51 30	39 87	18 29	15 54						
—	Physical Collocation - Welded Wire Cage - First 100 Sq. Ft			CLO	PE1BW	189 45										
	Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft			CLO	PE1CW	18 58										ļ
	Physical Collocation - Security System Per Central Office Per Assignable Sq. Ft			CLO	PE1AY	0 0105					ļ					
	Physical Collocation - Security Access System - New Access Card Activation, per Card		<u> </u>	CLO	PE1A1	0 0577	55 80									
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card			сго	PE1AA		15 65							!		_
	Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card		-	cro	PE1AR		45 75					1				
	Physical Collocation - Security Access - Initial Key, per Key		1	CLO	PE1AK	† †	26 30	* ***								1
	Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key			Cro	PE1AL		26 30									
	Physical Collocation - Space Availability Report per premises			CLO	PE1SR		2,159 00									<u> </u>
	POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect per cross-connect	ı		UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, UDL, UNCVX, UNCDX, UNCNX	PE1PE	0.00										
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect per cross-connect	1		UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, USL UNCVX, UNCDX	PE1PF	0 00										
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, WDS1L, W DS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1 UEANL, UEA UDN U	PE1PG	0 00										
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect]		DC,UAL,UHL,UCL,U EQ,CLO,UE3, U1TD3, UXTD3, UXTS1, UNC3X UNCSX ULDD3, U1TS1, ULDS1 UNLD3, UDL, UDLSX	PE1PH	0 00										

COLLOCAT	ION - Florida												Attach	ment: 4	Exhi	ıbıt: B
			1					•			Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		1.4			1						Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR		Order vs	Order vs	Order vs	Order vs
		m									por zeri		Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'I	Disc 1st	Disc Add'
					l							1				
						Rec	Nonrec		Nonrecurring					Rates (\$)	T	T
				UEANL.UEA.UDN.U			First	Add'l	First	Addʻl	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
			ŀ	DC,UAL,UHL,UCL,U									İ			
			l	EQ CLO, ULDO3.	1		- 1		ì				ļ	1		
				ULD12, ULD48,			1						ł			
			l	U1TO3, U1T12,		ĺ	1					1	l			
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect,			U1T48, UDLO3,			l		1							
	per cross-connect			UDL12. UDF	PE1B2	0 00	i		ì			1	}	1		
	per cross connect		†	UEANL,UEA,UDN,U		0.00						1				
1				DC,UAL,UHL,UCL,U			- 1									
1 1				EQ,CLO, ULDO3		1	1						ļ	1		
			1	ULD12, ULD48,		l i						1		1		
			1	U1TO3, U1T12,		İ						l		i		
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect,			U1T48, UDLO3,		1 .			1					ł		
	per cross-connect	- 1		UDL12, UDF	PE1B4	0 00						1	l			
	Physical Collocation - Request Resend of CFA Information, per		1											1		
	CLLI	- 1		CLO	PE1C9		77 54				ļ					
	Nonrecurring Collocation Cable Records - per request			CLO	PE1CR		1,525 00	980 22	267 08							
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per											i			İ	
	cable record		<u> </u>	CLO	PE1CD		656 50	656 50	379 78			1		ļ		_
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per			0.0	PE1CO		0.00	0.00	44.04	44.04		1	i			
ļ	each 100 pair Nonrecurring Collocation Cable Records - DS1, per T1TIE		-	CLO CLO	PE1C1		9 66 4 52	9 66 4 52		11 84 5 54		1		ļ		
	Nonrecurring Collocation Cable Records - DS3, per TTTE Nonrecurring Collocation Cable Records - DS3, per T3TIE		-	CLO	PE1C3		15 82	15 82		19 40		1			-	
 	Nonrecurring Collocation Cable Records - Fiber Cable, per 99		1	CEO	FEIOS		13 02	10 02	1340	13 40	+	 		 		+
	fiber records		1	CLO	PE1CB		169 67	169 67	154 89	154 89				1		
	The state of the s										· -			t		
1	Physical Collocation - Security Escort - Basic, Per Quarter Hour		l	CLO	PE1BQ		10 89						Ì	-		
	Physical Collocation - Security Escort - Overtime, Per Quarter															
	Hour			CLO	PE10Q		13 64									
	Physical Collocation - Security Escort - Premium, Per Quarter		1				-					1		1		
	Hour		_	CLO	PE1PQ		16 40		ļ					1		
	Physical Collocation - Security Escort - Basic, per Half Hour		_	CLO,CLORS	PE1BT		33 99	21 54			_			ļ		-
	Discourse College to Control C			CLO.CLORS	DE 4OT		44.07	27.82								
\vdash	Physical Collocation - Security Escort - Overtime, per Half Hour		 	CLU,CLURS	PE1OT		44 27	27 82	 				-	ļ		
	Physical Collocation - Security Escort - Premium, per Half Hour		1	CLO,CLORS	PE1PT		54 55	34 10								
 	V to P Conversion, Per Customer Request-Voice Grade	-	<u> </u>	CLO	PE1BV	-	33 00	37 10	 		+			†		+
	V to P Conversion, Per Customer Request-DS0		 	CLO	PE1BO		33 00		· · · · · · · · · · · · · · · · · · ·			1		†		
	V to P Conversion, Per Customer Request-DS1	i i	_	CLO	PE1B1		52 00		 							
	V to P Conversion, Per Customer request-DS3			CLO	PE1B3		52 00									1
	V to P Conversion, Per Customer Request per VG Circuit															
i	Reconfigured	1	1	CLO	PE1BR		23 00									
	V to P Conversion, Per Customer Request per DS0 Circuit				T									T		
	Reconfigured			CLO	PE1BP		23 00									
i l	V to P Conversion Per Customer Request per DS1 Circuit												1			
<u> </u>	Reconfigured	ı		CLO	PE1BS		33 00									<u> </u>
	V to P Conversion Per Customer Request per DS3 Circuit			0.0									1			
	Reconfigured V to P Conversion, Cable Pairs Assigned to Collo Space per 700	- 1		CLO	PE1BE		37 00				ļ				ļ	-
]	prs or fraction thereof			cro	PE1B7		592 00									
	Physical Collocation - Co-Carner Cross Connects - Fiber Cable	- 1		CLO	T L IDI		392 00				1					
	Support Structure, per cable, per linear ft			CLO.UDF	PE1ES	0 001										
	Physical Collocation - Co-Carrier Cross Connects - Copper/Coax		1		1	""							t	<u> </u>		
1 1	Cable Support Structure, per cable, per lin ft			CLO, UE3, USL	PE1DS	0 0014							1		1	
	Physical Collocation - Co-Carrier Cross Connects Only -		1											1		
	Application Fee, per application		L	CLO	PE1DT		584 11						l	1	l	
ADJACENT C	OLLOCATION												I			
	Adjacent Collocation - Space Charge per Sq. Ft			CLOAC	PE1JA	0 1635										
1 I	Adjacent Collocation - Electrical Facility Charge per Linear Ft			CLOAC	PE1JC	5 11	1							1		

COLLOCATI	ION - Florida												Attach	ment: 4	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
			<u> </u>			Rec	Nonrec		Nonrecurring		l			Rates (\$)		
						1 1	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Adjacent Collocation - 2-Wire Cross-Connects			CLOAC	PE1P2	0 0213	24 69	23 69	11 77	10 62						
			1	UEA,UHL,UDL UCL,	Ì											
	Adjacent Collocation - 4-Wire Cross-Connects			CLOAC	PE1P4	0 0426	24 88	23 83	12 04	10 80						
	Adjacent Collocation - DS1 Cross-Connects			USL,CLOAC	PE1P1	1 22	44 24	31 98	12 07	10 91						
	Adjacent Collocation - DS3 Cross-Connects			CLOAC	PE1P3	16 56	41 94	30 52	13 91	11 15		ļ		ļ		
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F2	2 81	41 94	30 52	13 91	11 16						
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1F4	5 36	51 30	39 87	18 29	15 54						
	Adjacent Collocation - Application Fee			CLOAC	PE1JB		2,785 00		_			-		-		
	Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FB	5 38					_					_
	Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FD	10 77					_					
	Adjacent Collocation - 120V, Three Phase Standby Power Rate	1		CLOAC	PE1FE	16 15	ļ		 							1
\vdash	per AC Breaker Amp			ULUAU	reire	10 15	-		-			 			 	
	Adjacent Collocation - 277V. Three Phase Standby Power Rate per AC Breaker Amp	ļ	<u> </u>	CLOAC	PE1FG	37 30										
	Adjacent Collocation - Cable Support Structure per Entrance Cable	1	<u> </u>	CLOAC	PE1PM	18 96					_					<u> </u>
PHYSICAL CO	PLLOCATION IN THE REMOTE SITE	-		CLORS	PE1RA		617 91		328 81			-			-	
	Physical Collocation in the Remote Site - Application Fee	-	-	CLORS	PE1RB	219 49	- 017 31		32001		-					
	Cabinet Space in the Remote Site per Bay/ Rack	<u> </u>	+	CLONS	FLIND	21949			-		-			† •		
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		26 30					l				
-	Physical Collocation in the Remote Site - Security Access - Rey Physical Collocation in the Remote Site - Space Availability	 	+	CLORO	LIND	·	- 2000									
	Report per Premises Requested	1	1	CLORS	PE1SR		232 69		1					1		
	Physical Collocation in the Remote Site - Remote Site CLLI	+	1	020110						•						
	Code Requesi, per CLLI Code Requested	1	1	CLORS	PE1RE		75 41									
	Remote Site DLEC Data (BRSDD) per Compact Disk, per CO	_	1	CLORS	PE1RR		233 51									
PHYSICAL CO	DLLOCATION IN THE REMOTE SITE - ADJACENT															
															i	
	Remote Site-Adjacent Collocation - AC Power, per breaker amp	<u>.L</u>		CLORS	PE1RS	6 27								ļ		
					i											ľ
	Remote Site-Adjacent Collocation - Real Estate, per square foot	L		CLORS	PE1RT	0 134										
	Remote Site-Adjacent Collocation-Application Fee		J	CLORS	PE1RU	LL	755 62	755 62						ļ		
	: If Security Escort and/or Add'l Engineering Fees become nec	essary	for rem	ote site collocation,	the Parties v	will negotiate a	ppropriate rate	s			1	ļ				
VIRTUAL COL							-				ļ			 	-	
	Virtual Collocation - Application Fee/Planning Fee Initial						4 433 00				ŀ	11 90				1
	Request	-	-	AMTF\$	EAF		4,122 00			-		1150	1			
	Virtual Collocation - Application Fee/Planning Fee Additional Entrance Cable Request			AMTES	EAF	[1,249 00					11 90				
	Virtual Collocation - Cable Installation Cost, per cable		+	AMTES	ESPCX	12 45	965 00			<u> </u>		11 90		_	 -	
	Virtual Collocation - Floor Space, per sq. ft	+	+	AMTES	ESPVX	4 25	300 00					1	-			†
 	Virtual Collocation - Power, per fused amp		+	AMTES	ESPAX	6 95					1					
H + 1	Virtual Collocation - Cable Support Structure, per entrance	·	†			1			· ·		†			1		
1	cable		1	AMTES	ESPSX	13 35					1		1	1		
	ļ	1		UEANL,UEA,UDN,U		1						Γ΄				
		1		DC,UAL,UHL,UCL,U										1		
		1		EQ. AMTFS, UDL,						ļ				1		1
		1		UNCVX, UNCDX,] 1					1			1		i
	Virtual Collecation - 2-wire Cross Connects (loop)			UNCNX	UEAC2	0 0502	11 57	11 57				11 90		ļ		
				UEA,UHL,UCL,UDL,												
		1		AMTES, UAL, UDN,	UEAC:	0.0555	ا ۔ ا				1	44.00		1		
L	Virtual Collocation - 4-wire Cross Connects (loop)		+	UNCVX, UNCDX	UEAC4	0 0502	11 57	11 57	ļ			11 90	ļ	 	-	
		1		AMTFS,UDL12,												
		1	1	UDLO3, U1T48, U1T12, U1T03,									1			1
		1	1	ULDO3, ULD12,												ļ
<u> </u>	Virtual Collocation - 2-Fiber Cross Connects			ULD48, UDF	CNC2F	6 71	2,431 00					11 90		1		
1	Tvirtual Collocation - Z-Fiber Cross Connects	1	1	OLDHO, ODF	TONOZE	1 071	2,43100		1	1	J	1 1130	1	J	1	

COLLOCAT	ION - Florida													ment: 4		bit B
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Manual Svc Order vs. Efectronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring	Disconnect Add'l	CONTC	SOMAN	OSS	Rates (\$)	SOMAN	SOMAN
				AMTFS,UDL12			First	Add'l	First	A00 I	SUMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
;				UDLO3, U1T48, U1T12 U1T03, ULDO3, ULD12, ULD48, UDF	CNC4F	6 71	2,431 00					11 90				
	Virtual Collocation - 4-Fiber Cross Connects			USL, ULC, AMTFS,	CNC4F	071	2,43100			.		11 30	+	+		
	Virtual collocation - Special Access & UNE cross-connect per DS1			ULR, UXTD1, UNC1X, ULDD1, U1TD1 USLEL, UNLD1	CNC1X	7 50	155 00	14 00				11 90				:
	Virtual collocation - Special Access & UNE, cross-connect per DS3			USL, ULC, AMTFS, U E3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CND3X	56 2 5	151 90	11 83				11 90				
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable				VE405	0.0000										
	Support Structure, per linear foot Virtual Collocation - Co-Carner Cross Connects - Copper/Coax Cable Support Structure, per linear ft			AMTFS, CLO	VE1CB VE1CD	0 0028 0 0041										
	Virtual Collocation - Co-Carner Cross Connects - Fiber Cable			AVIII O, CEO	VEIOD	0 0041					1			-		
	Support Structure,per cable Virtual Collocation - Co-Carner Cross Connects - Copper/Coax			AMTFS	VE1CC		535 54	_				11 90				
	Cable Support Structure, per cable			AMTFS	VE1CE		535 54					11 90				
	Virtual Collocation Cable Records - per request			AMTES	VE1BA		1,525 00	1,525 00	267 08	267 08					"	
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable record			AMTES	VE1BB		656 50	656 50	379 78	379 78						
	Virtual Collocation Cable Records - VG/DS0 Cable, per each			AMTFS	VE1BC		9 66	9 66	11 84	11 84						
 	Virtual Collocation Cable Records - DS1, per T1TIE			AMTES	VE1BD	1	4 52	4 52	5 54	5 54	-					
	Virtual Collocation Cable Records - DS3, per T3TIE			AMTES	VE1BE		15 82	15 82	19 40	19 40						
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber records			AMTFS	VE1BF		169 67	169 67	154 89	154 89						-
	Virtual collocation - Security Escort - Basic, per quarter hour			AMTFS	SPTBQ		10 89		-		_	11 90				
	Virtual collocation - Security Escort - Overtime, per quarter hour			AMTFS	SPTOQ		13 64					11 90				
				AMTFS	SPTPQ		16 40					11 90	1			
	Virtual collocation - Security Escort - Premium, per quarter hour Virtual Collocation - 2-wire Cross Connects (loop), per ckts			AMTES	VE1R2	0.05	11 57					11 90		-		
-	Virtual Collocation - 4-wire Cross Connects (loop), per ckts			AMTES	VE1R4	0 05	11 57				-	11 90				
	Virtual Collocation - DS-1/DCS Cross Connects, PER CKTS			AMTES	VE11S	8 09	69 64		· · · · · ·			11 90		†		
	Virtual Collocation - DS-1 DSX Cross Connects, PER CKTS			AMTFS	VE11X	0 41	69 64					11 90	1			
	Virtual Collocation - DS-3/DCS Cross Connects, PER CKT			AMTFS	VE13S	59 67	528 00					11 90				
	Virtual Collocation - DS-3/DSC Cross Connects, PER CKT			AMTES	VE13X	10 06	528 00					.11 90				
	Virtual collocation - Maintenance in CO - Basic per quarter hour			AMTFS _	SPTRE		10 89					11 90				
	Virtual collocation - Maintenance in CO - Overtime, per quarter hour			AMTFS	SPTOE		13 64					11 90				
	Virtual collocation - Maintenance in CO - Premium per quarter hour			AMTFS	SPTPE		16 40					11 90				
VIRTUAL COL									ļ							
	Virtual Collocation - 2-wire Cross Connect Exchange Port 2- Wire Analog - Res			UEPSR	VE1R2	0 0502	11_57	11 57				11 90				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0 0502	11 57	11 57				11 90				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0 0502	11 57	11 57			_	11 90				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus			UEPSB	VE1R2	0 0502	11 57	11 57				11 90			<u> </u>	

COLLOCATI	ON - Florida												Attach	ment 4	Exhi	ibit: B
											1		l	1		Incremental
	}		, ,		1						Submitted		Charge -	Charge -	Charge -	Charge -
		Interi	l_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs	Order vs
	1		1								İ		Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'i
						Rec	Nonreci	urring	Nonrecurring I	Disconnect			OSS	Rates (\$)		
						Nec	First	Add'l	First	Add'!	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire				-											
	ISDN		11	UEPSX	VE1R2	0 0502	11 57	11 57			ł	11 90	}	}		1
·	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire						-									
	ISDN			UEPTX	VE1R2	0 0502	11 57	11 57	. 1			11 90		ļ		
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire		I													
	ISDN DS1			UEPEX	VE1R4	0 0502	11 57	11 57				11 90	<u> </u>		ŀ	
Note F	Rates displaying an "R" in Interim column are interim and sub	ject to	rate true	-up as set forth in	General Tern	ns and Conditio	ns				i					

COLLOCAT	ION - Georgia												Attachi	ment: 4	Exhi	bit B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l
			-			Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	OSS SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
PHYSICAL CO																
	Physical Collocation 2-Wire Cross Connect Exchange Port 2- Wire Analog - Res			UEPSR	PE1R2	0 30	12 60	12 60					18 94	8 42		ļ
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus		<u> </u>	UEPSP	PE1R2	0 30	12 60	12 60					18 94	8 42		
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Voice Grade PBX Trunk - Res Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			UEPSE	PE1R2	0 30	12 60	12 60					18 94	8 42		
	Wire Analog - Bus			UEPSB	PE1R2	0 30	12 60	12 60			1		18 94	8 42		
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire ISDN			UEPSX	PE1R2	0.30	12 60	12 60	_				18 94	8 42		
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire ISDN			UEPTX	PE1R2	0 30	12 60	12 60					18 94	8 42		
	Physical Collocation 4-Wire Cross Connect, Exchange Port 4- Wire ISDN DS1			UEPEX	PE1R4	0 50	12 60	12 60					18 94	8 42		
PHYSICAL CO			1								<u> </u>					
	Physical Collocation - Application Fee - Initial		-		PE1BA		3,850 00	0.400.00		-						
	Physical Collocation - Application Fee - Subsequent	-	-		PE1CA		3,130 00 740 83	3,130 00			 	 				
	Physical Collocation Administrative Only - Application Fee	-	+	CLO	PÈ1BL		740 63		-	····	-					
	Physical Collocation - Space Preparation - Firm Order Processing	ı	ļ	cro	PE1SJ		1,187 00									
	Physical Collocation - Space Preparation - C O Modification per square ft	1_		CLO	PE1SK	2 02			-							
	Physical Collocation - Space Preparation - Common Systems Modification per square ft - Cageless	1	-	CLO	PE1SL	2 80										
	Physical Collocation - Space Preparation - Common Systems	١	1	CLO	PE1SM	95 23						ł				
	Modification per Cage	<u> </u>	1		PE1BD	95 23	2,750 00	2,750 00						-		-
	Physical Collocation - Cable Installation Physical Collocation - Floor Space per Sq. Ft	+	+		PE1PJ	7 50	2,750 00	2,750 00	_		-					
		 			PE1PK	6 75					-					
	Physical Collocation - Floor Space - Zone B per Sq. Ft Physical Collocation - Cable Support Structure, Per Entrance Cable			CLO	PE1PM	13 35				-						
 	Physical Collocation - Power -48V DC Power, per Fused Amp	1	1		PE1PL	8 06					1					<u> </u>
	Physical Collocation - Power Reduction, Application Fee	Ħ.			PE1PR	000	398 80									
	Physical Collocation - 120V, Single Phase Standby Power Rate	1	-	CLO	PE1FB	5 52										
	Physical Collocation - 240V, Single Phase Standby Power Rate	1	ļ	CLO	PE1FD	11 05										
	Physical Collocation - 120V, Three Phase Standby Power Rate	1		CLO	PE1FE	16 58										
L	Physical Collocation - 277V, Three Phase Standby Power Rate		ļ	cro	PE1FG	38 27										
	Physical Collocation - 2-Wire Cross-Connects				PE1P2	0 30	12 60	12 60								
				CLO, UAL, UDL, UDN, UEA, UHL, UNCVX, UNCDX,	PE1P4	0 50	12 60	12 60							•	
	Physical Collocation - 4-Wire Cross-Connects Physical Collocation - DS1 Cross-Connects			CLO UEANL, UEQ W DS1L, WDS1S, USL, U1TD1, UXTD1 UNC1X, ULDD1, USLEL, UNLD1,		8 00	155 00	27 00								
	n mysical Conocation - DOT Cross-Connects		1	1000	1	1 000	100 00	2,00	J	t .	1	1	1			

COLLOCAT	ION - Georgia			·	r						I c	Bus Carlo	Incremental	ment 4 Incremental	Incremental	Incrementa
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
						Rec	Nonrec			g Disconnect	Ī			Rates (\$)		
						1160	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				CLO UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1,							i					
	Physical Collocation - DS3 Cross-Connects				PE1P3	72 00	155 00	27 00								1
	Physical Collocation - 2-Fiber Cross-Connect			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3,	PE1F2	2.86	52 14	38 72								
	Physical Collocation - 4-Fiber Cross-Connect			CLO, ULDO3, ULD12, ULD48 U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1F4	5 08	64 74	51 31						ł		
 	Physical Collocation - Welded Wire Cage - First 100 Sq. Ft	1		CLO	PE1BW	161 27										
	Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft	_T_		CLO	PE1CW	15 82						L				
	Physical Collocation - Security System Per Central Office Per Assignable Sq. Ft			CLO	PE1AY	0 0172										
1	Physical Collocation - Security Access System - New Access	1		CI O	DE 4.44	0 0607	46.00	46 20			1		1		1	
	Card Activation, per Card Physical Collocation - Security Access System - New Access	_	+		PE1A1	0.0007	46 20			-		<u> </u>		_		
l	Card Deactivation per Card			CLO	PE1A4		8 72	8 72			.					
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card			cro	PE1AA		15 40	15 40								
	Physical Collocation - Security Access System- Replace Lost or Stolen Card, per Card		1	CLO	PE1AR		45 02	45 02				ŀ				1
 	Physical Collocation - Security Access - Initial Key, per Key		1		PE1AK		26 16	26 16						1		
	Physical Collocation - Security Access - Key, Replace Lost or		\top	CLO	PE1AL		26 16	26 16								
	Stolen Key, per Key Physical Collocation - Space Availability Report per premises	-	+		PE1AL PE1SR		2,148 00	2,148 00		+	 		1			+
	POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect	1		UEANL UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,UDL, UNCVX, UNCDX,		0 40	2,140 00	2,140 00				:				
 	per cross-connect	-	+	UNCNX UEANL,UEA,UDN,U	PE1PE	0 40			 	+	1	 		 	 	+
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect			DC,UAL,UHL,UCL,U EQ,CLO, USL, UNCVX, UNCDX	PE1PF	1 20										
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect				PE1PG	1 20										
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect			UEANL, UEA UDN, U DC, UAL, UHL, UCL, U EQ. CLO, UE3, U1TD3, UXTD3, UXTS1 UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UDL, UDLSX	PE 1P H	8 00										

COLLOCAT	ION - Georgia												Attach	ment: 4	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'i	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring			1		Rates (\$)	T ====	
			ļ				First	Add'l	First	Add'!	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect			UEANL UEA,UDN,U DC,UAL,UHL,UCL U EQ CLO, ULDO3, ULD12, ULD48 U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B2	38 79										
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect			UEANL UEA,UDN U DC,UAL,UHL UCL U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF		52 31										
 	Physical Collocation - Request Resend of CFA Information, per		1	00272, 00.	1					_				-		
l i	CLLI			CLO	PE1C9		77 42]							
	Nonrecurring Collocation Cable Records - per request			CLO	PE1CR		1,706 00									
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per cable record			CLO	PE1CD		922 38									
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per		1		L							1				
	each 100 pair		1	CLO CLO	PE1CO PE1C1	 	18 00 8 43	18 00 8 43	 			 		-		
	Nonrecurring Collocation Cable Records - DS1, per T1TIE Nonrecurring Collocation Cable Records - DS3, per T3TIE		+	Cro	PE1C3		29 49	29 49				<u> </u>			+	
 	Nonrecurring Collocation Cable Records - Biss, per 13 he		-	CLO	FLICS	1	2343	2545				1				
1 1	fiber records	ĺ		lcLo	PE1CB	1 1	278 61	278 61	1			į.				
	Physical Collocation - Security Escort - Basic, per Half Hour			CLO,CLORS	PE1BT		41 00	25 00								
	Physical Collocation - Security Escort - Overlime per Half Hour			CLO,CLORS	PE1OT		48 00	30 00								
				CLO,CLORS	PE1PT		55 00	35 00				i				1
	Physical Collocation - Security Escort - Premium, per Half Hour V to P Conversion, Per Customer Request-Voice Grade			CLO	PE1BV	 	33 00	35 00				1		-	· · · · · · · · · · · · · · · · · · ·	-
	V to P Conversion, Per Customer Request-Voice Grade V to P Conversion, Per Customer Request-DS0		<u> </u>	Cro	PE1BO	 	33 00									-
 	V to P Conversion, Per Customer Request-D30 V to P Conversion, Per Customer Request-D31			CLO	PE1B1	 	52 00				-					
	V to P Conversion, Per Customer request-DS3			CLO	PE1B3		52 00									-
	V to P Conversion, Per Customer Request per VG Circuit		<u> </u>	020		1	52.55							·		
	Reconfigured			CLO	PE1BR	1 1	23 00						1		L	
	V to P Conversion, Per Customer Request per DS0 Circuit															
	Reconfigured			CLO	PE1BP		23 00									ļ
	V to P Conversion, Per Customer Request per DS1 Circuit Reconfigured			сго	PE1BS		33 00				ļ					
	V to P Conversion Per Customer Request per DS3 Circuit Reconfigured V to P Conversion, Cable Pairs Assigned to Collo Space per 700		ļ	CLO	PE1BE		37 00				-	ļ				
	prs or fraction thereof Physical Collocation - Co-Carner Cross Connects - Fiber Cable		-	сго	PE187		592 00									-
	Support Structure, per cable, per linear ft Physical Collocation - Co-Carner Cross Connects - Copper/Coax			CLO,UDF	PE1ES	0 001										
	Cable Support Structure, per cable, per lin ft			CLO, UE3, USL	PE1DS	0 0015						1				
	Physical Collocation - Co-Carner Cross Connects Only - Application Fee, per application		<u> </u>	cro	PE1DT		583 18									<u> </u>
	Physical Collocation - Application to Augment Exsisting Space - Simple Physical Collocation - Application to Augment Exsisting Space -		<u> </u>	сьо	PE1KS		594 05		1 21							<u> </u>
	Minor Physical Collocation - Application to Augment Exsisting Space - Physical Collocation - Application to Augment Exsisting Space -		<u> </u>	CLO	PE1KM	-	832 95		1 21				<u> </u>			
AD IACENT	Intermediate OLLOCATION		<u> </u>	CLO	PE1K1	ļ	1,057 00		1 21							
ADJACENIC	Adjacent Collocation - Space Charge per Sq. Ft		 	CLOAC	PE1JA	0 2542				-	+	 		 	1	
	Adjacent Collocation - Space Charge per Sq. Ft. Adjacent Collocation - Electrical Facility Charge per Linear Ft.		1	CLOAC	PE1JC	5 44			<u> </u>	1	+	1		1	 	
		-	•									******			•	

COLLOCAL	ION - Georgia													ment: 4		ibit B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svo Order vs Electronic- 1st	Charge - Manual Svo Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Adjacent Collocation - 2-Wire Cross-Connects			CLOAC	PE1P2	0 598	24 95	23 97	11 80	10 67				1		
				UEA,UHL,UDL,UCL,]					
	Adjacent Collocation - 4-Wire Cross-Connects			CLOAC	PE1P4	0 1196	25 14	24 11	12 15	10 93	l	L			1	
	Adjacent Collocation - DS1 Cross-Connects			USL,CLOAC	PE1P1	1 04	44 19	32 13	11 93	10 81		L.				
	Adjacent Collocation - DS3 Cross-Connects			CLOAC	PE1P3	14 12	41 93	30 69	13 71	11 04	1					
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F2	2 39	41 93	30 69	13 71	11 05						
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1F4	4 57	51 14	39 90	17 96	15 29						
	Adjacent Collocation - Application Fee			CLOAC	PE1JB		1,555 00		7. 2.							
1	Adjacent Collocation - 120V, Single Phase Standby Power Rate						7555 85									
	per AC Breaker Amp		1	CLOAC	PE1FB	5 39						i		ł		
+	Adjacent Collocation - 240V Single Phase Standby Power Rate		_	020710	12	0 00								-		
	per AC Breaker Amp		ł	CLOAC	PE1FD	10 79										
	Adjacent Collocation - 120V. Three Phase Standby Power Rate			OLOAG	FEITU	10 (9						-		l	 	
	per AC Breaker Amp		1	CLOAC	PE1FE	40.40						1		1		1
				CLUAC	PEIFE	16 18										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate		1											l		
	per AC Breaker Amp			CLOAC	PE1FG	38 27										
	Adjacent Collocation - 240V, Three Phase Standby Power Rate		l													1
	per AC Breaker Amp			CLOAC	PE1JD	37 37										
PHYSICAL CO	LLOCATION IN THE REMOTE SITE															
	Physical Collocation in the Remote Site - Application Fee			CLORS	PÉ1RA		608 18	608 17	323 63	323 63	I					
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	224 82										
	•													1		T
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		25 88	25 88								
	Physical Collocation in the Remote Site - Space Availability													·	T	1
	Report per Premises Requested		ł	CLORS	PE1SR		229 02	229 02								i
	Physical Collocation in the Remote Site - Remote Site CLLI															\vdash
	Code Request, per CLLI Code Requested			CLORS	PE1RE		74 22	74 22	1							
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		232 88								-	
DHASICAT CO	LLOCATION IN THE REMOTE SITE - ADJACENT			OLOINO	7		252 00		-						-	
TITIOICAL CO	ELECATION IN THE REMOTE SITE - ADSAGENT														-	
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6 27					ł					
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLURS	PEIRS	0 21										
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0 134										
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755 62	755 62								
	If Security Escon and/or Add'l Engineering Fees become nece	ssary f	or rem	ote site collocation,	the Parties v	vill negotiate a	propriate rate:	ŝ							<u> </u>	ļ
VIRTUAL COL																
	Virtual Collocation - Application Fee			AMTFS	EAF		2,848 30	2,848 30			1		19 99	19 99		
	Virtual Collocation - Cable Installation Cost, per cable			AMTFS	ESPCX		2,750 00	2,750 00					19 99	19 99		
	Virtual Collocation - Floor Space, per sq. ft		}	AMTFS	ESPVX	3 20										
	Virtual Collocation - Power, per fused amp			AMTFS	ESPAX	3 48					-					
	Virtual Collocation - Cable Support Structure, per entrance															
	cable			AMTFS	ESPSX	13 35					1				1	
				UEANL,UEA,UDN,U							-					t
	1			DC,UAL,UHL,UCL,U					į							1
	1			EQ. AMTFS, UDL.												
				UNCVX, UNCDX											1	l.
	Virtual Collocation - 2-wire Cross Connects (loop)			UNCNX	UEAC2	0 0283	24 56	23 56	9 20	8 30			19 99	19 99	19 99	19 99
	Virtual Condeanon - 2-wire cross Connects (100p)			ONON	OLACZ	0 0203	24 30	23 30	920	0.30			18 88	19 99	19 99	19 98
				UEA.UHL.UCL UDL.												
1			1	AMTES, UAL, UDN.							1				1	
	Virtual Callacation A ware Coppe Coppedia (Ican)			UNCVX UNCDX	UE 464	0.0500	24.75	00.70	0.00	0.40			40.00	40.00		
	Virtual Collocation - 4-wire Cross Connects (loop)		<u> </u>	AMTES UDL12.	UEAC4	0 0566	24 75	23 70	9 03	8 10			19 99	19 99	19 99	19 99
1											1					
1	1		1	UDLO3, U1T48.							1				1	1
1			ł	U1T12, U1T03,	[1					1
ı			l	ULDO3, ULD12											1	1
- 1	Virtual Collocation - 2-Fiber Cross Connects		ı	ULD48, UDF	CNC2F	2 88	41 72	30 36	10 43	8 36	1		2 20	2 20	I	

COLLOCAT	ION - Georgia													ment: 4	1	ibit. B
ATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation - 4-Fiber Cross Connects			AMTFS,UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3 ULD12, ULD48, UDF	CNC4F	5 76	51 03	39 67	13 71	11 65			2 20	2 20		
	Virtual coflocation - Special Access & UNE, cross-connect per DS1			USL, ULC AMTFS ULR, UXTD1, UNC1X, ULDD1 U1TD1, USLEL, UNLD1	CNC1X	7 50	155 00	14 00					19 99	19 99		
	Virtual collocation - Special Access & UNE cross-connect per DS3			USL, ULC, AMTFS, U E3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CND3X	56 25	151 90	11 83					19 99	19 99		
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear foot			AMTFS	VE1CB	0 0023										
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft			AMTFS	VE1CD	0 0034										
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure.per cable			AMTES	VE1CC		553 43						19 99			
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable			AMTES	VE1CE		553 43						19 99			
	Virtual Collocation Cable Records - per request Virtual Collocation Cable Records - VG/DS0 Cable, per cable			AMTES	VE1BA		1,706 00	1,706 00								
	record Virtual Collocation Cable Records - VG/DS0 Cable, per each			AMTFS	VE1BB		922 38	922 38			_					
	100 pair			AMTES	VE1BC		18 00	18 00							***	ļ
	Virtual Collocation Cable Records - DS1, per T1TIE			AMTES	VE1BD		8 43	8 43							i	L
	Virtual Collocation Cable Records - DS3, per T3TIE Virtual Collocation Cable Records - Fiber Cable, per 99 fiber			AMTES	VE18E		29 49	29 49								
	records			AMTFS	VE1BF		278 61	278 61								<u> </u>
	Virtual collocation - Security Escort - Basic, per half hour			AMTFS	SPTBX		41 00	25 00					19 99	19 99		
	Virtual collocation - Security Escort - Overtime, per half hour			AMTFS	SPTOX		48 00	30 00					19 99	19 99		.
	Virtual collocation - Security Escort - Premium, per half hour Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS AMTFS	SPTPX		55 00 30 64	35 00 30 64					19 99 19 99	19 99 19 99		
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		35 77	35 77	-				19 99	19 99		
	Virtual collocation - Maintenance in CO - Premium per half hour			AMTES	SPTPM		40 90	40 90					19 99	19 99		
VIRTUAL COL																
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2- Wire Analog - Res			UEPSR	VE1R2	0 30	12 60	12 60					18 94	8 42		
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0 30	12 60	12 60					18 94	8 42		
	Virtual Collocation 2-Wire Cross Connect Exchange Port 2-Wire Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0 30	12 60	12 60			<u> </u>		18 94	8 42		
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus			UEPSB	VE1R2	0 30	12 60	12 60					18 94	8 42		
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN			UEPSX	VE1R2	0 30	12 60	12 60			_		18 94	8 42		
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPTX	VE1R2	0 30	12 60	12 60					18 94	8 42		
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1			UEPEX	VE1R4	0 50	12 60	12 60					18 94	8 42		
Note:	Rates displaying an "R" in Interim column are interim and sub	ject to	rate tru	ie-up as set forth in	General Tern	is and Condition	ons									

CATEGORY RATE ELEMENTS Interior Charge	COLLOCAT	ION - Kentucky													ment. 4		ibit: B
Physical Collection 2-Wes Consect Exercises Port 2 Physical Collection 2-Wes Consect Port 2-Wes Consect Port 2-Wes Consect Port 2-Wes Consect Port 2-Wes Consect Port 2-Wes Consect Port 2-Wes Consect Port 2-Wes Consect Port 2-Wes Consect Port 2-Wes Consect Port 2-Wes Consect Port 2-Wes Consect	CATEGORY	RATE ELEMENTS	ı	Zone	BCS	usoc			RATES (\$)			Submitted Elec	Submitted Manually	Manual Svc Order vs Electronic- 1st	Charge - Manual Svo Order vs Electronic- Add'l	Charge - Manual Svc Order vs Electronic-	Charge -
PRIVATE COLORATION COLORATI							Rec					COMEC	COMAN			COMAN	COMAN
Prysical Collections 2-Wine Cross Connect, Eacharge Prof. 2			-	-				FIISt	Addi	FIISL	Addi	SOMEC	JUMAN	SOMM	SOMAN	SOMAN	SOMAN
Prysical Collections 2-Wine Cross Connect, Eacharge Prof. 2	PHYSICAL CO	LLOCATION		+											-		
West Analog - Res 14 1056 7.66	T		-	ļ								i					
Physical Colication 2-Wire Cross Connect Exchange Prior 2- ULPSP PE/102 0.0335 24.68 76.68 17.14 10.95 7.66					UEPSR	PE1R2	0 0333	24 68	23 68	12 14	10 95		7 86			1	
Physical Collections 2-Wine Cross Connect, Elechange Print 2 UEPSE PE IR2 0.0333 24 68 23 48 12 14 10 95 7.96																1	
With Visine Coloration Play (Visine Coloration Play					UEPSP	PE1R2	0 0333	24 68	23 68	12 14	10 95		7 86				
Physical Collections 2-Wire Cross Connect, Exchange Pen 2-																1	
Wise Analog - Bis					UEPSE	PE1R2	0 0333	24 68	23 68	12 14	10 95		7.86				<u> </u>
Physical Collection 2-Vive Cross Cornect, Exchange Port 2-					LIEDAR	DE 400	0.0000	04.00	00.00	40.44	40.05		7.00				
Whin ISON Physical Collocation 2-Wire Cross Connect, Exchange Prof 2-				1	UEPSB	PE1R2	0 0333	24 68	23 68	12 14	10.95	····· ·· —	/ 86			-	
Physical Collogian - 2 Wire Coss Connect, Exchange Port 4 U.S.PTX FE1R2 0.0533 24.66 23.66 12.14 10.95 7.66					HEPSX	PE1R2	0.0333	24 69	23.68	12 14	10.95		7.86				
Wire ISON Physical Collection - 4 Wire Cross-Connect, Exchange Port 4- UEPTX PERZ 0.0333 24.68 22.88 12.44 10.95 7.66 Physical Collection - 4 Wire Cross-Connect Physical Collection - 5 Wire Standy Prower Rate Physical Collection - 5 Wire Standy Prower Rate Physical Collection - 5 Wire Standy Prower Rate Physical Collection - 5 Wire Standy Prower Rate Physical Collection - 5 Wire Standy Prower Rate Physical Collection - 5 Wire Standy Prower Rate Physical Collection - 5 Wire Standy Prower Rate Physical Collection - 5 Wire Standy Prower Rate Physical Collection - 5 Wire Standy Prower Rate Physical Collection - 5 Wire Standy Prower Rate Physical Collection - 5 Wire Standy Prower Rate Physical Collection - 5 Wire Standy Prower Rate Physical Collection - 5 Wire Standy Prower Rate Physical Collection - 5 Wire Standy Prower Rate Physical Collection - 5 Wire Standy Prower Rate Physical Collection - 5 Wire Standy Prower Rate Physical Collection - 5				t	OLI OX	1134	0 0000	29 00	20 00	12 14	10 30	 				1	<u> </u>
Physical Collication A Wee Cross Connect, Exchange Port 4- UEPEX PE RA 1.49 44.20 31.98 12.81 11.57 7.86					UEPTX	PE1R2	0 0333	24 68	23 68	12 14	10 95		7 86		}		
Week ISON OS1				t	J												
Physical Colication - Appreciation Fee - Initial CLO			l	i	UEPEX	PE1R4	1 48	44 23	31 98	12 81	11 57		7 86				
Physical Colocation - Application Fee - Subsequent CLO PEECA 3,145.35 3,145.35	PHYSICAL CO			1	-												
Physical Collocation - Space Preparation - CO Modification per squared follocation - Space Preparation - CO Modification per squared follocation - Space Preparation - CO Modification per squared follocation - Space Preparation - CO Modification per squared follocation - Space Preparation - CO Modification per squared follocation - Space Preparation - CO Modification per squared follocation - Space Preparation - CO Modification per squared follocation - Space Preparation - CO Modification per squared follocation - Space Preparation - Common Systems (CLO PETS)		Physical Collocation - Application Fee - Initial]	CLO	PE1BA											
Physical Collocation - Space Preparation - Firm Order CLO PE1SJ 1,206.07 1,206.07 1,206.07				L					3,145 35								
Processing					CLO	PE1BL		742 12									
Physical Colocation - Space Preparation - Co Modification per square file CLO PE1SK 2.32				1													
Square CLO PETSK 2.32			<u> </u>		CLO	PE1SJ		1,206 07	1,206 07								
Physical Colocation - Space Preparation - Common Systems CLO PETSL 3 26					ICLO	PE1SK	2 32										
Modification per square ft - Cageless CLO PEISL 3.26				 	020	1 210.1	7,02										
Physical Collocation - Space Preparation - Common Systems CLO PETSM 110 57			i	1	CLO	PE1SL	3 26					İ	!		ł		
Physical Collocation - Cable Installation																	
Physical Collocation - Flori Sparse per Sg. Fl		Modification per Cage	1				110 57					į					
Physical Collocation - Cable Support Structure, Per Entrance CLO PE IPM 19.88								1,729 11		45 16							
Cable Cido PEIPM 19-88			<u>.</u>	<u></u>	cro	PE1PJ	7 99					ļ					
Physical Collocation - Power -48V DC Power, per Fused Amp																	
Physical Collocation - Power Reduction. Application Fee I CLO PETPR 399 50												ļ				ļ	-
Physical Collocation - 120V, Single Phase Standby Power Rate			.	-			8 06	200 50				-					
Physical Collocation - 240V, Single Phase Standby Power Rate		Physical Collocation - Power Reduction, Application Fee		-	CLO	PEIPR		398 30				 					
Physical Collocation - 240V, Single Phase Standby Power Rate	1	Bhysical Collegation 120V Single Bhose Standby Bayer Bate	1		lan	DE 1EB	5.44		1	1		1					1
Physical Collocation - 120V, Three Phase Standby Power Rate CLO PE1FE 16 32		Physical Collocation - 120V, Single Phase Standby Power Rate	 	+	CLO	CIFO	3 44			 	-	 					
Physical Collocation - 120V, Three Phase Standby Power Rate CLO PE1FE 16 32		Physical Collocation - 240V. Single Phase Standby Power Rate			lcLo	PE1FD	10 88									1	
Physical Collocation - 277V, Three Phase Standby Power Rate		The state of the s								!						·	1
Physical Collocation - 277V, Three Phase Standby Power Rate UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, UDL, UNCVX, UNLDX, UNCX PE1P2 0 0 0333 24 68 23 68 12 14 10 95 Physical Collocation - 2-Wire Cross-Connects UCL UNLOX, UNCDX, UDN, UEA, UHL UNCVX, UNCDX, UCL UNCVX, UNCDX, UCL PE1P4 0 0 665 24 88 23 92 12 77 11 46 PE1P4 UNCIX, ULDD1, UNC	[[Physical Collocation - 120V, Three Phase Standby Power Rate	L		CLO	PE1FE	16 32										L
UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, UDL, UNCVX. UNLDX, UNCNX PE1P2 0 0333 24 68 23 68 12 14 10 95															•		
DC,UAL,UHL,UCL,U EQ,UDL, UNCVX UNLDX, UNCX PE1P2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		Physical Collocation - 277V, Three Phase Standby Power Rate			CLO	PE1FG	37 68					<u></u>					
Physical Collocation - 4-Wire Cross-Connects UDN, UEA, UHL UNCVX, UNCDX, UCL PE1P4 0 0 0665 24 88 23 82 12 77 11 46 CLO, UEANL, UEQ, W DS1L, WDS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1, USLEL, UNLD1,		Physical Collocation - 2-Wire Cross-Connects			DC,UAL,UHL,UCL,U EQ, UDL, UNCVX, UNLDX, UNCNX	PE1P2	0 0333	24 68	23 68	12 14	10 95						
CLO,UEANL,UEQ,W DS1L,WDS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1			:		UDN, UEA, UHL UNCVX, UNCDX,												
DS1L,WDS1S, USL, U1TD1, UXTD1. UNC1X, ULDD1, USLEL, UNLD1,		Physical Collocation - 4-Wire Cross-Connects				PE1P4	0 0665	24 88	23 82	12 77	11 46		L				1
					DS1L,WDS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1,												
		Physical Collocation - DS1 Cross-Connects	1			PE1P1	1 48	44.23	31.98	12.81	11.57			I	I	1	

COLLOCAL	ION - Kentucky					,						,		ment. 4		bit B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs Electronic Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)	· · · · · · · · · · · · · · · · · · ·	
						Nec .	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - DS3 Cross-Connects			CLO, UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1, UNLD3, UDL	PE1P3	18 89	41 93	30 51	14 75	11 83				!		
				CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3		0.75	44.00	20.54	44.70	44.04						
	Physical Collocation - 2-Fiber Cross-Connect			UDL12, UDF	PE1F2	3 75	41 93	30 51	14 76	11 84	-					
	Physical Collocation - 4-Fiber Cross-Connect			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1F4	6 65	51 29	39 87	19 41	16 49						
	Physical Collocation - Welded Wire Cage - First 100 Sq. Ft	•		CLO	PE1BW	184 97										_
	Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft		t	CLO	PE1CW	18 14						L				
	Physical Collocation - Security Access System - Security System per Central Office			cro	PE1AX	76 10										
	Physical Collocation - Security Access System - New Access Card Activation, per Card			CLO	PE1A1	0 058	55 79	55 79								
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or			CLO	PE1AA		15 64	15 64								
	Stolen Card, per Card			CLO	PE1AR		45 74	45 74						İ		
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		26 29	26 29								
	Physical Collocation - Security Access - Key, Replace Lost or Stolen Key per Key			CLO	PE1AL		26 29	26 29								
	Physical Collocation - Space Availability Report per premises			CLO	PE1SR		2,158 67	2,158 67	<u> </u>							
	POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, UDL, UNCVX, UNCDX, UNCNX	PE1PE	0 113							:			
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect				PE1PF	0 23		· · · · ·								
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,WDS1L,W DS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1	PE1PG	1 60										
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, UE3, U1TD3, UXTD3 UXTS1, UNC3X, UNCSX ULDD3, U1TS1, ULDS1, UNLD3 UDL, UDLSX	PE1PH	14 23										

COLLOCAT	ION - Kentucky									-			Attach	ment. 4	Exhi	bit; B
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted Manually		Incremental Charge -	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
						ļ			. N	B		L		Rates (\$)	L	
	<u> </u>		ļ			Rec	Nonrec		Nonrecurring First	Add'I	COMEC	SOMAN		SOMAN	SOMAN	SOMAN
		-		UEANL,UEA,UDN,U		ļ l	First	Add'l	FIFSE	AUU I	SOMEC	SOWAN	SOMAN	SOMAN	JOHAN	JOHIAN
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect			DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B2	48 57										
	POT Bay Arrangements pnor to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect			UEAÑL,UEA UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48 UDLO3 UDL12, UDF	PE1B4	65 50										
	Physical Collocation - Request Resend of CFA Information, per		1					-						l		
	CLLI			CLO	PE1C9	ļ l	77 55									
	Nonrecurring Collocation Cable Records - per request		1	CLO	PE1CR	ļ <u>-</u>	1,524 45	980 01	267 02							
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per cable record			сьо	PE1CD		656 37	656 37	379 70							-
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per			CLO	PE1CO		9 65	9 65	11 84	11 84						
—	each 100 pair Nonrecurring Collocation Cable Records - DS1, per T1TIE	-	-	CLO	PE1C1		4 52	4 52	5 54	5 54	 				-	
	Nonrecurring Collocation Cable Records - DS3, per T3TIE	 	1	CLO	PE1C3		15 81	15 81	19 39	19 39	i e	-				
	Nonrecurring Collocation Cable Records - Fiber Cable, per 99			020												
	fiber records		1	CLO	PE1CB		169 63	169 63	154 85	154 85				i .		
	Physical Collocation - Security Escort - Basic, per Half Hour			CLO,CLORS	PE1BT		33 98	21 53								
	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE1OT		44 26	27 81								
				01.0.01.000	PE1PT		54 54	34 09			1		1			
	Physical Collocation - Security Escort - Premium, per Half Hour	-		CLO,CLORS CLO	PE1P1	1	33 00	34 09							 	+
	V to P Conversion, Per Customer Request-Voice Grade	-	-	CLO	PE1BO	 	33 00		_		 					
\vdash	V to P Conversion, Per Customer Request-DS0	-	 	CLO	PE1B1	-	52 00				 			ł –	 	
	V to P Conversion, Per Customer Request-DS1 V to P Conversion, Per Customer request-DS3	 -	+	CLO	PE1B3		52 00					<u> </u>	 	1		
\vdash	V to P Conversion, Per Customer Request per VG Circuit		+	CLO	I LIBS		02.00									1
	Reconfigured V to P Conversion Per Customer Request per DS0 Circuit	ļ		CLO	PE1BR		23 00									-
	Reconfigured V to P Conversion, Per Customer Request per DS1 Circuit	L		CLO	PE1BP		23 00								-	-
	Reconfigured V to P Conversion Per Customer Request per DS3 Circuit			CLO	PE1B\$		33 00		_		ļ			_		ļ
	Reconfigured	ļ		CLO	PE1BE		37 00									
	V to P Conversion, Cable Pairs Assigned to Collo Space per 700 prs or fraction thereof	<u> </u>	ļ	CLO	PE187		592 00									
	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per cable, per linear ft			CLO,UDF	PE1ES	0 0012							ļ			ļ
	Physical Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable, per lin fi			CLO, UE3, USL	PE1DS	0.0018						-	-			1
	Physical Collocation - Co-Carner Cross Connects Only - Application Fee, per application			CFO	PE1DT		584 20				ļ					
	Physical Collocation - Application to Augment Exsisting Space - Simple	1		CLO	PE1KS		594 98		1 21							-
	Physical Collocation - Application to Augment Exsisting Space - Minor			cro	PE1KM		834 26		1 21		ļ					
	Physical Collocation - Application to Augment Exsisting Space - Intermediate			CLO	PE1K1		1,059 00		1 21		_					
ADJACENT C	OLLOCATION						_			<u> </u>	<u> </u>		I	1		
	Adjacent Collocation - Space Charge per Sq. Ft	1	1	CLOAC	PE1JA	0 0173				ļ		ļ		1		
	Adjacent Collocation - Electrical Facility Charge per Linear Ft	1	<u> </u>	CLOAC	PE1JC	5 35		L <u></u>				l	J			

CATEGORY			1													
SATEGORT	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					Rates (\$)		
			ļ				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Adjacent Collocation - 2-Wire Cross-Connects		1	CLOAC	PE1P2	0 0258	24 68	23 68	12 14	10 95				ļ	ļ	
	l.,,,			UEA UHL,UDL,UCL,										l		
	Adjacent Collocation - 4-Wire Cross-Connects	ļ	<u> </u>	CLOAC USL,CLOAC	PE1P4 PE1P1	0 0515 1 37	24 88 44 23	23 82 31 98	12 77 12 81	11 46 11 57						
	Adjacent Collocation - DS1 Cross-Connects Adjacent Collocation - DS3 Cross-Connects			CLOAC	PE1P3	18 61	44 23	30 51		11 83					 	
	Adjacent Collocation - DS3 Cross-Connects Adjacent Collocation - 2-Fiber Cross-Connect	 		CLOAC	PE1F2	3 15	41 93	30 51		11 84					1	-
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1F4	6 02	51 29	39 87		16 49				-		
	Adjacent Collocation - Application Fee			CLOAC	PE1JB	0.02	3,165 50	39 01	1941	10 48					-	
	Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FB	5 44	0,100 00									
	Adjacent Collocation - 240V Single Phase Standby Power Rate	l			1 -	- · · · · · · · · · · · · · · · · · · ·	- 1		; 1				-"	1	T	——
'	per AC Breaker Amp	l	1	CLOAC	PE1FD	10 88	1		1						1	
	Adjacent Collocation - 120V, Three Phase Standby Power Rate	I					- 1									
['	per AC Breaker Amp			CLOAC	PE1FE	16 32			<u> </u>					1		
	Adjacent Collocation - 277V, Three Phase Standby Power Rate															
	per AC Breaker Amp	L		CLOAC	PE1FG	37 68										
PHYSICAL COL	LLOCATION IN THE REMOTE SITE													1	ļ	ļ
	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		617 78		338 89					L		
	Cabinet Space in the Remote Site per Bay/ Rack	L	1	CLORS	PE1RB	219 67										
			1													
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		26 29									ļ
	Physical Collocation in the Remote Site - Space Availability Report per Premises Requested			CLORS	PE1SR		232 64									
	Physical Collocation in the Remote Site - Remote Site CLLI										1					
	Code Request, per CLLI Code Requested	-	1	CLORS	PE1RE		75 40				1			-		-
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO	-	-	CLORS	PE1RR		233 42				<u> </u>					-
PHYSICAL COL	LLOCATION IN THE REMOTE SITE - ADJACENT	-	-		-											
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6 27										
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0 134					1					
	Remote Site-Adjacent Collocation - Real Estate, per square loot Remote Site-Adjacent Collocation-Application Fee		_	CLORS	PE1RU	0 134	755 62	755 62			-			· · · - · -		
	If Security Escort and/or Add'l Engineering Fees become nec	AECON!	for rom			vill pegotiate ar			 		 					
VIRTUAL COLL		essary	T Tem	te site conocanon,	tite ratties i	viii iregotiate a	opropriate rate	a								
	Virtual Collocation - Application Fee			AMTFS	EAF		2,419 86	2.419 86	1 01	1 01	i	7 86				
	Virtual Collocation - Cable Installation Cost, per cable			AMTFS	ESPCX		1,729 11	1,729 11	45 16	45 16		7 86				
	Virtual Collocation - Floor Space, per sq. ft			AMTES	ESPVX	7 99	.,	.,	1		İ			†		1
	Virtual Collocation - Power, per fused amp			AMTES	EŚĖAX	8 06					i				1	
	Virtual Collocation - Cable Support Structure, per entrance		1													
	cable			AMTFS	ESPSX	17 38					ļ					
				UEANL,UEA,UDN,U DC,UAL,UHL UCL U EQ, AMTFS, UDL,		i			i							
1 '	1	1		UNCVX, UNCDX,				an	ļ ,,l		1			İ		1
	Virtual Collocation - 2-wire Cross Connects (loop)	-		UNCNX	UEAC2	0 0309	24 68	23 68	12 14	10 95	ļ	7 86		-	<u> </u>	1
				UEA,UHL,UCL,UDL,												
	Virtual Collocation - 4-wire Cross Connects (loop)		1	AMTFS, UAL UDN UNCVX, UNCDX	UEAC4	0 0619	24 88	23 82	12 77	11 46		7 86				1
-	virtual Collocation - 4-wire Cross Connects (100p)		1	AMTFS,UDL12	UEAC4	0.0019	24 00	23 62	1277	1140		7 00				
				UDLO3, U1T48 U1T12, U1T03,												
l '	Northant Collegation 2 Fisher Cross Connects			ULDO3, ULD12	CNC2E	2.00	,,,,	20.51	14.70	44.04		700		1		1
	Virtual Collocation - 2-Fiber Cross Connects		1	ULD48, UDF AMTFS,UDL12,	CNC2F	3 80	41 94	30 51	14 76	11 84	<u> </u>	7 86		 	1	+
			}	UDLO3, U1T48, U1T12, U1T03,												
	Virtual Collocation - 4-Fiber Cross Connects	-		ULDO3 ULD12, ULD48, UDF	CNC4F	7 59	51 29	39 87	19 41	16 49		7 86				

COLLOCATION - Kentucky												1		ment 4		bit B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc	RATES (\$)					Submitted Elec		Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Charge -	Charge -
						Rec	Nonrec		Nonrecurring			r =====		Rates (\$)		
						, tee	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual collocation · Special Access & UNE, cross-connect per DS1			USL, ULC, AMTES, ULR, UXTD1, UNC1X ULOD1, U1TD1, USLEL, UNLD1 USL, ULC AMTES, U	CNC1X	1 48	44 23	31 98	12.81	11 57						
	Virtual collocation - Special Access & UNE, cross-connect per DS3			E3, U1TD3, UXTS1, UXTD3, UNC3X UNCSX, ULDD3, U1TS1, ULDS1, UDLSX UNLD3	CND3X	18 89	41 93	30 51	14 75	11 83						
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable					0 003										
	Support Structure, per linear foot Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax			AMTFS AMTFS	VE1CB VE1CD	0 0045								-		
	Cable Support Structure, per linear ft Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable			AWIFS	VETOD	0 0043									 	
	Support Structure.per cable			AMTES	VE1CC	1	535 55				_					
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable			AMTFS	VE1CE		535 55									
	Virtual Collocation Cable Records - per request		İ	AMTFS	VE1BA		1,524 45	980 01	267 02	267 02		_				
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable record			AMTFS	VE1BB		656 37	656 37	379 70	379 70						
	Virtual Collocation Cable Records - VG/DS0 Cable, per each 100 pair			AMTES	VE1BC		9 65	9 65	11 84	11 84						
	Virtual Collocation Cable Records -DS1, per T1TIE	ļ	ļ	AMTES AMTES	VE1BD VE1BE	-	4 52 15 81	4 52 15 81	5 54 19 39	5 54 19 39		<u> </u>				
	Virtual Collocation Cable Records - DS3, per T3TIE Virtual Collocation Cable Records - Fiber Cable, per 99 fiber		 	AMIFS	VEIBE	_	1301	13.61	19 39	19.00	+					
	records			AMTES	VE1BF	1	169 63	169 63	154 85	154 85		İ				
-	Virtual collocation - Security Escort - Basic, per half hour	 		AMTES	SPTBX		33 98	21 53								
	Virtual collocation - Security Escort - Overtime, per half hour			AMTFS	SPTOX		44 26	27 81								
	Virtual collocation - Security Escort - Premium, per half hour			AMTES	SPTPX		54 54	34 09			L	_			ļ	
	Virtual collocation - Maintenance in CO - Basic, per half hour	ļ		AMTES	CTRLX		56 07	21 53			-		-			
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		73 23	27 81	-							
	Virtual collocation - Maintenance in CO - Premium per half hour			AMTES	SPTPM		90 39	34 09								
RTUAL COL	LOCATION Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-Wire Analog - Res			UEPSR	VE1R2	0 0309	24 68	23 68	12 14	10 95		7 86				
-	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Line Side PBX Trunk - Bus Virtual Collocation 2-Wire Cross Connect Exchange Port 2-Wire	-	-	UEPSP	VE1R2	0 0309	24 68	23 68	12 14	10 95		7 86				-
	Voice Grade PBX Trunk - Res Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire	-		UEPSE	VE1R2	0 0309	24 68	23 68	12 14	10 95		7 86	i -	-		-
	Analog Bus Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire			UEPSB	VE1R2	0 0309	24 68	23 68	12 14	10 95		7 86	1			
	ISDN Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire	i	-	UEPSX	VE1R2	0 0309	24 68	23 68	12 14	10 95		7 86				
	ISDN Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire		\vdash	UEPTX	VE1R2	0 0309	24 68	23 68	12 14	10 95		7 86				
	ISDN DS1	1	1	UEPEX	VE1R4	1 48	44 23	31 98	12 81	11 57	1	7 86		1		l

COLLOCAT	ION - Louisiana													ment; 4		bit- B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted Elec per LSR	Submitted Manually		Charge - Manual Svc Order vs	Charge -	Incrementa Charge - Manual Svo Order vs Electronic- Disc Add'i
						Rec	Nonrec First	urring Add'l	Nonrecurrin First	g Disconnect Add'l	SOMEC	SOMAN		Rates (\$)	SOMAN	SOMAN
								-								
PHYSICAL CO																
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			UEPSR	PE1R2	0 0318	11 94	11 46		ļ		15 20				1
	Wire Analog - Res Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			ULFSK	FEIRZ	0 0010	11.54	1140		+		13 20			+	
	Wire Line Side PBX Trunk - Bus	1		UEPSP	PE1R2	0 0318	11 94	11 46				15 20			1	
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Voice Grade PBX Trunk - Res			UEPSE	PE1R2	0 0318	11 94	11 46			ļ	15 20				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Analog - Bus	1		UEPSB	PE1R2	0 0318	11 94	11 46				15 20	1			
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			UEFOB	FEIRZ	0 0316	11 94	11 40	-	+		13 20			-	
	Wire ISDN	1		UEPSX	PE1R2	0 0318	11 94	11 46				15 20	ĺ			
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-	İ														
	Wire ISDN			UEPTX _	PE1R2	0 0318	11 94	11 46		<u> </u>		15 20		L		
	Physical Collocation 4-Wire Cross Connect, Exchange Port 4-			UEPEX	DE4D4	0.0000	40.04	44.50				45.00				
PHYSICAL CO	Wire ISDN DS1			UEPEX	PE1R4	0 0636	12 04	11 53		+	+	15 20				-
FITTSICAL CO	Physical Collocation - Application Fee - Initial		 	CLO	PE1BA		1,837 24			+						
	Physical Collocation - Application Fee - Subsequent			CLO	PE1CA		1 533 41			ļ						
	Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		741 97			Ī.						
l i	Physical Collocation - Space Preparation - Firm Order				L i											
	Processing			CLO	PE1SJ		583 33									
	Physical Collocation - Space Preparation - C O Modification per square ft	ļ	,	CLO	PE1SK	2 31										
	Physical Collocation - Space Preparation - Common Systems			CLO	FEISK	231				1						
	Modification per square ft - Cageless			CLO	PE1SL	2 70										
	Physical Collocation - Space Preparation - Common Systems															
	Modification per Cage			cro	PE1SM	91 60										
	Physical Collocation - Cable Installation	ļ		CLO CLO	PE1BD PE1PJ	5 30	841 54	841 54							-	ļ
	Physical Collocation - Floor Space per Sq. Ft. Physical Collocation - Cable Support Structure, Per Entrance			CLO	PE1PJ	5 30										
	Cable	ļ		CLO	PE1PM	18 31									i	
	Physical Collocation - Power -48V DC Power, per Fused Amp	-		CLO	PE1PL	8 32										
i l	<u> </u>					i i					1					
	Physical Collocation - 120V, Single Phase Standby Power Rate			cro	PE1FB	5 45					1					
	Shared Calleston 24014 Contact Share Contact		1	0.0	DE4ED	40.55										
	Physical Collocation - 240V, Single Phase Standby Power Rate	-		CLO	PE1FD	10 92					+				-	ļ
	Physical Collocation - 120V, Three Phase Standby Power Rate			CLO	PE1FE	16 37					1					
	, such that										1					
	Physical Collocation - 277V, Three Phase Standby Power Rate			CLO	PE1FG	37 80					1					
				UEANL, UEA, UDN, U DC UAL UHL, UCL, U			i									
				EQ UDL UNCVX.											[
	Physical Collocation - 2-Wire Cross-Connects			UNLDX UNCNX	PE1P2	0 0318	11 94	11 46	1							
				CLO, UAL, UDL.			-									
				UDN, UEA, UHL,]								1	
	Physical Callegation A Miss Cones Connects			UNCVX UNCDX,	DEADA	0.0000	40.04	44.55								
-	Physical Collocation - 4-Wire Cross-Connects			UCL CLO,UEANL,UEQ,W	PE1P4	0 0636	12 04	11 53			+		ļ			
				DS1L,WDS1S, USL,												1
				U1TD1, UXTD1,											1	
[UNC1X, ULDD1												
			İ	USLEL, UNLD1,												
	Physical Collocation - DS1 Cross-Connects	<u> </u>	<u> </u>	UDL	PE1P1	1 04	21 39	15 47						L	L	

COLLOCAT	ION - Louisiana												Attach	ment: 4	Exhi	bit B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs, Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs Electronic Disc Add'i
		ļ	<u> </u>			Rec	Nonrec			g Disconnect		554444		Rates (\$)		
		-		CLO. UE3.U1TD3.			First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - DS3 Cross-Connects			UXTD3 UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1, UNLD3, UDL CLO, ULDO3, ULD12 ULD48	PE1P3	13 21	20 28	14 76								
				U1TO3, U1T12, U1T48, UDLO3,												
	Physical Collocation - 2-Fiber Cross-Connect			UDL12 UDF	PE1F2	2 62	20 28	14 76			-				1	
	Physical Collocation - 4-Fiber Cross-Connect			CLO, ULDO3, ULD12, ULD48, U1TO3 U1T12, U1T48, UDLO3, UDL12, UDF	PE1F4	4 65	24 81	19 29								
	Physical Collocation - Welded Wire Cage - First 100 Sq. Ft	 		CLO	PE1BW	184 50	24 01	19 29			 					
	Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft	 	+	CLO	PEICW	18 10				-	+					
	Physical Collocation - Security System Per Central Office Per	 		OLO	1 2 10 11	10 10										
	Assignable Sq. Ft Physical Collocation - Security Access System - New Access	ļ	-	CLO	PE1AY	0 0224							-			
	Card Activation, per Card			CLO	PE1A1	0 0579	27 50									
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or			сьо	PE1AA		7 74	7 74								
	Stolen Card, per Card	ļ		cro	PE1AR		22 64	22 64]				!			
1	Physical Collocation - Security Access - Initial Key, per Key		 	CLO	PE1AK		13 01	13 01	 					· · · · · · · · · · · · · · · · · · ·		
	Physical Collocation - Security Access - Key Replace Lost or Stolen Key, per Key			CLO	PE1AL		13 01	13 01								
	Physical Collocation - Space Availability Report per premises	 	 	CLO	PE1SR	-	1,044 07	1,044 07								
	POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, UDL, UNCVX, UNCDX UNCNX	PE1PE	0 079	1,044 67	1,044 01					-			
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO USL, UNCVX, UNCDX	PE1PF	0 158										
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, WDS1L, W DS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1	PE1PG	1 12										
	POT Bay Arrangements pnor to 6/1/99 - DS3 Cross-Connect, per cross-connect			UEÁNL, UEÁ UDŇ, U DC, UAL, UHL, UCL, U EQ, CLO, UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UDL, UDLSX	PE1PH	9 95	İ									

COLLOCAT	ION - Louisiana												Attach			bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc	,	Nonrec	RATES (\$)	Nonrecurring	Disconnect		Submitted	Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l Rates (\$)	Charge -	Charge -
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect,			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3,									e e dicin		22.000	
	per cross-connect				PE1B2	33 96										
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect	,		ULD12, ULD48, U1TO3, U1T12, U1T48 UDLO3,	PE1B4	45 80										
	Physical Collocation - Request Resend of CFA Information, per			0.0												
	CLLI Recurring Collocation Cable Records - per request		-	CLO CLO	PE1C9 PE1CU	10 97	77 43									-
	Recurring Collocation Cable Records - VG/DS0 Cable per cable record			CLO	PE1CE	5 29	l									
	Recurring Collocation Cable Records - VG/DS0 Cable, per each 100 pair			CLO	PE1CT	0.08										
	Recurring Collocation Cable Records - DS1, per T1TIE				PE1C2	0 04					ļ					
	Recurring Collocation Cable Records - DS3, per T3TiE Recurring Collocation Cable Records - Fiber Cable, per 99 fiber records		-		PE1C4 PE1CG	0 13 1 37								_		
	Physical Collocation - Security Escort - Basic, per Half Hour				PE1BT		16 44	10 42								
	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE1OT		21 41	13 45								
	Physical Collocation - Security Escort - Premium, per Half Hour			CLO,CLORS	PE1PT		26 38	16 49								
	V to P Conversion, Per Customer Request-Voice Grade				PE1BV		33 00									
	V to P Conversion, Per Customer Request-DS0		ļ		PE180		33 00									
	V to P Conversion, Per Customer Request-DS1		-		PE1B1		52 00 52 00									
	V to P Conversion, Per Customer request-DS3 V to P Conversion, Per Customer Request per VG Circuit				PE1B3											
	Reconfigured V to P Conversion, Per Customer Request per DS0 Circuit			cro	PE1BR		23 00				ļ				ļ	-
	Reconfigured V to P Conversion, Per Customer Request per DS0 Circuit V to P Conversion, Per Customer Request per DS1 Circuit			сго	PE18P		23 00									
	Reconfigured V to P Conversion, Per Customer Request per DS3 Circuit			CLO	PE1BS		33 00									
	Reconfigured V to P Conversion, Cable Pairs Assigned to Collo Space per 700				PE18E		37 00									
-	prs or fraction thereof Physical Collocation - Co-Carrier Cross Connects - Fiber Cable				PE187		592 00									
	Support Structure, per cable, per linear ft Physical Collocation - Co-Carner Cross Connects - Copper/Coax	ļ <u>.</u>	<u> </u>	CLO, UE3, USL	PE1ES PE1DS	0 001										
	Cable Support Structure, per cable, per lin ft Physical Collocation - Co-Carrier Cross Connects Only - Application Fee, per application	 		CLO, DE3, USL	PE1DS PE1DT	0.0015	583 30									
	Physical Collocation - Application to Augment Exsisting Space - Simple			CLO	PE1KS		596 35		1 22							
	Physical Collocation - Application to Augment Exsisting Space - Minor			cro	PE1KM		836 18		1 22							
ADJACENT CO	Physical Collocation - Application to Augment Exsisting Space - Intermediate		1	cro	PE1K1		1 061 00		1 22							
- I	Adjacent Collocation - Space Charge per Sq. Ft	 	 	CLOAC	PE1JA	0 0552				1	-				 	1
	Adjacent Collocation - Space Charge per Sq. Ft. Adjacent Collocation - Electrical Facility Charge per Linear Ft.	 	\vdash	CLOAC	PE1JC	5 61				 	+			-		

	A . = .	ON I STATE											Attach	ment: 4	Exhi	bit B
COLLO	CATIO	ON - Louisiana		1	· · · · · ·		Γ				Svc Order	Svc Order			Incremental	
			1									Submitted		Charge -	Charge -	Charge -
	j		,_,								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)		per LSR	per LSR	Order vs	Order vs	Order vs	Order vs
		·	m	ļ		İ	1						Electronic-	Electronic-	Electronic-	Electronic-
				1			•					i	1st	Add'l	Disc 1st	Disc Add'l
			<u> </u>	ـــــ			-			N		<u> </u>	000	Rates (\$)	L	
				-			Rec	Nonrec		Nonrecurring Disconnect First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
					CLOAC	PE1P2	0 0245	First 11 94	Add'l 11 46		SOMEC	SUMAN	SUMAN	JUMAN	SUMAN	JUMAN
		Adjacent Collocation - 2-Wire Cross-Connects		+	UEA,UHL,UDL,UCL	PETPZ	0 0245	11 94	11 40	<u> </u>		1				
1 1		Adjacent Collocation - 4-Wire Cross-Connects			CLOAC	PE1P4	0 0491	12 04	11 53	! !						1
		Adjacent Collocation - DS1 Cross-Connects	-	1		PE1P1	0 9605	21 39	15 47	!						
		Adjacent Collocation - DS3 Cross-Connects				PE1P3	13 01	20 28	14 76							L
		Adjacent Collocation - 2-Fiber Cross-Connect		1	CLOAC	PE1F2	2 20	20 28	14 76							
		Adjacent Collocation - 4-Fiber Cross-Connect		1		PE1F4	4 21	24 81	19 29							
		Adjacent Collocation - Application Fee		1	CLOAC	PE1JB		1,543 20								 _
		Adjacent Collocation - 120V, Single Phase Standby Power Rate	•				1								1	
		per AC Breaker Amp	ļ.,		CLOAC	PE1FB	5 45			—						
T		Adjacent Collocation - 240V, Single Phase Standby Power Rate			0.000	DE455	40.00						1	1	1	1
\vdash		per AC Breaker Amp		-	CLOAC	PE1FD	10 92			+	+	-	1		 	†
		Adjacent Collocation - 120V, Three Phase Standby Power Rate			CLOAC	PE1FE	16 37	ŀ						1	1	
		per AC Breaker Amp Adjacent Collocation - 277V, Three Phase Standby Power Rate	1	1	SEUNO		10 37			 			1			
		per AC Breaker Amp	Ì		CLOAC	PE1FG	37 80	j						1		
PHYSICA	L COL	LOCATION IN THE REMOTE SITE		 			1		-							
111101011		Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		298 80	298 80							
		Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	225 39									
						1		}		1 1						1
		Physical Collocation in the Remote Site - Security Access - Key	L	1	CLORS	PE1RD	 	13 01	13 01							
		Physical Collocation in the Remote Site - Space Availability	i	1	0.000	DE 40D	1 1	442.52	140 50					1		
		Report per Premises Requested		-	CLORS	PE1SR	 	112 52	112 52			-		 		
		Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested			CLORS	PE1RE	1 1	36 47	36 47			1		1		
		Remote Site DLEC Data (BRSDD), per Compact Disk, per CO		+	CLORS	PE1RR	+	233 21	30 41			1		-		
PHYSICA		LOCATION IN THE REMOTE SITE - ADJACENT	 	+						1		 				
11110107				†					-							
1		Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6 27				1				ļ	
											1					
		Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0 134				_	ļ		ļ		
		Remote Site-Adjacent Collocation-Application Fee				PE1RU	<u> </u>	755 62	755 62							↓
		If Security Escort and/or Add'l Engineering Fees become nec	essary	for rem	iote site collocation,	the Parties	will negotiate a	opropriate rate	s			 		ļ	-	
VIRTUAL		OCATION		 	AMTES	EAF	 	1,770 40			_	15 20	ļ	ļ	 	
		Virtual Collocation - Application Fee Virtual Collocation - Cable Installation Cost, per cable	-	1	AMTES	ESPCX	+	841 54				15 20	 	 		+
-		Virtual Collocation - Cable Installation Cost, per cable Virtual Collocation - Floor Space, per sq. ft	 	+	AMTES	ESPVX	3 20	04 34		 		10 20		 	 	
		Virtual Collocation - Power, per fused amp		+	AMTFS	ESPAX	8 32			 		1	1	<u> </u>		
		Virtual Collocation - Cable Support Structure, per entrance		1			1									
1		cable			AMTFS	ESPSX	16 02									1
				1	UEANL,UEA,UDN U											
					DC,UAL,UHL,UCL,U	1								į		
					EQ, AMTFS, UDL,							1				1
		L			UNCVX, UNCDX,		0.000					45.00		1		1
\vdash		Virtual Collocation - 2-wire Cross Connects (Ioop)	<u> </u>	 	UNCNX	UEAC2	0 0296	11 94	11 46			15 20	1	 		+
			1	1	UEA,UHL,UCL,UDL.							1	1			1
1 1			1	1	AMTES, UAL, UDN,						1	1	i			1
		Virtual Collocation - 4-wire Cross Connects (Ioop)			UNCVX, UNCDX	UEAC4	0 0591	12 04	11 53			15 20			1	
		, , , , , , , , , , , , , , , , , , , ,			AMTFS,UDL12,							1		į		
					UDLO3, U1T48						1			1		
					U1T12, U1T03,						1			i		
					ULDO3 ULD12,	1					1			1	1	
		Virtual Collocation - 2-Fiber Cross Connects	-		ULD48, UDF	CNC2F	2 65	20 29	14 76	 		15 20	-	 	 	
			i	1	AMTFS,UDL12,	1					1		1	1	1	
			i	1	UDLO3, U1T48, U1T12, U1T03,	1							İ	1	1	
					ULDO3, ULD12.								1			1
		Virtual Collocation - 4-Fiber Cross Connects			ULD48, UDF	CNC4F	5 31	24 81	19 29			15 20	1	1		
L		Trendar denocation - Tribut Ordea Conflictio			1000 10, 001	10,1011	, 551	67.01	10 28			-,	1	1	1	

OLLOCAL	ION - Louisiana	,		,									ment· 4		bit: B
					'								Incremental		Increment
				ŀ						Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi _								Etec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
ATEGORY	RATE ELEMENTS	m Zoi	ne BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs	Order vs	Order vs	Order vs
		'''								`	'	Electronic-	Electronic-	Electronic-	Electronic-
			1	ŀ								1st	Add'l	Disc 1st	Disc Add'l
													,	D.00 .00	
					Rec	Nonrec			g Disconnect				Rates (5)		
					7.100	First	Add'l	First	Add'l	SOMEC	SOMAN_	SOMAN	SOMAN	SOMAN	SOMAN
		1	USL,ULC.AMTES,		ŀ			ł	1	ł	ł				
			ULR, UXTD1,	1											
			UNC1X, ULDD1,						ŀ						ļ
	Virtual collocation - Special Access & UNE, cross-connect per		U1TD1, USLEL,												
	DS1		UNLD1	GNC1X	1 04	21 39	15 47				15 20				
			USL,ULC,AMTFS,U	1		ì		ĺ	ſ	ſ	[
			E3, U1TD3, UXTS1,												
			UXTD3, UNC3X,	Į.					1	Ì					
			UNCSX, ULDD3,						Į.						
	Virtual collocation - Special Access & UNE, cross-connect per		U1TS1, ULDS1,												
	DS3		UDLSX, UNLD3	GND3X	13 21	20 28	14 76			ļ	15 20				<u> </u>
ŀ	Virtual Collocation - Co-Carner Cross Connects - Fiber Cable		1						1						
	Support Structure, per linear foot		AMTFS	VE1CB	0 0024				L						ļ. <u></u>
	Virtual Collocation - Co-Carner Cross Connects - Copper/Coax		_	1				1	}		1				
	Cable Support Structure, per linear ft		AMTFS	VE1CD	0 0036										
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable			1				}	ļ	ł					
	Support Structure,per cable		AMTF\$	VE1CC		534 79			.	ļ	15 20				ļ
	Virtual Collocation - Co-Carner Cross Connects - Copper/Coax			l											
	Cable Support Structure, per cable		AMTFS	VE1CE		534 79		ļ <u> </u>		ļ	15 20		ļ		
	Virtual Collocation Cable Records - per request		AMTFS	VE1BA	10 97										
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable	1		1		i			1	ĺ					
	record		AMTFS	VE1BB	5 29							_			
	Virtual Collocation Cable Records - VG/DS0 Cable, per each		1	1.		i			i				l		į .
	100 pair		AMTFS	VE1BC	0.08										
	Virtual Collocation Cable Records - DS1, per T1TIE		AMTFS	VE1BD	0 04										L
	Virtual Collocation Cable Records - DS3, per T3TIE		AMTFS	VE1BE	0 13				<u> </u>						
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber	ì	1	LUCADE.		!		i	1						ì
	records		AMTES	VE1BF	1 37				ļ	ļ	45.00				
	Virtual collocation - Security Escort - Basic, per half hour		AMIFS	SPTBX		16 44	10 42		ļ	1	15 20				1
	Virtual collocation - Security Escort - Overtime, per half hour		AMTES	SPTOX		21 41	13 45		ļ		15 20				·
	Virtual collocation - Security Escort - Premium, per half hour		AMTES	SPTPX		26 38	16 49	ļ			15 20				
	Virtual collocation - Maintenance in CO - Basic, per half hour		AMTFS	CTRLX		27 12	10 42			ļ	15 20		-		\
	Net al allered a Mantagara 60 O at a san balkbara	ļ	I ANATEC	COTOL		25.42	40.45		i		45.00)		
	Virtual collocation - Maintenance in CO - Overtime, per half hour	l	AMTFS	SPTOM		35 42	13 45	}		}	15 20	····	}		-
	Virtual collocation - Maintenance in CO - Premium per half hour		AMTES	SPTPM		43 72	16 49				15 20				ı
/IRTUAL COL			HWITTS	SETEN	 	43 72	10 49		}	 	13 20				
AIRTUAL COL	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-			1				· · · · · · · · · · · · · · · · · · ·	_				<u> </u>		1
	Wire Analog - Res		UEPSR	VE1R2	0 0296	11 94	11 46		ĺ	ĺ	15 20				j
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-		OLI SIX	VEIRZ	0.0230	11 54	1140	1		1	13 20				
- 1	Wire Line Side PBX Trunk - Bus		UEPSP	VE1R2	0 0296	11 94	11 46	ĺ	ĺ	ĺ	15 20		ŀ		
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire		ULFSF	IVE INZ	0.0230	11 54	11 40		1	1	13 20				1
1	Voice Grade PBX Trunk - Res		UEPSE	VE1R2	0 0296	11 94	11 46				15 20				1
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire		1	1	0 0200			 	1	}				 	
F	Analog Bus		UEPSB	VE1R2	0 0296	11 94	11 46				15 20				
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire		1-3.55	1	2 02.00	1, 94	- 1170		 	 	10 20			-	
l	ISDN		UEPSX	VE1R2	0 0296	11 94	11 46		1		15 20				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire			1 - 1112	2.02.30	1.34)	1)	15 20				1
- 1	ISDN		UEPTX	VE1R2	0 0296	11 94	11 46				15 20				
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire		1	1	3 0230	1134	11 40)	 	}	10 20				
1	ISDN DS1	1 1	UEPEX	VE1R4	0.0591	12 04	11 53				15 20				
	Rates displaying an "R" in Interim column are interim and sub						11 03	\		 	13.20				

OLLOCAT	ION - Mississippi				,								Attach			bit B
:ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svo Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'
		_	ļ			Rec	First	Add'l	First	Disconnect Add'i	SOUEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		-	-				- Fijsi	Auu I	FIISI	Aug	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL CO	LLOCATION	t –			<u> </u>										ļ ———	-
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-	1 -			1											i
	Wire Analog - Res			UEPSR	PE1R2	0 0288	12 37	11 87	6 04	5 45		15 75			ļ	<u> </u>
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus			UEPSP	PE1R2	0 0288	12 37	11 87	6 04	5 45		15,75				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Voice Grade PBX Trunk - Res			UEPSE	PE1R2	0 0288	12 37	11 87	6 04	5 45		15 75				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-		1						-							
	Wire Analog - Bus		_	UEPSB	PE1R2	0 0288	12 37	11 87	6 04	5 45		15 75			ļ	
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire ISDN	:	_	UEPSX	PE1R2	0 0288	12 37	11 87	6 04	5 45		15 75				
	Physical Collocation 2-Wire Cross Connect Exchange Port 2- Wire ISDN		1	UEPTX	PE1R2	0 0288	12 37	11 87	6 04	5 45		15 75				
	Physical Collocation 4-Wire Cross Connect Exchange Port 4- Wire ISDN DS1									5.91		15 75				
PHYSICAL CO																
	Physical Collocation - Application Fee - Initial			CLO	PE1BA											
	Physical Collocation - Application Fee - Subsequent			CLO	PE1CA											-
$-\!\!+\!\!-$	Physical Collocation Administrative Only - Application Fee		₩	CLO	PE1BL						-				}	
ļ	Physical Collocation - Space Preparation - Firm Order Processing	١.		CLO	PE1SJ											1
	Physical Collocation - Space Preparation - C O Modification per	<u> </u>	 					-		· · · · 				_		
	square ft		1	Cro	PE1SK	=										-
	Physical Collocation - Space Preparation - Common Systems Modification per square ft - Cageless	1		CLO	PE1SL									_		
	Physical Collocation - Space Preparation - Common Systems Modification per Cage	1 .		CLO	PE1SM	85 67										
	Physical Collocation - Cable Installation			CLO	PE1BD		926 27	926 27	22 62							
	Physical Collocation - Floor Space per Sq. Ft			CLO	PE1PJ	5 74										
İ	Physical Collocation - Cable Support Structure, Per Entrance Cable		1	CLO	PE1PM	17 42									<u> </u>	
	Physical Col ocat on - Power -48V DC Power, per Fused Amp	Ĩ		CLO	PE1PL	7 33										
	Physical Col ocal on - Power Reduction, App. cat on Fee			CLO	PEIPR		398 76								ļ	
	 Physical Collocation - 120V, Single Phase Standby Power Rate			,		5 29				}	1					}
						10 58										
	Physical Collocation - 240V, Single Phase Standby Power Rate	 		<u> </u>											1	
	Physical Collocation - 120V, Three Phase Standby Power Rate	 	1			15 87									_	-
	Physical Collocation - 277V, Three Phase Standby Power Rate				1	36 65										
						0.00	10 ==									
	Physical Collocation - 2-Wire Cross-Connects					0 0288	12 37			5 45						
	Physical Collocation - 4-Wire Cross-Connects		1	UCL	PE1P4	0 0576	12 47	11 94	6 59	5 91						
				CLO,UEANL,UEQ,W DS1L,WDS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1,			no : 2									
	Physical Collocation - DS1 Cross-Connects	<u> </u>		UDL	PE1P1	1 14	22 16	16 02	6 60	5 97						L

COLLOCAT	ION - Mississippi													ment: 4		bit: B
CLLOOKI	Total Minds of Market												Incremental		Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi						DATES (A)			Elec	Manually	Manual Svc	Manual Svc		Manual Sv
ATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs	Order vs	Order vs	Order vs
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'i	Disc 1st	Disc Add'i
-						Rec	Nonre -	irring	Nonrecurrin	Disconnect		·		Rates (\$)		•
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1				CLO, UE3,U1TD3,	ſ											
				UXTD3, UXTS1,						İ						1
				UNC3X UNC\$X ULDD3,												
				U1TS1 ULDS1.				i		1						
	Physical Collocation - DS3 Cross-Connects			UNLD3, UDL	'E1P3	14 49	21 01	15 29	7 61	6 10						
	Filysical Collocation - Doo Cross-Collinects	<u> </u>		CLO, ULDO3,						,					_	1 · · · ·
				ULD12 ULD48						į						1
				U1TO3, U1T12,												
				U1T48, UDLO3												i
	Physical Collocation - 2-Fiber Cross-Connect	Į		UDL12, UDF	'E1F2	2 87	21 01	15 29	7 61	6 10					ļ	
				CLO, ULDO3,						1						
				ULD12, ULD48]						
				U1TO3, U1T12, U1T48, UDLO3,				1		1						
!	Physical Collocation - 4-Fiber Cross-Connect			UDL12, UDF	'E1F4	5 10	25 70	19 97	10.01	8 50						
	Physical Collocation - Welded Wire Cage - First 100 Sq. Ft	 		CLO	E1BW	183 20	2370	13.37	10.01	9.55	1					
	Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft	-		CLO	'E1CW	17 97			_		1					
	Physical Collocation - Security Access System - Security System		•—							ĺ	1					
1	per Central Office		1	CLO	'E1AX	75 23					J					
	Physical Collocation - Security Access System - New Access		Г						i		[
	Card Activation, per Card			CLO	'E1A1	0 0576	27 95	27 95			ļ					
1	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card	1	1	CLO	¹E1AA		7 84	7 84								
	Physical Collocation - Security Access System - Replace Lost or		-	CLO	<u> </u>			7 04			1					
	Stolen Card, per Card	1		CLO	'E1AR		22 91	22 91			ļ				ļ	
	Physical Collocation - Security Access - Initial Key per Key	1		CLO	'E1AK	1	13 17	13 17		i	1					
	Physical Collocation - Security Access - Key, Replace Lost or										1					
	Stolen Key, per Key	l		CLO	'E1AL	<u>l</u>	13 17	13 17			1					
	Physical Collocation - Space Availability Report per premises	- 1		CLO	E1SR		1,081 40	1,081 40			1					
ĺ		1		UEANL UEA,UDN,U							1					
		l		DC,UAL,UHL UCL,U		1					1				i	
	BOT Boy Assessments prior to 6/4/00 2 Miss Cross Connect	ļ	İ	EQ,CLO,UDL, UNCVX, UNCDX,												
ŀ	POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect		i	UNCNX	'E1PE	0.0867									1	
	per cross-connect	 		UEANL UEA,UDN,U		0.000				i	1		_			
		1	1	DC,UAL,UHL,UCL,U		1					1				1	
1	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect,	1	ł	EQ,CLO USL							1					ł
	per cross-connect	l		UNCVX, UNCDX	'E1PF	0 1734									L	
			1	ÜEANL,UEA,UDN,U]					1				1	
	•	i		DC,UAL,UHL,UCL,U		1					İ				1	l
				EO,CLO,WDS1L,W												l
		1		DS1S, USL, U1TD1						l						
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect,			UXTD1 UNC1X, ULDD1, USLEL,						l						1
	per cross-connect			UNLD1	'E1PG	1 22				l						
	par arasa-connect	1	Ì	UEANL UEA UDN.U		, , , , , ,				t	1		_			
	1	1	1	DC,UAL,UHL,UCL,U	1					i	1					1
1	1			EQ.CLO,UE3.	ļ]]		
				U1TD3, UXTD3,		i										
				UXTS1, UNC3X,		ļ	1									
		ļ	ł	UNCSX, ULDD3,												1
-		i	1	U1TS1, ULDS1,												1
[POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect,	1	1	UNLD3, UDL,	NE4511					I					1	1
	per cross-connect	J		UDLSX	'E1PH	10 91			1	l	J			L		

COLLOCAT	ION - Mississippi										, <u> </u>			ment. 4		bit. B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svo Order vs Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs Electronic Disc Add't
-+-						Rec	Nonred		Nonrecurring		SOMEC	SOMAN		Rates (\$)	SOMAN	SOMAN
	 	-		UEANL.UEA.UDN U			First	Add'l	First	Add'l	SUMEC	JUMAN	SUMAN	SUMAN	SUMAN	SUMAN
	POT Bay Arrangements pnor to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect			DC.UAL,UHL,UCL,U EQ.CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B2	37 26										
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect per cross-connect			UEANL UEA,UDN,U DC,UAL,UHL UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE184	50 24										
	Physical Collocation - Request Resend of CFA Information, per														İ	
— —	CLLI Nonrecurring Collocation Cable Records - per request		 	CLO	PE1C9 PE1CR		77 41 763 69	490 94	133 77		 	ļ				-
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per							450 54								
	cable record Nonrecurring Collocation Cable Records - VG/DS0 Cable, per			Cro	PE1CD		328 81		190 22					 	-	ļ
1	each 100 pair			CLO	PE1CO		4 84	4 84	5 93	5 93					!	
	Nonrecurring Collocation Cable Records - DS1, per T1TIE			CLO	PE1C1		2 27	2 27	2 78	2 78			_			
	Nonrecurring Collocation Cable Records - DS3, per T3TIE			CLO	PE1C3		7 92	7 92	9 72	9 72					 	i
	Nonrecurring Collocation Cable Records - Fiber Cable, per 99		Ī													
	fiber records		L	CLO	PE1CB		84 98	84 98	77 58	77 58						
	Physical Collocation - Security Escort - Basic, per Half Hour		1	CLO,CLORS	PE1BT		17 02	10 79	ļ —		ļ					ļ
	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE1OT		22 17	13 94								
	Physical Collocation - Security Escort - Premium, per Half Hour			CLO,CLORS	PE1PT		27 32	17 08							l	
	V to P Conversion, Per Customer Request-Voice Grade	 -	-	CLO	PE1BV		33 00	17 50							 	1
	V to P Conversion Per Customer Request-DS0	 		CLO	PE1BO		33 00					-				-
	V to P Conversion, Per Customer Request-DS1	—	 	CLO	PE1B1		52 00			_						
	V to P Conversion, Per Customer request-DS3		T	CLO	PE1B3		52 00		t							1
	V to P Conversion, Per Customer Request per VG Circuit								1					-		
	Reconfigured			CLO	PE1BR		23 00									<u> </u>
1	V to P Conversion, Per Customer Request per DS0 Circuit										İ					
	Reconfigured	ļ		CLO	PE1BP		23 00								ļ	ļ
	V to P Conversion, Per Customer Request per DS1 Circuit Reconfigured			CTO	PE1BS		33 00									
	V to P Conversion, Per Customer Request per DS3 Circuit Reconfigured			cLO	PE1BE	1	37 00									
	V to P Conversion, Cable Pairs Assigned to Collo Space per 700 prs or fraction thereof		-	CLO	PE187		592 00									1
	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable						392 00				 					1
	Support Structure, per cable, per linear ft Physical Collocation - Co-Carrier Cross Connects - Copper/Coax			CLO,UDF	PE1ES	0 001			+		 			-	-	
	Cable Support Structure, per cable, per lin ft			CLO, UE3, USL	PE1DS	0 0015					ļ <u> </u>					
	Physical Collocation - Co-Carrier Cross Connects Only - Application Fee, per application			CLO	PE1DT		583 13									
	Physical Collocation - Application to Augment Exsisting Space - Simple			CLO	PE1KS		597 34	1	1 22							
	Physical Collocation - Application to Augment Exsisting Space - Minor			CLO	PE1KM		837 57		1 22							
	Physical Collocation - Application to Augment Exsisting Space - Intermediate			CLO	PE1K1		1,063 00		1 22							
ADJACENT C	OLLOCATION		 		- 115.		1,000 00	-	1 22		1	-				
	Adjacent Collocation - Space Charge per Sq. Ft		T	CLOAC	PE1JA	0 0678									T	1 -
	Adjacent Collocation - Electrical Facility Charge per Linear Ft		l	CLOAC	PE1JC	4 68						ĺ				

COLLOCAT	ON - Mississippi												Attach	ment: 4	Exhi	bit B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrecu		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Adjacent Collocation - 2-Wire Cross-Connects		-	CLOAC	PE1P2	0 0223	12 37	11 87	6 04	5 45						<u> </u>
	Adjacent Collocation - 4-Wire Cross-Connects			UEA,UHL,UDL,UCL, CLOAC	PE1P4	0 0446	12 47	11 94	6 59	5 91						
	Adjacent Collocation - 4-Wire Cross-Connects Adjacent Collocation - DS1 Cross-Connects		-	USL,CLOAC	PE1P1	1 05	22 16	16 02	6 60	5 97	 					
 	Adjacent Collocation - DS3 Cross-Connects		 	CLOAC	PE1P3	14 27	21 01	15 29	761	6 10		 				
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F2	2 42	21 01	15 29	761	6 10						
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1F4	4 62	25 70	19 97	10 01	8 50						
	Adjacent Collocation - Application Fee		-	CLOAC	PE1JB	ļ	1,585 83				ļ.,					
	Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FB	5 29				<u>.</u>						
	Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FD	10 58										
1	Adjacent Collocation - 120V, Three Phase Standby Power Rate			CLOAC	DE1EC	15 87	}		j l]	J	J			
<u> </u>	per AC Breaker Amp Adjacent Collocation - 277V, Three Phase Standby Power Rate			CLOAC	PE1FE PE1FG	36 65										-
PHYSICAL CO	per AC Breaker Amp LLOCATION IN THE REMOTE SITE		+	CLUAC	172176	30 63	+		 					1		
FITSICAL CO	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		309 48		168 63							-
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	210 05										
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		13 17	13 17								
	Physical Collocation in the Remote Site - Space Availability						I									
	Report per Premises Requested	├ ─	<u> </u>	CLORS	PE1SR	1	116 54	116 54	ļ		<u> </u>	-			ļ	
	Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested	l		CLORS	PE1RE	1	37 77	37 77			İ		•			
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO		 	CLORS	PE1RR	 	233 14	31 11					 			
PHYSICAL CO	LLOCATION IN THE REMOTE SITE - ADJACENT															
<u> </u>	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6 27		_						_		-
	Remote Site-Adjacent Collocation - Real Estate, per square foot	ŀ	1	CLORS	PE1RT	0 134										
	Remote Site-Adjacent Collocation-Application Fee				PE1RU		755 62	755 62			I					
NOTE:	If Security Escort and/or Add'l Engineering Fees become nec	essary 1	for rem	ote site collocation,	the Parties	will negotiate ap	propriate rates				ļ					
VIRTUAL COL			 	AMTFS	EAF	ļI	1,212 25		0.51		 	15 75			ļ	-
	Virtual Collocation - Application Fee Virtual Collocation - Cable Installation Cost, per cable		 		ESPCX	 	926 27		22 62	_	┼──	15 75		 		<u> </u>
	Virtual Collocation - Floor Space, per sq. ft		1	AMTFS	ESPVX	5 74										1
	Virtual Collocation - Power, per fused amp		1	AMTFS	ESPAX	7 33										
	Virtual Collocation - Cable Support Structure, per entrance cable			AMTFS	ESPSX	15 24										
				UEANL, UEA, UDN U DC, UAL, UHL, UCL, U EQ, AMTFS, UDL, UNCVX, UNCDX,												1
	Virtual Collocation - 2-wire Cross Connects (loop)	<u> </u>	L	UNCNX	UEAC2	0 0268	12 37	11 87	6 04	5 45		15 75			ļ	ļ
	Virtual Collocation - 4-wire Cross Connects (loop)			UEA,UHL,UCL,UDL AMTFS UAL, UDN, UNCVX, UNCDX AMTFS,UDL12,	UEAC4	0 0536	12 47	11 94	6 59	5 91		15 75				
				UDLO3, U1T48 U1T12, U1T03, ULDO3, ULD12,	011005		24.24	48.00	7.5	0.40		45.75				
	Virtual Collocation - 2-Fiber Cross Connects		1	ULD48, UDF AMTFS,UDL12,	CNC2F	2 91	21 01	15 29	7 61	6 10		15 75	 		 	+
				UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12,												
LL	Virtual Collocation - 4-Fiber Cross Connects		1	ULD48 UDF	CNC4F	5 82	25 70	19 97	10 01	8 50		15 75	L	1	L	

COLLOCAL	ION - Mississippi										,			ment; 4		bit B
															Incremental	
				1							Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
				1							Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
CATEGORY	RATE ELEMENTS	Inter	Zone B0	cs us	oc			RATES (\$)			per LSR		Order vs	Order vs.	Order vs	Order vs
		m		1							per Lon	per con	Electronic-	Electronic-	Electronic-	Electronic
					1								t.			
					1								1st	Add'l	Disc 1st	Disc Add'l
						T	Nonrec	urring	Nonrecurring	g Disconnect			OSS	Rates (\$)	L	
					Rec	; F	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
			USL,ULC,	AMTFS.												
			ULR. UXT										1			ł
			UNC1X, U	LDD1.												
	Virtual Collocation - Special Access & UNE, cross-connect per		U1TD1 US												l	i
	DS1		UNLD1	CNC1	x I	1 14	22 16	16 02	6 60	5 97		15 75			i	t
	501		USL,ULC,		^			10 02	0.00	0 51	 	10.70				
			E3, U1TD3												İ	i .
			UXTD3, U								1				i	l
			UNCSX. U								ĺ					
	Virtual collocation - Special Access & UNE, cross-connect per		U1TS1, UL												i	1
	DS3				, l .	14 49	21 01	15 29	7 61	6 10	Į.	15 75			İ	į.
			UDLSX, U	NLU3 CND3	^	14 49	2101	15 29	/ 61	6 10	-	10 /5			-	1
Ì	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable		AA4TEC	l	. .	0025			I						ł	1
	Support Structure, per linear foot		AMTFS	VE1C	B 0	0025			-						ļ	
	Virtual Collocation - Co-Carner Cross Connects - Copper/Coax				. .	0007			1			1	1		i	
	Cable Support Structure, per linear ft		AMTES	VE1C	0	0037										
l i	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable				_						1				i	1
	Support Structure,per cable		AMTES	VE1C	С		534 65					15 75				
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax												ļ			
	Cable Support Structure, per cable		AMTFS	VE1C			534 65					15 75				
	Virtual Collocation Cable Records - per request		AMTFS	VE1B	Α		763 69	490 94	133 77	133 77						
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable					ı							i		i	
	record		AMTFS	VE1B	В		328 81	328 81	190 22	190 22						
	Virtual Collocation Cable Records - VG/DS0 Cable, per each		1	ľ									ĺ		i	
	100 pair		AMTFS	VE1B			4 84	4 84	5 93							
	Virtual Collocation Cable Records - DS1, per T1TIE		AMTFS	VE1B			2 27	2 27	2 78	2 78						
	Virtual Collocation Cable Records - DS3, per T3TIE		AMTFS	VE1B	E		7 92	7 92	9 72	9 72						
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber	Ī														
	records		AMTFS	VE1B		ı	84 98	84 98	77 58	77 58		i				
	Virtual collocation - Security Escort - Basic per half hour		AMTES	SPTB			17 02	10 79				15 75				
	Virtual collocation - Security Escort - Overtime, per half hour		AMTFS	SPTC	X		22 17	13 94				15 75				
	Virtual collocation - Security Escort - Premium, per half hour		AMTFS	SPTP	X	1	27 32	17 08				15 75				
	Virtual collocation - Maintenance in CO - Basic, per half hour		AMTFS	CTRL	x		28 09	10 79				15 75				
									-							
	Virtual collocation - Maintenance in CO - Overtime, per half hour		AMTFS	SPTC	м		36 69	13 94	1			15 75	l		1	
													1		1	1
	Virtual collocation - Maintenance in CO - Premium per half hour		AMTES	SPTP	м І		45 28	17 08	1			15 75	1			
VIRTUAL COL			1	15. 11				30	1				1		1	1
	Virtual Collocation - 2-wire Cross Connect Exchange Port 2-		 		-				 	 	1	 		· · · · · · · · · · · · · · · · · · ·		
l	Wire Analog - Res		UEPSR	VE1R	2 n	0268	12 37	11 87	6 04	5 45		15 75			1	1
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-		1001	1,511	-		01	11.07	1 554	5 40	<u> </u>	10.0			 	†
1	Wire Line Side PBX Trunk - Bus		UEPSP	VE1R	2 ^	0268	12 37	11 87	6 04	5 45		15 75			1	
<u> </u>	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire		- OLI 31	VEIN	- + - 0		12 31	1107	1 0 04	343		1373	1	 		1
	Voice Grade PBX Trunk - Res		UEPSE	VE1R	2 0	0268	12 37	11 87	6 04	5 45		15 75		l		
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire		ULFUE	VEIR	- "	0200	12 37	11.67	1 04	3 45		13 /3			 	+
	Analog Bus		UEPSB	VE1R		0268	12 37	11 87	6 04	5 45		15 75		1	1	
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire		UEFSB	VEIR	<u> </u>	0200	12 37	1187	6.04	5 45	-	15 /5		<u> </u>	+	-
1	ISDN		UEPSX	VE1R	, ,	0268	12 37	11 87	6 04	5 45		15.75			1	
			UEPSX	VE1R	2 0	0268	12 37	1187	6 04	5 45	-	15 75				-
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire		LIEDTY		. .	0200	40.57								1	
	ISDN		UEPTX	VE1R	<u> </u>	0268	12 37	11 87	6 04	5 45	ļ	15 75				
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire								1	1				1		
L	ISDN DS1 Rates displaying an "R" in Interim column are interim and sub		UEPEX	VE1R		0536	12 47	11 94	6 59	5 91	I.	15 75				

COLLOCAT	ION - North Carolina											,		ment: 4		ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Submitted Elec per LSR	Submitted Manually	Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs Electronic- Disc Add'l
			ļ			Rec	Nonred			g Disconnect				Rates (\$)		
			ļ		ļ		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL CO	N L OCATION	-	1	-					-	-		-		<u> </u>		
PHYSICAL CC	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-		<u> </u>						-	<u> </u>						
	Wire Analog - Res			UEPSR	PE1R2	0 32	41 78	39 23	1				26 94	12 76		
	Physical Collocation 2-Wire Cross Connect Exchange Port 2-		<u> </u>	OCI OIX	1 - 1132	0.32	. 4170	33 20	1	1		 	20 34	12 70		
	Wire Line Side PBX Trunk - Bus			UEPSP	PE1R2	0 32	41 78	39 23					26 94	12 76		1
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-		1						1	†						
	Wire Voice Grade PBX Trunk - Res			UEPSE	PE1R2	0 32	41 78	39 23					26 94	12 76	-	
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-								ļ							
L	Wire Analog - Bus			UEPSB	PE1R2	0 32	41 78	39 23	į .	<u> </u>			26 94	12 76		<u> </u>
	Physical Collocation 2-Wire Cross Connect Exchange Port 2-			l											1	
	Wire ISDN	-	 	UEPSX	PE1R2	0 32	41 78	39 23		 -	+		26 94	12 76	-	<u> </u>
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPTX	PE1R2	0 32	41 78	39 23					26 94	12 76		
	Physical Collocation 4-Wire Cross Connect, Exchange Port 4-	!	 	JOEF IA	I E INZ	0.32	41 /0	39 23	 	+	+	 	20 94	12 /10	 	1
	Wire ISDN DS1	1		UEPEX	PE1R4	0 64	41 91	39 25		1			26 94	12 76		1
PHYSICAL CO			+	02. 2.1				30 23		1	-			12.10		
	Physical Collocation - Application Fee - Initial	1	1	Cro	PE1BA		2,322 00		t		1					
	Physical Collocation - Application Fee - Subsequent		i	CLO	PE1CA		2,311 00									
	Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		741 44									
	Physical Collocation - Space Preparation - Firm Order	i							1			1				
	Processing		1	cro	PE1SJ_		1,196 00		ļ			ļ				
	Physical Collocation - Space Preparation - C O Modification per square ft	ļ ,		ICLO	PE1SK	2 42	1									
 	Physical Collocation - Space Preparation - Common Systems		+	CLO	PEISK	2 42					+	1				
	Modification per square ft - Cageless			CLO	PE1SL	2 88										
	Physical Collocation - Space Preparation - Common Systems		1	020	7 2 102	200				 		 			-	
	Modification per Cage	1		CLO	PE1SM	97 98							ļ			
	Space Preparation Fees - Power Per Nominal -48V Dc Amp	- 1		CLO	PE1FH	5 76										
	Physical Collocation - Cable Installation			CLÖ	PE1BD		1,701 00	1,701 00								
	Physical Collocation - Floor Space per Sq. Ft	1		CLO	PE1PJ	2 30										
	Physical Collocation - Cable Support Structure, Per Entrance												1			
	Cable	1	<u> </u>	CLO	PE1PM PE1PL	20 57 7 65				ļ	-					
	Physical Collocation - Power -48V DC Power, per Fused Amp Physical Collocation - Power Reduction, Application Fee	H	-	CLO	PE1PR	7 65	399 13			 						
	Physical Collocation - Power Reduction, Application Fee		-	CLO	FEIFR		399 13			1	+				-	
	Physical Collocation - 120V, Single Phase Standby Power Rate	1		cro	PE1FB	5 50										
	1231, Single Finance Standary Forms Field			020		0.00						·			T	
	Physical Collocation - 240V, Single Phase Standby Power Rate	- 1		CLO	PE1FD	11 01										
	Physical Collocation - 120V, Three Phase Standby Power Rate	- 1		CLO	PE1FE	16 51										
	L			·												
	Physical Collocation - 277V, Three Phase Standby Power Rate		-	Cro	PE1FG	38 12				ļ						
	Physical Collocation - 2-Wire Cross-Connects	ı		UEANL UEA,UDN U DC,UAL,UHL,UCL,U EQ, UDL, UNCVX UNLDX, UNCNX	PE1P2	o o3oa	33 53	31 65								
				CLO UAL, UDL UDN, UEA, UHL, UNCVX, UNCDX,												
	Physical Collocation - 4-Wire Cross-Connects	1		UCL	PE1P4	0 0618	33 67	31 70								<u> </u>
				CLO, UEANL, UEQ, W DS1L WDS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1,												
	Physical Collocation - DS1 Cross-Connects	F		UDL	PE1P1	1 38	52 87	39 86							<u> </u>	1

COLLOCAT	ION - North Carolina													ment· 4		bit. B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Charge -	Incrementa Charge - Manual Sv Order vs Electronic Disc Add'l
														D.4 (\$)		L
			-			Rec	Nonrec First	urring Add'i	First	g Disconnect Add'l	SOMEC	SOMAN	SOMAN	Rates (\$)	SOMAN	SOMAN
				CLO UE3,U1TD3.			FILST	Addi	First	Audi	SOMEC	SUWAN	SOMAN	SOMAN	SOMAN	SOMAN
				UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1,												
	Physical Collocation - DS3 Cross-Connects		-	UNLD3, UDL	PE1P3	17 62	51 97	38 59							1	-
	Physical Collocation - 2-Fiber Cross-Connect	-		CLÖ, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1F2	3 50	51 97	38 59		1						
				CLO, ULDO3,												
	Should Cillian to A 5 to Cons Const.			ULD12, ULD48, U1TO3, U1T12, U1T48 UDLO3,	PE1F4	6 20	64 53	51 15								
—	Physical Collocation - 4-Fiber Cross-Connect Physical Collocation - Welded Wire Cage - First 100 Sq. Ft		<u> </u>	UDL12, UDF CLO	PE1BW	6 20	559 81	51 15		ļ	_				-	
	Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft	+-		CLO	PE1CW		25 37			1						
	Physical Collocation - Security System Per Central Office Per		 	CLC	1 21011		2301									
	Assignable Sq. Ft Physical Collocation - Security Access System - Security System			CLO	PE1AY	0 0135										
	per Central Office	1		CLO	PE1AX	41 03									i	
	Physical Collocation - Security Access System - New Access Card Activation, per Card	1		CLO	PE1A1	0 062	15 00									
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or			CLO	PE1AA_		15 51									
	Stolen Card per Card			CLO	PE1AR	l i	15 00]					
	Physical Collocation - Security Access - Initial Key, per Key		t	CLO	PE1AK		15 00				i					
	Physical Collocation - Security Access - Key, Replace Lost or															
	Stolen Key, per Key			CLO	PE1AL		15 00									
	Physical Collocation - Space Availability Report per premises	.1	ļ	CLO	PE1SR		2,140 00	2,140 00								
	POT Bay Arrangements pnor to 6/1/99 - 2-Wire Cross-Connect, per cross-connect			UEANL, UEA, UDN, Ü DC, UAL, UHL, UCL, U EQ, CLO, UDL UNCVX, UNCDX, UNCNX	PE1PE	0 1054										
	per cross-connect		 	UEANL UEA,UDN U	1 5 1 5 5	0 1034				1	 				 	
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect			DC.UAL.UHL.UCL.U EQ.CLO. USL, UNCVX, UNCDX	PE1PF	0 2108										
				UEANL, UEA, UDN, U DC, UAL UHL, UCL, U EQ, CLO, WDS1L, W DS1S, USL, U1TD1, UXTD1, UNC1X												
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect			ULDD1, USLEL, UNLD1	PE1PG	1 49										
				UEANL, UEA, UDN, U DC, UAL, UHL, UCŁ, U EQ, CLO, UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3,												
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect			U1TS1, ULDS1, UNLD3, UDL, UDLSX	PE1PH	13 27										

COLLOCAT	ION - North Carolina													ment: 4		ibit: 🖪
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					Rates (\$)	0.000	
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ CLO, ULDO3 ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B2	45 30										
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect iper cross-connect			UEANL,UEA,UDN,U DC,UAL UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B4	61 09				:						
	Physical Collocation - Request Resend of CFA Information, per															
	CLU			CLO	PE1C9		77 48				1					+
	Nonrecurring Collocation Cable Records - per request			CLO	PE1CR		1,707 00		-		<u> </u>			-	 	
	Nonrecurring Collocation Cable Records - VG/DS0 Cable per cable record			CLO	PE1CD		923 08	<u>.</u>								
	Nonrecurring Collocation Cable Records - VG/DS0 Cable per						40.00	40.00							1	
	each 100 pair			CLO	PE1CO PE1C1		18 02 8 43	18 02 8 43		-					-	+
	Nonrecurring Collocation Cable Records - DS1, per T1TIE Nonrecurring Collocation Cable Records - DS3, per T3TIE			CLO	PE1C1		29 51	29 51								
 	Nonrecurring Collocation Cable Records - Fiber Cable, per 99		 	020	1 2 100			2001								1
	fiber records			CLO	PE1CB		278 82	278 82		ŀ						
	Physical Collocation - Security Escort - Basic, per Half Hour			CLO,CLORS	PE1BT		33 68	21 34								
	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE1OT		43 87	27 57								-
	Physical Collocation - Security Escort - Premium, per Half Hour			CLO.CLORS	PE1PT		54 06	33 80		1						
	V to P Conversion, Per Customer Request-Voice Grade			CLO	PE1BV		33 00									
	V to P Conversion, Per Customer Request-DS0		1	CLO	PE1BO		33 00							l		
	V to P Conversion, Per Customer Request-DS1			CLO	PE1B1		52 00									
	V to P Conversion Per Customer request-DS3		I	CLO	PE1B3		52 00							ļ		-
	V to P Conversion, Per Customer Request per VG Circuit Reconfigured			CLO	PE1BR		23 00									
	V to P Conversion, Per Customer Request per DS0 Circuit			CLO	PE1BP		23 00									
-	Reconfigured V to P Conversion, Per Customer Request per DS1 Circuit		-	CLO	r C IDI		25 00			-					-	+
	Reconfigured			CLO	PE1BS		33 00									
	V to P Conversion, Per Customer Request per DS3 Circuit Reconfigured			CLO	PE1BE		37 00									
	V to P Conversion, Cable Pairs Assigned to Collo Space per 700 prs or fraction thereof			CLO	PE1B7	- /-	592 00									
	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per cable per linear ft			CLO,UDF	PE1ES	0 0028										
	Physical Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable, per lin ft			CLO, UE3, USL	PE1DS	0 0041										
	Physical Collocation - Co-Carrier Cross Connects Only - Application Fee, per application			CLO	PE1DT		583 66									
	Physical Collocation - Application to Augment Exsisting Space -															
	Simple Physical Collocation - Application to Augment Exsisting Space -		-	CLO	PE1KS		575 93		1 16	_	 					
	Minor Physical Collocation - Application to Augment Exsisting Space -			CLO	PE1KM		806 66		1 16		ļ			ļ <u> </u>	1	-
	Intermediate			CLO	PE1K1		1,023 00		1 16							
ADJACENT C																
	Adjacent Collocation - Space Charge per Sq. Ft			CLOAC	PE1JA	0 1555									ļ	
i	Adjacent Collocation - Electrical Facility Charge per Linear Ft		1	CLOAC	PE1JC	5 78			1	1	J	1	l	L		

COLLOCAT	ION - North Carolina												Attach	ment. 4	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
						n	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)	1	
 						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Adjacent Collocation - 2-Wire Cross-Connects			CLOAC	PE1P2	0 0239	33 53	31 65								<u> </u>
			1	UEA,UHL,UDL,UCL,	55454	0.0477	22.57	24.70						i		•
	Adjacent Collocation - 4-Wire Cross-Connects		↓	CLOAC USL,CLOAC	PE1P4 PE1P1	0 0477 1 28	33 67 52 87	31 70 39 86								
	Adjacent Collocation - DS1 Cross-Connects Adjacent Collocation - DS3 Cross-Connects	-	1	CLOAC	PE1P3	17 35	51 97	38 59						<u> </u>		1
— —	Adjacent Collocation - DS3 Closs-Connects Adjacent Collocation - 2-Fiber Cross-Connect		+	CLOAC	PE1F2	2 94	51 97	38 59				i		1		
	Adjacent Collocation - 4-Fiber Cross-Connect		+	CLOAC	PE1F4	5 62	64 53	51 15	-	-	_			_		
	Adjacent Collocation - Application Fee			CLOAC	PE1JB		3,139 00									
	Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FB	5 50										
	Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FD	11 01									_	
	Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FE	16 51										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FG	38 12										
PHYSICAL CO	ILLOCATION IN THE REMOTE SITE	1		0_0/10					-							
T T	Physical Collocation in the Remote Site - Application Fee	1		CLORS	PE1RA	· · · · · · · · · · · · · · · · · · ·	865 34	865 34								
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	254 02									<u> </u>	
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		26 06	26 06						:		
1	Physical Collocation in the Remote Site - Space Availability Report per Premises Requested			CLORS	PE1SR		230 60	230 60					}			
 	Physical Collocation in the Remote Site - Remote Site CLLI	 	+	GEORG	LION		200 00									-
1	Code Request, per CLLi Code Requested			CLORS	PE1RE		74 74	74 74								
	Remote Site DLEC Data (BRSDD), per Compact Disk per CO			CLORS	PE1RR		232 94									
PHYSICAL CO	LLOCATION IN THE REMOTE SITE - ADJACENT		-								-				ļ	
ļ	Remote Site-Adjacent Collocation - AC Power, per breaker amp		-	CLORS	PE1RS	6 27								-		<u> </u>
	Remote Site-Adjacent Collocation - Real Estate, per square foot		l	CLORS	PE1RT	0 134										
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755 62	755 62								
	If Security Escort and/or Add'l Engineering Fees become nec	essary	for rem	ote site collocation,	the Parties w	vill negotiate a	opropriate rate	5.				<u> </u>				
VIRTUAL COL				ANTEC	EAF		2,848 30	2,848 30			 		26 94	12 76		
<u> </u>	Virtual Collocation - Application Fee Virtual Collocation - Cable Installation Cost per cable			AMTFS AMTFS	ESPCX		2,750 00	2,750 00			+		26 94	12 76		+
—	Virtual Collocation - Cable Installation Cost per cable Virtual Collocation - Floor Space, per sq. ft	-	+	AMTES	ESPVX	3 20	2,700 00	2,750 00			-	+	20 84	12 /0	 	+
	Virtual Collocation - Proof Space, per sq 11 Virtual Collocation - Power, per fused amp			AMTES	ESPAX	3 48							 			1
	Virtual Collocation - Cable Support Structure, per entrance		+	1 34111 0											·	1
	cable		1	AMTFS	ESPSX	13 35										
				UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, AMTFS, UDL, UNCVX, UNCDX,												
	Virtual Collocation - 2-wire Cross Connects (loop)	<u> </u>	-	UNCNX	UEAC2	0 09	41 78	39 23	4 75	4 75	1		26 94	12 76		+
	Virtual Collocation - 4-wire Cross Connects (loop)			UEA,UHL,UCL,UDL, AMTFS, UAL, UDN, UNCVX, UNCDX	UEAC4	0 18	41 91	39 25	4 73	4 73			26 94	12 76		
	The Grand Committee (1999)			AMTFS UDL12, UDL03, U1T48, U1T12, U1T03, ULD03, ULD12,	-2.75	5 10	51	32 <u>20</u>								
	Virtual Collocation - 2-Fiber Cross Connects			ULD48, UDF	CNC2F	15 99	67 34	48 55					26 94	12 76		
				AMTFS, UDL 12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12,			_									
1 [Virtual Collocation - 4-Fiber Cross Connects	1	<u> </u>	ULD48, UDF	CNC4F	28 74	82 35	63 56			<u> </u>	1	26 94	12 76	<u> </u>	1

Version 1Q03 02/28/03 Page 36 of 48

COLLOCAT	ION - North Carolina				_									ment· 4		ibit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge
						Rec	Nonrec		Nonrecurrin First	g Disconnect Add'l	SOMEC	SOMAN	SOMAN	Rates (\$)	SOMAN	SOMAN
							First	Add'l	FIFST	Add I	SUMEC	SOMAN	3000	OOMAN	00	
	Virtual collocation - Special Access & UNE, cross-connect per DS1			USL,ULC,AMTFS, ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1	CNC1X	0 97	71 02	51 08					26 94	12 76		
	Virtual collocation - Special Access & UNE, cross-connect per DS3			USL, ÜLC, AMTFS, Ü E3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CND3X	56 25	151 90	11 83					26 94	12 76		
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear foot			AMTES	VE1CB	0 0028										l
	Support Structure, per limear for Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft			AMTFS	VE1CD	0 0041										
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure,per cable			AMTFS	VE1CC		532 72						26 94	12 76		
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable			AMTES	VE1CE		532 72						26 94	12 76		
	Virtual Collocation Cable Records - per request			AMTES	VE1BA		1,707 00									
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable															
	record Virtual Collocation Cable Records - VG/DS0 Cable, per each			AMTFS	VE1BB		923 08			ļ						
	100 pair			AMTES	VE1BC		18 02	18 02								↓
	Virtual Collocation Cable Records - DS1, per T1TIE			AMTES	VE1BD		8 43	8 43								└
	Virtual Collocation Cable Records - DS3, per T3TIE			AMTFS	VE1BE		29 51	29 51		ļ <u>-</u>	1					
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber records			AMTES	VE1BF		278 82	278 82								
	Virtual collocation - Security Escort - Basic, per half hour		-	AMTES	SPTBX		41 00	25 00	-				26 94	12 76		
	Virtual collocation - Security Escort - Description - Description - Security Escort - Overtime, per half hour			AMTES	SPTOX	-	48 00	30 00					26 94	12 76		
	Virtual collocation - Security Escort - Overtime, per half hour			AMTES	SPTPX		55 00	35 00					26 94	12.76		-
-	Virtual collocation - Seconty Escort - Premium, per hair hour			AMTFS	CTRLX		30 64	30 64					26 94	12 76		
	Virtual collocation - Maintenance in CQ - Overtime, per half hour			AMTFS	SPTOM		35 77	35 77					26 94	12 76		
RTUAL COL	Virtual collocation - Maintenance in CO - Premium per half hour			AMTES	SPTPM		40 90	40 90					26 94	12 76		
RIUAL COL	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2- Wire Analog - Res			UEPSR	VE1R2	0 09	41 78	39 23					26 94	12 76		
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-				WE4DO	0.50	44.70	20.22					20.01	40.70		
-	Wire Line Side PBX Trunk - Bus Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire	ļ		UEPSP	VE1R2	0 09	41 78	39 23			+		26 94	12 76		1
	Voice Grade PBX Trunk - Res Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire		<u> </u>	UEPSE	VE1R2	0.09	41 78	39 23			-		26 94	12 76		+
	Analog Bus	L	L	UEPSB	VE1R2	0 09	41 78	39 23					26 94	12 76		
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN			UEPSX	VE1R2	0 09	41 78	39 23					26 94	12 76		
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPTX	VE1R2	0.09	41 78	39 23					26 94	12 76		
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1			UEPEX	VE1R4	0 18	41 91	39 25		_			26 94	12 76		
	Rates displaying an "R" in Interim column are interim and sub	iact to	rato tru					20 20		 	+					+

COLLOCAL	ION - South Carolina													ment: 4		bit. 🖪
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sy Order vs Electronic Disc Add
			-			Rec	Nonrec First	urring Add'l	Nonrecurring First	Add'!	COMEC	SOMAN		Rates (\$) SOMAN	SOMAN	SOMAN
					· ·	† 	inst	Addi	FIISL	Addi	SOMEC	SUMAN	SOMAN	SUMAN	SCHIAN	SOMAN
PHYSICAL CO	LLOCATION	1	1		 	 					1					
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-	1	1													
	Wire Analog - Res			UEPSR	PE1R2	0 0341	12 32	11 83	6 04	5 45		15 69		ļ	i	
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Line Side PBX Trunk - Bus			UEPSP	PE1R2	0 0341	12 32	11 83	6 04	5 45		15 69				
. [Physical Collocation 2-Wire Cross Connect, Exchange Port 2-	1]	l		11									ļ	
	Wire Voice Grade PBX Trunk - Res	├	├	UEPSE	PE1R2	0 0341	12 32	11 83	6 04	5 45		15 69				
1	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Analog - Bus	1	1	UEPSB	PE1R2	0 0341	12.22	44.00	0.04	F 45		45.00				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-	-	-	UEPSB	PEIRZ	0 0341	12 32	11 83	6 04	5 45		15 69		}		
t	Wire ISDN	1	1	UEPSX	PE1R2	0 0341	12 32	11 83	6 04	5 45		15 69		1		
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-	 	 	95.0%		1	12 32	11 03	0.04	3 43		13 09				
ļ.	Wire ISDN	l	1	UEPTX	PE1R2	0 0341	12 32	11 83	6 04	5 45		15 69				l
	Physical Collocation 4-Wire Cross Connect, Exchange Port 4-				İ											
	Wire ISDN DS1		L	UEPEX	PE1R4	1 12	22 08	15 96	6 42	5 80		15 69				
PHYSICAL CO					l											
	Physical Col ocation - Application Fee - Initial	ļ		CLO	PE1BA		1,883 67	1,883 67							·	
	Physical Collocation - Application Fee - Subsequent	<u> </u>	<u> </u>	CLO	PE1CA	1	1,570 10	1,570 10								
	Physical Col ocation Administrative On y - Application Fee Physical Collocation - Space Preparation - Firm Order	-		CLO	PE1BL	ł	743 66									
1	Processinu	}	1	Cro	PE1SJ	1 1	602 05	602 05								
	Physical Collocation - Space Preparation - C O Modification per			CILCO	FEIGU	 	002 03	BUZ U3			 				ļ	-
	square ft	ļ	l	CLO	PE1SK	2 75										1
	Physical Collocation - Space Preparation - Common Systems			020												
1	Modification per square ft - Cageless			CLO	PE1SL	3 24	-									1
	Physical Collocation - Space Preparation - Common Systems		—		1					L						l
	Modification per Cage			CLO	PE1SM	110 16		_		_						
	Physical Collocation - Cable Installation	,		CLO	PE1BD		794 22	794 22				-				
	Physical Collocation - Floor Space per Sq. Ft			cro	PE1PJ	3 95					L				_	1
	Physical Collocation - Cable Support Structure, Per Entrance Cable	l	J	cro	PE1PM	34 33	J							J		_
	Physical Collocation - Power -48V DC Power, per Fused Amp	1	1	CLO	PE 1PL	21 33 9 19					÷··	l ———				
	Physical Collocation - Power Reduction, Application Fee		1	CLO	PE1PR	3 15	400.33		 					-		
	1 Hysical Collection 1 Ower residence, replication 7 cc	1 '-	-	<u> </u>			400 33 (
	Physical Collocation - 120V, Single Phase Standby Power Rate			cro	PE1FB	5 67	-		1		-			}	ł	
		1														
	Physical Collocation - 240V, Single Phase Standby Power Rate	L	<u> </u>	CLO	PE1FD	11 36										
	Physical Collocation - 120V, Three Phase Standby Power Rate			CLO	PE1FE	17 03					ļ					
	L			1												
	Physical Collocation - 277V, Three Phase Standby Power Rate			CLO	PE1FG	39 33										
	Physical Collocation - 2-Wire Cross-Connects		i	UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, UDL, UNCVX, UNLDX UNCNX	PE1P2	0 0341	12 32	11 83	6 04	5 45						
				CLO, UAL UDL, UDN, UEA, UHL UNCVX, UNCDX,												
	Physical Collocation - 4-Wire Cross-Connects			CLO, UEANL, UEQ.W DS1L, WDS1S USL, U1TD1, UXTD1, UNC1X, ULDD1.	PE1P4	0 0682	12 42	11 90	6 40	5 74						
				USLEL, UNLD1.		1								}	1	1
1_	Physical Collocation - DS1 Cross-Connects	l	Į	UDL	PE1P1	1 12	22 08	15 96	6 42	5 80				l	l	1

COLLOCAT	ION - South Carolina												Attach	ment: 4	Exhi	bit. B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually		Incremental Charge -		
						Rec	Nonrec	urnng	Nonrecurring	Disconnect			oss	Rates (\$)		I
						Kec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	Physical Collocation - DS3 Cross-Connects			CLO, UE3 U1TD3 UXTD3, UXTS1, UNC3X, UNCSX ULDD3, U1TS1,ULDS1, UNLD3, UDL	PE1P3	14 21	20 94	15 23	7 39	5 93						
				CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3,												
	Physical Collocation - 2-Fiber Cross-Connect			UDL12, UDF CLO, ULDO3,	PE1F2	2 82	20 94	15 23	7 40	5 93						
	Physical Collocation - 4-Fiber Cross-Connect			ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1F4	5 01	25 61	19 90	9 73	8 26						
	Physical Collocation - Welded Wire Cage - First 100 Sq. Ft			CLO	PE1BW	219 19	2001	15 50	3,3	020						
	Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft			CLO	PE1CW	21 50										·
	Physical Collocation - Security Access System - Security System per Central Office			cro	PE1AX	74 72										
	Physical Collocation - Security Access System - New Access Card Activation, per Card	_		CLO	PE1A1	0 0601	27 85	27 85								
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request per State, per Card Physical Collocation - Security Access System - Replace Lost or			CLO	PE1AA		7 81	7 81								
	Stolen Card, per Card			CLO	PE1AR		22 83	22 83								i
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK	·	13 13	13 13								
	Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key			CLO	PE1AL		13 13	13 13					-			
	Physical Collocation - Space Availability Report per premises			CLO	PE1SR		1,077 57	1,077 57								
	POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL UHL, UCL, U EQ CLO, UDL, UNCVX, UNCDX, UNCNX	PE1PE	0 085										
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect				PE1PF	0 1701										
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,WDS1L,W DS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1	PE1PG	1 20										
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL UHL, UCL, U EQ, CLO, UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1 ULDS1, UNLD3, UDL, UDLSX		10 71										

per cro	RATE ELEMENTS Easy Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, sss-connect	Interi m	Zone	UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO ULDO3, ULD12 ULD48, U1TO3 U1T12,	USOC	Rec	Nonrec First	RATES (\$) urring Add'i	Nonrecurring First	Disconnect Add'l	Submitted Elec	Submitted Manually per LSR	Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs, Electronic- Add'l Rates (\$) SOMAN	Charge -	Charge - Manual Svo Order vs Electronic- Disc Add'i
per cro				DC,UAL,UHL,UCL,U EQ,CLO ULDO3, ULD12 ULD48, U1TO3 U1T12,		Rec					SOMEC	SOMAN			SOMAN	
per cro				DC,UAL,UHL,UCL,U EQ,CLO ULDO3, ULD12 ULD48, U1TO3 U1T12,			FIISI	Addi	FIFST							SOMAN
per cro				EQ,CLO ULDO3, ULD12 ULD48, U1TO3 U1T12,		I	1				SOWIEG	JUMAN	SUMAN	SOMAN	SOMAN	JUMAN
				U1T48, UDLO3, UDL12, UDF	PE1B2	36 55										
l Inerere	lay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect,			UEANL,UEA,UDN,U DC UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3 U1T12, U1T48, UDLO3, UDL12, UDF	PE1B4	49 29										
	al Collocation - Request Resend of CFA Information, per															Ī
CLLI				CLO	PE1C9		77 71						L	L		
	curring Collocation Cable Records - per request			CLO	PE1CR		760 98	489 20	133 29	133 29						ļ
cable r				CLO	PE1CD		327 65	327 65	189 54	189 54						
	curring Collocation Cable Records - VG/DS0 Cable, per	ļ		CLO	55400		4 82	4 82	5 91	5 91					1	Į.
	00 pair		├	CLO	PE1CO PE1C1		2 26	2 26	277	2 77						
	curring Collocation Cable Records - DS1, per T1TIE	-	1	CLO	PE1C3		7 90	7 90	9 68	9 68	-	-			-	
	curring Collocation Cable Records - Fiber Cable, per 99	1	 	010	1 2 105							-				
fiber re				CLO	PE1CB		84 68	84 68	77 30	77 30		1				
	al Collocation - Security Escort - Basic, per Half Hour		1	CLO,CLORS	PE1BT		16 96	10 75								
Physic	al Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE1OT		22 10	13 89		•			·			
Physic	al Collocation - Security Escort - Premium, per Half Hour	[[CLO,CLORS	PE1PT	Í	27 23	17 02	ĺ		ľ	İ			ľ	
	Conversion, Per Customer Request-Voice Grade		 	CLO	PE1BV		33 00					l				
	Conversion, Per Customer Request-DS0		_	CLO	PE1BO		33 00			-					-	
	Conversion, Per Customer Request-DS1	 	-	CLO	PE1B1		52 00									
	Conversion, Per Customer request-DS3			CLO	PE183		52 00									
V to P	Conversion, Per Customer Request per VG Circuit						22.00	-								
	figured Conversion, Per Customer Request per DS0 Circuit			CLO	PE1BR		23 00									
Reconf	figured		<u> </u>	CLO	PE1BP		23 00							_		ļ
Reconf	Conversion, Per Customer Request per DS1 Circuit figured			CLO	PE1BS		33 00									
Reconf	Conversion, Per Customer Request per DS3 Circuit figured			CLO	PE1BE	<u> </u>	37 00									
prs or t	Conversion, Cable Pairs Assigned to Collo Space per 700 fraction thereof		<u> </u>	CLO	PE1B7		592 00									
Suppo	al Collocation - Co-Carrier Cross Connects - Fiber Cable of Structure, per cable, per linear ft all Collocation - Co-Carrier Cross Connects - Copper/Coax			CLO,UDF	PE1ES	0 001									_	
Cable	Support Structure, per cable, per lin ft	ļ	ļ	CLO, UE3, USL	PE1DS	0 0015					ļ. <u></u>				_	
Applica	al Collocation - Co-Carrier Cross Connects Only - ation Fee, per application		1	CLO	PE1DT		584 42				_					<u> </u>
Simple			<u> </u>	CLO	PE1KS		594 27		1 21	 -						
Minor	al Collocation - Application to Augment Exsisting Space -		_	CLO	PE1KM		833 26		1 21	<u>-</u>	-	ļ				<u> </u>
Interme			<u> </u>	CLO	PE1K1		1,058 00		1 21							<u> </u>
ADJACENT COLLOCA		<u> </u>	<u> </u>	-	1	0.0000					ļ	<u> </u>				
Adjace	ent Collocation - Space Charge per Sq. Ft ent Collocation - Electrical Facility Charge per Linear Ft	ļ <u>.</u>	— —	CLOAC	PE1JA PE1JC	0 0939 6 40					ļ	ļ	<u> </u>			+

COLLOCAT	ION - South Carolina												Attach	ment: 4	Exhi	bit B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR		Incremental		Incremental Charge -	Incrementa Charge - Manual Svo Order vs Electronic- Disc Add'l
			<u> </u>									<u> </u>			DISC 1ST	DISC Add 1
						Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	SOMAN	Rates (\$)	SOMAN	SOMAN
ļ	Adjacent Collocation - 2-Wire Cross-Connects		-	CLOAC	PE1P2	0 0264	12 32	11 83	6 04	5 45	SOME	SOMAN	GOMAN	JOHAN	JOHN	OUMPHI
	Adjacent conocation - 2-vine cross-connects			UEA,UHL,UDL,UCL,												
1 .	Adjacent Collocation - 4-Wire Cross-Connects			CLOAC	PE1P4	0 0527	12 42	11 90	6 40	5 74						
	Adjacent Collocation - DS1 Cross-Connects			USL CLOAC	PE1P1	1 03	22 08	15 96	6 42	5 80					ļ	
<u> </u>	Adjacent Collocation - DS3 Cross-Connects			CLOAC	PE1P3 PE1F2	14 00 2 37	20 94 20 94	15 23 15 23	7 39	5 93 5 93		-				
	Adjacent Collocation - 2-Fiber Cross-Connect Adjacent Collocation - 4-Fiber Cross-Connect	 		CLOAC	PE1F4	4 53	25 61	19 90	973	8 26		-				-
 	Adjacent Collocation - Application Fee		 	CLOAC	PE1JB		1,580 20		0,75							
	Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FB	5 67										
	Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FD	11 36										
	Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FE	17 03										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FG	39 33										
PHYSICAL CO	LLOCATION IN THE REMOTE SITE		<u> </u>	CLORS	PE1RA		308 38	308 38	168 60	168 60	_				ļ	
	Physical Collocation in the Remote Site - Application Fee Cabinet Space in the Remote Site per Bay/ Rack		<u> </u>	CLORS	PE1RB	246 44	300 30	300 30	100 60	100 00						
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		13 13	13 13								
	Physical Collocation in the Remote Site - Space Availability Report per Premises Requested			CLORS	PE1SR		116 13	116 13								
<u> </u>	Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RE PE1RR		37 64 234 50	37 64								
PHYSICAL CO	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLURG	FEIRK		234 30									
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS_	6 27					-					
	Remote Site-Adjacent Collocation - Real Estate, per square foot Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RT PE1RU	0 134	755 62	755 62							_	-
NOTE	If Security Escort and/or Add'l Engineering Fees become nec	essary f	for rem			vill negotiate as										
VIRTUAL COL	LOCATION															
	Virtual Collocation - Application Fee			AMTES	EAF		1,207 95	1,207 95		0.51		15 69				
\vdash	Virtual Collocation - Cable Installation Cost, per cable		<u> </u>	AMTES	ESPCX	3 95	794 22	794 22	22 54	22 54	 	15 69				
	Virtual Collocation - Floor Space, per sq. ft Virtual Collocation - Power, per fused amp		-	AMTES AMTES	ESPVX	9 19					-	 	 			
	Virtual Collocation - Cable Support Structure, per entrance	 	<u> </u>		231750	2 13										
	cable			AMTFS UEANL,UEA,UDN U DC,UAL,UHL,UCL,U	ESPSX	18 66				·						
	Virtual Collocation - 2-wire Cross Connects (loop)			EQ, AMTFS, UDL, UNCVX, UNCDX, UNCNX	UEAC2	0 0317	12 32	11 83	6 04	5 45		15 69				
				UEA,UHL,UCL,UDL, AMTFS, UAL, UDN,												
	Virtual Collocation - 4-wire Cross Connects (loop)			UNCVX, UNCDX AMTFS,UDL12, UDLO3, U1T48, U1T12, U1T03	UEAC4	0 0634	12 42	11 90	6 40	5 74		15 69		-		
	Nirtual Collecation 2 Fiber Cross Connects	1	1	ULDO3, ULD12, ULD48, UDF	CNC2F	2 86	20 94	15 23	7 40	5 93		15 69	1		1	1
	Virtual Collocation - 2-Fiber Cross Connects			ULD48, UDF AMTFS, UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12	CNCZF	2 86	20 94	15 23	7 40	2 83		15 69				
	Virtual Collocation - 4-Fiber Cross Connects	L	<u>L</u>	ULD48, UDF	CNC4F	5 71	25 61	19 90	9 73	8 <u>26</u>		15 69	<u> </u>	l	L	

OLLOCAL	ION - South Carolina										00	0 0 1		ment: 4		ibit. B
CATEGORY	RATE ELEMENTS	Inten m	Zone	BC\$	usoc			RATES (\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs Electronic-	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svo Order vs Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					Rates (5)		
						1,00	First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual collocation - Special Access & UNE cross-connect per DS1			USL,ULC,AMTFS ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL UNLD1	CNC1X	1 12	22 08	15 96	_6 42	5 80		15 69				
	Virtual collocation - Special Access & UNE, cross-connect per			USL, ULC, AMTFS, U E3, U1TD3, UXTS1, UXTD3, UNC3X UNCSX, ULDD3, U1TS1 ULDS1, UDLSX UNLD3	CND3X	14 21	20 94	15 23	7 39	5 93		15 69				!
	DS3 Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable			ODESK GINEDS	CND3X	14 21	20 94	15 25	/ 39	2 33		13 03			-	-
ļ	Support Structure, per linear foot			AMTFS	VE1CB	0 0022									1	
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft			AMTFS	VE1CD	0 0033										
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure,per cable			AMTES	VE1CC		536 56									
	Virtual Collocation - Co-Carner Cross Connects - Copper/Coax						520.50									
	Cable Support Structure, per cable			AMTFS AMTFS	VE1CE VE1BA		536 56 760 98	489 20	133 29	133 29	 				 	+
	Virtual Collocation Cable Records - per request Virtual Collocation Cable Records - VG/DS0 Cable, per cable	 	<u> </u>	AMIFS	VETBA		760.96	409 20	133 29	133 28					-	+
	record			AMTES	VE1BB		327 65	327 65	189 54	189 54						
	Virtual Collocation Cable Records - VG/DS0 Cable, per each 100 pair			AMTFS	VE1BC		4 82	4 82	5 91	5 91						
	Virtual Collocation Cable Records - DS1, per T1TIE			AMTFS	VE1BD		2 26	2 26	277	2 77	 			_		1
	Virtual Collocation Cable Records - DS3, per T3TIE			AMTFS	VE1BE		7 90	7 90	9 68	9 68						
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber records			AMTFS	VE1BF		84 68	84 68	77 30	77 30						
	Virtual collocation - Security Escort - Basic, per half hour		 	AMTES	SPTBX	 	16 96	10 75	1,00	7.00		15 69			 	
	Virtual collocation - Security Escort - Overtime, per half hour			AMTFS	SPTOX		22 10	13 89				15 69			ļ	
	Virtual collocation - Security Escort - Premium, per half hour			AMTES	SPTPX		27 23	17 02				15 69				
	Vidual collocation - Maintenance in CO - Basic, per half hour			AMTFS	CTRLX		27 99	10 75				15 69				
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		36 56	13 89				15 69			ļ	ļ
	Virtual collocation - Maintenance in CO - Premium per half hour			AMTES	SPTPM		45 12	17 02				15 69				
RTUAL COL	LOCATION	₩_							<u> </u>				ļ		 	
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2- Wire Analog - Res	ļ		UEPSR	VE1R2	0 0317	12 32	11 83	6 04	5 45		15 69				
	Virtual Collocation 2-Wire Cross Connect Exchange Port 2- Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0 0317	12 32	11 83	6 04	5 4 5		15 69]		1
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire															
	Voice Grade PBX Trunk - Res Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire	 	-	UEPSE	VE1R2	0 0317	12 32	11 83	6 04	5 45	-	15 69			 	
	Analog Bus			UEPSB	VE1R2	0 0317	12 32	11 83	6 04	5_45		15 <u>69</u>			ļ	1
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN			UEPSX	VE1R2	0 0317	12 32	11 83	6 04	5 45		15 69	1			
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPTX	VE1R2	0 0317	12 32	11 83	6 04	5 45		15 69				
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1			UEPEX	VE1R4	1 12	22 08	15 96	6 42	5 80		15 69				

COLLOCAT	ION - Tennessee													ment· 4		bit. B
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)			Submitted Elec per LSR	Submitted Manually	Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs Electronic- Disc Add'l
			L			Rec	Nonrecurring			g Disconnect				Rates (\$)		
			-				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL CO	I LOCATION										+					
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-		t									-	1			
	Wire Analog - Res			UEPSR	PE1R2	0 30	19 20	19 20					20 35	10 54	13 32	1 40
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Line Side PBX Trunk - Bus Physical Collocation 2-Wire Cross Connect, Exchange Port 2-		<u> </u>	UEPSP	PE1R2	0 30	19 20	19 20					20 35	10 54	13 32	1 40
	Wire Voice Grade PBX Trunk - Res			UEPSE	PE1R2	0 30	19 20	19 20			i		20 35	10 54	13 32	1 40
 	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			OLI OL	1 11.2		10 20	10 20			1		20 00	1004		
	Wire Analog - Bus			UEPSB	PE1R2	0 30	19 20	19 20					20 35	10 54	13 32	1 40
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-				ļ								!			
<u> </u>	Wire ISDN			UEPSX	PE1R2	0 30	19 20	19 20					20 35	10 54	13 32	1 40
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			UEPTX	PE1R2	0 30	19 20	19 20			-		20 35	10 54	13 32	1 40
 	Wire ISDN Physical Collocation 4-Wire Cross Connect, Exchange Port 4-	-	_	UEFIX	PEIRZ	0.30	19 20	19 20			1		20 35	10 54	13 32	1 40
	Wire ISDN DS1			UEPEX	PE1R4	0 50	19 20	19 20					20 35	10 54	13 32	1 40
PHYSICAL CO								-								
	Physical Collocation - Cageless - Application Fee			CLO	PE1CH		2,633 00	2,633 00								
	Physical Collocation Administrative Only - Application Fee	1		CLO	PE1BL		743 25									
	Physical Collocation - Space Preparation - Firm Order		<u> </u>	CLO	PE1SJ		1,204 00	1,204 00								
	Physical Collocation - Space Preparation - C O Modification per	١.			55404					•	!		ł		Ì	
-	square ft Physical Collocation - Space Preparation - Common Systems	- '	-	cro	PE1SK_	2 74					+		 			
	Modification per square ft - Cageless	١,		cro	PE1SL	2 95					i		1			
 	Physical Collocation - Space Preparation - Common Systems	1		CLO	FLIGE	2 93					+		-			
1 1	Modification per Cage	1		cro	PE1SM	100 14									ł	i
	Physical Collocation - Cageless - Cable Installation Cost per													_		
	cable			CLO	PE1ZA	1	1,749 00			ļ						
	Physical Collocation - Cageless - Floor Space, per sq. ft			CLO	PE1ZB	3 91										
	Physical Collocation - Floor Space per Sq. Ft	- 1		CLO	PE1PJ	5 94										
	Physical Collocation - Cageless - Cable Support Structure			CLO	PE1CJ	17 87										
	Physical Collocation - Cable Support Structure, Per Entrance	i .				40.00	1							1		
	Cable		1	Cro	PE1PM	19 80							-			
	Physical Collocation - Cageless - Floor Space Power, per Fused Amp			CLO	PE1ZC	6 79	i i		}	İ			Į.	1		
- 	Physical Collocation - Power -48V DC Power, per Fused Amp		-	CLO	PE1PL	8 87	 				+					
	Physical Collocation - Power Reduction, Application Fee		1	Cro	PE1PR	0.07	400 10				 			-	 	
	1 Trysical Collocation - Lower Reduction, Application Les			OLO	7 2 11 13		400 10	-	-							
	Physical Collocation - 120V, Single Phase Standby Power Rate	1		CLO	PE1FB	5 60										
	Physical Collocation - 240V, Single Phase Standby Power Rate	- 1		CLO	PE1FD	11 22										L
	Physical Collocation - 120V, Three Phase Standby Power Rate			Cro	PE1FE	16 82					1				ļ	
	Bharard Callessian 2771/ Thora Bhara Standbu Barra Bata		1	CLO	PE1FG	38 84					1					
h	Physical Collocation - 277V, Three Phase Standby Power Rate	- '	1	CLO	PEIFG	30 04					1					
	Physical Collocation - 2-Wire Cross-Connects	!		UEANL, UEA UDN, U DC, UAL, UHL, UCL, U EQ, UDL, UNCVX, UNLDX, UNCNX CLO, UAL, UDL,	PE1P2	0 033	33 82	31 92								
				UDN, UEA, UHL, UNCVX, UNCDX												
	Physical Collocation - 4-Wire Cross-Connects			UCL	PE1P4	0 066	33 94	31 95		L		<u> </u>			l	<u> </u>

COLLOCAT	ION - Tennessee												Attach	ment; 4	Exhi	bit. B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge -
						Rec	Nonrecurring			Disconnect	22152			Rates (\$)		
				CLO,UEANL,UEQ,W		1	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - DS1 Cross-Connects	ı		DS1L,WDS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1 UDL	PE1P1	1 51	53 27	40 16								
	Physical Collocation - DS3 Cross-Connects	ı		CLO, UE3,U1TD3, UXTD3, UXTS1, UNC3X UNCSX, ULDD3, U1TS1,ULDS1, UNLD3, UDL CLO ULDO3,	PE1P3	19 26	52 37	38 89					_			
	Physical Collocation - 2-Fiber Cross-Connect	ı		ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF CLO, ULDO3,	PE1F2	15 64	41 56	29 82	12 96	10 34			2 69	2 69	1 56	1 56
	Physical Collocation - Cageless - 2-Fiber Cross-Connect			ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF CLO, ULDO3,	PE1CK	3 03	41 56	29 82	12 96	10 34						
	Physical Collocation - 4-Fiber Cross-Connect	ı		ULD12, ULD48, U1TO3, U1T12, U1T48 UDLO3, UDL12, UDF	PE1F4	28 11	50 53	38 78	16 97	14 35			2 69	2 69	1 56	1 56
	Physical Collocation - Cageless - 4-Fiber Cross-Connect			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1CL	6 06	50 53	38 78	16 97	14 35						
	Physical Collocation - Welded Wire Cage - First 100 Sq. Ft			CLO	PE1BW	218 53	30 33	30 70	10.01	14 55						
	Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft	<u> </u>		CLO	PE1CW	21 44	1							 		l
	Physical Collocation - Security Access System - Security System per Central Office	ı		CLO_	PE1AX	55 99										
	Physical Collocation - Security Access System - New Access Card Activation per Card	١.		CLO	PE1A1	0 059	55 67	55 67]					1		1
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card			cro	PE1AA	0.039	15 61	15 61								
	Physical Collocation - Security Access System - Replace Lost or															
-	Stolen Card, per Card	<u> </u>		CLO	PE1AR	ļ	45 64	45 64						1		
	Physical Collocation - Security Access - Initial Key, per Key Physical Collocation - Security Access - Key, Replace Lost or		1	CLO	PE1AK		26 24	26 24						-		
	Stolen Key per Key			CLO	PE1AL		26 24	26 24								1
	Physical Collocation - Space Availability Report per premises POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect	3		CLO UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ CLO,UDL, UNCVX, UNCDX, UNCNX	PE1SR PE1PE	0 40	2,027 00	2,154 00								
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect	(UEANL,UEA,UDN,U DC,UAL,UHL UCL,U EQ,CLO, USL, UNCVX, UNCDX	PE1PF	1 20										

COLLOCAT	ION - Tennessee													ment: 4		bit B
:ATEGORY	RATE ELEMENTS	Interi m	lone	BCS	usoc			RATES (\$)				Submitted	Incremental Charge - Manual Svo Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Increment Charge - Manual Sy Order vs Electronic
			1			Rec	Nonrecurring		Nonrecurring	g Disconnect	ĺ		OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect	,		UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, WDS 1L W DS 1S, USL, U1TD 1, UXTD 1, UNC 1X, ULDD 1 USLEL, UNLD 1	>E1PG	1 20										
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect			UEANILUEA UDN,U DC,UAL,UHL,UCL,U EQ,CLO,UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UDL,		7.20										
į.	per cross-connect	1		UDLSX	'E1PH	8 00										
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect,			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, ULDO3 ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3.												
	Per Cross-Connect POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect Physical Collocation - Request Resend of CFA Information, per			UDL12, UDF UEANIL, UEA, UDN, U DC, UAL, UHL, UCL, U EG, CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12 U1T48, UDLO3, UDL12, UDF	<u>'E1B2</u>	38 79 52 31										
j j	CLLI	l .	1	CLO	'E1C9		77 67			1						
	Nonrecurring Collocation Cable Records - per request	-		CLO	E1CR		1,711 00		 						-	
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per cable record			CLO	'E1CD		925 06									
1	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per each 100 pair	١.,		CLO	'E100		18 05	18 05		ĺ						
	Nonrecurring Collocation Cable Records - DS1, per T1TIE	+		CLO	7E1C0		8 45	8 45		ļ						
	Nonrecurring Collocation Cable Records - DS3, per T3TIE	H		CLÓ	E1C3		29 57	29 57							· ·	
	Nonrecurring Collocation Cable Records - Fiber Cable, per 99 liber records	1		CLO	E1CB		279 42	279 42								
_	Physical Collocation - Cageless - Security Escort - Basic, per Half Hour Physical Collocation - Cageless - Security Escort - Overtime, per			CLO	'E1ZM		33 15	20 44		_						
	Half Hour Physical Collocation - Cageless - Security Escort - Premium, per			CLO	E1ZN		41 50	25 61								
	Half Hour Physical Collocation - Security Escort - Basic, per Half Hour			CLO,CLORS	'E1ZO 'E1BT			30 79 21 49								
	Physical Collocation - Security Escort - Overtime, per Half Hour	ļ		CLO,CLORS	'E1OT			3		L						
	Physical Collocation - Security Escort - Premium, per Half Hour		_	CLO,CLORS	'E1PT		54 42	34 02								
-	V to P Conversion, Per Customer Request-Voice Grade	!!		ULU	'E1BV		33 00			ļ						
	V to P Conversion, Per Customer Request-DS0	<u> </u>		CLO	E1BO		33 00			ļ						1
	V to P Conversion, Per Customer Request-DS1	1		CLO	2E1B1		52 00		-	1	ļ					
	V to P Conversion, Per Customer request-DS3 V to P Conversion, Per Customer Request per VG Circuit Reconfigured	1		CLO	'E1B3		52 00 23 00									
	V to P Conversion, Per Customer Request per DS0 Circuit Reconfigured	-1	1	CLO	'E1BP		23 00									


COLLOCAT	ION - Tennessee												Attach	ment [.] 4	Exhi	bit B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Submitted Elec	Submitted	Incremental		Incremental Charge -	Incremental Charge - Manual Svc Order vs
						Rec	Nonrecurring			g Disconnect				Rates (\$)		
	V to P Conversion Per Customer Request per DS1 Circuit		<u> </u>				First	Add'!	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Reconfigured	L		CLO	PE1BS		33 00			ļ						1
	V to P Conversion, Per Customer Request per DS3 Circuit Reconfigured			CLO	PE1BE		37 00									
	V to P Conversion, Cable Pairs Assigned to Collo Space per 700 prs or fraction thereof	1		CLO	PE1B7		592 00									
	Physical Caged Collocation-App Cost(initial & sub)-Planning, per request			CLO	PE1AC	16 16	2,903 66	2,903 66								
	Physical Caged Collocation-Space Prep-Grounding, per location			CLO	PE188	4 32										
	Physical Caged Collocation-Space Prep-Power Delivery, per 40 amp Feed			CLO	PE1SN		142 40									
	Physical Caged Collocation-Space Prep-Power Delivery, per 100 amp Feed			CLO	PE1SO		185 72								_	
	Physical Caged Collocation-Space Prep-Power Delivery, per 200										 					
	amp Feed Physical Caged Collocation-Space Enclosure-Cage Preparation			CLO	PE1SP		242 05									
	per first 100 sq. ft Phycical Caged Collocation-Space Enclosure-Cage			CLO	PE1S1	110 97										
	Preparation2, per add'l 50 sq. ft Physical Caged collocation-Cable Installation-Entrance Fiber			CLO	PE1S5	55 49				-						<u> </u>
-	Structure, interduct per ft Phycical Caged Collocation-Cable Installation-Entrance Fiber,			CLO	PE1CP	0 0156					-					
	per cable Physical Caged Collocation-Floor Space-Land & Buildings, per			CLO	PE1CQ	2 56	944 27									<u> </u>
	sq ft			CLO	PE1FS	5 94				_						
	Physical Caged Collocation-Cable Support Structure-Cable Racking, per entrance cable			CLO	PE1CS	21 47									!	
	Physical Caged Collocation-Power-Power Construction, per amp DC plant	Ì		CLO	PE1PN	3 55										
	Physical Caged Collocation-Power-Power Consumption,per amp AC usage			CLO	PE1PO	2 03										
	Physical Caged Collocation-2-wire Cross Connects-Voice Grade															
	ckts, per ckt Physical Caged Collocation-4-wire Cross Connects-Voice Grade			CLO	PE12C	0 0475	7 68									
	Ckts, per ckt Physical Caged Collocation-DS1 Cross Connects-connection to			CLO	PE14C	0 0475	7 68				-				 	
	DCS, per ckt Physical Caged Collocation-DS1 Cross Connects-Connection to	<u> </u>		CLO	PE11S	7 68	41 65								-	1
-	DSX, per ckt Physical Caged Collocation-DS3 Cross Connects-Connection to	ļ		CLO	PE11X	0 38	41 65									
	DCS, per ckt Physical Caged Collocation-DS3 Cross Connects-Connection to			CLO	PE13S	53 96	298 03									
	DSX, per ckt Physical Caged Collocation-Security Access-Access Cards, per			CLO	PE13X	9 32	298 03									<u> </u>
	Fhysical Collocation - Co-Carrier Cross Connects - Fiber Cable			cro	PE1A2		76 10									
	Support Structure, per cable, per linear ft			CLO,UDF	PE1ES	0 0013					-					
	Physical Collocation - Cageless - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear ft			CLO	PE1ZH	0 0031										
	Physical Collocation - Cageless - Co-Carrier Cross Connects- Fiber Cable Support Structure, per cable			CLO	PE1ZK		555 03									
	Physical Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable per lin_ft			CLO	PE1DS	0 0019										
	Physical Collocation - Cageless - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft			CLO	PE1ZJ	0 0045										
	Physical Collocation - Cageless - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure per cable			CLO	PE1ZL		555 03									

COLLOCAT	ION - Tennessee													ment: 4	Exh	bit B
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
						Rec	Nonrecurring First	Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	OSS	Rates (\$)	SOMAN	SOMAN
	Physical Collocation - Co-Carrier Cross Connects Only -						rirst	Addi	FIFST	Addi	SUMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
	Application Fee, per application	i		CLO	PE1DT		585 09									
ADJACENT C	OLLOCATION															
	Adjacent Collocation - Space Charge per Sq. Ft			CLOAC	PE1JA	0 0656										1
	Adjacent Collocation - Electrical Facility Charge per Linear Ft Adjacent Collocation - 2-Wire Cross-Connects	-	-	CLOAC CLOAC	PE1JC PE1P2	5 53 0 34	11 12	10 18	11 33	10 23			1 77	1 77	1 12	1 12
	Adjacent Collocation - 2-Wire Cross-Connects		-	UEA,UHL,UDL,UCL.	PE IP2	0.34	11 12	10 16	1133	10 23			177	177	1 12	1 12
	Adjacent Collocation - 4-Wire Cross-Connects			CLOAC	PE1P4	0 33	11 30	10 31	11 62	10 44			1 77	1 77	1 12	1 12
	Adjacent Collocation - DS1 Cross-Connects			USL,CLOAC	PE1P1	1 70	28 39	16 88	11 65	10 54			1 77	1 77	1 12	1 12
	Adjacent Collocation - DS3 Cross-Connects			CLOAC	PE1P3	19 03	26 23	15 51	13 40	10 77			1 77	1 77	1 12	1 12
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F2	3 49	26 23	15 51	13 41	10 78		_	1 77	1 77	1 12	1 12
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1F4	6 50	29 75	19 02	17 60	14 97			1 77	1 77	1 12	1 12
	Adjacent Collocation - Application Fee	ļ	ļ	CLOAC	PE1JB		2,973 00									
	Adjacent Collocation - 120V, Single Phase Standby Power Rate	1		01040	DE455	5 6 :								1		
	per AC Breaker Amp Adjacent Collocation - 240V, Single Phase Standby Power Rate		ļ	CLOAC	PE1FB	5 81								.		
	per AC Breaker Amp			CLOAC	PE1FD	11 64										
	Adjacent Collocation - 120V. Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FE	17 45		<u></u>								
	Adjacent Collocation - 277V, Three Phase Standby Power Rate		ļ.	CLOAC	DE4EC	40.20								,		i
BUYEICAL CO	per AC Breaker Amp PLLOCATION IN THE REMOTE SITE		<u> </u>	CLOAC	PE1FG	40 30										
PHISICAL CC	Physical Collocation in the Remote Site - Application Fee		-	CLORS	PE1RA		580 20		312 76							-
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	220 41	55525		5.275							
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		24 69									
	Physical Collocation in the Remote Site - Space Availability Report per Premises Requested			CLORS	PE1SR		218 49									
	Physical Collocation in the Remote Site - Remote Site CLLI															
	Code Request, per CLLI Code Requested			CLORS	PE1RE		70 81									
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		234 15									
PHYSICAL CC	DLLOCATION IN THE REMOTE SITE - ADJACENT															
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6 27										
1	Remote Site-Adjacent Collocation - Real Estate, per square foot		1	CLORS	PE1RT	0 134	1									
	Remote Site-Adjacent Collocation-Application Fee		 	CLORS	PE1RU	0 134	755 62	755 62								
NOTE:	If Security Escort and/or Add'l Engineering Fees become nec	essary f	or rem			rill negotiate a										
VIRTUAL COL	LOCATION	i -														
	Virtual Collocation - Application Fee			AMTFS	EAF		2,633 00	2,633 00					2 07	2 81	0 67	1 41
	Virtual Collocation - Cable Installation Cost, per cable	<u> </u>	1	AMTF\$	ESPCX		1,749 00	1,749 00					2 07	2 81	0 67	1 41
	Virtual Collocation - Floor Space, per sq. ft		ļ	AMTFS	ESPVX	3 91										
	Virtual Collocation - Power, per fused amp	<u> </u>	<u> </u>	AMTFS	ESPAX	6 79			ļ							
	Virtual Collocation - Cable Support Structure, per entrance cable			AMTFS	ESPSX	17 87			1 1					}		
	caue	•		UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, AMTFS, UDL UNCVX, UNCDX,		17 07										
	Virtual Collocation - 2-wire Cross Connects (loop)			UNCNX	UEAC2	0 57	11 62	9 90	10 38	8 66		<u> </u>	2 07	2 81	0 67	1 41
				UEA,UHL UCL,UDL, AMTFS, UAL, UDN.												
	Virtual Collocation - 4-wire Cross Connects (loop)	ļ		UNCVX, UNCDX	UEAC4	0 57	11 81	10 04	10 44	8 67	ļ		2 07	2 81	0.67	14
				AMTES UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12,												
ı	Virtual Collocation - 2-Fiber Cross Connects		1	ULD48, UDF	CNC2F	3 03	41 56	29 82	12 96	10 34	1		2 69	2 69	1 56	1 56

COLLOCAT	ION - Tennessee													ment· 4		bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR		Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs Electronic Disc Add
						Rec	Nonrecurring			Disconnect				Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation - 4-Fiber Cross Connects			AMTES, UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC4F	6 06	50 53	38 78	16 97	14 35			2 69	2 69	1 56	1 50
	Virtual collocation - Special Access & UNE, cross-connect per DS1			USL,ULC,AMTFS, ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1	CNC1X	1 32	32 22	17 76	10 46	8 75			2 07	2 81	0 67	1 4
	Virtual collocation - Special Acess & UNE, cross-connect per DS3			USL, ULC AMTFS, U E3, U1TD3, UXTS1 UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CND3X	12 32	29 97	16 30	12 03	8 99			2 07	2 81	0 67	14
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable			ANATEC	VE1CB	0 0031										
	Support Structure, per linear foot Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft			AMTFS	VE1CD	0 0031										
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable		T I		ŀ											
	Support Structure per cable Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax			AMTFS	VE1CC VE1CE		555 03 555 03						2 07	2 81	0 67	14
	Cable Support Structure, per cable Virtual Collocation Cable Records - per request		 	AMTFS AMTFS	VE1CE VE1BA		1,711 00						201	201	0.67	14
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable record			AMTES	VE1BB		925 06									
	Virtual Collocation Cable Records - VG/DS0 Cable, per each			AMTES	VE1BC		18 05	18 05								
	Virtual Collocation Cable Records - DS1, per T1TIE			AMTES	VE1BD		8 45	8 45	-		-		-			
	Virtual Collocation Cable Records - DS3, per T3TIE			AMTES	VE1BE		29 57	29 57			 		· · · · · · · · · · · · · · · · · · ·			t
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber records			AMTFS	VE1BF		279 42	279 42								
	Virtual collocation - Security Escort - Basic, per half hour		t	AMTFS	SPTBX		33 15	20 44			1		2 07	2 81	0 67	
	Virtual collocation - Security Escort - Overtime, per half hour			AMTFS	SPTOX		41 50	25 61					2 07	2 81	0 67	1 4
	Virtual collocation - Security Escort - Premium, per half hour			AMTFS	SPTPX		49 86	30 79					2 07	2 81	0 67	1 4
	Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS	CTRLX		30 64	30 64					2 07	2 81	0 67	
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM_		35 77	35 77			-		2 07	2 81	0 67	1.4
VIRTUAL COL	Virtual collocation - Maintenance in CO - Premium per half hour		\vdash	AMTFS	SPTPM		40 90	40 90	1		<u> </u>	 	2 07	2 81	0 67	14
VIRTUAL COL	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-		1		l					<u>.</u>	-		 			1
	Wire Analog - Res Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-			UEPSR	VE1R2	0 30	19 20	19 20					20 35	10 54	13 32	14
	Wire Line Side PBX Trunk - Bus Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire			UEPSP	VE1R2	0 30	19 20	19 20					20 35	10 54	13 32	14
	Voice Grade PBX Trunk - Res		<u> </u>	UEPSE	VE1R2	0 30	19 20	19 20					20 35	10 54	13 32	14
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire			UEPSB	VE1R2	0 30	19 20	19 20					20 35	10 54	13 32	1 4
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire			UEPSX	VE1R2	0 30	19 20	19 20					20 35	10 54	13 32	14
	ISDN Virtual Collocation 4-Wire Cross Connect Exchange Port 4-Wire			UEPTX	VE1R2	0 30	19 20	19 20					20 35	10 54	13 32	14
	IISDN DS1	l	1	UEPEX	VE1R4	0.50	19 20	19 20			1	l	20 35	10 54	13 32	1.4

gjhjhlf

■ dukenet communications-ame-8013.PDF ⊕ 03/04/04 03:51 PM



AMENDMENT TO THE AGREEMENT BETWEEN DUKENET COMMUNICATIONS, LLC AND BELLSOUTH TELECOMMUNICATIONS, INC. DATED JULY 25, 2001

Pursuant to this Amendment, (the "Amendment"), DukeNet Communications, LLC, ("DukeNet"), and BellSouth Telecommunications, Inc. ("BellSouth"), hereinafter referred to collectively as the "Parties," hereby agree to amend that certain Interconnection Agreement between the Parties dated July 25, 2001, (the "Agreement").

WHEREAS, DukeNet and BellSouth entered into the Agreement on July 25,

2001, and;

NOW THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows:

- 1. DukeNet and BellSouth agree to amend Attachment 4, Exhibit B, to add a virtual Administrative Only Application Fee as set forth in Exhibit A attached hereto and made a part of this Amendment.
- 2. This Amendment shall be effective thirty (30) days from the date of the last signature executing this Amendment.
- 4. All of the other provisions of the Agreement, dated July 25, 2001, shall remain in full force and effect.
- 5. Either or both of the Parties is authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996.

Signature Page

IN WITNESS WHEREOF, the Parties have executed this Agreement the day and year written below.

COLLOCATION	ON - Alabama												Attachment 4	4	Exhibit: B	
											Svc Order	Svc Order	Incremental	Incremental	Incremental	
											Submitted	Submitted		Charge -	Charge -	Charge -
l l		Interi	_					DATES (#)			Elec					Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	usoc			RATES (\$)			per LSR	per LSR	Order vs	Order vs.	Order vs	Order vs
1		1										l	Electronic-	Electronic-	-	Electronic-
												Į.	1st	Add'l	Disc 1st	Disc Add'l
						Rec Nonrecurring Nonrecurring Disconnect							OSS	Rates (\$)	·	·
						Kec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
VIRTUAL COLL	LOCATION															
	Virtual Collocation Administrative Only - Application Fee			AMTFS	VE1AF	742 15										
		-									 					
					 											
			1													

COLLOCATION	ON - Florida												Attachment	4	Exhibit. B	
1											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
1											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
1		Inten									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs	Order vs.	Order vs.	Order vs.
		""									1		Electronic-	Electronic-	Electronic-	Electronic-
		1											1st	Add'I	Disc 1st	Disc Add'l
l- 1		+	1			B	Nonre	curring	Nonrecurring	Disconnect		·	OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
VIRTUAL COLL	OCATION	+														
	Virtual Collocation Administrative Only - Application Fee		<u> </u>	AMTFS	VE1AF	742 00					-					
- 		-														
. 1 1			1 :					L				l		t	L	L

COLLOCATION	ON - Georgia												Attachment.	4	Exhibit B	
															Incremental	
												Submitted		Charge -	Charge -	Charge -
i		Intera	l_					DATES (6)			Elec			1	,	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	usoc			RATES (\$)			per LSR	per LSR	Order vs	Order vs	Order vs.	Order vs
		1	1										Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Neu	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
VIRTUAL COLL	LOCATION	-			 					-						
	Virtual Collocation Administrative Only - Application Fee			AMTFS	VE1AF		609 52		ļ .							<u> </u>
		 			-						_					
																ļ
					4				1		ļ				 	<u> </u>
					1						l	l .		!	1	1

COLL	OCATIO	ON - Kentucky												Attachment	4	Exhibit: B	
						1						Svc Order	Svc Order	incremental	Incremental	incremental	Incremental
			1									Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	perLSR	Order vs	Order vs	Order vs	Order vs
			"										1	Electronic-	Electronic-	Electronic-	Electronic-
						1						ì	1	1st	Add'l	Disc 1st	Disc Add'l
			1				D	Nonrec	urnng	Nonrecurring	Disconnect			oss	Rates (\$)		-
			-				Rec	First	Add'l	First	Addʻl	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
VIRTUA	L COLL	OCATION															
		Virtual Collocation Administrative Only - Application Fee			AMTFS	VE1AF		742 12									
												ļ					
ļ										 		-		_	_		
		· · ·	1	1 1		1 1	1	ł		1		Į.	1]	1

COLL	OCATI	ON - Louisiana												Attachment:	4	Exhibit B	
			Ĩ			T						Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
1												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Inter			1						Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	usoc			RATES (\$)			per LSR	per LSR	Order vs	Order vs.	Order vs	Order vs
														Electronic-	Electronic-	Electronic-	Electronic-
												[1st	Add'l	Disc 1st	Disc Add'l
			1			1	Rec	Nonrec	urring	Nonrecurring	Disconnect	T	l	OSS	Rates (\$)	· · · · -	
							Kec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
VIRTUA	AL COLI	LOCATION															
		Virtual Collocation Administrative Only - Application Fee			AMTFS	VE1AF		741 97									
			ļ														
						ļ											
						1											1

COLLOCATI	ON - Mississippi												Attachment:	4	Exhibit: B	
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi			1						Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	EGORY RATE ELEMENTS DONE BCS USOC RATES (\$)						per LSR	per LSR	Order vs	Order vs	Order vs	Order vs				
1												Electronic-	Electronic-	Electronic-	Electronic-	
1								1st	Add'l	Disc 1st	Disc Add'l					
		1				Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)	<u> </u>	
						Rec	First	Add'l	First	Add'1	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
VIRTUAL COLL	LOCATION															
	Virtual Collocation Administrative Only - Application Fee			AMTES	VE1AF		740 76									

COLLOCATI	ON - North Carolina												Attachment	4	Exhibit, B	
		T	Π-Τ								Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge •	Charge -	Charge -	Charge -
		Interi				İ					Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs	Order vs	Order vs
		m	1 1								i		Electronic-	Electronic-	Electronic-	Electronic-
			1		}								1st	Add'l	Disc 1st	Disc Add'l
		+			+		Nonrec	urnng	Nonrecurring	Disconnect			oss	Rates (\$)	·	L
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
VIRTUAL COLL	OCATION		+-+		+										-	
	Virtual Collocation - Administrative Only Application Fee			AMTES	VE1AF		741 44									
						1						1				

COL	LOCA	TION - Sout	h Carolina												Attachment	4	Exhibit. B	
							T									Incremental	Incremental	Incremental
-		1					•						Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
				Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATI	GORY		RATE ELEMENTS	m	Zone	BCS	usoc			RATES (\$)			per LSR	per LSR	Order vs.	Order vs	Order vs	Order vs.
				""	i i		'								Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l		
								Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							-	Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
VIRT	UAL CO	LLOCATION												-				-
		Virtual Colle	ocation Administrative Only - Application Fee			AMTES	VE1AF		743 66			_						
-	+	-		_														
	_			_														

COLLOCATION	ON - Tennessee												Attachment:	4	Exhibit:	
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
l i											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
1 1		Interi			ľ						Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs	Order vs.	Order vs	Order vs
		""			i								Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
		1				Nonrecurring Nonrecurring Disconnect							oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
VIRTUAL COLL	OCATION	+									· · · · · ·					
	Virtual Collocation - Administrative Only - Application Fee			AMTES	VE1AF		743 25									
												L				
		ļ.,	ļ								_	ļ				
1 1							1		{					l .		

AMENDMENT TO THE AGREEMENT BETWEEN DUKENET COMMUNICATIONS, LLC AND BELLSOUTH TELECOMMUNICATIONS, INC. DATED JULY 25, 2001

Pursuant to this Amendment, (the "Amendment"), DukeNet Communications, LLC, ("DukeNet"), and BellSouth Telecommunications, Inc. ("BellSouth"), hereinafter referred to collectively as the "Parties," hereby agree to amend that certain Interconnection Agreement between the Parties dated July 25, 2001, (the "Agreement").

WHEREAS, DukeNet and BellSouth entered into the Agreement on July 25,

2001, and;

NOW THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows:

- 1. DukeNet and BellSouth agree to amend Attachment 4, Exhibit B, to add a virtual Administrative Only Application Fee as set forth in Exhibit A attached hereto and made a part of this Amendment.
- 2. This Amendment shall be effective thirty (30) days from the date of the last signature executing this Amendment.
- 4. All of the other provisions of the Agreement, dated July 25, 2001, shall remain in full force and effect.
- 5. Either or both of the Parties is authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996.

Signature Page

IN WITNESS WHEREOF, the Parties have executed this Agreement the day and year written below.

COLLOCATI	ON - Alabama												Attachment:	4	Exhibit: B	
		-												Incremental	Incremental	Incremental
			1		1						Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Inter			1						Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	usoc			RATES (\$)			per LSR	per LSR	Order vs	Order vs	Order vs	Order vs
1		1	1 1								1		Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
1		T				Pas	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec Nonrecurring Nonrecurring Disconnect First Add'l First Add'l						SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
VIRTUAL COLI	LOCATION				+				 	·	 					
	Virtual Collocation Administrative Only - Application Fee			AMTFS	VE1AF	742 15								-		
-		 				-		_	-							
		•				l [1	1	l		i .	

COLL	OCATI	ON - Florida												Attachment:	4	Exhibit, B	
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
						İ						Submitted	Submitted		Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELÉMENTS	m	Zone	BCS	USOC	1		RATES (\$)			per LSR	per LSR	Order vs.	Order vs	Order vs	Order vs
			1	1 1								Ì		Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
			1				Rec	Nonred	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Nec	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN			
VIRTUA	L COLL	OCATION		\vdash								-	-				
		Virtual Collocation Administrative Only - Application Fee			AMTES	VE1AF	742 00										
			ļ	\vdash		-				 							
		· · · · · · · · · · · · · · · · · · ·		\vdash								-					
			Τ														

COLLOCAT	ION - Georgia												Attachment:		Exhibit B	
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
					1						Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Inter			i						Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	perLSR	Order vs	Order vs	Order vs	Order vs
		""										İ	Electronic-	Electronic-	Electronic-	Electronic-
							Name of the second seco						1st	Add'I	Disc 1st	Disc Add'l
		<u> </u>	\vdash		 	D	Nonrec	urring	Disconnect			oss	Rates (\$)			
						Rec	Rec Nonrecurring Nonrecurring Disconnect First Add'l First Add'l						SOMAN	SOMAN	SOMAN	SOMAN
VIRTUAL COL	LOCATION		\vdash													
	Virtual Collocation Administrative Only - Application Fee			AMTFS	VE1AF		609 52									
		ļ	\vdash						-	<u> </u>	 				-	
		<u> </u>			† ·											
														-		
													L			

COLLOCATION	ON - Kentucky												Attachment:	4	Exhibit: B	
0022007111	- I I I I I I I I I I I I I I I I I I I					1					Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
						l					Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi				l					Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	perLSR	Order vs	Order vs	Order vs.	Order vs
		''']							Electronic-	Electronic-	Electronic-	Electronic-
		1											1st	Add'l	Disc 1st	Disc Add'l
		+	1				Nonrec	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
					ļ. —	Rec	First	Addʻl	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
VIRTUAL COLL	LOCATION		-													
	Virtual Collocation Administrative Only - Application Fee			AMTFS	VE1AF		742 12					<u> </u>				
												L				L
											ļ <u> </u>	ļ				
		- 1	1			1					I					

COLLOCATION	ON - Louisiana		_					,					Attachment:	4	Exhibit B	
			T			12.00					Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
i i			1								Submitted		Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	perLSR	Order vs.	Order vs	Order vs	Order vs
		""									Ì		Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
 		1	\vdash			D	Nonrec	urring	Nonrecurring	Disconnect		L	oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l_	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
VIRTUAL COLL	LOCATION				<u> </u>									-		
	Virtual Collocation Administrative Only - Application Fee			AMTES	VE1AF_		741 97					<u> </u>				
										_	ļ					
						ļ						<u> </u>				
			1 1		1	! I	- 1		!			1				

COLLOCATION	ON - Mississippi												Attachment:	4	Exhibit B	
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
		ļ]]								Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	usoc			RATES (\$)		per LSR	per LSR	Order vs	Order vs	Order vs	Order vs.	
													Electronic-	Electronic-	Electronic-	Electronic-
		i											1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec	urnng	Nonrecurring [Disconnect	1		oss	Rates (\$)		•
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		-								_						
VIRTUAL COLL		1								_		1				
	Virtual Collocation Administrative Only - Application Fee			AMTES	VE1AF		740 76									

COLLOCA	TION - North Carolina			-									Attachment -	4	Exhibit. B	
		1									Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
1			l								Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Inter	1								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	perLSR	Order vs.	Order vs.	Order vs	Order vs
		""	1 1		ŀ								Electronic-	Electronic-	Electronic-	Electronic-
											1st	Add'l	Disc 1st	Disc Add'l		
						D	Nonrec	curring	Nonrecurring	Disconnect	†	·	oss	Rates (\$)	1	•
						Rec	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN		
VIRTUAL CO	LL OCATION	+	1			• • • • • • • • • • • • • • • • • • • •			·						<u> </u>	
VIII OAL GO	Virtual Collocation - Administrative Only Application Fee	 		AMTES	VE1AF		741 44									
	Village Concession - Variation acres Citing Paper California	+		7							1					
—	 		+		t	 						1				<u> </u>

Version 2Q03 07/21/03

Page 7 of 9

COLLOCATIO	ON - South Carolina												Attachment:	4	Exhibit: B	
			Γ		[·						Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
						i					Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Inter]_			1					Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs	Order vs	Order vs	Order vs.
		1											Electronic-	Electronic-	Electronic-	Electronic-
					1					1st	Add'l	Disc 1st	Disc Add'l			
		1				Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)	<u> </u>	
		-				Rec	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN			
VIRTUAL COLL	OCATION	+	\vdash								ļ					
	Virtual Collocation Administrative Only - Application Fee	1		AMTFS	VE1AF		743 66									
<u> </u>		┪	1													
ļ <u> </u>										ļ _						
		+			 				ļ							
L					<u> </u>				L		L		L			L

COLLOCAT	ION - Tennessee												Attachment:	4	Exhibit: B	
											Svc Order	Svc Order	Incremental	incremental	Incremental	Incremental
	į										Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Inten									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	usoc			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
İ													1st	Add'l	Disc 1st	Disc Add'l
		_	1				Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
VIRTUAL COL	LOCATION		\vdash				 		-							
	Virtual Collocation - Administrative Only - Application Fee			AMTES	VE1AF		743 25									
		<u> </u>	\Box								ļ					
		-	ļ		<u> </u>		 				<u> </u>					
1	I .	1	1 1		1		1 1		i I		1	1	t	I	ı	

AMENDMENT TO THE AGREEMENT BETWEEN DUKENET COMMUNICATIONS, LLC AND BELLSOUTH TELECOMMUNICATIONS, INC. DATED JULY 25, 2001

Pursuant to this Amendment, (the "Amendment"), DukeNet Communications, LLC, ("DukeNet"), and BellSouth Telecommunications, Inc. ("BellSouth"), hereinafter referred to collectively as the "Parties," hereby agree to amend that certain Interconnection Agreement between the Parties dated July 25, 2001, (the "Agreement").

WHEREAS, DukeNet and BellSouth entered into the Agreement on July 25, 2001, and;

NOW THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows:

- 1. DukeNet and BellSouth agree to amend Attachment 4, Exhibit B, to add a virtual Administrative Only Application Fee as set forth in Exhibit A attached hereto and made a part of this Amendment.
- 2. This Amendment shall be effective thirty (30) days from the date of the last signature executing this Amendment.
- 4. All of the other provisions of the Agreement, dated July 25, 2001, shall remain in full force and effect.
- 5. Either or both of the Parties is authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996.

Signature Page

IN WITNESS WHEREOF, the Parties have executed this Agreement the day and year written below.

BellSouth Telecommunications, Inc.	DukeNet Communications, LLC
By: Pat CFS	By: College of
Name: Patrick C. Finlen	Name: WB Davis
Title: Assistant Director	Title: President
Date: /1/24/03	Date: 11/20/03

COLLOCATI	ON - Alabama												Attachment	4	Exhibit: B	
		T									Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Inten	1 1								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	perLSR	Order vs	Order vs.	Order vs	Order vs
ļ		"											Electronic-	Electronic-	Electronic-	Electronic-
		1											1st	Add'l	Disc 1st	Disc Add'l
1				-		Pag	Nonred	curring	Nonrecurring	g Disconnect			oss	Rates (\$)		
		1			-	Rec Nonrecurring Nonrecurring Disconnect First Add'l First Add'l						SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
VIRTUAL COLI	OCATION	+	-		 					-	+				 	
	Virtual Collocation Administrative Only - Application Fee			AMTFS	VE1AF	742 15										
		-			+							 -				
		+							<u> </u>		ļ					
I									i	l		l				L

COLLOC	ATIC	ON - Florida												Attachment.		Exhibit: B		
	- 1	<u> </u>				T						Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental	
1	1											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -	
			Inter	i l								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc	
CATEGOR	Y	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs	Order vs	Order vs.	
	l		1 ""										l	Electronic-	Electronic-	Electronic-	Electronic-	
1	- 1												1	1st	Add'l	Disc 1st	Disc Add'l	
							Rec	Nonre	urring	Nonrecurring	Disconnect			ŌSS	Rates (\$)			
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
VIRTUAL C	COLL	OCATION	1															
		Virtual Collocation Administrative Only - Application Fee	ļ		AMTFS	VE1AF	742 00											
\vdash			+	-		 	 					1						
						1												
													L					

CO	LOCA	ΓΙΟΝ - Georgia												Attachment:	4	Exhibit, B	
			T									Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
1				1 1										Charge -	Charge -		Charge -
			Interi	_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CAT	EGORY	RATE ELEMENTS	m	Zone	BCS	usoc	,		RATES (\$)			per LSR	per LSR	Order vs	Order vs.	Order vs.	Order vs.
i				!		-								Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'i
						İ	Rec	Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
VIR	UAL CO	LLOCATION	-			ļ <u>.</u>						ļ					
		Virtual Collocation Administrative Only - Application Fee			AMTFS	VE1AF		609 52									
-	-		 			<u> </u>						ļ					
-	+		+	 		-		-		 							\vdash
										1							
			1														

COLLOCAT	ION - Kentucky												Attachment.	4	Exhibit: B		
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental	
					1	ļ					Submitted	Submitted	Charge -	Charge -	Charge -	Charge -	
}		Interi			1						Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs	Order vs	Order vs.	Order vs	
		""			1	,					1		Electronic-	Electronic-	Electronic-	Electronic-	
													fst	Add'l	Disc 1st	Disc Add'l	
						B T	Nonrec	urring	Nonrecurring	Disconnect	 		oss	Rates (\$)			
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
VIRTUAL COL	LOCATION				1						†						
	Virtual Collocation Administrative Only - Application Fee			AMTFS	VE1AF		742 12										
					<u> </u>						ļ		<u> </u>				

COLL	OCATI	ON - Louisiana												Attachment:	4	Exhibit: B		
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental	
1				1 1								Submitted	Submitted	Charge -	Charge -	Charge -	Charge -	
			Inter									Efec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc	
CATE	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	perLSR	Order vs	Order vs	Order vs	Order vs	
1						1						1	İ	Electronic-	Electronic-	Electronic-	Electronic-	
1										1st	Add'l	Disc 1st	Disc Add'l					
							Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)			
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
VIRTU	AL COLI	LOCATION																
		Virtual Collocation Administrative Only - Application Fee			AMTFS	VE1AF		741 97										
<u> </u>	 																	
	<u> </u>																	
	1	<u> </u>										1					1	

COLLOCATI	ON - Mississippi												Attachment -	4	Exhibit: B	
		1	T			-					Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
			1 1		į l						Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Inten			1		RATES (\$)						Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs	Order vs	Order vs	Order vs
		""									'		Electronic-	Electronic-	Electronic-	Electronic-
1		1											1st	Addʻl	Disc 1st	Disc Add'l
					<u> </u>	D	Nonrecu	urring	Nonrecurring	Disconnect			oss	Rates (\$)	<u> </u>	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
									1 1							
VIRTUAL COLL															L	
	Virtual Collocation Administrative Only - Application Fee			AMTFS	VE1AF		740 76									

COLLOCATI	ON - North Carolina													Attachment:	4	Exhibit; B	
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Inter					RATES (\$)						Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC		RATES (\$)						per LSR	Order vs	Order vs.	Order vs	Order vs
		1	1											Electronic-	Electronic-	Efectronic-	Electronic-
			'											1st	Add'l	Disc 1st	Disc Add'l
			<u> </u>			D	_ Nonrecurring Nonrecurring Disconnect							oss	Rates (\$)		
						Rec	First		Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
VIRTUAL COLI	LOCATION	 	-							_							
	Virtual Collocation - Administrative Only Application Fee			AMTES	VE1AF		74	1 44	,								
		ļ	<u> </u>														
1 1		1					1										

COLLOCATION	ON - South Carolina												Attachment:	4	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Charge - Manual Svc Order vs	Charge - Manual Svc Order vs	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge - Manual Svc Order vs
						Rec	Nonrecurring Nonrecurring Disconnect					•	oss	Rates (\$)	•	
		-				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
VIRTUAL COLL		 			 											
	Virtual Collocation Administrative Only - Application Fee			AMTFS	VE1AF		743 66									
		-	-													
\vdash		+	\vdash	····		-			 -		+				ļ	
		+	 		 						1				1	

COLLOCAT	ION - Tennessee	_											Attachment:	4	Exhibit, B	
			1								Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
			į.								Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
i		Inten				1					Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS INTERIOR BCS USOC RATES (\$)								per LSR	per LSR	Order vs	Order vs.	Order vs	Order vs.		
		""	1								ĺ	ĺ	Electronic-	Electronic-	Electronic-	Electronic-
												ŀ	1st	Add'l	Disc 1st	Disc Add'l
		_	1				Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
			1			Rec	First	Add'!	First	Addil	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
VIRTUAL COL	LOCATION			<u> </u>	 		+		-		 	 -				
	Virtual Collocation - Administrative Only - Application Fee			AMTFS	VE1AF		743 25									
			\sqcup													
							1									
(<u>L</u>		ŀ	1 .)						l I							