

BellSouth Telecommunications, Inc. Suite 400 150 South Monroe Street Tallahassee, FL 32301-1556

marshall criser@bellsouth.com

Marshall M. Criser III Vice President **Regulatory & External Affairs**

850 224 7798 Fax 850 224 5073

April 26, 2004

Mrs. Blanca S. Bayo Director, Division of Commission Clerk and Administrative Services Florida Public Service Commission 2540 Shumard Oak Boulevard Tallahassee, Florida 32399

040365-TP

Re: Approval of Amendment to the Interconnection Agreement between BellSouth Telecommunications, Inc. ("BellSouth") and USA Telephone Inc.

Dear Mrs. Bayo:

Please find enclosed for filing and approval, the original and two copies of BellSouth Telecommunications, Inc.'s Amendment to Interconnection Agreement with USA Telephone.

If you have any questions, please do not hesitate to call Robyn Holland at (850) 222-9380.

Very truly yours,

Marshall M.Crish III Regulatory Vice President RH

BOOUMENT NUMBER PART 04874 APR 26 3 FPSC-COMMISSION CLEPT

AMENDMENT TO THE ADOPTION AGREEMENT BETWEEN USA Telephone Inc. AND BELLSOUTH TELECOMMUNICATIONS, INC. DATED SEPTEMBER 26, 2002

Pursuant to this Amendment, (the "Amendment"), USA Telephone Inc. ("USA Telephone"), and BellSouth Telecommunications, Inc. ("BellSouth"), hereinafter referred to collectively as the "Parties," hereby agree to amend that certain Interconnection Agreement between the Parties dated September 26, 2002, ("Agreement"). This Amendment will become effective thirty (30) days following the date of the last signature of both Parties.

WHEREAS, BellSouth and USA Telephone entered into the Agreement on September 26, 2002, and;

WHEREAS, the Telecommunications Act of 1996 (the "Act") was signed into law on February 8, 1996; and

WHEREAS, the Parties desire to amend the Agreement in order to modify provisions pursuant to the Federal Communications Commission's (FCC) Order on Remand and Further Notice of proposed Rulemaking (Triennial Order) effective on October 2, 2003;

WHEREAS, the Parties desire to amend the Agreement to reflect other changes as agreed upon by the Parties;

NOW, THEREFORE, in consideration of the promises and mutual covenants of this Agreement, USA Telephone and BellSouth hereby agree as follows:

- 1. The Parties agree to delete Section 9.3 in the General Terms and Conditions and replace with the following:
 - 9.3 In the event that any effective legislative, regulatory, judicial or other legal action materially affects any material terms of this Agreement, or the ability of USA Telephone or BellSouth to perform any material terms of this Agreement, USA Telephone or BellSouth may, on thirty (30) days' written notice, require that such terms be renegotiated, and the Parties shall renegotiate in good faith such mutually acceptable new terms as may be required. In the event that such new terms are not renegotiated within ninety (90) days after such notice, the Dispute shall be referred to the Dispute Resolution procedure set forth in this Agreement.
- 2. The Parties agree to delete Section 3.23 of Attachment 1 and replace with the following:

70

04874 APR 26

DOCLMENT STATES TABLE

- 3.23 BellSouth will post changes to business processes and policies, not requiring an amendment to this Agreement, notices required to be posted to BellSouth's website, and any other information of general applicability to CLECs.
- 3. The Parties agree to delete Section 4.6.2.3 of Attachment 1 in its entirety and replace with the following:
 - 4.6.2.3 Customer branding and self branding require USA Telephone order dedicated trunking from each BellSouth end office identified by USA Telephone, to either the BellSouth Traffic Operator Position System (TOPS) or USA Telephone's operator service provider. Rates for trunks as set forth in applicable BellSouth tariffs.
- 4. The Parties agree to delete Attachment 2, Network Elements and Other Services, and the associated rates in their entirety and replace with Attachment 2 and rates reflected as Amendment Exhibit 1, attached hereto and by reference incorporated into this Amendment.
- 5. The Parties agree to delete Section 4.8.1, 4.8.2, 4.8.3 of Attachment 1, in their entirety and replace with the following:
 - 4.8.1 Where BellSouth provides operator services and directory assistance on behalf of AT&T, it shall be at the same level of operator services and directory assistance service available to BellSouth end users.
- 6. The Parties agree to delete Attachment 7, Pre-Ordering, Ordering, Provisioning, Maintenance and Repair in its entirety and replace with Attachment 7 reflected as Amendment Exhibit 2, attached hereto and by reference incorporated into this Amendment.
- 7. The Parties agree to delete Section 3.5 of Attachment 6 and replace with the following:
 - 3.5 USA Telephone may initiate a CARE block by submitting an LSR to deny PIC change activity on USA Telephone End User customers. BellSouth will then reject any PIC changes using a code of 3148 for resold lines and for service provided by UNE-P.
 - 3.6 BellSouth CARE transactions supporting the LSR process for resale and UNE-P and account maintenance are as follows:

40XX = Local Resale Subscription order install by switch provider (SWP)

42XX = Local Resale subscription service disconnected by switch provider (SWP)

43XX = Local Resale customer information changes by switch provider (SWP)

8. All of the other provisions of the Agreement, dated September 26, 2002, shall remain in full force and effect.

9. Either or both of the Parties is authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996.

Signature Page

IN WITNESS WHEREOF, the Parties have executed this Agreement the day and year written below.

BellSouth Telecommunications, Inc. By Name: Elizabeth RA Shinishi Title: aiter 02 Date:

USA Telephone Inc.
By TanA Chembi
Name: Jean A Cite erb.i
Title: V.P
Date: 12-09.03

TRO BST Amendment Version 1

[CCCS Amendment 4 of 112]

Attachment 2

Network Elements and Other Services

TABLE OF CONTENTS

1	INTRODUCTION
2	UNBUNDLED LOOPS
3	LINE SHARING
4	LOCAL SWITCHING
5	UNBUNDLED NETWORK ELEMENT COMBINATIONS 42
6	TRANSPORT, CHANNELIZATION AND DARK FIBER 46
7	DATABASES
8 SER	BELLSOUTH SWITCHED ACCESS (SWA) 8XX TOLL FREE DIALING TEN DIGIT SCREENING VICE
9	LINE INFORMATION DATABASE (LIDB)
10	SIGNALING
11	AUTOMATIC LOCATION IDENTIFICATION/DATA MANAGEMENT SYSTEM (ALI/DMS) 60
12	CALLING NAME (CNAM) DATABASE SERVICE 60
13 ADV	SERVICE CREATION ENVIRONMENT AND SERVICE MANAGEMENT SYSTEM (SCE/SMS) /ANCED INTELLIGENT NETWORK (AIN) ACCESS
14	OPERATIONAL SUPPORT SYSTEMS (OSS)
Ra	tesExhibit A

ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES

1 Introduction

- 1.1 This Attachment sets forth rates, terms and conditions for Network Elements and combinations of Network Elements that BellSouth agrees to offer to USA Telephone in accordance with its obligations under Section 251(c)(3) of the Act. Additionally, this Attachment sets forth the rates, terms and conditions for other facilities and services BellSouth makes available to USA Telephone (Other Services). The rates for each Network Element and combination of Network Elements and Other Services are set forth in Exhibit A of this Attachment. Additionally, the provision of a particular Network Element or Other Services. In the event of a conflict between this Attachment and any other section or provision of this Agreement, the provisions of this Attachment shall control.
- 1.2 For purposes of this Agreement, "Network Element" is defined to mean a facility or equipment USA Telephone used in the provision of a qualifying service, as defined by the FCC. USA Telephone may not access a Network Element for the sole purpose of providing non-qualifying services as defined by the FCC. For purposes of this Agreement, combinations of Network Elements shall be referred to as "Combinations."
- 1.3 BellSouth shall, upon request of USA Telephone, and to the extent technically feasible, provide to USA Telephone access to its Network Elements for the provision of USA Telephone's qualifying services. If no rate is identified in this Agreement, the rate will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.
- 1.4USA Telephone may purchase and use Network Elements and Other Services from
BellSouth in accordance with 47 C.F.R 51.309.
- 1.5 BellSouth shall comply with the requirements as set forth in the technical references within this Attachment 2.
- 1.6 Except to the extent required by the Report and Order on Remand and Further Notice of Proposed Rulemaking (rel. Aug. 21, 2003) ("TRO"), any Network Elements that no longer require unbundling on a national level will no longer be available pursuant to this Agreement.
- 1.7 Upon request, BellSouth shall convert a wholesale service, or group of wholesale services, to the equivalent unbundled Network Element, or combination of elements that is available to USA Telephone under Section 251(c)(3) of the Telecommunications Act of 1996. Nonrecurring switch-as-is rates for conversion of Network Elements are contained in Exhibit A of this Attachment. Conversion of a wholesale service or group of wholesale services shall be considered

termination for purposes of any volume and/or term commitments and/or grandfathered status between USA Telephone and BellSouth. Any change from a wholesale service to a Network Element that requires a physical rearrangement of the Network Element will not be considered a conversion for purposes of this Agreement.

- 1.8 Except to the extent expressly provided otherwise in this Attachment, for elements or combinations of elements that are no longer offered pursuant to, or are not in compliance with, the terms set forth in this Agreement (for example, but not limited to, local channels or non-compliant EELs), USA Telephone will submit orders to rearrange or disconnect those arrangements or services within thirty (30) calendar days of the Effective Date of this Agreement. If orders to rearrange or disconnect those arrangements or services are not received by the 31st day after the Effective Date of this Agreement, BellSouth may disconnect those arrangements or services without further notice. Where no re-termination or physical rearrangement of circuits or service is required, USA Telephone will be charged a nonrecurring switch-as-is charge for the individual Network Element(s) as set forth in Exhibit A. For arrangements that require a re-termination or other physical rearrangement of circuits to comply with the terms of this Agreement, nonrecurring charges for the applicable Network Element from Exhibit A of this Attachment will apply. To the extent a Network Element requires re-termination or other physical rearrangement in order to comply with a tariff or separate agreement, the applicable rates, terms and conditions of such tariff or separate agreement shall apply.
- 1.8.1 USA Telephone may utilize Network Elements and Other Services to provide services as long as such services are consistent with industry standards and applicable BellSouth Technical References.
- 1.8.2 Except to the extent expressly provided otherwise in this Attachment, if a Network Element is not readily available but can be made available through routine network modifications, as defined by the FCC, USA Telephone may request BellSouth to perform such routine network modifications. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by USA Telephone, BellSouth shall perform the routine network modifications.
- 1.8.3 Notwithstanding any other provision of this Agreement, BellSouth will not commingle or combine Network Elements or combinations of Network Elements with any service, network element or other offering that it is obligated to make available only pursuant to Section 271 of the Act.

1.9 <u>Commingling of Services</u>

1.9.1 Commingling means the connecting, attaching, or otherwise linking of a Network Element, or a Network Element combination, to one or more telecommunications

Page 5

services or facilities that USA Telephone has obtained at wholesale from BellSouth, or the combining of a Network Element or Network Element combination with one or more such wholesale telecommunications services or facilities.

- 1.9.2 Subject to the limitations set forth elsewhere in this Attachment, BellSouth shall not deny access to a Network Element or a combination of Network Elements on the grounds that one or more of the elements: 1) is connected to, attached to, linked to, or combined with such a facility or service obtained from BellSouth; or 2) shares part of BellSouth's network with access services or inputs for non-qualifying services.
- 1.9.3 BellSouth will not "ratchet" a commingled circuit. Unless otherwise agreed to by the Parties, the Network Element portion of such circuit will be billed at the rates set forth in this Agreement and the remainder of the circuit or service will be billed in accordance with BellSouth's tariffed rates.
- 1.9.4 When multiplexing equipment is attached to a commingled circuit, the multiplexing equipment and Central Office Channel Interfaces will be billed from the same jurisdictional authorization (agreement or tariff) as the higher grade of service.
- 1.10 If USA Telephone reports a trouble on a Network Element or Other Service and no trouble actually exists on the BellSouth portion, BellSouth will charge USA Telephone for any dispatching and testing (both inside and outside the Central Office (CO)) required by BellSouth in order to confirm the working status.
- 1.11 <u>Rates</u>
- 1.11.1 The prices that USA Telephone shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit A to this Attachment. If USA Telephone purchases a service(s) from a tariff, all terms and conditions and rates as set forth in such tariff shall apply.
- 1.11.2 Rates, terms and conditions for order cancellation charges and Service Date Advancement Charges will apply in accordance with Attachment 6 and are incorporated herein by this reference.
- 1.11.3 If USA Telephone modifies an order (Order Modification Charge (OMC)) after being sent a Firm Order Confirmation (FOC) from BellSouth, any costs incurred by BellSouth to accommodate the modification will be paid by USA Telephone in accordance with FCC No. 1 Tariff, Section 5.
- 1.11.4 A one-month minimum billing period shall apply to all Network Elements and Other Services.

2 <u>Unbundled Loops</u>

2.1 <u>General</u>

- The local loop Network Element (Loop) is defined as a transmission facility 2.1.1between a distribution frame (or its equivalent) in BellSouth's central office and the Loop demarcation point at an End User's customer premises, including inside wire owned by BellSouth. Facilities that do not terminate at a demarcation point at an End User customer premises, including, by way of example, but not limited to, facilities that terminate to another carrier's switch or premises, a cell site, Mobile Switching Center or base station, do not constitute Loops. The Loop Network Element includes all features, functions, and capabilities of the transmission facilities, including the network interface device, and attached electronics (except those used for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers), optronics and intermediate devices (including repeaters and load coils) used to establish the transmission path to the End User's customer premises. USA Telephone shall purchase the entire bandwidth of the Loop and, except as required herein or as otherwise agreed to by the Parties, BellSouth shall not subdivide the frequency of the Loop.
- 2.1.1.1 The Loop does not include any packet switched features, functions or capabilities.
- 2.1.1.2 In new build (Greenfield) areas, where BellSouth has only deployed Fiber To The Home (FTTH) facilities, BellSouth is under no obligation to provide Loops.
- 2.1.1.3 In FTTH overbuild situations where BellSouth also has copper Loops, BellSouth will make those copper Loops available to USA Telephone on an unbundled basis, until such time as BellSouth chooses to retire those copper Loops using the FCC's network disclosure requirements. In these cases, BellSouth will offer a 64kbps second voice grade channel over its FTTH facilities.
- 2.1.1.4 Furthermore, in FTTH overbuild areas, BellSouth is not obligated to ensure that copper Loops in that area are capable of transmitting signals prior to receiving a request for access to such Loops by USA Telephone. If a request is received by BellSouth for a copper Loop, BellSouth will restore the copper Loop to serviceable condition if technically feasible. In these instances of Loop orders in an FTTH overbuild area, BellSouth's standard Loop provisioning interval will not apply, and the order will be handled on a project basis by which the Parties will negotiate the applicable provisioning interval.
- 2.1.1.5 For hybrid loops, where USA Telephone seeks access to a hybrid loop for the provision of broadband services, BellSouth shall provide USA Telephone with nondiscriminatory access to the time division multiplexing features, functions and capabilities of that hybrid loop, including DS1 or DS3, on an unbundled basis to establish a complete transmission path between BellSouth's central office and an End User's customer premises.

- 2.1.1.6 USA Telephone may not purchase Loops or convert Special Access circuits to Loops if such Loops will be used to provide wireless telecommunications services.
- 2.1.2 The provisioning of a Loop to USA Telephone's collocation space will require cross office cabling and cross connections within the central office to connect the Loop to a local switch or to other transmission equipment. These cross connects are separate components that are not considered a part of the Loop, and thus, have a separate charge.
- 2.1.3 Where facilities are available, BellSouth will install Loops in compliance with BellSouth's Products and Services Interval Guide available at the website at <u>http://www.interconnection.bellsouth.com</u>. For orders of fifteen (15) or more Loops, the installation and any applicable Order Coordination as described below will be handled on a project basis, and the intervals will be set by the BellSouth project manager for that order. When Loops require a Service Inquiry (SI) prior to issuing the order to determine if facilities are available, the interval for the SI process is separate from the installation interval.
- 2.1.4 The Loop shall be provided to USA Telephone in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specification and applicable industry standard technical references.
- 2.1.5 BellSouth will only provision, maintain and repair the Loops to the standards that are consistent with the type of Loop ordered.
- 2.1.5.1 When a BellSouth technician is required to be dispatched to provision the Loop, BellSouth will tag the Loop with the Circuit ID number and the name of the ordering CLEC. When a dispatch is not required to provision the Loop, BellSouth will tag the Loop on the next required visit to the End User's location. If USA Telephone wants to ensure the Loop is tagged during the provisioning process for Loops that may not require a dispatch (e.g. UVL-SL1, UVL-SL2, and UCL-ND), USA Telephone may order Loop Tagging. Rates for Loop Tagging are as set forth in Exhibit A of this Attachment.
- 2.1.5.2 In the event BellSouth must dispatch to the end-user's location more than once due to incorrect or incomplete information provided by USA Telephone (e.g., incomplete address, incorrect contact name/number, etc.), BellSouth will bill USA Telephone for each additional dispatch required to provision the circuit due to the incorrect/incomplete information provided. BellSouth will assess the applicable Trouble Determination rates from BellSouth's FCC or state tariffs.

2.1.6 Loop Testing/Trouble Reporting

2.1.6.1 USA Telephone will be responsible for testing and isolating troubles on the Loops. USA Telephone must test and isolate trouble to the BellSouth portion of a designed/non-designed unbundled Loop (e.g., UVL-SL2, UCL-D, UVL-SL1, UCL-ND, etc.) before reporting repair to the UNE Customer Wholesale Interconnection Network Services (CWINS) Center. Upon request from BellSouth at the time of the trouble report, USA Telephone will be required to provide the results of the USA Telephone test which indicate a problem on the BellSouth provided Loop.

- 2.1.6.2 Once USA Telephone has isolated a trouble to the BellSouth provided Loop, and had issued a trouble report to BellSouth on the Loop, BellSouth will take the actions necessary to repair the Loop if a trouble actually exists. BellSouth will repair these Loops in the same time frames that BellSouth repairs similarly situated Loops to its End Users.
- 2.1.6.3 If USA Telephone reports a trouble on a non-designed or designed Loop and no trouble actually exists, BellSouth will charge USA Telephone for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the Loop's working status.
- 2.1.6.4 In the event BellSouth must dispatch to the end-user's location more than once due to incorrect or incomplete information provided by USA Telephone (e.g., incomplete address, incorrect contact name/number, etc.), BellSouth will bill USA Telephone for each additional dispatch required to repair the circuit due to the incorrect/incomplete information provided. BellSouth will assess the applicable Trouble Determination rates from BellSouth's FCC or state tariffs.

2.1.7 Order Coordination and Order Coordination-Time Specific

- 2.1.7.1 "Order Coordination" (OC) allows BellSouth and USA Telephone to coordinate the installation of the SL2 Loops, Unbundled Digital Loops (UDL) and other Loops where OC may be purchased as an option, to USA Telephone's facilities to limit End User service outage. OC is available when the Loop is provisioned over an existing circuit that is currently providing service to the End User. OC for physical conversions will be scheduled at BellSouth's discretion during normal working hours on the committed due date. OC shall be provided in accordance with the chart set forth below.
- 2.1.7.2 "Order Coordination Time Specific" (OC-TS) allows USA Telephone to order a specific time for OC to take place. BellSouth will make every effort to accommodate USA Telephone's specific conversion time request. However, BellSouth reserves the right to negotiate with USA Telephone a conversion time based on load and appointment control when necessary. This OC-TS is a chargeable option for all Loops except Unbundled Copper Loops (UCL) and is billed in addition to the OC charge. USA Telephone may specify a time between 9:00 a.m. and 4:00 p.m. (location time) Monday through Friday (excluding holidays). If USA Telephone specifies a time outside this window, or selects a time or quantity of Loops that requires BellSouth technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS

charges. Overtime charges will be applied based on the amount of overtime worked and in accordance with the rates established in the Access Services Tariff, Section E13.2, for each state. The OC-TS charges for an order due on the same day at the same location will be applied on a per Local Service Request (LSR) basis.

2.1.8 <u>CLEC to CLEC Conversions for Unbundled Loops</u>

- 2.1.8.1 The CLEC to CLEC conversion process for unbundled Loops may be used by USA Telephone when converting an existing unbundled Loop from another CLEC for the same End User. The Loop type being converted must be included in USA Telephone's Interconnection Agreement before requesting a conversion.
- 2.1.8.2 To utilize the CLEC to CLEC conversion process, the Loop being converted must be the same Loop type with no requested changes to the Loop, must serve the same End User location from the same serving wire center, and must not require an outside dispatch to provision.
- 2.1.8.3 The Loops converted to USA Telephone pursuant to the CLEC to CLEC conversion process shall be provisioned in the same manner and with the same functionality and options as described in this Attachment for the specific Loop type.

	Order Coordination (OC)	Order Coordination – Time Specific (OC-TS)	Test Points	DLR	Charge for Dispatch and Testing if No Trouble Found
SL-1 (Non- Designed)	Chargeable Option	Chargeable Option	Not available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
UCL-ND (Non- Designed)	Chargeable Option	Not Available	Not Available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
Unbundled Voice Loops - SL-2 (including 2- and 4-wire UVL) (Designed)	Included	Chargeable Option	Included	Included	Charged for Dispatch outside Central Office
Unbundled Digital Loop (Designed)	Included	Chargeable Option (except on Universal Digital Channel)	Included (where appropriate)	Included	Charged for Dispatch outside Central Office
Unbundled Copper Loop (Designed)	Chargeable in accordance with Section 2	Not available	Included	Included	Charged for Dispatch outside Central Office

For UVL-SL1 and UCLs, USA Telephone must order and will be billed for both OC and OC-TS if requesting OC-TS.

2.1.9 Bulk Migration

2.1.9.1 If USA Telephone requests to migrate twenty-five (25) or more UNE-Port/Loop Combination (UNE-P) customers to UNE-Loop (UNE-L) in the same Central Office on the same due date, USA Telephone must use the Bulk Migration process, which is described in the BellSouth CLEC Information Package, "UNE-Port/Loop Combination (UNE-P) to UNE-Loop (UNE-L) Bulk Migration." This CLEC Information package, incorporated herein by reference as it may be amended from time to time, is located at www.interconnection.bellsouth.com/guides/html/unes.html. The rates for the Bulk Migration process shall be the nonrecurring rates associated with the Loop type being requested on the Bulk Migration, as set forth in Exhibit A of this Attachment. Additionally, OSS charges will also apply per LSR generated per customer account as provided for in the Bulk Migration Request. The migration of loops from Integrated Digital Loop Carrier (IDLC) will be done pursuant to Section 2.6 of this Attachment.

2.1.10 Ordering Guidelines and Processes

- 2.1.10.1 For information regarding Ordering Guidelines and Processes for various UNEs, USA Telephone should refer to the "Guides" section of the BellSouth Interconnection website, which is incorporated herein by reference, as amended from time to time. The website address is: http://www.interconnection.bellsouth.com/
- 2.1.10.2 Additional information may also be found in the individual CLEC Information Packages, as amended from time to time and which are incorporated herein by reference, located at the "CLEC UNE Products" website at the following address: http://www.interconnection.bellsouth.com/guides/html/unes.html

2.2 Unbundled Voice Loops (UVLs)

- 2.2.1 BellSouth shall make available the following UVLs:
- 2.2.1.1 2-wire Analog Voice Grade Loop SL1 (Non-Designed)
- 2.2.1.2 2-wire Analog Voice Grade Loop SL2 (Designed)
- 2.2.1.3 4-wire Analog Voice Grade Loop (Designed)
- 2.2.2 Unbundled Voice Loops (UVL) may be provisioned using any type of facility that will support voice grade services. This may include loaded copper, non-loaded copper, digital loop carrier systems, fiber/copper combination (hybrid loop) or a combination of any of these facilities. BellSouth, in the normal course of maintaining, repairing, and configuring its network, may also change the facilities that are used to provide any given voice grade circuit. This change may occur at any time. In these situations, BellSouth will only ensure that the newly provided facility will support voice grade services. BellSouth will not guarantee that USA Telephone will be able to continue to provide any advanced services over the new facility. BellSouth will offer UVL in two different service levels - Service Level One (SL1) and Service Level Two (SL2).
- 2.2.3 Unbundled Voice Loop SL1 (UVL-SL1) Loops are 2-wire Loop start circuits, will be non-designed, and will not have remote access test points. OC will be offered as a chargeable option on SL1 Loops when reuse of existing facilities has

been requested by USA Telephone. USA Telephone may also order OC-TS when a specified conversion time is requested. OC-TS is a chargeable option for any coordinated order and is billed in addition to the OC charge. An Engineering Information (EI) document can be ordered as a chargeable option. The EI document provides Loop Make-Up information which is similar to the information normally provided in a Design Layout Record (DLR). Upon issuance of a noncoordinated order in the service order system, SL1 Loops will be activated on the due date in the same manner and time frames that BellSouth normally activates POTS-type Loops for its End Users.

- 2.2.4 For an additional charge BellSouth will make available Loop Testing so that USA Telephone may request further testing on new UVL-SL1 Loops. Rates for Loop Testing are as set forth in Exhibit A of this Attachment.
- 2.2.5 Unbundled Voice Loop SL2 (UVL-SL2) Loops may be 2-wire or 4-wire circuits, shall have remote access test points, and will be designed with a DLR provided to USA Telephone. SL2 circuits can be provisioned with loop start, ground start or reverse battery signaling. OC is provided as a standard feature on SL2 Loops. The OC feature will allow USA Telephone to coordinate the installation of the Loop with the disconnect of an existing customer's service and/or number portability service. In these cases, BellSouth will perform the order conversion with standard order coordination at its discretion during normal work hours.

2.3 Unbundled Digital Loops

- 2.3.1 BellSouth will offer Unbundled Digital Loops (UDL). UDLs are service specific, will be designed, will be provisioned with test points (where appropriate), and will come standard with OC and a DLR. The various UDLs are intended to support a specific digital transmission scheme or service.
- 2.3.2 BellSouth shall make available the following UDLs, subject to restrictions set forth herein:
- 2.3.2.1 2-wire Unbundled ISDN Digital Loop
- 2.3.2.2 2-wire Unbundled ADSL Compatible Loop
- 2.3.2.3 2-wire Unbundled HDSL Compatible Loop
- 2.3.2.4 4-wire Unbundled HDSL Compatible Loop
- 2.3.2.5 4-wire Unbundled DS1 Digital Loop
- 2.3.2.6 4-wire Unbundled Digital Loop/DS0 64 kbps, 56 kbps and below
- 2.3.2.7 DS3 Loop

2.3.2.8 STS-1 Loop

- 2.3.3 2-Wire Unbundled ISDN Digital Loops will be provisioned according to industry standards for 2-Wire Basic Rate ISDN services and will come standard with a test point, OC, and a DLR. USA Telephone will be responsible for providing BellSouth with a Service Profile Identifier (SPID) associated with a particular ISDN-capable Loop and End User. With the SPID, BellSouth will be able to adequately test the circuit and ensure that it properly supports ISDN service.
- 2.3.3.1 Upon the Effective Date of this Agreement, Universal Digital Channel (UDC) elements will no longer be offered by BellSouth and no new orders for UDC will be accepted. Any existing UDCs that were provisioned prior to the Effective Date of this Agreement will be grandfathered at the rates set forth in the Parties' interconnection agreement that was in effect immediately prior to the Effective Date of this Agreement. Existing UDCs that were provisioned prior to the Effective Date of this Agreement may remain connected, maintained and repaired according to BellSouth's TR73600 until such time as they are disconnected by USA Telephone or BellSouth provides ninety (90) calendar days notice that such UDC must be terminated. USA Telephone may order an ISDN loop, if available, to provide the same functionality as the previously offered UDC product.
- 2.3.4 2-Wire ADSL-Compatible Loop. This is a designed Loop that is provisioned according to Revised Resistance Design (RRD) criteria and may be up to 18,000 feet long and may have up to 6,000 feet of bridged tap (inclusive of Loop length). The Loop is a 2-wire circuit and will come standard with a test point, OC, and a DLR.
- 2.3.5 2-Wire or 4-Wire HDSL-Compatible Loop. This is a designed Loop that meets Carrier Serving Area (CSA) specifications, may be up to 12,000 feet long and may have up to 2,500 feet of bridged tap (inclusive of Loop length). It may be a 2-wire or 4-wire circuit and will come standard with a test point, OC, and a DLR.
- 2.3.6 4-Wire Unbundled DS1 Digital Loop. This is a designed 4-wire Loop that is provisioned according to industry standards for DS1 or Primary Rate ISDN services and will come standard with a test point, OC, and a DLR. A DS1 Loop may be provisioned over a variety of loop transmission technologies including copper, HDSL-based technology or fiber optic transport systems. It will include a 4-Wire DS1 Network Interface at the End User's location.
- 2.3.7 4-Wire Unbundled Digital/DS0 Loop. These are designed 4-wire Loops that may be configured as 64kbps, 56kbps, 19kbps, and other sub-rate speeds associated with digital data services and will come standard with a test point, OC, and a DLR.
- 2.3.8 DS3 Loop. DS3 Loop is a two-point digital transmission path which provides for simultaneous two-way transmission of serial, bipolar, return-to-zero isochronous digital electrical signals at a transmission rate of 44.736 megabits per second

(Mbps) that is dedicated to the use of the ordering CLEC in its provisioning of local exchange and associated exchange access services. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated DS3 transport is a metallic-based electrical interface.

- 2.3.9 STS-1 Loop. STS-1 Loop is a high-capacity digital transmission path with SONET VT1.5 mapping that is dedicated for the use of the ordering customer for the purpose of provisioning local exchange and associated exchange access services. It is a two-point digital transmission path which provides for simultaneous two-way transmission of serial bipolar return-to-zero synchronous digital electrical signals at a transmission rate of 51.84 megabits per second (Mbps). It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated STS-1 transport is a metallicbased electrical interface.
- 2.3.10 Both DS3 Loop and STS-1 Loop require a Service Inquiry (SI) in order to ascertain availability.
- 2.3.11 If DS3/STS-1 Loops are not readily available but can be made available through routine network modifications, as defined by the FCC, USA Telephone may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by USA Telephone, BellSouth shall perform the routine network modifications.
- 2.3.12 DS3 services come with a test point and a DLR. Mileage is airline miles, rounded up and a minimum of one mile applies. BellSouth TR 73501 LightGate[®]Service Interface and Performance Specifications, Issue D, June 1995 applies to DS3 services.
- 2.3.13 USA Telephone may access a total capacity of two (2) DS3s per End User location at the Network Element rates set forth in Exhibit A.

2.4 Unbundled Copper Loops (UCL)

2.4.1 BellSouth shall make available Unbundled Copper Loops (UCLs). The UCL is a copper twisted pair Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters) and is not intended to support any particular telecommunications service. The UCL will be offered in two types – Designed and Non-Designed.

2.4.2 <u>Unbundled Copper Loop – Designed (UCL-D)</u>

- 2.4.2.1 The UCL-D will be provisioned as a dry copper twisted pair (2- or 4-wire) Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters).
- 2.4.2.2 A UCL-D will be 18,000 feet or less in length and is provisioned according to Resistance Design parameters, may have up to 6,000 feet of bridged tap and will have up to 1300 Ohms of resistance.
- 2.4.2.3 The UCL-D is a designed circuit, is provisioned with a test point, and comes standard with a DLR. OC is a chargeable option for a UCL-D; however, OC is always required on UCLs where a reuse of existing facilities has been requested by USA Telephone.
- 2.4.2.4 These Loops are not intended to support any particular services and may be utilized by USA Telephone to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. This facility will include a Network Interface Device (NID) at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.2.5 Upon the Effective Date of this Agreement, Unbundled Copper Loop Long (UCL-L) elements will no longer be offered by BellSouth and no new orders for UCL-L will be accepted. Any existing UCL-Ls that were provisioned prior to the Effective Date of this Agreement will be grandfathered at the rates set forth in the Parties' interconnection agreement that was in effect immediately prior to the Effective Date of this Agreement. Existing UCL-Ls that were provisioned prior to the Effective Date of this Agreement may remain connected, maintained and repaired according to BellSouth's TR73600 and may remain connected until such time as they are disconnected by USA Telephone or BellSouth provides ninety (90) calendar days notice that such UCL-L must be terminated.

2.4.3 Unbundled Copper Loop – Non-Designed (UCL-ND)

2.4.3.1 The UCL–ND is provisioned as a dedicated 2-wire metallic transmission facility from BellSouth's Main Distribution Frame (MDF) to a customer's premises (including the NID). The UCL-ND will be a "dry copper" facility in that it will not have any intervening equipment such as load coils, repeaters, or digital access main lines (DAMLs), and may have up to 6,000 feet of bridged tap between the End User's premises and the serving wire center. The UCL-ND typically will be 1300 Ohms resistance and in most cases will not exceed 18,000 feet in length, although the UCL-ND will not have a specific length limitation. For Loops less than 18,000 feet and with less than 1300 Ohms resistance, the Loop will provide a voice grade transmission channel suitable for Loop start signaling and the transport of analog voice grade signals. The UCL-ND will not be designed and will not be provisioned with either a DLR or a test point.

- 2.4.3.2 The UCL-ND facilities may be mechanically assigned using BellSouth's assignment systems. Therefore, the Loop Makeup (LMU) process is not required to order and provision the UCL-ND. However, USA Telephone can request LMU for which additional charges would apply.
- 2.4.3.3 For an additional charge, BellSouth also will make available Loop Testing so that USA Telephone may request further testing on the UCL-ND. Rates for Loop Testing are as set forth in Exhibit A of this Attachment.
- 2.4.3.4 UCL-ND Loops are not intended to support any particular service and may be utilized by USA Telephone to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. The UCL-ND will include a NID at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.3.5 OC will be provided as a chargeable option and may be utilized when the UCL-ND provisioning is associated with the reuse of BellSouth facilities. OC-TS does not apply to this product.
- 2.4.3.6 USA Telephone may use BellSouth's Unbundled Loop Modification (ULM) offering to remove excessive bridged taps and/or load coils from any copper Loop within the BellSouth network. Therefore, some Loops that would not qualify as UCL-ND could be transformed into Loops that do qualify, using the ULM process.

2.5 <u>Unbundled Loop Modifications (Line Conditioning)</u>

- 2.5.1 Line Conditioning is defined as routine network modification that BellSouth regularly undertakes to provide xDSL services to its own customers. This may include the removal of any device, from a copper Loop or copper Sub-loop that may diminish the capability of the Loop or Sub-loop to deliver high-speed switched wireline telecommunications capability, including xDSL service. Such devices include, but are not limited to, load coils, excessive bridged taps, low pass filters, and range extenders. Excessive bridged taps are bridged taps that serves no network design purpose and that are beyond the limits set according to industry standards and/or the BellSouth TR 73600.
- 2.5.2 BellSouth will remove load coils only on copper loops and sub-loops that are less than 18,000 feet in length.
- 2.5.3 For any copper loop being ordered by USA Telephone which has over 6,000 feet of combined bridged tap will be modified, upon request from USA Telephone, so that the loop will have a maximum of 6,000 feet of bridged tap. This modification will be performed at no additional charge to USA Telephone. Loop conditioning orders that require the removal of bridged tap that serves no network design purpose on a copper loop that will result in a combined total of bridged tap

between 2,500 and 6,000 feet will be performed at the rates set forth in Exhibit A of this Attachment.

- 2.5.4 USA Telephone may request removal of any unnecessary and non-excessive bridged tap (bridged tap between 0 and 2,500 feet which serves no network design purpose), at rates pursuant to BellSouth's Special Construction Process as mutually agreed to by the Parties.
- 2.5.5 Rates for ULM are as set forth in Exhibit A of this Attachment.
- 2.5.6 BellSouth will not modify a Loop in such a way that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ADSL, etc.) being ordered.
- 2.5.7 If USA Telephone requests ULM on a reserved facility for a new loop order, BellSouth may perform a pair change and provision a different loop facility in lieu of the reserved facility with ULM if feasible. The loop provisioned will meet or exceed specifications of the requested loop facility as modified. USA Telephone will not be charged for ULM if a different loop is provisioned. For loops that require a DLR or its equivalent, BellSouth will provide LMU detail of the loop provisioned.
- 2.5.8 USA Telephone shall request Loop make up information pursuant to this Attachment prior to submitting a service inquiry and/or a LSR for the Loop type that USA Telephone desires BellSouth to condition.
- 2.5.9 When requesting ULM for a Loop that BellSouth has previously provisioned for USA Telephone, USA Telephone will submit a service inquiry to BellSouth. If a spare Loop facility that meets the loop modification specifications requested by USA Telephone is available at the location for which the ULM was requested, USA Telephone will have the option to change the Loop facility to the qualifying spare facility rather than to provide ULM. In the event that BellSouth changes the Loop facility in lieu of providing ULM, USA Telephone will not be charged for ULM but will only be charged the service order charges for submitting an order.

2.6 Loop Provisioning Involving Integrated Digital Loop Carriers

- 2.6.1 Where USA Telephone has requested an Unbundled Loop and BellSouth uses IDLC systems to provide the local service to the End User and BellSouth has a suitable alternate facility available, BellSouth will make such alternative facilities available to USA Telephone. If a suitable alternative facility is not available, then to the extent it is technically feasible, BellSouth will implement one of the following alternative arrangements for USA Telephone (e.g. hairpinning):
 - 1. Roll the circuit(s) from the IDLC to any spare copper that exists to the customer premises.
 - 2. Roll the circuit(s) from the IDLC to an existing DLC that is not integrated.

- 3. If capacity exists, provide "side-door" porting through the switch.
- 4. If capacity exists, provide "Digital Access Cross Connect System (DACS)door" porting (if the IDLC routes through a DACS prior to integration into the switch).
- 2.6.2 Arrangements 3 and 4 above require the use of a designed circuit. Therefore, nondesigned Loops such as the SL1 voice grade and UCL-ND may not be ordered in these cases.
- 2.6.3 If no alternate facility is available, and upon request from USA Telephone, and if agreed to by both Parties, BellSouth may utilize its Special Construction (SC) process to determine the additional costs required to provision facilities. USA Telephone will then have the option of paying the one-time SC rates to place the Loop.

2.7 Network Interface Device

- 2.7.1 The NID is defined as any means of interconnection of the End User's customer premises wiring to BellSouth's distribution plant, such as a cross connect device used for that purpose. The NID is a single-line termination device or that portion of a multiple line termination device required to terminate a single line or circuit at the premises. The NID features two independent chambers or divisions that separate the service provider's network from the End User's customer premises wiring. Each chamber or division contains the appropriate connection points or posts to which the service provider and the End User each make their connections. The NID provides a protective ground connection and is capable of terminating cables such as twisted pair cable.
- 2.7.2 BellSouth shall permit USA Telephone to connect USA Telephone's Loop facilities to the End User's customer premises wiring through the BellSouth NID or at any other technically feasible point.

2.7.3 Access to NID

- 2.7.3.1 USA Telephone may access the End User's customer premises wiring by any of the following means and USA Telephone shall not disturb the existing form of electrical protection and shall maintain the physical integrity of the NID:
- 2.7.3.1.1 BellSouth shall allow USA Telephone to connect its Loops directly to BellSouth's multi-line residential NID enclosures that have additional space and are not used by BellSouth or any other telecommunications carriers to provide service to the premises.
- 2.7.3.1.2 Where an adequate length of the End User's customer premises wiring is present and environmental conditions permit, either Party may remove the customer premises wiring from the other Party's NID and connect such wiring to that Party's own NID;

- 2.7.3.1.3 Either Party may enter the subscriber access chamber or dual chamber NID enclosures for the purpose of extending a connect divisioned or spliced jumper wire from the customer premises wiring through a suitable "punch-out" hole of such NID enclosures; or
- 2.7.3.1.4 USA Telephone may request BellSouth to make other rearrangements to the End User customer premises wiring terminations or terminal enclosure on a time and materials cost basis.
- 2.7.3.2 In no case shall either Party remove or disconnect the other Party's Loop facilities from either Party's NIDs, enclosures, or protectors unless the applicable Commission has expressly permitted the same and the disconnecting Party provides prior notice to the other Party. In such cases, it shall be the responsibility of the Party disconnecting Loop facilities to leave undisturbed the existing form of electrical protection and to maintain the physical integrity of the NID. It will be USA Telephone's responsibility to ensure there is no safety hazard, and USA Telephone will hold BellSouth harmless for any liability associated with the removal of the BellSouth Loop from the BellSouth NID. Furthermore, it shall be the responsibility of the disconnecting Party, once the other Party's Loop has been disconnected from the NID, to reconnect the disconnected Loop to a nationally recognized testing laboratory listed station protector, which has been grounded as per Article 800 of the National Electrical Code. If no spare station protector exists in the NID, the disconnected Loop must be appropriately cleared, capped and stored.
- 2.7.3.3 USA Telephone shall not remove or disconnect ground wires from BellSouth's NIDs, enclosures, or protectors.
- 2.7.3.4 USA Telephone shall not remove or disconnect NID modules, protectors, or terminals from BellSouth's NID enclosures.
- 2.7.3.5 Due to the wide variety of NID enclosures and outside plant environments, BellSouth will work with USA Telephone to develop specific procedures to establish the most effective means of implementing this section if the procedures set forth herein do not apply to the NID in question.
- 2.7.4 <u>Technical Requirements</u>
- 2.7.4.1 The NID shall provide an accessible point of interconnection and shall maintain a connection to ground.
- 2.7.4.2 If an existing NID is accessed, it shall be capable of transferring electrical analog or digital signals between the End User's customer premises and the distribution media and/or cross connect to USA Telephone's NID.

2.7.4.3 Existing BellSouth NIDs will be provided in "as is" condition. USA Telephone may request BellSouth to do additional work to the NID on a time and material basis. When USA Telephone deploys its own local Loops in a multiple-line termination device, USA Telephone shall specify the quantity of NID connections that it requires within such device.

2.8 Sub-loop Elements

2.8.1 Where facilities permit, BellSouth shall offer access to its Unbundled Sub-Loop (USL) elements as specified herein.

2.8.2 Unbundled Sub-Loop Distribution

2.8.2.1 The Unbundled Sub-Loop Distribution facility is a dedicated transmission facility that BellSouth provides from an End User's point of demarcation to a BellSouth cross-connect device. The BellSouth cross-connect device may be located within a remote terminal (RT) or a stand-alone cross-box in the field or in the equipment room of a building. The unbundled sub-loop distribution media is a copper twisted pair that can be provisioned as a 2-Wire or 4-Wire facility. BellSouth will make available the following sub-loop distribution offerings where facilities exist:

Unbundled Sub-Loop Distribution – Voice Grade Unbundled Copper Sub-Loop Unbundled Sub-Loop Distribution – Intrabuilding Network Cable (aka riser cable)

- 2.8.2.2 Unbundled Sub-Loop Distribution Voice Grade (USLD-VG) is a copper subloop facility from the cross-box in the field up to and including the point of demarcation at the End User's premises and may have load coils.
- 2.8.2.3 Unbundled Copper Sub-Loop (UCSL) is a copper facility of any length provided from the cross-box in the field up to and including the End User's point of demarcation. If available, this facility will not have any intervening equipment such as load coils between the End User and the cross-box.
- 2.8.2.3.1 If USA Telephone requests a UCSL and it is not available, USA Telephone may request the copper Sub-Loop facility be modified pursuant to the ULM process to remove load coils and/or excessive bridged taps. If load coils and/or excessive bridged taps are removed, the facility will be classified as a UCSL.
- 2.8.2.4 Unbundled Sub-Loop Distribution Intrabuilding Network Cable (USLD-INC) is the distribution facility owned or controlled by BellSouth inside a building or between buildings on the same property that is not separated by a public street or road. USLD-INC includes the facility from the cross connect device in the building equipment room up to and including the point of demarcation at the End User's premises.

- 2.8.2.4.1 Upon request for USLD-INC from USA Telephone, BellSouth will install a cross connect panel in the building equipment room for the purpose of accessing USLD-INC pairs from a building equipment room. The cross-connect panel will function as a single point of interconnection (SPOI) for USLD-INC and will be accessible by multiple carriers as space permits. BellSouth will place cross-connect blocks in 25-pair increments for USA Telephone's use on this cross-connect panel. USA Telephone will be responsible for connecting its facilities to the 25-pair cross-connect block(s).
- 2.8.2.5 For access to Voice Grade USLD and UCSL, USA Telephone shall install a cable to the BellSouth cross-box pursuant to the terms and conditions for physical collocation for remote sites set forth in this Agreement. This cable would be connected by a BellSouth technician within the BellSouth cross-box during the setup process. USA Telephone's cable pairs can then be connected to BellSouth's USL within the BellSouth cross-box by the BellSouth technician.
- 2.8.2.6 Through the SI process, BellSouth will determine whether access to Unbundled Sub-Loops at the location requested by USA Telephone is technically feasible and whether sufficient capacity exists in the cross-box. If existing capacity is sufficient to meet USA Telephone's request, then BellSouth will perform the site set-up as described in the CLEC Information Package, located at the website address: http://www.interconnection.bellsouth.com/products/html/unes.html.
- 2.8.2.7 The site set-up must be completed before USA Telephone can order sub-loop pairs. For the site set-up in a BellSouth cross-connect box in the field, BellSouth will perform the necessary work to splice USA Telephone's cable into the crossconnect box. For the site set-up inside a building equipment room, BellSouth will perform the necessary work to install the cross-connect panel and the connecting block(s) that will be used to provide access to the requested USLs.
- 2.8.2.8 Once the site set-up is complete, USA Telephone will request sub-loop pairs through submission of a LSR form to the Local Carrier Service Center (LCSC). OC is required with USL pair provisioning when USA Telephone requests reuse of an existing facility, and the Order Coordination charge shall be billed in addition to the USL pair rate. For expedite requests by USA Telephone for sub-loop pairs, expedite charges will apply for intervals less than five (5) calendar days.
- 2.8.2.9 Unbundled Sub-Loops will be provided in accordance with technical reference TR73600.

2.8.3 Unbundled Network Terminating Wire (UNTW)

2.8.3.1 UNTW is unshielded twisted copper wiring that is used to extend circuits from an intra-building network cable terminal or from a building entrance terminal to an individual End User's point of demarcation. It is the final portion of the Loop that

in multi-subscriber configurations represents the point at which the network branches out to serve individual subscribers.

2.8.3.2 This element will be provided in Multi-Dwelling Units (MDUs) and/or Multi-Tenants Units (MTUs) where either Party owns wiring all the way to the End User's premises. Neither Party will provide this element in locations where the property owner provides its own wiring to the End User's premises, where a third party owns the wiring to the End User's premises.

2.8.3.3 <u>Requirements</u>

- 2.8.3.3.1 On a multi-unit premises, upon request of the other Party (Requesting Party), the Party owning the network terminating wire (Provisioning Party) will provide access to UNTW pairs on an Access Terminal that is suitable for use by multiple carriers at each Garden Terminal or Wiring Closet.
- 2.8.3.3.2 The Provisioning Party shall not be required to install new or additional NTW beyond existing NTW to provision the services of the Requesting Party.
- 2.8.3.3.3 In existing MDUs and/or MTUs in which BellSouth does not own or control wiring (INC/NTW) to the End Users premises, USA Telephone will install UNTW Access Terminals for BellSouth at no additional charge.
- 2.8.3.3.4 In situations in which BellSouth activates a UNTW pair, BellSouth will compensate USA Telephone for each pair activated commensurate to the price specified in USA Telephone's Agreement.
- 2.8.3.3.5 Upon receipt of the UNTW SI requesting access to the Provisioning Party's UNTW pairs at a multi-unit premises, representatives of both Parties will participate in a meeting at the site of the requested access. The purpose of the site visit will include discussion of the procedures for installation and location of the Access Terminals. By request of the Requesting Party, an Access Terminal will be installed either adjacent to each of the Provisioning Party's Garden Terminal or inside each Wiring Closet. The Requesting Party will deliver and connect its central office facilities to the UNTW pairs within the Access Terminal. The Requesting Party may access any available pair on an Access Terminal. A pair is available when a pair is not being utilized to provide service or where the End User has requested a change in its local service provider to the Requesting Party. Prior to connecting the Requesting Party's service on a pair previously used by the Provisioning Party, the Requesting Party is responsible for ensuring the End User is no longer using the Provisioning Party's service or another CLEC's service before accessing UNTW pairs.
- 2.8.3.3.6 Access Terminal installation intervals will be established on an individual case basis.

- 2.8.3.3.7 The Requesting Party is responsible for obtaining the property owner's permission for the Provisioning Party to install an Access Terminal(s) on behalf of the Requesting Party. The submission of the SI by the Requesting Party will serve as certification by the Requesting Party that such permission has been obtained. If the property owner objects to Access Terminal installations that are in progress or subsequent to completion and demands removal of Access Terminals, the Requesting Party will be responsible for costs associated with removing Access Terminals and restoring the property to its original state prior to Access Terminals being installed.
- 2.8.3.3.8 The Requesting Party shall indemnify and hold harmless the Provisioning Party against any claims of any kind that may arise out of the Requesting Party's failure to obtain the property owner's permission. The Requesting Party will be billed for nonrecurring and recurring charges for accessing UNTW pairs at the time the Requesting Party activates the pair(s). The Requesting Party will notify the Provisioning Party within five (5) business days of activating UNTW pairs using the LSR form.
- 2.8.3.3.9 If a trouble exists on a UNTW pair, the Requesting Party may use an alternate spare pair that serves that End User if a spare pair is available. In such cases, the Requesting Party will re-terminate its existing jumper from the defective pair to the spare pair. Alternatively, the Requesting Party will isolate and report troubles in the manner specified by the Provisioning Party. The Requesting Party must tag the UNTW pair that requires repair. If the Provisioning Party dispatches a technician on a reported trouble call and no UNTW trouble is found, the Provisioning Party will charge Requesting Party for time spent on the dispatch and testing the UNTW pair(s).
- 2.8.3.3.10 If the Requesting Party initiates the Access Terminal installation and the Requesting Party has not activated at least ten (10) percent of the capacity of the Access Terminal installed pursuant to the Requesting Party's request for an Access Terminal within six (6) months of installation of the Access Terminal, the Provisioning Party will bill the Requesting Party a nonrecurring charge equal to the actual cost of provisioning the Access Terminal.
- 2.8.3.3.11 If the Provisioning Party determines that the Requesting Party is using the UNTW pairs without reporting the activation of the pairs, the Requesting Party will be billed for the use of that pair back to the date the End User began receiving service from the Requesting Party at that location. Upon request, the Requesting Party will provide copies of its billing record to substantiate such date. If the Requesting Party fails to provide such records, then the Provisioning Party will bill the Requesting Party back to the date of the Access Terminal installation.

2.8.4 <u>Unbundled Sub-Loop Feeder</u>

2.8.4.1 Upon the Effective Date of this Agreement, Unbundled Sub-Loop Feeder (USLF) elements will no longer be offered by BellSouth at TELRIC prices. Within ninety (90) calendar days of the Effective Date of this Agreement, USA Telephone will either negotiate market-based rates for these elements or will issue orders to have these elements disconnected. If, after this ninety (90)-day period, market-based rates have not been negotiated and USA Telephone has not issued the appropriate disconnect orders, BellSouth may immediately disconnect any remaining USLF elements and will bill USA Telephone any applicable disconnect charges.

2.8.5 <u>Unbundled Loop Concentration</u>

2.8.5.1 Upon the Effective Date of this Agreement, the Unbundled Loop Concentration (ULC) element will no longer be offered by BellSouth and no new orders for ULC will be accepted. Any existing ULCs that were provisioned prior to the Effective Date of this Agreement will be grandfathered at the rates set forth in the Parties' interconnection agreement that was in effect immediately prior to this Agreement and may remain connected, maintained and repaired according to BellSouth's TR73600 until such time as they are disconnected by USA Telephone, or BellSouth provides ninety (90) calendar days notice that such ULC must be terminated.

2.8.6 Dark Fiber Loop

- 2.8.6.1 Dark Fiber Loop is an unused optical transmission facility, without attached signal regeneration, multiplexing, aggregation or other electronics, from the demarcation point at an End User's premises to the End User's serving wire center. Dark Fiber Loops may be strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for USA Telephone to utilize Dark Fiber Loops.
- 2.8.6.2 If Dark Fiber Loop is not readily available but can be made available through routine network modifications, as defined by the FCC, USA Telephone may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by USA Telephone, BellSouth shall perform the routine network modifications.

2.8.6.3 <u>Requirements</u>

2.8.6.3.1 BellSouth shall make available Dark Fiber Loop where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. Dark Fiber Loop will not be deemed available if: (1) it is used by BellSouth for maintenance and repair purposes; (2) it is designated for use pursuant to a firm order placed by another customer; (3) it is restricted for use by all carriers, including BellSouth, because of transmission problems or because it is

scheduled for removal due to documented changes to roads and infrastructure; or (4) BellSouth has plans to use the fiber within a two-year planning period. BellSouth is not required to place the fiber for Dark Fiber Loop if none is available.

- 2.8.6.3.2 USA Telephone is solely responsible for testing the quality of the Dark Fiber to determine its usability and performance specifications.
- 2.8.6.3.3 BellSouth shall use its commercially reasonable efforts to provide to USA Telephone information regarding the location, availability and performance of Dark Fiber Loop within ten (10) business days after receiving a SI from USA Telephone.
- 2.8.6.3.4 If the requested Dark Fiber Loop is available, BellSouth shall use commercially reasonable efforts to provision the Dark Fiber Loop to USA Telephone within twenty (20) business days after USA Telephone submits a valid, error free LSR. Provisioning includes identification of appropriate connection points (e.g., Light Guide Interconnection (LGX)) to enable USA Telephone to connect USA Telephone provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber Loop.

2.9 Loop Makeup

2.9.1 Description of Service

- 2.9.1.1 BellSouth shall make available to USA Telephone LMU information so that USA Telephone can make an independent judgment about whether the Loop is capable of supporting the advanced services equipment USA Telephone intends to install and the services USA Telephone wishes to provide. This section addresses LMU as a preordering transaction, distinct from USA Telephone ordering any other service(s). Loop Makeup Service Inquiries (LMUSI) and mechanized LMU queries for preordering LMU are likewise unique from other preordering functions with associated SIs as described in this Agreement.
- 2.9.1.2 BellSouth will provide USA Telephone LMU information consisting of the composition of the Loop material (copper/fiber); the existence, location and type of equipment on the Loop, including but not limited to digital loop carrier or other remote concentration devices, feeder/distribution interfaces, bridged taps, load coils, pair-gain devices; the Loop length; the wire gauge and electrical parameters.
- 2.9.1.3 BellSouth's LMU information is provided to USA Telephone as it exists either in BellSouth's databases or in its hard copy facility records. BellSouth does not guarantee accuracy or reliability of the LMU information provided.
- 2.9.1.4 BellSouth's provisioning of LMU information to the requesting CLEC for facilities is contingent upon either BellSouth or the requesting CLEC controlling the

Loop(s) that serve the service location for which LMU information has been requested by the CLEC. The requesting CLEC is not authorized to receive LMU information on a facility used or controlled by another CLEC unless BellSouth receives a Letter of Authorization (LOA) from the voice CLEC (owner) or its authorized agent on the LMUSI submitted by the requesting CLEC.

2.9.1.5 USA Telephone may choose to use equipment that it deems will enable it to provide a certain type and level of service over a particular BellSouth Loop as long as that equipment does not disrupt other services on the BellSouth network. The determination shall be made solely by USA Telephone and BellSouth shall not be liable in any way for the performance of the advanced data services provisioned over said Loop. The specific Loop type (ADSL, HDSL, or otherwise) ordered on the LSR must match the LMU of the Loop reserved taking into consideration any requisite line conditioning. The LMU data is provided for informational purposes only and does not guarantee USA Telephone's ability to provide advanced data services over the ordered Loop type. Further, if USA Telephone orders Loops that do not require a specific facility medium (i.e. copper only) or Loops that are not intended to support advanced services (such as UV-SL1, UV-SL2, or ISDN compatible Loops) and that are not inventoried as advanced services Loops, the LMU information for such Loops is subject to change at any time due to modifications and/or upgrades to BellSouth's network. USA Telephone is fully responsible for any of its service configurations that may differ from BellSouth's technical standard for the Loop type ordered.

2.9.2 Submitting Loop Makeup Service Inquiries

- 2.9.2.1 USA Telephone may obtain LMU information by submitting a mechanized LMU query or a Manual LMUSI. Mechanized LMUs should be submitted through BellSouth's OSS interfaces. After obtaining the Loop information from the mechanized LMU process, if USA Telephone needs further Loop information in order to determine Loop service capability, USA Telephone may initiate a separate Manual Service Inquiry for a separate nonrecurring charge as set forth in Exhibit A of this Attachment.
- 2.9.2.2 Manual LMUSIs shall be submitted according to the guidelines in the LMU CLEC Information Package, incorporated herein by reference, as it may be amended from time to time, which can be found at the following BellSouth website: <u>http://interconnection.bellsouth.com/guides/html/unes.html</u>. The service interval for the return of a Manual LMUSI is three (3) business days. Manual LMUSIs are not subject to expedite requests. This service interval is distinct from the interval applied to the subsequent service order.

2.9.3 Loop Reservations

- 2.9.3.1 For a Mechanized LMUSI, USA Telephone may reserve up to ten (10) Loop facilities. For a Manual LMUSI, USA Telephone may reserve up to three (3) Loop facilities.
- 2.9.3.2 USA Telephone may reserve facilities for up to four (4) business days for each facility requested through LMU from the time the LMU information is returned to USA Telephone. During and prior to USA Telephone placing an LSR, the reserved facilities are rendered unavailable to other customers, including BellSouth. If USA Telephone does not submit an LSR for a UNE service on a reserved facility within the four (4)-day reservation timeframe, the reservation of that spare facility will become invalid and the facility will be released.
- 2.9.3.3 Charges for preordering Manual LMUSI or Mechanized LMU are separate from any charges associated with ordering other services from BellSouth.
- 2.9.3.4 All LSRs issued for reserved facilities shall reference the facility reservation number as provided by BellSouth. USA Telephone will not be billed any additional LMU charges for the Loop ordered on such LSR. If, however, USA Telephone does not reserve facilities upon an initial LMUSI, USA Telephone's placement of an order for an advanced data service type facility will incur the appropriate billing charges to include SI and reservation per Exhibit A of this Attachment.
- 2.9.3.5 Where USA Telephone has reserved multiple Loop facilities on a single reservation, USA Telephone may not specify which facility shall be provisioned when submitting the LSR. For those occasions, BellSouth will assign to USA Telephone, subject to availability, a facility that meets the BellSouth technical standards of the BellSouth type Loop as ordered by USA Telephone.

3 Line Sharing

- 3.1 General
- 3.1.1 Line Sharing is defined as the process by which USA Telephone provides digital subscriber line service over the same copper loop that BellSouth uses to provide voice service, with BellSouth using the low frequency portion of the loop and USA Telephone using the high frequency spectrum (as defined below) of the loop.
- 3.1.2 Line Sharing arrangements in service as of October 1, 2003, will be grandfathered until the earlier of the date the End User discontinues or moves service with USA Telephone. Grandfathered arrangements pursuant to this Section will be billed at the rates set forth in Exhibit A.
- 3.1.3 For the period from October 2, 2003, through October 1, 2004, USA Telephone may request new Line Sharing arrangements. For Line Sharing arrangements placed in service between October 2, 2003, and October 1, 2004, the rates will be

Attachment 2

Page 28

as set forth in Exhibit A. After October 1, 2004, USA Telephone may not request new Line Sharing arrangements under the terms of this Agreement.

- 3.1.4 The rates set forth herein will be applied retroactively back to the date set forth in the Triennial Review Order.
- 3.1.5 As of the earlier of October 2, 2006, or the date that the End User discontinues or moves service with USA Telephone, all Line Sharing arrangements pursuant to Section 3.1.3 of this Attachment shall be terminated.
- 3.1.6 The High Frequency Spectrum is defined as the frequency range above the voiceband on a copper Loop facility carrying analog circuit-switched voiceband transmissions. Access to the High Frequency Spectrum is intended to allow USA Telephone the ability to provide Digital Subscriber Line (xDSL) data services to the End User for which BellSouth provides voice services. The High Frequency Spectrum shall be available for any version of xDSL complying with Spectrum Management Class 5 of ANSI T1.417, American National Standard for Telecommunications, Spectrum Management for Loop Transmission Systems. BellSouth will continue to have access to the low frequency portion of the Loop spectrum (from 300 Hertz to at least 3000 Hertz, and potentially up to 3400 Hertz, depending on equipment and facilities) for the purposes of providing voice service. USA Telephone shall only use xDSL technology that is within the PSD mask for Spectrum Management Class 5 as found in the above-mentioned document.
- 3.1.7 Access to the High Frequency Spectrum requires an unloaded, 2-wire copper Loop. An unloaded Loop is a copper Loop with no load coils, low-pass filters, range extenders, DAMLs, or similar devices and minimal bridged taps consistent with ANSI T1.413 and T1.601.
- 3.1.8 BellSouth will provide Loop Modification to USA Telephone on an existing Loop in accordance with procedures as specified in Section 2 of this Attachment. BellSouth is not required to modify a Loop for access to the High Frequency spectrum if modification of that Loop significantly degrades BellSouth's voice service. If USA Telephone requests that BellSouth modify a Loop and such modification significantly degrades the voice services on the Loop, USA Telephone shall pay for the Loop to be restored to its original state.
- 3.1.9 Line Sharing shall only be available on Loops on which BellSouth is also providing, and continues to provide, analog voice service directly to the End User. In the event the End User terminates its BellSouth provided voice service for any reason, or in the event BellSouth disconnects the End User's voice service pursuant to its tariffs or applicable law, and USA Telephone desires to continue providing xDSL service on such Loop, USA Telephone shall be required to purchase a full stand-alone Loop UNE. To the extent commercially practicable, BellSouth shall give USA Telephone notice in a reasonable time prior to

disconnect, which notice shall give USA Telephone an adequate opportunity to notify BellSouth of its intent to purchase such Loop. In those cases in which BellSouth no longer provides voice service to the End User and USA Telephone purchases the full stand-alone Loop, USA Telephone may elect the type of Loop it will purchase. USA Telephone will pay the appropriate recurring and nonrecurring rates for such Loop as set forth in Exhibit A to this Attachment. In the event USA Telephone purchases a voice grade Loop, USA Telephone acknowledges that such Loop may not remain xDSL compatible.

- 3.1.10 If USA Telephone reports a trouble on the High Frequency Spectrum of a Loop and no trouble actually exists on the BellSouth portion, BellSouth will charge USA Telephone for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the working status. The rates charged for no trouble found (NTF) shall be as set forth in Exhibit A of this Attachment.
- 3.1.11 Only one CLEC shall be permitted access to the High Frequency Spectrum of any particular Loop.

3.2 Provisioning of Line Sharing and Splitter Space

- 3.2.1 BellSouth will provide USA Telephone with access to the High Frequency Spectrum as follows:
- 3.2.1.1 To order High Frequency Spectrum on a particular Loop, USA Telephone must have a Digital Subscriber Line Access Multiplexer (DSLAM) collocated in the central office that serves the End User of such Loop.
- 3.2.1.2 USA Telephone may provide its own splitters or may order splitters in a central office once it has installed its DSLAM in that central office. BellSouth will install splitters within thirty-six (36) calendar days of USA Telephone's submission of an error free Line Splitter Ordering Document (LSOD) to the BellSouth Complex Resale Support Group.
- 3.2.1.3 Once a splitter is installed on behalf of USA Telephone in a central office in which USA Telephone is located, USA Telephone shall be entitled to order the High Frequency Spectrum on lines served out of that central office. BellSouth will bill and USA Telephone shall pay the electronic or manual ordering charges as applicable when USA Telephone orders High Frequency Spectrum for End User service.
- 3.2.1.4 BellSouth shall test the data portion of the Loop to ensure the continuity of the wiring for USA Telephone's data.

3.3 BellSouth Provided Splitter – Line Sharing

- 3.3.1 BellSouth will select, purchase, install, and maintain a central office POTS splitter and provide USA Telephone access to data ports on the splitter. The splitter will route the High Frequency Spectrum on the circuit to USA Telephone's xDSL equipment in USA Telephone's collocation space. At least thirty (30) calendar days before making a change in splitter suppliers, BellSouth will provide USA Telephone with a carrier notification letter, informing USA Telephone of change. USA Telephone shall purchase ports on the splitter in increments of eight (8), twenty-four (24), or ninety-six (96) ports in Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina and South Carolina. USA Telephone shall purchase ports on the splitter in increments of twenty-four (24) or ninety-six (96) ports in Tennessee.
- 3.3.2 BellSouth will install the splitter in (i) a common area close to USA Telephone's collocation area, if possible; or (ii) in a BellSouth relay rack as close to USA Telephone's DS0 termination point as possible. USA Telephone shall have access to the splitter for test purposes, regardless of where the splitter is placed in the BellSouth premises. For purposes of this section, a common area is defined as an area in the central office in which both Parties have access to a common test access point. A Termination Point is defined as the point of termination for USA Telephone on the main distributing frame in the central office and is not the demarcation point set forth in Attachment 4 of this Agreement. BellSouth will cross-connect the splitter data ports to a specified USA Telephone DS0 at such time that a USA Telephone End User's service is established.

3.4 <u>CLEC Provided Splitter – Line Sharing</u>

- 3.4.1 USA Telephone may at its option purchase, install and maintain central office POTS splitters in its collocation arrangements. USA Telephone may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures and the terms and conditions relating to Collocation set forth in Attachment 4-Central Office shall apply.
- 3.4.2 Any splitters installed by USA Telephone in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. USA Telephone may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.

3.5 Ordering – Line Sharing

- 3.5.1 USA Telephone shall use BellSouth's LSOD to order splitters from BellSouth and to activate and deactivate DS0 Collocation Connecting Facility Assignments (CFA) for use with High Frequency Spectrum.
- 3.5.2 BellSouth will provide USA Telephone the LSR format to be used when ordering the High Frequency Spectrum.

Attachment 2

Page 31

- 3.5.3 BellSouth will provision High Frequency Spectrum in compliance with BellSouth's Products and Services Interval Guide available at the website at <u>http://www.interconnection.bellsouth.com</u>.
- 3.5.4 BellSouth will provide USA Telephone access to Preordering LMU in accordance with the terms of this Agreement. BellSouth shall bill and USA Telephone shall pay the rates for such services, as described in Exhibit A.

3.6 Maintenance and Repair – Line Sharing

- 3.6.1 USA Telephone shall have access for repair and maintenance purposes to any Loop for which it has access to the High Frequency Spectrum. If USA Telephone is using a BellSouth owned splitter, USA Telephone may access the Loop at the point where the combined voice and data signal exits the central office splitter via a bantam test jack. If USA Telephone provides its own splitter, it may test from the collocation space or the Termination Point.
- 3.6.2 BellSouth will be responsible for repairing voice services and the physical line between the NID at the customer's premises and the Termination Point. USA Telephone will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.
- 3.6.3 USA Telephone shall inform its End Users to direct data problems to USA Telephone, unless both voice and data services are impaired, in which event the End Users should call BellSouth.
- 3.6.4 Once a Party has isolated a trouble to the other Party's portion of the Loop, the Party isolating the trouble shall notify the End User that the trouble is on the other Party's portion of the Loop.
- 3.6.5 Notwithstanding anything else to the contrary in this Agreement, when BellSouth receives a voice trouble and isolates the trouble to the physical collocation arrangement belonging to USA Telephone, BellSouth will notify USA Telephone. USA Telephone will provide at least one but no more than two (2) verbal CFA pair changes to BellSouth in an attempt to resolve the voice trouble. In the event a CFA pair change resolves the voice trouble, USA Telephone will provide BellSouth an LSR with the new CFA pair information within twenty-four (24) hours. If the owner of the collocation space fails to resolve the trouble by providing BellSouth with the verbal CFA pair changes, BellSouth may discontinue USA Telephone's access to the High Frequency Spectrum on such Loop. BellSouth will not be responsible for any loss of data as a result of this action.

3.7 Line Splitting

3.7.1 Line splitting allows a provider of data services (a Data LEC) and a provider of voice services (a Voice CLEC) to deliver voice and data service to End Users over
Attachment 2 Page 32 the same Loop. The Voice CLEC and Data LEC may be the same or different carriers.

- 3.7.2 In the event USA Telephone provides its own switching or obtains switching from a third party, USA Telephone may engage in line splitting arrangements with another CLEC using a splitter, provided by USA Telephone, in a Collocation Arrangement at the central office where the loop terminates into a distribution frame or its equivalent.
- 3.7.3 Where USA Telephone is purchasing a UNE-port and a UNE-loop, BellSouth shall offer line splitting pursuant to the following sections in this Attachment.
- 3.7.4 USA Telephone shall provide BellSouth with a signed LOA between it and the Data LEC or Voice CLEC with which it desires to provision Line Splitting services, if USA Telephone will not provide voice and data services.
- 3.7.5 End Users currently receiving voice service from a Voice CLEC through a UNE-P may be converted to Line Splitting arrangements by USA Telephone or its authorized agent ordering Line Splitting Service. If the CLEC wishes to provide the splitter, the UNE-P arrangement will be converted to a stand-alone UNE Loop, a UNE port, two collocation cross connects and the high frequency spectrum line activation. If BellSouth owns the splitter, the UNE-P arrangement will be converted to a stand-alone UNE Loop, port, and one collocation cross connection.
- 3.7.6 When End Users on Loops using High Frequency Spectrum CO Based line sharing service are converted to Line Splitting, BellSouth will discontinue billing USA Telephone for the High Frequency Spectrum. BellSouth will continue to bill the Data LEC for all associated splitter charges if the Data LEC continues to use a BellSouth splitter. It is the responsibility of USA Telephone or its authorized agent to determine if the Loop is compatible for Line Splitting Service. USA Telephone or its authorized agent may use the existing Loop unless it is not compatible with the Data LEC's data service and USA Telephone or its authorized agent submits an LSR to BellSouth to change the Loop.

3.8 Provisioning Line Splitting and Splitter Space

3.8.1 The Data LEC, Voice CLEC or BellSouth may provide the splitter. When USA Telephone or its authorized agent owns the splitter, Line Splitting requires the following: a non-designed analog Loop from the serving wire center to the NID at the End User's location; a collocation cross connection connecting the Loop to the collocation space; a second collocation cross connection from the collocation space connected to a voice port; the high frequency spectrum line activation, and a splitter. The Loop and port cannot be a Loop and port combination (i.e. UNE-P), but must be individual stand-alone Network Elements. When BellSouth owns the splitter, Line Splitting requires the following: a non designed analog Loop from

the serving wire center to the NID at the End User's location with CFA and splitter port assignments, and a collocation cross connection from the collocation space connected to a voice port.

- 3.8.2 An unloaded 2-wire copper Loop must serve the End User. The meet point for the Voice CLEC and the Data LEC is the point of termination on the MDF for the Data LEC's cable and pairs.
- 3.8.3 The foregoing procedures are applicable to migration to Line Splitting Service from a UNE-P arrangement, BellSouth Retail Voice Service, BellSouth High Frequency Spectrum (CO Based) Line Sharing.
- 3.8.4 For other migration scenarios to line splitting, BellSouth will work cooperatively with CLECs to develop methods and procedures to develop a process whereby a Voice CLEC and a Data LEC may provide services over the same Loop.

3.9 Ordering – Line Splitting

- 3.9.1 USA Telephone shall use BellSouth's LSOD to order splitters from BellSouth and to activate and deactivate DS0 Collocation CFA for use with Line Splitting.
- 3.9.2 BellSouth shall provide USA Telephone the LSR format to be used when ordering Line Splitting service.
- 3.9.3 BellSouth will provision Line Splitting service in compliance with BellSouth's Products and Services Interval Guide available at the website at <u>http://www.interconnection.bellsouth.com</u>.
- 3.9.4 BellSouth will provide USA Telephone access to Preordering LMU in accordance with the terms of this Agreement. BellSouth shall bill and USA Telephone shall pay the rates for such services as described in Exhibit A.
- 3.9.5 BellSouth will provide Loop modification to USA Telephone on an existing Loop in accordance with procedures developed in the Line Sharing Collaborative. High Frequency Spectrum (CO Based) Unbundled Loop Modification is a separate distinct service from Unbundled Loop Modification set forth in Section 2.5 of this Attachment. Procedures for High Frequency Spectrum (CO Based) Unbundled Loop Modification may be found on the web at: http://www.interconnection.bellsouth.com/html/unes.html. Nonrecurring rates for this offering are as set forth in Exhibit A of this Attachment.

3.10 <u>Maintenance – Line Splitting</u>

3.10.1 BellSouth will be responsible for repairing voice services and the physical loop between the NID at the customer's premises and the termination point. USA

Telephone will be responsible for maintaining the voice and data services. Each Party will be responsible for maintaining its own equipment.

- 3.10.2 USA Telephone shall inform its End Users to direct all problems to USA Telephone or its authorized agent.
- 3.10.3 If USA Telephone is not the data provider, USA Telephone shall indemnify, defend and hold harmless BellSouth from and against any claims, losses, actions, causes of action, suits, demands, damages, injury, and costs including reasonable attorney fees, which arise out of actions related to the data provider.

4 <u>Local Switching</u>

4.1 BellSouth shall provide non-discriminatory access to local circuit switching capability and local tandem switching capability on an unbundled basis, except as set forth in the Sections below to USA Telephone for the provision of a telecommunications service.

4.2 Local Circuit Switching Capability, including Tandem Switching Capability

- 4.2.1 Local circuit switching capability is defined as all line-side and trunk-side facilities, plus the features, functions, and capabilities of the switch. The features, functions, and capabilities of the switch shall include the basic switching function of connecting lines to lines, lines to trunks, trunks to lines, and trunks to trunks. Local circuit switching includes all vertical features that the switch is capable of providing, including custom calling, custom local area signalling service features, and Centrex, as well as any technically feasible customized routing functions.
- 4.2.2 Notwithstanding BellSouth's general duty to unbundle local circuit switching, BellSouth shall not be required to unbundle local circuit switching for USA Telephone when USA Telephone: (1) serves an End User with four (4) or more voice-grade (DS0) equivalents or lines served by BellSouth in Zone 1 of one of the following MSAs: Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA; or (2) serves an End User with a DS1 or higher capacity Loop in any service area covered by this Agreement. To the extent that USA Telephone is serving any End User as described in (2) above as of October 2, 2003, such arrangement must be terminated by USA Telephone or BellSouth shall convert such arrangement to tariff pricing. The filing of this Agreement with the applicable Commission shall constitute the filing of the joint transition plan specified by the FCC.
- 4.2.3 Rates for unbundled switching at the DS1 level and above or for combinations with unbundled switching at the DS1 level and above provisioned prior to the

Effective Date of this Agreement shall be those rates set forth in Exhibit A of this Attachment until April 1, 2004.

- 4.2.4 Local Switching that is not required to be provided as a UNE will be provided pursuant to a separate agreement or a tariff, at BellSouth's discretion.
- 4.2.5 Unbundled Local Switching consists of three separate unbundled elements: Unbundled Ports, End Office Switching Functionality, and End Office Interoffice Trunk Ports.
- 4.2.6 Unbundled Local Switching combined with Common Transport and, if necessary, Tandem Switching provides to USA Telephone's End User local calling and the ability to presubscribe to a primary carrier for intraLATA and/or to presubscribe to a primary carrier for interLATA toll service.
- 4.2.7 Provided that USA Telephone purchases unbundled local switching from BellSouth and uses the BellSouth Carrier Identification Code (CIC) for its End Users' Local Preferred Interexchange Carrier (LPIC) or if a BellSouth local End User selects BellSouth as its LPIC, then the Parties will consider as local any calls originated by a USA Telephone local End User, or originated by a BellSouth local End User and terminated to a USA Telephone local End User, where such calls originate and terminate in the same LATA, except for those calls originated and terminated through switched access arrangements (i.e., calls that are transported by a Party other than BellSouth). For such calls, BellSouth will charge USA Telephone the UNE elements for the BellSouth facilities utilized. Neither Party shall bill the other originating or terminating switched access charges for such calls. Intercarrier compensation for local calls between BellSouth and USA Telephone shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's website.
- 4.2.8 Where USA Telephone purchases unbundled local switching from BellSouth but does not use the BellSouth CIC for its End Users' LPIC, BellSouth will consider as local those direct dialed telephone calls that originate from a USA Telephone End User and terminate within the basic local calling area or within the extended local calling areas and that are dialed using seven (7) or ten (10) digits as defined and specified in Section A3 of BellSouth's General Subscriber Services Tariffs (GSST). For such local calls, BellSouth will charge USA Telephone the UNE elements for the BellSouth facilities utilized. Intercarrier compensation for local calls between BellSouth and USA Telephone shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's website.
- 4.2.9 For any calls that originate and terminate through switched access arrangements (i.e., calls that are transported by a party other than BellSouth), BellSouth shall bill USA Telephone the UNE elements for the BellSouth facilities utilized. Each Party may bill the toll provider originating or terminating switched access charges as appropriate.

4.2.10 Unbundled Port Features

- 4.2.10.1 Charges for Unbundled Port are as set forth in Exhibit A, and as specified in such exhibit, may or may not include individual features.
- 4.2.10.2 Where applicable and available, non-switch-based services may be ordered with the Unbundled Port at BellSouth's retail rates.
- 4.2.10.3 Any features that are not currently available but are technically feasible through the switch can be requested through the BFR/NBR process.
- 4.2.10.4 BellSouth will provide to USA Telephone selective routing of calls to a requested Operator System platform pursuant to this Attachment. Any other routing requests by USA Telephone will be made pursuant to the BFR/NBR Process as set forth in Attachment 11.

4.2.11 **Remote Call Forwarding**

- 4.2.11.1 As an option, BellSouth shall make available to USA Telephone an unbundled port with Remote Call Forwarding capability (URCF service). URCF service combines the functionality of unbundled local switching, tandem switching and common transport to forward calls from the URCF service telephone number (the number dialed by the calling party) to another telephone number selected by the URCF service subscriber. When ordering URCF service, USA Telephone will ensure that the following conditions are satisfied:
- 4.2.11.1.1 That the End User of the forward-to number (service) agrees to receive calls forwarded using the URCF service (if such End User is different from the URCF service End User);
- 4.2.11.1.2 That the forward-to number (service) is equipped with sufficient capacity to receive the volume of calls that will be generated from the URCF service;
- 4.2.11.1.3 That the URCF service will not be utilized to forward calls to another URCF or similar service; and
- 4.2.11.1.4 That the forward-to number (service) is not a public safety number (e.g. 911, fire or police number).
- 4.2.11.2 In addition to the charge for the URCF service port, BellSouth shall charge USA Telephone the rates set forth in Exhibit A for unbundled local switching, tandem switching, and common transport, including all associated usage incurred for calls from the URCF service telephone number (the number dialed by the calling party) to the forward-to number (service).

4.2.12 Provision for Local Switching

- 4.2.12.1 BellSouth shall perform routine testing (e.g., Mechanized Loop Tests (MLT) and test calls such as 105, 107 and 108 type calls) and fault isolation on a mutually agreed upon schedule.
- 4.2.12.2 BellSouth shall control congestion points such as those caused by radio station call-ins and network routing abnormalities. All traffic shall be restricted in a non-discriminatory manner.
- 4.2.12.3 BellSouth shall perform manual call trace and permit customer originated call trace. BellSouth shall provide Switching Service Point (SSP) capabilities and signaling software to interconnect the signaling links destined to the Signaling Transfer Point Switch (STPS). These capabilities shall adhere to the technical specifications set forth in the applicable industry standard technical references.
- 4.2.12.4 BellSouth shall provide interfaces to adjuncts through Telcordia standard interfaces. These adjuncts can include, but are not limited to, the Service Circuit Node and Automatic Call Distributors. BellSouth shall offer to USA Telephone all Advanced Intelligent Network (AIN) triggers in connection with its SMS/SCE offering.
- 4.2.12.5 BellSouth shall provide access to SS7 Signaling Network or Multi-Frequency trunking if requested by USA Telephone.

4.2.13 Local Switching Interfaces.

- 4.2.13.1 USA Telephone shall order ports and associated interfaces compatible with the services it wishes to provide as listed in Exhibit A. BellSouth shall provide the following local switching interfaces:
- 4.2.13.1.1 Standard Tip/Ring interface including loopstart or groundstart, on-hook signaling (e.g., for calling number, calling name and message waiting lamp);
- 4.2.13.1.2 Coin phone signaling;
- 4.2.13.1.3 Basic Rate Interface ISDN adhering to appropriate Telcordia Technical Requirements;
- 4.2.13.1.4 Two-wire analog interface to PBX;
- 4.2.13.1.5 Four-wire analog interface to PBX;
- 4.2.13.1.6 Four-wire DS1 interface to PBX or customer provided equipment (e.g. computers and voice response systems);
- 4.2.13.1.7 Primary Rate ISDN to PBX adhering to ANSI standards Q.931, Q.932 and appropriate Telcordia Technical Requirements;

Attachment 2

Page 38

- 4.2.13.1.8 Switched Fractional DS1 with capabilities to configure Nx64 channels (where N = 1 to 24); and
- 4.2.13.1.9 Loops adhering to Telcordia TR-NWT-08 and TR-NWT-303 specifications to interconnect Digital Loop Carriers.
- 4.2.14 All End Users of USA Telephone who have service provisioned via 4-Wire ISDN DS1 Port with E911 Locator Capability shall physically be located in the E911 Tandem Switch service area.
- 4.2.15 USA Telephone shall pass its End User's telephone number to BellSouth over the Primary Interface (PRI) trunk group via ANI or via direct Centralized Automated Message Accounting (CAMA) trunks to the appropriate E911 tandem switch.
- 4.2.16 USA Telephone shall maintain the individual telephone number and the correct corresponding address/location data, including maintaining the End User listed address as the actual physical End User location in the E911 Automatic Location Identification (ALI) Database.
- 4.2.17 USA Telephone will be responsible and liable for any errors resulting from the submission of invalid telephone number and address/location data for the CLEC's End Users.

4.3 <u>Tandem Switching</u>

- 4.3.1 The Tandem Switching capability Network Element is defined as: (i) trunkconnect facilities, which include, but are not limited to, the connection between trunk termination at a cross connect panel and switch trunk card; (ii) the basic switch trunk function of connecting trunks to trunks; and (iii) the functions that are centralized in the Tandem Switches (as distinguished from separate end office switches), including but not limited to call recording, the routing of calls to operator services and signaling conversion features.
- 4.3.1.1 Where USA Telephone utilizes portions of the BellSouth network in originating or terminating traffic, the Tandem Switching rates are applied in call scenarios where the Tandem Switching Network Element has been utilized. Because switch recordings cannot accurately indicate on a per call basis when the Tandem Switching Network Element has been utilized for an interoffice call originating from a UNE port and terminating to a BellSouth, Independent Company or Facility-Based CLEC office, BellSouth has developed, based upon call studies, a melded rate that takes into account the average percentage of calls that utilize Tandem Switching in these scenarios. BellSouth shall apply the melded Tandem Switching rate for every call in these scenarios. BellSouth shall utilize the melded Tandem Switching Rate until BellSouth has the capability to measure actual Tandem Switch usage in each call scenario specifically mentioned above, at which point the rate for the actual Tandem Switch usage shall apply. The UNE Call

Flows set forth on BellSouth's website, as amended from time to time and incorporated herein by this reference, illustrate when the full or melded Tandem Switching rates apply for specific scenarios.

- 4.3.2 <u>Technical Requirements</u>
- 4.3.2.1 Tandem Switching shall have the same capabilities or equivalent capabilities as those described in Telcordia TR-TSY-000540 Issue 2R2, Tandem Supplement, June 1, 1990. The requirements for Tandem Switching include but are not limited to the following:
- 4.3.2.1.1 Tandem Switching shall provide signaling to establish a tandem connection;
- 4.3.2.1.2 Tandem Switching will provide screening as jointly agreed to by USA Telephone and BellSouth;
- 4.3.2.1.3 Where applicable, Tandem Switching shall provide AIN triggers supporting AIN features where such routing is not available from the originating end office switch, to the extent such Tandem switch has such capability;
- 4.3.2.1.4 Where applicable, Tandem Switching shall provide access to Toll Free number database;
- 4.3.2.1.5 Tandem Switching shall provide connectivity to Public Safety Answering Point (PSAP)s where 911 solutions are deployed and the tandem is used for 911; and
- 4.3.2.1.6 Where appropriate, Tandem Switching shall provide connectivity for the purpose of routing transit traffic to and from other carriers.
- 4.3.2.2 BellSouth may perform testing and fault isolation on the underlying switch that is providing Tandem Switching. Such testing shall be testing routinely performed by BellSouth. The results and reports of the testing shall be made available to USA Telephone.
- 4.3.2.3 BellSouth shall control congestion points and network abnormalities. All traffic will be restricted in a non-discriminatory manner.
- 4.3.2.4 Tandem Switching shall process originating toll free traffic received from USA Telephone's local switch.
- 4.3.2.5 In support of AIN triggers and features, Tandem Switching shall provide SSP capabilities when these capabilities are not available from the Local Switching Network Element to the extent such Tandem Switch has such capability.
- 4.3.3 Upon USA Telephone's purchase of overflow trunk groups, Tandem Switching shall provide an alternate routing pattern for USA Telephone's traffic overflowing from direct end office high usage trunk groups.

4.4 <u>AIN Selective Carrier Routing for Operator Services, Directory Assistance</u> and Repair Centers

- 4.4.1 Where BellSouth provides local switching to USA Telephone, BellSouth will provide AIN Selective Carrier Routing (AIN SCR) at the request of USA Telephone. AIN SCR will provide USA Telephone with the capability of routing operator calls, 0+ and 0- and 0+ NPA Local Numbering Plan Area (LNPA), 555-1212 directory assistance, 1+411 directory assistance and 611 repair center calls to pre-selected destinations.
- 4.4.2 USA Telephone shall order AIN SCR through its Account Team and/or Local Contract Manager. AIN SCR must first be established regionally and then on a per central office per state basis.
- 4.4.3 AIN SCR is not available in DMS 10 switches.
- 4.4.4 Where AIN SCR is utilized by USA Telephone, the routing of USA Telephone's End User calls shall be pursuant to information provided by USA Telephone and stored in BellSouth's AIN SCR Service Control Point database. AIN SCR shall utilize a set of Line Class Codes (LCCs) unique to a basic class of service assigned on an "as needed" basis. The same LCCs will be assigned in each central office where AIN SCR is established.
- 4.4.5 Upon ordering AIN SCR Regional Service, USA Telephone shall remit to BellSouth the Regional Service Order nonrecurring charges set forth in Exhibit A of this Attachment. There shall be a nonrecurring End Office Establishment Charge per office due at the addition of each central office where AIN SCR will be utilized. Said nonrecurring charge shall be as set forth in Exhibit A of this Attachment. For each USA Telephone End User activated, there shall be a nonrecurring End User Establishment charge as set forth in Exhibit A of this Attachment. USA Telephone shall pay the AIN SCR Per Query Charge set forth in Exhibit A of this Attachment.
- 4.4.6 This Regional Service Order nonrecurring charge will be non-refundable and will be paid with one half due up-front with the submission of all fully completed required forms including: Regional Selective Carrier Routing (SCR) Order Request-Form A, Central Office AIN SCRSCR Order Request - Form B, AIN SCR Central Office Identification Form - Form C, AIN SCR Routing Options Selection Form - Form D, and Routing Combinations Table - Form E. BellSouth has thirty (30) calendar days to respond to USA Telephone's fully completed firm order as a Regional Service Order. With the delivery of this firm order response to USA Telephone, BellSouth considers that the delivery schedule of this service commences. The remaining half of the Regional Service Order payment must be paid when at least ninety (90) percent of the Central Offices listed on the original order have been turned up for the service.

- 4.4.7 The nonrecurring End Office Establishment Charge will be billed to USA Telephone following BellSouth's normal monthly billing cycle for this type of order.
- 4.4.8 End-User Establishment Orders will not be turned-up until the second payment is received for the Regional Service Order. The nonrecurring End-User Establishment Charges will be billed to USA Telephone following BellSouth's normal monthly billing cycle for this type of order.
- 4.4.9 Additionally, the AIN SCR Per Query Charge will be billed to USA Telephone following the normal billing cycle for per query charges.
- 4.4.10 All other network components needed, for example, unbundled switching, unbundled local transport, etc., will be billed per contracted rates.

4.5 Selective Call Routing Using Line Class Codes (SCR-LCC)

- 4.5.1 Where USA Telephone purchases unbundled local switching from BellSouth and utilizes an operator services provider other than BellSouth, BellSouth will route USA Telephone's End User calls to that provider through Selective Call Routing.
- 4.5.2 Selective Call Routing using Line Class Codes (SCR-LCC) provides the capability for USA Telephone to have its Operator Call Processing/Directory Assistance (OCP/DA) calls routed to BellSouth's OCP/DA platform for BellSouth provided Custom Branded or Unbranded OCP/DA or to its own or an alternate OCP/DA platform for Self-Branded OCP/DA. SCR-LCC is only available if line class code capacity is available in the requested BellSouth end office switches.
- 4.5.3 Custom Branding for Directory Assistance (DA) is not available for certain classes of service, including but not limited to Hotel/Motel services, WATS service, and certain PBX services.
- 4.5.4 Where available, USA Telephone specific and unique LCCs are programmed in each BellSouth end office switch where USA Telephone intends to serve End Users with customized OCP/DA branding. The LCCs specifically identify USA Telephone's End Users so OCP/DA calls can be routed over the appropriate trunk group to the requested OCP/DA platform. Additional LCCs are required in each end office if the end office serves multiple NPAs (i.e., a unique LCC is required per NPA), and/or if the end office switch serves multiple rate areas and USA Telephone intends to provide USA Telephone -branded OCP/DA to its End Users in these multiple rate areas.
- 4.5.5 SCR-LCC supporting Custom Branding and Self Branding require USA Telephone to order dedicated trunking from each BellSouth end office identified by USA Telephone, either to the BellSouth Traffic Operator Position System (TOPS) for Custom Branding or to the USA Telephone Operator Service Provider

for Self Branding. Separate trunk groups are required for Operator Services and for DA. Rates for trunks are set forth in applicable BellSouth tariffs.

- 4.5.6 Unbranding Unbranded DA and/or OCP calls ride common trunk groups provisioned by BellSouth from those end offices identified by USA Telephone to the BellSouth TOPS.
- 4.5.7 The Rates for SCR-LCC are as set forth in this Attachment. There is a nonrecurring charge for the establishment of each LCC in each BellSouth central office. Furthermore, for Unbranded and Custom Branded OCP/DA provided by BellSouth Operator Services with unbundled ports and unbundled port/loop switch combinations, monthly recurring usage charges shall apply for the UNEs necessary to provide the service, such as end office and tandem switching and common transport. A flat rated end office switching charge shall apply to Self-Branded OCP/DA when used in conjunction with unbundled ports and unbundled port/loop switch combinations.

5 <u>Unbundled Network Element Combinations</u>

- 5.1 For purposes of this Section, references to "Currently Combined" Network Elements shall mean that the particular Network Elements requested by USA Telephone are in fact already combined by BellSouth in the BellSouth network. References to "Ordinarily Combined" Network Elements shall mean that the particular Network Elements requested by USA Telephone are not already combined by BellSouth in the location requested by USA Telephone but are elements that are typically combined in BellSouth's network. References to "Not Typically Combined" Network Elements shall mean that the particular Network Elements requested by USA Telephone are not elements that BellSouth combines for its use in its network.
- 5.1.1 Upon request, BellSouth shall perform the functions necessary to combine unbundled Network Elements in any manner, even if those elements are not ordinarily combined in BellSouth's network, provided that such combination is technically feasible and will not undermine the ability of other carriers to obtain access to unbundled Network Elements or to interconnect with BellSouth's network.

5.2 Enhanced Extended Links (EELs)

5.2.1 EELs are combinations of unbundled Loops and unbundled dedicated transport as defined in this Attachment, together with any facilities, equipment, or functions necessary to combine those Network Elements. BellSouth shall provide USA Telephone with EELs where the underlying UNEs are available and in all instances where the requesting carrier meets the eligibility requirements, if applicable.

Attachment 2

- 5.2.2 High-capacity EELs are combinations of loop and transport UNEs or commingled loop and transport facilities at the DS1 and/or DS3 level as described in 47 CFR 51.318(b). High-capacity EELs must comply with the service eligibility requirements set forth in 5.2.4 below.
- 5.2.3 By placing an order for a high-capacity EEL, USA Telephone thereby certifies that the service eligibility criteria set forth herein are met for access to a converted high-capacity EEL, a new high-capacity EEL, or part of a high-capacity commingled EEL as a UNE. BellSouth shall have the right to audit USA Telephone's high-capacity EELs as specified below.
- 5.2.4 If a high-capacity EEL or Ordinarily Combined Network Element is not readily available but can be made available through routine network modifications, as defined by the FCC, USA Telephone may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by USA Telephone, BellSouth shall perform the routine network modifications.
- 5.2.5 <u>Service Eligibility Criteria</u>
- 5.2.5.1 USA Telephone must certify for each high-capacity EEL that all of the following service eligibility criteria are met:
- 5.2.5.1.1 USA Telephone has received state certification to provide local voice service in the area being served;
- 5.2.5.2 For each combined circuit, including each DS1 circuit, each DS1 EEL, and each DS1-equivalent circuit on a DS3 EEL:
- 5.2.5.2.1 1) Each circuit to be provided to each End User will be assigned a local number prior to the provision of service over that circuit;
- 5.2.5.2.2 2) Each DS1-equivalent circuit on a DS3 EEL must have its own local number assignment so that each DS3 must have at least twenty-eight (28) local voice numbers assigned to it;
- 5.2.5.2.3 3) Each circuit to be provided to each End User will have 911 or E911 capability prior to provision of service over that circuit;
- 5.2.5.2.4 4) Each circuit to be provided to each End User will terminate in a collocation arrangement that meets the requirements of 47 CFR 51.318(c);
- 5.2.5.2.5 5) Each circuit to be provided to each End User will be served by an interconnection trunk over which USA Telephone will transmit the calling party's number in connection with calls exchanged over the trunk;

- 5.2.5.2.6
 6) For each twenty-four (24) DS1 EELs or other facilities having equivalent capacity, USA Telephone will have at least one (1) active DS1 local service interconnection trunk over which USA Telephone will transmit the calling party's number in connection with calls exchanged over the trunk;
- 5.2.5.2.7 7) Each circuit to be provided to each End User will be served by a switch capable of switching local voice traffic.
- BellSouth may, on an annual basis, audit USA Telephone's records in order to 5.2.6 verify compliance with the qualifying service eligibility criteria. The audit shall be conducted by a third party independent auditor, and the audit must be performed in accordance with the standards established by the American Institute for Certified Public Accountants (AICPA). To the extent the independent auditor's report concludes that USA Telephone failed to comply with the service eligibility criteria, USA Telephone must true-up any difference in payments, convert all noncompliant circuits to the appropriate service, and make the correct payments on a goingforward basis. In the event the auditor's report concludes that, USA Telephone did not comply in any material respect with the service eligibility criteria, USA Telephone shall reimburse BellSouth for the cost of the independent auditor. To the extent the auditor's report concludes that USA Telephone did comply in all material respects with the service eligibility criteria, BellSouth will reimburse USA Telephone for its reasonable and demonstrable costs associated with the audit. USA Telephone will maintain appropriate documentation to support its certifications.
- 5.2.7 In the event USA Telephone converts special access services to UNEs, USA Telephone shall be subject to the termination liability provisions in the applicable special access tariffs, if any.

5.3 UNE Port/Loop Combinations

- 5.3.1 Combinations of port and loop unbundled Network Elements along with switching and transport unbundled Network Elements provide local exchange service for the origination or termination of calls. Port/loop combinations support the same local calling and feature requirements as described in the Unbundled Local Switching or Port section of this Attachment and the ability to presubscribe to a primary carrier for intraLATA toll service and/or to presubscribe to a primary carrier for interLATA toll service.
- 5.3.2 BellSouth is not required to provide combinations of port and loop Network Elements on an unbundled basis in locations where, pursuant to FCC and Commission rules, BellSouth is not required to provide local circuit switching as an unbundled Network Element.

- 5.3.3 BellSouth shall not be required to provide local circuit switching as a UNE in density Zone 1, as defined in 47 CFR 69.123 as of January 1, 1999 of the Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA, MSAs to USA Telephone if USA Telephone's customer has four (4) or more DS0 equivalent lines.
- 5.3.4 BellSouth shall not be required to provide local circuit switching as a UNE or combination of UNEs if the End User is being served by a BellSouth DS1 or higher capacity Loop in any service area covered by this Agreement. To the extent that USA Telephone is serving any End User as described above as of October 2, 2003, such arrangement may not remain in place any longer than April 1, 2004, after which such arrangement must be terminated by USA Telephone or BellSouth shall convert such arrangement to tariff pricing. The filing of this Agreement with the applicable Commission shall constitute the filing of the joint transition plan specified by the FCC.
- 5.3.5 BellSouth shall make 911 updates in the BellSouth 911 database for USA Telephone's UNE port/Loop combinations. BellSouth will not bill USA Telephone for 911 surcharges. USA Telephone is responsible for paying all 911 surcharges to the applicable governmental agency.

5.4 <u>Rates</u>

- 5.4.1 The rates for the Currently Combined Network Elements specifically set forth in Exhibit A of this Attachment shall be the rates associated with such combinations. Where a Currently Combined combination is not specifically set forth in Exhibit A, the rate for such Currently Combined combination of Network Elements shall be the sum of the recurring rates for those individual Network Elements in addition to the applicable non-recurring switch-as-is charge set forth in Exhibit A.
- 5.4.2 The rates for the Ordinarily Combined Network Elements specifically set forth in Exhibit A of this Attachment shall be the non-recurring and recurring charges for those combinations. Where an Ordinarily Combined combination is not specifically set forth in Exhibit A, the rate for such Ordinarily Combined combination of Network Elements shall be the sum of the recurring and non-recurring rates for those individual Network Elements as set forth in Exhibit A.
- 5.4.3 Except as set forth in this Section 5, BellSouth shall provide UNE port/loop combinations specifically set forth in Exhibit A that are Currently Combined or Ordinarily Combined in BellSouth's network at the cost-based rates in Exhibit A.
- 5.4.4 BellSouth shall provide other Currently Combined and Ordinarily Combined and Not Typically Combined UNE Combinations to USA Telephone in addition to those specifically referenced in this Section 5 above, where available. To the extent USA Telephone requests a combination for which BellSouth does not have

rates and methods and procedures in place to provide such combination, rates and/or methods and procedures for such combination will be developed pursuant to the BFR/NBR process.

6 Transport, Channelization and Dark Fiber

6.1 <u>Transport</u>

- 6.1.1 BellSouth shall provide nondiscriminatory access, in accordance with FCC Rules 51.311, 51.319, and Section 251(c)(3) of the Act to interoffice transmission facilities described in this Section 6 on an unbundled basis to USA Telephone for the provision of a qualifying service, as set forth herein.
- 6.1.1.1 Dedicated Transport is defined as BellSouth's interoffice transmission facilities, dedicated to a particular customer or carrier that USA Telephone uses for transmission between wire centers or switches owned by BellSouth and within the same LATA.
- 6.1.1.2 Dark Fiber Transport, defined as BellSouth's optical transmission facilities without attached signal regeneration, multiplexing, aggregation or other electronics, between wire centers or switches owned by BellSouth and within the same LATA;
- 6.1.1.3 Common (Shared) Transport, defined as transmission facilities shared by more than one carrier, including BellSouth, between end office switches, between end office switches and tandem switches, and between tandem switches, in BellSouth's network. Where BellSouth Network Elements are connected by intraoffice wiring, such wiring is provided as part of the Network Element and is not Common (Shared) Transport.
- 6.1.1.3.1 Notwithstanding any other provision of this Agreement, BellSouth will only provide unbundled access to Common (Shared) Transport to the extent BellSouth is required to provide and is providing unbundled Local Circuit Switching to USA Telephone.
- 6.1.2 BellSouth shall:
- 6.1.2.1 Provide USA Telephone exclusive use of Dedicated Transport to a particular customer or carrier, or shared use of the features, functions, and capabilities of interoffice transmission facilities shared by more than one customer or carrier;
- 6.1.2.2 Provide all technically feasible features, functions, and capabilities of the transport facility;
- 6.1.2.3 Permit, to the extent technically feasible, USA Telephone to connect such interoffice facilities to equipment designated by USA Telephone, including but not limited to, USA Telephone's collocated facilities; and

- 6.1.2.4 Permit, to the extent technically feasible, USA Telephone to obtain the functionality provided by BellSouth's digital cross-connect systems.
- 6.1.3 Technical Requirements of Common (Shared) Transport
- 6.1.3.1 Common (Shared) Transport provided on DS1, DS3, and STS-1 circuits shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Central Office to Central Office (CO to CO) connections in the applicable industry standards.
- 6.1.3.2 BellSouth shall be responsible for the engineering, provisioning, and maintenance of the underlying equipment and facilities that are used to provide Common (Shared) Transport.
- 6.1.3.3 At a minimum, Common (Shared) Transport shall meet all of the requirements set forth in the applicable industry standards.

6.2 **Dedicated Transport**

- 6.2.1 BellSouth shall offer Dedicated Transport in each of the following ways:
- 6.2.1.1 As capacity on a shared UNE facility.
- 6.2.1.2 As a circuit (e.g., DS0, DS1, DS3) dedicated to USA Telephone.
- 6.2.2 Dedicated Transport may be provided over facilities such as optical fiber, copper twisted pair, and coaxial cable, and shall include transmission equipment such as line terminating equipment, amplifiers, and regenerators.
- 6.2.3 USA Telephone may obtain a maximum of twelve (12) unbundled dedicated DS3 circuits, or their equivalent, for any single route at the UNE rates set forth in Exhibit A for which dedicated DS3 transport is available as unbundled transport. Additional capacity may be purchased pursuant to the rates, terms and conditions as set forth in the applicable tariff. A route is defined as a transmission path between one of BellSouth's wire centers or switches and another of BellSouth's wire centers or switches. A route between two (2) points may pass through one or more intermediate wire centers or switches. Transmission paths between identical end points are the same "route", irrespective of whether they pass through the same intermediate wire centers or switches, if any.
- 6.2.4 Any request to re-terminate one end of a circuit will require the issuance of new service and disconnection of the existing service and the applicable charges in Exhibit A shall apply, and the re-terminated circuit shall be considered a new circuit as of the installation date.
- 6.2.5 If Dedicated Transport is not readily available but can be made available through routine network modifications, as defined by the FCC, USA Telephone may

request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by USA Telephone, BellSouth shall perform the routine network modifications.

- 6.2.6 <u>Technical Requirements</u>
- 6.2.6.1 The entire designated transmission service (e.g., DS0, DS1, DS3) shall be dedicated to USA Telephone designated traffic.
- 6.2.6.2 For DS1 or DS3 circuits, Dedicated Transport shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Customer Interface to Central Office (CI to CO) connections in the applicable industry standards.
- 6.2.6.3 BellSouth shall offer the following interface transmission rates for Dedicated Transport:
- 6.2.6.3.1 DS0 Equivalent;
- 6.2.6.3.2 DS1;
- 6.2.6.3.3 DS3; and
- 6.2.6.3.4 SDH (Synchronous Digital Hierarchy) Standard interface rates are in accordance with International Telecommunications Union (ITU) Recommendation G.707 and Plesiochronous Digital Hierarchy (PDH) rates per ITU Recommendation G.704.
- 6.2.6.4 BellSouth shall design Dedicated Transport according to its network infrastructure. USA Telephone shall specify the termination points for Dedicated Transport.
- 6.2.6.5 At a minimum, Dedicated Transport shall meet each of the requirements set forth in the applicable industry technical references.
- 6.2.6.6 <u>BellSouth Technical References</u>:
- 6.2.6.6.1 TR-TSY-000191 Alarm Indication Signals Requirements and Objectives, Issue 1, May 1986.
- 6.2.6.6.2 TR 73501 LightGate®Service Interface and Performance Specifications, Issue D, June 1995.
- 6.2.6.6.3 TR 73525 MegaLink®Service, MegaLink Channel Service and MegaLink Plus Service Interface and Performance Specifications, Issue C, May 1996.

6.3 Unbundled Channelization (Multiplexing)

- 6.3.1 Unbundled Channelization (UC) provides the optional multiplexing capability that will allow a DS1 (1.544 Mbps) or DS3 (44.736 Mbps) or STS-1 (51.84 Mbps) UNE or collocation cross connect to be multiplexed or channelized at a BellSouth central office. Channelization can be accomplished through the use of a multiplexer or a digital cross connect system at the discretion of BellSouth. Once UC has been installed, USA Telephone may request channel activation on an as needed basis and BellSouth shall connect the requested facilities via Central Office Channel Interfaces (COCIs). The COCI must be compatible with the lower capacity facility and ordered with the lower capacity facility. This service is available as defined in NECA 4.
- 6.3.2 BellSouth shall make available the following channelization systems and interfaces:
- 6.3.2.1 DS1 Channelization System: channelizes a DS1 signal into a maximum of twentyfour (24) DS0s. The following Central Office Channel Interfaces (COCI) are available: Voice Grade, Digital Data and ISDN.
- 6.3.2.2 DS3 Channelization System: channelizes a DS3 signal into a maximum of twentyeight (28) DS1s. A DS1 COCI is available with this system.
- 6.3.2.3 STS-1 Channelization System: channelizes a STS-1 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.
- 6.3.2.4 AMI and B8ZS line coding with either Super Frame (SF) and Extended Super Frame (ESF) framing formats will be supported as an optional feature on DS1 facilities.

6.3.3 Technical Requirements

- 6.3.3.1 In order to assure proper operation with BellSouth provided central office multiplexing functionality, USA Telephone's channelization equipment must adhere strictly to form and protocol standards. USA Telephone must also adhere to such applicable industry standards for the multiplex channel bank, for voice frequency encoding, for various signaling schemes, and for sub rate digital access.
- 6.3.3.2 TR 73501 LightGate[®]Service Interface and Performance Specifications, Issue D, June 1995

6.4 Dark Fiber Transport

- 6.4.1 Dark Fiber Transport is strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for USA Telephone to utilize Dark Fiber Transport.
- 6.4.2 If Dark Fiber Transport is not readily available but can be made available through routine network modifications, as defined by the FCC, USA Telephone may

request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by USA Telephone, BellSouth shall perform the routine network modifications.

6.4.3 Requirements

- 6.4.3.1 BellSouth shall make available Dark Fiber Transport where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. Dark Fiber Transport will not be deemed available if (1) it is used by BellSouth for maintenance and repair purposes, (2) it is designated for use pursuant to a firm order placed by another customer, (3) it is restricted for use by all carriers, including BellSouth, because of transmission problems or because it is scheduled for removal due to documented changes to roads and infrastructure, or (4) BellSouth has plans to use the fiber within a two-year planning period. BellSouth is not required to place fibers for Dark Fiber Transport if there are none available.
- 6.4.3.2 USA Telephone is solely responsible for testing the quality of the Dark Fiber Transport to determine its usability and performance specifications.
- 6.4.3.3 BellSouth shall use its best efforts to provide to USA Telephone information regarding the location, availability and performance of Dark Fiber Transport within ten (10) business days after receiving a request from USA Telephone. Within such time period, BellSouth shall send written confirmation of availability of the Dark Fiber Transport.
- 6.4.3.4 If the requested Dark Fiber Transport is available, BellSouth shall use its commercially reasonable efforts to provision the Dark Fiber Transport to USA Telephone within twenty (20) business days after USA Telephone submits a valid, error free LSR. Provisioning includes identification of appropriate connection points (e.g., LGX) to enable USA Telephone to connect USA Telephone provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber Transport.

7 Databases

7.1 Call Related Databases are the databases set forth in this Attachment, other than OSS, that are used in signaling networks for billing and collection, or the transmission, routing or other provision of a telecommunications service. Notwithstanding anything to the contrary herein, BellSouth shall only provide unbundled access to BellSouth Switched Access (SWA) 8XX Toll Free Dialing Ten Digit Screening Service, Line Information Database (LIDB), Signaling, Signaling Link Transport, Signaling Transfer Points, SS7 AIN Access, Service Control Point\Databases, Local Number Portability Databases, SS7 Network Interconnection, and Calling Name (CNAM) Database Service at the prices set

forth herein where BellSouth is required to provide and is providing unbundled access to local circuit switching to USA Telephone.

7.2 To the extent unbundled local circuit switching is converted to market based switching pursuant to Section 4.2.2 of this Attachment, BellSouth may, at its discretion, provide access to BellSouth Switched Access (SWA) 8XX Toll Free Dialing Ten Digit Screening Service, LIDB, Signaling, Signaling Link Transport, Signaling Transfer Points, SS7 AIN Access, Service Control Point\Databases, Local Number Portability Databases, SS7 Network Interconnection, Calling Name (CNAM) at market based rates pursuant to a separate agreement or tariff.

8 <u>BellSouth Switched Access (SWA) 8XX Toll Free Dialing Ten Digit</u> Screening Service

- 8.1 The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service database (8XX SCP Database) is a SCP that contains customer record information and the functionality to provide call-handling instructions for 8XX calls. The 8XX SCP IN software stores data downloaded from the national SMS/8XX database and provides the routing instructions in response to queries from the SSP or tandem. The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service (8XX TFD Service) utilizes the 8XX SCP Database to provide identification and routing of the 8XX calls, based on the ten digits dialed. At USA Telephone's option, 8XX TFD Service is provided with or without POTS number delivery, dialing number delivery, and other optional complex features as selected by USA Telephone.
- 8.2 The 8XX SCP Database is designated to receive and respond to queries using the ANSI Specification of Signaling System Seven (SS7) protocol.

9 <u>Line Information Database</u>

- 9.1 LIDB is a transaction-oriented database accessible through Common Channel Signaling (CCS) networks. For access to LIDB, USA Telephone must purchase appropriate signaling links pursuant to Section 10 of this Attachment. LIDB contains records associated with End User Line Numbers and Special Billing Numbers. LIDB accepts queries from other Network Elements and provides appropriate responses. The query originator need not be the owner of LIDB data. LIDB queries include functions such as screening billed numbers that provides the ability to accept Collect or Third Number Billing calls and validation of Telephone Line Number based non-proprietary calling cards. The interface for the LIDB functionality is the interface between BellSouth's CCS network and other CCS networks. LIDB also interfaces to administrative systems.
- 9.2 <u>Technical Requirements</u>
- 9.2.1 BellSouth will offer to USA Telephone any additional capabilities that are developed for LIDB during the life of this Agreement.

- 9.2.2 BellSouth shall process USA Telephone's customer records in LIDB at least at parity with BellSouth customer records, with respect to other LIDB functions. BellSouth shall indicate to USA Telephone what additional functions (if any) are performed by LIDB in the BellSouth network.
- 9.2.3 Within two (2) weeks after a request by USA Telephone, BellSouth shall provide USA Telephone with a list of the customer data items, which USA Telephone would have to provide in order to support each required LIDB function. The list shall indicate which data items are essential to LIDB function and which are required only to support certain services. For each data item, the list shall show the data formats, the acceptable values of the data item and the meaning of those values.
- 9.2.4 BellSouth shall provide LIDB systems for which operating deficiencies that would result in calls being blocked shall not exceed thirty (30) minutes per year.
- 9.2.5 BellSouth shall provide LIDB systems for which operating deficiencies that would not result in calls being blocked shall not exceed twelve (12) hours per year.
- 9.2.6 BellSouth shall provide LIDB systems for which the LIDB function shall be in overload no more than twelve (12) hours per year.
- 9.2.7 All additions, updates and deletions of USA Telephone data to the LIDB shall be solely at the direction of USA Telephone. Such direction from USA Telephone will not be required where the addition, update or deletion is necessary to perform standard fraud control measures (e.g., calling card auto-deactivation).
- 9.2.8 BellSouth shall provide priority updates to LIDB for USA Telephone data upon USA Telephone's request (e.g., to support fraud detection), via passwordprotected telephone card, facsimile, or electronic mail within one hour of notice from the established BellSouth contact.
- 9.2.9 BellSouth shall provide LIDB systems such that no more than 0.01% of USA Telephone customer records will be missing from LIDB, as measured by USA Telephone audits. BellSouth will audit USA Telephone records in LIDB against Data Base Administration System (DBAS) to identify record mismatches and provide this data to a designated USA Telephone contact person to resolve the status of the records and BellSouth will update system appropriately. BellSouth will refer record of mismatches to USA Telephone within one (1) business day of audit. Once reconciled records are received back from USA Telephone, BellSouth will update LIDB the same business day if less than 500 records are received before 1:00PM Central Time. If more than 500 records are received, BellSouth will contact USA Telephone to negotiate a time frame for the updates, not to exceed three business days.

- 9.2.10 BellSouth shall perform backup and recovery of all of USA Telephone's data in LIDB including sending to LIDB all changes made since the date of the most recent backup copy, in at least the same time frame BellSouth performs backup and recovery of BellSouth data in LIDB for itself. Currently, BellSouth performs backups of the LIDB for itself on a weekly basis; and when a new software release is scheduled, a backup is performed prior to loading the new release.
- 9.2.11 BellSouth shall provide USA Telephone with LIDB reports of data which are missing or contain errors, as well as any misrouted errors, within a reasonable time period as negotiated between USA Telephone and BellSouth.
- 9.2.12 BellSouth shall prevent any access to or use of USA Telephone data in LIDB by BellSouth personnel that are outside of established administrative and fraud control personnel, or by any other Party that is not authorized by USA Telephone in writing.
- 9.2.13 BellSouth shall provide USA Telephone performance of the LIDB Data Screening function, which allows a LIDB to completely or partially deny specific query originators access to LIDB data owned by specific data owners, for Customer Data that is part of an NPA-NXX or RAO-0/1XX wholly or partially owned by USA Telephone at least at parity with BellSouth Customer Data. BellSouth shall obtain from USA Telephone the screening information associated with LIDB Data Screening of USA Telephone data in accordance with this requirement. BellSouth currently does not have LIDB Data Screening capabilities. When such capability is available, BellSouth shall offer it to USA Telephone under the BFR/NBR process as set forth in Attachment 11.
- 9.2.14 BellSouth shall accept queries to LIDB associated with USA Telephone customer records and shall return responses in accordance with industry standards.
- 9.2.15 BellSouth shall provide mean processing time at the LIDB within 0.50 seconds under normal conditions as defined in industry standards.
- 9.2.16 BellSouth shall provide processing time at the LIDB within 1 second for 99% of all messages under normal conditions as defined in industry standards.
- 9.3 <u>Interface Requirements</u>
- 9.3.1 BellSouth shall offer LIDB in accordance with the requirements of this subsection.
- 9.3.2 The interface to LIDB shall be in accordance with the technical references contained within.
- 9.3.3 The CCS interface to LIDB shall be the standard interface described herein.

- 9.3.4 The LIDB Data Base interpretation of the ANSI-TCAP messages shall comply with the technical reference herein. Global Title Translation (GTT) shall be maintained in the signaling network in order to support signaling network routing to the LIDB.
- 9.3.5 The application of the LIDB rates contained in Exhibit A to this Attachment will be based on a Percent CLEC LIDB Usage (PCLU) factor. USA Telephone shall provide BellSouth a PCLU. The PCLU will be applied to determine the percentage of total LIDB usage to be billed to the other Party at local rates. USA Telephone shall update its PCLU on the first of January, April, July and October and shall send it to BellSouth to be received no later than thirty (30) calendar days after the first of each such month based on local usage for the past three months ending the last day of December, March, June and September, respectively. Requirements associated with PCLU calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time.

10 <u>Signaling</u>

10.1 BellSouth shall offer access to signaling and access to BellSouth's signaling databases subject to compatibility testing and at the rates set forth in this Attachment. BellSouth may provide mediated access to BellSouth signaling systems and databases. Available signaling elements include signaling links, signal transfer points and service control points. Signaling functionality will be available with both A-link and B-link connectivity.

10.2 Signaling Link Transport

- 10.2.1 Signaling Link Transport is a set of two (2) or four (4) dedicated 56 kbps transmission paths between USA Telephone designated Signaling Points of Interconnection that provide appropriate physical diversity.
- 10.2.2 <u>Technical Requirements</u>
- 10.2.3 Signaling Link Transport shall consist of full duplex mode 56 kbps transmission paths and shall perform in the following two ways:
- 10.2.3.1 As an "A-link" Signaling Link Transport is a connection between a switch or SCP and a home Signaling Transfer Point switch pair; and
- 10.2.3.2 As a "B-link" Signaling Link Transport is a connection between two Signaling Transfer Point switch pairs in different company networks (e.g., between two Signaling Transfer Point switch pairs for two CLECs).
- 10.2.4 Signaling Link Transport shall consist of two (2) or more signaling link layers as follows:

- 10.2.4.1 An A-link layer shall consist of two (2) links.
- 10.2.4.2 A B-link layer shall consist of four (4) links.
- 10.2.4.3 A signaling link layer shall satisfy interoffice and intraoffice diversity of facilities and equipment, such that:
- 10.2.4.4 No single failure of facilities or equipment causes the failure of both links in an Alink layer (i.e., the links should be provided on a minimum of two (2) separate physical paths end-to-end); and
- 10.2.4.5 No two (2) concurrent failures of facilities or equipment shall cause the failure of all four (4) links in a B-link layer (i.e., the links should be provided on a minimum of three separate physical paths end-to-end).
- 10.2.5 Interface Requirements
- 10.2.5.1 There shall be a DS1 (1.544 Mbps) interface at USA Telephone's designated SPOIs. Each 56 kbps transmission path shall appear as a DS0 channel within the DS1 interface.

10.3 Signaling Transfer Points

- 10.3.1 A STP is a signaling network function that includes all of the capabilities provided by the signaling transfer point switches (STPS) and their associated signaling links that enables the exchange of SS7 messages among and between switching elements, database elements and signaling transfer point switches.
- 10.3.2 <u>Technical Requirements</u>
- 10.3.2.1 STPs shall provide access to BellSouth Local Switching or Tandem Switching and to BellSouth Service Control Points/Databases connected to BellSouth SS7 network. STPs also provide access to third-party local or tandem switching and third-party-provided STPs.
- 10.3.2.2 The connectivity provided by STPs shall fully support the functions of all other Network Elements connected to the BellSouth SS7 network. This includes the use of the BellSouth SS7 network to convey messages that neither originate nor terminate at a signaling end point directly connected to the BellSouth SS7 network (i.e., transit messages). When the BellSouth SS7 network is used to convey transit messages, there shall be no alteration of the Integrated Services Digital Network User Part or Transaction Capabilities Application Part (TCAP) user data that constitutes the content of the message.
- 10.3.2.3 If a BellSouth tandem switch routes traffic, based on dialed or translated digits, on SS7 trunks between a USA Telephone local switch and third party local switch, the BellSouth SS7 network shall convey the TCAP messages that are necessary to

provide Call Management features (Automatic Callback, Automatic Recall, and Screening List Editing) between USA Telephone local STPs and the STPs that provide connectivity with the third party local switch, even if the third party local switch is not directly connected to BellSouth STPs.

- 10.3.2.4 STPs shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as defined in Telcordia ANSI Interconnection Requirements. This includes GTT and SCCP Management procedures, as specified in ANSI T1.112.4. Where the destination signaling point is a USA Telephone or third party local or tandem switching system directly connected to BellSouth SS7 network, BellSouth shall perform final GTT of messages to the destination and SCCP Subsystem Management of the destination. In all other cases, BellSouth shall perform intermediate GTT of messages to a gateway pair of STPs in an SS7 network connected with BellSouth SS7 network and shall not perform SCCP Subsystem Management of the destination. If BellSouth performs final GTT to a USA Telephone database, then USA Telephone agrees to provide BellSouth with the Destination Point Code for USA Telephone database.
- 10.3.2.5 STPs shall provide all functions of the Operations, Maintenance and Administration Part (OMAP) as specified in applicable industry standard technical references, which may include, where available in BellSouth's network, MTP Routing Verification Test (MRVT) and SCCP Routing Verification Test (SRVT).
- 10.3.2.6 Where the destination signaling point is a BellSouth local or tandem switching system or database, or is a USA Telephone or third party local or tandem switching system directly connected to the BellSouth SS7 network, STPs shall perform MRVT and SRVT to the destination signaling point. In all other cases, STPs shall perform MRVT and SRVT to a gateway pair of STPs in an SS7 network connected with the BellSouth SS7 network. This requirement may be superseded by the specifications for Internetwork MRVT and SRVT when these become approved ANSI standards and available capabilities of BellSouth STPs.

10.4 <u>SS7</u>

- 10.4.1 When technically feasible and upon request by USA Telephone, SS7 AIN Access shall be made available in association with switching. SS7 AIN Access is the provisioning of AIN 0.1 triggers in an equipped BellSouth local switch and interconnection of the BellSouth SS7 network with USA Telephone's SS7 network to exchange TCAP queries and responses with a USA Telephone SCP.
- 10.4.2 SS7 AIN Access shall provide USA Telephone SCP access to an equipped BellSouth local switch via interconnection of BellSouth's SS7 and USA Telephone SS7 Networks. BellSouth shall offer SS7 AIN Access through its STPs. If BellSouth requires a mediation device on any part of its network specific to this form of access, BellSouth must route its messages in the same manner. The interconnection arrangement shall result in the BellSouth local switch recognizing

the USA Telephone SCP as at least at parity with BellSouth's SCPs in terms of interfaces, performance and capabilities.

- 10.4.3 Interface Requirements
- 10.4.3.1 BellSouth shall provide the following STP options to connect USA Telephone or USA Telephone-designated local switching systems to the BellSouth SS7 network:
- 10.4.3.1.1 An A-link interface from USA Telephone local switching systems; and,
- 10.4.3.1.2 A B-link interface from USA Telephone local STPs.
- 10.4.3.2 Each type of interface shall be provided by one or more layers of signaling links.
- 10.4.3.3 The Signaling Point of Interconnection for each link shall be located at a crossconnect element in the CO where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the SPOIs. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
- 10.4.3.4 BellSouth shall provide intraoffice diversity between the SPOI and BellSouth STPs so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- 10.4.3.5 STPs shall provide all functions of the MTP as defined in the applicable industry standard technical references.
- 10.4.4 <u>Message Screening</u>
- 10.4.4.1 BellSouth shall set message screening parameters so as to accept valid messages from USA Telephone local or tandem switching systems destined to any signaling point within BellSouth's SS7 network where the USA Telephone switching system has a valid signaling relationship.
- 10.4.4.2 BellSouth shall set message screening parameters so as to pass valid messages from USA Telephone local or tandem switching systems destined to any signaling point or network accessed through BellSouth's SS7 network where the USA Telephone switching system has a valid signaling relationship.
- 10.4.4.3 BellSouth shall set message screening parameters so as to accept and pass/send valid messages destined to and from USA Telephone from any signaling point or network interconnected through BellSouth's SS7 network where the USA Telephone SCP has a valid signaling relationship.

10.5 Service Control Points (SCP)/Databases

10.5.1 Call Related Databases provide the storage of, access to, and manipulation of information required to offer a particular service and/or capability. BellSouth shall

provide access to the following Databases: Local Number Portability, LIDB, Toll Free Number Database, Automatic Location Identification/Data Management System, and Calling Name Database. BellSouth also provides access to Service Creation Environment and Service Management System (SCE/SMS) application databases and Directory Assistance.

- 10.5.2 A SCP is deployed in a SS7 network that executes service application logic in response to SS7 queries sent to it by a switching system also connected to the SS7 network. Service Management Systems provide operational interfaces to allow for provisioning, administration and maintenance of subscriber data and service application data stored in SCPs.
- 10.5.3 <u>Technical Requirements for SCPs/Databases</u>
- 10.5.3.1 BellSouth shall provide physical access to SCPs through the SS7 network and protocols with TCAP as the application layer protocol.
- 10.5.3.2 BellSouth shall provide physical interconnection to databases via industry standard interfaces and protocols (e.g. SS7, ISDN and X.25).
- 10.5.3.3 The reliability of interconnection options shall be consistent with requirements for diversity and survivability.

10.6 Local Number Portability Database

10.6.1 The Permanent Number Portability (PNP) database supplies routing numbers for calls involving numbers that have been ported from one local service provider to another. BellSouth agrees to provide access to the PNP database at rates, terms and conditions as set forth by BellSouth and in accordance with an effective FCC or Commission directive.

10.7 SS7 Network Interconnection

- 10.7.1 SS7 Network Interconnection is the interconnection of USA Telephone local signaling transfer point switches or USA Telephone local or tandem switching systems with BellSouth signaling transfer point switches. This interconnection provides connectivity that enables the exchange of SS7 messages among BellSouth switching systems and databases, USA Telephone local or tandem switching systems, and other third-party switching systems directly connected to the BellSouth SS7 network.
- 10.7.2 The connectivity provided by SS7 Network Interconnection shall fully support the functions of BellSouth switching systems and databases and USA Telephone or other third-party switching systems with A-link access to the BellSouth SS7 network.

- 10.7.3 If traffic is routed based on dialed or translated digits between a USA Telephone local switching system and a BellSouth or other third-party local switching system, either directly or via a BellSouth tandem switching system, then it is a requirement that the BellSouth SS7 network convey via SS7 Network Interconnection the TCAP messages that are necessary to provide Call Management services (Automatic Callback, Automatic Recall, and Screening List Editing) between the USA Telephone local signaling transfer point switches and BellSouth or other third-party local switch.
- 10.7.4 SS7 Network Interconnection shall provide:
- 10.7.4.1 Signaling Data Link functions, as specified in ANSI T1.111.2;
- 10.7.4.2 Signaling Link functions, as specified in ANSI T1.111.3; and
- 10.7.4.3 Signaling Network Management functions, as specified in ANSI T1.111.4.
- 10.7.5 SS7 Network Interconnection shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as specified in ANSI T1.112. This includes GTT and SCCP Management procedures as specified in ANSI T1.112.4. Where the destination signaling point is a BellSouth switching system or DB, or is another third-party local or tandem switching system directly connected to the BellSouth SS7 network, SS7 Network Interconnection shall include final GTT of messages to the destination and SCCP Subsystem Management of the destination. Where the destination signaling point is a USA Telephone local or tandem switching system, SS7 Network Interconnection shall include intermediate GTT of messages to a gateway pair of USA Telephone local STPs and shall not include SCCP Subsystem Management of the destination.
- 10.7.6 SS7 Network Interconnection shall provide all functions of the Integrated Services Digital Network User Part as specified in ANSI T1.113.
- 10.7.7 SS7 Network Interconnection shall provide all functions of the TCAP as specified in ANSI T1.114.
- 10.7.8 If Internetwork MRVT and SRVT become approved ANSI standards and available capabilities of BellSouth STPs, SS7 Network Interconnection may provide these functions of the OMAP.
- 10.7.9 Interface Requirements
- 10.7.9.1 The following SS7 Network Interconnection interface options are available to connect USA Telephone or USA Telephone-designated local or tandem switching systems or signaling transfer point switches to the BellSouth SS7 network:
- 10.7.9.1.1 A-link interface from USA Telephone local or tandem switching systems; and

- 10.7.9.1.2 B-link interface from USA Telephone STPs.
- 10.7.9.2 The Signaling Point of Interconnection for each link shall be located at a crossconnect element in the central office where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the Signaling Points of interconnection. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
- 10.7.9.3 BellSouth shall provide intraoffice diversity between the Signaling Points of Interconnection and the BellSouth STP, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- 10.7.9.4 The protocol interface requirements for SS7 Network Interconnection include the MTP, ISDNUP, SCCP, and TCAP. These protocol interfaces shall conform to the applicable industry standard technical references.
- 10.7.9.5 BellSouth shall set message screening parameters to accept messages from USA Telephone local or tandem switching systems destined to any signaling point in the BellSouth SS7 network with which the USA Telephone switching system has a valid signaling relationship.

11 Automatic Location Identification/Data Management System (ALI/DMS)

- 11.1 The ALI/DMS Database contains End User information (including name, address, telephone information, and sometimes special information from the local service provider or End User) used to determine to which PSAP to route the call. The ALI/DMS database is used to provide enhanced routing flexibility for E911. USA Telephone will be required to provide BellSouth daily updates to E911 database. USA Telephone shall also be responsible for providing BellSouth with complete and accurate data for submission to the 911/E911 database for the purpose of providing 911/E911 service to its End Users.
- 11.2 Technical Requirements
- 11.2.1 BellSouth shall provide USA Telephone the capability of providing updates to the ALI/DMS database. BellSouth shall provide error reports from the ALI/DMS database to USA Telephone after USA Telephone provides End User information for input into the ALI/DMS database.
- 11.2.2 USA Telephone shall conform to the National Emergency Number Association (NENA) recommended standards for LNP and updating the ALI/DMS database.

12 Calling Name Database Service

- 12.1 CNAM is the ability to associate a name with the calling party number, allowing the End User (to which a call is being terminated) to view the calling party's name before the call is answered. The calling party's information is accessed by queries launched to the CNAM database. This service also provides USA Telephone the opportunity to load and store its subscriber names in the BellSouth CNAM SCPs.
- USA Telephone shall submit to BellSouth a notice of its intent to access and utilize BellSouth CNAM Database Services. Said notice shall be in writing no less than sixty (60) calendar days prior to USA Telephone's access to BellSouth's CNAM Database Services and shall be addressed to USA Telephone's Local Contract Manager.
- 12.3 BellSouth's provision of CNAM Database Services to USA Telephone requires interconnection from USA Telephone to BellSouth CNAM SCPs. Such interconnections shall be established pursuant to Attachment 3 of this Agreement.
- 12.4 In order to formulate a CNAM query to be sent to the BellSouth CNAM SCP, USA Telephone shall provide its own CNAM SSP. USA Telephone's CNAM SSPs must be compliant with TR-NWT-001188, "CLASS Calling Name Delivery Generic Requirements".
- 12.5 If USA Telephone elects to access the BellSouth CNAM SCP via a third party CCS7 transport provider, the third party CCS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish CCS7 interconnection at the BellSouth Local Signal Transfer Points (LSTPs) serving the BellSouth CNAM SCPs that USA Telephone desires to query.
- 12.6 If USA Telephone queries the BellSouth CNAM SCP via a third party national SS7 transport provider, the third party SS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish SS7 interconnection at one or more of the BellSouth Gateway STPs. The payment of all costs associated with the transport of SS7 signals via a third party will be established by mutual agreement of the Parties and this Agreement shall be amended in accordance with modification of the General Terms and Conditions incorporated herein by this reference.
- 12.7 The mechanism to be used by USA Telephone for initial CNAM record load and/or updates shall be determined by mutual agreement. The initial load and all updates shall be provided by USA Telephone in the BellSouth specified format and shall contain records for every working telephone number that can originate phone calls. It is the responsibility of USA Telephone to provide accurate information to BellSouth on a current basis.

- 12.8 Updates to the SMS shall occur no less than once a week, reflect service order activity affecting either name or telephone number, and involve only record additions, deletions or changes.
- 12.9 USA Telephone CNAM records provided for storage in the BellSouth CNAM SCP shall be available, on a SCP query basis only, to all Parties querying the BellSouth CNAM SCP. Further, CNAM service shall be provided by each Party consistent with state and/or federal regulation.

13 Service Creation Environment and Service Management System (SCE/SMS) Advanced Intelligent Network Access

- 13.1 BellSouth's SCE/SMS AIN Access shall provide USA Telephone the capability to create service applications in a BellSouth SCE and deploy those applications in a BellSouth SMS to a BellSouth SCP.
- 13.2 BellSouth's SCE/SMS AIN Access shall provide access to SCE hardware, software, testing and technical support (e.g., help desk, system administrator) resources available to USA Telephone. Training, documentation, and technical support will address use of SCE and SMS access and administrative functions but will not include support for the creation of a specific service application.
- 13.3 BellSouth SCP shall partition and protect USA Telephone service logic and data from unauthorized access.
- 13.4 When USA Telephone selects SCE/SMS AIN Access, BellSouth shall provide training, documentation, and technical support to enable USA Telephone to use BellSouth's SCE/SMS AIN Access to create and administer applications.
- 13.5 USA Telephone access will be provided via remote data connection (e.g., dial-in, ISDN).
- 13.6BellSouth shall allow USA Telephone to download data forms and/or tables to
BellSouth SCP via BellSouth SMS without intervention from BellSouth.

14 <u>Operational Support Systems</u>

- 14.1 BellSouth has developed and made available electronic interfaces by which USA Telephone may submit LSRs electronically.
- 14.2 LSRs submitted by means of one of these electronic interfaces will incur an OSS electronic ordering charge. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (mail, fax, courier, etc.) will incur a manual order charge. All OSS charges are specified in Exhibit A of this Attachment.
- 14.3 Denial/Restoral OSS Charge

Attachment 2

- Page 63
- 14.3.1 In the event USA Telephone provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and therefore will be billed as one LSR per location.
- 14.4 <u>Cancellation OSS Charge</u>
- 14.4.1 USA Telephone will incur an OSS charge for an accepted LSR that is later canceled.
- 14.5 Supplements or clarifications to a previously billed LSR will not incur another OSS charge.
- 14.6 Network Elements and Other Services Manual Additive
- 14.6.1 The Commissions in some states have ordered per element manual additive nonrecurring charges (NRC) for Network Elements and Other Services ordered by means other than one of the interactive interfaces. These ordered Network Elements and Other Services manual additive NRCs will apply in these states, rather than the charge per LSR. The per element charges are listed in Exhibit A.

UNBL		NETWORK ELEMENTS - Elorida												Attach	ment: 2	Exhi	bit: A
	NDEEL		Г				1					Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
CATEGORY												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Flec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
		RATE ELEMENTS	Inten	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs	Order vs	Order vs	Order vs
			m											Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														1		<u> </u>	L
							Rec	Nonree	curring	Nonrecurring	g Disconnect	0.0115.0		OSS	Rates (\$)		
							···	First	Add	First	Add'l	SOMEC	SOMAN	SOMAN	SUMAN	SUMAN	SUMAN
	The "7	no" chown in the cactions for stand along loops or loops as	nart of	a comi	hingtion refere to Ge	ographicall	N Deaveraged III	NE Zones To	VIEW Geograp	hically Deaver	l aged UNE Zopi	Designation	ns by Cent	ral Office refe	er to internet	Website	
	hite Zo	shown in the sections for stand-alone loops of loops as	part of	a com	m	ographican	y Deaverageu U	NE ZONES TO	view Geograp	incarry Deavers	aged one zon	e Deargnain	Jila by Gein	tial Office, res	er to internet	Neballe.	
OPERA		SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	Connec				1			[r	1			
	NOTE	(1) CLEC should contact its contract negotiator if it prefers th	e "state	specif	ic" OSS charges as	ordered by	the State Comm	ssions. The	OSS charges c	urrently contai	ined in this rat	e exhibit ari	the BellSo	uth "regional	" service orde	ring charges	CLEC may
	elect el	ther the state specific Commission ordered rates for the servi	ce orde	ring ch	arges or CLEC may	elect the re	oional service o	ordering charg	e. however. Cl	EC can not of	otain a mixture	of the two	regardiess i	f CLEC has a	interconnecti	on contract e	stablished in
	each of	the 9 states	00 0100				9.0										
	NOTE:	(2) Any element that can be ordered electronically will be bill	ed acco	ordina	to the SOMEC rate lu	sted in this	category Pleas	se refer to Bell	South's Local	Ordering Hand	lbook (LOH) to	determine	if a product	can be order	ed electronica	ally. For thos	e elements
	that car	nnot be ordered electronically at present per the LOH, the list	ed SON	IEC rat	e in this category ref	lects the ch	arge that would	be billed to a	CLEC once el	ectronic orderi	ing capabilities	come on-li	ne for that	element Oth	erwise, the ma	anual orderin	g charge,
	SOMAN	I will be applied to a CLECs bill when it submits an LSR to B	ellSout	h	- ···						5.				-		
		OSS - Electronic Service Order Charge, Per Local Service		1							T	T			1		
		Request (LSR) - UNE Only				SOMEC		3 50	0.00	3 50	0 00						
		OSS - Manual Service Order Charge, Per Local Service Request															
		(LSR) - UNE Only		1		SOMAN		11 90	0.00	1 83	0 00						
UNE S	ERVICE	DATE ADVANCEMENT CHARGE															
	NOTE.	The Expedite charge will be maintained commensurate with	BellSou	th's FO	CC No 1 Tariff, Sectio	n 5 as appl	ıcable									L	
													1	ļ			
					UAL, UEANL, UCL,												
					UEF, UDF, UEQ,							1		1			
					UDL UENTW. UDN,							1		1			
			ł		UEA, UHL, ULC,							1					
					USL, 01112, 01148,												
	1																
					UCICC, UCICL								•				
					UC1DC, UC1DL.	i					1			ł			
					UC1EC, UC1EL,	i							Í				
					UC1FC, UC1FL,								1				
					UC1GC, UC1GL,					1			1	1			
					UC1HC, UC1HL												
					UDL12, UDL48,							}					· ·
					UDLO3, UDLSX,												
					UE3, ULD12,		1				ł						
				1	ULD48, ULDD1,												
					ULDD3, ULDDX,						1						
					ULDO3, ULDS1,						1						
					ULDVX, UNC1X,					1	1						
					UNC3X, UNCDX.												
	1				UNCNX UNCSX,								1				ł
					UNCVX. UNLD1,												ł
												1					
ļ		UNIT Franciska Oberen eine Oren ist en Line Anerenehie 110000 eine		1			1										
		Double Experie Charge per Circuit or Line Assignable USOC, per				COACD		200.00									
UNBU			ł	+	UTIOD, UTION	John		200 00	t		+		1	1		1	
0.000	2-WIRF	ANALOG VOICE GRADE LOOP		1			1		· · ·	<u> </u>	1		1	+ · · · ·	1	1	<u> </u>
	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	1	1	UEANL	UEAL2	10 69	49 57	22 83	25 62	6 57			1	1	1	
	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	1	2	UEANL	UEAL2	15 20	49 57	22 83	25 62	6 57	1	I				
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	26 97	49 57	22 83	25 62	6 57						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEASL	10 69	49 57	22 83	25 62	6 57						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEASL	15 20	49 57	22 83	25 62	6 57					1	
	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		З	UEANL	UEASL	26 97	49 57	22 83	25 62	6 57						
	1	Unbundled Miscellaneous Rate Element, Tag Loop at End User				1	1					1					1
		Premise	ļ		UEANL	URETL		8 33	0.83		-			+			
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		48 65	48 65							+	
]	Loop Testing - Basic Additional Half Hour			UEANL	URETA		23 95	23 95		-						

UNBU	NDLE	D NETWORK ELEMENTS - Florida												Attach	ment 2	Exhi	bit: A
CATEGORY		RATE ELEMENTS	RATE ELEMENTS Interi m Zone BCS USOC RATES (\$)									Svc Order Svc Orde Submitted Submitte Elec Manuall per LSR per LSF		Incremental Charge - Manual Svc Order vs			
														Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
							Rec	Nonre	curring	Nonrecurring	Disconnect			OSS	Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		CLEC to CLEC Conversion Charge without Outside Dispatch						15 79	8.04								
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST				UNEWO		1378	0 94								
		providing make-up (Engineering Information - EI)			UEANL	UEANM		13 49									
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		9 00	9 00								
•		Order Coordination for Specified Conversion Time for UVL-SL1															
	2-WIRE	(per LSR)			UEANL	UCOSL		23 02									
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1	1	1	UEQ	UEQ2X	7 69	44 98	20 90	24 88	- 6 45						
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	1	2	UEQ	UEQ2X	10 92	44 98	20 90	24 88	6 45						
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	_	3	UEQ	UEQ2X	19 38	44 98	20 90	24 88	6 45						
		Unbundled Miscellaneous Rate Element, Tag Loop at End User				UDET		0.32	0.02								
		Mapual Order Coordination 2 Wire Unbundled Conner Loon -						0.33	0.83								
		Non-Designed (per loop)			UEQ	USBMC		9 00									1
		Unbundled Copper Loop, Non-Design Cooper Loop, billing for													-		
		BST providing make-up (Engineering Information - E1)			UEQ	UEQMU		13 49				·					
		Loop Testing - Basic 1st Half Hour						48 65	48 65								i
		CLEC to CLEC Conversion Charge Without Outside Dispatch				UNLIN		23.55	23 55								
		(UCL-ND)			UEQ	UREWO		14 27	7 43								
UNBUN	DLED E	XCHANGE ACCESS LOOP									· · ·						
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR UEPSB	UEALS	10 69	49 57	22 83	25 62	6 57						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		.1	UEPSR UEP\$B	UEAB\$	10 69	49 57	22 83	25 62	6 57						
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2		2	UEPSR UEPSB	UEALS	15 20	49 57	22 83	25 62	6 57						
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2		2		UEARS	15 20	40.57	22.83	25.62	6.57						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		-			15 20	43.57	22 03	23 02	0.57						
<u> </u>		Zone 3		3	UEPSR UEPSB	UEALS	26 97	49 57	22 83	25 62	6 57						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-				UEADO	00.07	40.57		05.00	6.57						
UNBUN		XCHANGE ACCESS LOOP			DEPSK DEPSB	UEABS	20.97	49.57	22 63	23.62	. 0.5/						
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
		Ground Start Signaling - Zone 1		1	UEA	UEAL2	12 24	135 75	82 47	63 53	12 01						
		2-wire Analog voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2		2	UEA	UEAL2	17.40	135 75	82.47	63 53	12 01						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		-				100 10	02.41	00.00	12 01						
		Ground Start Signaling - Zone 3		3	UEA	UEAL2	30 87	135 75	82 47	63 53	12 01						
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23 02									
1		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Batten/ Signaling - Zone 1		1	HEA	LIEADO	12.24	126 76	P2 47	63 53	12.01						
	-	2-Wire Apalog Voice Grade Loop - Service Level 2 w/Reverse			DEA	UEAR2	12 24	13575	02 41	63 55	12 01						├ ───┤
1		Battery Signaling - Zone 2		2	UEA	UEAR2	17 40	135 75	82 47	63 53	12 01						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
		Baltery Signaling - Zone 3		3	UEA	UEAR2	_30 87	135 75	82 47	63 53	12 01						
		Cliec to Cliec Conversion Charge without outside dispatch				UREMO	+	23 02	26.25								
<u> </u>		Loop Tagging - Service Level 2 (SL2)		†	UEA	URETL		11 21	1 10			+					<u> </u>
	4-WIRE	ANALOG VOICE GRADE LOOP		1			<u> </u>		. 10			1					
		4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	18 89	167 86	115 15	67 08	15 56						
		4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	26 84	167 86	115 15	67 08	15 56						
		Order Coordination for Specified Conversion Time (per LSR)		13		IDCOSI	4/ 62	10/86	115 15	67.08	15 56						
		CLEC to CLEC Conversion Charge without outside dispatch			UÉA	UREWO		87 71	36 35			<u> </u>					

LIMB		NETWORK ELEMENTS Elevide			····									Attach	mont 7	Evh	hit: A
UNBUNDLE		SINETWORK ELEMENTS - FIOTUA		1.			1					0	Cure Curden	Attach	te en en en tel	LAII	dia mandal
				1								Svc Order	Svc Order	Incremental	Incremental	ncremental	Charge
												Submitted	Submitted	Charge -	Charge -	Criarge -	Charge -
CATE		RATE ELEMENTS	Intern	7	BCE	11800			DATES (C)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORT		RATE ELEMENTS	m	Zone	603	0300			IGATES (4)			perLSR	perLSR	Order vs.	Order vs.	Order vs	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'i
· · · ·	1							Nonrec		Nonrecurring	Disconnect			055	Rates (\$)		I
	++						Rec	First	Add'i	First		SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-WIRE	ISON DIGITAL GRADE LOOP										00	0000000	001117111	0011111	0011111	
		2-Wire ISDN Digital Grade Loop - Zone 1		1	UDŃ	U1L2X	19 28	147 69	94.41	62.23	10 71						
	++	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U112X	27 40	147 69	94.41	62 23	10.71						
		2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	48 62	147 69	94 41	62 23	10 71				· ·		
		Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		23 02									
-		CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91 61	44 15								
	2-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOP							1						
		2 Wire Unbundled ADSL Loop including manual service inquiry		T													
		& facility reservation - Zone 1		1	UAL	UAL2X	8 30	149 53	103 85	75 05	15 63						
	1	2 Wire Unbundled ADSL Loop including manual service inquiry															
		& facility reservation - Zone 2		2	UAL	UAL2X	11 80	149 53	103 85	75 05	15 63						
		2 Wire Unbundled ADSL Loop including manual service inquiry															
		& facility reservation - Zone 3		3	UAL	UAL2X	20 94	149 53	103 85	75 05	15 63				1		
		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		23 02									
		2 Wire Unbundled ADSL Loop without manual service inquiry &															
1		facility reservation - Zone 1		1	UAL	UAL2W	8 30	124 83	71 12	60 64	9 12						
		2 Wire Unbundled ADSL Loop without manual service inquiry &															
		facility reservaton - Zone 2		2	UAL	UAL2W	11 80	124 83	71 12	60 64	9 12						
		2 Wire Unbundled ADSL Loop without manual service inquiry &											-				
		facility reservaton - Zone 3		3	UAL	UAL2W	20 94	124 83	71 12	60 64	9 12						
		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		23 02									
		CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86 19	40 39								
	2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
		2 Wire Unbundled HDSE Loop including manual service inquiry					1 1										
		& facility reservation - Zone 1		1	UHL	UHL2X	7 22	159 09	113 41	75 05	15 63		ļ				
		2 Wire Unbundled HDSL Loop including manual service inquiry										I					
	+ 1	& facility reservation - Zone 2		2	UHL	UHL2X	10 26	159 09	113,41	75.05	15 63						
	÷	2 Wire Unbundled HDSL Loop including manual service inquiry															<u> </u>
	+	& facility reservation - Zone 3		3	UHL	UHL2X	18 21	159 09	113 41	75 05	15 63						
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23 02									l
	1	2 Wire Unbundled HDSL Loop without manual service inquiry					7.00	121.10									1
		and facility reservation - Zone 1		1	UHL	UHL2W	122	134 40	80.69	60.64	912						
		2 Wire Unbundled HUSE Loop without manual service inquiry				10.00	10.26	124.40	90.60	60.64	0.10						
		and facility reservation - 20ne 2		2	UHL	UHLZW	10.26	134 40	00.09	60.04	912						
		2 wire Unbundled HUSE Loop without manual service inquiry				11111 2144	10.01	124.40	90.60	60.64	0.42						
	1	And facility reservation - Zone 5		3			10 21	134 40	00.09	00.04	912						
· · · ·		Cher Coordination for Specified Conversion time (per LSR)		-		UBENO		23 02	40.20	<u> </u>							
		HIGH BIT PATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE		UNL			00.12	40.35								
		4 Wire Hohundled HDSL Loop including manual service including		1			1										+
1	$\left \right $	and facility reservation - Zone 1		1	ини	UHLAX	10.86	193 31	138 98	77 15	12.61				1		
		4-Wire Linburdled HDSL Loop including manual service inquint		<u> </u>		UTIL47	10 00	100 01	130 50		12 01						
	1 1	and facility reservation - Zone 2		2		UHLAX	15.44	193 31	138.08	77 15	12.61						
	1	4-Wire 1 houndled HDSL Loop including manual service including		2		UTIERA	10 44	135 01	100 00	1110	12 01						
		and facility reservation - Zone 3		3	iusi	UHL4X	27.39	193 31	138.98	77 15	12.61						
	1	Order Coordination for Specified Conversion Time (per LSR)		Ť				23.02	100 00	1110		1					<u>+</u>
		4-Wire Unbundled HDSL Loon without manual service inquiry				00002		20 02									
		and facility reservation - Zone 1		1	ин	UHL4W	10.86	168 62	115 47	62.74	11 22				1		
		4-Wire Unbundled HDSL Loop without manual service induiry		† .			<u> </u>			1	1						†
1		and facility reservation - Zone 2		2	UHL	UHL4W	15 44	168 62	115 47	62 74	11 22						
	1	4-Wire Unbundled HDSL Loop without manual service inquiry		<u> </u>	t	1-1-112-11	1			1	1			1	1		t
		and facility reservation - Zone 3		3	UHL	UHL4W	27 39	168 62	115.47	62 74	11 22						ł
	+	Order Coordination for Specified Conversion Time (per LSR)		Ť	UHL	OCOSL	1 2. 35	23 02		1	1	1					1
		CLEC to CLEC Conversion Charge without outside dispatch		1	UHL	UREWO	† I	86 12	40.39	1		-		1	· · · · ·		t
	4-WIRE	DS1 DIGITAL LOOP		1	i	<u> </u>	1			1	1	1		1	l		<u>†</u>
		4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	70 74	313 75	181 48	61 22	13 53				[
		4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	100 54	313 75	181 48	61 22	13 53		1	1	1		1
		4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	178 39	313 75	181 48	61 22	13 53	1	T		[
[1	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		23 02		T	r -	1	1	1.	1		1

UNBL	INDLE	D NETWORK ELEMENTS - Florida					-							Attach	ment: 2	Exh	ibit A
0				1		1						Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEO	GORY	RATE ELEMENTS	Inten	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs	Order vs
			1											Electronic-	Electronic-	Electronic-	Electronic-
				1										1st	Add'l	Disc 1st	Disc Add'l
			1		· · · · ·		ļ,							l			
							Rec	Nonrec	curring	Nonrecurring	Disconnect			OSS	Rates (\$)		
I				_				First	Add'	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4.10000	CLEC to CLEC Conversion Charge without outside dispatch	-		USL	UREWO		101.07	43.04				l	·			
	4-WIRE	19 Z, 56 OR 64 KBPS DIGITAL GRADE LOOP		-			00.00	104 50	100.05	07.00	45.50						
		4 Wire Unbundled Digital 19 2 Kops		1		UDL19	22 20	161 56	108 85	67.08	15 50			į		ļ	
		4 Wire Unbundled Digital 19.2 Kbps		4			55.00	101 30	100 03	67.08	15 30						
		4 Wire Unbundled Digital Loop 56 Kbps - Zope 1		1			22 20	161 56	108.85	67.08	15 50						
	· · · ·	4 Wire Unbundled Digital Loop 56 Kbps - Zone 7		2		UDL 56	31.56	161 56	108.85	67.08	15 56	+ •• •			· · ·		1
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3		UDI 56	55.99	161.56	108 85	67.08	15 56						
	+	Order Coordination for Specified Conversion Time (ner LSR)		Ť		locosi	00.00	23.02	100 00	0.00	1000	1			· ·	(
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	1	1	UDL	UDL64	22 20	161 56	108 85	67 08	15 56						
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	31 56	161 56	108 85	67 08	15 56			1			
	1	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	55 99	161 56	108 85	67 08	15 56						
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		23 02									
		CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102 11	49 74								
	2-WIRE	Unbundled COPPER LOOP															
		2-Wire Unbundled Copper Loop-Designed including manual		1													
		service inquiry & facility reservation - Zone 1	J	1	UCL	UCLPB	8 30	148 50	102 82	75 05	15 63						
		2-Wire Unbundled Copper Loop-Designed including manual	1														
	1	service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	11 80	148 50	102.82	75.05	15.63		· · · · · ·				-
		2 Wire Unbundled Copper Loop-Designed including manual	1		10		20.04	149 50	102.92	75.05	15.62						1
		Service inquiry & facility reservation - Zone 3					20.94	146 50	102 82	75.05	15 03	+			1		
		2-Wire Unbundled Cooper Loop-Designed without manual			UCL	UGENIC		500	500								1.
		service induitive and facility reservation - Zone 1		1	luci	UCLEW	8.30	123.81	70.09	60.64	9.12						
		2-Wire Unbundled Copper Loop-Designed without manual	1	+ ·		1000.11						1		-			1.
		service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	11 80	123 81	70 09	60 64	9 12						
	1	2-Wire Unbundled Copper Loop-Designed without manual		+											1		
		service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	20 94	123 81	70 09	60 64	9 12						
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9 00	9 00				-				
		CLEC to CLEC Conversion Charge without outside dispatch										1					1
		(UCL -Des)			UCL	UREWO		97 21	42 47								
	4-WIRE	COPPER LOOP		-													
		4-Wire Copper Loop-Designed including manual service inquiry	1						100 00								
		and facility reservation - Zone 1		1	UCL	UCL4S	11 83	177.87	132 76	// 15	17 73	+					
	1	4-Wire Copper Loop-Designed including manual service inquiry			ue	110140	10.01	177.97	100.76	77.15	17 79						
	-	and facility reservation - Zone Z	-	2	UCL	UÇL4S	16.81	1// 8/	132 /6	1/ 15	1/ /3						
		4-while Copper Loop-Designed including mandal service inquiry		1 2	100	110148	20.82	177 97	122 76	77.15	17 73		1	1			
		Order Coordination for Linbundled Conner Loops (per loop)				LICEMC	2302	00.0	9.00	1113	1775						
		4-Wire Copper Loop-Designed without manual service induity			002	U U U U		000	000	1	· · ·		1	1	1	1	1
		and facility reservation - Zone 1		1	UCL	UCL4W	11 83	153 18	100 03	62 74	11 22		1	1		1	
		4-Wire Copper Loop-Designed without manual service inquiry				100-11						+	1				1
		and facility reservation - Zone 2		2	UCL	UCL4W	16 81	153 18	100 03	62 74	11 22	1					
		4-Wire Copper Loop-Designed without manual service inquiry															
		and facility reservation - Zone 3		3	UCL	UCL4W	29 82	153 18	100 03	62 74	11 22						
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9 00	9 00								
		CLEC to CLEC Conversion Charge without outside dispatch			UCL	UREWO		97 21	42 47								
LOOP	MODIFI	CATION												1			
1					UAL, UHL, UCL.		1				ł						
		Habundled Loop Medification, Removal of Lood Carls, D.Witte	1	1	UEQ, ULS, UEA,						l		1				
		portunated Loop Modification, Removal of Load Colls - 2 Wife	1		UEPER	UL MOI		0.00	0.00				[1	
		Line and the second sec	1		UCFOD			0.00	0.00		ļ	+ • • • -	<u> </u>	+		1	+
		less than or equal to 18K ft, per Linbundled Loop	1	1		LIL MAI		0.00	0.00	1	1			1			
	+	meter man or equal to rest it, per emberidied Loop	1	1	UAL UHL UCI	- OCIME		0.00	0.00	1			1	1		1	+
1			1	1	UEQ, ULS. UEA				1	1	1		1			1	
		Unbundled Loop Modification Removal of Bridged Tap Removal.	.		UEANL, UEPSR.									1		1	
		per unbundled loop			UEPSB	ULMBT		10 52	10 52		I						
SUB-L	OOPS												1				
UNBU	NDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
----------	--------	----------------------------------------------------------------------	------------	------	--------------------	---------	--------	--------	------------	-------------	------------	-------------------------------------------	-----------------------------------------------	-------------------------------------------------------------------	------------------------------------------------------------------	------------------------------------------------------------------	------------------------------------------------------------------
CATEG	ORY	RATE ELEMENTS	Inten m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs Electronic-	Incremental Charge - Manual Svc Order vs Electronic-	Incremental Charge - Manual Svc Order vs Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
				1			-	Nonre	curring	Nonrecurrin	Disconnect		I	OSS	Rates (\$)		1
							Kec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMÁN	SOMAN	SOMAN
	Sub-Lo	op Distribution							[
		Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Up	I		UEANL	USBSA		487 23									
		Out- Land Day Orace Devil another Day Of Day Devel Oct Lin				LIODOD		0.05									
		Sub-Loop - Per Cross Box Location - Per 25 Pail Panel Sel-Op	<u> </u>	+	UEANL	USDSD		0 25				· · · · · ·					
		Facility Set-Up	1		UEANL	USBSC		169 25									
		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel															
		Set-Up		ļ	UEANL	USBSD		38 65				[
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1		1	LIEANI	LISENO	6.46	60.10	21.79	47.50	5.26						
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -				000112	040	00 13	2170	47.50	520						
		Zone 2		2	UEANL	USBN2	9 18	60 19	21 78	47 50	5 26					1	
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		1													
		Zone 3		3	UEANL	USBN2	16 29	60 19	21 78	47 50	5 26	ļ					
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair				USBMC	1	9.00	9.00							I	
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -				000,00		0.00	0.00			· · ·					
		Zone 1		1	UEANL	USBN4	7 37	68 83	30 42	49 71	6 60						
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	10 47	68 83	30 42	49 71	6 60						
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
		Zone 3		3	UEANL	USBN4	18 58	68 83	30 42	49 71	6 60						
		Order Coordination for Debundled Sub-Leona, per sub-leon per			LIEAND	LISPING		0.00	0.00								1
		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)		-		USBR2	3.96	51.84	13.44	47 50	5.26						
			· ···-	+		000112	3 30	0104	10 11	47.00	520						· ·
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair	ĺ		UEANL	USBMC		9 00	9 00								
		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	1		UEANL	USBR4	9 37	55 91	17 51	49 71	6 60						
		Ordes Coordination for Liebundled Sub-Lesses, and sub-less and				UPPMC		0.00									
		Loop Testing - Basic 1st Half Hour		-				9 00	9 00	· · ·							
		Loop Testing - Basic Additional Half Hour		1	UEANL	URETA		23.95	23.95								
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1	UEF	UCS2X	5 15	60 19	21 78	47 50	5 26						
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	I	2	UEF	UCS2X	7 31	60 19	21 78	47 50	5 26						
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	1	3	UEF	UCS2X	12 98	60 19	21 78	47 50	5 26						
		Order Coordination for Linbundled Sub-Leone, per sub-leon per			uee	UCDNC		0.00	0.00								
		4 Wire Concer Hohundled Sub-Loop Distribution - Zone 1		1 1	HEE		5 36	69.93	900	40.71	6.60						
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	<u> </u>	2	UEF	UCS4X	7 61	68 83	30 42	4971	6 60						
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	i	3	UEF	UCS4X	13 51	68 83	30 42	49 71	6 60	h .					
									·			1	<u> </u>				
L		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9 00	9 00			-	.				
		Loop Testing - Basic 1st Half Hour	_	-		UREII		48 65	48 65								
	Unbun	died Network Terminating Wire (UNTW)		1		UNEIA	· · ·	23 95	23 95								
		Unbundled Network Terminating Wire (UNTW) per Pair		1	UENTW	UENPP	0 4572	18 02	· · · ·			<u> </u>	<u> </u>				
	Networ	k Interface Device (NID)															
		Network Interface Device (NID) - 1-2 lines			UENTW	UND12		71 49	48 87			1		· ·			
\vdash		Network Interface Device (NID) - 1-6 lines		1	UENTW	UND16		113 89	89 07								
\vdash	-	Network Interface Device Cross Connect - 2 W		1		UNDC2		7 63	7 63								
UNE OT	HER. P	ROVISIONING ONLY - NO RATE			UENTW			7 63	7 63								
		NID - Dispatch and Service Order for NID installation		1	UENTW		0.00	0.00			<u> </u>	<u> </u>					
		UNTW Circuit Id Establishment, Provisioning Only - No Rate		1	UENTW	UENCE	0 00	0.00			ŀ	<u> </u>	l				
					UEANL, UEF, UEQ, U				[†					
		Unbundled Contract Name, Provisioning Only - No Rate	l		ENTW	UNECN	0.00	0 00				1					
UNE OT	HER, P	ROVISIONING ONLY - NO RATE		1	1	1				1	1	1		1			

LIND		NETWORK ELEMENTS Elorida												Attach	ment 2	Exh	but: A
UND	MULEL	THE FWORK ELEMENTS - FIOLIDA		1		T	T					Sve Order	Suc Order	Incremental	Incremental	Incremental	Incremental
			1	1								Svc Oruer	Svc Order	Charge	Charma	Charge	Charge
												Submitted	Submitteu	Charge -	Charge -	Charge -	Charge -
CATE	vev	DATE EL EMENTS	Inten	7000	BCS	USOC			RATES (S)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	JUNI	RATE ELEMENTS	m	Zone	003	0300			1041120 (4)			perLSR	perLSR	Order vs.	Order vs	Order vs	Order vs
				1										Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	· · · · · ·			<u> </u>			I	Nonrec	urring	Nonrecurring	Disconnect	· · · · · · · · · · · · · · · · · · ·		OSS	Rates (\$)		L
<u> </u>							Rec	First	LippA	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
			1	1		+											
						•										1	
1		Unbundled Contact Name, Provisioning Only - no rate			UDN UFA UHL ULC	LINECN	0.00	0.00									
		Linbundled Sub-Loon Feeder-2 Wire Cross Box Jumper - no		1	0011,027.0112,020	0.1201											
		rate			UEA.UDN.UCL.UDC	USBFO	0.00	0 00					1				
		Unhundled Sub-Loco Feeder-4 Wire Cross Box Jumper - no					1										
		rate			UEA.USL.UCL.UDL	USBER	0 00	0.00				1					
		Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
		Unbundled DS1 Loop - Expanded Superframe Format option -				1											
		no rate			USL	CCOEF	0 00	0 00									1
HIGH	CAPACIT	Y UNBUNDLED LOCAL LOOP				1											
		High Capacity Unbundled Local Loop - DS3 - Per Mile per					<u> </u>										
		month			UE3	1L5ND	10 92										
		High Capacity Unbundled Local Loop - DS3 - Facility				<u> </u>											T
		Termination per month			UE3	UE3PX	386 88	556 37	343 01	139 13	96 84						
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per		1													
		month		1	UDLSX	1L5ND	10 92										
		High Capacity Unbundled Local Loop - STS-1 - Facility	1	1													
		Termination per month	1		UDLSX	UDLS1	426 60	556 37	343 01	139 13	96 84						
LOOP	MAKE-U	P															
		Loop Makeup - Precidering Without Reservation, per working or	-														
		spare facility gueried (Manual)			UMK	UMKLW		52 17	52 17								
		Loop Makeup - Precidering With Reservation, per spare facility															
		gueried (Manual)			UMK	UMKLP		55 07	55 07	1							
	1	Loop Makeup-With or Without Reservation, per working or				1											
		spare facility queried (Mechanized)			UMK	UMKMQ		0 6784	0 6784								
LINE S	SHARING	AND LINE SPLITTING															
	NOTE 1	: The Line Sharing monthly recurring rates for all installation	ns com	pleted	from October 02, 200	03 through m	nidnight Octobe	r 01, 2004 shal	l be billed as f	ollows]			
	NOTE 1	: 10/02/2003 - 10/01/2004: 25% of the rate for an unbundled co	opper lo	ор по	n-designed ("UCLND	D")	T										
	NOTE 1	: 10/02/2004 - 10/01/2005: 50% of the rate for UCLND															
	NOTE 1	: 10/02/2005 - 10/01/2006: 75% of the rate for UCLND															
	NOTE '	Above will apply to USOCS: ULSDT and ULSCT															
	**NOTE	2. The Line Sharing monthly recurning rates with USOCs UL	SDC an	d ULS	CC applies only to c	rcuits install	led and inservic	e on or before	October 1, 20	03							
	LINE S	HARING															
	SPLITT	ERS-CENTRAL OFFICE BASED	_			1							· · · ·		<u> </u>		<u></u>
		Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	119 72	379 13	0 00	347 90	0.00		L	,			
		Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	29 93	379 13	0 00	347 90	0 00			l		+	+
		Line Sharing Splitter, Per System, 8 Line Capacity	L	-	ULS	ULSD8	8 33	379 13	0.00	347 90	0.00	·				+	+
		Line Sharing-DLEC Owned Splitter in CO-CFA activation-	1	1								.1		1			
L	1	deactivation (per LSOD)		-	JULS	ULSDG		173 66	0.00	97 42	0.00			l			+
	END U	SER ORDERING-CENTRAL OFFICE BASED LINE SHARING	I	1	L								-	I	<u> </u>		+
	1	Line Sharing - per Line Activation (BST Owned splitter) -	1						A	10.55		1					
L		OBSOLETE see **NOTE 2		1.	ULS	ULSDC	0.61	29 68	21 28	19.57	961			l		+	+
		Line Share Service, TRO per line activation, BST owned splitter -	-										1				
1		Central Office Localed (25% of UCLND) - please see NOTE 1				LUI ODT	1 1 100	00.00	0.00	10.57		1			1		
L		(E 10/2/2003)	-	+	ULS	ULSDI	1 99	29.68	21.28	1957	961				1	+	·
	1	Line Share Service, TRO per line activation, BST owned splitter -	1														
1	1	Central Office Located (50% of UCLND) - please see NOTE 1		1		LUNCOT	2.00	20.00		10.57	0.04		1		1		
		(E 10/2/2004)	-	+	ULS	ULSDI	398	29.68	2128	195/	961	-		l	+	1	+
	1	Line Share Service, TRO per line activation, BS (owned splitter -	1	1			1							1		1	1
		UE to (2/2005)			1110	LICOT	E 07	20.00	24.20	10.57	0.61				1		
—	+	(E 10/2/2003)			ULO	ULSUI		29.08	2120		301			+		+	+
	1	Line onlong - per oubsequent Activity per Line Rearrangement	1			HIERE		21 69	16.44	1	1				1		
	+	- (DBT Uwneu aplitter)	+		ULO	01000	I	2100	10 44		+	+			1	1	+
1	1	 Che onabity - per outsequent activity per Line Rearrangement (DLEC Owned Splitter) 	1		luis.	ULSCS	1 1	21.69	16.44						ļ		1
	+	Line Sharing - ner Line Activation (DLEC owned Solition) -	1	+	0.0	01000	11	2,00			1			1	1		1
		OBSOLETE see "NOTE 2	1	1	uis	ULSCC	0.61	47 44	19.31	20 67	12 74	L I			1		

LINRI		NETWORK ELEMENTS - Elorida												Attach	ment: 2	Exh	hit: A
CATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.
														Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
	1			1			D	Nonree	curring	Nonrecurring	Disconnect			OSS	Rates (\$)		
						1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Line Share Service TRO per line activation, CLEC owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1 (E 10/2/2003)			ULS	ULSCT	1 99	47 44	19 31	20 67	12 74						
		Line Share Service TRO per line activation, CLEC owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E 10/2/2004)			ULS	ULSCT	3 98	47 44	19 31	20 67	12 74						
		Line Share Service TRO per line activation, CLEC owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E 10/2/2005)			ULS	ULSCT	5 97	47 44	19 31	20 67	12 74						
<u> </u>	LINE SI	PLITTING		-													
	ENDUS	SER ORDERING-CENTRAL OFFICE BASED				100500				-			<u> </u>				
<u> </u>		Line Splitting - per line activation DLEC owned splitter		-	UEPSR UEPSB	UREOS	0.61			40.57	0.04						
		Line Splitting - per line activation BST owned - physical			UEPSR UEPSB		0.61	29.68	21 28	19 57	961						
	DI A INITI	Line Splitting - perline activation BST owned - virtual		-	UEPSR UEPSB	UREBV	1 1 34	29.68	21 28	19.57	961						
	MAINT	No Trouble Found		<u> </u>				PO 00	55.00								
		No Trouble Found - per 1/2 hour increments - Overtime		1			+ · · · + ·	120.00	82.50						· · · · ·		
		No Trouble Found - per 1/2 hour increments - Premium					···· ·· —·· · · ·	160.00	110.00			t					
UNBU	NDLED D	DEDICATED TRANSPORT															
	INTERC	OFFICE CHANNEL - DEDICATED TRANSPORT												-			
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0 0091										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination			U1TVX	U1TV2	25 32	47 35	31 78	18 31	7 03						
		Interoffice Channel - Dedicated Transport- 2-Wire Voice Grade Rev Bat - Per Mile per month			U1TVX	1L5XX	0 0091										
	Ì	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat - Facility Termination			υ1τνχ	U1TR2	25 32	47 35	31 78	18 31	7 03						
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			υ1ΤVΧ	1L5XX	0 0091										
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination			υ1Τνχ	U1TV4	22 58	47 35	31 78	18 31	7 03						
		Interoffice Channel - Dedicated Transport - 56 Kbps - per mile per month		ļ	U1TDX	1L5XX	0 0091										
		Termination		<u> </u>	U1TDX	U1TD5	18 44	47 35	31 78	18 31	7 03						
		per month			U1TDX	1L5XX	0 0091								 		
		Termination			UITDX	U1TD6	18 44	47 35	31 78	18 31	7 03	<u> </u>					
		month Interoffice Channel - Dedicated Trannot - DS1 - Facility			U1TD1	1L5XX	0 1856								1		
		Termination			U1TD1	U1TF1	88.44	105 54	98 47	21 47	19 05		<u> </u>				
		month Interrifice Channel - Dedicated Transport - DSS - Fer time per month Interrifice Channel - Dedicated Transport - DSS - Facility		ļ	U1TD3	1L5XX	3 87										
		Termination per month		-	U1TD3	U1TF3	1,071 00	335 46	219 28	72 03	70 56						
		month		.	U1T\$1	1L5XX	3 87						<u> </u>				
DARK	FIBER	Termination			U1TS1	U1TFS	1,056 00	335 46	219 28	72 03	70 56						
1		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction		1			l					+					
		Thereof per month - Interoffice Channel		1	UDF. UDFCX	1L5DF	26 85										
		NRC Dark Fiber - Interoffice Channel		1	UDF, UDFCX	UDF14		751 34	193 88	356 21	230 11		1		1	1	
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction		1			1										1
L		Thereof per month - Local Loop			UDF, UDFCX	1L5DL	55 04										
		NRC Dark Fiber - Local Loop			UDF, UDFCX	UDFL4		751 34	193 88	356 21	230 11		1		1		

UNBUNDLE	D NETWORK ELEMENTS - Florida											-	Attach	ment 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Intern m	Zone	BCS	USOC		Norroe	RATES (\$)	Nonrecurren	Disconnect	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l Pates (\$)	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l
<u> </u>		-	-		<u> </u>	Rec	Firet	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ATT ACCESS							11130	Auui	1131		000020	00000			0011711	
UNA AUGEOU	8XX Access Ten Dinit Screening, Per Call			OHD		0 0006252					-					
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX		1								1					
	Number Reserved			OHD	N8R1X		4 15	0 70								
	8XX Access Ten Digit Screening, Per 8XX No Established W/O		1													
	POTS Translations		1	ОНО			8 78	1 18	5 77	0 70						
	8XX Access Ten Digit Screening, Per 8XX No Established With	1			NOTTY		0.70		r 77	0.70						1
	POTS Translations			OHD	NBEIX		878	1 18	577	0.10						
	Par Access Ten Digit Screening, Customized Area of Service			OHD	MBECX		4 15	2.07								
	8XX Access Ten Digit Screening, Multiple Interl ATA CXR		1													
	Routing Per CXR Requested Per 8XX No			OHD	N8FMX	.	4 85	2 78						1		
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		4 85	0 70			-					
	8XX Access Ten Digit Screening, Call Handling and Destination															
	Features			OHD	N8FDX		4 15	4 15								
						0.0000000										
	8XX Access Ten Digit Screening, w/ 8FL No. Delivery, per query		-	ОНД		0.0006252					· · · ·			·		
	BXX Access fen Digit Screening, w/ POTS No. Delivery, per			ОНП		0.0006252										
LINE INFORM	ATION DATA BASE ACCESS (LIDB)	1	-	One		0 0000202					1					
	TIDB Common Transport Per Query			OQT		0 0000203			-							
	LIDB Validation Per Query	1		OQU		0 0136959										
	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRBPX		55 13	55 13	55 13	55 13						
SIGNALING (C	CS7)	<u> </u>														
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	135.05										
	CCS7 Signaling Usage, Per TCAP Message			UDB	TOD	0 0000607	42.67	42.57	10.21	19.31				1		-
	CCS7 Signaling Connection, Per link (A link)		-	UDB	IPP++	17 95	43 57	43 5/	10.51	10.31		<u> </u>				
	loc37 Signaling Connection, Per link (B link) (also known as D			una	TPP++	17 93	43 57	43 57	18.31	18 31						
	CCS7 Signaling Usage Per ISUP Message	1	-	UDB		0 0000152										
	CCS7 Signaling Usage Surrogate, per link per LATA	1	1	UDB	STU56	694 32										
	CCS7 Signaling Point Code, per Originating Point Code															
	Establishment or Change, per STP affected			UDB	CCAPO		46 03	46 03	46 03	46 03						
E911 SERVICE																
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 1		-			21 94	265.84	46.97	37 63	4 00		<u> </u>		·		
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 2	-	<u> </u>			29 62	265.84	40 97	37.63	400						
	Interoffice Transport Dedicated - 2-wr Voice Grade - Zone 5	-	-			0.0091	203.04	40 37	57.05	+ •••		ł				
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility	1	1													
1	Termination					25 32	47 35	31 78	18 31	7 03						
	Local Channel - Dedicated - DS1 - Zone 1					35 28	216 65	183 54	21 47	19 05						
	Local Channel - Dedicated - DS1 - Zone 2					47 63	216 65	183 54	21 47	19 05		ļ				
	Local Channel - Dedicated - DS1 - Zone 3					92 01	216 65	183 54	21 47	19 05						
ļ	Interoffice Transport - Dedicated - DS1 Per Mile					0,1856					-	<u> </u>		-	·	
	Interoffice Transport Dedicated - DS1 Per Eacility Termination					88.44	105 54	98.47	21.47	19.05		1				
	Interonice transport - Dedicated - DST Per Pacinty Termination		+ •	· · · · · · · · · · · · · · · · · · ·	-	00.44	103.04	304/	214/	15 00						
	CNAM For DB Owners - Service Establishment		-	OQV			25 35	25 35	19 01	19 01		+				
	CNAM For Non DB Owners - Service Establishment			oqv			25 35	25 35	19 01	19 01						
	CNAM For DB Owners - Service Provisioning With Point Code	1											1		1	
	Establishment			οαν		ł	1,592 00	1,177 00	352 36	259 09				l		· · · · · · · · · · · · · · · · · · ·
	CNAM For Non DB Owners - Service Provisioning With Point	1	1	2011	1		E 10 E 1	000.00		050 00		1				
	Colore Establishment	-				0.001034	546 51	393 82	358.06	259 09		-	+			+
	CNAM for Non DB Owners, Per Query	+				0.001024		<u> </u>	1			1		-		1
SELECTIVE R	OUTING	+	1		-+	000.024		<u> </u>	†· · · ·		-		<u>†</u>			
	Selective Routing Per Unique Line Class Code Per Request Per		1	1				1		1		1		1		
	Switch					I	93 55	93 55	12 71	12 71			ļ	<u> </u>		
VIRTUAL COL	LOCATION								1		I		I	l	L	I

LINB		D NETWORK ELEMENTS - Elorida												Attach	ment [.] 2	Exhi	bit: A
			I									Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			1									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	Inten	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs	Order vs.	Order vs	Order vs.
			m											Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
					1											L	
							Bac	Nonre	curring	Nonrecurring	g Disconnect			OSS	Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Virtual Collocation-2 Wire Cross Connects (Loop) for Line														i .	1
		Splitting			UEPSR UEPSB	VE1LS	0 0502	11 57	11 57	0 00	0 00					ļ	
PHYSI	CAL CO	LLOCATION															
		Physical Collocation-2 Wire Cross Connects (Loop) for Line														i .	
		Splitting			UEPSR UEPSB	PE1LS	0 0276	8 22	7 22	5 74	4 58					i	
AIN SE	ELECTIV	E CARRIER ROUTING														i	
		Regional Service Establishment			SRC	SRCEC		193,444.00		7,737.00						i	
		End Office Establishment			SRC	SRCEO	0.0004000	187 36	187 36	0.69	0.69						
		Query NRC, per query		-	SRC	_	0.0031868				-					i	
	SELLSO	UTH AIN SMS ACCESS SERVICE				+										i	· · · ·
		Ain SMS Access Service - Service Establishment, Per State,		1	A 1 M	CAMEE		13 50	42.55	44.02	44.02					i -	
		Initial Setup				CANGE		43.00	43 30	44 95	44 93		<u> </u>				
		AIN CMC Assess Courses Bart Courseston Dial/Shored Assess		1	A1NI	CAMDR	· · ·	964	0.64	10.02	10.03					i -	1
	1	AIN SMS Access Service - Port Connection - Dial/Shared Access	-	-		CAMIP		964	964	10.03	10.03					·····	
		AIN SMS Access Service - Port Connection - ISDN Access		-	AIN			0.04	0.04	10.03	10 03					i	
		ID Code			A1N	CAMALL	· ·	38.66	38.66	29.88	29.88					i	1
	1	AIN SMS Access Service - Security Card, Bar Llear ID Code				CANAD		5000	50.00	23 00	23 00						
	1	Initial or Peologoment			A1N	CAMPC		75.10	75 10	12.93	12.93					i	
		All SMS Access Server, Storage Ber Linit (100 Kilobutes)		-1		0/10/10	0.0028	10.0	1310	12.00	12.00					í	
	+	AIN SMS Access Service - Session, Per Minute	· · ·		· · · · · · · · · · · · · · · · · · ·	- · · · · · · · · · · · · · · · · · · ·	0 7809	1		<u>+</u>							l
	1	AIN SMS Access Service - Company Performed Session, Per	-				01000		· · · ·								
	1	Minute					0.4609	1								i -	
	RELLSO		+			· · ·	0.000	-								[
	I	AIN Toolkit Service - Service Establishment Charge, Per State,															
		Initial Setup			CAM	BAPSC		43 56	43 56	44 93	44 93					i	
		AlN Toolkit Service - Training Session, Per Customer				BAPVX		8,439 00	8,439 00							í –	
	1	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															i
	1	DN, Term Attempt			1	BAPTT		8 64	8 64	10 03	10 03					i	
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per														í	
		DN, Off-Hook Delay				BAPTD		8 64	8 64	10 03	10 03					I	
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per														í	
		DN, Off-Hook Immediate				BAPTM		8 64	8 64	10 03	10 03					l	1
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per														1	
		DN, 10-Digit PODP				BAPTO		38 06	38 06	15 86	15 86						
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per						1								i -	
		DN, CDP				BAPTC		38 06	38 06	15 86	15 86						
	1	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per														i	
		DN, Feature Code				BAPTE		38.06	38 06	15 86	15 86						
		All Toolkit Service - Query Charge, Per Query		1			0.0535927	-			-					i	· · ·
		AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit			1											i	
		Subscription, Per Node, Per Query					0.0063698				-					j	
		AIN Toolkit Service - SCP Storage Charge, Per SMS Access					0.00									i	
		Account, Per Tou Kilopytes					0.00									i	
		AIN TOOKKI Service - Monthly report - Per AIN Tookkit Service			CAN	DADMO				C 00	C 00					i	
		Albi Teallist Canada Canada Chudu, Das Albi Teallist Canada		· · · · ·	CAM	BAPMS	0.34	864	8 64	608	608					i	
		Ain Toolkit Service - Special Study - Per Ain Toolkit Service			CAN	DADL C	3.70	0.50	0.50							i	
	-	All Toolid Server Cell Event Benet, Ber All Toolid Server		-		BAPLS	373	9.56	9.55	- · · ·	i					i	
		An Tooka Service - Gail Event Report - Per Ain Tooka Service		1	CAN	DADDO	4 70			C 00	0.00					i	
H	+	AIN Toolkit Sonroe - Call Event Special Study - Per AIN Teolkit		+		DAFUS	4/3	0.04	0 04	608	808						
	1	Source Subscription	1		CAM	DADE C	0.10	0.50	0.58							i	
ENHA			-			- BAPES	······································	920	926	+				<u> </u>			
EIN A	NOTE	The monthly recurring and non-recurring charges halow will	apply a	nd the	Switch Ac Is Charm	l	h	hunations ===	l	And an araby Com	 hunod' Notwort	Flomonto	 	<u> </u>			
—	NOTE.	The monthly recurring and the Switch As is Charges below will	appry a		ownen-As-is charg	e will apply for	LINE combinet	nonations pro	ed as ' Current	Hy Combined'	Network Elema	nte		<u> </u>			
	EXTEN	ITED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	TED DS		ROFFICE TRANSPO	ALL APPLY IOF	Cine combinati				I Eleme		+		-		
	Lan Cl	Erst 2-Wire VG Loop (SL2) in Combination - Zone 1		1 1	UNCVX	LIFAL2	12.24	127.59	60.54	42.70	2.81				<u> </u>		1
<u> </u>		First 2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	17 40	127 50	60.54	42 79	2.81						
	1	First 2-Wire VG Loop (SL2) in Combination - Zone 3	ł	3	UNCVX	UEAL2	30 87	127 59	60.54	42 79	2.81				<u> </u>	í	

IINBI		NETWORK ELEMENTS - Elorida												Attach	ment: 2	Exhi	bit: A
				1		1						Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
1												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	Inten	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs	Order vs	Order vs	Order vs
			m	1										Electronic-	Electronic-	Electronic-	Electronic-
						1								1st	Add'l	Disc 1st	Disc Add'l
							ļ,				D				Datas (f)		L
		·					Rec	Nonrec	urring	Nonrecurring	Disconnect	CONEC	FOMAN	055	Rates (\$)	COMAN	ROMAN
	+	Interaction Transport Deducted DC4 combination Des Mile	+	-	· · · · ·			FIISL	Add I	FIISL	Adui	SOMEC	SOMAN	SOMAN	JOINAN	JOILAN	JOINAN
		interomice transport - Dedicated - DST combination - Per Mile				11 5 8 8	0 1856										
<u> </u>	-	Interoffice Transport - Dedicated - DS1 combination - Facility				ILSAA	0 1000										<u> </u>
		Termination per month			UNC1X	U1TE1	88 44	174 46	122 46	45 61	17 95						
		1/0 Channelization System in combination Per Month			UNC1X	MQ1	146 77	101 42	71 62								
		Voice Grade COCI - Per Month			UNCVX	1D1VG	1 38	10 07	7 08	0.00	0 00						
				Ì													
		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	12 24	127 59	60 54	42 79	2 81						
		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	17 40	127 59	60 54	42 79	2 81						
						1.5410	00.07	407.50	CO 54	40.70	2.04						
		Each Additional 2-Wire VG Loop (SL 2) in Combination - 20ne 3	 	3		UEAL2	30.87	12/ 59	00.54	4279	201						
	+	Voice Grade COOL- Per Month Nonreguring Currently Combined Network Elements Stutet		-			1.36	10.07	/ 08	0.00	0.00				·		<u> </u>
	1	Indirecuming Currently Combined Network Elements Switch -AS-			UNC1X	UNCCC		8 98	8.98	898	8.98		ļ				
	EXTEN	DED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICA		1 INTE	ROFFICE TRANSPO	DRT	1	000				· · · · · · · · · · · · · · · · · · ·			· · · · ·		
	LATER	DED FINKE FOIDE GIGDE EXICIDED EGGI INTI DEDIGA	1	1		1											
		First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	18 89	127 59	60 54	42 79	281						
		First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNĆVX	UEAL4	26 84	127 59	60 54	42 79	2 81			1			
		First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	47 62	127 59	60 54	42 79	2 81						
		Interoffice Transport - Dedicated - DS1 combination - Per Mile															
		Per Month	-	-		1L5XX	0 1856										+
	1	Interoffice Transport - Dedicated - DS1 - Fachity Termination Per				111751	88.44	174.46	122.46	45.61	17 95						
		1/0 Channel System in combination Per Month		-		MO1	146 77	101 42	71 62	43.01							+
		Voice Grade COCL is combination - per month	1		UNCVX	1D1VG	1 38	10 07	7.08	0.00	0.00						
	-	Additional 4-Wire Analog Voice Grade Loop in same DS1	<u> </u>	+		1.0.1.0									1		1
		Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	18 89	127 59	60 54	42 79	2 81						
		Additional 4-Wire Analog Voice Grade Loop in same DS1										1				1	1
		Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	26 84	127 59	60 54	42 79	2 81						
		Additional 4-Wire Analog Voice Grade Loop in same DS1															
		Interoffice Transport Combination - Zone 3	-	3	UNCVX	UEAL4	47 62	127 59	60 54	42 79	2 81						
	_	Additional Voice Grade COCI in combination - per month	+	+	UNCVX	1D1VG	1 38	10 07	7 08	0.00	0.00						·
1		Nonrecurring Currently Combined Network Elements Switch -As	-		LINCAY	UNICCO		e 09	P 09	8.09	0.09			1			
<u> </u>	EXTEN	DED 4-WIRE 56 KERS EXTENDED DIGITAL LOOP WITH DEDI		DS1 IN	TEROFFICE TRAN	SPORT	1	0 96	090	0.90	0.90	1					+
	CALEN	DED 4-MIKE 30 KOPS EXTENDED DIGHAL LOOP WITH DED	T		I TENOPTICE TRAN					+	-		1		<u> </u>	-	1
		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	22 20	127 59	60 54	42 79	2 81		ł				
-				1										1			
		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2	:	2	UNCDX	UDL56	31 56	127 59	60 54	42 79	2 81						
	1		1				1										
		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	55 99	127 59	60 54	42 79	2 81						
		Interoffice Transport - Dedicated - DS1 combination - Per Mile							1								
		Per Month			UNC1X	1L5XX	0 1856					· · · · · · · · · · · · · · · · · · ·					+
1		Interoffice Transport - Dedicated - DS1 - combination Facility	1	1						45.00	47.05	1					1
<u> </u>	+	Termination Per Month					88 44	1/4 46	122 46	45.61	1/ 95					+	+
	+	OCIL-DR COCI (data) per month (2.4-64kbs)		-			2 10	101 42	7.08	0.00	0.00		+	1	1		
	1	Additional 4-Wire 56Kbbs Dioital Grade Loop in same DS1	+	+				10 01	, 00		<u>, 00</u>						+
	1	Interoffice Transport Combination - Zone 1	1	1	UNCOX	UDL56	22 20	127 59	60 54	42 79	2.81	1	1				
	1	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1	+- <u>·</u> ·	·····	-+				1		1	1		t		1
1	1	Interoffice Transport Combination - Zone 2	1	2	UNCDX	UDL56	31 56	127 59	60 54	42 79	2 81						
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
	+	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	55 99	127 59	60 54	42 79	2 81				I		
1	1	Additional OCU-DP COCI (data) - in combination per month (2.4	Ч	1								1	1				
1	1	64KDS)	1		UNCDX	10100	2 10	10 07	7 08	0.00	0.00		1	I	1	L	1

LINB		NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit A
CATE	30RY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)	<u></u>		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-
														1st	Addi	Disc 1st	Disc Add1
	1			1				Nonrec	urring	Nonrecurring	Disconnect		J., .,	OSS	Rates (\$)		<u></u>
			• · · ·	1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNC1X	UNCCC		8 98	8 98	8 98	8 98						
	EXTEN	DED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	DS1 IN	TEROFFICE TRAN	SPORT										,	
										40.70							
		First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	22 20	127 59	60.54	42 /9	2 81	-					
		First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	31 56	127 59	60 54	42 79	2 81						
		Fuel 4 Miss 64Khas Distal Grade Lass in Combination - Zoog 2		1	UNCOY		55.00	127 50	60.54	42.70	2.01						
		First 4-wire 64KBps Digital Grade Loop in Combination - Zole 3			UNCUX	00004	55 99	127,00	00.34	42.15	201		· · · · · · · ·				-
		Per Month			UNC1X	1L5XX	0 1856			1 1							
		Interoffice Transport - Dedicated - DS1 combination - Facility			·												
1.		Termination Per Month			UNC1X	U1TF 1	88 44	174 46	122 46	45 61	17 95						
		1/0 Channel System in combination Per Month	[UNC1X	MQ1	146 77	101 42	71 62								h
		OCU-DP COCI (data) - in combination - per month (2 4-64kbs)		[UNCDX	1D1DD	2 10	10 07	7 08	0 00	0_00					j	
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			LINODY		22.20	107.50	60 E4	40.70	2.91			1		i	
		Interoffice Transport Combination - Zone 1 Additional 4 Wire 64Kbps Diatal Grade Loss in same DS1	-	+ 1			22 20	127 59	60 54	42 / 9	201					i	
		Interoffice Transport Combination - Zone 2		2	UNCDX	10164	31.56	127.59	60.54	42 79	2.81					i	
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		+- <u>-</u> -	UNODA	00204	0,00		0001	1210	201					i	
		Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	55 99	127 59	60 54	42 79	2 81						
		Additional OCU-DP COCI (data) - in combination - per month															
		(2 4-64kbs)			UNCDX	1D1DD	2 10	10 07	7 08	0.00	0 00				ļ	ļ	
		Nonrecurring Currently Combined Network Elements Switch -As-													1	i	
		ls Charge			JUNC1X			8 98	8 98	8 98	8 98						
\vdash	EXTEN	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1		UNCAY		70.74	217.75	101.80	51 44	14.45	· · · · · · · · · · · · · · · · · · ·				<u> </u>	+
		4-Wire DS1 Digital Loop in Combination - Zone 1		+ 5			100.54	217 75	121 62	51 44	14 45						
		4-Wire DS1 Digital Loop in Combination - Zone 2		3	UNC1X	USLXX	178 39	217 75	121 62	51 44	14 45						
		Interoffice Transport - Dedicated - DS1 combination - Per Mile	†														
		Per Month			UNC1X	1L5XX	0 1856									L	
		Interoffice Transport - Dedicated - DS1 combination - Facility										1				1	1
<u> </u>		Termination Per Month			UNC1X	U1TF1	88 44	174 46	122 46	45 61	17 95					I	
1		Nonrecurring Currently Combined Network Elements Switch -As-	1		UNICAY	111000		0.00	0.00	0.00	0.00					1	
	EVTEN	IS CHArge	ED DC:	INTER	UNCIX			8 98	8 98	8 96	0.90					l	+
	EATEN	First DS1L oon in Combination - Zone 1	0003				70.74	217 75	121.62	51 44	14 45						
1		First DS1Loop in Combination - Zone 2		2	UNC1X	USLXX	100 54	217 75	121 62	51 44	14 45						+
		First DS1Loop in Combination - Zone 3		3	UNC1X	USLXX	178 39	217 75	121 62	51 44	14 45					<u> </u>	
		Interoffice Transport - Dedicated - DS3 combination - Per Mile		1												1	
		Per Month		1	UNC3X	1L5XX	3 87						l		l	 	4
		Interoffice Transport - Dedicated - DS3 - Facility Termination per		1	LUN CON				400.00		40.00		}		1	ł	
		month 2/1Channel Suptam in combination pay month			UNC3X	U11F3	1,0/1 00	314 45	130 88	38 60	18 23						
		DS1 COCL in combination per month					13.76	10.07	7.08	40.34	0.00					l	
	1	Additional DS1Loop in DS3 Interoffice Transport Combination -				00101	1370	10.01	100	0.00	0.00	· · · · · · · · · · · · · · · · · · ·				i	
		Zone 1		1	UNC1X	USLXX	70 74	217 75	121 62	51 44	14 45					1	
		Additional DS1Loop in DS3 Interoffice Transport Combination -	1	1												í	
		Zone 2	L	2	UNC1X	USLXX	100 54	217 75	121 62	51 44	14 45	L		ļ		I	
		Additional DS1Loop in DS3 Interoffice Transport Combination -		_						<u> </u>						1	
		Zone 3		3		USLXX	178 39	217 75	121 62	51 44	14 45	<u> </u>	· · · · · · · · · · · · · · · · · · ·	l		l	<u> </u>
	+	Nonrecurring Currently Combined Network Elements Switch -As-		-			1376	10.07	/ 08	000	0.00		+	+	<u> </u>	<u> </u>	+
		Is Charge	1	1	UNC3X	UNCCC		8 98	8 98	898	8 98					1	
	EXTEN	DED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	GRAD		ROFFICE TRANSP	ORT	<u> </u>]				0.50		† · · · · · · · · · · · · · · · · · · ·	<u> </u>	1		
		2-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL2	12 24	127 59	60 54	42 79	2 81					Í	
		2-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL2	17 40	127 59	60 54	42 79	2 81						
		2-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	30 87	127 59	60 54	42 79	2 81						

UNBU	NDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exh	ibit A
CATEG	ORY	RATE ELEMENTS	inten m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
			· · ·			-		Nonrec	umna	Nonrecurring	Disconnect			055	Rates (\$)		1
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month			UNCVX	1L5XX	0 0091										
		Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV2	25 32	94 70	52 59	50 49	21 53						
		Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCVX	UNCCC		8 98	8 98	8 98	8 98						
	EXTEN	DED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD	E INTE	ROFFICE TRANSPC	DRT											
L		4-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL4	18 89	127 59	60 54	42 79	2 81						
		4-WireVG Loop in combination - Zone 2	.	2	UNCVX	UEAL4	26 84	127 59	60 54	42 79	2 81						
<u> </u>		4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	47 62	127 59	60 54	42 79	2 81						<u> </u>
ļ		Month		ļ	UNCVX	1L5XX	0.0091										
L		Termination per month			UNCVX	U1TV4	22 58	94 70	52 59	50 49	21 53				_		
		Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCVX	UNCCC		8 98	8 98	8 98	8 98						
	EXTEN	DED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTER	OFFICE	TRANSPORT												<u> </u>
		DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	10 92										
		DS3 Local Loop in combination - Facility Termination per month			UNC3X	UÉ3PX	386 88	249 97	162.05	67 10	26.82						
		Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	3 87										
		Interoffice Transport - Dedicated - DS3 combination - Facility															
		Termination per month Nonrecurring Currently Combined Network Elements Switch -As-			UNC3X	011F3	1,071.00	314 45	130 88	38 60	18 23						
		Is Charge		ļ	UNC3X	UNCCC		8 98	8 98	8 98	8 98						
	EXTEN	DED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF	ICE TRANSPORT		1 1										
		STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	10 92										
		STS-1 Local Loop in combination - Facility Termination per		1	LINCEY	101.01	406.60	340.07	162.05	67.10	26.02						
		Interoffice Transport - Dedicated - STS-1 combination - per mile				11.577	420 00	245 57	102.05	07.10	20 02						
		Interoffice Transport - Dedicated - STS-1 combination - Facility		<u> </u>	UNCSX	1123/2											<u> </u>
		Termination per month Nonrecurring Currently Combined Network Elements Switch -As-			UNCSX	UITES	1,056 00	314 45	130 88	38 60	18 23						+
		Is Charge			UNCSX	UNCCC		8 98	8 98	8 98	898						
	EXTEN	DED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TRAN	SPORT	•												
		First 2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	19 28	127 59	60 60	42 79	2 81						
		First 2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	27 40	127 59	60 60	42 79	2 81						
		Interoffice Transport - Dedicated - DS1 combination - per mile		3	UNCNX	101L2X	48.62	127 59	60.60	42 /9	281			-			
		per month			UNC1X	1L5XX	0 1856										
		Termination per month			UNC1X	UITEI	88 44	174 46	122.46	45.61	17.95						
_		1/0 Channel System in combination - per month			UNC1X	MQ1	146 77	101 42	71 62								
		2-wire ISDN COCI (BRITE) - in combination - per month			UNCNX	UC1CA	3 66	10 07	7 08	0 00	0.00						
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 1		1	UNCNX	U1L2X	19 28	127 59	60 60	42 79	2 81						
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 2		2	UNCNX	U1L2X	27 40	127 59	60.60	42 79	2 81						
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3		3	UNCNX	U11.2X	AR 62	127 50	60.60	42.70	2.01	+					1
		Additional 2-wire ISDN COCI (BRITE) - in combination- per					3 66	10.07	7.09	-2 /3							1
		Nonrecurring Currently Combined Network Elements Switch -As-				LINGOO	300	10 07	7.08	0.00	0.00						1
	FYTEN	IS CHARGE DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED STO	1 1 INT			l	898	898	8.98	898						+
—		First DS1 Loop Combination - Zone 1		1 1	UNC1X	USLXX	70.74	217 75	121.62	51.44	14 45	+		<u> </u>			+
		First DS1 Loop Combination - Zone 2		2	UNC1X	USLXX	100 54	217 75	121 62	51 44	14 45	1		1			+
		First DS1 Loop Combination - Zone 3		3	UNC1X	USLXX	178 39	217 75	121 62	51 44	14 45						1

UNRI		NETWORK ELEMENTS - Elorida												Attach	ment: 2	Exh	ibit [,] A
CATEG	GORY	RATE ELEMENTS	inten m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'1	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'i
	1						9	Nonred	urning	Nonrecurring	Disconnect			OSS	Rates (\$)		
		· · · · · · · · · · · · · · · · · · ·					Kec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - Dedicated - STS-1 combination - Per Mile Per Month			UNCSX	1L5XX	3 87										
		Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	UITES	1,056 00	314 45	130 88	38 60	18 23						
		3/1 Channel System in combination per month			UNCSX	MQ3	211 19	199 28	118 64	40 34	39 07						
		DS1 COCI in combination per month	[1	UNC1X	UC1D1	13 76	10 07	7 08	0.00	0 00	1					L
		Additional DS1Loop in the same STS-1 Interoffice Transport										1		1			
<u> </u>		Combination - Zone 1 Additional DS1Loop in the same STS-1 Interoffice Transport		1	UNC1X	USLXX	70 74	217 75	121 62	51 44	14 45						+
		Combination - Zone 2		2	UNC1X	USLXX	100 54	217 75	121 62	51 44	14 45						
		Additional DS1Loop in the same STS-1 Interoffice Transport		1			178 39	217 75	121.62	51 44	14.45						
		DS1 COCUp combination per month		<u> </u>			13.76	10.07	7.08	0.00	0.00	1					
		Nonrecurring Currently Combined Network Elements Switch -As-				00101	1010	10.01	1 00	0.00							
	EVTEN	Is Charge			UNCSX	UNCCC		8 98	8 98	8 98	8 98						
	EXIEN	DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KI		EROFI			22.20	107.50	60 E4	40.70	2.91						+
	1	4-wre 56 kbps Local Loop in combination - Zone 1	···· •	+ · · · · ·		UDLS6	22 20	127 59	60.54	42 73	281						+
	-	4-wre 56 kbps Local Loop in combination - Zone 2		2			55.00	127 59	60.54	42 75	2.01						
<u> </u>		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			UNCDA		33.39	127 33	00.04	42.13	201						
		Per Mile per month			UNCDX	1L5XX	0 0091						-				
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			UNCDX	U1TD5	18 44	94 70	52 59	50 49	21 53						
		Nonrecurring Currently Combined Network Elements Switch -As	-														
		Is Charge	1		UNCDX	UNCCC		8 98	8.68	8 98	8 98						+
	EXTEN	DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KI	BPS INT	EROF	ICE TRANSPORT	1101.04	00.00	407.50	CO F4	40.70	2.01			1		1	
		4-wire 64 kbps Lcoal Loop in Combination - Zone 1		1	UNCDX	UDL64	22 20	127 59	60.54	42 79	281					_	
-		4-wire 64 kbps Looal Loop in Combination - Zone 2		2	UNCDX	UDL64	31 56	127 59	60.54	42 79	201	-					+
		4-wire 64 kbps Looal Loop in Combination - 20ne 3		- 3	UNCDX	UDL64	22.99	127 59	00.04	42.79	201				ļ		
		Per Mile per month			UNCDX	1L5XX	0 0091										
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -	-														
		Facility Termination per month		-	UNCDX	U1TD6	18 44	94 70	52 59	50 49	21 53						
1		IN onrecurning Currently Combined Network Elements Switch -As			UNCDX	UNCCC	1	8 98	8 98	8 98	8 98						
	EXTEN	DED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE 1	RANSP	ORTW	/ 3/1 MUX												
-	1	First 2-wire VG Loop (SL2) in Combination - Zone 1		1 1	UNCVX	UEAL2	12 24	127 59	60 54	42 79	2 81						
		First 2-wire VG Loop (SL2) in Combination - Zone 2	1	2	UNCVX	UEAL2	17 40	127 59	60 54	42 79	2 81						
		First 2-wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	30 87	127 59	60 54	42 79	2 81						
		First Interoffice Transport - Dedicated - DS1 combination - Per			LINC1X	11.572	0 1856										
	+	First Interoffice Transport - Dedicated - DS1 combination -	<u> </u>	1		120/01				+ -	<u> </u>	1		1			1
		Facility Termination per month	1		UNC1X	U1TF1	88 44	174 46	122 46	45 61	17 95						
	1	Per each DS1 Channelization System Per Month		1	UNC1X	MQ1	146 77	101 42	71 62	1							
	1	Per each Voice Grade COCI - Per Month per month			UNCVX	1D1VG	1 38	10 07	7 08	0 00	0.00						
	1	3/1 Channel System in combination per month			UNC3X	MQ3	211 19	199 28	1 18 64	40 34	39 07						
		Per each DS1 COCI in combination per month		1	UNC1X	UC1D1	13 76	10 07	7 08	0 00	0 00						
		Each Additional 2-Wire VG Loop(SL 2) in the same DS1		T	1								1			1	
	1	Interoffice Transport Combination - Zone 1		1		UEAL2	12 24	127 59	60 54	42 79	2 81		I	I	-	• • • • • • • • • • • • • • • • • • •	+
		Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	17 40	127 59	60 54	42 79	2 81					1	
	1	Each Additional 2-Wire VG Loop(SL2) in the same DS1			1.1.101.07					10							
		Interomice Transport Combination - Zone 3		3		UEAL2	30.87	127 59	60.54	42 79	2 81	+	<u> </u>	+			
	 	Each Additional Voice Grade COCI in combination - per month	+	+	UNGVX	DUIVG	1 38	1007		0.00	1 000	+	+	1			+
		Channel System per month			UNC1X	1L5XX	0 1856										
		Each Additional DS1 Interoffice Channel Facility Termination in								45.00	1						
	1	Isame 3/ I Channel System per month	-	1			13 76	1/4 46	122 46	45 61	1/ 95			+		+	+
1	1	Lease Augulational Dol Cool combination per month	1	1	IONOIA	100101	10/0	1 100/	, , , , , , , , , , , , , , , , , , , ,	1 0.00	1 000	1	1	1	1	1	1

UNB		D NETWORK ELEMENTS - Florida												Attach	ment. 2	Exh	ibit: A
CATE	GORY	RATE ELEMENTS	interă m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l
							Rec	Nonree	curring	Nonrecurring	Disconnect			OSS	Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Nonrecurring Currently Combined Network Elements Switch -As-			L NOAV				0.00	0.00	9.09						
<u> </u>	EVTEN	IS Charge DED 4 WIDE VOICE CRADE LOOD WITH DEDICATED D\$1 IN	I FEBOEE		ING IX			0.90	0.90	0.90	0.90	+	· · · · ·				
	EALEN	Erst 4-Wire Analog Voce Grade Local Local in Combination	IEROFF	ICE IF		<u> </u>									-		
		Zone 1	1	1	UNCVX	UEAL4	18 89	127 59	60 54	42 79	2 81						
	-	First 4-Wire Analog Voice Grade Local Loop in Combination -	1												1 -		
		Zone 2		2	UNCVX	UEAL4	26 84	127 59	60 54	42 79	2 81						
		First 4-Wire Analog Voice Grade Local Loop in Combination -															
		Zone 3		3	UNCVX	UEAL4	47 62	127 59	60 54	42 79	2 81						
		First Interoffice Transport - Dedicated - DS1 combination - Per			UNICAN .		0.4050										
	_	Mile Per Month				11.5XX	0 1856	····				+					
		First Interoffice Transport - Dedicated - DS1 - Facility					88.44	174.46	122.46	45.61	17.95						
-	-	Per each 1/0 Channel System in combination Per Month				MQ1	146 77	101 42	71 62								
	<u> </u>	Per each Voice Grade COCI in combination - per month			UNCVX	1D1VG	1 38	10 07	7 08	0 00	0 00						
	1	3/1 Channel System in combination per month	1		UNC3X	MQ3	211 19	199 28	118 64	40 34	39 07						
		Per each DS1 COCI in combination per month			UNC1X	UC1D1	13 76	10 07	7 08	0 00	0 00						
		Additional 4-Wire Analog Voice Grade Loop in same DS1													-		
	_	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	18 89	127.59	60 54	42 79	2 81						-
		Additional 4-Wire Analog Voice Grade Loop in same DS1	1		LINCIA		20.04	197.50	60 E4	43.70	0.01						
		Interomice Transport Combination - Zone 2		<u> </u>	UNGVA	UEAL4	20.04	127 39	60.94	42 / 9	201						
		Interoffice Transport Combination - Zone 3		3			47 62	127 59	60.54	42.79	2.81						
	-	Each Additional DS1 Interoffice Channel per mile in same 3/1	1		GILGVA			121 00		12.10							
	1	Channel System per month			UNC1X	1L5XX	0 1856										
	1	Each Additional DS1 Interoffice Channel Facility Termination in															
	1	same 3/1 Channel System per month			UNC1X	U1TF1	88 44	174 46	122 46	45 61	17 95						
		Additional Voice Grade COCI - in combination - per month		-	UNCVX	1D1VG	1 38	10 07	7 08	0 00	0 00						
		Nonrecurring Currently Combined Network Elements Switch -As-	-		UNCOV.			0.00	0.00		0.00						
	EVTEN	IS Charge DED 4 WIRE 55 KRPS DIGITAL 1 OOR WITH DEDICATED DS1	INTÉR	DEELCE	TRANSPORT W/ 3/1			0.90	0.90	0.90	0.90						
-	EATEN	Erst 4-Wire 56Kbrs Digital Grade Local Loop in Combination -															
		Zone 1		1	UNCDX	UDL56	22 20	127 59	60 54	42 79	2 81		Į.		1		
		First 4-Wire 56Kbps Digital Grade Local Loop in Combination -		1													
		Zone 2		2	UNCDX	UDL56	31 56	127 59	60 54	42 79	2 81						
		First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															
		Zone 3	 	3	UNCDX	UDL56	55 99	127 59	60 54	42 79	2 81			· · ·	<u> </u>		ļ
		First Interoffice Transport - Dedicated - DS1 combination - Per			LINGAY	41 5304	0.4050										
· ·	-	First Interoffice Transport Deducated DS1 combination		1		ILSAA	0 1000										
		Eaclity Termination Per Month	1		UNC1X	UITE1	88 44	174.46	122.46	45.61	17.95						
		Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	146 77	101 42	71 62								
		Per each OCU-DP COCI (data) COCI per month (2 4-64kbs)		1	UNCDX	1D1DD	2 10	10 07	7 08	0 00	0 00						
		3/1 Channel System in combination per month			UNC3X	MQ3	211 19	199 28	118 64	40 34	39 07						
		Per each DS1 COCI in combination per month			UNC1X	UC1D1	13 76	10 07	7 08	0.00	0 00				ļ		
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1						107.50		10.70					1		
		Interoffice Transport Combination - Zone 1		1	UNCDX		22 20	127 59	60.54	42 /9	2.81						
		Interoffice Transport Combination - Zono 2		2	UNCDY		31.56	127.50	60.54	12 70	281						•
		Additional 4-Wire 56Khos Digital Grade Loop in same DS1		2	UNCDA	00000	31.00	121 39	00.54	42.13	201				····		· · · · · ·
		Interoffice Transport Combination - Zone 3	1	3	UNCDX	UDL56	55 99	127 59	60 54	42 79	2 81		1				
	1	OCU-DP COCI (data) COCI in combination per month (2 4-	1		1		1			1		1			1		1
		64kbs)	L		UNCDX	10100	2 10	10 07	7 08	0 00	0.00						
		Each Additional DS1 Interoffice Channel per mile in same 3/1															
	+	Channel System per month		-	UNC1X	1L5XX	0 1856			l				1			
		Each Additional DST Interoffice Unannel Facility Termination In same 3/1 Channel System per menth				UITE1		174 40	100.40	16.64	17.05						
		Each Additional DS1 COCI in the same 3/1 channel system		+			00 44	1/440	122 40	430	17 95	1	+	+			-
		combination per month			UNC1X	UC1D1	13 76	10 07	7 08	0 00	0.00						

UNB	INDLED	NETWORK ELEMENTS - Florida												Attach	ment. 2	Exhi	bit A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
	1											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Inter									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			perLSR	per LSR	Order vs.	Order vs.	Order vs	Order vs
			m	1									·	Electronic-	Electronic-	Electronic-	Electronic-
			1											1st	Add'l	Disc 1st	Disc Add'l
	-		1	-													
			+·	+			Rec	Nonrec	addi	Nonrecurring	Disconnect	CONEC	COMAN	COM AN	Rates (\$)	COMAN	COMAN
		Nonrequirring Currently Combined Network Elements Suitch - As-	<u> </u>	-				FIISL	Add I	FIISL	Addi	SUMEC	JOWAN	SUMAN	SUMAN	SOMAN	SUMAN
		Is Charge			LINC1X	UNCCC		8 08	8 08	8.08	8 98						
	EXTEN	DED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTER	DEFICE	TRANSPORT w/	3/1 MUX		0.50	0.30	0.30	0.00						
		First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	1	1						1							
		Transport Combination - Zone 1		1	UNCDX	UDL64	22 20	127 59	60 54	42 79	2 81						
		First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
		Transport Combination - Zone 2		2	UNCDX	UDL64	31 56	127 59	60 54	42 79	2 81						
		First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
		Transport Combination - Zone 3	-	3	UNCDX	UDL64	55 99	127 59	60.54	42 79	2.81						
		First Interomice Transport - Dedicated - DST combination - Per			LINC1Y	11.511	0 1856	Í			1						
		East Interoffice Transport - Deducated - DS1 combination -				16070	0 1030		••								
		Facility Termination Per Month			UNC1X	U1TF1	88 44	174 46	122 46	45 61	17 95						
		Per each Channel System 1/0 in combination Per Month		1	UNC1X	MQ1	146 77	101 42	71 62								
		Per each OCU-DP COCI (data) in combination - per month (2 4-		1													
		64kbs)			UNCDX	1D1DD	2 10	10 07	7 08	0 00	0 00						
L		3/1 Channel System in combination per month		L	UNC3X	MQ3	211 19	199 28	118 64	40 34	39 07						L
 		Per each DS1 COCI in combination per month		ļ	UNC1X	UC1D1	13 76	10 07	7 08	0 00	0 00						
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			LINCOV		22.20	107.50	60.64	43.70	0.04						
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		+			22 20	(2/ 59	60 54	42 / 9	201						· · ·
		Interoffice Transport Combination - Zone 2		2			31.56	127 59	60.54	42.79	2.81		1			j	
	1	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	1	<u> </u>			0100			12.70	201						
		Interoffice Transport Combination - Zone 3	-	3	UNCDX	UDL64	55 99	127 59	60 54	42 79	2 81						1
		Additional OCU-DP COCI (data) - DS1 to DS0 Channel System															
		combination - per month (2 4-64kbs)			UNCDX	1D1DD	2 10	10 07	7 08	0 00	0 00						
		Each Additional DS1 Interoffice Channel per mile in same 3/1															
		Channel System per month			UNC1X	1L5XX	0 1856										
		Each Additional DS1 Interoffice Channel Facility Termination in			LINGAY	114754	00.44	174.40	400.40	45.04	17.05						
		same 3/1 Unannel System per month	- · ·				88 44	174 40	122 40	43 61	17.95				· · ·		
		combination per month			UNC1X	UC101	13 76	10.07	7.08	0.00	0.00						
		Nonrecurring Currently Combined Network Elements Switch -As-					10.10				•••						
1		Is Charge			UNC1X	UNCCC		8 98	8 98	8 98	8 98						1
	EXTEN	DED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR	RT w/ 3/	1 MUX													
1		First 2-Wire ISDN Loop in a DS1 Interoffice Combination															1
		Transport - Zone 1		1	UNCNX	U1L2X	19 28	127 59	60 60	42 79	2 81				-		
		First 2-Wire ISDN Loop in a DS1 Interoffice Combination			LINGUN/		07.40	107.50	60.00	40.70					ł		
		Transport - Zone Z	+	<u></u>		U1L2X	2/ 40	127 59	60.60	42 / 9	2 81						
1		Transport - Zone 3		1 7	UNCNX	111.28	48.62	127.59	60.60	42.79	2.81						
		First Interoffice Transport - Dedicated - DS1 combination - Per		<u> </u>	0.10/1/			.27.00		1210				1			
1		Mile per month		1	UNC1X	1L5XX	0 1856								ļ		
		First Interoffice Transport - Dedicated - DS1 combination -	1						-								
		Facility Termination per month			UNC1X	U1TF1	88 44	174 46	122 46	45 61	17 95						
		Per each Channel System 1/0 in combination - per month	i		UNC1X	MQ1	146 77	101 42	71 62								
1		Per each 2 was ISBN COCI (BRITE) in combination	1		UNCNIX	UCICA	2.00	10.07	7.00	0.00	0.00						
}		3/1 Channel System in combination per month	+	+	LINC3X	MO3	211 10	10 07	118.64	0.00	30.07			ł·			
		Per each DS1 COCI in combination per month	1	+	UNC1X	UC1D1	13 76	10 07	7 08	0.00	0.00						
<u> </u>	1	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1	1	1						t	1		1		1	
		Combination - Zone 1		1	UNCNX	U1L2X	19 28	127 59	60 60	42 79	2 81						
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1									1					
		Combination - Zone 2	1	2	UNCNX	U1L2X	27 40	127 59	60 60	42 79	2 81	L					
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1		UNICANY		40.00	407.50		40.70			1	1		1	
	-	Additional 2-wire ISDN COCL(BPITE) in come 1/0 chassed		- 3-			48 62	127 59	60.60	42 79	281		<u> </u>	<u> </u>			
	1	system combination- per month			UNCNX	UCICA	3.66	10.07	7 08	0.00	0.00			1			
		The second			1.001.001.001	1001011		10 07					1	1	1		

11110														Aunch	mant 2	Even	bit: A
UNB	JNULEL	JINE I WURK ELEMEN I S - FIORIGA			1	<u> </u>						1		Attach		Exn	DIG A
			1									Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Inten									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs	Order vs	Order vs	Order vs
	1		1									1.	1.	Electronic-	Electronic-	Electronic-	Electronic-
														1.00	Add'l	Dice 1et	Disc Add'l
														134		0130 130	Dischaut
	1		1	-			-	Nonrea	curring	Nonrecurring	Disconnect			OSS	Rates (\$)		
		•		1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Each Additional DS1 Interoffice Channel per mile in same 3/1												· · · · · ·			1
		Channel System per month			UNC1X	11.5XX	0 1856					1					
	· · · ·	Each Additional DS1 Intereffice Chapped Excitity Termination in		-		120/01	0 1000								· · -		
		Each Additional DST interonice channel Facility reminiation in			UNCAY	111751	00 44	174 46	122.46	45.61	17.05						
		Same 3/1 Channel System per month	í —	-				1/4 40	122 40	40.01	17 55	1					+
		Each Additional DST COCI in the same ant channel system			UNION	UCIDA	10.70	10.07	7.00	0.00	0.00						
		combination per month	_		UNCIX	00101	13 /6	10.07	/ 08	0.00	0.00		l				+
		Nonrecurring Currently Combined Network Elements Switch -As	-										1				
		Is Charge			JUNC1X	UNCCC		8 98	8 98	8 98	898		1				
	EXTEN	DED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICI	E TRAN	SPORT	w/ 3/1 MUX											· · · - · · · · · · · · · · · · · · · ·	<u> </u>
		First 4-wire DS1 Digital Looal Loop in Combination - Zone 1		1	UNC1X	USLXX	70 74	217 75	121 62	51 44	14 45						
		First 4-wire DS1 Digital Looal Loop in Combination - Zone 2		2	UNC1X	USLXX	100 54	217 75	121 62	51 44	14 45						
	I	First 4-wire DS1 Digital Looal Loop in Combination - Zone 3		3	UNC1X	USLXX	178 39	217 75	121 62	51 44	14 45						
		First Interoffice Transport - Dedicated - DS1 combination - Per	T														
	1	Mile Per Month	1	1	UNC1X	1L5XX	0 1856										1
	1	First Interoffice Transport - Dedicated - DS1 combination -	1	1	1		-							T			1
	1	Eacility Termination Per Month	1	1	UNC1X	U1TE1	88 44	174 46	122.46	45.61	17.95				ł		
	-	3/1 Channel System in combination per month	-		LINC3X	MO3	211 19	199.28	118 64	40.34	39.07		1				
		Per each DS1 COCI combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00		+				
	+	Feel each 031 COC combination per month		+		00101	1070	10 01		0.00							
		Each Additional DST interonce Channel per mile in same Sri			LINCAY	11.577	0.1050										
						IL5AA	0 1000			-						· · · · · · · · · · · · · · · · · · ·	
		Each Additional DS1 Interoffice Channel Facility Termination in								15.01	17.05						
		same 3/1 Channel System per month			UNC1X	U1TF1	88 44	174 46	122 46	45.61	17 95						
		Each Additional DS1 COCI in the same 3/1 channel system															
		combination per month			UNC1X	UC1D1	13 76	10 07	7 08	0 00	0.00						
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		Т	T i												
		1		1	UNC1X	USLXX	70 74	217 75	121 62	51 44	14 45	1					
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone			-												
		2	1	2	UNC1X	USLXX	100 54	217 75	121 62	51 44	14 45						
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone	1							1							
		3		3	UNC1X	USLXX	178 39	217 75	121 62	51 44	14 45		1	ļ	1		
	-	Nonreguring Currently Combined Network Elements Switch -As															
		In Charge	1		LINC1X	UNCCC		8 98	898	8.98	8 98		1	1		1	
	EVTEN	DED 4 MIDE SC KERS DICITAL EXTENDED LOOP WITH DSO	INTER	L SECIOE	TRANSDORT	0,000			0.00	0.00				1			
	CATEN	DED 4-WIRE 50 RBFS DIGITAL EXTENDED LOOF WITH DSU	T		LINCOV		22.20	127.50	60.54	42.70	2.81		-	1		1.	
	_	First 4-wire 56 kbps Local Loop in combination - Zone 1		+ +	UNCOX	UDL50	22 20	127 59	60.54	42.70	201						
		First 4-wire bo Kbps Local Loop in combination - Zone 2		+ 4			31 50	127 59	60.54	42.79	201		+				+
		First 4-wire 56 kbps Local Loop in combination - Zone 3	-	1 3		UDL56	55.99	127 59	60.54	42 /9	281		+			+	+
		First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile	'						1						1		
		per month		1		1L5XX	0 0091						-l				+
		First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility												1	1	1	
		Termination per month	1		UNCDX	U1TD5	18 44	94 70	52 59	50 49	21 53				·	1	1
		Nonrecurring Currently Combined Network Elements Switch -As	i-														1
	1	Is Charge	1		UNCDX	UNCCC		8.98	8 98	8 98	898						
	EXTEN	DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0	INTERO	DFFICE	TRANSPORT												
		Errst 4-wire 64 khos Local Loop in combination - Zone 1	1	1	UNCDX	UDL64	22 20	127 59	60 54	42 79	2 81					1	
	+	First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	31.56	127 59	60 54	42 79	2 81				1	1	
	+	Erst 4-wre 64 kbps Local Loop in combination - Zone 3	1	3			55.99	127 59	60.54	42.79	2.81	· · ·	1		-		1
	-+	Erst Maura 65 kbps Interoffice Transport - Dedicated - Por Mic	+	Ť				12.00				1	1	1	1	1	1
	1	prinsi in-wire ob kops interonice transport - Deutcaleu - Per Mile	1		UNCOX	11.577	0.0004			1		1				1	1
		per monul	+	+		ILSXX	0.0091		<u> </u>		· · · · · · · · · · · · · · · · · · ·	+	+	+	+	+	1
	1	Hirst 4-wire 64 KDps Interomice Transport - Dedicated - Facility	1	1	LINGEN				F0			1		1			1
	1	Termination per month			UNCDX	U11D6	18 44	94 70	52 59	- 50.49	21 53	·+		+	+		4
	1	Nonrecurring Currently Combined Network Elements Switch -As	i-								_	.1	1		4	1	
	1	Is Charge			UNCDX	UNCCC		8 98	8 98	8 98	8 98	·					
ADDI	FIONAL M	NETWORK ELEMENTS							L	1	1					· · · · · · · · · · · · · · · · · · ·	
	When	used as a part of a currently combined facility, the non-recu	ring ch	arges d	lo not apply, but a	Switch As Is c	harge does ap	oly					-	1		1	
	When	used as ordinarily combined network elements in All States,	the nor	-recuri	ring charges apply	and the Switch	As Is Charge	does not					L			1	
	Nonrec	curring Currently Combined Network Elements "Switch As Is	" Charg	e (One	applies to each co	ombination)											
		Nonrecurring Currently Combined Network Elements Switch -As	3-	1													
		Is Charge - 2 wire/4-Wire VG	1		UNCVX	LUNCCC		8 98	8 98	8 98	8 98			1	1		

IINBI		NETWORK ELEMENTS - Elorida												Attach	ment: 2	Exh	bit. A
CATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonre	curring	Nonrecurrin	g Disconnect			OSS	Rates (\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 56/64 kbps			UNCDX	UNCCC		8 98	8 98	8 98	8 98						
		Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - DS1			UNC1X	UNCCC		8 98	8 98	8 98	8 98						
[Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - DS3			UNC3X	UNCCC		8 98	8 98	8 98	8 98						
		Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - STS1			UNCSX	UNCCC		8 98	8 98	8 98	8 98						
	Option	al Features & Functions:	1				1	1	1							[
					UITDI,												
		Clear Channel Capability Extended Frame Option - per DS1	I		ULDD1,UNC1X U1TD1.	CCOEF		01	01	01	01						
		Clear Channel Capability Super FrameOption - per DS1	1		ULDD1,UNC1X	CCOSF		01	01	01	01					i i	
		Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1			ULDD1, U1TD1, UNC1X, USL	NRCCC		184 92S	23 825	2 075	0.85						
		C bit Borth Onton Subcoquent Activity, nor DS3			U1TD3, ULDD3,	NPCC3		210.095	7 675	0 7739	05						
-	MULTI	EVERS			010, 01000	INNOC3		218 085	1 013	01100	00		[<u> </u>	
		DS1 to DS0 Channel System per month			UNC1X	MQ1	146 77	101 42	71 62		1						
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64khs) used for a Local Loop			וחט	10100	2 10	10.07	7.08								
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per			002	10100										1	
		month (2 4-64kbs) used for connection to a channelized DS1							1	i						1	
		Local Channel in the same SWC as collocation			U1TUD	1D1DD	2 10	10 07	7 08	0 00	0 00					I	
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per												1		1	
-	1	month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per			UDN	UC1CA	3 66	10 07	7 08	· · ·		1					-
		in the same SWC as collocation	ļ	ļ	U1TUB	UC1CA	3 66	10 07	7 08	0 00	0 00						
		voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop			UEA	1D1VG	1 38	10 07	7 08								1
		Voice Grade COCI - DS1 to DS0 Channel System - per month	1													1	
		used for connection to a channelized DS1 Local Channel in the	1		LITUC	1011/0	1 30	10.07	7.08	0.00	0.00					1	
	1	DS3 to DS1 Channel System per month	<u> </u>	+	UNC3X	MO3	211 19	199.28	118 64	40.34	39.07						· · · -
		STS-1 to DS1 Channel System per month			UNXCS	MQ3	211 19	199 28	118 64	40 34	39 07						
		DS1 COCI used with Loop per month			USL	UC1D1	13 76	10 07	7 08								
		DS1 COCI (used for connection to a channelized DS1 Local	1								1					[1
		Channel in the same SWC as collocation) per month			U1TUA	UC1D1	13 76	10 07	7 08	0 00	0.00					L	
		DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	13 76	10 07	7 08	0 00	0.00					ļ	
		DS3 Interface Unit (DS1 COCI) used with Local Channel per					10 70	40.07					1			1	
INDO						00101	1376	10.07	7.08	000	0.00		·····			<u> </u>	
UNBO	Exchar	ree Ports		-	-			1	-							<u> </u>	1
	NOTE	Although the Port Rate includes all available features in GA.	KY. LA	& TN. 1	the desired features	s will need to I	/ be ordered us	no retail USO	s		1			1			
	2-WIRE	VOICE GRADE LINE PORT RATES (RES)	T	T - C		T	1	Ţ	1			1					
		Exchange Ports - 2-Wire Analog Line Port- Res			UEPSR	UEPRL	1 40	3 74	3 63	1 88	1 80						
		Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res			UEP\$R	UEPRC	1 40	3 74	3 63	1 88	1 80						
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Res			UEPSR	UEPRO	1 40	3 74	3 63	1 88	1 80						
-		Exchange Ports - 2-Wire VG unbundled Florida area calling with Caller ID - Res			UFPSR	UEPAE	1.40	3.74	363	1 88	1.80						
	1	Exchange Ports - 2-Wire VG unbundled Florida Residence Area.		1	LIEPSR		1.40	3.74	3 63	1 00	100			<u>+</u>			1
		Exchange Ports - 2-Wire VG unbundled Florida extended		<u> </u>						100	100						<u> </u>
	-	Dialing port for Use with CREX7 and Caller ID	<u> </u>	+	UEPSR	UEPA1	1 40	3 74	3 63	1 88	1 80					<u> </u>	
		dialing port for use with CREX7, without Caller ID capability	1	1	UEPSR	UEPA8	1 40	3 74	3 63	1 88	1 80					1	

UND		NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhr	ibit: A
UNDC		NETWORK ELEMENTS - TIORda	r	1	·····	1						Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
				1								Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE		RATE ELEMENTS	Inten	Zone	BCS	usoc			RATES (\$)			Liec P	nandany	Order ve	Order ve	Order ve	Order ve
			m	Lone	200	0000						percor	percon	Electronic	Electronic	Electropic	Electronic
1													ļ	Erectronic-	Electronic-	Dias Ast	Diec Add'
													i i	150	Add	Disc ist	DISC AUG I
	1			1				Nonre	curring	Nonrecurring	d Disconnect			OSS	Rates (\$)		
				1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Exchange Ports - 2-Wire VG unbundled res, low usage line port	1									1					
		with Caller ID (LUM)			UEPSR	UEPAP	1 40	3 74	3 63	1 88	1 80					1	
		2-Wire voice unbundled Low Usage Line Port without Caller ID															
		Capability			UEPSR	UEPRT	1 40	3 74	3 63	1 88	1 80		i				
		Subsequent Activity	1		UEPSR	USASC	0 00	0.00	0 00								
	FEATU	RES															
		All Available Vertical Features			UEPSR	UEPVF	2 26	0 00	0.00								
	2-WIRE	VOICE GRADE LINE PORT RATES (BUS)	1														
		Exchange Ports - 2-Wire Analog Line Port without Caller ID -		1													
1		Bus			UEPSB	UEPBL	1 40	3 74	3 63	1 88	1 80						
		Exchange Ports - 2-Wire VG unbundled Line Port with															
		unbundled port with Caller+E484 ID - Bus			UEP\$B	UEPBC	1 40	374	3 63	1 88	180						
		· · · · · · · · · · · · · · · · · · ·				1											1
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus			UEPSB	UEPBO	1 40	3 74	3 63	1 88	1 80						
		Exhange Ports - 2-Wire VG unbundled incoming only port with															
		Caller ID - Bus			UEPSB	UEPB1	1 40	3 74	3 63	1 88	1 80						
		2-Wire voice unbundled Incoming Only Port without Caller ID			T												
		Capability			UEPSB	UEPBE	1 40	3 74	3 63	1 88	1 80						
		Subsequent Activity			UEPSB	USASC	0 00	0 00	0.00							L	
	FEATU	RES														L	
		All Available Vertical Features			UEPSB	UEPVF	2 26	0 00	0 00							L	
	EXCHA	NGE PORT RATES (DID & PBX)															
		2-Wire VG Unbundled 2-Way PBX Trunk - Res			UÉPSE	UEPRD	1 40	39 06	18 18	12 35	0 7 187						
		2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1 40	39 06	18 18	12 35	0 7187						
		2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1 40	39 06	18 18	12 35	0 7187			-	-	<u> </u>	
		2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1 40	39 06	18 18	12 35	0 7187						
		2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1 40	39 06	18 18	12 35	0 7187	1					
		2-Wire Voice Unbundled PBX LD Terminal Ports	-		UEPSP	UEPLD	1 40	39 06	18 18	12 35	0 7187	1				1	
		2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1 40	39 06	18 18	12 35	0 7187						
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1 40	39 06	18 18	12 35	0 7187						
		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1 40	39 06	18 18	12 35	0 7187				L	<u> </u>	
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1 40	39.06	18 18	12 35	0 7 187						
	1	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD								1	1		1				
	1	Capable Port	1	1	UEPSP	UEPXE	1 40	39 06	18 18	12 35	0 7187						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
		Administrative Calling Port			UEPSP	UEPXL	1 40	39 06	18 18	12 35	0 7 1 8 7						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
		Room Calling Port		1	UEPSP	UEPXM	1 40	39 06	18 18	12 35	0 7187				_		
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
1		Discount Room Calling Port			UEPSP	UEPXO	1 40	39 06	18 18	12 35	0 7187					+	
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1 40	39 06	18 18	12 35	0 7187						-
		Subsequent Activity			UEPSP	USASC	0 00	0 00	0 00								
	FEATU	RES															1
		All Available Vertical Features	T		UEPSP UEPSE	UEPVF	2 26	0 00	0.00								
	EXCHA	NGE PORT RATES (COIN)															
		Exchange Ports - Coin Port					1 40	3 74	3 63	1 88	1 80	1					
	NOTE:	Transmission/usage charges associated with POTS circuit s	witche	d usag	e will also apply to	circuit switch	ed voice and/or	r circuit switch	ned data transm	nission by B-C	hannels assoc	nated with 2	-wire ISDN	ports			
	NOTE:	Access to B Channel or D Channel Packet capabilities will b	e availa	ible on	ly through BFR/Nev	/ Business Re	equest Process	. Rates for the	a packet capab	ilities will be d	etermined via	the Bona Fi	de Request	New Busines	s Request Pro	ocess	
UNBU	NDLED	OCAL EXCHANGE SWITCHING (PORTS)															
	EXCHA	INGE PORT RATES										1					
	The DS	1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS	DN Po	rt in thi	s rate exhibit apply	to the embed	ided base in pla	ace as of 10/2/	03 until 4/1/04.	After 4/1/04 th	ese rates shal	revert to ta	riff rates or	a separate ag	reement	1	
	Reque	sts for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports	after th	e effec	tive date of this am	endment shal	l be provided p	ursuant to a s	eparate agreen	nent or tariff at	BellSouth's	discretion					
		Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	8 73	78 41	15 82	41 94	4 26	i					
		Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID													1		
		capability (E 4/1/2004)			UEPDD	UEPDD	54 95	151 11	77 75	48 81	3 10	·	<u> </u>			<u> </u>	
		Exchange Ports - 2-Wire ISDN Port (See Notes below)			UEPTX, UEPSX	U1PMA	8 83	46 83	50 68	27 64	11 93	-			1	· · · ·	
		All Features Offered			UEPTX, UEPSX	UEPVF	2 26	0 00	0 00	1	1					4	
		Exchange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX, UEPSX	U1UMA	0.00	0.00	0 00	L		1	L	1		1	-
	NOTE	Access to B Channel or D Channel Packet capabilities will b	e availa	ableon	ly through BFR/Nev	v Business Re	equest Process	. Rates for the	e packet capab	ilities will be d	letermined via	the Bona Fi	de Request	New Busines	s Request Pre	ocess	1

UNB	UNDLE	D NETWORK ELEMENTS - Florida												Attach	ment 2	Exhi	bit: A
			—			1	Γ					Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
				1								Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
					1							Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	Inten	Zone	BCS	usoc			RATES (\$)			per I SR	per I SR	Order vs	Order vs	Order vs	Order vs.
0,			m									po. 2011	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
					ļ									1st	Add'i	Disc 1st	Disc Add'l
														104			2.007.001
							Bac	Nonrec	urring	Nonrecurring	g Disconnect			OSS	Rates (\$)		
							Reu	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	NOTE	Access to B Channel or D Channel Packet capabilities will be	e availa	ble onl	y through BFR/New	Business Re	equest Process.	Rates for the	packet capab	ilities will be de	etermined via	the Bona Fi	de Request	New Busines	s Request Pro	cess	
	EXCHA	NGE PORT RATES (continued)															
		Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911															
		Locator Capability (E 4/1/2004)			UEPEX	UEPEX	82 74	174 61	95 17	49 80	18 23						
		Exchange Ports - 4-Wire ISDN DS1 Port (E 4/1/2004)			UEPDX	UEPDX	82 74	174 61	95 17	49 80	18 23		_	ļ			
		Physical Collocation - DS1 Cross-Connects			UEPEX UEPDX	PE1P1	1 32	27 77	15 52	5 93	4 77	-				ļ	<u> </u>
		Virtual collocation - Special Access & UNE, cross-connect per	1													1	
		DS1		-	UEPEX UEPDX	CNC1X	7 50	155 00	14 00					-			
L	Detaile	d E911 with Locator Capability (required with UEPEX port)	ļ	-		·										<u> </u>	
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911	1														1
		Locator Capability - Initial Profile Establishment per CLEC per			UEDEV		0.00	1 800 00		151 12							
		State	1	-	UEFEA	UEFIA	0.00	1,009.00		13112							+
	1	Lesster Conclute: Subsequent Profile Changes Additions			1					ļ							
		Deletions			LIEPEY		0.00	175.66		1							
<u> </u>	Now or	Additional PPI Telephone Numbers					0.00	1/3 00					1				
	New Or	Unbundled Exchange Ports 4-Wire ISDN DS1 Port - E911			+ ··					+			1				1
1		Locator Capability 2-way Telephone Numbers, per number in				1											
		E911 profile [New or Additional]			UEPEX	UEP1C	0.0699	0 5412									
<u> </u>		Unbundled Exchange Ports 4-Wire ISDN DS1 Port - E911															1
		Locator Capability - Outdial Telephone Numbers, per number in												1		1	1
		E911 profile (New or Additional)			UEPEX	UEP1D	0 0699	12 71	12 71								
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward	1							İ							
		Telephone Numbers - Inward Data Only Option (New or				ļ											
		Additional]			UEPDX	UEP1E	0 00	0 5412							1		
	-	Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]															
1		Inward Tel Numbers (Customer Testing Purposes)			UEPEX	PR7ZT	0 00	25 42	25 42								
	LOCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPEX UEPDX	LNPCN	1 75								<u> </u>	<u> </u>	
	INTER	FACE (Provsioning Only)			_												
		Voice/Data			UEPEX	PR71V	0 00	0.00	0 00			-				+	4
		Digital Data	1		UEPEX	PR71D	0.00	0.00	0 00		ļ		·		l		-
		Inward Data				PR71E	0 00	0 00	0 00							<u> </u>	
	New or	Additional Channel		-		0000		15.10		+					· · ·		
		New or Additional - Voice/Data "B" Channel		-	UEPEX	PR/BV	0.00	15 48								 	
		New or Additional - Digital Data "B" Channel				PR/BF	0.00	15 48						1		<u>+</u>	
<u> </u>	_	New or Additional Inward Data "B" Channel				PR/BD	0.00	13 46				-	<u> –</u>	· · · ·			-
		New or Additional Useage Sensitive Voice Data "B" Channel	+			DP7BU	0.00										
		New or Additional PRI "D" Chappel	1	-	UEPEX	PR7FY	0.00	15.48		+			1	1	1	1	+
—	CALL		1	-			1	10 70		1		1	1	1	1	1	1
	UNCL.	linward	+		UEPEX LIEPDX	PR7C1	0.00	<u> </u>	0.00		1		1	1	i	1	1
		Outward	1	-	UEPEX	PR7CO	0.00	0 00	0 00		-						
	-	Two-way	+	+	UEPEX	PR7CC	0.00	0 00	0 00	1			-				
	UNBUN	NDLED PORT with REMOTE CALL FORWARDING CAPABILIT	Ý													1	
	UNBU	NDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE	i –														1.
	-	Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1 40	3 74	3 63	1 88	1 80						
			1														
		Unbundled Remote Call Forwarding Service, Local Calling - Res	5		VEPVR	UERLC	1.40	374	3 63	1 88	1 80						
		Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTE	1 40	3 74	3 63	1 88	1 80						_
		Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	1 40	3 74	3 63	1 88	1 80						
	Non-Re	ecurring												-	ļ	+	
		Unbundled Remote Call Forwarding Service - Conversion -											1	1			
		Switch-as-is		1	UEPVR	USAC2		0 102	0 102		l		1	4	-	l	+
		Unbundled Remote Call Forwarding Service - Conversion with							_							1	
		allowed change (PIC and LPIC)		_	UEPVR	USACC		0 102	0 102					+		+	-
<u> </u>	UNBUI	NDLED REMOTE CALL FORWARDING - Bus		_									+		+	+	
1			1		105000	UEDAO									1		
1	1	Unbundled Remote Call Forwarding Service, Area Calling - Bus	1	1	IUEPVB	IUERAC	140	1 374	3.63	188	1 1 80		1	1	1	1	1

LINRI		NETWORK ELEMENTS - Elorida												Attach		Eub	
				r	1	1 -	1					Cue Order	Cue Order	Attach	Thern. 2	EXI	
				1								Svc Order	Svc Urder	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATE	CODY		Interi	7	Dec	11000	1		DATES (C)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	JURT	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs	Order vs	Order vs
														Electronic-	Electronic-	Electronic-	Electronic
			}											1st	Add'l	Disc 1st	Disc Add'l
	T				· · · · · · · ·		· · · · · · · · · · · · · · · · · · ·							L		!	1
			<u> </u>	ļ			Rec	Nonree	curring	Nonrecurrin	g Disconnect			OSS	Rates (\$)		1
	-		I					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Units and the Demote Call Demotes Constant Level Calling Day		1													
	+	Unbundled Remote Call Forwarding Service, Local Calling - Bus		 		UERLC	1 40	374	3 63	1 88	1 80						
		Unbundled Remote Call Forwarding Service, InterLATA - Bus				UERIE	140	374	3 63	1 88	1 80						<u> </u>
	+	Unbundled Remote Call Forwarding Service, IntraLATA - Bus	I	-	UEPVB	UERIR	1 40	374	3 63	1 88	1 80	·					<u> </u>
		Unduridied Remote Call Forwarding Service Expanded and	t i	1							l					1	1
		Exception Local Calling		+	UEPVB	UERVJ	1 40	3 74	3 63	1 88	1 80	· · · · ·					ļ
	Non-Re	curring	ļ			-											
		Unbundled Remote Call Forwarding Service - Conversion -					1					1				i	
		Switch-as-is			UEPVB	U\$AC2		0 102	0 102				L				
		Unbundled Remote Call Forwarding Service - Conversion with															
1		allowed change (PIC and LPIC)			UEPVB	USACC		0 102	0 102								
UNBU	NDLED L	OCAL SWITCHING, PORT USAGE															
	End Of	ice Switching (Port Usage)															
		End Office Switching Function, Per MOU					0 0007662										
L		End Office Trunk Port - Shared, Per MOU					0 000164										
	Tanden	n Switching (Port Usage) (Local or Access Tandem)															1
1		Tandem Switching Function Per MOU					0 0001319										
		Tandem Trunk Port - Shared, Per MOU					0 000235										
		Tandem Switching Function Per MOU (Melded)					0 000027185										
		Tandem Trunk Port - Shared, Per MOU (Melded)		1			0 000048434										
		Melded Factor 20.61% of the Tandem Rate													1		
	Commo	on Transport		1													
		Common Transport - Per Mile, Per MOU		1			0 0000035										
		Common Transport - Facilities Termination Per MOU		1			0 0004372										
UNBU	NOLED P	ORT/LOOP COMBINATIONS - COST BASED RATES															
	Cost Ba	used Rates are applied where BellSouth is required by FCC ar	nd/or St	ate Co	mmission rule to pr	ovide Unbun	died Local Swi	tching or Swite	ch Ports								
	Feature	s shall apply to the Unbundled Port/Loop Combination - Cos	t Based	Rate	section in the same	manner as th	ley are applied	to the Stand-A	tone Unbundle	ed Port section	of this Rate E	xhibit					
	End Of	ice and Tandem Switching Usage and Common Transport Us	sage rat	es in t	he Port section of the	us rate exhib	it shall apply to	all combination	ons of loop/po	ort network ele	ments except	for UNE Co	n Port/Loo	Combination	ns.		
	The firs	t and additional Port nonrecurring charges apply to Not Curr	ently C	ombin	ed Combos For Cu	rrently Comb	ined Combos tl	he nonrecurrin	g charges sha	II be those ide	ntified in the N	lonrecurring	3 - Currently	Combined s	ections		
	2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
	UNE Po	rt/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1	-		10 94										
		2-Wire VG Loop/Port Combo - Zone 2		2			15 05										
		2-Wire VG Loop/Port Combo - Zone 3		3			25 80										
	UNE Lo	op Rates															
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	9 77										
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	13 88										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	24 63										
1	2-Wire	Voice Grade Line Port Rates (Res)															
1		2-Wire voice unbundled port - residence		1	UEPRX	UEPRL	1 17	53 31	26 46	27 50	8 37						
		2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	1 17	53 31	26 46	27 50	8 37						
L		2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	1 17	53 31	26 46	27 50	8 37						
		2-Wire voice unbundled Florida Area Calling with Caller ID - res			UEPRX	UEPAF	1 17	53 31	26 46	27 50	8 37						1
		2-Wire voice unbundles res, low usage line port with Caller ID															
		(LUM)			UEPRX	UEPAP	1 17	53 31	26 46	27 50	8 37						
		2-Wire voice unbundled Florida extended dialing with Caller ID			UEPRX	UEPA1	1 17	53 31	26 46	27 50	8 37						
	1	2-Wire voice unbundled Florida extended dialing port without										1					
		Caller ID capability			UEPRX	UEPA8	1 17	53 31	26 46	27 50	8 37	1					1
		2-Wire voice unbundled Florida Area Calling Port without Caller								T							
		ID Capability			UEPRX	UEPA9	1 17	53 31	26 46	27 50	8 37	1					
1		2-Wire voice unbundled Low Usage Line Port without Caller ID													1		
		Capability			UEPRX	UEPRT	1 17	53 31	26 46	27 50	8 37			1			
	FEATU	RES								T	1	1		1	1		
		All Features Offered			UEPRX	UEPVF	2 26	0.00	0 00						· · ·		
	LOCAL	NUMBER PORTABILITY									1				1	1	
		Local Number Portability (1 per port)			UEPRX	LNPCX	0 35				1				1	1	
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED													1		

UNBL	INDLE	NETWORK ELEMENTS - Florida												Attach	ment: 2	Exb	ibit [.] A
CATE	30RY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'i
										T					B -t (f)	L	
							Rec	Nonre	curring	Nonrecurring	Disconnect	00450		OSS	Rates (\$)		
		2 Mire Vales Crade Less II as Bert Combination - Conversion						FIRSE	Addi	FIRST	Add I	SUMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
		Switch-as-is			LIEPRY	USAC2		0 102	0 102				1			ł	
		2-Wire Voice Grade Loon / Line Port Combination - Conversion -		+		100002	<u> </u>	0 102	0 102							i	
		Switch with change			UEPRX	USACC		0 102	0 102							i i	
	ADDITI	ONAL NRCs														(
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
		Activity		L	UEPRX	USAS2	0.00	0 00	0.00							L	
		Unbundled Miscellaneous Rate Element, Tag Loop at End User												i		i i	
	OFFICE	Premise		+	UEPRX	UREIL		8 33	0.83								
<u> </u>	OFF/OF	2 Wire Analog Voice Grade Extension Loon - Non-Design		1	LIEPRY	LIEAEN	10.69	49.57	22.83	25.62	6.57					i	
<u> </u>	1	2 Wire Analog Voice Grade Extension Loop - Non-Design		1 2	UEPRX	UEAEN	15 20	49.57	22.83	25.62	6.57					i	+
-		2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPRX	UEAEN	26 97	49 57	22 83	25 62	6 57					i	-
		2 Wire Analog Voice Grade Extension Loop - Design	i	1	UEPRX	UEAED	12 24	135 75	82 47	63 53	12 01						1
		2 Wire Analog Voice Grade Extension Loop – Design		2	UEPRX	UEAED	17 40	135 75	82 47	63 53	12 01					[
		2 Wire Analog Voice Grade Extension Loop – Design		3	UEPRX	UEAED	30 87	135 75	82 47	63 53	12 01						
	INTERC	FFICE TRANSPORT															
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility														i i	
		Termination		ļ	UEPRX	U1TV2	25 32	47 35	31.78							<u> </u>	
		interomice Transport - Dedicated - 2 wire Voice Grade - Per Mile or Erection Mile			LIEDBY	11173.04	0.0001	0.00	0.00	Ì						i i	
<u> </u>	2.1100	VOICE GRADE LOOP WITH 2 WIRE LINE PORT (RUS)			UEPRA		0.0091	0.00	000							i	
	UNE Pr	voice GRADE 200F WITH 2-WIRE LINE FORT (B03)	· · · ·	+ •			<u> </u>										· · · · · ·
-	0.112.1	2-Wire VG Loop/Port Combo - Zone 1		1	· · ·		10 94										
		2-Wire VG Loop/Port Combo - Zone 2		2			15 05									Í	
		2-Wire VG Loop/Port Combo - Zone 3		3			25 80										
	UNE Lo	op Rates														i	
L		2-Wire Voice Grade Loop (SL1) - Zone 1	ļ	1	UEPBX	UEPLX	9 77									L	
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	13 88									í	
 	2 141.00	2-Wire Voice Grade Loop (SL1) - Zone 3	ļ	3	UEPBX		24 63		1					<u> </u>		l	4
	2-wire	2-Wire value unbundied part without Caller ID - bus			HEDRY	HEDRI	1 17	52.21	26.46	27.50	9.37		·			l	+
-		2-Wire voice unbundled port with Caller + E484 ID - bus		-	UEPBX	UEPBC	1 17	53.31	26 46	27.50	8 37			<u> </u>			+
		2-Wire voice unbundled port outgoing only - bus		1	UEPBX	UEPBO	1 17	53 31	26 46	27 50	8 37						
		2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UEPB1	1 17	53 31	26 46	27 50	8 37						
		2-Wire voice unbundled incoming Only Port without Caller ID															
		Capability			UEPBX	UEPBE	1 17	53 31	26 46	27 50	8 37						
	LOCAL	NUMBER PORTABILITY		 												ļ	
	CE AT!	Local Number Portability (1 per port)		<u> </u>	UEPBX	LNPCX	0 35		<u> </u>		L					l	ł
	PEATU	All Features Offered			LIEDBY		2.26	0.00	0.00							l	+
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED	+	-			4 20	0.00	- 000								1
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -	<u> </u>	1	† 	1	1 1			+	·		<u> </u>				1
		Switch-as-is		1	VEPBX	USAC2		0 102	0 102							1	
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -		1		-											
<u> </u>		Switch with change			UEPBX	USACC		0 102	0 102							l	
	ADDITI	ONAL NRCs					-										
[2-Wire Voice Grade Loop/Line Port Combination - Subsequent			UCODY	110.000		0.00	0.00							1	
		Unbundled Miscellaneous Rate Element, Tao Loop at End Lloor	<u> </u>		02287	USASZ	<u> </u> · − · − 	0.00	0.00	+						I	
		Premise			UEPBX	URETI		8.33	0.83							1	1
<u> </u>	OFF/OF	PREMISES EXTENSION CHANNELS	†	<u> </u>			I	0.00									1
		2 Wire Analog Voice Grade Extension Loop - Non-Design	<u> </u>	1	UEPBX	UEAEN	10 69	49 57	22 83	25 62	6 57	[t	1			1
		2 Wire Analog Voice Grade Extension Loop - Non-Design		2	UEPBX	UEAEN	15 20	49 57	22 83	25 62	6 57					<u> </u>	<u> </u>
—		2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPBX	UEAEN	26 97	49 57	22 83	25 62	6 57						
<u> </u>		2 Wire Analog Voice Grade Extension Loop ~ Design		1	UEPBX	UEAED	12 24	135 75	82 47	63 53	12 01					L	<u> </u>
		2 Wire Analog Voice Grade Extension Loop – Design		2	UEPBX	UEAED	17 40	135 75	82 47	63 53	12 01					ļ	<u> </u>
├ ──	INTER	2 wire Arranog voice Grade Extension Loop ~ Design		1.3	UEPBX	UEAED	30.87	135 75	82 47	63 53	12 01					l	+
L			I	1	J	1	1		L 11 1	1		1	1	1	1	1	1

		NETWORK ELEMENTS Elorida		_										Attach	ment [.] 2	Exhi	bit A
UNO	JNULEL	VINETWORK ELEMENTS - FIORIda	-	1			r		· · · ·			Sun Order	Sue Order	Incremental	Incremental	Incremental	Incromontal
												Svc Order	SVC Order	Channel	Channel	Charge	Charan
1							4					Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
O ATE	0001	DATE OF ENERTS	Inten	7	DCC	11600			DATES (8)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	JURY	RATE ELEMENTS	m	Zone	BCS	0500			KATES (S)			per LSR	per LSR	Order vs	Order vs	Order vs	Order vs
			1	1										Electronic-	Electronic-	Electronic-	Electronic-
					1									1st	Add'l	Disc 1st	Disc Add'l
		· · · · · · · · · · · · · · · · · · ·								1		····					
							Rec	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates (\$)		
		······						First	Add'l	First	Add'l	SOMEG	SOMAN	SUMAN	SUMAN	SUMAN	SUMAN
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
		Termination			UEPBX	U1TV2	25 32	47 35	31 78								
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
		or Fraction Mile			UEPBX	U1TVM	0 0091	0 00	0 00								
	2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)										1					
	UNE Po	rt/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			10 94										
		2-Wire VG Loop/Port Combo - Zone 2	1	2			15 05										
,		2-Wire VG Loop/Port Combo - Zone 3		3			25 80										
	UNE Lo	op Rates															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	9 77										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	13 88										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	24 63										
	2-Wire	Vorce Grade Line Port Rates (RES - PBX)		T													
		2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -						_									
		Res			UEPRG	UEPRD	1 17	174 81	100 65	75 88	12 73						
	LOCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPRG	LNPCP	3 15	0 00	0 00								
	FEATU	RES															
		All Features Offered			UEPRG	UEPVE	2 26	0 00	0.00								
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED	· · ·														1
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -											1				
		Conversion - Switch-As-Is			UEPRG	USAC2		8 45	1 91								
<u> </u>		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -													· · · ·		1
		Conversion - Switch with Change			UEPRG	USACC		8 45	1 91								
		ONAL NRCs	+ · · · ·		021110		<u> </u>	0.10	,					1			
	AUDITI	2-Wire Vorce Grade Loop/ Line Port Combination (PBX) -		1			1					1		1			
		Subsequent Activity			LIEPRG	USAS2	0.00	0.00	0.00					-		1	
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt		1		00/102		0.00		· ·			1	1			
		Group						7.86	7.86								
	-	Linbundled Miccelloneous Pote Element, Tag Leon at End Lieer						,	, 00			1	1				-
		Promise Miscelateous Nate Element, Tag Loop at Life Oser			LIEPRO	UPETI		8 3 3	0.83		ļ						
—	OFFICE							0.00	005								
	OFF/U	PREMISES EXTENSION CHANNELS		1			12.24	125 75	82.47	63.53	12.01		1				· · · · · -
H		Local Channel Voice grade, per termination		1 2	LIERRO	P2111X	17.40	135 75	82.47	63.53	12.01		1	1			
		Local Channel Voice grade, per termination	<u> </u>	1 2		D2 ILIY	20.97	135 75	92.47	63.53	12.01		1		-		-
		Non-Wwo Direct Search Channel Ware Crade		1	LIEBBO	6002V	12 02	120.28	42 56	95.00	10.54		-			·	
	-	Non-Wire Direct Serve Channel Voice Grade		+	LIEPPG	SOD2X	18 36	120 38	43.56	95.00	10.54					· · · · · · · · · · · · · · · · · · ·	
	-	Non-Wire Direct Serve Channel Voice Grade	1	3	LIEPRO	SDD2X	32 58	120 38	43.56	95.00	10.54		1				· ·
	INTER/					50021	52.50	120 30	43.00	33.00	10.04				1		
	INTER	Intereffine Transmod Deducated 2 Wire Voice Crede Ecoluty		+													
		Termination			LIEPPC	111712	25.32	47 35	31 79								
		Internitation			ULERO		- 20 02	47.55	3170			+	-		1		
		as Exertee Mile			UEDBO	11175 004	0.0001	0.00	0.00								
	2 14/105	VOICE CRADE LOOD WITH 2 WIRE LINE DORT (RUS DRV)		+	UEPRO		0.0091	0.00	0.00					+			
		VOICE GRADE LOUP WITH 2-WIRE LINE PORT (BUS - PDA)	1						· · ·	+			+ ···	+	+		+
	UNE PO	Dr/Loop Combination Rates		+	· ·		10.04						+	1			+
		2-Wire VG Loop/Port Combo - Zone 1	+	+			10 94		· · ·		-	-	+	·			+
		2-Wire VG Loop/Pon Combo - Zone Z	+	1 4			10 05							+		+	<u> </u>
	Lune I	2-vvire vo Loop/Pon Combo - Zone 3		1 3			25 80			+	-		+	+	1		+
	UNE LO	Dulling Views Crada Lean (CL 4) 7 4	+	1 -				<u> </u>	· · · ·	+		-		+			+
		2-vvire voice Grade Loop (SL 1) - Zone 1	1	1 1			9 //		+	-		+	+	1	1		+
		2-Wire voice Grade Loop (SL 1) - Zone 2		2	JUEPPX		13 88		ļ	+		-	+	+	+		+
	10.00-	Z-vvire voice Grade Loop (SL 1) - Zone 3	<u> </u>	3	UEPPX	UEPLX	24 63		l		<u> </u>	1		1	<u> </u>	ł	
L	2-Wire	voice Grade Line Port Rates (BUS - PBX)		+	+							1	+	+	+ .	1	
1	1		1	1													
 		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus		1	UEPPX	UEPPC	1 17	174 81	100 65	75 88	12 73	+	+	+	+		+
J	+	Line Side Unbundled Outward PBX Trunk Port - Bus		-		UEPPO	1 17	174 81	100 65	/5 88	12 73		-		Į		
<u> </u>		Line Side Unbundled Incoming PBX Trunk Port - Bus	-	1	UEPPX	UEPP1	1 17	174 81	100 65	75 88	12 73		-	+	1	l	
1	1	z-wire voice unbundled PBX LD Terminal Ports	1	1	INFRA	UEPLD	1 17	1/4 81	100 65	/5 88	1273		1				

UNBL	INDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exh	bit: A
				1			1					Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
1			l									Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Sun	Manual Suc	Manual Sva	Manual Sua
CATE	GORY	RATE ELEMENTS	Inten	Zone	BCS	usoc			RATES (\$)			Elec	Manually	Manual SVC	Manual Svc	Manual Svc	Manual SVC
1			m	Lone	200	0000			104120 (0)			per LSR	perLSR	Order vs	Order vs	Order vs	Order vs.
			[i I										Electronic-	Electronic-	Electronic-	Electronic-
			-											1st	Add'l	Disc 1st	Disc Add'l
	1						· · · · · · · · · · · · · · · · · · ·	Nonree	curring	Nonrecurring	Disconnect			055	Rafes (\$)		
							Rec	First	Add'l	Firet	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	1	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port		-	UEPPX	UEPXA	1 17	174.81	100.65	75.88	12.73	COMEO	00111711	00111411	U UIIAN	COMAN	COMAN
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		1	UEPPX	UEPXB	1 17	174.81	100.65	75.88	12 73						
	1	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1 17	174 81	100.65	75.88	12 73					· · . · ·	
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	<u> </u>		UEPPX	UEPXD	1 17	174 81	100.65	75.88	12 73						
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD											1		·		
		Capable Port			UEPPX	UEPXE	1 17	174 81	100 65	75 88	12 73						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy											1				
		Administrative Calling Port			UEPPX	UEPXL	1 17	174 81	100 65	75 88	12 73						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
		Room Calling Port			UEPPX	UEPXM	1 17	174 81	100 65	75 88	12 73						
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital										[····	1			-	1
		Discount Room Calling Port			UEPPX	UEPXO	1 17	174 81	100 65	75 88	12 73						
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1 17	174 81	100 65	75 88	12 73	1					
	LOCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPPX	LNPCP	3 15	0 00	0 00								
L	FEATU	RES															
		All Features Offered			UEPPX	UEPVF	2 26	0 00	0 00							-	
<u> </u>	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Conversion - Switch-As-Is			UEPPX	USAC2		8 45	1 91								
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Conversion - Switch with Change			UEPPX	USACC		8 45	1 91								
	ADDITI	DNAL NRCs															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -										1					
		Subsequent Activity			UEPPX	USAS2	0.00	0 00	0.00								
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt		1													
L		Group						7 86	7 86								
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	0.000	Premise			UEPPX	URETL		8 33	0 83								
<u> </u>	UFF/UN	PREMISES EXTENSION CHANNELS															
<u> </u>		Local Channel Voice grade, per termination			UEPPX	P2JHX	12 24	135 75	82 47	63 53	12 01						
		Local Channel Voice grade, per termination		4	UEPPX	P2JHX	1/40	135 75	82 47	63 53	12 01						
		Local Channel Voice grade, per termination		3		PZJHX	30.87	135 75	82 47	63 53	12 01						
		Non-Wire Direct Serve Channel Voice Grade				SDD2X	12 92	120 38	43 56	95 00	10 54						
}		Non-Wire Direct Serve Channel Voice Grade		2		SUD2X	18 36	120 38	43 56	95 00	10 54	·					
<u> </u>	INTERC			3	UEPPX	SUD2X	32 58	120.38	43.56	95.00	10.54						
<u> </u>		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Eacility															
		Termination			HEDDY	11117/2	25.22	47.36	24.70								
	-	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			ULIFIX	01172	23.52	4/ 33	3170				-				
		or Eraction Mile				UHTM	0.0001	0.00	0.00								
_	2-WIRE	VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	27				00031	0.00	0.00								
	UNE Po	rt/Loop Combination Rates		-											·		
		2-Wire VG Coin Port/Loop Combo - Zone 1		1			10.94										
		2-Wire VG Coin Port/Loop Combo - Zone 2		2		-	15.05		<u> </u>								
		2-Wire VG Coin Port/Loop Combo – Zone 3		3			25 80										
1	UNE Lo	op Rates															
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	977										
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	13 88										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	24 63								· · · · · · · · · · · · · · · · · · ·		
	2-Wire	/orce Grade Line Ports (COIN)														-	
	1 1	2-Wire Coin 2-Way with Operator Screening and Blocking 011,															
L	<u>↓</u> ↓	900/976, 1+DDD (FL)			UEPCO	UEP2F	1 17	53 31	26 46	27 50	8 37						
		2-Wire Coin 2-Way with Operator Screening and 011 Blocking															
ļ					UEPCO	UEPFA	1 17	53 31	26 46	27 50	8 37				1		
1		2-write Coin 2-way with Operator Screening and Blocking	i i														
	1	2 Wire Cop Outword with Operator Sereeping as 1 011 Physics			UEPCO	UEPCG	1 17	53 31	26 46	27 50	8 37						
		2-mis com Outward with Operator Screening and 011 Blocking (Δ) Et)			UERCO	LICODK		co							ļ		
L		(·····			ULPUU	TARAKK	1 17	53 31	26 46	27 50	8 37	L					

LINBI		NETWORK ELEMENTS - Elorida							• •• •• ••								
UND		NETWORK ELEMENTS - FIORIda	r	1		1	1							Attach	ment: 2	Exh	bit. A
				1								Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Inten									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			ner I SR	per I SR	Order vs	Order vs	Order vs	Order vs
				1								por corr	por corr	Electronic	Electronic-	Electronic	Electropyc
														Electronic-	Electronic-	Electronic-	Electronic-
														150	Addi	Disc 1st	Disc Add'l
				1			l	Nonrec	umna	Nonrecurring	Disconnect			099	Rates (\$)		L
							Rec	Eiret	Add'l	Errol	Add'l	SOMEC	SONAN	EOHAN	COMAN	COMAN	COMAN
-		2-Wire Coin Outward with Operator Screening and Blocking	·· ·					1.131	Auui	1150	Addi	SOMEC	JOWAN	SUMAN	SUMAN	SUMAN	SUMAN
					UEDCO	UFROF	4 47	50.04	00.40	07.50							1
	-	300/370, 11000, 0 1+ (r c)			UEPCO	UEPOF		53 31	26.46	27.50	837						
		2-wire Coin Outward with Operator Screening and Blocking															
	-	900/976, 1+DDD, 011+, and Local (FL, GA)			UEPCO	UEPCQ	1 17	53 31	26 46	27 50	8 37						
		2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1 17	53 31	26 46	27 50	8 37						
		2-Wire Coin Outward Smartline with 900/976 (all states except		1													1
		LA)			UEPCO	UEPCR	1 17	53 31	26 46	27 50	8 37						
	ADDITI	ONAL UNE COIN PORT/LOOP (RC)		1								*					t
		UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	1 86	0.00	0.00	0.00	0.00			_			
	I OCAL	NUMBER PORTABILITY		1					0.00	0.00	0.00						
		Local Number Portability (1 per port)			UERCO	INDOX	0.25										
	NONDE				ULFCO	LINFUX	0.35			l							Į
	NONRE	2 West Vess Orde Lass (Lass Det Ostbacker O					· · · · · · · · · · · · · · · · · · ·										
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -	·			1											1
L		Switch-as-is			UEPCO	USAC2		0 102	0 102								1
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -	·														1
		Switch with change			UEPCO	USACC		0 102	0 102								
	ADDITI	ONAL NRCs				1								-			
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent								· · · ·							
		Activity			LIEPCO	115452		0.00	0.00								1
	-	Linbundled Miscellaneous Rate Element, Tao Loop at End Licer		-	02100	00/102			0.00								
		Dramica				UDET		0.00	0.00								
<u> </u>	2 14/105	VOICE LOOP/ 2002E VOICE OPADE IO TRANSPORTI A MIDI			DEPCO	UREIL		833	0.83								
	2-WIRC	VOICE LOUP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRI		PORT	RES)												
	UNE PO	n/Loop Combination Rates		-													
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			13 64										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			18 80										[
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	1	3			32 27										
	UNE Lo	op Rates															1
		2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	12 24										·
		2-Wire Voice Grade Loop (SL2) - Zone 2		2	LIEPER	LIECE2	17.40										
		2-Wire Voice Grade Loop (SL2) - Zone 3		2	UEPER	UECE2	30.87										
	2-Wire	Voice Grade Line Bort Pates (Pee)		- ×			30 07										<u> </u>
	7-1106	2 Wire write unbundled part rendered		-		LICEDE!	4.40	171.04		TE de							
		2-Wire voice unbundled port - residence		<u> </u>	UEPFR	UEPRL	140	174 81	100.65	/5 88	12 / 3						
		2-wire voice unbundled port with Caller ID - res			UEPER	UEPRC	1 40	174.81	100 65	75 88	12 73						I
L	-	2-wire voice unbunated port outgoing only - res			UEPER	UEPRO	1 40	174 81	100 65	75 88	12 73						
		2-Wire voice unbundled Florida Area Calling with Caller ID - res			UEPFR	UEPAF	1 40	174 81	100 65	75 88	12 73						
		2-Wire voice unbundles res, low usage line port with Caller ID															
		(LUM)			UEPFR	UEPAP	1 40	174 81	100.65	75.88	12 73						
	INTER	OFFICE TRANSPORT													-		
-		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility				-+						+· · ·					+•
1		Termination	1	1	LIEPER	1117/2	25.32	47.96	31 70	1	1	1	1		1		
-		Interoffice Transport Deducated 2 Wire Voice Grade Ber Mile		 	OLFIN	1011/2	23.52	41 33	3170								
		or Eraction Mile		1	LIEDED	11 EVY	0.000										
-	CT ATU			+	UEPrk	ILDAA	0 0091										4
H	FEATU		·	 								L					
L		All Features Offered			UEPFR	UEPVF	2 26	0 00	0 00								
	LOCAL	NUMBER PORTABILITY															[
<u> </u>	-	Local Number Portability (1 per port)			UEPFR	LNPCX	0 35										
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED					1					T					T
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port								1				t			t
		Combination - Conversion - Switch-as-is	1	1	UEPFR	USAC2		16 97	3 73			1	1				[
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		1					010								
		Combination - Conversion - Switch-With-Change		1	LIEPER	USACC		10.07	3 73				1	[
	1	Unbundled Miscellanoous Pate Element Tag Designed Loop of	<u>+</u>	1	OLI IIV	0000		10.97	3/3						L		+
1		End Liser Promice	1	1	UEDED	UDETN				1		1	1				
—	2 14/10-	VOICE LOOP/ WHEE VOICE COMPENSATION TO MERCENIA	-	0000		UREIN		11 21	1 10						L		4
<u> </u>	2-WIRE	VOICE LOUP/ ZWIRE VOICE GRADE IO TRANSPORT/ 2-WIRI		PORT (BUS)												
	UNE PO	ruLoop Combination Rates	1	1													
<u> </u>		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			13 64										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			18 80										·
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			32 27										t

UNR														Attach	ment: 2	Exh	bit: A
UND.	UNDEEL		T · · · ·	1	1	· · · · · · · · · · · · · · · · · · ·						Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Svc Older	Svc Order	Observer	Obarra	Channel	Charma
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
	0001		Inten						DATER (F)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GURT	RATE ELEMENTS	m	Zone	BUS	USUC			RAIES (S)			per LSR	per LSR	Order vs	Order vs	Order vs.	Order vs
			1											Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
			I						-	1				L		L	
							Rec	Nonrec	urring	Nonrecurning	Disconnect			OSS	Rates (\$)	1	1
			ļ		ļ .			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	UNE Lo	op Rates											l	1			
		2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	12 24										
		2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	17 40										
		2-Wire Voice Grade Loop (SL2) - Zone 3		3	VEPFB	UECF2	30 87										
	2-Wire	Voice Grade Line Port (Bus)															
		2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	1 40	174 81	100 65	75 88	12 73						[.
	1	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	1 40	174 81	100 65	75 88	12 73	1					
		2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	1 40	174 81	100 65	75 88	12 73						
		2-Wire voice unbundled incoming only port with Caller ID - Bus		+	UEPFB	UEPB1	1 40	174 81	100 65	75 88	12 73		1				
	LOCAL	NUMBER PORTABILITY	1										1				1
-		Local Number Portability (1 per nort)			UEPEB	LNPCX	0.35										
	INTER	DEFICE TRANSPORT		1								1					1
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility								1		h • • • • • • • • • • • • • • • • • • •					
1		Termination	1	1	UEPEB	U1TV2	25.32	47 35	31 78			1	1				1
· · · ·		Interoffice Transport Dedicated 2 Mire Voice Grade - Per Mile				01112	20 02	41.00	0110				1			ł	<u> </u>
		Interonice transport - Dedicated - 2 Wire Voice Grade - Fer Mile	1	1		11.5 YY	0.0091										
	FEATU		-			112377	0 0091										+
	FEATU			-	LIEDED		0.06	0.00	0.00			· ···				<u> </u>	<u>+</u>
<u> </u>	NOUDE	All Features Offered	+	-	UEPFB	UEPVF	2 20	0.00	0.00							<u> </u>	+
	NONRE	CURRING CHARGES (NRCS) - CURRENTLY COMBINED	-													<u> </u>	
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port				10400		40.07	3 70			i					1
		Combination - Conversion - Switch-as-is	1	_	I DEPER	USACZ		10.97	373							───	-
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			1			10.07	0.70						1		
		Combination - Conversion - Switch with change		_	UEPFB	USACC		10.91	373								-
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at			1												
L		End User Premise			UEPFB	URETN		11 21	1 10								
	2-WIRE	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRI	E LINE	PORT	(PBX)											L	
	UNE Po	ort/Loop Combination Rates															
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	1	1			13 64					1				L	
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			18 80					-					
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	1	3			32 27						1				
	UNE Lo	pop Rates									I			·			
		2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	12 24										
		2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	17 40										
		2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	30 87										
	2-Wire	Voice Grade Line Port Rates (BUS - PBX)															
		[1														-
1		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	1		UEPFP	UEPPC	1 40	174 81	100 65	75 88	12 73	1			1		
		Line Side Unbundled Outward PBX Trunk Port - Bus	1		UEPFP	UÉPPO	1 40	174 81	100 65	75 88	12 73	1	1		1		1
	1	Line Side Linbundled Incoming PBX Trunk Port - Bus	+	+	UEPEP	UEPP1	1 40	174 81	100 65	75.88	12 73	1	1			1	1
	-	2-Wire Voice Unbundled PBX LD Terminal Ports	+	+	UEPEP	UEPLD	1 40	174.81	100 65	75 88	12 73	1	1			1	1
<u> </u>	-	2-Wire Voice Unbuilded 2-Way Combination PBX Lisage Port	1	1	UEPEP	UEPXA	1 40	174 81	100.65	75.88	12 73	1	1		1	1	1
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	1	+	LIEPEP	UEPYR	1.40	174.81	100.65	75.88	12 73						1
-		2-Wire Voice Unbuilded PBX I D DDD Terminals Pote	+	+		UEPYC	1.40	174.81	100 65	75.88	12 73				+	1	
	-	2 Wire Voice Unbuildied PBX LD Terminal Switchboard Port		· +····	LIEBED		1.40	174.81	100 65	75.88	12 73		-				1
H	· · · ·	2 Wire Voice Unbundled PBX LD Terminal Switchboard IDD	+	+			140	17 - 01	100 00	, , , , 00	1213	+	+	<u> </u>		+	+
1		Canable Port		F	LIEPEP	LIEPYE	1 40	17/ 91	100.65	75.99	10 73						
<u> </u>		2 Wrs Verse Linburdied 2 Way DBX Hetel/Hesertel Economy	+	+		ULI'AE	140	1/401	100 00	1300	1213	<u> </u>	+			+	+
		Adverse between Online 2-way PBA Hotel/Hospital Economy		1	UEDED		1 40	474.04	400.65	75.00	10 70						
1		Automistrative Galling Port	+	+			140	174 81	100.65	10.88	1273		+			+	+
1		2-wate voice Unbundled 2-way PBX Hotel/Hospital Economy	1		UEDED			174.04	100.05	75.00	10.70		1			1	1
<u> </u>		Koom Calling Port	1	1	UEPPP	UEPXM	1 40	1/4 81	100.65	/5.88	12/3					+	+
		2-wire voice Unbundled 1-Way Outgoing PBX Hotel/Hospital		1	Lunnen -										1		
		Discount Room Calling Port	+	1	UEPFP	UEPXO	1 40	1/4 81	100 65	/5 88	12 73				+	+	
	1	2-Wire Voice Unburdied 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1 40	1/4 81	100 65	/5 88	12 /3			· · · · · · · · · · · · · · · · · · ·		<u> </u>	
	LOCAL	NUMBER PORTABILITY							l		L	1		 		<u> </u>	
	1	Local Number Portability (1 per port)		1	UEPFP	LNPCP	3 15	0 00	0.00				+			+	
	INTER	OFFICE TRANSPORT							l					+		<u> </u>	
1		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1								1				1		
1		Termination		1	UEPFP	U1TV2	25 32	47 35	31 78								

														Attach	mante 2	Evb	b.t. A
OND	UNDELL	NETWORK ELEMENTS - Honda				1								Allaun			
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
	1		}	•								Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
	-		Infen									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS		Zone	BCS	US	OC [RATES (\$)			per LSR	per LSR	Order vs	Order vs	Order vs.	Order vs
														Electronic-	Electronic-	Electronic-	Electronic-
														1.et	Add'l	Duce 1et	Dice Add'l
				1										150	Add I	Discist	DISC AGO I
	T – Í							Nonre	curring	Nonrecurran	n Disconnect	1	I	OSS	Rates (\$)		
			-	1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
<u> </u>	-	Interaffine Transport, Deductori, 200/ce Veres Crede, Dec Mile	···	+				11135	Addi	11131	Aug	000000	JOINAN	JOUNIAN		JOINAN	JOINAN
		Interonice mansport - Dedicateo - 2 Wire Voice Grade - Per Mile															
		or Fraction Mile		1	UEPFP	1125XX	0 0091								L		
	FEATU	RES															L
L		All Features Offered			UEPFP	UEPV	F 2.26	0 00	0 00								
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		T													
		Combination - Conversion - Switch-as-is			UEPFP	USAC	2	16.97	3 73								
		2-Wire Loon / Dedicated IO Transport / 2 Wire Line Port	· · ·	+			-										
1		Combination - Conversion - Switch with change			LIEDED	LISAC		16.97	3.73						1		
		Lishundlad Massilanseus Data Element, Tas Designed Lass et		-		-100/0	×	10.57					· · · ·		······		
		Conducted Miscellaneous Rate Element, Tag Designed Loop at			UFOFO	luner		44.04			1						
		End User Premise	ļ	ļ	UEPFP		N	11 21	1 10	L .							
UNBU	NDLED P	ORT/LOOP COMBINATIONS - COST BASED RATES								1							
	2-WIRE	VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT														
	UNE Po	rt/Loop Combination Rates															
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			20 95										
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			26 11										
		2-Wire VG Loop/2-Wire DID Truck Port Combo - UNE Zone 3		3			39.58				1						
	LINELO	e Pates		+			0000				-						
	UNE LO	2) Mine Angles Mana Crade Lang (CL2) LINE Zong 1			UPODY	LUE CO	4 10.04	1			1			-			
	-	2-Wire Analog Voice Grade Loop - (SE2) - UNE Zone T		1	UEPPA	UECD	1 12 24				l					· · · ·.	
	-	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD	1 1740										
L		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD	1 30 87										
	UNE Po	ort Rate															
		Exchange Ports - 2-Wire DID Port			UEPPX	UEPD	1 871	214 16	98 29								
	NONRE	CURRING CHARGES - CURRENTLY COMBINED				· · · · · · · · · · · · · · · · · · ·		1									
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -				- 1					1				1	1	1
		Switch-as-is			UEPPX	USAC	1	7 85	1.87								
		2-Wire Vorce Grade Loop / 2-Wire DID Trunk Port Conversion		1	021171	- 100110	<u> </u>				+						
		with DellCauth Allevable Changes		1	UEDDY		~	7.05	1.07								
	10017	With Bensouth Allowable Changes		÷		USAN	·	1 00	1 0/								
	AUDITI	UNAL NRUS		-													
	_	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk		<u> </u>	UEPPX	USAS	1	32.26	32 26								
		Unbundled Miscellaneous Rate Element Tag Designed Loop at															
		End User Premise			UEPPX	URET	N	11 21	1 10								
	Telepho	one Number/Trunk Group Establisment Charges		T													
		DID Trunk Termination (One Per Port)			UEPPX	NDT	0.00	0 00	0.00								1
		DID Numbers, Establish Trunk Group and Provide First Group			1							1					
		of 20 DID Numbers			UEPPX	NDZ	0.00	0.00	0.00		1				1		
	-	Additional DID Numbers for each Group of 20 DID Numbers			LIEPPX	ND4	0.00	0.00	0.00		1				<u> </u>	· · · · ·	
<u> </u>	1	DID Numbers Non-consecutive DID Numbers Per Number	1	+		ND5	0.00	0.00	0.00		1	1	t	t	1	1	
<u> </u>	+	Did Nambers, Non-Consecutive Did Numbers , r er Number	· · ·			NDG	0.00	0.00	0.00			+					
}	+ +	Description Did Numbers		-			0.00	0.00	0.00	+	1	+	1	t	+····		
J		Reserve DID Numbers			UEPPX	NUV	000	0.00	0.00								
	LOCAL	NUMBER PORTABILITY									I	·					
L		Local Number Portability (1 per port)	I	L		LNPC	P 315	0.00	0 00		L			L	l	ļ	L
1	2-WIRE	ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL L	NE SID	E PORT	ſ					i			1				
	UNE Po	ort/Loop Combination Rates															
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		1											1		
		UNE Zone 1		1 1	UEPPB UEF	PR	22.63		1			1					
-		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	<u> </u>									1		1		r ·	
		LINE Zone 2	1	2		PP	20.04				1	1				1	
	+	2W/ ISDN Digital Grade Loop/2W/ ISDN Digital Line Side Dect	-		ULLED ULLE		29 00	· · · · · · · · · · · · · · · · · · ·	+			+	+	+	+		+
1		200 ISDN Digital Grade Loop/200 ISDN Digital Line Side Pon -	1					1		1	1	1	1	1			1
	1	UNE ZONE 3	Į	3	UEPPB UEP	PR	45.84	1	L		1	1			 	1	1
 	UNE Lo	op Rates	1										-			· · · · ·	
		2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB UEPF	PR USL2	K 15 25						L				.l
			1		!												
		2-Wire ISDN Digital Grade Loop - UNE Zone 2	1	2	UEPPB UEP	PR USL2	< 21 67		1		1	1	1	I			L
		2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB UEPP	PR USL2	38 46	i		1	I		1				
	UNE Po	ort Rate	1	1	1						1			1			
	1	Exchange Port - 2-Wire ISDN Line Side Port	1	1	UEPPB UEPP		8 7.36	194 52	145.09	1	1		1		1		1
h	NONRE	CURRING CHARGES - CURRENTLY COMBINED	1	1				10402	1.000	1	1	1	+	+	+	1	1

UNBI		NETWORK ELEMENTS - Elorida													A 44		E ula	
			1	T	<u> </u>		T	T							Attach	ment: Z	Exn	DICA
													Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
													Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATE		DATE ELEMENTO	Interi	7			10000			DATES (1)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEC	3001	RATE ELEMENTS	m	Zone	'l "	565	0500			RAIES (\$)			per LSR	perLSR	Order vs.	Order vs.	Order vs.	Order vs
															Electronic-	Electronic-	Electronic-	Electronic-
														1	1st	Add'l	Disc 1st	Disc Add'l
	1				+ • ••				Norro		Noncourant	Disconnect		1	086	Detec (#)	L	
			1	1				Rec	Firet	Curring Add'l	Furst	J Disconnect	FONEC	SOMAN	000	Rates (\$)	COMAN	CONTAN
		2-Wire ISDN Digital Grade Loon / 2-Wire ISDN Line Side Port	ł	1					111-20		11131	Auui	JOINEC	SOMAN	JONIAN	SOWAN	JONIAN	JOIMAN
		Combination - Conversion				LIEPPR	USACB	0.00	25.22	17.00								
	ADDITI	ONAL NRCs	<u> </u>	-		OLITIK_	- CONCD	0.00	20 22	17 00	i			<u> </u>				
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at		· · · -	-											l	<u> </u>	
	1	End User Premise			UEPPB	UEPPR	URETN		11.21	1 10								
	1	Unbundled Miscellaneous Rate Element, Tag Loop at End User		1														+
		Premise		1	UEPPB	UEPPR	URETL		8 33	0.83								
	LOCAL	NUMBER PORTABILITY											1				<u> </u>	
		Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								<u> </u>
	B-CHAI	NEL USER PROFILE ACCESS:											1					
		CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0 00	0 00	0 00				1			r -	
		CVS (EWSD)			UEPPB	UEPPR	U1UCB	0 00	0.00	0.00								
		CSD			UEPPB	UEPPR	UIUCC	0 00	0.00	0 00								
	B-CHAI	NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C,MS, 8	TN)													[
L	USER T	ERMINAL PROFILE																1
		User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0 00	0 00	0.00								
	VERTIC	AL FEATURES																
		All Vertical Features - One per Channel B User Profile	L		UEPPB	UEPPR	UEPVF	2 26	0.00	0 00							1	
	INTERC	OFFICE CHANNEL MILEAGE	ļ	L														
		Interoffice Channel mileage each, including first mile and															1	
—		facilities termination			UEPPB	UEPPR	MIGNC	25 3291	47 35	31 78	18 31	7 03					L	
	4.14000	Interoffice Channel mileage each, additional mile			UEPPB	UEPPR	MIGNM	0 0091	0.00	0.00							l	
	4-WIRE	E B DS1 combinate anter below for in the anter which and	PORT				6 4 0 /0/00			L								
<u> </u>	Peque	E-P DST combination rates below for in this rate exhibit appl	y to the	embed	aded base	e în place a	S OF 10/2/03 L	until 4/1/04. Aft	ter 4/1/04 these	rates shall re	vert to tariff rat	es or a separal	e commerc	ial agreeme	nt		ļ	
-	UNE Po	util oon Combination Pates			r the energy	cuve date c	a this amenu	ment shall be	provided pursu	lant to a separ	rate agreement	or tarim at Bell	South's di	scretion			l	
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	1														l	
		Zone 1	1	1	UEPPP			153.48									1	
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE						100 40									<u> </u>	
		Zone 2		2	UEPPP			183 28									1	
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																t
		Zone 3		3	UEPPP			261 12									1	
	UNE Lo	op Rates															I	
		4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	70 74										
		4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	100 54										
		4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	178 38									(
	UNE Po	ort Rate	L															
		Exchange Ports - 4-Wire ISDN DS1 Port (E 4/1/2004)			UEPPP		UEPPP	82 74	488 36	276 65								
	NONRE	CURRING CHARGES - CURRENTLY COMBINED																
		4-wire UST Digital Loop / 4-wire ISUN UST Digital Trunk Port					URACE	1									1	
	ADDIT	Combination - Conversion -Switch-as-is (E 4/1/2004)			UEPPP		USACP	0.00	84.17	61 38							 	L
	ADDIT	A Wire DS1 Loop /4 W/ ISDN Digit Tit Dat Subast Ashe									· · · · ·						I	
		Inward/two wow Tel Nee _ (except NC)			UEDDD		DOTT		0.5440								1	
		4-Wire DS1 Loop / 4-Wire ISDN DS1 Diortol Trunk Port			UEPPP		PRAIF		0 0412								l	
	1	Outward Tel Numbers (All States excent NC)					DB7TO		12 71	10 74							1	
		4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -			ULITY		FR/10		1271	1271						-	i	
	1	Subsequent Inward Tel Numbers					PR77T		25.42	25.42							i	
	LOCAL	NUMBER PORTABILITY	1						2.042	23 42	<u> </u>						i	
-		Local Number Portability (1 per port)		<u>† · · · · </u>	UEPPP		LNPCN	1 75			t						i	1
	INTERF	ACE (Provsioning Only)				·				• •	1						i	
		Voice/Data			UEPPP		PR71V	0 00	0.00	0.00							i	
		Digital Data		<u> </u>	UEPPP		PR71D	0.00	0 00	0 00	<u> </u>						í	
		Inward Data			UEPPP		PR71E	0.00	0 00	0 00					•		í	
L	New or	Additional "B" Channel															(
L	┝ │	New or Additional - Voice/Data B Channel			UEPPP		PR7BV	0.00	15 48									
<u> </u>	├	New or Additional - Digital Data B Channel			UEPPP		PR7BF	0.00	15 48									
Ļ	1	New or Additional Inward Data B Channel			UEPPP		PR7BD	0.00	15 48									
L	CALL T	TRED			1		1	1				1					1	1

UNB	UNDLE	D NETWORK ELEMENTS - Florida												Attach	ment [.] 2	Exh	bit: A
						1						Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
				1								Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Inten									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs	Order vs	Order vs	Order vs
			1	1										Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	· I · ·				· · ·			Nonra	CURERO	Nonrocuron	Disconnect				Pater (\$)		I
-				+			Rec	First		First	Add'l	SOMEC	SOMAN			SOMAN	SÓMAN
		Inward	-	1	UEPPP	PR7C1	0.00	0.00	0.00	11130	Auui		COMPAN	00000	001101	JOMAN	
		Outward		1	UEPPP	PR7CO	0.00	0.00	0.00					-			1
		Two-way			UEPPP	PR7CC	0 00	0 00	0 00	1							
	Interof	ice Channel Mileage										1					I
		Fixed Each Including First Mile			UEPPP	1LN1A	88 6256	105 54	98 47	21 47	19 05						
1		Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0 1856										
	4-WIRE	DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT						1]	L	l			
<u> </u>	The UN	E-P DS1 combination rates below for in this rate exhibit appl	y to the	embed	Ided base in place a	is of 10/2/03 u	intil 4/1/04 Af	ter 4/1/04 these	e rates shall re	vert to tariff rat	es or a separa	te commerc	al agreeme	nt			
-	Reques	ats for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff	ective c	late of	this amendment sha	all be provide	d pursuant to	a separate agr	eement or tarif	f at BellSouth's	discretion.	· · · · ·					
	UNE PO	AW DS1 Digital Loop/AW DDITS Truck Port - UNE Zopo 1		+		-	105.60										l
		AW DST Digital Loop/AW DOITS Truck Port - UNE Zone 7				+	155.49										
		4W DS1 Digital Loop/4W DDITS Trunk Port - LINE Zone 3		3	UEPDC		233.33		· ··			· · · ·					
	UNEIC	pop Rates	1	١Ť		+	200 00							···· · · · · · · · · · · · · · · · · ·			
		4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	70 74					+		1			
		4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	100 54										
		4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	178 38										1
	UNE Po	ort Rate															
		4-Wire DDITS Digital Trunk Port (E 4/1/2004)			UEPDC	UDD1T	54 95	464 86	259 23								
	NONRE	CURRING CHARGES - CURRENTLY COMBINED															
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination					1	1				ł					
	-	- Switch-as-is (E 4/1/2004)		-	UEPDC	USAC4		95 31	46 71								
		4-wire DST Digital Loop / 4-wire DDTS Tronk Port Combination	-		LIEDDC			05.04	46.74			-]			
		4-Wire DS1 Digital Loop / 4-Wire DDITS Truck Port Combination		 		103AWA		9551	4071			-					
		- Conversion with Change - Truck (E 4/1/2004)			UEPDC	USAWB		95.31	46.71								
	ADDITI	ONAL NRCs			02100	00/11/B		5551	4071								-
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -	<u> · · · · · · · · · · · · · · · · · · ·</u>														
		Subsequent Channel Activation/Chan - 2-Way Trunk	l		UEPDC	UDTTA		15 69	15 69					1			
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent				1											
		Channel Activation/Chan - 1-Way Outward Trunk	l		UEPDC	UDTTB		15 69	15 69								
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel		1]										
		Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		15 69	15 69								
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
		Activation Per Chan - Inward Trunk with DID			UEPDC	סוופטן		15 69	15 69				ł				
		Astrophysic Coop / 4-Wire DDHS Trunk Port - Subsqnt Chan				UDTTO		45.00	45.00								
<u> </u>	BIPOL		ł	+	DEPDC	JUDITE		15 69	15 69	+ .			<u> </u>				
		B8ZS -Superframe Format		+		CCOSE		0.00	655.00¢	1							+
	1	B8ZS - Extended Superframe Format		+	UEPDC	ICCOEF		0 00	655 00s			+		+			1
	Alterna	te Mark Inversion			021 00	10002		0.00	000 005				1				+ · ·
		AMI -Superframe Format			UEPDC	MCOSF		0 00	0 00	-			1				
		AMI - Extended SuperFrame Format			UEPDC	MCOPO		0 00	0.00						1		
	Teleph	one Number/Trunk Group Establisment Charges															
		Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0 00										
		Telephone Number for 1-Way Outward Trunk Group		Į	UEPDC	UDTGY	0 00										
	-	Telephone Number for 1-Way Inward Trunk Group Without DID		-	UEPDC	UDTGZ	0.00						1				
1	1	of 20 DID Numbers, Establish Trunk Group and Provide First Group		1	LIERDC	107		0.00			1						
<u> </u>	+	DID Numbers for each Group of 20 DID Numbers		+		ND2	0.00	0.00	0.00			÷	+				
<u> </u>	1	DID Numbers Non-consecutive DID Numbers Per Number		+	UEPDC	ND5	0.00		l			+	+	l			
	1	Reserve Non-Consecutive DID Nos	1	+	UEPDC	ND6	0.00	0.00	0.00		ł		1				· · · · · · · · · · · · · · · · · · ·
	1	Reserve DID Numbers		<u>†</u>	UEPDC	NDV	0.00	0.00	0.00			1	1	1			
	Dedica	ted DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS	1 Digita	Loop	with 4-Wire DDITS T	runk Port		3.00	1			1					1
		Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities		Г			1			1					1		
	1	Termination)		L	UEPDC	1LNO1	88 44	105 54	98 47	21 47	19 05						
1	1																
		Interoffice Channel Mileage - Additional rate per mile - 0-8 miles	1		UEPDC	1LNOA	0 1856	0 00	0.00			1					1

UNB	JNDLE	NETWORK ELEMENTS - Florida												Attach	ment. 2	Exh	bit A
						1	I · · · · ·					Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Inton	ł								Flec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	inten	Zone	BCS	USOC			RATES (\$)			per I SR	per I SR	Order vs	Order vs	Order vs	Order vs
			m										per cont	Electronic-	Electronic.	Electronic-	Electronuc-
				1										1et	Add'l	Diec 1et	Disc Add'
				1										150	Addi	Disc ist	Discradi
							Rec	Nonre	curring	Nonrecurring	Disconnect			OSS	Rates (\$)		
-				<u> - </u>				First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interonice Channel Mileage - Fixed rate 9-25 miles (Facilities			UEDOC	4 100	0.00			1 1						1	
	+	Interoffice Channel Mileson, Additional rate per mile. 0.25			UEPDC	TLNO2	0.00	0.00	0.00								
		miles			LIERDO	11 NOR	0 1956	0.00	0.00							1	
<u> </u>	+	Interoffice Channel Mileage - Eived rate 25+ miles (Eacilities		+	ULFDC	TLINUB	0 1000	0.00	000							 	
		Termination)		1	UEPDC	11 NO3	0.00	0.00	0.00	0.00						1	
				1	00.00				000							f	
		Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0 1856	0.00	0.00							1	
		Local Number Portability, per DS0 Activated		1	UEPDC	LNPCP	3 15	0 00	0 00	0.00			1			<u> </u>	
		Central Office Termininating Point			UEPDC	CTG	0 00										
	4-WIRE	DS1 LOOP WITH CHANNELIZATION WITH PORT															
	System	is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti	vation	·													
	Each S	stem can have up to 24 combinations of rates depending on	type a	nd nun	ber of ports used				L								
	The UN	E-P DS1 combination rates below for 4-Wire DS1 Loop with C	hanne	ization	with Port in this rat	te exhibit app	oly to the embe	dded base in	place as of 10/2	2/03 until 4/1/04	After 4/1/04	these rates	shall revert	to tariff rates	or a separate	agreement.	
	Reques	ts for 4-Wire DS1 Loop with Channelization with Port after th	e effect	ive dat	e of this amendmen	t shall be pro	ovided pursuar	nt to a separate	agreement or	tariff at BellSo	uth's discretion	pn					
	UNE D	A Wire DS11 opp UNE Zopp 1				1101.00	70.74										
	+	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	/0 /4	0.00	0.00								
<u> </u>	+	4 Wire DS1 Loop - UNE Zone 2		4			100 54	0.00	000	<u>↓</u>						·	
		Changelization Canacities (D4 Changel Bank Configuration	25)		UEFING	USLUC		0.00	0.00							 	
-	UNE DI	24 DSO Channel Canacity - 1 per DS1	<u> </u>	<u> -</u>	LIEPMG	VL1M24	118.06	0.00	0.00								-
		48 DSQ Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	236 12	0.00	0.00							<u> </u>	
	1	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	472.24	0.00	0.00				1			<u> </u>	ł
	1	144 DS0 Channel Capacity - 1 per 6 DS1s		1	UEPMG	VUM14	708 36	0.00	0.00							<u> </u>	
		192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	944 48	0.00	0 00								
		240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM2O	1,180 60	0.00	0 00							·	
		288 DS0 Channel Capacity - 1 per 12 DS1s		1	UEPMG	VUM28	1,416 72	0.00	0 00	1		· · ·					
		384 DS0 Channel Capacity - 1 per 16 DS1s	_		UEPMG	VUM38	1,888 96	0.00	0.00								
		480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM4O	2,361 20	0 00	0 00				1				
		576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,833 44	0 00	0 00								
		672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	3,305 68	0 00	0.00								
	Non-Re	curring Charges (NRC) Associated with 4-Wire DS1 Loop with	n Chan	neliztic	n with Port - Conve	rsion Charge	Based on a Sy	stem									
<u> </u>	A Minir	num System configuration is One (1) DS1, One (1) D4 Channe	I Bank,	and U	p To 24 DSO Ports v	with Feature A	Activations				0	1				L	
1	Mutspi	es of this configuration functioning as one are considered Ac	id'i afte	r the n	inimum system cor	ifiguration is	counted										
		ReliSouth Allowed Changes			UERNÓ	USAGE	0.00					ļ.					
	Sustan	Additions at End User Leastions Where 4 Wire DS1 Least will	h Char	1	LOEPMG	JUSAC4		9677	4 24	·							
	New (N	Additions at End Oser Educations where 4-whe DST Edop whe	of Tor	A MS/	lion with Port Comb		entry Exists and	u T								<u> </u>	4
		1 DS1/D4 Channel Bank - Additionally Add NRC for each Port	01104	1	l									· · ·		+ 	
1	1	and Assoc Fea Activation (E 4/1/2004)		1	UEPMG	VUMD4	0.00	726 11	468 21	145.32	17 24		1			1	1
	Bipolar	8 Zero Substitution								110 02							+
	1	Clear Channel Capability Format, superframe - Subsequent		1					-								1
		Activity Only			UEPMG	CCOSF	0 00	0 00	655 00s								
1	1	Clear Channel Capability Format - Extended Superframe -															
		Subsequent Activity Only			UEPMG	CCOEF	0.00	0 00	655 00s								
	Alterna	te Mark Inversion (AMI)		L													
		Superframe Format			UEPMG	MCOSF	0.00	0.00	0 00								
 	Enclas	Extended Superframe Format	L	<u> </u>	UEPMG	MCOPO	0.00	0.00	0.00								ļ
	Exchan	ge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port		+							l			L	
H	LACINAN	ye Forts Line Side Combination Channelized DBV Truck Dert - Durante				-	+ · · · · · · · · · · · · · · · · · · ·		l	+						<u> </u>	
1		(E 4/1/2004)			LIEDDY	LIERCY	1 40	0.00	0.00	0.00	0.00		1			1	1
	+	Line Side Outward Channelized PBX Trunk Port - Business		<u> </u>	ULFPA .	- UEFUA	+ 140	000	000	000	0.00	+					
1		(E 4/1/2004)			LEPPX	LIEPOX	1.40	0.00	0.00	0.00	0.00					1	
<u> </u>	1	Line Side Inward Only Channelized PBX Trunk Port without DID		<u> </u>		1.01		0.00			0.00					I	<u> </u>
l		(E 4/1/2004)			UEPPX	UEP1X	1 40	0.00	0.00	0.00	0 00		1		1	1	1
		2-Wire Trunk Side Unbundled Channelized DID Trunk Port		1			1		1	1		<u> </u>	1	1	1	t	<u> </u>
		(E 4/1/2004)			UEPPX	UEPDM	8 71	0 00	0 00	0.00	0 00		1			1	
1	Feature	Activations - Unbundled Loop Concentration		1			1					1	1		İ		1

UNBU	NDLED	D NETWORK ELEMENTS - Florida												Attach	mant: 7	Evh	hit: A
					· · ·		T					0	0	Autorit		E AII	
												Svc Urder	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
1			Inten									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELÉMENTS		Zone	BCS	USOC			RATES (\$)			part SR	ner I SP	Ordor ve	Order ve	Ordoruc	Order
			IG										percon			Under vs	order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
						1								1st	Add'l	Disc 1st	Disc Add'l
<u> </u>		······································		<u> </u>			+			r : :							
<u> </u>							Rec	Nonrec	urning	Nonrecurring	Disconnect			OSS	Rates (\$)		
						<u> </u>		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Feature (Service) Activation for each Line Port Terminated in D4							-								
1		Bank			UEPPX	1PQWM	0 6402	25 40	13 41	3.96	3 93						
		Feature (Service) Activation for each Trunk Port Terminated in															
		D4 Bank			LIEPPY	1POWL	0.6402	79.16	10.40	56.00	10.05						
	Telenh	ane Number/ Group Establishment Charges for DID Resures				- GINO	0.0402	70 10	10 42	50.03	10.95	-					
<u> </u>	reicpin	DID Twels Termontes (4 and 0 - 4)		<u> </u>													
		Did frunk termination (Tper Port)			UEPPX	NDI	0.00	0.00	0.00								
		Estab Trk Grp and Provide 1st 20 DID Nos (FL,GA, NC,& SC)			UEPPX	NDZ	0.00	0 00	0 00]							
		DID Numbers - groups of 20 - Valid all States		1	UEPPX	ND4	0 00	0 00	0.00								
ł		Non-Consecutive DID Numbers - per number		T	UEPPX	ND5	0.00	0.00	0.00								
		Reserve Non-Consecutive DID Numbers	1	1	UEPPX	ND6	0.00	0.00	0.00								
		Reserve DID Numbers		1	LIEPPY	NDV	0.00	0.00	0.00			-					
	Local N	umber Bortshilty					0.00	0.00	0.00								
<u> </u>	Lovaria	Loool Number Destability 1 and and	I			1.000	-										
h	PIP of the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in the local sectors in th	Local Number Portability - 1 per port	<u> </u>	I	UEPPX	LNPCP	3 15	0 00	0.00								
<u> </u>	FEATU	KES - Vertical and Optional		L													
	Local S	witching Features Offered with Line Side Ports Only		1		1											t
		All Features Available			UEPPX	UEPVF	2.26	0.0	0.00						1		
UNBUN	DLED C	ENTREX PORT/LOOP COMBINATIONS - COST BASED RATE:	\$							i							•
	1 Cost	Based Bates are applied where Bell South is required by ECC		Chaba (a second a line											
	1 0030	Dased Rates are applied where behaddin is required by FCC	anu/or	State	commission rule to	provide Unb	undied Local S	witching or Sw	litch Ports								
	2 Feat	ires shall apply to the Unbundled Port/Loop Combination - C	ost Bas	ed Rat	e section in the sam	ne manner as	they are applie	d to the Stand	-Alone Unbun	died Port secti	on of this Rate	Exhibit					
	3 End	Office and Tandem Switching Usage and Common Transport	Usage	rates in	the Port section of	f this rate exh	nbit shall apply	to all combina	ations of loop/	port network e	lements excep	t for UNE C	oin Port/Lo	op Combinat	ions		
	4 The f	irst and additional Port nonrecurring charges apply to Not Ci	urrently	Comb	ined Combos. For	Currently Co	ombined Combo	s, the nonrecu	urring charges	shall be those	identified in t	he Nonrecu	rring - Curri	ently Combine	ed sections	Additional N	Cs may
	apply a	Iso and are categorized accordingly.											5				
	5. Mark	et Rates for Unbundled Centrex Port/Loop Combination will	be neg	ntiated	on an Individual Ca	so Basis un	til further notic					1		í –			
	UNE-P	CENTREY . 14ESS / Valid in AL EL GA KY LA MS & TN only				100 20010, 011		·			• • • • • • • • • • • • • • • • • • • •						
	2-Wire V	G Loop/2-Wire Voice Grade Bert (Centrey) Combo	í—			-											
	LINE De	All can Combination Dates (No. Dec.)															-
	UNE PO	rvLoop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1														
		Non-Design	1	1	UEP91		10 94										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design	1	2	LIEP01		15.05]					
		2-Wire VG Loop/2-Wire Voice Crade Bod (Contror/Bott Comba				· · · · · · · · · · · · · · · · · · ·	10 00		········								
		Nee Design	!		UEDO												
		Non-Design		3	UEP91		25 80					1					
	UNE PO	rt/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	ł														
		Design		1	UEP91		13 41					1					
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		2			10 57										
-		2 Wire VC Long /2 Wire Veres Crede Bad (Caster /Bad Crede)		<u> </u>	OEF91	1	10.57										
		E-while voice oracle Port (Centrex)Port Combo -				1											
	1	Design		3	UEP91		32 04										
<u> </u>	UNE LO	ор кате	L														
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	9 77										·
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	13.88			<u> · · · </u>	··	1				<u> </u>	
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	CA 10										
		2-Wire Voice Grade Loop (SL 2) Zono 1		4		UECCO	24 03										
		2-Wile Voice Glade Loop (SL 2) - Zolle 1			UEP91	UECS2	12 24										
		2-Write Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	17 40					L					
		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	30 87		_								
	UNE Po	rts										1	_				
	All State	es (Except North Carolina and Sout Carolina)				1											
	I	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP91	LIEPYA	1 17	53.91	26.46	27 50	9.97						
		2-Wire Voice Grade Port (Centrey 800 termination)Pasia Local	-	1		1	· · · · · · · · · · · · · · · · · · ·		20 40	21 30	0.3/	ŀ					•••••
1 1		Area			LIEDOA	LUEDVO					· · · -						1
H		2 Wire Vere Code Bod (Contract the Collect DV)	<u> </u>	 	UEP91	UEPYB	1 17	53 31	26 46	27 50	8 37						
		2-write voice Grade Port (Centrex with Caller ID)Note1 Basic	1	4 I				1									
		Local Area	L	1	UEP91	UEPYH	1 17	53 31	26 46	27 50	8 37						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
		Note 2, 3 Basic Local Area	l		UEP91	UEPYM	1 17	139.49	86.10	65.41	13.91		1				
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	<u> </u>			1	1	100 40	00 10		1301						
		Term - Basic Local Area			115001	UEDV7	1 4 4 7	400.40	00.10		40.00						j l
		2 Wire Voice Grade Bert terminated in an Manulu 1	<u> </u>		UEF91	UEPTZ	1	139 49	86 10	65 41	13 81						
1	1	2-wine voice Grade Port terminated in on Megalink or equivalent				1											
		- Dasic Local Area		I	UEP91	JUEPY9	1 17	53 31	26 46	27 50	8 37						

														Attach	ment: 7	Evh	hit: A
UND	UNDLEI		1	1	r · · · · · · · · · · · · · · · · · · ·	- T	1					Cur Order	Cure Order	Auden		Lann	Inca
												Svc Order	SVC Order	incremental	incrementat	incremental	incremental
							ļ					Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATE	~~ ~ ~		Inten	7	ncc	11600			DATES (4)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GURT	RATE ELEMENTS	m	Zone	BUS	USUC			RATES (#)			per LSR	per LSR	Order vs	Order vs.	Order vs.	Order vs
]	Electronic-	Electronic	Electronic-	Electronic-
							Ì							1st	Add'l	Disc 1st	Disc Add'l
							l	N		Al	D:				Defect (ft)		
						-	Rec	Nonrec	urring	Nonrecuming	Disconnect	CONTO	-	035	Rates (\$)	COMAN	001141
	-	2 Mirs Veiss Crode Bet Terminated on 200 Senses Term	<u> </u>	-				First	AGGI	FIRST	Add I	SUMEC	SUMAN	SUMAN	SUMAN	SUWAN	SUMAN
		2-whe voice Grade Post Terminated on 600 Service Termi-				LIEDY2	1 17	53.31	26.46	27.50	0.27				1		
	Coore	Dasic Local Area			UEPSI	UEP12	·····		20 40	27 50	0.31						
	Georgi	2 Mire Vene Crede Red (Centre)						62.24	26.46	27.50	0.37						
	+	2 Wire Voice Grade Port (Centrey 900 termination)		+			1 17	53 31	20 40	27 50	837						-
		2-Wire Voice Grade Port (Centrex with Caller ID)1		-	UEP01		1 17	53 31	20 40	27 50	8 37						
	<u> </u>	2 Wire Voice Grade Port (Centrex with Caller ID)1			102F91	UCPHN	······································	53 51	20 40	27 50	0.57						
	1	Conter12.2			10001		1 17	120.40	96 10	65.41	13.01						
-	+	2-Wire Voice Grade Port, Diff Sepund Wire Center 2.3 - 800		-			1.17	103 43		0341	13 01		+ · · · ·				
		Service Voice Grade Port, Din Serving wire Center 2,3 - 800					1 17	130.40	96.10	65.41	13.01						
	-		-		OLF 31	OLF 112	····· · · · · · · · · · · · · · · · ·	135 45	0010	0541	1301						·
		2-Wire Voice Grade Bort terminated in on Medalink or equivalent			LIED01		1 17	53 31	26.46	27.60	9.37						
	-	2-Wire Voice Grade Port Terminated in on Wegalink of Equivalence			LIEDOI	UEDU2	1 17	53.31	20.40	27.50	8 37				ł		
	LocalS	Switching	· · ·	·	ULFOI	OLFTIZ	·····		20 40	27.30	0.5/		· · · · · ·	· ·			
	LOCAL	Centrex Intercom Funtionality, per port			LIEPQ1	URECS	0.7384										ł
	Local	Jumber Portability		-	OLFOI	UNECO	07304										<u>+</u>
	Locarr	Local Number Portability (1 per port)			LIEP91	INPCC	0.35										l
	Feature				02101							1					
	louidite	All Standard Features Offered, per port		-	LIEP91	LIEPVE	2.26										
	+	All Select Features Offered, ner port		1	UEP91	UEPVS	0.00	370.70									
	+	All Centrex Control Features Offered, per port		1	UEP91	UEPVC	2 26					1	ł				
	NARS				02.01	02.10											
		Unbundled Network Access Register - Combination		+	UEP91	UARCX	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Indial		1	UEP91	UAR1X	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Outdial	<u> </u>	+	UEP91	UAROX	0 00	0 00	0.00	0 00	0 00						
	Miscell	aneous Terminations															1
	2-Wire	Trunk Side	· · · ·														
		Trunk Side Terminations, each			UEP91	CENA6	8 7 3										
	Interof	ice Channel Mileage - 2-Wire										1					
		Interoffice Channel Facilities Termination - Voice Grade			UEP91	M1GBC	25 32						1				
		Interoffice Channel mileage, per mile or fraction of mile			UEP91	M1GBM	0 0091										
	Feature	Activations (DS0) Centrex Loops on Channelized DS1 Service	e										1				
	D4 Cha	nnel Bank Feature Activations	1	-													
		Feature Activation on D-4 Channel Bank Centrex Loop Slot	1		UEP91	1PQWS	0.66										
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.66			1							
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
		Slot			UEP91	1PQW7	0 66			1							
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
		Different Wire Center			UEP91	1PQWP	0.66										
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.66										
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop				1		1									1
	-	Slot			UEP91	1PQWQ	0 66										
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.66										
	Non-Re	curring Charges (NRC) Associated with UNE-P Centrex	ļ												-		
		Conversion - Currently Combined Switch-As-Is with allowed															
	-	Ichanges, per port	l	+	UEP91	USAC2		21 50	8 42				L				
<u> </u>		Conversion of Existing Centrex Common Block	+		UEP91	USACN		5 17	8 32				<u> </u>				
<u> </u>		New Centrex Standard Common Block	<u> </u>	+	UEP91	MIACS	0 00	618 82					<u> </u>				
<u> </u>		New Centrex Customized Common Block	l		UEP91	MIACC	0.00	618 82									ļ
<u> </u>	1	NAR Establishment Charge Der Ossessen	<u> </u>	+	02P91		0.00	71 31							+		+
	LINE, P	CENTREY - SESS (Valid in All States)		+	UCPSI	URECA	0.00	00 48			•···	I	↓ · · ·				1
<u> </u>	2-Wire	VG Loop/2-Wire Voice Grade Bort (Centrey) Combo	1	+		+				· · · · ·		<u> </u>	<u> </u>		·		+
	LINE P	ort/l oon Combination Rates (Non-Design)		+	+						-		<u> </u>				
<u> </u>		2-Wire VG Loon/2-Wire Voice Grade Port (Centrex) Port Combo	±	+	1	-				<u>+</u> ·	········		<u> </u>	<u> </u>	+		l · · ·
		Non-Design		1	UEP95		10 94										1

														Attach	ment: 2	Evh	ihit: A
UNBL	INDLEI	J NETWORK ELEMENTS - Florida		1		1					· · · · · · · · · · · · · · · · · · ·	Sue Orden	Euro Order	Attach	In oroman tal	Inoromontol	Unoromontal
						1						Svc Order	SVC Order	Incremental	Incremental	Channel	Charge
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Inten	I_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEC	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (S)			per LSR	per LSR	Order vs	Order vs	Order vs	Order vs
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
										· ··						L	1
				1			Rec	Nonrec	urring	Nonrecurring	g Disconnect			055	Rates (\$)		
			1					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SUMAN	SUMAN
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	1	Non-Design		2	UEP95		15 05										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		3	UEP95		25 80										
	UNE Po	ort/Loop Combination Rates (Design)								L							<u> </u>
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	4														
		Design		1	UEP95		13 41									<u> </u>	
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			1					1	1		-				
		Design		2	UEP95		18 57										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		3	UEP95		32 04										
	UNE Lo	oop Rate															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	9 7 7										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	13 88								1		
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	24 63										
		2-Wire Voice Grade Loop (SL 2) - Zone 1	1	1	UEP95	UECS2	12 24						F				
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	17 40										
		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	30 87										1
	UNE PO	ort Rate	1	1													
	All Stat	85															
		2-Wire Voice Grade Port (Centrex) Basic Local Area		1	UEP95	UEPYA	1 17	53 31	26 46	27 50	8 37						
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPY8	1 17	53 31	26 46	27 50	8 37						
		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
		Area	1		UEP95	UEPYH	1 17	53 31	26 46	27 50	8 37						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire	-														
	1	Center)2.3 Basic Local Area	1		UEP95	UEPYM	1 17	139 49	86 10	65 41	13 81						
		2-Wire Voice Grade Port, Diff Serving Wire Center 2.3 - 800		1													
		Service Term - Basic Local Area		1	UEP95	UEPYZ	1 17	139 49	86 10	65 41	13 81						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent												1 · · · ·	1		
	1	- Basic Local Area			UEP95	UEPY9	1 17	53 31	26.46	27 50	8 37						
	-	2-Wire Voice Grade Port Terminated on 800 Service Term -															1
		Basic Local Area			UEP95	UEPY2	1 17	53 31	26.46	27 50	8 37						
	AL KY	LA MS SC & TN Only			01.00												
	FL & G	A Only				-											
		2-Wire Voice Grade Port (Centrex)			UEP95	UEPHA	1 17	53 31	26 46	27 50	8 37						
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPHB	1 17	53 31	26 46	27 50	8 37						-
		2-Wire Voice Grade Port (Centrex with Caller ID)1		1	UEP95	UEPHH	1 17	53.31	26.46	27.50	8.37				1		-
		2-Wire Voice Grade Port (Centrex from diff Serving Wire					· · · · · · · · · · · ·							1	1		
		Center)2.3			UEP95	UEPHM	1 17	139 49	86 10	65.41	13.81						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service											·	1			
1		Term 2,3	1		UEP95	UEPHZ	1 17	139 49	86 10	65.41	13 81]	1	
·····	1	··········	1	_	t	1			55 10	1		†			1	t	+
		2-Wire Voice Grade Port terminated in on Menalink or equivalent			UEP95	UEPH9	1 17	53 31	26.46	27.50	8 37						
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPH2	1 17	53.31	26.46	27 50	8 37					<u> </u>	
	Local S	witching		1	02.00		·····			2100	001	-				<u> </u>	
		Centrex Intercom Euclionality, per port		1	LIEP95	URECS	0 7384								+	<u> </u>	+
	Local N	lumber Portability	1	t	02.00	0.00	0,004							-	1	<u> </u>	+
	1	Local Number Portability (1 per port)		<u>+</u>	UEP95	LNPCC	0.35				1	1		l	1	<u> </u>	+
	Feature	IS	1							1	<u>† • · · · · · · · · · · · · · · · · · · </u>	1	1		+	<u> </u>	+
		All Standard Features Offered, per port	1	1	UEP95	UEPVE	2.26				†				1	<u> </u>	+
		All Select Features Offered, per port		<u> </u>	UEP95	UEPVS	0.00	370 70			t	1	1			<u> </u>	1
		All Centrex Control Features Offered, per port		t	UEP95	UEPVC.	2 26	5,0,0				+			ł		<u> </u>
	NARS		1	1							† •	1	1	1	+		+
	1	Unbundled Network Access Register - Combination		t	UEP95	UARCX	0.00	0.00	0.00	0.00	0.00	t				<u> </u>	1
	1	Unbundled Network Access Register - Indial	1	1	UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00	<u> </u>			1		1
-	1	Unbundled Network Access Register - Outdral	1	<u> </u>	UEP95	UAROX	0.00	0.00	0.00	0.00	0.00				+	<u> </u>	+
1	Miscell	aneous Terminations	1	1		5/11/0//		0.00	0.00	0.00	0.00	+		1	1	<u> </u>	+
	2-Wire	Trunk Side	1									+			1	<u> </u>	+
		Trunk Side Terminations, each	1	1	UEP95	CEND6	8 73					<u> </u>			1		+

UNBL	JNDLE	D NETWORK ELEMENTS - Florida												Attach	ment 2	Evhi	hit: A
			1			1						Sup Order	Euro Order	Inoremental	In aromantal	La cromontal	La sasar sastal
						i i						Svc Order	SVC Order	Charge	Channel	ncremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (S)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
			m			1						perLSR	perLSR	Order vs	Order vs	Order vs	Order vs
														Electronic-	Electronic-	Electronic-	Electronic-
							-							1st	Add'l	Disc 1st	Disc Add'l
			1					Nonrec	umna	Nonrecurrin	Disconnect				Pater (\$)		
	1			· · · · · ·			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire	Digital (1 544 Megabits)								1					U UII/II	COMPAN	COMPAN
	-	DS1 Circuit Terminations, each			UEP95	M1HD1	54 95										
	· · ·	DS0 Channels Activated, each			UEP95	MIHDO	0.00	15 69				•					
	Interoff	ce Channel Mileage - 2-Wire	1									+					-
		Interoffice Channel Facilities Termination			UEP95	M1GBC	25 32										
		Interoffice Channel mileage, per mile or fraction of mile			UEP95	M1GBM	0 0091										
	Feature	Activations (DS0) Centrex Loops on Channelized DS1 Service	ce														
	D4 Cha	nnel Bank Feature Activations										1					
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.66										
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.66			1			1				
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop														···	
		Slot			UEP95	1PQW7	0 66					1					
	1	Feature Activation on D-4 Channel Bank Centrex Loop Slot -		-							1	1				· · · · ·	
		Different Wire Center			UEP95	1PQWP	0 66				1						
												1					
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.66										
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
		Slot			UEP95	1PQWQ	0.66	1				-		1			
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0 66			1							
	Non-Re	curring Charges (NRC) Associated with UNE-P Centrex															
		NRC Conversion Currently Combined Switch-As-Is with allowed										1					
L		changes, per port			UEP95	USAC2	0.00	21 50	8 42			1					
		Conversion of Existing Centrex Common Block, each			UEP95	USACN		5 17	8 32								
		New Centrex Standard Common Block			UEP95	M1ACS	0 00	618 82				1					
		New Centrex Customized Common Block			UEP95	M1ACC	0.00	618 82				1				······	
		NAR Establishment Charge, Per Occasion			UEP95	URECA	0 00	66 48				1					
	Additio	nal Non-Recurring Charges (NRC)													••		
1		Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
		Premise			UEP95	URETL		8 33	0 83								
		Unbundled Miscellaneous Rate Element, Tag Design Loop at															
		End Use Premise			UEP95	URETN		11 21	1 10			1] !
l	UNE-P	CENTREX - DMS100 (Valid in All States)															
L	2-Wire	VG Loop/2-Wire Voice Grade Port (Centrex) Combo														_	
	UNE Po	nt/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1	l			I T										
		Non-Design		1	UEP9D		10 94				<u> </u>						
1		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
<u> </u>		Non-Design		2	UEP9D		15 05										
1	1	2-wire vG Loop/2-wire voice Grade Port (Centrex)Port Combo - Neg Decore					I				1						
		Non-Design		3	UEP90		25 80				+						
	UNE PO	revision Combination Rates (Design)		···		+	<u>↓↓</u>					1					
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1									1					
		Design		1	UEP9D		13 41										
		2-write vio Loop/2-write voice Grade Port (Centrex)Port Combo -		2			10.53					i					
		2 Wire VC Leen 2 Wire Vere Crede Part (Cretery) Part Crede	<u> </u>		DEMAD		18 57										
		Zevare volicop/2-wire voice Grade Port (Centrex)Port Compo -					maa				1						
	LINE I	on Pata		5	UEP9D	+	32 04					ļ					
	UNE LC	2 Mire Voice Grade Lean (SL 1) Zana 1				115001					· · · · · · · · · · · · · · · · · · ·						
 	1	2-Write Voice Grade Loop (SL 1) - Zone 1				UECSI	9//			h	l						
	1	2-Wire Voice Grade Loop (SE 1) - Zone 2		2	UEP90		13 88				l						
	+	2-Wire Voice Grade Loop (SE 1) - Zone 3		3		UECSI	24 63					+					<u> </u>
—	1	2-Wire Voice Grade Loop (SL 2) - Zono 2	-	2	UEPOD	UEC82	12 24					ļ					l
<u> </u>		2-Wire Voice Grade Loop (SE 2) - Zone 3		2		UECS2	30.87			+	<u> </u>	 					
	UNE Pr	at Rate	1	5		02032	30.67					1					
	ALL ST	ATES				+	├				<u> </u>	+					
-		2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9D		1 17				<u> </u>	1					
L										1							

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'i	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc Add [*]
			-				Noproc		Nonrequirence	Disconnect			220	Rates (\$)		L
						Rec	First	urring Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	Rates (3)	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local		1					Addi			UOMEO	COMPAN	COMPAN	JOINAN	JOINAN	UUMAN
	Area			UEP9D	UEPYB	1 17	53 31	26 46	27 50	8 37						
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area			UEP9D	UEPYC	1 17	53 31	26 46	27 50	8 37						
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area			UEP9D	UEPYD	1 17	53 31	26 46	27 50	8 37						
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local															
<u> </u>	Area			UEP9D	UEPYE	_1 17	53 31	26 46	27 50	8 37						
	Area			UEP9D	UEPYF	1 17	53 31	26 46	27 50	8 37						
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area			UEP9D	UEPYG	1 17	53 31	26 46	27 50	8 37						
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local				LIEDVT	1 17	52.21	26.46	27.50	9.97		i i		1		
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local					11/	55 51	20 40	21.50	0.3/						
	Area 2-Wire Voice Grade Port (Ceptrey / EBS-M5216W3, Basic Local			UEP9D	UEPYU	1 17	53 31	26 46	27 50	8 37						
				UEP9D	UEPYV	1 17	53 31	26 46	27 50	8 37						
	Area			UEP9D	UEPY3	1 17	53 31	26 46	27 50	8 37						
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	1 17	53 31	26 46	27 50	8 37						
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp				LEPYW	1 17	53.31	26.46	27.50	8 37						
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4				021111		0001	2040	27 30							
	Basic Local Area	1		UEP9D	UEPYJ	1 17	53 31	26 46	27 50	8 37						
L	2,3-Basic Local Area			UEP9D	UEPYM	1 17	53 31	26 46	27 50	8 37						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSE1)2,3,4 Basic Local Area			UEP9D	UEPYO	1 17	53 31	26 46	27 50	8 37						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4 Basic Local Area			UEP9D	UEPYP	1 17	53 31	26 46	27 50	8 37						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4															
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2.3.4	<u> </u>		UEP9D	UEPYQ	1 17	139 49	86 10	65 41	13 81				l		
	Basic Local Area			UEP9D	UEPYR	1 17	139 49	86 10	65 41	13 81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4 Basic Local Area			UEP9D	UEPYS	1 17	139 49	86 10	65 41	13 81	 					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4 Basic Local Area			UEP9D	UEPY4	1 17	139 49	86 10	65 41	13 81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3				ILEDV5	1 17	130 40	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4						100 40	00 10	65.44	10.01						
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPY6	11/	139 49	86 10	65 41	13.81		+				
<u> </u>	Basic Local Area			UEP9D	UEPY7	1 17	139 49	86 10	65 41	13 81						
	Term 2,3			UEP9D	UEPYZ	1 17	139.49	86 10	65 41	13.81						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	1 17	53 31	26 46	27 50	8 37						
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic Local Area		1	UEP9D	UEPY2	1 17	53 31	26 46	27 50	8 37						
FL & (GA Only															
	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPHA	1 17	53 31	26 46	27.50	8 37						<u>↓ </u>
	2-Wire Voice Grade Port (Centrex 800 termination)	ļ		UEP9D	UEPHB	1 17	53 31	26 46	27 50	8 37	ł	l	 		<u> </u>	<u> </u>
+ ·	2-wire voice Grade Port (Centrex / EBS-PSET)4		1			1 17	53 31	26 46	27 50	B 37	<u> </u>	+	· · · ·	<u>+</u>		<u>├</u> ───┤
	2-Wire Voice Grade Port (Centrex / EBS-M0009/4	+	+	LIEPOD	UEPHE	1 17	52.31	20.40	27 50	8.37		1		<u> </u>		<u>↓</u>
·	2-Wire Voice Grade Port (Centrex / EBS-M5112)4	+	+	UEP9D	UEPHE	1 17	53 31	26 46	27 50	8 37			<u> </u>		+	

		NETWORK ELEMENTS - Elorida												Attach	ment: 2	Exh	brt. A
	JNDLLI	S NETWORK ZEEMENTS - Honda		1		1	1					Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
1												Submitted	Submitted	Charge -	Chame -	Charge -	Charge -
												Flec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	CORY	RATE ELEMENTS	Inten	Zone	BCS	usoc			RATES (\$)			Dor 1 SP	nor I SP	Order ve	Order ve	Order ve	Order vs
	GOILI		m	Lone	500	0000						percak	percor	Electronic	Electronic	Ciuer vs.	Electronic
														Liectronic-	Electronic-	Dies 1st	Dies Add'
														151	Add I	DISC 1St	Disc Add I
	1			1				Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port (Centrex / EBS-M5312)4			UEP9D	UEPHG	1 17	53 31	26 46	27 50	8 37						
		2-Wire Voice Grade Port (Centrex / EBS-M5008)4			UEP9D	UEPHT	1 17	53 31	26 46	27 50	8 37						-
		2-Wire Voice Grade Port (Centrex / EBS-M5208)4			UEP9D	UEPHU	1 17	53 31	26 46	27 50	8 37	1					
		2-Wire Voice Grade Port (Centrex / EBS-M5216)4			UEP9D	UEPHV	1 17	53 31	26 46	27 50	8 37						
		2-Wire Voice Grade Port (Centrex / EBS-M5316)4			UEP9D	UEPH3	1 17	53 31	26 46	27 50	8 37						
		2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPHH	1 17	53 31	26 46	27 50	8 37						
		2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp		1													
		Indication)4			UEP9D	UEPHW	1 17	53 31	26 46	27 50	8 37						
		2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPHJ	1 17	53 31	26 46	27 50	8 37						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
]	2,3			UEP9D	UEPHM	1 17	139 49	86 10	65 41	13 81						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPHO	1 17	139 49	86 10	65 41	13 81						ļ
										-							
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPHP	1 17	139 49	86 10	65 41	13 81		1	_			
						1							1	1			
	_	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4	L		UEP9D	UEPHQ	1 17	139 49	86 10	65 41	13.81						<u> </u>
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPHR	1 17	139 49	86 10	65 41	13.81	+· · · · · · · · · · · · · · · · · · ·		L			
										05.44							
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3,4			UEP9D	UEPHS	11/	139 49	86 10	65 41	13 81	-	 				ł
					10000		4.47	420.40	00.40	CT 44	42.04	1					
	-	2-wire voice Grade Port (Centrex/differ SwC /EBS-MOUU8)2,3,4		-	DEP9D	UEP114	117	139 49	00 10	0541	13.61						
		2 Wire Vere Crede Det (Cretervid for SWC (EDC M5208)2.3.4				UEDUE	1.17	120.40	06.40	65 A1	13.01						
		2-Wire voice Grade Port (Centrex/differ SWC /EDS-M5206)2,3,4			DEP9D	UEPHO	117	13949	00 10	0541	13 61		<u> </u>	1			
		2 Wire Verse Crede Part (Centrey/differ SWC (ERS M5216)2.2.4					1 17	130.40	96.10	65.41	12.81						
	-	2-Wile Voice Grade Port (Gentlek/differ GWC/EBS-W5210/2,3,4	-		OLF 3D	OLFIN		13545	0010	0341	13.01	+					+
		2 Wire Verse Grade Red (Centrey/differ SWC (EBS M5316)2.3.4	[1 17	130.40	86.10	65.41	13.81						1
		2 Wire Voice Grade Port (Cerntex/unier GWC/EBG-W0010/2,0,4		-	ULF 3D	OLFIN	1.17	15848	00 10	0341	13.01	+		h = - =			-
		Term 2.3					1 17	130.40	86.10	65.41	13.81				1		
		16/11/2,0			00130			103 43	00 10	0.0 41							
		2-Wire Voice Grade Port terminated in on Medalink or equivalent			UEP9D	ПЛЕВНЯ	1 17	53 31	26.46	27 50	8.37		1				
		2-Wire Voice Grade Port Terminated in on Meganink of equivalent			UEP9D	UEPH2	1 17	53 31	26.46	27 50	8 37						<u> </u>
	Local S	Switching		1						1 2.00	1	-	1		t		1
-		Centrex Intercom Funtionality, per port		+	UEP9D	URECS	0 7384			· · ·			1	· ·			
	Local N	lumber Portability	1	1													—
		Local Number Portability (1 per port)			UEP9D	LNPCC	0 35						1				
	Feature	35															
		All Standard Features Offered, per port			UEP9D	UEPVF	2 26										
		All Select Features Offered, per port			UEP9D	UEPVS	0 00	370 70									
		All Centrex Control Features Offered, per port			UEP9D	UEPVC	2 26										
	NARS																
		Unbundled Network Access Register - Combination			UEP9D	UARCX	0 00	0 00	0 00	0 00	0 00						
		Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0 00	0 00	0 00	0 00	<u> </u>					<u> </u>
	-	Unbundled Network Access Register - Outdial		<u> </u>	UEP9D	UAROX	0 00	0.00	0.00	0.00	0.00		L		L		
	Miscell	aneous Terminations	l								Į		ļ	ļ			L
—	2-Wire	I FURK SIGE		+		0.5100				<u> </u>			l	-			+
	A 144	Frunk Side Ferminations, each		-	06680	CEND6	8 73										<u> </u>
—	4-wire	Digital (1.544 megabits)	I	-	UCDOD	MILIDI	E4 05		ļ		+						
		DS0 Chappels Adjusted per Chappel	1	-		MINDO	54 95	15.00	<u>├── ·· - · · ·</u>	<u> </u>	I	+	ļ	-			+
	Interof	Ce Channel Mileage - 2-Wire			02230		0.00	10 69	<u> </u>	l	+	+		-	+ ··		+
		Interoffice Channel Facilities Termination	t	+		MIGBC	25.22		 	1	+		<u> </u>	 	+	l	+
		Interoffice Channel mileane, per mile or fraction of mile	+	+	LIEPOD	MIGBM	0.0091			+	+	· · ·	+				+
	Feature	Activations (DS0) Centrex Loons on Channelized DS1 Security	1 <u></u>	1	00,00		00001				+	+	1	1		· · · · · · · · · · · · · · · · · · ·	+
	D4 Cha	nnel Bank Feature Activations	Ĩ	<u> </u>		1						+	1	1			
		Feature Activation on D-4 Channel Bank Centrex Loop Slot	1	1	UEP9D	1PQWS	0 66		1		1	1	1	1	1	1	1

UNP		NETWORK ELEMENTS Elorida												Attach	mont 7	Evh	bit: A
UND	JNDLE	J NETWORK ELEMENTS - FIORUA		r			r							Attauri		EXIII	
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
i i												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Inter									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	usoc			RATES (\$)			per LSR	per LSR	Order vs.	Order vs	Order vs	Order vs.
			1										-	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														101	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	2.00 /01	5.007.001
							Baa	Nonrec	urring	Nonrecurring	g Disconnect			OSŠ	Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.66										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop											1				
		Slot			UEP9D	1POW7	0.66	-									
		Feature Activation on D-4 Channel Bank Centrex Loon Slot -															
		Different Wire Center		1		1POWP	0.66					1					1
			+	· · · ·			0.00										1
		Feature Activation on D-4 Changel Bank Private Line Loop Slot			LIEPOD	1POWV	0.66									1	
\vdash		Feature Activation on D-4 Channel Bank Tire Line/Trunk Loon			02.00	11 04171										<u> </u>	1
		Slot				1801/0	0.66								-		
	· · · ·	Easture Activation on D.4 Channel Bank WATS Loon Slot				100WA	0000				1		1		1		
	Non D	realize Advation on 0-4 Channel Bank WATS 2000 Stor		-	ULFSD	IF QUIA	0.00		· ·· · · · · · · · · · · · · · · ·			+	•		<u> </u>	<u>+</u>	1
	NOII-R	NDC Converses (NCC) Associated with UNE-P Centrex	-	-							1		+				
		INRU Conversion Currently Combined Switch-As-is with allowed			UEDOD	110.000		o4 50									
		changes, per port		_	UEP9D	USACZ		21 50	8 42			ļ					
		Conversion of existing Centrex Common Block, each	ļ	1	UEP9D	USACN		517	8 32		-					<u> </u>	
		New Centrex Standard Common Block			UEP9D	MIACS	0 00	618 82									
		New Centrex Customized Common Block			UEP9D	M1ACC	0.00	618 82						ļ			-
		NAR Establishment Charge, Per Occasion			UEP9D	URECA	0 00]	66 48									
	Additio	onal Non-Recurring Charges (NRC)															
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use										1					
		Premise			UEP9D	URETL		8 33	0 83								i
		Unbundled Miscellaneous Rate Element, Tag Design Loop at														1	
		End Use Premise			UEP9D	URETN		11 21	1 10								
	UNE-P	CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)	1														
	2-Wire	VG Loop/2-Wire Voice Grade Port (Centrex) Combo														÷	
	UNE P	ort/Loon Combination Rates (Non-Design)											<u> </u>				
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-														
		Non-Design		1	LIEPOE		10.94								1		
	-	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -				· · · · · · · · · · · · · · · · · · ·				1				+			
		Non-Design		2			15.05										
	-	2 Mice VC Lease/2 Wice Verse Crede Bert (Centre)/Bert Cembe	-	<u> </u>			13 03					-				<u> </u>	+
		Iz-wire volue of Loop/z-wire volue Grade Port (Centrex)Port Combo -		1	UEDOE		26.00					1		1			
	UNE O	INon-Design	1	3	UEP9E		20.00						+	- ·· · · · · · · · · · · · · · · · · ·		<u> </u>	-
	UNEP	brt/Loop Combination Rates (Design)			-							· · ·	-		-		
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1		UEBOE												
	-			1	UEP9E		13 41			ļ	· · · · · · · · · · · · · · · · · · ·					<u> </u>	
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1.							1						
		Design		2	UEP9E		18 57									<u> </u>	
		2-wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	·	1 -		1				1		1	1				1
		Design	-	3	UEP9E		32 04						·				
<u> </u>	UNE L	oop Rate	ļ	4										1	1		
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	977									<u> </u>	
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1	13 88							ļ			
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	24 63										-
		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2	12 24										
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	17 40			-							
		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	30 87									1	
	UNE P	ort Rate								1			1		1		
	AL. FL	KY, LA, MS, & TN only			[
		2-Wire Voice Grade Port (Centrex) Basic Local Area	1		UEP9E	UEPYA	1 17	53 31	26 46	27 50	8 37	1	1	1	1	1	
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	1	1			1 1		1	1	1			1		1	
	1	Area		1	UEP9E	TIEPYB	1 17	53.31	26.46	27.50	8.37		ł				
	1	2-Wire Voice Grade Port (Centrex with Caller ID)1Basin Local	1	+		00		00.01	20 40	2, 30	1	+	1		1		+
		Area		1	LIEPOE		4 4 4 7	F2 24	26.46	27 50	9.97		1				
		2 Mire Voice Crode Bed (Centrey from diff Senses Mire	1	+	ULF3L	DEFIN	· · · /	00.01	20 40	2/ 30	1 03/	+	· 	+	1	+	+
	1	2-wire voice grade Fon (Gennex from on Serving Wire	1	1	UCDOF	UEDAA		100.10	0.0 40	05.44	10.04		1	ł	1		
		Denterj2,3 Dasic Local Area	+	+	INERAE	UEPYM	1 1/	139.49	8610	0541	13 81	+	1	1	1	+	+
		2-wire voice Grade Port, Ultr Serving wire Center 2,3 - 800		1	UEDOE			100 /-						1			
	+	Dervice Term - Basic Local Area	.		UEP9E	UEPYZ	11/	139.49	86 10	05 41	13.81		1	1		+	
		2-wire voice Grade Port terminated in on Megalink or equivalen	4	1	LIFFORF	LIED IO	1	50.51				1			1		
1	1	- Basic Local Area	1	1	INER8E	JUEPY9	1 17	53 31	26.46	27 50	837	1	1		1	1	1

UNB		NETWORK ELEMENTS - Elorida											••••	Attach	ment: 2	Exhi	bit: A
						T	1				-	Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
l							1					Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
1						1						Flec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	Inten	Zone	BCS	usoc			RATES (\$)			par i SR	ner I SR	Order ve	Order vs	Order vs	Order vs
0,			m						• • •				percon	Electronic-	Electronic-	Electronic.	Electronic.
]	1										1et	Add'l	Diec 1et	Disc Add'l
				L										rat	Auur	Diac rat	Dist Addi
							Baa	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates (\$)		
							Rec	First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port Terminated on 800 Service Term -															
		Basic Local Area			UEP9E	UEPY2	1 17	53 31	26 46	27 50	8 37						
	Florida	Only															
		2-Wire Voice Grade Port (Centrex)			UEP9E	UEPHA	1 17	53 31	26 46	27 50	8 37						
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPHB	1 1 7	53 31	26 46	27 50	8 37						
		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPHH	1 17	53 31	26 46	27 50	8 37						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
		Center)2,3	L		UEP9E	UEPHM	1 17	139 49	86 10	65 41	13 81						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		l													
		Term 2,3	L	 	UEP9E	UEPHZ	1 17	139 49	86,10	65.41	13 81						
				1								1				1	
<u> </u>	<u> </u>	2-Wire Voice Grade Port terminated in on Megalink or equivalent	l	I .		UEPH9	1 17	53 31	26 46	27 50	8 37		· · · · · ·				· · ·
	l	2-Wire Voice Grade Port Terminated on 800 Service Term		1	UEP9E	UEPH2	117	53 31	26 46	27 50	8 37	<u> </u>					
L	Local S	witching	I	-			0.7001							·····			
		Centrex Intercom Funtionality, per port			UEP9E	URECS	0 7384										
	Local N	lumber Portability					0.05										
-		Local Number Portability (1 per port)			UEP9E	LNPCC	0.35										
L	Feature						0.00						+				
		All Standard Features Offered, per port			UEP9E	UEPVF	2 20	270 70		· · · · ·							
		All Select Features Offered, per port		-	UEP9E	UEPVS	2.28	370 70							<u>+</u>		
<u> </u>		All Centrex Control Features Offered, per port	 		UEP9E	UEPVC	2 20										ł
<u> </u>	NARS	Link and Makanak Assess Basister, Combination			LIEDOE	LIADCY	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Combination		-	UEP9E		0.00	0.00	000	0.00	0.00					+	
	-	Unbundled Network Access Register - Indial		+	UEP9E		0.00	0.00	0.00	0.00	0.00						
	Munall	Undundied Network Access Register - Outdial			UEP9E	UARUA			000	0.00	0.00		<u> </u> · · · ·				
	MISCell 2 Mirro	Truck Side	I		· · · · · · · · · · · · · · · · · · ·						·						
	z-wire	Truck Side Terminetione, and	1	+	LIEDOE	CENDS	8 73						1			1	
	4 14/100	Truthk Side Ferninauons, each		-		ICLINDO	073	-		-			-				
	4-1116	Digital (1 544 Megabita)		1		MIHD1	54.95		-					<u> </u>		· · ·	
		DS0 Channel Actuated Rer Channel				MIHDO	0.00	15.69									
<u> </u>	Interoff	ice Channel Mileane - 2-Wire					000	10 00		+							
		Interoffice Channel Exclution Termination			LEPOE	M1GBC	25.32										1
		Interoffice Channel mileage, per mile or fraction of mile		-	UEP9E	MIGBM	0 0091										1
	Feature	Activations (DS0) Centrex Loops on Channelized DS1 Service	:e														
·	D4 Cha	nnel Bank Feature Activations		+			1										
· · · ·	1	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.66										
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.66										
-	1	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															1
		Slot		1	UEP9E	1PQW7	0.66										
	1	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
		Different Wire Center			UEP9E	1PQWP	0.66										
		· · · · · · · · · · · · · · · · · · ·															
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0 66									i	
		Feature Activation on D-4 Channel Bank Tile Line/Trunk Loop			1												
		Slot			UEP9E	1PQWQ	0.66										
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0 66									L	L
	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex							1					L	ļ	l	ļ
		NRC Conversion Currently Combined Switch-As-Is with allowed															
		changes, per port			UEP9E	USAC2		21 50	8 42					L	l		
		Conversion of Existing Centrex Common Block, each			UEP9E	USACN		5 17	8 32				L				· · · · · · · · · · · · · · · · · · ·
		New Centrex Standard Common Block			UEP9E	M1ACS	0 00	618 82				L	····-		ļ	1	
		New Centrex Customized Common Block			UEP9E	M1ACC	0 00	618 82		1		L	I				
		NAR Establishment Charge, Per Occasion		1	UEP9E	URECA	0 00	66 48		1		Į	· · ··	ļ	ļ		l
	Additio	nal Non-Recurring Charges (NRC)	1		ļ	4							1				+
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use	1	1					1			1	1			1	1
1	í	Premise	1	1	IUEP9E	URFTL	1	833	0.83	1	1	1	1	1	1	1	1

ÜNBL	NDLE	NETWORK ELEMENTS - Florida												Attach	ment 2	Exhi	bit: A
-												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			1									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEO	ORY	RATE ELEMENTS	mten	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs	Order vs	Order vs
1			m										1	Electronic-	Electronic-	Electronic-	Electronic-
													ŀ	1st	Add'l	Disc 1st	Disc Add'l
						Nonrec	urring	Nonrecurring	Disconnect		L	oss	Rates (\$)		L		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Miscellaneous Rate Element, Tag Design Loop at															
		End Use Premise			UEP9E	URETN		11 21	1 10								
	Note 1	Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
	Note 2	- Requres Interoffice Channel Mileage															
	Note 3	Installation is combination of Installation charge for SL2 Loc	op and	Port]				
	Note 4	Requires Specific Customer Premises Equipment															
	Note 4 - Requires specific customer Premises Equipment Note: A - Requires specific customer Premises Equipment Note: A - Residuation of the second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second se																

Attachment 7 Page 1

Attachment 7

Pre-Ordering, Ordering, Provisioning, Maintenance and Repair

Version 3Q03: 11/12/2003

TABLE OF CONTENTS

3.	MISCELLANEOUS	5
2.	ACCESS TO OPERATIONS SUPPORT SYSTEMS	3
1.	QUALITY OF PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR	3
PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR

1. QUALITY OF PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR

- 1.1 BellSouth shall provide to USA Telephone nondiscriminatory access to its Operations Support Systems (OSS) and the necessary information contained therein in order that USA Telephone can perform the functions of pre-ordering, ordering, provisioning, maintenance and repair, and billing. BellSouth shall provide USA Telephone with all relevant documentation (manuals, user guides, specifications, etc.) regarding business rules and other formatting information as well as practices and procedures necessary to ensure requests are efficiently processed. All documentation will be readily accessible at BellSouth's interconnection website and are incorporated herein by reference. BellSouth shall ensure that its OSS are designed to accommodate access requests for both current and projected demand of USA Telephone and other CLECs in the aggregate.
- 1.2 BellSouth shall provision services during its regular working hours. To the extent USA Telephone requests provisioning of service to be performed outside BellSouth's regular working hours, or the work so requested requires BellSouth's technicians or project manager to work outside of regular working hours, overtime charges shall apply. Notwithstanding the foregoing, if such work is performed outside of regular working hours by a BellSouth technician or project manager during his or her scheduled shift and BellSouth does not incur any overtime charges in performing the work on behalf of USA Telephone, BellSouth will not assess USA Telephone additional charges beyond the rates and charges specified in this Agreement.

2. ACCESS TO OPERATIONS SUPPORT SYSTEMS

- 2.1 BellSouth shall provide USA Telephone nondiscriminatory access to its OSS and the necessary information contained therein in order that USA Telephone can perform the functions of pre-ordering, ordering, provisioning, maintenance and repair, and billing. BellSouth shall provide nondiscriminatory access to the OSS through manual and/or electronic interfaces as described in this Attachment. It is the sole responsibility of USA Telephone to obtain the technical capability to access and utilize BellSouth's OSS interfaces. Specifications for USA Telephone's access and use of BellSouth's electronic interfaces are set forth at BellSouth's interconnection website and are incorporated herein by reference.
- 2.1.1 <u>Pre-Ordering</u>. BellSouth will provide electronic access to its OSS and the information contained therein in order that USA Telephone can perform the following pre-ordering functions: service address validation, telephone number selection, service and feature availability, due date information, customer record

information and loop makeup information. Mechanized access is provided by electronic interfaces whose specifications for access and use are set forth at BellSouth's interconnection website and are incorporated herein by reference. The process by which BellSouth and USA Telephone will manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process as described below. USA Telephone shall provide to BellSouth access to customer record information, including circuit numbers associated with each telephone number where applicable. USA Telephone shall provide such information within four (4) hours after request via electronic access where available. If electronic access is not available, USA Telephone shall provide to BellSouth paper copies of customer record information, including circuit numbers associated with each telephone number where applicable. If BellSouth requests the information before noon, the customer record information shall be provided the same day. If BellSouth requests the information after noon, the customer record information shall be provided by noon the following day.

- 2.1.2 The Parties agree not to view, copy, or otherwise obtain access to the customer record information of any customer without that customer's permission. USA Telephone will obtain access to customer record information only in strict compliance with applicable laws, rules, or regulations of the state in which the service is provided. BellSouth reserves the right to audit USA Telephone's access to customer record information. If a BellSouth audit of USA Telephone's access to customer record information reveals that USA Telephone is accessing customer record information without having obtained the proper End User authorization, BellSouth upon reasonable notice to USA Telephone may take corrective action, including but not limited to suspending or terminating USA Telephone's electronic access to BellSouth's OSS functionality. All such information obtained through an audit shall be deemed Information covered by the Proprietary and Confidential Information section in the General Terms and Conditions of this Agreement.
- 2.1.3 <u>Ordering</u>. BellSouth will make available to USA Telephone electronic interfaces for the purpose of exchanging order information, including order status and completion notification, for non-complex and certain complex resale requests and certain network elements. Specifications for access and use of BellSouth's electronic interfaces are set forth at BellSouth's interconnection website and are incorporated herein by reference. The process by which BellSouth and USA Telephone will manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process as described below.
- 2.1.4 <u>Maintenance and Repair</u>. BellSouth will make available to USA Telephone electronic interfaces for the purpose of reporting and monitoring service troubles. Specifications for access and use of BellSouth's maintenance and repair electronic interfaces are set forth at BellSouth's interconnection website and are incorporated herein by reference. The process by which BellSouth and USA Telephone will manage these electronic interfaces to include the development and introduction of Version 3Q03: 11/12/2003

new interfaces will be governed by the change management process as described below. Requests for trouble repair are billed in accordance with the provisions of this Agreement. BellSouth and USA Telephone agree to adhere to BellSouth's Operational Understanding, as amended from time to time during this Agreement and as incorporated herein by reference. The Operational Understanding may be accessed via BellSouth's interconnection website.

- 2.1.5 <u>Billing</u>. BellSouth will provide USA Telephone nondiscriminatory access to billing information as specified in Attachment 7 to this Agreement.
- 2.2 <u>Change Management</u>. BellSouth and USA Telephone agree that the collaborative change management process known as the Change Control Process (CCP) will be used to manage changes to existing interfaces, introduction of new interfaces and retirement of interfaces. BellSouth and USA Telephone agree to comply with the provisions of the documented Change Control Process as may be amended from time to time and incorporated herein by reference. The change management process will cover changes to BellSouth's electronic interfaces, BellSouth's testing environment, associated manual process improvements, and relevant documentation. The process will define a procedure for resolution of change management disputes. Documentation of the CCP as well as related information and processes will be clearly organized and readily accessible to USA Telephone at BellSouth's interconnection website.
- 2.3 <u>Rates</u>. Charges for use of OSS shall be as set forth in this Agreement.

3. MISCELLANEOUS

- 3.1 <u>Pending Orders</u>. Orders placed in the hold or pending status by USA Telephone will be held for a maximum of thirty (30) calendar days from the date the order is placed on hold. After such time, USA Telephone shall be required to submit a new service request. Incorrect or invalid requests returned to USA Telephone for correction or clarification will be held for thirty (30) calendar days. If USA Telephone does not return a corrected request within thirty (30) calendar days, BellSouth will cancel the request.
- 3.2 <u>Single Point of Contact</u>. USA Telephone will be the single point of contact with BellSouth for ordering activity for network elements and other services used by USA Telephone to provide services to its End Users, except that BellSouth may accept a request directly from another CLEC, or BellSouth, acting with authorization of the affected End User. USA Telephone and BellSouth shall each execute a blanket letter of authorization with respect to customer requests so that prior proof of End User authorization will not be necessary with every request (except in the case of a local service freeze). The Parties shall each be entitled to adopt their own internal processes for verification of customer authorization for requests, provided, however, that such processes shall comply with applicable state and federal law and industry and regulatory guidelines. Pursuant to a request from another carrier, BellSouth may disconnect any network element being used by

USA Telephone to provide service to that End User and may reuse such network elements or facilities to enable such other carrier to provide service to the End User. BellSouth will notify USA Telephone that such a request has been processed but will not be required to notify USA Telephone in advance of such processing.

- 3.2.1 Neither BellSouth nor USA Telephone shall prevent or delay an End User from migrating to another carrier because of unpaid bills, denied service, or contract terms.
- 3.2.2 BellSouth shall return a Firm Order Confirmation (FOC) and Local Service Request (LSR) rejection/clarification within the intervals in accordance with the Service Quality Measurement (SQM) set forth in Attachment 9 of this Agreement.
- 3.2.3 USA Telephone shall return a FOC to BellSouth within thirty-six (36) hours after USA Telephone's receipt from BellSouth of a valid LSR.
- 3.2.4 USA Telephone shall provide a Reject Response to BellSouth within twenty-four (24) hours after BellSouth's submission of an LSR which is incomplete or incorrectly formatted.
- 3.3 <u>Use of Facilities</u>. When a customer of USA Telephone elects to discontinue service and to transfer service to another local exchange carrier, including BellSouth, BellSouth shall have the right to reuse the facilities provided to USA Telephone by BellSouth. In addition, where BellSouth provides local switching, BellSouth may disconnect and reuse facilities when the facility is in a denied state and BellSouth has received a request to establish new service or transfer of service from a customer or a customer's CLEC at the same address served by the denied facility. BellSouth will notify USA Telephone that such a request has been processed after the disconnect order has been completed.
- 3.4 <u>Contact Numbers</u>. The Parties agree to provide one another with toll-free nationwide (50 states) contact numbers for the purpose of ordering, provisioning and maintenance of services.
- 3.5 <u>Subscription Functions</u>. In cases where BellSouth performs subscription functions for an interexchange carrier (IXC) (i.e. PIC and LPIC changes via Customer Account Record Exchange (CARE)), BellSouth will in all possible instances provide the affected IXCs with the Operating Company Number (OCN) of the local provider for the purpose of obtaining End User billing account and other End User information required under subscription requirements.
- 3.5.1 When USA Telephone's End User, served by resale or loop and port combinations, changes its PIC or LPIC, and per BellSouth's FCC or state tariff the interexchange carrier elects to charge the End User the PIC or LPIC change charge, BellSouth will bill the PIC or LPIC change charge to USA Telephone,

which has the billing relationship with that End User, and USA Telephone may pass such charge to the End User.

3.6 Cancellation Charges. If USA Telephone cancels a request for network elements or resold services, any costs incurred by BellSouth in conjunction with the provisioning of that request will be recovered in accordance with BellSouth's Private Line Tariff or BellSouth's FCC No. 1 Tariff, Section 5.4, as applicable. Notwithstanding the foregoing, if USA Telephone places an LSR based upon BellSouth's loop makeup information, and such information is inaccurate resulting in the inability of BellSouth to provision the network elements requested and another spare compatible facility cannot be found with the transmission characteristics of the network elements originally requested, cancellation charges described in this Section shall not apply. Where USA Telephone places a single LSR for multiple network elements or services based upon loop makeup information, and information as to some, but not all, of the network elements or services is inaccurate, if BellSouth cannot provision the network elements or services that were the subject of the inaccurate loop makeup information, USA Telephone may cancel its request for those network elements or services without incurring cancellation charges as described in this Section. In such instance, should USA Telephone elect to cancel the entire LSR, cancellation charges as described in this Section shall apply to those elements and services that were not the subject of inaccurate loop makeup.

3.7 Service Date Advancement Charges (a.k.a. Expedites). For Service Date
Advancement requests by USA Telephone, Service Date Advancement charges
will apply for intervals less than the standard interval as outlined in the BellSouth
Product and Services Interval Guide. The charges as outlined in BellSouth's FCC
No. 1 Tariff, Section 5, will apply as applicable.