

BellSouth Telecommunications, Inc. **Regulatory & External Affairs** 150 South Monroe Street Suite 400 Tallahassee, FL 32301-1556

marshall.criser@bellsouth.com

Marshall M. Criser III Vice President

Regulatory & External Affairs

840 224 7798 Fax 850 224 5073

June 16, 2004

Mrs. Blanca S. Bayo Director, Division of Commission Clerk and Administrative Services Florida Public Service Commission 2540 Shumard Oak Boulevard Tallahassee, Florida 32399

Re: Approval of Amendment to the Interconnection, Unbundling, Resale and Collocation Agreement between BellSouth Telecommunications, Inc. ("BellSouth") and Harbor Communications, LLC

Dear Mrs. Bayo:

Please find enclosed for filing and approval, the original and two copies of BellSouth Telecommunications, Inc.'s Amendment to Interconnection, Unbundling, Resale and Collocation Agreement with Harbor Communications, LLC

If you have any questions, please do not hesitate to call Robyn Holland at (850) 222-9380.

Very truly yours,

Marshall M. Crise, /11/pt

RECEIVED & FILED

FPSC-BUREAU OF RECORDS

DOCUMENT NUMBER - DATE 06682 JUN 16 8

FPSC-COMMISSION CLERK



# Amendment to the Agreement Between Harbor Communications, LLC and BellSouth Telecommunications, Inc. Dated January 31, 2002

Pursuant to this Amendment, (the "Amendment"), Harbor Communications, LLC (Harbor Communications), and BellSouth Telecommunications, Inc. ("BellSouth"), hereinafter referred to collectively as the "Parties," hereby agree to amend that certain Interconnection Agreement between the Parties dated January 31, 2002 ("Agreement") to be effective thirty (30) calendar days after the date of the last signature executing the Amendment.

WHEREAS, BellSouth and Harbor Communications entered into the Agreement on January 31, 2002, and;

WHEREAS, the Parties desire to amend the Agreement in order to modify provisions pursuant to the Federal Communications Commission's (FCC) Order on Remand and Further Notice of proposed Rulemaking (Triennial Order) effective on October 2, 2003;

WHEREAS, the Parties desire to amend the Agreement to reflect other changes as agreed upon by the Parties;

NOW, THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows:

- 1. The Parties agree to delete Attachment 2, Network Elements and Other Services, in its entirety and replace with Attachment 2 reflected as Amendment Exhibit 1, attached hereto and by reference incorporated into this Amendment.
- The Parties agree to delete Attachment 6, Pre-Ordering, Ordering, Provisioning, Maintenance and Repair, in its entirety and replace with Attachment 6 reflected as Amendment Exhibit 2, attached hereto and by reference incorporated into this Amendment.
- 3. All of the other provisions of the Agreement, dated January 31, 2002, shall remain in full force and effect.
- 4. Either or both of the Parties are authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996.

Harbor - TRO Amendment

IN WITNESS WHEREOF, the Parties have executed this Agreement the day and year written below.

BellSouth Telecommunications, Inc.

By: Manue: Patrick Finlen Wiston E Rawle

Name: Patrick Finlen Wiston E Rawle

Name: Trick of Control

Title: Or Rector

Date: 6/7/04

Date: Fre 19, 2004

Attachment 2 Page 1

# Attachment 2

**Network Elements and Other Services** 

Version 3Q03: 11/12/2003

# TABLE OF CONTENTS

1	INTRODUCTION
2	UNBUNDLED LOOPS
3	LINE SHARING2
4	LOCAL SWITCHING3
5	UNBUNDLED NETWORK ELEMENT COMBINATIONS 4
6	TRANSPORT, CHANNELIZATION AND DARK FIBER 4
7	DATABASES
8 SER	BELLSOUTH SWITCHED ACCESS (SWA) 8XX TOLL FREE DIALING TEN DIGIT SCREENING VICE
9	LINE INFORMATION DATABASE (LIDB)
10	SIGNALING5
11	AUTOMATIC LOCATION IDENTIFICATION/DATA MANAGEMENT SYSTEM (ALI/DMS) 6
12	CALLING NAME (CNAM) DATABASE SERVICE 6
13 ADV	SERVICE CREATION ENVIRONMENT AND SERVICE MANAGEMENT SYSTEM (SCE/SMS) ANCED INTELLIGENT NETWORK (AIN) ACCESS
14	OPERATIONAL SUPPORT SYSTEMS (OSS)
Dat	es Evhihit A

#### ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES

# 1 <u>Introduction</u>

- This Attachment sets forth rates, terms and conditions for Network Elements and combinations of Network Elements that BellSouth agrees to offer to Harbor Communications in accordance with its obligations under Section 251(c)(3) of the Act. Additionally, this Attachment sets forth the rates, terms and conditions for other facilities and services BellSouth makes available to Harbor Communications (Other Services). The rates for each Network Element and combination of Network Elements and Other Services are set forth in Exhibit A of this Attachment. Additionally, the provision of a particular Network Element or Other Service may require Harbor Communications to purchase other Network Elements or services. In the event of a conflict between this Attachment and any other section or provision of this Agreement, the provisions of this Attachment shall control.
- 1.2 For purposes of this Agreement, "Network Element" is defined to mean a facility or equipment Harbor Communications used in the provision of a qualifying service, as defined by the FCC. Harbor Communications may not access a Network Element for the sole purpose of providing non-qualifying services as defined by the FCC. For purposes of this Agreement, combinations of Network Elements shall be referred to as "Combinations."
- 1.3 BellSouth shall, upon request of Harbor Communications, and to the extent technically feasible, provide to Harbor Communications access to its Network Elements for the provision of Harbor Communications's qualifying services. If no rate is identified in this Agreement, the rate will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.
- 1.4 Harbor Communications may purchase and use Network Elements and Other Services from BellSouth in accordance with 47 C.F.R 51.309.
- 1.5 BellSouth shall comply with the requirements as set forth in the technical references within this Attachment 2.
- 1.6 To the extent any Network Elements, combinations of Network Elements, services or terms and conditions contained herein are based upon FCC rules and orders that are vacated by the DC Circuit Court of Appeals in an effective order, such Network Elements, combinations of Network Elements and services shall no longer be available pursuant to this Attachment. Upon the effective date of such order, Harbor Communications will not attempt to order any such Network Elements, combinations of Network Elements or services that are subject to the vacatur. BellSouth and Harbor Communications will work cooperatively to transition the embedded base of such Network Elements, combinations of Network Elements and services to tariffed services or to services offered pursuant to a

separate commercial agreement, provided that the appropriate tariff rate or rate set forth in such commercial agreement shall apply from the effective date of the vacatur. In the event Harbor Communications has not entered into a separate commercial agreement, or transitioned such services to a tariffed service, or if the parties are unable to agree on a transition schedule for the embedded base Network Elements, combinations of Network Elements or services within thirty (30) calendar days of the effective date of the vacatur, BellSouth may disconnect those Network Elements, combinations of Network Elements or services upon thirty (30) calendar days notice. If Harbor Communications has not entered into a commercial agreement necessary for certain Network Elements, combinations of Network Elements or services, and BellSouth disconnects such Network Elements, combinations of Network Elements or services pursuant to the preceding sentence, BellSouth's then current market rates shall apply to such Network Elements, combinations of Network Elements or services from the effective date of the vacatur until disconnection.

- 1.7 Upon request, BellSouth shall convert a wholesale service, or group of wholesale services, to the equivalent unbundled Network Element, or combination of elements that is available to Harbor Communications under Section 251(c)(3) of the Telecommunications Act of 1996. Nonrecurring switch-as-is rates for conversion of Network Elements are contained in Exhibit A of this Attachment. Conversion of a wholesale service or group of wholesale services shall be considered termination for purposes of any volume and/or term commitments and/or grandfathered status between Harbor Communications and BellSouth. Any change from a wholesale service to a Network Element that requires a physical rearrangement of the Network Element will not be considered a conversion for purposes of this Agreement.
- 1.8 Except to the extent expressly provided otherwise in this Attachment, for Network Elements or combinations of Network Elements (collectively "Arrangements") that are no longer offered pursuant to, or are not in compliance with, the terms set forth in this Agreement (for example, but not limited to, local channels or noncompliant EELs), Harbor Communications will submit orders to rearrange, disconnect or convert those arrangements or services within thirty (30) calendar days of the last signature date of this Agreement. If orders to rearrange, disconnect or convert those Arrangements are not received by the thirty-first (31st) calendar day after the last signature date of this Agreement, BellSouth shall provide Harbor Communications notice of those Arrangements that are no longer offered pursuant to, or are not in compliance with, the terms set forth in this Agreement, and Harbor Communications shall submit orders to rearrange, disconnect or convert those Arrangements within sixteen (16) calendar days of the date of such notice from BellSouth. If Harbor Communications fails to submit orders to rearrange, disconnect or convert such Arrangements within sixteen (16)

calendar days of BellSouth's notice, BellSouth may disconnect those Arrangements without further notice.

- 1.8.1 In the event all orders to rearrange, disconnect or convert Arrangements are not received by the thirty-first (31st) calendar day after the last signature date of this Agreement, then 1) in the event no orders to rearrange, disconnect or convert an Arrangement are submitted prior to the thirtieth (30<sup>th</sup>) calendar day after BellSouth's notice, Harbor Communications shall pay BellSouth the rate BellSouth could have charged had Harbor Communications transitioned those Arrangements to another tariffed or contract service arrangement beginning on the Effective Date of this Agreement to the date orders to rearrange, disconnect or convert such Arrangements or services are actually completed; or 2) in the event orders to rearrange, disconnect or convert an Arrangement are submitted prior to the thirtieth (30th) calendar day after BellSouth's notice, Harbor Communications shall pay BellSouth the rate charged for such Arrangements under this Agreement and the new rate applicable to such services as specified in BellSouth's tariffs or in a separate contract. If Harbor Communications has failed to identify at least 98% of the Arrangements that are no longer offered pursuant to, or are not in compliance with, the terms set forth in this Agreement prior to the thirty-first (31st) calendar day after the last signature date of this Agreement, then Harbor Communications shall reimburse BellSouth for labor incurred in identifying such Network Elements or combinations of Network Elements pursuant to the rates set forth in the Access Tariff.
- 1.8.2 Where no re-termination or physical rearrangement of the Arrangement is required, Harbor Communications will be charged a non-recurring switch-as-is-charge established for the individual Network Elements(s) as set forth in Exhibit A. For arrangements that require a re-termination or other physical rearrangement of the Arrangement to comply with the terms of this Agreement, full non-recurring charges for the applicable Network Element from Exhibit A of this Attachment will apply. To the extent an Arrangement requires re-termination or other physical rearrangement in order to comply with a tariff or separate agreement, the applicable rates, terms and conditions of such tariff or separate agreement shall apply. Harbor Communications shall be responsible for all applicable disconnection charges pursuant to this Agreement for Arrangements that are disconnected or rearranged pursuant to these Sections 1.8 1.8.1.
- 1.8.3 Harbor Communications may utilize Network Elements and Other Services to provide services as long as such services are consistent with industry standards and applicable BellSouth Technical References.
- Except to the extent expressly provided otherwise in this Attachment, if a Network Element is not readily available but can be made available through routine network modifications, as defined by the FCC, Harbor Communications may request BellSouth to perform such routine network modifications. Each request will be handled as a project on an individual case basis. BellSouth will provide a price

quote for the request, and upon receipt of payment by Harbor Communications, BellSouth shall perform the routine network modifications.

1.8.5 Notwithstanding any other provision of this Agreement, BellSouth will not commingle or combine Network Elements or combinations of Network Elements with any service, network element or other offering that it is obligated to make available only pursuant to Section 271 of the Act.

# 1.9 <u>Commingling of Services</u>

- 1.9.2 Commingling means the connecting, attaching, or otherwise linking of a Network Element, or a Network Element combination, to one or more telecommunications services or facilities that Harbor Communications has obtained at wholesale from BellSouth, or the combining of a Network Element or Network Element combination with one or more such wholesale telecommunications services or facilities.
- 1.9.3 Subject to the limitations set forth elsewhere in this Attachment, BellSouth shall not deny access to a Network Element or a combination of Network Elements on the grounds that one or more of the elements: 1) is connected to, attached to, linked to, or combined with such a facility or service obtained from BellSouth; or 2) shares part of BellSouth's network with access services or inputs for non-qualifying services.
- 1.9.4 BellSouth will not "ratchet" a commingled circuit. Unless otherwise agreed to by the Parties, the Network Element portion of such circuit will be billed at the rates set forth in this Agreement and the remainder of the circuit or service will be billed in accordance with BellSouth's tariffed rates.
- 1.9.5 When multiplexing equipment is attached to a commingled circuit, the multiplexing equipment and Central Office Channel Interfaces will be billed from the same jurisdictional authorization (agreement or tariff) as the higher grade of service.
- 1.10 If Harbor Communications reports a trouble on a Network Element or Other Service and no trouble actually exists on the BellSouth portion, BellSouth will charge Harbor Communications for any dispatching and testing (both inside and outside the Central Office (CO)) required by BellSouth in order to confirm the working status.

#### 1.11 Rates

1.11.2 The prices that Harbor Communications shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit A to this Attachment. If Harbor Communications purchases a service(s) from a tariff, all terms and conditions and rates as set forth in such tariff shall apply.

- 1.11.3 Rates, terms and conditions for order cancellation charges and Service Date Advancement Charges will apply in accordance with Attachment 6 and are incorporated herein by this reference.
- 1.11.4 If Harbor Communications modifies an order (Order Modification Charge (OMC)) after being sent a Firm Order Confirmation (FOC) from BellSouth, any costs incurred by BellSouth to accommodate the modification will be paid by Harbor Communications in accordance with FCC No. 1 Tariff, Section 5.
- 1.11.5 A one-month minimum billing period shall apply to all Network Elements and Other Services.

# 2 <u>Unbundled Loops</u>

- 2.1 General
- 2.1.1 The local loop Network Element (Loop) is defined as a transmission facility between a distribution frame (or its equivalent) in BellSouth's central office and the Loop demarcation point at an End User's customer premises, including inside wire owned by BellSouth. Facilities that do not terminate at a demarcation point at an End User customer premises, including, by way of example, but not limited to, facilities that terminate to another carrier's switch or premises, a cell site, Mobile Switching Center or base station, do not constitute Loops. The Loop Network Element includes all features, functions, and capabilities of the transmission facilities, including the network interface device, and attached electronics (except those used for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers), optronics and intermediate devices (including repeaters and load coils) used to establish the transmission path to the End User's customer premises. Harbor Communications shall purchase the entire bandwidth of the Loop and, except as required herein or as otherwise agreed to by the Parties, BellSouth shall not subdivide the frequency of the Loop.
- 2.1.1.1 The Loop does not include any packet switched features, functions or capabilities.
- 2.1.1.2 In new build (Greenfield) areas, where BellSouth has only deployed Fiber To The Home (FTTH) facilities, BellSouth is under no obligation to provide Loops.
- 2.1.1.3 In FTTH overbuild situations where BellSouth also has copper Loops, BellSouth will make those copper Loops available to Harbor Communications on an unbundled basis, until such time as BellSouth chooses to retire those copper Loops using the FCC's network disclosure requirements. In these cases, BellSouth will offer a 64kbps second voice grade channel over its FTTH facilities.
- 2.1.1.4 Furthermore, in FTTH overbuild areas, BellSouth is not obligated to ensure that copper Loops in that area are capable of transmitting signals prior to receiving a request for access to such Loops by Harbor Communications. If a request is

received by BellSouth for a copper Loop, BellSouth will restore the copper Loop to serviceable condition if technically feasible. In these instances of Loop orders in an FTTH overbuild area, BellSouth's standard Loop provisioning interval will not apply, and the order will be handled on a project basis by which the Parties will negotiate the applicable provisioning interval.

- 2.1.1.5 For hybrid loops, where Harbor Communications seeks access to a hybrid loop for the provision of broadband services, BellSouth shall provide Harbor Communications with nondiscriminatory access to the time division multiplexing features, functions and capabilities of that hybrid loop, including DS1 or DS3, on an unbundled basis to establish a complete transmission path between BellSouth's central office and an End User's customer premises.
- 2.1.1.6 Harbor Communications may not purchase Loops or convert Special Access circuits to Loops if such Loops will be used to provide wireless telecommunications services.
- 2.1.2 The provisioning of a Loop to Harbor Communications's collocation space will require cross office cabling and cross connections within the central office to connect the Loop to a local switch or to other transmission equipment. These cross connects are separate components that are not considered a part of the Loop, and thus, have a separate charge.
- 2.1.3 Where facilities are available, BellSouth will install Loops in compliance with BellSouth's Products and Services Interval Guide available at the website at <a href="http://www.interconnection.bellsouth.com">http://www.interconnection.bellsouth.com</a>. For orders of fifteen (15) or more Loops, the installation and any applicable Order Coordination as described below will be handled on a project basis, and the intervals will be set by the BellSouth project manager for that order. When Loops require a Service Inquiry (SI) prior to issuing the order to determine if facilities are available, the interval for the SI process is separate from the installation interval.
- 2.1.4 The Loop shall be provided to Harbor Communications in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specification and applicable industry standard technical references.
- 2.1.5 BellSouth will only provision, maintain and repair the Loops to the standards that are consistent with the type of Loop ordered.
- 2.1.5.1 When a BellSouth technician is required to be dispatched to provision the Loop, BellSouth will tag the Loop with the Circuit ID number and the name of the ordering CLEC. When a dispatch is not required to provision the Loop, BellSouth will tag the Loop on the next required visit to the End User's location. If Harbor Communications wants to ensure the Loop is tagged during the provisioning process for Loops that may not require a dispatch (e.g. UVL-SL1, UVL-SL2, and

UCL-ND), Harbor Communications may order Loop Tagging. Rates for Loop Tagging are as set forth in Exhibit A of this Attachment.

2.1.5.2 In the event BellSouth must dispatch to the end-user's location more than once due to incorrect or incomplete information provided by Harbor Communications (e.g., incomplete address, incorrect contact name/number, etc.), BellSouth will bill Harbor Communications for each additional dispatch required to provision the circuit due to the incorrect/incomplete information provided. BellSouth will assess the applicable Trouble Determination rates from BellSouth's FCC or state tariffs.

# 2.1.6 <u>Loop Testing/Trouble Reporting</u>

- 2.1.6.1 Harbor Communications will be responsible for testing and isolating troubles on the Loops. Harbor Communications must test and isolate trouble to the BellSouth portion of a designed/non-designed unbundled Loop (e.g., UVL-SL2, UCL-D, UVL-SL1, UCL-ND, etc.) before reporting repair to the UNE Customer Wholesale Interconnection Network Services (CWINS) Center. Upon request from BellSouth at the time of the trouble report, Harbor Communications will be required to provide the results of the Harbor Communications test which indicate a problem on the BellSouth provided Loop.
- 2.1.6.2 Once Harbor Communications has isolated a trouble to the BellSouth provided Loop, and had issued a trouble report to BellSouth on the Loop, BellSouth will take the actions necessary to repair the Loop if a trouble actually exists. BellSouth will repair these Loops in the same time frames that BellSouth repairs similarly situated Loops to its End Users.
- 2.1.6.3 If Harbor Communications reports a trouble on a non-designed or designed Loop and no trouble actually exists, BellSouth will charge Harbor Communications for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the Loop's working status.
- 2.1.6.4 In the event BellSouth must dispatch to the end-user's location more than once due to incorrect or incomplete information provided by Harbor Communications (e.g., incomplete address, incorrect contact name/number, etc.), BellSouth will bill Harbor Communications for each additional dispatch required to repair the circuit due to the incorrect/incomplete information provided. BellSouth will assess the applicable Trouble Determination rates from BellSouth's FCC or state tariffs.

#### 2.1.7 Order Coordination and Order Coordination-Time Specific

2.1.7.1 "Order Coordination" (OC) allows BellSouth and Harbor Communications to coordinate the installation of the SL2 Loops, Unbundled Digital Loops (UDL) and other Loops where OC may be purchased as an option, to Harbor Communications's facilities to limit End User service outage. OC is available when the Loop is provisioned over an existing circuit that is currently providing

service to the End User. OC for physical conversions will be scheduled at BellSouth's discretion during normal working hours on the committed due date. OC shall be provided in accordance with the chart set forth below.

2.1.7.2 "Order Coordination - Time Specific" (OC-TS) allows Harbor Communications to order a specific time for OC to take place. BellSouth will make every effort to accommodate Harbor Communications's specific conversion time request. However, BellSouth reserves the right to negotiate with Harbor Communications a conversion time based on load and appointment control when necessary. This OC-TS is a chargeable option for all Loops except Unbundled Copper Loops (UCL) and is billed in addition to the OC charge. Harbor Communications may specify a time between 9:00 a.m. and 4:00 p.m. (location time) Monday through Friday (excluding holidays). If Harbor Communications specifies a time outside this window, or selects a time or quantity of Loops that requires BellSouth technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges. Overtime charges will be applied based on the amount of overtime worked and in accordance with the rates established in the Access Services Tariff, Section E13.2, for each state. The OC-TS charges for an order due on the same day at the same location will be applied on a per Local Service Request (LSR) basis.

# 2.1.8 <u>CLEC to CLEC Conversions for Unbundled Loops</u>

- 2.1.8.1 The CLEC to CLEC conversion process for unbundled Loops may be used by Harbor Communications when converting an existing unbundled Loop from another CLEC for the same End User. The Loop type being converted must be included in Harbor Communications's Interconnection Agreement before requesting a conversion.
- 2.1.8.2 To utilize the CLEC to CLEC conversion process, the Loop being converted must be the same Loop type with no requested changes to the Loop, must serve the same End User location from the same serving wire center, and must not require an outside dispatch to provision.
- 2.1.8.3 The Loops converted to Harbor Communications pursuant to the CLEC to CLEC conversion process shall be provisioned in the same manner and with the same functionality and options as described in this Attachment for the specific Loop type.

	Order Coordination (OC)	Order Coordination  - Time Specific (OC-TS)	Test Points	DLR	Charge for Dispatch and Testing if No Trouble Found
SL-1 (Non- Designed)	Chargeable Option	Chargeable Option	Not available	Chargeable Option — ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
UCL-ND (Non- Designed)	Chargeable Option	Not Available	Not Available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
Unbundled Voice Loops - SL-2 (including 2- and 4-wire UVL) (Designed)	Included	Chargeable Option	Included	Included	Charged for Dispatch outside Central Office
Unbundled Digital Loop (Designed)	Included	Chargeable Option (except on Universal Digital Channel)	Included (where appropriate)	Included	Charged for Dispatch outside Central Office
Unbundled Copper Loop (Designed)	Chargeable in accordance with Section 2	Not available	Included	Included	Charged for Dispatch outside Central Office

For UVL-SL1 and UCLs, Harbor Communications must order and will be billed for both OC and OC-TS if requesting OC-TS.

# 2.1.9 Bulk Migration

2.1.9.1 If Harbor Communications requests to migrate twenty-five (25) or more UNE-Port/Loop Combination (UNE-P) customers to UNE-Loop (UNE-L) in the same Central Office on the same due date, Harbor Communications must use the Bulk Migration process, which is described in the BellSouth CLEC Information Package, "UNE-Port/Loop Combination (UNE-P) to UNE-Loop (UNE-L) Bulk Migration." This CLEC Information package, incorporated herein by reference as it may be amended from time to time, is located at

Version 3Q03: 11/12/2003

www.interconnection.bellsouth.com/guides/html/unes.html. The rates for the Bulk Migration process shall be the nonrecurring rates associated with the Loop type being requested on the Bulk Migration, as set forth in Exhibit A of this Attachment. Additionally, OSS charges will also apply per LSR generated per customer account as provided for in the Bulk Migration Request. The migration of loops from Integrated Digital Loop Carrier (IDLC) will be done pursuant to Section 2.6 of this Attachment.

### 2.1.10 Ordering Guidelines and Processes

- 2.1.10.1 For information regarding Ordering Guidelines and Processes for various UNEs, Harbor Communications should refer to the "Guides" section of the BellSouth Interconnection website, which is incorporated herein by reference, as amended from time to time. The website address is: <a href="http://www.interconnection.bellsouth.com/">http://www.interconnection.bellsouth.com/</a>
- 2.1.10.2 Additional information may also be found in the individual CLEC Information Packages, as amended from time to time and which are incorporated herein by reference, located at the "CLEC UNE Products" website at the following address: http://www.interconnection.bellsouth.com/guides/html/unes.html

# 2.2 Unbundled Voice Loops (UVLs)

- 2.2.1 BellSouth shall make available the following UVLs:
- 2.2.1.1 2-wire Analog Voice Grade Loop SL1 (Non-Designed)
- 2.2.1.2 2-wire Analog Voice Grade Loop SL2 (Designed)
- 2.2.1.3 4-wire Analog Voice Grade Loop (Designed)
- 2.2.2 Unbundled Voice Loops (UVL) may be provisioned using any type of facility that will support voice grade services. This may include loaded copper, non-loaded copper, digital loop carrier systems, fiber/copper combination (hybrid loop) or a combination of any of these facilities. BellSouth, in the normal course of maintaining, repairing, and configuring its network, may also change the facilities that are used to provide any given voice grade circuit. This change may occur at any time. In these situations, BellSouth will only ensure that the newly provided facility will support voice grade services. BellSouth will not guarantee that Harbor Communications will be able to continue to provide any advanced services over the new facility. BellSouth will offer UVL in two different service levels Service Level One (SL1) and Service Level Two (SL2).
- 2.2.3 Unbundled Voice Loop SL1 (UVL-SL1) Loops are 2-wire Loop start circuits, will be non-designed, and will not have remote access test points. OC will be offered as a chargeable option on SL1 Loops when reuse of existing facilities has

Attachment 2 Page 13

been requested by Harbor Communications. Harbor Communications may also order OC-TS when a specified conversion time is requested. OC-TS is a chargeable option for any coordinated order and is billed in addition to the OC charge. An Engineering Information (EI) document can be ordered as a chargeable option. The EI document provides Loop Make-Up information which is similar to the information normally provided in a Design Layout Record (DLR). Upon issuance of a non-coordinated order in the service order system, SL1 Loops will be activated on the due date in the same manner and time frames that BellSouth normally activates POTS-type Loops for its End Users.

- 2.2.4 For an additional charge BellSouth will make available Loop Testing so that Harbor Communications may request further testing on new UVL-SL1 Loops. Rates for Loop Testing are as set forth in Exhibit A of this Attachment.
- 2.2.5 Unbundled Voice Loop SL2 (UVL-SL2) Loops may be 2-wire or 4-wire circuits, shall have remote access test points, and will be designed with a DLR provided to Harbor Communications. SL2 circuits can be provisioned with loop start, ground start or reverse battery signaling. OC is provided as a standard feature on SL2 Loops. The OC feature will allow Harbor Communications to coordinate the installation of the Loop with the disconnect of an existing customer's service and/or number portability service. In these cases, BellSouth will perform the order conversion with standard order coordination at its discretion during normal work hours.

#### 2.3 <u>Unbundled Digital Loops</u>

- 2.3.1 BellSouth will offer Unbundled Digital Loops (UDL). UDLs are service specific, will be designed, will be provisioned with test points (where appropriate), and will come standard with OC and a DLR. The various UDLs are intended to support a specific digital transmission scheme or service.
- 2.3.2 BellSouth shall make available the following UDLs, subject to restrictions set forth herein:
- 2.3.2.1 2-wire Unbundled ISDN Digital Loop
- 2.3.2.2 2-wire Unbundled ADSL Compatible Loop
- 2.3.2.3 2-wire Unbundled HDSL Compatible Loop
- 2.3.2.4 4-wire Unbundled HDSL Compatible Loop
- 2.3.2.5 4-wire Unbundled DS1 Digital Loop
- 2.3.2.6 4-wire Unbundled Digital Loop/DS0 64 kbps, 56 kbps and below
- 2.3.2.7 DS3 Loop

- 2.3.2.8 STS-1 Loop
- 2.3.3 2-Wire Unbundled ISDN Digital Loops will be provisioned according to industry standards for 2-Wire Basic Rate ISDN services and will come standard with a test point, OC, and a DLR. Harbor Communications will be responsible for providing BellSouth with a Service Profile Identifier (SPID) associated with a particular ISDN-capable Loop and End User. With the SPID, BellSouth will be able to adequately test the circuit and ensure that it properly supports ISDN service.
- 2.3.3.1 Upon the Effective Date of this Agreement, Universal Digital Channel (UDC) elements will no longer be offered by BellSouth and no new orders for UDC will be accepted. Any existing UDCs that were provisioned prior to the Effective Date of this Agreement will be grandfathered at the rates set forth in the Parties' interconnection agreement that was in effect immediately prior to the Effective Date of this Agreement. Existing UDCs that were provisioned prior to the Effective Date of this Agreement may remain connected, maintained and repaired according to BellSouth's TR73600 until such time as they are disconnected by Harbor Communications or BellSouth provides ninety (90) calendar days notice that such UDC must be terminated. Harbor Communications may order an ISDN loop, if available, to provide the same functionality as the previously offered UDC product.
- 2.3.4 2-Wire ADSL-Compatible Loop. This is a designed Loop that is provisioned according to Revised Resistance Design (RRD) criteria and may be up to 18,000 feet long and may have up to 6,000 feet of bridged tap (inclusive of Loop length). The Loop is a 2-wire circuit and will come standard with a test point, OC, and a DLR.
- 2.3.5 2-Wire or 4-Wire HDSL-Compatible Loop. This is a designed Loop that meets Carrier Serving Area (CSA) specifications, may be up to 12,000 feet long and may have up to 2,500 feet of bridged tap (inclusive of Loop length). It may be a 2-wire or 4-wire circuit and will come standard with a test point, OC, and a DLR.
- 2.3.6 4-Wire Unbundled DS1 Digital Loop. This is a designed 4-wire Loop that is provisioned according to industry standards for DS1 or Primary Rate ISDN services and will come standard with a test point, OC, and a DLR. A DS1 Loop may be provisioned over a variety of loop transmission technologies including copper, HDSL-based technology or fiber optic transport systems. It will include a 4-Wire DS1 Network Interface at the End User's location.
- 2.3.7 4-Wire Unbundled Digital/DS0 Loop. These are designed 4-wire Loops that may be configured as 64kbps, 56kbps, 19kbps, and other sub-rate speeds associated with digital data services and will come standard with a test point, OC, and a DLR.
- 2.3.8 DS3 Loop. DS3 Loop is a two-point digital transmission path which provides for simultaneous two-way transmission of serial, bipolar, return-to-zero isochronous

digital electrical signals at a transmission rate of 44.736 megabits per second (Mbps) that is dedicated to the use of the ordering CLEC in its provisioning of local exchange and associated exchange access services. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated DS3 transport is a metallic-based electrical interface.

- 2.3.9 STS-1 Loop. STS-1 Loop is a high-capacity digital transmission path with SONET VT1.5 mapping that is dedicated for the use of the ordering customer for the purpose of provisioning local exchange and associated exchange access services. It is a two-point digital transmission path which provides for simultaneous two-way transmission of serial bipolar return-to-zero synchronous digital electrical signals at a transmission rate of 51.84 megabits per second (Mbps). It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated STS-1 transport is a metallic-based electrical interface.
- 2.3.10 Both DS3 Loop and STS-1 Loop require a Service Inquiry (SI) in order to ascertain availability.
- 2.3.11 If DS3/STS-1 Loops are not readily available but can be made available through routine network modifications, as defined by the FCC, Harbor Communications may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by Harbor Communications, BellSouth shall perform the routine network modifications.
- 2.3.12 DS3 services come with a test point and a DLR. Mileage is airline miles, rounded up and a minimum of one mile applies. BellSouth TR 73501 LightGate<sup>®</sup> Service Interface and Performance Specifications, Issue D, June 1995 applies to DS3 services.
- 2.3.13 Harbor Communications may access a total capacity of two (2) DS3s per End User location at the Network Element rates set forth in Exhibit A.

# 2.4 <u>Unbundled Copper Loops (UCL)</u>

2.4.1 BellSouth shall make available Unbundled Copper Loops (UCLs). The UCL is a copper twisted pair Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters) and is not intended to support any particular telecommunications service. The UCL will be offered in two types – Designed and Non-Designed.

# 2.4.2 <u>Unbundled Copper Loop</u> – Designed (UCL-D)

- 2.4.2.1 The UCL-D will be provisioned as a dry copper twisted pair (2- or 4-wire) Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters).
- 2.4.2.2 A UCL-D will be 18,000 feet or less in length and is provisioned according to Resistance Design parameters, may have up to 6,000 feet of bridged tap and will have up to 1300 Ohms of resistance.
- 2.4.2.3 The UCL-D is a designed circuit, is provisioned with a test point, and comes standard with a DLR. OC is a chargeable option for a UCL-D; however, OC is always required on UCLs where a reuse of existing facilities has been requested by Harbor Communications.
- 2.4.2.4 These Loops are not intended to support any particular services and may be utilized by Harbor Communications to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. This facility will include a Network Interface Device (NID) at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.2.5 Upon the Effective Date of this Agreement, Unbundled Copper Loop Long (UCL-L) elements will no longer be offered by BellSouth and no new orders for UCL-L will be accepted. Any existing UCL-Ls that were provisioned prior to the Effective Date of this Agreement will be grandfathered at the rates set forth in the Parties' interconnection agreement that was in effect immediately prior to the Effective Date of this Agreement. Existing UCL-Ls that were provisioned prior to the Effective Date of this Agreement may remain connected, maintained and repaired according to BellSouth's TR73600 and may remain connected until such time as they are disconnected by Harbor Communications or BellSouth provides ninety (90) calendar days notice that such UCL-L must be terminated.

#### 2.4.3 <u>Unbundled Copper Loop – Non-Designed (UCL-ND)</u>

2.4.3.1 The UCL-ND is provisioned as a dedicated 2-wire metallic transmission facility from BellSouth's Main Distribution Frame (MDF) to a customer's premises (including the NID). The UCL-ND will be a "dry copper" facility in that it will not have any intervening equipment such as load coils, repeaters, or digital access main lines (DAMLs), and may have up to 6,000 feet of bridged tap between the End User's premises and the serving wire center. The UCL-ND typically will be 1300 Ohms resistance and in most cases will not exceed 18,000 feet in length, although the UCL-ND will not have a specific length limitation. For Loops less than 18,000 feet and with less than 1300 Ohms resistance, the Loop will provide a voice grade transmission channel suitable for Loop start signaling and the transport of analog

voice grade signals. The UCL-ND will not be designed and will not be provisioned with either a DLR or a test point.

- 2.4.3.2 The UCL-ND facilities may be mechanically assigned using BellSouth's assignment systems. Therefore, the Loop Makeup (LMU) process is not required to order and provision the UCL-ND. However, Harbor Communications can request LMU for which additional charges would apply.
- 2.4.3.3 For an additional charge, BellSouth also will make available Loop Testing so that Harbor Communications may request further testing on the UCL-ND. Rates for Loop Testing are as set forth in Exhibit A of this Attachment.
- 2.4.3.4 UCL-ND Loops are not intended to support any particular service and may be utilized by Harbor Communications to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. The UCL-ND will include a NID at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.3.5 OC will be provided as a chargeable option and may be utilized when the UCL-ND provisioning is associated with the reuse of BellSouth facilities. OC-TS does not apply to this product.
- 2.4.3.6 Harbor Communications may use BellSouth's Unbundled Loop Modification (ULM) offering to remove excessive bridged taps and/or load coils from any copper Loop within the BellSouth network. Therefore, some Loops that would not qualify as UCL-ND could be transformed into Loops that do qualify, using the ULM process.

# 2.5 Unbundled Loop Modifications (Line Conditioning)

- 2.5.1 Line Conditioning is defined as routine network modification that BellSouth regularly undertakes to provide xDSL services to its own customers. This may include the removal of any device, from a copper Loop or copper Sub-loop that may diminish the capability of the Loop or Sub-loop to deliver high-speed switched wireline telecommunications capability, including xDSL service. Such devices include, but are not limited to, load coils, excessive bridged taps, low pass filters, and range extenders. Excessive bridged taps are bridged taps that serves no network design purpose and that are beyond the limits set according to industry standards and/or the BellSouth TR 73600.
- 2.5.2 BellSouth will remove load coils only on copper loops and sub-loops that are less than 18,000 feet in length.
- 2.5.3 For any copper loop being ordered by Harbor Communications which has over 6,000 feet of combined bridged tap will be modified, upon request from Harbor Communications, so that the loop will have a maximum of 6,000 feet of bridged

tap. This modification will be performed at no additional charge to Harbor Communications. Loop conditioning orders that require the removal of bridged tap that serves no network design purpose on a copper loop that will result in a combined total of bridged tap between 2,500 and 6,000 feet will be performed at the rates set forth in Exhibit A of this Attachment.

- 2.5.4 Harbor Communications may request removal of any unnecessary and non-excessive bridged tap (bridged tap between 0 and 2,500 feet which serves no network design purpose), at rates pursuant to BellSouth's Special Construction Process as mutually agreed to by the Parties.
- 2.5.5 Rates for ULM are as set forth in Exhibit A of this Attachment.
- 2.5.6 BellSouth will not modify a Loop in such a way that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ADSL, etc.) being ordered.
- 2.5.7 If Harbor Communications requests ULM on a reserved facility for a new loop order, BellSouth may perform a pair change and provision a different loop facility in lieu of the reserved facility with ULM if feasible. The loop provisioned will meet or exceed specifications of the requested loop facility as modified. Harbor Communications will not be charged for ULM if a different loop is provisioned. For loops that require a DLR or its equivalent, BellSouth will provide LMU detail of the loop provisioned.
- 2.5.8 Harbor Communications shall request Loop make up information pursuant to this Attachment prior to submitting a service inquiry and/or a LSR for the Loop type that Harbor Communications desires BellSouth to condition.
- 2.5.9 When requesting ULM for a Loop that BellSouth has previously provisioned for Harbor Communications, Harbor Communications will submit a service inquiry to BellSouth. If a spare Loop facility that meets the loop modification specifications requested by Harbor Communications is available at the location for which the ULM was requested, Harbor Communications will have the option to change the Loop facility to the qualifying spare facility rather than to provide ULM. In the event that BellSouth changes the Loop facility in lieu of providing ULM, Harbor Communications will not be charged for ULM but will only be charged the service order charges for submitting an order.

#### 2.6 Loop Provisioning Involving Integrated Digital Loop Carriers

2.6.1 Where Harbor Communications has requested an Unbundled Loop and BellSouth uses IDLC systems to provide the local service to the End User and BellSouth has a suitable alternate facility available, BellSouth will make such alternative facilities available to Harbor Communications. If a suitable alternative facility is not available, then to the extent it is technically feasible, BellSouth will implement one

of the following alternative arrangements for Harbor Communications (e.g. hairpinning):

- 1. Roll the circuit(s) from the IDLC to any spare copper that exists to the customer premises.
- 2. Roll the circuit(s) from the IDLC to an existing DLC that is not integrated.
- 3. If capacity exists, provide "side-door" porting through the switch.
- 4. If capacity exists, provide "Digital Access Cross Connect System (DACS)-door" porting (if the IDLC routes through a DACS prior to integration into the switch).
- 2.6.2 Arrangements 3 and 4 above require the use of a designed circuit. Therefore, nondesigned Loops such as the SL1 voice grade and UCL-ND may not be ordered in these cases.
- 2.6.3 If no alternate facility is available, and upon request from Harbor Communications, and if agreed to by both Parties, BellSouth may utilize its Special Construction (SC) process to determine the additional costs required to provision facilities. Harbor Communications will then have the option of paying the one-time SC rates to place the Loop.

# 2.7 Network Interface Device

- 2.7.1 The NID is defined as any means of interconnection of the End User's customer premises wiring to BellSouth's distribution plant, such as a cross connect device used for that purpose. The NID is a single-line termination device or that portion of a multiple line termination device required to terminate a single line or circuit at the premises. The NID features two independent chambers or divisions that separate the service provider's network from the End User's customer premises wiring. Each chamber or division contains the appropriate connection points or posts to which the service provider and the End User each make their connections. The NID provides a protective ground connection and is capable of terminating cables such as twisted pair cable.
- 2.7.2 BellSouth shall permit Harbor Communications to connect Harbor Communications's Loop facilities to the End User's customer premises wiring through the BellSouth NID or at any other technically feasible point.

#### 2.7.3 Access to NID

- 2.7.3.1 Harbor Communications may access the End User's customer premises wiring by any of the following means and Harbor Communications shall not disturb the existing form of electrical protection and shall maintain the physical integrity of the NID:
- 2.7.3.1.1 BellSouth shall allow Harbor Communications to connect its Loops directly to BellSouth's multi-line residential NID enclosures that have additional space and

are not used by BellSouth or any other telecommunications carriers to provide service to the premises.

- 2.7.3.1.2 Where an adequate length of the End User's customer premises wiring is present and environmental conditions permit, either Party may remove the customer premises wiring from the other Party's NID and connect such wiring to that Party's own NID;
- 2.7.3.1.3 Either Party may enter the subscriber access chamber or dual chamber NID enclosures for the purpose of extending a connect divisioned or spliced jumper wire from the customer premises wiring through a suitable "punch-out" hole of such NID enclosures; or
- 2.7.3.1.4 Harbor Communications may request BellSouth to make other rearrangements to the End User customer premises wiring terminations or terminal enclosure on a time and materials cost basis.
- 2.7.3.2 In no case shall either Party remove or disconnect the other Party's Loop facilities from either Party's NIDs, enclosures, or protectors unless the applicable Commission has expressly permitted the same and the disconnecting Party provides prior notice to the other Party. In such cases, it shall be the responsibility of the Party disconnecting Loop facilities to leave undisturbed the existing form of electrical protection and to maintain the physical integrity of the NID. It will be Harbor Communications's responsibility to ensure there is no safety hazard, and Harbor Communications will hold BellSouth harmless for any liability associated with the removal of the BellSouth Loop from the BellSouth NID. Furthermore, it shall be the responsibility of the disconnecting Party, once the other Party's Loop has been disconnected from the NID, to reconnect the disconnected Loop to a nationally recognized testing laboratory listed station protector, which has been grounded as per Article 800 of the National Electrical Code. If no spare station protector exists in the NID, the disconnected Loop must be appropriately cleared, capped and stored.
- 2.7.3.3 Harbor Communications shall not remove or disconnect ground wires from BellSouth's NIDs, enclosures, or protectors.
- 2.7.3.4 Harbor Communications shall not remove or disconnect NID modules, protectors, or terminals from BellSouth's NID enclosures.
- 2.7.3.5 Due to the wide variety of NID enclosures and outside plant environments,
  BellSouth will work with Harbor Communications to develop specific procedures
  to establish the most effective means of implementing this section if the procedures
  set forth herein do not apply to the NID in question.
- 2.7.4 Technical Requirements

- 2.7.4.1 The NID shall provide an accessible point of interconnection and shall maintain a connection to ground.
- 2.7.4.2 If an existing NID is accessed, it shall be capable of transferring electrical analog or digital signals between the End User's customer premises and the distribution media and/or cross connect to Harbor Communications's NID.
- 2.7.4.3 Existing BellSouth NIDs will be provided in "as is" condition. Harbor Communications may request BellSouth to do additional work to the NID on a time and material basis. When Harbor Communications deploys its own local Loops in a multiple-line termination device, Harbor Communications shall specify the quantity of NID connections that it requires within such device.

#### 2.8 Sub-loop Elements

2.8.1 Where facilities permit, BellSouth shall offer access to its Unbundled Sub-Loop (USL) elements as specified herein.

#### 2.8.2 Unbundled Sub-Loop Distribution

2.8.2.1 The Unbundled Sub-Loop Distribution facility is a dedicated transmission facility that BellSouth provides from an End User's point of demarcation to a BellSouth cross-connect device. The BellSouth cross-connect device may be located within a remote terminal (RT) or a stand-alone cross-box in the field or in the equipment room of a building. The unbundled sub-loop distribution media is a copper twisted pair that can be provisioned as a 2-Wire or 4-Wire facility. BellSouth will make available the following sub-loop distribution offerings where facilities exist:

Unbundled Sub-Loop Distribution – Voice Grade
Unbundled Copper Sub-Loop
Unbundled Sub-Loop Distribution – Intrabuilding Network Cable (aka riser cable)

- 2.8.2.2 Unbundled Sub-Loop Distribution Voice Grade (USLD-VG) is a copper subloop facility from the cross-box in the field up to and including the point of demarcation at the End User's premises and may have load coils.
- 2.8.2.3 Unbundled Copper Sub-Loop (UCSL) is a copper facility of any length provided from the cross-box in the field up to and including the End User's point of demarcation. If available, this facility will not have any intervening equipment such as load coils between the End User and the cross-box.
- 2.8.2.3.1 If Harbor Communications requests a UCSL and it is not available, Harbor Communications may request the copper Sub-Loop facility be modified pursuant to the ULM process to remove load coils and/or excessive bridged taps. If load coils and/or excessive bridged taps are removed, the facility will be classified as a UCSL.

- 2.8.2.4 Unbundled Sub-Loop Distribution Intrabuilding Network Cable (USLD-INC) is the distribution facility owned or controlled by BellSouth inside a building or between buildings on the same property that is not separated by a public street or road. USLD-INC includes the facility from the cross connect device in the building equipment room up to and including the point of demarcation at the End User's premises.
- 2.8.2.4.1 Upon request for USLD-INC from Harbor Communications, BellSouth will install a cross connect panel in the building equipment room for the purpose of accessing USLD-INC pairs from a building equipment room. The cross-connect panel will function as a single point of interconnection (SPOI) for USLD-INC and will be accessible by multiple carriers as space permits. BellSouth will place cross-connect blocks in 25-pair increments for Harbor Communications's use on this cross-connect panel. Harbor Communications will be responsible for connecting its facilities to the 25-pair cross-connect block(s).
- 2.8.2.5 For access to Voice Grade USLD and UCSL, Harbor Communications shall install a cable to the BellSouth cross-box pursuant to the terms and conditions for physical collocation for remote sites set forth in this Agreement. This cable would be connected by a BellSouth technician within the BellSouth cross-box during the set-up process. Harbor Communications's cable pairs can then be connected to BellSouth's USL within the BellSouth cross-box by the BellSouth technician.
- 2.8.2.6 Through the SI process, BellSouth will determine whether access to Unbundled Sub-Loops at the location requested by Harbor Communications is technically feasible and whether sufficient capacity exists in the cross-box. If existing capacity is sufficient to meet Harbor Communications's request, then BellSouth will perform the site set-up as described in the CLEC Information Package, located at the website address: http://www.interconnection.bellsouth.com/products/html/unes.html.
- 2.8.2.7 The site set-up must be completed before Harbor Communications can order sub-loop pairs. For the site set-up in a BellSouth cross-connect box in the field, BellSouth will perform the necessary work to splice Harbor Communications's cable into the cross-connect box. For the site set-up inside a building equipment room, BellSouth will perform the necessary work to install the cross-connect panel and the connecting block(s) that will be used to provide access to the requested USLs.
- 2.8.2.8 Once the site set-up is complete, Harbor Communications will request sub-loop pairs through submission of a LSR form to the Local Carrier Service Center (LCSC). OC is required with USL pair provisioning when Harbor Communications requests reuse of an existing facility, and the Order Coordination charge shall be billed in addition to the USL pair rate. For expedite requests by Harbor Communications for sub-loop pairs, expedite charges will apply for intervals less than five (5) calendar days.

2.8.2.9 Unbundled Sub-Loops will be provided in accordance with technical reference TR73600.

# 2.8.3 <u>Unbundled Network Terminating Wire (UNTW)</u>

- 2.8.3.1 UNTW is unshielded twisted copper wiring that is used to extend circuits from an intra-building network cable terminal or from a building entrance terminal to an individual End User's point of demarcation. It is the final portion of the Loop that in multi-subscriber configurations represents the point at which the network branches out to serve individual subscribers.
- 2.8.3.2 This element will be provided in Multi-Dwelling Units (MDUs) and/or Multi-Tenants Units (MTUs) where either Party owns wiring all the way to the End User's premises. Neither Party will provide this element in locations where the property owner provides its own wiring to the End User's premises, where a third party owns the wiring to the End User's premises.

# 2.8.3.3 Requirements

- 2.8.3.3.1 On a multi-unit premises, upon request of the other Party (Requesting Party), the Party owning the network terminating wire (Provisioning Party) will provide access to UNTW pairs on an Access Terminal that is suitable for use by multiple carriers at each Garden Terminal or Wiring Closet.
- 2.8.3.3.2 The Provisioning Party shall not be required to install new or additional NTW beyond existing NTW to provision the services of the Requesting Party.
- 2.8.3.3.3 In existing MDUs and/or MTUs in which BellSouth does not own or control wiring (INC/NTW) to the End Users premises, Harbor Communications will install UNTW Access Terminals for BellSouth at no additional charge.
- 2.8.3.3.4 In situations in which BellSouth activates a UNTW pair, BellSouth will compensate Harbor Communications for each pair activated commensurate to the price specified in Harbor Communications's Agreement.
- 2.8.3.3.5 Upon receipt of the UNTW SI requesting access to the Provisioning Party's UNTW pairs at a multi-unit premises, representatives of both Parties will participate in a meeting at the site of the requested access. The purpose of the site visit will include discussion of the procedures for installation and location of the Access Terminals. By request of the Requesting Party, an Access Terminal will be installed either adjacent to each of the Provisioning Party's Garden Terminal or inside each Wiring Closet. The Requesting Party will deliver and connect its central office facilities to the UNTW pairs within the Access Terminal. The Requesting Party may access any available pair on an Access Terminal. A pair is available when a pair is not being utilized to provide service or where the End User has requested a change in its local service provider to the Requesting Party. Prior

to connecting the Requesting Party's service on a pair previously used by the Provisioning Party, the Requesting Party is responsible for ensuring the End User is no longer using the Provisioning Party's service or another CLEC's service before accessing UNTW pairs.

- 2.8.3.3.6 Access Terminal installation intervals will be established on an individual case basis.
- 2.8.3.3.7 The Requesting Party is responsible for obtaining the property owner's permission for the Provisioning Party to install an Access Terminal(s) on behalf of the Requesting Party. The submission of the SI by the Requesting Party will serve as certification by the Requesting Party that such permission has been obtained. If the property owner objects to Access Terminal installations that are in progress or subsequent to completion and demands removal of Access Terminals, the Requesting Party will be responsible for costs associated with removing Access Terminals and restoring the property to its original state prior to Access Terminals being installed.
- 2.8.3.3.8 The Requesting Party shall indemnify and hold harmless the Provisioning Party against any claims of any kind that may arise out of the Requesting Party's failure to obtain the property owner's permission. The Requesting Party will be billed for nonrecurring and recurring charges for accessing UNTW pairs at the time the Requesting Party activates the pair(s). The Requesting Party will notify the Provisioning Party within five (5) business days of activating UNTW pairs using the LSR form.
- 2.8.3.3.9 If a trouble exists on a UNTW pair, the Requesting Party may use an alternate spare pair that serves that End User if a spare pair is available. In such cases, the Requesting Party will re-terminate its existing jumper from the defective pair to the spare pair. Alternatively, the Requesting Party will isolate and report troubles in the manner specified by the Provisioning Party. The Requesting Party must tag the UNTW pair that requires repair. If the Provisioning Party dispatches a technician on a reported trouble call and no UNTW trouble is found, the Provisioning Party will charge Requesting Party for time spent on the dispatch and testing the UNTW pair(s).
- 2.8.3.3.10 If the Requesting Party initiates the Access Terminal installation and the Requesting Party has not activated at least ten (10) percent of the capacity of the Access Terminal installed pursuant to the Requesting Party's request for an Access Terminal within six (6) months of installation of the Access Terminal, the Provisioning Party will bill the Requesting Party a nonrecurring charge equal to the actual cost of provisioning the Access Terminal.
- 2.8.3.3.11 If the Provisioning Party determines that the Requesting Party is using the UNTW pairs without reporting the activation of the pairs, the Requesting Party will be billed for the use of that pair back to the date the End User began receiving service

from the Requesting Party at that location. Upon request, the Requesting Party will provide copies of its billing record to substantiate such date. If the Requesting Party fails to provide such records, then the Provisioning Party will bill the Requesting Party back to the date of the Access Terminal installation.

### 2.8.4 Unbundled Sub-Loop Feeder

2.8.4.1 Upon the Effective Date of this Agreement, Unbundled Sub-Loop Feeder (USLF) elements will no longer be offered by BellSouth at TELRIC prices. Within ninety (90) calendar days of the Effective Date of this Agreement, Harbor Communications will either negotiate market-based rates for these elements or will issue orders to have these elements disconnected. If, after this ninety (90)-day period, market-based rates have not been negotiated and Harbor Communications has not issued the appropriate disconnect orders, BellSouth may immediately disconnect any remaining USLF elements and will bill Harbor Communications any applicable disconnect charges.

#### 2.8.5 **Unbundled Loop Concentration**

2.8.5.1 Upon the Effective Date of this Agreement, the Unbundled Loop Concentration (ULC) element will no longer be offered by BellSouth and no new orders for ULC will be accepted. Any existing ULCs that were provisioned prior to the Effective Date of this Agreement will be grandfathered at the rates set forth in the Parties' interconnection agreement that was in effect immediately prior to this Agreement and may remain connected, maintained and repaired according to BellSouth's TR73600 until such time as they are disconnected by Harbor Communications, or BellSouth provides ninety (90) calendar days notice that such ULC must be terminated.

### 2.8.6 **Dark Fiber Loop**

- 2.8.6.1 Dark Fiber Loop is an unused optical transmission facility, without attached signal regeneration, multiplexing, aggregation or other electronics, from the demarcation point at an End User's premises to the End User's serving wire center. Dark Fiber Loops may be strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for Harbor Communications to utilize Dark Fiber Loops.
- 2.8.6.2 If Dark Fiber Loop is not readily available but can be made available through routine network modifications, as defined by the FCC, Harbor Communications may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by Harbor Communications, BellSouth shall perform the routine network modifications.

# 2.8.6.3 Requirements

- 2.8.6.3.1 BellSouth shall make available Dark Fiber Loop where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. Dark Fiber Loop will not be deemed available if: (1) it is used by BellSouth for maintenance and repair purposes; (2) it is designated for use pursuant to a firm order placed by another customer; (3) it is restricted for use by all carriers, including BellSouth, because of transmission problems or because it is scheduled for removal due to documented changes to roads and infrastructure; or (4) BellSouth has plans to use the fiber within a two-year planning period. BellSouth is not required to place the fiber for Dark Fiber Loop if none is available.
- 2.8.6.3.2 Harbor Communications is solely responsible for testing the quality of the Dark Fiber to determine its usability and performance specifications.
- 2.8.6.3.3 BellSouth shall use its commercially reasonable efforts to provide to Harbor Communications information regarding the location, availability and performance of Dark Fiber Loop within ten (10) business days after receiving a SI from Harbor Communications.
- 2.8.6.3.4 If the requested Dark Fiber Loop is available, BellSouth shall use commercially reasonable efforts to provision the Dark Fiber Loop to Harbor Communications within twenty (20) business days after Harbor Communications submits a valid, error free LSR. Provisioning includes identification of appropriate connection points (e.g., Light Guide Interconnection (LGX)) to enable Harbor Communications to connect Harbor Communications provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber Loop.

#### 2.9 Loop Makeup

#### 2.9.1 Description of Service

- 2.9.1.1 BellSouth shall make available to Harbor Communications LMU information so that Harbor Communications can make an independent judgment about whether the Loop is capable of supporting the advanced services equipment Harbor Communications intends to install and the services Harbor Communications wishes to provide. This section addresses LMU as a preordering transaction, distinct from Harbor Communications ordering any other service(s). Loop Makeup Service Inquiries (LMUSI) and mechanized LMU queries for preordering LMU are likewise unique from other preordering functions with associated SIs as described in this Agreement.
- 2.9.1.2 BellSouth will provide Harbor Communications LMU information consisting of the composition of the Loop material (copper/fiber); the existence, location and type of equipment on the Loop, including but not limited to digital loop carrier or

other remote concentration devices, feeder/distribution interfaces, bridged taps, load coils, pair-gain devices; the Loop length; the wire gauge and electrical parameters.

- 2.9.1.3 BellSouth's LMU information is provided to Harbor Communications as it exists either in BellSouth's databases or in its hard copy facility records. BellSouth does not guarantee accuracy or reliability of the LMU information provided.
- 2.9.1.4 BellSouth's provisioning of LMU information to the requesting CLEC for facilities is contingent upon either BellSouth or the requesting CLEC controlling the Loop(s) that serve the service location for which LMU information has been requested by the CLEC. The requesting CLEC is not authorized to receive LMU information on a facility used or controlled by another CLEC unless BellSouth receives a Letter of Authorization (LOA) from the voice CLEC (owner) or its authorized agent on the LMUSI submitted by the requesting CLEC.
- 2.9.1.5 Harbor Communications may choose to use equipment that it deems will enable it to provide a certain type and level of service over a particular BellSouth Loop as long as that equipment does not disrupt other services on the BellSouth network. The determination shall be made solely by Harbor Communications and BellSouth shall not be liable in any way for the performance of the advanced data services provisioned over said Loop. The specific Loop type (ADSL, HDSL, or otherwise) ordered on the LSR must match the LMU of the Loop reserved taking into consideration any requisite line conditioning. The LMU data is provided for informational purposes only and does not guarantee Harbor Communications's ability to provide advanced data services over the ordered Loop type. Further, if Harbor Communications orders Loops that do not require a specific facility medium (i.e. copper only) or Loops that are not intended to support advanced services (such as UV-SL1, UV-SL2, or ISDN compatible Loops) and that are not inventoried as advanced services Loops, the LMU information for such Loops is subject to change at any time due to modifications and/or upgrades to BellSouth's network. Harbor Communications is fully responsible for any of its service configurations that may differ from BellSouth's technical standard for the Loop type ordered.

#### 2.9.2 Submitting Loop Makeup Service Inquiries

2.9.2.1 Harbor Communications may obtain LMU information by submitting a mechanized LMU query or a Manual LMUSI. Mechanized LMUs should be submitted through BellSouth's OSS interfaces. After obtaining the Loop information from the mechanized LMU process, if Harbor Communications needs further Loop information in order to determine Loop service capability, Harbor Communications may initiate a separate Manual Service Inquiry for a separate nonrecurring charge as set forth in Exhibit A of this Attachment.

2.9.2.2 Manual LMUSIs shall be submitted according to the guidelines in the LMU CLEC Information Package, incorporated herein by reference, as it may be amended from time to time, which can be found at the following BellSouth website:

<a href="http://interconnection.bellsouth.com/guides/html/unes.html">http://interconnection.bellsouth.com/guides/html/unes.html</a>. The service interval for the return of a Manual LMUSI is three (3) business days. Manual LMUSIs are not subject to expedite requests. This service interval is distinct from the interval applied to the subsequent service order.

# 2.9.3 <u>Loop Reservations</u>

- 2.9.3.1 For a Mechanized LMUSI, Harbor Communications may reserve up to ten (10) Loop facilities. For a Manual LMUSI, Harbor Communications may reserve up to three (3) Loop facilities.
- 2.9.3.2 Harbor Communications may reserve facilities for up to four (4) business days for each facility requested through LMU from the time the LMU information is returned to Harbor Communications. During and prior to Harbor Communications placing an LSR, the reserved facilities are rendered unavailable to other customers, including BellSouth. If Harbor Communications does not submit an LSR for a UNE service on a reserved facility within the four (4)-day reservation timeframe, the reservation of that spare facility will become invalid and the facility will be released.
- 2.9.3.3 Charges for preordering Manual LMUSI or Mechanized LMU are separate from any charges associated with ordering other services from BellSouth.
- 2.9.3.4 All LSRs issued for reserved facilities shall reference the facility reservation number as provided by BellSouth. Harbor Communications will not be billed any additional LMU charges for the Loop ordered on such LSR. If, however, Harbor Communications does not reserve facilities upon an initial LMUSI, Harbor Communications's placement of an order for an advanced data service type facility will incur the appropriate billing charges to include SI and reservation per Exhibit A of this Attachment.
- 2.9.3.5 Where Harbor Communications has reserved multiple Loop facilities on a single reservation, Harbor Communications may not specify which facility shall be provisioned when submitting the LSR. For those occasions, BellSouth will assign to Harbor Communications, subject to availability, a facility that meets the BellSouth technical standards of the BellSouth type Loop as ordered by Harbor Communications.

#### 3 Line Sharing

3.1 General

- 3.1.1 Line Sharing is defined as the process by which Harbor Communications provides digital subscriber line service over the same copper loop that BellSouth uses to provide voice service, with BellSouth using the low frequency portion of the loop and Harbor Communications using the high frequency spectrum (as defined below) of the loop.
- 3.1.2 Line Sharing arrangements in service as of October 1, 2003, will be grandfathered until the earlier of the date the End User discontinues or moves service with Harbor Communications. Grandfathered arrangements pursuant to this Section will be billed at the rates set forth in Exhibit A.
- 3.1.3 For the period from October 2, 2003, through October 1, 2004, Harbor Communications may request new Line Sharing arrangements. For Line Sharing arrangements placed in service between October 2, 2003, and October 1, 2004, the rates will be as set forth in Exhibit A. After October 1, 2004, Harbor Communications may not request new Line Sharing arrangements under the terms of this Agreement.
- 3.1.4 The rates set forth herein will be applied retroactively back to the date set forth in the Triennial Review Order.
- 3.1.5 As of the earlier of October 2, 2006, or the date that the End User discontinues or moves service with Harbor Communications, all Line Sharing arrangements pursuant to Section 3.1.3 of this Attachment shall be terminated.
- 3.1.6 The High Frequency Spectrum is defined as the frequency range above the voiceband on a copper Loop facility carrying analog circuit-switched voiceband transmissions. Access to the High Frequency Spectrum is intended to allow Harbor Communications the ability to provide Digital Subscriber Line (xDSL) data services to the End User for which BellSouth provides voice services. The High Frequency Spectrum shall be available for any version of xDSL complying with Spectrum Management Class 5 of ANSI T1.417, American National Standard for Telecommunications, Spectrum Management for Loop Transmission Systems. BellSouth will continue to have access to the low frequency portion of the Loop spectrum (from 300 Hertz to at least 3000 Hertz, and potentially up to 3400 Hertz, depending on equipment and facilities) for the purposes of providing voice service. Harbor Communications shall only use xDSL technology that is within the PSD mask for Spectrum Management Class 5 as found in the above-mentioned document.
- 3.1.7 Access to the High Frequency Spectrum requires an unloaded, 2-wire copper Loop. An unloaded Loop is a copper Loop with no load coils, low-pass filters, range extenders, DAMLs, or similar devices and minimal bridged taps consistent with ANSI T1.413 and T1.601.

- 3.1.8 BellSouth will provide Loop Modification to Harbor Communications on an existing Loop in accordance with procedures as specified in Section 2 of this Attachment. BellSouth is not required to modify a Loop for access to the High Frequency spectrum if modification of that Loop significantly degrades BellSouth's voice service. If Harbor Communications requests that BellSouth modify a Loop and such modification significantly degrades the voice services on the Loop, Harbor Communications shall pay for the Loop to be restored to its original state.
- 3.1.9 Line Sharing shall only be available on Loops on which BellSouth is also providing, and continues to provide, analog voice service directly to the End User. In the event the End User terminates its BellSouth provided voice service for any reason, or in the event BellSouth disconnects the End User's voice service pursuant to its tariffs or applicable law, and Harbor Communications desires to continue providing xDSL service on such Loop, Harbor Communications shall be required to purchase a full stand-alone Loop UNE. To the extent commercially practicable, BellSouth shall give Harbor Communications notice in a reasonable time prior to disconnect, which notice shall give Harbor Communications an adequate opportunity to notify BellSouth of its intent to purchase such Loop. In those cases in which BellSouth no longer provides voice service to the End User and Harbor Communications purchases the full stand-alone Loop, Harbor Communications may elect the type of Loop it will purchase. Harbor Communications will pay the appropriate recurring and nonrecurring rates for such Loop as set forth in Exhibit A to this Attachment. In the event Harbor Communications purchases a voice grade Loop, Harbor Communications acknowledges that such Loop may not remain xDSL compatible.
- 3.1.10 If Harbor Communications reports a trouble on the High Frequency Spectrum of a Loop and no trouble actually exists on the BellSouth portion, BellSouth will charge Harbor Communications for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the working status. The rates charged for no trouble found (NTF) shall be as set forth in Exhibit A of this Attachment.
- 3.1.11 Only one CLEC shall be permitted access to the High Frequency Spectrum of any particular Loop.
- 3.2 Provisioning of Line Sharing and Splitter Space
- 3.2.1 BellSouth will provide Harbor Communications with access to the High Frequency Spectrum as follows:
- 3.2.1.1 To order High Frequency Spectrum on a particular Loop, Harbor Communications must have a Digital Subscriber Line Access Multiplexer (DSLAM) collocated in the central office that serves the End User of such Loop.

- 3.2.1.2 Harbor Communications may provide its own splitters or may order splitters in a central office once it has installed its DSLAM in that central office. BellSouth will install splitters within thirty-six (36) calendar days of Harbor Communications's submission of an error free Line Splitter Ordering Document (LSOD) to the BellSouth Complex Resale Support Group.
- 3.2.1.3 Once a splitter is installed on behalf of Harbor Communications in a central office in which Harbor Communications is located, Harbor Communications shall be entitled to order the High Frequency Spectrum on lines served out of that central office. BellSouth will bill and Harbor Communications shall pay the electronic or manual ordering charges as applicable when Harbor Communications orders High Frequency Spectrum for End User service.
- 3.2.1.4 BellSouth shall test the data portion of the Loop to ensure the continuity of the wiring for Harbor Communications's data.

### 3.3 BellSouth Provided Splitter – Line Sharing

- 3.3.1 BellSouth will select, purchase, install, and maintain a central office POTS splitter and provide Harbor Communications access to data ports on the splitter. The splitter will route the High Frequency Spectrum on the circuit to Harbor Communications's xDSL equipment in Harbor Communications's collocation space. At least thirty (30) calendar days before making a change in splitter suppliers, BellSouth will provide Harbor Communications with a carrier notification letter, informing Harbor Communications of change. Harbor Communications shall purchase ports on the splitter in increments of eight (8), twenty-four (24), or ninety-six (96) ports in Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina and South Carolina. Harbor Communications shall purchase ports on the splitter in increments of twenty-four (24) or ninety-six (96) ports in Tennessee.
- 3.3.2 BellSouth will install the splitter in (i) a common area close to Harbor Communications's collocation area, if possible; or (ii) in a BellSouth relay rack as close to Harbor Communications's DS0 termination point as possible. Harbor Communications shall have access to the splitter for test purposes, regardless of where the splitter is placed in the BellSouth premises. For purposes of this section, a common area is defined as an area in the central office in which both Parties have access to a common test access point. A Termination Point is defined as the point of termination for Harbor Communications on the main distributing frame in the central office and is not the demarcation point set forth in Attachment 4 of this Agreement. BellSouth will cross-connect the splitter data ports to a specified Harbor Communications DS0 at such time that a Harbor Communications End User's service is established.

# 3.4 <u>CLEC Provided Splitter – Line Sharing</u>

- 3.4.1 Harbor Communications may at its option purchase, install and maintain central office POTS splitters in its collocation arrangements. Harbor Communications may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures and the terms and conditions relating to Collocation set forth in Attachment 4-Central Office shall apply.
- 3.4.2 Any splitters installed by Harbor Communications in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. Harbor Communications may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.

# 3.5 Ordering – Line Sharing

- 3.5.1 Harbor Communications shall use BellSouth's LSOD to order splitters from BellSouth and to activate and deactivate DS0 Collocation Connecting Facility Assignments (CFA) for use with High Frequency Spectrum.
- 3.5.2 BellSouth will provide Harbor Communications the LSR format to be used when ordering the High Frequency Spectrum.
- 3.5.3 BellSouth will provision High Frequency Spectrum in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com.
- 3.5.4 BellSouth will provide Harbor Communications access to Preordering LMU in accordance with the terms of this Agreement. BellSouth shall bill and Harbor Communications shall pay the rates for such services, as described in Exhibit A.

# 3.6 <u>Maintenance and Repair – Line Sharing</u>

- 3.6.1 Harbor Communications shall have access for repair and maintenance purposes to any Loop for which it has access to the High Frequency Spectrum. If Harbor Communications is using a BellSouth owned splitter, Harbor Communications may access the Loop at the point where the combined voice and data signal exits the central office splitter via a bantam test jack. If Harbor Communications provides its own splitter, it may test from the collocation space or the Termination Point.
- 3.6.2 BellSouth will be responsible for repairing voice services and the physical line between the NID at the customer's premises and the Termination Point. Harbor Communications will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.
- 3.6.3 Harbor Communications shall inform its End Users to direct data problems to Harbor Communications, unless both voice and data services are impaired, in which event the End Users should call BellSouth.

Version 3Q03: 11/12/2003

- 3.6.4 Once a Party has isolated a trouble to the other Party's portion of the Loop, the Party isolating the trouble shall notify the End User that the trouble is on the other Party's portion of the Loop.
- 3.6.5 Notwithstanding anything else to the contrary in this Agreement, when BellSouth receives a voice trouble and isolates the trouble to the physical collocation arrangement belonging to Harbor Communications, BellSouth will notify Harbor Communications. Harbor Communications will provide at least one but no more than two (2) verbal CFA pair changes to BellSouth in an attempt to resolve the voice trouble. In the event a CFA pair change resolves the voice trouble, Harbor Communications will provide BellSouth an LSR with the new CFA pair information within twenty-four (24) hours. If the owner of the collocation space fails to resolve the trouble by providing BellSouth with the verbal CFA pair changes, BellSouth may discontinue Harbor Communications's access to the High Frequency Spectrum on such Loop. BellSouth will not be responsible for any loss of data as a result of this action.

#### 3.7 <u>Line Splitting</u>

- 3.7.1 Line splitting allows a provider of data services (a Data LEC) and a provider of voice services (a Voice CLEC) to deliver voice and data service to End Users over the same Loop. The Voice CLEC and Data LEC may be the same or different carriers.
- 3.7.2 In the event Harbor Communications provides its own switching or obtains switching from a third party, Harbor Communications may engage in line splitting arrangements with another CLEC using a splitter, provided by Harbor Communications, in a Collocation Arrangement at the central office where the loop terminates into a distribution frame or its equivalent.
- 3.7.3 Where Harbor Communications is purchasing a UNE-port and a UNE-loop, BellSouth shall offer line splitting pursuant to the following sections in this Attachment.
- 3.7.4 Harbor Communications shall provide BellSouth with a signed LOA between it and the Data LEC or Voice CLEC with which it desires to provision Line Splitting services, if Harbor Communications will not provide voice and data services.
- 3.7.5 End Users currently receiving voice service from a Voice CLEC through a UNE-P may be converted to Line Splitting arrangements by Harbor Communications or its authorized agent ordering Line Splitting Service. If the CLEC wishes to provide the splitter, the UNE-P arrangement will be converted to a stand-alone UNE Loop, a UNE port, two collocation cross connects and the high frequency spectrum line activation. If BellSouth owns the splitter, the UNE-P arrangement will be converted to a stand-alone UNE Loop, port, and one collocation cross connection.

3.7.6 When End Users on Loops using High Frequency Spectrum CO Based line sharing service are converted to Line Splitting, BellSouth will discontinue billing Harbor Communications for the High Frequency Spectrum. BellSouth will continue to bill the Data LEC for all associated splitter charges if the Data LEC continues to use a BellSouth splitter. It is the responsibility of Harbor Communications or its authorized agent to determine if the Loop is compatible for Line Splitting Service. Harbor Communications or its authorized agent may use the existing Loop unless it is not compatible with the Data LEC's data service and Harbor Communications or its authorized agent submits an LSR to BellSouth to change the Loop.

# 3.8 Provisioning Line Splitting and Splitter Space

- 3.8.1 The Data LEC, Voice CLEC or BellSouth may provide the splitter. When Harbor Communications or its authorized agent owns the splitter, Line Splitting requires the following: a non-designed analog Loop from the serving wire center to the NID at the End User's location; a collocation cross connection connecting the Loop to the collocation space; a second collocation cross connection from the collocation space connected to a voice port; the high frequency spectrum line activation, and a splitter. The Loop and port cannot be a Loop and port combination (i.e. UNE-P), but must be individual stand-alone Network Elements. When BellSouth owns the splitter, Line Splitting requires the following: a non designed analog Loop from the serving wire center to the NID at the End User's location with CFA and splitter port assignments, and a collocation cross connection from the collocation space connected to a voice port.
- 3.8.2 An unloaded 2-wire copper Loop must serve the End User. The meet point for the Voice CLEC and the Data LEC is the point of termination on the MDF for the Data LEC's cable and pairs.
- 3.8.3 The foregoing procedures are applicable to migration to Line Splitting Service from a UNE-P arrangement, BellSouth Retail Voice Service, BellSouth High Frequency Spectrum (CO Based) Line Sharing.
- 3.8.4 For other migration scenarios to line splitting, BellSouth will work cooperatively with CLECs to develop methods and procedures to develop a process whereby a Voice CLEC and a Data LEC may provide services over the same Loop.

# 3.9 <u>Ordering – Line Splitting</u>

- 3.9.1 Harbor Communications shall use BellSouth's LSOD to order splitters from BellSouth and to activate and deactivate DS0 Collocation CFA for use with Line Splitting.
- 3.9.2 BellSouth shall provide Harbor Communications the LSR format to be used when ordering Line Splitting service.

Version 3Q03: 11/12/2003

- 3.9.3 BellSouth will provision Line Splitting service in compliance with BellSouth's Products and Services Interval Guide available at the website at <a href="http://www.interconnection.bellsouth.com">http://www.interconnection.bellsouth.com</a>.
- 3.9.4 BellSouth will provide Harbor Communications access to Preordering LMU in accordance with the terms of this Agreement. BellSouth shall bill and Harbor Communications shall pay the rates for such services as described in Exhibit A.
- 3.9.5 BellSouth will provide Loop modification to Harbor Communications on an existing Loop in accordance with procedures developed in the Line Sharing Collaborative. High Frequency Spectrum (CO Based) Unbundled Loop Modification is a separate distinct service from Unbundled Loop Modification set forth in Section 2.5 of this Attachment. Procedures for High Frequency Spectrum (CO Based) Unbundled Loop Modification may be found on the web at:

  <a href="http://www.interconnection.bellsouth.com/html/unes.html">http://www.interconnection.bellsouth.com/html/unes.html</a>. Nonrecurring rates for this offering are as set forth in Exhibit A of this Attachment.

# 3.10 <u>Maintenance – Line Splitting</u>

- 3.10.1 BellSouth will be responsible for repairing voice services and the physical loop between the NID at the customer's premises and the termination point. Harbor Communications will be responsible for maintaining the voice and data services. Each Party will be responsible for maintaining its own equipment.
- 3.10.2 Harbor Communications shall inform its End Users to direct all problems to Harbor Communications or its authorized agent.
- 3.10.3 If Harbor Communications is not the data provider, Harbor Communications shall indemnify, defend and hold harmless BellSouth from and against any claims, losses, actions, causes of action, suits, demands, damages, injury, and costs including reasonable attorney fees, which arise out of actions related to the data provider.

## 4 <u>Local Switching</u>

- 4.1 BellSouth shall provide non-discriminatory access to local circuit switching capability and local tandem switching capability on an unbundled basis, except as set forth in the Sections below to Harbor Communications for the provision of a telecommunications service.
- 4.2 Local Circuit Switching Capability, including Tandem Switching Capability
- 4.2.1 Local circuit switching capability is defined as all line-side and trunk-side facilities, plus the features, functions, and capabilities of the switch. The features, functions, and capabilities of the switch shall include the basic switching function of connecting lines to lines, lines to trunks, trunks to lines, and trunks to trunks.

Version 3Q03: 11/12/2003

Local circuit switching includes all vertical features that the switch is capable of providing, including custom calling, custom local area signalling service features, and Centrex, as well as any technically feasible customized routing functions.

- 4.2.2 Notwithstanding BellSouth's general duty to unbundle local circuit switching, BellSouth shall not be required to unbundle local circuit switching for Harbor Communications when Harbor Communications: (1) serves an End User with four (4) or more voice-grade (DS0) equivalents or lines served by BellSouth in Zone 1 of one of the following MSAs: Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA; or (2) serves an End User with a DS1 or higher capacity Loop in any service area covered by this Agreement. To the extent that Harbor Communications is serving any End User as described in (2) above as of October 2, 2003, such arrangement may not remain in place any longer than April 1, 2004, after which such arrangement must be terminated by Harbor Communications or BellSouth shall convert such arrangement to tariff pricing. The filing of this Agreement with the applicable Commission shall constitute the filing of the joint transition plan specified by the FCC.
- 4.2.3 Rates for unbundled switching at the DS1 level and above or for combinations with unbundled switching at the DS1 level and above provisioned prior to the Effective Date of this Agreement shall be those rates set forth in Exhibit A of this Attachment until April 1, 2004.
- 4.2.4 Local Switching that is not required to be provided as a UNE will be provided pursuant to a separate agreement or a tariff, at BellSouth's discretion.
- 4.2.5 Unbundled Local Switching consists of three separate unbundled elements:
  Unbundled Ports, End Office Switching Functionality, and End Office Interoffice
  Trunk Ports.
- 4.2.6 Unbundled Local Switching combined with Common Transport and, if necessary, Tandem Switching provides to Harbor Communications's End User local calling and the ability to presubscribe to a primary carrier for intraLATA and/or to presubscribe to a primary carrier for interLATA toll service.
- 4.2.7 Provided that Harbor Communications purchases unbundled local switching from BellSouth and uses the BellSouth Carrier Identification Code (CIC) for its End Users' Local Preferred Interexchange Carrier (LPIC) or if a BellSouth local End User selects BellSouth as its LPIC, then the Parties will consider as local any calls originated by a Harbor Communications local End User, or originated by a BellSouth local End User and terminated to a Harbor Communications local End User, where such calls originate and terminate in the same LATA, except for those calls originated and terminated through switched access arrangements (i.e., calls that are transported by a Party other than BellSouth). For such calls, BellSouth will charge Harbor Communications the UNE elements for the BellSouth facilities

utilized. Neither Party shall bill the other originating or terminating switched access charges for such calls. Intercarrier compensation for local calls between BellSouth and Harbor Communications shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's website.

- 4.2.8 Where Harbor Communications purchases unbundled local switching from BellSouth but does not use the BellSouth CIC for its End Users' LPIC, BellSouth will consider as local those direct dialed telephone calls that originate from a Harbor Communications End User and terminate within the basic local calling area or within the extended local calling areas and that are dialed using seven (7) or ten (10) digits as defined and specified in Section A3 of BellSouth's General Subscriber Services Tariffs (GSST). For such local calls, BellSouth will charge Harbor Communications the UNE elements for the BellSouth facilities utilized. Intercarrier compensation for local calls between BellSouth and Harbor Communications shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's website.
- 4.2.9 For any calls that originate and terminate through switched access arrangements (i.e., calls that are transported by a party other than BellSouth), BellSouth shall bill Harbor Communications the UNE elements for the BellSouth facilities utilized. Each Party may bill the toll provider originating or terminating switched access charges as appropriate.

# 4.2.10 <u>Unbundled Port Features</u>

- 4.2.10.1 Charges for Unbundled Port are as set forth in Exhibit A, and as specified in such exhibit, may or may not include individual features.
- 4.2.10.2 Where applicable and available, non-switch-based services may be ordered with the Unbundled Port at BellSouth's retail rates.
- 4.2.10.3 Any features that are not currently available but are technically feasible through the switch can be requested through the BFR/NBR process.
- 4.2.10.4 BellSouth will provide to Harbor Communications selective routing of calls to a requested Operator System platform pursuant to this Attachment. Any other routing requests by Harbor Communications will be made pursuant to the BFR/NBR Process as set forth in Attachment 11.

#### 4.2.11 Remote Call Forwarding

4.2.11.1 As an option, BellSouth shall make available to Harbor Communications an unbundled port with Remote Call Forwarding capability (URCF service). URCF service combines the functionality of unbundled local switching, tandem switching and common transport to forward calls from the URCF service telephone number (the number dialed by the calling party) to another telephone number selected by

the URCF service subscriber. When ordering URCF service, Harbor Communications will ensure that the following conditions are satisfied:

- 4.2.11.1.1 That the End User of the forward-to number (service) agrees to receive calls forwarded using the URCF service (if such End User is different from the URCF service End User);
- 4.2.11.1.2 That the forward-to number (service) is equipped with sufficient capacity to receive the volume of calls that will be generated from the URCF service;
- 4.2.11.1.3 That the URCF service will not be utilized to forward calls to another URCF or similar service; and
- 4.2.11.1.4 That the forward-to number (service) is not a public safety number (e.g. 911, fire or police number).
- 4.2.11.2 In addition to the charge for the URCF service port, BellSouth shall charge Harbor Communications the rates set forth in Exhibit A for unbundled local switching, tandem switching, and common transport, including all associated usage incurred for calls from the URCF service telephone number (the number dialed by the calling party) to the forward-to number (service).

## 4.2.12 **Provision for Local Switching**

- 4.2.12.1 BellSouth shall perform routine testing (e.g., Mechanized Loop Tests (MLT) and test calls such as 105, 107 and 108 type calls) and fault isolation on a mutually agreed upon schedule.
- 4.2.12.2 BellSouth shall control congestion points such as those caused by radio station call-ins and network routing abnormalities. All traffic shall be restricted in a non-discriminatory manner.
- 4.2.12.3 BellSouth shall perform manual call trace and permit customer originated call trace. BellSouth shall provide Switching Service Point (SSP) capabilities and signaling software to interconnect the signaling links destined to the Signaling Transfer Point Switch (STPS). These capabilities shall adhere to the technical specifications set forth in the applicable industry standard technical references.
- 4.2.12.4 BellSouth shall provide interfaces to adjuncts through Telcordia standard interfaces. These adjuncts can include, but are not limited to, the Service Circuit Node and Automatic Call Distributors. BellSouth shall offer to Harbor Communications all Advanced Intelligent Network (AIN) triggers in connection with its SMS/SCE offering.
- 4.2.12.5 BellSouth shall provide access to SS7 Signaling Network or Multi-Frequency trunking if requested by Harbor Communications.

4.2.13	Local Switching Interfaces.
4.2.13.1	Harbor Communications shall order ports and associated interfaces compatible with the services it wishes to provide as listed in Exhibit A. BellSouth shall provide the following local switching interfaces:
4.2.13.1.1	Standard Tip/Ring interface including loopstart or groundstart, on-hook signaling (e.g., for calling number, calling name and message waiting lamp);
4.2.13.1.2	Coin phone signaling;
4.2.13.1.3	Basic Rate Interface ISDN adhering to appropriate Telcordia Technical Requirements;
4.2.13.1.4	Two-wire analog interface to PBX;
4.2.13.1.5	Four-wire analog interface to PBX;
4.2.13.1.6	Four-wire DS1 interface to PBX or customer provided equipment (e.g. computers and voice response systems);
4.2.13.1.7	Primary Rate ISDN to PBX adhering to ANSI standards Q.931, Q.932 and appropriate Telcordia Technical Requirements;
4.2.13.1.8	Switched Fractional DS1 with capabilities to configure Nx64 channels (where $N = 1$ to 24); and
4.2.13.1.9	Loops adhering to Telcordia TR-NWT-08 and TR-NWT-303 specifications to interconnect Digital Loop Carriers.
4.2.14	All End Users of Harbor Communications who have service provisioned via 4-Wire ISDN DS1 Port with E911 Locator Capability shall physically be located in the E911 Tandem Switch service area.
4.2.15	Harbor Communications shall pass its End User's telephone number to BellSouth over the Primary Interface (PRI) trunk group via ANI or via direct Centralized Automated Message Accounting (CAMA) trunks to the appropriate E911 tandem switch.
4.2.16	Harbor Communications shall maintain the individual telephone number and the correct corresponding address/location data, including maintaining the End User listed address as the actual physical End User location in the E911 Automatic Location Identification (ALI) Database.
4.2.17	Harbor Communications will be responsible and liable for any errors resulting from the submission of invalid telephone number and address/location data for the CLEC's End Users.

#### 4.3 Tandem Switching

- 4.3.1 The Tandem Switching capability Network Element is defined as: (i) trunk-connect facilities, which include, but are not limited to, the connection between trunk termination at a cross connect panel and switch trunk card; (ii) the basic switch trunk function of connecting trunks to trunks; and (iii) the functions that are centralized in the Tandem Switches (as distinguished from separate end office switches), including but not limited to call recording, the routing of calls to operator services and signaling conversion features.
- 4.3.1.1 Where Harbor Communications utilizes portions of the BellSouth network in originating or terminating traffic, the Tandem Switching rates are applied in call scenarios where the Tandem Switching Network Element has been utilized. Because switch recordings cannot accurately indicate on a per call basis when the Tandem Switching Network Element has been utilized for an interoffice call originating from a UNE port and terminating to a BellSouth, Independent Company or Facility-Based CLEC office, BellSouth has developed, based upon call studies, a melded rate that takes into account the average percentage of calls that utilize Tandem Switching in these scenarios. BellSouth shall apply the melded Tandem Switching rate for every call in these scenarios. BellSouth shall utilize the melded Tandem Switching Rate until BellSouth has the capability to measure actual Tandem Switch usage in each call scenario specifically mentioned above, at which point the rate for the actual Tandem Switch usage shall apply. The UNE Call Flows set forth on BellSouth's website, as amended from time to time and incorporated herein by this reference, illustrate when the full or melded Tandem Switching rates apply for specific scenarios.

#### 4.3.2 Technical Requirements

- 4.3.2.1 Tandem Switching shall have the same capabilities or equivalent capabilities as those described in Telcordia TR-TSY-000540 Issue 2R2, Tandem Supplement, June 1, 1990. The requirements for Tandem Switching include but are not limited to the following:
- 4.3.2.1.1 Tandem Switching shall provide signaling to establish a tandem connection;
- 4.3.2.1.2 Tandem Switching will provide screening as jointly agreed to by Harbor Communications and BellSouth:
- 4.3.2.1.3 Where applicable, Tandem Switching shall provide AIN triggers supporting AIN features where such routing is not available from the originating end office switch, to the extent such Tandem switch has such capability;
- 4.3.2.1.4 Where applicable, Tandem Switching shall provide access to Toll Free number database;

- 4.3.2.1.5 Tandem Switching shall provide connectivity to Public Safety Answering Point (PSAP)s where 911 solutions are deployed and the tandem is used for 911; and
- 4.3.2.1.6 Where appropriate, Tandem Switching shall provide connectivity for the purpose of routing transit traffic to and from other carriers.
- 4.3.2.2 BellSouth may perform testing and fault isolation on the underlying switch that is providing Tandem Switching. Such testing shall be testing routinely performed by BellSouth. The results and reports of the testing shall be made available to Harbor Communications.
- 4.3.2.3 BellSouth shall control congestion points and network abnormalities. All traffic will be restricted in a non-discriminatory manner.
- 4.3.2.4 Tandem Switching shall process originating toll free traffic received from Harbor Communications's local switch.
- 4.3.2.5 In support of AIN triggers and features, Tandem Switching shall provide SSP capabilities when these capabilities are not available from the Local Switching Network Element to the extent such Tandem Switch has such capability.
- 4.3.3 Upon Harbor Communications's purchase of overflow trunk groups, Tandem Switching shall provide an alternate routing pattern for Harbor Communications's traffic overflowing from direct end office high usage trunk groups.
- 4.4 <u>AIN Selective Carrier Routing for Operator Services, Directory Assistance</u> and Repair Centers
- 4.4.1 Where BellSouth provides local switching to Harbor Communications, BellSouth will provide AIN Selective Carrier Routing (AIN SCR) at the request of Harbor Communications. AIN SCR will provide Harbor Communications with the capability of routing operator calls, 0+ and 0- and 0+ NPA Local Numbering Plan Area (LNPA), 555-1212 directory assistance, 1+411 directory assistance and 611 repair center calls to pre-selected destinations.
- 4.4.2 Harbor Communications shall order AIN SCR through its Account Team and/or Local Contract Manager. AIN SCR must first be established regionally and then on a per central office per state basis.
- 4.4.3 AIN SCR is not available in DMS 10 switches.
- 4.4.4 Where AIN SCR is utilized by Harbor Communications, the routing of Harbor Communications's End User calls shall be pursuant to information provided by Harbor Communications and stored in BellSouth's AIN SCR Service Control Point database. AIN SCR shall utilize a set of Line Class Codes (LCCs) unique to

a basic class of service assigned on an "as needed" basis. The same LCCs will be assigned in each central office where AIN SCR is established.

- 4.4.5 Upon ordering AIN SCR Regional Service, Harbor Communications shall remit to BellSouth the Regional Service Order nonrecurring charges set forth in Exhibit A of this Attachment. There shall be a nonrecurring End Office Establishment Charge per office due at the addition of each central office where AIN SCR will be utilized. Said nonrecurring charge shall be as set forth in Exhibit A of this Attachment. For each Harbor Communications End User activated, there shall be a nonrecurring End User Establishment charge as set forth in Exhibit A of this Attachment. Harbor Communications shall pay the AIN SCR Per Query Charge set forth in Exhibit A of this Attachment.
- 4.4.6 This Regional Service Order nonrecurring charge will be non-refundable and will be paid with one half due up-front with the submission of all fully completed required forms including: Regional Selective Carrier Routing (SCR) Order Request-Form A, Central Office AIN SCRSCR Order Request Form B, AIN SCR Central Office Identification Form Form C, AIN SCR Routing Options Selection Form Form D, and Routing Combinations Table Form E. BellSouth has thirty (30) calendar days to respond to Harbor Communications's fully completed firm order as a Regional Service Order. With the delivery of this firm order response to Harbor Communications, BellSouth considers that the delivery schedule of this service commences. The remaining half of the Regional Service Order payment must be paid when at least ninety (90) percent of the Central Offices listed on the original order have been turned up for the service.
- 4.4.7 The nonrecurring End Office Establishment Charge will be billed to Harbor Communications following BellSouth's normal monthly billing cycle for this type of order.
- 4.4.8 End-User Establishment Orders will not be turned-up until the second payment is received for the Regional Service Order. The nonrecurring End-User Establishment Charges will be billed to Harbor Communications following BellSouth's normal monthly billing cycle for this type of order.
- 4.4.9 Additionally, the AIN SCR Per Query Charge will be billed to Harbor Communications following the normal billing cycle for per query charges.
- 4.4.10 All other network components needed, for example, unbundled switching, unbundled local transport, etc., will be billed per contracted rates.
- 4.5 Selective Call Routing Using Line Class Codes (SCR-LCC)
- 4.5.1 Where Harbor Communications purchases unbundled local switching from BellSouth and utilizes an operator services provider other than BellSouth,

BellSouth will route Harbor Communications's End User calls to that provider through Selective Call Routing.

- 4.5.2 Selective Call Routing using Line Class Codes (SCR-LCC) provides the capability for Harbor Communications to have its Operator Call Processing/Directory Assistance (OCP/DA) calls routed to BellSouth's OCP/DA platform for BellSouth provided Custom Branded or Unbranded OCP/DA or to its own or an alternate OCP/DA platform for Self-Branded OCP/DA. SCR-LCC is only available if line class code capacity is available in the requested BellSouth end office switches.
- 4.5.3 Custom Branding for Directory Assistance (DA) is not available for certain classes of service, including but not limited to Hotel/Motel services, WATS service, and certain PBX services.
- 4.5.4 Where available, Harbor Communications specific and unique LCCs are programmed in each BellSouth end office switch where Harbor Communications intends to serve End Users with customized OCP/DA branding. The LCCs specifically identify Harbor Communications's End Users so OCP/DA calls can be routed over the appropriate trunk group to the requested OCP/DA platform. Additional LCCs are required in each end office if the end office serves multiple NPAs (i.e., a unique LCC is required per NPA), and/or if the end office switch serves multiple rate areas and Harbor Communications intends to provide Harbor Communications -branded OCP/DA to its End Users in these multiple rate areas.
- 4.5.5 SCR-LCC supporting Custom Branding and Self Branding require Harbor Communications to order dedicated trunking from each BellSouth end office identified by Harbor Communications, either to the BellSouth Traffic Operator Position System (TOPS) for Custom Branding or to the Harbor Communications Operator Service Provider for Self Branding. Separate trunk groups are required for Operator Services and for DA. Rates for trunks are set forth in applicable BellSouth tariffs.
- 4.5.6 Unbranding Unbranded DA and/or OCP calls ride common trunk groups provisioned by BellSouth from those end offices identified by Harbor Communications to the BellSouth TOPS.
- 4.5.7 The Rates for SCR-LCC are as set forth in this Attachment. There is a nonrecurring charge for the establishment of each LCC in each BellSouth central office. Furthermore, for Unbranded and Custom Branded OCP/DA provided by BellSouth Operator Services with unbundled ports and unbundled port/loop switch combinations, monthly recurring usage charges shall apply for the UNEs necessary to provide the service, such as end office and tandem switching and common transport. A flat rated end office switching charge shall apply to Self-Branded OCP/DA when used in conjunction with unbundled ports and unbundled port/loop switch combinations.

## 5 Unbundled Network Element Combinations

- 5.1 For purposes of this Section, references to "Currently Combined" Network Elements shall mean that the particular Network Elements requested by Harbor Communications are in fact already combined by BellSouth in the BellSouth network. References to "Ordinarily Combined" Network Elements shall mean that the particular Network Elements requested by Harbor Communications are not already combined by BellSouth in the location requested by Harbor Communications but are elements that are typically combined in BellSouth's network. References to "Not Typically Combined" Network Elements shall mean that the particular Network Elements requested by Harbor Communications are not elements that BellSouth combines for its use in its network.
- 5.1.1 Upon request, BellSouth shall perform the functions necessary to combine unbundled Network Elements in any manner, even if those elements are not ordinarily combined in BellSouth's network, provided that such combination is technically feasible and will not undermine the ability of other carriers to obtain access to unbundled Network Elements or to interconnect with BellSouth's network.

## 5.2 Enhanced Extended Links (EELs)

- 5.2.1 EELs are combinations of unbundled Loops and unbundled dedicated transport as defined in this Attachment, together with any facilities, equipment, or functions necessary to combine those Network Elements. BellSouth shall provide Harbor Communications with EELs where the underlying UNEs are available and in all instances where the requesting carrier meets the eligibility requirements, if applicable.
- 5.2.2 High-capacity EELs are combinations of loop and transport UNEs or commingled loop and transport facilities at the DS1 and/or DS3 level as described in 47 CFR 51.318(b). High-capacity EELs must comply with the service eligibility requirements set forth in 5.2.4 below.
- 5.2.3 By placing an order for a high-capacity EEL, Harbor Communications thereby certifies that the service eligibility criteria set forth herein are met for access to a converted high-capacity EEL, a new high-capacity EEL, or part of a high-capacity commingled EEL as a UNE. BellSouth shall have the right to audit Harbor Communications's high-capacity EELs as specified below.
- 5.2.4 If a high-capacity EEL or Ordinarily Combined Network Element is not readily available but can be made available through routine network modifications, as defined by the FCC, Harbor Communications may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth

will provide a price quote for the request, and upon receipt of payment by Harbor Communications, BellSouth shall perform the routine network modifications.

- 5.2.5 <u>Service Eligibility Criteria</u>
- 5.2.5.1 Harbor Communications must certify for each high-capacity EEL that all of the following service eligibility criteria are met:
- 5.2.5.1.1 Harbor Communications has received state certification to provide local voice service in the area being served;
- 5.2.5.2 For each combined circuit, including each DS1 circuit, each DS1 EEL, and each DS1-equivalent circuit on a DS3 EEL:
- 5.2.5.2.1 1) Each circuit to be provided to each End User will be assigned a local number prior to the provision of service over that circuit;
- 5.2.5.2.2 2) Each DS1-equivalent circuit on a DS3 EEL must have its own local number assignment so that each DS3 must have at least twenty-eight (28) local voice numbers assigned to it;
- 5.2.5.2.3 3) Each circuit to be provided to each End User will have 911 or E911 capability prior to provision of service over that circuit;
- 5.2.5.2.4 4) Each circuit to be provided to each End User will terminate in a collocation arrangement that meets the requirements of 47 CFR 51.318(c);
- 5.2.5.2.5 5) Each circuit to be provided to each End User will be served by an interconnection trunk over which Harbor Communications will transmit the calling party's number in connection with calls exchanged over the trunk;
- 5.2.5.2.6 6) For each twenty-four (24) DS1 EELs or other facilities having equivalent capacity, Harbor Communications will have at least one (1) active DS1 local service interconnection trunk over which Harbor Communications will transmit the calling party's number in connection with calls exchanged over the trunk;
- 5.2.5.2.7 7) Each circuit to be provided to each End User will be served by a switch capable of switching local voice traffic.
- 5.2.6 BellSouth may, on an annual basis, audit Harbor Communications's records in order to verify compliance with the qualifying service eligibility criteria. The audit shall be conducted by a third party independent auditor, and the audit must be performed in accordance with the standards established by the American Institute for Certified Public Accountants (AICPA). To the extent the independent auditor's report concludes that Harbor Communications failed to comply with the service eligibility criteria, Harbor Communications must true-up any difference in payments, convert all noncompliant circuits to the appropriate service, and make

the correct payments on a going-forward basis. In the event the auditor's report concludes that , Harbor Communications did not comply in any material respect with the service eligibility criteria, Harbor Communications shall reimburse BellSouth for the cost of the independent auditor. To the extent the auditor's report concludes that Harbor Communications did comply in all material respects with the service eligibility criteria, BellSouth will reimburse Harbor Communications for its reasonable and demonstrable costs associated with the audit. Harbor Communications will maintain appropriate documentation to support its certifications.

5.2.7 In the event Harbor Communications converts special access services to UNEs, Harbor Communications shall be subject to the termination liability provisions in the applicable special access tariffs, if any.

### 5.3 UNE Port/Loop Combinations

- 5.3.1 Combinations of port and loop unbundled Network Elements along with switching and transport unbundled Network Elements provide local exchange service for the origination or termination of calls. Port/loop combinations support the same local calling and feature requirements as described in the Unbundled Local Switching or Port section of this Attachment and the ability to presubscribe to a primary carrier for intraLATA toll service and/or to presubscribe to a primary carrier for interLATA toll service.
- 5.3.2 BellSouth is not required to provide combinations of port and loop Network Elements on an unbundled basis in locations where, pursuant to FCC and Commission rules, BellSouth is not required to provide local circuit switching as an unbundled Network Element.
- 5.3.3 BellSouth shall not be required to provide local circuit switching as a UNE in density Zone 1, as defined in 47 CFR 69.123 as of January 1, 1999 of the Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA, MSAs to Harbor Communications if Harbor Communications's customer has four (4) or more DS0 equivalent lines.
- 5.3.4 BellSouth shall not be required to provide local circuit switching as a UNE or combination of UNEs if the End User is being served by a BellSouth DS1 or higher capacity Loop in any service area covered by this Agreement. To the extent that Harbor Communications is serving any End User as described above as of October 2, 2003, such arrangement may not remain in place any longer than April 1, 2004, after which such arrangement must be terminated by Harbor Communications or BellSouth shall convert such arrangement to tariff pricing. The filing of this Agreement with the applicable Commission shall constitute the filing of the joint transition plan specified by the FCC.

5.3.5 BellSouth shall make 911 updates in the BellSouth 911 database for Harbor Communications's UNE port/Loop combinations. BellSouth will not bill Harbor Communications for 911 surcharges. Harbor Communications is responsible for paying all 911 surcharges to the applicable governmental agency.

## 5.4 Rates

- 5.4.1 The rates for the Currently Combined Network Elements specifically set forth in Exhibit A of this Attachment shall be the rates associated with such combinations. Where a Currently Combined combination is not specifically set forth in Exhibit A, the rate for such Currently Combined combination of Network Elements shall be the sum of the recurring rates for those individual Network Elements in addition to the applicable non-recurring switch-as-is charge set forth in Exhibit A.
- 5.4.2 The rates for the Ordinarily Combined Network Elements specifically set forth in Exhibit A of this Attachment shall be the non-recurring and recurring charges for those combinations. Where an Ordinarily Combined combination is not specifically set forth in Exhibit A, the rate for such Ordinarily Combined combination of Network Elements shall be the sum of the recurring and non-recurring rates for those individual Network Elements as set forth in Exhibit A.
- 5.4.3 Except as set forth in this Section 5, BellSouth shall provide UNE port/loop combinations specifically set forth in Exhibit A that are Currently Combined or Ordinarily Combined in BellSouth's network at the cost-based rates in Exhibit A.
- 5.4.4 BellSouth shall provide other Currently Combined and Ordinarily Combined and Not Typically Combined UNE Combinations to Harbor Communications in addition to those specifically referenced in this Section 5 above, where available. To the extent Harbor Communications requests a combination for which BellSouth does not have rates and methods and procedures in place to provide such combination, rates and/or methods and procedures for such combination will be developed pursuant to the BFR/NBR process.

# 6 Transport, Channelization and Dark Fiber

# 6.1 <u>Transport</u>

- 6.1.1 BellSouth shall provide nondiscriminatory access, in accordance with FCC Rules 51.311, 51.319, and Section 251(c)(3) of the Act to interoffice transmission facilities described in this Section 6 on an unbundled basis to Harbor Communications for the provision of a qualifying service, as set forth herein.
- 6.1.1.1 Dedicated Transport is defined as BellSouth's interoffice transmission facilities, dedicated to a particular customer or carrier that Harbor Communications uses for transmission between wire centers or switches owned by BellSouth and within the same LATA.

- 6.1.1.2 Dark Fiber Transport, defined as BellSouth's optical transmission facilities without attached signal regeneration, multiplexing, aggregation or other electronics, between wire centers or switches owned by BellSouth and within the same LATA;
- 6.1.1.3 Common (Shared) Transport, defined as transmission facilities shared by more than one carrier, including BellSouth, between end office switches, between end office switches and tandem switches, and between tandem switches, in BellSouth's network. Where BellSouth Network Elements are connected by intraoffice wiring, such wiring is provided as part of the Network Element and is not Common (Shared) Transport.
- 6.1.1.3.1 Notwithstanding any other provision of this Agreement, BellSouth will only provide unbundled access to Common (Shared) Transport to the extent BellSouth is required to provide and is providing unbundled Local Circuit Switching to Harbor Communications.
- 6.1.2 BellSouth shall:
- 6.1.2.1 Provide Harbor Communications exclusive use of Dedicated Transport to a particular customer or carrier, or shared use of the features, functions, and capabilities of interoffice transmission facilities shared by more than one customer or carrier;
- 6.1.2.2 Provide all technically feasible features, functions, and capabilities of the transport facility;
- 6.1.2.3 Permit, to the extent technically feasible, Harbor Communications to connect such interoffice facilities to equipment designated by Harbor Communications, including but not limited to, Harbor Communications's collocated facilities; and
- 6.1.2.4 Permit, to the extent technically feasible, Harbor Communications to obtain the functionality provided by BellSouth's digital cross-connect systems.
- 6.1.3 Technical Requirements of Common (Shared) Transport
- 6.1.3.1 Common (Shared) Transport provided on DS1, DS3, and STS-1 circuits shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Central Office to Central Office (CO to CO) connections in the applicable industry standards.
- 6.1.3.2 BellSouth shall be responsible for the engineering, provisioning, and maintenance of the underlying equipment and facilities that are used to provide Common (Shared) Transport.
- 6.1.3.3 At a minimum, Common (Shared) Transport shall meet all of the requirements set forth in the applicable industry standards.

# 6.2 **Dedicated Transport**

- 6.2.1 BellSouth shall offer Dedicated Transport in each of the following ways:
- 6.2.1.1 As capacity on a shared UNE facility.
- 6.2.1.2 As a circuit (e.g., DS0, DS1, DS3) dedicated to Harbor Communications.
- 6.2.2 Dedicated Transport may be provided over facilities such as optical fiber, copper twisted pair, and coaxial cable, and shall include transmission equipment such as line terminating equipment, amplifiers, and regenerators.
- 6.2.3 Harbor Communications may obtain a maximum of twelve (12) unbundled dedicated DS3 circuits, or their equivalent, for any single route at the UNE rates set forth in Exhibit A for which dedicated DS3 transport is available as unbundled transport. Additional capacity may be purchased pursuant to the rates, terms and conditions as set forth in the applicable tariff. A route is defined as a transmission path between one of BellSouth's wire centers or switches and another of BellSouth's wire centers or switches. A route between two (2) points may pass through one or more intermediate wire centers or switches. Transmission paths between identical end points are the same "route", irrespective of whether they pass through the same intermediate wire centers or switches, if any.
- Any request to re-terminate one end of a circuit will require the issuance of new service and disconnection of the existing service and the applicable charges in Exhibit A shall apply, and the re-terminated circuit shall be considered a new circuit as of the installation date.
- 6.2.5 If Dedicated Transport is not readily available but can be made available through routine network modifications, as defined by the FCC, Harbor Communications may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by Harbor Communications, BellSouth shall perform the routine network modifications.

#### 6.2.6 Technical Requirements

- 6.2.6.1 The entire designated transmission service (e.g., DS0, DS1, DS3) shall be dedicated to Harbor Communications designated traffic.
- 6.2.6.2 For DS1 or DS3 circuits, Dedicated Transport shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Customer Interface to Central Office (CI to CO) connections in the applicable industry standards.

Page 50 6.2.6.3 BellSouth shall offer the following interface transmission rates for Dedicated Transport: DS0 Equivalent; 6.2.6.3.1 6.2.6.3.2 DS1; 6.2.6.3.3 DS3; and SDH (Synchronous Digital Hierarchy) Standard interface rates are in accordance 6.2.6.3.4 with International Telecommunications Union (ITU) Recommendation G.707 and Plesiochronous Digital Hierarchy (PDH) rates per ITU Recommendation G.704. 6.2.6.4 BellSouth shall design Dedicated Transport according to its network infrastructure. Harbor Communications shall specify the termination points for Dedicated Transport. 6.2.6.5 At a minimum, Dedicated Transport shall meet each of the requirements set forth in the applicable industry technical references. 6.2.6.6 BellSouth Technical References: 6.2.6.6.1 TR-TSY-000191 Alarm Indication Signals Requirements and Objectives, Issue 1, May 1986. 6.2.6.6.2 TR 73501 LightGate®Service Interface and Performance Specifications, Issue D, June 1995. 6.2.6.6.3 TR 73525 MegaLink®Service, MegaLink Channel Service and MegaLink Plus Service Interface and Performance Specifications, Issue C, May 1996. 6.3 **Unbundled Channelization (Multiplexing)** 6.3.1 Unbundled Channelization (UC) provides the optional multiplexing capability that will allow a DS1 (1.544 Mbps) or DS3 (44.736 Mbps) or STS-1 (51.84 Mbps) UNE or collocation cross connect to be multiplexed or channelized at a BellSouth central office. Channelization can be accomplished through the use of a multiplexer or a digital cross connect system at the discretion of BellSouth. Once UC has been installed, Harbor Communications may request channel activation on an as needed basis and BellSouth shall connect the requested facilities via Central Office Channel Interfaces (COCIs). The COCI must be compatible with the lower capacity facility and ordered with the lower capacity facility. This service is

6.3.2

available as defined in NECA 4.

BellSouth shall make available the following channelization systems and interfaces:

- 6.3.2.1 DS1 Channelization System: channelizes a DS1 signal into a maximum of twenty-four (24) DS0s. The following Central Office Channel Interfaces (COCI) are available: Voice Grade, Digital Data and ISDN.
- 6.3.2.2 DS3 Channelization System: channelizes a DS3 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.
- 6.3.2.3 STS-1 Channelization System: channelizes a STS-1 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.
- 6.3.2.4 AMI and B8ZS line coding with either Super Frame (SF) and Extended Super Frame (ESF) framing formats will be supported as an optional feature on DS1 facilities.
- 6.3.3 <u>Technical Requirements</u>
- In order to assure proper operation with BellSouth provided central office multiplexing functionality, Harbor Communications's channelization equipment must adhere strictly to form and protocol standards. Harbor Communications must also adhere to such applicable industry standards for the multiplex channel bank, for voice frequency encoding, for various signaling schemes, and for sub rate digital access.
- 6.3.3.2 TR 73501 LightGate<sup>®</sup> Service Interface and Performance Specifications, Issue D, June 1995
- 6.4 **Dark Fiber Transport**
- 6.4.1 Dark Fiber Transport is strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for Harbor Communications to utilize Dark Fiber Transport.
- 6.4.2 If Dark Fiber Transport is not readily available but can be made available through routine network modifications, as defined by the FCC, Harbor Communications may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by Harbor Communications, BellSouth shall perform the routine network modifications.
- 6.4.3 Requirements
- 6.4.3.1 BellSouth shall make available Dark Fiber Transport where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. Dark Fiber Transport will not be deemed available if (1) it is used by

Version 3Q03: 11/12/2003

BellSouth for maintenance and repair purposes, (2) it is designated for use pursuant to a firm order placed by another customer, (3) it is restricted for use by all carriers, including BellSouth, because of transmission problems or because it is scheduled for removal due to documented changes to roads and infrastructure, or (4) BellSouth has plans to use the fiber within a two-year planning period. BellSouth is not required to place fibers for Dark Fiber Transport if there are none available.

- 6.4.3.2 Harbor Communications is solely responsible for testing the quality of the Dark Fiber Transport to determine its usability and performance specifications.
- 6.4.3.3 BellSouth shall use its best efforts to provide to Harbor Communications information regarding the location, availability and performance of Dark Fiber Transport within ten (10) business days after receiving a request from Harbor Communications. Within such time period, BellSouth shall send written confirmation of availability of the Dark Fiber Transport.
- 6.4.3.4 If the requested Dark Fiber Transport is available, BellSouth shall use its commercially reasonable efforts to provision the Dark Fiber Transport to Harbor Communications within twenty (20) business days after Harbor Communications submits a valid, error free LSR. Provisioning includes identification of appropriate connection points (e.g., LGX) to enable Harbor Communications to connect Harbor Communications provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber Transport.

#### 7 Databases

- Call Related Databases are the databases set forth in this Attachment, other than OSS, that are used in signaling networks for billing and collection, or the transmission, routing or other provision of a telecommunications service. Notwithstanding anything to the contrary herein, BellSouth shall only provide unbundled access to BellSouth Switched Access (SWA) 8XX Toll Free Dialing Ten Digit Screening Service, Line Information Database (LIDB), Signaling, Signaling Link Transport, Signaling Transfer Points, SS7 AIN Access, Service Control Point\Databases, Local Number Portability Databases, SS7 Network Interconnection, and Calling Name (CNAM) Database Service at the prices set forth herein where BellSouth is required to provide and is providing unbundled access to local circuit switching to Harbor Communications.
- 7.2 To the extent unbundled local circuit switching is converted to market based switching pursuant to Section 4.2.2 of this Attachment, BellSouth may, at its discretion, provide access to BellSouth Switched Access (SWA) 8XX Toll Free Dialing Ten Digit Screening Service, LIDB, Signaling, Signaling Link Transport, Signaling Transfer Points, SS7 AIN Access, Service Control Point\Databases, Local Number Portability Databases, SS7 Network Interconnection, Calling Name (CNAM) at market based rates pursuant to a separate agreement or tariff.

# 8 BellSouth Switched Access (SWA) 8XX Toll Free Dialing Ten Digit Screening Service

- 8.1 The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service database (8XX SCP Database) is a SCP that contains customer record information and the functionality to provide call-handling instructions for 8XX calls. The 8XX SCP IN software stores data downloaded from the national SMS/8XX database and provides the routing instructions in response to queries from the SSP or tandem. The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service (8XX TFD Service) utilizes the 8XX SCP Database to provide identification and routing of the 8XX calls, based on the ten digits dialed. At Harbor Communications's option, 8XX TFD Service is provided with or without POTS number delivery, dialing number delivery, and other optional complex features as selected by Harbor Communications.
- 8.2 The 8XX SCP Database is designated to receive and respond to queries using the ANSI Specification of Signaling System Seven (SS7) protocol.

# 9 <u>Line Information Database</u>

Signaling (CCS) networks. For access to LIDB, Harbor Common Channel Signaling (CCS) networks. For access to LIDB, Harbor Communications must purchase appropriate signaling links pursuant to Section 10 of this Attachment. LIDB contains records associated with End User Line Numbers and Special Billing Numbers. LIDB accepts queries from other Network Elements and provides appropriate responses. The query originator need not be the owner of LIDB data. LIDB queries include functions such as screening billed numbers that provides the ability to accept Collect or Third Number Billing calls and validation of Telephone Line Number based non-proprietary calling cards. The interface for the LIDB functionality is the interface between BellSouth is CCS network and other CCS networks. LIDB also interfaces to administrative systems.

## 9.2 <u>Technical Requirements</u>

- 9.2.1 BellSouth will offer to Harbor Communications any additional capabilities that are developed for LIDB during the life of this Agreement.
- 9.2.2 BellSouth shall process Harbor Communications's customer records in LIDB at least at parity with BellSouth customer records, with respect to other LIDB functions. BellSouth shall indicate to Harbor Communications what additional functions (if any) are performed by LIDB in the BellSouth network.
- 9.2.3 Within two (2) weeks after a request by Harbor Communications, BellSouth shall provide Harbor Communications with a list of the customer data items, which Harbor Communications would have to provide in order to support each required LIDB function. The list shall indicate which data items are essential to LIDB

function and which are required only to support certain services. For each data item, the list shall show the data formats, the acceptable values of the data item and the meaning of those values.

- 9.2.4 BellSouth shall provide LIDB systems for which operating deficiencies that would result in calls being blocked shall not exceed thirty (30) minutes per year.
- 9.2.5 BellSouth shall provide LIDB systems for which operating deficiencies that would not result in calls being blocked shall not exceed twelve (12) hours per year.
- 9.2.6 BellSouth shall provide LIDB systems for which the LIDB function shall be in overload no more than twelve (12) hours per year.
- 9.2.7 All additions, updates and deletions of Harbor Communications data to the LIDB shall be solely at the direction of Harbor Communications. Such direction from Harbor Communications will not be required where the addition, update or deletion is necessary to perform standard fraud control measures (e.g., calling card auto-deactivation).
- 9.2.8 BellSouth shall provide priority updates to LIDB for Harbor Communications data upon Harbor Communications's request (e.g., to support fraud detection), via password-protected telephone card, facsimile, or electronic mail within one hour of notice from the established BellSouth contact.
- 9.2.9 BellSouth shall provide LIDB systems such that no more than 0.01% of Harbor Communications customer records will be missing from LIDB, as measured by Harbor Communications audits. BellSouth will audit Harbor Communications records in LIDB against Data Base Administration System (DBAS) to identify record mismatches and provide this data to a designated Harbor Communications contact person to resolve the status of the records and BellSouth will update system appropriately. BellSouth will refer record of mismatches to Harbor Communications within one (1) business day of audit. Once reconciled records are received back from Harbor Communications, BellSouth will update LIDB the same business day if less than 500 records are received before 1:00PM Central Time. If more than 500 records are received, BellSouth will contact Harbor Communications to negotiate a time frame for the updates, not to exceed three business days.
- 9.2.10 BellSouth shall perform backup and recovery of all of Harbor Communications's data in LIDB including sending to LIDB all changes made since the date of the most recent backup copy, in at least the same time frame BellSouth performs backup and recovery of BellSouth data in LIDB for itself. Currently, BellSouth performs backups of the LIDB for itself on a weekly basis; and when a new software release is scheduled, a backup is performed prior to loading the new release.

- 9.2.11 BellSouth shall provide Harbor Communications with LIDB reports of data which are missing or contain errors, as well as any misrouted errors, within a reasonable time period as negotiated between Harbor Communications and BellSouth.
- 9.2.12 BellSouth shall prevent any access to or use of Harbor Communications data in LIDB by BellSouth personnel that are outside of established administrative and fraud control personnel, or by any other Party that is not authorized by Harbor Communications in writing.
- 9.2.13 BellSouth shall provide Harbor Communications performance of the LIDB Data Screening function, which allows a LIDB to completely or partially deny specific query originators access to LIDB data owned by specific data owners, for Customer Data that is part of an NPA-NXX or RAO-0/1XX wholly or partially owned by Harbor Communications at least at parity with BellSouth Customer Data. BellSouth shall obtain from Harbor Communications the screening information associated with LIDB Data Screening of Harbor Communications data in accordance with this requirement. BellSouth currently does not have LIDB Data Screening capabilities. When such capability is available, BellSouth shall offer it to Harbor Communications under the BFR/NBR process as set forth in Attachment 11.
- 9.2.14 BellSouth shall accept queries to LIDB associated with Harbor Communications customer records and shall return responses in accordance with industry standards.
- 9.2.15 BellSouth shall provide mean processing time at the LIDB within 0.50 seconds under normal conditions as defined in industry standards.
- 9.2.16 BellSouth shall provide processing time at the LIDB within 1 second for 99% of all messages under normal conditions as defined in industry standards.
- 9.3 Interface Requirements
- 9.3.1 BellSouth shall offer LIDB in accordance with the requirements of this subsection.
- 9.3.2 The interface to LIDB shall be in accordance with the technical references contained within.
- 9.3.3 The CCS interface to LIDB shall be the standard interface described herein.
- 9.3.4 The LIDB Data Base interpretation of the ANSI-TCAP messages shall comply with the technical reference herein. Global Title Translation (GTT) shall be maintained in the signaling network in order to support signaling network routing to the LIDB.
- 9.3.5 The application of the LIDB rates contained in Exhibit A to this Attachment will be based on a Percent CLEC LIDB Usage (PCLU) factor. Harbor

Communications shall provide BellSouth a PCLU. The PCLU will be applied to determine the percentage of total LIDB usage to be billed to the other Party at local rates. Harbor Communications shall update its PCLU on the first of January, April, July and October and shall send it to BellSouth to be received no later than thirty (30) calendar days after the first of each such month based on local usage for the past three months ending the last day of December, March, June and September, respectively. Requirements associated with PCLU calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time.

## 10 Signaling

10.1 BellSouth shall offer access to signaling and access to BellSouth's signaling databases subject to compatibility testing and at the rates set forth in this Attachment. BellSouth may provide mediated access to BellSouth signaling systems and databases. Available signaling elements include signaling links, signal transfer points and service control points. Signaling functionality will be available with both A-link and B-link connectivity.

## 10.2 <u>Signaling Link Transport</u>

- 10.2.1 Signaling Link Transport is a set of two (2) or four (4) dedicated 56 kbps transmission paths between Harbor Communications designated Signaling Points of Interconnection that provide appropriate physical diversity.
- 10.2.2 Technical Requirements
- 10.2.3 Signaling Link Transport shall consist of full duplex mode 56 kbps transmission paths and shall perform in the following two ways:
- As an "A-link" Signaling Link Transport is a connection between a switch or SCP and a home Signaling Transfer Point switch pair; and
- As a "B-link" Signaling Link Transport is a connection between two Signaling Transfer Point switch pairs in different company networks (e.g., between two Signaling Transfer Point switch pairs for two CLECs).
- Signaling Link Transport shall consist of two (2) or more signaling link layers as follows:
- 10.2.4.1 An A-link layer shall consist of two (2) links.
- 10.2.4.2 A B-link layer shall consist of four (4) links.
- 10.2.4.3 A signaling link layer shall satisfy interoffice and intraoffice diversity of facilities and equipment, such that:

Version 3Q03: 11/12/2003

- 10.2.4.4 No single failure of facilities or equipment causes the failure of both links in an Alink layer (i.e., the links should be provided on a minimum of two (2) separate physical paths end-to-end); and
- 10.2.4.5 No two (2) concurrent failures of facilities or equipment shall cause the failure of all four (4) links in a B-link layer (i.e., the links should be provided on a minimum of three separate physical paths end-to-end).
- 10.2.5 <u>Interface Requirements</u>
- 10.2.5.1 There shall be a DS1 (1.544 Mbps) interface at Harbor Communications's designated SPOIs. Each 56 kbps transmission path shall appear as a DS0 channel within the DS1 interface.
- 10.3 <u>Signaling Transfer Points</u>
- A STP is a signaling network function that includes all of the capabilities provided by the signaling transfer point switches (STPS) and their associated signaling links that enables the exchange of SS7 messages among and between switching elements, database elements and signaling transfer point switches.
- 10.3.2 Technical Requirements
- 10.3.2.1 STPs shall provide access to BellSouth Local Switching or Tandem Switching and to BellSouth Service Control Points/Databases connected to BellSouth SS7 network. STPs also provide access to third-party local or tandem switching and third-party-provided STPs.
- The connectivity provided by STPs shall fully support the functions of all other Network Elements connected to the BellSouth SS7 network. This includes the use of the BellSouth SS7 network to convey messages that neither originate nor terminate at a signaling end point directly connected to the BellSouth SS7 network (i.e., transit messages). When the BellSouth SS7 network is used to convey transit messages, there shall be no alteration of the Integrated Services Digital Network User Part or Transaction Capabilities Application Part (TCAP) user data that constitutes the content of the message.
- 10.3.2.3 If a BellSouth tandem switch routes traffic, based on dialed or translated digits, on SS7 trunks between a Harbor Communications local switch and third party local switch, the BellSouth SS7 network shall convey the TCAP messages that are necessary to provide Call Management features (Automatic Callback, Automatic Recall, and Screening List Editing) between Harbor Communications local STPs and the STPs that provide connectivity with the third party local switch, even if the third party local switch is not directly connected to BellSouth STPs.

- STPs shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as defined in Telcordia ANSI Interconnection Requirements. This includes GTT and SCCP Management procedures, as specified in ANSI T1.112.4. Where the destination signaling point is a Harbor Communications or third party local or tandem switching system directly connected to BellSouth SS7 network, BellSouth shall perform final GTT of messages to the destination and SCCP Subsystem Management of the destination. In all other cases, BellSouth shall perform intermediate GTT of messages to a gateway pair of STPs in an SS7 network connected with BellSouth SS7 network and shall not perform SCCP Subsystem Management of the destination. If BellSouth performs final GTT to a Harbor Communications database, then Harbor Communications agrees to provide BellSouth with the Destination Point Code for Harbor Communications database.
- STPs shall provide all functions of the Operations, Maintenance and Administration Part (OMAP) as specified in applicable industry standard technical references, which may include, where available in BellSouth's network, MTP Routing Verification Test (MRVT) and SCCP Routing Verification Test (SRVT).
- Where the destination signaling point is a BellSouth local or tandem switching system or database, or is a Harbor Communications or third party local or tandem switching system directly connected to the BellSouth SS7 network, STPs shall perform MRVT and SRVT to the destination signaling point. In all other cases, STPs shall perform MRVT and SRVT to a gateway pair of STPs in an SS7 network connected with the BellSouth SS7 network. This requirement may be superseded by the specifications for Internetwork MRVT and SRVT when these become approved ANSI standards and available capabilities of BellSouth STPs.

## 10.4 <u>SS7</u>

- 10.4.1 When technically feasible and upon request by Harbor Communications, SS7 AIN Access shall be made available in association with switching. SS7 AIN Access is the provisioning of AIN 0.1 triggers in an equipped BellSouth local switch and interconnection of the BellSouth SS7 network with Harbor Communications's SS7 network to exchange TCAP queries and responses with a Harbor Communications SCP.
- 10.4.2 SS7 AIN Access shall provide Harbor Communications SCP access to an equipped BellSouth local switch via interconnection of BellSouth's SS7 and Harbor Communications SS7 Networks. BellSouth shall offer SS7 AIN Access through its STPs. If BellSouth requires a mediation device on any part of its network specific to this form of access, BellSouth must route its messages in the same manner. The interconnection arrangement shall result in the BellSouth local switch recognizing the Harbor Communications SCP as at least at parity with BellSouth's SCPs in terms of interfaces, performance and capabilities.

# Interface Requirements 10.4.3 BellSouth shall provide the following STP options to connect Harbor 10.4.3.1 Communications or Harbor Communications-designated local switching systems to the BellSouth SS7 network: 10.4.3.1.1 An A-link interface from Harbor Communications local switching systems; and, 10.4.3.1.2 A B-link interface from Harbor Communications local STPs. Each type of interface shall be provided by one or more layers of signaling links. 10.4.3.2 10.4.3.3 The Signaling Point of Interconnection for each link shall be located at a crossconnect element in the CO where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the SPOIs. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface. 10.4.3.4 BellSouth shall provide intraoffice diversity between the SPOI and BellSouth STPs so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP. 10.4.3.5 STPs shall provide all functions of the MTP as defined in the applicable industry standard technical references. 10.4.4 Message Screening 10.4.4.1 BellSouth shall set message screening parameters so as to accept valid messages from Harbor Communications local or tandem switching systems destined to any signaling point within BellSouth's SS7 network where the Harbor Communications switching system has a valid signaling relationship. 10.4.4.2 BellSouth shall set message screening parameters so as to pass valid messages from Harbor Communications local or tandem switching systems destined to any signaling point or network accessed through BellSouth's SS7 network where the Harbor Communications switching system has a valid signaling relationship. 10.4.4.3 BellSouth shall set message screening parameters so as to accept and pass/send valid messages destined to and from Harbor Communications from any signaling

#### 10.5 Service Control Points (SCP)/Databases

10.5.1 Call Related Databases provide the storage of, access to, and manipulation of information required to offer a particular service and/or capability. BellSouth shall provide access to the following Databases: Local Number Portability, LIDB, Toll Free Number Database, Automatic Location Identification/Data Management

Harbor Communications SCP has a valid signaling relationship.

point or network interconnected through BellSouth's SS7 network where the

System, and Calling Name Database. BellSouth also provides access to Service Creation Environment and Service Management System (SCE/SMS) application databases and Directory Assistance.

- 10.5.2 A SCP is deployed in a SS7 network that executes service application logic in response to SS7 queries sent to it by a switching system also connected to the SS7 network. Service Management Systems provide operational interfaces to allow for provisioning, administration and maintenance of subscriber data and service application data stored in SCPs.
- 10.5.3 <u>Technical Requirements for SCPs/Databases</u>
- 10.5.3.1 BellSouth shall provide physical access to SCPs through the SS7 network and protocols with TCAP as the application layer protocol.
- 10.5.3.2 BellSouth shall provide physical interconnection to databases via industry standard interfaces and protocols (e.g. SS7, ISDN and X.25).
- 10.5.3.3 The reliability of interconnection options shall be consistent with requirements for diversity and survivability.
- 10.6 <u>Local Number Portability Database</u>
- 10.6.1 The Permanent Number Portability (PNP) database supplies routing numbers for calls involving numbers that have been ported from one local service provider to another. BellSouth agrees to provide access to the PNP database at rates, terms and conditions as set forth by BellSouth and in accordance with an effective FCC or Commission directive.
- 10.7 <u>SS7 Network Interconnection</u>
- 10.7.1 SS7 Network Interconnection is the interconnection of Harbor Communications local signaling transfer point switches or Harbor Communications local or tandem switching systems with BellSouth signaling transfer point switches. This interconnection provides connectivity that enables the exchange of SS7 messages among BellSouth switching systems and databases, Harbor Communications local or tandem switching systems, and other third-party switching systems directly connected to the BellSouth SS7 network.
- 10.7.2 The connectivity provided by SS7 Network Interconnection shall fully support the functions of BellSouth switching systems and databases and Harbor Communications or other third-party switching systems with A-link access to the BellSouth SS7 network.

- 10.7.3 If traffic is routed based on dialed or translated digits between a Harbor Communications local switching system and a BellSouth or other third-party local switching system, either directly or via a BellSouth tandem switching system, then it is a requirement that the BellSouth SS7 network convey via SS7 Network Interconnection the TCAP messages that are necessary to provide Call Management services (Automatic Callback, Automatic Recall, and Screening List Editing) between the Harbor Communications local signaling transfer point switches and BellSouth or other third-party local switch.
- 10.7.4 SS7 Network Interconnection shall provide:
- 10.7.4.1 Signaling Data Link functions, as specified in ANSI T1.111.2;
- 10.7.4.2 Signaling Link functions, as specified in ANSI T1.111.3; and
- 10.7.4.3 Signaling Network Management functions, as specified in ANSI T1.111.4.
- 10.7.5 SS7 Network Interconnection shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as specified in ANSI T1.112. This includes GTT and SCCP Management procedures as specified in ANSI T1.112.4. Where the destination signaling point is a BellSouth switching system or DB, or is another third-party local or tandem switching system directly connected to the BellSouth SS7 network, SS7 Network Interconnection shall include final GTT of messages to the destination and SCCP Subsystem Management of the destination. Where the destination signaling point is a Harbor Communications local or tandem switching system, SS7 Network Interconnection shall include intermediate GTT of messages to a gateway pair of Harbor Communications local STPs and shall not include SCCP Subsystem Management of the destination.
- 10.7.6 SS7 Network Interconnection shall provide all functions of the Integrated Services Digital Network User Part as specified in ANSI T1.113.
- 10.7.7 SS7 Network Interconnection shall provide all functions of the TCAP as specified in ANSI T1.114.
- 10.7.8 If Internetwork MRVT and SRVT become approved ANSI standards and available capabilities of BellSouth STPs, SS7 Network Interconnection may provide these functions of the OMAP.
- 10.7.9 Interface Requirements
- 10.7.9.1 The following SS7 Network Interconnection interface options are available to connect Harbor Communications or Harbor Communications-designated local or tandem switching systems or signaling transfer point switches to the BellSouth SS7 network:

- 10.7.9.1.1 A-link interface from Harbor Communications local or tandem switching systems; and
- 10.7.9.1.2 B-link interface from Harbor Communications STPs.
- The Signaling Point of Interconnection for each link shall be located at a cross-connect element in the central office where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the Signaling Points of interconnection. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
- 10.7.9.3 BellSouth shall provide intraoffice diversity between the Signaling Points of Interconnection and the BellSouth STP, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- The protocol interface requirements for SS7 Network Interconnection include the MTP, ISDNUP, SCCP, and TCAP. These protocol interfaces shall conform to the applicable industry standard technical references.
- 10.7.9.5 BellSouth shall set message screening parameters to accept messages from Harbor Communications local or tandem switching systems destined to any signaling point in the BellSouth SS7 network with which the Harbor Communications switching system has a valid signaling relationship.

# 11 <u>Automatic Location Identification/Data Management System (ALI/DMS)</u>

- The ALI/DMS Database contains End User information (including name, address, telephone information, and sometimes special information from the local service provider or End User) used to determine to which PSAP to route the call. The ALI/DMS database is used to provide enhanced routing flexibility for E911. Harbor Communications will be required to provide BellSouth daily updates to E911 database. Harbor Communications shall also be responsible for providing BellSouth with complete and accurate data for submission to the 911/E911 database for the purpose of providing 911/E911 service to its End Users.
- 11.2 Technical Requirements
- 11.2.1 BellSouth shall provide Harbor Communications the capability of providing updates to the ALI/DMS database. BellSouth shall provide error reports from the ALI/DMS database to Harbor Communications after Harbor Communications provides End User information for input into the ALI/DMS database.
- 11.2.2 Harbor Communications shall conform to the National Emergency Number Association (NENA) recommended standards for LNP and updating the ALI/DMS database.

## 12 Calling Name Database Service

- 12.1 CNAM is the ability to associate a name with the calling party number, allowing the End User (to which a call is being terminated) to view the calling party's name before the call is answered. The calling party's information is accessed by queries launched to the CNAM database. This service also provides Harbor Communications the opportunity to load and store its subscriber names in the BellSouth CNAM SCPs.
- Harbor Communications shall submit to BellSouth a notice of its intent to access and utilize BellSouth CNAM Database Services. Said notice shall be in writing no less than sixty (60) calendar days prior to Harbor Communications's access to BellSouth's CNAM Database Services and shall be addressed to Harbor Communications's Local Contract Manager.
- 12.3 BellSouth's provision of CNAM Database Services to Harbor Communications requires interconnection from Harbor Communications to BellSouth CNAM SCPs. Such interconnections shall be established pursuant to Attachment 3 of this Agreement.
- In order to formulate a CNAM query to be sent to the BellSouth CNAM SCP, Harbor Communications shall provide its own CNAM SSP. Harbor Communications's CNAM SSPs must be compliant with TR-NWT-001188, "CLASS Calling Name Delivery Generic Requirements".
- 12.5 If Harbor Communications elects to access the BellSouth CNAM SCP via a third party CCS7 transport provider, the third party CCS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish CCS7 interconnection at the BellSouth Local Signal Transfer Points (LSTPs) serving the BellSouth CNAM SCPs that Harbor Communications desires to query.
- 12.6 If Harbor Communications queries the BellSouth CNAM SCP via a third party national SS7 transport provider, the third party SS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish SS7 interconnection at one or more of the BellSouth Gateway STPs. The payment of all costs associated with the transport of SS7 signals via a third party will be established by mutual agreement of the Parties and this Agreement shall be amended in accordance with modification of the General Terms and Conditions incorporated herein by this reference.

- 12.7 The mechanism to be used by Harbor Communications for initial CNAM record load and/or updates shall be determined by mutual agreement. The initial load and all updates shall be provided by Harbor Communications in the BellSouth specified format and shall contain records for every working telephone number that can originate phone calls. It is the responsibility of Harbor Communications to provide accurate information to BellSouth on a current basis.
- 12.8 Updates to the SMS shall occur no less than once a week, reflect service order activity affecting either name or telephone number, and involve only record additions, deletions or changes.
- Harbor Communications CNAM records provided for storage in the BellSouth CNAM SCP shall be available, on a SCP query basis only, to all Parties querying the BellSouth CNAM SCP. Further, CNAM service shall be provided by each Party consistent with state and/or federal regulation.
- 13 <u>Service Creation Environment and Service Management System (SCE/SMS)</u>
  Advanced Intelligent Network Access
- 13.1 BellSouth's SCE/SMS AIN Access shall provide Harbor Communications the capability to create service applications in a BellSouth SCE and deploy those applications in a BellSouth SMS to a BellSouth SCP.
- 13.2 BellSouth's SCE/SMS AIN Access shall provide access to SCE hardware, software, testing and technical support (e.g., help desk, system administrator) resources available to Harbor Communications. Training, documentation, and technical support will address use of SCE and SMS access and administrative functions but will not include support for the creation of a specific service application.
- 13.3 BellSouth SCP shall partition and protect Harbor Communications service logic and data from unauthorized access.
- When Harbor Communications selects SCE/SMS AIN Access, BellSouth shall provide training, documentation, and technical support to enable Harbor Communications to use BellSouth's SCE/SMS AIN Access to create and administer applications.
- Harbor Communications access will be provided via remote data connection (e.g., dial-in, ISDN).
- 13.6 BellSouth shall allow Harbor Communications to download data forms and/or tables to BellSouth SCP via BellSouth SMS without intervention from BellSouth.

#### 14 Operational Support Systems

- 14.1 BellSouth has developed and made available electronic interfaces by which Harbor Communications may submit LSRs electronically.
- LSRs submitted by means of one of these electronic interfaces will incur an OSS electronic ordering charge. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (mail, fax, courier, etc.) will incur a manual order charge. All OSS charges are specified in Exhibit A of this Attachment.
- 14.3 <u>Denial/Restoral OSS Charge</u>
- 14.3.1 In the event Harbor Communications provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and therefore will be billed as one LSR per location.
- 14.4 <u>Cancellation OSS Charge</u>
- 14.4.1 Harbor Communications will incur an OSS charge for an accepted LSR that is later canceled.
- Supplements or clarifications to a previously billed LSR will not incur another OSS charge.
- 14.6 Network Elements and Other Services Manual Additive
- 14.6.1 The Commissions in some states have ordered per element manual additive nonrecurring charges (NRC) for Network Elements and Other Services ordered by means other than one of the interactive interfaces. These ordered Network Elements and Other Services manual additive NRCs will apply in these states, rather than the charge per LSR. The per element charges are listed in Exhibit A.

INBU	NDLE	D NETWORK ELEMENTS - Alabama												Attachi			bit: A
CATEGORY		RATE ELEMENTS		Zone	BCS	usoc		-	RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svo Order vs. Electronic- 1st	Charge -	Charge -	Charge - Manual Sv Order vs.
			<del> </del>					Noore	curring	Nonrecurring	Disconnect		L	OSS	Rates (\$)		J
			<del>                                     </del>				Rec	First	Add'I	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
		one" shown in the sections for stand-alone loops or loops as				ographically	Deaveraged U	NE Zones. To	view Geograp	hically Deavers	iged UNE Zone	e Designatio	ons by Cent	ral Office, refe	r to internet	Website:	
EDA		ww.interconnection.bellsouth.com/become_a_clec/html/inter . SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	connec	tion.ht	m		T									T	Т
		(1) CLEC should contact its contract negotiator if it prefers th	e "state	specif	fic" OSS charges as	ordered by t	he State Comm	issions The	OSS charges c	urrently contai	ned in this rat	s exhibit an	the BellSo	uth "regional"	service ord	ering charges	. CLEC m
	elect ei	ther the state specific Commission ordered rates for the servi	ice orde	rina ch	narges, or CLEC may	elect the re	gional service	ordering charc	a, however. Cl	EC can not ob	tain a mixture	of the two	regardless i	f CLEC has a	interconnect	ion contract	establishe
	each of	f the 9 states.															
	NOTE:	(2) Any element that can be ordered electronically will be bill	ed acco	rding 1	to the SOMEC rate li	sted in this	category. Pleas	se refer to Bell	South's Local	Ordering Hand	book (LOH) to	determine i	f a product	can be order	ed electronic	ally. For thos	e elemen
		nnot be ordered electronically at present per the LOH, the list			e in this category ref	lects the ch	arge that would	l be billed to a	CLEC once ele	ectronic orderi	ng capabilities	s come on-li	ne for that	element, Otho	erwise, the m	ianual orderin	ig charge,
-		I, will be applied to a CLECs bill when it submits an LSR to B OSS - Electronic Service Order Charge, Per Local Service	ellSout	h.		T	1					1	1	, <u> </u>		T	1
		Request (LSR) - UNE Only			1	SOMEC		3.50	0.00	3.50	0.00					1	
		OSS - Manual Service Order Charge, Per Local Service Request		t				0.00	5.00	<u> </u>	3.30	1	<del>                                     </del>				1
		(LSR) - UNE Only				SOMAN		15.66	0.00	1.97	0.00						
		DATE ADVANCEMENT CHARGE													ļ	ļ	
	NOTE:	The Expedite charge will be maintained commensurate with	BellSou	th's FC	CC No.1 Tariff, Section	n 5 as appli	cable.					ļ			ļ	ļ	-
		UNE Expedite Charge per Circuit or Line Assignable USOC, per Day			UEF, UFF, UEO, UDL, UENTW, UDN. UEA, UHL, ULC, USL, U11712, U11748, U117D1, U117D3, U117D1, U117D3, U117D1, U117D3, U117D1, U117D2, UC1BC, ULDUA, UDLOA, ULDD1, ULDD3, ULDD1, ULDD3, ULDD1, ULDD3, ULDD1, ULDOX, UNCIX, UNCXX, UNTUC, U117UA, U117	SDASP		200.00									
		XCHANGE ACCESS LOOP ANALOG VOICE GRADE LOOP				<del> </del>			<u> </u>			<del> </del>		<del> </del>	<del> </del>	+	+
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	<del> </del>	1	UEANL	UEAL2	12.58	37.81	17.56	23.49	5.30	1	<del>                                     </del>	<del>                                     </del>			
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEAL2	21.05	37.81	17.56	23.49	5.30						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	34.34	37.81	17.56	23.49	5.30						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL.	UEAȘL	12.58	37.81	17.56	23.49	5.30			1			+
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEASL	21.05	37.81	17.56	23.49	5.30		<b></b>	<del>  </del>			
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	ļ	3	UEANL	UEASL	34.34	37.81	17.56	23.49	5.30	<del> </del>	ļ ——	<del> </del>	<del> </del>	<del></del>	+
- 1		Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEANIL.	URETL		8.33	0.83		l		1	1	İ		
		Loop Testing - Basic 1st Half Hour	<del></del>			URET1	<b></b>	34.16	34.16	<del> </del>	<del> </del>	<del> </del>	<del> </del>	<del> </del>	<del> </del>	+	
-																	

UNBUNDLED NETWORK ELEMENTS - Alabama													Attachment: 2			bit: A
ATEGORY	RATE ELEMENTS		Zone	BCS	usoc		RATES (\$)					Svc Order Submitted Manually per LSR	1	Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.
						Rec		urring		g Disconnect				S Rates (\$)		7 26-22
						NOC.	First	Add'i	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
İ	CLEC to CLEC Conversion Charge Without Outside Dispatch	1			1						1	1		Į		ļ
	(UVL-SL1)			UEANL	UREWO		15.78	8.94			L					ļ
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST				1							1			İ	1
	providing make-up (Engineering Information - E.I.)		<u> </u>	UEANL	UEANM		13.44								<u> </u>	
	Manual Order Coordination for UVL-SL1s (per loop)	ļ	ļ	UEANL	UEAMC		8.15	8.15			1				<b>↓</b>	ļ
İ	Order Coordination for Specified Conversion Time for UVL-SL1	1				İ			1		1			1		
	(per LSR)	<u> </u>	<b></b>	UEANL	OCOSL		18,09									<del> </del>
2-W1	RE Unbundled COPPER LOOP	1	<b>_</b>	ļ								<u> </u>				<del> </del>
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1 1	UEQ	UEQ2X	11.20	34.14	15.10	21.25	4.15		<u> </u>	<u> </u>			<del> </del>
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	1		UEQ	UEQ2X	13.27	34.14	15.10		4.15		ļ	ļ			<del> </del>
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	1	3	UEQ	UEQ2X	15.07	34.14	15.10	21.25	4.15	J					<del> </del>
	Unbundled Miscellaneous Rate Element, Tag Loop at End User	İ									1	1	1	ļ		
	Premise	<b>.</b>	1	UEQ	URETL		8.33	0.83						ļ		-
-	Manual Order Coordination 2 Wire Unbundled Copper Loop -		1		1 1	1					1	1		1		
	Non-Designed (per loop)		L	UEQ	USBMC		8.15				J	L				
1	Unbundled Copper Loop, Non-Design Copper Loop, billing for											1			1	
	BST providing make-up (Engineering Information - E.I.)	İ		UEQ	UEQMU		13.44				<u>i</u>					
	Loop Testing - Basic 1st Half Hour	L		UEQ	URET1		34.16	34.16					1			
	Loop Testing - Basic Additional Half Hour		T	UEQ	URETA		19.85	19.85								
	CLEC to CLEC Conversion Charge Without Outside Dispatch										1					1
	(UCL-ND)		1	UEQ	UREWO	1	14.27	7.43	l		1	1		l		<u> </u>
UNBUNDLE	EXCHANGE ACCESS LOOP		1										T			
2-WI	RE ANALOG VOICE GRADE LOOP	T	1						<del>                                     </del>							
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		1								1					
- 1	Zone 1	!	1 1	UEPSR UEPSB	UEALS	12.58	37.81	17.56	23.49	5.30		1			İ	
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	<b>—</b>												1		
1	Zone 1	1	1	UEPSR UEPSB	UEABS	12.58	37.81	17.56	23.49	5.30		1		l		
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		1								1	1				T
1	Zone 2		1 2	UEPSR UEPSB	UEALS	21.05	37.81	17.56	23.49	5.30						1
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-	<del> </del>	<del>  -</del> -		10000		0				<del> </del>	<del> </del>	<del> </del>			
1	Zone 2		12	UEPSR UEPSB	UEABS	21.05	37.81	17.56	23.49	5.30		1	I	I	1	1
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	1	<del> </del>	100.00.00	100.00		07.01	71,00			<del> </del>	1	1	1	1	1
1	Zone 3	1	3	UEPSR UEPSB	UEALS	34,34	37.81	17.56	23.49	5.30	I	1	1		1	1
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		1-	OCT ON OCT GD	JOLALO		10.00	11.00	20.70	0.00	<del> </del>	1	<b></b>	† <del>-</del>		
1	Zone 3	l	3	UEPSR UEPSB	UEABS	34,34	37.81	17.56	23,49	5.30	1			İ		1
INSUNDI EL	EXCHANGE ACCESS LOOP	<del> </del>	-	OLF OIL OLF GB	IOLADS .	37.54	37.01	17.50	20.40	0.00	<del> </del>		<del> </del>	-		<del>-</del>
	RE ANALOG VOICE GRADE LOOP	<del> </del>	<del> </del>						<del> </del>		+	···	<del> </del>	1	1	1
+=	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	<del> </del>	1	<del></del>	<del> </del>				<del> </del>		<del> </del>	<del> </del>	<del> </del>	<del> </del>	1	+
1	Ground Start Signaling - Zone 1		1	UEA	UEAL2	14.38	88.00	55.00	47.24	7.44	1				1	1
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	<del>                                     </del>	<del>                                     </del>	1001	JOLAG	14.50	00.00	30.00	47.45	1,77	+	<del></del>		<del> </del>	<del>-</del>	1
1	Ground Start Signaling - Zone 2	l	2	UEA	UEAL2	22.85	88.00	55.00	47.24	7,44		1	1			
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		-	ULA	UEALZ	22.00	00.00	33.00	41.24	,,44	<del></del>	<del> </del>		<del> </del>		1
[	Ground Start Signaling - Zone 3	l	3	UEA	UEAL2	36.14	88.00	55.00	47.24	7.44	l	Ī	1	1	1	1
	Order Coordination for Specified Conversion Time (per LSR)		-	UEA	OCOSL	30.14	18.09	35.00	47.24		<del> </del>		<del> </del>	<del> </del> -	<del></del>	+
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	<del> </del>	<del> </del>	OCK	TOCOSE		10.09				<del> </del>	+	+	<del> </del>		+
- 1	Battery Signaling - Zone 1	1	1	UEA	UEAR2	14.38	90.00	55.00	47.24	7.44		1		1	1	i
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		<u> </u>	UEA	UEARZ	14.36	88.00	55.00	41.24	<del></del>	<b>-</b>	<del> </del>	<del> </del>	<del> </del>		
Ì	Battery Signaling - Zone 2	l	2	UEA	UEAR2	22.85	70.00	55.00	47.24	7.44	1			1	1	
			-	UEA	UEARZ	22.85	88.00	35.00	41.24	7,44	<b></b>	<del> </del>	<del></del>	<del> </del>		
1	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3	1	1 2	UEA	1,500	20.44	00.00	EE ~~	47.24	7,44	1	1	I	1	1	1
	Order Coordination for Specified Conversion Time (per LSR)	<del></del>	3	UEA	OCOSL OCOSL	36.14	88.00 18.09	55.00	41.24	7.44	+		+	+	<del> </del>	+
		<del> </del>	├					20.20	<del> </del>		<del></del>	<del> </del>	+			
	CLEC to CLEC Conversion Charge without outside dispatch	<del> </del>		UEA UEA	UREWO		87.72	36.36	<del> </del>	ļ <del></del>	+	+	+	<del>                                     </del>	+	+
4 15:11	Loop Tagging - Service Level 2 (\$L2) RE ANALOG VOICE GRADE LOOP		<del>  -</del>	UEA	URETL		11.21	1,10	<del> </del>		<del></del>	<b></b>	<del> </del>		<del></del>	+
4-WII			1	1154	1,0541.4	25.4	404.55	- A4 55	50.11	14.50	<del> </del>	+	<del> </del>	<del></del>	+	+
	4-Wire Analog Voice Grade Loop - Zone 1			UEA	UEAL4	25.34	131.97	94.51	59.14	14.50		+	<del> </del>	<del> </del>		-
	4-Wire Analog Voice Grade Loop - Zone 2	<del></del>		UEA	UEAL4	38.58	131.97	94.51	59.14	14.50			<del> </del>	+		+
	4-Wire Analog Voice Grade Loop - Zone 3	<b></b> -	3	UEA	UEAL4	60,02	131.97	94.51	59,14	14.50	<b></b>		<del> </del>	+	-	+
	Order Coordination for Specified Conversion Time (per LSR)		ļ	UEA	OCOSL		18.09		ļ		+	-	<del> </del>	+	+	+
1	CLEC to CLEC Conversion Charge without outside dispatch		1	UEA	UREWO		87.72	36.36	1	<u> </u>		<u></u>	<u></u>			

	UNBUNDLED NETWORK ELEMENTS - Alabama															bit: A
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc				Svc Order Submitted Manually per LSR	Manual Svo Order vs. Electronic- 1st	Charge - C Manual Svc Order vs. Electronic- Add'I	Charge - c Manual Svc Order vs.	Order vs.			
						Rec	Nonrec		Nonrecurring					Rates (\$)		SOMAN
							First	Addi	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SUMAN
	ISDN DIGITAL GRADE LOOP		L													<b></b>
	2-Wire ISDN Digital Grade Loop - Zone 1			UDN	U1L2X	21.88	117,24	79.77	52.88	10.54					ļ	ļ
	2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	32.85	117.24	79.77	52.88	10.54						
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	48.55	117.24	79.77	52.88	10.54						ļ
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		18.09									
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.63	44.16								
2-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOP													
	2 Wire Unbundled ADSL Loop including manual service inquiry							-								1
1	& facility reservation - Zone 1		1	UAL	UAL2X	11.01	110.00	68.00	47.24	7,44					1	
	2 Wire Unbundled ADSL Loop including manual service inquiry															
1	& facility reservation - Zone 2		2	UAL	UAL2X	12.73	110.00	68.00	47.24	7,44				Ì		
	2 Wire Unbundled ADSL Loop including manual service inquiry			0.4	- Ur wazr		110.00	00.00	77.52.7							
1	& facility reservation - Zone 3		3	UAL	UAL2X	14.30	110.00	68.00	47.24	7.44		1	1	ļ	1	!
	Order Coordination for Specified Conversion Time (per LSR)			UAL.	OCOSL.	14.00	18.09	00.00	47.24	7.77			<del></del>		<del> </del>	<del> </del>
	2 Wire Unbundled ADSL Loop without manual service inquiry &			U/AL.	OCOSL		16.09									<del> </del>
	facility reservation - Zone 1		1	UAL		44.54		57.00		7.44				l	İ	
				UAL	UAL2W	11.01	90.00	57.00	47.24	7,44						+
	2 Wire Unbundled ADSL Loop without manual service inquiry &				1										1	
	facility reservation - Zone 2		2	UAL	UAL2W	12.73	90.00	57.00	47.24	7.44						1
	2 Wire Unbundled ADSL Loop without manual service inquiry &				1 1	1							1		ĺ	1
	facility reservaton - Zone 3		3	UAL	UAL2W	14.30	90.00	57.00	47.24	7.44						
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.09								<u> </u>	
	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.20	40.40								
2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE L	OOP													
	2 Wire Unbundled HDSL Loop including manual service inquiry															1
	& facility reservation - Zone 1		1	UHL	UHL2X	8.74	110,00	68.00	47,24	7.44	1				1	
	2 Wire Unbundled HDSL Loop including manual service inquiry			U. IL	UTILEX	0.77	110.00	00.00	71.47	7.77	<del></del>					
	& facility reservation - Zone 2		2	UHL	UHL2X	10.17	110.00	68.00	47.24	7.44		1	l	l	1	1
	2 Wire Unbundled HDSL Loop including manual service inquiry			UnL	JUNIZA	10.17	110.00	66.00	47.24	7.44		·			<del> </del>	<del></del>
			_				440.00			7.11					İ	1
	& facility reservation - Zone 3		3	UHL	UHL2X	11.44	110.00	68.00	47.24	7.44						+
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.09							ļ		
	2 Wire Unbundled HDSL Loop without manual service inquiry				1 1	j					1	1	1	1	1	1
	and facility reservation - Zone 1		1	UHL	UHL2W	8.74	90.00	57.00	47.24	7.44				ļ		
	2 Wire Unbundled HDSL Loop without manual service inquiry					1								1	1	1
	and facility reservation - Zone 2		2	UHL	UHL2W	10.17	90.00	57.00	47.24	7.44	l					
	2 Wire Unbundled HDSL Loop without manual service inquiry								-							
, ,	and facility reservation - Zone 3		3	UHL	UHL2W	11,44	90.00	57.00	47.24	7.44		ĺ	1		1	
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.09							<del></del>		
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.14	40.40								1
	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE I		0.14	OI LETTO		50.14	40.40			<del> </del>				1	1
	4 Wire Unbundled HDSL Loop including manual service inquiry	11000											<del> </del>		1	1
	and facility reservation - Zone 1		1	UHL	UHL4X	13.95	148.36	68.00	51.70	9.73	ļ	1	l		1	1
	4-Wire Unbundled HDSL Loop including manual service inquiry			UNL	UniL4X	13.95	148.36	66.00	51.70	9.13	<b></b>	<del> </del>		<del>                                     </del>	<del>-</del>	+
			_			45.50	4.0.00			0.70	l		j	ĺ		1
	and facility reservation - Zone 2		2	UHL	UHL4X	15.56	148.36	68,00	51.70	9.73	ļ		ļ			
	4-Wire Unbundled HDSt. Loop including manual service inquiry		_		1						1	1		1	1	1
	and facility reservation - Zone 3			UHL	UHL4X	15.25	148.36	68.00	51.70	9.73						
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.09							ļ		<del></del>
	4-Wire Unbundled HDSL Loop without manual service inquiry				1 1	1					l				1	1
	and facility reservation - Zone 1		1	UHL	UHL4W	13.95	94.00	57.00	51.70	9.73				<b> </b>	<b>_</b>	4
	4-Wire Unbundled HDSL Loop without manual service inquiry										1	1	1	1	1	
	and facility reservation - Zone 2		2	UHL	UHL4W	15,56	94.00	57.00	51.70	9.73		[				
	4-Wire Unbundled HDSL Loop without manual service inquiry												1	!	1	ı
	and facility reservation - Zone 3	- 1	3	UHL	UHL4W	15.25	94.00	57.00	51.70	9.73	l	1	1	L		
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.09				1		T			
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO	i	86.14	40.40					1	1		T
	DS1 DIGITAL LOOP			17			30.17				-	<del>                                     </del>		T	1	T
	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	82.55	252,47	157.54	44.70	11,71		<del>                                     </del>	1			7
	4-Wire DS1 Digital Loop - Zone 2		2		USLXX	154.18	252.47	157.54	44.70	11.71	<del> </del> -	<del>                                     </del>	<del> </del>		<del> </del>	1
. ,				USL	USLXX	314.52	252.47	157.54	44.70	11,71	<del> </del>	<del>                                     </del>	<del> </del>	<del> </del>	<del>                                     </del>	+
	4-Wire DS1 Digital Loop - Zone 3															

JNBUNDL	ED NETWORK ELEMENTS - Alabama													ment: 2		bit: A
		1	1								Svc Order	Svc Order	Incremental	Incremental	Incremental	•
		1	1		1						Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		1-4-4	1		1						Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			perLSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m	l								per core	po. 2011	Electronic	Electronic-	Electronic-	Electronic
	1	l		1	1						Ī	1	1st	Add'I	Disc 1st	Disc Add'
		1	l	1	1 1								181	AQU I	Disc ist	DISC AGG
		<del> </del>	<del> </del>	·	-		Nones	curring	Nonrecurring	Disconnect	<del> </del>		oss	Rates (\$)		
		<del> </del>	├		+	Rec -	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
<del></del>	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		101.09	43.05	First	Adui	SOMEC	SOMAN	- COMPAN		1	
4 1405				USL	UKEWO		101.09	43.05			<del></del>			<b></b>	-	-
4-4411	RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP	<del> </del>	<u> </u>	1.00	1		100.00			14.50	<del></del>		<u> </u>		<del> </del>	
	4 Wire Unbundled Digital 19.2 Kbps	<u> </u>		UDL	UDL19	26.09	126.27	88.80	59.14					ļ		
	4 Wire Unbundled Digital 19.2 Kbps	ļ		UDL	UDL19	35.95	126.27	88.80	59.14	14.50						<del> </del>
	4 Wire Unbundled Digital 19.2 Kbps	<u> </u>	3	UDL	UDL19	37.88	126.27	88.80	59.14	14.50		ļ	ļ	ļ	<del> </del>	<del> </del>
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	<u> </u>		UDL	UDL56	26.09	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2				UDL56	35.95	126.27	88.80	59.14	14.50						<del></del>
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	37.88	126.27	88.80	59.14	14.50						
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.09								J	
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	Ī	1	UDL	UDL64	26.09	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	1	2	UDL	UDL64	35.95	126.27	88.80	59.14	14.50	T					
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	<del>                                     </del>		UDL	UDL64	37.88	126.27	88.80	59,14	14.50			1		T	
	Order Coordination for Specified Conversion Time (per LSR)	<del></del>	<u> </u>	UDL	OCOSL		18.09	55.00	~*****	1.00	1	<del> </del>	<del> </del>	1		
	CLEC to CLEC Conversion Charge without outside dispatch	<del> </del>	<del> </del>	UDL	UREWO	<del></del>	102.13	49.75			<del> </del>	<del> </del>	<del> </del>			1
2.14/10	RE Unbundled COPPER LOOP		<del> </del>	1002	DUEAAO		102, 13	45.75			1	<del> </del>	<del> </del>	<del>                                     </del>	<b>———</b>	
Z-4416					<del>                                     </del>						+	<del> </del>	<del> </del>	1	4	1
	2-Wire Unbundled Copper Loop-Designed including manual	1	١.	Luci	1,101,00		440		47.54	7.44		l		l	1	1
	service inquiry & facility reservation - Zone 1	ļ	1	ucı	UCLPB	11.01	112.46	65.30	47.24	7.44	<del></del>		<del> </del>	<del> </del>	<del></del>	+
	2-Wire Unbundled Copper Loop-Designed including manual	l	l	İ	i i	i			i			ł	1			1
	service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	12.73	112.46	65.30	47.24	7.44						
	2 Wire Unbundled Copper Loop-Designed including manual													1	1	Į.
1	service inquiry & facility reservation - Zone 3	1	3	UCL	UCLPB	14.30	112.46	65.30	47.24	7.44	1	1				
	Order Coordination for Unbundled Copper Loops (per loop)	1		UCL	UCLMC		8.15	8.15								1
	2-Wire Unbundled Copper Loop-Designed without manual		1								T					
1	service inquiry and facility reservation - Zone 1	1	1	UCL	UCLPW	11.01	91.46	54.30	47.24	7.44				1		1
	2-Wire Unbundled Copper Loop-Designed without manual	<del></del>	<del></del>	002	1000111		01.40	01.00	7.75	127	1					
- 1	service inquiry and facility reservation - Zone 2	1.	2	UCL	UCLPW	12.73	91.46	54.30	47.24	7.44		1	1		Į.	1
	2-Wire Unbundled Copper Loop-Designed without manual	<del> '</del>	<del> </del>	1001	JUCKEY	12.73	31.40	34.30	47.24	1.44		<del> </del>	-	-		
l		١.	3	UCL	UCLPW	14.30	91,46	54.30	47,24	7.44	1	l	1		1	1
	service inquiry and facility reservation - Zone 3	<del></del>	1 3			14.30			41.24	7,414		<del></del>	<del></del>		<del></del>	
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.15	8.15			<del></del>		<b></b>	<del> </del>	+	
j	CLEC to CLEC Conversion Charge without outside dispatch	l	i		1	1						1	ļ	l		
	(UCL-Des)	<u> </u>	i	UCL	UREWO		97.23	42,48						J		J
4-WIF	RE COPPER LOOP		L													
	4-Wire Copper Loop-Designed including manual service inquiry		l								1	1		Ī	1	
1	and facility reservation - Zone 1		1	UCL	UCL4S	17.36	135.21	88.05	51,70	9.73						
	4-Wire Copper Loop-Designed including manual service inquiry										1					Į.
	and facility reservation - Zone 2	1	2	UCL	UCL4S	20.76	135.21	88.05	51.70	9.73	. [	1	1	1 .	1	
	4-Wire Copper Loop-Designed including manual service inquiry	1	T		1						1	T	1			
1	and facility reservation - Zone 3	1	3	UCL	UCL4S	28.21	135.21	88.05	51.70	9.73		1	1	1	1	1
_	Order Coordination for Unbundled Copper Loops (per loop)	<del>                                     </del>	Ť	UCL	UCLMC		8.15	8.15		1	1	<del>                                     </del>		1	<u> </u>	T
_	4-Wire Copper Loop-Designed without manual service inquiry	<del> </del>	<del>                                     </del>	1	100000		_0.10	0.10		<del> </del>	+	<del> </del>	<del> </del>	1		
	and facility reservation - Zone 1	١.	۱,	UCL	UCL4W	17.36	114.21	67.05	51.70	9.73	. 1	1	1	Į	1	
		<del>  '</del>	<del>- '-</del> -	IUUL	OCE4W	17,30	114.21	CU.10	51.70	9.73	4			+	<b></b>	<del>                                     </del>
- 1	4-Wire Copper Loop-Designed without manual service inquiry	١.	l _	l	L 1							1	ĺ	1	1	1
	and facility reservation - Zone 2		2	UCL	UCL4W	20.76	114.21	67.05	51.70	9.73						
ļ	4-Wire Copper Loop-Designed without manual service inquiry		1		1 1	- 1					1	1	1	1		
	and facility reservation - Zone 3	1	3	UCL	UCL4W	28.21	114.21	67.05	51.70	9.73	<u> </u>			<del></del>		<del></del>
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.15	8.15								<b>_</b>
	CLEC to CLEC conversion Charge without outside dispatch		L	UCL	UREWO		97.23	42.48						<u> </u>		
OP MODIF	ICATION													1		
]		T		UAL, UHL, UCL,				I			1	1		1	1	1
1		1	Ì	UEQ, ULS, UEA,	1 1	1			1	l	1	1	1	1	i	1
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire	l	l	UEANL, UEPSR,	1	Ī				1	1	1	1	1	1	1
1	pair less than or equal to 18k ft. per Unbundled Loop	١,		UEPSB	ULM2L		0.00	0.00		1	1				1	
	Unbundled Loop Modification Removal of Load Coils - 4 Wire	<del> </del>	<b>—</b>				0.00	0.00		-	<del>-</del>	<b>†</b>	1	1		
	less than or equal to 18K ft, per Unbundled Loop	١,	1	UHL, UCL, UEA	ULM4L	1	0.00	0.00		Į.	1	1	ĺ	1	I	1
	reso man or equal to row it, per unbundied coop	<del>  '</del>	<b></b>	UAL, UHL, UCL,	ULATHL		0.00	0.00		ļ	+	<del> </del>	<del>                                     </del>	4	<del></del>	
- 1						1				1			1	1	1	1
1	I the second of	l	l	UEQ,ULS,UEA,		1			l	I	1	1	1	1	1	1
ı	Unbundled Loop Modification Removal of Bridged Tap Removal,	l	l	UEANL, UEPSR,	L	- 1						1	1	1	1	1
	per unbundled loop	1 1	ı	UEPSB	ULMBT	1	32.41	32.41	ı	1	1	1	I	1	1	I

MOOMPLE	D NETWORK ELEMENTS - Alabama												Attacni	nent: 2		bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1at	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonre		Nonrecurring				SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
Cobil	pop Distribution		-		-		First	Add'I	First	Add'l	SOMEC	SOMAN	SUMAN	SUMAN	SUMAN	SUMAN
- Journ	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-	<del> </del>	-		<del> </del>						<del> </del>					1
	Up			UEANL	USBSA		244,42									
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	1		UEANL	USBSB		22.64									ļ
-	Sub-Loop - Per Building Equipment Room - CLEC Feeder	١.											1		l	
	Facility Set-Up	<del></del>	<b></b> -	UEANL	USBSC		177.45								<del>                                     </del>	<del> </del>
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	1		UEANL	USBSD		55.15									
1	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	1	١. ١		l						1	I			ļ	
	Zone 1 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		1	UEANL	USBN2	11.21	65.80	30.96	45.25	6.70	<del> </del>	<del> </del>	<del> </del>		<del> </del>	+
	Zone 2		2	UEANL	USBN2	11.94	65.80	30.96	45.25	6.70						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN2	16.86	65.80	30.96	45.25	6.70						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.15	8.15								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	8.46	79.03	44.19	49.71	9.07						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2			UEANL	USBN4	16.67	79.03	44,19	49.71	9.07						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3			UEANL	USBN4	32.57	79.03	44,19	49.71	9.07						
	0.1.0	ĺ			l							1				1
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	1		UEANL UEANL	USBMC USBR2	2.27	8.15 53.01	8.15 18.17	45.25	6.70						
											1		1			
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	<del></del>		UEANL UEANL	USBMC USBR4	5,16	8.15	8.15 24.41	49.71	9.07	<b>-</b>		<del> </del>	<b></b>	<del></del>	+
	Sub-Loop 4-wire intrabuliding Network Cable (INC)	1	-	UEANL	USBR4	5.16	59.25	24.41	49.71	9.07	<del></del>		<del> </del>		<del> </del>	+
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair.	!		UEANL	USBMC		8.15	8.15					1	ĺ		
	Loop Testing - Basic 1st Half Hour		-	UEANL	URET1		34.16	34,16			<del> </del>	<del> </del>	<del>                                     </del>	1		1
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.85	19.85				1				1
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	6.22	65,80	30.96	45.25	6.70		1	<u> </u>			
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS2X	8.76	65,80	30.96	45.25	6.70	<u> </u>					L
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS2X	11.27	65.80	30.96	45.25	6.70						
													1			1
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.15	8.15								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1			UEF	UCS4X	6.11	79.03	44,19	49.71	9.07			<del> </del>			<del> </del>
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS4X	12.61	79.03	44.19	49.71	9.07	<del> </del>			<b> </b>	<del></del>	
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	15.36	79.03	44.19	49.71	9.07	ļ	ļ <u> </u>		<del> </del>	<del> </del>	-
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC	1	8.15	8.15					1	İ		1
	Loop Testing - Basic 1st Half Hour			UEF	URET1		34.16	34.16			<del> </del>	<del>                                      </del>	<del>                                     </del>	<del></del>		_
	Loop Testing - Basic Additional Half Hour			UEF	URETA		19.85	19.85			<del> </del>	<del>                                     </del>	<del> </del>	1	1	1
Unbun	dled Network Terminating Wire (UNTW)															
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.40	30.01								1	
Netwo	rk Interface Device (NID)											1				
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		43.23	28.38					<u> </u>		<del> </del>	
	Network Interface Device (NID) - 1-6 lines		L	UENTW	UND16		63.97	49.11					<del> </del>	<del>                                     </del>	<del> </del>	+
	Network Interface Device Cross Connect - 2 W	ļ	<b> </b> -		UNDC2		5.87	5.87			<b></b>	<del> </del>	<del> </del>			+
E OTHER "	Network Interface Device Cross Connect - 4W PROVISIONING ONLY - NO RATE			UENTW	UNDC4		5.87	5.87		ļ	<del> </del>	<del> </del>		<del> </del>	+	+
C UINEK, F	NID - Dispatch and Service Order for NID installation	<b></b>	$\vdash \dashv$	UENTW	UNDBX	0.00	0.00			ļ		<del> </del>	<del> </del>	<del> </del>	<del> </del>	+
	UNTW Circuit Id Establishment, Provisioning Only - No Rate		<del>  </del>		UNDBX	0.00	0.00				<del> </del>	+		<del> </del>	<del> </del>	1
_	Unbundled Contract Name, Provisioning Only - No Rate			UEANL,UEF,UEQ,U ENTW	UNECN	0.00	0.00			******		<b>†</b>	<b>†</b>			1

UNBUNDLE	D NETWORK ELEMENTS - Alabama					_								ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic-	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic
			ĺ										Electronic- 1st	Add'i	Disc 1st	Disc Add'i
1							Nonre	uning	Nonrecurring	Disconnect				Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
			1	,												
ı		1		UAL,UCL,UDC,UDL,					i	ĺ			1			
	Unbundled Contact Name, Provisioning Only - no rate	1		UDN,UEA,UHL,ULC	UNECN	0.00	0.00						_			
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no	1													1	l
	rate		ĺ	UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no												1		1	
	rate	1		UEA,USL,UCL,UDL	USBFR	0.00	0.00			l						ļ
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
	Unbundled DS1 Loop - Expanded Superframe Format option -													İ		1
	no rate			USL	CCOEF	0.00	0.00									
IIGH CAPACI	ITY UNBUNDLED LOCAL LOOP												<b></b>		-	<b></b>
	High Capacity Unbundled Local Loop - DS3 - Per Mile per	1											İ	1	1	
	month			UE3	1L5ND	8.38									<del>                                      </del>	
1	High Capacity Unbundled Local Loop - DS3 - Facility				1									1		ļ
	Termination per month		L	UE3	UE3PX	308.98	451.52	263.94	119.49	83.58			ļ		-	<del> </del>
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per		1								1		1			1
	month	L		UDLSX	1L5ND	8.38									<del></del>	
	High Capacity Unbundled Local Loop - STS-1 - Facility	1	1		l i						Ì		l	i	ł	ļ
	Termination per month			UDLSX	UDLS1	319.83	451.52	263.94	119.49	83.58			<del> </del>			<del> </del>
OOP MAKE-U		<b>!</b>											<del> </del>			<del> </del>
	Loop Makeup - Preordering Without Reservation, per working or	l											1		1	1
	spare facility queried (Manual).	ļ		UMK	UMKLW		20.00	20.00			<b></b>					
1	Loop Makeup - Preordering With Reservation, per spare facility			UMK	UMKLP		21.00	21.00							1	
	queried (Manual).  Loop MakeupWith or Without Reservation, per working or	<u> </u>		UMA	UMIKLP		21.00	21.00					ł			1
	spare facility queried (Mechanized)	Ì	<b>i</b> .	UMK	UMKMQ		0.59	0.59		l				1		Ì
INE CHADIN	G AND LINE SPLITTING	ļ		UMR	UNKNO		0.59	0,38	-				<del></del>		<del></del>	1
	1: The Line Sharing monthly recurring rates for all installation	S COM	leted f	rom October 02 200	3 through m	idnight Octobe	r 01 2004 sha	l he hilled as f	ollows:				1			
	1: 10/02/2003 - 10/01/2004: 25% of the rate for an unbundled co					angua databa	1 01, 2001 0110		1		<del> </del>					
	1: 10/02/2004 - 10/01/2005: 50% of the rate for UCLND		1		r'								1			
	1: 10/02/2005 - 10/01/2006: 75% of the rate for UCLND															
	1: Above will apply to USOCS: ULSDT and ULSCT					-										
**NOT	E 2: The Line Sharing monthly recurring rates with USOCs ULS	SDC and	ULSC	C applies only to cit	cuits installe	d and inservice	e on or before	October 1, 20	03							
	SHARING															<del></del>
SPLIT	TERS-CENTRAL OFFICE BASED										L					
	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	155.97	188.79	0.00	177.98	0.00						
	Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	38.99	188.79	0.00	177.98	0.00			<b></b>	ļ		<del> </del>
	Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	12.73	377.58	0.00	355.96	0.00	-	ļ		ļ		
1	Line Sharing-DLEC Owned Splitter in CO-CFA activator-	1										1	i	1	1	
	deactivation (per LSOD)	L		ULS	ULSDG		86.47	0.00	49.84	0.00	<b></b>		<del> </del>	<del> </del>		+
END U	SER ORDERING-CENTRAL OFFICE BASED LINE SHARING	<u> </u>					·				ļ		<del> </del>	-		<del></del>
1	Line Sharing - per Line Activation (BST Owned splitter) -	l	1							400		]	1		1	1
	OBSOLETE see "NOTE 2	ļ		ULS	ULSDC	0.61	18.51	10.60	10.01	4.92	ł	<b> </b>	+	<del></del>		
1	Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1								1							
1	(E:10/2/2003)	1		ULS	ULSDT	2.80	18.51	10.60	10.01	4.92	ĺ		1		1	1
	Line Share Service, TRO per line activation, BST owned splitter -			VLS	ULSUI	2.00	16.51	10.00	10.01	4.52	ł			<del> </del>	<del></del>	1
1	Central Office Located (50% of UCLND) - please see NOTE 1								l		1		1	İ		1
1	(E:10/2/2004)	l		ULS	ULSDT	5.60	18.51	10.60	10.01	4.92	1	1	1	1	1	
	Line Share Service, TRO per line activation, BST owned splitter -	<b></b>	<del>                                     </del>			4.00	10.01	10.00	10.01	7,32	1	-	1	1		
	Central Office Located (75% of UCLND) - please see NOTE 1	l							1		!			1	ı	1
1	(E:10/2/2005)	l		ULS	ULSDT	8.40	18.51	10.60	10.01	4.92	1	1		1		_L
	Line Sharing - per Subsequent Activity per Line					5.10		.0,00	1	1		1	1			
[	Rearrangement(BST Owned Splitter	l		ULS	ULSDS	İ	16.39	8.19	1.			Ì				
	Line Sharing - per Subsequent Activity per Line	·								1	1	1				
	Rearrangement(DLEC Owned Splitter	l		ULS	ULSCS		16.39	8.19	1		L	L	L			
	Line Sharing - per Line Activation (DLEC owned Splitter) -	T							1	7		1	1	1	1	1
1	True Sushing - her rule would allow (Drec owner Shirter) -	i					47,44	19.31	20.02	9.83	1		ł			

NBUNDLE	D NETWORK ELEMENTS - Alabama												Attach	nent: 2		ibit: A
ATEGORY	RATE ELEMENTS	Interi m	Zona	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Charge -	Charge - Manual Sv Order vs.
						Rec	Nonrec		Nonrecurring					Rates (\$)		- COMAN
						1400	First	Add'i	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Line Share Service, TRO per line activation, CLEC owned		1		1						1				1	
	splitter - Central Office Located (25% of UCLND) - please see	1													l	
	NOTE 1 (E:10/2/2003)	<del> </del>	ļ	ULS	ULSCT	2.80	47.44	19.31	20.02	9.83					-	<del> </del>
	Line Share Service, TRO per line activation, CLEC owned splitter - Central Office Located (50% of UCLND) - please see		1							!						1
	NOTE 1 (E:10/2/2004)		l i	ULS	ULSCT	5.60	47.44	19.31	20.02	9.83					İ	
	Line Share Service, TRO per line activation, CLEC owned	<del> </del>		013	DEGC1	5.00	77,77	19.01	20.02	3.00	<del> </del>				1	
1	splitter - Central Office Located (75% of UCLND) - please see	1													1	
	NOTE 1 (E:10/2/2005)			ULS	ULSCT	8.40	47.44	19.31	20.02	9.83	1				l	L
LINE	SPLITTING	<del>                                     </del>	<b></b>			31.13										
END L	ISER ORDERING-CENTRAL OFFICE BASED	1														
	Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61									1	<del> </del>
	Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	37.01	21.19	20.02	9.83					<del></del>	
	Line Splitting - per line activation BST owned - virtual	ļ		UEPSR UEPSB	UREBV	0,61	37.01	21.19	20.02	9.83		ļ				
MAIN	TENANCE	<u> </u>									<u> </u>		<b> </b>			+
	No Trouble Found - per 1/2 hour increments - Basic		L				80.00	55.00			ļ		<del> </del>			+
	No Trouble Found - per 1/2 hour increments - Overtime		ļ				120.00	82.50							<del></del>	+
	No Trouble Found - per 1/2 hour increments - Premium	<b> </b>	L		ļ	<u> </u>	160.00	110.00			<b></b>		-			<del></del>
	DEDICATED TRANSPORT	<del> </del>	<u> </u>		ļ	ļ				ļ	<u> </u>					+
INTER	OFFICE CHANNEL - DEDICATED TRANSPORT				<b>-</b>	<u> </u>					<del> </del>		<del> </del>		<del> </del>	-
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -	1	ļ	U1TVX	1L5XX	0.008838				1			i		1	
	Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -		├	UTIVA	TIT2XX	0.008636				<del></del>					<del>-</del>	1
- 1	Facility Termination	1		U1TVX	U1TV2	21.13	40.54	27.41	16,74	6.90		l	]	ĺ		
_	Interoffice Channel - Dedicated Transport- 2-Wire Voice Grade	<del> </del>		UTIVA	101142	21.13	40.54	21.41	10.74	0.50	<u> </u>		-			
	Rev Bat Per Mile per month		1 1	U1TVX	1L5XX	0.008838	İ			1			İ	1	1	
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat.	<del> </del>	<del> </del>	OTTA	TIED/A	0.000000					<u> </u>					1
- 1	Facility Termination	1	1	U1TVX	U1TR2	21.13	40.54	27.41	16.74	6.90			l			
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade	<del> </del>	1		10		14.01				-					
į	Per Mile per month	1	1	U1TVX	1L5XX	0.008838				I	]	1			]	
	interoffice Channel - Dedicated Transport - 4- Wire Voice Grade											1				
	- Facility Termination		1	U1TVX	U1TV4	18.73	40.54	27.41	16,74	6.90		L	1		_i	
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile													1		
	per month			U1TDX	1L5XX	0.008838					<u> </u>					
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility	Γ													1	
	Termination			UITOX	U1TD5	15.12	40.54	27.41	16.74	6.90						
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile	]								l	1		ļ	1	1	
	per month	-		U1TDX	1L5XX	0.008838					<del></del>	ļ	<del></del>	ļ	<del></del>	+
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility	1							1	l	1	1	1			
	Termination	<del> </del>	<u> </u>	U1TDX	U1TD6	15.12	40.54	27.41	16.74	6.90	-	<del> </del>	<b> </b>		<del></del>	+
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			2147734	41.500											
	month Interoffice Channel - Dedicated Tranport - DS1 - Facility	<del> </del>		U1TD1	1L5XX	0.18			ļ		-	<del>                                     </del>	1		+	+
	Termination	1		U1TD1	U1TF1	60.16	89.27	81.81	16.35	14.44		1	1 .			1
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per	<del> </del>		וטווטו	UTIFI	50.16	55.27	01.01	10.33	14,44	+	<del> </del>	<del>                                     </del>	†	1	1
1	month			UITO3	1L5XX	4.09			1	İ	1	1	1	ļ		1
_	Interoffice Channel - Dedicated Transport - DS3 - Facility			.,,	1.2.7.1											
	Termination per month			U1TD3	U1TF3	703.52	278.75	162.76	60.20	28.46						
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per			***************************************	1					1						
	month	L		U1TS1	1L5XX	4.09			L							
	Interoffice Channel - Dedicated Transport - STS-1 - Facility	T														
	Termination	L	L	U1TS1	U1TFS	701.37	278.75	162.76	60.20	28.46						
RK FIBER											1		1			
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction								1	1			1		1	
	Thereof per month - Interoffice Channel	ļ	L	UDF, UDFCX	1L5DF	23.29					<u> </u>	<del></del>	-			+
	NRC Dark Fiber - Interoffice Channel	<b> </b>		UDF, UDFCX	UDF14		639.09	137.87	317.06	197.66	ļ	<b></b>	<del> </del>			+
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction								1	l	1	1	1		1	1
	Thereof per month - Local Loop	1	L	UDF, UDFCX UDF, UDFCX	1L5DL UDFL4	60.32	639.09	137.87	317.06	197.66		1				

INBUND	LED	NETWORK ELEMENTS - Alabama												Attachr	nent: 2		bit: A
ATEGOR	Y	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR		Charge - Manual Svol Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svo Order vs.
	-						Rec	Nonrec		Nonrecurring					Rates (\$)	000111	SOMAN
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	JUMAN
XX ACCE		N DIGIT SCREENING															<del> </del>
		XX Access Ten Digit Screening, Per Call			OHD		0.00056										
	N	XX Access Ten Digit Screening, Reservation Charge Per 8XX lumber Reserved			OHD	N8R1X		2.58	0.44								
		XX Access Ten Digit Screening, Per 8XX No. Established W/O OTS Translations			OHD			5.94	0.81	4.57	0.54						
	8	XX Access Ten Digit Screening, Per 8XX No. Established With															1
		OTS Translations XX Access Ten Digit Screening, Customized Area of Service		-	OHD	N8FTX		5.94	0,81	4.57	0.54					ļ ——	
	P	er 8XX Number XX Access Ten Digit Screening, Multiple InterLATA CXR	ļ		OHD	N8FCX		2.58	1.29								<del> </del>
		Nouting Per CXR Requested Per 8XX No.	l		OHD	NBFMX		3.02	1.73					]		İ	1
		XX Access Ten Digit Screening, Change Charge Per Request	<del> </del>		OHD	NBFAX	<del> </del>		0.44							<del> </del>	+
		XX Access 1en Digit Screening, Change Charge Per Request XX Access Ten Digit Screening, Call Handling and Destination	<del> </del>		UNU	INSPAA		3.02	U,44					ļ		<del> </del>	1
	F	eatures			OHD	N8FDX		2.58									
	- 8	XX Access Ten Digit Screening, w/ 8FL No. Delivery			OHD		0.000565									ļ	<del> </del>
		XX Access Ten Digit Screening, w/ POTS No. Delivery			OHD		0.000565										
INE INFO		ION DATA BASE ACCESS (LIDB)					L										<del></del>
		IDB Common Transport Per Query			OQT		0.00002										
		IDB Validation Per Query			OQU		0.012002										<b></b>
		IDB Originating Point Code Establishment or Change			OQT, OQU	NRBPX		34.32		42.08							
IGNALING													<u> </u>			<u> </u>	
		CS7 Signating Connection, Per 56Kbps Facility					15.46	35.53	35.53	16.44	16.44						
		CS7 Signaling Termination, Per STP Port			UDB	PT8SX	130.83										
		CS7 Signaling Usage, Per Call Setup Message					0.0000142						l				
	C	CS7 Signaling Usage, Per TCAP Message			UDB		0.0000569										
		CS7 Signaling Connection, Per link (A link)			UDB	TPP++	15.46	35.53	35.53	16.44	16.44						
		CS7 Signating Connection, Per link (B link) (also known as D			UOB	TPP++	15.46	35.53	35.53	16.44	16.44						
		CS7 Signaling Usage, Per ISUP Message			UDB	1	0.0000142										T
		CS7 Signaling Usage Surrogate, per link per LATA	<del> </del>		UDB	STU56	650.33					l		<b> </b>		1	1
	ĺc	CS7 Signaling Point Code, per Originating Point Code				10.000						í	<b></b>	İ		1	7
- 1		stablishment or Change, per STP affected			UDB	CCAPO	į į	29.01	29.01	35.57	35.57	Ì	1				
911 SERV	nce -	State to the state of the state		<del></del>		100/110		25.01	20.01	00.07					<del> </del>	<del></del>	1
		ocal Channel - Dedicated - 2-wr Voice Grade					13.97	193.10	33.17	36.64	3.20					1	
		teroffice Transport - Dedicated - 2-wr Voice Grade Per Mile		<del>                                     </del>	<del></del>	-	0.008838	190.10	\$5.17	50.04	V.EU	<del> </del>		<del>                                     </del>	<del> </del>	1	1
		Iteroffice Transport - Dedicated - 2-wr Voice Grade Per Facility		<del>                                     </del>			V.100000			<b>———</b>				1		1	1
ı		ermination					21.13	40.54	27.41	16.74	6.90				1	1	1
		ocal Channel - Dedicated - DS1 - Zone 1		<del>                                     </del>		1	35.76	177.47	153.72	22,19	15.26	<del></del>	<del>                                     </del>	<del> </del>			1
		ocal Channel - Dedicated - DS1 - Zone 2	<b></b>	<del>                                     </del>		+	49.98	177,47	153.72	22.19	15.26	<del> </del>	<del> </del>	<b> </b>	<b></b>	1	T
		ocal Channel - Dedicated - DS1 - Zone 3		<del>  </del>		+	107.63	177,47	153.72	22.19	15.26	<del> </del>				+	1
		steroffice Transport - Dedicated - DS1 Per Mile		1		-	0.18	111,41	100.72	E-B 19	.0,20			<del>                                     </del>			1
		steroffice Transport - Dedicated - DS1 Per Facility Termination		<b>├</b> ──- <b> </b>		-	60.16	89.27	81.81	16.35	14.44			<b></b>	<del> </del>	+	+
ALLING N		(CNAM) SERVICE		<b>  </b>	0011									<del> </del>	<del> </del>	+	+
		NAM For DB Owners - Service Establishment			OQV			22.95		21.11			<u> </u>	<del> </del>	<del> </del>	+	+
		NAM For Non DB Owners - Service Establishment	<b> </b>		OQV	4	L	22.95		21.11			<del> </del>	<del> </del>	<del> </del>		+
	E	NAM For DB Owners - Service Provisioning With Point Code stablishment			ogv			990.88	732.84	268.93	197.74						
		NAM For Non DB Owners - Service Provisioning With Point ode Establishment			ogv			342.33	245.14	275.25	197.74			_			
	c	NAM for DB Owners, Per Query			OQV		0.000902		100								
		NAM for Non DB Owners, Per Query			OQV		0.000902										
ELECTIVE						T							1				
	S	elective Routing Per Unique Line Class Code Per Request Per witch						84.70	84.70	14.11	14.11						
RTUAL C				<b></b>		<del> </del>		04.70	U+.19	14.11	17.33	<del> </del>	<del>                                     </del>	<del> </del>	T	1	T
		irtual Collocation-2 Wire Cross Connects (Loop) for Line	ļ			-						<del> </del>	<del> </del>	<del> </del>		1	1
	11.6																

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attach		Exhil	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		-	RATES (\$)			Svc Order Submitted Elec per LSR	Manually	Charge - Manual Svc Order vs. Electronic- 1st	incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'i
						Rec	Nonrec		Nonrecurring					Rates (\$)	SOMAN	SOMAN
HYSICAL CO	1.00.0000						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SUMAN	SUMAN	SUMAN
HYSICAL CU	Physical Collocation-2 Wire Cross Connects (Loop) for Line				<del></del>									····		
1	Splitting			UEPSR UEPSB	PE1LS	0.03	12.30	11.80	6.03	5.44						1
UN SELECTA	/E CARRIER ROUTING		<b></b>	DEFOR DEFOR	FEILS	0.03	12.30	11.00	0.00	3.44						
	Regional Service Establishment			SRC	SRCEC		101,098.91		8,590,70							
	End Office Establishment			SRC	SRCEO		169.88	169.88	1.70	1.70	·					
	Query NRC, per query			SRC		0.002749										
IN - BELLSO	UTH AIN SMS ACCESS SERVICE															
T	AIN SMS Access Service - Service Establishment, Per State,												]	ĺ		1
	Initial Setup			AtN	CAMSE		39.44	39.44	40.69	40.69						<b></b>
			ĺ										1			
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		7.83	7.83	9.09	9.09	<u> </u>			<b></b>		<del> </del>
	AIN SMS Access Service - Port Connection - ISDN Access AIN SMS Access Service - User Identification Codes - Per User			A1N	CAM1P		7,83	7.83	9.09	9.09			<b></b>	l	<del>                                     </del>	<del> </del>
	ID Code			A1N	CAMAU		35.00	35.00	27.06	27.06						1
	AIN SMS Access Service - Security Card, Per User ID Code,			7114	CAMAO		35.00	35.00	27.00	27.00						
1	Initial or Replacement		ĺ	A1N	CAMRC		41.88	41.88	11.71	11.71			l		l	ļ
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)		<del></del>		TOTAL TO	0.002188	41.00	-11.00							1	
	AIN SMS Access Service - Session, Per Minute				1	0.59										
	AIN SMS Access Service - Company Performed Session, Per							***								
	Minute					0.73										
IN - BELLSO	UTH AIN TOOLKIT SERVICE															
	AIN Toolkit Service - Service Establishment Charge, Per State,															
	Initial Setup			CAM	BAPSC		39.44	39.44	40.69	40.69					L	
	AIN Toolkit Service - Training Session, Per Customer				BAPVX		4,202.17	4,202.17							ļ	<del> </del>
İ	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				l						1	ĺ				
	DN, Term. Attempt				BAPTT		7.83	7.83	9.09	9.09	<del> </del>		<del> </del>	<del></del>		<del> </del>
- 1	AlN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay						7.00	7.00	0.00	9.09					1	1
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPTD		7.83	7.83	9.09	9.09			<del> </del>	<del> </del>	<del> </del>	-
1	DN, Off-Hook Immediate				BAPTM		7.83	7.83	9.09	9.09					l	1
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DAFIN		1.03	7.00	9.08	3.00	<del> </del>	<del> </del>	<del> </del>		1	1
	DN, 10-Digit PODP				ВАРТО	1	34.47	34,47	14.36	14.36			1		1	
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				1074 10			01,77	71.00	1,,00						
1	DN. CDP				BAPTC	1	34.47	34.47	14.36	14.36		1	1	_		
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															1
	DN, Feature Code				BAPTF		34,47	34.47	14.36	14.36						
	AIN Toolkit Service - Query Charge, Per Query					0.05										<b></b>
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit									1						1
	Subscription, Per Node, Per Query					0.00582								ļ	<del> </del>	<del></del>
1	AIN Toolkit Service - SCP Storage Charge, Per SMS Access									1						1
	Account, Per 100 Kilobytes  AlN Toolkit Service - Monthly report - Per AlN Toolkit Service				<del> </del>	0.05						ļ		<del>-</del>	<del></del>	+
	Subscription			CAM	BAPMS	10.17	7.83	7.83	5.50	5.50		1		1		1
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service			CAM	BAPMS	10.17	7.83	7.83	5.50	5.50	ļ		<del>-</del>	<del></del>		1
1	Subscription			CAM	BAPLS	2.87	8.66	8.66								ı
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service				1074 20	2.07	0.00	0.00				<del>                                     </del>	<del> </del>			1
1	Subscription			CAM	BAPDS	7.39	7.83	7.83	5.50	5.50	ļ		1	l		
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit				1			**		1	1			T		7
	Service Subscription			CAM	BAPES	0.10	8.66	8.66		L	l			J		4
	(TENDED LINK (EELs)													<u> </u>	ļ	
NOTE:	The monthly recurring and non-recurring charges below will a	pply ar	d the	Switch-As-Is Charg	e will not app	y for UNE com	binations pro	visioned as ' C	ordinarily Com	bined' Networ	k Elements.				<del> </del>	+
	The monthly recurring and the Switch-As-la Charge and not the					NE combination	ons provisione	ed as ' Current	ty Combined' I	Network Eleme	mts.	<u> </u>	<b></b>	<del> </del>	<b></b>	1
EXTEN	ITED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	ED DS1				1176			45.5		<b></b>		<del> </del>	+	<del> </del>	+
_	First 2-Wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	14.38	88.00	55.00	47.24 47.24	7.44 7.44	<del> </del>		<del> </del>	+	+	+
	First 2-Wire VG Loop (SL2) in Combination - Zone 2 First 2-Wire VG Loop (SL2) in Combination - Zone 3			UNCVX	UEAL2	22.85 36.14	88.00 88.00	55.00 55.00	47.24 47.24			<del> </del>	<del> </del>	<del> </del>	<del> </del>	+
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	OIYUVA	VEALZ	30.14	88.00	55.00	41.24	7.44	<del> </del>	<del> </del>	1	<del>                                     </del>	1	1
1	per month			UNC1X	1L5XX	0.18			1	1	1	1	1	1	1	1

	D NETWORK ELEMENTS - Alabama												Attach	nent: 2		bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates (\$)	I	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS1 combination - Facility					***										
	Termination per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44					L	
	1/0 Channelization System in combination Per Month			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79						
	Voice Grade COCI - Per Month			UNCVX	1D1VG	0.53	6.58	4.72								ļ
									1							
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44						<del></del>
- 1	Each Additional 2 Miles MC Lass (C) 21 in Combination 7 and 2		2	1111010	luras a	20.00	20.00		47.04							1
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	22.85	88.00	55.00	47.24	7.44	ļ		-		ł	
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3		2	UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44	1	ĺ				1
	Voice Grade COCI - Per Month		-5-	UNCVX	1DIVG	0.53	6.58	4.72	47.24	7,74	<del> </del>	<del></del>	<del></del>		<del> </del>	
	Nonrecurring Currently Combined Network Elements Switch -As-				1:5:10	0.00	0.00	7.12	<del>                                     </del>				<del> </del>			1
İ	Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98			1			
EXTE	IDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	ED DS1	INTER										1			
									T							
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	25.34	131.97	94.51	59,14	14.50						
												1				
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50						
					1 1				1 1			!	l			Į.
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50					<del> </del>	-
1	Interoffice Transport - Dedicated - DS1 combination - Per Mile				1										1	
	Per Month Interoffice Transport - Dedicated - DS1 - Facility Termination Per			UNC1X	1L5XX	0.18					ļ	ļ	ļ		ļ	<del></del>
	Month			UNC1X	U1TF1	60.16	89.27	81,81	16.35	14.44	ļ	l	1		1	
	1/0 Channel System in combination Per Month	<u>-</u>		UNCTX	MQ1	101.06	91.04	62.57	10.54	9.79		<del></del>	<del></del>			+
	Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.53	6.58	4.72	10.57	5.73	<del> </del>	<del> </del>			-	+
	Additional 4-Wire Analog Voice Grade Loop in same DS1				1.0.10	0.00	0.50	7.72					<del> </del>		1	1
İ	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50				İ	_	
	Additional 4-Wire Analog Voice Grade Loop in same DS1															T
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50		_			1	
1	Additional 4-Wire Analog Voice Grade Loop in same DS1											ļ		1	1	ļ
	Interoffice Transport Combination - Zone 3			UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50					<b>_</b>	
	Additional Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.53	6.58	4.72								
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X					0.00	0.00					1	
EVTE	IDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDIC	ATED	264 IN		UNCCC		5.59	5.59	6.98	6.98	<b></b>		<del> </del>		<del> </del>	+
EATER	THE STREET AND EXTERNED DIGITAL LOOP WITH DEDIC	A CUL	73 1 11¢	LAUFFICE INAN	or UK!				ł		<del> </del>	ł	<del> </del>		<del> </del>	+
ļ	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50					1	1
_	2016 1				10000	20.03	120.21	00,00	Ja.,4	14.50	<b> </b>	<del></del>	<del>                                     </del>	<del> </del>		1
-	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50			1			
					1								1	1		
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50		<u> </u>				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile										1		1	1	1	1
	Per Month			UNC1X	1L5XX	0.18					<u> </u>		ļ	ļ	<del></del>	
	Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month			(INDAN											1	
	1/0 Channel System in combination Per Month	I		UNC1X UNC1X	U1TF1	60.16	89.27	81.81	16.35 10.54	14.44 9.79	<del></del>		<del> </del>	<del> </del>	<del> </del>	<del> </del>
	OCU-DP COCI (data) per month (2.4-64kbs)			UNCDX	MQ1 1D1D0	101.06 1.12	91.04 6.58	62.57 4.72	10.54	9.79	<del> </del>	<del> </del>	<del></del>	<del> </del>		+
<del></del>	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1			ONCLIA	1000	1.12	0.06	4.12			<del> </del>		<del> </del>	<del> </del>	<del>-</del>	
- 1	Interoffice Transport Combination - Zone 1	1	1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50	1	1		1	1	1
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		·		1					,	İ		1		1	1
1	Interoffice Transport Combination - Zone 2	l	2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1				T		77-1			-	1		1			
	Interoffice Transport Combination - Zone 3		3_	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50						
	Additional OCU-DP COCI (data) - in combination per month (2.4-						-									
	64kbs)			UNCDX	10100	1.12	6.58	4.72					<b></b>		_	4
1	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge		1		UNCCC	1	5.59	_	6.98	6.98		1	1		1	1
				UNC1X				5.59								

INBUNDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	TO THE TWO THE CENTER TO PRODUCT	T	1	·							Svc Order	Sun Order	Incremental			Incremental
			1								Submitted		Charge -	Charge -	Charge -	Charge -
			1	İ			•									_
		Interi	1		1						Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
ATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			perLSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m			1 1						percon	Percon				Electronic-
		1								İ			Electronic-	Electronic-	Electronic-	3
			1										1st	Add'i	Disc 1st	Disc Add'l
		ļ	1		1 1											l
					1		Nonrec	umina	Nonrecurring	Disconnect			OSS	Rates (\$)		
			1			Rec -	First	Add'I	First	Add't	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
							Liist	MUUT	1.4197	Auu i	SOMEO	COMPLE	OUMAIN			
ı		1										ŀ	1		1	l
1	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50		1	l			
						-										Ī
1	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		1 2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50		Į.	1	1	ĺ	1
	1 flat 4-1786 04(tops bigital Stade Loop #1 Combitation - Zone Z		-	GRODA	00004	35,35	120,21	00.00	J3. 14	14.00		ļ				
1		1			1 i			1	į		}	1	1		1	
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3	1	3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50		1	i			
	Interoffice Transport - Dedicated - DS1 combination - Per Mile				-											1
- 1	Per Month	l	1	LINDAN	41.500								1		ĺ	
				UNC1X	1L5XX	0.18										
1	interoffice Transport - Dedicated - DS1 combination - Facility	Į.										!		1	ł	i
1	Termination Per Month	i	1	UNC1X	U1TF1	60,16	89.27	81.81	16.35	14,44	l	I	ļ	1	l	
	1/0 Channel System in combination Per Month	<b></b>	1	UNC1X	MQ1	101,06	91.04	62.57	10.54	9.79	<b></b>		<del>                                     </del>			Ţ
									10.54	9.79				<b></b>	<del></del>	<del> </del>
	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	10100	1.12	6.58	4.72				<u> </u>				ļ
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1													I	1	1
1	Interoffice Transport Combination - Zone 1	I	1 1	UNCDX	UDL64	26.09	126.27	68.80	59.14	14.50	1	f	1	ĺ	í	1
		<del> </del>		UNOUA	OULU4	20.03	120.21	00.00	98.14	14.30		ļ		<del> </del>	·	<del> </del>
1	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	1	1 1					1				l	1	1	1	1
- 1	Interoffice Transport Combination - Zone 2	1	2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50	I	l	I	L	L	
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		1		1						·	1	1	1		1
I	Interoffice Transport Combination - Zone 3		3	LINOOV	1		***	nn	50.44	14.50	1	1	İ	1	1	1
		L	3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14,50						
- 1	Additional OCU-DP COCI (data) - in combination - per month										}	l				
- F	(2.4-64kbs)	1		UNCDX	10100	1.12	6.58	4.72			1	ì	1	J	1	1
	Nonrecurring Currently Combined Network Elements Switch -As-		<del> </del>		+.0.00	······································	0.00	711.2							1	
			1 1		1						l		1	f	l	1
	is Charge			UNC1X	UNCCC		5.59	5,59	6.98	6.98						
EXTE	IDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATI	ED DS1	INTER	OFFICE TRANSPO	RT											
	4-Wire DS1 Digital Loop in Combination - Zone 1			UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71		1				
	A Miles OCA District Lans in Completed 2									11.71					<del> </del>	
	4-Wire DS1 Digital Loop in Combination - Zone 2			UNC1X	USLXX	154.18	252.47	157.54	44.70				<u> </u>			<del></del>
l.	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11,71		1	l		1	1
	Interoffice Transport - Dedicated - DS1 combination - Per Mile														1	
- 1	Per Month		{	UNC1X	1L5XX	0.18					1	l	İ	ì	1	1
				UNCIA	ILDAA	0.10						ļ		<del></del>		<del></del>
1	Interoffice Transport - Dedicated - DS1 combination - Facility				1 1					1	İ		1	!		1
	Termination Per Month			UNC1X	U1TF1	60.16	89,27	81.81	16.35	14.44				L		1
	Nonrecurring Currently Combined Network Elements Switch -As-												T			
	Is Charge		1 1	UNC1X	luncoo I		5.50		6.00	e ne	i	i	ł	i	1	1
			اـــــا		UNCCC		5.59	5.59	6.98	6.98	L					
EXTE	IDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATI	ED DS3	INTER	OFFICE TRANSPO	RT j						<u> </u>					
	First DS1Loop in Combination - Zone 1		1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71			1	1		
	First DS1Loop in Combination - Zone 2			UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71				1		1
													<del> </del>	-	1	<del></del>
	First DS1Loop in Combination - Zone 3		3	UNC1X	USLXX	314.52	252,47	157.54	44.70	11.71			ļ	ļ	<del></del>	<del> </del>
1	Interoffice Transport - Dedicated - DS3 combination - Per Mile		1 7									1	l	1	ì	1
1	Per Month		1 I	UNC3X	1L5XX	4.09				1	1	1	1	1	1	1
	Interoffice Transport - Dedicated - DS3 - Facility Termination per		<b></b>		120701	4,09					<del> </del>		<u> </u>		1	
- 1			1 1		1					l	i	1	1	1	1	1
	month			UNC3X	U1TF3	703.52	278.75	162.76	60.20	58.46	L	L				
	3/1 Channel System in combination per month			UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83	1	1	1		1	1
	DS1 COCI in combination per month			UNC1X	UC1D1	12.70	6.58	4.72			<del>                                     </del>	<del>                                     </del>	1	T	1	1
				OHOIA	00101	12.70	0.50	4.72			<del> </del>	<del> </del>	+	<del> </del>	<del> </del>	<b></b>
1	Additional DS1Loop in DS3 Interoffice Transport Combination -		i l		1 1	1					1	1	1	1	1	
	Zone 1		1 1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11,71	1					
	Additional DS1Loop in DS3 Interoffice Transport Combination -										1	1		1	1	
- 1			,	HINDRY	LICLAY	161 15	050.47	أيجيد	44 70	44.74		1	1	1	1	1
	Zone 2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71	<b>↓</b>	<del></del>	<del> </del>		<del> </del>	+
1	Additional DS1Loop in DS3 Interoffice Transport Combination -				1	l				]	I	I	1	1	I	
1	Zone 3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71	1	1	1	I	L	
	Additional DS1 COCI in combination per month			UNC1X	UC1D1	12.70	6.58	4.72		l		1	1	T		
				UNUIN	100101	12,10	0.30	7.72		<del> </del>	<del> </del>	<del>                                     </del>	+	<del> </del>	1	1
- 1	Nonrecurring Currently Combined Network Elements Switch -As-				1 1	1		1		l	1	I	1		1	1
	Is Charge			UNC3X	UNCCC	į	5.59	5.59	6.98	6.98						
EXTE	IDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	GRADE	INTE	ROFFICE TRANSPO							Γ	I				1
	2-WireVG Loop in combination - Zone 1			UNCVX	IUEAL2	14.38	88.00	55.00	47.24	7.44	<del>                                     </del>	1	1	1	1	
											-	<del> </del>	+	+	+	1
	2-WireVG Loop in combination - Zone 2			UNCVX	UEAL2	22.85	88.00	55.00	47.24	7.44	<u></u>			<b></b>	<del></del>	<del></del>
	2-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44			L	1		
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per		<del></del>							1	1		T	1		1
- 1	Month		I	LINOLOG	144 500	0.00000				I	1	1	1	1	1	1
			<b> </b>	UNCVX	1L5XX	0.008838				ļ		<b></b>	<b>-</b>	<del> </del>		<del></del>
1	Interoffice Transport - 2-wire VG - Dedicated - Facility										į.	1	1	I	1	
i	Termination per month			UNCVX	U1TV2	21.13	40.54	27.41	16.74	6.90	1	1	1	1	1	1

NRONDL	ED NETWORK ELEMENTS - Alabama													ment: 2		bit: A
		T			1						Svc Order	Svc Order	Incremental	Incremental	Incremental	Increment
		İ	1		1 1						Submitted		Charge -	Charge -	Charge -	Charge -
		1	1		1 1							Manually	Manual Svc	Manual Svc		Manual S
TEA ANY	DATE EL ELLE.	Interi									Elec					
TEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	perLSR	Order vs.	Order vs.	Order vs.	Order vs
		1111			i i								Electronic-	Electronic-	Electronic-	Electronic
	l e		1		1 1									Add'i	Disc 1st	Disc Add
					1 1								1st	AGG I	Disc ist	DISC AUG
		<del> </del>											000	Rates (\$)		
		1				Rec	Nonrec		Nonrecurring							SOMAN
			ļ	1	1	1100	First	Add'l	First	Add*i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SUMAN
	Nonrecurring Currently Combined Network Elements Switch -As	1											1	l	Į.	1
- 1	Is Charge	1		UNCVX	UNCCC	1	5.59	5.59	6.98	6.98				1	1	1
		1	<u> </u>				5.58	3.35	0.50	0.30						<del></del>
EXI	ENDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GKAD														
	4-WireVG Loop in combination - Zone 1	1	1 1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50	i	L				
	4-WireVG Loop in combination - Zone 2	T	2	UNCVX	UEAL4	38.58	131,97	94.51	59.14	14.50					1	1
	4-WireVG Loop in combination - Zone 3	<del>                                     </del>		UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50						
_		<del>                                     </del>	<del>  -</del>	OROUX	000	00.02	101,01	37.01	99,14	, 1.00		<del></del>	<del> </del>			
- 1	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per		1		1						I				1	
	Month	1		UNCVX	1L5XX	0.008838					1		L			<u> </u>
	Interoffice Transport - 4-wire VG - Dedicated - Facility											1		1	1	1
l	Termination per month	1	1	UNCVX	U1TV4	18.73	40,54	27,41	16.74	6.90		l	1	1	1	1
	Nonrecurring Currently Combined Network Elements Switch -As	1	<del>                                     </del>		121144	10.13	40.04	21,741	70.74	5.80	<del> </del>	<del></del>	<del> </del>	1		
		1	1		1	1					1	}	1	1	1	1
	ls Charge	1		UNCVX	UNCCC		5.59	5.59	6.98	6.98	l			L		<del></del>
EXT	ENDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FFICE	TRANSPORT					1		1			L	1	
	DS3 Local Loop in combination - per mile per month	T		UNC3X	1L5ND	8.38							T			1
	po mile per mener	<del>                                     </del>	<del> </del>	- /	+	0.00					†	<del>                                     </del>		1	1	1
	DODA	l .			1							Ì	i	1	1	1
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	308.98	451.52	263.94	119,49	83.58						-
	Interoffice Transport - Dedicated - DS3 - Per Mile per month	1	i	UNC3X	1L5XX	4.09					1		I	L	l	L
	Interoffice Transport - Dedicated - DS3 combination - Facility	1														
	Termination per per month	1		UNC3X	U1TF3	703.52	278.75	162.76	60.20	58.46	l	l	i	i	i	i
		ļ		UNUSX	UTIF3	/03.52	2/8./5	162.76	50.20	36.46				ļ		<del></del>
- 1	Nonrecuring Currently Combined Network Elements Switch -As-	1	1		1 1	I					1	1	1	1	1	1
	Is Charge			UNC3X	IUNCCC	1	5.59	5.59	6.98	6.98	1		l			
FXT	ENDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	FROFF	ICE TRANSPORT	1											
-	STS-1 Local Lolp in combination - per mile per month	T		UNCSX	1L5NO	8.38					<del> </del>	<del></del>		<del>                                     </del>		1
				UNCOX	ILDIAD	0.30									<b>-</b>	-
	STS-1 Local Loop in combination - Facility Termination per	ì	1		1	ļ					1		1	1	1	1
	month		1	UNCSX	UDLS1	319.83	451.52	263.94	119.49	83.58			l	L		
	Interoffice Transport - Dedicated - STS-1 combination - per mile															
	per month			UNCSX	1L5XX	4.09					1			ļ		
		-		DIACOV	16344	4.08					<b></b>			+		
1	Interoffice Transport - Dedicated - STS-1 combination - Facility	1	1		ļ I						1		1	1	1	1
	Termination per month	1	1	UNCSX	U1TFS	701.37	278.75	162.76	60.20	58.46	1	1	l	1		
	Nonrecurring Currently Combined Network Elements Switch -As-				1											1
- 1	Is Charge	!		UNCSX	UNCCC	1	5.59	5.59	6.98	6.98	1	1	į.	i		
EVT	ENDED 2-WIRE ISON EXTENDED LOOP WITH DS1 INTEROFFICE	- TO 4 1/2	BOOK	OHOON	DIVOCC		J.J <del>.</del>	3.35	11.282	0.50	<del> </del>	<del> </del>		<del> </del>	<del></del>	1
EXII		IKAN			<b></b>						L			<del> </del>		
	First 2-Wire ISDN Loop in Combination - Zone 1	1		UNÇNX	U1L2X	21.88	117.24	79.77	52.88	10.54				<b></b>		
1	First 2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	32.85	117.24	79.77	52.88	10.54		i			1	
	First 2-Wire ISDN Loop in Combination - Zone 3			UNCNX	U1L2X	48.55	117.24	79.77	52.88	10.54				T		ı
_	Interoffice Transport - Dedicated - DS1 combination - per mite	<del> </del>	<u> </u>		- ·····		,.27	10.117		1	1	1	1	1		T
- 1		l			lu ma					l	I	1	I	1	1	1
	per month			UNC1X	1L5XX	0.18								-		4
	Interoffice Transport - Dedicated - DS1 combination - Facility	1									, -	I	1	1	1	1
- 1	Termination per month	1		UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44		1	1	1		
1-	1/0 Channel System in combination - per month	<del> </del>		UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79	1		1	1	1	1
		<del> </del>							10.54	0.19	<del> </del>	<del> </del>	<del> </del>	<del> </del>	-	+
	2-wire ISDN COCI (BRITE) - in combination - per month		<b> </b>	UNCNX	UC1CA	2.41	6.58	4.72			<del> </del>	ļ	ļ	<del> </del>	<del> </del>	
1	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1			1 T				1	1	1	1	1	1	1	1
-	Combination - Zone 1	1	1 1	UNCNX	U1L2X	21.88	117.24	79.77	52.88	10.54	1	1	1			
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1			1							1			1	
- 1	Combination - Zone 2	l	2	UNCNX	U1L2X	32.85	117.24	79.77	52.88	10.54	1	1		1	1	1
		ļ		UNCHA	UILEX	32.80	117.24	79,77	52.68	10.54	4	<b></b>	<del> </del>	+	+	+
1	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	l			1	i i			1		1	1	1	1	1	I
	Combination - Zone 3	L	3	UNCNX	U1L2X	48.55	117.24	79.77	52.88	10.54	1		1		J	
	Additional 2-wire ISDN COCI (BRITE) - in combination- per	1									1			1	1	1
- 1	month	1	1	UNCNX	UC1CA	2.41	6.58	4.72	1	l	1	l	1	1	1	1
<del></del>	Nonrecurring Currently Combined Network Elements Switch -As-	<del> </del>		J.1011A	100.00	4.71	0.00	4.72	<del> </del>	<del> </del>	+	<del> </del>	+	-	1	
1		1			1	ļ					1	1	1	1	1	1
	Is Charge			UNC1X	UNCCC	1	5.59	5.59	6.98	6.98		<u> </u>	<del></del>	<del></del>	<b>_</b>	-
EXT	ENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED STS	1 INTE	ROFFICE TRANSPO	ORT T						1	1	L	1		
	First DS1 Loop Combination - Zone 1	Г		UNC1X	IUSLXX	82.55	252.47	157,54	44.70	11.71	1	1	1			
	First DS1 Loop Combination - Zone 2			UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71	+	<del> </del>	<del> </del>		<del>                                     </del>	1
											+	<del> </del>	<del> </del>	+	-	+
	First DS1 Loop Combination - Zone 3	l	3	UNC1X	USLXX	314.52	252.47	157,54	44.70	11.71						
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile									l	1	1	1	i	1	1
1	Per Month	1		UNCSX	1L5XX	4.09			1	l	I	1	1	1	1	1
-	Interoffice Transport - Dedicated - STS-1 combination - Facility	<del> </del>	-		1.00,00	7.03				<del> </del>	1	†	1	1	<b>T</b>	
ı		l	}		1 . 1	1			<b>!</b> .		I	1	1	1	1	ı
1	Termination per month	I		UNCSX	UITES	701.37	278.75	162.76	60.20	58.46	1	1				

OUDOUR	DLED NETWORK ELEMENTS - Alabama												Attachi			bit: A
CATEGOR	RY RATE ELEMENTS	interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					Rates (\$)	SOMAN	SOMAN
		ļ	<u> </u>				First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SUMAN	SUMAN
	3/1 Channel System in combination per month		<u> </u>	UNCSX	MQ3	166.13	178.14	93.97	33.26	31.83						<del> </del>
	DS1 COCI in combination per month	ļ	ļ	UNC1X	UC1D1	12.70	6.58	4.72								ļ
	Additional DS1Loop in the same STS-1 Interoffice Transport Combination - Zone 1		,	UNC1X	USLXX	82.55	252,47	157.54	44,70	11,71						ļ
	Additional DS1Loop in the same STS-1 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	154.18	252.47	157,54	44.70	11.71						
	Additional DS1Loop in the same STS-1 Interoffice Transport								44.770						Į	
	Combination - Zone 3	↓	3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71						
	DS1 COCI in combination per month	<b></b>	ļ	UNC1X	UC1D1	12.70	6.58	4.72								<del> </del>
	Nonrecuring Currently Combined Network Elements Switch -As	1	l										j	l		1
	is Charge		<u></u>	UNCSX	UNCCC		5.59	5.59	6.98	6.98	<del> </del>					
EX	CTENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 K	BPS INT			1	<b> </b>							<b> </b>	ļ	<del></del>	-
	4-wire 56 kbps Local Loop in combination - Zone 1	<del> </del>		UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50					<del></del>	<del> </del>
	4-wire 56 kbps Local Loop in combination - Zone 2	1		UNCDX	UDL56	35.95	126,27	88.80	59,14	14.50	ļ	ļ			<del> </del>	<del> </del>
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50						<del> </del>
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile per month			UNCDX	1L5XX	0.008838										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination per month			UNCDX	U1TD5	15.12	40.54	27,41	16.74	6.90						
	Nonrecurring Currently Combined Network Elements Switch -As Is Charge			UNCDX	UNCCC		5.59	5.59	6.98	6.98						
EX	CTENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 K	BPS INT	EROFF	ICE TRANSPORT											1	
	4-wire 64 kbps Looal Loop in Combination - Zone 1		1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50						
	4-wire 64 kbps Looal Loop in Combination - Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50					<u>i</u>	
	4-wire 64 kbps Looal Loop in Combination - Zone 3		3	UNCDX	UDL64	37.88	126.27	08.88	59.14	14.50						
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month			UNCDX	1L5XX	0.008838										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month			UNCDX	U1TD6	15.12	40.54	27,41	16,74	6.90						
	Nonrecurring Currently Combined Network Elements Switch -As Is Charge	1		UNCDX	UNCCC		5.59	5.59	6.98	6.98						
EX	CTENDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE	RANSP	ORT W		1					l	1	i	İ			
	First 2-wire VG Loop (SL2) in Combination - Zone 1	1		UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44	<del>                                     </del>					
	First 2-wire VG Loop (SL2) in Combination - Zone 2	<del> </del>		UNCVX	UEAL2	22.85	88.00	55.00	47.24	7,44		1	1			
	First 2-wire VG Loop (SL2) in Combination - Zone 3	+		UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44						
	First Interoffice Transport - Dedicated - DS1 combination - Per	1		UNC1X	1L5XX	0.18		30.33								
	First Interoffice Transport - Dedicated - DS1 combination -	<del> </del>		0.101/1	120/01	4.70					·	<del>                                     </del>				
-	Facility Termination per month	1		UNC1X	U1TF1	60.16	89.27	81.81	16.35	14,44	1	1	1	1		L
	Per each DS1 Channelization System Per Month	<del>                                     </del>		UNCIX	MQ1	101.06	91.04	62.57	10.54	9.79	<del>                                     </del>		1	1		
	Per each Voice Grade COCI - Per Month per month	<del>                                     </del>		UNCVX	1D1VG	0.53	6.58	4.72								1
	3/1 Channel System in combination per month	1		UNC3X	MQ3	166.13	178,14	93.97	33.26	31.83	1		T	1	T	
	Per each DS1 COCI in combination per month	<del>                                     </del>		UNC1X	UC1D1	12.70	6.58	4.72							1	
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	14.38	88.00	55.00	47.24	7,44			·			
_	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2	1		UNCVX	UEAL2	22.85	88.00	55.00	47.24	7,44						
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3	†		UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44	<b></b>					
		1	,		1D1VG	0.53	6.58	4.72	47.24	1.44	1					
-+	Each Additional Voice Grade COCI - in combination - per month Each Additional DS1 Interoffice Channel per mile in same 3/1	+		UNCVX			0.58	4.72					<b> </b>	<b>†</b>	1	<del>-</del>
	Channel System per month  Each Additional DS1 Interoffice Channel Facility Termination in	<del> </del>		UNC1X	1L5XX	0.18			_	-			<del> </del>	ļ	<del>                                     </del>	
1	same 3/1 Channel System per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44	1	L				
1	Each Additional DS1 COCI combination per month	1	l	UNC1X	UC1D1	12.70	6.58	4.72		1	T	Τ				
#	Nonrecurring Currently Combined Network Elements Switch -As Is Charge	1		UNC1X	UNCCC		5.59	5.59	6.98	6.98						

UNBUNDL	ED NETWORK ELEMENTS - Alabama												Attache	nent: 2		bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Syc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Order vs.
1		<del>                                     </del>	T			<b>D</b>	Nonrec	urring	Nonrecurring	Disconnect				Rates (\$)		
						Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First 4-Wire Analog Voice Grade Local Loop in Combination -												ļ			-
	Zone 1	ļ	1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50	ļ	<b></b>				-
	First 4-Wire Analog Voice Grade Local Loop in Combination -	1	2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50	l		İ		1	1
	Zone 2 First 4-Wire Analog Voice Grade Local Loop in Combination -		-	UNCVA	UEAL4	36.36	131.91	94,51	33.14	14.30	<del> </del>				·	
	Zone 3	1	3	UNCVX	UEAL4	60.02	131.97	94,51	59.14	14,50						
	First Interoffice Transport - Dedicated - DS1 combination - Per		† Ť		1											1
	Mile Per Month			UNC1X	1L5XX	0.18										<b>_</b>
	First Interoffice Transport - Dedicated - DS1 - Facility	Π														
	Termination Per Month	<u> </u>		UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	Per each 1/0 Channel System in combination Per Month	├	├	UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79	<del> </del>	<del> </del>	<del> </del>			+
	Per each Voice Grade COCI in combination - per month 3/1 Channel System in combination per month	-	-	UNCVX UNC3X	1D1VG MQ3	0.53 166.13	6.58 178.14	4.72 93.97	33.26	31.83	<del> </del>		<del> </del>			
	Per each DS1 COCI in combination per month	<del> </del>	-	UNC1X	UC1D1	12.70	6.58	4.72	33.26	31.03		<b> </b>	<u> </u>		<del></del>	
	Additional 4-Wire Analog Voice Grade Loop in same DS1	1	<del>                                     </del>	UUIA	120,0,	14.10	0.00	7.72	<b></b>		† · · · · · · · ·		l	***************************************		
	Interoffice Transport Combination - Zone 1	1	1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50		L	l			
	Additional 4-Wire Analog Voice Grade Loop in same DS1	T														
	Interoffice Transport Combination - Zone 2	<u> </u>	2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50						
	Additional 4-Wire Analog Voice Grade Loop in same DS1		1		1 1						1					1
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14,50	-			<del></del>		4
ļ	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month		1	UNC1X	1L5XX	0.18							I			
	Each Additional DS1 Interoffice Channel Facility Termination in	<del> </del>	-	UNCIX	ILSAA	0.10					<del> </del>		<u> </u>	<u> </u>	1	1
İ	same 3/1 Channel System per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44	İ	1	1			
	Additional Voice Grade COCI - in combination - per month	<del> </del>	1	UNCVX	1D1VG	0.53	6.58	4.72								1
	Nonrecurring Currently Combined Network Elements Switch -As-	1														
	Is Charge	<u> </u>		UNC1X	UNCCC		5.59	5.59	6.98	6.98	ļ					
EXT	NOED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT wi 3/	MUX		······					ļ		<u> </u>	<del> </del>	-
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination - Zone 1			UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50				1		
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -			DINCUX	OULSO	20.09	120.21	00.00	39.14	14.50	<del> </del>	<del> </del>			<del></del>	1
	Zone 2		2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50		1	į	Ì		<b></b>
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	1										1				
	Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50						
	First Interoffice Transport - Dedicated - DS1 combination - Per	T														1
	Mile Per Month	<b> </b>		UNC1X	1L5XX	0.18			ļ	<b> </b>		<b></b>	<b> </b>		<del> </del>	+
	First Interoffice Transport - Dedicated - DS1 - combination	1		LINGAY		60.40	go 07	64.04	16.25	14,44	_	]				
	Facility Termination Per Month Per each 1/0 Channel System in combination Per Month	<del> </del>		UNC1X UNC1X	U1TF1 MQ1	60.16 101.06	89.27 91.04	81.81 62.57	16.35 10.54	9,79		<del> </del>	<u> </u>	<del>                                     </del>	+	+
	Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)	<del> </del>	-	UNCDX	1D1DD	1.12	6.58	4.72		3.75	<del> </del>	1	<del>                                     </del>	<del>                                     </del>		
	3/1 Channel System in combination per month	<del>                                     </del>	·	UNC3X	MQ3	166.13	178.14	93.97		31.83						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	12.70	6.58	4.72								
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1									1						
	Interoffice Transport Combination - Zone 1	<u></u>	1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50	J		<b>↓</b>	-	4	+
1	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1	ایا	LINORY	UDL56	25.00	400.07	20.00	50.44	14.50	.1		1			1
	Interoffice Transport Combination - Zone 2  Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	<del> </del>	2	UNCDX	UUIL06	35.95	126.27	88.80	59.14	14.50	+		<del> </del>	<del> </del>	+	+
	Interoffice Transport Combination - Zone 3	1	3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50		l	1	1	1	<u> </u>
_	OCU-DP COCI (data) COCI in combination per month (2.4-	<del>                                     </del>	<u> </u>		1	500	120:21	55.50		1	T		<b>T</b>			1
	64kbs)			UNCDX	1D1DD	1.12	6.58	4.72	1				1			
	Each Additional DS1 Interoffice Channel per mile in same 3/1														1	1
	Channel System per month	ļ	L	UNC1X	1L5XX	0.18			ļ	ļ	<b></b>		-	ļ ——	<del>                                      </del>	-
	Each Additional DS1 Interoffice Channel Facility Termination in			UNICAY	LISTEA		an a=	64.64	40.00						1	
	same 3/1 Channel System per month		ļ	UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44	+	+	<del> </del>	<del> </del>	<del> </del>	_
-	Each Additional DS1 COCI in the same 3/1 channel system combination per month	1		UNC1X	UC1D1	12.70	6.58	4.72	1		1		1			
	Nonrecurring Currently Combined Network Elements Switch -As-	<del>                                     </del>	-	WITH IN	100,01	12.70	0.00	7.72	1	1	<del>                                     </del>	<del>                                     </del>	1		1	7
1	is Charge	1		UNC1X	UNCCC		5.59	5.59	6.98	6.98	<u></u>					
	NOED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT w/ 3/	MUX								1		1	

MOUNDEL	D NETWORK ELEMENTS - Alabama			,							т			ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manualty per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'i	Charge -	Charge Manual S Order va
						Rec	Nonrec	urring	Nonrecurring					Rates (\$)	T - 6500 AM	SOMAN
			ļ				First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SUMAN
l	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	1	١.	LALORY		20.00	400.07	20.00	50.44	44.50					1	1
	Transport Combination - Zone 1		1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50		ļ			+	<del> </del>
-	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50	1			ĺ	1	
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		-	DISCON	- ODEO4	30.33	120.21	00.00	33.14	14.50	<del> </del> -				1	
	Transport Combination - Zone 3	l	3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50						_
	First Interoffice Transport - Dedicated - DS1 combination - Per		-		1										1	
	Mile Per Month	ļ		UNC1X	1L5XX	0.18										
	First Interoffice Transport - Dedicated - DS1 combination -		1													
	Facility Termination Per Month			UNC1X	U1TF1	60.16	89.27	81.81	16,35	14.44						<del></del>
	Per each Channel System 1/0 in combination Per Month			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79					J	
	Per each OCU-DP COCI (data) in combination - per month (2.4-												1		1	
	[64kbs)	<u> </u>		UNCDX	1D1DD	1.12	6.58	4.72				<u> </u>	ļ	<del> </del>	<del> </del>	+
	3/1 Channel System in combination per month	<u> </u>	-	UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83	<del> </del>	ļ	<del> </del>	<del> </del>	+	-
	Per each DS1 COCI in combination per month Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	<del> </del>		UNC1X	UC1D1	12.70	6.58	4.72			<del> </del>		ł			+
	Interoffice Transport Combination - Zone 1	1		UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50		•	1	1	1	İ
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	<u> </u>	<del>- '</del>	UNODA	UDL04	20.09	120.27	00.00	39.14	14,50	<del> </del>	<del></del>	<del> </del>	<del></del>	<del>+</del>	+-
- 1	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50	1	l	į	l		1
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	<b>——</b>		ONODA	- Journal	30.80	120.27	30.00	93.14	14.50	<del> </del>	ļ	<u> </u>	<b>—</b>		1
1	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	37.88	126,27	88.80	59,14	14.50	1	1	l	1	ļ	1
	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System	<b></b> -				01.00	120,01		33.22				1			1
	combination - per month (2.4-64kbs)		1	UNCDX	10100	1.12	6.58	4.72					1			
	Each Additional DS1 Interoffice Channel per mile in same 3/1											***************************************				
	Channel System per month			UNC1X	1L5XX	0.18										
	Each Additional DS1 Interoffice Channel Facility Termination in															1
	same 3/1 Channel System per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44				ļ		
	Each Additional DS1 COCI in the same 3/1 channel system	•			1. 1											1
	combination per month	ļ		UNC1X	UC1D1	12.70	6.58	4.72				<u> </u>			+	
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1	ļ	UNC1X	1	1		e 60	6,98	6.98		1		1	l	1
EVTEN	is charge IDED 2-WIRE ISON LOOP WITH DS1 INTEROFFICE TRANSPOR	T! 3/:	4 88117	UNCIX	UNCCC		5.59	5.59	5.98	6.98	<del> </del>		<del> </del>	<del> </del>	-	+
EXIEN	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	CI WI SI	MUA								-			<del> </del>		+
	Transport - Zone 1		1	UNCNX	U1L2X	21.88	117.24	79.77	52.88	10.54	1					
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination		<del></del>	-				(0,7)		7575						1 -
	Transport - Zone 2		2	UNCNX	U1L2X	32.85	117,24	79.77	52.88	10.54	1					
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															T
1	Transport - Zone 3		3	UNCNX	U1L2X	48.55	117.24	79,77	52.88	10.54				L		
	First Interoffice Transport - Dedicated - DS1 combination - Per														1	
	Mile per month			UNC1X	1L5XX	0.18								<b> </b>		
	First Interoffice Transport - Dedicated - DS1 combination -					1							į		1	
	Facility Termination per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14,44	<b></b>		-	<del> </del>		+
	Per each Channel System 1/0 in combination - per month			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79			<del> </del>	<del> </del>	<del></del>	
1	December 2 with 1900 (OOC) (DOTT) in work in the			UNCNX	UCTCA			4.70			1			1	1	
	Per each 2-wire ISDN COCI (BRITE) in combination - per month  3/1 Channel System in combination per month			UNC3X	MQ3	2.41 166.13	6.58 178.14	4.72 93.97	33,26	31.83	<del> </del>		<del> </del>	<del> </del>		+
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	12.70	6.58	4.72	33.20	31.03	·			+		+
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport			UNUIX	00.01	12.70	0.56	4.72	·		<del> </del>	<del> </del>		<del> </del>		1
1	Combination - Zone 1		1	UNCNX	U1L2X	21.88	117.24	79,77	52.88	10.54			1	Ī		
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport				1						<del>                                     </del>		1		1	1
	Combination - Zone 2		2	UNCNX	U1L2X	32.85	117.24	79.77	52.88	10.54	<u> </u>	1				
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport										T	T				
	Combination - Zone 3		3	UNCNX	U1L2X	48.55	117.24	79.77	52.88	10.54			<u> </u>			
	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel														1	
	system combination- per month		<u> </u>	UNCNX	UC1CA	2.41	6.58	4.72			<b></b>		<u></u>	<del> </del>		-
	Each Additional DS1 Interoffice Channel per mile in same 3/1			,,,,,,,,,							1			1	1	1
	Channel System per month			UNC1X	1L5XX	0.18					<del></del>	<del> </del>	<del> </del>	<del> </del>	<del></del>	-
ı	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month		1	UNC1X	1 1	1		81.81	l '	1	1	1	1	1	i	

BUNDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
		1	T	T	T						Svc Order	Svc Order	Incremental	Incremental	Incremental	Increment
			1	İ	ļ							Submitted	Charge -	Cherge -	Charge -	Charge -
		!			1	ļ							-		, -	
TEAABY	DATE EL EMPLITO	Interi	۱			l		A TEO (8)			Elec	Manually	Manual Svc			L
TEGORY	RATE ELEMENTS	m	Zone	BCS	USOC	Ī		RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			1	1	1						1	i	Electronic-	Electronic-	Electronic-	Electronic
		i	1								1		1st	Add'l	Disc 1st	Disc Add
			L													
							Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates (\$)		
		1	†			Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DS1 COCI in the same 3/1 channel system	<del>                                     </del>													1	
	combination per month	l	1	UNC1X	UC1D1	12.70	6.58	4.72				1		1	1	1
	Nonrecurring Currently Combined Network Elements Switch -As-			ONCIA		12.70	0.30	4,72							<del> </del>	<del> </del>
ļ		1	1			1						•			1	1
	is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98				<del>                                     </del>		
EXTER	DED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TRANS												ļ		
	First 4-wire DS1 Digital Local Loop in Combination - Zone 1	L		UNC1X	USLXX	82.55	252,47	157.54	44.70	11.71						
	First 4-wire DS1 Digital Looal Loop in Combination - Zone 2		2	UNC1X	USLXX	154.18	252.47	157.54	44,70	11.71					J	
	First 4-wire DS1 Digital Looal Loop in Combination - Zone 3		3	UNC1X	USLXX	314.52	252,47	157.54	44.70	11.71						<u> </u>
	First Interoffice Transport - Dedicated - DS1 combination - Per										1					
1	Mile Per Month	1	ĺ	UNC1X	1L5XX	0.18				1	1	1	1	1		1
	First Interoffice Transport - Dedicated - DS1 combination -	<del> </del>	<del>                                     </del>	1	1.50,00	V. 13					·			1	1	1
	Facility Termination Per Month	1	1	LINCAY		60.40	00.07	04.04	40.00	14,44	1	1		-	1	1
				UNC1X	U1TF1	60.16	89.27	81.81	16.35		<del></del>			<del> </del>	+	+
	3/1 Channel System in combination per month		<u> </u>	UNC3X	MQ3	166.13	178,14	93.97	33.26	31.83		l		ļ	<del> </del>	<del> </del>
	Per each DS1 COCI combination per month		L	UNC1X	UC1D1	12.70	6.58	4.72					<u> </u>	<b> </b>	4	<b></b>
1	Each Additional DS1 Interoffice Channel per mile in same 3/1											1	I	1	1	1
	Channel System per month	l	L	UNC1X	1L5XX	0.18				l	l	l	l			
<u> </u>	Each Additional DS1 Interoffice Channel Facility Termination in													1	7	1
- 1	same 3/1 Channel System per month	1	ł	UNC1X	U1TF1	60.16	89.27	81.81	16.35	14,44	1	Į.		[	1	1
	Each Additional DS1 COCI in the same 3/1 channel system	<del> </del> -	<del>                                     </del>	011011		50.10	OJ. E.	01.01	10.00		<del> </del>					
1	combination per month	1	1	UNC1X	UC1D1	12.70	6.58	4.72		ĺ	1	l		1		
<del></del>		<del> </del>		ONCIA	OCIDI	12.70	6.00	4.12			<del> </del>	ļ		-		+
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone												l		1	1
	1		1 1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71			ļ		J	
1	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		1	l						1	1	1		i	ı	
.1	2	1	2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71	1	1	l			
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone	1	T													1
ı	3	ĺ	3	UNC1X	USLXX	314.52	252,47	157.54	44.70	11.71	1				1	1
	Nonrecurring Currently Combined Network Elements Switch -As-		<del></del>			712		101101	11/1/12	17.0		1	1			_
l	Is Charge	1	l	UNC1X	UNCCC	1	5.59	5.59	6.98	6.98	1	1				i
EVTEL	IDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	HITEDO	FFICE		UNCCC	-	5.59	5.59	0.90	0.90	<del> </del>	<del> </del>	<del></del>		<del></del>	<del></del>
EXIEN		NIEKU			1,151,50	99.99	404.00	45.55	20.11	12.50	<del> </del>	ļ	ļ	<del> </del>	<del> </del>	+
	First 4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	26.09	126.27	88,80	59.14	14.50			ļ	<del> </del>		<del></del>
	First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50						<del> </del>
	First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50	1	L	<u> </u>			
- 1	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile												1	ļ	1	1
- 1	per month	l	Ĭ	UNCDX	1L5XX	0.008838				1	1	1	1	l		
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility	l									1		1	1		
i	Termination per month	l	1	UNCDX	บาтอร	15.12	40.54	27,41	16.74	6.90	ĺ	!	1	1	1	1
	Nonrecurring Currently Combined Network Elements Switch -As-		<del></del>	GIVODA		73.12	40.54	27,41	10.14	0.00		·				
1	Is Charge	1		UNCDX	1111000	1		5.50	***	6.98	ł	l	1		1	1
EVTER	IS Charge IDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	HTEDA	FFIRE		UNCCC		5.59	5. <u>59</u>	6.98	6.98	<del></del>	<del> </del>	<del> </del>	+	+	-
EXIEN		NIEKO								<del> </del>	<b> </b>	<b></b>	<del> </del>	<del> </del>	<del></del>	1
	First 4-wire 64 kbps Local Loop in combination - Zone 1			UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50		<b></b>	<b></b>	<b></b>		<del> </del>
	First 4-wire 64 kbps Local Loop in combination - Zone 2			UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50						
	First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50						
	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile	1	I											1		1
1	per month	1	1	UNCDX	1L5XX	0.008838				i	1	1	1	1	1	1
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility				1						1	1	1		T	
1	Termination per month	l	I	UNCDX	U1TD6	15.12	40.54	27.41	16.74	6.90	1	1	1		1	1
<del></del>	Nonrecurring Currently Combined Network Elements Switch -As-	<del> </del>	<del> </del>	0.100/	131100	10.12	70.34	21.41	10.74	3.50	1	<del> </del>	<del> </del>	<del> </del>		
1	is Charge	I	1	UNCDX	UNCCC		5.59	5.59	6,98	6.98	I	1	1	1	1	1
DITION .	IS CHARGE IETWORK ELEMENTS		ļ	UNGUA	UNCCC		5.58	3.59	0.98	0.98	<del> </del>	<del> </del>	<del></del>	+		<del> </del>
					المستحدث المستحدث	L				<del> </del>	<del> </del>	<del> </del>	<del> </del>	-		+
When	used as a part of a currently combined facility, the non-recurr	ng char	ges do	not apply, but a	Switch As is c	narge does app	ly.				<b>↓</b>	<b> </b>	<b></b>	<del> </del>	+	+
	used as ordinarily combined natwork elements in Ali States, t					As is Charge d	oes not.				J			<b></b>	<del></del>	
Nonrec	curring Currently Combined Network Elements "Switch As Is"	Charge	(One a	pplies to each con	nbination)											-
	Nonrecurring Currently Combined Network Elements Switch -As-									I			1		1	
1	Is Charge - 2 wire/4-Wire VG			UNCVX	UNCCC	1	5.59	5.59	6.98	6.98	1	1	1	1		
	Nonrecurring Currently Combined Network Elements Switch -As-								-,30	1	1		1	1		
1	Is Charge - 56/64 kbps			UNCDX	UNCCC		5.59	5.59	6.98	6.98	1		1	1	1	1
	Nonrecurring Currently Combined Network Elements Switch -As-	·		9,100/1	511000		3.38	5.09	0.30	9.30	+	<del> </del>	<del></del>	<del></del>		1

NBUNDLI	ED NETWORK ELEMENTS - Alabama									,			Attach	ment: 2	Exhi	bit: A
					1						Svc Order	Svc Order	Incremental	Incremental	Incremental	Increment
		İ			1 1							Submitted	Charge -	Charge -	Charge -	Charge
			1		1 1										,	,
		Interi			1 1						Elec	Manually	Manual Svc			
TEGORY	RATE ELEMENTS		Zone	BCS	usoc			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs
		m			1 1						P 4		Electronic-	Electronic-	Electronic-	Electronic
					1 1						1			1	Disc 1st	Disc Add
			1		1 1								1st	Add'i	DISC 1ST	DISC AUG
														<u> </u>	.l	
					1	Rec	Nonrec	urring	Nonrecurrin	g Disconnect	l			Rates (\$)		
						Nou	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-					***************************************										1
- 1				UNC3X	UNCCC		5.59	5.59	6.98	6.98			l			1
	Is Charge - DS3			UNUSA	UNICCC		3.38	5.39	0.80	0.90					<del> </del>	
1	Nonrecurring Currently Combined Network Elements Switch -As-				1				1	1	į	1	ļ	l	1	1
ĺ.	Is Charge - STS1			UNCSX	UNCCC		5.59	5.59	6.98	6.98		I	l		1	
Optio	nal Features & Functions:															
			_	U1TD1.	<del> </del>											
- 1		١.								l.,	l			l		]
	Clear Channel Capability Extended Frame Option - per DS1			ULDD1,UNC1X	CCOEF		JOI	01	01	01				-		
- 1			1	U1TD1,	1		i l				i		l	1	1	1
1	Clear Channel Capability Super FrameOption - per DS1	1		ULDD1,UNC1X	CCOSF		Ot	Ci .	OI	OI .	1			1	1	
<del></del>	Clear Channel Capability (SF/ESF) Option - Subsequent	<del>-</del> -		ULDD1, U1TD1,	10000		ļ	··								
-		١.						20.040		0.77440	I	1	I			i
	Activity - per DS1			UNC1X, USL	NRCCC		184.85\$	23.81S	1.995	0.77418					-	<del></del>
1				U1TD3, ULDD3,	1		1			1	1	I	1	1	1	1
1	C-bit Parity Option - Subsequent Activity - per DS3	i	i	UE3, UNC3X	NRCC3		219.138	7.67\$	0.7355S	08	I	1	1	1	1	I
85115 1	IPLEXERS	<del> </del>	<del>  </del>		1.7.10					† <del></del>	<del></del>		<b></b>	i	1	1
MUL				10000	1				12.5	·		<b></b>	<del> </del>	1	1	+
	DS1 to DS0 Channel System per month			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79			L			4
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per	_							]		I	I	1	1	1	I
1	month (2.4-64kbs) used for a Local Loop		1	UDL	1D1DD	1.12	6.58	4.72	0.00	0.00	1	1		1	1	1
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per		<del>  </del>		1:2:2		0.00	1.72	0,00	1	<del> </del>	<del> </del>		1		T
1					1 1		1		l .	1	1	i	İ	i	1	i
ı	month (2.4-64kbs) used for connection to a channelized DS1						1			1	1	1	1		1	Į.
	Local Channel in the same SWC as collocation	i		UTTUD	1D1D0	1,12	6.58	4.72	0.00	0.00		Ī				1
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per										1				1	1
1			1 1		1,,,,,,,		0.50	4 70		0.00	1	l	1	1	i	1
	month for a Local Loop			UDN	UC1CA	2,41	6.58	4.72	0.00	0.00	ļ	<del> </del>	ļ	<del> </del>	<del></del>	- <del></del>
i	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per									1	1	l	1	1	1	1
	month used for connection to a channelized DS1 Local Channel									1	1		1	1	1	1
1	in the same SWC as collocation		}	UITUB	UC1CA	2.41	6.58	4.72	0.00	0.00	1		l		1	1
				01100	100.00	2.41	0.00	4,72	0.00	0.00						1
i i	Voice Grade COCI - DS1 to DS0 Channel System - per month				1 1		i i		l .	1		1	1	1		
_ i	used for a Local Loop			UEA	1D1VG	0.53	6.58	4.72	0.00	0.00		L				
	Voice Grade COCI - DS1 to DS0 Channel System - per month				1						1			1		1
- 1	used for connection to a channelized DS1 Local Channel in the		1		1 1		1		1	ļ	l	1		l		ı
- 1				U1TUC	1.000	0.50	0.50	4 70	0.00	0.00	1	1				
	same SWC as collocation				1D1VG	0.53	6.58	4.72								<del></del>
	DS3 to DS1 Channel System per month		1	UNC3X	MQ3	166.13	178.14	93.97	33.26		L	<u> </u>	1		.,	
	STS-1 to DS1 Channel System per month			UNCSX	MQ3	166,13	178.14	93.97	33.26	31.83	1				1	
	DS1 COCI used with Loop per month			USL	UC1D1	12.70	6.58	4.72	0.00	0.00	T .					
	DC4 COOL Good for annually the state of the self-ord DC4 Local			002	100.0.	12.70	0.00	747.44	0,00	0.00	<del> </del>	<del></del>	-			
1	DS1 COCI (used for connection to a channelized DS1 Local										1	1	1	1	1	
	Channel in the same SWC as collocation) per month			U1TUA	UC1D1	12.70	6.58	4.72	0.00				<b></b>	<del></del>	<del> </del>	
7	DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	12.70	6.58	4.72	0.00	0.00		1	1	1		
_	DS3 Interface Unit (DS1 COCI) used with Local Channel per			<del></del>	1					1	1					
1	month			ULDD1	UC1D1	12,70	0 50	4,72	0.00	0.00		1	1	1	1	l .
				ועוטטו	OCID!	12.70	6.58	4.12	0.00	0.00	<del>                                     </del>	<del> </del>	<del> </del>	+	+	<del></del>
	LOCAL EXCHANGE SWITCHING(PORTS)				<u>l</u>						ļ	<b></b>	<b></b>			+
Excha	inge Ports		, –							1		L	L			
NOTE	: Although the Port Rate includes all available features in GA, I	CY. LA	TN H	ne desired features	will need to h	e ordered usi	no retail USOC	<u> </u>	T	1				1		
	E VOICE GRADE LINE PORT RATES (RES)			10010.00	1 1				<del></del>	<del> </del>	1	1	1	1		
2-441k			-		1					<del> </del>	<del> </del>	<b></b>	<del> </del>	-	+	
	Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.38	2.38	2.27	1,42	1.33	ļ	ļ	<del> </del>	ļ		
			1		1				1	1	1	1	I -	1	1	1
- 1	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.38	2.38	2.27	1.42	1.33		1	1	1		
-					1		1		1	1	1	1	1	1		
1	Freehouse Bade O Marie Analysis II - Bad - date			LICERCE	lurner 1					4	1	1	1	1		1
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.		ļI	UEPSR	UEPRO	1.38	2.38	2.27	1.42	1.33		<b></b>	+	<del></del>		
- 1	Exchange Ports - 2-Wire VG unbundled AL extended local		1		1		1		1	1	1	ı	1	1	1	1
1	dialing parity Port with Caller ID - Res.			UEPSR	UEPAR	1.38	2.38	2.27	1.42	1.33	1	1	1	L		
	Exchange Ports - 2-Wire VG unbundled res, low usage line port				1					1	1	T		7		
				LIEDEO	lurnan	4 20	2.00	2.27	1	4 22	i	1	1	1	1	1
	with Caller ID (LUM)			UEPSR	UEPAP	1,38	2.38	2.27	1,42	1.33			<del>-</del>	4	<del></del>	+
- 1	Exchange Ports - 2-Wire VG Alabama Residence Dialing Plan		1 1		1				1		1					1
1	without Caller Id			UEPSR	UEPWA	1.38	2.38	2.27	1.42	1.33	1	I	1	L		
	2-Wire voice unbundled Low Usage Line Port without Caller ID		<del></del>		+				1	1	1		1	T	1	
1			, 1						1	1	1	1		1	1	1
	Capability			UEPSR	UEPRT	1,38	2.38	2.27	1.42	1.33		<b>_</b>	<del></del>		<del></del>	
1	Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00	L		l	<u> </u>				
FEAT	URES								I			1		1		
- r	All Available Vertical Features		<del>  </del>	UEPSR	UEPVF	1.98	0.00	0.00		<del>                                     </del>	1	1	1	1		
1	E VOICE GRADE LINE PORT RATES (BUS)			UCFOR	UEPVF	1.96	0.00	V.U	<del> </del>		-		-	-	+	

MBUNDLE	D NETWORK ELEMENTS - Alabama												Attachi			bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			ł	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sv Order vs.
						Rec	Nonre	curring		g Disconnect				Rates (\$)		
						Nec	First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports - 2-Wire Analog Line Port without Caller ID -														1	
	Bus			UEPSB	UEPBL	1.38	2.38	2.27	1.42	1.33						<b></b>
1	Exchange Ports - 2-Wire VG unbundled Line Port with	1	1 1		İ										ļ	1
	unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.38	2.38	2.27	1.42	1.33	ļ				ļ	<del> </del>
	Forting But 2005 And the Date of the Date		1 (	UFDOD	115000	4.00	2.20	2.07	4.40	4.00					ļ	
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.38	2.38	2.27	1.42	1.33	<u> </u>				-	
l	Exchange Ports - 2-Wire VG unbundled AL extended local			. ICDED	A ICED AVA	1.20	2.38	2.27	1.42	1.33						
	dialing parity Port with Caller ID - Bus.  Exhange Ports - 2-Wire VG unbundled incoming only port with			UEPSB	UEPAW	1,38	2.38	2.21	1.42	1.33	<del> </del>				<del> </del>	<del>                                     </del>
1	Caller ID - Bus			UEPSB	UEPB1	1.38	2.38	2.27	1,42	1.33	-				1	
	Exchange Ports - 2-Wire Voice Alabama Business Dialing Plan	-	-	OEFOD	UEFBI	1.30	2.30	2.21	1,42	1.33	<del> </del>				1	<del> </del>
	without Calter ID			UEPSB	UEPWB	1,38	2.38	2.27	1.42	1,33	1	}	1			
	2-Wire voice unbundled Incoming Only Port without Caller ID	<del>                                     </del>	<del>  </del>	4	150, 710	1.36	2,30	2.21	1.42	1.00	†		l		1	1
	Capability			UEPSB	UEPBE	1,38	2.38	2.27	1.42	1.33						1
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00		1	1					
FEATU					1		-100			<del> </del>	<b>†</b>					
	All Available Vertical Features			UEPSB	UEPVF	1.98	0.00	0.00								
EXCHA	NGE PORT RATES (DID & PBX)				1											
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.38	31.27	14.85	13.94	0.90						
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.38	31.27	14.85	13.94	0.90						
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.38	31.27	14.85	13.94	0.90					1	
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.38	31.27	14.85	13.94	0.90					ļ	-
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.38	31.27	14.85	13.94	0.90						
	2-Wire Voice Unbundled 2-Way PBX Alabama Calling Port			UEPSP	UEPA2	1,38	31.27	14.85	13.94	0.90						<del></del>
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.38	31,27	14.85	13.94	0.90					<del></del>	4
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.38	31,27	14.85	13.94	0.90						<del></del>
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			uepsp uepsp	UEPXB	1.38	31.27	14.85 14.85	13.94 13.94	0.90			<del></del>		<del> </del>	-
	2-Wire Voice Unbundled PBX LD DDD Terminals Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.38	31.27 31.27	14.85	13.94	0.90		<del></del>	<b> </b>		+	+
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			UEPSP	UEPAU	1.30	31.21	14.00	13.94	0.90	<del> </del>		<del> </del>		<del> </del>	<del> </del>
	Capable Port			UEPSP	UEPXE	1.38	31.27	14.85	13.94	0.90			l			1
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		<del>                                     </del>	ou or	ULFAL	1,540	(1).21	14.05	10.04	0.50	+		1		<del>                                     </del>	1
1	Administrative Calling Port			UEPSP	UEPXL	1.38	31.27	14.85	13.94	0.90			1		į	1
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			OLI OI	OLI AL	1.00		14.00	10.54	1	+				·	
l	Room Calling Port	1		UEPSP	UEPXM	1.38	31.27	14.85	13.94	0.90			i		1	1
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital				1	50	J.,E1	13.00	1	1 3.50	1		1		1	1
	Discount Room Calling Port			UEPSP	UEPXO	1.38	31.27	14.85	13.94	0.90		1	1		L	
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.38	31.27	14.85	13.94	0.90						
	Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00								
FEATU															<b></b>	
	All Available Vertical Features			UEPSP UEPSE	UEPVF	1.98	0.00	0.00								
EXCHA	INGE PORT RATES (COIN)															
	Exchange Ports - Coin Port	L				1.38	2.38	2.27	1.42					L		
NOTE:	Transmission/usage charges associated with POTS circuit so	witched	usage '	will also apply to c	ircuit switche	d voice and/or	circuit switch	ed data transm	ission by B-C	hannels assoc	iated with 2	wire ISDN	ports.	<u> </u>		
	Access to B Channel or D Channel Packet capabilities will be	availab	le only	through BFR/New	Business Re	quest Process.	Rates for the	packet capabi	lities will be d	etermined via	the Bona Fi	se Request	New Busines	s Request Pi	ocess.	<del></del>
	OCAL EXCHANGE SWITCHING(PORTS) INGE PORT RATES		├		1				<b> </b>	<del> </del>	<del> </del>	<b> </b>	<del> </del>	<del> </del>	+	+
	INGE PORT KATES  1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS	DM Port	in this	ente auhibit canto t	o the combad	ded bass in cir	OD 50 05 40/016	3 readil 414 MA	Attac 4/4/04 4	nea cales abol	l coveré so se	riff rates as	a constrate or	mament	<del> </del>	+
	its for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports											inter Or	an ben ara al	. Johnson	+	1
- redues	Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	8.05	119.31	18,74	59.90	3.76		<del> </del>		<del> </del>	1	
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID	<b>-</b>	<del>                                     </del>		1	0.00	119.01	10,14	00.30	1	1	† — —	1		1	1
- 1	capability (E:4/1/2004)	1 1		UEPDĎ	UEPDD	60.09	202.02	95.69	72.59	2.46		1	1		1	
	Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX, UEPSX	U1PMA	9.79	72.77	52.99	47.79			1	1		1	
	All Features Offered			UEPTX, UEPSX	UEPVF	1.98	0.00	0.00		1		T				
	Exchange Ports - 2-Wire ISDN Port - Channel Profiles			UEPTX, UEPSX	U1UMA	0.00	0.00	0.00							1	
		- idahad			rouit owitche	d voice and/or	circuit switch	ed data transm	ission by B.C.	hannels assert	isted with 2	wire ISDN	ports.	1	1	
NOTE:	Transmission/usage charges associated with POTS circuit so Access to B Channel or D Channel Packet capabilities will be	WITCHEU	npaña.	will give apply to ci	HOUR SWILCHIE	TO TOICE allului				1101111010 00000		MING ICEL				

NBUNDL	ED NETWORK ELEMENTS - Alabama												Attach			bit: A
		T	T									Svc Order		Incremental		
			1	l	1						Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		1	1	1	1 1						Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
TEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC	1		RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									pa. con	per con	Electronic-	Electronic-	Electronic-	Electronic-
		1	l		1						l					Disc Add'I
		1	1		]						l	1	1st	Add'i	Disc 1st	Disc Add:
		<del> </del>	<del> </del>		<del> </del>		Nonrec	urrina	Nonrecurring	Disconnect		<del></del>	oss	Rates (\$)		
		+	<del> </del>		<del> </del>	Rec	First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911		<del> </del>		<del> </del>		-11131	- NOV I	1 1131	Auu	COME	-				
	Locator Capability (E:4/1/2004)	1	1	UEPEX	UEPEX	84.32	203.81	101.56	79.18	20.06	1	İ			1	l
	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)		├	UEPDX	UEPDX	84.32	203.81	101.56	79.18	20.06	<del> </del>				<del></del>	<del>                                     </del>
										5.79	<del> </del>		<del> </del>		<del> </del>	<del> </del>
	Physical Collocation - DS1 Cross-Connects			UEPEX UEPDX	PE1P1	1.11	22.03	15.93	6.40	3,79		<del> </del>	<del> </del>		<del> </del>	
- 1	Virtual collocation - Special Access & UNE, cross-connect per	1	1	LEDEN VEDDY	laura I		20.00	45.00	0.40	5.79			1		1	1
	DS1			UEPEX UEPDX	CNC1X	1,11	22.03	15.93	6.40	5.79		ļ	<del> </del>		<del> </del>	<del> </del>
Detai	led E911 with Locator Capability (required with UEPEX port)		<del> </del>								<del> </del>	ļ	ļ	ļ	<del> </del>	-
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911	1	1								•	1	1	1		1
	Locator Capability - Initial Profile Establishment per CLEC per	1	1	1								l	Ì	ĺ		1
	State	J		UEPEX	UEP1A	0.00	1,804.00		156.08							
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911	1									ĺ	1	1		1	
- 1	Locator Capability - Subsequent Profile Changes, Additions,	1	1									1	1	1	1	1
	Deletions	1	1	UEPEX	UEP1B	0.00	175.14									
New	or Additional PRI Telephone Numbers		1		<del>                                     </del>							T				
11111	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911				1						1					
	Locator Capability 2-way Telephone Numbers, per number in	1	1									I	1	1	1	
İ	E911 profile [New or Additional]			UEPEX	UEP1C	0.0697	0.49				ļ				1	
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911	<del> </del>	<del> </del>	OLPEX	GEFTO	0.0007	0.43				<del> </del>	-				
1		1	1	1	i i	i					1	1	1		Į	
i	Locator Capability - Outdial Telephone Numbers, per number in										1	1	İ	l	1	1
	E911 profile [New or Additional]	<del> </del>		UEPEX	UEP1D	0.0697	11.51				<b></b>	<del> </del>	ļ		<del> </del>	<del></del>
- 1	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward	ļ	1	1	1						1	l	I	l		
- 1	Telephone Numbers - Inward Data Only Option [New or	1	1		1 1						1	1	1	1	1	1
	Additional]			UEPDX	UEP1E	0.00	0.049									
	Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]	1	Г										1	i		
	Inward Tel Numbers [Customer Testing Purposes]		1	UEPEX	PR7ZT	0.00	23.02					1	1	<u> </u>		
LOC/	AL NUMBER PORTABILITY															
-	Local Number Portability (1 per port)	<del>                                     </del>	1	UEPEX UEPDX	LNPCN	1.75										
INTE	RFACE (Provsioning Only)	<del> </del>	<del> </del>		-						<del>                                     </del>					
	Voice/Data	<del>                                     </del>	-	UEPEX	PR71V	0.00	0.00	0.00			<del> </del>	1	<del>                                     </del>	<del> </del>		
<del></del>	Digital Data	1	+	UEPEX	PR71D	0.00	0.00	0.00				<del> </del>			1	<del>                                     </del>
	Inward Data	<del> </del> -	<b>├</b> ──	UEPDX	PR71E	0.00	0.00	0.00			-	<del> </del>	<del> </del>	<del> </del>		<del> </del>
Marri	or Additional Channel	<del> </del>	<del> </del>	UEFUA	PR/IE	17.087	0.00	0.00				<del> </del>	<del> </del>	<del> </del>		
MEM		<del> </del> -		) IFFE	DOTO:	0.00	44.50			ļ	·	<del> </del>	<del> </del>	<del> </del>	<del> </del>	<del> </del>
	New or Additional - Voice/Data "B" Channel			UEPEX	PR78V	0.00	14.53					<del> </del>	<del> </del>		<del> </del>	+
	New or Additional - Digital Data "B" Channel	ļ		UEPEX	PR7BF	0.00	14.53				<del> </del>		ļ			-
	New or Additional Inward Data "B" Channel		L	UEPOX	PR7BD	0.00	14.53							ļ		<del></del>
	New or Additional Useage Sensitive Voice Data "B" Channel	L	1	UEPEX	PR7BS	0.00	14.53						1		1	<b>-</b>
	New or Additional Useage Sensitive Digital Data "B" Channel		L	UEPEX	PR7BU	0.00	14.53						1		<b></b>	<b></b>
	New or Additional PRI "D" Channel			UEPEX	PR7EX	0.00	14.53							<u> </u>		<b></b>
CALL	. TYPE\$		1									1				
	Inward	I	1	UEPEX UEPDX	PR7C1	0.00	0.00	0.00						L	1	
	Outward			UEPEX	PR7CO	0.00	0.00	0.00			1		L			
_	Two-way	T-	1	UEPEX	PR7CC	0.00	0.00	0.00		l	1	T				
UNBI	UNDLED PORT with REMOTE CALL FORWARDING CAPABILIT	ý								l	T	T				
	JNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE		1		1						1	1	<del>                                     </del>	1		1
10,400	Unbundled Remote Call Forwarding Service, Area Calling, Res	<del> </del>	<del>                                     </del>	UEPVR	UERAC	1.38	2.38	2.27	1,42	1.33	1	1	<b>T</b>	<del>                                     </del>		
	The state of the s	<del> </del>	<del> </del>		+ <del></del>	,,,,,,	2.00	2.21	1,75		<del>                                     </del>	1	<del> </del>	1	1	
- 1	Unbundled Remote Call Forwarding Service, Local Calling - Res	.1	1	UEPVR	UERLC	1.38	2.38	2.27	1.42	1.33		1	1	1	1	1
	Unbundled Remote Call Forwarding Service, InterLATA - Res	+	<del> </del>	UEPVR	UERTE	1.38	2.38	2.27	1.42	1.33		<del> </del>	-	1		T
		+	<del> </del>	UEPVR	UERTR	1.38	2.38	2.27	1.42	1.33		1	+	<del> </del>	1	
- 1	Unbundled Remote Call Forwarding Service, IntraLATA - Res		-	UCTVK	UCKIK	1.38	2,30	4.21	1.42	1,33	+	+	<del> </del>		<del> </del>	+
Non-	Recurring		-		<del>                                     </del>									+	<del>                                     </del>	+
-	Unbundled Remote Call Forwarding Service - Conversion -	}	1		1						1	1		1	1	1
	Switch-as-is	I	<u> </u>	UEPVR	USAC2		0.10	0.10			4		<b>-</b>	<del> </del>	+	
1	Unbundled Remote Call Forwarding Service - Conversion with	1	1						1	İ		i	ı	1	1	ł
	allowed change (PIC and LPIC)	<u></u>		UEPVR	USACC		0.10	0.10						4		
UNB	UNDLED REMOTE CALL FORWARDING - Bus													ļ	1	<del></del>
T			1											1	1	1
1	Unbundled Remote Call Forwarding Service, Area Calling - Bus	1	1	UEPVB	UERAC	1.38	2.38	2.27	1.42	1.33				1	1	
		1							T	1		1		1		
1	Unbundled Remote Catt Forwarding Service, Local Catting - Bus	.1	1	UEPVB	UERLC	1.38	2.38	2.27	1.42	1.33	.	1	1	1	1	1

MBUNDLE	D NETWORK ELEMENTS - Alabama	·												ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonre	curring	Nonrecurring					Rates (\$)		
			ļ				First	Add'l	First	Add*l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Remote Call Forwarding Service, InterLATA - Bus	<u> </u>		UEPVB	UERTE	1.38	2.38	2.27	1.42	1.33		<del> </del>				<del> </del>
	Unbundled Remote Call Forwarding Service, IntraLATA - Bus Unbundled Remote Call Forwarding Service Expanded and	<del> </del>	<del> </del>	UEPVB	UERTR	1.38	2.38	2.27	1.42	1.33	<del> </del>	<b>_</b>				
J	Exception Local Calling		ļ	UEPVB	UERVJ	1.38	2.38	2.27	1.42	1.33	1	1	l			
Non-F	Lexication Local Calling	-	├	UEPVB	DEKAN _	1.30	2.30	2.21	1.42	1.33	<del> </del>	<del> </del>	<del> </del>			<del></del>
14011-71	Unbundled Remote Call Forwarding Service - Conversion -				<del> </del>	<del> </del>							ļ			<del>                                     </del>
	Switch-as-is	1		UEPVB	USAC2	1	0.10	0.10					1			
	Unbundled Remote Call Forwarding Service - Conversion with	1														
	allowed change (PIC and LPIC)			UEPVB	USACC		0.10	0.10			1		l .			
BUNDLED	LOCAL SWITCHING, PORT USAGE															
End O	ffice Switching (Port Usage)															
	End Office Switching Function, Per MOU					0.0007025						ļ				ļ
	End Office Trunk Port - Shared, Per MOU	<b> </b> -	<del> </del>		<del> </del>	0.0001638					<b></b>	<u> </u>	<del> </del>	ļ <u></u>		<u> </u>
rande	m Switching (Port Usage) (Local or Access Tandem) Tandem Switching Function Per MOU		-		-	0.000095		ļ			<del> </del>	ļ				
	Tandem Switching Function Per MOU Tandem Trunk Port - Shared, Per MOU		<b> </b> -			0.000095		<b></b>			<del> </del>		ļ			<del> </del>
	Tandem Nunk Port - Shared, Per MOU (Melded)		<del> </del>		<del></del>	0.00040993					<del> </del>	<b></b>	<del> </del>			
	Tandem Trunk Port - Shared, Per MOU (Melded)		<del> </del>		<del></del>	0.000040993					<del> </del>		ļ			<del> </del>
	Melded Factor: 43.15% of the Tandem Rate			<del></del>	+	0.000000547		<b> </b>			-		<del> </del>			<del> </del>
Comm	non Transport		<del> </del>		<del> </del>				<del></del>		<del> </del>		-			<del> </del>
1	Common Transport - Per Mile, Per MOU		<del>                                     </del>			0.0000023		<del> </del>		l	1		<b> </b>			
	Common Transport - Facilities Termination Per MOU				<del> </del>	0.0003224					<del> </del>					
BUNDLED	PORT/LOOP COMBINATIONS - COST BASED RATES		<b>—</b>		1			1								
	Based Rates are applied where BellSouth is required by FCC ar															
	res shall apply to the Unbundled Port/Loop Combination - Cos															
	ffice and Tandem Switching Usage and Common Transport Us															<u> </u>
	rst and additional Port nonrecurring charges apply to Not Curr	ently Co	ombine	ed Combos. For Cui	mently Comb	ined Combos ti	ne nonrecurrin	g charges sha	be those ide	ntified in the N	lonrecurring	g - Currently	Combined s	ections.		<b> </b>
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates				<del> </del>					ļ	<del> </del>		ł ———			
UNE	2-Wire VG Loop/Port Combo - Zone 1		1		<del> </del>	12.70		ļ		<del> </del>	<del> </del>	<del> </del>	<del> </del>			<del></del>
	2-Wire VG Loop/Port Combo - Zone 2		2			21.19		<del> </del>			+		<del> </del>			<del> </del>
_	2-Wire VG Loop/Port Combo - Zone 3	<del> </del>	3		<del></del>	34,80		l		<b></b>	<del> </del>		<b></b>	l		-
UNE L	oop Rates		<u>×</u>		<b>—</b>	0.00					<del> </del>	<del> </del>	<u> </u>			
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	11,55					i	****	<del> </del>			
1	2-Wire Voice Grade Loop (SL1) - Zone 2	l	2	UEPRX	UEPLX	20.04						T	1			
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	33.65							I			
2-Wire	Voice Grade Line Port Rates (Res)															
	2-Wire voice unbundled port - residence			UEPRX	UEPRL	1.15	40.19	19.83	24.91	6.63						
	2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	1.15	40.19	19.83	24.91	6.63	<u> </u>		<u> </u>			
	2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	1.15	40.19	19.83	24.91	6.63			ļ <u>.</u>			
	2-Wire voice Grade unbundled Alabama extended local dialing											Ī	1			
	parity port with Caller ID - res			UEPRX	UEPAR	1.15	40.19	19.83	24.91	6.63			<b></b>			ļ
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Unbundled Alabama Residence Dialing Plan without Caller ID			UEPRX	UEPWA	1.15	40.19	19.83	24.91	6.63						<u></u>
	2-Wire voice unbundled Low Usage Line Port without Caller ID Capability			UEPRX	UEPRT	1.15	40.19	19.83	24.91	6.63						
FEAT											J					
_	All Features Offered			UEPRX	UEPVF	1.98	0.00	0.00		<b></b>	<del> </del>		<b></b>		<b> </b>	<del></del>
LOCA	L NUMBER PORTABILITY	<b></b> _		UEBBY	1.1000	<del> </del>				ļ		<b> </b>			ļ	
NO.	Local Number Portability (1 per port)		<b> </b>	UEPRX	LNPCX	0.35				ļ		<u> </u>	-	<b></b>		<del> </del>
NUNK	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED  [2-Wire Voice Grade Loop / Line Port Combination - Conversion -	<b> </b>				l				l	<del> </del>	ļ	<del> </del>		ļ	<del> </del>
	Switch-as-is		ļ	UEPRX	USAC2		0.10	0.10								ļ
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change	<u> </u>		UEPRX	USACC		0.10	0.10								ļ
LAINDET	IONAL NRCs	i	i	l	1			i	1	1	1	i .	1	I	i	1

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attachi			bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charga - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
			ऻ			Rec	Nonrec		Nonrecurring		001450	0011411		Rates (\$)	SOMAN	SOMAN
		ļ	<b> </b>				First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SUMAN	SUMAN
1	2-Wire Voice Grade Loop/Line Port Combination - Subsequent		1	HEBBY	1,10400	0.00		2.00								l
<del></del> -	Activity Unbundled Miscellaneous Rate Element, Tag Loop at End User	<del> </del>	ļ	UEPRX	USAS2	0.00	0.00	0.00								<del> </del>
1	Premise	1	1	UEPRX	URETL		8.33	0.83								1
OFF/O	N PREMISES EXTENSION CHANNELS		├──	UEFRA	OKE IL		0.33	0.03			<b></b>					·
- 0	2 Wire Anatog Voice Grade Extension Loop - Non-Design	<del> </del>	1	UEPRX	UEAEN	12.58	37.81	17.56	23.49	5.30						
	2 Wire Analog Voice Grade Extension Loop - Non-Design			UEPRX	UEAEN	21.05	37.81	17.56	23.49	5.30						
	2 Wire Analog Voice Grade Extension Loop - Non-Design	<del> </del>		UEPRX	UEAEN	34.34	37.81	17.56	23.49	5.30						
	2 Wire Analog Voice Grade Extension Loop - Design			UEPRX	UEAED	14.38	88.00	55.00	47.24	7.44						
	2 Wire Analog Voice Grade Extension Loop - Design		2	UEPRX	UEAED	22.85	88.00	55.00	47.24	7,44						
	2 Wire Analog Voice Grade Extension Loop - Design		3	UEPRX	UEAED	36.14	88.00	55.00	47.24	7.44						
INTER	OFFICE TRANSPORT													~~~		
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1														l
	Termination			UEPRX	U1TV2	21.13	40.54	27.41	16.74	6.90						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	l	1		1 1	ł										]
	or Fraction Mile			UEPRX	U1TVM	0.008838	0.00	0.00								<b></b>
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)										L					
UNE P	ort/Loop Combination Rates				<del>                                     </del>							ļ				ļ
	2-Wire VG Loop/Port Combo - Zone 1	<u> </u>	1		<del> </del>	12.70						<b></b>				<b></b>
	2-Wire VG Loop/Port Combo - Zone 2		2			21.19					l					<del> </del>
Time 1	2-Wire VG Loop/Port Combo - Zone 3	ļ	3			34.80				ļ	<b></b>					<del> </del>
UNEL	pop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1		1	LIEDOV	UEPLX	11.55										
	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2			UEPBX	UEPLX	20.04						<del> </del>				
	2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3	<b>-</b>		UEPBX	UEPLX	33.65						<del></del>				<del></del>
2.Wire	Voice Grade Line Port (Bus)		-3	OLFBA	JOEPEN 1	33.03				<del> </del>	<del></del>	<b></b>				<b></b>
2-11110	2-Wire voice unbundled port without Caller ID - bus		<del> </del>	UEPBX	UEPBL	1.15	40.19	19.83	24.91	6.63	<del> </del>					<b></b>
	2-Wire voice unbundled port with Caller + E484 ID - bus		-	UEPBX	UEPBC	1.15	40.19	19.83	24.91	6.63						
	2-Wire voice unbundled port outgoing only - bus		<del> </del>	UEPBX	UEPBO	1.15	40.19	19.83	24.91	6.63						
	2-Wire voice Grade unbundled Alabama extended local dialing				1222											
Ì	parity port with Calter ID - bus	ł	ł	UEPBX	UEPAW	1.15	40.19	19.83	24.91	6.63	İ					
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UEPB1	1.15	40.19	19.83	24.91	6.63	T					
	2-Wire Voice Unbundled Alabama Business Dialing Plan without										-					
	Caller ID			UEPBX	UEPWB	1.15	40.19	19.83	24.91	6.63						
	2-Wire voice unbundled incoming Only Port without Caller ID															
	Capability			UEPBX	UEPBE	1.15	40.19	19.83	24.91	6.63						
LOCAL	NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
FEATL											ļ	L				<b></b>
	All Features Offered			UEPBX	UEPVF	1.98	0.00	0.00			ļ					<u> </u>
NONR	CURRING CHARGES (NRCs) - CURRENTLY COMBINED									ļ						ļ
-	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			LIEGOV	Lucaco	1	0.40	2.42								1
-+-	Switch-as-is			UEPBX	USAC2		0.10	0.10		ļ — —					<del></del>	
- 1	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPBX	USACC		0.10	0.10		1	1					1
ADDIT	ONAL NRCs	<b> </b> -	-	ULF BA	USACC		0.10	u.10								<del> </del>
INDUIT	2-Wire Voice Grade Loop/Line Port Combination - Subsequent	<b> </b>			1					<del> </del>	<del>                                     </del>	<del></del>		<del></del>	<b></b>	
- 1	Activity			UEPBX	USA\$2	I	0.00	0.00			ĺ	1				1
	Unbundled Miscellaneous Rate Element, Tag Loop at End User	<b>-</b>			1		0.00	0.00			<del>                                     </del>				_	
1	Premise			UEPBX	URETL	-	8.33	0.83		[		1				
OFF/O	N PREMISES EXTENSION CHANNELS				1-1											
1	2 Wire Analog Voice Grade Extension Loop - Non-Design	l	1	UEPBX	UEAEN	12.58	37.81	17.56	23.49	5.30			l			
	2 Wire Analog Voice Grade Extension Loop - Non-Design			UEPBX	UEAEN	21.05	37.81	17.56	23.49	5.30						
	2 Wire Analog Voice Grade Extension Loop - Non-Design		3	UEPBX	UEAEN	34.34	37.81	17.56	23.49	5.30						
	2 Wire Analog Voice Grade Extension Loop - Design		1	UEPBX	UEAED	14.38	88.00	55.00	47.24	7.44						
	2 Wire Analog Voice Grade Extension Loop – Design			UEPBX	UEAED	22.85	88.00	55.00	47.24	7.44						
	2 Wire Analog Voice Grade Extension Loop - Design		3	UEPBX	UEAED	36.14	88.00	55.00	47.24	7,44						
INTER	OFFICE TRANSPORT	1				1					1	1	1			

JNBUNDL	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BC\$	usoc			RATES (\$)			Svc Order Submitted Elec per LSR		Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec		urring		g Disconnect	SOMEC			Rates (\$)		SOMAN
	1.1.16 T. 1.1.10 D.E. 11.1.10 D						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination	l	1	UEPBX	U1TV2	21.13	40.54	27,41	16.74	6.90			•			İ
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	<del> </del>		UEPBA	01172	21.13	40.34	21,41	10.74	0.90	<del> </del>				<b></b>	
1	or Fraction Mile		l	UEPBX	UITVM	0.008838	0.00	0.00		1	1	1	1		l	
2-WII	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)		<del> </del>	1		0.000000	0.00	0.00		İ	1	<del></del>	<b></b>			
	Port/Loop Combination Rates		<del></del>							<b> </b>	1					
	2-Wire VG Loop/Port Combo - Zone 1		1			12.70				1	<del> </del>		·			
	2-Wire VG Loop/Port Comba - Zone 2		2			21.19										
	2-Wire VG Loop/Port Combo - Zone 3		3			34.80										
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL 1) - Zone 1			UEPRG	UEPLX	11.55										
	2-Wire Voice Grade Loop (SL. 1) - Zone 2			UEPRG	UEPLX	20.04										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	33.65				ļ	-		ļ			
2-Wir	e Voice Grade Line Port Rates (RES - PBX)	<u> </u>								ļ		ļ	<u> </u>	ļ	<b> </b>	ļ
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -				uennn	ا ا	25.55					1	1		l	
- 1.00	Res		<b> </b>	UEPRG	UEPRD	1.15	69.08	32.41	37.43	6.20	4				ļ	ļ
LUC	L NUMBER PORTABILITY Local Number Portability (1 per port)	ļ	<del> </del> -	UEPRG	LNPCP	3.15	0.00	0.00		-		<b></b>				
FEAT	URES	****	├	UEPRG	LIVELE	3.15	0.00	0.00		ļ	<del> </del>	<u> </u>	<b> </b>		ļ <u>.</u>	<b></b>
FEAT	All Features Offered		<b></b>	UEPRG	UEPVF	1.98	0.00	0.00		<b>-</b>	<del> </del>		<b></b>			
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED			DEFRG	UEFVF	1.50	0.00	0.00		<del> </del>	<del> </del>	<del> </del>				<del> </del>
11011	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			<b></b>				***************************************		<del> </del>	·	<del> </del>			l	<del> </del>
	Conversion - Switch-As-Is		1	UEPRG	USAC2		7.91	1.90				1	j .			
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		<b></b>	1	100.00			7.00		<b></b>						
	Conversion - Switch with Change	l	1	UEPRG	USACC		7.81	1.90					1			
ADDI	TIONAL NRCs									T			l			
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Subsequent Activity		L	UEPRG	USAS2	0.00	0.00	0.00		<u> </u>						
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
	Group						7.32	7.32							***************************************	
	Unbundled Miscellaneous Rate Element, Tag Loop at End User	l	1		1	1				İ			1		1	
	Premise	ļ	ļ	UEPRG	URETL		8.33	0.83			<b></b>					<u> </u>
OFF/	ON PREMISES EXTENSION CHANNELS		<b>L</b> .				25.44				<b>_</b>					L
	Local Channel Voice grade, per termination		1	UEPRG	P2JHX	14.38	88.00	55.00	47.24							
	Local Channel Voice grade, per termination		2	UEPRG UEPRG	P2JHX P2JHX	22.85 36.14	88.00 88.00	55.00 55.00	47.24 47.24	7.44 7.44					ļ	
	Local Channel Voice grade, per termination  Non-Wire Direct Serve Channel Voice Grade		1	UEPRG	SDD2X	22,41	131.60	61.92	90.50				ļ	ļ		<b> </b>
	Non-Wire Direct Serve Channel Voice Grade	<del>}</del>		UEPRG	SDD2X	23.88	131.60	61.92	90.50				<del> </del>			<del> </del>
	Non-Wire Direct Serve Channel Voice Grade			UEPRG	SDD2X	33.72	131.60	61.92	90.50			<del> </del>			<del> </del>	<del> </del>
INTE	ROFFICE TRANSPORT		<del>  -</del>	OC NO	10002	30.72	101.00	01.52	30.00	10.40	+		<del> </del>		ļ	
11712	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility		<del> </del>	1	_					†— <del>—</del>	1	<u> </u>	l		·	<b> </b>
	Termination	1	1	UEPRG	U1TV2	21.13	40.54	27,41	16.74	6.90					į.	l
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															<u> </u>
	or Fraction Mile	i	l	UEPRG	U1TVM	0.008838	0.00	0.00		1	ļ	l	l			l
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)			L											L	
UNE	Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			12.70										
	2-Wire VG Loop/Port Combo - Zone 2		2			21.19				ļ	<b></b>		<b></b>	ļ	ļ	<b></b>
	2-Wire VG Loop/Port Combo - Zone 3	<u> </u>	3			34.80			ļ	ļ	<del> </del>	<u> </u>	ļ			<b></b>
UNE	Loop Rates		<u> </u>	UEDDY	UEDI V				ļ	<del> </del>	<del> </del>	<del> </del>	<u> </u>	ļ	ļ	<del> </del>
	2-Wire Voice Grade Loop (SL 1) - Zone 1	<b></b>		UEPPX	UEPLX	11.55			ļ	ļ	ļ	<b></b>	ļ	ļ	<b></b>	<b> </b>
	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3	<u> </u>		UEPPX	UEPLX	20.04 33.65				<del> </del>	+		<del> </del>	<del></del>	<b></b>	
2 tari.	e Voice Grade Line Port Rates (BUS - PBX)	<del> </del>	۲,	UEFFA	UCFLA	33.00				<del> </del>	+			<b></b>	-	<del> </del>
Z-3441	a soire aidne rine Loit unes long - Lavi	<del> </del>	<del> </del>	<del> </del>	<del></del>	<del> </del>				<del> </del>	+	<del> </del>	<b> </b>		<del> </del>	<del> </del>
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus		1	UEPPX	UEPPC	1.15	69.08	32.41	37.43	6.20		l	1			
	Line Side Unbundled Outward PBX Trunk Port - Bus	<b> </b>		UEPPX	UEPPO	1.15	69.08	32.41	37.43	6.20		<u> </u>	<u> </u>			
	Line Side Unbundled Incoming PBX Trunk Port - Bus		T	UEPPX	UEPP1	1.15	69.08	32.41	37.43	6.20		<del>                                     </del>			T	

UNBUNDL	ED NETWORK ELEMENTS - Alabama													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		-	RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec			Disconnect				Rates (\$)		SOMAN
	2-Wire Voice Unbundled 2-Way Combination PBX Alabama	ļ			-		First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
- 1	Calling Port			UEPPX	UEPA2	1,15	69.08	32.41	37,43	6.20		1			ĺ	
<del></del>	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.15	69.08	32.41	37.43	6.20		<b></b>	<del></del>		<b></b>	
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port		l —	UEPPX	UEPXA	1.15	69.08	32.41	37.43	6.20			l			<del> </del>
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.15	69.08	32,41	37.43	6.20					·	<u> </u>
	2-Wire Voice Unbundled PBX LO DDD Terminals Port			UEPPX	UEPXC	1.15	69.08	32.41	37.43	6.20						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.15	69.08	32.41	37.43	6.20						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD														1	
	Capable Port			UEPPX	UEPXE	1.15	69.08	32.41	37.43	6.20					L	
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port			UEPPX	UEPXL	1,15	69.08	32.41	37.43	6.20						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy											l	1		1	1
	Room Calling Port			UEPPX	UEPXM	1.15	69.08	32.41	37.43	6.20	ļ					
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	İ	1											1	ļ	1
	Discount Room Calling Port			UEPPX	UEPXO	1.15	69.08	32.41	37.43 37.43	6.20	-		ļ			
1.004	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	ļ		UEPPX	UEPXS	1.15	69.08	32.41	37,43	6.20	-			ļ	ļ	<del> </del>
LOCA	AL NUMBER PORTABILITY			UEPPX	LNPCP	3.45	0.00	0.00		<b></b>	<del> </del>		<del></del>			<del> </del>
FEAT	Local Number Portability (1 per port) TURES		-	UEPPA	LNPCP	3.15	0.00	0.00	<del> </del>		<del> </del>	<del></del>		<del> </del>	<del></del>	<del> </del>
FEAT	All Features Offered	<del> </del>		UEPPX	UEPVF	1.98	0.00	0.00	<b></b>		<del> </del>					
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED			UEFFA	10EFVF	1.90	0.00	0.00	<del> </del>							<del></del>
HON	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	<del> </del>			<del></del>				<del> </del> -		<del> </del>	<del></del>				<del> </del>
	Conversion - Switch-As-Is	l		UEPPX	USAC2		7.91	1,90							}	1
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			<u> </u>	CONOL		7,51	1,50								<del>                                     </del>
	Conversion - Switch with Change	1	ļ	UEPPX	USACC		7.91	1.90	1						1	1
ADDI	TIONAL NRCs								1							
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -				1									l		
1	Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00		]					Ī	
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt								1							
i	Group	L	L				7.32	7.32							<u> </u>	
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise			UEPPX	URETL		8.33	0.83			l	<u></u>				
OFF/0	ON PREMISES EXTENSION CHANNELS													l		
	Local Channel Voice grade, per termination	L		UEPPX	P2JHX	14.38	88.00	55.00		7.44						
	Local Channel Voice grade, per termination			UEPPX	P2JHX	22.85	88.00	55.00		7.44						ļ
	Local Channel Voice grade, per termination			UEPPX	P2JHX	36.14	88.00	55.00	47.24 90.50	7.44 13.40		ļ — — —		l	<del></del>	
<del></del>	Non-Wire Direct Serve Channel Voice Grade	-		UEPPX	SDD2X	22.41	131.60	61.92		13.40			<del></del>	<del> </del>	ļ	
	Non-Wire Direct Serve Channel Voice Grade  Non-Wire Direct Serve Channel Voice Grade			UEPPX UEPPX	SDD2X SDD2X	23.88 33.72	131.60 131.60	61.92 61.92		13.40		<del> </del>	<del> </del>	<b> </b>	<del> </del>	
INTER	ROFFICE TRANSPORT		3	ULFFA	SUUZA	33.72	131.00	01.92	30.50	13.40			<del> </del>	<del> </del>	<del> </del>	<del> </del>
I'M I EF	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility				<del> </del>				<del> </del>		ļ	<del>                                     </del>	l	l	l	t
ĺ	Termination	1		UEPPX	U1TV2	21.13	40.54	27.41	16.74	6.90	1	1	I	į	1	1
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	<u> </u>		== ' / /	† <del>-::::</del>		7,0,04	2,741	1	1 3.50	<u> </u>	<b></b>				<del>                                     </del>
1	or Fraction Mile			UEPPX	U1TVM	0.008838	0.00	0.00		İ	1	1	-	1	1	1
2-WIR	RE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POP	RT.							T	T			1	I		
	Port/Loop Combination Rates															
	2-Wire VG Coin Port/Loop Combo - Zone 1		1			12.70										
	2-Wire VG Coin Port/Loop Combo - Zone 2		2			21.19										
	2-Wire VG Coin Port/Loop Combo Zone 3		3			34.80							ļ		<u> </u>	
UNE	Loop Rates			15700							<del> </del>			ļ	ļ	<del> </del>
	2-Wire Voice Grade Loop (SL1) - Zone 1			UEPCO	UEPLX	11.55			ļ		<del> </del>		ļ ———	l	ļ	
	2-Wire Voice Grade Loop (SL1) - Zone 2	ļ		UEPCO	UEPLX	20.04			ļ				<del> </del>		<del> </del>	
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	33.65			ļ		<del> </del>		ļ ——	<del> </del>	<del> </del>	<del> </del>
2-Win	e Voice Grade Line Ports (COIN)				<del></del>				ł	<del> </del>	<del> </del>		<del></del>			<del> </del>
	2-Wire Coin 2-Way without Operator Screening and without Blocking (AL, KY, LA, MS)	1		UEPCO	UEPRF	1.15	40.19	19.83	24.91	6.63		1	1			1
<del></del>	2-Wire Coin 2-Way with Operator Screening (AL, KY)	<b></b>		UEPCO	UEPRE	1.15	40.19	19.83	24.91	6.63	<del> </del>	<del> </del>	<del>                                     </del>	<del> </del>		<del> </del>
	2-Wire Coin 2-Way with Operator Screening (AL, KY)  2-Wire Coin 2-Way with Operator Screening and Blocking: 011,	<del>                                     </del>	<del> </del>	OLF CO	OLF ILE	1,15	40. 19	19.63	24.81	0.03	<del> </del>	<del> </del>	<del> </del>	f		<del> </del>
			3	UEPCO		, ,	40.19	19.83	24,91	6.63	i	1	1	1	1	1

UNBL	UNDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhil	bit: A
CATEG		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sw Order vs. Electronic Disc Add'i
	-						Rec	Nonrec			Disconnect				Rates (\$)	·	
	┼	2-Wire Coin 2-Way with Operator Screening and 011 Blocking		<b> </b>			1	First	Add'l	First	Addʻi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	<u> </u>	(AL, LA, MS)			UEPCO	UEPRB	1.15	40.19	19.83	24.91	6.63						
		2-Wire Coin 2-Way with Operator Screening & Blocking: 900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	1,15	40.19	19.83	24.91	6.63						
		2-Wire Coin Outward with Operator Screening and 011 Blocking (AL, FL)			UEPCO	UEPRK	1.15	40.19	19.83	24.91	6.63						
•		2-Wire Coin Outward with Operator Screening and Blocking; 011, 900/976, 1+DDD (AL, KY, LA, MS)				UEPRH											
		2-Wire Coin Outward Operator Screening & Blocking: 900/976.		┼	UEPCO	UEPKH	1.15	40.19	19.83	24.91	6.63	<del> </del>				<b> </b>	<del> </del>
		1+DDD, 011+, and Local (AL, KY, LA, MS)			UEPCO	UEPCN	1,15	40.19	19.83	24.91	6.63						
		Wire 2-Way Smartline with 900/976 (all states except LA)     Wire Coin Outward Smartline with 900/976 (all states except		-	UEPCO	UEPCK	1.15	40.19	19.83	24.91	6.63						
		ILA)			UEPCO	UEPCR	1.15	40.19	19.83	24.91	6.63						
	ADDIT	UNE Coin PORT/LOOP (RC) UNE Coin Port/Loop Combo Usage (Flat Rate)															
	LOCAL	NUMBER PORTABILITY		├	UEPCO	URECU	1.56	0.00	0.00	0.00	0.00			<u> </u>	ļ		<del> </del>
		Local Number Portability (1 per port)		-	UEPCO	LNPCX	0.35				<del></del>						<del> </del>
	NONR	CURRING CHARGES - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPCO	USAC2		0.10	0.10								
		2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			LIEBOO	W0.400			0.40								
	ADDITI	ONAL NRCs		├	UEPCO	USACC	l	0.10	0.10						<del> </del>		
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent		<del>                                     </del>								<del> </del>	<del> </del>				<del> </del>
		Activity Unbundled Miscellaneous Rate Element, Tag Loop at End User		ļ	UEPCO	USAS2		0.00	0.00								
		Premise		Į	UEPCO	URETL		8.33	0.83					}	1		
	2-WIRE	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE ort/Loop Combination Rates	LINE	PORT (	RES)												
	ONE P	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			15.76					<del>                                     </del>					
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			24.23			ļ					ļ	<b></b>	<del> </del>
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3	<del> </del>		37.52				ļ		<del> </del>		<del> </del>	<b></b>	
		op Rates		-			37.02								l		
		2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	14.38										
		2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	22.85	*****									
		2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	36.14										
	2-Wire	Voice Grade Line Port Rates (Res)															
		2-Wire voice unbundled port - residence			UEPFR	UEPRL	1.38	90.38	57.27	48.66	8.77	· .					
		2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	1.38	90.38	57.27	48.66	8.77						
		2-Wire voice unbundled port outgoing only - res		L	UEPFR	UEPRO	1.38	90.38	57.27	48.66	8,77						
		2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res			UEPFR	UEPAR	1.38	90.38	57.27	48.66	8,77						
		2-Wire voice unbundles res, low usage line port with Caller (D (LUM)			UEPFR	UEPAP	1.38	90.38	57.27	48.66	8.77						
$\top$		2-Wire Voice Unbundled Alabama Residence Dialing Plan without Caller ID			UEPFR	UEPWA	1.38	90.38	57.27	48.66	8,77						
	INTERC	FFICE TRANSPORT		<del>                                     </del>		150 117	1.36	30,30	51.21	70.00	<u> </u>	1	<del>                                     </del>	<b> </b>	<del> </del>		<del> </del>
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFR	U1TV2	21.13	40.54	27,41	16.74	6.90						
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPFR	1L5XX	0.008838			1	1	1			1	1	l
	FEATU			<del> </del>	OCPER	III.SAX	0.008838			-	<del> </del>	<del> </del>	<del> </del>	ļ	<del> </del>		
$\Box$		All Features Offered			UEPFR	UEPVF	1.98	0.00	0.00			<del>                                     </del>	<b>†</b>	l	<del>                                     </del>		<b> </b>
!		NUMBER PORTABILITY		L						l							
	NONRE	Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED			UEPFR	LNPCX	0.35										
	i	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port					l			<b> </b>	<b></b>	<del> </del>	<del> </del>	<b></b>	<del> </del>		
	-	Combination - Conversion - Switch-as-is		l	UEPFR	USAC2		8.48	1.87	1	l	1	1	ĺ	1		1

UNB	UNDLE	D NETWORK ELEMENTS - Alabama					***************************************							Attach	ment: 2	Exhi	bit: A
	GORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge -		Incrementa Charge -
	1						Rec	Nonrec		Nonrecurring					Rates (\$)		
							Rec	First	Add'i	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	1	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		1	l												
	<del> </del>	Combination - Conversion - Switch-With-Change		ļ	UEPFR	USACC		8.48	1.87							ļ	
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise	1	1	LIEBER										ļ		
	2-WIDS	E VOICE LOOP/ 2WIRE VOICE GRADE TO TRANSPORT/ 2-WIRE			UEPFR	URETN		11.21	1.10						ļ		
	UNF P	ort/Loop Combination Rates	LINE	UKI	(BUS)								<b></b>		<del> </del>		<del> </del>
	1	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			15.76										<del> </del>
	1	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2	<del> </del>		24.23					<del> </del>			<del> </del>	<del></del>	<del> </del>
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			37.52					<del> </del>					<del> </del>
	UNE L	oop Rates		-	<del> </del>		U					<del> </del>					
		2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	14.38					<del> </del> -					
		2-Wire Voice Grade Loop (SL2) - Zone 2			UEPFB	UECF2	22.85								1	l	
		2-Wire Voice Grade Loop (SL2) - Zone 3			UEPFB	UECF2	36.14								1	l	
	2-Wire	Voice Grade Line Port (Bus)											T				
		2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	1.38	90.38	57.27	48.66	8.77						
		2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	1.38	90.38	57.27	48.66	8.77						
		2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	1.38	90.38	57.27	48.66	8.77						
		2-Wire voice Grade unbundled Alabama extended local dialing		I													
		parity port with Caller ID - bus			UEPFB	UEPAW	1.38	90.38	57.27	48.66	8.77						L
	-	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	1.38	90.38	57.27	48.66	8.77						
		2-Wire Voice Unbundled Alabama Business Dialing Plan without															
	<del> </del>	Caller ID			UEPFB	UEPWB	1,38	90.38	57.27	48.66	8.77		L				
	LOCAL	NUMBER PORTABILITY		<u> </u>													<u> </u>
	WITED	Local Number Portability (1 per port)		<b> </b>	UEPFB	LNPCX	0.35						ļ		ļ		<u> </u>
	MIERC	OFFICE TRANSPORT										<del> </del>			<b>!</b>		
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination		1								İ	1		1	!	
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			UEPFB	U1TV2	21,13	40.54	27.41	16.74	6.90	ļ				ļ	<del></del>
		or Fraction Mile			UEPFB	1L5XX	0.008838					1			l	Ì	
	FEATU	RES		<del> </del>	UEFFB	ILOAA	0.006036					<del> </del>	<del> </del>		<del>                                     </del>		<del> </del>
		All Features Offered		┼─	UEPFB	UEPVF	1,98	0.00	0.00			<del> </del>			<del> </del>		<del> </del>
		CURRING CHARGES (NRCs) - CURRENTLY COMBINED		<del> </del>	OCTID	ULI VI	1,30	0.00	0.00			·	<del> </del>		<del> </del>		<del> </del>
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		$\vdash$								<del> </del> -	ļ		<del> </del>	<del></del>	<del> </del>
		Combination - Conversion - Switch-as-is			UEPFB	USAC2		8.48	1.87				1		I	1	
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		<b></b>		0.07.02		<u> </u>				<b>†</b>				<u> </u>	
		Combination - Conversion - Switch with change			UEPFB	USACC		8.48	1,87			1	İ				ł
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at		-		55.15.5						<del> </del>					<b>———</b>
		End User Premise			UEPFB	URETN		11.21	1.10			1			1		
	2-WIRE	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE F	ORT (	PBX)		\					†					
	UNE Po	rt/Loop Combination Rates			T												
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1.			15.76										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			24.23								L		
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			37.52										
		op Rates												-			ļ
		2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	14,38										
		2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	22.85								<u> </u>	ļ	<b></b>
		2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	36.14								<b></b>		L
	T-AAILG /	Voice Grade Line Port Rates (BUS - PBX)			<del></del>										L		<u> </u>
	1	Line Side Hohundlad Combination 9 Mar. PRIV T			urorn	Lumma	ا ۔ ۔ ا					1				1	
		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPC	1.38	119.27	69.85	61.18	8.34		<b></b>				<del> </del>
-		Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPPO UEPP1	1.36 1.38	119.27 119.27	69.85 69.85	61.18 61.18	8.34 8.34		<del> </del>		<b></b>		
		2-Wire Voice Unbundled 2-Way Combination PBX Alabama		<del>                                     </del>	UEPFP	UEFFI	1.38	119.27	59.85	01.18	6.34	-			<del> </del>	<del>                                     </del>	<del> </del>
		Calling Port		1	UEPFP	UEPA2	1.38	119.27	69.85	61.18	8.34					1	
		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1.38	119.27	69.85	61.18	8.34		<del> </del>		<del> </del>		
		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port		<del> </del>	UEPFP	UEPXA	1.38	119.27	69.85	61.18	8.34		<del> </del>		<del> </del>	<del> </del>	t
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		<del>                                     </del>	UEPFP	UEPXB	1.38	119.27	69.85	61.18	8.34				<b></b>	l	<b></b>
		2-Wire Voice Unbundled PBX LD DDD Terminals Port		<del>                                     </del>	UEPFP	UEPXC	1.38	119.27	69.85	61.18	8.34		<del>                                     </del>		<b>†</b>		<del>                                     </del>
-		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		<del>                                     </del>	UEPFP	UEPXD	1.38	119.27	69.85	61.18	8.34		<del> </del>		<del> </del>	<del>                                     </del>	<del> </del>

DNRC	NUDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
						Ī							Submitted		Charge -	Charge -	Charge -
			١	1		1						Elec	Manually	1	Manual Syc	Manual Svc	
CATE	SORY	RATE ELEMENTS	Interl	Zone	BCS	USOC			RATES (\$)								
		TOTAL CALLERY O	m	20118	BLO	0300			KAIES (#)			perLSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
				l	ì	1						1	1	Electronic-	Electronic-	Electronic-	Electronic-
				1								l .	İ	1st	Add'I	Disc 1st	Disc Add'l
	·			J													
								Nonre	curring	Nonrecurring	Disconnect			OSS	Rates (\$)		
	1				1		Rec	First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Unbundled PBX LD Terminal Switchhoard IDD		<del> </del>	<del> </del>									-			
		Capable Port		1	UEPFP	UEPXE	1.38	119.27	69.85	61.18	8.34		1		İ	1	
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		<del> </del>	TOWN 11	OLI AL	1,30	115.21	03.00	01.10	0.34			ļ			
	1	Administrative Calling Port		Ì	UEPFP	UEPXL		440.00		21.12				1			1
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPPP	UEPAL	1.38	119.27	69.85	61.18	8.34			ļ			<b></b>
		Dear Office Day		ļ		1						1	l				1
		Room Calling Port			UEPFP	UEPXM	1.38	119.27	69.85	61.18	8.34						1
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
		Discount Room Calling Port		]	UEPFP	UEPXO	1.38	119.27	69.85	61.18	8.34				İ	l	
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		<del>                                     </del>	UEPFP	UEPXS	1.38	119.27	69.85	61.18	8.34	<del> </del>		1			<del></del>
	LOCAL	NUMBER PORTABILITY			02.71	OLY AU	1.50	113.21	08.00	01.10	0.54						<del></del>
		Local Number Portability (1 per port)		<del> </del>	UEPFP	LNPCP			0.00			<del> </del> -		<del></del>			<del></del>
		DEFICE TRANSPORT		-	UEPPP	LINEUP	3.15	0,00	0.00			ļ	ļ	ļ			<del> </del>
	, CRL			<b>!</b>					ļ					I			1
	1 .	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility		ļ	}	1						1	)	)	}		1
		Termination		ì	UEPFP	U1TV2	21.13	40.54	27.41	16.74	6.90	1	l	1			1
	1	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile		T					~					1			
	1	or Fraction Mile		1	UEPFP	1L5XX	0.008838						1	1		1	1
	FEATU	RES		-	100.11	1.207.01	0.00000								<del> </del>		
		All Features Offered		<del> </del>	UEPFP	UEPVF	1.98	0.00	0.00			<b>}</b>	<b>}</b>		ļ	<b> </b>	<del></del>
		CURRING CHARGES (NRCs) - CURRENTLY COMBINED			DEFTF	UEPVF	1.90	0.00	0.00								
	HOME	OUNTAINO CHARGES (ARCS) - CURRENTLY COMBINED		ļ								L		L	<b>!</b>		
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		l	l	1						•			l		1
		Combination - Conversion - Switch-as-is			UEPFP	USAC2		8.48	1.87			i					İ
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
		Combination - Conversion - Switch with change		ſ	UEPFP	USACC		8.48	1.87				Ī	1		[	
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
		End User Premise		l	UEPFP	URETN		11,21	1.10				l	t			1
BUN	DLEDP	ORT/LOOP COMBINATIONS - COST BASED RATES		<del> </del>	OLFIT	UNLIN	<b></b>	11,21	1.10				ļ	<del> </del> -			
	2-WIRE	VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	DOOT												ļ	ļ	<u> </u>
		rt/Loop Combination Rates	PURI	<u> </u>					ļ			<b></b>				ļ	<u> </u>
	ONE FU														1		
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1		l	22.40							İ	l		1
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			30.88						Į.				
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			44.17										
1	UNE LO	op Rates											-	1			<del> </del>
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	14.38									<b></b>	<del> </del>
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2			UEPPX	UECD1	22.85						<del> </del>			<u> </u>	
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3												<b></b>		<b></b>	
	UNE Po	t Pate		3	UEPPX	UECD1	36.14					<del></del>		<b></b>	ļ	<b></b>	
													L		ļ		
	1101111	Exchange Ports - 2-Wire DID Port			UEPPX	UEP01	8.02	207.31	73.74	107.14	11,20			L			
<u> </u>		CURRING CHARGES - CURRENTLY COMBINED										-					1
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -															
		Switch-as-is			UEPPX	USAC1	1	7.31	1.87			1	1	1	i	1	
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion				1								<del> </del>			
	1.	with BellSouth Allowable Changes			UEPPX	USA1C		7.31	1.87			1	ł	1	Į.	1	1
		DNAL NRCs			ULFFX	USAIC		1.01	1.07			<del> </del>		ļ			<del> </del>
-		2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			LIFERNI								ļ				ļ
		- The Did Subsequent Activity - Adu Trunks, Per Trunk			UEPPX	USAS1		26.78	26.78								<u> </u>
1	1.	Inbundled Miscellaneous Rate Element, Tag Designed Loop at			l	1			i			1	l	ł	l	l	I
-4		End User Premise			UEPPX	URETN		11.21	1.10			1	l	ľ		1	İ
	retepho	ne Number/Trunk Group Establisment Charges							l				I	1			
		OID Trunk Termination (One Per Port)			UEPPX	NDT	0.00	0.00	0.00		l	T		T			[
$\Box$	1	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX	ND4	0.00	0.00	0.00			<del>                                     </del>		<del> </del>			<b>†</b>
$\neg$	1	DID Numbers, Non-consecutive DID Numbers , Per Number			UEPPX	ND5	0.00	0.00	0.00			<del> </del>	<del> </del>	<del> </del>	<del> </del>	l	†
		Reserve Non-Consecutive DID numbers			UEPPX	ND6	0.00	0.00	0.00			<del> </del>	<del> </del>	<del> </del>		<del> </del>	<del> </del>
		Reserve DID Numbers												<b></b>			<del></del>
,		NUMBER PORTABILITY			UEPPX	NDV	0.00	0.00	0.00			ļ	ļ	<b></b>	<u></u>	Ļ	<del></del>
						1											
		oçal Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
	-WIRE	SDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LIN	E SIDE	PORT									1				1
	UNE Por	t/Loop Combination Rates											1				
	1,	W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -											<del> </del>	<del> </del>	<del> </del>		
	14																

UNB	UNDLE	D NETWORK ELEMENTS - Alabama													Attach	ment: 2	Exhi	ibit; A
CATE	GORY	RATE ELEMENTS	Interi m	Zone		scs	usoc		-	RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge -
								Rec	Nonrec	curring	Nonrecurring	Disconnect		L		Rates (\$)		
								Nec	First	Add'i	First	Add*l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2		2	UEPPB	UEPPR		37.86										
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3		3	UEPPB	UEPPR		F2 04										
	UNE L	pop Rates		13	UEPPB	UEPPR	<del> </del>	53.84				<b></b>	<del> </del>					<del> </del>
	1	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	19.03				<b></b>	<del> </del>					
				<del>                                     </del>	102:10	02///	10020						<del> </del>					
	<u> </u>	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	29.62			i	Ī					1	
		2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	45.60										
	UNE P	ort Rate					1											ļ
	NONE	Exchange Port - 2-Wire ISDN Line Side Port		ļ	UEPPB	UEPPR	UEPPB	8.24	190.01	132.76	100.67	21.28		ļ			ļ	
		CURRING CHARGES - CURRENTLY COMBINED  2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port		<del> </del>	<del> </del>			ļİ				ļ	ļ	ļ	ļ		ļ	<del> </del>
		Combination - Conversion			LIEDDE	UEPPR	USACB	0.00	38.51	27.02		•				l	1	1
	ADDITI	ONAL NRCs		-	10EPPB	UEPPK	DOWOR	0.00	38.51	21.02	<del> </del>	<b></b>	<del> </del>	ļ				<del></del>
	Ţ <u> </u>	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise			UEPPB	UEPPR	URETN		11.21	1.10								
	1	Unbundled Miscellaneous Rate Element, Tag Loop at End User			UCFFO	ULFFR	OKETIV		11.21	1,10	<del> </del>	<b></b>	<del> </del>					
		Premise		1	UEPPB	UEPPR	URETL		8.33	0.83								
	LOCAL	NUMBER PORTABILITY		1-	<b>†</b>						1							
		Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
	B-CHA	NNEL USER PROFILE ACCESS:																
	-	CVS/CSD (DMS/5ESS)		Ļ	UEPPB	UEPPR	U1UCA	0.00	0.00	0.00			ļ					
		CVS (EWSD) CSD		ļ	UEPPB	UEPPR	U1UCB	0.00	0.00	0.00			<b></b>				ļ	
		NNEL AREA PLUŞ USER PROFILE ACCESS: (AL,KY,LA,MS SC			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00			ļ				ļ	
		CVS/CSD (DMS/5ESS)	,MS, &	F N)	UEPPB	UEPPR	U1UCD	0.00	0.00	0.00						<b>}</b>	ļ	<u> </u>
		CVS (EWSD)			UEPPB		UIUCE	0.00	0.00	0.00			<del> </del>				<del> </del>	<del> </del>
		CSD		├──	UEPPB	UEPPR		0.00	0.00	0.00	<del> </del>	<del></del>		<del> </del>		<del> </del>	<del> </del>	<del> </del>
		ERMINAL PROFILE		├──	102110	<u> </u>	101001	0.00	0.00	0.00			<del> </del>	<del></del>				1
		User Terminal Profile (EWSD only)			UEPP8	UEPPR	U1UMA	0.00	0.00	0.00			<del> </del>				<b>!</b>	·
	VERTIC	AL FEATURES		<u> </u>			T		717.5						<b></b>			
		All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	1.98	0.00	0.00								
		PFICE CHANNEL MILEAGE Interoffice Channel mileage each, including first mile and																
		facilities termination			UEPPB	UEPPR	M1GNC	21.13	40.54	27.41	16.74	6.90			j			
		Interoffice Channel mileage each, additional mile			UEPPB	UEPPR	M1GNM	0.008838	0.00	0.00								
		DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK													Ĺ	<u> </u>		<u> </u>
		E-P DS1 combination rates below for 4-Wire DS1 Digital Loop	with 4	-Wire I	SDN DS1	Digital Tru	nk Port in th	is rate exhibit a	pply to the em	bedded base	in place as of 1	10/2/03 until 4/	1/04. After 4	/1/04 these	rates shall re	vert to tariff r	ates or a sepa	rate
	agreem					41										1	T	T
	UNE Po	ts for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital Ti	unk Po	ार <b>गां</b> ड	r the ener	TIVE GREE C	T INIS amend	ment shall be (	provided pursu	ant to a sepai	are agreement	or tann at Bel	ioduin's di	scretton.	<b> </b>	<del> </del>	<b> </b>	<del> </del>
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE						<del> </del>							-	<b> </b>	<del> </del>	<del> </del>
		Zone 1 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		1	UEPPP			166.87							-			
		Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		2	UEPPP			238.50										
		Zone 3		3	UEPPP			398.85								1		
		op Rates		<del>ا</del> –	- CLITT		<del> </del>	390.00			<del> </del>	<del> </del>	·	<del> </del>		<del> </del>	<b>†</b>	t
		4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	82.55			<del> </del>	<b>———</b>		<b></b>				
		4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	154.18					†	l				
		4-Wire DS1 Digital Loop - UNE Zone 3			UEPPP		USL4P	314.52			<u> </u>	T				1		
	UNE Po																	
		Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPPP		UEPPP	84.32	456.28	259.10	123.88	31.77						
		CURRING CHARGES - CURRENTLY COMBINED																<u> </u>
	ľ	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port															1	
		Combination - Conversion -Switch-as-is (E:4/1/2004)		<del> </del>	UEPPP		USACP	0.00	119.07	78.56		ļ	<b></b>		ļ			<del> </del>
لــــ	MUNIT	MAL NINGS		L	<u> </u>		L	<u> </u>		L	l	<u> </u>	L	L	L	L	J	L

	NETWORK ELEMENTS - Alabama				-								Attach	ment: 2	Exhi	bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					Rates (\$)		
			<u> </u>				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-	1	1			ļ					l				1	
	ward/two way Tel Nos. (except NC) Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -			UEPPP	PR7TF		0.49									
	utward Tel Numbers (All States except NC)	1		UEPPP	PR7TO		11.51				ĺ					ļ
4-1	Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -	├──	<del> </del>	UEPPP	PRITO		11.51				<del></del>	·				<del> </del>
	ubsequent Inward Tel Numbers		1	UEPPP	PR7ZT		23.02				<u> </u>					1
	UMBER PORTABILITY		-	02711	111121		20.02				<del> </del>	<del></del>	···			
	cal Number Portability (1 per port)		<del>                                     </del>	UEPPP	LNPCN	1.75					l					
INTERFAC	CE (Provsioning Only)															
Vo	pice/Data		<b> </b>	UEPPP	PR71V	0.00	0.00	0.00								
	gital Data			UEPPP	PR71D	0.00	0.00	0.00								
	ward Data			UEPPP	PR71E	0.00	0.00	0.00								
	Iditional "B" Channel															
	w or Additional - Voice/Data B Channel			UEPPP	PR7BV	0.00	14.53									
	ew or Additional - Digital Data B Channel			UEPPP	PR7BF	0.00	14.53									
	w or Additional Inward Data B Channel			UEPPP	PR7BD	0.00	14.53									
CALL TYP																ļ
	ward			UEPPP	PR7C1	0.00	0.00	0.00			L					ļ
	utward		ļ	UEPPP	PR7CO	0.00	0.00	0.00								L
	vo-way	<u> </u>	L	UEPPP	PR7CC	0.00	0.00	0.00			ļ		ļ	L		ļ
	Channel Mileage		ļ												ļ	<u> </u>
FIX	ked Each Including First Mile ich Airline-Fractional Additional Mile	-		UEPPP	1LN1A	60.34	89.27	81.81	16.35	14,44					<del> </del>	
	S1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT		ļ	UEPPP	1LN1B	0.18					<del> </del>	<del> </del>		<u> </u>	<del> </del>	
4W	Loop Combination Rates									1			1	1		1
	V DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC	-	142.64						<del> </del>				-
4W	V DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		1 2	UEPDC UEPDC		142.64 214.26										
4W	V DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 V DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3															
4W 4W UNE Loop	V DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 V DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 Rates		3	UEPDC UEPDC		214.26 374.61										
4W 4W UNE Loop 4-V	V DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 V DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 Rates Wire DS1 Digital Loop - UNE Zone 1		3	UEPDC UEPDC UEPDC	USLDC	214,26 374.61 82.55										
4W UNE Loop 4-V 4-V	V DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 V DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 Rates Rive DS1 Digital Loop - UNE Zone 1 Nive DS1 Digital Loop - UNE Zone 2		3 1 2	UEPDC UEPDC UEPDC UEPDC	USLDC	214,26 374.61 82.55 154.18										
4W UNE Loop 4-V 4-V 4-V	V DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 V DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 Rates Nire DS1 Digital Loop - UNE Zone 1 Nire DS1 Digital Loop - UNE Zone 2 Nire DS1 Digital Loop - UNE Zone 2 Nire DS1 Digital Loop - UNE Zone 3		3 1 2	UEPDC UEPDC UEPDC		214,26 374.61 82.55										
4W UNE Loop 4-V 4-V 4-V UNE Port F	V DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 V DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 Rates Wire DS1 Digital Loop - UNE Zone 1 Wire DS1 Digital Loop - UNE Zone 2 Wire DS1 Digital Loop - UNE Zone 2 Wire DS1 Digital Loop - UNE Zone 3 Rate		3 1 2	UEPDC UEPDC UEPDC UEPDC UEPDC	USLDC	214.26 374.61 82.55 154.18 314.52			44466							
4W UNE LOOP 4-W 4-W 4-W UNE PORT F	V DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 V DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 Rates Nire DS1 Digital Loop - UNE Zone 1 Nire DS1 Digital Loop - UNE Zone 2 Nire DS1 Digital Loop - UNE Zone 2 Nire DS1 Digital Loop - UNE Zone 3 Rate Nire DDITS Digital Trunk Port (E:4/1/2004)		3 1 2	UEPDC UEPDC UEPDC UEPDC	USLDC	214,26 374.61 82.55 154.18	454,49	253.23	117.29	14.17						
4W UNE Loop 4-V 4-V UNE Port F 4-V NONRECU	V DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2  V DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3  Rates  Wire DS1 Digital Loop - UNE Zone 1  Wire DS1 Digital Loop - UNE Zone 2  Wire DS1 Digital Loop - UNE Zone 3  Rate  Wire DS1 Digital Loop - UNE Zone 3  Rate  Wire DDITS Digital Trunk Port (E:4/1/2004)  IRRING CHARGES - CURRENTLY COMBINED		3 1 2	UEPDC UEPDC UEPDC UEPDC UEPDC	USLDC	214.26 374.61 82.55 154.18 314.52	454,49	253.23	117.29	14.17						
UNE Loop 4-V 4-V 4-V UNE Port F 4-V NONRECU	V DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 V DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 Rates Nire DS1 Digital Loop - UNE Zone 1 Nire DS1 Digital Loop - UNE Zone 2 Wire DS1 Digital Loop - UNE Zone 3 Rate Nire DS1 Digital Loop - UNE Zone 3 Rate Nire DDITS Digital Trunk Port (E:4/1/2004) IRRING CHARGES - CURRENTLY COMBINED Nire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination		3 1 2	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	USLDC USLDC UDD1T	214.26 374.61 82.55 154.18 314.52			117.29	14.17						
UNE LOOP  4-V 4-V UNE Port F 4-V NONRECU	V DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2  V DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3  Rates  Wire DS1 Digital Loop - UNE Zone 1  Wire DS1 Digital Loop - UNE Zone 2  Wire DS1 Digital Loop - UNE Zone 3  Rate  Wire DS1 Digital Loop - UNE Zone 3  Rate  Wire DDITS Digital Trunk Port (E:4/1/2004)  IRRING CHARGES - CURRENTLY COMBINED		3 1 2	UEPDC UEPDC UEPDC UEPDC UEPDC	USLDC	214.26 374.61 82.55 154.18 314.52	454.49 129.49	253.23 67.02	117.29	14.17						
UNE Loop  4-V 4-V 4-V 14-V NONRECU 4-V NONRECU 4-V 14-V NONRECU 4-V 14-V 14-V 14-V 14-V 14-V 14-V 14-V	V DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 V DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 Rates Wire DS1 Digital Loop - UNE Zone 1 Wire DS1 Digital Loop - UNE Zone 2 Wire DS1 Digital Loop - UNE Zone 2 Wire DS1 Digital Loop - UNE Zone 3 Rate Wire DS1 Digital Trunk Port (E:4/1/2004) RRING CHARGES - CURRENTLY COMBINED Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination witch-as-is (E:4/1/2004) Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination		3 1 2	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	USLDC USLDC UDD1T	214.26 374.61 82.55 154.18 314.52			117.29	14.17						
UNE LOOP UNE LOOP 4-V 4-V UNE PORT 4-V NONRECUI	V DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 V DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 Rates  Wire DS1 Digital Loop - UNE Zone 1 Wire DS1 Digital Loop - UNE Zone 2 Wire DS1 Digital Loop - UNE Zone 2 Wire DS1 Digital Loop - UNE Zone 3 Rate  Wire DDITS Digital Trunk Port (E:4/1/2004) IRRING CHARGES - CURRENTLY COMBINED WIRE DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination witch-as-is (E:4/1/2004)		3 1 2	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	USLDC USLDC UDD1T USAC4	214.26 374.61 82.55 154.18 314.52	129.49	67.02	117.29	14.17						
4W UNE Loop 4-W 4-W UNE Port F 4-V NONRECUI	V DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2  V DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3  Rates  Nire DS1 Digital Loop - UNE Zone 1  Nire DS1 Digital Loop - UNE Zone 2  Nire DS1 Digital Loop - UNE Zone 3  Rate  Nire DST Digital Loop - UNE Zone 3  Rate  Nire DST Digital Trunk Port (E:4/1/2004)  IRRING CHARGES - CURRENTLY COMBINED  Nire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination witch-as-is (E:4/1/2004)  Nire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination onversion with DS1 Changes (E:4/1/2004)  Nire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination onversion with DS1 Changes (E:4/1/2004)		3 1 2	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	USLDC USLDC UDD1T USAC4	214.26 374.61 82.55 154.18 314.52	129.49	67.02	117.29	14.17						
WE LOOP  WE LOOP  4-V  4-V  4-V  UNE Port F  4-V  NONRECUI	V DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 V DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 Rates Nire DS1 Digital Loop - UNE Zone 1 Nire DS1 Digital Loop - UNE Zone 2 Nire DS1 Digital Loop - UNE Zone 2 Nire DS1 Digital Loop - UNE Zone 3 Rate Nire DDITS Digital Trunk Port (E:4/1/2004) RRING CHARGES - CURRENTLY COMBINED Nire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination witch-as-is (E:4/1/2004) Nire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination onversion with DS1 Changes (E:4/1/2004) Nire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination onversion with DS1 Changes (E:4/1/2004) Nire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination onversion with Change - Trunk (E:4/1/2004) AL NRCs		3 1 2	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	USLDC USLDC UDD1T USAC4 USAWA	214.26 374.61 82.55 154.18 314.52	129.49 129.49	67.02 67.02	117.29	14.17						
WE LOOP  UNE LOOP  4-V  4-V  UNE PORT F  4-V  NONRECUI  4-V  -SI  4-V  -C  ADDITIONA  4-V  ADDITIONA  4-V  ADDITIONA  4-V  ADDITIONA  4-V  ADDITIONA  4-V  ADDITIONA  4-V  ADDITIONA  4-V  ADDITIONA  4-V  ADDITIONA  4-V  ADDITIONA  4-V  ADDITIONA  4-V  ADDITIONA  4-V  ADDITIONA  4-V	V DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 V DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 Rates Mire DS1 Digital Loop - UNE Zone 1 Mire DS1 Digital Loop - UNE Zone 2 Mire DS1 Digital Loop - UNE Zone 2 Mire DS1 Digital Loop - UNE Zone 3 Rate Mire DDITS Digital Trunk Port (E-4/1/2004) IRRING CHARGES - CURRENTLY COMBINED Mire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination witch-as-is (E:4/1/2004) Mire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination onversion with DS1 Changes (E:4/1/2004) Mire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination ionversion with DS1 Changes (E:4/1/2004) AL NRCs Mire DS1 Loop / 4-Wire DDITS Trunk Port Combination ionversion with DS1 Change - Trunk (E:4/1/2004) AL NRCs Mire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -		3 1 2	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	USLDC USLDC UDD1T USAC4 USAWA USAWB	214.26 374.61 82.55 154.18 314.52	129.49 129.49 129.49	67.02 67.02	117.29	14.17						
4W UNE Loop  4-W 4-W UNE Port F 4-W NONRECUI  4-W	V DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2  V DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3  Rates  Nire DS1 Digital Loop - UNE Zone 1  Nire DS1 Digital Loop - UNE Zone 2  Nire DS1 Digital Loop - UNE Zone 2  Nire DS1 Digital Loop - UNE Zone 3  Rate  Nire DS1 Digital Loop - UNE Zone 3  Rate  Nire DDITS Digital Trunk Port (E:4/1/2004)  RRING CHARGES - CURRENTLY COMBINED  Nire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination onversion with DS1 Changes (E:4/1/2004)  Nire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination onversion with DS1 Changes (E:4/1/2004)  Nire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination onversion with DS1 Changes (E:4/1/2004)  AL NRCs  Nire DS1 Loop / 4-Wire DDITS Trunk Port Combination onversion with Change - Trunk (E:4/1/2004)  AL NRCs		3 1 2	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	USLDC USLDC UDD1T USAC4 USAWA	214.26 374.61 82.55 154.18 314.52	129.49 129.49	67.02 67.02	117.29	14.17						
4WUNE Loop 4-V 4-V 4-V UNE Port F 4-V NONRECU S 4-V A-V A-V S A-V S A-V S ADDITION S S AL	V DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 V DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 Rates  Nire DS1 Digital Loop - UNE Zone 1 Nire DS1 Digital Loop - UNE Zone 2 Nire DS1 Digital Loop - UNE Zone 2 Nire DS1 Digital Loop - UNE Zone 3 Rate  Nire DS1 Digital Loop - UNE Zone 3 Rate Nire DDITS Digital Trunk Port (E:4/1/2004) IRRING CHARGES - CURRENTLY COMBINED  Nire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination onversion with DS1 Changes (E:4/1/2004) Nire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination onversion with DS1 Changes (E:4/1/2004)  Nire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination onversion with Change - Trunk (E:4/1/2004) AL NRCs  Nire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent		3 1 2	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	USLDC USLDC USLDC USACA USACA USAWA USAWB	214.26 374.61 82.55 154.18 314.52	129.49 129.49 129.49 14.48	67.02 67.02 67.02 14.48	117.29	14.17						
4W UNE Loop 4-V 4-V UNE Port F 4-V NONRECUI	V DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 V DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 Rates  Nire DS1 Digital Loop - UNE Zone 1 Nire DS1 Digital Loop - UNE Zone 2 Nire DS1 Digital Loop - UNE Zone 2 Nire DS1 Digital Loop - UNE Zone 3 Rate  Nire DS1 Digital Loop - UNE Zone 3 Rate Nire DDITS Digital Trunk Port (E:4/1/2004) IRRING CHARGES - CURRENTLY COMBINED Nire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination indich-as-is (E:4/1/2004) Nire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination indich-as-is (E:4/1/2004) Nire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination inversion with DS1 Changes (E:4/1/2004) Nire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination inversion with Change - Trunk (E:4/1/2004) AL NRCs  Nire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - bsequent Channel Activation/Chan - 2-Way Trunk Nive DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent annel Activation/Chan - 1-Way Outward Trunk		3 1 2	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	USLDC USLDC UDD1T USAC4 USAWA USAWB	214.26 374.61 82.55 154.18 314.52	129.49 129.49 129.49	67.02 67.02	117.29	14.17						
4WUNE Loop UNE Loop 4-V 4-V UNE Port F 4-V NONRECUI  A-V - Sti A-V - CC ADDITIONA 4-V Cht	V DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2  V DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3  Rates  Nire DS1 Digital Loop - UNE Zone 1  Nire DS1 Digital Loop - UNE Zone 2  Nire DS1 Digital Loop - UNE Zone 2  Nire DS1 Digital Loop - UNE Zone 3  Rate  Nire DS1 Digital Trunk Port (E:4/1/2004)  RRING CHARGES - CURRENTLY COMBINED  Nire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination witch-as-is (E:4/1/2004)  Nire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination onversion with DS1 Changes (E:4/1/2004)  Nire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination onversion with DS1 Changes (E:4/1/2004)  Nire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination onversion with DS1 Changes - Trunk (E:4/1/2004)  AL NRCs  Nire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - bsequent Channel Activation/Chan - 2-Way Trunk  Nire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent annel Activation/Chan - 1-Way Outward Trunk  Nire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent annel Activation/Chan - 1-Way Outward Trunk		3 1 2	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	USLDC USLDC USLDC USLDC USAC4 USAWA USAWA USAWB UDTTA	214.26 374.61 82.55 154.18 314.52	129.49 129.49 129.49 14.48	67.02 67.02 67.02 14.48	117.29	14.17						
WINE Loop  4-V 4-V 4-V 4-V 1-V 1-V 1-V 1-V 1-V 1-V 1-V 1-V 1-V 1	V DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2  V DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3  Rates  Nire DS1 Digital Loop - UNE Zone 1  Nire DS1 Digital Loop - UNE Zone 2  Vire DS1 Digital Loop - UNE Zone 2  Nire DS1 Digital Loop - UNE Zone 3  Rate  Nire DS1 Digital Trunk Port (E:4/1/2004)  RRING CHARGES - CURRENTLY COMBINED  Nire DS1 Digital Trunk Port (E:4/1/2004)  Nire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination onversion with DS1 Changes (E:4/1/2004)  Nire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination onversion with DS1 Changes (E:4/1/2004)  Nire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination onversion with Change - Trunk (E:4/1/2004)  AL NRCs  Nire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - besequent Channel Activation/Chan - 2-Way Trunk  Nire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent annel Activation/Chan - 1-Way Qulward Trunk  Nire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent annel Activation/Chan - 1-Way Qulward Trunk  Nire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent annel Activation/Chan - 1-Way Qulward Trunk  Nire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent annel Activation/Chan - 1-Way Qulward Trunk  Nire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent annel Activation/Chan - 1-Way Qulward Trunk  Nire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent annel Activation/Chan - 1-Way Qulward Trunk		3 1 2	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	USLDC USLDC USLDC USACA USACA USAWA USAWB	214.26 374.61 82.55 154.18 314.52	129.49 129.49 129.49 14.48	67.02 67.02 67.02 14.48	117.29	14.17						
4W UNE Loop 4-W 4-V UNE Port F 4-V NONRECUI	V DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 V DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 Rates  Nire DS1 Digital Loop - UNE Zone 1 Nire DS1 Digital Loop - UNE Zone 2 Nire DS1 Digital Loop - UNE Zone 2 Nire DS1 Digital Loop - UNE Zone 3 Rate Nire DS1 Digital Loop - UNE Zone 3 Rate Nire DDITS Digital Trunk Port (E:4/1/2004) Nire DS1 Digital Trunk Port (E:4/1/2004) Nire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination onversion with DS1 Changes (E:4/1/2004) Nire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination onversion with DS1 Changes (E:4/1/2004) Nire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination onversion with DS1 Changes (E:4/1/2004) AL INRCs Nire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - bsequent Channel Activation/Chan - 2-Way Trunk Nire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent annel Activation/Chan - 1-Way Qutward Trunk Nire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqut Channel tivation/Chan Inward Trunk w/out DID Vire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqut Channel tivation/Chan Inward Trunk w/out DID Vire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqut Channel tivation/Chan Inward Trunk w/out DID		3 1 2	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	USLDC USLDC USLDC UDD1T USAC4 USAWA USAWB UDTTA UDTTB	214.26 374.61 82.55 154.18 314.52	129.49 129.49 129.49 14.48 14.48	67.02 67.02 67.02 14.48 14.48	117.29	14.17						
4WUNE Loop  4-V 4-V 4-V UNE Port F 4-V NONRECUI	V DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2  V DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3  Rates  Nire DS1 Digital Loop - UNE Zone 1  Nire DS1 Digital Loop - UNE Zone 2  Nire DS1 Digital Loop - UNE Zone 2  Nire DS1 Digital Loop - UNE Zone 3  Rate  Nire DS1 Digital Trunk Port (E:4/1/2004)  Nire DS1 Digital Trunk Port (E:4/1/2004)  Nire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination witch-as-is (E:4/1/2004)  Nire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination onversion with DS1 Changes (E:4/1/2004)  Nire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination onversion with Change - Trunk (E:4/1/2004)  Nire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination onversion with Change - Trunk (E:4/1/2004)  AL NRCs  Nire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 2-Way Trunk  Nire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent annel Activation/Chan - 1-Wey Quhward Trunk  Nire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent ligation/Chan Inward Trunk w/out DID  Nire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel ligation/Chan Inward Trunk w/out DID		3 1 2	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	USLDC USLDC USLDC USLDC USAC4 USAWA USAWA USAWB UDTTA	214.26 374.61 82.55 154.18 314.52	129.49 129.49 129.49 14.48	67.02 67.02 67.02 14.48	117.29	14.17						
4WUNE Loop 4-V 4-V 4-V 4-V 4-V 4-V 4-V 4-V 4-V 5-S 4-V 4-V 4-V 4-V Chi 4-V Acti	V DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2  V DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3  Rates  Nire DS1 Digital Loop - UNE Zone 1  Nire DS1 Digital Loop - UNE Zone 2  Nire DS1 Digital Loop - UNE Zone 2  Nire DS1 Digital Loop - UNE Zone 3  Rate  Nire DS1 Digital Trunk Port (E:4/1/2004)  RRING CHARGES - CURRENTLY COMBINED  Nire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination witch-as-is (E:4/1/2004)  Nire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination conversion with DS1 Changes (E:4/1/2004)  Nire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination conversion with Change - Trunk (E:4/1/2004)  Nire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination conversion with Change - Trunk (E:4/1/2004)  AL NRCs  Nire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - beequent Channel Activation/Chan - 2-Way Trunk  Nire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent annel Activation/Chan - 1-Way Qubward Trunk  Nire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent channel invation frunk wout DID  Nire DS1 Loop / 4-Wire DDITS Trunk Port - Subsent Channel invation (Pchan Inward Trunk wout DID  Nire DS1 Loop / 4-Wire DDITS Trunk Port - Subsent Channel invation (Pchan Inward Trunk with DID  Nire DS1 Loop / 4-Wire DDITS Trunk Port - Subsent Channel invation (Pchan Inward Trunk with DID  Nire DS1 Loop / 4-Wire DDITS Trunk Port - Subsent Channel invation (Pchan Inward Trunk with DID  Nire DS1 Loop / 4-Wire DDITS Trunk Port - Subsent Channel invation (Pchan Inward Trunk with DID  Nire DS1 Loop / 4-Wire DDITS Trunk Port - Subsent Channel invation (Pchan Inward Trunk with DID  Nire DS1 Loop / 4-Wire DDITS Trunk Port - Subsent Channel Invation (Pchan Inward Trunk with DID		3 1 2	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	USLDC USLDC USLDC UDD1T  USAC4 USAWA USAWB  UDTTA UDTTB  UDTTC UDTTD	214.26 374.61 82.55 154.18 314.52	129.49 129.49 129.49 14.48 14.48 14.48	67.02 67.02 67.02 14.48 14.48 14.48	117.29	14.17						
4W UNE Loop  4-V 4-V 4-V UNE Port F 4-V NONRECUI  A-V -S:  4-V -CC ADDITION 4-V Chi 4-V Acti	V DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 V DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 Rates Wire DS1 Digital Loop - UNE Zone 1 Wire DS1 Digital Loop - UNE Zone 2 Wire DS1 Digital Loop - UNE Zone 2 Wire DS1 Digital Loop - UNE Zone 2 Wire DS1 Digital Loop - UNE Zone 3 Rate Wire DS1 Digital Trunk Port (E:4/1/2004) RiRING CHARGES - CURRENTLY COMBINED Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination witch-as-is (E:4/1/2004) Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination onversion with DS1 Changes (E:4/1/2004) Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination conversion with DS1 Changes (E:4/1/2004) AL NRCs Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - bsequent Channel Activation/Chan - 2-Way Trunk Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent annel Activation/Chan - 1-Way Outward Trunk Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel invation/Chan Inward Trunk widu DID Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan ilvation Per Chan - Inward Trunk with DID Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan ilvation / Chan - 2-Way DID w User Trans		3 1 2	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	USLDC USLDC USLDC UDD1T USAC4 USAWA USAWB UDTTA UDTTB	214.26 374.61 82.55 154.18 314.52	129.49 129.49 129.49 14.48 14.48	67.02 67.02 67.02 14.48 14.48	117.29	14.17						
4WUNE Loop UNE Loop 4-V 4-V UNE Port F 4-V NONRECUI	V DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2  V DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3  Rates  Nire DS1 Digital Loop - UNE Zone 1  Wire DS1 Digital Loop - UNE Zone 2  Wire DS1 Digital Loop - UNE Zone 2  Wire DS1 Digital Loop - UNE Zone 3  Rate  Wire DS1 Digital Trunk Port (E:4/1/2004)  RRING CHARGES - CURRENTLY COMBINED  Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination witch-as-is (E:4/1/2004)  Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination onversion with Ds1 Changes (E:4/1/2004)  Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination onversion with Change - Trunk (E:4/1/2004)  AL INCS  Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 2-Way Trunk  Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent annel Activation/Chan - 1-Wey Quhward Trunk  Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent channel investion (Chan - 1-Wey DDITS Trunk Port - Subsequent channel investion (Chan - 1-Wire DDITS Trunk Port - Subsequent Channel investion (Chan - 1-Wey DDITS Trunk Port - Subsequent Channel investion (Chan - 1-Wire DDITS Trunk Port - Subsequent Channel investion (Chan - 1-Wey DDITS Trunk Port - Subsequent Channel investion (Chan - 1-Wey DDITS Trunk Port - Subsequent Channel investion (Per Chan - 1-way DDITS Trunk Port - Subsequent Channel investion (Per Chan - 1-way DDITS Trunk Port - Subsequent Channel investion (Per Chan - 1-way DDITS Trunk Port - Subsequent Channel investion (Per Chan - 1-way DDITS Trunk Port - Subsequent Channel investion (Per Chan - 1-way DDITS Trunk Port - Subsequent Channel investion (Per Chan - 1-way DDITS Trunk Port - Subsequent Channel investion (Per Chan - 1-way DDITS Trunk Port - Subsequent Channel investion (Per Chan - 1-way DDITS Trunk Port - Subsequent Channel investion (Per Chan - 1-way DDITS Trunk Port - Subsequent Channel investion (Per Chan - 1-way DDITS Trunk Port - Subsequent Channel investion (Per Chan - 1-way DDITS Trunk Port - Subsequent Channel investion (Per Chan - 1-way DDITS Trunk Port - Subsequ		3 1 2	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	USLDC USLDC USLDC USLDC USACA USAWA USAWB UDTTA UDTTB UDTTC UDTTD	214.26 374.61 82.55 154.18 314.52	129.49 129.49 129.49 14.48 14.48 14.48	67.02 67.02 67.02 14.48 14.48 14.48	117.29	14.17						
4WUNE LOOP 4-V-4-V-4-V-4-V-4-V-4-V-4-V-4-V-4-V-4-V	V DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2  V DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3  Rates  Nire DS1 Digital Loop - UNE Zone 1  Nire DS1 Digital Loop - UNE Zone 2  Nire DS1 Digital Loop - UNE Zone 2  Nire DS1 Digital Loop - UNE Zone 3  Rate  Nire DS1 Digital Trunk Port (E:4/1/2004)  RRING CHARGES - CURRENTLY COMBINED  Nire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination witch-as-is (E:4/1/2004)  Nire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination conversion with DS1 Changes (E:4/1/2004)  Nire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination conversion with DS1 Changes (E:4/1/2004)  Nire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination conversion with Change - Trunk (E:4/1/2004)  AL NRCs  Nire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - beequent Channel Activation/Chan - 2-Way Trunk  Nire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent annel Activation/Chan - 1-Way Qubward Trunk  Nire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent channel ingation/Chan inward Trunk w/out DID  Nire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequt Channel ingation/Chan inward Trunk w/out DID  Nire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequt Channel ingation/Chan inward Trunk w/out DID  Nire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequt Channel ingation/Chan inward Trunk w/out DID  Nire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequt Channel ingation/Chan inward Trunk w/out DID  Nire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequt Channel ingation/Chan inward Trunk w/out DID  Nire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequt Channel ingation/Chan inward Trunk w/out DID  Nire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequt Channel ingation/Chan inward Trunk w/out DID  Nire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequt Channel ingation/Chan inward Trunk w/out DID  Nire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequt Channel ingation/Chan inward Trunk w/out DID  Nire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequt Channel ingation/Chan inward Trunk w/out DID  Nire DS1 Loop / 4-Wire DDITS Trunk Por		3 1 2	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	USLDC USLDC USLDC UDD1T  USAC4 USAWA USAWB  UDTTA UDTTB  UDTTC UDTTD  UDTTE	214.26 374.61 82.55 154.18 314.52	129.49 129.49 129.49 14.48 14.48 14.48 14.48	67.02 67.02 67.02 14.48 14.48 14.48 14.48 600.00s	117.29	14.17						
4WUNE Loop UNE Loop UNE Loop UNE Port F 4-V NONRECUI NONRECUI A-V - CC ADDITION 4-V A-V Acti A-V Acti BIPOLAR 8 B82 B82	V DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2  V DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3  Rates  Nire DS1 Digital Loop - UNE Zone 1  Wire DS1 Digital Loop - UNE Zone 2  Wire DS1 Digital Loop - UNE Zone 2  Wire DS1 Digital Loop - UNE Zone 3  Rate  Wire DS1 Digital Trunk Port (E:4/1/2004)  RRING CHARGES - CURRENTLY COMBINED  Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination witch-as-is (E:4/1/2004)  Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination onversion with Ds1 Changes (E:4/1/2004)  Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination onversion with Change - Trunk (E:4/1/2004)  AL INCS  Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 2-Way Trunk  Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent annel Activation/Chan - 1-Wey Quhward Trunk  Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent channel investion (Chan - 1-Wey DDITS Trunk Port - Subsequent channel investion (Chan - 1-Wire DDITS Trunk Port - Subsequent Channel investion (Chan - 1-Wey DDITS Trunk Port - Subsequent Channel investion (Chan - 1-Wire DDITS Trunk Port - Subsequent Channel investion (Chan - 1-Wey DDITS Trunk Port - Subsequent Channel investion (Chan - 1-Wey DDITS Trunk Port - Subsequent Channel investion (Per Chan - 1-way DDITS Trunk Port - Subsequent Channel investion (Per Chan - 1-way DDITS Trunk Port - Subsequent Channel investion (Per Chan - 1-way DDITS Trunk Port - Subsequent Channel investion (Per Chan - 1-way DDITS Trunk Port - Subsequent Channel investion (Per Chan - 1-way DDITS Trunk Port - Subsequent Channel investion (Per Chan - 1-way DDITS Trunk Port - Subsequent Channel investion (Per Chan - 1-way DDITS Trunk Port - Subsequent Channel investion (Per Chan - 1-way DDITS Trunk Port - Subsequent Channel investion (Per Chan - 1-way DDITS Trunk Port - Subsequent Channel investion (Per Chan - 1-way DDITS Trunk Port - Subsequent Channel investion (Per Chan - 1-way DDITS Trunk Port - Subsequent Channel investion (Per Chan - 1-way DDITS Trunk Port - Subsequ		3 1 2	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	USLDC USLDC USLDC USLDC USACA USAWA USAWB UDTTA UDTTB UDTTC UDTTD	214.26 374.61 82.55 154.18 314.52	129.49 129.49 129.49 14.48 14.48 14.48	67.02 67.02 67.02 14.48 14.48 14.48	117.29	14.17						

IBUND	DLED NETWORK ELEMENTS - Alabama									2000			Altach	ment: 2	Exhi	bit: A
TEGORY		Interi m	Zone	BCS	usoc			RATES (\$)	e de la companya de l		1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs, Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
		ļ	<del>├</del>		<u> </u>		Nonre	urring	Nonrecurring	Disconnect		L	OSS	Rates (\$)	L	l
		<del>                                     </del>	<del>                                     </del>			Rec	First	Add'I	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	AMI - Extended SuperFrame Format			UEPOC	MCOPO		0.00	0.00								
Tele	lephone Number/Trunk Group Establisment Charges															
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00										
	Telephone Number for 1-Way Outward Trunk Group		l	UEPOC	UDTGY	0.00										<del> </del>
	Telephone Number for 1-Way Inward Trunk Group Without DID	ļ	ļ	UEPDC	UDTGZ	0.00	0.00									<b></b>
	DID Numbers for each Group of 20 DID Numbers DID Numbers, Non- consecutive DID Numbers , Per Number	-	├	UEPDC UEPDC	ND4 ND5	0.00	0.00									-
-	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00							<del> </del>	<del> </del>
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00								
Ded	dicated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	Digita	Lloon			0.00	0.00	0.00								<del> </del>
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities	1	1	1	T				-							<del>                                     </del>
	Termination)		<u> </u>	UEPDC	1LNO1	60.16	89.27	81.81	16.35	14.44						
-	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.18	0.00	0.00								
$\perp$	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25 miles			UEPDC	1LNOB	0.18	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.18	0.00	0.00								
	Local Number Portability, per DS0 Activated		1	UEPDC	LNPCP	3.15	0.00	0.00	0.00							
	Central Office Termininating Point		1	UEPDC	CTG	0.00										
	VIRE DS1 LOOP WITH CHANNELIZATION WITH PORT															
	stem is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti				L							***********			<u> </u>	
	ch System can have up to 24 combinations of rates depending on				l	<u> </u>	<u> </u>				<u> </u>	Ļ <u>.</u>		l	L	<u> </u>
	e UNE-P DS1 combination rates below for 4-Wire DS1 Loop with C quests for 4-Wire DS1 Loop with Channelization with Port after th											snall revert	to tariff rates	or a separate	agreement.	
	E DS1 Loop	e eneci	Ae gar	e or this amenomen	snan de pro	video pursuan	t to a separate	agreement or	tariii at belioo	um s discreti	MI.				<del> </del>	
- I - I	4-Wire DS1 Loop - UNE Zone 1	<u> </u>	1	UEPMG	USLDC	82.55	0.00	0.00							<del> </del>	
	4-Wire DS1 Loop - UNE Zone 2			UEPMG	USLDC	154.18	0.00	0.00			<del> </del>	l		<b></b>	<del> </del>	<b></b>
_	4-Wire DS1 Loop - UNE Zone 3			UEPMG	USLDC	314.52	0.00	0.00			<del></del>				<del>                                     </del>	<u> </u>
UNE	E DSO Channelization Capacities (D4 Channel Bank Configuration	ns)	<u> </u>		10000	511.00		3,50					***************************************			
	24 DSO Channel Capacity - 1 per DS1		<b>—</b>	UEPMG	VUM24	101.40	0.00	0.00			1					
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	202.80	0.00	0.00								
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	405.60	0.00	0.00								
	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	608.40		0.00							L	
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	811.20	0.00	0.00								<b></b>
	240 DS0 Channel Capacity - 1 per 10 DS1s		<u> </u>	UEPMG	VUM2O	1,014.00		0.00								+
	288 DS0 Channel Capacity - 1 per 12 DS1s		<b> </b>	UEPMG	VUM28	1,216.80	0.00	0.00				<b></b>		ļ	<del> </del>	
	384 DS0 Channel Capacity - 1 per 16 DS1s 480 DS0 Channel Capacity - 1 per 20 DS1s	-	├	UEPMG UEPMG	VUM38 VUM4O	1,622.40	0.00	0.00				<u> </u>	<del> </del>	ļ	<del> </del>	<del> </del>
-	576 DS0 Channel Capacity - 1 per 20 DS1s		-	UEPMG UEPMG	VUM4O VUM57	2,028.00 2,433.60	0.00	0.00		ļ	<del> </del>	<del> </del>				
	672 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57 VUM67	2,433.60		0.00			<del> </del>		<del></del>		<del> </del>	-
Non	n-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with	Chan						0.00				<del>                                     </del>		<del> </del>	<del> </del>	<del> </del>
	finimum System configuration is One (1) DS1, One (1) D4 Channel															<del> </del>
	itiples of this configuration functioning as one are considered Ad										<del> </del>	t				1
	NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes			UEPMG	USAC4	0.00	150.48	8.36								
Syst	stem Additions at End User Locations Where 4-Wire DS1 Loop wit	h Chan	nelizat							· · · · · · · · · · · · · · · · · · ·	<del> </del>	<b> </b>			1	1
	w (Not Currently Combined) in all states, except in Density Zone 1				T T										T	T
	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port		T	[												
	and Assoc Fea Activation (E:4/1/2004)		I	UEPMG	VUMD4	0.00	716.11	468.04	148.75	17.65	<del> </del>	<b></b>				-
	polar 8 Zero Substitution						3	1					1	i	1	
				UEPMG	CCOSF	0.00	0.00i	600.00s								

NEUNULE	D NETWORK ELEMENTS - Alabama					·					,	,		ment: 2		bit: A
EGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Increment Charge - Manual Sy Order vs. Electronic Disc Add
			ļ				Nonrec		Manmaurin	Disconnect	<b>-</b>	L	OSC.	Rates (\$)		<u> </u>
		<del> </del>			+	Rec	First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Altorn	Ite Mark Inversion (AMI)	<b></b>			<del></del>		riisi .	Addi	Lust	Addi	SOMEC	SUMAN	JOHAN	SUMAN	SOMAN	SOME
Aiteina	Superframe Format	├		UEPMG	MCOSF	0.00	0.00	0.00	ļ	<b> </b>	<del> </del>	<b></b>				ļ
							0.00									
_ <u> -</u>	Extended Superframe Format		L	UEPMG	MCOPO	0.00	0.00	0.00								
	ige Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port								ļ				l	
Exchai	ige Ports	L														
1	Line Side Combination Channelized PBX Trunk Port - Business	1							1		1	l	}		1	1
	(E:4/1/2004)	1	1	UEPPX	UEPCX	1.15	0.00	0.00	0.00	0.00					1	1
	Line Side Outward Channelized PBX Trunk Port - Business	1	1		1											
1	(E:4/1/2004)	l	l	UEPPX	UEPOX	1.15	0.00	0.00	0.00	0.00	1		1			1
	Line Side Inward Only Channelized PBX Trunk Port without DID	<del> </del>	├	100717	JOE, OX	1.75	0.00	0,00	1 0.00	0.00	<del> </del>					<b></b>
1	(E:4/1/2004)	1	l	UEPPX	UEP1X	ا در ا	0.00	0.00	0.00	0.00	1	1	I		1	1
-		<b></b>	<b> </b>	UEPPA	UEPIA	1.15	0.00	0.00	0.00	0.00	<del></del>	ļ	ļ	ļ	ļ	
1	2-Wire Trunk Side Unbundled Channelized DID Trunk Port	1	l	l		1	_			1	1	1	I	1	l	1
	(E:4/1/2004)	l	L	UEPPX	UEPDM	8.05	0.00	0.00	0.00	0.00	1				<u> </u>	!
1	Unbundled Exchange Ports, 2-Wire Channelized - Outdial -			1		I										
1	(AL, KY, LA, MS, & TN)(Conversion from Network Access	I	l			} I				1	ł				1	1
1	Service) (E:4/1/2004)	1		UEPPX	UEPCY	1.15			1	1	1		l		1	l
	Unbundled Exchange Ports, 2-Wire Channelized - Combination			00117	100,0.				-		<del> </del>					
1	(AL, KY, LA, MS, & TN) (Conversion from Network Access	1			1	1					1		1		1	İ
1	Service) (E:4/1/2004)		1			1							1		l	1
		<u> </u>		UEPPX	UEPCT	1.15					<b>.</b>					L
	2-Wire Channelized PBX Area Calling Service Combination Port	1	1			1 1										1
	(AL Only) (E:4/1/2004)			UEPPX	UEPA4	1.15	0.00	0.00	1		1					l
	2 Wire Channelized PBX Area Calling Service Outgoing Only										1		I			
1	Port (AL Only) (E:4/1/2004)		1	UEPPX	UEPA3	1.15	0.00	0.00				l				
Feature	Activations - Unbundled Loop Concentration								†				<del></del>			·
1, 22,2	Feature (Service) Activation for each Line Port Terminated in D4					<del> </del>					<del> </del>		<del> </del>			
- 1	Bank		l	UEDEV	1001404					1		1	1			
		ļ	ļ	UEPPX	1PQWM	0.56	54.55		ļ	ļ	ļ	ļ	ļ		ļ	ļ
	Feature (Service) Activation for each Trunk Port Terminated in	1			l					l			1		1	
	D4 Bank			UEPPX	1PQWU	0.56	77.03		l		1		l		<u> </u>	
Teleph	one Number/ Group Establishment Charges for DID Service										1	1			1	
	DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00				Ī			T	
	DID Numbers - groups of 20 - Valid all States	<b></b>		UEPPX	NQ4	0.00	0.00	0.00		1	1				1	1
	Non-Consecutive DID Numbers - per number		·	UEPPX	ND5	0.00	0.00	0.00	-	<del> </del>	<del> </del>	·			<del></del>	<del></del>
<del></del>	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00		<del> </del>					<del></del>	<del> </del>
	Reserve DID Numbers									<b>}</b>	<del> </del>		ļ			<u> </u>
1		<u> </u>	ļ	UEPPX	NOV	0.00	0.00	0.00			<del> </del>	ļ	ļ	ļ		
Local	lumber Portability	ļ	ļ		<b>_</b>						1	ļ			ļ	
	Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
	RES - Vertical and Optional									I			l			
Local S	witching Features Offered with Line Side Ports Only	Ι			1						1 -		1		1	l
$\top$	All Features Available	1		UEPPX	UEPVF	1,98	0.00	0.00			1	l	l	·	1	
UNDLED	ENTREX PORT/LOOP COMBINATIONS - COST BASED RATE	\$	<del> </del>	, , ,	+ <del></del>	,,,,,,	0.00	0.00	<del> </del>	<del> </del>	<del> </del>	<del>                                     </del>	<b> </b>		<del> </del>	<del> </del>
	Based Rates are applied where BellSouth is required by FCC		Ctote 1	Commission arts to	mandala Unit	undled I nect for	witching or Pro	itah Basta	<del> </del>		<del> </del>	<del>                                     </del>	<b>-</b>	<del> </del>	<del> </del>	
									diad Branch		I Francisco				<del> </del>	<del> </del>
	res shall apply to the Unbundled Port/Loop Combination - C											ــِــــ	L	<u> </u>	ļ	<u> </u>
	Office and Tandem Switching Usage and Common Transport														<u> </u>	<u> </u>
	irst and additional Port nonrecurring charges apply to Not Co	urrently	Comb	ined Combos. For	Currently Co	mbined Combo	s, the nonrect	ırring charges	shall be those	identified in t	he Nonrecu	ming - Cum	ently Combin	ed sections.	Additional NF	tCs may
	Iso and are categorized accordingly.															
5. Mar	et Rates for Unbundled Centrex Port/Loop Combination will	be nead	tiated	on an Individual Ca	se Basis, un	til further notice	e.		1	1	1			I	T	
	CENTREX - 1AESS - (Valid in AL, FL, GA, KY, LA, MS, &TN only			ľ	T	1			1	<u> </u>						
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo	f	<b> </b>		<b>-</b>	<del> </del>			t		<del> </del>	l	<del>                                     </del>	<b></b>	1	<b></b>
	ort/Loop Combination Rates (Non-Design)	┼──	<b></b>		+	<del>                                     </del>			<del> </del>	<del> </del>			<del> </del>	<u> </u>	<del> </del>	
UNE P					+	<del>  </del>			<del> </del>	<del></del>	<del> </del>	ļ	<b></b>	ļ	<del> </del>	ł
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1	١	l	1	ll			1	1	1	1	1	1	1	
	Non-Design		1	UEP91		12.70					<b></b>					
1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		l		1						1	l			1	
	Non-Design	1	2	UEP91	1	21.19					1	L				
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -				1				1	1	1				1	
1	Non-Design	1	3	UEP91		34.80			1	1	1	1	I		I	l
LINE D.	nt/Loop Combination Rates (Design)	<del></del>	<u> </u>	100,01	<del> </del>	<del></del>				<del> </del>	<del> </del>	<del> </del>		·	<del> </del>	<del></del>
		├──				<del> </del>			<del> </del>		<del> </del>	<del> </del>		<b> </b>	<del> </del>	<del> </del>
1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1	1	UEP91		15.53			1		1	I		1	1	I
Į.	Design		1													

UNBUNDL	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		-	RATES (\$)				Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'I
		ļ	<del> </del>			Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'I	SOMEC	SOMAN	SOMAN	Rates (\$)	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	ļ	╁				rirst	Add I	Liter	Addi	SOMEC	SUMAN	SUMAN	SUMAN	SCHAR	SUMAN
	Design		2	UEP91		24.00								1	1	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	·						*****						İ		
	Design		3	UEP91		37.29										
UNE	Loop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1			UEP91	UECS1	11.55										
	2-Wire Voice Grade Loop (SL 1) - Zone 2	ļ	2	UEP91	UECS1	20.04										
	2-Wire Voice Grade Loop (SL 1) - Zone 3	ļ	3	UEP91	UECS1	33.65										ļ
<del></del>	2-Wire Voice Grade Loop (SL 2) - Zone 1		11	UEP91	UEC\$2	14.38				ļ						ļ
	2-Wire Voice Grade Loop (SL 2) - Zone 2			UEP91	UEC\$2	22.85				ļ	ļ					
ille	2-Wire Voice Grade Loop (SL 2) - Zone 3 Ports		3	UEP91	UEC\$2	36.14				ļ			<b> </b>	ļ	<b></b>	<del> </del>
	rorts tates (Except North Carolina and Sout Carolina)	<del> </del>	+			<b></b>				<b> </b>	<b> </b>	<u> </u>	ļ	<b> </b>	<b></b>	<del> </del>
701 31	2-Wire Voice Grade Port (Centrex ) Basic Local Area	<del> </del>	+	UEP91	UEPYA	1.15	40.19	19.83	24.91	6.63	1		•	1		
	2-Wire Voice Grade Port (Centrex ) Basic Local Mea		<del> </del>	OEFSI	UEFTA	1.15	40.19	19.63	24.91	0.63			<del> </del>		·	<del> </del>
1	Area			UEP91	UEPYB	1.15	40.19	19.83	24.91	6.63			1			1
	2-Wire Voice Grade Port (Centrex with Calter ID)Note1 Basic		+	VET 31	OLF 1B	1.15	40.19	15.03	24.31	0.03			<del>                                     </del>	<del>                                     </del>	<del> </del>	
	Local Area		1	UEP91	UEPYH	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)	<del> </del>	+	OEF#1	OLF III	1.10	40.13	19.03	24.51	0.03			ļ			
	Note 2, 3 Basic Local Area	İ	1	UEP91	UEPYM	1.15	90.38	57.27	48.66	8.77				l		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		+	OLF 31	OLFIM	1.10	90.00	37.21	40.00	0.77				<del>                                     </del>	<del> </del>	
	Term - Basic Local Area		1	UEP91	UEPYZ	1.15	90.38	57,27	48.66	8.77				l		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	<del> </del>	<del> </del>	OLI 91	<del>                                      </del>	1.10	30.00	32,21	40.00	0.77	<del> </del>		<b></b>	<del> </del>	<del> </del>	<del> </del>
	- Basic Local Area		1	UEP91	UEPY9	1,15	40.19	19.83	24.91	6.63	l			1		ļ.
	2-Wire Voice Grade Port Terminated on 800 Service Term -	<b></b>	<del> </del>		1000		10110	10100	2	0.50	<u> </u>				<del> </del>	
i	Basic Local Area	1	1	UEP91	UEPY2	1,15	40,19	19.83	24.91	6.63	1			1		
AL, K	(Y, LA, MS, & TN Only		<del> </del>	1	1-11		12112	70.00			<del> </del>		t	l	<b> </b>	<b></b>
	2-Wire Voice Grade Port (Centrex.)	·	1	UEP91	UEPQA	1,15	40,19	19.83	24.91	6.63	<b></b>				1	<del> </del>
	2-Wire Voice Grade Port (Centrex 800 termination)	<b></b>	<del>                                     </del>	UEP91	UEPQB	1.15	40.19	19.83	24.91	6.63	<b>†</b>		<b>!</b>		<del> </del>	<u> </u>
	2-Wire Voice Grade Port (Centrex with Caller ID)1		1	UEP91	UEPQH	1.15	40.19	19.83	24.91	6.63	l					
7	2-Wire Voice Grade Port (Centrex from diff Serving Wire	1	1	·											1	
	Center)2,3		1	UEP91	UEPQM	1.15	90.38	57.27	48.66	8,77						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800		T-								· ·					
	Service Term	1		UEP91	UEPQZ	1.15	90.38	57.27	48.66	8.77	İ		1	1	l	ŀ
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	1	1	UEP91	UEPQ9	1,15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port Terminated on 800 Service Term		I	UEP91	UEPQ2	1.15	40.19	19.83	24.91	6.63						
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP91	URECS	0.5488								<u> </u>		<u> </u>
Local	Number Portability	<u> </u>														
	Local Number Portability (1 per port)	<u> </u>	L	UEP91	LNPCC	0.35										
Featu			ļ								ļ	<u> </u>				<u> </u>
	All Standard Features Offered, per port	ļ		UEP91	UEPVF	1.98					ļ		ļ		ļ	ļ
	All Select Features Offered, per port	ļ		UEP91	UEPVS	0.00	405.52				ļ	ļ	ļ	L		<b></b>
NARS	All Centrex Control Features Offered, per port	<u> </u>	<del> </del>	UEP91	UEPVC	1.98						ļ				<b></b>
MARS		<b> </b>		LICOM	HADOY			A 64	0.00	0.65	ļ	ļ	<u> </u>	l	<del> </del>	
-+-	Unbundled Network Access Register - Combination Unbundled Network Access Register - Indial	<b></b>		UEP91	UARCX	0.00	0.00	0.00	0.00	0.00	<del> </del>		<b> </b>	1		<b></b>
	Unbundled Network Access Register - India:		<del> </del>	UEP91 UEP91	UAR1X UAROX	0.00	0.00	0.00	0.00	0.00		<b></b>	<del> </del>	<del> </del>	<b> </b>	<del> </del>
Misco	ellaneous Terminations	<del> </del>	┼	OCLA!	UARUA	0.00	0.00	0.00	0.00	0.00	<del> </del>	ļ				<del> </del>
	e Trunk Side	<del> </del>	<del> </del>	<b> </b>						<b> </b>					<del> </del>	<del> </del>
	Trunk Side Terminations, each	<del> </del>	<del> </del>	UEP91	CENA6	8.05	119.31	18.74	59.90	3.76	<del> </del>	<del> </del>	<b></b>	<del> </del>	<del></del>	<del> </del>
Intern	office Channel Mileage - 2-Wire	<del> </del>	<del> </del>	OEF 81	CENAU	0.05	113.31	10.74	35.90	3.76	<del> </del>	ļ	<del> </del>			<del> </del>
- 1	Interoffice Channel Facilities Termination - Voice Grade	<b></b>	<del> </del>	UEP91	M1GBC	21.13	40.54	27.41	16.74	6.90	<del> </del>	<del> </del>	<del> </del>	<u> </u>	<del>                                     </del>	<del> </del>
	Interoffice Channel mileage, per mile or fraction of mile	<del>                                     </del>	<del> </del>	UEP91	M1GBM	0.008838	70.04	£1,43	10.74	0.50	<del> </del>		<b></b>		<del> </del>	<del> </del>
Featu	re Activations (DS0) Centrex Loops on Channelized DS1 Service	e	†		1	5.000,00				<b></b>	<del> </del>		<b></b>	<del></del>	<del>                                     </del>	<del> </del>
	nannel Bank Feature Activations		<del> </del>	<b></b>							<del> </del>	<del> </del>	<b>†</b>		<b> </b>	<b>†</b>

UNBUNDL	ED NETWORK ELEMENTS - Alabama			*						*******			Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)		A.		Submitted Manually	Incremental	Incremental Charge - Manual Svc Order va. Electronic- Add'l	Incremental Charge -	Incremental Charge -
			ļ								ļ	L			Disc 151	Urac Add 1
			ļ		<del></del>	Rec	Nonrec First	urring Add'i	Nonrecurring First	Disconnect Add'I	SOMEC	SOMAN	SOMAN	Rates (\$)	SOMAN	SOMAN
		<del> </del>					First	MUUI	Lust	Auu	COMEC	SUMAN	John	OUMPH	OUMAR	- VOMAN
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.56								L		
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			LIEBO4		0.50										
	Feature Activation on D-4 Channel Bank Centrex Loop Stot -		-	UEP91	1PQW7	0.56					<del> </del>			<del> </del>	<del> </del>	<del> </del>
	Different Wire Center			UEP91	1PQWP	0.56										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop	<u> </u>	<del> </del>	UEP91	1PQWV	0.56					<del> </del>	ļ	<del> </del>		<del> </del>	<del> </del>
	Slot			UEP91	1PQWQ	0.56						1				
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.56										
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex			ļ												
	Conversion - Currently Combined Switch-As-Is with allowed changes, per port	1	1	UEP91	USAC2		0.10	0.10				í	1			1
	Conversion of Existing Centrex Common Block	<del> </del>	$\vdash$	UEP91	USACN		37.75	16.58			<del> </del>	<del> </del>	<del> </del>	<del> </del>		<del> </del>
	New Centrex Standard Common Block			UEP91	MIACS	0.00	667.21									
	New Centrex Customized Common Block			UEP91	M1ACC	0.00	667.21									
	Secondary Block, per Block	ļ	ļ	UEP91	M2CC1	0.00	78.02								ļ	ļ
Addi	NAR Establishment Charge, Per Occasion tional Non-Recurring Charges (NRC)	<del> </del> -	├	UEP91	URECA	0.00	72.73					<del> </del>		<del> </del>	<del> </del>	<del> </del>
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use	<del> </del>	-								<del>                                     </del>			<del> </del>		<del>                                     </del>
	Premise	ļ	1	UEP91	URETL	] ]	8.33	0.83					1		}	)
	Unbundled Miscellaneous Rate Element, Tag Design Loop at				1											
UNC	End Use Premise P CENTREX - 5ESS (Valid in All States)		├	UEP91	URETN		11.21	1.10			ļ			ļ		
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo		┼		-						<del> </del>	<del> </del>	<del> </del>	ļ	<del> </del>	<b></b>
	Port/Loop Combination Rates (Non-Design)		-		-							<del> </del>		· · · · · · · · · · · · · · · · · · ·		<u> </u>
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Non-Design	<u> </u>	1	UEP95		12.70					ļ	ļ	ļ		ļ	<u> </u>
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP95		21.19							1	1		
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		-	IUEF 30		21.19						<del>                                     </del>		ł	<b></b>	<del> </del>
	Non-Design		3	UEP95		34.80								l	L	
UNE	Port/Loop Combination Rates (Design)															
1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design	1	1	UEP95		45.50									1	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			UEP95	· <del> </del>	15.53					<del> </del>			<del>                                     </del>	<del> </del>	<del> </del>
	Design		2	UEP95		24.00							l	1		
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		İ													
	Design		3	UEP95		37.29							ļ	<u> </u>	<b></b>	<b>↓</b>
UNE	Loop Rate  2-Wire Voice Grade Loop (SL 1) - Zone 1	<b> </b> -	1	UEP95	UECS1	11.55	· ·				ļ	ļ	<b> </b>	<b> </b>	ļ	<del> </del>
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	20.04					<del> </del>	<del> </del>	<del> </del>	<del> </del>	<del> </del>	
	2-Wire Voice Grade Loop (SL 1) - Zone 3			UEP95	UECS1	33.65										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	14.38										
	2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3	ļ		UEP95	UECS2	22.85					<u> </u>	<b>↓</b>	ļ	ļ	<del> </del>	<del> </del>
UNF	Port Rate		1 3	UEP95	UECS2	36.14			ļ		<del> </del>	<del> </del>	<del> </del>	<del> </del>	<del> </del>	<del> </del>
All S		<del> </del>	<u> </u>	<b> </b>	<del>                                     </del>	<b> </b>					1	1	<del>                                     </del>			<b>†</b>
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP95	UEPYA	1,15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex 800 termination)		ļ	UEP95	UEPYB	1.15	40.19	19.83	24.91	6.63	<del> </del>	<b> </b> -	<del> </del>	ļ	<b></b>	<del></del>
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP95	UEPYH	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire		<del> </del>	UCF 20	UEF IFI	1.13	40.13	15.03	24.01	0.03		<del>                                     </del>		<b> </b>		<del> </del>
	Center)2,3 Basic Local Area			UEP95	UEPYM	1.15	90.38	57.27	48.66	8.77				<u></u>	<u></u>	
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800															1
	Service Term - Basic Local Area  2-Wire Voice Grade Port terminated in on Megalink or equivalent	<b></b>	<del> </del>	UEP95	UEPYZ	1.15	90.38	57.27	48.66	8.77		<del> </del>	-	-	<del> </del>	<del> </del>
1	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP95	UEPY9	1.15	40.19	19.83	24.91	6.63	1	1			1	1
	1	L	Ł	IOC1 DO	JULY 10	1,10	40.10	15.03	1 27.51	0.00		1		1		

JNBUNDLE	NETWORK ELEMENTS - Alabama							LLLOSENSON					Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manualty per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec			Disconnect	SOMEC	SOMAN	OSS SOMAN	Rates (\$)	SOMAN	SOMAN
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area		<u> </u>	UEP95	UEPY2	1.15	First 40.19	Add'I 19.83	First 24.91	Add'l 6.63	SOMEC	SUMAN	SUMAN	SOMAN	SUMAN	SUMAN
	LA, MS, SC, & TN Only							- LUMBERPPP								
	2-Wire Voice Grade Port (Centrex )			UEP95	UEPQA	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95 UEP95	UEPQB	1,15 1,15	40.19 40.19	19.83 19.83	24.91 24.91	6.63 6.63	ļ					
	2-Wire Voice Grade Port (Centrex with Caller ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3		-	UEP95	UEPQM	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2,3			UEP95	UEPQZ	1,15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1.15	40.19	19.83	24.91	6.63						
Local S	2-Wire Voice Grade Port Terminated on 800 Service Term witching			UEP95	UEPQ2	1,15	40.19	19.83	24.91	6.63						
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.5488										
	umber Portability Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
Feature	s All Standard Features Offered, per port		<u> </u>	UEP95	UEPVF	100										
	All Select Features Offered, per port			UEP95	UEPVS	1.98	405.52		ļ		<del></del>					
	All Centrex Control Features Offered, per port		<del> </del>	UEP95	UEPVC	1.98	400.02		<del> </del>		<del> </del>					
NARS			_	<u> </u>	122.10	7,50			<del> </del>							
	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Outdial meous Terminations			UEP95	UAROX	0.00	0.00	0.00	0.00	0.00						
	runk Side		<del> </del>		<del> </del>					>======						<b> </b>
	Trunk Side Terminations, each		-	UEP95	CEND6	8.05	119.31	18.74	59.90	3.76		<del></del>				<del></del>
4-Wire I	igital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP95	M1HD1	60.09	202.02	95.69	72.59	2.46						
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	14.48									
	ce Channel Mileage - 2-Wire nteroffice Channel Facilities Termination			LIFPOR	144000	24.40	40.54	07.44	46.74	200						<del></del>
	nteroffice Channel mileage, per mile or fraction of mile			UEP95 UEP95	M1GBC M1GBM	21.13 0.008838	40.54	27.41	16.74	6.90						<del></del>
Feature	Activations (DS0) Centrex Loops on Channelized DS1 Service	e		OLF-90	WITODW	0.00000		***************************************	<del> </del>	<b></b>						
D4 Char	mel Bank Feature Activations										<b></b>					
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.56							-			
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop			UEP95	1PQW6	0.56										ļ
	Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot -			UEP95	1PQW7	0.56										
	Different Wire Center			UEP95	1PQWP	0.56			<del> </del>				-			
	Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop	1111111		UEP95	1PQWV	0.56										
	Slot		ļ	UEP95	1PQWQ	0.56		***************************************	ļ		ļ				ļ	
Non-Po	eature Activation on D-4 Channel Bank WATS Loop Slot curring Charges (NRC) Associated with UNE-P Centrex			UEP95	1PQWA	0.56			ļ		<u> </u>					<b></b>
	VRC Conversion Currently Combined Switch-As-Is with allowed			urnor	upaco.		0.40	0.40	<b>f</b>							
	changes, per port Conversion of Existing Centrex Common Block, each		<b>—</b>	UEP95 UEP95	USAC2 USACN		0.10 37.75	0.10 16.58		<b></b>		<u> </u>				
<del>     </del>	New Centrex Standard Common Block		<del>                                     </del>	UEP95	M1ACS	0.00	667.21	10.38		<del>                                     </del>	<del> </del>					<b></b>
	New Centrex Customized Common Block			UEP95	MIACC	0.00	667.21			<b> </b>		l				
	VAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	72.73									
T I	al Non-Recurring Charges (NRC) Inbundled Miscellaneous Rate Element, Tag Loop at End Use															
	Premise		<u> </u>	UEP95	URETL		8.33	0.83		<u></u>	L	L	<u> </u>	<u></u>	<u> </u>	

		NETWORK ELEMENTS - Alabama												Attach	ment: Z	EXIII	ibit: A
ATEGOR		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Order vs. Electronic- Add'!	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sv Order vs.
-				ļ			Rec	Nonrec			Disconnect	000050	2011411		Rates (\$)		SOMAN
$\top$		Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP95	URETN		First 11,21	Add'I 1,10	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
U	NE-P	CENTREX - DMS100 (Valid in All States)		<del> </del>	OLI 20	ORELIV		11,21	1,10		<del> </del>	<del> </del>					
2-1	Wire \	/G Loop/2-Wire Voice Grade Port (Centrex) Combo															
UN		rt/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		١.										l			
		Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1	UEP9D		12.70			<b></b>							<del></del>
		Non-Design		2	UEP9D		2, 40										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		-	UEPSU		21.19				<u> </u>	<del> </del>			ļ		<del> </del>
-	ſ	Non-Design		3	UEP9D		34.80				1			1			1
UN		rt/Loop Combination Rates (Design)		-	02.00		57.50			<del> </del>		<del> </del>	<del> </del>				<del> </del>
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		-							<b></b>	<del> </del>	<del> </del>	<del>                                     </del>			
ــــــــــــــــــــــــــــــــــــــ		Design		1	UEP9D		15.53			1	1			l			
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design	Ĺ	2	UEP9D		24.00								<u> </u>		
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
<del></del>		Design		3	UEP9D		37.29										<del> </del>
UN		op Rate								L		ļ		ļ		ļ	<u> </u>
+-	<del> </del>	2-Wire Voice Grade Loop (SL 1) - Zone 1			UEP9D	UECS1	11.55			ļ				ļ			ļ
		2-Wire Voice Grade Loop (SL 1) - Zone 2			UEP9D	UECS1	20.04					ļ		<b>ֈ</b>			
-+-		2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1		3	UEP9D UEP9D	UECS1	33.65					-		ļ	<b></b>		<del> </del>
-		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2 UECS2	14.38					<del> </del>	<del> </del>	-			
_		2-Wire Voice Grade Loop (SL 2) - Zone 3			UEP90	UECS2	22.85 36.14					-	<del> </del>	<del> </del>	-	<b></b>	<del></del>
UN		1 Rate		-	OLI JU	102002	30.14					<del> </del>	<del> </del>	<del> </del>	<del> </del>	<del> </del>	
	L ST									i	<del> </del>	<del> </del>	<u> </u>	<b> </b>			
	7	2-Wire Voice Grade Port (Centrex ) Basic Local Area		-	UEP9D	UEPYA	1.15	40.19	19.83	24.91	6.63	1	<del> </del>			l	
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local		-							1						
		Area			UEP9D	UEPYB	1.15	40.19	19.83	24.91	6.63						
1		2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local															
		Vea			UEP9D	UEPYC	1.15	40.19	19.83	24.91	6.63						
ı		2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local		1									l	1			1
		Vea			UEP9D	UEPYD	1.15	40.19	19.83	24.91	6.63		ļ			ļ	
- 1		2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local										1	1	l		l	1
+		2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local			UEP9D	UEPYE	1,15	40.19	19.83	24.91	6.63	<b>_</b>		<u> </u>	ļ	<b></b>	<del> </del>
	1	Vea		i i	UEP9D	UEPYF	1.15	40.19	19.83	24.91	6.63	_		1	ĺ	1	İ
_		-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local			OLFBO	OLFTF	3.13	40,15	15.63	24.51	0.03	<del> </del>	<del> </del>	<del> </del>		<b></b>	
ı		Vea			UEP9D	UEPYG	1,15	40.19	19.83	24.91	6.63	1		l		l	
$\top$	12	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local		-	<del></del>	100						<b></b>	<b>——</b>				
		Vea			UEP9D	UEPYT	1,15	40.19	19.83	24.91	6.63	ļ	1	i			
1		P-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local												1		]	T
		vea			UEP9D	UEPYU	1,15	40.19	19.83	24.91	6.63		L				<u> </u>
- 1		-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local															1
	<u>_</u>	vea			UEP9D	UEPYV	1,15	40.19	19.83	24.91	6.63		<u> </u>				
		-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local											1			l	ļ
		Veg			UEP9D	UEPY3	1.15	40.19	19.83	24.91	6.63		ļ	ļ			
- 1		P-Wire Voice Grade Port (Centrex with Caller ID) Basic Local		}	UEP9D	UEPYH		20.40	40.00	24.91	6.63	1	1	1	1	1	1
-		-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			UEPBU	UEPTH	1.15	40,19	19.83	24.91	0.63	<del> </del>	<del> </del>	<del> </del>	<b>+</b>		<del> </del>
ı		ndication))4 Basic Local Area			UEP9D	UEPYW	1,15	40.19	19.83	24.91	6.63		1	1	I		
		-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4			0L 30	OLY 144	1,15	40.19	19.63	24.51	0,03	<del> </del>	<del>                                     </del>	<del> </del>	<del>                                     </del>	<del>                                     </del>	<del> </del>
	E	lasic Local Area			UEP9D	UEPYJ	1.15	40.19	19.83	24.91	6.63	1			1	1	1
		-Wire Voice Grade Port (Centrex from diff Serving Wire Center)				7 <u>'`</u>	<u>-</u>	70.70	,,,,,,	1	1 2.00	<del>                                     </del>	1	1			
	2	3-Basic Local Area			UEP9D	UEPYM	1.15	90.38	57.27	48.66	8.77						
		-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4										1	T				
- 1		Basic Local Area		l l	UEP9D	UEPYO	1.15	90.38	57.27	48.66	8.77	1	1	1	1	1	1

MRUNDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
ATEGORY	RATE ELEMENTS	interi m	Zone	BCS	usoc		-	RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Charge -	Charge -
<del></del>							Nonrec	wering.	Nonrecurring	Disconnect				Rates (\$)	Disc 1st	DISC AUG
	<u> </u>		├			Rec	First	Add'l	First	Add'1	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4 Basic Local Area			UEP9D	UEPYP	1.15	90.38	57.27	48.66	8.77	0020	30,11741	33,, 4,1			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4		t —					1111111			1					
	Basic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4		-	UEP9D	UEPYQ	1.15	90.38	57.27	48.66	8.77	<del> </del>					
	Basic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4		<u> </u>	UEP9D	UEPYR	1.15	90.38	57.27	48.66	8.77					<del> </del>	
	Basic Local Area			UEP9D	UEPYS	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4 Basic Local Area			UEP9D	UEPY4	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3		İ													
	Basic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4	-		UEP9D	UEPY5	1,15	90.38	57.27	48.66	8.77					<del> </del>	
	Basic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4		ļ	UEP9D	UEPY6	1.15	90.38	57.27	48.66	8.77	ļ		<u> </u>			
	Basic Local Area			UEP9D	UEPY7	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2,3			UEP9D	UEPYZ	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		$t^-$													
	Basic Local Area  2-Wire Voice Grade Port Terminated on 800 Service Term Basic		<del> </del>	UEP9D	UEPY9	1.15	40.19	19.83	24.91	6.63					ļ	
AL EX	Local Area , LA, MS, SC, & TN Only			UEP9D	UEPY2	1.15	40.19	19.83	24.91	6.63						
AL, KI	2-Wire Voice Grade Port (Centrex)			LEDOD	UEPQA		10.40	40.00	2101	6.63				ļ	<del> </del>	
	2-Wire Voice Grade Port (Centrex)  2-Wire Voice Grade Port (Centrex 800 termination)		<del> </del>	UEP9D UEP9D	UEPQB	1.15	40.19	19.83	24.91		<b></b>		<b></b>	<b></b>		<u> </u>
	2-Wire Voice Grade Port (Centrex 600 termination)					1.15	40.19	19.83	24.91	6.63		<u> </u>	ļ	ļ	<del> </del>	<b></b>
	2-Wire Voice Grade Port (Centrex / EBS-M5009)4			UEP9D UEP9D	UEPQC	1.15	40.19 40.19	19.83 19.83	24.91 24.91	6.63 6.63			<u> </u>	<del> </del>	}	<u> </u>
	2-Wire Voice Grade Port (Centrex / EBS-M5209)4			UEP9D	UEPQE	1.15 1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5112)4			UEP9D					24.91				ļ		<del></del>	
<del></del>	2-Wire Voice Grade Port (Centrex / EBS-M5312)4			UEP9D	UEPQF	1.15 1.15	40.19 40.19	19.83 19.83	24.91	6.63 6.63		<b></b>		<del> </del>		
	2-Wire Voice Grade Port (Centrex / EBS-N5312)4			UEP9D	UEPOT				24.91			ļ			<del></del>	
	2-Wire Voice Grade Port (Centrex / EBS-M5008)4					1.15	40.19	19.83		6.63					ļ	
	2-Wire Voice Grade Port (Centrex / EBS-M5208)4 2-Wire Voice Grade Port (Centrex / EBS-M5216)4		ļ	UEP9D	UEPQU	1.15	40.19	19.83	24.91	6.63					ļ	
			<u> </u>	UEP9D	UEPQV	1.15	40.19	19.83	24.91	6.63					ļ	
	2-Wire Voice Grade Port (Centrex / EBS-M5316)4			UEP9D	UEPQ3	1,15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPQH	1.15	40.19	19.83	24.91	6.63	<del> </del>				ļ	ļ
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication)4		1	1,5000	ucno		40.40	40.00						1		l
_	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPQW	1.15	40.19	. 19.83	24.91	6.63					-	
	2-Wire Voice Grade Port (Centrex/Msg Wig Lamp Indication)4 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			UEP9D	UEPQJ	1.15	40.19	19.83	24.91	6.63	<b></b>	<b></b>		ļ	<del> </del>	<u> </u>
	2,3			UEP9D	UEPQM	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2.3.4			UEP9D	UEPQO	1,15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPQP	1.15	90.38	57.27	48.66	8.77	-		ļ	<b> </b>	<del> </del>	<b></b>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4		ļ	UEP9D	UEPQQ	1.15	90.38	57.27	48.66	8.77	ļ				ļ	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPQR	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPQS	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPQ4	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2.3.4			UEP9D	UEPQ5	1.15	90,38	57.27	48.66							
			<u> </u>									<b></b>		<b> </b>	<del>                                     </del>	<b></b>
-	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP90	UEPQ6	1,15	90.38	57.27	48.66	8.77	<del> </del>			-	<del> </del>	<del> </del>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP90	UEPQ7	1.15	90.38	57.27	48.66	8.77	<u></u>				]	<u></u>

UNBL	INDLE	D NETWORK ELEMENTS - Alabama							·		***************************************			Attach	ment: 2	Exhi	bit: A
CATEG	GORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order va. Electronic- Disc Add'l
							Rec	Nonrec	urring	Nonrecurring					Rates (\$)	· · · · · · · · · · · · · · · · · · ·	
	<del> </del>	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	ļ	-		<del> </del>		First	Add'l	First	Addi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	ļ	Term 2,3		ļ	UEP9D	UEPQZ	1.15	90.38	57.27	48.66	8.77						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.15	40.19	19.83	24.91	6.63						
	I need t	2-Wire Voice Grade Port Terminated on 800 Service Term Switching	ļ	<del> </del>	UEP9D	UEPQ2	1.15	40.19	19.83	24.91	6.63					ļ	
	LOCAL :	Centrex Intercom Funtionality, per port	├	┼	UEP9D	URECS	0.5488			-		<b></b>				ļ	
	Local	Number Portability	ļ	┼	UEFBU	TURECO	0.5400			<del> </del>		<b></b>			<b></b>	<b></b>	<b></b>
	1	Local Number Portability (1 per port)	·	<del> </del>	UEP9D	LNPCC	0.35					<b> </b>			l		<b></b>
	Featur				<u> </u>							1				1	
		All Standard Features Offered, per port		1	UEP9D	UEPVF	1.98										
		All Select Features Offered, per port			UEP9D	UEPVS	0.00	405.52									
		All Centrex Control Features Offered, per port			UEP9D	UEPVC	1.98										
	NARS			<u> </u>								<u> </u>					
	<b></b>	Unbundled Network Access Register - Combination		<u> </u>	UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00				ļ	<b></b>	ļ
	ļ —	Unbundled Network Access Register - Inward	ļ		UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00			ļ	ļ		ļ
	Micari	Unbundled Network Access Register - Outdial laneous Terminations	<b>-</b>		UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00	<del> </del>	<b></b>		<b></b>	<del> </del>	<b> </b>
		Trunk Side		+	<del> </del>		<del> </del>					<del> </del>	<del> </del>			<del> </del>	<del> </del>
	2-41110	Trunk Side Terminations, each	<del> </del>	+	UEP9D	CEND6	8.05	119.31	18.74	59.90	3.76			<del> </del>	<b>}</b>		
	4-Wire	Digital (1.544 Megabits)		╅	OCI OD	- JOLINDO	0.00	110.01	10.77	00.00	0.75	<del>                                     </del>				<b></b>	
		DS1 Circuit Terminations, each		1-	UEP9D	M1HD1	60.09	202.02	95.69	72.59	2.46						
		DS0 Channels Activiated per Channel		1	UEP9D	M1HDO	0.00	14,48									
	Interof	fice Channel Mileage - 2-Wire															
		Interoffice Channel Facilities Termination			UEP9D	M1GBC	21.13	40.54	27.41	16.74	6.90						
		Interoffice Channel mileage, per mile or fraction of mile		<u> </u>	UEP9D	M1GBM	0.008838										
		Activations (DS0) Centrex Loops on Channelized DS1 Service	<b>10</b>	ļ			ļ						ļ			ļ	
	U4 Cha	Innel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot		₩	UEP9D	1PQWS	0.56					<del> </del>	<b></b>	<u> </u>	<del></del>	<u> </u>	ļ
		realiste Activation on 5-4 Chariner bank Centrex Loop Stor	-	┼	DEPSD	IFQWS	0.36					<del> </del>				<del> </del>	<b></b>
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop		<u> </u>	UEP9D	1PQW6	0.56										
		Slot		<u> </u>	UEP9D	1PQW7	0.56										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9D	1PQWP	0.56										
												1					ļ
		Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			UEP9D	1PQWV	0.56					<del> </del>			<del> </del>		
		Slot			UEP9D	1PQWQ	0.56										
		Feature Activation on D-4 Channel Bank WATS Loop Stot		├	UEP9D	1PQWA	0.56					<del> </del>	<del> </del>	<b> </b>	<del> </del>		<b></b>
	IAOII-KE	NRC Conversion Currently Combined Switch-As-Is with allowed	<del> </del>	┼	<b> </b>	+	<del> </del>			<del> </del>				<u> </u>			<del> </del>
		changes, per port			UEP9D	USAC2		0.10	0.10							1	
		Conversion of existing Centrex Common Block, each	<del>                                     </del>	+	UEP9D	USACN	<del>                                     </del>	37.75	16,58	<del> </del>	<del> </del>	<del>                                     </del>	-			l	<del>                                     </del>
		New Centrex Standard Common Block	<u> </u>	<del>                                     </del>	UEP9D	MIACS	0.00	667.21				<del>                                     </del>					
		New Centrex Customized Common Block		1	UEP9D	M1ACC	0.00	667.21									
		NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	72.73									
	Additio	nal Non-Recurring Charges (NRC)													<u> </u>	<u> </u>	
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP9D	URETL		8.33	0.83								
		Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP9D	URETN		11.21	1.10								
	UNE-P	CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)	l	1		T											
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo			1	1											
	UNE PO	ort/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design		1	UEP9E		12.70										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP9E		21,19										
		· · · · · · · · · · · · · · · · · · ·	<b></b>	<u> </u>				L		·	A						

UNBUN	DLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
CATEGOR	₹Y	RATE ELEMENTS	Interi m	Zone	BCS	usoc		-	RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
				_			Rec	Nonrec First	arring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	OSS SOMAN	Rates (\$)	SOMAN	SOMAN
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -				<del> </del>		rnst.	Addi	Liigi	Auui	SUMEC	SUMAN	SUMAN	JUMAN	JUNIAN	SUMAN
		Non-Design		3	UEP9E		34.80										
U	VE PO	ort/Loop Combination Rates (Design)			<u> </u>												
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		١.													
		Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1_1_	UEP9E		15.53								<b></b>		
		Design		2	UEP9E		24.00										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<del>                                     </del>													
	•	Design		3	UEP9E		37.29										
U		op Rate	ļ	l													
		2-Wire Voice Grade Loop (SL 1) - Zone 1	ļ	1 1	UEP9E	UECS1	11.55									ļ	
		2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3	ļ	2	UEP9E UEP9E	UECS1	20.04			<u> </u>		ļ			<b> </b>		
		2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS1 UECS2	33.65 14.38			1		<del> </del>	<del></del>		<del> </del>	<del> </del>	l
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	22.85					<del> </del>		****			
		2-Wire Voice Grade Loop (SL 2) - Zone 3	_		UEP9E	UECS2	36,14			<b></b>		<del> </del>			<b></b>		
UN		ort Rate		<del> </del>	1							1					
AL	., FL,	KY, LA, MS, & TN only															
		2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP9E	UEPYA	1.15	40.19	19.83	24.91	6.63	I					
		2-Wire Voice Grade Port (Centrex 800 termination)Besic Local Area			UEP9E	UEPYB	1.15	40.19	19.83	24.91	6.63						
		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP9E	UEPYH	1.15	40.19	19.83	24.91	6.63						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3 Basic Local Area			UEP9E	UEPYM	1.15	90.38	57.27	48.66	8.77						
		2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800 Service Term - Basic Local Area 2-Wire Voice Grade Port terminated in on Megalink or equivalent		<u> </u>	UEP9E	UEPYZ	1.15	90.38	57.27	48.66	8.77						
		2-Wire Voice Grade Port Terminated in Vivillagilist of equivalent and a second real		ļ	UEP9E	UEPY9	1.15	40.19	19.83	24.91	6.63						
		Basic Local Area LA, MS, & TN Only			UEP9E	UEPY2	1.15	40.19	19,83	24.91	6.63						
- AL		2-Wire Voice Grade Port (Centrex.)			UEP9E	UEPQA	1.15	40.19	19.83	24.91	6.63				ļ ———		
		2-Wire Voice Grade Port (Centrex ) 2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPQB	1.15	40.19	19.83	24.91	6.63	ļi			<del> </del>		
		2-Wire Voice Grade Port (Centrex with Caller ID)1		┼─	UEP9E	UEPQH	1.15	40.19	19.83	24.91	6.63				<b> </b>		
		2-Wire Voice Grade Port (Centrex from diff Serving Wire			<u> </u>							····			l		
		Center)2,3		<u> </u>	UEP9E	UEPQM	1.15	90.38	57.27	48.66	8.77						
		2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800 Service Term			UEP9E	UEPQZ	1.15	90.38	57.27	48.66	8.77						
	- 1	2-Wire Voice Grade Port terminated in on Megatink or equivalent		1	UEP9E	UEPQ9	1.15	40.19	19.83	24.91	6.63						
		2-Wire Voice Grade Port Terminated on 800 Service Term		<del> </del>	UEP9E	UEPQ2	1.15	40,19	19.83	24.91	6.63	<b>†</b>				1	
Lo		witching			T .							T					
		Centrex Intercom Funtionality, per port			UEP9E	URECS	0.5488										
Lo		umber Portability															
		Local Number Portability (1 per port)			UEP9E	LNPCC	0.35			ļ	<b></b>	ļ	<u> </u>			<b></b>	ļ
Fe	ature			<del> </del>	UEDOE .	luco:	1.5-			<del> </del>	ļ	<b></b>	ļ				
<del></del>		All Standard Features Offered, per port			UEP9E	UEPVF	1.98	406.50		ļ	ļ	<del> </del>	<del>                                     </del>	ļ	<del> </del>	<del> </del>	<del> </del>
		All Select Features Offered, per port  All Centrex Control Features Offered, per port	<u> </u>	├	UEP9E UEP9E	UEPVS	0.00 1.98	405.52		<del> </del>	<b>{</b>	<del> </del>	<del> </del>	ļ	<del> </del>	<del> </del>	<del> </del>
NA	RS	res contros contros r catales chierea, per port	<del></del>	<del> </del>	OCT-9C	UEF VC	1,98			<del> </del>	<del> </del>	<del> </del>	<del> </del>		<del> </del>	<del> </del>	<del> </del>
		Unbundled Network Access Register - Combination		<del> </del>	UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00	<b></b>				<b> </b>	
		Unbundled Network Access Register - Indial		<del>                                     </del>	UEP9E	UAR1X	0.00	0.00	0.00		0.00					1	
	$\neg$	Unbundled Network Access Register - Outdial		<b>†</b>	UEP9E	UAROX	0.00	0.00	0.00		0.00						l
	scella	neous Terminations															
2-1		runk Side															
		Trunk Side Terminations, each			UEP9E	CEND6	8.05	119.31	18.74	59.90	3.76						
4-4	Vire I	Digital (1.544 Megabits)				1							ļ			ļ	
		DS1 Circuit Terminations, each	L	<u> </u>	UEP9E	M1HD1	60.09	202.02	95.69	72.59	2.46	L	L	l	L	<u> </u>	L

UNBUNDLED	NETWORK ELEMENTS - Alabama												Attach	ment: 2	Fyhi	bit: A
	14m / 4 / m / 11 mm m / m / F / mm / m / m / m / m / m /	r	г	r	<del></del>						Com Order	Svc Order				
1					1						3	Submitted		Charge -	Charge -	Charge -
1			1	<u> </u>	1											
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	Manually			Manual Svc	
	NATE ELEMENTS	m	Zone	BC3	USUL			MATES (#)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
1			1		1								Electronic-	Electronic-	Electronic-	
1			1		1						1	l	1st	Add'l	Disc 1st	Disc Add't
					<del></del>	·	Nana		N	- Diagrams of		L	000	Rates (\$)	L	
						Rec	Nonrec First	Add'i	Nonrecurring First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
- In-	ISO Channel Activated Per Channel		<del> </del>	UEP9E	M1HDO	0.00	14.48	AUU I	First	Addi	SOMEC	JUMAN	JOMAN	JOHAN	JOHNAN	SUMAN
Interoffice	e Channel Mileage - 2-Wire	<del></del> -		UEFBE	MINDO	0.00	14,46			<b></b>					<del></del>	<del></del>
In	nteroffice Channel Facilities Termination		<del>  -</del>	UEP9E	M1GBC	21.13	40.54	27,41	16.74	6.90			<del> </del>		<b></b>	<del> </del>
	iteroffice Channel mileage, per mile or fraction of mile		<del> </del>	UEP9E	MIGBM	0.008838	40.04	27,41	70.74	0.50	<b></b>		<del></del>	<del></del>		
	Activations (DS0) Centrex Loops on Channelized DS1 Service	•		OL: OL	THI COM	0.00000				f	<del></del>	·	<del></del>	f	·	
	nel Bank Feature Activations	<u> </u>	-									<del> </del>				<b> </b>
	eature Activation on D-4 Channel Bank Centrex Loop Slot		<del> </del>	UEP9E	1PQWS	0.56					<b></b>					
				<del></del>	+·· •··	0.00										
Fe	eature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1POW6	0.56						İ				ĺ
	eature Activation on D-4 Channel Bank FX Trunk Side Loop		<del>                                     </del>	<u> </u>	11.0	0.00										
	lot			UEP9E	1PQW7	0.56					Ì	l			}	1
	eature Activation on D-4 Channel Bank Centrex Loop Slot -		<del> </del>		<del>                                     </del>	9.00				<b>†</b>				<b></b>	<b></b>	
	ifferent Wire Center			UEP9E	1PQWP	0.56						l	ļ	1		1
		·	Ì		T	1				<b>†</b>	l	<b>———</b>	l	l	<b></b>	<u> </u>
Fe	eature Activation on D-4 Channel Bank Private Line Loop Slot		1	UEP9E	1PQWV	0.56				İ		1		l	1	1
	eature Activation on D-4 Channel Bank Tije Line/Trunk Loop		1-		1					l	<del> </del>	l			l	
	lot		1	UEP9E	1PQWQ	0.56				l		1	[		ŀ	1
Fe	eature Activation on D-4 Channel Bank WATS Loop Slot		1	UEP9E	1PQWA	0.56										
	urring Charges (NRC) Associated with UNE-P Centrex		1		-						<b></b>					
	RC Conversion Currently Combined Switch-As-Is with allowed	_			-											
	hanges, per port			UEP9E	USAC2	ĺ	0.10	0.10						l		
Co	onversion of Existing Centrex Common Block, each		1	UEP9E	USACN		37.75	16.58	·							
Ne	ew Centrex Standard Common Block			UEP9E	MIACS	0.00	667.21									
Ne	ew Centrex Customized Common Block			UEP9E	MIACC	0.00	667.21									
N/	AR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	72.73									
	al Non-Recurring Charges (NRC)															
	nbundled Miscellaneous Rate Element, Tag Loop at End Use				1											
	remise			UEP9E	URETL		8.33	0.83		1						
	nbundled Miscellaneous Rate Element, Tag Design Loop at															
	nd Use Premise			UEP9E	URETN		11.21	1.10			L					
	ENTREX - DCO - Valid in AL, KY, LA, MS, & TN)															
2-Wire VG	Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE Port/	/Loop Combination Rates (Non-Design)															
	Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		1		ı				ĺ	l	1	l			i	
	on-Design		1	UEP93		12.70										<b></b>
	Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -				1								l			1
	on-Design		2	UEP93	<u> </u>	21.19				ļ			ļ		ļ	
	Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo		۱ .	WEDOO	1	ا ا					-	1	1	1	I	İ
	on-Design /Loop Combination Rates (Design)		3	UEP93	-	34.80				<b> </b>					<del> </del>	<del></del>
					-	<del> </del>			<del> </del>	<b></b>	<del> </del>	<del> </del>	<del> </del>	<b> </b>	<del> </del>	<del> </del>
	Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - esign		1	LIEDOS	1	45.50				1			l	l	l	1
	wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		'-	UEP93	+	15.53			<b> </b>	ļ			<b> </b>		<del> </del>	<del> </del>
	esign		2	UEP93	1	24.00			i i		1		1			l
	wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OLF 83		24.00				<b></b>	<del> </del>		<del></del>		<del> </del>	
	esign		3	UEP93		37.29				1			1	l		
UNE LOOP			- 3	ULT 30	+	31.28			<del> </del>		<del> </del>	<del> </del>	<del> </del>	<del> </del>	<del> </del>	<del> </del>
	Wire Voice Grade Loop (SL 1) - Zone 1	-	1	UEP93	UECS1	11.55			<del> </del>	<del> </del>	<del> </del>	<del> </del>	<del> </del>	<del> </del>	<del> </del>	<b> </b>
2-1	Wire Voice Grade Loop (SL 1) - Zone 2			UEP93	UECS1	20.04			t	<del> </del>		<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<del> </del>	
2-1	Wire Voice Grade Loop (SL 1) - Zone 3			UEP93	UECS1	33.65			f	<del></del>	<b> </b>	<b></b>	<b>1</b>	t	<b></b>	
	Wire Voice Grade Loop (SL 2) - Zone 1			UEP93	UECS2	14.38				<del> </del>	<del>                                     </del>					
	Wire Voice Grade Loop (SL 2) - Zone 2			UEP93	UECS2	22.85			-	<del> </del>	<del>                                     </del>	<b> </b>	l	l	l	
2-1	Wire Voice Grade Loop (SL 2) - Zone 3			UEP93	UECS2	36.14					<del>                                     </del>	<b>†</b>	1		<u> </u>	
UNE Port			<del> </del>		1							<del> </del>	1			
	A, MS, & TN only				1							<b>-</b>		1		
2-1	Wire Voice Grade Port (Centrex ) Basic Local Area		<u> </u>	UEP93	UEPYA	1.15	40.19	19.83	24.91	6.63		1		1	1	
2-1	Wire Voice Grade Port (Centrex 800 termination)Basic Local												T		1	1
	ea		1	UEP93	UEPYB	1.15	40.19	19.83	24.91	6.63	1	1		i		I

HOUT	IVLE	D NETWORK ELEMENTS - Alabama													ment: 2		bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
				1			i	_				Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
				1	İ							Elec	Manually	Manual Syc	Manual Svc	Manual Syc	Manual Sve
TEGO	wv	RATE ELEMENTS	Interi		BCS	USOC			RATES (\$)								
	A.,	NATE ELEMENTS	m	Zone	BC3	USUC			MAIES (8)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order ve.
				1	1	1								Electronic-	Electronic-	Electronic-	Electronic-
				1	}									1st	Add'I	Disc 1st	Disc Add'l
				l											l		
				T			_	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates (\$)		
							Rec	First	Add'!	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local				-			7,007								
- 1		Area		İ	UEP93	UEPYH	1,15	40.19	40.03	24,91	6.63	1		1			
					UEP93	UEPTH	1.15	40.19	19.83	24.91	6.63	ļ		ļ			
		2-Wire Voice Grade Port (Centrex from diff Serving Wire		l	ŀ					1		1					
		Center)2,3 Basic Local Area			UEP93	UEPYM	1.15	90.38	57.27	48.66	8.77			<u> </u>			
- 1		2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800													1		ţ
- 1		Service Term - Basic Local Area			UEP93	UEPYZ	1.15	90.38	57.27	48.66	8.77	}			1		1
		2-Wire Voice Grade Port terminated in on Megalink or equivalent		1													
- 1		- Basic Local Area		ł	UEP93	UEPY9	1,15	40.19	19.83	24.91	6.63			]			
$\rightarrow$				<b>├</b>	UEPSS	UEPTS	1,13	40.19	19.03	24,51	0.03	ļ					
		2-Wire Voice Grade Port Terminated on 800 Service Term -		1											ł		
_		Başic Local Area		1	UEP93	UEPY2	1.15	40.19	19.83	24.91	6.63						
		2-Wire Voice Grade Port (Centrex )		L	UEP93	UEPQA	1.15	40.19	19.83	24.91	6.63						<u></u>
T		2-Wire Voice Grade Port (Centrex 800 termination)		T	UEP93	UEPQB	1,15	40.19	19.83	24.91	6.63						
$\neg$		2-Wire Voice Grade Port (Centrex with Caller ID)1		<del>                                     </del>	UEP93	UEPQH	1.15	40.19	19.83	24.91	6.63		<b></b>	1	l		ļ
-		2-Wire Voice Grade Port (Centrex from diff Serving Wire		<del> </del>	00.700	02, 41		70.15	10.00	24.01	0.00	<del> </del>	<b></b>	<del> </del>	<del> </del>		
				1			ا مد د			40.00			Į		I		
-		Center)2,3		ļ	UEP93	UEPQM	1.15	90.38	57.27	48.66	8.77		ļ				
		2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 -800		l		1				1		1	l		1		1
		Service Term		1	UEP93	UEPQZ	1.15	90.38	57.27	48.66	8.77	1	1				
												ľ					
		2-Wire Voice Grade Port terminated in on Megatink or equivalent		1	UEP93	UEPQ9	1.15	40.19	19.83	24,91	6.63						l
$\rightarrow$		2-Wire Voice Grade Port Terminated on 800 Service Term		<del> </del>	UEP93	UEPQ2	1.15	40.19	19.83	24.91	6.63						
٠,		Switching		<del> </del>	UCF 90	UEFQZ	1.10	40.19	19.03	24.51	0.65						
				<u> </u>										ļ			
		Centrex Intercom Funtionality, per port			UEP93	URECS	0.5488				L						
		lumber Portability										1					
- [		Local Number Portability (1 per port)			UEP93	LNPCC	0.35					·					
F	eature																
1		All Standard Features Offered, per port		<del> </del>	UEP93	UEPVF	1.98				<del></del>			1			1
		All Centrex Control Features Offered, per port			UEP93	UEPVC						<del></del>		<del></del>	<del> </del>		<del> </del>
		All Centrex Control realtires Offered, per port		<b> </b>	UEP93	UEPVC	1.98										<del> </del>
	IARS			<u> </u>													<b></b>
		Unbundled Network Access Register - Combination		1	UEP93	UARCX	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Indial		1	UEP93	UAR1X	0.00	0.00	0.00	0.00	0.00		1	1 .			
- 1		Unbundled Network Access Register - Outdial			UEP93	UAROX	0.00	0.00	0.00	0.00	0.00						
h	discell:	aneous Terminations		<del>                                     </del>													
		Trunk Side								1				1			
-+=		Trunk Side Terminations, each			UEP93	CEND6	8.05	119.31	18.74	59.90	3.76	ļ					<del> </del>
				<del> </del> -	UCF93	CENDO	0.00	119.31	10.14	39.90	3.70	<del> </del>					<del> </del>
		Digital (1.544 Megabits)		<b> </b>								-					ļ
_		DS1 Circuit Terminations, each		<b></b>	UEP93	M1HD1	60.09	202.02	95.69	72.59	2.46	ļ		<b></b>	ļ	ļ	ļ
		DS0 Channels Activated, Per Channel			UEP93	M1HDO	0.00	14.48		i	L	L	l			<u> </u>	L
li	nteroff	ice Channel Mileage - 2-Wire															
T		Interoffice Channel Facilities Termination			UEP93	M1GBC	21.13	40.54	27.41	16.74	6.90						
		Interoffice Channel mileage, per mile or fraction of mile		<del> </del>	UEP93	M1GBM	0.008838					1		1		Γ	
F		Activations (DS0) Centrex Loops on Channelized DS1 Service	•	<del> </del>			0.000000			<del> </del>			l	<del>                                     </del>	<b> </b>		
		nnel Bank Feature Activations		<del> </del>	<del></del>	<del></del>				<b> </b>				<del> </del>	<del> </del>	<b></b>	<del> </del>
-				<b> </b>		1.00110				<b> </b>	ļ	<b> </b>	<b></b>	<del></del>	<b></b>	ļ	<del> </del>
		Feature Activation on D-4 Channel Bank Centrex Loop Slot		ļ	UEP93	1PQWS	0.56					ļ	ļ	ļ			
1	- 1			I							I		l		1		1
		Feature Activation on D-4 Channel Bank FX Line Side Loop Slot		1	UEP93	1PQW6	0.56						ŀ		1	l	L
T		Feature Activation on D-4 Channel Bank FX Trunk Side Loop									[	T	ļ	1	1		1
1		Slot			UEP93	1PQW7	0.56				l	1	l	I	1	l	
-		Feature Activation on D-4 Channel Bank Centrex Loop Slot -		<del></del>			0.50			<b> </b>	<del> </del>	<del> </del>	l				t
	- 1	Different Wire Center		1	LIEBOO	1PQWP	ا م			1	l .	1	l	1	1	l	1
-		Director 1486 Deliter		<b> </b>	UEP93	IFUVVP	0.56					<del> </del>	<b>}</b>	ļ			<del> </del>
1	1			l	l	1					l .	1	1	1	l	l	1
	l	Feature Activation on D-4 Channel Bank Private Line Loop Stot			UEP93	1PQWV	0.56				L	L	L	L		l	
T		Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop		I		T					1	1		1			
		Slot		l	UEP93	1PQWQ	0.56				ł	1				1	I.
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.56			<del> </del>	<b></b>	<del> </del>	<b></b>	<del> </del>		<del> </del>	t
				<del> </del>	UL 30	ILMAAW	0.36					-					<del> </del>
- ^		curring Charges (NRC) Associated with UNE-P Centrex		ļ							<b></b>		<b></b>	ļ		<u></u>	
		NRC Conversion Currently Combined Switch-As-Is with allowed		1							I	1	I	1		1	
- 1				1	UEP93	USAC2	ı	0.10	0.10	1	1	1	i	1	I	I	1
_		changes, per port		1													
+		Conversion of Existing Centrex Common Block, each		<del> </del>	UEP93	USACN		37.75	16.58	1		<u> </u>				İ	

UNB	INDLE	D NETWORK ELEMENTS - Alabama				****	*****	····						Attach	ment: 2	Exhi	bit: A
						T						Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""										1	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'I	1	Disc Add'l
								Nonrec	urring	Nonrecurring	Disconnect	<del> </del>		OSS	Rates (\$)	L	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		New Centrex Customized Common Block			UEP93	M1ACC	0.00	667.21									
		NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	72.73									
	Additio	nal Non-Recurring Charges (NRC)				Ī											
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
L		Premise			UEP93	URETL		8.33	0.83							1 '	
1		Unbundled Miscellaneous Rate Element, Tag Design Loop at														,	
		End Use Premise	1		UEP93	URETN		11.21	1.10				1			, '	
	Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
	Note 2	- Requres Interoffice Channel Mileage															
		<ul> <li>Installation is combination of Installation charge for SL2 Loc</li> </ul>	op and F	ort													
		- Requires Specific Customer Premises Equipment											1			,	
L	Note:	Rates displaying an "R" in Interim column are interim and sub	ject to ra	ate tru	e-up as set forth in	General Term	ns and Conditio	ns.								,	

NUDUN	IULE	D NETWORK ELEMENTS - Florida													ment: 2		bit: A
ATEGO	RY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		,	RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manusi Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'i
1							Rec	Nonred First	curring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	OSS SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
T	he "Z	one" shown in the sections for stand-alone loops or loops as	part of	a comi	hination refers to Ge	ographically	y Deaveraged L	INF Zones To	view Geograp	hically Deavers	ged LINE Zone	Designatio	ns by Cent	ral Office, refe	er to internet	Nebaite:	
	ttp://w	ww.interconnection.bellsouth.com/become a clec/html/inter				o grupriroun,	y Donserogou c	, nc Ebilou. 10	ew Ocog.up	mounty Danver	·goo one acom	. managament					
		SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"		Ľ.,	L	L	<u></u>			I							
el er N	lect ei ach of IOTE: rat car	(1) CLEC should contact its contract negotiator if it prefers the ther the state specific Commission ordered rates for the servitite 9 states. (2) Any element that can be ordered electronically will be bill not be ordered electronically will be bill not be ordered electronically.	ed acco	ring ch ording ( IEC rate	narges, or CLEC may	elect the re sted in this	egional service category. Plea	ordering charg se refer to Bell	e, however, Cl South's Local	LEC can not ob Ordering Hand	tain a mixture book (LOH) to	of the two i	egardiess i f a product	f CLEC has a	interconnecti ed electronica	on contract e	stablished in
S	OMAN	I, will be applied to a CLECs bill when it submits an LSR to B OSS - Electronic Service Order Charge, Per Local Service	lei/Sout	h.	r	1				T	r			1			
		Request (LSR) - UNE Only	l			SOMEC		3.50	0.00	3.50	0.00						
T		OSS - Manual Service Order Charge, Per Local Service Request			-												
NE SER	VICE	(LSR) - UNE Only DATE ADVANCEMENT CHARGE				SOMAN	-	11.90	0.00	1.83	0.00						
		The Expedite charge will be maintained commensurate with	BellSou	th's FC	C No.1 Tariff, Section	n 5 as appli	icable.	<del> </del>		<b> </b>				<b></b>			
		UNE Expedite Charge per Circuit or Line Assignable USOC, per Day			UDL, UENTW, UDN, UEA, UHL, ULC, USL, UHT12, UHT03, UHT03, UHT03, UHT01, UHT03, UHT01, UT104, UC10C, UC10L, UC10C, UC10L, UC10C, UC10L, UC10C, UC10L, UC10C, UC10L, UC10C, UC10L, UC10C, UC10L, UC10C, UC10L, UC10C, UC10L, UC10C, UC10L, UC10C, UC10L, UC10C, UC10L, UC10C, UC10L, UC10C, UC10L, UDL03, ULD13, ULD13, ULD13, ULD13, ULD03, ULD03, ULD03, ULD03, ULD03, UNC0X,	SDASP		200.00						·			
		XCHANGE ACCESS LOOP ANALOG VOICE GRADE LOOP		-			ļ							ļ			ļ
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	10.69	49.57	22.83	25.62	6.57			<del> </del>			
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	15.20	49.57	22.83	25.62	6.57						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEAL2	26.97	49.57	22.83	25.62	6.57						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL UEANL	UEASL UEASL	10.69 15.20	49.57 49.57	22.83 22.83		6.57 6.57			<del> </del>	<b></b>		<del> </del> -
	1	2-Wire Analog Voice Grade Loop - Service Level 1-Zone 3 Unbundled Miscellaneous Rate Element, Tag Loop at End User			UEANL	UEASL	26.97	49.57	22.83	25.62	6.57						
		Premise			UEANL	URETL		8.33	0.83								
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		48.65	48.65								ļ
		.oop Testing - Basic Additional Half Hour	L	L	UEANL	URETA	<u></u>	23.95	23.95	<u> </u>	l	L	L	1	L	L	L

UNB	UNDLE	D NETWORK ELEMENTS - Florida													ment: 2		ibit: A
CATE	GORY	RATE ELEMENTS	interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manuał Svc Order vs. Electronic- Disc 1st	Charge -
<u> </u>	<b></b>						Rec	Nonrec		Nonrecurring					Rates (\$)		
<u> </u>	<u> </u>			<u> </u>				First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1		CLEC to CLEC Conversion Charge Without Outside Dispatch		1			1										1
<u> </u>	<del> </del>	(UVL-SL1)		ļ	UEANL	UREWO		15.78	8.94						ļ		ļ
1	1	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST providing make-up (Engineering Information - E.I.)		1			ı								1		1
		providing make-up (Engineering Information - E.I.)  Manual Order Coordination for UVL-SL1s (per loop)		ऻ—	UEANL	UEANM		13.49	0.00						ļ		<del> </del>
l	╂	Order Coordination for Specified Conversion Time for UVL-SL1	<u> </u>		UEANL	UEAMU		9.00	9.00			<del> </del>			<b></b>		<b></b>
	ŀ	(per LSR)		1	UEANL	OCOSL		23.02									1
<del></del>	2-WIRE	E Unbundled COPPER LOOP	<del> </del>	<del> </del>	UEANL	UCUSL		23.02							<u> </u>	ļ	<del> </del>
	2 77111	2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	7.69	44.98	20.90	24.88	6.45					<del> </del>	<b></b>
	<del> </del>	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	<del>                                     </del>		UEQ	UEQ2X	10.92	44.98	20.90	24.88	6.45		l		<del>                                     </del>	<del> </del>	<del> </del>
	<b>!</b>	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	H		UEQ	UEQ2X	19.38	44.98	20.90	24.88	6,45				<del> </del>	<del> </del>	<del> </del>
<b></b>	<u> </u>	Unbundled Miscellaneous Rate Element, Tag Loop at End User	<del></del>	† <u>*</u> -	1004	- July	,5.30	77.30	20.50	24,00	0,43		<b></b>		<del> </del>	<del> </del>	<del> </del>
1	1	Premise		1	UEQ	URETL		8.33	0.83	1			l				1
1	1	Manual Order Coordination 2 Wire Unbundled Copper Loop -		<del> </del>		J. C. I. No. I I.	·	0,00	0.00	f		<del> </del>	i		t	t	
1	1	Non-Designed (per loop)		1	UEQ	USBMC		9.00									
	1	Unbundled Copper Loop, Non-Design Cooper Loop, billing for		+-			<del> </del>	0.00				<b>†</b>			<del> </del>		t
1	1	BST providing make-up (Engineering Information - E.I.)	l		UEQ	UEQMU		13,49		[						l	1
	1	Loop Testing - Basic 1st Half Hour		1-	UEQ	URET1		48.65	48.65							<del></del>	<b>†</b>
·	<del>                                     </del>	Loop Testing - Basic Additional Half Hour		1	UEQ	URETA		23.95	23.95			<b></b>				<del> </del>	<del> </del>
	<b>†</b>	CLEC to CLEC Conversion Charge Without Outside Dispatch	$\vdash$	<del> </del>	024	U. L.IX		20.50	20.00			<b>†</b>				<b>†</b>	
	İ	(UCL-ND)			UEQ	UREWO		14.27	7.43								
UNBU	IDLED E	EXCHANGE ACCESS LOOP		1	0.04	U. L. VI		17.2.	7,40			t				-	<del></del>
		ANALOG VOICE GRADE LOOP		<del>                                     </del>		-											<u> </u>
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		<del> </del>								·			<del>                                     </del>		<b>—</b>
1	1	Zone 1		1 1	UEPSR UEPSB	UEALS	10.69	49.57	22.83	25.62	6.57				l		
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		<del>                                     </del>	1	10.00	10.00								l		
		Zone 1	}	1	UEPSR UEPSB	UEABS	10.69	49.57	22.83	25.62	6.57	ł			1		1
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		1			7,77								1		
		Zone 2		2	UEPSR UEPSB	UEALS	15.20	49.57	22.83	25.62	6.57		l				
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		1													
		Zone 2		2	UEPSR UEPSB	UEABS	15.20	49.57	22.83	25.62	6.57		1		İ	l	1
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-			1					1		1					
		Zone 3		3	UEPSR UEPSB	UEALS	26.97	49.57	22.83	25.62	6.57					1	İ
	T	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 3		3	UEPSR UEPSB	UEABS	26.97	49.57	22.83	25.62	6.57						1.
UNBUI		XCHANGE ACCESS LOOP		1													
		ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or										-					
		Ground Start Signating - Zone 1		1	UEA	UEAL2	12.24	135.75	82.47	63.53	12.01	l					
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
		Ground Start Signaling - Zone 2		2	UEA	UEAL2	17.40	135.75	82.47	63.53	12.01						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		T													
		Ground Start Signaling - Zone 3		3	UEA	UEAL2	30.87	135.75	82.47	63.53	12.01						
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.02							I		
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		I													
		Battery Signaling - Zone 1		1	UEA	UEAR2	12.24	135.75	82.47	63.53	12.01						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
		Battery Signaling - Zone 2		2	UEA	UEAR2	17.40	135.75	82.47	63.53	12.01	<u> </u>	<u> </u>				<u> </u>
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			1					]						]	Į .
		Battery Signaling - Zone 3		3	UEA	UEAR2	30.87	135.75	82.47	63.53	12.01	<u> </u>			L		
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.02							ļ		<b></b>
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.71	36.35			<u> </u>					
		Loop Tagging - Service Level 2 (SL2)		L	UEA	URETL		11.21	1.10			ļ					<del> </del>
		ANALOG VOICE GRADE LOOP		Ļ		<u> </u>						<b></b>				ļ	<del></del>
	<b> </b>	4-Wire Analog Voice Grade Loop - Zone 1			UEA	UEAL4	18.89	167.86	115.15		15.56	ļ			ļ	ļ	<del> </del>
		4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	26.84	167.86	115.15		15.56				ļ	ļ	<b></b>
		4-Wire Analog Voice Grade Loop - Zone 3		3_	UEA	UEAL4	47.62	167.86	115.15	67.08	15.56	<b></b>	ļ		ļ	<u> </u>	<b></b>
		Order Coordination for Specified Conversion Time (per LSR)  CLEC to CLEC Conversion Charge without outside dispatch		<u></u>	UEA	OCOSL		23.02				<b></b>				<b></b>	<b></b>
					UEA	UREWO		87.71	36.35								

UNBUNDL	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	interi m	Zone	BCS	usoc		•	RATES (\$)				Submitted	incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge - Manual Svo Order vs.
						Rec	Nonrec		Nonrecurring	Disconnect				Rates (\$)		
	E ISDN DIGITAL GRADE LOOP	ļ	ـــــ			*****	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-1715		<u> </u>	<del></del>	ļ	-											<b>↓</b>
	2-Wire ISDN Digital Grade Loop - Zone 1	<u> </u>		UDN	U1L2X	19.28	147.69	94,41	62.23	10.71	<b>!</b>					<del> </del>
	2-Wire ISDN Digital Grade Loop - Zone 2 2-Wire ISDN Digital Grade Loop - Zone 3			UDN	U1L2X U1L2X	27.40 48.62	147.69	94.41 94.41	62.23 62.23	10,71 10,71						<b></b>
	Order Coordination For Specified Conversion Time (per LSR)		3	UDN	OCOSL	48.62	147.69 23.02	94,41	62.23	10.71	<b> </b>					<del> </del>
	CLEC to CLEC Conversion Charge without outside dispatch	<del>                                     </del>		UDN	UREWO		91.61	44.15			l					<del> </del>
2-WIR	E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIRLE	LOOP		DICENTO		31.01	44.10								<del> </del>
	2 Wire Unbundled ADSL Loop including manual service inquiry		1	T	<b></b>											<del> </del>
ĺ	& facility reservation - Zone 1		1	UAL	UAL2X	8.30	149.53	103.85	75.05	15.63	l			1		1
	2 Wire Unbundled ADSL Loop including manual service inquiry		<del>                                     </del>				1.0100									1
	& facility reservation - Zone 2	l	2	UAL	UAL2X	11.80	149.53	103.85	75.05	15.63					<u> </u>	
	2 Wire Unbundled ADSL Loop including manual service inquiry	T														
	& facility reservation - Zone 3		3	UAL	UAL2X	20.94	149.53	103.85	75.05	15.63						
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		23.02									
1	2 Wire Unbundled ADSL Loop without manual service inquiry &	1	١.								1					1
	facility reservation - Zone 1		1_	UAL	UAL2W	8.30	124.83	71.12	60.64	9.12						<del></del>
- 1	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2		1 -			44.00	404.00	74 40								1
	2 Wire Unbundled ADSL Loop without manual service inquiry &	ļ	2	UAL	UAL2W	11.80	124.83	71.12	60.64	9.12		<b>}</b>				<b> </b>
1	facility reservation - Zone 3		3	UAL	UAL2W	20.94	124.83	74.40	60.64	9.12						
<del></del>	Order Coordination for Specified Conversion Time (per LSR)	-	3	UAL	OCOSL	20.94	23.02	71.12	60.64	9.12	-					ļ
	CLEC to CLEC Conversion Charge without outside dispatch	<del> </del>	<del> </del>	UAL	UREWO		86.19	40.39			<del>                                     </del>				<del> </del>	
2-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	OOP		UNLIVO		00.15	40.03				<del> </del>				
	2 Wire Unbundled HDSL Loop including manual service inquiry	1	1													
	& facility reservation - Zone 1		1	UHL	UHL2X	7.22	159.09	113.41	75.05	15.63						
	2 Wire Unbundled HDSL Loop including manual service inquiry				1											1
	& facility reservation - Zone 2	l	2	UHL	UHL2X	10.26	159.09	113,41	75.05	15.63	İ	1	Ì	ļ	Ì	İ
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 3		3	UHL	UHL2X	18.21	159.09	113.41	75.05	15.63	l			<u> </u>		1
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.02									
	2 Wire Unbundled HDSL Loop without manual service inquiry		1											1		
	and facility reservation - Zone 1		1	UHL	UHL2W	7.22	134.40	80.69	60.64	9.12	ļ				ļ	<del> </del>
- 1	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	1	١									Ì			1	1
	2 Wire Unbundled HDSL Loop without manual service inquiry	<u> </u>	2	UHL	UHL2W	10.26	134.40	80.69	60.64	9.12		ļ				<del> </del>
	and facility reservation - Zone 3	1	3	UHL	UHL2W	40.04	404.40	20.00	00.04	9,12			l			1
	Order Coordination for Specified Conversion Time (per LSR)	<del></del>	13	UHL	OCOSL	18.21	134.40 23.02	80.69	60.64	9.12	<b></b>	<del> </del>			<b></b>	<del> </del>
	CLEC to CLEC Conversion Charge without outside dispatch	<del>                                     </del>	<del>                                     </del>	UHL	UREWO		86.12	40.39			<del> </del>	<del> </del>			<del> </del>	
4-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP	U. I.	UNE		00.12	₩0.39			<del> </del>	<del> </del>	<del> </del>	<b> </b>	<b></b>	<b>†</b>
	4 Wire Unbundled HDSL Loop including manual service inquiry		T		1											<b> </b>
J	and facility reservation - Zone 1		1	UHL	UHL4X	10.86	193.31	138.98	77.15	12.61					1	
	4-Wire Unbundled HDSL Loop including manual service inquiry	-									1					1
	and facility reservation - Zone 2		2	UHL.	UHL4X	15.44	193.31	138.98	77.15	12.61						1
	4-Wire Unbundled HDSL Loop including manual service inquiry		1								1					
	and facility reservation - Zone 3		3	UHL	UHL4X	27.39	193.31	138.98	77.15	12.61	1	1	l			1
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.02									
1	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL4W	10.86	168.62	115.47	62.74	11.22						
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL4W	15.44	168.62	115.47	62.74	11.22		ļ				+
1	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	l	١.				****	445 :	00.71		1					1
	Order Coordination for Specified Conversion Time (per LSR)	<del> </del>	3	UHL	UHL4W	27.3 <del>9</del>	168.62	115.47	62.74	11.22	<b> </b>			<b></b>	<del> </del>	
	CLEC to CLEC Conversion Charge without outside dispatch	ļ	_	UHL	UREWO		23.02 86.12	40.20	<b> </b>	<b> </b>	-	-	<b></b>	ļ	<del> </del>	+
4.WID	E DS1 DIGITAL LOOP	<del></del>	<del> </del>	UNL	UKEWU		86.12	40.39		<b> </b>		<del> </del>	<b></b>		<del> </del>	<del> </del>
7.00	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	70.74	313.75	181.48	61.22	13.53			ļ		<del> </del>	
	4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	100.54	313.75	181.48	61.22	13.53			<b> </b>		<del>                                     </del>	
	4-Wire DS1 Digital Loop - Zone 3			USL	USLXX	178,39	313.75	181.48	61,22	13.53	<b>†</b>		<u> </u>			7

UNB	UNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
CATE	GORY	RATE ELEMENTS	Interi m	Zone	всѕ	USOC			RATES (\$)			Svc Order Submitted Elec per LSR		Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrec		Nonrecurring		201150	000000		Rates (\$)		COMAN
		CLEC to CLEC Conversion Charge without outside dispatch		ļ	USL	UREWO		First 101.07	Add'I 43.04	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-WIR	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP			USL	UREWO	<b> </b>	101.07	43.04	-		<del> </del>				<b></b>	<del> </del>
	1	4 Wire Unbundled Digital 19.2 Kbps	<del> </del>	1	UDL	UDL19	22.20	161.56	108.85	67.08	15.56	<del> </del>					
		4 Wire Unbundled Digital 19.2 Kbps	<del> </del>		UDI.	UDL19	31.56	161.56	108.85	67.08	15.56						
		4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	55.99	161.56	108.85	67.08	15.56						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	22.20	161.56	108.85	67.08	15.56						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	31.56	161.56	108.85	67.08	15.56			ļ	L		<b></b>
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	<u> </u>	3	UDL	UDL56	55.99	161.56	108.85	67.08	15.56	ļ		ļ			
	+	Order Coordination for Specified Conversion Time (per LSR)  4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	OCOSL	22.20	23.02 161.58	108.85	67.08	15.56	<del> </del>		ł			<del></del>
<del> </del>	+	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL	UDL64 UDL64	31.56	161.56	108.85	67.08	15.56	<del> </del>					<del> </del>
	<del></del>	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3			UDL	UDL64	55.99	161.56	108.85	67.08	15.56	<del> </del>					<del></del>
		Order Coordination for Specified Conversion Time (per LSR)		1 -	UDL	OCOSL	33.55	23.02	100.00	U.155		<del> </del>					
		CLEC to CLEC Conversion Charge without outside dispatch		<b></b> -	UDL	UREWO		102.11	49.74			i ·		İ			
	2-WIR	Unbundled COPPER LOOP		1													
		2-Wire Unbundled Copper Loop-Designed including manual	Ī														
		service inquiry & facility reservation - Zone 1	ļ	1	UCL	UCLPB	8.30	148.50	102.82	75.05	15.63	ļ					Ļ
		2-Wire Unbundled Copper Loop-Designed including manual	1									1	1				
	<del></del>	service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	11.80	148.50	102.82	75.05	15.63	<del> </del>		ļ			
		2 Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	20.94	148.50	102.82	75.05	15.63		1	i			
	+	Order Coordination for Unbundled Copper Loops (per loop)		13	UCL	UCLMC	20.94	9.00	9.00		15.65	-	<del> </del>	<del> </del>		<del> </del>	
	_	2-Wire Unbundled Copper Loop-Designed without manual	<del> </del>		100L	TOCEMO	<u> </u>	3.00	3.00								<del></del>
		service inquiry and facility reservation - Zone 1	1	1	UCL	UCLPW	8.30	123.81	70.09	60.64	9.12		1	l			
		2-Wire Unbundled Copper Loop-Designed without manual							******					Ī			
		service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	11.80	123.81	70.09	60.64	9.12						
	1	2-Wire Unbundled Copper Loop-Designed without manual	Ì	İ											1		1
	┼	service inquiry and facility reservation - Zone 3	ļ	3	UCL	UCLPW	20.94	123.81	70.09	60.64	9.12	ļ				ļ	ļ
	+	Order Coordination for Unbundled Copper Loops (per loop)  CLEC to CLEC Conversion Charge without outside dispatch	ļ		UCL	UCLMC		9.00	9.00		<b></b>	<del> </del>	ļ	<b></b>		<del> </del>	
	1	(UCL -Des)	l		luci	UREWO		97,21	42.47					1			1
	4-WIRI	COPPER LOOP		<del> </del>	I COL	UNCTIO	l —	37.21	72,47	<del> </del>		<del> </del>	<del></del>	<del> </del>	-		<b>†</b>
		4-Wire Copper Loop-Designed including manual service inquiry		<del>                                     </del>		-						<del>                                     </del>		<del> </del>			
		and facility reservation - Zone 1		1	UCL	UCL4S	11.83	177.87	132.76	77.15	17.73		1		İ		
		4-Wire Copper Loop-Designed including manual service inquiry												1		1	
		and facility reservation - Zone 2		2	UCL	UCL4S	16.81	177.87	132.76	77.15	17.73						
	1	4-Wire Copper Loop-Designed including manual service inquiry			i .									1	l	1	
		and facility reservation - Zone 3		3	UCL	UCL4S	29.82	177.87	132.76		17.73	<del></del>		ļ		ļ	ļ
		Order Coordination for Unbundted Copper Loops (per loop)	ļ	<b> </b>	UCL	UCLMC		9.00	9.00			<del> </del>		<del> </del>	ļ	<del> </del>	<del> </del>
		4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1	1	١,	ucı	UCL4W	11.83	153.18	100.03	62.74	11,22	l		1	l	1	1
	<del> </del>	4-Wire Copper Loop-Designed without manual service inquiry	<b></b> -	<del>  '</del>	UCL	UCLAW	11.63	155.16	100.03	62.74	11.22	<del> </del>	<del> </del>		<del> </del>	<del> </del>	<del></del>
	ł	and facility reservation - Zone 2		2	UCL	UCL4W	16.81	153.18	100.03	62.74	11.22			1	İ		
	<b>T</b>	4-Wire Copper Loop-Designed without manual service inquiry		-		1002-11	10.01	100.10	100.00	<b>32.1.</b> 7		<b>-</b>		<del>                                     </del>	l		
		and facility reservation - Zone 3	Ī	3	UCL	UCL4W	29.82	153.18	100.03	62.74	11.22						l
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
		CLEC to CLEC Conversion Charge without outside dispatch			UCL	UREWO		97.21	42.47								<u> </u>
LOOP	MODIFI	CATION		L												<u> </u>	<b></b>
		Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		0.00	0.00								
	<b> </b>	Unbundled Loop Modification Removal of Load Coils - 4 Wire	<del> </del>	<del> </del>	ULFOB	JULMAL	<b> </b>	0.00	0.00	<del> </del>	<del> </del>	<del> </del>	<del> </del>	<del> </del>	<del> </del>	-	<b>†</b>
	1	less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L	ļ l	0.00	0.00				1				
	1		<b></b> -	<b></b>	UAL, UHL, UCL,	- LITTL		0.00	0.00	1		<del> </del>	<del> </del>	<b>†</b>			
		Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT		10.52	10.52								
SUB-L	OOPS	por accountable		<del> </del>	OLF GD	JEWS I	<del> </del>	10.32	10.52	<del> </del>	<del>                                     </del>	<del> </del>	1	<del>                                     </del>	<del>                                     </del>	<b>†</b>	1
			L	L	L		L				1		I			·	

MBUNDL	ED NETWORK ELEMENTS - Florida		******	-						****				ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		-	RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic Disc Add
		ļ				Rec	Nonrec		Nonrecurring		L			Rates (\$)		
eub I	Loop Distribution						First	Add'l	First	Addʻl	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
300-1	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-		<del> </del>										ļ			
	Up	1		UEANL	USBSA		487.23									ļ
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	1		UEANL	USBSB		6.25									<b></b>
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up	ı		UEANL	USBSC		169.25									
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	,		UEANL	USBSD		38.65									
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN2	6.46	60.19	21.78	47.50	5,26						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN2			21,78	47.50	5.26					MARINET T	
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -				ĺ	9.18	60.19									
	Zone 3	<u> </u>	3	UEANL	USBN2	16.29	60.19	21.78	47.50	5.26						<u> </u>
-	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -	ļ		UEANL	USBMC		9.00	9,00								
	Zone 1  Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -	ļ	1	UEANL	USBN4	7.37	68.83	30.42	49.71	6,60						
_	Zone 2		2	UEANL	USBN4	10.47	68.83	30.42	49.71	6.60					,	ļ
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	18.58	68.83	30.42	49.71	6.60						
	Order Constitution for Unbundled Sub-Lance and ask lane ask		1	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	LICONAC		0.00	- ~								ĺ
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	1		UEANL UEANL	USBMC USBR2	3.96	9.00 51.84	9.00 13.44	47.50	5.26						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	9.37	55.91	17.51	49,71	6.60						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL.	USBMC		9.00	9.00								
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		48.65	48.65								ļ
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		23.95	23.95								ļ
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1	UEF	UCS2X	5.15	60.19	21.78	47.50	5.26						<del></del> _
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	1		UEF UEF	UC\$2X UC\$2X	7.31	60.19	21,78	47.50 47.50	5.26 5.26						<del> </del>
_			3			12.98	60.19	21,78	47.50	5.26		<u> </u>				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		ļ.,	UEF	USBMC		9.00	9.00			ļ					ļ
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	- ! -	1	UEF	UCS4X	5.36	68.83	30.42	49.71	6.60			ļ			
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS4X	7.61	68.83	30.42	49.71	6.60						
-	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UC\$4X	13.51	68.83	30.42	49.71	6.60		<b></b>				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		L	UEF	USBMC		9.00	9.00					ļ			ļ
	Loop Testing - Basic 1st Half Hour		<u> </u>	UEF	URET1		48.65	48.65			ļ		<u> </u>			<b> </b>
<del></del> _	Loop Testing - Basic Additional Half Hour			UEF	URETA		23.95	23.95			ļ		ļ			ļ
Unbui	Idled Network Terminating Wire (UNTW)						10.00				ļ		ļ			<del></del>
Nahun	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.4572	18.02						<u> </u>			
MATAG	rk Interface Device (NID)  Network Interface Device (NID) - 1-2 lines			UENTW	UND12		71,49	48.87	ļ				<del> </del>	<b> </b>	<b></b>	
<del></del>	Network Interface Device (NID) - 1-2 lines  Network Interface Device (NID) - 1-6 lines	<b></b>		UENTW	UND12 UND16		113.89	48.87 89.07		<b></b>	<del> </del>	<del> </del>	<del> </del>	<del> </del>	<b></b>	<del></del>
	Network Interface Device (NID) - 1-6 lines  Network Interface Device Cross Connect - 2 W	<del></del>	-	UENTW	UNDC2		7.63	7.63			<del> </del>			<del> </del>	<b>-</b>	
	Network Interface Device Cross Connect - 4W		<del> </del>	UENTW	UNDC4		7.63	7.63		<del> </del>	<del> </del>	<del> </del>	<u> </u>	<b></b>	<b></b>	
E OTHER.	PROVISIONING ONLY - NO RATE			U-17177	UI TOUT		7,03	7.63	<del> </del>	<del> </del>	<del> </del>	<del> </del>	<del>                                     </del>	<del> </del>		<del></del>
1	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00			<del></del>		t	† · · · · · · · · · · · · · · · · · · ·	<b></b>	t	
$\neg + \neg$	UNTW Circuit Id Establishment, Provisioning Only - No Rate		<del> </del>	UENTW	UENCE	0.00	0.00		<u> </u>	<b></b>		<del> </del>	<b>†</b>		<b></b>	
	Unbundled Contract Name, Provisioning Only - No Rate			UEANL,UEF,UEQ,U ENTW	UNECN	0.00	0.00									
E OTHER,	PROVISIONING ONLY - NO RATE			CIALAA	ONECH	0.00	0,00									

UNBUN	VOLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Frhil	bit: A
			Interi								***************************************	Svc Order Submitted Elec	Submitted		Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	incremental Charge -
CATEGO	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	perLSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'i
				<del> </del>			Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	OSS	Rates (\$)	SOMAN	SOMAN
		Unbundled Contact Name, Provisioning Only - no rate Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no			UAL,UCL,UDC,UDL, UDN,UEA,UHL,ULC	UNECN	0.00	0.00	AUUT	FIISE	Addi	SOMEC	SOMAN	JOHAN	SOMAL	JUHAN	JOHAN
		rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
-		Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate			UEAUSL,UCL,UDL	USBFR	0.00	0.00									
		Unbundled DS1 Loop - Superframe Format Option - no rate	-	├	USL	CCOSF	0.00	0.00									<del> </del>
		Unbundled DS1 Loop - Expanded Superframe Format option -															
HIGH CA	PACIT	no rate Y UNBUNDLED LOCAL LOOP			USL	CCOEF	0.00	0.00		ļ							
THORI CA	FACI	High Capacity Unbundled Local Loop - DS3 - Per Mile per	<b></b> -							<b></b>							
		month			UE3	1L5ND	10.92										
		High Capacity Unbundled Local Loop - DS3 - Facility Termination per month High Capacity Unbundled Local Loop - STS-1 - Per Mile per			UE3	UE3PX	386.88	556.37	343.01	139.13	96.84						
		might capacity Unbundled Local Loop - STS-1 - Per Mile per month High Capacity Unbundled Local Loop - STS-1 - Facility			UDLSX	1L5ND	10.92										
LOOP MA	AKE-U	Termination per month			UDLSX	UDLS1	426.60	556,37	343.01	139.13	96.84						
		Loop Makeup - Preordering Without Reservation, per working or															
		spare facility queried (Manual).  Loop Makeup - Preordering With Reservation, per spare facility			UMK	UMKLW		52.17	52.17								<del> </del>
		queried (Manual). Loop Makeup-With or Without Reservation, per working or			UMK	UMKLP		55,07	55.07								
INE SHA	ARING	spare facility queried (Mechanized) AND LINE SPLITTING			UMK	UMKMQ		0.6784	0.6784								
N	OTE 1	: The Line Sharing monthly recurring rates for all installation	is comp	leted f	rom October 02, 200	3 through m	idnight Octobe	r 01, 2004 shal	t be billed as t	ollows:		<del> </del>			<del></del>		
N	HOTE 1	: 10/02/2003 - 10/01/2004: 25% of the rate for an unbundled co	pper lo	op nor	n-designed ("UCLND	")											
		: 10/02/2004 10/01/2005; 50% of the rate for UCLND : 10/02/2005 10/01/2006; 75% of the rate for UCLND							***************************************	ļ		<b> </b>					<u> </u>
N	OTE 1	: Above will apply to USOCS: ULSDT and ULSCT										-					<b> </b>
**	NOTE	2: The Line Sharing monthly recurring rates with USOCs ULS	DC and	ULSC	C applies only to ci	cuits install	ed and inservice	e on or before	October 1, 20	03		<del> </del>					
LI	INE SI	faring															
31		ERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	119,72	379.13	0.00	347.90	0.00						
_		Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	29.93	379.13	0.00	347.90	0.00						
		Line Sharing Splitter, Per System, 8 Line Capacity		_	ULS	ULSD8	8.33	379.13	0.00	347.90	0.00	<del>  -</del>			<u> </u>		<del>                                     </del>
		Line Sharing-DLEC Owned Splitter in CO-CFA activation- deactivation (per LSOD)			ULS	ULSDG		173.66	0.00	97.42	0.00						
EI		ER ORDERING-CENTRAL OFFICE BASED LINE SHARING Une Sharing - per Line Activation (BST Owned splitter) -						-									
		OBSOLETE see "NOTE 2 Line Share Service, TRO per line activation, BST owned splitter-			ULS	ULSDC	0.61	29.68	21.28	19.57	9.61						
		Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003)			ULS	ULSDT	1.99	29.68	21.28	19.57	9.61						
		Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004)			ULS	ULSDT	3.98	29.68	21.28	19.57	9.61						
		Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005)			ULS	ULSDT	5.97	29.68	21.28	19.57	9.61						
		Line Sharing - per Subsequent Activity per Line Rearrangement - (BST Owned Splitter)			ULS	ULSDS		21.65	16.44								
		Line Sharing - per Subsequent Activity per Line Rearrangement (DLEC Owned Splitter)			ULS	ULSUS		21.68	16.44								
		Line Sharing - per Line Activation (DLEC owned Splitter) - OBSQLETE see "NOTE 2			ULS	ULSCC	0.61	47.44	19.31	20.67	12.74	1			<b> </b>		<u> </u>

OMBO	NULE	D NETWORK ELEMENTS - Florida													ment: 2		bit: A
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		-	RATES (\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sy Order vs. Electronic Disc Add
							Rec	Nonrec	urring	Nonrecurring					Rates (\$)		
							res	First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	l	Line Share Service, TRO per line activation, CLEC owned	1											İ			l
		splitter - Central Office Located (25% of UCLND) - please see		l '											l	ŀ	1
	ļ	NOTE 1 (E:10/2/2003)	<u> </u>		ULS	ULSCT	1.99	47.44	19.31	20.67	12.74						
- 1	[	Line Share Service, TRO per line activation, CLEC owned splitter - Central Office Located (50% of UCLND) - please see	1	1		1		ľ			1	[				ĺ	
		NOTE 1 (E:10/2/2004)	l			ULSCT	3.98	47.44	19.31	20.67	12.74						
	├	Line Share Service, TRO per line activation, CLEC owned			ULS	ULSCI	3.90	47.44	19.31	20.07	12.54					<b></b>	<b></b>
l	Ī	splitter - Central Office Located (75% of UCLND) - please see	l														1
		NOTE 1 (E:10/2/2005)	l		ULS	ULSCT	5.97	47.44	19.31	20.67	12.74						
	LINE S	PLITTING		1		102001	0.01		15.01	20.01							
	END U	SER ORDERING-CENTRAL OFFICE BASED							****								
		Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61										
		Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	29.68	21,28	19.57	9.61						
		Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	1.134	29.68	21.28	19.57	9.61						
	MAINT	ENANCE															
		No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00								
		No Trouble Found - per 1/2 hour increments - Overtime				<u> </u>		120.00	82.50							ļ	
IMENI CAL	DJ 50.	No Trouble Found - per 1/2 hour increments - Premium						160.00	110.00			ļ				<del> </del>	
		DEDICATED TRANSPORT OFFICE CHANNEL - DEDICATED TRANSPORT										ļ				ļ	
	IN I EK	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -	ļ														
		Per Mile per month	l		U1TVX	41 6724	0.0004					İ	l		l		
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -	<del> </del>		UTIVX	1L5XX	0.0091							<del> </del>		<del> </del>	
		Facility Termination		l i	UITVX	U1TV2	25.32	47.35	31.78	18,31	7.03						
		Interoffice Channel - Dedicated Transport- 2-Wire Voice Grade	-	-	UTIVA	01172	20.32	47,33	31.70	10,01	7.00	<del> </del>			ļ		
- 1		Rev Bat Per Mile per month			UITVX	1L5XX	0,0091								•	ļ	1
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat		-	OTTAX	TEURN	0,0031										
- 1		Facility Termination			UITVX	U1TR2	25.32	47.35	31.78	18.31	7,03		Į.	1	}		l
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -	l	<del> </del>		-											
		Per Mile per month			U1TVX	1L5XX	0.0091								<u> </u>	l	l
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade		1		1											T
		- Facility Termination			U1TVX	U1TV4	22.58	47.35	31.78	18.31	7.03						
- 1		Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
		per month		L	U1TDX	1L5XX	0.0091										
- 1		Interoffice Channel - Dedicated Transport - 56 kbps - Facility		i .								1			ļ		l
		Termination			U1 <b>TD</b> X	U1TD5	18.44	47.35	31.78	18.31	7.03					L	
- 1		Interoffice Channel - Dedicated Transport - 64 kbps - per mile	İ														
		per month Interoffice Channel - Dedicated Transport - 64 kbps - Facility			U1TDX	1L5XX	0.0091										ļ
- 1		Termination			U1TDX	U1TD6	40.44	47.35	31,78	18.31	7.03	1	l				
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			UTIDA	UTIDE	18.44	47.33	31.70	10.31	7.03				<del> </del>		<del> </del>
		month			U1TD1	1L5XX	0,1856			<u> </u>		l		}	1		
	•	Interoffice Channel - Dedicated Tranport - DS1 - Facility		-	01101	- ILLIAA	0,1000			<b>—</b>		<del>                                     </del>	-	l	<b> </b>		<u> </u>
ļ		Termination		1	U1TD1	UITEI	88.44	105.54	98.47	21.47	19.05					l	I
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per				1	55,77				.3.00			l			
		month			U1TD3	1L5XX	3.87			1							
T		Interoffice Channel - Dedicated Transport - DS3 - Facility			********					I					I		
		Termination per month	L	L	UtTD3	U1TF3	1,071.00	335.46	219.28	72.03	70.56						
ļ		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per								1				1			1
		month			U1TS1	1L5XX	3.87						ļ	ļ		ļ	
- 1		Interoffice Channel - Dedicated Transport - STS-1 - Facility										1		İ	1	1	
ARK F	1050	Termination	ļ	<b> </b>	U1TS1	U1TFS	1,056.00	335.46	219.28	72.03	70.56						
-nn r	OEK	Dark Eihar Eaux Eihar Stranda Cas Cauda Miller - Francis		<b>-</b>						<b> </b>		-		<del></del>	<del> </del>	<b></b>	<del> </del>
1		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel			UDF. UDFCX	1L5DF	26.85							1			
		NRC Dark Fiber - Interoffice Channel			UDF, UDFCX	UDF14	∠0.85	751.34	193.88	356.21	230.11	<del> </del>		<b> </b>		<del> </del>	<del> </del>
-+		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			OUF, OUFCX	QUE 14		701.34	193.00	350.21	230.11	<del> </del>	<del> </del>	<b></b>	<del></del>	<del> </del>	<del> </del>
		Thereof per month - Local Loop			UDF, UDFCX	1L5DL	55.04				1				ļ		
		NRC Dark Fiber - Local Loop		f	UDF, UDFCX	UDFL4	33.04	751.34	193.88	356.21	230.11	<del>                                     </del>	<del> </del>	<del>                                     </del>	<del> </del>	<del> </del>	<del> </del>

MOUNDL	D NETWORK ELEMENTS - Florida			_						***************************************	,			ment: 2		bit; A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
			ļ			Rec	Nonrec		Nonrecurring					Rates (\$)		
VY ACCECC	TEN DIGIT SCREENING		<u> </u>				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
A ACCESS	8XX Access Ten Digit Screening, Per Call		<del> </del>	OHD		0.0006252					<del> </del>					<u> </u>
	BXX Access Ten Digit Screening, Per Call		<del> </del> -	UNU		0.0000232									<del> </del>	
	Number Reserved			OHD	N8R1X		4.15	0.70								
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations			OHD			8.78	1.18	5.77	0.70						
	8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations			ОНО	N8FTX		8.78	1.18	5.77	0.70						
	8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number															
	8XX Access Ten Digit Screening, Multiple InterLATA CXR		<del>                                     </del>	OHD	N8FCX		4.15	2.07				<b></b>				-
	Routing Per CXR Requested Per 8XX No. 8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		4.85 4.85	2.78 0.70			<del> </del> -	<b>_</b>			ļ	<b></b>
	8XX Access Ten Digit Screening, Call Handling and Destination Features								[ [							
				OHD	N8FDX		4.15	4.15				l				
	8XX Access Ten Digit Screening, w/ 8FL No. Delivery, per query 8XX Access Ten Digit Screening, w/ POTS No. Delivery, per		-	OHD		0.0008252										
JE INEODA	query ATION DATA BASE ACCESS (LIDB)			OHD		0.0006252										
E INF ORM	LIDB Common Transport Per Query	<u> </u>		OOT	_	0.0000000					ļ			ļ		
	LIDB Validation Per Query	<del></del> -	<del> </del>	OQU		0.0000203 0.0136959					<del> </del>	ļ				ļ
	LIDB Originating Point Code Establishment or Change		<del> </del>	OQT, OQU	NRBPX	0.0136959	55.13	55.13	55.13	55.13	<del> </del>	<del></del>				<del> </del>
NALING (	CCS7)		<del></del>	001,000	INCOLA		33.13	00.10	55.15	33.10						1
	CCS7 Signaling Termination, Per STP Port	-	<del> </del>	UDB	PT8SX	135.05										
	CCS7 Signaling Usage, Per TCAP Message			UDB		0.0000607										
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	17.93	43.57	43.57	18.31	18.31						1
	CCS7 Signaling Connection, Per link (B link) (also known as D link)			UDB	TPP++	17.93	43.57	43.57	18.31	18.31						
	CCS7 Signaling Usage, Per ISUP Message		1	UDB		0.0000152	10.01	-0.01	13.00			<u> </u>				
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	694.32										
	CCS7 Signaling Point Code, per Originating Point Code															
11 SERVICI	Establishment or Change, per STP affected			UDB	CCAPO		46.03	46.03	46.03	46.03						ļ
DENAIC	Local Channel - Dedicated - 2-wr Voice Grade - Zone 1		├			21.94	265.84	46.97	37.63	4.00	<del> </del>	ļ				<del> </del>
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 1					29.62	265.84	46.97	37.63	4.00					<del> </del>	
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 3	<del></del>				57.22	265.84	46.97	37.63	4.00		<del> </del>		<b></b>		<del>                                     </del>
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0.0091	200.01	10.01				<del> </del>	<del> </del>			-
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility		<u> </u>			5.0007				***	1					<b></b>
	Termination		İ			25.32	47.35	31.78	18.31	7,03	1					
	Local Channel - Dedicated - DS1 - Zone 1					35.28	216.65	183.54	21,47	19.05						
	Local Channel - Dedicated - DS1 - Zone 2					47.63	216.65	183.54	21.47	19.05		L				
	Local Channel - Dedicated - DS1 - Zone 3					92.01	216.65	183.54	21.47	19.05						
	Interoffice Transport - Dedicated - DS1 Per Mile		-		-	0,1856										
LING NA	Interoffice Transport - Dedicated - DS1 Per Facility Termination		-			88.44	105.54	98.47	21.47	19.05	-					<del> </del>
	CNAM For DB Owners - Service Establishment		<u> </u>	OOV	<del> </del>		25.35	25.35	19.01	19.01	<del> </del>	<del> </del>				<del>                                     </del>
	CNAM For Non DB Owners - Service Establishment		<del>                                     </del>	ogv			25.35	25.35	19.01	19.01	<del> </del>	<del> </del>	1			T
	CNAM For DB Owners - Service Provisioning With Point Code Establishment			ogv	1		1,592.00	1,177.00	352.36	259.09						
	CNAM For Non DB Owners - Service Provisioning With Point															1
	Code Establishment CNAM for DB Owners, Per Query			ogv ogv	-	0.001024	546.51	393.82	358.06	259.09	+			<b></b>	<del> </del>	<del> </del>
	CNAM for Non DB Owners, Per Query			ogv		0.001024		<del></del>	<del> </del>		+	<del> </del>			<del> </del>	<del>                                     </del>
LECTIVE R	OUTING			- Cav		0.001024			<b> </b>		<del> </del>	<del> </del>		<del> </del>	<del> </del>	<del>                                     </del>
	Selective Routing Per Unique Line Class Code Per Request Per	-			<del></del>	<del> </del>		<del> </del>	<del> </del>			t	<del>                                     </del>		<del> </del>	<del>                                     </del>
	Switch				1		93.55	93.55	12.71	12.71						ļ

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhil	bit: A
		Ι	Γ		T	Γ					Syc Order	Svc Order				Incrementa
		1	l	l	1	l						Submitted				Charge -
		ľ	1		[	1	•						Charge -	Charge -	Charge -	
***********		Interi	1_			ì					Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	1	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m		l							pu. 2011	per core				
		1		1	1							i	Electronic-	Electronic-	Electronic-	Electronic-
		1			ı						1		1st	Add'i	Disc 1st	Disc Add'l
		<u> </u>										L		<u> </u>		
		1			1	_	Nonrec	curring	Nonrecurring	Disconnect			OSS	Rates (\$)		
					1	Rec	First	Add'l	First	AddT	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line	<del>                                     </del>	1													
i	Splitting	1	1	UEPSR UEPSB	1.50.0	0.000		11.57	0.00	0.00						
51 D/010			1	DEPSK DEPSB	VE1LS	0.0502	11.57	11.57	0.00	0.00						
PHYSICAL CO						1										
1	Physical Collocation-2 Wire Cross Connects (Loop) for Line															
- 1	Splitting	1	1	UEPSR UEPSB	PE1LS	0.0276	8.22	7.22	5.74	4.58				l		
AIN SELECTE	VE CARRIER ROUTING		1	OC. OIL OC	1. 2.120	0.0210	0.22	1,22	0.17-7	7,00						
		├──														
	Regional Service Establishment			SRC	SRCEC		193,444.00		7,737.00							
	End Office Establishment		1	SRC	SRCEO		187.36	187,36	0.69	0.69						
	Query NRC, per query		1	SRC	1	0.0031868										
AIN . RELL SC	UTH AIN SMS ACCESS SERVICE				<del> </del>	0.0001000										
THE DELLEGE		ļ			<del></del>					<u> </u>						
1	AIN SMS Access Service - Service Establishment, Per State,	l	1		1								}		} !	
	Initial Setup	I	i	A1N	CAMSE	1	43.56	43.56	44.93	44.93				I		
[		l	1		1	1				1	1					
	AIN SMS Access Service - Port Connection - Dial/Shared Access		1	A1N	CAMDP	1	8.64	8.64	10.03	10.03	1			i		
	ANY CARD ACCess Service - Port Connection - Dial/Snared Access	ļ	<del></del>													
-	AIN SMS Access Service - Port Connection - ISDN Access	ļ		A1N	CAM1P	Li	8.64	8.64	10.03	10.03	L		L	<u> </u>	L	
1	AIN SMS Access Service - User Identification Codes - Per User			1	1						1			1		
1	ID Code	i	1	A1N	CAMAU	1	38.66	38.66	29.88	29.88	İ	1		1		
	AIN SMS Access Service - Security Card, Per User ID Code,		<del> </del>	10114	Orangia		30.00	\$0.00	23.00	20.00						
i	THE OWN HOURS SELVICE - SECURITY CARD, FEI USEL ID CODE,	l	1		1	l i				l			!		1	
	Initial or Replacement	l	1	A1N	CAMRC		75.10	75.10	12.93	12.93					[	
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)		T			0.0028										
	AIN SMS Access Service - Session, Per Minute		-		-	0.7809										
	AIN SMS Access Service - Company Performed Session, Per	<del></del>	<del> </del>			0.7005				<u> </u>	<b></b>					
			Į.		1						1	1		1	1	
	Minute			İ	1	0.4609					1	1				
ain - Bellso	UTH AIN TOOLKIT SERVICE		l		1											
	AIN Toolkit Service - Service Establishment Charge, Per State,		1											<u> </u>		
1	Initial Setup	l	1	CAM	BAPSC	1	40.55		44.00	****				1		
		ļ	ļ	CAM			43.56	43.56	44.93	44.93						
	AIN Toolkit Service - Training Session, Per Customer	L	<u> </u>		BAPVX		8,439.00	8,439.00		l						
1	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
1	DN, Term, Attempt	l			BAPTT		8.64	8.64	10.03	10.03			1	l	1	
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				10.0		0.01	0.01	70.00	10.00	<del> </del>					
	DN, Off-Hook Delay	l	1		l					l	1	1		1		
					BAPTD		8.64	8.64	10.03	10.03			L			
- 1	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per						-									
1	DN, Off-Hook Immediate		1		BAPTM	1	8,64	8.64	10.03	10.03	1	i I		1		
•	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				D/ 0 ///		0,07	0.01	10.00	70.00						
	DN, 10-Digit PODP	l			l						l					
					BAPTO		38.06	38.06	15.86	15.86						
1	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		l							l	ł		İ		1	
	DN, CDP	1		İ	BAPTC		38.06	38.06	15.86	15.86			1	l		
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		·		1				70.00		<del> </del>					
	DN. Feature Code	1	1				20.00		45.00	45.00			1	l		
			<u> </u>		BAPTF		38.06	38.06	15.86	15.86		L				
	AIN Toolkit Service - Query Charge, Per Query		1		1	0.0535927										
1	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit		į									-		1		
1	Subscription, Per Node, Per Query	l			1	0.0063698	į l				1		l	1		
	AIN Toolkif Service - SCP Storage Charge, Per SMS Access		<del> </del>		<del> </del>	0.000000				<del> </del>	<b></b>		ļ		<b> </b>	
1		l	1		1			1		1	I	l		l	1	
	Account, Per 100 Kilobytes					0.06										
1	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service		1		1	1				I	1			l		
.	Subscription	l	1	CAM	BAPMS	8.34	8.64	8.64	6.08	6.08	I		1	1	<b>!</b>	
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service	<b>——</b>	<del> </del>			0.54	5.04	0.04	0.00	0.00	<del></del>			<del> </del>	<b> </b>	
l l	Subscription	l				!				l	1		l	I	[	
				CAM	BAPLS	3.73	9.56	9.56				L				
1	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service		l		1	I 7		1		ł	1	i I	ŀ	l	ļ İ	i
	Subscription		1	CAM	BAPDS	4.73	8.64	8.64	6.08	6.08	l	l I	l .			
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit		·		T	t	J.54	J.57		1	İ	l				
1	Service Subscription	1	1	l	lo appro	ا میما			1	1	1	l l		I	1	
AILL A NICE			<b></b>	CAM	BAPES	0.12	9.56	9,56			L				L	
	(TENDED LINK (EELs)				L				L	L	1	L	L	1		
	The monthly recurring and non-recurring charges below will	apply a	nd the	Switch-As-Is Charo	e will not app	oly for UNE con	nbinations pro	visioned as 'C	rdinarily Com	bined' Network	Elements.					
NOTE:				nn chames heless "	will marrie for	INE combined	one provision	ad as ' Current	ly Combined t	Johnst Clame	nte.			1		
NOTE:	The monthly recurring and the Switch-As-le Chame and not the															1
NOTE:	The monthly recurring and the Switch-As-Is Charge and not the	ne non-	TOCUITI	TOTAL TELES	THE PROPERTY NOT	1	On promoting	Our us Current	,	1						
NOTE: NOTE: EXTEN	TED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	ED DS1	INTER	ROFFICE TRANSPO	RT											
NOTE: NOTE: EXTEN	TED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT First 2-Wire VG Loop (SL2) in Combination - Zone 1	ED DS1	INTE	UNCVX	RT  UEAL2	12.24	127.59	60.54	42.79	2.81						
NOTE: NOTE: EXTEN	TED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	ED DS1	INTE	ROFFICE TRANSPO	RT											

MBUNDLE	D NETWORK ELEMENTS - Florida												Attachi	ment: 2	Exhi	bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sv Order vs.
						Rec		curring	Nonrecurring		001150	SOMAN	SOMAN	Rates (\$)	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		-	UNC1X	1L5XX	0.1856	First	PbbA	First	Add'I	SOMEC	SUMAN	SUMAN	SOMAN	SOMAN	SOMAN
<del></del>	Interoffice Transport - Dedicated - DS1 combination - Facility	<del></del>	<b></b>	DNCIA	ILDAA	0.1000									<del> </del>	<del></del>
ļ	Termination per month	Ì	l	UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	1/0 Channelization System in combination Per Month		<del> </del>	UNC1X	MQ1	146.77	101,42	71.62		.,,,,,						<u> </u>
	Voice Grade COCI - Per Month			UNCVX	1D1VG	1.38	10.07	7.08	0.00	0.00					1	
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	12,24	127,59	60,54	42.79	2.81						
-	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	17.40	127,59	60.54	42.79	2.81						<del> </del>
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3		3	UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81					1	
	Voice Grade COCI - Per Month			UNCVX	1D1VG	1.38	10.07	7.08	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98						
EXTEN	DED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	ED DS	1 INTE	ROFFICE TRANSPO	ORT											
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	18,89	127,59	60.54	42.79	2.81						
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81						
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.1856										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
<del></del>	1/0 Channel System in combination Per Month Voice Grade COCt in combination - per month			UNC1X	MQ1	146.77	101.42	71.62	200	0.00	ļ				ļ	<del> </del>
	Additional 4-Wire Analog Voice Grade Loop in same DS1		<del> </del> -	UNCVX	1D1VG	1.38	10.07	7.08	0.00	0.00					ļ	<del> </del>
<u> </u>	Interoffice Transport Combination - Zone 1 Additional 4-Wire Analog Voice Grade Loop in same DS1		1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81						
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81						
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	47.60	127.59	60.54	42.79	2.81					1	
	Additional Voice Grade COCI in combination - per month		3	UNCVX	1D1VG	47.62 1.38	127.59	7.08	0.00	0.00	ł				<del> </del>	
	Nonrecurring Currently Combined Network Elements Switch -As-			DNOVA	- INIVG	1.00	10.07	7.00	0.00	0.00	<del> </del>	<del> </del> -		L	<del> </del>	
	Is Charge	١.	] .	UNC1X	UNCCC	J	8.98	8.98	8.98	8.98	ļ	ļ	j		j	1
EXTEN	DED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDIC	CATED	DS1 IN	TEROFFICE TRANS	SPORT											
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNÇDX	UDL56	22.20	127,59	60.54	42.79	2.81						
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81						
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.1856										
	Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month			UNC1X	U1TF1	88.44	174,46	122.46	45.61	17.95						
	1/0 Channel System in combination Per Month			UNC1X	MQ1	146.77	101.42	71.62	· · · · ·	11,00	1	1			<u> </u>	
	OCU-DP COCI (data) per month (2.4-64kbs)			UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81						
	Additional OCU-DP COCI (data) - in combination per month (2.4-64kbs)			UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00						

UNBU	NDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	ibit: A
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		-	RATES (\$)				Svc Order Submitted Menually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
				<del>                                     </del>			Rec	Nonrec	uming	Nonrecurring	Disconnect				Rates (\$)		
							Kec	First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Nonrecurring Currently Combined Network Elements Switch -As- is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98						
	EXTEN	IS CHARGE  ADED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDIT	CATED	DS1 IN			<del> </del>	0.30	0.90	6.90	6.90						<del> </del>
				T													
	<u> </u>	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		<u>                                     </u>	UNCOX	UDL64	22.20	127.59	60.54	42.79	2.81						<del></del>
		First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81						
			<b>-</b>														
	L	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3	ļ	3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81			<u> </u>			
		Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.1856							1			
_		interoffice Transport - Dedicated - DS1 combination - Facility	<u> </u>	<del>                                     </del>	UNUIA		0.1030					·····			t	1	
		Termination Per Month			UNC1X	U1TF1	88,44	174,46	122.46	45.61	17.95						<u> </u>
	<u></u>	1/0 Channel System in combination Per Month			UNC1X	MQ1	146.77	101.42	71.62								
		OCU-DP COCI (data) - in combination - per month (2.4-64kbs)	ļ	<del> </del>	UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00				<del> </del>	<del></del>	
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81						
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		<del>  '</del>	ONOBA	0000		127.00	00.01	12.70	2.0.	<del> </del>	l	********		<b></b>	
		Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81						
ĺ		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1						407.50		40.70	2.54						
		Interoffice Transport Combination - Zone 3 Additional OCU-DP COCI (data) - in combination - per month		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81	<del> </del>		<b></b>		ļ	
		(2.4-64kbs)			UNCDX	10100	2.10	10.07	7.08	0.00	0.00						
		Nonrecurring Currently Combined Network Elements Switch -As-		1								1		l			
		Is Charge	<u> </u>	<u></u>	UNC1X	UNCCC		8.98	8.98	8.98	8.98				<b></b>		<b></b>
	EXTEN	IDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATI	ED DS1				70.74	247.75	121,62	51,44	14,45			<del> </del>		<b></b>	<del> </del>
		4-Wire DS1 Digital Loop in Combination - Zone 1 4-Wire DS1 Digital Loop in Combination - Zone 2	<u> </u>		UNC1X UNC1X	USLXX	100.54	217.75 217.75	121.62	51.44	14.45	<del> </del>	<b> </b>	<del> </del>		<b>-</b>	<del> </del>
		4-Wire DS1 Digital Loop in Combination - Zone 3			UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45	<del> </del>		<del> </del>	<del> </del>	<del> </del>	<del></del>
-		Interoffice Transport - Dedicated - DS1 combination - Per Mile	-	+-	DIVOIX	100000	170.35	211.10	121.02	31.41	14.45	-		<del>                                     </del>			
		Per Month			UNC1X	1L5XX	0.1856										
		Interoffice Transport - Dedicated - DS1 combination - Facility															
		Termination Per Month  Nonrecurring Currently Combined Network Elements Switch -As-	ļ	—	UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95	<u> </u>		-			<del> </del>
		Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98						1
	EXTEN	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS3	INTER				0.30	0.30	J.35		1		1	1		
		First DS1Loop in Combination - Zone 1			UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45						
		First DS1Loop in Combination - Zone 2			UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45						<u> </u>
		First DS1Loop in Combination - Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14,45						
		Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month			UNC3X	1L5XX	3.87									[	
		Interoffice Transport - Dedicated - DS3 - Facility Termination per	<del></del>		UNCJA	ILLIAN	3.87			<del> </del>		<del> </del>	<del> </del>	<del> </del>		<del> </del>	<b> </b>
		month			UNC3X	U1TF3	1,071.00	314.45	130.88	38.60	18.23					]	
		3/1Channel System in combination per month			UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07						
		DS1 COCI in combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
1		Additional DS1Loop in DS3 Interoffice Transport Combination -		_	LINIOAY.	1101.304	70.71	A47 ***	404.00	F4.44					1	1	
		Zone 1 Additional DS1Loop in DS3 Interoffice Transport Combination -	ļ	-1-	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45	<del> </del>	<b> </b>		<b></b>		<del> </del>
		Zone 2	1	2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45						
		Additional DS1Loop in DS3 Interoffice Transport Combination -															
		Zone 3	<b> </b>	3	UNC1X	USLXX	178.39	217.75 10.07	121.62 7.08	51.44 0.00	14.45	<del> </del>	ļ	<del> </del>			
		Additional DS1 COCI in combination per month  Nonrecurring Currently Combined Network Elements Switch -As-		<del> </del>	UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00	<del> </del>	<u> </u>		<del> </del>	<del> </del>	<del> </del>
		is Charge	1		UNC3X	UNCCC		8.98	8.98	8.98	8.98	1			1		
		DED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	GRAD	EINTE													
		2-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81						
		2-WireVG Loop in combination - Zone 2			UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81					-	<del></del>
		2-WireVG Loop in combination - Zone 3	L	1 3	UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81	<u> </u>	<u> </u>	<b></b>	L	<u> </u>	<u></u>

UNBUND	DLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
			Ī		I	1	I					Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
				ļ								Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
	- 1			1			1					Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGOR	RY	RATE ELEMENTS	Interi	Zone	BCS	usoc	1		RATES (\$)			per LSR	perLSR	Order vs.	Order vs.	Order vs.	Order vs.
	- 1		m		1		1					per Lor	percan				
	1		l	1			1					ļ		Electronic-	Electronic-	Electronic-	Electronic-
				1								l	1	1st	Add'i	Disc 1st	Disc Add'i
			<del> </del>	1-	<del></del>	<del> </del>	†r	Nonrec	urring	Nonrecurring	Disconnect		L	OSS	Rates (\$)	L	٠
				<del> </del>	<del> </del>	+	Rec	First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per	<del>                                     </del>	<del> </del>	<del> </del>	<del>}</del>	1	1 1131	Auu:	71131	Auu	SOMEC	JUMAN	SOMAN	SUMAN	JOHIAN	SOMAN
1	- 1	Month		]	UNCVX	1L5XX	0.0091	1					1	l	l		
		Interoffice Transport - 2-wire VG - Dedicated - Facility	ļ	ļ	UNCVA	ILDAA	0.0091										
	ı	Termination per month	1	l		l						i		l			
				<b>└</b> ─	UNCVX	U1TV2	25.32	94.70	52.59	50.49	21.53						
		Nonrecurring Currently Combined Network Elements Switch -As-					1 1					1			ł	!	
		ls Charge			UNCVX	UNCCC		8.98	8.98	8.98	8,98						
EX	TEN	DED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD													<u> </u>	
		4-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81						
		4-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81						
		4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81						
		Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per		1													
		Month	l		UNCVX	1L5XX	0.0091					1	l	l	I	1	1
		Interoffice Transport - 4-wire VG - Dedicated - Facility	<del>                                     </del>	<del> </del>	5	1	0.0001			<del> </del>		<del> </del>	J	<del> </del>	<del> </del>	<del> </del>	<del> </del>
[		Termination per month	ł		UNCVX	U1TV4	22.58	94.70	52.59	50.49	21.53			1			
		Nonrecurring Currently Combined Network Elements Switch -As-			OIACAV	01174	22.30	94.70	52.59	30,49	21.00			ļ			
			1	1	Inco	Lucas	1	ایم				1	ŀ	i		1	
Eva		Is Charge			UNCVX	UNCCC	<b> </b>	8.98	8.98	8.98	8.98	<del> </del>	ļ				ļ
EA		DED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	PFFICE								<u> </u>			L	ļ	
		DS3 Local Loop in combination - per mile per month		L	UNC3X	1L5ND	10.92									1	
1	- 1			l		1	1					ł	ł	ł	1	l	1
	!	DS3 Local Loop in combination - Facility Termination per month		<u> </u>	UNC3X	UE3PX	386.88	249,97	162.05	67.10	26.82					l	
		Interoffice Transport - Dedicated - DS3 - Per Mile per month		T	UNC3X	1L5XX	3.87					1					
-	- 1	Interoffice Transport - Dedicated - DS3 combination - Facility													1		
		Termination per month	1	1	UNC3X	U1TF3	1,071.00	314.45	130.88	38.60	18.23			1	1		
		Nonrecurring Currently Combined Network Elements Switch -As-															
		ls Charge		1	UNC3X	UNCCC	1	8.98	8.98	8.98	8.98		1				
EXT		DED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EDOE	ICE TRANSPORT	7011000	1		0.00	0.00		f		<del> </del>	·	<del></del>	<del></del>
	1	STS-1 Local Lolp in combination - per mile per month	0-7 1114	T	UNCSX	1L5ND	10.92					<del>                                     </del>		<del>                                     </del>			
		STS-1 Local Loop in combination - Facility Termination per		-	ONODA	TICONO	10.52					<del> </del>		<u> </u>			
į		month			UNCSX	UDLS1	426.60	249.97	162.05	67.10	26.82	1	1		1	1	1
		Interoffice Transport - Dedicated - STS-1 combination - per mite		<del> </del>	UNCSX	ODES!	426.60	249.97	102.05	67.10	20.02	ļ	ļ			<u> </u>	
1		per month		1		1							i	Ì	1	l	l
					UNCSX	1L5XX	3.87					ļ	<u></u>	<u> </u>	ļ		<u> </u>
1		Interoffice Transport - Dedicated - STS-1 combination - Facility		l		1	1					1	l	ŀ		1	İ
		Termination per month		L	UNCSX	U1TFS	1,056.00	314.45	130.88	38.60	18.23						L
		Nonrecurring Currently Combined Network Elements Switch -As-															1
		s Charge			UNCSX	UNCCC	11	8.98	8.98	8.98	8.98						
EXT		DED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TRANS	SPORT									l				
		First 2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	19.28	127.59	60.60	42.79	2.81	T	ļ	1	I	ļ	1
	F	irst 2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	27,40	127.59	60.60	42.79	2.81					1	
		First 2-Wire ISDN Loop in Combination - Zone 3			UNCNX	U1L2X	48.62	127.59	60.60	42.79	2.81					<u> </u>	
		nteroffice Transport - Dedicated - DS1 combination - per mile		<del></del>		1	1	00	55,00			t	<b> </b>			<b>†</b>	
		per month		l	UNC1X	1L5XX	0,1856					1		l	1	1	1
		nteroffice Transport - Dedicated - DS1 combination - Facility	<del></del>		U.101A		0,1050			<del> </del>		<del>                                     </del>	<del> </del>	<del> </del>	<del> </del>	<del> </del>	<del> </del>
		Termination per month			UNC1X	UITEI	88.44	174.46	122.46	45.61	17.95	1	1	l	İ	1	
<del></del>		1/0 Channel System in combination - per month	<b></b> -	-		MQ1					17.95	<del> </del>	<del> </del>	<del> </del>	<del> </del>	<del> </del>	<del> </del>
		2-wire ISDN COCI (BRITE) - in combination - per month		-	UNC1X		146.77	101.42	71.62	0.00	0.00			<del> </del>	<del> </del>		<del> </del>
	- 1:	Additional 2 uses (COM) coming or COM ( COM)		-	UNCNX	UC1CA	3.66	10.07	7.08	0.00	0.00	<b></b>	ļ		ļ		<b></b>
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport			l							1	1	1	1	1	I
		Combination - Zone 1	L	1	UNCNX	U1L2X	19.28	127.59	60.60	42.79	2.81	<u> </u>		<b>_</b>			
I		Additional 2-wire ISDN Loop in same DS1Interoffice Transport	l		1	1	1						l	l	1	l	1
		Combination - Zone 2		2	UNCNX	U1L2X	27.40	127.59	60.60	42.79	2.81	L		L			
ı		Additional 2-wire ISDN Loop in same DS1Interoffice Transport										1					
		Combination - Zone 3		3	UNCNX	U1L2X	48.62	127,59	60.60	42.79	2.81	1			1	I	1
	1	Additional 2-wire ISDN COCI (BRITE) - in combination- per					T							T			I
		nonth		l	UNCNX	UC1CA	3.66	10.07	7.08	0.00	0.00	}	1	1		l	1
	I	Nonrecurring Currently Combined Network Elements Switch -As-				1-2/5/	† · · · · · · · · · · · · · · · · · · ·					<del>                                     </del>	<del>                                     </del>	<del> </del>			1
1		s Charge			UNC1X	UNCCC		8.98	6.98	8.98	8.98	1	l	I	Į.	i	1
FYT	TEND	ED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATE	En ere	.4 (MFT	DOEEICE TOANGO	OPT	<del>  </del>	0.90	0.90	0.90	0.30	<del> </del>	<del>                                     </del>	<del> </del>	<del> </del>	<del> </del>	<del> </del>
	10	irst DS1 Loop Combination - Zone 1	-0 313	- 1 676 ( )	UNC1X		70.74	217.75	121.62	51.44	14.45	<del> </del>		<del></del>	<del> </del>		<del> </del>
		First DS1 Loop Combination - Zone 1	<del></del>			USLXX								<del> </del>	<del> </del>		<del> </del>
					UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45			<del> </del>	ļ		ļ
	11	irst DS1 Loop Combination - Zone 3	L	1 3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45	<u> </u>			L	<u> </u>	

UNBUNDL	ED NETWORK ELEMENTS - Florida													ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		-	RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
			-			Rec	Nonrec First	eurring Add'l	Nonrecurring First	Disconnect Add'i	SOMEC	SOMAN	OSS SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile	1					11134	7001		7,001	100					
	Per Month Interoffice Transport - Dedicated - STS-1 combination - Facility	ļ	<u> </u>	UNCSX	1L5XX	3.87									ļ	ļ
	Termination per month			UNCSX	U1TFS	1,056.00	314.45	130.88	38.60	18.23				Ĭ	ĺ	
	3/1 Channel System in combination per month		1	UNCSX	MQ3	211.19	199.28	118.64	40.34	39.07						
	DS1 COCI in combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
i -	Additional DS1Loop in the same STS-1 Interoffice Transport															1
	Combination - Zone 1	ļ	1	UNC1X	USLXX	70.74	217,75	121.62	51.44	14.45				<u> </u>		<u></u>
	Additional DS1Loop in the same STS-1 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51,44	14.45	ł					1
	Additional DS1Loop in the same STS-1 Interoffice Transport	$\vdash$	<del>                                     </del>	UNCIA	DSLAA	100.54	217,75	121.02	31,44	[4,45]	ļ		<del></del>		<del> </del>	<del> </del>
	Combination - Zone 3		3	UNC1X	USUX	178,39	217.75	121.62	51.44	14.45		1		1		1
	DS1 COCI in combination per month	1	1	UNC1X	UC101	13.76	10.07	7.08	0.00	0.00	T					
	Nonrecurring Currently Combined Network Elements Switch -As-	1														
	is Charge	L		UNCSX	UNCCC		8.98	8.98	8.98	8.98						<u> </u>
EXT	ENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KB	PS INT									<u> </u>					
	4-wire 56 kbps Local Loop in combination - Zone 1	<b></b>		UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81	<u> </u>					<b></b>
<del></del>	4-wire 56 kbps Local Loop in combination - Zone 2	<del> </del>	2	UNCDX	UDL56	31.56	127.59	60,54	42.79	2.81	<del> </del>				ļ	<del> </del>
	4-wire 56 kbps Local Loop in combination - Zone 3 Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81	<del></del>			<u> </u>	<del> </del>	<del> </del>
	Per Mile per month	1	İ	UNCDX	1L5XX	0.0091								i		1
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -	<del> </del>	<del> </del>	ONCEA	TILOAA	0.0031			<del></del>			<b></b>				<del> </del>
	Facility Termination per month			UNCDX	U1TD5	18.44	94.70	52.59	50.49	21.53	ļ					
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNCDX	UNCCC		8.98	8.98	8.98	8.98						
EXT	ENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE	SPS INT													<u> </u>	<b></b>
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1			UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81		ļ			<u> </u>	<b> </b>
	4-wire 64 kbps Local Loop in Combination - Zone 2	-		UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81	<del> </del>		<u> </u>	ļ	<del> </del>	
	4-wire 64 kbps Local Loop in Combination - Zone 3 Interoffice Transport - Dedicated - 4-wire 64 kbps combination -		3	UNCOX	UDL64	55.99	127.59	60.54	42.79	2.81	-	<u> </u>				-
1	Per Mile per month	1	1	UNCDX	1L5XX	0.0091			}	į	1	}	1	ļ	]	1
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -		+	UNCDA	16570	0.0031			<del></del>		<del> </del>		<del></del>		<del> </del>	<del> </del>
	Facility Termination per month	ĺ	l	UNCDX	U1TD6	18.44	94.70	52.59	50.49	21.53		l			ļ	
	Nonrecurring Currently Combined Network Elements Switch -As-		1											1		
	Is Charge	Í		UNCDX	UNCCC		8.98	8.98	8.98	8.98			L			
EXT	ENDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	RANSP														
	First 2-wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	12.24	127.59	60.54	42.79	2,81					ļ	<b>↓</b>
	First 2-wire VG Loop (SL2) in Combination - Zone 2	ļ	2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81					ļ	
	First 2-wire VG Loop (SL2) in Combination - Zone 3	<del> </del>	3	UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81	-	<del> </del>	ļ		<b></b>	<del> </del>
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile	l	1	UNC1X	1L5XX	0.1856		ŀ	1		1		1			l
	First Interoffice Transport - Dedicated - DS1 combination -			DIRCIX	1000	0.1000			<del> </del>	<del> </del>	<del> </del>	<del> </del>		<del> </del>	<del> </del>	
ĺ	Facility Termination per month	l		UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	Per each DS1 Channelization System Per Month		† <del></del>	UNC1X	MQ1	146,77	101.42	71.62	1	1	T		· ·			
	Per each Voice Grade COCI - Per Month per month			UNCVX	1D1VG	1.38	10.07	7.08		0.00						
	3/1 Channel System in combination per month			UNC3X	MQ3	211.19	199.28	118.64		39.07						
	Per each DS1 COCI in combination per month	ļ		UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00			<u> </u>	<u> </u>	<u></u>	ļ
- 1	Each Additional 2-Wire VG Loop(SL 2) in the same DS1	1	١.			40.04	407.50		10.70			-	1		Ì	
	Interoffice Transport Combination - Zone 1  Each Additional 2-Wire VG Loop(SL2) in the same DS1	<del>[</del>	1	UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81	<del></del>	<del> </del>	<del></del>	<b> </b>	<del></del>	-
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81	1		1			1
	Each Additional 2-Wire VG Loop(SL2) in the same DS1	<del> </del>	<b>-</b> -		1	11,40	127,33	- 00.04	74.13		<del>                                     </del>	1	<b></b>	<del>                                     </del>	<del> </del>	<del></del>
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81			1			
	Each Additional Voice Grade COCI in combination - per month	<b>!</b>	† <u> </u>	UNCVX	1D1VG	1.38	10.07	7.08	0.00	0.00						
	Each Additional DS1 Interoffice Channel per mile in same 3/1										T :					
	Channel System per month			UNC1X	1L5XX	0.1856				L				ļ	<b>↓</b>	<u> </u>
	Each Additional DS1 Interoffice Channel Facility Termination in														1	
	same 3/1 Channel System per month			UNC1X	U1TF1	88.44	174,46	122.46		17.95		<del> </del>		<b></b>	<del> </del>	<del> </del>
	Each Additional DS1 COCI combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00	J			L	1	

NROND	LED NETWORK ELEMENTS - Florida				,									ment: 2	Exhi	bit: A
											Svc Order Submitted		Incremental			
ATEGORY	Y RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Elec per LSR	Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec		curring	Nonrecurring	Disconnect			OSS	Rates (\$)		
						Nec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1	Nonrecurring Currently Combined Network Elements Switch -As	}~														
	is Charge  TENDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 IN			UNC1X	UNCCC		8.98	8.98	8.98	8.98						
EXI	First 4-Wire Analog Voice Grade Local Loop in Combination -	LEKUFF	CE IN	ANSPORT W/ 3/11	MUX				<b>-</b>							
	Zone 1	1	1	UNCVX	UEALA	18.89	127.59	60.54	42.79	2.81						
	First 4-Wire Analog Voice Grade Local Loop in Combination -	<del> </del>	<u>-</u> -	DITOTA	000	10.03	121.03	00.04	42.73	2.01						
j	Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81						
	First 4-Wire Analog Voice Grade Local Loop in Combination -															
	Zone 3		3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81					1	
	First Interoffice Transport - Dedicated - DS1 combination - Per							-								
	Mile Per Month		<u></u>	UNC1X	1L5XX	0.1856				100						
	First Interoffice Transport - Dedicated - DS1 - Facility			, was		20.44	274.40	400.40								
	Termination Per Month	-		UNC1X UNC1X	U1TF1 MQ1	88.44 146.77	174.46 101.42	122.46 71.62	45.61	17.95						
	Per each 1/0 Channel System in combination Per Month Per each Voice Grade COCI in combination - per month	- <del></del>		UNCVX	1D1VG	1.38	101.42	7.08	0.00	0.00						
	3/1 Channel System in combination per month	╂		UNC3X	MQ3	211,19	199.28	118.64	40.34	39.07						
	Per each DS1 COCI in combination per month	+	-	UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
	Additional 4-Wire Analog Voice Grade Loop in same DS1	+		014012	100.01	15.70	10.07	7.00	0.00	0.00						
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	18.69	127.59	60.54	42.79	2.81					[	
	Additional 4-Wire Analog Voice Grade Loop in same DS1	+				10.00		34.21	700.10	2.01						
	Interoffice Transport Combination - Zone 2	1	2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81					-	
	Additional 4-Wire Analog Voice Grade Loop in same DS1	1														
	Interoffice Transport Combination - Zone 3	ł	3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81		1		1	- 1	
	Each Additional DS1 Interoffice Channel per mile in same 3/1	T														
	Channel System per month			UNC1X	1L5XX	0.1856								- 1	ļ	
	Each Additional DS1 Interoffice Channel Facility Termination in	1														
	same 3/1 Channel System per month	ļ		UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	Additional Voice Grade COCI - in combination - per month	-	ļ	UNCVX	1D1VG	1.38	10.07	7.08	0.00	0.00						
1	Nonrecurring Currently Combined Network Elements Switch -As Is Charge	5		UNC1X	UNCCC	1	8.98	8.98	8.98	8.98			1	1		
FYT	TENDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS	INTERC	FFICE				0.30	0.80	0.96	6.96						
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	1	1	Transcrate the	1											
	Zone 1	1	1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81		Ì		1	1	
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	1								2.07						
- 1	Zone 2		2	UNCOX	UDL56	31.56	127.59	60.54	42.79	2.81			- 1		i	
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															
	Zone 3		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81			1	1		
j	First Interoffice Transport - Dedicated - DS1 combination - Per				-					-	-					
	Mile Per Month			UNC1X	1L5XX	0.1856										
	First Interoffice Transport - Dedicated - DS1 - combination			111042							1					
	Facility Termination Per Month	╅		UNC1X UNC1X	U1TF1 MQ1	88.44 146.77	174,46 101,42	122.46 71.62	45.61	17.95						
	Per each 1/0 Channel System in combination Per Month Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)	+		UNCDX	1D1D0	2.10	101.42	7.08	0.00	0.00						
	3/1 Channel System in combination per month	+		UNC3X	MQ3	211.19	199.28	118,64	40.34	39.07						
	Per each DS1 COCI in combination per month	<del></del>		UNCIX	UC1D1	13.76	10.07	7.08	0.00	0.00						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	+	-	0.10	00.0	10.70	.0.07	1.50	V.00	0.00						
	Interoffice Transport Combination - Zone 1	1	1	UNCOX	UDL56	22.20	127.59	60.54	42.79	2.81	1	1	I		1	
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1														
	Interoffice Transport Combination - Zone 2	. I	2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81	1		I	1	1	
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3	4	3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81	I					
	OCU-DP COCI (data) COCI in combination per month (2.4-	1				T										
	64kbs)	<b>_</b>		UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00						
	Each Additional DS1 Interoffice Channel per mile in same 3/1	1			41.500	اممدد					1	T				
	Channel System per month  Each Additional DS1 Interoffice Channel Facility Termination in	+		UNC1X	1L5XX	0.1856										
1	same 3/1 Channel System per month	1		UNC1X	UITFI	88.44	174.46	122.46	45.61	47.05		1	1	-		
	Each Additional DS1 COCI in the same 3/1 channel system	+	<del> </del>	5.40 IA	5,,,,,	00.44	174,48	122,40	43.01	17.95						
		4		!			1				1	1	1	1		

INBUNDL	ED NETWORK ELEMENTS - Florida													ment: 2	Exh	ibit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremen
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge
											Elec	Manually	Manual Svc		Manual Svc	
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)								
	IOTE ELEMENT	m	1								per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			1		- 1						1		Electronic-	Electronic-	Electronic-	Electronic
			1	}							1		1st	Add'l	Disc 1st	Disc Add
		<del> </del>	<b></b>						Management		ļ	L	L		J	
		<u> </u>				Rec	Nonre		Nonrecurring					Rates (\$)		-
	***************************************	1	ļ				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As	-														
	is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98	1				l	
EXTE	ENDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT w/ 3	/1 MUX											1
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	1		F						-						<del> </del>
- 1	Transport Combination - Zone 1		1 1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81				1		
<del></del>	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	<del> </del>	<del>- `</del> -	0.100.1			721.00		12.70	*.01				<del> </del>		<del> </del> -
- 1	Transport Combination - Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	204					1	1
		<del> </del>	<u> </u>	UNCDX	UDIL04	31.30	127.09	00.04	42.79	2.81						
ı	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	1	Ι.	l	1										l	i
	Transport Combination - Zone 3	<u> </u>	3	UNCOX	UDL64	55.99	127.59	60.54	42.79	2.81					L	
	First Interoffice Transport - Dedicated - DS1 combination - Per	1														_
1	Mile Per Month	1	1	UNC1X	1L5XX	0.1856				1	1	l i			l	1
	First Interoffice Transport - Dedicated - DS1 combination -	1	Γ													<del> </del>
	Facility Termination Per Month		1	UNC1X	U1TF1	88.44	174.46	122.46	45.61	17,95	1					1
<del></del>	Per each Channel System 1/0 in combination Per Month	t	t	UNCIX	MQ1	146.77	101.42	71.62		.,,,,,,	t			<b></b>		<del></del>
	Per each OCU-DP COCI (data) in combination - per month (2.4-	+	<del> </del>	5.10 IA	- Inca 1	140.77	101.72	71.02				·		<del> </del>	<u> </u>	ļ
1			İ	LALORY	1D1DD	240	40.07	7.00	0.00						}	i
	64kbs)	<b>-</b>		UNCDX		2.10	10.07	7,08	0.00	0.00						
	3/1 Channel System in combination per month	1		UNC3X	MQ3	211,19	199.28	118.64	40.34	39.07						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	1	l .		j j											
	Interoffice Transport Combination - Zone 1	i	1	UNCDX	UDL64	22.20	127.59	60,54	42.79	2.81						l
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		1	<u> </u>							-					
-	Interoffice Transport Combination - Zone 2	1	2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	1		ONODA	- ODEO1	51.00	127,00	00.04	72.15	2.01	ļ					
1		1	3	UNCDX	UDL64	55.99	127.59	60.54	42.79							
	Interoffice Transport Combination - Zone 3	<del> </del>	3	UNCUA	UULO	33.99	127.38	50.54	44./9	2.81						
i	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System	1	ľ		1											
	combination - per month (2.4-64kbs)		L	UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00						
	Each Additional DS1 Interoffice Channel per mile in same 3/1	1	l													
	Channel System per month		1	UNC1X	1L5XX	0.1856					1					
	Each Additional DS1 Interoffice Channel Facility Termination in															
l	same 3/1 Channel System per month	1	1	UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	Each Additional DS1 COCI in the same 3/1 channel system	<del> </del>	1													
1	combination per month	1	1	UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00		1				
	Nonrecurring Currently Combined Network Elements Switch -As	+	<del> </del>	OHOIX		10.70	10.01	7.00	0.00	0.00	-					
- 1		7	1	UNC1X	UNCCC		8.98	8.98	0.00	0.00	}	1				
	is Charge	<u> </u>	1		UNCCC		8.90	6.96	8.98	8.98						
EXT	ENDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPO	KT W/ 3/	7 MUX													
1	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	1	1	1	}							7				
	Transport - Zone 1	1	1	UNCNX	U1L2X	19.28	127.59	60.60	42.79	2.81		i				
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	1									·					
	Transport - Zone 2	1	2	UNCNX	U1L2X	27.40	127.59	60.60	42.79	2.81		J			1	
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	<del>                                     </del>	† ~	1												
1	Transport - Zone 3	1	3	UNCNX	U1L2X	48.62	127.59	60.60	42.79	2.81		1	ĺ			
	First Interoffice Transport - Dedicated - DS1 combination - Per	+	<del>                                     </del>	GIVOIEX	- U1127	40.02	127.00	00.00	72.73	2.01	ļ					
i		1	1									i		1	1	
	Mile per month	1		UNC1X	1L5XX	0.1856										
	First Interoffice Transport - Dedicated - DS1 combination -	1	1	1	1							1		1		
	Facility Termination per month		1	UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95					1	
	Per each Channel System 1/0 in combination - per month			UNC1X	MQ1	146.77	101.42	71.62								
		1	1	I												
- 1	Per each 2-wire ISDN COCI (BRITE) in combination - per month	1	1	UNCNX	UC1CA	3.66	10.07	7.08	0.00	0.00		- 1	ſ	1		
	3/1 Channel System in combination per month	<del>                                     </del>	<b>†</b>	UNC3X	MQ3	211.19	199,28	118.64	40.34	39.07						
	Per each DS1 COCI in combination per month	+	+	UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00	<del>  </del>					
		+	-	UNIO IA	100.01	13.18	10.07	7.00	0.00	0.00	<b>  </b>					<del></del>
-	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1	1 -		Lucay	40.00	407.50	00.00	40 ===			I			1	
	Combination - Zone 1		1	UNCNX	U1L2X	19.28	127.59	60.60	42.79	2.81	ļl					
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1	ŀ	1	1							1	П	1		
	Combination - Zone 2	1	2	UNCNX	U1L2X	27.40	127.59	60.60	42.79	2.81				Ì	ı	
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1	1												-	
l	Combination - Zone 3	1	3	UNCNX	U1L2X	48.62	127.59	60.60	42.79	2.81		1		J		
	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel	1	<del>                                     </del>	1								+				
- 1	system combination- per month	1	1	UNCNX	UC1CA	3.66	10.07	7.08	0.00	0.00		I		1	1	

UNBUNE	DLE	NETWORK ELEMENTS - Florida	Y									·			ment: 2	Exhi	bit: A
	I													Incremental	Incremental	Incremental	Incrementa
								*				Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
	]		Interi	1		1						Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sy
CATEGOR	YY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
	1		i en	1		1 1							<b>P</b> 0. <b>23</b> . (	Electronic-	Electronic-	1	
				1										1st		Electronic-	Electronic-
	ı		i	1								1		151	Add'I	Disc 1st	Disc Add'I
		111100000000000000000000000000000000000					_ 1	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates (\$)	·	L
	$\neg$					1	Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
<del> f</del>		Each Additional DS1 Interoffice Channel per mile in same 3/1		<del> </del>		<del></del>				1.7.5	7.001		COMPAN	JUMMIT	SOMAR	SUMAN	DOMAN
- 1		Channel System per month	1		UNC1X	1L5XX	0.1856			1 1							
		Each Additional DS1 Interoffice Channel Facility Termination in			ONCIA	110000	0.1030			<del> </del>		-					
- 1			l		Lucay	U1TF1	88.44	174.46	122.46	45.04	47.05	İ					ŀ
		same 3/1 Channel System per month	ļ		UNC1X	UTIFT	88.44	1/4.40	122.46	45.61	17,95						
		Each Additional DS1 COCI in the same 3/1 channel system	1			lucana									i		
		combination per month	L	1	UNC1X	UC1D1	13,76	10.07	7.08	0.00	0.00						
		Nonrecurring Currently Combined Network Elements Switch -As-	1	1		1 1	I			1 1							
		is Charge		1	UNC1X	UNCCC		8.98	8.98	8.98	8.98						1
EX	CTEN	DED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TRANS				i										
		First 4-wire DS1 Digital Local Loop in Combination - Zone 1	L		UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45						
		First 4-wire DS1 Digital Loop in Combination - Zone 2	I	2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45						
		First 4-wire DS1 Digital Local Loop in Combination - Zone 3			UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45						
		First Interoffice Transport - Dedicated - DS1 combination - Per	t														
- 1		Mile Per Month	1	Į.	UNC1X	1L5XX	0.1856			, ,							
		First Interoffice Transport - Dedicated - DS1 combination -	<del>                                     </del>	<del> </del>		1.20/01	0.7000								<del> </del>		
1		Facility Termination Per Month	l	1	UNC1X	U1TF1	88,44	174.46	122.46	45.61	17.95						
				<del> </del>	UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07	-					
		3/1 Channel System in combination per month		₩—		UC1D1											
		Per each DS1 COCI combination per month			UNC1X	OCID!	13.76	10.07	7.08	0.00	0.00						
		Each Additional DS1 Interoffice Channel per mile in same 3/1		1	Í	1				1							
		Channel System per month	L	1	UNC1X	1L5XX	0.1856										
		Each Additional DS1 Interoffice Channel Facility Termination in	l	1		1	1			1 1							
- 1	- 1	same 3/1 Channel System per month		1	UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
		Each Additional DS1 COCI in the same 3/1 channel system		T													
	- 1	combination per month	l	1	UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00		i			1	
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
		1		1 1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45		- 1				
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		1													
1		2	1	2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45		1			i	
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone			ONOIX	- COLON	100.04		(27.02	31.77	17.70						
1		Additional 4-ville DO / Digital Edda Coop in Combination - Edite	1	3	UNC1X	USLXX	178.39	217.75	121.62	51,44	14.45		1			- 1	
		Discovery Control of the Control Control of the Con	<del> </del>		UNCIA	- O3LX	170.35	217.73	121.02	31.44	14.43						
1		Nanrecurring Currently Combined Network Elements Switch -As-	1	1		lungon	1		0.00				1				
		Is Charge	1	1	UNC1X	UNCCC		8.98	8.98	8.98	8.98						
E>		DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO			1.151.50						·					
		First 4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81						
		First 4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81						
		First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	55.99	127.59	60,54	42.79	2.81						
		First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile														1	
		per month	L	<b>L</b>	UNCDX	1L5XX	0.0091									l	1
		First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility				1											
1		Termination per month	1		UNCDX	U1TD5	18.44	94.70	52.59	50.49	21.53					1	
	-	Nonrecurring Currently Combined Network Elements Switch -As-	-	T													
1		is Charge	1	1	UNCDX	UNCCC	1	8.98	8.98	8.98	8.98	. 1	I	l	1	•	- 1
FY		DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO	FFICE						1							
		First 4-wire 64 kbps Local Loop in combination - Zone 1	T		UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81						
		First 4-wire 64 kbps Local Loop in combination - Zone 2	<del>                                     </del>		UNCDX	UDL64	31,56	127.59	60.54	42.79	2.81						
		First 4-wire 64 kbps Local Loop in combination - Zone 3	l		UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81						
		First 14-wire 65 kbps Interoffice Transport - Dedicated - Per Mile	+	+ 5				327.35		72.13	2.01						
			1	1	UNCDX	1L5XX	0.0091					Į	ı	- 1	ļ	1	ļ
		per month  First 4 wire 64 kbox Intereffice Treesport Dedicated English	1		UI TOUR	1,500	0.0091			<b> </b>			∤				
		First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility		1	LINGS	luarno I	40	24.40	F0		na ===	- 1		1	ř	1	1
		Termination per month	<b> </b>	╁	UNCDX	U1TD6	18.44	94.70	52.59	50.49	21.53					1	
		Nonrecurring Currently Combined Network Elements Switch -As-	1	1		lunger	1	1					1		I		
		ls Charge			UNCDX	UNCCC		8.98	8.98	8.98	8.98				1		
		ETWORK ELEMENTS		<u>.                                    </u>	<u> </u>												
		ised as a part of a currently combined facility, the non-recurr								I							
W	hen t	ised as ordinarily combined network elements in All States, t	he non-	-recum	ng charges apply a	ind the Switch	As Is Charge o	does not.									
No	onrec	urring Currently Combined Network Elements "Switch As Is"	Charge	(One	applies to each con	nbination)											
		Nonrecurring Currently Combined Network Elements Switch -As-	-	T	T												
1		Is Charge - 2 wire/4-Wire VG	5		UNCVX	UNCCC		8.98	8.98	8.96	8.98	I	- 1	1	1	- 1	1

MOGINDEL	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
			T								Svc Order	Svc Order	Incremental	Incremental	Incremental	
											Submitted		Charge -	Charge -	Charge -	Charge -
			1		1											
ATECORY	BATE EL EMENTO	Interi		500	11000			MATER IN			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
ATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									F-7	P0/ -0//				
					1 1								Electronic-	Electronic-	Electronic-	Electronic-
			1		1								1st	Add'i	Disc 1st	Disc Add'l
									y		L					
						Rec	Nonre	curring	Nonrecurring	g Disconnect			OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-	Nonrecurring Currently Combined Network Elements Switch -As-		<b>—</b>		1								- COMPAN		COMPAN	JOHAN
1			1								1			i		l
	ls Charge - 56/64 kbps			UNCDX	UNCCC		8.98	8.98	8.98	8.98						i
1	Nonrecurring Currently Combined Network Elements Switch -As-				1		1	1								
1	is Charge - DS1		1	UNC1X	UNCCC		8.98	8.98	8.98	8.98						l
	Nonrecurring Currently Combined Network Elements Switch -As-				1		1	1			<b>———</b>					
1				LINOAV	LINCOO		0.00	0.00	0.00	0.00	1					•
	ls Charge - DS3			UNC3X	UNCCC		8.98	8.98	8.98	8.98						l
1	Nonrecurring Currently Combined Network Elements Switch -As-				1		1	1								,
1	ts Charge - STS1			UNCSX	UNCCC		8.98	8.98	8.98	8.98						
0-51			-	UNUQA.	1011000		0.00	V	0.00	0.00						
Option	al Features & Functions:		-					ļ								L
1	1		•	U1TD1,				1		l	i					
	Clear Channel Capability Extended Frame Option - per DS1			ULDD1,UNC1X	CCOEF		loi .	01	01	lo:	l i					
	Cital Chambi Capability Extended Flame Option policy	<u> </u>	1	U1TD1.	10000		1	1	-	10.						
ı		١.					l	l.,	l	l	1					l
	Clear Channel Capability Super FrameOption - per DS1			ULDD1,UNC1X	CCOSF		[0]	01	01	01	<u> </u>					l
	Clear Channel Capability (SF/ESF) Option - Subsequent			ULOD1, U1TO1.						1						
1	Activity - per DS1			UNC1X, USL	NRCCC		184.92S	23.82\$	2.078	0.88	1					
	Activity - per DG1	_	-		INCCC		104.520	20.020	2.010	0.00	ļI					
1			I	U1TD3, ULDD3.				1								
1	C-bit Parity Option - Subsequent Activity - per DS3	i	I	UE3, UNC3X	NRCC3		219.09\$	7.678	0.773\$	08						
MINT	PLEXERS		1													
- INGLII				101047	1.104	146.77	404.40	74.00								
	DS1 to DS0 Channel System per month			UNC1X	MQ1	146.77	101.42	71.62		1						
i	OCU-DP COCI (data) - DS1 to DS0 Channel System - per		I		1		1									
	month (2.4-64kbs) used for a Local Loop		I	ludl	10100	2.10	10.07	7.08	ł .		l i					
	OCU-DP COC! (data) - DS1 to DS0 Channel System - per				11272											
			I		]		}	1	1		1 1					
1	month (2.4-64kbs) used for connection to a channelized DS1		I					1	l		l					
1	Local Channel in the same SWC as collocation		I	U1TUD	10100	2.10	10.07	7.08	0.00	0.00	[					
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per								1							
1			1 :	UDN	UC1CA	3,66	10.07		1	l		1			1	
-	month for a Local Loop		ļ	אטטו	UCTCA	3,00	10.07	7.08								
1	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per				1		1		1	Į.		1			1	
- 1	month used for connection to a channelized DS1 Local Channel				1		1		1	i					ĺ	
- 1	in the same SWC as collocation			U1TUB	UCICA	3.66	10.07	7.08	0.00	0.00		- 1				
			1	01100	10010h	3,00	10.07	7.00	0.00	0.00						
1	Voice Grade COCI - DS1 to DS0 Channel System - per month		1		1		1			l	1	1	1	1		
1	used for a Local Loop			UEA	1D1VG	1.38	10.07	7.08		1	1 1	- 1	1	1		
	Voice Grade COCI - DS1 to DS0 Channel System - per month		1				1	1		1						
1	used for connection to a channelized DS1 Local Channel in the		1		1		i	1		}	1 1	- 1	1	1	1	
1			1					1			1 1	1	1		1	
	same SWC as collocation			U1TUC	1D1VG	1.38	10.07	7.08	0.00	0.00		1	1		1	
	DS3 to DS1 Channel System per month			UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07						
	STS-1 to DS1 Channel System per month		1	UNXCS	MQ3	211.19	199.28	118.64	40.34	39.07						
-			<del> </del>	USL	UC1D1	13.76	10.07	7.08	70.04	35.01	<del>-</del>			İ		
$-\!\!\!\!\!-$	DS1 COCi used with Loop per month		<b> </b>	UGL	Inc.In.	13,/6	10.07	7.08		ļ	ļl					
1	DS1 COCI (used for connection to a channelized DS1 Local				1		1		1	1	-	1				
1	Channel in the same SWC as collocation) per month	1		UITUA	UC1D1	13.76	10.07	7.08	0.00	0.00		1	l	1	- 1	
	DS1 COCI used with Interoffice Channel per month		1	U1TD1	UC1D1	13.76	10.07	7.08	0.00	0.00	<del>  </del>				i	
			<del></del>	<del>~</del>	1	10.70	10.01	,.00		5.00						
1	DS3 Interface Unit (DS1 COCI) used with Local Channel per	1	1		1				1	I		1	I	l		
	month		L	ULDD1	UC1D1	13.76	10.07	7.08	0.00	0.00		I	1	1		
NBUNDLED !	OCAL EXCHANGE SWITCHING(PORTS)									I						
	ige Ports		_		1			-	<del></del>							
Excitat	igo i originali di salamanta di salamanta di salamanta di salamanta di salamanta di salamanta di salamanta di s			L			L	<u> </u>	<b> </b>							
	Although the Port Rate includes all available features in GA, I	T, LA	a IN, t	re desired features	will need to b	e ordered usi	ng retail USOC	5	L	ļ			l			
2-WIRE	VOICE GRADE LINE PORT RATES (RES)	<u></u>					L	L					T	1		
	Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.40	3.74	3.63	1.88	1.80						
							l			1				·		
1				urnen	(Jenno		۱				1			ŀ	i	
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.40	3.74	3.63	1.88	1.80				I		
1			1 7					1			T					
1	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	1.40	3.74	3.63	1.88	1.80	1	1	ļ		l	
			<b></b>		+	,,,,,,	t	0.00	7.50	1,30	<del>  </del>					
1	Exchange Ports - 2-Wire VG unbundled Florida area calling with				l							- 1	1	}	1	
	Caller ID - Res.	L		UEPSR	UEPAF	1.40	3.74	3.63	1.88	1.80		1	1	l	ı	
	Exchange Ports - 2-Wire VG unbundled Florida Residence Area						1			l						
	Calling Plan, without Caller ID capability		1	UEPSR	UEPA9	1,40	3.74	3.63	1.88	1.80		1	1	1	1	
1		<u> </u>		ULF 3N	UCFAS	1,40	3.74	3,03	1.86	1.80	ļI					
											. 1					-
-	Exchange Ports - 2-Wire VG unbundled Florida extended				1		i	1	1	1	1	1	1	1	1	
_	Exchange Ports - 2-Wire VG unbundled Florida extended dialing port for use with CREX7 and Celler ID			UEPSR	UEPA1	1.40	3.74	3.63	1.88	1.80	1	1				
				UEPSR	UEPA1	1.40	3.74	3.63	1.88	1.80						

BUNDLI	ED NETWORK ELEMENTS - Florida		,											ment: 2	Exhi	bit: A
EGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Increment Charge - Manual Sy Order vs. Electronic Disc Add
T						Rec	Nonrec			Disconnect			OSS	Rates (\$)		
						Rec	First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)			UEPSR	UEPAP	1.40	3.74	3.63	1.88	1.80						
	2-Wire voice unbundled Low Usage Line Port without Caller ID															
	Capability			UEPSR	UEPRT	1.40	3.74	3.63	1.88	1.80						
	Subsequent Activity	<u> </u>		UEPSR	USASC	0.00	0.00	0.00								
FEAT	URES	ļ														
	All Available Vertical Features			UEPSR	UEPVF	2.26	0.00	0.00				_				
2-WIF	RE VOICE GRADE LINE PORT RATES (BUS)							~~~~								
	Exchange Ports - 2-Wire Analog Line Port without Caller ID -		1	WERRE	115001		224	2.03	4.00							l
	Bus San Control of Con			UEPSB	UEPBL	1,40	3.74	3,63	1.88	1.80						ļ
1	Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Celler+E484 ID - Bus.	]	1	UEPSB	UEPBC	1,40	3.74	3.63	1.88	1.80	;					
	onounusu port with Usirer = C404 (U - Dus.	<del>                                     </del>		00-00	OEFBU	1.40	3.74	3.03	1,00	1.80						
- (	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.	1	1	UEPSB	UEPBO	1.40	3.74	3.63	1.88	1.80	Į į				ļ	l
	Exhange Ports - 2-Wire VG unbundled incoming only port with	<del>                                     </del>		OLI OLI	00.00	1.40	9.1.7		1.00	1.00						***************************************
- 1	Caller ID - Bus		1	UEPSB	UEPB1	1,40	3.74	3.63	1.88	1.80						
	2-Wire voice unbundled Incoming Only Port without Caller ID	1	<b>†</b>						.,,,,							
- 1	Capability	1	Ì :	UEPSB	UEPBE	1.40	3.74	3.63	1.88	1.80						
_	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00	l							
FEAT	URES		<b></b>						İ					_		
1	All Available Vertical Features			UEPSB	UEPVF	2.26	0.00	0.00								
EXCH	IANGE PORT RATES (DID & PBX)													-		
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.40	39.06	18.18	12.35	0.7187						
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1,40	39.06	18.18	12.35	0.7187						
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.40	39.06	18.18	12.35	0.7187						
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.40	39.06	18.18	12.35	0.7187						
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.40	39.06	18.18	12.35	0.7187						
T	2-Wire Voice Unbundled PBX LD Terminal Ports	1		UEPSP	UEPLD	1.40	39.06	18.18	12.35	0.7187						
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.40	39.06	18.18	12.35	0.7187						
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	L		UEPSP	UEPXB	1.40	39.06	18.18	12.35	0.7187						
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.40	39.06	18.18	12.35	0.7187						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	1		UEPSP	UEPXD	1.40	39.06	18.18	12.35	0.7187						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD		1													
	Capable Port  2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPSP	UEPXE	1.40	39.06	18.18	12.35	0.7187						
_	Administrative Calling Port  2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPSP	UEPXL	1.40	39.06	18.18	12.35	0.7187						
	Room Calling Port	ļ	<u> </u>	UEPSP	UEPXM	1.40	39.06	18.18	12.35	0.7187						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	1		UEDED	UEPXO	امددا		46.40	40.00				i			
	Discount Room Calling Port	<b></b>	<del> </del>	UEPSP UEPSP	UEPXO	1,40	39.06 39.06	18.18 18.18	12.35	0.7187 0.7187	ļ					
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	<del>                                     </del>		UEPSP	USASC	0.00	0.00	0.00	12.35	0.7187	<b></b>					
FEAT	Subsequent Activity URES	<del> </del>	<del> </del>	ULFOF	USASU	0.00	0.00	0.00		<del> </del>	-					
PEAL	All Available Vertical Features	<del> </del> -	<del> </del>	UEPSP UEPSE	UEPVF	2.26	0.00	0.00	<b> </b>	<b></b>	<b></b>					
EVAL	IANGE PORT RATES (COIN)	<del> </del>	<del>                                     </del>	JEF OF JEF OL	J-1 V/	2.20	0.00	0.00		<del> </del>	<u> </u>					
CAUP	Exchange Ports - Coin Port	<del> </del>	+		<del></del>	1,40	3,74	3.63	1.88	1.80						
NOTE	: Transmission/usage charges associated with POTS circuit st	witched	USACIA	will also apply to	circuit switche						ated with 2-	wire ISDM n	orts.			
NOTE	: Access to B Channel or D Channel Packet capabilities will be	e availa	ble onh	through BFR/New	Business Re	quest Process.	Rates for the	packet capabi	lities will be de	termined via t	he Bona Fid	e Request/I	lew Business	Request Pro	cess.	
	LOCAL EXCHANGE SWITCHING(PORTS)	T	T		1				I	T			T	1		
	IANGE PORT RATES	1	1		1				1							
	DS1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS	DN Por	t in this	rate exhibit apply	to the embede	led base in pla	ce as of 10/2/0	3 until 4/1/04.	After 4/1/04 th	ese rates shall	revert to tar	iff rates or a	separate agr	eement.		
	ests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports															
	Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	8.73	78.41	15.82	41.94	4.26						*****
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID															
i	capability (E:4/1/2004)	<u></u>		UEPDO	UEPDD	54.95	151.11	77.75	48.81	3.10						
	Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX, UEPSX	U1PMA	8.83	46.83	50.68	27.64	11.93						
	All Features Offered	1	1	UEPTX, UEPSX	UEPVF	2.26	0.00	0.00								-
	Exchange Ports - 2-Wire ISDN Port Channel Profiles	-		UEPTX, UEPSX	U1UMA	0.00	0.00	0.00								

NBUNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Fxhi	bit: A
		T	T		T						Sun Order	Svc Order	Incremental		Incremental	
						I										1
		1			1						Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
	<u> </u>		1 1		1						Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sy
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)								
41EGUN1	KATE CLEMENTO	m	20116	500	0300			104110 (4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
	1	1	1 1		1	1					1		Electronic-	Electronic-	Electronic-	Electronic
		i	1 1		1						l	Ī		1		
		1	1 1		1								1st	PbbA	Disc 1st	Disc Add'
					ļ								l	L		<u>i</u>
i		[	l		1	Rec		curring		g Disconnect			OSS	Rates (\$)		
					1	Nec	First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
MOTE.	Access to B Channel or D Channel Packet capabilities will be		10 001	- through DED/Move	Ducines De	auget December		nankat aanahi	lition will be d							
		avdilar	315 0111	unough of roller	Duaniess ite	quest Frocess.	Nates for the	Pacner capabi	nues aur be u	GIGHHAMISCH AIG I	III DONATTIC	o Kedneso	HEM DUSINESS	nadnast Lin	C485.	
EXCHA	ANGE PORT RATES (continued)		L		1					i						1
1	Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911				i			1	1		]					1
1	Locator Capability (E:4/1/2004)		l 1	UEPEX	UEPEX	82.74	174.61	95,17	49.80	18.23						1
						82.74	174.61	95.17								<del> </del>
	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)		L	UEPDX	UEPDX				49.80	18.23						<b>I</b>
	Physical Collocation - DS1 Cross-Connects		ł I	UEPEX UEPDX	PE1P1	1,32	27.77	15.52	5.93	4,77					]	1
	Virtual collocation - Special Access & UNE, cross-connect per															
1			1 1	CHENTY LIERDY	CHICAN	7.50	455.00	44.00	1	1	}				}	i
	DS1		L	UEPEX UEPDX	CNC1X	7.50	155.00	14.00							l i	i
Detaile	ed E911 with Locator Capability (required with UEPEX port)				1			1	1	1						(
-	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
1					1	1		1	I	1	1					í
1	Locator Capability - Initial Profile Establishment per CLEC per				1	1		1	I	1	1					i
1	State		1 1	UEPEX	UEP1A	0.00	1,809.00	1	151.12	1						i
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911		1		<b>†</b>					1						
1			1		1	1		1	I	1	[					1
1	Locator Capability - Subsequent Profile Changes, Additions,	1	1 1		1	1	1	1	1	1	1	'	1	·	ììì	1
- 1	Deletions	1	1	UEPEX	UEP1B	0.00	175.66	ł	1	ì					1	ĺ
Marrie an	r Additional PRI Telephone Numbers	<del></del>	<del> </del>		-			<b></b>			-					<del></del>
MSM O		-			<b></b>											<b></b>
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911	1	1		1	1		l								i
	Locator Capability 2-way Telephone Numbers, per number in	1	1		1											ı
		1	1 1	HEDEV	UEPIC	0.0699	0.5412		1	!	!				! !	l
	E911 profile [New or Additional]	<u> </u>	L	UEPEX	UEFIL	0.0099	0.3412									
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911	1			1	j .			i							ı
	Locator Capability - Outdial Telephone Numbers, per number in	1			1	1			i						1	i
		1		LIFERY	UEP1D	0.0000	12.71	12.71								i
	[E911 profile [New or Additional]			UEPEX	DEPID	0.0699	12.7	12.71								<u> </u>
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward	1			1	1		1		1						1
	Telephone Numbers - Inward Data Only Option [New or	l			1	1		1		1						1
		ı		UEPOX	UEP1E	0.00	0.5412			1						1
	Additional]	1	ļ	UEPUX	UEPIE	0.00	0.5412									<b></b>
	Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]	1			1	i i		<b>!</b>		l			i			1
ľ	Inward Tel Numbers [Customer Testing Purposes]	l		UEPEX	PR7ZT	0.00	25.42	25.42		1	1				1	i
1.004		<del> </del>		OL: LX	1 177 -	0.00	20112			<del> </del>	<del></del>					ł
LUCAI	NUMBER PORTABILITY				ļ	<b></b>				ļ						
1.	Local Number Portability (1 per port)	I		UEPEX UEPDX	LNPCN	1.75				1						i
INTER	FACE (Provsioning Only)				-		}			1	[					
-	Voice/Data	t	1	UEPEX	PR71V	0.00	0.00	0.00	<del> </del>	<del>                                     </del>						·
		ļ								-						
1	Digital Data	l		UEPEX	PR71D	0.00	0.00	0.00	1	1	<u> </u>				l 1	i
1	Inward Data			UEPDX	PR71E	0.00	0.00	0.00	1	1	[					
None	r Additional Channel	<del> </del>							<del> </del>	<del>                                     </del>						
laem o			-					<del> </del>	<del> </del>	<del></del>						<del></del>
- 1	New or Additional - Voice/Data "B" Channel			UEPEX	PR7BV	0.00	15.48		1	1						i
	New or Additional - Digital Data "B" Channel	1		UEPEX	PR7BF	0.00	15.48	1	1							
	New or Additional Inward Data "B" Channel	1	1	UEPDX	PR7BD	0.00	15.48	İ	1	1	l				<del> </del>	
							13,40	<b></b>	<del> </del>	<del> </del>	<b> </b>		<b> </b>		ļI	
	New or Additional Useage Sensitive Voice Data "B" Channel	<u> </u>		UEPEX	PR7BS	0.00									L	
	New or Additional Useage Sensitive Digital Data "B" Channel	1		UEPEX	PR7BU	0.00	l	1	L	1	I 7					
	New or Additional PRI "D" Channel	1	1	UEPEX	PR7EX	0.00	15.48	I	1	T	T					
				<del></del>	+····-^	5.50	15.70	<b></b>	<del>                                     </del>	<del> </del>						
CALL	TYPES	1			1					ļ					l	
	Inward	1		UEPEX UEPDX	PR7C1	0.00	0.00	0.00			i				I	
	Outward	1		UEPEX	PR7CO	0.00	0.00	0.00		1						
		<del>                                     </del>			PR7CC		0.00		<del> </del>	<del> </del>						
	Two-way	<u> </u>		UĒPEX	PRILL	0.00	0.00	0.00		ļ	ļ					
	NOLED PORT with REMOTE CALL FORWARDING CAPABILITY					<u> </u>	L		L		l					
IME	NÔLED REMOTE CALL FORWARDING SERVICE - RESIDENCE	1							1							
10,100		<del> </del>	1	UEPVR	UERAC	4 #0	3.74	3.63	1.88	1.80	<b></b>					
	Unbundled Remote Call Forwarding Service, Area Calling, Res	—	ļ	UEFVK	DERMO	1.40	3./4	3.03	1.00	1.80	ļ					
1	1	l	1		1		l	l		1	[				I	
1	Unbundled Remote Call Forwarding Service, Local Calling - Res	1	1	UEPVR	UERLC	1.40	3.74	3.63	1.88	1.80		1		I		
		t —	$\vdash$	UEPVR	UERTE	1.40	3.74	3.63	1.88	1,80	Į					
	Unbundled Remote Call Forwarding Service, InterLATA - Res	<u> </u>	<b></b>								ļl				1	
1.	Unbundled Remote Call Forwarding Service, IntraLATA - Res		L	UEPVR	UERTR	1.40	3.74	3.63	1.88	1.80	i					
Non-R	ecuming		T		1	T	I		1	T						
1.4011-44		+	+	<del> </del>	+	<del> </del>		<b>†</b>	<del> </del>	<del> </del>	<b> </b>					
1	Unbundled Remote Call Forwarding Service - Conversion -	1	1	l	1		l	I	1	j			l	1		
1	Switch-as-is		L	UEPVR	USAC2	L	0.102	0.102		L						
	Unbundled Remote Call Forwarding Service - Conversion with		T		T	Τ		I	T	T						
-			1	HERMO	HEACC		A 400	0.400	1	1			1	1	1	
	allowed change (PIC and LPIC)		L	UEPVR	USACC	ļ	0.102	0.102	<b></b>	ļ						
UNBU	NDLED REMOTE CALL FORWARDING - Bus		L ~		1		L	L	L		1					
-	T	1	1			T		T		T		-				

JUDOIADE	ED NETWORK ELEMENTS - Florida			•		<b>,</b>								ment: 2	<b></b>	bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1 :	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electronic Disc Add
		<b> </b>	<b></b>	ļ	<del></del>	Rec	Nonrec			Disconnect	SOME	CORPAN		Rates (\$)		
		ļ	<b> </b>		<del></del>	-	First	Add'l	First	Add'l	SOMEC	SUMAN	SOMAN	SOMAN	SOMAN	SOMAN
1		1	1		UEDI O	1 40	2.74	2.00	4.00		1					l
	Unbundled Remote Call Forwarding Service, Local Calling - Bus	<b></b>	ļ	UEPVB	UERLC	1.40	3.74	3.63	1.88	1.80						ļ
	Unbundled Remote Call Forwarding Service, InterLATA - Bus	ļ	<b></b>	UEPVB	UERTE	1.40	3.74 3.74	3.63 3.63	1.88	1.80					ļ	
	Unbundled Remote Call Forwarding Service, IntraLATA - Bus	↓		UEPVB	UERTR	1.40	3.14	3.03	1.88	1.80						
1	Unbundled Remote Call Forwarding Service Expanded and	1				1 4.0	2.74	2.00	4.00							
	Exception Local Calling	<b>}</b>		UEPVB	UERVJ	1.40	3.74	3.63	1.88	1.80						
Non-	Recurring	<del> </del>		ļ												
	Unbundled Remote Call Forwarding Service - Conversion -						0.400	0.400			1					
	Switch-as-is	ļ	<b></b>	UEPVB	USAC2		0.102	0.102								
	Unbundled Remote Call Forwarding Service - Conversion with						0.400	0.400			i					
	allowed change (PIC and LPIC)	ļ		UEPVB	USACC		0.102	0.102								
	D LOCAL SWITCHING, PORT USAGE	<del> </del>		<u> </u>	<del></del>											
End	Office Switching (Port Usage)	ļ														
	End Office Switching Function, Per MOU	<b></b>	ļ		+	0.0007662			<b> </b>				ļ		ļ	<u> </u>
	End Office Trunk Port - Shared, Per MOU	<b></b>	ļ		+	0.000164			<b>_</b>	-	<del></del>					
Tand	dem Switching (Port Usage) (Local or Access Tandem)	—	<del> </del>			0.0001010										
	Tandem Switching Function Per MOU	<b></b>	<b></b>			0.0001319							*******			
	Tandem Trunk Port - Shared, Per MOU	<u> </u>	1			0.000235										
	Tandem Switching Function Per MOU (Meided)	ļ	ļ			0.000027185										
	Tandem Trunk Port - Shared, Per MOU (Melded)	ļ	L			0.000048434				L						
	Melded Factor: 20.61% of the Tandem Rate															
Com	mon Transport		L													
	Common Transport - Per Mile, Per MOU					0.0000035										
	Common Transport - Facilities Termination Per MOU					0.0004372										
IBUNDLED	D PORT/LOOP COMBINATIONS - COST BASED RATES	<u> </u>	<u> </u>		J											
Cost	Based Rates are applied where BellSouth is required by FCC a	nd/or S	tate Co	mmission rule to p	rovide Unbur	died Local Swi	ching or Swite	h Ports.								
Featu	ures shall apply to the Unbundled Port/Loop Combination - Co	st Basec	Rate	section in the same	manner as th	rey are applied	to the Stand-A	ione Unbundle	ed Port section	of this Rate E	xhibit.					
End	Office and Tandem Switching Usage and Common Transport U	sage rai	es in t	he Port section of t	nis rate exhib	it shall apply to	all combination	ons of loop/po	rt network eler	nents except	for UNE Coi	Port/Loop	Combination	15.		
	first and additional Port nonrecurring charges apply to Not Cur	rently C	ombin	ed Combos. For Cu	mently Comb	ined Combos ti	e nonrecurrin	g charges sha	Il be those ider	ntified in the N	outecruing	- Currently	Combined se	ctions.		
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	ļ	<b> </b>		<del></del>						L					
UNE	Port/Loop Combination Rates	ļ	<u> </u>													
	2-Wire VG Loop/Port Combo - Zone 1	1	1			10.94				<b></b>						
	2-Wire VG Loop/Port Combo - Zone 2		2			15.05					-					
	2-Wire VG Loop/Port Combo - Zone 3		3			25.80										
UNE	Loop Rates	↓												-		
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	1	UEPRX	UEPLX	9.77										
	2-Wire Voice Grade Loop (SL1) - Zone 2	1	2	UEPRX	UEPLX	13.88										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	24.63										
2.Win	re Voice Grade Line Port Rates (Res)	L	L													
B 1111	2-Wire voice unbundled port - residence		1	UEPRX	UEPRL	1.17	53.31	26.46	27.50	8.37						
	2-Wire voice unbundled port with Caller ID - res		1	UEPRX	UEPRC	1.17	53.31	26.46	27.50	8.37						
			1	UEPRX	UEPRO	1.17	53.31	26.46	27.50	8.37						
	2-Wire voice unbundled port outgoing only - res															
	2-Wire voice unbundled port outgoing only - res	<del> </del>	1		1											
	2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled Florida Area Calling with Caller ID - res			UEPRX	UEPAF	1.17	53.31	26.46	27.50	8.37	1					
				UEPRX						8.37						
	2-Wire voice unbundled Florida Area Calling with Caller tD - res			UEPRXUEPRX	UEPAP	1.17	53.31	26.46	27.50	8.37						
	2-Wire voice unbundled Florida Area Calling with Caller tD - res 2-Wire voice unbundles res, low usage line port with Caller ID															
	2-Wire voice unbundled Florida Area Calling with Caller ID - res     2-Wire voice unbundles res, low usage line port with Caller ID     (LUM)			UEPRX	UEPAP UEPA1	1,17	53.31 53.31	26.46 26.46	27.50 27.50	8.37 8.37						
	2-Wire voice unbundled Florida Area Calling with Caller ID - res     2-Wire voice unbundles res, low usage line port with Caller ID (LUM)     2-Wire voice unbundled Florida extended dialing with Caller ID			UEPRX	UEPAP	1.17	53.31	26.46	27.50	8.37						
	2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire voice unbundled Florida extended dialing with Caller ID 2-Wire voice unbundled Florida extended dialing port without			UEPRX UEPRX	UEPAP UEPA1 UEPA8	1.17 1.17 1.17	53.31 53.31 53.31	26.46 26.46 26.46	27.50 27.50 27.50	8.37 8.37 8.37						
	2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire voice unbundled Florida extended dialing with Caller ID 2-Wire voice unbundled Florida extended dialing port without Caller ID capability			UEPRX UEPRX	UEPAP UEPA1	1,17	53.31 53.31	26.46 26.46	27.50 27.50	8.37 8.37						
	2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire voice unbundled Florida extended dialing with Caller ID 2-Wire voice unbundled Florida extended dialing port without Caller ID capability 2-Wire voice unbundled Florida Area Calling Port without Caller			UEPRX UEPRX UEPRX UEPRX	UEPAP UEPA1 UEPA8 UEPA9	1.17 1.17 1.17 1.17	53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46	27.50 27.50 27.50 27.50	8.37 8.37 8.37 8.37						
	2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire voice unbundled Florida extended dialing with Caller ID 2-Wire voice unbundled Florida extended dialing port without Caller ID capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability			UEPRX UEPRX UEPRX	UEPAP UEPA1 UEPA8	1.17 1.17 1.17	53.31 53.31 53.31	26.46 26.46 26.46	27.50 27.50 27.50	8.37 8.37 8.37						
	2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire voice unbundled Florida extended dialing with Caller ID 2-Wire voice unbundled Florida extended dialing port without Caller ID capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability 2-Wire voice unbundled Low Usage Line Port without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID			UEPRX UEPRX UEPRX UEPRX	UEPAP UEPA1 UEPA8 UEPA9	1.17 1.17 1.17 1.17	53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46	27.50 27.50 27.50 27.50	8.37 8.37 8.37 8.37						
	2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire voice unbundled Florida extended dialing with Caller ID 2-Wire voice unbundled Florida extended dialing port without Caller ID capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability TURES			UEPRX UEPRX UEPRX UEPRX	UEPAP UEPA1 UEPA8 UEPA9	1.17 1.17 1.17 1.17	53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46	27.50 27.50 27.50 27.50	8.37 8.37 8.37 8.37						
FEAT	2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire voice unbundled Florida extended diating with Caller ID 2-Wire voice unbundled Florida extended diating port without Caller ID capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability			UEPRX UEPRX UEPRX UEPRX UEPRX	UEPAP UEPA8 UEPA9 UEPRT	1.17 1.17 1.17 1.17 1.17	53.31 53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46 26.46	27.50 27.50 27.50 27.50	8.37 8.37 8.37 8.37						
FEAT	2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire voice unbundled Florida extended dialing with Caller ID 2-Wire voice unbundled Florida extended dialing port without Caller ID capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability 1-Wire voice unbundled Low Usage Line Port without Caller ID Capability 1-WIRES All Features Offered			UEPRX UEPRX UEPRX UEPRX UEPRX	UEPAP UEPA1 UEPA8 UEPA9 UEPRT	1.17 1.17 1.17 1.17 1.17	53.31 53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46 26.46	27.50 27.50 27.50 27.50	8.37 8.37 8.37 8.37						

UNBUNDL	ED NETWORK ELEMENTS - Florida	r	r								<del></del>			ment: 2		ibit; A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sv Order vs.
		ļ	ļ			Rec		curring		Disconnect	60050			Rates (\$)		T
							First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		1	UEPRX	USAC2		0.102	0.102		i						1
	Switch-as-is  2-Wire Voice Grade Loop / Line Port Combination - Conversion -			DEPRA	USACZ		0.102	0.102			ļ					<b></b>
	Switch with change	1		UEPRX	USACC	i	0,102	0.102							1	1
ADDI	TIONAL NRCs			CLITAL	0000		0.102	<u> </u>			<del>                                     </del>					<del> </del>
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent	<del> </del>	<b></b>								1					<b></b>
1	Activity			UEPRX	USAS2	0.00	0.00	0.00			i		i			
	Unbundled Miscellaneous Rate Element, Tag Loop at End User								***************************************		T					
	Premise			UEPRX	URETL		8.33	0.83	}		1					
OFF/	ON PREMISES EXTENSION CHANNELS															
	2 Wire Analog Voice Grade Extension Loop – Non-Design			UEPRX	UEAEN	10.69	49.57	22.83	25.62	6.57						
	2 Wire Analog Voice Grade Extension Loop - Non-Design			UEPRX	UEAEN	15.20	49.57	22.83	25.62	6.57						
	2 Wire Analog Voice Grade Extension Loop - Non-Design			UEPRX	UEAEN	26.97	49.57	22.83	25.62	6,57						
	2 Wire Analog Voice Grade Extension Loop - Design			UEPRX	UEAED	12.24	135.75	82.47	63.53	12.01	1	L				
	2 Wire Analog Voice Grade Extension Loop – Design			UEPRX	UEAED	17.40	135.75	82.47	63,53	12.01						
	2 Wire Analog Voice Grade Extension Loop - Design		3	UEPRX	UEAED	30.87	135.75	82.47	63.53	12.01	-					
INTE	ROFFICE TRANSPORT		ļ								<u> </u>					L
1	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility								l	1					1	
	Termination		ļ	UEPRX	U1TV2	25.32	47.35	31.78			<b>_</b>	ļ				<b></b>
1	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			LICODY		0 0004	0.00	0.00	l	}		į			}	l
	or Fraction Mile			UEPRX	U1TVM	0.0091	0.00	0.00		<b></b>	<b>}</b>	l				
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) Port/Loop Combination Rates	├	├	<u> </u>							<del> </del>	<b></b>	ļ		ļ	
UNE	2-Wire VG Loop/Port Combo - Zone 1		1			10.94			ļ		<del> </del>	<del> </del>		ļ		<b></b>
	2-Wire VG Loop/Port Combo - Zone 2	├	2			15.05			<del> </del>	<b></b>	<del> </del>					
	2-Wire VG Loop/Port Combo - Zone 3	<del> </del>	3	<del> </del>		25.80				<del> </del>	<del> </del>	<b></b>				<del></del>
LINE	Loop Rates		<del>                                     </del>			20.00			<del> </del>	·	<del>                                     </del>				-	
	2-Wire Voice Grade Loop (SL1) - Zone 1	<del> </del>	1	UEPBX	UEPLX	9.77			<b></b>		<del>                                     </del>					<del> </del>
	2-Wire Voice Grade Loop (SL1) - Zone 2	<del> </del>		UEPBX	UEPLX	13.88			l	<b></b>	<del> </del>					<u> </u>
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	24.63										
2-Wii	re Voice Grade Line Port (Bus)		1													
	2-Wire voice unbundled port without Caller ID - bus	1	1	UEPBX	UEPBL	1.17	53.31	26.46	27.50	8.37	1					<u> </u>
	2-Wire voice unbundled port with Caller + E484 tD - bus			UEPBX	UEPBC	1.17	53.31	26.46	27.50							
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.17	53.31	26.46	27.50	8.37						
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UEPB1	1.17	53.31	26.46	27.50	8.37						
	2-Wire voice unbundled Incoming Only Port without Caller ID											1				1
	Capability		L	UEPBX	UEPBE	1.17	53.31	26.46	27.50	8.37						l
LOC	AL NUMBER PORTABILITY		ļ								<u> </u>					
	Local Number Portability (1 per port)		ļ	UEPBX	LNPCX	0.35				ļ						
FEAT	TURES		┞——								<b>↓</b>					<b></b>
	All Features Offered	<b></b>	<b> </b>	UEPBX	UEPVF	2.26	0.00	0.00			<b> </b>					<b></b>
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED		<b></b>								<del> </del>					<u> </u>
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1	1	. Proper	USAC2		0.102	0.102			l					i .
	Switch-as-is  2-Wire Voice Grade Loop / Une Port Combination - Conversion -	<del> </del>	<b>├</b>	UEPBX	USAUZ		0,102	0.102			<u> </u>					
	Switch with change	1		UEPBX	USACC		0.102	0.102								i
- IADDI	ITIONAL NRCs	<del> </del>	┼──	OLFBA	000,00		0,102	0.102		<del> </del>						<del> </del>
1200	2-Wire Voice Grade Loop/Line Port Combination - Subsequent	1	<del> </del>					<del></del>		<del></del>	<b>†</b> ~~~~~~~					
1	Activity	1	1	UEPBX	USAS2		0.00	0.00								i
<del></del>	Unbundled Miscellaneous Rate Element, Tag Loop at End User	t	<del>                                     </del>	(	T===		5.00	5.50	<del>                                     </del>	t	<b>†</b>					
- 1	Premise			UEPBX	URETL		8.33	0.83	l	1		1				i
OFF/	ON PREMISES EXTENSION CHANNELS	1		†					1		†		-			
—— <del> </del>	2 Wire Analog Voice Grade Extension Loop - Non-Design	1	1	UEPBX	UEAEN	10.69	49.57	22.83	25.62	6.57	1					i
	2 Wire Analog Voice Grade Extension Loop - Non-Design	1		UEPBX	UEAEN	15.20	49.57	22.83	25.62	6.57	1					ſ
	2 Wire Analog Voice Grade Extension Loop - Non-Design			UEPBX	UEAEN	26.97	49.57	22.83	25.62	6.57	1					
	2 Wire Analog Voice Grade Extension Loop - Design	Г	1	UEPBX	UEAED	12.24	135.75	82.47	63.53	12.01	T					
	2 Wire Analog Voice Grade Extension Loop - Design			UEPBX	UEAED	17.40	135.75	82.47	63.53	12.01						
	2 Wire Analog Voice Grade Extension Loop - Design		3	UEPBX	UEAED	30.87	135.75	82.47	63.53	12.01						i
INTE	ROFFICE TRANSPORT	1	1													

INBUNDLE	D NETWORK ELEMENTS - Florida													ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR		Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge
						Rec	Nonrec			Disconnect				Rates (\$)	<del>,</del>	
							First	Add'l	First	Add'1	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPBX	U1TV2	25.32	47.35	31.78								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile		1			1						1				
	or Fraction Mile			UEPBX	U1TVM	0.0091	0.00	0.00			<u> </u>					
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)												ļ			
UNE P	ort/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			10.94		~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~								
	2-Wire VG Loop/Port Combo - Zone 2		2			15.05										
	2-Wire VG Loop/Port Combo - Zone 3		3			25.80										
UNE L	oop Rates															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	9.77										
	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEPRG	UEPLX	13.88										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	24.63										
2-Wire	Voice Grade Line Port Rates (RES - PBX)												1			
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -															
1	Res			UEPRG	UEPRD	1.17	174.81	100.65	75,88	12.73			l			l
LOCAL	L NUMBER PORTABILITY		<del>                                     </del>	UZ: NO					1		<b></b>		l			<b></b>
12007	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00			<del> </del>					
FEAT			<del> </del>	OLF ING	1000	5.10	0.05	0.00	<del>                                     </del>	ļ	<del> </del>					<del> </del>
FEAT	All Features Offered	ļ	<del> </del>	UEPRG	UEPVF	2.26	0.00	0.00								<b></b>
110115			├	UEPRO	UEPVF	2.20	0.00	0.00		<b></b>	<del> </del>	<b> </b>				ļ
NONK	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED										ļ	ļ				
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			l		I							l			1
	Conversion - Switch-As-Is			UEPRG	USAC2		8.45	1.91								
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	i			1	j			1							1
	Conversion - Switch with Change		<u> </u>	UEPRG	USACC		8.45	1.91								
ADDIT	IONAL NRCs		L													
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -										l					
- 1	Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00								<b>L</b>
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt		T													
ı	Group						7.86	7.86								1
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															1
1	Premise	1		UEPRG	URETL	1	6.33	0.83			1	<b>,</b>	1			1
OFF/O	N PREMISES EXTENSION CHANNELS	1	1								٠.					
	Local Channel Voice grade, per termination	!	1	UEPRG	P2JHX	12,24	135.75	82.47	63,53	12.01						
	Local Channel Voice grade, per termination	·	2	UEPRG	P2JHX	17.40	135.75	82,47	63.53	12.01	<del>                                     </del>					
<del></del>	Local Channel Voice grade, per termination	<del>                                     </del>		UEPRG	P2JHX	30.87	135.75	82.47	63.53	12.01	<b></b>		<b></b>			
	Non-Wire Direct Serve Channel Voice Grade	1		UEPRG	SDD2X	12.92	120.38	43.56	95.00	10.54	<del> </del>	<b>—</b>	ļ			
	Non-Wire Direct Serve Channel Voice Grade	<del> </del>	1 2	UEPRG	SDD2X	18.36	120.38	43.56		10.54		<del></del>				<del></del>
		<del>                                     </del>	3	UEPRG	SDD2X	32.58	120.38	43.56	95.00	10.54	<b></b>	ļ	<del> </del>			
	Non-Wire Direct Serve Channel Voice Grade	ļ	10	UEPRO	SUUZA	32.30	120.30	43.30	93.00	10.54	ļ	<b>}</b>				<b></b>
INIER	OFFICE TRANSPORT		ļ													
1	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility		1		1					1		1	1			i
	Termination	ļ	ļ	UEPRG	U1TV2	25.32	47.35	31.78			ļ		ļ			ļ
1	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile		1		1 1						l	l				1
	or Fraction Mile			UEPRG	U1TVM	0.0091	0.00	0.00				1				l
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)		1								L					
UNE P	ort/Loop Combination Rates		<u> </u>													
- 1	2-Wire VG Loop/Port Combo - Zone 1		1			10.94										1
	2-Wire VG Loop/Port Combo - Zone 2		2			15.05							L			
	2-Wire VG Loop/Port Combo - Zone 3		3			25.80										
UNE L	oop Rates	1														
	2-Wire Voice Grade Loop (SL 1) - Zone 1	l	1	UEPPX	UEPLX	9.77			1		T		I			
$\neg$	2-Wire Voice Grade Loop (SL 1) - Zone 2	1	2	UEPPX	UEPLX	13.88					1		1			_
-	2-Wire Voice Grade Loop (SL 1) - Zone 3	<del>                                     </del>	3	UEPPX	UEPLX	24.63			<b>T</b>		<b> </b>	<del> </del>				
2.10	Voice Grade Line Port Rates (BUS - PBX)	<del> </del>	† Ť						<b></b>		<del>                                     </del>	<b> </b>				·
2-77116	- 1-100 Grand Entile Lott (1810-1810)	<del> </del>	t	<del> </del>	1				<b> </b>	<del> </del>	<del>                                     </del>	<b> </b>		<del></del>		<b></b>
1	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	1	1	UEPPX	UEPPC	1.17	174.81	100.65	75.88	12.73	1	l				i
-	Line Side Unbundled Outward PBX Trunk Port - Bus	<del> </del>	<del> </del>	UEPPX	UEPPO	1.17	174.81	100.65	75.88	12.73	<del> </del>	<del> </del>				
	Line Side Unbundled Unward PBX Trunk Port - Bus		<del> </del>	UEPPX	UEPP1	1,17	174.81	100.65		12.73	<del> </del>					

OMBONDE	NETWORK ELEMENTS - Florida	<b>,</b>	,											ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs.	incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incrementa Charge - Manual Sv Order vs.
													Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic Disc Add'l
	***************************************					Rec	Nonrec			Disconnect				Rates (\$)		
	5.15			HEDDY	-		First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX UEPPX	UEPXA	1.17 1.17	174,81 174,81	100.65 100.65	75.88 75.88	12.73 12.73						
	2-Wire Voice Unbundled PBX LD DDD Terminal Hotel Ports 2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.17	174.81	100.65	75.88	12.73						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXO	1.17	174.81	100.65	75.88	12.73		<del></del>				ļ
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD		-	OCFFX	TOUT AD	1.17	114.01	100.00	13.00	12.13		-				
	Capable Port			UEPPX	UEPXE	1.17	174.81	100.65	75.88	12.73						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy				1											
	Administrative Calling Port		i i	UEPPX	UEPXL	1.17	174.81	100.65	75.88	12.73						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy						-									
	Room Calling Port			UEPPX	UEPXM	1.17	174.81	100.65	75.88	12.73						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port			UEPPX	UEPXO	1.17	174.81	100.65	75.88	12.73						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.17	174.81	100.65	75.88	12.73						
LOCAL	NUMBER PORTABILITY															
	Local Number Portability (1 per port)	ļ		UEPPX	LNPCP	3.15	0.00	0.00								
FEATU				UEPPX	UEPVF	2.26	0.00	0.00								
NOUDE	All Features Offered CURRING CHARGES (NRCs) - CURRENTLY COMBINED			UEPPX	UEPVE	2.26	0.00	0.00								
NONKE	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		1							L	ļ				**************************************	
1	Conversion - Switch-As-Is		1	UEPPX	USAC2		8.45	1,91								
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		-	ULFFX	USACZ		0.40	1,31			<del> </del>					
	Conversion - Switch with Change			UEPPX	USACC		8.45	1.91								
ADDITI	ONAL NRCs			OLITA	Locato		0.40	1.07								
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt							****								
	Group						7.86	7.86								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise			UEPPX	URETL		8.33	0.83								
	PREMISES EXTENSION CHANNELS															
	Local Channel Voice grade, per termination			UEPPX	P2JHX	12.24	135.75	82.47	63.53	12.01						
	Local Channel Voice grade, per termination				P2JHX	17.40	135.75	82.47	63.53	12.01						
	Local Channel Voice grade, per termination  Non-Wire Direct Serve Channel Voice Grade			UEPPX UEPPX	P2JHX SDD2X	30.87 12.92	135.75 120.38	82.47 43.56	63.53 95.00	12.01 10.54						
	Non-Wire Direct Serve Channel Voice Grade			UEPPX	SDD2X	18.36	120.38	43.56	95.00	10.54						
	Non-Wire Direct Serve Channel Voice Grade			UEPPX	SDD2X	32.58	120.38	43.56	95.00	10.54						
	OFFICE TRANSPORT		Ť	V	1000	UE.30	120.30	70,00	33.00	10.04	_					
100,000	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility				1										<del></del>	
	Termination			UEPPX	U1TV2	25.32	47.35	31.78								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile									***************************************						
	or Fraction Mile			UEPPX	U1TVM	0.0091	0.00	0.00								
	VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	eT .														
UNE Po	ort/Loop Combination Rates															
	2-Wire VG Coin Port/Loop Combo – Zone 1		1			10.94										
	2-Wire VG Coin Port/Loop Combo – Zone 2		2		-	15.05										
	2-Wire VG Coin Port/Loop Combo – Zone 3		3			25.80					ļ					
	op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	9.77										
	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2	_		UEPCO	UEPLX	13.88										
	2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3			UEPCO	UEPLX	24,63										
2-Wire	Voice Grade Line Ports (COIN)		<u> </u>		1021 27	27,00					<u>-</u>					
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,				1 1											
9	900/976, 1+DDD (FL)			UEPCO	UEP2F	1.17	53.31	26.48	27.50	8.37			l		İ	
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking															
1	(FL)			UEPCO	UEPFA	1.17	53.31	26.46	27.50	8.37				i		
	2-Wire Coin 2-Way with Operator Screening and Blocking:														-	
	900/976, 1+DDD, 011+, and Local (FL)			UEPCO	UEPCG	1.17	53.31	26.46	27.50	8.37					<u> </u>	_
	2-Wire Coin Outward with Operator Screening and 011 Blocking							-								
1	(AL, FL)	L	L	UEPCO	UEPRK	1.17	53.31	26.46	27.50	8.37			1		1	

NBUNDLE	ED NETWORK ELEMENTS - Florida													ment: 2		ibit: A
ATEGORY	. RATE ELEMENTS	interi m	Zone	BCS	usoc		•	RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
					<b></b>	Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Addʻi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Coin Outward with Operator Screening and Blocking:				1						1		1			1
	900/976, 1+DDD, 011+ (FL)			UEPCO	UEPOF	1.17	53.31	26.46	27.50	8.37						L.
	2-Wire Coin Outward with Operator Screening and Blocking:				1											1
	900/976, 1+DDD, 011+, and Local (FL, GA)			UEPCO	UEPCQ	1.17	53.31	26.46	27.50	8.37						
	2-Wire 2-Way Smartline with 900/976 (all states except LA)	ļ	L	UEPCO	UEPCK	1.17	53.31	26.46	27.50	8.37	ļ					<u> </u>
	2-Wire Coin Outward Smartline with 900/976 (all states except			l							l					
	LA)		<u> </u>	UEPCO	UEPCR	1.17	53.31	26.46	27.50	8.37	ļ		ļ			<u> </u>
ADDI	TIONAL UNE COIN PORT/LOOP (RC)		—													<u> </u>
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	1.86	0.00	0.00	0.00	0.00			ļ			
LOCA	IL NUMBER PORTABILITY	ļ	<u> </u>		1											<u> </u>
	Local Number Portability (1 per port)	ļ	-	UEPCO	LNPCX	0.35					ļ	ļ	ļ			<del>  </del>
NONE	RECURRING CHARGES - CURRENTLY COMBINED										ļ		ļ			<del> </del>
l	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	l	l	LIEBOO	LICACO	1	0.400	0.400			[	1			[	
	Switch-as-is	<b> </b>		UEPCO	USAC2		0.102	0.102				ļ	ł	ļ		<del></del>
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1	1		1,,,,,,,	1	0.400	0.400					l			
	Switch with change			UEPCO	USACC		0.102	0.102			ļ	ļ	ļ			<del>  </del>
ADDI	TIONAL NRCs	<u> </u>	<u> </u>								<del> </del>	<del> </del>	ļ			
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent	1	1		1	}						1	1			
	Activity	ļ	ļ	UEPCO	USAS2		0.00	0.00			<b></b>					
- 1	Unbundled Miscellaneous Rate Element, Tag Loop at End User	1	1		1	1						1	1			1
	Premise	<u> </u>	<u></u>	UEPCO	URETL		8.33	0.83					ļ			<u> </u>
	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRI	LINE	ORT (	RES)							<b></b>					
UNE	Port/Loop Combination Rates		1								ļ					
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1 1			13,64						ļ				
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2	ļ	2			18.80										ļ
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	ļ	3			32.27				-,						
UNE	Loop Rates		<u> </u>	<u> </u>												ł
	2-Wire Voice Grade Loop (SL2) - Zone 1			UEPFR	UECF2	12.24										<b></b>
	2-Wire Voice Grade Loop (SL2) - Zone 2			UEPFR	UECF2	17.40						ļ				
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	30.87										
2-Wir	e Voice Grade Line Port Rates (Res)		1		UEPRL		174.81	100.65	75.00	40.70						ļ
	2-Wire voice unbundled port - residence	<u> </u>	<b> </b>	UEPFR		1.40			75.88	12.73						<b>├</b>
	2-Wire voice unbundled port with Caller ID - res	ļ	ļ	UEPFR	UEPRC UEPRO	1,40	174.81	100.65 100.65	75.88	12.73						<b>├</b>
	2-Wire voice unbundled port outgoing only - res	<b></b>		UEPFR	UEPRO	1,40	174.81	100.00	75.88	12.73						L
-					luenae		474.04	100.00	75.00	40.70						
	2-Wire voice unbundled Florida Area Calling with Caller ID - res	ļ		UEPFR	UEPAF	1.40	174.81	100,65	75.88	12.73						
1	2-Wire voice unbundles res, low usage line port with Catter ID	i					471.54	400.05	75.00	40.70						
<del></del> _	(LUM)			UEPFR	UEPAP	1.40	174.81	100.65	75.88	12.73	<b></b>		ļ			ļ
INTE	ROFFICE TRANSPORT	<u> </u>	<b>_</b>								<b></b>					
- 1	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			LIEBER		25.32	47.35	24 70			İ					ĺ
	Termination		<u> </u>	UEPFR	U1TV2	25.32	47.35	31.78			ļ	<b> </b>				ļ
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile		1		41 500	0.0004					i	1				İ
	or Fraction Mile		<b></b>	UEPFR	1L5XX	0.0091						<b></b>	ļ			<del> </del>
FEAT	URES	<b></b>	<u> </u>	LIFOED	UEPVF	2.26	0.00	0.00				<del></del>	ļ			<u> </u>
	All Features Offered	ļ	<del>  </del>	UEPFR	UEPVF	2.20	0.00	0.00				<b> </b>	ļ			<u> </u>
LOCA	AL NUMBER PORTABILITY	<del> </del>	├	UEPFR	LNPCX	0.35						ļ				<del></del>
	Local Number Portability (1 per port)	<del> </del>	⊢	UEPFR	LNPUA	0.35						<b> </b>				<del></del>
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	├	-									<b> </b>				<del></del>
l	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	l	l	UEPFR	USAC2		16.97	3.73			1	1				i
	Combination - Conversion - Switch-as-is	<del> </del>	$\vdash$	OCPTR	USAUZ		10.97	3.13				-				<b></b>
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	1		LIEDEG	USACC		16.97	3.73			1	1	1			ĺ
	Combination - Conversion - Switch-With-Change	<del> </del>		UEPFR	USACC		10.4/	3.73								<b> </b>
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at	1		UEPFR	lines.		44.04	4 40		l	1	1				ĺ
0.150	End User Premise	<u> </u>	DOOT !		URETN		11.21	1.10			<b> </b>	<b></b>	<b></b>			
	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIR	E LINE	CHI	DU3)							<b>_</b>	<b></b>	<b> </b>		<b></b>	
UNE	Port/Loop Combination Rates	<del> </del>	+-	<del>                                     </del>	_	43.64					<b>_</b>	<b> </b>	<b> </b>		<b></b>	
1	2-Wire VG Loop/tO Tranport/Port Combo - Zone 1	ļ	1 2	ļ		13.64 18.80					<b></b>	ļ	ļ			<del> </del>
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2															

UNBUNDLE	NETWORK ELEMENTS - Florida		_										Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge -
		<u> </u>				Rec		curring	Nonrecurring					Rates (\$)		
	op Rates	<b>!</b>					First	Add'!	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	op rates 2-Wire Voice Grade Loop (SL2) - Zone 1	⊢-	1	UEPFB	UECF2	12.24				<del> </del>						<del></del>
	2-Wire Voice Grade Loop (SL2) - Zone 2	<del>                                     </del>		UEPFB	UECF2	17.40				<del></del>	ļ					<del></del>
	2-Wire Voice Grade Loop (SL2) - Zone 3			UEPFB	UECF2	30.87					<del> </del>					<del></del>
	Voice Grade Line Port (Bus)		<u> </u>	02,70	020,2	00.01					<b> </b>	<del></del>				<del> </del>
	2-Wire voice unbundled port without Caller ID - bus	<u> </u>		UEPFB	UEPBL	1.40	174.81	100.65	75.88	12.73						l
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	1.40	174.81	100.65	75.88	12.73	<b></b>					
	2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	1.40	174.81	100.65	75.88	12.73						
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	1.40	174.81	100.65	75.88	12.73						
	NUMBER PORTABILITY															
	Local Number Portability (1 per port)	ļ		UEPFB	LNPCX	0.35										
	FFICE TRANSPORT		<u> </u>					ļ		ļ	ļ					
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPF8	U1TV2	25.32	47.35	31.78								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPFB	1L5XX	0.0091										
FEATU	All Features Offered	<del> </del>		UEPFB	UEPVF	2.26	0.00	0.00		<b></b>	ļ					<del> </del>
	CURRING CHARGES (NRCs) - CURRENTLY COMBINED			UEPFB	UEPVF	2.20	0.00	0.00		ļ	ļ					<del> </del>
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	-	<del>                                     </del>			ļ										
	Combination - Conversion - Switch-as-is 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	ļ		UEPFB	USAC2		16.97	3.73								
	Combination - Conversion - Switch with change Unbundled Miscellaneous Rate Element, Tag Designed Loop at	ļ		UEPFB	USACC		16.97	3.73								
	End User Premise			UEPF6	URETN		11.21	1.10								1
	VOICE LOOP/ ZWIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	E LINE F	ORT		J. 1.2. 1.1.					l						ļ
	rt/Loop Combination Rates	1	· ,													
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			13.64										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			18.80										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			32.27										
	op Rates	ļ														
	2-Wire Voice Grade Loop (SL2) - Zone 1	ļ		UEPFP	UECF2	12.24			<u> </u>							<u> </u>
	2-Wire Voice Grade Loop (SL2) - Zone 2	ļ		UEPFP UEPFP	UECF2	17.40 30.87										L
	2-Wire Voice Grade Loop (SL2) - Zone 3 Voice Grade Line Port Rates (BUS - PBX)	<del> </del>	3	UEPPP	UEUF2	30.87			<del> </del>	<b></b>						<del> </del>
Z-Wile	voice Grade Line Port Rates (BUS - PBA)	<del> </del>	<u> </u>		1									L		<b> </b>
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	1		UEPFP	UEPPC	1.40	174.81	100.65	75.88	12.73						i .
	Line Side Unbundled Outward PBX Trunk Port - Bus	<del> </del>		UEPFP	UEPPO	1.40	174.81	100.65	75.88	12.73		l				
	Line Side Unbundled Incoming PBX Trunk Port - Bus	T	<b></b>	UEPFP	UEPP1	1.40	174.81	100.65	75.88	12.73						
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1.40	174.81	100.65	75.88	12.73						
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.40	174.81	100.65	75.88	12.73						
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.40	174.81	100.65	75.88	12.73						
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.40	174.81	100.65	75.88	12.73						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.40	174.81	100.65	75.88	12.73						
	2-Wire Voice Unbundled PBX.LD Terminal Switchboard IDD Capable Port			UEPFP	UEPXE	1.40	174.81	100.65	75.88	12.73						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPFP	UEPXL	1.40	174.81	100.65	75.88	12.73						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPFP	UEPXM	1.40	174.81	100.65	75.88	12.73						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPFP	UEPXO	1.40	174.81	100.65	75.88	12.73						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.40	174.81	100.65	75.88	12.73						i
	NUMBER PORTABILITY															
	Local Number Portability (1 per port)	ļ		UEPFP	LNPCP	3.15	0.00	0.00								
	OFFICE TRANSPORT	ļ	<b></b>		1					ļ		<b> </b>				<del> </del>
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFP	U1TV2	25.32	47.35	31.78								i

NBUNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
	1	1									Suc Order	Svc Order			+	
			l													
			l				-					Submitted	Charge -	Charge -	Charge -	Charge
		Interi	l								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual S
TEGORY	RATE ELEMENTS	1	Zone	BC\$	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs
		m	l								<b>F</b>	<b>F</b>	Electronic-	Electronic-	Electronic-	Electroni
			l													
			l										1st	Add'l	Disc 1st	Disc Add
		<u> </u>	<u> </u>				M		A1	- Di	+			D-4 (A)	1	
						Rec	Nonrec			g Disconnect				Rates (\$)		
							First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile		l									l .	ł			
1	or Fraction Mile		1	UEPFP	1L5XX	0.0091									i	
FEATU	IRES		1													
	All Features Offered		1 —	UEPFP	UEPVF	2.26	0.00	0.00			1			1		
NOND	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED		<del>                                     </del>	-	10-11					<u> </u>	1					
- NONK	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	<del>                                     </del>	├-		+	<del>                                     </del>				<del>-</del>	1					
1			l	l			40.07							'		
	Combination - Conversion - Switch-as-is	1		UEPFP	USAC2		16.97	3.73								
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		1			]							1			
$\perp$	Combination - Conversion - Switch with change			UEPFP	USACC	<u> </u>	16.97	3.73			1			<u></u>	1	]
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at					1							1			
	End User Premise	1	l	UEPFP	URETN	1	11.21	1.10			1		1		I	I
BUNDLED	PORT/LOOP COMBINATIONS - COST BASED RATES	t -	1		1	<del>                                     </del>				1	+	l	<del>                                     </del>	<b>-</b>	1	<del>                                     </del>
	E VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT	<del>                                     </del>		+	<del>                                     </del>				<del> </del>	1					<del></del>
		PURI	-		+	i				+	+	<u> </u>	l			
UNE P	ort/Loop Combination Rates			ļ	1					1						
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			20.95						L				
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			26.11									_	
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			39.58							İ			
TIME I	oop Rates	1	٣		1	33.23				1	1	l	1		<b>—</b>	$\vdash$
10.02.2	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1	<del></del>	1	UEPPX	UECD1	12.24				+	_					<del>                                     </del>
-		<u> </u>				17,40				-		<u> </u>				<u> </u>
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2			UEPPX	UECD1											
i	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1	30.87						i				
UNE P	ort Rate															
1	Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	8.71	214.16	98.29								
NONR	ECURRING CHARGES - CURRENTLY COMBINED											•				
7.0	2-Wire Voice Grade Loop / 2-Wire DtD Trunk Port Combination -				1					-	1					
	Switch-as-is		l	UEPPX	USAC1		7.85	1.87			i					1
			_	UEFFA	USACI	-	7.00	1.07								<del>                                     </del>
f	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion		l	l				1			1	l .				l
	with BellSouth Allowable Changes			UEPPX	USA1C		7.85	1.87				ì				
ADDIT	IONAL NRCs															
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX	USAS1		32.26	32.26								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at		i													
j	End User Premise		l	UEPPX	URETN		11.21	1.10			1					
Tolonk	none Number/Trunk Group Establisment Charges	<u> </u>	<del>                                     </del>	OC. TA	O. L.		,,,,,,,	0		+						<b></b>
Тетері	DID Trunk Termination (One Per Port)	<del>                                     </del>	<del>                                     </del>	UEPPX	NDT	0.00	0.00	0.00			<del>                                     </del>					├──
				UEPPX	NUI	0.00	0.00	0.00		<u> </u>						<u> </u>
į	DID Numbers, Establish Trunk Group and Provide First Group	1	1	l	L	j		_ [		1			1			1
	of 20 DID Numbers	$\bot$	_	UEPPX	NDZ	0.00	0.00	0.00		1						
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX	ND4	0.00	0.00	0.00						· ·		
1	DID Numbers, Non- consecutive DID Numbers Per Number		}	UEPPX	ND5	0.00	0.00	0.00								
1	Reserve Non-Consecutive DID numbers	i	1	UEPPX	ND6	0.00	0.00	0.00		1	1					<b> </b>
	Reserve DiD Numbers	<del>                                     </del>	<del></del>	UEPPX	NDV	0.00	0.00	0.00		1	<b>+</b>					<b>-</b>
1.004		<del>                                     </del>	1	V FA	1,104	0.00	0.00	0.00		<del> </del>	_					<del>                                     </del>
ILUCAI	NUMBER PORTABILITY	<b>-</b>	-	LIEDRY	LUBOR	l				1	+					
	Local Number Portability (1 per port)	<u> </u>	<u> </u>	UEPPX	LNPCP	3.15	0.00	0.00		1						
	E ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDE	PORT					1		1						
UNE P	ort/Loop Combination Rates	$\Box$														
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -															
1	UNE Zone 1	1	1	UEPPB UEPPI	₹İ	22.63		l		I						l
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	t -	<u> </u>			<del></del>		-			1					<b>-</b>
1	UNE Zone 2	1	2	UEPPB UEPPR	1	29.05		1		1					i	1
		<del>                                     </del>	<del>                                     </del>	OLFED UZPPR	+	29.05				+		<b> </b>				<b> </b>
1	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	1	١.	l	.1	1		I		1	1					l
	UNE Zone 3		3	UEPPB UEPPR		45.84										
UNE L	oop Rates															
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB UEPPR	USL2X	15.25										
$\neg$		t		1	1	1				1	1					
1	2-Wire ISDN Digital Grade Loop - UNE Zone 2	1	2	UEPPB UEPPR	USL2X	21.67		I		1						l
	2-Wire ISDN Digital Grade Loop - ONE Zone 2	<del>                                     </del>			USL2X	38.46				+				-		$\vdash$
			1 3	IUCKYB UEFPR	IUSLZX	1 38.46		I		1	1					
- i		<del>                                     </del>														
UNE P	exchange Port - 2-Wire ISDN Line Side Port			UEPPB UEPPR	UEPPB	7.38	194.52	145.09							,	

UNBUND	OLED	NETWORK ELEMENTS - Florida													Attach	ment: 2	Exhi	ibit: A
CATEGOR	RY	RATE ELEMENTS	Interi m	Zone	E	ecs	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
								Rec	Nonrec			g Disconnect				Rates (\$)		
	$\Box$					_		Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port			l													
las		Combination - Conversion NAL NRCs		-	DEPPB	UEPPR	USACB	0.00	25.22	17.00			ļ					ļ
AU		Inbundled Miscellaneous Rate Element, Tag Designed Loop at		<b>-</b>	-		1						<b>-</b>					<del>                                     </del>
l i		End User Premise			UEPPB	UEPPR	URETN		11.21	1.10				1			İ	
		Inbundled Miscellaneous Rate Element, Tag Loop at End User				<b>01</b>	1						<del>                                     </del>					<del>                                       </del>
		Premise			UEPPB	UEPPR	URETL		8.33	0.83							ŀ	
LO		NUMBER PORTABILITY					1 .	_										T
	Lo	ocal Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
B-0		NEL USER PROFILE ACCESS:																
		CVS/CSD (DMS/5ESS)			UEPPB	UEPPR		0.00	0.00	0.00								
$\vdash$		CVS (EWSD)			UEPPB		U1UCB	0.00	0.00	0.00								
<u>⊢                                    </u>		SD		T	UEPPB	UEPPR	UTUCC	0.00	0.00	0.00		<del>                                     </del>						
		NEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S RMINAL PROFILE	∪,MS,8 	IN)			-					<del> </del>	<del>                                     </del>				<del>                                     </del>	1
108		Ser Terminal Profile (EWSD only)	-	-	UEPPB	UEPPR	11111840	0.00	0.00	0.00			<del>                                     </del>					<del></del>
l ve		NE FEATURES		<del>                                     </del>	JUEPPB	UEPPR	UTOMA	0.00	0.00	0.00			1				<del> </del>	1
		If Vertical Features - One per Channel B User Profile		l —	UEPPB	UEPPR	UEPVF	2.26	0.00	0.00	-	<b> </b>	<del>                                     </del>				<b>-</b>	
IN1		FICE CHANNEL MILEAGE		t	02	OLITI	102. 1	220	0.00	0.00			!					<u> </u>
		nteroffice Channel mileage each, including first mile and		<u> </u>												_		
		acilities termination			UEPPB	UEPPR	M1GNC	25.3291	47.35	31.78	18.31	7.03						
	In	nteroffice Channel mileage each, additional mile			UEPPB	UEPPR	M1GNM	0.0091	0.00	0.00								·
	NIRE D	DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK																
		-P DS1 combination rates below for in this rate exhibit apply													nt.			
		s for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital 7	runk P	ort afte	r the effec	tive date o	f this amend	ment shall be	provided pursu	ant to a separ	ate agreement	or tariff at Bel	South's di	scretion.				
UN		t/Loop Combination Rates W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		<b>.</b>	1								ļ					
		one 1		١.	UEPPP			153.48				1					1	
$\vdash$		W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		<b>-</b> '-	UEFFF			133,46										
		Cone 2		2	UEPPP			183.28										
		W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE			102.11		1	100.20										
		One 3		3	UEPPP			261.12				1						
UN	IE Loo	p Rates			1													
		-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	70.74										
		-Wire DS1 Digital Loop - UNE Zone 2			UEPPP		USL4P	100.54										
		-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	178.38										
UN	IE Port						l											
<del></del>		xchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPPP		UEPPP	82.74	488.36	276.65								
NO.		URRING CHARGES - CURRENTLY COMBINED -Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port		-	ļ							ļ						
		-wire DST Digital Loop / 4-wire ISDN DST Digital Trunk Port Combination - Conversion -Switch-as-is (E:4/1/2004)			UEPPP		USACP	0.00	84.17	61.38								
AD.		NAL NRCs	_	<del>                                     </del>	DEFFF		USACE	0.00	04.)/_	01.30			1					
<u> </u>		-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-	<del></del>									<del></del>						
		nward/two way Tel Nos. (except NC)			UEPPP		PR7TF	]	0.5412			ŀ						!
		-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -		<b>†</b>	† <del></del>		T		3.5.72			i						
	0	Outward Tel Numbers (All States except NC)			UEPPP		PR7TO		12.71	12.71								
	4-	-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -																
		subsequent Inward Tel Numbers			UEPPP		PR7ZT		25.42	25.42								
LO		IUMBER PORTABILITY			L													
i i		ocal Number Portability (1 per port)	<u> </u>	<b> </b>	UEPPP		LNPCN	1.75				1						
		CE (Provsioning Only)		<u> </u>			DD74::				*							
INI		/oice/Data		<u> </u>	UEPPP		PR71V	0.00	0.00	0.00		<del></del>						
INI		N-H-1 O-1-			UEPPP		PR71D	0.00	0.00	0.00		ļ						
INI	D	Digital Data		<b>+</b>	HEDDE		DD71E	1 0~~										
	D In	nward Data			UEPPP		PR71E	0.00	0.00	0.00			<del></del>					<del></del>
	In w or A	nward Data Additional "B" Channel								0.00				_			_	
	In w or A	nward Data Addittonal "B" Channel Jew or Additional - Voice/Data B Channel			UEPPP UEPPP		PR7BV	0.00	15.48									
	In W or A	nward Data Additional "B" Channel			UEPPP					0.00							_	

JNBUNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Order vs. Electronic-	Charge - Manual Sy Order vs. Electronic
						,							1st	Add'l	Disc 1st	Disc Add
			<u> </u>			Rec		curring		g Disconnect				Rates (\$)		
	laad		-	UEPPP	PR7C1	0.00	First 0.00	Add'I 0.00	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Outward Outward		<b>—</b>	UEPPP	PR7CO	0.00	0.00	0.00			<del>                                     </del>			<u> </u>		<del></del>
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00			<del>                                     </del>			<u> </u>	-	
Interol	ffice Channel Mileage		<b>—</b>	OLI TT	1111100	0.00	0.00	0.00								
	Fixed Each Including First Mile			UEPPP	1LN1A	88.6256	105.54	98.47	21.47	19.05	<del>                                     </del>			l		
	Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.1856					<u> </u>					
4-WIR	E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT												_			
	NE-P DS1 combination rates below for in this rate exhibit apply	y to the	embec	ded base in place a	as of 10/2/03 (	ıntil 4/1/04. Aft	er 4/1/04 these	e rates shall re	vert to tariff rat	es or a separa	te commerc	al agreeme	nt.	_		
Reque	sts for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff	ective d	ate of	this amendment sh	all be provide	d pursuant to a	separate agr	eement or tarif	f at BellSouth'	s discretion.	1					
UNE P	ort/Loop Combination Rates															
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1			UEPDC		125.69										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2			UEPDC	1	155.49		1								
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC	1	233.33			<b></b>		ļ					
UNE L	oop Rates		-	LIEDDC	LICL CO	70.74		-							<u> </u>	<del></del>
	4-Wire DS1 Digital Loop - UNE Zone 1	H-		UEPDC UEPDC	USLDC	70.74 100.54		1	<del>                                     </del>		<b></b>				<b></b>	<del></del>
-	4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3	<b>-</b>		UEPDC	USLDC	178.38		<del>                                     </del>		<del>                                     </del>	<del>  -</del>			<b>-</b>		<del></del>
LINED	ort Rate	<del></del>	-	UEPUC	USLUC	170.30					1		_			
UNEF	4-Wire DDITS Digital Trunk Port (E:4/1/2004)	_	-	UEPDC	UDD1T	54.95	464.86	259.23			1					-
NONE	ECURRING CHARGES - CURRENTLY COMBINED			02,00	00011	54.90	404.00	203.20			ł		_			
IVOIV	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination									•						
	- Switch-as-is (E:4/1/2004)			UEPDC	USAC4		95.31	46.71			ł					1
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			00.00	100,101		00.01	10.71		1						
	- Conversion with DS1 Changes (E:4/1/2004)			UEPDC	USAWA		95.31	46.71								1
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Conversion with Change - Trunk (E:4/1/2004)			UEPDC	USAWB		95.31	46.71								ı
ADDIT	IONAL NRCs															
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -										-					$\overline{}$
	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		15.69	15.69								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent			l	1					1	}					ł
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		15.69	15.69		1						<b></b>
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel				l											ı
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		15.69	15.69								<b></b>
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTO		15.69	15.69								ı
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			UEPUC	100110		13.09	15.09			<del> </del>		_			
ł	Activation / Chan - 2-Way DID w User Trans	l		UEPDC	UDTTE	[	15.69	15.69								i
RIPOL	AR 8 ZERO SUBSTITUTION			02, 00	TOD.IL		10.00	10.03			İ	-				
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00i	655.00s							-	
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00i	655.00s	i	Ì	<b>†</b>					
Altem	ate Mark Inversion		T -		1						İ				_	i
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								$\overline{}$
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								ī — —
Telept	none Number/Trunk Group Establisment Charges															
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00										
	Telephone Number for 1-Way Outward Trunk Group	ļ		UEPDC	UDTGY	0.00		<b></b>		1						
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00				1						
	DID Numbers, Establish Trunk Group and Provide First Group	l		HEDDC	NDZ		0.00	0.00	I	1						i
	of 20 DID Numbers	l	├	UEPDC	NDZ	0.00	0.00	0.00	-	-	1					——
	DID Numbers for each Group of 20 DID Numbers DID Numbers, Non- consecutive DID Numbers , Per Number	-	<del>                                     </del>	UEPDC UEPDC	ND4 ND5	0.00		+		-	-				<u> </u>	
	Reserve Non-Consecutive DID Nos.		<del>                                     </del>	UEPDC	ND6	0.00	0.00	0.00	-							
	Reserve DID Numbers	-	$\vdash$	UEPDC	NDV	0.00	0.00	0.00	<del>                                     </del>	1						
Dedica	ated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	Digital	Loon			0.00	0.00	0.00			<del> </del>					
Double	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities	J., g.,		1	1			<u> </u>								
	Termination)			UEPDC	1LNO1	88.44	105.54	98.47	21.47	19.05						<u> </u>
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles		1	UEPDC	1LNOA	0,1856	0.00	0.00								i

<b>YBUNDL</b>	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic-		Incremental Charge - Manual Svc Order vs. Electronic-	Increme Charge
													1st		Disc 1st	DISC AC
						Rec		curring	Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities		l													
	Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25		l													
	miles			UEPDC	1LNOB	0.1856	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities															
	Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							
			l										1			
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.1856	0.00	0.00								
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15		0.00	0.00							
	Central Office Termininating Point	<u> </u>	1	UEPDC	CTG	0.00										
	RE DS1 LOOP WITH CHANNELIZATION WITH PORT		1													
	em is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti			L										<b>—</b>		
Each	System can have up to 24 combinations of rates depending on	type a	id nun	ber of ports used		<u> </u>	I				1		l			
	UNE-P DS1 combination rates below for 4-Wire DS1 Loop with C											shall revert	to tariff rates	or a separate	agreement.	
	ests for 4-Wire DS1 Loop with Channelization with Port after th	e effect	ive dat	e of this amendme	ent shall be pro	ovided pursual	nt to a separate	agreement or	tariff at BellSo	uth's discretic	on.					
UNE	DS1 Loop		L_		1	L								<u> </u>		
	4-Wire DS1 Loop - UNE Zone 1			UEPMG	USLDC	70.74		0.00								
	4-Wire DS1 Loop - UNE Zone 2			UEPMG	USLDC	100.54	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 3	L	3	UEPMG	USLDC	178.38	0.00	0.00								
UNE	DSO Channelization Capacities (D4 Channel Bank Configuration	ns)	<b>!</b>											<b> </b>		
	24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	118.06		0.00								
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	236.12		0.00								
	96 DSO Channel Capacity -1per 4 DS1s	<u> </u>		UEPMG	VUM96	472.24		0.00								
	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	708.36		0.00						ļ		
_	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	944.48		0.00								_
	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM2O	1,180.60		0.00								
_	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,416.72	0.00	0.00						<u> </u>		
_	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,888.96		0.00								
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM40	2,361.20		0.00								<u> </u>
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,833.44		0.00								
	672 DS0 Channel Capacity - 1 per 28 DS1s		L	UEPMG	VUM67	3,305.68		0.00								
	Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with						ystem									
A Mir	nimum System configuration is One (1) DS1, One (1) D4 Channe	l Bank,	and U	To 24 DSO Ports	with Feature /	ctivations.	ļ									
Multi	ples of this configuration functioning as one are considered Ac	dd'i afte	r the m	inimum system co	onfiguration is	counted.	ļ									
- 1	NRC - Conversion (Currently Combined) with or without		l	l			1	l								
<u> </u>	BellSouth Allowed Changes			UEPMG	USAC4	0.00		4.24						<b></b>		
	em Additions at End User Locations Where 4-Wire DS1 Loop wit				ibination Curre	ently Exists an	<u>a</u>							ļ		
	(Not Currently Combined) in all states, except in Density Zone 1  1 DS1/D4 Channel Bank - Additionally Add NRC for each Port	OFIOP	8 MSA	\'s	_						-			ļ		
New (		1	1	UEPMG	VUMD4	0.00	726.11	460.04	145.00	47.04			1			l
New (							1 (26.11	468.21	145.32	17.24						
	and Assoc Fea Activation (E:4/1/2004)		_	OLI WIO	10,1104	0.00	, , , , , ,									
	and Assoc Fea Activation (E:4/1/2004)			OLI WO	V O M D V	0.00	720777									
	and Assoc Fea Activation (E:4/1/2004) lar 8 Zero Substitution Clear Channel Capability Format, superframe - Subsequent															
	and Assoc Fea Activation (E:4/1/2004) lar 8 Zero Substitution Clear Channel Capability Format, superframe - Subsequent Activity Only.			UEPMG	CCOSF		0.00i	655.00s								<b>!</b>
	and Assoc Fea Activation (E:4/1/2004)  lar 8 Zero Substitution  Clear Channel Capability Format, superframe - Subsequent Activity Only  Clear Channel Capability Format - Extended Superframe -			UEPMG	CCOSF	0.00	0.00i									-
Bipol	and Assoc Fea Activation (E:4/1/2004) lar 8 Zero Substitution Clear Channel Capability Format, superframe - Subsequent Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only					0.00		655.00s 655.00s								
Bipol	and Assoc Fea Activation (E:4/1/2004) lar 8 Zero Substitution Clear Channel Capability Format, superframe - Subsequent Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only nate Mark Inversion (AMI)			UEPMG UEPMG	CCOSF	0.00	0.00i 0.00i	655.00s								
Bipol	and Assoc Fea Activation (E:4/1/2004) lar 8 Zero Substitution Clear Channel Capability Format, superframe - Subsequent Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only nate Mark Inversion (AMI) Superframe Format			UEPMG UEPMG UEPMG	CCOSF CCOEF	0.00	0.00i 0.00i	655.00s 0.00								
Bipol	and Assoc Fea Activation (E:4/1/2004) lar 8 Zero Substitution Clear Channel Capability Format, superframe - Subsequent Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only nate Mark Inversion (AMI) Superframe Format Extended Superframe Format		Post	UEPMG UEPMG	CCOSF	0.00	0.00i 0.00i	655.00s								
Alterr	and Assoc Fea Activation (E:4/1/2004) lar 8 Zero Substitution Clear Channel Capability Format, superframe - Subsequent Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only nate Mark Inversion (AMI) Superframe Format Extended Superframe Format ange Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port	UEPMG UEPMG UEPMG	CCOSF CCOEF	0.00	0.00i 0.00i	655.00s 0.00								
Alterr	and Assoc Fea Activation (E:4/1/2004) lar 8 Zero Substitution Clear Channel Capability Format, superframe - Subsequent Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only subsequent Activity Only Superframe Format Extended Superframe Format Extended Superframe Format ange Ports Associated with 4-Wire DS1 Loop with Channelizationage Ports	on with	Port	UEPMG UEPMG UEPMG	CCOSF CCOEF	0.00	0.00i 0.00i	655.00s 0.00		-						
Bipol Alterr	and Assoc Fea Activation (E:4/1/2004) lar 8 Zero Substitution Clear Channel Capability Format, superframe - Subsequent Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only nate Mark Inversion (AMI) Superframe Format Extended Superframe Format ange Ports Associated with 4-Wire DS1 Loop with Channelization Line Side Combination Channelized PBX Trunk Port - Business	on with	Port	UEPMG UEPMG UEPMG UEPMG	CCOSF CCOEF MCOSF MCOPO	0.00 0.00 0.00 0.00	0.00i 0.00i 0.00 0.00	655.00s 0.00 0.00	0.00							
Bipol Alterr	and Assoc Fea Activation (E:4/1/2004) lar 8 Zero Substitution Clear Channel Capability Format, superframe - Subsequent Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only nate Mark Inversion (AMI) Superframe Format Extended Superframe Format Extended Superframe Format ange Ports Associated with 4-Wire DS1 Loop with Channelization (E:4/1/2004)	on with	Port	UEPMG UEPMG UEPMG	CCOSF CCOEF	0.00	0.00i 0.00i	655.00s 0.00	0.00	0.00						
Bipol Alterr	and Assoc Fea Activation (E:4/1/2004) lar 8 Zero Substitution Clear Channel Capability Format, superframe - Subsequent Activity Only, Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only nate Mark Inversion (AMI) Superframe Format Extended Superframe Format ange Ports Associated with 4-Wire DS1 Loop with Channelization ange Ports Line Side Combination Channelized PBX Trunk Port - Business (E:4/1/2004) Line Side Outward Channelized PBX Trunk Port - Business	on with	Port	UEPMG UEPMG UEPMG UEPMG UEPPX	CCOSF CCOEF MCOSF MCOPO UEPCX	0.00 0.00 0.00 0.00 1.40	0.00i 0.00i 0.00i 0.000	0.00 0.00 0.00	111							
Bipol Alterr	and Assoc Fea Activation (E:4/1/2004) lar 8 Zero Substitution Clear Channel Capability Format, superframe - Subsequent Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only nate Mark Inversion (AMI) Superframe Format Extended Superframe Format ange Ports Associated with 4-Wire DS1 Loop with Channelizationge Ports Line Side Combination Channelized PBX Trunk Port - Business (E:4/1/2004) Line Side Outward Channelized PBX Trunk Port - Business (E:4/1/2004)		Port	UEPMG UEPMG UEPMG UEPMG	CCOSF CCOEF MCOSF MCOPO	0.00 0.00 0.00 0.00	0.00i 0.00i 0.00 0.00	655.00s 0.00 0.00	0.00	0.00						
Bipol Alterr	and Assoc Fea Activation (E:4/1/2004) lar 8 Zero Substitution Clear Channel Capability Format, superframe - Subsequent Activity Only. Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only nate Mark Inversion (AMI) Superframe Format Extended Superframe Format ange Ports Associated with 4-Wire DS1 Loop with Channelizati ange Ports Line Side Combination Channelized PBX Trunk Port - Business (E:4/1/2004) Line Side Outward Channelized PBX Trunk Port - Business (E:4/1/2004) Line Side Inward Only Channelized PBX Trunk Port without DID		Port	UEPMG UEPMG UEPMG UEPMG UEPPX UEPPX	CCOSF CCOEF MCOSF MCOPO UEPCX UEPCX	0.00 0.00 0.00 0.00 1.40	0.00i 0.00i 0.00 0.00 0.00	0.00 0.00 0.00 0.00	0.00	0.00						
Bipol	and Assoc Fea Activation (E:4/1/2004) lar 8 Zero Substitution Clear Channel Capability Format, superframe - Subsequent Activity Only, Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only nate Mark Inversion (AMI) Superframe Format Extended Superframe Format ange Ports Associated with 4-Wire DS1 Loop with Channelization ange Ports Line Side Combination Channelized PBX Trunk Port - Business (E:4/1/2004) Line Side Outward Channelized PBX Trunk Port - Business (E:4/1/2004) Line Side Inward Only Channelized PBX Trunk Port without DID (E:4/1/2004)		Port	UEPMG UEPMG UEPMG UEPMG UEPPX	CCOSF CCOEF MCOSF MCOPO UEPCX	0.00 0.00 0.00 0.00 1.40	0.00i 0.00i 0.00i 0.000	0.00 0.00 0.00	111							
Bipol Alterr	and Assoc Fea Activation (E:4/1/2004) lar 8 Zero Substitution Clear Channel Capability Format, superframe - Subsequent Activity Only. Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only nate Mark Inversion (AMI) Superframe Format Extended Superframe Format ange Ports Associated with 4-Wire DS1 Loop with Channelizati ange Ports Line Side Combination Channelized PBX Trunk Port - Business (E:4/1/2004) Line Side Outward Channelized PBX Trunk Port - Business (E:4/1/2004) Line Side Inward Only Channelized PBX Trunk Port without DID		Port	UEPMG UEPMG UEPMG UEPMG UEPPX UEPPX	CCOSF CCOEF MCOSF MCOPO UEPCX UEPCX	0.00 0.00 0.00 0.00 1.40	0.00i 0.00i 0.00 0.00 0.00	0.00 0.00 0.00 0.00	0.00	0.00						

	NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhil	bit: A
TEGORY	RATE ELEMENTS	Intari m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR		Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Msnual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vi Electroni Disc Add
					1	Rec	Nonrec			Disconnect				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAI
	eature (Service) Activation for each Line Port Terminated in D4			l		1										
	ank			UEPPX	1PQWM	0.6402	25.40	13.41	3.96	3.93						
	eature (Service) Activation for each Trunk Port Terminated in	į					70.40	40.40	***							
	Bank	-		UEPPX	1PQWU	0.6402	78.16	18.42	56.03	10.95				_		_
	e Number/ Group Establishment Charges for DID Service	<b>—</b>		HEDDA	NDT	0.00	0.00	0.00								
	D Trunk Termination (1 per Port) stab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)	1		UEPPX UEPPX	NDZ	0.00	0.00	0.00								
				UEPPX	ND4	0.00	0.00	0.00								
	D Numbers - groups of 20 - Valid all States					0.00										
	on-Consecutive DID Numbers - per number eserve Non-Consecutive DID Numbers			UEPPX UEPPX	ND5 ND6	0.00	0.00	0.00						_		
		1	<u> </u>	UEPPX	NDV	0.00	0.00	0.00						_		
	eserve DID Numbers nber Portability		-	UEPPA	MDA	0.00	0.00	0.00								
				UEPPX	LNPCP	3.15	0.00	0.00								
	cal Number Portability - 1 per port	<del></del>	1	UCEPA	LNPCP	3, 15	0.00	0.00					-			
	S - Vertical and Optional tching Features Offered with Line Side Ports Only	-	!		+	-				<b> </b>						
		-	<del></del>	UEPPX	UEPVF	2.26	0.00	0.00								
	Features Available	<u> </u>	<b>├</b>	UEPPX	DEPVE	2.20	0.00	0.00								
	TREX PORT/LOOP COMBINATIONS - COST BASED RATE		<u> </u>	<u> </u>												
	sed Rates are applied where BellSouth is required by FCC									1				_		
	s shall apply to the Unbundled Port/Loop Combination - C fice and Tandem Switching Usage and Common Transport															
apply also	it and additional Port nonrecurring charges apply to Not Co o and are categorized accordingly. Rates for Unbundled Centrex Port/Loop Combination will							inning Gineriges	situit be alose		Te monitori	mg - ounc	y combine		- dutuona iii	OS IIIay
	NTREX - 1AESS - (Valid in AL, FL, GA, KY, LA, MS, &TN only													_		
UNE-P CE	.NINEX - 1ALOG - (Valid III AE,I E,OA,N I,EA,MO,GIN OIII)							l								
	Loop/2-Wire Voice Grade Port (Centrex) Combo	1						_								
2-Wire VG																
2-Wire VG UNE Port/	Loop/2-Wire Voice Grade Port (Centrex) Combo				_											
2-Wire VG UNE Port/ 2-V	Loop/2-Wire Voice Grade Port (Centrex) Combo Loop Combination Rates (Non-Design) Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- on-Design		1	UEP91		10.94			_							
2-Wire VG UNE Port/ 2-V	Loop/2-Wire Voice Grade Port (Centrex) Combo Loop Combination Rates (Non-Design) Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo		1													
2-Wire VG UNE Port/ 2-\ No 2-\	Loop/2-Wire Voice Grade Port (Centrex) Combo Loop Combination Rates (Non-Design) Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- on-Design		1 2	UEP91 UEP91		10.94	: - :									
2-Wire VG UNE Port/I 2-\ No 2-\ No	Loop/2-Wire Voice Grade Port (Centrex) Combo Loop Combination Rates (Non-Design) Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-						: :									
2-Wire VG UNE Port/I 2-\ No 2-\ No 2-\	i Loop/2-Wire Voice Grade Port (Centrex) Combo Loop Combination Rates (Non-Design) Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- n-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- n-Design															
2-Wire VG UNE Port/ 2-\ No 2-\ No 2-\ No	Loop/2-Wire Voice Grade Port (Centrex) Combo Loop Combination Rates (Non-Design) Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-		2	UEP91		15.05					-					
2-Wire VG UNE Port/ No 2-\ No 2-\ No UNE Port/ UNE Port/	i Loop/2-Wire Voice Grade Port (Centrex) Combo Loop Combination Rates (Non-Design) Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- n-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- n-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- n-Design		2	UEP91		15.05					-					
2-Wire VG UNE Port/ No 2-\ No 2-\ No 2-\ No UNE Port/ 2-\ 2-\ 2-\ 2-\ 2-\ 2-\ 2-\ 2-\ 2-\ 2-\	i Loop/2-Wire Voice Grade Port (Centrex) Combo Loop Combination Rates (Non-Design) Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- on-Design Loop Combination Rates (Design)		2	UEP91		15.05										
2-Wire VG UNE Port/I 2-\ No 2-\ No 2-\ No UNE Port/I 2-\ De	Loop/2-Wire Voice Grade Port (Centrex) Combo Loop Combination Rates (Non-Design) Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- on-Design Loop Combination Rates (Design) Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-		2	UEP91		15.05 25.80					-					
2-Wire VG UNE Port/I 2-V No 2-V No UNE Port/I 2-V De 2-V	ELoop/2-Wire Voice Grade Port (Centrex) Combo Loop Combination Rates (Non-Design) Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- on-Design Loop Combination Rates (Design) Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- sign		2	UEP91		15.05 25.80										
2-Wire VG UNE Port/I   2-\ No   2-\ No   No   1-\ No   1-	Loop/2-Wire Voice Grade Port (Centrex) Combo Loop Combination Rates (Non-Design) Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- on-Design Loop Combination Rates (Design) Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- osign Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- osign Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- osign		3	UEP91 UEP91 UEP91		15.05 25.80 13.41					-		-			
2-Wire VG UNE Port/I   2-V   No   2-V   No   VNE Port/I   VNE Port/I   De   C-V   De   De   C-V   De   De   De   De   De   De   De   D	Loop/2-Wire Voice Grade Port (Centrex) Combo Loop Combination Rates (Non-Design) Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- on-Design Loop Combination Rates (Design) Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- assign Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- assign Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- assign Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-		2 3	UEP91 UEP91 UEP91 UEP91		15.05 25.80 13.41 18.57					-					
2-Wire VG UNE Port/I   2-\ No   2-\ No   2-\ No   2-\ No   2-\ No   2-\ No   2-\ No   2-\ No   2-\ No   2-\ No   2-\ No   2-\ De	Loop/2-Wire Voice Grade Port (Centrex) Combo Loop Combination Rates (Non-Design) Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- n-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- n-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- n-Design Loop Combination Rates (Design) Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- nsign Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- nsign Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- sign Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- sign		3	UEP91 UEP91 UEP91		15.05 25.80 13.41					-					
2-Wire VG UNE Port/II   2-V No   2-V No   2-V No   2-V No   2-V	Loop/2-Wire Voice Grade Port (Centrex) Combo Loop Combination Rates (Non-Design) Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- on-Design Loop Combination Rates (Design) Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- osign Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- osign Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- osign Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- osign Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- osign Nire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- osign		2 3	UEP91 UEP91 UEP91 UEP91	UECS1	15.05 25.80 13.41 18.57					-					
2-Wire VG UNE Portil   2-V No   2-V No   1-V No   2-V   1-V   1-V   2-V   1-V	Loop/2-Wire Voice Grade Port (Centrex) Combo Loop Combination Rates (Non-Design) Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- on-Design Loop Combination Rates (Design) Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- asign Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- asign Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- asign Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- asign Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- asign Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- asign Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- asign Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- asign		2 3 1 2 3	UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1	15.05 25.80 13.41 18.57 32.04										
2-Wire VG  UNE Port/   2-V No   2-V No   2-V No   2-V	i Loop/2-Wire Voice Grade Port (Centrex) Combo Loop Combination Rates (Non-Design) Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- n-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- n-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- n-Design Loop Combination Rates (Design) Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- nsign Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- sign Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- sign Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- sign Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- sign Parte Wire Voice Grade Loop (SL 1) - Zone 1 Wire Voice Grade Loop (SL 1) - Zone 2		2 3 1 2 3	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1	15.05 25.80 13.41 18.57 32.04 9.77 13.88										
2-Wire VG UNE Port/II   2-V   No   2-V   No   2-V   No   UNE Port/II   De   2-V   De   2-V   De   UNE Loop	Loop/2-Wire Voice Grade Port (Centrex) Combo Loop Combination Rates (Non-Design) Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- on-Design Loop Combination Rates (Design) Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- osign Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- osign Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- osign Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- osign Norte VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- osign Norte VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- osign Norte VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- osign Norte VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- osign Norte VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- osign Norte VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- osign Norte VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- osign Norte VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- osign Norte VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- osign Norte VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- osign Norte VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- osign Norte VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- osign Norte VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- osign Norte VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- osign Norte VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- osign Norte VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- osign Norte VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- osign Norte VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- osign Norte VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- osign Norte VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- osign Norte VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- osign Norte VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- osign Norte VG Loop/2-Wire Voice Grade Port (Cen		2 3 1 2 3 1 2 3	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1	15.05 25.80 13.41 18.57 32.04 9.77 13.88 24.63										
2-Wire VG UNE Portil   2-V No   2-V No   2-V   No   2-V   No   2-V   De   2-V   De   2-V   De   2-V   De   2-V   De   2-V   De   2-V   De   2-V   De   2-V   De   2-V   De   2-V   De   2-V   2-V   2-V   2-V   2-V   2-V   2-V   2-V   2-V   2-V	Loop/2-Wire Voice Grade Port (Centrex) Combo Loop Combination Rates (Non-Design) Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- osign Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- osign Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- osign Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- osign Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- osign Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- osign Wire Voice Grade Loop (SL 1) - Zone 1 Wire Voice Grade Loop (SL 1) - Zone 2 Wire Voice Grade Loop (SL 1) - Zone 3 Wire Voice Grade Loop (SL 2) - Zone 3		2 3 1 2 3 1 2 3 1	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2	15.05 25.80 13.41 18.57 32.04 9.77 13.88 24.63 12.24					-					
2-Wire VG UNE Port/I No 2-V No 2-V No UNE Port/I 2-V De 2-V	i Loop/2-Wire Voice Grade Port (Centrex) Combo Loop Combination Rates (Non-Design) Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- n-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- n-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- n-Design Loop Combination Rates (Design) Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- nsign Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- sign Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- sign Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- sign Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- sign Nate Wire Voice Grade Loop (SL 1) - Zone 1 Wire Voice Grade Loop (SL 1) - Zone 2 Wire Voice Grade Loop (SL 1) - Zone 3 Wire Voice Grade Loop (SL 2) - Zone 1 Wire Voice Grade Loop (SL 2) - Zone 1 Wire Voice Grade Loop (SL 2) - Zone 2		2 3 1 2 3 1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS2 UECS2	15.05 25.80 13.41 18.57 32.04 9.77 13.88 24.63 12.24 17.40					-					
2-Wire VG UNE Port/II   2-V   No   2-V   No   2-V   No   2-V   No   2-V   No   2-V   No   2-V   De	i Loop/2-Wire Voice Grade Port (Centrex) Combo Loop Combination Rates (Non-Design) Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- on-Design Loop Combination Rates (Design) Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- osign Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- osign Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- osign Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- osign Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- osign Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- osign Rate Wire Voice Grade Loop (SL 1) - Zone 1 Wire Voice Grade Loop (SL 1) - Zone 2 Wire Voice Grade Loop (SL 2) - Zone 1 Wire Voice Grade Loop (SL 2) - Zone 2 Wire Voice Grade Loop (SL 2) - Zone 2 Wire Voice Grade Loop (SL 2) - Zone 2 Wire Voice Grade Loop (SL 2) - Zone 3		2 3 1 2 3 1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2	15.05 25.80 13.41 18.57 32.04 9.77 13.88 24.63 12.24										
2-Wire VG UNE Portil No 2-V No No 2-V No UNE Portil 2-V De 2-V De 2-V De 2-V De 2-V De 2-V UNE Loop 2-V 2-V 2-V 2-V UNE Portil 2-V UNE PORTI	Loop/2-Wire Voice Grade Port (Centrex) Combo Loop Combination Rates (Mon-Design) Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- n-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- n-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- n-Design Loop Combination Rates (Design) Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- sign Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- sign Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- sign Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- sign Nate Wire Voice Grade Loop (SL 1) - Zone 1 Wire Voice Grade Loop (SL 1) - Zone 2 Wire Voice Grade Loop (SL 1) - Zone 3 Wire Voice Grade Loop (SL 2) - Zone 1 Wire Voice Grade Loop (SL 2) - Zone 1 Wire Voice Grade Loop (SL 2) - Zone 2 Wire Voice Grade Loop (SL 2) - Zone 2 Wire Voice Grade Loop (SL 2) - Zone 2 Wire Voice Grade Loop (SL 2) - Zone 2 Wire Voice Grade Loop (SL 2) - Zone 2 Wire Voice Grade Loop (SL 2) - Zone 3		2 3 1 2 3 1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS2 UECS2	15.05 25.80 13.41 18.57 32.04 9.77 13.88 24.63 12.24 17.40					-					
2-Wire VG UNE Port/I No 2-V No 2-V No UNE Port/I 2-V De 2-V De 2-V De 2-V De 2-V De UNE Loop 2-V 2-V 2-V 2-V 2-V 2-V 3-V 4-V 4-V 4-V 4-V 4-V 4-V 4-V 4-V 4-V 4	Loop/2-Wire Voice Grade Port (Centrex) Combo Loop Combination Rates (Non-Design) Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- n-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- n-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- n-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- n-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- n-Bign Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- n-Bign Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- n-Bign Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- n-Bign Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- n- n- n- n- n- n- n- n- n- n- n- wire Voice Grade Loop (SL 1) - Zone 1 Wire Voice Grade Loop (SL 1) - Zone 2 Wire Voice Grade Loop (SL 2) - Zone 3 Wire Voice Grade Loop (SL 2) - Zone 2 Wire Voice Grade Loop (SL 2) - Zone 2 Wire Voice Grade Loop (SL 2) - Zone 2 Wire Voice Grade Loop (SL 2) - Zone 2 Wire Voice Grade Loop (SL 2) - Zone 2 Wire Voice Grade Loop (SL 2) - Zone 3  SEEXERY North Carolina and Sout Carolina)		2 3 1 2 3 1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2 UECS2 UECS2	15.05 25.80 13.41 18.57 32.04 9.77 13.88 24.63 12.24 17.40 30.87	53.31	26.46	27.50	8.37						
2-Wire VG UNE Port/I No 2-V No 2-V No UNE Port/I De 2-V De 2-V De 2-V De 2-V De UNE Loop UNE Loop UNE Loop UNE Loop 2-V 2-V 2-V 2-V 2-V 2-V 2-V 2-V 2-V 2-V	i Loop/2-Wire Voice Grade Port (Centrex) Combo Loop Combination Rates (Non-Design) Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- on-Design Loop Combination Rates (Design) Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- osign Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- osign Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- osign Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- osign Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- osign Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- osign Wire Voice Grade Loop (SL 1) - Zone 1 Wire Voice Grade Loop (SL 1) - Zone 2 Wire Voice Grade Loop (SL 2) - Zone 3 Wire Voice Grade Loop (SL 2) - Zone 2 Wire Voice Grade Loop (SL 2) - Zone 3 Wire Voice Grade Loop (SL 2) - Zone 3 Wire Voice Grade Loop (SL 2) - Zone 3 Wire Voice Grade Loop (SL 2) - Zone 3 Wire Voice Grade Loop (SL 2) - Zone 3 Wire Voice Grade Loop (SL 3) - Sone 3		2 3 1 2 3 1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS2 UECS2	15.05 25.80 13.41 18.57 32.04 9.77 13.88 24.63 12.24 17.40	53.31	26.46	27.50	8.37						
2-Wire VG UNE Portification 2-V No 2-V No UNE Portification 2-V De 2-V De 2-V De 2-V De 2-V De UNE Loop UNE Loop UNE Loop UNE Loop 2-V 2-V 2-V 2-V 2-V 2-V 2-V 2-V 2-V 2-V	ELoop/2-Wire Voice Grade Port (Centrex) Combo Loop Combination Rates (Non-Design) Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- on-Design Norte VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- on-Design Wire Voice Grade Loop (SL 1) - Zone 1 Wire Voice Grade Loop (SL 1) - Zone 2 Wire Voice Grade Loop (SL 2) - Zone 3 Wire Voice Grade Loop (SL 2) - Zone 3 Wire Voice Grade Loop (SL 2) - Zone 3  In Vire Voice Grade Loop (SL 2) - Zone 3  In Vire Voice Grade Loop (SL 2) - Zone 3  In Vire Voice Grade Loop (SL 3) - Zone 3		2 3 1 2 3 1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2 UECS2 UECS2 UECS2	15.05 25.80 13.41 18.57 32.04 9.77 13.88 24.63 12.24 17.40 30.87										
2-Wire VG UNE Port/I No 2-V No 2-V No 2-V No UNE Port/I 2-V De 2-V De 2-V De 2-V De 2-V De 2-V De UNE Loop 2-V 2-V 2-V 2-V 2-V 2-V 2-V 2-V 2-V 2-V	i Loop/2-Wire Voice Grade Port (Centrex) Combo Loop Combination Rates (Non-Design) Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- n-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- n-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- n-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- n-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- n-Besign Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- n-Besign Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- n-Besign Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- n-Besign Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- n-Besign Wire Voice Grade Loop (SL 1) - Zone 1 Wire Voice Grade Loop (SL 1) - Zone 2 Wire Voice Grade Loop (SL 1) - Zone 3 Wire Voice Grade Loop (SL 2) - Zone 2 Wire Voice Grade Loop (SL 2) - Zone 2 Wire Voice Grade Loop (SL 2) - Zone 2 Wire Voice Grade Loop (SL 2) - Zone 3  SEEXCEPT North Carolina and Sout Carolina) Wire Voice Grade Port (Centrex ) Basic Local Area Wire Voice Grade Port (Centrex ) Basic Local Area Wire Voice Grade Port (Centrex ) Basic Local Area Wire Voice Grade Port (Centrex ) Basic Local Area Wire Voice Grade Port (Centrex ) Basic Local Area		2 3 1 2 3 1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2 UECS2 UECS2	15.05 25.80 13.41 18.57 32.04 9.77 13.88 24.63 12.24 17.40 30.87	53.31	26.46	27.50	8.37 8.37						
2-Wire VG  UNE Port/I    2-V   No.     2-V   No.     2-V   No.     2-V   No.     2-V   No.     2-V   No.     2-V   De	ELoop/2-Wire Voice Grade Port (Centrex) Combo Loop Combination Rates (Non-Design) Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- osign Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- osign Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- osign Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- osign Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- osign Wire Voice Grade Loop (SL 1) - Zone 1 Wire Voice Grade Loop (SL 1) - Zone 2 Wire Voice Grade Loop (SL 1) - Zone 3 Wire Voice Grade Loop (SL 2) - Zone 1 Wire Voice Grade Loop (SL 2) - Zone 2 Wire Voice Grade Loop (SL 2) - Zone 3 Wire Voice Grade Loop (SL 2) - Zone 3 Wire Voice Grade Loop (SL 2) - Zone 3 Wire Voice Grade Loop (SL 2) - Zone 3 Wire Voice Grade Loop (SL 2) - Zone 3 Wire Voice Grade Loop (SL 2) - Zone 3 Wire Voice Grade Loop (SL 2) - Zone 3 Wire Voice Grade Loop (SL 2) - Zone 3 Wire Voice Grade Port (Centrex) Basic Local Area Wire Voice Grade Port (Centrex 800 termination)Basic Local wire Voice Grade Port (Centrex Wifth Caller ID)Note1 Basic		2 3 1 2 3 1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UECYA UEPYA	15.05 25.80 13.41 18.57 32.04 9.77 13.88 24.63 12.24 17.40 30.87	53.31	26.46	27.50	8.37						
2-Wire VG UNE Port/I No 2-V No No UNE Port/I De 2-V	Loop/2-Wire Voice Grade Port (Centrex) Combo Loop Combination Rates (Mon-Design) Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- n-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- n-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- n-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- n-Design Loop Combination Rates (Design) Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- n-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- n-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- n-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- n-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- n-Design Wire Voice Grade Loop (SL 1) - Zone 1 Wire Voice Grade Loop (SL 1) - Zone 2 Wire Voice Grade Loop (SL 1) - Zone 3 Wire Voice Grade Loop (SL 2) - Zone 1 Wire Voice Grade Loop (SL 2) - Zone 1 Wire Voice Grade Loop (SL 2) - Zone 1 Wire Voice Grade Loop (SL 2) - Zone 3  (Except North Carolina and Sout Carolina) Wire Voice Grade Port (Centrex) Basic Local Area Wire Voice Grade Port (Centrex) Basic Local Area Wire Voice Grade Port (Centrex) Basic Local Basic Coal Area		2 3 1 2 3 1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2 UECS2 UECS2 UECS2	15.05 25.80 13.41 18.57 32.04 9.77 13.88 24.63 12.24 17.40 30.87										
2-Wire VG  UNE Port/I  2-V  No  2-V  No  2-V  No  2-V  No  2-V  De  2-V  De  2-V  2-V  2-V  2-V  2-V  2-V  2-V  2-	Loop/2-Wire Voice Grade Port (Centrex) Combo Loop Combination Rates (Non-Design) Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- n-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- n-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- n-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- n-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- n-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- n-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- n-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- n-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- n-Design Wire Voice Grade Loop (SL 1) - Zone 1 Wire Voice Grade Loop (SL 1) - Zone 2 Wire Voice Grade Loop (SL 1) - Zone 3 Wire Voice Grade Loop (SL 2) - Zone 2 Wire Voice Grade Loop (SL 2) - Zone 2 Wire Voice Grade Loop (SL 2) - Zone 2 Wire Voice Grade Loop (SL 2) - Zone 3 Wire Voice Grade Loop (SL 2) - Zone 3 Wire Voice Grade Loop (SL 2) - Zone 3 Wire Voice Grade Port (Centrex 800 termination)Basic Local ea Wire Voice Grade Port (Centrex With Caller ID)Note1 Basic coal Area Wire Voice Grade Port (Centrex from diff Serving Wire Center) Wire Voice Grade Port (Centrex from diff Serving Wire Center) Wire Voice Grade Port (Centrex from diff Serving Wire Center)		2 3 1 2 3 1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS2 UECS2 UECS2 UECS2 UECS2 UECY2	15.05 25.80 13.41 18.57 32.04 9.77 13.88 24.63 12.24 17.40 30.87 1.17	53.31 53.31	26.46 26.46	27.50 27.50	8.37 8.37						
2-Wire VG UNE Port/I   2-V No   2-V No   2-V No   2-V	i Loop/2-Wire Voice Grade Port (Centrex) Combo Loop Combination Rates (Non-Design) Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- on- on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- on- on- on- on- on- on- on- on- on- o		2 3 1 2 3 1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UECYA UEPYA	15.05 25.80 13.41 18.57 32.04 9.77 13.88 24.63 12.24 17.40 30.87	53.31	26.46	27.50	8.37						
2-Wire VG UNE Port/I No 2-V No No 12-V No UNE Port/I De 2-V De 2-	Loop/2-Wire Voice Grade Port (Centrex) Combo Loop Combination Rates (Non-Design) Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- n-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- n-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- n-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- n-Design Loop Combination Rates (Design) Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- ssign Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- ssign Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- ssign Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- ssign Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- ssign Nate Wire Voice Grade Loop (SL 1) - Zone 1 Wire Voice Grade Loop (SL 1) - Zone 2 Wire Voice Grade Loop (SL 1) - Zone 3 Wire Voice Grade Loop (SL 2) - Zone 1 Wire Voice Grade Loop (SL 2) - Zone 1 Wire Voice Grade Loop (SL 2) - Zone 1 Wire Voice Grade Loop (SL 2) - Zone 3  (Except North Carolina and Sout Carolina) Wire Voice Grade Port (Centrex Boot Ermination)Basic Local as Wire Voice Grade Port (Centrex With Caller ID)Note1 Basic ccal Area Wire Voice Grade Port (Centrex From diff Serving Wire Center) oble 2, 3 Basic Local Area Wire Voice Grade Port (Centrex From diff Serving Wire Center) oble 2, 3 Basic Local Area Wire Voice Grade Port (Centrex With Center) - 800 Service		2 3 1 2 3 1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UECYA UEPYA UEPYH UEPYH	15.05 25.80 13.41 18.57 32.04 9.77 13.88 24.63 12.24 17.40 30.87 1.17 1.17	53.31 53.31 139.49	26.46 26.46 86.10	27.50 27.50 65.41	8.37 8.37 13.81						
2-Wire VG UNE Port/I   2-V No   2-V No   2-V No   2-V	i Loop/2-Wire Voice Grade Port (Centrex) Combo Loop Combination Rates (Non-Design) Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- on- on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- on- on- on- on- on- on- on- on- on- o		2 3 1 2 3 1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS2 UECS2 UECS2 UECS2 UECS2 UECY2	15.05 25.80 13.41 18.57 32.04 9.77 13.88 24.63 12.24 17.40 30.87 1.17	53.31 53.31	26.46 26.46	27.50 27.50	8.37 8.37						

		NETWORK ELEMENTS - Florida	*************		•										ment: 2	Exhi	bit: A
CATEGO	ORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		•	RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svo Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
		***************************************	<b></b> -	<del> </del>			Rec	First	gnimus PbbA	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
$\overline{}$		2-Wire Voice Grade Port Terminated on 800 Service Term -		<del> </del>				FHSL	Addi	( )rai	Auu	SOMEC	SOMAN	SUMAN	SUMAN	SUMAN	SUMAN
ĺ	1	Basic Local Area			UEP91	UEPY2	1.17	53.31	26.46	27.50	8.37						
		and Florida Only		<del> </del>	OLI VI	- C		50.01	20.40	27.00	1		<del> </del>				<del></del>
	Goo.g.	2-Wire Voice Grade Port (Centrex )		<del> </del>	UEP91	UEPHA	1,17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port (Centrex 800 termination)		1	UEP91	UEPHB	1.17	53.31	26.46	27.50	8.37		<u> </u>				1
$\neg \neg$		2-Wire Voice Grade Port (Centrex with Caller ID)1		1	UEP91	UEPHH	1,17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
		Center)2,3	<u> </u>	L	UEP91	UEPHM	1.17	139.49	86.10	65.41	13.81						1
		2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800															
<u>_</u>		Service Term		ļ	UEP91	UEPHZ	1,17	139.49	86.10	65.41	13.81	<u> </u>	ļ				1
		AND THE BUILDING STATE OF THE S					ام						1	1	1		
		2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term	<del> </del>		UEP91 UEP91	UEPH9 UEPH2	1.17 1.17	53.31 53.31	26.46 26.46	27.50 27.50	8.37 8.37		<del></del>				
		2-wire voice Grade Port Terminated on 800 Service Terminated on 800 Service Terminated on 800 Service Terminated on 800 Service Terminated on 800 Service Terminated on 800 Service Terminated on 800 Service Terminated on 800 Service Terminated on 800 Service Terminated on 800 Service Terminated on 800 Service Terminated on 800 Service Terminated on 800 Service Terminated on 800 Service Terminated on 800 Service Terminated on 800 Service Terminated On 800 Se	<b>}</b>		DEP91	UEPHZ	1.17	53.31	20.40	21.50	5.31		<del></del>		ļ		
	CUCAI 3	Centrex Intercom Funtionality, per port	<del> </del>		UEP91	URECS	0.7384				<del> </del>	<b></b>	<del> </del>	<del>                                     </del>	<del> </del>		<del> </del>
<del> </del> ,	Local N	umber Portability	<b> </b>	<del> </del>	VC: V1	ONLOG	0.7504						<b></b>	ļ	<b></b>		1
		Local Number Portability (1 per port)	<b> </b>	1	UEP91	LNPCC	0.35					<del> </del>	<del>                                     </del>		l		<b></b>
	Feature			1								·			<b></b>		
		All Standard Features Offered, per port			UEP91	UEPVF	2.26										
		All Select Features Offered, per port			UEP91	UEPVS	0.00	370.70									
		All Centrex Control Features Offered, per port			UEP91	UEPVC	2.26										
!	NARS																<b>1</b>
		Unbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00	0.00	0.00	ļ	ļ				
		Unbundled Network Access Register - Indial		ļ	UEP91	UAR1X	0.00	0.00	0.00	0.00	0.00	ļ	ļ	ļ	ļ		ļ
	Rdianali	Unbundled Network Access Register - Outdial		├	UEP91	UAROX	0.00	0.00	0.00	0.00	0.00	-	ļ	<b> </b>			<del> </del>
		aneous Terminations Trunk Side										<del> </del>	<del> </del>				<del> </del>
		Trunk Side Terminations, each			UEP91	CENA6	8,73				<del> </del>	<del> </del>	<del> </del>	<u> </u>			-
		ice Channel Mileage - 2-Wire	ļ	1	OLI VI	10211710	0.10				<del> </del>	<del> </del>	<b></b>				<b></b>
<del> </del>		Interoffice Channel Facilities Termination - Voice Grade		1	UEP91	M1GBC	25.32				<b>†</b>		<b> </b>				
$\neg$		Interoffice Channel mileage, per mile or fraction of mile	l	1	UEP91	M1GBM	0.0091	***************************************					<b></b>				
		Activations (DS0) Centrex Loops on Channelized DS1 Service	æ														
	D4 Cha	nnel Bank Feature Activations															
		Feature Activation on D-4 Channel Bank Centrex Loop Slot		ļ	UEP91	1PQWS	0.66										
- 1						I											
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot	ļ	<b></b>	UEP91	1PQW6	0.66					ļ	ļ				
- 1		Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP91	1PQW7	0.66						l				
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -	<del> </del>	<del> </del>	OEFBI	- IFQWI	0.00				<b></b>	1 -					
- 1		Different Wire Center			UEP91	1PQWP	0.66						1		]		l
$\overline{}$			<b> </b>	<del>                                     </del>	==:.:	111.37.77	2.00					·			l		
		Feature Activation on D-4 Channel Bank Private Line Loop Slot	l		UEP91	1PQWV	0.66										
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
		Slot			UEP91	1PQWQ	0.66				l						
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.66										
!		curring Charges (NRC) Associated with UNE-P Centrex	<b></b>														
		Conversion - Currently Combined Switch-As-Is with allowed	l		UEP91	lucaco		04.50	ا مر ا			1	1		1		1
+		changes, per port Conversion of Existing Centrex Common Block	<b></b>		UEP91	USAC2 USACN	<b></b>	21.50 5,17	8.42 8.32		<b> </b>	<del>                                     </del>	<del> </del>	<b>}</b>	<del> </del>		<b></b>
+		New Centrex Standard Common Block	<del> </del>	├	UEP91	MIACS	0.00	618.82	0.32		<del> </del>	<del> </del>		<b></b>	<b></b>		
+		New Centrex Sushdard Common Block	<b></b>	<del> </del>	UEP91	MIACC	0.00	618.82			<del> </del>	<del></del>	<del> </del>	<del> </del>	<del> </del>		<del> </del>
+		Secondary Block, per Block	<b>!</b>	<b></b>	UEP91	M2CC1	0.00	71.31			<b></b>	1	<b> </b>	<b> </b>	<b></b>		<b> </b>
+		NAR Establishment Charge, Per Occasion	<b></b>	<b> </b>	UEP91	URECA	0.00	66.48				<del> </del>	<b></b>	l	l		<b></b>
	UNE-P	CENTREX - SESS (Valid in All States)															
1	2-Wire	VG Loop/2-Wire Voice Grade Port (Centrex) Combo									L						
	UNE Po	nt/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1	1	UEP95		10.94				i						l

NBUNDLED NETWORK ELEME	:NTS - Florida			7		<b></b>								ment: 2	·	bit: A
TEGORY RA	ATE ELEMENTS	Interi m	Zone	BCS	usoc		-	RATES (\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
			ļ	ļ		Rec		urring		Disconnect				Rates (\$)		<del> </del>
2 Mins VC Loop/2 Mins V	(size Canda Best (Centrey)Best Comba		<del> </del>			ļ	First	Add'1	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Non-Design	oice Grade Port (Centrex)Port Combo -		2	UEP95		15.05										1
	oice Grade Port (Centrex)Port Combo -		-	DCF 93		13.03	***************************************	•			<del> </del>					<del> </del>
Non-Design	one crace i or (ociries) or ocino		3	UEP95		25.80										1
UNE Port/Loop Combination R	ates (Design)	ļ	1								1					
	oice Grade Port (Centrex) Port Combo	-														
Design			1	UEP95		13.41										l
	oice Grade Port (Centrex)Port Combo -															
Design		<u> </u>	2	UEP95		18.57										<b></b>
	oice Grade Port (Centrex)Port Combo -		1.	Lienae		20.04										1
Design	******	ļ	3	UEP95	-	32.04					ļ			ļ	ļ	ļ
UNE Loop Rate  2-Wire Voice Grade Loop	(6) 4) 7	<del> </del>	+	UEP95	UECS1	9,77			<b> </b>		<u> </u>			ļ	<b> </b>	<del></del>
2-Wire Voice Grade Loop 2-Wire Voice Grade Loop		<del>├</del> ──		UEP95	UECS1	13.88			ļ		-					<del></del>
2-Wire Voice Grade Loop		<del> </del>		UEP95	UECS1	24.63				<b></b>						<del> </del>
2-Wire Voice Grade Loop		<del> </del> -		UEP95	UECS2	12.24			<b></b>	<u> </u>						<u> </u>
2-Wire Voice Grade Loop		<del> </del>		UEP95	UECS2	17.40									<del> </del>	<b></b>
2-Wire Voice Grade Loop		†		UEP95	UECS2	30.87					<del> </del>			<b></b>		<del></del>
UNE Port Rate	(022)	<del> </del>	<del>  ~</del>			- 5575					***************************************				<b></b>	
All States			<del>                                     </del>		-											
	(Centrex ) Basic Local Area		1	UEP95	UEPYA	1.17	53.31	26.46	27.50	8.37						
2-Wire Voice Grade Port			1	UEP95	UEPYB	1.17	53.31	26.46	27.50	8.37						
	(Centrex with Caller ID)1Basic Local		1												l	
Area				UEP95	UEPYH	1.17	53.31	26.46	27.50	8.37						l
2-Wire Voice Grade Port	(Centrex from diff Serving Wire															
Center)2,3 Basic Local A			İ	UEP95	UEPYM	1.17	139.49	86.10	65.41	13.81						Ĺ
	Diff Serving Wire Center 2,3 - 800															ĺ
Service Term - Basic Loca			ļ	UEP95	UEPYZ	1.17	139,49	86.10	65.41	13.81						L
	terminated in on Megalink or equivalent															1
- Basic Local Area			ļ	UEP95	UEPY9	1,17	53.31	26.46	27.50	8.37						<b></b>
	Terminated on 800 Service Term -		1	Lichor	UEDV0		F0.04	20.40	27.50							l
Basic Local Area			<b>├</b>	UEP95	UEPY2	1.17	53.31	26.46	27.50	8.37						<b>—</b>
AL, KY, LA, MS, SC, & TN Only FL & GA Only			<del> </del>		4						<b> </b>	ļ				
2-Wire Voice Grade Port	(Contrar )		┼	UEP95	UEPHA	1.17	53.31	26.46	27.50	8.37						<del> </del>
	(Centrex 800 termination)	<del> </del>	-	UEP95	UEPHB	1.17	53.31	26.46		8.37					-	<del> </del>
2-Wire Voice Grade Port		<del> </del>	<del> </del>	UEP95	UEPHH	1.17	53.31	26.46		8.37	<del> </del>					
	(Centrex from diff Serving Wire	<del> </del>	1	00,00	100,		00.01	20.40	27.00		<del> </del>					$\vdash$
Center)2,3	, , , , , , , , , , , , , , , , , , , ,	1		UEP95	UEPHM	1,17	139.49	86.10	65.41	13.81	1					1
	Diff Serving Wire Center - 800 Service	1	1								1					
Term 2,3	2	ı		UEP95	UEPHZ	1.17	139.49	86.10	65.41	13.81	1					1
																-
2-Wire Voice Grade Port	terminated in on Megalink or equivalent		1	UEP95	UEPH9	1.17	53.31	26.46	27.50	8.37						1
2-Wire Voice Grade Port	Terminated on 800 Service Term			UEP95	UEPH2	1.17	53.31	26.46	27.50	8.37			-			
Local Switching																
Centrex Intercom Funtion	ality, per port			UEP95	URECS	0.7384										ļ
Local Number Portability		<b></b>	<b></b>		1					L	ļ					<b></b>
Local Number Portability	(1 per port)	<b> </b>	<b></b>	UEP95	LNPCC	0.35				ļ	ļ					
Features	Farad and and	<del> </del>	<del> </del>	115006	LIED) E	222				<del> </del>					ļ	
All Standard Features Of All Select Features Offere		<b>├</b> ──	<del> </del>	UEP95 UEP95	UEPVS	2.26 0.00	370.70			<b> </b>	<del> </del>				<b> </b>	<b> </b>
All Centrex Control Features		<del> </del>		UEP95	UEPVS	2.26	3/0./0									<del> </del>
NARS	nea Oneiau, par pur		<del> </del>	UL 70	DEF VC	4.20				<del> </del>	<del> </del>				<b></b>	
	ess Register - Combination	<del> </del>	<del> </del>	UEP95	UARCX	0.00	0.00	0.00	0.00	0.00	<del> </del>					
Unbundled Network Acce		<del> </del>	<del> </del>	UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00	<del> </del>					
Unbundled Network Acce		<del> </del>	1	UEP95	UAROX	0.00	0.00	0.00	0.00	0.00	<del> </del>				<b></b>	
Miscellaneous Terminations		<b>†</b>	<b>†</b>		1		5.50	2.30		J	1					
2-Wire Trunk Side		<b>T</b>	1		1				<b>1</b>		1					
Trunk Side Terminations,	each	T	1	UEP95	CEND6	8.73					1					

UNBUNDLED	NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	ibit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually		Incremental Chargs - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge
						Rec	Nonrec	urring	Nonrecurrin	g Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAI
	gital (1.544 Megabits)		<u> </u>		1					ļ						<u> </u>
	S1 Circuit Terminations, each		<u> </u>	UEP95	M1HD1	54.95			ļ	<u> </u>		<u> </u>				<u> </u>
	S0 Channels Activated, each		<u> </u>	UEP95	M1HDO	0.00	_15.69			<u> </u>	ļ	<b></b>				<u> </u>
	e Channel Mileage - 2-Wire		ļ	UEDOE	14000	05.00					-					<del>                                     </del>
	steroffice Channel Facilities Termination		<del> </del>	UEP95 UEP95	M1GBC M1GBM	25.32 0.0091			1					<b>—</b> —	<u> </u>	<del>                                     </del>
	neronice Channel mileage, per mile or traction of mile Activations (DS0) Centrex Loops on Channelized DS1 Service		├	UEP95	MIGBM	0.0091			1		-	<b>!</b>				<u> </u>
	nel Bank Feature Activations	ie I	├		+				<del></del>	ļ	+	-				
	eature Activation on D-4 Channel Bank Centrex Loop Slot	-	<del>!                                    </del>	UEP95	1PQWS	0.66				<u> </u>	+					<u> </u>
	eature Activation on D-4 Chariner Bank Centrex Loop Glot		<del>                                     </del>	OLI 35	11 2110	0.00			-		<del>                                      </del>					
	eature Activation on D-4 Channel Bank FX line Side Loop Slot		ļ	UEP95	1PQW6	0.66										
	eature Activation on D-4 Channel Bank FX Trunk Side Loop lot			UEP95	1PQW7	0.66										
F	eature Activation on D-4 Channel Bank Centrex Loop Slot -															
D D	ifferent Wire Center			UEP95	1PQWP	0.66										
	eature Activation on D-4 Channel Bank Private Line Loop Stot		<u> </u>	UEP95	1PQWV	0.66										
	eature Activation on D-4 Channel Bank Tjie Line/Trunk Loop lot			UEP95	1PQWQ	0.66										
F	eature Activation on D-4 Channel Bank WATS Loop Slot		1	UEP95	1PQWA	0.66										
	urring Charges (NRC) Associated with UNE-P Centrex															
	RC Conversion Currently Combined Switch-As-Is with allowed															
	hanges, per port			UEP95	USAC2	0.00	21.50	8.42								
	onversion of Existing Centrex Common Block, each			UEP95	USACN		5.17	8.32								
	ew Centrex Standard Common Block		_	UEP95	M1ACS	0.00	618.82			1		ļ		ļ		
	ew Centrex Customized Common Block		ļ	UEP95 UEP95	M1ACC URECA	0.00	618.82			1		ļ				
	AR Establishment Charge, Per Occasion al Non-Recurring Charges (NRC)		-	UEP95	URECA	0.00	66.48			<del>                                     </del>	-	├──		<b>_</b>		
	inbundled Miscellaneous Rate Element, Tag Loop at End Use	-	-		+					<b>-</b>		-				_
P	remise			UEP95	URETL		8.33	0.83								
	Inbundled Miscellaneous Rate Element, Tag Design Loop at nd Use Premise			UEP95	URETN		11.21	1.10								
	ENTREX - DMS100 (Valid in All States)															
	3 Loop/2-Wire Voice Grade Port (Centrex) Combo															
	/Loop Combination Rates (Non-Design)															
	<ul> <li>-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - ion-Design</li> </ul>	1	1	UEP9D		10.94										
	-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -										~					
	lon-Design -Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP9D		15.05				1						<u> </u>
	on-Design		3	UEP9D		25.80										
	/Loop Combination Rates (Design)															
	-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- esign		1	UEP9D		13.41										
2-	-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP9D		18.57										
2-	-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -				1											
UNE Loo	esign p Rate		3	UEP9D	+	32.04				<b>-</b>		-				<del>  -</del>
	-Wire Voice Grade Loop (SL 1) - Zone 1	<u> </u>	1	UEP9D	UECS1	9.77				1	1					
	-Wire Voice Grade Loop (SL 1) - Zone 2	<b>i</b>	2	UEP9D	UECS1	13.88			1	1	1	j		İ	İ	1
	-Wire Voice Grade Loop (SL 1) - Zone 3			UEP9D	UECS1	24.63				1				1	1	1
2-	-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	12.24										
2-	-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	17.40										
	-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	30.87										
UNE Port			_	ļ		<b></b>				<u> </u>	1			ļ		<b>└</b>
ALL STA	1ĘS	Ь		UEP9D	UEPYA	1.17			1	1	1	1			L	

UNBUND	LE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	ibit: A
					I							Svc Order	Svc Order	Incremental			Incremental
												Submitted	1	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	Y	RATE ELEMENTS	m	Zone	BCS	usoc			RATES (\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs.
			"'									'	-	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
															<u> </u>		
				<u> </u>			Rec		curring	Nonrecurring		001150		OSS	Rates (\$)		
-+		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	-	-		-		First	Add'l	First	Add'l	SUMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Area	1		UEP9D	UEPYB	1.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local		1	02.00	02.70	,	55.51	20.40	27.00	0.07		1				
		Area	1		UEP9D	UEPYC	1.17	53.31	26.46	27.50	8.37			i			
		2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local															
		Area			UEP9D	UEPYD	1.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local			1	]											
		Area		ļ	UEP9D	UEPYE	1,17	53.31	26.46	27.50	8.37		ļ				
		2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local	1		UEP9D	UEPYF	1.17	E2 24	200.40	27.50	0.27						
- +		Area	-	<del>                                     </del>	UEP9D	UEPTF	1.17	53.31	26.46	27.50	8.37						
1		Area	1		UEP9D	UEPYG	1.17	53.31	26.46	27.50	8.37	1	1				1
		2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local			02.02	102.70			20.10	21,00	0.0.						1
		Area			UEP9D	UEPYT	1.17	53.31	26.46	27.50	8.37				]		
		2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local															
		Area			UEP9D	UEPYU	1.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local			l	<b>.</b>									1		
		Area			UEP9D	UEPYV	1.17	53.31	26.46	27.50	8.37		1				
		2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area		1	UEP9D	UEPY3	1,17	53.31	26.46	27.50	8.37		1				
		2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local		-	UEP9U	UEPTS	1,17	53.31	26.46	27.50	8.37						<u> </u>
		Area			UEP9D	UEPYH	1.17	53.31	26,46	27.50	8.37		l				!
<del></del>		2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp		<del>                                     </del>	02,00	021 111	1.17		20,40	27.50	0.07		<b> </b>				
		Indication))4 Basic Local Area			UEP9D	UEPYW	1.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4															
		Basic Local Area			UEP9D	UEPYJ	1.17	53.31	26.46	27.50	8.37						1
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															_
		2,3-Basic Local Area		1	UEP9D	UEPYM	1,17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			LIEBOD	UEPYO	4.47	52.24	20.40	27.50	0.07						
		Basic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4		1	UEP9D	UEPTO	1.17	53.31	26.46	27.50	8.37						1
		Basic Local Area		1	UEP9D	UEPYP	1,17	53.31	26,46	27.50	8.37						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4		1	OLI DD	OLY II	1,17	33.31	20.40	27.00	0.07						
		Basic Local Area		1	UEP9D	UEPYQ	1,17	139.49	86.10	65.41	13.81						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4		1									l				
		Basic Local Area			UEP9D	UEPYR	1,17	139.49	86.10	65.41	13.81						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4															
		Basic Local Area		_	UEP9D	UEPYS	1.17	139.49	86.10	65.41	13.81						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4	1		UEP9D	UEPY4	1.17	130.40	96.40	66 44	42.04						1
<del></del>		Basic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3	-	+-	UEPBD	UEP14	1.17	139.49	86.10	65.41	13.81		1				<u> </u>
		Basic Local Area			UEP9D	UEPY5	1,17	139.49	86.10	65.41	13.81				1		
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4		1	02.00	02, 10		100.10		50.11	10.01						
		Basic Local Area	1		UEP9D	UEPY6	1.17	139.49	86.10	65.41	13.81	İ					
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4															
		Basic Local Area	<u> </u>		UEP9D	UEPY7	1.17	139.49	86.10	65.41	13.81						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			EBOB	. IEDVO		400.40		25.44	40.04						1
		Term 2,3  2-Wire Voice Grade Port terminated in on Megalink or equivalent	-	-	UEP9D	UEPYZ	1.17	139.49	86.10	65.41	13.81	-	-				
		Basic Local Area	1		UEP9D	UEPY9	1,17	53.31	26.46	27.50	8.37						1 '
		2-Wire Voice Grade Port Terminated on 800 Service Term Basic		1	02.00	100,10	1.17	33.31	20.40	27.30	0.37						
		Local Area			UEP9D	UEPY2	1,17	53.31	26.46	27.50	8.37						1
FL	& G	A Only															
		2-Wire Voice Grade Port (Centrex)			UEP9D	UEPHA	1.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPHB	1.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port (Centrex / EBS-PSET)4	L	1	UEP9D	UEPHC	1.17	53.31	26.46	27.50	8.37						
$\vdash$		2-Wire Voice Grade Port (Centrex / EBS-M5009)4	-	<u> </u>	UEP9D UEP9D	UEPHD	1.17	53.31 53.31	26.46 26.46	27.50 27.50	8.37 8.37	ļ	-				<del>                                     </del>
<del></del>	_	2-Wire Voice Grade Port (Centrey / EBS-M5209)4	-	+-	UEP9D	UEPHE	1.17	53.31	26.46	27.50			<del></del>				
		2-Wire Voice Grade Port (Centrex / EBS-M5112)4	1		INELAN	UEPHE	1.17	53.31	20.46	27.50	8.37	1		l			1

UNBUNDL	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
	1										Svc Order	Svc Order				
												Submitted		Charge -	Charge -	Charge -
											1					
CATEGORY	RATÉ ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			Elec	Manually	Manual Svc			
CATEGORI	RAIE ELEMENIS	m	Zone	BC3	USOC	1		POATES (8)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											1		Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'I
						Rec		curring		g Disconnect				Rates (\$)		
ŀ		Į.					First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-M5312)4			UEP9D	UEPHG	1.17	53.31	26.46	27.50	8.37	1					
	2-Wire Voice Grade Port (Centrex / EBS-M5008)4			UEP9D	UEPHT	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5208)4			UEP9D	UEPHU	1.17	53.31	26.46	27.50	8.37	1					
	2-Wire Voice Grade Port (Centrex / EBS-M5216)4			UEP9D	UEPHV	1.17	53.31	26.46	27.50	8.37			•			
	2-Wire Voice Grade Port (Centrex / EBS-M5316)4			UEP9D	UEPH3	1,17	53.31	26.46	27.50	8.37				1		-
	2-Wire Voice Grade Port (Centrex with Caller ID)	<b>†</b>	1	UEP9D	UEPHH	1.17	53.31	26.46	27.50	8.37			-			
	2-Wire Voice Grade Port (Centrex With Caller ID/Msg Wtg Lamp	1	+	OEF 3D	OEFTIII	1.77	30.01	20.40	21.50	0.57		<b>-</b>		<del>                                     </del>		
				LICEOD	LICOLDA		50.04	20.40	07.50							
	Indication)4	1	$\vdash$	UEP9D	UEPHW	1,17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4		1	UEP9D	UEPHJ	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)		1 1			i I								-		
	2,3			UEP9D	UEPHM	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4	1		UEP9D	UEPHO	1.17	139.49	86.10	65.41	13.81			I	I	1	1
	1															· ·
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4	1		UEP9D	UEPHP	1.17	139.49	86.10	65.41	13.81			I	I	l	1
		1			1			55.10	VV.41	1.5.51					1	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPHQ	1.17	139.49	86.10	65.41	13,81	]				ì	
	2-4VIIE VOICE GIAGE FUIT (Certifexioniei SVVC /EBS-5209)2,5,4	1	-	UEFSD	DEFRU	1.17	139.49	00,10	00.41	13.61	ļ					<del>                                     </del>
			1 1		l				i		İ		I	Į.		1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPHR	1,17	139.49	86.10	65.41	13.81						
		]	1							i						l
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3,4			UEP9D	UEPHS	1.17	139.49	86.10	65.41	13.81	į .		1			ŀ
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPH4	1,17	139.49	86.10	65.41	13.81				1		
	·		1 1								1					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPH5	1.17	139.49	86.10	65.41	13.81						
			1 1	54. 02	100,110		100110	551.75		10.0				-		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPH6	1.17	139.49	86.10	65.41	13.81	i			i		
	2-VIII/E VOICE CHARE FOR CERTIFICATION OF THE CONTROL TO (2,3,4	<del>                                     </del>	1	OLF 3D	OLI 110	1.17	100.40	50.10	00.71	10,01	1					
	2 Mins Voice Conde Bod (Control differ CM/C (EBC ME246)2 2 4			UEP9D	UEPH7	4.47	120.40	86.10	65.41	13.81	i			l		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4		1	UEP9D	UEPH/	1.17	139.49	80.10	00.41	13.61						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service				l	ll				l						
	Term 2,3			UEP9D	UEPHZ	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPH9	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPH2	1.17	53.31	26.46	27.50	8.37						
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.7384										
Local	Number Portability	1			1					1			1	1		
1	Local Number Portability (1 per port)		1 1	UEP9D	LNPCC	0.35				i	-		i	1		
Featu		t	$\vdash$		1					1				<del> </del>		
7. 5410	All Standard Features Offered, per port	t	$\vdash$	UEP9D	UEPVF	2.26				<b> </b>	<del>                                     </del>		<del></del>	<del>                                     </del>		
	All Select Features Offered, per port	<del>!                                    </del>		UEP9D	UEPVS	0.00	370.70			<del>                                     </del>	<del>                                     </del>		<del>                                     </del>	<del> </del>		-
	All Centrex Control Features Offered, per port		<del>   </del>	UEP9D	UEPVS	2.26	310.70			<b> </b>	1		<del>                                     </del>	<del>                                     </del>		
, i.e.			$\vdash$	OFLAD	UEFVC	2.20				<del>                                     </del>	<del></del>		<b></b>			
NARS		ι—	$\vdash$	(15000	1					<u> </u>				<b></b>		
	Unbundled Network Access Register - Combination	<u> </u>		UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00			ļ	<b></b>		
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00				<u> </u>		
	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00						
	ellaneous Terminations															
2-Wir	e Trunk Side		$\bot$													
	Trunk Side Terminations, each			UEP9D	CEND6	8.73										
4-Wir	e Digital (1.544 Megabits)	1			1					1			1			
1	DS1 Circuit Terminations, each	1	1 1	UEP9D	M1HD1	54.95							i	-		
	DS0 Channels Activiated per Channel		1 1	UEP9D	M1HDO	0.00	15.69							<b> </b>		_
Inter	office Channel Mileage - 2-Wire	<del>                                     </del>	+		1	3.00				<b>-</b>	<del> </del>			<b>l</b>		
Interc	Interoffice Channel Facilities Termination	-	+	UEP9D	M1GBC	25.32				<b> </b>	<del> </del>			<del></del>		<del></del>
		!	1 -									<del></del>	<u> </u>		ļ	_
	Interoffice Channel mileage, per mile or fraction of mile		$\vdash$	UEP9D	M1GBM	0.0091				<del>                                     </del>		_			<del></del>	
	re Activations (DS0) Centrex Loops on Channelized DS1 Service	œ	$\vdash$							<b></b>			ļ			
D4 CI	nannel Bank Feature Activations		$\sqcup$													
	Feature Activation on D-4 Channel Bank Centrex Loop Slot		ш Т	UEP9D	1PQWS	0.66							I			

UNBUNDL	ED NETWORK ELEMENTS - Florida													Attach	ment: 2	Exhi	ibit: A
	1		Π									Svc Order	Svc Order	Incremental		Incremental	
			1					_				Submitted		Charge -	Charge -	Charge -	Charge -
			1	1								Elec	Manually	Manual Svc			
CATEGORY	RATE ELEMENTS	Interi	Zone		BCS	usoc			RATES (\$)					1		Manual Svc	I
CATEGORT	RAIE ELEMENIS	m	Zone	'  <sup>-</sup>	DC3	USUC			POATES (#)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			1	1										Electronic-	Electronic-	Electronic-	Electronic-
			1	1										1st	Add'l	Disc 1st	Disc Add'i
			1	1										'**	~~~	Disc ist	DISC AGG I
			1	1				Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates (\$)		
			<del>                                     </del>	+			Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		-	+	-	-			LIISE	Addi	F 17 51	AUU 1	JOMEC	SUMAN	SUMAR	SUMAN	SUMAN	SUMAN
			1	1	1.									ľ			
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1	IPQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop																
	Slot		1	UEP9D	l1	IPQW7	0.66					1					1
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -		1														$\overline{}$
	Different Wire Center		1	UEP9D	l,	PQWP	0.66					1 .					1
<del></del>	Dilicial Avile Celler		-	UEFBU		FQWF	0.00										
	,		!	1													1
	Feature Activation on D-4 Channel Bank Private Line Loop Slot		1	UEP9D	1	IPQWV :	0.66					1					1
	Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop						1										
	Slot		1	UEP9D	1	IPQWQ	0.66										1
-	Feature Activation on D-4 Channel Bank WATS Loop Slot	<del>                                     </del>	+	UEP9D		IPQWA	0.66										<del></del>
<del></del>			<del>ļ</del> —	UCFBU		FUVA	0.00										
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex		1														<u> </u>
	NRC Conversion Currently Combined Switch-As-Is with allowed			1			l i										1
	changes, per port		1	UEP9D	lu lu	JSAC2		21.50	8.42								1
	Conversion of existing Centrex Common Block, each		1	UEP9D	i.	JSACN		5.17	8.32								
	New Centrex Standard Common Block		+	UEP9D		//1ACS	0.00	618.82	0.02								<del></del>
		<del></del>	<del>!                                      </del>											<u> </u>			<del></del>
	New Centrex Customized Common Block		1	UEP9D		V1ACC	0.00	618.82									
	NAR Establishment Charge, Per Occasion		1	UEP9D	L	JRECA ·	0.00	66.48									ĺ
Addi	tional Non-Recurring Charges (NRC)		i				į										
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use																
1	Premise		1	UEP9D	l <sub>i</sub>	JRETL		8.33	0.83								1
		-	+	OLF 3D		JACIE		0.00	0.03								<del></del>
	Unbundled Miscellaneous Rate Element, Tag Design Loop at		1	I.	i												1
	End Use Premise			UEP9D	L	JRETN	i	11.21	1.10								L.
UNE	-P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)		1	1	i i												(
2-Wi	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo																
	Port/Loop Combination Rates (Non-Design)		1														
1011		-	1	-			-										——
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1	1.	l	1												1
	Non-Design		1	UEP9E			10.94										<u> </u>
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	1	1	į												(
	Non-Design	i	1 2	UEP9E	į		15.05										1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<u> </u>	1	1												
	Non-Design	1	3	UEP9E	1		25.80										į.
		1	1 3	UEFSE			25.60					1					<b></b>
UNE	Port/Loop Combination Rates (Design)																1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1	1	1													ĺ
	Design	l	1 1	UEP9E			13.41										i
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<del>                                     </del>														
		l	2	UEP9E			18.57										i
	Design		<del>  '</del>	UEPSE			10.37										<del></del>
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	l										1					i
	Design		3	UEP9E			32.04										i
UNE	Loop Rate																
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	l l	JECS1	9.77										
	2-Wire Voice Grade Loop (SL 1) - Zone 2	-	2			JECS1	13.88										-
		-															
	2-Wire Voice Grade Loop (SL 1) - Zone 3					JECS1	24.63										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E		JECS2	12.24										<u></u>
	2-Wire Voice Grade Loop (SL 2) - Zone 2	l	2	UEP9E	Įt.	JECS2	17.40					1					
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	l.	JECS2	30.87										
IIME	Port Rate		1	1										l ———			
	FL, KY, LA, MS, & TN only	<del></del>	+	1	-												
AL, I		-	-		<u>.</u>				50 :-								<b></b>
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP9E	Įί	JEPYA	1.17	53.31	26.46	27.50	8.37						<u> </u>
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	I -	1														ı ———
	Area	l		UEP9E	lι	JEPYB	1.17	53.31	26.46	27.50	8.37						i
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local		1	T													
		l		UEP9E	- h	JEPYH	4 47	E2 24	20.40	27 50	0.27						i
	Area	<b>I</b>	-	DEFSE		7EC 11	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire	l	1	1	I												l .
	Center)2,3 Basic Local Area		1	UEP9E	Įι	JEPYM	1.17	139.49	86.10	65.41	13.81	l	L				i
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800	Γ															<del></del>
I	Service Term - Basic Local Area	I	1	UEP9E	lı .	JEPYZ	1.17	139.49	86,10	65.41	13.81					!	1
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		_	+ V=			····	.00.,0	55.10	55.√1	10.01						$\overline{}$
	Pasic Local Area	ı	1	UEP9E		JEPY9	1,17	53.31	26.46	27.50	8.37	1 1					1

UNBUNDL	ED NETWORK ELEMENTS - Florida													ment: 2	Exhi	ibit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
		1									Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manualty	Manual Svc			
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			per LSR	per LSR				Order vs.
CATEGORI	TOTAL MARKETTANIA TO	m									per Lak	percon	Order vs.	Order vs.	Order vs.	
		l											Electronic-	Electronic-	Electronic-	1
		1											fst	Add'l	Disc 1st	Disc Add'l
			<del> </del>			1	Nonrec	umina	Monracurring	g Disconnect			056	Rates (\$)	I	L
		<b> </b>	+			Rec	First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		├	├				rirst	Agu i	riist	Add I	SUMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
	2-Wire Voice Grade Port Terminated on 800 Service Term -		ł													
	Basic Local Area			UEP9E	UEPY2	1.17	53.31	26.46	27.50	8.37	ļ					
Flori	da Only															
	2-Wire Voice Grade Port (Centrex )			UEP9E	UEPHA	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex 800 termination)		1	UEP9E	VEPHB	1.17	53.31	26.46	27.50	8.37	L			_	l	1
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPHH	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire						_									
	Center)2,3	1	1	UEP9E	UEPHM	1.17	139.49	86.10	65.41	13.81			i			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term 2,3	l	1	UEP9E	UEPHZ	1.17	139.49	86.10	65.41	13.81					l	
	······································		1								T					<b></b>
ı [	2-Wire Voice Grade Port terminated in on Megalink or equivalent	l	1	UEP9E	UEPH9	1,17	53.31	26.46	27.50	8.37	1				1	1
<del></del>	2-Wire Voice Grade Port Terminated on 800 Service Term		1	UEP9E	UEPH2	1,17	53.31	26.46	27.50	8.37	<b>†</b>					<del></del>
11000	al Switching	<del> </del>	<del> </del>			- 1.11		24.70	200	<del></del>	<u> </u>		t		t	$\leftarrow$
LUCA	Centrex Intercom Funtionality, per port	<del> </del>	+	UEP9E	URECS	0.7384			<del> </del>	<del> </del>	<del> </del>	<b></b>	<del> </del>	<del> </del>		<del></del>
<del></del>		<del> </del>	+	00.00	311200	0.7304				<del> </del>	<del> </del>		<del> </del>	<b> </b>	<del> </del>	<b> </b>
- Loca	Number Portability	<del> </del>	<del> </del>	UEP9E	LNPCC	0.35			<del> </del>	<del> </del>	<del> </del>		<del> </del>	<del> </del>	<del> </del>	<del> </del>
<u>-</u>	Local Number Portability (1 per port)		<b> </b>	UEPSE	LINPUL	0.35			<del></del>	<b> </b>	<del> </del>			ļ		<del></del>
Feat					1,557.5	2.00					ļ		ļ			<del> </del>
	All Standard Features Offered, per port	ļ	ļ	UEP9E	UEPVF	2.26					ļ					
	All Select Features Offered, per port		<del></del>	UEP9E	UEPVS	0.00	370.70				ļ	ļ				
	All Centrex Control Features Offered, per port		1	UEP9E	UEPVC	2.26			ļ							<u> </u>
NAR			1						İ							
	Unbundled Network Access Register - Combination		1	UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00			ļ		<u> </u>	
	Unbundled Network Access Register - Indial		1	UEP9E	UAR1X	0.00	0.00	0.00	0.00	0.00						1
	Unbundled Network Access Register - Outdial		1	UEP9E	UAROX	0.00	0.00	0.00	0.00	0.00						
Misc	ellaneous Terminations															
2-Wi	re Trunk Side								L							
	Trunk Side Terminations, each			UEP9E	CEND6	8.73										
4-Wi	re Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each		1	UEP9E	M1HD1	54.95										
	DS0 Channel Activated Per Channel		1	UEP9E	M1HDO	0.00	15.69									
Inter	roffice Channel Mileage - 2-Wire	1	1								1					
	Interoffice Channel Facilities Termination	1	1	UEP9E	M1GBC	25.32										1
<del></del>	Interoffice Channel mileage, per mile or fraction of mile	1	1	UEP9E	M1GBM	0.0091										<u></u>
Feat	ure Activations (DS0) Centrex Loops on Channelized DS1 Service	 28	†							1	1					
	Channel Bank Feature Activations	T	1	<b></b>					<del></del>							<del></del>
<del></del>	Feature Activation on D-4 Channel Bank Centrex Loop Slot	<del>                                     </del>	+	UEP9E	1PQW\$	0.66				<del>                                     </del>	<u> </u>		ļ			<b> </b>
<del></del>	Tradition of the American Common Comm	<del> </del>	<del> </del>	100,00	1										<b>!</b>	
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot		1	UEP9E	1PQW6	0.66					1					
<del></del>	Feature Activation on D-4 Channel Bank FX Trunk Side Loop	<del> </del>	<del> </del>	1-1 V-	1	0.00			<b> </b>	t	<del> </del>		l		<b></b>	<del> </del>
1 1	Slot	1	1	UEP9E	1PQW7	0.66			1	1	1		1			1
<del> </del>	Feature Activation on D-4 Channel Bank Centrex Loop Slot -	<del> </del>	<del> </del>	OLF DL	11.05441	0.00			<b></b>	+	<del>                                     </del>		<b> </b>	-		
	Different Wire Center		1	UEP9E	1PQWP	0.66										1
L	Different Wire Center	├	<del> </del>	UCPBC	IFWYF	0.66			ļ	<del> </del>						ļ
1 1		1	1	Lucroc	anouss:					1	l					1
L	Feature Activation on D-4 Channel Bank Private Line Loop Slot	<b></b>	<del> </del>	UEP9E	1PQWV	0.66			ļ	<b></b>						<b></b>
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop	1	1							1						1
<b></b>	Slot	<b> </b>	┞	UEP9E	1PQWQ	0.66										ļ'
	Feature Activation on D-4 Channel Bank WATS Loop Slot		ļ	UEP9E	1PQWA	0.66				<b></b>						
Non-	-Recurring Charges (NRC) Associated with UNE-P Centrex	L	↓													L
	NRC Conversion Currently Combined Switch-As-Is with allowed	1	1	1	1				1	1	i					1
	changes, per port			UEP9E	USAC2		21.50	8.42	<u> </u>							L
	Conversion of Existing Centrex Common Block, each			UEP9E	USACN		5.17	8.32								
	New Centrex Standard Common Block	1		UEP9E	MIACS	0.00	618.82									
	New Centrex Customized Common Block	T		UEP9E	MIACC	0.00	618.82									
	NAR Establishment Charge, Per Occasion	T	T	UEP9E	URECA	0.00	66.48		l	1	1				T	
Addi	itional Non-Recurring Charges (NRC)	1	T							1						
F	Unbundled Miscellaneous Rate Element, Tag Loop at End Use	<del> </del>	†		1						1					
			1	UEP9E	URETL	. 1	8.33	0.83	ł	ı	1	ı	1		1	1 '

UNB	UNDLE	NETWORK ELEMENTS - Florida										Attachment: 2		Exhi	bit: A		
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
			Interi			USOC		•				Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		RATES (\$)					Efec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc					
CATEGORY							RATE ELEMENTS	Zone	BCS	per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.		
			···	i I										Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec	urring	Nonrecurring	Disconnect	Disconnect			OSS Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Miscellaneous Rate Element, Tag Design Loop at															
		End Use Premise			UEP9E	URETN		11.21	1.10								
	Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD								_ :		ļ		,			
	Note 2	- Requres Interoffice Channel Mileage															
	Note 3	<ul> <li>Installation is combination of Installation charge for SL2 Loc</li> </ul>	op and	Port													
	Note 4	- Requires Specific Customer Premises Equipment						·									$\Box$
	Note: Rates displaying an "R" in Interim column are interim and subject to rate true-up as set forth in General Terms and Conditions.																

Attachment 6

Page 1

## Attachment 6

Pre-Ordering, Ordering, Provisioning, Maintenance and Repair

Attachment 6

Page 2

# TABLE OF CONTENTS

1.	QUALITY OF PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR	.3
2.	ACCESS TO OPERATIONS SUPPORT SYSTEMS	.3
3.	MISCELLANEOUS	.5

## PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR

# 1. QUALITY OF PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR

- 1.1 BellSouth shall provide to Harbor Communications nondiscriminatory access to its Operations Support Systems (OSS) and the necessary information contained therein in order that Harbor Communications can perform the functions of preordering, ordering, provisioning, maintenance and repair, and billing. BellSouth shall provide Harbor Communications with all relevant documentation (manuals, user guides, specifications, etc.) regarding business rules and other formatting information as well as practices and procedures necessary to ensure requests are efficiently processed. All documentation will be readily accessible at BellSouth's interconnection website and are incorporated herein by reference. BellSouth shall ensure that its OSS are designed to accommodate access requests for both current and projected demand of Harbor Communications and other CLECs in the aggregate.
- 1.2 BellSouth shall provision services during its regular working hours. To the extent Harbor Communications requests provisioning of service to be performed outside BellSouth's regular working hours, or the work so requested requires BellSouth's technicians or project manager to work outside of regular working hours, overtime charges shall apply. Notwithstanding the foregoing, if such work is performed outside of regular working hours by a BellSouth technician or project manager during his or her scheduled shift and BellSouth does not incur any overtime charges in performing the work on behalf of Harbor Communications, BellSouth will not assess Harbor Communications additional charges beyond the rates and charges specified in this Agreement.

### 2. ACCESS TO OPERATIONS SUPPORT SYSTEMS

- 2.1 BellSouth shall provide Harbor Communications nondiscriminatory access to its OSS and the necessary information contained therein in order that Harbor Communications can perform the functions of pre-ordering, ordering, provisioning, maintenance and repair, and billing. BellSouth shall provide nondiscriminatory access to the OSS through manual and/or electronic interfaces as described in this Attachment. It is the sole responsibility of Harbor Communications to obtain the technical capability to access and utilize BellSouth's OSS interfaces. Specifications for Harbor Communications's access and use of BellSouth's electronic interfaces are set forth at BellSouth's interconnection website and are incorporated herein by reference.
- 2.1.1 <u>Pre-Ordering</u>. BellSouth will provide electronic access to its OSS and the information contained therein in order that Harbor Communications can perform

Attachment 6

Page 4

the following pre-ordering functions: service address validation, telephone number selection, service and feature availability, due date information, customer record information and loop makeup information. Mechanized access is provided by electronic interfaces whose specifications for access and use are set forth at BellSouth's interconnection website and are incorporated herein by reference. The process by which BellSouth and Harbor Communications will manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process as described below. Harbor Communications shall provide to BellSouth access to customer record information, including circuit numbers associated with each telephone number where applicable. Harbor Communications shall provide such information within four (4) hours after request via electronic access where available. If electronic access is not available, Harbor Communications shall provide to BellSouth paper copies of customer record information, including circuit numbers associated with each telephone number where applicable. If BellSouth requests the information before noon, the customer record information shall be provided the same day. If BellSouth requests the information after noon, the customer record information shall be provided by noon the following day.

- 2.1.2 The Parties agree not to view, copy, or otherwise obtain access to the customer record information of any customer without that customer's permission. Harbor Communications will obtain access to customer record information only in strict compliance with applicable laws, rules, or regulations of the state in which the service is provided. BellSouth reserves the right to audit Harbor Communications's access to customer record information. If a BellSouth audit of Harbor Communications's access to customer record information reveals that Harbor Communications is accessing customer record information without having obtained the proper End User authorization, BellSouth upon reasonable notice to Harbor Communications may take corrective action, including but not limited to suspending or terminating Harbor Communications's electronic access to BellSouth's OSS functionality. All such information obtained through an audit shall be deemed Information covered by the Proprietary and Confidential Information section in the General Terms and Conditions of this Agreement.
- 2.1.3 Ordering. BellSouth will make available to Harbor Communications electronic interfaces for the purpose of exchanging order information, including order status and completion notification, for non-complex and certain complex resale requests and certain network elements. Specifications for access and use of BellSouth's electronic interfaces are set forth at BellSouth's interconnection website and are incorporated herein by reference. The process by which BellSouth and Harbor Communications will manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process as described below.
- 2.1.4 <u>Maintenance and Repair</u>. BellSouth will make available to Harbor Communications electronic interfaces for the purpose of reporting and monitoring service troubles. Specifications for access and use of BellSouth's maintenance and

repair electronic interfaces are set forth at BellSouth's interconnection website and are incorporated herein by reference. The process by which BellSouth and Harbor Communications will manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process as described below. Requests for trouble repair are billed in accordance with the provisions of this Agreement. BellSouth and Harbor Communications agree to adhere to BellSouth's Operational Understanding, as amended from time to time during this Agreement and as incorporated herein by reference. The Operational Understanding may be accessed via BellSouth's interconnection website.

- 2.1.5 <u>Billing</u>. BellSouth will provide Harbor Communications nondiscriminatory access to billing information as specified in Attachment 7 to this Agreement.
- 2.2 Change Management. BellSouth and Harbor Communications agree that the collaborative change management process known as the Change Control Process (CCP) will be used to manage changes to existing interfaces, introduction of new interfaces and retirement of interfaces. BellSouth and Harbor Communications agree to comply with the provisions of the documented Change Control Process as may be amended from time to time and incorporated herein by reference. The change management process will cover changes to BellSouth's electronic interfaces, BellSouth's testing environment, associated manual process improvements, and relevant documentation. The process will define a procedure for resolution of change management disputes. Documentation of the CCP as well as related information and processes will be clearly organized and readily accessible to Harbor Communications at BellSouth's interconnection website.
- 2.3 Rates. Charges for use of OSS shall be as set forth in this Agreement.

### 3. MISCELLANEOUS

- Pending Orders. Orders placed in the hold or pending status by Harbor Communications will be held for a maximum of thirty (30) calendar days from the date the order is placed on hold. After such time, Harbor Communications shall be required to submit a new service request. Incorrect or invalid requests returned to Harbor Communications for correction or clarification will be held for thirty (30) calendar days. If Harbor Communications does not return a corrected request within thirty (30) calendar days, BellSouth will cancel the request.
- 3.2 Single Point of Contact. Harbor Communications will be the single point of contact with BellSouth for ordering activity for network elements and other services used by Harbor Communications to provide services to its End Users, except that BellSouth may accept a request directly from another CLEC, or BellSouth, acting with authorization of the affected End User. Harbor Communications and BellSouth shall each execute a blanket letter of authorization with respect to customer requests so that prior proof of End User authorization will not be necessary with every request (except in the case of a local service

Attachment 6

Page 6

freeze). The Parties shall each be entitled to adopt their own internal processes for verification of customer authorization for requests, provided, however, that such processes shall comply with applicable state and federal law and industry and regulatory guidelines. Pursuant to a request from another carrier, BellSouth may disconnect any network element being used by Harbor Communications to provide service to that End User and may reuse such network elements or facilities to enable such other carrier to provide service to the End User. BellSouth will notify Harbor Communications that such a request has been processed but will not be required to notify Harbor Communications in advance of such processing.

- 3.2.1 Neither BellSouth nor Harbor Communications shall prevent or delay an End User from migrating to another carrier because of unpaid bills, denied service, or contract terms.
- 3.2.2 BellSouth shall return a Firm Order Confirmation (FOC) and Local Service Request (LSR) rejection/clarification within the intervals in accordance with the Service Quality Measurement (SQM) set forth in Attachment 9 of this Agreement.
- 3.2.3 Harbor Communications shall return a FOC to BellSouth within thirty-six (36) hours after Harbor Communications's receipt from BellSouth of a valid LSR.
- 3.2.4 Harbor Communications shall provide a Reject Response to BellSouth within twenty-four (24) hours after BellSouth's submission of an LSR which is incomplete or incorrectly formatted.
- 3.3 <u>Use of Facilities</u>. When a customer of Harbor Communications elects to discontinue service and to transfer service to another local exchange carrier, including BellSouth, BellSouth shall have the right to reuse the facilities provided to Harbor Communications by BellSouth. In addition, where BellSouth provides local switching, BellSouth may disconnect and reuse facilities when the facility is in a denied state and BellSouth has received a request to establish new service or transfer of service from a customer or a customer's CLEC at the same address served by the denied facility. BellSouth will notify Harbor Communications that such a request has been processed after the disconnect order has been completed.
- 3.4 <u>Contact Numbers</u>. The Parties agree to provide one another with toll-free nation-wide (50 states) contact numbers for the purpose of ordering, provisioning and maintenance of services.
- 3.5 <u>Subscription Functions</u>. In cases where BellSouth performs subscription functions for an interexchange carrier (IXC) (i.e. PIC and LPIC changes via Customer Account Record Exchange (CARE)), BellSouth will in all possible instances provide the affected IXCs with the Operating Company Number (OCN) of the local provider for the purpose of obtaining End User billing account and other End User information required under subscription requirements.

- 3.5.1 When Harbor Communications's End User, served by resale or loop and port combinations, changes its PIC or LPIC, and per BellSouth's FCC or state tariff the interexchange carrier elects to charge the End User the PIC or LPIC change charge, BellSouth will bill the PIC or LPIC change charge to Harbor Communications, which has the billing relationship with that End User, and Harbor Communications may pass such charge to the End User.
- 3.6 Cancellation Charges. If Harbor Communications cancels a request for network elements or resold services, any costs incurred by BellSouth in conjunction with the provisioning of that request will be recovered in accordance with BellSouth's Private Line Tariff or BellSouth's FCC No. 1 Tariff, Section 5.4, as applicable. Notwithstanding the foregoing, if Harbor Communications places an LSR based upon BellSouth's loop makeup information, and such information is inaccurate resulting in the inability of BellSouth to provision the network elements requested and another spare compatible facility cannot be found with the transmission characteristics of the network elements originally requested, cancellation charges described in this Section shall not apply. Where Harbor Communications places a single LSR for multiple network elements or services based upon loop makeup information, and information as to some, but not all, of the network elements or services is inaccurate, if BellSouth cannot provision the network elements or services that were the subject of the inaccurate loop makeup information, Harbor Communications may cancel its request for those network elements or services without incurring cancellation charges as described in this Section. In such instance, should Harbor Communications elect to cancel the entire LSR, cancellation charges as described in this Section shall apply to those elements and services that were not the subject of inaccurate loop makeup.
- 3.7 <u>Service Date Advancement Charges (a.k.a. Expedites)</u>. For Service Date Advancement requests by Harbor Communications, Service Date Advancement charges will apply for intervals less than the standard interval as outlined in the BellSouth Product and Services Interval Guide. The charges as outlined in BellSouth's FCC No. 1 Tariff, Section 5, will apply as applicable.