

BellSouth Telecommunications, Inc.

150 South Monroe Street Suite 400

Tallahassee, Florida 32301

Jerry.Hendrix@bellsouth.com

Jerry D. Hendrix Vice President Regulatory Relations

Phone: (850) 577-5550

(850) 224-5073

June 8, 2006

060442-TP

Mrs. Blanca S. Bayo Director, Division of Commission Clerk and Administrative Services Florida Public Service Commission 2540 Shumard Oak Boulevard Tallahassee, Florida 32399

Re: Approval of Amendment to the Interconnection, unbundling, resale and collocation Agreement between BellSouth Telecommunications, Inc. ("BellSouth") and DukeNet Communications, LLC.

Dear Mrs. Bayo:

Please find enclosed for filing and approval, the original and two copies of BellSouth Telecommunications, Inc.'s Amendment to Interconnection, unbundling, resale and collocation Agreement with DukeNet Communications, LLc.

The underlying agreement was filed on May 5, 2004 in docket 040421-TP.

This agreement should be filed in accordance with the decision rendered on February 7, 2006 in docket 041269-TP, Petition to Establish Generic docket (FLCOL). The parties have amended the agreement to incorporate the FLCOL second order (06-0299-fof-tp).

If you have any questions, please do not hesitate to call Robyn Holland at (850) 577-5551.

Very truly yours,

Huy Whendir RN Regulatory Vice President

Amendment to the Agreement Between DukeNet Communications, LLC and BellSouth Telecommunications, Inc. Dated February 29, 2004

Pursuant to this Amendment, (the "Amendment"), DukeNet Communications, LLC (DukeNet), and BellSouth Telecommunications, Inc. (BellSouth), hereinafter referred to collectively as the "Parties", hereby agree to amend that certain Interconnection Agreement between the Parties dated February 29, 2004 (Agreement).

WHEREAS, on February 7, 2006, the Florida Public Service Commission (FPSC) rendered its decision in Docket No. 041269-TP, Petition to Establish Generic Docket to Consider Amendments to Interconnection Agreements Resulting from Change of Law (Decision); and

WHEREAS, on February 28, 2006, the FPSC voted to approve Staff's February 17, 2006 Recommendation to vacate its prior Decision only as to issues 5, 13, 16, 17, 18, and 22b; and

WHEREAS, on April 17, 2006, the FPSC issued its Second Order On Generic Proceeding in Docket No. 041269-TP ORDER NO. PSC-06-0299-FOF-TP, Petition to Establish Generic Docket to Consider Amendments to Interconnection Agreements Resulting from Change of Law (Second Order), rendering decisions on the issues previously vacated; and

WHEREAS, the Parties have previously amended the Agreement to incorporate the Decision, other than the vacated issues, and the Parties now desire to amend the Agreement to incorporate the Second Order;

NOW, THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows:

- 1. The Parties hereby agree to incorporate into the Agreement the contract provisions set forth in Exhibit A hereto, and such contract provisions shall apply to services provided in the State of Florida only.
- 2. The Parties hereby agree to incorporate into the Agreement the rates set forth in Exhibit B hereto, and such rates shall apply to services provided in the State of Florida only.
- 3. To the extent that such contract provisions or rates as set forth in Exhibits A and B hereto conflict with any other rates, terms and conditions in the Agreement, the contract provisions and rates in Exhibits A and B shall prevail in the State of Florida.
- 4. Further, to the extent that defined terms in this Amendment differ from defined terms in the Agreement, such defined terms in the Agreement shall be deemed to have the same meaning as the alternative defined terms in this Amendment to the extent necessary to give full effect to this Amendment consistent with the Florida Commission's Decision and Second Order.

Version: FL COL Amendment with Vacated Language 04/27/06

Page 1 of 2

- 5. This Amendment shall be approved on the date the Florida Public Service Commission issues an order approving the Amendment (Approved Date) and shall be deemed effective on March 11, 2006 (Effective Date).
- 6. All of the other provisions of the Agreement shall remain in full force and effect.
- 7. Either or both of the Parties is authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996.

Page 2 of 2

IN WITNESS WHEREOF, the Parties have executed this Amendment the day and year written below.

BellSouth Telecommunications, Inc.

Name: Kristen E. Shore

Title: Director

Date: 5/30/06

DukeNet Communications, LLC

Name: Anthony R

Title: VP Sales and Marketing

Date: May 24, 2006

Version: FL COL Amendment with Vacated Language 04/27/06

- 1. <u>2-wire or 4-wire HDSL-Compatible Loop.</u> This is a designed Loop that meets Carrier Serving Area (CSA) specifications, may be up to 12,000 feet long and may have up to 2,500 feet of bridged tap (inclusive of Loop length). It may be a 2-wire or 4-wire circuit and will come standard with a test point, OC, and a DLR.
- 2. 4-wire Unbundled DS1 Digital Loop. This is a designed 4-wire Loop that is provisioned according to industry standards for DS1 or Primary Rate ISDN services and will come standard with a test point, OC, and a DLR. A DS1 Loop may be provisioned over a variety of loop transmission technologies including copper, HDSL-based technology or fiber optic transport systems. It will include a 4-wire DS1 Network Interface at the End User's location. For purposes of this Amendment, including the transition of DS1 and DS3 Loops, DS1 Loops include provisioned HDSL loops and the associated electronics whether configured as HDSL-2-wire or HDSL-4-wire loops.

3. <u>Commingling of Services</u>

- Commingling means the connecting, attaching, or otherwise linking of a Network Element, or a Combination, to one or more Telecommunications Services or facilities that DukeNet has obtained at wholesale from BellSouth, or the combining of a Network Element or Combination with one or more such wholesale Telecommunications Services or facilities. DukeNet must comply with all rates, terms or conditions applicable to such wholesale Telecommunications Services or facilities.
- 3.2 Subject to the limitations set forth elsewhere in this Attachment, BellSouth shall not deny access to a Network Element or a Combination on the grounds that one or more of the elements: 1) is connected to, attached to, linked to, or combined with such a facility or service obtained from BellSouth; or 2) shares part of BellSouth's network with access services or inputs for mobile wireless services and/or interexchange services.
- Unless otherwise agreed to by the Parties, the Network Element portion of a commingled circuit will be billed at the rates set forth in Exhibit B and the remainder of the circuit or service will be billed in accordance with BellSouth's tariffed rates or rates set forth in that separate agreement between the Parties.
- 3.4 When multiplexing equipment is attached to a commingled arrangement, the multiplexing equipment will be billed from the same agreement or the tariff as the higher bandwidth circuit. Central Office Channel Interfaces (COCI) will be billed from the same agreement or tariff as the lower bandwidth circuit.
- 3.5 Notwithstanding any other provision of this Agreement, BellSouth shall not be obligated to commingle or combine Network Elements or Combinations with any service, network element or other offering that it is obligated to make available only pursuant to Section 271 of the Act.
- 4. <u>Line Splitting</u>

Version: FL COL Amendment with Vacated Language 04/27/06

- 4.1 Line splitting is defined to mean that a provider of data services (a Data LEC) and a provider of voice services (a Voice CLEC) deliver voice and data service to End Users over the same Loop. The Voice CLEC and Data LEC may be the same or different carriers.
- 4.2 <u>Line Splitting UNE-L.</u> If DukeNet provides its own switching or obtains switching from a third party, DukeNet may engage in line splitting arrangements with another CLEC using a splitter, provided by DukeNet, in a Collocation Space at the central office where the loop terminates into a distribution frame or its equivalent.
- 4.2.1 <u>Provisioning Line Splitting and Splitter Space UNE-L</u>
- 4.2.1.1 The requesting carrier provides the splitter when providing Line Splitting with UNE-L. When DukeNet owns the splitter, Line Splitting requires the following: a loop from NID at the End User's location to the serving wire center and terminating into a distribution frame or its equivalent.
- 4.2.1.2 An unloaded 2-wire copper Loop must serve the End User. The meet point for the Voice CLEC and the Data LEC is the point of termination on the MDF for the Data LEC's cable and pairs.
- 4.3 CLEC Provided Splitter Line Splitting UNE-L
- 4.3.1 To order High Frequency Spectrum on a particular Loop, DukeNet must have a DSLAM collocated in the central office that serves the End User of such Loop.
- 4.3.2 DukeNet may purchase, install and maintain central office POTS splitters in its collocation arrangements. DukeNet may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures and the terms and conditions relating to Collocation set forth in Attachment 4 Central Office shall apply.
- 4.3.3 Any splitters installed by DukeNet in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. DukeNet may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.
- 4.4 Maintenance Line Splitting UNE-L
- 4.4.1 BellSouth will be responsible for repairing voice troubles and the troubles with the physical loop between the NID at the End User's premises and the termination point.
- 4.5 Indemnification
- 4.5.1 DukeNet shall indemnify, defend and hold harmless BellSouth from and against any claims, losses, actions, causes of action, suits, demands, damages, injury, and costs including reasonable attorney fees, which arise out of actions related to the other

Version: FL COL Amendment with Vacated Language 04/27/06

service provider, except to the extent caused by BellSouth's gross negligence or willful misconduct.

4.6 Network Modifications

- 4.6.1 BellSouth must make all necessary network modifications, including providing nondiscriminatory access to operations support systems necessary for pre-ordering, ordering, provisioning, maintenance and repair, and billing for loops used in line splitting arrangements.
- 5. Fiber to the Home (FTTH) loops are local loops consisting entirely of fiber optic cable, whether dark or lit, serving an End User's premises or, in the case of predominantly residential multiple dwelling units (MDUs), a fiber optic cable, whether dark or lit, that extends to the MDU minimum point of entry (MPOE). Fiber to the Curb (FTTC) loops are local loops consisting of fiber optic cable connecting to a copper distribution plant that is not more than five hundred (500) feet from the End User's premises or, in the case of predominantly residential MDUs, not more than five hundred (500) feet from the MDU's MPOE. The fiber optic cable in a FTTC loop must connect to a copper distribution plant at a serving area interface from which every other copper distribution subloop also is not more than five hundred (500) feet from the respective End User's premises. FTTH/FTTC loops do not include local loops to predominately business MDUs.
- In new build (Greenfield) areas, where BellSouth has only deployed FTTH/FTTC facilities. BellSouth is under no obligation to provide such FTTH and FTTC Loops. FTTH facilities include fiber loops deployed to the MPOE of a MDU that is predominately residential regardless of the ownership of the inside wiring from the MPOE to each End User in the MDU.

Version: FL COL Amendment with Vacated Language

04/27/06

UNE LOOP COMMINGLING 2.WIRE ANALOG VOICE GRADE LOOP - Service Level 2 will cop or Ground Start Signaling - Zone 1 2.WIRE Analog Voice Grade Loop - Service Level 2 will cop or Ground Start Signaling - Zone 2 2.WIRE Analog Voice Grade Loop - Service Level 2 will cop or Ground Start Signaling - Zone 3 2.WIRE Analog Voice Grade Loop - Service Level 2 will cop or Ground Start Signaling - Zone 3 2.WIRE Analog Voice Grade Loop - Service Level 2 will cop or Ground Start Signaling - Zone 1 2.WIRE Analog Voice Grade Loop - Service Level 2 will cop or Ground Signaling - Zone 1 2.WIRE Analog Voice Grade Loop - Service Level 2 will cop service Battery Signaling - Zone 2 2.WIRE Analog Voice Grade Loop - Service Level 2 will cop service Battery Signaling - Zone 3 3. NTCVG 4.WIRE Analog Voice Grade Loop - Service Level 2 will cop service Battery Signaling - Zone 3 3. NTCVG 3. NTCVG 4.WIRE Analog Voice Grade Loop - Service Level 2 will cop service Battery Signaling - Zone 3 3. NTCVG 3. NTCVG 4.WIRE Analog Voice Grade Loop - Service Level 2 will cop service Battery Signaling - Zone 3 3. NTCVG 4.WIRE Analog Voice Grade Loop - Service Level 2 will cop service Battery 4.WIRE Analog Voice Grade Loop - Zone 1 4.WIRE Analog Voice Grade Loop - Zone 2 4.WIRE Analog Voice Grade Loop - Zone 3 4.WIRE Analog Voice Grade Loop - Zone 3 3. NTCVG 3. NTCVG 4.WIRE Analog Voice Grade Loop - Zone 3 4.WIRE Analog Voice Grade Loop -							· · · · · · · · · · · · · · · · · · ·	Syc Order	Svc Order	Attachment: 2	Exh B	Incremental	Incremental
2-Wire Analog Voice Grade Loop - Commiscians 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3 3-NTCVG 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3 3-NTCVG 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3 3-NTCVG 3-Switch-As-is Conversion rate per UNE Loop, Single LSR, (per DS0) NTCVG 3-Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per DS0) NTCVG 3-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3 3-NTCVG 3-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3 3-NTCVG 3-Witch-As-is Conversion rate per UNE Loop, Spreadsheet, (per DS0) NTCVG 4-Wire Analog Voice Grade Loop - Zone 1 4-Wire Analog Voice Grade Loop - Zone 1 4-Wire Analog Voice Grade Loop - Zone 2 2-NTCVG 3-Wire Analog Voice Grade Loop - Zone 2 3-NTCVG 3-Witch-As-is Conversion rate per UNE Loop, Spreadsheet, (per DS0) NTCVG 3-Witch-As-is Conversion rate per UNE Loop, Spreadsheet, (per DS0) NTCVG 3-Wire DS1 Digital Loop - Zone 1 4-Wire DS1 Digital Loop - Zone 1 1-NTCD1 4-Wire DS1 Digital Loop - Zone 1 1-NTCD1 4-Wire DS1 Digital Loop - Zone 1 1-NTCD1 4-Wire DS1 Digital Loop - Zone 3 3-NTCVG 4-Wire DS1 Digital Loop - Zone 3 3-NTCUD 4-Wire DS1 Digital Loop - Zone 3 3-NTCUD 4-Wire DS1 Digital Loop - Zone 3 3-NTCUD 4-	usoc	soc	RATES (\$)					Submitted Elec per LSR		Charge - Manual Svc	Charge - Manual Svc Order vs. Electronic- Add'l	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svc Order vs. Electronic- Disc Add'l
2-Wire Analog Voice Grade Loop - Commiscians 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3 3-NTCVG 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3 3-NTCVG 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3 3-NTCVG 3-Switch-As-is Conversion rate per UNE Loop, Single LSR, (per DS0) NTCVG 3-Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per DS0) NTCVG 3-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3 3-NTCVG 3-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3 3-NTCVG 3-Witch-As-is Conversion rate per UNE Loop, Spreadsheet, (per DS0) NTCVG 4-Wire Analog Voice Grade Loop - Zone 1 4-Wire Analog Voice Grade Loop - Zone 1 4-Wire Analog Voice Grade Loop - Zone 2 2-NTCVG 3-Wire Analog Voice Grade Loop - Zone 2 3-NTCVG 3-Witch-As-is Conversion rate per UNE Loop, Spreadsheet, (per DS0) NTCVG 3-Witch-As-is Conversion rate per UNE Loop, Spreadsheet, (per DS0) NTCVG 3-Wire DS1 Digital Loop - Zone 1 4-Wire DS1 Digital Loop - Zone 1 1-NTCD1 4-Wire DS1 Digital Loop - Zone 1 1-NTCD1 4-Wire DS1 Digital Loop - Zone 1 1-NTCD1 4-Wire DS1 Digital Loop - Zone 3 3-NTCVG 4-Wire DS1 Digital Loop - Zone 3 3-NTCUD 4-Wire DS1 Digital Loop - Zone 3 3-NTCUD 4-Wire DS1 Digital Loop - Zone 3 3-NTCUD 4-			Rec	Nonre- First	curring Add'l	Nonrecurring First	Disconnect Add'l	001150	SOMAN	OSS SOMAN	Rates (\$)	SOMAN	SOMAN
2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3 3-NTCVG 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3 3-NTCVG 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3 3-NTCVG 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3 3-NTCVG Switch-As-is Corversion rate per UNE Loop, Single LSR, (per DS0) NTCVG Switch-As-is Corversion rate per UNE Loop, Single LSR, (per DS0) NTCVG CLEC to CLEC Growersion Charge without outside dispatch NTCVG 1-Loop Tagging - Service Level 2 (SL2) 1-Wire Analog Voice Grade Loop - Zone 1 1-NTCVG 1-Wire Analog Voice Grade Loop - Zone 2 1-NTCVG 1-Wire Analog Voice Grade Loop - Zone 2 2-NTCVG 1-Wire Analog Voice Grade Loop - Zone 2 2-NTCVG 1-Wire Analog Voice Grade Loop - Zone 2 2-NTCVG 1-Wire Analog Voice Grade Loop - Zone 2 2-NTCVG 1-Wire Analog Voice Grade Loop - Zone 2 2-NTCVG 1-Wire Analog Voice Grade Loop - Zone 2 2-NTCVG 1-Wire Analog Voice Grade Loop - Zone 2 2-NTCVG 1-Wire Analog Voice Grade Loop - Zone 2 2-NTCVG 1-Wire Analog Voice Grade Loop - Zone 2 2-NTCVG 1-Wire Analog Voice Grade Loop - Zone 2 2-NTCVG 1-Wire Analog Voice Grade Loop - Zone 2 2-NTCVG 1-Wire Analog Voice Grade Loop - Zone 2 2-NTCVG 1-Wire Analog Voice Grade Loop - Zone 2 2-NTCVG 1-Wire Analog Voice Grade Loop - Zone 2 2-NTCVG 1-Wire Analog Voice Grade Loop - Zone 2 2-NTCVG 1-Wire Analog Voice Grade Loop - Zone 2 2-NTCVG 1-Wire Analog Voice Grade Loop - Zone 2 2-NTCVG 1-Wire Analog Voice Grade Loop - Zone 2 2-NTCVG 1-Wire Analog Voi				First	Addi	rirat	AUG1	SUMEC	SCHWAN	SOMAN	SOMMIN	SUMAIN	SOMAN
2. Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1 2. Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2 2. Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3 3. NTCVG 2. Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3 2. Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1 2. Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2 2. Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2 2. Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3 3. NTCVG 3. Settle-As-1s Conversion rate per UNE Loop, Single LSR, (per DS0) 3. NTCVG 3. Settle-As-1s Conversion rate per UNE Loop, Spreadsheaf, (per DS0) 3. NTCVG 3. Settle-As-1s Conversion Charge without outside dispatch 4. Wire Analog Voice Grade Loop - Zone 1 4. Wire Analog Voice Grade Loop - Zone 2 4. Wire Analog Voice Grade Loop - Zone 1 4. Wire Analog Voice Grade Loop - Zone 2 4. Wire Analog Voice Grade Loop - Zone 3 5. Settle-As-1s Conversion rate per UNE Loop, Single LSR, (per DS0) 5. Settle-As-1s Conversion rate per UNE Loop, Single LSR, (per DS0) 5. Settle-As-1s Conversion rate per UNE Loop, Single LSR, (per DS0) 6. Settle-As-1s Conversion rate per UNE Loop, Single LSR, (per DS0) 6. Settle-As-1s Conversion rate per UNE Loop, Single LSR, (per DS0) 6. Settle-As-1s Conversion rate per UNE Loop, Single LSR, (per DS0) 6. Settle-As-1s Conversion rate per UNE Loop, Single LSR, (per DS1) 6. Settle-As-1s Conversion rate per UNE Loop, Single LSR, (per DS1) 6. Settle-As-1s Conversion rate per UNE Loop, Single LSR, (per DS1) 6. Settle-As-1s Conversion rate per UNE Loop, Single LSR, (per DS1) 6. Settle-As-1s Conversion rate per UNE Loop, Single LSR, (per DS1) 6. Settle-As-1s Conversion rate per UNE Loop, Single LSR, (per DS1) 6. Settle-As-1s Conversion rate per UNE Loop, Single LSR, (per DS1) 6. Settle													
Start Signaling - Zone 1 2.Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2 2.Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3 3.NTCVG 2.Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3 2.Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1 1.NTCVG 2.Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2 2.Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3 3.NTCVG 4.Wire Loop Conversion rate per UNE Loop, Single LSR, (per DS0) 3.NTCVG 4.Wire Analog Voice Grade Loop - Zone 1 4.Wire Analog Voice Grade Loop - Zone 1 4.Wire Analog Voice Grade Loop - Zone 1 4.Wire Analog Voice Grade Loop - Zone 2 4.Wire Analog Voice Grade Loop - Zone 2 4.Wire Analog Voice Grade Loop - Zone 1 4.Wire Analog Voice Grade Loop - Zone 2 3.NTCVG 3.NTCVG 4.Wire Analog Voice Grade Loop - Zone 2 4.Wire DS1 Digital Loop - Zone 1 4.Wir													
2. Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2 2. Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3 3. NTCVG 2. Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1 2. Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1 2. Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2 2. Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3 3. NTCVG 2. Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3 3. NTCVG 3. Switch-As-Is Conversion rate per LINE Loop, Single LSR, (per DS0) 3. NTCVG 3. Switch-As-Is Conversion Tale per LINE Loop, Spreadsheaf, (per DS0) 3. NTCVG 4. CLEC to CLEC Conversion Charge without outside dispatch 4. Loop Tagging - Service Level 2 (SL2) 4. Wire Analog Voice Grade Loop - Zone 1 4. Wire Analog Voice Grade Loop - Zone 2 4. Wire Analog Voice Grade Loop - Zone 2 4. Wire Analog Voice Grade Loop - Zone 2 4. Wire Analog Voice Grade Loop - Zone 2 4. Wire Analog Voice Grade Loop - Zone 2 4. Wire Analog Voice Grade Loop - Zone 3 5. Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0) 5. Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0) 5. Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0) 6. CLEC to CLEC Conversion Charge without outside dispatch 7. NTCVG 7. Wire DST Digital Loop - Zone 1 7. NTCVG 7. Wire DST Digital Loop - Zone 2 7. NTCVG 7. Wire DST Digital Loop - Zone 3 7. NTCVG 7. Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS1) 7. NTCD1 7. Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS1) 7. NTCD1 7. Wire DST Digital Loop - Zone 3 7. NTCD1 7. Wire DST Digital Loop - Zone 3 7. NTCD1 7. Wire DST Digital Loop - Zone 3 7. NTCD1 7. Wire DST Digital Loop - Zone 3 7. NTCD1 7. Wire DST Digital Loop - Zone 3 7. NTCD1 7. Wire DST Digital Loop - Zone 3 7. NTCD1 7. Wire DST Digital Loop - Zone 3 7. NTCD1 7	UEAL2	.	12.24	135,75	82.47	63.53	12.01					i	
Start Signaling - Zone 2 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3 3-NTCVG 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1 1-NTCVG 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3 3-NTCVG 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3 3-NTCVG 3-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3 3-NTCVG Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0) NTCVG Switch-As-Is Conversion rate per UNE Loop, Spreadsheel, (per DS0) NTCVG Switch-As-Is Conversion rate per UNE Loop, Spreadsheel, (per DS0) NTCVG Loop Tagging - Service Level 2 (SL2) 4-Wire Analog Voice Grade Loop - Zone 1 1-NTCVG 4-Wire Analog Voice Grade Loop - Zone 2 2-NTCVG 3-Wire Analog Voice Grade Loop - Zone 3 3-NTCVG Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0) NTCVG Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0) NTCVG Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0) NTCVG CLEC to CLEC Conversion Charge without outside dispatch NTCVG 4-Wire DS1 Digital Loop - Zone 2 1-Wire DS1 Digital Loop - Zone 2 1-Wire DS1 Digital Loop - Zone 3 1-NTCVG Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0) NTCVG Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0) NTCVG NTCVG 1-Wire DS1 Digital Loop - Zone 3 3-NTCVG NTCVG 1-Wire DS1 Digital Loop - Zone 3 3-NTCVG NTCVG 1-Wire DS1 Digital Loop - Zone 3 3-NTCVG 1-Wire DS1 Digital Loop - Zone	UEALZ	-	12.24	135,75	62.47	63.53	12.01						
Start Signaling - Zone 3 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1 1 NTCVG 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3 3 NTCVG 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3 3 NTCVG Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0) NTCVG Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0) NTCVG CLEC to CLEC Conversion Charge without outside dispatch Loop Tagging - Service Level 2 (SL2) NTCVG 4-WIRE ANALOG VOICE GRADE LOOP - COMMINGLING 4-Wire Analog Voice Grade Loop - Zone 1 1 NTCVG 4-Wire Analog Voice Grade Loop - Zone 2 2 NTCVG 4-Wire Analog Voice Grade Loop - Zone 3 3 NTCVG Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0) NTCVG Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0) NTCVG Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0) NTCVG CLEC to CLEC Conversion Charge without outside dispatch 4-Wire DS1 Digital Loop - Zone 1 1 NTCD1 4-Wire DS1 Digital Loop - Zone 1 1 NTCD1 4-Wire DS1 Digital Loop - Zone 1 1 NTCD1 4-Wire DS1 Digital Loop - Zone 2 2 NTCD1 4-Wire DS1	UEAL2	2	17.40	135,75	82.47	63.53	12.01						
2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3 3 NTCVG Signaling - Zone 3 3 NTCVG Signaling - Zone 3 3 NTCVG Switch-As-is Conversion rate per UNE Loop, Single LSR, (per DS0) Switch-As-is Conversion rate per UNE Loop, Spreadsheel, (per DS0) Switch-As-is Conversion Charge without outside dispatch Loop Tagging - Service Level 2 (SL2) Loop Tagging - Service Level 2 (SL2) 4-Wire Analog Voice Grade Loop - Zone 1 1 NTCVG 4-Wire Analog Voice Grade Loop - Zone 1 1 NTCVG 4-Wire Analog Voice Grade Loop - Zone 2 2 NTCVG 4-Wire Analog Voice Grade Loop - Zone 2 3 NTCVG Switch-As-is Conversion rate per UNE Loop, Single LSR, (per DS0) NTCVG Switch-As-is Conversion rate per UNE Loop, Spreadsheel, (per DS0) NTCVG CLEC to CLEC Conversion Charge without outside dispatch NTCVG 4-Wire DS1 Digital Loop - Zone 1 1 NTCVG 4-Wire DS1 Digital Loop - Zone 2 2 NTCVG 4-Wire DS1 Digital Loop - Zone 2 3 NTCVG 4-Wire DS1 Digital Loop - Zone 2 3 NTCD1 4-Wire DS1 Digital Loop - Zone 2 4-Wire DS1 Digital Loop - Zone 2 3 NTCD1 4-Wire DS1 Digital Loop - Zone 2 4-Wire DS1 Digital Loop - Zone 2 4-Wire DS1 Digital Loop - Zone 2 5 NTCD1 4-Wire DS1 Digital Loop - Zone 2 5 NTCD1 4-Wire DS1 Digital Loop - Zone 2 5 NTCD1 1 NTCD1 4-Wire LSC Conversion rate per UNE Loop, Spreadsheet, (per DS1) NTCD1 1 NTCD1 4-Wire LSC Conversion Charge without outside dispatch NTCD1 4-Wire Unburdled Digital Loop 2.4 Kbps - Zone 2 2 NTCUD 4-Wire Unburdled Digital Loop 2.4 Kbps - Zone 2 2 NTCUD 4-Wire Unburdled Digital Loop 2.4 Kbps - Zone 2 2 NTCUD 4-Wire Unburdled Digital Lo													
Signaling - Zone 1 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battary Signaling - Zone 2 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battary Signaling - Zone 3 3 NTCVG Signaling - Zone 3 3 NTCVG Switch-As-is Conversion rate per UNE Loop, Single LSR, (per DS0) NTCVG Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per DS0) NTCVG CLEC to CLEC Conversion Charge without outside dispatch NTCVG Loop Tagging - Service Level 2 (SL2) NTCVG Loop Tagging - Service Level 2 (SL2) NTCVG - Loop Tagging - Service Level 2 (SL2) - WIRE ANALOG VOICE GRADE LOOP - COMMINGLING - 4-Wire Analog Voice Grade Loop - Zone 1 - 4-Wire Analog Voice Grade Loop - Zone 2 - 4-Wire Analog Voice Grade Loop - Zone 2 - 4-Wire Analog Voice Grade Loop - Zone 3 - Switch-As-is Conversion rate per UNE Loop, Single LSR, (per DS0) NTCVG - Switch-As-is Conversion rate per UNE Loop, Single LSR, (per DS0) NTCVG - CLEC to CLEC Conversion Charge without outside dispatch - Wire DS1 Digital Loop - Zone 1 - 4-Wire DS1 Digital Loop - Zone 1 - 4-Wire DS1 Digital Loop - Zone 1 - 4-Wire DS1 Digital Loop - Zone 2 - 5-Wire Loop, Spreadsheet, (per DS1) - NTCD1 - CLEC to CLEC Conversion Charge without outside dispatch - NTCD1 - 4-Wire DS1 Digital Loop - Zone 2 - 1 NTCD1 - 4-Wire DS1 Digital Loop - Zone 2 - 2 NTCD1 - 4-Wire Unbundled Digital Loop - Zone 3 - 3 NTCD1 - 4-Wire Unbundled Digital Loop - Zone 3 - 3 NTCD1 - 4-Wire Unbundled Digital Loop - Zone 3 - 4 Wire Unbundled Digital Loop - Zone 3 - 4 Wire Unbundled Digital Loop - Zone 3 - 4 Wire Unbundled Digital Loop - Zone 3 - 4 Wire Unbundled Digital Loop - Zone 3 - 4 Wire Unbundled Digital Loop - Zone 3	UEAL2	2	30.87	135.75	82.47	63.53	12.01						
2. Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2 2. Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3 3. NTCVG Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0) NTCVG Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0) NTCVG CLEC to CLEC Conversion Charge without outside dispatch NTCVG Loop Tagging - Service Level 2 (SL2) AWIRE ANALOG VOICE GRADE LOOP - COMMINGLING 4-WIRE ANALOG VOICE GRADE LOOP - COMMINGLING 4-Wire Analog Voice Grade Loop - Zone 1 1. NTCVG 4-Wire Analog Voice Grade Loop - Zone 2 3. NTCVG 4-Wire Analog Voice Grade Loop - Zone 2 4-Wire Analog Voice Grade Loop - Zone 2 3. NTCVG 3. Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0) NTCVG Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0) NTCVG Switch-As-Is Conversion Charge without outside dispatch NTCVG 4-WIRE DS1 Digital Loop - Zone 1 1. NTCD1 4-Wire DS1 Digital Loop - Zone 1 1. NTCD1 4-Wire DS1 Digital Loop - Zone 2 2. NTCD1 4-Wire DS1 Digital Loop - Zone 2 2. NTCD1 4-Wire DS1 Digital Loop - Zone 2 2. NTCD1 4-Wire DS1 Digital Loop - Zone 3 3. NTCD1 5-Witch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS1) NTCD1 Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS1) NTCD1 Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS1) NTCD1 Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS1) NTCD1 Switch-As-Is Conversion Charge without outside dispatch NTCD1 NTCD						20.50	45.04						
Signaling - Zone 2 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battary Signaling - Zone 3 Switch - As-1s Conversion rate per UNE Loop, Single LSR, (per DS0) NTCVG Switch - As-1s Conversion rate per UNE Loop, Spreadsheet, (per DS0) NTCVG CLEC to CLEC Conversion Charge without outside dispatch NTCVG Loop Tagging - Service Level 2 (SL2) NTCVG A-Wire Analog Voice Grade Loop - Zone 1 1 NTCVG Switch-As-1s Conversion rate per UNE Loop, Spreadsheet, (per DS0) NTCVG Switch-As-1s Conversion Charge without outside dispatch NTCVG A-Wire DS1 Digital Loop - Zone 2 1 NTCD1 NTCD0	UEAR2	12	12.24	135.75	82,47	63.53	12.01		 				
2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3 Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0) NTCVG Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0) NTCVG CLEC to CLEC Conversion Charge without outside dispatch NTCVG Loop Tagging - Service Level 2 (SL2) NTCVG A-WIRE ANALOG VOICE GRADE LOOP - COMMINGLING 4-Wire Analog Voice Grade Loop - Zone 1 1 NTCVG 4-Wire Analog Voice Grade Loop - Zone 2 2 NTCVG 4-Wire Analog Voice Grade Loop - Zone 2 2 NTCVG 3 NTCVG NTCCD NTCVG NTCVG NTCVG NTCCD NTCC	UEAR2	R2	17.40	135.75	82.47	63.53	12.01						
Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0) NTCVG Switch-As-Is Conversion rate per UNE Loop, Spreadsheel, (per DS0) NTCVG CLEC to CLEC Conversion Charge without outside dispatch Loop Tagging - Service Level 2 (SL2) NTCVG 4-WIRE ANALOG VOICE GRADE LOOP - COMMINGLING 4-Wire Analog Voice Grade Loop - Zone 1 1 NTCVG 4-Wire Analog Voice Grade Loop - Zone 2 2 NTCVG 4-Wire Analog Voice Grade Loop - Zone 3 3 NTCVG Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0) NTCVG Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0) NTCVG GLEC to CLEC Conversion Charge without outside dispatch NTCVG 4-Wire DS1 Digital Loop - Zone 1 1 NTCD1 4-Wire DS1 Digital Loop - Zone 2 2 NTCD1 4-Wire DS1 Digital Loop - Zone 2 2 NTCD1 4-Wire DS1 Digital Loop - Zone 2 2 NTCD1 4-Wire DS1 Digital Loop - Zone 3 NTCD1 Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS1) NTCD1 5-Witch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS1) NTCD1 5-Witch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS1) NTCD1 5-Witch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS1) NTCD1 5-Witch-As-Is Conversion Charge without outside dispatch NTCD1 4-Wire DS1 Digital Loop - Zone 3 NTCD1 4-Wire Unbundled Digital Loop - Zone 3 NTCDD 4-Wire Unbundled Digital Loop - Zone 2 NTCDD 4-Wire Unbundled Digital Loop - Zone 3 NTCDD 4-Wire Unbundled D						1							
Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0) CLEC to CLEC Corversion Charge without outside dispatch NTCVG Loop Tagging - Service Level 2 (SL2) A-WIRE ANALOG VOICE GRADE LOOP - COMMINGLING 4 -Wire Analog Voice Grade Loop - Zone 1 1 NTCVG 4 -Wire Analog Voice Grade Loop - Zone 2 2 NTCVG 4 -Wire Analog Voice Grade Loop - Zone 3 3 NTCVG 5 - Wire Analog Voice Grade Loop - Zone 2 2 NTCVG 4 -Wire Analog Voice Grade Loop - Zone 3 3 NTCVG Switch As-Is Conversion rate per UNE Loop, Single LSR, (per DS0) NTCVG Switch As-Is Conversion rate per UNE Loop, Single LSR, (per DS0) NTCVG CLEC to CLEC Conversion Charge without outside dispatch 4 -Wire DS1 Digital Loop - Zone 1 1 NTCD1 4 -Wire DS1 Digital Loop - Zone 1 1 NTCD1 4 -Wire DS1 Digital Loop - Zone 2 2 NTCD1 4 -Wire DS1 Digital Loop - Zone 3 3 NTCD1 Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS1) NTCD1 Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS1) NTCD1 Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS1) NTCD1 Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS1) NTCD1 4 -Wire DS1 Digital Loop - Zone 2 2 NTCD1 4 -Wire Unbundled Digital Loop 2.4 Kbps - Zone 1 1 NTCD1 4 - Wire Unbundled Digital Loop 2.4 Kbps - Zone 2 2 NTCD1 4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2 2 NTCDD 4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2 2 NTCUD 4 Wire Unbundled Digital Loop 3.8 Kbps - Zone 3 3 NTCUD 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2 2 NTCUD 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2 2 NTCUD 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2 2 NTCUD 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2 2 NTCUD 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2 2 NTCUD 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2 2 NTCUD 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2 2 NTCUD 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2 2 NTCUD 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2 2 NTCUD 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2 2 NTCUD 4 Wire Unbundled	UEAR2		30.87	135,75	82.47	63.53	12.01						
CLEC to CLEC Corversion Charge without outside dispatch Loop Tagging - Service Level 2 (SL2) AVIRE ANALOG VOICE GRADE LOOP - COMMINGLING 4-Wire Analog Voice Grade Loop - Zone 1 4-Wire Analog Voice Grade Loop - Zone 2 4-Wire Analog Voice Grade Loop - Zone 3 Switch As-Is Conversion rate per UNE Loop, Single LSR, (per DS0) Switch As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0) NTCVG Switch As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0) NTCVG CLEC to CLEC Conversion Charge without outside dispatch A-Wire DS1 Digital Loop - Zone 2 4-Wire DS1 Digital Loop - Zone 2 4-Wire DS1 Digital Loop - Zone 2 4-Wire DS1 Digital Loop - Zone 2 3 NTCD1 3 NTCD1 Switch As-Is Conversion rate per UNE Loop, Single LSR, (per DS1) NTCD1 Switch As-Is Conversion rate per UNE Loop, Single LSR, (per DS1) Switch As-Is Conversion rate per UNE Loop, Single LSR, (per DS1) NTCD1 Switch As-Is Conversion rate per UNE Loop, Single LSR, (per DS1) NTCD1 Switch As-Is Conversion Charge without outside dispatch NTCD1 AWIRE 19.2, 56 OR 64 KBPS DIGIT AL GRADE LOOP - COMMINGLING 4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1 4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2 2 NTCUD 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2 3 NTCUD 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2 2 NTCUD 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2 3 NTCUD 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2 2 NTCUD 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2 3 NTCUD 4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2 2 NTCUD 4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2 2 NTCUD 4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2 3 NTCUD 4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2 2 NTCUD 4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2 3 NTCUD 4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3 3 NTCUD 4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3 3 NTCUD 4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3 3 NTCUD 4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3 3 NTCUD 4 Wire Unbundled Digital Loop	URESL			8.98	8.98	ļ							
Loop Tagging - Service Level 2 (SL2)	URESP			8,98 87,71	8.98 36.35	ļ							
### AWIRE ANALOG VOICE GRADE LOOP - COMMINGLING ### Awire Analog Voice Grade Loop - Zone 1 1 NTCVG ### Awire Analog Voice Grade Loop - Zone 2 2 NTCVG ### Awire Analog Voice Grade Loop - Zone 3 3 NTCVG ### Awire Analog Voice Grade Loop - Zone 3 3 NTCVG ### Switch-As-Is Conversion Trate per UNE Loop, Single LSR, (per DS0) NTCVG ### Switch-As-Is Conversion Trate per UNE Loop, Spradsheet, (per DS0) NTCVG #### DS1 DigTTA LOOP - COMMINGLING #### DS1 DigTTA LOOP - COMMINGLING #### DS1 DigTTA LOOP - COMMINGLING ###################################	URETL			11.21	1,10								
4-Wire Analog Voice Grade Loop - Zone 2 4-Wire Analog Voice Grade Loop - Zone 3 3 NTCVG Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0) NTCVG Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0) NTCVG CLEC to CLEC Conversion Charge without outside dispatch NTCVG 4-Wire DS1 Digital Loop - Zone 1 1 NTCD1 4-Wire DS1 Digital Loop - Zone 1 1 NTCD1 4-Wire DS1 Digital Loop - Zone 2 2 NTCD1 4-Wire DS1 Digital Loop - Zone 3 3 NTCD1 Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS1) NTCD1 Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS1) NTCD1 Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS1) NTCD1 CLEC to CLEC Conversion Charge without outside dispatch NTCD1 CLEC to CLEC Conversion Charge without outside dispatch NTCD1 4-Wire L92, 56 OR 54 KBPS DIGITAL GRADE LOOP - COMMINGLING 4-Wire Unbundled Digital Loop 2.4 Kbps - Zone 1 1 NTCUD 4-Wire Unbundled Digital Loop 2.4 Kbps - Zone 2 2 NTCUD 4-Wire Unbundled Digital Loop 2.4 Kbps - Zone 2 3 NTCUD 4-Wire Unbundled Digital Loop 2.4 Kbps - Zone 2 3 NTCUD 4-Wire Unbundled Digital Loop 4.8 Kbps - Zone 2 3 NTCUD 4-Wire Unbundled Digital Loop 4.8 Kbps - Zone 2 3 NTCUD 4-Wire Unbundled Digital Loop 4.8 Kbps - Zone 2 4-Wire Unbundled Digital Loop 4.8 Kbps - Zone 2 2 NTCUD 4-Wire Unbundled Digital Loop 4.8 Kbps - Zone 2 2 NTCUD 4-Wire Unbundled Digital Loop 4.8 Kbps - Zone 2 3 NTCUD 4-Wire Unbundled Digital Loop 4.8 Kbps - Zone 2 4-Wire Unbundled Digital Loop 4.8 Kbps - Zone 2 2 NTCUD 4-Wire Unbundled Digital Loop 4.8 Kbps - Zone 2 3 NTCUD 4-Wire Unbundled Digital Loop 4.8 Kbps - Zone 3 3 NTCUD 4-Wire Unbundled Digital Loop 4.8 Kbps - Zone 2 4-Wire Unbundled Digital Loop 4.8 Kbps - Zone 3 3 NTCUD 4-Wire Unbundled Digital Loop 4.8 Kbps - Zone 3 3 NTCUD 4-Wire Unbundled Digital Loop 4.8 Kbps - Zone 3 3 NTCUD 4-Wire Unbundled Digital Loop 4.8 Kbps - Zone 3 3 NTCUD 4-Wire Unbundled Digital Loop 4.8 Kbps - Zone 3 3 NTCUD 4-Wire Unbundled Digital Loop 4.8 Kbps - Zone 3 3 NTCUD 4-Wire Unbundled Digital Loop 4.8 Kbps - Z	- 1			*****		 							
4-Wire Analog Voice Grade Loop - Zone 3 Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0) NTCVG Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0) NTCVG CLEC to CLEC Conversion Charge without outside dispatch AWIRE DS1 Digital Loop - Zone 1 1 NTCD1 4-Wire DS1 Digital Loop - Zone 1 1 NTCD1 4-Wire DS1 Digital Loop - Zone 2 2 NTCD1 4-Wire DS1 Digital Loop - Zone 2 3 NTCD1 Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS1) Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS1) Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS1) NTCD1 CLEC to CLEC Conversion Charge without outside dispatch NTCD1 4-WIRE 19.2, 56 OR 64 KBPS DIGIT AL GRADE LOOP - COMMINGLING 4-WIRE 19.2, 56 OR 64 KBPS DIGIT AL GRADE LOOP - COMMINGLING 4-WIRE Unbundled Digital Loop 2.4 Kbps - Zone 2 1 NTCUD 4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 3 3 NTCUD 4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 3 3 NTCUD 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1 1 NTCUD 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1 1 NTCUD 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1 1 NTCUD 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2 2 NTCUD 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2 3 NTCUD 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2 2 NTCUD 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2 2 NTCUD 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2 2 NTCUD 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2 2 NTCUD 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2 2 NTCUD 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2 2 NTCUD 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2 2 NTCUD 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2 2 NTCUD 4 Wire Unbundled Digital Loop 5.6 Kbps - Zone 2 2 NTCUD 4 Wire Unbundled Digital Loop 5.6 Kbps - Zone 2 2 NTCUD 4 Wire Unbundled Digital Loop 5.6 Kbps - Zone 2 2 NTCUD 4 Wire Unbundled Digital Loop 5.6 Kbps - Zone 2 2 NTCUD 4 Wire Unbundled Digital Loop 5.6 Kbps - Zone 2 2 NTCUD 4 Wire Unbundled Digital Loop 5.6 Kbps - Zone 2 2 NTCUD 4 Wire Unbundled Digital L	UEAL4	_4	18.89	167,86	115.15	67.08	15.56						
Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0) NTCVG Switch-As-Is Conversion charge without outside dispatch AWIRE DS1 DIGIT AL LOOP - COMMINGLING A-WIRE DS1 DIGIT AL LOOP - COMMINGLING A-WIRE DS1 Digital Loop - Zone 1 1 NTCD1 4-Wire DS1 Digital Loop - Zone 2 4-Wire DS1 Digital Loop - Zone 3 Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS1) Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS1) Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS1) Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS1) CLEC to CLEC Corversion Charge without outside dispatch AWIRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP - COMMINGLING 4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1 4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 3 4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 3 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2 2 NTCUD 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2 3 NTCUD 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2 4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2 4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2 4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2 4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2 4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2 4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2 4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2 4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2 4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2 5 NTCUD 4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2 7 NTCUD 4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1 8 NTCUD 4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2 9 NTCUD 4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2 9 NTCUD 4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2 9 NTCUD 4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2 9 NTCUD 4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2 9 NTCUD 4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2 9 NTCUD 4 Wire Unbundled Digi	UEAL4		26.84	167.86	115.15	67.08	15.56						
Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0) CLEC to CLEC Conversion Charge without outside dispatch A-WIRE DS1 Digital Loop - COMMINGLING 4-WIRE DS1 Digital Loop - Zone 1 1 NTCD1 4-Wire DS1 Digital Loop - Zone 2 2 NTCD1 4-Wire DS1 Digital Loop - Zone 3 3 NTCD1 Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS1) Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS1) Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS1) Switch-As-Is Conversion charge without outside dispatch NTCD1 CLEC to CLEC Conversion Charge without outside dispatch Wire Unbundled Digital Loop 2.4 Kbps - Zone 1 4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2 2 NTCUD 4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 3 3 NTCUD 4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1 1 NTCUD 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1 1 NTCUD 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3 3 NTCUD 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3 3 NTCUD 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2 2 NTCUD 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2 3 NTCUD 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2 4 Wire Unbundled Digital Loop 5.8 Kbps - Zone 2 2 NTCUD 4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2 3 NTCUD 4 Wire Unbundled Digital 1.00 9.9 6 Kbps - Zone 2 2 NTCUD 4 Wire Unbundled Digital 1.00 9.9 6 Kbps - Zone 2 2 NTCUD 4 Wire Unbundled Digital 1.00 9.9 6 Kbps - Zone 2 2 NTCUD 4 Wire Unbundled Digital 1.00 9.9 6 Kbps - Zone 2 2 NTCUD 4 Wire Unbundled Digital 1.00 9.9 6 Kbps - Zone 2 2 NTCUD 4 Wire Unbundled Digital 1.00 9.9 6 Kbps - Zone 2 2 NTCUD 4 Wire Unbundled Digital 1.00 9.9 6 Kbps - Zone 2 2 NTCUD 4 Wire Unbundled Digital 1.00 9.9 6 Kbps - Zone 2 2 NTCUD 4 Wire Unbundled Digital 1.00 9.9 6 Kbps - Zone 2 2 NTCUD 4 Wire Unbundled Digital 1.00 9.9 6 Kbps - Zone 2 2 NTCUD 4 Wire Unbundled Digital 1.00 9.9 6 Kbps - Zone 2 2 NTCUD 4 Wire Unbundled Digital 1.00 9.9 6 Kbps - Zone	UEAL4		47.62	167.86	115.15	67.08	15.56						
CLEC to CLEC Conversion Charge without outside dispatch 4-WIRE DS1 DIGITAL LOOP - COMMINGLING 4-WIRE DS1 Digital Loop - Zone 2 4-Wire DS1 Digital Loop - Zone 2 2 NTCD1 4-Wire DS1 Digital Loop - Zone 2 3 NTCD1 5-Witch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS1) Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS1) Switch-As-Is Conversion Charge without outside dispatch CLEC to CLEC Corversion Charge without outside dispatch CLEC to CLEC Conversion Charge without outside dispatch 4-WIRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP - COMMINGLING 4-WIRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP - COMMINGLING 4-WIRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP - COMMINGLING 4-WIRE Unbundled Digital Loop 2.4 Kbps - Zone 1 4-WIRE Unbundled Digital Loop 2.4 Kbps - Zone 2 2 NTCUD 4-WIRE Unbundled Digital Loop 2.4 Kbps - Zone 3 3 NTCUD 4-WIRE Unbundled Digital Loop 4.8 Kbps - Zone 2 2 NTCUD 4-WIRE Unbundled Digital Loop 4.8 Kbps - Zone 2 3 NTCUD 4-WIRE Unbundled Digital Loop 4.8 Kbps - Zone 3 3 NTCUD 4-WIRE Unbundled Digital Loop 9.6 Kbps - Zone 1 1 NTCUD 4-WIRE Unbundled Digital Loop 9.6 Kbps - Zone 2 3 NTCUD 4-WIRE Unbundled Digital Loop 9.6 Kbps - Zone 1 4-WIRE Unbundled Digital Loop 9.6 Kbps - Zone 2 4-WIRE Unbundled Digital Loop 9.6 Kbps - Zone 2 3 NTCUD 4-WIRE Unbundled Digital Loop 9.6 Kbps - Zone 3 3 NTCUD 4-WIRE Unbundled Digital Loop 9.6 Kbps - Zone 1 4-WIRE Unbundled Digital Loop 9.6 Kbps - Zone 2 4-WIRE Unbundled Digital Loop 9.6 Kbps - Zone 3 3 NTCUD 4-WIRE Unbundled Digital Loop 9.6 Kbps - Zone 1 4-WIRE Unbundled Digital Loop 9.6 Kbps - Zone 3 3 NTCUD 4-WIRE Unbundled Digital Loop 9.6 Kbps - Zone 3 3 NTCUD 4-WIRE Unbundled Digital Loop 9.6 Kbps - Zone 3 3 NTCUD 4-WIRE Unbundled Digital Loop 9.6 Kbps - Zone 3 3 NTCUD 4-WIRE Unbundled Digital Loop 9.6 Kbps - Zone 3 3 NTCUD 4-WIRE Unbundled Digital Loop 9.6 Kbps - Zone 3 3 NTCUD 4-WIRE Unbundled Digital Loop 9.6 Kbps - Zone 3 3 NTCUD 4-WIRE Unbundled Digital Loop 9.6 Kbps - Zone 3 3 NTCUD 4-WIR	URESE			8,98 8,98	8,98 8,98	ļ							
4-WIRE DS1 DIGITAL LOOP - COMMINGUNG 4-Wire DS1 Digital Loop - Zone 1 1 NTCD1 4-Wire DS1 Digital Loop - Zone 2 2 NTCD1 4-Wire DS1 Digital Loop - Zone 3 3 NTCD1 Switch-As-1s Conversion rate per UNE Loop, Single LSR, (per DS1) NTCD1 Switch-As-1s Conversion rate per UNE Loop, Single LSR, (per DS1) NTCD1 CLEC to CLEC Conversion Charge without outside dispatch NTCD1 4-WIRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP - COMMINGLING 4-WIRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP - COMMINGLING 4-WIRE Unbundled Digital Loop 2.4 Kbps - Zone 1 1 NTCUD 4-WIRE Unbundled Digital Loop 2.4 Kbps - Zone 2 2 NTCUD 4-WIRE Unbundled Digital Loop 2.4 Kbps - Zone 3 3 NTCUD 4-WIRE Unbundled Digital Loop 4.8 Kbps - Zone 1 1 NTCUD 4-WIRE Unbundled Digital Loop 4.8 Kbps - Zone 2 2 NTCUD 4-WIRE Unbundled Digital Loop 4.8 Kbps - Zone 2 2 NTCUD 4-WIRE Unbundled Digital Loop 4.8 Kbps - Zone 3 3 NTCUD 4-WIRE Unbundled Digital Loop 4.8 Kbps - Zone 2 2 NTCUD 4-WIRE Unbundled Digital Loop 4.8 Kbps - Zone 3 3 NTCUD 4-WIRE Unbundled Digital Loop 9.6 Kbps - Zone 2 2 NTCUD 4-WIRE Unbundled Digital Loop 9.6 Kbps - Zone 2 2 NTCUD 4-WIRE Unbundled Digital Loop 9.6 Kbps - Zone 2 2 NTCUD 4-WIRE Unbundled Digital Loop 9.6 Kbps - Zone 2 2 NTCUD 4-WIRE Unbundled Digital 19.2 Kbps - Zone 2 2 NTCUD 4-WIRE Unbundled Digital 19.2 Kbps - Zone 2 2 NTCUD 4-WIRE Unbundled Digital 19.2 Kbps - Zone 2 2 NTCUD 4-WIRE Unbundled Digital 19.2 Kbps - Zone 2 2 NTCUD 4-WIRE Unbundled Digital 19.2 Kbps - Zone 2 2 NTCUD 4-WIRE Unbundled Digital 19.2 Kbps - Zone 2 2 NTCUD 4-WIRE Unbundled Digital 19.2 Kbps - Zone 3 3 NTCUD 4-WIRE Unbundled Digital 10.00 56 Kbps - Zone 2 2 NTCUD 4-WIRE Unbundled Digital 10.00 56 Kbps - Zone 3 3 NTCUD 4-WIRE Unbundled Digital 10.00 56 Kbps - Zone 3 3 NTCUD 4-WIRE Unbundled Digital 10.00 56 Kbps - Zone 3 3 NTCUD 4-WIRE Unbundled Digital 10.00 56 Kbps - Zone 3 3 NTCUD 4-WIRE Unbundled Digital 10.00 56 Kbps - Zone 3 3 NTCUD 4-WIRE Unbundled Digital 10.00 56 Kbps - Zone 3 3 NTCUD 4-WIRE Unbundled Digital 10.00 56 Kbps - Z	UREWO			87.71	36.35	 			<u> </u>				
4-Wire DS1 Digital Loop - Zone 1	- 15.50			57,71	- VIII	-							
4-Wire DS1 Digital Loop - Zone 3 Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS1) Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS1) NTCD1 Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS1) NTCD1 CLEC to CLEC Conversion Charge without outside dispatch NTCD1 4-WIRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP - COMMINGLING If It is Unbundled Digital Loop 2.4 Kbps - Zone 1 In NTCUD 4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2 NTCUD 4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 3 NTCUD 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1 NTCUD 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2 NTCUD 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2 NTCUD 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3 NTCUD 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3 NTCUD 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2 NTCUD 4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2 NTCUD 4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2 NTCUD 4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3 NTCUD 4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3 NTCUD 4 Wire Unbundled Digital 19.2 Kbps - Zone 1 NTCUD 4 Wire Unbundled Digital 19.2 Kbps - Zone 2 NTCUD 4 Wire Unbundled Digital 19.2 Kbps - Zone 2 NTCUD 4 Wire Unbundled Digital 19.2 Kbps - Zone 2 NTCUD 4 Wire Unbundled Digital 19.2 Kbps - Zone 3 NTCUD 4 Wire Unbundled Digital 19.2 Kbps - Zone 3 NTCUD 4 Wire Unbundled Digital 19.2 Kbps - Zone 2 NTCUD 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 NTCUD 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 NTCUD 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 NTCUD 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 NTCUD 5 Wire Unbundled Digital Loop 56 Kbps - Zone 3 NTCUD 7 NTCUD 8 Wire Unbundled Digital Loop 56 Kbps - Zone 3 NTCUD 9 NTCUD 1 NTCUD	USLXX	(X	70.74	313.75	181.48	61.22	13.53						
Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS1) NTCD1	USLXX		100.54	313.75	181.48	61.22	13.53						
Switch-As-Is Conversion rate per UNE Loop, Spraadsheet, (per DS1) CLEC to CLEC Conversion Charge without outside dispatch AWIRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP - COMMINGLING 4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1 4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2 2 NTCUD 4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 3 3 NTCUD 4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 3 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1 1 NTCUD 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2 2 NTCUD 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2 3 NTCUD 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3 3 NTCUD 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3 3 NTCUD 4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3 3 NTCUD 4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2 2 NTCUD 4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2 3 NTCUD 4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3 3 NTCUD 4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1 1 NTCUD 4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1 1 NTCUD 4 Wire Unbundled Digital Loop 5.6 Kbps - Zone 1 4 Wire Unbundled Digital Loop 5.6 Kbps - Zone 2 2 NTCUD 4 Wire Unbundled Digital Loop 5.6 Kbps - Zone 3 3 NTCUD 4 Wire Unbundled Digital Loop 5.6 Kbps - Zone 2 2 NTCUD 4 Wire Unbundled Digital Loop 5.6 Kbps - Zone 2 3 NTCUD 4 Wire Unbundled Digital Loop 5.6 Kbps - Zone 2 4 Wire Unbundled Digital Loop 5.6 Kbps - Zone 2 3 NTCUD 4 Wire Unbundled Digital Loop 5.6 Kbps - Zone 2 4 Wire Unbundled Digital Loop 5.6 Kbps - Zone 2 3 NTCUD 4 Wire Unbundled Digital Loop 5.6 Kbps - Zone 2 3 NTCUD 4 Wire Unbundled Digital Loop 5.6 Kbps - Zone 2 3 NTCUD 4 Wire Unbundled Digital Loop 5.6 Kbps - Zone 2 3 NTCUD 4 Wire Unbundled Digital Loop 5.6 Kbps - Zone 2 3 NTCUD 4 Wire Unbundled Digital Loop 5.6 Kbps - Zone 2 3 NTCUD 5 NtCUD	USLXX		178.39	313.75	181.48	61.22	13.53						
CLEC to CLEC Conversion Charge without outside dispatch	URESE			8,98 8,98	8,98 8.98	ļ							
4-WIRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP - COMMINGLING 4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1 1 NTCUD 4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2 2 NTCUD 4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 3 3 NTCUD 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3 3 NTCUD 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1 1 NTCUD 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2 2 NTCUD 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3 3 NTCUD 4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3 3 NTCUD 4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2 2 NTCUD 4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2 2 NTCUD 4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2 2 NTCUD 4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3 3 NTCUD 4 Wire Unbundled Digital 19.2 Kbps - Zone 3 3 NTCUD 4 Wire Unbundled Digital 19.2 Kbps - Zone 1 1 NTCUD 4 Wire Unbundled Digital 19.2 Kbps - Zone 2 2 NTCUD 4 Wire Unbundled Digital 19.2 Kbps - Zone 3 3 NTCUD 4 Wire Unbundled Digital 10.0 p 56 Kbps - Zone 3 3 NTCUD 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 2 NTCUD 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 2 NTCUD 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 2 NTCUD 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 2 NTCUD 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 2 NTCUD 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 3 NTCUD 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 2 NTCUD 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 2 NTCUD 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 3 NTCUD 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 3 NTCUD 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 3 NTCUD 5 NTCUD	UREWO			101,07	43.04								
4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1	Onewo	-		101.07	10,04	 							
4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 3 3 NTCUD	UDL2X	2X	22.20	161.56	108.85	67.08	15.58						
4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1	UDL2X		31.56	161.56	108.85	67.08	15.56						
4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2 2 NTCUD	UDL2X		55.99	161,56	108.85	67.08	15.56						
4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3 3 NTCUD	UDL4X UDL4X		22.20 31.56	161.56 161.56	108.85 108.85	67.08 67.08	15.56 15.56		 	L			
4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1 1 NTCUD 4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2 2 NTCUD 4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2 3 NTCUD 4 Wire Unbundled Digital 19.2 Kbps - Zone 3 3 NTCUD 4 Wire Unbundled Digital 19.2 Kbps - Zone 1 1 NTCUD 4 Wire Unbundled Digital 19.2 Kbps - Zone 2 2 NTCUD 4 Wire Unbundled Digital 19.2 Kbps - Zone 3 3 NTCUD 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 1 NTCUD 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 2 NTCUD 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 2 NTCUD 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 3 NTCUD 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 1 NTCUD 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 1 NTCUD 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 1 NTCUD 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 1 NTCUD 5 Wire Unbundled Digital Loop 66 Kbps - Zone 2 2 NTCUD 6 Wire Unbundled Digital Loop 66 Kbps - Zone 2 3 NTCUD 8 Wire Unbundled Digital Loop 66 Kbps - Zone 2 3 NTCUD 9 Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0) NTCUD 1 Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0) NTCUD 1 NTCUD 1 NTCUD 1 NTCUD 1 NTCUD 1 NTCUD 1 NTCUD	UDL4X		55.99	161.56	108.85	67.08	15.56	 	 				
4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2 2 NTCUD	UDL9X		22.20	161.56	108.85	67.08	15.56		t				
4 Wire Unbundled Digital 19.2 Kbps - Zone 1	UDL9X	PΧ	31.56	161.56	108.85	67.08	15.56						
4 Wire Unbundled Digital 19.2 Kbps - Zone 2 2 NTCUD 4 Wire Unbundled Digital 19.2 Kbps - Zone 3 3 NTCUD 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 1 NTCUD 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 2 NTCUD 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 2 NTCUD 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 3 NTCUD 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 3 NTCUD 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 2 NTCUD 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 3 NTCUD 5 Wire Unbundled Digital Loop 64 Kbps - Zone 2 3 NTCUD 5 Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0) 5 NTCUD 5 Witch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0) NTCUD 5 CLEC to CLEC Conversion Charge without outside dispatch	UDL9X		55.99	161,56	108.85	67.08	15.56						
4 Wire Unbundled Digital 19.2 Kbps - Zone 3 3 NTCUD 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 1 NTCUD 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 2 NTCUD 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 2 NTCUD 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 3 NTCUD 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 1 NTCUD 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 2 NTCUD 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 3 NTCUD 5 Witch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0) NTCUD Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0) NTCUD CLEC to CLEC Conversion Charge without outside dispatch NTCUD	UDL19		22.20	161,56	108.85	67.08	15.56						
4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 1 NTCUD 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 2 NTCUD 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 3 NTCUD 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 3 NTCUD 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 1 NTCUD 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 2 NTCUD 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 3 NTCUD 5 Witch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0) NTCUD Switch-As-Is Conversion rate per UNE Loop, Spradsheet, (per DS0) NTCUD CLEC to CLEC Conversion Charge without outside dispatch NTCUD	UDL19 UDL19		31.56 55.99	161.56 161.56	108.85 108.85	67.08 67.08	15.56 15.56	 	 				
4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 2 NTCUD	UDL19		22.20	161.56	108.85	67,08	15.56	 	 				
4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 3 NTCUD 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 1 NTCUD 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 2 NTCUD 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 2 NTCUD 5 Witch As-Is Conversion rate per UNE Loop, Single LSR, (per DS0) NTCUD 5 Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0) NTCUD CLEC to CLEC Conversion Charge without outside dispatch NTCUD	UDL56		31.56	161,56	108.85	67.08	15.56		 				
4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 2 NTCUD 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 3 NTCUD Switch-As-Is Conversion rate per UNE Loop, Single LSR. (por DS0) NTCUD Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0) NTCUD CLEC to CLEC Conversion Charge without outside dispatch NTCUD	UDL56	6	55.99	181.56	108.85	67.08	15.58						
4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 3 NTCUD Switch- As-Is Conversion rate per UNE Loop, Single LSR. (per DS0) NTCUD Switch-As-Is Conversion rate per UNE Loop, Spradsheet, (per DS0) NTCUD CLEC to CLEC Conversion Charge without outside dispatch NTCUD	UDL64		22.20	161.56	108.85	67.08	15.56						
Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0) NTCUD Switch-As-Is Conversion rate per UNE Loop, Spraadsheat, (per DS0) NTCUD CLEC to CLEC Conversion Charge without outside dispatch NTCUD	UDL64		31.56	161.56	108.85	67.08	15.56	ļ	ļ				
Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0) CLEC to CLEC Conversion Charge without outside dispatch NTCUD	UDL64 URESL		55.99	161.56 8.98	108.85 8.98	67.08	15.56					 	
CLEC to CLEC Conversion Charge without outside dispatch NTCUD	URESP			8.98	8.98				 		 		
NTCVG. NTCU	UREWO			102,11	49.74				 				
	D,							[
Order Coordination for Specified Conversion Time (per LSR) NTCD1 COMMINGLING	OCOSL	SL		23.02	L	<u> </u>							

NBUNDLED	NETWORK ELEMENTS - Florida												Attachment:	2 Exh B		
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc	RATES (\$)						Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	tncrementa Charge - Manual Sv Order vs. Electronic Disc Add
		ļ	ļ	·		ļ ₁	N	curring	Nonrecurring	Discount		ــــــــــــــــــــــــــــــــــــــ		Rates (\$)		Ĺ
			+	 	+	Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		 -	 	UNCVX, UNCDX,	 	 				7001		-	00.00			
				UNC1X, UNC3X,								1		}		•
		Į.	ĺ	UNCSX, U1TD1,	į.	i I						1		Ì		
ľ		ł	ł	U1TD3, U1TS1,	1	1 1		ł	1	}				1	Į,	
				UE3, UDLSX,	1											
	1			U1TVX, U1TDX, U1TUB, ULDVX,	1				1	Ì						
		1		ULDD1, ULDD3,	1											
	Commingling Authorization	l		ULDS1	CMGAU	0.00	0.00	0.00	0.00	0.00					· '	
Comr	ningled (UNE part of single bandwidth circuit)	1			1											
	Commingled VG COCI			XDV2X, NTCVG	1D1VG	1.38	6.71	4.84	0.00	0.00						
	Commingled Digital COCI			XDV6X, NTCUD	1D100	2.10	6.71	4.84	0.00	0.00						
	Commingled ISDN COCI	ļ	ļ	XDD4X	UC1CA	3.66	6.71	4.84	0.00	0.00						
	Commingled 2-wire VG Interoffice Channel Commingled 4-wire VG Interoffice Channel	ļ		XDV2X XDV6X	U1TV2 U1TV4	25.32 22.58	94,70 94,70	52.59 52.59	45.28 45.28	18.03 18.03						
	Commingled 4-wire Vol Interoffice Channel Commingled 56kbps Interoffice Channel	 	-	XDD4X	U1TD5	18.44	94.70	52.59	45.28	18.03						
	Commingled 64kbps Interoffice Channel	 		XDD4X	U1TD6	18,44	94.70	52.59	45.28	18.03						
		1		XDV2X, XDV6X,	10110	1										
	Commingled VG/DS0 Interoffice Channel Mileage	1		XDD4X	1L5XX	0.0091				j				ĺ		
	Commingled 2-wire Local Loop Zone 1			XDV2X	UEAL2	12.24	127,59	60.54	48.00	6.31						
	Commingled 2-wire Local Loop Zone 2			XDV2X	UEAL2	17,40	127.59	60.54	48.00	6.31						
	Commingled 2-wire Local Loop Zone 3 Commingled 4-wire Local Loop Zone 1	ļ	3	XDV2X	UEAL2	30.87	127.59	60.54	48.00	6.31						
	Commingled 4-wire Local Loop Zone 1 Commingled 4-wire Local Loop Zone 2		2	XDV6X	UEAL4 UEAL4	18.89 26.84	127.59 127.59	60.54	48.00 48.00	6.31						
	Commingled 4-wire Local Loop Zone 3	 	3		UEAL4	47.62	127.59	60.54	48.00	6.31						
_	Commingled 56kbps Local Loop Zone 1	 		XDD4X	UDL56	22.20	127.59	60.54	48.00	6.31						
	Commingled 56kbps Local Loop Zone 2			XDD4X	UDL56	31.56	127.59	60.54	48.00	6.31						
	Commingled 56kbps Local Loop Zone 3			XDD4X	UDL56	55.99	127.59	60.54	48.00	6.31						
	Commingled 64kbps Local Loop Zone 1			XDD4X	UDL64	22.20	127.59	60.54	48.00	6.31						
	Commingled 64kbps Local Loop Zone 2	ļ		XDD4X	UDL64	31.56	127.59	60.54	48.00	6.31						
	Commingled 64kbps Local Loop Zone 3 Commingled ISDN Local Loop Zone 1	 	3	XDD4X XDD4X	UDL64 U1L2X	55,99 19.28	127.59 127.59	60.54 60.54	48.00 48.00	6.31						ļ
	Commingled ISDN Local Loop Zone 2			XDD4X	U1L2X	27.40	127.59	60.54	48.00	6.31				· · · · · · · · · · · · · · · · · · ·		
-+-	Commingled ISDN Local Loop Zone 3	 -		XDD4X	U1L2X	48.62	127.59	60.54	48.00	6.31						
	Commingled DS1 COCI			XDH1X, NTCD1	UC1D1	13.76	6.71	4.84	0.00	0.00						
	Commingled DS1 Interoffice Channel			XDH1X	Ú1TF1	88.44	174.46	122.46	45.61	17.95						
	Commingled DS1 Interoffice Channel Mileage			XDH1X	1L5XX	0.1856										
	Commingled DS1/DS0 Channel System			XDH1X	MQ1	146.77	57.28	14.74								
	Commingled DS1 Local Loop Zone 1			XDH1X	USLXX	70.74	217.75	121.62	51.44	14.45						
	Commingled DS1 Local Loop Zone 2 Commingled DS1 Local Loop Zone 3	ļ	2	XDH1X XDH1X	USLXX	100.54 178.39	217.75 217.75	121.62 121.62	51.44 51.44	14.45 14.45						
	Commingled DS3 Local Loop	 	3	HFQC6	UE3PX	386.88	244.42	154.73	67.10	26.27						
	Commingled DS3/STS-1 Local Loop Mileage	†	—	HFQC6, HFRST	1L5ND	10.92		154.75	57.10	24.21				 		
	Commingled STS-1 Local Loop	†		HFRST	UDLS1	426.60	244,42	154.73	67.10	26,27						
	Commingled DS3/DS1 Channel System			HFQC6	MQ3	211.19	115.60	56.54	12.16	4.26						
	Commingled DS3 Interoffice Channel			HFQC6	U1TF3	1,071.00	320.00	138.20	38.60	18.81						
	Commingled DS3 Interoffice Channel Mileage			HFQC6	1L5XX	3.87										
	Commingled STS-1Interoffice Channel	L	ļ	HFRST	U1TFS	1,056.00	320.00	138.20	38.60	18.81						
	Commingled STS-1Interoffice Channel Mileage	 		HFRST	1L5XX	3.87				L						<u> </u>
	Commingled Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per Route Mile Or Fraction Thereof			HEQDL	1L5DF	26.85										
	Commingled Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per Route Mile Or Fraction Thereof			HEQDL	UDF14		751.34	193.88								