ORIGINAL

BEFORE THE FLORIDA PUBLIC SERVICE COMMISSION

In re: Application for increase in water and)
wastewater rates in Alachua, Brevard,)
Highlands, Lake, Lee, Marion, Orange, Palm)
Beach, Pasco, Polk, Putnam, Seminole,)
Sumter, Volusia, and Washington Counties)
by Aqua Utilities Florida, Inc.)
)

CITED S PH 4:50 Docket No. 060368-WS

Dated: February 6, 2007

AQUA UTILITIES FLORIDA, INC.'S NOTICE OF FILING RESPONSES TO ACCOUNTING DEFICIENCY NO. 9

Aqua Utilities Florida, Inc. ("AUF") hereby files and serves Notice that it has filed a CD ROM with its response to Deficiency No. 9 as set forth in the Deficiency Letter dated January 2, 2007 from Timothy Devlin, Director, Division of Economic Regulation, to Kenneth Hoffman, counsel for AUF.

Respectfully submitted this 6th day of February, 2007.

CMP		Kenneth A. Illoffman, Esquire
COM		Marsha E. Rule, Esquire
CTR CANCELLARIAN		Rutledge, Ecenia, Purnell & Hoffman, P.A. 215 South Monroe St., Suite 420
ECR		Tallahassee, FL 32301
GCL		850.681.6788 (telephone) 850.681.6515 (facsimile)
OPC		(2002)
ROA		ATTORNEYS FOR AQUA UTILITIES FLORIDA, INC.
SCR		,
SGA	RECEIMED & FILED	
SEC	The state of the s	ter-
OTU	EDSC-BUREAU OF RECORDS	

DOCUMENT NUMBER - CATE

CERTIFICATE OF SERVICE

I hereby certify that a true and correct copy of the foregoing Notice was served by hand delivery this 6^{th} day of February, 2007, to the following:

Florida Public Service Commission Rosanne Gervasi, Esq. Katherine E. Fleming, Esq. 2450 Shumard Oak Blvd. Tallahassee, FL 32399-0850

Office of the Public Counsel Stephen C. Reilly, Esq. c/o The Florida Legislature 111 West Madison Street, Room 812 Tallahassee, FL 32399-1400

cenneth A Hoffman

Aqua Utilities Florida Inc. Docket No. 060368-WS Accounting Deficiencies

Accounting Deficiency No. 9

Schedule B-12 – Allocation of Expenses – The utility is required to provide a schedule detailing expenses which are subject to allocation between systems (water, wastewater & gas, etc.) showing allocation percentages, gross amounts, amounts allocated, and a detailed description of the method of allocation. Also provide a description of all systems other than water and sewer.

The utility did not provide the gross amounts required.

Response:

Please see attached file "Deficiency No. 9 (B-12)" which includes revised Schedule B-12 for all systems, showing gross amounts allocated.