

State of Florida



# Public Service Commission

CAPITAL CIRCLE OFFICE CENTER • 2540 SHUMARD OAK BOULEVARD  
TALLAHASSEE, FLORIDA 32399-0850

## -M-E-M-O-R-A-N-D-U-M-

**DATE:** October 11, 2007

**TO:** Office of Commission Clerk (Cole)

**FROM:** Division of Competitive Markets & Enforcement (Hallenstein)  
Office of the General Counsel (Teitzman)

**RE:** Docket No. 000121C-TP – Investigation into the establishment of operations support systems permanent performance measures for incumbent local exchange telecommunications companies. (VERIZON FLORIDA TRACK)

**AGENDA:** 10/23/07 – Regular Agenda – Interested Persons May Participate

**COMMISSIONERS ASSIGNED:** All Commissioners

**PREHEARING OFFICER:** Carter

**CRITICAL DATES:** None

**SPECIAL INSTRUCTIONS:** None

**FILE NAME AND LOCATION:** S:\PSC\CMP\WP\000121C.RCM.DOC

RECEIVED - FPSC  
07 OCT 11 AM 11:32  
COMMISSIONER  
CLERK

### Case Background

Docket No. 000121C-TP was opened to develop a wholesale permanent performance measurement plan for Verizon Florida. The purpose of the plan is to ensure CLECs receive nondiscriminatory access to Verizon operations support systems (OSS) and to establish a standard against which CLECs and this Commission can measure performance over time to detect and correct any degradation of service provided to CLECs.

DOCUMENT NUMBER DATE

09306 OCT 11 7

FPSC-COMMISSION CLERK

By Order No. PSC-03-0761-PAA-TP, issued June 25, 2003, the Commission approved a Joint Partial Settlement Agreement (the stipulation) between Verizon and CLECs to adopt wholesale permanent performance measures in Florida. Verizon's Florida Performance Measurement Plan, filed in Docket 00021C-TP, is based on Verizon's California performance measurement plan and is the result of the stipulation entered into by parties to FPSC Docket No. 000121C-TP. The stipulation further identifies a process for the flow through of changes ordered by the California Public Utilities Commission to the measures in effect in Florida.

Accordingly, parties to the stipulation agreed that should the California Public Utilities Commission order additions, deletions, or modifications to Verizon's Performance Measurement Plan, the following should occur:

Not more than ten calendar days after the date of the final order of the California Public Utilities Commission, Verizon shall provide written notice of the additions, deletions, and/or modifications to the Florida Public Service Commission and to all CLECs with which it has an interconnection agreement.

Not more than 15 calendar days after the date of the written notice described in Paragraph 1, any affected party may notify the Commission and Verizon in writing of any objections to the additions, deletions, and/or modifications ordered by the California Public Utilities Commission.

If no party provides written notice of an objection within the 15-day window, then Verizon shall implement the changes to the OSS Performance Plan in Florida in accordance with the schedule established by the CPUC, and Staff shall recommend that the FPSC issue a Proposed Agency Action to adopt the changes effective as of the implementation date set forth in the CPUC Order.

If one or more parties provide written notice of an objection within the 15-day window, then the FPSC shall resolve the objection, and Verizon shall implement the FPSC's Order in accordance with the implementation date specified in that Order.

This recommendation addresses whether the Commission should approve proposed revisions to Verizon's Florida Performance Measurement Plan that were approved by the California Public Utilities Commission on September 6, 2007. The summary of the revisions and a redline version of the Plan approved by the California Public Utilities Commission are provided in Attachments 1 and 2. Verizon filed notice of the changes with the Commission on September 18, 2007. The 15-day window for parties to object to Verizon's proposed changes expired on October 3, 2007. No comments or objections were received.

### **Jurisdiction**

The Commission is vested with jurisdiction over this matter pursuant to Sections 364.01(3) and (4)(g), Florida Statutes. Pursuant to Section 364.01 (3), Florida Statutes, the Florida legislature has found that regulatory oversight is necessary for the development of fair and effective competition in the telecommunications industry. To that end, Section 364.01 (4)

Docket No. 000121C-TP

Date: October 11, 2007

(g), Florida Statutes, provides, in part, that the Commission shall exercise its exclusive jurisdiction in order to ensure that all providers of telecommunications service are treated fairly by preventing anti-competitive behavior. Furthermore, it is noted that the FCC has encouraged the states to implement performance metrics and oversight for purposes of evaluating the status of competition under the Telecommunications Act of 1996.

### Discussion of Issues

**Issue 1:** Should the Commission approve Verizon's proposed revisions to its Florida wholesale Performance Measurement Plan presented in Attachments 1 and 2?

**Recommendation:** Yes. Staff recommends that the Commission approve Verizon's Florida revisions to the Performance Measurement Plan as shown in Attachment 1 and summarized in Attachment 2. Staff further recommends that implementation of the revisions to Verizon's Florida Performance Measurement Plan becomes effective beginning with the March 2008 data month to enable simultaneous implementation of changes with Verizon's California Performance Measurement Plan. (HALLENSTEIN)

**Staff Analysis:** Verizon's current Florida Performance Measurement Plan is the result of agreed-to changes negotiated between Verizon and participating CLECs, collectively known as the Joint Parties Stipulation Agreement (JPSA). The JPSA originated in California pursuant to a California Public Utilities Commission Order instituting a rulemaking proceeding to develop a mechanism to allow for the monitoring of OSS performance. In the course of the rulemaking, parties entered into detailed negotiations to establish a set of performance measures. In January 1999, the parties filed with the California Public Utilities Commission a joint motion to approve the JPSA on Verizon's California Performance Measurement Plan. The California Public Utilities Commission issued a decision approving the JPSA in August 1999.

In May 2003, the parties to the JPSA filed a Joint Motion with the FPSC to approve the JPSA in Florida and thereby adopting a Performance Measurement Plan for Verizon Florida based on Verizon's California Performance Measurement Plan. The purpose is to have one common set of performance measures that could be applied on a like basis in each of Verizon's respective states, including Florida. Pursuant to Order No. PSC-03-0761-PAA-TP, issued June 25, 2003, the Commission approved the parties' Joint Motion.

On September 18, 2007, Verizon filed in Docket No. 000121C-TP a request to approve revisions to Verizon's Florida wholesale performance measurement plan. The revisions are based on changes to Verizon's California Performance Measurement Plan that were recently approved and ordered by the California Public Utilities Commission on September 6, 2007. The JPSA provides for ongoing reviews of Verizon's Performance Measurement Plan, allowing the parties to reflect any necessary changes based on experience and changes in the telecommunications industry.

Verizon's September 18, 2007 filing in Docket No. 000121C-TP contains the Final Order adopted by the California Public Utilities Commission, a revised edition of Verizon's Performance Measurement Plan, a redline version of the revised Performance Measurement Plan, and a summary of the redline changes.

The revisions approved in the California Public Utilities Commission's Final Order primarily fall into the following categories: (i) the adoption of a JPSA for Verizon only;<sup>1</sup> (ii) the agreement to formatting changes to match Verizon's format in several other states; and (iii) the agreement to remove unbundled network elements (UNEs) from Verizon's Performance Measurement Plan that have been delisted per the Triennial Review Order (TRO) and Triennial Review Remand Order (TRRO).

The process for implementing changes to Verizon's Florida Performance Measurement Plan is identified in the May 2003 Joint Motion approved by the FPSC. The stipulating parties agreed that Verizon shall provide written notice to the FPSC of all California ordered changes no more than 10 calendar days after receiving the California Public Utilities Commission's Final Order. Furthermore, within 15 days after the date of the written notice, any affected party must notify the FPSC and Verizon in writing of any objections to changes ordered by the California Public Utilities Commission. Verizon has complied with the ten-day window to notify the FPSC of its proposed revisions, and, to date, no objections were filed in Docket 000121C-TP.

Staff reviewed Verizon's redline version of the revised Performance Measurement Plan and agrees that the proposed changes are necessary and serve the public interest in providing non-discriminatory access to Verizon's OSS systems. Additionally, staff verified that the summary in Attachment 2 adequately reflects the changes contained in the redline version shown in Attachment 1. Staff believes the changes to Verizon's Performance Measurement Plan should be adopted in Florida.

**Conclusion:** Staff recommends that the Commission approve Verizon's Florida revisions to the Performance Measurement Plan as shown in Attachment 1 and summarized in Attachment 2. Staff further recommends that implementation of the revisions to Verizon's Florida Performance Measurement Plan becomes effective beginning with the March 2008 data month to enable simultaneous implementation of changes with Verizon's California Performance Measurement Plan.

---

<sup>1</sup> Prior to 2004, the JPSA was a single document that applied to both AT&T California (then SBC California) and Verizon, even though not all measures were used by each company and the standards developed for like measures could vary between companies. In 2004, it was agreed to have a separate JPSA for each company, because AT&T California, Verizon, and many CLECs were multi-state companies with operations in the same states.

Docket No. 000121C-TP

Date: October 11, 2007

**Issue2:** Should this docket be closed?

**Recommendation:** No. This docket should remain open for the Commission to conduct periodic reviews of Verizon's Performance Measurement Plan and to complete any initial third-party audit outlined in Order No. PSC-03-0761-PAA-TP. **(TEITZMAN)**

**Staff Analysis:** This docket should remain open for the Commission to conduct periodic reviews of Verizon's Performance Measurement Plan and to complete any initial third-party audit outlined in Order No. PSC-03-0761-PAA-TP.

# Carrier-to-Carrier Guidelines Performance Standards and Reports

## Verizon Reports

**California**  
**Proposed in Florida**  
~~**Proposed in Hawaii**~~  
**Proposed in Illinois**  
**Proposed in Indiana**  
**Proposed in North Carolina**  
**Proposed in Ohio**  
**Proposed in Oregon**  
**Proposed in Washington**

~~Filed November 30, 2004~~

Filed May 15, 2006

CA JPSA

---

# Table of Contents

**INTRODUCTION..... 6**

**EXECUTIVE SUMMARY ..... 7**

**RESERVATION OF RIGHTS ..... 11**

**GENERAL EXCLUSIONS..... 12**

**PERFORMANCE METRIC NUMBER CROSS REFERENCE TABLE ..... 13**

**PRODUCT CODES ..... 16**

**RETAIL ANALOG..... 20**

**PRE-ORDERING PERFORMANCE..... 22**

PO-1 RESPONSE TIME OSS PRE-ORDERING INTERFACE (FORMERLY PM 1).....23

    PO-1-02 Average Response Time – Due Date Availability..... 24

    PO-1-03 Average Response Time – Address Validation ..... 24

    PO-1-04 Average Response Time – Service Availability ..... 24

    PO-1-05 Average Response Time – Telephone Number Selection..... 24

    PO-1-06 Average Response Time – Mechanized Loop Qualification ..... 24

    PO-1-07 Average Response Time – CSI Request - Manual ..... 25

    PO-1-08 Average Response Time – CSI Request - Electronic ..... 25

    PO-1-09 Average Response Time – Rejected/Failed Inquiries ..... 25

    PO-1-10 Percent Timeouts ..... 25

**ORDERING PERFORMANCE ..... 26**

OR-1 FOC/LSC NOTICE TIMELINESS (ORDER CONFIRMATION TIMELINESS) (FORMERLY PM 2).....27

    OR-1-02 LSC Notice Timeliness - Flow Through ..... 28

    OR-1-04 % On Time LSC < 10 Lines (Non-Designed – No Flow Through) ..... 29

    OR-1-05 % On Time LSC < 10 Lines (Designed Services – No Flow Through) ..... 29

    OR-1-06 % On Time LSC >= 10 Lines (Non-Designed – No Flow Through)..... 29

    OR-1-07 % On Time LSC->= 10 Lines (Designed Services – No Flow Through) ..... 30

    OR-1-12 FOC Notice Timeliness..... 30

    OR-1-13 Held and Denied Interconnection Trunk Request ..... 30

OR-2 REJECT TIMELINESS (FORMERLY PM 3) .....31

    OR-2-02 Reject Timeliness – Flow Through..... 32

    OR-2-04 % On Time LSR Reject - < 10 Lines (Non-Designed – No Flow Through) ..... 33

    OR-2-05 % On Time LSR Reject - < 10 Lines (Designed – No Flow Through) ..... 33

    OR-2-06 % On Time LSR Reject - >= 10 Lines (Non-Designed – No Flow Through)..... 33

    OR-2-07 % On Time LSR Reject - >= 10 Lines (Designed – No Flow Through)..... 33

    OR-2-12 Reject Timeliness ..... 34

OR-4 COMPLETION NOTICE INTERVAL (FORMERLY PM 18).....35

    OR-4-18 Completion Notice Interval ..... 35

OR-5 PERCENTAGE OF FLOW-THROUGH ORDERS (FORMERLY PM 4).....36

    OR-5-01 % Flow Through Orders – Received Electronically..... 37

    OR-5-03 % Flow Through Orders – Currently Programmed..... 37

CA JPSA

OR-11	PERCENT MECHANIZED LINE LOSS NOTIFICATIONS (FORMERLY PM 18A)	38
OR-11-01	% Mechanized Line Loss Notifications	38
<b>PROVISIONING PERFORMANCE</b>		<b>39</b>
PR-2	AVERAGE COMPLETED INTERVAL (FORMERLY PM 7)	40
PR-2-06	Average Completed Interval – DS0	40
PR-2-07	Average Completed Interval – DS1	41
PR-2-08	Average Completed Interval – DS3	41
PR-2-09	Average Completed Interval – Total	42
PR-3	PERCENT COMPLETED WITHIN STANDARD INTERVAL (FORMERLY PM 8)	44
PR-3-12	% Completed w/in Standard Interval	44
PR-4	MISSED APPOINTMENTS (FORMERLY PM 11, PM 11A AND PM 14)	45
PR-4-01	% Due Dates Missed (formerly PM 11)	47
PR-4-02	Held Order Interval (formerly PM 14)	48
PR-4-16	Loop Acceptance Testing (LAT) Not Completed On Time (formerly PM 11A)	48
PR-5	FACILITY MISSED ORDERS (FORMERLY PM 12 AND PM 13)	49
PR-5-01	% Due Dates Missed Due to Lack of Facilities (formerly PM 12)	50
PR-5-05	Delay Order Interval to Completion Date (formerly PM 13)	51
PR-6	INSTALLATION QUALITY (FORMERLY PM 16, PM 17, PM 15, PM 15A AND PM 10)	52
PR-6-01	% Troubles in 30 days for Special Services Orders (formerly PM 16)	54
PR-6-02	% Troubles in 7 Days for Non-Special Orders (formerly PM 17)	55
PR-6-04	Provisioning Trouble Reports (formerly PM 15)	55
PR-6-05	Average Time to Restore Provisioning Troubles (formerly PM 15A)	56
PR-6-06	LNP Network Provisioning (formerly PM 10)	56
PR-7	JEOPARDY REPORTS (FORMERLY PM 5 AND PM 6)	57
PR-7-01	% Orders Jeopardized (formerly PM 5)	58
PR-7-02	Jeopardy Notices Returned by Required Interval (formerly PM 6)	59
PR-9	COORDINATED CUSTOMER CONVERSION AS A PERCENTAGE ON-TIME (FORMERLY PM 9)	60
PR-9-01	Coordinated Customer Conversion as Percentage On-Time	60
<b>MAINTENANCE PERFORMANCE</b>		<b>62</b>
MR-2	CUSTOMER TROUBLE REPORT RATE (FORMERLY PM 19)	63
MR-2-01	Customer Trouble Report Rate	64
MR-3	PERCENTAGE OF CUSTOMER TROUBLES NOT RESOLVED WITHIN ESTIMATED TIME (FORMERLY PM 20)	65
MR-3-01	% Customer Trouble not Resolved w/in Estimated Time	67
MR-4	TROUBLE DURATION INTERVALS (FORMERLY PM 21 AND PM 22)	69
MR-4-01	Average Time to Restore (formerly PM 21)	71
MR-4-08	POTS OOS < 24 Hours (formerly PM 22)	73
MR-5	FREQUENCY OF REPEAT TROUBLES IN 30 DAY PERIOD (FORMERLY PM 23)	74
MR-5-01	% Repeat Reports within 30 Days	75
<b>NETWORK PERFORMANCE</b>		<b>76</b>
NP-1	PERCENT BLOCKING ON COMMON TRUNKS (FORMERLY PM 24 AND PM 25)	77
NP-1-02	% Blocking on Common Trunks (formerly PM 24)	77
NP-1-04	% Blocking on Interconnection Trunks (formerly PM 25)	78
NP-6	NXX LOADED BY LERG EFFECTIVE DATE (FORMERLY PM 26)	79
NP-6-01	NXX Loaded by LERG Effective Date	79
<b>BILLING PERFORMANCE</b>		<b>80</b>
BI-1	USAGE TIMELINESS (FORMERLY PM 28)	81
BI-1-05	Usage Timeliness	81
BI-1-06	Usage Timeliness - % DUF within 6 Days	81

CA JPSA

BI-2	WHOLESALE BILL TIMELINESS (FORMERLY PM 30).....	83
<i>BI-2-01</i>	<i>Wholesale Bill Timeliness</i> .....	83
BI-3	BILL ACCURACY (FORMERLY PM 34).....	84
<i>BI-3-01</i>	<i>Bill Accuracy</i> .....	84
BI-6	USAGE COMPLETENESS (FORMERLY PM 31).....	85
<i>BI-6-01</i>	<i>Usage Completeness</i> .....	85
BI-7	RECURRING CHARGE COMPLETENESS (FORMERLY PM 32).....	86
<i>BI-7-01</i>	<i>Recurring Charge Completeness</i> .....	86
BI-8	NON-RECURRING CHARGE COMPLETENESS (FORMERLY PM 33).....	87
<i>BI-8-01</i>	<i>Non-Recurring Charge Completeness</i> .....	87
<b>DATABASE UPDATE PERFORMANCE.....</b>		<b>88</b>
GE-4	E911/911 MS DATABASE UPDATE (FORMERLY PM 39).....	89
<i>GE-4-01</i>	<i>E911/911 MS Database Update</i> .....	89
<b>COLLOCATION PERFORMANCE.....</b>		<b>90</b>
NP-2	PERCENT ON TIME TO RESPOND TO A COLLOCATION REQUEST (FORMERLY PM 40 AND PM 41)).....	91
<i>NP-2-01</i>	<i>% On Time to Respond to a Collocation Request (formerly PM 40)</i> .....	92
<i>NP-2-05</i>	<i>Time to Provide a Collocation Arrangement (formerly PM 41)</i> .....	92
<b>INTERFACE PERFORMANCE .....</b>		<b>93</b>
PO-2	PERCENT OF TIME INTERFACE IS AVAILABLE (OSS INTERFACE AVAILABILITY) (FORMERLY PM 42).....	94
<i>PO-2-02</i>	<i>% of Time Interface is Available</i> .....	95
PO-3	CENTER RESPONSIVENESS (FORMERLY PM 44).....	96
<i>PO-3-02</i>	<i>Center Responsiveness - Ordering</i> .....	96
<i>PO-3-04</i>	<i>Center Responsiveness - Repair</i> .....	96
<i>PO-3-05</i>	<i>Center Responsiveness - BRC (Business Repair Center)</i> .....	96
<b>CHANGE MANAGEMENT PERFORMANCE .....</b>		<b>97</b>
PO-4	PERCENT OF TIMELY AND COMPLIANT CHANGE MANAGEMENT NOTICES (FORMERLY PM 45).....	98
<i>PO-4-01</i>	<i>% of Timely &amp; Compliant Change Management Notices</i> .....	99
<b>REPORTING PROCESS.....</b>		<b>100</b>
<b>AUDITING.....</b>		<b>101</b>
<b>REVIEW PROCEDURES .....</b>		<b>104</b>
<b>CALIFORNIA OSS OII PERFORMANCE MEASUREMENTS SERVICE ORDER TYPES.....</b>		<b>105</b>
<b>DEFINITION OF TERMS.....</b>		<b>106</b>
<b>GLOSSARY OF ACRONYMS .....</b>		<b>112</b>
<b>JEOPARDY MISSED APPOINTMENT CODES.....</b>		<b>114</b>
<b>DISPOSITION CODES.....</b>		<b>115</b>
<b>IMPLEMENTATION SCHEDULE .....</b>		<b>116</b>

## CA JPSA

---

**Introduction**

---

On October 9, 1997, the Commission issued an order instituting a rulemaking proceeding and investigation (hereinafter, the "OSS OII") to accomplish several goals, including the determination of reasonable standards of OSS performance for Pacific and GTE, the development of a mechanism that will allow the Commission to monitor improvements in OSS performance, and the assessment of the best and fastest method of ensuring compliance if standards are not met, or improvement is not shown<sup>1</sup>.

Pursuant to the Commission's issuance of the OSS OII, the Settling Parties entered into lengthy and detailed negotiations to establish a set of performance measures consistent with the Commission's stated goals.<sup>1</sup> The Settling Parties filed a Joint Motion for approval of the JPSA on January 7, 1999, and filed motions on the remaining open issues on January 8, 1999. The Commission issued a decision approving the original JPSA and resolving most of the remaining open issues on August 5, 1999. D.99-08-020.

The JPSA, as originally approved by the Commission in August 1999, called for periodic reviews. Numerous meetings were held between the ILECs and CLECs to negotiate and resolve issues that have arisen over the past year. This iteration of the JPSA is a direct result of those collaborative sessions.

The Commission staff has strongly encouraged CLECs and ILECs to stipulate to a resolution in this proceeding. This partial settlement agreement represents such a stipulation by the parties. This partial settlement report addresses the following:

- the performance measurements
- the formulas for the same
- the levels of disaggregation
- the analogs for the service group types (a level of disaggregation)
- other analogs and the benchmarks
- auditing and reporting
- review procedures

---

<sup>1</sup> A full history of the parties' negotiations and the basis for the development of the measures and standards contained in the JPSA is set forth in the Settling Parties' Joint Motion filed in this docket on January 7, 1999, and is incorporated by reference herein.

---

 Executive Summary
 

---

**Performance Measures Development Process**

The Telecommunications Act of 1996 and the FCC's implementing rules require Verizon to provide CLECs with nondiscriminatory access to OSS. In the August 1996 Local Competition First Report and Order, the FCC commented, generally, that ILECs must provide CLECs with access to the pre-ordering, ordering, provisioning, billing, repair, and maintenance OSS sub-functions pursuant to the Act such that CLECs are able to perform such OSS sub-functions in "substantially the same time and manner" as the ILECs can for themselves<sup>2</sup>. The FCC's 271 decisions have analyzed the nondiscriminatory access requirements of §251(c) to a Bell Operating Company's (BOC's) §271 application, and clarified that for those OSS subfunctions with retail analogs, a BOC "must provide access to competing carriers that is equal to the level of access that the BOC provides to itself, its customers or its affiliates, in terms of quality, accuracy and timeliness."<sup>3</sup> The FCC further clarified that for those OSS functions with no retail analog, a BOC must offer access sufficient to allow an efficient competitor "a meaningful opportunity to compete."<sup>4</sup>

Initially, some of the interconnection agreements contained performance measures. In late 1997, the California Public Utilities Commission (CPUC) initiated OSS OII/OIR Docket 97-10-016 and 97-10-017 to address monitoring the performance of Operations Support Systems (OSS). The three stated goals of the Commission's OSS/OII proceeding are:

- "to determine reasonable standards of performance for Pacific Bell (Pacific) and GTE California Incorporated (GTEC) in their Operations Support Systems (OSS),

---

<sup>2</sup> See, Implementation of the Local Competition Provisions in the Telecommunications Act of 1996, CC Docket No. 96-98, First Report and Order, 11 FCC Rcd 15499, 15763-64 [¶518] (1996) ("Local Competition First Report and Order"), aff'd in part and vacated in part sub nom. Competitive Telecommunications Ass'n v. FCC, 117 F.3d 1068 (8th Cir. 1997) and Iowa Utilities Bd. v. FCC, 120 F.3d 753 (8th Cir. 1997), modified on reh'g, No. 96-3321 (Oct. 14, 1997) (Rehearing Order), petition for cert. granted, 118 S. Ct. 879 (1998).

<sup>3</sup> See *In the Matter of Application by Bell Atlantic New York for Authorization Under Section 271 of the Communications Act to Provide In-Region, InterLATA Service in the State of New York*, CC Docket No.99-295. See also, *In the Matter of Application of Ameritech Michigan Pursuant to Section 271 of the Communications Act of 1934, as amended, To Provide In-Region, InterLATA Services In Michigan*, Memorandum Opinion and Order, 12 FCC Rcd 20543, 20618-19 [¶139] (1997) (*Ameritech Michigan Order*), writ of mandamus issued sub nom. *Iowa Utils. Bd. v. FCC*, No. 96-3321 (8th Cir. Jan. 22, 1998). ("*Ameritech Opinion*"); see also, *In the Matter of Application of Bellsouth Corporation, et al., for Provision of In-Region, InterLATA services in Louisiana* ("*BellSouth (Louisiana II) Opinion*") CC Docket No. 98-121, FCC 98-271 (10-13-98), paragraph 87 (citing, *Ameritech Opinion* at 12 FCC Rcd 20618-19). See also, *Ameritech Opinion* at ¶131, wherein the FCC makes the following statement regarding application of the §251(c) requirements to a BOC's §271 application:

"Because the duty to provide access to network elements under section 251(c)(3) and the duty to provide resale services under section 251(c)(4) include the duty to provide nondiscriminatory access to OSS functions, an examination of a BOC's OSS performance is necessary to evaluate compliance with section 271(c)(2)(B)(ii) and (xiv)."

<sup>4</sup> See *In the Matter of Application by Bell Atlantic New York for Authorization Under Section 271 of the Communications Act to Provide In-Region, InterLATA Service in the State of New York*, CC Docket No.99-295. See also, *Ameritech Opinion* at 12 FCC Rcd at 20619 [¶141]; See also, *BellSouth (Louisiana II) Opinion* at ¶87 (citing *Ameritech Opinion* at 12 FCC Rcd at 20619).

## CA JPSA

- 
- to develop a mechanism that will allow the Commission to monitor improvements in the performance of OSS, and
  - to assess the best and fastest method of ensuring compliance if standards are not met or improvement is not shown. A subset of the third goal will be to provide appropriate compliance incentives under Section 271 of the Telecommunications Act of 1996, which applies solely to Pacific for the prompt achievement of OSS improvements.”<sup>5</sup>

The scope of the proceeding included measures, reporting, comparative analogs, benchmarks, statistical tests, audits and incentives. This report is not intended to address statistical tests and incentives.

### Major Categories

Measurements developed to help assess the provision of non-discriminatory access to OSS and other services, elements or functions were combined into the following broad categories:

- **Pre-Ordering**

Pre-ordering activities relate to the exchange of information between the ILEC and the CLEC regarding current or proposed customer products and services, or any other information required to initiate ordering of service. Pre-ordering encompasses the critical information needed to submit a provisioning order from the CLEC to the ILEC. The pre-order measurement reports the timeliness with which pre-order inquiries are returned to CLECs by the ILEC. Pre-ordering query types include:

- Address Verification/Dispatch Required
- Request for Telephone Number
- Request for Customer Service Record
- Service Availability
- Service Appointment Scheduling (due date)
- Loop Qualification
- PIC
- Facility Availability
- Rejected/Failed Inquiries

- **Ordering**

Ordering activities include the exchange of information between the ILEC and the CLEC regarding requests for service. Ordering includes: (1) the submittal of the service request from the CLEC, (2) rejection of any service request with errors and (3) confirmation that a valid service request has been received and a due date for the request assigned. Ordering performance measurements report on the timeliness with which these various activities are completed by the ILEC. Also captured within this category is reporting on the number of CLEC service requests that automatically generate a service order in the ILECs' service order creation system.

---

<sup>5</sup> Order Instituting Rulemaking on the Commission's Own Motion into Monitoring Performance of Operations Support Systems (R.97-10-016), and Order Instituting Investigation on the Commission's Own Motion into Monitoring Performance of Operations Support Systems (I.97-10-017), October 9, 1997.

---

---

CA JPSA

---

---

- **Provisioning**

Provisioning is the set of activities required to install, change or disconnect a customer's service. It includes the functions to establish or condition physical facilities as well as the completion of any required software translations to define the feature functionality of the service. Provisioning also involves communication between the CLEC and the ILEC on the status of a service order, including any delay in meeting the commitment date and the time at which actual completion of service installation has occurred. Measurements in this category evaluate the quality of service installations, the efficiency of the installation process and the timeliness of notifications to the CLEC that installation is completed or has been delayed.

- **Maintenance**

Maintenance involves the repair and restoral of customer service. Maintenance functions include the exchange of information between the ILEC and CLEC related to service repair requests, the processing of trouble ticket requests by the ILEC, actual service restoral and tracking of maintenance history. Maintenance measures track the timeliness with which trouble requests are handled by the ILEC and the effectiveness and quality of the service restoral process.

- **Network Performance**

Network performance involves the level at which the ILEC provides services and facilitates call processing within its network. The ILEC also has the responsibility to complete network upgrades efficiently. Network performance is evaluated on the quality of interconnection and the timeliness of network upgrades (code openings) the ILEC completes on behalf of the CLEC.

- **Billing**

Billing involves the exchange of information necessary for CLECs to bill their customers, to process the end user's claims and adjustments, to verify the ILEC's bill for services provided to the CLEC and to allow CLECs to bill for access. Billing measures have been designed to gauge the quality, timeliness and overall effectiveness of the ILEC billing processes associated with CLEC customers.

- **Collocation**

ILECs are required to provide to CLECs available space as required by law to allow the installation of CLEC equipment. Performance measures in this category assess the timeliness with which the ILEC handles the CLEC's request for collocation as well as how timely the collocation arrangement is provided.

- **Data Base Updates**

Database updates for directory assistance/listings and E911 include the processes by which these systems are updated with customer information, which has changed due to the service provisioning activity. Measurements in this category are designed to evaluate the timeliness and accuracy with which changes to customer information, as submitted to these databases, are completed by the ILEC.

- **Interfaces**

CA JPSA

---

ILECs provide the CLECs with choices for access to OSS pre-ordering, ordering, maintenance and repair systems. Availability of the interfaces is fundamental to the CLEC being able to effectively do business with the ILEC. Additionally, in many instances, CLEC personnel must work with the service personnel of the ILEC. Measurements in this category assess the availability to the CLECs of systems and personnel at the ILEC work centers.

**Auditing and Review Procedures**

The parties have agreed to the procedures for auditing and review. Descriptions of these procedures ~~can be found in Sections III and IV~~ are provided in the Auditing or Review Procedures chapter.

*Note: This Executive Summary is intended to provide a general background regarding parties' negotiations of the OSS performance measures. The statements contained in the Executive Summary are not intended to be legally binding on the parties and shall not be used for such purposes.*

CA JPSA

---

## Reservation of Rights

These reservations of rights do not negate the parties agreement regarding performance measures and standards as reflected in this settlement agreement.

Incorporating the performance measures into the interconnection agreements raises several complex issues. The Commission has indicated it will rule on this matter in a subsequent decision.

### ILECs

By agreeing to the performance measures contained in the Joint Partial Settlement Agreement, ILECs:

- do not make any admission regarding the propriety or reasonableness of establishing performance penalties;
- reserve the right to contest the level of disaggregation for purpose of assessing penalties;
- reserve the right to contend that any resulting penalties should be viewed as liquidated damages and as the exclusive remedy for any failure of performance; and,
- do not admit that an apparent less-than-parity condition reflects discriminatory treatment without further factual analysis.

### CLECs

- By executing this Agreement, CLECs do not agree with, endorse, or otherwise concur in the terms of ILECs' reservation of rights.
- CLECs reserve the right to contend that ILEC compliance with the performance measures and standards in the Agreement does not conclusively demonstrate ILEC compliance with the Telecommunications Act of 1996.
- CLECs reserve the right to contend that ILEC compliance with the performance measures and standards does not conclusively demonstrate the existence of an open competitive local market.

CA JPSA

---

---

General Exclusions

**Test IDs/Transactions.**

Test IDs are excluded from all Carrier to Carrier metric calculations. Any test transactions not submitted in connection with the pre-ordering, ordering, provisioning or maintenance of actual customers are excluded from the metrics.

**Verizon Affiliate Reporting**

Verizon affiliate reporting (including Data Services Network Operations (DSNO) formerly known as VADI) is always excluded from CLEC aggregate data for all metrics.

**Internally generated LSRs/ASRs and Service Orders**

Internally Generated LSRs/ASRs are excluded from the Ordering metrics.

Internally Generated Service Orders are excluded from the Provisioning metrics.

**Unbundled Network Elements (UNE)**

Except for Billing measures BI-2, BI-3, BI-6, BI-7 and BI-8, UNE products do not include Wholesale Advantage (formerly UNE-P) or Line Sharing transactions.

## CA JPSA

## Performance Metric Number Cross Reference Table

<u>New Measure #</u>	<u>Old Measure #</u>	<u>DOMAIN/MEASURE</u>
		<b><u>PRE-ORDERING</u></b>
PO-1	1	Response Time OSS Pre-Ordering Interface
		<b><u>ORDERING</u></b>
OR-1	2	FOC/LSC Notice Timeliness (Order Confirmation Timeliness)
OR-2	3	Reject Timeliness
OR-5	4	Percentage of Flow Through Orders
		<b><u>PROVISIONING</u></b>
PR-7-01	5	Percentage of Orders Jeopardized
PR-7-02	6	Jeopardy Notices Returned by Required Interval
PR-2	7	Average Completed Interval
PR-3	8	Percent Completed within Standard Interval
PR-9	9	Coordinated Customer Conversion
PR-6-06	10	LNP Network Provisioning
PR-4-01	11	Percent of Due Dates Missed
PR-4-16	11A	Loop Acceptance Testing (LAT) Not Completed On Time
PR-5-01	12	Percent Due Dates Missed Due to Lack of Facilities
PR-5-05	13	Delay Order Interval to Completion Date
PR-4-02	14	Held Order Interval
PR-6-04	15	Provisioning Trouble Reports
PR-6-05	15A	Average Time to Restore Provisioning Troubles
PR-6-01	16	Percentage Troubles in 30 Days for Special Services Orders
PR-6-02	17	Percent Troubles in 7 days for Non-Special Orders
OR-4-18	18	Completion Notice Interval
OR-11	18A	Percent Mechanized Line Loss Notifications
		<b><u>MAINTENANCE</u></b>
MR-2	19	Customer Trouble Report Rate
MR-3	20	Percent of Customer Trouble not Resolved within Estimated Time
MR-4-01	21	Average Time to Restore
MR-4-08	22	POTS Out of Service less than 24 Hours
MR-5	23	Frequency of Repeat Troubles in 30 day period
		<b><u>NETWORK PERFORMANCE</u></b>
NP-1-02	24	Percent Blocking on Common Trunks
NP-1-04	25	Percent Blocking on Interconnection Trunks
NP-6	26	NXX Loaded by LERG Effective Date
-	27	<i>Measure Deleted</i>
		<b><u>BILLING</u></b>
BI-1	28	Usage Timeliness
-	29	<i>Measure Deleted</i>
BI-2	30	Wholesale Bill Timeliness
BI-6	31	Usage Completeness
BI-7	32	Recurring Charge Completeness
BI-8	33	Non-Recurring Charge Completeness
BI-3	34	Bill Accuracy
-	35	Timeliness of Billing Completion Notices – SBC/California Only
-	36	<i>Measure Deleted</i>
		<b><u>DATABASE UPDATES</u></b>
-	37	Database Update Interval (SBC/California Only)

## CA JPSA

<u>New Measure #</u>	<u>Old Measure #</u>	<u>DOMAIN/MEASURE</u>
-	38	Percent Database Accuracy (SBC/California Only)
GE-4	39	E911/911 MS Database Update
<b><i>COLLOCATION</i></b>		
NP-2	40	Percent On Time to Respond to a Collocation Request
NP-2-05	41	Time to Provide a Collocation Arrangement
<b><i>INTERFACES</i></b>		
PO-2	42	Percent of Time Interface is Available (OSS Interface Availability)
-	43	<i>Measure Deleted</i>
PO-3	44	Center Responsiveness
<b><i>CHANGE MANAGEMENT</i></b>		
PO-4	45	Percent of Timely and Compliant Change Management Notices

NOTES:

~~1. Not all measures apply to both ILECs.~~

1. These performance measures are not intended to create, modify or otherwise affect parties' rights and obligations. The existence of any particular performance measure, or the language describing that measure, is not evidence that the CLECs are entitled to any particular manner of access, that these measures relate solely to access to OSS, or is it evidence that the ILEC's obligations are limited to providing any particular manner of access. The parties' rights and obligations to such access are defined elsewhere, including the relevant laws, FCC and CPUC decisions/regulations, tariffs, and interconnection agreements.
2. Details regarding implementation schedules for new measures are ~~documented in Section VIII (Implementation Schedules)~~ provided in Implementation Schedule chapter.

## CA JPSA

Product Codes

<b>Sub-Code</b>	<b>Wholesale Product</b>
<b>1000</b>	<b>Resale and UNE combined</b>
1030	Standalone Directory Listings
1050	Resale and UNE Combined - Billing Usage Charges
1060	Resale and UNE Combined - Billing Recurring Charges
1070	Resale and UNE Combined - Billing Non-Recurring Charges
1400	Resale, UNE and Interconnection Facilities combined
<b>2000</b>	<b>Resale</b>
2006	Resale Local Usage
2007	Resale Toll Usage
2110	Resale POTS - Business
2111	Resale POTS - Business Dispatch
2112	Resale POTS - Business No Dispatch
2120	Resale POTS - Residence
2121	Resale POTS - Residence Dispatch
2122	Resale POTS - Residence No Dispatch
<b>2200</b>	<b>Resale Specials</b>
2201	Resale Specials - Dispatch
2202	Resale Specials - No Dispatch
<b>3000</b>	<b>UNE</b>
3052	UNE IntraLATA and InterLATA combined Usage
3112	UNE POTS - Loop
3121	UNE POTS - Other
3140	UNE Platform - POTS
3141	UNE Platform - POTS Dispatch
3144	UNE Platform - POTS Business
3145	UNE Platform - POTS Residence
3146	UNE Platform - Specials
3148	UNE Platform - Access
3149	UNE Platform - Local
3151	UNE Platform - Specials Dispatch
3152	UNE Platform - Specials No Dispatch
3158	UNE Platform - POTS - No Dispatch
<b>3200</b>	<b>UNE Specials</b>
3220	UNE Loop Designed
3221	UNE Loop Designed DS0
3222	UNE Loop Designed DS1
3223	UNE Loop Designed DS1 and above
3224	UNE Loop Designed DS3 and above
3235	UNE Loop Designed - DS0 - Dispatch
3236	UNE Loop Designed - DS0 - No Dispatch
3237	UNE Loop Designed - DS1 - Dispatch
3238	UNE Loop Designed - DS1 - No Dispatch
3239	UNE Loop Designed - DS3 and above - Dispatch
3240	UNE Loop Designed - DS3 and above - No Dispatch
3241	UNE Loop Designed - DS1 and above - Dispatch
3242	UNE Loop Designed - DS1 and above - No Dispatch
<b>3300</b>	<b>UNE Complex</b>
3342	UNE Loop xDSL Capable
3343	UNE Line Sharing
3348	UNE Loop xDSL Capable - Dispatch

## CA JPSA

<b>Sub-Code</b>	<b>Wholesale Product</b>
3349	<u>UNE Loop xDSL Capable – No Dispatch</u>
3350	<u>UNE Loop DSL Capable</u>
3351	<u>UNE Loop DSL Capable – Dispatch</u>
3352	<u>UNE Loop DSL Capable – No Dispatch</u>
3361	<u>UNE Line Sharing – Conditioned</u>
3362	<u>UNE Line Sharing – Non Conditioned</u>
3365	<u>UNE Line Sharing – Non Conditioned – No Dispatch</u>
3367	<u>UNE Line Sharing – Non Conditioned – Dispatch</u>
3368	<u>UNE Line Sharing – Conditioned – No Dispatch</u>
3369	<u>UNE Line Sharing – Conditioned – Dispatch</u>
3381	<u>UNE Loop xDSL Capable – Conditioned – Dispatch</u>
3382	<u>UNE Loop xDSL Capable – Conditioned – No Dispatch</u>
3383	<u>UNE Loop xDSL Capable – Non Conditioned – Dispatch</u>
3384	<u>UNE Loop xDSL Capable – Non Conditioned – No Dispatch</u>
<b>3500</b>	<b><u>Additional UNE Services</u></b>
3513	<u>UNE EEL – DS0 New</u>
3514	<u>UNE EEL – DS0 Conversion</u>
3515	<u>UNE EEL – DS1 New</u>
3516	<u>UNE EEL – DS1 Conversion</u>
3517	<u>UNE EEL – DS3 and above New</u>
3518	<u>UNE EEL – DS3 and above Conversion</u>
3520	<u>UNE Loop Coordinated Hot Cut – Basic</u>
3521	<u>UNE Loop Coordinated Hot Cut – Dispatch</u>
3523	<u>UNE Loop Coordinated Hot Cut – Large Job</u>
3524	<u>UNE Loop Coordinated Hot Cut – No Dispatch</u>
3525	<u>UNE Loop Batch Hot Cut</u>
3526	<u>UNE Loop Batch Hot Cut – Dispatch</u>
3527	<u>UNE Loop Batch Hot Cut – No Dispatch</u>
3540	<u>LNP</u>
3541	<u>LNP – Dispatch</u>
3542	<u>LNP – No Dispatch</u>
3555	<u>UNE Loop Non-Designed</u>
3559	<u>UNE EEL – DS0 – New – Dispatch</u>
3561	<u>UNE EEL – DS3 and above (New &amp; Conversion)</u>
3562	<u>UNE EEL – DS0 (New &amp; Conversion)</u>
3563	<u>UNE EEL – DS1 (New &amp; Conversion)</u>
3564	<u>UNE EEL – DS1 and below (New &amp; Conversion)</u>
3565	<u>UNE EEL – DS0 – New – No Dispatch</u>
3566	<u>UNE EEL – DS0 – Conversion – Dispatch</u>
3567	<u>UNE EEL – DS0 – Conversion – No Dispatch</u>
3568	<u>UNE EEL – DS1 – New – Dispatch</u>
3569	<u>UNE EEL – DS1 – New – No Dispatch</u>
3570	<u>UNE Subloop</u>
3571	<u>UNE Loop Non-Design Dispatch</u>
3572	<u>UNE Loop Non-Design No Dispatch</u>
3574	<u>UNE EEL DS1 Conversion – Dispatch</u>
3575	<u>UNE EEL DS1 Conversion – No Dispatch</u>
3576	<u>UNE EEL DS3 and above – New – Dispatch</u>
3577	<u>UNE EEL DS3 and above – New – No Dispatch</u>
3578	<u>UNE EEL DS3 and above – Conversion – Dispatch</u>
3579	<u>UNE EEL DS3 and above – Conversion – No Dispatch</u>

## CA JPSA

<b>Sub-Code</b>	<b>Wholesale Product</b>
3581	UNE Subloop – Dispatch
3582	UNE Subloop – No Dispatch
3583	UNE EEL DS0 – New and Conversion – Dispatch
3584	UNE EEL DS0 – New and Conversion – No Dispatch
3585	UNE EEL DS1 – New and Conversion – Dispatch
3586	UNE EEL DS1 – New and Conversion – No Dispatch
3587	UNE EEL DS3 and above –New and Conversion - Dispatch
3588	UNE EEL DS3 and above – New and Conversion - No Dispatch
3603	UNE Transport – DS0
3604	UNE Transport – DS1
3605	UNE Transport – DS1 and below
3606	UNE Transport – DS3 and above
3607	UNE Transport – DS1 and below – Dispatch
3608	UNE Transport – DS1 and below – No Dispatch
3609	UNE Transport – DS3 and above – Dispatch
3610	UNE Transport – DS3 and above – No Dispatch
3611	UNE Transport – DS0 – Dispatch
3612	UNE Transport – DS0 – No Dispatch
3613	UNE Transport – DS1 – Dispatch
3614	UNE Transport – DS1 – No Dispatch
3650	UNE Transport/EEL Projects
3700	Dark Fiber
3701	Dark Fiber – Dispatch
3702	Dark Fiber – No Dispatch
<b>5000</b>	<b>CLEC Trunks/Interconnection Facilities</b>
5001	Interconnection Trunks – Dispatch
5002	Interconnection Trunks – No Dispatch
5003	Interconnection Trunks - Not out of Service
5004	Interconnection Trunks – Out of Service
5005	Interconnection Trunks – Out of Service - Dispatch
5006	Interconnection Trunks – Out of Service – No Dispatch
5007	Interconnection Trunks – Not Out of Service – Dispatch
5008	Interconnection Trunks – Not Out of Service – No Dispatch
5050	Facilities/Interconnection Billing Non-Recurring Charges
5051	Facilities/Interconnection Billing Recurring Charges
5052	Facilities/Interconnection Billing Usage Charges
5090	Jointly Provided Switched Access
5100	Interconnection Trunks – ILEC to CLEC end office
5200	Interconnection Trunks – ILEC tandem to CLEC end office
5300	Common and Shared Trunk Groups
5350	IC Trunk Projects
<b>6000</b>	<b>Systems Metrics</b>
6010	WPTS
6020	EDI
6030	CORBA
6070	Electronic
6071	Other/Manual
6072	WISE
6085	LSI
6090	EDI/CORBA combined
6660	Change Notification & Confirmation – Industry Standard, Verizon Originated and TC

CA JPSA

<b>Sub-Code</b>	<b>Wholesale Product</b>
	<u>Originated</u>
<b>6700</b>	<b><u>Collocation</u></b>
6701	<u>Collocation – New applications</u>
6702	<u>Collocation – Augment applications</u>
6703	<u>Collocation – Physical - All</u>
<b>7000</b>	<b><u>NXX Codes</u></b>
7001	<u>NXX Codes – Dispatch</u>
7002	<u>NXX Codes – No Dispatch</u>

## CA JPSA

## Retail Analog

The table below illustrates the retail compare group for the Provisioning and Maintenance metrics.

<b>Provisioning metrics -</b>	<b>Wholesale Service</b>	<b>Retail Analog</b>
<u>ALL where parity is standard</u>	<u>Resale POTS – Residence</u>	<u>Retail POTS – Residence</u>
	<u>Resale POTS – Business</u>	<u>Retail POTS – Business</u>
	<u>Resale Specials</u>	<u>Retail Specials</u>
	<u>UNE Loop Non-designed</u>	<u>B1 Dispatched Non-designed</u>
	<u>UNE Loop Designed –DS0</u>	<u>DS0 Service</u>
	<u>UNE Loop Designed – DS1</u>	<u>DS1 Service</u>
	<u>UNE Loop Designed – DS1 and above</u>	<u>DS1 and above</u>
	<u>UNE Loop Designed – DS3 and above</u>	<u>DS3 and above service</u>
	<u>UNE Loop xDSL capable</u>	<u>Retail ISDN BRI</u>
	<u>UNE Loop xDSL capable – Conditioned</u>	<u>Retail ISDN BRI</u>
	<u>UNE Loop xDSL capable – Non Conditioned</u>	<u>Retail ISDN BRI</u>
	<u>UNE Loop IDSL capable</u>	<u>Retail ISDN BRI</u>
	<u>UNE Transport – DS0</u>	<u>DS0 Service</u>
	<u>UNE Transport – DS1</u>	<u>DS1 Service</u>
	<u>UNE Transport – DS1 and below</u>	<u>DS1 and below service</u>
	<u>UNE Transport – DS3 and above</u>	<u>DS3 and above service</u>
	<u>UNE Platform – POTS</u>	<u>Retail POTS</u>
	<u>UNE Platform – Specials</u>	<u>Retail Specials</u>
	<u>Interconnection Trunks</u>	<u>ILEC Dedicated Trunks</u>
	<u>Linesharing – Conditioned</u>	<u>Retail Linesharing – Conditioned</u>
	<u>Linesharing – Non Conditioned</u>	<u>Retail Linesharing – Non Conditioned</u>
	<u>Linesharing – Non Conditioned, Non-Dispatched</u>	<u>Retail Linesharing – Non Conditioned, Non-Dispatched</u>
	<u>LNP</u>	<u>Retail POTS – Total Business &amp; Residence, Non-Dispatched</u>
	<u>EEL (New and Conversions) – DS0</u>	<u>DS0 Service</u>
	<u>EEL (New and Conversions) – DS1</u>	<u>DS1 Service</u>
	<u>EEL (New and Conversions) – DS3 and above</u>	<u>DS3 and above service</u>
	<u>EEL DS0 – New</u>	<u>DS0 new orders</u>
	<u>EEL DS0 – Conversion</u>	<u>DS0 change orders</u>
	<u>EEL DS1 – New</u>	<u>DS1 new orders</u>
	<u>EEL DS1 – Conversion</u>	<u>DS1 change orders</u>
	<u>EEL DS3 and above – New</u>	<u>DS3 and above new orders</u>
	<u>EEL DS3 and above - Conversion</u>	<u>DS3 and above change orders</u>
	<u>UNE – Coordinated Hot Cut</u>	<u>Retail POTS New Line Orders</u>

## CA JPSA

<b>Provisioning metrics -</b>	<b>Wholesale Service</b>	<b>Retail Analog</b>
	UNE – Batch Hot Cut	Retail POTS New Line Orders

<b>Maintenance metrics:</b>	<b>Wholesale Service</b>	<b>Retail Analog</b>
ALL where parity is standard	Resale POTS – Residence	Retail POTS – Residence
	Resale POTS – Business	Retail POTS – Business
	Resale Specials	Retail Specials
	UNE Loop Non-designed	Retail POTS Residence and Business Dispatched
	UNE Loop Designed - DS0	DS0
	UNE Loop Designed – DS1 and above	DS1 and above
	UNE Loop xDSL capable	Retail ISDN BRI
	UNE Loop IDSL capable	Retail ISDN BRI
	UNE Transport – DS1 and below	DS1 and below service
	UNE Transport – DS3 and above	DS3 and above service
	UNE Platform – POTS	Retail POTS-
	UNE Platform – Specials	Retail Specials
	LNP	Retail POTS – Total Business and Residence Non Dispatched
	Linesharing – Conditioned	Retail Linesharing – Conditioned
	Linesharing – Non Conditioned	Retail Linesharing – Non Conditioned
	EEL - DS0	DS0 Service
	EEL – DS1	DS1 Service
	EEL – DS3 and above	DS3 and above service

CA JPSA

---

---

Pre-Ordering Performance

<b>Function:</b>
<b>PO-1 Response Time OSS Pre-Ordering Interface (formerly PM 1)</b>
<b>Definition:</b>
<p>This measure captures the response interval for each pre-ordering query. It is determined by computing the elapsed time from the ILEC receipt of the query from the CLEC, whether or not syntactically correct, to the time the ILEC returns the requested data to the CLEC.</p> <ul style="list-style-type: none"> <li>• Address Verification/Dispatch Required</li> <li>• Request for Telephone Number</li> <li>• Request for Customer Service Inquiry (Mechanized and Manual)</li> <li>• Service Availability</li> <li>• Service Appointment Scheduling (due date)</li> <li>• Rejected/Failed inquires</li> <li>• Timeouts (included in query interval and also reported separately on a diagnostic basis)</li> <li>• Loop qualification <ul style="list-style-type: none"> <li>○ Loop Qual (Mechanized)</li> </ul> </li> </ul> <p><u>Business Rules:</u></p> <ul style="list-style-type: none"> <li>• Pre-order query transaction time intervals are measured as total transaction time.</li> <li>• Fully electronic pre-order query response times will be measured for the WISE and CORBA systems.</li> <li>• Excludes non-business days.</li> <li>• Elapsed time for fully electronic sub-measures tracked during published system hours.</li> <li>• Mechanized Loop Qualification is measured in seconds.</li> <li>• Verizon does not report <del>Legacy-Retail</del> System Transaction Time for rejected/failed inquiries.</li> <li>• Pre-Order Query Transaction Time will be reported and tracked diagnostically for rejected/failed inquiries.</li> <li>• Time-outs – A time-out is a query for which the requested information or an error message is not provided within 60 seconds.</li> <li>• <u>Verizon Retail data is based on COFEE data.</u></li> </ul> <p><u>Notes:</u></p> <ul style="list-style-type: none"> <li>• The numerator and denominator of the sub-measures in this measure capture all queries completed in the reporting period.</li> <li>• Verizon will supply all available loop qualification data, however Verizon will not support manual engineering query for loop qualification.</li> <li>• The additional 5 seconds for mechanized preorder queries (other than mech. Loop Qual) allow for variations in functionality and additional security requirements of the interface.</li> <li>• Timeouts will be included in the query interval and also will be reported diagnostically until next Performance Measurement Review. Based on reported time out data, a determination will be made regarding whether to exclude time outs.</li> <li>• Products are reported by query type and by interface type, including fax.</li> <li>• <u>The published system hours can be found on the following URL:</u> <a href="http://www22.verizon.com/wholesale/clecsupport/content/1,,wise-wise_apps-wise_availability.00.html">http://www22.verizon.com/wholesale/clecsupport/content/1,,wise-wise_apps-wise_availability.00.html</a></li> </ul> <p><b>Exclusions:</b></p> <ul style="list-style-type: none"> <li>• CSI requests (both manual and mechanized) for greater than 30 working telephone numbers.</li> <li>• Rejected manual requests</li> <li>• Any transaction, where the batch transmission from a CLEC includes greater than 200 items in a single transmission. "Batch transmission" means a <u>group of orders that are 'batched' together and sent in a single transmission</u><del>simultaneous, not serial transmission of all orders in a group</del> to the gateway.</li> <li>• Any test transactions not submitted in connection with the pre-ordering, ordering, provisioning or maintenance of actual customers.</li> <li>• <u>Electronic pre-order query response times that originate outside the published system hours.</u></li> </ul>

## CA JPSA

<b>Performance Standard:</b>		
<b>Mechanized Standard:</b>		
PO-1-02 through PO-1-05: <del>Legacy Retail</del> Time + not more than 5 seconds		
PO-1-08: 95% w/in 20 seconds		
PO-1-09 and PO-1-10: No standard. Reported diagnostically.		
<b>Manual CSIs</b>		
PO-1-07: 95% w/in 8 business hours		
<b>Mechanized Loop Qualification</b>		
PO-1-06: 95% w/in 60 seconds		
<b>Formula:</b>		
<b>Mechanized:</b>		
Sum ((Query Response Date and Time) – (Query Submission Date and Time)) / (Number of Queries Returned in Reporting Period)		
<b>Loop Qualification Transaction Time:</b>		
Total Queries Returned Within Specified Interval / (Number of Queries Returned in Reporting Period) x 100		
<b>Timeouts:</b>		
(Number of transactions that timeout/ Total number of transactions) x100		
<b>Manual CSIs:</b>		
Total Manual CSIs Returned Within Specified Interval / (Number of CSIs Returned) x 100		
<b>Report Dimensions:</b>		
<b>Company:</b>	<b>Geography:</b>	
<ul style="list-style-type: none"> <li>• CLEC Aggregate</li> <li>• CLEC Specific</li> <li>• ILEC (if analog applies)</li> <li>• ILEC Affiliate</li> </ul>	<ul style="list-style-type: none"> <li>• Statewide</li> </ul>	
<b>Products</b>	<ul style="list-style-type: none"> <li>• Electronically Received/Electronically Handled</li> </ul>	
<b>Sub-Metrics -</b>		
<b>PO-1-02 Average Response Time – Due Date Availability</b>		
<b>Calculation</b>	<b>Numerator</b>	<b>Denominator</b>
	Sum of all response times for Due Date (DD) Availability.	Number of DD Availability transactions.
<b>PO-1-03 Average Response Time – Address Validation</b>		
<b>Calculation</b>	<b>Numerator</b>	<b>Denominator</b>
	Sum of all response times for Address Validation.	Number of Address Validation transactions.
<b>PO-1-04 Average Response Time – Service Availability</b>		
<b>Calculation</b>	<b>Numerator</b>	<b>Denominator</b>
	Sum of all response times for Service Availability.	Number of Service availability transactions.
<b>PO-1-05 Average Response Time – Telephone Number Selection</b>		
<b>Calculation</b>	<b>Numerator</b>	<b>Denominator</b>
	Sum of all response times for Telephone Number Selection.	Number of Telephone Number Selection transactions.
<b>PO-1-06 Average Response Time – Mechanized Loop Qualification</b>		
<b>Products</b>	<ul style="list-style-type: none"> <li>• EDI/CORBA</li> <li>• WISE</li> </ul>	

CA JPSA

<b>Calculation</b>	<b>Numerator</b>	<b>Denominator</b>
	Total queries for mechanized loop qualification returned within specified interval.	Number of Mechanized Loop Qualification queries returned.
<b>PO-1-07</b>	<b>Average Response Time – CSI Request - Manual</b>	
<b>Products</b>	<ul style="list-style-type: none"> <li>Manual CSIs</li> </ul>	
<b>Calculation</b>	<b>Numerator</b>	<b>Denominator</b>
	Total manual CSIs returned within specified interval.	Number of manual CSI queries returned.
<b>PO-1-08</b>	<b>Average Response Time – CSI Request - Electronic</b>	
<b>Products</b>	<ul style="list-style-type: none"> <li>EDI/CORBA</li> <li>WISE</li> </ul>	
<b>Calculation</b>	<b>Numerator</b>	<b>Denominator</b>
	Sum of all response times for a CSI request submitted via WISE.	Number of CSI transactions submitted via WISE.
<b>PO-1-09</b>	<b>Average Response Time – Rejected/Failed Inquiries</b>	
<b>Products</b>	<ul style="list-style-type: none"> <li>Electronically Received/Electronically Handled</li> </ul>	
<b>Calculation</b>	<b>Numerator</b>	<b>Denominator</b>
	Sum of all response times for Parsed CSR transactions.	Number of rejected/failed queries.
<b>PO-1-10</b>	<b>Percent Timeouts</b>	
<b>Products</b>	<ul style="list-style-type: none"> <li>Timeouts</li> </ul>	
<b>Calculation</b>	<b>Numerator</b>	<b>Denominator</b>
	Number of transactions that timeout.	Total number of transactions.

CA JPSA

---

## Ordering Performance

<b>Function:</b>
<b>OR-1 FOC/LSC Notice Timeliness (Order Confirmation Timeliness) (formerly PM 2)</b>
<b>Definition:</b>
Percentage of valid service requests confirmed within the agreed upon timeframes as specified in the <u>Measurable Performance Standards</u> .
<b>Business Rules:</b>
For manually handled request:
<ul style="list-style-type: none"> <li>• Business day is defined as Monday through Friday, excluding weekends and Verizon published holidays. Business day hours and holidays are published on the Verizon web site.</li> <li>• The start time for requests received after the end of the day Friday, or end of day preceding a holiday, business day will be the beginning of the next business day.</li> <li>• Elapsed time for fully electronic sub-measures is tracked during system hours.</li> <li>• For LSR driven order activity, CLECs can order an unlimited number of lines or orders without the lines or orders being treated as a project. However, should the CLEC designate their order activity as a project or request other project-type special handling, the results are excluded from this measure.</li> <li>• For ASR driven order activity (including interconnection trunks, dedicated transport and EELs), CLECs can order an unlimited number of lines/trunks or orders without the lines/trunks or orders being treated as a project. However, should the CLEC designate their order activity as a project or request other project-type special handling, the project standards noted above will apply.</li> <li>• Elapsed time calculated in hours or days.</li> <li>• For PONs that the CLEC designates as related (RPONs) only, RPONs which are not provided confirmation until all RPONs are received, the FOC/LSC time stamp used for receipt of all these RPONs will be the date/time of the last RPON received. The FOC/LSC returned date/time would be the actual returned date/time of each RPON.</li> </ul>
<b>Notes:</b>
<ul style="list-style-type: none"> <li>• Excluded data will be made available upon request through the raw data/excluded data process.</li> <li>• Reported by service group type and flow through and non-flow through (<del>Stand Alone Directory Listings included</del>)</li> </ul>
<b>Exclusions:</b>
<ul style="list-style-type: none"> <li>• Non – business days.</li> <li>• Delays caused for customer reasons.</li> <li>• Any transaction, where the batch transmission from a CLEC includes greater than 200 items in a single transmission.</li> <li>• Non stand-alone records for Directory Assistance/Directory Listing.</li> <li>• Test CLECs.</li> <li>• LSR orders identified by CLEC as a project or where the CLEC has requested other project-type special handling.</li> <li>• Affiliate data will be excluded from all CLEC aggregate performance (in all measures).</li> <li>• Any test transactions not submitted in connection with the pre-ordering, ordering, provisioning or maintenance of actual customers.</li> </ul>
<b>Performance Standard:</b>

CA JPSA

95% on time (except as noted):

**Fully Electronic/Flow Through:**

- Standard – <=2 system hours

**Resale POTS/UNE (non-designed) < 10 lines**

- Standard – <= 24 clock hours

**Resale POTS/UNE (non-designed) >= 10 lines**

- Standard –<= 48 clock hours

**Resale Specials / UNE designed Services < 10 lines**

- Standard – <=24 clock hours

**Resale Specials / UNE designed Services >= 10 lines**

- Standard –<= 48 clock hours

**UNE Transport/ EELs**

**DS1 and below**

- Standard - <= 24 clock hours

**DS3 and above**

- Standard – 90% <= 72 clock hours

**Interconnection Trunks**

- Standard -<= 5 business days

**Projects:**

- UNE Transport/EELs - Standard -90% w/in 72 hours
- IC trunk projects - 95% w/in 10 business days

**Interconnection Trunk Requests:**

**Held and Denied – Average Interval**

- Standard – Average 13 days

**Subloop and Dark Fiber:** No standard. Reported diagnostically.

**Report Dimensions:**

**Company:**

- CLEC Aggregate
- CLEC Specific
- ILEC (if analog applies)
- ILEC Affiliate

**Geography:**

- Statewide

**Sub-Metrics –**

**OR-1-02 LSC Notice Timeliness - Flow Through**

**Products**

- Stand Alone Directory Listings
- Resale POTS- Residence
- Resale POTS-Business
- Resale Specials
- ~~UNE Platform – POTS~~
- ~~UNE Platform – Specials~~
- UNE Loop Non-designed
- UNE Loop Designed
- UNE Loop xDSL Capable
- UNE Loop IDSL Capable
- ~~UNE Line Sharing – Conditioned~~
- ~~UNE Line Sharing – Non-Conditioned~~
- LNP
- UNE Subloop (Diagnostic)
- ~~UNE Port~~

**Calculation**

**Numerator**

**Denominator**

CA JPSA

	Number of LSCs where the sent date/time minus the received date/time is less than or equal to the standard for specified products	Number of LSCs where a LSC was sent for those specified products
<b>OR-1-04 % On Time LSC &lt; 10 Lines (Non-Designed – No Flow Through)</b>		
<b>Products</b>	<ul style="list-style-type: none"> <li>• <u>Stand Alone Directory Listings</u></li> <li>• Resale POTS- Residence</li> <li>• Resale POTS-Business</li> <li>• <del>UNE Platform – POTS</del></li> <li>• UNE Loop Non-designed</li> <li>• UNE Loop xDSL Capable</li> <li>• UNE Loop IDSL Capable</li> <li>• <del>UNE Line Sharing – Conditioned</del></li> <li>• <del>UNE Line Sharing – Non-Conditioned</del></li> <li>• LNP</li> <li>• UNE Subloop (Diagnostic)</li> <li>• <del>UNE Port</del></li> </ul>	
<b>Calculation</b>	<b>Numerator</b>	<b>Denominator</b>
	Number of LSCs where the sent date/time minus the received date/time is less than or equal to the standard for specified products	Number of LSCs where a LSC was sent for those specified products
<b>OR-1-05 % On Time LSC &lt; 10 Lines (Designed Services – No Flow Through)</b>		
<b>Products</b>	<ul style="list-style-type: none"> <li>• Resale Specials</li> <li>• <del>UNE Platform – Specials</del></li> <li>• UNE Loop Designed</li> <li>• UNE Loop IDSL Capable</li> <li>• UNE Subloop (Diagnostic)</li> </ul>	
<b>Calculation</b>	<b>Numerator</b>	<b>Denominator</b>
	Number of LSCs where the sent date/time minus the received date/time is less than or equal to the standard for specified products	Number of LSCs where a LSC was sent for those specified products
<b>OR-1-06 % On Time LSC &gt;= 10 Lines (Non-Designed – No Flow Through)</b>		
<b>Products</b>	<ul style="list-style-type: none"> <li>• <u>Stand Alone Directory Listings</u></li> <li>• Resale POTS- Residence</li> <li>• Resale POTS-Business</li> <li>• <del>UNE Platform – POTS</del></li> <li>• UNE Loop Non-designed</li> <li>• UNE Loop xDSL Capable</li> <li>• UNE Loop IDSL Capable</li> <li>• <del>UNE Line Sharing – Conditioned</del></li> <li>• <del>UNE Line Sharing – Non-Conditioned</del></li> <li>• LNP</li> <li>• UNE Subloop (Diagnostic)</li> <li>• <del>UNE Port</del></li> </ul>	
<b>Calculation</b>	<b>Numerator</b>	<b>Denominator</b>
	Number of LSCs where the sent date/time minus the received date/time is less than or equal to the standard for specified products	Number of LSCs where a LSC was sent for those specified products

## CA JPSA

<b>OR-1-07 % On Time LSC-&gt;= 10 Lines (Designed Services – No Flow Through)</b>		
<b>Products</b>	<ul style="list-style-type: none"> <li>• Resale Specials</li> <li>• UNE Platform—Specials</li> <li>• UNE Loop Designed</li> <li>• UNE Loop IDSL Capable</li> <li>• UNE Subloop (Diagnostic)</li> </ul>	
<b>Calculation</b>	<b>Numerator</b>	<b>Denominator</b>
	Number of LSCs where the sent date/time minus the received date/time is less than or equal to the standard for specified products	Number of LSCs where a LSC was sent for those specified products
<b>OR-1-12 FOC Notice Timeliness</b>		
<b>Products</b>	<ul style="list-style-type: none"> <li>• UNE EELs               <ul style="list-style-type: none"> <li>• DS1 and below</li> <li>• DS3 and above</li> </ul> </li> <li>• Dark Fiber (Diagnostic)</li> <li>• UNE Transport               <ul style="list-style-type: none"> <li>• DS1 and below</li> <li>• DS3 and above</li> </ul> </li> <li>• Interconnection Trunks</li> <li>• Projects               <ul style="list-style-type: none"> <li>• Interconnection Trunks</li> <li>• UNE Transport/EEL</li> </ul> </li> </ul>	
<b>Calculation</b>	<b>Numerator</b>	<b>Denominator</b>
	Number of FOCs where the sent date/time minus the received date/time is less than or equal to the standard for specified products	Number of FOCs where a FOC was sent for those specified products
<b>OR-1-13 Held and Denied Interconnection Trunk Request</b>		
<b>Products</b>	<ul style="list-style-type: none"> <li>• Interconnection Trunks</li> </ul>	
<b>Calculation</b>	<b>Numerator</b>	<b>Denominator</b>
	Sum of date request is released minus date request is originally received	Number of requests held and released

## CA JPSA

<b>Function:</b>
<b>OR-2 Reject Timeliness (formerly PM 3)</b>
<b>Definition:</b>
The percentage of orders rejected within the agreed-upon timeframes as specified in the <u>Measurable Performance Standards</u>
<b>Business Rules:</b>
<ul style="list-style-type: none"> <li>• Elapsed time for fully electronic sub-measures tracked during system hours</li> <li>• For manually handled requests:</li> <li>• Calculation of requests received after the end of the business day starts at the beginning of the next business day. Business day is defined as published hours of operation for the ILEC.</li> <li>• Business day hours and holidays are published on the Verizon web site.</li> <li>• The start time for requests received after the end of Friday, or end of day preceding a holiday, business day will be the beginning of the next business day.</li> <li>• For LSR driven order activity, CLECs can order an unlimited number of lines or orders without the lines or orders being treated as a project. However, should the CLEC designate their order activity as a project or request other project-type special handling, the results are excluded from this measure.</li> <li>• For ASR driven order activity (including interconnection trunks, dedicated transport and EELs), CLECs can order an unlimited number of lines/trunks or orders without the lines/trunks or orders being treated as a project. However, should the CLEC designate their order activity as a project or request other project-type special handling, the project standards noted above will apply.</li> <li>• For PONs that the CLEC designates as related (RPNs) only, RPNs which are not provided confirmation until all RPNs are received, the FOC/LSC time stamp used for receipt of all these RPNs will be the date/time of the last RPN received. The Reject returned date/time will be the actual returned date/time of each RPN.</li> <li>• Elapsed time calculated in hours.</li> </ul>
<b>Notes:</b>
<ul style="list-style-type: none"> <li>• Excluded data will be made available upon request through the raw data/excluded data process.</li> <li>• Reported by flow through and non-flow through.</li> </ul>
<b>Exclusions:</b>
<ul style="list-style-type: none"> <li>• Non – business days.</li> <li>• Delays caused for customer reasons.</li> <li>• Any transaction, where the batch transmission from a CLEC includes greater than 200 items in a single transmission.</li> <li>• Non stand-alone records for Directory Assistance/Directory Listing.</li> <li>• Test CLECs.</li> <li>• Affiliate data will be excluded from all CLEC aggregate performance (in all measures).</li> <li>• Any test transactions not submitted in connection with the pre-ordering, ordering, provisioning or maintenance of actual customers.</li> <li>• LSR orders identified by CLEC as a project or where the CLEC has requested other project-type special handling.</li> </ul>
<b>Performance Standard:</b>

CA JPSA

<p><b>95% on time (except as noted):</b></p> <p><b>Fully Electronic/Flow Through:</b></p> <ul style="list-style-type: none"> <li>• Standard – &lt;=2 system hours</li> </ul> <p><b>Resale POTS/UNE (non-designed) &lt; 10 lines – No Flow Through</b></p> <ul style="list-style-type: none"> <li>• Standard – &lt;= 24 clock hours</li> </ul> <p><b>Resale POTS/UNE (non-designed) &gt;= 10 lines – No Flow Through</b></p> <ul style="list-style-type: none"> <li>• Standard –&lt;= 48 clock hours</li> </ul> <p><b>Resale Specials / UNE designed Services &lt; 10 lines – No Flow Through</b></p> <ul style="list-style-type: none"> <li>• Standard – &lt;=24 clock hours</li> </ul> <p><b>Resale Specials / UNE designed Services &gt;= 10 lines – No Flow Through</b></p> <ul style="list-style-type: none"> <li>• Standard –&lt;= 48 clock hours</li> </ul> <p><b>UNE Transport/ EELs</b></p> <p><b>DS1 and below</b></p> <ul style="list-style-type: none"> <li>• Standard - &lt;= 24 clock hours</li> </ul> <p><b>DS3 and above</b></p> <ul style="list-style-type: none"> <li>• Standard – 90% &lt;= 72 clock hours</li> </ul> <p><b>Interconnection Trunks</b></p> <ul style="list-style-type: none"> <li>• Standard -&lt;= 5 business days</li> </ul> <p><b>Projects:</b></p> <ul style="list-style-type: none"> <li>• UNE Transport/EELs - 90% &lt;= 72 hours</li> <li>• All IC trunk projects - 95% w/in 10 business days</li> </ul> <p><b>Subloop and Dark Fiber:</b> No standard. Reported diagnostically.</p>								
<p><b>Report Dimensions:</b></p> <table border="1"> <tr> <td> <p><b>Company:</b></p> <ul style="list-style-type: none"> <li>• CLEC Aggregate</li> <li>• CLEC Specific</li> <li>• ILEC (if analog applies)</li> <li>• ILEC Affiliate</li> </ul> </td> <td> <p><b>Geography:</b></p> <ul style="list-style-type: none"> <li>• Statewide</li> </ul> </td> </tr> </table>			<p><b>Company:</b></p> <ul style="list-style-type: none"> <li>• CLEC Aggregate</li> <li>• CLEC Specific</li> <li>• ILEC (if analog applies)</li> <li>• ILEC Affiliate</li> </ul>	<p><b>Geography:</b></p> <ul style="list-style-type: none"> <li>• Statewide</li> </ul>				
<p><b>Company:</b></p> <ul style="list-style-type: none"> <li>• CLEC Aggregate</li> <li>• CLEC Specific</li> <li>• ILEC (if analog applies)</li> <li>• ILEC Affiliate</li> </ul>	<p><b>Geography:</b></p> <ul style="list-style-type: none"> <li>• Statewide</li> </ul>							
<p><b>Sub-Metrics</b></p> <p><b>OR-2-02 Reject Timeliness – Flow Through</b></p> <table border="1"> <tr> <td> <p><b>Products</b></p> </td> <td> <ul style="list-style-type: none"> <li>• Stand Alone Directory Listings</li> <li>• Resale POTS- Residence</li> <li>• Resale POTS-Business</li> <li>• Resale Specials</li> <li>• <del>UNE Platform – POTS</del></li> <li>• <del>UNE Platform – Specials</del></li> <li>• UNE Loop Non-designed</li> <li>• UNE Loop Designed</li> <li>• UNE Loop xDSL Capable</li> <li>• UNE Loop IDSL Capable</li> <li>• <del>UNE Line Sharing – Conditioned</del></li> <li>• <del>UNE Line Sharing – Non-Conditioned</del></li> <li>• LNP</li> <li>• UNE Subloop (Diagnostic)</li> <li>• <del>UNE Port</del></li> </ul> </td> </tr> <tr> <td> <p><b>Calculation</b></p> </td> <td> <table border="1"> <tr> <td> <p><b>Numerator</b></p> <p>Number of rejects sent where sent date/time is less than or equal to the standard for specified products</p> </td> <td> <p><b>Denominator</b></p> <p>Number of orders rejected for those specified products</p> </td> </tr> </table> </td> </tr> </table>			<p><b>Products</b></p>	<ul style="list-style-type: none"> <li>• Stand Alone Directory Listings</li> <li>• Resale POTS- Residence</li> <li>• Resale POTS-Business</li> <li>• Resale Specials</li> <li>• <del>UNE Platform – POTS</del></li> <li>• <del>UNE Platform – Specials</del></li> <li>• UNE Loop Non-designed</li> <li>• UNE Loop Designed</li> <li>• UNE Loop xDSL Capable</li> <li>• UNE Loop IDSL Capable</li> <li>• <del>UNE Line Sharing – Conditioned</del></li> <li>• <del>UNE Line Sharing – Non-Conditioned</del></li> <li>• LNP</li> <li>• UNE Subloop (Diagnostic)</li> <li>• <del>UNE Port</del></li> </ul>	<p><b>Calculation</b></p>	<table border="1"> <tr> <td> <p><b>Numerator</b></p> <p>Number of rejects sent where sent date/time is less than or equal to the standard for specified products</p> </td> <td> <p><b>Denominator</b></p> <p>Number of orders rejected for those specified products</p> </td> </tr> </table>	<p><b>Numerator</b></p> <p>Number of rejects sent where sent date/time is less than or equal to the standard for specified products</p>	<p><b>Denominator</b></p> <p>Number of orders rejected for those specified products</p>
<p><b>Products</b></p>	<ul style="list-style-type: none"> <li>• Stand Alone Directory Listings</li> <li>• Resale POTS- Residence</li> <li>• Resale POTS-Business</li> <li>• Resale Specials</li> <li>• <del>UNE Platform – POTS</del></li> <li>• <del>UNE Platform – Specials</del></li> <li>• UNE Loop Non-designed</li> <li>• UNE Loop Designed</li> <li>• UNE Loop xDSL Capable</li> <li>• UNE Loop IDSL Capable</li> <li>• <del>UNE Line Sharing – Conditioned</del></li> <li>• <del>UNE Line Sharing – Non-Conditioned</del></li> <li>• LNP</li> <li>• UNE Subloop (Diagnostic)</li> <li>• <del>UNE Port</del></li> </ul>							
<p><b>Calculation</b></p>	<table border="1"> <tr> <td> <p><b>Numerator</b></p> <p>Number of rejects sent where sent date/time is less than or equal to the standard for specified products</p> </td> <td> <p><b>Denominator</b></p> <p>Number of orders rejected for those specified products</p> </td> </tr> </table>	<p><b>Numerator</b></p> <p>Number of rejects sent where sent date/time is less than or equal to the standard for specified products</p>	<p><b>Denominator</b></p> <p>Number of orders rejected for those specified products</p>					
<p><b>Numerator</b></p> <p>Number of rejects sent where sent date/time is less than or equal to the standard for specified products</p>	<p><b>Denominator</b></p> <p>Number of orders rejected for those specified products</p>							

CA JPSA

<b>OR-2-04 % On Time LSR Reject - &lt; 10 Lines (Non-Designed – No Flow Through)</b>		
<b>Products</b>	<ul style="list-style-type: none"> <li>• Stand Alone Directory Listings</li> <li>• Resale POTS- Residence</li> <li>• Resale POTS-Business</li> <li>• <del>UNE Platform – POTS</del></li> <li>• UNE Loop Non-designed</li> <li>• UNE Loop xDSL Capable</li> <li>• UNE Loop IDSL Capable</li> <li>• <del>UNE Line Sharing – Conditioned</del></li> <li>• <del>UNE Line Sharing – Non-Conditioned</del></li> <li>• LNP</li> <li>• UNE Subloop (Diagnostic)</li> <li>• <del>UNE Port</del></li> </ul>	
<b>Calculation</b>	<b>Numerator</b>	<b>Denominator</b>
	Number of rejects sent where sent date/time is less than or equal to the standard for specified products	Number of orders rejected for those specified products
<b>OR-2-05 % On Time LSR Reject - &lt; 10 Lines (Designed – No Flow Through)</b>		
<b>Products</b>	<ul style="list-style-type: none"> <li>• Resale Specials</li> <li>• <del>UNE Platform – Specials</del></li> <li>• UNE Loop Designed</li> <li>• UNE Loop IDSL Capable</li> <li>• UNE Subloop (Diagnostic)</li> </ul>	
<b>Calculation</b>	<b>Numerator</b>	<b>Denominator</b>
	Number of rejects sent where sent date/time is less than or equal to the standard for specified products	Number of orders rejected for those specified products
<b>OR-2-06 % On Time LSR Reject - &gt;= 10 Lines (Non-Designed – No Flow Through)</b>		
<b>Products</b>	<ul style="list-style-type: none"> <li>• Stand Alone Directory Listings</li> <li>• Resale POTS- Residence</li> <li>• Resale POTS-Business</li> <li>• <del>UNE Platform – POTS</del></li> <li>• UNE Loop Non-designed</li> <li>• UNE Loop xDSL Capable</li> <li>• UNE Loop IDSL Capable</li> <li>• <del>UNE Line Sharing – Conditioned</del></li> <li>• <del>UNE Line Sharing – Non-Conditioned</del></li> <li>• LNP</li> <li>• UNE Subloop (Diagnostic)</li> <li>• <del>UNE Port</del></li> </ul>	
<b>Calculation</b>	<b>Numerator</b>	<b>Denominator</b>
	Number of rejects sent where sent date/time is less than or equal to the standard for specified products	Number of orders rejected for those specified products
<b>OR-2-07 % On Time LSR Reject - &gt;= 10 Lines (Designed – No Flow Through)</b>		
<b>Products</b>	<ul style="list-style-type: none"> <li>• Resale Specials</li> <li>• <del>UNE Platform – Specials</del></li> <li>• UNE Loop Designed</li> <li>• UNE Loop IDSL Capable</li> <li>• UNE Subloop (Diagnostic)</li> </ul>	
<b>Calculation</b>	<b>Numerator</b>	<b>Denominator</b>

CA JPSA

	Number of rejects sent where sent date/time is less than or equal to the standard for specified products	Number of orders rejected for those specified products
<b>OR-2-12</b>	<b>Reject Timeliness</b>	
<b>Products</b>	<ul style="list-style-type: none"> <li>• UNE EELs             <ul style="list-style-type: none"> <li>• DS1 and below</li> <li>• DS3 and above</li> </ul> </li> <li>• <del>Dark Fiber (Diagnostic)</del></li> <li>• UNE Transport             <ul style="list-style-type: none"> <li>• DS1 and below</li> <li>• DS3 and above</li> </ul> </li> <li>• Interconnection Trunks</li> <li>• Projects             <ul style="list-style-type: none"> <li>• Interconnection Trunks</li> <li>• UNE Transport/EEL</li> </ul> </li> </ul>	
<b>Calculation</b>	<b>Numerator</b>	<b>Denominator</b>
	Number of rejects sent where sent date/time is less than or equal to the standard for specified products	Number of orders rejected for those specified products

CA JPSA

<b>Function:</b>	
<b>OR-4 Completion Notice Interval (formerly PM 18)</b>	
<b>Definition:</b> Measures the percent of completion notices returned within the time specified in the measurable standard.	
<b>Business Rules:</b> <ul style="list-style-type: none"> <li>• 24-hour clock is used to measure interval for all other interfaces.</li> <li>• System hours will be used for fully electronic sub-measures</li> <li>• Will report on the industry standard Completion Notice.</li> <li>• Fully electronic represents all near "real-time" interfaces that flow through and do not include batch processing.</li> <li>• Electronic Batch represents all electronic interfaces that include some form of batch processing.</li> <li>• All other interfaces represent manual processes.</li> <li>• Electronic Batch will use the same calculation method as Fully Electronic</li> </ul>	
<b>Notes:</b> <ul style="list-style-type: none"> <li>• Completion Notices on disconnect orders are only for CLEC disconnect orders (not on ILEC retail disconnect orders, except for LNP disconnect orders)</li> <li>• Reported by all interfaces</li> </ul>	
<b>Exclusions:</b> <ul style="list-style-type: none"> <li>• Weekends and ILEC published holidays for manually handled completion notices.</li> <li>• Any test transactions not submitted in connection with the pre-ordering, ordering, provisioning or maintenance of actual customers.</li> </ul>	
<b>Performance Standard:</b>	
<b>Fully Electronic (EDI)</b> <ul style="list-style-type: none"> <li>• Standard – 95% within 1 hour</li> </ul> <b>Electronic Batch</b> <ul style="list-style-type: none"> <li>• Standard – 95% within 12 hours</li> </ul> <b>All other interfaces</b> <ul style="list-style-type: none"> <li>• Standard – 90% within 24 hours</li> </ul>	
<b>Report Dimensions:</b>	
<b>Company:</b> <ul style="list-style-type: none"> <li>• CLEC Aggregate</li> <li>• CLEC Specific</li> <li>• ILEC Affiliate</li> </ul>	<b>Geography:</b> <ul style="list-style-type: none"> <li>• Statewide</li> </ul>
<b>Sub-Metrics</b>	
<b>OR-4-18 Completion Notice Interval</b>	
<b>Products</b>	<ul style="list-style-type: none"> <li>• Fully Electronic (EDI)</li> <li>• Electronic Batch</li> <li>• Other</li> </ul>
<b>Calculation</b>	<b>Numerator</b>
	Number of completion notices returned within "X" interval
	<b>Denominator</b>
	Number of orders completed where the completion notice is returned using electronic/all other processes.

## CA JPSA

<b>Function:</b>	
<b>OR-5 Percentage of Flow-Through Orders (formerly PM 4)</b>	
<b>Definition:</b>	
Measures the percentage of valid electronically received orders processed on a flow through basis.	
<b>Business Rules:</b>	
<ul style="list-style-type: none"> <li>• All features on the order must flow through for the order to be flow-through eligible.</li> <li>• <u>Includes only confirmed LSRs.</u></li> <li>• <u>Excludes all rejected orders.</u></li> </ul>	
<b>Notes:</b>	
<ul style="list-style-type: none"> <li>• Excluded data will be made available upon request through the raw data/excluded data process. Excluded data for this measure will include flow through because the LSR is not formatted consistent flow through standards.</li> <li>• <u>System upgrade currently targeted for May 2003 to identify CLEC caused errors.</u></li> </ul>	
<b>Exclusions:</b>	
<ul style="list-style-type: none"> <li>• Orders that do not flow through, including rejected orders, due to CLEC caused errors (See notes).</li> <li>• Orders that do not flow through due to previously received pending orders.</li> <li>• Any test transactions not submitted in connection with the pre-ordering, ordering, provisioning or maintenance of actual customers.</li> <li>• Any service request not generated on an LSR.</li> </ul>	
<b>Performance Standard:</b>	
<b>Programmed to Flow Through:</b>	
<ul style="list-style-type: none"> <li>• Diagnostic through June 2003 report month</li> <li>• July through December 2003 – 90% flow through</li> <li>• January 2004 and beyond – 95% flow through</li> </ul>	
<b>Total Flow Through:</b> No standard. Reported diagnostically.	
<b>Report Dimensions:</b>	
<b>Company:</b>	<b>Geography:</b>
<ul style="list-style-type: none"> <li>• CLEC Aggregate</li> <li>• CLEC Specific</li> <li>• ILEC Affiliate</li> </ul>	<ul style="list-style-type: none"> <li>• Statewide</li> </ul>
<b>Sub-Metrics –</b>	

CA JPSA

OR-5-01 % Flow Through Orders – Received Electronically		
<b>Products</b>	<ul style="list-style-type: none"> <li>● Stand Alone Directory Listings</li> <li>● Resale POTS Residence</li> <li>● Resale POTS Business</li> <li>● Resale Specials</li> <li>● UNE Platform POTS</li> <li>● UNE Platform Specials</li> <li>● UNE Loop Non-designed</li> <li>● UNE Loop Designed</li> <li>● UNE Loop xDSL Capable</li> <li>● UNE Loop IDSL Capable</li> <li>● UNE Line Sharing</li> <li>● UNE Line Sharing Conditioned</li> <li>● UNE Line Sharing Non-Conditioned</li> <li>● LNP</li> <li>● UNE Subloop (Diagnostic)</li> <li>● UNE Port Resale</li> <li>● UNE POTS Platform</li> <li>● UNE POTS Loop</li> <li>● UNE POTS Other</li> </ul>	
<b>Calculation</b>	<b>Numerator</b>	<b>Denominator</b>
	Number of valid electronically received orders that flow-through without manual intervention.	Total number of valid electronically received orders.
OR-5-03 % Flow Through Orders – Currently Programmed		
<b>Products</b>	<ul style="list-style-type: none"> <li>● Stand Alone Directory Listings</li> <li>● Resale POTS Residence</li> <li>● Resale POTS Business</li> <li>● Resale Specials</li> <li>● UNE Platform POTS</li> <li>● UNE Platform Specials</li> <li>● UNE Loop Designed</li> <li>● UNE Loop Non-designed</li> <li>● UNE Loop xDSL Capable</li> <li>● UNE Loop IDSL capable</li> <li>● UNE Line Sharing</li> <li>● UNE Line Sharing Conditioned</li> <li>● UNE Line Sharing Non-Conditioned</li> <li>● LNP</li> <li>● UNE Subloop (Diagnostic)</li> <li>● UNE Port Resale</li> <li>● UNE POTS Platform</li> <li>● UNE POTS Loop</li> <li>● UNE POTS Other</li> </ul>	
<b>Calculation</b>	<b>Numerator</b>	<b>Denominator</b>
	Number of valid mechanized orders that qualify for flow-through and actually flow through without manual intervention for all products	Total number of electronically received orders that qualify for flow through, for all products

CA JPSA

<b>Function:</b>					
<b>OR-11 Percent Mechanized Line Loss Notifications (formerly PM 18A)</b>					
<b>Definition:</b>					
Percent Mechanized line loss notifications returned within "X" business days of the completion of work.					
<b>Business Rules:</b>					
<ul style="list-style-type: none"> <li>Days are calculated by subtracting the date the line loss notification was made available via EDI interface to the CLEC from the work completion date. The date that the last service order associated with the LSR is completed in the service order system is the work completion date. The calculation is based on full business days.</li> <li>Where CLEC access ILEC's systems using a Service Bureau Provider, the measurement of ILEC's performance shall not include Service Bureau Provider processing, availability or response time.</li> <li>Business days include Saturday.</li> <li>Implement measure in the first full report month ninety days following the Commission order. The benchmark will be effective the seventh full report month following the Commission order.</li> </ul>					
<b>Notes:</b>					
<ul style="list-style-type: none"> <li>Excluded data will be made available upon request through the raw data/excluded data process.</li> <li>Reported on a combined basis for all products for which line loss notifications are sent.</li> </ul>					
<b>Exclusions:</b>					
<ul style="list-style-type: none"> <li>CLEC caused misses and delays.</li> <li>Any test transactions not submitted in connection with the pre-ordering, ordering, provisioning or maintenance of actual customers.</li> </ul>					
<b>Performance Standard:</b>					
95% within four business days					
<b>Report Dimensions:</b>					
<b>Company:</b>	<b>Geography:</b>				
<ul style="list-style-type: none"> <li>CLEC Aggregate</li> <li>CLEC Specific</li> <li>ILEC Affiliate</li> </ul>	<ul style="list-style-type: none"> <li>Statewide</li> </ul>				
<b>Sub-Metrics –</b>					
<b>OR-11-01 % Mechanized Line Loss Notifications</b>					
<b>Products</b>	<ul style="list-style-type: none"> <li>Line Loss Notifications Sent</li> </ul>				
<b>Calculation</b>	<table border="1"> <thead> <tr> <th>Numerator</th> <th>Denominator</th> </tr> </thead> <tbody> <tr> <td>Number of mechanized line loss notifications returned to the CLEC within "X" business day(s) of work completion</td> <td>Total line loss notifications.</td> </tr> </tbody> </table>	Numerator	Denominator	Number of mechanized line loss notifications returned to the CLEC within "X" business day(s) of work completion	Total line loss notifications.
Numerator	Denominator				
Number of mechanized line loss notifications returned to the CLEC within "X" business day(s) of work completion	Total line loss notifications.				

CA JPSA

---

---

Provisioning Performance

## CA JPSA

<b>Function:</b>					
<b>PR-2 Average Completed Interval (formerly PM 7)</b>					
<b>Definition:</b>					
Average business days from receipt of valid, error-free service request to completion date in service order system for new, move, and change orders.					
<b>Business Rules:</b>					
<ul style="list-style-type: none"> <li>• <del>Verizon will not exclude projects.</del></li> <li>• Results for UNE Subloops will be tracked diagnostically.</li> <li>• <del>Results for Dark Fiber will be tracked diagnostically.</del></li> <li>• <del>Results for UNE subloop and Dark Fiber will be tracked diagnostically.</del></li> <li>• UNE Loop IDSL Capable will include IDSL and ISDN capable loops.</li> </ul>					
<b>Notes:</b>					
<ul style="list-style-type: none"> <li>• The analog for UNE Loop xDSL capable will be Retail ISDN BRI until the Verizon affiliate or separate division (following reintegration) offers a UNE Loop xDSL capable product. <del>The analog for Line Sharing will be line sharing as provided by the Verizon affiliate or separate division (following reintegration), as applicable.</del></li> <li>• Excluded data will be made available upon request through the raw data/excluded data process.</li> <li>• <del>For Interconnection trunks, current measurable standard for Verizon at parity to be reviewed and benchmarks considered at next performance review.</del></li> <li>• Reported by service group type and field work/no field work where applicable.</li> </ul>					
<b>Exclusions:</b>					
<ul style="list-style-type: none"> <li>• Customer requested due dates beyond interval offered.</li> <li>• Orders delayed for customer reasons.</li> <li>• For UNE Loop services, feature-only orders are excluded from retail analog.</li> <li>• Record only and ILEC official orders.</li> <li>• Services for which due date is negotiated, i. e. DS3, OC level</li> <li>• Any test transactions not submitted in connection with the pre-ordering, ordering, provisioning or maintenance of actual customers.</li> <li>• Projects.</li> </ul>					
<b>Performance Standard:</b>					
Parity with Retail					
Subloop and Dark Fiber: No Standard. Reported diagnostically.					
<b>Report Dimensions:</b>					
<b>Company:</b>	<b>Geography:</b>				
<ul style="list-style-type: none"> <li>• CLEC Aggregate</li> <li>• CLEC Specific</li> <li>• ILEC (if analog applies)</li> <li>• ILEC Affiliate</li> </ul>	<ul style="list-style-type: none"> <li>• Statewide</li> </ul>				
<b>Sub-Metrics –</b>					
<b>PR-2-06 Average Completed Interval – DS0</b>					
<b>Products</b>	<ul style="list-style-type: none"> <li>• UNE Loop Designed – DS0 - Dispatch</li> <li>• UNE Loop Designed – DS0 – No Dispatch</li> </ul>				
<b>Calculation</b>	<table border="1" style="width: 100%;"> <thead> <tr> <th style="width: 50%; text-align: center;">Numerator</th> <th style="width: 50%; text-align: center;">Denominator</th> </tr> </thead> <tbody> <tr> <td>Sum of Business days from receipt of valid, error-free service request to completion date in service order system for New, Move and Change orders</td> <td>Total New, Move and Change orders Completed in the Reporting Period</td> </tr> </tbody> </table>	Numerator	Denominator	Sum of Business days from receipt of valid, error-free service request to completion date in service order system for New, Move and Change orders	Total New, Move and Change orders Completed in the Reporting Period
Numerator	Denominator				
Sum of Business days from receipt of valid, error-free service request to completion date in service order system for New, Move and Change orders	Total New, Move and Change orders Completed in the Reporting Period				

CA JPSA

<b>PR-2-07 Average Completed Interval – DS1</b>		
<b>Products</b>	<ul style="list-style-type: none"> <li>• UNE Loop Designed – DS1 – Dispatch</li> <li>• UNE Loop Designed – DS1 – No Dispatch</li> </ul>	
<b>Calculation</b>	<b>Numerator</b>	<b>Denominator</b>
	Sum of Business days from receipt of valid, error-free service request to completion date in service order system for New, Move and Change orders	Total New, Move and Change orders Completed in the Reporting Period
<b>PR-2-08 Average Completed Interval – DS3</b>		
<b>Products</b>	<ul style="list-style-type: none"> <li>• UNE Loop Designed – DS3 and above – Dispatch</li> <li>• UNE Loop Designed – DS3 and above – No Dispatch</li> </ul>	
<b>Calculation</b>	<b>Numerator</b>	<b>Denominator</b>
	Sum of Business days from receipt of valid, error-free service request to completion date in service order system for New, Move and Change orders	Total New, Move and Change orders Completed in the Reporting Period

CA JPSA

PR-2-09 Average Completed Interval – Total			
<b>Products</b>	<ul style="list-style-type: none"> <li>• Resale POTS – Business Dispatch</li> <li>• Resale POTS – Business No Dispatch</li> <li>• Resale POTS – Residence Dispatch</li> <li>• Resale POTS – Residence No Dispatch</li> <li>• Resale Specials – Dispatch</li> <li>• Resale Specials – No Dispatch</li> <li><del>• UNE Platform POTS Dispatch</del></li> <li><del>• UNE Platform POTS No Dispatch</del></li> <li><del>• UNE Platform Specials Dispatch</del></li> <li><del>• UNE Platform Specials No Dispatch</del></li> <li>• UNE Loop Non-Designed Dispatch</li> <li>• UNE Loop Non-Designed No Dispatch</li> <li>• UNE Loop xDSL Capable – Dispatch</li> <li>• UNE Loop xDSL Capable – No Dispatch</li> <li>• UNE Loop IDSL Capable – Dispatch</li> <li>• UNE Loop IDSL Capable – No Dispatch</li> <li><del>• UNE Line Sharing Conditioned Dispatch</del></li> <li><del>• UNE Line Sharing Conditioned No Dispatch</del></li> <li><del>• UNE Line Sharing Non-Conditioned Dispatch</del></li> <li><del>• UNE Line Sharing Non-Conditioned No Dispatch</del></li> <li>• UNE EELs - Dispatch               <ul style="list-style-type: none"> <li>• DS0 – New</li> <li>• DS0 – Conversion</li> <li>• DS1 – New</li> <li>• DS1 – Conversion</li> <li>• DS3 and above – New</li> <li>• DS3 and above – Conversion</li> </ul> </li> <li>• UNE EELs – No Dispatch               <ul style="list-style-type: none"> <li>• DS0 – New</li> <li>• DS0 – Conversion</li> <li>• DS1 – New</li> <li>• DS1 – Conversion</li> <li>• DS3 and above – New</li> <li>• DS3 and above – Conversion</li> </ul> </li> <li><del>• Dark Fiber (Diagnostic) Dispatch</del></li> <li><del>• Dark Fiber (Diagnostic) No Dispatch</del></li> <li>• UNE Subloop (Diagnostic) – Dispatch</li> <li>• UNE Subloop (Diagnostic) – No Dispatch</li> <li><del>• UNE Port</del></li> <li>• UNE Transport - Dispatch               <ul style="list-style-type: none"> <li>• DS1 and below</li> <li>• DS 3 and above</li> </ul> </li> <li>• UNE Transport – No Dispatch               <ul style="list-style-type: none"> <li>• DS1 and below</li> <li>• DS 3 and above</li> </ul> </li> <li>• Interconnection Trunks – Dispatch</li> <li>• Interconnection Trunks – No Dispatch</li> </ul>		
<b>Calculation</b>	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%; text-align: center;"><b>Numerator</b></td> <td style="width: 50%; text-align: center;"><b>Denominator</b></td> </tr> </table>	<b>Numerator</b>	<b>Denominator</b>
<b>Numerator</b>	<b>Denominator</b>		

CA JPSA

	Sum of Business days from receipt of valid, error-free service request to completion date in service order system for New, Move and Change orders	Total New, Move and Change orders Completed in the Reporting Period
--	---	---

CA JPSA

<b>Function:</b>	
<b>PR-3 Percent Completed Within Standard Interval (formerly PM 8)</b>	
<b>Definition:</b>	
Measures of orders completed within the standard interval of receipt of valid, error-free service request.	
<b>Notes:</b>	
<ul style="list-style-type: none"> <li>The analog for Line Sharing will be line sharing as provided by the Verizon affiliate or separate division (following reintegration) as applicable.</li> <li>Excluded data will be made available upon request through the raw data/excluded data process.</li> <li>Reported by service group type excluding services with flexible due dates.</li> </ul>	
<b>Exclusions:</b>	
<ul style="list-style-type: none"> <li>Customer requested due dates beyond interval offered.</li> <li>Orders delayed for customer reasons.</li> <li>Record only and ILEC official orders.</li> <li>Services for which due date is negotiated</li> <li>Any test transactions not submitted in connection with the pre-ordering, ordering, provisioning or maintenance of actual customers.</li> <li>Projects</li> </ul>	
<b>Performance Standard:</b>	
Parity with Retail	
<b>Report Dimensions:</b>	
<b>Company:</b>	<b>Geography:</b>
<ul style="list-style-type: none"> <li>CLEC Aggregate</li> <li>CLEC Specific</li> <li>ILEC (if analog applies)</li> <li>ILEC Affiliate</li> </ul>	<ul style="list-style-type: none"> <li>Statewide</li> </ul>
<b>Sub-Metrics –</b>	
<b>PR-3-12 % Completed w/in Standard Interval</b>	
<b>Products</b>	<ul style="list-style-type: none"> <li>Resale Specials</li> <li><del>UNE Line Sharing Non-Conditioned Non-Dispatched</del></li> </ul>
<b>Calculation</b>	<b>Numerator</b>
	Total New, Move and Change Orders Completed Within the Standard interval of Receipt of Valid, Error-free Service Request
<b>Calculation</b>	<b>Denominator</b>
	Total New, Move and Change Orders

<b>Function:</b>
<b>PR-4 Missed Appointments (formerly PM 11, PM 11A and PM 14)</b>
<b>Definition:</b>
PR-4-01 Percent Due Dates Missed measures the percent of new, move and change orders (and additionally, LNP disconnect orders) where installation was not completed by the due date.
PR-4-02 Held Order Interval measures the time period that service orders are not completed by the original due dates for all ILEC reasons (including lack of facilities).
PR-4-16 Loop Acceptance Testing (LAT) Not Completed On Time measures the percent Loop Acceptance Tests not completed on or before due date due to ILEC reasons.
<b>Business Rules:</b>
<ul style="list-style-type: none"> <li>• For PR-4-01, Due date is defined as either original due date or final due date if the original due date was missed due to customer reasons.</li> <li>• PR-4-02 includes LNP Disconnect Orders.</li> <li>• Results for UNE Subloops and Dark Fiber will be tracked diagnostically</li> <li>• UNE Loop IDSL Capable will include IDSL and ISDN capable loops.</li> <li>• For PR-4-16: <ul style="list-style-type: none"> <li>• Loop Acceptance Test is where an ILEC Technician (Frame/Field as appropriate) is requested via an LSR to complete a Loop Acceptance Test.</li> <li>• Loop Acceptance Test is not completed on or before due date</li> <li>• The ILEC Technician will contact the CLEC.</li> <li>• The Tech will complete a series of tests with the CLEC to ensure a good loop is delivered (i.e., connectivity, meets xDSL parameters).</li> </ul> </li> </ul>
<b>Notes:</b>
<ul style="list-style-type: none"> <li>• For PR-4-01 and PR-4-02, ILECs will provide disaggregation by Missed Appointment reason codes as diagnostic data upon raw data request.</li> <li>• The analog for UNE Loop xDSL capable will be Retail ISDN BRI until the Verizon affiliate or separate division (following reintegration) offers a UNE Loop xDSL capable product. <del>The analog for Line Sharing will be line sharing as provided by the Verizon affiliate or separate division (following reintegration), as applicable.</del></li> <li>• For PR-4-01 and PR-4-02, excluded data will be made available upon request through the raw data/excluded data process.</li> <li>• For PR-4-01, orders for UNE Loop xDSL capable with grandfathered circuit identifiers will be included in the submeasure for UNE Loop xDSL capable (non-conditioned).</li> <li>• <del>For PR-4-02 Interconnection Trunks, current measurable standard for Verizon at parity to be reviewed and benchmarks considered at next performance review.</del></li> <li>• PR-4-01 reported by service group type and Field Work/No Field Work as appropriate.</li> <li>• PR-4-02 reported by service group type.</li> <li>• PR-4-16 measure to be implemented with a 5% standard no later than the January 2004 report month.</li> </ul>
<b>Exclusions:</b>
<ul style="list-style-type: none"> <li>• For, PR-4-01, customer caused misses are excluded from the numerator</li> <li>• For PR-4-02 and PR-4-16, customer caused missed.</li> <li>• For UNE loop services, feature only orders are excluded from the retail analog</li> <li>• For PR-4-01, Record only and ILEC official orders</li> <li>• Any test transactions not submitted in connection with the pre-ordering, ordering, provisioning or maintenance of actual customers</li> <li>• For PR-4-16, orders where LAT not requested</li> </ul>
<b>Performance Standard:</b>

CA JPSA

<p><b>PR-4-01 and PR-4-02:</b> Parity with Retail  <b>PR-4-01 Interconnection Trunks:</b> <math>\leq 5\%</math>  <b>PR-4-01 and PR-4-02 Subloops and Dark Fiber:</b> No standard. Reported diagnostically.</p>	
<p><b>PR-4-16:</b> Standard - no more than 5%</p>	
<p><b>Report Dimensions:</b></p>	
<p><b>Company:</b></p> <ul style="list-style-type: none"> <li>• CLEC Aggregate</li> <li>• CLEC Specific</li> <li>• ILEC (if analog applies)</li> <li>• ILEC Affiliate</li> </ul>	<p><b>Geography:</b></p> <ul style="list-style-type: none"> <li>• Statewide</li> </ul>
<p><b>Sub-Metrics -</b></p>	

CA JPSA

PR-4-01	% Due Dates Missed (formerly PM 11)
<b>Products</b>	<ul style="list-style-type: none"> <li>• Resale POTS – Residence Dispatch</li> <li>• Resale POTS – Residence No Dispatch</li> <li>• Resale POTS – Business Dispatch</li> <li>• Resale POTS – Business No Dispatch</li> <li>• Resale Specials – Dispatch</li> <li>• Resale Specials – No Dispatch</li> <li><del>• UNE Platform – POTS Dispatch</del></li> <li><del>• UNE Platform – POTS No Dispatch</del></li> <li><del>• UNE Platform – Specials Dispatch</del></li> <li><del>• UNE Platform – Specials No Dispatch</del></li> <li>• UNE Loop Non-Designed Dispatch</li> <li>• UNE Loop Non-Designed No Dispatch</li> <li>• UNE Loop Designed - Dispatch <ul style="list-style-type: none"> <li>• DS0</li> <li>• DS1</li> <li>• DS3 and above</li> </ul> </li> <li>• UNE Loop Designed – No Dispatch <ul style="list-style-type: none"> <li>• DS0</li> <li>• DS1</li> <li>• DS3 and above</li> </ul> </li> <li>• UNE Loop xDSL capable -Dispatch <ul style="list-style-type: none"> <li>• Conditioned</li> <li>• Non-conditioned</li> </ul> </li> <li>• UNE Loop xDSL capable –No Dispatch <ul style="list-style-type: none"> <li>• Conditioned</li> <li>• Non-conditioned</li> </ul> </li> <li>• UNE Loop IDSL Capable – Dispatch</li> <li>• UNE Loop IDSL Capable – No Dispatch</li> <li><del>• UNE Port</del></li> <li><del>• Line Sharing – Conditioned – Dispatch</del></li> <li><del>• Line Sharing – Conditioned – No Dispatch</del></li> <li><del>• Line Sharing – Non Conditioned – Dispatch</del></li> <li><del>• Line Sharing – Non Conditioned – No Dispatch</del></li> <li>• LNP – Dispatch</li> <li>• LNP – No Dispatch</li> <li>• UNE EELs - Dispatch <ul style="list-style-type: none"> <li>• DS0 – New</li> <li>• DS0 – Conversion</li> <li>• DS1 – New</li> <li>• DS1 – Conversion</li> <li>• DS3 and above – New</li> <li>• DS3 and above – Conversion</li> </ul> </li> <li>• UNE EELs – No Dispatch <ul style="list-style-type: none"> <li>• DS0 – New</li> <li>• DS0 – Conversion</li> <li>• DS1 – New</li> <li>• DS1 – Conversion</li> <li>• DS3 and above – New</li> <li>• DS3 and above – Conversion</li> </ul> </li> <li>• Subloop (Diagnostic) - Dispatch</li> <li>• Subloop (Diagnostic) – No Dispatch</li> </ul>

CA JPSA

<b>Products</b>	<ul style="list-style-type: none"> <li>• <del>Dark Fiber (Diagnostic) – Dispatch</del></li> <li>• <del>Dark Fiber (Diagnostic) – No Dispatch</del></li> <li>• UNE Transport - Dispatch                             <ul style="list-style-type: none"> <li>• DS0</li> <li>• DS1</li> <li>• DS3 and above</li> </ul> </li> <li>• UNE Transport – No Dispatch                             <ul style="list-style-type: none"> <li>• DS0</li> <li>• DS1</li> <li>• DS3 and above</li> </ul> </li> <li>• Interconnection Trunks – Dispatch</li> <li>• Interconnection Trunks – No Dispatch</li> </ul>	
<b>Calculation</b>	<b>Numerator</b>	<b>Denominator</b>
	Total Number of Missed Due Dates Due to ILEC Reasons for New, Move, Change Orders and LNP Disconnect Orders	Total Number of New, Move, Change Orders and LNP Disconnect Orders
<b>PR-4-02 Held Order Interval (formerly PM 14)</b>		
<b>Products</b>	<ul style="list-style-type: none"> <li>• Resale POTS – Business</li> <li>• Resale POTS – Residence</li> <li>• Resale Specials</li> <li>• <del>UNE Platform – POTS</del></li> <li>• <del>UNE Platform – Specials</del></li> <li>• UNE Loop Designed                             <ul style="list-style-type: none"> <li>• DS0</li> <li>• DS1</li> <li>• DS3 and above</li> </ul> </li> <li>• UNE Loop Non-Designed</li> <li>• UNE Loop xDSL Capable</li> <li>• UNE Loop IDSL Capable</li> <li>• <del>UNE Line Sharing – Conditioned</del></li> <li>• <del>UNE Line Sharing – Non-Conditioned</del></li> <li>• UNE EELs (New and Conversions)                             <ul style="list-style-type: none"> <li>• DS0</li> <li>• DS1</li> <li>• DS3 and above</li> </ul> </li> <li>• <del>UNE Port</del></li> <li>• UNE Transport                             <ul style="list-style-type: none"> <li>• DS0</li> <li>• DS1</li> <li>• DS3 and above</li> </ul> </li> <li>• LNP</li> <li>• Subloop (Diagnostic)</li> <li>• <del>Dark Fiber (Diagnostic)</del></li> <li>• Interconnection Trunks</li> </ul>	
<b>Calculation</b>	<b>Numerator</b>	<b>Denominator</b>
	Sum of reporting period close date minus committed order due date	Number of orders pending and past the committed due date
<b>PR-4-16 Loop Acceptance Testing (LAT) Not Completed On Time (formerly PM 11A)</b>		
<b>Products</b>	<ul style="list-style-type: none"> <li>• UNE Loop DSL Capable</li> </ul>	
<b>Calculation</b>	<b>Numerator</b>	<b>Denominator</b>
	Count of orders for which the loop acceptance test is not accomplished by the due date	Total number of loop acceptance tests requested

## CA JPSA

<b>Function:</b>	
<b>PR-5 Facility Missed Orders (formerly PM 12 and PM 13)</b>	
<b>Definition:</b>	
PR-5-01 measures the percent of new, move and change orders missed due to lack of facilities.	
PR-5-05 measures the average calendar days from due date to completion date on company missed orders due to lack of facilities.	
<b>Business Rules:</b>	
<ul style="list-style-type: none"> <li>• For PR-5-01, due date is defined as either original due date or final due date if the original due date was missed due to customer reasons.</li> <li>• UNE Loop IDSL Capable will include IDSL and ISDN capable loops.</li> <li>• Results for UNE Subloop will be tracked diagnostically</li> </ul>	
<b>Notes:</b>	
<ul style="list-style-type: none"> <li>• The analog for UNE Loop xDSL capable will be Retail ISDN BRI until the Verizon affiliate or separate division (following reintegration ) offers a UNE Loop xDSL capable product. <del>The analog for Line Sharing will be line sharing as provided by the Verizon affiliate or separate division (following reintegration), as applicable.</del></li> <li>• PR-5-01 results also included in Measure "Percent Missed Due Dates".</li> <li>• PR-5-01 reported by service group type and Field Work/No Field Work as appropriate.</li> <li>• PR-5-05 reported by service group type.</li> <li>• <del>For PR-5-05 Interconnection Trunks, current measurable standard for Verizon at parity to be reviewed and benchmarks considered at next performance review.</del></li> </ul>	
<b>Exclusions:</b>	
<ul style="list-style-type: none"> <li>• For UNE loop services, feature-only orders are excluded from retail analog.</li> <li>• Record and ILEC official orders</li> <li>• Any test transactions not submitted in connection with the pre-ordering, ordering, provisioning or maintenance of actual customers.</li> </ul>	
<b>Performance Standard:</b>	
Parity with Retail	
PR-5-01 Interconnection Trunks: <= 1%	
Subloop: No standard. Reported diagnostically.	
<b>Report Dimensions:</b>	
<b>Company:</b>	<b>Geography:</b>
<ul style="list-style-type: none"> <li>• CLEC Aggregate</li> <li>• CLEC Specific</li> <li>• ILEC (if analog applies)</li> <li>• ILEC Affiliate</li> </ul>	<ul style="list-style-type: none"> <li>• Statewide</li> </ul>
<b>Sub-Metrics</b>	

CA JPSA

PR-5-01 % Due Dates Missed Due to Lack of Facilities (formerly PM 12)			
<b>Products</b>	<ul style="list-style-type: none"> <li>• Resale POTS – Business Dispatch</li> <li>• Resale POTS – Business No Dispatch</li> <li>• Resale POTS – Residence Dispatch</li> <li>• Resale POTS – Residence No Dispatch</li> <li>• Resale Specials – Dispatch</li> <li>• Resale Specials – No Dispatch</li> <li><del>• UNE Platform – POTS Dispatch</del></li> <li><del>• UNE Platform – POTS No Dispatch</del></li> <li><del>• UNE Platform – Specials Dispatch</del></li> <li><del>• UNE Platform – Specials No Dispatch</del></li> <li>• UNE Loop Non-designed Dispatch</li> <li>• UNE Loop Non-designed No Dispatch</li> <li>• UNE Loop Designed - Dispatch                             <ul style="list-style-type: none"> <li>• DS0</li> <li>• DS1</li> <li>• DS3 and above</li> </ul> </li> <li>• UNE Loop Designed – No Dispatch                             <ul style="list-style-type: none"> <li>• DS0</li> <li>• DS1</li> <li>• DS3 and above</li> </ul> </li> <li>• UNE Loop xDSL Capable – Dispatch</li> <li>• UNE Loop xDSL Capable – No Dispatch</li> <li>• UNE Loop IDSL Capable - Dispatch</li> <li>• UNE Loop IDSL Capable – No Dispatch</li> <li><del>• UNE Line Sharing – Conditioned – Dispatch</del></li> <li><del>• UNE Line Sharing – Conditioned – No Dispatch</del></li> <li><del>• UNE Line Sharing – Non-Conditioned – Dispatch</del></li> <li><del>• UNE Line Sharing – Non-Conditioned – No Dispatch</del></li> <li>• UNE EELs - Dispatch                             <ul style="list-style-type: none"> <li>• DS0 – New</li> <li>• DS1 – New</li> <li>• DS3 and above – New</li> </ul> </li> <li>• UNE EELs – No Dispatch                             <ul style="list-style-type: none"> <li>• DS0 – New</li> <li>• DS1 – New</li> <li>• DS3 and above – New</li> </ul> </li> <li>• UNE Transport - Dispatch                             <ul style="list-style-type: none"> <li>• DS0</li> <li>• DS1</li> <li>• DS3 and above</li> </ul> </li> <li>• UNE Transport – No Dispatch                             <ul style="list-style-type: none"> <li>• DS0</li> <li>• DS1</li> <li>• DS3 and above</li> </ul> </li> <li><del>• UNE Port</del></li> <li>• Interconnection Trunks – Dispatch</li> <li>• Interconnection Trunks – No Dispatch</li> <li>• Subloop (Diagnostic) – Dispatch</li> <li>• Subloop – No Dispatch</li> </ul>		
<b>Calculation</b>	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%; text-align: center;"><b>Numerator</b></td> <td style="width: 50%; text-align: center;"><b>Denominator</b></td> </tr> </table>	<b>Numerator</b>	<b>Denominator</b>
<b>Numerator</b>	<b>Denominator</b>		

CA JPSA

	Total New, Move and Change Orders Missed Due Dates Due to Lack of Facilities	Total Number of New, Move and Change Orders
<b>PR-5-05</b>	<b>Delay Order Interval to Completion Date (formerly PM 13)</b>	
<b>Products</b>	<ul style="list-style-type: none"> <li>• Resale POTS – Business</li> <li>• Resale POTS - Residence</li> <li>• Resale Specials</li> <li>• <del>UNE Platform – POTS</del></li> <li>• <del>UNE Platform – Specials</del></li> <li>• UNE Loop Non-Designed</li> <li>• UNE Loop Designed                             <ul style="list-style-type: none"> <li>• DS0</li> <li>• DS1</li> <li>• DS3 and above</li> </ul> </li> <li>• UNE Loop xDSL Capable</li> <li>• UNE Loop IDSL Capable</li> <li>• <del>UNE Line Sharing – Conditioned</del></li> <li>• <del>UNE Line Sharing – Non-Conditioned</del></li> <li>• UNE EELs                             <ul style="list-style-type: none"> <li>• DS0 – New</li> <li>• DS1 – New</li> <li>• DS3 and above – New</li> </ul> </li> <li>• UNE Transport                             <ul style="list-style-type: none"> <li>• DS0</li> <li>• DS1</li> <li>• DS3 and above</li> </ul> </li> <li>• <del>UNE Port</del></li> <li>• Interconnection Trunks</li> <li>• UNE Subloop (Diagnostic)</li> </ul>	
<b>Calculation</b>	<b>Numerator</b>	<b>Denominator</b>
	Sum of completion date minus committed order due date (for orders missed due to lack of ILEC facilities)	Number of orders missed due to lack of ILEC facilities in the reporting period.

<b>Function:</b>
<b>PR-6 Installation Quality (formerly PM 16, PM 17, PM 15, PM 15A and PM 10)</b>
<b>Definition:</b>
PR-6-01 measures the percent of network customer trouble reports received within 30 calendar days of service order completion.
PR-6-02 measures the percent of network customer trouble reports received within 7 calendar days of service order completion.
PR-6-04 measures the percent of troubles that are reported (via customer or indirectly by CLEC) that occur during the provisioning process.
PR-6-05 measures the average duration of the provisioning troubles from the receipt of the customer trouble reported (via customer or indirectly by CLEC) to the time the trouble is cleared.
PR-6-06 Measures LNP network provisioning failures as a percentage of the total number of NPAC broadcasts of telephone number subscription versions to port.
<b>Business Rules:</b>
<ul style="list-style-type: none"> <li>• Results for <del>Dark Fiber</del> and UNE Subloops will be tracked diagnostically.</li> <li>• PR-6-01 and PR-6-05, UNE Loop IDSL Capable will include IDSL and ISDN capable loops.</li> <li>• For PR-6-01, trouble tickets taken on the due date (after service order completion) for new installations will be included in this measure.</li> <li>• For PR-6-04 and PR-6-05, all troubles reported during the tracking interval of the service order will be considered provisioning troubles (subject to exclusions described in this measure). Tracking intervals, by service group type, are described below: <ul style="list-style-type: none"> <li>○ Resale POTS (Residence) – 3 days</li> <li>○ Resale POTS (Business) – 3 days</li> <li>○ Resale Specials – 11 days</li> <li>○ UNE Loop – Non-Designed – 3 days</li> <li>○ UNE Loop –Designed – 8 days</li> <li>○ UNE Loop - XDSL Capable <ul style="list-style-type: none"> <li>• Non-conditioned – 3 days</li> <li>• Conditioned – 11 days</li> </ul> </li> <li>○ UNE Loop - IDSL Capable – 8 days</li> <li>○ LNP - 3 days</li> <li>○ <del>Linesharing</del> <ul style="list-style-type: none"> <li>• <del>Non-conditioned – 3 days</del></li> <li>• <del>Conditioned – 11 days</del></li> </ul> </li> <li>○ <del>UNE Platform – 3 days</del> <ul style="list-style-type: none"> <li>• <del>POTS – 3 days</del></li> <li>• <del>Specials – 11 days</del></li> </ul> </li> </ul> </li> <li>• For PR-6-04 and PR-6-05, the tracking interval of a service order will be the as defined number of days up to and including the due date, where the interval between the service order creation date and the due date are equal to or greater than the tracking interval. If the interval between the service order creation date and the due date is shorter than the tracking interval, the total order interval will be used as the tracking interval, providing the CLEC does not subsequently request the interval to be extended beyond tracking interval.</li> <li>• For PR-6-04 and PR-6-05, if the order is not completed on the last committed due date due to an ILEC miss, the days the order is delayed will also become part of the tracking interval.</li> <li>• For PR-6-04 and PR-6-05, if the interval between service order creation and the due date is longer than the tracking interval, then for the interval outside the tracking interval, only troubles with disposition codes associated with central office wiring activities and software translations will be considered to be</li> </ul>

## CA JPSA

provisioning troubles.

- Include LNP Disconnect Orders (PR-6-04 only)
- For PR-6-06, provisioning failure data will be tracked for individual network database failures - failures to provision between the ILEC LSMS and LNP network databases (STP or SCP)

Notes:

- For PR-6-01, the analog for UNE Loop xDSL capable will be Retail ISDN BRI until the Verizon affiliate or separate division (following reintegration) offers a UNE Loop xDSL capable product. ~~The analog for Line Sharing will be line sharing as provided by the Verizon affiliate or separate division (following reintegration), as applicable.~~
- For PR-6-01 and PR-6-02, ILECs will provide disaggregation by Maintenance Disposition code as diagnostic data upon raw data request.
- For PR-6-01, the analog for UNE Loop xDSL capable will be Retail ISDN BRI until the Verizon affiliate or separate division (following reintegration ) offers a UNE Loop xDSL capable product. ~~The analog for Line Sharing will be line sharing as provided by the Verizon affiliate or separate division (following reintegration), as applicable.~~
- Excluded data will be made available upon request through the raw data/excluded data process.
- PR-6-01 reported by service group type.
- PR-6-02 reported by service group type (including LNP) and Field Work/No Field Work as appropriate.
- ~~PR-6-04 and PR-6-05 reported by service group type and by affecting service and out of service~~

\* The period of 7/30 calendar days following the completion of a non-special/special service order will be call the 7/30 day tracking interval.

\*\* The N, T and C non-special/special service orders whose 7/30 day tracking interval end during the reporting period will be called the relevant service orders for the period.

**Exclusions:**

- CPE and IEC/CLEC caused troubles
- Troubles associated with inside wire
- Subsequent reports.
- Message Reports (circuit reports for which ILEC has no records)
- ILEC employee generated reports
- For PR-6-01, cancelled tickets
- For PR-6-02, tickets cancelled by customer/CLEC or where ticket has been opened on the wrong TN or circuit ID.
- Any test transactions not submitted in connection with the pre-ordering, ordering, provisioning or maintenance of actual customers.
- For PR-6-01 and PR-6-02, Trouble Reports Received on the Due Date ~~for orders other than new installations.~~
- For PR-6-04, for UNE loops, feature only orders are excluded from retail analog.
- For PR-6-06, total failures from the NPAC to *all* LSMS systems.

**Performance Standard:**

CA JPSA

Parity with Retail		
PR-6-01 - Interconnection Trunks: <= 2%		
PR-6-02 Subloop: No Standard. Reported diagnostically.		
PR-6-04: Benchmark:		
• Resale POTS (Residence)	2.0%	UNE Loop IDSL Capable 5.0%
• Resale POTS (Business)	3.0%	LNP 5.0%
• Resale Specials	8.0%	Linesharing 3.0%
• UNE Loop Non-Designed	3.0%	UNE P (POTS) 3.0%
• UNE Loop Designed	5.0%	UNE P (Specials) 10.0%
• UNE Loop xDSL Capable	3.0%	
PR-6-06: No more than 2% failure		
<b>Report Dimensions:</b>		
<b>Company:</b>		<b>Geography:</b>
<ul style="list-style-type: none"> <li>• CLEC Aggregate</li> <li>• CLEC Specific</li> <li>• ILEC (if analog applies)</li> <li>• ILEC Affiliate</li> </ul>		<ul style="list-style-type: none"> <li>• Statewide</li> </ul>
<b>Sub-Metrics –</b>		
<b>PR-6-01 % Troubles in 30 days for Special Services Orders (formerly PM 16)</b>		
<b>Products</b>	<ul style="list-style-type: none"> <li>• Resale Specials</li> <li>• <del>UNE Platform Specials</del></li> <li>• UNE Loop Designed                             <ul style="list-style-type: none"> <li>• DS0</li> <li>• DS1 and above</li> </ul> </li> <li>• UNE Loop xDSL Capable</li> <li>• UNE Loop IDSL Capable</li> <li>• <del>UNE Line Sharing Conditioned</del></li> <li>• <del>UNE Line Sharing Non-Conditioned</del></li> <li>• UNE EELs (New &amp; Conversions)                             <ul style="list-style-type: none"> <li>• DS0</li> <li>• DS1</li> <li>• DS3 and above</li> </ul> </li> <li>• UNE Transport                             <ul style="list-style-type: none"> <li>• DS0</li> <li>• DS1</li> <li>• DS3 and above</li> </ul> </li> <li>• Interconnection Trunks</li> </ul>	
<b>Calculation</b>	<b>Numerator</b>	<b>Denominator</b>
	Total Number of relevant service orders with Customer Trouble reports within the 30 day tracking interval *	Total Number of relevant service orders** (new, move and change)

CA JPSA

PR-6-02 % Troubles in 7 Days for Non-Special Orders (formerly PM 17)					
<b>Products</b>	<ul style="list-style-type: none"> <li>• Resale POTS – Business - Dispatch</li> <li>• Resale POTS – Business - No Dispatch</li> <li>• Resale POTS – Residence - Dispatch</li> <li>• Resale POTS – Residence - No Dispatch</li> <li>• <del>UNE Platform – POTS – Dispatch</del></li> <li>• <del>UNE Platform – POTS – No Dispatch</del></li> <li>• UNE Loop Non-Designed - Dispatch</li> <li>• UNE Loop Non-Designed - No Dispatch</li> <li>• UNE Subloop (Diagnostic) – Dispatch</li> <li>• UNE Subloop (Diagnostic) – No Dispatch</li> <li>• <del>UNE Port</del></li> <li>• LNP – Dispatch</li> <li>• LNP – No Dispatch</li> <li>• UNE Loop – Coordinated Hot Cut – Dispatch</li> <li>• UNE Loop – Coordinated Hot Cut – Non Dispatch</li> <li>• UNE Loop – Batch Hot Cut – Dispatch</li> <li>• UNE Loop – Batch Hot Cut – Non Dispatch</li> </ul>				
	<b>Calculation</b>	<table border="1" style="width: 100%;"> <thead> <tr> <th style="width: 50%;">Numerator</th> <th style="width: 50%;">Denominator</th> </tr> </thead> <tbody> <tr> <td>Total number of relevant service orders with customer trouble reports within the 7 day tracking interval*</td> <td>Total number of relevant service orders** (new, move, change and LNP disconnect orders).</td> </tr> </tbody> </table>	Numerator	Denominator	Total number of relevant service orders with customer trouble reports within the 7 day tracking interval*
Numerator	Denominator				
Total number of relevant service orders with customer trouble reports within the 7 day tracking interval*	Total number of relevant service orders** (new, move, change and LNP disconnect orders).				
PR-6-04 Provisioning Trouble Reports (formerly PM 15)					
<b>Products</b>	<ul style="list-style-type: none"> <li>• <del>Resale POTS – (Business) – Service Affecting</del></li> <li>• <del>Resale POTS – (Business) – Out of Service</del></li> <li>• <del>Resale POTS – (Residence) – Service Affecting</del></li> <li>• <del>Resale POTS – (Residence) – Out of Service</del></li> <li>• <del>Resale Specials – Service Affecting</del></li> <li>• <del>Resale Specials – Out of Service</del></li> <li>• <del>UNE Platform – POTS – Service Affecting</del></li> <li>• <del>UNE Platform – POTS – Out of Service</del></li> <li>• <del>UNE Platform – Specials – Service Affecting</del></li> <li>• <del>UNE Platform – Specials – Out of Service</del></li> <li>• <del>UNE Loop Designed – Service Affecting</del></li> <li>• <del>UNE Loop Designed – Out of Service</del></li> <li>• <del>UNE Line Sharing – Service Affecting</del></li> <li>• <del>UNE Line Sharing – Out of Service</del></li> <li>• <del>UNE Loop xDSL Capable – Service Affecting</del></li> <li>• <del>UNE Loop xDSL – Out of Service</del></li> <li>• <del>UNE Loop IDSL Capable – Service Affecting</del></li> <li>• <del>UNE Loop IDSL Capable – Out of Service</del></li> <li>• <del>UNE Loop Non-Designed – Service Affecting</del></li> <li>• <del>UNE Loop Non-Designed – Out of Service</del></li> <li>• <del>LNP – Service Affecting</del></li> <li>• <del>LNP – Out of Service</del></li> </ul>				
	<b>Calculation</b>	<table border="1" style="width: 100%;"> <thead> <tr> <th style="width: 50%;">Numerator</th> <th style="width: 50%;">Denominator</th> </tr> </thead> <tbody> <tr> <td>Number of provisioning trouble reports that occur from the time of service order creation, up to and including the date of service order completion</td> <td>Total Number of service orders in reporting period</td> </tr> </tbody> </table>	Numerator	Denominator	Number of provisioning trouble reports that occur from the time of service order creation, up to and including the date of service order completion
Numerator	Denominator				
Number of provisioning trouble reports that occur from the time of service order creation, up to and including the date of service order completion	Total Number of service orders in reporting period				

CA JPSA

PR-6-05 Average Time to Restore Provisioning Troubles (formerly PM 15A)	
<b>Products</b>	<ul style="list-style-type: none"> <li>• Resale POTS – Business – Service Affecting</li> <li>• Resale POTS – Business – Out of Service</li> <li>• Resale POTS – Residence – Service Affecting</li> <li>• Resale POTS – Residence – Out of Service</li> <li>• Resale Specials – Service Affecting</li> <li>• Resale Specials – Out of Service</li> <li>• <del>UNE Platform – POTS – Service Affecting</del></li> <li>• <del>UNE Platform – POTS – Out of Service</del></li> <li>• <del>UNE Platform – Specials – Service Affecting</del></li> <li>• <del>UNE Platform – Specials – Out of Service</del></li> <li>• UNE Loop Designed – Service Affecting                             <ul style="list-style-type: none"> <li>• DS0</li> <li>• DS1</li> <li>• DS3 and above</li> </ul> </li> <li>• <del>UNE Loop Designed – Out of Service</del> <ul style="list-style-type: none"> <li>• <del>DS0</del></li> <li>• <del>DS1</del></li> <li>• <del>DS3 and above</del></li> </ul> </li> <li>• <del>UNE Line Sharing – Service Affecting</del></li> <li>• <del>UNE Line Sharing – Out of Service</del></li> <li>• UNE Loop x DSL Capable – Service Affecting</li> <li>• <del>UNE Loop xDSL Capable – Out of Service</del></li> <li>• UNE Loop IDSL Capable – Service Affecting</li> <li>• <del>UNE Loop IDSL Capable – Out of Service</del></li> <li>• UNE Loop Non-Designed – Service Affecting</li> <li>• <del>UNE Loop Non-Designed – Out of Service</del></li> <li>• LNP – Service Affecting</li> <li>• LNP – Out of Service</li> </ul>
<b>Calculation</b>	<b>Numerator</b>
	Total duration of provisioning trouble measured from the time the trouble was initiated or called in to the ILEC until cleared
	<b>Denominator</b>
	Total Number of Provisioning Trouble Reports
<b>PR-6-06 LNP Network Provisioning (formerly PM 10)</b>	
<b>Products</b>	<ul style="list-style-type: none"> <li>• LNP</li> </ul>
<b>Calculation</b>	<b>Numerator</b>
	Total number of LNP network provisioning failures
	<b>Denominator</b>
	Total number of NPAC porting broadcasts

## CA JPSA

<b>Function:</b>
<b>PR-7 Jeopardy Reports (formerly PM 5 and PM 6)</b>
<b>Definition:</b>
PR-7-01 measures the percentage of total orders processed for which the ILEC notifies the CLEC that the work will not be completed as committed on the original FOC.
PR-7-02 measures the percentage of jeopardy/missed commit notices that were sent by the required interval. The jeopardy/missed commit notice interval will be tracked as the interval between the pre-existing committed order completion date and time (communicated via the FOC) and the date and time the ILEC issues a notice to the CLEC indicating an order is in jeopardy of missing the due date (of the due date/time has been missed).
Assignment: Jeopardies identified during the initial assignment process.
Installation: Jeopardies identified during the installation process prior to due time.
<b>Business Rules:</b>
<ul style="list-style-type: none"> <li>• Raw data will include jeopardy codes.</li> <li>• Results for UNE Subloop and Dark Fiber will be tracked diagnostically.</li> <li>• UNE Loop IDSL Capable will include IDSL and ISDN capable loops.</li> <li>• Include LNP Disconnect Orders</li> <li>• For PR-7-02, Verizon tracks assignment jeopardies by due date only for business days, with installation jeopardies and notifications of missed commitments tracked by business days/clock hours.</li> </ul>
<b>Notes:</b>
<ul style="list-style-type: none"> <li>• The analog for UNE Loop xDSL capable will be Retail ISDN BRI until the Verizon affiliate or separate division (following reintegration ) offers a UNE Loop xDSL capable product. <del>The analog for Line Sharing will be line sharing as provided by the Verizon affiliate or separate division (following reintegration), as applicable.</del></li> <li>• Excluded data will be made available upon request through the raw data/excluded data process.</li> <li>• For PR-7-02, if the ILECs' policy regarding jeopardy notices to their Retail customers changes, this measure should be evaluated for parity analogs.</li> <li>• For PR-7-02, jeopardies issued on the due date are considered either installation or notifications of missed commitments.</li> <li>• Reported by service group type</li> </ul>
<b>Exclusions:</b>
<ul style="list-style-type: none"> <li>• Delays for Customer Reasons</li> <li>• For PR-7-01, Missed Commitment notices</li> <li>• Any test transactions not submitted in connection with the pre-ordering, ordering, provisioning or maintenance of actual customers.</li> </ul>
<b>Performance Standard:</b>
Parity with Retail
PR-7-01- Interconnection Trunks: <=2%
PR-7-02 Assignment Jeopardies 90% within 1 day
Install. Jeopardies (POTS) 95% within 15 minutes
Install. Jeopardies (Specials) 95% within 3 hours
Missed Commit Notices 95% within 24 hours
Subloop and Dark Fiber: No standard. Reported diagnostically.
<b>Report Dimensions:</b>

CA JPSA

<b>Company:</b> <ul style="list-style-type: none"> <li>▪ CLEC Aggregate</li> <li>▪ CLEC Specific</li> <li>▪ ILEC (if analog applies)</li> <li>▪ ILEC Affiliate</li> </ul>		<b>Geography:</b> <ul style="list-style-type: none"> <li>▪ Statewide</li> </ul>	
<b>Sub-Metrics –</b>			
<b>PR-7-01</b>		<b>% Orders Jeopardized (formerly PM 5)</b>	
<b>Products</b>	<ul style="list-style-type: none"> <li>• Resale POTS – Business</li> <li>• Resale POTS - Residence</li> <li>• Resale Specials</li> <li>• <del>UNE Platform – POTS</del></li> <li>• <del>UNE Platform – Specials</del></li> <li>• UNE Loop Designed                             <ul style="list-style-type: none"> <li>• DS0</li> <li>• DS1</li> <li>• DS3 and above</li> </ul> </li> <li>• UNE Loop xDSL Capable</li> <li>• UNE Loop IDSL Capable</li> <li>• <del>UNE Line Sharing – Conditioned</del></li> <li>• <del>UNE Line Sharing – Non-Conditioned</del></li> <li>• UNE EELs (New &amp; Conversions)                             <ul style="list-style-type: none"> <li>• DS0</li> <li>• DS1</li> <li>• DS3 and above</li> </ul> </li> <li>• UNE Loop Non-Designed</li> <li>• UNE Subloop (Diagnostic)</li> <li>• UNE Transport                             <ul style="list-style-type: none"> <li>• DS0</li> <li>• DS1</li> <li>• DS3 and above</li> </ul> </li> <li>• <del>UNE Port</del></li> <li>• LNP</li> <li>• <del>Dark Fiber (Diagnostic)</del></li> <li>• Interconnection Trunks</li> </ul>		
	<b>Calculation</b>	<b>Numerator</b>	<b>Denominator</b>
	Number of Orders Jeopardized	Number of Orders Confirmed	

CA JPSA

PR-7-02 Jeopardy Notices Returned by Required Interval (formerly PM 6)	
<b>Products</b>	<ul style="list-style-type: none"> <li>• Resale POTS – Business</li> <li>• Resale POTS - Residence</li> <li>• Resale Specials</li> <li>• <del>UNE Platform – POTS</del></li> <li>• <del>UNE Platform – Specials</del></li> <li>• UNE Loop Designed                             <ul style="list-style-type: none"> <li>• DS0</li> <li>• DS1</li> <li>• DS3 and above</li> </ul> </li> <li>• UNE Loop xDSL Capable</li> <li>• UNE Loop IDSL Capable</li> <li>• <del>UNE Line Sharing – Conditioned</del></li> <li>• <del>UNE Line Sharing – Non-Conditioned</del></li> <li>• UNE EELs (New &amp; Conversions)                             <ul style="list-style-type: none"> <li>• DS0</li> <li>• DS1</li> <li>• DS3 and above</li> </ul> </li> <li>• UNE Loop Non-Designed</li> <li>• UNE Subloop (Diagnostic)</li> <li>• UNE Transport                             <ul style="list-style-type: none"> <li>• DS0</li> <li>• DS1</li> <li>• DS3 and above</li> </ul> </li> <li>• <del>UNE Port</del></li> <li>• LNP</li> <li>• <del>Dark Fiber (Diagnostic)</del></li> <li>• Interconnection Trunks</li> </ul>
<b>Calculation</b>	<b>Numerator</b>
	Total Number of Assignment/Installation/Missed Commitment Notice Jeopardies Returned within the Required Interval
	<b>Denominator</b>
	Number of Assignment/Installation/Missed Commitment Jeopardy Notices Sent.

<b>Function:</b>			
<b>PR-9 Coordinated Customer Conversion as a Percentage On-Time (formerly PM 9)</b>			
<b>Definition:</b>			
Measures the percentage of coordinated Hot Cut orders (CHC) completed by committed time* where CLEC has requested coordination (including LNP). For Batch Hot Cuts (BHC), measures the percentage of Batch Hot Cut orders completed on the due date.			
* Note: "Committed time" means within one hour of committed order due time			
<b>Business Rules:</b>			
<ul style="list-style-type: none"> <li>DSL Capable Loops will be included in aggregate performance and will be reported as an individual submeasure on a diagnostic basis.</li> <li>A premature disconnect reported to Verizon's 800 # (800-684-9012) will be considered a missed hot cut.</li> </ul>			
<b>Notes:</b>			
<ul style="list-style-type: none"> <li>Excluded data will be made available upon request through the raw data/excluded data process.</li> <li>Reported by Coordinated Hot Cuts (CHC) including LNP – Basic, Coordinated Hot Cuts (CHC) including LNP – Large Job, Batch Hot Cuts – including LNP, and DSL Capable Loops.</li> </ul>			
<b>Exclusions:</b>			
<ul style="list-style-type: none"> <li>CLEC caused misses</li> <li>Any test transactions not submitted in connection with the pre-ordering, ordering, provisioning or maintenance of actual customers.</li> </ul>			
<b>Performance Standard:</b>			
<b>Standard – 95% on time</b> Coordinated Hot Cuts (CHC) Designed and Non-Designed			
<u>Line Size</u>	<u>Committed Completion Interval</u>		
From 1 to 49 lines:	1 work hour		
50 to 99 lines:	2 work hours		
100 to 199 lines:	3 work hours		
200 plus lines:	4 work hours		
<b>Batch Hot Cuts: 95% on Due Date</b> (combined with above)			
UNE Loop xDSL capable: No standard. Reported diagnostically.			
<b>Report Dimensions:</b>			
<b>Company:</b>	<b>Geography:</b>		
<ul style="list-style-type: none"> <li>CLEC Aggregate</li> <li>CLEC Specific</li> <li>ILEC (if analog applies)</li> <li>ILEC Affiliate</li> </ul>	<ul style="list-style-type: none"> <li>Statewide</li> </ul>		
<b>Sub-Metrics:</b>			
<b>PR-9-01 Coordinated Customer Conversion as Percentage On-Time</b>			
<b>Products</b>	<ul style="list-style-type: none"> <li>Coordinated Hot Cuts (CHC) including LNP – Basic</li> <li>Coordinated Hot Cuts (CHC) including LNP – Large Job</li> <li>Batch Hot Cuts – including LNP</li> <li>UNE Loop xDSL Capable</li> </ul>		
<b>Calculation</b>	<table border="1" style="width: 100%;"> <tr> <td style="width: 50%; text-align: center;"><b>Numerator</b></td> <td style="width: 50%; text-align: center;"><b>Denominator</b></td> </tr> </table>	<b>Numerator</b>	<b>Denominator</b>
<b>Numerator</b>	<b>Denominator</b>		

CA JPSA

	Number of coordinated orders completed by committed due date and time	Count of coordinated orders completed in reporting period
--	---	---

CA JPSA

---

---

Maintenance Performance

<b>Function:</b>	
<b>MR-2 Customer Trouble Report Rate (formerly PM 19)</b>	
<b>Definition:</b>	
Measures the total number of network customer trouble reports received within a calendar month per 100 local exchange lines/interconnection or interoffice trunks/ circuits/UNEs. <u>Network troubles are the following dispositions: 01, 04, 06, 07, 09, 10, 11, 12, 13, 15.</u>	
<b>Business Rules:</b>	
<ul style="list-style-type: none"> <li>• Access line/circuit count taken from previous month</li> <li>• Results for UNE Subloops (by loop type) <del>and Dark Fiber</del> are tracked diagnostically.</li> <li>• UNE Loop IDSL Capable will include IDSL and ISDN capable loops.</li> <li>• Include Test okay (TOK), <del>and Found Okay (FOK)</del> <u>and Came Clear</u> reports</li> </ul>	
<b>Notes:</b>	
<ul style="list-style-type: none"> <li>• Verizon will provide disaggregation by Maintenance Disposition codes as diagnostic data upon raw data request.</li> <li>• The analog for UNE Loop xDSL capable will be Retail ISDN BRI until the Verizon affiliate or separate division (following reintegration ) offers a UNE Loop xDSL capable product. <del>The analog for Line Sharing will be line sharing as provided by the Verizon affiliate or separate division (following reintegration), as applicable.</del></li> <li>• Excluded data will be made available upon request through the raw data/excluded data process.</li> <li>• Reported by service group type (including LNP) &amp; NXX Code Opening Troubles</li> </ul>	
<b>Exclusions:</b>	
<ul style="list-style-type: none"> <li>• CPE and IEC/CLEC caused troubles</li> <li>• Subsequent reports</li> <li>• Message Reports (circuit reports for which ILEC has no records)</li> <li>• ILEC employee generated reports</li> <li>• Troubles reported as provisioning trouble reports.</li> <li>• Troubles with inside wiring.</li> <li>• Tickets cancelled by customer/CLEC or where ticket has been opened on the wrong TN or circuit ID.</li> <li>• Any test transactions not submitted in connection with the pre-ordering, ordering, provisioning or maintenance of actual customers.</li> <li>• <u>Troubles reported on Verizon official (administrative) lines.</u></li> </ul>	
<b>Performance Standard:</b>	
Parity with Retail	
LNP: No more than .35% of total trouble reports received for LNP	
Interconnection Trunks: <=2%	
NXX codes: 0.1%	
UNE Subloop <del>and Dark Fiber</del> : No standard. Reported diagnostically.	
<b>Report Dimensions:</b>	
<b>Company:</b>	<b>Geography:</b>
<ul style="list-style-type: none"> <li>• CLEC Aggregate</li> <li>• CLEC Specific</li> <li>• ILEC (if analog applies)</li> <li>• ILEC Affiliate</li> </ul>	<ul style="list-style-type: none"> <li>• Statewide</li> </ul>
<b>Sub-Metrics</b>	

CA JPSA

MR-2-01 Customer Trouble Report Rate		
<b>Products</b>	<ul style="list-style-type: none"> <li>• Resale POTS – Business</li> <li>• Resale POTS - Residence</li> <li>• Resale Specials</li> <li>• <del>UNE Platform – POTS</del></li> <li>• <del>UNE Platform – Specials</del></li> <li>• UNE Loop Designed                             <ul style="list-style-type: none"> <li>• DS0</li> <li>• DS1 and above</li> </ul> </li> <li>• UNE Loop xDSL Capable</li> <li>• UNE Loop IDSL Capable</li> <li>• <del>UNE Line Sharing – Conditioned</del></li> <li>• <del>UNE Line Sharing – Non-Conditioned</del></li> <li>• UNE EELs                             <ul style="list-style-type: none"> <li>• DS0</li> <li>• DS1</li> <li>• DS3 and above</li> </ul> </li> <li>• UNE Loop Non-Designed</li> <li>• UNE Subloop (Diagnostic)</li> <li>• UNE Transport                             <ul style="list-style-type: none"> <li>• DS1 and below</li> <li>• DS3 and above</li> </ul> </li> <li>• <del>UNE Port</del></li> <li>• LNP</li> <li>• <del>Dark Fiber (Diagnostic)</del></li> <li>• Interconnection Trunks</li> <li>• NXX Codes</li> </ul>	
	<b>Calculation</b>	<b>Numerator</b>
	Total Number of Customer initial and repeat network trouble reports	Number of local exchange lines/interconnection or interoffice trunks/circuits/UNEs in service at the end of the prior reporting period

<b>Function:</b>	
<b>MR-3 Percentage of Customer Troubles Not Resolved Within Estimated Time (formerly PM 20)</b>	
<b>Definition:</b>	
Measures the percent of trouble reports not cleared by the commitment time. <u>Network troubles are the following dispositions: 01, 04, 06, 07, 09, 10, 11, 12, 13, 15.</u>	
<b>Business Rules:</b>	
<ul style="list-style-type: none"> <li>• Results for UNE Subloops and <del>Dark Fiber</del> will be tracked diagnostically</li> <li>• Results include Test okay (TOK), <del>and Found okay (FOK)</del> and <u>Came Clear reports.</u></li> <li>• UNE Loop IDSL Capable will include IDSL and ISDN capable loops.</li> <li>• Includes a miss in those instances where ILEC, for its own reasons, reschedules the committed maintenance appointment time.</li> </ul>	
<b>Notes:</b>	
<ul style="list-style-type: none"> <li>• Verizon will provide disaggregation by Maintenance Disposition codes for all service types as diagnostic data upon raw data request.</li> <li>• The analog for UNE Loop xDSL capable will be Retail ISDN BRI until the Verizon affiliate or separate division (following reintegration ) offers a UNE Loop xDSL capable product. <del>The analog for Line Sharing will be line sharing as provided by the Verizon affiliate or separate division (following reintegration), as applicable.</del></li> <li>• Excluded data will be made available upon request through the raw data/excluded data process.</li> <li>• Reported by service group type (including LNP) &amp; NXX Code Opening Troubles and by dispatch and no dispatch</li> </ul>	
<b>Exclusions:</b>	
<ul style="list-style-type: none"> <li>• CPE and IEC/CLEC caused troubles</li> <li>• Subsequent reports</li> <li>• Message Reports (circuit reports which ILEC has no records on)</li> <li>• ILEC employee generated reports</li> <li>• eCustomer caused misses</li> <li>• Troubles reported as provisioning trouble reports</li> <li>• Troubles associated with inside wire.</li> <li>• Tickets cancelled by customer/CLEC or where ticket has been opened on the wrong TN or circuit ID.</li> <li>• Any test transactions not submitted in connection with the pre-ordering, ordering, provisioning or maintenance of actual customers.</li> <li>• <u>Troubles reported on Verizon official (administrative) lines.</u></li> </ul>	
<b>Performance Standard:</b>	
Parity with Retail	
Benchmark:	
LNP: No more than 1 missed commit per month per CLEC	
Interconnection Trunks: <=10%	
UNE Subloop and <del>Dark Fiber</del> : No standard. Reported diagnostically.	
<b>Report Dimensions:</b>	
<b>Company:</b>	<b>Geography:</b>
<ul style="list-style-type: none"> <li>• CLEC Aggregate</li> <li>• CLEC Specific</li> <li>• ILEC (if analog applies)</li> <li>• ILEC Affiliate</li> </ul>	<ul style="list-style-type: none"> <li>• Statewide</li> </ul>

CA JPSA

**Sub-Metrics –**

## CA JPSA

MR-3-01	% Customer Trouble not Resolved w/in Estimated Time
<b>Products</b>	<ul style="list-style-type: none"> <li>• Resale POTS – Business Dispatch</li> <li>• Resale POTS – Business No Dispatch</li> <li>• Resale POTS – Residence Dispatch</li> <li>• Resale POTS – Residence No Dispatch</li> <li>• Resale Specials – Dispatch</li> <li>• Resale Specials – No Dispatch</li> <li><del>• UNE Platform – POTS Dispatch</del></li> <li><del>• UNE Platform – POTS No Dispatch</del></li> <li><del>• UNE Platform – Specials Dispatch</del></li> <li><del>• UNE Platform – Specials No Dispatch</del></li> <li>• UNE Loop Designed - Dispatch <ul style="list-style-type: none"> <li>• DS0</li> <li>• DS1 and above</li> </ul> </li> <li>• UNE Loop Designed – No Dispatch <ul style="list-style-type: none"> <li>• DS0</li> <li>• DS1 and above</li> </ul> </li> <li>• UNE Loop xDSL Capable – Dispatch</li> <li>• UNE Loop xDSL Capable – No Dispatch</li> <li>• UNE Loop IDSL Capable – Dispatch</li> <li>• UNE Loop IDSL Capable – No Dispatch</li> <li><del>• UNE Line Sharing – Conditioned – Dispatch</del></li> <li><del>• UNE Line Sharing – Conditioned – No Dispatch</del></li> <li><del>• UNE Line Sharing – Non-Conditioned – Dispatch</del></li> <li><del>• UNE Line Sharing – Non-Conditioned – No Dispatch</del></li> <li>• UNE EELs - Dispatch <ul style="list-style-type: none"> <li>• DS0</li> <li>• DS1</li> <li>• DS3 and above</li> </ul> </li> <li>• UNE EELs – No Dispatch <ul style="list-style-type: none"> <li>• DS0</li> <li>• DS1</li> <li>• DS3 and above</li> </ul> </li> <li>• UNE Loop Non-Designed - Dispatch</li> <li>• UNE Loop Non-Designed - No Dispatch</li> <li>• UNE Subloop (Diagnostic) – Dispatch</li> <li>• UNE Subloop (Diagnostic) – No Dispatch</li> <li>• UNE Transport - Dispatch <ul style="list-style-type: none"> <li>• DS1 and below</li> <li>• DS3 and above</li> </ul> </li> <li>• UNE Transport – No Dispatch <ul style="list-style-type: none"> <li>• DS1 and below</li> <li>• DS3 and above</li> </ul> </li> <li><del>• UNE Port</del></li> <li>• LNP – Dispatch</li> <li>• LNP – No Dispatch</li> <li><del>• Dark Fiber (Diagnostic) – Dispatch</del></li> <li><del>• Dark Fiber (Diagnostic) – No Dispatch</del></li> <li>• Interconnection Trunks – Dispatch</li> <li>• Interconnection Trunks – No Dispatch</li> <li>• <u>NXX Codes - Dispatch</u></li> <li>• <u>NXX Codes – No Dispatch</u></li> </ul>

CA JPSA

<b>Calculation</b>	<b>Numerator</b>	<b>Denominator</b>
	Total network trouble reports not cleared by the commitment time for ILEC reasons	Total network trouble reports completed

<b>Function:</b>
<b>MR-4 Trouble Duration Intervals (formerly PM 21 and PM 22)</b>
<b>Definition:</b>
MR-4-01 measures the average duration of customer trouble reports from the receipt of the customer trouble report to the time the trouble is cleared.
MR-4-08 measures the percent of POTS out-of-service trouble reports cleared in less than 24 hours for non-design services only.
<u>Network troubles are the following dispositions: 01, 04, 06, 07, 09, 10, 11, 12, 13, 15.</u>
<b>Business Rules:</b>
<ul style="list-style-type: none"> <li>• Results for UNE Subloops and <del>Dark Fiber</del> will be tracked diagnostically</li> <li>• Results include Test okay (TOK), <del>and</del> Found okay (FOK) <u>and Came Clear</u> reports.</li> <li>• UNE Loop IDSL Capable will include IDSL and ISDN capable loops.</li> <li>• Includes in the time interval calculation <del>is</del> any ILEC delay.</li> <li>• For MR-4-08, interval for tickets received Saturday and Sunday begins no later than Monday morning</li> </ul>
<b>Notes:</b>
<ul style="list-style-type: none"> <li>• Verizon will provide disaggregation by Maintenance Disposition codes for all service types as diagnostic data upon raw data request.</li> <li>• The analog for UNE Loop xDSL capable will be Retail ISDN BRI until the Verizon affiliate or separate division (following reintegration) offers a UNE Loop xDSL capable product. <del>The analog for Line Sharing will be line sharing as provided by the Verizon affiliate or separate division (following reintegration), as applicable.</del></li> <li>• Excluded data will be made available upon request through the raw data/excluded data process.</li> <li>• MR-4-01 reported by service group type (including LNP) &amp; NXX Code Opening Troubles and by dispatch and no dispatch.</li> <li>• MR-4-08 reported by POTS Residence and Business (Resale and UNE).</li> </ul>
<b>Exclusions:</b>
<ul style="list-style-type: none"> <li>• CPE and IEC/CLEC caused troubles</li> <li>• Subsequent reports</li> <li>• Message Reports (circuit reports which ILEC has no records on)</li> <li>• ILEC employee generated reports</li> <li>• For MR-4-01, troubles reported as provisioning trouble reports.</li> <li>• Troubles tickets associated with inside wire.</li> <li>• Tickets cancelled by customer/CLEC or where ticket has been opened on the wrong TN or circuit ID.</li> <li>• Any test transactions not submitted in connection with the pre-ordering, ordering, provisioning or maintenance of actual customers.</li> <li>• For MR-4-08, No Access.</li> <li>• <u>Troubles reported on Verizon official (administrative) lines.</u></li> </ul>
<b>Performance Standard:</b>
Parity with Retail
Benchmark:
PR-4-01 Interconnection Trunks (Out of Service): avg. 12 hrs
PR-4-01 Interconnection Trunks (Not Out of Service): avg. 24 hrs
PR-4-01 UNE Subloop and <del>Dark Fiber</del> : No standard. Reported diagnostically.
<b>Report Dimensions:</b>

CA JPSA

<b>Company:</b> <ul style="list-style-type: none"><li>• CLEC Aggregate</li><li>• CLEC Specific</li><li>• ILEC (if analog applies)</li><li>• ILEC Affiliate</li></ul>	<b>Geography:</b> <ul style="list-style-type: none"><li>• Statewide</li></ul>
<b>Sub-Metrics –</b>	

CA JPSA

MR-4-01	Average Time to Restore (formerly PM 21)
---------	--

## CA JPSA

Products	<ul style="list-style-type: none"> <li>• Resale POTS – Business Dispatch</li> <li>• Resale POTS – Business No Dispatch</li> <li>• Resale POTS – Residence Dispatch</li> <li>• Resale POTS – Residence No Dispatch</li> <li>• Resale Specials – Dispatch</li> <li>• Resale Specials – No Dispatch</li> <li><del>• UNE Platform – POTS Dispatch</del></li> <li><del>• UNE Platform – POTS No Dispatch</del></li> <li><del>• UNE Platform – Specials Dispatch</del></li> <li><del>• UNE Platform – Specials No Dispatch</del></li> <li>• UNE Loop Designed - Dispatch <ul style="list-style-type: none"> <li>• DS0</li> <li>• DS1 and above</li> </ul> </li> <li>• UNE Loop Designed – No Dispatch <ul style="list-style-type: none"> <li>• DS0</li> <li>• DS1 and above</li> </ul> </li> <li>• UNE Loop xDSL Capable – Dispatch</li> <li>• UNE Loop xDSL Capable – No Dispatch</li> <li>• UNE Loop IDSL Capable – Dispatch</li> <li>• UNE Loop IDSL Capable – No Dispatch</li> <li><del>• UNE Line Sharing – Conditioned – Dispatch</del></li> <li><del>• UNE Line Sharing – Conditioned – No Dispatch</del></li> <li><del>• UNE Line Sharing – Non-Conditioned – Dispatch</del></li> <li><del>• UNE Line Sharing – Non-Conditioned – No Dispatch</del></li> <li>• UNE EELs - Dispatch <ul style="list-style-type: none"> <li>• DS0</li> <li>• DS1</li> <li>• DS3 and above</li> </ul> </li> <li>• UNE EELs – No Dispatch <ul style="list-style-type: none"> <li>• DS0</li> <li>• DS1</li> <li>• DS3 and above</li> </ul> </li> <li>• UNE Loop Non-Designed - Dispatch</li> <li>• UNE Loop Non-Designed - No Dispatch</li> <li>• UNE Subloop (Diagnostic) - Dispatch</li> <li>• UNE Subloop (Diagnostic) – No Dispatch</li> <li>• UNE Transport - Dispatch <ul style="list-style-type: none"> <li>• DS1 and below</li> <li>• DS3 and above</li> </ul> </li> <li>• UNE Transport – No Dispatch <ul style="list-style-type: none"> <li>• DS1 and below</li> <li>• DS3 and above</li> </ul> </li> <li><del>• UNE Port</del></li> <li>• LNP – Dispatch</li> <li>• LNP – No Dispatch</li> <li><del>• Dark Fiber (Diagnostic) – Dispatch</del></li> <li><del>• Dark Fiber (Diagnostic) – No Dispatch</del></li> <li>• Interconnection Trunks (Out of Service) – Dispatch</li> <li>• Interconnection Trunks (Out of Service) – No Dispatch</li> <li>• Interconnection Trunks (Not Out of Service) – Dispatch</li> <li>• Interconnection Trunks (Not Out of Service) – No Dispatch</li> <li>• <u>NXX Codes - Dispatch</u></li> <li>• <u>NXX Codes – No Dispatch</u></li> </ul>
----------	--

CA JPSA

Calculation	Numerator	Denominator
	Total duration of customer network trouble reports	Total customer network trouble reports
<b>MR-4-08</b>	<b>POTS OOS &lt; 24 Hours (formerly PM 22)</b>	
<b>Products</b>	<ul style="list-style-type: none"> <li>• Resale POTS – Business</li> <li>• Resale POTS - Residence</li> <li>• <del>UNE Platform – POTS Residence</del></li> <li>• <del>UNE Platform – POTS Business</del></li> <li>• UNE Loop Non-Designed</li> <li>• <del>UNE Port</del></li> </ul>	
Calculation	Numerator	Denominator
	Total number of out of service network troubles cleared in less than 24 hours	Total number of out of service network troubles reported

A

CA JPSA

<b>Function:</b>	
<b>MR-5 Frequency of Repeat Troubles in 30 Day Period (formerly PM 23)</b>	
<b>Definition:</b>	
Measures the percent of customer network trouble reports received within 30 calendar days of a previous report. Network troubles are the following dispositions: 01, 04, 06, 07, 09, 10, 11, 12, 13, 15.	
<b>Business Rules:</b>	
<ul style="list-style-type: none"> <li>• Trouble report will not be counted as a repeat report if previous report was closed to "No Access."</li> <li>• UNE Loop IDSL Capable will include IDSL and ISDN capable loops.</li> <li>• <del>Results for Dark Fiber will be tracked diagnostically.</del></li> </ul>	
<b>Notes:</b>	
<ul style="list-style-type: none"> <li>• Verizon will provide disaggregation by Maintenance Disposition codes for all service types as diagnostic data upon raw data request.</li> <li>• The analog for UNE Loop xDSL capable will be Retail ISDN BRI until the Verizon affiliate or separate division (following reintegration) offers a UNE Loop xDSL capable product. <del>The analog for Line Sharing will be line sharing as provided by the Verizon affiliate or separate division (following reintegration), as applicable.</del></li> <li>• Excluded data will be made available upon request through the raw data/excluded data process.</li> <li>• Reported by service group type (including LNP) &amp; NXX Code Opening Troubles</li> </ul>	
<b>Exclusions:</b>	
<ul style="list-style-type: none"> <li>• CPE and IEC/CLEC caused troubles</li> <li>• Subsequent reports</li> <li>• Message Reports</li> <li>• ILEC employee generated reports</li> <li>• Troubles associated with inside wire.</li> <li>• Tickets cancelled by customer/CLEC or where ticket has been opened on the wrong TN or circuit ID.</li> <li>• Any test transactions not submitted in connection with the pre-ordering, ordering, provisioning or maintenance of actual customers.</li> <li>• Troubles reported on Verizon official (administrative) lines.</li> </ul>	
<b>Performance Standard:</b>	
Parity with Retail	
Benchmark:	
LNP: No more than 2 repeat trouble per month per CLEC	
Interconnection Trunks: <=4%	
UNE Subloop and Dark Fiber: No standard. Reported diagnostically.	
<b>Report Dimensions:</b>	
<b>Company:</b>	<b>Geography:</b>
<ul style="list-style-type: none"> <li>• CLEC Aggregate</li> <li>• CLEC Specific</li> <li>• ILEC (if analog applies)</li> <li>• ILEC Affiliate</li> </ul>	<ul style="list-style-type: none"> <li>• Statewide</li> </ul>
<b>Sub-Metrics</b>	

CA JPSA

MR-5-01		% Repeat Reports within 30 Days	
<b>Products</b>	<ul style="list-style-type: none"> <li>• Resale POTS – Business</li> <li>• Resale POTS - Residence</li> <li>• Resale Specials</li> <li>• <del>UNE Platform – POTS</del></li> <li>• <del>UNE Platform – Specials</del></li> <li>• UNE Loop Designed                             <ul style="list-style-type: none"> <li>• DS0</li> <li>• DS1 and above</li> </ul> </li> <li>• UNE Loop xDSL Capable</li> <li>• UNE Loop IDSL Capable</li> <li>• <del>UNE Line Sharing – Conditioned</del></li> <li>• <del>UNE Line Sharing – Non-Conditioned</del></li> <li>• UNE EELs                             <ul style="list-style-type: none"> <li>• DS0</li> <li>• DS1</li> <li>• DS3 and above</li> </ul> </li> <li>• UNE Loop Non-Designed</li> <li>• UNE Subloop (Diagnostic)</li> <li>• UNE Transport                             <ul style="list-style-type: none"> <li>• DS1 and below</li> <li>• DS3 and above</li> </ul> </li> <li>• <del>UNE Port</del></li> <li>• LNP</li> <li>• <del>Dark Fiber (Diagnostic)</del></li> <li>• Interconnection Trunks</li> <li>• <u>NXX Codes</u></li> </ul>		
	<b>Calculation</b>	<b>Numerator</b>	<b>Denominator</b>
	Total customer network trouble reports received within 30 calendar days of a previous customer report	Total customer network trouble reports	

**APPENDIX III**

CA JPSA

---

Network Performance

<b>Function:</b>			
<b>NP-1 Percent Blocking on Common Trunks (formerly PM 24 and PM 25)</b>			
<b>Definition:</b>			
NP-1-02 measures the percent of common and shared transport trunk groups exceeding 2% blockage.			
NP-1-04 measures the percent of final dedicated interconnection trunk groups exceeding 2% blockage.			
<b>Business Rules:</b>			
<ul style="list-style-type: none"> <li>For NP-1-02, Verizon reports provided 45 days after close of data month.</li> <li>For NP-1-02, ILEC will make available, <u>upon CLEC request</u>, detailed information for all trunk groups not meeting 2% blocking level with the monthly report</li> <li>Only measured on trunks where ILEC has outgoing traffic to CLECs, and where ILEC controls trunk capacity.</li> <li>Applies to those trunks where the ILEC has augmentation control.</li> </ul>			
<b>Notes:</b>			
<ul style="list-style-type: none"> <li>For NP-1-04, only measured on trunks where ILEC has outgoing traffic to CLECs and where ILEC controls trunk capacity.</li> <li>For NP-1-04, Verizon reports provided 45 days after close of data month.</li> <li>For NP-1-04, applies to those trunks where the ILEC has augmentation control.</li> <li>NP-1-02 reported by total trunk groups.</li> <li>NP-1-04 reported by total trunk groups, ILEC end office to CLEC end office and ILEC tandem to CLEC end office</li> <li>For NP-1-04, Verizon will electronically notify CLECs (operational trunk staffs), of the following situations for blocked trunks. <u>The notification states that Verizon identified a blocked trunk group due to CLEC reasons, and that the trunk group will be excluded from Verizon performance. Verizon will make the exclusion automatically unless the CLEC responds back within two business days with documentation indicating that Verizon's information is inaccurate.</u></li> </ul>			
<b>Exclusions:</b>			
<ul style="list-style-type: none"> <li>For NP-1-04, blocking failures caused by the CLEC not completing growth trunk provisioning by scheduled due date.</li> <li>For NP-1-04, trunks are provisioned as two-way trunks</li> <li>For NP-1-04, blocking due to CLEC putting trunks in a "make busy" state <u>or other network problems under CLEC's control.</u></li> <li><u>Instances where CLEC does not take action upon receipt of an ASR within 4 business days (or in time frame specified in the ICA), when Call Blocking situation is identified by the ILEC.</u></li> <li><u>Instances where CLEC does not take action within 10 days (or in the time frame specified in the ICA) upon receipt of an ASR when pre-service occupancy of 75% or greater is identified by the ILEC.</u></li> </ul>			
<b>Performance Standard:</b>			
NP-1-02: 2% of trunk groups blocking at no more than 2%			
NP-1-04: Parity – comparison made to ILEC final trunk groups			
<b>Report Dimensions:</b>			
<b>Company:</b>	<b>Geography:</b>		
<ul style="list-style-type: none"> <li>CLEC Aggregate</li> <li>CLEC Specific</li> <li>ILEC (if analog applies)</li> <li>ILEC Affiliate</li> </ul>	<ul style="list-style-type: none"> <li>Statewide</li> </ul>		
<b>Sub-Metrics –</b>			
<b>NP-1-02</b>	<b>% Blocking on Common Trunks (formerly PM 24)</b>		
<b>Products</b>	<ul style="list-style-type: none"> <li>Total Trunk Groups</li> </ul>		
<b>Calculation</b>	<table border="1" style="width:100%"> <tr> <td style="width:50%"><b>Numerator</b></td> <td style="width:50%"><b>Denominator</b></td> </tr> </table>	<b>Numerator</b>	<b>Denominator</b>
<b>Numerator</b>	<b>Denominator</b>		

CA JPSA

	Number of common and shared transport trunk groups exceeding 2% blockage	Total number of common and shared transport trunk groups
<b>NP-1-04</b>	<b>% Blocking on Interconnection Trunks (formerly PM 25)</b>	
<b>Products</b>	<ul style="list-style-type: none"> <li>• Interconnection Trunks – Total trunk groups</li> <li>• Interconnection Trunks – ILEC end office to CLEC end office</li> <li>• Interconnection Trunks – ILEC tandem to CLEC end office</li> </ul>	
<b>Calculation</b>	<b>Numerator</b>	<b>Denominator</b>
	Number of final dedicated interconnection trunk groups exceeding 2% blockage	Total number of final dedicated interconnection trunk groups

<b>Function:</b>		
<b>NP-6 NXX Loaded by LERG Effective Date (formerly PM 26)</b>		
<b>Definition:</b>		
Measures the number of NXXs loaded and tested by the LERG effective date.		
<b>Business Rules:</b>		
<ul style="list-style-type: none"> <li>• Includes both additions and deletions to NXX codes.</li> <li>• For disconnect activity with scheduled completion date on a weekend day or holiday, performance will be considered on time if the work is complete by 5pm the next business day.</li> </ul>		
<b>Notes:</b>		
<ul style="list-style-type: none"> <li>• NXX loading procedures include central office/tandem translations, verification of translations, call through testing, and AMA testing.</li> <li>• Reported for all NXX codes scheduled to be loaded in reporting period.</li> </ul>		
<b>Exclusions:</b>		
<ul style="list-style-type: none"> <li>• Excludes any NXX codes with requested loading interval of less than the industry standard (currently 45 days).</li> <li>• Excludes any NXX code that cannot be completely tested because the CLEC has not provided an accurate test number or because CLEC facilities have not been installed</li> <li>• Any test transactions not submitted in connection with the pre-ordering, ordering, provisioning or maintenance of actual customers.</li> </ul>		
<b>Performance Standard:</b>		
NP-6-01: Parity – comparison made to results for loading ILEC NXX codes by the LERG effective date.		
<b>Report Dimensions:</b>		
<b>Company:</b>	<b>Geography:</b>	
<ul style="list-style-type: none"> <li>• CLEC Aggregate</li> <li>• CLEC Specific</li> <li>• ILEC Affiliate</li> <li>• ILEC (if analog applies)</li> </ul>	<ul style="list-style-type: none"> <li>• Statewide</li> </ul>	
<b>Sub-Metrics</b>		
<b>NP-6-01 NXX Loaded by LERG Effective Date</b>		
<b>Products</b>	<ul style="list-style-type: none"> <li>• All NXX Codes</li> </ul>	
<b>Calculation</b>	<b>Numerator</b>	<b>Denominator</b>
	Number of NXXs loaded and tested by LERG effective date	Number of NXXs scheduled to be loaded and tested by LERG effective date

CA JPSA

---

---

Billing Performance

<b>Function:</b>					
<b>BI-1 Usage Timeliness (formerly PM 28)</b>					
<b>Definition:</b>					
This measure captures the elapsed time between the recording of usage data by the switch, generated either by CLEC retail customers or access usage associated with CLEC customers, and the time when the data set, in a compliant format, is sent/made available to the CLEC.					
<b>Business Rules:</b>					
<ul style="list-style-type: none"> <li>This measure assumes a daily transmission of usage to the CLEC. If a CLEC chooses other than a daily transmission, the measurement still applies based on transmission availability date/time.</li> </ul>					
<b>Notes:</b>					
<ul style="list-style-type: none"> <li>Verizon bills local/toll through CBSS billing systems. Access usage is billed out of CABS. UNE Platform can contain both elements and will be reported separately, if applicable.</li> <li>For mechanized media other than the CLEC mailbox option, the date captured is the date the file is delivered (made available) to the CLEC's mainframe or server. For all other media, the date captured is the date the file is sent to the CLEC.</li> </ul>					
<b>Exclusions:</b>					
<ul style="list-style-type: none"> <li>Results for exiting CLECs. This may include, but is not limited to, service disconnects and adjustments of dollars billed in previous months.</li> <li>Exiting CLEC to be determined by CLEC notice to ILEC, business to business communications, notice to ILEC by the CPUC, FCC or by court decree.</li> <li>Results for OS/DA billing other than those associated with end user services such as UNE-P and resale.</li> </ul>					
<b>Performance Standard:</b>					
<ul style="list-style-type: none"> <li>Parity for Resale Local, Resale Toll and UNE: Parity with Retail Local</li> <li>Resale Toll: Parity with Retail Toll</li> <li>UNE Port and UNE Platform Toll: Parity with Retail Toll</li> <li>UNE Platform Local: Parity with Retail Local</li> <li>UNE Platform Access: Parity with Retail Access (IXC switched access)</li> <li>Benchmark for Jointly provided switched access: Standard—95% in 6 Days</li> </ul>					
<b>Report Dimensions:</b>					
<b>Company:</b>	<b>Geography:</b>				
<ul style="list-style-type: none"> <li>CLEC Aggregate</li> <li>CLEC Specific</li> <li>ILEC (if analog applies)</li> <li>ILEC Affiliate</li> </ul>	<ul style="list-style-type: none"> <li>Statewide</li> </ul>				
<b>Sub-Metrics</b>					
<b>BI-1-05 Usage Timeliness</b>					
<b>Products</b>	<ul style="list-style-type: none"> <li>Resale Local</li> <li>Resale Toll</li> <li>UNE IntraLATA &amp; InterLATA combined, excluding UNE Platform (UNE Port and UNE Platform Toll)</li> <li>UNE Platform Access</li> <li>UNE Platform Local</li> </ul>				
<b>Calculation</b>	<table border="1"> <thead> <tr> <th>Numerator</th> <th>Denominator</th> </tr> </thead> <tbody> <tr> <td>Sum of Data Set Transmission Availability Date minus Date of Message Recording</td> <td>Count of All Messages available for Transmission in Reporting Period</td> </tr> </tbody> </table>	Numerator	Denominator	Sum of Data Set Transmission Availability Date minus Date of Message Recording	Count of All Messages available for Transmission in Reporting Period
Numerator	Denominator				
Sum of Data Set Transmission Availability Date minus Date of Message Recording	Count of All Messages available for Transmission in Reporting Period				
<b>BI-1-06 Usage Timeliness - % DUF within 6 Days</b>					
<b>Products</b>	<ul style="list-style-type: none"> <li>Jointly Provided Switched Access (associated with meet point billing)</li> </ul>				
<b>Calculation</b>	<table border="1"> <thead> <tr> <th>Numerator</th> <th>Denominator</th> </tr> </thead> <tbody> </tbody> </table>	Numerator	Denominator		
Numerator	Denominator				

CA JPSA

	<u>Number of usage records available for transmission, where the difference between Data Set Transmission Availability Date and the Date of Message Recording is six days or less.</u>	<u>Count of All Messages available for Transmission in Reporting Period</u>
--	--	---

<b>Function:</b>					
<b>BI-2 Wholesale Bill Timeliness (formerly PM 30)</b>					
<b>Definition:</b>					
This measure captures the elapsed number of calendar days between the scheduled close of a Bill Cycle and the ILEC's <del>successful transmission of the associated invoice</del> <u>transmission/availability date of the bill</u> to the CLEC.					
<b>Business Rules:</b>					
<ul style="list-style-type: none"> <li>• Includes only mechanized bills.</li> <li>• Bill Cycle Close = Bill Date</li> </ul>					
<b>Notes:</b>					
<ul style="list-style-type: none"> <li>• Verizon legacy system billing data feeds do not support the disaggregation of UNE and Resale major service group types. Verizon will report the results for Resale and UNE service group types as a total result.</li> <li>• <u>For mechanized media other than the CLEC mailbox option, the date captured is the date the file is delivered (made available) to the CLEC's mainframe or server.</u></li> </ul>					
<b>Exclusions:</b>					
<ul style="list-style-type: none"> <li>• Results for exiting CLECs. This may include, but is not limited to, service disconnects and adjustments of dollars billed in previous months.</li> <li>• Exiting CLEC to be determined by CLEC notice to ILEC, business to business communications, notice to ILEC by the CPUC, FCC or by court decree.</li> <li>• Results for OS/DA billing other than those associated with end user services such as UNE-P and resale.</li> <li>• Paper bill, magnetic bill, CD ROM bill or Custom Bill diskette bill.</li> </ul>					
<b>Performance Standard:</b>					
99% within 10 calendar days					
<b>Report Dimensions:</b>					
<b>Company:</b>	<b>Geography:</b>				
<ul style="list-style-type: none"> <li>• CLEC Aggregate</li> <li>• CLEC Specific</li> <li>• ILEC Affiliate</li> </ul>	<ul style="list-style-type: none"> <li>• Statewide</li> </ul>				
<b>Sub-Metrics</b>					
<b>BI-2-01 Wholesale Bill Timeliness</b>					
<b>Products</b>	<ul style="list-style-type: none"> <li>• Resale and UNE combined</li> <li>• Facilities/Interconnection</li> </ul>				
<b>Calculation</b>	<table border="1"> <thead> <tr> <th style="text-align: center;">Numerator</th> <th style="text-align: center;">Denominator</th> </tr> </thead> <tbody> <tr> <td>Count of Invoices <del>transmitted/Transmitted</del> <u>made available</u> by ILEC in 10 calendar days from the scheduled Bill Cycle Close*</td> <td>Total Count of Invoices <del>transmitted/Transmitted</del> <u>made available</u> in Reporting Period</td> </tr> </tbody> </table>	Numerator	Denominator	Count of Invoices <del>transmitted/Transmitted</del> <u>made available</u> by ILEC in 10 calendar days from the scheduled Bill Cycle Close*	Total Count of Invoices <del>transmitted/Transmitted</del> <u>made available</u> in Reporting Period
Numerator	Denominator				
Count of Invoices <del>transmitted/Transmitted</del> <u>made available</u> by ILEC in 10 calendar days from the scheduled Bill Cycle Close*	Total Count of Invoices <del>transmitted/Transmitted</del> <u>made available</u> in Reporting Period				

<b>Function:</b>					
<b>BI-3 Bill Accuracy (formerly PM 34)</b>					
<b>Definition:</b>					
Measures the percentage of the total bill amount that is not adjusted by correcting service orders or adjustments for the month.					
<b>Notes:</b>					
<ul style="list-style-type: none"> <li>Verizon legacy system billing data feeds do not support the disaggregation of UNE and Resale major service group types. Verizon will report the results for Resale and UNE service group types as a total result.</li> </ul>					
<b>Exclusions:</b>					
<ul style="list-style-type: none"> <li>Late charges resulting from externally mandated billing changes that the ILEC cannot reasonably implement in a timely manner.</li> <li>Results for exiting CLECs. This may include, but is not limited to, service disconnects and adjustments of dollars billed in previous months. Exiting CLEC to be determined by CLEC notice to ILEC, business to business communications, notice to ILEC by the CPUC, FCC or by court decree.</li> <li>Results for OS/DA billing other than those associated with end user services such as UNE-P and resale.</li> <li>Any test transactions not submitted in connection with the pre-ordering, ordering, provisioning or maintenance of actual customers.</li> <li><u>Any billing adjustments that result from an agreement between the ILEC and CLEC, where the adjustments were not completed to correct errors in billing. This exclusion does not include adjustments made as a result of a settlement on a bill adjustment claim.</u></li> </ul>					
<b>Performance Standard:</b>					
Resale and UNE:- 97%					
Facilities/Interconnection:- 95%					
<b>Report Dimensions:</b>					
<b>Company:</b>	<b>Geography:</b>				
<ul style="list-style-type: none"> <li>CLEC Aggregate</li> <li>CLEC Specific</li> <li>ILEC (if analog applies)</li> <li>ILEC Affiliate</li> </ul>	<ul style="list-style-type: none"> <li>Statewide</li> </ul>				
<b>Sub-Metrics</b>					
<b>BI-3-01 Bill Accuracy</b>					
<b>Products</b>	<ul style="list-style-type: none"> <li>Resale and UNE combined–                             <ul style="list-style-type: none"> <li>Non-Recurring Charges</li> <li>Recurring Charges</li> <li>Usage</li> </ul> </li> <li>Facilities/Interconnection                             <ul style="list-style-type: none"> <li>Non-Recurring Charges</li> <li>Recurring Charges</li> <li>Usage</li> </ul> </li> </ul>				
<b>Calculation</b>	<table border="1"> <tr> <td style="text-align: center;"><b>Numerator</b></td> <td style="text-align: center;"><b>Denominator</b></td> </tr> <tr> <td>Total monies billed without corrections</td> <td>Total monies billed</td> </tr> </table>	<b>Numerator</b>	<b>Denominator</b>	Total monies billed without corrections	Total monies billed
<b>Numerator</b>	<b>Denominator</b>				
Total monies billed without corrections	Total monies billed				

CA JPSA

<b>Function:</b>	
<b>BI-6 Usage Completeness (formerly PM 31)</b>	
<b>Definition:</b>	
Measures the percentage of usage charges appearing on the <del>correct</del> next available bill.	
<b>Notes:</b>	
<ul style="list-style-type: none"> <li>Verizon legacy system billing data feeds do not support the disaggregation of UNE and Resale major service group types. Verizon will report the results for Resale and UNE service group types as a total result.</li> </ul>	
<b>Exclusions:</b>	
<ul style="list-style-type: none"> <li>Results for exiting CLECs. This may include, but is not limited to, service disconnects and adjustments of dollars billed in previous months.</li> <li>Exiting CLEC to be determined by CLEC notice to ILEC, business to business communications, notice to ILEC by the CPUC, FCC or by court decree.</li> <li>Results for OS/DA billing other than those associated with end user services such as UNE-P and resale.</li> <li>Summarized charges.</li> <li>Any test transactions not submitted in connection with the pre-ordering, ordering, provisioning or maintenance of actual customers.</li> </ul>	
<b>Performance Standard:</b>	
Parity for Resale and UNE: <u>Parity with Retail</u> Facilities/Interconnection: 95%	
<b>Report Dimensions:</b>	
<b>Company:</b>	<b>Geography:</b>
<ul style="list-style-type: none"> <li>CLEC Aggregate</li> <li>CLEC Specific</li> <li>ILEC (if analog applies)</li> <li>ILEC Affiliate</li> </ul>	<ul style="list-style-type: none"> <li>Statewide</li> </ul>
<b>Sub-Metrics:</b>	
<b>BI-6-01</b>	<b>Usage Completeness</b>
<b>Products</b>	<ul style="list-style-type: none"> <li>Resale and UNE combined</li> <li>Facilities/Interconnection</li> </ul>
<b>Calculation</b>	<b>Numerator</b>
	Count of usage charges on the bill that were recorded within last 4530 days
	<b>Denominator</b>
	Total count of usage charges on the bill.

<b>Function:</b>					
<b>BI-7 Recurring Charge Completeness (formerly PM 32)</b>					
<b>Definition:</b>					
Measures the percentage of fractional recurring charges appearing on the <del>correct</del> next available bill.					
<b>Business Rules:</b>					
<ul style="list-style-type: none"> <li>The effective date of the recurring charge must be within <del>one month</del> 45/30 days of the bill date for the charge to appear on the <del>correct</del>next available bill.</li> <li>Excludes late charges resulting from externally mandated billing changes that the ILEC can not reasonably implement in a timely manner.</li> </ul>					
<b>Notes:</b>					
<ul style="list-style-type: none"> <li>Verizon will compare CLEC results to a statistically valid sample of Verizon results.</li> </ul>					
<b>Exclusions:</b>					
<ul style="list-style-type: none"> <li>Late charges resulting from externally mandated billing changes that the ILEC cannot reasonably implement in a timely manner.</li> <li>Results for exiting CLECs. This may include, but is not limited to, service disconnects and adjustments of dollars billed in previous months.</li> <li>Exiting CLEC to be determined by CLEC notice to ILEC, business to business communications, notice to ILEC by the CPUC, FCC or by court decree.</li> <li>Results for OS/DA billing other than those associated with end user services such as UNE-P and resale.</li> <li>Any test transactions not submitted in connection with the pre-ordering, ordering, provisioning or maintenance of actual customers.</li> </ul>					
<b>Performance Standard:</b>					
Parity for Resale and UNE: <u>Parity with Retail</u> Facilities/Interconnection: - 90%					
<b>Report Dimensions:</b>					
<b>Company:</b>	<b>Geography:</b>				
<ul style="list-style-type: none"> <li>CLEC Aggregate</li> <li>CLEC Specific</li> <li>ILEC (if analog applies)</li> <li>ILEC Affiliate</li> </ul>	<ul style="list-style-type: none"> <li>Statewide</li> </ul>				
<b>Sub-Metrics:</b>					
<b>BI-7-01</b>	<b>Recurring Charge Completeness</b>				
<b>Products</b>	<ul style="list-style-type: none"> <li>Resale</li> <li>UNE</li> <li>Facilities/Interconnection</li> </ul>				
<b>Calculation</b>	<table border="1"> <thead> <tr> <th>Numerator</th> <th>Denominator</th> </tr> </thead> <tbody> <tr> <td>Dollar amount of fractional recurring charges that are on the <del>correct</del>next available bill*</td> <td>Total dollar amount of fractional recurring charges that are on bill</td> </tr> </tbody> </table>	Numerator	Denominator	Dollar amount of fractional recurring charges that are on the <del>correct</del> next available bill*	Total dollar amount of fractional recurring charges that are on bill
Numerator	Denominator				
Dollar amount of fractional recurring charges that are on the <del>correct</del> next available bill*	Total dollar amount of fractional recurring charges that are on bill				

CA JPSA

<b>Function:</b>					
<b>BI-8 Non-Recurring Charge Completeness (formerly PM 33)</b>					
<b>Definition:</b>					
Measures the percentage of non-recurring charges appearing on the <del>correct</del> next available bill.					
<b>Business Rules:</b>					
<ul style="list-style-type: none"> <li>• The effective date of the non-recurring charge must be within <del>one month</del> 45<u>30</u> days of the bill date for the charge to appear on the <del>correct</del>next available bill.</li> <li>• <del>Excludes late charges resulting from externally mandated billing changes that the ILEC can not reasonably implement in a timely manner.</del></li> <li>• <del>Correct bill = next available bill</del></li> </ul>					
<b>Exclusions:</b>					
<ul style="list-style-type: none"> <li>• Late charges resulting from externally mandated billing changes that the ILEC cannot reasonably implement in a timely manner.</li> <li>• Results for exiting CLECs. This may include, but is not limited to, service disconnects and adjustments of dollars billed in previous months.</li> <li>• Exiting CLEC to be determined by CLEC notice to ILEC, business to business communications, notice to ILEC by the CPUC, FCC or by court decree.</li> <li>• Results for OS/DA billing other than those associated with end user services such as UNE-P and resale.</li> <li>• Any test transactions not submitted in connection with the pre-ordering, ordering, provisioning or maintenance of actual customers.</li> </ul>					
<b>Performance Standard:</b>					
Parity for Resale and UNE: <u>Parity with Retail</u> Benchmark for Facilities/Interconnection: - 90%					
<b>Report Dimensions:</b>					
<b>Company:</b>	<b>Geography:</b>				
<ul style="list-style-type: none"> <li>• CLEC Aggregate</li> <li>• CLEC Specific</li> <li>• ILEC (if analog applies)</li> <li>• ILEC Affiliate</li> </ul>	<ul style="list-style-type: none"> <li>• Statewide</li> </ul>				
<b>Sub-Metrics</b>					
<b>BI-8-01 Non-Recurring Charge Completeness</b>					
<b>Products</b>	<ul style="list-style-type: none"> <li>• Resale</li> <li>• UNE</li> <li>• Facilities/Interconnection</li> </ul>				
<b>Calculation</b>	<table border="1"> <thead> <tr> <th style="text-align: center;">Numerator</th> <th style="text-align: center;">Denominator</th> </tr> </thead> <tbody> <tr> <td>Dollar amount of non-recurring charges that are on the <del>correct</del>next available bill*</td> <td>Total dollar amount of non-recurring charges that are on bill</td> </tr> </tbody> </table>	Numerator	Denominator	Dollar amount of non-recurring charges that are on the <del>correct</del> next available bill*	Total dollar amount of non-recurring charges that are on bill
Numerator	Denominator				
Dollar amount of non-recurring charges that are on the <del>correct</del> next available bill*	Total dollar amount of non-recurring charges that are on bill				

CA JPSA

---

---

Database Update Performance

<b>Function:</b>		
<b>GE-4 E911/911 MS Database Update (formerly PM 39)</b>		
<b>Definition:</b>		
Measures the percentage of E911/911 database updates completed within 48 hours.		
<b>Business Rules:</b>		
<ul style="list-style-type: none"> <li>For direct gateway updates, the processing interval is measured from the time the update enters the gateway until it posts in the 911 database. If the update rejects, the new interval starts when the update is re-submitted to the gateway.</li> </ul>		
<b>Exclusions:</b>		
<ul style="list-style-type: none"> <li>Any test transactions not submitted in connection with the pre-ordering, ordering, provisioning or maintenance of actual customers.</li> </ul>		
<b>Performance Standard:</b>		
Direct gateway input: 48 hours		
<b>Report Dimensions:</b>		
<b>Company:</b>		<b>Geography:</b>
<ul style="list-style-type: none"> <li>CLEC Aggregate</li> <li>CLEC Specific</li> <li>ILEC (if analog applies)</li> <li>ILEC Affiliate</li> </ul>		<ul style="list-style-type: none"> <li>Statewide</li> </ul>
<b>Sub-Metrics:</b>		
<b>GE-4-01 E911/911 MS Database Update</b>		
<b>Products</b>	<ul style="list-style-type: none"> <li>Direct gateway input updates</li> </ul>	
<b>Calculation</b>	<b>Numerator</b>	
	Number of valid records updated within 48 hours	<b>Denominator</b>
		Total number of valid records updated

CA JPSA

---

## Collocation Performance

<b>Function:</b>
<b>NP-2 Percent On Time to Respond to a Collocation Request (formerly PM 40 and PM 41))</b>
<b>Definition:</b>
NP-2-01 measures the percent of CLEC collocation requests that are responded to on time by the ILEC.
NP-2-05 measures the interval it takes an ILEC to complete (build) a collocation arrangement.
<b>Business Rules:</b>
<ul style="list-style-type: none"> <li>• For NP-2-01, includes all <u>new and</u> augment requests.</li> <li>• For NP-2-01, if the CLEC makes a change to size, location, additional AC or DC or HVAC, in their application within or after the applicable standard, the clock is restarted from the revised application receipt date</li> <li>• Following are the types of changes that trigger the restarting of the 10 day clock: <ul style="list-style-type: none"> <li>○ Power Upgrades - Increasing the DC power by adding a generator, rectifiers, batteries; changing power feeds; or installing a new service entrance from the electrical utility.</li> <li>○ HVAC Upgrades - Changing the existing cooling unit to a larger one; adding an additional cooling unit; or replacing the existing HVAC duct system to obtain additional capacity from existing units.</li> <li>○ Major Building Modifications - Construction activity that is required to convert space that is not suitable for housing telecommunications equipment (administrative and unconditioned space) into space that is suitable for telecommunications equipment and meets local building code. Examples of Major Building Modifications construction activities are as follows: <ul style="list-style-type: none"> <li>• Asbestos abatement on a room or floor of a building</li> <li>• Construction of new interior partitions (walls) and doors to accommodate new HVAC system</li> <li>• Construction required to accommodate restroom access or modifications per code.</li> <li>• Construction or modification of building to facilitate proper emergency egress from the space per code.</li> <li>• Electrical wiring of space per code requirements.</li> </ul> </li> </ul> </li> <li>• For NP-2-05, interval begins when ILEC approves the application and has received, from CLEC, financial payment or bond.</li> <li>• <u>For NP-2-05, if a CLEC delays the collocation installation, the collocation interval shall be increased by the number of days of CLEC delay (resulting in an adjusted interval). If the ILEC completes the requisite installation by the adjusted interval, it will have met its obligation.</u></li> <li>• For NP-2-05, interval begins when ILEC approves the application and has received, from CLEC, financial payment or bond.</li> <li>• For NP-2-05, the request is complete when the ILEC sends a notice, in a form agreed upon by both parties, along with CFA/APOT information, advising that the collocation arrangement is complete and ready for CLEC occupancy.</li> <li>• <u>For NP-2-05, when an extended interval has been mutually negotiated, the extended interval will be tracked. If the extended interval is met, the order commitment will be counted as met. If the extended interval is missed, the order commitment will be counted as missed.</u></li> </ul>
<b>Notes:</b>
<ul style="list-style-type: none"> <li>• For NP-2-01, interval to begin upon receipt of valid request per published ILEC collocation guidelines.</li> <li>• Verizon will provide email notice to OSS OII Performance Measures service list of proposed tariff changes affecting the intervals in this measure. The subject line of the notice must say "JPSA Affecting Tariff Change."</li> </ul>
<b>Exclusions:</b>

CA JPSA

<ul style="list-style-type: none"> <li>• Orders cancelled by CLEC</li> <li>• Any test transactions not submitted in connection with the pre-ordering, ordering, provisioning or maintenance of actual customers.</li> <li>• For NP-2-05, CLEC requested due dates greater than the standard interval.</li> </ul>					
<b>Performance Standard:</b>					
NP-2-01: 95% within time intervals set in its tariffs					
NP-2-05					
<ul style="list-style-type: none"> <li>• New - 90% compliance within time intervals set in its tariffs</li> <li>• Augmentation - 95% within time intervals set in its tariffs</li> </ul>					
<b>Report Dimensions:</b>					
<b>Company:</b>	<b>Geography:</b>				
<ul style="list-style-type: none"> <li>• CLEC Aggregate</li> <li>• CLEC Specific</li> <li>• ILEC Affiliate</li> </ul>	<ul style="list-style-type: none"> <li>• Statewide</li> </ul>				
<b>Sub-Metrics:</b>					
<b>NP-2-01 % On Time to Respond to a Collocation Request (formerly PM 40)</b>					
<b>Products</b>	<ul style="list-style-type: none"> <li>• All Collocation, includes Caged, Cageless and Physical</li> </ul>				
<b>Calculation</b>	<table border="1"> <thead> <tr> <th>Numerator</th> <th>Denominator</th> </tr> </thead> <tbody> <tr> <td>Number of Requests Completed in X Calendar Days Interval</td> <td>Count of Requests Completed due in Reporting Period</td> </tr> </tbody> </table>	Numerator	Denominator	Number of Requests Completed in X Calendar Days Interval	Count of Requests Completed due in Reporting Period
Numerator	Denominator				
Number of Requests Completed in X Calendar Days Interval	Count of Requests Completed due in Reporting Period				
<b>NP-2-05 Time to Provide a Collocation Arrangement (formerly PM 41)</b>					
<b>Products</b>	<ul style="list-style-type: none"> <li>• All Collocation – New (All), includes Caged, Cageless and Physical</li> <li>• All Collocation – Augment (All), includes Caged, Cageless and Physical</li> </ul>				
<b>Calculation</b>	<table border="1"> <thead> <tr> <th>Numerator</th> <th>Denominator</th> </tr> </thead> <tbody> <tr> <td># of Collocation Arrangements Completed in "X" Interval</td> <td>Total Number of Collocation Arrangements Completed During the Reporting Period</td> </tr> </tbody> </table>	Numerator	Denominator	# of Collocation Arrangements Completed in "X" Interval	Total Number of Collocation Arrangements Completed During the Reporting Period
Numerator	Denominator				
# of Collocation Arrangements Completed in "X" Interval	Total Number of Collocation Arrangements Completed During the Reporting Period				

CA JPSA

---

---

Interface Performance

<p><b>Function:</b></p> <p><b>PO-2 Percent of Time Interface is Available (OSS Interface Availability) (formerly PM 42)</b></p>
<p><b>Definition:</b></p> <p>Measures percent of time OSS Interface is available compared to scheduled availability.</p> <p>WPTS (Nationwide): This is a measure of WPTS OSS availability based upon Scheduled Availability. Scheduled Availability is as follows:</p> <ul style="list-style-type: none"> <li>• Prime Time: 076:00:00 to 0823:0059:0059 EST Monday through Saturday, <b>excluding</b> major Holidays.</li> </ul> <p>Major Holidays include: New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day and Christmas Day.</p> <p>For WPTS, Verizon calculates the PO-2 OSS Availability metric by combining CLEC reported outages (received via the Wholesale Customer Care Center (WCCC) with EnView reported outages. Verizon measures CLEC reported outages based on actual reported time frames as well as any outages captured by EnView ( and not reported by CLECs).</p> <p>The Wholesale Customer Care Center receives OSS availability trouble reports from CLECs, and logs each trouble into a tracking system. Verizon reviews data from the tracking system each week to determine which troubles were interface outages, and thus included in the PO-2 calculation. This data is supplemented with outages captured by EnView to calculate the final metric results.</p> <p><b>Business Rules:</b></p> <ul style="list-style-type: none"> <li>• Outage hours are obtained from outage reports</li> <li>• Any change requests for extended availability during the reporting period are added to the scheduled hours.</li> <li>• WPTS: The EnView methodology is as follows: EnView is used as an alarm for system availability and supplements CLEC reported outages. If no CLEC reported an outage, but En View detected an outage, the EnView outage is included as if the entire CLEC population experienced the outage.</li> <li>• WPTS: EnView measurement of the EDI, CORBA and Web GUI aka LSI/W interfaces availability is as follows: The mechanized OSS interface availability process is based on the transactions created by the EnView Robots. The program determines whether the EnView transactions were successful or unsuccessful, or if no transactions were issued (not polled). Transactions are processed by transaction type separately for each interface type and OSS. The hours of the day are divided into six (6) minute measurement periods.</li> </ul> <p><b>Notes:</b></p> <ul style="list-style-type: none"> <li>• Verizon captures data on a nationwide basis and reports national results at a state level.</li> <li>• ILECs will agree to document any calculation of partial availability.</li> <li>• Reported by interface type for all interfaces accessed by CLECs (e.g., pre-ordering, ordering, and maintenance) i.e., <u>WISE, EDI</u></li> </ul>
<p><b>Exclusions:</b></p> <p>For WPTS: Not applicable if CLECs are not using WPTS in the state. The following exclusions apply:</p> <ul style="list-style-type: none"> <li>• Troubles reported but not found in VZ's systems.</li> <li>• Troubles reported by a CLEC that were not reported to VZ's designated trouble reporting center.</li> <li>• Scheduled interface outages for major system releases where CLECs were provided with advanced notification of the downtime in compliance with VZ Change Management Guidelines.</li> </ul>
<p><b>Performance Standard:</b></p> <p>Standard – 99.50% (for all interfaces)</p>

CA JPSA

Report Dimensions:		
<b>Company:</b> <ul style="list-style-type: none"> <li>• CLEC Aggregate</li> <li>• ILEC (if analog applies)</li> <li>• ILEC Affiliate</li> </ul>		<b>Geography:</b> <ul style="list-style-type: none"> <li>• Statewide<sup>6</sup></li> </ul>
<b>Products</b>	<ul style="list-style-type: none"> <li>• EDI CSI</li> <li>• <del>EDI Loop Qual</del></li> <li>• <del>EDI Pre Order</del></li> <li>• EDI Ordering</li> <li>• CORBA CSI</li> <li>• <del>CORBA Loop Qual</del></li> <li>• CORBA Pre Order</li> <li>• WISE Pre Order</li> <li>• <del>WISE Ordering</del></li> <li>• <del>WISE Repair</del></li> <li>• <del>WISE CSI Requests</del></li> <li>• <del>WISE Loop Qual</del></li> <li>• <u>LSI</u></li> <li>• <u>WPTS FTP</u></li> <li>• <del>NDM</del></li> <li>• <del>E-Mail</del></li> </ul>	
Sub-Metrics		
<b>PO-2-02 % of Time Interface is Available</b>		
<b>Calculation</b>	<b>Numerator</b>	<b>Denominator</b>
	Number of scheduled interface available hours minus unscheduled interface unavailable hours.	Scheduled system available hours.

<sup>6</sup> Note: WPTS is one system and is measured at the national level. The same performance will be reported in all Verizon States.

## CA JPSA

<b>Function:</b>		
<b>PO-3 Center Responsiveness (formerly PM 44)</b>		
<b>Definition:</b>		
Measures the average time it takes the ILEC's work center to answer a call.		
<b>Notes:</b>		
<ul style="list-style-type: none"> <li>• Measured by individual queue, if applicable, in each ILEC center.</li> <li>• Verizon captures data on a nationwide basis and reports national results at a state level.</li> <li>• Verizon reports two repairs centers: 1) Designed Engineered Services; and 2) Non-designed (Non-Engineered) Services</li> </ul>		
<b>Exclusions:</b>		
<ul style="list-style-type: none"> <li>• Any test transactions not submitted in connection with the pre-ordering, ordering, provisioning or maintenance of actual customers.</li> </ul>		
<b>Performance Standard:</b>		
<b>Repair Centers:</b>		
<ul style="list-style-type: none"> <li>• Standard – average 20 seconds</li> </ul>		
<b>Ordering Centers:</b>		
<ul style="list-style-type: none"> <li>• Standard – average 17 seconds</li> </ul>		
<b>Report Dimensions:</b>		
<b>Company:</b>		<b>Geography:</b>
<ul style="list-style-type: none"> <li>• CLEC Aggregate</li> <li>• ILEC (if analog applies)</li> </ul>		<ul style="list-style-type: none"> <li>• Statewide</li> </ul>
<b>Sub-Metrics</b>		
<b>PO-3-02 Center Responsiveness -Ordering</b>		
<b>Products</b>	<ul style="list-style-type: none"> <li>• Ordering</li> </ul>	
<b>Calculation</b>	<b>Numerator</b>	<b>Denominator</b>
	Sum (Date and Time of Call answer - Date and Time of Call Receipt)	Total calls answered by center.
<b>PO-3-04 Center Responsiveness - Repair</b>		
<b>Products</b>	<ul style="list-style-type: none"> <li>• Repair (Non-Designed/Non-Engineered)</li> </ul>	
<b>Calculation</b>	<b>Numerator</b>	<b>Denominator</b>
	Sum (Date and Time of Call answer - Date and Time of Call Receipt)	Total calls answered by center.
<b>PO-3-05 Center Responsiveness - BRC (Business Repair Center)</b>		
<b>Products</b>	<ul style="list-style-type: none"> <li>• BRC (Designed Engineered Services)</li> </ul>	
<b>Calculation</b>	<b>Numerator</b>	<b>Denominator</b>
	Sum (Date and Time of Call answer minus Date and Time of Call Receipt)	Total calls answered by center.

CA JPSA

---

## Change Management Performance

<b>Function:</b>
<b>PO-4 Percent of Timely and Compliant Change Management Notices (formerly PM 45)</b>
<b>Definition:</b>
<p>This metric measures the percent of Change Management Notices and associated documentation sent before implementation according to prescribed timeliness standards within prescribed timeframes. Notices include notifications and confirmations.</p> <p>Documentation is not considered available until all material changes are made.</p> <p><u>Business Rules:</u></p> <ul style="list-style-type: none"> <li>• The Timelines standards for the sub-metric products are listed below and are in accordance with those set forth in the Change Management Processes and Procedures. Verizon will comply with applicable Change Management Processes and Procedures.</li> <li>• Verizon will comply with applicable Change Management Processes and Procedures <u>as documented in Verizon's "Wholesale Network Services OSS Interface Change Management Process" version 2.1 dated April 5, 2001, or subsequent successor documents. This document(s) will be made available to the CLEC community.</u></li> </ul> <p><u>Notes:</u></p> <ul style="list-style-type: none"> <li>• Results reported are for Verizon West (fGTE).</li> <li>• <u>Reported by total of change notifications and confirmations for Types 3, 4 and 5 combined.</u></li> <li>• <u>Change Management Notices are considered compliant if appropriate documentation is made available on or before the date of the notice.</u></li> </ul> <p><b>Exclusions:</b></p> <ul style="list-style-type: none"> <li>• Regulatory mandates as described in the CMP documentation</li> <li>• Emergency fixes</li> <li>• CLEC initiated changes to Final Requirements (excluding changes requested due to a mistake by ILEC identified by the CLEC)</li> <li>• ILEC-initiated enhancements/changes to requirements for which it requests that this Performance Measurement does not apply and CLECs agree</li> <li>• Enhancements/changes <u>other than those that do not</u> eliminate existing functionality or require material CLEC <u>functional</u> software or process changes.</li> <li>• Changes to Error Messages and changes to codes used within interface fields</li> </ul>

CA JPSA

<p><b>Performance Standard:</b>                  90% compliant notifications and confirmations notices sent on time.</p>		
<p><b>Timeliness Standards:</b></p> <p>Change type  <b>Change Notification:</b> Interval between notification and implementation  <b>Change Confirmation:</b> Final Documentation Availability before implementation<sup>2</sup></p>		
<p>Type 5 – CLEC originated  <b>Change Notification:</b> ≥ 73 calendar days prior to implementation, the draft for business rules are published, ≥ 66 calendar days prior to implementation, the draft for technical specifications are published.  <b>Change Confirmation:</b> ≥ 45 calendar days, prior to implementation, the final business rules, technical specifications and error message documentation are published.</p>		
<p>Type 4 – Verizon originated  <b>Change Notification:</b> ≥ 73 calendar days prior to implementation, the draft for business rules are published, ≥ 66 calendar days prior to implementation, the draft for technical specifications are published.  <b>Change Confirmation:</b> ≥ 45 calendar days prior to implementation, the final business rules, technical specifications and error message documentation are published.</p>		
<p>Type 3 – Industry Standard  <b>Change Notification:</b> ≥ 73 calendar days prior to implementation, the draft for business rules are published, ≥ 66 calendar days prior to implementation, the draft for technical specifications are published.  <b>Change Confirmation:</b> ≥ 45 calendar days prior to implementation, the final business rules, technical specifications and error message documentation are published.</p>		
<p><b>Report Dimensions:</b></p>		
<p><b>Company:</b>                  • CLEC Aggregate</p>		<p><b>Geography:</b>                  • Statewide</p>
<p><b>Sub-Metrics –</b></p>		
<p><b>PO-4-01 % of Timely &amp; Compliant Change Management Notices</b></p>		
<p><b>Products</b>                  • Notifications/Confirmations</p>		
<p><b>Calculation</b></p>	<p><b>Numerator</b></p>	
	<p>Number of compliant change management notifications and confirmations notices sent within the appropriate interval in the reporting period</p>	
	<p><b>Denominator</b></p>	
	<p>Total number of change management notifications and confirmations notices sent during the reporting period</p>	

---

## Reporting Process

---

Except as otherwise provided, performance reports will be provided to the CLECs and the Public Utilities Commission by the twentieth calendar day of the month succeeding the reporting period. The reporting period is the calendar month, unless otherwise noted. Reporting will be activity based, i. e. where there is reportable data for the CLEC.

For those measures where results appear to be statistically less than parity or not meeting the benchmark level, the ILEC will perform analysis of the data if requested by the CLEC. This analysis will detail the underlying causes contributing to the reported performance results. The ILEC will supply this analysis to the requesting CLEC within thirty days of website publication of the monthly results or within thirty days of the CLEC's request, whichever is later.

Authorized users will have access to monthly reports through an interactive website. Each CLEC will have access to its own data, aggregate CLEC data, ILEC data and ILEC Affiliate data. ILEC Affiliate data will be reported, at a minimum, separately for the ILEC Data subsidiary and all other ILEC Affiliates (in the aggregate). The ILECs will report performance measurements for transactions with their affiliates and make those data available to all CLECs who have filed non-disclosure documents like those filed by SBC/California and Verizon with regard to CLEC data. The Public Utilities Commission will have access to reports for all entities, including ILEC Affiliate data. ILEC Affiliate data will not be included in CLEC aggregate data.

In addition to the performance measure results themselves, the raw data supporting the results, for the current and prior month, will be available to the CLECs and the Public Utilities Commission. Additional raw data will be available where measure results have been changed and the raw data has been affected. Raw data will be archived for a period of 24 months to provide an adequate audit trail and will be retained with sufficient detail so that CLECs can reasonably reconcile the data captured by the ILEC (for the CLEC) with its own internal data. ILEC will provide data that comprise the results and are readily available from systems that provide the reportable data. Furthermore, data that relates to the ILEC's own performance would be retained, at a consistent level of disaggregation comparable to that reported for the CLECs. ILEC will provide PON information associated with Ordering and Provisioning measures. CLECs should request raw data on an as-needed basis. SBC/California will produce the current and prior months' raw data within one business day. Raw data requests for previous months will be provided in a negotiated interval. Verizon will provide the requested data within 30 days.

## CA JPSA

---

**Auditing**

---

**Initial Audit:**

(See prior versions of the JPSA for discussion on Initial Audit).

**Annual Audits:**

A comprehensive Annual Audit will be conducted of the ILECs' reporting procedures and reportable data. The Annual Audit will include all systems, processes and procedures associated with the production and reporting of performance measurement results, except as noted below. A Joint Steering Committee ("Committee") comprised of ILEC and CLEC representatives will be responsible for:

1. Jointly defining the Request for Proposal;
2. Jointly selecting a third party auditor;
3. Determining the scope and timing of the Annual Audit;
4. Providing guidance to the auditor, as requested; and
5. Reviewing the auditor's compliance with the Request for Proposal.

The Committee will convene every ~~six~~ twelve months to discuss and determine the timing and scope of any Annual Audit. Provided, any party may request that the committee convene before the 12<sup>th</sup> month but not earlier than the 6<sup>th</sup> month following the last meeting of the committee, to discuss whether an Annual Audit is necessary. In such event, the party seeking the earlier meeting will be responsible for calling the meeting, providing a conference call-in number and/or meeting location, and providing all legal notices applicable thereto. In the event that the Committee cannot agree on defining the Request for Proposal, selecting an auditor, or determining the scope or timing of the Annual Audit, the parties agree to submit their disputes to the American Arbitration Association ("AAA") for expedited resolution. The AAA shall have discretion to award arbitration costs, excluding attorneys' fees, to the prevailing party.

At its completion, the ILEC shall submit its annual comprehensive audit to the Commission, and distribute copies (which include only non-proprietary information) to parties on the OSS OII service list.

No Annual Audit shall commence within 12 months of the commencement of the previous Annual Audit. Notwithstanding any other provisions herein, the scope of the Annual Audit shall not exceed the previous 12 months. In addition, at least one comprehensive Annual Audit will be conducted every three years.

The costs of the Annual Audit will be divided 50% to the ILEC and 50% to the CLECs, in the proportion of each individual CLEC's volume to the aggregate CLEC volume. Volume for purposes of this allocation will be the number of local exchange lines, interconnection/interoffice trunks ("trunks"), circuits, and UNEs (as reported in the denominator of Measure 19, the "Customer Trouble Report Rate" measure) in service in the third reported month prior to the commencement of the Annual Audit. In order to assign weight to the different local exchange lines/trunks/circuits and UNEs reported in Measure 19, the Committee shall develop and approve a conversion table based on a standard unit of weight, likely using a DS-0 equivalency, including appropriate consideration for collocation; provided, the ILEC shall not in any event have an obligation to provide data or perform calculations that are not part of its normal data reporting systems.

## CA JPSA

The estimated cost of the Annual Audit (based on the chosen vendor's response to the Request for Proposal) will be paid into escrow by the ILEC and the CLECs a reasonable period of time before the commencement of the Annual Audit and shall be a prerequisite for the commencement of the Annual Audit. Any disputes regarding payments owed by the respective CLECs for the Annual Audit shall be submitted to the American Arbitration Association ("AAA") for expedited resolution. The AAA shall have discretion to award arbitration costs, excluding attorneys' fees, to the prevailing party.

In the case of Verizon, when the Annual Audit is performed at the national level for systems, processes and procedures associated with the production and reporting of performance measurement results, the Annual Audit cost in California associated with the audit of Verizon's national systems, processes and procedures shall be determined on a pro-rated basis as follows: The California portion shall be based on the volume of CLEC activity in California as compared to the total CLEC volume in all Verizon states. Volume for purposes of this allocation will be the number of local exchange lines, trunks, circuits, and UNEs (as reported in Measure 19) in service in third reported month prior to the commencement of the Annual Audit. Audit costs specific to California shall be shared by Verizon and the CLECs as set forth in the paragraph above.

**Mini – Audits:**

In addition to an annual audit, SBC/California, Verizon and CLECs agree that the CLECs would have the right to mini-audits of individual performance measures/sub-measures during the year. When a CLEC has reason to believe the data collected for a measure is flawed or the reporting criteria for the measure is not being adhered to, it has the right to have a mini-audit performed on the specific measure/sub-measure upon written request (including e-mail), which will include the designation of a CLEC representative to engage in discussions with the ILEC about the requested mini-audit. If, 30 days after the CLEC's written request, the CLEC believes that the issue has not been resolved to its satisfaction, the CLEC will commence the mini-audit upon providing the ILEC with 5 business days advance written notice. Each CLEC is limited to auditing three single measures/sub-measures during the audit year. The Mini-audit year will be based on a calendar year. Mini-audits cannot be requested by a CLEC while an Annual Audit is being conducted (i.e. before completion).

Mini-Audits may be requested for months including and subsequent to the month in which an Annual Audit was initiated.

Mini-Audits will include all systems, processes and procedures associated with the production and reporting of performance measurement results for the audited measure/sub-measure. Mini-Audits will include two (2) months of data, and all parties agree that raw data supporting the performance measurement results will be available monthly to CLECs as described in the Reporting Process section (~~Section II~~) of this agreement.

No more than three (3) Mini-Audits will be conducted simultaneously unless more than one CLEC wants the same measure/sub-measure audited at the same time, in which case, Mini-Audits of the same measure/sub-measure shall count as one Mini-Audit for the purposes of this paragraph only.

Mini-Audits will be conducted by a third party auditor, selected by the same method as the selection of the auditor for the Annual Audit. The CLEC will pay for the costs of the third party auditor conducting the Mini-Audit unless the ILEC is found to be "materially" misreporting or misrepresenting data or to have non-compliant procedures, in which case, the ILEC would pay for the costs of the third party auditor. Parties agree that the issue of whether the ILEC is "materially" at fault will be based on the parameters of failure to perform: "materially" at fault

CA JPSA

---

means that a reported successful measure changes as a consequence of the audit to a missed measure, or there is a change from an ordinary missed measure to another category, if such exists. Each party to the Mini-Audit shall bear its own internal costs, regardless of which party ultimately bears the costs of the third party auditor.

If, during a Mini-Audit, it is found that for more than 50% of the measures in a major service category the ILEC is “materially” at fault (i.e., a reported successful measure changes as a consequence of the audit to a missed measure, or there is a change from an ordinary missed measure to another category, if such exists), the entire service category will be re-audited at the expense of the ILEC. The major service categories for this purpose are:

- Pre-Ordering
- Ordering
- Provisioning
- Maintenance
- Network Performance
- Billing
- Database Updates
- Collocation
- Interfaces

Each Mini-Audit shall be submitted to the CLEC involved and to the Commission as a proprietary document subject to the applicable protection afforded by Commission General Order No. 66 C and California Public Utilities Code Section 583.

The ILEC will provide notification to the CLECs of any Mini-Audit requested when the request for the audit is made.

## Review Procedures

As experience is acquired under this Partial Settlement Agreement with the new performance measurements and underlying business processes, the Parties expect to learn which measurements set forth in Section II may not have been properly defined or are more or less useful than others. The Parties also expect that experience will show whether new measurements are needed or whether certain existing measurements are not needed or require modification. Accordingly, the Parties agree to reconvene on or around January 17, 2004 to review the effectiveness of and modifications to the performance measurements approved by the Commission in this proceeding. The parties will conclude the review within 90 days of its commencement and will submit the revisions to the Partial Settlement Agreement to the Commission within the 90-day review period. In the event the Parties cannot agree on any addition, deletion or modification, they will jointly submit such dispute for resolution by the CPUC.

If, prior to the agreed-upon review date, there is consensus that one or more measures are not effective, the parties will schedule meetings to discuss modifying the measure(s) or process(es). If there is no consensus, any individual party seeking formal review by the CPUC shall give notice to the other parties of its intent to do so. The party will also describe the action it intends to take and the reason(s) for its proposed actions.

## California OSS OII Performance Measurements Service Order Types

- New Service Installations
- Service Migrations without Changes
- Service Migrations with Changes
- Move and Change activities
- Feature Changes
- Service Disconnects

## CA JPSA

## Definition of Terms

TERM	DEFINITION
Automatic Location Information (ALI)	The feature of E911 that displays at the Public Safety Answering Point (PSAP) the street address of the calling telephone number. This feature requires a data storage and retrieval system for translating telephone numbers to the associated address. ALI may include Emergency Service Number (ESN), street address, room or floor, and names of the enforcement, fire and medical agencies with jurisdictional responsibility for the address. The Management System (E911) database is used to update the Automatic E911 Location Information databases.
Basic Hot Cut	Basic Hot Cuts include Coordinated Conversions and Coordinated Hot Cuts.
Batch Hot Cut	The live transfer of a VZ provided dial tone customer to a CLEC Loop. Verizon Technicians complete cross-wire work. Verizon provides notice to NPAC for Port activation. Batch hot cuts are scheduled on a wire center basis and not on fixed intervals. A "Batch" may include multiple CLECs' orders. Batch Hot Cuts must be identified on the LSR according to published business rules
Cageless Collocation	Shall have meaning set forth in FCC 1 <sup>st</sup> Report and Order on Deployment of Wireline Services Offering Advanced Telecommunications Capability or any future, assoc. orders
Call Blocking	A condition on a telecommunications network where, due to a maintenance problem or an over capacity situation in a part of the network, some or all originating or terminating calls cannot reach their final destinations. Depending on the condition and the part of the network affected, the network may make subsequent attempts to complete the call or the call may be completely blocked. If the call is completely blocked, the calling party will have to re-initiate the call attempt.
Code Opening	Process by which new NPA/NXXs (area code/prefix) are defined, through software translations to network databases and switches, in telephone networks. Code openings allow for new groups of telephone numbers (usually in blocks of 10,000) to be made available for assignment to an ILEC's or CLEC's customers, and for calls to those numbers to be passed between carriers.
Common Channel Signaling System 7 (CCSS7)	A network architecture used to for the exchange of signaling information between telecommunications nodes and networks on an out-of-band basis. Information exchanged provides for call set-up and supports services and features such as CLASS and database query and response.
Common Transport <u>Trunk Groups</u>	Trunk groups between tandem and end office switches that are shared by more than one carrier, often including the traffic of both the ILEC and several CLECs.
Completion	The time in the order process when the service has been provisioned and service.
Completion Notice	A notice the ILEC provides to the CLEC to inform the CLEC that the requested service order activity is complete.

## CA JPSA

TERM	DEFINITION
Coordinated Customer Conversion	Orders that have a due date negotiated between the ILEC, the CLEC, and the customer so that work activities can be performed on a coordinated basis under the direction of the receiving carrier.
Coordinated Hot Cut	The live transfer of a VZ provided dial tone customer to a CLEC Loop. Verizon Technicians complete cross-wire work either on an open telephone bridge, or by contact before and after the cut with the CLEC. Port is activated by CLEC. Orders have a due date negotiated between the ILEC, the CLEC, and the customer so that work activities can be performed on a coordinated basis under the direction of the receiving carrier. Coordinated Hot Cuts are applicable to Basic Hot Cut process.
Customer Requested Due Date	A specific due date requested by the customer which is either shorter or longer than the standard interval or the interval offered by the ILEC.
Customer Trouble Reports	A report that the carrier providing the underlying service opens when notified that a customer has a problem with their service. Once resolved, the disposition of the trouble is changed to closed.
Dedicated Transport	A network facility reserved to the exclusive use of a single customer, carrier or pair of carriers used to exchange switched or special, local exchange, or exchange access traffic.
Delayed Order	An order which has been completed after the scheduled due date and/or time
<u>Designed Services</u>	<u>Designed services are services requiring engineering intervention.</u>
Directory Assistance Database	A database that contains subscriber records used to provide live or automated operator-assisted directory assistance. Including 411, 555-1212, NPA-555-1212.
Directory Listings	Subscriber information used for DA and/or telephone directory publishing, including name and telephone number, and optionally, the customer's address.
DS-0	Digital Service Level 0. Service provided at a digital signal speed commonly at 64 kbps, but occasionally at 56 kbps.
DS-1	Digital Service Level 1. Service provided at a digital signal speed of 1.544 Mbps.
DS-3	Digital Service Level 3. Service provided at a digital signal speed of 44.736 Mbps.
Due Date	The date provided on the FOC the ILEC sends the CLEC identifying the planned completion date for the order.
End Office Switch	A switch from which an end users' exchange services are directly connected and offered.
Firm Order Confirmation (FOC)	Notice the ILEC sends to the CLEC to notify the CLEC that it has received the CLECs service order, created a service request, and assigned it a due date.
Flow-Through	The term used to describe whether a LSR electronically is passed from the OSS interface system to the ILEC legacy system to automatically create a service order. LSRs that do not flow through require manual intervention for the service order to be created in the ILEC legacy system.

## CA JPSA

TERM	DEFINITION
Held Order	An order for which the ILEC has issued a FOC, but whose due date has passed without it being completed.
High Bandwidth Line Sharing UNE	<del>The frequency range above the voiceband on a copper loop facility that is being used to carry analog circuit switched voiceband transmissions.</del>
Hot Cut	The live transfer of a VZ provided dial tone customer to a CLEC Loop. Basic - (Coordinated Conversion or Coordinated Hot Cut) Batch - (Coordinated Conversion) Large job - (Coordinated Conversion)
Installation	The activity performed to activate a service.
Installation Troubles	A trouble, which is identified after service order activity and installation, has completed on a customer's line. It is likely attributable to the service activity (within a defined time period).
Inside Wiring	The telecommunications wiring located at a customer's premises that extends beyond the demarcation point.
Interconnection Trunks	A network facility that is used to interconnect two switches generally of different local exchange carriers
Interface Outage	A planned or unplanned failure resulting the unavailability or access degradation of a system.
Jeopardy	A failure in the service provisioning process which results potentially in the inability of a carrier to meet the committed due date on a service order.
Jeopardy Notice	The actual notice that the ILEC sends to the CLEC when a jeopardy condition has been identified.
Lack of Facilities	A shortage of cable facilities identified after a due date has been committed to a customer, including the CLEC. The facilities shortage may be identified during the inventory assignment process, or during the service installation process. If no facilities are available, the ILEC will issue a jeopardy.
Large Job Hot Cut	A Coordinated Hot Cut specified on the LSR as a large job. Intervals for Large Jobs are negotiated and may occur over multiple days. Large Jobs are specified by a CLEC and include multiple orders within the same central office.
Local Exchange Routing Guide (LERG)	A Bellcore master file that is used by the telecom industry to identify NPA-NXX routing and homing information, as well as network element and equipment designations. The file also includes scheduled network changes associated with activity within the North American Numbering Plan (NANP).
Local Exchange Traffic	Traffic originated on the network of a LEC in a local calling area that terminates to another LEC in a local calling area.
Local Number Portability	A network technology which allows end user customers to retain their telephone number when moving their service between local service providers. This technology does not employ remote call forwarding, but actually allows the customer's telephone number to be moved and redefined in the network of the new service provider. The activity to move the telephone number is called "porting."
Local Service Confirmation	OBF term for a FOC
Mechanized Bill	A bill that is delivered via electronic transmission.

## CA JPSA

<b>TERM</b>	<b>DEFINITION</b>
Meet Point Billing	A billing arrangement used when two or more LECs jointly provide access to and from an interexchange carrier (IEC) for inter LATA traffic. This arrangement can be Single Bill, where one LEC bills the IEC on behalf of both LECs and remits payment to the other LEC or Multiple Bill, where each LEC bills their portion directly to the IEC.
Missed Commitment Notification	A notice from ILEC to inform CLEC that the committed due date on an order has been missed.
<u>Non Designed Services</u>	<u>Services that do not require inventoried equipment and/or facilities. Non Designed Services include, but may not be limited to the following: UNE Loop Non-Designed Products – Non Design 2-Wire Loop, 2- Wire ISDN BRI Capable, Non Designed ADSL Capable 2-Wire Loops, Non Designed xDSL Capable 2-Wire Loops, Line Sharing; and UNE Platform Simple Non-Designed Products – UPLAT 2-Wire Analog Loop Start, UPLAT 2-Wire Analog Ground Start</u>
Non-Recurring Charge	A rate charged for a product or a service that is assessed on a one time basis.
NXX, NXX Code or Central Office Code	The three digit switch entity indicator that is defined by the "D", "E", and "F" digits of a 10-digit telephone number within the NANP. Each NXX Code contains 10,000 station numbers.
Permanent Number Portability (also known as Local or Long Term Number Portability)	A network technology which allows end user customers to retain their telephone number when moving their service between local service providers. This technology does not employ remote call forwarding, but actually allows the customer's telephone number to be moved and redefined in the network of the new service provider. The activity to move the telephone number is called "porting".
Physical Collocation	Shall have the meaning set forth in 47 C.F.R. Section 51.5.
Plain Old Telephone Service (POTS)	Refers to basic 2 wire analog residential and business services. Can include feature capabilities (e.g., CLASS features).
Projects	Service requests that exceed the line size and/or level of complexity which would allow for the use of standard ordering and provisioning processes. Generally, due dates for projects are negotiated, coordination of service installations/changes is required and automated provisioning may not be practical.
Provisioning Troubles	A trouble report that is opened for a customer's existing or new service for a trouble identified between the time of the service order creation to the time of order completion. Provisioning troubles that are associated with a CLECs customers include troubles that occur and are reported during the conversion of an ILEC customer to a CLEC.
Query Types	Pre-ordering information that is available to a CLEC that is categorized according to standards issued by OBF, the FCC and/or the CPUC.
Recurring Charge	A rate charged for a product or service that is assessed each successive billing period.

## CA JPSA

TERM	DEFINITION
Reject	A status that can occur to a CLEC submitted local service request (LSR) when it does not meet certain criteria. There are two types of rejects:, syntax, which occur if required fields are not included in the LSR:, and content, which occur if invalid data is provided in a field. A rejected service request must be corrected and re-submitted before provisioning can begin.
Repeat Report	Any trouble report that is a second (or greater) report on the same telephone number/circuit ID and at the same premises Address within 30 days. The original report can be any category, including excluded reports, and can carry any disposition code.
Service Group Type	The designation used to identify a category of similar services, .e.g., UNE loops
Service Order	The work order created and distributed in ILECs systems and to ILEC work groups in response to a complete, valid service request.
Service Order Type	The designation used to identify the major types of provisioning activities associated with a service request
Service Request	The transaction sent from the CLEC to the ILEC to order services or to request a change(s) be made to existing services.
<u>Specials</u>	<u>Services that require engineering design intervention. Designed services include, but may not be limited to the following: Resale Specials Designed Products - ISDN – BRI, DID, Centrex, PBX, ISDN-PRI, Advanced Services, DID Resale PBX (trunk), Advanced Intelligent Service; UNE Loop Designed Products – Designed 2 Wire Loop, 2-Wire ISDN BRI Capable, Designed 4-Wire Loop, ISDN Capable 4-Wire Loops, DS1 Wire Loops, 56kpbs capable 4-Wire Loops; and UNE Platform Complex Designed Products– UPLAT BRI ISDN, UPLAT DS 1 DID, UPLAT DS 1 DOD, UPLAT DS 1 DIOD, UPLAT DS 1 Direct Interface, UPLAT ISDN PRI 23 B+ D, UPLAT ISDN – PRI 24B.</u>
Standard Interval	The interval that the ILEC quotes to its customers with respect to how long it will take to provision a service request. These intervals are standardized by specific service type and type of service modification requested ILECs publish these standard intervals in documents used by their own service representatives as well as ordering instructions provided to CLECs. POTS services do not have standard intervals;, their installation intervals are based on force available and workload. They may change as frequently as twice a day.
Subsequent Reports	A trouble report that is taken on a previously reported trouble prior to the date and time the initial report has a status of “cleared”.
Summarized Charges	Billing charges that are aggregated on the bill, rather than individually itemized, e.g., local usage minutes on resale or retail calls, which are listed on the bill as “xx” minutes with no call detail.
Tandem Switch	Switch used to connect and switch trunk circuits between and among Central Office switches.

## CA JPSA

TERM	DEFINITION
Time to Restore	The time interval from the receipt, by the ILEC, of a trouble report on a customer's service to the time service is fully restored to the customer.
To Be Called Cut	A type of coordinated customer conversion, which involves the CLEC calling the ILEC to signal the ILEC that it should start the customer conversion. (Pacific Bell term)
Trouble Cause Code	A code identifying the known or suspected cause of a trouble condition.
Trouble Disposition	A code identifying the end result of diagnostic and/or repair activities on a customer trouble report.
Usage Data	Data generated in network nodes to identify switched call data on a detailed or summarized basis. Usage data is used to create customer invoices for the calls.
Usage Records	The individual call records created in a switch to report the date, time, duration, calling and called numbers associated with a given call
<u>Verizon official (administrative) lines</u>	<u>Verizon official (administrative) lines are lines used by Verizon employees or contractors to conduct official company business.</u>
Virtual Collocation	Shall have the meaning set forth in 47 C.F.R. Section 51.5.

CA JPSA

## Glossary of Acronyms

ACRONYM	DESCRIPTION
ADSL	Asymmetric Digital Subscriber Line
ALI	Automatic Line Information (for 911/E911 systems)
AS	Affecting Service (type of trouble condition)
ASI	Advanced Services Inc. (data subsidiary of SBC)
ATIS	Alliance For Telecommunications Industry Solutions
BDT	Billing Data Tape
BOS	Billing Output Specifications
BRI	Basic Rate Interface (type of ISDN service)
CABS	Carrier Access Billing System
CARE	Customer Repair Center (GTE)
CBSS	Customer Billing Service System (GTE)
CESAR	Carrier Enhanced System for Access Request
CHC	Coordinated "Hot" Cut
CKT	Circuit
CLEC	Competitive Local Exchange Carrier
CO	Central Office
CORBA	Common Object Request Broker Architecture (Pre-ordering standard)
CPE	Customer Premises Equipment
CPUC	California Public Utilities Commission
CRIS	Customer Record Information System
CSB	Customer Service Bureau (PB retail repair center)
CSR	Customer Service Record
DA	Directory Assistance
dB	Decibel
DID	Direct Inward Dialing
DS0	Digital Service 0
DS1	Digital Service 1
DS3	Digital Service 3
E911 MS	E911 Management System
EAS	Equal Access Service
EDI	Electronic Data Interchange
EMI	Exchange Message Interface
EUCL	End User Carrier Line charge
FDT	Frame Due Time
FOC	Firm Order Confirmation
GTE	General Telephone Company
GTT	Global Title Translations
GUI	Graphical User Interface
HDSL	High-bit-rate Digital Subscriber Line
HICAP	High Capacity Digital Service
IEC	Inter-exchange Carrier
ILEC	Incumbent Local Exchange Carrier
I, N, T, C, M	Service Order Types - I (install-GTE), N(new-PB), T(to or transfer-PB), C(change)and M(move-GTE)
ISDN	Integrated Services Digital Network
IW	Inside Wire
LATA	Local Access Transport Area
LERG	Local Exchange Routing Guide

## CA JPSA

ACRONYM	DESCRIPTION
LNP	Local (or Long Term) Number Portability
LOC	Local Operations Center (PB repair and coordination center for CLEC activity)
LSC	Local Service Confirmation or Local Service Center (PB)
LSMS	Local Service Management System
LSR	Local Service Request
MAC	Missed Appointment Code
NDM	Network Data Mover
NOMC	National Open Market Center (GTE)
NPAC	Number Portability Administration Center
NXX	Telephone number prefix
OBF	Ordering and Billing Forum
OOS	Out of service (type of trouble condition)
OSS	Operations Support System
PB	Pacific Bell
PBX	Private Branch Exchange
PICC	Primary Interexchange Carrier Charges
PNP	Permanent Number Portability (same as LNP)
PON	Purchase Order Number
POTS	Plain Old Telephone Service
PRI	Primary Rate Interface (type of ISDN service)
SBC	Southwestern Bell Corporation
SCP	Service Control Point
SDA	Separate Data Subsidiary
SGT	Service Group Type
SORD	Service Order Retrieval and Distribution (PB service order creation system)
SOT	Service Order Type
SS7	Signaling System 7
STP	Signaling Transfer Point
TBCC	To Be Called Cut (PB)
TN	Telephone Number
UNE	Unbundled Network Element
VGPL	Voice Grade Private Line
xDSL	(x) Digital Subscriber Line

CA JPSA

---



---

Jeopardy Missed Appointment Codes

<b>Standard OBF Jeopardy Code</b>	<b>Description</b>
1A	Inter Office Facility Shortage
1B	Scheduling/Work Load
1C	Customer Not Ready
1D	No Loop Available
1E	End User Not Ready
1F	Provider Missed Appointment
1G	No Access to End User Premise
1H	Central Office Freeze
1J	Special Construction
1K	Natural Disaster (Flood, etc.)
1L	Frame Due Time Cannot Be Met
1M	Requested Due Date Is Not Available
1N	Due Date and Frame Due Time Cannot Be Met
1P	Other
1Q	Assignment Problem
1R	Customer Could Not Be Reached at the Can Be Reached Number (CBR)
1S	Building Not Ready, Customer Will Advise
1T	Pole At Site Not Set
1W	Entrance Facilities Required
1X	Not Technically Feasible
1Y	No Central Office Equipment Available
1Z	Other Local Exchange Company Not Ready
2A	CLEC order request error
2B	Work order pending

Verizon has adopted standard OBF jeopardy codes, listed above

CA JPSA

## Disposition Codes

<b>VERIZON</b>	
<b>01</b>	<b>LOCAL NUMBER PORTABILITY</b>
<b>04</b>	<b>NETWORK FACILITIES</b>
<b>05</b>	<b>COIN/COINLESS</b>
<b>05</b>	<b>E911</b>
<b>06</b>	<b>OUTSIDE PLANT</b>
<b>07</b>	<b>INTEROFFICE FACILITIES</b>
<b>09</b>	<b>SERVICE ORDER</b>
<b>10</b>	<b>RECORDS</b>
<b>11</b>	<b>CARRIER (FIELD) OR CONCENCRATOR</b>
<b>12</b>	<b>CENTRAL OFFICE</b>
<b>13</b>	<b>TEST OKAY</b>
<b>15</b>	<b>CAME CLEAR</b>
<b>16</b>	<b>CUSTOMER</b>
<b>17</b>	<b>EXCLUDE</b>
<b>18</b>	<b>REFERRED OUT</b>
<b>19</b>	<b>CPE</b>

## CA JPSA

---



---

Implementation Schedule

Upon Commission approval of the 2004 and 2005/2006 Review agreed to changes (submitted by the Settling Parties), the approved changes will be implemented as follows:

To make better use of its Information Technology resources, in 2005 Verizon plans to adopted a process that provides for quarterly updates to its Wholesale measurement systems. At present, Verizon contemplates making updates to its Wholesale measurement systems for the February 2005 data month, for which performance reports will be issued at the end of March 2005. Updates are also proposed for the May 2005 data month, for which performance reports will be issued at the end of June 2005, and for the August 2005 data month, for which performance reports will be issued at the end of September 2005. In order for Verizon to include the revised CA JPSA changes in a quarterly update, Verizon will need to receive a Commission order approving same no later than the 15th day of the second fourth calendar month prior to the calendar month in which the quarterly update is to be implemented. For instance, if on or prior to March June 15, 2005~~6~~ the Commission issues an order approving the revised CA JPSA Guidelines, Verizon will implement the revised CA JPSA Guidelines for the May 2005 October 2006 data month, for which performance reports will be issued at the end of June 2005-November 2006. If between March 16, 2005 and June 15, 2005 the Commission issues an order approving the revised CA JPSA Guidelines, Verizon will implement the revised CA JPSA Guidelines for the August 2005 data month, for which performance reports will be issued at the end of September 2005. These is implementation intervals will be is needed in order to allow Verizon to undertake the complex work of making the system and process changes necessary to perform and report the modified measurements. They It will also allow Verizon to test whether these changes have been properly made.

(END OF APPENDIX III)

**PROPOSAL FOR MODIFICATIONS TO THE CA JOINT PARTIAL SETTLEMENT AGREEMENT (JPSA)****Process and Administrative Clarification Changes****Consensus Items**

<b>Item #</b>	<b>PM</b>	<b>SUBMEASURE(S)</b>	<b>MEASURE CATEGORY</b>	<b>PROPOSED CHANGE</b>	<b>RATIONALE</b>	<b>TYPE of CHANGE</b>	<b>Status</b>	<b>Comments</b>
1	Executive Summary	NA	NA	Under Auditing and Review Procedures section replace language "can be found in sections III and IV" with "are provided in this document."	Ensures consistency with reformatted version.	Administrative Clarification	Agreed	
2	Reservation of Rights	NA	NA	Under ILECs section 3 <sup>rd</sup> bullet added word "be" between should and viewed.	Grammatical Correction	Administrative Clarification	Agreed	
3	General Exclusions	NA	NA	Add list of general exclusions.	Clarifies common exclusions for all PMs.	Administrative Clarification	Agreed	
4	Performance Metric Number Cross Reference Table	NA	NA	Add Performance Metric Number Cross Reference Table.	Provides reference to new metric numbering.	Administrative Clarification	Agreed	
5	Product Codes	NA	NA	Add Product Code chart.	Provides reference to new product codes.	Administrative Clarification	Agreed	
6	Retail	NA	NA	Add Retail Analog chart.	Provides reference to retail analogs	Administrative Clarification	Agreed	

**PROPOSAL FOR MODIFICATIONS TO THE CA JOINT PARTIAL SETTLEMENT AGREEMENT (JPSA)****Process and Administrative Clarification Changes****Consensus Items**

<b>Item #</b>	<b>PM</b>	<b>SUBMEASURE(S)</b>	<b>MEASURE CATEGORY</b>	<b>PROPOSED CHANGE</b>	<b>RATIONALE</b>	<b>TYPE of CHANGE</b>	<b>Status</b>	<b>Comments</b>
7	Performance Metric Number Cross Reference Table	NA	NA	Under Notes section replace language "documented in Section VIII (Implementation Schedules)" with "provided in the Implementation Schedule chapter."	Ensures consistency with reformatted version.	Administrative Clarification	Agreed	
8	1 (PO-1)	Address Verification TN Selection Service Availability Due Date	Calculation, Performance Standard and Business Rules	Replace reference to "Legacy" system with "Retail" in Performance Standard and Business Rules sections.	Language clarification. Legacy systems have been replaced and it is more appropriate to refer to Retail.	Administrative Clarification	Agreed	

**PROPOSAL FOR MODIFICATIONS TO THE CA JOINT PARTIAL SETTLEMENT AGREEMENT (JPSA)****Process and Administrative Clarification Changes****Consensus Items**

<b>Item #</b>	<b>PM</b>	<b>SUBMEASURE(S)</b>	<b>MEASURE CATEGORY</b>	<b>PROPOSED CHANGE</b>	<b>RATIONALE</b>	<b>TYPE of CHANGE</b>	<b>Status</b>	<b>Comments</b>
9	1 (PO-1)	Address Verification  TN Selection  Service Availability  Due Date	Notes	Add language to the Notes section indicating that the retail measurement is based on COFEE data.	Requests for Preordering information are processed through Verizon's COFEE (Converged Ordering Front End Engine) and NOCV (National Order Collection Vehicle) systems. For measurement purposes, only COFEE data is included because it is a Client/Server application that works as a GUI to NOCV and is analogous to the wholesale system and process. NOCV is a mainframe system for which a number of different processes are executed to complete a pre-order request. It is not possible to capture timestamps from when a user hits the enter key to when they receive a response, response time can only be approximated.	Administrative Clarification	Agreed	

**PROPOSAL FOR MODIFICATIONS TO THE CA JOINT PARTIAL SETTLEMENT AGREEMENT (JPSA)  
Process and Administrative Clarification Changes  
Consensus Items**

Item #	PM	SUBMEASURE(S)	MEASURE CATEGORY	PROPOSED CHANGE	RATIONALE	TYPE of CHANGE	Status	Comments
10	1 (PO-1)	All	Exclusions	Modified definition of batch transmission.	Clarification on batch transmission definition.	Administrative Clarification	Agreed	
11	1 (PO-1)	All	Exclusion	Add language for exclusion covered in Business Rules for electronic pre-order query response times that originate outside the published system hours.	Business Rule states "Elapsed time for fully electronic sub-measures tracked during published system hours". The addition of this exclusion will provide further clarification on the exclusion of electronic pre-order query response times sent outside published system hours.	Administrative Clarification	Agreed	Verizon to add web location for published hours in JPSA document.
12	2, 3 (OR-1, OR-2)	All	Definition	Replaced the word "measurable" with "performance."	Provides consistency with new format.	Administrative Clarification	Agreed	

**PROPOSAL FOR MODIFICATIONS TO THE CA JOINT PARTIAL SETTLEMENT AGREEMENT (JPSA)****Process and Administrative Clarification Changes****Consensus Items**

<b>Item #</b>	<b>PM</b>	<b>SUBMEASURE(S)</b>	<b>MEASURE CATEGORY</b>	<b>PROPOSED CHANGE</b>	<b>RATIONALE</b>	<b>TYPE of CHANGE</b>	<b>Status</b>	<b>Comments</b>
13	2 (OR-1)	Standalone Directory Listings	Products (Reported By) Performance Standard	Add Standalone Directory Listings as a distinct product within the Measurable Standard and remove reference to stand alone directory listings in the reported by section.	Standalone Directory Listings are currently reported as a separate product.	Administrative Clarification	Agreed	
14	4 (OR-5)	All	Business Rules	Added the following Business Rules: 1) Includes only confirmed LSRs and 2) Excludes all rejected orders.	Language clarification on current metric calculation.	Administrative Clarification	Agreed	
15	4 (OR-5)	All product subtypes	Notes	Remove second bullet from Notes section regarding system upgrade targeted for May 2003.	System upgrade was implemented. Note is obsolete.	Administrative Clarification	Agreed	
16	4 (OR-5)	All	Products (Reported By)	Consolidate reported product types into Resale and UNE.	Ensures consistency with reporting in East; disaggregation by service type results in low volumes.	Process	Agreed	Agreement reached to disaggregate by Resale, UNE -P, UNE Loop and UNE Other

**PROPOSAL FOR MODIFICATIONS TO THE CA JOINT PARTIAL SETTLEMENT AGREEMENT (JPSA)****Process and Administrative Clarification Changes****Consensus Items**

<b>Item #</b>	<b>PM</b>	<b>SUBMEASURE(S)</b>	<b>MEASURE CATEGORY</b>	<b>PROPOSED CHANGE</b>	<b>RATIONALE</b>	<b>TYPE of CHANGE</b>	<b>Status</b>	<b>Comments</b>
17	7,8 (PR-2, PR-3)	All	Exclusions Business Rules	Add Projects to list of exclusions; removed following business rule "Verizon will not exclude projects." (This rule is currently documented under PR-2).	Volume of projects with longer intervals is expected to increase. Similar to SBC, Verizon should have this exclusion.	Process	Agreed	
18	7 ((PR-2)	UNE Loop Services	Exclusion	Delete the reference to "SBC/California only" from "For UNE Loop Services, feature-only orders are excluded from retail analog."	This exclusion should apply to both companies, in that it is as appropriate to apply the exclusion to Verizon as to SBC/California. Verizon believes this was simply an oversight in the production of the JPSA, in that the exclusion is meant to apply to each Company, but only for UNE Loop services.	Administrative Clarification	Agreed	

**PROPOSAL FOR MODIFICATIONS TO THE CA JOINT PARTIAL SETTLEMENT AGREEMENT (JPSA)  
Process and Administrative Clarification Changes  
Consensus Items**

Item #	PM	SUBMEASURE(S)	MEASURE CATEGORY	PROPOSED CHANGE	RATIONALE	TYPE of CHANGE	Status	Comments
19	7 (PR-2)	UNE subloop and Dark Fiber	Business Rules	Delete the Business Rules bullet "For Verizon, results for UNE subloop and Dark Fiber will be tracked diagnostically."	Duplicate language with Business Rules.	Administrative Clarification	Agreed	
20	7 (PR-2)	Interconnection Trunks	Notes	Remove the following note: "For interconnection trunks, the current measurable standard for Verizon at parity to be reviewed and benchmarks considered for the next performance review."	Verizon's position is that where there is a valid analog, the analog is used for parity performance standard.	Administrative Clarification	Agreed	
21	11A (PR-4-16)	All product subtypes	Business Rules	Add the word "not" to the following business rule: "Loop Acceptance Test is <i>not</i> completed on or before due date."	Ensures consistency with the measure.	Administrative Clarification	Agreed	

**PROPOSAL FOR MODIFICATIONS TO THE CA JOINT PARTIAL SETTLEMENT AGREEMENT (JPSA)****Process and Administrative Clarification Changes****Consensus Items**

<b>Item #</b>	<b>PM</b>	<b>SUBMEASURE(S)</b>	<b>MEASURE CATEGORY</b>	<b>PROPOSED CHANGE</b>	<b>RATIONALE</b>	<b>TYPE of CHANGE</b>	<b>Status</b>	<b>Comments</b>
22	13, 14 (PR-5-05, PR-4-02)	Interconnection Trunks	Notes	Remove the following note: "For interconnection trunks, the current measurable standard for Verizon at parity to be reviewed and benchmarks considered for the next performance review."	Where there is a valid analog, the analog is used for parity performance standard.	Administrative Clarification	Agreed	
23	15, 15A (PR-6-04, PR-6-05)	All	Products (Reported by)	Remove condition to report by service affecting and out of service	Level of disaggregation is not required based on low volumes of activity being reported. It is sufficient and reasonable to measure based on product/service group category. It is irrelevant whether the trouble is service affecting or OOS.	Process	Agreed	

**PROPOSAL FOR MODIFICATIONS TO THE CA JOINT PARTIAL SETTLEMENT AGREEMENT (JPSA)****Process and Administrative Clarification Changes****Consensus Items**

<b>Item #</b>	<b>PM</b>	<b>SUBMEASURE(S)</b>	<b>MEASURE CATEGORY</b>	<b>PROPOSED CHANGE</b>	<b>RATIONALE</b>	<b>TYPE of CHANGE</b>	<b>Status</b>	<b>Comments</b>
24	16 (PR-6-01)	All	Exclusions	Modify following exclusion, "Trouble Reports received on the due date for orders other than for new installations" to "Trouble Reports received on the due date."	Trouble reports received on the due date are captured in PR-6-04 (PM15) and would be double counted if also included in PR-6-01 (PM16).	Process	Agreed	
25	17 (PR-6-02)	All	Exclusions	Add exclusion for troubles received on the order due date.	Ensures consistency with PR-6-01 (PM16). Trouble reports received on the due date are captured in PR-6-04 (PM15) and would be double counted if also included in PR-6-02 (PM17).	Process	Agreed	
26	19, 20, 21, 22, 23 (MR-2, MR-3, MR-4, MR-5)	All product subtypes	Definition	Added Network Trouble Disposition Codes to measure definition.	Provides clarification on network troubles.	Administrative Clarification	Agreed	

**PROPOSAL FOR MODIFICATIONS TO THE CA JOINT PARTIAL SETTLEMENT AGREEMENT (JPSA)**

**Process and Administrative Clarification Changes**

**Consensus Items**

<b>Item #</b>	<b>PM</b>	<b>SUBMEASURE(S)</b>	<b>MEASURE CATEGORY</b>	<b>PROPOSED CHANGE</b>	<b>RATIONALE</b>	<b>TYPE of CHANGE</b>	<b>Status</b>	<b>Comments</b>
27	19, 20, 21, 22 (MR-2, MR-3, MR-4)	All product subtypes	Business Rules	For the Business Rule "Includes Test okay (TOK) and Found Okay (FOK)", add the further disposition "Came Clear" as a category to be included in these results.	While "Came Clear" is a disposition similar to Test okay, it differs in that it addresses a situation where an initial test might indicate some trouble on the line, but subsequently the line becomes free of trouble even though no repairs are instituted. Because it is a disposition much like but somewhat different than Test Okay and Found Okay, it should be added to the current Business Rule.	Administrative Clarification	Agreed	

**PROPOSAL FOR MODIFICATIONS TO THE CA JOINT PARTIAL SETTLEMENT AGREEMENT (JPSA)****Process and Administrative Clarification Changes****Consensus Items**

<b>Item #</b>	<b>PM</b>	<b>SUBMEASURE(S)</b>	<b>MEASURE CATEGORY</b>	<b>PROPOSED CHANGE</b>	<b>RATIONALE</b>	<b>TYPE of CHANGE</b>	<b>Status</b>	<b>Comments</b>
28	19 (MR-2)	UNE Loop xDSL	Notes	Formatted Notes section to separate bullet for Verizon retail analog information: "The analog for UNE Loop xDSL capable will be Retail ISDN BRI until the Verizon affiliate or separate division ....."	Consistency in documentation.	Administrative Clarification	Agreed	
29	19, 20, 21, 22, 23 MR-2, MR-3, MR-4, MR-5)	All product subtypes	Exclusion	Add Exclusion for Verizon's official (administrative) lines.	Verizon official services are handled differently than normal retail service and they should not be included in the normal retail results.	Administrative Clarification	Agreed	Verizon will add the following definition for Verizon official (administrative) lines, "Verizon official (administrative) lines are lines used by Verizon employees or contractors to conduct official company business."
30	20 (MR-3)	NA	Title	Changed title to read, "Percentage of Customer Troubles Not Resolved Within Estimated Time."	Corrects grammar of title.	Administrative Clarification	Agreed	

**PROPOSAL FOR MODIFICATIONS TO THE CA JOINT PARTIAL SETTLEMENT AGREEMENT (JPSA)****Process and Administrative Clarification Changes****Consensus Items**

<b>Item #</b>	<b>PM</b>	<b>SUBMEASURE(S)</b>	<b>MEASURE CATEGORY</b>	<b>PROPOSED CHANGE</b>	<b>RATIONALE</b>	<b>TYPE of CHANGE</b>	<b>Status</b>	<b>Comments</b>
31	20 (MR-3)	NA	Exclusions	Capitized "c" in Customer Caused Misses in Exclusion section.	Consistency in documentation.	Administrative Clarification	Agreed	
32	20 (MR-3_	NA	Business Rules	Added the word "in" in Business Rules as follows, "Includes a miss in those instances where ILEC, for its own reasons, reschedules the committed maintenance appointment time."	Grammatical correction	Administrative Clarification	Agreed	
33	21 (MR-4)	NA	Business Rules	Remove word "is" from Business Rules section as follows, "Includes in the time interval calculation [is] any ILEC delay."	Grammatical correction.	Administrative Clarification	Agreed	
34	20, 21, 23 (MR-3, MR-4-01, MR-5)	All	Products	Add NXX Codes to product list.	CA PUC Order Correcting Errors; Decision 03-12-030 December 5, 2003.	Administrative Clarification	Agreed	

**PROPOSAL FOR MODIFICATIONS TO THE CA JOINT PARTIAL SETTLEMENT AGREEMENT (JPSA)  
Process and Administrative Clarification Changes  
Consensus Items**

Item #	PM	SUBMEASURE(S)	MEASURE CATEGORY	PROPOSED CHANGE	RATIONALE	TYPE of CHANGE	Status	Comments
35	24 (NP-1-02)	All product subtypes	Business Rules	Under the Business Rules, second bullet, add the words "upon CLEC request", such that the bullet would read: " ILEC will make available <i>upon CLEC request</i> detailed information [continue with current language]....."	This change would just reflect current practice, as today Verizon only makes this information available upon the CLEC's request. As currently worded, the Business Rule suggests some on-going, affirmative duty by the ILEC to provide the information, yet Verizon has always understood that the information should be provided only if it is requested by a CLEC.	Administrative Clarification	Agreed	

**PROPOSAL FOR MODIFICATIONS TO THE CA JOINT PARTIAL SETTLEMENT AGREEMENT (JPSA)  
Process and Administrative Clarification Changes  
Consensus Items**

Item #	PM	SUBMEASURE(S)	MEASURE CATEGORY	PROPOSED CHANGE	RATIONALE	TYPE of CHANGE	Status	Comments
36	25 (NP-1-04)	All product subtypes	Exclusions	The current Exclusions, bullets 3-5, should be adjusted such that the exclusions in the bullets are applicable to both Verizon and SBC/California. Currently, bullet 3 applies to both companies, but bullets 4 and 5 state that they only are applicable to SBC/California. The third bullet should be dropped, and reference in bullets 4 and 5 indicating that they only apply to SBC/California should be deleted.	Ensures consistency with East trunk blockage exclusions and consistency with SBC.	Process	Agreed	<p>Verizon will implement a West notification process similar to that which is to be implemented in the East.</p> <p>Verizon will add the following note to the guidelines, "VZ will electronically notify CLECs (operational trunk staffs), of the following situations for blocked trunks. The notification states that VZ identified a blocked trunk group due to CLEC reasons, and that the trunk group will be excluded from VZ performance. Verizon will make the exclusion automatically unless the CLEC responds back within two business days with documentation indicating that Verizon's information on the condition is inaccurate.</p>

**PROPOSAL FOR MODIFICATIONS TO THE CA JOINT PARTIAL SETTLEMENT AGREEMENT (JPSA)****Process and Administrative Clarification Changes****Consensus Items**

<b>Item #</b>	<b>PM</b>	<b>SUBMEASURE(S)</b>	<b>MEASURE CATEGORY</b>	<b>PROPOSED CHANGE</b>	<b>RATIONALE</b>	<b>TYPE of CHANGE</b>	<b>Status</b>	<b>Comments</b>
37	28 (BI-1)	All product subtypes	Definition	Modify the measure Definition by adding the words "by the switch" between "data" and "generated", and by clarifying that the end of the measurement period is when the data is "made available" as opposed to being "sent" to the CLEC.	"By the switch" clarifies how the data is generated. Electronic data is not always "sent" to a CLEC. In some cases the data is retrieved by the CLEC after it is "made available."	Administrative Clarification	Agreed	Verizon will add a clarification to the definition section based on media type.
38	28 (BI-1)	UNE IntraLATA and InterLATA combined excluding UNE Platform	Performance Standard	Reformat the Performance Standard and add clarification language to UNE IntraLATA and InterLATA combined, excluding UNE Platform to show exact parity comparisons for the different services that are reported (e.g., Resale Local, Toll, etc.)	This change more accurately describes the parity comparisons applicable to the reported services under this Measure.	Administrative Clarification	Agreed	

**PROPOSAL FOR MODIFICATIONS TO THE CA JOINT PARTIAL SETTLEMENT AGREEMENT (JPSA)**

**Process and Administrative Clarification Changes**

**Consensus Items**

<b>Item #</b>	<b>PM</b>	<b>SUBMEASURE(S)</b>	<b>MEASURE CATEGORY</b>	<b>PROPOSED CHANGE</b>	<b>RATIONALE</b>	<b>TYPE of CHANGE</b>	<b>Status</b>	<b>Comments</b>
39	28 (BI-1)	Jointly Provided Switched Access	Calculation	Added calculation to accommodate benchmark standard for Jointly Provided Switched Access.	Current formula did not align with a benchmark standard.	Administrative	Agreed	
40	30 (BI-2)	All product subtypes	Definition	Modify the measure Definition by replacing the clause "successful transmission of the associated invoice: with "transmission availability date of the bill."	This change is requested because the ILEC does not "transmit" all electronic bills to CLECs. In some cases, the bill is made available and retrieved electronically by the CLEC.	Administrative Clarification	Agreed.	Verification will add clarification based on media type.

- 138 -

**PROPOSAL FOR MODIFICATIONS TO THE CA JOINT PARTIAL SETTLEMENT AGREEMENT (JPSA)****Process and Administrative Clarification Changes****Consensus Items**

<b>Item #</b>	<b>PM</b>	<b>SUBMEASURE(S)</b>	<b>MEASURE CATEGORY</b>	<b>PROPOSED CHANGE</b>	<b>RATIONALE</b>	<b>TYPE of CHANGE</b>	<b>Status</b>	<b>Comments</b>
41	30 (BI-2)	All product subtypes	Performance Standard	Change the Performance Standard from "99% within 10 calendar days" to "98% within 10 business days."	Ensures consistency with East performance standard. This is a national standard used throughout Verizon's operation. There have not been any demonstrated harms to competition or CLECs by use of this slightly reduced standard. It was also the standard applicable in the FCC measures.	Process	Withdrawn	
42	30 (BI-2)	All product subtypes	Calculation	In the Calculation, replace "transmitted" in both numerator and denominator with "made available."	Electronic data is not always "sent" to a CLEC. In some cases the data is retrieved by the CLEC after it is "made available."	Administrative Clarification	Agreed.	Verizon will add clarification based on media type.

**PROPOSAL FOR MODIFICATIONS TO THE CA JOINT PARTIAL SETTLEMENT AGREEMENT (JPSA)****Process and Administrative Clarification Changes****Consensus Items**

<b>Item #</b>	<b>PM</b>	<b>SUBMEASURE(S)</b>	<b>MEASURE CATEGORY</b>	<b>PROPOSED CHANGE</b>	<b>RATIONALE</b>	<b>TYPE of CHANGE</b>	<b>Status</b>	<b>Comments</b>
43	34 (BI-3)	All product subtypes	Exclusions	Add new exclusion, "Any billing adjustments that result from an agreement between the ILEC and the CLEC, where the adjustments were not completed to correct errors in billing."	Ensures consistency with SBC/California.	Process	Agreed	Verizon will add the following language to the proposed exclusion, "This exclusion does not include adjustments made as a result of a settlement on a bill adjustment claim."
44	31 (BI-6)	All product subtypes	Definition	Modify the measure Definition by replacing "correct bill" with "next available bill."	Ensures consistency with East measure. The "next available bill" is a more accurate description of what is being measured. Usage is delivered on the "next available bill", rather than the "correct bill."	Administrative Clarification	Agreed	
45	31, 32, 33 (BI-6, BI-7, BI-8)	Resale and UNE	Performance Standard	Add "Parity with Retail" to the Performance Standard.	Clarify language on parity comparison for Resale and UNE services.	Administrative Clarification	Agreed	

**PROPOSAL FOR MODIFICATIONS TO THE CA JOINT PARTIAL SETTLEMENT AGREEMENT (JPSA)**

**Process and Administrative Clarification Changes**

**Consensus Items**

Item #	PM	SUBMEASURE(S)	MEASURE CATEGORY	PROPOSED CHANGE	RATIONALE	TYPE of CHANGE	Status	Comments
46	31 (BI-6)	All product subtypes	Calculation	Calculation should be changed to allow 60 days (instead of 30 days) in which to post usage.	Billing cycles occur on approximately a 30 day period. The bill at the end of such a cycle will not capture usage toward the end of the 30 day billing period because it is physically impossible to do so. That is, given bill cycle 1 usage occurs from days 1-30. When the bill is produced, usage from days 1-20 may be captured, but usage on days 20-30 is not reflected until the "next bill", which would be up to 40 days after the usage occurred. Permitting 60 days to post usage allows us to put on "the next bill" any usage in a 30 day cycle that was not reflected on the bill at the end of that cycle.	Process	Agreed <u>Withdrawn</u>	Verizon will change the language to reflect a numerator calculation of "Count of usage charges on the bill that were recorded within last 45 <u>30</u> days."

**PROPOSAL FOR MODIFICATIONS TO THE CA JOINT PARTIAL SETTLEMENT AGREEMENT (JPSA)****Process and Administrative Clarification Changes****Consensus Items**

<b>Item #</b>	<b>PM</b>	<b>SUBMEASURE(S)</b>	<b>MEASURE CATEGORY</b>	<b>PROPOSED CHANGE</b>	<b>RATIONALE</b>	<b>TYPE of CHANGE</b>	<b>Status</b>	<b>Comments</b>
47	32,33 (BI-7, BI-8)	All product subtypes	Definition and Calculation	Modify the measure Definition and the Calculation by replacing "correct bill" with "next available bill."	This is the same change requested in BI-6 (PM 31).	Process	<del>Agreed</del> <u>Withdrawn</u>	Verizon will change the language to reflect the effective date of the charge must be within <u>4530</u> days of the bill date for the charge to appear on the next available bill.
48	32, 33 (BI-7, BI-8)	All product subtypes	Business Rules	Change the Business Rule to make clear that charges should appear within 2 months, not the current one month, for the same reasons as explained for BI-6 (PM 31) concerning the change from 30 days to 60 days. Also, in the Business Rule refer to the "next available bill" rather than the "correct bill" for reasons already explained.	Billing cycles occur on approximately a 30 day period. The bill at the end of such a cycle will not capture charges toward the end of the 30 day billing period because it is physically impossible to do so. Permitting 60 days to post charges allows us to put on "the next bill" any charges in a 30 day cycle that was not reflected on the bill at the end of that cycle.	Process	<del>Agreed</del> <u>Withdrawn</u>	Verizon will change the language to reflect the effective date of the charge must be within <u>4530</u> days of the bill date for the charge to appear on the next available bill.

**PROPOSAL FOR MODIFICATIONS TO THE CA JOINT PARTIAL SETTLEMENT AGREEMENT (JPSA)****Process and Administrative Clarification Changes****Consensus Items**

<b>Item #</b>	<b>PM</b>	<b>SUBMEASURE(S)</b>	<b>MEASURE CATEGORY</b>	<b>PROPOSED CHANGE</b>	<b>RATIONALE</b>	<b>TYPE of CHANGE</b>	<b>Status</b>	<b>Comments</b>
49	32, 33 (BI-7, BI-8)	All product subtypes	Business Rules	Remove from business rules the following: Excludes late charges resulting from externally mandated billing changes that the ILEC cannot reasonably implement in a timely manner.	Duplicate language already specified in Exclusion section.	Administrative Clarification	Agreed	
50	40 (NP-2-01)	All product subtypes	Business Rules	Modify 2 <sup>nd</sup> bullet of Business Rules section to include <i>new</i> and augment requests.	Clarification on types of collocation included in metric.	Administrative Clarification	Agreed	
51	40 (NP-2-01)	All product types	Calculation	Change denominator to "Count of requests <i>due</i> in reporting period."	Ensure consistency of measure with East.	Process	Agreed	
52	40, 41 (NP-2-01, NP-2-05)	All product subtypes	Products (Report By)	Add language specifying the types of collocation reported in the Products section, i.e., All Collocation (Caged, Cageless, Physical)	Clarifies product types included in metric.	Administrative Clarification	Agreed	

Verizon

**PROPOSAL FOR MODIFICATIONS TO THE CA JOINT PARTIAL SETTLEMENT AGREEMENT (JPSA)  
Process and Administrative Clarification Changes  
Consensus Items**

<b>Item #</b>	<b>PM</b>	<b>SUBMEASURE(S)</b>	<b>MEASURE CATEGORY</b>	<b>PROPOSED CHANGE</b>	<b>RATIONALE</b>	<b>TYPE of CHANGE</b>	<b>Status</b>	<b>Comments</b>
53	41 (NP-2-05)	All product subtypes	Business Rules	Add business rule for delays due to CLEC.	Clarification of metric process.	Administrative Clarification	Agreed	
54	41 (NP-2-05)	All product subtypes	Business Rules	Under the Business Rules, add a Business Rule for Verizon that is essentially the same as the rule applicable to SBC/California regarding mutually negotiated commitments.	Ensure consistency with East business rules and consistency with SBC. The same rule regarding negotiated commitments that applies to SBC/California should also be applicable to Verizon. Verizon follows much the same process as SBC/California regarding such commitments, and there is no reason the Business Rule should not apply to each ILEC.	Process	Agreed	Verizon will remove redundant exclusion.

- 144 -

Attachment 2

**PROPOSAL FOR MODIFICATIONS TO THE CA JOINT PARTIAL SETTLEMENT AGREEMENT (JPSA)****Process and Administrative Clarification Changes****Consensus Items**

<b>Item #</b>	<b>PM</b>	<b>SUBMEASURE(S)</b>	<b>MEASURE CATEGORY</b>	<b>PROPOSED CHANGE</b>	<b>RATIONALE</b>	<b>TYPE of CHANGE</b>	<b>Status</b>	<b>Comments</b>
55	42 (PO-2)	All interface types	Products (Report By)	Change from reporting by pre-ordering, ordering and maintenance to reporting by interface, i.e. WISE , EDI, CORBA, LSI and WPTS.	Definition is based on interface availability not loss of functionality (i.e, preorder, order or maintenance). In addition, this change would make this measure consistent with Verizon's reporting of OSS interface availability in the East. Architecture has changed since initial development of these measures; no longer have separate servers.	Process	Agreed	
56	45 (PO-4)	All	Calculation Products (Reported By) Performance Standard Exclusions Business Rules	Updated language per CA PUC order adopting minor modifications to VZ CA PM 45.	Approval of Joint Motion of Verizon California Inc and Participating CLECS Requesting Adoption of Minor Modifications to Measure 45, Change Management; adopted January 2004.	Administrative Clarification	Agreed	

Verizon **PROPOSAL FOR MODIFICATIONS TO THE CA JOINT PARTIAL SETTLEMENT AGREEMENT (JPSA)**  
**Process and Administrative Clarification Changes**  
**Consensus Items**

Item #	PM	SUBMEASURE(S)	MEASURE CATEGORY	PROPOSED CHANGE	RATIONALE	TYPE of CHANGE	Status	Comments
57	2, 3, 4, 5, 6, 7, 11, 12, 13, 14, 17, 19, 20, 21, 23 (OR-1, OR-2, OR-5, PR-7-01, PR-7-02, PR-4-01, PR-4-02, PR-5-01, PR-5-05, PR-6-02, MR-2, MR-3, MR-4-01, MR-4-08, MR-5)	NA	Products	Remove UNE Port as a product from all applicable measures.	There has been no activity in Verizon for any state.	Process	Agreed	

- 146 -

Attachment 2

**PROPOSAL FOR MODIFICATIONS TO THE CA JOINT PARTIAL SETTLEMENT AGREEMENT (JPSA)****Process and Administrative Clarification Changes****Consensus Items**

<b>Item #</b>	<b>PM</b>	<b>SUBMEASURE(S)</b>	<b>MEASURE CATEGORY</b>	<b>PROPOSED CHANGE</b>	<b>RATIONALE</b>	<b>TYPE of CHANGE</b>	<b>Status</b>	<b>Comments</b>
58	Auditing	NA	NA	Change requirement for a meeting of the Joint Steering Committee for audits from 6 months to 12 months.	The current JPSA calls for a meeting of the Joint Steering Committee for audits every 6 months. This should be changed to an annual meeting in that reviews every 6 months are unnecessary and a burden to all parties.	Administrative Clarification	Agreed.	Verizon will add the following language, "The committee will convene every twelve months to discuss and determine the timing and scope of any Annual Audit. Provided, any party may request that the committee convene before the 12 <sup>th</sup> month but not earlier than the 6 <sup>th</sup> month following the last meeting of the committee, to discuss whether an Annual Audit is necessary. In such event, the party seeking the earlier meeting will be responsible for calling the meeting, providing a conference call-in number and/or meeting location, and providing all legal notices applicable thereto."
59	Auditing	NA	NA	Removed reference to Section IIc.	Ensures consistency with new format.	Administrative Clarification	Agreed	
60	Definition of Terms	NA	NA	Changed term – Common Transport to Common Transport Trunk Groups.	Make language consistent with measure description.	Administrative Clarification	Agreed	

Verizon **PROPOSAL FOR MODIFICATIONS TO THE CA JOINT PARTIAL SETTLEMENT AGREEMENT (JPSA)**  
**Process and Administrative Clarification Changes**

**Consensus Items**

Item #	PM	SUBMEASURE(S)	MEASURE CATEGORY	PROPOSED CHANGE	RATIONALE	TYPE of CHANGE	Status	Comments
61	Definition of Terms	NA	NA	Add Specials, Designed Services and Non Designed Services to Definition of Terms	Provides clarification.	Administrative Clarification	Agreed	Verizon will modify the definition for designed services as follows, "Designed services are services requiring engineering intervention."
62	Reports	All	NA	Change reporting structure to include CLEC aggregate reports and positive reporting (reporting regardless of activity).	Ensures consistency with East reporting structure.	Administrative Clarification	Agreed	
63	All	All	All	Reformat guidelines consistent with format of VZ east guidelines	Clarifies guidelines applicable to only VZ. Ensures consistency with Verizon East format.	Administrative Clarification	Agreed	
64								Moved to Non-Consensus document
65	42 (PO-2)	PO-2-02	Definition	Modify WPTS prime time from 7am to 8 pm EST to 06:00:00 to 23:59:59 EST	Ensures consistency with NY.	Process	Agreed	

- 148 -

Attachment 2

Verizon **PROPOSAL FOR MODIFICATIONS TO THE CA JOINT PARTIAL SETTLEMENT AGREEMENT (JPSA)**  
**Process and Administrative Clarification Changes**  
**Consensus Items**

Item #	PM	SUBMEASURE(S)	MEASURE CATEGORY	PROPOSED CHANGE	RATIONALE	TYPE of CHANGE	Status	Comments
66	2, 3, 4, 5, 6, 7, 11, 12, 13, 14, 15, 15A, 16, 17, 19, 20, 21, 22, 23, 28 (OR-1, OR-2, OR-5, PR-2, PR-4, PR-5, PR-6, PR-7, MR-2, MR-3, MR-4, MR-5, BI-1)	OR-1-02, OR-1-04, OR-1-05, OR-1-06, OR-1-07, OR-2-02, OR-2-04, OR-2-05, OR-2-06, OR-2-07, OR-5-01, OR-5-03, PR-2-09, PR-4-01, PR-4-02, PR-5-01, PR-5-05, PR-6-01, PR-6-02, PR-6-04, PR-6-05, PR-7-01, PR-7-02, MR-2-01, MR-3-01, MR-4-01, MR-4-08, MR-5-01, BI-1-05	Products	Remove UNE-Platform	Per TRO/TRRO	Process	Agreed	
67	2, 3, 4, 5, 6, 7, 8, 11, 12, 13, 14, 15, 15A, 16, 19, 20, 21, 23, (OR-1, OR-2, OR-5, PR-2, PR-4, PR-5, PR-6, PR-7, MR-2, MR-3, MR-4, MR-5)	OR-1-02, OR-1-04, OR-1-06, OR-2-02, OR-2-04, OR-2-06, OR-5-01, OR-5-03, PR-2-09, PR-3-12, PR-4-01, PR-4-02, PR-5-01, PR-5-05, PR-6-01, PR-6-04, PR-6-05, PR-7-01, PR-7-02, MR-2-01, MR-3-01, MR-4-01, MR-5-01	Products	Remove UNE Line Sharing	Per TRO/TRRO	Process	Agreed	

- 149 -

Verizon **PROPOSAL FOR MODIFICATIONS TO THE CA JOINT PARTIAL SETTLEMENT AGREEMENT (JPSA)**  
**Process and Administrative Clarification Changes**  
**Consensus Items**

<b>Item #</b>	<b>PM</b>	<b>SUBMEASURE(S)</b>	<b>MEASURE CATEGORY</b>	<b>PROPOSED CHANGE</b>	<b>RATIONALE</b>	<b>TYPE of CHANGE</b>	<b>Status</b>	<b>Comments</b>
68	2, 3, 5, 6, 7, 11, 14, 19, 20, 21, 23 (OR-1, OR-2, PR-2, PR-4, PR-7, MR-2, MR-3, MR-4, MR-5)	OR-1-12, OR-2-12, PR-2-09, PR-4-01, PR-4-02, PR-7-01, PR-7-02, MR-2-01, MR-3-01, MR-4-01, MR-5-01	Products	Remove Dark Fiber	Per TRO/TRRO	Process	Agreed	
69	NA	NA	General Exclusions	Added note regarding elimination of UNE- Platform from UNE product category	Per TRO/TRRO	Process	Agreed	

- 150 -

Attachment 2