

Florida Regulatory Relations 150 S. Monroe St., Suite 400 F: 850-224-5073 Tallahassee, FL 32301

T: 850-577-5550 www.att.com

August 18, 2008

080555-TP

Mrs. Ann Cole Director, Division of the Commission Clerk and Administrative Services Florida Public Service Commission 2540 Shumard Oak Boulevard Tallahassee, Florida 32399

Re: Approval of Interconnection, Unbundling, Resale and Collocation Agreement between BellSouth Telecommunications, Inc d/b/a AT&T Florida d/b/a AT&T Southeast and Rightlink USA, Inc. TX 657

Dear Mrs. Cole:

Please find enclosed for filing and approval, the original and two copies of the Interconnection, Unbundling, Resale and Collocation Agreement between BellSouth Telecommunications, Inc d/b/a AT&T Florida d/b/a AT&T Southeast and Rightlink USA, Inc..

If you have any questions please do not hesitate to contact Robyn Yant at (850) 577-5551.

Very truly yours, Regulatory Vice President

COM	Ī
ECR	
<b>GCL</b>	
OPC	
RCP	T
SSC	
SGA	
ADM T	
CLK	1

DOCUMENT NUMBER-DATE

074 | AUG 18 8

FPSC-COMMISSION CLERK

Florida Regulatory Relations 150 S. Monroe St., Suite 400 F: 850-224-5073 Tallahassee, FL 32301

T: 850-577-5550 www.att.com

0 80555

August 18, 2008

Mrs. Ann Cole Director, Division of the Commission Clerk and Administrative Services Florida Public Service Commission 2540 Shumard Oak Boulevard Tallahassee, Florida 32399

Re: Approval of Interconnection, Unbundling, Resale and Collocation Agreement between BellSouth Telecommunications, Inc d/b/a AT&T Florida d/b/a AT&T Southeast and Rightlink USA, Inc.

Dear Mrs. Cole:

Please find enclosed for filing and approval, the original and two copies of the Interconnection, Unbundling, Resale and Collocation Agreement between BellSouth Telecommunications, Inc d/b/a AT&T Florida d/b/a AT&T Southeast and Rightlink USA, Inc..

If you have any questions please do not hesitate to contact Robyn Yant at (850) 577-5551.


Very truly yours,

Regulatory Vice President

DOCUMENT NUMBER - DATE

074 | AUG 18 8

FPSC-COMMISSION CLERK



# Customer Name: Rightlink USA, Inc.

Rightlink USA - 1Q08 ICA	2
Table of Contents	3
General Terms and Conditions	5
Signature Page	23
Att 1 - Resale	24
Att 1 - Resale Discounts & Rates	41
Att 2 - Network Elements & Other Services	50
Att 2 - Network Elements Rates - Exhibit A	94
Att 2 - Network Elements Rates - Exhibit B	190
Att 3 - Network Interconnection	207
Att 3 - Local Interconnection Rates - Renegotiated	231
Att 4 - Collocation	240
Att 4 - Collocation Rates - Exhibit B	284
Att 5 - Access to Numbers and Number Portability	329
Att 6 - Ordering	334
Att 7 - Billing	342
Att 8 - Rights of Way	352
Att 9 - Service Quality Measurements	354
Att 10 - Disaster Recovery Plan	356
Att 11 - BFR and NBR Process	365

CLEC Agreement With Rightlink USA, Inc.

# TABLE OF CONTENTS/AT&T-9STATE

PAGE 1 OF 2
Rightlink USA
1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

# **TABLE OF CONTENTS**

#### **General Terms and Conditions**

#### **Definitions**

- 1. CLEC Certification
- 2. Term of the Agreement
- 3. Nondiscriminatory Access
- 4. Court Ordered Requests for Call Detail Records and Other Subscriber Information
- 5. Liability and Indemnification
- 6. Intellectual Property Rights and Indemnification
- 7. Proprietary and Confidential Information
- 8. Resolution of Disputes
- 9. Taxes
- 10. Force Majeure
- 11. Adoption of Agreements
- 12. Modification of Agreement
- 13. Intervening Law
- 14. Legal Rights
- 15. Indivisibility
- 16. Severability
- 17. Non-Waivers
- 18. Governing Law
- 19. Assignments and Transfers
- 20. Notices
- 21. Rule of Construction
- 22. Headings of No Force or Effect
- 23. Multiple Counterparts
- 24. Filing of Agreement
- 25. Compliance with Law
- 26. Necessary Approvals
- 27. Good Faith Performance
- 28. Rates
- 29. Rate True-Up
- 30. Survival
- 31. Entire Agreement

# TABLE OF CONTENTS/AT&T-9STATE PAGE 2 OF 2 Rightlink USA 1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

# **TABLE OF CONTENTS (cont'd)**

Attac	hment	1.	Resa	ìe

Attachment 2 - Network Elements and Other Services

Attachment 3 - Network Interconnection

Attachment 4 - Collocation

Attachment 5 - Access to Numbers and Number Portability

Attachment 6 - Pre-Ordering, Ordering, Provisioning and Maintenance and Repair

Attachment 7 - Billing

Attachment 8 - Rights-of-Way, Conduits and Pole Attachments

**Attachment 9 - Service Quality Measurements** 

Attachment 10 - AT&T Disaster Recovery Plan

Attachment 11 - Bona Fide Request and New Business Request Process

GENERAL TERMS AND CONDITIONS/<u>AT&T-9STATE</u>
PAGE 1 OF 18
Rightlink USA
1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

# AGREEMENT GENERAL TERMS AND CONDITIONS

THIS AGREEMENT is made by and between BellSouth Telecommunications, Inc., d/b/a AT&T Alabama, AT&T Florida, AT&T Georgia, AT&T Kentucky, AT&T Louisiana, AT&T Mississippi, AT&T North Carolina, AT&T South Carolina and AT&T Tennessee, ("AT&T"), and Rightlink USA, Inc. (Rightlink USA), a Florida corporation, and shall be effective on the Effective Date, as defined herein. This Agreement may refer to either AT&T or Rightlink USA or both as a "Party" or "Parties."

#### WITNESSETH

**WHEREAS**, AT&T is a local exchange telecommunications company authorized to provide Telecommunications Services (as defined below) in the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina and Tennessee; and

**WHEREAS**, Rightlink USA is or seeks to become a CLEC authorized to provide Telecommunications Services in the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee; and

**WHEREAS**, pursuant to Sections 251 and 252 of the Act; Rightlink USA wishes to purchase certain services from AT&T; and

WHEREAS, the Parties wish to interconnect their facilities, exchange traffic, and perform Local Number Portability (LNP) pursuant to Sections 251 and 252 of the Act as set forth herein; and

WHEREAS, Rightlink USA wishes to purchase and AT&T wishes to provide other services as described in this Agreement;

**NOW THEREFORE**, in consideration of the mutual agreements contained herein, AT&T and Rightlink USA agree as follows:

#### **Definitions**

**Affiliate** is defined as a person that (directly or indirectly) owns or controls, is owned or controlled by, or is under common ownership or control with, another person. For purposes of this paragraph, the term "own" means to own an equity interest (or equivalent thereof) of more than ten percent (10%).

**AT&T-9STATE** is defined as the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina and Tennessee.

**Commission** is defined as the appropriate regulatory agency in each state of AT&T Southeast Region 9-State (Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee).

PAGE 2 OF 18
Rightlink USA
1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

**Competitive Local Exchange Carrier (CLEC)** means a telephone company certificated by the Commission to provide local exchange service within AT&T's franchised area.

**Effective Date** is defined as the date that the Agreement is effective for purposes of rates, terms and conditions and shall be thirty (30) days after the date of the last signature executing the Agreement. Future amendments for rate changes will also be effective thirty (30) days after the date of the last signature executing the amendment.

FCC means the Federal Communications Commission.

**Telecommunications** means the transmission, between or among points specified by the user, of information of the user's choosing, without change in the form or content of the information as sent and received.

**Telecommunications Service** means the offering of telecommunications for a fee directly to the public, or to such classes of users as to be effectively available directly to the public, regardless of the facilities used.

**Telecommunications Act of 1996 (Act)** means Public Law 104-104 of the United States Congress effective February 8, 1996. The Act amended the Communications Act of 1934 (47 U.S.C. Section 1 et. seq.).

#### 1 CLEC Certification

- 1.1 Rightlink USA agrees to provide AT&T in writing Rightlink USA's CLEC certification from the Commission for all states covered by this Agreement except Kentucky prior to AT&T filing this Agreement with the appropriate Commission for approval. Additionally, Rightlink USA shall provide to AT&T an effective certification to do business issued by the secretary of state or equivalent authority in each state covered by this Agreement.
- To the extent Rightlink USA is not certified as a CLEC in each state covered by this Agreement as of the execution hereof, Rightlink USA may not purchase services hereunder in that state. Rightlink USA will notify AT&T in writing and provide CLEC certification from the Commission when it becomes certified to operate in, as well as an effective certification to do business issued by the secretary of state or equivalent authority for, any other state covered by this Agreement. Upon receipt thereof, AT&T will file this Agreement in that state, and Rightlink USA may purchase services pursuant to this Agreement in that state, subject to establishing appropriate accounts in the additional state as described in Attachment 7.
- 1.3 Should Rightlink USA's certification in any state be rescinded or otherwise terminated, AT&T may, at its election, suspend or terminate this Agreement immediately and all monies owed on all outstanding invoices for services provided in that state shall become due, or AT&T may refuse to provide services hereunder in that state until certification is reinstated in that state, provided such notification is made prior to expiration of the term of this Agreement. Rightlink USA shall provide an effective certification to do business issued by the secretary of state or equivalent authority in each state covered by this Agreement.

PAGE 3 OF 18
Rightlink USA
1Q08 GENERIC INTERCONNECTION AGREEMENT – 03/10/08

#### 2 Term of the Agreement

- 2.1 The initial term of this Agreement shall be five (5) years, beginning on the Effective Date and shall apply to the AT&T Southeast Region 9-State in the state(s) of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina and Tennessee. Notwithstanding any prior agreement of the Parties, the rates, terms and conditions of this Agreement shall not be applied retroactively prior to the Effective Date.
- The Parties agree that by no earlier than two hundred seventy (270) days and no later than one hundred eighty (180) days prior to the expiration of the initial term of this Agreement, the Parties shall commence negotiations for a new agreement to be effective beginning on the expiration date of this Agreement (Subsequent Agreement). If as of the expiration of the initial term of this Agreement, a Subsequent Agreement has not been executed by the Parties, then except as set forth in Sections 2.3.1 and 2.3.2 below, this Agreement shall continue on a month-to-month basis while a Subsequent Agreement is being negotiated. The Parties' rights and obligations with respect to this Agreement after expiration of the initial term shall be as set forth in Section 2.3 below.
- 2.3 If, within one hundred thirty-five (135) days of commencing the negotiation referred to in Section 2.2 above, the Parties are unable to negotiate new terms, conditions and prices for a Subsequent Agreement, either Party may petition the Commission to establish appropriate rates, terms and conditions for the Subsequent Agreement pursuant to 47 U.S.C. § 252.
- 2.3.1 Rightlink USA may request termination of this Agreement only if it is no longer purchasing services pursuant to this Agreement. Except as set forth in Section 2.3.2 below, notwithstanding the foregoing, in the event that as of the date of expiration of the initial term of this Agreement and conversion of this Agreement to a month-to-month term, the Parties have not entered into a Subsequent Agreement and no arbitration proceeding has been filed in accordance with Section 2.3 above, then AT&T may terminate this Agreement upon sixty (60) days notice to Rightlink USA. In the event that AT&T terminates this Agreement as provided above, AT&T shall continue to offer services to Rightlink USA pursuant to the rates, terms and conditions set forth in AT&T's then current generic interconnection agreement. In the event that AT&T's generic interconnection agreement becomes effective between the Parties, the Parties may continue to negotiate a Subsequent Agreement.
- 2.3.2 Notwithstanding Section 2.2 above, in the event that as of the expiration of the initial term of this Agreement the Parties have not entered into a Subsequent Agreement and no arbitration proceeding has been filed in accordance with Section 2.3 above and AT&T is not providing any services under this Agreement as of the date of expiration of the initial term of this Agreement, then this Agreement shall not continue on a month-to-month basis but shall be deemed terminated as of the expiration date hereof.
- If, at any time during the term of this Agreement, AT&T is unable to contact Rightlink USA pursuant to the Notices provision hereof or any other contact information provided by Rightlink USA under this Agreement, and there are no active services being provisioned under this Agreement, then AT&T may, at its discretion, terminate this Agreement, without any liability whatsoever, upon sending of notification to Rightlink USA pursuant to the Notices section hereof. Furthermore, if after eighteen (18) months following the Effective Date of this Agreement Rightlink USA has no active

PAGE 4 OF 18 Rightlink USA

1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

services pursuant to this Agreement, AT&T may terminate this Agreement, without any liability to AT&T, upon notification to Rightlink USA pursuant to the Notices section hereof.

2.5 In addition to as otherwise set forth in this Agreement, AT&T reserves the right to suspend access to ordering systems, refuse to process additional or pending applications for service, or terminate service in the event of prohibited, unlawful or improper use of AT&T's facilities or service, abuse of AT&T's facilities or any other material breach of this Agreement, and all monies owed on all outstanding invoices shall become due. In such event, Rightlink USA is solely responsible for notifying its customers of any discontinuance of service.

#### 3 Nondiscriminatory Access

When Rightlink USA purchases Telecommunications Services from AT&T pursuant to Attachment 1 of this Agreement for the purposes of resale to customers, such services shall be equal in quality, subject to the same conditions, and provided within the same provisioning time intervals that AT&T provides to others, including its customers. To the extent technically feasible, the quality of a Network Element, as well as the quality of the access to such Network Element provided by AT&T to Rightlink USA shall be at least equal to that which AT&T provides to itself and shall be the same for all Telecommunications carriers requesting access to that Network Element. The quality of the interconnection between the network of AT&T and the network of Rightlink USA shall be at a level that is equal to that which AT&T provides itself, a subsidiary, an Affiliate, or any other party. The interconnection facilities shall be designed to meet the same technical criteria and service standards that are used within AT&T's network and shall extend to a consideration of service quality as perceived by AT&T's customers and service quality as perceived by Rightlink USA.

#### 4 Court Ordered Requests for Call Detail Records and Other Subscriber Information

- 4.1 Subpoenas Directed to AT&T. Where AT&T provides resold services for Rightlink USA, AT&T shall respond to subpoenas and court ordered requests delivered directly to AT&T for the purpose of providing call detail records when the targeted telephone numbers belong to Rightlink USA customers. Billing for such requests will be generated by AT&T and directed to the law enforcement agency initiating the request. AT&T shall maintain such information for Rightlink USA customers for the same length of time it maintains such information for its own customers.
- 4.2 <u>Subpoenas Directed to Rightlink USA.</u> Where AT&T is providing resold services to Rightlink USA, then Rightlink USA agrees that in those cases where Rightlink USA receives subpoenas or court ordered requests regarding targeted telephone numbers belonging to Rightlink USA customers, and where Rightlink USA does not have the requested information, Rightlink USA will advise the law enforcement agency initiating the request to redirect the subpoena or court ordered request to AT&T for handling in accordance with Section 4.1 above.
- In all other instances, where either Party receives a request for information involving the other Party's customer, the Party receiving the request will advise the law enforcement agency initiating the request to redirect such request to the other Party.

#### 5 Liability and Indemnification

5.1 Rightlink USA Liability. In the event that Rightlink USA consists of two (2) or more separate entities as set forth in this Agreement and/or any Amendments hereto, or any third party places orders

PAGE 5 OF 18
Rightlink USA

1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

under this Agreement using Rightlink USA's company codes or identifiers, all such entities shall be jointly and severally liable for the obligations of Rightlink USA under this Agreement.

- 5.2 <u>Liability for Acts or Omissions of Third Parties.</u> AT&T shall not be liable to Rightlink USA for any act or omission of another entity providing any services to Rightlink USA.
- Except for any indemnification obligations of the Parties hereunder, each Party's liability to the other for any loss, cost, claim, injury, liability or expense, including reasonable attorneys' fees relating to or arising out of any cause whatsoever, whether based in contract, negligence or other tort, strict liability or otherwise, relating to the performance of this Agreement, shall not exceed a credit for the actual cost of the services or functions not performed or improperly performed. Any amounts paid to Rightlink USA pursuant to Attachment 9 hereof shall be credited against any damages otherwise payable to Rightlink USA pursuant to this Agreement.
- Limitations in Tariffs. A Party may, in its sole discretion, provide in its tariffs and contracts with its customers and third parties that relate to any service, product or function provided or contemplated under this Agreement, that to the maximum extent permitted by Applicable Law, such Party shall not be liable to the customer or third party for (i) any loss relating to or arising out of this Agreement, whether in contract, tort or otherwise, that exceeds the amount such Party would have charged that applicable person for the service, product or function that gave rise to such loss and (ii) consequential damages. To the extent that a Party elects not to place in its tariffs or contracts such limitations of liability, and the other Party incurs a loss as a result thereof, such Party shall, except to the extent caused by the other Party's gross negligence or willful misconduct, indemnify and reimburse the other Party for that portion of the loss that would have been limited had the first Party included in its tariffs and contracts the limitations of liability that such other Party included in its own tariffs at the time of such loss.
- 5.3.2 Neither AT&T nor Rightlink USA shall be liable for damages to the other Party's terminal location, equipment or customer premises resulting from the furnishing of a service, including, but not limited to, the installation and removal of equipment or associated wiring, except to the extent caused by a Party's negligence or willful misconduct or by a Party's failure to ground properly a local loop after disconnection.
- 5.3.3 Under no circumstance shall a Party be responsible or liable for indirect, incidental, or consequential damages, including, but not limited to, economic loss or lost business or profits, damages arising from the use or performance of equipment or software, or the loss of use of software or equipment, or accessories attached thereto, delay, error, or loss of data. In connection with this limitation of liability, each Party recognizes that the other Party may, from time to time, provide advice, make recommendations, or supply other analyses related to the services or facilities described in this Agreement, and, while each Party shall use diligent efforts in this regard, the Parties acknowledge and agree that this limitation of liability shall apply to provision of such advice, recommendations, and analyses.
- 5.3.4 To the extent any specific provision of this Agreement purports to impose liability, or limitation of liability, on either Party different from or in conflict with the liability or limitation of liability set forth in this Section, then with respect to any facts or circumstances covered by such specific provisions, the liability or limitation of liability contained in such specific provision shall apply.

PAGE 6 OF 18 Rightlink USA

1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

5.4

Indemnification for Certain Claims. Except as otherwise set forth in this Agreement and except to the extent caused by the indemnified Party's gross negligence or willful misconduct, the Party providing services hereunder, its Affiliates and its parent company, shall be indemnified, defended and held harmless by the Party receiving services hereunder against any claim, loss or damage arising from the receiving Party's use of the services provided under this Agreement pertaining to (1) claims for libel, slander or invasion of privacy arising from the content of the receiving Party's own communications, or (2) any claim, loss or damage claimed by any third party (including, but not limited to, a customer of the Party receiving services) arising from the third party's use or reliance on and arising from the Party receiving services use or reliance on the providing Party's services, actions, duties, or obligations arising out of this Agreement.

5.5

<u>Disclaimer.</u> EXCEPT AS SPECIFICALLY PROVIDED TO THE CONTRARY IN THIS AGREEMENT, NEITHER PARTY MAKES ANY REPRESENTATIONS OR WARRANTIES TO THE OTHER PARTY CONCERNING THE SPECIFIC QUALITY OF ANY SERVICES, OR FACILITIES PROVIDED UNDER THIS AGREEMENT. THE PARTIES DISCLAIM, WITHOUT LIMITATION, ANY WARRANTY OR GUARANTEE OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARISING FROM COURSE OF PERFORMANCE, COURSE OF DEALING, OR FROM USAGES OF TRADE.

#### 6 Intellectual Property Rights and Indemnification

6.1

No License. Except as expressly set forth in Section 6.2 below, no patent, copyright, trademark or other proprietary right is licensed, granted or otherwise transferred by this Agreement. The Parties are strictly prohibited from any use, including but not limited to, in the selling, marketing, promoting or advertising of telecommunications services, of any name, service mark, logo or trademark (collectively, the "Marks") of the other Party. The Marks include those Marks owned directly by a Party or its Affiliate(s) and those Marks that a Party has a legal and valid license to use. The Parties acknowledge that they are separate and distinct and that each provides a separate and distinct service and agree that neither Party may, expressly or impliedly, state, advertise or market that it is or offers the same service as the other Party or engage in any other activity that may result in a likelihood of confusion between its own service and the service of the other Party.

6.2

Ownership of Intellectual Property. Any intellectual property that originates from or is developed by a Party shall remain the exclusive property of that Party. Except for a limited, non-assignable, non-exclusive, non-transferable license to use patents or copyrights to the extent necessary for the Parties to use any facilities or equipment (including software) or to receive any service solely as provided under this Agreement, no license in patent, copyright, trademark or trade secret, or other proprietary or intellectual property right, now or hereafter owned, controlled or licensable by a Party, is granted to the other Party. Neither shall it be implied nor arise by estoppel. Any trademark, copyright or other proprietary notices appearing in association with the use of any facilities or equipment (including software) shall remain on the documentation, material, product, service, equipment or software. It is the responsibility of each Party to ensure at no additional cost to the other Party that it has obtained any necessary licenses in relation to intellectual property of third Parties used in its network that may be required to enable the other Party to use any facilities or equipment (including software), to receive any service, or to perform its respective obligations under this Agreement.

PAGE 7 OF 18 Rightlink USA

1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

	1400 OEMENIO INTERCONNECTION AGREEMENT - 03/10/08
6.3	Intellectual Property Remedies
6.3.1	Indemnification. The Party providing a service pursuant to this Agreement will defend the Party receiving such service or data provided as a result of such service against claims of infringement arising solely from the use by the receiving Party of such service in the manner contemplated under this Agreement and will indemnify the receiving Party for any damages awarded based solely on such claims in accordance with Section 5 above.
6.3.2	Claim of Infringement
6.3.2.1	In the event that use of any facilities or equipment (including software), becomes, or in the reasonable judgment of the Party who owns the affected network is likely to become, the subject of a claim, action, suit, or proceeding based on intellectual property infringement, then said Party, promptly and at its sole expense and sole option, but subject to the limitations of liability set forth below, shall:
6.3.2.2	modify or replace the applicable facilities or equipment (including software) while maintaining form and function, or
6.3.2.3	obtain a license sufficient to allow such use to continue.
6.3.2.4	In the event Sections 6.3.2.2 or 6.3.2.3 above are commercially unreasonable, then said Party may terminate, upon reasonable notice, this contract with respect to use of, or services provided through use of, the affected facilities or equipment (including software), but solely to the extent required to avoid the infringement claim.
6.3.3	Exception to Obligations. Neither Party's obligations under this Section shall apply to the extent the infringement is caused by: (i) modification of the facilities or equipment (including software) by the indemnitee; (ii) use by the indemnitee of the facilities or equipment (including software) in combination with equipment or facilities (including software) not provided or authorized by the indemnitor, provided the facilities or equipment (including software) would not be infringing if used alone; (iii) conformance to specifications of the indemnitee which would necessarily result in infringement; or (iv) continued use by the indemnitee of the affected facilities or equipment (including software) after being placed on notice to discontinue use as set forth herein.
6.3.4	Exclusive Remedy. The foregoing shall constitute the Parties' sole and exclusive remedies and obligations with respect to a third party claim of intellectual property infringement arising out of the conduct of business under this Agreement.
6.3.5	<u>Dispute Resolution.</u> Any claim arising under Sections 6.1 and 6.2 above shall be excluded from the dispute resolution procedures set forth in Section 8 below and shall be brought in a court of competent jurisdiction.
7	Proprietary and Confidential Information
7.1	<u>Proprietary and Confidential Information.</u> It may be necessary for AT&T and Rightlink USA, each as the "Discloser," to provide to the other Party, as "Recipient," certain proprietary and confidential information (including trade secret information) including but not limited to technical, financial,

marketing, staffing and business plans and information, strategic information, proposals, request for proposals, specifications, drawings, maps, prices, costs, costing methodologies, procedures, processes, business systems, software programs, techniques, customer account data, call detail records and like information (collectively the "Information"). All such Information conveyed in writing or other tangible form shall be clearly marked with a confidential or proprietary legend. Information conveyed orally by the Discloser to Recipient shall be designated as proprietary and confidential at the time of such oral conveyance, shall be reduced to writing by the Discloser within forty-five (45) days thereafter, and shall be clearly marked with a confidential or proprietary legend.

17.2 Use and Protection of Information. Recipient agrees to protect such Information of the Discloser provided to Recipient from whatever source from distribution, disclosure or dissemination to anyone except employees consultants, contractors and agents of Recipient or its Affiliates with a need to know such Information solely in conjunction with Recipient's analysis of the Information and for no other purpose except as authorized herein or as otherwise authorized in writing by the Discloser. Recipients may make tangible or electronic copies, notes, summaries or extracts of Information only as necessary for use as authorized herein. All tangible or electronic copies, notes, summaries or extracts must be marked with the same confidential and proprietary notice as appears on the original. Information remains at all times the property of Discloser. Upon Discloser's request, all or any requested portion of the Information (including, but not limited to, tangible and electronic copies, notes, summaries or extracts of any Information) will be promptly returned to Discloser or destroyed, and Recipient will provide Discloser with written certification stating that such information has been returned or destroyed.

#### 7.3 Exceptions

- 7.3.1 Recipient will not have an obligation to protect any portion of the Information which:
- 7.3.2 (a) is made publicly available by the Discloser or lawfully by a nonparty to this\_Agreement; (b) is lawfully obtained by Recipient from any source other than Discloser; (c) is previously known to Recipient without an obligation to keep it confidential; or (d) is released from the terms of this Agreement by Discloser upon written notice to Recipient.
- 7.4 Recipient agrees to use the Information solely for the purposes of negotiations pursuant to 47 U.S.C. § 251 or in performing its obligations under this Agreement and for no other entity or purpose, except as may be otherwise agreed to in writing by the Parties. Nothing herein shall prohibit Recipient from providing information requested by the FCC or a state regulatory agency with jurisdiction over this matter, or to support a request for arbitration or an allegation of failure to negotiate in good faith.
- 7.5 Recipient agrees not to publish or use the Information for any advertising, sales or marketing promotions, press releases, or publicity matters that refer either directly or indirectly to the Information or to the Discloser or any of its affiliated companies.
- 7.6 The disclosure of Information neither grants nor implies any license to the Recipient under any trademark, patent, copyright, application or other intellectual property right that is now or may hereafter be owned by the Discloser.

PAGE 9 OF 18 Rightlink USA

#### 1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

7.7 <u>Survival of Confidentiality Obligations.</u> The Parties' rights and obligations under this Section 7 shall survive and continue in effect until two (2) years after the expiration or termination date of this Agreement with regard to all Information exchanged during the term of this Agreement. Thereafter, the Parties' rights and obligations hereunder survive and continue in effect with respect to any Information that is a trade secret under applicable law.

#### 8 Resolution of Disputes

Except as otherwise stated in this Agreement, if any dispute arises as to the interpretation of any provision of this Agreement or as to the proper implementation of this Agreement, the aggrieved Party, if it elects to pursue resolution of the dispute, shall petition the Commission for a resolution of the dispute. However, each Party reserves any rights it may have to seek judicial review of any ruling made by the Commission concerning this Agreement.

#### 9 Taxes

- 9.1 <u>Definition.</u> For purposes of this Section, the terms "taxes" and "fees" shall include but not be limited to federal, state or local sales, use, excise, gross receipts or other taxes or tax-like fees of whatever nature and however designated (including tariff surcharges and any fees, charges or other payments, contractual or otherwise, for the use of public streets or rights of way, whether designated as franchise fees or otherwise) imposed, or sought to be imposed, on or with respect to the services furnished hereunder or measured by the charges or payments therefor, excluding any taxes levied on income.
- 9.2 Taxes and Fees Imposed Directly On Either Providing Party or Purchasing Party
- 9.2.1 Taxes and fees imposed on the providing Party, which are not permitted or required to be passed on by the providing Party to its customer, shall be borne and paid by the providing Party.
- 9.2.2 Taxes and fees imposed on the purchasing Party, which are not required to be collected and/or remitted by the providing Party, shall be borne and paid by the purchasing Party.
- 9.3 Taxes and Fees Imposed on Purchasing Party But Collected And Remitted By Providing Party
- 9.3.1 Taxes and fees imposed on the purchasing Party shall be borne by the purchasing Party, even if the obligation to collect and/or remit such taxes or fees is placed on the providing Party.
- 9.3.2 To the extent permitted by applicable law, any such taxes and/or fees shall be shown on applicable billing documents between the Parties. Notwithstanding the foregoing, the purchasing Party shall remain liable for any such taxes and fees regardless of whether they are actually billed by the providing Party at the time that the respective service is billed.
- 9.3.3 If the purchasing Party determines that in its opinion any such taxes or fees are not applicable, the providing Party shall not bill such taxes or fees to the purchasing Party if the purchasing Party provides written certification, reasonably satisfactory to the providing Party, stating that it is exempt or otherwise not subject to the tax or fee, setting forth the basis therefor, and satisfying any other requirements under applicable law. If any authority seeks to collect any such tax or fee that the purchasing Party has determined and certified not to be applicable, or any such tax or fee that was not billed by the providing Party, the purchasing Party may contest the same in good faith, at its

PAGE 10 OF 18 Rightlink USA

#### 1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

own expense. In any such contest, the purchasing Party shall promptly furnish the providing Party with copies of all filings in any proceeding, protest, or legal challenge, all rulings issued in connection therewith, and all correspondence between the purchasing Party and the taxing authority.

- In the event that all or any portion of an amount sought to be collected must be paid in order to contest the imposition of any such tax or fee, or to avoid the existence of a lien on the assets of the providing Party during the pendency of such contest, the purchasing Party shall be responsible for such payment and shall be entitled to the benefit of any refund or recovery. The purchasing Party shall have the right to contest, at its own expense, any such tax or fee that it believes is not applicable or was paid by it in error. If requested in writing by the purchasing Party, the providing Party shall facilitate such contest either by assigning to the purchasing Party its right to claim a refund of such tax or fee, if such an assignment is permitted under applicable law, or, if an assignment is not permitted, by filing and pursuing a claim for refund on behalf of the purchasing Party but at the purchasing Party's expense.
- 9.3.5 If it is ultimately determined that any additional amount of such a tax or fee is due to the imposing authority, the purchasing Party shall pay such additional amount, including any interest and penalties thereon.
- 9.3.6 Notwithstanding any provision to the contrary, the purchasing Party shall protect, indemnify and hold harmless (and defend at the purchasing Party's expense) the providing Party from and against any such tax or fee, interest or penalties thereon, or other charges or payable expenses (including reasonable attorney fees) with respect thereto, which are incurred by the providing Party in connection with any claim for or contest of any such tax or fee.
- 9.3.7 Each Party shall notify the other Party in writing of any assessment, proposed assessment or other claim for any additional amount of such a tax or fee by a taxing authority; provided, however, that the failure of a Party to provide notice shall not relieve the other Party of any obligations hereunder.
- 9.4 Taxes and Fees Imposed on Providing Party But Passed On To Purchasing Party
- 9.4.1 Taxes and fees imposed on the providing Party, which are permitted or required to be passed on by the providing Party to its customer, shall be borne by the purchasing Party.
- 9.4.2 To the extent permitted by applicable law, any such taxes and/or fees shall be shown on applicable billing documents between the Parties. Notwithstanding the foregoing, the purchasing Party shall remain liable for any such taxes and fees regardless of whether they are actually billed by the providing Party at the time that the respective service is billed.
- 9.4.3 If the purchasing Party disagrees with the providing Party's determination as to the application of or basis for any such tax or fee, the Parties shall consult with respect to the imposition and billing of such tax or fee. Notwithstanding the foregoing, the providing Party shall retain ultimate responsibility for determining whether and to what extent any such taxes or fees are applicable, and the purchasing Party shall abide by such determination and pay such taxes or fees to the providing Party. The providing Party shall further retain ultimate responsibility for determining whether and how to contest the imposition of such taxes and fees; provided, however, that any such contest undertaken at the request of the purchasing Party shall be at the purchasing Party's expense.

PAGE 11 OF 18 Rightlink USA

#### 1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

In the event that all or any portion of an amount sought to be collected must be paid in order to contest the imposition of any such tax or fee, or to avoid the existence of a lien on the assets of the providing Party during the pendency of such contest, the purchasing Party shall be responsible for such payment and shall be entitled to the benefit of any refund or recovery. The purchasing Party shall have the right to contest, at its own expense, any such tax or fee that it believes is not applicable or was paid by it in error. If requested in writing by the purchasing Party, the providing Party shall facilitate such contest either by assigning to the purchasing Party its right to claim a refund of such tax or fee, if such an assignment is permitted under applicable law, or, if an assignment is not permitted, by filing and pursuing a claim for refund on behalf of the purchasing Party but at the purchasing Party's expense.

- 9.4.5 If it is ultimately determined that any additional amount of such a tax or fee is due to the imposing authority, the purchasing Party shall pay such additional amount, including any interest and penalties thereon.
- 9.4.6 Notwithstanding any provision to the contrary, the purchasing Party shall protect, indemnify and hold harmless (and defend at the purchasing Party's expense) the providing Party from and against any such tax or fee, interest or penalties thereon, or other charges or payable expenses (including reasonable attorneys' fees) with respect thereto, which are incurred by the providing Party in connection with any claim for or contest of any such tax or fee.
- 9.4.7 Each Party shall notify the other Party in writing of any assessment, proposed assessment or other claim for any additional amount of such a tax or fee by a taxing authority; provided, however, that the failure of a Party to provide notice shall not relieve the other Party of any obligations hereunder.

#### 9.5 Additional Provisions Applicable to All Taxes and Fees

- 9.5.1 In any contest of a tax or fee by one Party, the other Party shall cooperate fully by providing records, testimony and such additional information or assistance as may reasonably be necessary to pursue the contest. Further, the other Party shall be reimbursed for any reasonable and necessary out-of-pocket copying and travel expenses incurred in assisting in such contest.
- 9.5.2 Notwithstanding any provision of this Agreement to the contrary, any administrative, judicial, or other proceeding concerning the application or amount of a tax or fee shall be maintained in accordance with the provisions of this Section and any applicable federal, state or local law governing the resolution of such disputed tax or fee; and under no circumstances shall either Party have the right to bring a dispute related to the application or amount of a tax or fee before a regulatory authority.

#### 10 Force Majeure

In the event performance of this Agreement, or any obligation hereunder, is either directly or indirectly prevented, restricted, or interfered with by reason of fire, flood, earthquake or like acts of God, wars, revolution, civil commotion, explosion, acts of public enemy, embargo, acts of the government in its sovereign capacity, labor difficulties, including without limitation, strikes, slowdowns, picketing, or boycotts, unavailability of equipment from vendor, changes requested by Rightlink USA, or any other circumstances beyond the reasonable control and without the fault or negligence of the Party affected, the Party affected shall be excused from such performance on a

1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

day-to-day basis to the extent of such prevention, restriction, or interference (and the other Party shall likewise be excused from performance of its obligations on a day-to-day basis until the delay, restriction or interference has ceased); provided, however, that the Party so affected shall use diligent efforts to avoid or remove such causes of non-performance and both Parties shall proceed whenever such causes are removed or cease. The Party affected shall provide notice of the Force Majeure event within a reasonable period of time following such an event.

#### 11 Adoption of Agreements

Pursuant to 47 U.S.C. § 252(i) and 47 C.F.R. § 51.809, AT&T shall make available to Rightlink USA any entire interconnection agreement filed and approved pursuant to 47 U.S.C. § 252. The adopted agreement shall apply to the same states as the agreement that was adopted, and the term of the adopted agreement shall expire on the same date as set forth in the agreement that was adopted.

#### 12 Modification of Agreement

- If Rightlink USA changes its name or makes changes to its company structure or identity due to a merger, acquisition, transfer or any other reason, it is the responsibility of Rightlink USA to notify AT&T of said change, request that an amendment to this Agreement, if necessary, be executed to reflect said change and notify the Commission of such modification of company structure in accordance with the state rules governing such modification in company structure if applicable. Additionally, Rightlink USA shall provide AT&T with any necessary supporting documentation, which may include, but is not limited to, a credit application, Application for Master Account, proof of authority to provide telecommunications services, the appropriate Operating Company Number (OCN) for each state as assigned by National Exchange Carrier Association (NECA), Carrier Identification Code (CIC), Access Customer Name and Abbreviation (ACNA), AT&T's blanket form letter of authority (LOA), Misdirected Number form and a tax exemption certificate.
- 12.2 No modification, amendment, supplement to, or waiver of the Agreement or any of its provisions shall be effective and binding upon the Parties unless it is made in writing and duly signed by the Parties.

#### 13 Intervening Law

This Agreement is the result of negotiations between the Parties and may incorporate certain provisions that resulted from arbitration by the appropriate state Commission(s). In entering into this Agreement and any Amendments to such Agreement and carrying out the provisions herein, neither Party waives, but instead expressly reserves, all of its rights, remedies and arguments with respect to any orders, decisions, legislation or proceedings and any remands thereof and any other federal or state regulatory, legislative or judicial action(s) which the Parties have not yet fully incorporated into this Agreement or which may be the subject of further review. If any action by any state or federal regulatory or legislative body or court of competent jurisdiction invalidates, modifies, or stays the enforcement of laws or regulations that were the basis or rationale for any rate(s), term(s) and/or condition(s) ("Provisions") of the Agreement and/or otherwise affects the rights or obligations of either Party that are addressed by this Agreement, the affected Provision(s) shall be immediately invalidated, modified or stayed consistent with the action of the regulatory or legislative body or court of competent jurisdiction upon the written request of either Party in accordance with Section 20.1 below ("Written Notice"). With respect to any Written Notices hereunder, the Parties shall have sixty (60) days from the Written Notice to attempt to reach agreement on appropriate

PAGE 13 OF 18 Rightlink USA

1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

conforming modifications to the Agreement. If the Parties are unable to agree upon the conforming modifications within sixty (60) days from the Written Notice, any disputes between the Parties concerning such actions shall be resolved pursuant to the dispute resolution process provided for in this Agreement.

#### 14 Legal Rights

Execution of this Agreement by either Party does not confirm or imply that the executing Party agrees with any decision(s) issued pursuant to the Telecommunications Act of 1996 and the consequences of those decisions on specific language in this Agreement. Neither Party waives its rights to appeal or otherwise challenge any such decision(s) and each Party reserves all of its rights to pursue any and all legal and/or equitable remedies, including appeals of any such decision(s).

#### 15 Indivisibility

Subject to Section 15 below, the Parties intend that this Agreement be indivisible and nonseverable, and each of the Parties acknowledges that it has assented to all of the covenants and promises in this Agreement as a single whole and that all of such covenants and promises, taken as a whole, constitute the essence of the contract. Without limiting the generality of the foregoing, each of the Parties acknowledges that any provision by AT&T of collocation space under this Agreement is solely for the purpose of facilitating the provision of other services under this Agreement as set forth in Attachment 4. The Parties further acknowledge that this Agreement is intended to constitute a single transaction and that the obligations of the Parties under this Agreement are interdependent.

#### 16 Severability

If any provision of this Agreement, or part thereof, shall be held invalid or unenforceable in any respect, the remainder of the Agreement or provision shall not be affected thereby, provided that the Parties shall negotiate in good faith to reformulate such invalid provision, or part thereof, or related provision, to reflect as closely as possible the original intent of the parties, consistent with applicable law, and to effectuate such portions thereof as may be valid without defeating the intent of such provision. In the event the Parties are unable to mutually negotiate such replacement language, either Party may elect to pursue the dispute resolution process set forth in Section 8 above.

#### 17 Non-Waivers

A failure or delay of either Party to enforce any of the provisions hereof, to exercise any option which is herein provided, or to require performance of any of the provisions hereof shall in no way be construed to be a waiver of such provisions or options, and each Party, notwithstanding such failure, shall have the right thereafter to insist upon the performance of any and all of the provisions of this Agreement.

#### 18 Governing Law

Where applicable, this Agreement shall be governed by and construed in accordance with federal and state substantive telecommunications law, including rules and regulations of the FCC and appropriate Commission. In all other respects, this Agreement shall be governed by and construed and enforced in accordance with the laws of the State of Georgia without regard to its conflict of laws principles.

#### 19 Assignments and Transfers

Any assignment by either Party to any entity of any right, obligation or duty, or of any other interest hereunder, in whole or in part, without the prior written consent of the other Party shall be void. The assignee must provide evidence of a Commission approved certification to provide Telecommunications Service in each state that Rightlink USA is entitled to provide Telecommunications Service. After AT&T's consent, the Parties shall amend this Agreement to reflect such assignments and shall work cooperatively to implement any changes required due to such assignment. All obligations and duties of any Party under this Agreement shall be binding on all successors in interest and assigns of such Party. No assignment or delegation hereof shall relieve the assignor of its obligations under this Agreement in the event that the assignee fails to perform such obligations. Notwithstanding anything to the contrary in this Section, Rightlink USA shall not be permitted to assign this Agreement in whole or in part to any entity unless either (1) Rightlink USA pays all bills, past due and current, under this Agreement, or (2) Rightlink USA's assignee expressly assumes liability for payment of such bills.

In the event that Rightlink USA desires to transfer any services hereunder to another provider of Telecommunications Service, or Rightlink USA desires to assume hereunder any services provisioned by AT&T to another provider of Telecommunications Service, such transfer of services shall be subject to separately negotiated rates, terms and conditions.

#### 20 Notices

Every notice, consent or approval of a legal nature, required or permitted by this Agreement shall be in writing and shall be delivered either by hand, by overnight courier or by US mail postage prepaid, or email if an email address is listed below, addressed to:

#### AT&T

Contract Management ATTN: Notices Manager 311 S. Akard, 9th Floor Dallas, TX 75202-5398

and

Business Markets Attorney Suite 4300 675 West Peachtree Street Atlanta, GA 30375 1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

#### Rightlink USA, Inc.

#### Dr. Michael Ukwendu

P.O. Box 971909 Miami, Florida 33197 info@rightlinkusa.com

or at such other address as the intended recipient previously shall have designated by written notice to the other Party.

- 20.2 Unless otherwise provided in this Agreement, notice by mail shall be effective on the date it is officially recorded as delivered by return receipt or equivalent, and in the absence of such record of delivery, it shall be presumed to have been delivered the fifth day, or next business day after the fifth day, after it was deposited in the mails.
- 20.3 Notwithstanding the above, AT&T will post to AT&T's Wholesale Southeast Region Web site changes to business processes and policies and shall post to AT&T's Wholesale Southeast Region Web site or submit through applicable electronic systems, other service and business related notices not requiring an amendment to this Agreement.

#### 21 Rule of Construction

No rule of construction requiring interpretation against the drafting Party hereof shall apply in the interpretation of this Agreement.

#### 22 Headings of No Force or Effect

The headings of Articles and Sections of this Agreement are for convenience of reference only, and shall in no way define, modify or restrict the meaning or interpretation of the terms or provisions of this Agreement.

#### 23 Multiple Counterparts

This Agreement may be executed in multiple counterparts, each of which shall be deemed an original, but all of which shall together constitute but one and the same document.

#### 24 Filing of Agreement

This Agreement, and any amendments hereto, shall be filed with the appropriate state regulatory agency pursuant to the requirements of Section 252 of the Act, or as otherwise required by the state and the Parties shall share equally in any applicable fees. Notwithstanding the foregoing, this Agreement shall not be submitted for approval by the appropriate state regulatory agency unless and until such time as Rightlink USA is duly certified as a local exchange carrier in such state, except as otherwise required by a Commission.

#### 25 Compliance with Law

The Parties have negotiated their respective rights and obligations pursuant to substantive Federal and State Telecommunications law and this Agreement is intended to memorialize the Parties' mutual agreement with respect to each Party's rights and obligations under the Act and applicable FCC and Commission orders, rules and regulations. Nothing contained herein, nor any reference to applicable rules and orders, is intended to expand on the Parties' rights and obligations as set forth herein. This Agreement also contains certain provisions that were negotiated without regard

to the Parties' obligations as set forth Section 251 of the Act. To the extent the provisions of this Agreement differ from the provisions of any Federal or State Telecommunications statute, rule or order in effect as of the execution of this Agreement, this Agreement shall control. Each Party shall comply at its own expense with all other laws of general applicability.

#### 26 Necessary Approvals

Each Party shall be responsible for obtaining and keeping in effect all approvals from, and rights granted by, governmental authorities, building and property owners, other carriers, and any other persons that may be required in connection with the performance of its obligations under this Agreement. Each Party shall reasonably cooperate with the other Party in obtaining and maintaining any required approvals and rights for which such Party is responsible.

#### 27 Good Faith Performance

Each Party shall act in good faith in its performance under this Agreement and, in each case in which a Party's consent or agreement is required or requested hereunder, such Party shall not unreasonably withhold or delay such consent or agreement.

#### 28 Rates

28.1 Rightlink USA shall pay the charges set forth in this Agreement. In the event that AT&T is unable to bill the applicable rate or no rate is established or included in this Agreement for any services provided pursuant to this Agreement, AT&T reserves the right to back bill Rightlink USA for such rate or for the difference between the rate actually billed and the rate that should have been billed pursuant to this Agreement; provided, however, that subject to Rightlink USA's agreement to the limitation regarding billing disputes as described in Section 2.2 of Attachment 7 hereof, AT&T shall not back bill any amounts for services rendered more than twelve (12) months prior to the date that the charges or additional charges for such services are actually billed. Notwithstanding the foregoing, both Parties recognize that situations may exist which could necessitate back billing beyond twelve (12) months. These exceptions are:

- Charges connected with jointly provided services whereby meet point billing guidelines require either Party to rely on records provided by a third party and such records have not been provided in a timely manner;
- Charges incorrectly billed due to erroneous information supplied by the non-billing Party;
- Charges for which a regulatory body has granted, or a regulatory change permits, the billing Party the authority to back bill.
- To the extent a rate element is omitted or no rate is established, AT&T has the right not to provision such service until the Agreement is amended to include such rate.
- 28.3 To the extent Rightlink USA requests services not included in this Agreement, such services shall be provisioned pursuant to the rates, terms and conditions set forth in the applicable tariffs or a separately negotiated Agreement, unless the Parties agree to amend this Agreement to include such service prospectively.

#### 29 Rate True-Up

- 29.1 This section applies to rates that are expressly subject to true-up.
- The rates shall be trued-up, either up or down, based on final prices determined either by further agreement between the Parties, or by a final and effective order of the Commission. The Parties shall implement the true-up by comparing the actual volumes and demand for each item, together with the rates for each item, with the final prices determined for each item. Each Party shall keep its own records upon which the true-up can be based, and any final payment from one Party to the other shall be in an amount agreed upon by the Parties based on such records. In the event of any discrepancy between the records or disagreement between the Parties regarding the amount of such true-up, the dispute shall be subject to the dispute resolution process set forth in this Agreement.
- 29.3 A final and effective order of the Commission that forms the basis of a true-up shall be based upon cost studies submitted by either or both Parties to the Commission and shall be binding upon AT&T and Rightlink USA specifically or upon all carriers generally, such as a generic cost proceeding.

#### 30 Survival

The Parties' obligations under this Agreement which by their nature are intended to continue beyond the termination or expiration of this Agreement shall survive the termination or expiration of this Agreement.

#### 31 Entire Agreement

- 31.1 This Agreement means the General Terms and Conditions, the Attachments hereto and all documents identified therein, as such may be amended from time to time and which are incorporated herein by reference, all of which, when taken together, are intended to constitute one indivisible agreement. This Agreement sets forth the entire understanding and supersedes prior agreements between the Parties relating to the subject matter contained in this Agreement and merges all prior discussions between them. Any orders placed under prior agreements between the Parties shall be governed by the terms of this Agreement and Rightlink USA acknowledges and agrees that any and all amounts and obligations owed for services provisioned or orders placed under prior agreements between the Parties, related to the subject matter hereof, shall, as of the Effective Date, be due and owing under this Agreement and be governed by the terms and conditions of this Agreement as if such services or orders were provisioned or placed under this Agreement. Neither Party shall be bound by any definition, condition, provision, representation, warranty, covenant or promise other than as expressly stated in this Agreement or as is contemporaneously or subsequently set forth in writing and executed by a duly authorized officer or representative of the Party to be bound thereby.
- Any reference throughout this Agreement to a tariff, industry guideline, AT&T's technical guideline or reference, AT&T business rule, guide or other such document containing processes or specifications applicable to the services provided pursuant to this Agreement, shall be construed to refer to only those provisions thereof that are applicable to these services, and shall include any successor or replacement versions thereof, all as they are amended from time to time and all of which are incorporated herein by reference, and may be found at AT&T's Wholesale Southeast Region Web site at: http://wholesale.att.com. References to state tariffs throughout this Agreement

PAGE 18 OF 18
Rightlink USA
1Q08 GENERIC INTERCONNECTION AGREEMENT – 03/10/08

shall be to the tariff for the state in which the services were provisioned; provided, however, that in any state where certain AT&T services or tariff provisions have been or become deregulated or detariffed, any reference in this Agreement to a detariffed or deregulated service or provision of such tariff shall be deemed to refer to the service description, price list or other agreement pursuant to which AT&T provides such services as a result of detariffing or deregulation.

# GENERAL TERMS AND CONDITIONS/<u>AT&T-9STATE</u> SIGNATURE PAGE Rightlink USA 1Q08 GENERIC INTERCONNECTION AGREEMENT – 03/10/08

By:			BellSouth Telecommunications, Inc. d/b/a AT&T Alabama, AT&T Florida, AT&T Georgia, AT&T Kentucky, AT&T Louisiana, AT&T Mississippi, AT&T North Carolina, AT&T South Carolina and AT&T Tennessee  By:	
Name:  \(\gamma\)	chael U	resource.	Name: Kristen E. Shore	
Title:	Direc	tor	Title: Director	
Date:	6/16/08	3	Date: 6/24/08	
	·			
	OCN#	ACNA	OCN# ACI	NA
ALABAMA			MISSISSIPPI	
FLORIDA			NORTH CAROLINA	
GEORGIA			SOUTH CAROLINA	
KENTUCKY			TENNESSEE	

LOUISIANA

ATT 1 - RESALE/<u>AT&T-9STATE</u>
PAGE 1 OF 17
Rightlink USA
1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

Attachment 1

Resale

### **Table of Contents**

1.	Discount Rates	3
2.	Definition of Terms	3
3.	General Provisions	3
4	AT&T's Provision of Services to Rightlink USA	5
5.	Maintenance of Services	6
6.	Discontinuance of Service	7
7.	White Pages Listings	7
8.	Operator Services (Operator Call Processing and Directory Assistance)	8
9.	Branding for Wholesale OCP and DA	9
10.	LIDB	10
11.	Revenue Accounting Office (RAO) Hosting	11
12.	Optional Daily Usage File (ODUF)	11
13.	Enhanced Optional Daily Usage File (EODUF)	11
Res	ale Restrictions	Exhibit A
Opt	ional Daily Usage File (ODUF)	Exhibit B
Enh	anced Option Daily Usage File (EODUF)	Exhibit C
Res	ale Discounts and Rates	Exhibit D

#### RESALE

1.	Discount Rates
1.1	The discounts rates applied to Rightlink USA's purchases of AT&T Telecommunications Services for the purpose of resale shall be as set forth in Exhibit D. Such discounts have been determined by the applicable Commission to reflect the costs avoided by AT&T when selling a service for wholesale purposes.
1.2	The Telecommunications Services available for purchase by Rightlink USA for the purposes of resale to Rightlink USA's customers shall be available at AT&T's tariffed rates less the discount reflected in Exhibit D and subject to the exclusions and limitations in Exhibit A.
2.	Definition of Terms
	For purposes of this Attachment only, the following terms shall have the definitions as set forth below:
2.1	Customer of Record means the entity responsible for placing application for service; requesting additions, rearrangements, maintenance or discontinuance of service; payment in full of charges incurred such as nonrecurring, monthly recurring, toll, directory assistance, etc.
2.2	End User Customer Location means the physical location of the premises where a customer makes use of the Telecommunications Services.
2.3	New Services means functions, features or capabilities that are not currently offered by AT&T. This includes packaging of existing services or combining a new function, feature or capability with an existing service.
2.4	Resale means an activity wherein a certificated CLEC, such as Rightlink USA, subscribes to the retail Telecommunications Services of AT&T and then offers those retail Telecommunications Services to the public.
3.	General Provisions
3.1	All of the negotiated rates, terms and conditions set forth in this Attachment pertain to the resale of AT&T's retail Telecommunications Services and other services specified in this Attachment. Subject to effective and applicable FCC and Commission rules and orders, AT&T shall make available to Rightlink USA for resale those Telecommunications Services AT&T makes available, pursuant to its General Subscriber Services Tariff (GSST) and Private Line Services Tariff, to customers who are not Telecommunications carriers.
3.1.1	When Rightlink USA provides Resale service in a cross boundary area (customer is physically located in a particular state and is served by a central office in an adjoining state) the rates, regulations and discounts for the state in which the serving central office is located will apply. Billing will be from the state in which the customer is located.
3.2	Rightlink USA as a reseller of Lifeline and Link-Up Services hereby certifies that it has and will comply with the FCC requirements governing the Lifeline and Link-Up programs as set forth in 47 C.F.R. § 54.417(a) and (b). This includes the requirements set forth in AT&T's GSST, Sections A3.31 and A4.7.
3.2.1	Rightlink USA shall maintain records to document FCC or applicable state eligibility and verification records to document compliance governing the Lifeline/Link-Up programs for the three (3) full

preceding calendar years, and Rightlink USA shall provide such documentation to the FCC or it's Administrator upon request.

- 3.2.2 In Tennessee, if Rightlink USA does not resell Lifeline service to any end users, and if Rightlink USA agrees to order an appropriate Operator Services/Directory Assistance block as set forth in AT&T's GSST, the discount shall be twenty-one point fifty-six percent (21.56%).
- 3.2.2.1 In the event Rightlink USA resells Lifeline service to any end user in Tennessee, AT&T will begin applying the sixteen percent (16%) discount rate to all services. Upon Rightlink USA and AT&T's implementation of a billing arrangement whereby a separate Master Account (Q-account) associated with a separate OCN is established for billing of Lifeline service end users, the discount shall be applied as set forth in Section 3.2.2 above for the non-Lifeline affected Master Account (Q-account).
- 3.2.2.2 Rightlink USA must provide written notification to AT&T within thirty (30) days prior to either providing its own operator services/directory services or ordering the appropriate operator services/directory assistance blocking, to qualify for the higher discount rate of twenty-one point fifty-six percent (21.56%).
- Rightlink USA may purchase resale services from AT&T for its own use in operating its business. The resale discount will apply to those services under the following conditions:
- 3.3.1 Rightlink USA must resell services to other end users.
- 3.3.2 Rightlink USA cannot be a CLEC for the single purpose of selling to itself.
- 3.3.3 Rightlink USA will be the Customer of Record for all services purchased from AT&T. Except as specified herein, AT&T will take orders from, bill and receive payment from Rightlink USA for said services.
- 3.4 Rightlink USA will be AT&T's single point of contact for all services purchased pursuant to this Agreement. AT&T shall have no contact with the customer except to the extent provided for herein.
- 3.5 AT&T will continue to bill the customer for any services that the customer specifies it wishes to receive directly from AT&T. AT&T maintains the right to serve directly any customer within the service area of Rightlink USA. AT&T will continue to market directly its own Telecommunications products and services and in doing so may establish independent relationships with customers of Rightlink USA. Neither Party shall interfere with the right of any person or entity to obtain service directly from the other Party.
- 3.5.1 AT&T will accept a request from another CLEC for conversion of the customer's service from Rightlink USA to such other CLEC. Upon completion of the conversion AT&T will notify Rightlink USA that such conversion has been completed.
- 3.5.2 When a customer of Rightlink USA or AT&T elects to change his/her carrier to the other Party, both Parties agree to release the customer's service to the other Party concurrent with the due date of the service order, which shall be established based on the standard interval for the customer's requested service as set forth in the AT&T Product and Services Interval Guide.
- 3.5.3 AT&T and Rightlink USA will refrain from contacting an customer who has placed or whose selected carrier has placed on the customer's behalf an order to change the customer's service provider from AT&T or Rightlink USA to the other Party until such time that the order for service has been completed.

4	AT&T's Provision of Services to Rightlink USA
3.16	Pursuant to 47 C.F.R. § 51.617, AT&T shall bill to Rightlink USA, and Rightlink USA shall pay, the End User Common Line (EUCL) charges identical to the EUCL charges AT&T bills its customers.
3.15	AT&T shall provide 911/E911 for Rightlink USA customers in the same manner that it is provided to AT&T customers. AT&T shall provide and validate Rightlink USA customer information to the Public Safety Answering Point (PSAP). AT&T shall use its service order process to update and maintain, on the same schedule that it uses for its customers, the Rightlink USA customer information in the Automatic Location Identification/Data Management System (ALI/DMS) databases used to support 911/E911 services.
3.14	In the event Rightlink USA acquires a customer whose service is provided pursuant to an AT&T Special Assembly, AT&T shall make available to Rightlink USA that Special Assembly at the wholesale discount at Rightlink USA's option. Rightlink USA shall be responsible for all terms and conditions of such Special Assembly including but not limited to termination liability if applicable.
3.13	AT&T's Inside Wire Maintenance Service Plan is available for resale at rates, terms and conditions as set forth by AT&T and without the wholesale discount.
3.12.2	AT&T messaging services set forth in AT&T's Messaging Service Re-Seller Information Package shall be made available for resale without the wholesale discount.
3.12.1	Rightlink USA must order services through resale interfaces, i.e., the Local Carrier Service Center (LCSC) and/or appropriate Complex Resale Support Group (CRSG) pursuant to this Agreement. Rightlink USA may submit a Local Service Request (LSR) electronically as set forth in Attachment 6. Service orders will be in a standard format designated by AT&T.
3.12	Service Ordering and Operations Support Systems (OSS)
3.11	Facilities and/or equipment utilized by AT&T to provide service to Rightlink USA remain the property of AT&T.
3.10	If Rightlink USA or its customers utilize an AT&T resold Telecommunications Service in a manner other than that for which the service was originally intended as described in AT&T's retail tariffs Rightlink USA has the responsibility to notify AT&T. AT&T will only provision and maintain said service consistent with the terms and conditions of the tariff describing said service.
3.9	AT&T can refuse service when it has grounds to believe that service will be used in violation of the law.
3.8	Service will be discontinued if any law enforcement agency advises that the service being used is in violation of the law.
3.7	Service is furnished subject to the condition that it will not be used for any unlawful purpose.
3.6	Current telephone numbers may normally be retained by the customer and are assigned to the service furnished. However, neither Party nor the customer has a property right to the telephone number or any other call number designation associated with services furnished by AT&T, and no right to the continuance of service through any particular central office. AT&T reserves the right to change such numbers, or the central office designation associated with such numbers, or both, whenever AT&T deems it necessary to do so in the conduct of its business and in accordance with AT&T practices and procedures on a nondiscriminatory basis.

Resale of AT&T services shall be as follows:

4.1

4.1.1 The resale of Telecommunications Services shall be limited to users and uses conforming to the class of service restrictions. 4.1.2 Hotel and Hospital PBX services are the only Telecommunications Services available for resale to Hotel/Motel and Hospital customers, respectively. Similarly, Access Line Service for Customer Provided Coin Telephones is the only local service available for resale to Payphone Service Provider (PSP) customers. Shared Tenant Service customers can only be sold those local exchange access services available in AT&T's GSST Section A23, Shared Tenant Service Section in the states of Florida, Georgia, North Carolina and South Carolina, and in A27 in the states of Alabama, Kentucky, Louisiana, Mississippi and Tennessee. 4.1.3 AT&T reserves the right to periodically audit services purchased by Rightlink USA to establish authenticity of use. Such audit shall not occur more than once in a calendar year. Rightlink USA shall make any and all records and data available to AT&T or AT&T's auditors on a reasonable basis. AT&T shall bear the cost of said audit. Any information provided by Rightlink USA for purposes of such audit shall be deemed Confidential Information pursuant to the General Terms and Conditions. 4.2 Subject to Exhibit A hereto, resold services can only be used in the same manner as specified in AT&T's Tariffs. Resold services are subject to the same terms and conditions as are specified for such services when furnished to an individual customer of AT&T in the appropriate section of AT&T's Tariffs. Specific tariff features (e.g., a usage allowance per month) shall not be aggregated across multiple resold services. 4.3 If Rightlink USA cancels an order for resold services, any costs incurred by AT&T in conjunction with provisioning of such order will be recovered in accordance with AT&T's GSST and Private Line Services Tariffs. 4.4 Service Jointly Provisioned with an Independent Company or CLEC 4.4.1 AT&T will in some instances provision resold services in accordance with AT&T's GSST and Private Line Tariffs jointly with an Independent Company (ICO) or other CLEC. 4.4.2 When Rightlink USA assumes responsibility for such service, all terms and conditions defined in the Tariff will apply for services provided within the AT&T service area only. 4.4.3 Service terminating in an ICO or other CLEC area will be provisioned and billed by the ICO or other CLEC directly to Rightlink USA. 4.4.4 Rightlink USA must establish a billing arrangement with the ICO or other CLEC prior to assuming a customer account where such circumstances apply. Specific guidelines regarding such services are available on the AT&T Wholesale -- Southeast Web 4.4.5 site. 5. Maintenance of Services 5.1 Services resold pursuant to this Attachment and AT&T's GSST and Private Line Service Tariff and facilities and equipment provided by AT&T shall be maintained by AT&T. 5.2 Rightlink USA or its customers may not rearrange, move, disconnect, remove or attempt to repair any facilities owned by AT&T except with the written consent of AT&T. 5.3 Rightlink USA accepts responsibility to notify AT&T of situations that arise that may result in a

service problem.

5.4	Rightlink USA will contact the appropriate repair centers in accordance with procedures established by AT&T.
5.5	For all repair requests, Rightlink USA shall adhere to AT&T's prescreening guidelines prior to referring the trouble to AT&T.
5.6	AT&T reserves the right to contact Rightlink USA's customers, if deemed necessary, for maintenance purposes.
6.	Discontinuance of Service
6.1	The procedures for discontinuing service to a customer are as follows:
6.1.1	AT&T will deny service to Rightlink USA's customer on behalf of, and at the request of, Rightlink USA. Upon restoration of the customer's service, restoral charges will apply and will be the responsibility of Rightlink USA.
6.1.2	At the request of Rightlink USA, AT&T will disconnect a Rightlink USA customer.
6.1.3	All requests by Rightlink USA for denial or disconnection of a customer for nonpayment must be in writing.
6.1.4	Rightlink USA will be made solely responsible for notifying the customer of the proposed disconnection of the service.
6.1.5	AT&T will continue to process calls made to the Annoyance Call Center and will advise Rightlink USA when it is determined that annoyance calls are originated from one of its customer's locations. AT&T shall be indemnified, defended and held harmless by Rightlink USA and/or the customer against any claim, loss or damage arising from providing this information to Rightlink USA. It is the responsibility of Rightlink USA to take the corrective action necessary with its customer who makes annoying calls. (Failure to do so will result in AT&T's disconnecting the customer's service.)
7.	White Pages Listings
7.1	AT&T shall provide Rightlink USA and its end users access to white pages directory listings under the following terms:
7.1.1	<u>Listings.</u> Rightlink USA shall provide all new, changed and deleted listings on a timely basis and AT&T or its agent will include Rightlink USA residential and business customer listings in the appropriate White Pages (residential and business) or alphabetical directories in the geographic areas covered by this Agreement. Directory listings will make no distinction between Rightlink USA and AT&T customers. Rightlink USA shall provide listing information in accordance with the procedures set forth in The AT&T Business Rules for Local Ordering found at AT&T's Wholesale – Southeast Web site.
7.1.2	<u>Unlisted/Non-Published Customers.</u> Rightlink USA will be required to provide to AT&T the names, addresses and telephone numbers of all Rightlink USA customers who wish to be omitted from directories. Unlisted/Non-Published listings will be subject to the rates as set forth in AT&T's GSST and shall not be subject to the wholesale discount.
7.1.3	Inclusion of Rightlink USA Customers in Directory Assistance Database. AT&T will include and maintain Rightlink USA customer listings inAT&T's Directory Assistance databases. Rightlink USA shall provide such Directory Assistance listings to AT&T at no charge.
7.1.4	<u>Listing Information Confidentiality.</u> AT&T will afford Rightlink USA's directory listing information the same level of confidentiality that AT&T affords its own directory listing information.

Rightlink USA 1Q08 GENERIC INTERCONNECTION AGREEMENT -- 03/10/08

- 7.1.5 Additional and Designer Listings. Additional and designer listings will be offered by AT&T at tariffed rates as set forth in AT&T's GSST and shall not be subject to the wholesale discount.
- 7.1.6 Rates. So long as Rightlink USA provides listing information to AT&T as set forth in Section 7.1.2 above, AT&T shall provide to Rightlink USA one (1) basic White Pages directory listing per Rightlink USA customer at no charge other than the manual service order charge or the electronic service order charge, as appropriate, as described in Attachment 6.
- 7.2 <u>Directories.</u> AT&T or its agent shall make available White Pages directories to Rightlink USA customer at no charge or as specified in a separate agreement between Rightlink USA and AT&T's agent.
- 7.3 Procedures for submitting Rightlink USA Subscriber Listing Information (SLI) are found in The AT&T Business Rules for Local Ordering found at AT&T's Wholesale Southeast Web site.
- 7.3.1 Rightlink USA authorizes AT&T to release all Rightlink USA SLI provided to AT&T by Rightlink USA to qualifying third parties pursuant to either a license agreement or AT&T's Directory Publishers Database Service (DPDS) in AT&T's GSST. Such Rightlink USA SLI shall be intermingled with AT&T's own customer listings and listings of any other CLEC that has authorized a similar release of SLI.
- 7.3.2 No compensation shall be paid to Rightlink USA for AT&T's receipt of Rightlink USA's SLI, or for the subsequent release to third parties of such SLI. In addition, to the extent AT&T incurs costs to modify its systems to enable the release of Rightlink USA's SLI, or costs on an ongoing basis to administer the release of Rightlink USA's SLI, Rightlink USA shall pay to AT&T its proportionate share of the reasonable costs associated therewith. At any time that costs may be incurred to administer the release of Rightlink USA's SLI, Rightlink USA will be notified. If Rightlink USA does not wish to pay its proportionate share of these reasonable costs, Rightlink USA may instruct AT&T that it does not wish to release its SLI to independent publishers, and Rightlink USA shall amend this Agreement accordingly. Rightlink USA will be liable for all costs incurred until the effective date of the amendment.
- 7.3.3 Neither AT&T nor any agent shall be liable for the content or accuracy of any SLI provided by Rightlink USA under this Agreement. Rightlink USA shall indemnify, except to the extent caused by AT&T's gross negligence or willful misconduct, hold harmless and defend AT&T and its agents from and against any damages, losses, liabilities, demands, claims, suits, judgments, costs and expenses (including but not limited to reasonable attorneys' fees and expenses) arising from AT&T's Tariff obligations or otherwise and resulting from or arising out of any third party's claim of inaccurate Rightlink USA listings or use of the SLI provided pursuant to this Agreement. AT&T may forward to Rightlink USA any complaints received by AT&T relating to the accuracy or quality of Rightlink USA listings.
- 7.3.4 Listings and subsequent updates will be released consistent with AT&T system changes and/or update scheduling requirements.
- 8. Operator Services (Operator Call Processing and Directory Assistance)
- 8.1 Operator Call Processing (OCP) provides: (1) operator handling for call completion (for example, collect, third number billing, and manual calling-card calls); (2) operator or automated assistance for billing after the customer has dialed the called number (for example, calling card calls); and (3) special services including but not limited to Busy Line Verification and Emergency Line Interrupt (ELI), Emergency Agency Call and operator-assisted Directory Assistance (DA).
- 8.2 Upon request for AT&T OCP, AT&T shall:

# ATT 1 – RESALE/<u>AT&T-9STATE</u> PAGE 9 OF 17 Rightlink USA 1Q08 GENERIC INTERCONNECTION AGREEMENT – 03/10/08

8.2.1	Process 0+ and 0- dialed local calls.
8.2.2	Process 0+ and 0- intraLATA toll calls.
8.2.3	Process calls that are billed to Rightlink USA customer's calling card that can be validated by AT&T.
8.2.4	Process person-to-person calls.
8.2.5	Process collect calls.
8.2.6	Provide the capability for callers to bill a third party and shall also process such calls.
8.2.7	Process station-to-station calls.
8.2.8	Process Busy Line Verify and ELI requests.
8.2.9	Process emergency call trace originated by PSAP.
8.2.10	Process operator-assisted DA calls.
8.2.11	Adhere to equal access requirements, providing Rightlink USA local customer the same IXC access that AT&T provides its own operator service (OS).
8.2.12	Exercise at least the same level of fraud control in providing OS to Rightlink USA that AT&T provides for its own OS.
8.2.13	Perform Billed Number Screening when handling Collect, Person-to-Person, and Billed-To-Third-Party calls.
8.2.14	Direct customer account and other similar inquiries to the customer service center designated by Rightlink USA.
8.3	Upon Rightlink USA's request AT&T shall provide call records to Rightlink USA in accordance with Optional Daily Usage File (ODUF) standards.
8.4	The interface requirements shall conform to the interface specifications for the platform used to provide OS as long as the interface conforms to industry standards.
8.5	DA Service
8.5.1	DA Service provides local and non-local customer telephone number listings with the option to complete the call at the caller's direction separate and distinct from local switching.
8.5.2	DA Service shall provide up to two (2) listing requests per call, if available and if requested by Rightlink USA's customer. AT&T shall provide caller-optional DA call completion service at rates set forth in AT&T's GSST to one of the provided listings.
8.6	DA Service Updates. AT&T shall update customer listings changes daily. These changes include:
8.6.1	New customer connections;
8.6.2	Customer disconnections;
8.6.3	Customer address changes; and
8.6.4	Non-listed and non-published numbers for use in emergencies.
9.	Branding for Wholesale OCP and DA
9.1	AT&T's branding feature provides a definable announcement to Rightlink USA's customers using

operator or automated operator system. This feature allows Rightlink USA to have its calls custom branded with Rightlink USA's name on whose behalf AT&T is providing DA and/or OCP. Rates for the branding features are set forth in Exhibit D.

- 9.2 AT&T offers three (3) branding options to Rightlink USA when ordering AT&T's DA and OCP: AT&T Branding, Unbranding and Custom Branding.
- 9.3 Rightlink USA's order for Custom Branding is considered firm ten (10) business days after AT&T's receipt of the order. Rightlink USA may cancel its order more than ten (10) business days after AT&T's receipt of the order. Rightlink USA shall notify AT&T in writing and shall pay all charges per the order. For branding and unbranding via Originating Line Number Screening (OLNS), Rightlink USA must contact its Senior Carrier Accounts Manager to initiate the order via the OLNS Branding Order form.

#### 9.4 Branding via OLNS

- 9.4.1 AT&T Branding, Unbranding and Custom Branding are also available for DA, OCP or both via OLNS software. When utilizing this method of Unbranding or Custom Branding, Rightlink USA shall not be required to purchase dedicated trunking.
- 9.4.2 AT&T Branding is the default branding offering.
- 9.4.3 For AT&T to provide Unbranding or Custom Branding via OLNS software for OCP or for DA, Rightlink USA must have its OCN(s) and telephone numbers reside in AT&T's Line Information Database (LIDB). To implement Unbranding and Custom Branding via OLNS software, Rightlink USA must submit a manual order form which requires, among other things, Rightlink USA's OCN and a forecast, pursuant to the appropriate AT&T form provided, for the traffic volume anticipated for each AT&T Traffic Operator Position System (TOPS) during the peak busy hour. Rightlink USA shall provide updates to such forecast on a quarterly basis and at any time such forecasted traffic volumes are expected to change significantly. Upon Rightlink USA's purchase of Unbranding or Custom Branding using OŁNS software for any particular TOPS, all Rightlink USA customers served by that TOPS will receive the Unbranded "no announcement" or the Custom Branded announcement.

#### 10. LIDB

- 10.1 AT&T LIDB stores current information on working telephone numbers and billing account numbers.
- Where Rightlink USA is purchasing Resale services AT&T shall utilize AT&T's service order generated from Rightlink USA LSR's to populate LIDB with Rightlink USA's customer information. AT&T provides access to information in its LIDB, including Rightlink USA customer information, to its LIDB customers via queries to LIDB.
- 10.2.1 When necessary for fraud control measures, AT&T may perform additions, updates and deletions of Rightlink USA data to the LIDB (e.g., calling card deactivation).
- 10.2.2 Rightlink USA will not be charged a fee for LIDB storage services provided by AT&T to Rightlink USA pursuant to this Attachment.

#### 10.3 Responsibilities of the Parties

- 10.3.1 AT&T will administer the data provided by Rightlink USA pursuant to this Agreement in the same manner as AT&T administers its own data.
- 10.3.2 Rightlink USA is responsible for completeness and accuracy of the data being provided to AT&T.
- 10.3.3 AT&T shall not be responsible to Rightlink USA for any lost revenue which may result from AT&T's

# ATT 1 - RESALE/AT&T-9STATE

PAGE 11 OF 17

Rightlink USA 1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

administration of the LIDB pursuant to its established practices and procedures as they exist and as they may be changed by AT&T in its sole discretion from time to time.

11.	Revenue Accounting Office (RAO) Hosting
11.2	RAO Hosting is not required for resale in the AT&T Southeast Region 9-State.
12.	Optional Daily Usage File (ODUF)
12.1	The ODUF Agreement with terms and conditions is included in this Attachment as Exhibit B. Rates for ODUF are as set forth in Exhibit D.
12.2	AT&T will provide ODUF service upon written request.
13.	Enhanced Optional Daily Usage File (EODUF)
13.1	The EODUF service Agreement with terms and conditions is included in this Attachment as Exhibit C. Rates for EODUF are as set forth in Exhibit D.
13.2	AT&T will provide EODUF service upon written request.

ATT 1 – RESALE/<u>AT&T9-STATE</u>
EXHIBIT A – EXCLUSIONS AND LIMITATIONS ON SERVICES AVAILABLE FOR REALE
PAGE 12 OF 17
Rightlink USA
1Q08 GENERIC INTERCONNECTION AGREEMENT – 03/10/08

### **EXCLUSIONS AND LIMITATIONS ON SERVICES AVAILABLE FOR RESALE (Note 4)**

70	.60		AL		FL	(	GA		KY		LA		MS		NC		SC		TN
13	ype of Service	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount
1 Gran	dfathered Services 1)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
1 1	otions - > 90 (Note 2 &3)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
(Note	otions - < 90 Days 2 & 3)	Yes	No	No	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	No	No	No	No
Servi		Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
5 911/E	911 Services	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
6 N11 (Note	Services e 1)	Yes	Yes	Yes	Yes	Yes	Yes	No	No	No	No	Yes	Yes	Yes	Yes	No	No	Yes	Yes
7 Mem	oryCall <sup>®</sup> Service	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
8 Mobil	le Services	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
9 Fede Char	ral Subscriber Line ges	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No 	Yes	No	Yes	No	Yes	No	Yes	No
10 Nonre	ecurring Charges	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No
11 EUCI	L Charge	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
Acce	c Telephone ss Svc(PTAS)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes
1 1	e Wire Maint ce Plan	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
	Applicable No																		
1.	Grandfathered																		
2.	Where available														been prov	ided by A	AT&T dire	ctly.	
	Promotions, if a												be availab	le.					
3.	Promotions sha															· .			
4.	Some of AT&T'	s local e	xchange	and toll	Telecomm	unicatio	ns Service	s are no	t available	in certa	ain central	offices a	and areas.						

ATT 1 - RESALE/AT&T9-STATE
EXHIBIT B - OPTIONAL DAILY USAGE FILE
PAGE 13 OF 17
Rightink USA
1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

## **Optional Daily Usage File**

1.	Upon written request from Rightlink USA, AT&T will provide the ODUF service to Rightlink USA pursuant to the terms and conditions set forth in this section.
2.	Rightlink USA shall furnish all relevant information required by AT&T for the provision of the ODUF
3.	The ODUF feed provides Rightlink USA messages that were carried over the AT&T network and processed by AT&T for Rightlink USA.
4.	Charges for ODUF will appear on Rightlink USA's monthly bills for the previous month's usage in arrears. The charges are as set forth in Exhibit D.
5.	The ODUF feed will contain both rated and unrated messages. All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) Exchange Message Interface (EMI) record format.
6.	ODUF Specifications
6.1	ODUF Message to be Transmitted
6.1.1	The following messages recorded by AT&T will be transmitted to Rightlink USA:
6.1.1.1	Message recording for per use/per activation type services (examples: Three Way Calling, Verify, Interrupt, Call Return, etc.);
6.1.1.2	Measured local calls;
6.1.1.3	Directory Assistance messages;
6.1.1.4	IntraLATA Toll;
6.1.1.5	WATS and 800 Service;
6.1.1.6	N11;
6.1.1.7	Information Service Provider Messages;
6.1.1.8	OS Messages;
6.1.1.9	OS Message Attempted Calls;
6.1.1.10	Credit/Cancel Records; and
6.1.1.11	Usage for Voice Mail Message Service.
6.1.2	Rated Incollects (messages AT&T receives from other revenue accounting offices) appear on ODUF. Rated Incollects will be intermingled with AT&T recorded rated and unrated usage. Rated Incollects will not be packed separately.
6.1.3	AT&T will perform duplicate record checks on records processed to ODUF. Any duplicate messages detected will be deleted and not sent to Rightlink USA.
6.1.4	In the event that Rightlink USA detects a duplicate on ODUF they receive from AT&T, Rightlink USA will drop the duplicate message and will not return the duplicate to AT&T.

ATT 1 - RESALE/<u>AT&T9-STATE</u>
EXHIBIT B - OPTIONAL DAILY USAGE FILE
PAGE 14 OF 17
Rightlink USA
1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

#### 6.2 ODUF Physical File Characteristics

- 6.2.1 ODUF will be distributed to Rightlink USA via Secure File Transfer Protocol (FTP). The ODUF feed will be a variable block format. The data on the ODUF feed will be in a non-compacted EMI format (one hundred seventy-five (175) byte format plus modules). It will be created on a daily basis Monday through Friday except holidays. Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one (1) dataset per workday per OCN. If AT&T determines the Secure FTP Mailbox is nearing capacity levels, AT&T may move the customer to CONNECT:Direct file delivery.
- If the customer is moved, CONNECT:Direct data circuits (private line or dial-up) will be required between AT&T and Rightlink USA for the purpose of data transmission. Where a dedicated line is required, Rightlink USA will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with AT&T. Rightlink USA will also be responsible for any charges associated with this line. Equipment required on the AT&T end to attach the line to the mainframe computer and to transmit messages successfully on an ongoing basis will be negotiated on an individual case basis. Any costs incurred for such equipment will be Rightlink USA's responsibility. Where a dial-up facility is required, dial circuits will be installed in the AT&T data center by AT&T and the associated charges assessed to Rightlink USA. Additionally, all message tolt charges associated with the use of the dial circuit by Rightlink USA will be the responsibility of Rightlink USA. Associated equipment on the AT&T end, including a modem, will be negotiated on an individual case basis between the Parties. All equipment, including modems and software, that is required on Rightlink USA's end for the purpose of data transmission will be the responsibility of Rightlink USA.
- 6.2.3 If Rightlink USA utilizes FTP for data file transmission, purchase of the FTP software will be the responsibility of Rightlink USA.

### 6.3 ODUF Packing Specifications

- 6.3.1 The data will be packed using ATIS EMI records. A pack will contain a minimum of one (1) message record or a maximum of ninety-nine thousand nine hundred and ninety-nine (99,999) message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of ninety-nine (99) packs and a minimum of one (1) pack.
- The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to Rightlink USA which AT&T RAO is sending the message. AT&T and Rightlink USA will use the invoice sequencing to control data exchange. AT&T will be notified of sequence failures identified by Rightlink USA and resend the data as appropriate.

#### 6.4 ODUF Pack Rejection

Rightlink USA will notify AT&T within one (1) business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (e.g., out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI error codes will be used. Rightlink USA will not be required to return the actual rejected data to AT&T. Rejected packs will be corrected and retransmitted to Rightlink USA by AT&T.

#### 6.5 ODUF Control Data

6.5.1 Rightlink USA will send one confirmation record per pack that is received from AT&T. This confirmation record will indicate Rightlink USA's receipt of the pack and the acceptance or rejection

ATT 1 - RESALE/AT&T9-STATE
EXHIBIT B - OPTIONAL DAILY USAGE FILE
PAGE 15 OF 17
Rightlink USA
1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by Rightlink USA for reasons stated in the above section.

#### 6.6 ODUF Testing

Upon request from Rightlink USA, AT&T shall send ODUF test files to Rightlink USA. The Parties agree to review and discuss the ODUF file content and/or format. For testing of usage results, AT&T shall request that Rightlink USA set up a production (live) file. The live test may consist of Rightlink USA's employees making test calls for the types of services Rightlink USA requests on ODUF. These test calls are logged by Rightlink USA, and the logs are provided to AT&T. These logs will be used to verify the files. Testing will be completed within thirty (30) days from the date on which the initial test file was sent.

# ATT 1 – RESALE/<u>AT&T9-STATE</u> EXHIBIT C – ENHANCED OPTIONAL DAILY USAGE FILE PAGE 16 OF 17 Rightlink USA 1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

## **Enhanced Optional Daily Usage File**

1.

1.	Upon written request from Rightlink USA, AT&T will provide the EODUF service to Rightlink USA pursuant to the terms and conditions set forth in this section. EODUF will only be sent to existing ODUF subscribers who request the EODUF option.
2.	Rightlink USA shall furnish all relevant information required by AT&T for the provision of the EODUF.
3.	The EODUF will provide usage data for local calls originating from resold Flat Rate Business and Residential Lines.
4.	Charges for EODUF will appear on Rightlink USA's monthly bills for the previous month's usage in arrears. The charges are as set forth in Exhibit D.
5.	All messages will be in the standard ATIS EMI record format.
6.	Messages that error in the billing system of Rightlink USA will be the responsibility of Rightlink USA. If, however, Rightlink USA should encounter significant volumes of errored messages that prevent processing by Rightlink USA within its systems, AT&T will work with Rightlink USA to determine the source of the errors and the appropriate resolution.
7.	EODUF Specifications
7.1	EODUF Usage To Be Transmitted
7.1.1	The following messages recorded by AT&T will be transmitted to Rightlink USA:
7.1.1.1	Customer usage data for flat rated local calls originating from Rightlink USA's customer lines (1FB or 1FR). The EODUF record for flat rate messages will include:
7.1.1.1.1	Date of Call
7.1.1.1.2	From Number
7.1.1.1.3	To Number
7.1.1.1.4	Connect Time
7.1.1.1.5	Conversation Time
7.1.1.1.6	Method of Recording
7.1.1.1.7	From RAO
7.1.1.1.8	Rate Class
7.1.1.1.9	Message Type
7.1.1.1.10	Billing Indicators
7.1.1.1,11	Bill to Number
7.1.2	AT&T will perform duplicate record checks on EODUF records processed to ODUF. Any duplicate messages detected will be deleted and not sent to Rightlink USA.
7.1.3	In the event that Rightlink USA detects a duplicate on EODUF they receive from AT&T, Rightlink

ATT 1 - RESALE/AT&T9-STATE
EXHIBIT C - ENHANCED OPTIONAL DAILY USAGE FILE
PAGE 17 OF 17
Rightlink USA
1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

USA will drop the duplicate message and will not return the duplicate to AT&T.

- 7.2 EODUF Physical File Characteristics
- 7.2.1 EODUF feed will be distributed to Rightlink USA via FTP. The EODUF messages will be intermingled among Rightlink USA's ODUF messages. The EODUF will be a variable block format. The data on the EODUF will be in a non-compacted EMI format (one hundred seventy-five (175) byte format plus modules). It will be created on a daily basis Monday through Friday except holiday. If AT&T determines the Secure FTP mailbox is nearing capacity levels, AT&T may move the customer to CONNECT:Direct file delivery.
- Data circuits (private line or dial-up) may be required between AT&T and Rightlink USA for the purpose of data transmission. Where a dedicated line is required, Rightlink USA will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with AT&T. Rightlink USA will also be responsible for any charges associated with this line. Equipment required on the AT&T end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on an individual case basis. Where a dial-up facility is required, dial circuits will be installed in the AT&T data center by AT&T and the associated charges assessed to Rightlink USA. Additionally, all message toll charges associated with the use of the dial circuit by Rightlink USA will be the responsibility of Rightlink USA. Associated equipment on the AT&T end, including a modem, will be negotiated on an individual case basis between the Parties. All equipment, including modems and software, that is required on Rightlink USA's end for the purpose of data transmission will be the responsibility of Rightlink USA.
- 7.2.3 If Rightlink USA utilizes FTP for data file transmission, purchase of the FTP software will be the responsibility of Rightlink USA.
- 7.3 EODUF Packing Specifications
- 7.3.1 The data will be packed using ATIS EMI records. A pack will contain a minimum of one (1) message record or a maximum of ninety-nine thousand nine hundred and ninety-nine (99,999) message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of ninety-nine (99) packs and a minimum of one (1) pack.
- 7.3.2 The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to Rightlink USA which AT&T RAO is sending the message. AT&T and Rightlink USA will use the invoice sequencing to control data exchange. AT&T will be notified of sequence failures identified by Rightlink USA and resend the data as appropriate.

RESALE DISCOUNTS & RATES - Alabama												Att: 1 Exh; D			
CATEGORY RATE ELEMENTS	Interim	Zone	BCS	usoc		•	RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
	T	o			T	Nonrec	urring	Nonrecurring	Disconnect			0\$\$	Rates(\$)		
	1				Rec	First	Add'i	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
RESALE APPLICABLE DISCOUNTS		$\perp$													
Residence %		$\vdash$			16.30										
Business %	ــــ	+		<del> </del>	16.30	_									
CSAs % OPERATIONS SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	<b>↓</b>	+		+	16.30			ļ							-
NOTE: (1) CLEC should contact its contract negotiator if it prefers the state specific Commission ordered rates for the service ordering charge.	"state sp	pecific" (	OSS charges as ord	dered by the S	itate Commission	ns. The OSS c	harges current not obtain a n	ly contained in t	this rate exhibit	t are the AT8	T "regional"	' service orde	ring charges. established in	CLEC may ele	oct either the states.
OSS - Electronic Service Order Charge, Per Local Service	1	T		T						( )					
Request (LSR) - Resale Only	ì			SOMEC	] ]	3.50	0.00	3.50	0.00						<u></u>
OSS - Manual Service Order Charge, Per Local Service Request															
(LSR) - Resale Only	1			SOMAN		19.99	0.00	19.99	0.00						
ODUF/EQDUF SERVICES	1									L					
OPTIONAL DAILY USAGE FILE (ODUF)															
ODUF: Recording, per message					0.000011										
ODUF: Message Processing, per message		$\perp \perp$			0.004101										
ODUF: Message Processing, per Magnetic Tape provisioned					42.67										
ODUF: Data Transmission (CONNECT:DIRECT), per message	<u> </u>	<u></u>			0.000094			L							
ENHANCED OPTIONAL DAILY USAGE FILE (EODUF)															
EODUF: Message Processing, per message	<del>↓</del>	11			0.22			ļ.———		<del> </del>					
SELECTIVE CALL ROUTING USING LINE CLASS CODES (SCR-LCC)	1	+		<del></del>	<del> </del>					<del>                                     </del>					
Selective Routing Per Unique Line Class Code Per Request Per		1 1		1		84.70	84.70	14.11	14.11						
Switch		444.77		<del></del>	+	64.70	84.70	14,   1	14.11	<del>                                     </del>					
DIRECTORY ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS Recording of DA Custom Branded Announcement	SOFT	WAKE			<del> </del>	3.000.00	3.000.00	<del></del>							
Loading of DA Custom Branded Announcement  Loading of DA Custom Branded Announcement per Switch per	+	+-		<del></del>	<del>                                     </del>	3,000.00	3,000.00			<u> </u>		_			
Loading of DA Gustom Branced Anouncement per Switch per					}	1,170,00	1,170.00								
DIRECTORY ASSISTANCE UNBRANDING VIA OLINS SOFTWARE	+	+ $-$ i		+	· <del> </del>	.,1170,00	1,170.00	· · · · · · · · · · · · · · · · · · ·				_		_	
Loading of DA per OCN (1 OCN per Order)	+	+		+		420.00	420.00			1		_			
Loading of DA per Switch per OCN	+	+		1	1	16.00	16.00			T					
OPERATOR ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT VIZ OLNS	SOFT	VARE	· ·	<del> </del>	1			T				_			
Recording of Custom Branded OA Announcement	1	T				7,000.00	7,000.00	Ĭ							
Loading of Custom Branded OA Announcement per shelf/NAV per	r					500.00	500.00								
Loading of OA Custom Branded Announcement per Switch per OCN						1,170.00	1,170.00								
OPERATOR ASSISTANCE UNBRANDING VIA OLNS SOFTWARE						1,200.00									
Loading of OA per OCN (Regional)							1.200.00								

RESALE DISCOUNTS	& RATES - Florida												Att: 1 Exh: D			
			Γ''''		1						Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
					+						Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			I		1						Elec	Manually	Manual Svc	Manual Svc		Manual Syc
CATEGORY	RATE ELEMENTS	Interim	Zone	acs	usoc	<b>\</b>		RATES(\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs.
						ì		• • •			Por 2011		Electronic-	Electronic-	Electronic-	Electronic-
		1			]	!					l	ì	1st	Add'i	Disc 1st	Disc Add'i
		1	1			1					İ		161	Auu	DISC 181	DISC AUG I
		İ.				Rec	Nortred		Nonrecurring					Rates(\$)	·	
						1,000	First	Add'l	First	Add*l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		↓	Ь—		<u> </u>											<b></b>
RESALE APPLICABLE DISC		<b></b>	Ļ													<del></del>
Residence %	<u> </u>	<del> </del>	ļ		<u> </u>	21.83										<del></del>
Business %		<del> </del>			<b>.</b>	16.81				ļ <u>.</u>				ļ		<b></b>
CSAs %		ļ	ļ			16.81										<b></b>
PERATIONS SUPPORT S	STEMS (OSS) - "REGIONAL RATES"	<u> </u>	<u> </u>		.1	<u> </u>					l		<u></u>	l	<u> </u>	L
							T1. 000			et-1 17						
	uld contact its contract negotiator if it prefers the															
	ission ordered rates for the service ordering charg	es. or Ci	LEC ma	y elect the regional	service orden	ng charge, how	ever, LLEC car	not obtain a n	INTUITE OF THE TY	vo regardess n	CLEC nas	interconne	ction contract	estabasned ir	1 each of the 9	states.
	nic Service Order Charge, Per Local Service	1	1		CONTO	\ \ \	2 50	0.00	0.50		}	<b>i</b>		ነ	ነ	1
	R) - Resale Only	<b>├</b>	ļ		SOMEC		3.50	0.00	3.50	0.00			<u> </u>			<del></del>
	J Service Order Charge, Per Local Service Request				0011411		40.00		40.00		1			}		İ
(LSR) - Resa	le Only		-		SOMAN		19.99	0.00	19.99	0.00						<del></del>
ODUF/EODUF SERVICES		<u> </u>	1						i	<u>.                                    </u>	<u> </u>			<u> </u>	<u> </u>	L
OPTIONAL DAILY U		,														
	rding, per message	<u> </u>				0.0000071								ļ		<del></del>
	age Processing, per message	-	—			0.002146									ļ	<b>—</b> —
	age Processing, per Magnetic Tape provisioned	<b>↓</b>	Ļ			35.91									ļ	<b></b>
	Transmission (CONNECT:DIRECT), per message	1		ļ	<u> </u>	0.00010375					L		L_,	L		
	IAL DAILY USAGE FILE (EODUF)	,				11						,			,	
	sage Processing, per message	↓			<b>_</b>	0.080698										<del></del>
	USING LINE CLASS CODES (SCR-LCC)	1	<u> </u>		<b>.</b>					ļ						<b>└</b>
	ting Per Unique Line Class Code Per Request Per	i												Į		1
Switch		L					93.55	93.55	12.71	12.71				ļ <u>.</u>		<del></del>
	CUSTOM BRANDING ANNOUNCEMENT VIA OLNS	SOFTY	VARE		<del>                                      </del>		0.000.00				<b>!</b>	ļ				<del></del>
	DA Custom Branded Announcement	<del> </del>	<b>├</b>		<del></del>	<del>}</del>	3.000.00	3,000.00		<b></b>	·		<u> </u>		<u> </u>	<del></del>
	A Custom Branded Anouncement per Switch per	1					4.470.00	4 4 70 00			1			ł		1
OCN		——	ļ		<del>-</del>		1,170.00	1,170.00			· · · · · · · · · · · · · · · · · · ·					<del> </del>
	UNBRANDING via OLNS SOFTWARE	ļ	<del> </del>	ļ		L									ļ <u></u>	<b>├</b> ──
	A per OCN (1 OCN per Order)	<del> </del>	_		+		420.00	420.00							<del></del>	<del></del>
	A per Switch per OCN	<u> </u>	<u> </u>		+		16.00	16.00						<b>-</b>		₩
	USTOM BRANDING ANNOUNCEMENT via OLNS	SOFTW	VARE	<del> </del>	+		7,000.00	7.000.00		<del></del>		<u> </u>				<b>└</b>
	Custom Branded OA Announcement	<b></b>			+	·	7,000.00	7,000.00						ļ	<del></del>	<del></del>
	ustom Branded OA Announcement per shelf/NAV per	1	1	1	1	! !								ļ .	l	1
OCN				ļ. <u></u>	+	<u> </u>	500.00	500.00		ļ				ļ	ļ	<b></b>
	A Custom Branded Announcement per Switch per	1	1	1	1	<b>↓</b>										1
OCN		ļ	ļ		+	1	1,170.00	1.170.00		ļ					ļ	<b></b>
	INBRANDING VIA OLNS SOFTWARE	<b>_</b>	——													<u> </u>
I ILoading of O	A per OCN (Regional)	1	1	i	1	1	1,200.00	1.200.00		!	i				L	·

RESALE DISCOUNTS & RATES - Georgia												Att: 1 Exh: D			
										Svc Order	Svc Order	Incremental	incremental	Incremental	Incrementa
i		1								Submitted		Charge -	Charge -	Charge -	Charge -
		1								Elec	Manually	Manual Syc	Manual Svc	Manual Svc	Manual Sve
ATEGORY RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			perLSR		Order vs.	Order vs.	Order va.	Order vs.
		1								1 0000	po. zox	Electronic-	Electronic-	Electronic-	Electronic
					1						Ī	1st	Addil	Disc 1st	Disc Add'l
	_L	1.			1							'•'	Addi	DISC 181	UISC AGO I
		ļ			Rec		curring	Nonrecurring					Rates(\$)		
		-	ļ	<del></del>		First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ESALE APPLICABLE DISCOUNTS											<u> </u>				ļ
Residence %	+	-			20.30					<del></del>					
Business %	+-	$\vdash$		<del></del>	17.30						<u> </u>				
CSAs %	+			<del> </del>	17.30						<del></del>	ļ	<b>-</b>		<del></del>
PERATIONS SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	+	<del>                                     </del>	-	+	17 30							<del></del>			<del></del>
PERATIONS SUPPORT STSTEMS (033) - REGIONAL RATES			<u> </u>	<del></del>	1			<u> </u>	·			L		L	·
NOTE: (1) CLEC should contact its contract negotiator if it prefers th	"state s	acific"	OSS charges as on	dered by the S	itate Commissio	ns The OSS o	harnes current	ly contained in	thic rate exhibit	are the AT	RT "regional	" sancina orda	rina charene	CLEC may at	ant aithar Ha
state specific Commission ordered rates for the service ordering cha	raes, or C	LEC ma	v elect the regional	service order	ing charge, how	ever CLEC car	not obtain a n	niviture of the tv	on renardiace if	CIEC has	s interconne	ction contract	artablished ir	ceec may ex	ototes
IOSS - Electronic Service Order Charge, Per Local Service		T		1		V. 41. UEEU GA	, not obtain a ti	I	O TOGETONEOS II	1	I	CHOIT COMME	establistied i	Bach of the s	States.
Request (LSR) - Resale Only		1		SOMEC		3.50	0.00	3.50	0.00				1		ı
OSS - Manual Service Order Charge, Per Local Service Reques		1		-			<u> </u>	0.50	0.00						
(LSR) - Resale Only				SOMAN	ł I	19.99	0.00	19.99	0.00			•			ı
DUF/EODUF SERVICES	<del>                                     </del>					10.00	0.00	10.00	0.00						
OPTIONAL DAILY USAGE FILE (ODUF)				•				-		·	·	·	L	<del></del>	
ODUF: Recording, per message					0.000007					T	T	I		·	
ODUF: Message Processing, per message	1	$\vdash$		+	0.002165			-			· · · · · ·				
ODUF: Message Processing, per Magnetic Tape provisioned					36.02			1							ſ
ODUF: Data Transmission (CONNECT:DIRECT), per message		1 1			0.00010888									· · · · · ·	
ENHANCED OPTIONAL DAILY USAGE FILE (EODUF)											•	·			
EODUF: Message Processing, per message				1	0.229077					1	1		· · · · · · · · · · · · · · · · · · ·	·	
ELECTIVE CALL ROUTING USING LINE CLASS CODES (SCR-LCC)	1			1							<del>                                     </del>				
Selective Routing Per Unique Line Class Code Per Request Per	1					······································					<u> </u>				
Switch				1		102.19	61.15	12.68	6.34		1				
RECTORY ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OL	IS SOFT	VARE													
Recording of DA Custom Branded Announcement			·			3,000.00	3,000.00						·		
Loading of DA Custom Branded Anouncement per Switch per				1											
OCN	-					1,170.00	1,170.00								
RECTORY ASSISTANCE UNBRANDING via OLNS SOFTWARE															
Loading of DA per OCN (1 OCN per Order)						420.00	420.00						·		
Loading of DA per Switch per OCN					ļ <u></u>	16.00	16.00								
PERATOR ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLI	S SOFTY	VARE			ļ										
Recording of Custom Branded OA Announcement		<b></b>				7,000.00	7,000.00								
Loading of Custom Branded OA Announcement per shelf/NAV p	er	1		1											
OCN		<u> </u>				500.00	500.00								
Loading of OA Custom Branded Announcement per Switch per								l							
OCN	_l				L	1,170.00	1,170.00							<u>.</u>	
PERATOR ASSISTANCE UNBRANDING via OLNS SOFTWARE	1	oxdot		<u> </u>											
Loading of OA per OCN (Regional)	1	1 1				1,200.00	1,200.00								

RESALE DISCOUNTS & RATES - Kentucky												Att: 1 Exh: D			
	1									Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
	Į									Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
	ļ									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
ATEGORY RATE ELEMENTS	Interim	Zone	BCS	USOC	]		RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
	1										<b>,</b>	Electronic-	Electronic-	Electronic-	Electronic
	1									}		1st	Add'l	Disc 1st	Disc Add'I
	į		!							1		'*'	Addi	Discret	Diec Add I
					Rec	Nonrec		Nonrecurring					Rates(\$)		
					1105	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	<u> </u>			<u> </u>	ļ										
ESALE APPLICABLE DISCOUNTS	ļ				<u> </u>						<u> </u>				
Residence %	ļ				16.79						L				
Business %	ļ	+		<del></del>	15.54					<u> </u>	<u> </u>				<u> </u>
CSAs %		$\downarrow$			15.54					Ļ	<u> </u>				
PERATIONS SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"		<u> </u>			L l				L	<u> </u>	<u> </u>	<u> </u>		<u> </u>	<u> </u>
						TI 000									
NOTE: (1) CLEC should contact its contract negotiator if it prefers the ' state specific Commission ordered rates for the service ordering charg															
	es, or C	LEC ma	ly elect the regional	service orderi	ng charge, now	ver, CEEC can	not obtain a n	iorture or the ty	vo regardiess in	CLEC has	interconne	ction contract	established in	each of the y	states.
OSS - Electronic Service Order Charge. Per Local Service	i i	1	ì	SOMEC	1 1	3.50	0.00	3.50		1	1	)		i	1
Request (LSR) - Resale Only	+	<del> </del>		SOMEC	<del>  </del>	3.50	0.00	3.50	0.00	-	<u> </u>			<del></del>	
OSS - Manual Service Order Charge, Per Local Service Request		i l		SOMAN	1	40.00	0.00	10.00		Ì					i
(LSR) - Resale Only	<del> </del>		ļ	SUMAN	<u> </u>	19.99	0.00	19.99	0.00		<b> </b>				<b></b>
OUF/EODUF SERVICES OPTIONAL DALY USAGE FILE (ODUF)	Ь	٠	<u> </u>						1	L	L	L	<u> </u>	L	<u> </u>
					0.0000136										
ODUF: Recording, per message	<b>├</b>	+		-	0.0000136						ļ				
ODUF: Message Processing, per message	<del>                                     </del>	-		<del></del>	35.90						<u> </u>				
ODUF, Message Processing, per Magnetic Tape provisioned ODUF, Data Transmission (CONNECT DIRECT), per message	<del>-</del>	+			0.00010372					ł. ——	ļ <u>-</u>			<del>-</del>	
ENHANCED OPTIONAL DAILY USAGE FILE (EODUF)	٠	—			0.00010372					1				<u> </u>	
EODUF: Message Processing, per message	1	1			0.235889										
ELECTIVE CALL ROUTING USING LINE CLASS CODES (SCR-LCC)	_	+			0.233659					+	<u> </u>				
Selective Routing Per Unique Line Class Code Per Request Per	<del>                                     </del>	+			+				<del></del>		<u> </u>				
	į				1	93.53	93 53	15.58	15.58	i					
Switch RECTORY ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	POET	MADE			<del>                                     </del>	33.53	83.23	13.35	15.36						
Recording of DA Custom Branded Announcement	Jaorie	TARE	<del></del>		<del>\                                    </del>	3,000,00	3,000,00		<del></del>		<del></del>				
Loading of DA Custom Branded Arrhouncement per Switch per	+	+		+		3,000.00	3.000.00			<del>                                     </del>					
OCN	]	1				1,170.00	1,170,00				1				
IRECTORY ASSISTANCE UNBRANDING VIZ OLNS SOFTWARE	<del>                                     </del>	+	· · · · · · · · · · · · · · · · · · ·	+	<del>                                     </del>	1,170,00	1.170.00		<del> </del>	ł	<del> </del>	-			<del>                                     </del>
Loading of DA per OCN (1 OCN per Order)	<del> </del>	+		+	<del>  </del>	420.00	420.00	-				-		<del></del>	
Loading of DA per OCN (1 OCN per Order)	<del> </del>	+	<del>                                     </del>	+ -	<del>                                     </del>	16.00	16.00		r						<del>                                     </del>
PERATOR ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT VIA OLNS	SOFTY	VARE				10.00	10.00	-	<del></del>	<del>                                     </del>		-			<u> </u>
Recording of Custom Branded OA Announcement	1	T	<u> </u>		<del>   </del>	7,000.00	7,000.00		<del> </del>	-	<del> </del>				· · · · · ·
Loading of Custom Branded OA Announcement per shelf/NAV per	1	+		+	† <del></del>	,,,000,00	7,000.00		<del>                                     </del>						· · · · · · · · · · · · · · · · · · ·
OCN Costolin Brailbed OA AirPodrEement per SheringA v per	1			}		500.00	500.00		l	İ	.				ł
Loading of OA Custom Branded Announcement per Switch per	<del>                                     </del>	1	<del> </del>	+	·	. 300.00	300.00		<del></del>		<del>                                     </del>				·
	1	1	1	1	1 1					1	1				1
	1	1	i	t	, ,	1 170 00 i	1.170.00		I						
OCN PERATOR ASSISTANCE UNBRANDING VIA OLNS SOFTWARE	-	1				1,170.00	1,170.00				<u> </u>				

RESALE DISCO	OUNTS & RATES - Louisiana												Att: 1 Exh: D			
	·	T	T								Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremen
		1	1 1		Į.						Submitted	Submitted	Charge -	Charge -	Charge -	Charge
		1	1 1		ļ	i					Elec	Manually	Manual Svc	Manual Syc	Manual Svc	Manual S
	RATE ELEMENTS	Interim	7000	BCS	USOC			RATES(\$)			perLSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs
ATEGORY	CALC CLEMENTS	1111	•••••	500	7500						percon	beirak	Electronic-	Electronic-	Electronic-	Electroni
		1														
		Į.	ļ ļ		(	Į.					1	`	fut	Add'l	Disc 1st	Disc Add
		+	1 1		+	<del> </del>	Nortres	urring	Nonrecurring	Disconnect			OSS	Rates(\$)		<u> </u>
		<del> </del>	1 1	<del></del>	-+	Rec	First	Add	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
<del></del>		1														
SALE APPLICAE	BLE DISCOUNTS															
Res	idence %	<u> </u>	1 1			20.72										
Bus	iness %	1 _	}			20.72					<u> </u>					
	As %					9.05		·		<u></u>	<b>.</b>	<u> </u>		L	ļ	
PERATIONS SUP	PORT SYSTEMS (OSS) - "REGIONAL RATES"	l				1			l	L	<del> </del>	L		L	L	
NOTE: (1) C	LEC should contact its contract negotiator if it prefers the '	"state s	pecific" (	OSS charges as or	rdered by the S	tate Commission	is. The OSS ci	harges current	ly contained in	this rate exhibit	are the AT	kT "regional	" service orde	ring charges.	CLEC may ele	ct either
	ic Commission ordered rates for the service ordering charge	es, or C	LEC ma	y elect the regiona	service order	ing charge, how	wer, CLEC can	not obtain a n	nixture of the ty	o regardless if	CLEC has a	interconne	ction contract	established in	each of the 9	states.
	S - Electronic Service Order Charge, Per Local Service	1	1 1	ı	\	1 1		'	١		<b>`</b>	ì '	Ì	·	ì i	
Rec	juest (LSR) - Resale Only	Щ	$\bot$		SOMEC		3.50	0.00	3.50	0.00						
OS	S - Manual Service Order Charge, Per Local Service Request		1 1		1					i		l .				
(LS	R) - Resale Only	J			SOMAN		19.99	0.00	19.99	0.00	-					
OUF/EODUF SER	VICES		i						L	l		<u> </u>				
OPTIONAL	DAILY USAGE FILE (ODUF)															
OD	UF: Recording, per message	$\Box$	į l			0.0000117										
QD	UF: Message Processing, per message					0.004641										
QD	UF: Message Processing, per Magnetic Tape provisioned					48.45			<u> </u>							
OD	UF: Data Transmission (CONNECT:DIRECT), per message		Ι. Ι			0.00010568										
ENHANCE	OPTIONAL DAILY USAGE FILE (EODUF)								,							
EO	DUF; Message Processing, per message		1			0.250015										
LECTIVE CALL I	ROUTING USING LINE CLASS CODES (SCR-LCC)							<u> </u>			L					
Stell	ective Routing Per Unique Line Class Code Per Request Per	$\Gamma$	1		T	i	1		ì	1		i				
Swi					l		82.25	82.25	L							
RECTORY ASSIS	STANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	SOFT	WARE													
	cording of DA Custom Branded Announcement	Τ.					3,000.00	3,000.00								
	iding of DA Custom Branded Anouncement per Switch per		1													
	N	Ι.				<u> </u>	1,170.00	1,170.00								
1 100		$\overline{}$				<u> </u>										
	TANCE UNBRANDING VIJ OLNS SOFTWARE					1 1	420.00	420.00								
RECTORY ASSIS	ading of DA per OCN (1 OCN per Order)	<del>                                     </del>														
RECTORY ASSIS	ading of DA per OCN (1 OCN per Order)	1					16.00	16.00								
RECTORY ASSIS	ading of DA per OCN (1 OCN per Order)	SOFT	WARE		<u> </u>		16.00									
RECTORY ASSIS Loa Loa PERATOR ASSIS	uding of DA per OCN (1 OCN per Order) dding of DA per Switch per OCN TANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS cording of Custom Branded OA Announcement		WARE					7,000.00								
RECTORY ASSIS Loa Loa PERATOR ASSIS	uding of DA per OCN (1 OCN per Order) dding of DA per Switch per OCN TANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS cording of Custom Branded OA Announcement		WARE				16.00									
RECTORY ASSIS Loa Loa PERATOR ASSIS	uding of DA per OCN (1 OCN per Order) dding of DA per Switch per OCN TANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS cording of Custom Branded OA Announcement uding of Custom Branded OA Announcement per shelf/NAV per		WARE				16.00									
RECTORY ASSISTED Los Los PERATOR ASSISTED Los CC	iding of DA per OCN (1 OCN per Order) uding of DA per Switch per OCN TANKE CUSTOM BRANDING ANNOUNCEMENT via OLNS cording of Custom Branded OA Announcement uding of Custom Branded OA Announcement per shelf/NAV per N		NARE				7,000.00	7,000.00								
RECTORY ASSIS Loa Loa PERATOR ASSIS Rec Loa Loa Loa Loa Loa Loa Loa Loa Loa Loa	iding of DA per OCN (1 OCN per Order)  iding of DA per Switch per OCN  itanace CUSTOM BRANDING ANNOUNCEMENT via OLNS  cording of Custom Branded OA Announcement  iding of Custom Branded OA Announcement per shelf.NAV per  Noting of OA Custom Branded OA Announcement per shelf.NAV per  iding of OA Custom Branded Announcement per Switch per		WARE				7,000.00	7,000.00								
RECTORY ASSIS  Loz PERATOR ASSIS  Rec  Loz  CC  CC  CC  CC  CC  CC  CC  CC  CC	iding of DA per OCN (1 OCN per Order)  iding of DA per Switch per OCN  itanace CUSTOM BRANDING ANNOUNCEMENT via OLNS  cording of Custom Branded OA Announcement  iding of Custom Branded OA Announcement per shelf.NAV per  Noting of OA Custom Branded OA Announcement per shelf.NAV per  iding of OA Custom Branded Announcement per Switch per		NARE				7,000.00 500.00	7,000.00 500.00								

RESALE DISCOUNTS & RATES - Mississippi												Att: 1 Exh: D			
ATEGORY RATE ELEMENTS	interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs.	incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Syc Order vs.	Charge Manual St Order ve
			_								,	Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic Disc Add
					Rec	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)		·
					T Kec	First	Add'l	First	Adďi	SOMEC	SOMÁN	SOMAN	SOMAN	SOMAN	SOMAN
RESALE APPLICABLE DISCOUNTS															
Residence %					15.75					-					
Business %					15.75										
CSAs %			•		15.75										
PERATIONS SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"										<u> </u>		<u> </u>			
NOTE: (1) CLEC should contact its contract negotiator if it pre state specific Commission ordered rates for the service orderi  OSS   Electronic Service Order Charge, Per Local Service	ng charges, or Cl	EC may	elect the regiona	I service orderi	ng charge, how	ver, CLEC can	not obtain а п	ly contained in hixture of the tw	this rate exhibit vo regardiess if	CLEC has	T "regional interconne	service orde	ring charges. established in	CLEC may ele each of the 9	ct either ti states.
Request (LSR) - Resale Only	i	1		SOMEC		3.50	0.00	3.50	0.00						
OSS - Manual Service Order Charge, Per Local Service F	Request														
(LSR) - Resale Only	·			ISOMAN		19.99	0.00	19.99	0.00						
DUF/EODUF SERVICES				<b>-</b> 1"	<u> </u>					-					
OPTIONAL DAILY USAGE FILE (ODUF)												1000			
ODUF: Recording, per message					0.0000063										
ODUF: Message Processing, per message				T	0.004707									-	
ODUF: Message Processing, per Magnetic Tape provision			•		49.04										
ODUF: Data Transmission (CONNECT:DIRECT), per me	ssage				0.00010669										
ENHANCED OPTIONAL DAILY USAGE FILE (EODUF)															
EODUF: Message Processing, per message					0.250424										
ELECTIVE CALL ROUTING USING LINE CLASS CODES (SCR-LCC)															
Selective Routing Per Unique Line Class Code Per Reque Switch						85.19	85.19	14.19	14.19						
RECTORY ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT	/ia OLNS SOFTV	/ARE													
Recording of DA Custom Branded Announcement					ļ	3,000.00	3,000.00								
Loading of DA Custom Branded Anouncement per Switch OCN	per					1,170.00	1,170.00								
RECTORY ASSISTANCE UNBRANDING VIA OLNS SOFTWARE															
Loading of DA per OCN (1 OCN per Order)		<b>└</b>				420.00	420.00								
Loading of DA per Switch per OCN		<b>└</b> ↓				16.00	16.00								
PERATOR ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT V	ia OLNS SOFTW	ARE									-				
Recording of Custom Branded OA Announcement		<b></b> _				7,000.00	7,000.00								
Loading of Custom Branded OA Announcement per shelf, OCN						500.00	500.00								
Loading of OA Custom Branded Announcement per Switch OCN	h per					1,170.00	1,170.00					_			
				1 .	· · · · · ·										
PERATOR ASSISTANCE UNBRANDING via OLNS SOFTWARE				1		1				1			ı	1	

	RATE ELEMENTS  CABLE DISCOUNTS RESidence % Business % CSAs % UPPORT SYSTEMS (OSS) - "REGIONAL RATES"	Interim	Zone	BCS	USOC	- Rec	Nonrec	RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	incremental Charge - Manual Syc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge -
RESALE APPLN	CABLE DISCOUNTS Residence % Business % CSAs %	Interim	Zone	BCS	usoc	Rec	Nonrec	RATES(\$)			Elec	Manually	Manual Svc Order vs. Electronic-	Manual Svc Order vs. Electronic	Manual Svc Order vs. Electronic-	Manual Sv Order vs
RESALE APPLN	CABLE DISCOUNTS Residence % Business % CSAs %	Interim	Zone	BCS	usoc	- Rec	Nonrec	RATES(\$)					Order vs. Electronic-	Manual Svc Order vs. Electronic	Manual Svc Order vs. Electronic-	Manual Sv Order vs
RESALE APPLN	CABLE DISCOUNTS Residence % Business % CSAs %	Interim	Zone	BCS	USOC	- Rec	Nonrec	RATES(\$)					Order vs. Electronic-	Order vs. Electronic	Order vs. Electronic-	Order vs.
	Residence % Business % CSAs %					- Rec	Nonrec					<b>,,</b>	Electronic-	Electronic-	Electronic-	
	Residence % Business % CSAs %					- Rec	Nonrec				1					
	Residence % Business % CSAs %					Rec	Nonrec						1st	Add'l	Disc 1st	Disc Add'
	Residence % Business % CSAs %					Rec	Nonrec									
	Residence % Business % CSAs %						F34		Nonrecurring		*****			Rates(\$)		
	Residence % Business % CSAs %					+ +	First	Addʻi	First	Add*I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Residence % Business % CSAs %				+	<del>                                     </del>										<b></b>
	Business % CSAs %		+		<del>+</del>	21.50										ļ
	CSAs %				+	17.60					<b> </b>					
		1			<del> </del>	17.60				· · · · · · · · · · · · · · · · · · ·						ļ
	OFFORT STSTEMS (USS) - REGIONAL RATES		-		+	17.00	<del></del>				<b></b>					<b></b>
UPERATIONS S					1						L					<u> </u>
NOTE: (	<ol> <li>CLEC should contact its contract negotiator if it prefers the '</li> </ol>	"state sp	ecific" (	OSS charges as ord	lered by the S	tate Commission	ns. The OSS c	harges current	ly contained in	his rate exhibit	are the ATS	T "regional"	service orde	ring charges,	CLEC may ek	act either th
state sp	ecific Commission ordered rates for the service ordering charg	es, or C	LEC may	y elect the regional	service order	ing charge, how	ever, CLEC car	not obtain a n	nixture of the tv	o regardless if	CLEC has a	interconnec	ction contract	established in	each of the 9	states.
	OSS - Electronic Service Order Charge, Per Local Service				1	i I										
	Request (LSR) - Resale Only	ļ			SOMEC		3.50	0.00	3.50	0.00			_			1
	OSS - Manual Service Order Charge, Per Local Service Request		1 1													
	(LSR) - Resale Only	1			SOMAN		19.99	0.00	19.99	0.00						
ODUF/EODUF S															· ·	
	AL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message		I			0.0000174										
	ODUF: Message Processing, per message					0.001647										
	ODUF: Message Processing, per Magnetic Tape provisioned	<u> </u>				35.91										1
	ODUF: Data Transmission (CONNECT:DIRECT), per message	<u> </u>				0.00011029										
	CED OPTIONAL DAILY USAGE FILE (EODUF)															
	EODUF: Message Processing, per message					0.131005										
	LL ROUTING USING LINE CLASS CODES (SCR-LCC)		·													
] [	Selective Routing Per Unique Line Class Code Per Request Per	i											,			· · · · · ·
	Switch	1				ļI	188.59					ĺ		:		1
	SISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	SOFT	VARE						The second second							ſ
	Recording of DA Custom Branded Announcement						3,000.00	3,000.00								1
	Loading of DA Custom Branded Anouncement per Switch per				1											
	OCN					1	1,170.00	1,170.00								ı
	SISTANCE UNBRANDING via OLNS SOFTWARE															
	Loading of DA per OCN (1 OCN per Order)	L					420.00	420.00			_					
	Loading of DA per Switch per OCN	"			1	ļ	16.00	16.00								
	SISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	SOFTW	VARE		1	I										
	Recording of Custom Branded OA Announcement	ļ	<b> </b>			<b></b>	7,000.00	7,000,00								
	Loading of Custom Branded OA Announcement per shelf/NAV per	1	"													
	OCN					L	500.00	500.00						[		
	Loading of OA Custom Branded Announcement per Switch per					1									· · · · · ·	
	OCN	<u> </u>	<u> </u>				1,170.00	1,170.00								
	SISTANCE UNBRANDING via OLNS SOFTWARE															
	Loading of OA per OCN (Regional)		I T T				1,200.00	1,200.00								

KESALE DIS	COUNTS & RATES - South Carolina												Att: 1 Exh: D			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Increment Charge Manual S Order va Electroni
						<u> </u>							1st	Add7	Disc 1st	Disc Add
			-			Rec	Nonrec		Nonrecurring	Disconnect			oss	Rates(\$)		
					1	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	First	Add'l	First	Add'l	SOMEÇ	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
EDALE ADDUC	ABLE DISCOUNTS				<b></b>											
	Residence %				-	4100										
	Business %	-				14.80					L_					
	CSAs %					14.80 8.98										
	UPPORT SYSTEMS (OSS) - "REGIONAL RATES"	-	$\vdash$			8.98				<u>,</u>			<del></del>			
										<u> </u>						
NOTE: (1	CLEC should contact its contract negotiator if it prefers the "	state sp	ecific" (	OSS charges as ord	lered by the S	tate Commissio	ns. The OSS c	harges current	ly contained in	this rate exhibit	are the AT8	T "regional"	" service orde	ring charges.	CLEC may ele	ct either f
2 tare 2 be	Ruic Commission ordered rates for the service ordering charge	ss, or Cl	.EC ma	y elect the regional	service orderi	ng charge, how	ever, CLEC car	not obtain a n	nixture of the tw	o regardless if	CLEC has a	interconnec	ction contract	established in	each of the 9	states.
1 1	DOS - Electronic Service Order Charge, Per Local Service															
	Request (LSR) - Resale Only		$\vdash$		SOMEC		3.50	0.00	3.50	0.00		-				
	DSS - Manual Service Order Charge, Per Local Service Request															
	LSR) - Resale Only				SOMAN		19.99	0.00	19.99	0.00				1	1	
DUF/EODUF SI			ᆫᆜ													
	AL DAILY USAGE FILE (ODUF)				.,											
	DDUF: Recording, per message	ļ	<del>]  </del>			0.0000216										
	OUF: Message Processing, per message		$\vdash$			0.004704										
	DDUF: Message Processing, per Magnetic Tape provisioned DDUF: Data Transmission (CONNECT:DIRECT), per message		-			48.87						Ī				
	ED OPTIONAL DAILY USAGE FILE (EODUF)		ــــــا			0.00010863										
	ODUF: Message Processing, per message															
ELECTIVE CAL	L ROUTING USING LINE CLASS CODES (SCR-LCC)					0 258301										
I IS	elective Routing Per Unique Line Class Code Per Request Per		$\vdash$	<del></del>	<del>.  </del>	ļ						]				
	Switch					] }				i		Ï				
	SISTANCE CUSTOM BRANDING ANNOUNCEMENT VIE OLNS	POETIA	1465				84.89	84.89	14.14	14.14						
	Recording of DA Custom Branded Announcement	30111	- T	····			3,000.00									
	pading of DA Custom Branded Annuncement per Switch per				+		3,000.00	3,000.00								
	XXVI						1.170.00	1,170.00				-		ı		
	SISTANCE UNBRANDING VIA OLNS SOFTWARE		<del></del>		+	-	1,170.00	1,170.00						<u> </u>		
	oading of DA per OCN (1 OCN per Order)		-		+		420.00	420.00								
	pading of DA per Switch per QCN		<del></del>		1	· · · · · · · · · · · · · · · · · · ·	16.00	16.00								
	ISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	SOFTW	ARE		+		10.00	10.00	-							
	Recording of Custom Branded OA Announcement	<del></del>	<del></del>		1		7,000.00	7,000.00								
	oading of Custom Branded OA Announcement per shelf/NAV per		<b></b>		1		7,000.00	7,000.00								
	XCN				1		500.00	500.00		i	ļ		l	í	1	
	oading of OA Custom Branded Announcement per Switch per				†	· · · · · · · · · · · · · · · · · · ·	500.00	300.00								
	XCN		l i		1		1,170,00	1.170.00					J			
	ISTANCE UNBRANDING VIZ OLNS SOFTWARE				+	-	1,170.00	1,170.00								
PERATOR ASS	ISTANCE UNBRANDING VIZ OLNS SOFTWARE															

RESALE DISC	OUNTS & RATES - Tennessee												Att: 1 Exh: D			
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Increments
						i					Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		l									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Syd
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			perLSR		Order vs.	Order vs.	Order vs.	Order vs.
		l			1	1					'		Electronic-	Electronic-	Electronic-	Electronic-
			1		1								1st	Add'l	Disc 1st	Disc Add'l
			1		+	<del> </del>	Nonrecurring		Nonrecurring	Discourses		l		Rates(\$)	l	
		<del> </del>	1 1		+	Rec	First	Addil	First	Add'1	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		<del> </del>	1		<del> </del>	<del>                                     </del>	1 1 2 1	Augi	1 (14)		DOMEG	COMPAN	301114	JOHAN	SOMPH	SUMAN
RESALE APPLICA	BLE DISCOUNTS	<del>                                     </del>	1		1	T					<del> </del>					<del></del>
Re	esidence %		1	•	T	16.00							•			
Bu	isiness %				<del></del>	16.00										1
CS	SAs %					15.00										
<b>OPERATIONS SUI</b>	PPORT SYSTEMS (OSS) - "REGIONAL RATES"															
NOTE: (1)	CLEC should contact its contract negotiator if it prefers the "	'state și	pecific" (	OSS charges as or	dered by the S	tate Commissio	ns. The OSS c	harges current	ly contained in	this rate exhibit	are the AT	T "regional	" service orde	ring charges.	CLEC may ek	ect either the
state speci	ific Commission ordered rates for the service ordering charge	es, or C	LEC ma	y elect the regional	service order	ing charge, how	ever, CLEC car	not obtain a r	nixture of the ty	vo regardiess if	CLEC has a	interconne	ction contract	established in	each of the 9	states.
	SS - Electronic Service Order Charge, Per Local Service	I										ŀ			1	
	equesi (LSR) - Resale Only	L			SOMEC	L	3.50	0.00	3.50	0.00					1	
	SS - Manual Service Order Charge, Per Local Service Request	"	1 1		"											
	SR) - Resale Only		1		SOMAN		19.99	0.00	19.99	0.00						
ODUF/EODUF SE						l	<u> </u>									
	L DAILY USAGE FILE (ODUF)									,						
	DUF: Recording, per message	—	$\vdash$		<u> </u>	0.0000044										
	DUF: Message Processing, per message	<b>.</b>	1 1			0.002446					L					
	DUF: Message Processing, per Magnetic Tape provisioned	—	$\vdash$			35.54										
	DUF: Data Transmission (CONNECT:DIRECT), per message					0.0000339	[			<u> </u>						
	D OPTIONAL DAILY USAGE FILE (EODUF)						,		- <del></del>							
	DDUF: Message Processing, per message	-				0.229779										
	ROUTING USING LINE CLASS CODES (SCR-LCC)	-	-			<del> </del>										
	elective Routing Per Unique Line Class Code Per Request Per	l						.=								
	vitch ISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	COET	U. D.		<del>                                     </del>	ļ	179.60	179.60								
		SUPIN	WAKE													
	ading of DA Custom Branded Announcement ading of DA Custom Branded Anouncement per Switch per	-	+		<del></del>		3,000.00									
100		į					1,170.00									
	STANCE UNBRANDING via OLNS SOFTWARE	1	<del>     </del>		+	<del> </del>	1,170.00									
	ading of DA per OCN (1 OCN per Order)	-	+		+	<del>                                     </del>	420.00	420.00								
	ading of DA per Switch per OCN	-	<del>   </del>				16.00	16.00								
	STANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	SOFTM	VARE		<del></del>		10.00	10,00					•			
	cording of Custom Branded OA Announcement	1	77				7,000.00	7.000.00								
	ading of Custom Branded OA Announcement per shelf/NAV per	<del> </del>	<del>  </del>		<del></del>	<del>                                     </del>	7,00.000	7,000.00	<del> </del>			-				
		ł					500.00	500.00								
	ading of OA Custom Branded Announcement per Switch per		+		<del></del>	<del>                                     </del>	300.00	300.00			-	-				
		Ì					1 170 00	1.170.00						l		
	STANCE UNBRANDING VIA OLNS SOFTWARE	<del>                                     </del>	<del>  </del>	······································	+	<b>i</b>	1,170.00	1,110.00								
	ading of OA per OCN (Regional)		+		+	+	1,200.00	1.200.00								

ATT 2 – NETWORK ELEMENTS AND OTHER SERVICES/<u>AT&T-9STATE</u>
PAGE 1 OF 44
Rightlink USA
1Q08 GENERIC INTERCONNECTION AGREEMENT – 03/10/08

## **Attachment 2**

**Network Elements and Other Services** 

# ATT 2 - NETWORK ELEMENTS AND OTHER SERVICES/AT&T-9STATE PAGE 2 OF 44 Rightlink USA 1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

## **TABLE OF CONTENTS**

1	Introduction	
2	Loops	9
3	Line Splitting	28
4	Unbundled Network Element Combinations	31
5	Dedicated Transport and Dark Fiber Transport	34
6	Automatic Location Identification/Data Management System (ALI/DMS)	40
7	White Pages Listings	43
Rate	es	Exhibit A
Rate	es	Exhibit B

# ATT 2 – NETWORK ELEMENTS AND OTHER SERVICES/AT&T-9STATE PAGE 3 OF 44 Rightlink USA 1Q08 GENERIC INTERCONNECTION AGREEMENT – 03/10/08

#### **ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES**

#### 1 Introduction

- This Attachment sets forth rates, terms and conditions for unbundled network elements (Network Elements) and combinations of Network Elements (Combinations) that AT&T offers to Rightlink USA for Rightlink USA's provision of Telecommunications Services in accordance with its obligations under Section 251(c)(3) of the Act. Additionally, this Attachment sets forth the rates, terms and conditions for other facilities and services AT&T makes available to Rightlink USA (Other Services). Additionally, the provision of a particular Network Element or Other Service may require Rightlink USA to purchase other Network Elements or services. In the event of a conflict between this Attachment and any other section or provision of this Agreement, the provisions of this Attachment shall control.
- The rates for Network Elements, Combinations and Other Services are set forth in Exhibits A and B. If no rate is identified in this Agreement, the rate will be as set forth in the applicable AT&T tariff or as negotiated by the Parties upon request by either Party. If Rightlink USA purchases service(s) from a tariff, all terms and conditions and rates as set forth in such tariff shall apply. A one-month minimum billing period shall apply to all Network Elements, Combinations and Other Services.
- In some cases, Commissions have ordered AT&T to separate its disconnect costs and its installation costs into two separate nonrecurring charges. Accordingly, unless otherwise noted in this Agreement, the Commission ordered disconnect charges will be applied at the time the disconnect activity is performed by AT&T, regardless of whether or not a disconnect order is issued by Rightlink USA. Disconnect charges are set forth in the rate exhibit of this Attachment. Rightlink USA may purchase and use Network Elements and Other Services from AT&T in accordance with 47 C.F.R § 51.309.
- 1.4 The Parties shall comply with the requirements as set forth in the technical references within this Attachment 2.
- 1.5 Rightlink USA shall not obtain a Network Element for the exclusive provision of mobile wireless services or interexchange services.
- Conversion of Wholesale Services to Network Elements or Network Elements to Wholesale

  Services. Upon request, AT&T shall convert a wholesale service, or group of wholesale services, to the equivalent Network Element or Combination that is available to Rightlink USA pursuant to Section 251 of the Act and under this Agreement or convert a Network Element or Combination that is available to Rightlink USA pursuant to Section 251 of the Act and under this Agreement to an equivalent wholesale service or group of wholesale services offered by AT&T (collectively "Conversion"). AT&T shall charge the applicable nonrecurring switch-as-is rates for Conversions to specific Network Elements or Combinations found in Exhibit A. AT&T shall also charge the same nonrecurring switch-as-is rates when converting from Network Elements or Combinations. Any rate change resulting from the Conversion will be effective as of the next billing cycle following AT&T's receipt of a complete and accurate Conversion request from Rightlink USA. A Conversion shall be

# ATT 2 - NETWORK ELEMENTS AND OTHER SERVICES/<u>AT&T-9STATE</u> PAGE 4 OF 44 Rightlink USA 1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

considered termination for purposes of any volume and/or term commitments and/or grandfathered status between Rightlink USA and AT&T. Any change from a wholesale service/group of wholesale services to a Network Element/Combination, or from a Network Element/Combination to a wholesale service/group of wholesale services, that requires a physical rearrangement will not be considered to be a Conversion for purposes of this Agreement. AT&T will not require physical rearrangements if the Conversion can be completed through record changes only. Orders for Conversions will be handled in accordance with the guidelines set forth in the Ordering Guidelines and Processes and CLEC Information Packages as referenced in Sections 1.13.1 and 1.13.2 below.

- 1.7 Except to the extent expressly provided otherwise in this Attachment, in all states, Rightlink USA may not maintain unbundled network elements or combinations of unbundled network elements that are no longer offered pursuant to this Agreement (collectively "Arrangements"). In the event AT&T determines that Rightlink USA has in place any Arrangements after the Effective Date of this Agreement, AT&T will identify such Arrangements and provide Rightlink USA with thirty (30) days written notice to disconnect or convert such Arrangements. For orders submitted by Rightlink USA within such thirty (30) day period, AT&T will charge the applicable switch-as-is charge set forth in Exhibit A. If Rightlink USA fails to submit orders to disconnect or convert such Arrangements within such thirty (30) day period, AT&T will transition such circuits to the equivalent tariffed AT&T service(s), and shall charge Rightlink USA all applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed AT&T service as set forth in AT&T's tariffs. For all transitions pursuant to this Section 1.7 that require a physical rearrangement, AT&T shall charge any applicable nonrecurring installation charges. To the extent no tariff equivalent service exists, AT&T shall disconnect such facility or Arrangement. The applicable recurring tariff charge shall apply to each circuit as of the Effective Date of this Agreement.
- 1.7.1 In addition to the foregoing, for the state of Florida, the applicable recurring tariff charges shall apply to each circuit beginning the day following the thirty (30) day notice period.
- 1.7.2 Notwithstanding the foregoing, for the state of Georgia, those circuits for which Rightlink USA failed to submit a disconnect or conversion order within such thirty (30) day period and are subsequently transitioned by AT&T pursuant to this Section 1.7.2 shall be subject to the applicable switch as is charges set forth in Exhibit A. AT&T shall transition to the equivalent tariff service. To the extent no tariff equivalent service exists, AT&T shall disconnect such facility or Arrangement. The applicable recurring resale or tariffed charge shall apply to each circuit as of March 11, 2006.
- 1.7.3 Notwithstanding the foregoing, for the state of North Carolina, those circuits for which Rightlink USA failed to submit a disconnect or conversion order within such thirty (30) day period and are subsequently transitioned by AT&T pursuant to this Section 1.7.3 shall be subject to applicable switch-as-is charges.
- 1.7.4 Notwithstanding the foregoing, for the state of Alabama, the written notice provided by AT&T, as described in Section 1.7, must identify by circuit identification number the specific Arrangements to be converted or disconnected. If Rightlink USA fails to dispute AT&T's identified Arrangements or fails to submit orders to disconnect or convert such Arrangements within the established thirty (30)

# ATT 2 – NETWORK ELEMENTS AND OTHER SERVICES/AT&T-9STATE PAGE 5 OF 44 Rightlink USA 1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

day period, AT&T will transition such circuits to the equivalent tariffed AT&T service(s) subject to the Commission-established switch-as-is rate. The full nonrecurring charges for installation of the equivalent tariffed AT&T service as set forth in AT&T's tariffs will not apply to such conversions. However, the applicable recurring tariff charges shall apply to each circuit upon conversion.

1.7.5 Notwithstanding the foregoing, for the state of Louisiana, AT&T will provide Rightlink USA with written notice identifying the specific Arrangements which must be converted or disconnected. Rightlink USA shall have thirty (30) days from the date of the notice to submit orders to disconnect or convert the Arrangements. Those circuits to be converted to other AT&T services shall be subject to nonrecurring charges associated with that conversion. If Rightlink USA disputes AT&T's identification of Arrangements to be disconnected or converted, Rightlink USA shall send written notice of its dispute within thirty (30) days of AT&T's notice. AT&T shall not disconnect the disputed Arrangements while the dispute is being resolved. If the Parties are unable to reach a voluntary resolution of the dispute, they may petition the Commission for assistance. If Rightlink USA does

circuits to the equivalent tariffed AT&T services subject to the full nonrecurring charges for installation of the equivalent tariffed AT&T services as set forth in AT&T's tariffs. The applicable recurring tariff charges shall apply to each circuit upon conversion.

not dispute AT&T's identification of Arrangements and fails to submit orders to disconnect or convert such Arrangements within the established thirty (30) day period, AT&T will transition such

AT&T's Master List of Unimpaired Wire Centers as Approved by State Commissions in its Region (Master List of Unimpaired Wire Centers), located on the AT&T Wholesale - Southeast Region Web site designates those wire centers that, in accordance with Commission orders, met the FCC's established criteria for non-impairment, as of March 11, 2005, where certain high capacity (DS1) and above) Loops and high capacity Dedicated Transport are no longer available as Network Elements. AT&T's List of Unimpaired Wire Centers in Kentucky and Tennessee (AT&T's List of Unimpaired Wire Centers), also located on the AT&T Interconnection Web site, are those wire centers that AT&T proposed met the FCC's established criteria for non-impairment as of March 11, 2005 but have not yet been approved by these respective Commissions. AT&T's List of Unimpaired Wire Centers shall be subject to modification and/or approval without amendment to this Agreement upon rulings from the Kentucky Public Service Commission (KPSC) and the Tennessee Regulatory Authority (TRA) in Case No. 2004-00427 and Docket No. 04-00381, respectively. Once the KPSC and TRA approve the unimpaired wire centers in their respective states, such approved wire centers shall be added to the Master List of Unimpaired Wire Centers. The Master List of Unimpaired Wire Centers and AT&T's List of Unimpaired Wire Centers shall be subject to the addition of wire centers without amendment to this Agreement upon subsequent order(s) from Commission(s). Each such list of additional wire centers shall be considered a "Subsequent Wire Center List" and future orders in these wire centers shall be subject to the rates, terms and conditions in Sections 2.1.4.7, 5.2.2.6 and 5.8.1.5 and Exhibit B of this Attachment 2. Notification of such modification, addition or deletion of wire centers shall be made via AT&T's Accessible Letter on the AT&T CLEC Online Web site.

Upon the Effective Date of this Agreement, Rightlink USA may not place any new orders for high capacity Dedicated Transport or high capacity Loops, as applicable, in those wire centers listed on the Master List of Unimpaired Wire Centers and AT&T's List of Unimpaired Wire Centers. To the extent Rightlink USA placed orders after March 10, 2005 for high capacity Loops or high capacity

1.8

1.9

PAGE 6 OF 44 Rightlink USA

1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

Dedicated Transport in wire centers designated on the Master List of Unimpaired Wire Centers, or AT&T's List of Unimpaired Wire Centers, within thirty (30) days after the Effective Date of this Agreement, Rightlink USA shall submit an LSR(s) or spreadsheet(s), as applicable, identifying those non-compliant circuits to be disconnected or converted to the equivalent AT&T tariffed service. AT&T shall bill Rightlink USA the difference between the UNE recurring rates for such circuits pursuant to this Agreement and the applicable recurring charges for the equivalent AT&T tariffed service from the date UNE circuit was installed in the unimpaired wire center to the date the circuit is disconnected or transitioned to the equivalent AT&T tariffed service. If Rightlink USA fails to submit an LSR or spreadsheet identifying such de-listed circuits within thirty (30) days as set forth above, AT&T will identify such circuits and convert them to the equivalent AT&T tariffed service, and charge Rightlink USA applicable disconnect charges for the UNE circuit and the difference between the UNE recurring rate billed for such circuit and the full non-recurring and recurring charges for the tariffed service from the date the UNE circuit was installed in the unimpaired wire center to the date the circuit is transitioned to the equivalent AT&T tariffed service. To the extent there is no equivalent AT&T tariffed service for the de-listed UNE circuit, AT&T will disconnect the circuit and bill Rightlink USA full disconnect charges.

- 1.9.1 Prior to submitting an order pursuant to this Agreement for high capacity Dedicated Transport or high capacity Loops, Rightlink USA shall undertake a reasonably diligent inquiry to determine whether Rightlink USA is entitled to unbundled access to such Network Elements in accordance with the terms of this Agreement. By submitting any such order, Rightlink USA self-certifies that to the best of Rightlink USA's knowledge, the high capacity Dedicated Transport or high capacity Loop requested is available as a Network Element pursuant to this Agreement. Upon receiving such order, except in wire centers set forth on the Master List of Unimpaired Wire Centers, or AT&T's List of Unimpaired Wire Centers, AT&T shall process the request in reliance upon Rightlink USA's self-certification. To the extent AT&T believes that such request does not comply with the terms of this Agreement, AT&T shall seek dispute resolution in accordance with the General Terms and Conditions of this Agreement. In the event such dispute is resolved in AT&T's favor, AT&T shall bill Rightlink USA the difference between the rates for such circuits pursuant to this Agreement and the applicable nonrecurring and recurring charges for the equivalent tariffed service from the date of installation to the date the circuit is transitioned to the equivalent tariffed service. Within thirty (30) days following a decision finding in AT&T's favor, Rightlink USA shall submit an LSR(s) or spreadsheet(s) identifying those non-compliant circuits to be transitioned to tariffed services or disconnected.
- In the event that (1) AT&T designated a wire center as unimpaired as set forth on the Master List of Unimpaired Wire Centers on the AT&T Wholesale Southeast Region Web site, or AT&T's List of Unimpaired Wire Centers, (2) as a result of such designation, Rightlink USA converted high capacity Dedicated Transport or high capacity Loops to other services or ordered new services as services other than high capacity Dedicated Transport or high capacity Loop Network Elements subsequent to March 10, 2005, (3) Rightlink USA otherwise would have been entitled to high capacity Dedicated Transport or high capacity Loops in such wire center at the time such alternative services were provisioned, and (4) AT&T acknowledges, or a state or federal regulatory body with authority determines, that, at the time AT&T designated such wire center as unimpaired, such wire center did not meet the FCC's unimpairment criteria, then upon request of Rightlink USA consistent with the applicable ordering processes as reflected in the Guides located on AT&T's

# ATT 2 – NETWORK ELEMENTS AND OTHER SERVICES/AT&T-9STATE PAGE 7 OF 44 Rightlink USA 1Q08 GENERIC INTERCONNECTION AGREEMENT – 03/10/08

Wholesale – Southeast Region Web site no later than sixty (60) days after AT&T acknowledges or the state or federal regulatory body issues an order making such a finding, AT&T shall transition to high capacity Dedicated Transport or high capacity Loops, as appropriate, any alternative services in such wire center that were established after such wire center was designated as unimpaired. In such instances, AT&T shall refund to Rightlink USA the difference between the rate paid by Rightlink USA for such services and the applicable rates set forth herein for high capacity Dedicated Transport or high capacity Loops, including but not limited to any charges associated with the Conversion (as defined in Section 1.6 above ) from high capacity Dedicated Transport or high capacity Loops to other wholesale services, if applicable, for the period from the later of March 11, 2005, or the date the circuit became a wholesale service to the date the circuit is transitioned to high capacity Dedicated Transport or high capacity Loop as described in this Section.

- 1.10 Rightlink USA may utilize Network Elements and Other Services to provide services in accordance with this Agreement, as long as such services are consistent with industry standards and applicable AT&T Technical References.
- 1.11 AT&T will perform Routine Network Modifications (RNM) in accordance with FCC 47 C.F.R. § 51.319 (a)(7) and (e)(4) for Loops and Dedicated Transport provided under this Attachment. If AT&T has anticipated such RNM and performs them during normal operations and has recovered the costs for performing such modifications through the rates set forth in Exhibit A, then AT&T shall perform such RNM at no additional charge. RNM shall be performed within the intervals established for the Network Element and subject to the service quality measurements and associated remedies set forth in Attachment 9 to the extent such RNM were anticipated in the setting of such intervals. If AT&T has not anticipated a requested network modification as being a RNM and has not recovered the costs of such RNM in the rates set forth in Exhibit A, then such request will be handled as a project on an individual case basis. AT&T will provide a price quote for the request and, upon receipt of payment from Rightlink USA, AT&T shall perform the RNM.
- 1.11.1 Notwithstanding the foregoing, for the states of Alabama and Georgia, AT&T shall perform RNM at no additional charge, provided however, for any RNM performed by AT&T for which costs are not recovered through existing rates, AT&T can seek resolution from the Commission.

#### 1.11 Commingling of Services

- 1.11.1 Commingling means the connecting, attaching, or otherwise linking of a Network Element, or a Combination, to one or more Telecommunications Services or facilities that Rightlink USA has obtained at wholesale from AT&T, or the combining of a Network Element or Combination with one or more such wholesale Telecommunications Services or facilities. Rightlink USA must comply with all rates, terms or conditions applicable to such wholesale Telecommunications Services or facilities.
- 1.11.2 Subject to the limitations set forth elsewhere in this Attachment, AT&T shall not deny access to a Network Element or a Combination on the grounds that one or more of the elements: (1) is connected to, attached to, linked to, or combined with such a facility or service obtained from AT&T; or (2) shares part of AT&T's network with access services or inputs for mobile wireless services and/or interexchange services.

PAGE 8 OF 44 Rightlink USA

1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

1.11.3 Notwithstanding any other provision of this Agreement, AT&T shall not be obligated to commingle or combine, pursuant to this Agreement, Network Elements or Combinations with any service, network element or other offering that it is obligated to make available pursuant only to Section 271 of the Act. 1.11.4 Unless otherwise agreed to by the Parties, the Network Element portion of a commingled circuit will be billed at the rates set forth in this Agreement and the remainder of the circuit or service will be billed in accordance with AT&T's tariffed rates, rates set forth in a separate agreement between the Parties. 1.11.5 When multiplexing equipment is attached to a commingled circuit, the multiplexing equipment will be billed from the same agreement or tariff as the higher bandwidth circuit. Central Office Channel Interfaces (COCI) will be billed from the same agreement or tariff as the lower bandwidth circuit. 1.11.6 The Commingling process and requirements will be handled in accordance with the guidelines set forth in the Ordering Guidelines and Processes and CLEC Information Packages as referenced in Sections 1.13.1 and 1.13.2 below. 1.12 Terms and conditions for order cancellation charges and Service Date Advancement Charges will apply in accordance with Attachment 6 and are incorporated herein by this reference. The charges shall be as set forth in Exhibit A. 1.13 Ordering Guidelines and Processes 1.13.1 For information regarding Ordering Guidelines and Processes for various Network Elements, Combinations and Other Services, Rightlink USA should refer to the "Guides" section of the AT&T Wholesale - Southeast Region Web site. 1.13.2 Additional information may also be found in the individual CLEC Information Packages, located at the "CLEC UNE Products" on AT&T's Wholesale - Southeast Region Web site. 1.13.3 The provisioning of Network Elements, Combinations and Other Services to Rightlink USA's Collocation Space will require cross-connections within the central office to connect the Network Element, Combinations or Other Services to the demarcation point associated with Rightlink USA's Collocation Space. These cross-connects are separate components that are not considered a part of the Network Element, Combinations or Other Services and, thus, have a separate charge pursuant to Attachment 4. 1.13.4 Testing/Trouble Reporting 1.13.4.1 Rightlink USA will be responsible for testing and isolating troubles on Network Elements. Rightlink USA must test and isolate trouble to the AT&T network before reporting the trouble to the Network Elements Customer Wholesale Interconnection Network Services (CWINS) Center. Upon request from AT&T at the time of the trouble report, Rightlink USA will be required to provide the results of the Rightlink USA test which indicate a problem on the AT&T network.

PAGE 9 OF 44 Rightlink USA

1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

- 1.13.4.2 Once Rightlink USA has isolated a trouble to the AT&T network, and has issued a trouble report to AT&T, AT&T will take the actions necessary to repair the Network Element when trouble is found. AT&T will repair its network facilities to its wholesale customers in the same time frames that AT&T repairs similar services to its retail customers.
- 1.13.4.3 If Rightlink USA reports a trouble on an AT&T Network Element and no trouble is found in AT&T's network, AT&T will charge Rightlink USA a Maintenance of Service Charge for any dispatching and testing (both inside and outside the CO) required by AT&T in order to confirm the Network Element's working status. AT&T will assess the applicable Maintenance of Service rates from BellSouth's FCC No.1 Tariff, Section 13.3.1.
- 1.13.4.4 In the event AT&T must dispatch to the customer's location more than once due to incorrect or incomplete information provided by Rightlink USA (e.g., incomplete address, incorrect contact name/number, etc.), AT&T will bill Rightlink USA for each additional dispatch required to repair the Network Element due to the incorrect/incomplete information provided. AT&T will assess the applicable Maintenance of Service rates from BellSouth's FCC No.1 Tariff, Section 13.3.1.

#### 2 Loops

- 2.1 General. The local loop Network Element is defined as a transmission facility that AT&T provides pursuant to this Attachment between a distribution frame (or its equivalent) in AT&T's central office and the loop demarcation point at a customer premises (Loop). Facilities that do not terminate at a demarcation point at a customer premises, including, by way of example, but not limited to, facilities that terminate to another carrier's switch or premises, a cell site, Mobile Switching Center or base station, do not constitute local Loops. The Loop Network Element includes all features, functions, and capabilities of the transmission facilities, including the network interface device, and attached electronics (except those used for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers (DSLAMs)), optronics and intermediate devices (including repeaters and load coils) used to establish the transmission path to the customer's premises, including inside wire owned or controlled by AT&T. Rightlink USA shall purchase the entire bandwidth of the Loop and, except as required herein or as otherwise agreed to by the Parties, AT&T shall not subdivide the frequency of the Loop.
- 2.1.1 The Loop does not include any packet switched features, functions or capabilities.
- 2.1.2 Fiber to the Home (FTTH) loops are local loops consisting entirely of fiber optic cable, whether dark or lit, serving a customer's premises or, in the case of predominantly residential multiple dwelling units (MDUs), a fiber optic cable, whether dark or lit, that extends to the MDU minimum point of entry (MPOE). Fiber to the Curb (FTTC) loops are local loops consisting of fiber optic cable connecting to a copper distribution plant that is not more than five hundred (500) feet from the customer's premises or, in the case of predominantly residential MDUs, not more than five hundred (500) feet from the MDU's MPOE. The fiber optic cable in a FTTC loop must connect to a copper distribution plant at a serving area interface from which every other copper distribution subloop also is not more than five hundred (500) feet from the respective customer's premises.
- 2.1.2.1 In new build (Greenfield) areas, where AT&T has only deployed FTTH/FTTC facilities, AT&T is under no obligation to provide Loops. FTTH facilities include fiber loops deployed to the MPOE of a

PAGE 10 OF 44 Rightlink USA

1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

MDU that is predominantly residential regardless of the ownership of the inside wiring from the MPOE to each customer in the MDU.

- 2.1.2.2 In FTTH/FTTC overbuild situations where AT&T also has copper Loops, AT&T will make those copper Loops available to Rightlink USA on an unbundled basis, until such time as AT&T chooses to retire those copper Loops using the FCC's network disclosure requirements. In these cases, AT&T will offer a sixty-four (64) kilobits per second (kbps) voice grade channel over its FTTH/FTTC facilities.
- 2.1.2.3 Notwithstanding the foregoing, in the states of Alabama and Louisiana, AT&T shall make available DS1 and DS3 Loops in any wire center where AT&T is required to provide such Loop facilities. In the states of North Carolina and South Carolina, AT&T shall make available DS1 Loops in any wire center where AT&T is required to provide such Loop facilities.
- 2.1.2.4 Furthermore, in FTTH/FTTC overbuild areas where AT&T has not yet retired copper facilities, AT&T is not obligated to ensure that such copper Loops in that area are capable of transmitting signals prior to receiving a request for access to such Loops by Rightlink USA. If a request is received by AT&T for a copper Loop, and the copper facilities have not yet been retired, AT&T will restore the copper Loop to serviceable condition if technically feasible. Except for the state of Georgia, in these instances of Loop orders in an FTTH/FTTC overbuild area, AT&T's standard Loop provisioning interval will negotiate the applicable provisioning interval. For the state of Georgia, in these instances of Loop orders in an FTTH/FTTC overbuild area, AT&T's standard Loop provisioning interval will apply.
- A hybrid Loop is a local Loop, composed of both fiber optic cable, usually in the feeder plant, and copper twisted wire or cable, usually in the distribution plant. AT&T shall provide Rightlink USA access to hybrid Loops pursuant to the requirements of 47 C.F.R. § 51.319(a)(2). AT&T is not required to provide access to the packet switched features, functions and capabilities of its hybrid Loops.
- 2.1.3.1 AT&T shall not engineer the transmission capabilities of its network in a manner, or engage in any policy, practice, or procedure, that disrupts or degrades access to a local Loop or Subloop, including the time division multiplexing-based features, functions and capabilities of a hybrid Loop, for which a requesting telecommunications carrier may obtain or has obtained access pursuant to this Attachment.
- 2.1.4 DS1 and DS3 Loop Requirements
- 2.1.4.1 For purposes of this Section 2, a Business Line is defined in 47 C.F.R. § 51.5.
- 2.1.4.2 For purposes of this Section 2, a "Fiber-Based Collocator" is defined in 47 C.F.R. § 51.5.
- 2.1.4.3 Notwithstanding anything to the contrary in this Agreement, AT&T shall make available DS1 and DS3 Loops as described in this Agreement, except in any wire center meeting the criteria described below:

PAGE 11 OF 44 Rightlink USA

1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

2.1.4.3.1 DS1 Loops at any location within the service area of a wire center containing sixty thousand (60,000) or more Business Lines and four (4) or more fiber-based collocators. 2.1.4.3.2 DS3 Loops at any location within the service area of a wire center containing thirty-eight thousand (38,000) or more Business Lines and four (4) or more fiber-based collocators. 2.1.4.4 The Master List of Unimpaired Wire Centers and AT&T's List of Unimpaired Wire Centers as described in Section 1.8 sets forth the list of wire centers meeting the criteria set forth in Sections 2.1.4.3.1 and 2.1.4.3.2 above as of March 11, 2005. 2.1.4.5 Once any wire center exceeds both of the thresholds set forth in Section 2.1.4.3.1 above, no future DS1 Loop unbundling will be required in that wire center. 2.1.4.6 Once any wire center exceeds both of the thresholds set forth in Section 2.1.4.3.2 above, no future DS3 Loop unbundling will be required in that wire center. 2.1.4.7 Modifications and Updates to the Wire Center Lists and Subsequent Transition Periods 2.1.4.7.1 In the event AT&T identifies additional wire centers that meet the criteria set forth in Section 2.1.4.3 above but that were not included in the Master List of Unimpaired Wire Centers and AT&T's List of Unimpaired Wire Centers, AT&T shall include such additional wire centers in an Accessible Letter. Each such list of additional wire centers shall be considered a "Subsequent Wire Center List". AT&T will follow any notification procedures set forth in applicable Commission orders. 2.1.4.7.2 Rightlink USA shall have thirty (30) business days to dispute the additional wire centers listed on AT&T's Accessible Letter. Absent such dispute, effective thirty (30) business days after the date of an AT&T Accessible Letter providing a Subsequent Wire Center List, AT&T shall not be required to unbundle DS1 and/or DS3 Loops, as applicable, in such additional wire center(s), except pursuant to the self-certification process as set forth in Section 1.8 of this Attachment. 2.1.4.7.2.1 For purposes of Section 2.1.4.7 above, AT&T shall make available DS1 and DS3 Loops that were in service for Rightlink USA in a wire center on the Subsequent Wire Center List as of the thirtieth (30th) business day after the date of AT&T's Accessible Letter identifying the Subsequent Wire Center List (Subsequent Embedded Base) until one hundred eighty (180) days after the thirtieth (30th) business day from the date of AT&T's Accessible Letter identifying the Subsequent Wire Center List (Subsequent Transition Period). 2.1.4.7.2.2 The rates set forth in Exhibit B shall apply to the Subsequent Embedded Base during the Subsequent Transition Period. No later than one hundred eighty (180) days from AT&T's Accessible Letter identifying the 2.1.4.7.2.3 Subsequent Wire Center List, Rightlink USA shall submit an LSR(s) or spreadsheet(s) as applicable, identifying the Subsequent Embedded Base of circuits to be disconnected or converted to other AT&T services. 2.1.4.7.2.3.1 In the case of disconnection, the applicable disconnect charges set forth in this Agreement shall apply.

PAGE 12 OF 44 Rightlink USA

1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

- 2.1.4.7.2.3.2 If Rightlink USA fails to submit the LSR(s) or spreadsheet(s) for all of its Subsequent Embedded Base by one hundred eighty (180) days after the date of AT&T's Accessible Letter identifying the Subsequent Wire Center List, AT&T will identify Rightlink USA's remaining Subsequent Embedded Base, if any, and will transition such circuits to the equivalent tariffed AT&T service(s). In the states of Florida, Mississippi and South Carolina, those circuits identified and transitioned by AT&T shall be subject to the applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed AT&T service as set forth in AT&T's tariffs. In the states of Alabama, Georgia, and North Carolina, those circuits identified and transitioned by AT&T shall be subject to the applicable switch-as-is rates set forth in Exhibit A of Attachment 2. In the state of Louisiana, those circuits identified and transitioned by AT&T shall be subject to the full nonrecurring charges for installation of the equivalent tariffed AT&T service as set forth in AT&T's tariffs.
- 2.1.4.7.2.3.3 For Subsequent Embedded Base circuits converted pursuant to Section 2.1.4.7.2.3 above or transitioned pursuant to Section 2.1.4.7.2.3.2 above, the applicable recurring tariff charges shall apply as of the earlier of the date each circuit is converted or transitioned, as applicable, or the first day after the end of the Subsequent Transition Period.
- 2.1.5 Where facilities are available, AT&T will install Loops in compliance with AT&T's Products and Services Interval Guide available at AT&T's Wholesale Southeast Region Web site. For orders of fifteen (15) or more Loops, the installation and any applicable Order Coordination (OC) as described below will be handled on a project basis, and the intervals will be set by the AT&T project manager for that order. When Loops require a Service Inquiry (SI) prior to issuing the order to determine if facilities are available, the interval for the SI process is separate from the installation interval.
- 2.1.6 The Loop shall be provided to Rightlink USA in accordance with AT&T's TR73600 Unbundled Local Loop Technical Specification and applicable industry standard technical references.
- 2.1.7 AT&T will only provision, maintain and repair the Loops to the standards that are consistent with the type of Loop ordered.
- 2.1.7.1 When an AT&T technician is required to be dispatched to provision the Loop, AT&T will tag the Loop with the Circuit ID number and the name of the ordering CLEC. When a dispatch is not required to provision the Loop, AT&T will tag the Loop on the next required visit to the customer's location. If Rightlink USA wants to ensure the Loop is tagged during the provisioning process for Loops that may not require a dispatch (e.g., UVL-SL1, UVL-SL2, and UCL-ND), Rightlink USA may order Loop Tagging. Rates for Loop Tagging are as set forth in Exhibit A.
- 2.1.7.2 For voice grade Loop orders (or orders for Loops intended to provide voice grade services),
  Rightlink USA shall have dial-tone available for that Loop forty-eight (48) hours prior to the Loop
  order completion due date. This applies to all conversions from one provider to another provider as
  well as Service Rearrangements as set forth in Section 2.1.12. Where Rightlink USA dial-tone is
  not available on the conversion date the Loop will not be cut over and the Loop order will be
  returned to Rightlink USA for rescheduling.

# ATT 2 – NETWORK ELEMENTS AND OTHER SERVICES/AT&T-9STATE PAGE 13 OF 44 Rightlink USA 1Q08 GENERIC INTERCONNECTION AGREEMENT – 03/10/08

- 2.1.8 OC and Order Coordination-Time Specific (OC-TS)
- 2.1.8.1 OC allows AT&T and Rightlink USA to coordinate the installation of the SL2 Loops, Unbundled Digital Loops (UDL) and other Loops where OC may be purchased as an option, to Rightlink USA's facilities to limit customer service outage. OC is available when the Loop is provisioned over an existing circuit that is currently providing service to the customer. OC for physical conversions will be scheduled at AT&T's discretion during normal working hours on the committed due date. OC shall be provided in accordance with the chart set forth below.
- 2.1.8.2 OC-TS allows Rightlink USA to order a specific time for OC to take place. AT&T will make commercially reasonable efforts to accommodate Rightlink USA's specific conversion time request. However, AT&T reserves the right to negotiate with Rightlink USA a conversion time based on load and appointment control when necessary. This OC-TS is a chargeable option for all Loops except Unbundled Copper Loops (UCL) and is billed in addition to the OC charge. Rightlink USA may specify a time between 9:00 a.m. and 4:00 p.m. (location time) Monday through Friday (excluding holidays). If Rightlink USA specifies a time outside this window, or selects a time or quantity of Loops that requires AT&T technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges. Overtime charges will be applied based on the amount of overtime worked and in accordance with the rates established in AT&T's intrastate Access Services Tariff, Section E13.2, for each state. The OC-TS charges for an order due on the same day at the same location will be applied on a per LSR basis.

# ATT 2 – NETWORK ELEMENTS AND OTHER SERVICES/AT&T-9STATE PAGE 14 OF 44 Rightlink USA 1Q08 GENERIC INTERCONNECTION AGREEMENT – 03/10/08

#### 2.1.9

	Order Coordination (OC)	Order Coordination – Time Specific (OC-TS)	Test Points	DLR	Charge for Dispatch and Testing if No Trouble Found
SL-1 (Non- Designed)	Chargeable Option	Chargeable Option	Not available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
UCL-ND (Non- Designed)	Chargeable Option	Not Available	Not Available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
Unbundled Voice Loops - SL-2 (including 2- and 4-wire UVL) (Designed)	Included	Chargeable Option	Included	Included	Charged for Dispatch outside Central Office
Unbundled Digital Loop (Designed)	Included	Chargeable Option	Included (where appropriate)	Included	Charged for Dispatch outside Central Office
Unbundled Copper Loop (Designed)	Chargeable in accordance with Section 2	Not available	Included	Included	Charged for Dispatch outside Central Office

For UVL-SL1 and UCLs, Rightlink USA must order and will be billed for both OC and OC-TS if requesting OC-TS.

#### 2.1.10 CLEC to CLEC Conversions for Unbundled Loops

- 2.1.10.1 The CLEC to CLEC conversion process for Loops may be used by Rightlink USA when converting an existing Loop from another CLEC for the same customer. The Loop type being converted must be included in Rightlink USA's Agreement before requesting a conversion.
- 2.1.10.2 To utilize the CLEC to CLEC conversion process, the Loop being converted must be the same Loop type with no requested changes to the Loop, must serve the same customer location from the same serving wire center, and must not require an outside dispatch to provision.

PAGE 15 OF 44 Rightlink USA

1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

2.1.10.3 The Loops converted to Rightlink USA pursuant to the CLEC to CLEC conversion process shall be provisioned in the same manner and with the same functionality and options as described in this Agreement for the specific Loop type.

#### 2.1.11 Bulk Migration

- 2.1.11.1 AT&T will make available to Rightlink USA a Bulk Migration process pursuant to which Rightlink USA may request to migrate port/loop combinations, provisioned pursuant to a separate agreement between the parties, to Loops (UNE-L). The Bulk Migration process may be used if such loop/port combinations are (1) associated with two (2) or more Existing Account Telephone Numbers (EATNs); and (2) located in the same Central Office. The terms and conditions for use of the Bulk Migration process are described in the AT&T CLEC Information Package. The CLEC Information Package is located on AT&T's Wholesale Southeast Region Web site. The rates for the Bulk Migration process shall be the nonrecurring rates associated with the Loop type being requested on the Bulk Migration, as set forth in Exhibit A. Additionally, OSS charges will also apply. Loops connected to Integrated Digital Loop Carrier (IDLC) systems will be migrated pursuant to Section 2.6 below.
- 2.1.11.2 Should Rightlink USA request migration for two (2) or more EATNs containing fifteen (15) or more circuits, Rightlink USA must use the Bulk Migration process referenced in 2.1.11.1 above.
- 2.1.12 Unbundled Loop (DS1 and below) Service Rearrangements
- 2.1.12.1 The Unbundled Loop Service Rearrangement processes will allow changes to be made to a working Loop facility assignment within the same end-user serving wire center. Service Rearrangements will result in service outages to the customer during the time the Loop is being moved.
- 2.1.12.2 An Unbundled Loop Service Rearrangement connecting facility change (CFC) allows Rightlink USA to change its installed Loop from one working facility assignment to another facility assignment. CFC includes Connecting Facility Assignment (CFA) and Cable ID & Pair changes within same collocation arrangement or from collocation to collocation. CFA changes are allowed within the same multiplexer or from one multiplexer to another multiplexer. For a CFC, the Loop class of service, Loop type and the customer must remain the same.
- 2.1.12.3 An Unbundled Loop Service Rearrangement connecting facility move (CFM) allows Rightlink USA to move the Loop facility assignment from a collocation arrangement to a multiplexer or from a multiplexer to a collocation arrangement. CFMs require a change to the Loop basic class of service. The Loop type and the customer must remain the same.
- 2.1.12.4 For Unbundled Loop Service Rearrangements, AT&T shall charge the applicable "Service Rearrangement change in Loop facility" rate found in Exhibit A.
- 2.1.12.5 The Unbundled Loop Service Rearrangement process and requirements will be handled in accordance with the guidelines set forth in the Ordering Guidelines and CLEC Information Packages as referenced in Sections 1.13.1 and 1.13.2 above.

PAGE 16 OF 44 Rightlink USA

1Q08 GENERIC INTERCONNECTION AGREEMENT – 03/10/08

2.1.13	EEL to Loop Retermination
2.1.13.1	Rightlink USA may utilize the EEL to Loop Retermination process to disconnect an EEL circuit and reterminate the Loop portion of the former EEL circuit to a collocation arrangement in the end-user's Serving Wire Center (EU SWC).
2.1.13.2	This process is available when the existing Loop portion of the EEL will be re-used and the resulting Loop will be subject to the rates, terms and conditions for that particular Loop as set forth in this Attachment. This process will apply only to EELs that include as a part of its combination a DS1 Loop, UVL-SL2 Loop, 4-Wire UDL Loop (64, 56 kbs) and a 2-Wire ISDN Loop.
2.1.13.3	AT&T shall charge the applicable EEL to Loop Retermination rates found in Exhibit A. Rightlink USA shall also be charged applicable manual service order, collocation cross-connect and EEL (including the Transport and Loop portions of the EEL) disconnect charges as set forth in Exhibit A of this Attachment.
2.1.13.4	The EEL to Loop Retermination process is not available when a dispatch outside the serving wire center where the Loop terminates is required. If an outside dispatch is required, or if the Loop portion of the EEL is not one of the Loop types referenced in Section 2.1.13.2 above, or if Rightlink USA elects not to utilize the EEL to Loop Retermination process, Rightlink USA must submit an LSR to disconnect the entire EEL circuit, and must submit a separate LSR for the requested standalone Loop. In such cases, Rightlink USA will be charged the EEL disconnect charges and the full nonrecurring rates for installation of a new Loop, as set forth in Exhibit A.
2.1.13.5	The EEL to Loop Retermination process and requirements will be handled in accordance with the guidelines set forth in the Ordering Guidelines and CLEC Information Packages as referenced in Sections 1.13.1 and 1.13.2 above.
2.2	Unbundled Voice Loops (UVLs)
2.2.1	AT&T shall make available the following UVLs:
2.2.1.1	2-wire Analog Voice Grade Loop – SL1 (Non-Designed);
2.2.1.2	2-wire Analog Voice Grade Loop – SL2 (Designed); or
2.2.1.3	4-wire Analog Voice Grade Loop (Designed).
2.2.2	UVL may be provisioned using any type of facility that will support voice grade services. This may include loaded copper, non-loaded copper, digital loop carrier systems, fiber/copper combination (hybrid loop) or a combination of any of these facilities. AT&T, in the normal course of maintaining, repairing, and configuring its network, may also change the facilities that are used to provide any given voice grade circuit. This change may occur at any time. In these situations, AT&T will only ensure that the newly provided facility will support voice grade services. AT&T will not guarantee that Rightlink USA will be able to continue to provide any advanced services over the new facility. AT&T will offer UVL in two different service levels - Service Level One (SL1) and Service Level Two

(SL2).

PAGE 17 OF 44

# Rightlink USA 1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

2.2.3	Unbundled Voice Loop - SL1 (UVL-SL1). Loops are 2-wire loop start circuits, will be non-designed, and will not have remote access test points. OC will be offered as a chargeable option on SL1 Loops when reuse of existing facilities has been requested by Rightlink USA, however, OC is always required on UCLs that involve the reuse of facilities that are currently providing service. Rightlink USA may also order OC-TS when a specified conversion time is requested. OC-TS is a chargeable option for any coordinated order and is billed in addition to the OC charge. An Engineering Information (EI) document can be ordered as a chargeable option. The EI document provides Loop Make-Up information which is similar to the information normally provided in a Design Layout Record (DLR). Upon issuance of a non-coordinated order in the service order system, SL1 Loops will be activated on the due date in the same manner and time frames that AT&T normally activates POTS-type Loops for its customers.
2.2.4	For an additional charge AT&T will make available Loop Testing so that Rightlink USA may request further testing on new UVL-SL1 Loops. Rates for Loop Testing are as set forth in Exhibit A.
2.2.5	<u>Unbundled Voice Loop – SL2 (UVL-SL2)</u> . Loops may be 2-wire or 4-wire circuits, shall have remote access test points, and will be designed with a DLR provided to Rightlink USA. SL2 circuits can be provisioned with loop start, ground start or reverse battery signaling. OC is provided as a standard feature on SL2 Loops. The OC feature will allow Rightlink USA to coordinate the installation of the Loop with the disconnect of an existing customer's service and/or number portability service. In these cases, AT&T will perform the order conversion with standard order coordination at its discretion during normal work hours.
2.3	Unbundled Digital Loops
2.3.1	AT&T will offer UDLs. UDLs are service specific, will be designed, will be provisioned with test points (where appropriate), and will come standard with OC and a DLR. The various UDLs are intended to support a specific digital transmission scheme or service.
	AT&T will offer UDLs. UDLs are service specific, will be designed, will be provisioned with test points (where appropriate), and will come standard with OC and a DLR. The various UDLs are
2.3.1	AT&T will offer UDLs. UDLs are service specific, will be designed, will be provisioned with test points (where appropriate), and will come standard with OC and a DLR. The various UDLs are intended to support a specific digital transmission scheme or service.
2.3.1	AT&T will offer UDLs. UDLs are service specific, will be designed, will be provisioned with test points (where appropriate), and will come standard with OC and a DLR. The various UDLs are intended to support a specific digital transmission scheme or service.  AT&T shall make available the following UDLs, subject to restrictions set forth herein:
2.3.1 2.3.2 2.3.2.1	AT&T will offer UDLs. UDLs are service specific, will be designed, will be provisioned with test points (where appropriate), and will come standard with OC and a DLR. The various UDLs are intended to support a specific digital transmission scheme or service.  AT&T shall make available the following UDLs, subject to restrictions set forth herein:  2-wire Unbundled ISDN Digital Loop;
2.3.1 2.3.2 2.3.2.1 2.3.2.2	AT&T will offer UDLs. UDLs are service specific, will be designed, will be provisioned with test points (where appropriate), and will come standard with OC and a DLR. The various UDLs are intended to support a specific digital transmission scheme or service.  AT&T shall make available the following UDLs, subject to restrictions set forth herein:  2-wire Unbundled ISDN Digital Loop;  2-wire Unbundled ADSL Compatible Loop;
2.3.1 2.3.2 2.3.2.1 2.3.2.2 2.3.2.3	AT&T will offer UDLs. UDLs are service specific, will be designed, will be provisioned with test points (where appropriate), and will come standard with OC and a DLR. The various UDLs are intended to support a specific digital transmission scheme or service.  AT&T shall make available the following UDLs, subject to restrictions set forth herein:  2-wire Unbundled ISDN Digital Loop;  2-wire Unbundled ADSL Compatible Loop;
2.3.1 2.3.2 2.3.2.1 2.3.2.2 2.3.2.3 2.3.2.4	AT&T will offer UDLs. UDLs are service specific, will be designed, will be provisioned with test points (where appropriate), and will come standard with OC and a DLR. The various UDLs are intended to support a specific digital transmission scheme or service.  AT&T shall make available the following UDLs, subject to restrictions set forth herein:  2-wire Unbundled ISDN Digital Loop;  2-wire Unbundled ADSL Compatible Loop;  4-wire Unbundled HDSL Compatible Loop;
2.3.1 2.3.2 2.3.2.1 2.3.2.2 2.3.2.3 2.3.2.4 2.3.2.5	AT&T will offer UDLs. UDLs are service specific, will be designed, will be provisioned with test points (where appropriate), and will come standard with OC and a DLR. The various UDLs are intended to support a specific digital transmission scheme or service.  AT&T shall make available the following UDLs, subject to restrictions set forth herein:  2-wire Unbundled ISDN Digital Loop;  2-wire Unbundled ADSL Compatible Loop;  4-wire Unbundled HDSL Compatible Loop;  4-wire Unbundled DS1 Digital Loop;

PAGE 18 OF 44 Rightlink USA

1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

- 2.3.3 <u>2-wire Unbundled ISDN Digital Loops.</u> These will be provisioned according to industry standards for 2-Wire Basic Rate ISDN services and will come standard with a test point, OC, and a DLR. Rightlink USA will be responsible for providing AT&T with a Service Profile Identifier (SPID) associated with a particular ISDN-capable Loop and customer. With the SPID, AT&T will be able to adequately test the circuit and ensure that it properly supports ISDN service.
- 2.3.4 <a href="2.3.4">2-wire ADSL-Compatible Loop</a>. This is a designed Loop that is provisioned according to Revised Resistance Design (RRD) criteria and may be up to eighteen thousand (18,000) feet long and may have up to six thousand (6,000) feet of bridged tap (inclusive of Loop length). The Loop is a 2-wire circuit and will come standard with a test point, OC, and a DLR.
- 2.3.6 4-wire Unbundled DS1 Digital Loop.
- 2.3.6.1 This is a designed 4-wire Loop that is provisioned according to industry standards for DS1 or Primary Rate ISDN services and will come standard with a test point, OC, and a DLR. A DS1 Loop may be provisioned over a variety of loop transmission technologies including copper, HDSL-based technology or fiber optic transport systems. It will include a 4-wire DS1 Network Interface at the customer's location. For the purposes of AT&T's unbundling obligations pursuant to this Agreement, for the states of Alabama, Florida, Georgia, Mississippi and South Carolina, DS1 Loops include 2-wire and 4-wire copper Loops capable of providing high-bit rate digital subscriber line services, such as 2-wire and 4-wire HDSL Compatible Loops. For the state of Louisiana, DS1 Loops include 2-wire and 4-wire HDSL-Compatible Loops to which the necessary electronics have been added to provide service speeds of 1.544 megabytes per second.
- 2.3.6.2 AT&T shall not provide more than ten (10) unbundled DS1 Loops to Rightlink USA at any single building in which DS1 Loops are available as unbundled Loops.
- 2.3.7 <a href="4">4-wire Unbundled Digital/DS0 Loop</a>. These are designed 4-wire Loops that may be configured as sixty-four (64)kbps, fifty-six (56)kbps, nineteen (19)kbps, and other sub-rate speeds associated with digital data services and will come standard with a test point, OC, and a DLR.
- 2.3.8 <u>DS3 Loop.</u> DS3 Loop is a two-point digital transmission path which provides for simultaneous two-way transmission of serial, bipolar, return-to-zero isochronous digital electrical signals at a transmission rate of forty-four point seven thirty-six (44.736) megabits per second (Mbps) that is dedicated to the use of the ordering CLEC. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated DS3 transport is a metallic-based electrical interface. For the purpose of AT&T's unbundling obligations pursuant to this Agreement, DS3 Loops include STS-1 Loops.
- 2.3.9 <u>STS-1 Loop.</u> STS-1 Loop is a high-capacity digital transmission path with SONET VT1.5 mapping that is dedicated for the use of the ordering customer. It is a two-point digital transmission path

PAGE 19 OF 44 Rightlink USA

1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

which provides for simultaneous two-way transmission of serial bipolar return-to-zero synchronous digital electrical signals at a transmission rate of fifty-one point eighty-four (51.84) Mbps. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated STS-1 transport is a metallic-based electrical interface.

- 2.3.10 Both DS3 Loop and STS-1 Loop require a SI in order to ascertain availability. 2.3.11 DS3 services come with a test point and a DLR. Mileage is airline miles, rounded up and a minimum of one (1) mile applies. AT&T's TR73501 LightGate® Service Interface and Performance Specifications, Issue D, June 1995 applies to DS3 services. 2.3.12 Rightlink USA may obtain a maximum of a single Unbundled DS3 Loop to any single building in which DS3 Loops are available as Unbundled Loops. 2.4 Unbundled Copper Loops (UCL). AT&T shall make available UCLs. The UCL is a copper twisted pair Loop that is unencumbered by 2.4.1 any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters) and is not intended to support any particular telecommunications service. The UCL will be offered in two (2) types - Designed and Non-Designed. 2.4.2 Unbundled Copper Loop - Designed (UCL-D) The UCL-D will be provisioned as a dry copper twisted pair (2-wire or 4-wire) Loop that is 2.4.2.1 unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters). A UCL-D will be eighteen thousand (18,000) feet or less in length and is provisioned according to 2.4.2.2 Resistance Design parameters, may have up to six thousand (6,000) feet of bridged tap and will have up to thirteen hundred (1300) Ohms of resistance. The UCL-D is a designed circuit, is provisioned with a test point, and comes standard with a DLR. 2.4.2.3 OC is a chargeable option for a UCL-D; however, OC is always required on UCLs where a reuse of existing facilities has been requested by Rightlink USA. 2.4.2.4 These Loops are not intended to support any particular services and may be utilized by Rightlink USA to provide a wide-range of telecommunications services as long as those services do not adversely affect AT&T's network. This facility will include a Network Interface Device (NID) at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.3 <u>Unbundled Copper Loop Non-Designed (UCL-ND)</u>
- 2.4.3.1 The UCL-ND is provisioned as a dedicated 2-wire metallic transmission facility from AT&T's Main Distribution Frame (MDF) to a customer's premises (including the NID). The UCL-ND will be a "dry copper" facility in that it will not have any intervening equipment such as load coils, repeaters, or digital access main lines (DAMLs), and may have up to six thousand (6,000) feet of bridged tap

PAGE 20 OF 44 Rightlink USA

1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

between the customer's premises and the serving wire center. The UCL-ND typically will be thirteen hundred (1300) Ohms resistance and in most cases will not exceed eighteen thousand (18,000) feet in length, although the UCL-ND will not have a specific length limitation. For Loops less than eighteen thousand (18,000) feet and with less than thirteen hundred (1300) Ohms resistance, the Loop will provide a voice grade transmission channel suitable for loop start signaling and the transport of analog voice grade signals. The UCL-ND will not be designed and will not be provisioned with either a DLR or a test point.

- 2.4.3.2 The UCL-ND facilities may be mechanically assigned using AT&T's assignment systems.

  Therefore, the Loop Makeup (LMU) process is not required to order and provision the UCL-ND. However, Rightlink USA can request LMU for which additional charges would apply.
- 2.4.3.3 For an additional charge, AT&T also will make available Loop Testing so that Rightlink USA may request further testing on the UCL-ND. Rates for Loop Testing are as set forth in Exhibit A.
- 2.4.3.4 UCL-ND Loops are not intended to support any particular service and may be utilized by Rightlink USA to provide a wide-range of telecommunications services as long as those services do not adversely affect AT&T's network. The UCL-ND will include a NID at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.3.5 OC will be provided as a chargeable option and may be utilized when the UCL-ND provisioning is associated with the reuse of AT&T facilities. OC-TS does not apply to this product.
- 2.4.3.6 Rightlink USA may use AT&T's Unbundled Loop Modification (ULM) offering to remove excessive bridged taps and/or load coils from any copper Loop within the AT&T network. Therefore, some Loops that would not qualify as UCL-ND could be transformed into Loops that do qualify, using the ULM process.
- 2.5 Unbundled Loop Modifications (Line Conditioning)
- 2.5.1 Line Conditioning is defined as routine network modification that AT&T regularly undertakes to provide xDSL services to its own customers. This may include the removal of any device, from a copper Loop or copper Subloop that may diminish the capability of the Loop or Subloop to deliver high-speed switched wireline telecommunications capability, including xDSL service. Such devices include, load coils, excessive bridged taps, low pass filters, and range extenders. Excessive bridged taps are bridged taps that serves no network design purpose and that are beyond the limits set according to industry standards and/or the AT&T's TR 73600 Unbundled Local Loop Technical Specification. AT&T shall provide Line Conditioning on Loops, as requested by Rightlink USA, even in instances where AT&T does not provide advanced services to the end user on that Loop.
- 2.5.2 AT&T will remove load coils only on copper Loops that are equal to or less than eighteen thousand (18,000) feet in length. AT&T will remove load coils on copper Subloops where the total loop distance (feeder plus distribution) from the AT&T central office to the end user is equal to or less than 18,000 feet or, if there is no copper feeder, the distance from the remote terminal (RT) to the end user is equal to or less than 18,000 feet.

PAGE 21 OF 44

Rightlink USA

1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

- 2.5.3 For any copper loop being ordered by Rightlink USA which has over six thousand (6,000) feet of combined bridged tap will be modified, upon request from Rightlink USA, so that the loop will have a maximum of six thousand (6,000) feet of bridged tap. This modification will be performed at no additional charge to Rightlink USA. Loop conditioning orders that require the removal of bridged tap that serves no network design purpose on a copper Loop that will result in a combined total of bridged tap between two thousand five hundred (2,500) and six thousand (6,000) feet will be performed at the rates set forth in Exhibit A.
- 2.5.4 Rightlink USA may request removal of any unnecessary and non-excessive bridged tap (bridged tap between zero (0) and two thousand five hundred (2,500) feet which serves no network design purpose), at rates pursuant to AT&T's SC Process as mutually agreed to by the Parties.
- 2.5.5 Rates for ULM are as set forth in Exhibit A.
- 2.5.6 AT&T will not modify a Loop in such a way that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ADSL, etc.) being ordered.
- 2.5.7 If Rightlink USA requests ULM on a reserved facility for a new Loop order, AT&T may perform a pair change and provision a different Loop facility in lieu of the reserved facility with ULM if feasible. The Loop provisioned will meet or exceed specifications of the requested Loop facility as modified. Rightlink USA will not be charged for ULM if a different Loop is provisioned. For Loops that require a DLR or its equivalent, AT&T will provide LMU detail of the Loop provisioned.
- 2.5.8 Rightlink USA shall request Loop make up information pursuant to this Attachment prior to submitting a service inquiry and/or a LSR for the Loop type that Rightlink USA desires AT&T to condition.
- 2.5.9 When requesting ULM for a Loop that AT&T has previously provisioned for Rightlink USA, Rightlink USA will submit a SI to AT&T. If a spare Loop facility that meets the Loop modification specifications requested by Rightlink USA is available at the location for which the ULM was requested, Rightlink USA will have the option to change the Loop facility to the qualifying spare facility rather than to provide ULM. In the event that AT&T changes the Loop facility in lieu of providing ULM, Rightlink USA will not be charged for ULM but will only be charged the service order charges for submitting an order.

#### 2.6 Loop Provisioning Involving IDLC

- 2.6.1 Where Rightlink USA has requested an Unbundled Loop and AT&T uses IDLC systems to provide the local service to the customer and AT&T has a suitable alternate facility available, AT&T will make such alternative facilities available to Rightlink USA. If a suitable alternative facility is not available, then to the extent it is technically feasible, AT&T will implement one of the following alternative arrangements for Rightlink USA (e.g., hairpinning):
  - Roll the circuit(s) from the IDLC to any spare copper that exists to the customer premises.
  - 2. Roll the circuit(s) from the IDLC to an existing DLC that is not integrated.
  - 3. If capacity exists, provide "side-door" porting through the switch.

PAGE 22 OF 44

Rightlink USA

1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

- 4. If capacity exists, provide "Digital Access Cross-Connect System (DACS)-door" porting (if the IDLC routes through a DACS prior to integration into the switch).
- 2.6.2 Arrangements 3 and 4 above require the use of a designed circuit. Therefore, non-designed Loops such as the SL1 voice grade and UCL-ND may not be ordered in these cases.
- 2.6.2.1 If no alternate facility is available, and upon request from Rightlink USA, and if agreed to by both Parties, AT&T may utilize its SC process to determine the additional costs required to provision facilities. Rightlink USA will then have the option of paying the one-time SC rates to place the Loop.

#### 2.7 Network Interface Device

- 2.7.1 The NID is defined as any means of interconnection of the customer's customer premises wiring to AT&T's distribution plant, such as a cross-connect device used for that purpose. The NID is a single line termination device or that portion of a multiple line termination device required to terminate a single line or circuit at the premises. The NID features two (2) independent chambers or divisions that separate the service provider's network from the customer's premises wiring. Each chamber or division contains the appropriate connection points or posts to which the service provider and the customer each make their connections. The NID provides a protective ground connection and is capable of terminating cables such as twisted pair cable.
- 2.7.2 AT&T shall permit Rightlink USA to connect Rightlink USA's Loop facilities to the customer's customer premises wiring through the AT&T NID or at any other technically feasible point.

#### 2.7.3 Access to NID

- 2.7.3.1 Rightlink USA may access the customer's premises wiring by any of the following means and Rightlink USA shall not disturb the existing form of electrical protection and shall maintain the physical integrity of the NID:
- 2.7.3.1.1 AT&T shall allow Rightlink USA to connect its Loops directly to AT&T's multi-line residential NID enclosures that have additional space and are not used by AT&T or any other telecommunications carriers to provide service to the premises;
- 2.7.3.1.2 Where an adequate length of the customer's customer premises wiring is present and environmental conditions permit, either Party may remove the customer premises wiring from the other Party's NID and connect such wiring to that Party's own NID;
- 2.7.3.1.3 Either Party may enter the subscriber access chamber or dual chamber NID enclosures for the purpose of extending a cross-connect or spliced jumper wire from the customer premises wiring through a suitable "punch-out" hole of such NID enclosures; or
- 2.7.3.1.4 Rightlink USA may request AT&T to make other rearrangements to the customer premises wiring terminations or terminal enclosure on a time and materials cost basis.
- 2.7.3.2 In no case shall either Party remove or disconnect the other Party's loop facilities from either Party's NiDs, enclosures, or protectors unless the applicable Commission has expressly permitted the same and the disconnecting Party provides prior notice to the other Party. In such cases, it

PAGE 23 OF 44
Rightlink USA
1Q08 GENERIC INTERCONNECTION AGREEMENT – 03/10/08

shall be the responsibility of the Party disconnecting loop facilities to leave undisturbed the existing form of electrical protection and to maintain the physical integrity of the NID. It will be Rightlink USA's responsibility to ensure there is no safety hazard, and Rightlink USA will hold AT&T harmless for any liability associated with the removal of the AT&T Loop from the AT&T NID. Furthermore, it shall be the responsibility of the disconnecting Party, once the other Party's loop has been disconnected from the NID, to reconnect the disconnected loop to a nationally recognized testing laboratory listed station protector, which has been grounded as per Article 800 of the National Electrical Code. If no spare station protector exists in the NID, the disconnected loop must be appropriately cleared, capped and stored.

- 2.7.3.3 Rightlink USA shall not remove or disconnect ground wires from AT&T's NIDs, enclosures, or protectors.
   2.7.3.4 Rightlink USA shall not remove or disconnect NID modules, protectors, or terminals from AT&T's NID enclosures.
- 2.7.3.5 Due to the wide variety of NID enclosures and outside plant environments, AT&T will work with Rightlink USA to develop specific procedures to establish the most effective means of implementing this section if the procedures set forth herein do not apply to the NID in question.
- 2.7.4 <u>Technical Requirements</u>
- 2.7.4.1 The NID shall provide an accessible point of interconnection and shall maintain a connection to ground.
- 2.7.4.2 If an existing NID is accessed, it shall be capable of transferring electrical analog or digital signals between the customer's customer premises and the distribution media and/or cross-connect to Rightlink USA's NID.
- 2.7.4.3 Existing AT&T NIDs will be operational and provided in "as is" condition. Rightlink USA may request AT&T to do additional work to the NID on a time and material basis. When Rightlink USA deploys its own local loops in a multiple-line termination device, Rightlink USA shall specify the quantity of NID connections that it requires within such device.
- 2.8 <u>Subloop Distribution Elements.</u>
- 2.8.1 Where facilities permit, AT&T shall offer access to its Unbundled Subloop Distribution (USLD) elements in accordance with 47 C.F.R. § 51.319(b) as specified herein.
- 2.8.2 <u>Unbundled Subloop Distribution</u>
- 2.8.2.1 The USLD facility is a dedicated transmission facility that AT&T provides from a customer's point of demarcation to an AT&T cross-connect device. The AT&T cross-connect device may be located within a remote terminal (RT) or a stand-alone cross-box in the field or in the equipment room of a building. The USLD media is a copper twisted pair that can be provisioned as a 2-wire or 4-wire facility. AT&T will make available the following subloop distribution offerings where facilities exist:

USLD - Voice Grade (USLD-VG)

PAGE 24 OF 44 Rightlink USA

1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

Unbundled Copper Subloop (UCSL)
USLD – Intrabuilding Network Cable (USLD-INC (aka riser cable))

USLD-VG is a copper subloop facility from the cross-box in the field up to and including the point of 2.8.2.2 demarcation at the customer's premises and may have load coils. 2.8.2.3 UCSL is a copper facility eighteen thousand (18,000) feet or less in length provided from the crossbox in the field up to and including the customer's point of demarcation. If available, this facility will not have any intervening equipment such as load coils between the customer and the cross-box. 2.8.2.3.1 If Rightlink USA requests a UCSL and it is not available, Rightlink USA may request the copper Subloop facility be modified pursuant to the ULM process to remove load coils and/or excessive bridged taps. If load coils and/or excessive bridged taps are removed, the facility will be classified as a UCSL. 2.8.2.4 USLD-INC is the distribution facility owned or controlled by AT&T inside a building or between buildings on the same property that is not separated by a public street or road. USLD-INC includes the facility from the cross-connect device in the building equipment room up to and including the point of demarcation at the customer's premises. 2.8.2.4.1 Upon request for USLD-INC from Rightlink USA, AT&T will install a cross-connect panel in the building equipment room for the purpose of accessing USLD-INC pairs from a building equipment room. The cross-connect panel will function as a single point of interconnection (SPOI) for USLD-INC and will be accessible by multiple carriers as space permits. AT&T will place cross-connect blocks in twenty five (25) pair increments for Rightlink USA's use on this cross-connect panel. Rightlink USA will be responsible for connecting its facilities to the twenty five (25) pair crossconnect block(s). 2.8.2.5 For access to Voice Grade USLD and UCSL, Rightlink USA shall install a cable to the AT&T crossbox pursuant to the terms and conditions for physical collocation for remote sites set forth in Attachment 4. This cable would be connected by an AT&T technician within the AT&T cross-box during the set-up process. Rightlink USA's cable pairs can then be connected to AT&T's USL within the AT&T cross-box by the AT&T technician. 2.8.2.6 Through the SI process, AT&T will determine whether access to USLs at the location requested by Rightlink USA is technically feasible and whether sufficient capacity exists in the cross-box. If existing capacity is sufficient to meet Rightlink USA's request, then AT&T will perform the site setup as described in the CLEC Information Package, located at AT&T's Wholesale - Southeast Region Web site. 2.8.2.7 The site set-up must be completed before Rightlink USA can order Subloop pairs. For the site setup in an AT&T cross-connect box in the field, AT&T will perform the necessary work to splice Rightlink USA's cable into the cross-connect box. For the site set-up inside a building equipment

block(s) that will be used to provide access to the requested USLs.

room, AT&T will perform the necessary work to install the cross-connect panel and the connecting

PAGE 25 OF 44 Rightlink USA

1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

2.8.2.8 Once the site set-up is complete, Rightlink USA will request Subloop pairs through submission of a LSR form to the LCSC. OC is required with USL pair provisioning when Rightlink USA requests reuse of an existing facility, and the OC charge shall be billed in addition to the USL pair rate. For expedite requests by Rightlink USA for Subloop pairs, expedite charges will apply for intervals less than five (5) days. USLs will be provided in accordance with AT&T's TR 73600 Unbundled Local Loop Technical 2.8.2.9 Specifications. 2.8.3 Unbundled Network Terminating Wire (UNTW) 2.8.3.1 UNTW is unshielded twisted copper wiring that is used to extend circuits from an intra-building network cable terminal or from a building entrance terminal to an individual customer's point of demarcation. It is the final portion of the Loop that in multi-subscriber configurations represents the point at which the network branches out to serve individual subscribers. 2.8.3.2 This element will be provided in MDUs and/or Multi-Tenants Units (MTUs) where either Party owns wiring all the way to the customer's premises. Neither Party will provide this element in locations where the property owner provides its own wiring to the customer's premises, where a third party owns the wiring to the customer's premises. 2.8.3.3 Requirements 2.8.3.3.1 On a multi-unit premises, upon request of the other Party (Requesting Party), the Party owning the network terminating wire (Provisioning Party) will provide access to UNTW pairs on an Access Terminal that is suitable for use by multiple carriers at each Garden Terminal or Wiring Closet. 2.8.3.3.2 The Provisioning Party shall not be required to install new or additional NTW beyond existing NTW to provision the services of the Requesting Party. 2.8.3.3.3 In existing MDUs and/or MTUs in which AT&T does not own or control wiring (INC/NTW) to the customers premises, and Rightlink USA does own or control such wiring. Rightlink USA will install UNTW Access Terminals for AT&T under the same terms and conditions as AT&T provides UNTW Access Terminals to Rightlink USA. 2.8.3.3.4 In situations in which AT&T activates a UNTW pair, AT&T will compensate Rightlink USA for each pair activated commensurate to the price specified in Rightlink USA's Agreement. 2.8.3.3.5 Upon receipt of the UNTW SI requesting access to the Provisioning Party's UNTW pairs at a multiunit premises, representatives of both Parties will participate in a meeting at the site of the requested access. The purpose of the site visit will include discussion of the procedures for installation and location of the Access Terminals. By request of the Requesting Party, an Access Terminal will be installed either adjacent to each of the Provisioning Party's Garden Terminal or inside each Wiring Closet. The Requesting Party will deliver and connect its central office facilities to the UNTW pairs within the Access Terminal. The Requesting Party may access any available pair on an Access Terminal. A pair is available when a pair is not being utilized to provide service

or where the customer has requested a change in its local service provider to the Requesting Party.

PAGE 26 OF 44 Rightlink USA

#### 1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

Prior to connecting the Requesting Party's service on a pair previously used by the Provisioning Party, the Requesting Party is responsible for ensuring the customer is no longer using the Provisioning Party's service or another CLEC's service before accessing UNTW pairs.

- 2.8.3.3.6 Access Terminal installation intervals will be established on an individual case basis.
- 2.8.3.3.7 The Requesting Party is responsible for obtaining the property owner's permission for the Provisioning Party to install an Access Terminal(s) on behalf of the Requesting Party. The submission of the SI by the Requesting Party will serve as certification by the Requesting Party that such permission has been obtained. If the property owner objects to Access Terminal installations that are in progress or within thirty (30) days after completion and demands removal of Access Terminals, the Requesting Party will be responsible for costs associated with removing Access Terminals and restoring the property to its original state prior to Access Terminals being installed.
- 2.8.3.3.8 The Requesting Party shall indemnify and hold harmless the Provisioning Party against any claims of any kind that may arise out of the Requesting Party's failure to obtain the property owner's permission. The Requesting Party will be billed for nonrecurring and recurring charges for accessing UNTW pairs at the time the Requesting Party activates the pair(s). The Requesting Party will notify the Provisioning Party within five (5) business days of activating UNTW pairs using the LSR form.
- 2.8.3.3.9 If a trouble exists on a UNTW pair, the Requesting Party may use an alternate spare pair that serves that customer if a spare pair is available. In such cases, the Requesting Party will reterminate its existing jumper from the defective pair to the spare pair. Alternatively, the Requesting Party will isolate and report troubles in the manner specified by the Provisioning Party. The Requesting Party must tag the UNTW pair that requires repair. If the Provisioning Party dispatches a technician on a reported trouble call and no UNTW trouble is found, the Provisioning Party will charge Requesting Party for time spent on the dispatch and testing the UNTW pair(s).
- 2.8.3.3.10 If the Requesting Party initiates the Access Terminal installation and the Requesting Party has not activated at least ten percent (10%) of the capacity of the Access Terminal installed pursuant to the Requesting Party's request for an Access Terminal within six (6) months of installation of the Access Terminal, the Provisioning Party will bill the Requesting Party a nonrecurring charge equal to the actual cost of provisioning the Access Terminal.
- 2.8.3.3.11 If the Provisioning Party determines that the Requesting Party is using the UNTW pairs without reporting the activation of the pairs, the Requesting Party will be billed for the use of that pair back to the date the customer began receiving service from the Requesting Party at that location. Upon request, the Requesting Party will provide copies of its billing record to substantiate such date. If the Requesting Party fails to provide such records, then the Provisioning Party will bill the Requesting Party back to the date of the Access Terminal installation.

PAGE 27 OF 44 Rightlink USA 1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

2.9 <u>Loop Makeup</u>

#### 2.9.1 <u>Description of Service</u>

- 2.9.1.1 AT&T shall make available to Rightlink USA LMU information with respect to Loops that are required to be unbundled under this Agreement so that Rightlink USA can make an independent judgment about whether the Loop is capable of supporting the advanced services equipment Rightlink USA intends to install and the services Rightlink USA wishes to provide. LMU is a preordering transaction, distinct from Rightlink USA ordering any other service(s). Loop Makeup Service Inquiries (LMUSI) and mechanized LMU queries for preordering LMU are likewise unique from other preordering functions with associated SIs as described in this Agreement.
- 2.9.1.2 AT&T will provide Rightlink USA LMU information consisting of the composition of the Loop material (copper/fiber); the existence, location and type of equipment on the Loop, including but not limited to digital loop carrier or other remote concentration devices, feeder/distribution interfaces, bridged taps, load coils, pair-gain devices; the Loop length; the wire gauge and electrical parameters.
- 2.9.1.3 AT&T's LMU information is provided to Rightlink USA as it exists either in AT&T's databases or in its hard copy facility records. AT&T does not guarantee accuracy or reliability of the LMU information provided.
- 2.9.1.4 AT&T's provisioning of LMU information to the requesting CLEC for facilities is contingent upon either AT&T or the requesting CLEC controlling the Loop(s) that serve the service location for which LMU information has been requested by the CLEC. The requesting CLEC is not authorized to receive LMU information on a facility used or controlled by another CLEC unless AT&T receives a LOA from the voice CLEC (owner) or its authorized agent on the LMUSI submitted by the requesting CLEC.
- 2.9.1.5 Rightlink USA may choose to use equipment that it deems will enable it to provide a certain type and level of service over a particular AT&T Loop as long as that equipment does not disrupt other services on the AT&T network. The determination shall be made solely by Rightlink USA and AT&T shall not be liable in any way for the performance of the advanced data services provisioned over said Loop. The specific Loop type (e.g., ADSL, HDSL, or otherwise) ordered on the LSR must match the LMU of the Loop reserved taking into consideration any requisite line conditioning. The LMU data is provided for informational purposes only and does not guarantee Rightlink USA's ability to provide advanced data services over the ordered Loop type. Furthermore, the LMU information for Loops other than copper-only Loops (e.g., ADSL, UCL-ND, etc.) that support xDSL services, is subject to change at any time due to modifications and/or upgrades to AT&T's network. Except as set forth in Section 2.9.1.6 below, copper-only Loops will not be subject to change due to modification and/or upgrades to AT&T's network and will remain on copper facilities until the Loop is disconnected by Rightlink USA or the customer, or until AT&T retires the copper facilities via the FCC's and any applicable Commission's requirements. Rightlink USA is fully responsible for any of its service configurations that may differ from AT&T's technical standard for the Loop type ordered.
- 2.9.1.6 If AT&T retires its copper facilities using 47 C.F.R § 51.325(a) requirements; or is required by a governmental agency or regulatory body to move or replace copper facilities as a maintenance procedure, AT&T will notify Rightlink USA, according to the applicable network disclosure

PAGE 28 OF 44
Rightlink USA

1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

requirements. It will be Rightlink USA's responsibility to move any service it may provide over such facilities to alternative facilities. If Rightlink USA fails to move the service to alternative facilities by the date in the network disclosure notice, AT&T may terminate the service to complete the network change.

#### 2.9.2 Submitting LMUSt

- 2.9.2.1 Rightlink USA may obtain LMU information and reserve facilities by submitting a mechanized LMU query or a manual LMUSI according to the terms and conditions as described in the LMU CLEC Information Package, incorporated herein by reference as it may be amended from time to time. The CLEC Information Package is located at the "CLEC UNE Product" on AT&T's Wholesale Southeast Region Web site. After obtaining the Loop information from the mechanized LMU process, if Rightlink USA needs further Loop information in order to determine Loop service capability, Rightlink USA may initiate a separate Manual SI for a separate nonrecurring charge as set forth in Exhibit A.
- 2.9.2.2 All LSRs issued for reserved facilities shall reference the facility reservation number as provided by AT&T. Rightlink USA will not be billed any additional LMU charges for the Loop ordered on such LSR. If, however, Rightlink USA does not reserve facilities upon an initial LMUSI, Rightlink USA's placement of an order for an advanced data service type facility will incur the appropriate billing charges to include SI and reservation per Exhibit A.
- 2.9.2.3 Where Rightlink USA has reserved multiple Loop facilities on a single reservation, Rightlink USA may not specify which facility shall be provisioned when submitting the LSR. For those occasions, AT&T will assign to Rightlink USA, subject to availability, a facility that meets the AT&T technical standards of the AT&T type Loop as ordered by Rightlink USA.
- 2.9.2.4 Charges for preordering manual LMUSI or mechanized LMU are separate from any charges associated with ordering other services from AT&T.

#### 3 Line Splitting

- 3.1 Line splitting shall mean that a provider of data services (a Data LEC) and a provider of voice services (a Voice CLEC) to deliver voice and data service to customers over the same Loop. The Voice CLEC and Data LEC may be the same or different carriers. AT&T will provide Line Splitting over a Loop (UNE-L) purchased by Rightlink USA pursuant to this Agreement.
- 3.2 <u>Line Splitting UNE-L.</u> In the event Rightlink USA provides its own switching or obtains switching from a third party, Rightlink USA may engage in line splitting arrangements with another CLEC using a splitter, provided by Rightlink USA, in a Collocation Space at the central office where the loop terminates into a distribution frame or its equivalent.
- 3.3 AT&T must make all necessary network modifications, including providing nondiscriminatory access to OSS necessary for pre-ordering, ordering, provisioning, maintenance and repair, and billing for Loops used in line splitting arrangements. The Parties may use the Change Control Process to address necessary OSS modifications.

PAGE 29 OF 44

Rightlink USA 1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

3.4	Provisioning Line Splitting – UNE-L
3.4.1	The Voice CLEC provides the splitter when providing Line Splitting with UNE-L. When Rightlink USA owns the splitter, Line Splitting requires the following: a loop from NID at the customer's location to the serving wire center and terminating into a distribution frame or its equivalent.
3.4.2	An unloaded 2-wire copper Loop must serve the customer. The meet point for the Voice CLEC and the Data LEC is the point of termination on the MDF for the Data LEC's cable and pairs.
3.4.3	To order Line Splitting utilizing UNE-L on a particular Loop, Rightlink USA must have a DSLAM collocated in the central office that serves the customer of such Loop.
3.4.4	Rightlink USA may purchase, install and maintain central office POTS splitters in its collocation arrangements. Rightlink USA may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the high frequency spectrum of the UNE-L. Existing Collocation rules and procedures and the terms and conditions relating to Collocation set forth in Attachment 4-Central Office shall apply.
3.5	Maintenance – Line Splitting – UNE-L
3.5.1	AT&T will be responsible for repairing voice troubles and the troubles with the physical loop between the NID at the customer's premises and the termination point.
3.5.2	Rightlink USA shall indemnify, defend and hold harmless AT&T from and against any claims, losses, actions, causes of action, suits, demands, damages, injury, and costs including reasonable attorney fees, which arise out of actions related to the other service provider, except to the extent caused by AT&T's gross negligence or willful misconduct.
3.5.3	For the state of Alabama, the following rights are in addition to the general indemnification rights set forth above:
3.5.3.1	PROVIDED, HOWEVER, that all amounts advanced in respect of such claims, losses and costs shall be repaid to Rightlink USA by AT&T if it shall ultimately be determined in a final judgment without further appeal by a court of appropriate jurisdiction that AT&T is not entitled to be indemnified for such claims, losses and costs because the Claims, Losses and Costs arose as a result of AT&T's gross negligence or willful misconduct.
3.5.3.2	AT&T will indemnify, defend and hold harmless Rightlink USA from and against any Claims, Losses and Costs which arise out of actions related to the other service provider (i.e. CLEC party to the line splitting arrangement who is not Rightlink USA brought against Rightlink USA to the extent such Claim alleges that the cause of Claim, Loss and Cost was found to be the result of AT&T's gross negligence or willful misconduct.
3.5.3.3	PROVIDED, HOWEVER, that AT&T shall have no obligation to indemnify Rightlink USA under this section unless Rightlink USA provides AT&T with prompt written notice of any such Claim; Rightlink USA permits AT&T to assume and control the defense to such action, with counsel chosen by AT&T and AT&T does not enter into any settlement or compromise of such Claim.

PAGE 30 OF 44 Rightlink USA

1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

3.5.3.4	PROVIDED, HOWEVER, that all amounts advanced in respect of such Claims, Losses and Costs shall be repaid to AT&T by Rightlink USA if it shall ultimately be determined in a final judgment without further appeal by a court of appropriate jurisdiction that Rightlink USA is not entitled to be indemnified for such Claims, Losses and Costs because the Claims, Losses and Costs did not arises as a result of AT&T's gross negligence or willful misconduct.
3.5.3.5	Definitions:
3.5.3,5.1	"Claim" means any threatened, pending or completed action, suit or proceeding, or any inquiry or investigation that AT&T or Rightlink USA in good faith believes might lead to the institution of any such action, suit or proceeding.
3.5.3.5.2	"Loss" means any and all damages, injuries, judgments, fines penalties, amounts paid or payable in settlement, deficiencies, and expenses (including all interest, assessments, and other charges paid or payable in connection with or respect of such Losses) incurred in connection with the Claim.
3.5.3.5.3	"Costs" means all reasonable attorney's fees and all other reasonable fees, expenses and obligations paid or incurred in connection with the Claim or related matters, including without limitation, investigating, defending, or participating (as a party, witness or otherwise) in (including on appeal), or preparing to defend or participate in any Claim.
3.6	Line Splitting - Loop and Port for the states of Georgia and North Carolina only
3.6.1	To the extent Rightlink USA is using a commingled arrangement that consists of a Loop purchased pursuant to this Agreement and Local Switching provided by AT&T pursuant to Section 271, AT&T will permit Rightlink USA to utilize Line Splitting. AT&T shall charge the applicable line splitting rates set forth in Exhibit A of this Agreement.
3.6.2	Rightlink USA shall provide AT&T with a signed LOA between it and the third party CLEC (Data CLEC or Voice CLEC) with which it desires to provision Line Splitting services, where Rightlink USA will not provide voice and data services.
3.6.3	Provisioning Line Splitting and Splitter Space - Loop and Port
3.6.3.1	The Data LEC, Voice CLEC, or a third party may provide the splitter. When Rightlink USA or its authorized agent owns the splitter, Line Splitting requires the following: a non-designed analog Loop from the serving wire center to the NID at the customer's location; a collocation cross-connection connecting the Loop to the collocation space; and a second collocation cross-connection from the collocation space connected to a voice port.
3.6.3.2	An unloaded 2-wire copper Loop must serve the customer. The meet point for the Voice CLEC and the Data CLEC is the point of termination on the MDF for the Data CLEC's cable and pairs.
3.6.4	CLEC Provided Splitter - Line Splitting - Loop and Port
3.6.4.1	Rightlink USA or its authorized agent may purchase, install and maintain central office line splitters in its collocation arrangements. Rightlink USA or its authorized agent may use such splitters for

PAGE 31 OF 44 Rightlink USA

1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

access to its customers and to provide digital line subscriber services to its customers using the High Frequency Spectrum. Existing collocation rules and procedures and the terms and conditions relating to collocation set forth in Attachment 4-Central Office shall apply.

3.6.4.2 Any splitters installed by Rightlink USA or its authorized agent in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter standards. Rightlink USA or its authorized agent may install any splitters that AT&T deploys or permits to be deployed for itself or any AT&T affiliate.

#### 3.6.5 <u>Maintenance – Line Splitting – Loop and Port</u>

3.6.5.1 AT&T will be responsible for repairing troubles with the physical Loop between the NID at the customer's premises and the termination point.

#### 4 Unbundled Network Element Combinations

- 4.1 For purposes of this Section, references to "Currently Combined" Network Elements shall mean that the particular Network Elements requested by Rightlink USA are in fact already combined by AT&T in the AT&T network. References to "Ordinarily Combined" Network Elements shall mean that the particular Network Elements requested by Rightlink USA are not already combined by AT&T in the location requested by Rightlink USA but are elements that are typically combined in AT&T's network. References to "Not Typically Combined" Network Elements shall mean that the particular Network Elements requested by Rightlink USA are not elements that AT&T combines for its use in its network.
- 4.1.1 Except as otherwise set forth in this Agreement, upon request, AT&T shall perform the functions necessary to combine Network Elements that AT&T is required to provide under this Agreement in any manner, even if those elements are not ordinarily combined in AT&T's network, provided that such Combination is technically feasible and will not undermine the ability of other carriers to obtain access to Network Elements or to interconnect with AT&T's network.
- 4.1.2 To the extent Rightlink USA requests a Combination for which AT&T does not have methods and procedures in place to provide such Combination, rates and/or methods or procedures for such Combination will be developed pursuant to the BFR process.

#### 4.2 Rates

- 4.2.1 The rates for the Currently Combined Network Elements specifically set forth in Exhibit A shall be the rates associated with such Combinations. Where a Currently Combined Combination is not specifically set forth in Exhibit A, the rate for such Currently Combined Combination shall be the sum of the recurring rates for those individual Network Elements as set forth in Exhibit A and/or Exhibit B in addition to the applicable nonrecurring switch-as-is charge set forth in Exhibit A.
- 4.2.2 The rates for the Ordinarily Combined Network Elements specifically set forth in Exhibit A shall be the nonrecurring and recurring charges for those Combinations. Where an Ordinarily Combined Combination is not specifically set forth in Exhibit A, the rate for such Ordinarily Combined Combination shall be the sum of the recurring rates for those individual Network Elements as set

# ATT 2 – NETWORK ELEMENTS AND OTHER SERVICES/<u>AT&T-9STATE</u> PAGE 32 OF 44

Rightlink USA 1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

forth in Exhibit A and/or Exhibit B and nonrecurring rates for those individual Network Elements as set forth in Exhibit A.

4.2.3	The rates for Not Typically Combined Combinations shall be developed pursuant to the BFR process upon request of Rightlink USA.
4.3	Enhanced Extended Links (EELs)
4.3.1	EELs are combinations of Loops and Dedicated Transport as defined in this Attachment, together with any facilities, equipment, or functions necessary to combine those Network Elements. AT&T shall provide Rightlink USA with EELs where the underlying Network Element are available and are required to be provided pursuant to this Agreement and in all instances where the requesting carrier meets the eligibility requirements, if applicable.
4.3.2	High-capacity EELs are (1) combinations of Loop and Dedicated Transport, (2) Dedicated Transport commingled with a wholesale loop, or (3) a loop commingled with wholesale transport at the DS1 and/or DS3 level as described in 47 C.F.R. § 51.318(b).
4.3.3	By placing an order for a high-capacity EEL, Rightlink USA thereby certifies that the service eligibility criteria set forth herein are met for access to a converted high-capacity EEL, a new high-capacity EEL, or part of a high-capacity commingled EEL as a Network Element. AT&T shall have the right to audit Rightlink USA's high-capacity EELs as specified below.
4.3.4	Service Eligibility Criteria
4.3.4.1	High capacity EELs must comply with the following service eligibility requirements. Rightlink USA must certify for each high-capacity EEL that all of the following service eligibility criteria are met:
4.3.4.1.1	Rightlink USA has received state certification to provide local voice service in the area being served;
4.3.4.2	For each combined circuit, including each DS1 circuit, each DS1 EEL, and each DS1-equivalent circuit on a DS3 EEL:
4.3.4.2.1	Each circuit to be provided to each customer will be assigned a local number prior to the provision of service over that circuit;
4.3.4.2.2	2) Each DS1-equivalent circuit on a DS3 EEL must have its own local number assignment so that each DS3 must have at least twenty-eight (28) local voice numbers assigned to it;
4.3.4.2.3	3) Each circuit to be provided to each customer will have 911 or E911 capability prior to provision of service over that circuit;
4.3.4.2.4	4) Each circuit to be provided to each customer will terminate in a collocation arrangement that meets the requirements of 47 C.F.R. § 51.318(c);

PAGE 33 OF 44

Rightlink USA

1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

- 4.3.4.2.5 5) Each circuit to be provided to each customer will be served by an interconnection trunk over which Rightlink USA will transmit the calling party's number in connection with calls exchanged over the trunk;
- 4.3.4.2.6 6) For each twenty-four (24) DS1 EELs or other facilities having equivalent capacity, Rightlink USA will have at least one (1) active DS1 local service interconnection trunk over which Rightlink USA will transmit the calling party's number in connection with calls exchanged over the trunk; and
- 4.3.4.2.7 7) Each circuit to be provided to each customer will be served by a switch capable of switching local voice traffic.
- 4.3.4.3 AT&T may, on an annual basis, audit Rightlink USA's records in order to verify compliance with the qualifying service eligibility criteria. To invoke the audit, AT&T will send a Notice of Audit to Rightlink USA. Such Notice of Audit will be delivered to Rightlink USA no less than thirty (30) days prior to the date upon which AT&T seeks to commence an audit.
- 4.3.4.3.1 Such Notice of Audit to Rightlink USA shall state AT&T's concern that Rightlink USA is not complying with the service eligibility requirements as set forth above and a concise statement of the reasons therefor. AT&T is not required to provide documentation, as distinct from a statement of concern, to support its basis for an audit, or seek the concurrence of the requesting carrier before selecting the location of the audit. AT&T may select the independent auditor without the prior approval of Rightlink USA or the Commission. Challenges to the independence of the auditor may be filed with the Commission only after the audit has been concluded.
- 4.3.4.3.2 For the state of Alabama, Rightlink USA may, however, challenge the legal qualifications of the auditor selected by filing an objection to that effect with the Commission within 10 days of receiving AT&T's Notice of Audit.
- 4.3.4.3.3 For the state of Louisiana, AT&T's notice to Rightlink USA shall include a listing of the circuits for which AT&T alleges noncompliance, including all supporting documentation and a list of three auditors from which Rightlink USA may choose one to conduct the audit.
- 4.3.4.4 The audit shall be conducted by a third party independent auditor, and the audit must be performed in accordance with the standards established by the American Institute for Certified Public Accountants (AICPA) which will require the auditor to perform an "examination engagement" and issue a report regarding Rightlink USA's compliance with the high capacity EEL eligibility criteria. AICPA standards and other AICPA requirements will be used to determine the independence of an auditor. The independent auditor's report will conclude whether Rightlink USA complied in all material respects with the applicable service eligibility criteria. Consistent with standard auditing practices, such audits require compliance testing designed by the independent auditor.
- 4.3.4.5 To the extent the independent auditor's report concludes that Rightlink USA failed to comply with the service eligibility criteria, Rightlink USA must true-up any difference in payments, convert all noncompliant circuits to the appropriate service, and make the correct payments on a going-forward basis. In the event the auditor's report concludes that Rightlink USA did not comply in any material respect with the service eligibility criteria, Rightlink USA shall reimburse AT&T for the cost of the independent auditor. To the extent the auditor's report concludes that Rightlink USA did

PAGE 34 OF 44

Rightlink USA

1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

comply in all material respects with the service eligibility criteria, AT&T will reimburse Rightlink USA for its reasonable and demonstrable costs associated with the audit. Rightlink USA will maintain appropriate documentation to support its certifications. The Parties shall provide such reimbursement within thirty (30) days of receipt of a statement of such costs.

- 4.3.4.5.1 For the state of Alabama, Rightlink USA will maintain appropriate documentation to support its certifications and may dispute any portion of the findings of an audit by petitioning the Commission for a review within twenty (20) days of receiving the reported findings of the auditor.
- 4.3.4.6 In the event Rightlink USA converts special access services to Network Elements, Rightlink USA shall be subject to the termination liability provisions in the applicable special access tariffs, if any,

#### 5 Dedicated Transport and Dark Fiber Transport

- Dedicated Transport. Dedicated Transport is defined as AT&T's transmission facilities between 5.1 wire centers or switches owned by AT&T, or between wire centers or switches owned by AT&T and switches owned by Rightlink USA, including but not limited to DS1, DS3 and OCn level services, as well as dark fiber, dedicated to Rightlink USA. AT&T shall not be required to provide access to OCn level Dedicated Transport under any circumstances pursuant to this Agreement.
- 5.2 DS1 and DS3 Dedicated Transport Requirements
- 5.2.1 For purposes of this Section 5.2, a Business Line is as defined in 47 C.F.R. § 51,5.
- 5.2.2 Notwithstanding anything to the contrary in this Agreement, AT&T shall make available Dedicated Transport as described in this Agreement, except in any wire center meeting the criteria described below:
- 5.2.2.1 DS1 Dedicated Transport where both wire centers at the end points of the route contain thirty-eight thousand (38,000) or more Business Lines or four (4) or more fiber-based collocators.
- DS3 Dedicated Transport where both wire centers at the end points of the route contain twenty-four 5.2.2.2 thousand (24,000) or more Business Lines or three (3) or more fiber-based collocators.
- 5.2.2.3 The Master List of Unimpaired Wire Centers and AT&T's List of Unimpaired Wire Centers, as described in Section 1.8, sets forth the list of wire centers meeting the criteria set forth in Sections 5.2.2.1 and 5.2.2.2 above as of March 11, 2005.
- Once a wire center meets or exceeds either of the thresholds set forth in Section 5.2.2.1 above, no 5.2.2.4 future DS1 Dedicated Transport unbundling will be required between that wire center and any other wire center exceeding these same thresholds.
- 5.2.2.5 Once a wire center meets or exceeds either of the thresholds set forth in Section 5.2.2.2 above, no future DS3 Dedicated Transport will be required between that wire center and any other wire center meeting or exceeding these same thresholds.

PAGE 35 OF 44

Rightlink USA 1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

5.2.2.6	Modifications and Updates to the Wire Center List and Subsequent Transition Periods
5.2.2.6.1	In the event AT&T identifies additional wire centers that meet the criteria set forth in Sections 5.2.2.1 or 5.2.2.2 above, but that were not included in the Master List of Unimpaired Wire Centers or AT&T's List of Unimpaired Wire Centers, AT&T shall include such additional wire centers in a Accessible Letter. Each such list of additional wire centers shall be considered a Subsequent Wire Center List. AT&T will follow any notification procedures set forth in applicable Commission orders.
5.2.2.6.2	Rightlink USA shall have thirty (30) business days to dispute the additional wire centers listed on AT&T's Accessible Letter. Absent such dispute, effective thirty (30) business days after the date of an AT&T Accessible Letter providing a Subsequent Wire Center List, AT&T shall not be required to provide DS1 and DS3 Dedicated Transport, as applicable, in such additional wire center(s), except pursuant to the self-certification process as set forth in Section 1.8 of this Attachment.
5.2.2.6.3	For purposes of Section 5.2.2.6 above, AT&T shall make available DS1 and DS3 Dedicated Transport that were in service for Rightlink USA in a wire center on the Subsequent Wire Center List as of the thirtieth (30th) business day after the date of AT&T's Accessible Letter identifying the Subsequent Wire Center List (Subsequent Embedded Base) until one hundred eighty (180) days after the thirtieth (30th) business day from the date of AT&T's Accessible Letter identifying the Subsequent Wire Center List (Subsequent Transition Period).
5.2.2.6.4	The rates set forth in Exhibit B shall apply to the Subsequent Embedded Base during the Subsequent Transition Period.
5.2.2.6.5	No later than one hundred eighty (180) days from AT&T's Accessible Letter identifying the Subsequent Wire Center List, Rightlink USA shall submit an LSR(s) or spreadsheet(s) as applicable, identifying the Subsequent Embedded Base of circuits to be disconnected or converted to other AT&T services.
5.2.2.6.6	In the case of disconnection, the applicable disconnect charges set forth in this Agreement shall apply.
5.2.2.6.6.1	If Rightlink USA fails to submit the LSR(s) or spreadsheet(s) for all of its Subsequent Embedded Base by one hundred eighty (180) days after the date of AT&T's Accessible Letter identifying the Subsequent Wire Center List, AT&T will identify Rightlink USA's remaining Subsequent Embedded Base, if any, and will transition such circuits to the equivalent tariffed AT&T service(s). In the states of Florida, Mississippi and South Carolina, those circuits identified and transitioned by AT&T shall be subject to the applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed AT&T service as set forth in AT&T's tariffs. In the states of Alabama, Georgia and North Carolina, those circuits identified and transitioned by AT&T shall be subject to the applicable switch-as-is rates set forth in Exhibit A of Attachment 2. For the state of Louisiana, those circuits identified and transitioned by AT&T shall be subject to the applicable switch-as-is rates set forth in AT&T's tariffs.
5.2.2.6.7	For Subsequent Embedded Base circuits converted pursuant to Section 5.2.2.6.5 above or transitioned pursuant to Section 5.2.2.6.6.1 above, the applicable recurring tariff charges shall

PAGE 36 OF 44

Rightlink USA

#### 1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

apply as of the earlier of the date each circuit is converted or transitioned, as applicable, or the first day after the end of the Subsequent Transition Period.

5.2.3	AT&T shall:
5.2.4	Provide Rightlink USA exclusive use of Dedicated Transport to a particular customer or carrier;
5.2.5	Provide all technically feasible features, functions, and capabilities of Dedicated Transport as outlined within the technical requirements of this section;
5.2.6	Permit, to the extent technically feasible, Rightlink USA to connect Dedicated Transport to equipment designated by Rightlink USA, including but not limited to, Rightlink USA's collocated facilities; and
5.2.7	Permit, to the extent technically feasible, Rightlink USA to obtain the functionality provided by AT&T's digital cross-connect systems.
5.3	AT&T shall offer Dedicated Transport:
5.3.1	As capacity on a shared facility; and
5.3.2	As a circuit (i.e., DS0, DS1, DS3, STS-1) dedicated to Rightlink USA.
5.4	Dedicated Transport may be provided over facilities such as optical fiber, copper twisted pair, and coaxial cable, and shall include transmission equipment such as line terminating equipment, amplifiers, and regenerators.
5.5	Rightlink USA may obtain a maximum of twelve (12) unbundled DS3 Dedicated Transport circuits on each Route where DS3 Dedicated Transport is available as a Network Element, and a maximum of ten (10) unbundled DS1 Dedicated Transport circuits on each Route where there is no 251(c)(3) unbundling obligation for DS3 Dedicated Transport, but for which impairment exists for DS1 Dedicated Transport. For purposes of this Section 5, a "Route" is defined in 47 C.F.R. § 51.319 (e) as a transmission path between one of an incumbent LEC's wire centers or switches and another of the incumbent LECs wire centers or switches. A route between two (2) points (e.g. wire center or switch "A" and wire center or switch "Z") may pass through one or more intermediate wire centers or switches (e.g. wire center or switch "X"). Transmission paths between the same end points (e.g. wire center or switch "A" and wire center or switch "Z") are the same "route", irrespective of whether they pass through the same intermediate wire centers or switches, if any.
5.6	Technical Requirements
5.6.1	AT&T shall offer DS0 equivalent interface transmission rates for DS0 or voice grade Dedicated Transport. For DS1 or DS3 circuits, Dedicated Transport shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Customer Interface to Central Office (CI to CO) connections in the applicable industry standards.
5.6.2	AT&T shall offer the following interface transmission rates for Dedicated Transport:

PAGE 37 OF 44

Rightlink USA 1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

5.6.2.1	DS0 Equivalent;
5.6.2.2	DS1;
5.6.2.3	DS3;
5.6.2.4	STS-1; and
5.6.2.5	SDH (Synchronous Digital Hierarchy) Standard interface rates are in accordance with International Telecommunications Union (ITU) Recommendation G.707 and Plesiochronous Digital Hierarchy (PDH) rates per ITU Recommendation G.704.
5.6.3	AT&T shall design Dedicated Transport according to its network infrastructure. Rightlink USA shall specify the termination points for Dedicated Transport.
5.6.4	At a minimum, Dedicated Transport shall meet each of the requirements set forth in the applicable industry technical references and AT&T Technical References;
5.6.4.1	Telcordia TR-TSY-000191 Alarm Indication Signals Requirements and Objectives, Issue 1, May 1986.
5.6.4.2	AT&T's TR73501 LightGate®Service Interface and Performance Specifications, Issue D, June 1995.
5.6.4.3	AT&T's TR73525 MegaLink®Service, MegaLink Channel Service and MegaLink Plus Service Interface and Performance Specifications, Issue C, May 1996.
5.7	Unbundled Channelization (Multiplexing)
5.7.1	To the extent Rightlink USA is purchasing DS1 or DS3 or STS-1 Dedicated Transport pursuant to this Agreement, Unbundled Channelization (UC) provides the optional multiplexing capability that will allow a DS1 (1.544 Mbps) or DS3 (44.736 Mbps) or STS-1 (51.84 Mbps) Network Elements to be multiplexed or channelized at an AT&T central office. Channelization can be accomplished through the use of a multiplexer or a digital cross-connect system at the discretion of AT&T. Once UC has been installed, Rightlink USA may request channel activation on a channelized facility and AT&T shall connect the requested facilities via COCIs. The COCI must be compatible with the lower capacity facility and ordered with the lower capacity facility. This service is available as defined in NECA 4.
5.7.2	AT&T shall make available the following channelization systems and interfaces:
5.7.2.1	DS1 Channelization System: channelizes a DS1 signal into a maximum of twenty-four (24) DS0s. The following COCI are available: Voice Grade, Digital Data and ISDN.
5.7.2.2	DS3 Channelization System: channelizes a DS3 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.

PAGE 38 OF 44

Rightlink USA 1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

5.7.2.3	STS-1 Channelization System: channelizes a STS-1 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.
5.7.3	<u>Technical Requirements.</u> In order to assure proper operation with AT&T provided central office multiplexing functionality, Rightlink USA's channelization equipment must adhere strictly to form and protocol standards. Rightlink USA must also adhere to such applicable industry standards for the multiplex channel bank, for voice frequency encoding, for various signaling schemes, and for sub rate digital access.
5.8	<u>Dark Fiber Transport.</u> Dark Fiber Transport is defined as Dedicated Transport that consists of unactivated optical interoffice transmission facilities without attached signal regeneration, multiplexing, aggregation or other electronics.
5.8.1	Dark Fiber Transport Requirements
5.8.1.1	For purposes of this Section 5.8, a Business Line is as defined in 47 C.F.R. § 51.5.
5.8.1.2	Notwithstanding anything to the contrary in this Agreement, AT&T shall make available Dark Fiber Transport as described in this Agreement, except in any wire center meeting the criteria described below:
5.8.1.2.1	Dark Fiber Transport where both wire centers at the end points of the route contain twenty-four thousand (24,000) or more Business Lines or three (3) or more fiber-based collocators.
5.8.1.3	The Master List of Unimpaired Wire Centers or AT&T's List of Unimpaired Wire Centers, as described in Section 1.8, sets forth the list of wire centers meeting the criteria set forth in Section 5.8.1.2.1 above as of March 11, 2005.
5.8.1.4	Once any wire center exceeds either of the thresholds set forth in Section 5.8.1.2.1 above, no future Dark Fiber Transport unbundling will be required in that wire center.
5.8.1.5	Modifications and Updates to the Wire Center List and Subsequent Transition Periods
5.8.1.5.1	In the event AT&T identifies additional wire centers that meet the criteria set forth in Section 5.8.1.2.1 above, but that were not included in the Master List of Unimpaired Wire Centers or AT&T's List of Unimpaired Wire Centers, AT&T shall include such additional wire centers in an Accessible Letter. Each such list of additional wire centers shall be considered a "Subsequent Wire Center List". AT&T will follow any notification procedures in applicable Commission orders.
5.8.1.5.2	Rightlink USA shall have thirty (30) business days to dispute the additional wire centers listed on AT&T's Accessible Letter. Absent such dispute, effective thirty (30) business days after the date of an AT&T Accessible Letter providing a Subsequent Wire Center List, AT&T shall not be required to provide unbundled access to Dark Fiber Transport, as applicable, in such additional wire center(s), except pursuant to the self-certification process as set forth in Section 1.8 of this Attachment.
5.8.1.5.3	For purposes of Section 5.8.1.5 above, AT&T shall make available Dark Fiber Transport that was in service for Rightlink USA in a wire center on the Subsequent Wire Center List as of the thirtieth (30)

PAGE 39 OF 44 Rightlink USA

1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

business day after the date of AT&T's Accessible Letter identifying the Subsequent Wire Center List (Subsequent Embedded Base) until one hundred eighty (180) days after the thirtieth (30th) business day from the date of AT&T's Accessible Letter identifying the Subsequent Wire Center List (Subsequent Transition Period).

- 5.8.1.5.4 The rates set forth in Exhibit B shall apply to the Subsequent Embedded Base during the Subsequent Transition Period.
- 5.8.1.5.5 No later than one hundred eighty (180) days from AT&T's Accessible Letter identifying the Subsequent Wire Center List, Rightlink USA shall submit an LSR(s) or spreadsheet(s) as applicable, identifying the Subsequent Embedded Base of circuits to be disconnected or converted to other AT&T services.
- 5.8.1.5.6 In the case of disconnection, the applicable disconnect charges set forth in this Agreement shall apply.
- 5.8.1.5.6.1 If Rightlink USA fails to submit the LSR(s) or spreadsheet(s) for all of its Subsequent Embedded
  Base by one hundred eighty (180) days after the date of AT&T's Accessible Letter identifying the
  Subsequent Wire Center List, AT&T will identify Rightlink USA's remaining Subsequent Embedded
  Base, if any, and will transition such circuits to the equivalent tariffed AT&T service(s).
- In the states of Florida, Mississippi and South Carolina, those circuits identified and transitioned by AT&T shall be subject to the applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed AT&T service as set forth in AT&T's tariffs. In the states of Alabama, Georgia and South Carolina, those circuits identified and transitioned by AT&T shall be subject to the applicable switch-as-is rates set forth in Exhibit A of Attachment 2. In the state of Louisiana, those circuits identified and transitioned by AT&T shall be subject to the full nonrecurring charges for installation of the equivalent tariffed AT&T service as set forth in AT&T's tariffs.
- 5.8.1.5.6.3 For Subsequent Embedded Base circuits converted pursuant to Section 5.8.1.5.5 above or transitioned pursuant to Section 5.8.1.5.6.1 above, the applicable recurring tariff charges shall apply as of the earlier of the date each circuit is converted or transitioned, as applicable, or the first day after the end of the Subsequent Transition Period.

#### 5.9 Rearrangements

- 5.9.1 A request to move a working Rightlink USA Dedicated Transport circuit or a Combination including Dedicated Transport from one connecting facility assignment (CFA) to another CFA in the same AT&T Central Office (Change in CFA), shall not constitute the establishment of new service. The applicable Rearrangement rates for the Change in CFA are set forth in Exhibit A.
- 5.9.2 A request to reterminate one end of a Dedicated Transport facility that is not a Change in CFA and thus results in retermination in a different AT&T Central Office (Retermination) shall constitute disconnection of existing service and the establishment of new service. Disconnect charges and full nonrecurring charges for establishment of service, as set forth in Exhibit A, shall apply.

PAGE 40 OF 44 Rightlink USA

1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

- 5.9.3 Upon request of Rightlink USA, AT&T shall project manage the Change in CFA or Retermination of Dedicated Transport and Combinations that include Dedicated Transport as described in Sections 5.9.1 and 5.9.2 above and Rightlink USA may request OC-TS for such orders.
- 5.9.4 AT&T shall accept a LOA between Rightlink USA and another carrier that will allow Rightlink USA, in connection with a Change in CFA or Retermination, to connect Dedicated Transport or a Combination that includes Dedicated Transport, via a CFA, to the other carrier's collocation space or to another carrier's Multiplexer.

#### 6 Automatic Location Identification/Data Management System (ALI/DMS)

#### 6.1 911 and E911 Databases

- 6.1.1 AT&T shall provide Rightlink USA with nondiscriminatory access to 911 and E911 databases on an unbundled basis, in accordance with 47 C.F.R. § 51.319 (f).
- 6.1.2 The ALI/DMS database contains end user information (including name, address, telephone information, and sometimes special information from the local service provider or end user) used to determine to which PSAP to route the call. The ALI/DMS database is used to provide enhanced routing flexibility for E911. Rightlink USA will be required to provide the AT&T 911 database vendor daily service order updates to E911 database in accordance with Section 6.2.1 below.

#### 6.2 Technical Requirements

- AT&T's 911 database vendor shall provide Rightlink USA the capability of providing updates to the ALI/DMS database through a specified electronic interface. Rightlink USA shall contact AT&T's 911 database vendor directly to request interface. Rightlink USA shall provide updates directly to AT&T's 911 database vendor on a daily basis. Updates shall be the responsibility of Rightlink USA and AT&T shall not be liable for the transactions between Rightlink USA and AT&T's 911 database vendor.
- 6.2.2 It is Rightlink USA's responsibility to retrieve and confirm statistical data and to correct errors obtained from AT&T's 911 database vendor on a daily basis. All errors will be assigned a unique error code and the description of the error and the corrective action is described in the CLEC Users Guide for Facility Based Providers that is found on the AT&T Wholesale Southeast Region Web site.
- 6.2.3 Rightlink USA shall conform to the AT&T standards as described in the CLEC Users Guide to E911 for Facilities Based Providers that is located on the AT&T Wholesale Southeast Region Web site.
- 6.2.4 Stranded Unlocks are defined as end user records in AT&T's ALI/DMS database that have not been migrated for over ninety (90) days to Rightlink USA, as a new provider of local service to the end user. Stranded Unlocks are those end user records that have been "unlocked" by the previous local exchange carrier that provided service to the end user and are open for Rightlink USA to assume responsibility for such records.

PAGE 41 OF 44 Rightlink USA

1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

- 6.2.4.1 Based upon end user record ownership information available in the NPAC database, AT&T shall provide a Stranded Unlock annual report to Rightlink USA that reflects all Stranded Unlocks that remain in the ALI/DMS database for over ninety (90) days. Rightlink USA shall review the Stranded Unlock report, identify its end user records and request to either delete such records or migrate the records to Rightlink USA within two (2) months following the date of the Stranded Unlock report provided by AT&T. Rightlink USA shall reimburse AT&T for any charges AT&T's database vendor imposes on AT&T for the deletion of Rightlink USA's records. 6.3 911 PBX\_Locate Service. 911 PBX Locate Service is comprised of a database capability and a separate transport component. 6.3.1 Description of Product. The transport component provides a dedicated trunk path from a Private Branch Exchange (PBX) switch to the appropriate AT&T 911 tandem. The database capability allows Rightlink USA to offer an E911 service to its PBX end users that 6.3.1.1 identifies to the PSAP the physical location of the Rightlink USA PBX 911 end user station telephone number for the 911 call that is placed by the end user. 6.3.2 Rightlink USA may order either the database capability or the transport component as desired or Rightlink USA may order both components of the service. 6.3.3 911 PBX Locate Database Capability. Rightlink USA's end user or Rightlink USA's end user's database management agent (DMA) must provide the end user PBX station telephone numbers and corresponding address and location data to AT&T's 911 database yendor. The data will be loaded and maintained in AT&T's ALI database. 6.3.4 Ordering, provisioning, testing and maintenance shall be provided by Rightlink USA pursuant to the 911 PBX Locate Marketing Service Description (MSD) that is located on the AT&T Wholesale -
- Rightlink USA's end user, or Rightlink USA's end user DMA must provide ongoing updates to AT&T's 911 database vendor within a commercially reasonable timeframe of all PBX station telephone number adds, moves and deletions. It will be the responsibility of Rightlink USA to ensure that the end user or DMA maintain the data pertaining to each end user's extension managed by the 911 PBX Locate Service product. Rightlink USA should not submit telephone number updates for specific PBX station telephone numbers that are submitted by Rightlink USA's end user, or Rightlink USA's end user DMA under the terms of 911 PBX Locate product.

Southeast Region Web site.

- 6.3.5.1 Rightlink USA must provision all PBX station numbers in the same LATA as the E911 tandem.
- 6.3.6 Rightlink USA agrees to release, indemnify, defend and hold harmless AT&T from any and all loss, claims, demands, suits, or other action, or any liability whatsoever, whether suffered, made, instituted or asserted by Rightlink USA's end user or by any other party or person, for any personal injury to or death of any person or persons, or for any loss, damage or destruction of any property, whether owned by Rightlink USA or others, or for any infringement or invasion of the right of privacy of any person or persons, caused or claimed to have been caused, directly or indirectly, by the installation, operation, failure to operate, maintenance, removal, presence, condition, location or

PAGE 42 OF 44 Rightlink USA

1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

use of PBX Locate Service features or by any services which are or may be furnished by AT&T in connection therewith, including but not limited to the identification of the telephone number, address or name associated with the telephone used by the party or parties accessing 911 services using 911 PBX Locate Service hereunder, except to the extent caused by AT&T's gross negligence or wilful misconduct. Rightlink USA is responsible for assuring that its authorized end users comply with the provisions of these terms and that unauthorized persons do not gain access to or use the 911 PBX Locate Service through user names, passwords, or other identifiers assigned to Rightlink USA's end user or DMA pursuant to these terms. Specifically, Rightlink USA's end user or DMA must keep and protect from use by any unauthorized individual identifiers, passwords, and any other security token(s) and devices that are provided for access to this product.

- 6.3.7 Rightlink USA may only use AT&T PBX Locate Service solely for the purpose of validating and correcting 911 related data for Rightlink USA's end users' telephone numbers for which it has direct management authority.
- 6.3.8 <u>911 PBX Locate Transport Component.</u> The 911 PBX Locate Service transport component requires Rightlink USA to order a CAMA type dedicated trunk from Rightlink USA's end user premise to the appropriate AT&T 911 tandem pursuant to the following provisions.
- Except as otherwise set forth below, a minimum of two (2) end user specific, dedicated 911 trunks are required between the Rightlink USA's end user premise and the AT&T 911 tandem as described in AT&T's TR 73576 and in accordance with the 911 PBX Locate Marketing Service Description located on the AT&T Wholesale Southeast Region Web site. Rightlink USA is responsible for connectivity between the end user's PBX and Rightlink USA's switch or POP location. Rightlink USA will then order 911 trunks from their switch or POP location to the AT&T 911 tandem. The dedicated trunks shall be, at a minimum, DS0 level trunks configured as part of a digital interface (delivered over a Rightlink USA purchased DS1 facility that hands off at a DS1 or higher level digital or optical interface). Rightlink USA is responsible for ensuring that the PBX switch is capable of sending the calling station's Direct Inward Dial (DID) telephone number to the AT&T 911 tandem in a specified Multi-frequency (MF) Address Signaling Protocot. If the PBX switch supports Primary Rate ISDN (PRI) and the calling stations are DID numbers, then the 911 call can be transmitted using PRI, and there will be no requirement for the PBX Locate Transport component.
- 6.3.9 Ordering and Provisioning. Rightlink USA will submit an Access Service Request (ASR) to AT&T to order a minimum of two (2) end user specific 911 trunks from its switch or POP location to the AT&T 911 tandem.
- 6.3.9.1 Testing and maintenance shall be provided by Rightlink USA pursuant to the 911 PBX Locate

  Marketing Service description that is located on the AT&T Wholesale Southeast Region Web site.
- 6.3.10 Rates. Rates for the 911 PBX Locate Service database component are set forth in Exhibit A.

  Trunks and facilities for 911 PBX Locate transport component may be ordered by Rightlink USA pursuant to the terms and conditions set forth in Attachment 3.

# ATT 2 – NETWORK ELEMENTS AND OTHER SERVICES/AT&T-9STATE PAGE 43 OF 44 Rightlink USA 1Q08 GENERIC INTERCONNECTION AGREEMENT ~ 03/10/08

#### 7 White Pages Listings

- 7.1 AT&T shall provide Rightlink USA and its customers access to white pages directory listings under the following terms:
- 7.1.1 Listings. Rightlink USA shall provide all new, changed and deleted listings on a timely basis and AT&T or its agent will include Rightlink USA residential and business customer listings in the appropriate White Pages (residential and business) or alphabetical directories in the geographic areas covered by this Agreement. Directory listings will make no distinction between Rightlink USA and AT&T customers. Rightlink USA shall provide listing information in accordance with the procedures set forth in The AT&T Business Rules for Local Ordering found at AT&T's Wholesale Southeast Region Web site.
- 7.1.2 <u>Unlisted/Non-Published Customers.</u> Rightlink USA will be required to provide to AT&T the names, addresses and telephone numbers of all Rightlink USA customers who wish to be omitted from directories. Unlisted/Non-Published listings will be subject to the rates as set forth in AT&T's GSST and shall not be subject to wholesale discount.
- 7.1.3 Inclusion of Rightlink USA Customers in Directory Assistance Database. AT&T will include and maintain Rightlink USA customer listings in AT&T's DA databases. Rightlink USA shall provide such Directory Assistance listings to AT&T at no charge.
- 7.1.4 <u>Listing Information Confidentiality.</u> AT&T will afford Rightlink USA's directory listing information the same level of confidentiality that AT&T affords its own directory listing information.
- 7.1.5 Additional and Designer Listings. Additional and designer listings will be offered by AT&T at tariffed rates as set forth in AT&T's GSST and shall not be subject to the wholesale discount.
- 7.1.6 Rates. So long as Rightlink USA provides listing information to AT&T as set forth in Section 7.1.2 above, AT&T shall provide to Rightlink USA one (1) basic White Pages directory listing per Rightlink USA customer at no charge other than applicable service order charges as set forth in AT&T's tariffs. Except in the case of a LSR submitted solely to port a number from AT&T, if such listing is requested on the initial LSR associated with the request for services, a single manual service order charge or electronic service order charge, as appropriate, as described in Attachment 6, will apply to both the request for service and the request for the directory listing. Where a subsequent LSR is placed solely to request a directory listing, or is placed to port a number and request a directory listing, separate service order charges as set forth in AT&T's tariffs shall apply, as well as the manual service order charge or the electronic service order charge, as appropriate, as described in Attachment 6.
- 7.2 <u>Directories.</u> AT&T or its agent shall make available White Pages directories to Rightlink USA customer at no charge or as specified in a separate agreement between Rightlink USA and AT&T's agent.
- 7.3 Procedures for submitting Rightlink USA Subscriber Listing Information (SLI) are found in The AT&T Business Rules for Local Ordering found at AT&T's Wholesale Southeast Region Web site.

PAGE 44 OF 44 Rightlink USA

1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

- 7.3.1 Rightlink USA authorizes AT&T to release all Rightlink USA SLI provided to AT&T by Rightlink USA to qualifying third parties. Such Rightlink USA SLI shall be intermingled with AT&T's own customer listings and listings of any other CLEC that has authorized a similar release of SLI.
- No compensation shall be paid to Rightlink USA for AT&T's receipt of Rightlink USA SLI, or for the subsequent release to third parties of such SLI. In addition, to the extent AT&T incurs costs to modify its systems to enable the release of Rightlink USA's SLI, or costs on an ongoing basis to administer the release of Rightlink USA SLI, Rightlink USA shall pay to AT&T its proportionate share of the reasonable costs associated therewith. At any time that costs may be incurred to administer the release of Rightlink USA's SLI, Rightlink USA will be notified. If Rightlink USA does not wish to pay its proportionate share of these reasonable costs, Rightlink USA may instruct AT&T that it does not wish to release its SLI to independent publishers, and Rightlink USA shall amend this Agreement accordingly. Rightlink USA will be liable for all costs incurred until the effective date of the agreement.
- 7.3.3 Neither AT&T nor any agent shall be liable for the content or accuracy of any SLI provided by Rightlink USA under this Agreement. Rightlink USA shall indemnify, except to the extent caused by AT&T's gross negligence or willful misconduct, hold harmless and defend AT&T and its agents from and against any damages, losses, liabilities, demands, claims, suits, judgments, costs and expenses (including but not limited to reasonable attorneys' fees and expenses) arising from AT&T's tariff obligations or otherwise and resulting from or arising out of any third party's claim of inaccurate Rightlink USA listings or use of the SLI provided pursuant to this Agreement. AT&T may forward to Rightlink USA any complaints received by AT&T relating to the accuracy or quality of Rightlink USA listings.
- 7.3.4 Listings and subsequent updates will be released consistent with AT&T system changes and/or update scheduling requirements.

-011ULE	D NETWORK ELEMENTS - Alabama	т				<del></del>					B A		Att: 2 Exh: A		·		<del></del>	
	İ		1			1					Svc Order S			Incremental			i	1
			ł		i	!				1		Submitted	Charge -	Charge -	Charge -	Charge -		
		l l	_			!						Manually	Manual 5vc		Manual Svc	Manual Svc	ļ	
GORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Örder vs.		
	Į.	, ,	- 1		}	1				ŀ	1	\ \ \	Electronic-	Electronic-	Electronic-	Electronic-	1	ì
						1							1st	Add'!	Disc 1st	Disc Add'		
<del></del>		<del>  </del>	-		<del>                                     </del>					- Di				<u> </u>		<u>!</u>		4
+-		<del>  </del>		·	_	Rec	First	curring Add'l	First	Disconnect Add I	SOMEC	SOUAN I		SOMAN	SOM AND	COUL	<u> </u>	4
+	<del></del>	+ +			<del> </del>	<del>                                      </del>	17761		roat	AUU I	SUMEC	SUMAN	SUMAN	SURAN	SOMAN	SOMAN		+
The "7	one" shown in the sections for stand-alone toops or loops as p	art of a c	ombin	ation refers to Geog	raphically De	eaveraged UNE	Zones. To vie	/ // Geographica	ly Deaveraged	UNE Zone Desig	nations by C	entral Off	ica rater to i	nternet Websi	ha-			+
	wholesale,att.com/		· · · · · · · · · · · · · · · · · · ·	411077 Teres 2 10 400g	rapoury D.		201100: 10 1141	a aregrapines	ny Dentel ago.	0.12 20.14 0431	manona by c	esiciai Oil		INGINIEL STODAN				
	SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	Υ																+
INDTE:	(1) CLEC should contact its contract negotiator if it prefers th	a sista" a	Decific	" OSS charges as o	rdered by th	e State Commis	ssions. The OS	S charges curi	ently contains	d in this rate ext	ibit ora the	T&T "/agi	onal" condra	ordesino obse	ree CLEC -	no alama		
either t	the state specific Commission ordered rates for the service ordered	ierina ch	ardes.	or CLFC may elect t	he regional i	service orderin	a charge howe	ver. CLEC can	not obtain a m	ixture of the two	recerdless i	CLEC has	s s intercono	ection contrac	t ortablished	n anch of		
be orde	tates.  (2) Any element that can be ordered electronically will be bille ered electronically at present per the LOH, the listed SOMEC rule to a CLECs bill when it submits an LSR to AT&T.	d accordi	ing to I	the SOMEC rate liste ory reflects the char	ed in this cat rge that woul	egory. Please ld be billed to a	refer to AT&T's CLEC once ele	Local Orderin	j Handbook (Li g capabilities (	OH) to determine come on-line for	if a product that element	can be or Otherwis	dered electro se, the manua	onically. For the	hose elements irge, SOMAN,	that cannot will be		$\downarrow$
1	IOSS - Electronic Service Order Charge, Per Local Service Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00								†
<del> </del>	OSS - Manual Service Order Charge, Per Local Service Request	1	$\neg$		T	<del>                                     </del>	T	1	<u> </u>	7.55	+			<del> </del>				+
1	(LSR) - UNE Only				SOMAN	I _	15.66	0.00	1,97	0.00		- 1		į l				l
ERVICE	DATE ADVANCEMENT CHARGE	1 1			i		1					-		1	· · · · · ·			+
NOTE:	The Expedite charge will be maintained commensurate with B	elSouth'	FCC	No.1 Tariff, Section	5 as applica	bie.			•						·			$^{+}$
1	I I	T		,	1	T	T	T		ll						<del></del>		+-
-			- 1	UAL, UEANL, UCL.	1	1		1	ļ			- 1						-
				UEF, UDF, UEQ.	1	1		1				- 1		1				1
]		1 1		UDL, UENTW, UDN,	1	1	1	1		1		- 1				i		1
1		1 1		UEA. UHL. ULC.	1	I	1	I		į l		ŀ				l		1
1					1	1	1	I		į l	!	- 1						
1		1 1		USL, U1T12, U1T48,	1	1	1	I		1	i	I				J		1
	<u> </u>		- 1	U1TD1, U1TD3,							l l	l		Į į		l		1
1		1 1	١ ١	ULTDX, ULTO3,	ì	ì	1	ì	ì	] ]	1	1		i i				1
1		1 1		U1 <b>T</b> \$1, U1TVX.	1					l		- 1						
1	]			UC18C, UC1BL.	1				!	1 1								1
1	1			UC1CC, UC1CL.	1				İ		i	- 1						1
1		1		UC1DG, UC1DL,	1			į.			- 1			1 1				
		1 1		UC1EC, UC1EL.	1	1		1			- 1			1 1				
1				UCIFC, UCIFL.	Į.						- 1					[		J
Ì					1	1				1	- 1					1		i
				UC1GC, UC1GL.	ł	ł	İ				- 1	1						i.
1				UC1HC, UC1HL,	1			1		1 1		i		[ [				1
- (	Į.	1 1		UDL12, UDU48,	1	<b>\</b>	1	\	<b>\</b>	1 i	1	1	i	i 1	1	ì		1
				UDLO3, UDLSX,	1				Į		- 1			1		- 1		1
	!	1 1		UE3, ULD12, ULD48,	.				i	1	- 1							1
				ULDD1, ULDD3,	1			1			- 1			]				
1	1	1 1		ULDDX, ULDO3,	1			i			- 1	ł		[ ]				
	1	1 1		ULD\$1, ULDVX,	1					l i		- 1		l	i	i		1
				LINC1X, LINC3X	1						- 1	- 1						
1		} I			1							- 1						1
		1		UNCDX, UNCNX,	1	1		!		1		- 1		l !				
				UNCSX, UNCVX.	1	1			ļ	i I				ľł	1	i	i	1
[	l .	1 1		UNLD1, UNLD3.	1	1	1	\	}	ነ ነ	1	1	ì	ነ ነ	ነ	ì		1
	1			UXTD1, UXTD3,	1	1	i	I	1	[	}	l						1
1	1			UXTS1, U1TUC.	1	1	1	1			- 1	l				ļ		1
-	1			UITUD, UITUB.	1	1	1	1			- 1	l		l '	į.	ì		1
1	UNE Expedite Charge per Circuit or Line Assignable USOC, per			UTTUA, NTCVG.	1			l		, 1	J	l	ļ		l			1
1	Day			NTCUD, NTCD1	SDASP	1	200.00	I		r I	- 1		ĺ					ı
R MODE	ICATION CHARGE	1						T										✝
	Order Modification Charge (OMC)						35.13	0.00	0.00	0.00								✝
$\top$	Order Modification Additional Dispatch Charge (OMCAD)	T !					150.00	0.00	0.00									✝
	XCHANGE ACCESS LOOP																	٢
	ANALOG VOICE GRADE LOOP																	t
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	Ι Τ		UEANL	UEAL2	12.58	37.81	17.56	23.49	5.30	· · · · · ·			_				✝
1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	T		UEANL	UEAL2	21.05	37.81	17 56	23.49					<del></del>				+-
	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 3			UEANL	UEAL2	34.34	37.81	17.56	23.49	5.30	- 1	_		<del> </del>				⊢
$\overline{}$	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 1	+	1	UEANL	UEASL	12.58		17.56	23.49	5.30						<del></del>		╆
+	2-Wire Analog Voice Grade Loop · Service Level 1 · Zone 2	+		UEANL	UEASL	21.05		17.56	23.49	5.30					<del></del>			₩.
	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 3	+		UEANL	UEASL	34.34			23.49	5.30	<del>+-</del>		<del></del> +	<del></del>				-
+	Tag Loop at End User Premise	+	J	UEANL	URETL	- 34.34	8.93	0.88	23.49	3.30	<del>-</del> +-			<del></del>				⊢
	Tradition by the case transpa	+							<del></del>	<del> </del>							1	L
		1		UEANL DEANI	URET1	<del></del> -	34.16	0.00	<del></del>	<b></b>	—-∔		<del></del>					ب
	Loop Testing - Basic 1st Half Hour	·			URETA		19.85	19.85		<del>                                     </del>			i					Ĺ
	Loop Testing - Basic Additional Half Hour							8.15		т Т								Г
	Loop Testing - Basic Additional Half Hour  Manual Order Coordination for UVL-SL1s (per loop)			UEANL	LIEAMC		8.15								Į.			
	Loop Testing - Basic Additional Half Hour  Manual Order Coordination for UVL-SL1s (per loop)  Order Coordination for Specified Conversion Time for UVL-SL1			UEANL	UEAMC	<del> </del>	1										┈┈┼	Г
	Loop Testing - Basic Additional Half Hour Manual Order Coordination for UVL-SL1s (per loop) Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)						18.09											
	Loop Testing - Basic Additional Half Hour  Manual Order Coordination for UVL-SL1s (per loop)  Order Coordination for Specified Conversion Time for UVL-SL1			UEANL	UEAMC		1											
	Loop Testing - Basic Additional Half Hour Manual Order Coordination for VIVSL1s (per loop) Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR) Unburdled Non-Design Voice Loop, billing for AT&T providing			UEANL UEANL	OCOSL		18.09											
	Loop Testing - Basic Additional Half Hour Manual Order Coordination for UVL-SL1s (per loop) Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR) Urbundled Non-Design Vote Loop, billing for AT&T providing make-up (Engineering Information - E.I.)			UEANL	UEAMC		1											
	Loop Testing - Basic Additional Half Hour Manual Order Coordination for UVL-SL1s (per loop) Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR) Unbunded Non-Design Voice Loop, billing for AT&T providing make-up (Engineering Information - E.I.) Unbunded Loop Service Rearrangement, change in loop facility,			UEANL UEANL UEANL	OCOSL UEANM		18.09		23.40	5 20								
	Loop Testing - Basic Additional Half Hour Manual Order Coordination for UVL-SL1s (per loop) Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR) Urbundled Non-Design Vote Loop, billing for AT&T providing make-up (Engineering Information - E.I.)			UEANL UEANL	OCOSL		18.09	8.94 17.56	23.49 23.49	5.30 5.30								

	Ť	NETWORK ELEMENTS - Alabama		l	[							Svc Order	Svc Order	Att: 2 Exh: A Incremental	incremental	Incremental	\resemble to		ţ
	1		1 '	1	1	1						Submitted	Submitted	Charge -	Charge -	Charge -	Charge -		ĺ
	1					Į l						Elec	Manualty	Manual Svc	Manual Svc	Manual Svc	Manual Svc		
ATEGORY	-	RATE ELEMENTS	interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.		
	-													Electronic-	Electronic-	Electronic-	Electronic-		
	-					}								1st	Add'i	Diac 1st	Disc Add'l		1
							Rec	Nonreci	urring	Nonrecurring	Disconnect			OSS	Rates(\$)				
				L	J		1.000	First	Add'i	First	Addʻl	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN		
2-WII		hbundled COPPER LOOP Wire Unbundled Copper Loop - Non-Designed Zone 1		1 1	UEQ.	UEQ2X	11.20	34.14	15.10	21.25	4.15								<del> </del>
<del></del>	2	Wire Unbundled Copper Loop - Non-Designed - Zone 2	-		UEQ	UEQ2X	13.27	34.14	15.10	21.25	4.15			<b>—</b> —	<del> </del>				╁─
	2 1	Wire Unbundled Copper Loop - Non-Designed - Zone 3		3	UEQ	UEQ2X	15.07	34.14	15.10	21.25	4.15				<u> </u>				<del>                                     </del>
	Ta	g Loop at End User Premise			UEO	URETL		8.93	0.88						L		_		<u> </u>
	Lo	op Testing - Basic 1st Half Hour			UEQ	URET1		34.16	0.00 19.85										
	ILO M:	op Testing - Basic Additional Half Hour anual Order Coordination 2 Wire Unbundled Copper Loop - Non-		<b>\</b>	luEo .	URETA		19.85	18.85						}	<del></del> -	<del></del>		├
	De	signed (per loop)			UEQ	USBMC		8.15	8.15						1		!		
		bundled Copper Loop - Non-Designed, billing for AT&T providing				1													
	ma	ke-up (Engineering Information - E.I.)			UEQ	UEQMU		13.44											
i		bundled Loop Service Rearrangement, change in loop facility,			UEQ	UREWO			7.43	24.25	4.15			İ					
<del></del>		r circuit Ik Migration, per 2 Wire UCL-ND	<b>—</b>		UEO	UREPN		14.27 34.14	15.10	21.25 21.25	4,15								-
	Bu	k Migration Order Coordination, per 2 Wire UCL-ND		T .	UEQ	UREPM		B.15	8.15	21.23					<del> </del>		<del></del>		_
	EXC	HANGE ACCESS LOOP																	
2-WI		IALOG VOICE GRADE LOOP			,														
i		Wire Analog Voice Grade Loop - Service Level 2 w/Loop or ound Start Signating - Zoop 1			UEA	UEAL2	14.38	88.00	55.00	47.24	7,44				1				1
	<del> </del>	ound Start Signaling - Zone 1 Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		<del></del> -	ULA .	UEALZ	14.36	86.00	33.00	97.29	7.44				<del> </del>				$\vdash$
- 1		ound Start Signaling - Zone 2	]	2	UEA	UEAL2	22 85	88.00	55.00	47.24	7.44								l
$\neg$	12-1	Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	-					i i											<b></b>
	Gr	ound Start Signaling - Zone 3	<u> </u>	3	UEA	UEAL2	36.14	88.00	55.00	47.24	7,44								L
		Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		١.	UEA	UEAR2	14.38	88.00	55,00	47.24	7.44								
	2.1	Ittery Signaling - Zone 1 Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		<u> </u>	UEA	UEAHZ	14.36	88.00	33,00	41.24	7.44			<del></del>	<del> </del>				-
		attery Signaling - Zone 2		2	UEA	UEAR2	22.85	88.00	55.00	47.24	7.44								Í
$\neg \vdash$	2.1	Wire Analog Voice Grade Loop · Service Level 2 w/Reverse			l					·					1				t
	[Ba	ittery Signaling - Zone 3	<u> </u>	3	UEA	UEAR2	36.14	86.00	55.00	47 24	7.44								
		vitch-As-Is Conversion rate per UNE Loop. Single USR, (per		Ì		unea!					i							· ·	
	DS e.	ou) vitch-As-ts Conversion rate per UNE Loop, Spreadsheet (per		-	UEA	URESL		5.59	5.59										<u> </u>
	DS			1	UEA	URESP		5.59	5.59								' 1		
	Ün	bundled Loop Service Rearrangement, change in loop facility,			<del></del>										-				
	ρe	r circuit			UEA	UREWO		87.72	36.36										
	ļ.o	op Tagging - Service Level 2 (SL2)			UEA UEA	URETL		11.21	1.10										
	181	Ik Migration, per 2 Wire Voice Loop-SL2 Ik Migration Order Coordination, per 2 Wire Voice Loop-SL2		-	UEA	UREPM	ļ	88.00 0.00	55.00 0.00										
4-W		NALOG VOICE GRADE LOOP			JOEA .	TOTAL! IV.		0.00	0.50										-
		Wire Analog Voice Grade Loop - Zone 1			ÚEÁ	UEAL4	25.34	131.97	94.51	59.14	14.50						<u> </u>		_
	4.	Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	38.58	131.97	94.51	59.14	14.50								
	4-1	Wire Analog Voice Grade Loop - Zone 3	<b>├</b> —	3	UEA	UEAL4	60.02	131.97	94.51	59.14	14.50				<u> </u>				
		vitch-As-Is Conversion rate per UNE Loop, Single LSA, (per 50)	1	1	UEA	URESL		5.59	5.59										
		vitch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	<del></del>	<del> </del>		UNEST.		3.33	3.00	-									-
	DS	GO)	L	<u></u>	UEA	URESP	L	5.59	5.59									[	
		bundled Loop Service Rearrangement, change in loop facility,	Ī			I													
	pe pe	r circuit	Щ_	Ц.,	UEA	UREWO	L	87.72	36.36					L	L				
2-WI	KE ISI	DN DIGITAL GRADE LOOP Wire ISDN Digital Grade Loop - Zone 1		1	[UDN	U1L2X	21.88	117.24	79.77	52.88	10.54	<del>_</del>	. 1			· ·			
	- 2	Wire ISDN Digital Grade Loop - Zone 2	1-	2	UON	U1L2X	32.85		79.77	52.88						<del>'                                    </del>			_
	2-	Wire ISON Digital Grade Loop - Zone 3			UDN	U1L2X	48.55		79.77	52.88									
	U-	bundled Loop Service Rearrangement, change in loop facility,																	
		er circuit	FIDU C	000	UDN	UREWO	L	91.63	44.16	L	L			L	L				<u> </u>
2-WI		SYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPAT	IBLE L	JOP	1	<del></del>	T									<del></del> -			ļ
		Wire Unbundled ADSL Loop including manual service inquiry & cility reservation - Zone 1	1	1	UAL	UAL2X	11.01	110.00	68.00	47.24	7.44							i	
$\neg + \neg$		Wire Unbundled ADSL Loop including manual service inquiry &	_	1		1				, i								~	_
_	fac	cility reservation - Zone 2	-	2	UAL	UAL2X	12.73	110.00	68.00	47,24	7.44								
		Wire Unbundled ADSL Loop including manual service inquiry &	1	3	UAL	LIALOV	14.30	110.00	68.00	47.24	7,44		i			Т	Ţ	1	
<del></del>	jiac	city reservation - Zone 3 Wire Unbundled ADSL Loop without manual service inquiry 8	<b>├</b>	3	LOVE.	UAL2X	14.30	110.00	68.00	47.24	7,44								
1		cility reservaton - Zone 1		1	UAL	UAL2W	11.01	90.00	57.00	47.24	7.44							ĺ	
	2 1	Wire Unbundled ADSL Loop without manual service inquiry &	T	T							···		~			-		1	
	(fax	ality reservation - Zone 2	<b></b>	2	UAL	UALSW	12.73	90.00	57.90	47.24	7.44								
T	2	Wire Unbundled ADSL Loop without manual service inquiry &		3	UAL	I IAI OIAI	44.00	90.00	57.00	47.24	,,,	7				T	T		
		cility reservaton - Zone 3 bundled Loop Service Rearrangement, change in loop facility.	<b>├</b>	3	U/4L	UAL2W	14.30	90.00	57.00	47.24	7,44								
		rounded Loop Service Hearrangement, change in loop facility.		1	UAL	UREWO	1	86.20	40.40					1					
<del></del>	20,00	GH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPAT	BLE LO	ОР	· · · · · · · · · · · · · · · · · · ·	1-1-1-1	•												

	D NETWORK ELEMENTS - Alabama	<del>,</del> .											Att: 2 Exh: A					T
TEGORY	RATE ELEMENTS	Interim	Zona	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svo Order vs. Electronic- 1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l		
						Rec	Nonre- First	curring Add'l	Nonrecurring First	Disconnect Add')	201150			Rates(\$)				士
	2 Wire Unbundled HDSL Loop including manual service inquiry &				1		, , , ,			Addi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN		+
	facility reservation - Zone 1		1	UHL	UHL2X	8.74	110.00	68.00	47.24	7.44								
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2		_														-	+
-+	2 Wire Unbundled HDSL Loop including manual service inquiry &		2	UHL	UHL2X	10.17	110.00	68.00	47.24	7.44			<u></u>					
- [	facility reservation - Zone 3		3	UHL	UHL2X	11,44	110.00	68.00	47.24	7.44				l				Τ
	2 Wire Unbundled HDSL Loop without manual service inquiry and				1											<del></del>		+
	facility reservation - Zone 1 2 Wire Unbundled HOSt Loop without manual service inquiry and	<u> </u>	_!_	UHL	UHL2W	8.74	90.00	57.00	47.24	7.44		·						İ
	facility reservation - Zone 2		2	UHL	UHL2W	10.17	90.00	57.00	47.24	7 44								Т
	2 Wire Unbundled HDSL Loop without manual service inquiry and	-	_	-	J. 22.7	.0.17	30.00	37.00	47.24	7.44					<del></del>			+-
	facility reservation - Zone 3		3	UHL	UHL2W	11.44	90.00	57.00	47.24	7.44								
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit			UHL	UREWO		**											+
4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATI	BLE LOC		ior.	TOPEAAC		86.14	40.40						L				┸
	4 Wire Unbundled HDSL Loop including manual service inquiry and				T	1												╀
_	facility reservation - Zone 1		1	UHL	UHL4X	13.95	148 36	68.00	51.70	9.73					l	İ		
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2		2	UHL.	UHL4X	15.56	148.36	68.00	F4 70							7		T
	4-Wire Unbundled HDSL Loop including manual service inquiry and	<del> </del>	٤.	~ ·	CITIC 4A	10.06	148.36	68.00	51.70	9.73				<b></b>				1
	facility reservation - Zone 3		3	UHL	UHL4X	15.25	148.36	68.00	51.70	9.73	ĺ				1	Į		I
	4-Wire Unbundled HDSL Loop without manual service inquiry and																	+
	facility reservation - Zone 1 4-Wire Unbundled HDSL Loop without manual service inquiry and		_1_	UHL	UHL4W	13.95	94.00	57.00	51.70	9.73							_	İ
	facility reservation - Zone 2		2	UHL	UHL4W	15.56	94.00	57.00	51.70	9,73								Γ
1	4-Wire Unbundled HDSL Loop without manual service inquiry and							07.00	27:75	9.75		_						╄
<del></del>	facility reservation - Zone 3		3	UHL	UHL4W	15.25	94.00	57.00	51,70	9.73					1	ľ		
İ	Unbundled Loop Service Rearrangement, change in loop tacility, per circuit			UHL.	UREWO		DC 44				1							T
4-WIRE	DS1 DIGITAL LOOP	ــــــــــ		Dir	TONEWYO		86.14	40 40										┸
	4-Wire DS1 Digital Loop - Zone 1		1		USLXX	82.55	252.47	157.54	44.70	11.71	Т							╀
	4-Wire DS1 Digital Loop - Zone 2		2		USLXX	154.18	252.47	157.54	44.70	11,71								⊬
-	4-Wire DS1 Digital Loop - Zone 3 Switch-As-Is Conversion rate per UNE Loop, single LSA, (per		3	USL	USLXX	314.52	252.47	157.54	44 70	11,71								
	DS1)	1		usi	URESL		5.59	5.59		}	Į.			[				Γ
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per							0.00		·	<del>-</del> +							╀
	DS1)			USL	URESP		5.59	5.59							[			l
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit			USL.	UREWO	}	101.09	43.05										Г
4-WIRE	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP			000	Johano	·	101.05	43.05										L
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1			UDL	UDL2X	26.09	126.27	88.80	59.14	14.50								⊬
	4 Wire Unbundled Digital Loop 2.4 Kbps · Zone 2 4 Wire Unbundled Digital Loop 2.4 Kbps · Zone 3		2		UDL2X UDL2X	35.95 37.88	126.27	88.80	59.14	14.50				-				Г
<del></del>	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1		1		UDL4X	26.09	126.27 126.27	88.80 88.80	59.14 59.14	14.50	<del></del>							
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2		2		UDL4X	35.95	126.27	88.80	59.14	14.50								₩
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3		3	UDL	UDL4X	37.88	126.27	88.80	59.14	14.50							_	┢
<del></del>	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1 4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2		2		UDL9X UDL9X	26.09 35.95	126.27	88.80	59.14	14,50								Г
<del> </del>	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3				UDL9X	37.88	126.27 126.27	88.80 88.80	59.14 59.14	14.50 14.50								Ξ
	4 Wire Unbundled Digital 19.2 Kbps - Zone 1		1		UDL19	26.09	126.27	88.80	59.14	14.50								⊢
	4 Wire Unbundled Digital 19.2 Kbps - Zone 2		.5		UDL19	35.95	126.27	88.80	59.14	14,50								_
	4 Wire Unbundled Digital 19.2 Kbps - Zone 3 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		3	UDL	UDL19 UDL56	37.88 26.09	126.27 126.27	88.80 88.80	59.14	14.50		,						_
<del></del>	4 Wire Unbundled Digital Loop 56 Kops - Zone 2	-	2		UDL56	35.95	126.27	88.80	59.14 59.14	14.50 14.50								Ξ
	4 Wire Unbundled Digital Loop 56 Klops - Zone 3		3	UDL	UDL56	37.88	126.27	88.80	59.14	14.50			·	<del></del>				_
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1		UDL64	26.09	126.27	88.80	59.14	14.50								_
<del></del>	4 Wire Unbundled Digital Loop 64 Klops - Zone 2 4 Wire Unbundled Digital Loop 64 Klops - Zone 3	-	3	UDL	UDL64	35.95	126.27	88.80	59.14	14.50								_
	Switch-As-Is Conversion rate per UNE Loop, single LSR, (per	-	J		UDL64	37.88	126.27	88.80	59.14	14.50					T			_
	DS0)			UCL	URESL		5.59	5.59				- 1	j				I	
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per													<del></del>				_
	DS0)	$\dashv$		UDL	URESP		5.59	5.59										
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		ı	UCL	UREWO		102 13	49.75				Т	1					
2-WIRE	Unbundled COPPER LOOP			<del></del>	,		ועבים	45.13										
	2-Wire Unbundled Copper Loop-Designed including manual service						ì	1				· · · · · · · · · · · · · · · · · · ·	· · · T	<del>-</del> -		<del></del>		
	inquiry & facility reservation - Zone 1	-	_1_	UCL.	UCLPB	11.01	112.46	65.30	47.24	7.44						1	- }	
1	2-Wire Unbundled Copper Loop Designed including manual service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	12.73	112.46	65.30	47.24	7,44							-	_

,			1	1										Att: 2 Exh; A					
		i			1		1					Svc Order	Svc Order	Incremental	Incremental	I to	г		$\perp$
CATE	GORY	RATE ELEMENTS	interin	n Zon	BCS	USOC			RATES(\$)			Submitted Elec per LSR	Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic-	Manual Svc Order vs.	Manual Svc Order vs.	Charge - Manual Svc Order vs.		
	-			+									1	1st	Electronic-	Electronic Disc 1st	Electronic-		İ
	<del> </del>	2 Wite Debuggled Coases I C		_		<del></del>	Rec	Nonre	curring	Nonrecurrin	Disconnect	-				Diac 180	Disc Add'l		ļ
	1 1	2 Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 3					<del> </del>	First	Add'?	First	Add'i	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN				⇈
	1 1	2-Wire Unbundled Copper Loop, Designed without manual	<del></del> -	3	UCL	UCLPB	14.30	112.46	65.30	47.24				20.00	SUMAN	SOMAN	SOMAN		
	1i	" NUTY AIG Jackly reservation . Zone 1	1	Ι,	ucu				00.30	47.24	7.44				_		ſ	- 1	
	1 1	2-Wire Unbundled Copper Loop-Designed without manual equipment	<u> </u>	<u> </u>		UCLPW	11.01	91.46	54.30	47.24	7.44						-		├—
		inquiry and facility reservation - Zone 2  2-Wire Unbundled Copper Loop-Designed without manual service		2	UCL	UCLPW	12.73	91.46					-					[	ĺ
				3			12.73	31.40	54.30	47.24	7,44		_		1	- 1			$\neg$
		Urder Coordination for Unbundled Copper Loops (see least)	<del> </del> -	3	UCL UCL	UCLPW	14.30	91.46	54.30	47.24	7.44								
	I I'	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		-	-	UCLMC		8.15	8.15										
		COPPER LOOP			UCL	UREWO	1	97.23											_
	- 14	4-Wire Copper Loop-Designed including manual service includes and		_				37.23	42.48					i	- 1	- 1			_
				١,	UCL	1101.40													
	1	4-Wire Copper Loop-Designed including manual service inquiry and		<u> </u>		UCL4S	17.36	135.21	88.05	51.70	9.73		[	T				-	_
		actity reservation - Zone 2  -Wire Copper Loop-Designed including manual service inquiry and		2	uci.	UCL4S	20.76	135.21	20.00				-						
			1	3	UCL			199.21	88.05	51.70	9.73					T.			
i	4	-Wire Copper Loop-Designed without manual second inquity and		3	UCL	UCL4S	28.21	135.21	88.05	51.70	9.73						<del> </del> .	-	_
_				1	UCL	UCL4W	17.36												
		-Wire Copper Loop-Designed without manual service inquiry and acility reservation - Zone 2				1995-117	17.36	114.21	67.05	51.70	9.73			ļ	- 1	- T			_
	4	-Wire Copper Loop-Designed without manual service inverse and		2	UCL	UCL4W	20.76	114.21	67.05	51.70	T								
$\rightarrow$			- 1	3	lici	UCL4W				31.70	9.73					- 1		- 1	
	- 10	order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC	28.21	114.21	67.05	51,70	9.73						-		_
	P	ribundled Loop Service Rearrangement, change in loop facility, er circuit	П					8.15	8.15										
Т				_	UCL UEA, UDN, UAL,	UREWO		97.23	42.48	- 1						<del></del>			_
	0	rder Coordination for Specified Conversion Time (per LSR)	- 1		UHL. UDL. USL	OCOSL											- 1	- 1	
<del>-  </del>					- 4. OCE. COL	ULUSE		18.90										_	_
[	SI	EL to UNE-L Retermination, per 2 Wire Unbundled Voice Loop- L2	Т			7													
	1		$\rightarrow$		UEA	UREEL		87.72	36.36				~						_
$\dashv$	E	L. to UNE-L. Retermination, per 4 Wire Unbundled Voice Loop	- 1		UEA	UREEL	I										i		
		EL to LINE-L Retermination, per 2 Wire ISDN Loop			UDN	UREEL		91.63	36.36					ĺ					_
	EE	L to UNE-L Retermination, per 4 Wire Unbundled Digital Loop			UDL			\$1.03	44.16				_						_
					USL	UREEL		102.13	49.75	!	,								_
12	'F LUMM	HNGLING	_	_		UREEL		101.09	43.05		<del></del>						i		
	2-1	Nire Analog Voice Grade Loop - CommingLing  Nire Analog Voice Grade Loop - Service Level 2 w/Loop or																	_
		ould Start Signating - ∠one 1			NTCVG			T											_
	2-1	Nire Analog Voice Grade Loop - Service Level 2 w/l oop or		<del>'  </del>	NICVG	UEAL2	14.38	B8.00	55.00	47.24	7 44		-						_
-+	Care	OUND Start Signature - Zone 2		2 1	VTCVG	UEAL2	22.85			-	7.44	<del></del>					- 1	- 1	
		Vire Analog Voice Grade Loop - Service Level 2 w/Loop or ound Start Signaling - Zone 3	- T				22.00	00.88	55.00	47.24	7.44				- 1				_
	Z-¥	Vire Analog Voice Grade Loop - Service Level 2 w/Reverse	-	3 N	VTCVG	UEAL2	36.14	88.00	55.00	47,24	744								
+			-	1 6	rrcvg	UEAR2					7.44	<del></del>							
	Ban	Vire Analog Voice Grade Loop - Service Level 2 w/Reverse tery Signaling - Zone 2				OLANG.	14.38	88.00	55.00	47.24	7.44								_
	J2-₩	Vira Analog Voice Grade Loop - Service Level 2 m/Pources	_	2 N	псуд	UEAR2	22.85	88.00	55.00	47.24	_								_
-	Date	tery Signaling - Zone 3		3	TCVQ	LEADS.		-		47.24	7.44				1				
	Swi OSC	tch-As-Is Conversion rate per UNE Loop, Single LSB (per	<del></del>	$\neg$		UEAR2	36.14	88.00	55.00	47.24	7.44							+	_
_	Swit	tch-As-Is Conversion rate per UNE Loop, Spreadsheet (per		N	TCVG	URESL		5.59										.	
$\perp$				Ι.	TCVG	T -		3.58	5.59									T	_
	Unito	undled Loop Service Rearrangement, change in loop facility,	<del></del>	_ N	ICVG	URESP		5.59	5.59	1						<del></del>			_
+	Per	circuit p Tagging - Service Level 2 (SL2)		N	TCVG	UREWO		07.70											
4-V	VIRE ANA	LOG VOICE GRADE LOOP - COMMINGLING		N	TCVG	URETL		87.72	1.10					ļ					_
	4-44	ire Analog Voice Grade Loop - Zoge 1	7	1 IN	TCVG				1.10							<del></del> -			
+	4-44	re Analog Voice Grade Loop - Zone 2		2 10		UEAL4 UEAL4	25.34	131.97	94.51	59.14	14.50								
+-	14-331	re Analog Voice Grade Loop - Zone 3		3 Ni		UEAL4	38.58 60.02	131.97	94.51	59.14	14.50		<del>-</del>	<del></del>				<del></del> -	_
$\perp$	DOU						00.02	131.97	94.51	59.14	14.50				<del></del>				_
Т	Swite	ch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per		N	TCVG	URESL		5.59	5.59						-+	<del></del> -		1	_
-	[050]	,		NT	rcvg	URESP												ĺ	
ı	per c	indied Loop Service Rearrangement, change in loop facility,	$\neg$			onicar		5.59	5.59				i					-	
		DIGITAL LOOP - COMMINGLING	- 1	NT	CVG	UREWO	I	87.72	36.36				_			- 1	1	1	

Page 4 of 96

	D NETWORK ELEMENTS - Alabama	T		Τ									Att: 2 Exh: A				T	$\neg$
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR		incremental Charge -	Incremental Charge - Manual Syc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Syc Order vs. Electronic- Disc Add'l		1
		<del> </del>	_	<del> </del>		Rec	Nonrec			g Disconnect	<del>                                     </del>		OSS	Rates(\$)				4
	4-Wire DS1 Digital Loop - Zone 1	† -	1	NTCD1	USLXX	82.55	First 252.47	Add')	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN		<del></del>
	4-Wire DS1 Digital Loop - Zone 2			NTCD1	USLXX	154.18	252.47	157.54 157.54	44.70 44.70							- CO 111741	-	┿
	4-Wire DS1 Digital Loop - Zone 3		3	NTCD1	UŞLXX	314.52	252.47	157.54	44.70	11.71	<del> </del>							+
-   1	Switch-As-Is Conversion rate per UNE Loop, single LSR, (per DS1)							107.04	44.70	11.71	<del> </del>							7
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	$\vdash$		NTCD1	URESL		5.59	5.59							ĺ			T
- 1 - 1	DS1)	Li		NTCD1	URESP		5.59	5.59		_								+
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit				1			3.08			<del> </del>							
	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP - COMMINGLING	اا		NTCD1	UREWO		101.09	43.05		L.	i,	!		i	J			Т
- I - I-	4 Wire Unbundled Digital Loop 2.4 Khos - Zone 1	т т		NTCUD	UDL2X	00.00												╄-
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2			NTCUD	UDL2X	26.09		88.80	59.14	14.50								4
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 3	<del>  </del>		NTCUO	UDL2X	35.95 37.88	126.27	88.80	59.14	14.50					<del></del>			+
<u> </u>	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1	† †		NICUO	UDL4X	26.09	126.27 126.27	88.80	59.14	14.50								+
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2	$\vdash$		NTCUD	UDL4X	35.95		88.80	59.14	14.50								┿
1	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3	<del></del>		NTCUO	UDL4X	35.95 37.88	126.27	88.80	59.14	14.50								┿
!!	4 Wire Unbundled Digital Loco 9.6 Kbps - Zone 1			NTCUD	UDL9X	26.09	126.27	88.80	59.14	14.50								+
- 1 - 1	4 Wire Unbundled Digital Logo 9.6 Kbps - Zone 2			NTCUD	UDL9X	35.95	126.27	88.80	59.14	14.50								┿
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3		-3	NTCUD	UDLax	35.95	126.27 126.27	88.80	59.14	14.50								+
1 14	4 Wire Unbundled Digital 19.2 Kbos - Zone 1		1	NTCUD	UDL 19	26.09	126.27	88.80 88.80	59.14	14.50								+-
	4 Wire Unbundled Digital 19.2 Kbps - Zone 2			NTCUD	UDL19	35.95	126.27		59.14	14.50						$\overline{}$		╆
	4 Wire Unbundled Digital 19.2 Kbps - Zone 3		3	NTCUD	UDL19	37.88	126.27	88.80 88.80	59.14	14.50								╆
- 4	Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	NTCUO	UDL56	26.09			59.14	14.50								╆╌
4	Wire Unbundled Digital Loop 56 Kbps - Zone 2			NTCUD	UDL56	35.95	126.27	88.80	59.14	14.50		1						╀
19	Wire Unbundled Digital Loop 56 Kbps - Zone 3			NTCUD	UDL56	37.88	126.27 126.27	88.80	59.14	14.50					<del></del>			╁
4	Wire Unbundled Digital Loop 64 Kbps - Zone 1		1 1	NTCUO	UDL64	26.09	126.27	88.80 88.80	59.14	14.50	]							+
_ 4	Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	NTCUD	UDL64	35.95	126.27	88.80 88.80	59.14	14.50		T			-			╆╌
4	Wire Unbundled Digital Loop 64 Kbps - Zone 3			NTCUD	UDL64	37.88	126.27	88.80	59.14	14.50								₩
1 18	Switch-As-Is Conversion rate per UNE Loop, single LSR, (per				T	37,00	20.21	88.80	59.14	14.50								$\vdash$
	OSO)			NTCUO	URESL		5.59	5.59		ĺ	Ì		T.	-				_
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per USO)	- 1	I.	NTCUD	URESP	, and					~+	-						L
U	Inbundled Loop Service Rearrangement, change in loop facility,			NICOD	UHESP		5.59	5.59							Ì	- 1		l
P	er circuit			NTCUD	UREWO		102.13	49.75										۲-
	Order Coordination for Specified Conversion Time (per LSR)	-1-		NTCVG, NTCUD,	1		100.110	40.73										1
TENANCE C	OF SERVICE			NTCD1	OCOSL		18.90	ļ			i	- 1	- 1					
1	N SERVICE		Щ.		<u> </u>							<del></del>						
				UDC, UEA, UDL.	1													
	i	- 1		UDN, USL, UAL.	1 1	i		- 1		!	- 1		- 1			i i		
			I.	UHL, UCL, NTCVG,	1			ļ		ĺ	- 1	- 1		ļ.	f			
				NTCUD, NTCD1		I	1	1	l					ı	l	i i	- 1	
				UTTOT, UTTOS.		1		l	!	I	- 1	ļ	i		1			
	i i		f:	UITDX, UITSI,		i	ŀ	l	i	i	- 1	}	l	ļ		ŀ	ļ	
]		- 1	- 15	DITVX, UDF,	j i			ļ	ı	- 1	- 1	ļ	l	- 1		1	1	
1 }				JOFCX UDLSX	1		1	- 1			- 1		1		- 1	- 1		
				JE3, ULDD1,					ſ	}	- 1	- 1		Į.			ſ	
				JLDD3, ULDDX,		i			i	1		- 1		1	ļ	- 1		
1 1		J		JLDS1, ULDVX,	1 1	- 1		!					1		i i	i i		
1 1		i		JNC1X, UNC3X,	i	- 1	1	1		ļ	- 1	J		1		1		
М	aintenance of Service Charge, Basic Time, per half hour	- 1	Į.	INCDX, UNCSX,	L 1	Į.		I	1	1	ļ				- 1		- 1	
T	The second of the period of th	<del></del> -		NCVX, ULS	MVVBT		80.00	55.00	_		ļ		1		]			
		J		JDC, UEA, UDL.	1 7	T.					<del></del>	<del></del>		<del></del>				_
		[		JON, USL, UAL,	1 1	- 1	ł	i	ŀ	1	- 1		J	I	ĺ		$ \tau$	
				JHL, UCL, NTCVG,	i				i				1	!		1	- 1	
			- 10	ITCUD, NTCD1, JITD1, U1TD3,		[	}	- 1		- 1	- 1	]	- 1	1	!	- 1	J	
	1		J.	JITON, UITON, JITOX, UITSI,	1					Į.			Į.	I	1		- 1	
					1		J	- 1		ĺ			i	- 1	I		- 1	
] [		- 1		HTVX, UDF.					ĵ		ļ	}		i	1	ľ	- 1	
				DFCX, UDLSX,		1	ļ		J		i	1		- 1	1	i		
	}			E3, ULDD1,		i		1	ŀ	1			1		1			
	i					I		ĺ		I	ļ		I	- 1			- 1	
1 1		1			1	I	1	I			i	ı	I	1		1		
						1	l	J		1			I	1	ļ		- [	
l Ma	aintenance of Service Charge Overtime per half bour					1	[	[	ľ	i	-		- 1	- 1	1	i		
Ma	sintenance of Service Charge, Overtime, per half hour		U	ILDD3, ULDDX, ILDS1, ULDVX, NC1X, UNC3X, NCDX, UNCSX,	MVVOT		90.00	65.00								,		

	ED NETWORK ELEMENTS - Alabama		1		T	т			~				Att: 2 Exh: A					<del></del>
												Svc Order	incremental	Incremental		Incremental	<del>                                     </del>	+
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Submitted Elec per LSR	Submitted Manually per LSR	Charge - Manual Svc Order vs, Electronic- 1st	Charge - Manual Syc Order vs. Electronic- Add'l	Charge - Manual Svc Order vs Electronic- Disc 1at	Charge - Manual Svc Order vs. Electronic-		
			_	<del></del>	<del> </del>	<del> </del> -	Nonre	curring	Name	- B:-	<u> </u>				Urac Iat	Disc Add'i		1
						Rec	First	Add'I	First	Disconnect Add')	601450	SOMAN	OSS	Rates(\$)				+
				UDC, UEA, UDL.					7.0.5	- Add )	SOMEC	SUMAN	SOMAN	SOMAN	SOMAN	SOMAN		I
				LON. USL, UAL, UFL, UCL, NTCVG, NTCUD, NTCDT, UITDT, UITD3, UITDX, UITS1, UITVX, UDF, UDFCX, UDLSX, UE3, ULDD1, ULDD3, ULDDX, UNS1, ULDVX, UNC1X, UNCSX, UNC1X, UNCSX,														
		] [		UNCDX UNCSX			l .					ļ		ĺ	I	ľ		
	Maintenance of Service Charge, Premium, per half hour				MVVPT		100.00	75.00				i				ì		ĺ
OP MODIFI	CATION					-	100.00	75.00										
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft. per Unbundled Loop			UAL, UHL, UCL, UEQ, UEA, UEANL, UEPSR, UEPSB	ULM2L													F
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less			OEFON, OEFOD	ULMZL		0.00	0.00								1		1
+	than or equal to 18K ft, per Unbundled Loop		-	UHL, UCL, UEA	ULM4L		0.00	0.00										Г
	Unbundled Loop Modification Removal of Bridged Tap Removal,			UAL, UHL, UCL, UEQ, UEA, UEANL,														$\vdash$
	per unbundled foop			UEPSA, UEPSB	ULMBT		32.41	32.41				i	1	ļ	1		i	1
3-LOOPS								DE. 41										Ĺ.
SUB-LO	op Distribution Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-																	$\subseteq$
	Up			UEANL, UEF	USBSA		244,42					<u> </u>						_
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up			UEANL, UEF	USBSB		22.64											_
_	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up	_ [		UEANL	USBSC		177.45											_
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set- Up			UEANL	USBSD	· · · ·				· · · · · · · · · · · · · · · · · · ·								
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1						55.15				<del> </del> .							
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		1	UEANL	USBNZ	11.21	65.80	30.96	45.25	6.70								
<del> </del>	Zone 2 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop		2	UEANL	USBN2	11.94	65.80	30.96	45.25	6.70				i		1	Ï	
	Zone 3		3	UEANL	USBN2	16.86	65.80	30.96	45.25	6.70	1							_
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.15	8.15				-+			<u> </u> -	<del>-</del>		—
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1 1	JEANL I	USBN4	8.46	79.03	44.19	49.71									_
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2									9.07				<del></del> -				
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -				USBN4	16.67	79.03	44.19	49.71	9.07							[	
	Zone 3	+	3 1	EANL (	LISBN4	32.57	79.03	44.19	49.71	9.07			1					_
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		lı	EANL I	USBMC	ł	8.15	8.15	J	T						<del></del>	-+	_
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)				USBR2	2.27	53.01	18.17	45.25	6.70								
	Order Canadiantics to Unit at 10		$\neg$						+0.20	B.70	∤			<u>_</u>				_
<del></del>	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 4-Wire Intrabuilding Network Cable (INC)				JSBMC		8.15	8.15	1	ĺ		ì					1	
		$\dashv$		EANL (	JSBR4	5.16	59.25	24,41	49.71	9.07								_
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Loop Testing - Basic 1st Half Hour				JSBMC		8.15	8.15		- 1	ļ							_
	Loop Testing - Basic Additional Half Hour				JRET1		34.16	0.00				<del></del>	·					
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	-+-			JCS2X	6.22	19.85	19.85							<del></del>	<del></del>		
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2 1		JCS2X	8.76	65.80 65.80	30.96 30.96	45.25	6.70							- +	—
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3 L		JCS2X	11.27	65.80	30.96	45.25 45.25	6.70								_
1	Order Coordination for Unbundled Sub-Loops, per sub-loop pair								₹0.20	6.70								_
71 -1	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1				JSBMC JCS4X		8.15	8.15						J			- 1	
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2 (		JCS4X JCS4X	12.61	79.03 79.03	44.19	49.71	9.07							-+	
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	<del>-</del> - [-	3 1		JCS4X	15.36	79.03	44.19	49.71	9.07								_
						19.00	79.03	44.19	49.71	9.07								_
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	- 1	In.	EF h	SBMC		8.15			I .	1	1	,					_

NARANATED I	NETWORK ELEMENTS - Alabama			,					···			Att: 2 Exh; A					$\bot$
ATEGORY	RATE ELEMENTS	Interim Zor	e BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	incremental Charge + Manual Syc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l		
				İ	Rec	Nonred	urring		Disconnect			oss	Rates(\$)				二
- 1	op Tagging Service Level 1. Unbundled Copper Loop. Non-	<b>├</b>				First	Add'I	First	Addit	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN		$\perp$
	esigned and Distribution Subloops	1 1	UEF, UEANL	URETL		8.93	88.0				1	!	f I				ļ
Lo	op Testing - Basic 1st Half Hour	1	UEF	URET1		34.16	0.00										$\dagger$
Lo	op Testing - Basic Additional Half Hour		UEF	URETA		19.85	19.85					L					1
Unbundled	Sub-Loop Modification		<del></del>														_
	bundled Sub-Loop Modification - 2-W Copper Dist Load it/Equip Removal per 2-W PR		UEF	ULM2X		175.78	5.10		i								ļ
<del>-    </del>	bundled Sub-loop Modification - 4-W Copper Dist Load	<del> </del>	<u> </u>	CENTER			3.70			<del>                                     </del>				-			+
	il/Equip Removal per 4-W PR		UEF	ULM4X		175.78	5.10				L						
	bundled Loop Modification, Removal of Bridge Tap. per								Ī								Г
	bundled loop		UEF	ULMBT	<u> </u>	278.20	6.11		L		L	<u>L.</u>	l				↓_
Unbundled	t Network Terminating Wire (UNTW) bundled Network Terminating Wire (UNTW) per Pair		IUE NTW	UENPP	0.40	30.01			,								+-
	tterface Device (NID)			100	0.70	30.01			<u> </u>	·			·				+
Ne	twork Interlace Device (NID) - 1-2 lines		UENTW	UND12		43.23	28.38										<b>†</b>
	twork Interface Device (NID) - 1-6 lines		UENTW	UND16		63.97	49,11								1		$\Gamma$
	twork Interface Device Cross Connect - 2 W	<del>                                     </del>	UENTW	UNDC2		5.87 5.87	5.87		ļ		<b></b>	ļ					$\perp$
Ne	twork Interlace Device Cross Connect - 4W VISIONING ONLY - NO RATE	+ +	OEMIW	UNDC4	<del>  </del>	5.87	5.87		<del> </del>	<del> </del>	<del> </del>						+
E DIMER, PAO	VISIONING ONET - NO RATE	<del>                                     </del>	UAL, UCL, UDC,												t		₩
			UDL. UDN, UEA, UHL, UEANL, UEF, UEQ. UENTW, NTCVG, NTCUD.		  -								:				
	bundled Contact Name, Provisioning Only - no rate		NTCD1, USL	UNECN	0.00	0.00											╄
Un	bundled DS1 Loop - Superframe Format Option - no rate bundled DS1 Loop - Expanded Superframe Format option - no	<del>  </del>	USL. NTCD1	CCOSF		0.00									<del></del>		₩.
rat			USL. NTCD1	CCOEF		0.00								!	i		
	D - Dispatch and Service Order for NID installation	<del>     </del>	UENTW	UNDBX	0.00	0.00			-			<del></del>					⊢
	ITW Circuit Establishment, Provisioning Only - No Rate		UENTW	UENCE	0.00	0.00											⊢
OP MAKE-UP																	$\vdash$
Lo	op Makeup - Preordering Without Reservation, per working or		имк	UMKLW		20.00	20.00							- '			
	are facility queried (Manual). op Makeup - Preordering With Reservation, per spare facility	<del>  -</del>	Civils	CHVINCAV	·	20.00	20.00	-									╄
	eried (Manual).	1	UMK	UMKLP	) i	21.00	21.00		Ĭ	)	1	)	[		I		ł
Lo	op MakeupWith or Without Reservation, per working or spare	1 1										-					T
	cility queried (Mechanized)	1	UMK	UMKMO		0.59	0.59										_
E SPLITTING		ــــــــــــــــــــــــــــــــــــــ		_1	L				L	نــــــن		l					
	ORDERING-CENTRAL OFFICE BASED		TUEPSR UEPSB	UREOS	0.61				,								├
-	ne Splitting - per line activation DLEC owned splitter ne Splitting - per line activation AT&T owned - physical	+	UEPSR UEPSB	UREBP	0.61	37.01	21.19	20.02	9.83								⊢
	e Splitting - per line activation AT&T owned - virtual	<del>   </del>	UEPSR UEPSB	UREBV	0.61	37.01	21.19	20.02	9.83								<del> </del>
END USER	ORDERING - REMOTE SITE LINE SPLITTING	<del></del>															<del> </del> -
UNBUNDL	ED EXCHANGE ACCESS LOOP																Ε
	NALOG VOICE GRADE LOOP								<del></del>								
	Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	l.	UEPSA UEPS8	UEALS	12.58	37.81	17.56	23.49	5.30				1		İ		1
	one 1 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	<del>                                     </del>										-	<del></del>		<del></del>		-
Zo	ine 1	1 1	UEPSA UEPSB	UEABS	12.58	37.81	17.56	23.49	5.30					l			L_
2 \	Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		LEGGE LEGGE				43										$\cap$
	ne 2	1	UEPSR UEPSB	UEALS	21.05	37.81	17.56	23,49	5.30	<del> </del> ,							
21	Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- ine 2	,	UEPSR UEPSB	UEABS	21.05	37.81	17.56	23.49	5.30					ļ			ı
	Wire Analog Voice Grade Loop-Service Level 1-Line Splitting	<del>  -   -</del>			25	07.01	.,	20.73	0.30				+				$\overline{}$
Zo	ine 3	] 3	UEPSR UEPSB	UEALS	34.34	37.81	17.56	23.49	5.30								ł
2 \	Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-			1													_
	one 3	1 13	UEPSA VEPSB	UEABS	34,34	37.81	17.56	23.49	5.30	li							
PHYSICAL	COLLOCATION ysical Collocation-2 Wire Cross Connects (Loop) for Line	<del>, , , , , , , , , , , , , , , , , , , </del>															
	hysical Collegation-2 wife Gross Connects (Edop) for the		UEPSR UEPSB	PE1LS	0.03	12.30	11.80	6.03	5.44	[				1		ļ	ı
	COLLOCATION	·						2.00					<del>_</del>				_
	<u> </u>																_
Vir	rtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting	<del>                                     </del>	UEPSR UEPSB	VE1LS	0.03	12.30	11.80	6.03	5.44			·					_
BUNDLED DED	ICATED TRANSPORT	<u> </u>	Д	1	أسسسا				L	L			1				_
	eroffice Channel - 2-Wire Voice Grade - per mile	1	TUTTVX	11L5XX	0.008838								· · · · · · · · · · · · · · · · · · ·	<del></del>			_
-   Int	eroffice Channel - 2-wire voice Grade - per mile eroffice Channel - 2-Wire Voice Grade - Facility Termination	+ +	UTTVX	U1TV2	21.13	40.54	27.41	16.74	6.90	<b>-</b>							_
- link	eroffice Channel - 2-Wire Voice Grade Rev Bat per mile	<del>                                     </del>	ui⊺∨x	1L5XX	0.008836							-			-+		_
																	_
	teroffice Channel - 2-Wire VG. Rev Bat Facility Termination	1 1	UITVX	U1TR2	21.13	40.54	27.41	16.74	6.90		1			i	4		

		1				т							Att: 2 Exh: A		<del></del>			
						1					Svc Order	Svc Order	Immendation	<del>```</del>			1	
ATEGORY		1	1 1		1	1					Submitted	Submitted	InclatineUtal	Incremental		Incrementa		$\top$
AIEGURT	RATE ELEMENTS	Interim	Zone	BCS							COLUMN	Submitted		Charge -	Charge -	Charge -	1	
			1	BCG	USOC	1		RATES(\$)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Syc	1	ł
		ł	l i		1	1					per LSR	perLSR	Order vs.	Order vs.	Order vs.		i	
	1		l 1									l	Electronic-	Electronic-		Order vs.	1	- 1
			!								i .	ļ	1st		Electronic-	Electronic-	1	
			1			<del> </del>	<del></del>						] 181	Add'I	Diac 1st	Disc Add'	1	J
	University - Charles - Cha					Rec	Nonre	curring	Nonrecurring	g Disconnect				T	L		L	
<del></del>	Interoffice Channel - 4-Wire Voice Grade - per mile			UTVX	iL5XX	4 22 22	First	Addʻl	First	Add'i	SOMEC	SOMAN		Rates(\$)				$\overline{}$
- 1			-		LICOXX	0.00883	18				COMEC	SUMAN	SOMAN	SOMAN	SOMAN	SOMAN		+
	Interoffice Channel - 4- Wire Voice Grade - Facility Termination		l I.	JITVX		1				<del></del>			· · · · · · · · · · · · · · · · · · ·					+
	Intercrice Channel - 56 khns - cer mile				U1TV4	18.7	3 40.54	27.41	16.74									
	Interoffice Channel - 56 kbps - Facility Termination	L		JITDX	1L5XX	0.00883	8	27.41	15.74	6.90				1 1	1		1	
	interoffice Channel - 64 kbps - per mile		_	J1 TDX	U1TD5	15.12				<del></del> .								
	Interesting Channel Ottobs - per male		70	JI TDX	1L5XX	0.008838		27.41	16.74	6.90				<del></del>				1
	Interoffice Channel - 64 kbps - Facility Termination			HTDX	U1TD6					]	7			<del>   </del>				$T^{-}$
<del></del> -	Interoffice Channel - DS1 - per mile			JI TDI		15.12		27,41	16 74	6.90								+
	Interoffice Channel - DS1 - Facility Termination			Ji TD1	1L5XX	0.18					<del> </del>			L [				<del>, -</del> -
	Interoffice Channel - DS3 - per mile				U1TF1	60.16		81.81	16.35	14.44	├──							+
	Internifice Channel DG2 Family Torrid		_ !	J1 TØ3	1L5XX	4.09	9		10.00	14.44								<del>}                                    </del>
	Interoffice Channel - STS-1 - per mile		[	II TD3	U1TF3	703.52	2 278.75	162.76			Τ							<del></del>
-	Intereffice Channel - STS-1 - Facility Termination	1		11 TS1	1L5XX	4 09		102.76	60.20	58.46								
UNRUL	IOI ED DARK FIRE DE LA FACILITY Termination		Ti.	1751	UITES	701.37	·											1
- INDOV	OLED DARK FIBER - Stand Alone or in Combination				10.11.3	/01.37	7 278.75	162.76	60.20	58.46								
1	Dain Fiber - Interoffice Transport, Per Four Fiber Strangs Per														T			_
	Indule Mile Of Fraction [hereof	I	J.,	DF, UDFCX		1			·	·								t
	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per		- 10	Ur, UUFCX	1L5DF	22.34	Ц [	l		' !	- 1		7					—
L	Indute Mile Of Fraction Therent	- 1				1	1							- 1	1	İ	,	1
H CAPACIT	Y UNBUNDLED LOCAL LOOP		U	DF, UDFCX	UDF14	İ	639.09	137 87	<b></b>	ĺ	Т			<del></del>				-
DS. 1/e1	TS-1 UNBUNDLED LOCAL LOOP - Stand Alone				1 -	1 <del></del>	000.08	13/ 117	317.06	197.66			I	I	J	1	7	ı –
	IDS3 (Inhundled Level Lour - Stand Alone					L	١					<del></del>	<del></del> +				/	L
<del>-  </del>	DS3 Unbundled Local Loop - per mile		10	E3	1L5ND	2.5-												$\overline{}$
i	US3 Unbundled Local Loop - Facility Termination			=3	UE3PX	8.38				· · · · ·	<del></del>	<del></del>					~	
. I I	STS-1Unbundled Local Loop - per mile			DLSX		308.08		263.94	119.49	83.58							$\overline{}$	_
	S15-1 Unbundled Local Loop - Facility Termination	-			1L5ND	8.38				80.76							$\longrightarrow$	
IANCED EXT	TENDED LINK (EELs)			DLSX	UDLS1	319.83	451.52	263.94	119.49									
Network	k Elements Used in Combinations						101.02	203.34	119.49	83.58								
- 110111011	2 Wire VO Lease (St. D.)				<del>'</del>		<u> </u>											
-	2-Wire VG Loop (SL2) in Combination - Zone 1		1 11	ICVX	UEAL2												$\neg \neg$	
	2-Wire VG Loop (SL2) in Combination - Zone 2	-+		iCVX		14.38		55.00	47.24	7,44		·						
	2-Wire VG Loop (SL2) in Combination - Zone 3		3 U	IOVA	UEAL2	22.85		55.00	47.24	7.44								
_ 1 1'	4-Wire Analog Voice Grade Loop in Combination Zees 1				UEAL2	36,14	88.00	55.00	47.24								<del></del> -	
$\top$	4-Wire Analog Voice Grade Loop in Combination - Zone 2		1 0		UEAL4	25.34	131.97	94.51		7.44								
	4-Wire Applies Value Condition in Combination - Zone 2		2 UN	ICVX	UEAL4	38.58			59.14	14.50								
<del></del>	4-Wire Analog Voice Grade Loop in Combination - Zone 3	_ 'T	3 UN	CVX	UEAL4	60.02		94.51	59.14	14.50		$\overline{}$						
<del></del>	2-Wire ISDN Loop in Combination - Zone 1		1 UN		U1L2X			94.51	59.14	14.50								
	2-Wire ISUN Loop in Combination - Zone 2			CNX		21.88	117.24	79.77	52.88	10.54							$\overline{}$	
1 1	2-Wire ISDN Loop in Combination - Zone 3		3 UN		U1L2X	32.85	117.24	79,77	52.88	10.54				_ `_ `T				
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1				U1L2X	48.55	117.24	79.77	52.88								-	
- 4	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		1 UN		UDL56	26.09	126.27	88.80		10.54								
1 4	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		2 UÑ	CDX	UDL56	35.95	126.27		59.14	14.50				+				
	Wine SAZE - Digital Grade Loop in Combination - Zone 3		3 UN	CDX	UDL56			88.80	59.14	14.50							_ : -   ::	
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1 UN	CDX	UDL64	37.88		88.80	59.14	14.50								
1 14	**YVII'8 64KD0S Digital Grade Loop in Combination 7000 2		2 UN			26.09	126.27	88.80	59.14	14.50								
1 14	-Wife b4Kbos Digital Grade Loop in Combination 7 6				UDL64	35.95	126.27	88.80	59.14	14.50								
. 14	- Wire US1 Digital Loop in Combination - Zone 1		3 UN		UDL64	37.88	126.27	88.60	59.14	14.50							$-\!\!\!\!-\!\!\!\!\!+$	
1 17	THE UST DIGITAL LOOP IN Combination - Zone 2		1 UN		USLXX	82.55	252.47	157.54	44.70								$-\!$	
1 14	-W/Fe US1 Digital Loop in Combination Tana 2		2 UN	31X	USLXX	154.18	252.47	157.54		11.71			<del></del>	<del></del>	~	$-\!-\!\!\!-\!\!\!\!\perp$		
<del>                                      </del>	2S3 Local Loop in combination - Zone 3		3 UN		ÜSLXX	314.52			44.70	11.71			+		<del></del>			
<del>   </del>	OS3 Local Loop in combination - per mile		UN	23X	1L5ND	8.38	252.47	157.54	44.70	11.71		<del> </del>						
	253 Local Loop in combination - Facility Termination		UN		UE3PX							<del>-</del>						_
	15-1 Local Loca in combination - per mile	<del></del>	UN			308.08	451.52	263.94	119.49	83.58	<del></del>						-+	
IS	TS-1 Local Loop in combination - Facility Termination	- +-	UNK		1L5ND	8.38		+	<del></del>	55.00		<del></del> -					-+	
1 (11)	Reforme Channel in combinating - 2-wire VG - cor mile				UDLS1	319.83	451.52	263.94	119.49	00.50								
In	steroffice Channel in combination - 2-wire VG - Facility	<del></del>	UN	VX	1L5XX	0.008838		200.24	13,49	83.58					<del></del>			
1 15	ermination	1	1 ~				<del></del>						-					
			UNK	VX	U1TV2	21.13	40.54	1										
- 1."	teroffice Channel in combination - 4-wire VG - per mile		UNK	XX	1L5XX	0.008838	40.54	27.41	16.74	6.90	ł	- 1	ļ	1	1	- 1		
l lio	keromica Channel in combination - 4-wire VG - Facility	$\neg$	—			n.00883B						<del></del>				_	- 1	
Te	ermination		LEG	:VX		1	- 1			<del></del>	<del></del> -							
	teroffice Channel in combination - 4-wire 56 kbps - per mile	<del></del>			U1TV4	18.73	40.54	27.41	16.74	6.90	- 1	- 1	1			+	-+	
Int	teroffice Channel in combination - 4-wire 56 kbps - Facility		UNC	UX	1L5XX	0.008838				0.90				í	1	1		
ITe	ermination		- 1						<del></del>							<del></del>	$-\!$	
1 - 1 iii	terollice Chancel in combination	L	{UNC		U1TD5	15.12	40 54	a I	- 1						<del></del>			
<del>           </del>	Reroffice Channel in combination - 4-wire 64 kbps - per mile		UNC	DX 1	1L5XX	0.008838	40.54	27.41	16.74	6.90	1	- 1	J	ı		1	T	_
	reformed uncombination - 4-wire 64 kbps - Facility					0.000038						<del></del>		<del></del>			- 1	
l lie	ermination	Į	TUNC	nv J		J	·T_										-+	
Įnt	teroffice Channel in combination - DS1 - per mile	$\overline{}$	UNC		UITD6	15.12	40.54	27.41	16.74	6.90	1	J	I -	7				
		_			1L5XX	0.18			- 13.7-7	0.90				[	- 1	1		
1 line	eroffice Channel in combination - DC2 nor mile		UNC		U1TF1	60.16	89.27	81,81	1005									
line.	eroffice Charged in combination - DS3 - per mile		UNC		L5XX	4.09	U0.E1	51.61	16.35	14,44					<del></del>			
1 - Jiii	eroffice Channel in combination - DS3 - Facility Termination		LINC		J1TF3	703.52	070 70											_
1 1/18/	CIUIIKS Unannel in combination . STS.1 . ner mile	$\neg$	UNC		L5XX		278.75	162.76	60.20	58.46	-+-	<del></del>	<del></del>					
1 1170	erollice Channel in combination . STC 1 Exciling Termination		UNC			4.09						<del></del>					-+	
OWNT META	WORK ELEMENTS	-	-l	20	JITFS	701.37	278.75	162.76	60.20	58.46	<del></del>				<del>- , -</del>		-	
Optional F	eatures & Functions:		Щ.	T					50.20	38.46					<del></del>			
T T	/ with the .										T							
1 L.	ear Channel Capability Extended Frame Option - per DS1		TUT TO	01.					_	-								

Cape Charter Capabity (page **pressor)   Cape Charter (page Charter)   Page Chart	TEGO	RY	RATE ELEMENTS	Interim	Zone	scs	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Menually per LSR	Att: 2 Exh: A Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge	incremental Charge - Manual Svc Order vs. Electronic- Olsc 1st	Incremental Charge - Manual Svc Order vs, Electronic- Disc Add'f		
Case   Charter   Chearty   Cape   Charter   Chearty   Cape   Ca	+						<del> </del>	Rec	Nonre:		Nonrecurring	Disconnect			OSS	<u>l</u>		DISC AGG 1		L.
Description   Committee   Co			Clear Channel Capability Super FrameOption - per DS1	Ι.	1					Audi	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN		<u> </u>
Column   C		ľ	Clear Channel Capability (SF/ESF) Option - Subsequent Activity	<del> </del>	├─		CCOSF	<u> </u>	0.00			ĺ								<del>  -</del>
Cost Petrs (Delan - Sciented Adviry - per DS)   In the Company of			per US1	<u></u>	i i		NRCCC	i					<del></del>							]
DECORD   Communication   DECORD   DECOR			C-bit Parity Option - Subsequent Activity - nor DC2						184.85	23.81	1.99	0.7741			}	l í				
DOS-SST Charm system		- 41	DS1/DS0 Channel System	<del> </del>			NRCC3	<u></u>	219.13	7.67	0.7355	0.00	i T					<del></del>		<u> </u>
Vect Grags COCO 10 29/SS 4 4W Vars Cripts Local Loop	$ \vdash$		DS3/DS1Channel System	_		UNC3X LINESY	MQ1			62.57			<del> </del>				!	1		l
Wide Grant COOL for 2015 COOL for Secretary of Secretary (1925)   1970			voice Grade COCI in combination			UNCVX				93.97	33 26									<del></del>
Control of the same of the sam		١	Voice Grade COCL - for 2W-SI 2 & 4W Voice Grade Lavel L.					0.30	6.58	4.72						<del></del>				
CELOP CORT   1				<del></del>		UEA	1D1VG	0.56	6.58	4.72	i									
DECK   COLOR   Color	┿.			! ]		итис	101110											i		
COURT   COUR	+	- 10	CCLDB COC (2.4-64kbs) in combination			UNCOX			6.58					1		T				
Committee   Comm	<del></del>	c	OCULDP COC! (2.4-64kbs) - for Unbundled Digital Loop			UDI.		2.41												
County Status COCC   Control   Con	$\perp$		Controller in the same SWC as collecation	Ī	I	14 TV 15			5.38	4.72						+	<del></del> +			
2-wws ESPH-COC (IRRIFS) for a Logal Log   100		12	-WIFE ISDN COC. (REITE) in combination						6.58	4.72								<del></del>		
Central Country (1987) - for convention to a character of the control of a character of the		12	wire ISDN COCI (BRITE) - for a Local Land		-	DN .			6.58	4.72		<del></del>						ļ	ĺ	
DSC DCC in Contraction		4	-Wire ISDN COC! (BRITE) - for connection to a charmelized DCs.	<del>-</del> †	$\neg \uparrow$		COTOR	1.19	6.58	4.72			<del></del>	<del></del> -		— T				
DSF COCK - for Stand Apen Except Channel   CoCKSP   CUCHO   13-47   6.56   4.72		- 6	SSL COCL in combination				UC1CA	1 19	6.50								$  \perp$			
Control   Cont		TD	S1 COCI - for Stand Alone Local Chancel				UCIDI								ļ		J			
Section		JU	S1 COCI - for Stand Alone Interoffice Channel	-+					6.58								<del></del>			
Design   D	-	Įυ	ST COCI - TOP DST Local Loon	-+			UC1D1			4.72										
MEDIX (MEDIX (MEDIX   MEDIX (MEDIX   MEDIX (MEDIX   MEDIX   MEDIX (MEDIX   MEDIX   MEDIX (MEDIX   MEDIX   MEDIX   MEDIX (MEDIX   MEDIX   MEDIX   MEDIX   MEDIX (MEDIX   MEDIX   MEDIX   MEDIX   MEDIX (MEDIX   MEDIX   MEDIX   MEDIX   MEDIX   MEDIX (MEDIX   MEDIX		10	S1 COCI - for connection to a channelized DS1 Local Channel in		- +	,	UCIDI	13.47	6.58	4.72				-+	+					
Urbunded Miss Pake Element, SNE SAI, Single Network Element   SNeth As Is Non-record (SN)   URSI   UPSI		- 1			U X X H	NC1X, UNC3X, NCSX, UDFCX, DH1X, HFQC6, DD2X, XDV6X, DDFX, XDD4X, FRST, UNCNX	UNCCC		5.59	5 50										
Striction   Septimental   Septiment   Se	-	Un	bundled Misc Rate Flement, SNE SAI, Signilla Naviori (LSR)	1	Ju U	1TD1, U1TD3, 1TS1, UDF, UE3	JRESL			-				-				-	_	
Customer Reconfiguration Establishmer4   1.48   1.54     DSI DCST emination with DSI Switching   29.46   25.55   19.66   16.63   13.38     DSS DCST farmination with DSI Switching   19.41   12.56   12.21   8.96     Node (Synchrolas)   105.16   25.55   19.66   16.63   13.38     Node (Synchrolas)   105.16   25.55   19.66   16.63   13.38     Node per month   105.16   105.16   105.16   105.16   105.16   105.16     Service Rearrangements   10.17   10.17   10.17     NRC - Change in Facility Assignment per circuit Service   10.17   10.10     NRC - Change in Facility Assignment per circuit Service   10.17   10.10     NRC - Change in Facility Assignment per circuit Service   10.17   10.10     NRC - Change in Facility Assignment per circuit Service   10.17   10.10     NRC - Change in Facility Assignment per circuit Service   10.10   10.10   10.10     NRC - Change in Facility Assignment per circuit Service   10.10   10.10   10.10     NRC - Change in Facility Assignment per circuit Service   10.10   10.10   10.10   10.10     NRC - Change in Facility Assignment per circuit Service   10.10   10.10   10.10   10.10     NRC - Change in Facility Assignment per circuit Service   10.10   10	<u> </u>	lon	a spreadsheat	,	įυι	ITD1, UITD3,	IDECD.								<del>-</del>					
DS1 OCS Termination with DS3 Switching   29.46   25.55   15.86   16.53   13.38	Acce	Cu	DCS - Customer Reconfiguration (FlexServ)			TO TOST, SED	onear	<u>-</u>	5.59	5,59				ĺ	1	- 1	ĺ	1	l	
DS3 DCS Termination with DS1 Switching   29.46   25.55   19.66   16.63   13.38     DS3 DCS Termination with DS1 Switching   9.94   16.47   12.58   12.21   8.66     Node (SynchroNet)   105.16   25.55   19.66   16.63   13.38     Node per month	_	IDS	1 DCS Termination with DSO Switchion						1 48 1											
DSS DCS Termination with DS1 Switching   9.94   16.47   12.98   12.21   8.96		102	I UCS fermination with DS1 Switching		<del>- -</del>					19.66		12.20								
Service Rearrangements   UNCDX   UNCNT   15.77	1000		3 DCS Termination with DS1 Switching																	
Service Rearrangements  UTFVX, USTDX, USTDX, USTDX, USTDX, USTDX, USTDX, USTDX, USTDX, USTDX, USDX, UNCXX, USDX, UNCXX, USDX, UNCXX, USDX, UNCXX, USDX, UNCXX, USDX, UNCXX, USDX, UNCXX, USDX, USDX, UNCXX, USDX, USDX, UNCXX, USDX,	Node							105.16	25.55	19.66	16.63	13.38		-+					_	
NRC - Change in Facility Assignment per circuit Service UTTUS, UTTUS, UTTUS, UTTUS, UTTUS, UTTUS, UTTUS, UTTUS, UTTUS, UTTUS, UTTUS, UTTUS, ULDDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UTTUS, UTTUS, UTTUS, UTTUS, UTTUS, UTTUS, UTTUS, UTTUS, UTTUS, UTTUS, UTTUS, UTTUS, UTTUS, UTTUS, UNCDX, UN	Servi	ce Rea	ar randaments		_ UN	CDX I	NCNT	15.77 T		<del></del>										
NRC - Change in Facility Assignment per circuit Project Management (addied to CPA per circuit if project managed)  NRC - Order Coordination Specific Time - Dedicated Transport  I UNCYX, UNCDX, UNCDX  UNCYX, UNCDX, UNCDX, UNCDX, UNCYX, UNCDX, UNCYX, UNCYX, UNCXX		NRO	C - Change in Facility Assignment per circuit Senso		U1 UL UN	TUC, U1TUD, TUB, ULDVX, DDX, UNCVX, CDX, UNC1X U	RETD		101.09	43.05									+	
UNCVX, UNCDX, UN		Man	Ricement (added to CEA par almost a personal and	-	UI1 UI1 ULI UNK	TUC, UITUO, TUB, ULDVX, DDX, UNCVX, DDX, UNCIX U			3.16										+	
UNCTX, UNC3X,	NGLIN	G					COSA							$\Rightarrow$					_	
UTTD3, UTTS1, UE3, UDLSX, UTTVX, UTTDX, UTTD4, UTTDX, UTTD8, ULDVX, ULDD1, ULDVX, ULDD1, ULDD3, ULDS1 CMGAU 0.00 0.00 0.00 0.00		Cam	mmalina Authorization		UNC UNT UDL UIT ULD	DTX, UNC3X, DSX, UTTO1, D3, UTTS1, UE3, SX, UTTVX, DX, UTTUB, VX, ULDD1,														

				ГТ	Τ									Att: 2 Exh: A					
			ļ		1		1					Svc Order	Svc Order	Incremental		Incremental	Incremental	+	
ATE	GORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Submitted Elec per LSR	Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Order vs.	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svc Order vs. Electronic- Disc Add'l	1	
	<del>,</del>		<del></del>	-	<del> </del>		Rec		curring	Nonrecurring	Disconnect	<del></del>			1	0.50 151	DISC Add I	1	
_	—	Commingled VG COCI	+		XDV2X	1D1VG		First	Add'l	First	Addi	SOMEC	SOMAN	SOMAN	Rates(\$)				
	+	Commingled Digital COCI		_	XDV6X	1D1DD	0.53	0.00					- COMPAN	SUMAN	SOMAN	SOMAN	SOMAN		
	1	Commingled 2-wire VG Interoffice Channel			XDD4X	UCICA	2.41		4.72					<del></del>	<del>}</del> -				
	-	Commingled 4-wire VG Interoffice Channel			XDV2X	U1TV2	21.13		27.41						<del>  </del>			i—–	ユニ
		Commingled 56kbps Interoffice Channel	+		XDV6X	U1TV4	18.73		27.41	16.74 16.74	6.90								
		Commingled 64kbps Interoffice Channel	+		XDD4X XDD4X	U1TD5	15.12	40.54	27,41	16.74	6.90	<del></del>							┽—
			<del> </del>		XDV2X, XDV6X,	U1TD6	15.12	40.54	27.41	16.74	6.90	<del>  </del>							+-
	<del> </del>	Commingled VG/DS0 Interoffice Channel Mileage	1 1		XDD4X	1L5XX	0.008838				0.00								+
	├	Commingled 2-wire Local Loop Zone 1			XDV2X	UEAL2	14.38					ĺĺ		ļ		Ī			
_	<del>                                     </del>	Commingled 2-wire Local Loop Zone 2 Commingled 2-wire Local Loop Zone 3		5	XDV2X	UEAL2	22.85		55.00	47.24	7.44								
	-	Commingled 4-wire Local Loop Zone 1	+ 7		XDV2X	UEAL2	36.14		55.00 55.00	47.24 47.24	7.44				<del></del>				+
		Commingled 4-wire Local Logo Zone 2	┿┵		XDV6X	UEAL4	25.34	131.97	94.51	59.14	7,44 14.50	Ţ							+
		Commingled 4-wire Local Loop Zone 3	+		XDV6X XDV6X	UEAL4	38.58		94.51	59.14	14.50								+
		Commingled 56kbps Local Loop Zone 1	┼		XDV6X XDD4X	UEAL4	60.02	131.97	94.51	59.14	14.50		·						+
	├	Commingled 56kbps Local Loop Zone 2	<del>   </del>		XDD4X	UDL56 UDL56	26.09		88.80	59.14	14.50	<del>  </del>	+						+-
	<u> </u>	Commingled 55kbps Local Loop Zone 3			XDD4X	UDL56	35.95 37.88		88.80	59.14	14.50			<del></del>					T-
	<del></del>	Commingled 64kbps Local Loop Zone 1 Commingled 64kbps Local Loop Zone 2			XDD4X	UDL64	26.09		88.60	59.14	14.50				<del></del>				
	-	Commingled 64kbps Local Loop Zone 3			XDD4X	UDL64	35.95		88.80	59.14	14.50								
$\Box$		Commingled ISDN Local Loop Zone 1			XDD4X	UDL64	37.88	126.27	88.80	59.14 59.14	14.50								—
		Commingled ISDN Local Loop Zone 2	1	!	XDD4X	U1L2X	21.88	117.24	79.77	52.88	14.50	<u>-</u>							┾
		Commingled ISDN Local Loop Zone 3	+ +	2	XDD4X XDD4X	U1L2X	32.85	117.24	79.77	52.88	10.54						<del></del>		┼──
4		Commingled DS1 COCI	<del> </del>		XDH1X	U1L2X	48.55	117.24	79.77	52.88	10.54								┼
		Commingled DS1 Interoffice Channel	<del>                                     </del>		XDHIX	UC1D1 U1TF1	12.70	6.58	4.72										+
$\rightarrow$		Commingled DS1 Interoffice Channel Mileage			KDH1X	1L5XX	60.16 0.18	89.27	81.81	16.35	14.44		<del></del>						$\overline{}$
-+		Commingled DS1/DS0 Channel System Commingled DS1 Local Loop Zone 1			KDHIX	MQ1	101.06	91.04	- 40 40						<del></del>				
_		Commingled DS1 Local Loop Zone 2			KDH1X	USLXX	82.55	252.47	62.57 157.54	10.54	9.79								
$\neg$		Commingled DS1 Local Loop Zone 3			KDH1X	USLXX	154,18	252.47	157.54	44.70 44.70	11,71					<del></del>			<del></del>
		Commingled DS3 Local Loop	├		CDH1X FQC6	USLXX	314.52	252.47	157.54	44.70	11.71					+		—	
		Commingled DS3/STS-1 Local Loop Mileage			FQC6, HFRST	UE3PX	308.08	451.52	263.94	119,49	63.58								⊢—
-+		Commingled STS-1 Local Loop	-		FRST	1L5ND UDLS1	8.38				50.50								<del>                                     </del>
$\rightarrow$		Commingled DS3/DS1 Channel System			FQC6	MQ3	319.83 166.13	451.52	263.94	119.49	83.58		-					$\neg$	
-		Commingled DS3 Interoffice Channel			FGC6	U1TF3	703.52	178.14 278.75	93 97	33.26	31.83								
+		Commingled DS3 Interoffice Channel Mileage Commingled STS-1 Interoffice Channel			FQC6	1L5XX	4.09	278.73	162.76	60.20	58.46				+			-	
	_	Commingled STS-1Interoffice Channel Mileage			FRST	UITES	701.37	278.75	162.76	60,20									
		Commingled Dark Fiber - Interoffice Transport, Per Four Fiber		<u>_</u>	FRST	1L5XX	4.09	2,5	102,70	BU.20	58.46							$\longrightarrow$	
	_ 19	Strangs, Per Houte Mile Or Fraction Thereof		J.	EODL				<del></del>									<del></del> -	
- [	ļ.	Commingled Dark Fiber - Interoffice Transport, Per Four Fiber	<del></del> +	<del>-   <u>  -</u></del>	LOUL	1L5DF	22.34				- 1		}	T				$\rightarrow$	
+	1	Strangs, Per Houte Mile Or Fraction Thereof	- 1	l <sub>H</sub>	EODL	UDF14							<b></b>					į	
+	-	UNE to Commingled Conversion Tracking			DH1X, HFQC6	CMGUN	0.00	639.09	137.87	317.06	197.66		1	- 1	1	[ ]		$\neg +$	
Quer	ry Servi	SPA to Commingled Conversion Tracking			DHIX, HFQC6	CMGSP	0.00	0.00	0.00	0 00	0.00			-+		$\longrightarrow$			
Ĩ		NP Charge Per query	<b></b>	$\perp$				0.00	0.00	0.00	0.00						<del></del>	<b></b> ∓	
$\Box$	IL.	NP Service Establishment Manual					0.000757			<del>-</del> -		<b>—</b> Г							
Ţ	10	NP Service Provisioning with David Code Establish		-+-				12.52		11.51								$-\!$	
PBX [	LULAII	E		-+	<del></del>	+		593.49	303.20	268.93	197.74		<del></del>					-+	
91	11 PBX	LOCATE DATABASE CAPABILITY			<del></del>	┸	L							<del></del> -					
+-	—- <del> </del>  }	Service Establishment per CLEC per End User Account			BDC	ISPBEU [		1,813.00											
	<del>- 1</del>	hanges to TN Range or Customer Profile or Telephone Number (Monthly)			BDC	9PBTN	<del></del> +	1,813.00											
_	- lc	change Company (Service Provider) ID		<b>1</b> 9F	BDC	9РВММ	0.07	107.99							<del></del>			<del></del>	
$\perp$	IΡ	BX Locate Service Support per CLEC (Monthly)		9F	BDC	9PBPC		532.60	<del></del>			$-\Box$						<del></del>	
I	5	ervice Order Charge			BDC	9PBMR	181.33		<del></del>				$-\Gamma$					<del></del>	
91	1 PBX	LOCATE TRANSPORT COMPONENT		191	BDC	9PBSC		15.66			<del></del>						-+		
Se	e Att 3																	-+	
hi-	<u></u>	es displaying an "i" in interim column are interim as a result of		$\top$		т т												-	
1710	ne. Kal	es displaying an "" in interim column are interim se a requit of		<del></del>														_	

UNBUN	DLE	D NETWORK ELEMENTS - Florida												lam. 2.5 1					
		To the same of the	Γ	Γ	Γ''	T	<u> </u>					Svc Order	Syc Order	Art: 2 Exh: A		Incremental	Incremental	ļ	+-
			]	1		1	ļ						Submitted		Charge	Charge	Charge -	İ	1
ATEGO	•••	B		_			ĺ					Elec	Manually	Manual Svc		Manual Svc	Manual Svc	l	1
AIEGO	*1	RATE ELEMENTS	Interin	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.		ľ
			١										1	Electronic-	Electronic-	Electronic-	Electronic-	i	J
			1	•										1st	Add')	Disc 1st	Disc Add'l		1
			_	<del>                                     </del>		<del></del>		Nonre	curring	Nonrecurring	Disconnect	<del></del>		000	Rates(\$)			-	<del></del>
							Rec	First	Add'i	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN		<del> </del>
_																	SUMAN		<del></del>
[7]	ne "Za	me" shown in the sections for stand-alone loops or loops as p	art of a	combi	nation refers to Geog	raphically De	averaged UNE	Zones. To view	w Geographical	ly Deaveraged	UNE Zone Desi	gnations by	Central Of	fice, refer to i	nternet Websit	to:			+
Int	tp://w	noresam, an .comy																İ	1
OPERATION	ONS S	UPPORT SYSTEMS (OSS) - "REGIONAL RATES"  (1) CLEC should contact its contract negotiator if it prefers the	"atata		- 000 -	45-45-56	60-1-0	-										-	<del> </del>
	ther ti	the state specific Commission ordered rates for the service ord	ering ch	Pocus	or CLEC may elect ti	raerea ny (ne ha raaional s	DIACO COMMIS	sions. The OS	Scharges curr	ently contained	d in this rate ex	hibit are the	AT&T Teg	ional" service	ordering char	ges. CLEC m	ay elect		1
																		1	1
NO.	DTE:	(2) Any element that can be ordered electronically will be billed	accord	ing to	the SOMEC rate liste	d in this cate	gory. Please i	efer to AT&T's	Local Ordering	Handbook (LC	OH) to determin	e if a produ	ct can be o	rdered electro	mically Forth	on a sloweste	11-2		<del>-</del>
ind	uide	red electronically at present per the LON, the listed SOMEC ra	to in thi	s cate	gory reflects the char	ge that would	d be billed to a	CLEC once ele	ctronic orderin	capabilities c	ome on-line for	that elemen	nt. Otherwi	se the manus	olically. Full to	ICS SOUNDING	that cannot		1
	piled	to a CLEC'S OIL WHEN IT SUDMITS AN LIKE TO A 1 & 1.													ar or the ring civil	. ge, soman,	WIII DO	ļ	ĺ
		OSS - Electronic Service Order Charge, Per Local Service Request (LSR) - UNE Only		i															<del> </del>
<del></del>		OSS - Manual Service Order Charge, Per Local Service Request		-	<del></del>	SOMEC		3,50	0.00	3.50	0.00								1
- 1		(LSR) - UNE Only		ĺ	1	SOMAN		11.90	0.00		0.00								
UNE SERV	/ICE C	DATE ADVANCEMENT CHARGE	<del></del>	-		SOWIAI		11.50	0.00	1,83	0.00								
N	OTE:	The Expedite charge will be maintained commensurate with Be	IlSouth	s FCC	No.1 Tariff, Section	5 as applicab	le.							<u></u>	<u> </u>				-
						1										<del></del>			<u> </u>
	i		ļ	1	UAL, UEANL, UCL,			i 1	}						!	ļ			1
				l	UEF, UDF, UEQ.	[									l í				l
- 1				ļ	UDL, UENTW, UDN,				}		į i				}	1	1		
				ĺ	UEA, UHL, ULC,	! !						1			1 1	- 1			1
- 1			l		USL, U1T12, U1T48, U1TD1, U1TD3,	i l						' !			i l	i	- 1		1
	- 1		ļ		UITDX, UITO3.	1 .		[	1			- 1				ļ			
í	- 1	İ	ĺ		U1TS1, U1TVX,			l i			·	' !			1	i	- 1		ł
	- 1		l		UC1BC, UC1BL,							- 1					- 1		
1			ł	ĺ	UC1GG, UC1GL,	) (						,			i i				[
					UC1DC, UC1DL,	i l		!!		- 1		i				- 1	- 1		)
					UC1EC, UC1EL,								i		1		ľ		
- 1	1		i		UCIFC, UCIFL.				ĺ			- 1				- 1	ı		1
	ı				UC1GC, UC1GL,				· I				i			}	1		l
			ĺ	1	UC1HC, UC1HL,						- 1	- 1	-		! !	i	J		ĺ
	- 1				UDL12, UDL48,				· I				1	- 1	I		ı		ļ
	- 1			ĺ	UDLO3, UDLSX.	l i				- 1	- 1	- 1	- 1		1	- 1			
	- 1				UE3, ULD12, ULD48,				- 1			- 1	- 1	- 1		- 1	1		1
				ļ	ULOD1, ULDD3,						ı	- 1			1				
- 1	- 1			1	ULDDX, ULDO3,	!			i		!		- 1	- 1		1	- 1		ĺ
	ı				ULDS1, ULDVX,				ļ	1	i	- 1		i	1	Į.	ľ		ļ
	- 1				UNC1X, UNC3X,								- 1				- 1	Ì	İ
					UNCDX, UNCNX,	i I		' i	- 1		i	[			' I		- 1		l
					UNCSX, UNCVX,			i			ı		1		1	- 1			l
	-				UNLD1, UNLD3, UXTD1, UXTD3.	!			- 1		1	- 1			- 1	1	- 1	í	í
	i				UXTS1, U1TUC,	]		i	- 1	i	- 1	- 1	- 1	- 1	- 1	- 1	1	- 1	l
1	Į				UTUD, UTTUB.						i	1		i	- 1	- 1		- 1	l
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			UITUA,NTCVG,				1	- 1				J	1				
		Day			NTCUD, NTCD1	SDASP		200.00	I		1	- 1		i	l l	í	1	- 1	l
ORDER M		CATION CHARGE												-					
	_1	Order Modification Charge (OMC)						26.21	0.00	0.00	0.00							$\longrightarrow$	
IA)mi min		Order Modification Additional Dispatch Charge (OMCAD)						150.00	0.00	0.00	0.00				+	+	+		<del></del> -
		CHANGE ACCESS LOOP		L															-
12-1		ANALOG VOICE GRADE LOOP			I EAN	LEALS.													_
<del></del>	- 1	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2	_		UEANI. UEANI.	UEAL2	10.69	49.57	22.83	25.62	6.57								
-+	- 1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2				UEAL2 UEAL2	15.20 28.97	49.57 49.57	22.83	25.62	6.57								
		2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 1	_			UEASL	10.69	49.57	22.83	25.62 25.62	6.57								
_		2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2				UEASL	15.20	49.57	22.83	25.62	6.57	$\rightarrow$							
		2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 3		3	UEANL	UEASL	26.97	49.57	22.83	25.62	6.57				$\rightarrow$				
		Tag Loop at End User Premise				URETL		8.93	0.88	- 20.02	0.37	+							
		Loop Testing - Basic 1st Half Hour			UÉANI.	UŘET1		77.09	0.00							<del></del>			
$\perp$		Loop Testing - Basic Additional Half Hour				URETA		33.12	33.12			-	-+			+	$\longrightarrow$		
		Manual Order Coordination for UVL-SL1s (per loop)			UEANI,	UEAMC		9.00	9.00			~ -							
	I	Order Coordination for Specified Conversion Time for UVL-SL1																	
- 1		(per LSR)			UEANL	OCOSL.		23.02						[		- 1	1	- 1	
		Intrinction Non-Design Voice Loan Million for ATRT provides						7						-				-	
$\dashv$		Unbundled Non-Design Voice Loop, billing for AT&T providing			ا	l										,			
		make-up (Engineering Information - E.I.)			UEANL	UEANM		13.49						i		J	- 1	ļ	
+		make-up (Engineering Information - E.I.) Unbundled Loop Service Rearrangement, change in loop facility,	_																
+		make-up (Engineering Information - E.I.) Unbundled Loop Service Rearrangement, change in loop facility, per circuit	-		UEANL	UREWO		15.78	B.94	25.62	6.57								
		make-up (Engineering Information - E.I.) Unbundled Loop Service Rearrangement, change in loop facility,	-		UEANL LIEANL				8.94 22.83 9.00	25.62 25.62	6.57 6.57						_		

ANTELLAMOTE  MATEL			1	Т-					<del></del>					Att: 2 Exh: A					
Part   Part	FEGORY	RATE ELEMENTS	Interin	Zone	a RCS	11500						Submitted	Submitted	Incremental Charge -	Incremental Charge	Charge -	Charge -	<del> </del> -	+-
Second   S						USOC			RATES(\$)					Order vs. Electronic	Order vs. Electronic	Order vs. Electronic-	Manuai Svc Order vs. Electronic-		
Service Control Cont	-		├─	╁	<del> </del>		Rec	Nonre	ecurring	Nonrecurri	ng Disconnect	<del> </del>	L		1 1	DIRCIBI	DISC Add'I	ĺ	í
Part   Part	2-W	IRE Unbundled COPPER LOOP		_	<del>'</del>		<del></del>	First	Add1	First	Add'I	SOMEC	SOMAN	OSS	Rates(\$)				+
State   Company   Compan	<del></del>	2-Wire Unbundled Copper Loop - Non-Designed Zone 1		] 1	UEO	UEQ2X	7.60	44.00		,				SOMAN	SUMAN	SOMAN	SOMAN		I
Tig Leap if all Dec Primates		2 Wire Unburdled Copper Loop - Non-Designed - Zone 2				UEQ2X													
Control Petrol Contr	<del></del>	Tag Loop at End User Premise		3							0,				┌┈──┤				
Loop Testing   Look (American Service Conference Conf	_	Loop Testing - Basic 1st Half Hour		L		URETL	1		20.90		6.45								┿
Maria Conf. Conf. Conf. Serv. Conf. Trans. Conf. Trans. Conf. Trans. Conf. Trans. Conf. Trans. Conf.		Loop Testing - Basic Additional Half Hour		├				48.65			<del></del>	<del>   </del>							<del> </del>
Memory   M		Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-		├	UEO	URETA					<del> </del>	<del> </del>							+-
Service (Copper Copper Copper Copper (Copper Copper (Copper Coppe		Designed (per loon)			JEO	LICOLID			·			<del>  </del>							+
Manual Conference   Conferenc	- 1	Unbundled Copper Loop - Non-Design, billing for AT&T providing		-	Tibel G	USBMC	<del> </del>	9.00	9.00	<u>.                                    </u>	1	i i		Ì	Ī				╆
Description   Process	_	(Reke-up (Choineering Information - F I )		ĺ	UEQ	LEOMU	ļ				T -		+						ł
State   September   Part   1.45   1	ļ	onbundled Loop Service Rearrangement, change in loop facility.				OCCING		13,49		ļ	<u> </u>		ļ			}	T		
State Augustic Cress Colorations of Part West LOCAD   LEG	+			Ĺ		UREWO	I	14 27	7.40										
Second Start Specimen   Comment Comm	$\top$	Bulk Migration Order Congligation, pag 2 Miss 107, Apr.				UREPN									I	ſ	ſ		1
2-West Analog Vote Caped Loop - Server Long 2 milliong or	UNDLED	EXCHANGE ACCESS LOOP			UEQ	UREPM				24.88	6.45					+			ł
With Analog Vices (Special Colors)   Server Lives 2 will Support	2-W/F	RE ANALOG VOICE GRADE LOOP			L				- J.JU	<del></del>	<del> </del>						· ·		├─
Control Cont	1	2-Wire Analog Voice Grade Loop - Septen Lovel 2 with an an I		_							<u> </u>								<del></del>
Average Vision Constraint Const	+-	Ground Start Signature - Zone 1		1	UFA	UEAL O		i											_
Control Supplies   Control Sup		2-Wire Analog Voice Grade Loop - Service Level 2 will opplor		'	V-7	UEAL2	12.24	135.75	82.47	63.53	12.01	J		ĺ	T				_
Control Analysis (Control Carde Loop - Service Lever 2 infloreds   1 LEA   LEAR   150.55   120.11   150.55   12		IGROUNG Start Signaling - Zone 2	ĺ	2	UEA	LIGALO		[				+		<del></del>	+				
With Analog Viceo Claude Loop - Server Level 2 Wifferents   1		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or				OCALC	17,40	135.75	82.47	63.53	12.01			i					
Sultry Squares   Squares		2 Wise Analog Voice Cond.		_3	UEA	ÜEAL2	30.87	125.76								<del></del>			
2-Wire Awage your Cornel Long - Service Level 2 williversis   2 U.A. U.E.A.   12-74   135-75   82-47   63-55   12-01	1	Battery Signaling - Zoon 1				112.22	50.67	135.75	82.47	63.53	12.01			1	J	1	- 1		
Scheme   Springer   Company   Comp	_	2-Wire Analog Voice Grade Loop - Service Level 2 w/D-		╝	UEA	UEAR2	12.24	135.75	82 47	60.60									
2-Wire Analog Vice Grade Loop - Spring Level 2 w/Reverse   3 UKA   UKANZ   17.40   185.75   82.47   63.50   12.01		Dattery Signaling - Zone 2	i	_				100.70	02.47	63.53	12.01				1		1		
South Systems   Systems		2-Wire Analog Voice Grade Loop - Service Level 2 w/Pervices		-2-	UEA	UEAR2	17.40	135.75	82.47	63.53		1							
Selection As Is Conversion rate per UNE Loop, Sirglet LSR, (per URE A URES).  Selection As Is Conversion rate per UNE Loop, Spreadwest, (per URE A URES).  UEA URESP 8.88 8.98  UEA UREAL 4.76 167.86 115.15 67.68 15.56 15		Darrery Signaling - Zone 3	1	ا م	1554	1				00.33	12.01					ļ	- 1		
UEA		Switch-As Is Conversion rate per UNE Loop, Single LSR, (per	-+		UEA	UEAR2	30.87	135.75	82.47	63.53	12.01	- 1	ĺ	i				-	
Section   Sect		[050]		Į,	UEA	lunes 1					12.01	<del></del>		<del></del> -					
Ukburded Loop Service Rearrangement, change in loop facility.   UEA   UNREW   8.3 8   8.98	1	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per				UNESL		8.98	8,98			i	i	ĺ					_
Dec No.   Dec	+			- (	UEA	URESP		0.00				-		<del>+</del>					
LOOD Taggings Service tiewed 2 (SL2)		one circuit	1			1 1		8.98	8.98			1	i	[					
Bish Migration per 2 Wire Voice Loop-S12   UEA   UREPN   155.75   824.7	+-	Loop Tagging - Service Level 2 (SL2)	$-\!$				1	87 71	26.25	ĺ						<del></del>			
BAN Myglation Order Coordination per 2 Wire Voice Loop-St2   UEA UREPM   155.78   88.47	<u> </u>	Bulk Migration, per 2 Wire Voice Loop \$1.2								<del></del>	— —					J		J	
A		DUK MIGRITON Order Coordination, nov 2 Miles Views 4						135.75						$ \perp$			<del></del>		
4-Were Analog Voce Grade Loop - Zone 1 4-Were Analog Voce Grade Loop - Zone 2 2   2   EA   LEAL4   18.89   167.86   115.15   67.08   15.56   4-Were Analog Voce Grade Loop - Zone 3   2   2   EA   LEAL4   26.84   167.86   115.15   67.08   15.56   4-Were Analog Voce Grade Loop - Zone 3   3   LEA   LEAL4   26.84   167.86   115.15   67.08   15.56   5-Were Analog Voce Grade Loop - Zone 3   3   LEA   LEAL4   47.62   167.86   115.15   67.08   15.56   5-Were Analog Voce Grade Loop - Zone 3   LEA   LEAL4   47.62   167.86   115.15   67.08   15.56   5-Were Analog Voce Grade Loop - Zone 3   LEA   LEAL4   47.62   167.86   115.15   67.08   15.56   5-Were Analog Voce Grade Loop - Zone 3   LEA   LEAL4   47.62   167.86   115.15   67.08   15.56   5-Were ISON Digital Grade Loop - Zone 3   LEA   LEAL4   47.62   167.86   8.98   8.98   5-Were ISON Digital Grade Loop - Zone 3   LEA   LEAL4   LEAL4   LEAL4   47.62   167.86   8.98   8.98   5-Were ISON Digital Grade Loop - Zone 2   LOON   LUEX   19.28   147.69   94.41   52.23   10.71   5-Were ISON Digital Grade Loop - Zone 2   LOON   LUEX   27.40   147.69   94.41   52.23   10.71   5-Were ISON Digital Grade Loop - Zone 2   LOON   LUEX   27.40   147.69   94.41   52.23   10.71   5-Were ISON Digital Grade Loop - Zone 2   LOON   LUEX   27.40   147.69   94.41   52.23   10.71   5-Were ISON Digital Grade Loop - Zone 3   LOON   LUEX   27.40   147.69   94.41   52.23   10.71   5-Were ISON Digital Grade Loop - Zone 2   LOON   LUEX   27.40   147.69   94.41   52.23   10.71   5-Were ISON Digital Grade Loop - Zone 3   LOON   LUEX   27.40   147.69   94.41   52.23   10.71   5-Were ISON Digital Grade Loop - Zone 3   LOON   LUEX   27.40   147.69   34.41   52.23   10.71   5-Were Ison Digital Grade Loop - Zone 3   LOON   LUEX   LOON   LUEX   27.40   147.69   34.41   52.23   10.71   5-Were Ison Digital Grade Loop - Zone 3   LOON   LUEX   LOON   LUEX   LOON   LUEX   LOON   LUEX   LOON   LUEX   LOON   LUEX   LOON   LUEX   LOON   LUEX   LOON   LUEX   LOON   LUEX   LOON   LUEX   LOON   LUEX   LOON   LUEX   LOON	4-WIRE	E ANALOG VOICE GRADE LOOP			UEA	JUREPM		0.00			<del></del>								
4-Wire Analog Voce Grade Loop - Zone 2 2 EEA UEAL 25.84 167.86 115.15 67.08 15.56 4  4-Wire Analog Voce Grade Loop - Zone 3 3 UEA UEAL 25.84 167.86 115.15 67.08 15.56 5  Switch As its Conversion rate per UNE Loop. Single LSR, (per UEAL 4 47.62 167.86 115.15 67.08 15.56 5  Switch As its Conversion rate per UNE Loop. Single LSR, (per UEAL 4 47.62 167.86 115.15 67.08 15.56 5  Switch As its Conversion rate per UNE Loop. Spreadsheef, (per UEAL 4 47.62 167.86 115.15 67.08 15.56 5  Switch As its Conversion rate per UNE Loop. Spreadsheef, (per UEAL 4 47.62 167.86 115.15 67.08 15.56 5  Switch As its Conversion rate per UNE Loop. Spreadsheef, (per UEAL 4 47.62 167.86 115.15 67.08 15.56 5  Switch As its Conversion rate per UNE Loop. Spreadsheef, (per UEAL 4 47.62 167.86 115.15 67.08 15.56 5  Switch As its Conversion rate per UNE Loop. Spreadsheef, (per UEAL 4 47.62 167.86 115.15 67.08 15.56 5  Switch As its Conversion rate per UNE Loop. Spreadsheef, (per UEAL 4 47.62 167.86 115.15 67.08 15.56 5  Switch As its Conversion rate per UNE Loop. Spreadsheef, (per UEAL 4 47.62 167.86 115.15 67.08 15.56 5  Switch As its Conversion rate per UNE Loop. Spreadsheef, (per UEAL 4 47.62 167.86 115.15 67.08 15.56 5  Switch As its Conversion rate per UNE Loop. Spreadsheef, (per UEAL 4 47.62 167.86 115.15 67.08 15.60 11	<del></del>	4-Wire Analog Voice Grade Loop - Zong 1		1 1	FA	lucius. T													
Switch Asis Conversion rate per UNE Loop, Sirgle LSR, (per USA)   USA   URESL   47.62   157.88   115.15   67.08   15.56	+	4-Wire Analog Voice Grade Loop - Zone 2				I FALA					15.56								
DSD    DSD	+-	T*************************************			JEA .		47.62		115.15		15.56			<del></del>					
Switch-As-Is Cornerson rate per UNE Loop, Spreadsheel, (per USA)   UPA URESP   8.98   8.98	1	DS(I)						107.86	115.15	67.08	15.56			+			$\bot$	$ \square$	
UREA   URESP   8.98   8.96	<del> </del>			<u> </u>	JEA	URESL	- 1	A SA		j	[ ]							-	
Service   Loop Service   Learning-ment, change in loop facility.   UEA	1 .	[080]	i	- 1.					5.30					{	1		ļ	J	
2-Wise ISDN Digital Grade Loop - Zone 1		Unbundled Loop Service Rearrangement, change in loop facility		—Ľ	JEA	URESP		8.98	8.98			- 1							
2-Wire ISDN Digital Grade Loop - Zone 1	1	I per circuit	- 1	- fu	NE A	[					—— <u>—</u>						l	- 1	
2-Wire ISDN Digital Grade Loop - Zone 2   2 UDN   UTLEX   27.40   147.59   94.41   62.23   10.71	2-WIRE	ISON DIGITAL GRADE LOOP				UHEWO		87.71	36.35			- 1	- 1		1				—
2-Wire ISDN Digital Grade Loop - Zone 3 3 UDN UTL2X 27.40 147.59 94.41 62.23 10.71 Urbounded Loop Service Rearrangement, change in loop facility.  UDN UREWO 91.61 44.15 UDN URE		2-Wire ISDN Digital Grade Loop - Zone 1	$\overline{}$	1 U	ION .	HII 2Y	40.00											ĺ	
Description   Comparison   Co	<del>├</del> ─┤	22-Wire ISUN Digital Grade Loop - Zone 2					27.40												
Dec circuit		Unburyled Loop Serves Reserved 3		3 U	DN		48.62			62.23					<del></del>				
2 Wire Unburded ADSL Loop including manual service inquiry &   1   UAL   UAL2X   1.80   149.53   103.85   75.05   15.63			ĺ					147.08	94,41	62.23	10.71								
Second Control of ADSL Loop including manual service inquiry 8   1	2-WIRE	ASYMMETRICAL DIGITAL SURSCHIEFE LINE (ADS.) COMPANIES		U	IDN	UREWO	[	91.61	44 15	i i	- 1								
2 Wire Unburdled ADSL Loop without manual service inquiry &   1 UAL UAL2X   8.30   149.53   103.85   75.05   15.63		E TO CONTROL AUSE LOOP INCluding manual service inquire. 9.	E COO	<u>-</u> ,											_	ļ		ĺ	
2				. la	а.												· · · · ·		
2 Wire Unburdled ADSL Loop without manual service inquiry &   2 UAL   UAL2X   11.80   149.53   103.85   75.05   15.63	I I	2 Wire Unbundled ADSL Loop including manual service inquiry 8	<del></del>	- 10		UAL2X	8.30	149.53	103.85	75.06	15.63	Ī		[ ]					
2 Wire Unburided ADSL Loop without manual service inquiry &			1	2 U	AL I	HALOV	44.00										!	- 1	
2 Wire Unburdled ADSI, Loop without manual service inquiry &   1   UAL   UAL2X   20.94   149.53   103.85   75.05   15.63	8	z vvve unbundled ADSL Loop including manual service inquiry &				WILEA.	11.80	149.53	103.85	75.05	15.63	1		[				-	
Security reservation - Zone 1   LIAL   LIA				3 JW	AL	UAL2X	20 94	140.52							<del></del>			L	
2 Wire Unburidled ADSL Loop without manual service inquiry & [Jacility reservation - Zone 2] 2 LIAL UAL2W 11.80 124.83 71.12 60.64 9.12 [Jacility reservation - Zone 3] 2 LIAL UAL2W 11.80 124.83 71.12 60.64 9.12 [Jacility reservation - Zone 3] 2 LIAL UAL2W 11.80 124.83 71.12 60.64 9.12		facility reservation - Zone 1	$\top$	$\neg$			20.54	149.53	103.85	75.05	15.63		_		- 1	1			
facility reservation - Zone 2   2   UAL   UAL2W   11.80   124.83   71.12   60.64   9.12	<del>   </del>	2 Wire Unbundled ADSI. Long without magnetic and an in-		1 U/	AL	UAL2W	8.30	124 83	71.12	60.00					<del></del>				
2 Wire Unburdield ADSI, Loop without manual service inquiry 8 facility reservation 2 pm 3 71,12 60.64 9.12				.						60.64	9.12				1	- 1		- 1 -	
	12	2 Wire Unbundled ADSL Loop without manual service inquiry 8		2 100	AL I	JAL2W	11.80	124.83	71.12	60.64	ا	] -					+-		
				ء ال	1				<del></del>	- <del>00.04</del>	3.12								
Onbundled Loop Service Rearrangement, change in loop facility 20.94 124.83 71.12 50.64 9.13	Įt.	Unbundled Loop Service Rearrangement, change in loop facility	<del>-  </del>	, 104		JAL2W	20.94	124.83	71.12	60.64	9.12		ĺ	}			<del></del>	<del>-  </del>	
Der chault   UAL   UREWO   86.19   40.39   2-Wire HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP			ļ	(14	<sub>al</sub> ].	IDENIO											1		

		T	7—	T		<del></del>							Att: 2 Exh: A					
		1	1	1	i	ì					Svc Oed	Svc Order					1 -	[
CATEGORY	RATE ELEMENTS	interim	Zone	BCS	USOC			RATES(\$)			Submitted Elec per LSR	Submitted Manually per LSR	Charge -	Order vs.	Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.		
		-	<b>├</b>	<u> </u>		<u>L</u>					ĺ		1st	Electronic-	Electronic- Disc 1st	Electronic- Disc Add'i	1	
		<del> </del>		ļ <u>.</u>		Rec	Nonre	curring	Nonrecurring	Disconnect		<u> </u>			U48C 181	Disc Add'i		
	2 Wire Unbundled HDSL Loop including manual service inquiry &	<del></del>	-	<del> </del>	<del></del>	+	First	Add	First	Add'l	SOMEC	SOMAN	oss	Rates(\$)		·		+
	PAGELV (ESERVATION - ZONE 1		,	luhi.	UHL2X	l	i				SUMEC	SUMAN	SOMAN	SOMAN	SOMAN	SOMAN		+-
ļ	2 Wire Unbundled HDSL Loop including manual service inquiry &				Uniczx	7.22	159.09	113.41	75.05	15.63	1			l 1				_
	facility reservation - Zone 2	L	2	UH.	UHL2X	10 26	159.09	1 .						├J		L		_1
ļ	2 Wire Unbundled HOSt Loop including manual service inquiry & lacility reservation - Zone 3					19 26	159.09	113.41	75.05	15.63	Ĺ							
	2 Wire Unbundled HDSL Loop without manual service inquiry and		3	UHL	UHL2X	18.21	159.09	113.41										4_
					T		100.00	113.41	75.05	15.63				' I				Ţ
	2 Wire Unbundled HOSL Loop without manual service inquiry and		1	UHL	UHL2W	7.22	134.40	80.69	60.64	2.0	1 1	7						┿
		l i	2	l				00.00	60.64	9.12								ļ
	2 Wire Unbundled HDSL Loop without manual segure inquiry and		- 2	IUHL .	UHL2W	10.26	134.40	80.69	60.64	9.12	1	ļ						₩-
	reservation - Zone 3	i	3	UHL.					20,04	3.12						1		1
	Unbundled Loop Service Rearrangement, change in loop facility,				UHL2W	18.21	134.40	80.69	60.64	9.12	ļ.		ļ					<del> </del>
		ŀ	1	UHL	UREWO	ì												í
4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIE	SLE LOC	)P		TOVEAAC		86.12	40.39			Į.	- 1	l l	1				
	In this Critician DOL LOCO Including manual service issuing and I					,												L
<del>    </del>			-1	UHL	UHL4X	10.86	100 5	Т			1		<del></del>	<del>-</del>				
ļ ļ	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2					10.86	193.31	138.98	77.15	12.61	[	- 1		ļ	ļ	· T		
<del>     </del>	4-Wire I Inhumited HOSt Loop inch	!	2	<u>U</u> HL	UHL4X	15.44	193.31	100.00	. 1	-		$\overline{}$						
	4-Wire Unburidled HDSL Loop including manual service inquiry and facility reservation - Zone 3		$\neg$		T	13.44	193.31	138.98	77.15	12.61		\	_ 1		- 1			1
	4-Wire Unbundled HDSL Loop without manual service inquiry and		3	UHL	UHL4X	27.39	193.31	138.98	77, 15							+		⊢—
		- 1						130,56	77,15	12.61				J	- 1			ı
	4-Wire Unbundled HDSL Loop without magual service locates and		_' ↓	UHL	UHL4W	10.86	168.62	115.47	62.74	44.00	- 1							
		ļ	2	UHL				110.41	02.74	11.22					i	1	I	ı
- 1 1	4-Wire Unbundled HDSL Loop without manual service innuing and		-2	UHI.	UHL4W	15.44	168.62	115.47	62.74	11.22	- 1		7					
	racinty reservation - Zone 3		3	UHL						11.22					. [	ľ	ļ	
יד ו	Unbundled Loop Service Rearrangement, change in loop facility,	-+	-3-1	UNL	UHL4W	27.39	168.62	115,47	62.74	11.22								
I II	per circuit	- 1	- h	UHL	UREWO	l			·	77.22							- 1	
	DS1 DIGITAL LOOP			~ <u> </u>	UREWO		86.12	40.39						i				
	-Wire DS1 Digital Loop - Zone 1		1 (	JSL.	USLXX	70.74											- 1	
	-Wire DS1 Digital Loop - Zone 2		2 (		USLXX	100.54	313.75 313.75	181.48	61.22	13.53		$\overline{}$	$\overline{}$					
	- Wire DS1 Digital Loop - Zone 3		3 (	.SL	USLXX	178.39	313.75	181.48	61.22	13.53								
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per USE)					170.05	313.75	181.48	61.22	13.53								
	witch-As-Is Conversion rate per UNE Loop. Spreadsheel, (per	_		JSL	URESL	1	8.98	8.98						<del>  </del>				
1 1	73F						0.00	0.36	+			l	_		ĺ	1	- 1	
i iu	Inbundled Loop Service Rearrangement, change in loop facility.			ISL	URESP	!	8.98	8.98		- 1	i					+		
		- 1	ı,	JSL					<del></del>	<del></del>					Í	1	ĺ	
4-WIRE 1	9.2, 56 OR 64 KBPS DIGITAL GRADE LOOP		- 10	ю	UREWO		101.07	43.04	ļ	i	- 1							
	Wife Unbundled Digital Loop 2.4 Kbps - Zone 1		1 10	n	LIDI OV										1	í		
1 14	Wife Unbundled Digital Loop 2 4 Khos - Zees 2		2 0	DI	UDL2X UDL2X	22.20	161.56	108.85	67.08	15.56			<del></del>					
-   4	Wire Unbundled Digital Loop 2.4 Kbps Zone 3		3 Ü		UDL2X	31.56	161.56	108.85	67.08	15.56								
1 14	Wife Unbundled Digital Loop 4.9 Kbps. Zone 1		1 0		UDL4X	55.99 22.20	161.56	108.85	67.08	15.56							= $+$	
<del>-+ </del>	Wire Unburdled Digital Loop 4.8 Kbps - Zone 2		2 U		UDL4X	31.56	161.56	108.85	67.08	15.56	_ +-		<del></del>					
_ ] [*	Wire Unguingled Digital Loop 4 R Khos . Zone 2		3 U	DL	UDL4X	55.99	161.56 161.56	108.85	67.08	15.56								
<del>-   -   2</del>	Wire Unbundled Digital Loop 9.6 Kbps - Zone 1 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2		1 Ü	DI.	UDLex	22.20	161.56	108.85	67.08	15.56			<del></del>					
_ 4	Wire Unbundled Digital Loop 9.6 Kbps - Zone 2		2 U	ĎĹ	UDL9X	31.56	161.56	108.85	67.08	15.56					——⊢			
4	Wire Unbundled Digital 19.2 Kbps - Zone 1		3 U		JDL9X	55.99	161.56	108.85	67.08 67.08	15.56								
7 [4]	Wire Unbundled Digital 19.2 Khos., Zogo 3		i U		JDL 19	22.20	161.56	108.85	67.08	15.56						<del></del>		
1 14 1	Wire Unburdled Digital 19 2 Khos. Zopo 2		2 U 3 U		JDL19	31.56	161.56	108.85	67.08	15.56		—II			<del></del>	<del></del>	<del>- +</del>	
4 1	Wire Unbuilded Digital Loop 56 Khos - Zone 1		3 U. 1 U.		JDL19	55.99	161.56	108.85	67.08	15.56						<del>   -</del>	<del></del>	
1 143	Wife Unbundled Digital Loop 56 Khas   Zope 2	-+	2 U		JDL56	22.20	161.56	108.85	67.08	15.56			<u>-</u> -					
14 1	wire Unbundled Digital Loop 56 Klops - Zone 3		3 U		JOL56	31.56	161.56	108.85	67.08	15.56	<del></del>							
1 141	Wife Unbundied Digital Loop 64 Khon. Zone 1		i luc		JDL56 JDL64	55.99	161.56	108.85	67.08	15.56		<del></del>						
	Wire Unbundled Digital Loop 64 Kbps - Zone 2				JDL64	22.20	161.56	108.85	67.08	15.56		-+-						
. ] [45	Wire Unbundled Digital Loop 64 Khos - Zoop 2		3 uc		DL64	31.56 55.99	161.56 161.56	108.85	67.08	15.56								
DS	witch-As-Is Conversion rate per UNE Loop, Single LSR, (per					30.99	161.55	108.85	67.08	15.56	-							
	»		uc	DL	RESL		8.98	0.00	T					<del>  </del>		-	$-\Box$	
DS	ritch-As-Is Conversion rate per UNE Loop, Spreadsheet (per		$\top$				0.88	8.98								[ _		
Lin	bundled Loop Service Rearrangement, change in loop facility,	ļ_	uc	<u> </u>	RESP	İ	8.98	8.98	ì	T								
	CITCLE	- 1	1				0.00	0.75						ı		i	1	
2-WIRE Un	bundled COPPER LOOP	L_	Juo	<u>u (</u>	REWO	1	102.11	49.74	- 1	1 -	7			<del>- 1</del>				
[2·V	Vire Unbundled Copper Loop-Designed including manual service							10,771						]		1		j
1 1 1	usy o raciity reservation - Zone 1	Ι.	luc	, 1						— т	<del>,</del> -					<del>  </del>		
2.0	Vire Unbundled Copper Loop-Designed including manual service	<del>-   '</del>	100		CLPB	8.30	148.50	102.82	75.05	15.63			7			<del>-   -</del>	-+-	
	uiry & facility reservation - Zone 2		: luc	,		-				13.00		1	1	1		1	1	- 1

CCCS 106 of 370 Page 13 of 96

	ED NETWORK ELEMENTS - Florida	<del></del>	,	<del>,</del>									Alt: 2 Exh; /	a			T	<del></del>
ATEGORY	RATE ELEMENTS	interim	Zone	BCS	usoc			RATES(\$)				Syc Order Submitted Manually per LSR	Incrementa	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l		+-
_		ļ				Rec		curring	Nonrecurring	Disconnect	<del> </del>	<u> </u>	089	Rates(\$)				
	2 Wire Unbundled Copper Loop-Designed including manual service	.+		<del> </del>	+	1	First	Addi	First	Add1	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN		+
	inquiry & facility reservation - Zone 3		3	UCL	UCLPB	20.94	148.50	102.82	75.05	15.63		-				DOMPAY		+-
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1				T			102.02	75.05	15.63	<del></del>			<del> </del> -	<u> </u>		<u></u>	
	2-Wire Unbundled Copper Loop-Designed without manual service	<del> </del>	1	UCL	UCLPW	8.30	123.81	70.09	60.64	9.12	<u></u>				1			1
	inquiry and facility reservation - Zone 2		2	UCL	LICLEW	11.80	123.81	70.09	60.64						<del>                                     </del>			┰
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3				T		123.01	70.09	60.64	9.12	-		ļ <u>.</u>		ļ <u>.</u>			Ш
_	CLEC to CLEC Conversion Charge without outside dispatch (UCL	<del> </del> -	3	ncr	UCLPW	20.94	123.81	70.09	60.64	9.12								T
	Des)	i		luci	UREWO	1	97.21	42.47										+-
- 1	Unbundled Loop Service Rearrangement, change in loop facility, per circuit				T		37.21	42.47										Ĺ
4-WIR	E COPPER LOOP	L		lucu	UCLMC		9.00	9.00		\ '				1	)			1
	4-Wire Copper Loop-Designed including manual service inquiry and	ı —			т	r	г											+-
-	Hacility reservation · Zone 1	<u> </u>	1	ucu	UCL4S	11.83	177.87	132.76	77.15	17.73								+
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2	i i	,	UCL			i i			11.70	-				<del></del>			↓
	4-Wire Copper Loop-Designed including manual service inquiry and		2	UCL	UCL4S	16.81	177.87	132.76	77.15	17.73					- 1			1
	Ifacility reservation - Zone 3		3	UCL	UCL4S	29,82	177.87	132.76	77,15	17.73								╆
	Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1			UCL	T"				- 77.13	17.73		<del></del>			+			
	4-Wire Copper Loop-Designed without manual service inquiry and	<del>  </del>	<u> </u>	OCAL.	UCL4W	11.83	153.18	100.03	62.74	11,22		1		İ	- 1	Į		J
	facility reservation - Zone 2	Ĺ. i	2	UCL	UCL4W	16.81	153.18	100.03	62.74	11.22	1							┼-
	4-Wire Copper Loop-Designed without manual service inquiry and lacility reservation - Zone 3				T		750.18	100.00	62.74	11.22								!
+	Order Coordination for Unbundled Copper Loops (per loop)		3	UCL UCL	UCL4W UCLMC	29.82	153.18	100.03	62.74	11.22		ļ				ł		Γ.
	Unbundled Loop Service Rearrangement, change in loop facility.	-		COL.	UCLMC		9.00	9.00										╁ー
-	per circuit			UCL	UREWO		97.21	42.47	ļ									_
	Order Coordination for Specified Conversion Time (per LSR)	}		UEA, UDN, UAL,														Ĺ.,
Rearra	ngements		i	upl, udl, usl	ocost		23.02						_			!		1
	EEL to UNE-L Retermination, per 2 Wire Unbundled Voice Loop-	Ţ		UEA	T	1			<del></del> -		<del>-</del> r							
<u> </u>		$\overline{}$		UEA	UREEL		87.71	36.35					ļ	Ĭ	1	ŀ		1
	EEL to UNE-L Retermination, per 4 Wire Unbundled Voice Loop	J	- 1	UEA	UREEL	j	87.71	36.35	i i		- 1							<del>-</del>
	EEL to UNE-L Retermination, per 2 Wire ISDN Loop			UDN	UREEL		91.61	44.15	~	<del></del> +	<del> </del>			<del></del>				
-	EEL to UNE-L Retermination, per 4 Wire Unbundled Digital Loop		i	UDL	UREEL													
	EEL to UNE-L Retermination, per 4 Wire Unbundled DS1 Loco			USL	UREEL		102.11	49.74										ı
	MMINGLING ANALOG VOICE GRADE LOOP - COMMINGLING						.01.07	43.04			<del></del>							_
E-VIIVE	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or										<del></del>							_
	Ground Start Signaling - Zone 1	- 1	1	NTCVG	UEAL2	12.24	135.75	82.47	20.54									
]	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or				JOE NEC	12.24	133.13	82.47	63.53	12.01						L		
+	Ground Start Signaling - Zone 2 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		2	NTCVG	UEAL2	17.40	135.76	82.47	63.53	12.01	ļ	-		(	(			
	Ground Start Signaling - Zone 3		3	NTCVG	UEAL2	30.87	135.75	82.47							<del>  </del> -			
-	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse					20.37	130.75	82.4/	63.53	12.01								
<del>-  </del>	Battery Signaling - Zone 1 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		1	NTCVG	UEAR2	12.24	135.75	82.47	63.53	12.01	ĺ	1						
Į I	Battery Signaling - Zone 2	ĺ	, ,	NTÇVG	UEAR2	17,40											<del></del>	
1	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse				OCAH2	17,40	135.75	82.47	63.53	12.01								
+	Battery Signating - Zone 3 Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		3 1	NTCVG	UEAR2	30.87	135.75	82.47	63.53	12.01				-				_
}	DS0)	- 1	J,	NTCVG	URESL													
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	$\neg$	<del>-  </del>	11010	UNESL		8.98	8.98							}		[	
	DS0) Unbundled Loop Service Rearrangement, change in loop facility.		\	VTCVG	URESP		8.98	8.98	1	1		1	{				-	
	per circuit	- 1	- 1.	NTGVG						-			<del></del>	<del></del> +-				
	Loop Tagging - Service Level 2 (SL2)	$\dashv$			UREWO URETL	<del></del> -	87,71 11.21	36.35							_		- 1	
4-WIRE	ANALOG VOICE GRADE LOOP - COMMINGLING			<del>-</del>				1.101										
+ +	4-Wire Analog Voice Grade Loop - Zone 1 4-Wire Analog Voice Grade Loop - Zone 2			VTCVG VTCVG	UEAL4	18.89	167.86	115,15	67 08	15.56								_
	4-Wire Analog Voice Grade Loop - Zone 3	-		NTCVG NTCVG	UEAL4 UEAL4	26.84 47.62	167.86	115.15	67.08	15.56						<del></del>		
] "]	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per					47.02	167.86	115.15	67.08	15.56							+	
	DS0) Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	_	_	TCVG	URESL		8.98	8.98		ļ	ĺ			· J				_
i	DS0) Spreadsheet, (per		*	ricvG	URESP	T							<del>- +</del>	+		—— <u> </u> -		
	Unbundled Loop Service Rearrangement, change in loop facility,	_			UNEAR	+	8.98	8.98				<u>-</u>		)	_ }	1	ĺ	
	per circuit			VTCVG	UREWO	- 1	87.71	36.35	ļ	[								

		T		T									Att: 2 Exh: A				т	7
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svo Order vs.	Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.	ĺ	†
		1								_		L	Electronic- 1st	Electronic- Add'I	Electronic- Disc 1st	Electronic- Disc Add')		ĺ
4 10/10	E DS1 DIGITAL LOOP - COMMINGLING					Rec	Nonre First	curring Add'!	Nonrecurrin First	g Disconnect Add'l	CONEC		OSS	Rates(\$)			<del> </del>	+
4-4416	4-Wire DS1 Digital Loop - Zone 1									MOOI	SUMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN		_
	4-Wire DS1 Digital Loop - Zone 2			NTCD1	USLXX	70.74		181.48	61.22	13.53								Т
	4-Wire DS1 Digital Loop - Zone 3	+ +		NTCD1	USLXX	100.54		181.48		13.53	<del>                                     </del>	-	<del> </del> -	<del></del>				4
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per	╆╾┼	3	NICOI	USLXX	178.39	313.75	181.48	61.22	13.53			<del></del>	<del></del>				4
L	DS1)			NTCD1	URESL	!												+
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per (DS1)	1 1	_	NTCD1	URESP		8.98	8.98	·-·	<u> </u>	- <del></del>							$\perp$
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit						8.98	8.98	<del> </del>		ļ							L
4-WIR	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP - COMMINGLING	<del>! </del>		NTCD1	UREWO		101 07	43.04		1			i	J				Т
+	3 Wire Unbundled Digital Loop 2.4 Kbos - Zone 1	<del>,</del>	1	INTOUD	lumi mi													4
	4 Wire Unbundled Digital Loop 2.4 Khos - Zone 2	+ +		NTCUD	UDL2X UDL2X	22.20		108.85	67.08									-
	14 Wire Unbundled Digital Loop 2.4 Khos - Zoos 3	<del>                                     </del>		NTCUD	UDL2X	31.56 55.99	161.56 161.56	108.85 108.85	67.0B	15.56								+
	4 Wire Ungundled Digital Loop 4.8 Kbps - Zone 1			NTCUD	UDL4X	22.20	161.56		67.08					$\overline{}$	-			┿
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2				UDL4X	31.56	161.56	108.85	67.08	15.56								
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3			NTCUD	UDL4X	55.99	161.56	108.85	67.08 67.08	15.56 15.56								+
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1			NTCUD	UDE9X	22.20	161.56	108.85	67.08	15.56		]						1
<del></del>	4 Wire Urbundled Digital Loop 9.6 Kbps - Zone 2 4 Wire Urbundled Digital Loop 9.6 Kbps - Zone 3		2	NTCUD	UDL9X	31.56	161.56	108.85	67.08	15.56								+
	4 Wire Unbundled Digital 19.2 Kbps - Zone 1			NTCUD	UDL9X	55.99		108.85	67.08	15.56								Τ
	4 Wire Unbundled Digital 19 2 Khos - Zone 2	<b>├</b>		NTCUD	UDL19	22.20	161.56	108.85	67.08	15.56			<del></del>					Γ
<del></del>	4 Wire Unbundled Digital 19.2 Kbps - Zone 3	<del>  -</del>		NTCUD	UDL19	31.56	161.56	108.85	67.08	15.56		-						I
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	<del>  -</del>	3	NTCUD NTCUD	UDL19	55.99	161.56	108.85	67.08	15.56		$\overline{}$						┺
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			NTCUD	UDL56	22.20	161.56	108.85	67.08	15.56				<del></del> -				╄
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			NTCUD	UDL56	31.56	161.56	108.85	67.08	15.56					+	<del></del>		╀
	4 Wire Unbundled Digital Loop 64 Kbps · Zone 1			NTCUD	UO1,64	55.99 22.20	161.56 161.56	108.85	67.08	15.56								╄
_	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			NTCUD	UDL64	31.56	161.56	108.85	67.08	15.56								₩
_	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3			NTCUD	UDL64	55.99	161.56	108.85 108.85	67.08 67.08	15.56								╆
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0)			NTCUD	URESL		8.98		97,08	15.56				<del></del>				Ļ
	Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per DS0)							8.98										
	Unbundled Loop Service Rearrangement, change in loop facility.			NTCUD	URESP		8.98	8.98								[		
_	per circuit			NTCUD NTCVG, NTCUD,	UREWO		102.11	49.74										Г
	Order Coordination for Specified Conversion Time (per LSR)			NTCD1	OCOSL	1		- 1								<del></del>		Ŀ
NTENANCE	OF SERVICE		Ť	- I	OCOSL		23.02	<del></del>						ļ				l
			- 1	UDC, UEA, UDL,	· · · · · ·													<del> </del>
1			ł	UDN, USL, UAL,		F		- 1	i		- 1							_
	ļ l		Į.	UHL, UCL, NTCVG,	! !	- 1				ļ		ļ	1	ļ	1	1		į
		{		NTCUD, NTCD1,	1 1	I			ļ	i	1		1	1			1	
		- 1		UITDI, UITD3,	] ]	ļ		i		- 1	- 1		- 1					
				UTDX, UTS1. UTVX, UDF.		Ī	1			Į		1		l			- 1	
				UDFCX, UDLSX.	!			!		i	1	1	- 1			- 1		
		- 1		UE3, ULDD1	1 1			1			- 1			J	1		J	
				JLDDS, ULDDX,		ı			1				İ	ì		ł		
				JLDS1, ULDVX,				- 1		1	Į	i						
				JNC1X, UNC3X,	]	1	ŀ	-			1			]		]	- (	
	I		- li	JNCDX, UNCSX,	1 1	I		i	ł			1	1	i				
	Maintenance of Service Charge, Basic Time, per half hour		ι	JNCVX, ULS	MVVBT	ļ	80.00	55.00		1	ļ	1	J		}		}	
				JDC, UEA, UDL.			55.55	55.50	+	<del></del>						i	- 1	
1 1		- 1	Ų	JON, USL, UAL.		I	ľ	1		- 1			i				$\neg \neg$	
	• 1	- 1	Ju	HL, UCL, NTCVG,	1	I				!		i		J	ſ		İ	
	i			VTCUD, NTCD1,	1 1	ļ	i			i	ſ		[	1			- 1	
	I			JITD1, U1TD3,		1		- 1		- 1		1	í	- 1	- 1		- 1	
	1			JITDX, UITSI, JITVX, UDF.		- 1		i	ı	ļ		İ	I	J		1		
	!	1		DECX, UDLSX,	!!!	- 1	ļ	I		1	i			- 1		ŀ	1	
i	1		- fi	JES, ULODI,			l	I	Į.			J	i	- 1			- 1	
			lu Iu	LDD3, ULDDX.		1	,	-			J	İ	- 1				- 1	
				LDS1, ULDVX,				- 1		1	i					Į.	ĺ	
		ļ		NC1X, UNC3X,	, ,		1	- 1		I		}	İ	ļ	1	1		
- [ ]				INCOX, UNICSX,				!	ł	I	J			1	I	1	Į	
	Maintenance of Service Charge, Overtime, per half hour		u	NCVX, ULS	MVVOT	i	90.00	65.00		J	1		}	I	1	ı		

		$\overline{}$	_										44.05					
		İ	ļ								Svc Order	Svc Order	Att: 2 Exh: A Incremental	Incremental	incremental	Incrementa	<u> </u>	<del> </del> _
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc		Nonre	RATES(\$)	l Në		Elec per LSR	Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Charge - Manual Syc Order vs. Electronic- Disc fst	Charge - Manual Svo Order vs. Electronic- Disc Add'l		
			۰	(DC 153 LD)		Rec	First	Add'I	First	g Disconnect Add'i	PONEC		088	Rates(\$)			<del>-</del>	+-
	Maintenance of Service Charge, Premium, per half hour			JUDG, UEA, UDL, JUDN, USL, UAL, JUHL, UGL, NTCVG, NTCUD, NTCDT, UTTDN, UTTDN, UTTDN, UTTS1, UTTX, UDF, UDFCX, UDLSX, UEBSI, ULDDX, LLDST, ULDVX, UNGTX, UNCOX, UNCOX, UNCSX, UNCOX, UNCOX, UNCSX, UNCO						A001	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN		
OP MODIFI	CATION			UNCVA, ULS	MVVPT		100.00	75.00				ĺ		ĺ				
	Unburdled Loop Modification, Removal of Load Colls - 2 Wire pair less than or equal to 18k ft, per Unburdled Loop Unburdled Loop Modification Removal of Load Colls - 4 Wire less			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		0.00	0.00										
-	than or equal to 18K ft, per Unbundled Loop	ļ		UHL, UCL, UEA				0.00							[	:	- 1	i
				UAL, UHL, UCL.	ULM4L		0.00	0.00					]				$\neg \neg$	
B-LOOPS	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop	1	J	UEO, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT								Ţ					_
Sub-Lo	op Distribution				GEWIG 1		10.52	10.52								ŀ		
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set						·											
	lob .			JEANL, UEF	USBSA		487.23					<del>-</del> T						
<del>-  </del>	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility			JEANL, UEF	USBSB		6.25						<del></del>					
	Set-Up Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-		ı	JEANIL_	USBSC		169.25				<del></del>	<del>-  </del> -						
	00	_	(	EANL	USBSD		38.65											
r I	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1		, Tu	JEANL	USBN2	6.46					-+							
_	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2		2 1	EANI.			60.19	21,78	47.50	5.26						_ [	$\neg$	
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop / Zone 3	-			USBN2	9.18	60.19	21.78	47.50	5.26			_					
		+	3 U	EANL	USBN2	16.29	60.19	21,78	47.50	5.26						<del></del>		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop		Ų	EANL	USBMC		9.00	9.00										
	Zone 1  Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop		1 U	EANL	USBN4	7.37	68.83	30,42			<del></del>							
1 1	zone z		2 U		JSBN4	10,47			49.71	6.60								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop Zone 3		3 0				68.83	30.42	49.71	6.60						_		
]。	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		7		JSBN4	18.58	68.83	30.42	49.71	6.60								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)				JSBMC JSBR2		9.00	9.00		l	İ		İ					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair				200112	3.96	51.84	13.44	47.50	5.26								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)				ISBMC ISBR4		9.00	9.00		,						<del></del>	-+	—
١ ,	Order Country to 1	_	-   -	-	J30N4	9.37	55.91	17.51	49.71	5.60			<del></del>					
1. 6	Order Coordination for Unburidled Sub-Loops, per sub-loop pair oop Testing - Basic 1st Half Hour				SBMC		9.00	9.00									-	
┸	oop Testing - Basic Additional Half Hour	- +-		· · · · · · · · · · · · · · · · · · ·	RET1		77.09	0.00				~ — —				_		
-   -  2	Wire Copper Unbundled Sub-Loop Distribution - Zone 1		ı lŭ		ICS2X	5.15	33.12	33.12			<del></del>	<del></del>						_
- 1/2	Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2 UE	F	CS2X	7.31	60.19 60.19	21.78	47.50	5.26								
╅┈╬	Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3 UE	F	CS2X	12.98	60.19	21.78 21.78	47.50 47.50	5.26		$\perp \perp$						
lo	order Coordination for Unbundled Sub-Loops, per sub-loop pair		UE					21./6	47.50	5.26						<del></del>	<del> </del>	
1 14	Wild Copper Uphtindled Stib-Loop Distribution, Zeen C	-	i ÜE		SBMC		9.00	9.00	1	1	]	1						
	wire Capper Unbundled Sub-Loop Distribution - Zone 2		UE		CS4X CS4X	5.36	68.83	30.42	49.71	6.60		<del></del>						
1	Wire Copper Unbundled Sub-Loop Distribution - Zone 3		i jue		CS4X	7.61 13.51	68.83	30.42	49.71	6.60								
1 6	rder Coordination for Unbundled Sub-Loops, per sub-loop pair		1			13.51	68.83	30.42	49.71	6.60				<del></del>				_
		F	lue		SBMC		9.00										1	

			1	1	1	1					_			Att: 2 Exh: A					
			1	ſ	1	- 1						Svc Order	Svc Order		Incremental	1.			
							[					Submitted	Submitted	arciements)	incremental			1	
EG	ORY	RATE ELEMENTS	interio	7000	acs							Elec			Charge -	Charge -	Charge -	i	
					503	USOC			RATES(\$)				Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo	1	i
	ĺ								• • •			per LSR	per LSR	Order vs.	Order vs.	Order va.	Order vs.	1	
			ł	]	ļ							i	ĺ	Electronic-	Electronic-	Electronic-	Electronic-	1	- 1
T			↓	ļ	<del></del> _									191	Add'I	Disc 1st		ĺ	
╗						.		Monro	curring	T N=== -				Į.	1	DIAC INT	Oisc Add'l	ĺ	-
_		Loop Targues Senios Level 4 Lbt 27 Lb					Rec	First	- adiii	Nonrecurrie	ng Disconnect		_	OSS	Rates(\$)	<u> </u>		-	
- 1	- 1	Loop Tagging Service Level 1, Unburidled Copper Loop, Non- Designed and Distribution Subloops					<del></del> -	("31	Addil	First	l'bbA	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN		<b>├</b>	
$\dashv$		Loop Testing - Basic 1st Half Hour		l	UEF, UEANL	URETL		11							- OCHIALI	SUMAN	SOMAN		
-+		Loop resting - Basic 1st Hair Hour			UEF	URET1	<del> </del>	8.93	0.88	<b></b>					l			i	
٠		Loop Testing - Basic Additional Half Hour			UEF	URETA	<del></del>	48.65	0.00										- 1
-4'	huphuq	led Sub-Loop Modification				JUNETA	<u> </u>	23.95	23.95										" -
- 1	J	Unbundled Sub-Loop Modification - 2-W Copper Dist Load	· · · · ·				<del>,</del>												7
_	- 1	CONEQUID Removal per 2-W PR			UEF		]												+-
		Unbundled Sub-loop Medification - 4-W Conner Dist Load	<del></del>		uer	ULM2X	J	10.11	10.11										+
ĺ	Į.	Col/Equip Removal per 4-W PR	ĺ	- 1		1		7								ļ			i
	1	Unbundled Loop Modification, Removal of Bridge Tap, per			UEF	ULM4X	l .	10.11	10.11		1 1	' I							┿-
- 1	- Li	unbundled loop	! !					10	10.11		<del> </del>			i	i	l	J		1
1	Jeshi an et	ard Materials Township 188		!	UEF	ULMET	1	1 16 50			, 7	-							+
<del>-1</del>	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	ed Network Terminating Wire (UNTW)						15.58	15.58		í			l	J	I	1		1
٠,	labe I	Unbundled Network Terminating Wire (UNTW) per Pak			UENTW	UENPP	0.4572												1
N	MINOLY	INTELLECT DEVICE (MID)				TOCIALL	0.4572	18.02			7		г						
-		Network Interface Device (NID) - 1-2 lines			UENTW	liamen										Т			T
	- 17	Velwork Interface Device (NID) - 1.5 lines	-		UENTW	UND12		71.49	48.87		T								<b>†</b> -
	Į.	WEIWORK Interface Device Cross Consect 2 144			UENTW	UND16	L	113.89	89.07		<del> </del>								+
$\Gamma$	10	Wetwork Interface Device Cross Connect . 4W/				UNDC2		7.63	7.63		<del> </del>			T		_			+
OTH	ER, PR	OVISIONING ONLY - NO RATE			UENTW	UNDC4		7.63	7.63		<del></del>								+-
7	T							1			<del></del>		T						+
- [	Ì			Į.	UAL, UCL, UDC,			<del>                                     </del>			<b>├</b>		T			<del></del>			+
- 1			J	- 1	UDL, UDN, UEA,	1 3		ļ ĺ	i		1 1			$\overline{}$		<del></del>  -	+		+
Ì	- 1	,	i	//	UHL, UEANL, UEF.	1			I				- 1	1	1	- 1	[		1
			- 1	l l	JEQ, UENTW,				1		! !	ł	í						J
- 1	I.	J	J		NTCVG, NTCUD.	1 1					1	J	l	i i	i	ļ		!	1
	<u>_</u>	Inbundled Contact Name, Provisioning Only - no rate	- 1	- fr	VTCD1, USL	UNECN	i	i I				Į.	1				i	,	1
_	ĮŲ	noundled DS1 Loop - Superframe Format Option - no ret-			JSL, NTCD1		0.00	0.00			!!	1		J	ŀ		ŀ	- 1	í
- 1	U	houndled DS1 Loop - Expanded Superframe Format option - no		- +	ASE, INTODA	CCOSF		0.00						-			1	J	1
	115	ilė		l.	F1 4-F1	}												$\overline{}$	_
_ [ _	Ñ	D - Dispatch and Service Order for NID installation			JSL, NTCD1	CCOEF	_	0.00	- 1		1		1	1					<del>-</del>
$\neg$	- 10	NTW Circuit Establishment, Provisioning Only - No Rate			ENTW	UNDBX	0.00	0.00									i	- 1	1
MA	KE-UP	The Hall Street of the Hall			ENTW	UENCE	0.00	0.00								<del></del>		-	⊢
Т	TL	oop Makeup - Preordering Without Reservation, per working or							+									$\rightarrow$	-
- [	Sr	pare facility queried (Manual).	- 1	- I												<del></del>	+		—
+	10	200 Makaua Breed (Wartell)		iu	MK	UMKLW	1	52.17			Į.								
	-	pop Makeup - Preordering With Reservation, per spare facility period (Manual).				<del>                                     </del>		32.17	52.17				- 1						i
+-	141	period (Marbat).	_ }	lu	MK	UMKLP	1								<del></del>				1
	14-	oop Makeup With or Without Reservation, per working or spare	$\neg \neg$			toring!		55.07	55.07	}	_ 1		- 1				i	- T	
		clify queried (Mechanized)		lu	MK	UMKMQ							-+		<del></del>				
	TTING			<del></del>		DIVINIO		0.6784	0.6784	_	Į.			1				-	
EN	ID USEF	CORDERING-CENTRAL OFFICE BASED				<u> </u>								<del></del>				i	
Ш.	Lir	ne Splitting - per line activation DLEC owned splitter		17.	EPSR UEPSB							·						$\overline{}$	
1	Lir	ne Splitting - per line activation AT&T owned - physical	-+			UREOS	0.61											$\rightarrow$	
$\perp$	Lir	ne Splitting - per line activation AT&T owned - virtual		<u>- (u</u>	EPSR UEPSB	UREBP	0.61	29.68	21.28	19.57	0.00							+	
EN	D USER	ORDERING - REMOTE SITE LINE SPLITTING		ŢÚ	EPSR UÉPSB	UREBV	1.134	29.68	21.28	19.57	9.61	<del></del>					<del></del>	$-\!$	
UN	BUNDL	ED EXCHANGE ACCESS LOOP							- 40	13.51	9.61						<del></del> -	$\rightarrow$	
2-9	VIRE AL	IALOG VOICE GRADE LOOP																$-\!$	
1	121	Wire Analys Voice Grade Lose S																$-\!$	
1	15.	Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- ne 1	$ 1$ $^{\circ}$	T					<del>,</del> .										
+			l	1 (UE	EPSR UEPSB	UEALS	10.69	49.57	- J	T								آلـــــ	
1	2.4	Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-					10.09	49.57	22.83	25.62	6.57	J	1	I	1	ĺ	1-		
+	140	vac i	- 1	1 lue	PSR UEPS8	UEABS	,, ,, [	[	. [	1			<del></del>					1	
1	2 V	Vire Analog Voice Grade Loop- Service Level 1-Line Splitting-		7		ULADS .	10.69	49.57	22.83	25.62	6.57	- 1	ı	- 1	1	1	···		
+				2 UE	PSR UEPSB	Liene J		ï			<del> </del>	<del></del>	<del></del>				1	- 1	
1	2 V	Vire Analog Voice Grade Loop- Service Level 1-Line Splitting-	$\rightarrow$	- 100	- un ueros	UEALS	15.20	49.57	22 83	25.62	6.57			1	ļ" <sup>—</sup>	T		$\overline{}$	
ــــ	140	18 2	- 1	a İuπ	DED LECO						9.37	<del></del>				1	i		
Г	2 V	Vire Analog Voice Grade Loop-Service Level 1-Line Splitting	-+-	د إ∪ <del>د</del>	PSR UEPSB	UEABS	15.20	49.57	22.83	25.62	6.57	i	- 1	1				$\overline{}$	
L	[2,0]	R 3	- 1							23.02	5.57				_ 1	1	1	J	
	2 W	Fire Analog Voice Grade Loop-Service Level 1-Line Splitting		3 UE	PSR UEPSB	UEALS	26.97	49.57	22.83	25.42		!	T			····			
Į.	Zon	ne 3		- 1 -				- 2.01	-c.03	25.62	6.57			- 1	}	ĺ			
PHY	SICAL	COLLOCATION		3  ∪€	PSR UEPSB	UEABS	26.97	49.57	22.00		I_								
<del>''''</del>	Dr.	POLLOGICAL CONTRACTOR					20.07	48.57	22.83	25.62	6.57			i		- 1	1	1	
l	[	sical Collocation-2 Wire Cross Connects (Loop) for Line		$\top$			·····												_
1000	I SON	ting [		Ju∈	PSR UEPS8	PE1LS	0.00-0	!	1		1							T	
VAKI	UAL CI	DLLOCATION			02.00		0.0276	8.22	7.22	5.74	4.58	1		I	1		1		
l	- L.,			_						<u>-</u> -								- 1	
L	Virtu	ual Collocation-2 Wire Cross Connects (Loop) for Line Splitting	Į	جن إ	PSR UEPSB				Т										
DLE	u veak	AIGUIRANSPORT	-	- 1 <sup>UE</sup> -	ran GEPSB	VE1LS	0.0502	11.57	11.57	0.00	0.00	- 1	I	ı				$\overline{}$	_
INTE	ROFFI	CE CHANNEL - DEDICATED TRANSPORT							<del></del>	7,00	0.00					- 1	f		
	Inter	roffice Channel - 2-Wire Voice Grade - per mile															-+-		
_	linter	roffice Changel 2 Miles Value Condition Changes			TVX	IL5XX	0.0091		· · · · · · · · · · · · · · · · · · ·										
	linta	roffice Channel - 2-Wire Voice Grade - Facility Termination roffice Channel - 2-Wire Voice Grade Rev Bat per mile			TVX	J1TV2	25.32	47.35											
		oring Grade Rev Rat - ner min	_	1.113			20.02	47.30	31.78	18.31	7.03							1	
	Int -	roffice Channel - 4-Wire Voice Grade - per mile		U17	178 11	L5XX	0.0091												

CCCS 110 of 370 Page 17 of 96

	ED NETWORK ELEMENTS - Florida											Att: 2 Exh: A	v .				Т
ATEGORY	RATE ELEMENTS	interim Zon	e BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l		
<del></del>		+			Rec		curring	Nonrecurring				OSS	Rates(\$)				+
		<del></del>				First	Adr I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN		士
J	Interoffice Channel - 4- Wire Voice Grade - Facility Termination		U1TVX	U1TV4	22.58	47.35	31,78	18.31	7.03		1	l	l				Т
	Interoffice Channel - 56 kbps - per mile		UtTDX	1L5XX	0.0091			10.51	7.00		<del> </del>	<del></del>					+
	Interoffice Channel - 56 kbps - Facility Termination		UITDX	U17D5	18.44		31.78	18.31	7.03				<del>-</del>				-
	Interoffice Channel - 64 kbps - per mile		UTDX	1L5XX	0.0091				·				<del> </del>			-	-
	Interoffice Channel - 64 kbps - Facility Termination		UTDX	U1TD6	18.44	47.35	31.78	18.31	7.03				-				+
<del></del>	Interoffice Channel - DS1 - per mile		UITDI	1L5XX	0.1856								<u> </u>				+
+-	Interoffice Channel - DS1 - Facility Termination Interoffice Channel - DS3 - per mile	$\bot$	U1TD1	U1TF1	88.44	105.54	98.47	21.47	19.05								+
	Interoffice Channel - DS3 - Per mile Interoffice Channel - DS3 - Facility Termination	<del>  </del>	U1TD3	1L5XX	3.87												+
<del></del>	Interoffice Channel - STS-1 - per mile	<del>   -</del>	U1TD3	U1TF3	1,071.00		219.28	72.03	70.56				L				+
<del> </del>	interoffice Channel - STS-1 - Facility Termination	<del>  - -</del>	UiTSI	U1TFS	3.87		2.0.00										
ÜNBU	NOLED DARK FIBER - Stand Alone or in Combination	1	101101	JULIFS	1,056.00	335.46	219.28	72.03	70.56		<u> </u>						$\top$
	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per	1	1							-			<del>, , , , ,</del>				$\perp$
	Route Mile Or Fraction Thereof		UDF, UDFCX	1L5DF	26.85		l				!	1		- 1			1
	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per	1   -		1					<del>  </del>			<del></del>					+
	Route Mile Or Fraction Thereof	<u></u>	UDF, UDFCX	UDF14	ļ	751.34	193.88		1	- 1							
CAPACIT	Y UNBUNDLED LOCAL LOOP															-	+
DS-3/S	TS-1 UNBUNDLED LOCAL LOOP - Stand Alone												L				+
+-	DS3 Unbundled Local Loop - per mile	<del> </del>	UE3	1L5ND	10.92									·····			+
	DS3 Unbundled Local Loop - Facility Termination STS-1Unbundled Local Loop - per mile		UE3	UE3PX	386.88	556.37	343.01	139.13	96.84						-		+
+-	STS-1 Unbundled Local Loop - per mile STS-1 Unbundled Local Loop - Facility Termination	<del>                                     </del>	UDLSX	1L5ND	10.92												+
ANCED EX	(TENDED LINK (EELs)	<del>   </del>	UULSX	UDLS1	426.60	556.37	343.01	139.13	96.84								+
	k Elements Used in Combinations	<del></del>			_,												o
	2-Wire VG Loop (SL2) in Combination - Zone 1	1 1 1	UNCVX	UEAL2	12.24	127.59	00.54	40.00									$\perp$
1	2-Wire VG Loop (SL2) in Combination - Zone 2		UNCVX	UEAL2	17.40	127.59	60.54	48.00									Τ
	2-Wire VG Loop (SL2) in Combination - Zone 3		UNCVX	UEAL2	30.87	127.59	60.54 60.54	48.00 48.00	6.31								$\perp$
	4-Wire Analog Voice Grade Loop in Combination - Zone 1		UNCVX	UEAL4	18.89	127.59	60.54	48.00	6.31 6.31								Τ.
	4-Wire Analog Voice Grade Loop in Combination - Zone 2		UNCVX	UEAL4	26.84		60.54	48.00	6.31								_
	4-Wire Analog Voice Grade Loop in Combination - Zone 3		UNCVX	UEAL4	47.62	127.59	60.54	48.00	6.31		-						┺
	2-Wire ISDN Loop in Combination - Zone 1	1	UNCNX	U1L2X	19.28	127.59	60.54	48.00	6.31	_			<del></del>				+-
	2-Wire ISDN Loop in Combination - Zone 2	2	UNCNX	U1L2X	27.40	127.59	60.54	48.00	6.31			<del></del>					+
	2-Wire ISDN Loop in Combination - Zone 3	3	UNCNX	Ú1Ľ2X	48.62	127.59	60.54	48.00	6.31								+
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1	1 1	UNCDX	UDL56	22.20	127.59	60.54	48.00	6.31								┰
<del></del>	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2	2	UNCDX	UDL56	31.56	127.59	60.54	48.00	6.31			1					┿
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		UNCDX	UDL56	55.99	127.59	60.54	48.00	6.31								+-
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		UNCOX	UDL64	22.20	127.59	60.54	48.00	6.31								
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		UNCDX	UDL64	31.56	127.59	60.54	48.00	6.31								+
	4-Wire DS1 Digital Loop in Combination - Zone 1		UNC1X	UDL64 USLXX	55.99 70.74	127.59	60.54	48.00	6.31								+
_	4-Wire DS1 Digital Loop in Combination - Zone 2		UNCIX	USLXX	100.54	217.75 217.75	121.62	51.44	14.45								1
	4-Wire DS1 Digital Loop in Combination - Zone 3		UNCIX	USLXX	178.39	217.75	121.62 121.62	51,44 51,44	14.45								T-
	DS3 Local Loop in combination - per mile	<del>    *</del>	UNC3X	1L5ND	10.92	217.75	121.02	51.44	14.45								$\Gamma$
	OS3 Local Loop in combination - Facility Termination	<del>-   -</del>	UNC3X	UE3PX	386.88	244.42	154.73	67.10	26.27								工
	STS-1 Local Loop in combination - per mile		UNCSX	1L5ND	10.92	******	134.73	07.10	20.27	<del></del>							+
	STS-1 Local Loop in combination - Facility Termination		UNCSX	UDLS1	426.60	244.42	154.73	67.10	26.27								+
4'	Interoffice Channel in combination - 2-wire VG - per mile	L	UNCVX	1L5XX	0.0091	<u> </u>											+
1 '	Interoffice Channel in combination - 2-wire VG - Facility	}								• • •							+-
+	Termination	$\vdash$	UNCVX	U1TV2	25.32	94.70	52.59	45.28	18.03				l		ļ		1
+	Interoffice Channel in combination - 4-wire VG - per mile Interoffice Channel in combination - 4-wire VG - Facility	├──-	UNCVX	1L5XX	0.0091												+
1 1	Termination	1 1	UNCVX				T			7							+
+	Interoffice Channel in combination - 4-wire 56 kbps - per mile	<del>                                     </del>	UNCDX	U1TV4	22.58	94.70	52.59	45.28	18.03						i	i	1
	Interoffice Channel in combination - 4-wire 56 kbps - Facility	<del>                                     </del>	O NO DA	1L5XX	0.0091	<b></b>											$\Box$
1 !	Termination	1 1	UNICOX	U1TD5	18.44	94.70	52.59	45	40.00			l					
$\perp$	Interoffice Channel in combination - 4-wire 54 kbps - per mile	<del>  </del>	UNCDX	1L5XX	0.0091	34.70	5∠.59	45.28	18.03								$\perp$
	Interoffice Channel in combination - 4-wire 64 kbps - Facility			1.20.10	9.0051						$\longrightarrow$				I		匚
	Termination	<u> </u>	UNCDX	U1TD6	18.44	94.70	52.59	45.28	18.03					i			
$\perp$	Interoffice Channel in combination - DS1 - per mile	I. I.	UNCIX	1L5XX	0.1856		52.45		10.00	<del></del>			<del>-</del>	<del></del> -	<del></del>		
	Interoffice Channel in combination - DS1 Facility Termination		UNC1X	U1TF1	88.44	174,46	122.46	45.61	17.95		<del>+</del>						⊢
4	Interoffice Channel in combination - DS3 - per mile		UNC3X	1L5XX	3.87												₩
<del> </del>	Interoffice Channel in combination - DS3 - Facility Termination		UNC3X	U1TF3	1,071.00	320.00	138.20	38.60	18.81	<del>-</del> - †			+-		<del></del>		₩
+	Interoflice Channel in combination - STS-1 - per mile		UNCSX	1L5XX	3.87									<del></del> -	+		$\vdash$
	Interoffice Channel in combination - STS-1 Facility Termination  TWORK ELEMENTS	<del>                                     </del>	UNCSX	UITES	1,056.00	320.00	138.20	38.60	18.81								┢
. VIWL N		<del></del>		J													$\vdash$
Ontine																	
Optiona	I Features & Functions:		UITDI,												" Т	1	_

NBUNDLE	D NETWORK ELEMENTS - Florida												Att: 2 Exh: A					
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc		Nonrec	RATES(\$)	Nonrecurring	Discount	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order va, Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l		
+	<del></del>	-	<del> </del>	<del> </del>	<del> </del> -	Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	Rates(\$)	SOMAN	SOMAN		┼
				Ut TD1,	<u> </u>							00111111	00		30,000	304721		$\vdash$
	Clear Channel Capability Super FrameOption - per DS1	-		ULDD1,UNC1X	CCOSF		0.00							<u> </u>		Ĺ		ļ
	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1	Ι.		U.DD1, U1TD1,														П
<del></del>	per US1	<del> '</del>	$\vdash$	UNC1X, USL U1TD3, ULDD3,	NRCCC		184.92	23.82	2.07	0.80								<del> </del>
i	C-bit Parity Option - Subsequent Activity - per DS3	1 .		UE3, UNC3X	NRCC3		219.09	7.67	0.773	0.00								
	DS1/DS0 Charmel System	<u> </u>		UNC1X	MQ1	146.77	57.28	14.74	1,50	1,34								⊢
	DS3/DS1Channel System			UNC3X, UNCSX	MQ3	211.19	115.60	56.54	12.16	4.26								┿
	Voice Grade COCI in combination			UNCVX	1D1VG	1.38	6.71	4.84										$\vdash$
																		$\Box$
<del></del>	Voice Grade COCI - for 2W-SL2 & 4W Voice Grade Local Loop Voice Grade COCI - for connection to a channelized OS1 Local		-	UEA	IDIVG	1.38	6.71	4.84	0.00	0.00								<del>  _</del>
	Channel in the same SWC as collocation	l	l	UITUC	1D1VG	1,38	6.71	4.84	0.00	0.00								
	OCU-DP COCI (2.4-64kbs) in combination		-	UNCDX	1010D	2.10	6.71	4.84	0.00	0.00								┼—
	OCU-DP COCI (2.4-64kbs) - for Unbundled Digital Loop			UOL	1D1DD	2.10	6.71	4.84	0.00	0.00								<del> </del>
	OCU-DP COCI (2.4-64kbs) - for connection to a channelized DS1									3.50								$\vdash$
	Local Channel in the same SWC as collocation			U1TUD	1D1DD	2.10	6.71	4.84	0.00	0.00								
	2-wire ISDN COCI (BRITE) in combination			UNCNX	UC1CA	3.66	6.71	4.84	0.00	0.00								
	2-wire ISDN COCI (BRITE) - for a Local Loop  2-wire ISDN COCI (BRITE) - for connection to a chameized DS1		<u> </u>	UDN	UCTCA	3.66	6.71	4.84	0.00	0.00								
	2-wire ISDN COCI (BRITE) - for connection to a channelized DS1     Local Channel in the same SWC as collocation	l	l	U1TUB	UC1CA	3.66	6.71	4.84	0.00									Γ
	DS1 COCI in combination		$\vdash$	UNCIX	UC101	13.76	6.71	4.84	0.00	0.00								┺
	IDS1 COCI - for Stand Alone Local Channel		-	ULDOI	UC1D1	13.76	6.71	4.84	0.00	0.00					<del></del>			├
	DS1 COCI - for Stand Alone Interoffice Channel			U1TD1	UC1D1	13.76	6.71	4.84	0.00	0.00								₩
	DS1 COCI - for DS1 Local Loop			USL, NTCD1	UC1D1	13.76	6.71	4.84	0.00	0.00								<del> </del>
	DS1 COCI - for connection to a channelized DS1 Local Channel in																	
	the same SWC as collocation			UTTUA UNCVX, UNCDX,	UC1D1	13.76	6.71	4.84	0.00	0.00					i			1
	Wholesale - UNE, Switch As-Is Conversion Charge			UNCSX, UDFCX, XDH1X, HFQC6, XDD2X, XDV6X, XDDFX, XDD4X, HFRST, UNCNX	UNGCC		8.98	8.98										
_	The code of the co			UITVX, UITDX,	511000		5.50	0.50										-
	Unbundled Misc Rate Element, SNE SAI, Single Network Element -	l		U1TD1, U1TD3,	1			i							- 1			1
	Switch As Is Non-recurring Charge, per circuit (LSR)		L	U1TS1, UDF, UE3	URESL		8.98	8.98							- 1	- 1		1
	Unbundled Misc Rate Element, SNE SAI, Single Network Element -			UITVX, UITDX,														
-	Switch As Is Non-recurring Charge, incremental charge per circuit		Ì	UITD1, UITD3,							1	i			i	Į.		l
A	on a spreadsheet to DCS - Customer Reconfiguration (FlexServ)			UTS1, UDF, UE3	URESP		8.98	8.98										_
- Access	Customer Reconfiguration Establishment	_	·			1	1.63		1.63					,				-
	DS1 DCS Termination with DS0 Switching		<del>                                     </del>			27.39	32.89	23.58	16.96	12,77			-					-
	DS1 DCS Termination with DS1 Switching					11.70	25.07	15.76	13.05	8.86								$\vdash$
	DS3 DCS Termination with DS1 Switching					146.81	32.89	23.58	16.96	12.77								$\overline{}$
Node (	SynchroNet)																	
	Node per month			UNCDX	UNCNT	16.35												
Service	Rearrangements			UITVX, UITDX.														_
	NRC - Change in Facility Assignment per circuit Service			UTUC, UTUD, UTUS, ULDVX, ULDDX, UNCVX,														i
+	Rearrangement	<del> '</del>	-	UNCDX, UNC1X U1TVX, U1TDX,	URETD		101,07	43.04										
ĺ	NRC - Change in Facility Assignment per circuit Project			ULTUC, ULTUD, ULTUB, ULDVX, ULDOX, UNCVX,														
	Management (added to CFA per circuit if project managed)	1		UNCDX, UNC1X	URETB	L	3.67	3.67										
	NRC - Order Coordination Specific Time - Dedicated Transport	1.	ļ	UNC1X, UNC3X	OCOSR		18.90	18.90									1	_
MMINGLING				UNCVX, UNCDX, UNC1X, UNC3X, UNC3X, U1TD1, U1TD3, U1TS1, UE3, UDLSX, U1TVX, U1TDX, U1TU8,														
j	Commingling Authorization	l		ULDVX, ULDD1, ULDD3, ULDS1	CMGAU	0.00	0.00	0.00	0.00	0.00				- 1	i	1		

			т—			·							Att: 2 Exh: A	١.				
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Menually	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge	Order ya.	Incremental Charge - Manual Svc Order vs. Electronic-		+
		4	ļ		<u> </u>								1st	Add')	Disc 1st	Disc Add'l		
		+	<del> </del>	<del> </del>		Rec	First	curring		g Disconnect				Rates(\$)			<del></del>	+
	Commingled VG COCI	<del></del>	_	XDV2X	101VG	1.38		Add'1 7.08	First 0.00	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	·	+
	Commingled Digital COCI			XDV6X	1D1DD	2.10		7.08	0.00									†
_	Commingled ISDN COCI			XDD4X	UC1CA	3.66		7.08	0.00		-		<u> </u>	<del> </del>	<u></u>			工
<del>-  </del> -	Commingled 2-wire VG Interoffice Channel Commingled 4-wire VG Interoffice Channel	<u> </u>		XDV2X	U1TV2	25.32		31.78						<del> </del>			<del></del>	
	Commingled 56kbps Interoffice Channel	+		XDV6X	U1TV4	22.58		31.78	18.31					<del></del>				+-
	Commingled 64kbps Interoffice Channel	<del> </del>	<del> </del>	XDD4X XDD4X	U1TD5 U1TD6	18.44		31.78	18.31									+
		<del> </del>		XDV2X, XDV6X	UTIDE	18.44	47.35	31.78	18.31	7.03							<del></del>	+
	Commingled VG/DS0 Interoffice Channel Mileage	1 :	}	XDD4X	1L5XX	0.0091	l .		İ	1								+
	Commingled 2-wire Local Loop Zone 1		1	XDV2X	UEAL2	12.24	135.75	82.47	63.50	12,01								
	Commingled 2-wire Local Loop Zone 2			XDV2X	UEAL2	17.40		82.47	63.53					ļ				$\perp$
-	Commingled 2-wire Local Loop Zone 3 Commingled 4-wire Local Loop Zone 1	1		XDV2X	UEAL2	30.87	135.75	82.47	63.53					<del></del> -				₽
_	Commingled 4-wire Local Loop Zone 1 Commingled 4-wire Local Loop Zone 2	<del> </del>	1	XDV6X	UEAL4	18.89	167.86	115.15	67.08	15.56				<del> </del>				+-
	Commingled 4-wire Local Loop Zone 2  Commingled 4-wire Local Loop Zone 3	+	2	XDV6X XDV6X	UEAL4	26.84	167.86	115.15	67.06	15.56					<del></del>			+
	Commingled 56kbps Local Loop Zone 1	┿┈┤	3	XDV6X XDD4X	UEAL4 UDL56	47.62	167.86	115.15	67.08									+
	Commingled 56kbps Local Loop Zone 2	<del>  -  </del>	2		UDL56	22.20 31.56	161.56 161.56	108.85	67.08						i			+
	Commingled 56kbps Local Loop Zone 3			XDD4X	UDL56	31.56 55.99	161.56	108.85 108.85	67.08 67.08									+
	Commingled 64kbps Local Loop Zone 1		1	XDD4X	UDL64	22.20	161.56	108.85	67.08	15.56	-							+-
	Commingled 64kbps Local Loop Zone 2	T		XDD4X	UDL64	31.56		108.85	67.08	15.56								1
	Commingled 64kbps Local Loop Zone 3			XDD4X	UDL64	55.99		108.85	67.08									I
	Commingled ISDN Local Loop Zone 1			XDD4X	U1L2X	19.28	147.69	94.41	62.23									
	Commingled ISDN Local Loop Zone 2 Commingled ISDN Local Loop Zone 3	<b>↓</b>		XDD4X	U1L2X	27.40		94.41	62.23	10.71								
	Commingled OS1 COCI	₩	3	XDD4X	U1L2X	48.62	147.69	94,41	62.23	10.71								↓
	Commingled DS1 Interoffice Channel	-		XDH1X XDH1X	UC1D1	13.76		7,08	0.00	0.00				<del>}</del>	+			+
	Commingled DS1 Interoffice Channel Mileage	+		XDH1X	U1TF1	88.44	105.54	98.47	21.47	19.05								+
_	Commingled DS1/DS0 Channel System	<del>  -  </del>	_	XDHIX	1L5XX MO1	0.1856	10: 15											
	Commingled DS1 Local Loop Zone 1	<del>                                     </del>	,	XDHIX	USLXX	146.77 70.74	101.42 313.75	71.62 181.48	11.09	10.49								╁
	Commingled DS1 Local Loop Zone 2	1		XDH1X	USLXX	100.54	313.75	181.48	61.22 61.22	13.53								-
	Commingled DS1 Local Loop Zone 3		3	XDH1X	USLXX	178.39	313.75	181.48	61.22	13.53								
_	Commingled DS3 Local Loop			HFQC6	UE3PX	386.88	566.37	343.01	137.13	96.84								$\vdash$
	Commingled DS3/STS-1 Local Loop Mileage			HFCC6, HFRST	1L5ND	10.92			101.10	30.B4			<del></del>					
-	Commingled STS-1 Local Loop			HFRST	LIDLSI	426.60	556.37	343.01	139.13	96.84								Ĺ.
	Commingled DS3/DS1 Channel System Commingled DS3 Interoffice Channel	<del>                                     </del>		HFQC6	MO3	211.19	199.28	118.64	40.34	39.07								<b>├</b>
	Commingled DS3 Interoffice Channel Mileage	$\vdash$		HFQC6 HFQC6	U1TF3	1,071.00	335.46	219.28	72.03	70.56			-		<del></del>			<u> </u>
	Commingled STS-1Interoffice Channel			HFRST	1L5XX U1TFS	3.87												-
	Commingled STS-1Interoffice Channel Mileage	<del> </del>		HERST	1L5XX	1,056.00	335.46	219.28	72.03	70.56					-			_
	Commingled Dark Fiber - Interoffice Transport, Per Four Fiber	<del>                                     </del>			- FRANK	3.87				-						<del>+</del>	<del></del>	_
	Strands, Per Route Mile Or Fraction Thereof			HEQDL	1L5DF	26.85		I	i	- 1								_
	Commingled Dark Fiber - Interoffice Transport, Per Four Fiber			******	1											l		L
	Strands, Per Route Mile Or Fraction Thereof	<u> </u>		HEQD).	UDF14		751.34	193.88	356.21	230.11	- 1	- 1	ļ		T.			_
	UNE to Commissed Conversion Tracking	$\Box$		XDH1X, HFQC6	CMGUN	0.00	0.00	0.00	0.00	0.00	<del></del> +							
Query Serv	SPA to Commingled Conversion Tracking	<b>—</b> I	]	XDH1X, HFQC6	CMGSP	0.00	0.00	0.00	0.00	0.00							]	
	LNP Charge Per query	<b>├</b> ┈──┼		<del></del>	<b>├</b>											<del></del>		
	LNP Service Establishment Manual	-				0.000852										<del></del>	$\overline{}$	
	LNP Service Provisioning with Point Code Establishment	<del>                                     </del>			<del> </del>		13.83	13.83	12.71	12.71								
PBX LOCAT	Έ	<del>-  </del>			<del> </del>		655.50	334.88	297.03	218.40								
911 PBX	LOCATE DATABASE CAPABILITY				<del>-</del>						,						-	
	Service Establishment per CLEC per End User Account			9PBDC	9PBEU		1,820.00				,						=	
	Changes to TN Range or Customer Profile			9PBDC	9PBTN		182.14			<del></del>	<del>-</del>	<del></del>						_
	Per Telephone Number (Monthly)			9PBDC	9PBMM	0.07												_
<del>-  </del>	Change Company (Service Provider) ID			9PBDC	9PBPC		534.66						<del>-  </del> -				-	_
	PBX Locate Service Support per CLEC (Monthit) Service Order Charge			9PBDC	9PBMR	178.80				<del>+</del>							$\Box$	
	LOCATE TRANSPORT COMPONENT			9PBDC	9PBSC		11.90				· · · · ·		<del></del> +				<del></del>	_
See Att															<u>_</u>	+	$-\!\!\!\!-\!\!\!\!\!-$	
	<del></del>		<del></del> -														+	
Note: Bo	ates displaying an "i" in Interim column are interim as a result o	d a Corre	ninoi-		<del></del> -									1			$\rightarrow$	

					- <sub>1</sub>													
				1	1	1					Svc Order	Svc Order	Att: 2 Exh: A				T-	7
CATE	EGORY RATE ELEMENTS	Interio	Zone								Submitted	Submitted	Charge -	Incremental Charge -	Incremental	Incremental		1
		, micerii	2011	BC\$	USOC	Ì		RATES(\$			Elec	Manually	Manual Svc	Manual Syc	Charge .	Charge -		1
	1		1	1	1	1					per LSR	per LSR	Order vs.	Order vs.	Manual Syc			1
				<u>L</u> .									Electronic-	Electronic-	Electronic-	Order vs.	1	
			-			<del> </del>	None	ecurring					1st	Add'i	Disc 1st	Disc Add'l	1	1
			-			Rec	First	Add'i	Nonrecurr	ing Disconnect			OSS	Rates(\$)	1			
	the "Zone" shown in the sections for stand-alone loops or loop	s as part of a	combin	ation refere to Co-					FIRST	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN		$\Box$
OPERA	The "Zone" shown in the sections for atand-alone loops or loop http://wholesale.att.com/ ATIONS SUPPORT SYSTEMS (DSS) - "REGIONAL RATES" NOTE: (1) CLEC should contact its contract	,		THOM I SHALE TO CLAD	graphically (	eaveraged UNI	E Zones, To vi	w Geographi	ally Deaverag	ed UNE Zone De	<u> </u>				303124			┼
y. <u>C.</u>	ATIONS SUPPORT SYSTEMS (DSS) - "REGIONAL RATES" NOTE: (1) CLEC should contact its contract negotiator if it pre- elther the state specific Commission ordered rates for the servi- the 9 states.  NOTE: (2) Any element that can be ordered electronically will be		1		_	т				THE BOILE DE	ignations by	Central Off	ice, refer to in	ternet Websit	e:	-		<del>  -</del>
	either the state specific Commission ordered rates for the pre-	ers the "state	specific	OSS charges as o	ordered by th	e State Commi	ssions The O	66 -										1
	the 9 states.	ce ardering ci	arges,	or CLEC may elect :	the regional	service prderin	g charge, how	SS charges cu	rrently contain	ed in this rate e	chibit are the	AT&T "regis	onal" service	orderin \				<del>  -</del>
- 1	either the state specific commission ordered rates for the servithe 9 states.  NOTE: (2) Any element that can be ordered electronically will be ordered electronically at present per the LOH, the listed SOA applied to a CLECs bill when it aubmits an LSR to AT&T.  OSS: Electronic Service Order Charge, Per Local Service.	billed accord	fing to	the SOMEC and the				TOT, OLEO CA	HOLODIAIN &	mixture of the tw	o regardiess	If CLEC has	a interconne	ction contract	ges. CLEC m	Ry elect		$\vdash$
	annied to a CLECA Bill store on the LOH, the listed SOR	EC rate in thi	s categ	DEV reflects the char	ed in this cat	egory. Please	refer to AT&T's	Local Orderi	g Handbook i	LOH) to determin	- 4				- establistied )	m each of		
	IOSS - Electronic Service Order Charge 2		•	any terretory tire cital	Ne tust Mon	id be billed to a	CLEC once #4	etronic order	ng capabilities	Come on-line fo	that elemen	t can be pro	lered electron	ically. For th	ose elements	that cannot		├—
	I Beduest (ESR) - (INE Only								· · · · ·		THE PRINCE	i. Utnerwisi	e, the manual	ordering chai	rge, SOMAN,	will be		
T	USS - Manual Service Order Charge Par Level Co.	Jesi	$\vdash$		SOMEC		3.50	0.00	1	1	T							L
								0.00	3.50	0.00			1		Т			
i	OSS - Electronic Service Order Charge, Per Local Service				SOMAN		11.71	0.00	6.13	0.00								_
NE SER	ERVICE DATE ADVANCEMENT ONE Only Per First 1000 Orders Per Month		1	SSOSS	SOMGA	0.00			3.1	0.00					i			
ı	NOTE: The Expedite charge will be maintained commensurate w	ista Daura			30.1.04	0.00				<b></b> .	- 1	- 1				<del></del>		
	COMMUNICATION A	in BellSouth's	FCC A	to 1 Teriff, Section !	as applicab	e	·							<del></del> -∔				
ļ				UAL, UEANL, UCL.						1							$\overline{}$	
		i 1		UEF, UDC, UDF,						1 1	- 1						$-\!\!-\!\!\!-\!\!\!\!-$	
			į.	UEQ, UDL, UENTW,						!								
ļ		- 1 - 1	- 1	UDN, UEA, UHL,		i				1 1	1	- 1	- 1	i	i	i	- 1	
		1 1		ULC, USL, UIT12,	- 1							- 1	1					
				U1T48, U1TD1, U1TD3, U1TDX.		I				!!!		1		- 1	- 1	- 1	ĺ	
		1 1	- 1	UITO3, UITS1.		- 1	i			1 1				İ		ļ		
- 1		1 1		UITVX, UC1BC.		- 1	-			1 1	- 1		- 1		- 1		ĺ	
		- 1 - 1		UC1BL, UC1CC,		ŀ								- 1		ı	- 1	
		1 1		UC1CL, UC1DC,		i	F						- 1		- 1		- 1	
	1	í l		UC1DL, UC1EC, UC1EL, UC1EC.	- 1						- 1	- 1		- 1		- 1		
		1 1		UCIFL, UCIGO.	- 1	ŀ							i		]	j	1	
		-		UCIGL UCIHC		i	1					- 1		- 1		- 1		
		i I		UC1HL, UDL12,	- 1	- 1	1							- 1		1		
		1 1		UDL48, UDLO3,	1	•	- 1	i	- 1				- 1	1	- 1	- 1		
		1 1		UDLSX, UE3, ULD12, ULD48.		- 1		- 1		ļ					- 1	- 1	- 1	
		1 1		ULDD1, ULDD3.		- 1	- 1	1		i			- 1	- 1	l l	- 1		
		1 1		ULDDX, ULDO3.	1	ļ		i i	- 1	- 1		ĺ	- 1	- 1	ı		- 1	
		1 1		ULDS1, ULDVX.		- 1	f	- 1	I	1			- 1	ļ	- 1	i		
		1 1		UNC1X, UNC3X.			i	- 1	ľ					ĺ				
		1 1	١.	INCDX, UNICNX.	1	ļ	ļ	- 1	i	J	- 1		}		- 1	i		
		1 1		INCSX, UNCVX,		ĺ		- 1		i		ļ	- 1	- 1		ļ		
		1 1	1 .	UNLD1, UNLD3, UXTD1, UXTD3.			1	- 1	1		J	1	- 1	- 1	- 1	i		
- 1		1 1		JXTS1, U1TUC.		- 1				- !			- 1	- 1			ļ	
	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day			JITUD, UITUB,		i	1			I		i				1		
	Day Day		1	JITUA.NTCVG.		- 1	- 1	1		J	1		- 1				J	
EK MO	ODIFICATION CHARGE	+-+	<del></del>	TCUD, NTCD1	SDASP		200.00			İ							- 1	
+-	Order Modification Charge (OMC)	1	+-							<del></del>  -				J	1		- 1	- 1
UNDLE	Order Modification Additional Dispatch Charge (OMCAD)  ED EXCHANGE ACCESS LOOP		+				26.21	0.00	0.00	0.00							-	
2-W	WIRE ANALOG VOICE GRADE LOOP						150.00	0.00	0.00	0.00							<del>- </del>	
	2-Wire Analog Voice Grade Loop - Carrier Louisia											-					<del></del>	
+		+	-		UEAL2	12.08	39.98	9.98 T									-	
+-		3			UEAL2	17.43	39.98	9.98	5.61 5.61	1.72							$\Box$	$\neg$
+-		<del>                                     </del>			JEAL2	35.09	39.98	9.98	5.61	1.72					<del></del>			
+	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 3	2			JEASL JEASL	12.08	39.98	9.98	5.61	1.72						<del></del>	-	
1-	Tag Loop at End User Premise	3		UEANL (	EASL	17.43 35.09	39.98	9.98	5.61	1.72						-+-		
	Loop Testing - Basic 1st Half Hour	1		UEANL I	RETL	33.03	39.98 8.92	9.98	5.61	1.72								
1	Loop Testing - Basic Additional Half Haus	+	-	UEANL (	JRET1		26.64	0.00						-			$\neg$	
+	Manual Order Coordigation for LML-St te (per team)	<del>                                     </del>	+-	LIEANL	RETA		15.15	15.15					-+					
	Order Coordination for Specified Conversion Time for UVL-SL3 (per LSR)	<del> </del>	+	GEANL U	EAMC		18.90	18.90	5.61	1.72								
+	(per LSA)		$\perp$	UEANI, O	COSL				0.01	1.72							-	$\neg$
	Unbundled Non-Design Voice Loop, billing for AT&T providing make-up (Engineering Information - E.I.)		T		WOL		57.73			i		1				<del>  </del>	<del>-   -</del> -	
		1 1	1	UEANL 1	EANM		1		-						,		j	J

	DLEU	NETWORK ELEMENTS - Georgia												Alt: 2 Exh: A	<b>.</b>			1	Т
EGOR		RATÉ ELEMENTS	Interim	Zone	BCS	nsoc			RATES(\$)	···	_	Svc Order Submitted Elec per LSR			Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l		
	-							Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)			<del>-</del>	╀
							Rec	First	Add'?	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN		±
1		Inbundled Loop Service Rearrangement, change in loop facility, er circuit			UEANL	UREWO	\	15.75	8.92	5.61	1.72	)							T
┿-		Bulk Migration, per 2 Wire Voice Loop-SL1		$\vdash$	UEANL	UREPN	<del></del> -	39.98	9.98	5.61	1.72		<del></del>		<del> </del>				+-
	E	Julk Migration Order Coordination, per 2 Wire Voice Loop-SL1			UE ANL	UREPM		18.90	18.90										+
2-1	WIRE I	INBUNDLED COPPER LOOP - NON-DESIGNED																	+
<del>-</del>	2	Wire Unbundled Copper Loop Non-Designed-Zone 1 Wire Unbundled Copper Loop Non-Designed-Zone 2	_	-1	UEQ	UEQ2X	11.02	44.69	22.40										I
	- 3	Wire Unbundled Copper Loop Non-Designed Zone 2 Wire Unbundled Copper Loop Non-Designed Zone 3		3	UEQ	UEQ2X UEQ2X	12.72	44.69 44.69	22.40										Ţ
-		ag Loop at End User Premise		~	UEQ	URETL	20.22	8.92	0.88						<del></del>	<u> </u>		——	+
+-	-6	dop Testing - Basic 1st Half Hour			UEQ	URETI		26.64	0.00		<del>-</del>		<del></del>		<del> </del>				+
	Ī	oop Testing - Basic Additional Half Hour			UEQ	URETA		15.15	15.15										+
		Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-																	1
+-		Designed (per loop)		_	UEQ	USBMC	ļ <u> </u>	18.90	18.90										1
		Inbundled Copper Loop - Non-Design, billing for AT&T providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		7.29	7.29									_	Γ
+	- "	Inbundled Loop Service Rearrangement, change in loop facility.	_		0.0	OCCIMO		7.29	7.29				<del></del>		-				+
$\perp$	р	er circuit			UEQ	UREWO	Į.	14.25	7.42		<u> </u>		1	1	)				1
		kulk Migration, per 2 Wire UCL-ND			UEQ	UREPN		44.69	22.40										$\dagger$
		tulk Migration Order Coordination, per 2 Wire UCL-ND			UEQ	UREPM		18.90	18.90										Ť
WDF	ED EX	CHANGE ACCESS LOOP		ليسا		L													Ι
2-4		WALOG VOICE GRADE LOOP -Wire Analog Voice Grade Loop - Service Level 2 w/Loop or																	1
		Ground Start Signaling - Zone 1		,	UEA	UEAL2	13.32	79 78	24.62	18.90	7.86							1	1
$\top$	- 2	-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		_		OL TEL	- 0.02		24,02	10.00	7.00				<del></del>	<del>  </del>			+
		round Start Signaling - Zone 2		2	UEA	GEATS.	18.66	79.78	24.62	18 90	7.86		}	1					Ĺ
7	2	-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or																	t
-		Sround Start Signaling - Zone 3		3	UEA	UEAL2	36.33	79.78	24.62	18.90	7.86					i			
		-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		١, ١			40.00												Г
+	5	lattery Signaling - Zone 1 -Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		'-	UEA	UEAR2	13.32	79.78	24.62	18.90	7.86				<u> </u>				4
- 1		lattery Signaling - Zone 2		2	LIEA	UEAR2	18,66	79.78	24.62	18.90	7.86				) }	!	- 1	,	ı
	2	-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse				-		19.10	21.02	10.00	7,90				<del> </del>				╁
	le	lattery Signaling - Zone 3		3_	UEA	UEAR2	36.33	79.78	24.62	18.90	7.86					!			ı
		witch-As-Is Conversion rate per UNE Loop. Single LSR, (per																	t
		(SO)			UEA	URESL	<u></u>	6.54	5.54										┸
- 1		witch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per		i 1	UEA	URESP	i	أبيما	!		i I								Г
+		Inbundled Loop Service Rearrangement, change in loop facility.			UEA	UHESP	ļ	6.54	6.54		<del></del>								┺
	l,	er circuit			UEA	UREWO		87.72	36.36		!		ĺ		! !	!	[	- /	
+		oop Tagging - Service Level 2 (SL2)			UEA	URETL		11.19	1.10						<del></del>				┾
	8	ulk Migration, per 2 Wire Voice Loop-SL2			UEA	UREPN		79.78	24.62						<del></del>				╆
		luk Migration Order Coordination, per 2 Wire Voice Loop-SL2			UEA	UREPM		0.00	0.00						-				t
4-7		WALDG VOICE GRADE LOOP																	۲
	- 4	-Wire Analog Voice Grade Loop - Zone 1		-1	UEA	UEAL4	21,04	92.92	28.14	19.50	8.12								Г
+		-Wire Analog Voice Grade Loop - Zone 2 -Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4 UEAL4	24.49 33.40	92.92	28.14 28.14	19.50	8.12								Ĺ
+		witch-As-Is Conversion rate per UNE Loop, Single LSR, (per		-3-	JEA .	UEAL4	33.40	92.92	28.14	19.50	8.12						$\longrightarrow$		+
		(S0)			UEA	URESL		6.54	6.54				ļ		}	1	}	1	ì
_		witch-As-is Conversion rate per UNE Loop, Spreadsheet, (per						9,04	3.94		<del></del>						<del></del> +		+
	c	OSO)			UEA	UREŞP		6.54	6.54							- 1	ľ	- 1	L
	ľ	inbundled Loop Service Rearrangement, change in loop facility,																	۳
		er circuit			UEA	UREWO	L	87.72	36.36		<u></u>				L				Ĺ
- 2-6	VIKE I	SDN DIGITAL GRADE LOOP -Wire ISDN Digital Grade Loop - Zone 1	_	<del></del>	UDN	LIM 69	21.00	100 00 1		10,00					<del></del> ,				Г
+	- 15	-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X U1L2X	21.89 26.27	180.06 180.06	35.25 35.26	18.23	6.97								4
+		-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	40.17	180.06	35.25	18.23	6.97				<del> </del>	<del>}</del>			+
+		Inbundled Loop Service Rearrangement, change in loop facility,		<del></del> -	55.7	S. SERVI			30.20	10.20	0.97				<del></del>				$\vdash$
_	_ p	er circuit			UDN	UREWO	L :	120.9B	33.04			1					1	J	1
2-7		SYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPAT	IBLE LO	906															r
T		Wire Unbundled ADSL Loop including manual service inquiry &									- T								Г
-		ecility reservation - Zone 1		1	UAL	UAL2X	11.23	44.59	31.55	0.00	0.00				<u> </u>				L
		Wire Unburdled ADSL Loop including manual service inquiry &		2	1161	LIALAV	45.00		24.55		4.00		T		"		T		Г
+		icility reservation - Zone 2  Wire Unbundled ADSL Loop including manual service inquiry &			UAL	UAL2X	12.97	44.69	31.55	0.00	0.00								$\vdash$
1		acility reservation - Zone 3		3	UAL	UAL2X	20.62	44.69	31,55	0.00	0.00						İ	l	1
$\neg$		Wire Unbundled ADSL Loop without manual service inquiry &		<u> </u>			LOIDE	12.00	0.,55	0.00	0,00							<del></del>	۲
		scility reservation - Zone 1		1	UAL	UAL2W	11.23	44.69	31.55	0.00	0.00		- 1		1	- 1	- 1		ı
		Wire Unbundled ADSL Loop without manual service inquiry &			- O7 II.														

			$\top$										Att: 2 Exh; A	· ·			<del>-</del>	<del>-</del> -
TEGORY	RATE ELEMENTS	interin	π Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic-	Charge -	1	+
		+-	+	<del> </del>		<del> </del>							1st	Add')	Disc 1st	Disc Add'I		- [
	2 Wise The self-stage I		<u> </u>			Rec	First	curring Add'l	Nonrecurring	Disconnect			OSS	Rates(\$)		Ĺ <u> </u>	—	+
-   '	2 Wire Unbundled ADSL Loop without manual service inquiry & Jacility reservator - Zone 3	} "	I			···	7.11.51	AUG I	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	<del> </del>	+
_	Unbundled Loop Service Rearrangement, change in loop facility,	+	_3	UAL	UAL2W	20.62	44.69	31.55	0.00	0.00	}		ļ				$\overline{}$	+
	IDET CITCUIT			UAL	UREWO	1				- 0.00				<del>                                     </del>				
2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPAT	BLE LO	ÖР		] UNEWU	<u> </u>	44.69	29.29							ĺ			П
1 1	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1				T												<del> </del>	+
	2 Wire Unbundled HDSL Loop including manual service inquiry &	<del> </del>	1	UHL	UHL2X	7.88	44.69	31.55	0.00	0.00							<del>                                     </del>	+
	ITACHEY TESETVATION - Zone 2		ا و ا	UHL	18800				0.00	0.00				ļ.,			<u></u>	Ĺ
	2 Wire Unbundled HDSL Loop including manual service inquiry &	<del>                                     </del>	<u> </u>		UHL2X	9.09	44.69	31,55	0.00	0.00							1	Т
<del></del>	Jacility reservation - Zone 3 2 Wire Unbundled HDSL Loop without manual service inquiry and	<del></del>	3	UHL	UHL2X	14.48	44.69	31.55	0.00									+
4 1	racility reservation - Zone 1							31.53	0.00	0.00							í	Ţ
	2 Wire Unbundled HDSL Loop without manual service inquiry and	┼		UHL	UHL2W	7,88	44.69	31.55	0.00	0.00	1			Ţ				+
1 1	facility reservation - Zone 2	l i	1 2 1	UHL.	UHL2W	9.09					$\neg \neg$			<del></del> +				┸
1 1	2 Wire Unbundled HOSL Loop without manual service inquiry and facility reservation - Zone 3				GLETT	9.09	44,69	31.55	0.00	0.00				ļ	}			Ĺ
<del>-                                     </del>	Unbundled Loop Service Rearrangement, change in loop facility.	<b>-</b>	_3	UHL	UHL2W	14.48	44.69	31.55	0.00	Ð.00								+
			lĺ					055	0.00	0.00								1
4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPAT	BLE LO	ᄱ	UHL	UREWO		44.69	31.55					ĺ		Т			T
. ! I`	* Wile Unbuildied HUSL Loop including manual service inquiry and		<u> </u>		<del></del>			<del></del>					···					╀
/ ['	facility reservation - Zone 1 4-Wire Unbundled HDSL Loop including manual service inquiry and		1	UHL	UHL4X	10.39	44.69	31.55	0.00									┿
1 17	raciiry reservation - Zone 2	i I						51.00	0.00	0.00						_		ĺ
4	4-Wire Unbundled HOSL Loop including manual service inquiry and	-	2	UHL	UHL4X	12.00	44.69	31.55	0.00	0.00	ĺ	ĺ	- 1	1				✝
1 114	aciity reservation - Zone 3		3	UHL	UHL4X	19.07							<del></del>			—		┺
1 1	Wire Unbundled HDSL Loop without manual service inquiry and acility reservation - Zone 1				1 011-47	19.07	44.69	31.55	0.00	0.00					ĺ			1
<del>-    ;</del>	t-Wire Unbundled HDSL Loop without manual service inquiry and		1	UHL	UHL4W	10.39	44.69	31.55	0.00	0.00	- 1						$\overline{}$	╆
1 174	acility reservation - Zone 2		2	188					0.00	0.00						i		1
4	-Wire Unbundled HDSL Loop without manual service inquiry and			UHL	UHL4W	12.00	44.69	31.55	0.00	0.00		- 1						Г
li li	aciniy reservation - Zone 3		3	UHL	UHL4W	19.07	44.69						-	-	<del></del>			Ļ
	Inbundled Loop Service Rearrangement, change in loop facility.				T		44.09	31.55	0.00	0.00							į	ĺ
4-WIRE D	OS1 DIGITAL LOOP			UHL	UREWO	1	44.69	31.55		ļ		- 1	1"					⊢
4	-Wire DS1 Digital Loop - Zone 1		1 T	USL	USLXX	49.41	211.72											_
4	-Wire DS1 Digital Loop - Zone 2 -Wire DS1 Digital Loop - Zone 3		2	ÜSL	USLXX	52.55	211.72	72.42 72.42	38.20	7.19			- $   -$		$\overline{}$	-	$\longrightarrow$	<u> </u>
S	writch-As-Is Conversion rate per UNE Loop, Single LSR, (per		3	USL	USLXX	68.40	211.72	72.42	38.20 38.20	7.19								_
D	(S1)		-	USL					- 50:20	- /.19			$\longrightarrow$					_
S	witch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per		$\overline{}$		URESL		6.54	6.54		1	- 1				-	[		_
	S1)			USL	URESP	- 1	6.54	6.54									<del></del> -+	
Dr.	nbundled Loop Service Rearrangement, change in loop facility. er circuit						2.07	0.54	<del></del>								- 1	
4-WIRE 19	9.2, 56 OR 64 KBPS DIGITAL GRADE LOOP			USL	UREWO		100.91	42.97				- 1	ĺ					_
1 14	Wire Unbundled Digital Loop 2 4 Khos. Zoop 1	- 1	1 [	UOL	UDL2X	25.81												
4	Wire Unbundled Digital Loop 2.4 Kbps - Zone 2		2	UDL	UDL2X	31.54	196.47 196.47	36.96 36.96	18.80	7.19							+	_
4 1	Wire Unbundled Digital Loop 2.4 Kbps - Zone 3 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1		3	UDL	UDL2X	42.38	196.47	36.96	18.80	7,19 7,19							-+	
4'	Wire Unbundled Digital Loop 4.8 Kbos - Zone 2		2	UDL	UOL4X	25.81	196.47	36.96	18.80	7.19								
1 141	Wire Unbundled Digital Loop 4.8 Khoe - Zono 2		3	UDL UDL	UDL4X UDL4X	31.54 42.38	196.47	36.96	18.80	7,19							=	_
4 1	Wire Unbundled Digital Loop 9.6 Kbps - Zone 1		1	UDL	ODL4X	25.81	196.47 196.47	36.96	18.80	7.19				<del></del>				
- 4	Wire Unbundled Digital Loop 9.6 Kbps - Zone 2 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3		2	UDL	UDL9X	31.54	196.47	36.96 36.96	18.80	7.19	$ \Box$						-	_
41	Wire Unbundled Digital 19.2 Kbps - Zone 1		3	UDL	UDL9X	42.38	196.47	36.96	18.80	7.19 7.19								_
[4 %	Wire Unbundled Digital 19.2 Khoe - Zone 2		2	UDL	UDL19 UDL19	25.81	196.47	36.95	18.80	7.19								_
4 %	Wire Unbundled Digital 19.2 Kbps - Zone 3		3	UDL	UDL19	31.54 42.38	196.47	36.96	18.80	7.19			<del></del>				$ \top$	
	Wire Unbundled Digital Loop 56 Kbps - Zone 1 Wire Unbundled Digital Loop 56 Kbps - Zone 2		1	UDL	UOL56	25.81	196.47	36.96	18.80	7,19							-+	_
4 V	Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	31.54	196.47	36.96	18.60	7.19							-+	_
⊥ 14 ¥	Wire Unbundled Digital Loop 64 Kbps - Zone 1		3	UOL	UDL56 UDL64	42.38	196.47	36.96	18.80	7.19	<del></del>							_
4 7	Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UCL	UDL64 UDL64	25.81 31.54	196.47	36.96	18.80	7.19				<del></del>			$\overline{}$	_
4 V	Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	42.38	196.47 196.47	36.96	18.80	7.19					<del></del>			_
DS	ritch-As-Is Conversion rate per UNE Loop, Single LSR, (per					-2.00	100.47	36,96	18.80	7.19	$ \Box$	$\Box$						_
Sw	ritch-As-Is Conversion rate per UNE Loop, Spreadsheet (per		_	UDL	URESL		6.54	6.54	- 1			1		7				_
	<u>u)</u>			UDL	HEED	Ţ				<del></del>	<del>-   -</del>							
	bundled Loop Service Rearrangement, change in loop facility.	-+-	-+-	- CAUL	URESP		6.54	6.54				- 1						
Uni	circuit																	

NAP	UNDLE	D NETWORK ELEMENTS - Georgia							_					Att: 2 Exh: A					т-
TE	GORY	RATE ELEMENTS	Interim	Zone	acs	USOC		Nonre	RATES(\$)		Disconnect		Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs, Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l		
_							Rec	First	Add'l	First	Add')	SOMEC	SOMAN	SOMAN	S Rates(\$) SOMAN	SOMAN	SOMAN		$\perp$
	i	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & lacility reservation - Zone 1					1						VO minut	JOH A	3000	SUMAN	SUMAN		┼
_	+	2-Wire Unbundled Copper Loop-Designed including manual service	-	<del>-</del>	UCL	UCLPB	12.02	44.69	31.55	0.00	0.00			ļ					
_		inquiry & facility reservation - Zone 2		2	UCL	UCLPB	13.88	44.69	31.55	0.00	0 00		i		)				
	}	2 Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 3		3	UCL	UCLPB													+-
_	+	2-Wire Unbundled Copper Loop-Designed without manual service	-	+³−	<u> </u>	UCLPB	22.07	44.69	31.55	0.00	0.00								╧
	-	inquiry and facility reservation - Zone 1	<u>L</u> _	1	UCL	UCLPW	12.02	44.69	31.55	0.00	0.00		į .			ł			
		2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2	1	2	l ucı	UCLPW	13.88	44.69	31.55	2.44									+-
_		2-Wire Unbundled Copper Loop-Designed without manual service	-	_		COLFV	13.86	44.09	31.55	0.00	0.00				<b></b>				╀.
_	+	inquiry and facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCLPW	22.07	44.69	31.55	0.00	0.00					i			i
	<del> </del>	Unbundled Loop Service Rearrangement, change in loop facility.	—–		UCL	UCLMC	<del> </del>	18.90	18.90										
_	1	per circuit			UCL	UREWO	<u></u>	44.69	31.55		l i								Г
		COPPER LOOP  4-Wire Copper Loop-Designed including manual service inquiry and																	<del> -</del>
_		facility reservation - Zone 1		1	UCL	UCL4S	16.65	44.69	31.55	0.00	0.00								
		4-Wire Copper Loop-Designed including manual service inquiry and																	╁
_	+	facility reservation - Zone 2 4-Wire Copper Loop-Designed including manual service inquiry and		2	UCL	UCL4S	19,22	44.69	31.55	0.00	0.00								1
_	<u> </u>	facility reservation - Zone 3	L!	3	UCL	UCL4S	30.55	44.69	31.55	0.00	0.00								
		4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1		1															├-
	+-	4-Wire Copper Loop-Designed without manual service inquiry and		1	OCL	UCL4W	16.65	44.69	31.55	0.00	0.00								L
		lacility reservation - Zone 2		2	UCL	UCL4W	19.22	44.69	31.55	0.00	0.00	ĺ	- 1	i					$\Gamma$
		4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3		3	UCL														┢
_	1	Order Coordination for Unbundled Copper Loops (per loop)	_	-3	UCL.	UCL4W UCLMC	30.55	44.69 18.90	31.55	0.00	0.00								L
		Unbundled Loop Service Rearrangement, change in loop facility,																	
-	+	per circuit			UEA, UDN, UAL,	UREWO		44.69	31.55						L	1			
		Order Coordination for Specified Conversion Time (per LSR)			UHL, UDL, USL	OCOSL		57.73			}								
_		gements																	├-
	1 1	EEL to UNE-L Retermination, per 2 Wire Unbundled Voice Loop- SL2	J		UEA	UREEL		79.85	24.65										<u> </u>
_						JALLE.		/9.03	24.65										_
		EEL to UNE-L Retermination, per 4 Wire Unbundled Voice Loop EEL to UNE-L Retermination, per 2 Wire ISON Loop			UEA	UREEL		79.85	24.65							ì		- 1	ı
_	+	CCC to ONC C Retentionation, per 2 Wile ISON Loop		-	UDN	UREEL		120.98	33.02										
	$\perp$	EEL to UNE-L Retermination, per 4 Wire Unmbundled Digital Loop			UCL	UREEL		101.95	49.66		i	1	l				T		
- 1	OOP COL	EEL to UNE-L Retermination, per 4 Wire Unbundled DS1 Loop			USL	UREEL		100.91	42.97										
_	2-WIRE	ANALOG VOICE GRADE LOOP - COMMINGLING																	
_		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or								т т	· · · · · · · · · · · · · · · · · · ·								_
	+	Ground Start Signaling - Zone 1 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			NTCVG	UEAL2	13.32	79.78	24.62	18.90	7.86		-				1	ł	
_	L. I	Ground Start Signaling - Zone 2		_ 2	NTCVG	UEAL2	18.66	79.78	24.62	18.90	7.86	1	i					$\neg \neg$	
	1 1	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3		3	LECUIO.														
_	<del>   </del>	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		3	NTCVG	UEAL2	36.33	79.78	24.62	18.90	7.86								_
_	$\perp$	Battery Signaling - Zone 1		_ 1	NTCVG	UEAR2	13.32	79.78	24.62	18.90	7.86	- 1	í	}			$  \top$		
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		,	NTCVG	I E A CO	-20.00					-		+	+			-+	_
_	1 7	P-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			MICAG	UEAR2	18,66	79.78	24.62	18.90	7.86								_
_		Sattery Signaling - Zone 3		3	NTCVG	UEAR2	36.33	79.78	24.62	18.90	7.86		ĺ	1				Ţ	
		Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0)	I	Ī	NTCVG	URESL		6.54	6.54			-							_
_		Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	-			UNESL	·	6.54	6.54	<del></del>									
_	<u></u>	OS0}	$\rightarrow$		NTCVG	URESP		6.54	6.54					{	ĺ	1			
	1 1	Unbundled Loop Service Rearrangement, change in loop facility, per circuit	- 1	ł	NTCVG	UREWO		87.72	26.70									$\overline{}$	_
_		.cop Tagging - Service Level 2 (SL2)			NTCVG	URETL		11.19	36.36	<del></del>				$\longrightarrow$					
_	4-WIRE	NALOG VOICE GRADE LOOP I-Wire Analog Voice Grade Loop - Zone 1			MOVIC	TEAL 2	- AT 61 F										+		_
		-Wire Analog Voice Grade Loop - Zone 2	-	2	NTCVG NTCVG	UEAL4 UEAL4	21.04	92.92	28.14	19.50	8.12								_
		-Wire Analog Voice Grade Loop - Zone 3		3	NTCVG	UEAL4	33.40	92.92	28.14	19.50	8.12								_
	1 7	switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0)			177146						- V	<del></del> +							_
	<del></del>	AND THE PERSON NAMED IN COLUMN TO TH	-		NTCVG	URESL		6.54	6.54							- 1	- 1		

		1										Att: 2 Exh: A	١				$\top$
ATEGORY	RATE ELEMENTS	Interim	Zone BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR		Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l	Ì	+
				<del> </del>	Rec	Nonrec First		Nonrecurring				OSS	Rates(\$)			<u> </u>	4
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0)			<del> </del>	<del>                                      </del>	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN		+
<del></del>	[050]		NTCVG	URESP	1	6.54	6.54		[						SOMAN	<del></del>	+
- 1	Unbundled Loop Service Rearrangement, change in loop facility, per circuit				<del>                                     </del>	0.54	0.54		<del></del>				L			l	-
4-WIRE	DS1 DIGITAL LOOP - COMMINGLING	لـــــــــــــــــــــــــــــــــــــ	NTCVG	UREWO		87.72	36.36										+
1	4-Wire DS1 Digital Loop - Zone 1																1
	4-Wire DS1 Digital Loop - Zone 2	_	1 NTCD1	USLXX	49.41	211.72	72.42	38.20	7.19								T
	4-Wire DS1 Digital Loop - Zone 3		2 NTCD1	USLXX	52.55	211.72	72.42	38.20	7.19								$\top$
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		3 NTCD1	USLXX	68.40	211.72	72.42	38.20	7.19								T
	IDS1)	l [	NTCD1														$\perp$
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per		141001	URESL	<b>-</b>	6.54	6.54	i	L		- 1	j		I			
	UST)	]	NTCD1	URESP	í l											<del></del>	4
	Unbundled Loop Service Rearrangement, change in loop facility,		<del></del>	UNLOF		6.54	6.54			}	_	ļ		I			1
	per circuit	L	NTCD1	UREWO		100.91	40.55										+
4-WIRE	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP - COMMINGLING			,	·	100.91	42.97						i	ĺ			1
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1		1 NTCUD	UDL2X	25.81	196,47	36.96	10.00									+
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2		2 NTCUD	UDL2X	31.54	196.47	36.96	18.80	7.19				_ "	1			┿
<del></del>	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 3 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1		3 NTCUD	UDL2X	42.38	196.47	36.95	18.80	7.19								+
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1	<u> </u>	1 NTCUD	UDL4X	25.81	196.47	36.96	18.80	7.19 7.19								╆
+	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3	-	2 NTCUO	UDL4X	31.54	196.47	36.96	18.80	7.19		+						+
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1		3 NTCUD	UDL4X	42.38	196.47	36.96	18.80	7.19								1
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2		1 NTCUD	UDL9X	25.81	196.47	36.96	18 80	7.19		<del></del>						Г
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3		2 NTCUD	UDL9X	31.54	196.47	36.96	18.80	7,19								Г
	4 Wire Unbundled Digital 19.2 Kbps - Zone 1		3 NTCUD 1 NTCUD	UDL9X	42.38	196.47	36.96	18.80	7.19		-						
1	4 Wire Unbundled Digital 19.2 Kbos - Zone 2		2 NTCUD	UDL19 UDL19	25.81	196.47	36.96	18.80	7.19		+		— <del>-</del>				
	4 Wire Unbundled Digital 19.2 Kops - Zone 3		3 NTCUD	UDL19	31.54	196,47	36.96	18.80	7.19			<del></del>					_
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1 NTCUD	UDL56	42.38 25.81	196.47	36.95	18.80	7.19					<del>-</del>			-
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2 NTCUD	UDL56	31.54	196.47 196.47	36.96	18.80	7.19			<del></del>					-
	4 Wire Unbundled Digital Loop 56 Klops - Zone 3		3 NTCUD	UDL56	42.38	196.47	36.96	18.80	7.19								$\vdash$
<del></del>	Wire Unbundled Digital Loop 64 Kbps - Zone 1		1 NTCUD	UDL64	25.81	196.47	36.96 36.96	18.80	7.19	-				<del></del>			$\vdash$
<del></del>	Wire Unbundled Digital Loop 64 Kbps - Zone 2 Wire Unbundled Digital Loop 64 Kbps - Zone 3		2 NTGUID	UDL64	31.54	196.47	36.96	18.80	7.19								
	Switch-As-Is Conversion rate per UNE Loop. Single LSR, (per		3 NTCUD	UDL64	42.38	196.47	36.96	18.80	7.19								
1 1	OSO) Single LSH, (per							18.00	7.19								_
	switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	<b></b> -↓-	NTCUD	URESL		6.54	6.54	- 1	- 1		ļ	1					_
/i	OSO)	1	Marin	I	-						+					/	
	Inbundled Loop Service Rearrangement, change in loop facility.		NTCUD	URESP		6.54	6.54	i	[			ļ			T		
F	er circuit	Į	NTCUD	UREWO	i						<del></del>		<del></del> -				
1 1			NTCVG, NTCUD.	SMEAAC		101.95	49.66						ı	l			
كليبيات	Order Coordination for Specified Conversion Time (per LSR)	1	NTCD1	OCOSL	ļ	57.73										<u> </u>	
-to-End Test	ng			JUUGE		57.73					[	l	ł	1	İ	- 1	
TENANCE C	JF SERVICE			<del> </del>													
1 1			UÖC, UEA, UDL,	<u> </u>													-
	Į.		UDN, USL, UAL,	l l	4	ř	!		- 1								_
I I	i		UHL, UCL, NTCVG,	! !			- 1	i	- 1					1		- 1	
1 1			NTCUD, NTCD1,			1			1			ĺ	í		1		
	ļ	- 1	U1TD1, U1TD3,		[	1	- 1			i				ļ		- 1	
		- 1	UITDX, UITS1, UITVX, UDF.			1	i	j	1			i	l	j j			
1 1			UDFCX, UDESX			l				J	1	I	l	Į.	1	J	
			UE3, ULDD1,		1	F	]			ı			ı	- {		- 1	
	Ī	J	ULDD3, ULDDX,	f	I	1	i	1	1	- 1	i	1	ĺ	- 1	1		
	1	- 1	ULDS1, ULDVX.		I	l	I		I	- 1			- 1	-		- 1	
1 1			UNC1X, UNC3X			ľ	1	ľ	Į	- 1							
- J		Į	UNCOX, UNCSX.		- 1		1	1	i	- 1	- 1	1	- 1	J	ļ		
M	aintenance of Service Charge, Basic Time, per half hour	f	UNCVX, ULS	MVVBT	1	80.00	55.00		- 1	- 1		I		1	1		

	ED NETWORK ELEMENTS - Georgia	T	$r^{-}$	T———							т.——	·——	Att: 2 Exh: A					Γ-
ATEGORY	RATE ELEMENTS	Interim	Zone	acs	usoc		No.	RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order va, Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l		
<del></del> -						Rec	First	Add'l	First	g Disconnect Add'l	SOMEC	SOMAN	SOMAN	Rates(\$)				
				UDC, UEA, UDL, UDD, USL, UAL, UHL, UCL, NTCVG, NTCUD, NTCDT, UTTD3, UTTDX, UTTDX, UTTX, UDF, UDFCX, UDESX, UE3, ULDD1, ULDD3, ULDD3, ULDD3, ULDD3, UDDX,								SUMAR	30484	SOMAN	SOMAN	SOMAN		
	Maintenance of Service Charge, Overtime, per hall hour			ULDS1, ULDVX, UNC1X, UNC3X, UNCDX, UNCSX, UNCVX, ULS UDC, UEA, UDL,	MVVOT	_	90.00	65.00		ļ 								
				UPIL UPIL UPIL UPIL UPIL UPIL UPIL UPIL														
OP MODIFIC	Maintenance of Service Charge, Premium, per half hour			UNCVX, ULS	MVVPT		100.00	75.00		ĺ	1	- 1	ĺ					l
	Urbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k H, per Urbundled Loop Urbundled Loop Modification Removal of Load Coils - 4 Wire less.			UAL, UHL, UCL. UEO, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2F		29.97											
	than or equal to 18K ft. per Unbundled Loop  Unbundled Loop Modification Removal of Bridged Tap Removal.		_	UHL. UCL. UEA UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR,	ULM4L		68.11	<del></del>										_
3-LOOPS	per Unbundled Loop			UEPS8	ULMBT		17.91				<u></u>			1	1	j	- 1	
Sub-Lo	op Distribution						L											
1 1	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-	$\neg$	$\Box$		T		т				-	$\overline{}$	—		—— <u>—</u>			=
				UEANL, UEF	USBSA		255.51											
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility			UEANL, UEF	USBSB		7.29											_
_L i	Set-Up Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-		_	UEANI.	USBSC		174.92											_
_1 /	Up Unbundled Sub-Loops, Riser Cable, 2-Wire per Loop, Working and		4	LIEANL	USBSD		51.56											_
	Spare Loop Activation Unbundled Sub-Loops, Riser Cable, 4-Wire per Loop, Working and		_	UEANL	USBRC	3.71	28.43	3.85	2.20	0.01							$\neg +$	_
	Spare Loop Activation  Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop		$\dashv$	UEANL	USBRO	7.90	31.04	4,79	2.27	0.01								_
	Zone 1		1	UEANL	USBN2	7.45	28.43	3.85	2.20	0.01								
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2		2	UEANL.	USBN2	11.18	28.43	3.85	2.20	0.01						<del>+</del>	-+	
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3		3	UEANI.	USBN2	21.46	28.43	3.85	2.20			-+		—— <del> </del>		+	$\dashv$	
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop . Zone 1			UEANL	USBN4	6.91				0.01		<del></del>						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4		31.04	4.79	2.27	0.01	-+				<del></del>			
7-1	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3	$\neg \uparrow$	3	UEANL	$\neg \neg$	10.98	31.04	4.79	2.27	0.01			+	-+				_
			*		USBN4	20.32	31.04	4.79	2.27	0.01								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	-+	_	UEANL UEANL	USBMC USBR2	3.71	18.90 28.43	18.90 3.85	2.20	0.01								
<del></del>																		

Order Coordination Loop Testing - Bas 2 Were Copper Unit 2 Were Copper Unit 2 Were Copper Unit 2 Were Copper Unit 4 Were Copper Unit 4 Were Copper Unit 4 Were Copper Unit 5 Were Copper Unit 4 Were Copper Unit 6 Were Copper Unit 7 Were Copper Unit 8 Were Copper Unit 9 Were Copper Unit 1 Were Copper Unit 1 Were Copper Unit 1 Were Copper Unit 2 Were Copper Unit 2 Were Copper Unit 3 Were Copper Unit 4 Were Copper Unit 5 Were Copper Unit 6 Were Copper Unit 7 Were Copper Unit 8 Were Copper Unit 8 Were Copper Unit 9 Were Copper													Att: 2 Exh: A					—
Order Coordination Loop Testing - Bas Loop Testing - Bas 2 Were Copper Unit 2 Wire Copper Unit 2 Wire Copper Unit 3 Wire Copper Unit 4 Wire Copper Unit 4 Wire Copper Unit 4 Wire Copper Unit 5 Were Copper Unit 6 Were Copper Unit 7 Were Copper Unit 9 Were Copper Unit 1 Copper Unit 2 Copper Unit 2 Copper Unit 2 Copper Unit 2 Copper Unit 2 Copper Unit 3 Copper Unit 3 Copper Unit 4 Were Copper Unit 5 Copper Unit 6 Copper Unit 6 Copper Unit 6 Copper Unit 7 Copper Unit 7 Copper Unit 8 Copper Un	RATE ELEMENTS	Interin	n Zone	BCS	usoc			RATES(\$)		****	Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l		
Order Coordination Loop Testing - Bas Loop Testing - Bas 2 Were Copper Unit 2 Were Copper Unit 2 Were Copper Unit 4 Were Copper Unit 4 Were Copper Unit 4 Were Copper Unit 5 Were Copper Unit 6 Were Copper Unit 7 Were Copper Unit 8 Were Copper Unit 9 Were Copper Unit 10 Order Coordination 10 Order Coordinatio		+-	+		<del>                                     </del>	Rec	Nonrec First		Nonrecurring	Disconnect			OSS	Rates(\$)				十
Loop Tesling Bas Loop Tesling Bas Loop Tesling Bas 2 Were Copper Unit 2 Were Copper Unit 2 Were Copper Unit 2 Were Copper Unit 3 Were Copper Unit 4 Were Copper Unit 4 Were Copper Unit 4 Were Copper Unit 5 Were Copper Unit 6 Were Copper Unit 7 Were Copper Unit 8 Were Copper Unit 9 Were Copper Unit 10 Were	Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	7.90	31.04	Add'l 4.79	First 2.27	Add (	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN		
Loop Testing Bas Loop Testing Bas Loop Testing Bas 2 Were Copper Unit 2 Were Copper Unit 2 Were Copper Unit 2 Were Copper Unit 3 Were Copper Unit 4 Were Copper Unit 4 Were Copper Unit 4 Were Copper Unit 5 Geren Bassen Bassen Bassen Bassen Desprise Bassen		7-	1			7.30	31,04	4.73	2.21	0.01	<u> </u>							$\perp$
Loop Testing - Best 2 Wire Copper Unit 2 Wire Copper Unit 2 Wire Copper Unit 2 Wire Copper Unit 4 Wire Copper Unit 4 Wire Copper Unit 4 Wire Copper Unit 4 Wire Copper Unit 5 Wire Copper Unit 6 Wire Copper Unit 7 Wire Copper Unit 9 Wire Copper Unit 1 Copper Unit 2 Copper Unit 3 Copper Unit 3 Copper Unit 3 Copper Unit 3 Copper Unit 3 Copper Unit 3 Copper Unit 4 Copper Unit 5 Copper Unit 5 Copper Unit 6 Copper Unit 6 Copper Unit 6 Copper Unit 6 Copper Unit 6 Copper Unit 6 Copper Unit 6 Copper Unit 6 Copper Unit 6 Copper Unit 6 Copper Unit 6 Copper Unit 6 Copper Unit 6 Copper Unit 6 Copper Unit 6 Copp	dination for Unbundled Sub-Loops, per sub-loop pair		<u> </u>	UEANL	USBMC		18.90	18.90							l (			
2 Wire Copper Unit 2 Wire Copper Unit 2 Wire Copper Unit 2 Wire Copper Unit 4 Wire Copper Unit 4 Wire Copper Unit 4 Wire Copper Unit 4 Wire Copper Unit 5 Wire Copper Unit 4 Wire Copper Unit 6 Wire Copper Unit 7 Wire Copper Unit 9 Wire Copper Unit 1 Wire Copper Unit 1 Wire Copper Unit 1 Wire Copper Unit 1 Wire Copper Unit 1 Wire Copper Unit 1 Wire Copper Unit 1 Wire Copper Unit 1 Loop Testing - Bas 1 Loop Testing - Bas 1 Loop Testing - Bas 1 Loop Testing - Bas 1 Loop Testing - Bas 1 Loop Testing - Bas 1 Loop Testing - Bas 1 Loop Testing - Bas 1 Loop Testing - Bas 1 Unbundled Sub-Loop Mad 1 Unbundled Sub-Loop Mad 1 Unbundled Sub-Loop Mad 1 Unbundled Loop Ma 1 Unbundled Network Termi 1 Unbundled Network Termi 1 Unbundled Network Termi 1 Network Interface E 1 Netw				UEANL	URET1		26.64	0.00										┺
2 Wise Copper Unit 2 Wise Copper Unit 4 Wise Copper Unit 4 Wise Copper Unit 4 Wise Copper Unit 4 Wise Copper Unit 4 Wise Copper Unit 5 West Copper Unit 6 West Copper Unit 1 Cop tagging Serve Designed and Distri 1 Cop Tasting - Basi 1 Loop Tasting - Basi 1 Unbundled Sub-Loop Basi 1 Unbundled Sub-Loop Basi 1 Unbundled Sub-Loop Basi 1 Unbundled Sub-Loop Basi 1 Unbundled Sub-Loop Basi 1 Unbundled Sub-Loop Basi 1 Unbundled Sub-Loop Basi 1 Unbundled Sub-Loop Basi 1 Unbundled Sub-Loop Basi 1 Unbundled Sub-Loop Basi 1 Unbundled Sub-Loop Basi 1 Unbundled Sub-Loop Basi 1 Unbundled Sub-Loop Basi 1 Unbundled Sub-Loop Basi 1 Unbundled Sub-Loop Basi 1 Unbundled Sub-Loop Basi 1 Unbundled Sub-Loop Basi 1 Network Interface Date	) - Basic Additional Hall Hour	—	ļ	UEANL	URETA		15.15	15.15								·		┵—
2 Wire Copper Unb Order Coordination 4 Wire Copper Unb 4 Wire Copper Unb 4 Wire Copper Unb Corder Coordination Loop Teasing—Bas Loop Tassing—Bas Loop Teasing—Bas Loop Teasing—Bas Loop Teasing—Bas Loop Teasing—Bas Unbundled Sub-Loop Mod Unbundled Sub-Loop Mod Unbundled Sub-Loop Mod Unbundled Sub-Loop Mod Unbundled Sub-Loop Mod Unbundled Sub-Loop Mod Unbundled Sub-Loop Mod Unbundled Sub-Loop Unbundled Network Termi Unbundled Loop Mod Unbundled Network Termi Unbundled Network Interface D Network Interfac	per Unbundled Sub-Loop Distribution - Zone 1 per Unbundled Sub-Loop Distribution - Zone 2		1	UEF	UCS2X	6.88	28.43	3.85	2.20	0.01								+-
Order Coordination 4 Were Copper Unit 4 Were Copper Unit 4 Were Copper Unit 4 Were Copper Unit 4 Were Copper Unit 4 Were Copper Unit 5 Vereich Coordination Loop tagging Serve Designed and Distri Loop Tasting - Basi Loop Tasting - Basi Loop Tasting - Basi Unbundled Sub-Loop Mod Unbundled Sub-Loop Mod Unbundled Sub-Loop Mod Unbundled Sub-Loop Mod Unbundled Sub-Loop Mod Unbundled Sub-Loop Mod Unbundled Sub-Loop Mod Unbundled Sub-Loop Mod Unbundled Sub-Loop Mod Unbundled Sub-Loop Mod Unbundled Sub-Loop Mod Unbundled Sub-Loop Mod Unbundled Network Termi Unbundled Network Termi Network Interface E Network Interface Device Network Interface Devi	per Unbundled Sub-Loop Distribution - Zone 3		3	UEF UEF	UCS2X	8.32	28.43	3.85	2.20						<del>-</del>			┿
4 Wire Copper Unit 4 Wire Copper Unit 4 Wire Copper Unit 4 Wire Copper Unit 4 Wire Copper Unit 4 Wire Copper Unit Cop Testing - Bas Loop Testing - Bas Loop Testing - Bas Unbundled Sub-Loop Mod Unbundled Sub-Loop Mod Unbundled Sub-Loop Mod Unbundled Sub-Loop Mod Unbundled Sub-Loop Mod Unbundled Sub-Loop Mod Unbundled Sub-Loop Mod Unbundled Sub-Loop Mod Unbundled Sub-Loop Mod Unbundled Sub-Loop Mod Unbundled Sub-Loop Mod Unbundled Sub-Loop Mod Unbundled Sub-Loop Mod Unbundled Sub-Loop Mod Unbundled Network Termi Unbundled Network Interface E Network Interface E Network Interface E Network Interface E Network Interface E Network Interface E Network Interface E Network Interface E OTHER, PROVISIONING ONL Unbundled DS1 Loo Interface DS1 Loo Inte	E. Creditorial Coop Bran Editori - 2016 3	+-	-3	UEF	UCS2X	10.26	28.43	3.85	2.20	0.01								┿
4 Wire Copper Unit 4 Wire Copper Unit 4 Wire Copper Unit 4 Wire Copper Unit 4 Wire Copper Unit Cop Teaging Servi Designed and Distri Loop Teasing - Bas Loop Teasing - Bas Loop Teasing - Bas Unbundled Sub-Loop Mad Unbundled Sub-Loop Mad Unbundled Sub-Loop Mad Unbundled Sub-Loop Mad Unbundled Sub-Loop Mad Unbundled Sub-Loop Mad Unbundled Sub-Loop Mad Unbundled Sub-Loop Mad Unbundled Sub-Loop Mad Unbundled Sub-Loop Mad Unbundled Cop Ma Unbundled Network Termi Unbundled Network Termi Unbundled Network Interface E Network Interface E Network Interface E Network Interface E Network Interface E Network Interface E OF HER, PROVISIONING ONL Unbundled DST Loo Tate Unbundled DST Loo Tate ND - Dispatch and Sub-Loop Makeup - Prec Spare facility queried Loop Makeup - Prec Spare facility queried Loop Makeup - Prec Spare facility queried Loop Makeup - Prec Spare facility queried (Menual) Loop Makeup - Prec Spare facility queri	tination for Unbundled Sub-Loops, per sub-loop pair	i	ŀ	UEF	USBMC													+
4 Were Copper Link  4 Were Copper Link  4 Were Copper Link  Order Coordination  Loop Tasging Sarvic  Loop Tassing Basi  Loop Tassing Basi  Loop Tassing Basi  Loop Tassing Basi  Loop Tassing Basi  Loop Tassing Basi  Loop Tassing Basi  Loop Tassing Basi  Loop Markey Removal  Unbundled Sub-Loop More  Unbundled Sub-Loop More  Unbundled Sub-Loop More  Unbundled Loop More  Unbundled Loop More  Unbundled Loop More  Interver Tarrier  Interver Interface Device I  Network Interface I  Network Interface I  Network Interface I  Network Interface I  Network Interface I  Network Interface I  Network Interface I  Network Interface I  Network Interface I  Network Interface I  Network Interface I  Network Interface I  Network Interface I	per Unbundled Sub-Loop Distribution - Zone 1	+	1	ÜEF	UCS4X	7.55	18.90 31.04	18.90 4.79										1
Order Coordination  Loop tagging Serve Designed and Distri Loop Tasting - Basi Loop Tasting - Basi Loop Tasting - Basi Loop Tasting - Basi Loop Tasting - Basi Loop Tasting - Basi Loop Tasting - Basi Loop Tasting - Basi Loop Tasting - Basi Loop Tasting - Basi Loop Tasting - Basi Loop Tasting - Basi Loop Market - Loop Me Unbundled Sub-Loop Me Unbundled Sub-Loop Me Unbundled Sub-Loop Me Unbundled Network Termi [Unbundled Network Termi Literatore Device - Network Interface - Network Interface	er Unbundled Sub-Loop Distribution - Zone 2	+	2	UEF	UCS4X	7.12	31.04	4.79	2.27 2.27	0.01								1
Loop tagging Servi Designed and Distri Loop Testing - Basi Loop Testing - Basi Loop Testing - Basi Loop Testing - Basi Loop Testing - Basi Loop Testing - Basi Loop Testing - Basi Unburdied Sub-Loop Mod Unburdied Sub-Loop Mod Unburdied Sub-Loop Mod Unburdied Sub-Loop Mod Unburdied Sub-Loop Mod Unburdied Sub-Loop Mod Unburdied Network Termi Unburdied Network Termi Unburdied Network Interface C Networe Interface C Network Interface C Network Interface C Network Int	er Unbundled Sub-Loop Distribution - Zone 3	1	3	UEF	UCS4X	10.26	31.04	4.79	2.27	0.01								$\Box$
Loop tagging Servi Designed and Distri Loop Testing - Basi Loop Testing - Basi Loop Testing - Basi Loop Testing - Basi Loop Testing - Basi Loop Testing - Basi Loop Testing - Basi Unburdied Sub-Loop Mod Unburdied Sub-Loop Mod Unburdied Sub-Loop Mod Unburdied Sub-Loop Mod Unburdied Sub-Loop Mod Unburdied Sub-Loop Mod Unburdied Network Termi Unburdied Network Termi Unburdied Network Interface C Networe Interface C Network Interface C Network Interface C Network Int		1								0.01	<del></del>							1
Designed and Distri Loop Testing - Bas Loop Testing - Bas Loop Testing - Bas Loop Testing - Bas Loop Testing - Bas Loop Testing - Bas Loop Testing - Bas Loop Testing - Bas Loop Testing - Bas Unbundled Sub-Loop Mode Unbundled Sub-Loop Collifiquip Removal Unbundled Sub-Loop Collifiquip Removal Unbundled Removal Unbundled Removal Unbundled Network Termin Unbundled Network Termin Unbundled Network Interface Device   Network In	fination for Unbundled Sub-Loops, per sub-loop pair	<del></del> -		UEF	USBMC		18.90	18.90										!
Loop Testing - Bas Loop Testing - Bas Loop Testing - Bas Loop Testing - Bas Loop Testing - Bas Unbundled Sub-Loop Mod Collégup Removal Unbundled Sub-Loo Collégup Removal Unbundled Sub-Loo Collégup Removal Unbundled Sub-Loop Collégup Removal Unbundled Ioop Me unbundled Ioop Me unbundled Ioop Me Unbundled Ioop Me Unbundled Ioop Me Interface Device   Network Interface Devi	Service Level 1, Unbundled Copper Loop, Non-	1	Į		1													╄-
Loop Testing - Basi  Unbundled Sub-Loop Basi  Unbundled Sub-Loop Basi  Unbundled Sub-Loop Basi  Unbundled Sub-Loop Basi  Unbundled Sub-Loop Basi  Unbundled Sub-Loop Ma  Unbundled Loop Ma  Unbundled Network Termi  Urbundled Network Termi  Urbundled Network Termi  Urbundled Network Interface Device I  Network Interface Device I  Network Interface Both  Network Interface Both  Network Interface Both  Network Interface Both  Network Interface Both  Network Interface Both  Network Interface Both  Network Interface Both  Network Interface Both  Network Interface Both  Network Interface Both  Network Interface Both  Network Interface Both  Network Interface Both  Network Interface Both  Linbundled Contact I  Unbundled Contact I  Unbundled St Loop  Interface Both		+-	ļ	UEF, UEANL	URETL		8.92	0.88			ļ.				- 1			1
Unbundled Sub-Loop Made Urbundled Sub-Loop Made Urbundled Sub-Loop Made Urbundled Sub-Loo Coll/Equip Removal Urbundled Sub-Loo Coll/Equip Removal Urbundled Loop Made Urbundled Loop Made Urbundled Network Termi Urbundled Network Termi Urbundled Network Interface D Ne	- Basic Additional Hall Hour		-	UEF	URETI		26.64	0.00							- +			┿
Unburdled Sub-Loo Col/Equip Removal Unburdled Sub-loo Col/Equip Removal Unburdled Sub-loo Col/Equip Removal Unburdled Loop Me unburdled Loop Me unburdled Interface I Network Interface Device I Network Interface	p Modification	ــــــــــــــــــــــــــــــــــــــ	ــــــــــــــــــــــــــــــــــــــ	UEF	URETA		15.15	15.15										+
Collicative Removal Unburdled Sub-loor Collicative Removal Unburdled Loop Memoval Unburdled Loop Memoval Unburdled Sub-loor Unburdled Network Termi Unburdled Network Interface E Network Interface E Network Interface E Network Interface E Network Interface E Network Interface E Network Interface E Network Interface E Network Interface E Network Interface E Network Interface E Network Interface E Network Interface E Network Interface E Network Interface E Long Network Interface E Long Unburdled DST Loo Tate Loop Makeup - Prec queried (Marual) Loop Makeup - Prec queried (Marual) Loop Makeup - With Igality queried (Mec E-SPLITTING END USER ORDERING - RE Remote Site Shared Owned Splitter Remote Site Shared	ub-Loop Modification - 2-W Copper Dist Load	$\overline{}$			Υ	<del></del>												<del>                                     </del>
Collifquip Removal Unbundled Loop M Unbundled Network Termi Unbundled Network Termi Unbundled Network Termi Unbundled Network Termi Unbundled Network Interface Device   Network Interf	emoval per 2-W PR			UEF	ULM2X		0.00	0.00	i	l (	İ							╆┈
Unburdied Loop M unburdied Notwork Termi   Unburdied Network Termi   Unburdied Network Termi   Unburdied Network Termi   Network Interface D   Network Int	ub-loop Modification - 4-W Copper Dist Load	_			OZ.WZX		0.00	0.00										1
Unburdied foop Unburdied Network Termi Ubburdied Network Termi Network Interface Device   Network Interface Device   Network Interface Device   Network Interface Device   Network Interface Device   Network Interface Device   Network Interface Device   Network Interface Device   Network Interface Device   Network Interface Device   Device Device Device   Device Device Device   Device Device Device   Device Device Device   Device Device Device   Device Device Device   Device Device Device   Device Device Device   Device Device Device   Device Device Device   Device Device Device   Device Device Device   Device Device Device   Device Device Device   Device Device   Device Device Device   Device Device Device   Device Device Device   Device Device Device   Device Device Device   Device Device Device   Device Device Device   Device Device Device   Device Device Device   Device Device Device   Device Device Device   Device Device Device   Device Device Device   Device Device Device   Device Device Device Device   Device Device Device Device Device   Device Devi	emoval per 4-W PR		i	UEF	ULM4X		0.00	0.00				- 1	}					$\vdash$
Unbundlad Network Termi   Ubbundlad Network Interface Device     Network Interface Device     Network Interface Device     Network Interface Device     Network Interface Device     Network Interface Device     Network Interface Device     Network Interface Device     Network Interface Device     Network Interface Device     Network Interface Device     Network Interface Device     Network Interface Device     Unbundled DST Log   Interface Device     NiD - Dispatch and Device     NiD - Dispatch and Device     NiD - Dispatch and Device     NiD - Dispatch and Device     NiD - Dispatch and Device     NiD - Dispatch and Device     NiD - Dispatch and Device     NiD - Dispatch and Device     NiD - Dispatch and Device     NiD - Dispatch and Device     Device     NiD - Dispatch and Device     Device	nop Modification, Removal of bridge Tap, per	T-	T				0.00	0.00										1
Unburdled Network Interface Device   Network Interface Device   Network Interface Device   Network Interface Device   Network Interface Device   Network Interface Device   Network Interface Device   Network Interface Device   Network Interface Device   Network Interface Device   Network Interface Device   Unburdled DST Log Interface Device   Network Interface Device   N	3p		l i	UEF	ULMBT	j	0.00	0.00		İ	1				- 1			I
Network Interface Device   Network Interface I Network Interface I Network Interface I Network Interface I Network Interface I Network Interface I Network Interface I Network Interface I Network Interface I Network Interface I I DEVICE INTERFACE NOTE INTERFACE IND - Dispatch and I UNITY Circuit Estable P MAKEUP Loop Makeup - Prec spare facility queried Loop Makeup - With Isolity queried (Manual). Loop Makeup - With Isolity queried (Menual) Interface Interface I Inter Spitting - per lie Line Spitting - per	Terminating Wire (UNTW)													<u></u>				_
Network Interface C Network Interface C Network Interface C Network Interface C Network Interface C Network Interface C Network Interface C OTHER, PROVISIONING ONL Unburded Contact Unburded DS1 Log Interface C	etwork Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.5325	25.10	12.27										╨
Network Interface C Networ	evice (NiD)							·	1						<u> </u>			ـــ
Network Invertace C Network Invertace C Network Invertace C E OTHER PROVISIONING ONL  Unburdled Contact I Unburdled DST Log Unburdled DST Log Internation of the Invertage of the Invertage of Invertage	rface Device (NID) - 1-2 lines	<del>                                     </del>	_	UENTW	UND12		32.82	20.67		T								├
EOTHER, PROVISIONING ONL  Linburdied Contact  Unburdied DS1 Loo  Urburdied DS1 Loo  Urburdied DS1 Loo  Urburdied DS1 Loo  Urburdied DS1 Loo  ID0 DIspatch and 1  UNTW Circut Estab  DP MAKE-UP  Loop Makeup - Prec  spare facility queried  Loop Makeup - With  Isolity queried (Mercal)  Loop Makeup - With  Isolity queried (Mercal)  END USER ORDERING-CEI  Line Splitting - per lie  Line Splitting - per lie  Line Splitting - per lie  Line Splitting - per lie  END USER ORDERING - RE  Remote Site Shared  Owned Splitter  Remote Site Shared	rface Device Cross Connect - 2 W	<del></del> '		UENTW	UND16		55.97	43.82										⊢
Unburdied Contact I Unburdied DST Log Unburdied DST Log Unburdied DST Log Tate  NIO - Dispatch and I UNTW Circuit Estab  DP MAKE-UP Loop Makeup - Prec spare facility queried Loop Makeup - With Isality queried (Mec E SPLITTING END USER O ROERING-CEI Line Splitting - per lie Line Splitting - per lie Line Splitting - per lie END USER O ROERING - RE Owned Splitter Remote Site Shared Owned Splitter Remote Site Shared	rface Device Cross Connect - 4W	+		UENTW UENTW	UNDC2		2.45	2.45										╆
Unbundled Contact Unbundled DS1 Log Unbundled DS1 Log IND - Dispatch and 1 INTW Circuit Estab IND - Dispatch and 1 INTW Circuit Estab IND - Dispatch and 1 INTW Circuit Estab IND - DMAKE-UP Loop Makeup - Prec queried (Manual) Loop Makeup - With Isolity queried (Mec E SPLITTING END USER ORDERING-CEI Line Splitting - per lie Line Splitting - per lie Line Splitting - per lie END USER ORDERING END USER ORDERING Remote Site Shared Owned Splitter Remote Site Shared		┼──	$\vdash$	CENTRY	UNDC4		2.45	2.45										_
Unburdled DS1 Loo Unburdled DS1 Loo Unburdled DS1 Loo rate ND - Dispatch and UNTW Circuit Estab P MAKE-UP Loop Makeup - Prec spare lacility queried Loop Makeup - Prec queried (Manural) Loop Makeup - With Isolity queried (Meo SPLITTING END USER ORDERING-CEI Line Splitting - per lie Line Splitting - per lie END USER ORDERING - RE Remote Site Shared Owned Splitter Remote Site Shared	ontact Name, Provisioning Only - no rate			UAL, UCL, UDC, UDL, UDN, UEA UHL, UEANL, UEF, UEQ, UENTW, NTCVG, NTCUD, NTCD1, USL,	UNECN	0.00	0.00											
rate NID - Dispatch and I NID - Dispatch and I UNITW Circuit Estab I UNITW Circuit Estab I Coop Makeup - Prec spare facility queried Loop Makeup - Prec queried (Manua) Loop Makeup - With Isolity queried (Meo SPLITTING END USER ORDERING-CEI Line Splitting - per lie Line Splitting - per lie END USER ORDERING - RE Remote Site Shared Owned Splitter Remote Site Shared	S1 Loop - Superframe Format Option - no rate		ш	USL, NTCD1	CCOSF	0,00	0.00											ĺ
IND - Dispatch and UNITW Circuit Estable IVINW Circuit Estable IVI	St Loop - Expanded Superframe Format option - no	$\Box$										+						
IUNTW Circut Estab  P MAKE-UP  Loop Makeup - Prec spare lacility queries Loop Makeup - Prec queried (Marual). Loop Makeup - With Iscility queried (Mec ESPLITTING END USER ORDERING-CEI Line Splitting - per lie Line Splitting - per lie Line Splitting - per lie END USER ORDERING - RE Remote Site Shared Owned Splitter Remote Site Shared		!		USL, NTCD1	CCOEF	[	0.00	i	j					Į.	1	- 1		ı
P MAKE-UP Loop Makeup - Prec spare lacility querec Loop Makeup - Prec queried (Manua) Loop Makeup - With ligolity queried (Mec SPLITTING END USER ORDERING-CEI Line Splitting - per lie Line Splitting - per lie END USER ORDERING - RE END USER ORDERING - RE Remote Site Shared Owned Splitter Remote Site Shared	h and Service Order for NID installation	ļ		UENTW	UNDBX	0.00	0.00							<del></del>	<del></del>  -			_
Loop Makeup - Prec spare facility queried (Marual). Loop Makeup - Prec queried (Marual). Loop Makeup - With Jacility queried (Mec SPLITTING END USER ORDERING-CEI Line Splitting - per lie Line Splitting - per lie Line Splitting - per lie END USER ORDERING - IRE SPLITTING ORDERING - IRE SPLITTING ORDERING - IRE SPLITTI	Establishment, Provisioning Only - No Rate	┦		UENTW	UENCE	0.00	0.00								<del></del>			
spare facility queried Loop Makeup - Pred queried (Manual). Loop Makeup - With Jacob Makeup - With Jacob Makeup - With Jacob Makeup - With Jacob Makeup - With Jacob Makeup - With Jacob Makeup - With Line Spiltring - per lin Line Spiltring - per lin Line Spiltring - per lin END USER ORDERING - RE Remote Site Shared Owned Spilter Remote Site Shared	- Preordering Without Reservation, per working or	$\vdash$			ļ													
Loop Makeup - Prec queried (Manual), Loop Makeup - With Isolity queried (Mec SPLITTING END USER ORDERING-CEI Line Splitting - per lie Line Splitting - per lie END USER ORDERING - RE Remote Site Shared Owned Splitter Remote Site Shared	queried (Manual).	, ,		UMK .	UMKLW		,,,,		T				-			<del>+</del>	+	_
Queried (Marual) Loop Maisup-With Jacility queried (Mec E SPLITTING ENO USER ORDERING-CEI Line Splitting - per lie Line Splitting - per lie Line Splitting - per lie Line Splitting - per lie Line Splitting - per lie Line Splitting - per lie Remote Site Shared Owned Splitter Remote Site Shared	- Preordering With Reservation, per spare facility	<del>                                     </del>	$\vdash$	SAVITS	ONINCAL		15.18	15.18									ł	
Isacility queried (Mec ESPLTTING  END USER ORDERING-CEI Line Splitting - per lie Line Splitting - per lie Line Splitting - per lie Line Splitting - per le END USER ORDERING - RE Remote Site Shared Owned Splitter Remote Site Shared	ual).			UMK	UMKLP		19.83	19.83		1			_ : : ·					_
ESPLITING  END USER ORDERING-CEI Line Splitting - per lir Line Splitting - per lir Line Splitting - per lir END USER ORDERING - RE Fremote Size Shared Owned Splitter Remote Six Shared	-With or Without Reservation, per working or spare	$\vdash$					13.00	19.83			<del>-</del> -							
END USER ORDERING-CEI Line Splitting - per lir Line Splitting - per lir Line Splitting - per lir Line Splitting - per lir END USER ORDERING - RE Remote Site Shared Owned Splitter Remote Site Shared	i (Mechanized)	L !		UMK	UMKMQ		0.823	0.823	1		- 1	- 1		T			$\overline{}$	
Line Splitting - per lir Line Splitting - per lir Line Splitting - per lir Line Splitting - per lir END USER ORDERING - RE Remote Site Shared Owned Splitter Remote Site Shared							3.020	J.BE9				— <u>-</u>						
Line Splitting - per lin Line Splitting - per lin END USER ORDERING - RE Remote Site Shared Owned Splitter Remote Site Shared						· · · · · · ·											$ \mathbf{I}$	
Line Splitting - per lar END USER ORDERING - RE Remote Site Shared Owned Splitter Remote Site Shared	per line activation DLEC owned splitter per line activation AT&T owned - physical	$\Box$		UEPSR UEPSB	UREOS	0.61			1					· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·			
Remote Site Shared Owned Splitter Remote Site Shared Owned Splitter	- per line activation AT&T owned - physical - per line activation AT&T owned - virtual	←		UEPSR UEPS8	UREBP	0.0197	34.43	22.35	10.38	7.34				<del></del>				
Remote Site Shared Owned Splitter Remote Site Shared	per lie activation AT&T Owned - Virtual	الل		UEPSR UEPSB	UREBV	0.0188	34.43	22.35	10.38	7.34								
Owned Splitter Remote Site Shared	NA . MEMOTE SITE I INC COLITING						<del></del>											
Remote Site Shared		1 1		UEPSA JEPSB	URERS		40.40											_
	Shared Loop Line Activation for End Users - CLEC	<del>  </del>	-	JET CH. DEF GU	Unena	0.61	57.13	23.12	7.11	7.11							1	
	Shared Loop Line Activation for End Users - CLEC			UEPSR UEPSB	URERA	- 1	54.10	21.46	ĺ			[						
UNBUNDLED EXCHANGE A	Shared Loop Line Activation for End Users - CLEC or Shared Loop - Subsequent Activity - CLEC Owned	1 1					J <del>7</del> .10	21.40										
2-WIRE ANALOG VOICE GE	Shared Loop Line Activation for End Users - CLEC  Shared Loop - Subsequent Activity - CLEC Owned  NGE ACCESS LOOP									<del></del>								_
Remote Site 2 Wire	Shared Loop Line Activation for End Users - CLEC or Shared Loop - Subsequent Activity - CLEC Owned NGE ACCESS LOOP ICE GRADE LOOP																	
Line Splitting · CLEC	Shared Loop Line Activation for End Users - CLEC  '' Shared Loop - Subsequent Activity - CLEC Owned  NGE ACCESS LOOP  ICE GRADE LOOP  Were Analog Voice Grade Loop - Service Level 1:							- т					<del></del>					_
Hemote Site 2 Wire	Shared Loop Line Activation for End Users - CLEC or or or or or or or or or or or or or		1	UEPSR UEPSB	UEARS	6.52	28.48	3.85	2.20	0.01								
	Shared Loop Line Activation for End Users - CLEC or  Market Loop - Subsequent Activity - CLEC Owned  NGE ACCESS LOOP ICE GRADE LOOP 2 Wire Analog Voice Grade Loop - Service Level 1 -  CLEC Owned Splitter - Zone 1 Wire Analog Voice Grade Loop - Service Level 1 -  CLEC Owned Splitter - Zone 1		1				28.46	3.85	2.20	0.01								_
Line Splitting - CLEC	Shared Loop Line Activation for End Users - CLEC or or or or or or or or or or or or or		1 2	UEPSR UEPSB UEPSR UEPSB	UEARS UEARS	6.52	28.48 28.46	3.85	2.20	0.01					-			

MBUNULE	D NETWORK ELEMENTS - Georgia												Att: 2 Exh: A				Т
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st		incremental Charge - Manual Svc Order vs. Siectronic- Disc 1st	Incremental Charge - Manuai Svo Order vs. Electronic- Disc Add'l	
			4			Rec	Nonrec First	urring Add'i	Nonrecurring			·		Rates(\$)		'	士
UNE LO	op Rates for Line Splitting (in Ga. PSC ordered the line splitti	na laga	USQC:	match the lower por	t loon rom	DO Yates (JEP) X	YH'ST	Add	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	 1
	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1	I	1	UEPSR UEPSB	UEALS	10.98	10.04	7.35	1.37	1.28		<del></del>		1 · · · · · ·		r	 ┿
	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1	T_	1	UEPSR UEPSB	UEABS	10.98	10.04	7.35	1,37	1.28				<del> </del>	<del> </del>	<del></del>	 +
	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2		2	UEPSR UEPSB	UEALS	16.30	10.04	7.35	1.37	1.28					<del> </del>		 +-
	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2	<u> </u>	2	UEPSR UEPSB	UEABS	16.30	10.04	7,35	1.37	1.28							 +
	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 3 2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 3	1	3	UEPSA UEPSB UEPSA UEPSB	UEALS UEABS	34.73	10.04	7.35	1,37	1.28							1
	AL COLLOCATION	<del></del> -	1 3	OCFSH OEFSB	UEABS	34.73	10.04	7.35	1.37	1.28				L	<u> </u>		
	Physical Collocation-2 Wire Gross Connects (Loop) for Line	_	$r \rightarrow$			1				<u>;</u>	_						
	Splitting	l _	L	UEPSR UEPSB	PE1LS	0.0202	0.00	0.00			li						
VIRTUA	L COLLOCATION													·			 +
i						]											 ┰
DINDI ED O	Virtual Collocation 2 Wire Cross Connects (Loop) for Line Splitting EDICATED TRANSPORT	<u> </u>		UEPSR UEPSB	VE1LS	0.0192	0.00	0.00	0.00	0.00					l		
	FFICE CHANNEL - DEDICATED TRANSPORT	<u> </u>	ــــا		<u> </u>	L i											
	Interoffice Channel - 2-Wire Voice Grade - per mile		, , ,	ÚITVX	1L5XX	0.0059		— Т									 Γ
	Interoffice Channel - 2-Wire Voice Grade - Facility Termination	<del></del>	$\vdash$	บาางx	U1TV2	13.15	48.41	19.46	16.56	4.99				<del></del>	<del></del>		 +
	Interoffice Channel - 2-Wire Voice Grade Rev Bat per mile			UITVX	1L5XX	0.0059		10.70	10.00	7.37				ļ <u> </u>	ļ <u>.</u>		 +
														·			 +
	Interoffice Channel - 2-Wire VG Rev Bat Facility Termination	ļ	<b> </b>	U1TVX	U1TR2	13.15	48.41	19.46	16.56	4.99		<u> </u>					
<del></del>	Interoffice Channel - 4-Wire Voice Grade - per mile		$\vdash$	UITVX	1L5XX	0.0059											 1
	Interoffice Channel - 4- Wire Voice Grade - Facility Termination			U1TVX	U1TV4	11.01	48.41										1
_	Interoffice Channel - 56 kbps - per mile		$\vdash$	UITDX	1L5XX	0.0059	48.41	19.46	16.56	4.99							 L
<del></del> -	Interoffice Channel - 58 kbps - Facility Termination	<del>                                     </del>	1	UITOX	U1TD5	8.00	48,41	19,46	16.56	4.99		~			<u> </u>		 L
	Interoffice Channel - 64 kbps - per mile			UITDX	1L5XX	0.0059		10,40	10.50	4.55							 ╄
	Interoffice Channel - 64 kbps - Facility Termination			UITDX	U1TD6	8.00	48.41	19.46	16.56	4.99							 ┿
	Interoffice Channel - DS1 - per mile			Ú1TD1	1L5XX	0.1199											 ╆
	Interoffice Channel - DS1 - Facility Termination		$\vdash$	UITDI	U1TF1	34.93	110.92	80.20	31.33	21.71							 ╆
	Interoffice Channel - DS3 - per mile Interoffice Channel - DS3 - Facility Termination	<u> </u>		U1TD3	1L5XX	2.63											 ✝
	Interoffice Channel - STS-1 - per mile			U1TD3 U1TS1	UITF3 1L5XX	349.42 2.63	320.16	86.24	66.71	52.76							
	Interoffice Channel - STS-1 - Facility Termination		1 1	U1T\$1	UITES	366.43	320.16	86.24	66.71	52.76							 L
	DLED DARK FIBER			2170	0.170	500:451	020.10 [	30.24	00.71	32.76							 ╄
	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per									1							 ┿
	Route Mile Or Fraction Thereof		L	UDF. UDFCX	1L5DF	24.17					1	- 1			İ		Ĺ
	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per	ĺ															 _
	Route Mile Or Fraction Thereof r UNBUNDLED LOCAL LOOP			UDF, UDFCX	UDF14		1,774.79	89.66	73.57	18.69						]	
	S-1 UNBUNDLED LOCAL LOOP - Stand Alone																
	DS3 Unbundled Local Loop - per mile		1	UE3	1L5ND	11.40				<del></del>							
	DS3 Unbundled Local Loop - Facility Termination		1-1	UE3	UE3PX	258.44	1,751.51	131.77	112.80	75.81		+					 ╄
	STS-1 Unbundled Local Loop - per mile			UDLSX	1L5ND	11,40											 ₩
	STS-1 Unbundled Local Loop - Facility Termination			UDLŠX	UDLS1	349.42	1,751.51	131.77	112.80	75.B1							 ⊢
	ENDED LINK (EELs)					<u> </u>											 ✝
	Elements Used in Combinations 2-Wire VG Loop (SL2) in Combination - Zone 1		Y 1 1	UNCVX	HEND	13.32	195.75	20.55	10.401								
+	2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	18.66	195.75	36.35 36.35	18.40	6.86							$\Box$
	2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	36.33	195.75	36.35	18.40	6.86							 ╄
	4-Wire Analog Voice Grade Loop in Combination - Zone 1	_		UNCVX	UEAL4	21.04	195.75	36.35	18.40	6.86							 ⊬
	4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	24.49	195.75	36.35	18.40	6.86						<del></del> -	 ├
	4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	33.40	195.75	36.35	18.40	6.86							 ├-
<b></b>	2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	22.73	195.75	36.35	18.40	6.86						~ <u>-</u>	 $\vdash$
	2-Wire ISDN Loop in Combination - Zone 2 2-Wire ISDN Loop in Combination - Zone 3		2	UNCNX	U1L2X	29.11	195.75	36.35	18.40	6.86							
	4-Wire 56Kbos Digital Grade Loop in Combination - Zone 1		3	UNCDX	U1L2X UDL56	46.42 25.81	195.75 195.75	36.35	18.40	6.86						1	 $\Box$
$\top$	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2	<del></del>	2	UNCDX	UDL56	31.54	195.75	36.35 36.35	18.40 18.40	6.86							 匚
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3	_	3	UNCDX	UDL56	42.38	195.75	36.35	18.40	6.86							 L
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	25.81	195.75	36.35	18.40	6.B6							 ├-
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	31.54	195.75	36.35	18.40	_ 6.86							 -
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	42.38	195.75	36.35	18.40	6.86							 _
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	49.41	209.25	70.37	37.87	6.86							 _
	4-Wire DS1 Digital Loop in Combination - Zone 2 4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X UNC1X	USLXX	52.55 68.40	209.25	70.37	37.87	6.86						1	
	DS3 Local Loop in combination - per mile		-3-	UNCIX	1L5ND	11,40	209.25	70.37	37.87	6.86							
	DS3 Local Loop in combination - Facility Termination		<del>  </del>	UNG3X	UE3PX	258.44	1,259.23	628.22	41.49	20.74							 Ĺ
	STS-1 Local Loop in combination - per mile			UNCSX	1L5ND	11.40	.,200.20	0£0.22	41.40	CU. /4		+	+				 $\vdash$
	STS-1 Local Loop in combination - Facility Termination			UNCSX	UDLS1	349.42	1,259.23	628.22	41,49	20.74							 _
	Interoffice Channel in combination - 2-wire VG - per mile			UNCVX	1L5XX	0.0059							<del></del>			L	

	ED NETWORK ELEMENTS - Georgia		1			T							Att: 2 Exh: A				Т	一
ATEGORY	RATE ELEMENTS	interim	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manuel Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svo Order vs. Electronic- Disc Add'l		
		1	<del>                                     </del>		+	Rec	First	urring Add'i	Nonrecurring First	Disconnect			OSS	Rates(\$)				+-
	Interoffice Channel in combination - 2-wire VG - Facility			T	†	· · · · · · · · · · · · · · · · · · ·	rual	A001	Pirst	Add')	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN		. T
	Termination			UNCVX	U1TV2	13.15	66.47	33.57	43.38	27.57	ļ			Į.				Т
	Interoffice Channel in combination - 4-wire VG - per mile		L	UNICVX	1L5XX	0.0059	3,,,,		40.00	27.37	<del></del>			<u> </u>				
- 1	Interoffice Channel in combination - 4-wire VG - Facility Termination	1										<del> </del>	ļ					
-+	Interoffice Channel in combination - 4-wire 56 kbps - per mile		L	UNCVX	U1TV4	10.78	66,47	33.57	43.38	27.57		ĺ			!			
	Interoffice Channel in combination - 4-wire 56 kbps - Facility	<del> </del>		UNCDX	1L5XX	0.0059			10.00		<del> </del>						<b></b>	
ļ	Termination										<del>                                     </del>			<del> </del>				+
	Interoffice Channel in combination - 4-wire 64 khrs - per mile	<del> </del>	⊢	UNCOX	U1TD5	8.00	66.47	33.57	43.38	27.57		ļ	ĺ				i	ł
	Interoffice Channel in combination - 4-wire 64 kbps - Facility	+	├	UNCDX	1L5XX	0.0059										<del></del>	·	+
	Termination	1	l	UNCDX	14.700						T							+
	Interoffice Channel in combination - DS1 - per mile	_		UNCIX	U1TD6 1L5XX	8.00 0.1199	66.47	33.57	43.38	27,57			ļ l				I	
	Interoffice Channel in combination - DS1 Facility Termination	<del> </del>	├-	UNCIX	UtTF1	0.1199 34.93			_									+
	I/Xeroffice Channel in combination - DS3 - per mile	$\overline{}$	<del>                                     </del>	UNC3X	1L5XX	2.63	87.67	45.69	43.76	27.95								+-
	Interoffice Channel in combination - DS3 - Facility Termination			UNC3X	U1TF3	349.42	325.59	75.00										+
	Intercrice Channel in combination - STS-1 - per mile			UNCSX	1L5XX	2.63	320.08	76.99	49.51	32.85								T
TO U.S.	Interoffice Channel in combination - STS-1 Facility Termination		L	UNCSX	UITES	366.43	325,59	76.99	49.51	32.85								7
	NETWORK ELEMENTS					545.72	020.00	70.88	49.51	32.85								
Option	nal Features & Functions:					·								<u> </u>				$\Box$
ľ	Clear Channel Capability Extended Frame Option - per DS1	i . T		UITD1,														Ţ.
	Oldar Gramer Capability Extended Frame Option - per US1	<del>                                     </del>		ULDD1,UNC1X	CCOEF		0.00	ı				İ						Į
	Clear Channel Capability Super FrameOption - per DS1	1 . !	]	UTD1.							<del></del>							4
	Clear Channel Capability (SF/ESF) Option - Subsequent Activity -			ULDD1.UNC1X	CCOSF		0.00							! I	1			
	per DS1	1, 1		ULDD1, U1TD1, UNC1X, USL		· [	·											+-
7		<del>  ' </del>		U1TD3, ULDD3.	NACCC		184.62	23.78	2.03	0.79								Į
	C-bit Parity Option - Subsequent Activity - per DS3		1	UE3, UNC3X														+-
	DS1/DS0 Channel System	<del> ' </del>		UNCIX	NRCC3 MQ1		218.74	7.66	0.7591	0.00			!					1
	DS3/DS1Channel System	<del>                                     </del>		UNC3X, UNCSX	MQ3	71.23	86.01	0.00	0.00	0.00								+-
	Voice Grade COCI in combination	<del>                                     </del>		UNCVX	1D1VG	124.39 0.479	0.00	0.00	0.00	0.00	_	_			-			+
		<del>                                     </del>			IDIVG	0.479	27.30	2.90	16.85	1.04								+-
	Voice Grade COCI - for 2W-SL2 & 4W Voice Grade Local Loop	il		UEA	1D1VG	0.479	07.00								·			†
j	Voice Grade COCI - for connection to a channelized DS1 Local				.0170	0.475	27.30	2.90	16.85	1.04			i			ľ		1
	Channel in the same SWC as collocation		- 1	UTTUC	1D1VG	0.479	27.30	2 90		í	1							$\vdash$
_	OCU-DP COCI (2.4-64kbs) in combination			UNCDX	1D1DD	1.02	27.30	2.90	16.85	1.04						Ì		
	OCU-DP COCI (2.4-64kbs) - for Unbundled Digital Loop		-	UDL	1D1DD	1.02	27.30	2.90		1.04								_
	OCU-DP COC! (2.4-64kbs) - for connection to a channelized DS1					·····	27.30	2.50	16.85	1.04								$\vdash$
-	Local Channel in the same SWC as collocation		]	UITUD	1D1DD	1.02	27.30	2.90	16.85	1.04	!	i						Г
	2-wire ISDN COCI (BRITE) in combination			UNCNX	UCIÇA	1,70	27.30	2.90	16.85	1.04								
	2-wire ISDN COCI (BRITE) - for a Local Loop			ÜÜN	UC1CA	1.70	27.30	2.90	16.85	1.04								
	2-wire ISDN COCI (BRITE) - for connection to a channelized DS1		- "[						10.00									
	Local Channel in the same SWC as collocation DS1 COCI in combination			U1TUB	UCICA	1.70	27.30	2.90	16.85	1.04	ľ							Г
+-	DS1 COCI - for Stand Alone Local Channel			UNC1X	UC1D1	7.50	27.30	2.90	16.85	1.04	<del></del>		<del></del>					1
+	DS1 COCI - for Stand Alone Local Channel DS1 COCI - for Stand Alone Interoffice Channel			ULDD1	UC1D1	7.50	27.30	2.90	16.85	1.04								1
<del> </del>	DS1 COCI - for Stand Alone Interoffice Channel DS1 COCI - for DS1 Local Loop		[.	UITDI	UC!D1	7.50	27.30	2.90	16.85	1.04								$\vdash$
_	DS1 COCI - for connection to a channelized DS1 Local Channel in			USL, NTCD1	UC1D1	7.50	27.30	2.90	16.85	1.04								
	the same SWC as collocation	1		UITUA	Unit:	Ţ						<del></del> +	+	+	-			
			$\rightarrow$	UNCVX, UNCDX,	UC1D1	7.50	27.30	2.90	16.85	1.04			1	ļ	1	ļ	- 1	1
	Wholesale - UNE. Switch As-Is Conversion Charge			UNC1X, UNC3X, UNCSX, UDFCX, XDH1X, HFQC6, XDD2X, XDV6X, XDDFX, XDD4X, HFRST, UNCNX	UNCCC		5.69	5.69	6.60	6.50								
		$\neg$		UTTVX, UTTDX,			3.08	2.08	6.60	6.60							i	_
1 1	Unbundled Misc Rate Element, SNE SAI, Single Network Element	1		U1TD1, U1TD3,		i		1	- 1	J			T					_
+	Switch As Is Non-recurring Charge, per circuit (LSR)			U1TS1, UDF, UE3	URESL		5.69	5.69	6 60	6.60	,		l	i	- 1		- 1	
	Unbundled Misc Rate Element, SNE SAI, Single Network Element			U1TVX, U1TDX,				5.05	0 00	0.60								_
	Switch As is Non-recurring Charge, incremental charge per circuit on a spreadsheet	ļ	ĺ	U1TD1, U1TD3.	i	ŀ	1	J					J		] "	Т	T	
Acces	to DCS - Customer Becombinated			U1TS1, UDF, UE3	URESP		5.69	5.69	6.60	6.60			i	- 1	i		l	
~~~~	to DCS - Customer Reconfiguration (FlexServ) Customer Reconfiguration Establishment	- ,-							0.00	0.00			L					
1-1	DS1 DCS Termination with DS0 Switching						1,40		1.63	т т		<del></del>	<del>-</del>		····		<b></b>	
<del>  </del>	DS1 DCS Termination with DS1 Switching					20.08	24.87	18.91	15.02	11.94		$\neg -$		·				
1	DS3 DCS Termination with DS1 Switching					7.24	18.16	12.19	11.13	8.05		<del></del>						
	ynchroNet)	<del></del>				128.34	24.87	18.91	15.02	11.94	· ·		· · · - <del>-  </del> ·	<del></del>			<del></del>	
	Node per month		3	UNCOX	I BACKET T			-										_
	Rearrangements			UNCUA	UNCNT	13.98							· · · · · ·				<del></del> +	

DIABONDEE	D NETWORK ELEMENTS - Georgia	_		<del>, , , , , , , , , , , , , , , , , , , </del>		· · · · · · · · · · · · · · · · · · ·							Att: 2 Exh: A					$\top$
	\	1	1	<b>\</b>		}					Svc Order	Svc Order	Incremental		Incremental	Incremental		<del> </del> -
				}								Submitted	Charge -	Charge -	Charge -	Charge -		
ATEGORY	RATE ELEMENTS	interim	7000	BCS	USOC			RATES(\$)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc		
AI LOOK	TOTAL CERTAIN	N NOT HE	- CO.175	503	Lague			WAI ES(3)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.	1	ı
	ļ					1							Electronic-	Electronic-	Electronic-	Electronic-	İ	
	ĺ					İ							18t	Add'i	Disc 1st	Qiac Add'f	ļ	
		$\overline{}$				<del></del>	Nonrec	urring	Nontecurrin	g Disconnect		L	l	Rates(\$)				4
						Rec	First	Add'l	First	Add'!	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN	<del>                                     </del>	-
				UITVX, UITOX,	i	1									- SOMAN	- COMAN	<del></del>	+
		1	fi	UTTUC, UTTUD,								ļ		i	,			
ľ	NDC Character Facility Assessment and all states of Control	i		UITUB, ULDVX,			i I				ĺ	1						
	NRC - Change in Facility Assignment per circuit Service	Ι.		ULDBX, UNCVX,	l		l i			Į.		<b>l</b>		l ,				J
	Rearrangement	+		UNCDX, UNC1X U1TVX, U1TDX,	URETD		100.91	42,97						<u>L</u>	J	i		
				, מודעכ, נוידעם,						1		!		[				
ĭ	ነ	ì	1 '	UITUB, ULDVX.	)	ì	1 1	1		]	í	<b>l</b>						ļ
ļ	NRC - Change in Facility Assignment per circuit Project		1.	ULDDX, UNCVX	İ		!					<b>l</b>		}	J			
	Management (added to CFA per circuit if project managed)	1 .	í l	UNCDX, UNC1X	URETB		3.68	3.68		ľ		l .		i l				
	NRC - Order Coordination Specific Time - Dedicated Transport	<del>                                     </del>	_	UNC1X UNC3X	OCOSR	<del> </del>	18.89	18.89		<del></del>								
MHINGLING		+			0000,	<del>                                     </del>	10.03	10.03		<del> </del>								
			-	-						<del> </del>		-						<b></b>
				UNCVX, UNCDX						!		1 1						Į.
				UNC1X, UNC3X.	!		l l					í I			- 1			
	1	1 .		UNCSX, UTTD1,		1	[	1										
1		]	1	UTD3, UTTS1, UE3,		1 .							l					ļ
				UDL\$X, U1TVX,				1					l		ł			ĺ
1				Uttox, uttue,		1	l i	l				i	J		l			1
	L			ULDVX, ULDD1,									ĺ	l l				
	Commingling Authorization	<b>⊥.</b>		ULDD3, ULDS1	CMGAU	0.00	0.00	0.00	0.00	0.00			\					1
Commi	ngled (UNE part of single bandwidth circuit and interfaces) Commingled VG COCI			XDV2X	1D1VG	0.479	11,97	11,38	6.60									1-
	Commingled Digital COCI	<del> </del>		XDV6X	1D100	1.02	11.97	11.38								_		1
	Commingled ISDN COCI	1	-	XDD4X	UCICA	1.70	15.79	11.38	6.60									
	Commingled 2-wire VG Interoffice Channel			XDV2X	U11V2	13.15	48.41	19.46	16.56	4.99								
	Commingled 4-wire VG Interoffice Channel	<del> </del>		XDV6X	U1TV4	10.78	48.41	19.46	16.56	4.99								Ш
	Commingled 56kbps Interaffice Channel	1		XDD4X	U1TD5	8.00	48.41	9.46	16.56									
	Commingled 64kbps Interoffice Channel	T		XDD4X	U1TD6	8.00	48.41	19.46	16.56	4.99								ـــــ
				XDV2X, XDV6X.														<del> </del> -
	Commingled VG/DS0 Interoffice Channel Mileage			XDD4X	1L5XX	0.0059					ļ			ł	í	i		
	Commingled 2-wire Local Loop Zone 1		1	XDV2X	UEAL2	13.32	79.78	24.62	18.90	7.85								⊢-
	Commingled 2-wire Local Loop Zone 2		_2	XDV2X	UEAL2	18.66	79.78	24.62	18.90	7.86								-
	Commingled 2-wire Local Loop Zone 3		3	XDV2X	UEAL2	36.33	79.78	24,62	18.90	7.86								
	Commingled 4-wire Local Loop Zone 1	ļ	_	XDV6X	UEAL4	21.04	92.92	28.14	19.50	8.12								├
<del></del>	Commingled 4-wire Local Loop Zone 2	<u> </u>	N D	XDV6X	UEAL4	24.49	92.92	28.14	19.50	8.12							_	├—
	Commingled 4-wire Local Loop Zone 3 Commingled 56kbps Local Loop Zone 1	<b>.</b>	1	XDV6X XDD4X	UEAL4	33.40 25.81	92.92	28.14	19.50	8.12								
	Commingled 56kbps Local Loop Zone 2	+-	2	XDD4X XDD4X	UDL56 UDL56	25.81 31.54	196.47	36.96 36.98	18.80	7.19								
<del></del>	Commingled 56kbps Local Loop Zone 3	<del> </del>	3	XDD4X	UDL56	42.38	196.47	36.96	18.80 18.80	7.19 7.19								_
	Commingled 64kbps Local Loop Zone 1	1	<del>-</del> 1	XDD4X	UDL64	25.81	196.47	36.96	18.80									
	Commingled 64kbps Local Loop Zone 2		2	XDD4X	UDL64	31.54	196.47	36.96	18.80	7.19 7.19	+							
	Commingled 64kbps Local Loop Zone 3	<del> </del>	3	XDD4X	UDL64	42.38	196.47	36.96	18.80	7.19								
	Commingled ISDN Local Loop Zone 1		1	XDD4X	U1L2X	22.73	180.06	35.25	18.23	6.97								
	Commingled ISDN Local Loop Zone 2		2	XDD4X	U1L2X	29.11	180.06	35.25	18.23	6.97	<del></del> +		<del></del> +		<del></del>  .			<u> </u>
	Commingled ISDN Local Loop Zone 3		3	XDD4X	U1L2X	46.42	180.06	35.25	18.23	6.97				<del></del>				<u> </u>
	Commingled DS1 COCI		$\Box$	XDH1X	UÇ1D1	7.50	15.79	11.38	6.60	6.60	-	$\neg \neg +$	<del>+</del>		<del></del>	+		
	Commingled DS1 Interoffice Channel	<b>_</b>		XDH1X	UtTFt	34.93	110.92	80.20	31.33	21.71								-
-	Commingled DS1 Interoffice Channel Mileage			XDH1X	1L5XX	0.1199												
	Commingled DS1/DS0 Channel System Commingled DS1 Local Loop Zone 1	$\vdash$		XDHIX	MQT	71.23	105.57	41.55	23.73	4,19							<del> \</del>	
	Commingled DS1 Local Loop Zone 1 Commingled DS1 Local Loop Zone 2	$\vdash$	1 2	XDHIX	USLXX	49.41	211.72	72.42	38.20	7, 19							-	
$\neg+-$	Commingled DS1 Local Loop Zone 2 Commingled DS1 Local Loop Zone 3	┝╌┤	3	XDH1X	USLXX	52.55 68.40	211.72	72.42	38.20	7.19								
<del></del>	Commingled DS3 Local Loop	$\vdash$		HFQC6	UE3PX	258.44	211.72 1,751.51	72.42 131.77	38.20 112.80	7.19								
+-	Commingled DS3/STS-1 Local Loop Mileage	1 -		HFQC6, HFRST	1L5ND	235.44	1,(01.01	131.77	112.80	75.81								
	Commingled STS-1 Local Loop			HFRST	UDLS1	349.42	1,751,51	131.77	112.80	75.81							二	
	Commingled DS3/DS1 Channel System			HFQC6	MO3	124.39	224.26	71.76	39.97	31.04	<del></del>	-+						
	Commingled DS3 Interoffice Channel	L1		HFQC6	U1TF3	349.42	320.16	86.24	66.71	52.76	+		<del></del> -					
	Commingled DS3 Interoffice Channel Mileage			HFQC6	1L5XX	2.63							<del>+</del>		-			
_	Commingled STS-1Interoffice Channel		]	HFRST	UITES	366.43	325.59	76.99	49.51	32.85			<del></del>					
	Commingled STS-1Interoffice Channel Mileage	$\Box$		HFRST	1L5XX	2.63											-	
	Commingled Dark Fiber - Interoffice Transport, Per Four Fiber	1 7	1	1500			T		ī						· · · · · ·			
	Strands, Per Route Mile Or Fraction Thereof	1		HEODL	1L5DF_	24.17									- 1	1	ļ	
	Commingled Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per Route Mile Or Fraction Thereof			неавь	IDEA	[ [				T				1		+	+	
	Strands, Per House Mile Or Fraction Thereof UNE to Commingled Conversion Tracking			XDH1X, HFQC6	UDF14		1,774,79	89.66	73.57	18.69						]	]	
	SPA to Commingled Conversion Tracking	<del>  </del>		XDH1X, HFQC6	CMGUN	0.00	0.00	0.00	0.00	0.00								-
IP Query Ser	ore - To Committee Conversion Tracking	<del>   </del>	~	ADMIA, MEGICE	CMGSP	0.00	0.00	0.00	0.00	0.00								_
coury our	LNP Charge Per query	$\vdash$				0.0008227												
	LNP Service Establishment Manual	+				0.0000227	12.47		11.07									

ATEGORY	D NETWORK ELEMENTS - Georgia  RATE ELEMENTS	Interim 2	Zone BC:	,	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted	Charge -	Incremental Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	
	······································					Rec	Nonrec		Nonrecurring	Disconnect			OSS	Rates(\$)			
	LNP Service Provisioning with Point Code Establishment	<del></del>	<del></del>				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	<del></del>
1 PBX LOCA		<del></del>					574.307	293.39	251.23	184.73	1						
	LOCATE DATABASE CAPABILITY						i		L								
	Service Establishment per CLEC per End User Account		9980	<u> </u>	anneu I												-
	Changes to TN Range or Customer Prolife	$\rightarrow$			9PBEU		1.825.00										+
			9PBC		9PBTN		182.67				Γ						+
	Per Telephone Number (Monthly)		9980		9PBMM	0.07											
	Change Company (Service Provider) ID		9980	C	9PBPC		536.23		<del></del>								
	PBX Locate Service Support per CLEC (Monthlt)	1	9PBC	c	9PBMR	176.96			<del></del>								
	Service Order Charge	<del>-                                     </del>	9PBC		9PBSC		11.73			<del>_</del>	<b></b>			_			
	LOCATE TRANSPORT COMPONENT		0,00		3, 130 1		11.73										
See Att													_				
		<del>- , -</del>															
-	ates displaying an "I" in Interim column are interim as a re											(					

JNBU:	NDLE	D NETWORK ELEMENTS - Kentucky												Att: 2 Exh; A				<del></del>	
			Γ	Γ			Γ					Svc Order	Syc Droge		Incremental	Incremental	Incremental	<del>                                     </del>	
							I					Submitted		Charge -	Charge -	Charge -	Charge -		
						l						Elec	Manually	Manual Syc			Manual Svc	ł	i
ATEGO	YSC	RATE ELEMENTS	Interim	Zone	BCS	usoc	l		RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.		1
			1			1	İ				i			Electronic-	Electronic-	Electronic-	Electronic-	i	1
						I .	1							1st	Add'l	Disc 1st	Disc Add'l	[	1
—т			1					Nonrel	currina	Nonrecurring	Disconnect			066	Rates(\$)	ļ. <u></u> .	<u> </u>		
$\neg$							Rec	First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN		<del></del>
								I									SUMAN		+
	The "Zo	one" shown in the sections for stand-alone loops or loops as p	art of a	combin	ation refers to Geog	raphically De	averaged UNE	Zones. To view	v Geographica	ly Deaveraged	UNE Zone Desi	gnations by	Central Off	fice, refer to	nternet Websi	te:			+
1	http://w	vholesale.att.com/										•							1
ERAI	TONS S	SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"												L		]			1-
	NOTE:	(f) CLEC should contact its contract negotiator if it prefers th	e "state	*pecific	c" OSS charges as o	rdered by the	State Commis	sions. The QS	S charges curr	ently contained	d in this rate ex	hibit are the	AT&T "reg	ional" service	ordering char	rges. CLEC m	ay elect		<del> </del>
- 1	eltre 9 st	he state specific Commission ordered rates for the service or	sering ci	arges.	or CLEC may elect t	regional s	ervice ordering	charge, nower	ver, CLEC can	not obtain a mi	sture of the two	regardless	if CLEC ha	s a interconn	ection contrac	t established	in each of		1
-	NOTE:	(2) Any element that can be ordered electronically will be bille	d accord	lina to	the SOMEC rate liste	d in this cate	porv. Please	efer to ATST's	Local Ordering	Handhook (( (	OH) to determin	e H a produ	et can be o	rdered electro	TOTAL PARTY		* * *		<del> </del>
l li	be orde	ered electronically at present per the LOH, the listed SOMEC ra	se in thi	s categ	ory reflects the char	ge that would	d be billed to a	CLEC once ele	ctronic orderin	a capabilities c	ame on-line for	that elemen	t. Otherwi	se the manua	al ordering cha	ros SOMAN	mar cannor		
	beliqqs	to a CLECs bill when it submits an LSR to AT&T.				•									ii or dering chi	inge, soman,	WIII DE		1
		OSS - Electronic Service Order Charge, Per Local Service	T			1					[			(					+
		Request (LSR) - UNE Only	1		<u> </u>	SOMEC	<u> </u>	3.50	0.00	3.50	0.00			<u></u>		]			
	i	OSS - Manual Service Order Charge, Per Local Service Request				1								Ϊ	· · · · · ·				
NE OF	ovace -	(LSR) - UNE Only DATE ADVANCEMENT CHARGE	<b></b>		<u> </u>	SOMAN	<del>                                     </del>	7.86	0.00	0.99	0.00				L				
		DATE ADVANCEMENT CHARGE  The Expedite charge will be maintained commensurate with B	eli\$outh	's ECC	No 1 Tariff Section	S se appliest	1	<u> </u>						L					
	1012.	THE EXPENSE CHAIGS WITH DE THAIRTEN FOR CONSTINUES OF RESPONDE	T SOUTH	5100	HO, I THINI, SECTION	o as applicat			-		Y*************************************								—
ļ					UAL, UEANL, UCL,		i					' . !							1
ŀ					UEF, UDF, UEQ.						l	- 1							
			1		UDL, UENTW, UDN,								l		! !				1
			!		UEA, UHL, ULC,				i						, I				1
- 1	- 1		f		USL, U1T12, U1T48,						ł				1 1				l
- 1	- 1		1	\	UITDI, UITOS.	1	ነ	1 '	'		1	İ	)	)	) )	l i			!
					UITDX, UITO3,	ļ	ļ				1		i		ļ l				ĺ
					U1TS1, U1TVX,	1	ĺ								] j		ļ		
					UC18C, UC18L,	l .										ĺ			1
					UC1CC, UC1CL,				i										ſ
					UCIDO, UCIDA,							- 1	- 1				ļ		
					UC1EC, UC1EL, UC1FC, UC1FL,						i i				[ .	1	- 1		
i	- 1				UC1GC, UC1GL									İ					1
- 1	!		1		UC1HC, UC1HL												!		
- 1					UDL12, UDL48,							- 1	}						Į.
- 1					UDLO3, UDLSX.	Į l					l l	l	ļ		(	i	- 1	į	Į.
ì	1		ì	1 1	UE3, ULD12, ULD48.	Ì	}				] [			İ			ı		
					ULDD1, ULDD3,	1	ļ	l											
					ULDDX, ULDO3,	1						!	1				i		Í
-					ULDS1, ULDVX,	1						í	í		!				
					UNC1X, UNC3X,							I					f		
- 1	- 1				UNCOX, UNCNX,			1			1 1	I				}	- 1		ſ
- 1	i				UNC\$X, UNCVX.				Ï			I			l f				
- 1					UNLD1, UNLD3,							!					ŀ		
- 1					UXTD1, UXTD3,							i		i			- 1		ĺ
- 1					UXTS1, U1TUC,											- 1			
Į			Ļ	ļ ļ	UI TUD, UITUB,	Į l	Į.	, ,		Į	\	ļ	-	ļ		\ \	ļ.	1	1
]	]	UNE Expedite Charge per Circuit or Line Assignable USOC, per	1		U1TUA,NTCVG,	L	[				l İ					l		ĺ	ſ
BOEC	MODIF	Day ICATION CHARGE	+-		NTCUD, NTCD1	SDASP		200.00											L_
THEK	WO DIL	Order Modification Charge (OMC)	<del> </del>	<del> </del>	ļ		ļ	33.37	0.00	0.00	0.00								
		Order Modification Additional Dispatch Charge (OMCAD)	+	-		<del> </del>	<del> </del>	150.00	0.00	0.00	0.00						$\Box$		
NBUNC	LED F	XCHANGE ACCESS LOOP	<del>                                     </del>	$\vdash$		<del>                                     </del>		100.00	0.00	0.00	0.00								<u> </u>
T:	-WIRE	ANALOG VOICE GRADE LOOP	<del></del>		L,	L	L	·			·					L			
- 1		2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 1	1	1	UEANL	UEAL2	10.56	46.66	22.57	26.65	7.65	1				·····			
		2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2	1		UEANL	UEAL2	15.34	46.66	22.57	26.65	7.65		$\overline{}$		<del></del> +				
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	31,11	46.66	22.57	26.65	7.65					<del></del>		<del>-</del>	
		2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 1		_†	UEANL	UEASL	10.56	46.66	22.57	26.65	7.65				<del></del> +				
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	1		UEANL	UEASI.	15.34	46.66	22.57	26.65	7.65		<del></del>	<del> )</del>	<del></del> +		<del></del>		
				3	UEÀNL	UEASL	31.11	46.66	22.57	26.65	7.65								
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3				In terrorise		8.93	0.88										
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 Tag Loop at End User Premise		Ŭ	UEANL	URETL	L							1				I	
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 Tag Loop at End User Premise Loop Testing - Basic 1st Half Hour			UEANL	URETI		46.88	0.00										
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 Tag Loop at End User Premise Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour			UEÁNL UEÁNL	URET1 URETA		46.88 24.16	0.00 24.16										_
		2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 3 Tag Loop at End User Premise Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour Manual Order Coordination for UVL-St.1's (per loop)			UEANL	URETI		46.88	0.00										
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 Tag Loop at End User Premise Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour Manual Order Coordination for UVL-SL1s (per loop) Order Coordination for Specified Conversion Time for UVL-SL1			UEÁNL UEÁNL UEÁNL	URET1 URETA UEAMC		46.88 24.16 9.00	0.00 24.16 9.00										
		2-Wire Arrabog Voice Grade Loop - Service Level 1- Zone 3 Tag Loop at End User Premise Loop Testing - Basic 1st Helf Hour Loop Testing - Basic 1st Helf Hour Manual Order Coordination for UVL-SL1s (per loop) Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)			UEÁNL UEÁNL	URET1 URETA		46.88 24.16	0.00 24.16										
		2-Wire Analog Voce Grade Loop - Service Level 1- Zone 3 Tag Loop at End User Premise Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour Manual Order Coordination for UVL-SL1s (per loop) Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR) Urburdled Non-Design Voice Loop, billing for AT&T providing			UEANL UEANL UEANL UEANL	URETA URETA UEAMC OCOSL		46.88 24.16 9.00 23.01	0.00 24.16 9.00 23.01										
		2-Wire Analog Voce Grade Loop - Service Level 1- Zone 3 Tag Loop at End User Premise Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour Manual Order Coordination for UVL-SL1s (per loop) Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR) Unburdled Non-Design Voice Loop, billing for AT&T providing make-up (Engineering Information - E.I.)			UEÁNL UEÁNL UEÁNL	URET1 URETA UEAMC		46.88 24.16 9.00	0.00 24.16 9.00										
		2-Wire Analog Voce Grade Loop - Service Level 1- Zone 3 Tag Loop at End User Premise Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour Manual Order Coordination for UVL-SL1s (per loop) Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR) Urbundled Non-Design Voice Loop, billing for AT&T providing make-up (Engineering Information - EL.) Urbundled Loop Service Rearrangement, change in loop facility.			UEANL UEANL UEANL UEANL UEANL	URET1 URETA UEAMC OCOSL UEANM		46.88 24.16 9.00 23.01	0.00 24.16 9.00 23.01 13.49	70.00	7.00								
		2-Wire Analog Voce Grade Loop - Service Level 1- Zone 3 Tag Loop at End User Premise Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour Manual Order Coordination for UVL-SL1s (per loop) Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR) Unburdled Non-Design Voice Loop, billing for AT&T providing make-up (Engineering Information - E.I.)			UEANL UEANL UEANL UEANL	URETA URETA UEAMC OCOSL		46.88 24.16 9.00 23.01	0.00 24.16 9.00 23.01	26.65 26.65	7.65 7.65								

														Att: 2 Exh; A		_		_	-
				1	1							Svc Order	Syc Order	Incremental	incremental	Incremental	Incremental		_
ATEGOR	RY	RATE ELEMENTS		_		i	1					Submitted	Submitted	Charge -	Charge -	Charge -		4	- 1
	- [	TOTAL ECCHIENTS	Interim	Zon	BCS	USQÇ	Į.		RATES(\$)			Elec	Manually	Manual Syc	Manual Svc	Manual Com	Charge -	1	
				ı					, 20(4)			per LSR	per LSR	Order vs.	Order vs.	Manual Svc		1	- (
	- 1			1	1		1						Ι΄.	Electronic-		Order vs.	Order vs.		- 1
				1			1					,		1st	Electronic-	Eiectronic.	Electronic-	1	- 1
					ì			Netro				1	l	180	Add'I	Disc 1st	Disc Add'l	1	- 1
7.10	AUGE	1.5.					Rec	Nonre	curring	Nonrecurrin	g Disconnect			000	Rates(\$)			i	- 1
2.4	HINE	Unbundled COPPER LOOP						First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN					$\top$
-+-	-+	2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	10.58							3011174	SUMAN	SOMAN	SOMAN		-1-
-	- 1	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2		2	UEQ:	UEQ2X	11.51		20.89	25.64	6.65								
		2 YYV e Unbundled Copper Loop - Non-Designed - Zone 3			UEQ	UEQ2X	13.19		20.89	25.64	6.65								+
		Tag Loop at End User Premise			UEO	URETL	13.19		20.89	25.64	6.65								_
		oop Testing - Basic 1st Half Hour		_	UEQ	URETI		8.93	0.88										+
		oop Testing - Basic Additional Half Hour		_	UEO	URETA		46.88	0.00			<del></del>							+
	- [	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-				OFFIX		24.16	24.16			<del>  </del>							+-
		pesigned (per loop)			UEQ	USBMC	i					<del>  </del>							+-
- 1	1	houndled Copper Loop - Non-Design, billing for AT&T providing				OSDIVIC	<del></del>	9.00	9.00		1	! 1	- 1	- 1					+
		nake-up (Engineering Information - E.I.)	i		UEO	UEQMU	1												1
1	Įι	incuncied Loop Service Rearrangement, change in loop facility				OEQIVIU		13.49	13.49				- 1	I		-			+
		er circuit	ı		u€o	IDEMO	1	1											1
	<u> </u> E	sulk Migration, per 2 Wire UCL-ND			UEO	UREWO	<del></del>	14.27	7.43	25.64	6.65		ļ	1					+-
	8	Lik Migration Order Coordination, per 2 Wys LICL AID			UEQ	UREPN		44.97	20.89	25.64	6.65	<del></del> +					- 1		1
BUNDLE	IN EX	LHANGE ACCESS LOOP			V-4	UHEPM	+	9.00	9.00		5.00	<del></del>	-						+
2-W	/IRE A	NALOG VOICE GRADE LOOP					J.,					-							<del>†</del> —
	2	-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or 1	тТ								· · · · · ·								+-
	10	TOURG Start Signaling - Zone 1		,	UEA														-
1	2	-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			UEA	UEAL2	12.67	134.89	81.87	73.65	14.88	J	- 1				<del>- 1</del>		$\leftarrow$
	10	FOUND Start Signaturg - Zone 2	- 1	2	UEA		I				14.08						1	,	
	2-	Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	$\rightarrow$	4	UEA	UEAL2	17.45	134.89	81.87	73.65	14.88			T					<del></del>
	_ 10	Outo Start Signaling - Zone 3	- 1				i			, 0.03	14.55					1			1
	2.	Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		3	UEA	UEAL2	33.22	134.89	81.87	73.65	44.00	- 1	!	T					-
	В	attery Signaling - Zone 1	- 1							13.03	14.88				- 1	- 1	- 1	- 1	1
	2.	Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		1	UEA	UEAR2	12.67	134.89	81.87	73.65							-		
	lē:	attery Signaling - Zone 2	- 1						01.07	73.65	14.88			1			- 1	ĺ	i T
	2-	Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		2	UEA	UEAR2	17.45	134.89	81.87	73.65		1							
	B	attery Signaling - Zone 3	}					104.00	01.87	/3.65	14.88			- 1					
	- 6	eitch An In Company		3	UEA	UEAR2	33.22	134.89	04.07	1	1								
	100	witch As-Is Conversion rate per UNE Loop, Single LSR. (per 50)		7			- GC:FE	134.03	81.87	73.65	14.88	_ ;	Į.		ĺ	ſ	1		
<del></del>					UEA	UREŞL	1 1	24.96		- 1								í	
	00	vitch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	Т					24.90	3.52					!	1	1			
					UEA	URESP		26.44		1								1	
	100	bundled Loop Service Rearrangament, change in loop facility,	Ţ					20.44	5.01				- 1	- 1	- 1		Τ.		
					UEA	UREWO	i 1	87.72							<del></del>				
<del></del>	120	op Tagging · Service Level 2 (SL2)		_	UEA	URETL		11.21	36.36			- 1	ı	- 1		- 1			_
	100	k Migration, per 2 Wire Voice Loop-SL2		7	UEA	UREPN		134.89	1.10										
4 1400	190	k Migration Order Coordination, per 2 Wire Voice Loop-SL2		1	UEA	UREPM			81.87										
4-34(14	KE AN	ALOG VOICE GRADE LOOP				10.12.10		0.00	0.00										
	4-1	Vire Analog Voice Grade Loop - Zone 1	$\neg \tau$	1 [	JEA .	UEAL4	29.26	200											_
-	4-9	Vire Analog Voice Grade Loop - Zone 2		2 1	.EA	UEAL4		164.11	112.36	78.91	18.66					_			
	4-7	Vire Analog Voice Grade Loop - Zone 3		3 (	JEA .	UEAL4	34.25 T 85.06	164, 11	112.36	78.91	18.66						_	_	
	Sw	itch-As-Is Conversion rate per UNE Loop, Single LSR, (per	_			QUAL4	85.06	164.11	112.36	78.91	18.66								
	100	·)		- lu	ÆΑ	URESL	I	21.04										-	
	Sw	itch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per		-		GUESE		24.96	3.52			- 1		ı	I	1			_
-+	JUS	U)	- 1	- h	JEA	URESP	- 1		Ţ								!		
- 1	Unt	bundled Loop Service Rearrangement, change in loop facility,		<del></del>		UNESF		26.44	5.01		1	ı	1	J	1	1		-+	
	[Page	CITCUIT	Į	- b	ÆΑ	UREWO			$ \top$									ı	
2-WIR	RE ISD	N DIGITAL GRADE LOOP				TOREWO		87.72	36.36			- 1		I	]			-+	
	J2-W	Tre   SDN Digital Grade Loop - Zopa 1	$\overline{}$	i Tu	DN	U1L2X T										1			
	12-V	re ISDN Digital Grade Loop - Zone 2		2 0			18.44	146.77	95.02	71.38	13.83								_
	12.9	rife ISDN Digital Grade Loop - Zone 3		3 0		U1L2X	25.08	146.77	95.02	71.38	13.83							<del>-  -</del>	
1	Unb	undled Loop Service Rearrangement, change in loop facility.	$\neg$	<del>- 1</del> 9		U1L2X	42.87	146.77	95.02	71.38	13.83	<del></del>					-	-+-	
			- 1	- J.,	IDN	Liberto	T			-	·	-+				_		<del></del>	
2-WIRE	E AS	MMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE	FLOC	- 12		UREWO		91.63	44.16	- 1	!	- 1						<del></del>	
1	° "	The Diburbled ADSL Loop including manual service inquiry &		_													Ī		
	ıraçı	ity reservation - ∠one 1	- 1	, և	AI	[e													
	2 W	ire Unbundled ADSL Loop including manual service inquiry &	~+	<del>,  u</del>		UAL2X	10.82	141.98	79.73	69.02	11.47	I		1					
	Laci	RY reservation - Zone 2		, 1,,	Δι												i		
	2 W	ire Unbundled ADSL Loop including manual service inquiry &	$\dashv$	e (U	<u>~.</u>	UAL2X	11.79	141.98	79.73	69.02	11.47	1	1	1					
	lack	ty reservation - Zone 3	Ι.	, I	41	L 17					11.47				1	ı	1		
	2 W	re Unbundled ADSL Loop without manual service inquiry &		3 U	<u> </u>	UAL2X	12.87	141.98	79.73	69.02	11.47	- 1	I -				<del></del>	<del></del>	
	racii	ty reservation - Zone 1	-   .	, I		I T				05.02	77.47	··			!	[		[	
	2 W	re Unbundled ADSL Loop without manual service inquiry 8	—	ı V	AL.	UAL2W	10.82	121.18	69.00	69.09	11,54	I							
1	Fracin	ty reservation - Zone 2	Ι.	. l				-	95.00	69.08	11.54					J		_ i _	_
	2 W	re Unbundled ADSL Loop without manual service inquiry &		2 U/	AL	UAL2W	11.79	121.18	69.00	69.09	., 1		T -			<del></del>			
	facili	ty reservation - Zone 3					-	-	05.00	05.09	11.54				1	I	I	1	
	Unto	indled Loop Service Rearrangement, change in loop facility,		U		UAL2W	12.87	121.18	69.00	69.09	[	[			<del></del>	<del></del>	<del></del>		
1				- 1.	_			-	55.50	69.08	11.54			!	- 1	ı	i	J	
		BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE	1	. Jua	11	UREWO !	- 1	86.20										1	

	ED NETWORK ELEMENTS - Kentucky	1			7								Att: 2 Exh: A					—
			1		1						Svc Order	Svc Orde	Incremental		Incremental	Incremental	<del> </del>	$\dashv$
		1									Submitted	Submitted	Dharge.	Charge -	Charge .	Charge -	ļ.	ļ
EGORY	RATE ELEMENTS	interim	Zone	BCS	usoc			0475016			Elec	Manually			Manual Svc			
		.,	1	003	USCC			RATES(\$)			per LSR	per LSR		Order vs.				
			ŀ		1						,	F-11 55.1	Electronic-	Electronic .	Order vs.	Order vs.		
			1			1					1				Electronic-	Electronic-		
				<del></del>								ļ	1st	Add*(	Disc 1st	Disc Add')		
	<del>                                     </del>	<del> </del>		<del> </del>	ļ	Rec	Nonre	curring	Nonrecurring	g Disconnect	<del> </del>		088	Rates(\$)				
+-	2 Wire Unbundled HDSL Loop including manual service inquiry &	<del> </del>			-		First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN		_
- 1	facility reservation - Zone 1			UHL			1							00	SUMAN	SUMAN		_
	2 Wire Unbundled HDSL Loop including manual service inquiry &	<del></del>	÷	Uni.	UHL2X	8.75	151.54	89 29	69.09	11.54		i	Ì	1 3	·			
	facility reservation - Zone 2		2	UHL	UHL2X	9.56					i		T					_
	2 Wire Unbundled HDSL Loop including manual service inquiry &		-		UFILZA	9.00	151.54	89.29	69.09	11.54		L.	1		i			
	facility reservation - Zone 3	j l	3	UHL	UHL2X	10.61	151.54			-								_
	2 Wire Unbundled HDSL Loop without manual service inquiry and		_	-	0.22	10.61	151.54	89.29	69.09	11,54				L	- 1			
	facility reservation - Zone 1		1	UHL	UHL2W	8.75	130.74	78.56	69.09		ł		,					-
· T	2 Wire Unbundled HDSL Loop without manual service inquiry and					<u> </u>	130.74	/ 0.36	69.09	11.54					ļ			ĺ
	facility reservation - Zone 2		2	UHL	UHL2W	9.56	130.74	78.56	50.00						-			Η
	2 Wire Unbundled HDSL Loop without manual service inquiry and				1	0.00	100.74	70.30	69.09	11.54						ľ		ľ
	facility reservation - Zone 3		_ 3	UHL	UHL2W	10 61	130.74	78.56	69.09	11.54	i !							+
	Unbundled Loop Service Rearrangement, change in loop lacility.				1			. , , , , , ,	05.05	11.54			ļ			ŀ		í
٠	per circuit	L !		UHL	UREWO		86.14	40.40		i				· · · · · T	7			┪
4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATI	BLE LOC	OP							<del></del>	ш		<u> </u>	L				-1
	4 Wire Unbundled HDSL Loop including manual service inquiry and	T			T								· <del></del> -			-		7
	facility reservation - Zone 1	l	1	UHL	UHL4X	13.95	185.75	123.50	74.95	14.00				T"T				+
I -	4-Wire Unbundled HDSL Loop including manual service inquiry and				1			160.00	/4.35	14.69			L			_		-
	facility reservation - Zone 2	L l	2	UHL	UHL4X	15.68	185.75	123,50	74.95	14.69	1		1 7					+
	4-Wire Unbundled HDSL Loop including manual service inquiry and				T	-, -, -, -, -		120.30	74.95	14.59			L,					1
	facility reservation - Zone 3	<u> </u>	3	UHL	UHL4X	16.98	185.75	123.50	74,95	14.69			T	T				+
	4-Wire Unbundled HDSL Loop without manual service inquiry and				<del>                                     </del>			144,50	(4.85	14.69						!		ı
	facility reservation - Zone 1	!	1	UHL	UHL4W	13.95	164.95	114.04	77.32	45.00								+
-	4-Wire Unbundled HDSL Loop without manual service inquiry and				1		101.00		//.32	15.80								1
	facility reservation - Zone 2		2	UHL	UHL4W	15.68	164.95	114.04	77 32	15.80	}			1				t
1	4-Wire Unbundled HDSL Loop without manual service inquiry and				1	3722	101.00	117.04	11 32	15.80					i	- 1		Į
	facility reservation - Zone 3	1	3	UHL	UHL4W	16.98	164.95	114.04	77.32	45.00	1	i	ſ					t
	Unbundled Loop Service Rearrangement, change in loop facility.				<del>                                     </del>		107.00	114.04	77.32	15.80					_	- 1		Т
	per circuit		- 1	UHL	UREWO		86.14	40.40	i	]	- 1		ļ	1				t
4-WIRE	DS1 DIGITAL LOOP							40.40								- 1		ı
	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	86.47	306.69	174,44	65.83	- 44.55 Y								t
	4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	114.10	306.69	174.44	65.83	14.55								t
	4-Wire DS1 Digital Loop - Zone 3		3	USL	ÜSLXX	297.76	306.69	174,44	65.83	14.55								t
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per						050.00	- 11-7-4-	93.63	14.55								۳
	DS1)		1	USL	URESL	- 1	24.96	3.52	,		- 1		1					⊢
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per										<del>~</del> ——∤-		L		f	- 1		i
	DS1)			USL	URESP	1	26.44	5.01						1				一
	Unbundled Loop Service Rearrangement, change in loop facility,							3.01								_	Ī	ĺ
	per circuit	[		USL	UREWO		101.09	43.04	- 1	ļ	- 1							т
4-WIRE	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP																ĺ	i
$\perp$	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1		1		UDL2X	27.59	157.81	106.06	78.91	18.66								г
+	4 Wire Unbundled Digital Loop 2.4 Kbps · Zone 2		2	UDL.	UDL2X	32.48	157.81	105.06	78.91	18.66			<b></b>					_
+	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 3		_3		UDL2X	36.37	157.81	105.05	78.91	18.66								_
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1		1	UDL	UDL4X	27.59	157.81	106.06	78.91	18.66								_
+	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2		2		UDL4X	32.48	157.81	106.06	78.91	18.66			<del></del>		- $           -$			_
+	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3		3		UDL4X	36.37	157.81	105.06	78.91	18.66							- T	_
1 1	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1	T	1		UDL9X	27.59	157.81	106.06	78.91	18.66		-						_
<del></del>	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2	[	Ž.		UDL9X	32.48	157.81	106.06	78.91	18.66	<del></del>							_
<del>-  </del>	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3		3		UDL9X	36.37	157.81	106.06	78.91	18.66								_
+ $ +$	4 Wire Unbundled Digital 19.2 Kbps - Zone 1		1		UDL19	27.59	157.81	106.06	78.91	18.66								_
+-	4 Wire Unbundled Digital 19.2 Kbps - Zone 2	I	2		UDL19	32.48	157.81	106.06	78.91	18.66	<del>- +</del>						_	_
	4 Wire Unbundled Digital 19.2 Kbps - Zone 3		3		UDL19	36.37	157.81	106.06	78.91	18.66								_
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1		UDL56	27.59	157.81	106.06	78.91	18.66		<del> </del> -	$\longrightarrow$	$-\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!$				_
+	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	32.48	157.81	106.06	78.91	18.66		<del></del>	<del></del>					_
+ +	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3		UDL56	36.37	157,81	106.06	78.91	18.56	<del></del>			<del></del>				_
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	ļ	1		UDL64	27.59	157.81	106.06	78.91	18.66							二丁	_
++	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	$\rightarrow$	2		UDL64	32.48	157.81	106.06	78.91	18.66	+	<del></del>						_
+ -+	4 Wire Unbuncted Digital Loop 64 Kbps - Zone 3 Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		3	UUL	UDL64	36.37	157.81	106.06	78.91	18.66		+					$\Box$	_
1	Switch-As-is Conversion rate per UNE Loop, Single LSR, (per DS0)	- 1	1.		I T	T							<del></del>					_
				UDL	URESL		24.96	3.52		J		)	i	1	- 1			_
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0)	i	J.	-					·	<del></del>				<del>-  -</del>				
			!!	UDL	URESP		26.44	5.01	]		i			I	1		T	_
1 1	Unbundled Loop Service Rearrangement, change in loop facility, per circuit	- 1	J.		T	T												_
			!	UDL	UREWO		102,13	49.75		Į.		í	l	ı	ı	T		_
2-WIKE	Unbundled COPPER LOOP																	
1 1	2-Wire Unbundled Copper Loop-Designed including manual service	- 1	. [		T	T						<del></del>						Ξ
	nquiry & facility reservation - Zone 1	<b>—₊</b>	1	JCL	UCLPB	10.82	140.95	78.70	69.09	11.54		- 1	1					_
	2-Wire Unbundled Copper Loop-Designed including manual service	ļ	- [		T					11.0-		-	<del></del>			i	- 1	
	nquiry & facility reservation - Zone 2	- 1	2 (	JCL J	UCLPB	11.79	140.95	78.70	69.09	11.54	Í			1				_

	D NETWORK ELEMENTS - Kentucky												Att: 2 Exh: 4					<b>—</b>
TEGORY	RATE ELEMENTS	Interim	Zone	BĊŞ	USOC		, , , , ,	RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Menually per LSR	Incremental	Incremental Charge Manual Syc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l		+
		<del>   </del>		· · · · · · · · · · · · · · · · · · ·	<del></del>	Rec	First	curring Add'l	Nonrecurring First	g Disconnect Add'i			OSS	Rates(\$)				+
	2 Wire Unbundled Copper Loop-Designed including manual service				1	<del>                                     </del>	F 17 G L	Addi	First	Addi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN		+
_	inquiry & facility reservation - Zone 3		3	UCL	UCLPB	12.87	140.95	78.70	69.09	11,54		ļ						T
	2-Wire Unbundled Copper Loop-Designed without manual service	1 1		1						† · · · · · · · · · · · · · · · · · · ·			F	<del></del>				
	inquiry and facility reservation - Zone 1  2-Wire Unbundled Copper Loop-Designed without manual service		1	UCL	UCLPW	10 82	120.15	67.97	69.09	11.64	i l			i				Т
	inquiry and facility reservation - Zone 2	Į I	_	UCL					_	1								1
_	2-Wire Unbundled Copper Loop-Designed without manual service	$\vdash$	2	UCL	UCLPW	11.79	120.15	67.97	69.09	11.54				l i	ì			- 1
	inquiry and facility reservation - Zone 3	!	3	luci	UCLPW	12.87												+
	Order Coordination for Unbundled Copper Loops (per loop)	<del></del>		UCL.	UCLMC	12.87	120.15	67.97	69.09	11.54								- 1
	Unbundled Loop Service Rearrangement, change in loop facility.				COLIVIC		9.00	9.00							-			-+
	per circuit			UCL	UREWO		97.23	42.48										+
4-WIRE	COPPER LOOP				,	<b>-</b>	37.63	42.40	L	L <u>.</u>					í			1
	4-Wire Copper Loop-Designed including manual service inquiry and							· · · · · ·										+
<del></del>	facility reservation - Zone 1		1	UCL	UCL4S	16.92	170.31	108.06	74.95	14.69	ĺ							+
	4-Wire Copper Loop-Designed including manual service inquiry and								7-1-03	14.03						i		$\perp$
	facility reservation - Zone 2		2	UCL	UCL4S	17.36	170.31	108.06	74.95	14.59		ĺ			T	T		T
	4-Wire Copper Loop-Designed including manual service inquiry and		_ ]						-									$\perp$
	Jacility reservation - Zone 3	$\vdash$	3	UCL	UCL4S	28.10	170.31	108.06	74.95	14.69				[	- 1			ľ
	Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1	i	,	l Mari	L													4
	4-Wire Copper Loop-Designed without manual service inquiry and			UCL	UCL4W	16.92	149.52	97.33	74.95	14.69	_			1		- 1		Τ
	facility reservation - Zone 2	ļ	2	UCL	UCL4W					-					<del></del>			+
	4-Wire Copper Loop-Designed without manual service inquiry and		-	W.L	UCL4W	17.36	149.52	97.33	74.95	14.69			ļ	Į.	ĺ	- 1		
	facility reservation - Zone 3		3	UCL	UCL4W	28.10	149.52											╄-
	Order Coordination for Unbundled Copper Loops (per loop)	-		UCL	UCLAV	28.10		97.33	74.95	14.69					- 1	- 1		
	Unbundled Loop Service Rearrangement, change in loop facility,				COLINIC		9.00	9.00								<del>+</del>		╁
	per circuit			UCL	UREWO		97.23	42.48	1			. [						✝
			$\dashv$	UEA, UDN, UÁL,	DITERO	-	97.23	42.48							i			
	Order Coordination for Specified Conversion Time (per LSR)	- 1		UHL, UDL, USL	OCOSL		23.01				- 1							H
Rearran	gements				10 4000		23.01											ĺ
	EEL to UNE-L Retermination, per 2 Wire Unbundled Voice Loop-									<del></del>								r
	SL2			UEA	UREEL		87.72	36.36			- 1	ļ	i	ĺ				Г
1 .	EEL to INE 1 Columns to																	L
	EEL to UNE-L Retermination, per 4 Wire Unbundled Voice Loop	<u> </u>		UEA	UREEL		87.72	36.36	l	- 1			- 1		- 1	ì		ī
	EEL to UNE-L Retermination, per 2 Wire ISDN Loop		_	UON	UREEL		91.63	44.16						+				_
	EEL to UNE-L Retermination, per 4 Wire Unbundled Digital Loop	- 1		UDL									+					_
_	EEL to UNE-L Retermination, per 4 Wire Unbundled DS1 Loop			USL	UREEL		102.13	49.75					- 1	i	- 1	ļ	ļ	i
LOOP COL	MINGLING			USL .	UREEL		101.09	43.04								<del></del>		_
	ANALOG VOICE GRADE LOOP - COMMINGLING				<del></del>										·	<del></del> +		
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		$\neg$					<del></del> ,		<del></del>								
	Ground Start Signaling - Zone 1		1	NTCVG	UEAL2	12.67	134.89	81.87	70.05									
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or				OC/ALL	12.07	134.00	51.87	73.65	14.88							ı	
	Ground Start Signaling - Zone 2		2	NTCVG	UEAL2	17.45	134.89	81.87	73.65	14.88			T					_
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or				<del>1 - 1</del>			91.07	73.00	14.88					1	!	ĺ	
	Ground Start Signaling - Zone 3		3	NTCVG	UEAL2	33.22	134.89	81.87	73.65	14.88		1		["			$\neg \neg$	_
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		T					7	70.03	14.00	-+							
-	Battery Signaling - Zone 1		1 1	NTCVG	UEAR2	12.67	134.89	81.87	73.65	14.88	- 1			Į	[~	7		_
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	ľ	ŢŢ					<del></del>		13,555								_
+	Battery Signaling - Zone 2		2	NTCVG	UEAR2	17.45	134.89	81.87	73.65	14.88	-	- 1		I	1			
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3	}	.ا		1 1									<del></del> -	<del></del>			
+ 1	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per	-+	3 1	NTCVG	UEAR2	33.22	134.89	81.87	73.65	14.88	- 1	- 1		I	- 1		[	
	DS0)		- 1.	NTCVG	lines.			T					-	<u>~</u> -				_
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per			11070	URESL		24.96	3.52						1	J	1	- 1	
	DS0)		Į,	VTCVG	URESP		26.44	}	F	Г							<del></del>	_
	Unbundled Loop Service Rearrangement, change in loop facility,	- +	<del> </del>		J-1E-JF		25.44	5.01							I			
	per circuit		- Ir	VTCVG	UREWO	ĺ	87.72	36.36		ļ	Γ.						<del></del> }-	-
	Loop Tagging - Service Level 2 (SL2)			VTCVG	URETL	<del>-</del> +	11,21	1.10										
4-WIRE	ANALOG VOICE GRADE LOOP - COMMINGLING						11,61	1.10		L							<del> -</del>	_
1 1	4-Wire Analog Voice Grade Lnon - Zone 1		1 ]	VICVG	UEAL4	29.26	164,11	112.36	78.91	18.66			<del></del> -				_ 1	-
	4-Wire Analog Voice Grade Loop - Zone 2		2	VTCVG	UEAL4	34.25	164.11	112.36	78.91	18.66	<del></del>		<del> -</del> -					_
	4-Wire Analog Voice Grade Loop - Zone 3		3	VICVG	UEAL4	85.06	164.11	112.36	78.91	18.66								_
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per	T	Т								+							_
	OSO)		١	VTCVG	URESL		24.96	3.52			J		ļ	]			7	_
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per OS0)		I.		I T													_
			^	TCVG	URESP		26.44	5.01		1						-	Ţ	
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit	1	l.	vitcvg		T								<del></del>				
	POT OTIONS	- 1	41	NI-CVG	UREWO	I	87.72	36.36	,		1	1	- 1	1	i	ı	1	_

	D NETWORK ELEMENTS - Kentucky	T										Att: 2 Exh: A	١				_
				- !	]						Svc Order	Incrementa	Incremental	Incremental	lacrements	+	-+
		1 1		1	l					Submitted	Submitted	Charge -	Charge -	Charge -		'	
TEGORY	RATE ELEMENTS	Interim 2	ne BCS	USOC	i					Elec	Manually	Manual Syc	Manual Svc	Citarge .	Charge -		
		"Netura	//III BC3	0300			RATES(\$)			per LSR		Order vs.		Manual Svc	Manual Syc	:	ĺ
										Par 201	per Lak	Grider Vs.	Order vs.	Order vs.	Order vs.	ľ	- 1
										1	J.	Electronic-	Electronic-	Electronic-	Electronic-	í	ı
	<del> </del>	+	<del></del>		<u></u>						1	1st	Add'l	Disc 1st	Disc Add'≀	1	- [
<del></del>					Rec	Nonre		Nonrecurring	g Disconnect			nes	Rates(\$)			<u> </u>	_
$\neg$	4-Wire DS1 Digital Loop - Zone 1	<del>                                     </del>	1 NTCD1	USLXX	86.47	First 306.69	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	-	4
	4-Wire DS1 Digital Loop - Zone 2		2 NTCO1	USLXX	114.10	306.69	174,44	65.83							SOMAN	├	-+
	4-Wire DS1 Digital Loop - Zone 3	<del>                                     </del>	3 NTCD1	USLXX	297.76	306.69	174.44	65.83								<del></del>	-
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per	<del> </del>		1030.	287.76	306.69	174,44	65.83	14.55								+
	DS1)	l	NTCD1	URESL		24.96	3.52			İ							+
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS1)								<del> </del>	-			ļ				
	Unbundled Loop Service Rearrangement, change in loop facility,	<del>                                     </del>	NTCD1	URESP		26.44	5.01			1			í l				T
	per circuit		NTCD1	UREWO									<del></del>				
4-WIRE	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP - COMMINGLING		INCO	UNEWU	<u> </u>	101.09	43.04						i I	1			i
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1		1 NTCUD	UOL2X	27.59	157.81	400.00										+
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2		NTCUD	UDLZX	32.48	157.81	106.06	78.91	18.66								4-
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 3		NTCUD	UDL2X	32.48		106.06	78.91	18.66								+-
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1		NTCUD	UDL4X	27.59		105.06	78.91					-				4
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2		NTCUD			157.81	106.06	78.91	18.66								4.
1	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3		NICUD	UDL4X	32.48	157.81	106.06	78.91	18.66				<del> </del>				L
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1			UDL4X	36.37	157.81	106.06	78.91	18.66								I
	4 Wire Listensian Digital Loop 9.6 Roos - 20ne 1		NTCUO	UDL9X	27.59	157.81	106.06	78.91									$\tau$
<del></del>	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2		NTCUD	UDL9X	32.48		106.06	78,91	18.66								T
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3		NTCUD	UDL9X	36.37	157.81	106.06	78.91	18.66								1
	4 Wire Unbundled Digital 19.2 Kbps - Zone 1		NTCUD	UDL19	27.59	157.81	106.06	78,91	18.66			i					+
	4 Wire Unbundled Digital 19.2 Kbps - Zone 2		NTCUD	UDL19	32.48	157.81	106.06	78.91	18.66								+-
	4 Wire Unbundled Digital 19.2 Kbps - Zone 3		NTCUO	UDL19	36.37	157.81	106.06	78.91	18.66								+-
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		NTCUO	UDL56	27.59	157.81	106.06					1	_				+-
- 1 - 1	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		NTCUD	UDLS6	32.48	157.81		78.91	18.66				· · · · · · · · · · · · · · · · · · ·				+-
	4 Wire Unbundled Digital Loop 56 Kbps · Zone 3		INTCUD	UDL56	36.37		106.06	78.91	18.66					<del>+</del>			╁.
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		NTCUD	UDL64		157.81	106.06	78.91	18.66				+	<del></del>			+-
1	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		NTCUD		27.59	157.81	106.06	78.91	18.66				<del></del>				L
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	<del>                                     </del>	INTOUR	UDL64	32.48	157.81	106.06	78.91	18.66								L
<del>- 1</del> - 1	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per	<del></del>	NTCUD	UDL64	36.37	157.81	106.06	78.91	18.66			<del></del> +					ഥ
	DS0)		ATTOUR	LIDER													$\subseteq$
	Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per	<del></del>	NTCUD	URESL		24,96	3.52		1	ļ	ļ	ļ	Į.	i	T		ſ
	DS0)		NTCUD	URESP							$\neg +$		+				<u> </u>
	Unbundled Loop Service Rearrangement, change in loop facility,		117000	UNESP		26.44	5.01									]	į
	per circuit		NTCUD	UREWO		102.13	49.75	l	- 1	T					<del></del>		_
			NTCVG, NTCUD.			102.13	49.70								[	ļ	I
	Order Coordination for Specified Conversion Time (per LSR)		NTCD1	OCOSL	ļ	23.01	- 1	[		- 1	- }						_
NTENANCE	OF SERVICE			1					<del></del>							Į	i
			UDC, UEA, UDL,														_
			UDN, USL, UAL,	]	- 1	i					- 1	- 1					_
			UHL, UCL, NTCVG,	1	I	J	I	i		ļ	I	- 1	ļ		- 1		
	l		NTCUD, NTCD1,	1	I	ļ	ļ	I				ŀ	1	1	1	J	
	J	Į	UITD1, UITD3,	1	!	ľ	i	I			- 1	i	1	I	1	- 1	
		Í	UITOX, UITSI.	1	ı			Į				- 1	1	I	1	ļ	
	j		UITVX, UDF,		ı		- 1	l	1	- 1	J	1		- 1	i	ĺ	
			UDFCX, UDLSX,	1	l		I		I	- 1	1		J				
	l		UE3, ULDD1,		ı	Į.	- 1	l		J	- 1		J	1	i	- 1	
	l		ULODS, ULDDX,	1	I	ſ	I	ļ	ļ	1	- 1	1	l	1	ļ.	- 1	
1 1				1	- 1		- 1	1	i	- 1	1	l	1	1		- 1	
		Į	ULDS1, ULDVX,	1	i	1	I		- 1	- 1		- 1	- 1	1	1	- 1	
	ļ.	ł	UNC1X, UNC3X,	1			ļ		- 1	1		1	Į	I	1	- 1	
.	Maintenance of Cassins Character		UNCDX, UNCSX,				i	ļ	1		}	l l	ĺ	Į.	- 1		
	Maintenance of Service Charge, Basic Time, per half hour		UNCVX, ULS	MVVBT		80.00	55.00	i i				- 1	I	1	1	Ţ	
			UDC, UEA, UDL,												_ 1		
1 1			UDN, USL, UAL,	1 1	í	J	- 1		J	ı	ļ		[			-+	_
1 1			UHL, UCL, NTCVG,	1	I		f		i		1	Į	ı		1		
1 1		ı	NTCUD, NTCD1,	1 1	I	ŀ	1	i	I	- 1		ĺ	ĺ	ļ	J	J	
	ļ		UTTD1, UTTD3,	1 1	I	ľ			I	[		I	I	I	1		
	ļ		UTTOX, UTTS1,		I		I		ł	i	i	J	1	J	ı	- 1	
	1		U1TVX, UDF,	1	ŀ		ļ	ļ	- 1	I		i	- 1	- 1	ľ	- 1	
			UDFCX, UDLSX.	1	i		- 1	1	- 1	Į.	J	- 1	1		i	- 1	
			UE3, ULDD1,	1 1	- 1	ļ.	I		J	İ		1	1	- 1	J	İ	
1 1				į l	- 1		I		1	- 1		- 1	- 1	l	1	ı	
1 1			ULDD3, ULDDX,	† I	- 1		- 1	J	l l	- 1	ļ		ı		]	- 1	
1 1			ULDS1, ULDVX,	<b>1</b>	Į.	i	1	1	1	1	- 1	j	i	1	I		
	ļ		UNC1X, UNC3X,	]	[		- 1			1		1	I	- 1	1	- 1	
		İ	UNCDX, UNCSX,	1 1	i	J	- 1		i			I	Į.	1	- 1	- 1	
1 18	Maintenance of Service Charge, Overtime, per half hour		UNCVX, ULS	MVVOT		90.00	65.00		- 1	1	ı	l l	1		1	- 1	

ı			1	1	1									Att: 2 Exh:			_	
CATE	EGORY						1					Svc Order	Svc Order	Incomments	A			
		RATE ELEMENTS	Interi	M Zone	BCS	usoc			RATES(\$	1		Submitted Elec per LSR	Submitted Manually	Charge -	Manual Syc Order vs.	Manual Svc Order vs.	Order vs.	1
							-							1st	Electronic-	Electronic-		1 1
				_			Rec	First	recurring	Nonrecurri	ng Disconnect	<del>                                     </del>				Disc 1st	Disc Add'l	i 1
					UDC, UEA, UDL			- First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	Rates(\$)			
	i				UDN, USE, UAL, UHL, UCL, NTCVG	. ]	ĺ		İ				7.00	SOMAN	SOMAN	SOMAN	SOMAN	-
	1				MTCUD, NTCD1.	'				1	1	ĺĺ	1		, ,			
	1			] .	UTD1, UTD3,		1	1			1	1 1			ĺĺĺ	i i		- 1
	1	l .			UITDX, UITS1, UITVX, UDF.		1	- 1	1			1 1	- 1				. 1	
	1				UDFCX, UDLSX.					1	1				- 1	ĺ	- 1	ĺ
	1			ΙI	UE3, ULDD1,				1		1	l í	ļ	ļ		ı	ſ	- 1
					ULDD3, ULDDX,			İ	!			i I	- 1		ſ	1		
	1 1				ULD\$1, ULDVX, UNC1X, UNC3X		1	ì	ĺ	1	1	1 1		J	ļ	ļ	-	
		Maintenance of Service Charge, Premium, per half hour			UNCDX, UNCSX,			1	1		ĺ.		- 1	- 1		- 1		
OOP	MODIFIC	ATION			UNCVX, ULS	MVVPT		100.00	l			Į		- 1	J	ļ	- 1	ĺ
					UKI DE LIGI			100.00	75.00	ļ			- 1	1	- 1		- 1	
		Unbundled Long Madification Description			ual, uhl, ucl, ueq, uls, uea,													[
		Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair ess than or equal to 18k ft, per Unbundled Loop	ĺ	įι	UEANL, UEPSR.		!	1	i			T						
-				- 1	UEPSB	ULM2L	1	9.24					- 1		]	}		7"
		han or equal to 18K ft, per Unbundled Loop	- 1	- I	JHL, UCL, UEA			3.24	9.24								1	- 1
	li				JAL, UHL, UCL.	ULM4L		9.24	9.24					-+				
Į		Inbundled Loop Modification Removal of Bridged Tap Removal,	ļ	Ju.	JEO, ULS, UEA.	1	1				-	<del></del>						$\overline{}$
IB-( O	OPS F	er unbundled loop	ĺ	ļ.	JEANL, UEPSR, JEPSB								1					<del>-</del> }-
	Sub-Lon	Distribution	_	<del>-  </del> -	X.1-36	ULMBT		10.47	10.47	- 1	!			ĺ			- 1	
	Is	ub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-														ĺ	1	- 1
	Į.	p CEEC Feather Facility Set-	- 1															
		things Durgues	-	-	EANL, UEF	USBSA		207.91	207.91				-					<del></del>
-+	. s	ub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	. 1	lu	EANL, UEF	USBSB			207.81		<del></del>			ĺ		T		
		ub-Loop - Per Building Equipment Room - CLEC Feeder Facility				ООБОБ		12.50	12.50									
	Is	ub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-	-	UE	EANL	USBSC		80.87	80.87							}		
-+				LUE .	EANL	USBSD		40.07	80.87	-					1			<del></del>
		xb-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		_		COBOD		45.04	45.04		!							
	Şı	b-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	-	1 UE	ANL	USBN2	6.34	85.03					—				- 1	
+				2 lue	ANL			05.05	39.05	59.81	7.90		1					<del></del>
	Zo	b-Loop Distribution Per 2-Wire Analog Voice Grade Loop -				USBN2	9.06	85.03	39.05	59.81	7.90				<del></del>			
				3 UE	ANL	USBN2	14,82	85.03			7.00					- 1		$\neg$
-	Or	der Coordination for Unbundled Sub-Loops, per sub-loop pair		lie.	ANL			85.03	39.05	59.81	7.90	.						
	1	b-Loop Distribution Per 4-Wire Analog Voice Grade Loop -	_			USBMC		9.00	9.00		i			-+				- 1
_	Su	D-Loop Distribution Per 4-Wire Analog Voice Grade Loop		1 UE	ANL	USBN4	8.14								i	- 1		-
-							0.14	102.31	56.32	65.24	10.88							<del></del>
	Sut	-Loop Distribution Per 4-Wire Analog Voice Grade Loop -	<del></del>	-I $-$		USBN4	8.63	102.31	56.32	65.24			_					
				3 UE/	ANL	ISBN4	25.60			50.E4	10.88				- 1			
-	Orc	er Coordination for Unbundled Sub-Loops, per sub-loop pair				-	£3.00	102.31	56.32	65.24	10.88							<del></del>
+	Sub	-Loop 2-Wire Intrabuilding Network Cable (INC)	-	UEA UEA		ISBMC		9.00	9.00					-			_ 1	- 1
$\perp$	Ord	er Coordination (or I laboration S. b. I	$\top$			ISBR2	2.57	68.35	22.36	59,81	7.90				- 1			_
	Sub	Loop 4-Wire Intrabuilding Network Cable (INC)	+	UEA		SBMC		9.00			7.30							
			+-	UEA	UNE U	ISBR4	4.98	76.49	9.00	- 05.04			- 1				-+-	<del></del>
+	Lon	er Coordination for Unbundled Sub-Loops, per sub-loop pair Testing - Basic 1st Half Hour		UEA		SBMC				65.24	10.88				<del></del> -			_ [
	Logi	Testing - Rasic Additional Malk Live		UEÁ	NL Ü	RET1		9.00	9.00									
+-	12 W	re Copper I houndled Sub-Leas District	+-	UEA	NI. U	RETA		46.88 24.16	0.00 24.16									
+-			1 2	UEF		CS2X	5.45	85.03	39.05	59.81	- 300			<del></del>				+
1	- 2 11	e copper bribundled Sub-Loop Distribution - Zone 3		UEF		CS2X CS2X	7.06 9.67	85.03	39.05	59.61	7.90 7.90	_				<del></del>		
+	Orde	r Coordination for Unbundled Sub-Loops, per sub-loop pair		1,			9.67	85.03	39.05	59.81	7.90	<del></del>				<del></del>		+
+			+-,	UEF		SBMC		9.00	9.00				+					+
+		e Copper Urbundled Sub-Loop Distribution - Zone 1 e Copper Urbundled Sub-Loop Distribution - Zone 2 e Copper Urbundled Sub-Loop Distribution - Zone 3	2	UEF		S4X S4X	7.09	102.31	56.32	65.24	10.88		$\perp$					_
1				UEF		S4X	8.66 19.40	102.31	56.32	65.24	10.88	-				<del>-</del>		
1	Orde	Coordination for Unbundled Sub-Loops, per sub-loop pair	1	UEF			. 3.40	102.31	56.32	65.24	10.88					<del></del>		+
_						BMC												

Version: 1008 GENERIC INTERCONNECTION AGREEMENT 65/06/08

CCCS 130 of 370

Page 37 of 96

MOUNDLE	D NETWORK ELEMENTS - Kentucky	<del>,</del>	·								12		Att: 2 Exh: A					[
ATEGORY	rate elements	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Syc Order Submitted Menually per LSR	Incremental Charge - Manual Svc Order vs, Electronic- 1st	Charge - Manual Svo Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l		
<del></del> -		-	<del>-</del>		<del> </del>	Rec	First	Add'!	Nonrecurring First	Disconnect Add'i	SOME	CONTANT	OSS	Rates(\$)				工
<del>-  </del> -	Loop Tagging Service Level 1, Unbundled Copper Loop, Non-	†			+	<del></del>		A00 :	FREE	Addi	SOMEC	SUMAN	SOMAN	SOMAN	SOMAN	SOMAN		
i	Designed and Distribution Subloops			UEF, UEANL	URETL		8.93	0.88			1 .			l í				Ĺ
~	Loop Testing - Basic 1st Half Hour	<del> </del> -	r	UEF	URET1		46.88	0.00		<del>                                     </del>	<del></del>							+
	Loop Testing - Basic Additional Half Hour			UEF	UPETA		24.16	24.16	·		1 -							+-
Unbund	fled Sub-Loop Modification																	+
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load																	+-
	Coil/Equip Removal per 2-W PR		_	UEF	ULM2X	<u> </u>	5.23	5.23	L	<u> </u>	<u> </u>		L.	1				
	Unbundled Sub-loop Modification - 4-W Copper Dist Load	1		=														+
	Coil/Equip Removal per 4-W PR	ļ		UEF	ULM4X		5.23	5.23	<u> </u>		ļi				i			Ĺ
	Unbundled Loop Modification, Removal of Bridge Tap, per			UEF	ULMBT													+
	unbundled loop		L	UEF	Orwei	L	7.97	7.97		<u> </u>	<u> </u>							
Unbuno	fled Network Terminating Wire (UNTW) Urbundled Network Terminating Wire (UNTW) per Pair	т		UENTW	UENPP	0.53	23.51	23.51										I
	k Interface Device (NID)	٠	<b>L</b>	001111	TOE IN T	0.33	23.51	23.31	L		ш,				l			I
	Network Interface Device (NID) - 1-2 lines	1		UENTW	UND12		73.53	49.47			T			· · · · · · · · · · · · · · · · · · ·				4
_	Network Interface Device (NID) - 1-6 lines	1	$\vdash$	UENTW	UND16		115.96	91.91		<del></del>	<del>   </del>		<del></del>					4
	Network Interface Device Cross Connect - 2 W	1		UENTW	UNDC2	[ <del></del>	8.56	8.56			<del> </del>		<del></del>			<del></del>		+
	Network Interface Device Cross Connect - 4W			UENTW	UNDC4		8.56	8.56			<del></del>							+-
E OTHER, P	ROVISIONING ONLY - NO RATE																	+
				UAL, UCL, UDC, UDL, UDN, UEA, UHL, UEANL, UEF, UEQ, UENTW, NTCVG, NTCUD,				i				·Ţ						
	Unbundled Contact Name, Provisioning Only - no rate		L	NTCD1, USL	UNECN	0.00	0.00			L	L				!	-		1
	Unbundled DS1 Loop - Superframe Format Option - no rate		L	USL, NTCD1	CCOSF		0.00											+-
	Unbundled DS1 Loop - Expanded Superframe Format option - no rate			USL, NTCD1	CGOEF		0.00											<b>†</b>
	NID - Dispatch and Service Order for NID installation	1		UENTW	UNIDBX	0.00												+
	UNTW Circuit Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00											+
OP MAKE U																		+-
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).			UMK	UMKLW		23.40	23.40										T
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP		24.85	24.85										_
	Loop Makeup - With or Without Reservation, per working or space facility queried (Mechanized)	T		UMK	имкма		0.67	0.67										<del>  -</del>
NE SPLITTING		1 -			1									+				╄
END US	SER ORDERING-CENTRAL OFFICE BASED																	⊢
	Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61												₩
	Line Splitting - per line activation AT&T owned - physical			UEPSR UEPSB	UREBP	0.61	37.02	21.20	21.10	9.87								├
	Line Splitting - per tine activation AT&T owned - virtual			UEPSA UEPSB	UREBV	0.61	37.02	21.20	21.10	9.87				<del></del>	<del></del>			$\vdash$
END US	SER ORDERING - REMOTE SITE LINE SPLITTING																<del></del>	<del> </del>
	Remote Site Shared Loop Line Activation for End Users - CLEC	1		l	I							1				<del></del>		_
	Owned Splitter	+	Ь	UEPSR UEPSB	URERS	0.61	56.73	22.96	7.20	7.20								1
	Remote Site Shared Loop - Subsequent Activity - CLEC Owned	1	l	UEPSR UEPSB	UDED!	1 1					T	T	T					
	Splitter IDLED EXCHANGE ACCESS LOOP		Ц.	OCT ON OCT OB	URERA	<u> </u>	53.73	21,31		ا								_
	ANALOG VOICE GRADE LOOP														· · · · · · · · · · · · · · · · · · ·			
E-AVIRE	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	T	1											<del></del>				
1	Zone 1	1	1	DEPSA UEPSB	UEALS	10.56	46.66	22.57	26.65	7.65	1	}		]			- ]	1
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	1	<del></del>				-5.50		20.03	7.00	-			<del>+</del>				_
	Zone 1		1	UEPSR UEPSB	UEABS	10.56	46.66	22.57	26.65	7.65			Į	l	1	ľ	ļ	į
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-					<del></del>	-						-	<del></del>				_
	Zone 2	<del> </del>	2	UEPSR UEPSB	UEALS	15.34	46.66	22.57	26.65	7.65				1	- 1	}	- 1	
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-	1	١.		1	1	T				T							_
	Zone 2	+	2	UEPSR UEPSB	UEABS	15,34	46.56	22.57	26.65	7.65					}		- 1	
1	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	1	) 3	UEPSR UEPSB	UEALS	<u>.</u> !	40.00	20.55										
	Zone 3 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	┼─	1			31,11	46.66	22.57	26.65	7.65						-		
+-	Zone 3 Remote Site 2 Wire Analog Voice Grade Loop -Service Level 1-	-	3	UEPSR UEPSB	UEABS	31,11	46.66	22.57	26.65	7.65	-+							
	Line Splitting - CLEC Owned Splitter - Zone 1 Remote Site 2 Wire Analog Voice Grade Loop -Service Level 1-	-	1-1-	UEPSR UEPSB	UEARS	6,34	85.03	39.05	59.81	7,90	-+		$ \bot$					
	Line Splitting - CLEC Owned Splitter - Zone 2	1	. 2	UEPSR UEPSB	UEARS	9.06	85.03	39.05	59.81	7.90	1	1 i	1	i	ì	)	1	
													<del></del>					
-	Remote Site 2 Wire Analog Voice Grade Loop -Service Level 1-				1					l l			1	1	1			
	Line Splitting - CLEC Owned Splitter - Zone 3		3	UEPSR UEPSB	UEARS	14,82	85.03	39.05	59.81	7.90	]					Γ		
PHYSIC			3	UEPSR UEPSB	UEARS	14,82	85.03	39.05	59.81	7.90								_

MEGHOLE	NETWORK ELEMENTS - Kentucky	· ·											Att: 2 Exh: A					$\neg$
ITEGORY	rate elements	Interim 2	•по	всѕ	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svo Order vs. Electronic-	incremental Charge - Manual Svo Order vs. Electronic-	Incremental Charge - Manuel Svc Order vs. Electronic-		1
						Pen	Nonrec	urring	Nonrecurring	Disconnect			1st	Add'l Rates(\$)	Disc 1st	Disc Add'l		$\downarrow$
VIRTUA	COLLOCATION					Rec	Firet	Arid'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN		$\pm$
17			<del></del>		· · ·						Γ							Ŧ
I IND ED DE	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting	+	UEPSR	UEPSB	VE1LS	0.0309	24.68	23.68	12.14	10.95								ł
INTERO	FFICE CHANNEL - DEDICATED TRANSPORT	<u> </u>											<u> </u>	السال				1
	Interoffice Channel - 2-Wire Voice Grade - per mile	<u>.</u> L	JUITVX	_	1L5XX	0.01			<u> </u>									4
$\perp$	Interoffice Channel - 2-Wire Voice Grade - Facility Termination		UITVX		U1TV2	29.11	47.34	31.78	22.77	8.75								+
	Interoffice Channel - 2-Wire Voice Grade Rev Bat per mile	<b>├</b> ~⊦	UtTVX		1L5XX	0.01												+
	Interoffice Channel - 2-Wire VG Rev Bat Facility Termination		χντιυ		U1TR2	29.11	47.34	31.78	22.77	8.75								1
	Interoffice Channel - 4-Wire Voice Grade - per mile		UTVX		1L5XX	0.01								<del>                                     </del>				4
77		1	1															+
	Interoffice Channel - 4- Wire Voice Grade - Facility Termination Interoffice Channel - 56 kbps - per mile	-	UITVX		U1TV4 1L5XX	25.86 0.0115	47.34	31.78	22.77	8.75						i		1
	Interoffice Channel - 56 kbps - Facility Termination	<del>  -</del>	UITOX		U1TD5	20.97	47.34	31.78	22.77	8.75								1
_	Interoffice Channel - 64 kbps - per mile	<del>                                     </del>	UHTDX		1L5XX	0.0115	77.04	31.78	24.11	8.73	<b></b>		ļ	<b></b>				1
	Interoffice Channel - 64 kbps - Facility Termination		UTTDX		U1TD6	20.97	47.34	31.78	22.77	8.75				<del></del>				+
$\Box$	Interoffice Channel - DS1 - per mile		UTTO		1L5XX	0.23												+
~	Interoffice Channel - DS1 - Facility Termination Interoffice Channel - DS3 - per mile		ULTD1 ULTD3		UITF1 1L5XX	96.04 4.97	105.52	98.46	23.09	20.49								†
	Interoffice Channel - OS3 - Facility Termination	<del></del>	U1TD3		U1TF3	1 175 15	335.40	219.24	89.57	87.75								1
	Interoffice Channel - STS-1 - per mile		U1 T\$1		1L5XX	4.97	- 5,5,1,0	Z-U-L-V	33.31	57.13					<del></del>			Ţ
	Interoffice Channel - STS-1 - Facility Termination		Uttst		UITES	1,149.51	335.40	219.24	89.57	87.75				<del></del>	<del></del>			+
	DLED DARK FIBER Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per	· ·	<del>-,-</del>															ተ
	Route Mile Or Fraction Thereo!	]	UDF. UC	nFCX	1L5DF	30.74	1		i		i	ĺ						Ť
	Dark Fiber - Interollice Transport, Per Four Fiber Strands, Per		GDF, GC	// OK	1000	30.74												L
_	Route Mile Or Fraction Thereof		UDF, UD	FCX	UDF14		732.53	192.67	377.27	241,67		- 1		(	- {			Γ
	UNBUNDLED LOCAL LOOP														<del></del> +			╀
	S-1 UNBUNDLED LOCAL LOOP - Stand Alone		D.E.															╆
	DS3 Unbundled Local Loop - per mile DS3 Unbundled Local Loop - Facility Termination		UE3		1L5ND UE3PX	9.25 308.31	551.38	338.08	173.00									Ħ
	STS-1Unbundled Local Loop - per mile		UDLSX		1L5ND	9.25	551.46	330.08	173.00	120.42								Γ
	STS-1 Unbundled Local Loop - Facility Termination		UDLSX		UDLS1	320.51	551.38	338.08	173.00	120,42		<del></del>			<del></del> -	<del></del>		L
IANCED EXT	ENDED LINK (EELs)														<del></del>			₽
	Elements Used in Combinations		. Daveine															۲
	2-Wire VG Loop (\$L2) in Combination - Zone 1 2-Wire VG Loop (\$L2) in Combination - Zone 2		1 UNCVX 2 UNCVX		UEAL2 UEAL2	12.67 17.45	125.22	60.48	59.69	7.84								۲
	2-Wire VG Loop (SL2) in Combination - Zone 3		3 UNCVX		UEAL2	33.22	125.22	60.48 60.48	59.69 59.69	7.84 7.84								Γ
	4-Wire Analog Voice Grade Loop in Combination - Zone t		1 UNCVX		UEAL4	29.26	125.22	60.48	59.69	7.84								С
	4-Wire Analog Voice Grade Loop in Combination - Zone 2		2 UNCVX		UEAL4	34.25	125.22	60.48	59.69	7.84								۲
	4-Wire Analog Voice Grade Loop in Combination - Zone 3		3 UNCVX		UEAL4	85.06	125.22	60.48	59.69	7.84				<del></del>	<del></del>			$\vdash$
	2-Wire ISDN Loop in Combination - Zone 1		1 UNCNX		U1L2X	18.44	125.22	60.48	59.69	7.84								_
	2-Wire ISDN Loop in Combination - Zone 2 2-Wire ISDN Loop in Combination - Zone 3		2 UNCNX 3 UNCNX		U1L2X U1L2X	25.08 42.87	126.22	60.48	59.69	7.84								_
	2-Wire 15UN Loop in Combination - Zone 3 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1 UNCDX		UDL56	27.59	125.22 125.22	60.48 60.48	59.69 59.69	7.84								_
<del></del>	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2 UNCOX		UDL56	32.48	125.22	60.48	59.69	7.84	$\rightarrow \rightarrow$							Ξ
$\perp$	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3 UNCDX		UOL56	36.37	125.22	60.48	59.69	7.84			<del></del> +		<del></del>  -			_
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1 UNCDX		UDL64	27.59	125.22	60.48	59.69	7.84					<del></del>			_
_	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2	$\Box$	2 UNCDX		UDL64	32.48	125.22	60.48	59.69	7.84					+			_
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3 UNCDX 1 UNC1X		UDL84	36.37	125.22	60.48	59.69	7.B4							<del></del>	_
	4-Wire DS1 Digital Loop in Combination - Zone 1 4-Wire DS1 Digital Loop in Combination - Zone 2		1 UNC1X 2 UNC1X		USLXX	86.47 114.10	210.70 210.70	114.60	63.96 63.96	17.97	$ \overline{1}$						+	_
	4-Wire DS1 Digital Loop in Combination - Zone 3		3 UNC1X		UŞLXX	297.76	210.70	114.60	63.96	17.97								_
	DS3 Local Loop in combination - per mile		UNC3X		1L5ND	9.25			00.00	17.5	-+					<del></del>		_
	DS3 Local Loop in combination - Facility Termination		UNC3X		UE3PX	308.31	237.36	147.69	83.43	32.67	+	<del> (</del>	+		<del></del> +-			_
$\rightarrow$	STS-1 Local Loop in combination - per mile		UNCSX		11.5ND	9.25										<del></del>		_
	STS-1 Local Loop in combination - Facility Termination Interoffice Channel in combination - 2-wire VG - per mile	<del>                                     </del>	UNCSX		UDLS1	320.51	237.36	147.69	83.43	32.67								-
	Interoffice Channel in combination - 2-wire VG - per mile  Interoffice Channel in combination - 2-wire VG - Facility	<del>                                     </del>	UNCVX		1L5XX	0.01				- <del>-</del>				$  \top$				_
	Termination		UNCVX		UITV2	23.95	98.09	53.67	56.31	22.42			1				$\neg \tau$	Τ
_	interoffice Channel in combination - 4-wire VG - per mile		UNCVX		1L5XX	0.01		50.57		25.72		<del></del>		<del>,</del>	<del></del>			_
1	interoffice Channel in combination - 4-wire VG - Facility																	_
	Termination	<b> </b>	UNCVX		U1TV4_	21.28	98.09	53.67	56.31	22.42					1			
	Interoffice Channel in combination - 4-wire 56 kbps - per mile	<del>                                     </del>	UNCDX		1L5XX	0.01					$-\Box$							-
	Interoffice Channel in combination - 4-wire 56 kbps - Facility Termination		UNCOX		U1TD5	17.25	00.00	CO 07			Ţ							_
	Interoffice Channel in combination - 4-wire 64 kbps - per mile	╆╌┼	UNCDX		1U5XX	0.01	98.09	53.67	56.31	22.42			<del></del>					
1	Interoffice Channel in combination - 4-wire 64 kbps - Facility	$\vdash$	1 22			0.01						+	+			-		_
1 1	Termination	1 1	UNCDX		U1TD6	17.25	98.09	53.67	56 31	22.42								_

	D NETWORK ELEMENTS - Kentucky	<del></del> _			<del></del>								Att: 2 Exh: A				· ·	丁
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	Rec		RATES(\$)	Nonrecurring	Disconnect	Svc Order Submitted Elec per LSR		incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge + Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l		†
	Interoffice Channel in combination - DS1 - per mile	+	UNC1	v	1L5XX		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN		+
	Interoffice Channel in combination - DS1 Facility Termination	<del>  </del>	UNC1		U1TF1	0.19 79.02	- 404.04									SOMINA		┿
	Interoffice Channel in combination - DS3 - per mile	1	UNC3		1L5XX	4.09	181.24	123.53	56.72	22.32								+
	Interoffice Channel in combination - DS3 - Facility Termination		UNC3	X	U1TF3	966.89	350.56	141.58	48.00	23.39								+
	Interoffice Channel in combination - STS-1 - per mile	$\perp$	UNCS	X	1L5XX	4.09	000.50	141.50	40.00	20.35								T
	Interoffice Channel in combination - STS-1 Facility Termination		UNCS	X	U1TFS	945.79	350.56	141.58	48.00	23.39								I
	ETWORK ELEMENTS al Features & Functions:																	1
Option	al realtings & runctions:	т	Turito												<del></del>			+
	Clear Channel Capability Extended Frame Option - per DS1		ULDD	1.UNC1X	CCOEF		0.00	0.00	0,00	0.00								t
	Clear Channel Capability Super FrameOption - per DS1	1 . 1	UITD	1, 1.UNC1X	CCOSF										<del></del> +			+
_	Clear Channel Capability (SF/ESF) Option - Subsequent Activity -	+ - 1		1, U1TD1.	CLUSF	ļ	0.00	0.00	0.00	0.00				_				
1	per DS1	$\perp$ $\leftarrow$ $\perp$	UNCI	X, USL	NRCCC		184.91	23.82	1.00		- !							+
		$\top$	U1 TD:	3, ULDO3.			104.91	23.02	1.99	0.78								1
	C-bit Parity Option - Subsequent Activity - per DS3	i	UE3. (	JNC3X	NRCC3		205.70	7.20	0.6924	0.00		ļ	J	1				Γ
	DS1/DS0 Channel System		UNC1:		MQ1	113.33	57.26	14.74	1.86	1,67								Ĺ
	DS3/DS1 Channel System Voice Grade COCI in combination	4 7		X, UNCSX	MQ3	158.20	115.48	56.53	15.12	5.30	<del></del>			<del></del>				Ĺ
	Voice Grade COCI in combination		UNCV	x	1D1VG	0.6228	6.71	4.84						<del></del> +				4
ľ	Voice Grade COCI - for 2W-SL2 & 4W Voice Grade Local Loop	1 1	UEA		1D1VG							— <u>-</u> †		<del>~</del> +				╀
	Voice Grade COCI - for connection to a channelized DS1 Local	1 1	UEA		1D1VG	0.6228	6.71	4.84						ļ	- 1	l l		ł
- 1	Channel in the same SWC as collocation		UTU		1D1VG	0.6228	6.71		ì	7	T							۲
	OCU-DP COCI (2.4-64kbs) in combination	<del>                                     </del>	UNCŌ		1D100	1.32	6.71	4.84									,	1
	OCU-DP COCI (2.4-64kbs) - for Unbundled Digital Loop	1 1	UDL		1D1DD	1.32	6.71	4.84										г
	OCU-DP COCI (2.4-64kbs) - for connection to a channelized DS1	1 1						4.04										厂
	Local Channel in the same SWC as collocation		UITU		1D1DD	1.32	6.71	4.84		i			ŀ					$\overline{}$
	2-wire ISDN COCI (BRITE) in combination		LINCN	X	UC1CA	2.84	6.71	4 84										Ĺ
	2-wire (SDN COC) (BRITE) - for a Local Loop		UDN		UC1CA	2.84	6.71	4.84										Ē
Ì	2-wire ISDN COCI (BRITE) - for connection to a channelized DS1	1 1												——·				_
	Local Channel in the same SWC as collocation DS1 COCI in combination	-	UITUE		UC1CA	2.84	6.71	4.84					i	- 1			- 1	
	DS1 CQCI - for Stand Alone Local Channel	-	UNC1)		UC1D1	11.80	6.71	4.84										_
	DS1 COCI - for Stand Alone Interoffice Channel	<del></del>	U1 TO1		UC1D1 UC1D1	11.80	6.71	4.84										
	DS1 COCI - for DS1 Local Loop	<del>                                     </del>	USL N		UC1D1	11.80 11.80	6.71	4.84 4.84										_
	DS1 COCI - for connection to a channelized DS1 Local Channel in the same SWC as collocation		UITUA		UC1D1	11.80	6.71	4.84			·	<del></del>						_
	Wholesale - UNE, Switch-As-Is Conversion Charge		UNC1) UNCSI XDH1) XDD2) XDDF) HFRS1	K, UNCDX, K, UNC3X, K, UDFCX, K, HFQC6, K, XDV6X, K, XDD4X, T, UNCNX K, UTTDX,	UNGCC		8.98	8.98			,							_
	Unbundled Misc Rate Element, SNE SAI, Single Network Element -	! !		, U1TD3.	f I			j										_
	Switch As Is Non-recurring Charge, per circuit (LSR)	1		, UOF, UE3	URESL	I	36.80	16.10	j		i			ļ	1	]		
	Unbundled Misc Rate Element, SNE SAI, Single Network Element -		UTVX	, UTTOX,			55.50					-+						
	Switch As Is Non-recurring Charge, incremental charge per circuit on a spreadsheet			, U1TD3, , UDF, UE3_	URESP		1,49	1.49		İ		1					T	_
Access	to DCS - Customer Reconfiguration (FlexServ)																	_
+	Customer Reconfiguration Establishment DS1 DCS Termination with DS0 Switching	<b>├</b>					1.63	1	2.03					····				_
	DS1 DCS Termination with DS0 Switching DS1 DCS Termination with DS1 Switching	<b>├</b>				25.69	32.88	23.58	21.09	15.88				<del></del>				_
+	DS3 DCS Termination with DS1 Switching	<del>                                     </del>	_		<b>├</b>	12,41	25.07	15.76	16.23	11,02								_
	VnchroNet)					154.20	32.88	23.58	21.09	15.88					f			_
	Node per month	Г Т	TUNCO	<del></del>	UNICNT	17.69	<del></del>			····								_
	Rearrangements				1 m more 1	17.93												_
	NRC - Change in Facility Assignment per circuit Service Rearrangement		OUT I'U BUT I'U KODAU KODAU	, UITDX, , UITUD, , ULDVX, , UNCVX, (, UNCIX , UITDX,	URETO		101.09	43.04										_
	NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed)	1	UITUC UITUB ULODX UNCOX	, UITUD, , ULDVX, , UNCVX, (, UNCIX	URETB		3.67	3.67										_
	NRC - Order Coordination Specific Time - Dedicated Transport				OCOSA		18.87	18.87	+								_	
MMINGLING																		_

	ED NETWORK ELEMENTS - Kentucky												Att: 2 Exh: A					
				I		1						Svc Order	Incremental		Incremental	Incrementa	<del>. </del>	+
					1						Submitted	Submitted		Charge -	Charge -	Charge -	"	- 1
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc	1		(TATEDIA)			Elec	Manually	Manual Svc				}	- 1
		***************************************		500	USUC	1		RATES(\$)			per LSR	per LSR	Order vs.	Order vs.		Manual Svo	-	- 1
	1					1					,		Electronic-	Electronic-	Order vs.	Order vs.	1	- 1
		1 1		1	1	1					1		1st	Addi		Electronic-	1	- 1
1		-			+								ĺ ' <b>"</b> "	Addi	Disc 1st	Disc Add'l	1	- 1
		+ - ;			<del> </del>	Rec	Nonre	curring	Nonrecurring				OSS	Rates(\$)			_	-+
		+ +			<del></del>		First	Add'l	First	Add"l	SOMEC	SOMAN	SOMAN	SOMAN	CONTRACT			_
- 1		1 1		UNCVX, UNCDX.		Ī	I :							- SUMMIT	SOMAN	SOMAN		_
- 1		1 1		UNG1X, UNG3X,	1						!			1	ſ			_[
1		1 1		UNCSX UITDI	1	1	) '			) i	i i	ļ	ì	i	1		1	- )
- 1				UTD3, UTS1, UE3.						1	l :		ĺ		1 1		1	- 1
- 1				UDLSX, UTTVX,	·l		f .		ĺ	i l			l .	]			1	Į
f		1 1			!	1	1 :				i 1			1	! i		i	- 1
1		1 1		U1TDX, U1TUB, ULDVX, ULDD1,	i	!				1 1				l	í I		1	- 1
- 1	Commingling Authorization	1 1				i								ł	1 /			- 1
Comm	ingled (UNE part of single bandwidth circuit)			ULOD3, ULDS1	CMGAU	0.00	0.00	0.00	0.00	0.00				Ι,	!		ļ	J
- 00	Commingled VG COCI			Lib insi														L
	Commingled Digital COCI	┥ ┥		XDV5X	1D1VG	0.6228	10.07	7.08										Т
	Commingled ISDN COCI				1D1DD	1.32	10.07	7.0B						<del></del>				$\top$
_	Commingled 2-wire VG Interoffice Channel	+		XDD4X	UC1CA	2.64	10.07	7.08										$\top$
	Commingled 4-wire VG Interoffice Channel	<del></del>		XDV2X	U1TV2	29.11	47.34	31.78	22.77	8.75								T
	Commingled 56kbps Interoffice Channel	1	-	XDV6X	U1TV4	25.86		31.78	22.77	8.75				<del></del>				J
<del> </del>	Commingled 64kbps Interoffice Channel	+		XDD4X	U1TD5	20.97		31.78	22.77	8.75								T
	Continue Alect Cykrobs TixeLouide Custinet	+		XDD4X	U1TD6	20.97	47.35	31.78	22.77	8.75	<del></del>							T
	Commissied VG/DSD Interesting Channel Address	1 1		XDV2X, XDV6X,														1
<del></del>	Commingled VG/DS0 Interoffice Channel Mileage	+		XDD4X	1L5XX	0.0115			I			- 1		J	Т			+
<del></del>	Commingled 2-wire Local Loop Zone 1	1		XDA5X	UEAL2	12.67	134.89	81.87	73.65	14.88			——·		\	}		1
	Commingled 2-wire Local Loop Zone 2	1		XDV2X	UEAL2	17.45	134.89	81.87	73.65	14.88								+
<del>-  </del>	Commingled 2-wire Local Loop Zone 3			XDV2X	UEAL2	33.22	134.89	81.87	73.65	14.88						_		+-
	Commingled 4-wire Local Loop Zone 1			XDV6X	UEAL4	29.26	164.11	122.36	78.91	18.66								+
	Commingled 4-wire Local Loop Zone 2	$\bot$	2	XDV6X	UEAL4	34.25	164.11	112.36	78.91	18.66								+-
	Commingled 4-wire Local Loop Zone 3		3	XDV6X	UEAL4	85.06	164.11	112.36	78.91	18.66	$\longrightarrow$							+-
	Commingled 56kbps Local Loop Zone 1		1	XDD4X	UDL56	27.59	157.81	106.06	78.91	18.66						+		+-
	Commingled 56kbps Local Loop Zone 2			XDO4X	UOL56	32.48	157.81	106.06	78.91								_	╆
	Commingled 56kbps Local Loop Zone 3		3	XDD4X	UDL56	36.37	157.81	106.06	78.91	18.66								┿
	Commingled 64kbps Local Loop Zone 1	1		XDD4X	UDL64	27.59	157.81	106.06	78.91									<b>}</b> ~
	Commingled 64kbps Local Loop Zone 2				UDL64	32.48	157.81	106.06	78.91	18.66	-							₩
	Commingled 64kbps Local Loop Zone 3	1	3	XDD4X	UDL64	36.37	157.81			18.66						$\overline{}$		╄-
	Commingled ISDN Local Loop Zone 1			XDD4X	U1L2X	18.44	146.77	106.06	78.91 71.38	18.66						_——		┢~
1	Commingled ISDN Local Loop Zone 2	1		XDD4X	U1L2X	25.08	146.77	95.02		13.83								<b>⊢</b> −
	Commingled ISDN Local Loop Zone 3	+ +		XDD4X	U1L2X	42.87	146.77	95.02	71.38	13.83								_
	Commingled DS1 COCI	<del>  </del>			UC1D1			95.02	71.38	13.83								-
	Commingled DS1 Interoffice Channel	+ +			U1TF1	11.80 96.04	10.07	7.08										_
	Commingled DS1 Interoffice Channel Mileage	+-+			1LSXX		105.52	98.46	23.09	20.49								-
-	Commingled DS1/DS0 Channel System	<del>1 - 1</del>				0.23								<del></del>	<del></del>			Ē.
	Commingled DS1 Local Loop Zone 1	+			MQ1	113.33	101.40	71.60	13.79	13.04								Ĺ
	Commingled DS1 Local Loop Zone 2	1			USLXX	86.47	306.69	174,44	65.83	14.55								
	Commingled DS1 Local Loop Zone 3	+ +			USLXX	114.10	306.69	174.44	65.83	14.55			<del></del> +			<del></del>		
	Commingled DS3 Local Loop	┿			USLXX	297.76	306.69	174.44	65.83	14.55			<del></del>					
<del>-  </del>	Commingled DS3/STS-1 Local Loop Mileage	<del>                                     </del>			UE3PX_	308.31	551.38	338.08	173.00	120.42								
	Commingled DS3/315-1 Edcal Loop Mileage	+			1L5ND	9.25						<del></del> +						
	Commingled DS3/DS1 Channel System	+			UDLS1	320.51	551.38	338.08	173.00	120.42								
<del></del> -	Commingled DS3 Interoffice Channel	<del></del>			MQ3	158.20	199.23	118.62	50,16	48.59	<del></del>		<del></del>				-	_
-	Commingled DS3 Interoffice Channel Mileage	+ +			U) TF3	1.175.15	335.40	219.24	89.57	87.75			<del></del>					-
<del></del>	Commingled STS-1 Interoffice Channel Commingled STS-1 Interoffice Channel	<del>                                     </del>			1L5XX	4.97			-									
	Communication Change Change Miles	+			U1TFS	1,149.51	350.40	219.24	89.57	87.75			<del></del>					
	Commingled STS-1Interoffice Channel Mileage	<b> </b>		HFRST	1L5XX	4.97							<del></del> -					
	Commingled Dark Fiber - Interoffice Transport, Per Four Fiber	1 f	П							<del></del>	<del></del>							_
<del></del>	Strands, Per Route Mile Or Fraction Thereof	+		HEODL	1L5DF	30.74		- 1	l	- 1			I	[				_
1	Commingled Dark Fiber - Interoffice Transport. Per Four Fiber	1 T	Ţ															
+	Strands, Per Route Mile Or Fraction Thereo!			HEQDL	UDF14		732.53	192.67	377.27	241.67	i			Г				_
<del></del>	UNE to Commingled Conversion Tracking	1			CMGUN	0.00	0.00	0.00	0.00	0.00	<del></del>						1	
10000	SPA to Commingled Conversion Tracking			XDH1X, HFQC5	CMGSP	0.00	0.00	0.00	0.00	0.00								_
Query Sen			$\Box$				-		0.00	0.00								
+	LNP Charge Per query	1	$\Box$			0.0008695				<del></del>								_
+	LNP Service Establishment Manual	<b></b> _			$\Box$		13.82	13.82	12.71	12.71								_
	LNP Service Provisioning with Point Code Establishment		$\Box$				953.27	487.00	431.95	317.61							-+	_
PBX LOCAT							- 50.61		401.00	317.01								
	LOCATE DATABASE CAPABILITY																_	-
	Service Establishment per CLEC per End User Account			PBDC	9PBEU	- 1	1.814.00				<del>-</del>						<del>- +</del>	
	Changes to TN Range or Customer Profile	T			9PBTN	<del></del>	181.57	<del></del>				- 1						_
	Per Telephone Number (Monthly)			PBDC	9PBMM	0.07	107,07										<del></del>	
	Change Company (Service Provider) ID		9		9PBPC	5.07	533.00											_
	PBX Locate Service Support per CLEC (Monthit)	1			9PBMR	179.88	203.00		<del></del>	<del></del>					<del> </del>			
	Service Order Charge	1 -+-			9PBSC	178.00	7.86								<del></del>			
911 PB)	LOCATE TRANSPORT COMPONENT						7.00											
	3																	

UNBUNDLE	D NETWORK ELEMENTS - Kentucky						
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usaç	per LSR per LSR Order vs. Clactronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Electronic- Elec	
Note: R	ates displaying an "I" in interim column are interim as a result	of a Co	wnissk	on order.		Rec Nonrecurring Nonrecurring Disconnect OSS Rates(5)  First Add'1 First Add'1 SOMEC SOMAN SOMAN SOMAN SOMAN SOMAN	

	DLED NETWORK ELEMENTS - Louisiana		_	7	T						T2		Att: 2 Exh:				T	$\neg$
ATEGORY	RY RATE ELEMENTS	interi	m Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Sys Order vs.	Order vs.	Charge - Manuel Svc Order vs.	Incrementa Charge - Manual Svo Order vs.		†
- 1		ļ					<del></del>						Electronic- 1st	Electronic- Add'I	Electronic- Disc 1st	Electronic- Disc Add'l		1
			+-	<u>+</u>	<del> </del> -	Rec	First	curring Add'l	Nonrecurring First	Disconnect Artd'l			os	S Rates(\$)			<del> </del>	+
The	ne "Zune" shown in the englisher for stand along how						-				SUMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN		
http	he "Zone" shown in the sections for stand-alone loops or loops as tp://wholesale.att.com/	граптот:	a comb	ination refers to Geo(	graphically De	averaged UNE	Zones. To vie	w Geographical	ly Deaveraged	UNE Zone Desi	gnations by	Central Off	fice, refer to	internet Websit	e:			
SECATIO!	OME OURDOON AND THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF				_													ĺ
NO	ONS SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"  OTE: (1) CLEC should contact its contract negotiator if it prefers to the the state specific Commission ordered rates for the service of the state specific Commission ordered rates for the service of the state specific Commission ordered rates for the service of the state specific Commission ordered rates for the service of the state specific Commission ordered rates for the service of the state specific Commission or the state specific Commission or the state specific Commission or the state specific Commission or the state specific Commission or the state specific Commission or the state specific Commission or the state specific Commission or the state specific Commission or the state specific Commission or the state specific Commission or the state specific Commission or the state specific Commission or the state specific Commission or the state specific Commission or the state specific Commission or the state specific Commission or the state specific Commission or the state specific Commission or the state specific Commission or the state specific Commission or the state specific Commission or the state specific Commission or the state specific Commission or the state specific Commission or the state specific Commission or the state specific Commission or the state specific Commission or the state specific Commission or the state specific Commission or the state specific Commission or the state specific Commission or the state specific Commission or the specific Commission or the specific Commission or the specific Commission or the specific Commission or the specific Commission or the specific Commission or the specific Commission or the specific Commission or the specific Commission or the specific Commission or the specific Commission or the specific Commission or the specific Commission or the specific Commission or the specific Commission or the specific Commission or the specific Commission or the specific Commission or the specific Commission or the speci	the state	s specif	ic" OSS charges as o	rdered by the	State Commi	ssions. The OS	S charges curr	ently containe	d in this rate ex	hibit are the	ATRY TREE	Onel" service					+
the	by the state specific Commission ordered rates for the service of a states.	o berning (	charges	r, or CLEC may elect i	the regional s	ervice orderin	g charge, howe	ver, CLEC can a	not obtain a mi	xture of the two	regardless	f CLEC has	s a Interconn	ection contract	ges. CLEC ma established in	ly elect		
De d	ordered electronically at present per the LOH, the listed SOMEC oplied to a CLECs bill when it submits an LSR to AT&T.	rate in ti	his cate	gory reflects the cha	rge that would	d be billed to a	CLEC once ele	ctronic orderin	g capabilities o	ome on-line for	that siemer	it. Otherwis	dered electro	onically. For th	ose elements (	hat cannot		7
775	USS - Electronic Service Order Charge, Per Local Service	<b>T</b>		T						<del></del>				an an arthrig char	ge, soman, v	VIII De		1
	Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00	ļ	·						+
	OSS - Manual Service Order Charge, Per Local Service Request (LSR) - UNE Only	١			SOMAN									<del> </del>				
E SÉRVIC	ICE DATE ADVANCEMENT CHARGE		+-			-	15.20	0.00	15.20	0.00					- 1			ļ
NOT	OTE: The Expedite charge will be maintained commensurate with	BeliSout	h's FCC	No.1 Tariff, Section	5 as applicab	la,	<del></del>											+
- 1		-	1	UAL, UEANL, UCL.						· 1								_
				UEF, UDF, UEQ,							- 1	- 1		]	ļ			1
				UOL, UENTW, UDN,	1					1				1				
				UEA, UHL, ULC,				1		۱	ļ	- 1			1	i		1
				USL. U1T12, U1T48,			1			J	ĺ					ĺ		
- 1			İ	U1TO1, U1TD3, U1TDX, U1TO3,				ļ		1	- 1	]			l l	1		
			1	UITS1, UITVX.	! !			- 1					i					ł
		1	1	UC1BC, UC1BL,						ļ				l i	i			
			1	UC1GG, UC1CL,			!			i		i	ì		ļ		ĺ	İ
H				UC1DC, UC1DL,				!			ĺ			ĺ	İ		. !	ļ
i				UC1EC, UC1EL, UC1FC, UC1FL,				ł		}		- 1	- 1	' I		1		
				UC1GC, UC1GL,							ł			ĺ	1	1	ľ	l
				UC1HC, UC1HL,					1			- 1			1		J	
				UDL12, UDL48,					i	j	- 1	1		i		1	1	İ
ĺ				UDLO3, UDLSX, UE3, ULD12, ULD48,									- 1	1	ľ	- 1	1	1
				ULDD1, ULDD3,	] }		i		ŀ			i						ĺ
1	i		İ	ULDOX, ULDO3,	l i					- 1	- 1				í	i	1	ĺ
		1		ULDS1, ULDVX,	]		1	- 1				i				1		1
		i		UNC1X, UNC3X, UNCDX, UNCNX,		i								1	1	1		
				UNCSX, UNCVX			İ			i			i		ŀ			
				UNLD1, UNLD3,				- 1					- 1	- 1		,	- 1	
ı				UXTO1, UXTO3,			ļ	- 1	1				i				- 1	
- 1			1	UXTS1, U1TUC, U1TUD, U1TUB,							- 1	1		- 1			- 1	
	UNE Expedite Charge per Circuit or Line Assignable USOC, per			UTTUA,NTCVG,				ļ			J		i		i	ļ		
	Day				SDASP		200.00		- 1			İ		ĺ		1	ĺ	
ZER MOE	ODIFICATION CHARGE Order Modification Charge (OMC)	+-											<del></del>					
	Order Modification Additional Dispatch Charge (OMCAD)	+	1		<del>  </del>		26.21 150.00	0.00	0.00	0.00								
UNDLED	D EXCHANGE ACCESS LOOP						.30.00	0.00	0.00	0.00							<del>-</del>	
2-W%	/RE ANALOG VOICE GRADE LOOP  2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			11 - 21 V														_
	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2	<del> </del>			UEAL2 UEAL2	12.90	36.54	16.87									-	
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	<del>                                     </del>			UEAL2	23.33 48.43	36.54 36.54	16.87									<del></del>	
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL.	UEASL	12.90	36.54	16.87	-+	<del></del>	<del></del>							
-1-	Wire Analog Voice Grade Loop - Service Level 1- Zone 2     Wire Analog Voice Grade Loop - Service Level 1- Zone 3	1			UEASL	23.33	36.54	16.87			<del> -</del>							_
	Tag Loop at End User Premise	+	1 3		UEASL URETL	48.43	36.54	16.87						<del>   -</del>				_
	Loop Testing - Basic 1st Hall Hour	1			URET1		8.92 33.17	0.88							<del></del>			
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.28	19.28		+							<del>- +</del>	_
-	Manual Order Coordination for UVL-SL1s (per loop)  Order Coordination for Specified Conversion Time for UVL-SL1	1	<b> </b>	UEANL	UEAMC		7.92	7.92										_
ļ	(per LSR)			UEANL	OCOSL							<del></del>		<del></del>	-+-		$\neg$	
	Unbundled Non-Design Voice Loop, billing for AT&T providing	1	1	OL/HIL	COUSE		17.56	17.56							Į		ĺ	
	make-up (Engineering Information - E.I.)			UEANL_	UEANM		13.04	13.04			[ ]				<del>-  -</del>	_ +-	-	
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit			F418													]	
					urewo	I		1		1	l l	1						_
	Bulk Migration, per 2 Wire Voice Loop-SL1	+			UREPN		15.75 36.54	8.93 16.87					Į.			J		

CCCS 136 of 370

		D NETWORK ELEMENTS - Louisiana	т_	T-	T		T		<del>_</del>					Att: 2 Exh: A	· —				-
												Svc Order	Svc Order			Incremental	Incremental	<del> </del>	$\dashv$
TEGO	DV	RATE ELEMENTS	l										Submitted		Charge -	Charge -	Charge .		- 1
1260	17.7	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc		1	- 1
			l				i					per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.		- 1
												ĺ		Electronic-	Electronic-	Electronic-	Electronic-		- 1
$\overline{}$		<u></u>	-				<u> </u>							1st	Add'I	Disc 1st	Disc Add'l		ĺ
			<del></del>	├	<del></del>		Rec	Nonrec		Nonrecurring	Disconnect			OSS	Rates(\$)				_
2.	-WIRE	Unbundled COPPER LOOP		_	·		·	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN		4
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEO2X	12.40	35.27	15.60								_SCHIAN		4
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	_	2	UEQ	UEQ2X	14.32	35.27	15.60		ļ								+
	_	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	1	3	UEQ	UEQ2X	15.87	35.27	15.60										+
		Unbundled Miscallaneous Rate Element, Tag Loop at End User Premise							10:00		<del></del>								+
-+-		Loop Testing - Basic 1st Half Hour	<u> </u>		UEQ	URETL		8.92	0.88		i				]				+
_		Loop Testing - Basic Additional Half Hour			UEO	URET1		33.17	0.00		· · · · · · ·						!		- 1
_		Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-	_		UEQ	URETA		19.28	19.28										+
		Designed (per loop)			UEO	USBMC													Τ
		Unbundled Copper Loop - Non-Design, billing for AT&T providing	-		OE C	USBMC		7.92	7.92						J	J	- 1		Т
[.		make-up (Engineering Information - E.I.)			UEQ	UEQMU			ſ										1
		Unbundled Loop Service Rearrangement, change in loop facility.			J. C.	CECIGIO		13.04	13.04						J	J	1		1
		per circuit			UEO	UREWO		14.25	7.42							<del></del>			+
		Bulk Migration, per 2 Wire UCL-ND			UEO	UREPN		35.27								ļ	- 1		1
Di Dire	إحجا	Bulk Migration Order Coordination, per 2 Wire UCL-ND			UEQ	UREPM		7.92	15.60 7.92					1			<del></del> +		+
RUNDL	_EU E)	CHANGE ACCESS LOOP						7.05	7.02		<del>-</del>								+
2.		ANALOG VOICE GRADE LOOP																	+
	l:	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Singulars - Zoop 1	- 1					1			<del></del>								+
+		Ground Start Signaling - Zone 1 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		_ t	UEA	UEAL2	14.93	102.10	65.72		- 1	1		T	T			-	+
	Į,	Ground Start Signaling - Zone 2		-								+							l
$\dashv$	<del>  </del> ;	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		_2	UEA	UEAL2	25.35	102.10	65.72		ł	- 1	İ		1				Т
	l'a	Ground Start Signaling - Zone 3	I	3	UEA	1						<del></del> +		<del></del> +					1
	<u> </u>	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	-	3	UEA	UEAL2	50.46	102.10	65.72	_	ļ		i		- 1				Г
i	li li	Battery Signaling - Zone 1	. !	4	UEA	UEAR2								+	·— —				L
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		_	UEA	UEAR2	14.93	102.10	65.72			- 1		i	- 1		1		Ē
	į	Battery Signaling - Zone 2		2	I IE A	UEAR2	25.00												i
	1	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	$\neg$	<u>-</u>		UEARZ	25.35	102.10	65,72			i		1	1			T	i -
	[6	Battery Signaling - Zone 3		3	UEA	UEAR2	50.46	100.40			T								_
	]5	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		_		CCAITE	50.46	102.10	65.72					- 1	]			ļ	
		050)			UEA	URESL	ì	24.98	3.52			Т							_
- 1		Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per				137.202		24.30	3.52					_			Į.	- 1	
		280)	]		UEA	URESP		26.47	5.01	1	i	i							
	լ	Inbundled Loop Service Rearrangement, change in loop facility,						20.47	3.01									ĺ	
-		per circuit			UEA	UREWO	ĺ	87.59	36.30		1	- 1		- T					_
-		cop Tagging - Service Level 2 (SL2)			UEA	URETL		11,20	1.10								ŀ	- 1	
-		3ulk Migration, per 2 Wire Voice Loop-SL2			UEA	UREPN		102.10	65.72										_
4.9	MIDE A	Bulk Migration Order Coordination, per 2 Wire Voice Loop-SL2 NALOG VOICE GRADE LOOP			UEA	UREPM		0.00	0.00	<del></del>									_
	IA	-Wire Analog Voice Grade Loop - Zone 1													i_				_
	- <del> </del>	-Wire Analog Voice Grade Loop - Zone 2		1		UEAL4	30.81	127,40	91.02		1								_
		-Wire Analog Voice Grade Loop - Zone 3		2		UEAL4	38.32	127.40	91.02		<del></del>	-	<del>-</del> -		<del>-</del>				_
_	- Is	witch-As-Is Conversion rate per UNE Loop, Single LSR, (per		3	UEA	UEAL4	60.39	127.40	91.02					<del>+</del>					-
- [	10	OSO)	- 1	I	UEA	lunco	Т							<del></del>					_
$\neg$	TS	witch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per			OEA .	URESL		24.98	3.52		i					1 -		7	
		SO)	- 1		JEA	URESP	ļ						<del></del>					$-\bot$	
T	Ų	Inbundled Loop Service Rearrangement, change in loop facility.	$\dashv$	$\dashv$		UNESP		26.47	5.01					ĺ				T	
	l p	er circuit	ļ	l,	JEA.	UREWO	1	67.50											
2-W	VIRE IS	IDN DIGITAL GRADE LOOP	<u>.</u> .			IONETTO 1		87.59	36.30					1		Į.	1	-	
		-Wire ISDN Digital Grade Loop - Zone 1		1	.DN	JU1L2X	22.09	113.34	70.00										
4	2-	-Wire ISDN Digital Grade Loop - Zone 2		2	DN	U1L2X	35.28	113.34	76.96 76.96				-T			<del>- ,</del>			
+	-  2	Wire ISDN Digital Grade Loop - Zone 3		3 (	.ON	UILZX	65.18	113,34	76.96		—— <u>I</u>					<del>  </del>	<del></del>	<del> -</del>	_
-	Jυ	inbundled Loop Service Rearrangement, change in loop facility,	$\neg$	$\neg$				9.0**	10.90						+	<del></del>	<del></del>		_
		er circuit			JON	UREWO	{	91.49	44.09	ĺ							<del></del>	<del> -</del>	-
16-4	יוגב A	SYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIE	LE LOC	96												1	1		
- 1	2	Wire Unbundled ADSL Loop including manual service inquiry & cility reservation - Zone 1	- 1	, T.		]				<del></del> ,								<del>-  -</del>	_
+	- 10	Wire Unbundled ADSL Loop including manual service inquiry &		.!	JAL	UAL2X	12.29	f17.08	68.36	1	J				1 -				
- 1	Ita	cility reservation - Zone 2	1	2 1	IAI	L T													
<del> -</del>	12	Wire Unbundled ADSL Loop including manual service inquiry &			IAL	UAL2X	14.09	117.08	68.36		I	j	- 1		ĺ	7-			_
. }	la	Clifty reservation - Zone 3		3 1	JAL.	UAL2X								<del></del>					
$\top$	12	Wire Unbundled ADSL Loop without manual service inquiry &		3 1	м	UAL2X	15.75	117.08	68.36				1		- 1	į į			_
$\perp$	la	cility reservation - Zone 1		, l	IAL	UAL2W	40.00	00.77	7-					<del></del>					_
	2	Wire Unbundled ADSL Loop without manual service inquiry &		- 1		UNLZVY	12.29	92.83	56.02						ŀ	1	]		
$\perp$	fa.	ciity reservaton - Zone 2	- 1	2 /4	IAL	UAL2W	14.09	92.83	F	I		T				<del>  </del>			
Ī	2	Wire Unbundled ADSL Loop without manual service inquiry &	_ +	<del>-  `</del>	·	UriLE 17	14.09	92.83	56.02					_ 1	1	ſ	i		
	[fa	cility reservation - Zone 3	1	<u>3</u>	AL	UAL2W	15.75	92.83	56.02	1	1	1					<del></del>		_
- 1	U	bundled Loop Service Rearrangement, change in loop facility,		+		<del>                                     </del>	-0.70		on.U2						l	l	1	J	
	t	r circuit	- 1	ı.	IAL	UREWO		86.07	40.34	1 "	"T							J	

	ED NETWORK ELEMENTS - Louisiana	11											Att: 2 Exh: A	·			-	7
			l			1						Svc Order	Incremental	Incremental	Incremental	Increment=I	<del> </del>	$\dashv$
						Į.						Submitted	Charge -	Charge -	Charge -	Charge		Į
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc		ſ
		"""		503	0300	1		RAI ES(3)			per LSR	per LSR	Order vs.	Order vs.	Order va.	Order vs.	1	- 1
		1 1											Electronic-	Electronic-	Electronic .	Electronic-		ľ
		1 1											1st	Add'I	Disc 1st			- 1
		<del> </del>		† <del></del>		<del>-</del>	Nonrec	ugrina	Nonrecurring	- Prince - I	<del>i                                     </del>	L		]	Diac (st	Disc Add'l	ļ	Į
						Rec	First	Addil		Add'I	SOMEC	SURVE	SOMAN	Rates(\$)				╛
2-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPAT	IBLE LOC	OP_	· · · · · · · · · · · · · · · · · · ·							00.000	JUMAN	SUMAN	SOMAN	SOMAN	SOMAN		$\Box$
	Wire Unbundled HDSL Loop including manual service inquiry 8 facility reservation - Zone 1	{		UHL							1			,	·			4
	2 Wire Unbundled HDSL Loop including manual service inquiry &	1 1		UHL	UHL2X	9.79	125.50	76.77		<u>L</u>	1. :			1				J
	facility reservation - Zone 2	1 1	2	UHL	UHL2X								-					-+
	2 Wire Unbundled HDSL Loop including manual service inquiry &	<del>  </del>		OT.	UHLZX	11.52	125.50	76.77			<u>.                                    </u>			ļ i				١
- 1	facility reservation - Zone 3		3	UHL	UHL2X	12.74	125.50	76.77										4
	2 Wire Unbundled HDSL Loop without manual service inquiry and	<del>  </del>			DIACEN	12.74	125.50	76.77	<del></del>		<del> </del>			L				- 1
	facility reservation - Zone 1		1	UHL	UHL2W	9.79	101.24	64.43						-				✝
	2 Wire Unbundled HDSL Loop without manual service inquiry and	1						04.40		<del></del>	<del>   </del>							- 1
	facility reservation - Zone 2		2	UHL	UHL2W	11.52	101.24	64.43			1 1				. [	1		7
	2 Wire Unbundled HDSt. Loop without manual service inquiry and	i									<del>  </del>							
	facility reservation - Zone 3		3	UHL	UHL2W	12 74	101,24	64.43			1 1							Т
1	Unbundled Loop Service Rearrangement, change in loop facility,	Ιi																_
4 1405	Per Circuit  HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HOSL) COMPAT			UHL	UREWO	L	86.00	40 34			l i		- 1		1			- [
4-717	4 Wire Unbundled HDSL Loop including manual service inquiry and	BLE LOC	)P										· - ·					4
	tacility reservation - Zone 1	ı l	,	UHL	LIEU AND			1			1							+
	4-Wire Unbundled HOSL Loop including manual service inquiry and	<del>   </del>		Ur 1L	UHL4X	16.24	153.26	104.54			<u> </u>	l	i	·	I	İ		1
	facility reservation - Zone 2	} [	2	UHL	UHL4X	16.65	100.00										·	+
	4-Wire Unbundled HDSL Loop including manual service inquiry and	<del>  </del>		-	UNTL#A	16.65	153.26	104.54					!		1	1		1
- 1	facility reservation - Zone 3		3	UHL	UHL4X	17.34	153.26	104.54			i !							+
	4-Wire Unbundled HDSL Loop without manual service inquiry and			-	GI ICAN	17.54	155.20	104.34			<del>  </del>				1	- 1		
_	facility reservation - Zone 1		1	UHL	UHL4W	16,24	129.00	92.20			1 1		[					+
	4-Wire Unbundled HDSL Loop without manual service inquiry and					10.21	123.00	32.20			<b>├</b>			<del></del>				ı
	facility reservation - Zone 2	Ll	2	UHL	UHL4W	16.65	129.00	92.20	İ		j 1			1			·	T
	4-Wire Unbundled HDSt. Loop without manual service inquiry and				1	-		- OLILE			<del>                                     </del>							
	facility reservation - Zone 3		3	UHL	UHL4W	17.34	129.00	92.20			l I		i	- 1	í			Т
1	Unbundled Loop Service Rearrangement, change in loop facility,										<del> </del>							
4 1405	per circuit	<u> </u>		UHL	UREWO	<u> </u>	86.00	40.34							}	ì		Г
4-WIKE	DS1 DIGITAL LOOP			(i esi														┸
<del></del>	4-Wire DS1 Digital Loop - Zone 1 4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	85.70	245.16	152.98										╀
	4-Wire DS1 Digital Loop - Zone 3	<del>   </del>	3		USLXX	194.96	245.16	152.98							-			╄
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per	<del>                                     </del>		COL.	USLXX	491.94	245.16	152.98										⊬
ļ	DS1)			USL	URESL		24.98				T							⊢
1	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	<del>  </del>			Onese		24.95	3.52								j		1
	DS1)			USL	URESP		26.47	5.01		1	1							┢
	Unbundled Loop Service Rearrangement, change in loop facility.	1			0.,20.		20.47	3.01							_ 1		ļ	1
	per circuit	1		USL	UREWO	l j	100.93	42.98					í	1-				$\overline{}$
4-WIRE	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP						.00.00	42.55									J	i
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1		1		UDL2X	30.99	121.86	85.48		<del></del>				<del></del>				$\overline{}$
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2			nor .	UDI.2X	36.78	121.85	85.48			<del></del>			<del></del>				二
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone3		3	LIDL	UDL2X	38.92	121.86	85.48								-		Ξ
<del></del>	4 Wire Unbundled Digital Loop 4.8 Kbps -Zone 1	$\vdash$	1	UOL	UDL4X	30.99	121.86	85.48										
<del></del> -	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3		3	UUL	UDL4X	36.78	121.86	85.48						<del></del>	<del></del>			
-	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3 4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1	<del> </del>	- 3	UDI	UDL4X	38.92	121.86	85.48								———		_
+-	5 Wire Unbundled Digital Loop 9.5 Kbps - Zone 2	<del>                                     </del>	2		UDL9X UDL9X	30.99	121.86	85.48										
	6 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3	<del></del>	3		UDL9X	36.78 38.92	121.86	85.48										_
	4 Wire Unbundled Digital 19,2 Kbos - Zone 1	<del>  </del>	1	UDI	UDL19	38.92	121.86	85.48							<del>-  -</del>			
	4 Wire Unbundled Digital 19.2 Kbps - Zone 1 4 Wire Unbundled Digital 19.2 Kbps - Zone 2	<del></del>	2	UDL	UDL19	36.78	121.86 121.86	85.48		I					<del></del>	<del></del>		-
	4 Wire Unbundled Digital 19.2 Kbps - Zone 3	$\vdash$	3		UDL19	36.78	121.86	85.48 85.48										_
Ī	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1		UDL56	30.99	121.86	85.48									<del></del> f-	_
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2		UDL56	36.78	121.86	85.48				\						_
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	38.92	121.86	85.48										_
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	30.99	121.86	85.48										_
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	36.78	121.86	85.48	<del></del>					∤				_
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	udl	UDL64	38.92	121.86	85.48										_
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0)		1	u Di	L T	T	T											_
-	[US0] Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	<b></b>	_	UDL	URESL		24.98	3.52			_		ĺ					-
	Switch-As-1s Conversion rate per UNE Loop, Spreadsheet, (per DS0)			LEDI	LIBERT	Т									<del></del>		<del></del>	_
	Unbundled Loop Service Rearrangement, change in loop facility,			UCL	URESP		26.47	5.01							I	1	- 1	
	per circuit			UDL	UREWO	ı İ	45		T	7		,					<del></del>	_
	Unbundled COPPER LOOP			- L	[UMEWU ]		101.97	49.67	L					_ 1				
	2-Wire Unbundled Copper Loop-Designed including manual service		_		r - r		<del></del> -,		<del></del>							<del></del>		-
	inquiry & facility reservation - Zone 1		۱, ۱	UCL	UCLPB	12.29	116.18	ا ۸۰۰	- 1	Í		$\neg$						_
	2-Wire Unbundled Copper Loop-Designed including manual service					16.63	110.16	67.46								- 1		
1	inquiry & facility reservation - Zone 2	1	2	UCL	UCLPB	14.09	116.18	67.46			ľ	- 1	-T_				$\overline{}$	_

MOUNDLE	D NETWORK ELEMENTS - Louisiana												Att; 2 Exh: A					$\top$
ATEGORY	rate elements	Interim	Zone	BCS	USOC		M	RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svo Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	incremental Charge - Manual Svo Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add')		
					<del> </del>	Rec	Nonred First	Add'l	First	Disconnect Add')	SOMEC	SOMAN		Rates(\$)	SOMAN			
	2 Wire Unbundled Copper Loop-Designed including manual service	$\Gamma$										30,000	SUMM	SUMAN	SOMAN	SOMAN		┼
<del></del>	inquiry 8 facility reservation - Zone 3 2-Wire Unbundled Copper Loop-Designed without manual service	<b>├</b>	_3_	UCL	UCLPB	15.75	116.18	67.46	L	<b>-</b>	<u> </u>	<u> </u>	i	l _ '	)			
	inquiry and facility reservation - Zone 1		٠,	UCL	UCLPW	12.29	91.92	55.12										T-
	2-Wire Unbundled Copper Loop-Designed without manual service	+ - 1			002 11	12.23	ar.32	05.12		<del> </del>	<del> </del>	<u> </u>	<u> </u>					┷
	inquiry and facility reservation - Zone 2	oxdot	2	UCL	UCLPW	14.09	91.92	55.12	_						Į	į		Į.
l l	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and lacility reservation - Zone 3	, ,	а	lucu	UCLPW	15.75				1								+
	Order Coordination for Urbundled Copper Loops (per loop)	<del>  -  </del>		UCL .	UCLMC	15.75	91.92 7.92	55.12 7.92		<del></del>	ļ.—.	<u> </u>						
	Unbundled Loop Service Rearrangement, change in loop facility,										<del> </del>							+-
4 107091	per circuit COPPER LOOP			UCL_	UREWO	L	91.92	42.47			<u></u>				ļ	-		}
4-W/K	4-Wire Copper Loop-Designed including manual service inquiry and						· · · · ·											+-
	facility reservation - Zone 1	1 1	1	UCL	UCL4S	22.27	139.69	90.96							ī			T
1	4-Wire Copper Loop-Designed including manual service inquiry and																	<del> </del>
	facility reservation - Zone 2  4-Wire Copper Loop-Designed including manual service inquity and	<del> </del> ——Ì	2	UCL	UCL4S	18.95	139.69	90.96		<u> </u>				\	(	1		1
- 1	facility reservation - Zone 3	1 1	3	ucı	UCL4S	10.99	139.69	90.96		1								†
	4-Wire Copper Loop-Designed without manual service inquiry and	<del>   </del>		† <del></del> -						<del></del>	<del> </del>	<del></del>						↓
_	facility reservation - Zone 1	$\perp \perp$	_1_	UCL	UCL4W	22.27	115.43	78.63						- 1	1	1		1
-	4-Wire Copper Loop-Dasigned without manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4W													<del> </del>
<del></del>	4-Wire Copper Loop-Designed without manual service inquiry and	<del> </del>	2	- L	JULI4W	18.95	1,15.43	78.63			<u> </u>							$\perp$
	facility reservation - Zone 3		3	FIGT.	UCL4W	10.99	115.43	78.63					i	- 1				
	Order Coordination for Unbundled Copper Loops (per loop)			uci	UCLMC		7.92	7.92			<u> </u>		<del></del> -	<del></del> -				—-
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit	Ιl		luci.														├—
<del></del>	tper circuit	₩		UEA, UDN, UAL,	UREWO		91.92	42.47										
	Order Coordination for Specified Conversion Time (per LSR)			UHL, UDL, USL	OCOSL		17.56	ļ			' i			7				
Rearra	ngements				1	·	11.00			لت - ا								<u> </u>
	EEL to UNE-L Retermination, per 2 Wire Unbundled Voice Loop- SL2	$\Box$			Ţ		· · · · · · · · · · · · · · · · · · ·					T				<del></del>		<del>-</del>
<del></del> -	27.5	<del>                                     </del>		UEA	UREEL		87.59	36.30									i	1
. 1	EEL to UNE-L Retermination, per 4 Wire Unbundled Voice Loop			UEA	TUREEL		87.59	36.30			l i		ĺ	- 1				
	EEL to UNE-L Retermination, per 2 Wire ISDN Loop			UDN_	UREEL		91.49	44.09										-
1	EEL to UNE-L Retermination, per 4 Wire Unbundled Digital Loop	[ [		UDL	,	1							·	<del></del>	<del></del>	+		┝
	EEL to UNE-L Retermination, per 4 Wire Unburdled DSI Loop			USL	UREEL		101.97	49.67 42.98									_	ĺ
LOOP CO	MMINGLING	-		COL.	OMEEL		100.83	42.30					<del></del>					
2-WIRE	ANALOG VOICE GRADE LOOP - COMMINGLING		_															
- l	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signating - Zone 1		7	NTCVG	\ \													
+	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	┡━╌╌┼	<u> </u>	NICVG	UEAL2	14.93	102.10	65.72									l	l
	Ground Start Signaling - Zone 2		2	NTÇVG	UEAL2	25.35	102.10	65.72			ł	1	ļ		т Т			
T	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or													<del></del> +	<del></del> -			
-	Ground Start Signaling - Zone 3  2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	<del></del>	3	MLCAC	UEAL2	50.46	102.10	65.72		1	]	l			{		- 1	i
1	Battery Signaling - Zone 1		1 1	NTCVG	UEAR2	14,93	102.10	65.72		7	· T	- $           -$					-+	
<del></del>	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	<del>                                     </del>	•		WE 71112	14,33	102.10	65.72		+								
	Battery Signaling - Zone 2		2	NTCVG	UEAR2	25.35	102.10	65.72	l		ļ	ļ	ļ	(	}	}	- }	
- }	2-Wire Analog Voice Grade Loop - Service Level 2 will Reverse Battery Signaling - Zone 3	i - [	,	Pachic.			100.0								<del></del>			
$\dashv$	Switch-As-ts Conversion rate per UNE Loop, Single LSR, (per	<del>                                     </del>	3	NTCVG	UEAR2	50.46	102.10	65.72										
	(DS0)			NTCVG	URESL		24.98	3.52	ļ	ĺ	ļ	1		Т	П			
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per									<del></del> +								
<del></del>	OS0) Unbundled Loop Service Rearrangement, change in loop facility,	<del></del>		NTCVG	URESP		26.47	5.01									- }	
1	per circuit crop service Rearrangement, change in loop facility,			NTCVG	UREWO		87.59	36.30	1	- "	Ī							
	Loop Tagging - Service Level 2 (SL2) ANALOG VOICE GRADE LOOP			NTCVG	URETL		11.20	1.10					<del></del>					
4-WIRE	ANALOG VOICE GRADE LOOP															<del></del>		
<del></del>	4-Wire Analog Voice Grade Loop - Zone 1	<del></del>		NTCVG	UEAL4	30.81	127.40	91.02	0.00	0.00							<del>- 1</del>	
+-	4-Wire Analog Voice Grade Loop - Zone 2 4-Wire Analog Voice Grade Loop - Zone 3			NTCVG NTCVG	UEAL4 UEAL4	38,32 60.39	127.40 127.40	91.02 91.02	0.00	0.00								
	Switch-As-is Conversion rate per UNE Loop, Single LSR, (per				The state	00.23	127.40	31.02	11.00	0.00								_
	DS0)			NTCVG	URESL		24.98	3.52		{	}	\ \ \	}	ļ			T	
1	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per			NEO. /C										<del></del>		<del></del>		
<del>-  </del> -	DS0) Unbundled Loop Service Rearrangement, change in loop facility,			NTCVG	URESP		26.47	5.01									- 1	
_	per circuit			NTCVG	UREWO		87.59	36.30		- 1	- 1							
	DS1 DIGITAL LOOP		_	<del></del>			97.00	30.30						- 1	1	ì	i	

	D NETWORK ELEMENTS - Louisiana	T	T										Att: 2 Exh: A	·			Т-	—
		1	1			]					Svc Order	Svc Order		Incremental	Incremental	(manage :	·—	+
		1	1		1	1					Submitted	Submitted	Charge -	Charge -	Channellia		1	
TEGORY	RATE ELEMENTS	l	1_	1	1						Elec	Manually			Charge -	Charge -		- 1
	TOTAL BEEMENTS	Interim	Zone	BCS	USOC			RATES(\$)					Manual Svc		Manual Svc	Manual Syc	ŀ	
					1						per LSR	per LSR	Order vs.	Order ve.	Order vs.	Order vs.		Į
	i					ł					l		Electronic-	Electronic-	Electronic-	Electronic-		- 1
	<del> </del>		L.,	<u> </u>		i							1st	Add'i	Disc fat	Oisc Add'≀	1	
<del></del>							Nonrec	urring	Nonrecurein	g Disconnect						CHOIC PAGE		- 1
-	A Who DCA Donald					Rec	First	Add'l	First	Add'I			oss	Rates(\$)				+
-	4-Wire DS1 Digital Loop - Zone 1			NTCD1	USLXX	85.70	245.16	152.98	- 1100	Addi	SUMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN		+
	4-Wire DS1 Digital Loop - Zone 2 4-Wire OS1 Digital Loop - Zone 3			NTCD1	USLXX	194.96	245.16	152.98		<del></del>								7
-+-			_3	NTCD1	UŚLXX	491,94	245.16	152.98		<del> </del> -		<u> </u>						+
- 1	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per (DS1)	l ì		1				702.00		<del></del>								+
			Ь.	NTCD1	URESL		24.98	3.52			1				"			
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS1)		l '	· · · · · · · · · · · · · · · · · · ·												_		
<del></del>				NTCD1	URESP		26.47	5.01		1					i			┰
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit			1											l			-
4 Miles				NTCD1	UREWO		100.93	42.98				1						7
4-1717	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP										<u> </u>							-
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1			NTCUD	UDL2X	30.99	121.86	85.4B										+
+-	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2		2	NTCUD	UDL2X	36.78	121.86	85.48		<del>                                      </del>								+
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone3		3	NTCUD	UDL2X	38.92	121.86	85.48		<del> </del>		[						+
-	4 Wire Unbundled Digital Loop 4.8 Kbps -Zone 1		1	NTCUD	UDL4X	30.99	121.86	85.48										+-
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2			NTCUD	UDL4X	36.78	121.86	85.48 B5.48		<del></del>		I						+
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3			NTCUD	UDL4X	38.92	121.86	85.48			[	T						+
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1	1		NTCUD	UDL9X	30.99												┰
	5 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2	$\vdash$		NTCUD	UDL9X	36.78	121.86	85.48		ļ				<del>+</del>	<del></del>			+
	6 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3	<del>                                     </del>	3	NTCUD	UDL9X	38.78	121.86	85.48							<del></del> +			+-
	4 Wire Unbundled Digital 19 2 Khoe - Zono 1	$\vdash$		NTCUD	UDL19		121.86	85.48										+-
	4 Wire Unbundled Digital 19.2 Kbps - Zone 2	<del></del>		NTCUD	UOL19	30.99	121.86	85.48						+	+			+-
	4 Wire Unbundled Digital 19.2 Kbps - Zone 3			NTCUD	UDL19	36.78	121.86	85.48										4
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	-		NTCUD		38.92	121.85	85.48										4
7	4 Wire Unbundled Digital Loop 56 Kbps · Zone 2			NTCUD	UDL56	30.99	121.86	85.48				+						ш
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	-		NTCUD	UDL56	36.78	121.86	85.48			-		<del></del>					$\mathcal{L}$
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1				UDL56	38.92	121.86	85.48					+		$\longrightarrow$			
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			NTCUD	UDL64	30 99	121.86	85.48					+					
<del> </del>	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3			NTCUD	UDL64	36.78	121.86	85.48			<del></del>		<del></del>					Г
$\neg$	Switch-As-is Conversion rate per LAKE ( one Circle LOR	<u>_</u>	3	NTCUD	UDL64	38.92	121.86	85.48			<del></del> +		<del></del>					Γ
	Switch-As-Is Conversion rate per UNE Loop, Single LSR. (per DS0)	-					· -											
				NTCUD	URESL		24.98	3.52		- 1		- }	- 1	ļ	7			Г
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0)	- 1									+		——			1		1
				NTCUD	URESP		26.47	5.01	1	l			1					
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit	- 1		. <u></u> _						<del></del> +								1
+	pp. 00000			NTCUD	UREWO		101.97	49.67		l	i	1	I	1	Ī.			
	Order Coordination for Spanished Co.			NTCVG, NTCUD,														1
TENANCE	Order Coordination for Specified Conversion Time (per LSR)  OF SERVICE			NTCD1	OCOSL		17.56			ļ			- 1	}	-1			$\overline{}$
LINE	OF SCHOOL	<b></b> ↓																i
1 1		ĺ		UDC, UEA, UDL,			- T			-								_
1 1	l		Ì	udn, usl, ual.	j l	I	ļ		J		ļ	ļ	- 1	i	· T-	7		
1 1	l			UHL, UCL, NTCVG,	1 !			1	J	i	í	i		- 1	l	[	l	i
		j.		NTCUD, NTCD1,	1	i			!	1	J		- 1	J	i	- 1	- 1	
	i	- 1		U1TD1, U1TD3,	l l	I	l	I	1	ļ	- 1		I	1	l			
		- 1	ł	UITDX, UITSI.	1	I	ļ			ł	- 1	I	ļ	ı	1	ł	ļ	
1				UITVX, UDF,	i l	J	Ī	1		- 1	- 1	J	i	ı	f		1	
1	J			UDFCX, UDLSX,	i j	1		- 1	ŀ	- 1	ļ		- 1	I		Ť	- 1	
		ļ		UE3, ULDD1		i	- 1	I	1						j	1	i	
1 1	İ	i		ULDD3, ULDDX.	1	- 1	J	- 1	l	- 1	İ		i	J	I	- 1		
				ULDS1, ULDVX,	1	- 1	ŀ	f	l				- 1	1	I	1	ļ	
1 1						- 1		i	ŀ				ļ		1	i i	ĺ	
1				UNC1X, UNC3X,	1		1	- 1	i							ļ	- 1	
] l,	Maintenance of Service Charge, Basic Time, per half hour	- [		UNCDX, UNCSX.	l 1			- 1		i			I	1		j	- }	
<del>†                                    </del>	- 11 - 25 07 CENTRE CHANGE, DASIC TIME, DEFINAL ROLL				MVVBT		80.00	55.00	ļ			J	Į	I	1	I	- 1	
				UDC, UEA, UDL,					· · · · · · · · · · · · · · · · · · ·			-+					!	
1				UDN, USL, UAL,	Į	ŀ	1	I		i	- 1	- 1	l	ì	1	1		_
				JHL, UCL, NTCVG,		i				- 1			Į.	ı	ĺ	J	- 1	
	i			VTCUD, NTCD1,		ı	-	-	J	J		1	i	ļ	1	j	ł	
	1	1	- )(	J1TD1, U1TD3.	I	ı		1					I	1	1			
1 1	1		į.	JITDX, UITSI,		ļ		I		- 1		ļ	J	J	ı	1	- 1	
1 1	1	- 1	į.	JITVX, UDF.		1	1	I		1		- 1	1	1	ı	i	ĺ	
	!			JOFCX, UDLSX,	ł	- 1	1	1	Į.	- 1				ı	- 1	1		
	i	ļ		Æ3. ULDD1.		- 1	1	1	1	1			ļ	I	I	j	ł	
		1		JLDD3, ULDDX.	J	- 1	1	- 1		1			í	- 1		1		
1 1		- 1		JLDS1, ULDVX,	J	-	1	- 1			ļ		- 1	1	1			
1 1	I			JNC1X, UNC3X,	- 1	i	[	- 1	,	1	i		I	I	I	1	- 1	
1 1	ļ		- 15	AND IA, UNCOX,	i	l	1	İ	į.	ĺ		- 1	1	ł	J			
<sub>k</sub>	faintenance of Service Charge, Overtime, per half hour	- 1	- 1.	NCDX, UNCSX,				l		I	1	I	1	I	- 1	- 1	1	
		)	ΙL	INCVX, ULS	MVVOT		90.00	65.00			1	1	1	- 1	1	- 1	- 1	

	· · · · · · · · · · · · · · · · · · ·	1	Т			¬							Att: 2 Exh: A					
		1		i	1	[					Svc Order	Svc Order	Incremental	incremental	T:			L
CATEGO			1								Submitted	Submitted	Charge -	(ricrementa)				$\Gamma$
	RATE ELEMENTS	Interin	n Zone	• BCS	USOC	l.					Elec	Manually		Charge	Charge -	Charge -	1 )	1
			1		0300			RATES(\$)			per LSR		Manual Svc		Manual Svc	Manual Svc	1 1	i
		Į	1								P41 C3A	per LSR	Order vs.	Order vs.	Order vs.	Order vs.	1 1	i
			1		ŀ	ļ					}	ļ	Electronic-	Electronic-	Electronic-	Electronic-	1	
		_	<del> </del>		<del></del>	<del></del>					1		1st	Add'I	Disc 1st	Disc Add'l	i I	
		<del>  -</del>	+			Rec	Non	ecurring	Nonrecurring	g Disconnect	<del> </del>	<b></b>			L	, 5,20,20,	i I	
		+	+	UDC, UEA, UDL.			First	Addi	First	Add'I	FOUE	SOMAN	OSS	Rates(\$)				
- 1			1	UDN, USL, UAL,	1	i	_				SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN		
	1		1	UHL, UCL, NTCVG			ļ		i	ì	i 1		'	,				
-			1	NTCUD, NTCD1,	•	Ì	i				1 1						. i	
- 1			1		1				i	ľ	! I			! (	ĺĺĺ			
		1	ļ	U1TD1, U1TD3, U1TDX, U1TS1,	-		}				l i						i	
- 1	ļ	1	Í			1			!		ļ	ļ.		! (	ĺĺĺ	ì	J	
			l	UTVX, UDF,			1	Į.	ĺ	1	1 1				<b> </b>		- 1	
		1	}	UDFCX, UDLSX,		Į.	1	Ī				J		l í	ĺ		J	
- 1			l	UE3. ULDD1	1	1		1		i i	i 1	1	i			ľ		
		i	l	ULDO3, ULDDX,			1	1					ļ	1	- 1		- 1	
ı		1	l	ULDS1, ULDVX,	1	1	i					Ī	i		J	ľ		
- 1		1	l	UNC1X, UNC3X,	1	1	1	1			1		l	i	1	- 1	- 1	
	Maintenance of Service Charge, Premium, per half hour	1	ļ	UNCDX, UNCSX,	I	1	1	1	ı ,	,		ĺ	ĺ	I	J	ſ	- 1	
JOP MO	DIFICATION	+	Ь.	LINCVX, ULS	MVVPT		100.00	75.00	i		1		l	- I	i	J	- 1	
Т		-		100 100 100				1 30		<del></del>			!		ļ	1		
		1 :		UÂL, UHL, UCL,	1		1									<del>+</del>	-+	
1	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair	1		UEO, ULS, UEA,	1		1	į į		<b> </b>		T				<del></del>		
				UEANL, UEPSR, UEPSB			1	1						- 1	ĺ	J	- 1	
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less			UEPSB	ULM2L		0.00	0.00	i			í			J			
	than or equal to 18K ft, per Unbundled Loop	!		IN USE OF	İ		·			·	+				- 1	- 1	í	
		<del>  </del>	_	UHL, UCL, UEA UAL, UHL, UCL	ULM4L		0.00	0.00	i			- 1	ŀ					
ľ					1	1								i	i	J	Í	
- 1	Unbundled Loop Modification Removal of Bridged Tap Removal,	}		UEQ., ULS, UEA, UEANL, UEPSA.		1	]	!!	- 1			- 1					<del></del>	—
	Iber minorkried (COD	l i		UEPSB	ļ	ļ	i	i i		ļ	Į.		1	í		!	1	
/B-LOOP		-		UCF8B	ULMBT		12.15	12.15		1	1	- 1	J			1	J	
Sul	h-Loop Distribution			<del></del>	ــــــــــــــــــــــــــــــــــــــ	L											1	
- 1	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-				· · · · · · · · · · · · · · · · · · ·													_
	Up		- 1	UEANL, UEF	i				т Т									
		-		GEAINE, UEF	USBSA		144.09	144.09	!	}	1	1				$\overline{}$		
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up		- 1	UEANL, UEF	USBSB							<del></del>				1		
	Sub-Loup - Fer Building Equipment Room - CLEC Feeder Facility			OLAINE, OLI	USBSB		10.99	10.99		1	- 1	!	J					
	lost-Ob	- 1	Į,	UEANL												1		
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-			QUANT.	USBSC		86.16	86.16			1			1			$\overline{}$	_
	100	- 1	- la	UEANL	USBSO												l	
- 1	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop				USBSU		27.13	27.13	1	Į.	}		ļ					
-	Zone		1 1	UEANL	USBN2	7.57					-+		<del></del>					
Į.	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop		_		150 Dre	7.57	63.89	30.06	i	J		ı			1			
	ZORE 2	i	2 1	LIEANI	USBN2	40.75		I									J	
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop				036,42	12.75	63.89	30.06	i	Į.	J			ļ	1			
——	Zone 3	í	3 /	JEANL	USBN2	21.45												
	0-4 8				COGIVE	21.45	63.89	30.06			ı			ļ	ſ -			
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		Įι	JEANL	lusanc l		i	ļ	1.									
- 1	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		- 1		-		7.92	7.92			- 1				i			
	Cut ( a - Cut ) and a		t L	JEANL .	USBN4	11.76	70.70											
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2					- ,,,,/b	76.75	42.92						]	1	[		
	Strb-Loop Distribution Page 4 187	I	<u>2</u> ]∟	JEANL.	USBN4	16.84	76.75	,					<del></del>					
]	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop Zone 3					10.04	/6./5	42.92					]	- 1	1	[		_
			3 U	EANL EANL	USBN4	19.27	70.70	42.55	1	7			<del></del>					
- 1	Order Coordinates for Links and and Co. 5		$\neg \top$			13.67	76.75	42.92					į	1	1	1		
_	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			EANL	USBMC		7.92	7.92	ſ						<del></del> -			
$\neg$		$\Box$	ĮŪ	EANL	USBR2	2.91	51.48					_		1	ı	ł		
	Order Coordination for University 5:	["	Π.					17.65					<del>  </del>					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 4-Wire Intrabuilding Network Cable (INC)				USBMC	J	7.92	7.92	ĺ		$T^{-}$					$-\!\!\!\!\!-\!\!\!\!\!\!\!\!+\!\!\!\!\!\!-$		
	Terro intransitioning metwork Cable (INC)		u	EANL	USBR4	6.58	57.54	23.71					1		- 1	1	-	
1	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	- [	T				37.57	£3./1	<del></del>					<del></del>				
$\neg$	Loop Testing - Basic 1st Half Hour		u		USBMC	}	7.92	7.92		I				<del></del>				
	Loop Testing - Basic Additional Half Hour				URET1		33.17	0.00		↓		L		ĺ	I	J		
	2 Wire Copper Urbundled Sub-Loop Distribution, Zoop 1				URETA	<del></del>	19.28	19.28									$-\!\!+\!\!-\!\!$	
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1				JCS2X	6.26	63.89	30.06							<del></del>	<del></del>		_]
_	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2 U		JCS2X	10.07	63.89	30.06	<del></del>					<del>  </del>			$\rightarrow$	]
			3 UE	EF (	JCS2X	12.70	63.89	30.06						<del></del>	<del></del>		-	
- [	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	1				<del></del>	20.00	30.06			$ \Box$				<del></del>			]
			ue UE		JSBMC	- 1	7.92	7.92						<del>-  </del>		-+		]
_	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1 UE		JCS4X	8.03	76.75	42.92						J	i	1		
$\neg$	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		2 UE	F	JCS4X	10.71	76.75	42.92			$ \Gamma$				<del>  </del>			
	-En-4 4-25-14-5 God-Europ Distribution - Zone 3		) UE	F	JCS4X	6.08	76.75	42.92							<del></del>			
1.							. 0.70	76.02	1								_	
1	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	- 1	ĺυε		ISBMC	1									7			

ATEGORY	RATE ELEMENTS	Interim	Zone	acs	usoc		·	RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge -		Incremental Charge • Manual Svc Order vs.	Charge -		_
				<u> </u>	ļ <u> </u>		Napre	cutting	I was				Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l		i
	Loop Tagging Service Level 1, Unbundled Copper Loop, Non-					Rec	First	Add')	First	ng Disconnect Add'l	CONTO	SOMAN	OSS	Rates(\$)		<del></del>		4
[	Designed and Distribution Subloops			UEF, UEANL		1				7001	SOMEC	SUMAN	SOMAN	SOMAN	SOMAN	SOMAN		
L	Loop Testing - Basic 1st Half Hour	<del> </del>		UEF, DEANL	URETL URET1	<del> </del> -	8.92	0.88		<u>i</u>			}			_		7
	Loop Testing - Basic Additional Half Hour	_	_	UEF	URETA	<del>                                     </del>	33.17 19.28	19.28					<del></del> -			<del></del>	<b></b> -	ᅴ
Unbana	lled Sub-Loop Modification					<del>'</del>	13.20	19.28		<u> </u>								
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coll/Equip Removal per 2-W PR						1 1	Γ	r	<del></del>							-	┪
1.	Unbundled Sub-loop Modification - 4-W Cooper Dist Load	-		UEF	ULM2X		0.00	0.00	l				!!	ĺ				7
	Coil/Equip Removal per 4-W PR			UEF	ULM4X		200						<del>                                     </del>				├	4
	Unbundled Loop Modification, Removal of Bridge Tap, per			· · · · · · · · · · · · · · · · · · ·	OCH-TA	<del>  -</del>	0.00	0.00		+			L	ĺ	J		1	ľ
Liebund	unbundled loop led Network Terminating Wire (UNTW)			UEF	ULMBT	İ	224.55	4.29		!	1 1							┪
10540	Unbundled Natwork Terminating Wire (UNTW) per Pair			(Canada					·		ــــــــــــــــــــــــــــــــــــــ		L	[			i	ı
Network	Interface Device (NID)	LI		UENTW	UENPP	0.3454	14.72	14.72		T -								I
	Network Interface Device (NID) - 1-2 lines			ÜENTW	UND12		10.00	- X										4
<del></del>	Network Interface Devica (NID) - 1-6 lines			UENTW	UND16	<del> </del>	42.26 62.86	27.83 48.43		<del> </del>								+
<del>-    </del>	Network Interface Device Cross Connect - 2 W Network Interface Device Cross Connect - 4W			UENTW	UNDC2		5.73	5.73		<del> </del>	<del>  </del>							$\dagger$
E OTHER, PR	ROVISIONING ONLY - NO RATE		-	UENTW	UNDC4		5.73	5.73		<del> </del>	<del>                                     </del>							
	bhudha Canal II.			UAL, UCL, UDC, UDL, UDN, UEA, UHL, UEANL, UEF, UEQ, UENTW, NTCVG, NTCUD.					<del></del>									+
<del>-    </del>	Inbundled Contact Name, Provisioning Only - no rate Inbundled DS1 Loop - Superframe Format Option - no rate			NTCD1, USL	UNECN	0.00	0.00	ľ		1 1	i	Ì			1			Ţ
- lu	Inbundled DS1 Loop - Expanded Superframe Format option - no	-		USL, NTCD1	CCOSF		0.00			<del>  </del>		<del></del> -∤						ſ
16	âte !	- 1		USL, NTCD1	CCOEF													T
N N	IID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00						1	Į.		- 1		Г
OP MAKE-UP	INTW Circuit Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00											╀
	oop Makeup - Preordering Without Reservation, per working or						3 50			<del></del> +						<del></del>	$\overline{}$	╁
S,	pare facility queried (Manual).			UMK	UMKLW					<del>                                     </del>	+							t
L	cop Makeup - Preordering With Reservation, per spare facility			COSIC	UMKLW		23.29	23.29		Li			1					Γ
	ueried (Manual).			UMK	UMKLP	1	24,70	24.70		· · · · · · · · · · · · · · · · · · ·								⊬
1 1	oop Makeup- With or Without Reservation, per working or spare scility queried (Mechanized)		7					24.70							_		ļ	
SPLITTING	sonty queried (Mechanizado)			UMK	UMKMQ		0.19	0.19					1	i				Г
END USE	R ORDERING-CENTRAL OFFICE BASED		1		<u>.                                    </u>									<del></del>				L
.   JLi	ine Splitting - per line activation DLEC owned splitter	_		JEPSR JEPSB	UREOS	0.61											——	_
L(	ne Splitting - per line activation AT&T owned - physical				UREBP	0.61	17,97	10.29										$\vdash$
FND HEE	ine Splitting - per line activation AT&T owned - virtual R ORDERING - REMOTE SITE LINE SPLITTING				UREBV	0.61	17.97	10.29		$\overline{}$					-	$\overline{}$	+	_
IR	emote Site Shared Loop Line Activation for End Users - CLEC							70.20									-+	_
0	whed Splitter	- 1	I.	JEPSR UEPSB														_
Re	emote Site Shared Loop - Subsequent Activity - CLEC Owned			X.F.Sh OEFSB	URERS	0.61	56.83	23.00	7.19	7.19		i	1			1	T	
!Sr	plitter		0	JEPSA UEPSB	URERA		53.62	21.35										_
2-WIRE A	ED EXCHANGE ACCESS LOOP NALOG VOICE GRADE LOOP					<u>.</u>	30.02	£1.35 ]								-	ĺ	
121	Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		-							· · · · · · · · · · · · · · · · · · ·							$\rightarrow$	-
140	ne)		, հ	JEPSA UEPSB	UEALS								т-	т т				_
5 /	Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	-+	<del>``</del> †`	- OITOLE OB	ULALO	12.90	36.54	16.87	0.00	0.00							7	
	ine i	$\perp$	1 (	EPSR UEPSB	UEABS	12.90	36.54	16.87	0.00				· · · · · · · · · · · · · · · · · · ·			<del></del>		_
Zo.	Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-	- 1	. [.	EDOD   165					0.00	0.00							1	
	Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-	-+		EPSR UEPSB	UEALS	23.33	36.54	16.87	0.00	0.00	1			-			_	_
Zo	ine 2		ء ار	EPSR UEPSB	UEABS	22.22							<del></del>					
2 V	Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	$\neg$	~ +	<u>vc. 00</u>	VEADO	23.33	35.54	16.87	0.00	0.00			_	1			J	•
	one 3		3 L	EPSR UEPSB	UEALS	48.43	36.54	16.87	0.00						-+		-+	-
70	Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- ine 3		. Τ					10,07	0.00	000							ļ	
	emote Site 2 Wire Analog Voice Grade Loop -Service Level 1-		<u>3 U</u>	EPSR UEPSB	UEABS .	48.43	36.54	16.87	0.00	0.00								-
Len	e Splitting - CLEC Owned Splitter - Zone 1		. h	EPSR UEPSB	UEARS					9.50								_
Rei	mote Site 2 Wire Analog Voice Grade Loop -Service Level 1.		۲	L SITUETOB	UEAMS	7.57	63.89	30.06	0.00	0.00	1	ĺ	J					_
Lin	e Splitting - CLEC Owned Splitter - Zone 2	l	2 Ju	EPSA UEPSB	JEARS	12.75	63.89	30.06		T		- T-					+	_
Her	mote Site 2 Wire Analog Voice Grade Loop -Service Level 1-		Т				00.00	30.06	0.00	0.00						- 1		
PHYSICAL	e Splitting - CLEC Owned Splitter - Zone 3 COLLOCATION		3 Ju	EPSR UEPSB (	JEARS	21.45	63.89	30.06	0.00	0.00								-
IPhi	ysical Collocation-2 Wire Cross Connects (Loop) for Line		<del>,</del>						9.55	0.00							J	

Ī	O NETWORK ELEMENTS - Louisiana	_		· · · · · · · · · · · · · · · · · · ·							<del>,</del>		Alt: 2 Exh: A					<u> </u>
ATEGORY	RATE ELEMENTS	Interim	Zpne	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add't	Incremental Charge - Manuel Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l		in car
		<u> </u>		<del></del>	<del>- </del>	Rec	Nonrec First	urring Add'i	First	Disconnect Add'I	SOMEC	EOMAN.	SOMAN	Rates(\$)	SOMAN	501111		┼
VIRTUA	LCOLLOCATION						1. • 11 = 4	AGG	First	Addi	SOMEC	SUMAN	SOMAN	SUMAN	SOMAN	SOMAN		+
					1	1	T i		-		i		Τ		T			+
1	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting	L		UEPSR UEPSB	VE1LS	0.0296	11.94	11.46	0.00	0.00							ı	
INTERN	EDICATED TRANSPORT FFICE CHANNEL - DEDICATED TRANSPORT	l l		<u></u>	<u> </u>	Ĺ											1	
	Interoffice Channel - 2-Wire Voice Grade - per mile			UiTVX	1L5XX													
1 1	Interoffice Channel - 2-Wire Voice Grade - Facility Termination	++		UTTVX	UITV2	0.013 22.60	39.36	26.62										4_
	Interoffice Channel - 2-Wire Voice Grade Rev Bat per mile	i i		UTVX	1L5XX	0.013	39.36	20.02										<del> </del>
					1					1								+
	Interoffice Channel - 2-Wire VG Rev Bat Facility Termination			U1 TVX	U1TR2	22.60	39.36	26.62		1							ı	1
<del></del>	nteroffice Channel - 4-Wire Voice Grade - per mile			UITVX	1L5XX	0.013												+
_	Interoffice Channel - 4- Wire Voice Grade - Facility Termination			UITVX														
<del>    </del> ;	Interoffice Channel - 56 kbps - per mile	+ +		UTTDX	U1TV4	19.81	39.36	26.62										<u> </u>
<del> </del>	Interoffice Channel - 56 kbps - Facility Termination	<del></del>		UtTDX	U1TO5	0.013 15.61	39.36	26.62		ļ <u> </u>	<b></b>							<del></del>
1 1	Interoffice Channel - 64 kbps - per mile	<del>                                     </del>		UTDX	1L5XX	0.013	39.36	20.02		<b></b>								+
1, 1,	nteroffice Channel - 64 kbps - Facility Termination			U1TDX	UITD6	15.61	39.36	26.62		<del>                                     </del>		<del> </del>		<del></del>	ļ			₩
-	nteroffice Channel - DS1 - per mile	Lf		UTDI	1L5XX	0.2652									<del></del>			+
	nteroffice Channel - DS1 - Facility Termination			UITDI	U1TF1	70.47	86.69	79.44										<b>†</b>
<del></del>	nteroffice Channel - DS3 - per mile			U1TD3	1L5XX	6.04												$\vdash$
<del></del>	nteroffice Channel - DS3 - Facility Termination Interoffice Channel - STS-1 - per mile			U1TD3 U1TS1	U1TF3	850.45	270.69	158.05										
	Interoffice Channel - STS-1 - Facility Termination			UTTS1	1L5XX U1TFS	6.04	270.00	15055										
	DLED DARK FIBER	<del></del>		0.101	Julie2	830.19	270.69	158.05		L								<b>ॉ</b>
1	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per				Ţ													
F	Route Mile Or Fraction Thereof			UDF, UDFCX	1L5DF	25.28												1
	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per				1	20.20												+
F	Route Mile Or Fraction Thereof	لــــــا		UDF, UDFCX	UDF14		620.60	133.88		[ i						i	i	
H CAPACITY	UNBUNDLED LOCAL LOOP				1.222										-			┢
	S-1 UNBUNDLED LOCAL LOOP - Stand Alone DS3 Unbundled Local Loop - per mile																	-
-	OS3 Unbundled Local Loop - Facility Termination	-		UE3 UE3	1L5ND UE3PX	10.04												
<del>-    </del>	STS-1Unbundled Local Loop - per mile			UDLSX	1L5ND	362.34 10.04	438.46	256.30										
- T S	STS-1 Unbundled Local Loop - Facility Termination			UDLSX	UOLS1	374.56	438.46	256,30										↓
	ENDED LINK (EELs)		_		100.00	0.4.00	430.40	250,00										<del></del>
	Elements Used in Combinations				·		·						1					⊢
	-Wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	14.93	94.21	45.09										<del> </del>
1 - 12	P-Wire VG Loop (SL2) in Combination - Zone 2 -Wire VG Loop (SL2) in Combination - Zone 3			UNCVX	UEAL2	25.35	94.21	45.09										$\vdash$
	-Wire VG Loop (SL2) in Combination - Zone 3 -Wire Analog Voice Grade Loop in Combination - Zone 1			UNCVX	UEAL2	50.46	94.21	45.09									$\neg$	_
- 4	-Wire Analog Voice Grade Loop in Combination - Zone 2	-		UNCVX	UEAL4 UEAL4	30.81	94.21 94.21	45.09										
4	-Wire Analog Voice Grade Loop in Combination - Zone 3		5	UNCVX	UEAL4	38.32 60.39	94,21	45.09 45.09										
2	-Wire ISDN Loop in Combination - Zone 1	- +		UNCNX	U1L2X	22.09	94.21	45.09 45.09							<b></b>			—
2	-Wire ISDN Loop in Combination - Zone 2	_	2	UNCNX	U1L2X	35,28	94.21	45.09										$\vdash$
2	-Wire ISDN Loop in Combination - Zone 3		3	LINCINX	U1L2X	65.18	94.21	45.09		-		-					-	
4	-Wire 56Kbps Digital Grade Loop in Combination - Zone 1			UNCDX	UDL56	30.99	94.21	45.09										<del> </del>
	-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	36.78	94.21	45.09					•					
- la	-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 -Wire 64Kbps Digital Grade Loop in Combination - Zone 1	→-	3	UNCDX	UDL56	38.92	94.21	45.09										
- 4	-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 -Wire 64Kbps Digital Grade Loop in Combination - Zone 2			UNCDX	UDL64 UDL64	30.99	94.21	45.09										
	-Wire 64Kbps Digital Grade Loop in Combination - Zone 3			UNCDX	UDL64 UDL64	36.78 38.92	94.21 94.21	45.09 45.09										1
4	-Wire DS1 Digital Loop in Combination - Zone 1			UNC1X	USLXX	85.70	169.22	100.89						-				—
_ ] 4	-Wire DS1 Digital Loop in Combination - Zone 2			UNC1X	USLXX	194.96	169.22	100.89	-		+							$\leftarrow$
4	-Wire DS1 Digital Loop in Combination - Zone 3			UNC1X	USLXX	491.94	169.22	100.89			<del></del>	+				+		-
	S3 Local Loop in combination - per mile			LNC3X	1L5ND	10.04		-								-	<del></del>	$\overline{}$
	IS3 Local Loop in combination - Facility Termination ITS-1 Local Loop in combination - per mile	∮		UNC3X	UE3PX	362.34	188.45	125.51									$\rightarrow$	
1 2	TS-1 Local Loop in combination - per mile TS-1 Local Loop in combination - Facility Termination			UNCSX	1L5ND UDLS1	10.04 374.56	188.45											
	teroffice Channel in combination - 2-wire VG - per mile			UNCVX	IL5XX	0.013	188.45	125.51										-
In	teroffice Channel in combination - 2-wire VG - Facility		$\neg$		- 5400	0.013												<u> </u>
T	ermination			UNCVX	U1TV2	22.60	72.60	41.75		I							ļ	į.
	teroffice Channel in combination - 4-wire VG - per mile			UNCVX	1L5XX	0.013	.2.30					<del>-  </del>						
	iteroffice Channel in combination - 4-wire VG - Facility				1		<del></del>		1	<del></del> +	-+						$\longrightarrow$	<del></del>
	ermination			UNCVX	U1TV4	19,81	72.60	41.75					}	i	ĺ		ļ	i i
	xeroffice Channel in combination - 4-wire 56 kbps - per mile teroffice Channel in combination - 4-wire 56 kbps - Facility		[	JNCDX	1L5XX	0.013											$\overline{}$	
	refortice Channel In combination - 4-wire 55 kbps - Facility  ermination	- 1	I.	JNCDX	LUTO:			T							·		-	_
	teroffice Channel in combination - 4-wire 64 kbps - per mile	-+		JNCDX	U1TD5	15.61	72.60	41.75										_
	teroffice Channel in combination - 4-wire 64 kbps - Facility	+			rE3AA	0.013												
	ermination	- 1	l,	JNCDX	U1TD6	15.61	72.60	41.75						ı		T	T	1

				1										Att: 2 Exh: A					
			1	1	!							Svc Order	Svc Order						
CATEGO	Sev			í	1		1						Submitted	Incremental		Incremental			$\neg$
	1	RATE ELEMENTS	Interim	Zone	BCS	USOC	1					Elec		Charge -	Charge -	Charge -	Charge -	1	- 1
				1	1	USOC			RATES(\$)				Manually	Manual Svc	Manual Svc	Manual Syc	Manual Syc	1	1
			1	)	)	1 .	1					per LSR	per LSR (	Order vs.	Order vs.	Order vs.	Order vs.		- 1
				1	i							ł		Electronic-	Electronic-	Electronic-		1	1
	i		-	+			1					1		1st	Add'i		Electronic-	ļ	
			+	-				Mone	ecurring			<u>L</u>	l í		A001	Disc 1st	Disc Add'!		1
		Interoffice Channel in combination - DS1 - per mile			]		Rec	Circh	ecurring	Nonrecurrin	Disconnect			220	Rates(\$)	·		<u> </u>	
		Intereffice Channel in combination - DS1 - per mile		I'''	UNC1X	1L5XX	0.2652	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN					
$\overline{}$	_	Interoffice Channel in combination - DS1 Facility Termination			UNCIX	U1TF1	70.47							SUMAN	SUMAN	SOMAN	SOMAN		_
$\rightarrow$		Interoffice Channel in combination - DS3 - per mile			UNC3X	1L5XX			103.88			<del></del>							$\overline{}$
				<del>-</del>	UNC3X	LIATEO	6.04					<del> </del>	———						+-
			_	<del>-</del>	UNCSX	UtTF3	850.45		121.16			<del></del>							+
		imeromice Channel in combination - STS-1 Facility Termination	+-	_		1L5XX	6.04						_						+-
ADDITIO	HAT HE	TWORK ELEMENTS	+	-	UNCSX	U1TFS	830.19	296.68	121.16										<del></del>
0	) ptiona	Features & Functions:							100000										+
	$-\tau$									<u></u>		L T							
	- le	Clear Channel Capability Extended Frame Option - per DS1			UITD1.	T*	T	Т											
		Catalogue Prame Option - per DS1	1		ULDD1,UNC1X	CCOEF	1										!		7
	- 1,	Char Channel Country of	1.		UtTD1.			0.00	0.00	0.00	0.00	ĺ	- 1	- 1		- 1	. —		
-		Clear Channel Capability Super FrameOption - per DS1	1 1 1	ìí	ULDD1,UNC1X	CCOSF	1	1											1
- 1	- 1	Jear Charmel Capability (SF/ESF) Option - Subsequent Activity	$\overline{}$	-	ULDO1, UTTD1.	CCCar		0.00	0.00	0.00	0.00	I	J	ĺ					+
	IP	per DS1	1 1	<b> </b>	UNC1X, USL	LD0		1			0.00					- 1	i		ſ
1	- }		┱┷┵┩			NRCCC		184.65	23.79	1.97	[	- 1	Г						+-
	[0	C-bit Parity Option - Subsequent Activity - per DS3	1 , 1	ĺĺ	Ut TD3, OCDD3,				- 23.73	1.87	0.77		}	ì	1	í	- 1		1
	-	5 7 DSU Channel System	4		UE3, UNC3X	NRCC3		218.78	7.66		I								+
	C	0S3/DS1Channel System	+	I	UNCIX	MQ1	105.09	59.97		0.7263	0.00		- 1	l l	1	J	1		1
	- 10	oce Grade COCI in combination			UNC3X, UNCSX	MQ3	201.48		12.96										
	-+	The disease of the complimation			UNCVX	1D1VG	0.6497	707.03	48.07			-		<del></del> -					
- 1	I.,	Oran Crada COOL / - BU a -	1	-		1.5.74	0.6497	5.91	4.26				-						
_	I'V	oice Grade COCI - for 2W-SL2 & 4W Voice Grade Local Loop	ı I	- la	UEA	1D1VG													
	1,41	oce Grade COCI - for connection to a channelized DS1 tippal	<del></del>			IDIVG	0.6497	5.91	4.26		- 1	- 1	í		T				<del></del>
			l i	I.	UTUC	1					<del></del>					- 1			1
	lO.	GU-DP COCU2 4-64kbs) in an entire attack	<del></del> +			1D1VG	0.6497	5.91	4.26	- I	- 1	- 1					$\overline{}$		
	10	CU-UP COUL (2.4.64kbe) - for I let codfort Discouli	<del></del> +		UNCOX	1D1DD	1.38	5.91					_ {	- 1	- 1	- 1	- 1		į.
	- 10	CU-DP COCI (2.4-64kbs) - for connection to a channelized DS1			JDL	1D1DD	1.38	5.91	4.26 4.26										Ĺ
- 1	Le	ocal Channel in the same SWC as collocation	l í			<del>                                     </del>	1.00	3.91	4.26										
	- 12	ISON COOL IDEATED SAVE AS CONCESSION		- K	JITUD	1D1DD	1.38	]	- 1										$\overline{}$
<del></del>	- 2	wire ISDN COCI (BRITE) in combination			NCNX	UC1CA		5.91	4.26		- 1	- 1	- 1				-		
<del>-</del>	- 2	wire ISDN COCI (BRITE) - for a Local Loop			<b>I</b> DN		2.96	6.39	4.58								1		i
- 1	12.	wire ISON COCI (BRITE) - for a Local Loop  wire ISON COCI (BRITE) - for connection to a channelized DS1	_	- 1		UC1CA	2.96	6.39	4.58		_								
				į,	ITUB	L													
	08	S1 COCI in combination				UC1CA	2.96	6.39	4.58		- 1	- 1		-					
	IDS	51 COCI - for Stand Alone Local Channel	_	- 10	NC1X	UC1D1	11.78	5.91	4.26					i			- 1	- 1	
$\neg \neg$	FDS	1 COC - for Stand Alone Intereffice Channel	-		CDD1	UCIDI	11.78	5.91											
	159	S1 COCI - for DS1 Local Loop		iu	II TD1	UC1D1	11.78	5.91	4.26					<del></del>					
	DS	51 COCI - for connection to a channelized DS1 Local Channel in		U	SL. NTCD1	UC101	11.78		4.26				-				i		
- 1	the	e same SWC as collocation				1==-	11.70	5.91	4.26									7	
_	1::-	County Stro as Conceation		lυ	1TUA	UC101	. 11.78		- 1										
	- 1				NCVX, UNCDX,	100.01	11.78	5.91	4.26			- 1	- 1	ĺ	- 1				
- 1	- 1				NC1X, UNC3X,	l ſ	i	T	-		-								
- 1	- 1				NCSX, UDFCX,	ł I	- 1		- 1		í	- 1	- 1	- 1	-				
- 1			- 1	15	DH1X, HFQC6,	i I						- 1		1	i	ì	i		
	1		- 1							- 1		1	- 1						
1	1	\	- 1	IXI	DD2X, XDV6X,	\ {	(	(	(	l l	(	- 1		- 1		- 1	1	ĺ	
	₩h	olesale - UNE, Switch-As-Is Conversion Charge	- 1		DDFX, XDD4X,	, 1	- 1	- 1	- 1	1	]	1	1	ì	ì	ì	ì	- 1	
$\neg$	1-2	Strict Para Guiperaun Charge		H	FRST, UNICNIX	UNCCC	- 1	5 43		ĺ		1	1	ı	- 1	- 1	- 1	- 1	
- 1	lun	Number Misc Pate Florent CAT CAL Clark		Ju	TVX, U1TDX.	<del></del>		3 43	5.43			- 1		Į.	ļ	1	F	- 1	
-	ls	oundled Misc Rate Element, SNE SAI, Single Network Element -	- 1	įu	ITD1, U1TD3,	1	i	- 1	I					<del></del>					
-	I CT	itch As Is Non-recurring Charge, per circuit (LSR)		Įψ		URESL	- 1		- 1	[	ı	J	- 1	I					
- 1				111	TVX, UTTDX.	U-1204		36.83	16.12		- 1	- 1	- 1	- 1	- 1	- 1	1	- 1	
- 1	low.	tion as is mon-recurring Charge, incremental charge per circuit.	- 1	Jui.	TD1, U1TD3,			Г								1	1	- 1	
			( I	100		LIDEAR	1			1		1	1	1					
Acce	ess to D	DCS - Customer Reconfiguration (FlexServ)			ior, ucr, ucs	URESP		1.49	1,49	ĺ	I	- 1	- 1	- 1	- 1	- 1		- 1	
1	_   ∪us	Idmer reconjugation Establishment						-						i	j	1	1	- 1	
	DS1	DCS Termination with DS0 Switching	<del>-</del>	<del></del>		Т		1.43								<del></del>			
	1081	DCS Termination with DS1 Switzering					19.58	24.81	19.09	——————————————————————————————————————			_ "						
	DS3	DCS Termination with DS1 Switching					10.95	17.93							<del></del>	<del></del>			
Norte	(Sync	hroNet)					149.41	24,81	12.22					+	<del></del>				
7	IN	e per month				-	140.41	24.51	19.09					<del>+-</del>	<del></del>				
Servi		rrangements		JUN	CDX	UNCNT	15.43												
30.01	Kea	riungarianis		_			19.43					-		<del></del> ,					
- 1	- 1			LÚ1	TVX, UtTDX,						· · · · · · · · · · · · · · · · · · ·								
1	1		ı		TUC, UITUD.	I	1												
- (	1		1		FUE, ULDVX.	1	1	ı	1	- 1	ı	1	1	1					
1	NRC	- Change in Facility Assignment per circuit Service		N	DDX. UNCVX.	)	ì	}	ì	í	}	1	1	1				(	
	Rear	rrangement	, I				- 1	1	1	ĺ	1	I	ı	ĺ	J	i	ļ		
1			<del>-   -</del>	LIN	CDX, UNC1X	URETD	!	100.93	42.98	I	I	ļ	!	I	i	İ	1		
1	Į		ļ		VX, UTTOX,			100.50	44.98				- 1		- 1	- 1	1	ĺ	
1	1		l	JUIT	FUC, UTTUD,	1	I	I	I	1			-+	<del></del>	<del></del>			L	
1	NRC	· Charge in English Assessment			UB, ULDVX,	- 1			I	I	ı	ı	ļ	ı	í	ı			
1	Mari	Change in Facility Assignment per circuit Project	ı		DDX, UNCVX.	- 1		ļ	ĺ	I	ı	í	ĺ	ı	ı	I	I	í	
+	IMana	Remedi (added to CEA per planet a period	(			RETB	ļ		ı	[	-		- 1	ł	ı	J	ſ		
J Minglin		Order Coordination Specific Time - Dedicated Transport	<del>    -</del>					3.67	3.67	I	I	ı	- 1	1	ſ	İ	i		ł
MINICH IN	iG .			104	IN CHACTY	COSR		18.85	18.85				1	- 1	- 1	ı	1	ł	

													Att: 2 Exh: A					
		1	1	1	1	}					Svc Order	Svc Order	Incremental		T		1	7
ATEGO	ORY DATE TO THE OWNER OF THE OWNER OF THE OWNER OF THE OWNER OF THE OWNER OF THE OWNER OF THE OWNER OF THE OWNER OF THE OWNER OF THE OWNER OF THE OWNER OF THE OWNER OF THE OWNER OF THE OWNER OF THE OWNER OF THE OWNER OF THE OWNER OF THE OWNER OF THE OWNER OF THE OWNER OF THE OWNER OF THE OWNER OF THE OWNER OF THE OWNER OF THE OWNER OF THE OWNER OF THE OWNER OF THE OWNER OF THE OWNER OF THE OWNER OF THE OWNER OF THE OWNER OF THE OWNER OF THE OWNER OF THE OWNER OF THE OWNER OF THE OWNER OF THE OWNER OF THE OWNER OF THE OWNER OF THE OWNER OF THE OWNER OF THE OWNER OF THE OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER O	- 1		i	1	1						Submitted			Incremental	Incrementa	1	_
	RATE ELEMENTS	Interim	Zone	BCS	USOC	1					Elec	Manually		Charge -	Charge -	Charge -	1	- 1
		- 1			"	1		RATES(\$)			per LSR		Manual Syc		Manual Svc	Manual Svo	.	- 1
		- }	ı	!		1					ber rak	per LSR	Order vs.	Order vs.	Order vs.	Order vs.	1	- 1
		- 1		1	ļ	1						(	Electronic-	Electronic-	Electronic-	Electronic-	!	- 1
<del>-</del>		+	_		+		_				1		1st	Add'I	Disc 1st			- 1
		<del></del>	_			Rec	None	ecurring	Magazzata					~~.	UHEC 7SE	Disc Add'l	1	- 1
				1	1'	HORG	First	Add'i	MOTIFACUTTIN	g Disconnect			OSS	Rates(5)		<u> </u>		
- 1			i I					7001	First	Add'!	SOMEC	SOMAN	SOMAN	SOMAN				_ 1'
- 1		- 1		UNCVX, UNCDX,	1	1		1		1	1			- COMPAN	SOMAN	SOMAN		
- 1				UNC1X, UNC3X	1	1	1	1		1	l i			1 1				7
- 1		1 :	1 1	UNCSX, U1TD1	1	1	i	]	1	1							1	
- 1			1 1	ULTD3, ULTS1, UES	.1					1				l i	,		i	- 1
- 1		1 1	1 1	UDLSX, UTTVX,	1	1	1	1		i	l í	- 1	- 1		ſ		ļ	- 1
- 1	Į.	-[ ]		UTTDX, UTTUE,	1	i	1			1	!	- 1	I		- 1			J
	0	1 1	1 1	ULDVX, ULDD1.	)	)	1	ì	1	ì	1 1	- 1	- 1	1	- 1		<b>\</b>	- 1
<del>-  </del> -	Commingling Authorization			LLDD3, ULDS1	CMGAU	I	.	!	1	!					- 1		[	
	ornmingled (UNE part of single bandwidth circuit)			DECENTION OF DEPOSIT	CMGAU	0.00	0.00	0.00		1	; I			1	- 1	i	i	ĺ
	Commingled VG COCI			XDV2X					_		i		1	_	- 1		!	- 1
	Commingled Digital COCI	+		XDV6X	1D1VG	0.6497		4.58										<del></del>
$\rightarrow$	Commingled ISDN COCI	╅		XDV6X XDD4X	1D1D0	1.38		4.58										-
_	Commingled 2-wire VG Interoffice Channel				UC1CA	2.96	6.39			<del> </del>				-				_
-1	Commingled 4-wire VG Interoffice Change	+ -+	- 12	XDV2X	U1TV2	22.60	39.36	26.62		<del></del>	-					<del></del> -		+
	Commingled 56kbps Interoffice Channel	┿		XDV6X	U1TV4	19.81	39.36	26.62		<del> </del>	I			$\overline{}$	+			
$\perp$ I	Commingled 64kbps Interoffice Channel	+		XDD4X	U1TD5	15.61	39.37	26.62		<b>-</b>				-				₩.
7				KDD4X	U1TD6	15.61	39.37	26.62										
	Commingled VG/DS0 Interoffice Channel Mileage	1 1		KDV2X, XDV6X,		1	30.07	20.62										
	Commingled 2-wire Local Loop Zone 1	<del>-</del>		CDD4X	1L5XX	0.013	1	]		T					<del></del>			
	Commingled 2-wire Local Loop Zone 2	+		(DV2X	UEAL2	14.93		65.72				- 1	- 1	ļ		- 1		
	Commingled 2-wire Local Loop Zone 3	<b>_</b> I	2 >	(DASX	UEAL2	25.35	102.10											1
<del>-</del>	Commingled 4-wire Local Loop Zone 1		3 >		UEAL2	50.46						<del></del>						<del> </del>
-	Comminged 4 wire Local Loop Zone 1		1 X	OV6X	UEAL4	30.81		65.72										_
	Commissed 4-wire Local Loop Zone 2	$\perp$ T	2 X	(DV6X	UE AL4	38.32		91.02										_
	Commingled 4-wire Local Loop Zone 3		3 X	DVEX	UEAL4	60.39		91.02				<del></del>						_
	Commingled 56kbps Local Loop Zone 1		1 X	DD4X	UDL56			91.02		+			——					<del>-</del>
-+-	Commingled 56kbps Local Loop Zone 2		2 X		UDL56	30.99		85.48								$\overline{}$		<b>⊢</b> ~−
——	Commingled 56kbps Local Loop Zone 3		3 X	25 FD 434		36.78		85.48			<del></del>							_
	Commingled 64kbps Local Loop Zone 1	1	1 X		UDL56	38.92	121.86	85.48										<del> </del> -
<del></del>	Commingled 64kbps Local Loop Zone 2		2 X		UDL64	30.99		85.48		<del></del>	<del></del>							<del>}</del>
	Commingled 64kbps Local Loop Zone 3		2 10		UDL64	36.78	121.86	85.48										
	Commingled ISDN Local Loop Zoop 1		3 X		UDL64	38.92		85.48	$\overline{}$		-+					<del></del>		<u> </u>
	Commingled ISDN Local Loop Zone 2	<del> </del>	1 X		UTL2X	22.09	113.34	76.96										
	Commingled ISDN Local Loop Zone 3		2 X		UīL2X	35.2B	113.34	76.96								<del></del>		
	Commingled DS1 COCI		3 X		J1L2X	65.18	113.34	76.96										
	Commingled DS1 Interoffice Channel	<del></del>		DH1X	JC1D1	11.78	6.39	4.58										
1	Commingled DS1 Interoffice Channel Mileage	<del></del>	XX	HIX	31 TF1	70.47	86.69	79.44						$\overline{}$				
$\neg$	Commingled DS1/DS0 Channel System			OH1X	L5XX	0.2652	00.09	79.44			-		+-	<del></del>				
	Commingled DS1 Local Loop Zone 1			DH1X	ION	105.09	88.41	60.96			-	-	<del></del> -					
	Commingled DS1 Local Loop Zone 2			OH1X	JSLXX	85.70	245.16						<del></del>				$\neg \neg$	
_	Commingled DS1 Local Loop Zone 3			OHIX	SLXX	194.96		152.98										
	Commingled DS3 Local Loop  Commingled DS3 Local Loop		3 XE		ISLXX	491.94	245.16	152.98										_
<del></del>	Commission Coccar Loop		HF		E3PX		245.16	152.98				<del></del>	<del></del>			-	-	
-	Commingled DS3/STS-1 Local Loop Mileage				LSNO	362.34	438.43	256.30			<del></del>					_		
<del></del>	Joanningled STS-1 Local Loop				DLS1	10.04				-		_					<del></del> +	
	Commingled DS3/DS1 Channel System			CO		374.56	438.46	256.30				<del></del>						
-	Commingled DS3 Interoffice Channel				1Q3	201,48	172.99	91.25			-							
	Commingled DS3 Interoffice Channel Mileage	1-			HTF3	850.45	270.69	158.05							-			
<del> </del>	Commingled STS-1Interoffice Channel	_			L5XX	6.04					+						-	
+	Commingled STS-11riteroffice Channel Mileage				TFS	830.19	270.69	158.05										
1	Commingled Dark Fiber - Interoffice Transport Per Fau Live		1,4	1	L5XX	6.04										<del></del>		
	Strangs, Per Houte Mile Of Fraction Thereof	- 1	۔۔ا	QDL 1				-										
1	Commingled Dark Fiber - Interoffice Transport, Par Four Fiber		- Inter	UDL 1	L5DF	25.28		- 1	1	1	}	]						
	Isrands, Per Houte Mile Or Fraction Thereof	1	1	OD!									!	I	1	ı	- 1	
1	UNE to Commingled Conversion Tracking				DF14		620.60	133.88	- 1	I	7							
	SPA to Commingled Conversion Tracking		XD		MGUN	0.00	0.00	0.00	0.00				_	I	J	- 1	T	
uery S	ervice		XDI	H1X, HFQC6 C	MGSP	0.00	0.00	0.00		0.00					<del></del>			
	LNP Charge Per guery						7.00	- 5.00	0.00	0.00								
	LNP Service Establishment Manual		_			0.0008559		<del></del>						<del></del>				_
$\perp$	LNP Service Provisioning with Point Code Establishment		-				12 16							<del>-                                    </del>	<del></del>		{	
BX LOC							576.33	294.43										
911 P	BX LOCATE DATABASE CAPABILITY					<del></del>	3, 6.33	294.43										
1	Service Establishment per CLEC per End User Account																	
<del>                                     </del>	Changes to TN Repres or Custom - 2		9PB		BEU		1 210 on T											
1	Changes to TN Range or Customer Profile Per Telephone Number (Monthly)		9PB		BTN		1.819.00										_	_
1	rei Telephone Number (Monthly)		9PB		вмм	0.07	181.99										<del>-   -</del>	
+	Change Company (Service Provider) IO		9PB	DC GP	BPC	0.07							$-\!\!\!\!-\!\!\!\!\!-$					_
+	PBX Locate Service Support per CLEC (Monthit)		928		SMR	170-60	534.22				<del>- +</del>	-	<del></del>					_
914 5	Odivide Order Charge		9PB		BSC	178.58				_			<del></del>					_
1817 PE	BX LOCATE TRANSPORT COMPONENT		3. 0		0.00		15.20										<del>-  -</del>	
See At								_									<del></del>	

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Att: 2 Exh: A					
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Submitted	Submitted	Charge - Manual Svc	Charge -	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l		
						Rec	Nonre		Nonrecurring					Rates(\$)	<u> </u>		$\rightarrow$	
Note: 6	tates displaying an "I" in Interim column are interim as a result	of a Cor	ainin rio	n order			First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN		

Version: 1008 GENERIC INTERCONNECTION AGREEMENT 05/06/08

CCCS 146 of 370

l	NDLED NETWORK ELEMENTS - Mississippl	T	_	Т									Att. 2 Eul. 1				
				1	1	1					Syc Order	Svc Order	Att: 2 Exh: A				
CATEGO	nev	- 1	1		1	1					Submitted	Submitted	Channel	Incremental	Incremental	Incremental	
VA, CQ.	DRY RATE ELEMENTS	Interir	n Zone	BCS	USOC	!					Elec		Charge -	Charge	Charge -	Charge -	- 1
			1		0000	1		RATES(\$)			per LSR	Manualty per LSR	Manual Svc		Menual Syc	Manual Syc	
			1		ł						per Lak	percan	Order vs.	Order vs.	Order vs.	Order vs.	
					i	1					1	i I	Electronic-	Electronic-	Electronic.	Electronic-	ĺ
		_	+-		+	<del></del>					1		1st	Add'i	Disc 1st	Disc Add'i	- 1
<del> i</del>		$\overline{}$	+	<del> </del>	<del> </del>	Rec	Nonre	ecurring	Nonrecurrin	g Disconnect	<del> </del>					DIEC 2001	
		<del> </del> -	+		<del>-</del>		First	Add'I	First	Add'I	FORES		oss	Rates(\$)			<del></del>
1	The "Zone" shown in the sections for stand-slone loops or loops as		1		<del></del>					7001	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
į.	The "Zone" shown in the sections for stand-alone loops or loops as http://wholesale.att.com/ IONS SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	part of a	compi	nation refers to Geog	graphically D	eaveraged UNE	Zones. To vie	w Gengraphics	the Department	11005 7 -						001111111	
OPERAT	IONS SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"								my Deaveraged	ONE ZONE DES	ignations by	Central Offi	ce, refer to in	ternet Websit	e:		
																İ	,
١,	in the contract regolator if it prefers to the contract negotiator if it prefers to the service of the 9 states.  NOTE: (2) Any element that can be ordered electronically will be bit accorded the service of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of	ne "state	specifi	ic" OSS charges as o	ordered by th	State Commi	ssions The Of	SS charges au		1							
- It	the 9 states	rdering cl	targes,	, or CLEC may elect t	the regional :	service orderin	o charge how	CL CO	rentry containe	d in this rate ex	chibit are the	AT&T "regio	anal" service	Ordering char	CLEC		
, h	NOTE: (2) Any element that can be added at the first			_	-		9 Se, 110#e	ver, occi can	not obtain a mi	ixture of the tw	o regardless	if CLEC has	a interconne	iction contrast	ges. OLEC Ma	y elect	
l <sub>b</sub>	be preferred electronically will be bil	led accord	fing to	the SOMEC rate lists	ed in this cat	egory Plansa	refer to ATRY	1 - 22 - 22						ction contract	i persildelae	wach of	- 1
-	applied to a CLEC billion	rate in thi	s cates	gory reflects the char	rge that woul	d he billed to a	CLEC	Local Ordering	g Handbook (Li	OH) to determin	ne if a produc	ct can be ord	ered electron	nically Feath			
	NOTE: (2) Any element that can be ordered electronically will be bill be ordered electronically at present per the LOH, the sisted SOMEC applied to a CLECs bill when it submits an LSR to AT&T.			-	•	5 55 51HG (0 8	CLEC once en	ectronic orderin	g capabilities c	orne on-line for	that elemen	t. Otherwise	. the manual	lineally, For the	ose elements 1	that cannot	
		7					· · · · · · · · · · · · · · · · · · ·					A. Other man	e, ille dængel	ordering char	rgə, SÖMAN, w	vill be	- 1
			1		SOMEC		1										,
- 1	OSS - Manual Service Order Charge, Per Local Service Request				SOMEC		3.50	0.00	3.50	0.00	1	- 1					
		1		1						5.00						ļ	- 1
NE SER	VICE DATE ADVANCEMENT CHARGE	+	_	<del></del>	SOMAN		15.75	0.00	1.97	0.00	]	1	T				
N	OTE: The Expedite charge will be maintained commensurate with	Relisants	• ECC	No. 1 Tarak Co. 17						0.00	<del></del>					I	I
ļ	The state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the s	- Janooukh	a + 00	no.1 (arm, Section !	o as applicab	le.					-					<del>- +</del>	<del></del>
1	1	1		, ,	Ι											<del></del>	<del></del>
- 1		1		UAL, UEANE, UCL,			1					$-\Gamma$					
- 1		1 .	' I	UEF, UDF, UEQ,			1		i	1	J	- 1	- 1	- 1	1	[	- 1
- 1		1 1		UDL, UENTW, UDN,	[						ļ	- 1		I	- 1		ı
	1			UEA, UHE, ULC,							- 1					!	
- 1		1 1	- 1	USL. U1T12, U1T48,			! i	l l		i	- 1		1	- 1	- 1	1	- 1
		1 1	' I	U1TD1, U1TD3,					- 1		- 1	- 1	- 1			- 1	- 1
Į.		1 1	- 1	U1TDX, U1TO3,	' 1	- 1	1 [	1	I			- 1	- 1	- 1		ľ	1
		1 1	- 1	UITSI, UITVX.	<b>!</b>			- 1		- 1		- 1	- 1	- 1	1	- 1	- 1
- 1		1 1		UC1BC, UC1BL	1		i	ŀ	- 1			1			- 1	ļ	- 1
- 1		1 1	- 1	UC1CC, UC1CL			J	- 1			- 1			- 1	!	[	i i
- 1		1 1		UC1DC, UC1DL,		i				1	- 1		i		1	i	
- 1		1 1		UCIEC UCIEL							- 1	- 1	- 1				ļ
- 1		!				ļ		- 1	- 1		!	- 1	ļ	- 1			i
		1 1	- 1	UC1FC, UC1FL,				- 1	- 1		- 1	- 1	1		- 1		
		l ì		UC1GC, UC1GL,	- 1	- 1		- 1		i		1			- 1	1	- 1
		1 1	ļ.	UC1HC, UC1HL,	- 1	- 1			i					- 1	- 1	1	- 1
- 1		)	μ	UDL12. UDL48,	- 1	i	- 1	- 1	- 1		- 1	- 1	- 1			J	J
		1 1	t	JDLO3, UDLSX,	- 1	- 1				1	- 1	- 1	- 1	!			- 1
	!	1 1	l	JE3, ULD12, ULD48,	1	- 1			1	- 1		- 1	!	- 1	1	- 1	
			- Iu	JLDD1, ULDD3,	į.		1			J	i		1				- 1
		l 1	i i	JLDDX, ULDO3.	- [	1				i		- 1		1		1	
			- li	LDS1, ULDVX,		i	- 1		1		ļ		ļ		- 1		- 1
- 1	!	1 1	l.	NC1X, UNC3X,		- 1					- 1		i				- 1
				INCOX, UNCOX,	J	- 1	i	- 1		- 1	- 1		- 1	1		- 1	
					[	- 1	J			- 1	ı	- 1	1	- 1	1	ľ	į.
i				INCSX, UNCVX,	- 1	- 1			- 1	- 1	- 1	- 1	i	- 1	- 1	- 1	- 1
		i i		NLD1, UNLD3,	- 1	- 1	1	1		ł		- 1		ĺ			- 1
				IXTD1, UXTD3,	1			- 1	Į.	- 1	ı	ı	]	- 1	l	ſ	ı
ļ				IXTS1, U1TUC,	ŀ	[			- i	l l	1	- 1	I	1		1	- 1
- 1	UNE Expertite Charge pay Circuit on Line Asset Comments	! [	U	NTUD, U1TUB,	- 1	- 1		ļ	- 1		- 1		- 1	- 1	- 1	- 1	- 1
- 1	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day	1	U	TUA, NTCVG.		- 1		i	- 1	1	- 1	- 1	1		- 1	1	- 1
DER NO	DIFICATION CHARGE				DASP	- 1	200.00	- 1	1	1		- 1	- 1	1	- 1	i	- 1
	Order Modification Co.						200.00				ĺ	1	I	- 1	1	ľ	ì
	Order Modification Charge (OMC)				<del></del>							<del></del>					- 1
11 NO. 2	Order Modification Additional Dispatch Charge (OMCAD)						26.21	0.00	0.00	0.00							<del>-</del>
UNDLE	D EXCHANGE ACCESS LOOP		_				150.00	0.00	0.00	0.00	<del></del>		<del></del>			<del></del>	
2-W	/IRE ANALOG VOICE GRADE LOOP									0.00						-+-	
	2-Wire Analog Voice Grade Loop - Service Lovel 1 - Zone 1 - T	-	. 1	- 448													<del></del>
	2-Wire Analog Voice Grade Loop - Senace Loud 1 Zone 2		1 U		EAL2	12.03	37.92	17.55	22.40								<del></del>
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		2 U.		EAL2	16.87	37.92	17.55	23.48	5.25						<del></del>	
	2-Wire Analog Voice Grade Loop - Service Level 1-Zone 3				EAL2	25.68	37.92	17.55	23.48	5.25					<del></del>		
$\neg$	2-Wire Analog Voice Grade Loss - Service Level 1-Zone 4		4 UE	EANL UE	EAL2	43.85	37.92		23.48	5.25		-					
_	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1 UE	ANL UE	EASL	12.03		17.55	23.48	5.25			<del></del>				
<del></del>	2-vyire Analog Voice Grade Loon - Service Level 1, Zone 2		2 ÜĒ		EASL		37.92	17.55	23.48	5.25							
-	2 Wife Analog Voice Grade Loop - Service Level 1, Zone 2		3 UE	- 00		16.87	37.92	17.55	23.48	5.25	<del></del>						
+-	12-Wire Arialog Voice Grade Loop - Service Level 1-Zone 4 T		4 UF		ASL ASL	25.68	37.92	17.55	23.48	5.25							<del>  -</del>
	rag Loop at End User Premise	$\overline{}$		, UE		43.85	37.92	17.55	23.48	5.25							+
+-	Loop Testing - Basic 1st Half Hour	<del></del>			RETL		8.92	0.88		3.20	$-\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!$						<del></del>
1	Loop Testing - Basic Additional Half Hour			Į (Vi	RET1		34.36	0.00									+
	Manual Order Coordination for UVL-SL1s (per loop)			ANL UF	IETA		19.97	19.97		<del></del>					<del></del>		<del> </del>
_	Order Coordination for Specified Conversion Time for UVL-SL1		UE	ANL UE	AMC		8.20	8.20						<del></del>	<del>-</del> -	<del></del>	
+	(per LSR)			-	-	<del></del>	- VEU	0.20	<del></del>				<del></del>		<del></del>		
+						1		1								1 -	1
-	Unbundled Non-Design Voice La		UE.	ANL OC	COSL	1	10 10	40 1	1	1							
	Unbundled Non-Design Voice Loop, billing for AT&T providing	-			COSL		18.19	18.19				1		J	7		
	Unbundled Non-Design Voice Loop, billing for AT&T providing make-up (Engineering Information - E.1.)								<del>-</del>								
	Unbundled Non-Design Voice Loop, billing for AT&T providing	+			ANM		13.51	18.19									

TEG	ORY	RATE ELÉMENTS	interio	Zorw	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Att: 2 Exh: A Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l		T
				<u> </u>		<del></del>	Rec	Nonre	curring	Nonrecurrin	g Disconnect			ÒSS	Rates(\$)				1
-		Bulk Migration, per 2 Wire Voice Loop-SL1			UEANL	LIREPN	<del></del>	First	Addi	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	NAMOS			1
-1		Buk Migration Order Coordination, per 2 Wire Voice Loop-SL1			UEANL	UREPM	<del>}</del>	37.92	17.55	23.48	5.25				- SOMAN	_ NAMOS	SOMAN		1
	2-W/R	E Unbundled COPPER LOOP	-		10000	UNEPM	L	8.20	8.20						<del></del> -				I
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1	T	7 1	UEO	li manie									<del></del>				Г
	_	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	<del></del>	_ 2	UEQ	UEQ2X	11.01		16.16	22.66	4.42								T
		14 Wife Utbundled Copper Loop . Non-Decision 7 7 7	<del> </del>		UEQ	UEQ2X	11.51	36.53	16.16	22.66	4.42	<del></del>			<del></del>				1
[		2 Wire Unbundled Copper Loop - Non-Designed - Zone 4	<del></del>	4	UEO	UEQ2X	11,57	36.53	16.16	22.66		<del></del>			<del></del>				T
		rag Loop at End User Premise	<del></del> -	-	UEQ	UE03X	13.10	36.53	16.16	22.66		<del> </del>			<del>   </del>				✝
ľ		Loop Testing - Basic 1st Haif Hour	_	_	UEO	URETL		8.92	0.88		1,72	<del></del>							7
$\Box$		Loop Testing - Basic Additional Half Hour				URET1		34.36	0.00		<del> </del>	<del></del>							1-
_		Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-		_	UEQ	URETA		19.97	19.97		<del></del>								┰
- 1		IDesigned (per inno)	1 1	i .	)	1					<del></del>	<del></del>							<del> </del>
$\neg$		Unbundled Copper Loop - Non-Design, billing for AT&T providing			UEO	USBMC	L	8.20	8.20		i !	, !	T	1					1-
		Imaxe-up (choineering information . E. I.)	l i		l	1					<del>  </del>	<del>  </del>					ı		Ĺ
		Unbundled Loop Service Rearrangement, change in loop facility.			UEC	NEOWN		13.51	13.51		, 1		T	7	T				$\vdash$
- 1		per circuit	ļ			1					<del>  </del>							1	ſ
$\dashv$		Buk Migration, per 2 Wire UCL-ND			UEQ	UREWO		14.24	7.42	22.00	اا		7						$\vdash$
+	_	Bulk Migration Order Coordination, per 2 Wire UCL-NO			UEQ	UREPN		36.53	16.16	22.66	4.42				i	ĺ	[	- 1	1
UND	LED F	EXCHANGE ACCESS LODP			UEC	UREPM		8.20	8.20	€2.65	4.42		T						-
To	WIDE	ANALOG VOICE GRADE LOOP	7					0.20	0.20		<b></b> _								$\vdash$
<del>-</del> †	1.17	12. Wire Against Volume Grants Learn Committee															<del></del> +		_
ĺ		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1	Т			<del> </del>													_
+		2. Wire Across Voice Conductor		1	UEA	UEAL2	13.89	105.96	68.28		∣ 7								_
- 1		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or				1	10.00	100.90	58.28	52.82	10.37		!	- 1		J		- 1	i
+		Ground Start Signaling - Zone 2		2	UEA	UEAL2	18.75	105.96		- 1	7								_
- }		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or				1	18.13	105.96	68.28	52.82	10.37	1	)	ì	)	1	)	)	
-		Ground Start Signaling - Zone 3	i	3	UEA	UEAL2	27.65												
- !		2. Wire A02100 Voice Grade Loop - Service Louis 2 will acc				- John Control	27.55	105.96	68.28	52.82	10.37	- 1	- 1	- 1				- 1	
٠.		Ground Start Signaling - Zone 4	- 1	4	UEA	UEAL2			1					~				!	
-		2-Wire Analog Voice Grade Loop - Service Level 7 w/9			-	ICCAL2	45.72	105.96	68.28	52.82	10.37			1		- 1	1		
_1_		Battery Signaling - Zone 1	1	٠, ١	UEA	luz. po 1	1						$\overline{}$	<del></del>	<del></del> }			. 1	
1		2-Wire Analog Voice Grade Loop · Service Level 2 w/Reverse			OEA	UEAR2	13.89	105.96	68.28	52.82	10.37	1	- 1		i				_
		Dartery Signaling - Zone 2	- 1	, l	UEA												1	- 1	
$\neg$		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		ب	UEA	UEAR2	18.75	105.96	68.28	52.82	10.37								_
-		Battery Signaling - Zone 3	- 1		UEA	1 1					10.07	-						- 1	
7		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		3	UEA	UEAR2	27.55	105.96	68.28	52.82	10.37	)	1	1				——	_
-		Battery Signaling - Zone 4	- 1	4	JEA	T				JE.DE	10.37								
7		Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		4	JEA	UEAR2	45.72	105.96	68.28	52.82	10.37							<del></del>	_
-		DS0)		Ĺ.		I "T				32.02	10.37					- 1		- 1	
+-		Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per			JEA	URESL		25.01	3.53			- (				_		-+	_
1	i	DS0)				1		20.01	3.33							- 1	- 1		
+-		Unbundled Loop Service Rearrangement, change in loop facility.			JEA	URESP		26.50	5.02	- 1		1	1					<del></del>	
1	- 1	per circuit	1					10,00	3.02	<del>-</del>					1	1	1	- 1	
+-					ÆA	UREWO		87.56	36.29	- 1									_
+-		Loop Tagging - Service Level 2 (SL2)			EA	URETL		11,19	1.10					\	ļ	}			
┿		Bulk Migration, per 2 Wire Voice Loop-SL2			EA	UREPN		105.96	68.28					_			<del></del>		
1	WIPE	Bulk Migration Order Coordination, per 2 Wire Voice Loop-SL2			ÆA .	UREPM		0.00				$ \Box$				<del></del>		<del></del> -	
+	T	ANALOG VOICE GRADE LOOP						0.00	0.00										_
┿		4-Wire Analog Voice Grade Loop - Zone 1 4-Wire Analog Voice Grade Loop - Zone 2		1 [	EA	UEAL4	27.47	132.27	94.59	00.00							<del></del>	<del></del> -	_
+	1	4.Wire Again Voice Grade Loop - Zone 2		2	EA	UEAL4	38.26	132.27		88.09	14.64							$\rightarrow$	_
+		4-Wire Analog Voice Grade Loop - Zone 3		3 (	EA	UEAL4	50.03	132.27	94.59	60.68	14.64	$ \Box$				<del></del>	<del></del>		_
+		4-Wire Analog Voice Grade Loop - Zone 4		4 L		UEAL4	50.03	132,27	94.59	60.68	14.64		_						
	- 8	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per					30.03	132,27	94.59	60.68	14.64				<del></del>				_
+	- 14	080)	- 1	Į.	EA I	URESL	l		[										_
	1	Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per	_	-+		<del></del>	<del></del>	25.01	3.53	1				I	í	- 1		T	
-		080)	i	L	EA i	URESP		a J		T			-+		<del></del>		———		_
Ĺ	ļ.	Abundled Loop Service Rearrangement, change in loop facility,	$\overline{}$	7		D IEGE		26.50	5.02		[	- 1		- 1	i	I			
<del> </del>	16	per circuit		- b	EA	UREWO									<del></del>				_
2.7	VARE I	SDN DIGITAL GRADE LOOP				UNEWU		87.56	36.29	\	. l	Į	į	į	t	(	. j		_
Ľ	l'a	- Wire ISON Digital Grade-Loop - Zone 1		3 10	DN I	intay :													
Ľ	2	-Wire ISDN Digital Grade Loop - Zone 2	-	2 0		U1L2X	21.01	117.61	79.92	52.82	10.37	- $-$		——					_
	12	-Wire ISUN Digital Grade Loop - Zone 3		3 0	DN	U1L2X	27.59	117.61	79.92	52.82	10.37			~ <del>~</del> ———					_
	2	-Wire ISDN Digital Grade Loop - Zone 4		3 U		U1L2X	37.34	117.61	79.92	52.82	10.37								_
	ΤŪ	Inbundled Loop Service Rearrangement, change in loop facility,		<del>- 1</del> 0	214	U1L2X	59.18	117.61	79.92	52.82	10.37		<del></del> -					_	_
1	10	er circuit	- 1	- I	Τ.						10.37						<del></del>		_
2-1	VIRE A	SYMMETRICAL DIGITAL SURSCRIBER LINE (ADSL) COMPAZIBLE	E t a c	يـــــــــــــــــــــــــــــــــــــ	DN	UREWO		91,46	44.07	- 1	l l	I	1					<del></del>	_
	12	Wire Unbundled ADSL Loop including manual service inquiry &	E LOO	<u>-</u> ,													I	ı	
l	[14	CINV (eservation - Zone 1	!	, I.	1	. T.													_
-	12	Wire I brandled ADSL Jose industry		1 1	١.	UAL2X	11.11	121.27	70.81	50.38	, }	} ~	-	7	-			<del></del>	
1	1,	Wire Unbundled ADSL Loop including manual service inquiry &		T					70.01	50.38	7.93					I	1		
	110	ICHEY reservation - Zone 2		<u>2   U</u>	<u> </u>	UAL2X	11.47	121.27	70.01	50.00	T					<del></del>		<del></del>	_
1	12	Wire Unbundled ADSL Loop including manual service inquiry & icility reservation - Zone 3					-1.4/	121.27	70.81	50.38	7.93			I		J	ŀ		
			- 1	₃ lu/															

Page 55 of 96

		!		Т										Att: 2 Exh: A					
						1	1					Svc Order	Svc Order	Incremental	(norman)	Incremental		<u> </u>	
CATEGO	ORY	RATE ELEMENTS		1	1	1						Submitted	Submitted	Charge -	incremental	Incremental	Incremental		_
		MATE ELEMENTS	Interin	n Zone	BCS	USOC	İ					Elec	Manually		Charge -	Charge -	Charge .		- 1
			1	1	1	1	1		RATES(\$)			per LSR		Manual Svc	Manual Svc	Manual Svc	Manual Svc		ı
			1	1		1	1					per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.		1
			1	1			1					į.		Electronic-	Electronic-	Electronic			- 1
			+	+	<del></del>							1		1st	Add'l		Electronic-		- 1
			+	-			Rec	Nonre	curring	Manageria			L.		~41	Disc 1st	Disc Add'l		1
		2 Wire Unbundled ADSL Loop including manual service inquiry &		+			, vec	First	Add'l	First	g Disconnect			OSS	Rates(\$)				
	- 1		1	!	1				A001	First	Add'i	SOMEC	SOMAN	SOMAN	SCHAN!			_	
		2 Wire Unbundled ADSL Loop without manual service inquiry &		4	UAL	UAL2X	12.69	9 121.27						00,000	SUMAN	SOMAN	SOMAN		7
	- 1	facility reservation - Zone 1		1			12.00	121.47	70.81	50.38	7.93		1						
	$\overline{}$	2 Wire Unbundled ADSL Loop without manual service inquiry &		_!	UAL	UAL2W	11.11	96.15	l										1
- 1	- 1	facility reservation - Zone 2						96.15	58.03	50.38	7.93	!	- 1	J	l i				_
		2 Wire Unbundled ADSL Loop without manual service inquiry &		2	UAL	UAL2W	11.47	96.15											1
	l li	facility reservation - Zone 3		1		-	1	95.15	58.03	50.38	7.93		- 1			- 1			_
$\overline{}$		2 Wire Unbundled ADSL Loop without manual service inquiry &		3	UAL	UAL2W	11,74	96.15											1
	1	facility reservation - Zone 4						96.15	58.03	50.38	7.93	- 1	- 1	- 1	- 1	- 1			
-		Inhurdled Loop Service Possess		4	UAL	UAL2W	12.69	96.15											1
į	I,	Unbundled Loop Service Rearrangement, change in loop facility, per circuit				100000	12.03	96.15	58.03	50.38	7.93	- 1	- 1	- 1	!				<b></b>
2.1	Wide I	HIGH BOT TATE BYOTH		l	LUAL	UREWO	!	I	1										1
•••	TYTING !	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPAT	BLE LO	OP		Toucho	<del></del>	86.04	40.33			- 1	- 1	ĺ					├
- 1																1			í .
				1	UHL	UHL2X					1	тт	· ·				-		_
	[2	2 Wire Unbundled HDSL Loop including manual service inquiry &		_		JACA	8.75	129.98	79.52	50.38	7.93		- 1		Т			-	_
				2	UHL	UHL2X										/	- 1	- 1	1
- 1	12	Wire Unbundled HDSL Loop including manual service inquiry &		-		UNLCX	9.22	129.98	79.52	50.38	7.93			Т			<del>+</del>		<del></del>
			, !	3	u <b>n.</b>	Laure I			-	55.55	1.03						1	I	ı
	15	Wire Unbundled HDSL Loop including manual service inquiry &		~~		UHL2X	9.87	129.98	79.52	50.38	7.93			T		_			
-				4	UHL	( au ov.		-		55.50	7.53			ـ أـــــــــــــــــــــــــــــــــــ				- 1	
1	2	Wire Unburdled HDSL Loop without manual service inquiry and		-		UHL2X	10.46	129.98	79.52	50.38	7.93	- 1	- 1				<del></del>	— <u>-</u> -	
				٠, ا	UHL	l					7.33					ł			
	2	Wire Unbundled HDSL Loop without manual service inquiry and	-		0112	UHL2W	8 75	104.86	66.74	50.38	7.93	!	- 1					-	
			1	2	UHL					50.50	7.93				1	- 1	- 1	- 1	
	2	Wire Unbundled HDSL Loop without manual service inquiry and		-	UTL	UHL2W	9.22	104.86	66.74	50.38	7.93	- 1		-					
			- 1	2	UH.					30.36	7.93					- 1	ĺ		
	5	Wire Unbundled HDSL Loop without manual service inquiry and	$\rightarrow$	- 3	UHL.	UHL2W	9.87	104.86	66.74	50.38	1	1							
			- 1						30.74	50.38	7.93				i	1	!	- 1	
[	Ur	houndled Loop Service Rearrangement, change in loop facility,		4 1	JHL	UHL2W	10.46	104.86	66.74	50.38									
			- 1	1.					00.74	30.38	7.93			- 1		- 1	- 1	- i	-
4-W	VIRE H	IGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIE	I E I OO		н	UREWO		85.98	40.33	!	- 1								
	4 1	Wire Unbundled HDSL Loop including manual service inquiry and	LE LOO	<u> </u>					10.00							- 1			
	(21	City reservation - Zona 1	- 1				1												
1	4-1	Wire Unbundled HDSL Loop including manual service inquiry and		7 1	HL	UHL4X	13.78	158,74	108.28	56.72						7			
			ļ			- 1			100.20	36.72	10.68				- 1	- 1		- 1	
- 1	4-1	Wire Unbundled HDSL Loop including manual service inquiry and	-	2 1	H	UHL4X	13.43	158.74	108.28	56 72	40.00	ĺ							
			- 1	3 1	1					36 /2	10.68			ł	1	- 1	,		
	4-1	Wire Unbundled HDSL Loop including manual service inquiry and	-	3 (	H	UHL4X	15.59	158.74	108.28	56.72						_			
									100.00	30.72	10.68						- 1		
	4-1	Wire Unbundled HDSL Loop without manual service inquiry and		4 0	HL I	JHL4X	14.46	158.74	108.28	56.72		[							
			- 1							36.72	10.68					1	1	- 1	
	4-V	Wire Unbundled HDSt. Loop without manual service inquiry and		1 10	HL I	JHL4W	13.78	133.62	95.50	50.70									
	Hall	anty reservation - Zone 2	- 1	. L			-		33.30	56.72	10.68			I	1	ŀ		7	
	4-4	Wire Unbundled HDSL Loop without manual express incurse		2 U	HL L	JHL4W	13.43	133.62	95.50	55.70				-	<del></del>				
			- 1					-50.52	33.30	56.72	10.68			1	I	1	I -		
	4-14	Vire Unbundled HDSL Loop without manual senses inquiry and		3 U	H. (	HL4W	15.59	133.62	95.50	ss l									_
I	paci	III Y 198E VALION - ZONE 4	1					- 40.0E	93.50	56.72	10.68			ı	i	- 1			
T	Unb	oundled Loop Service Rearrangement, change in loop facility.		4 U	1	HL4W	14.46	133.62	95.50		1	7						$\Box$	
	i Der	Circuit						100.02	85.50	56.72	10.68			ı	Į.	- 1		7	
4-WII	RE DS	1 DIGITAL LOOP		U	<b>4.</b>	REWO	ı	85.98	40.33					_				L	
	4-W	Vire DS1 Digital Loop - Zone 1						00.00	40.33				- 1	1	I	I	1		
$\neg$	4-W	Vire DS1 Digital Loop - Zone 2		1 U.S		SLXX	79.08	253.93	150 45 1									f	
	4-W	/ire DS1 Digital Loop - Zone 3		2 U.S	št	SLXX	129.38	253.93	158.45	46.10	12.07								_
_	4-W	/ire DS1 Digital Loop - Zone 4		3 U.S	iL U	SLXX	206.74	253.93	158.45	46.10	12.07								_
_	Swit	Ich-As-Is Conversion rate per LING 1 City		4 US		SLXX	458.46	253.93	158.45	46.10	12.07			<del></del>					_
	DS1	tch-As-ts Conversion rate per UNE Loop. Single LSR, (per	T	T		-		203.93	158.45	46.10	12.07								
$\neg$	Swit	tch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per		US	<u>.                                    </u>	RESL	- 1	25.01	, !										_
1	DS1	) Spreadsheet, (per	T.					₹0.01	3.53					Į.	I				
_	Univ	undled Loop Service Rearrangement, change in loop facility,		US	<u>.                                    </u>	RESP	- 1	26.50						<del></del>					
1	per	circuit Coop Service Hearrangement, change in loop facility,	T					£0.50	5.02					I	i		T		_
4-WIR	RE 19.2	56 OR 64 KRPS DIGITAL CRADE LOGO		us	L Ìur	REWO	1	100.90		T			-					_	
T	4 W	ire Unbundled Digital Loop 2.4 Kbps-Zone 1						100.90	42.96					ĺ	ı	[	-		_
	4 W	re Unbundled Digital Loop 2.4 Kbps-Zone 1 ire Unbundled Digital Loop 2.4 Kbps - Zone 2		UD		DL2X	27.44	126.53										ı	
1	4 9/6	re Unbundied Digital Lane 2 4 to		UD	L	DL2X	34.55		88.85	60.68	14.64							_	$\overline{}$
+	4 W	re Unbundled Digital Loop 2.4 Kbps - Zone 3		UD	L	L2X		126.53	88.85	60.68	14.64	$\overline{}$	$\overline{}$	<del></del>					$\neg$
			- 1 4	UD	L. J.	)L2X	40.76 32.25	126.53	88.85	60.68	14.64							<del></del>	-
+	A 647	re Unbundled Digital Loop 4.8 Kbps - Zone 1	1	UD	100	)L4X		126.53	88.85	60.68	14.64							-+	
+-	4 19/1	re Unbundled Digital Loop 4.8 Kbps - Zone 2		UD		L4X	27.44 34.55	126.53	88.85	60.68	14.64							<del></del>	$\dashv$
_1_	4 377	re Unbundled Digital Loop 4.8 Kbps - Zone 3 re Unbundled Digital Loop 4.8 Kbps - Zone 4		UDI		L4X	40.76	126.53 126.53	88.85	60.68	14.64	$\overline{}$							
																			. 1
⊥	4 991	C Creditaled Digital Loop 4.B Kbps - Zone 4	4	ÜDI		L4X	32.25	126.53	88.85 88.85	60.68	14.64								

HOUNDE	D NETWORK ELEMENTS - Mississippi	1 1	<del></del>	1						Sun Carlo	Sun Code	Att: 2 Exh; A		D=2	In-		+
		1 1	i		1					Svc Order Submitted	Svc Order Submitted	Incremental			Incremental	ı	1
					ļ							Charge -	Charge -	Charge	Charge -	ı	}
TEGORY	RATE ELEMENTS	Interim Zon	• BCS	USOC -	[		RATES(\$)			Elec	Manually	Manual Syc	Manual Svc		Manual Syc	ı	1
EGUNT	NATE DESMENTS	* K471111 201	•   •••	0300	1		(A)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.	ı	1
		1 1	!		ĺ							Electronic-	Electronic-	Electronic-	Electronic-	:	1
				( )						i		1st	Add*l	Disc 1st	Disc Arid'l	1	1
					Rec	Nonrec		Nonrecurring				085	Rates(\$)				T
	AW The state of Control of the Control	<del> </del>	100	UDL9X :	27.44	First 126.53	Add') 88.85	First 60.68	Add'l 14.64	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN		T
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1 5 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2	<del>                                   </del>	UDL	UDL9X	34.55	126.53	88.85	60.68	14.64				<del> </del> -	<del></del>			╄
<del></del>	6 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3	3	UDL	UDL9X	40.76	126.53	88.85	60.68	14.64				<del> </del>	łi			+
+	7 Wire Unbundled Digital Loop 9.6 Kbps - Zone 4		UDL	UDL9X	32.25	126.53	88.85	60.68	14.64					<del></del>			t
-	4 Wire Unbundled Digital 19.2 Kbps - Zone 1	1	UDL	U0L19	27.44	126.53	88.85	60.68									+
	4 Wire Unbundled Digital 19.2 Kbps - Zone 2		UDL	UDL19	34.55	126.53	88.85	60.68						Ľ			+
	4 Wire Unbundled Digital 19.2 Kbps - Zone 3	3	UDL	UDL19	40.76	126.53	88.85	60.68	14.64								Γ
-	4 Wire Unbundled Digital 19.2 Kbps - Zone 4		UDL	UDL19 UDL56	32.25 27.44	126.53 126.53	88.85 88.85	60.68 60.68	14.64			<u></u>					Γ
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		UDL	UDL56	34.55	126.53	88.85	60.68	14.64				<del></del>				↓_
<del></del>	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		UDL	UDL56	40.76	126.53	88.85	50.68	14.64								╀
<del>                                     </del>	4 Wire Unbundled Digital Loop 56 Kbps - Zone 4	4	UOL	UDL56	32.25	126.53	88.85	60.68	14,64			<del></del>					╀
	4 Wire Unbundled Digital Loop 64 Klops - Zone 1	,	UDL	UDL64_	27.44	126.53	88.85	60.68	14.64								✝
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	Ź	UDL	UDL64	34.55	126.53	88.85	60.68	14.64								t
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		UDL	UDL64	40.76	126.53	88.85	60.68						}			Γ
-	4 Wire Unburdied Digital Loop 64 Kops - Zone 4	<del>   ⁴</del>	UDL	UDL64	32.25	126.53	88.65	60.68	14,54								Г
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0)		UDL	URESL		25.01	3.53										1
-	Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per	<del>                                     </del>	1001	UNESL		20.01	3.33		<del> </del>					ļ			╄
	(DS0)	1 1	lubi	URESP !		26.50	5.02		!								l
	Unbundled Loop Service Rearrangement, change in loop facility,	<del>                                     </del>		T					T				· · · · · · · · · · · · · · · · · · ·	<del></del>			+
	per circuit		uol	UREWO		101.94	49.66							L /		- 1	
2-WIRE	Unbundled COPPER LOOP																Г
	2-Wire Unbundled Copper Loop-Designed Including manual service	1"		l	l			***									
→	inquiry & facility reservation - Zone 1	<u> </u>	ncr	UCLPB	11.11	120.34	69.87	50 38	7.93								_
-	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2	١ ,	UCL	UCLPB	11.47	120.34	69.87	50.38	7.93					! 1	i		ı
<del></del>	2 Wire Unbundled Copper Loop-Designed including manual service		1000	UCLEB	17,47	120.34	99.07	30.36	7.93								╀
- 1	inquiry & facility reservation - Zone 3	3	UCL	UCLPB	11.74	120.34	69.87	50.38	7.93							ĺ	Ĺ
	2 Wire Unbundled Copper Loop-Designed including manual service	1 1	<del></del>	1 -			7										┢
	inquiry & facility reservation - Zone 4	4	UCL	UCLPB	12.69	120.34	69.87	50.38	7.93						\	}	1
1	2 Wire Unbundled Copper Loop-Designed without manual service	1	)	l													Г
	inquiry and facility reservation - Zone 1	- 1 <sup>1</sup>	UCL	UCLPW	11.11	95.21	57.09	50.38	7.93								L
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2	,	UCL	UCLPW	11,47	95.21	57.09	60.38	7.93						J	i	l .
	2-Wire Unbundled Copper Loop-Designed without manual service		1001	COLFVI	11.47	93.21	37.08	00.38	7.83								┝
	inquiry and facility reservation - Zone 3	3	luci	UCLPW	11.74	95.21	57.09	50.38	7.93	1	1		1	i 1	ì	)	1
<del></del>	2-Wire Unbundled Copper Loop-Designed without manual service	1		T													Н
	inquiry and facility reservation - Zone 4	4	UCL	UCLPW	12.69	95.21	57.09	50.38	7.93								ĺ
	Order Coordination for Unbundled Copper Loops (per loop)	L	ÜCL	UCLMC	<u> </u>	8.20	8.20										
	Unbundled Loop Service Rearrangement, change in loop facility		UCL	LIBERIO													Γ
- A MUDI	per circuit	L	Juci	UREWO	<u> </u>	95.21	42.40		·								_
9-99/1908	COPPER LOOP  4-Wire Copper Loop-Designed including manual service inquiry and	1	<del></del>				<del>- 1</del>						· · · · · · · · · · · · · · · · · · ·				⊢
-	facility reservation - Zone 1	1 1 1	luci	UCL4S_	17.30	144.68	94.22	56.72	10.68		í						ı
	4-Wire Copper Loop-Designed including manual service inquiry and	1		T													$\vdash$
	facility reservation - Zone 2	2	UCL	UCL4S	18.84	144.68	94.22	56.72	10.68				}	\			ı
1	4-Wire Copper Loop-Designed including manual service inquiry and	1	1														Г
	facility reservation - Zone 3	3	UCL	UCL4S	21.33	144.68	94.22	5 <u>6.72</u>	10.68								L
!	4-Wire Copper Loop-Designed including manual service inquiry and	1 1 4	lucu	luci te	21.33	144.55	24.20	FE 70	ا ممما	}	[	- 7	1	Т		T	
<del></del>	facility reservation - Zone 4  4-Wire Copper Loop-Designed without manual service inquiry and	<del>                                     </del>	100	UCL4S	21.33	144.68	94.22	56.72	10.68				+				_
	facility reservation - Zone 1	l l.	lucu	UCL4W	17.30	119.56	81.44	56.72	10.68	:	ſ	1	1	1	1	)	ł
<del>                                     </del>	4-Wire Copper Loop-Designed without manual service inquiry and	<del>1 -                                   </del>	1	1	1	1,5.53		Jo., E								+	_
L.	lacility reservation - Zone 2	2	UCL	UCL4W	18.84	119.56	81.44	56.72	1 <u>0.6</u> 8	}			_	ļ	i		Į
T.	4-Wire Copper Loop-Designed without manual service inquiry and																_
-	facility reservation - Zone 3	3	luci	UCL4W	21.33	119.56	81.44	56.72	10.68								
Į.	4-Wire Copper Loop-Designed without manual service inquiry and	<b>\</b> \ \ .	UCL	I I CI AN	ا میما		\	-0.70	أمممد	)	ì	1	1	7	T	T	_
	facility reservation - Zone 4 Order Coordination for Unbundled Copper Loops (per loop)	<del>   -4</del>	UCL	UCL4W	21.33	119.56 8.20	81.44 8.20	56.72	10.68								_
+	Unbundled Loop Service Rearrangement, change in loop facility.	<del>  </del>		- LOCKING	<del> </del>	9.40	Đ.ZU				<del>- i</del>						_
	per circuit		UCL	UREWQ		95.21	42.40					i	İ		ļ	ĺ	
		1	UEA, UDN, UAL,				- :5							<del>+</del>	<del>+</del>	+	_
	Order Coordination for Specified Conversion Time (per LSR)		UHL UDL, USL	OCOSL	ì	18.19	j									ļ	
Rearra	ngements																_
	EEL to UNE-L Retermination, per 2 Wire Unbundled Voice Loop-	1 1									T						_
	SL2	+-+	UEA	UREEL		87.56	36.29										_
ļ	EEL to UNE-L Retermination, per 4 Wire Unbundled Voice Loop		LEA	UREEL	(	87.56	36.29	ĺ	ļ ļ	ļ	ļ	ļ		{		- 1	
1	EEL to UNE-L Retermination, per 2 Wire ISON Loop	<del> </del>	UDN	UREEL	<del></del>	91.46	44.07							~			

	ED NETWORK ELEMENTS - Mississippi	1	T	T		Т. ———							Att: 2 Exh:	A			Т —	_
		1	1	1	ı	1						Svc Orde	r increments		I Incremental	Incrementa		_
TECON		1	Į.	ļ	1	1					Submitted	Submitte	d Charge -		Charge -			
TEGORY	RATE ELEMENTS	Interim	Zane	BCS	USOC						Elec	Manually				Charge -		
			1-1-	-  503	USUL	1		RATES(\$)			per LSR					Manual Svc		
						1					Per Lak	per LSR			Order vs.	Order vs.	ľ	
		1		1	1	1					1	ł	Electronic	- Electronic-		Electronic-	1	
	<del> </del>		L	<u>i</u>									1st	Add'l	Disc 1st	Disc Add'!		
						<del>                                     </del>	Alama					1	]		Ciac Ist	Digc Wdg.)	1	
<del></del>	<u> </u>			T		Rec	Tit	curring	Nonrecurring	g Disconnect	1		os	S Rates(\$)		<u>'</u>	<del></del>	_
	]	1	_	<del></del>		<del></del>	First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN		<del></del>	_
	EEL to UNE-L Retermination, per 4 Wire Unbundled Digital Loop			luou	L		1				<del> </del>		- 50 11/414	SUMAN	SUMAN	SOMAN		
1	EEL to UNE-L Retermination, per 4 Wire Unbundled DS1 Loop		<del> </del>	LISL	UREEL		101.94	49.66			1	ŀ	1		1			
NE LOOP CO	MMINGLING	<b>⊹</b>	<b>—</b> —	LOSE	UREEL	L	100.90	42.96		<del></del>	<del></del> -		+		L	!	i	
	ANALOG VOICE GRADE LOOP - COMMINGLING			<u> </u>	_i					<del>                                     </del>					]			$\neg$
777.5	2 Was Assets Vision County									Щ	<u> </u>		1					$\dashv$
1 '	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or						т					_					<del></del>	
<del></del> -	Ground Start Signaling - Zone 1	1	- 1	NTCVG	UEAL2	13.89							T					_
- 1 '	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1			OLALE.	13.68	105.96	68.28	52.82	10.37	İ	}	[	1	i !		i	Ì
	Ground Start Signaling - Zone 2		ء ا	NTCVG	UEAL2	l	1						<del> </del>					_!
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	+	٠-	-	UEAL2	18.75	105.96	68.28	52 B2	10.37			1		! I			7
- 1 - 7	Ground Start Signaling - Zone 3	1 .	٠,	l	1 1	i –				10.07		<del></del>	<del> </del>		!		l	- 1
	2-Wire Anslow Voice Grade Lean Community	_	3	NTCVG	UEAL2	27.55	105.96	68.28	52.82	40.07	i	1		1	1			7
1 1	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or							55.55	02.02	10.37	<u> </u>	<u> </u>			!			ĺ
	Ground Start Signaling - Zone 4		4	NTCVG	UEAL2	45.72	105.96			1	-		1					$\dashv$
-1 $f$	2-Wire Analog Voice Grade Loop · Service Level 2 w/Reverse					70.72	100.96	68.28	52.82	10.37	L i	L.	1		1	-		ł
	Dartery Signaling - ∠one 1	1 1	1	INTOVG	UEAR2	13.89	1						-	<del>                                     </del>	<del></del>	—I		4
- 1 - 1	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	-	÷	<del> </del>	OFUIT	13.89	105.96	68.28	52.82	10.37	j l		I	j 1	1	J		- [
	Battery Signating - Zone 2	1 1	,	NTCVG			ı 7		-				<del></del>	<del> </del> -!	<u> </u>			_1
	2-Wire Analog Voice Grade Loop · Service Level 2 w/Reverse	+		MICAC	UEAR2	18.75	105.96	68.28	52.82	10.37			I		$\neg$			┲
	Battery Signaling - Zone 3	I		l	"				- JE:02	10.07	<del></del>		<del></del>	ļ I	f			- 1
$\neg$	2-Wire Analog Voice Grade Loop Co.	<u> </u>	3	NTCVG	UEAR2	27.55	105.96	68.28	En an						-			+
1 1	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1			T	200	100.00	00.28	52.82	10.37			<u> </u>	1	ļ	J		- 1
	Battery Signaling - Zone 4	1 1	4	NTCVG	UEAR2	45.72	105.96		i	Ī					<del></del> +	——↓	—	4
	Switch-As-Is Conversion rate per UNE Loop. Single LSR, (per	, <del> </del>				45.72	(05.96	68.28	52.82	10.37	(		I	1	l	i		- [
	DS0)	į l		NTCVG	URESL	l		7						<del> </del>				
1 7	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	<del> </del>		070	UHESL		25.01	3.53	f	I	Į		1	1		1		Т
_	DS0)		i		1 T													- 1
		<b></b>		NTCVG	URESP		26.50	5.02	l		- 1			ı T	-			+
1 1	Unburidled Loop Service Rearrangement, change in loop facility, per circuit	T			"		20.00	3.02								1	ı	Í
		1 1		NTCVG	UREWO	ľ	87.56			1	7							+
'	Loop Tagging - Service Level 2 (SL2)			NTCVG	URETL			36.29						l i	i	[	- /	-1
		<del></del>	_		Oncit		11.19	1.10	T									
4-WIRE	ANALOG VOICE GRADE LOOP - COMMINGLING																	Т
	4-Wire Analog Voice Grade Loop - Zone 1																$\overline{}$	T
- 17 tz	4-Wire Analog Voice Grade Loop - Zone 2			NTCVG	UEAL4	27.47	132.27	94.59	60.68	14.64								+
<del>-   -  </del>	4-Wire Analog Voice Grade Loop - Zone 3			NTCVG .	UEAL4	38.26	132.27	94.59	00.00								<del></del> +	ϯ
<del>-    </del>	THIRD Area of Voice Grade Loop - Zone 3	L. 17	3	NTCVG	UEAL4	50.03	132.27	94.59	60.68	14,64		Т						┿
	4-Wire Analog Voice Grade Loop - Zone 4		4	NTCVG	UEAL4	50.03			60.68	14.64		-						4
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per				OLIVE T	30.03	132.27	94.59	60.68	14.64								┸
	USU)			NTCVG	URESL													1
ξ.	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per				UHESL		25.01	3.53		- 1		J	i		į.		7	Т
l Ir	OSOI		ı.		1 1	i										[	- 1	1
	Inbundled Loop Service Rearrangement, change in loop facility,			NTCVG	URESP		26.50	5.02	1	1	- 1						-	+
1 1	per circuit							- 5.52					i	ļ			- 1	Ĺ
		1	- 1	NTCVG	UREWO	1	87.56	20.00					Т.			<del></del>	$\overline{}$	⊢
4-AAIKE D	OS1 DIGITAL LOOP						07.30	36.29			_ i							1
- 4	-Wire DS1 Digital Loop - Zone 1		1 1	VTCD1	USLXX	70.00	400.00											Ь.
	-Wire DS1 Digital Loop - Zone 2		<del>-  </del>	VTCDI	USLXX	79.08	253.93	158.45	46.10	12.07		-					Т	Ľ
4	-Wire DS1 Digital Loop - Zone 3			VICDI		129.38	253.93	158.45	46.10	12.07	<del></del>							Ĺ
4	-Wire DS1 Digital Loop - Zone 4				USLXX	206.74	253.93	158.45	46.10	12.07			<u>_</u>					$\overline{}$
S	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		4	NIGD1	USLXX	458.46	253.93	158.45	46.10	12.07								_
1 15	DS1)	- 1				-			-70,10	12.07							$\overline{}$	_
				√TÇD1	URESL	1	25.01	3.53	1	í	1	Г				<del></del>	-	_
2	witch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per						24.41	3.33						- 1		1	- 1	
	751)		16	VTCD1	URESP	I	30.00	!		I				<del>  </del> -	<del></del>			_
լ (Կ	inbundled Loop Service Rearrangement, change in loop facility.	_	-+		<del></del>	<del></del> +	26.50	5.02			- 1		- 1	1	I	I		
	er circuit	ĺ	- 1	ITCD1	UREWO	1												_
4-WIRE 19	9.2, 56 OR 64 KBPS DIGITAL GRADE LOOP		11/2		UNEWU		100.90	42.96		- 1	ſ		í	1	ſ	[		_
4	Wire Unbundled Digital Loop 2.4 Kbps-Zone 1			role.										<del></del>	L			
1 14	Wife Unbuilded Digital Loop 2.4 Khos - Zope 3		<del>- 4</del> 0	TCUD	UDL2X	27.44	126.53	88.85	60.68	14,64								_
1/4	Wire Unbundled Digital Loop 2.4 Kbps - Zone 3			(TCUD	UDL2X	34.55	126.53	88.85	60.68	14.64							-+	_
<del> 12</del>	Wire University Dishall and 2 4 KDDS - Z008 3		3 N	LLC/ID	UDL2X	40.76	126.53	88.85	60.68								-+	
<del>-   -        </del>	Wire Unbundled Digital Loop 2.4 Kbps - Zone 4		4 [	TCUC	UDL2X	32.25	126.53	88.85		14.64					<del>-  -</del>	<del></del>	-+	_
1 14 1	WYE Unbundled Digital Loop 4 8 Khoe - Zone 1		1 N		UDL4X	27.44			60.68	14.64		7		<del>  -</del>				_
<del>-   4</del> ,	Wire Unbundled Digital Loop 4.8 Kbps - Zone 2		2 IN	TCUD	UDL4X		126.53	88.85	60.68	14.64							<del></del> -	_
4	Wire Unbundled Digital Loop 4.8 Kbps - Zone 3		3 N	TCUD		34.55	126.53	88.85	60.68	14.64		+	<del></del> -					_
4 1	Wire Unbundled Digital Loop 4.8 Kbps - Zone 4	<del>- +</del> -	<del>- 1</del> 2		UDL4X	40.76	126.53	88.85	60.68	14.64	<del></del>		<del></del>					_
1 1/2	Wire Unbundled Digital Loop 9.6 Kbps - Zone 1		4 N	ITGUU	UDL4X	32.25	126.53	88.85	60.68	14.64						-	_	_
	Wire Linburglad Digital Loan 9 C / 2		1 N		UDL9X	27.44	126.53	88.85	60.68								<del>-</del>	-
I	Wire Unbundled Digital Loop 9.6 Kbps - Zone 2		2 N	TCUD	UDL9X	34.55	126.53			14.64						<del>-  -</del>	<del></del>	_
I 15 \	Wire Unbundled Digital Loop 9.6 Kbps - Zone 3				UDL9X	40.76		88.85	60.68	14.64							<b></b> -⊢	_
5 \	Mire I bhundled Distail Lane C. C. Mary		4 N		UDL9X		126.53	88.85	60.68	14.64					<del></del>			
5 V	Wire Unbundled Digital Loop 9.6 Kbps - Zone 4	ı				32.25	126.53	88.85	60.68	14.64	<del></del>	+						_
5 \ 6 \ 7 \ 4 \	Wire Unbundled Digital 19.2 Kbos - Zone 1													I .	1			~~
5 \ 6 \ 7 \ 4 \	Wire Unbundled Digital 19.2 Kbos - Zone 1		1 N		UDL19	27.44	126.53	88.85	60 6A I	14 04	1					1		
5 \ 6 \ 7 \ 4 \ 4 \ 4 \ 7	Wire Unbundled Digital 19.2 Kbps - Zone 1 Wire Unbundled Digital 19.2 Kbps - Zone 2		2 N	TCUD	UDL19	34.55	126.53		60.68	14.64		$-\top$			+-		-+	_
5 \ 6 \ 7 \ 4 \ 4 \ 4 \ 4 \ 4 \ 4 \ 4 \ 4 \ 4	Wire Unbundled Digital 19.2 Kbps - Zone 1 Wire Unbundled Digital 19.2 Kbps - Zone 2 Wire Unbundled Digital 19.2 Kbps - Zone 2		2 N	TCUD TCUD			126.53	88.85	60.68	14.64							#	=
5 \ 6 \ 7 \ 4 \ 4 \ 4 \ 4 \ 4 \ 4 \ 4 \ 4 \ 4	Wire Unburdled Digital 19.2 Kbps - Zone 1 Wire Unburdled Digital 19.2 Kbps - Zone 2 Wire Unburdled Digital 19.2 Kbps - Zone 3 Wire Unburdled Digital 19.2 Kbps - Zone 4		2 N 3 N 4 N	TCUD TCUD TCUD	UDL19	34.55 40.76	126.53 126.53	88.85 88.85	60.68 60.68	14.64 14.64								=
5 \ 6 \ 7 \ 4 \ 4 \ 4 \ 4 \ 4 \ 4 \ 4 \ 4 \ 4	Wire Unbundled Digital 19.2 Kbps - Zone 1 Wire Unbundled Digital 19.2 Kbps - Zone 2 Wire Unbundled Digital 19.2 Kbps - Zone 2		2 N	TCUD TCUD TCUD	UDL19 UDL19	34.55	126.53	88.85	60.68	14.64								_

	ED NETWORK ELEMENTS - Mississippi	$\overline{}$		T									Att: 2 Exh: A	4				$\overline{}$
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)		-	Svc Order Submitted Elec per LSR	Manually	Incremental	Charge - Manual Svc Order vs.	Incremental Charge Manual Svc Order vs Electronic- Oisc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l		+
<del></del>		1			<del> </del>	Rec		curring	Nonrecurring	Disconnect			OSS	Rates(\$)				+
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	+	3	NTCUD	UDL56	40.76	First 126.53	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN		+-
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 4			NTCUD	UDL56	32.25	126.53	88.85 88.85	60.68 60.68	14.64							<del></del>	┿
	4 Wife Unbundled Digital Loop 64 Kbps - Zone 1	$\vdash$	1	NTCUD	UDL64	27,44	126.53	88.85		14,64								+-
	14 Wire Unbundled Digital Loop 64 Khos - Zone 2		-2	NTCUD	UDL64	34.55	126.53		60.68	14.64							<del></del>	+
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	NTCUD	UDL64	40.76	126.53			14.64								+
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 4			NTCUD	UDL64	32.25	126.53	88.85 88.85		14.64								+
1 "	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per	1	-		0000	32.23	120.03	88.65	60.68	14.64								+-
$-\!\!\perp\!\!-$	[DS0)	l I		NTCUD	URESL		25.01	3.53										+-
i	Switch-As-Is Conversion rate per UNE Loop. Spreadsheet. (per				-	<del></del>	23.01	3.33						L	ĺ			
	DS0)	!		NTCUD	URESP		26.50	5.02	l i									+-
	Unbundled Loop Service Rearrangement, change in loop facility.	1				<del> </del>	20.30	5.02						L.				
	per circuit	1 1		NTCUD	UREWO		101.94	49.66										+
1		1 1		NTCVG, NTCUD.	00		101.84	48.66										1
	Order Coordination for Specified Conversion Time (per LSR)	!!		NTCD1	OCOSL		18.19		]		- 1							+-
INTENANCE	OF SERVICE						10.13											i .
	1		$\neg$	UDC, UEA, UDL.	1 -				·									1
	1			UDN, USL, UAL,	1	1				ļ	-							+
- 1				UHL, UCL, NTCVG,	1					- 1					i	1		1
		!!		NTCUD, NTCD1.							- 1	1				- 1		
		( I	ľ	U1TD1, U1TD3,		] ]				Į.	}	l	ļ	! !	1	ļ		1
- !			1	UTTDX, UTTS1.	ľ						i	- 1		' i				
1	i	1 1		UTTVX, UDF,												i		
				UDFCX, UDLSX,					1		- 1	i				,		1
		1		UE3, ULDD1				1			- 1		- 1					1
				ULDD3, ULDDX,						1	- 1	- 1				i		1
j			- 1	ULDS1, ULDVX.		1					- 1	- 1		ļ	- 1			ſ
1		1		UNC1X, UNC3X,	ł				i		!			í				1
				UNCDX, UNCSX						1	- 1		- 1			i		1
	Maintenance of Service Charge, Basic Time, per half hour		l l	UNCVX, ULS	MVVBT		80.00	55.00	Į.	i	- 1	1	- 1		í			i
				UDC, UEA, UDL,	411131		80.00	55.00				i	}	1		1		i
i				UDN, USL, UAL.	Į	l i	Ī		1							+		_
		- 1		JHL, UCL, NTCVG,				- 1		1		- 1			ſ			i
			l li	NTCUD, NTCD1,			i					ĺ		1		- 1		i
			li.	J1TD1, U1TD3.					ľ		J		i		ļ		1	
1				JITDX, UITS1,			!		i		í			ļ	ſ	i i		
1 1		i		JITVX, UDF,				Ī		1	- 1	- 1	ļ	1				
		ĺ		JOFCX UDLSX.	:			i			- 1		i		ŀ		- 1	
											1					ľ		
	ļ		l,	Æ3, ULDD1,					i	Į.	i		- 1	- 1		i		
i	1			LDD3, ULDDX,						1		- 1	- 1	- 1		- 1	i	
1 1				JLDS1, ULDVX,				i		- 1				l				
		ĺ		INC1X, UNC3X,					ļ	- 1	- 1			- 1		i		
	Maintenance of Service Charge, Overtime, per half hour		- 13	INCDX, UNCSX,					1			f	- 1			1		
+	The second of delives charge, Overtalle, per hart flour	$-\!\!+\!\!$			MVVOT		90.00	65.00		i				- 1				
	1			IDC, UEA, UDL,							<del></del>			<del></del>				
		- 1		JDN, USL, UAL,		I	1		ļ	- 1	i	ł	ł		1			
		- 1	ļι	HL, UCL, NTCVG,		I	i i						- 1		l	1		
			<u> </u>	ITCUD, NTCD1,	i	J	- 1	ļ		- 1			- 1	1	l	i	ĺ	
J				ITD1, UITD3,		1	1	ł			1	}	!	I	1	1		
				JITDX, UITSI.		i		I	ŀ		- 1	- 1	- 1	- 1	l	1		
		1		JITVX, UDF.	-	- 1	1	I		1	- 1	- 1	- 1	ł	ļ	- 1	- 1	
		- 1		IDFCX, UDL\$X,	j	- 1		I		I				- 1		İ	- 1	
			Įι	E3, ULDD1,	i	!		[			1	1	i	- 1		1	- 1	
!		- 1	Įυ	LDD3, ULDDX,	I	ĺ		i		ļ				- 1	ļ			
	i	- 1		LDS1, ULDVX,	I	ĺ		- 1	į.	i		J	ļ		ı	l l	J	
1 1		1		NC1X, UNC3X,			1	- 1	l	I	ĺ	1	ĺ	- 1	- 1	I	- 1	
- ( I	Malauria de la la la la la la la la la la la la la			NCDX, UNCSX,				- 1	l	I			- 1	ĺ	1	1	- 1	
MODIFICA	Maintenance of Service Charge, Premium, per half hour		Ų	NCVX, ULS	MVVPT		100.00	75.00	ļ	- }			ļ	I	İ	1	- 1	
MODIFICA	ATION									<del></del>	}-	—						
	<del></del>	7		AL, UHL, UCL,	1					<del>-  </del> -								_
] [.	I though at the second second	ļ	ļu	EQ, ULS, UEA,			1			1			- 1		- 1			_
1 1	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair		ĮU	EANL, UEPSR,			Į	- 1	- 1	1		ļ	- 1	Į		1		
<del> </del>	ess than or equal to 18k ft, per Unbundled Loop		U		JLM2L		32.57	32.57	1	l		1		ĺ	1	i i	- 1	
Ţ	Unbundled Loop Modification Removal of Load Colls - 4 Wire less					<del></del>	JE. J7	32.01							i	Į	Ì	
1	han or equal to 18K ft, per Unbundled Loop		_  u	HL, UCL, UEA (	JLM4L	- 1	32.57	32.57		1								_
		1		AL, UHL, UCL,	+		JE. 37	32.97							1	1	- 1	
1 1		1		EQ, U.S, UEA,	]	- 1	Į	- 1	1	ı	1					<del></del>		_
	Unbundled Loop Modification Removal of Bridged Tap Removal,		lu	EANL, UEPSR.	ſ	1	f	l	l	- 1	1	1	ļ		ı	ſ	- 1	
_	per unbundled loop				JLMBT		22.50	20.50	J	ı			I	Ì	J		1	
LOOPS			۲,			<del></del>	32.59	32.59						- 1				
	p Distribution																	

	D NETWORK ELEMENTS - Mississippi	,	_										Att: 2 Exh: A	·			1	—
			1			i						Svc Order	Incremental	Incremental	Incremental	Incremental	<del> </del>	+
			ı		!							Submitted	Charge -	Charge .	Charge -	Charge -	ľ	
EGORY	RATE ELEMENTS	Interio	Zone	BCS	USOC			RATES(\$)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc	i	
			7	203	0300			RATES(\$)			per L\$R	per LSR	Order vs.	Order vs.	Order vs.	Order vs.	ļ	- 1
		1	1		ì								Electronic-	Electronic-			ľ	- 1
		1	1								ŀ				Electronic-	Electronic-	i	- 1
			<u> </u>		┙.						ĺ		1st	Add'l	Disc 1st	Disc Add'i		- 1
						Rec	Nonre	curring	Nonrecurring	Disconnect		<u> </u>	055	D 72 - 4 - 401				
<del></del>	A CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR	ļ	↓			K#¢	First	Add	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	201111			Τ
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Up	Ι.	1	. =			-						COMPA	SUMAN	SOMAN	SOMAN		4
-	<u>, (40                                   </u>	<del>                                     </del>		UEANL, UEF	USBSA		259.69		L		i	ļ		1 1				ļ
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	Ι.	I	1 <b>-</b> 1 - 1	1									t				4
<del>-  </del>	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility	<u> </u>	<del>                                     </del>	UEANL, UEF	USBSB		22.77				l			í í	ĺ			-
	Set-Up	Ι.		UEANL										†				4-
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-	<del>'</del>		UEANL	USBSC		178.47			L :				]				Т
	Ub	Ι.				]												4
<del></del>	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop	<del>                                     </del>	-	UEANL	USBSD		56.39			L				1	I			1
	Zone 1		١.,	UEANL	l	l i								<del></del>	<del></del>			4
<del></del> -	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop		1	UEANL	USBN2	7.15	66.18	31.14	45.36	6.71				1 1		i		Į
	Zone 2		[ ]				-	"						<del>                                     </del>				┸
			2	UEANL	USBN2	9.51	66.18	31.14	45.36	6.71					ĺ			1
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	I	1		l					-				<del></del>				4
			3	UEANL	USBN2	12.45	66.18	31.14	45.36	6.71				[ ]	Ţ	1		1
- 1	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	I	1 1		1									<del>  </del>				1
-	Zone 4		4	UEANL	USBN2	18.26	66.18	31.14	45.36	6.71		i		1	- 1	ļ		Г
	Code Conduction In the City Code	1			1										<u>_</u>			L
+	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		1	UEANL	USBMC		8.20	B.20						l J	i	1		[
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop	i	. 7						-			<del></del>		<del> </del>				L
	Zone 1		1	UEANL	USBN4	7.30	79.49	44.45	51.27	9.35			í		1	T		1
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop	I -																L
	Zone 2		2	UEANL	USBN4	13.92	79.49	44.45	51 27	9.35	- 1	- 1			!	[		Г
ł	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop	l	1 1															L
	Zone 3		3	UEANL	USBN4	16.73	79.49	44.45	51.27	9.35				1				Г
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop		'									+						
	Zone 4		4	UEANL	US8N4	16.73	79.49	44.45	51.27	9.35	í	1	1		i			Г
																		ĺ
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.20	8.20		i		- 1			- 1			Г
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	2.29	53.32	18.28	45.36	6.71								ı
ŀ										0.71								$\overline{}$
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		1 1	UEANL	USBMC	i	8.20	8.20	- 1	ŀ	1	- 1						_
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	4.40	59.60	24.55	51.27	9.35								
								2 100		3.33								_
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	l		UEANL	USBMC		8.20	8.20	i		1				1			
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		34.36	0.00										
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.97	19.97			-+	<del></del>						_
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	6.06	66.18	31.14	45.36	6.71	<del>-</del>					_ "		_
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2		UCS2X	7.09	66.18	31.14	45.36	6.71								_
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UC52X	8.16	66.18	31.14	45.36	6.71								_
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 4		4	JEF	UCS2X	9.90	66.18	31.14	45.36	6.71								_
					1		54.10	31.14	43.36	0.71	-							_
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		1	UEF	USBMC	ļ	8.20	8.20	!	J		- 1	["					—
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		7	JEF	UCS4X	5.10	79.49	44.45	51.27	0.05		$-\!-\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!$				1	ł	
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2		UCS4X	9.11	79.49	44.45	51.27	9.35								_
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	.EF	UCS4X	14.00	79.49	44.45	51.27	9.35							<del></del>	-
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 4		4	JEF	UCS4X	14.00	79.49	44.45	51.27									
T				·	150577	14.00	75.48	44,45	51.27	9.35	l_							_
_1_	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		l li	JEF	USBMC		6.20	8.20	- 1		. !	Г						_
	Loop Tagging Service Level 1, Unbundled Copper Loop, Non-		<del>- 1</del>		202-10		0.20	8.20							J	- 1	- 1	
	Designed and Distribution Subloops			JEF, UEANL	URETL	!	8.92	0.88	- 1								<del></del>	_
	Loop Testing - Basic 1st Half Hour	-		JEF. GEARL	URETI		34.36	0.00							1	i		
	Loop Testing - Basic Additional Half Hour			JEF .	URETA		19.97	19.97									<del></del>	_
Unbund	lied Sub-Loop Modification				PONE IA		19.97	19.97										_
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load		1		7													_
	Coll/Equip Removal per 2-W PR			ÆF	ULM2X		176.80	5.13		· ·	Į	Г	Т					-
	Unbundled Sub-loop Modification - 4-W Copper Dist Load	-	<del></del>		Journey		. 1/5.80	5.13								- 1		
1 1	Coil/Equip Removal per 4-W PR		<sub> </sub>	JEF	ULM4X	ļ	176.80		ł	J.	Г					~		_
	Unbundled Loop Modification, Removal of Bridge Tap, per		<del></del>		- SCIMAN		176.80	5.13					I				- 1	
	unbundled loop	- 1	١,	JEF	ULMBT		279.81				Γ		1				-+	_
Unbund	lled Network Terminating Wire (UNTW)			···	Parento I	<del></del>	2/9.81	6.15					1	J	- 1		- 1	
1,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Unbundled Network Terminating Wire (UNTW) per Pair			JENTW	UENPP	0.0000										+		_
Network	k Interface Device (NID)			A-111 D	DEMPP	0.3366	30.55						-		<del>-</del>	<del></del>		_
	Network Interface Device (NID) - 1-2 lines		. 1	ENTW	118646												<del></del>  -	_
	Network Interface Device (NID) - 1-5 lines			JENTW	UND12		43.84	28.90					T-				<del></del>	
	Network Interface Device Cross Connect - 2 W				UND16		65.30	50.36				<del></del>			-+			_
	Network Interface Device Cross Connect - 2 W  Network Interface Device Cross Connect - 4W			ENTW	UNDC2		5.94	5.94					_					_
			,	ENTW	UNDC4	1	5.94	5.94										_
UTREX, PI	ROVISIONING ONLY - NO RATE				1													ì

	D NETWORK ELEMENTS - Mississippi										<u> </u>		Att: 2 Exh; A					
CATEGORY	RATE ELEMENTS	interim	Zone	BCS	USOC		Nonrec	RATES(\$)			Svc Order Submitted Elec per LSR	Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add')	Incremental Charge Manual Syc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l		
					+	Rec	First	Add'l	Nonrecurring First	Add'I	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN		<del>1</del> —
	Urbundled Contact Name. Provisioning Only - no rate			UAL, UCL, UDC, UDL, UDN, UEA, UHL, UEANL, UEF, UEQ, UENTW, NTCVG, NTCUD, NTCD1, USL	UNECN	0.00	0.00								Solution	SOMA!		
$\neg \bot$	Unbundled DS1 Loop - Superframe Format Option - no rate			USL. MTCD1	CCOSF		0.00											+
	Unbundled DS1 Loop - Expanded Superframe Format option - no rate	$\lfloor \  \  \rfloor$		USL, NTCD1	CCOEF	ļ	0.00	1			1	, , , , ,						1
	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00				-							┼
OOP MAKE-U	UNTW Circuit Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00											<del>1 -</del>
	Loop Makeup · Preordering Without Reservation, per working or				<del> </del> -	ļ	<del></del>											
	spare facility queried (Manual).	<u> </u>		LMK	UMKLW		24.12	24.12								i		
_ /	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).			UMK _	UMKLP		25.58	25.58										
	Loop Makeup-With or Without Reservation, par working or spare facility queried (Mechanized)			UMK	имкма		0.6652	0.6652							<del></del> }			<del>                                     </del>
INE SPLITTING		1 -	_	CAVITS	UNIKIVIC		0.6652	0.0032		<del></del>								├
	ER ORDERING-CENTRAL OFFICE BASED											ــــــــــــــــــــــــــــــــــــــ		——	ــــــــــــــــــــــــــــــــــــــ			┼
	Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61												<u>L</u>
<del></del>	Line Splitting - per fine activation AT&T owned - physical Line Splitting - per line activation AT&T owned - virtual	<del> </del>		UEPSR UEPSB UEPSR UEPS8	UREBP	0.61	18.62	10.66	10.04 10.04	4.93				$-\Box$				
END US	BER ORDERING - REMOTE SITE LINE SPLITTING	L		OCT OF OCT OF	JOHEDA	V.61	18.62	19.55	10.04	4.93	L	L <del></del>						<del></del>
$\neg \vdash \neg$	Remote Site Shared Loop Line Activation for End Users - CLEC	ΙTΤ				Γ							<del></del> -	— т				<del> </del>
<del></del>	Owned Splitter Remote Site Shared Loop - Subsequent Activity - CLEC Owned			UEPSR UEPSB	URERS	0.61	56.96	23.05	7.19	7.19		L- <u>-</u>						—
	Spiller OLED EXCHANGE ACCESS LOOP			UEPSR UEPSB	URERA	<u></u>	53.94	21.40			i							
	ANALOG VOICE GRADE LOOP	-						·										
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-											Т		——,	—— <sub>Г</sub>	<del></del>	- $+$	├
	Zone 1  2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		- 1	UEPSR UEPSB	UEALS	12.03	37.92	17.55	23.48	5.25								├
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-			UEPSR UEPSB	UEABS	12,03	37,92	17.55	23.48	5.25								<del></del>
	Zone 2  2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		2	WEPSR WEPSB	UEALS	16 87	37.92	17,55	23.48	5.25								<u> </u>
	Zone 2 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting		2	UEPSR UEPSB	UEABS	16.87	37.92	17.55	23.48	5.25							i	
	Zone 3		3	UEPSR UEPSB	UEALS	25.68	37.92	17.55	23.48	5.25						]	}	
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3		3	UEPSR UEPSB	UEABS	25.68	37.92	<u>17</u> 55	23.48	5.25				""				
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 4		4	UEPSR UEPSB	U€ALS	43.85	37.62	17.55	23.48	5.25								
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 4			UEPSR UEPSB	UEABS	43.85	37.92	17.55	23.48	5.25							$\neg \dashv$	<u> </u>
	Remote Site 2 Wire Analog Voice Grade Loop -Service Level 1- Line Splitting - CLEC Owned Splitter - Zone 1		1	UEPSR UEPSB	UEARS	7,15	66.18	31.14	45.36	6.71						<del></del> +	<del> </del>	
	Remote Site 2 Wire Analog Voice Grade Loop - Service Level 1.  Line Splitting - CLEC Owned Splitter - Zone 2		2	UEPSR UEPSB	1							<del></del>			<del>  </del>	<del></del>		
<del></del>	Remote Site 2 Wire Analog Voice Grade Loop -Service Level 1-				UEARS	9.51	66.18	31.14	45.36	6,71								
	Line Splitting - CLEC Owned Splitter - Zone 3 Remote Site 2 Wire Analog Voice Grade Loop -Service Level 1-	┝╌┥	3	UEPSR UEPSB	UEARS	12.45	66.18	31.14	45.36	6.71						<b>-</b> —∔		
i}}	Line Splitting - CLEC Owned Splitter - Zone 4	L	4	UEPSR UEPSB	UEARS	18.26	66.18	31.14	45,36	6.71								
- ratalc	AL COLLOCATION Physical Collocation-2 Wire Cross Connects (Loop) for Line	· ·			γ			· 1		<del></del>		<del></del>						
	Splitting L COLLOCATION	LI		UEPSR UEPSB	PE1LS	0.0288	12.37	11.87	6.04	5.45							_,	_
1				15500 15500				···-					— т	<del>-                                    </del>		<del> T</del>		
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting EDICATED TRANSPORT		-+	UEPSR UEPSB	VEILS	0.0268	12.37	11.87	6.04	5.45								
	FFICE CHANNEL - DEDICATED TRANSPORT																<del></del> +	
	Interoffice Channel - 2-Wire Voice Grade - per mile	$ \Box$	_4	UITVX	1L5XX	0.0098				لتيحت								
	Interoffice Channel - 2-Wire Voice Grade - Facility Termination Interoffice Channel - 2-Wire Voice Grade Rev Bat - per mile			UITVX UITVX	Ú1TV2 1L5XX	0.0098	40.77	27.57	17.26	7.11								
		_					<del></del>									$\overline{}$		
									1	_			- 1		I .			
_	Interoffice Channel · 2-Wire VG Rev Bat Facility Termination Interoffice Channel - 4-Wire Voice Grade - per mile	-		UITVX UITVX	U1TR2 1L5XX	22.52 0.0098	40.77	27.57	17.26	7,11								

	D NETWORK ELEMENTS - Mississippi	γ			· · · · ·								Att: 2 Exh: A					L
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC		Nonrec	RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order va. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add't		
		1 -	$\neg$		<del> </del>	Rec	First	Add')	First	Disconnect Add'I	SOMEC	SOMAN	SOMAN	Rates(\$)	A=8441			ш
	Interoffice Channel - 56 kbps - per mile	11		UTDX	1L5XX	0.0098	- '' <del>'</del>	747	T.D.ar	A001	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN		┿
	Interoffice Channel - 56 kbps - Facility Termination			ULTDX	U1TD5	15.68	40.77	27.57	17.26	_ 7.11			<del></del>	<del></del>	ļ . <b></b>			+
	Interoffice Channel - 64 kbps - per mile			XOT IU	1L5XX	0.0098							<del>                                     </del>			<u> </u>		+
	Interoffice Channel - 64 kbps - Facility Termination Interoffice Channel - DS1 - per mile			UITDX	Ú1TD6	15.68	40.77	27.57	17.26	7.11								_
<del></del>	Interoffice Channel - DS1 - Facility Termination			UTDI UTDI	U1TF1	0.201												+
	Interoffice Channel - DS3 - per mile	<del>├</del> ──		UiTD3	1L5XX	57.33 4.76	89.79	82.28	16.86	14.90								T
-	Interoffice Channel - DS3 - Facility Termination	1	$\neg$	Ui TD3	U1TF3	641.90	280.37	163.70	62.08	60.29			ļ					
	Interoffice Channel - STS-1 - per mile	1		U1 TS1	1L5XX	4.76		100.70		90.29	<del></del>		t	<del> </del>				+
	Interoffice Channel - STS-1 - Facility Termination			U17S1	UITES	644.21	280.37	163.70	62.08	60.29	<del></del> -			<del> </del>				+
UNBUN	DLED DARK FIBER Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per Route Mile Or Fraction Thereof		-	UDF. UDFCX	1L5DF	28.27												<del> </del>
	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per													<del></del>				┼
SH CAPACITY	Route Mile Or Fraction Thereof  Y UNBUNDLED LOCAL LOOP	<del>├</del> ──┼		UDF, UDFCX	UDF14		642.79	138.67	326.97	203.85								Ĺ
	r UNBUNDLED LOCAL LOOP - Stand Alone	LL				اـــــــــــــــــــــــــــــــــــــ				L								
1	DS3 Unbundled Local Loop - per mile	$\overline{}$	—т	UE3	1L5ND	11.20												$\Box$
	DS3 Unbundled Local Loop - Facility Termination		_	UE3	UE3PX	326.15	454.13	265.47	123.23	86.19			<del></del>					<del>                                      </del>
	STS-1 Unbundled Local Loop - per mile			UDLSX	1L5ND	11.20			7.4.60	uq. 19			<del></del> -	<del> </del>				├
1441/07==	STS-1 Unbundled Local Loop - Facility Termination		$\Box$	UOLSX	UOLS1	338.55	454.13	265.47	123.23	86.19				<del>                                     </del>				+-
	TENDED LINK (EELs)	<u> </u>																<del> </del>
Network	k Elements Used in Combinations 2-Wire VG Loop (SL2) in Combination - Zone 1	<del></del>		UNCVX	Tura I													╆╾
	2-Wire VG ( pop (SI 2) in Combination - Zone 2	<del></del>		UNCVX	UEAL2 UEAL2	13.69	105.96	68.28	52.82	10.37		=						$\overline{}$
_	2-Wire VG Loop (SL2) in Combination - Zone 3	<del> </del>	3	UNCVX	UEAL2	18.75 27.55	105.96 105.96	68.28 68.28	52.82 52.82	10.37								
$\neg$	2-Wire VG Loop (SL2) in Combination - Zone 4	1		UNCVX	UEAL2	45.72	105.96	68.28	52.82	10.37 10.37				<del></del>				
	4-Wire Analog Voice Grade Loop in Combination - Zone 1	1		UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64								L
	4-Wire Analog Voice Grade Loop in Combination - Zone 2			UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64								├
	4-Wire Analog Voice Grade Loop in Combination - Zone 3			UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64								├
<del> </del>	4-Wire Analog Voice Grade Loop in Combination - Zone 4 2-Wire ISBN Loop in Combination - Zone 1	<del></del>		UNICVX	UEAL4	50,03	132.27	94.59	83.08	14.64					————	<del></del>		<del> </del>
<del></del>	2-Wire ISDN Loop in Combination - Zone 2			UNCNX	U1L2X U1L2X	21.01	117.61	79,92	52.82	10.37								
<del></del>	2-Wire ISDN Loop in Combination - Zone 3	<del>                                     </del>		UNCNX	U1L2X	27.59 37.34	117.61	79.92 79.92	52.82 52.82	10.37								
	2-Wire ISDN Loop in Combination - Zone 4	<del></del>		UNCNX	UILZX	59.18	117.61	79.92	52.82	10.37								
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	27.44	126.53	58.85	80.68	14.64	<del></del>			—— <u> </u>	<del></del>	— <del>}</del>		<b>⊢</b>
_	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64								⊢-
	4-Wike 56Kbps Digital Grade Loop in Combination - Zone 3			UNCDX	UDL56	40.76	126.53	88.85	60.68	14,64								<del></del>
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 4 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1			UNCDX	UDL56	32.25	126.53	<b>68.8</b> 5	60.68	14.64								
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1			NCDX UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64								_
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3	<del>├─</del> ─┼		UNCDX	UDL64 UDL64	34.55 40.76	126.53 126.53	88.85 88.85	60.68	14.64								
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 4	+		UNGDX	UDL64	32.25	126.53	88.85	60.68	14.64								
	4-Wire DS1 Digital Loop in Combination - Zone 1	<del></del>		JNC1X	USLXX	79.08	253.93	158.45	46.10	12.07								
	4-Wire DS1 Digital Loop in Combination - Zone 2			JNC1X	USLXX	129.38	253.93	158.45	46.10	12.07			<del></del>	<del></del> -				
	4-Wire DS1 Digital Loop in Combination - Zone 3	<u> </u>		JNC1X	USLXX	206.74	253.93	158.45	46.10	12.07				+	+	<del></del>		
	4-Wire DS1 Digital Loop in Combination - Zone 4 DS3 Local Loop in combination - per mile	<del> </del>		LNC1X	USLXX	458.46	253.93	158.45	46.10	12.07								_
<del></del>	DS3 Local Loop in combination - per mile DS3 Local Loop in combination - Facility Termination	┝──┼		INC3X	1L5ND UE3PX	11,20	427.0	- 25-5-										_
	STS-1 Local Loop in combination - per mile	<del>                                     </del>		NCSX	1L5ND	326,15 11.20	454.13	265.47	123.23	86.19								
	STS-1 Local Loop in combination - Facility Termination	<del>                                     </del>		JNCSX	UDLS1	338.55	454.13	265.47	123.23	86.19	<del>}</del>		<del></del>					
	Interoffice Channel in combination - 2-wire VG - per mile			JNCVX	1L5XX	0.0088	-5	200.47	-20.23	86.19		+	<del></del> +					
_	Interoffice Channel in combination - 2-wire VG - Facility Termination Interoffice Channel in combination - 4-wire VG - per mile			NCAX	U1TV2	20.32	40,77	27.57	17.26	7.11								
<del>-    </del>	nteroffice Channel in combination - 4-wire VG - Facility		<del>{</del>	~~~~	I CUAN	0.0088							}					
	Termination Interoffice Channel in combination - 4-wire 56 kbps - per mile			NC5X NC5X	U1TV4 1L5XX	17.86 0.0088	40.77	27.57	17.26	7.11								
	Interoffice Channel in combination - 4-wire 56 kbps - Facility Termination Interoffice Channel in combination - 4-wire 64 kbps - per mile			INCDX	U1TD5	14.14 0.0088	40.77	27.57	17.26	7.11								
	Interoffice Channel in combination - 4-wire 64 kbps - Facility Termination			NCOX	U1TD6	14,14	40.77	27.57	17.26	7,11								
	Interoffice Charinef in combination - DS1 - per mile			INC1X	1L5XX	0.1813			20			<del></del>	+	+			∤	
	nteroffice Channel in combination - DS1 Facility Termination			NC1X	UITFI	51.72	89.79	82.28	16.86	14.90	+	+	<del></del>	<del></del>		<del></del>	<del></del> +	
	nterattice Channel in combination - DS3 - per mile	<u> </u>		NC3X	1L5XX	4.29								<del></del>			<del></del> i	
	Interoffice Channel in combination - DS3 - Facility Termination Interoffice Channel in combination - STS 1 - per mile	┝┷		NCSX	U1TF3	579.12	280.37	163.70	62.08	60.29								
<del></del>	nteroffice Chainel in combination - \$15-1 - per mile	<del>  -</del>		NCSX	U1TFS	4,29 581.21	280.37	163.70	40.00				$-\Box$					
DITIONAL NE	TWORK ELEMENTS	<del>                                     </del>	+		~, J	061.21	∠80.37	163.70	62.08	60.29								

	DLED NETWORK ELEMENTS - Mississippi	$\neg$		Τ									Att: 2 Exh: A					_
		- 1			i	Į.					Syc Order	Svc Order	Incremental		lan and			4
			1	1							Submitted	Submitted					-	Т
EGOR	RATE ELEMENTS					i							Charge -	Charge -	Charge -	Charge -	i	- 1
	' RAIE ELEMENTS	Inte	rim Zone	acs acs	USOC			RATES(\$)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc		- 1
			Į.		1			IOCI CO(#)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.	ĺ	- [
		ľ		1		1					1		Electronic-	Electronic-				- 1
		- 1		1		1					i		1st		Electronic-	Electronic-		- 1
				<del>                                     </del>	<del>-</del>								136	Add'I	Disc 1st	Disc Add':		ı
4.			_		<del> </del>	Rec	First	curring	Nonrecurring				oss	Rates(\$)				4
-  0	tional Features & Functions:			·	<del>'</del>	-	First	Addi	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN		+
- 1	Clear Channel Comphile: Estandard Company			UTTD1.														+
+-	Clear Channel Capability Extended Frame Option - per DS1			ULDD1,UNC1X	CCOEF	L.	0.00	0.00	0.00	0.00	ļ	l :	}	1				+
	Clear Channel Capability Super FrameOption - per DS1	ļ		UTD1.					0.00	0.00	<del></del>							ſ
-+	Clear Channel Capability (SF/ESF) Option - Subsequent Activity		<u> </u>	ULDD1,UNC1X	CCOSF	1	0.00	0.00	0.00	0.00					T			+
	per DS1	y -		ULDDI, UITDI,					0.00	U.00			<u> </u>					1
			_	UNC1X USL	NRCCC	<u>L.</u>	184.60	23.78	1.96	0.76					i			Т
	C-bit Parity Option - Subsequent Activity - per DS3	1.	. 1	UtTD3, ULDD3,	1 1					0.10								J
_	DS1/DS0 Channel System			UE3, UNC3X	NRCC3		218.72	7.66	0.7201	0.00				! !	1			T
	DS3/DS1Channel System			UNCIX	MQ1	102.85	91.57	62.94	10.87	10.10								Т
<del></del>	Voice Grade COCI in combination		<del></del>	UNC3X, UNCSX	MQ3	170.63	179.17	94.52	34.30	32.82								T
+	Tare order occi il domonatori	<del></del>		UNCVX	1D1VG	0.5737	6.62	4.74		JE.02								Τ
-	Voice Grade COCI - for 2W-SL2 & 4W Voice Grade Local Loop	. 1		l														T
$\top$	Voice Grade COCI - for connection to a channelized DS1 Local	<u> </u>		UEA .	1D1VG	0.5737	6,62	4.74	i				l	ŀ	7			Т
- 1	Channel in the same SWC as collocation	1								<del></del>								1
-	OCU-DP COCI (2.4-64kbs) in combination	-	_	UITUC	1D1VG	0.5737	6.62	4.74		i	- 1		- 1	ſ	T			Т
	OCU-DP COCI (2.4-64kbs) - for Unbundled Digital Loop			UNCDX	10100	1.22	6.62	4,74										1
+-	OCILOR COCI (2.4-64lbb) - for Unburdled Digital Loop			UDL	IDIDD	1.22	6.62	4.74										1
- 1	OCU-DP COCI (2.4-64kbs) - for connection to a channelized DS Local Channel in the same SWC as collocation	1	1 1	l	1		· ·			<del></del>								Г
_	2-wire ISDN COCL/BRITE) in an arburation	-		U1TUD	1D1DD	1.22	6.62	4.74	1	I	- 1	-			T	- 1		Г
<del></del>	2-wire ISDN COCI (BRITE) in combination 2-wire ISDN COCI (BRITE) for a Local Loop	—		UNCNX	UC1CA	2.62	6.62	4.74										1
+	2-wire ISDN COCH (BRITE) - for a Local Loop	_		UDN	UC1CA	2.62	6.62	4.74										Г
	2-wire ISDN COCI (BRITE) for connection to a channelized DS Local Channel in the same SWC as collocation	1	[ ]						<del>+</del>									_
	DS1 COCI in combination			U1TUB	UC1GA	2.62	6.62	4.74	í	J		i	}					Г
-	DS1 COCI - for Stand Alone Local Channel			UNC1X	UC1D1	12.96	6.62	4.74			<del></del>	+	——— <u> </u>					i
+-	DST COCI - for Stand Alone Interoffice Channel			ULDD1	UC1D1	12.96	6.62	4.74										Г
+	DS1 COCI - for DS1 Local Loop	┵		U1TD1	UC1D1	12.96	6.62	4.74	<del>-</del>									$\overline{}$
+	DS1 COCI - for DS1 Eddal Edop  DS1 COCI - for connection to a channelized DS1 Local Channel in			USL, NTCD1	UC1D1	12.96	6.62	4.74							1			_
1	the same SWC as collocation	<u>"</u>   "	T								<del></del>  -							_
+	THE SAME STATE AS CONOCARON			U1 TUA	UC1D1	12.96	6.62	4.74	ŀ		- 1	í	1					_
				UNCVX, UNCDX,			1			<del></del> +	+					- 1		,
1			1 1	UNC1X, UNC3X,	1 1	- 1				i		- 1						_
- 1		1		UNCSX, UDFCX,		- 1			1			i	1		1			
		1		XDH1X, HFQC6,	1	- 1	i	- 1			1		- 1	į				
		1		XDD2X, XDV6X,	1 1	- 1		i			- 1	Į.	- 1			- 1		
İ	Wholesale - UNE, Switch-As-Is Conversion Charge	1		XDDFX, XDD4X,	1						- 1	- 1	1	1	i	1	Į.	
+	With basile - Grac, Switch PAS-IS Conversion Charge	→		FRST, UNIONX	UNCCC		5.63	5.63	1		- 1						- 1	
	Inhundled Miss Bate Florence Che Cat Cityle Ave.			JITVX, UITDX,			-				<del></del>							
1	Unbundled Misc Rate Element, SNE SAI, Single Network Element Switch As Is Non-recurring Charge, per circuit (LSR)	1	1 19	J1TD1, U1TD3,	1	- 1	i	- 1	J		- 1	ſ	1	T		1		_
+	Unbundled Misc Rate Element, SNE SAI, Single Network Element	4 -		JITS1, UDF, LIE3	URESL		36.87	16,14	l		- 1			- 1		- 1	- 1	
	Switch As Is Non-recurring Character SAL Single Network Element	1		JITVX, UITŌX,						<del></del>							J	
	Switch As Is Non-recurring Charge, incremental charge per circuit on a spreadsheet	1		JITO1, U1TD3,	1 1	]		i	ļ	- 1			1	T			<del></del>	_
Acces	is to DCS - Customer Reconfiguration (FlexServ)	1 1		J1TS1, UDF, UE3	URESP	_ i	1,49	1.49	ĺ	- 1			l	l	ļ	Ī		
~~000	Customer Reconfiguration (FlexServ)  Customer Reconfiguration Establishment		<del></del>													i	- 1	
+	DS1 DCS Termination with DS0 Switching	ļ	1		L		1.49		1.90		<del></del>							_
1—	DS1 DCS Termination with DS1 Switching	+	$\bot$			20.81	25.69	19,77	17.15	13.79	<del></del>							_
+	OS3 DCS Termination with DS1 Switching	+	1			10.73	18.57	12.65	12.60	9.24	<del></del> +	<del></del>	<u></u>					_
Nod-	{SynchroNet}					145.05	25.69	19.77	17.15	13.79								_
1,400	Node per month									13.79								_
Sand	Rearrangements	Ь	<u> </u>	NCDX	LINCNT	15.80										_		_
1-41	- izeart arrifement/2	_																_
ſ		1	[r	ITVX, UITOX,					· · · · · · · · · · · · · · · · · · ·									_
1		1		EA, UDL, UTTUC.		!			1		1		[		1			_
1	1	1		ITUD, UITUB,	!	i						j	- 1	1	- 1	ł	- 1	
1	NRC - Change in Facility Assignment per circuit Service	1		LOVX, ULDDX,		I	ļ	-	ļ		!			- 1	- 1	ļ	- 1	
1	Rearrangement	1 .		NOVX, UNCDX,		I		1	1	ļ	İ		i	1	- }	ſ	- 1	
<del> </del>		₩.		NC1X	URETO		100.90	42.96	l	i		1		1	- 1	1	- 1	
1		1		TVX, UTTDX,					· — +	<del></del>  -						!	. 1	
1				EA, UDL, U1TUC,		- 1	!	1	1			1	i i		7			_
Ì		1		TTUD, UTTUB.			Ī	- 1	i	i			l	J				
1	NRC - Chagge to Equiliby Agricoment	1		LDVX, ULDOX,		!	1	- 1	J	- 1				i		1	J	
Į	NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed)	Ι.		NCVX, UNCDX,	1	i i		ļ	J	I			1	ı	İ	i	- 1	
+	NRC - Order Coordination Specific Time - Dedicated Transport	-		NC1X	URETB		3.68	3.68		[	1		1	1	[	ļ		
IINGLIN	responding to the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the con	<del>  '</del>	<u>                                     </u>	NC1X, UNC3X	OCOSR		18.87	18.87		<b></b> -								
HOLIN	<u> </u>								<del></del>								<del></del>	_

	ED NETWORK ELEMENTS - Mississippi	$\overline{}$		T							_		Att: 2 Exh: A				· · · · · · · · · · · · · · · · · · ·	┯.
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental		Charge - Manual Svc Order vs, Electronic-	Charge - Manual Svo Order vs. Electronic-	1	+
						Rec	Nonre	curring	Nonrecurrie	g Disconnect			L.		Disc 1st	Disc Add'l		
						Nec .	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	Rates(\$)				
	i			UNCVX, UNCDX,		1		'		1		0011124	GOMAN	SOMAN	SOMAN	SOMAN	<u> </u>	4
Comm	Commungling Authorization ngled (UNE part of single bandwidth circuit)			UNC1X, UNC3X, UNCSX, U1TD1, U1TD3, U1TS1, UE UDLSX, U1TVX, U1TDX, U1TUB, ULDVX, ULDD1, ULDVX, ULDD1, ULDD3, ULDS1	CMGAU	0.00	0.00	0.00	0.00	0.00								
	Commingled VG COCI			XDV2X, NTCVG	lin.un				0.00	0.00								
	Commingled Digital COCI			XDV6X, NTCUD	101VG 101DD	0.5737												4
<del></del>	Commingled ISDN COCI			XDD4X	UC1CA	1.22		4,74										+
	Commingled 2-wire VG Interoffice Channel Commingled 4-wire VG Interoffice Channel			XDV2X	U1TV2	22.52	40.77	4.74 27.57	17.26	7 11								+
$\neg$	Commingled 4-wire VG Interoffice Channel Commingled 56kbps Interoffice Channel	+7	]	XDV6X	U1TV4	19.79	40.77	27.57	17.26	7.11								士
	Commingled 64kbps Interoffice Channel	<del> </del> -		XDD4X XDD4X	U1TD5	15.68		27.57	17.26	7.11					— T			I
1		<del>  </del>		XDV2X, XDV6X.	U1TD6	15.68	40.77	27.57	17.26	7.11			<del></del>					+
⊦	Commingled VG/DS0 Interoffice Channel Mileage		ļ	XDD4X	1L5XX	0.0088	] :											+
	Commingled 2-wire Local Loop Zone 1 Commingled 2-wire Local Loop Zone 2	<b>—</b> T		XDV2X	UEAL2	13.89		68.28	52.82	10.37							_	
	Commingled 2-wire Local Loop Zone 3	+		XDV2X XDV2X	UEAL2	18.75	105.96	68.28	52.82	10.37			<del></del>		$-\Box$			İ
	Commingled 2-wire Local Loop Zone 4	<del> </del>	3	XDV2X	UEAL2	27.55		68.28	52.82	10.37								Ι
	Commingled 4-wire Local Loop, Zone 1	<del>  </del>		XDV6X	UEAL2 UEAL4	45.72 27.47	105.96	68.28	52.82	10.37								+
	Commingled 4-wire Local Loop Zone 2			XDV6X	UEAL4	38.25	132.27 132.27	94.59 94.59	50.68	14.64								╄
	Commingled 4-wire Local Loop Zone 3			XDV6X	UEAL4	50.03	132.27	94.59	60.68	14.64 14.64								╁
<del></del>	Commingled 4-wire Local Loop Zone 4 Commingled 56kbps Local Loop Zone 1			KDV6X	UEAL4	50.03	132.27	94.59	60.68	14,64								t
<del></del>	Commingled 56kbps Local Loop Zone 2	+ +		XDD4X	UDL56	27.44	126.53	88.85	60.68	14.64	<del></del>							
	Commingled 56kbps Local Loop Zone 3	+		KDD4X KDD4X	UDL56 UDL56	34.55	126.53	88.65	60.68	14.64			<del>+</del>	<del></del> -				⊏
	Commingled 56kbps Local Loop Zone 4	+	4	OD4X	UDL56	40.76 32.25	126.53	88.85	60.68	14.64								<u>Ļ</u>
	Commingled 64kbps Local Loop Zone 1	1		OD4X	UDL64	27.44	126.53	88.85	60.68	14.64						——		┾-
	Commingled 64kbps Local Loop Zone 2		2 >	(DD4X	UDL64	34.55	126.53	88.85 88.85	60.68 60.68	14.64								├
	Commingled 64kbps Local Loop Zone 3 Commingled 64kbps Local Loop Zone 4			OD4X	UDL64	40.76	126.53	88.85	60.68	14.64								т
	Commingled ISDN Local Loop Zone 1	+	1 )		UDL64	32.25	126.53	88.85	60.68	14.64		<del></del> -						Г
	Commingled ISDN Local Loop Zone 2	+ +		(DD4X	U1L2X U1L2X	21.01	117.61	79.92	52.82	10.37		-+						
	Commingled ISDN Local Loop Zone 3	++	3 /		U1L2X	27.59 37.34	117.61	79,92	52.82	10.37				<del></del>				<u> </u>
	Commingled ISBN Local Loop Zone 4		4 >		U1L2X	59.18	117.61 117.61	79.92 79.92	52.82	10.37								
	Commingled DS1 COCI Commingled DS1 Interoffice Channel			DH1X, NTCD1	UC1D1	12.96	6.62	4 74	52.82	10.37								<del>,                                     </del>
	Comminged DS1 Interoffice Channel Mileage	<del>                                     </del>		DH1X	U1TF1	57.33	89.79	82.28	16.86	14.90								_
	Commingled DS1/DS0 Channel System	+		DHIX	1L5XX	0.1813			10.00	14.50								_
	Commingled DS1 Local Loop Zone 1	<del>  </del>		DH1X DH1X	MQ1 USLXX	102.85	91,57	62.94	10.87	10.10			<del>  </del>					
	Commingled DS1 Local Loop Zone 2	1 1	2 X	DHIX	USLXX	79.08 129.38	253.93 253.93	158.45	46.10	12.07								_
+	Commingled DS1 Local Loop Zone 3		3 X	DHIX	USLXX	206.74	253.93	158.45 158.45	46.10	12.07					<del></del>			
<del></del>	Commingled DS1 Local Loop Zone 4 Commingled DS3 Local Loop	$\perp$	4 X	DH1X	USLXX	458.46	253.93	158.45	46.10 46.10	12.07	<u> </u>	<u>—</u> Г						-
<u> </u>	Commingled DS3/STS-1 Local Loop Mileage	┾		FQC6 FQC6, HFRST	UE3PX	326,15	454.13	265.47	123.23	86.19	<del>-  -</del>							_
	Commingled STS-1 Local Loop	<del>  -  </del>		FOCE, HERST	IL5ND UDLS1	11.20						-+	<del></del>					_
	Commingled DS3/DS1 Channel System	<del>                                     </del>		FQC6	MQ3	338.55 170.63	454.13 179.17	265.47	123.23	86.19				<del></del>				_
	Commingled DS3 Interoffice Channel		H	FQC6	U1TF3	641.90	280.37	94.52	34.30 62.08	32.82	$-\Box$							
<del>-    </del> ;	commingled DS3 Interoffice Channel Mileage Commingled STS-1Interoffice Channel	<b> </b>	Н	FQC6	1L5XX	4.29		100.70	62.08	60.29							-+	_
<del> 1</del>	Commingled STS-1Interoffice Channel Mileage	<del>  </del>		FRST	U1TF\$	644.21	280.37	163.70	62.08	50.29								_
1 (	Commingled Dark Fiber - Interoffice Transport, Per Four Fiber	<del>                                     </del>		rnaı	1L5XX	4.29											-	_
<u> </u>	trands, Per Route Mile Or Fraction Thereof		]н	EQDL_	1L5DF	28.27		Т									J	_
	Commingled Dark Fiber - Interoffice Transport, Per Four Fiber trands, Per Route Mile Or Fraction Thereof	]	Τ.			20.27											1	
1	NE to Commingled Conversion Tracking	<del>  -</del>		ODL	UDF14		642.79	138.67	326.97	203.85	1			Ţ				_
	PA to Commingled Conversion Tracking	<del>   </del>		OHIX, HFQC6	CMGUN	0.00	0.00	0.00	0.00	0.00			<del></del>	<del></del>				_
July Servi	če		<del>-  ^</del>	A PERCON	Cylusp	0.00	0.00	0.00	0.00	0.00							-	
+ -  -	NP Charge Per query		ユ		<del></del>	0.0008477	<del>-</del> -									+		_
	NP Service Establishment Manual  NP Service Provisioning with Point Code Establishment	I	$-\Gamma$				12.59	12.58	11.58	11.58							<del></del> +	_
BX LOCATI		<del>   </del> -					596.94	304.96	270.49	198.89	<del></del>							_
911 PBX	LOCATE DATABASE CAPABILITY		Щ.		<b>——</b> —.													_
	ervice Establishment per CLEC per End User Account		[9F	BDC	9PBEU		1,822.00						<del></del>					_
+ 10	hanges to TN Range or Customer Profile		96	BDC	9PBTN	<del></del>	1,822.00											
I <sup>p</sup>	er Telephone Number (Monthly)		9P		9РВММ	0.07												

UNBUNDLE	D NETWORK ELEMENTS - Mississippi											Att: 2 Exh; A					
CATEGORY	RATE ELEMENTS	Interim	Zone B(	cs uso	C		RATES(\$)				Svc Order Submitted	Incremental Charge - Manual Syc Order vs.	Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.		
					Rec	RATES(\$)  Elec Manually Manual Svc Manual Svc Order vs. Electronic- 1st Manual Svc Manual Svc Order vs. Electronic- 1st Disc 1st Disc Add'!											
						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN		
	Change Company (Service Provider) ID		9PBDC	9PBPC		535.11											
	PBX Locate Service Support per CLEC (Monthit)		9PBDC	9PBMA	178.43												
	Service Order Charge		9PBDC	9PBSC		15.75				1——		<del></del>				<del></del> +	$\overline{}$
911 PB	X LOCATE TRANSPORT COMPONENT																
See Att	13																
						T											
Note: F	Rates displaying an "!" in Interim column are interim as a result	of a Com	ningion ander			-				-							

	ED NETWORK ELEMENTS - North Carolina									·	D. C.	Att: 2 Exh: A				L	4
			[	1	1				j		Svc Order		Incremental		Incremental		1
					ļ.						Submitted	Charge -	Charge	Charge -	Charge -		l
EGORY	RATE ELEMENTS	Interim	Zone BCS	USOC	ļ		RATES(\$)			Elec	Manually	Manual Svc		Manual Syc	Manual Svc	Ì	
										per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order va.		ĺ
				- 1	1							Electronic	Electronic-	Electronic-	Electronic-		
									i			1st	Add1	Disc 1st	Disc Add'l		t
_+_	<del> </del>				Rec	Nonte	urring	Nonrecurring	g Disconnect			OSS	Rates(\$)	·			+
<del>-}-</del>	<del> </del>		_ <del>_</del>		1.00	First	Add')	First	_Add*l	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN		+
The '	'Zana'' ahawa la tha anatisan fan atau dalam t				<u> </u>	<u></u>											$\top$
http:/	Zone" shown in the sections for stand-sions loops or loops as	раптотво	combination refers to (	seographically De	Paveraged UNE	Zones. To view	/ Geographica	lly Deaveraged	UNE Zone Desi	gnations by	Central Off	ice, refer to i	nternet Websit	te:			T
1	S SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	7											_				-1
INOT	5 : (1) CLEC should contact its contract negotiator if it prefers it	ha "eteta e	verefic" OSS observer		<u> </u>	ليسيب		L.,,									+
eithe	the state apecific Commission ordered rates for the service of	rdering obj	recent Ossenarges	as ordered by the	State Commis	isions The OS	S charges curr	ently contains	d in this rate ex	hibit are the	AT&T "regi	onal" service	ordering char	ges. CLEC m	ay elect		7
																	- 1
NOT	(2) Any element that can be ordered electronically will be bill	led accord	ing to the SOMEC rate	listed in this cat	egory. Please	refer to ATAT's	Local Ordering	Handbook /L	OH) to determin	a if a produ	el can bo a	darad aladad	minuth. For th		45		+
		rate in this	category reflects the	charge that woul	d be billed to a	CLEC once sier	tronic orderin	g capabilities	come on line for	that elemen	nt Otherwis	as the manua	ancary. Por tr	TOSE BRAINERS	that cannot		1
appli								<b>3p</b> 0-0		(1101 01011)	it. Otherwis	ee, tile mariga	a oldering cha	irge, somen,	WILDS I		1
	OSS - Electronic Service Order Charge, Per Local Service					1			1 -								+
→	Request (LSR) - UNE Only			SOMEC	]	3.50	0.00	3.50	0.00				1				
- 1	OSS - Manual Service Order Charge, Per Local Service Request (LSR) - UNE Only	1		- I													+
espyici	E DATE ADVANCEMENT CHARGE	+		SOMAN	<u> </u>	15.20	0.00	15.20	0.00								1
		D-4041	F00 N 4 = 10 0			<u> </u>											+
1,000	The Expedite charge will be maintained commensurate with	Denzautn 1	FCC NO.1 Tarm, Sec	tion 5 as applicat	ole.	<del>, , ,</del>											$\top$
- 1	1		UAL, DEANL, UC	,	I	1 1			]	-						-	T
	1		UEF, UDF, UEQ.	·	1				{	ı			[				1
ı	1		(UDL, UENTW, U		i	[ [		ļ	, l		, ,		١       ١	, <u>,</u>	ſ		1
- {	<b>\</b>	1 1	UEA, UHL, ULC,		1	[	i		1 1				[				
1	1		USL, U1T12, U1						1 1				l i				1
- 1			UTTO1, UTTO3,						] }	J	ļ		'				ļ
			ULTDX, ULTO3.		Į	l i	i		! <b>!</b>	1	{		<b>'</b>	1	)		1
- 1	1	1 1	UITS1, UITVX	1	!				i l								1
		1 1	UC1BC, UC1BL,	ļ					l í	ľ				l i	i	i	
-			UC1CC, UC1CL,		l	i 1			[ [	- 1	ĺ		1 1	1			1
1	1	1 1	UC1DC, UC1DL,		l				Į į		Ι.		!	١ ١	ì		)
	\ .	1 1	UCIEC, UCIEL	)	1	]			l i	j	j		1 !		ļ		1
-			UC1FC, UC1FL.			1			ļ l	- 1	1		1 1				1
- 1			UC1GC, UC1GL,		l	l i			l i		ļ		[ ]	- 1	1		Ĺ
			UC1HC, UC1HL.						! (	(	į, į	ļ	\ \ \	\ \	ł		1
-	ļ	1 1	UOL12, UDL48.	1	) i	ì				- 1			!	}			1
		)	UDLO3, UDLSX,			l i			l í	ŀ	ŀ	- 1	1 }				1
		1 1	UE3, ULD12, UL	348,					i l	- 1	1		1				1
- 1	!		ULDD1, ULDD3. ULDQX, ULDQ3.	1			- 1		į Į	Į	Į.	Į.	\ \ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	- 1	- 1	1	1
Ţ	1	1 1	ULDS1, ULDVX,	i i	)	Ì			l i	[	1		l i		ŀ		1
		$\perp$	UNC1X, UNC3X.						! I				· I			i	1
			UNCDX, UNCXX.	i			i				ŀ	ı			ļ		1
	i		UNCSX, UNCVX						li	į.	į			- }	1	- 1	1
Ų	Į.	1 1	UNLD1, UNLD3,	1	1		1						' I	1			1
	ļ		UXTD: UXTD3	i							i i		[		ľ		
1		1 1	UXTS1 UTTUC				ļ			i		l		j	i	l	1
		$\perp$	UTTUD, UTTUB,	ŀ			- 1			Į	- 1	{	, ,	- 1	}	}	1
1	UNE Expedite Charge per Circuit or Line Assignable USOC, per	1 1	UITUA,NTCVG,		1		)			- 1			1	J		ı	
Щ.	Day	$\perp$ $\mid$	NTCUD, NTCD1	SDASP		200.00	ļ		!				'	1			1
RMOD	FICATION CHARGE			T					<del>- +</del>				<del></del>		<del></del>		⊬-
4-	Order Modification Charge (OMC)	$oldsymbol{oldsymbol{\square}}$				26.21	0.00	0.00	0.00	+	+				+		╁
	Order Modification Additional Dispatch Charge (OMCAB)	1				0.00	0.00	0.00	0.00				<del></del>	+			+-
	EXCHANGE ACCESS LOOP	$\perp$											+				+-
2-W/R	E ANALOG VOICE GRADE LOOP																<b>├</b>
+	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 1	+	1 UEANL	UEAL2	10.82	36.54	16.87					<u> </u>	- T	1			╆
<del></del>	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2	+	2 UEANL	UEAL2	16.21	36.54	16.87										<b>—</b>
-	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 3 2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 1	++	3 UEANL	UEAL2	24.08	36.54	16.87										$\vdash$
+	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2	+	1 UEANL	UEASL	10.82	36.54	16.87										
+	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	++	2 UEANL 3 UEANL	LIEASL	16.21	36.54	16.87				$\Box$						
+	Tag Loop at End User Premise	<del></del>	UEANL	URETI,	24.08	36.54	16.87			I			T				
╅—	Loop Testing - Basic 1st Half Hour	╅──┼	UEANL	URETI	<u> </u>	8.93	0.88		<u> </u>								
+	Loop Testing - Basic Additional Half Hour	<del>  -  </del>	UEANL	URETA		33.17 19.28	0.00										$\subseteq$
	Manual Order Coordination for UVL-SL1s (per loop)	++	UEANL	UEAMO	<del></del>	7.92	19.28										
<del></del>	Order Coordination for Specified Conversion Time for UVL-SL1	╅╌═╅		DEAING	<del></del>	1.92	7.92									- $           -$	
	(per LSR)	$\perp$	UEANL	ocost		17.56	I		- 1		1	T					$\Gamma$
	Unbundled Non-Design Voice Loop, billing for AT&T providing	++	- CLINE	GGGGE	——— <del>—</del>	17.56		<del></del>			<b></b> ,						$\vdash$
1	make-up (Engineering Information - E.I.)	1	LIEANIL	UEANM	}	13.04	13.04		i	- 1	l	(	(	ļ			1 -
1	Unbundled Loop Service Restrangement, change in loop facility.	+	<del></del>	<del></del>	<del></del>	13.04	13.04		<del></del>					<del></del>			_
1	per circuit	1 1	UEANL	UREWO		15.74	8.92	ı	}	- 1		}	1	I	1		1
													- 1				
<del></del>	Bulk Migration, per 2 Wire Voice Loop-St.1  Bulk Migration Order Coordination, per 2 Wire Voice Loop-St.1	1	UEANL	UREPN		36.54	16.87										`—

	ED NETWORK ELEMENTS - North Carolina	1	$\overline{}$	1		γ———	<del></del>					Att: 2 Exh: A					<del>-</del>
			ĺ		i				· · · · · · · · · · · · · · · · · · ·	Svc Order	Svc Order			1			4
											Submitted				Incremental	1	ļ
TEGORY	RATE ELEMENTS		٠.	l						Eiec			Charge -	Charge -	Charge -	1	- 1
	MAYO ELEMENTS	⊧nterim	Zone	BCS	USOC	j		RATES(\$)			Manually	Menual Syc		Manual Syc	Manual Svc		- 1
			(	i	1	i		1+1		per LSR	perLSR	Order vs.	Order vs.	Order vs.	Order vs.		
											l	Electronic-		Electronic-	Electronic-		
	<u> </u>											1st	Add'i				- 1
				<del> </del>	<del></del> -				T	ł		' <del>*</del> '	Auu	Disc 1st	Disc Add'l		
		-		<del> </del>	<del></del>	Rec	Nonrec		Nonrecurring Disconnect			ORS.	Rates(\$)				_
2-WIR	E Unbundled COPPER LOOP			L			First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	reacos(s)				_ I
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1			T:						00	JOHNAY	SUMAN	SOMAN	SOMAN	SOMAN		Ţ
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2		1	UEQ	UEQ2X	10.93	35.27	15.60									┱
	2 Wiles Library Copper Loap - Non-Designed - Zone 2		2	UEO	UEQ2X	12.75		15.60	<del></del>	<del>-</del>							┪
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3		3	UEQ	UEQ2X	13.92					L						4
	Tag Loop at End User Premise			UEO	URETL	10.32		15.60		.1							4
	Loop Testing - Basic 1st Half Hour		_	UEC	URET		8.93	0.88									4
I	(Loop Testing - Basic Additional Half Hour			UEQ		<del></del>	33,17	0.00					·				_
	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-	_		UEQ.	URETA		19.28	19.28					<del></del>				ᆜ.
	Designed (per loop)			l						<del> </del>							Т
<del></del>	Unbundled Copper Loop - Non-Design, billing for AT&T providing			UEO:	USBMC	l	7.92	7.92		1 1			{				丁
	Controlled Copper Loop - Non-Design, bling for A1&1 providing			]						<del> </del>				- {			i
——	make-up (Engineering Information - E.I.)	ĺ		ÎUEQ.	UEOMU		13.04	13.04	ł	1 1							+
ı	Unbundled Loop Service Rearrangement, change in loop facility.						13.04	13.04		<u> </u>							Ţ
	per circuit	I		UEQ	UREWO	l											+
	Bulk Migration, per 2 Wire UCL-ND	+		UEQ			14.23	7.41							i i		-
	Bulk Migration Order Coordination, per 2 Wire UCL-ND			UEO	UREPN		35.27	15.60		-							_
BUNDLED F	XCHANGE ACCESS LOOP			UE U	UREPM		7.92	7.92		<del>† - /</del>							⊥"
	ANALOG VOICE GRADE LOOP									<del> </del>							Т
2-71//12	In Wise Assess Vision Committee						*		<del></del>	<u> </u>							+
- 1 '	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	7					<u> </u>		· · · · · · · · · · · · · · · · · · ·								+
	Ground Start Signaling - Zone 1	_ {	1	UEA	UEAL2	11.96	102.10		ı	į i	Т-Т						+
1 '	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or				<del></del>	11.30	102.10	65.72	— <u>-</u>			ļ	1		- 1		ł
	Ground Start Signaling - Zone 2	I	2	UEA	UEAL2		[l		1	1			——+	<del></del>	<del></del>		+
	2-Wire Anglog Voice Grade Loop - Service Level 2 will on as T	-+	-		OEMEZ	17.36	102.10	65.72	1	1 1	l	ı	i	I	1		1
	Ground Start Signafing - Zone 3	- 1	3	UEA	أ يرجوا		1										⊥
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		<u> </u>	UEA	UEAL2	25.23	102.10	65.72				- 1		- 1			Г
-   '	Battery Signaling - Zone 1	- 1			1					<del>  -  </del>							1
	2 Min Assis Vote C		1	UEA	UEAR2	11.96	102.10	65.72	i	1 1			T.				+
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			· · · · · · · · · · · · · · · · · · ·	1 1		102.10	03.72		<u> </u>				- 1			
	Battery Signaling - Zone 2	ĺ	2	UEA	UEAR2	17.36	102.10		l	l T							╀
-   -	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse				OCAITE	17.36	102.10	65.72			- 1	- 1	i			ĺ	1
- 1 - 1	Battery Signaling - Zone 3		3	UEA				1									
	Switch-As-Is Conversion rate per UNE Loop, Single LSA, (per		-3	UCA	UEAR2	25.23	102.10	65.72			- 1	- 1		1			1
- 1 1	DS0)	í			1	I				<del>+</del>			<del></del>				1
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per			UEA	URESL	- 1	25.03	3.53	l i	1		- 1					r
l f	DS0)	- 1			1				<del></del>							- 1	1
	(Inhumber) and Coming Day			UEA_	URESP	ľ	26.52	5.02	l J				1				Н
l l	Unbundled Loop Service Rearrangement, change in loop facility, per circuit	- 1			1			- 0.00	<del></del>					[	i i		ĺ
				UEA	UREWO		87.49	36.26	1 1		- 1	i					-
	Loop Tagging - Service Level 2 (SL2)		$\neg$	UE A	URETL		11.20	1.10									1
	Bulk Migration, per 2 Wire Voice Loop-SL2		1	JEA	UREPN		11.20										—
/	Bulk Migration Order Coordination, per 2 Wire Voice Loop-SL2	$\overline{}$		JEA	UREPM		102.10	65.72									-
4-WIRE	ANALOG VOICE GRADE LOOP				UNEFIVI		0.00	0.00									_
	4-Wire Analog Voice Grade Loop - Zone 1		1	F	T. 22.												Ĺ
	4-Wire Analog Voice Grade Loop - Zone 2	-+			UEAL4	19.52	127.40	91.02					<del></del>				ī
	4-Wire Analog Voice Grade Loop - Zone 3		2 1		UEAL4	24.74	127.40	91.02		+							$\overline{}$
	Purileb As Is Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of th		3 (	JEA .	UEAL4	46.11	127.40	91.02									_
_ [ _ [*	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per OS0)		T		T			- V 1.52	<del>    </del>							-+	_
			Į.	JEA	URESL		25.03	3.53	1 1	i	T				<del></del>		_
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	1.			<del>                                     </del>		20.03	3.53		1	1	I	1	ſ	ı	1	
	OSO)	- 1	l,	JEA	URESP	- 1		]									
1	Inbundled Loop Service Rearrangement, change in loop facility,	-+			UNESP		26.52	5.02		i		İ	- 1	Į	1		
	per circuit	- 1	- 1.	JEA		I		Т.			<del></del>	— <u>-</u>					_
2-WIRE	SON DIGITAL GRADE LOOP			/LM	UREWO		87.49	36.26	1 1	- 1			1	ı	l I		
	-Wire ISDN Digital Grade Loop - Zone 1								<del></del>							1	
<del></del>	Wire ISDN Digital Crede Loop 7 2008 1		1 (		U1L2X	19.78	113.34	76.96									_
+ +	-Wire ISDN Digital Grade Loop - Zone 2		2 (	DN .	U1L2X	26.16	113.34	76.96	<del></del>								_
<del></del>	-Wire ISDN Digital Grade Loop - Zone 3		3 (	.DN	U1L2X	35.37	113.34	76.96	<del></del>					-		<del></del>	_
l lr	Inbundled Loop Service Rearrangement, change in loop facility,				<del></del>	30.01		70.00						<del></del>			_
1 10	per circuit	ł	Jı.	ION	URÉWO	I		, I	1 1				<del></del>	<del></del>			_
2-WIRE /	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIB	FLOO	<del>- '</del>		IONE TO		91.39	44.04		ļ		1	I	ļ	1	1	
1 14	Wire Unbundled ADSL Loop including manual service inquiry &		_	<del></del>													_
	scrifty reservation - Zone 1		. 1.	IAL	l	. 1		Т	- I - I			-	<del></del>				
12	Wire Unbundled ADSL Loop including manual service inquiry &		- 10		UAL2X	10.14	117.08	68.36			J		- 1	J	1	7	
1 6	acility reservation - Zone 2	i			ı T				<del></del>						J	_	
1	Wire I Inhundled ADSI I one impleaded		2 1	AL	UAL2X	11.59	117.08	68.36	į l	l		1	ĺ				_
ا ار	Wire Unbundled ADSL Loop including manual service inquiry &	- 1	T		_ <del></del>				<del></del>					!	- 1	ı	
	iclity reservation · Zone 3		3 U	AL	UAL2X	12.28	117.08	68.36	1 1	ŀ	- 1	T	7			<del></del>  -	-
2	Wire Unbundled ADSL Loop without manual service inquiry &		7				117.00	08.36		1		!	í	I	ſ	ł	
la	icility reservator - Zone 1		1 10	AL	UAL2W	10.14	22.22	l	1								_
2	Wire Unbundled ADSL Loop without manual service inquiry &		—+~		UNLEVI	10.14	92.83	56.02		ļ	- 1	1	- 1	- 1	I	ı	
fta	ecility reservation - Zone 2	ı	2 10	AL	أ بيرييا	I		1					—	<del></del>			_
	Wire Unbundled ADSL Loop without manual service inquiry &	-+	1	·	UAL2W	11.59	92.83	56.02		J		1	ı	!	1 -	Т	-
12		- 1	- 1			-1-			<del></del>		-+					I	
2  fa	Clity reservation - Zone 3	1	. l														
fa	religity reservation - Zone 3		3 <u>U</u>	AL	UAL2W	12.28	92.83	56.02		ł	- 1	J	ĺ			1 -	_
L fa	icility reservator - Zone 3 houndled Loop Service Rearrangement, change in loop facility, er circuit			AL AL	UAL2W UREWO	12.28	92.83	56.02									_

	D NETWORK ELEMENTS - North Carolina		$\overline{}$		$\overline{}$	т							Att: 2 Exh: A				T
		1	1		1	J					Svc Order	Svc Order			Incom.		——
		1		ļ		1						Submitted	Charge -				- [
EGORY	RATE ELEMENTS	Interim	700	BCS							Elec	Manually		Charge -	Charge -	Charge -	
		1111.01.163	2071	508	USOC			RATES(\$)					Manual Svc		Manuel Svc	Manual Svc	
	i	]			1	}					perLSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.	
				!		İ						ĺ	Electronic-	Electronic-	Electronic-	Electronic-	
1	<del></del>			<u> </u>							ŀ		1st	Add'l	Disc 1st	Disc Add'l	1
					T	<del></del>	Noore	curring	Atamai .		-		Ш	1		DISC AGO (	1
					<del> </del>	Rec	First	Curning		g Disconnect			OSS	Rates(\$)			┾──
ı	2 Wire Unbundled HDSL Loop including manual service inquiry &		<b>—</b>	<del></del>	<del>                                     </del>		Fift	Add'	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	<del></del>
	facility reservation - Zone 1		1 1	UHL	UHL2X										OCHIAN	SUMAN	<del></del>
	2 Wire Unbundled HDSL Loop including manual service inquiry &	<del></del>	<del></del>	U.E.	IOHL2X	7.95	125.50	76.77	1	i	l .		i				
	Hacility reservation - Zone 2	i	2	UHL	l	i	1										
	2 Wire Unbundled HDSL Loop including manual service inquiry &		. 2	Uni	UHL2X	9.15	125.50	76.77	1		í l		l .		i		
i	facility reservation - Zone 3		1		1 "					<del></del>							İ
	2 Wire Unbundled HDSL Loop without manual service inquiry and		3	UHL	UHL2X	9.53	125.50	76.77			l i						
- 1	lacility reservation - Zone 1																í
	radinty reservation - Zone 1		1	{UHL	UHL2W	7.95	101.24	64.43		1							
1 1	2 Wire Unbundled HDSL Loop without manual service inquiry and			· · · · · · · · · · · · · · · · · · ·		1.33	101.24	64.43			i						i
	racility reservation - Zone 2	l	2	UHL	UHL2W				ļ								<del></del>
1	2 Wire Unbundled HDSL Loop without manual service inquiry and		-		UFILZYV	9,15	101.24	64.43									1
1 .	facility reservation - Zone 3	l i	3	Í													
	Unbundled Loop Service Rearrangement, change in loop facility.		_ 3	UHL	UHL2W	9.53	101.24	54.43		] ]	1		1	ļ			
	per circuit	i l															
4.WIDE	HIGH BIT PATE DIGITAL CHOCCOSTS	ــــــــــــــــــــــــــــــــــــــ		UHL	UREWO	i	78.00	32.38			J					1	
1.11	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATI	BLE LO	OP.				10.00	JE 30								I	
	4 Wife Ulbungled HDSt. Loop including manual service inquiry and I				T		····										
+	racility reservation - Zone 1		1	UHL	UHL4X	11.01		1				1		Т			
1	4-Wire Unbundled HDSL Loop including manual service inquiry and		· ·			11.01	153.26	104.54			1	i		ļ		I	
<b></b> _i	(activity reservation - Zone 2		2	UHL	[m. 62												
	4-Wire Unbundled HDSL Loop including manual service inquiry and		٤.	<u>у.</u>	UHL,4X	12.20	153.26	104.54		l	- 1	J	I		ł	T	
1	racinty reservation - Zone 3		_	l	7						<del></del>						
<del></del>	4-Wire Unburdled HDSL Loop without manual service inquiry and		3	UHL	UHL4X	13.49	153.26	104.54	1	ļ	i	I	- 1	1			
1 1	acility reservation - Zone 1	l i	Ī		1			07.74							ł	- 1	
	acity reservation - Zone 1		1	UHL	UHL4W	11.01	129.00	00.00				- 1					
1 1	4-Wire Unbundled HDSL Loop without manual service inquiry and					- 11.01	125.00	92.20			(		i	1	ļ		
1 1	acility reservation - Zone 2	ł	2	UHL	UHL4W	40.00			i	1							
1 1	-Wire Unbundled HDSL Loop without manual service inquiry and				OULTAN	12.20	129.00	92.20				ļ					
1 1	acility reservation - Zone 3		3		L												
	Inbundled Loop Service Rearrangement, change in loop facility,		3	UM.	UHL4W	13.49	129.00	92.20	Í	J	- 1	- 1	- 1		1		
1 1	per circuit	í	i		1	· T						<del></del>					
4.WIEE	OS1 DIGITAL LOOP			UHL	UREWO	- 1	78.00	32.38			- 1	- 1	- 1				
								GE.50								I	
	-Wire DS1 Digital Loop - Zone 1	. "T	1	USL	USLXX	63.62	245.16	152.98				_					
	-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	104.40											
+	-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	210.22	245.16	152.98									
] [8	switch-As-Is Conversion rate per UNE Loop, Single LSR, (per				COLAX	210.22	245.18	152.98									
	351)	- !	J	USL	UDEO.												
1 5	witch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per			COL.	URESL		25.03	3.53									
0	OS1)			Lieu					-		— <del></del>						
1	hbundled Loop Service Rearrangement, change in loop facility,	-		USI.	URESP		26.52	5.02	1	1			- 1	1	ŀ	-	
1 6	er circuit	- 1	ł						<del></del> +								- 1
	9.2, 56 OR 64 KBPS DIGITAL GRADE LOOP		I	USL	UREWO		100.82	42.93		- 1	- 1						_
4-11/10	9.2, 36 UK 64 KBPS DIGITAL GRADE LOOP						100.02	42.33		<u> </u>					j		
4	Wire Unbundled Digital Loop 2.4 Kbps - Zone 1		1	.DL	UDL2X	21.98	121.86	PC 46				_					$\overline{}$
4	Wire Unbundled Digital Loop 2.4 Kbps - Zone 2		2	JDL .	UDL2X	27.58	121.86	B5.48						· · · · · · · · · · · · · · · · · · ·			
4	Wire Unbundled Digital Loop 2.4 Kbos - Zone3		3		UDL2X	43.08		85.48	T							<del></del> -	
1 4	Wire Unbundled Digital Loop 4.8 Khos . Zope 1		1 1				121.86	85.48						<del></del>			
4	Wire Unbundled Digital Loop 4.8 Khos - Zone 2				UDL4X	21.98	121.86	85.48			<del></del>		<del></del>				T
4	Wire Unbundled Digital Loop 4.8 Kbps - Zone 3		2 1		UDL4X	27 58	121.86	85.48									
	Wire Unbundled Digital Loop 9.6 Kbps · Zone 1		3 (		UDL4X	43.08	121.86	85.48	<del></del>	+							
- E	Wire Unbundled Digital Loop 9.6 Kbps - Zone 2		1		UDL9X	21.98	121.86	85.48			$\rightarrow$						
	Wire I lobused and District Loop 9.0 KDps - Zone 2		2 (	IOL.	UDL9X	27.58	121.86	85.48								<del></del>	-
<del>  </del> -	Wire Unbundled Digital Loop 9.6 Kbps - Zone 3		3 (	JDL .	UDL9X	43.08	121.86										-
<del>    4</del>	Wire Unbundled Digital 19.2 Kbps - Zone 1	$\neg$	1 1	IOI,	UDL19	21.98	121.86	85.48									— ↓
4	Wire Unbundled Digital 19.2 Kbps - Zone 2		2 (		UDL19	27.58		85.48						<del></del>	-	<del>-</del>	
4	Wire Unbundled Digital 19.2 Khos - Zone 3		3 (		UDL19		121.86	85.48						<del></del>			
4	Wire Unbundled Digital Loop 56 Khos - Zone 1		i			43.08	121.86	85.48									
4	Wire Unbundled Digital Loop 56 Klops - Zone 2		2 1		UDL56	21.98	121.86	85.48									
4	Wire Unbundled Digital Loop 56 Khos . Zong 3				UDL56	27.58	121.86	85.48			<del></del>		<del></del>				_
4	Wire Unbundled Digital Loop 64 Kbps - Zone 1		3 1		JDL56	43.08	121.86	85.48	+	<del></del>	+						
<del></del>	Wire Unbundled Digital Loop 64 Kops - Zone 2		1 (		JDL64	21.98	121.86	85.48	<del></del>	<del>-  -</del>							$\rightarrow$
<del></del>	Wire I behave led Digital Loop 04 ROPS - Zone 2		2 (	OL I	JOL64	27.58	121.86	85.48									$\rightarrow$
-  4	Wire Unbundled Digital Loop 64 Kbps - Zone 3		3 (		JDL64	43.08	121.86										-
S	vrtch-As is Conversion rate per UNE Loop, Single LSR, (per		- 1	<del></del>		-3.00	141.85	85.48									- $+$
108	50)	i	- fu	DL L	JRESL	I				T							
Sv	vitch-As-Is Conversion rate per UNE Loop, Spreadshest, (per	-+	<del>  </del> `		JI I SOL		25.03	3.53		!			J		1	Ī	Г
_  D:	50)		J.,	. !		ĺ						-+	<del></del>				
ĹĴr	bundled Loop Service Rearrangement, change in loop facility.	<del>-</del>	I <sup>u</sup>	DI,	JRESP		26.52	5.02	1	I	1	1	í				
lne	r circuit	ſ	- f.												l	_ 1	- 1
	bundled COPPER LOOP		U	DL L	JREWO		101.86	49.62	l	1	1		[				
-arinte Ul	Miss Library 100					<u>-</u>		73.02						ı	ı	1	Ì
12-	Wire Unbundled Copper Loop-Designed including manual service	$\top$	T	· · ·		т-			<del></del>								$-\!\!\!\!+$
Line	ury & lacility reservation - Zone 1	- 1	ı lo	CL I	CLPB	10.14	أجنعينا	!	l	1							<del></del>
					~~= F D	10,14 (	116.18	67.46	- 1	1	1	- 1	J	ı	1		- 1
2-1	Wire Unbundled Copper Loop-Designed including manual service uiry & facility reservation - Zone 2		$\neg$														

TOUTULE	D NETWORK ELEMENTS - North Carolina	<del></del>								Svc Order	Syc Order	Att: 2 Exh: A Incremental	Incremental	Incremental	Incremental	<del></del> -	+
LTEGORY	RATE ELEMENTS	Interim Zo	ne 80	s usoc			RATES(\$)			Submitted Elec		Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge - Manual Svo Order vs. Electronic- Disc 1st	Charge - Manual Svc Order vs. Electronic- Disc Add'l	 	
——		<del>                                     </del>		<del></del>	Rec	Nonrec First	urring Add")	Nonrecurring First	Olsconnect Add'l	SOMEC	SOMAN	SOMAN	Rates(\$)	COUAN	60444		┿
	2 Wire Unbundled Copper Loop-Designed including manual service		<del></del>	<del></del> -	<del></del>	- rirst	AGG I	FIFSt	Addi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN		┿
	inquiry & facility reservation - Zone 3		UCL	UCLPB	12.28	116.18	67.46		1	1				l i	ĺ		
	2-Wire Unbundled Copper Loop-Designed without manual service	1 1		<del> </del>					- <del></del>								+-
	inquiry and facility reservation - Zone 1		UCL	UCLPW	10.14	91.92	55.12										
	2-Wire Unbundled Copper Loop-Designed without manual service		, lici						ļ								Т
	inquiry and facility reservation - Zone 2  2-Wire Unbundled Copper Loop-Designed without manual service	╀	2 UCL	UCLPW	11.59	91.92	55.12		ļ	ļ		ļ					╄
	Inquiry and facility reservation - Zone 3		3 UCL	UCLPW	12.28	91.92	55.12								ļ		Į
-+-	Order Coordination for Unbundled Copper Loops (per loop)	$\leftarrow$	uci	UCLMC		7.92	7.92		<b></b>	<del></del>			<del></del>				✝
	Unbundled Loop Service Rearrangement, change in loop facility.																1
	per dircuit		UCL	UREWO	L	89.06	34.45		<u>i</u>						<u></u>		⊥
4-WiRI	COPPER LOOP	,															╄
Į.	4-Wire Copper Loop including manual service inquiry and facility reservation - Zone 1	1 1	UCL	UCL4S	13.10	139.69	90.96		)	]							1
	4-Wire Copper Loop including manual service inquiry and facility	<del>  - </del>		10000	1	150.00			<del>                                     </del>	<del>                                     </del>	<del> </del>						+
L_	reservation - Zone 2		2 UCL	UCL4S	15.17	139.69	90.96										$\perp$
$\top$	4-Wire Copper Loop including manual service inquiry and lacility								[								Г
	reservation - Zone 3	1	3 ncr	UCL4S	17,03	139.69	90.96		<u> </u>								4
-	Wire Copper Loop without manual service Inquiry and facility reservation - Zone 1	1 1	ı UCL	UCL4W	13,10	115.43	78.63	1	ļ			}					1
	4-Wire Copper Loop without manual service inquiry and facility	+		- JULIANN	13,10	119.43	/0.03		<del> </del>	-	<b></b>	-	<del></del>				+-
	reservation - Zone 2	l l	2 Juan	UCL4W	15.17	115.43	78.63	_	·	\	l	\ '	\ \	ı i			1
$\dashv$	4-Wire Copper Loop without manual service inquiry and facility	1															$\uparrow$
	reservation - Zone 3		3 UCL	UCL4W	17.03	115.43	78.63		ļ	L							L
	Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCLMC		7.92	7.92										Ţ
	Unbundled Loop Service Rearrangement, change in loop facility.	1 1	luci	lunewo	1	89.06	34.45		ì	<b>\</b>	Ì	)	) }	'	1		İ
<del></del> -	per circuit	<del>                                     </del>	UEA, UDN.			89.00	34.40	·		<del>                                      </del>			·				╁
	Order Coordination for Specified Conversion Time (per LSR)	1 1	UHL, UDL.			17.56								ĺ			ł
Rearra	ngements																†
	EEL to UNE-L Retermination, per 2 Wire Unbundled Voice Loop-	1	1	1	1	]			[	Τ							Т
	SL2	┿	UEA	UREEL	<del></del>	87.49	36.26			ļ	ļ						╄
	EEL to UNE-L Retermination, per 4 Wire Unbundled Voice Loop	1 1	UEA	UREEL		87.49	36.26						ĺ				1
	EEL to UNE-L Retermination, per 2 Wire ISDN Loop	<del> </del>	UDN	UREEL	<del></del>	91.39	44.04			· -							✝
	T	1-1													·		T
	EEL to UNE-L Retermination, per 4 Wire Unbundled Digital Loop		UDL	UREEL	<del> </del>	101.86	49.62			L							┸
	EEL to UNE-L Retermination, per 4 Wire Unbundled DS1 Loop	<del>                                     </del>	USL	ÜREEL	<del></del>	100.82	42.93		ļ	ļ			ļ <del></del>				ـــ
	DMMINGLING E ANALOG VOICE GRADE LOOP - COMMINGLING	1 -1 -	<del></del>	<del></del>		<u> </u>			L	L				1			╌
5-4411	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	$\overline{}$			<del></del>	· · · · · · · · · · · · · · · · · · ·				Γ							╆
	Ground Start Signaling - Zone 1		1 NTCVG	UEAL2	11,96	102.10	66.72			l							ı
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	$\Box$															Γ
	Ground Start Signating - Zone 2	<del>  _  </del>	2 NTCVG	UEAL2	17.36	102.10	65.72		<b></b>	<b>}</b>	ļ		ļ				$\vdash$
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3		3 NTCVG	UEAL2	25.23	102.10	65.72		ł	1							1
-+-	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	╅──┼╴		ULALZ	20.20	102.10	00.72		<del></del>	<del>                                     </del>			├──-┤				<del> </del>
	Battery Signaling - Zone 1		1_NTCVG_	UEAR2	11.96	102.10	65.72		L	<u> </u>	L		L			_ '	1
$\neg$	2-Wise Analog Voice Grade Loop - Service Level 2 w/Reverse	1								T							Г
	Battery Signaling - Zone 2	<del>  </del> -	2 NTCVG	UEAR2	17.36	102.10	65.72		<b></b>								1-
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		3 NTCVG	UEAR2	25.23	102.10	65,72								1		1
-+	Battery Signaling - Zone 3 Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per	+	INICYG_	UCANZ	40.63	102.10	00.72		<del></del>				<del></del>		$\longrightarrow$		<del> </del> —
1	DS0)	1	NTCVG	URESL		25.03	3.53		1	1					ļ		1
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	1											_				<u>,                                    </u>
	DS0)	$\bot$	NTCVG	URESP		26.52	5.02		<u> </u>	L	نــــــــنـا			i			<u>_</u>
[ ]	Unbundled Loop Service Rearrangement, change in loop facility,	1 [	NTCVG	UREWO		87.49	36.26			1			1	7			ſ
+	per circuit Loop Tagging - Service Level 2 (SL2)	+ -+	NTCVG	URETL	<del> </del> -	11.20	1.10		<del> </del>	<del> </del>	<u> </u>		L <del>-</del>				-
4-WID	E ANALOG VOICE GRADE LOOP -COMMINGLING	<del>ــــــــــــــــــــــــــــــــــــ</del>	Imond	JONETE	L	11.20]	7.10		<del></del>	L		L			<del></del>		-
	4-Wire Analog Voice Grade Loop - Zone 1		NTCVG	UEAL4	19.52	127.40	91.02										$\overline{}$
	4-Wire Analog Voice Grade Loop - Zone 2		2 NTCVG	UEAL4	24.74	127.40	91.02										
	4-Wire Analog Voice Grade Loop - Zone 3	+	3 NTCVG	UÉAL4	46.11	127.40	91.02						-				Ĺ.
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		ATTOMO	IIDEC:		25.03	3 67		1							Ì	i i
	DS0) Switch-As is Conversion rate per UNE Loop, Spreadsheet, (per	+-+-	NTCVG	URESL	<del> </del>	25.03	3.53		<del></del>	<del></del>				-			-
1	IDS0)	1 1	NTCVG	URESP	1	26.52	5.02										l
	Unbundled Loop Service Rearrangement, change in loop facility,	1			T												_
		. 1	NTCVG	UREWO	1	B7.49	36.26		i	1						- 1	

OMBOUNTE	D NETWORK ELEMENTS - North Carolina										Sun Ded	Sun Ord	Att: 2 Exh: A	Incress	Incress	Incremental	 <del></del> -
		1		1		i						Svc Order		Incremental			1
		1 1			1	l						Submitted	Charge -	Charge -	Charge	Charge	l
		1 1	_			ļ.					Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc	1
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	[		RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.	ı
		1 1			1	İ							Electronic-	Electronic-	Electronic-	Electronic-	1
		1 1				I					1	i	1st	Add')	Disc 1st	Disc Add'i	1
		+ +		-	-		Nonrec	uccina	Nonrecurring	Disconnect	<del></del>		089	Rates(\$)			 ├
<del>-+</del>		<del>                                     </del>			<del> </del>	Rec	First	Add'i	First	Add'I	SOMEC	SOMAN			SOMAN	SOMAN	 +
<del></del>	4-Wire DS1 Digital Loop - Zone 1		1	NTCD1	USLXX	63.62	245.16	152.98									
	4-Wire DS1 Digital Loop - Zone 2		2	NTGD1	USLXX	104,40	245.16	152.98									
	4-Wire DS1 Digital Loop - Zone 3		3	NTCD1	USLXX	210.22	245.16	152.98									
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per	T											1				
	DS1)			NTCD1	URESIL		25.03	3.53									 ļ
	Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per	1 1		NTCD1		i	00.00			ļ		i	l				ĺ
	DS1)	-		NIGOT	URESP		26.52	5.02			-		ļ	-			 -
1	Unbundled Loop Service Rearrangement, change in loop facility, per circuit	1 1		NTCD1	UREWO		100.82	42.93				l	1		[	1	!
14110	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP		_	INTODI	DHEVYO		100.62	42.53									 +-
4-1416	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1	т— т	-	NTCUD	UDL2X	21.98	121.86	85.48					1	·		,	 -
<del>-   -</del> -	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2	+		NTCUD	UDL2X	27.58		B5.48		<del></del>			<del></del>				
_	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone3	<del>                                     </del>	3	NTCUD	UDL2X	43.08		85.48				<del></del>		-			 _
<del></del>	4 Wire Unburdled Digital Loop 4.8 Kbps -Zone 1	┼┼		NTCUO	UDL4X	21.98		85.48			1						 $\overline{}$
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2	1 1	2	NTCUD	UDL4X	27.58	121.86	85.48									
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3	1 "	3	NTCUD	UOL4X	43.08		85.48									 
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1		1	NTCUD	UCL9X	21.98	121.86	85.48									 
	5 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2			NTCUD	UDL9X	27.58		85.48									
	6 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3		3	NTCUD	UDL9X	43.08	121.86	85.48									
	4 Wire Unbundled Digital 19.2 Kbps - Zone 1			NTCUD	UDL19	21.98		85.48									
	4 Wire Unbundled Digital 19.2 Kbps - Zone 2			NTCUD	UDL19	27.58		85.48			-						
	4 Wire Unbundled Digital 19.2 Kbps - Zone 3			NTCUD	UDL19	43.08		B5.48									 _
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		_1	NTCUD	UDL56	21.98		85.48			-						 -
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	1	2	NTCUD	UDL56	27.68		85.48	<del></del>		ļ		<u> </u>				 -
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	<del></del>		NTCUO	UDL56	43.08	121.86	85.48		<del></del>							 +-
—	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	+		NTCUD	UDL64	21.98 27.58		85.48 85.48		<del></del>	-	-					 -
	4 Wire Unbundled Digital Loop 54 Kbps - Zone 2	<del>-</del>		NTCUD	UDL64 UDL64	43.08		85.48									 
	4 Wire Unburdied Digital Loop 64 Kbps - Zone 3	┼╼┤	3	NICOLI	UDL54	43.08	121.86	85.46			<del> </del>						 <del> </del>
- 1	Switch-As-Is Conversion rate per UNE Loop, Single LSA, (per	1 1		NTCUD	URESL	i	25.03	3.53		1	1	l		l			1
_	(DS0) Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	1-1	-	NICOD	UHESL		45.03	3.33		<del></del>	——	<del> </del>	<del></del>	<del> </del> -			 ┼—
	DS0)	l i	İ	NTCUD	URESP		26.52	5.02			!	l	l	į .		i I	ļ.
	Unbundled Loop Service Rearrangement, change in loop facility.	<del>                                     </del>	-	111000	U.L.O.		E5.0E	GiGE									 
	per circuit	1 1		NTCUD	UREWO		101.86	49.62			1	i	l	ļ		!	
	per or date	† · · · · · ·		NTCVG, NTCUD,			-				· · -						
i	Order Coordination for Specified Conversion Time (per LSR)	1 1		NTCD1	OCOSL		17.56			1	i		ĺ			l i	l
AINTENANC	OF SERVICE																
				UDC, UEA, UDL,					"		T						
- 1		1 1	1	UDN, USL, UAL.			1	i		i	1	ļ	ĺ				l
	i .	1 1		UHL, UCL, NTCYG,	1						1	ĺ	l	1	l i		ĺ
		1 1		MICUD, NTCD1,			1 1			l	J	l		1			l
1		1 1	1	Ut TD1, UTTD3,	ļ			i		i	1	ļ.	1				
	1	1 1		UITOX, UITSI,							1	i	l				l
		1 1		UITVX, UDF,	1		} 1				1	l	ļ	1			l
		1 1		UDFCX, UDLSX,	1		1			i	1	l	İ			!!!	
i	}	1 1		UE3, ULDD1.	!		1				1	i		1		]	l
		1 1		ULDD3, ULDDX,		İ	1 1				1	l	l	i			l
ı		i I		ULDS1, ULDVX, UNC1X, UNC3X,	1		1				1		1				ĺ
1		1 1	ĺ	UNCOX, UNCSX,	1		1				1	ĺ		}			l
i	Maintenance of Source Charge Basis Time and half have		l	UNCVX, UNCSX,	MVVBT		80.00	65.00				l	ļ	l			
	Maintenance of Servica Charge, Basic Time, per half hour	+	_	UDC, UEA, UDL.	IMAABI	<del></del>	80.00	55.00			_						 -
ļ		1 !	ļ	UDN, USL, UAL.	1	1	1 !			ı	1	í			í .		l
1	•	1 1		UHL, UCL, NTCVG,	!	!	1				1	l	l				!
	i .			NTCUD, NTCD1.	1	İ	1				í						l
				UITD1, UITD3,	1	1	i I		i	i	1	i				l i	l
i		l i	ĺ	UITDX, UITSI,	1	1	1 [				1					! !	i
- 1		1 1	l	U1TVX, UDF,	Į	1					1		l	1			I
- 1	1	1 1	l	UDFCX, UDLSX,	1	1	1			i	1	ĺ	l				ļ
- 1			1	UE3, ULDO1,	1	1				1	1	l					l
1	1		l	ULDD3, ULDDX.	1	1	1			1	1	]	l	1		l i	l
- 1			l	ULDS1, ULDVX,	1	1	1 1			1	1	ĺ	l				1
				UNC1X, UNC3X,	1	1											l
1		1 1	ĺ	UNCDX, UNCSX.	1	1	1			1	I	l	l	1			
1	Maintenance of Service Charge, Overtime, per half hour	1	I	UNCVX, ULS	MVVQT	1	90.00	65.00									1

	ED NETWORK ELEMENTS - North Carolina	т-т			T					Eve C	Tev- 0	Att: 2 Exh: A		Υ	Lie .		₩
TEGORY	RATE ELEMENTS	interim Z	one BCS	usoc			RATES(\$)	· ·		Submitted Elec	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add')	incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs, Electronic- Disc Add'l		
-		<del>                                     </del>	<del></del>	<del>-                                    </del>	Rec	First	curring Add'l	Nonrecurring First	Disconnect Add't	COMEC	SOMAN		Retus(\$)				=
		<del></del>	UDC, UEA, UDL,	<del></del>	<del></del>		Auu 1	FIRST	Addi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN		₩
			UDN, USL, UAL, UHL, UCL, NTCVG, NTCUD, NTCD1, U1TD1, U1TD3, U1TDX, U1TS1, U1TVX, UDF, UDFCX, ULDS3, ULDD3, ULDD3, ULDDX, ULDS1, ULDS1, ULDS1, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X,	    -  -  -													
			UNICEX, UNICSX,						ļ						1		1
00 110 715	Maintenance of Service Charge, Premium, per half hour		UNCVX, ULS	MVVPT		100.00	75.00									i	ĺ
OP MODIFI	CATION  Unburidled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft. per Unburidled Loop		UAL, UHL, UCL, UEO, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		0.00	0.00										F
	Unbundled Loop Modification, Removal of Load Coils - 2 wire		100.100	OCWEC	<del></del>	0.00	0.00					ļ					₩
_	greater than 18k (t		UCL, ULS, UEQ	ULM2G		0.00	0.00										İ
i	Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft, per Unbundled Loop		UHL, DCL. UEA	111144													T
	Unbundled Loop Modification Removal of Load Coils - 4 Wire pair		UTIL, DOL. UEA	ULM4L	<del>                                     </del>	0.00	0.00		<del></del>				<u> </u>				₩.
	greater than 18k ft		UCL	ULM4G		0.00	0.00						<u></u>			_	
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop		UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	LILMBT		12.15	12.15										
B-LOOPS																	₩
Sub-Lo	oop Distribution		<del></del>														1
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Up		UEANL, UEF	USBŞA	<u> </u>	144.09	_		_								
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up		UEANL, UEF	USBSB		10.99	10.99										T
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Uo	. 7	IUEANL	USBSC		86.16	- 10.00	` .									Т
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-		<del></del>	1													-
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop		UEANL	USBSD		27.13	27.13										<b>!</b>
+	Zone 1 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		1 UEANL	LISBN2	6.70	63.89	30.06										
	Zone 2		2 UEANL	USBN2	9.93	63.89	30.06		_	i							
-	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	l í	3 UEANL	USBN2	12.79	63.89	30.06										
				T	12.79	63.89	30.06				<del></del>	<del></del> -					
	Order Coordination for Linbundled Sub-Loops, per sub-loop pair Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop	<del></del> -	UEANL	USBMC		7.92	7.92										L
	Zone 1		1 UEANL	USBN4	10.81	76.75	42.92				1	_		$\neg$	7	Ĭ	ĺ
	Sub-Loop Distribution Par 4-Wire Analog Voice Grade Loop · Zone 2		2 UEANL	USBN4	14.16	76.75	42.92										
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3 UEANL	USBN4	24.67	76.75	42.92					<del></del>					Γ
_		— <del>-</del>			24.67		42.92										<del> </del>
-	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		UEANL	USBMC		7.92	7.92							i		}	l
-+	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)		UEANL	USBR2	2.34	51.48	17.65										$\equiv$
_	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		UEANL	USBMC	L	7.92	7.92		1	\	)			}	- 1	J	į
<del></del>	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)		UEANL	USBR4	4,18	57. <b>54</b>	23.71										_
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		UEANL	USBMC		7.92	7.92			[	l	٦	1	T			
Service	Order charges will apply only once per sub-loop																_
-+	Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour	<del></del>	UEANL	UPET1		33.17	0.00										
<del></del> -	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		IUEANIL	URETA LICS2X	5.43	19.28 63.89	19.28										
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		UEF	UCS2X	8.04	63.89	30.06 30.06										
$\rightarrow$	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		UEF	UCS2X	9.79	63.89	30.06										
		<del></del>			a./9	63.69	30.06					<del></del>					
1	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	- 1	UEF	USBMC	ı 1	7.92	7.92	ነ	ì	ì	ì	]	1	1	i	1	

		·		T	$\overline{}$	7							Att: 2 Exh: A				_	т
regory	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic-	incremental Charge - Manual Svc Order vs. Electronic-		
		+	├—	<del> </del>	<del></del>	ļ <u>.</u>	· · · · · · · · · · · · · · · · · · ·						1st	Add'I	Disc 1st	Disc Add'i	i .	
		<del> </del> -	<del> </del>	<del></del>	<del></del>	Rec	Nonre	curring	Nonrecurr	ng Disconnect		<u> </u>	oss	Rates(\$)				+
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS4X	9.62	First 76.75	Add'l 42.92	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN		+
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	13.04		42.92	<del></del>	<del></del>	+	ļ						+
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	1		l					<del></del>	+	- <del> </del>	<u> </u>		L				十
	Loop Tagging Service Level 1, Unbundled Copper Loop, Non-	<del> </del>	-	UEF	USBMC		7.92	7.92			1		!					T
!	Designed and Distribution Subloops									<del>  -</del>	<del> </del>	ļ <u>-</u>	·					
	Loop Testing - Basic 1st Half Hour	+	├	UEF, UEANL UEF	URETL		8.93	0.88	1	1	<b>!</b>							Т
	Loop Testing - Basic Additional Half Hour	+		UEF	URET1 URETA		33.17	0.00			† <del></del>			<del></del>				+
Unbund	lled Sub-Loop Modification				IONETA	L	19.28	19.28										+
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load	T			T		<del></del>											┿
	Coil/Equip Removal per 2-W PR			UEF	ULM2X		0.00	0.00							т			+
1 1	Unburdled Sub-loop Modification - 4-W Copper Dist Load						0.00	0.00		<del> </del> _				L		J		1
	Coll/Equip Removal per 4-W PR Unbundled Loop Modification, Removal of Bridge Tap, per	1		UEF	ULM4X		0.00	0.00		1	{							+
	unbundled loop		l.					- 0.00		+	<b>⊢</b> ·— I							
Unbund	led Network Terminating Wire (UNTW)			UEF	ULMBT		224 55	4.29		1	1 1				Ī			T
	Unburided Network Terminating Wire (UNTW) per Pair	_		ILEXIDA:						+	<del>'</del>							L
INSTWORK	Interface Device (NID)			UENTW	UENPP	0.51	14.72	14.72		T	Т Т	<del></del>			<del></del>			Γ
السلام	Network Interface Device (NID) - 1-2 lines	<del>                                     </del>		UENTW	UND12													Ļ
1 17	Network Interface Device (NID) - 1-8 lines	†		UENTW	UND12 UND16		86.37	56.69										+
	Network Interface Device Cross Connect - 2 W	<del>  </del>		UENTW	UNDC2		127.93 5.73	98.21						<del></del> +	<del></del> +			+-
[ II	Network Interlace Device Cross Coppost 4M	1	_	UENTW	ÚNDC4			5.73	·									⊢
E OTHER, PR	OVISIONING ONLY - NO RATE				15.50-		5.73	5.73										╀
L	Inbundled Contact Name, Provisioning Only - no rate			UDL. UDN, UEA, UHL. UEANL, UEF, UEQ, UENTW, NTGVG, NTGUD. NTGD1, USL	UNECN													-
	Induncied DS1 Loop - Superframe Format Ontion - no rate	<del>                                     </del>		USL, NTCD1	CCOSF	0.00	0.00									i i	- !	1
L	Inbundled DS1 Loop · Expanded Superframe Format option · no	$\vdash$			0003	—	0.00									-	$\overline{}$	-
1 17	ate	li	- 1	USL, NTCD:	CCOEF		0 00	i							+	<del></del>		⊢
- IN	ND - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00		<del></del>							1	- 1	1
OP MAKE-UP	NTW Circuit Establishment, Provisioning Only - No Rate	L I		UENTW	UENCE	0.00	0.00			<del></del>							$\overline{}$	_
1 1	oop Makeup - Preordering Without Reservation, per working or	<b>├</b>								<del>   </del>								$\overline{}$
is	pare rackity queried (Manual).			LIMK	UMKLW					<del>                                     </del>			+	<del></del>			=	
L	oop Makeup · Preordering With Reservation, per spare facility	+	-	SATI C	UNIKLW		23.29	23.29		L		í	i	- 1	- 1	}		
q	peried (Manual),	1 1	- J	UMK	UMKLP	ľ								-				
	oop Makeup- With or Without Reservation, per working or spare		$\neg$		OWINE		24.70	24.70				ŀ	1	- 1	ļ			
12	iciity queried (Mechanized)		į.	JMK	UMKMQ .		0.19	0.40		1								
SPLITTING	D OPPERING AT THE REST OF THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE PERING AT THE				1		0.19	0.19		ļ							- 1	
END USE	R ORDERING-CENTRAL OFFICE BASED									<u></u> _							$\overline{}$	_
- 19	ne Splitting - per line activation DLEC owned splitter ine Splitting - per line activation AT&T owned - physical		Ţ		UREOS	0.61	15.53	7.79										_
<del>                                      </del>	ne Splitting - per line activation AT&T owned - physical				UREBP	0.6409	17,97	10.29										_
END USE	R ORDERING - REMOTE SITE LINE SPLITTING		- 1	JEPSR UEPSB	UREBV	0.6325	17.87	10.29				-						_
UNBUNDL	ED EXCHANGE ACCESS LOOP									L					<del></del> l_		$\overline{}$	
2-WIRE A	NALOG VOICE GRADE LOOP			<del></del>													$\rightarrow$	
1 12	Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-																$-\!\!\!\!-\!\!\!\!\!\!\!+$	
	one 1		1 1	JEPSR UEPSB	UEALS	10.82	00.54											—
2	Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-				SEALO .	10.52	36.54	16.87	0.00	0.00				ĺ	J			
Zc	one 1		1 (	JEPSH UEPSB	UEABŞ	10.82	36.54	16.87	1	: :T		$\neg$					<del>+</del>	_
2'	Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		7			.0.04	30.54	16.87	0.00	0.00			1		I		Ì	
	Wire Agrica Voice Conde Land		2 L	EPSR UEPSB	UEALS	16.21	36.54	16.87	0.00			1					$\overline{}$	_
120	Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		$\neg$			-	- 00.0-	10.07	0.00	0.00					<u></u> l	_	- }	
	Wire Analog Voice Grade Loop-Service Level 1-Line Splitting		2  ∟	EPSA UEPSB	UEABS	15.21	36.54	16.87	0.00	0.00	ĺ		1					_
20	ne 3							2.5.	V.50	0.00	+		-				J	
21	Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		<u>3</u> U	EPSR UEPSB	UEALS	24.08	36.54	16.87	0.00	0.00			J	ļ	[ ]			
	ine 3	- 1	3 (1)	EPSR UEPSB		. T					<del></del>	<del></del>						
PHYSICAL	COLLOCATION		3 IU	L-SH UEPSB	UEABS	24.08	36.54	16.87	0.00	0.00		1		I	I	1	丁	
Ph	ysical Collocation-2 Wire Cross Connects (Loop) for Line	- 7	-	<del></del> ,														_
	ntting	- 1	- In	EPSR UEPSB	PEILS	0.0000	,,	T					Т	— г			$-\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!$	_
VIRTUAL C	COLLOCATION		- 10		E ILO	0.0309	19.77	14.95	0.00	0.00		Ì		1	- 1		- 1	
1			$\overline{}$		<del></del>	<del> </del>											$-\!\!\!\!\!+$	_
Viri	tual Collocation-2 Wire Cross Connects (Loop) for Line Splitting		ļυ	EPSA UEPSB (1	/E1LS	0.0287	33.96	an an 1		T		T					$-\!-\!\!+$	_
MOLEO DEDI	ICATED TRANSPORT		_ 1			V.UZ01	33.95	32.08	0.00	0.00							1	
	CE CHANNEL - DEDICATED TRANSPORT proffice Channel - 2-Wire Voice Grade - per mile								<u>_</u>								-+	

													Att: 2 Exh: A	Α.				_
,		1		1		1					Svc Order	Svc Order	Incrementa		I have a six		<del></del>	_/
				1	!	1					Submitted	Submitted	Charge				1	
TEGORY	RATE ELEMENTS	interim	7000	BCS		F					Elec			Charge -	Charge -	Charge -	1	- 1
		RICETIM	2010	BCS	USOC	1		RATES(\$)				Menually	Manual Svo	Manual Syc	Manual Svc	Manual Svc		- 1
ļ				1							per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.		- 1
		1		1		1						l	Electronic-	Electronic-	Electronic-	Electronic.	1	
		-				1					i .	l	1st	Arid'I	Disc 1st	Disc Add'l		
<del>-, ,</del>		-				-	Nonr	ecurring	Nonresussia	- 2			<u> </u>		0.50 121	DISC ADD I		
<del></del>	Internation Channel 2 Mars Name Cont.					Rec	First	Add'i	First	g Disconnect			0\$5	Rates(\$)			<del></del>	_
<del></del>	Interoffice Channel - 2-Wire Voice Grade - Facility Termination			U1TVX	U1TV2	12.1			First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	<del></del>	_
$\rightarrow$	Interoffice Channel - 2-Wire Voice Grade Rev Bat per mile			U1TVX	1L5XX	0.009		20.02		<del> </del>							-	-
	Interesting Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Change of the Chan				-	0.000												$\dashv$
	Interoffice Channel - 2-Wire VG Rev Bat Facility Termination	L. I		UTVX	U1 TR2	12.12	39.36			l .		-				<del></del>	<del></del>	4
	Interoffice Channel - 4-Wire Voice Grade - per mile			U1TVX	1L5XX	0.009		26.62	·	<u> </u>			ĺ			l l	1	- 1
1 1	1-1					4.003	<del>'</del>											4
	Interoffice Channel - 4- Wire Voice Grade - Facility Termination	!!		UITVX	UITV4	10.19	39.36		1									-4
	Interoffice Channel - 56 kbps - per mile			UTDX	1L5XX	0.0095		26.52	ļ				ļ	i l		į !	1	- 1
<del> '</del>	Interoffice Channel - 56 kbps - Facility Termination	1		UTDX	U1TD5	7.47								· · · · · · · · · · · · · · · · · · ·			-	4
<del></del>	Interoffice Channel - 64 kbps - per mile			UTDX	1L5XX			26.62				_						4
'	Interoffice Channel - 64 kbps - Facility Termination			U1 TDX	U1TD6	0.0095												J.
	Interoffice Channel - DS1 - per mile	<del>  </del>		UTTDI	1L5XX	7.47		26.62						<del></del>				$\perp$
	nteroffice Chancel - DS1 - Facility Termination			UTTDI		0.1938												Л
	nteroffice Channel - DS3 - per mile			U1TD3	U1TF1 1L5XX	31.06		79.44										J
II	nteroffice Channel - DS3 - Facility Termination	<del>  </del>		UTD3	U1TF3	4.44					<del></del>			<del> </del>				$_{\rm I}$
i i	rteroffice Channel - STS-1 - per mile	$\vdash$		Ut TS1	1L5XX	329.91		158.05						<del></del>				_[
	nteroffice Channel - STS-1 - Facility Termination	<del></del> -		Ui TS1	U1TFS	4.44												J
H CAPACITY	UNBUNDLED LOCAL LOOP	<del> </del>	-	0.131	OTTES	339.20	270.69	158.05						<del></del>				T
DS-3/\$T\$	S-1 UNBUNDLED LOCAL LOOP - Stand Alone																	Ϯ
1 0	OS3 Unbundled Local Loop - per mile			UE3	To a second								i		7			1
	OS3 Unbundled Local Loop - Facility Termination	-		UE3	1L5ND	12.95												T
8	STS-1Unbundled Local Loop - per mile				UE3PX	229.90		256.30										+
1 5	TS-1 Unbundled Local Loop - Facility Termination			UDLSX	1L5ND	12.95												ተ
UNBUND	LED DARK FIBER			UDLSX	UDLS1	257.82	438.46	256.30							_			+
	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per																	+
l le	Noute Mile Or Fraction Thereof	i	- 1							<del></del> _								+
F	Park Fiber - Interoffice Transport, Per Four Fiber Strands, Per	-		UDF, UDFCX	1L5DF	24,77		' I			i	!				-		+
l le	ioute Mile Or Fraction Thereof	i			1									1	- 1			
ANCED EXT	ENDED LINK (EELs)		!	UDF, UDFCX	UDF14		620.60	133.88		1	- 1					$\overline{}$		+
Maturork	Elements Used in Combinations						- 020.00	33.66										ĺ
130,000,000	Wire VC Lean (SLO) in Combinations									L								┿
-   2	-Wire VG Loop (SL2) in Combination - Zone :		1	UNCVX	UEAL2	11.96	385.26	72.08										┿
2	-Wire VG Loop (SL2) in Combination - Zone 2			UNCVX	UEAL2	17.36	385.26									<del></del>		+
1	-Wire VG Loop (SL2) in Combination - Zone 3		3 1	UNCVX	UEAL2	25.23	385.26	72.08										╄
14.	Wire Analog Voice Grade Loop in Combination - Zone 1	$\neg \neg$		JNCVX	UEAL4	19.52		72.08								+		╄
4.	vvire Analog Voice Grade Loop in Combination - Zone 2		2 1	INCVX	UEAL4	24.74	385.26	72.08										┸
4-	- vvire Analog voice Grade Loop in Combination - Zone 3			JNCVX	ÜEAL4	46.11	385.26	72.08			-		-			$\rightarrow$		1
2-	Wire ISDN Loop in Combination - Zone 1			NCNX	U1L2X	19.78	385.26 385.26	72.08										┺
12-	Wire ISDN Loop in Combination - Zone 2		2 1	JNCNX	U1L2X			72.08						<del></del>				┺
5.	Wire ISDN Loop in Combination - Zone 3			NCNX	U1L2X	26.16	385.26	72.08										L
4-1	Wire 56Kbps Digital Grade Loop in Combination - Zone 1			NCDX	UDL56	35.37	385.26	72.08										
4-1	Wife 56Kbps Digital Grade Loop in Combination - Zone 2			NCDX		21.98	385.26	72.08					<del></del> +					Г
4-1	Wire 56Kbps Digital Grade Loop in Combination - Zone 3			NCDX	UDL56	27.58	385.26	72.08						<del></del>				Г
4-1	Wire 64Kbps Digital Grade Loop in Combination - Zone 1			NCDX	UDL56	43.08	385.26	72.08										Г
4-1	Wire 64Kbps Digital Grade Loop in Combination - Zone 2			NCDX	UOL64	21.98	385.26	72.08			<del></del>							
4-1	Wire 64Kbps Digital Grade Loop in Combination - Zone 3	-+	2 1	NCDX	UDL64	27.58	385.26	72.08										_
14-1	Wire DS1 Digital Loop in Combination - Zone 1		3 1	NCIX	UDL64	43.08	385.26	72.08	-		<del></del>							$\overline{}$
4.1	Wire DS1 Digital Loop in Combination - Zone 2				USLXX	63.62	412.03	139.55										_
4.1	Wire DS1 Digital Loop in Combination - Zone 3		<del>5  </del> 0	NC1X NC1X	USLXX	104.40	412.03	139.55	+		<del></del>		-					$\overline{}$
l DS	3 Local Loco in combination - per mile	+			USLXX	210.22	412.03	139.55			<del></del>							$\overline{}$
Ds	33 Local Loop in combination - Facility Termination			NC3X	1L5ND	12.95			-									$\overline{}$
ST	S-1 Local Loop in combination - per mile			NG3X	UE3PX	229.90	3.073.55	1,245.84									$\overline{}$	_
ST	S-1 Local Loop in combination - per mile S-1 Local Loop in combination - Facility Termination			NCSX	1L5ND	12.95											<del></del> +	_
Int	eroffice Channel in combination - 2-wire VG - per mile	-		NCSX	UDL\$1	257.B2	3,073.55	1,245,84									$\overline{}$	_
line.	eroffice Channel in combination - 2-wire VG - Per mile		U	NCVX	1L5XX	0.0095												-
Ta	mination	ı	- [						<del></del>		-						$\overline{}$	-
	eroffice Channel in combination - 4-wire VG - per mile			NCVX	U1TV2	12.12	131.81	78.34	- 1	I						<del></del>	$\overline{}$	
100	proffice Charged in perphination - 4-wire VG - per mile		Ţü	NCVX	1L5XX	0.0095	2	, 0.34							I	1	Į	
T <sub>n</sub>	eroffice Charmel in combination - 4-wire VG - Facility	T						<del></del>							<del>-  -</del>	<del></del>		_
				NCVX	U1TV4	10.19	131,81	78.34	1	I	1	T				<del></del>	-+	_
inte	eroffice Channel in combination - 4-wire 56 kbps - per mile		U	NCDX	1L5XX	0.0095	751,61	70.34							1	J		
inte	eroffice Channel in combination - 4-wire 56 kbps - Facility																	_
	mination		U	NCDX	U1TD5	7.47	131,81	I	Į.	T							<del></del>	_
Inte	eroffice Channel in combination - 4-wire 64 kbps - per mile				1L5XX	0.0095	131.61	78.34			i		- 1	i	ł	J		
Inte	eroffice Channel in combination - 4-wire 64 kbps - Facility		Ť			0.0095									<del>- +</del>	<del></del>	$\rightarrow$	_
Ten	mination		UR	NCDX I	UITDG	7.47						-						_
Inte	proffice Channel in combination - DS1 - per mile				1L5XX	0.1938	131.81	78.34			}		į	1	ı	i T		-
nte	eroffice Chamel in combination - DS1 Facility Termination				UITFI													_
Inte	roffice Channel in combination - DS3 - per mile	_				31.06	234.02	162.52			-+	-						
1	roffice Channel in combination - DS3 - Facility Termination	_			1L5XX	4.44					-+							_
Inte																		$\overline{}$
Inte Inte	roffice Channel in combination - STS-1 - per mile	-			U1TF3 1L5XX	329.91	802.81	146.02										

	D NETWORK ELEMENTS - North Carolina		T									Att: 2 Exh: A					Τ
EGORY	RATE ELEMENTS	Interim	Zone BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l		
+				-	Rec		curring	Nonrecurrin	g Disconnect			OSS	Rates(\$)				┿
TIONAL N	ETWORK ELEMENTS	<del> </del>				Firat	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN		+-
Option	nal Features & Functions:		<del></del>		<del></del>	<u> </u>	L	L <u> </u>	<u> </u>	<u> </u>							+
7-7-		1 1	UrTD1.		T				<del>_</del>								+-
!	Clear Channel Capability Extended Frame Option - per DS1	1 1	ULDD1,UNC1X	CCOEF		0.00			i								+
1			UTTD1	00027	<del> </del>	0.00		<del> </del>	<del></del>								1
	Clear Channel Capability Super FrameOption - per DS1		ULDD1.UNC1X	CCOSF		0.00	i										Т
	Clear Channel Capability (SF/ESF) Option - Subsequent Activity -		ULOD1, U1TD1,														┸
	per DS1		UNC1X, USL	NRCCC		184.76	23.80	1,99	0.78								
	C-bit Parity Option - Subsequent Activity - per DS3	1 . 1	UTD3, ULDD3,														╀
+-	IDS1/DS0 Channel System		UE3, UNC3X	NRCC3		218.92	7.66	0.7576	0.00				l	ļ			
	DS3/DS1Channel System		UNC1X	MO1	70.84	170.57											+
1	Voice Grade COCI in combination	$\vdash$	UNC3X, UNCSX UNCVX		84.32	0.00											+
1		<b>├</b> ──	UNCVA	1D1VG	0.4329	54.14	17.51										+
	Voice Grade COCI - for 2W-SL2 & 4W Voice Grade Local Loop		UEA	1D1VG	0.4329	ا مم			1								+
1	Voice Grade COCI - for connection to a channelized DS1 Local	$\vdash$	, , , , , , , , , , , , , , , , , , ,	- IDIVG	0.4329	6.39	4.58					i			Į.		
Ш	Channel in the same SWC as collocation		UTTUC	1D1VG	0.4329	6.39	4.58		f I								۲
	OCU-DP COCI (2.4-64kbs) in combination		UNCDX	10100	0.4329	54,14	17.51										
	OCU-DP COCI (2.4-64kbs) - for Unbundled Digital Loop		UDL	10100	0.9199	6,39	4.58		<del>-</del>								$\vdash$
	OCU-DP COCI (2,4-64kbs) - for connection to a channelized DS1	1			- 5.0.00	0.03			<b></b>								T
	Local Channel in the same SWC as collocation		UITUD	1D10D	0.9199	6.39	4.58			í	- 1	I					1
<del>_</del>	2-wire ISDN COCI (8RITE) in combination		UNCNX	UC1GA	1.53	54.14	17.51										1
_	2-wire ISDN COCI (BRITE) - for a Local Loop		UON	UC1CA	1.53	6.39	4.58										
1	2-wire ISDN COCI (BRITE) - for connection to a channelized DS1																
	Local Channel in the same SWC as collocation		UITUB	UC1CA	1.53	6.39	4.58			- 1			ļ	ļ	- 1		
+	DS1 COCI in combination DS1 COCI - for Stand Alone Local Channel		UNC1X	UC1D1	8.43	54,14	17.51		-								_
+	DS1 COCI - for Stand Alone Interoffice Channel		ULDD1	UCIDI	8.43	6.39	4.58				<del></del>						ـــا
	DS1 COCI - for DS1 Local Loop	$\rightarrow$	U1TD1	UC1D1	8.43	6.39	4.58								<del></del> +		╙
+	DS1 COCI - for connection to a channelized DS1 Local Channel in		USL, MTCD1	UC101	8.43	6.39	4.58										⊢
1	Ithe same SWC as collocation		U! TUA	UCIDI	8.43												$\vdash$
	Wholesale - UNE. Switch-As-Is Conversion Charge		UNGVX, UNCDX UNC1X, UNC3X, UNCSX, UDFCX XDH1X, HFQC6 XDD2X, XDV6X, XDDFX, XDD4X HFRST, UNCNX		3.43	6.39	4.58				_					- i	
T			UITVX, UITDX,			3,43	5.43		<del></del>								
	Unbundled Misc Rate Element, SNE SAI, Single Network Element -	J	U1TD1, U1TD3,		[ ]	ļ	I	i	- 1	i			1				
	Switch As Is Non-recurring Charge, per circuit (LSR)		U1TS1, UDF, UE	3 URESL		36.90	16.15	l	- 1		- 1	]	l	ì	]		
	Unbundled Misc Rate Element, SNE SAI, Single Network Element -		U1TVX, U1TDX.		""				+		<del></del>	-	<del></del>				
	Switch As Is Non-recurring Charge, incremental charge per circuit on a spreadsheet	J	U1TD1, U1TD3,				- 1		Í				1	ļ			
Acces	to DCS - Customer Reconfiguration (FlexServ)	—	U1TS1, UDF, UE	্য [URESP	<u> </u>	1.49	1.49	i		_	ļ	- 1	- 1	i		í	
1.2000	Customer Reconliguration Establishment		<del></del>		<del></del>										<del></del> +		
r	DS1 DCS Termination with DS0 Switching		<del></del>		- 37 52	1.43	1.43							· · ·	- +		_
	DS1 DCS Termination with DS1 Switching				21.64 7.32	24.81	19.09								<del></del>		
	DS3 DCS Termination with DS1 Switching	+	<del></del>		136 07	17.93 24.81	12.22										-
Node (S	ynchroNet)			····	130 07	24.81	19.09				I	T					_
	Node per month	T	UNCDX	UNCNT	16.00			<del></del>									_
Service	Rearrangements				.5.50				<u></u>								
	NRC - Change in Facility Assignment per circuit Service Rearrangement		UITVX, UITDX, UITUC, UITUD, UITUB, ULDVX, ULDDX, UNCVX UNCDX, UNCIX	URETO		100.82	42.93										_
<u></u>	NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit it project managed)		UITVX, UITDX, UITUC, UITUD, UITUB, ULDVX, ULDDX, UNCVX UNCDX, UNCIX			3.18	3.18										
1	NAC - Order Coordination Specific Time - Dedicated Transport		UNC1X, UNC3X	OCOSR		18.89	18.89	+									_
MINGLING				1 1			- 0.00		<del></del>			L					_

		$\overline{}$				1							Att: 2 Exh: A					T"
EGORY	RATE ELEMENTS	interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order		Incremental Charge - Manual Syc Order vs. Electronic- Add'l	Incremental Charge - Manual Svo Order vs. Electronic- Disc 1st	Incremental Charge - Manuel Svc Order vs. Electronic- Disc Add'l		+
						Rec	Nonrec		Nonrecurring	Disconnect			0\$5	Rates(\$)				+
			<u> </u>	· · · · · · · · · · · · · · · · · · ·			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN		+
	Commingling Authorization			UNCVX, UNCDX, UNC1X, UNC3X, UNC5X, U1TD1, U1TD3, U1TS1, UE3, UDL5X, U1TVX, U1TDX, U1TUB, ULDVX, ULDD1, ULDD3, UEDS1	CMGAU	0.00	0.00	0.00										
Commin	gled (UNE part of single bandwidth circuit)					0.00	0.00	0.00										丄
	Commingled VG COCI	1			1D1VG	0.4329	6.39	4.58										Ľ
	Commingled Digital COCI			XDV6X	1D1DD	0.9199	6.39	4.58										ــــــــــــــــــــــــــــــــــــــ
- 1,	Commingled ISDN COCI Commingled 2-wire VG Interoffice Channel Facility Termination	<del> </del>	_		UC1CA	1.53	6.39	4.58						<del> </del>	<del></del>			+
<del>-    </del>	Commingled 4-wire VG Interoffice Channel Facility Termination		_		U1TV2 U1TV4	12.12	39.36	26.62							<del></del> -+			+
	Commingled 56kbps Interoffice Channel Facility Termination	+			U1 FV4 U1 TD5	10.19 7,47	39.36 39.37	26.62							<del></del>			+-
1	Commingled 64kbps Interoffice Channel Facility Termination	+	<del> </del>		U1TD6	7,47		26.62 26.62									·	+
		1	_	XDV2X, XDV6X,	U.100	7.47	39.37	20.62										_
(	Commingled VG/DS0 Interoffice Channel per mile	1	[	XDD4X	1L5XX	0.0095		I	ł		i						-	1
1 0	Commingled 2-wire Local Loop Zone 1	1	1	XDV2X	UEAL2	11.96	102.10	65.72	<del></del> -+			— <del>-</del>						L
To To	Commingled 2-wire Local Loop Zone 2		.2	XDV2X	UEAL2	17.36	102.10	65.72			+							
	Commingled 2-wire Local Loop Zone 3	1		XDV2X	UEAL2	25.23	102.10	65.72										Г
	Commingled 4-wire Local Loop Zone 1	1			UEAL4	19.52	127.40	91.02										$\vdash$
+!	Commingled 4-wire Local Loop Zone 2	ļ			UEAL4	24.74	127.40	91.02				<del></del>						Ļ
	Commingled 4-wire Local Loop Zone 3 Commingled 56kbps Local Loop Zone 1	<b>-</b>			UEAL4	46,11	127.40	91.02										
	Commingled 56kbps Local Loop Zone 1	+		XDD4X XDD4X	UDL56	21.98	121.86	85.48										₩
<del>-   2</del>	Commingled 56kbps Local Loop Zone 3	+	2		UDL56	27.58		85.48										⊢
	Commingled 64kbps Local Loop Zone 1	<del>                                     </del>	1		UDL56 UDL64	43.08 21.98	121.86 121.86	85.48										⊢
1 la	Commingled 64kbps Local Loop Zone 2	<del>                                     </del>			UDL64	21.98	121.86	85.48 85.48								<del></del> +		_
	Commingled 64kbps Local Loop Zone 3	t			UDL64	43.08	121.86	85.48 85.48				T						_
	Commingled ISDN Local Loop Zone 1		1		U1L2X	19.78	113.34	76.96			+							$\equiv$
1 0	Commingled ISDN Local Loop Zone 2		2	XDD4X	U1L2X	26.16		76.96										
	ammingled ISDN Local Loop Zone 3		3		U1L2X	35.37	113.34	76.96									7	
	Commingled DS1 COCI				UÇ1D1	8.43	6.39	4.58			+							_
	Commingled DS1 Interoffice Channel Facility Termination	_	لتسا		U1TF1	31.19	86.69	79.44					<del>-</del>					
	Commingled DS1 Interoffice Channel per mile	<del></del>	<u> </u>		IL5XX	0.1938								<del></del>				_
<del>                                     </del>	commingled DS1/DS0 Channel System commingled DS1 Local Loop Zone 1	<b> </b>	١		VIQ1	70.84		60.76										
<del>   </del>	Commingled DS1 Local Loop Zone 1	$\vdash$	1		JSLXX	63.62	245.16	152.98										_
	Commingled DS1 Local Loop Zone 3	+			JSLXX	104.40	245.16 245.16	152.98							<del></del>		-	_
1 10	commingled DS3 Local Loop Facility Termination				JE3PX	210.22 229.90	245.16 438.46	152.98 256.30									<del></del>	_
	commingled DS3/STS-1 Local Loop per mile				115ND	12.95	438.45	256.30								<del></del>	-+	_
	ommingled STS-1 Local Loop Facility Termination				JDLS1	257.82	438.46	256.30					-					
	ommingled DS3/DS1 Channel System			HFOC6	MQ3	84.32	172.99	91.25										_
	ommingled DS3 Interoffice Channel Facility Termination			HFQC6 i	JITF3	329.91	270.69	158.05	<del></del>									_
	ommingled DS3 Interoffice Channel per mile			HFQC6	L5XX	4.44				<del></del>	·	∤-				$ \Box$		_
<u>c</u>	commingled STS-finteroffice Channel Facility Termination	╙			JITES	339.20	270.69	158.05										
	ommingled STS-1 Interoffice Channel per mile			HFRST	L5XX	4.44												
	ommingled Dark Fiber - Interoffice Transport, Per Four Fiber trands, Per Route Mile Or Fraction Thereol			HEQDL .	L5DF			T					<del></del>	<del>+</del>				
+ 12	ommingled Dark Fiber - Interoffice Transport, Per Four Fiber	<del>  </del>	$\rightarrow$	LECOPE .	LSUF	24.77											Į	
l is	trands, Per Route Mile Or Fraction Thereof	( I	ŀ	HEQDL (	IDF14	ļ	620.60	133.88		Т								_
	NE to Commingled Conversion Tracking	<del>  </del>			MGUN	0.00	0.00	133.8B 0.00	0.00									
S	PA to Commingled Conversion Tracking	<u> </u>			MGSP	0.00	0.00	0.00	0.00	0.00								
Query Service							0.00	0.00	0.00	0.00	+	<del></del>						_
- Ju	NP Charge Per query					0.0007579												_
	NP Service Establishment Manual						12.16		**		<del></del>	<del></del> +		<del> </del>	<del></del>		<u>_</u>	
BX LOCATE	NP Service Provisioning with Point Code Establishment	<b> </b>					576.33	294.43					<del></del>	<del></del>				
	LOCATE DATABASE CAPABILITY				1													_
	arvice Establishment per CLEC per End User Account	,		9PBOC   9	PBEU T											<del></del>		
1 - 1 <del>2</del>	hanges to TN Range or Customer Profile	<del>                                     </del>			PBEU		1.823.00										<del>-</del> +-	_
	er Telephone Number (Monthly)			9PBDC 9	PBMM	0.07	182.45	<del></del>			I.						$\neg +$	_
Ī	hange Company (Service Provider) ID	<del>                                     </del>			PBPC	0.07	535.57									<del></del>	-	—
P	BX Locate Service Support per CLEC (Monthit)	<del></del>			PBMR	165.63	900.07		<del></del>									_
i is	ervice Order Charge				PBSC	-00.03	15.20											
1044 Amy	LOCATE TRANSPORT COMPONENT																	_
See Att 3																		

UNBUNDLE	D NETWORK ELEMENTS - North Carolina									_					
CATEGORY	RATE ELEMENTS	Interin	Zone	BCS	Usoc		RATES(\$)	OCCUPATION OF	Manually	Manual Svc	Incremental Charge - Manual Syc Order vs.	Charne	Manual Svc Order vs. Electronic	, ,	
Note: R	ates displaying an "I" in Interim column are interim as a result	of a Co	missi	on order.		Rec	Nonrecurring   Nonrecurring Disconnect   First   Add'l   First   Add'l	SOMEC	SOMAN	OSS	Rates(\$) SOMAN	SOMAN	Disc Add I		

Version: 1008 GENERIC INTERCONNECTION AGREEMENT 05/05/08

CCCS 169 of 370

Page 76 of 96

	DLED NETWORK ELEMENTS - South Carolina	1	1	1		T					Syc Order	Svc Order	Att: 2 Exh: A		Ti	· · · · · ·		
			1			1						Submitted		Incremental Charge -	Incremental			
		1	1_		ł						Flec	Manually	Manual Svc	Manual Syc	Charge -	Charge -		1
TEGORY	Y RATE ELEMENTS	Interin	m Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.					1
		1			1						por con	pe. 2515	Electronic-	Order vs.	Order vs.	Order vs.		1
			1	1	1	1							1st	Electronic-	Electronic	Electronic-		1
		+-	+	<del></del>	<del></del>	<b>+</b>							'81	Add'i	Disc 1st	Disc Add'l		1
	·	+	1	<del> </del>	+	Rec	First	curring Add')	Nonrecurring First	Disconnect Add'l	SOMEC	COLLEGE		Rates(\$)				
						1							SOMAN		SOMAN	SOMAN		
The	"Zone" shown in the sections for stand-alone loops or loops as p	part of a	combin	nation refers to Geog	raphically De	eaveraged UNE	Zones. To view	« Geographical	ly Deaveraged	UNE Zone Des	gnations by	Central Off	ice, refer to in	ternet Websit	4.	<u> </u>		╀
EDATION	NE CUIDDOET EVETENE (OCC) POCCIONAL DATECT		_		,			,								I		
TNOT	TF: (1) CLFC should contact its contract perotistor if it prefers the	ne "state	Specif	/ic" OSS charges as r	urdered by the	a State Commit	The Of											┿
elthe	er the state specific Commission ordered rates for the service ordered states.	dering c	harges	or CLEC may elect	the regional s	service ordering	Charge hower	o charges curri	entry contained	I IN this rate ex	chibit are the	AT&T "regi	onal" service	ordering char	ges. CLEC m	ay elect		$\vdash$
the :	9 states.	•	-				,	or, ollo can i	OL ODIENI E IIII	crure or the tax	o regardiess	if CLEC has	s a interconne	ection contrac	t established	in each of	i	İ
NOT	s states. TE: (2) Any element that can be ordered electronically will be bille brokened electronically at present per the LOH, the listed SOMEC n	ad accor	ding to	the SOMEC rate lists	ad in this cate	egory. Please r	efer to AT&T's	Local Ordering	Handbook (LC	H) to determin	e if a produ	ct can be or	riered electro	nicelly. Carty				L
		ate in th	is cated	gory reflects the char	/ge that woul	d be billed to a	CLEC once ele-	ctronic ordering	capabilities c	ome on-line for	that elemen	it. Otherwie	te the manua	l ordering ob-	ose elements	that cannot	- 1	1
арр	ified to a CLECs bill when it submits an LSR to AT&T.  OSS - Electronic Service Order Charge, Per Local Service		<del></del>			<del></del>								, a dening this	ge, somze,	WILL DE		1
	Request (LSR) - UNE Only				CONEC	1												┼
	OSS - Manual Service Order Charge, Per Local Service Request	+	+-		SOMEC	<del> </del>	3.50	0.00	3,50	0.00						. !	ĺ	ĺ
	(LSR) - UNE Only				SOMAN		15.69	0.00	1.97	0.00			Ī					$\vdash$
	CE DATE ADVANCEMENT CHARGE					1		4.00		0.00								<u> </u>
NOT	TE: The Expedite charge will be maintained commensurate with B	JellSouth	i's FCC	No.1 Tariff, Section	5 as applicab	ile.										$\longrightarrow$		<b>—</b>
- 1		1	1	l	1								<del></del>		· · · · · · · · · · · · · · · · · · ·	+		╙
		1	ł	UAL, UEANL, UCL.		'	į Į		1		! !		ı	i		ļ		i
- 1		1	1	UEF, UDF, UEQ, UDL, UENTW, UDN.	1	1	, ,		1	i	1	- 1	}				- }	i
			1	UEA, UHL, ULC.	1		, ,	. 1	I				ł	J	1	- 1		1
		1	1		1	1 /	i l		I				I	ſ				ı
4			1	USL, U1T12, U1T48,	1		i 1	. 1									i	
- 1			1 '	UtTD1, UtTD3,			1 1	. 1	ŀ			I.	i		- 1			
			1 '	LITDX, UITO3,		j /	1 1	. 1		i	- 1	- 1	i	1	- 1	1	ļ	
			1 '	U1TS1, U1TVX,	1		1					l l					İ	
			1 '	UC1BC, UC1BL,	1 7	1 !	ł					l l						
		1	1 '	UC1CC, UC1CL,	1 !		1				ļ	- 1	i		i			
		1	1	UC1DC, UC1DL,	ļ ,	l i	ı		!	Į.	i	ł	i	1			1	
		1	1	UC1EC, UC1EL,	1	1 1				- 1			- 1					
- 1		İ		UC1FC, UC1FL,	1	1 1	1			- 1			ļ		i	- 1	- 1	
			1	UC1GC, UC1GL	1	1 1	1	1		- 1			- (	- 1		i		
				UC1HC, UC1HL,	1	1 1		- 1		- 1	1	1						
- 1			1 '	UDL12, UDL48,	1	! I	ı				1				1		- 1	
				UDLO3, UDLSX,	1 1					i			1	1		1		
				UE3, ULD12, ULD48,	. 1	1							1	1	J			
				ULDD1, ULDD3,	, 1	1 1		l l	i					1				
		1		ULDDX, ULDO3,		1 1	i	1			i							
		1		ULDS1, ULDVX,		1 1		- 1					[	- 1	ļ	ŀ	- 1	
			1 '	UNC1X, UNC3X,	1	1 1				- 1						1		
				UNCDX, UNCNX,		i I			ľ		!	- 1					Į.	
ŀ		i	1 '	UNCSX, UNCVX,	1	1 1			į		1		- 1	i	Į.	[	ſ	
	1	1		UNLD1, UNLD3,	1 /	, I					İ		i		I	i	1	
i		1		UXTD1, UXTD3,	1	j	1	ŀ		1	- 1		- 1			- 1	1	
		1		UXTS1, U1TUC.	1 1	i i		- 1		i	- 1		- 1	1		[		
		1	1 '	UTUD, UTTUB,	1	i I				I				I	i			
- 1	UNE Expedits Charge per Circuit or Line Assignable USOC, per	1	1 '	UTTUA,NTCVG,		<sub>i</sub> 1		l	1	I	i		i	- 1	1		ĺ	
	Day	<del></del>	<b>↓</b> '	NTCUD, NTCD1	SDASP		200.00					ļ		-	1			
JEK MOD	Order Modification Charge (OMC)	+-	┯		-													
	Order Modification Additional Dispatch Charge (OMCAD)	+	+-	<del></del>	$\vdash$	<del></del>	26.21 150.00	0.00	0.00	0.00								
	DEXCHANGE ACCESS LOOP	1					130.00	0.00	0.00	0.00		$\longrightarrow$						
2-Wil	RE ANALOG VOICE GRADE LOOP										<del></del>	<del></del>						_
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL	UEAL2	14.94	37.92	17.62	23.56	5.32		- 1	<del></del>				$ \Box$	=
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	<b>—</b>		UEANL	UEAL2	21.39	37.92	17.62	23.56	5.32							$-\!\!-\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!$	
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	<del></del>			ÜEAL2	26.72	37.92	17.62	23.56	5.32	+							
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	<b>↓</b> —		UEANL	UEASL	14.94	37.92	17.62	23.56	5.32				<del>-  </del>				
<del></del>	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2	+	<del>  _2</del> _	UEANL	UEASL	21.39	37.92	17.52	23.56	5.32			<del></del>				<del></del>	
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 Tag Loop at End User Premise	+	131	UEANL	UEASL	26,72	37.92	17.62	23.56	5.32				<del></del>				_
	Loop Testing - Basic 1st Hall Hour	+	$\vdash$		URETL		6.95	0.88										
$\dashv$	Loop Testing - Basic 1st Half Hour	<del></del>	<del>  </del>	UEANL	URET1 URETA		34.23	0.00							<del></del>		-+-	
<del></del>	Manual Order Coordination for UVL-SL1s (per loop)	+	-	UEANL	UEAMC		19.90	19.90								<del></del>	-+	
-	Order Coordination for Specified Conversion Time for UVL-SL1	+	$\vdash$		UCAIVIC		8.17	8.17		I							-+	
1	(per LSR)	i '		UEANL	ocost		18.13		l	- 1	1					_		_
	Unbundled Non-Design Voice Loop, billing for AT&T providing	$\vdash$	$\vdash$		VUVUL .	<del>+</del>	10.13	18.13								[		
	make-up (Engineering Information - E.f. )		<u></u>	UEANI.	UEANM	_	13.47	13.47										
	Unbundled Loop Service Rearrangement, change in loop facility,		$\Box$		· · · · ·		-		-			<del>-</del>						_
		1	1 1	UEANL	UREWO		15.81	8.96	23.56	5.32	1	- 1	1	1	1			
<u> </u>	per circuit		-			-	10.0								,	,	- 1	
	Bulk Migration, per 2 Wire Voice Loop-SL1 Bulk Migration Order Coordination, per 2 Wire Voice Loop-SL1			UEANL	UREPN UREPM		37.92 8.17	17.62 8.17	23.56	5.32								_

		-		Г	1									Att: 2 Exh: A					_
			l	l								Svc Order	Svc Order	Incremental	Incremental	Incrementa			-
			ı	1	1	1	1					Submitted		Charge -	Charge .	morementa		q i	
ATEGO	RY	RATE ELEMENTS	Interin	Zone	BCS	usoc						Elec	Manually		Criarga.	Charge -	Charge -	1	
				1	000	DSOC			RATES(\$)					Manual Svc		Manual Syc	Manual Sve	.	- 1
			l	1		1	1					per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.	1	- 1
				1								i	ļ	Electronic-	Electronic-	Electronic-	Electronic	1	- 1
				1	1	1	1					l		1st	Add'I			1	- 1
_								T Marie				L.	l 1	,	Augi	Disc 1st	Disc Add'l	1	î
							Rec	Nonre	curring	Nanrecurrin	g Disconnect			000	Rates(\$)				_
2	-WIRE	E Unbundled COPPER LOOP	_		<u> </u>			First	Add'l	First	Add'l	SOMEC	SOMAN	000	Cates(5)				_
		2-Wire Unbundled Copper Loop - Non-Decimed Zone 1			UEQ								SOME	SUMAN	SOMAN	SOMAN	SOMAN		$\overline{}$
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	_			UEQ2X	12.94	36.40	16.10	22.66	4.42								+
$\overline{}$		2 Wire I lobunded Connections have Not Decided	<u> </u>		UEQ.	UEQ2X	14.51	36.40	16.10	22.66								<del></del>	+-
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3		3	UEQ	UEQ2X	15.02	36.40	16.10								<del></del>	<del></del>	<del></del>
		Unbundled Miscellaneous Rate Element, Tag Loop at End User						30.40	16.10	22.66	4.42						<del></del>	-	
		Premise		l	UEQ	URETL		1	i	-									
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		8.95	0.88				- 1						T
		Loop Testing - Basic Additional Hall Hour			UEO	URETA		34.23	0.00									1	1
		Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-		_	UEU.	URETA		19.90	19.90										+
- 1		Designed (per loop)		1	l	1					<del></del>	$\longrightarrow$	—↓						+
		Light print (per cop)			UEQ	USBMC	1	8.17	8.17			I	- 1						┿-
		Unbundled Copper Loop - Non-Design billing for AT&T providing							0.17					ļ				1	
		Imake-up (Engineering Information - E.I.)			UEQ	UEQMU	I	13.47											<b>—</b>
		Unbundled Loop Service Rearrangement, change in loop lacility.					-	13.47	13.47				i	i	ı	l			1
		[per circuit			UEQ	LIDENIO	I	:				_							1
T		Bulk Migration, per 2 Wire UCL-ND				UREWO		14.30	7.45	22.66	4.42	I	- 1	I	- 1	コ			$\vdash$
		Bulk Migration Order Coordination, per 2 Wire Lift, ND			UEQ.	UREPN		36.40	16.10	22.56	4.42	$\rightarrow$				i			1
VBUNDI	ED 5	OXCHANGE ACCESS LOOP			UEC	UREPM		8.17	8.17		4.42								<del></del>
Ta	WIDE	ANALOG VOICE GRADE LOOP				.1			0.17				T						$\leftarrow$
2.						-													_
- 1		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or				<del></del>		· · · · · · · · · · · · · · · · · · ·										7	$\vdash$
		Ground Start Signating - Zone 1		1	UEA	UEAL2			I		T		т т						
1		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or 1			· · · · · · · · · · · · · · · · · · ·	GEAL2	16.68	105.98	68.43	53.05	10.61	- 1	1	- 1	1				_
		Ground Start Signaling - Zone 2		2		1							<del>+</del>					- 1	i
$\neg$		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		-2	UEA	UEAL2	23.13	105.98	68.43	53.05	10.61			T	T			$\overline{}$	_
- 1	- 1	Ground Stand Ground and Loop - Service Level 2 W/Loop or	i	- 1		1			00.40	53.03	10.61			!	- 1			l l	i
-	~~~	Ground Start Signaling - Zone 3		3	UEA	UEAL2	28.46	105.98	68.43					-	_				
	- 1	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		$\neg$		1	20.40	100.86	58.43	53.05	10.61	- 1	- 1	- 1	- 1	1	ļ	- 1	
	- 1	battery Signaling - Zone 1	- 1	, I	UEA	UEAR2	10.00			,									
	- 1	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	-		OL/	UEARK	16 68	105.98	68.43	53.05	10.61	- 1				ļ	- T		
	- 1	Battery Signaling - Zone 2	- 1			1						<del></del>							
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		2	UEA	UEAR2	23.13	105.98	68.43	53.05	10.61	- 1	!		-				
- 1	- 1	Bottom Classics Tone D	- 1	Į.					45.10	30.00	10.61				- 1		- 1	i	
$\rightarrow$	$\rightarrow$	Battery Signaling - Zone 3	- 1	3	UEA	UEAR2	28.46	105.98	68.43		i		- T-					$\overline{}$	
t	. !	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per	-			-	ED. 40	100.00	08.43	53.05	10.61		- 1	!	- 1	- 1		- 1	
	[	USO)	- 1	- 1	UEA	URESL	ľ		!	ļ									
		Switch-As-ts Conversion rate per UNE Loop, Spreadsheet, (per	_			Unear		24.88	3.51					i					
		DS0)	- 1	- 1,	UEA	J	i						<del></del>					- 1	
		Unbundled Loop Service Rearrangement, change in loop lacility.		<del> </del>	JEA	URESP	1	26.37	4.99		1	- 1			- 1				_
- 1	l.	per circuit	- 1	- 1.													- 1	- 1	
					JEA	UREWO	- 1	87.90	36.44		- 1	- 1					$\overline{}$	$\rightarrow$	
		Loop Tagging - Service Level 2 (SL2)			JEA	URETL		11.24	1.10					- 1	J	- 1	F	- 1	
_		Bulk Migration, per 2 Wire Voice Loop-SL2			EΑ	UREPN		105.98	68.43									$\rightarrow$	
		Bulk Migration Order Coordination, per 2 Wire Voice Loop-SL2	Т		£Α	UREPM		0.00											
4-9	VIRE /	ANALOG VOICE GRADE LOOP				O'TE FIN		0.00	0.00	i	-								
	- 14	4-Wire Analog Voice Grade Loop - Zone 1		4 II	EA	Lames a . I						-							
		4-Wire Analog Voice Grade Loop - Zone 2		2 1	CA	UEAL4	32.59	132.38	94.83	59.35	14,61								
	1 12	4-Wire Analog Voice Grade Loop - Zone 3	$\rightarrow$			UEAL4	43.89	132.38	94.83	59.35	14.61								
_	-	Switch As Is Conversion rate per Law 1997	$\rightarrow$	3 (	ÆA.	UEAL4	43.38	132.38	94.83	59.35	14.61							$\overline{}$	~
- 1	15	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per	1					92.00	V4.03	39.35	14.61							<del></del>	
<del>-</del>		DS0)		ւ	ÆA .	URESL	I	24.88	2.51	1	J	1				<del></del>			
- 1	١٤	Switch-As-Is Conversion rate per LINE Loop, Spreadsheet, (per	$\neg$					24.88	3.51				1	I	I	ļ	1		
$\perp$		080)	- 1	ŀ	EΑ	URESP	I			T		-							
	Į.	Inbundled Loop Service Rearrangement, change in loop facility,	-	+		uncor.		26.37	4.99			ı	ı	1	1	Ι "			
	_  p	per circuit	ı	I.	ŒΑ		- 1												
2-W		SDN DIGITAL GRADE LOOP			4L^	UREWO		87.90	36,44	Į.	1	1	- 1	- 1					_
1	10	2-Wire ISDN Digital Grade Loop - Zone 1											1			- 1		ł	
$\overline{}$	- 45	Wyo ICON Disease Conduction 7		1 (		U1L2X	25.21	117.58	80.03	53.05									
-+	- 1	-Wire ISDN Digital Grade Loop - Zone 2		2 U	DN	U1L2X	32.76	117.58	80.03		10.61							-	
	- 12	Wire ISDN Digital Grade Loop - Zone 3		3 0	DN	U1L2X	37.70	117.58		53.05	10.61								
- 1	ļu	Incunded Loop Service Rearrangement, change in loop facility.	$\neg$	- I			31.70	117.58	80.03	53.05	10.61				<del></del>	-		T	
_	10	er circuit		- h	DN	UREWO													
2-W	IRE A	SYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIB	TET A	<u> </u>		UNEWU		91.82	44.25		i i	- 1	i	I	ı	1			
	12	Wire Unbundled ADSL Loop including manual service inquiry &	re roc	۴.													1		
- 1	1,0	acility reservation - Zone 1	1															-+	
	15	Wire I behaveling ADC: I can partially		1 U	AL,	UAL2X	12.19	120.84	70.56	50.37		- 1	1						
- 1	1,	Wire Unbundled ADSL Loop including manual service inquiry &		T					10.00	30.37	7.93				I	ł	1	ı	
	Ira	Clifty reservation - Zone 2	1	2 U	AL	UAL2X	13.71	120.84	70	40.00		-1		-					
- 1	2	Wire Unbundled ADSL Loop including manual service inquiry &	$\neg$				13.71	120.64	70.56	50.37	7.93	- 1	- 1	- 1	- 1	- 1			
$\bot$	Įra	CHICY reservation - Znna 3	- 1	3 14	AL	LIALAN I													
T	2	Wire Unbundled ADSL Loop without manual service inquiry &		. Ju	-L	UAL2X	14.14	120.84	70.56	50.37	7.93	1	1	i	- 1				_
- 1	l (a	icity reservation - Zone 1	- 1	. I.	1						1.20					I	1	ļ	
		Wire I bhundlaid ADCL Consults		<u>1 U</u>	AL	UAL2W	12.19	95.81	57.82	50.37	,l		1						
	12	Wire Unbundled ADSL Loop without manual service inquiry &				-		99.01	37.02	50.37	7.93			- 1	1	í	1		
$\rightarrow$	la	icility reservation - Zone 2	- 1	2  U	al I	UAL2W	13.71	00.04	[										
	]2	Wire Unbundled ADSL Loop without manual service inquiry &	-	7	-	UNILE 17	13.71	95.81	57.82	50.37	7.93	ı	ı	ı	I	I			
	la	cility reservators - Zone 3	- 1	a lu	. 1							-						ı	
		nbundled Loop Service Rearrangement, change in loop facility,	$\rightarrow$	JU	ж.	UAL2W	14.14	95.81	57.82	50.37	7.93	- 1	i			T		-+-	_
1	100	er circuit	- 1	- 1		T				30.57	7.93					ı	- 1	ĺ	
				ΙW		UREWO		86.38										1	

MOUNTE	D NETWORK ELEMENTS - South Carolina		_										Att: 2 Exh: A	-				_
regory	RATE ELEMENTS	Interio	Zone	BCS	USDC	Rec	Nonre	RATES(\$)	Nonrecurring	) Disconnect	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	6041411		4
2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATI	BLE LC	ЮР	···									00,,,,,,,	3011124	SUMAN	SOMAN		+
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1	1	١.	UHL	UHL2X	9.58			l									+
_	2 Wire Unbundled HDSL Loop including manual service inquiry &	<del>                                     </del>	+		UraLZX	9.58	129.52	79,24	50.37	7,93						i		
	facility reservation - Zone 2	ì	2	UHL	UHL2X	10.92	129.52	79.24	50.37	7.93	ĺ							T
	2 Wire Unbundled HDSL Loop including manual service inquiry &						120.00	75.24	30.07	7.53								Ĺ
	facility reservation - Zone 3 2 Wire Unbundled HDSL Loop without manual service inquiry and	ļ <u>.</u>	3	UHL	UHL2X	11.40	129.52	79.24	50.37	7.93			·		f			
	lacility reservation - Zone 1		١,	UHL	UHL2W	9.58										<del></del>		+
~ —	2 Wire Unbundled HDSL Loop without manual service inquiry and	<del> </del>	<del>-</del>	UI E	UFILZYV	9.58	104.49	66.50	50.37	7.93						1		
	facility reservation - Zone 2	l	2	UHL	UHL2W	10.92	104.49	66.50	50.37	7.93			1					7
	2 Wire Unbundled HDSL Loop without manual service inquiry and								30.37	7.93			<del>'</del> i					
	facility reservation - Zone 3	ــــــ	3	UHL	UHL2W	11.40	104.49	66.50	50.37	7.93				- 1	i	ļ		Ţ
ĺ	Unbundled Loop Service Rearrangement, change in loop facility, per circuit	]		UHL														+
4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATI	BLEIC	OP.	juni	UREWO	L	85.32	40.48		<u> </u>					J			
	4 Wire Unbundled HDSL Loop including manual service inquiry and		ī.	1		<u> </u>												+
	facility reservation - Zone 1	l	1	UHL	UHE4X	16 02	158.18	107.89	55.12	10.38				ĺ				Ť
	4-Wire Unbundled HDSL Loop including manual service inquiry and				1					19.50								1
-	facility reservation - Zone 2	ļ	2	UHL.	UHL4X	14.33	158.18	107.89	55.12	10.38		1		1		l		ı
1	Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3		3	I Dea												<del></del> -		+
	4-Wire Unburdled HDSL Loop without manual service inquiry and	-	٠	Uni	UHL4X	16.84	158.18	107.89	55.12	10.38					í	1		ı
	facility reservation - Zone 1		1	UHL	UHL4W	16.02	133,14	95.16	55.12	10.38		,						†
	4-Wire Unbundled HDSL Loop without manual service inquiry and		<del>                                     </del>		U	10.02	133.14	35,16	55.12	10.38	<del></del> -							
<b>_</b>	tacility reservation - Zone 2		2	UHL	UHL4W	14.33	133,14	95.16	55.12	10.38			1		1			Т
1	4-Wire Unbundled HDSL Loop without manual service inquiry and												<del>-  </del>					₽
	facility reservation - Zone 3 Unbundled Loop Service Rearrangement, change in loop facility,	-	3	UHL	UHL4W	16.84	133.14	95.16	55.12	10.38		i					ļ	ı
	per circuit			UHL	UREWO		86.32	40.40										╆
4-WIRE	DS1 DIGITAL LOOP			Į CATEC	IOHEWO		86.32	40.48		1						1		ı
	4-Wire DS1 Digital Loop - Zone 1			USL	USLXX	79.51	253.03	157.89	44 BD	11.73								T
	4-Wire DS1 Digital Loop - Zone 2		2		USLXX	136.00	253.03	157.89	44.80	11.73								С
<del></del>	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	229.15	253.03	157.89	44.80	11.73			<del>-</del> -				<del></del>	Ļ.
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS1)	Į.		USL	URESL												+	۰
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per			USL	UHESL		24.88	3.51						1			- 1	1
	DS1)			USL	URESP		26.37	4.99					T.					_
	Unbundled Loop Service Rearrangement, change in loop facility.	-					13.07											
	per circuit			usu	UREWO		101.30	43.13		- 1		- 1	!	[			$\neg \neg$	Т
4-WIRE	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP 4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1	,																_
+	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2		1 2		UDL2X	29.93	126.66	89.12	59.35	14.61					т т		- $+$	_
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone3	<del>-</del>	3		UDL2X UDL2X	33.99 34.74	126.66 126.66	89.12 89.12	59.35	14.61							$\overline{}$	-
	4 Wire Unbundled Digital Loop 4.8 Kbps -Zone 1		1		UDL4X	29.93	126.66	89.12	59.35 59.35	14.61							_	_
	4 Wire Unbundled Digital Loop 4.8 Kbos - Zone 2		2	UDL	UDL4X	33.99	126.66	89.12	59.35	14.61								_
+	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3		3		UDL4X	34.74	126.66	89.12	59.35	14.61		-+					$ \!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!$	_
+	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1		1		UDL9X	29.93	126.66	89.12	59.35	14.61				<del></del>	<del></del>		$\longrightarrow$	_
+-	5 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2 6 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3		3	UDL	UDL9X UDL9X	33.99 34.74	126.66	89.12	59.35	14.61								_
_	4 Wire Unbundled Digital 19.2 Kbps - Zone 1		1	UDL	UDL19	29.93	126.66	89.12 89.12	59.35 59.35	14.61								_
	4 Wire Unbundled Digital 19.2 Kbps - Zone 2		2	UOL	UDL19	33.99	126.66	89.12	59.35	14.61 14.61		——— <u> </u>					_	_
	4 Wire Unbundled Digital 19.2 Kops - Zone 3		3	UDL	UDL19	34.74	126.66	89.12	59.35	14.61	<del></del>	<del></del> -						_
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1		UDL56	29.93	126.66	89.12	59.36	14.61							=	Ξ
+ +	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2		UDL56	33.99	126.66	89.12	59.35	14,61								_
+ +	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		3	UOL .	UDL56 UDL64	34,74	126.66	89.12	59.35	14.51							-	_
<del>  </del>	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	WDL .	UDL64	29.93 33.99	126.66	89.12 89.12	59.35	14.61								_
	4 Wire Unbundled Digital Loop 64 Kops - Zone 3		3		UDL64	34.74	126.66	89.12	59.35 59.35	14,61 14,61								-
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per					7.7.7		59.16	29.35	14.61		<del></del>  -						_
	DS0)			UDL	URESL		24.88	3.51		1		İ			[	[ "		
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per																<del></del>	_
	DS0) Unbundled Loop Service Rearrangement, change in loop facility.		ļ	UDL	URESP		26.37	4.99						1	- 1			
	Unburicied Loop Service Rearrangement, change in loop tacility,			UOL	UREWO		,,,,,,	T		1.							-+	_
	Unbundled COPPER LOOP				IDHEMO		102.34	49.85		i	L.							
1 1	2-Wire Unbundled Copper Loop-Designed including manual service				1			<del></del>										_
	inquiry & facility reservation - Zone f		1	UCL	UCLPB	12.19	119.91	69.62	50.37	7.93	j							_
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2				1					1.00				— <u> </u>				
			2	UCL	UCLPB 1	13.71	119.91	69.62	50.37	7.93								_

ATEGORY	D NETWORK ELEMENTS - South Carolina  RATE ELEMENTS	Interim	Zone	BCS	usoc		Nanred	RATES(\$)	Nonrecurring	Disconnect	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Att: 2 Exh: A Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Menual Svc Order vs. Electronic- Add'I	incremental Charge - Manuel Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l		
<del>-  </del>		1 1			† <del>-</del>	Rec	First	Add'(	First	Add'i	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN		┼~
	2 Wire Unbundled Copper Loop-Designed including manual service														02,77	#U1117-04		+
	inquiry & facility reservation - Zone 3		3	UCL	UCLPB	14.14	119.91	69.62	50.37	7.93	<b></b>	<u> </u>	ļ	L—				
į l	Wire Unbundled Copper Loop Designed without manual service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	12 19	94.87	56.89	50.37	7.93				i				'
	2-Wire Unbundled Copper Loop-Designed without manual service	<del>                                     </del>			Journ II		00	00.00		7.50								├
	inquiry and facility reservation - Zone 2		2	UCL	UCLPW	13.71	94.87	56.89	50.37	7.93								ļ
1	2-Wire Unbundled Copper Loop-Designed without manual service	i i	3	UCL	UCLPW	14,14	94.87	56.89	50.37	7.00				i				T
	inquiry and facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop)	<del>   </del>	3	UCL	UCLMC	14,14	8.17	8.17	30.37	7.93	<del> </del>			<b> </b> -i				┞-
	Unbundled Loop Service Rearrangement, change in loop facility,	<del>  </del>																┝
	per circuit			UCL	UREWO		94.87	42.57		<u> </u>								ĺ
4-WIRE	COPPER LOOP	<del>a</del>																
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1	1 1	1	uci	UCL4S	19.64	144.17	93.88	55.12	10.38	Į į			, ,		ļ		
<del>-  </del>	4-Wire Copper Loop-Designed including manual service inquiry and	1	_												<del></del>			$\vdash$
	facility reservation - Zone 2		2	ucL	UCL4S	20.90	144.17	93.88	55.12	10.38								ĺ
	4-Wire Copper Loop-Designed including manual service inquiry and	ŋ ]	3	UCL	UCL4S	19.34	144,17	93.88	55.12	10.38								
	facility reservation - Zone 3 4-Wire Copper Loop-Designed without manual service inquiry and	+ 1	.1		CCL45	19.54	144.1/	93.88	55.12	10.38								<u> </u>
	facility reservation - Zone 1	L i	_1	UCL	UCL4W	19.64	119.13	81.15	55.12	10.38					}			
	4-Wire Copper Loop-Designed without manual service inquiry and	Ţ								1						···		-
	facility reservation - Zone 2		2	UCL	UCL4W	20.90	119,13	81.15	55.12	10.38								
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4W	19.34	119.13	81.15	55.12	10.38					í		T J	
	Order Coordination for Unbundled Copper Loops (per loop)	+		UCL	UCLMC	15.54	8.17	8.17	33.12	10.36								<u> </u>
	Unbundled Loop Service Rearrangement, change in loop facility,	1													<del></del>			_
	per circuit			UCL	UREWO		94.87	42.57									. 1	
	Codes Constitution for Secretary Comments Time Inc. 3 SEV	l l		UEA, UDN, UAL, UHL, UDL, USL	OCOSL		18.13							: 1				
Rearras	Order Coordination for Specified Conversion Time (per LSR) ngements		L	JUNE, ODE, OSE	LOCOSE		18.13											
	EEL to UNE-L Retermination, per 2 Wire Unbundled Voice Loop- SL2			UEA	UREEL		87.90	36.44										_
j	EEL to UNE-L Retermination, per 4 Wire Unbundled Voice Loop			UEA	UREEL		87.90	36.44						ĺ				
	EEL to UNE-L. Retermination, per 2 Wire ISDN Loop	1 1		UDN	UREEL		91.82	44.25										
		1 -													<del></del>			
	EEL to UNE-L Retermination, per 4 Wire Unbundled Digital Loop			UDL	UREEL		102.34 101.30	49.85 43.13									!	
NE LOOP CO	EEL to UNE-L Retermination, per 4 Wire Unbundled DS1 Loop	-	_	USL	UREEL		101.30	43.13									$\overline{}$	
	ANALOG VOICE GRADE LOOP - COMMINGLING		·	<del></del>	<del></del>		·			اــــــا	<del>ا</del> ــــــــا		<del></del> l					
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or									Ī						+		_
	Ground Start Signaling - Zone 1	ļ ļ	1	NTCVG	UEAL2	16.68	105.98	68.43	53.05	10.61								
- 1	Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2	) i	2	NTCVG	UEAL2	23.13	105.98	68.43	53.05	10.61	]	)	)	]	T			
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	┰	<del></del>		OLD-4	£13.1Q	100.00	00.43	50.00	10.01	<del></del>				<del></del> -	———		
	Ground Start Signaling - Zone 3	lacksquare	3	NTCVG	UEAL2	28.46	105.98	68.43	53.05	10.61							ĺ	
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1		NTO VE	15.400	40.00	105.00		<b>60.00</b>									
	Battery Signaling - Zone 1  2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	<del> </del> -	<u> </u>	NTCVG	UEA82	16.68	105.98	68.43	53.05	10,61		<b></b>						
	Battery Signaling - Zone 2		2	NTCVG	UEAR2	23.13	105.98	68.43	53.05	10.61	l	Į	ļ		Ţ			
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		<u> </u>			i												
1	Battery Signaling - Zone 3	<b>-</b>	3	NTCVG	UEAR2	28.46	105.98	68.43	53.05	†0.61								
<del></del>			l	NTCVG	URESL		24.88	3.51			1	· T	T	T				_
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per						24.88	3.51			-							
	DS0) Switch-As-Is Conversion rate per UNE Loop, Single LSn. (per DS0)	ļ					l i					,	1	,			- 1	
	DS0) Switch As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0)			NTCVG	URESP		26.37	4.99										
	DS0) Switch As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0) Unburdled Loop Service Rearrangement, change in loop facility.			NTCVG	URESP					<del></del>	_					-		
	DSQ) Switch As-is Conversion rate per UNE Loop, Spreadsheet, (per DSO) Unbundled Loop Service Rearrangement, change in loop lacility, per circuit.			NTCVG	URESP		87.90	4.99 36.44		 								
4-WIRE	DS0) Switch As-Is Conversion rate per UNE Loop. Spreadsheet, (per DS0) Unburdled Loop Service Rearrangement, change in loop facility, per circuit Loop Tagging - Service Level 2 (SL2) ANALOG VOICE GRADE LOOP			NTCVG NTCVG	URESP UREWO URETL		87.90 11.24	36.44 1.10										_
4-WIRE	DSQ) Switch As is Conversion rate per UNE Loop, Spreadsheet, (per DSO) Unbundled Loop Service Rearrangement, change in loop lacility, per circuit Loop Tagging - Service Level 2 (SL2) ANALOG VORE GRADE LOOP AWEA ANALOG VORE GRADE LOOP AWEA PAIGN GOOG FOR THE LOOP - Zone 1		1	NTCVG NTCVG	URESP UREWO URETL UEAL4	32.59	87.90 11.24	36.44 1.10 94.83	59.35	14.61								_
4-WIRE	DS0) Switch As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0) Unburdled Loop Service Rearrangement, change in loop facility, per circuit Loop Tagging - Service Level 2 (SL2) AMALOG VOICE GRADE LOOP 2-Wee Analog Voice Grade Loop - Zone 1 4-Wire Analog Voice Grade Loop - Zone 2		2	NTCVG NTCVG NTCVG NTCVG NTCVG	URESP UREWO URETL UEAL4 UEAL4	43.89	87.90 11.24 132.38 132.38	36.44 1.10 94.83 94.83	59.35	14.61								
4-WIRE	DSQ) Switch As-is Conversion rate per UNE Loop. Spreadsheet, (per DSO) Unbundled Loop Service Rearrangement, change in loop facility, per circuit Loop Tagging - Service Level 2 (SL2) LANALOG VOICE GRADE LOOP A-Wre Analog Voice Grade Loop - Zone 1 4-Wire Analog Voice Grade Loop - Zone 3 4-Wire Analog Voice Grade Loop - Zone 3		2	NTCVG NTCVG	URESP UREWO URETL UEAL4		87.90 11.24	36.44 1.10 94.83	59.35 59.35 59.35									
4-WIRE	DS0) Switch As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0) Unburdled Loop Service Rearrangement, change in loop facility, per circuit Loop Tagging - Service Level 2 (SL2) AMALOG VOICE GRADE LOOP 2-Wee Analog Voice Grade Loop - Zone 1 4-Wire Analog Voice Grade Loop - Zone 2		2	NTCVG NTCVG NTCVG NTCVG NTCVG	URESP UREWO URETL UEAL4 UEAL4	43.89	87.90 11.24 132.38 132.38	36.44 1.10 94.83 94.83	59.35	14.61								
4-WIRE	DSO) Switch As-is Conversion rate per UNE Loop. Spreadsheet, (per DSO) Unbundled Loop Service Rearrangement, change in loop facility, per circuit Loop Tagging - Service Level 2 (SL2) ANALOG VOICE GRADE LOOP A-Wire Analog Voice Grade Loop - Zone 1 A-Wire Analog Voice Grade Loop - Zone 2 A-Wire Analog Voice Grade Loop - Zone 3 Switch As-is Conversion rate per UNE Loop. Single LSR. (per USO) Switch As-is Conversion rate per UNE Loop. Spreadsheet (per		2	NTCVG NTCVG NTCVG NTCVG NTCVG NTCVG	URESP UREWO URETL UEAL4 UEAL4 UEAL4 URESL	43.89	87.90 11.24 132.38 132.38 132.38	36.44 1.10 94.83 94.83 94.83	59.35	14.61								
4-WIRE	DS0) Switch-As-is Conversion rate per UNE Loop. Spreadsheet, (per DS0) Unbundled Loop Service Rearrangement, change in loop facility, per circuit Loop Tagging - Service Level 2 (SL2) Loop Tagging - Service Level 2 (SL2) LANALOG VOCE GRADE LOOP L-Wire Analog Voice Grade Loop - Zone 1Wire Analog Voice Grade Loop - Zone 2Wire Analog Voice Grade Loop - Zone 3Wire Analog Voice Grade Loop - Zone 3Wire Analog Voice Grade Loop - Zone 3		2	NTCVG NTCVG NTCVG NTCVG NTCVG NTCVG	URESP UREWO URETL UEAL4 UEAL4 UEAL4	43.89	87.90 11.24 132.38 132.38 132.38	36.44 1.10 94.83 94.83 94.83	59.35	14.61								

ADOMDE	D NETWORK ELEMENTS - South Carolina				,	,							Att: 2 Exh: 4	<b>L</b>				T
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR		incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l		+
						Rec	Nonrec			Disconnect			OSS	Rates(\$)				<del> </del>
	4-Wire DS1 Digital Loop - Zone 1	<del> </del>	-	NTCD1	ÜSLXX		First	Add'!	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN		+
	4-Wire DS1 Digital Loop - Zone 2			NTCD1	USLXX	79.51 136.00	253.03 253.03	157.89 157.89	44.80	11.73								+
_	4-Wire DS1 Digital Loop - Zone 3	┼──		NTC01	USLXX	229.15	253.03	157.89	44.80 44.80	11.73				لـــــــــــــــــــــــــــــــــــــ				+
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per	<del> </del>		11100	OGEAN	223.13	253.03	157.88	44.80	11.73				ļ			<u> </u>	T
	DS1)			NTCD1	URESL		24.88	3.51					l	1	ļ		· —	Т
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	1			Ť	<del></del>		0.01						<del> </del>				┸
	DS1)			NTCD1	URESP	l	26.37	4.99									•	1
	Unbundled Loop Service Rearrangement, change in loop facility.	1	I		1					-				<del> </del>				+
	per circuit		L.,	NTCD1	UREWO		101.30	43.13		f				1	ſ			Į
4-WIRE	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP										`		-					+-
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1	<u> </u>		INTOUD	UDL2X	29.93	126.66	89.12	59.35	14.61			·	Г Т				┾
<del></del>	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2	<b>!</b>		NTCUD	UDL2X	33.99		89.12	59.35	14.61				<del>                                     </del>				
+-	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone3 4 Wire Unbundled Digital Loop 4.6 Kbps -Zone 1	₩		NTCUD	UDL2X	34.74		89.12	59.35	14.61								+
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1	<del> </del>		NTCUD NTCUD	UDL4X	29.93	126.66	89.12	59.35	14.61								1
<del></del>	4 Wire Unburdled Digital Loop 4.8 Kbps - Zona 2	1		NTCUD	UDL4X UDL4X	33.99	126.66	89 12	59.35									+
-	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1	$\vdash$	1	NTCUD	UDL9X	34,74 29.93	126.66 126.66	89.12	59.35	14.61								$\uparrow$
	5 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2	<del>                                     </del>	1 2	NTCUD	UDL9X	33.99	126.66	89.12 89.12	59.35 59.35	14.51								1
	6 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3	<del> </del>		NTCUD	UDL9X	34.74	126.66	89.12	59.35 59.35	14.61								Т
	4 Wire Unbundled Digital 19.2 Kbps - Zone 1	<del>                                     </del>		NTCUD	UDL19	29.93	126.66	89.12	59.35	14.61								Г
	4 Wire Unbundled Digital 19.2 Kbps - Zone 2		2	NTCUD	UDL19	33.99	126.66	89.12	59.35	14.61								П
	4 Wire Unbundled Digital 19.2 Kbps - Zone 3			NTCUO	UDL19	34.74	126.66	89.12	59.35	14,61								Г
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	1	1	NTCUD	UDL56	29.93		89.12	59.35	14,61		<del></del>						L
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	NTCUD	UDL56	33.99		89.12	59.35	14.61								
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			NTCUD	UDL56	34.74	126.66	89.12	59.35	14.61		<del></del>						Ļ.
	4 Wire Unbundled Digital Loop 64 Klops - Zone 1			NTCUÖ	UDL64	29.93	126.66	89.12	59.35	14.61		<del></del>						╄
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	NTCUD	UDI.64	33.99	126.66	89.12	59.35	14.61								╄-
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	NTCUD	UDL64	34,74	126.66	89.12	59.35	14.61								├-
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per											-						⊬
	DS0)			NTCUD	URESL		24.88	3.51			_	- 1						ı
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per IDS0)				l I											$\rightarrow$		⊢
	Unbundled Loop Service Rearrangement, change in loop facility.			NTCUD	URESP		26.37	4.99							Ì			1
	per circuit			NTCUD	UREWO					1								$\overline{}$
	por direct			NTCVG, NTCUD.	UNEWO		102.34	49.85										ĺ
	Order Coordination for Specified Conversion Time (per LSR)			NTCD1	OCOSL		18.13	1			- 1	ŀ						
NTÉNANCE	OF SERVICE		_		00000		15.13											i
				UDC, UEA, UDL.	<del>   </del>													_
	Maintenance of Service Charge, Basic Time, per half hour			UDN, USL, UAL, UHL, UCL, NTCVG, NTCUD, NTCD1, U1TD3, U1TD3, U1TD3, U1TD1, U1TD3, ULDY, UDF3, ULDY, UNDS, UNDY, UNDS, UNDY, UNDS, UNDY, UNDS, UNDS, UNDS, UNDS, UNDS, UNDS, UNDS, UNDS, UNDS, UNDS, UNDS, UNDS, UNDS, UNDS, UNDS, UNDS, UNDS, UNDS, UNDS, UNDS, UNDS, UNDS, UNDS, UNDS, UNDS, UNDS, UDE, UBL, UAL, UHL, UDL, NTCVI, U1TD1, U1TD3, U1TD3, U1TD3, U1TD4, UDF, UDF6, UDF6, UDF6, UDF6, UDD1, ULD3, ULDX, ULD3, ULDX, ULD3, UNDS,	MVVBT		80.00	55,00										
	Maintenance of Service Charge, Overtime, per half hour			UNCDX, UNCSX, UNCVX, ULS	мууот		90.00	65.00										

	ED NETWORK ELEMENTS - South Carolina			r	<del>, </del>								Att: 2 Exh: A					$\overline{}$
					1	l " —		-			Svc Order	Svc Order	Incremental		Incremental	Incremental	<del> </del>	+-
		1 1			i	ĺ						Submitted	Charge -	Charge -	Charge -	Charge .	İ	-
ATEGORY	DATE EL CACUTA	J I	_			i					Elec	Manually	Manual Svc		Manual Svc		İ	1
RIEGORT	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.		Manual Svc	İ	1
											F 2011	Par 201	Electronic-		Order vs.	Order vs.	i	1
		1 1									!			Electronic-	Electronic-	Electronic-	1	1
		$\longrightarrow$											1st	Add')	Disc 1st	Disc Add'l	1	1
<del></del> -		$\perp$				Rec	Nonre	curring	Nonrecurring	Disconnect			OSS	Rates(\$)			├	+-
-		<del></del>			1	Nec	First	Addil	First	Addi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN		+
- 1				UDC, UEA, UDL,							1 -				JUMPA	SUMAN		+
1				UDN, USL, UAL.	1	f				ļ							į	1
i				UHL, UCL, NTCVG.	1						i			1 1	l l			1
				NTCUD, NTCD1,	1						i !							1
		!		UTD1, UTD3.							1 1							
				UTDX, UTS1,							l I			1	í			1
			i	UTTVX, UDF,							1 1			1		i	,	
				UDFCX, UDLSX,			!				[ [				- 1		, ,	
		l i		UE3, ULDD1,			1								}	ľ	/	
ľ		l 1		ULDO3, ULDDX,				- 1			l i			ļ		- 1	- /	
+		l 1		ULDS1, ULDVX,		ļ			i				1	1			- /	
		l 1		UNC1X, UNC3X,		ł									- 1	!	- /	1
i				UNCDX, UNCSX,							į l				ĺ	J	ļ	1
	Maintenance of Service Charge, Premium, per half hour	<u> </u>		UNCVX, ULS	MVVPT		100.00	75.00			ļ [					i	ļ	1
OP MODIFI	CATION							1.0.00		-								<b>L</b>
		Ţ <del></del>		UAL, UHL, UCL.	T		<del>  </del>								I		7	
	+		Į	UEQ. ULS, UEA,				1	i			-	l		T	T		
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair	1 !	1	UEANL, UEPSR.				I					l		I	ı	- 1	J
	less than or equal to 18k it, per Unbundled Loop	1 1		UEPSB	ULM2L		32.46	32.46					- 1	i	l	1	ĺ	Í
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less	<del>                                     </del>		<del></del>			uc.+0	32.40										ĺ
	than or equal to 18K it, per Unbundled Loop		l	UHL, UCL, UEA	ULM4L		32.46	32.46			i	ļ		T			-	厂
		<del>                                     </del>		UAL, UHL, UCL.			32.46	32.46									[	i
1				UEQ. ULS. UEA.				-	1			Т						$\overline{}$
1	Unbundled Loop Modification Removal of Bridged Tap Removal,			UEANL, UEPSR,	1			1				- 1	- 1		i	1	Į	ı
	per unbundled loop			UEPSB	ULMBT		20.45					- 1	- 1				i	ı
B-LOOP\$	pe o secreto loca	$\vdash$		UEF3D	OCMB1		32.48	32.48								ľ		ı
	oop Distribution						<u> </u>	<u></u>									$\rightarrow$	
GGD-L	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-																<del></del>	
	Un		į	UEANL, UEF	LIEDDA						Ī						+	
<del>-  </del>	Op .	1		UEANL, UEF	USBSA		241.42	241.42						1		i		
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up			UEANL, UEF			1	- 1		1	1							-
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility	-		UCANL, UEF	USBSB		22.69	22.69					- 1			1		
l l	Set-Up	l 1															$\longrightarrow$	
		$\vdash$		UEANL	USBSC		177,84	177.84							1	1	í	
- 1	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-	l 1																
	Up	ļļ.		UEANL	USBSD		55.58	55.58			1	ĺ	i			- 1		
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	l 1															$-\!\!\!\!\!-\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!$	—
	Zone 1	$\vdash$	1	UEANL.	USBN2	8.87	65.94	31.03	45.35	6.71				i	1	1		
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	l 1																
	Zone 2		2	UEANL	USBN2	12.58	65.94	31.03	45.35	6.71	ļ	- 1	ĺ				í	
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	I					- "											
	Zone 3		3	UEANL	USBN2	14.79	65.94	31.03	45.35	6.71								
			- 1															
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.17	8.17	l	I	- 1		1	- 1	]			
1 -	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -	T	7											<del></del>			<del></del> -	
	Zone 1		1	UEANL	USBN4	14.11	79.21	44.29	49.82	9.09	1			I	l	İ	ſ	
1	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		$\neg$				-											
	Zone 2	لــــا	2	UEANL	USBN4	19.40	79.21	44.29	49.82	9.09			i	- 1	1	ſ	Ţ	
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop									5.55	<del></del>	<del>+</del>		<del></del> -				
	Zone 3	ட்	3	UEANL	USBN4	18.90	79.21	44.29	49.82	9.09		1	- 1	1	I			
	ļ								-0.02	9.03								_
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC	l	8.17	8.17			1		[	l l	ĺ	1		
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	2.41	53.13	18.21	45.35	6.71								
		<u> </u>			<u> </u>		333		40.00	0./1								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		Į,	UEANL	USBMC		8.17	8.17	1	I	J		Į.		1			
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	$\vdash$		UEANL	USBR4	5.36	59.38	24.47	49.82	9.09	<del></del>							
		$\vdash$				5.00			3.02	2.09	<del>-</del> +							
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	1	ļ,	UEANL	USBMC	i	8.17	B.17		I	- 1			i	7			
	Loop Testing - Basic 1st Half Hour		- 1	UEANL	URET1		34.23	0.00			—							
	Loop Testing - Basic Additional Half Hour			UEANIL.	URETA		19.90	19.90										
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1		UEF	UCS2X	7,11	65.94	31.03	45.05									
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1	2		UCS2X	9 83			45.35	6.71						-		
<del></del>	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3		UCS2X	10.48	55.94	31.03	45.35	6.71							-+	
<del></del>	- Tapper Gradinios Guar Coop Distribution - Zona 3	<del></del>	ا -د	Vn.,	OUSKA	TU:48	65.94	31.03	45.35	6.71								_
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		ı,	FF	USBMC	I				ĺ				- 1	<del></del>		<del></del>	_
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		7		UCS4X		8.17	8.17	<u>-</u>					i	-	i	- 1	
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	├──-	2 1			7.85	79.21	44.29	49.82	9.09							-+	
<del></del>	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	$\vdash$	3		UCS4X UCS4X	14.17	79,21	44.29	49.82	9.09						<del></del>		
$-\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!$	Copper Groundied Sub-Loop Distribution - Zone 3	<del></del>	3 1	UE.F	UCS4X	12.64	79.21	44.29	49.82	9.09							-+	
1	Order Coordination for Unbundled Sub-Loops, per sub-loop pair				i I	l								<del>-  -</del>			-	
	10 traps Containation for Libbundled Sub-Loops, per sub-loop pair		- 13	JEF .	USBMC		8.17	8.17			I .							

NRUNDLE	D NETWORK ELEMENTS - South Carolina			-γ	,						12	Att: 2 Exh: A					$\perp$
ATEGORY	RATE ELEMENTS	Interim 2	one BC\$	usoc		Nonre	RATES(\$)	Nonrecurring	Disconnect		Svc Order Submitted Manually per LSR	Charge • Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add')	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l		
					Rec	First	Addʻl	First	l'bbA	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN		┿
	Loop Tagging Service Level 1, Unbundled Copper Loop, Non-														33,,,,,,,,		+
	Designed and Distribution Subloops	++	UEF, UEANL UEF	URETL		8.95	0.88			ļ <u> </u>			ļ,				
	Loop Testing - Basic 1st Half How	+	UEF	URET1 URETA	<b></b>	34.23 19.90	19.90										Ţ.
	Loop Testing - Basic Additional Half Hour fled Sub-Loop Modification	L		IORETA		19.90	19.50		L	<u> </u>	<u>.                                    </u>		L				+
Dituane	Unbundled Sub-Loop Modification - 2-W Copper Dist Load	7 1	1	1	T				T-11-				Ţ	<del></del> -			+
	Coil/Equip Removal per 2-W PR	·	UEF	ULM2X		176.17	5,11	_	1.		L		İ .		Ī		
	Unbundled Sub-loop Modification - 4-W Copper Dist Load	T	1						-								t
	Coil/Equip Removal per 4-W PR	<del>├──</del>	UEF	ULM4X	<b></b>	176.17	5.11			ļ							Ţ
	Unbundled Loop Modification, Removal of Bridge Tap, per unbundled loop		UEF	ULMBT		278.82	6.13						!		T		Т
Unbune	Ided Network Terminating Wire (UNTW)	L	Joer	JOCINIDI		278.82	0.13		·		L		<u> </u>				+-
Unbun	Unbundled Network Terminating Wire (UNTW) per Pair		IUENTW	UENPP	0.3303	30.20	30.20		<u> </u>					<del></del>			┿
Networ	k Interface Device (NID)												<del></del>				╁
	Network (interface Device (NID) - 1-2 lines	$\Gamma$	UENTW	UND12		43.68	28.79										+
	Network Interface Device (NID) - 1-6 lines	1	UENTW	UND16		64.42	49.53										1
	Network Interface Device Cross Connect - 2 W	<b>↓</b> —↓	UENTW	UNDC2 UNDC4	ļ <u>.</u>	5.92	5.92	L	<del></del>	ļ							$\Box$
IE OTUEO 'N	Network Interface Davice Cross Connect · 4W ROVISIONING ONLY - NO RATE	+	CENTW	UNDU4	<del>                                     </del>	5.92	6.92		-	<b></b>			<del>                                     </del>				$\Gamma$
WITCH, P			UAL, UCL, UDC. UDL, UDN, UEA, UHL, UEANL, UEF, UEQ, UENTW, NTCVG, NTCUD,														<u> </u>
	Unbundled Contact Name, Provisioning Only no rate	<u> </u>	NTCD1, USL	UNECN	0.00	0.00							L <i>1</i>				1
	Unbundled DS1 Loop - Superframa Format Option - no rate	$\Gamma \longrightarrow$	USL NTCD1	CCOSF		0 00											†
1	Unbundled DS1 Loop - Expanded Superframe Format option - no		LIEL AFFERS	50055		i				"							
	rate	++	USL, NTCD1	CCOEF	0.00	0.00											1
	NID - Dispatch and Service Order for NID installation UNTW Circuit Establishment, Provisioning Only - No Rate	<del> </del>	UENTW	UENCE	0.00	0.00											╄
OP MAKE-U		1		00.100									<del>  </del>	<del>+</del>			⊢
T	Loop Makeup - Preordering Without Reservation, per working or	+		i											<del></del> +		⊢
	spare facility queried (Manual).	ll.	UMK	UMKLW		24.04	24,04				{		1	- \	ļ	i	ĺ
	Loop Makeup - Preordering With Reservation, per spare facility	T															г
	queried (Manual).	+-+	UMK	UMKLP		25.49	25.49			<u> </u>							L
	Loop MakeupWith or Without Reservation, per working or spare facility queried (Mechanized)	l i	UMK	UMKMO		0.34	0.34							- 1			ĺ
E SPLITTIN		+	O.V.I.V.	GIVINIU	<del>                                     </del>	0.54	0.54										↓_
	SER ORDERING-CENTRAL OFFICE BASED				•	·											-
	Line Solitting - per line activation DLEC owned solitter	T	UEPSR UEPSB	UREOS	0.61												_
	Line Splitting - per line activation AT&T owned - physical		UEPSR UEPSB	UREBP	0.61	37.09	21.24	20.07	9.85								_
	Line Splitting - per line activation A1&1 awned - writial	ŢL	UEPSR UEPSB	UREBV	0.61	37.09	21.24	20.07	9.85								$\vdash$
END U	SER ORDERING - REMOTE SITE LINE SPLITTING																
	DLED EXCHANGE ACCESS LOOP																$\equiv$
2-WiRE	ANALOG VOICE GRADE LOOP  2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-			<del></del>		Γ				т							Ĺ
	Zone 1		1 UEPSR UEPSB	UEALS	14,94	37.92	17.62	23.56	5.32	{	ſ	ļ	İ			- 1	į
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	+ +								· · · · · · · · · · · · · · · · · · ·	· · · · -	<del></del>					_
	Zone 1	<del>  </del>	1 UEPSR UEPSB	UEABS	14.94	37.92	17.62	23.56	5.32							]	į
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-				1	l											_
	Zone 2	<b>↓</b> ─↓	2 UEPSR UEPSB	UEALS	21.39	37.92	17.62	23.56	5.32							\	
1	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2	1	2 UEPSR UEPSB	UEABS	21.39	37.92	17.62	23.56	5.32							$\neg \neg$	
<del></del>	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	+	E OUT ON OCTOR	UL 103	21.38	37.82	17.02	23.56	5.32	<del></del> +					<u>-</u>		
	Zone 3	1 1	3 UEPSR UEPSB	UEALS	26.72	37.92	17.62	23.56	5.32			,		1		ł	
$\neg$	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	1														-	_
	Zone 3	┸┈┸	3 UEPSR UEPSB	UEABS	26.72	37.92	17.62	23.56	5.32	1						- 1	
PHYSIC	AL COLLOCATION																_
	Physical Collocation-2 Wire Cross Connects (Loop) for Line	1	UEPSA UEPSB	DEVIC	0.0341	(,,,,,	ا ا		[	-	Ţ						
UIDT	Splitting L COLLOCATION	1	TOERSH GERSB	PE1LS	0.0341	12.32	11.83	6.04	5.45								
VIKTU	L COLCOGRATION	1		1					1	—т				<del></del>			
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting	ı I	UEPSR UEPSB	VE1LS	0.0317	12.32	11.83	6.04	5.45	İ					1	ſ	
BUNDLED C	EDICATED TRANSPORT														+	$\rightarrow$	_
	OFFICE CHANNEL - DEDICATED TRANSPORT		· · · · · · · · · · · · · · · · · · ·													<del></del>	_
	Interoffice Channel - 2-Wire Voice Grade - per mile		U1TVX	1L5XX	0.0167							1				<del>+</del>	-
	Interoffice Channel - 2-Wire Voice Grade - Facility Termination	<b></b>	U1TVX	U1TV2	24.30	40.63	27.47	16.77	6.91							_	_
	Interoffice Channel - 2-Wire Voice Grade Rev Bat per mile	1	UITVX	1L5XX	0.0167	I l	·					7	_ 7				_
	The fold of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the party of the pa	+															

	D NETWORK ELEMENTS - South Carolina	7	_		· · · · · · · · · · · · · · · · · · ·			T			_		Att: 2 Exh: A				Τ	т-
		1	l		1	l					Svc Order	Svc Order			Incremental	I Image :	<del> </del>	+
		1	l												incrementa:			- 1
		1	l								Elec		]	Charge -	Charge -	Charge -		
regory	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			1	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc		- 1
	1	1						100100141			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.		ł
		1	l		ŀ								Electronic-	Electronic-	Electronic-	Electronic-	1	- 1
		1	l	f									1st	Add')	Disc 1st	Disc Add I		- 1
		+	-		+	_	Nonrer	curring	Nany	Disconnect	ļ				Diac (a)	Disc Add 1		i
						Rec	First	Add'i	First	Addi	SOMEC !	SOMAN	SOMAN	Rates(\$)	SOMAN			I
	Interoffice Channel - 4-Wire Voice Grade - per mile	<u> </u>		U1TVX	1L5XX	0.0167								SUMAA	SUMAR	SOMAN	_	4
	Interoffice Channel - 4- Wire Voice Grade - Facility Termination			LH TVX	U1 TV4	21.29	40.63	27.47										+
	Interoffice Channel - 56 kbps - per mile			U1TDX	1L5XX	0.0167	40.03	21.41	16.77	6.91	<del>                                     </del>							-
	Interoffice Channel - 56 kbps - Facility Termination			UTTOX	U1TD5	16.76	40.63	27.47	16.77	6.91	<del>  </del>							7
	Interoffice Channel - 64 kbps - per mile			UTTOX	1L5XX	0.0167	10.00	E9,47	10.71	0.91	<del></del>		ļ					Ţ
	Interoffice Channel - 64 kbps - Facility Termination			U1TDX	U1TD6	16.76	40.63	27.47	16.77	6.91	<del>                                     </del>							Ι
	Interoffice Channel - DS1 - per mile	1		UTD1	1L5XX	0.3415					<del>                                     </del>							I
_	Interoffice Channel - DS1 - Facility Termination			U1TD1	U1TF1	77.14	89.47	81.99	16.39	14.48	-				<del></del> +			4
	Interoffice Channel - DS3 - per mile	-		U1TD3	1L5XX	8.02												4
	Interoffice Channel - DS3 - Facility Termination	ļ		U1TD3	U1TF3	880.65	279.37	163.12	60.33	58.59								4
<del></del>	Interoffice Channel - STS-1 - per mile Interoffice Channel - STS-1 - Facility Termination	-		U1TS1	1L5XX	8.02												+
	IDLED DARK FIBER	<u> </u>		U1TS1	UITES	880.55	279.37	163.12	60.33	58.59								+
ONDON	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per						,											+
	Route Mile Or Fraction Thereof			UDF, UDFCX	1L5DF	20.44								1				+
-	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per	<del> </del>		321. 0D: 0X	, LOUP	36.41										[		
	Route Mile Or Fraction Thereof			UDF, UDFCX	UDF14	İ	640.51	ا - ، و ،	0.730		T							t
TH CAPACIT	Y UNBUNDLED LOCAL LOOP	$\vdash$					040.51	138.17	317.76	198.11					i			1
DS-3/S	TS-1 UNBUNDLED LOCAL LOOP - Stand Alone	•		·						ن ــــــــــــــــــــــــــــــــــــ								$^{+}$
- T	DS3 Unbundled Local Loop - per mile	-		UE3	1L5ND	12.26	· · · · · · · · · · · · · · · · · · ·											†
	DS3 Unbundled Local Loop - Facility Termination	Ţ <b></b> -		UE3	UE3PX	306.36	452.52	264.53	119.75	83.77								Τ
	STS-1Unbundled Local Loop - per mile			UDLSX	11.5NO	12.26		204.55	119.75	63.77	-							Ι
	STS-1 Unbundled Local Loop - Facility Termination	1		UDLSX	UDLS1	313.49	452.52	264.53	119.75	83.77								Γ
	TENDED LINK (EELs)									00.77								Г
	k Elements Used in Combinations										<del></del>							Г
	2-Wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61								Г
	2-Wire VG Loop (SL2) in Combination - Zone 2			UNCVX	UEAL2	23.13	105.98	58.43	53.05	10.61								L
	2-Wire VG Loop (SL2) in Combination - Zone 3			UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61								Ľ
	4-Wire Analog Voice Grade Loop in Combination - Zone 1			UNCVX	UEAL4	32.59	132.38	94-83	59.35	14.61								1
1	4-Wire Analog Voice Grade Loop in Combination - Zone 2			UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61				+		<b></b>		
	4-Wire Analog Voice Grade Loop in Combination - Zone 3			UNCVX	UEAL4	43.38	132.38	94.83	59.35	14,61				<del></del>				L
	2-Wire ISDN Loop in Combination - Zone 1			UNCNX	U1L2X	25.21	117.58	80.03	53.05	10.61					<del></del>			L
	2-Wire ISON Loop in Combination - Zone 2			UNCNX	U1L2X	32.76	117.58	80.03	53.05	10.61								<b>!</b>
	2-Wire ISDN Loop in Combination - Zone 3	<u> </u>		UNCNX	U1L2X	37.70	117.58	80.03	53.05	10.61		-		<del></del> -				<u></u>
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1	-		UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61					<del></del>			$\vdash$
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		5	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61		-						<b>_</b> _
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3	1		UNCOX	UDL56	34.74	126.66	89.12	59.35	14.61				<del></del>				_
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1	-		UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61								_
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2	ļ <u>.</u>		UNCDX	UDL64	33.99	126.66	89.12	59.35	14,61								
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3	$\vdash$		UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61								_
	4-Wire DS1 Digital Loop in Combination - Zone 1 4-Wire DS1 Digital Loop in Combination - Zone 2			UNCIX	USLXX	79.51	253.03	157.89	44.80	11,73		1			<del></del>			
	4-Wire DS1 Digital Loop in Combination - Zone 3			UNC1X UNC1X	USLXX	136.00	253.03	157.89	44.80	11,73								
	DS3 Local Loop in combination - per mile	<del>  </del>		UNC3X	USLXX	229.15	253.03	157.89	44.80	11,73								—
	DS3 Local Loop in combination - Facility Termination	<del>  </del>			1L5ND	12.26												_
-	STS-1 Local Loop in combination - per mile	$\vdash$		UNCSX	UE3PX	306.35	452.52	264.53	119.75	83.77					<del></del>			_
	STS-1 Local Loop in combination - Facility Termination	<del>  </del>		UNCSX	1L5ND UDLS1	12.26 313.49	450.50	004.5									<del></del>	
	Interoffice Channel in combination - 2-wire VG - per mile	<del>  </del>		UNCVX	1L5XX	0.0167	452.52	264.53	119.75	83.77								-
	Interoffice Channel in combination - 2-wire VG - Facility	<del>  </del>		<u> </u>	1,544	0.0167	<u></u>								<del></del>	<del></del>		-
	Termination		ı	UNCVX	U1TV2	74.56	40.60	,,,,		[	T	T	1				-	-
_	Interoffice Channel in combination - 4-wire VG - per mile	1 1		UNCVX	1L5XX	24.30 0.0167	40.63	27.47	16.77	6.91					i		- 1	
1 -1	Interoffice Channel in combination - 4-wire VG - Facility	1	<del> </del>	w	1.1204	U.U16/		<del></del> +										-
	Termination		l	UNCVX	U1TV4	21.29	40.63	27,47	16.77	6.91		Г					-+	
	Interoffice Channel in combination - 4-wire 56 kbps - per mile	1 1		UNCDX	1L5XX	0.0167	40.00	27.47	16.//	6.91						_	- 1	
	Interoffice Channel in combination - 4-wire 56 kbps - Facility	1			<del> </del>	2.0707			$\rightarrow$		<del></del>							_
	Termination			ÜNÇDX	U1TD5	16.76	40.63	27.47	16.77	6.91			ĺ					_
	Interoffice Channel in combination - 4-wire 64 kbps - per mile	L		UNCDX	1L5XX	0.0167	-		10.77	9.31		<del></del> -						
	Interoffice Channel in combination - 4-wire 64 kbps - Facility																	_
	Termination			UNCOX	U1TD6	16.76	40.63	27.47	16.77	6.91		i	1		- 1			
	Interoffice Channel in combination - DS1 - per mile			UNC1X	1L5XX	0.3415									<del></del>			_
	Interoffice Channel in combination - DS1 Facility Termination	L T		UNC1X	U1TF1	77.14	89.47	81.99	16.39	14,48		<del></del>						
	Interoffice Channel in combination - DS3 - per mile			UNC3X	1L5XX	8.02						<del></del>	<del></del>					_
	Interoffice Channel in combination - DS3 - Facility Termination	$ldsymbol{\sqcup}$		UNC3X	U1TF3	880.65	279.37	163.12	60.33	58.59	·		<del></del>					
	Interoffice Channel in combination - STS-1 - per mile	<b>├</b>		UNCSX	1L5XX	8.02						_					,	_
	Interoffice Channel in combination - STS-1 Facility Termination	$\sqcup \Box$		UNCSX	UITFS	880.55	279,37	163.12	60.33	58.59								_
	TWORK ELEMENTS	<u> </u>											· · · · · · · · · · · · · · · · · · ·		<del></del>		[	
Optiona	Features & Functions:								···················									_
		· T	T	ÚITDI.												F		

	D NETWORK ELEMENTS - South Carolina	_	_										Att: 2 Exh; A				1	
TEGORY	RATE ELEMENTS	Interin	Zone	BCS	USOC			RATES(\$)		. ———	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	incremental Charge - Manual Syc Order vs. Electronic- Add'l	incremental Charge - Manual Svc Order va. Electronic- Disc 1st	Incremental Charge - Manual Syc Order vs. Electronic- Disc Add'l		
						Rec	Nonrec		Nonrecurring	Disconnect			OSS	Rates(\$)				+
		ļ	<del> </del>	UTO1.			First	Add'l	First	l'bhA	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN		+
1	Clear Channel Capability Super FrameOption - per DS1	١.	1	ULDD1,UNC1X	CCOSF		0.00						}					T
	Clear Channel Capability (SF/ESF) Option - Subsequent Activity -	<del>                                     </del>	+	ULDD1, U1TD1.	0000	<del></del>	0.00			<del></del>		<u> </u>	ļ	<del></del>				$oldsymbol{oldsymbol{\perp}}$
	per DS1	1 ,	1	UNC1X, USL	NRCCC	ļ	185.26	23.86	1.99	0.78				i i		_		
		-		UTTD3, ULDD3,			100.20		1.55	0.70		<del></del>						بـــــــــــــــــــــــــــــــــــــ
	C-bit Parity Option - Subsequent Activity - per DS3	l i	1	UE3, UNC3X	NRCC3	ļ	219.58	7.69	0.737	0.00		ŀ			li			
	DS1/DS0 Channel System		1	UNC1X	MO1	107.57	91.24	62.71	10.56	9.81								-
	DS3/DS1Channel System		<u> </u>	UNC3X, UNCSX	MQ3	144.02	178.54	94.18	33.33	31.90			· · · · · · · ·		- <del>-</del>			+-
	Voice Grade COCI in combination		↓	UNCVX	1D1VG	0.56	6.59	4.73										+
-	Voice Grade COCI - for 2W-SL2 & 4W Voice Grade Local Loop		1	UEA	1D1VG													+-
<del></del>	Voice Grade COCI - for connection to a channelized DS1 Local	-	<del> </del>	UEA	1131 VG	0.56	6.59	4.73										
	Channel in the same SWC as collocation	İ	1	шт <b>ис</b>	1D1VG	0.56	6.59	4.73	i									<b>—</b>
1	OCU-DP COCI (2.4-64kbs) in combination		_	UNCDX	10100	1.19	6.59	4.73				<u> </u>						$\perp$
	OCU-DP COCI (2,4-64kbs) - for Unbundled Digital Loop	<del>                                     </del>		UDL	1D1DD	1,19	6.59	4.73					ļ	<b> </b>				1
	OCU-DP COCI (2.4-64kbs) - for connection to a channelized DS1												<del></del>	<del>  -  </del>				
	Local Channel in the same SWC as collocation			UITUD	1D1DD	1,19	6.59	4,73		l			1	į l	i			1
	2-wire ISDN COCI (BRITE) in combination			UNCNX	UC1CA	2.56	6.59	4.73						<del> </del>				+
1	2-wire ISDN COCI (BRITE) - for a Local Loop			UDN	UCTGA	2.56	6.59	4 73						- <del> </del>	·			<del> </del>
	2-wire ISDN COCI (BRITE) - for connection to a channelized DS1	1	1	LITUS	lores	I	Ι	. 7					-		— <del>-</del>	——- <del>-</del>		t
	Local Channel in the same SWC as collocation DS1 COCI in combination	$\vdash$	+	UNCIX	UC1CA UC1D1	2.56 8.64	6.59	4.73										1
	DS1 COCI in compination DS1 COCI - for Stand Alone Local Channel		-	ULDD1	UC1D1	8.54 8.64	6.59	4.73 4.73										
	DS1 COCI - for Stand Alone Interoffice Channel	<del> </del>	+	ULTD1	UC1D1	8.54 8.64	6.59 6.59	4.73										<u> </u>
	DS1 COCI - for DS1 Local Loop	<del>!                                    </del>	+	USL NTCD1	UC1D1	8.64	6.59	4.73										
_	DS1 COCI - for connection to a channelized DS1 Local Channel in		<del>                                     </del>	000	00.0.	5.04	0.35	4.73										
	the same SWC as collocation	l	1	U1TUA	UC1D1	8.64	6.59	4.73						!	!			
	Wholesale - LNE, Switch-As-Is Conversion Charge			XDH1X, HFQC6, XDD2X, XDV6X, XDDFX, XDD4X, HFRST, UNCNX	UNCCC		5,61	5.61										
	Unbundled Misc Rate Element, SNE SAI, Single Network Element - Switch As Is Non-recurring Charge, per circuit (LSR)			ULTVX, ULTDX, ULTD1, ULTD3, ULTS1, UDF, UE3	URESL		40.27	13.52										
	Unbundled Misc Rate Element, SNE SAI, Single Network Element -		<del>                                     </del>	UITVX, UITDX,			-0.27	- 5.52										
	Switch As Is Non-recurring Charge, incremental charge per circuit			U1101, U1103,	Į.	1		- 1	1	,	- 1	ł	- 1	- }	1	Ţ.	- 1	
	on a spreadsheet			U1TS1, UDF, UE3	URESP		23.80	12.11	İ	f	j	ŀ		i		İ		
Access	to DCS - Customer Reconfiguration (FlexServ)																	
	Customer Reconfiguration Establishment	ļ	—				1.48		1.85							-		
	DS1 DCS Termination with DS0 Switching DS1 DCS Termination with DS1 Switching	-	<del> </del>			27.96	25.60	19.70	16.67	13,41								
	DS3 DCS Termination with DS1 Switching		<del> </del>		<del> </del>	12.67 176.51	18.51 25.60	12.61	12.24 16.67	8.98								
Node (	SynchroNet)	Ь		·	4	179.51	20.60	18.70	10.07	13,41								
1	Node per month	Π_	Τ	UNCDX	UNCNT	14.55	T		—т	г						<b>—</b> —Т.	I	
	Rearrangements																	
				UtTVX, UTTDX.			Т	1		···-			Т		Т			
	NRC - Change in Facility Assignment per circuit Service Rearrangement	ı		ULTUC, ULTUD, ULTUB, ULDVX, ULDOX, UNCVX, UNCDX, UNCIX	URETD		101.30	43.13										
	NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed)	I.		UITVX, UITDX; UITUC, UITUD, UITUB, ULDVX, ULDDX, UNCVX, UNCDX, UNCIX	URETS		3.66	3.66									-	
MMINGLING	NRC - Order Coordination Specific Time - Dedicated Transport		-	UNC1X, UNC3X	PZOOO	· · · · · · · · · · · · · · · · · · ·	18.90	18.90									<del></del>	
MMNGLING				UNCVX, UNCDX, UNC1X, UNC3X, UNC5X, U1TD1, U1TD3, U1TS1, UE3,														_
	Comminging Authorization			UDLSX, UITVX, UITOX, UITUB, ULDVX, ULDDI. ULDD3, ULDS1	CMGAU	0.00	0.00	0.00	0.00	0.00								

	O NETWORK ELEMENTS - South Carolina	Ţ	_		T	1				<del></del>	Svc Order	Svc Order	Att: 2 Exh; A		Incremental	Incremental		7
EGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)				Submitted Manually		Charge -	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svc Order vs. Electronic- Disc Add'l		
+		<del> </del>	-			Rec		curring		Disconnect				Rates(\$)			<del> </del>	+
	Commingled VG COCI	+-		XDV2X	1D1VG	0.56	First 6.59	Add'I 4,73	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN		+
	Commingled Digital COCI			XDV6X	101DD	1.19	6.59	4.73		<del>                                     </del>			ļ <b>-</b>	<del></del>				T
	Commingled ISDN COCI	-		XDD4X	UC1CA	2.56		4.73		<u> </u>			<del></del> -	<del></del>			<del></del>	4
	Commingled 2-wire VG Interoffice Channel Facility Termination Commingled 4-wire VG Interoffice Channel Facility Termination	-	_	XDV2X	U1TV2	24.30		27.47	16.77	6.91					<del></del> -		<del></del>	4
	Commingled 56kbps Interoffice Channel Facility Termination	<del> </del>	<b>-</b>	XDV6X XDD4X	U1TV4	21.29		27,47	16.77	6.91							<del></del>	+
	Commingled 64kbps Interoffice Channel Facility Termination	+	-	XDD4X	U1TD6	16,76 15,76		27,47 27,47	16.77	6.91								+
	Commingled VG/DS0 Interoffice Channel per mile	1		XDV2X, XDV6X, XDD4X	1L5XX		40.53	27.47	16.77	6.91								#
	Commingled 2-wire Local Loop Zone 1	<del> </del>	-	XDV2X	UEAL2	0.0167 16.68	105.98							li	}			1
	Commingled 2-wire Local Loop Zone 2	1	2	XDV2X	UEAL2	23.13		68.43 68.43	53.05	10.61								+-
	Commingled 2-wire Local Loop Zone 3	1		XDV2X	UEAL2	28.46		68.43	53.05 53.05	10.61								+
	Commingled 4-wire Local Loop Zone 1		٦.	XDV6X	UEAL4	32.59	132.38	94.83	59.35	14.61				<b>-</b>				I
	Commingled 4-wire Local Loop Zone 2			XDV6X	UEAL4	43.89	132.38	94.83	59.35	14.61								Į
<del></del>	Commingled 4-wire Local Loop Zone 3 Commingled 56kbps Local Loop Zone 1	<del> </del>		XDV6X	UEAL4	43,38	132.38	94.83	59.35	14.61				<del>  </del>				+
<del>-   </del>	Commingled 56kbps Local Loop Zone 1	1		XDD4X XDD4X	UDL56	29.93	126.66	89.12	59. <b>3</b> 5	14.61								+
<del>    </del>	Commingled 56kbps Local Loop Zone 3	+		XDD4X XDD4X	UDL56 UDL56	33.99 34.74	126.66	89.12	59.35	14.61								+-
	Commingled 64kbps Local Loop Zone 1	<del> </del>		XDD4X	UDL64	29.93	126.66 125.66	89.12 89.12	59.35 59.35	14.61								+
-	Commingled 64kbps Local Loop Zone 2	<del>                                     </del>	2	XDD4X	UDL64	33.99	126.66	89.12	59.35	14.61								†
	Commingled 64kbps Local Loop Zone 3	L.	3	XDD4X	UDL64	34.74	126.66	89.12	59.35	14.61								┲
	Commingled ISDN Local Loop Zone 1			XDD4X	UtĽ2X	25.21	117.58	80.03	53.05	10.61								Г
	Commingled ISDN Local Loop Zone 2	ļ		XDD4X	U1L2X	32.76	117.58	80.03	53.05	10.61								1
	Commingled ISDN Local Loop Zone 3 Commingled DS1 COCI		3	XDD4X XDH1X	U1L2X	37.70	117.58	80.03	53.05	10.61								+
	Commingled DS1 Interoffice Channel Facility Termination	<del> </del> -		XDH1X	UC101 U1TF1	8.64 77.14	6.59	4.73								—— <del> </del>		⊢
	Commingled DS1 Interoffice Channel per mile			XDHIX	1L5XX	0.3415	89.47	81.99	16.39	14.48								⊢
	Commingled DS1/DS0 Channel System	<del>                                     </del>		XDH1X	MQ1	107.57	91.24	62,71	10.56	9.81								Н
	Commingled DS1 Local Loop Zone 1	Ĺ		XDH1X	USLXX	79.51	253.03	157.89	44.80	11.73								
	Commingled DS1 Local Loop Zone 2			XDH1X	USLXX	136.00	253.03	157.89	44,80	11.73	<del></del>							
	Commingled DS1 Local Loop Zone 3 Commingled DS3 Local Loop Facility Termination		3	XDH1X	USLXX	229.15	253.03	157.89	44.80	11.73					+			$\vdash$
	Commingled DS3/STS-1 Local Loop per mile	_	-	HFQC6. HFRST	UE3PX 1L5ND	306.36	452.52	264.53	119.75	83.77							$\rightarrow$	-
	Commingled STS-1 Local Loop Facility Termination			HFRST	UDLS1	12.26 313.49	452.52	264.53	110.70									_
	Commingled DS3/DS1 Channel System	<del>                                     </del>		HFQC6	MQ3	144.02	17B.54	94.18	119.75 33.33	83.77 31.90								-
	Commingled DS3 Interoffice Channel Facility Termination			HFQC6	U1TF3	880.65	279.37	163.12	60.33	58.59							=	_
	Commingled DS3 Interoffice Channel per mile			HFQC6	1L5XX	8.02			70.00	00.00								Ξ
	Commingled STS-1Interoffice Channel Facility Termination Commingled STS-1Interoffice Channel per mile	$\perp$		HFRST HFRST	UITES	880.55	279.37	163.12	60.33	58.59								_
	commingled Dark Fiber - Interoffice Transport, Per Four Fiber		_	HERST	1L5XX	8.02									<del></del>			
	strands, Per Route Mile Or Fraction Thereof			HEQDL	1L5DF	36.41			ĺ	T	Т						<del></del>	
1	ommingled Dark Fiber - Interoffice Transport, Per Four Fiber	$\Box$			1	52.41							———					
!	trands, Per Route Mile Or Fraction Thereof			HEODL	UDF14		640.51	138.17	317.76	198.11	1							_
	NE to Commingled Conversion Tracking	$\vdash$		XDH1X, HFQC6	CMGUN	0.00	0.00	0.00	0.00	0.00							$\longrightarrow$	
Query Servi	PA to Commingled Conversion Tracking	<del>  </del>		XDH1X, HFQC6	CMGSP	0.00	0.00	0.00	0.00	0.00					<del></del>			_
	NP Charge Per query	$\vdash$			<del> </del>	0.0008837									<del></del>		<del></del> +	
	NP Service Establishment Manual	<del>  </del>	-		<del> </del>	0.0000037	25.09	25.09	23.07	200 47							$\rightarrow$	_
1	NP Service Provisioning with Point Code Establishment				<del>                                     </del>		594.82	303.88	269.53	198.18								_
PBX LOCAT							304.02	303,00	200.00	180.10		<del>  </del> -						_
	LOCATE DATABASE CAPABILITY																	_
	ervice Establishment per CLEC per End User Account changes to TN Range or Customer Profile	<b>├</b>		9PBDC	9PBEU		1.813.00						т т				<del></del>	_
	er Telephone Number (Monthly)	<del>  </del>		9PBDC 9PBDC	9PBTN		181.40							··			-+	
	hange Company (Service Provider) ID	<del>                                     </del>		9PBDC	9PBMM 9PBPC	0.07	500 40										+	_
	BX Locate Service Support per CLEC (Monthit)	$\vdash$		9PBDC	9PBMR	181.29	532.48	<del></del>									-+	_
	ervice Order Charge			9PBDC	9PBSC	101.23	15.69					$\dashv$					_	-
	LOCATE TRANSPORT COMPONENT						-0.03							<u></u>				_
See Att 3															-			_
																	1	_

NBUND	LED NETWORK ELEMENTS - Tennessee															_		
			1	T	Τ			••			la. a.	1	Att: 2 Exh; A					T
			1		1						Submitted	Svc Order Submitted		Incremental	Incremental			$\top$
					1						Elec	Manually	Charge -	Charge -	Charge -	Charge -	1	1
ATEGORY	RATE ELEMENTS	Interi	m Zom	BCS	USOC			RATES(\$)					Manual Syc			Manual Svc		1
								,			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.	[	1
						1					ĺ		Electronic-		Electronic	Electronic-		1
					<u> </u>							ŀ	1st	Add'l	Disc 1st	Disc Add't		1
						Rec	Nonrecurring	L	Nonrecurring	Disconnect			085	Rates(\$)	<u> </u>	L		↓
						1	First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN		↓
				<u> </u>				Ĩ			1					SUMAN		ـ
The	"Zone" shown in the sections for stand-alone loops or loops a	s part of	a combi	ination refers to Geog	raphically De	eaveraged UNE	Zones. To vie	w Geographica	lly Deaveraged	UNE Zone Des	ignations by	Central Off	ice, refer to i	Internet Wahr	to:	L		₩
											•							1
PERATION	S SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"						1				I							┺
NOT	is surrount statems (058) - REGINAL RATES  F: (1) CLEC should contact its contract negotiator if it prefers  Fr the state specific Commission ordered rates for the service	the "stat	e specif	ic" OSS charges as o	rdered by th	e State Commis	ssions. The OS	S charges cur	rently contains	d in this rate ex	chibit are the	AT&T regi	onal" service	ordering cha	CI EC -	1011 -1-24		↓_
enne	or the state specific Commission ordered rates for the service is states.	ordering (	charges	, or CLEC may elect t	he regional s	service ordering	g charge, howe	ver, CLEC can	not obtain a mi	xture of the tw	o regardless	if CLEC has	s a interconne	action contrar	t petablished	HRY BIOCC		1
the 1	States.								_		-				Y ASTADISHED	In watch of		ļ
NUI	Security Any element that can be ordered electronically will be buildered electronically at present per the LOH, the listed SOME	tiled acco	rding to	the SOMEC rate liste	d in this cat	egory. Please	refer to AT&T's	Local Orderin	g Handbook (Le	IH) to determin	ne if a produ	ct can be or	dered electro	nicelly. For t	tose elemente	that connect		₩
		Crate in t	his cate	gory reflects the char	ge that woul	d he billed to a	CLEC once ele	ctronic orderir	g capabilities o	ome on-line fo	r that elemen	nt. Otherwis	te. the manua	i orderina chi	TON SOURIE	that cannot		1
appl	ied to a CLECs bill when it submits an LSR to AT&T.													an or derining citie	rige, scarage,	Will DB	1	1
I ON	E: (3) OSS - Manual Service Order Charge, Per Element - UNE	Only **P	lease se	se applicable rate elen	nent for SON	IAN charge**												⊢-
	OSS - Electronic Service Order Charge, Per Local Service		1															├
uc ocmue	Request (LSR) - UNE Only		<del>_</del>		SOMEC	<u> </u>	3.50	0.00	3.50	0.00		1			l í		i	i
	E DATE ADVANCEMENT CHARGE			1						L.				-	<del></del>			
NOT	E: The Expedite charge will be maintained commensurate with	n BellSout	h's FCC	No.1 Tariff, Section	5 as applicat	ile.								<del>'</del>				
J			1	L					1		, T	1						
				UAL, UEANL, UCL.		1						i				Į.		
		1		UEF, UDF, UEQ,	I	I			l				ļ	, ,	' I		i	
		- 1		UDL, UENTW, UON,	l	I	1		1				1		ĺ	- 1		
				UEA, UHL, ULC,	I	I			l		1	- 1			I	Į	J	
		- 1		USL, U1T12, U1T48,	l	I				İ		1		]	ļ	1	ſ	
1				UtTD1, UtTD3,	I	I	1		{		l	I		ļ į	i	- 1		
1				UITOX, UITO3,		ļ					!		i				- 1	
			1	UITSI, UITVX,		1	1				1	-			I			
i			1	UC1BC, UC1BL,	Ī	†	1					- 1		1	i			
				UC1CC, UC1CL,		ĺ						- 1				ŀ	- 1	
				UC1DC, UC1DL,		1					ļ	- 1			- 1	- 1		
		- 1		UC1EC, UC1EL,	i							- !		l l	i			
		-		UC1FC, UC1FL,							1	1	ļ			ı	ĺ	
		i		UC1GC, UC1GL,							! I					- 1		
				UC1HC, UC1HL,							- 1			ļ			1	
-				UDL12, UDL48,					-			]		f		1		
i				UDLO3, UDLSX,					i		- 1	- 1						
1			1	UE3, ULD12, ULD48,		l					- 1		1		i	ļ		
				ULDD1, ULDD3,						i	- 1			ľ		1		
			1	ULDDX, ULDQ3,	Ι,													
				ULDS1, ULDVX,	į						f	ĺ	į		1	- 1	i	
				UNC1X, UNC3X,							- 1	- 1	- 1	1		1		
				UNCDX, UNCNX,								- 1	- 1	i			ļ	
		-		UNCSX, UNCVX,								1			i	İ		
		-	1	UNLD1, UNLD3,	i		!!!			l		i	í	ļ	l	i		
		1	1	UXTD1, UXTD3,						l	1		l	Į.		- 1	- }	
l		- 1	1	UXTS1, U1TUC,				ł	ľ	l			I		ł			
	L		1	U1TUD, U1TUB.					i	!	I	- !	- 1			1		
- 1	UNE Expedite Charge per Circuit or Line Assignable USOC, per	- 1	1	U1TUA,NTCVG,					I		Į	1		}	J	ļ	1	
	Day			NTCUD, NTCD1	SDASP		200.00			l	[				i	ļ		
DER MOD	IFICATION CHARGE		<del> </del>										<del></del>					
	Order Modification Charge (OMC)						26.21	0.00	0.00	0.00	-							
	Order Modification Additional Dispatch Charge (OMCAD)		1				150.00	0.00	0.00	0.00		-+						
	EXCHANGE ACCESS LOOP			l										<del></del>				
2-WII	RE ANALOG VOICE GRADE LOOP																	
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1 1	UEANL	UEAL2	11.74	31.99	20.02	10.65	1,41	Т		20.35	10.54	12.20			
_	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	17.59	31.99	20.02	10.65	1,41			20.35	10.54	13.32	13.32		
	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 3			UEANL	UEAL2	29.37	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32		
	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 1			UEANL	UEASL	11.74	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32		
	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2			UEANL	UEASL	17.59	31.99	20.02	10.65	1,41			20.35	10.54	13.32	13.32		
	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 3		3	UEANL	UEASL.	29.37	31.99	20.02	10.65	1.41	+	<del></del>	20.35	10.54		13.32		
<del> </del> -	Tag Loop at End User Premise			UEANL	URETL		8.95	0.88						70.04	13.32	13.32		
	Loop Testing - Basic 1st Half Hour		<b></b>	UEANL	URET1		57.67	0.00								—		
+-	Loop Testing - Basic Additional Half Hour		+	UEANL	URETA		37.44	37.44						<del></del>	+			
	Manual Order Coordination for UVL-SL1s (per loop)		<del> </del>	UEANL	UEAMÇ		36.52	36.52						+				
	Order Coordination for Specified Conversion Time for UVL-SL1	1	1						·-·	<del>-</del>								
	(per LSR)		1	UEANL	OCOSL		34.29			l	- 1		- 1	1	1	1		
- 1	Unbundled Non-Design Voice Loop, billing for AT&T providing										<del></del>	<del></del>						
- 1	make-up (Engineering Information - E.I.)		Ь.	UEANL	<u>U</u> EANM		25.33	25.33		1		1	- 1	í		ļ		
	Unbundled Loop Service Rearrangement, change in loop facility,										<del></del>		<del></del>					
		- 1	1		UREWQ		15.80	8.95	10.65	1.41	ļ		20.35	10.54				
	per circuit																	
	Bulk Migration, per 2 Wire Voice Loop-SL1				UREPN		31.99	20.02	10.65	1.41				10.54	13.32	13.32		_
		-	1		UREPN UREPM		31.99 36.52	20.02 36.52	10.65	1.41				7,0,04	13.32	13.32	_	

	ED NETWORK ELEMENTS - Tennessee	Т	_		1						Suc Order	Svo Order	Att: 2 Exh: A		I Image	In the second of		+
EGORY	RATE ELEMENTS	interim	Zone	BCS	USOC		Theres:	RATES(\$)	News	Disass		Submitted Manually	Charge - Manuel Svc Order vs. Electronic- 1st	incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Menual Syc Order vs. Electronic- Disc Add'l		
	<del></del>	┼	<del> </del>		<del> </del>	Rec	Nonrecurring First	Add'1	Nonrecurring First	Add'i	SOMEC	SOMAN	SOMAN	Rates(\$)	SOMAN	SOMAN		+
-	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	t —	1	UEQ	UEQ2X	11.74	31.99	20.02	10.65	1.41	- COMPCO	00	20.35	10.54	13,32	13.32		+
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2			UEQ	UEQ2X	17.59	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32		+
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	T	3	UEO	UEQ2X	29.37	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32		+
	Tag Loop at End User Premise			UEQ	ÜRETL		8.95	0.88										+
	Loop Testing - Basic 1st Hall Hour			UEQ	URETI		57.67	0.00										۲
1	Loop Testing - Basic Additional Half Hour	Ι		UEO	URETA		37.44	37.44										Ť
	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-																	Ť
	Designed (per loop)	↓	ļ	UEQ	USBMC	ļ <u>.</u> .	36.52	36.52	· · · · · · · · · · · · · · · · · · ·									
	Unbundled Copper Loop - Non-Design, billing for AT&T providing			1150	LEGUN.	1	05.00	05.00								-		T
	make-up (Engineering Information - E.I.)		<b>├</b> ─	UEQ	UEQMU	<del></del>	25.33	25.33					20.35	10.54	13.32	13.32		L
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit			UEQ	UREWO		14.29	7.44	10.65	1.41	l	!	00.45		1			ı
	Bulk Migration, per 2 Wire UCL-ND	+	-	UEG	UREPN		31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32		4
_	Bulk Migration Order Coordination, per 2 Wire UCL-ND	+	<del> </del>	UEQ	UREPM	<b>—</b> —	36.52	36.52	10.65	1.41	<del></del> -							+
BUNDLED	EXCHANGE ACCESS LOOP	+	<del>                                     </del>		1											<del></del>		╁
2-WIR	E ANALOG VOICE GRADE LOOP																	+
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	Τ	T -		T	i i	T			ļ'''' <del>'</del>								t
	Ground Start Signaling - Zone 1	1_	1 1	UEA	UEAL2	14.74	75.06	48.20	28 70	17.64			20.35	10.54	13.32	13.32		1
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	T	1	1			1								10.02	.0.02		$^{+}$
	Ground Start Signaling - Zone 2		2	UEA	UEAL2	22.08	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32		1
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															-		t
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	36.87	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32		
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	I _	1 -	l	I	1		. 7										٢
	Baltery Signaling - Zone 1	↓	,	UEA	UEAR2	14.74	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32		ı
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse					1				l								Т
	Battery Signaling - Zone 2	↓	2	UEA	UEAR2	22.08	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32	1	L
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		l _	l														Г
	Battery Signaling - Zone 3	↓	3	UEA	UEAR2	36.87	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32		L
1	Switch-As-Is Conversion rate per UNE Loop. Single LSR, (per			UEA	URESL		23.42	3.30								- 1		Г
	DS0) Switch-As-Is Conversion rate per UNE Loop. Spreadsheet, (per	+—	<u> </u>	UEA	UHESL	<del></del>	23.42	3.30					20.35	10.54	13.32	13.32		L
	DS03	1		UEA	URESP		24.82	4.70						ı				ĺ
	Unbundled Loop Service Rearrangement, change in loop facility.	+-	+	1000	UNICOF	<b></b>	24.62				<del></del>							L
1	be direct took consider realitaring ement, or angle in cook lacking.	1	1	UEA	UREWO	<b>\</b>	75 06	36.41			i ĵ		20.35	10.54		40.00	1	ĺ
	Loop Tagging - Service Level 2 (SL2)	+	†	UEA	URETL		11.23	1.10					20.35	10.34	13.32	13.32		⊢
	Bulk Migration, per 2 Wire Voice Loop-SL2	+-	1	ÜEA	UREPN		75.06	48.20										<b>}</b> −
	Bulk Migration Order Coordination, per 2 Wire Voice Loop-SL2	${}^{+}$	1	UEA	UREPM		0.00	0.00										├
4-WIR	E ANALOG VOICE GRADE LOOP																	⊢
	4-Wire Analog Voice Grade Loop - Zone 1	T-		UEA	UEAL4	21.98		B5.57	76.35	39.16	]		20.35	10.54	13.32	13.32		Н
	4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	32.93		85.57	76.35	39.16			20.35	10.54	13.32	13.32		$\overline{}$
	4-Wire Analog Voice Grade Loop - Zone 3	$\Box$	3	UEA	UEAL4	54.99	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32		_
1	Switch-As-Is Conversion rate per UNE Loop. Single LSR, (per	1 ~	l	l	L	1	ι			I			7					_
	DS0)	+	<b> </b>	UEA	URESL	ļ	23.42	3.30					20.35	10.54	13.32	13.32		L.
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	1	1					1			_							ſ
	DS0)	┼—	+	UEA	URESP	<del></del>	24.82	4.70	******									
- 1	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		1	UEA	UREWO		75.06	36.41					20.35	,,,,,	,			
2 14/10			٠	IOCK .	INUE AAC	·	/ 75.00	30.41				i	20.35	10.54	13.32	13.32		_
Z-97 IR	LE ISDN DIGITAL GRADE LOOP  2-Wire ISON Digital Grade Loop - Zone 1	$\overline{}$	1 4	TUDN	U1L2X	19.77	142.76	88.88	76.35	39.16	<del></del> -		20.35	10.54		10.00		
	2-Wire ISDN Digital Grade Loop - Zone 2	+-		UDN	U1L2X	29.63		88.88	76.35	39.16			20.35	10.54	13.32	13.32		_
-+	2-Wire ISON Digital Grade Loop - Zone 3	+		UDN	U1L2X	49.47		88.88	76.35	39.16	<del>  </del>		20.35	10.54	13.32	13.32		
	Unbundled Loop Service Rearrangement, change in loop facility,	+	1	-	1	13.77				55.10	<del></del>		20.35	(0.34	13.32	13.32		_
1	per circuit	1	1	UDN	UREWO		91.77	44.22		[			20.35	10.54	13.32	13.32		
2-WIR	RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPA	TIBLE L	OOP	•		• • • • • • • • • • • • • • • • • • • •								10,04	10.02	13.32		_
	2 Wire Unbundled ADSL Loop including manual service inquiry &	$\top$	1				, i			1	1					-+	-+	_
	lacility reservation - Zone 1	1_	1 1	UAL	UAL2X	12.30	156.95	64.54	89.64	16.93		1	20.35	10.54	13.32	13.32		
	2 Wire Unbundled ADSL Loop including manual service inquiry 8					1						1		<del></del>		2.52		_
L	facility reservation - Zone 2		2	UAL	UAL2X	18.43	156.95	64.54	89.64	16.93			20.35	10.54	13.32	13.32	- 1	
	2 Wire Unbundled ADSL Loop including manual service inquiry 8																$\overline{}$	_
	facility reservation - Zone 3		3	UAL	UAL2X	30.77	156.95	64.54	89.64	16.93			20.35	10.54	13.32	13.32	ĺ	
1	2 Wire Unbundled ADSL Loop without manual service inquiry &		\	1		\	1			1							+	_
	facility reservaton - Zone 1		1	UAL	UAL2W	12.30	89.40	35.91	72.02	11.48			20.35	10.54	13.32	13.32	ļ	
	2 Wire Unbundled ADSL Loop without manual service inquiry &	1	1 .	l			1											_
	facility reservation - Zone 2	∔—	2	UAL	UAL2W	18.43	89.40	35.91	72.02	11,48			20.35	10.54	13.32	13.32		_
	2 Wire Unbundled ADSL Loop without manual service inquiry &	1	١,	ļ.,	l	00	أسما	05.5.			1	ļ		Т				
	facility reservation - Zone 3	<del> </del>	3	UAL	UAL2W	30.77	89.40	35.91	72.02	11.48			20.35	10.54	13.32	13.32		_
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit	1		IUAL	UREWO	1	31.99	20.02		l				. 1				_
													20.35	10.54	13.32	13.32		

ATEGORY	D NETWORK ELEMENTS - Tennessee  RATE ELEMENTS	Interim	Zone	BCS	usoc		Nonrecurring	RATES(\$)	Nave			Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svo Order va. Electronic- Diac 1st	Incremental Charge - Manuel Svc Order vs. Electronic- Disc Add'l	
<del>-   -</del>		<del> </del>	+			Rec	First	Add'l	Nonrecurring First	Aridii	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN	
	2 Wire Unbundled HDSL Loop including manual service inquiry &		1													DOMPA	
	facility reservation - Zone 1  2 Wire Unbundled HDSL Loop including manual service inquiry &	<del> </del> -	<del>  </del>	UHL	UHL2X	9.64	158.94	65.20	89.64	16.93			20 35	10.54	13.32	13.32	
İ	facility reservation - Zone 2		2	UHL	UHL2X	14.44	158.94	65.20	89 64	16.93			20.35	10.54		.0.00	- 1
<del></del>	2 Wike Unbundled HDSL Loop including manual service inquiry &	<del> </del>	1		G. SELV		750.54	- 00.20		19.33		<del></del>	20.35	10.54	13.32	13.32	
	facility reservation - Zone 3	<u> </u>	3	UHL	UHL2X	24,12	158.94	65.20	89.64	16.93			20.35	10.54	13.32	13.32	
i	2 Wire Unbundled HDSL Loop without manual service inquiry and		Ι,	UHL.	1			85.04	70.00					·			
	facility reservation - Zone 1 2 Wire Unbundled HDSL Loop without manual service inquiry and	┼─-	<del> </del> -	UTL.	THILSM	9.64	89.40	35.91	72.02	11.48	,J		20.35	10.54	13.32	13.32	
. 1	facility reservation - Zone 2		2	UHL	UHL2W	14.44	89.40	35.91	72.02	11.48			20.35	10.54	13.32	13.32	1
	2 Wire Unbundled HDSL Loop without manual service inquiry and		$\vdash$												10.02	idide	
	facility reservation - Zone 3	1	3	UHL_	UHE2W	24,12	89.40	35.91	72.02	11,48			20.35	10.54	13.32	13.32	Ĺ
l	Unburidled Loop Service Rearrangement, change in loop facility, per circuit	1		UHL	UREWO	}	31.99	20.02		) 1			20.35	10.51			
4-WIRI	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPAT	IBLE LO	OF_		<u>,</u>	·	01,00	10.02		<u></u>			20.35	10.54	13.32	13.32	
	4 Wire Unbundled HDSL Loop including manual service inquiry and	Γ				<u> </u>											
<del></del> -	facility reservation - Zone 1	<del> </del>	<b>↓</b> ⁺	UHL	UHL4X	12.40	169.62	75.89	39.73	19.53			20.35	10.54	13.32	13.32	
}	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2	1	2	un.	UHL4X	18.58	169.62	75.89	39.73	19.53			20.35	10.54	13.32	10.6-	
	4-Wire Unbundled HDSL Loop including manual service inquiry and		+-			10.00	100.02		44.73	10.55			20.35	10.54	13.32	13.32	
	facility reservation - Zone 3		3	UHL	UHL4X	31,03	169.62	75.89	39.73	19.53			20.35	10.54	13.32	13.32	- 1
[	4-Wire Unbundled HDSL Loop without manual service inquiry and	ļ	}														
<del></del>	facility reservation - Zone 1  4-Wire Unbundled HDSL Loop without manual service inquiry and	-	<del>  '-</del>	UHL	UHL4W	12,40	100.09	46.60	75.75	13.97		L.—	20.35	10.54	13.32	13.32	
	facility reservation - Zone 2		2	UHL	UHL4W	18.58	100.09	46.60	75.75	13.97			20.35	10.54	13.32	13.32	- 1
	4-Wire Unbundled HDSL Loop without manual service inquiry and	$\vdash$											20.03	10.04	13.32	13.32	
	facility reservation - Zone 3	-	3	UHL.	UHL4W	31.03	100.09	46.60	75.75	13.97			20.35	10.54	13.32	13.32	- 1
	Unbundled Loop Service Rearrangement, change in loop facility.	1	~	UHL	INDER***												
4.W(D)	per circuit E DS1 DIGITAL LOOP	Ь		Unit.	UREWO	L	31.99	20.02		L			20.35	10.54	13.32	13.32	
	4-Wire DS1 Digital Loop - Zone 1	$\overline{}$		USL	USLXX	51.38	313.08	219.72	96.86	40.45			18.98	8.43	11.95	11.95	
	4-Wire DS1 Digital Loop - Zone 2		2		USLXX	76.98	313.08	219.72	96.86	40.45			18.98	8.43	11.95	11.95	
	4-Wire DS1 Digital Loop - Zone 3	<u> </u>	3	USL	USLXX	128.54	313.08	219.72	96.86	40.45			18.98	8.43	11,95	11.95	
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS1)			USL	URESL		23,42	3.30					Ţ	1			
-	Switch As-Is Conversion rate per UNE Loop, Spreadsheet, (per	<del>                                     </del>	-		J-IL-UL	<u> </u>	23,42	3.30	·	<del>                                     </del>	<del></del> -		<del></del>		∤		$-\!\!\!-\!\!\!\!+$
	DS1)		<u>L</u>	USL	URESP		24.82	4.70								-	]
	Unbundled Loop Service Rearrangement, change in loop facility,						]										
4 000	per circuit 19.2, 56 OR 64 KBPS DIGITAL GRADE LOGP		ــــــــــــــــــــــــــــــــــــــ	USL	UREWO		130.47	40.11		L			20.35	10.54	13.32	13.32	
4-14/1/0	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1	1	1	UDL	DDL2X	27.68	207.01	141.38	90.70	44.18							<del></del> -Т
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2		2	UDL	UDL2X	41.47	207.01	141.38	90.70	44.18					<del></del>	<del></del>	
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone3			UDL	UDL2X	69.24	207.01	141.38	90.70	44,18							
<del>-</del>	4 Wire Unbundled Digital Loop 4.6 Kbps - Zone 1 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2	₩	1 1	UDL	UDL4X UDL4X	27.68 41.47	207.01	141.38	90.70	44.18							
<del>-</del>	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2  4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3	_		UDL	UDL4X	69.24	207.01	141.38	90.70	44,18 44,18						<del></del> -T	
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1		1	UDL	UDL9X	27.68	207.01	141.38	90.70	44.18	+			<del></del>		—— <u>-</u>	-+
	5 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2			UDL	UDL9X	41.47	207.01	141 38	90.70	44.18							_ +
<del></del> -	6 Wire Unburdled Digital Loop 9.6 Kbps - Zone 3	1		UOL	UDL9X	69.24	207.01	141.38	90.70	44.18							
<del></del> -	4 Wire Unbundled Digital 19.2 Kbps - Zone 1 4 Wire Unbundled Digital 19.2 Kbps - Zone 2	-		UDL	UDL19 UDL19	27.68 41.47	207.01	141.38	90.70	44.18 44.18			20.35 20.35	10.54	13.32	13.32	$ \top$
	4 Wire Unbundled Digital 19.2 Kbps - Zone 3	<del> </del> -	3		UDL19	69.24	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32	<del></del>
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	lacksquare		LIDI.	UDL56	27.68	207.01	141.38	90.70	44.18		1	20.35	10.54	13.32	13.32	
-	4 Wire Unbundled Digital Loop 56 Klops - Zone 2			UDL	UDL56 UDL56	41.47	207.01	141.38	90.70	44.18			20.35	10.54	13.32	†3.32	
<del>-  </del>	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	+-		UDL	UDL56 UDL64	69.24 27.68	207.01	141.38 141.38	90.70	44.18 44.18			20.35	10.54	13.32	13.32	
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	╅	2	UCL	UDL64	41.47	207.01	141.38	90.70	44.18		+	20.35 20.35	10.54 10.54	13.32	13.32	————·
	4 Wire Unbundled Digital Loop 64 Klops - Zone 3		3_	UDL	UDL64	69.24	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32	
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per				DE0:												-+
+-	DS0) Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per	<del> </del>	+-	UOL	URESL	<del></del>	23.42	3.30					20.35	10.54	13.32	13.32	
+	Unbundled Loop Service Rearrangement, change in loop lacility,	$\vdash$	-	UOL	URESP		24.82	4.70			<del>-</del>						
(2 14000	per circuit Unbundled COPPER LOOP	Щ.		UDL	UREWO	L	102.28	49.82		l			20.35	10.54	13.32	13.32	
14-FYIRE	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 1	T-	Γ,	luci	UCLPB	11,74	31,99	20.02	10.65	1.41		Ī	20.35	10.54	45.55		
-	2-Wire Unburdled Copper Loop-Designed including manual service	+	<del>                                     </del>		COLFE	1,74	31.89	20.02	10.05	1.41	-		20.35	10.54	13.32	13.32	
1	inquiry & facility reservation - Zone 2	1	2	UCL	UCLP8	17.59	31.99	20.02	10.65	1,41		- 1	20.35	10.54	13.32	13.32	

	D NETWORK ELEMENTS - Tennessee		,	7									Att: 2 Exh: A				
TEGORY	RATE ELEMENTS	Interim	Zone	BC\$	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Syc Order vs. Electronic- Disc Add't	1
		$\vdash$	<del></del>	<del></del>	+	Rec	Nonrecurring First	Add'!		Disconnect			oss	Rates(\$)			<del> </del>
	2 Wire Unbundled Copper Loop-Designed including manual service				_	·	riist	Add1	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	<del></del>
	inquiry & facility reservation - Zone 3 2-Wire Unbundled Copper Loop-Designed without manual service	<u> </u>	3	UCL	UCLPB	29.37	31.99	20.02	10.65	1.41			20.35				
	inquiry and facility reservation - Zone 1	1		UCL			1					ļ	20.35	10.54	13.32	13.32	<b>└</b>
	2-Wire Unbundled Copper Loop-Designed without manual service	-	1	UCL	UCLPW	11.74	31.99	20.02	10.65	1.41	Ĺ	ĺ	20.35	10.54	13.32	13.32	1
1	inquiry and facility reservation - Zone 2		,	UCL	UCLPW	17.59				i				13.54	10.02	13.32	<del></del>
	2-Wire Unbundled Copper Loop-Designed without manual service				- GOLI II	17.35	31,99	20.02	10.65	1,41			20.35	10.54	13.32	13.32	1
	inquiry and facility reservation - Zone 3		3	UCL	UCLPW	29.37	31.99	20.02	10.65	1.41	ŀ						
	Order Coordination for Unbundled Copper Loops (per loop) Unbundled Loop Service Rearrangement, change in loop facility,	<b>—</b>		ÚCL	UCLMC		36.52	36.52			<b>—</b> —		20.35	10.54	13.32	13.32	<u></u>
ĺ	per circuit			UCL	UREWO												
4-WIRE	COPPER LOOP			TOOL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32	1
	4-Wire Copper Loop-Designed including manual service inquiry and	T	•		7	<del></del>											
<del>-  </del>	facility reservation - Zone 1		1	ucı_	UCL4\$	21.98	122.76	85.57	76.35	39.16			20.35				
	Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2	1	_							33.10			20.35	10.54	13.32	13.32	
_	Wire Copper Loop-Designed including manual service inquiry and	├	2	ucı	UCL4S	32.93	122.76	85.57	78.35	39.16			20.35	10.54	13.32	13.32	
	facility reservation - Zone 3		3	UCL	UCL4S	54.99	122.76	A							10.00	13.32	
	4-Wire Copper Loop-Designed without manual service inquiry and				JUC TO	34.99	142.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32	
	facility reservation - Zone 1		1	UCL	UCL4W	21.98	122.76	85.57	76.35	39.16			00.05				
	Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2	l I	2						. 5.04	55.10			20.35	10.54	13.32	13.32	
	4-Wire Copper Loop-Designed without manual service inquiry and	<del></del>	2	UCL	UCL4W	32.93	122.76	B5.57	76.35	39,16		ĺ	20.35	10.54	13.32	13.32	l
	facility reservation - Zone 3		3	UCL	UCL4W	54.99	455.50							10.04	ro.uz	13.32	——
	Order Coordination for Unbundled Copper Loops (per loop)	$\overline{}$		UCL	UCLMC	54.99	122.76 36.52	85.57 35.52	76.35	39.16			20.35	10.54	13.32	13.32	
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit				T		30.02	36.32		·							
	per circuit			UCL	UREWO		31.99	20.02	i				20.35	10.54			
- 1	Order Coordination for Specified Conversion Time (per LSR)			UEA, UDN, UAL, UHL, UDL, USL								$\rightarrow$	20.33	10.54	13.32	13.32	
Rearran	gements			OHE, GDE, USE	OCOSL		34.29	1						i	J		- 1
T	EEL to UNE-L Retermination, per 2 Wire Unbundled Voice Loop-				T												-
	SL2			UEA	UREEL		75.06	36.41		ľ				- 1			
	EEL to UNE-L Retermination, per 4 Wire Unbundled Voice Loop	- 1		LIFA									<del></del>				
	EEL to UNE-L Refermination, per 2 Wire ISDN Loop		-	UDN	UREEL		75.06	36.41					i	- 1			
				5517	IONEEL		91.77	44.22									-
	EEL to UNE-L Retermination, per 4 Wire Unbundled Digital Loop			UDL	UREEL		102.28	49.82		1	- 1		- 1	T			
E LOOP CO	EEL to UNE-L Retermination, per 4 Wire Unbundled DS1 Loop			USL	UREEL		130.47	40.11		<del></del>							
	ANALOG VOICE GRADE LOOP - COMMINGLING	L			<u> </u>										<del></del>		
1	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		-		<u>т</u>	<sub>T</sub>				<del>-</del>							
	Ground Start Signaling - Zone 1		1	NTCVG	UEAL2	14.74	75.06	48.20	28.70	17,64			T				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signalling - Zone 2		Ţ					10.20	20.10	17,04							
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		2	NTCVG	UEAL2	22.08	75.06	48.20	28.70	17.64							
	Ground Start Signaling - Zone 3		3	NTCVG	UEAL2	36.87	T								<del></del>		
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	$\dashv$			OLFICE	30.8/	75.06	48.20	28.70	17.64							
	Battery Signaling - Zone 1		1	NTCVG	UEAR2	14.74	75.06	48.20	28.70	17.64	1						$\overline{}$
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2	T	Ţ	TOUG.			1			17.04							
<del>-  -  </del>	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		2	NTCVG	UEAR2	22.08	75.06	48.20	28.70	17.64	}	- 1	ſ				ſ
	Battery Signaling - Zone 3		3 1	NTCVG	UEAR2	36.87	75.06	40.00								<del>+</del>	<del>+</del>
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		$\neg$			30.87	/5.06	48.20	28.70	17.64							- 1
	DS0)		!	VTCVG	URESL		23.42	3.30				- 1		T			$\neg \neg$
	Switch As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0)		I.	TOVO								-+		<del>-</del> ⊢			$\longrightarrow$
	Unbundled Loop Service Rearrangement, change in loop facility.	-+		<u>vrcv</u> G	URESP		24.82	4.70							}		- 1
	per circuit		Į,	VTCVG	UREWO		75,06	"T	T						<del></del>		
	oop Tagging - Service Level 2 (SL2)			VTCVG	URETL		11.23	36.41									
4-WIRE	ANALOG VOICE GRADE LOOP							1.10			L						
<del>-  -  </del>	Wire Analog Voice Grade Loop - Zone 1 Wire Analog Voice Grade Loop - Zone 2			VTCVG	UEAL4	21.98	122.76	85.57	76.35	39.16		т т		<del></del>			$-\Box$
1	-Wire Analog Voice Grade Long - Zone 3			VTCVG VTCVG	UEAL4 UEAL4	32.93	122.76	85.57	76.35	39.16							
- 1 - 18	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		- P	11070	UEAL4	54.99	122.76	85.57	76.35	39.16					<del></del>		$\rightarrow$
	DS0)			vTCVG	URESL		23.42	3.30	İ		Γ				-		-
	Switch As-Is Conversion rate per UNE Loop, Spreadsheet, (per						20.72	3.30	<del></del> +								
	OSO)		^	TCVG	URESP		24.82	4.70		-							
1	Inbundled Loop Service Rearrangement, change in loop facility, per circuit		Į.	TCVG	UREWO		75.06										
								36.41									1

4-Wire L 4-Wire L 4-Wire L 5-Wire L 5-Wire L 5-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-W	55 OR 64 KBPS DIGITAL GRADE LODP Librarded Digital Loop 2.4 Kbps - Zone 1 Librarded Digital Loop 2.4 Kbps - Zone 2 Librarded Digital Loop 2.4 Kbps - Zone 2 Librarded Digital Loop 2.4 Kbps - Zone 3 Librarded Digital Loop 2.4 Kbps - Zone 1 Librarded Digital Loop 4.8 Kbps - Zone 2 Librarded Digital Loop 4.8 Kbps - Zone 3 Librarded Digital Loop 9.8 Kbps - Zone 3 Librarded Digital Loop 9.8 Kbps - Zone 3 Librarded Digital Loop 9.8 Kbps - Zone 3 Librarded Digital Loop 9.8 Kbps - Zone 3 Librarded Digital Loop 9.8 Kbps - Zone 3 Librarded Digital Loop 9.8 Kbps - Zone 3 Librarded Digital Loop 9.8 Kbps - Zone 3 Librarded Digital Loop 9.8 Kbps - Zone 3 Librarded Digital 19.2 Kbps - Zone 2 Librarded Digital 19.2 Kbps - Zone 3 Librarded Digital Loop 5.6 Kbps - Zone 1 Librarded Digital Loop 5.6 Kbps - Zone 3 Librarded Digital Loop 5.6 Kbps - Zone 3		1 1 2 1 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	BCS  INTCD1 INTCD1 INTCD1 INTCD1 INTCD1 INTCD1 INTCD1 INTCD1 INTCD0 INTCD0 INTCD0 INTCD0 INTCD0 INTCD0 INTCD0 INTCD0	USLXX USLXX USLXX USLXX URESL URESP UREWO	Rec 51.38 76.98 128.54	Nonrecurring First 313.08 313.08 313.08 23.42	Add'l 219.72 219.72 219.72	Nonrecurrin First 96.86 96.86 96.86	Disconnect Add'1 40.45 40.45 40.45	Submitted Elec per LSR	Svc Order Submitted Manually per LSR SOMAN	Att: 2 Exh: A Incremental Charge - Manual Svc Order vs. Electronic- 1st OSS SOMAN	incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st SOMAN	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'I	
4-Wire L 4-Wire L 4-Wire L 5-Wire L 5-Wire L 5-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-W	e IST Digital Loop - Zone 2 e DST Digital Loop - Zone 3 h-As-Is Conversion rate per UNE Loop. Single LSR, [per b-As-Is Conversion rate per UNE Loop. Single LSR, [per b-As-Is Conversion rate per UNE Loop. Single LSR, [per clied Loop Service Restrangement, change in loop facility, cuit  55 OR 64 KBPS DIGITAL GRADE LOOP  1 Unburded Digital Loop 2.4 Kbps - Zone 1 1 Unburded Digital Loop 2.4 Kbps - Zone 1 1 Unburded Digital Loop 2.8 Kbps - Zone 1 1 Unburded Digital Loop 4.8 Kbps - Zone 1 1 Unburded Digital Loop 4.8 Kbps - Zone 2 1 Unburded Digital Loop 4.8 Kbps - Zone 2 1 Unburded Digital Loop 9.6 Kbps - Zone 1 1 Unburded Digital Loop 9.6 Kbps - Zone 1 1 Unburded Digital Loop 9.6 Kbps - Zone 2 1 Unburded Digital Loop 9.6 Kbps - Zone 3 1 Unburded Digital 10.2 Kbps - Zone 3 1 Unburded Digital 10.2 Kbps - Zone 3 1 Unburded Digital 10.2 Kbps - Zone 2 1 Unburded Digital 10.2 Kbps - Zone 2 1 Unburded Digital 10.2 Kbps - Zone 2 1 Unburded Digital 10.0 S6 Kbps - Zone 3 1 Unburded Digital 10.0 S6 Kbps - Zone 3 1 Unburded Digital 10.0 S6 Kbps - Zone 3 1 Unburded Digital 10.0 S6 Kbps - Zone 3 1 Unburded Digital Loop 56 Kbps - Zone 2 1 Unburded Digital Loop 56 Kbps - Zone 3		2 1 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	NTCD1 NTCD1 NTCD1 NTCD1 NTCD1 NTCD1 NTCUD NTCUD	USLXX USLXX URESL URESP UREWO	51.38 76.98	313.08 313.08 313.08 313.08 23.42	Add'I 219.72 219.72 219.72	First 96.86 96.86	Add'1 40.45 40.45	SOMEC	SOMAN	OSS	Rates(\$)			
4-Wire L 4-Wire L 4-Wire L 5-Wire L 5-Wire L 5-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-Wire L 6-W	e IST Digital Loop - Zone 2 e DST Digital Loop - Zone 3 h-As-Is Conversion rate per UNE Loop. Single LSR, [per b-As-Is Conversion rate per UNE Loop. Single LSR, [per b-As-Is Conversion rate per UNE Loop. Single LSR, [per clied Loop Service Restrangement, change in loop facility, cuit  55 OR 64 KBPS DIGITAL GRADE LOOP  1 Unburded Digital Loop 2.4 Kbps - Zone 1 1 Unburded Digital Loop 2.4 Kbps - Zone 1 1 Unburded Digital Loop 2.8 Kbps - Zone 1 1 Unburded Digital Loop 4.8 Kbps - Zone 1 1 Unburded Digital Loop 4.8 Kbps - Zone 2 1 Unburded Digital Loop 4.8 Kbps - Zone 2 1 Unburded Digital Loop 9.6 Kbps - Zone 1 1 Unburded Digital Loop 9.6 Kbps - Zone 1 1 Unburded Digital Loop 9.6 Kbps - Zone 2 1 Unburded Digital Loop 9.6 Kbps - Zone 3 1 Unburded Digital 10.2 Kbps - Zone 3 1 Unburded Digital 10.2 Kbps - Zone 3 1 Unburded Digital 10.2 Kbps - Zone 2 1 Unburded Digital 10.2 Kbps - Zone 2 1 Unburded Digital 10.2 Kbps - Zone 2 1 Unburded Digital 10.0 S6 Kbps - Zone 3 1 Unburded Digital 10.0 S6 Kbps - Zone 3 1 Unburded Digital 10.0 S6 Kbps - Zone 3 1 Unburded Digital 10.0 S6 Kbps - Zone 3 1 Unburded Digital Loop 56 Kbps - Zone 2 1 Unburded Digital Loop 56 Kbps - Zone 3		2 1 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	NTCD1 NTCD1 NTCD1 NTCD1 NTCD1 NTCD1 NTCUD NTCUD	USLXX USLXX URESL URESP UREWO	51.38 76.98	313.08 313.08 313.08 23.42	219.72 219.72 219.72	First 96.86 96.86	Add'1 40.45 40.45	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN	
4-Wire U  Wire U  4 Wire U  4 Wire U  4 Wire U  4 Wire U  4 Wire U  4 Wire U  4 Wire U  4 Wire U  4 Wire U  4 Wire U  4 Wire U  4 Wire U  4 Wire U  4 Wire U  4 Wire U  5 Wire U  4 Wire U  4 Wire U  4 Wire U  5 Wire U  6 Wire U  6 Wire U  7 Wire U  7 Wire U  8 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U	e DST Digital Loop - Zone 3  **As-is Conversion rate per UNE Loop. Single LSR, (per  **As-is Conversion rate per UNE Loop. Spreadsheet, (per  died Loop Service Rearrangement, change in loop facility,  out  55 OR 64 KBPS DIGITAL GRADE LOOP  - Unburded Digital Loop 2.4 Kbps - Zone 1  - Unburded Digital Loop 2.4 Kbps - Zone 2  - Unburded Digital Loop 2.4 Kbps - Zone 3  - Unburded Digital Loop 4.8 Kbps - Zone 3  - Unburded Digital Loop 4.8 Kbps - Zone 2  - Unburded Digital Loop 4.8 Kbps - Zone 2  - Unburded Digital Loop 9.6 Kbps - Zone 3  - Unburded Digital Loop 9.6 Kbps - Zone 1  - Unburded Digital Loop 9.6 Kbps - Zone 2  - Unburded Digital Loop 5.6 Kbps - Zone 2  - Unburded Digital Loop 5.6 Kbps - Zone 2  - Unburded Digital Loop 5.6 Kbps - Zone 2  - Unburded Digital Loop 5.6 Kbps - Zone 2  - Unburded Digital Loop 5.6 Kbps - Zone 2  - Unburded Digital Loop 5.6 Kbps - Zone 2  - Unburded Digital Loop 5.6 Kbps - Zone 1  - Unburded Digital Loop 5.6 Kbps - Zone 2  - Unburded Digital Loop 5.6 Kbps - Zone 2  - Unburded Digital Loop 5.6 Kbps - Zone 2  - Unburded Digital Loop 5.6 Kbps - Zone 2  - Unburded Digital Loop 5.6 Kbps - Zone 3		2 1 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	NTCD1 NTCD1 NTCD1 NTCD1 NTCD1 NTCD1 NTCUD NTCUD	USLXX USLXX URESL URESP UREWO	76.98	313.08 313.08 23.42	219.72 219.72	96.86	40.45				55	SOMAN	SUMAN	
Switch-A DS1) Switch-B DS1) Urbundle per club 4 Wire U 4 Wire U 4 Wire U 4 Wire U 4 Wire U 4 Wire U 4 Wire U 5 Wire U 6 Wire U 4 Wire U 7 Wire U 7 Wire U 8 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9	h-As-is Conversion rate per UNE Loop, Single LSR, (per UNE Loop, Single LSR, (per UNE Loop, Spreadsheet, (per died Loop Service Rearrangement, change in loop facility, cout S6 OR 64 KBPS DIGITAL GRADE LOOP 1 Unburdied Digital Loop 2.4 Kbps - Zone 1 Unburdied Digital Loop 2.4 Kbps - Zone 2 Unburdied Digital Loop 2.4 Kbps - Zone 3 Unburdied Digital Loop 4.8 Kbps - Zone 1 Unburdied Digital Loop 4.8 Kbps - Zone 1 Unburdied Digital Loop 4.8 Kbps - Zone 2 Unburdied Digital Loop 5.8 Kbps - Zone 2 Unburdied Digital Loop 5.8 Kbps - Zone 3 Unburdied Digital Loop 9.8 Kbps - Zone 2 Unburdied Digital Loop 9.8 Kbps - Zone 3 Unburdied Digital Loop 9.6 Kbps - Zone 3 Unburdied Digital Loop 9.6 Kbps - Zone 3 Unburdied Digital 19.2 Kbps - Zone 3 Unburdied Digital 19.2 Kbps - Zone 3 Unburdied Digital 19.2 Kbps - Zone 3 Unburdied Digital 19.2 Kbps - Zone 3 Unburdied Digital 19.2 Kbps - Zone 3 Unburdied Digital 19.2 Kbps - Zone 3 Unburdied Digital 19.5 Kbps - Zone 3 Unburdied Digital Loop 56 Kbps - Zone 3 Unburdied Digital Loop 56 Kbps - Zone 3 Unburdied Digital Loop 56 Kbps - Zone 3 Unburdied Digital Loop 56 Kbps - Zone 3 Unburdied Digital Loop 56 Kbps - Zone 3 Unburdied Digital Loop 56 Kbps - Zone 3		1 h 2 h 3 h 1 2 h 3 h 3	NTCD1 NTCD1 NTCD1 NTCUD NTCUD NTCUD NTCUD	USLXX URESL URESP UREWO		313.08 23.42	219.72			ļ						<del></del>
DS1) Switch-A DS1) Urbundle per circu 4-WRE 19.2, 56 4-Wre U 4-Wre U 4-Wre U 4-Wre U 4-Wre U 5-Wre U 5-Wre U 4-Wre U 4-Wre U 4-Wre U 4-Wre U 4-Wre U 4-Wre U 4-Wre U 4-Wre U 4-Wre U 4-Wre U 4-Wre U 5-Wre U 5-Wre U 5-Wre U 6-Wre U 6-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7-Wre U 7	hAs-is Conversion rate per UNE Loop. Spreadsheet, (per dided Loop Service Rearrangement, change in loop facility, coult 56 OR 64 KBPS DIGITAL GRADE LOOP Loop by Unburdled Digital Loop 2.4 Kbps - Zone 1 Unbundled Digital Loop 2.4 Kbps - Zone 2 Unbundled Digital Loop 2.4 Kbps - Zone 3 Unbundled Digital Loop 4.8 Kbps - Zone 2 Unbundled Digital Loop 4.8 Kbps - Zone 2 Unbundled Digital Loop 4.8 Kbps - Zone 2 Unbundled Digital Loop 4.8 Kbps - Zone 2 Unbundled Digital Loop 9.6 Kbps - Zone 1 Unbundled Digital Loop 9.6 Kbps - Zone 1 Unbundled Digital Loop 9.6 Kbps - Zone 2 Unbundled Digital Loop 9.6 Kbps - Zone 3 Unbundled Digital Loop 9.6 Kbps - Zone 3 Unbundled Digital Loop 9.6 Kbps - Zone 2 Unbundled Digital Loop 5.6 Kbps - Zone 2 Unbundled Digital Loop 5.6 Kbps - Zone 2 Unbundled Digital Loop 5.6 Kbps - Zone 2 Unbundled Digital Loop 5.6 Kbps - Zone 2 Unbundled Digital Loop 5.6 Kbps - Zone 2 Unbundled Digital Loop 5.6 Kbps - Zone 2 Unbundled Digital Loop 5.6 Kbps - Zone 2 Unbundled Digital Loop 5.6 Kbps - Zone 2 Unbundled Digital Loop 5.6 Kbps - Zone 2 Unbundled Digital Loop 5.6 Kbps - Zone 3		1 h	NTCD1 NTCD1 NTCUD NTCUD NTCUD NTCUD	URESP					40.40							i
DS1) Urbundle per circu 4 Wire U 4 Wire U 4 Wire U 4 Wire U 4 Wire U 5 Wire U 5 Wire U 4 Wire U 4 Wire U 4 Wire U 4 Wire U 4 Wire U 4 Wire U 4 Wire U 4 Wire U 4 Wire U 4 Wire U 4 Wire U 4 Wire U 5 Wire U 6 Wire U 7 Wire U 7 Wire U 8 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire	died Loop Service Rearrangement, change in loop facility, coult  \$6 OR 64 KBPS DIGITAL GRADE LOOP  Urbundied Digital Loop 2.4 Kbps - Zone 1  Urbundied Digital Loop 2.4 Kbps - Zone 2  Urbundied Digital Loop 2.4 Kbps - Zone 3  Urbundied Digital Loop 4.8 Kbps - Zone 1  Urbundied Digital Loop 4.8 Kbps - Zone 2  Urbundied Digital Loop 4.8 Kbps - Zone 2  Urbundied Digital Loop 9.6 Kbps - Zone 3  Urbundied Digital Loop 9.6 Kbps - Zone 2  Urbundied Digital Loop 9.6 Kbps - Zone 2  Urbundied Digital Loop 5.6 Kbps - Zone 3  Urbundied Digital 10.2 Kbps - Zone 3  Urbundied Digital 10.2 Kbps - Zone 3  Urbundied Digital 10.2 Kbps - Zone 3  Urbundied Digital 10.2 Kbps - Zone 2  Urbundied Digital 10.2 Kbps - Zone 2  Urbundied Digital 10.2 Kbps - Zone 2  Urbundied Digital 10.2 Kbps - Zone 3  Urbundied Digital Loop 56 Kbps - Zone 1  Urbundied Digital Loop 56 Kbps - Zone 2  Urbundied Digital Loop 56 Kbps - Zone 3  Urbundied Digital Loop 56 Kbps - Zone 3  Urbundied Digital Loop 56 Kbps - Zone 3  Urbundied Digital Loop 56 Kbps - Zone 3  Urbundied Digital Loop 56 Kbps - Zone 3  Urbundied Digital Loop 56 Kbps - Zone 3		1 h	NTCD1 NTCD1 NTCUD NTCUD NTCUD NTCUD	URESP			3 30		1				<del>                                     </del>			
DS1) Urbundle per circu 4 Wire U 4 Wire U 4 Wire U 4 Wire U 4 Wire U 5 Wire U 5 Wire U 4 Wire U 4 Wire U 4 Wire U 4 Wire U 4 Wire U 4 Wire U 4 Wire U 4 Wire U 4 Wire U 4 Wire U 4 Wire U 4 Wire U 5 Wire U 6 Wire U 7 Wire U 7 Wire U 8 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire	died Loop Service Rearrangement, change in loop facility, coult  \$6 OR 64 KBPS DIGITAL GRADE LOOP  Urbundied Digital Loop 2.4 Kbps - Zone 1  Urbundied Digital Loop 2.4 Kbps - Zone 2  Urbundied Digital Loop 2.4 Kbps - Zone 3  Urbundied Digital Loop 4.8 Kbps - Zone 1  Urbundied Digital Loop 4.8 Kbps - Zone 2  Urbundied Digital Loop 4.8 Kbps - Zone 2  Urbundied Digital Loop 9.6 Kbps - Zone 3  Urbundied Digital Loop 9.6 Kbps - Zone 2  Urbundied Digital Loop 9.6 Kbps - Zone 2  Urbundied Digital Loop 5.6 Kbps - Zone 3  Urbundied Digital 10.2 Kbps - Zone 3  Urbundied Digital 10.2 Kbps - Zone 3  Urbundied Digital 10.2 Kbps - Zone 3  Urbundied Digital 10.2 Kbps - Zone 2  Urbundied Digital 10.2 Kbps - Zone 2  Urbundied Digital 10.2 Kbps - Zone 2  Urbundied Digital 10.2 Kbps - Zone 3  Urbundied Digital Loop 56 Kbps - Zone 1  Urbundied Digital Loop 56 Kbps - Zone 2  Urbundied Digital Loop 56 Kbps - Zone 3  Urbundied Digital Loop 56 Kbps - Zone 3  Urbundied Digital Loop 56 Kbps - Zone 3  Urbundied Digital Loop 56 Kbps - Zone 3  Urbundied Digital Loop 56 Kbps - Zone 3  Urbundied Digital Loop 56 Kbps - Zone 3		1 h	NTCUD NTCUD NTCUD NTCUD	UREWO		24.02	0.00			L	- 1		ł I			1
Jer citout  4 Wire U  4 Wire U  4 Wire U  4 Wire U  4 Wire U  4 Wire U  4 Wire U  4 Wire U  4 Wire U  4 Wire U  4 Wire U  4 Wire U  5 Wire U  6 Wire U  4 Wire U  6 Wire U  6 Wire U  7 Wire U  8 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wi	COUT S  S OR 64 KBPS DIGITAL GRADE LOOP  Unbundled Digital Loop 2.4 Kbps - Zone 1  Unbundled Digital Loop 2.4 Kbps - Zone 2  Unbundled Digital Loop 2.4 Kbps - Zone 3  Unbundled Digital Loop 2.4 Kbps - Zone 3  Unbundled Digital Loop 4.8 Kbps - Zone 1  Unbundled Digital Loop 4.8 Kbps - Zone 2  Unbundled Digital Loop 5.8 Kbps - Zone 3  Unbundled Digital Loop 5.8 Kbps - Zone 1  Unbundled Digital Loop 5.8 Kbps - Zone 2  Unbundled Digital Loop 5.8 Kbps - Zone 2  Unbundled Digital Loop 5.8 Kbps - Zone 3  Unbundled Digital S Loop 5.0 Kbps - Zone 3  Unbundled Digital 19.2 Kbps - Zone 1  Unbundled Digital 19.2 Kbps - Zone 3  Unbundled Digital 19.2 Kbps - Zone 3  Unbundled Digital 19.2 Kbps - Zone 3  Unbundled Digital 19.2 Kbps - Zone 3  Unbundled Digital 19.2 Kbps - Zone 3  Unbundled Digital Loop 5.8 Kbps - Zone 1  Unbundled Digital Loop 5.8 Kbps - Zone 1  Unbundled Digital Loop 5.8 Kbps - Zone 3		1 M 2 M 3 M 1 M 2 M	NTCUD NTCUD NTCUD	UREWO			4.70									
4-Wire 19.2, 56  4-Wire U 4-Wire U 4-Wire U 4-Wire U 4-Wire U 5-Wire U 5-Wire U 4-Wire U 4-Wire U 4-Wire U 4-Wire U 4-Wire U 4-Wire U 4-Wire U 4-Wire U 4-Wire U 4-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wire U 5-Wi	55 OR 64 KBPS DIGITAL GRADE LODP Librarded Digital Loop 2.4 Kbps - Zone 1 Librarded Digital Loop 2.4 Kbps - Zone 2 Librarded Digital Loop 2.4 Kbps - Zone 2 Librarded Digital Loop 2.4 Kbps - Zone 3 Librarded Digital Loop 2.4 Kbps - Zone 1 Librarded Digital Loop 4.8 Kbps - Zone 2 Librarded Digital Loop 4.8 Kbps - Zone 3 Librarded Digital Loop 9.8 Kbps - Zone 3 Librarded Digital Loop 9.8 Kbps - Zone 3 Librarded Digital Loop 9.8 Kbps - Zone 3 Librarded Digital Loop 9.8 Kbps - Zone 3 Librarded Digital Loop 9.8 Kbps - Zone 3 Librarded Digital Loop 9.8 Kbps - Zone 3 Librarded Digital Loop 9.8 Kbps - Zone 3 Librarded Digital Loop 9.8 Kbps - Zone 3 Librarded Digital 19.2 Kbps - Zone 2 Librarded Digital 19.2 Kbps - Zone 3 Librarded Digital Loop 5.6 Kbps - Zone 1 Librarded Digital Loop 5.6 Kbps - Zone 3 Librarded Digital Loop 5.6 Kbps - Zone 3		1 M 2 M 3 M 1 M 2 M	NTCUD NTCUD NTCUD			17.02	4.70						<u> </u>	_		
4 Wire U 4 Wire U 4 Wire U 4 Wire U 4 Wire U 4 Wire U 5 Wire U 5 Wire U 4 Wire U 4 Wire U 4 Wire U 4 Wire U 4 Wire U 5 Wire U 5 Wire U 6 Wire U 6 Wire U 7 Wire U 7 Wire U 7 Wire U 7 Wire U 8 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 W	Unburded Digital Loop 2.4 Ktps - Zone 1 Unburded Digital Loop 2.4 Ktps - Zone 2 Unburded Digital Loop 2.4 Ktps - Zone 3 Unburded Digital Loop 2.4 Ktps - Zone 3 Unburded Digital Loop 4.8 Ktps - Zone 1 Unburded Digital Loop 4.8 Ktps - Zone 2 Unburded Digital Loop 4.8 Ktps - Zone 3 Unburded Digital Loop 9.8 Ktps - Zone 1 Unburded Digital Loop 9.8 Ktps - Zone 2 Unburded Digital Loop 9.8 Ktps - Zone 2 Unburded Digital Loop 9.8 Ktps - Zone 3 Unburded Digital 10.2 Ktps - Zone 3 Unburded Digital 10.2 Ktps - Zone 3 Unburded Digital 19.2 Ktps - Zone 3 Unburded Digital 19.2 Ktps - Zone 3 Unburded Digital 19.2 Ktps - Zone 3 Unburded Digital 19.2 Ktps - Zone 3 Unburded Digital 19.2 Ktps - Zone 3 Unburded Digital Loop 58 Ktps - Zone 1 Unburded Digital Loop 58 Ktps - Zone 1 Unburded Digital Loop 58 Ktps - Zone 1		2 N 3 N 1 N 2 N	NTCUD NTCUD	UDL2X		130.47	40.11			ļ						
4 Wire U 4 Wire U 4 Wire U 4 Wire U 4 Wire U 4 Wire U 6 Wire U 6 Wire U 6 Wire U 4 Wire U 4 Wire U 4 Wire U 4 Wire U 4 Wire U 5 Wire U 6 Wire U 6 Wire U 7 Wire U 7 Wire U 7 Wire U 7 Wire U 8 Wire U 7 Wire U 8 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 W	Unbunded Oghal Loop 2.4 Ktps: - Zone 2 Unbunded Digital Loop 2.4 Ktps: - Zone 3 Unbunded Digital Loop 4.8 Ktps: - Zone 1 Unbunded Digital Loop 4.8 Ktps: - Zone 1 Unbunded Digital Loop 4.8 Ktps: - Zone 2 Unbunded Digital Loop 4.8 Ktps: - Zone 2 Unbunded Digital Loop 4.8 Ktps: - Zone 3 Unbunded Digital Loop 9.6 Ktps: - Zone 1 Unbunded Digital Loop 9.6 Ktps: - Zone 3 Unbunded Digital Loop 9.6 Ktps: - Zone 3 Unbunded Digital Loop 5.8 Ktps: - Zone 2 Unbunded Digital 1.9 Z Ktps: - Zone 1 Unbunded Digital 1.9 Z Ktps: - Zone 2 Unbunded Digital Loop 5.6 Ktps: - Zone 2 Unbunded Digital Loop 5.6 Ktps: - Zone 1 Unbunded Digital Loop 5.6 Ktps: - Zone 2 Unbunded Digital Loop 5.6 Ktps: - Zone 2 Unbunded Digital Loop 5.6 Ktps: - Zone 2		2 N 3 N 1 N 2 N	NTCUD NTCUD										L <u> </u>			
A Wire U  4 Wire U  4 Wire U  4 Wire U  5 Wire U  5 Wire U  4 Wire U  4 Wire U  4 Wire U  4 Wire U  4 Wire U  4 Wire U  4 Wire U  5 Wire U  5 Wire U  6 Wire U  6 Wire U  6 Wire U  7 Wire U  6 Wire U  7 Wire U  8 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire	Unbunded Digital Loop 2.4 Kbps - Zone 3  Whounded Digital Loop 4.8 Kbps - Zone 1  Unbunded Digital Loop 4.8 Kbps - Zone 2  Unbunded Digital Loop 4.8 Kbps - Zone 2  Unbunded Digital Loop 6.8 Kbps - Zone 1  Unbunded Digital Loop 9.6 Kbps - Zone 2  Unbunded Digital Loop 9.6 Kbps - Zone 2  Unbunded Digital Loop 9.6 Kbps - Zone 3  Urbunded Digital 19.2 Kbps - Zone 1  Urbunded Digital 19.2 Kbps - Zone 2  Urbunded Digital 19.2 Kbps - Zone 3  Urbunded Digital 19.2 Kbps - Zone 3  Urbunded Digital 19.2 Kbps - Zone 1  Urbunded Digital Loop 56 Kbps - Zone 1  Urbunded Digital Loop 56 Kbps - Zone 2  Urbunded Digital Loop 56 Kbps - Zone 2		3 M 1 M 2 M 3 M	NTCUD	UDL2X	27.68 41.47		141.38	90.70	44.18							
4 Wire U 4 Wire U 5 Wire U 6 Wire U 6 Wire U 4 Wire U 5 Wire U 6 Wire U 6 Wire U 7 Wire U 7 Wire U 7 Wire U 7 Wire U 8 Wire U 8 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 W	Unbundled Digital Loop 4.8 Kbps - Zone 2 Unbundled Digital Loop 4.8 Kbps - Zone 3 Unbundled Digital Loop 9.6 Kbps - Zone 1 Unbundled Digital Loop 9.6 Kbps - Zone 1 Unbundled Digital Loop 9.6 Kbps - Zone 2 Unbundled Digital Loop 9.6 Kbps - Zone 3 Unbundled Digital 19.2 Kbps - Zone 1 Unbundled Digital 19.2 Kbps - Zone 2 Unbundled Digital 19.2 Kbps - Zone 3 Unbundled Digital 19.2 Kbps - Zone 3 Unbundled Digital Loop 56 Kbps - Zone 1 Unbundled Digital Loop 56 Kbps - Zone 2 Unbundled Digital Loop 56 Kbps - Zone 2 Unbundled Digital Loop 56 Kbps - Zone 3		2 N	CO.	UDL2X	69.24		141.38 141.38	90.70 90.70	44.18 44.18							
4 Were U 5 Wire U 6 Wire U 1 Wire U 4 Wire U 4 Wire U 4 Wire U 4 Wire U 4 Wire U 4 Wire U 5 Wire U 5 Wire U 6 Wire U 7 Wire U 7 Wire U 7 Wire U 7 Wire U 7 Wire U 7 Wire U 7 Wire U 7 Wire U 8 Wire U 7 Wire U 8 Wire U 8 Wire U 8 Wire U 8 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 Wire U 9 W	Unburdied Digital Loop 4.8 Ktops - Zone 3 Unburdied Digital Loop 9.5 Ktops - Zone 1 Unburdied Digital Loop 9.5 Ktops - Zone 2 Unburdied Digital Loop 9.6 Ktops - Zone 3 Unburdied Digital 19.2 Ktops - Zone 1 Unburdied Digital 19.2 Ktops - Zone 1 Unburdied Digital 19.2 Ktops - Zone 2 Unburdied Digital 19.2 Ktops - Zone 3 Unburdied Digital 19.2 Ktops - Zone 3 Unburdied Digital Loop 56 Ktops - Zone 1 Unburdied Digital Loop 56 Ktops - Zone 2 Unburdied Digital Loop 56 Ktops - Zone 3		3 1		UDL4X	27.68	207.01	141.38	90.70	44.18 44.18		<b>—</b> -Т					
4 Wire U 5 Wire U 6 Wire U 4 Wire U 4 Wire U 4 Wire U 6 Wire U 6 Wire U 6 Wire U 6 Wire U 7 Wire U 7 Wire U 7 Wire U 7 Wire U 7 Wire U 7 Wire U 7 Wire U 7 Wire U 7 Wire U 7 Wire U 7 Wire U 8 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 W	Urbundled Digital Loop 9.6 Kbps - Zone 1 Urbundled Digital Loop 9.6 Kbps - Zone 2 Urbundled Digital Loop 9.6 Kbps - Zone 3 Urbundled Digital 19.2 Kbps - Zone 1 Urbundled Digital 19.2 Kbps - Zone 1 Urbundled Digital 19.2 Kbps - Zone 2 Urbundled Digital 19.2 Kbps - Zone 3 Urbundled Digital Loop 56 Kbps - Zone 1 Urbundled Digital Loop 56 Kbps - Zone 2 Urbundled Digital Loop 56 Kbps - Zone 2 Urbundled Digital Loop 56 Kbps - Zone 2 Urbundled Digital Loop 56 Kbps - Zone 3				UDL4X	41.47	207.01	141.38	90.70	44.18							
b Wire U  4 Wire U  4 Wire U  4 Wire U  4 Wire U  4 Wire U  4 Wire U  4 Wire U  4 Wire U  4 Wire U  5 Wire U  5 Wire U  6 Wire U  6 Wire U  7 Wire U  7 Wire U  8 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire U  9 Wire W  9 Wire W  9 Wire W  9 Wire W  9 Wire W  9 Wire W  9 Wire W  9 Wire W  9 Wire	Urbundled Digital Loop 9.6 Kbps - Zone 2 Urbundled Digital Loop 9.6 Kbps - Zone 3 Urbundled Digital 19.2 Kbps - Zone 1 Urbundled Digital 19.2 Kbps - Zone 2 Urbundled Digital 19.2 Kbps - Zone 2 Urbundled Digital 19.2 Kbps - Zone 3 Urbundled Digital Loop 56 Kbps - Zone 1 Urbundled Digital Loop 56 Kbps - Zone 2 Urbundled Digital Loop 56 Kbps - Zone 2		7 16	NTCUD	UDL9X	69.24	207.01	141.38	90.70	44.18							
4 Wire U 4 Wire U 4 Wire U 4 Wire U 4 Wire U 4 Wire U 4 Wire U 4 Wire U 5 Wire U 5 Wire U 5 Wire U 6 Wire U 6 Wire U 7 Wire U 7 Wire U 7 Wire U 7 Wire U 7 Wire U 7 Wire U 7 Wire U 7 Wire U 8 Wire D 8 Wire D 8 Wire D 8 Wire D 8 Wire D 8 Wire D 8 Wire D 8 Wire D 8 Wire D 8 Wire D 8 Wire D 8 Wire D 8 Wire D 8 Wire D 8 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 Wire D 9 W	Urbundled Digital 19.2 Kbps - Zone 1 Urbundled Digital 18.2 Kbps - Zone 2 Urbundled Digital 19.2 Kbps - Zone 3 Urbundled Digital Loop 56 Kbps - Zone 1 Urbundled Digital Loop 56 Kbps - Zone 2 Urbundled Digital Loop 56 Kbps - Zone 2 Urbundled Digital Loop 56 Kbps - Zone 3			VITCUD	UDL9X	27.66 41.47	207.01 207.01	141.38	90.70	44.18							
A Wire U 4 Wire U 4 Wire U 4 Wire U 4 Wire U 4 Wire U 4 Wire U 5 Wire U 5 Wire U 5 Wire U 5 Wire C 5 Wire C 5 Wire C 6 Wire C 6 Wire C 6 Wire C 6 Wire C 6 Wire C 6 Wire C 7 Wire C 7 Wire C 8 Wire C 8 Wire C 8 Wire C 8 Wire C 8 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 Wire C 9 W	Unburdled Digital 19.2 Kbps - Zone 2 Unburdled Digital 19.2 Kbps - Zone 3 Unburdled Digital Loop 56 Kbps - Zone 1 Unburdled Digital Loop 56 Kbps - Zone 2 Unburdled Digital Loop 56 Kbps - Zone 2		3 N	VICUD	UDL9X	69.24	207.01	141.38	90.70 90.70	44.18							
4 Wire U  4 Wire U  4 Wire U  4 Wire U  4 Wire U  4 Wire U  5 Wire L  5 Witch As  DS0)  Urburdies  per circuit	Unbundled Digital 19,2 Kbps - Zone 3 Urbundled Digital Loop 56 Kbps - Zone 1 Urbundled Digital Loop 56 Kbps - Zone 2 Urbundled Digital Loop 56 Kbps - Zone 2 Urbundled Digital Loop 56 Kbps - Zone 3			VTCUO	UDL19	27.68	207.01	141.38	90.70	44.18 44.18							
4 Wire Ur 4 Wire Ur 4 Wire Ur 4 Wire Ur 4 Wire Ur 5 Witch As DS0) Switch As DS0) Urbundlet per circuit	Unbundled Digital Loop 56 Kbps - Zone 1 Unbundled Digital Loop 56 Kbps - Zone 2 Unbundled Digital Loop 56 Kbps - Zone 3	├		ALC/ND	UDL 19	41.47	207.01	141.38	90.70	44,18				I			
4 Wire Ut 4 Wire Ut 4 Wire Ut 4 Wire Ut 5 Wire Ut 5 Witch As DS0) Unbundlet per circuit	Unbundled Digital Loop 56 Kbps - Zone 2 Unbundled Digital Loop 56 Kbps - Zone 3	├	3 N	VTCUD	UDL19 UDL56	69.24	207.01	141.38	90.70	44.18			<del></del>				
4 Wire Ur 4 Wire Ur 5 witch As DS0) Switch As DS0) Unbundled per circuit Order Cod	Unbundled Digital Loop 56 Kbps - Zone 3	<del>! - </del>		VTCUD	UDL56	27.68 41.47	207.01	141.38	90.70	44.18		+					
4 Wire Ur 4 Wire Ur 5 witch-As DS0) Switch-As DS0) Urbundlec per circuit Order Coc	The state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the s		3 N	VICUD	UDL56	69.24	207.01	141.38	90.70	44.18	$ \Box$						
4 Wire Ur Switch As DS0) Switch As DS0) Unbundled per circuit	Unbundled Digital Loop 64 Kbps - Zone 1 Unbundled Digital Loop 64 Kbps - Zone 2			ALCUD.	UOL64	27.68	207.01	141.38	90.70	44.18						-	—–
Switch-As DS0) Switch-As DS0) Unbundled per circuit	Unbundled Digital Loop 64 Kbps - Zone 2		2 N	TCUD	UDL64	41,47	207.01	141.38	90.70	44.18	<del></del>		<del></del>				
DS0) Switch-As DS0) Unbundlec per circuit	As-Is Conversion rate per UNE Loop, Single LSR, (per	<del></del>	3 N	11000	UDL64	69.24	207.01	141.38	90.70	44.18							$\Box$
DS0) Unbundled per direuit	_	[	N	тсив	URESL		23.42						+				
Unbundled per dirault Order Cod	As-Is Conversion rate per UNE Loop, Spreadsheel, (per				1	<del></del>	23.42	3.30		— <u>-</u>	$-\!\!\!-\!\!\!\!-$					1	ļ
Per circuit Order Co	lled Loop Service Rearrangement, change in loop facility.		N	тсио	URESP		24.82	4.70		ŀ	- 1	[ ]					+
Order Co.	sait coop correct near angement, change in toop facility.			TCUD	UDEWS								<del></del>				
Order Cod				TCVG, NTCUD,	UREWO		102.28	49.82								T	
	Coordination for Specified Conversion Time (per LSR)			ITCD1	OCOSL	ĺ	34.29						<del></del>				
ENANCE OF SERV	RVICE				1	-	34.28										ĺ
Maintenan Maintenan	ance of Service Charge, Basic Time, per half hour			DC. UEA, UDI.  DN. USL. UAL, HL. UCI., NTCVG, TCUD, NTCDI.  TIDI, UTTDI, UTTDI,  TTDI, UTTDI,  TTDI, UTTSI,  TTVX, UDF,  DFCX, UDLSX, E3, ULDI,  LDSI, ULDIX,  LDSI, ULDIX,  NOIX, UNCSX,  NOIX, UNCSX,  NOIX, UNCSX,  TOX, UTTSI,  TTX, UDF,  TTXI, UDF,  TTXI, UDF,  TTXI, UDF,  TTXI, UDF,  TTXI, UDF,  TTXI, UDF,  TTXI, UDF,  TTXI, UDF,  TTXI, UDF,  DTSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULDIX,  LSI, ULD	M∨√BT		80.00	55.00									

	D NETWORK ELEMENTS - Tennessee	т—		r									Att: 2 Exh: A					$\neg$
		1										Svc Order	Incremental	Incrementa)	Incremental	incremental		+
		1	l	1	1	1					Submitted	Submitted	Charge -	Charge -	Charge -	Charge -	1	
TEGORY	RATE ELEMENTS	Interior	7	200							Elec	Manually	Manual Svc	Manual Svc	Manual Svc		!	- 1
	TOTAL ELEMENTS	Interim	4One	BCS	USOC			RATES(\$)			per LSR	per LSR				Manual Svc	Í	- 1
		1	l	ľ		1					pertak	per LSK	Order vs.	Order vs.	Order vs.	Order vs.	1	
		i				1						{	Electronic-	Electronic-	Electronic-	Electronic-	1	ı
		1			1	ì					ļ		1st	Addi	Disc 1st	Disc Add'l	ĺ	- 1
						<del></del>	14						L		0.20 131	DISC AUG I	i	-
		<del> </del>			+	Rec	Nonrecurring	<u> </u>	Nonrecurring	g Disconnect			OSS	Rates(\$)				+
	· ·	+					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN		<del></del>	4
		1		UDC, UEA, UDL,			T			T	1		- OC MIRCI	SUMAN	SUMAN	SOMAN		ᆚ
- 1		1		UDN, USL, UAL,		ľ		i	1	1	ł	l i					1	- (
Ī		1		UHL, UCL, NTCVG.		ł			1								1	
	i e e e e e e e e e e e e e e e e e e e	1		NTCUD, NTCD1,	ľ			Į.				!		i i	1			
		1		ULTD1, ULTD3,	1			Ī				[				i		- 1
	i	1		UTTOX, UTTS1,			1			1	J	:						- 1
		[		U1TVX, UDF,			1	1	ļ	1	i			!!				-
		1		UDFCX, UDLSX,		ļ		i i	i					i 1	i	i		1
1		1 :	· i									i I						1
1				UE3, ULDD1,	l.	i												П
				ULDD3, ULDDX,	1					!	1	1		ŀ	j			Ţ
				ULDS1, ULDVX,	i				ļ ,							- 1		1
		,		UNC1X, UNC3X,												!	,	
			ļ	UNCOX, UNCSX,	1	!			1	1		[ <b>!</b>		J	ļ	1	,	1
	Maintenance of Service Charge, Premium, per half hour					İ			ı		, ,	1			I	- 1		1
P MODIFIC	ATKIN	$\vdash$		UNCVX, ULS	MVVPT		100.00	75.00	L	1.		<b>!</b>	1	1		- 1	1	1
Comit	Order about 18 and 18				1				l									1
Service	Order charges will only apply once per Loop									·						T		Γ
			T	UAL, UHL, UCL.		ľ	7									_		T
		[ ]		UEQ. ULS. UEA.		l					! I	- 1	i					t
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair			UEANL, UEPSR,	1	1	1			1 :			I	I		J	ļ	1
] [	less than or equal to 18k ft, per Unbundled Loop		į	UEPSB	L R 1401							l	I	Į	ł	i	i	Ĺ
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less	<b>⊢</b> − i		UCTOB	ULM2L	ļ	65.40	65.40			[	ŀ	ļ	j	i	ļ	ļ	L
- 1	there are reveal to a fill the area label and a fill the area label at the fill the area label at the fill the area label at the fill the area label at the fill the area label at the fill the area label at the fill the area label at the fill the area label at the fill the area label at the fill the area label at the fill the area label at the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the fill the	I I			1													
	than or equal to 18K ft, per Unbundled Loop	<u>                                     </u>		UHL UCL, UEA	ULM4L	L	65.40	65.40			: I	I	ı	- 1	J		7	1
				UAL, UHL, UCL,			1								1			ı
		[	- 1	UEQ. ULS, UEA,			i						- 1	- 1				t
1 1	Unbundled Loop Modification Removal of Bridged Tap Removal.	i I		UEANL, UEPSR.							[	j	- 1					ļ
i 1	per unbundled loop	1 1		UEPSB	ULMBT .										ł	i		i
LOOPS		$\vdash$		U. OD	ULWO I		65.44	65.44					ı			ļ	- 1	i
	op Distribution				l .		L	i						-+				⊢
									· · · · · ·									∟
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-	Į I					1					r						Ľ
	Up .			UEANL, UEF	USBSA		517.25	517.25	i		- 1	l						Ī
1 1		1										<b>_</b>	20.35	10.54	13.32	13.32	- 1	i
i	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	l i	- 1)	UEANL, UEF	USBSB		42.68	42.68		i	ļ	ŀ	1	- 1			$\neg \neg$	_
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility				00000		42.00	42.08				i	20.35	10.54	13.32	13.32		į
- 1 :	Set-Up		l.	JEANL	USBSC		1		i		i							_
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-			JENIKE	USBSC		313.01	313.01					20.35	10.54	13.32	13.32		
- f - h	Ih		- 1.											100-	10.32	13.32	<del></del> -	_
<del></del>	Sub-Lean District dies Des 3 Miles des 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12 de 12	$\rightarrow$		JEANL	USBSD		108.06	108.06			Ī	1	20.35	10.54			- 1	
1 1	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop										$\overline{}$		20.33	10.54	13.32	13.32		
- 3	Statewide		- 10	JEANL	USBN2	10.02	148.84	112.34	73.14	36.65					- 1			_
	" " " " " " " " " " " " " " " " " " " "						75.57	116.54	/3.14	30.05			20.35	10.54	13.32	13.32	i	
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		- le	ÆANL	USBMC					1		1						-
1	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop		-+		USBINC		36.52	36.52							1		- 1	
4 4	Zone 1		. l.		l !			1							<del></del>			_
				JEANL	USBN4	6.54	106.85	51.20	74.08	11.55	- 1	ŀ	20.35	ابيي				
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop	- i	Т									+	20.35	10.54	13.32	13.32		
	Zone 2		2 L	JEANL	USBN4	9.80	106.85	51.20	74 08	11 55	ł						-	_
118	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop		-1		<del>                                     </del>	5.00		31.60	74 08	11 55			20 35	10.54	13.32	13.32	J	
l la	Zone 3	l	a lu	JEANL	USBN4	16.36	1 400 0-			I	l <sup>-</sup>	· T		<del></del>			$\overline{}$	_
<del></del>	<del></del>		<del></del>	re- 17L	UBBIV4	16.36	106.85	51.20	74.08	11.55		1	20.35	10.54	13.32	13.32	1	
i le	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	!	1.		l !									.0.0-	13.52	13.32	—	_
<del>  </del>	S. 6.1 con 2 Mire Introduction Not 4 Co. 11 (1900)			EANL	USBMC		36.52	36.52	i	1	i		ì	1	- 1	i		
<del> </del>	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	I		EANL	USBR2	f. <b>3</b> 5	94.56	29.35						<del></del>				
1 I.			$\neg$										20.35	10.54	13.32	13.32		_
4	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	- 1	ŀι	EANL .	USBMC		36.52	36.52	ļ	ı	l l	- 1	J.					_
]8	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			EANL	USBR4	2.26	116 14		$\longrightarrow$				i	!			1	
		-	-+		UJU⊓4	∠.∠6	115 14	37.10		T			20.35	10.54	13.32	13.32		_
1 1	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	- 1	J.	FANI					T	- 7				<del></del>		10.04		_
<del>     </del>	oop Testing - Basic 1st Half Hour				USBMC		36.52	36.52		l		1	J	- 1	I	ı	1	
					URET1		57.67	0.00			- +							_
	oop Testing - Basic Additional Half Hour	T		EANL	URETA		37.44	37.44									_ T	
2	Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1 (	EF T	UCS2X	4.67	81.40	25.75	70.82									_
]2	Wire Copper Unbundled Sub-Loop Distribution - Zone 2	$\neg$	2 (	EF -	UCS2X	6.99	81.40	25.75		9.55		L	20.35	10.54	13.32	13.32	<del></del>	-
12	Wire Copper Unbundled Sub-Loop Distribution - Zone 3	+	3 1		UCS2X	11,67			70.82	9.55			20.35	10.54	13.32	13.32	-+	_
1 1-	The contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract o		2 1		UUSZX	11.67	81.40	25.75	70.82	9.55			20.35	10.54	13.32	13.32		_
۔ا ا	Order Constitution for Household C	- 1											22,00	10.04	10.32	13.32		_
1 K	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			EF.	USBMC	_	36.52	36.52	1	I	1	1	1	ı	l l	[	T	•
	Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1 L		UCS4X	5.85	81.74	26.08	74.08	11.55	<del>-</del> +					1	ı	
	Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2 U		UC\$4X	8.76	81.74	26.08	74.08				20.35	10.54	13.32	13.32		_
4	Wire Copper Unbundled Sub-Loop Distribution - Zone 3	-+	- <del>1</del> 1 U				81.74			11.55			20.35	10.54	13.32	13.32		_
4	20.00		3 14	-	UCS4X	14.63	81.74	26.08	74.08	11.55			20.35	10.54	13.32		-+	_
4						3							57.00	10.34	0.34	13.32	[	
4	Order Coordination for Helmadian C		- 1		ı													
4	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		]u	EF	USBMC	ł	36.52	36.52	- 1	ı			l					
4 4 0 1	oop Tagging Service Level 1, Unbundled Copper Loop, Non-	-	u	EF	USBMC		36.52	36.52										
4 4 4 C	oop Tagging Service Level 1, Unbundled Copper Loop, Non- Designed and Distribution Subloops	-		EF, UEANE,	USBMC URETL													_
4   4   4   C   C   C	oop Tagging Service Level 1, Unbundled Copper Loop, Non-		U	EF, UEANL			36.52 8.95 57.67	36.52 0.88 0.00									<b>—</b>	_

	ED NETWORK ELEMENTS - Tennessee	$\overline{}$	ı										Att: 2 Exh: A				
FEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC		Nonrecurring	RATES(\$)	I No.		Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs, Electronic- Disc Add'l	<u>.</u>
11-6-						Rec	First	Add'I	First	g Disconnect	CONTO		OSS	Rates(\$)			
Unbu	Unbundled Sub-Loop Modification Unbundled Sub-Loop Modification - 2-W Copper Dist Load	,						74107	, , mar	J AGO I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
1	Coil/Equip Removal per 2-W PR	1		UEF		1				1	T						
$\neg$	Unbundled Sub-loop Modification - 4-W Copper Dist Load			UEF	ULM2X	<u> </u>	335.36	7.82		<u>i</u> .	i	l i				ĺ	
	Coil/Equip Removal per 4-W PR			UEF	ULM4X		1		1					<del></del>	<del>                                      </del>		
	Unbundled Loop Modification, Removal of Bridge Tap, per	-		OL.	ULM4X	<del> </del>	335.36	7.82	<u> </u>	<u> </u>					í l	I	
	unbundled loop	l i	- 1	UEF	ULMBT		528,48	9.74		1	1						
Unbu	ndled Network Terminating Wire (UNTW)				Toc.i.o.	·	228,48	9.74		<u> </u>	<u> </u>			<u> </u>	i i		
M-4	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UËNPP	0.4565	2.48	2.48	0.5814	0.5814	<del>,                                     </del>						
Netwo	rk Interface Device (NID) Network Interface Device (NID) - 1-2 lines	, ,							0.0014	7 0.36 4	·		20.35	10.54	13.32	13.32	
<del></del>	Network Interface Device (NID) - 1-6 lines	<del> </del>		UENTW	UND12		63.46	31.06	0.6391	0.6391	T		20.35	10.54			
	Network Interface Device Cross Connect - 2 W			UENTW UENTW	UND16		63.46	31.06		0.6522	<u> </u>		20.35	10.54	13.32	13.32	
	Network Interface Device Cross Connect - 4W	1		UENTW	UNDC2 UNDC4	<del></del>	8.75	8.75					20.35	10.54	13.32	13.32	
E OTHER,	PROVISIONING ONLY - NO RATE		- †		G 4004	<del> </del> -	8.75	8.75	ļ	ļ			20.35	10.54	13.32	13.32	<del></del>
	Unbundled Contact Name, Provisioning Only - no rate Unbundled Contact Name, Provisioning Only - no rate			UAL, UCL, UDC, UDL, UDN, UEA, UHL, UEANL, UEF, UEQ, UENTW, NTCVG, NTCUD, NTCD1, USL	UNECN	0.00									10.02	13.32	
	Unbundled DS1 Loop - Expanded Superframe Format option - no	<del>  </del>		USL, NTCD1	CCOSF		0.00				<del>                                     </del>						
	rate		l,	USL, NTCD1	CCOEF					1	<del>  </del>						
	NID - Dispatch and Service Order for NID installation	1		UENTW	UNDBX	0.00	0.00				1 !			i		1	
	UNTW Circuit Establishment, Provisioning Only - No Rate	<del></del>	<del>- li</del>	JENTW	UENCE	0.00	0.00		<del></del>						+	— <u>-</u> -	
OP MAKE-L	P					0.00	0.00		<del></del> -		<del></del> -						
	Loop Makeup - Preordering Without Reservation, per working or						<del>                                     </del>		<del></del> -	l	<del>                                     </del>						
-+-	spare facility queried (Manual).			JMK	UMKLW		0.76	0.76	:				2, 2-	T			
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).		l.	E412							<del>   </del>		20.35	10.54	13.32	13.32	
	Loop MakeupWith or Without Reservation, per working or spare	$\longrightarrow$	\	JMK	UMKLP		0.76	0.76		i	1	i	20.35	10.54			
	Ifacility queried (Mechanized)		I.	JMK							<del> </del>	+	20.05	10.54	13.32	13.32	
E SPLITTIN	G Table 1			200	UMKMO	-	0.76	0.76					20.35	10.54	13.32	13 32	i
END U	SER ORDERING-CENTRAL OFFICE BASED				<del></del>										19.52	13 32	
_	Line Splitting - per line activation DLEC owned splitter			JEPSA UEPSB	UREOS	0.61	r — -										
-	Line Splitting - per line activation AT&T owned - physical		L	JEPSR UEPSB	UREBP	0.61	48.96	21.39	35.06	10.79	<del></del>						$\neg \dashv$
END 16	Line Splitting - per line activation AT&T owned - virtual SER ORDERING - REMOTE SITE LINE SPLITTING		L	EPSR UEPSB	UREBY	0.61	48.96	21.39	35.06	10.79			20.35	10.54	13.32	13.32	
ENU U	Pernote Site Shared Loop Line Activation for End Users - CLEC								55.00	10.73			20.35	10.54	13.32	13.32	
	Owned Splitter		- L	EPSR UEPSB	l i												
	Remote Site Shared Loop - Subsequent Activity - CLEC Owned			EFOR DEPAR	URERS	0.61	53.40	21.61	6.70	6 70	_		0.00	0.00	0.00	0.00	
	Splitter	- 1	- lu	JEPSR UEPSB	URERA		= =	22.25						0.00	0.00	0.00	
UNBUN	DLED EXCHANGE ACCESS LOOP				100.00		50.57	20.06					0.00	0.00	0.00	0.00	- 1
2-WIRE	ANALOG VOICE GRADE LOOP							·									<del>-  </del> -
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		T					1			T						
-+	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting		1 10	EPSR UEPSB	UEALS	11.74	31.99	20.02	10.65	1.41	i		20.35				
	Zone 1	- 1		EPSR UEPSB	I 7							<del>+</del>	ev.35	10.54	13.32	13.32	
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		<del>'  </del> '	E- an ucras	UEABS	11.74	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32	- 1
	Zone 2	- 1	2  11	EPSR UEPSB	UEALS	17.59	2								10.02	13,32	
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-				INCHES		31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32	ļ
<del></del>	Zone 2		2 U	EPSR UEPSB	UEABS	17.59	31.99	20.02	10.65	1.41						10.02	-+
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-				<u> </u>		31.33	20.02	10.65	1,41			20.35	10.54	13.32	13.32	J
	Zone 3		3 U	EPSR UEPSB	UEALS	29.37	31.99	20.02	10.65	1.41		ĺ	20.05				
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3	- }			!T		"		1,135				20.35	10.54	13.32	13.32	
PHYSIC	AL COLLOCATION		3 JU	EPSR UEPSB	UEABS	29.37	31.99	20.02	10.65	1.41	İ	- 1	20.35	10.54	13.32	10.55	T
	Physical Collocation-2 Wire Cross Connects (Loop) for Line				<del></del>	<del></del> ,							EV.30	10.54	13.32	13.32	<b></b> ↓
	Splitting		I	EPSA UEPSB	PE1LS	0.0475		T	T	T							
VIRTUA	LCOLLOCATION		19	J	1. 6160	0.04/5	11.62	9.90	10.38	8.66			0.00	0.00	0.00	0.00	]
		T.			· · ·	· · · · · · · · · · · · · · · · · · ·				<del></del>						0.00	<del></del>
L L	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting		<u>]</u> u	EPSR UEPSB	VEILS	0.57	11.62	9.90	10.38		]	T					_
CUNTER OF	EDICATED TRANSPORT		$\Box$			3.57		9.50	10.38	8.66			2.07	2.81	0.67	1.41	- 1
INTEKO	FFICE CHANNEL - DEDICATED TRANSPORT - Stand Alone									<del></del>							
<del>  - </del>	Interoffice Channel - 2-Wire Voice Grade - per mile Interoffice Channel - 2-Wire Voice Grade - Facility Termination			TVX	1L5XX	0.0174											$\Box$
	Interoffice Channel - 2-Wire Voice Grade Rev Bat, - per mile			TVX ITVX	UITV2	18.58	55.39	17.37	27.96	3.51			20.35	21.09	9 80	- 10 5	
	The same care of the part - bet talk		- 101	1144	1L5XX	0.0174						_	20.00	61.09	9.80	10.54	
	I I																
	interoffice Channel - 2-Wire VG Rev Bat, - Facility Termination		LII	TVX	U1TR2	18.58	55.39	17.37	27.96	3.51	*				<del></del>	<del></del>	

ATEGORY	1	1	ı	I	1	1					Svc Order	f Gue Orden	, .					- 1
TEGORY					4	4						DAC OLDER	Incremental	Incremental	incremental	Incrementa	7-	$\rightarrow$
		1									Submitted	Submitted	Charge -	Charge -	Charge -	1e. essentite	1]	ĺ
LOOK	RATE ELEMENTS	Interim.	Zone	6CS	USOC						Elec	Manually	Manual Syc			Charge -		
,		l i			0000			RATES(\$)			per LSR	per LSR			Manual Svc	Manual Syc	:	- 1
,		!			Ì	1					per Lak	pertsic	Order vs.	Order vs.	Order vs.	Order vs.	1	
		ł 1									1 .		Electronic-	Electronic-	Electronic-	Electronic-	. ]	- 1
$\neg$		<b>↓</b>									i		1st	Add'i	Disc 1st	Disc Add'l	T .	- 1
<del></del>		<del> </del>					Nonrecurring		Management		<del> </del>		L	1	) Diac (a)	DISC Add I		
<del></del>	[ ]					Rec	First		Nonrecurring	g Disconnect			OSS	Rates(\$)		<u> </u>	+	-
	Interoffice Channel - 4-Wire Voice Grade - per mile			UtTVX	1L5XX	0.0174	F#8t	Add'l	First	Add'!	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN			
		T			LOAN	0.0174	`							SUMAN	SUMAN	SOMAN		
	Interoffice Channel - 4- Wire Voice Grade - Facility Termination	!		U1 TVX	U1TV4											<u></u>	]	т
!	Intereffice Channel - 56 kbps - per mile	<del>-  </del>		UITDX		24.09		26.02	30.78	13.07	i I			i !				$\top$
1 1	Interoffice Channel - 56 khns - Englity Toymunting	<del>   </del>			1L5XX	0 0174				, 0.0.			15.08	15.08	9.80	10.54		- 1
	Interoffice Channel - 64 kbps - per mile			UTDX	L1TD5	17.98	55.39	17.37	27.96	3,51							<del> </del>	+
	Interoffice Channel - 64 kbps - Facility Termination			UITDX	1L5XX	0.0174			27.30	3.51	<del></del>		20.35	21.09	9.80	10.54	+	+
	Internation Character DC4			UITDX	U1TD6	17.98	55.39	17,37				7				10.34	<del></del>	+-
<del></del>	Interoffice Channel - DS1 - per mile	LT		UITD1	1L5XX	0.3562		17.37	27.96	3.51			20.35	21.09	9.80	10.7	<del></del>	ㅗ
<del></del>	Interoffice Channel - DS1 - Facility Termination	!		U1TD1	UtTF1			<u> </u>						67,08	9.80	10.54		
	Interoffice Channel - DS3 - per mile	_		ULTDS	1L5XX	77.86		76.27	19.55	14.99	<del> </del>		20.35	·				J
1 1	Interoffice Channel - DS3 - Facility Termination	<del></del>		UTD3		2.34							20.35	21.09	9.80	10.54		T
1 1/1	Interoffice Channel - STS-1 - per mile	┝──┼			U1TF3	848.99		176.56	109.04	105.91		<del></del>						1
	Interoffice Channel - STS-1 - Facility Termination			J1TS1	1L5XX	2.34				103.91			36.84	36.84	19.01	19,01	$\overline{}$	+
UNBLINE	DLED DARK FIBER - Stand Alone or in Combination		li	UITSI	UITES	849.30		176.56	109.04	105.5			T					+-
17	Dark Fiber - Interesting Transport Commitmation		_					170,56	109.04	105.91		T	36.84	36.84	19.01	19.01		+
1 1	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per	' T	$\neg \tau$		T		7								.0.07	ra.01		+
<del>-    </del> -	Route Mile Or Fraction Thereof	!	lı	JDF, UDFCX	1L5DF	28.74		ı		1			- T					+
I lo	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per				+	20.74	<del>  -                                   </del>					í	- 1	]	J		_	1
JR	Route Mile Or Fraction Thereof	ı	lı	JDF, UDFCX	UDF14	1	j					<del>+</del>						1
I CAPACITY I	UNBUNDLED LOCAL LOOP		<del></del>	A. ODFOX	UUF14		1,121.00	153.19	580.26	357.17	ļ	Į.	l l		T.			T
DS-3/STS	S-1 UNBUNDLED LOCAL LOOP - Street Alone				Щ	L				307.17						- 1		1
II.	DS3 Unbundled Local Loop - per mile											—— L						+
1 - fr	OS3 Unbundled Local Loop - Facility Termination			Æ3	1L5ND	9.19	1											+
<del>-   -                                  </del>	STS-1Unbundled Local Loop - per mile			E3	UE3PX	374.24		304.50	234.83									+-
<del>-   °</del>	373 TO FEDURATED LOCAL LOOP - per mile		7	DLSX	1L5ND	9.19		304.30	234.83	170.16			36.84	36.B4	19.01	19.01		╄
NOED EVE	STS-1 Unbundled Local Loop - Facility Termination			DLSX	UDLS1	389.35	595.37					$\overline{}$			- 3.0	19.01		┸
INCED EXTE	ENDED LINK (EELs)		- 1		10010.	300.33	595.37	304,50	234.83	170.16			36.84	36.84				
Network f	Elements Used in Combinations				<del></del>				T			$\overline{}$		30.04	19.01	19.01		
1 12-	-Wire VG Loop (SL2) in Combination - Zone 1		1 1	NICOU												_	$\neg \neg$	_
2	-Wire VG Loop (SL2) in Combination - Zone 2				UEAL2	14.74	108.76	35,47	72.94	10.86								_
12	-Wire VG Loop (SL2) in Combination - Zone 3		2 [		UEAL2	22.08	108.76	35.47	72.94	10.86			31.26	10.42				_
1 4	-Wire Analog Voice Grade Loop in Combination - Zone 1		3 Ü		UEAL2	35.87	108.76	35.47	72.94				31.26	10.42				<del></del>
1 1	Wire Angles Voice Crade Loop in Combination - Zone 1			NCVX	UEAL4	21.98	108.76	35.47		10.86			31.26	10.42		-		⊢
<del>-   -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -       -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -       -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -       -     -     -     -     -     -     -     -     -     -     -</del>	-Wire Analog Voice Grade Loop in Combination - Zone 2			NCVX	UEAL4	32.93	108.76		72.94	10.86			31.26	10.42				
1- 12	-Wire Analog Voice Grade Loop in Combination - Zone 3		3 Ü		UEAL4	54.99		35.47	72.94	10.86		-	31.26	10.42	—-—⊢			
+	-Wire ISDN Loop in Combination - Zone 1			NCNX	U1L2X	19.77	108.76	35.47	72.94	10.86			31.26	10.42				
12-1	-Wire ISDN Loop in Combination - Zone 2		2 0	NCNX	U1L2X		108.76	35.47	72.94	10.86		<del></del>	31.26	10.42				_
[2.1	-Wire ISDN Loop in Combination - Zone 3	-+	3 lu	NCNY		29.63	108.76	35.47	72.94	10.86	<del>-  -</del>	<del></del>				T		
	-Wire 56Kbps Digital Grade Loop in Combination - Zone 1				U1L2X	49.47	108.76	35.47	72.94	10.86			31.26	10.42				
4-1	-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		<u>1 [Ū</u>		UDL56	27.68	108.76	35.47	72.94	10.86	<del></del> -	<b></b>	31.26	10.42		-		_
4-7	Wire 56Kbps Digital Grade Loop in Combination - Zone 3		2 U		UDL56	41.47	108.76	35.47	72.94	10.86			20.35	10.54	13.32		+	—
4.	-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		3 U		UDL56	69.24	108.76	35.47	72.94				20.35	10.54	13.32		+	
1	Mice Calches Digital Grade Loop in Combination - Zone 1		i u	VCDX	UDL64	27.68	108.76			10.86			20.35	10.54	13.32		+	
+ - + - + - + + + + + + + + + + + + + + + + + + + + + + + + + + + + + + + + + + + + + + + +	Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2 U	VCDX	UDL64	41,47	108.76	35.47	72.94	10.86			20.35	10.54	13.32			
4-1	Wife 64Kbps Digital Grade Loop in Combination - Zone 3		3 U		UOL64		108.76	35.47	72.94	10.86			20.35	10.54				
4-1	WITE UST DIGITAL LOOP IN Combination - Zone 1		<del>ř lu</del>		USLXX	69.24	108.76	35.47	72.94	10.86			20.35		13.32			
14-1	Wire DS1 Digital Loop in Combination - Zone 2			VC1X		51.38	228.40	161.74	79.87	24.88	<del></del>	<del></del>	18.98	10.54	13.32			_
14-7	Wire DS1 Digital Loop in Combination - Zone 3		2 U		USLXX	76.98	228.40	161.74	79.87	24.88		<del></del>		8.43	11.95		-	
I IDS	S3 Local Loop in combination - per mile				USLXX	128.54	228.40	161.74	79.87	24.88			18.98	8.43	11.95		+	_
Ins	S3 Local Loop in combination - Facility Termination			VC3X	1L6NÖ	9.19			. 0.07	£4.00			18.98	8.43	11.96	<del></del>	$\overline{}$	_
<del>1 ার্</del>	S-1 Local Loop in combination - Packity Termination		U	C3X	UE3PX	374.24	1,260,47	628.84	106.78								-+	
1 - 1 E +	TS-1 Local Local in combination - per mile			CSX	1L5ND	9.19	1,200.41	020.04	106.78	45.24			35.84	36.84	19.01	19.01	<del></del>	
1 - lat	TS-1 Local Loop in combination - Facility Termination	T		CSX	UDLŠ1	389.35	1,260.47	600.04						<del></del>		15.01	<del>-</del>	
+ Inte	eroffice Channel in combination - 2-wire VG - per mile			CVX	1L5XX	0.0174	1,200.47	628.84	79.87	24.88			36.84	36.84	- 10.0	<del></del>		
) lute	feroffice Channel in combination - 2-wire VG - Facility		+			0.0174								50.04	19.01	19.01		_
Ter	ermination	- 1	11.6	ICVX	U1TV2		1	1-										_
Inte	eroffice Channel in combination - 4-wire VG - per mile	+-		CVX		18.58	79.83	44.08	69.32	31.00	ı	ı	20 22		- 1	1		_
Intr	eroffice Channel in combination - 4-wire VG - Facility	-	-44	NVA.	1L5XX	0.0174							20.35	21.09	9.80	10.54	Į	
i er	rmination	I	l.,	IDI N				<del></del>	<del></del>		<del></del> -	- $+$						
lote	eroffice Channel in combination - 4-wire 56 kbps - per mile			CVX	U1TV4	24.09	79.83	44.08	69.32	n, a. l	- 1		1~		·	<del></del>	<del></del> -	
less.	eroffice Channel in combination - 4-wire 56 kbps - per mile eroffice Channel in combination - 4-wire 56 kbps - Facility		ÜN	CDX	1L5XX	0.0174			00.32	31.00			15.08	15.08	8.66	8.66	- 1	
1 17	rmination		_ ["												<u></u>	5.00		
			JUN	CDX	U1TD5	17 98	70.00											_
Inte	eroffice Channel in combination - 4-wire 64 kbps - per mile				1L5XX	0.0174	79.83	44.08	69.32	31.00	í	1	20.35	21.09	0.00		- 1	
) hute	erorrica Channel in combination - 4-wire 64 kbps - Facility		177			0.0174						—⊢		21.09	9.80	10.54		_
Terr	rmination		l line	CDX	LITOS			- T										_
Inte	eroffice Channel in combination - DS1 - per mile			CIX		17.98	79.83	44.08	69.32	31.00	1	í		Į.	[		$\overline{}$	_
Inte	eroffice Channel in combination - DS1 Facility Tormination				1L5XX	0.3562		-					20.35	21.09	9.80	10.54		
linie	eroffice Channel in combination - DS3 - per mile				U1TF1	77.86	171.24	113.12	70.07	20.00							<del>+-</del>	—
Inte	eroffice Channel in combination DCG Faults 7				1L5XX	2.34			70.07	30.90			20.35	21.09	9.80	10.54		
1.76	eroffice Channel in combination - DS3 - Facility Termination			C3X	U1TF3	848.99	482.01	153.81	64.12						- V.V.	10.54		
Inte	eroffice Channel in combination - STS-1 - per mile			CSX	1L5XX	2.34	702.01	153.81	64.43	35.43			36.84	36.84	19.01		-	
Inter	eroffice Channel in combination - STS-1 Facility Termination				UITES	849.30	402.04		l					-	10.01	19.01		_
MAL NETW	YORK ELEMENTS	-1	_			0.30	482.01	153.81	64.43	35.43			36.84	36.84	-1001			
		_					1	1					90.97	40.04	19.01	19.01		
Optional Fe	atures & Functions:														10.07	15.01		
Optional Fe	ar Channel Capability Extended Frame Option - per DS1		LIFT.	D1												19.01		

BUNDLE	D NETWORK ELEMENTS - Tennessee												Att: 2 Exh; A				
GORY	RATE ELEMENTS	Interim	Zone	BCS	USOC		I Manager	RATES(\$)	No.	Discourse	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manuai Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	incremental Charge - Manual Svc Order vs. Electronic- Disc Add'i	
-		<del>  -</del>	├	<del></del>		Rec	Nonrecurring First	Add'I	Nonrecurring First	Add'I	SOMEC	SOMAN	SOMAN	Rates(\$)	SOMAN	SOMAN	
<del></del>		<del>  -</del>	-	UTDI.			7401	- 14407	- ' '' *		004,20	001124	00#124	30	SOMPLE	SOMPLE	
	Clear Channel Capability Super FrameOption - per DS1	1	t i	ULDD1,UNC1X	CCOSE	\	0.00	0.00	0.00	0.00			ł		!		
_	Clear Channel Capability (SF/ESF) Option - Subsequent Activity -	-		ULDD1, U1TD1.													
- 1	per DS1	1 1	l	UNC1X, USL	NRCCC	l	185.16	23.86	2.03	0.79							
			1	UTD3, ULDD3,													
	C-bit Parity Option - Subsequent Activity - per DS3	i		UE3, UNC3X	NRCC3		219.46	7.68	0.7637								
	DS1/DS0 Channel System		L_	UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74							
	DS3/DS1Channel System	<u> </u>	_	UNC3X, UNCSX	MQ3	222.98	156.02	49.41	17.12	6.77	L		20.35	9.80	11,49	1.18	
	Voice Grade COCI in combination	ļ	<b>⊢</b> —	UNCVX	1DTVG	1.82	5.70	4.42									
- 1			ļ	UEA	1 <b>D</b> 1VG	1.82	- 70	4.42			! :			ĺ			
	Voice Grade COCI - for 2W-SL2 & 4W Voice Grade Local Loop Voice Grade COCI - for connection to a channelized OS1 Local	<del> </del>		UCX .	IDIVG	1.02	5.70	4.42		<del></del>				<del></del>			
-	Channel in the same SWC as collocation	1		UITUC	1D1VG	1,82	5.70	4.42				,					
-	OCU-DP COCI (2.4-64kbs) in combination	+	₩-	UNCOX	1010D	0.91	5.70	4.42			<b></b>		20.35	9.80	11,49	1.18	
-	OCU-DP COCI (2.4-64kbs) - for Unbundled Digital Loop	1	_	UDL	10100	0.91	5.70	4.42					10.00	3.00	11,178		
<del></del>	OCU-DP COCI (2.4-64kbs) - for connection to a channelized DS1	1															
1	Local Channel in the same SWC as collocation	1		UTTUD	10100	0.91	5.70	4.42			L			) 1	] ]		
	2-wire ISDN COCI (BRITE) in combination		T-	UNCNX	UC1CA	17.58	5.70	4.42					20.35	9.80	11,49	1,18	
	2-wire ISDN COCI (BRITE) - for a Local Loop			UON	UCICA	17.58	5.70	4.42									
	2-wire ISDN COCI (BRITE) - for connection to a channelized DS1			i													
	Local Channel in the same SWC as collocation			U1TUB	UC1CA	17.58	5.70	4.42									
	DS1 COCI in combination		Ш_	UNCIX	UC1D1	17.58	5.70	4.42					20.35	9.80	11.49	1.18	
	DS1 COCI - for Stand Alone Local Channel			ULDD1	UC1D1	17.58	5.70	4.42									
	DS1 COCI - for Stand Alone Interoffice Channel	₩.	↓	UTDI	UC1D1	17.58	5.70	4.42			<u></u>						
	DS1 COCI - for DS1 Local Loop	-	ļ.,	USL, NTCD1	UC1D1	17.58	5.70	4.42									
١ .	DS1 COCI - for connection to a channelized DS1 Local Channel in the same SWC as collocation	1	ļ	UITUA	UC1D1	17.58	5.70	4.42						1 .	1		
				UNC1X, UNC3X, UNCSX, UDFCX, XDH1X, HFQC6, XDD2X, XDV6X, XDDFX, XDD4X,											   		
ł	Wholesale - UNE, Switch-As-Is Conversion Charge		L	HERST, UNCNX	UNCCC	L	52.73	24.62	9.12	9.12						_	
		$\top$	_	UITVX, UITDX,										1			
	Unbundled Misc Rate Element, SNE SAI, Single Network Element	i	ł	UTTD1, UTTD3,		1	1			i I	1			ĺĺ	· I	- 1	
	Switch As Is Non-recurring Charge, per circuit (LSR)	<u></u>	┺	UtTS1, UDF, UE3	URESL		34.53	15.11									
	Unbundled Misc Rate Element, SNE SAI, Single Network Element	1	1	UITVX, UITDX.			1 1				1 1		l .		- 1		
	Switch As Is Non-recurring Charge, incremental charge per circuit	1 .	1	UITDI, UITD3,											- 1	Į	
	on a spreadsheet	į į	┸-	UTTS1, UDF, UE3	URESP	Ļ	1.40	1.40		<u> </u>				<u></u>			
Acces	s to DCS - Customer Reconfiguration (FlexServ)	·	<del></del>				2.78		3.32								
-	Customer Reconfiguration Establishment DS1 DCS Termination with DS0 Switching	<del></del>	<del></del>			23.35	41.14	34.25	29.94	24.08							
	DS1 DCS Termination with DS1 Switching	+-	+	<del></del>	<del></del>	13.45		20.90	21.99	16.12	·						
	DS3 DCS Termination with DS1 Switching		<del>                                     </del>			150.88			29.94								
Node	SynchroNet)																
	Node per month			UNCDX	UNCNT	17.11											
Servic	e Rearrangements																
	NRC - Change in Facility Assignment per circuit Service			UITVX, UITDX, UITUC, UITUD, UITUB, ULDVX, ULDDX, UNCVX,													
	Rearrangement		<u></u>	UNCDX, UNC1X	URETD		130.47	40,11								1	
	NRC - Change in Facility Assignment per circuit Project			UITVX, BITDX, UITUC, UITUD, UITUB, ULDVX, ULDDX, UNCVX													
1	Management (added to CFA per circuit if project managed)	1 1	1	UNCDX, UNC1X	URETB	1	3.44	3.44		1				l í	I	ı	i
	NRC - Order Coordination Specific Time - Dedicated Transport	<del>1-1</del>	+	UNC1X, UNC3X	OCOSR		18.93	18.93		1				-			
MHINGLIN		1	_														
			Π	UNCVX, UNCDX, UNC1X, UNC3X,										_			[
January				UNCSX, UITD1, UITD3, UITS1, UE3 UDLSX, UITVX, UITDX, UITUB.	3.												
	Commingling Authorization			U1TD3, U1TS1, UE3 UDLSX, U1TVX,	CMGAU	0.00	0.00	0.00	0.00	0.00							

		7		T	`T	<del>                                     </del>							Att: 2 Exh: A				T	$\top$
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa	<del>,  </del>	-+-
		1									Submitted	Submitted	Charge -	Charge -	Charge -	Charge	' [	
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	Usoc			RATES(\$)			Eleç	Manually	Manual Svc	Manual Syc	Manual Syc		. 1	- 1
			1	1		}		1041 60(4)			per LSR	per LSR:	Order va.	Order vs.	Order vs.	Order vs.	1	- 1
			1	1							1		Electronic-	Electronic-	Electronic-	Electronic		- 1
											1		1at	Add'I	Disc 1st	Disc Add'l	1	-
		1	t		<del> </del>		Nonrecurring		T-0						UISC ISI	DIRE Add.)		-1
						Rec	First	Add'l	First	Disconnect			OSS	Rates(\$)			<del></del>	+
	Commingled VG COCI			XDV2X	1D1VG	1.82		4,66	First	Add't	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	<del></del>	+
	Commingled Digital COCI			XDV6X	1D1DD	0.91		4.66									+	┿
	Commingled ISDN COCI		T	XDD4X	UC1CA	17.58		4.66	<del></del>	<del></del>							<del>                                     </del>	+
	Commingled 2-wire VG Interoffice Channel Facility Termination			XDV2X	U1TV2	18.58		17.37	69.32						]		-	+
	Commingled 4-wire VG Interoffice Channel Facility Termination			XDV6X	U1TV4	24.09		26.02	69.32	31.00								+
	Commingled 56kbps Interoffice Channel Facility Termination			XDD4X	U1TD5	17.98		17.37	69.32	31.00							<del></del>	+
	Commingled 64kbps Interoffice Channel Facility Termination		L	XDD4X	U1TD6	17.98		17.37	69.32	31.00								+
	0			XDV2X, XDV6X,			1 50.55	17.02	09.32	31.00								+
	Commingled VG/DS0 Interoffice Channel per mile		Ĺ	XDD4X	1L5XX	0.0174					i	í					-	+
	Commingled 2-wire Local Loop Zone 1		1	XDV2X	UEAL2	14.74	75.06	48.20	28.70	17.64							1	
	Commingled 2-wire Local Loop Zone 2	L	2	XDV2X	UEAL2	22.08	75.06	48.20	28.70	17.54								+
	Commingled 2-wire Local Loop Zone 3			XDV2X	UEAL2	36.87	75.06	48.20	28.70	17.64								7
<del></del>	Commingled 4-wire Local Loop Zone 1 Commingled 4-wire Local Loop Zone 2	$ldsymbol{\square}$	1	XDV6X	UEAL4	21.98		85.57	76.35	39.16								+
-	Comminged 4-wire Local Loop Zone 2 Commingled 4-wire Local Loop Zone 3		2	XDV6X	UEAL4	32.93	122.76	85.57	76.35	39.16		$\longrightarrow$						7
	Commingled 4-wire Local Loop Zone 3 Commingled 56kbps Local Loop Zone 1		3	XDV6X	UEAL4	54.99		85.57	76.35	39.16				Ļ <b></b>				Т
	Commingled 56kbps Local Loop Zone 1 Commingled 56kbps Local Loop Zone 2	<u> </u>	_1	XDD4X	UDL56	27.68	207.01	141.38	90.70	44 18				<u> </u>				1
$\dashv$	Commingled 56kbps Local Loop Zone 2 Commingled 56kbps Local Loop Zone 3	<u> </u>	2	XDD4X	UDL56	41,47	207.01	141.38	90.70	44.18								Τ
	Commingled 64kbps Local Loop Zone 1	<b>  </b>		XDD4X	UDL56	69.24	207.01	141.38	90.70	44.18								Т
	Commingled 64kbps Local Loop Zone 2	Ь	1	XDD4X	UDL64	27.68	207.01	141.38	90.70	44.18								Т
	Commingled 64kbps Local Loop Zone 3			X004X	UDL64	41.47	207.01	141,38	90.70	44.18	~		——↓					Т
	Commingled ISDN Local Loop Zone 1			XDD4X	UDL64	69.24	207.01	141.38	90.70	44.18								Г
	Commingled ISDN Local Loop Zone 2			XDD4X	U1L2X	19.77	142.76	88.88	76.35	39.16								Γ
	Commingled ISDN Local Loop Zone 3	$\vdash$		XDD4X	U1L2X	29.63	142.76	88.88	76.35	39.16								
<u> </u>	Commingled DS1 COCI	$\vdash$	3	XDD4X	U1L2X	49.47	142.76	68.88	76.35	39.16								
	Commingled DS1 Interoffice Channel Facility Termination	<del></del>		XDH1X XDH1X	UC1D1	17.58	6.07	4.66			$\overline{}$	<del></del>						$\perp$
	Commingled DS1 Interoffice Channel per mile	-		XDH1X	U1TF1	77.86	112.40	76.27	19.55	14.99								1
	Commingled DS1/DS0 channelSystem			XDH1X	1L5XX	0.3562												L
	Commingled DS1 Local Loop Zone 1		-	XDH1X	MQ1	80.77	141.87	77.11	14.51	13.46								L
. !	Commingled DS1 Local Loop Zone 2			XDHIX	USLXX	51.38	313.08	219.72	96.86	40.45								↓_
- 1	Commingled DS1 Local Loop Zone 3	-		XDH1X	USLXX	76.98	313.08	219.72	96.86	40.45								L
1 - 1	Commingled DS3 Local Loop Facility Termination			HFQC6	UE3PX	128.54 374.24	313.08	219.72	96.86	40.45			-	+		<del></del>		ـــ
	Commingled DS3/STS-1 Local Loop per mile			HFOC6, HFRST	1L5ND	9.19	595.37	304.50	234.83	170.16							——	╄
السلت	Commingled STS-1 Local Loop Facility Termination			HERST	UDLS1	389.35	595.37									+		
.   1	Commingled DS3/DS1 channelSystem			HFQC6	MQ3	222.9B	308.03	304.50	215.82	151.15								⊢
	Commingled DS3 Interoffice Channel Facility Termination	$\neg$		HFOC6	UITF3	848.99	395.27	108.47	44.47	42.62								├-
	Commingled DS3 Interoffice Channel per mile			HFQC6	IL5XX	2.34	385.27	176.56	109.04	105.91								-
1 10	Commingled STS-1 Interoffice Channel Facility Termination			HFRST	UITES	849.30	395.29	**********										$\vdash$
	Commingled STS-Unteroffice Channel per mile	- +		HERST	1L5XX	2.34	395.29	176.56	109.04	105.91								_
1 19	Commingled Dark Fiber - Internifice Transport Per Four Fiber				1.2000	6.34										+		_
	Strands, Per Route Mile Or Fraction Thereof		1	HEQDL	1L5DF	28.74		- 1	i	T								_
	commingled Dark Fiber - Interoffice Transport, Per Four Fiber				<del>  -55.</del>	E.U. 74	—I.	$\longrightarrow$						- 1	l l	i		
	Strands, Per Route Mile Or Fraction Thereof	ļ		HEODL	UDF14	i	1,121.00	153,19	500.00		T	T				+	+	
<del>  </del> '	JNE to Commingled Conversion Tracking			XDH1X, HFQC6	CMGUN	0.00	0.00	0.00	580.26	357.17					J	į.	i	
ال ال	PA to Commingled Conversion Tracking			XDH1X, HFQC6	CMGSP	0.00	0.00	0.00	0.00	0.00							+	-
Query Servi					T		0.00	. 0.00	0.00	0.00								
	NP Charge Per query	T				0.0009277		<del></del>									+	_
	NP Service Establishment Manual				T 1		23.60	13.83	23.60	12.71								_
PBX LOCATI	NP Service Provisioning with Point Code Establishment						1,119.00	571,71	1.119.00	571.71	+	<u> </u> -						_
	LOCATE DATABASE CAPABILITY	I								3/1.71								_
																		_
<del>      </del>	ervice Establishment per CLEC per End User Account changes to TN Range or Customer Prolite			PBDC	9P8EU		1,706.00		T									_
<del>-    </del>	er Talephone Number (Monthly)			PBDC	9PBTN		170.69					<del></del> -						
<del>-  </del> -	hange Company (Service Provider) ID			PBDC	9PBMM	0.07												_
<del></del>	BX Locate Service Support per CLEC (Monthit)			PBDC	9PBPC		501.06			<del></del>								
<del>-  </del>	ervice Order Charge			PBDC	эрвмя	191.92												_
911 PBY	LOCATE TRANSPORT COMPONENT		Įę	PBDC	9PBSC T		23.20											_
See Att 3	TOWNSTON COMPONENT									<del></del>								_
7								_										
10-1-1	es displaying an "i" in interim column are interim as a result of																	

							T	<del></del>						Attachmer	it: 2 Exh. B		
ATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		Nonrec	RATES (\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Incremental Charge -		Charge - Manual Svc Order vs.	Charge Manual Order v Electron
	╁┈┈	<del></del>					Rec	First	Add'i	First	g Disconnect			OSS	Rates (\$)		
NBU	NDLED	EXCHANGE ACCESS LOOP								First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	2-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIDI E	<u></u> _	<u> </u>					<del> </del>	<del> </del>						
	T	2 Wire Unbundled HDSL Loop including manual service inquiry	HBLE !	OOP	<u> </u>			-		<del> </del> -	<del> </del>						
	J	l& facility reservation - Zone 1	- 1		1						<del> </del>						
		2 Wire Unbundled HDSL Loop including manual condening including			UHL	UHL2X	10.05				1 1	}	ĺ				
		I& IACIIIV reservation - Zono 2		2	UHL			T			<del>                                     </del>						
		2 Wire Unbundled HDSL Loop including manual service inquire			UHL	UHL2X	11.70				1 1	ļ	- 1		ř		
	<u> </u>	To facility reservation - Zone 3		3	UHL	Liu ov					<del></del>		<del></del> +				
		2 Wire Unbundled HDSL Loop without manual service inquiry		-	Onc	UHL2X	13.16				]	ļ			í		
	<u> </u>	lang facility reservation . Zone 1	- 1	1	UHL	UHL2W		ĺ						<del></del>			
		2 Wire Unbundled HDSL Loop without manual service inquiry				UHLZVV	10.05			L		ŀ		ľ	ĺ		
	ļ	Jano lacility reservation - Zone 2	- [	2	UHL	UHL2W											
	i	2 Wire Unbundled HDSL Loop without manual service inquiry			0.12	UNLZYV	11.70				L l	ļ		1			
		I and facility reservation - Zone 3	ļ	3	UHL	UHL2W	13.16										
_	4-WIR	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TBLE L	ÖÖP		OI ILEVV	13.16					}			Į.	ļ	
		14 Wire Unbundled HDSL Loop including manual service inquiry T	T			<del> </del>									<del></del>		
	<del></del>	IARO ISCIIIV reservation . Zona 1		1	UHL	UHL4X	16.04									<u>-</u>	
		4-Wire Unbundled HDSL Loop including manual service inquiry			· · · · · · · · · · · · · · · · · · ·	10.112.11	10.04			·			i				
		IRRO Racility reservation - Zone 2		2	UHL	UHL4X	17.89								<del></del>	<del>  </del>	
	!	4-Wire Unbundled HDSL Loop including manual service inquiry				0.12.17	17.03						ì				
-		and facility reservation - Zone 3	1	3	UHL	UHL4X	17.54			- 1	1						
		4-Wire Unbundled HDSL Loop without manual service inquiry					- 17.57						1				
-		and facility reservation - Zone 1		1	<u>UH</u> L	UHL4W	16.04	ļ									
		Wire Unbundled HDSi. Loop without manual service inquiry and facility reservation - Zone 2	Ī			1	10.04							_	ļ	- 1	
		14 Miss Hebrardted HDOL (		2	UHL	UHL4W	17.89			ŀ							
ı		4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3														i	
	4.WIRE	DS1 DIGITAL LOOP		3 (	<u>UHL</u>	UHL4W	17.54					i					
		4-Wire DS1 Digital Loop - Zone 1							·						}	i	
_		4-Wire DS1 Digital Loop - Zone 2		1 (		USLXX	94.93										
$\neg$		4-Wire DS1 Digital Loop - Zone 3		2 (	JSL	USLXX	177.31										
3H Ç	APACIT	Y UNBUNDLED LOCAL LOOP	_	3 (	JSL	USLXX	361.70			-		<u> </u>					
		High Capacity Unbundled Local Loop - DS3 - Per Mile per	-+	-+													
!		month		١.	150	1					·						
T		High Capacity Unbundled Local Loop - DS3 - Facility			JE3	1L5ND	9.64				f			i	T		
		Termination per month		l.	JE3	i											
- T	Ţ	High Capacity Unbundled Local Loop - STS-1 - Per Mile per			JE3	UE3PX	308.98			ľ	ĺ			1			
	- 1	month	i	- 1	JDLSX	1L5ND							<del></del>				
		High Capacity Unbundled Local Loop - STS-1 - Facility			,DL3X	IL5NU	9.64				1	- 1		ļ	J	1 "	
	- 1	(ermination per month	ļ	h	JDLSX	UDLS†	507.00						<del></del>				
BUNE	OLED D	EDICATED TRANSPORT			DEGA	TODEST	367.80				ľ		J		- 1	ĺ	
	NTERO	FFICE CHANNEL - DEDICATED TRANSPORT				<del> </del>											
- 1	- 1	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per		_		<del></del>								<del></del>			
$\rightarrow$	. 1/	month		Íυ	ITD1	1L5XX	0.21		i								
		Interoffice Channel - Dedicated Tranport - DS1 - Facility		-  -		TIESTA	U.21						- 1	1	1		
-+		ermination	}	ľu	11TD1	U1TF1	69.18	1	- 1		-				<del></del>	<del></del>	
	- [	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per		_		1	00.16						- 1	ľ		ļ	
		month .		Ju	11703	1L5XX	4.70			i							
- 1	į:	Interoffice Channel - Dedicated Transport - DS3 - Facility						<del></del>					- 1				
+	<del></del>	Termination per month		lu	1TD3	U1TF3	809.05			1					<del>   -</del>	<del></del>	
	I,	nteroffice Channel - Dedicated Transport - STS-1 - Per Mile per				T		<del></del>	<del></del>						1	ĺ	
+		nteroffice Channel - Dedicated Transport - STS-1 - Facility		Ųυ	1TS1	1L5XX	4.70	- 1	- 1	ļ		[					
		Termination  Termination		T						<del></del>					ļ		
- li	NBUNT	DLED DARK FIBER - Stand Alone or In Combination		U	1TS1	U1TFS	806.58	ĺ	1		i				<del></del>	<del>  </del>	
- 1	I.	Dark Fiber - Interoffice Transport. Per Four Fiber Strands, Per		$-\Box$						<del></del>							
	1	Route Mile Or Fraction Thereof	[ ]	T						<b></b> -		$-\bot$					-
ANC	ED EXT	ENDED LINK (EELs)		U	DF, UDFCX	1L5DF	25.69	I	- 1	1			1				-
	1			1		1					1		- 1	ı	1	i	

MOUNDE	D NETWORK ELEMENTS - Alabama													t: 2 Exh. B		
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)	-		Svc Order Submitted Elec per LSR	Submitted	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'!	Charge - Manual Svc Order vs.	Charge Manuai 3 Order v
					<u> </u>	Rec	Nonre	curring	Nonrecurrin	g Disconnect	<del> </del>	L	OSS	Rates (\$)	<u> </u>	L
	<u> </u>	l			I		First	_Add'!	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
NOTE:	The monthly recurring and non-recurring charges below will	appiy a	nd the	Switch-As-Is Charg	e will not app	oly for UNE com	binations pro	visioned as 10	Ordinarily Com	bined' Network	k Elements.					- 00
NOTE:	The monthly recurring and the Switch-As-Is Charge and not t	กอก อด	-46CF111	ng charges below	will apply for	UNE combination	ns provision	ed as 'Curren	tly Combined	Network Eleme	ints.					<del>                                     </del>
EXTEN	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1	INTER	OFFICE TRANSPO	RT					Τ	T				<del> </del>	<del> </del> -
	4-Wire DS1 Digital Loop in Combination - Zone 1			UNCIX	USLXX	94.93					†			<del></del>		┼──
	4-Wire DS1 Digital Loop in Combination - Zone 2			UNC1X	USLXX	177.31		1		T	<del> </del>					<del>                                     </del>
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNCIX	USLXX	361.70			ļ	<del></del>	<del> </del>					<del> </del>
- T	Interoffice Transport - Dedicated - DS1 combination - Per Mile								<del> </del>	1						<del> </del>
	per month			UNC1X	1L5XX	0.21		}	}	ì	ì	}	i i	l i	}	
	Interoffice Transport - Dedicated - DS1 combination - Facility				<del></del>	† — — — — — — — — — — — — — — — — — — —			<del></del>							<del></del>
	Termination per month			UNC1X	UITEI	69.18					1					
EXTEN	DED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FFICE	TRANSPORT	1	t			<del>                                     </del>		<del></del>			<del></del>		<del></del>
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	9.54				<del></del> -	<del> </del>					<del> </del>
i i	DS3 Local Loop in combination - Facility Termination per month.	<u> </u>		UNC3X	UE3PX	355.33										
	Interoffice Transport - Dedicated - DS3 - Per Mile per month		1	UNC3X	1L5XX	4.70		<del></del>	<del> </del>	<del> </del>	<del></del>					
	Interoffice Transport - Dedicated - DS3 combination - Facility		1			<del></del>					<del> </del>					ļ
	Termination per month	Ì	1	UNC3X	U1TF3	809.05				Į						ì
EXTEN	DED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF	ICE TRANSPORT	<b>-</b>			<del> </del>	<del>                                     </del>		<del>                                       </del>					
	STS-1 Local Loop in combination - per mile per month	ļ		UNCSX	1L5ND	9.54		<del></del>	<del>                                     </del>	<del></del>						
	STS-1 Local Loop in combination - Facility Termination per month			UNCSX	UDLS1	367.80			·		<del></del>			<del></del>		
	Interoffice Transport - Dedicated - STS-1 combination - per mile per month	_	$\overline{}$	UNCSX	1L5XX	4.70							<del></del> -			
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	UITES	806.58				<del></del>		·}	<del></del>			

		1	1										Attachman	it; 2 Exh. B	T	
CATEGORY	RATE ELEMENTS	Interi m	Zone	e BCS	Usoc			RATES (\$)			Svc Orde Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Syc Order vs. Electronic- Disc 1st	Charge Manual Order v
			<del> </del>	T	-	Rec	Nonre	curring	Nonrecurrir	g Disconnect						DISC AG
MPILIPOLES	CYCULANOS LOCACIONA		T	<del> </del>			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	Rates (\$)		
MBUNDLED I	EXCHANGE ACCESS LOOP	1	_		<del></del>	<del>  -</del>	·			T	1	COMAN	SOMAN	SOMAN	SOMAN	SOMA
2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP			<del></del>					<del> </del>	<del></del>				
1	2 Wife Onbundled MUSL Loop including manual service inquiry		T			<del> </del>					<del></del>					
	t& lacility reservation - Zone 1	!	1 1	UHL	UHL2X		l	i				<del> </del>				
	2 Wire Unbundled HDSL Loop including manual service inquiry		1	-	- OFFICEA	8.30					ĺ	! !		ſ		
	I& IZCIIIV reservation - Zone 2		2	UHL	UHL2X	44.00						<del></del>				
- 1	2 Wire Unbundled HDSL Loop including manual service inquiry		<del> </del>	-	Unitzx	11.80			<u> </u>		1	1 1		T		
	To Tacility reservation - Zona 3		3	UHL	UHL2X	1										
Į.	2 Wire Unbundled HDSL Loop without manual service inquiry		1		OTILEX	20.94			Ш_					l	· ·	
	Talio tacility reservation - Zone 1		1	UHL	UHL2W							<del>  </del>				
	2 Wire Unbundled HDSL Loop without manual service inquiry				UNLZW	8.30			L	[		]	- 1	1		
	IdRO Facility reservation - Zone 2		2	UHL	UHL2W	1						<del>+</del>				
[ [	2 Wire Unbundled HDSL Loop without manual service inquiry				UNLZVV	11.80				[				T		
			lз	UHL	UHL2W	1 00.5										
4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE I	OOP	U-12	Unitaw	20.94								- 1		
	4 Mile Onbundled HUSE Loop including manual service inquire.			<del></del>	<del></del> -	<del></del>										
		- 1		UHL	UHL4X				-							
i i	4-Wire Unbundled HDSL Loop including manual service inquiry		<u> </u>	OTIC	UHL4X	12.49			!	'	- 1	ļ	- 1			
			2	UHL		1 1			-							
- 1 - 1	4-Wire Unbundled HDSL Loop including manual service inquiry			Unic	UHL4X	17.76				ĺ	- 1	ļ	- 1		-	
		1	3	UHL											- 1	
1 l	4-Wire Unbundled HDSL Loop without manual service inquiry		<del></del>	OFFL	UHL4X	31.50										
	diu facility reservation - Zone 1	- 1	٠ ا	UHL												
	4-Wire Unbundled HDSL Loop without manual service inquiry		'	UNL	UHL4W	12.49			ĺ	- 1	- 1					
	and facility reservation - Zone 2		2	UHL		I T										
1 14	4-Wire Unbundled HDSL Loop without manual control in quite.	-		UHL	UHL4W	17.76			ł	- 1						
	and facility reservation - Zone 3		3	UHL		1										
4-WIRE	DS1 DIGITAL LOOP		3	UAL	UHL4W	31.50		1	ļ		- 1	1				
	4-Wire DS1 Digital Loop - Zone 1	-	<del></del>	USL		T										
	4-Wire DS1 Digital Loop - Zone 2	-	2	USL	USLXX	81.35										
4	4-Wire DS1 Digital Loop - Zone 2		3	USL	USLXX	115.62									<del></del>	
SH CAPACITY	UNBUNDLED LOCAL LOOP		3	USL	USLXX	205.15				+						
i i	ligh Capacity Unbundled Local Loop - DS3 - Per Mile per		-												<del></del> +	
<u> </u>	nonth		l.	UE3	1	1										
1	ligh Capacity Unbundled Local Loop - DS3 - Facility			UE3	1L5ND	12.56	1				ĺ	l l				
	ermination per month	- 1	١.	IEO		i T								í	ĺ	
I I	ligh Capacity Unbundled Local Loop - STS-1 - Per Mile per	-+		JE3	UE3PX	444.91		- 1	ĺ	1	1		-			
. ] [m	nonth	- 1	J.	JDLSX										[	ĺ	
H	ligh Capacity Unbundled Local Loop - STS-1 - Facility			JULSX	1L5ND	12.56		i	1	1	-	[			<del></del>	
	ermination per month	- 1	ı.	101 ev					<del></del>					Ì	1	
BUNDLED DE	DICATED TRANSPORT		- 1	IDLSX	UDLS1	490.59		ļ	- 1	J						
INTEROF	FICE CHANNEL - DEDICATED TRANSPORT							<del></del>						_ [	ĺ	
In	iteroffice Channel - Dedicated Channel - DS1 - Per Mile per															
m	ionth		1.	HTD:	I										<del></del>	
li	teroffice Channel - Dedicated Tranport - DS1 - Facility			J1TD1_	1L5XX	0.21	1	1	i	1					<del></del>	
	ermination :				1									ĺ	ĺ	
ln	Iteroffice Channel - Dedicated Transport - DS3 - Per Mile per		- [	J1TD1	U1TF1	101.71	ŀ	1		ĺ					<del></del>	
	OUU	1	- 1	u-The			<del> </del>	<del></del>						1	1	
In	teroffice Channel - Dedicated Transport - DS3 - Facility		_	J1TD3	1L5XX	4.45			- 1	1	ĺ	T			<del></del>	
	ermination per month	- 1	I,											1		1
ln ln	teroffice Channel - Dedicated Transport - STS-1 - Per Mile per		<u> </u>	11TD3	U1TF3	1231.65	1		ı	J	ĺ					
I Ime	onth		- [					<del></del>				Ĺ		- 1	ı	ĺ
In	teroffice Channel - Dedicated Transport - STS-1 - Facility		<u> </u> u	1TS1	1L5XX	4.45	ļ	i	1	I	1			<del></del>	<del></del>	
i ile	ermination f		I.				<del></del>		<del>  </del> -			f	1	ĺ	I	i
UNBUNDE	ED DARK FIBER - Stand Alone or in Combination		JU	1TS1	U1TFS	1214.40	1	J	1					<del></del>		
IDa	ark Fiber - Interoffice Transport, Per Four Fiber Strands, Per	-	_				<del>-  </del> -						ĺ	1		ĺ
I IBC	NUIR Mile Or Fraction Thereof				1		<del></del>	+			$\Box$					
ANCED EXTE	NDED LINK (EELs)		U	DF, UDFCX	1L5DF	30.88	I	1						-+-	<del></del>	
	(ELLS)	1	T					1	ĺ		- 1	i	- 1	I .	1	- 1

MRONDLE	D NETWORK ELEMENTS - Florida				,									t: 2 Exh. B		
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Charge - Manual Svc Order vs.	Charge
						Rec	Nonre	curring	Nonrecurrin	g Disconnect			OSS	Rates (\$)		<del></del>
							First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
NOTE:	The monthly recurring and non-recurring charges below will a	арріу аг	nd the	Switch-As-Is Charge	will not app	oly for UNE com	binations pro	visioned as '	Ordinarily Com	bined' Network	Elements.					
NOTE:	The monthly recurring and the Switch-As-is Charge and not the	he non-	recurri	ng charges below w	ill apply for	UNE combination	ns provision	ed as ' Curren	ly Combined'	Network Eleme	nts.					
EXTEN	IDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATI	ED DS1	INTER	OFFICE TRANSPOR	T											
	4-Wire DS1 Digital Loop in Combination - Zone 1			UNC1X	USLXX	81.35					· · · -	-				<del></del>
	4-Wire DS1 Digital Loop in Combination - Zone 2			ÜNC1X	USLXX	115.62										
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	205.15										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.21						· -				<u> </u>
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month	_		UNC1X	U1TF1	101.71										<del> </del>
EXTEN	IDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	NTERO			1	10,,,,,		-								
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	12.56							-			
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	444,91						-				
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	4.45										
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month			UNC3X	U1TF3	1231.65										
EXTEN	DED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INTE	ROFF	ICE TRANSPORT												
	STS-1 Local Loop in combination - per mile per month			UNCSX	1L5ND	12.56										
	STS-1 Local Loop in combination - Facility Termination per month			UNCSX	UDL\$1	490.59							-			
	Interoffice Transport - Dedicated - STS-1 combination - per mile per month			UNCSX	1L5XX	4.45		-								
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNÇSX	U1TFS	1214.40									-	

	}			1				<del></del>			<u></u>				it: 2 Exh. B		
EGOR	RY RATE ELEMEI	NTS	Interi m	Zone	BCS	USOC			RATES (\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Incremental	Incremental Charge -	Charge -	Increme Charg Manual Order Electron Disc Ac
				† -		<del>-</del>	Rec	Non re-			ng Disconnect			OSS	Rates (\$)		
H IN IN	ED SYGUANGE IN THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE						<del> </del>	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
12 I	ED EXCHANGE ACCESS LOOP						<del>                                     </del>			<del></del>						COMMAN	SUMIA
- 2-4	VIRE HIGH BIT RATE DIGITAL SUBSCRIE	SER LINE (HDSL) COMPA	TIBLE	LOOP							<del> </del>						
- 1	2 Wire Unbundled HDSL Loop including & facility reservation - Zone 1	ng manual service inquiry								<del> </del>	+						
	2 Wire Unbundled HDSL Loop including	o manual conses is a view		<u> </u>	UHL	UHL2X	9.06				1		İ				
	tă facility reservation - Zone 2			2	l. a n	1					<del> </del>						
	2 Wire Unbundled HDSL Loop including	o magual service inquio			UHL	UHL2X	10.45				1		l		1		
	l& lacility reservation - Zone 3			3	UHL	UHL2X											
	2 Wire Unbundled HDSL Loop without	manual service inquiry			OT IL	UHLZX	16.65						ł	1	1		
<del>-</del>	Iand facility reservation - Zone 1		- 1	1	UHL	UHL2W	9.06			_							
	2 Wire Unbundled HDSL Loop without	manual service inquiry				U. LEE	5.06				ļ.,, <u>, , , , , , , , , , , , , , , , , ,</u>		i	i			
—	and facility reservation - Zone 2		1	2	UHL	UHL2W	10.45				1 1						
	2 Wire Unbundled HDSL Loop without and facility reservation - Zone 3	manual service inquiry					10.70				<u> </u>				i		
4-14	IRE HIGH BIT RATE DIGITAL SUBSCRIB			3_	UHL	UHL2W	16.65	ĺ			1 1	ł					
<del>   </del>	4 Wire Unbundled HDSL Loop includin	ER LINE (HDSL) COMPA	TIBLE L	OOP							<del> </del>						
	Iang tacility reservation - Zone 1				Ĭ						<del> </del>	<del></del>					
$\neg$	4-Wire Unbundled HDSL Loop including	a manual conside inquire		1	UHL	UHL4X	11.95						- 1	1	Ī		
-	land facility reservation - Zone 2		1	2	UHL			"-			<del> </del>						
	4-Wire Unbundled HDSL Loop includin	a manual service inquiry			UHL	UHL4X	13.80						i	İ	İ		
Ш.	and facility reservation - Zone 3			3	UHL	1					† <del></del>						
1.	4-Wire Unbundled HDSL Loop without	manual service inquiry		~	OFIL	UHL4X	21.93				1 1		i				
Щ.	land facility reservation - Zone 1	-	- 1 - 1	1	UHL	UHL4W	14.05		T								
	4-Wire Unbundled HDSL Loop without	manual service inquiry			0.10	OFILARS	11.95						i	i	ĺ		
	land facility reservation - Zone 2	1	1	2	UHL	UHL4W	13.80	1							<del></del>	·	
	4-Wire Unbundled HDSL Loop without	nanual service inquiry				0.12717	13.00							1			
4.180	and facility reservation - Zone 3 RE DS1 DIGITAL LOOP		ı	3	UHL	UHL4W	21.93	- 1			i I					<del>  </del> -	
4-94	4-Wire DS1 Digital Loop - Zone 1					1					<del></del>					ļ	
┿	4-Wire DS1 Digital Loop - Zone 2			1		USLXX	56.82				·						
┪—	4-Wire DS1 Digital Loop - Zone 3			2		USLXX	60.43										
CAPA	CITY UNBUNDLED LOCAL LOOP			3	USL	USLXX	78.66		<del></del>								
$\top$	High Capacity Unbundled Local Loop -	DS3 - Per Mile por	-+		<del></del>	<u> </u>							<del></del>				
1	month			- 1.	UE3	1						<del></del>			<del>-  </del>		_
T"	High Capacity Unbundled Local Loop - I	DS3 - Facility			UE3	†L5ND	13.11				1		ſ	ı			
$\perp$	Termination per month	•		- 1,	JE3	UE3PX							·	·			
	High Capacity Unbundled Local Loop - :	STS-1 - Per Mile per	<del></del>		JC3	UE3PX	297.21					1	ĺ	l	}		
<u> </u>	Imonth	· 1	- 1	- h	JDLSX	1L5ND	10.44	[							<del></del>		
1	High Capacity Unbundled Local Loop - (	STS-1 - Facility				TESIND	13.11					ĺ	ſ	ľ	- 1	J	
NO. E	Hermination per month		J	lu	JDLSX	UDLS1	401.83	ŀ							<del></del>		
NULE	DEDICATED TRANSPORT					10000	401.83						[	ľ	- 1	ļ	
HITE	ROFFICE CHANNEL - DEDICATED TRAN	SPORT				1										<del></del>	
	Interoffice Channel - Dedicated Channel month	- DS1 - Per Mile per		·		T			<del></del>								
<del> </del>				Ţι	J1TD1	1L5XX	0.1379				1		-				
	Interoffice Channel - Dedicated Tranport Termination	- DS1 - Facility		T							<del>-</del>					ł	
<del> </del> -	Interoffice Channel - Dedicated Transpo	d D00 B-14			J1TD1	U1TF1	40.17				ĺ	- 1					
İ	month	(1 - DS3 - Per Mile per		- 1.		1			-		<del></del>					1	
	Interoffice Channel - Dedicated Transpor	t - DC2 - Excitity	-+	- 1	J1TD3	1L5XX	3.02			1	ĺ		ļ	ļ			
1	Termination per month			Į,	li TDa	=-				-		<del></del>	-+				
,	Interoffice Channel - Dedicated Transpor	1 - STS-1 - Per Mile per	-		J1TD3	U1TF3	401.83			ĺ	1		ļ		ĺ	J	
	month			- 1	ITS1	I I EV						<del></del>	<del>-   -</del>				
	Interoffice Channel - Dedicated Transpor	t - STS-1 - Facility	-	- 1	11131	1L5XX	3.02				1				l	7	
<u> </u>	Termination	,	- 1	1.	HTS1	U1TFS	404.00		1				<del>- 1</del>				
ICED I	EXTENDED LINK (EELs)						421.39						J		1	1	
NOTE	The monthly recurring and non-recurring and the Switch-	ng charges below will ap	ply and	the S	witch-As-Is Charge	will not apply	for LINE combi-			T							
NUTE	The monthly recurring and the Switch- NDED 4-WIRE DS1 DIGITAL EXTENDED	As-Is Charge and not the	поп-ге	curring	charges below w	ill apply for UA	IF combinations	econs provis	oned as 'Ord	inarily Combi	ned' Network Ele	ments.		<del></del>	<del>+</del> -		
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED	OOP WITH DEDICATED	DS4 IN	CUITING	charges below w	iii apply for UN	NE combinations	provisioned	s ' Currently	Combined' Ne	twork Flements				<u>_</u>		

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attachmen			
CATEGORY	RATE ELEMENTS	Interi m	Zone	всѕ	USOC			RATES (\$)				Submitted	Charge -	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
<del></del>	<del></del>	1	†*··	<del> </del>			Nonre	curring	Nonrecurrin	g Disconnect			oss	Rates (\$)		
<del></del>		_	_		_	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
<del></del>	4-Wire DS1 Digital Loop in Combination - Zone 1		1	ÜNC1X	USLXX	56.82					1					
<del></del>	4-Wire DS1 Digital Loop in Combination - Zone 2	1		UNC1X	USLXX	60.43										
<del></del>	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	78.66										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile									ļ	1		}			
	per month		$\bot$	UNC1X	1L5XX	0.1379		<u> </u>	<del></del> -	<del></del>	<u> </u>					
-	Interoffice Transport - Dedicated - DS1 combination - Facility								1		1		ļ i			
	Termination per month	<u></u>		UNC1X	U1TF1	40.17			<del> </del>		<b>_</b>					ļ
EXTE	NDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTER	OFFICE	TRANSPORT	<u> </u>	<u> </u>			<del></del>	<del></del>	\					
	DS3 Local Loop in combination - per mile per month	ــــ	-	UNC3X	1L5ND	13.11				<del></del> -	<del> </del>					<del> </del>
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	297.21										L
<del></del>	Interoffice Transport - Dedicated - DS3 - Per Mile per month	1		UNC3X	1L5XX	3.02										
	Interoffice Transport - Dedicated - DS3 combination - Facility			UNC3X	⊔1TF3	401.83						Ĺ				
EXTER	NDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROF	ICE TRANSPORT	1_											
	STS-1 Local Loop in combination - per mile per month	1	7	UNCSX	1L5ND	13.11										
	STS-1 Local Loop in combination - Facility Termination per month			UNCSX	UDLS1	401.83										
<u> </u>	Interoffice Transport - Dedicated - STS-1 combination - per mile per month			UNCSX	1L5XX	3.02										
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	U1TFS	421.39										

Page 6 of 17

Version: 1Q08 GENERIC INTERCONNECTION AGREEMENT 03/10/08

ĺ			1	1	1							_		Attachmer	nt: 2 Exh. B		
CATE	GORY	RATE ELEMENTS	interi m	Zone	BCS	usoc		7-	RATES (\$)			Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge	Incremental Charge - Manual Svc Order vs.	Charge -	Charge Manual Order v
							Rec	Nonre	curring	Nonrecurrir	ng Disconnect	<del></del>	└──			DISC 1St	Disc Ad
UNBUN	VDLED E	XCHANGE ACCESS LOOP					<del> </del>	First	Add'I	First	Add'l		SOMAN	SOMAN	Rates (\$)		
	2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIPED LINE (UDO)	<u>L</u>	L			<del></del>				1.	1	COMPAN	SUMAN	SOMAN	SOMAN	SOMA
			ATIBLE	OOP			T	<del> </del>	<del> </del>			1					
			J	١.					<del></del>	<del></del>							
1	: I	2 Wire Unbundled HDSL Loop including manual assistance		1	UHL	UHL2X	10.06	i	J								
				2	UHL										ļ	1	
- 1	! I	2 Wire Unbundled HDSL Loop including manual service inquiry			UHL	UHL2X	10.99				1	1 1					
				3	UHL					<del></del>	<del> </del>	<del>                                     </del>			ļ	- 1	
		2 Wire Unbundled HDSL Loop without manual service inquiry		Ť	0110	UHL2X	12.20				]		1				
				1	UHL	UHL2W			· <del>- · · · · · · · · · · · · · · · · · ·</del>							ĺ	
- 1	1	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		_		UHLZVV	10.06			1		i I	i	1			
	<del>-  </del> ;	2 Wire Unbundled HDSL Loop without manual service inquiry	i	2	UHL	UHL2W	40.00					<del></del>				i	
- 1					_	OFICEVV	10.99						1	1			
	4-WIKE !	HIGH BIT RATE DIGITAL SUBSCOURSE LINE WAS AND ADDRESS OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF T		3	UHL	UHL2W	12.20					<del></del>					
			TIBLE L	OOP		10.1	12.20				L		- 1			-	
			- 1		-												
	4	-Wire Unbundled HDSL Loop including manual		1	UHL	UHL4X	16.04										
			. 1	. l.			10.01								- 1	ĺ	
	14	-Wire Unbundled HDSL Loop including		2 (	UHL	UHL4X	18.03	i	1	i							
			- 1	3 1	la u										- 1		
- 1	14	-Wire Unbundled HDSL Loop without many		3 1	JHL	UHL4X	19.53		- 1	- 1	J						
-				1 .	JHL										Í		
	4-	Wire Unbundled HDSL Loop without manual service inquiry	$\overline{}$	<del></del>	JII.	UHL4W	16.04			l		1				<del></del>	
				2 (	JHL	UHL4W					<del></del>	<del>-</del> -					
	ar	Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		- 1		UHL4VV	18.03			J	- 1	ĺ	i				
4.		S1 DIGITAL LOOP		3 (	JHL	UHL4W	19.53	1								J	
	4-	Wire DS1 Digital Loop Zone 1				13.1.2.77	19.53					- 1	- 1	- 1			
	14.	vylre DS1 Digital I goo - Zono 3		1 U		USLXX	99.44										
				2 U		USLXX	131.22						<del></del>				
SH CAP	PACIFIE	UNBUNDLED LOCAL LOOP		3 U	ISL	USLXX	342.42							· · <del>-</del> · · · -	<del></del>		
	Hi	gh Capacity Unbundled Local Loop · DS3 - Per Mile per													<del></del>		
-					Γ0					-							
	I <sub>H</sub> é	gh Capacity Unbundled Local Loop - DS3 - Facility			E3	1L5ND	10.64		1								
-	1,6	mulination per month	- 1	1.15	E3						<del></del>					- 1	
- 1	Ima	gh Capacity Unbundled Local Loop - STS-1 - Per Mile per		- 0.		UE3PX	354.56					- 1					
				lu	DLSX	1L5ND	40.04								_		
- 1		ph Capacity Unbundled Local Loop - STS-1 - Facility				TO THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF TH	10.64			_	ĺ	!	- 1				
BUNDL	ED DED	ICATED TRANSPORT		U	DLSX	UDL\$1	368.59	J					<del></del>				
IN	TEROFF	ICE CHANNEL - DEDICATED TRANSPORT					300.39	<del>+</del>				- 1					
	Jinte	Proffice Channel - Dedicated Channel - DS1 - Per Mile nos		_													
				ļ											<del>-</del>		
ļ	inte	eroffice Channel - Dedicated Tranport - DS1 - Facility	<del>-  -</del>	101	TD1	1L5XX	0.26	1		- 1							
				lue	TD1									1	- 1		i
	mor	eroffice Channel - Dedicated Transport - DS3 - Per Mile per			101	U1TF1	110.45			ĺ							
+-			- 1	เป	TD3	1L5XX									- 1		
	Ten	roffice Channel - Dedicated Transport - DS3 - Facility mination per month		1		TLOAN	5.72			. 1		i	1				
<b>—</b>	Inte	roffice Channel - Dedicated Transport - STS-1 - Per Mile per		Ut	TD3	U1TF3	1351,42	- 1				<del></del>					
							1351,42								7		
T		roffice Channel - Dedicated Transport - STS-1 - Facility		U1	TS1	1L5XX	5.72	1						<del></del>			
													1	ı		7	
UNI	BUNDLE	D DARK FIBER	-	U17	TS1	U1TFS	1321.94	ļ		1	1						
	Dark	Fiber - Interoffice Transport, Per Four Fiber Street B	<del></del>	+						<del></del>			_		1	1	
41105=				Luzi	T UDGOV			<del></del>	<del></del>	———							
ANCED	EXTEN	DED LINK (EELs)	-	100	F. UDFCX	L5DF	35.35		1	- 1	ĺ						
				—		1					- 1	ı	ı	1	ı	ı	- 1

MOUNDLE	D NETWORK ELEMENTS - Kentucky		_		<del>-</del>								Attachmer	t: 2 Exh. B	, -	
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)				Submitted	Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge Manual S Order vs
		T			T		Nonre	urring	Nonrecurrin	g Disconnect	<del>                                     </del>		OSS.	Rates (\$)	l	<u> </u>
		Ī				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
NOTE:	The monthly recurring and non-recurring charges below will	apply a	nd the	Switch-As-Is Charg	e will not app	ly for UNE com	inations pro	visioned as ' (	Ordinarily Com	bined' Network	Elements.			30	- DOMENTA	JUNAN
NOTE:	The monthly recurring and the Switch-As-Is Charge and not t	he non-	-recurri	ing charges below v	vill apply for	UNE combination	ns provision	d as ' Current	ly Combined'	Network Eleme	nts.					<del></del>
EXTEN	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED D\$1	INTER	OFFICE TRANSPOR	₹T					r——					<del></del>	<del></del>
	4-Wire DS1 Digital Loop in Combination - Zone 1	<u> </u>		UNC1X	USLXX	99.44				<del> </del>					·	<del></del>
	4-Wire DS1 Digital Loop in Combination - Zone 2			UNC1X	USLXX	131.22										<del></del>
	4-Wire DS1 Digital Loop in Combination - Zone 3	<u> </u>	3	UNC1X	USLXX	342.42			· · · · · · · · · · · · · · · · · · ·	<del></del>						<del></del>
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.22										<del> </del>
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	90.87							_			
EXTEN	DED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FFICE	TRANSPORT	<del>                                     </del>				<del></del>		<del></del>					₩
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	10.64				<del> </del>						<del></del>
	DS3 Local Loop in combination - Facility Termination per month			UNG3X	UE3PX	354.56										
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	4.70				<u> </u>					·-·	<del> </del>
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month			UNC3X	U1TF3	1111,92										ļ —
EXTEN	DED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INTI	EROFF	ICE TRANSPORT							<del></del>					<del> </del>
	STS-1 Local Loop in combination - per mile per month			UNCSX	1L5ND	10.64										
	STS-1 Local Loop in combination - Facility Termination per month			UNCSX	UDLS1	368.59										
	Interoffice Transport - Dedicated - STS-1 combination - per mile per month			UNCSX	1L5XX	4.70										
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	U1TFS	1087.66							<u>-</u>			

		Ι				T								t: 2 Exh. B		
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc	Incremental Charge - Manual Svo Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
		_		<del> </del>		Rec		curring	Nonrecurrin	g Disconnect			220	Rates (\$)		
		†  —		<del>                                     </del>		<del> </del>	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	T
BUNDLED	EXCHANGE ACCESS LOOP	1	_		<del>-  </del>	<del>                                     </del>								SCHIAR	SUMAN	SOMAN
2-WIE	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	.00P		<del></del> -	<del>                                     </del>										
	2 Wire Unbundled HDSL Loop including manual service inquiry				<del></del>				<del> </del>							<del></del>
	& facility reservation - Zone 1	<u>L</u> .	1	UHL	UHL2X	11.26		:	Ì							<del></del>
	2 Wire Unbundled HDSL Loop including manual service inquiry					71.20			<del> </del>	ļ <u>.</u>			_ 1			i
	& facility reservation - Zone 2		2	UHL	UHL2X	13.25			í							
	2 Wire Unbundled HDSL Loop including manual service inquiry					1 .0.20			<del>                                     </del>	<u> </u>						
_	& facility reservation - Zone 3	Ll	3	UHL	UHL2X	14.65			ļ			· 7				
	2 Wire Unbundled HDSL Loop without manual service inquiry								<del></del>						- 1	
	and facility reservation - Zone 1		1	UHL	UHL2W	11.26						7				
	2 Wire Unbundled HDSL Loop without manual service inquiry								<del></del>	ļ						
	and facility reservation - Zone 2		_2	<u>UHL</u>	UHL2W	13.25				i l						
	Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		Ţ							<del></del>						
4.WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA		3	UHL	UHL2W	14.65				1 1						
	4 Wire Unbundled HDSL Loop including manual service inquiry	TIBLE L	OOP							<del>   </del>					1	
-	and facility reservation - Zone 1	- 1								<del> </del>						
	4-Wire Unbundled HDSL Loop including manual service inquiry		1	UHL	UHL4X	18.68	ļ			[		i i	1			
	and facility reservation - Zone 2									<del></del>					1	
	4-Wire Unbundled HDSL Loop including manual service inquiry		2	UHL	UHL4X	19.15				·		i				
	and facility reservation - Zone 3	- 1								<del></del>					i	
<del></del>	4-Wire Unbundled HDSL Loop without manual service inquiry		3	UHL	UHL4X	19.94										
	and facility reservation - Zone 1		- 1													
	4-Wire Unbundled HDSL Loop without manual service inquiry		1	UHL	UHL4W	18.68				1		J				
	and facility reservation - Zone 2															
<del> </del>	4-Wire Unbundled HDSL Loop without manual service inquiry		2 1	UHL	UHL4W	19.15	ļ			ļ	- 1	J	Т			
1	and facility reservation - Zone 3		_		1				·						i	
4-WIRI	DS1 DIGITAL LOOP		3	UHL	UHL4W	19.94	_		ĺ	Į.	i	ļ	ĺ	1		
	4-Wire DS1 Digital Loop - Zone 1		_							· · · <del>- · · ·  </del>					<u>_</u>	
$\neg$	4-Wire DS1 Digital Loop - Zone 1 4-Wire DS1 Digital Loop - Zone 2		1 (		USLXX	98.56										
	4-Wire DS1 Digital Loop - Zone 3		2 ( 3 (		USLXX	224.20					<del></del>					
CAPACI	TY UNBUNDLED LOCAL LOOP	-	3 1	JSL	USLXX	565.73					<del></del>	<del></del>	<del></del> +			
	High Capacity Unbundled Local Loop - DS3 - Per Mile per		-		<del></del>											
	month	i	- 1.	JE3	1		T						<del></del>			
	High Capacity Unbundled Local Loop - DS3 - Facility		- '	JE3	1L5ND	11.55				1	1	1			1	
	Termination per month		l,	JE3	LUEODA	i						<del></del>				
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per		+	7E3	UE3PX	416.69				Į.	1	- 1			i	
	month		l.	JDLSX	1L5ND			Ī								
	High Capacity Unbundled Local Loop - STS-1 - Facility			JDLSX	1L5NU	<u>1</u> 1.55					ł	!	Į.		1	
	Termination per month	- 1	- 1.	JDLSX	UDLS1							<del></del>				
NOTED D	DEDICATED TRANSPORT			DEGX	UULS!	430.74					1	1	ļ	1	İ	
INTER	OFFICE CHANNEL - DEDICATED TRANSPORT				+											
1 .	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per	<del>- +</del>	- ;-		+											
	month		- la	ITD1	1L5XX	0.00			Т							
	Interoffice Channel - Dedicated Tranport - DS1 - Facility				TIC3AA	0.30						l l	J			
	Termination		Į.	JITD1	U1TE1	84.04	ı	[								
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per		<del></del>		1017/1	81.04							1			
1 1	month		lu	ITD3	1L5XX	6.95	1									
	Interoffice Channel - Dedicated Transport - DS3 - Facility	$\neg \vdash$	- 12		110322	6.95							i			
	Termination per month	Ī	ĺυ	1TD3	U1TF3	978.02	ļ	ļ	- 1		7					
1 1	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per				<del> </del>	376.02		<del></del>				_	i			
	month		ĺυ	1T\$1	1L5XX	6.95										
	Interoffice Channel - Dedicated Transport - STS-1 - Facility				1.50/11	0.93							i		1	
, ,	Termination	l	u	1TS1	U1TFS	954.72	1					7				
UNBUN	DLED DARK FIBER				<del>                                     </del>		<del></del>	<u>-</u> -					i			
	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per	$\neg \neg$			<del> </del>		<del></del>									
NCED EX	Route Mile Or Fraction Thereof TENDED LINK (EELs)		∪	DF, UDFCX	1L5DF	29.07	I		ļ			7				
MOCH EX	ERDED LINK (EELS)												1	1	J	ĺ

ABONOLE	D NETWORK ELEMENTS - Louisiana												Attachmen	t: 2 Exh. B	]	
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs.	Charge -	Charge
			$\vdash$		<del></del>		Nonre	curring	Nonrecurrin	g Disconnect	<del> </del>	<u> </u>	OSS	Rates (\$)	·	Ь
						Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
NOTE	The monthly recurring and non-recurring charges below will	apply ar	nd the	Switch-As-Is Charg	e will not app	oly for UNE com	binations pro	visioned as ' (	Ordinarily Con	bined' Network	Elements	-		<del></del>	00.117.11	DOMENT
NOTE:	The monthly recurring and the Switch-As-Is Charge and not t	he non-	recurri	ng charges below v	vill apply for	UNE combination	ns provision	ed as ' Current	ly Combined	Network Eleme	nts.					<del></del>
EXTE	IDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1	INTER	OFFICE TRANSPOR	ŧΤ	1 "1		1	ľ	T	T	<del>                                     </del>		<del> </del> -	<b></b>	<del> </del>
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	98.56		<del>                                     </del>		<del> </del>	<u> </u>			<del></del>		<del> </del> -
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	224.20			<del>                                     </del>							
	4-Wire DS1 Digital Loop in Combination - Zone 3	_	3	UNC1X	USLXX	565.73		<del> </del>	· · · · · · · · · · · · · · · · · · ·	<del> </del>	<del>                                     </del>	<del>-</del>		<del>-</del>		<del></del>
	Interoffice Transport - Dedicated - OS1 combination - Per Mile							<del> </del>	<del> </del>	<del> </del> _		t		<del></del>	<del></del>	<del> </del>
	per month	l :	ĺ	UNC1X	1L5XX	0.30		1		l						
	Interoffice Transport - Dedicated - DS1 combination - Facility		T -		1			<u> </u>	<del> </del>	<del> </del>						
	Termination per month			UNC1X	U1TF1	81.04			1	į	ļ					<b>\</b>
EXTE	IDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERO	FFICE	TRANSPORT					·	<del>                                     </del>						
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	11,55										<del></del>
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	416.69			į							
	Interoffice Transport - Dedicated - DS3 - Per Mile per month		L	UNC3X	1L5XX	6.95			<u> </u>	T						<del></del>
	Interoffice Transport - Dedicated - DS3 combination - Facility				1											
	Termination per month			UNC3X	U1TF3	978.02					<b>j</b>	1				
EXTEN	IDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT							<u> </u>	<del>                                     </del>	i					
	STS-1 Local Loop in combination - per mile per month			UNCSX	1L5ND	11.55					1					
	STS-1 Local Loop in combination - Facility Termination per month			UNCSX	UDLS1	430.74					-					
	Interoffice Transport - Dedicated - STS-1 combination - per mile per month			UNCSX	1L5XX	6.95							·			
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	U1TFS	954.72										<del></del>

	D NETWORK ELEMENTS - Mississippi		_		T								Attachmen	it: 2 Exh. B	l	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.	Charge - Manual Sv Order vs.
			ļ	<u> </u>							!		Electronic- 1st	Electronic- Add'i	Electronic- Disc 1st	Electronic
		ļ	1	<del></del>	<u> </u>	Rec -	Nonrec		Nonrecurrir	g Disconnect	<del> </del> -	<u> </u>		Rates (\$)		1
			$\vdash$	<del> </del>	<del></del>	—————		Add'I		Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	60
UNBUNDLED I	EXCHANGE ACCESS LOOP				<del></del>			<del> </del>						COMAN	SUMAN	SOMAN
Z-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE I	LOOP		1				<del> </del>	ļ						
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1								+	<del></del>	<u> </u>					
	2 Wire Unbundled HDSL Loop including manual service inquiry		1	UHL	UHL2X	10.06				1	1		·			
I	1& facility reservation - Zone 2		2	UHL						<del> </del>	<del> </del>					
	2 Wire Unbundled HDSL Loop including manual service inquire			UNL	UHL2X	10.60				ļ	} I	1	i	ſ	J	
	L& facility reservation - Zone 3		3	UHL	UHL2X	11,35	i									
ļ	2 Wire Unbundled HDSL Loop including manual service inquiry				U/ICZX	11.35			ļ <u> </u>	<u> </u>					- 1	
<del></del>	& facility reservation - Zone 4		4	UHĻ	UHL2X	12.03	- 1			i i						
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	Ī		_					· · · · · · ·	<del></del>	l					
	2 Wire Unbundled HDSL Loop without manual service inquiry		. 1	UHL	UHL2W	10.06	l			i i						
l l	land facility reservation - Zone 2			UHL	I				<del>                                     </del>	<del> </del>						
	2 Wire Unbundled HDSL Loop without manual service inquiry		<del></del> _	UHL	UHL2W	10.60			<u>i</u>	ł i			ļ			
i	and facility reservation - Zone 3		3	UHL	UHL2W	11,35										
	2 Wire Unbundled HDSL Loop without manual service inquiry				OI ICEVV	11,35										
4 WIDE	and facility reservation - Zone 4		4	UHL	UHL2W	12.03	1									
4-44165	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPAT	IBLE L	OOP			72.00	<del></del>		-						- 1	
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1	- [							<del></del>		<del></del>					
	4-Wire Unbundled HDSL Loop including manual service inquiry		1	UHL	UHL4X	15.85			,	ļ ļ	1	ľ				
	and facility reservation - Zone 2		2	UHL						<del></del>						
	4-Wire Unbundled HDSL Loop including manual service inquiry		- 2	UHL	UHL4X	15.44				ļ	İ		1		Ţ	
1 1	and facility reservation - Zone 3		3	UHL	UHL4X	47.00	i						<del></del>			
	4-Wire Unbundled HDSL Loop including manual service inquiry		<del>-</del>	0.12	UHL4X	17.93						-	1	ļ	]	
1 1	and facility reservation - Zone 4	_	4	UHL	UHL4X	16.63					- 1					<del></del>
1 1	4-Wire Unbundled HOSL Loop without manual service inquiry and facility reservation - Zone 1				1	10.00	<del></del>							ļ	1	}
<del> </del>	4-Wire Unbundled HDSL Loop without manual service inquiry		1	UHL	UHL4W	15.85	j			1				-		
I N	and facility reservation - Zone 2		2					*								i
- I	4-Wire Unbundled HDSL Loop without manual service inquiry		-2	UHL	UHL4W	15.44				- 1			ľ			
l li	and facility reservation - Zone 3	- 1	3	UHL	UHL4W									<del></del>		
1	4-Wire Unbundled HDSL Loop without manual service inquiry		<del></del>	0/1 <u>L</u>	UHL44V	17.93					1		İ	1	-	ŀ
16	and facility reservation - Zone 4	1	4	JHL	UHL4W	16.63		1	ĺ						<del></del>	
4-WIRE	DS1 DIGITAL LOOP				10.12.11	10.03							_ !		]	
	4-Wire DS1 Digital Loop - Zone 1 1-Wire DS1 Digital Loop - Zone 2		1 [	JSL	USLXX	118.62										
	- Wire DS1 Digital Loop - Zone 2		2 (		USLXX	148.79	-  -		···							
4	-Wire DS1 Digital Loop - Zone 4		3 [		USLXX	237.75										
GH CAPACITY	UNBUNDLED LOCAL LOOP		4 (	191	USLXX	527.23						<del></del>				
[+	ligh Capacity Unbundled Local Loop - DS3 - Per Mile per		$\dashv$		<del>   </del>											
, in	nonth I		lı	JE3	1L5ND	12.88	- 1	- 1								
	figh Capacity Unbundled Local Loop - DS3 - Facility		T		1.00140	12.00	<del></del>							ĺ	ļ	- 1
<del>-   </del>	ermination per month			JE3_	UE3PX	375.07	}	1								
;	ligh Capacity Unbundled Local Loop - STS-1 - Per Mile per						<del></del>									
	ligh Capacity Unbundled Local Loop - STS-1 - Facility			JDLSX	1L5ND	12.88	- 1	ļ			- 1	İ				
1 11	ermination per month	1	ĺ,	ID: OV						<del>-  -</del>	<del></del>					
IBUNDLED DE	DICATED TRANSPORT	$\dashv$		DLSX	UDLS1	389.33						ĺ	-	ļ		
INTEROF	FICE CHANNEL - DEDICATED TRANSPORT	<del>+</del>	-+		<del> </del>								<del></del>			
lr lr	steroffice Channel - Dedicated Channel - DS1 - Per Mile per				<del> </del>	<del></del>	$-\!\!+$	———					<del></del>			
m	nonth	_	lu	ITD1	1L5XX	0.23	!	1	Т	-						
	Iteroffice Channel - Dedicated Tranport - DS1 - Facility	$\neg \neg$		****	<del></del>	0,23								1		
100	ermination		U	1TD1	U1TF1	65.93		1	- 1	- 1		7-				
	steroffice Channel - Dedicated Transport - DS3 - Per Mile per						<del></del>	<del></del>	<del></del>							ļ
			<u></u>	1TD3	1L5XX	5.47				1	1		1 '			

	BUNDLED NETWORK ELEMENTS - Mississippi		T							16.5	1	Attachmen	t: 2 Exh. B		
ATEC	EGORY RATÉ ELEMENTS	Interi	Zone	BCS	USOC	;	RATES		<u> </u>	Elec per LSR	Manually	Manual Svc Order vs.	Charge -	Charge - Manual Svc Order vs.	Charge -
	Interoffice Channel - Dedicated Transport - DS3 - Facility		L			Rec	Add'i	_ NO	nrecurring Disconnec			OSS	Rates (\$)		
	Termination per month						Addi	<del></del>	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	
<del></del>	Termination per month		1	U1TD3	U1TF3	738.18		1					SOMAN	SUMAN	SOMAN
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per	7	<b>—</b>		1011110	/36.18					l í	' I		J	
	month	1		U1TS1	1L5XX		!								
	Interoffice Channel - Dedicated Transport - STS-1 - Facility		_		16500	5.47							ĺ		
	Termination	1	I .	UITSI	LIATEO	-									
	UNBUNDLED DARK FIBER	<del> </del>	<del>                                     </del>	01101	U1TFS	740.84		- 1			I	I			
	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per	+								<del> </del>			1		
	I Provide Mile Or Fraction Thereof	1	] [	USE ARES				-	<del></del>	<del>-</del> }					
MAH	NCED EXTENDED 1 (NK /EEL a)	<del></del>		UDF, UDFCX	1L5DF	32.51			ļ	1 1	1				
- 1	NOTE: The monthly required and discounting							-					]		
	NOTE: The monthly recurring and non-recurring charges below will NOTE: The monthly recurring and the Switch-As-Is Charge and not EXTENDED 4-WIRE DSI DIGITAL EXTENDED LOOP WITH DEDICA 4-WIRE DSI DIGITAL EXTENDED LOOP WITH DEDICA	apply a	nd the	Switch-As-Is Char	ge will not appl	v for UNE combi	inations provide and	10-11							
_	EXTENDED 4 WIPE DOA DIGITAL THE SWITCH-AS-IS Charge and no	the non-	recurri	ng charges below	will apply for U	NF combination	nations provisioned a	Ordina	irily Combined' Netwo	rk Elements.		-			
_	EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICA  4-Wire DS1 Digital Loop in Combination - Zone 1	TED D\$1	INTER	OFFICE TRANSPO	ORT T		s provisioned as Curi	ently Co	mbined' Network Elem	nents.					
			111	UNC1X	USLXX	90.94									
$\rightarrow$	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	148.79									
	4-Wire DS1 Digital Loop in Combination - Zone 3			UNC1X	USLXX										
$\rightarrow$	4-wire DS1 Digital Looal Loop in Combination - Zone 4			UNC1X	USLXX	237.75				<del>                                     </del>					
	Unteroffice Transport Destinated DO		•		IUSLAA I	527.23									
[	Interest of the sport - Dedicated - DS1 combination - Per Mile	1							}						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			INCAY				-		+					
	1 per month			UNC1X	1L5XX	0.23				+	-				
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month														
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month				1L5XX U1TF1										
E	per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month  EXTENDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS	INTERO	FFICE	UNC1X TRANSPORT		0.23									
E	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month	INTERO	FFICE			0.23 59.48									
E	per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month  EXTENDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS:  DS3 Local Loop in combination - per mile per month	INTERO	FFICE	UNC1X TRANSPORT	U1TF1	0.23									
E	per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month  EXTENDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS:  DS3 Local Loop in combination - per mile per month  DS3 Local Loop in combination - Facility Termination - Per mile per month	INTERO	FFICE	UNC1X TRANSPORT	U1TF1	0.23 59.48 12.88									
Ē	per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month  EXTENDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS:  DS3 Local Loop in combination - per millipy Termination per month Interoffice Transport - Dedicated - DS3 - per Millipy per month	INTERO	FFICE	UNC1X FRANSPORT JNC3X JNC3X	U1TF1 1L5ND UE3PX	0.23 59.48 12.88 375.07									
E	per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month  EXTENDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS:  DS3 Local Loop in combination - per mile per month  DS3 Local Loop in combination - Facility Termination per month Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 - Per Mile per month	INTERO	FFICE	UNC1X FRANSPORT JNC3X	U1TF1	0.23 59.48 12.88									
-	per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month  EXTENDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS:  DS3 Local Loop in combination - per mile per month  DS3 Local Loop in combination - Facility Termination per month Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month		FFICE	JNC1X FRANSPORT JNC3X JNC3X JNC3X	U1TF1 1L5ND UE3PX 1L5XX	0.23 59.48 12.88 375.07 5.47									
-	per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month  EXTENDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS: DS3 Local Loop in combination - per mile per month Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month  EXTENDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED CO		FFICE	JNC1X FRANSPORT JNC3X JNC3X JNC3X	U1TF1 1L5ND UE3PX	0.23 59.48 12.88 375.07									
-	per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month  EXTENDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS:  DS3 Local Loop in combination - per mile per month  DS3 Local Loop in combination - Facility Termination per month Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month  EXTENDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED S'  STS-1 Local Loop in combination - per mile per secretic		FFICE	UNC1X FRANSPORT UNC3X UNC3X UNC3X UNC3X UNC3X UNC3X UNC3X	U1TF1  1L5ND  UE3PX 1L5XX  U1TF3	0.23 59.48 12.88 375.07 5.47 738.18									
-	per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month  EXTENDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS:  DS3 Local Loop in combination - per mile per month  DS3 Local Loop in combination - Facility Termination per month Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month  EXTENDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED S'  STS-1 Local Loop in combination - per mile per secretic		FFICE	JNC1X FRANSPORT JNC3X JNC3X JNC3X	U1TF1  1L5ND  UE3PX 1L5XX	0.23 59.48 12.88 375.07 5.47									
-	per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month  EXTENDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS: DS3 Local Loop in combination - per mile per month  DS3 Local Loop in combination - Facility Termination per month Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month  EXTENDED STS-1 DigITAL EXTENDED LOOP WITH DEDICATED S' STS-1 Local Loop in combination - Per mile per month STS-1 Local Loop in combination - Facility Termination per month		FFICE	JNC1X IRANSPORT JNC3X JNC3X JNC3X JNC3X JNC3X JNC3X JNC3X JNC3X	U1TF1 1L5ND UE3PX 1L5XX U1TF3	0.23 59.48 12.88 375.07 5.47 738.18									
-	per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month  EXTENDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS: DS3 Local Loop in combination - per mile per month  DS3 Local Loop in combination - Facility Termination per month Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month  EXTENDED STS-1 DigITAL EXTENDED LOOP WITH DEDICATED S' STS-1 Local Loop in combination - Per mile per month STS-1 Local Loop in combination - Facility Termination per month		FFICE	UNC1X FRANSPORT UNC3X UNC3X UNC3X UNC3X UNC3X UNC3X UNC3X	U1TF1  1L5ND  UE3PX 1L5XX  U1TF3	0.23 59.48 12.88 375.07 5.47 738.18									
-	per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month  EXTENDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS: DS3 Local Loop in combination - per mile per month Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month  EXTENDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED S' STS-1 Local Loop in combination - per mile per month STS-1 Local Loop in combination - Facility Termination per month Interoffice Transport - Dedicated - STS-1 combination - per mile Interoffice Transport - Dedicated - STS-1 combination - per mile		FFICE	JNC1X IRANSPORT JNC3X JNC3X JNC3X JNC3X JNC3X JNC3X JNC3X JNC3X	U1TF1 1L5ND UE3PX 1L5XX U1TF3	0.23 59.48 12.88 375.07 5.47 738.18									
-	per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month  EXTENDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS:  DS3 Local Loop in combination - per mile per month  DS3 Local Loop in combination - Facility Termination per month Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month  EXTENDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED S'  STS-1 Local Loop in combination - per mile per month STS-1 Local Loop in combination - Facility Termination per month Interoffice Transport - Dedicated - STS-1 combination - per mile per month		FFICE	JNC1X IRANSPORT JNC3X JNC3X JNC3X JNC3X JNC3X JNC3X JNC3X JNC3X	U1TF1 1L5ND UE3PX 1L5XX U1TF3 1L5ND UDLS1	0.23 59.48 12.88 375.07 5.47 738.18 12.88 389.33									
-	per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month  EXTENDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS: DS3 Local Loop in combination - per mile per month Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month  EXTENDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED S' STS-1 Local Loop in combination - per mile per month STS-1 Local Loop in combination - Facility Termination per month Interoffice Transport - Dedicated - STS-1 combination - per mile Interoffice Transport - Dedicated - STS-1 combination - per mile		FFICE	JNC1X IRANSPORT JNC3X JNC3X JNC3X JNC3X JNC3X JNC3X JNC3X JNC3X JNC3X JNC3X JNCSX JNCSX JNCSX JNCSX	U1TF1 1L5ND UE3PX 1L5XX U1TF3	0.23 59.48 12.88 375.07 5.47 738.18									

UNBUNDLE	ED NETWORK ELEMENTS - North Carolina						· -						Attachmer	t; 2 Exh. B	ļ	
ATEGORY	RATE ELEMENTS	Interi m	Zопе	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge -	Incremental Charge -	Incremental Charge - Manual Svc Order vs.	Charge -
												ļ	Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic Disc Add
			I			Rec	Nonre	curring		g Disconnect			OSS	Rates (\$)		•
	<del></del>	<b></b>			<del></del>		First	Add'I	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
NECKARA EE	EVOLUNIOS A COSCON L CON	<u> </u>	-	<del></del>	<del></del>	<del>{</del>		ļ		<del></del>	·	<u> </u>				
	EXCHANGE ACCESS LOOP E DS1 DIGITAL LOOP	<b>├</b> ──	<del>}</del>		<del></del> -			<b></b>	<b> </b>	<del> </del>	<u> </u>	L				
4-4414	4-Wire DS1 Digital Loop - Zone 1	<del></del>	<del>  _,  </del>	USL	ÜSLXX	73.16			<del></del>	<del> </del>		<del></del>	Ļ			
<del></del>	4-Wire OS1 Digital Loop - Zone 2	<del> </del> -	2		USLXX	120.06		<del> </del>	<del> </del>	<del>}</del>	<del></del>	<del> </del>		ļ		
<del></del>	4-Wire DS1 Digital Loop - Zone 3	├	3		USLXX	241.75		<del> </del>	<del> </del>	<del> </del>	<del></del>	<del></del>				
IGH CAPAC	ITY UNBUNDLED LOCAL LOOP			001	1000	241.75		<del></del>	<del>                                     </del>	<del> </del>	<del> </del>		<del></del>	<b> </b>		<del></del>
1	High Capacity Unbundled Local Loop - DS3 - Per Mile per	<del> </del> -	<del>                                     </del>		<del>}</del>	<del>   </del>		<del></del>	<del> </del>	<del> </del>	<del></del>	<del></del>	<del> </del>			
	month High Capacity Unbundled Local Loop - DS3 - Facility	ļ <u>.</u>		UE3	1L5ND	14.89		<u></u> _	<u> </u>	ļ	ļ					
}	Termination per month	ĺ	1 1	UE3	UE3PX	264.38				1	1			1		
<del></del>	High Capacity Unbundled Local Loop - STS-1 - Per Mile per	<del> </del>	<del>  </del>	OLU .	JUESTA .	204.30		<del></del>	<del> </del>	<del> </del>	<del></del>	<del> </del>	ļ_ <del></del>	ļ <del>.</del>		
	month	Į.	Į Į	UDLSX	1L5ND	14.89		<b>\</b>	}	1	1	1				!
	High Capacity Unbundled Local Loop - STS-1 - Facility	<del>                                     </del>			1.20140	17.50	<del> </del>	<del>                                     </del>	<del> </del>	<del> </del>	+	<del>                                      </del>	<del></del>	<del></del>		
	Termination per month	ļ	ļ i	UDLSX	UDLS1	296.49		l	Į	(	(	\ ·	{	1		}
NBUNDLED	DEDICATED TRANSPORT		1 -		100.01	250.70		<del>  -                                   </del>	<del> </del>	<del> </del>	+		<del></del>	<del></del>		
	OFFICE CHANNEL - DEDICATED TRANSPORT		· · · · · ·					<del></del> -	<del> </del>	<del> </del>	<del> </del>					
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per				1				<del></del>	<del> </del>	<del>                                      </del>	<del>                                     </del>	<del></del>			
- 1	month	ì	l l	U1TD1	1L5XX	0.2229		i		1	1				ļ	
	Interoffice Channel - Dedicated Tranport - DS1 - Facility								<del></del>	<del> </del>	<del></del>		<del></del>			
	Termination	(	( (	UITDI	UITFI	35.87		1	ì	}	1	l	l			
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	5,11										
<u> </u>	Interoffice Channel - Dedicated Transport - DS3 - Facility		<del>-</del>		1			<del></del>	<del> </del>	<del>`</del>	<del></del>	<del></del>		<b></b>		
ì	Termination per month			U1TD3	U1TF3	379.40			1			ļ			J	
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TS1	1L5XX	5.11				-	1					
	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination			UITSI					<u> </u>	\						
Tanana a	NOLED DARK FIBER	<b>├</b> ─-		01181	U1TFS	390.08		<del> </del>	<del> </del>	<del></del>	<del> </del>					
OIVEO	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per		<del>  </del>		<del> </del>			<del> </del>	<del> </del>	<del> </del>	<del> </del>	i				
i	Route Mile Or Fraction Thereof	ĺ	l l	UDF, UDFCX	1L5DF	28.49		i	ļ		1	]	l		į	
NHANCED E	XTENDED LINK (EELs)	<del> </del> -	<del>}</del> —	ODF, DOFCX	TUDDE	20.43			<del> </del>		<del> </del> -					
	The monthly recurring and non-recurring charges below will.	anniv a	nd the	Switch-As-le Charc	se will not app	ly for LINE com	higations are	vieloged as ' C	L.	him all Markers	L + C					
NOTE	The monthly recurring and the Switch-As-Is Charge and not t	he non-	recurri	o charges below	will apply for I	UNE combination	on provision	ed as Current	ty Combined I	Natural Flore	K Elements.					
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATI	ED DS1	INTER	OFFICE TRANSPO	RT	OTTE GOTTE MALL	zita provision	ou as Current	iy combined i	HOWOTK EIGHT	ents.					
	4-Wire DS1 Digital Loop in Combination - Zone 1			UNC1X	USLXX	73.16		<del></del>	<del></del>	<del> </del>	<del> </del>			<del></del>	<del></del>	
	4-Wire DS1 Digital Loop in Combination - Zone 2			UNC1X	USLXX	120.06			<del> </del>	<del> </del>	+				<del></del>	
	4-Wire DS1 Digital Loop in Combination - Zone 3			UNC1X	USLXX	241.75				<del> </del>	†					
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		[ 1		T -	-				<del>                                     </del>	<b>—</b>			<del></del>	<del></del>	
	per month	L		UNC1X	1L5XX	0.2229		L	ļ		1	1		ļ	ł	
	Interoffice Transport - Dedicated - DS1 combination - Facility										T					
	Termination per month		1	UNC1X	UITEL	35.72			<u>L</u> .	l					1	
EXTE	NDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC														
<del></del>	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	14.89	·				1					
l l	200	Ì	1							]						
<del></del>	DS3 Local Loop in combination - Facility Termination per month	<u></u>		UNC3X	UE3PX	264.38			<u></u>	<u> </u>	<u> </u>				(	
	Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 combination - Facility	_	<b></b>	UNC3X	1L5XX	5.11			<del> </del>	<del></del>	<del> </del>					
	Termination per month	!	}	UNC3X	U1TF3	379.40			ĺ	I		ļ		· - 7	T	
EYTER	NDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	C.4 INITI			U11F3	3/9,40			<del></del>	<del> </del>	<del>  -  </del>					
FVIEL	STS-1 Local Loop in combination - per mile per month	2-1 IM		UNCSX	1L5ND	14.89			<del></del>	<del></del>	<del> </del>					
	STS-1 Local Loop in combination - Facility Termination per	<del> </del> -	<del> </del>	UNCOA	TESIND .	14.69			<del> </del>	<del></del>	<del> </del> -					
	month			UNCSX	UDLS1	390.08				<u> </u>						
	Interoffice Transport - Dedicated - STS-1 combination - per mile	l	1		1L5XX			-		ļ — <del>— —</del>						
	per month			UNCSX	ILOAA	5,11		l,	١ '	1	1			1		
<del>-                                    </del>	per month Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	I LOXX	5,111			<del></del>	<del></del>	<del>}</del>				<del></del>	

	1	1											Attachment: 2 Exh. B			
TEGOF	RY RATE ELEMENTS	Interi m	Zone	BCS	Usoc	RATES (\$)				Svc Order Submitted Elec per LSR	Submitted	Incremental	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increme Charg Manual Order Electro Disc A	
-					<del></del>	Rec	First	curring	Nonrecurrin	g Disconnect			OSS	Rates (\$)		L
BUNDU	ED EXCHANGE ACCESS LOOP				-		First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	2014
DONDE	MIDE HIGH BIT PATERS LOOP					+	<del> </del>	<del></del>	-					- COMPAN	SOWAN	SOMA
2-4	WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	OOP	·		<del></del>	<del></del>	<del> </del>								
	14 WIFE UNDURGED HUST LOOP including manual conden incluing			1				<del></del>	<u> </u>							
	& facility reservation - Zone 1		1	UHL	UHL2X	11.02						-				
	2 Wire Unbundled HDSL Loop including manual service inquiry					11.02			ļ							
	& facility reservation - Zone 2		2	UHL	UHL2X	12.56										
	2 Wire Unbundled HDSL Loop including manual service inquiry				J. 1227	12.56							!	1		
$\dashv$	16. IBCIDIO PESERVATION - Zono 3		3	UHL	UHL2X	13.11										
	2 Wire Unbundled HDSL Loop without manual service inquiry				- OTTEEX	13.11						- 1	i			
	Idrig lacility reservation - Zone 1		1	luht	UHL2W	44.00				1						
	2 Wire Unbundled HDSL Loop without manual service inquiry				CHEEVY	11.02							ľ			
-	Iang lacility reservation - Zone 2		2	UHL	UHL2W	40.00										
- 1	2 Wire Unbundled HDSL Loop without manual service inquiry	_		OTTE	UPILZVV	12.56								- 1	ŀ	
	land facility reservation - Zone 3		3	UHL	UHL2W	!										
4-14	IRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE L	OOP	0.12	UNLZVY	13.11				1	1	]	İ		- 1	
	14 Wire Unbundled HDSL Loop including manual condensing the Line I	1	<del>-</del> <del>-</del> <del>-</del> -													
	Tand facility reservation - Zone 1		- 1 I	UHL	UHL4X											
	4-Wire Unbundled HDSL Loop including manual service inquiry			OTTE	UHL4X	18.42					- 1		1			
	land lacility reservation - Zone 2		2	UHL	1.00 42						-					
	4-Wire Unbundled HDSL Loop including manual control in suits.	-		OFIL	UHL4X	16.48				1	- 1			- 1		
	IdiiQ idCiiiV reservation - Zono 3	- 1	3	UHL												
	4-Wire Unbundled HDSL Loop without manual service inquiry			UNL	UHL4X	19.37								J		
	land facility reservation - Zone 1	- 1	٠ ا	UHL												
	4-Wire Unbundled HDSL Loop without manual sense inquire		-	UHL	UHL4W	18.42				i	- 1		- 1			
_ i	and facility reservation - Zone 2		2										· · · · · · · · · · · · · · · · · · ·			
	4-Wire Unbundled HDSL Loop without manual service inquiry	-+	-2	UHL	UHL4W	16.48						ļ				
	and facility reservation - Zone 3		_												- 1	
4-W	IRE DS1 DIGITAL LOOP	-	3	UHL	UHL4W	19.37				- 1						
	4-Wire DS1 Digital Loop - Zone 1														-	
	4-Wire DS1 Digital Loop - Zone 2		_11	USL	USLXX	91.44				<del></del>						
	4-Wire DS1 Digital Loop - Zone 3		2 (	USL	USLXX	156.40										
CAPA	CITY UNBUNDLED LOCAL LOOP		3 l	JSL	USLXX	263.52		· ·								
	High Capacity Unbundled Local Loop - DS3 - Per Mile per															
	month		- 1													
	High Capacity Unbundled Local Loop - DS3 - Facility		Ţ	JE3	1L5ND	14.10		1			- 1					
1	Termination per month		- 1											i	- 1	
_	High Capacity Unbundled Local Loop - STS-1 - Per Mile per			JE3	UE3PX	352.31		I	- 1	Í						
	month													ļ	ł	
_	High Capacity Unbundled Local Loop - STS-1 - Facility		l	JDLSX	1L5ND	14.10	1		i		- 1					
	Termination per month		I										. 1		- 1	
INDLEC	DEDICATED TRANSPORT		U	IDLSX	UDLS1	360.51		i		1		-				
INTE	ROFFICE CHANNEL - DEDICATED TRANSPORT													1		
1	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per					-										_
	month														<del>-</del> -	
+	Interesting Channel D. H.		[U	ITD1	1L5XX	0.39		İ		- 1	-					
1	Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination				1	- 5.00									!	
+	Interesting Channel Dadis and State Channel Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Continued Co	i	U	ITD1	U1TF1 İ	88.71										
1	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month					00.71							,	i		
<del></del>			U	1TD3	1L5XX	9.22				1	[				<del></del>	
1	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month					0.22								- 1	ĺ	
+	Interesting Observation 1		_  υ	1TD3	U1TF3	1012.75	1	ł								
1	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month				-	7512.75						- 1			J	
+		}	U	1T\$1	1L5XX	9.22	- 1			1				<del></del>		
	Interoffice Channel - Dedicated Transport - STS-1 - Facility					0.22	<del></del> -						1	ļ	ı	
LINE	Termination		U	1751	UITES	1012.63		- 1							<del></del> -	
TONRE	INDLED DARK FIBER		- 1		<del></del>	1012.03					1	1	1	I	ĺ	
	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per	$\neg$	_		<del>                                     </del>											
HOES -	Route Mile Or Fraction Thereof  XTENDED LINK (EELs)		- Ju	DF, UDFCX	1L5DF	41.87										
NUEDE	XTENDED LINK (FFI *)				I LUUI'	41.87 1	l l		1	1	ı	1	- 1	- 1	1	-

	PARTHODICE: FINCHTO Cough Carolina													t: 2 Exh. B		
TEGORY	D NETWORK ELEMENTS - South Carolina  RATE ELEMENTS	interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge Manual S Order v
					ļ	<del></del>	Nonco	urring	Nonrecurring	Disconnect		L	OSS	Rates (\$)		
			-		<del> </del>	Rec -	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	The monthly recurring and non-recurring charges below will	Demanda D	nd the	Switch-As-Is Charg	e will not an	nly for UNE com	pinations pro	visioned as	Ordinarily Com	bined Networ	k Elements.					
NOTE:	The monthly recurring and non-recurring charges below will	appiy a	no me	Switch-Aa-la Charg				- 1 C	the Combined's	Jahuark Eleme	nte					
NOTE:	The monthly recurring and the Switch-As-Is Charge and not t	he non	recurr	ing charges below v	will apply for	UNE combination	ns provision	ed as Curren	ny Compined I	Jetwork Eleme	iira.	<del></del>	<del> </del> -	<del></del>	<del> </del>	<del></del>
EXTEN	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1	INTER	OFFICE TRANSPOR	<:	104.50			<del> </del>		<del></del>	<del></del>				<del></del>
	4-Wire DS1 Digital Loop in Combination - Zone 1		1 1	UNCIX	JUDILAA			<u> </u>	<del> </del>		<del>                                      </del>					
	4-Wire DS1 Digital Loop in Combination - Zone 2			UNC1X	USLXX	178.74			ļ <del>.</del>							<del></del>
	4-Wire DS1 Digital Loop in Combination - Zone 3		3_	UNCIX	USLXX	301.17			<u> </u>		<del></del>	<del>-</del> -	<del></del>	<del></del>		<del> </del>
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			UNC1X	1L5XX	0.31					<u> </u>				<u> </u>	<u> </u>
	Interoffice Transport - Dedicated - DS1 combination - Facility			UNC1X	U1TF1	88.71									 	<u> </u>
EXTE	NDED DES DIGITAL EXTENDED LOOP WITH DEDICATED DES	INTER	OFFICE	TRANSPORT					<del> </del>			<del></del> -	<del></del>			+
	DS3 Local Loop in combination - per mile per month	Ĺ	Ī	UNC3X	1L5ND	14.10			<del></del> _		<del> </del>			<del></del>		<del> </del>
	DS3 Local Loop in combination - Facility Termination per month		[	UNG3X	UE3PX	352.31								)		<u> </u>
	Interoffice Transport - Dedicated - DS3 - Per Mile per month		$T^{-}$	UNC3X	1L5XX	9.22		<u> </u>	<u> </u>		<u> </u>	<u> </u>	<del> </del>	·———		<del>↓</del> ——
	Interoffice Transport - Dedicated - DS3 combination - Facility			UNC3X	U1TF3	1012.75					<u> </u>	ļ	Ĺ		<u> </u>	<u> </u>
EXTE	NDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	<u>5-1</u> IN	EROF	FICE TRANSPORT				<del></del>			ļ	<del></del>	<del> </del>	<del> </del>	<del></del>	+
	STS-1 Local Loop in combination - per mile per month	1		UNCSX	1L5ND	14.10		<u> </u>	<del></del>	<del> </del>	<b>-</b>	<del> </del> -	<del> </del>	<del></del> -	<del></del>	+
	STS-1 Local Loop in combination - Facility Termination per			UNCSX	UDLS1	360.51				<u> </u>	<u> </u>	-				<del> </del>
	Interoffice Transport - Dedicated - STS-1 combination - per mile per month			UNCSX	1L5XX	9.22					ļ	<u> </u>	<u> </u>			<del> </del>
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	U1TFS	1012.63			<u> </u>		<u> </u>				L	<u> </u>

UNBUNDL	ED NETWORK ELEMENTS - Tennessee													Attachman	t: 2 Exh. B	<del>"</del>	
CATEGORY		Interi m	Zone	•	BCS	usoc		-	RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic Disc Add'I
	<u> </u>	+	ļ	+			Rec	Nonrecurring	A . 411		g Disconnect				Rates (\$)		
	<del> </del>	+	<del> </del>	-		-		First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	D EXCHANGE ACCESS LOOP	1	$\vdash$	+					·	<del>                                     </del>	<del> </del>	<del> </del>			<u> </u>		
2-Wi	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMP		LOOP							<del></del>	<del> </del>	<u> </u>					
1	2 Wire Unbundled HDSL Loop including manual service inquiry	1										_			_		
	& facility reservation - Zone 1	_	1 1	UHL		UHL2X	11.09				<u> </u>					L. i	
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2		2	UHL		UHL2X	16.61										
<del></del>	2 Wire Unbundled HDSL Loop including manual service inquiry	<del> </del>		JUAL.		UHLZX	16.61		<del></del>	<del></del>	<del> </del>	<del> </del>					
1	& facility reservation - Zone 3		3	UHL		UHL2X	27.74			1		ĺ					
	2 Wire Unbundled HOSL Loop without manual service inquiry	1	$\vdash$								<del> </del>	<u> </u>					
	and facility reservation - Zone 1		1	UHL		UHL2W	11.09			<u>L_</u> .	<u> </u>	<b>,</b>			1	1	
	2 Wire Unbundled HDSL Loop without manual service inquiry	i	_ [	l						1	1						
	and facility reservation - Zone 2  2 Wire Unbundled HDSL Loop without manual service inquiry	+	2	UHL		UHL2W	16.61			<del> </del>	<del> </del>						
!	and facility reservation - Zone 3		3	UHL		UHL2W	27,74			1						Ī	
4-WI	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMP.	ATIBLE				- Jorace W	21.14			<del>                                     </del>	<del>  -</del>						
	4 Wire Unbundled HDSL Loop including manual service inquiry			<del> </del>		· · · · ·					<del> </del>						
	and facility reservation - Zone 1		1	UHL		UHL4X	14.26				L						
	4-Wire Unbundled HDSL Loop including manual service inquiry	l	[	ļ						1	T -		· ·				
<del></del>	and facility reservation - Zone 2	<del> </del>	2	UHL		UHL4X	21.37			<u> </u>							
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3		3	UHL		1.01.452	25.00										
	4-Wire Unbundled HDSL Loop without manual service inquiry	┼	լ	URL		UHL4X	35.68				<del> </del>						
	and facility reservation - Zone 1		1	UHL		UHL4W	14,26								i		
	4-Wire Unbundled HDSL Loop without manual service inquiry	<del> </del>		1						<del>                                     </del>	<del>  -</del>						
	and facility reservation - Zone 2		2	UHL		UHL4W	21.37			L	I			İ	i	ļ	
	4-Wire Unbundled HDSL Loop without manual service inquiry			Ţ						1	T						
	and facility reservation - Zone 3	-	3	UHL		UHL4W	35.68				ļ. <u></u>	<u> </u>					
4-771	RE DS1 DIGITAL LOOP  [4-Wire DS1 Digital Loop - Zone 1	₩	<del> </del>	USL		USLXX	59.091			<u> </u>							
	4-Wire DS1 Digital Loop - Zone 2	<del>                                     </del>		USL		USLXX	88.53		·		<del> </del>						
	4-Wire DS1 Digital Loop - Zone 3	<del> </del>		USL		USLXX	147.82			<del>                                     </del>	<del>                                     </del>				<del></del>		———— <u> </u>
HIGH CAPAC	CITY UNBUNDLED LOCAL LOOP	<del>                                     </del>	<u> </u>	1000							<del> </del>		<del></del>				
	High Capacity Unbundled Local Loop - DS3 - Per Mile per	T	$\vdash$	T												<del></del> +	
	month	<u> </u>		UE3		1L5ND	10.57			l	ļ .	<u> </u>	,	ł	\ \	, i	1
1	High Capacity Unbundled Local Loop - DS3 - Facility	1				Liege											
	Termination per month High Capacity Unbundled Local Loop - STS-1 - Per Mile per	!	ļ	UE3		UE3PX	430.38			ļ							
	month		1	UDLSX	,	1L5ND	10.57			1	į :		1		T		
	High Capacity Unbundled Local Loop - STS-1 - Facility	<del>                                     </del>	├	JULION	<u> </u>	LUND	10.57			<del> </del>	<del> </del>		<del></del>				
	Termination per month		l	UDLSX	(	UDLS1	447.75							1		ļ	
	DEDICATED TRANSPORT									<u> </u>			<del></del>	<del></del> -	<del>+</del>	<del></del>	
INTE	ROFFICE CHANNEL - DEDICATED TRANSPORT	L		L													
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per	1	l					_ T									
	month Interoffice Channel - Dedicated Tranport - DS1 - Facility	+		UITDI		1L5XX	0.40963				<b> </b>						
	Termination		l	UITDI		UITFI	89.54	Ì			1 1			T			
-+	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per	<del> </del>	⊢-	101101		OTTEST	09.04			<del>                                     </del>							
	month	]	1	U1TD3		1L5XX	2.69			I		}					,
	Interoffice Channel - Dedicated Transport - DS3 - Facility	1	$\Box$	T				<del></del>			<del>  </del>			<del></del> +			
	Termination per month	<u> </u>	L	U1TD3		U1TF3	976.34			<u> </u>	<u> </u>			_			ļ
]	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per									Ţ ———							
	month	ļ	<b>├</b>	U1TS1		1L5XX	2.69				<u> </u>						
Ì	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination		l	UITSI		U1TFS	976.70				] ]						
UNB	UNDLED DARK FIBER - Stand Alone or In Combination	+	<del> </del>	101101		UTIFS	976.70			<del> </del> -	<del> </del>						
	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per	<u> </u>	<del>                                     </del>	<b>†</b>		1				<del> </del>	<del>                                     </del>		+	<del></del> +			
	Route Mile Or Fraction Thereof		L	UDF, L	JDFCX	1L5DF	33.05			1							
ENHANCED	EXTENDED LINK (EELs) AND THEIR COMPONETS		Γ			1				T	<del> (</del>						

UNBUNDLED NETWORK ELEMENTS - Tennessee												Attachmen	t: 2 Exh. B				
													Svc Order Submitted		Incremental Charge -	Incremental Charge -	Incremental Charge -
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	e BCS	usoc	RATES (\$)					Elec per LSR	Manually per LSR	Manual Syc Order vs.	Manual Svc Order vs.	Manual Svc Order vs.	Manual Svc Order vs.
			'''	ĺ								,		Electronic-	Electronic-	Electronic-	Electronic-
				<u>L</u> .										1st	Add'I	Disc 1st	Disc Add'i
						i	Rec	Nonrecurring		Nonrecurring					Rates (\$)		- =
	11075			L	S. H. L. A. L. Sharm		1 . f - 1 (N)F	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		The monthly recurring and non-recurring charges below will															
	NOTE:	The monthly recurring and the Switch-As-Is Charge and not to DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATI	ne non-	recum	ng charges below w	ili apply for	UNE combinati	ons provisione	d as Current	ly Combined I	Network Eleme	nts.					
<del> </del>	EXIEN	4-Wire DS1 Digital Loop in Combination - Zone 1	EU DS1		UNC1X	USLXX	59.09			<del></del>							
<del></del>		4-Wire DS1 Digital Loop in Combination - Zone 2			UNCIX	USLXX	88.53										
<del></del> -		4-Wire DS1 Digital Loop in Combination - Zone 2			UNC1X	USLXX	147.82				<del></del>						
<del> </del>		Interoffice Transport - Dedicated - DS1 combination - Per Mile		-3	UNCIX	USLAA	147.82										
	l	per month	[		UNC1X	1L5XX	0.40963	]			ĺ	i	l i				
		Interoffice Transport - Dedicated - DS1 combination - Facility								·- ·-							
		Termination per month			UNC1X	U1TF1	89.54				Ĺ	i					
	EXTEN	DED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FFICE	TRANSPORT												
		DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	10.57										
		DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX_	430.38										
		Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	2.69										
		Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month			UNC3X	U1TF3	976.34										
_	FXTEN	DED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT			01110	070.04	-			<del></del>	<del></del>					
		STS-1 Local Loop in combination - per mile per month			UNCSX	1L5ND	10.57	<del> </del>			<del> </del>						
		STS-1 Local Loop in combination - Facility Termination per		-										-			
		month	<u> </u>		UNCSX	UDLS1	447.75					L					
		Interoffice Transport - Dedicated - STS-1 combination - per mile per month			UNCSX	1L5XX	2.69										
		Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	U1TFS	976.70										

ATT 3 – NETWORK INTERCONNECTION/<u>AT&T-9STATE</u>
PAGE 1 OF 24
RIGHTLINK USA
1Q08 GENERIC INTERCONNECTION AGREEMENT – 03/10/08

Attachment 3

**Network Interconnection** 

1Q08 GENERIC INTERCONNECTION AGREEMENT – 03/10/08

## **TABLE OF CONTENTS**

3 4 6
6
12
12
14
14
19
19
20
A
B C
D
E

## **NETWORK INTERCONNECTION**

1	General
1.1	The Parties shall provide interconnection with each other's networks for the transmission and routing of telephone exchange service (Local Traffic), ISP-Bound Traffic, and exchange access (Switched Access Traffic) on the following terms:
2	Definitions: (For the purpose of this Attachment)
	For purposes of this attachment only, the following terms shall have the definitions set forth below:
2.1	<b>Automatic Location Identification (ALI)</b> is a feature by which the address associated with the calling party's telephone number (ANI) is forwarded to the PSAP for display. Access to the ALI database is described in Attachment 2 to this Agreement.
2.2	<b>Automatic Number Identification (ANI)</b> corresponds to the seven-digit telephone number assigned by the serving local exchange carrier.
2.3	<b>AT&amp;T Trunk Group</b> is defined as a one-way trunk group carrying AT&T originated traffic to be terminated by Rightlink USA.
2.4	911 Service is as described in this Attachment.
2.5	Call Termination has the meaning set forth for "termination" in 47 C.F.R. § 51.701(d).
2.6	Call Transport has the meaning set forth for "transport" in 47 C.F.R. § 51.701(c).
2.7	<b>Call Transport and Termination</b> is used collectively to mean the switching and transport functions from the Interconnection Point to the last point of switching.
2.8	<b>Common (Shared) Transport</b> is defined as the transport of the originating Party's traffic by the terminating Party over the terminating Party's common (shared) facilities between (1) the terminating Party's tandem switch and end office switch, (2) between the terminating Party's tandem switches, and/or (3) between the terminating Party's host and remote end office switches. All switches referred herein must be entered into The Telcordia <sup>®</sup> LERG <sup>™</sup> Routing Guide (LERG).
2.9	<b>Dedicated Interoffice Facility</b> is defined as a switch transport facility between a Party's Serving Wire Center and the first point of switching within the LATA on the other Party's network.
2.10	<b>End Office Switching</b> is defined as the function that establishes a communications path between the trunk side and line side of the End Office switch.
2.11	<b>Fiber Meet</b> is an interconnection arrangement whereby the Parties physically interconnect their networks via an optical fiber interface at which one Party's facilities, provisioning, and maintenance responsibility begins and the other Party's responsibility ends.
2.12	Final Trunk Group is defined as the last choice trunk group between two (2) switches for which there is no alternate route.

### ATT 3 - NETWORK INTERCONNECTION/AT&T-9STATE

PAGE 4 OF 24

RIGHTLINK USA

## 1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

up and release for interoffice voice connections over SS7 signaling.
<b>Interconnection Point (IP)</b> is the physical telecommunications equipment interface that interconnects the networks of AT&T and Rightlink USA for the exchange of telecommunications traffic between the Parties.
IntraLATA Toll Traffic is as defined in this Attachment.
ISP-Bound Traffic is as defined in this Attachment.
<b>Local Channel</b> is defined as a switched transport facility between a Party's Interconnection Point and the IP's Serving Wire Center.
Local Traffic is as defined in this Attachment.
Public Safety Answering Point (PSAP) is the answering location for 911 calls.
<b>Selective Routing (SR)</b> is a standard feature that routes an E911 call from the tandem to the designated PSAP based upon the address of the ANI of the calling party.
<b>Serving Wire Center (SWC)</b> is defined as the wire center owned by one Party from which the other Party would normally obtain dial tone for its IP.
<b>Signaling System 7 (SS7)/Common Channel Signaling 7 (CCS7)</b> is an out-of-band signaling system used to provide basic routing information, call set-up and other call termination functions. Signaling is removed from the voice channel and put on a separate data network.
<b>Tandem Switching</b> is defined as the function that establishes a communications path between two switching offices through a third switching office through the provision of trunk side to trunk side switching.
<b>Transit Traffic</b> is traffic originating on Rightlink USA's network that is switched and/or transported by AT&T and delivered to a third party's network, or traffic originating on a third party's network that is switched and/or transported by AT&T and delivered to Rightlink USA's network.
Network Interconnection
This Attachment pertains only to the provision of network interconnection where Rightlink USA owns, leases from a third party or otherwise provides its own switch(es).
Network interconnection may be provided by the Parties at any technically feasible point within AT&T's network. Requests to AT&T for interconnection at points other than as set forth in this Attachment may be made through the Bona Fide Request/New Business Request (BFR/NBR) Process set forth in Attachment 11.
Each Party is responsible for providing, engineering and maintaining the network on its side of the IP. The IP must be located within AT&T's serving territory in the LATA in which traffic is originating. The IP determines the point at which the originating Party shall pay the terminating Party for the

Call Transport and Termination of Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic. In selecting the IP, both Parties will act in good faith and select the point that is most efficient for both Parties.

- Pursuant to the provisions of this Attachment, the location of the initial IP in a given LATA shall be established by mutual agreement of the Parties. Subject to the requirements for installing additional IPs, as set forth below, any IPs existing prior to the Effective Date of the Agreement will be accepted as initial IPs and will not require re-grooming. When the Parties mutually agree to utilize two-way interconnection trunk groups for the exchange of Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic between each other, the Parties shall mutually agree to the location of IP(s). If the Parties are unable to agree to a mutual initial IP, each Party, as originating Party, shall establish a single IP in the LATA for the delivery of its originated Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic to the other Party for Call Transport and Termination by the terminating Party.
- 3.2.3 Additional IP(s) in a LATA may be established by mutual agreement of the Parties. Notwithstanding the foregoing, additional IP(s) in a particular LATA shall be established, at the request of either Party, when the Local Traffic and ISP-Bound Traffic exceeds eight point nine (8.9) million minutes per month for three (3) consecutive months at the proposed location of the additional IP. AT&T will not request the establishment of an IP in an AT&T Central Office where physical or virtual collocation space is not available or where AT&T fiber connectivity is not available. When the Parties agree to utilize two-way interconnection trunk groups for the exchange of Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic the Parties must agree to the location of the IP(s).

#### 3.3 Interconnection via Dedicated Facilities

- 3.3.1 Local Channel Facilities. As part of Call Transport and Termination, the originating Party may obtain Local Channel facilities from the terminating Party. The percentage of Local Channel facilities utilized for Local Traffic and ISP-Bound Traffic shall be determined based upon the application of the Percent Local Facility (PLF) Factor as set forth in this Attachment. The charges applied to the percentage of Local Channel facilities used for Local Traffic and ISP-Bound Traffic as determined by the PLF factor are as set forth in Exhibit A. The remaining percentage of Local Channel facilities shall be billed at AT&T's intrastate Access Services Tariff or BellSouth's FCC No. 1 Tariff rates.
- 3.3.2 <u>Dedicated Interoffice Facilities.</u> As a part of Call Transport and Termination, the originating Party may obtain Dedicated Interoffice Facilities from the terminating Party. The percentage of Dedicated Interoffice Facilities utilized for Local Traffic and ISP-Bound Traffic shall be determined based upon the application of the PLF factor as set forth in this Attachment. The charges applied to the percentage of the Dedicated Interoffice Facilities used for Local Traffic and ISP-Bound Traffic as determined by the PLF factor are as set forth in Exhibit A. The remaining percentage of the Dedicated Interoffice Facilities shall be billed at AT&T's intrastate Access Services Tariff or BellSouth's FCC No. 1 Tariff rates.
- 3.4 Fiber Meet. Notwithstanding Sections 3.2.1, 3.2.2, and 3.2.3 above, if Rightlink USA elects to establish interconnection with AT&T pursuant to a Fiber Meet Local Channel, Rightlink USA and AT&T shall jointly engineer, operate and maintain a Synchronous Optical Network (SONET) transmission system by which they shall interconnect their transmission and routing of Local Traffic and ISP-Bound Traffic via a Local Channel at either the DS1 or DS3 level. The Parties shall work

# ATT 3 – NETWORK INTERCONNECTION/<u>AT&T-9STATE</u> PAGE 6 OF 24 RIGHTLINK USA 1Q08 GENERIC INTERCONNECTION AGREEMENT – 03/10/08

jointly to determine the specific transmission system. However, Rightlink USA's SONET transmission system must be compatible with AT&T's equipment, and the Data Communications Channel (DCC) must be turned off.

- 3.4.1 Each Party, at its own expense, shall procure, install and maintain the agreed upon SONET transmission system in its network.
- 3.4.2 The Parties shall agree to a Fiber Meet point between the AT&T Serving Wire Center and the Rightlink USA Serving Wire Center. The Parties shall deliver their fiber optic facilities to the Fiber Meet point with sufficient spare length to reach the fusion splice point for the Fiber Meet point. AT&T shall, at its own expense, provide and maintain the fusion splice point for the Fiber Meet. A building type CLLI code will be established for each Fiber Meet point. All orders for interconnection facilities from the Fiber Meet point shall indicate the Fiber Meet point as the originating point for the facility.
- 3.4.3 Upon verbal request by Rightlink USA, AT&T shall allow Rightlink USA access to the fusion splice point for the Fiber Meet point for maintenance purposes on Rightlink USA's side of the Fiber Meet point.
- 3.4.4 Neither Party shall charge the other for its Local Channel portion of the Fiber Meet facility used exclusively for Local Traffic and ISP-Bound Traffic. The percentage of Local Channel facilities utilized for Local Traffic and ISP-Bound Traffic shall be determined based upon the application of the PLF factor as set forth in this Attachment. The charges applied to the percentage of Local Channel facilities used for Local Traffic and ISP-Bound Traffic as determined by the PLF factor are as set forth in Exhibit A. The remaining percentage of Local Channel facilities shall be billed at AT&T's applicable access tariff rates. Charges for switched and special access services shall be billed in accordance with the applicable AT&T intrastate Access Services Tariff and or BellSouth's FCC No. 1 Tariff.

#### 4 Interconnection Trunk Group Architectures

- 4.1 AT&T and Rightlink USA shall establish interconnecting trunk groups and trunk group configurations between networks, including the use of one-way or two-way trunks in accordance with the following provisions set forth in this Attachment. For trunking purposes, traffic will be routed based on the digits dialed by the originating end user and in accordance with the LERG.
- 4.2 Rightlink USA shall establish an interconnection trunk group(s) to at least one (1) AT&T access tandem within the LATA for the delivery of Rightlink USA's originated Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic and for the receipt and delivery of Transit Traffic. To the extent Rightlink USA desires to deliver Local Traffic, ISP-Bound Traffic, IntraLATA Toll Traffic and/or Transit Traffic to AT&T access tandems within the LATA, other than the tandems(s) to which Rightlink USA has established interconnection trunk groups, Rightlink USA shall pay the appropriate rates for Multiple Tandem Access, as described in this Attachment.
- 4.2.1 Notwithstanding the forgoing, Rightlink USA shall establish an interconnection trunk group(s) to all AT&T access and local tandems in the LATA where Rightlink USA has homed (i.e., assigned) its NPA/NXXs. Rightlink USA shall home its NPA/NXXs on the AT&T tandems that serve the exchange rate center areas to which the NPA/NXXs are assigned. The specified exchange rate

### ATT 3 - NETWORK INTERCONNECTION/AT&T-9STATE

PAGE 7 OF 24 RIGHTLINK USA

## 1Q08 GENERIC INTERCONNECTION AGREEMENT ~ 03/10/08

center assigned to each AT&T tandem is defined in the LERG. Rightlink USA shall enter its NPA/NXX access and/or local tandem homing arrangements into the LERG.

- 4.3 Switched access traffic will be delivered to and from IXCs based on Rightlink USA's NXX access tandem homing arrangement as specified by Rightlink USA in the LERG.
- Any Rightlink USA interconnection request that (1) deviates from the interconnection trunk group architectures as described in this Agreement, (2) affects traffic delivered to Rightlink USA from an AT&T switch, and (3) requires special AT&T switch translations and other network modifications will require Rightlink USA to submit a BFR/NBR via the BFR/NBR Process as set forth in Attachment 11.
- 4.5 Recurring and nonrecurring rates associated with interconnecting trunk groups between AT&T and Rightlink USA are set forth in Exhibit A. To the extent a rate associated with the interconnecting trunk group is not set forth in Exhibit A, the rate shall be as set forth in the appropriate AT&T intrastate Access Services Tariff or BellSouth's FCC No. 1 Tariff.
- 4.6 For two-way trunk groups that carry only both Parties' Local Traffic, the Parties shall be compensated at fifty percent (50%) of the nonrecurring and recurring rates for dedicated trunks and DS1 facilities. Rightlink USA shall be responsible for ordering and paying for any two-way trunks carrying Transit Traffic.
- 4.7 All trunk groups will be provisioned as SS7 capable where technically feasible. If SS7 is not technically feasible, multi-frequency (MF) protocol signaling shall be used.
- 4.8 In cases where Rightlink USA is also an IXC, the IXC's Feature Group D (FG D) trunk group(s) must remain separate from the local interconnection trunk group(s).
- 4.9 Each Party shall order interconnection trunks and trunk group including trunk and trunk group augmentations via the Access Service Request (ASR) process. A Firm Order Confirmation (FOC) shall be returned to the ordering Party, after receipt of a valid, error free ASR, within the timeframes set forth in each state's applicable Performance Measures. Notwithstanding the foregoing, blocking situations and projects shall be managed through AT&T's Carrier Interconnection Switching Center (CISC) Project Management Group and Rightlink USA's equivalent trunking group, and FOCs for such orders shall be returned in the timeframes applicable to the project. A project is defined as (1) a new trunk group or (2) a request for more than one hundred ninety-two (192) trunks on a single or multiple group(s) in a given AT&T local calling area.
- 4.10 Interconnection Trunk Groups for Exchange of Local Traffic and Transit Traffic
- 4.10.1 Upon mutual agreement of the Parties in a joint planning meeting, the Parties shall exchange Local Traffic on two-way interconnection trunk group(s) with the quantity of trunks being mutually determined and the provisioning being jointly coordinated. Furthermore, the Parties shall agree upon the IP(s) for two-way interconnection trunk groups transporting both Parties' Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic. Rightlink USA shall order such two-way trunks via the ASR process. AT&T will use the Trunk Group Service Request (TGSR) to request changes in trunking. Furthermore, the Parties shall jointly review trunk performance and forecasts in accordance with Section 6 below. The Parties' use of two-way interconnection trunk groups for the

ATT 3 - NETWORK INTERCONNECTION/<u>AT&T-9STATE</u>
PAGE 8 OF 24
RIGHTLINK USA
1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

transport of Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic between the Parties does not preclude either Party from establishing additional one-way interconnection trunks for the delivery of its originated Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic to the other Party. Other trunk groups for operator services, directory assistance and intercept must be established pursuant to AT&T's intrastate Access Services Tariff and/or BellSouth's FCC No. 1 Tariff.

- 4.10.2 <u>AT&T Access Tandem Interconnection.</u> AT&T Access Tandem interconnection at a single Access Tandem provides access to those End Offices subtending that access tandem (Intratandem Access). Access Tandem interconnection is available for any of the following access tandem architectures:
- 4.10.2.1

  Basic Architecture. In the basic architecture, Rightlink USA's originating Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic and originating and terminating Transit Traffic is transported on a single two-way trunk group between Rightlink USA and AT&T Access Tandem(s) within a LATA to provide Intratandem Access. This trunk group carries Transit Traffic between Rightlink USA and ICOs, IXCs, other CLECs, CMRS providers that have a Meet Point Billing arrangement with AT&T, and other network providers with which Rightlink USA desires to exchange traffic. This trunk group also carries Rightlink USA originated Transit Traffic transiting a single AT&T Access Tandem destined to third party tandems such as an ICO tandem or other CLEC tandem. AT&T originated Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic is transported on a separate single one-way trunk group terminating to Rightlink USA. The LERG contains current routing and tandem serving arrangements. The basic Architecture is illustrated in Exhibit B.
- 4.10.2.2 One-Way Trunk Group Architecture. In one-way trunk group architecture, the Parties interconnect using three (3) separate trunk groups. A one-way trunk group provides Intratandem Access for Rightlink USA-originated Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic destined for AT&T end users. A second one-way trunk group carries AT&T-originated Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic destined for Rightlink USA end users. A two-way trunk group provides Intratandem Access for Rightlink USA's originating and terminating Transit Traffic. This trunk group carries Transit Traffic between Rightlink USA and ICOs, IXCs, other CLECs, CMRS providers that have a Meet Point Billing arrangement with AT&T, and other network providers with which Rightlink USA exchanges traffic. This trunk group also carries Rightlink USA originated Transit Traffic transiting a single AT&T Access Tandem destined to third party tandems such as an ICO tandem or other CLEC tandem. AT&T originated Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic is transported on a separate single one-way trunk group terminating to Rightlink USA. The LERG contains current routing and tandem serving arrangements. The one-way trunk group architecture is illustrated in Exhibit C.
- 4.10.2.3 Two-Way Trunk Group Architecture. The two-way trunk group Architecture establishes one (1) two-way trunk group to provide Intratandem Access for the exchange of Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic between Rightlink USA and AT&T. In addition, a separate two-way transit trunk group must be established for Rightlink USA's originating and terminating Transit Traffic. This trunk group carries Transit Traffic between Rightlink USA and ICOs, IXCs, other CLECs, CMRS providers that have a Meet Point Billing arrangement with AT&T, and other network providers with which Rightlink USA exchanges traffic. This trunk group also carries Rightlink USA originated Transit Traffic transiting a single AT&T Access Tandem destined to third party tandems such as an ICO tandem or other CLEC tandem. AT&T originated traffic may, in

order to prevent or remedy traffic blocking situations, be transported on a separate single one-way trunk group terminating to Rightlink USA. However, where Rightlink USA is responsive in a timely manner to AT&T's transport needs for its originated traffic, AT&T originating traffic will be placed on the two-way Local Traffic trunk group carrying ISP-Bound Traffic and IntraLATA Toll Traffic. The LERG contains current routing and tandem serving arrangements. The two-way trunk group architecture is illustrated in Exhibit D.

4.10.2.4 Supergroup Architecture. In the supergroup architecture, the Parties' Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic and Rightlink USA's Transit Traffic are exchanged on a single two-way trunk group between Rightlink USA and AT&T to provide Intratandem Access to Rightlink USA. This trunk group carries Transit Traffic between Rightlink USA and ICOs, IXCs, other CLECs, CMRS providers that have a Meet Point Billing arrangement with AT&T, and other network providers with which Rightlink USA desires to exchange traffic. This trunk group also carries Rightfink USA originated Transit Traffic transiting a single AT&T Access Tandem destined to third party tandems such as an ICO tandem or other CLEC tandem. AT&T originated traffic may, in order to prevent or remedy traffic blocking situations, be transported on a separate single one-way trunk group terminating to Rightlink USA. However, where Rightlink USA is responsive in a timely manner to AT&T's transport needs for its originated traffic, AT&T originating traffic will be placed on the Supergroup. Other trunk groups for operator services, directory assistance, emergency services and intercept must be established pursuant to the applicable AT&T tariff if service is requested. The LERG contains current routing and tandem serving arrangements. The supergroup architecture is illustrated in Exhibit E.

### 4.10.2.5 <u>Multiple Tandem Access (MTA) Interconnection</u>

- 4.10.2.5.1 Where Rightlink USA does not choose access tandem interconnection at every AT&T Access Tandem within a LATA, Rightlink USA must utilize AT&T's MTA interconnection. To utilize MTA Rightlink USA must establish an interconnection trunk group(s) at a minimum of one (1) AT&T Access Tandem within each LATA as required. AT&T will route Rightlink USA's originated Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic for LATA wide transport and termination. Rightlink USA must also establish an interconnection trunk group(s) at all AT&T Access Tandems where Rightlink USA NXXs are homed as described in Section 4.2.1 above. If Rightlink USA does not have NXXs homed at any particular AT&T Access Tandem within a LATA and elects not to establish an interconnection trunk group(s) at such AT&T Access Tandem, Rightlink USA can order MTA in each AT&T Access Tandem within the LATA where it does have an interconnection trunk group(s) and AT&T will terminate Rightlink USA's Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic to end users served through those AT&T Access Tandems where Rightlink USA does not have an interconnection trunk group(s). MTA shall be provisioned in accordance with AT&T's Ordering Guidelines.
- 4.10.2.5.2 Rightlink USA may also utilize MTA to route its originated Transit Traffic; provided, however, that MTA may not be utilized to route switched access traffic that transits the AT&T network to an IXC. Switched access traffic originated by or terminated to Rightlink USA will be delivered to and from IXCs based on Rightlink USA's NXX access tandem homing arrangement as specified by Rightlink USA in the LERG.
- 4.10.2.5.3 Compensation for MTA shall be at the applicable tandem switching and transport charges specified in Exhibit A and shall be billed in addition to any Call Transport and Termination charges.

4.10.2.5.4 To the extent Rightlink USA does not purchase MTA in a LATA served by multiple Access Tandems, Rightlink USA must establish an interconnection trunk group(s) to every Access Tandem in the LATA to serve the entire LATA. To the extent Rightlink USA routes its traffic in such a way that utilizes AT&T's MTA service without properly ordering MTA, Rightlink USA shall pay AT&T the associated MTA charges.

### 4.10.3 <u>Local Tandem Interconnection</u>

- 4.10.3.1 Local Tandem Interconnection arrangement allows Rightlink USA to establish an interconnection trunk group(s) at AT&T local tandems for: (1) the delivery of Rightlink USA-originated Local Traffic and ISP-Bound Traffic transported and terminated by AT&T to AT&T End Offices served by those AT&T local tandems, and (2) for local Transit Traffic transported by AT&T for third party network providers who have also established an interconnection trunk group(s) at those AT&T local tandems.
- When a specified local calling area is served by more than one (1) AT&T local tandem, Rightlink USA must designate a "home" local tandem for each of its assigned NPA/NXXs and establish trunk connections to such local tandems. Additionally, Rightlink USA may choose to establish an interconnection trunk group(s) at the AT&T local tandems where it has no codes homing but is not required to do so. Rightlink USA may deliver Local Traffic and ISP-Bound Traffic to a "home" AT&T local tandem that is destined for other AT&T or third party network provider end offices subtending other AT&T local tandems in the same local calling area where Rightlink USA does not choose to establish an interconnection trunk group(s). It is Rightlink USA's responsibility to enter its own NPA/NXX local tandem homing arrangements into the LERG either directly or via a vendor in order for other third party network providers to determine appropriate traffic routing to Rightlink USA's codes. Likewise, Rightlink USA shall obtain its routing information from the LERG.
- 4.10.3.3 Notwithstanding establishing an interconnection trunk group(s) to AT&T's local tandems, Rightlink USA must also establish an interconnection trunk group(s) to AT&T Access Tandems within the LATA on which Rightlink USA has NPA/NXXs homed for the delivery of Interexchange Carrier Switched Access and toll traffic, and traffic to Type 2A CMRS connections located at the Access Tandems. AT&T shall not switch SWA traffic through more than one AT&T access tandem. SWA, Type 2A CMRS or toll traffic routed to the local tandem in error will not be backhauled to the AT&T Access Tandem for completion. (Type 2A CMRS interconnection is defined in Section A35 of AT&T's GSST).
- 4.10.3.4 AT&T's provisioning of Local Tandem Interconnection assumes that Rightlink USA has executed the necessary local interconnection agreements with the other third party network providers subtending those local tandems as required by the Act.

### 4.10.4 <u>Direct End Office-to-End Office Interconnection</u>

- 4.10.4.1 Direct End Office-to-End Office one-way or two-way interconnection trunk groups allow for the delivery of a Party's originating Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic to the terminating Party on a direct end office-to-end office basis.
- 4.10.4.2 The Parties shall utilize direct end office-to-end office trunk groups under any one (1) of the following conditions:

- 4.10.4.2.1 Tandem Exhaust. If a tandem through which the Parties are interconnected is unable to, or is forecasted to be unable to support additional traffic loads for any period of time, the Parties will mutually agree on an end office trunking plan that will alleviate the tandem capacity shortage and ensure completion of traffic between Rightlink USA and AT&T.
- 4.10.4.2.2 <u>Traffic Volume.</u> To the extent either Party has the capability to measure the amount of traffic between Rightlink USA's switch and an AT&T End Office and where such traffic exceeds or is forecasted to exceed a single DS1 of traffic per month, then the Parties shall install and retain direct end office trunking sufficient to handle such traffic volumes. Either Party will install additional capacity between such points when overflow traffic exceeds or is forecasted to exceed a single DS1 of traffic per month. In the case of one-way trunking, additional trunking shall only be required by the Party whose trunking has achieved the preceding usage threshold.
- 4.10.4.2.3 <u>Mutual Agreement.</u> The Parties may install direct end office trunking upon mutual agreement in the absence of conditions (1) or (2) above.
- 4.10.5 Transit Traffic Trunk Group
- 4.10.5.1 Transit Traffic trunks can either be two-way trunks or two (2) one-way trunks ordered by Rightlink USA to deliver and receive Transit Traffic. Establishing Transit Traffic trunks at AT&T Access and Local Tandems provides Intratandem Access to the third parties also interconnected at those tandems. Rightlink USA shall be responsible for all recurring and nonrecurring charges associated with Transit Traffic trunks and facilities.
- 4.10.5.2 <u>Toll Free Traffic</u>
- 4.10.5.2.1 If Rightlink USA chooses AT&T to perform the Service Switching Point (SSP) Function (i.e., handle Toll Free database queries) from AT&T's switches, all Rightlink USA originating Toll Free traffic will be routed over the Transit Traffic Trunk Group and shall be delivered using GR-394 format. Carrier Code "0110" and Circuit Code (to be determined for each LATA) shall be used for all such calls.
- 4.10.5.2.2 Rightlink USA may choose to perform its own Toll Free database queries from its switch. In such cases, Rightlink USA will determine the nature (local/intraLATA/interLATA) of the Toll Free call (local/IntraLATA/InterLATA) based on the response from the database. If the call is an AT&T local or intraLATA Toll Free call, Rightlink USA will route the post-query local or IntraLATA converted ten (10)-digit local number to AT&T over the local or intraLATA trunk group. If the call is a third party (ICO, IXC, CMRS or other CLEC) local or intraLATA Toll Free call, Rightlink USA will route the post-query local or intraLATA converted ten (10)-digit local number to AT&T over the Transit Traffic Trunk Group and Rightlink USA shall provide to AT&T a Toll Free billing record when appropriate. If the query reveals the call is an interLATA Toll Free call, Rightlink USA will route the post-query interLATA Toll Free call (1) directly from its switch for carriers interconnected with its network or (2) over the Transit Traffic Trunk Group to carriers that are not directly connected to Rightlink USA's network but that are connected to AT&T's Access Tandem.
- 4.10.5.2.3 All post-query Toll Free calls for which Rightlink USA performs the SSP function, if delivered to AT&T, shall be delivered using GR-394 format for calls destined to IXCs, and GR-317 format for calls destined to end offices that directly subtend an AT&T Access Tandem within the LATA.

1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

### 5 Network Design And Management For Interconnection

- 5.1 Network Management and Changes. The Parties will exchange toll-free maintenance contact numbers and escalation procedures. The Parties will provide public notice of network changes in accordance with applicable federal and state rules and regulations.
- Interconnection Technical Standards. The interconnection of all networks will be based upon accepted industry/national guidelines for transmission standards and traffic blocking criteria. Interconnecting facilities shall conform, at a minimum, to the telecommunications industry standard of DS1 pursuant to Telcordia Standard No. GR-NWT-00499. Where Rightlink USA chooses to utilize SS7 signaling, also known as CCS7, SS7 connectivity is required between the Rightlink USA switch and the AT&T STP. AT&T will provide SS7 signaling using Common Channel Signaling Access Capability in accordance with the technical specifications set forth in the AT&T Guidelines to Technical Publication, GR-905-Core. Facilities of each Party shall provide the necessary onhook, off-hook answer and disconnect supervision and shall provide calling number ID (Calling Party Number) when technically feasible.
- 5.3 Network Management Controls. Both Parties will work cooperatively to apply sound network management principles by invoking appropriate network management controls (e.g., call gapping) to alleviate or prevent network congestion.

### 6 Forecasting for Trunk Provisioning

- Within six (6) months after execution of this Agreement, Rightlink USA shall provide an initial interconnection trunk group forecast for each LATA in which it plans to provide service within AT&T's Southeast region. Upon receipt of Rightlink USA's forecast, the Parties shall conduct a joint planning meeting to develop a joint interconnection trunk group forecast. Each forecast provided under this Section shall be deemed Confidential Information under the General Terms and Conditions.
- At a minimum, the forecast shall include the projected quantity of Transit Trunks, Rightlink USA-to-AT&T one-way trunks (Rightlink USA Trunks), AT&T-to-Rightlink USA one-way trunks (AT&T Trunk Groups) and/or two-way interconnection trunks, if the Parties have agreed to interconnect using two-way trunking to transport the Parties' Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic. The quantities shall be projected for a minimum of six (6) months and shall include an estimate of the current year plus the next two (2) years total forecasted quantities. The Parties shall mutually develop AT&T Trunk Groups and/or two-way interconnection trunk forecast quantities.
- All forecasts shall include, at a minimum, Access Carrier Terminal Location (ACTL), trunk group type (e.g., local/intraLATA toll, Transit, Operator Services, 911, etc.), A location/Z location (CLLI codes for Rightlink USA location and AT&T location where the trunks shall terminate), interface type (e.g., DS1), Direction of Signaling, Trunk Group Number, if known, (commonly referred to as the 2-6 code) and forecasted trunks in service each year (cumulative).
- 6.2 Once initial interconnection trunk forecasts have been developed, Rightlink USA shall continue to provide interconnection trunk forecasts at mutually agreeable intervals. Rightlink USA shall use its best efforts to make the forecasts as accurate as possible based on reasonable engineering

criteria. The Parties shall continue to develop Reciprocal Trunk Group and/or two-way interconnection trunk forecasts as described in Section 6.1.1 above.

The submission and development of interconnection trunk forecasts shall not replace the ordering process for local interconnection trunks. Each Party shall exercise its best efforts to provide the quantity of interconnection trunks mutually forecasted. However, the provision of the forecasted quantity of interconnection trunks is subject to trunk terminations and facility capacity existing at the time the trunk order is submitted. Furthermore, the receipt and development of trunk forecasts does not imply any liability for failure to perform if capacity (trunk terminations or facilities) is not available for use at the forecasted time.

### 6.4 Trunk Utilization

- For the AT&T Trunk Groups that are Final Trunk Groups (AT&T Final Trunk Groups), AT&T and Rightlink USA shall monitor traffic on each AT&T Final Trunk Group that is ordered and installed. The Parties agree that the AT&T Final Trunk Groups will be utilized at sixty percent (60%) of the time consistent busy hour utilization level within ninety (90) days of installation. The Parties agree that the AT&T Final Trunk Groups will be utilized at eighty percent (80%) of the time consistent busy hour utilization level within one hundred eighty (180) days of installation. Any AT&T Final Trunk Group not meeting the minimum thresholds set forth in this Section are defined as "under-utilized" trunks. Subject to Section 6.4.2 below, AT&T may disconnect any under-utilized AT&T Final Trunk Groups and Rightlink USA shall refund to AT&T the associated nonrecurring and recurring trunk and facility charges paid by AT&T, if any.
- AT&T's CISC will notify Rightlink USA of any under-utilized AT&T Trunk Groups and the number of such trunk groups that AT&T wishes to disconnect. AT&T will provide supporting information either by email or facsimile to the designated Rightlink USA interface. Rightlink USA will provide concurrence with the disconnection in seven (7) business days or will provide specific information supporting why the trunks should not be disconnected. Such supporting information should include expected traffic volumes (including traffic volumes generated due to Local Number Portability) and the timeframes within which Rightlink USA expects to need such trunks. AT&T's CISC Project Manager and Circuit Capacity Manager (CCM) will discuss the information with Rightlink USA to determine if agreement can be reached on the number of AT&T Final Trunk Groups to be removed. If no agreement can be reached, AT&T will issue disconnect orders to Rightlink USA. The due date of these orders will be four (4) weeks after Rightlink USA was first notified in writing of the underutilization of the trunk groups.
- 6.4.3 To the extent that any interconnection trunk group is utilized at a time-consistent busy hour of eighty percent (80%) or greater, the Parties may review the trunk groups and, if necessary, shalf negotiate in good faith for the installation of augmented facilities.
- For the two-way trunk groups, AT&T and Rightlink USA shall monitor traffic on each interconnection trunk group that is ordered and installed. The Parties agree that within ninety (90) days of the installation of the AT&T two-way trunk or trunks, the trunks will be utilized at 60 percent (60%) of the time consistent busy hour utilization level. The Parties agree that within one hundred eighty (180) days of the installation of a trunk or trunks, the trunks will be utilized at eighty percent (80%) of the time consistent busy hour utilization level. Any trunk or trunks not meeting the minimum thresholds set forth in this Section are defined as "under-utilized" trunks. AT&T will request the

disconnection of any under-utilized two-way trunk(s) and Rightlink USA shall refund to AT&T the associated nonrecurring and recurring trunk and facility charges paid by AT&T, if any.

- AT&T's CISC will notify Rightlink USA of any under-utilized two-way trunk groups and the number of trunks that AT&T wishes to disconnect. AT&T will provide supporting information either by email or facsimile to the designated Rightlink USA interface. Rightlink USA will provide concurrence with the disconnection in seven (7) business days or will provide specific information supporting why the two-way trunks should not be disconnected. Such supporting information should include expected traffic volumes (including traffic volumes generated due to Local Number Portability) and the timeframes within which Rightlink USA expects to need such trunks. AT&T's CISC Project Manager and CCM will discuss the information with Rightlink USA to determine if agreement can be reached on the number of trunks to be removed. If no agreement can be reached, Rightlink USA will issue disconnect orders to AT&T. The due date of these orders will be four (4) weeks after Rightlink USA was first notified in writing of the under-utilization of the trunk groups.
- 6.4.4.2 To the extent that any interconnection trunk group is utilized at a time-consistent busy hour of eighty percent (80%) or greater, the Parties may review the trunk groups and, if necessary, shall negotiate in good faith for the installation of augmented facilities.

### 7 Local Dialing Parity

7.1 AT&T and Rightlink USA shall provide local and toll dialing parity, as defined in FCC rules and regulations, with no unreasonable dialing delays. Dialing parity shall be provided for all originating Telecommunications Services that require dialing to route a call.

### 8 Interconnection Compensation

- 8.1 Compensation for Call Transport and Termination for Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic
- 8.1.1 For the purposes of this Attachment and for intercarrier compensation for Local Traffic exchanged between the Parties pursuant to this Attachment, Local Traffic is defined as any telephone call that originates from one Party's customer located in one exchange and terminates to the other Party's customer in either the same exchange, or other local calling area associated with the originating calling party's exchange as defined and specified in Section A3 of AT&T's GSST.
- 8.1.1.1 Additionally, Local Traffic includes any cross boundary, voice-to-voice intrastate, interLATA or interstate, interLATA calls established as a local call by the ruling regulatory body.
- 8.1.2 For purposes of this Attachment and for intercarrier compensation for ISP-Bound Traffic exchanged between the Parties, ISP-Bound Traffic is defined as calls to an information service provider or Internet Service Provider (ISP) that are dialed by using a local dialing pattern (seven (7) or ten (10) digits) by a calling party in one (1) exchange to an ISP server or modem in either the same exchange or other local calling area associated with the originating exchange as defined and specified in Section A3 of AT&T's GSST. ISP-Bound Traffic is not Local Traffic subject to reciprocal compensation, but instead is information access traffic subject to the FCC's jurisdiction.
- 8.1.3 Notwithstanding the definitions of Local Traffic and ISP-Bound Traffic above, and pursuant to the FCC's Order on Remand and Report and Order in CC Docket 99-68 released April 27, 2001 (ISP

# ATT 3 – NETWORK INTERCONNECTION/<u>AT&T-9STATE</u> PAGE 15 OF 24 RIGHTLINK USA 1Q08 GENERIC INTERCONNECTION AGREEMENT – 03/10/08

Order on Remand), AT&T and Rightlink USA agree to the rebuttable presumption that all combined Local and ISP-Bound Traffic that exceeds a 3:1 ratio of terminating to originating traffic on a statewide basis shall be considered ISP-Bound Traffic for compensation purposes. AT&T and Rightlink USA further agree to the rebuttable presumption that all combined Local and ISP-Bound Traffic that does not exceed a 3:1 ratio of terminating to originating traffic on a statewide basis shall be considered Local Traffic for compensation purposes. Either Party has the right to rebut the 3:1 ISP-Bound Traffic presumption by identifying the actual ISP-Bound Traffic by any means mutually agreed by the Parties, or by any method approved by the Commission. If a Party seeking to rebut the presumption takes appropriate action at the Commission pursuant to Section 252 of the Act and the Commission agrees that such Party has rebutted the presumption, the methodology and/or means approved by the Commission for use in determining the ratio shall be utilized by the Parties as of the date of the Commission approval and, in addition, shall be utilized to determine the appropriate true-up as described below. During the pendency of any such proceedings to rebut the presumption, the Parties will remain obligated to pay the reciprocal compensation rates set forth in Section 8.1.4 for Local Traffic, and the rates set forth in Section 8.1.5 for ISP-Bound Traffic, ISP-Bound Traffic is subject to a true-up upon the conclusion of such proceedings. Such true-up shall be retroactive back to the date a Party first sought appropriate relief from the Commission.

- 8.1.4 The Parties shall compensate each other at the appropriate elemental rates set forth in Exhibit A for the Call Transport and Termination of Local Traffic. Rightlink USA will only be paid End Office rate elements.
- 8.1.5 The Parties shall compensate each other at the composite rate of \$0.0007 for the Call Transport and Termination of ISP-Bound Traffic.
- 8.1.6 The appropriate elemental rates set forth in Exhibit A shall apply for Transit Traffic as described in this Attachment and for MTA as described in this Attachment.
- 8.1.7 Neither Party shall represent Switched Access Traffic as Local Traffic or ISP-Bound Traffic for purposes of determining compensation for the call. If Rightlink USA delivers Switched Access Traffic to AT&T for termination in violation of this Section, AT&T shall charge Rightlink USA terminating switched access charges as set forth in AT&T's Intrastate Access Services Tariff and/or BellSouth's FCC No. 1 Tariff, as appropriate. Additionally, such delivery of traffic shall constitute improper use of AT&T facilities as set forth in Section 1.5.2 of Attachment 7 of this Agreement.
- 8.1.8 IntraLATA Toll Traffic is defined as all traffic, regardless of transport protocol method, that originates and terminates within a single LATA that is not Local Traffic or ISP-Bound traffic under this Attachment.
- 8.1.8.1 For terminating its intraLATA toll traffic on the other Party's network, the originating Party will pay the terminating Party AT&T's current intrastate or interstate, whichever is appropriate, terminating switched access tariff rates as set forth in AT&T's intrastate Access Services Tariffs and/or BellSouth's FCC No. 1 Tariff as filed and in effect with the FCC or appropriate Commission. The appropriate charges will be determined by the routing of the call. Additionally, if one (1) Party is the other Party's customer's presubscribed interexchange carrier or if one (1) Party's customer uses the other Party as an interexchange carrier on a 101XXXX basis, the originating party will charge the other Party the appropriate AT&T originating switched access tariff rates as set forth in AT&T's

intrastate Access Services Tariff and/or BellSouth's FCC No. 1 Tariff as filed and in effect with the FCC or appropriate Commission.

- 8.1.9 If Rightlink USA assigns NPA/NXXs to specific AT&T rate centers within the LATA and assigns numbers from those NPA/NXXs to Rightlink USA customer physically located outside of that LATA, AT&T traffic originating from within the LATA where the NPA/NXXs are assigned and delivered to a Rightlink USA customer physically located outside of such LATA, shall not be deemed Local Traffic. Further, Rightlink USA agrees to identify such interLATA traffic to AT&T and to compensate AT&T for originating and transporting such interLATA traffic to Rightlink USA at BellSouth's FCC No. 1 Tariff rates.
- 8.2 If Rightlink USA does not identify such interLATA traffic to AT&T, AT&T will determine which whole Rightlink USA NPA/NXXs on which to charge the applicable rates for originating network access service as reflected in AT&T's intrastate Access Services Tariff and/or BellSouth's FCC No. 1 Tariff. AT&T shall make appropriate billing adjustments if Rightlink USA can provide sufficient information for AT&T to determine whether or not said traffic is Local or ISP-Bound Traffic.

### 8.3 Jurisdictional Reporting

- 8.3.1 Percent Local Use (PLU). Each Party shall report to the other a PLU factor. The application of the PLU will determine the amount of local or ISP-Bound minutes to be billed to the other Party. Each Party shall update its PLU on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than thirty (30) days after the first of each such month based on local and ISP-Bound usage for the past three (3) months ending the last day of December, March, June and September, respectively. Requirements associated with PLU calculation and reporting shall be as set forth in AT&T's Jurisdictional Factors Reporting Guide.
- 8.3.2 Percent Local Facility (PLF). Each Party shall report to the other a PLF factor. The application of the PLF will determine the portion of switched dedicated transport to be billed per the local jurisdiction rates. The PLF shall be applied to Multiplexing, Local Channel and Interoffice Channel Switched Dedicated Transport utilized in the provision of local interconnection trunks. Each Party shall update its PLF on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than thirty (30) days after the first of each such month to be effective the first bill period the following month, respectively. Requirements associated with PLF calculation and reporting shall be as set forth in AT&T's Jurisdictional Factors Reporting Guide.
- Percent Interstate Usage (PIU). Each Party shall report to the other the projected PIU factors, including but not limited to PIU associated with facilities (PIUE) and Terminating PIU (TPIU) factors. The application of the PIU will determine the respective interstate traffic percentages to be billed at BellSouth's FCC No. 1 Tariff rates. All jurisdictional report requirements, rules and regulations for Interexchange Carriers specified in AT&T's intrastate Access Services Tariff will apply to Rightlink USA. After interstate and intrastate traffic percentages have been determined by use of PIU procedures, the PLU and PLF factors will be used for application and billing of local traffic and facilities. The intrastate toll traffic shall be billed at AT&T's intrastate Access Services Tariff rates. Each Party shall update its PIUs on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than thirty (30) days after the first of each such month, for all services showing the percentages of use for the past three (3) months ending the last

# ATT 3 - NETWORK INTERCONNECTION/<u>AT&T-9STATE</u> PAGE 17 OF 24 RIGHTLINK USA 1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

day of December, March, June and September. Additional requirements associated with PIU calculations and reporting shall be as set forth in AT&T's Jurisdictional Factors Reporting Guide.

- 8.3.4 Notwithstanding the provisions in Sections 8.3.1, 8.3.2, and 8.3.3 above, where AT&T has message recording technology that identifies the jurisdiction of traffic terminated as defined in this Agreement, such information shall, at AT&T's option, be utilized to determine the appropriate jurisdictional reporting factors (i.e., PLU, P!U, and/or PLF), in lieu of those provided by Rightlink USA. In the event that AT&T opts to utilize its own data to determine jurisdictional reporting factors, AT&T shall notify Rightlink USA at least fifteen (15) days prior to the beginning of the calendar quarter in which AT&T will begin to utilize its own data.
- 8.3.5

  Audits. On thirty (30) days written notice, Rightlink USA must provide AT&T the ability and opportunity to conduct an annual audit to ensure the proper billing of traffic. Rightlink USA shall retain records of call detail for a minimum of nine (9) months from which the PLU, PLF and/or PIU can be ascertained. The audit shall be conducted during normal business hours at an office designated by Rightlink USA. Audit requests shall not be submitted more frequently than one (1) time per calendar year. Audits shall be performed by an independent auditor chosen by AT&T. The audited factor (PLF, PLU and/or PIU) shall be adjusted based upon the audit results and shall apply to the usage for the audited period through the time period when the audit is completed, to the usage for the quarter prior to the audit period, and to the usage for the two (2) quarters following the completion of the audit. If, as a result of an audit, Rightlink USA is found to have overstated the PLF, PLU and/or PIU by twenty percentage points (20%) or more, Rightlink USA shall reimburse AT&T for the cost of the audit.
- 8.4 Compensation for IntraLATA 8XX Traffic. Rightlink USA shall pay the appropriate switched access charges set forth in the AT&T's intrastate Access Services tariff and/or BellSouth's FCC No. 1

  Tariff. Rightlink USA will pay AT&T the database query charge as set forth in the applicable AT&T intrastate Access Services Tariff and/or BellSouth's FCC No. 1 Tariff. Rightlink USA will be responsible for any applicable Common Channel Signaling (SS7) charges.
- 8.4.1 Records for 8XX Billing. Where technically feasible, each Party will provide to the other Party the appropriate records, in accordance with industry standards, necessary for billing intraLATA 8XX providers. The records provided will be in a standard EMI format.
- 8.4.2

  8XX Toll Free Dialing Ten Digit Screening Service (8XX TFD). AT&T's provision of 8XX TFD to Rightlink USA requires interconnection from Rightlink USA to AT&T's 8XX Signal Channel Point. Such interconnections shall be established pursuant to AT&T's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. Rightlink USA shall establish SS7 interconnection at the AT&T LSTPs serving the AT&T 8XX Signal Channel Points that Rightlink USA desires to query. The terms and conditions for 8XX TFD are set out in the appropriate AT&T Access Services Tariff.
- 8.5 Mutual Provision of Switched Access Service
- 8.5.1 <u>Switched Access Traffic.</u> Switched Access Traffic is described as telephone calls requiring local transmission or switching services for the purpose of the origination or termination of Telephone Toll Service. Switched Access Traffic includes, but is not limited to, the following types of traffic: Feature Group A, Feature Group B, Feature Group C, Feature Group D, toll free access (e.g.,

### ATT 3 - NETWORK INTERCONNECTION/AT&T-9STATE

PAGE 18 OF 24 RIGHTLINK USA

1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

8XX), 900 access and their successors. Additionally, any PSTN interexchange telecommunications traffic, regardless of transport protocol method, where the originating and terminating points, end-to-end points, are in different LATAs, or are in the same LATA and the Parties' Switched Access services are used for the origination or termination of the call, shall be considered Switched Access Traffic. Irrespective of transport protocol method or method of originating or terminating the call, a call that originates in one LATA and terminates in another LATA (i.e., the end-to-end points of the call) or a call in which the Parties' Switched Access Services are used for the origination or termination of the call, shall be considered Switched Access Traffic.

- 8.5.2 If an AT&T end user chooses Rightlink USA as their presubscribed interexchange carrier, or if an AT&T end user uses Rightlink USA as an interexchange carrier on a 101XXXX basis, AT&T will charge Rightlink USA the appropriate AT&T tariff charges for originating switched access services.
- 8.5.3 Where the originating Party delivers a call to the terminating Party over switched access facilities, the originating Party will pay the terminating Party terminating, switched access charges as set forth in AT&T's intrastate Access Services Tariff and/or BellSouth's FCC No. 1 Tariff, as appropriate.
- When Rightlink USA's end office switch provides an access service connection to or from an IXC by a direct trunk group to the IXC utilizing AT&T facilities, each Party will provide its own access services to the IXC and bill on a multi-bill, multi-tariff meet-point basis. Each Party will bill its own access services rates to the IXC with the exception of the interconnection charge. The interconnection charge will be billed by Rightlink USA as the Party providing the end office function. Each party will use the Multiple Exchange Carrier Access Billing (MECAB) guidelines to establish Meet Point Billing for all applicable traffic. The Parties shall utilize a thirty (30) day billing period.
- 8.5.4.1 Rightlink USA must have a unique hosted Revenue Accounting Office (RAO) code where Rightlink USA's end office subtends the AT&T Access Tandem switch for receipt or delivery of switched access traffic and provides an access service connection to or from an IXC via AT&T's Access Tandem switch, AT&T, as the tandem company agrees to provide to Rightlink USA, as the End Office Company, as defined in MECAB, at no charge, all the switched access detail usage data, recorded at the access tandem, within no more than sixty (60) days after the recording date. Each Party will notify the other when it is not feasible to meet these requirements. As business requirements change, data reporting requirements may be modified as necessary.
- 8.5.5 AT&T, as the tandem provider company, will retain for a minimum period of sixty (60) days, access message detail sufficient to recreate any data that is lost or damaged by the tandem provider company or any third party involved in processing or transporting data.
- 8.5.6 Rightlink USA shall not deliver switched access traffic to AT&T for termination over any trunks and facilities other than Rightlink USA ordered switched access trunks and facilities.

### 8.6 Transit Traffic

8.6.1 AT&T shall provide tandem switching and transport services for Rightlink USA's Transit Traffic.
Rates for local Transit Traffic and ISP-Bound Transit Traffic shall be the applicable rate elements for Tandem Switching, Common Transport and Tandem Intermediary Charge as set forth in Exhibit A. Rates for Switched Access Transit Traffic shall be the applicable charges as set forth in AT&T's intrastate Access Services Tariff and/or BellSouth's FCC No. 1 Tariff. Billing associated with all

### ATT 3 - NETWORK INTERCONNECTION/AT&T-9STATE

PAGE 19 OF 24 RIGHTLINK USA

### 1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

Transit Traffic shall be pursuant to MECAB guidelines. Traffic between Rightlink USA and Wireless Type 1 third parties or Wireless Type 2A third parties that do not engage in Meet Point Billing with AT&T shall not be treated as Transit Traffic from a routing or billing perspective until such time as such traffic is identifiable as Transit Traffic.

- The delivery of traffic that transits the AT&T network is excluded from any AT&T billing guarantees.

  AT&T agrees to deliver Transit Traffic to the terminating carrier; provided, however, that Rightlink USA is solely responsible for negotiating and executing any appropriate contractual agreements with the terminating carrier for the exchange of Transit Traffic through the AT&T network. AT&T will not be liable for any compensation to the terminating carrier or to Rightlink USA. In the event that the terminating third party carrier imposes on AT&T any charges or costs for the delivery of Transit Traffic, Rightlink USA shall reimburse AT&T for such charges or costs.
- 8.7 For purposes of intercarrier compensation, AT&T will not be responsible for any compensation associated with the exchange of traffic between Rightlink USA and a CLEC utilizing AT&T switching. Where technically feasible, AT&T will use commercially reasonable efforts to provide records to Rightlink USA to identify those CLECs utilizing AT&T switching with whom Rightlink USA has exchanged traffic. Such traffic shall not be considered Transit Traffic from a routing or billing perspective, but instead will be considered as traffic exchanged solely between Rightlink USA and the CLEC utilizing AT&T switching.
- 8.7.1 Rightlink USA is solely responsible for negotiating and executing any appropriate contractual agreements with the terminating carrier for the exchange of traffic with a CLEC utilizing AT&T switching. AT&T will not be liable for any compensation to the terminating carrier or to Rightlink USA. In the event that the terminating third party carrier imposes on AT&T any charges or costs for the delivery of such traffic, Rightlink USA shall reimburse AT&T for all such charges or costs.
- 8.8 Rightlink USA shall send all IntraLATA toll traffic to be terminated by an independent telephone company to the End User's IntraLATA toll provider and shall not send such traffic to AT&T as Transit Traffic. IntraLATA toll traffic shall be any traffic that originates outside of the terminating independent telephone company's local calling area.

### 9 Ordering Charges

- 9.1 The facilities purchased pursuant to this Attachment shall be ordered via the ASR process.
- 9.2 The rates, terms and conditions associated with submission and processing of ASRs are as set forth in BellSouth's FCC No. 1 Tariff, Section 5.

### 10 Basic 911 and E911 Interconnection

- 10.1 Basic 911 and E911 provides a caller access to the applicable emergency service bureau by dialing 911.
- Basic 911 Interconnection. AT&T will provide to Rightlink USA a list consisting of each municipality that subscribes to Basic 911 service. The list will also provide, if known, the E911 conversion date for each municipality and, for network routing purposes, a ten (10) digit directory number representing the appropriate emergency answering position for each municipality subscribing to 911. Rightlink USA will be required to arrange to accept 911 calls from its end users in

## ATT 3 – NETWORK INTERCONNECTION/<u>AT&T-9STATE</u> PAGE 20 OF 24

RIGHTLINK USA 1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

municipalities that subscribe to Basic 911 service and translate the 911 call to the appropriate ten (10) digit directory number as stated on the list provided by AT&T. Rightlink USA will be required to route that call to the appropriate PSAP. When a municipality converts to E911 service, Rightlink USA will be required to begin using E911 procedures.

10.3

E911 Interconnection. Rightlink USA shall install a minimum of two (2) dedicated trunks originating from its SWC and terminating to the appropriate E911 tandem. The SWC must be in the same LATA as the E911 tandem. The dedicated trunks shall be, at a minimum, DS0 level trunks configured as part of a digital (one point five forty-four (1.544) Mb/s) interface (DS1 facility). The configuration shall use CAMA-type signaling with MF pulsing or SS7/ISUP signaling either of which shall deliver ANI with the voice portion of the call. If SS7/ISUP connectivity is used, Rightlink USA shall follow the procedures as set forth in Appendix A of the CLEC Users Guide to E911 for Facility Based Providers that is located on the AT&T Wholesale - Southeast Region Web site. If the user interface is digital. MF pulses as well as other AC signals shall be encoded per the u-255 Law convention. Rightlink USA will be required to provide AT&T daily updates to the E911 database. Rightlink USA will be required to forward 911 calls to the appropriate E911 tandem along with ANI based upon the current E911 end office to tandem homing arrangement as provided by AT&T. If the E911 tandem trunks are not available, Rightlink USA will be required to route the call to a designated seven (7) digit or ten (10) digit local number residing in the appropriate PSAP. This call will be transported over AT&T's interoffice network and will not carry the ANI of the calling party. Rightlink USA shall be responsible for providing AT&T with complete and accurate data for submission to the 911/E911 database for the purpose of providing 911/E911 to its end users.

- Trunks and facilities for 911 Interconnection may be ordered by Rightlink USA from AT&T pursuant to the terms and conditions set forth in this Attachment.
- 10.5 The detailed practices and procedures for 911/E911 interconnection are contained in the E911 Local Exchange Carrier Guide For Facility-Based Providers that is located on the AT&T Interconnection Services Web site.


### 11 SS7

11.1

SS7 Signaling is AT&T's preferred method for signaling. Where multi-frequency signaling is currently used, the Parties agree to use their best efforts to convert to SS7. If SS7 services are provided by AT&T, AT&T will provide such services in accordance with the rates, terms and conditions set forth in the applicable access tariffs. Where multi-frequency signaling is currently used, the Parties agree to Interconnect their networks using multi-frequency ("MF") or dual tone MF ("DTMF") signaling, subject to availability at the End Office Switch or Tandem Switch at which Interconnection occurs. The Parties acknowledge that the use of MF signaling may not be optimal. AT&T will not be responsible for correcting any undesirable characteristics, service problems or performance problems that are associated with MF/SS7 inter-working or the signaling protocol required for Interconnection with CLEC employing MF signaling.


### **Basic Architecture**

Exhibit B




# **One-Way Architecture**

Exhibit C




# **Two-Way Architecture**

Exhibit D



# **Supergroup Architecture**

### Exhibit E



OCAL INTERCONNECTION - Alabama			<del>-</del>									Att: 3 Exh: A			
ATEGORY RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)	<u>*</u>		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Menual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual St Order vs Electronic Disc Add
	<u> </u>	<b>!</b>	<b> </b>	<del> </del>	<u> </u>			T							
	<del> </del>	<b></b> -	<del></del>	<del> </del>	Rec	Nonrec First	Add'l	Nonrecurring First	Disconnect Add'i	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
		t			(	,,,,,,,		1.12							<u> </u>
CAL INTERCONNECTION (CALL TRANSPORT AND TERMINATION)		Ţ		<u> </u>						ļ				ļ	
ISP-BOUND TRAFFIC	+	ļ		<del> </del>	0.0007			<del> </del>		<del> </del>			<del> </del>	<del></del>	
END OFFICE SWITCHING				<del></del>	0.000					<del>                                     </del>					
End Office Switching Function, per MOU					0.0008663										
TANDEM SWITCHING			,	<del>-</del>											
Tandem Switching Function Per MOU  Multiple Tandem Switching, per MOU (applies to initial tandem	+-	-	<del></del>	<del></del> -	0.000498					<del> </del>	<u> </u>	<del></del>	<b>-</b>	· · · · · · · · · · · · · · · · · · ·	<del></del>
only)	Ì	]	]		0.000498					1					
Tandem Intermediary Charge, per MOU*		1_			0.0025										
Tandem Intermediary Charge, per MOU* (E:6/30/2010)					0.0025										
* This charge is applicable only to transit traffic and is applied in addit	ion to app	elds pilo	switching and/or int	erconnection	charges.						<del></del>				
TRUNK CHARGE Installation Trunk Side Service - per DS0			Тоно	TPP6X		21.56	8.12								
Installation Trunk Side Service - per DS0		+	OHD	тре9х	<del>  </del>	21.56	8.12	<del></del>		<del> </del>	<del></del>				
Dedicated End Office Trunk Port Service-per DS0**		1	OHD	TDEOP	0.00	-				İ					
Dedicated End Office Trunk Port Service-per DS1**			OH1 OH1MS	TDE1P	0.00										
Dedicated Tandem Trunk Port Service-per DS0**		Ļ	OHD	TDWOP	0.00				<u></u>						
Dedicated Tandem Trunk Port Service-per DS1**  "This rate element is recovered on a per MOU basis and is included	in the En	d Office	OH1 OH1MS	TDWIP	0.00	alamants	L	<u> </u>	L	<del></del>	L	<u> </u>	L,	L	<u> </u>
COMMON TRANSPORT (Shared)	in time (#10)	u Onice	Ownering and Tall	denti Sir acini,	g, per moo rate	DWING IL									
Common Transport - Per Mile, Per MOU	I	$T^{-}$			0 0000023									L	
Common Transport - Facilities Termination Per MOU					0.0003224										
OCAL INTERCONNECTION (DEDICATED TRANSPORT)		┸	L		4	<u> </u>		L	L	L_,	L	Ĺ	L	L	
INTEROFFICE CHANNEL - DEDICATED TRANSPORT  Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade	<del></del>		<del></del>					,	<del></del>	,					
Per Mile per month	<u> </u>	<u> </u>	OHM	1L5NF	0.008838	ļ <u> </u>									
Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade Facility Termination per month	↓	↓	ОНМ	1L5NF	21.13	40.54	27.41	16.74	6.90						
Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month		ļ	OHM	11L5NK	0.008838			 			}				
Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month			ОНМ	1L5NK	15.12	40.54	27,41	16.74	6.90						
Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			ОНМ	1L5NK	0.008838										
Interoffice Channel - Dedicated Transport - 64 kbps - Facility		<b>†</b>		1.20.	0.00000					<u> </u>					
Termination per month		<u> </u>	OHM	1L5NK	15.12	40.54	27.41	16.74	6.90	ļ					
Interoffice Channel - Dedicated Channel - DS1 - Per Milé per month		<u> </u>	OH1, OH1MS	1L5NL	0.18					<u> </u>					
Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month			OH1, OH1MS	1L5N <u>L</u>	60.16	89.27	81,81	16.35	14,44						
Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			1	7				1		Ĭ					
rnonth		<b>↓</b> —	OH3, OH3MS	1L5NM	4.09			ļ <u> </u>							
Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month		<u> </u>	онз, онзмѕ	1L5NM	703.52	278.75	162.76	60.20	58,46	<u> </u>				<u> </u>	
LOCAL CHANNEL - DEDICATED TRANSPORT			ОНМ	TEFV2	1 40.07	700 40	- 00.43	20.04							
Local Channel - Dedicated - 2-Wire Voice Grade per month  Local Channel - Dedicated - 4-Wire Voice Grade per month	-	┼~	OHM	TEFV4	13.97 14.93	193.10 193.53	33.17 33.60	36.64 37.11	3.20 3.67		<u></u>				
Local Channel - Dedicated - DS1 per month	_	<del> </del>	OH1	TEFHG	35.76	177.47	153.72	22.19	15.26						
Local Channel - Dedicated - DS3 Facility Termination per month			ОНЗ	TEFHJ	416.54	451.52	263.94	119.49	83.58						
LOCAL INTERCONNECTION MID-SPAN MEET		<del></del>									<del></del>				
Local Channel - Dedicated - DS1 per month			OHIMS	TEFHG	0.00	0.00									
Local Channel - Dedicated - DS3 per month		Ш.	OH3MS	TEFHJ	0.00	0.00			L. <u>-</u>	L					
MULTIPLEXERS  Channelization - DS1 to DS0 Channel System			OH1, OH1MS	SATN1	101.06	91.04	62.57	10.54	9.79	<del>,</del>		<del></del>			
DS3 to DS1 Channel System per month	+	+-	OH3 OH3MS	SATNS	166.13	178.14	93.97		31.63		· · · · · · · · · · · · · · · · · · ·			<del></del>	
DS3 Interface Unit (DS1 COCI) par month	+	<del>                                     </del>	OH1 OH1MS	SATCO	12.70	6.58	4.72		27.00	<del></del>					
Notes: if no rate is identified in the contract, the rates, terms, and co-	nditions fo	or the s			as set forth in a	plicable AT&T									-

1	RCONNECTION - Florida				<del></del>						,		Att: 3 Exh: A			
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	uso¢			RATES(\$)	_		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order vo Electroni Disc Add
	<del></del>	<b>├</b> ──	<u> </u>			Rec	Nonre		Nonrecurring					Rates(\$)		
		<del> </del> -	<del>  -</del>	<del> </del>	<del></del>		First	Add't	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
CAL INTERC	ONNECTION (CALL TRANSPORT AND TERMINATION)	<del> </del> -	_	<del></del>	<del></del>	<del></del>										<u> </u>
	JND TRAFFIC	<del> </del> -	<del> </del>	<del> </del>	<del></del>	<del> </del>					<del> </del>					<b></b>
	ISP-Bound, per MOU	<del> </del> -			<del> </del>	0.0007				<del></del>	<del> </del>					-
	FICE SWITCHING				<del>                                     </del>	0.0007					<del> </del>					
	End Office Switching Function, per MOU	<u> </u>			1	0.0009302					<del> </del>				·	
	MISWITCHING									·						
	Tandem Switching Function Per MOU					0.0006019										
	Multiple Tandern Switching, per MOU (applies to intial tandem		í													
	only)			ļ	<del> </del>	0.0006019					L					
	Tandem Intermediary Charge, per MOU* Tandem Intermediary Charge, per MOU* (E.6/30/2010)	<del></del>		ļ- <u> </u>	<del></del> -	0.0025				<del></del>						
	harge is applicable only to transit traffic and is applied in addition	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	[ licable	nu kobina andlas int	orrenne etien	0.0025				L	L					L
TRUNK	CHARGE	io app	aui	OH POINT BURNOLING	ervointection	Cital Gas.							·			
	Installation Trunk Side Service - per DS0			IOHD	TPP6X	· · · · · · · · · · · · · · · · · · ·	21.73	8.19		<u> </u>	T					<del></del>
	Installation Trunk Side Service - per DS0	_		OHD	TPP9X		21,73	8.19			-			<del></del>		
	Dedicated End Office Trunk Port Service-per DS0**			OHD	TDEOP	0.00		4.10		<del></del>						
	Dedicated End Office Trunk Port Service-per DS1**			OH1 OH1MS	TDE1P	0.00					!					
	Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDWOP	0.00										
	Dedicated Tandem Trunk Port Service-per DS1**	Ľ.,		OH1 OH1MS	TOW1P	0.00										
	ate element is recovered on a per MOU basis and is included in	the End	Office	Switching and Tand	lem Switchin	g, per MOU rate	elements									
	N TRANSPORT (Shared)			,												
	Common Transport - Per Mile, Per MOU	<del></del>	_	ļ	<del></del>	0.0000035										
CAL INTERC	Common Transport - Facilities Termination Per MOU ONNECTION (DEDICATED TRANSPORT)	-	-	·	<del>                                     </del>	0.0004372					<del></del>					
	FFICE CHANNEL - DEDICATED TRANSPORT	<u> </u>	ــــــــــــــــــــــــــــــــــــــ	L	L	<u> </u>					L					
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -	Γ			1					<del></del>	<del>,</del> -					
	Per Mile per month	l :		онм	1L5NF	0.0091					i !		- 1			
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -	_			<del> </del>						<del> </del>				<del></del>	
	Facility Termination per month	<u>L</u>		OHM	1L5NF _	25.32	47.35	31.78	18.31	7.03			i			
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per				T											
	month			ОНМ	1L5NK	0.0091					l i				(	
<u> </u>	Interoffice Channel - Dedicated Transport - 56 kbps - Facility	Į I		l	[	1				1						
	Termination per month	<u> </u>		OHM	1L5NK	18.44	47.35	31.78	18.31	7.03						
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per								İ							
	month Interoffice Channel - Dedicated Transport - 64 kbps - Facility		_	ОНМ	1L5NK	0.0091					L					
	Termination per month	<b>)</b>	1	ОНМ	1L5NK	18.44	47.35	31.78	40.04	7.00	l .		,			
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			Critivi	TESIAN.	10.44	47,33	31.70	18.31	7.03	<del>                                     </del>					
	month			OH1, OH1MS	1L5NL	0.1856	i			' i		Į.	Į	į	(	
	Interoffice Channel - Dedicated Tranport - DS1 - Facility	1			1	V., 550				· · · · · ·	<del>  </del>					
	Termination per month	ì l		OH1, OH1MS	1L5NL	88.44	105.54	98.47	21.47	19.05		Į			i	
10	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per									.5.05	<del>                                     </del>		·			
	month	نــــــا		онз. онзмѕ	1L5NM	3.87				L	<u> </u>	1	}	)	}	
	Interoffice Channel - Dedicated Transport - DS3 - Facility	i			1											
	Termination per month	L	L	она, онамь	1L5NM	1,071.00	335.46	219.28	72.03	70.56					!	
	CHANNEL - DEDICATED TRANSPORT				Terre di Co	<del></del>										
<del></del>	ocal Channel - Dedicated - 2-Wire Voice Grade per month	<b></b> -'	<u> </u>	OHM	TEFV2	19.66	265.84	46.97	37.63	4.00						
╌┼╾┈┼	Local Channel - Dedicated - 4-Wire Voice Grade per month Local Channel - Dedicated - DS1 per month	<del>  -</del>		OHM OH1	TEFV4	20.45	266.54	47.67	44.22	5.33	<b>  </b>					
<del></del> -	-ocar charter - padicated - OST per moran			Or,	Tiermo -	36.49	216.65	183.54	24.30	16.95	<b></b>					
- Į l	Local Channel - Dedicated - DS3 Facility Termination per month			OH3	TEFHJ	531.91	556.37	343.01	139.13	96.84	l Ì		ĺ	J	1	
	NTERCONNECTION MID-SPAN MEET	L		01,0	11-110	301.31	330.37]	343.01	138.13	20.84	ــــــــــــــــــــــــــــــــــــــ		<u> </u>			
	Local Channel - Dedicated - DS1 per month			OH1MS	TEFHG	0.00	0.00	<sub></sub>	<del></del>				<del></del>	<del></del>	<del></del>	
	ocal Channel - Dedicated - DS3 per month			OH3MS	TEFHJ	0.00	0.00								<del></del>	
MULTIPL																
MULTIPL	Channelization - DS1 to DS0 Channel System			OH1, OH1M\$	SATN1	146.77	101.42	71.62	11.09	10.49	i	1				
MULTIPL C	Channelization - DS1 to DS0 Channel System DS3 to DS1 Channel System per month DS3 Interface Unit (DS1 COCI) per month			OH1, OH1MS OH3, OH3MS OH1, OH1MS	SATNS SATCO	146.77 211.19 13.76	101.42	71.62	11.09 40.34	10.49 39.07						

OCAL INTE	ERCONNECTION - Georgia												Att: 3 Exh: A			
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Menually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
			-			Rec	Nonrec	urring Add'i	Nonrecurring First		BOMEC	SOMAN	SOMAN	Rates(\$)	COMAN	SOMAN
<del></del>	<u> </u>		-	<del></del>	<del></del>	<del></del>	First	ADDI	FIRST	Add'i	SOMEC	SUMAN	SUMAN	SOMAN	SOMAN	SUMAN
OCAL INTERO	CONNECTION (CALL TRANSPORT AND TERMINATION)			<del></del>	+				<del></del> -		<del> </del>					<del></del>
	UND TRAFFIC	<del></del> -	-						<del></del>							
137-00	ISP-Bound, per MOU				<del></del>	0.0007					<del> </del>					
ENDO	FICE SWITCHING	<del> </del>	11	<del></del>	<del> </del>	0.0007			i		<del>                                     </del>					f
	End Office Switching Function, per MOU					0.000756									1	
TANDE	MSWITCHING								<u> </u>							
	Tandem Switching Function Per MOU					0.0004186					1					
	Multiple Tandem Switching, per MOU (applies to intial tandem		Ţ								1			-		T
ļ.	only)		<u>l</u>	L		0.0004186					l					<u> </u>
_	Tandem Intermediary Charge, per MQU*					0.0025						. "				
	Tandem Intermediary Charge, per MOU* (E:6/30/2010)					0.0025										
	harge is applicable only to transit traffic and is applied in addition	n to app	licable	switching and/or in	terconnection	charges.										
TRUNK	CHARGE															
	Installation Trunk Side Service - per DS0	ļ		OHD	TPP6X		21.53	8.11								
	Installation Trunk Side Service - per DS0	<del></del>		OHD	TPP9X	<b></b>	21.53	8.11	<u></u>		ļ. <b></b>					
	Dedicated End Office Trunk Port Service-per DS0**			OHD	TDEOP	0.00										<u> </u>
	Dedicated End Office Trunk Port Service-per DS1**	Ļ		OH1 OH1MS	TDE1P	0.00			<del></del>		<u> </u>					<b>└</b>
	Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDWOP	0.00										
	Dedicated Tandem Trunk Port Service-per DS1**	<u></u>		OH1 OH1MS	TDW1P	0.00			L							<u> </u>
This	rate element is recovered on a per MOU basis and is included in	the End	Uπice	Switching and Lan	idem Switching	, per MOU rate	elements									
COMM	ON TRANSPORT (Shared)		·			0.0000000										
	Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU	<del> </del>			<del></del>	0.0000028					ļ <del></del> -					<del></del>
OCAL INTERC	CONNECTION (DEDICATED TRANSPORT)	<del></del>	-		+	0.0001933			<del> 1</del>		<del></del>				·	<del> </del> -
HATERO	OFFICE CHANNEL - DEDICATED TRANSPORT				<del></del>											<u> </u>
(N) ENC	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -				T											
1	Per Mile per month		1 !	ОНМ	1L5NF	0.0059	1		) i							l
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -								10.55							
	Facility Termination per month		┞╌┤	ОНМ	1L5NF	13.15	48.41	19.46	16.56	4.99	<b></b>					
1	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per		ĺ	онм	1L5NK	0.0070	1							,		1
	month			Онм	ILSIAN	0.0059										<del></del>
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility	l	l I	OHM	1L5NK	8.00	48.41	19,46	16.56	4.99	i i					
	Termination per month Interoffice Channel - Dedicated Transport - 64 kbps - per mile per	<del> </del>	-	OTTIV	TESINIS	8.00	40.41	13,40	10.50	4.00						<del></del>
	month			ОНМ	1L5NK	0.0059					]					ļ
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility	<del></del>	1	<u> </u>	1.22.112	0.0000					<del>                                     </del>					
1	Termination per month	1		онм	1L5NK	8.00	48.41	19.46	16.56	4.99						1
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
	menth	L .	<u>.                                    </u>	OH1, OH1MS	1L5NL	0.1199	1		L i		i					
	Interoffice Channel - Dedicated Tranport - DS1 - Facility	1														
	Termination per month	ļ		OH1, OH1MS	1L5NL	34.93	110.92	80.20	31.33	21.71						<u> </u>
	Interoffice Channel · Dedicated Transport - DS3 · Per Mile per	ł	1	i	1	i i	1		l i							
	month	<u> </u>	ļ	OH3, OH3MS	1L5NM	2.63			ļ							<u> </u>
	Interoffice Channel - Dedicated Transport - DS3 - Facility	l	1						\		( )			1	'	ĺ
	Termination per month	ــــــــــــــــــــــــــــــــــــــ	٠	OH3, OH3MS	1L5NM	349.42	320,16	86.24	66.71	52.76						<u> </u>
LOCAL	CHANNEL - DEDICATED TRANSPORT		,	Total .	Trendo		100 00 7		45.55							
	Local Channel - Dedicated - 2-Wire Voice Grade per month	<b></b>		OHM	TEFV2	7.91	120.95	53.24 54.38	46.35 46.35	13.35 13.35	<b></b>				<b>⊢</b> ———-	<del></del>
	Local Channel - Dedicated - 4-Wire Voice Grade per month	<del></del>		OH1	TEFHG	8.90 22.82	125.50	111.09	40.32		-					<del></del>
	Local Channel - Dedicated - DS1 per month	<del> </del>	<del></del>		, Erng	- 42.82	149.31	111.09	40.32	26.09	<del> </del> -					<del></del>
	Local Channel - Dedicated - DS3 Facility Termination per month	1		онз	TEFHJ	150.05	444,58	145.04	112.80	75.81	<b>i</b>			1	·	1
UOCAL	INTERCONNECTION MID-SPAN MEET		•	14		, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		. 43.04		70.01					<del></del>	
LUCAL	Local Channel - Dedicated - DS1 per month			OH1MS	TEFHG	0.00	0.00		<del></del>							
<del></del>	Local Channel - Dedicated - DS3 per month	<del> </del>	$\vdash$	OH3MS	TEFHJ	0.00	0.00		<del></del>							<del> </del>
MAJI TIE	PLEXERS	•					5,50		•		·					
MOET IF	Channelization - DS1 to DS0 Channel System	1	Г	OH1, OHIMS	SATN1	71.23	105.67	41.545	23.73	4.19	<del>,                                      </del>					
-+-	DS3 to DS1 Channel System per month		1	OH3, OH3MS	SATNS	124.39	224.295	71.76	39.965	31.035						
			1													
	DS3 Interface Unit (DS1 COCI) per month  If no rate is identified in the contract, the rates, terms, and cond	ı	ł	OH1, OH1MS	SATCO	7.50	15.79	11.375	6.60	6.60	_					

LOCAL INT	ERCONNECTION - Kentucky												Att: 3 Exh: A			
ATEGORY	RATE ELEMENTS	lnterim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manuel Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual Sy Order vs Electronic Disc Add
		-	-			Rec	Nonre- First	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	OSS	Rates(\$)	SOMAN	SOMAN
	CONNECTION (CALL TRANSPORT AND TERMINATION) OUND TRAFFIC	<u> </u>		<u> </u>	<del></del>	L										<b> </b>
ISP-BC	ISP-Bound, per MOU		<del></del>			0.0007										
END O	FFICE SWITCHING			<del> </del>	<del></del>	0.0007			<del></del>	ļ. <u></u>						
	End Office Switching Function, per MOU	<del>                                     </del>	$\vdash$	<del> </del>	+	0.0014083			<del></del>	<del>-</del>	<del> </del>					-
	M SWITCHING				·											
	Tandem Switching Function Per MOU					0.0006772										
1	Multiple Tandem Switching, per MOU (applies to initial landem	1 :	1		1						1					1
	only) Tandem Intermediary Charge, per MOU*	<b></b>	<u> </u>		<del> </del>	0.0006772 0.0025										<del></del>
	Tandem Intermediary Charge, per MOU* (E:6/30/2010)	<del> </del>	╁	<del> </del>	<del>                                     </del>	0.0025			<del> </del>	<del></del>	<del> </del>				<del>                                     </del>	<del> </del>
* This	charge is applicable only to transit traffic and is applied in addition	n to app	licable	switching and/or inte	егсоплестіол				l	·	<u> </u>			<b></b>	<u> </u>	·
TRUN	CHARGE															
	Installation Trunk Side Service - per DS0			OHD	TPP6X		21.58	8.13			T					
	Installation Trunk Side Service - per DS0			OHD	TPP9X		21.58	B.13								
	Dedicated End Office Trunk Port Service-per DS0**	<b>-</b>		OHD	TDEOP	0.00										
	Dedicated End Office Trunk Port Service-per DS1**	Ļ		OH1 OH1MS	TDE1P	0.00					<u> </u>					
	Dedicated Tandem Trunk Port Service-per DS0** Dedicated Tandem Trunk Port Service-per DS1**			OHD	TDWOP TDW1P	0.00										
** This	rate element is recovered on a per MOU basis and is included in	the Cod		OH1 OH1MS		0.00	-loments		L						<u> </u>	
COMM	ON TRANSPORT (Shared)	tise criq	Once	SWILCOMING AND 1 AFTE	Mail 2 Miletial	a, per moo rate	Meccherit?									
	Common Transport - Per Mile, Per MOU			1	1	0.000003					T					
	Common Transport - Facilities Termination Per MOU					0.0007466										
CAL INTER	CONNECTION (DEDICATED TRANSPORT)					<u> </u>									•	<u> </u>
INTER	OFFICE CHANNEL - DEDICATED TRANSPORT				,		_									,
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month	ļ!		онм	tL5NF	0.01	_				<u> </u>	·				<u> </u>
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month			онм	1L5NF	29.11	47.34	31.78	22.77	8.75	<u> </u>		·			
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month	i	Į	ОНМ	1L5NK	00445										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility	<del></del> -		UHM!	ILSINK	0.0115			<u> </u>	L	<b>├</b> ──					
	Termination per month Interoffice Channel - Dedicated Transport - 64 kbps - per mile per	<u> </u>		ОНМ	1L5NK	20.97	47.35	31.78	22.77	8.75	<u> </u>					
	month Interoffice Channel - Dedicated Transport - 64 kbps - Facility	L		онм	1L5NK	0.0115					<u> </u>					
	Termination per month	l i		ОНМ	1L5NK	20.97	47.35	31.78	22.77	8.75					ļ	
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per				1	20.07	77.00	31.76	**.//	U.73	<del> </del>				<del></del>	
	month Interoffice Channel - Dedicated Tranport - DS1 - Facility	<u> </u>	ļ	OH1, OH1MS	1L5NL	0.23					<del> </del>					
	Termination per month  Interoffice Channel - Dedicated Transport - DS3 - Per Mile per	<u> </u>		OH1, OH1MS	1L5NL	96.04	105.52	98.46	23.09	20.49				ļ		
	Interoffice Channel - Dedicated Transport - DS3 - Facility		<u> </u>	онз, онзмѕ	1L5NM	4.97										
	Termination per month	<u> </u>		онз, онзмѕ	1L5NM	1,175.15	335.40	219.24	89.57	87.75	<u> </u>			L		<u> </u>
	CHANNEL - DEDICATED TRANSPORT  Local Channel - Dedicated - 2-Wire Voice Grade per month	,	,	lour.	TEFV2								· · · · · · · · · · · · · · · · · · ·			
	Local Channel - Dedicated - 2-wire Voice Grade per month	<del> </del>		OHM	TEFV2	18.57	265.78 266.48	46.96 47.65	46.79 47.54	4.98 5.73				·		
	Local Channel - Dedicated - 4-49 re voice Grade per month			OH1	TEFHG	40.46	209.60	176.51	30.21	21.07		<del></del>				<del></del>
	Local Channel - Dedicated - DS3 Facility Termination per month			ОНЗ	TEFHJ	576.05	551.38	338.08	173.00	120.42						
LOCAL	INTERCONNECTION MID-SPAN MEET							\$00.00								
	Local Channel - Dedicated - DS1 per month			OHIMS	TEFHG	0.00	0.00									
	Local Channel - Dedicated - DS3 per month			OH3MS	TEFHJ	0.00	0.00									
IMULTIF	CEXERS	<del></del> -		lous olumo	ICATAIA	4-0-0-1	404		40 ==							
<del></del>	Channelization - DS1 to DS0 Channel System DS3 to DS1 Channel System per month	<del> </del> -		OH1, OH1MS OH3, OH3MS	SATN1 SATNS	113.33 158.20	101.40	71.60 118.62	13.79 50.16	13.04 48.59		<u> </u>		<del></del>		
	DS3 Interface Unit (DS1 COCI) per month			OH1, OH1MS	SATCO	11.80	10,07	7.08	5U.16	48.59	<del> </del>			<del></del>		
	If no rate is identified in the contract, the rates, terms, and condi										<del></del>					

	NNECTION - Louisiana												Att: 3 Exh: A			
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)				Syc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order v Electron Disc Add
<del>    </del>						Rec	Nonre	curring	Nonrecurrin	g Disconnect				Rates(\$)	·	
		<del> </del>			<del> </del>		First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
CAL INTERCONNEC	TION (CALL TRANSPORT AND TERMINATION)	┼─-	<del>}</del>		<del> </del>	<del> </del>			<u> </u>	<del></del>	ļ					<del></del>
ISP_BOUND TR	RAFFIC	_	-		<del></del>	<del></del>		<del> </del>	<del>                                     </del>	<del></del> -	ֈ——		ļ	<del> </del>		<b>├</b> ──
ISP-Bo	und, per MOU				<del> </del>	0.0007		<del> </del>	<del> </del>	<del> </del>	<del> </del>		<del></del>	<del></del>	<del></del>	<del>├</del> -
END OFFICE S	WITCHING				<del> </del>	0.0007					<del> </del>					<del> </del>
End Off	ice Switching Function, per MOU				<del>                                     </del>	0.002048			<del>                                     </del>	<del> </del>	+				<del></del>	<del> </del> -
TANDEM SWIT											-					
Multiple	Switching Function Per MOU Tandem Switching, per MOU (applies to initial tandem	-	LI			0.0005507				T						
(only)	railden Switching, per MOU (applies to initial tandem	[ ]	[ [		1				J	T						
	Intermediary Charge, per MOU*		-		<del>  -</del>	0.0005507		<u> </u>		<del></del>	<u> </u>					<u> </u>
Tandem	Intermediary Charge, per MOLL* (F-8/30/2010)	<del>                                     </del>			<del> </del>	0.0025			<del></del>	<del> </del>	-					ļ ——
This charge is	applicable only to transit traffic and is applied in addition	I to anal	licable e	witching angles in	lerconno elle	0.0025		L	<u> </u>	<u> </u>		L		L	L	
THORN OFFICE	· ·	аррі		worning actoror (N	e-rolligetion	uiarges.										
Installati	on Trunk Side Service - per DS0			OHD	TPP6X		21.64	8.15						1	·	
Installatio	on Trunk Side Service - per DS0			OHD	TPP9X		21,64	8.15		<del> </del>	<del> </del>				<del> </del>	<del></del>
Dedicate	ed End Office Trunk Port Service-per DS0**			OHD	TDEOP	0.00		3,10	1						<del></del>	-
Dedicate	ed End Office Trunk Port Service-per DS1**			OH1 OH1MS	TDEIP	0.00			1							
Dedicate	ed Tandem Trunk Port Service-per DS0** ad Tandem Trunk Port Service-per DS1**			OHD	TDWOP	0.00										
** This rate elect	and Tandem Trunk Port Service-per DS1"			OH1 OH1MS	TDW1P	0.00										
COMMON TRAN	nent is recovered on a per MOU basis and is included in ISPORT (Shared)	the End	Office S	Switching and Tand	dem Switching	, per MOU rate	elements									
	Transport - Per Mile, Per MOU															
	Transport - Facilities Termination Per MOU				<del></del>	0.0000032					<u> </u>					
CAL INTERCONNEC	TION (DEDICATED TRANSPORT)		-+		+	0.0003748				<del></del>					ļ	-
INTEROFFICE C	HANNEL - DEDICATED TRANSPORT		——						L	4	—.—			L	L	L
Interoffic	e Channel - Dedicated Transport - 2-Wite Voice Grade -				T				<del></del>	<del>,</del>						T
Per Mile	per month			OHM	1L5NF	0.013			1	1			'	{	ł	l
Interoffic	e Channel - Dedicated Transport- 2- Wire Voice Grade -		$\neg$								<del> </del>					
leteroffic	ermination per month			MHC	1L5NF	22.60	39.36	26.62	1		i			i _		
month	e Channel - Dedicated Transport - 56 kbps - per mile per		ı.								T					
	e Channel - Dedicated Transport - 56 ldops - Facility	$\rightarrow$		OHM	1L5NK	0.013					<u> </u>					
Terminat	ion per month	1	- la	<b>М</b> НС	laren l									•		
	e Channel - Dedicated Transport - 64 kbps - per mile per	$\rightarrow$		ЭНМ	1L5NK	15.61	39.37	26.62		Ļ <u> </u>						<del> </del> -
month			İc	онм	1L5NK	0.013			]	1						1
Interaffic	e Channel - Dedicated Transport - 64 kbps - Facility		<del> `</del>	271107	TLONK	0.013			<del> </del>	<del></del>	<del> </del>					<del></del>
Terminati	ion per month		lo	МНС	1L5NK	15.61	39.37	26.62	(	1	1	١ .	l			İ
Interoffic	e Channel - Dedicated Channel - DS1 - Per Mile per				1.20.11	- 15.01	00.01	50.02		<del> </del>	<del> </del>					<del></del>
month			Jo	DH1_OH1MS	1E5NL	0.2652				1						
	e Channel - Dedicated Tranport - DS1 - Facility									1						
	on per month		0	H1, OH1MS	1L5NL	70.47	86.69	79.44			1			ĺ	í	1
month	e Channel - Dedicated Transport - DS3 - Per Mile per	J	1													
	Channel - Dedicated Transport - DS3 - Facility		0	H3, OH3MS	1L5NM	6.04			<u> </u>		l					<u> </u>
Terminati	on per month	1	را	uia auma												
LOCAL CHANNE	L - DEDICATED TRANSPORT			H3, OH3MS	1L5NM	850.45	270.69	158.05			1		L		L	<u> </u>
Local Cha	annel - Dedicated - 2-Wire Voice Grade per month		Ö	HM	TEFV2	18.32	187,51	32.21								,
Local Cha	annel - Dedicated - 4-Wire Voice Grade per month	_		HM	TEFV4	19.41	187.94	32.63			<del></del>			<del></del>	<del></del>	<del> </del> -
Local Cha	annel - Dedicated - DS1 per month			H1	TEFHG	39.18	172.34	149.27		<del> </del>	<del> </del>					<del></del>
			-					. 40.67	<del></del>		<del> </del>				<del> </del>	<del> </del>
Local Cha	nnel - Dedicated - DS3 Facility Termination per month		o	H3	TEFHJ	469,44	438.46	256.30		ĺ					}	J
LOCAL INTERCO	NNECTION MID-SPAN MEET															
Local Cha	innel - Dedicated - DS1 per month innel - Dedicated - DS3 per month				TEFHG	0.00	0.00								1	
MULTIPLEXERS	inner - Dedicated - DS3 per month			H3MS	TEFHJ	0.00	0.00									
Channeliz	ation - DS1 to DS0 Channel System		- 12	04 00200	10.4-11.											
DS3 to DS	S1 Channel System per month				SATN1	105.09	88.41	60.76			-					
DS3 Interf	ace Unit (DS1 COCI) per month			HI OHILL	SATNS	201.48	172.99	91.25			-					<b></b>
1.	is identified in the contract, the rates, terms, and conditi			mi, UniMa	SATCO	11.78	6.39	4.58				ì		,	,	1

LOCAL INTERCONN	ECTION - Mississippi												Att: 3 Exh: A		In annua anda I	Incress
ATEGORY	RATE ELEMENTS	kıterim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Syc Order vs. Electronic- Disc 1st	Increment Charge Manual Sv Order vs Electronic Disc Add
<del></del>			-			Rec	Nonrec	urring	Nonrecurring					Rates(\$)		001111
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
						<del></del>										
CAL INTERCONNECT	ON (CALL TRANSPORT AND TERMINATION)	<u> </u>			<del>}</del>	l					<del></del>					
ISP-BOUND TRA		ļ				0.0007						<del> </del>				
ISP-Boun		ļ			-	0.0007										
END OFFICE SWI		<del> </del>				0.00119			<del></del>							
	Switching Function, per MOU					0.00113										
TANDEM SWITCH	witching Function Per MOU	Υ			}	0.0005379]										
	undern Switching, per MOU (applies to intial tandem	1				1								ł	ĺ	
only)	interin State ing. per moo (approvio in martanco		l			0.0005379						L				—
	termediary Charge, per MOU*	_	<del>                                     </del>			0.0025										—
	termediary Charge, per MOU" (E:6/30/2010)					0.0025						ــــــــــــــــــــــــــــــــــــــ		L		<del></del>
* This charge is a	oplicable only to transit traffic and is applied in addition	n to app	licable	switching and/or inte	rconnection	charges.										
TRUNK CHARGE						<del></del>									1	т
	Trunk Side Service - per DS0		<u> </u>	OHD	TPP6X	<del></del>	21.58	8.13 8.13		<del></del>	<del> </del>			-		<b>†</b>
	Trunk Side Service - per DS0	-	ļ	OHD	TPP9X	- 72	21.58	8.13		-			<del>                                     </del>	<del></del> -		
	End Office Trunk Port Service-per DS0**	<del> </del>	-	OHD	TDEOP	0.00										
	End Office Trunk Port Service-per DS1**		├	OH1 OH1MS	TDE1P	0.00							<del></del>	<del></del>	-	
	Tandem Trunk Port Service-per DS0**	<del> </del>	<b>├</b> ──	OHD	TDW0P	0.00					· · · · · ·					
Dedicated	Tandem Trunk Port Service-per DS1**		1046-	OH1 OH1MS	DVV IF		-lemente	<u> </u>								
" This rate eleme	nt is recovered on a per MOU basis and is included in	1 the End	Office	Switching and Fanc	iaui 24 itcilii	g, per incorate i	nem ento									
COMMON TRANS	Transport - Per Mile, Per MOU	_			T	0.0000026										
	Transport - Facilities Termination Per MOU	+	-		<del></del>	0.0004541										
	ON (DEDICATED TRANSPORT)	<del>                                     </del>	<del>                                     </del>		<del></del>	1							-			1
	ANNEL - DEDICATED TRANSPORT															
	Channel - Dedicated Transport - 2-Wire Voice Grade -	Ī	T								Ì			ļ	1	
Per Mile p			1	OHM.	1L5NF	0,0098									<del>                                     </del>	+
Interoffice	Channel - Dedicated Transport- 2- Wire Voice Grade -	T	T													
Facility Te	rmination per month		<b>└</b>	ОНМ	1L5NF	22.52	40.77	27.57	17.26	7.11	<del></del>	<u> </u>	<del> </del>	<del></del>	<del> </del>	+
interoffice	Channel - Dedicated Transport - 56 kbps - per mile per	1	1	\	\			)	1	]	1	İ	1	1	1	
month		ļ	↓	OHM	1L5NK	0.0098		-	-		<del> </del>					<del> </del>
	Channel - Dedicated Transport - 56 kbps - Facility	1	1	0131	41 5307	15.68	40.78	27.57	17.26	7.11		i	1	!	1	
Terminate	on per month	+	+	OHM	1L5NK	13.00	40.70	27.07	17.50							
	Channel - Dedicated Transport - 64 kbps - per mile per		1	онм	1L5NK	0.0098										
month	Channel Dedicated Transport 64 Mar. English	┼	+	CHIVI	TESINIX	0.0000			<del> </del> -						1	1
	Channel - Dedicated Transport - 64 kbps - Facility	1	ì	ОНМ	1L5NK	15.68	40.78	27,57	17,26	7,11	İ				<u></u>	
	on per month  Channel - Dedicated Channel - DS1 - Per Mile per	+	<del> </del>	CONTRACTOR	1,50,41	1							1	1		
month	Clarier - Dedicated Charrer - Dot - Les willo ber	1	1	OH1, OH1MS	1L5NL	0.201		l				L		ļ		
	Channel - Dedicated Tranport - DS1 - Facility	_											İ	Ì	ì	
	on per month	Í	!	OH1, OH1MS	1L5NL	57.33	89.79	82,28	16.86	14.90		<b>↓</b>		<del> </del>	<del></del>	+-
	Channel - Dedicated Transport - DS3 - Per Mile per	T	$\tau$		1	1		1	1	1		ŀ				
month				OH3, OH3MS	1L5NM	4.76			-				<del> </del>	+	<del> </del>	+
Interoffice	Channel - Dedicated Transport - DS3 - Facility	1	Т			i				50.00		i			1	
Terminati	on per month			OH3. OH3MS	1L5NM	641.90	280.37	163.70	62.08	60.29				<u></u>	·	<del></del>
	L - DEDICATED TRANSPORT			la	1===:	14.91	194.22	33.36	37.79	3.30	3		Т	T	T	Т
	nnel - Dedicated - 2-Wire Voice Grade per month	<del></del>		OHM	TEFV2	15.99	194.66						·	<del></del>	1	
	nnel - Dedicated - 4-Wire Voice Grade per month	<del>1</del> —	+—	OH1	TEFHG	36.83	178.50									J
Local Ch	nnel - Dedicated - DS1 per month	+	+-	JON 1	TEFRO	30.00	170.50	1,54.01		1						
100	nnel - Dedicated - DS3 Facility Termination per month	1	1	онз	TEFHJ	413.87	454.13	264.47	123.23	86.19		l				
	INNECTION MID-SPAN MEET	-		19.19	1.271.0											
LOCAL IN LERCH	nnel - Dedicated - DS1 per month	T	$T^-$	OH1MS	TEFHG	0.00	0.00							-		4
Local Chi	innel - Dedicated - DS3 per month	1	+-	OHBMS	TEFHJ	0.00	0.00						L			
MULTIPLEXERS													<del></del>			
	ation - DS1 to DS0 Channel System		$\Gamma$	OH1, OH1MS	SATN1	102.85	91.57					<del> </del>	<del> </del>	+	<del> </del>	+
	S1 Channel System per month			OH3, OH3MS	SATNS	170.63	179.17	94.52		32.82			+	<del> </del>	+	+
DC3 leto	face Unit (DC1 COCI) per month		$\Gamma$	OH1, OH1MS	SATCO	12.96	6.62	4.74	<del></del>		ــــــــــــــــــــــــــــــــــــــ					
	is identified in the contract, the rates, terms, and con	ditions f	or the s	pecific service or fur	ction will be	as set forth in ap	picable AT&T	cariff,								

LOCAL INTER	CONNECTION - North Carolina												Att: 3 Exh: A			
CATEGORY	RATE ELEMENTS	leterim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR		incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
					<del> </del>	Rec	Nonrec First	enring Add'i	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN		Rates(\$) SOMAN	SOMAN	SOMAN
			<u> </u>			<del>                                     </del>			7.35	1	1 33		O D III A	00%	VV	
	NECTION (CALL TRANSPORT AND TERMINATION)					I										
ISP-BOUND		L			<b>_</b>											
	-Bound, per MOU E SWITCHING	ļ			<del></del>	0.0007			ļ <u> </u>	ļ	ļ					<del></del>
	Office Switching Function, per MOU	<b>├</b> ─	<del> </del>	<del></del>	<del></del>	0.0007331		-	ļ	<del></del> -	<b>├</b> ──				-	<del></del>
TANDEM S			`	<u> </u>	·	1 0.0007331			L							
	ndem Switching Function Per MOU		T		7	0.0004788			· · · · · · · · · · · · · · · · · · ·	Τ	7					1
	tiple Tandem Switching, per MOU (applies to intial fandem										T****					
only			L .		<del></del>	0.0004788					<u> </u>					
	dem Intermediary Charge, per MOU*		-	<del></del>	+	0.0025			ļ	<del> </del>	<del> </del>					<del> </del>
	dem Intermediary Charge, per MOU* (E:6/30/2010) ge is applicable only to transit traffic and is applied in additio	n to are	lleable	ewitching and/or inte	Arcananation	0.0025			L						L	L
TRUNK CH		. со арр	IIC4UIQ	SW WOLLD SHOW OLD INTO	PI COLLINE CHOL	Citalyes.								<del></del>		
	allation Trunk Side Service - per DS0		T	ОНО	TPP6X	T	21.55	8.12	Γ		T					
Inst	allation Trunk Side Service - per DS0			OHD	TPP9X	<b>†</b>	21.55	8.12		<u> </u>						
Dec	dicated End Office Trunk Port Service-per DS0**			OHO	TDEOP	0.00										
	dicated End Office Trunk Port Service-per DS1**	<u> </u>		OH1 OH1MS	TDE1P	0.00										
	ficated Tandem Trunk Port Service per DS0**			OHD	TDWOP	0.00					ļ <del></del>					
	dicated Tandem Trunk Port Service-per DS1** element is recovered on a per MOU basis and is included in	Ale Coo		OH1 OH1MS	TDW1P	0.00			L		┸				L	<u> </u>
COMMON T	RANSPORT (Shared)	ING ENG	Ulfice	Switching and Lanc	en switching	g, per MOU rate	e#ements									
	nmon Transport - Per Mile, Per MOU		r	1	1	0.0000023			Γ		1					
Cor	mmon Transport - Facilities Termination Per MOU				1	0.0001676				<u> </u>	1					
	NECTION (DEDICATED TRANSPORT)				I											
	CE CHANNEL - DEDICATED TRANSPORT															
	roffice Channel - Dedicated Transport - 2-Wire Voice Grade -				1											
	Mile per month roffice Channel - Dedicated Transport- 2- Wire Voice Grade -			OHM	1L5NF	0.0095			<u> </u>	<b>├</b> ──	<del> </del>					<del>                                     </del>
	ility Termination per month	l		ОНМ	1L5NF	12.12	39.36	26.62			1	i				
	roffice Channel - Dedicated Transport - 56 kbps - per mile per			O IN	12.514	12.12	09.00	20.02	<del> </del>	<del> </del>	<del> </del> -				<del></del> -	
mor			Ì	ОНМ	1L5NK	0.0095										
Inte	roffice Channel - Dedicated Transport - 56 kbps - Facility				7	†		· · · · · · · · · · · · · · · · · · ·						-		
Ter	mination per month			OHM	1L5NK	7.47	39.37	26.62	<u> </u>	<u> </u>	1					
	roffice Channel - Dedicated Transport - 64 kbps - per mile per		ļ		1											
mor	nth roffice Channel - Dedicated Transport - 64 kbps - Facility			OHM	1L5NK	0.0095				<b>-</b>	<del></del>					<del> </del>
	rorrice Channel - Decicated Transport - 64 kbps - Facility mination per month			ОНМ	1L5NK	7.47	39.37	26.62			1					
	roffice Channel - Dedicated Channel - DS1 - Per Mile per			GF 110	TESTAN	· · · · · · · · · · · · · · · · · · ·	39.37	20.02		<del></del>	<del></del>					-
mai		Ì	)	OH1, OH1MS	1L5NL	0.1938	)			1						
	roffice Channel - Dedicated Tranport - DS1 - Facility								1	1	T					
	mination per month		L	OH1, OH1MS	1L5NL	31,19	86.69	79.44		<u> </u>		<u></u> _			<u> </u>	<u></u>
	roffice Channel - Dedicated Transport - DS3 - Per Mile per			l	1					İ	1					Į
mor	nth roffice Charmel - Dedicated Transport - DS3 - Facility		-	OH3, OH3MS	1L5NM	4.44			L	<del> </del>	<del> </del>					<del></del>
	romice Chariner - Dedicated Transport - US3 - Facility mination per month	1	ł	онз, онзмѕ	1L5NM	329.91	270.69	158.05		1	1					
	ANNEL - DEDICATED TRANSPORT	٠	L	O IO O IOMO	TESITIVE.	025.51	E, 0.03	130.05	L	ــــــــــــــــــــــــــــــــــــــ	ــــــــــــــــــــــــــــــــــــــ			L	<b></b>	J
	al Channel - Dedicated - 2-Wire Voice Grade per month			ОНМ	TEFV2	6.29	187.51	32.21		1	T					
Loc	al Channel - Dedicated - 4-Wire Voice Grade per month			ОНМ	TEFV4	7.08	187.94	32.63			T					
Loc	al Channel - Dedicated - DS1 per month			OH1	TEFHG	22.13	172.34	149.27		<u> </u>						L
	ION I B Could BOOK TO THE		Ì													
	al Channel - Dedicated - DS3 Facility Termination per month ERCONNECTION MID-SPAN MEET	Ь		OH3	TEFHJ	82.89	438.46	256.30	<u></u>						L	ــــــــــــــــــــــــــــــــــــــ
	al Channel - Dedicated - DS1 per month			OH1MS	TEFHG	0.00	0.00				,					
	al Channel - Dedicated - DS3 per month	<del>                                     </del>		OH3MS	TEFHJ	0.00	0.00		<del></del>	<del>                                     </del>	+					<del> </del>
MULTIPLE				10	11.10	0.00	0.00									
Cha	nnelization - DS1 to DS0 Channel System			OH1, OH1MS	SATN1	146.69	197.78	140.06	<u> </u>		I					
	to DS1 Channel System per month			OH3, OH3MS	SATNS	233.10	403.97	234.40								
	3 Interface Unit (DS1 COCI) per month			OH1, OH1MS	SATCO	16.07	13.09	9.38			1					
Notes: If no	rate is identified in the contract, the rates, terms, and cond	itions fo	r the sp	pecific service or fun	ction will be a	s set forth in ap	plicable AT&T	tariff.								

LOCAL INT	ERCONNECTION - South Carolina		. –										Att: 3 Exh: A			
ATEGORY	RATE ELEMENTS	interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
		-	├		<del> </del>	Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	SOMAN	Rates(\$)	SOMAN	SOMAN
		<del>                                     </del>														
	CONNECTION (CALL TRANSPORT AND TERMINATION)															<del></del>
ISP-BO	DUND TRAFFIC	<b></b>				0.0007					ļ.——			<del> </del>	<del></del>	<del> </del>
END O	ISP-Bound, per MOU FFICE SWITCHING		<del> </del>	<del></del>	<del> </del>	0.0007	····							<del></del>		
END	End Office Switching Function, per MOU	<del>                                     </del>	<del> </del>			0.0012655	·									
TANDI	EM SWITCHING			'												
	Tandem Switching Function Per MOU	L				0.000736										<u> </u>
	Multiple Tandem Switching, per MOU (applies to initial tandem only)					0.000736					ļ					
<u> </u>	Tandem Intermediary Charge, per MOU*		1			0.0025										
	Tandem Intermediary Charge, per MOU* (E:6/30/2010)				<u> </u>	0.0025					<u></u>			l	L	<u></u> .
	charge is applicable only to transit traffic and is applied in additio	n to app	licable	switching and/or into	erconnection	charges.										
TRUN	K CHARGE	_		ОНВ	TPP6X	<del></del>	21.65	8.16	<del></del>							
	Installation Trunk Side Service - per DS0 Installation Trunk Side Service - per DS0		<del> </del>	ОНО	TPP9X	<del> </del>	21.65	8.16						<del></del>	<del>-</del> -	-
	Dedicated End Office Trunk Port Service-per DS0**		-	OHD	TDEOP	0.00	21.00	<u> </u>								
	Dedicated End Office Trunk Port Service-per DS1**			OH1 OH1MS	TDEIP	0.00										
	Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDWOP	0.00										ļ <u> </u>
	Dedicated Tandem Trunk Port Service-per DS1**	L		OH1 OH1MS	TDW1P	0.00								<u> </u>	L	
	rate element is recovered on a per MOU basis and is included in	the Enc	Office	Switching and Tand	iem Switching	per MOU rate o	iements									
COMM	ON TRANSPORT (Shared)  Common Transport - Per Mile, Per MOU		_	Γ	1	0.0000045			,		Τ		ı	<del></del>	· · · · · ·	
	Common Transport - Facilities Termination Per MOU		1	<del></del>	<del> </del>	0.0004095										
OCAL INTER	CONNECTION (DEDICATED TRANSPORT)	<b></b>	1													
	OFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			ОНМ	1L5NF	0.0167										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month			ОНМ	1L5NF	24 30	40.63	27,47	16.77	6.91						_
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per				***************************************											
	month	L	1	ОНМ	1L5NK	0.0167										<del>  -</del>
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month			ОНМ	1L5NK	16.76	40.63	27,47	16.77	6.91				l		
-	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			ОНМ	1L5NK	0.0167				<u>.</u>						
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility	_	-	C/ (W)	TESTAN.	0.0102						l		1		1
ĺ	Termination per month	l	1	онм	1L5NK	16.76	40.63	27.47	15.77	6.91	1			<u> </u>		↓
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month		l	OH1, OH1MS	1L5NL	0.3415										
	Interoffice Channel - Dedicated Transport - DS1 - Facility Termination per month			OH1, OH1MS	1L5NL	77.14	89.47	81.99	16.39	14.48						
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per	$\vdash$	†	, , , , , , , , , , , , , , , , , , ,			00.47	<u> </u>			<del>                                     </del>	T	†			1
L	month		<u> </u>	онз, онзме	1L5NM	8.02						<u> </u>				<u> </u>
	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			OH3, OH3MS	1L5NM	880.65	279.37	163,12	60.33	58.59					<b>\</b>	
LOCAL	L CHANNEL - DEDICATED TRANSPORT			JOHO, OHOMO	TESTAM	000.03	213.31	100,12	, 00.00	30.39	<del></del>	<del></del>				
- 2000	Local Channel - Dedicated - 2-Wire Voice Grade per month	T		ОНМ	TEFV2	15.33	193.53	33.24		3.21						
	Local Channel - Dedicated - 4-Wire Voice Grade per month			ОНМ	TEFV4	16.54	193.97	33.68		3.68						
	Local Channel - Dedicated - DS1 per month		1	OH1	TEFHG	42.62	177.87	154.06	22.24	15.30	-	-		<u> </u>		<del> </del>
	Local Channel - Dedicated - DS3 Facility Termination per month			ОНЗ	TEFHJ	446.00	452 <u>.52</u>	264.53	119.75	83.77	<u> </u>			<u> </u>		<u></u>
LOCA	LINTERCONNECTION MID-SPAN MEET			lauria and	(TEC:	1. 2221			T							т
	Local Channel - Dedicated - DS1 per month	<b></b>	+-	OHIMS	TEFHG	0.00	0.00		ļ. —		-	<b></b> -	<del> </del>		<del>-</del>	<del> </del>
	Local Channel - Dedicated - DS3 per month	Щ.		ОНЗМБ	TEFHJ	0.00	0.00			<del></del>	1	<u> </u>	·	<del></del>	٠	٠
MULT	PLEXERS   Channelization - DS1 to DS0 Channel System		{	Тонт, онты	SATNI	107.57	91,24	62.71	10.56	9.81						Τ
	DS3 to DS1 Channel System per month	†	1	OH3, OH3MS	SATNS	144.02	178.54	94.18		31.90		Ī				
	DS3 Interface Unit (DS1 COCI) per month			OH1, OH1MS	SATCO	8.64	6.59	4.73								
Notes	If no rate is identified in the contract, the rates, terms, and cond	litions fo	or the s	pecific service or fun	ction will be a	s set forth in ap	plicable AT&T	tariff.								

LOCAL INTER	RCONNECTION - Tennessee												Att: 3 Exh: A			
CATEGORY	RATE ELEMENTS	interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs Electronk Disc Add
	**** · · · · · · · · · · · · · · · · ·					Rec	Nonrecurring		Nonrecurring		20150	COMM		Rates(\$)	SOMAN	SOMAN
		<del> </del>		ļ			First	Addʻl	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SUMAN	SUMPAN
OCAL INTERCOL	NNECTION (CALL TRANSPORT AND TERMINATION)	1	-						-		<u> </u>		-			
	ND TRAFFIC	<del>                                     </del>	<del>                                     </del>		<del>                                     </del>						_					
	P-Bound, per MOU	$\overline{}$			<del>                                     </del>	0.0007										
	ICE SWITCHING	1			1											
	nd Office Switching Function, per MOU					0.0008041						L,	<u> </u>		<u>L.</u> .	
TANDEM	SWITCHING			<b></b>							,				r · · · · · · · ·	
Ta	andem Switching Function Per MOU	-	<u> </u>			0.0009778										ļ
	lultiple Tandem Switching, per MOU (applies to intial tandem	1	1		1	0.0009778			[		1	1	I	1	1	1
	nly) andem Intermediary Charge, per MOU*	+	<del> </del>	<del>                                     </del>	+	0.0009778			-		<del> </del>	-	<del>                                     </del>	<b> </b>	<del>                                     </del>	<b>—</b>
	andem Intermediary Charge, per MOU* (E:6/30/2010)		$\vdash$		<del> </del>	0.0025	<del> </del> -	<del></del>			<del> </del>	l				<del></del>
	arge is applicable only to transit traffic and is applied in addition	n to app	licable	switching and/or Inte	erconnection		<u> </u>		<u> </u>							
TRUNK C				- ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,												
lns	stallation Trunk Side Service - per DS0			OHD	TPP6X		21.59	8.09								
	stallation Trunk Side Service - per DS0			OHD	TPP9X		21.59	8.09								<del></del>
	edicated End Office Trunk Port Service-per DS0**			OHD	TDEOP	0.00						ļ	1			<del> </del>
	edicated End Office Trunk Port Service-per DS1**	ļ		OH1 OH1MS	TDE1P	0.00					ļ	-				<del>                                     </del>
	edicated Tandem Trunk Port Service-per DS0**	ļ		OHD	TDWOP	0.00			-		<del> </del>	ļ	<del>                                     </del>		-	<del> </del>
	edicated Tandem Trunk Port Service-per DS1**	<u> </u>		JOH1 OH1MS	TDW1P						1	l	<u> </u>	<u> </u>		
	te element is recovered on a per MOU basis and is included in I TRANSPORT (Shared)	the End	Office	Switching and Fanc	iem Switchin	g, per MOU rate	elements									
	ommon Transport - Per Mile, Per MOU	Ţ	1			0.0000064				<del></del>	7			T	1	T
	ommon Transport - Fer Mile, Fer MOU	<del></del>	+		+	0.0003871	<del></del>				<del> </del>		<del>                                     </del>			
	NNECTION (DEDICATED TRANSPORT)	<del> </del>	<del> </del>			0.0000071					<del>                                     </del>				<u>†                                      </u>	
	FICE CHANNEL - DEDICATED TRANSPORT	•														
Int	steroffice Channel - Dedicated Transport - 2-Wire Voice Grade -	i				T					Γ'					
	er Mile per month			ОНМ	1L5NF	0.0174										<u> </u>
	nteroffice Channel - Dedicated Transport- 2- Wire Voice Grade -													1		
	acility Termination per month	_	-	ОНМ	1L5NF	18.58	55.39	17.37	27.96	3.51	<del>                                     </del>		<del> </del>	<del></del>		+
	nteroffice Channel - Dedicated Transport - 58 kbps - per mile per		i	онм	1L5NK	0.0174						1				
	nonth meroffice Channel - Dedicated Transport - 56 kbps - Facility	+	+	Onix	IL SIAN	0.0174			<del> </del>				<del> </del>			<del> </del>
	ermination per month		1	ОНМ	1L5NK	17.98	55.39	17.37	27.96	3.51		1				
	teroffice Channel - Dedicated Transport - 64 kbps - per mile per	+			1.5.4			<del>_</del>					1			
	nonth		1	ОНМ	1L5NK	0.0174	1						l			
	nteroffice Channel - Dedicated Transport - 64 kbps - Facility															
	ermination per month			ОНМ	1L5NK	17.98	55.39	17.37	27.96	3.51						<u> </u>
	tteroffice Channel - Dedicated Channel - DS1 - Per Mile per			L	1	1					ļ			1		
	nonth	ļ		OH1, OH1MS	1L5NL	0.3562			<del> </del>		-		<del> </del>	1		
	nteroffice Channel - Dedicated Tranport - DS1 - Facility	1	1	OH1, OH1MS	1L5NL	77.86	112.40	76.27	19.55	14.99		i		1		
	ermination per month	<del> </del>	<del> </del> -	On I On IMS	ILONE	//.86	112.40	/6.2/	19.55	14.99	+	<del> </del>	<del> </del>	<b>—</b>	<del>                                     </del>	<del> </del>
	steroffice Channel - Dedicated Transport - DS3 - Per Mile per nonth	1		OH3, OH3MS	1L5NM	2.34					1			1		
	nteroffice Channel - Dedicated Transport - DS3 - Facility	t	+	15.5, 5.55	1	1 - 2.54	1				1		1		1	1
	ermination per month			онз. онзмѕ	1L5NM	848.99	395.29	176.56	109.04	105.91					1	
	HANNEL - DEDICATED TRANSPORT	•													_	
	ocal Channel - Dedicated - 2-Wire Voice Grade per month			ОНМ	TEFV2	15.29		24.16		4.80					ļ	1
	ocal Channel - Dedicated - 4-Wire Voice Grade per month	1		ОНМ	TEFV4	16.18		24.83		5.51			ļ	<del> </del>	ļ	-
Lo	ocal Channel - Dedicated - DS1 per month	ļ	-	OH1	TEFHG	32.25	277.35	233.26	33.18	22.30	+	-	<del> </del>	<del> </del>	<del> </del>	+
	and Channel Defining Dog County Towns and			012	TEELL		E0E 27	304.50	215.82	151.15	1				1	
	ocal Channel - Dedicated - DS3 Facility Termination per month	!	<u> </u>	OH3	TEFHJ	611.30	595.37	304.50	∠15.82	151.15	<del></del>	1	1	J	٠.	1
	ITERCONNECTION MID-SPAN MEET  ocal Channel - Dedicated - DS1 per month	<del></del>		TOH1MS	TEFHG	0.00	0.00				Т	T	1	T	T	T
	ocal Channel - Dedicated - DS1 per month	+	<del>  -</del>	OH3MS	TEFHJ	0.00			<del>                                     </del>		<del>†</del>	<del>                                     </del>	<del> </del>	<del> </del>	1	<del>                                     </del>
MULTIPLE		٠		TO: 10MD	I CLIN	3.00	V.00					<u> </u>	•	•	<del></del>	•
	hannelization - DS1 to DS0 Channel System	T	Τ	TOH1, OH1MS	SATN1	80.77	141.87	77.11	14.51	13.46	$\overline{}$			L		
1 10	PS3 to DS1 Channel System per month	1	T	OH3, OH3MS	SATNS	222.98	308.03	108.47	44.47	42.62					T	
10	S3 Interface Unit (DS1 COCI) per month	T		OH1, OH1MS	SATCO	17.58	6.07	4.66				T T				
	no rate is identified in the contract, the rates, terms, and cond						C LI- ATRY									

ATT 4 - COLLOCATION/<u>AT&T-9STATE</u>
PAGE 1 OF 44
Rightlink USA
1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

Attachment 4

**AT&T Collocation** 

### **Table of Contents**

1.	Scope of Attachment	
2	Optional Reports	5
3	Collocation Options	6
4	Occupancy	10
5	Use of Collocation Space	12
6	Ordering and Preparation of Collocation Space	18
7	Construction and Provisioning	21
8	Rates and Charges	26
9	Insurance	35
10	Mechanics Lien	36
11	Inspections	37
12	Security and Safety Requirements	37
13	Destruction of Collocation Space	
14	Eminent Domain	
15	Nonexclusivity	40
Env	rironmental & Safety Principles	Exhibit A
Rat	es	Exhibit B
Ten	nessee Regulatory Authority (TRA) Offered Language and Rates	Exhibit C

1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

### AT&T COLLOCATION

### 1. Scope of Attachment

### 1.1 AT&T Premises

- 1.1.1 The rates, terms and conditions contained within this Attachment shall only apply when Rightlink USA is physically collocated as a sole occupant or as a Host within an AT&T Premises pursuant to this Attachment. AT&T Premises, as defined in this Attachment includes AT&T Central Offices, and Remote Terminals (hereinafter "AT&T Premises"). This Attachment is applicable to AT&T Premises owned or leased by AT&T. Where not specified, the language in this Attachment applies to both Central Office and Remote Site Collocation.
- Third Party Property. If the AT&T Premises, or the property on which it is located, is leased by AT&T from a third party or otherwise controlled by a third party, special considerations and intervals may apply in addition to the terms and conditions of this Attachment. Additionally, where AT&T notifies Rightlink USA that AT&T's agreement with a third party does not grant AT&T the ability to provide access and use rights to others, upon Rightlink USA's request, AT&T will use commercially reasonable efforts to obtain the owner's consent and to otherwise secure such rights for Rightlink USA. Rightlink USA agrees to reimburse AT&T for all costs incurred by AT&T in obtaining such rights for Rightlink USA. In cases where a third party agreement does not grant AT&T the right to provide access and use rights to others as contemplated by this Attachment and AT&T, is unable to secure such access and use rights for Rightlink USA, Rightlink USA shall be responsible for obtaining such permission to access and use such property. AT&T shall cooperate with Rightlink USA in obtaining such permission.

### 1.2 Right to Occupy

- AT&T shall offer to Rightlink USA collocation on rates, terms and conditions that are just, reasonable, nondiscriminatory and consistent with the rules of the FCC. Subject to the rates, terms and conditions of this Attachment, where space is available and it is technically feasible, AT&T will allow Rightlink USA to occupy a certain area designated by AT&T within an AT&T Premises, or on AT&T property upon which the AT&T Premises is located, of a size which is specified by Rightlink USA and agreed to by AT&T (hereinafter "Collocation Space"). Except as otherwise specified, any references to Collocation Space shall be for physical collocation. The necessary rates, terms and conditions for a premises as defined by the FCC, other than AT&T Premises, shall be negotiated upon reasonable request for collocation at such premises.
- 1.2.2 Neither AT&T nor any of AT&T's affiliates may reserve space for future use on more preferential terms than those set forth in this Attachment.
- 1.2.2.1 In all states other than Florida, the size specified by Rightlink USA may contemplate a request for space sufficient to accommodate Rightlink USA's growth within a twenty-four (24) month period.
- 1.2.2.2 In the state of Florida, the size specified by Rightlink USA may contemplate a request for space sufficient to accommodate Rightlink USA's growth within an eighteen (18) month period.
- 1.3 <u>Space Allocation.</u> AT&T shall assign Rightlink USA Collocation Space that utilizes existing infrastructure (e.g., heating, ventilation, air conditioning (HVAC), lighting and available power), if such space is available for collocation. Otherwise, AT&T shall attempt to accommodate Rightlink USA's requested space preferences, if any, including the provision of contiguous space for any subsequent request for collocation. In allocating Collocation Space, AT&T shall not materially increase Rightlink USA's cost or materially delay Rightlink USA's occupation and use of the Collocation Space, assign Collocation Space that will impair the quality of service or otherwise limit

1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

the service Rightlink USA wishes to offer, reduce unreasonably the total space available for physical collocation or preclude reasonable physical collocation within the AT&T Premises. Space shall not be available for collocation if it is: (a) physically occupied by non-obsolete equipment; (b) assigned to another collocated telecommunications carrier; (c) used to provide physical access to occupied space; (d) used to enable technicians to work on equipment located within occupied space; (e) properly reserved for future use, either by AT&T or another collocated telecommunications carrier; or (f) essential for the administration and proper functioning of the AT&T Premises. AT&T may segregate Collocation Space and require separate entrances for collocated telecommunications carriers to access their Collocation Space, pursuant to FCC Rules.

### 1.4 <u>Transfer of Collocation Space</u>

- 1.4.1 Rightlink USA shall be allowed to transfer Collocation Space to another CLEC under the following conditions: (1) the AT&T Premises is not at or near space exhaustion; (2) the transfer of space shall be contingent upon AT&T's approval, which will not be unreasonably withheld; (3) Rightlink USA has no unpaid, undisputed collocation charges; and (4) the transfer of the Collocation Space is in conjunction with Rightlink USA's sale of all or substantially all, of the in-place collocation equipment to the same CLEC.
- 1.4.2 The responsibilities of Rightlink USA shall include: (1) submitting a letter of authorization to AT&T for the transfer; (2) entering into a transfer agreement with AT&T and the acquiring CLEC; and (3) returning all Security Access Devices to AT&T. The responsibilities of the acquiring CLEC shall include: (1) submitting an application to AT&T for the transfer of the Collocation Space; (2) satisfying all requirements of its interconnection agreement with AT&T; (3) submitting a letter to AT&T for the assumption of services; and (4) entering into a transfer agreement with AT&T and Rightlink USA.
- 1.4.3 In conjunction with a transfer of Collocation Space, any services associated with the Collocation Space shall be transferred pursuant to separately negotiated rates, terms and conditions.

### 1.5 Space Reclamation

- 1.5.1 In the event of space exhaust within an AT&T Premises, AT&T may include in its documentation for the Petition for Waiver filed with the Commission, any unutilized space in the AT&T Premises. Rightlink USA will be responsible for the justification of unutilized space within its Collocation Space, if the Commission requires such justification.
- AT&T may reclaim unused Collocation Space when an AT&T Premises is at, or near, space exhaustion and Rightlink USA cannot demonstrate that Rightlink USA will utilize the Collocation Space in the time frames set forth below in Section 1.5.3. In the event of space exhaust or near exhaust within an AT&T Premises, AT&T will provide written notice to Rightlink USA requesting that Rightlink USA release non-utilized Collocation Space to AT&T, when one hundred percent (100%) of the Collocation Space in Rightlink USA's collocation arrangement is not being utilized.
- 1.5.3 Within twenty (20) days of receipt of written notification from AT&T, Rightlink USA shall either: (1) return the non-utilized Collocation Space to AT&T in which case Rightlink USA shall be relieved of all obligations for charges associated with that portion of the Collocation Space applicable from the date the Collocation Space is returned to AT&T; or (2) for all states, with the exception of Florida, provide AT&T with information demonstrating that the Collocation Space will be utilized within twenty-four (24) months from the date Rightlink USA accepted the Collocation Space (Acceptance Date) from AT&T. For Florida, Rightlink USA shall provide information to AT&T demonstrating that the Collocation Space will be utilized within eighteen (18) months from the Acceptance Date.

Rightlink USA 1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

- 1.5.4 Disputes concerning AT&T's claim of space exhaust, or near exhaust, or Rightlink USA's refusal to return requested Collocation Space should be resolved by AT&T and Rightlink USA pursuant to the dispute resolution language contained in the General Terms and Conditions.
- 1.6 <u>Use of Space.</u> Rightlink USA may only place in the Collocation Space equipment necessary for interconnection with AT&T's services/facilities or for accessing AT&T's unbundled network elements for the provision of Telecommunications Services, as specifically set forth in this Agreement. The Collocation Space assigned to Rightlink USA may not be used for any purposes other than as specifically described herein, including, but not limited to office space or a place of reporting for Rightlink USA's employees or certified suppliers.
- 1.7 Rates and Charges. Rightlink USA agrees to pay the rates and charges identified in Exhibit B.
- 1.8 <u>Due Dates.</u> If any due date contained in this Attachment falls on a weekend or a national holiday, then the due date will be the next business day thereafter. For intervals of ten (10) days or less, national holidays will be excluded. For purposes of this Attachment, national holidays include the following: New Year's Day, Martin Luther King, Jr. Day, President's Day (Washington's Birthday), Memorial Day, Independence Day, Labor Day, Columbus Day, Veteran's Day, Thanksgiving Day and Christmas Day.
- 1.9 <u>Compliance.</u> Subject to Section 24 of the General Terms and Conditions of this Agreement, the Parties agree to comply with all applicable federal, state, county, local and administrative laws, rules, ordinances, regulations and codes in the performance of their obligations hereunder.

### 2 Optional Reports

- 2.1 Space Availability Report. Upon request from Rightlink USA and at Rightlink USA's expense, AT&T will provide a written report (Space Availability Report) describing in detail the space that is currently available for collocation at a particular AT&T Premises. This report will include the amount of Collocation Space available at the AT&T Premises requested, the number of collocators present at the AT&T Premises, any modifications in the use of the space since the last report on the AT&T Premises requested and the measures AT&T is taking to make additional space available for collocation arrangements. A Space Availability Report does not reserve space at the AT&T Premises for which the Space Availability Report was requested by Rightlink USA.
- 2.1.1 The request from Rightlink USA for a Space Availability Report must be in writing and include the AT&T Premises street address, as identified in the LERG, and the CLLI code for the AT&T Premises requested. CLLI code information is located in the NECA Tariff FCC No. 4.
- 2.1.2 AT&T will respond to a request for a Space Availability Report for a particular AT&T Premises within ten (10) days of the receipt of such request.
- 2.1.3 AT&T will use commercially reasonable efforts to respond in ten (10) days to a Space Availability Report request when the request includes from two (2) to five (5) AT&T Premises within the same state. The response time for Space Availability Report requests of more than five (5) AT&T Premises, whether the request is for the same state or for two (2) or more states within the AT&T Southeast Region 9-State, shall be negotiated between the Parties.
- 2.2 Remote Terminal Information. Upon request, AT&T will provide Rightlink USA with the following information concerning AT&T's remote terminals: (i) the address of the remote terminal; (ii) the CLLI code of the remote terminal; (iii) the carrier serving area of the remote terminal; (iv) the designation of which remote terminals subtend a particular central office; and (v) the number and address of customers that are served by a particular remote terminal.

ATT 4 - COLLOCATION/<u>AT&T-9STATE</u>
PAGE 6 OF 44
Rightlink USA
1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

2.2.1 AT&T will provide this information within thirty (30) days of a Rightlink USA request subject to the following conditions: (i) the information will only be provided on a CD in the same format in which it appears in AT&T's systems; and (ii) the information will only be provided for each serving wire center designated by Rightlink USA, up to a maximum of thirty (30) wire centers per Rightlink USA request per month per state. AT&T will bill the nonrecurring charge pursuant to the rates in Exhibit B at the time AT&T sends the CD.

### 3 Collocation Options

3.1 <u>Cageless Collocation.</u> AT&T shall allow Rightlink USA to collocate Rightlink USA's equipment and facilities without requiring the construction of a cage or similar structure. AT&T shall allow Rightlink USA to have direct access to Rightlink USA's equipment and facilities in accordance with Section 5.1.2 below. AT&T shall make cageless collocation available in single bay increments. Except where Rightlink USA's equipment requires special technical considerations (e.g., special cable racking or isolated ground plane), AT&T shall assign cageless Collocation Space in conventional equipment rack lineups where feasible. For equipment requiring special technical considerations, Rightlink USA must provide the equipment layout, including spatial dimensions for such equipment pursuant to generic requirements contained in Telcordia GR-63-Core, and shall be responsible for compliance with all special technical requirements associated with such equipment.

### 3.2 Caged Collocation

3.2.1 AT&T will make caged Collocation Space in Central Offices available in fifty (50) square foot increments. At Rightlink USA's option and expense, Rightlink USA will arrange with a Supplier certified by AT&T (AT&T Certified Supplier) to construct a collocation arrangement enclosure in accordance with AT&T's specifications for a wire mesh enclosure prior to starting equipment installation. Where local building codes require enclosure specifications more stringent than AT&T's wire mesh enclosure specifications, Rightlink USA and Rightlink USA's AT&T Certified Supplier must comply with the more stringent local building code requirements. Rightlink USA's AT&T Certified Supplier shall be responsible for filing and obtaining any and all necessary permits and/or licenses for such construction. AT&T or AT&T's designated agent or contractor shall provide, at Rightlink USA's expense, documentation, which may include existing building architectural drawings, enclosure drawings, specifications, etc., necessary for Rightlink USA's AT&T Certified Supplier to obtain all necessary permits and/or other licenses. Rightlink USA's AT&T Certified Supplier shall bill Rightlink USA directly for all work performed for Rightlink USA. AT&T shall have no liability for, nor responsibility to pay, such charges imposed by Rightlink USA's AT&T Certified Supplier. Rightlink USA must provide the local AT&T Central Office Building Contact with two (2) Access Keys that will allow entry into the locked enclosure. Except in the case of an emergency, AT&T will not access Rightlink USA's locked enclosure prior to notifying Rightlink USA at least forty-eight (48) hours or two (2) business days, whichever is greater, before access to Rightlink USA's Collocation Space is required. Upon request, AT&T shall construct the enclosure for Rightlink USA.

3.2.2 In the event Rightlink USA's AT&T Certified Supplier will construct the collocation arrangement enclosure, AT&T may elect to review Rightlink USA's plans and specifications, prior to allowing the construction to start, to ensure compliance with AT&T's wire mesh enclosure specifications. AT&T will notify Rightlink USA of its desire to conduct this review in AT&T's Application Response, as defined herein, to Rightlink USA's Initial Application. If Rightlink USA's Initial Application does not indicate its desire to construct its own enclosure and Rightlink USA subsequently decides to construct its own enclosure prior to AT&T's Application Response, then Rightlink USA will resubmit its Initial Application, indicating its desire to construct its own enclosure. If Rightlink USA subsequently decides construct its own enclosure after the bona fide firm order (hereinafter

1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

"BFFO") has been accepted by AT&T, Rightlink USA will submit a Subsequent Application, as defined in Section 6.2 below. If AT&T elects to review Rightlink USA's plans and specifications, then AT&T will provide notification to Rightlink USA within ten (10) days after the Initial Application BFFO date or, if a Subsequent Application is submitted as set forth in the preceding sentence, then the Subsequent Application BFFO date. AT&T shall complete its review within fifteen (15) days after AT&T's receipt of Rightlink USA's plans and specifications. Regardless of whether or not AT&T elects to review Rightlink USA's plans and specifications, AT&T reserves the right to inspect the enclosure after construction has been completed to ensure that it is constructed according to Rightlink USA's submitted plans and specifications and/or AT&T's wire mesh enclosure specifications, as applicable. If AT&T decides to inspect the constructed Collocation Space, AT&T will complete its inspection within fifteen (15) days after receipt of Rightlink USA's written notification that the enclosure has been completed. Within seven (7) days after AT&T has completed its inspection of Rightlink USA's caged Collocation Space, AT&T shall require Rightlink USA, at Rightlink USA's expense, to remove or correct any structure that does not meet Rightlink USA's plans and specifications or AT&T's wire mesh enclosure specifications, as applicable.

### 3.3 Shared Caged Collocation

- 3.3.1 Rightlink USA may allow other telecommunications carriers to share Rightlink USA's caged Collocation Space, pursuant to the terms and conditions agreed to by Rightlink USA (Host) and the other telecommunications carriers (Guests) contained in this Section, except where the AT&T Premises is located within a leased space and AT&T is prohibited by said lease from offering such an option to Rightlink USA. AT&T shall be notified in writing by Rightlink USA upon the execution of any agreement between the Host and its Guest(s) prior to the submission of an application. Further, such notification shall include the name of the Guest(s), the term of the agreement, and a certification by Rightlink USA that said agreement imposes upon the Guest(s) the same terms and conditions for Collocation Space as set forth in this Attachment between AT&T and Rightlink USA. The term of the agreement between the Host and its Guest(s) shall not exceed the term of this Agreement between AT&T and Rightlink USA.
- Rightlink USA, as the Host, shall be the sole interface and responsible Party to AT&T for the assessment and billing of rates and charges contained within this Attachment and for the purposes of ensuring that the safety and security requirements of this Attachment are fully complied with by the Guest(s), its employees and agents. AT&T shall provide Rightlink USA with a pro-ration of the costs of the Collocation Space based on the number of collocators and the space used by each. There will be a minimum charge of one (1) bay/rack per Host/Guest. In addition to the above, for all states other than Florida, Rightlink USA shall be the responsible Party to AT&T for the purpose of submitting applications for initial and additional equipment placement for the Guest(s). In Florida, the Guest(s) may submit its own Initial Application and Subsequent Applications for equipment placement using the Host's ACNA. A separate Guest application shall result in the assessment of an Initial Application Fee or a Subsequent Application Fee, as set forth in Exhibit B, which will be billed to the Host on the date that AT&T provides its written Application Response to the Guest(s) Bona Fide application.
- 3.3.3 Notwithstanding the foregoing, the Guest(s) may submit service orders directly to AT&T to request the provisioning of interconnecting facilities between AT&T and the Guest(s), the provisioning of services, and/or access to Network Elements. The bill for these interconnecting facilities, services and Network Elements will be charged to the Guest(s) pursuant to the applicable AT&T Tariff or the Guest's Interconnection Agreement with AT&T.
- 3.3.4 Rightlink USA shall indemnify and hold harmless AT&T from any and all claims, actions, causes of action, of whatever kind or nature arising out of the presence of Rightlink USA's Guest(s) in the

Collocation Space, except to the extent caused by AT&T's sole negligence, gross negligence, or willful misconduct

### 3.4 Adjacent Collocation

3.4.1 Subject to technical feasibility and space availability, AT&T will permit an adjacent collocation arrangement (Adjacent Arrangement) on AT&T Premises' property only when space within the requested AT&T Premises is legitimately exhausted and where the Adjacent Arrangement does not interfere with access to existing or planned structures or facilities on the AT&T Premises' property. An Adjacent Arrangement shall be constructed or procured by Rightlink USA or Rightlink USA's AT&T Certified Supplier and must be in conformance with the provisions of AT&T's design and construction specifications. Further, Rightlink USA shall construct, procure, maintain and operate said Adjacent Arrangement pursuant to all of the applicable rates, terms and conditions set forth in this Attachment.

If Rightlink USA requests Adjacent Collocation, pursuant to the conditions stated in Section 3.4 3.4.2 above. Rightlink USA must arrange with an AT&T Certified Supplier to construct or procure the Adjacent Arrangement structure in accordance with AT&T's specifications. AT&T will provide the appropriate specifications upon request. Where local building codes require specifications more stringent than AT&T's own specifications, Rightlink USA and Rightlink USA's AT&T Certified Supplier shall comply with the more stringent local building code requirements. Rightlink USA's AT&T Certified Supplier shall be responsible for filing and obtaining any and all necessary zoning, permits and/or licenses for such construction. Rightlink USA's AT&T Certified Supplier shall bill Rightlink USA directly for all work performed for Rightlink USA to comply with this Attachment. AT&T shall have no liability for, nor responsibility to pay such charges imposed by Rightlink USA's AT&T Certified Supplier. Rightlink USA must provide the local AT&T contact with two (2) cards, keys or other access devices used to gain entry into the locked enclosure. Except in the case of an emergency, AT&T will not access Rightlink USA's locked enclosure prior to notifying. Rightlink USA at least forty-eight (48) hours or two (2) business days, whichever is greater, before access to the Collocation Space is required.

Rightlink USA must submit its Adjacent Arrangement construction plans and specifications to AT&T when it places its Firm Order. AT&T shall review Rightlink USA's plans and specifications prior to the construction of an Adjacent Arrangement to ensure Rightlink USA's compliance with AT&T's specifications. AT&T shall complete its review within fifteen (15) days after receipt of the plans and specifications from Rightlink USA for the Adjacent Arrangement. AT&T may inspect the Adjacent Arrangement during and after construction is completed to ensure that it is constructed according to Rightlink USA's submitted plans and specifications. If AT&T decides to inspect the completed Adjacent Arrangement, AT&T will complete its inspection within fifteen (15) days after receipt of Rightlink USA's written notification that the Adjacent Arrangement has been completed. Within seven (7) days after AT&T has completed its inspection of Rightlink USA's Adjacent Arrangement, AT&T shall require Rightlink USA, at Rightlink USA's expense, to remove or correct any structure that does not meet its submitted plans and specifications or AT&T's specifications, as applicable.

3.4.4 Rightlink USA shall provide a concrete pad, the structure housing the Adjacent Arrangement, HVAC, lighting and all of the facilities that are required to connect the structure (i.e., racking, conduits, etc.) to the AT&T point of demarcation. At Rightlink USA's option and where the local authority having jurisdiction permits, AT&T shall provide an AC power source and access to physical Collocation services and facilities, subject to the same nondiscriminatory requirements as those applicable to any other physical Collocation arrangement. In Alabama and Louisiana, at Rightlink USA's request and expense, AT&T will provide Direct Current (DC) power to an Adjacent Collocation site where technically feasible, as that term has been defined by the FCC, and in

accordance with applicable law. AT&T will provide DC power in an Adjacent Arrangement provided that such provisioning can be done in compliance with the National Electric Code (NEC), all safety and building codes and any local codes, such as, but not limited to, local zoning codes, and upon completion of negotiations between the Parties on the applicable rates and provisioning intervals. Rightlink USA will pay for any and all DC power construction and provisioning costs to an Adjacent Arrangement through individual case basis (ICB) pricing that must be paid as follows: fifty percent (50%) before the DC installation work begins and fifty percent (50%) at completion of the DC installation work to the Adjacent Arrangement. Rightlink USA's AT&T Certified Supplier shall be responsible, at Rightlink USA's sole expense, for filing the required documentation to obtain any and all necessary permits and/or licenses for an Adjacent Arrangement. AT&T shall allow Shared Caged Collocation within an Adjacent Arrangement, pursuant to the terms and conditions set forth in Section 3.3 above.

### 3.5 Direct Connect

3.5.1 AT&T will permit Rightlink USA to directly interconnect between its own physical/virtual Collocation Spaces within the same AT&T Premises (Direct Connect). Rightlink USA shall contract with an AT&T Certified Supplier to place the Direct Connect, which shall be provisioned using facilities owned by Rightlink USA. A Direct Connect shall utilize AT&T common cable support structure. There will be a recurring charge per linear foot, per cable, of the actual common cable support structure used by Rightlink USA to provision the Direct Connect between its physical/virtual Collocation Spaces. In those instances where Rightlink USA's physical/virtual Collocation Spaces are contiguous in the central office, Rightlink USA will have the option of using Rightlink USA's own technicians to deploy the Direct Connect using either electrical or optical facilities between its Collocation Spaces by constructing its own dedicated cable support structure. Rightlink USA will deploy such electrical or optical connections directly between its own equipment without being routed through AT&T's equipment or common cable support structure. Rightlink USA may not selfprovision a Direct Connect on any AT&T distribution frame, Point of Termination (POT) Bay, Digital System Cross-Connect (DSX) panel or Light Guide Cross-Connect (LGX) panel. Rightlink USA is solely responsible for ensuring the integrity of the signal.

3.5.2 To place an order for a Direct Connect, Rightlink USA must submit an Initial Application or Subsequent Application to AT&T. If no modification to the Collocation Space is requested other than the placement of a Direct Connect, the Co-Carrier Cross Connect/Direct Connect Application Fee for Direct Connect, as defined in Exhibit B, will apply. If other modifications are requested, in addition to the placement of a Direct Connect, either an Initial Application Fee or a Subsequent Application Fee will apply, pursuant to Section 6.2 below. AT&T will bill this nonrecurring charge on the date that AT&T provides an Application Response to Rightlink USA.

### 3.6 <u>Co-Carrier Cross Connect (CCXC)</u>

A CCXC is a cross connection between Rightlink USA and another collocated telecommunications carrier, other than AT&T, in the same AT&T Premises. Where technically feasible, AT&T will permit Rightlink USA to interconnect between its Collocation Space(s) and the physical/virtual collocation space(s) of another collocated telecommunications carrier(s) within the same AT&T Premises via a CCXC, pursuant to the FCC's Rules. The other collocated telecommunications carrier's agreement must also contain CCXC rates, terms and conditions before AT&T will permit the provisioning of a CCXC between the two (2) collocated carriers. The applicable AT&T charges will be assessed to Rightlink USA upon Rightlink USA's request for the CCXC. Rightlink USA is prohibited from using the Collocation Space for the sole or primary purpose of cross-connecting to other collocated telecommunications carriers.

1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

- 3.6.2 Rightlink USA must contract with an AT&T Certified Supplier to place the CCXC. The CCXC shall be provisioned using facilities owned by Rightlink USA. Such cross-connections to other collocated telecommunications carriers may be made using either electrical or optical facilities. Rightlink USA shall be responsible for providing a LOA, with the application, to AT&T from the other collocated telecommunications carrier to which it will be cross-connecting. The CCXC shall utilize AT&T common cable support structure. There will be a recurring charge per linear foot, per cable, of the common cable support structure used by Rightlink USA to provision the CCXC to the other collocated telecommunications carrier. In those instances where Rightlink USA's equipment and the equipment of the other collocated telecommunications carrier are located in contiguous caged Collocation Space, Rightlink USA may use its own technicians to install the CCXC using either electrical or optical facilities between the equipment of both collocated telecommunications carriers by constructing a dedicated cable support structure between the two (2) contiguous cages. Rightlink USA shall deploy such electrical or optical cross-connections directly between its own equipment and the equipment of the other collocated telecommunications carrier without being routed through AT&T's equipment or, in the case of a CCXC provisioned between contiguous collocation spaces, common cable support structure. Rightlink USA shall not provision CCXC on any AT&T distribution frame, POT Bay, DSX panel or LGX panel. Rightlink USA is solely responsible for ensuring the integrity of the signal.
- 3.6.3 To place an order for a CCXC, Rightlink USA must submit an application to AT&T. If no modification to the Collocation Space is requested other than the placement of a CCXC, the Co-Carrier Cross Connect/Direct Connect Application Fee for a CCXC, as defined in Exhibit B, will apply. If other modifications are requested, in addition to the placement of a CCXC, either an Initial Application or a Subsequent Application Fee will apply, pursuant to Section 6.2 below. AT&T will bill this nonrecurring charge on the date that it provides an Application Response to Rightlink USA.

### 4 Occupancy

- 4.1 <u>Space Ready Notification.</u> AT&T will notify Rightlink USA in writing when the Collocation Space is ready for occupancy (Space Ready Date).
- Acceptance Walkthrough. Rightlink USA will schedule and complete an acceptance walkthrough of new or additional provisioned Collocation Space with AT&T within fifteen (15) days after the Space Ready Date. AT&T will correct any identified deviations from Rightlink USA's original or jointly amended application within seven (7) days after the walkthrough, unless the Parties mutually agree upon a different time frame. AT&T will then establish a new Space Ready Date. Another acceptance walkthrough will be scheduled and conducted within fifteen (15) days after the new Space Ready Date. This follow-up acceptance walkthrough will be limited to only those deviations identified in the initial walkthrough. If Rightlink USA completes its acceptance walkthrough within the fifteen (15) day interval associated with the applicable Space Ready Date, billing will begin upon the date of Rightlink USA's acceptance of the Collocation Space (Space Acceptance Date). In the event Rightlink USA fails to complete an acceptance walkthrough within the fifteen (15) day interval associated with the applicable Space Ready Date, the Collocation Space shall be deemed accepted by Rightlink USA on the Space Ready Date and billing will commence from that date.
- 4.3 <u>Early Space Acceptance.</u> If Rightlink USA decides to occupy the Collocation Space prior to the Space Ready Date, the date Rightlink USA executes the Agreement for Customer Access and Acceptance to Unfinished Collocation Space is the date that will be deemed the Space Acceptance Date and billing will begin from that date.
- 4.4 <u>Equipment Installation.</u> Rightlink USA shall notify AT&T in writing that its collocation equipment installation is complete. Rightlink USA's collocation equipment installation is complete when

Rightlink USA 1Q08 GENERIC INTERCONNECTION AGREEMENT – 03/10/08

Rightlink USA's equipment is connected to AT&T's network for the purpose of provisioning Telecommunication Services to Rightlink USA's customers. AT&T may refuse to accept any orders for cross-connects until it has received such notice from Rightlink USA.

### 4.5 Termination of Occupancy.

- In addition to any other provisions addressing termination of occupancy in this Agreement, Rightlink USA may terminate its occupancy of a particular Collocation Space by submitting a Subsequent Application requesting termination of occupancy for such Collocation Space. Such termination shall be effective upon AT&T's acceptance of the Space Relinquishment Form. Billing for monthly recurring charges will cease on the date that Rightlink USA and AT&T conduct an inspection of the terminated space and jointly sign off on the Space Relinquishment Form or on the date that Rightlink USA signs off on the Space Relinquishment Form and sends this form to AT&T, provided no discrepancies are found during AT&T's subsequent inspection of the terminated space. If the subsequent inspection by AT&T reveals any discrepancies, billing will cease on the date that AT&T and Rightlink USA jointly conduct an inspection, confirming that Rightlink USA has corrected all of the noted discrepancies identified by AT&T. A Subsequent Application Fee will not apply for the termination of occupancy; however, specific disconnect fees may apply to the services terminating to such Collocation Space. The particular disconnect fees that would apply in each state are contained in Exhibit B.
- 4.5.2 Upon termination of occupancy, Rightlink USA, at its sole expense, shall remove its equipment and any other property owned, leased or controlled by Rightlink USA from the Collocation Space.

  Rightlink USA shall have thirty (30) days from the Bona Fide Firm Order (BFFO) date (Termination Date) to complete such removal, including the removal of all equipment and facilities of Rightlink USA's Guest(s), unless Rightlink USA's Guest(s) has assumed responsibility for the Collocation Space housing the Guest(s)'s equipment and executed the appropriate documentation required by AT&T to transfer the Collocation Space to the Guest(s) prior to Rightlink USA's Termination Date.
- A.5.3 Rightlink USA shall continue the payment of all monthly recurring charges to AT&T until the date Rightlink USA, and if applicable Rightlink USA's Guest(s), has fully vacated the Collocation Space and the Space Relinquishment Form has been accepted by AT&T. If Rightlink USA or Rightlink USA's Guest(s) fails to vacate the Collocation Space within thirty (30) days from the Termination Date, AT&T shall have the right to remove and dispose of the equipment and any other property of Rightlink USA or Rightlink USA's Guest(s), in any manner that AT&T deems fit, at Rightlink USA's expense and with no liability whatsoever for Rightlink USA's property or Rightlink USA's Guest(s) property.
- 4.5.4 Upon termination of Rightlink USA's right to occupy specific Collocation Space, the Collocation Space will revert back to AT&T's central office space inventory. Rightlink USA shall surrender the Collocation Space to AT&T in the same condition as when it was first occupied by Rightlink USA, with the exception of ordinary wear and tear, unless otherwise agreed to by the Parties. Rightlink USA's AT&T Certified Supplier shall be responsible for updating and making any necessary changes to AT&T's records as required by AT&T specifications including, but not limited to, AT&T's Central Office Record Drawings and ERMA Records. Rightlink USA shall be responsible for the cost of removing any Rightlink USA constructed enclosure, as well as any supporting structures (e.g., racking, conduits, power cables, etc.), by the Termination Date and restoring the grounds to their original condition.

Rightlink USA 1Q08 GENERIC INTERCONNECTION AGREEMENT – 03/10/08

# 5 Use of Collocation Space

# 5.1 Equipment Type

- AT&T shall permit the collocation and use of any equipment necessary for interconnection to AT&T's network and/or access to AT&T's unbundled network elements in the provision of Telecommunications Services, as the term "necessary" is defined by FCC 47 C.F.R. § 51.323 (b). The primary purpose and function of any equipment collocated in an AT&T Premises must be for interconnection to AT&T's network or access to AT&T's unbundled network elements in the provision of Telecommunications Services. Equipment is necessary for interconnection if an inability to deploy that equipment would, as a practical, economical, or operational matter, preclude the requesting carrier from obtaining interconnection with AT&T at a level equal in quality to that which AT&T obtains within its own network or what AT&T provides to any affiliate, subsidiary, or other party.
- 5.1.2 Examples of equipment that would not be considered necessary include, but are not limited to: traditional circuit switching equipment, equipment used exclusively for call-related databases, computer servers used exclusively for providing information services, OSS equipment used to support collocated telecommunications carrier network operations, equipment that generates customer orders, manages trouble tickets or inventory, or stores customer records in centralized databases, etc. AT&T will determine upon receipt of an application if the requested equipment is necessary based on the criteria established by the FCC. Multifunctional equipment placed on an AT&T Premises must not place any greater relative burden on AT&T's property than comparable single-function equipment. AT&T reserves the right to allow the collocation of any equipment on a nondiscriminatory basis.
- Such equipment must, at a minimum, meet the following Telcordia Network Equipment Building Systems (NEBS) General Equipment Requirements: for Central Offices Criteria Level 1 requirements as outlined in Telcordia Special Report SR-3580, Issue 1 and for Remote Sites Criteria Level 3 requirements as outlined in the Telcordia Special report SR-3580, Issue 1. Except where otherwise required by a Commission, AT&T shall comply with the applicable FCC rules relating to denial of collocation equipment based on Rightlink USA's failure to comply with this Section.
- 5.1.3.1 To the extent Rightlink USA wishes to place equipment in its collocation that does not meet the standards set forth in 5.1.3, Rightlink USA may request in writing, pursuant to the Notices section of the General Terms & Conditions, a waiver to such standards. AT&T may provide a waiver in its sole discretion.
- 5.1.4 At a Remote Site, all Rightlink USA equipment installation shall comply with AT&T TR 73503-11h, "Grounding Engineering Procedures". Metallic cable sheaths and metallic strength members of optical fiber cables as well as the metallic cable sheaths of all copper conductor cables shall be bonded to the designated grounding bus for the Remote Site Location. All copper conductor pairs, working and non-working, shall be equipped with a solid-state protector unit (over-voltage protection only), which has been listed by a nationally recognized testing laboratory.
- Terminations. Rightlink USA shall not request more DS0, DS1, DS3 and/or optical terminations for a collocation arrangement than the total port or termination capacity of the equipment physically installed in the Collocation Space. The total capacity of the equipment collocated in the Collocation Space will include equipment contained in an application, as well as any equipment already placed in the Collocation Space. If full network termination capacity of the equipment being installed is not requested in the application submitted by Rightlink USA, additional network terminations for the installed equipment will require the submission of a Subsequent Application. In the event Rightlink

USA submits an application for terminations that will exceed the total capacity of the collocated equipment, Rightlink USA will be informed of the discrepancy by AT&T and required to submit a revision to the application.

- Security Interest in Equipment. Commencing with the most current calendar quarter after the Effective Date of this Agreement, and thereafter with respect to each subsequent calendar quarter during the term of this Agreement, Rightlink USA will, no later than thirty (30) days after the close of such calendar quarter, provide a report to ICS Collocation Product Management, Room 34th Floor, 675 W. Peachtree Street, Atlanta, Georgia 30375, listing any equipment in the Collocation Space (i) that was added during the calendar quarter to which such report pertains, and (ii) for which there is a UCC-1 lien holder or to another entity that has a secured financial interest in such equipment (Secured Equipment). If no Secured Equipment has been installed within a given calendar quarter, no report shall be due hereunder in connection with such calendar quarter.
- 5.4 No Marketing. Rightlink USA shall not use the Collocation Space for marketing purposes, nor shall it place any identifying signs or markings outside the Collocation Space or on the grounds of the AT&T Premises.
- 5.5 <u>Equipment Identification.</u> Rightlink USA shall place a plaque or affix other identification (e.g., stenciling or labeling) to each piece of Rightlink USA's equipment, including the appropriate emergency contacts with their corresponding telephone numbers, in order for AT&T to properly identify Rightlink USA's equipment in the case of an emergency. For caged Collocation Space, such identification must be placed on a plaque affixed to the outside of the caged enclosure.
- 5.6 Entrance Facilities.
- 5.6.1 Rightlink USA may elect to place Rightlink USA-owned or Rightlink USA leased fiber entrance facilities into its Collocation Space. AT&T will designate the point of interconnection in close proximity to the AT&T Premises housing the Collocation Space, such as at an entrance manhole or a cable vault for Central Offices, which is physically accessible by both Parties. For Central Offices, Rightlink USA will provide and place fiber cable in the entrance manhole of sufficient length to be pulled through conduit and into the splice location. Rightlink USA will provide and install a sufficient length of fire retardant riser cable, to which AT&T will splice the entrance cable. The fire retardant riser cable will extend from the splice location to Rightlink USA's equipment in Rightlink USA's Collocation Space. In the event Rightlink USA utilizes a non-metallic, riser-type entrance facility, a splice will not be required. For Remote Terminals Rightlink USA will provide and place copper cable through conduit from the Remote Site Collocation Space to the feeder distribution interface. Such copper cable must be of sufficient length to reach the splice location for splicing by AT&T. Rightlink USA must contact AT&T for authorization and instruction prior to placing any entrance facility cable in an entrance manhole or cable vault. Rightlink USA is responsible for the maintenance of the entrance facilities. Nonrecurring charges for cable installation will be assessed on a per cable basis as set forth in Exhibit 8 upon receipt of Rightlink USA's BFFO. Recurring charges for the cable support structure will be billed at the rates set forth in Exhibit B.
- 5.6.2 <u>Central Office Microwave Transmission Facilities.</u> At Rightlink USA's request, AT&T will accommodate, where technically feasible and space is available, a microwave entrance facility, pursuant to separately negotiated rates, terms and conditions.
- 5.6.3 Central Office Copper and Coaxial Cable Entrance Facilities. In Florida and Georgia, AT&T shall permit Rightlink USA to use copper or coaxial cable entrance facilities, if approved by the Commission, but only in those rare instances where Rightlink USA demonstrates a necessity and entrance capacity is not at or near exhaust in a particular AT&T Premises in which Rightlink USA's

Collocation Space is located. In Florida, Rightlink USA must have approval by the Commission before it submits a request for copper entrance facilities. Notwithstanding the foregoing, in the case of adjacent collocation, copper facilities may be used between the adjacent collocation arrangement and the central office demarcation point, unless AT&T determines that limited space is available for the placement of these entrance facilities.

Dual Entrance Facilities at a Central Office. AT&T will provide at least two (2) interconnection points at each Central Office where at least two (2) such interconnection points are available and capacity exists. Upon receipt of a request by Rightlink USA for dual entrance facilities to its physical Collocation Space, AT&T shall provide Rightlink USA with information regarding AT&T's capacity to accommodate the requested dual entrance facilities. If conduit in the serving manhole(s) is available and is not reserved for another purpose or for utilization within twelve (12) months of the receipt of an application for collocation, AT&T will make the requested conduit space available for the installation of a second entrance facility to Rightlink USA's Collocation Space. The location of the serving manhole(s) will be determined at the sole discretion of AT&T. Where dual entrance facilities are not available due to a lack of capacity, AT&T will provide this information to Rightlink USA in the Application Response.

#### 5.8 Shared Use

- 5.8.1 Rightlink USA may utilize spare capacity on an existing telecommunications carrier's entrance facility for the purpose of obtaining an entrance facility to Rightlink USA's Collocation Space within the same AT&T Premises.
- AT&T shall allow the splice, as long as the fiber is non-working dark fiber. Rightlink USA must arrange with AT&T in accordance with AT&T's Special Construction Procedures, RL93-11-030BT, and provide a LOA from the other telecommunications carrier authorizing AT&T to perform the splice of the Rightlink USA-provided riser cable to the spare capacity on the other telecommunications carrier's entrance facility. If Rightlink USA desires to allow another telecommunications carrier to use its entrance facilities, the telecommunications carrier must arrange with AT&T in accordance with AT&T's Special Construction Procedures, RL93-11-030BT, and provide a LOA from Rightlink USA authorizing AT&T to perform the splice of the telecommunications carrier's provided riser cable to the spare capacity on Rightlink USA's entrance facility.

#### 5.9 Demarcation Point

- 5.9.1 In Tennessee, if Rightlink USA elects the Tennessee Regulatory Authority (TRA) rates as set forth in Exhibit C, the additional language also set forth in Exhibit C for Demarcation Point, will be effective in conjunction with the remaining terms and conditions of this Attachment.
- AT&T will designate the point(s) of demarcation between Rightlink USA's equipment and/or network facilities and AT&T's network facilities. For 2-wire and 4-wire connections, the demarcation point shall be a common block on the AT&T designated conventional distribution frame. Rightlink USA shall be responsible for providing the common block and cabling and Rightlink USA's AT&T Certified Supplier shall be responsible for installing and properly labeling/stenciling the common block and any necessary cabling identified in Section 7 below. For DS1, DS3, STS1, and optical terminations, AT&T shall designate, provide, and install demarcation point hardware on a per arrangement basis. Rightlink USA shall be responsible for providing, and Rightlink USA's AT&T Certified Supplier shall be responsible for installing any necessary cabling and properly labeling/stenciling the demarcation point hardware for terminations identified in Section 7 below.

- 5.9.3 Rightlink USA or its agent must install, maintain and operate the equipment/facilities on its side of the demarcation point, pursuant to Section 5.10 below and may self-provision cross-connects that may be required within its own Collocation Space to activate service requests.
- Equipment and Facilities. Rightlink USA, or if required by this Attachment, Rightlink USA's AT&T Certified Supplier, is solely responsible for the design, engineering, installation, testing, provisioning, performance, monitoring and maintenance/repair of the equipment and network facilities used by Rightlink USA, which must be performed in compliance with all applicable AT&T specifications. Such equipment and network facilities may include, but are not limited to, cable(s), equipment, and POT connections. Rightlink USA and its designated AT&T Certified Supplier must follow and comply with all AT&T specifications outlined in the following AT&T Technical Requirements: TR 73503, TR 73519, TR 73572 and TR 73564.

### 5.11 AT&T's Access to Collocation Space

- 5.11.1 From time to time, AT&T may require access to Rightlink USA's Collocation Space. AT&T retains the right to access Rightlink USA's Collocation Space for the purpose of making AT&T equipment and building modifications (e.g., installing, altering or removing racking, ducts, electrical wiring, HVAC, and cabling). In such cases, AT&T will give notice to Rightlink USA at least forty-eight (48) hours before access to Rightlink USA's Collocation Space is required. Rightlink USA may elect to be present whenever AT&T performs work in the Rightlink USA's Collocation Space. The Parties agree that Rightlink USA will not bear any of the expense associated with this type of work.
- 5.11.2 In the case of an emergency, AT&T will provide oral notice of entry as soon as reasonably practicable after such entry.
- 5.11.3 Rightlink USA must provide the local AT&T Central Office Building Contact with two (2) Access Devices that will allow AT&T entry into any enclosed and locked Collocation Space including, but not limited to, an Adjacent Arrangement, pursuant to the requirements contained in this Section.

# 5.12 Rightlink USA's Access

5.12.1 Pursuant to Section 12 below, Rightlink USA shall have access to its Collocation Space twenty-four (24) hours a day, seven (7) days a week. Rightlink USA agrees to provide the name, date of birth and either the social security number or driver's license number of each employee, supplier or agent of Rightlink USA or Rightlink USA's Guest(s) with Rightlink USA's written request for access keys or cards (Access Devices) for specific AT&T Premises, prior to the issuance of said Access Devices, using Form RF-2906-C, the "CLEC and CLEC Certified Supplier Access Request and Acknowledgement" form. The appropriate key acknowledgement forms (the "Collocation Acknowledgement Sheet" for access cards and the "Key Acknowledgement Form" for keys) must be signed by Rightlink USA and returned to AT&T Access Management within fifteen (15) days of Rightlink USA's receipt of these forms. Failure to return these properly acknowledged forms will result in the subsequent access key or card requests being held by AT&T until the proper acknowledgement documents have been received by AT&T and reflect current information. Charges for Security Access System and for Security Access Devices will be billed at the rates set forth in Exhibit B. Access Devices may not be duplicated under any circumstances. Rightlink USA agrees to be responsible for all Access Devices and for the return of all Access Devices in the possession of Rightlink USA's employees, suppliers, agents or Guests after termination of the employment relationship, the contractual obligation with Rightlink USA ends, upon the termination of this Agreement, or upon the termination of occupancy of Collocation Space in a specific AT&T Premises. Rightlink USA shall pay all applicable charges associated with lost or stolen Access Devices.

5.12.2

Rightlink USA must submit to AT&T the completed Access Control Request Form for all employees, suppliers, agents or Guests requiring access to an AT&T Premises at least thirty (30) days prior to the date Rightlink USA desires to gain access to the Collocation Space. In order to permit reasonable access during construction of the Collocation Space, Rightlink USA may submit a request for its one (1) free accompanied site visit to its designated Collocation Space at any time subsequent to AT&T's receipt of the BFFO. In the event Rightlink USA desires access to its designated Collocation Space after the first accompanied free visit and Rightlink USA's access request form(s) has not been approved by AT&T or Rightlink USA has not yet submitted an access request form to AT&T, Rightlink USA shall be permitted to access the Collocation Space accompanied by an AT&T security escort, at Rightlink USA's expense, which will be assessed pursuant to the Security Escort fees contained in Exhibit B. Rightlink USA must request that escorted access be provided by AT&T to Rightlink USA's designated Collocation Space at least three (3) business days prior to the date such access is desired. An AT&T security escort will be required whenever Rightlink USA or its approved agent or supplier requires access to the entrance manhole.

5.13

<u>Lost or Stolen Access Devices</u>. Rightlink USA shall immediately notify AT&T in writing when any of its Access Devices have been lost or stolen. If it becomes necessary for AT&T to re-key buildings or deactivate an Access Device as a result of a lost or stolen Access Device(s) or for failure of Rightlink USA's employees, suppliers, agents or Guest(s) to return an Access Device(s), Rightlink USA shall pay for the costs of re-keying the building or deactivating the Access Device(s).

#### 5.14 <u>Interference or Impairment</u>

5.14.1

Notwithstanding any other provisions of this Attachment, Rightlink USA shall not use any product or service provided under this Agreement, any other service related thereto or used in combination therewith, or place or use any equipment or facilities in any manner that (1) significantly degrades, interferes with or impairs service provided by AT&T or any other entity or any person's use of its telecommunications services; (2) endangers or damages the equipment, facilities or any other property of AT&T or any other entity or person; (3) compromises the privacy of any communications routed through the AT&T Premises; or (4) creates an unreasonable risk of injury or death to any individual or to the public. If AT&T reasonably determines that any equipment or facilities of Rightlink USA violates the provisions of this paragraph, AT&T shall provide written notice to Rightlink USA, which shall direct Rightlink USA to cure the violation within forty-eight (48) hours of Rightlink USA's receipt of written notice or, if such cure is not feasible, at a minimum, to commence curative measures within twenty-four (24) hours and exercise reasonable diligence to complete such measures as soon as possible thereafter. After receipt of the notice, the Parties agree to consult immediately and, if necessary, to conduct an inspection of the Collocation Space.

5.14.2

Except in the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services, if Rightlink USA fails to cure the violation within forty-eight (48) hours or, if such cure is not possible, to commence curative action within twenty-four (24) hours and exercise reasonable diligence to complete such action as soon as possible, or if the violation is of a character that poses an immediate and substantial threat of damage to property or injury or death to any person, or any other significant degradation, interference or impairment of AT&T's or another entity's service, then and only in that event, AT&T may take such action as it deems necessary to eliminate such threat including, without limitation, the interruption of electrical power to Rightlink USA's equipment and/or facilities. AT&T will endeavor, but is not required, to provide notice to Rightlink USA prior to the taking of such action and AT&T shall have no liability to Rightlink USA for any damages arising from such action, except to the extent that such action by AT&T constitutes willful misconduct.

5.14.3

For purposes of this Section, the term "significantly degrades" shall be defined as an action that noticeably impairs a service from a user's perspective. In the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services and Rightlink USA fails to cure the violation within forty-eight (48) hours, or if such cure is not possible, to commence curative action within twenty-four (24) hours and exercise reasonable diligence to complete such action as soon as possible, AT&T will establish before the appropriate Commission that the technology deployed is causing the significant degradation. Any claims of network harm presented to Rightlink USA or, if subsequently necessary, the Commission must be provided by AT&T with specific and verifiable information. When AT&T demonstrates that a certain technology deployed by Rightlink USA is significantly degrading the performance of other advanced services or traditional voice band services. Rightlink USA shall discontinue deployment of that technology and migrate its customers to other technologies that will not significantly degrade the performance of such services. Where the only degraded service itself is a known disturber, and the newly deployed technology satisfies at least one of the criteria for a presumption that it is acceptable for deployment, pursuant to 47 C.F.R. § 51.230, the degraded service shall not prevail against the newly-deployed technology.

5.15

Personalty and Its Removal. Facilities and equipment placed by Rightlink USA in the Collocation Space shall not become a part of the Collocation Space, even if nailed, screwed or otherwise fastened to the Collocation Space, but shall retain their status as personal property and may be removed by Rightlink USA at any time. Any damage caused to the Collocation Space by Rightlink USA's employees, suppliers, agents or Guests during the installation or removal of such property shall be promptly repaired by Rightlink USA at its sole expense. If Rightlink USA decides to remove equipment and/or facilities from its Collocation Space and the removal requires no physical work be performed by AT&T and Rightlink USA's physical work includes, but is not limited to, power reduction, cross-connects, or tie pairs, AT&T will bill Rightlink USA the Administrative Only Application Fee associated with the type of removal activity performed by Rightlink USA, as set forth in Exhibit B. This nonrecurring fee will be billed on the date that AT&T provides an Application Response to Rightlink USA.

5.16

Alterations. Under no condition shall Rightlink USA or any person acting on behalf of Rightlink USA make any rearrangement, modification, augment, improvement, addition, and/or other alteration which could affect in any way space, power, HVAC, and/or safety considerations to the Collocation Space or the AT&T Premises, hereinafter referred to individually or collectively as "Alterations", without the express written consent of AT&T, which shall not be unreasonably withheld. The cost of any such Alteration shall be paid by Rightlink USA. An Alteration shall require the submission of a Subsequent Application and will result in the assessment of the applicable application fee associated with the type of alteration requested, as set forth in Sections 6.2.1 and 7.1.4 below, which will be billed by AT&T on the date that AT&T provides Rightlink USA with an Application Response.

5.17

<u>Central Office Janitorial Service.</u> Rightlink USA shall be responsible for the general upkeep of its Collocation Space. Rightlink USA shall arrange directly with an AT&T Certified Supplier for janitorial services applicable to caged Collocation Space. Upon request, AT&T shall provide a list of such suppliers on an AT&T Premises-specific basis.

5.18

<u>Upkeep of Remote Collocation Space.</u> Rightlink USA shall be responsible for the general upkeep and cleaning of the Remote Collocation Space. Rightlink USA shall be responsible for removing any of Rightlink USA's debris from the Remote Collocation Space and from in and around the Remote Site Location on each visit.

#### 6 Ordering and Preparation of Collocation Space

- 6.1 Initial Application. For Rightlink USA's or Rightlink USA's Guest's(s') initial equipment placement, Rightlink USA shall input a physical Expanded Interconnection Application Document (Initial Application) for physical Collocation Space directly into AT&T's electronic application (e.App) system for processing. The Initial Application is considered Bona Fide when it is complete and accurate, meaning that all of the required fields on the Initial Application are completed with the appropriate type of information. An Initial Application Fee, as set forth in Exhibit B, will apply to each Initial Application submitted by Rightlink USA for Central Office or Remote Site Collocation, as applicable, and will be billed by AT&T on the date AT&T provides Rightlink USA with an Application Response.
- 6.1.1 For Remote Site Collocation, a request for additional space at a later date will require the submission of an Initial Application. The installation of additional shelves/equipment within an existing bay does not require an Initial Application.
- Subsequent Application. In the event Rightlink USA or Rightlink USA's Guest(s) desires to modify its use of the Collocation Space in a Central Office after a BFFO, Rightlink USA shall complete an application that contains all of the detailed information associated with a requested Alteration of the Collocation Space, as defined in Section 5.15 above (Subsequent Application). The Subsequent Application will be considered Bona Fide when it is complete and accurate, meaning that all of the required fields on the Subsequent Application have been completed with the appropriate type of information associated with the requested Alteration. AT&T shall determine what modifications, if any, to the AT&T Premises are required to accommodate the change(s) requested by Rightlink USA in the Subsequent Application. Such modifications to the AT&T Premises may include, but are not limited to, floor loading changes, changes necessary to meet HVAC requirements, changes to power plant requirements, equipment additions, etc.
- 6.2.1 Subsequent Application Fees. The application fee paid by Rightlink USA for an Alteration in a Central Office shall be dependent upon the level of assessment needed to provide a complete Application Response for the Alteration requested. Where the Subsequent Application does not require provisioning or construction work, but requires AT&T to perform an administrative activity, an Administrative Only Application Fee shall apply as set forth in Exhibit B. The Administrative Only Application Fee will apply to Subsequent Applications associated with a transfer of ownership of the Collocation Space, the addition, exchange or removal of equipment from the Collocation Space (where the removal requires no physical work to be performed by AT&T which require no additional space, power or terminations to be provided to Rightlink USA's collocation arrangement), and a virtual-to-physical conversion (in place). The Co-Carrier Cross Connect/Direct Connect Application Fee will apply when Rightlink USA submits a Subsequent Application for a direct connection between its own physical and virtual Collocation Space(s) in the same AT&T Central Office or between its physical or virtual Collocation Space and that of another collocated telecommunications carrier within the same AT&T Central Office. In Florida and Tennessee, the Power Reconfiguration Only Application Fee will apply when Rightlink USA submits a Subsequent Application that reflects only an upgrade or reduction in the amount of power that AT&T is currently providing to Rightlink USA's physical Collocation Space in a Central Office. The fee for a Subsequent Application, for which the Alteration requested has limited effect (e.g., requires limited assessment and sufficient cable support structure, HVAC, power and terminations are available). shall be the Subsequent Application Fee, as set forth in Exhibit B. The appropriate nonrecurring application fee will be billed on the date that AT&T provides Rightlink USA with an Application Response.

Space Preferences. If Rightlink USA has previously requested and received a Space Availability Report for the AT&T Premises, Rightlink USA may submit up to three (3) space preferences on its application by identifying the specific space identification numbers referenced on the Space Availability Report for the space it is requesting. In the event AT&T cannot accommodate Rightlink USA's space preference(s), Rightlink USA may accept the space allocated by AT&T or cancel its application and submit another application requesting additional space preferences for the same AT&T Premises. This application will be treated as a new application and the appropriate application fee will apply. The application fee will be billed by AT&T on the date that AT&T provides Rightlink USA with an Application Response.

#### 6.4 Space Availability Notification

- For all states except Florida and Tennessee, AT&T will respond to an application within ten (10) days as to whether space is available or not available within the requested AT&T Premises. In Florida and Tennessee, AT&T will respond to an application within fifteen (15) days as to whether space is available or not available within an AT&T Premises. AT&T's e.App system will reflect when Rightlink USA's application is Bona Fide. If the application cannot be Bona Fide, AT&T will identify what revisions are necessary for the application to become Bona Fide.
- If the amount of space requested is not available, AT&T will notify Rightlink USA of the amount of space that is available and no application fee will apply. When AT&T's response includes an amount of space less than that requested by Rightlink USA or space that is configured differently, no application fee will apply. If Rightlink USA decides to accept the available space, Rightlink USA must resubmit its application to reflect the actual space available, including the configuration of the space, prior to submitting a BFFO. When Rightlink USA resubmits its application to accept the available space, AT&T will bill Rightlink USA the appropriate application fee.
- Denial of Application. If AT&T notifies Rightlink USA that no space is available (Denial of Application), AT&T will not assess an application fee to Rightlink USA. After notifying Rightlink USA that AT&T has no available space in the requested AT&T Premises, AT&T will allow Rightlink USA, upon request, to tour the entire AT&T Premises within ten (10) days of such Denial of Application. In order to schedule this tour, AT&T must receive the request for the tour of the AT&T Premises within five (5) days of the Denial of Application.
- Petition for Waiver. Upon Denial of Application, AT&T will timely file a petition with the appropriate Commission pursuant to 47 U.S.C. § 251(c)(6). AT&T shall provide to the Commission any information requested by that Commission. Such information shall include which space, if any, AT&T or any of AT&T's affiliates have reserved for future use and a detailed description of the specific future uses for which the space has been reserved. Subject to an appropriate nondisclosure agreement or provision, AT&T shall permit Rightlink USA to inspect any floor plans or diagrams that AT&T provides to the Commission.

#### 6.7 Waiting List

6.7.1 On a first-come, first-serve basis, which is governed by the date of receipt of an application or Letter of Intent, AT&T will maintain a waiting list of requesting telecommunications carriers that have either received a Denial of Application or, where it is publicly known that an AT&T Premises is out of space, have submitted a Letter of Intent to collocate in that AT&T Premises. AT&T will notify each telecommunications carrier on the waiting list that can be accommodated by the amount of space that becomes available, according to the position of the telecommunications carrier on said waiting list.

- In Florida, on a first-come, first-serve basis, which is governed by the date of receipt of an application or Letter of Intent, AT&T will maintain a waiting list of requesting telecommunications carriers that have either received a Denial of Application or, where it is publicly known that an AT&T Premises is out of space, have submitted a Letter of Intent to collocate in that AT&T Premises. Sixty (60) days prior to space becoming available, if known, AT&T will notify the Commission and the telecommunications carriers on the waiting list by mail when space will become available. If AT&T does not know sixty (60) days in advance of when space will become available, AT&T will notify the Commission and the telecommunications carriers on the waiting list within two (2) business days of the determination that space will become available. A telecommunications carrier that, upon denial of physical Collocation Space, requests virtual Collocation Space shall automatically be placed on the waiting list for physical Collocation Space that may become available in the future.
- 6.7.3 When physical Collocation Space becomes available, Rightlink USA must submit an updated, complete and accurate application to AT&T within thirty (30) days of notification by AT&T that physical Collocation Space will be available in the requested AT&T Premises previously out of space. If Rightlink USA has originally requested caged Collocation Space and cageless Collocation Space becomes available, Rightlink USA may refuse such space and notify AT&T in writing, within the thirty (30) day timeframe referenced above, that Rightlink USA wishes to maintain its place on the waiting list for caged physical Collocation Space, without accepting the available cageless Collocation Space.
- Rightlink USA may accept an amount of space less than what it originally requested by submitting an application as set forth above, and upon request, may maintain its position on the waiting list for the remaining space that was initially requested. If Rightlink USA does not submit an application or notify AT&T in writing within the thirty (30) day timeframe as described in Section 6.7.2 above, AT&T will offer the available space to the next telecommunications carrier on the waiting list and remove Rightlink USA from the waiting list. Upon request, AT&T will advise Rightlink USA as to its position on the waiting list for a particular AT&T Premises.
- 6.8 Public Notification. AT&T will maintain on its Wholesale Southeast Region Web site, a notification document that will indicate all AT&T Premises that are without available space. AT&T shall update such document within ten (10) days of the date that AT&T becomes aware that insufficient space is available to accommodate physical Collocation. AT&T will also post a document on its Wholesale Southeast Region Web site that contains a general notice when space becomes available in an AT&T Premises previously on the space exhaust list.

#### 6.9 Application Response

- In Alabama, Georgia, Kentucky, Louisiana, Mississippi, North Carolina and South Carolina, when space has been determined to be available for physical (caged or cageless) Collocation arrangements, AT&T will provide an Application Response within twenty (20) days of receipt of a Bona Fide application. The Application Response will be a written response that includes sufficient information to enable Rightlink USA to place a Firm Order, which, at a minimum, will include the configuration of the space, the Cable Installation Fee, the Cable Records Fee, and any other applicable space preparation fees, as described in Section 8 below.
- In Florida and Tennessee, within fifteen (15) days of receipt of a Bona Fide application, when space has been determined to be available or when a lesser amount of space than that requested is available, then with respect to the space available, AT&T will provide an Application Response including sufficient information to enable Rightlink USA to place a Firm Order. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, the

Cable Records Fee and any other applicable space preparation fees, as described in Section 8 below. When Rightlink USA submits ten (10) or more applications within ten (10) days, the initial fifteen (15) day response interval will increase by ten (10) days for every additional ten (10) applications or fraction thereof.

Application Modifications. If a modification or revision is made to any information in the Bona Fide application after AT&T has provided the Application Response and prior to a BFFO, with the exception of modifications to (1) Customer Information, (2) Contact Information or (3) Billing Contact Information, whether at the request of Rightlink USA or as necessitated by technical considerations, the application shall be considered a new application and handled as a new application with respect to the response and provisioning intervals. AT&T will charge Rightlink USA the appropriate application fee associated with the level of assessment performed by AT&T,

#### 6.11 Bona Fide Firm Order

- 6.11.1 Rightlink USA shall indicate its intent to proceed with a Collocation Space request in an AT&T Premises by submitting a BFFO to AT&T. The BFFO must be received by AT&T no later than thirty (30) days after AT&T's Application Response to Rightlink USA's Bona Fide application or Rightlink USA's application will expire.
- 6.11.2 AT&T will establish a Firm Order date based upon the date AT&T is in receipt of Rightlink USA's BFFO. AT&T will acknowledge the receipt of Rightlink USA's BFFO within seven (7) days of receipt, so that Rightlink USA will have positive confirmation that its BFFO has been received. AT&T's response to a BFFO will include a Firm Order Confirmation, which contains the firm order date. No revisions may be made to a BFFO.

#### 7 Construction and Provisioning

# 7.1 <u>Construction and Provisioning Intervals</u>

pursuant to Sections 6.1 and 6.2 above.

- 7.1.1 In Florida and Tennessee, AT&T will complete construction of physical Collocation Space as soon as possible within a maximum of ninety (90) days from receipt of a BFFO or as agreed to by the Parties. For virtual Collocation Space, AT&T will complete construction as soon as possible within a maximum of sixty (60) days from receipt of a BFFO or as agreed to by the Parties. For Alterations requested to Collocation Space after the initial space has been completed, AT&T will complete construction for Collocation Space as soon as possible within a maximum of forty-five (45) days from receipt of a BFFO or as agreed to by the Parties, as long as no additional space has been requested by Rightlink USA. If additional space has been requested by Rightlink USA, AT&T will complete construction for the requested Collocation Space as soon as possible within a maximum of ninety (90) days from receipt of a BFFO for physical Collocation Space and forty five (45) days from receipt of a BFFO for virtual Collocation Space. If AT&T does not believe that construction will be completed within the relevant provisioning interval and AT&T and Rightlink USA cannot agree upon a completion date, within forty-five (45) days of receipt of the BFFO for an initial request, or within thirty (30) days of receipt of the BFFO for an Alteration, AT&T may seek an extension from the Commission.
- 7.1.2 In Alabama, Georgia, Kentucky, Louisiana, Mississippi, North Carolina and South Carolina, AT&T will complete construction for caged physical Collocation Space under ordinary conditions as soon as possible within a maximum of ninety (90) days from receipt of a BFFO or as agreed to by the Parties. AT&T will complete construction for cageless physical Collocation Space under ordinary conditions as soon as possible within a maximum of sixty (60) days from receipt of a BFFO and ninety (90) days from receipt of a BFFO for extraordinary conditions, or as agreed to by the Parties.

Ordinary conditions are defined as space available with only minor changes required to AT&T's support systems. (Examples include, but are not limited to: minor modifications to HVAC, cabling and AT&T's power plant.) Extraordinary conditions include, but may not be limited to: major AT&T equipment rearrangements or additions; power plant additions or upgrades; major mechanical additions or upgrades; major upgrades for ADA compliance; environmental hazards or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval for the Collocation Space requested or AT&T may seek a waiver from the ordered interval, as set forth above, from the appropriate Commission, if AT&T does not believe that construction will be completed within the relevant provisioning interval.

- 7.1.3 Records Only Change. When Rightlink USA adds equipment, that was originally included on Rightlink USA's Initial Application or a Subsequent Application, and the installation of this equipment requires no additional space preparation work or cable terminations on the part of AT&T, then AT&T will impose no additional charges or intervals.
- 7.1.4 For Central Offices in the states of Alabama, Georgia, Kentucky, Łouisiana, Mississippi, North Carolina, and South Carolina, AT&T will provide the reduced intervals outlined below to Rightlink USA, when Rightlink USA requests an Alteration specifically identified in Sections 7.1.4.1 through 7.1.4.9 below as an "Augment". Except as otherwise set forth in Section 7.1.4.10 below, such Augment will require a Subsequent Application and will result in the assessment of the appropriate application fee associated with the type of Augment requested by Rightlink USA. AT&T will assess the appropriate nonrecurring application fee set forth in Exhibit B on the date that it provides an Application Response to Rightlink USA.
- 7.1.4.1 Simple Augments will be completed within twenty (20) days after receipt of the BFFO for an:
  - Extension of Existing AC Circuit Capacity within Arrangement where Sufficient Circuit Capacity is Available
  - Fuse Change and/or Increase or Decrease -48 Volt (-48V) DC Power
- 7.1.4.2 Minor Augments will be completed within forty-five (45) days after receipt of the BFFO for:
  - 168 DS1 Terminations at the AT&T Demarcation Frame (Databasing Only; Panels, Relay Racks and Overhead Racking Exist)
  - 96 DS3 Terminations at the AT&T Demarcation Frame (Databasing Only; Panels, Relay Racks and Overhead Racking Exist)
  - 99 Fiber terminations at the AT&T Demarcation Frame (Databasing Only; Panels, Relay Racks and Overhead Racking Exist)
  - Maximum of 2000 Service Ready DS0 Terminations at the AT&T Demarcation Frame (Databasing Only; Panels, Relay Racks and Overhead Racking Exist)
- 7.1.4.3 Intermediate Augments will be completed within sixty (60) days after receipt of the BFFO for:
  - 168 DS1s (Databasing and Installation of Termination Panels, Relay Racks or Additional Structure, as Required)
  - 96 DS3s (Databasing and Installation of Termination Panels, Relay Racks or Additional Structure, as Required)
  - 99 Fiber Terminations (Databasing and Installation of Termination Panels, Relay Racks or Additional Structure, as Required)
  - 2000 DS0s (Databasing and Installation of Termination Panels, Relay Racks or Additional

- Structure, as Required)
- Installation of Cable Racking or Other Support Structure, as Required, to Support CCXCs (Adequate Floor or Ceiling Structural Capacity Exists and Support/Protection structure for Fiber Patch Cord is Excluded)
- 7.1.4.4 Major Augments of physical Collocation Space will be completed within ninety (90) days after BFFO. All requests for additional Physical Collocation Space (caged or cageless) are included in this category.
- 7.1.4.5 Major Augments of virtual Collocation Space will be completed within seventy-five (75) days after BFFO. This category includes all requests for additional virtual Collocation Space.
- 7.1.4.6 If Rightlink USA submits an Augment that includes two (2) Augment items from the same category in either Sections 7.1.4.1, 7.1.4.2 or 7.1.4.3 above, the provisioning interval associated with the next highest Augment category will apply (e.g., if two (2) items from the Minor Augment category are requested on the same request, then an interval of sixty (60) days from the receipt of the BFFO would apply, which is the interval associated with the Intermediate Augment category).
- 7.1.4.7 If Rightlink USA submits an Augment that includes three (3) Augment items from the same category in either Sections 7.1.4.1, 7.1.4.2, or 7.1.4.3 above, the Major Augment interval of ninety (90) days from the receipt of the BFFO would apply (e.g., if three (3) items from the Simple Augment category are requested on the same request for a physical Collocation arrangement, then an interval of ninety (90) days from the receipt of the BFFO would apply, which is the Major physical Augment interval; likewise if three (3) items from the Simple Augment category are requested on the same request for a virtual Collocation arrangement, then an interval of seventy-five (75) days from the receipt of the BFFO would apply, which is the Major virtual Augment interval).
- 7.1.4.8 If Rightlink USA submits an Augment that includes one (1) Augment item from two (2) separate categories in Sections 7.1.4.1, 7.1.4.2 and 7.1.4.3 above, the Augment interval associated with the highest Augment category will apply (e.g., if an item from the Minor Augment category and an item from the Intermediate Augment category are requested on the same request, then an interval of sixty (60) days from the receipt of the BFFO would apply, which is the interval associated with the Intermediate Augment category).
- 7.1.4.9 All Augments not expressly included in the Simple, Minor, Intermediate or Major Augment categories, as outlined above, will be placed into the appropriate category as negotiated by Rightlink USA and AT&T. If Rightlink USA and AT&T are unable to determine the appropriate category through negotiation, then the appropriate Major Augment category, identified in Sections 7.1.4.4 and Section 7.1.4.5 above, would apply based on whether the Augment is for Rightlink USA's physical or virtual Collocation Space.
- 7.1.4.10 Individual application fees associated with Simple, Minor and Intermediate Augments are contained in Exhibit B. If Rightlink USA requests multiple items from different Augment categories, AT&T will bill Rightlink USA the Augment application fee, as identified in Exhibit B, associated with the higher Augment category only. The appropriate application fee will be assessed to Rightlink USA at the time AT&T provides Rightlink USA with the Application Response. Rightlink USA will be assessed a Subsequent Application Fee for all Major Augments (Major Augments are defined above in Sections 7.1.4.4 and 7.1.4.5 above for physical and virtual Collocation Space, respectively). The

Subsequent Application Fee is also reflected in Exhibit B.

- Joint Planning. Unless otherwise agreed to by the Parties, a joint planning meeting or other method of joint planning between AT&T and Rightlink USA will commence within a maximum of twenty (20) days from AT&T's receipt of a BFFO. At such meeting, the Parties will agree to the preliminary design of the Collocation Space and the equipment configuration requirements, as reflected in the application and affirmed in the BFFO.
- 7.3 Permits. Each Party, its agent(s) or AT&T Certified Supplier(s) will diligently pursue filing for the permits required for the scope of work to be performed by that Party, its agent(s) or AT&T Certified Supplier(s) within ten (10) days of the completion of the finalized construction design and specifications.
- 7.4 <u>Central Office Circuit Facility Assignments</u>
- 7.4.1 Unless otherwise specified, AT&T will provide Circuit Facility Assignments (CFAs) to Rightlink USA prior to the applicable provisioning interval set forth herein (Provisioning Interval) for those AT&T Premises in which Rightlink USA has physical Collocation Space with no POT bay or with a grandfathered POT bay provided by AT&T. AT&T cannot provide CFAs to Rightlink USA prior to the Provisioning Interval for those AT&T Premises in which Rightlink USA has physical Collocation Space with a POT bay provided by Rightlink USA or virtual Collocation Space, until Rightlink USA has provided AT&T with the following information:
- 7.4.1.1 For physical Central Office Collocation Space with a Rightlink USA-provided POT bay, Rightlink USA shall provide AT&T with a complete layout of the POT panels on an Equipment Inventory Update (EIU) form that shows the locations, speeds, etc.; or
- 7.4.1.2 For virtual Central Office Collocation Space, Rightlink USA shall provide AT&T with a complete layout of Rightlink USA's equipment on an EIU form, that includes the locations of the low speed ports and the specific frame terminations to which the equipment will be wired by Rightlink USA's AT&T Certified Supplier.
- 7.4.2 AT&T cannot begin work on the CFAs until the complete and accurate EIU form has been received from Rightlink USA. If the EIU form is provided within ten (10) days prior to the ending date of the Provisioning Interval, then the CFAs will be made available by the ending date of the Provisioning Interval. If the EIU form is not received ten (10) days prior to the ending date of the Provisioning Interval, then the CFAs will be provided within ten (10) days of AT&T's receipt of the EIU form.
- 7.4.3 AT&T will bill Rightlink USA a nonrecurring charge, as set forth in Exhibit B, each time Rightlink USA requests a resend of its original CFA information for any reason other than an AT&T error in the CFAs initially provided to Rightlink USA.
- 7.5 <u>Use of AT&T Certified Supplier</u>. Rightlink USA shall select a supplier which has been approved as an AT&T Certified Supplier to perform all engineering and installation work. Rightlink USA, if an AT&T Certified Supplier or Rightlink USA's AT&T Certified Supplier must follow and comply with all of AT&T's specifications and the following AT&T Technical Requirements: TR 73503, TR 73519, TR 73572 and TR 73564. Unless the AT&T Certified Supplier has met the requirements for all of the required work activities, Rightlink USA must use a different AT&T Certified Supplier for the work activities associated with transmission equipment, switching equipment and power equipment. AT&T shall provide Rightlink USA with a list of AT&T Certified Suppliers, upon request. Rightlink USA, if an AT&T Certified Supplier, or Rightlink USA's AT&T Certified Supplier(s) shall be responsible for installing Rightlink USA's equipment and associated components, extending power cabling to the AT&T power distribution frame, performing operational tests after installation is complete, and notifying AT&T's equipment engineers and Rightlink USA upon successful

completion of the installation and any associated work. When an AT&T Certified Supplier is used by Rightlink USA, the AT&T Certified Supplier shall bill Rightlink USA directly for all work performed for Rightlink USA pursuant to this Attachment. AT&T shall have no liability for nor responsibility to pay, such charges imposed by Rightlink USA's AT&T Certified Supplier. AT&T shall make available its supplier certification program to Rightlink USA or any supplier proposed by Rightlink USA and will not unreasonably withhold certification. All work performed by or for Rightlink USA shall conform to generally accepted industry standards.

- Alarms and Monitoring. AT&T shall place environmental alarms in the AT&T Premises for the protection of AT&T equipment and facilities. Rightlink USA shall be responsible for the placement, monitoring and removal of environmental and equipment alarms used to service Rightlink USA's Collocation Space. Upon request, AT&T will provide Rightlink USA with an applicable AT&T tariffed service(s) to facilitate remote monitoring of collocated equipment by Rightlink USA. Both Parties shall use best efforts to notify the other of any verified environmental condition (e.g., temperature extremes or excess humidity) known to that Party.
- Virtual to Physical Relocation. In the event physical Collocation Space was previously denied at an AT&T Central Office due to technical reasons or space limitations and physical Collocation Space has subsequently become available, Rightlink USA may relocate its existing virtual Collocation arrangement(s) to a physical Collocation arrangement(s) and pay the appropriate fees associated with the rearrangement or reconfiguration of the services being terminated into the virtual Collocation arrangement, as set forth in Exhibit B. If AT&T knows when additional physical Collocation Space may become available at the AT&T Central Office requested by Rightlink USA, such information will be provided to Rightlink USA in AT&T's written denial of physical Collocation Space. Rightlink USA must arrange with an AT&T Certified Supplier for the relocation of equipment from a virtual Collocation Space to a physical Collocation Space and will bear the cost of such relocation, including the costs associated with moving the services from the virtual Collocation Space to the new physical Collocation Space.
- 7.7.1 In Alabama, AT&T will complete a relocation of a virtual collocation arrangement to a cageless physical collocation arrangement within sixty (60) days from AT&T's receipt of a BFFO and from a virtual collocation arrangement to a caged physical collocation arrangement within ninety (90) days from AT&T's receipt of a BFFO.
- 7.8 Virtual to Physical Conversion (In-Place)
- Virtual collocation arrangements in Central Offices may be converted to "in-place" physical caged collocation arrangements if the potential conversion meets all of the following criteria: (1) there is no change in the amount of equipment or the configuration of the equipment that was in the virtual Collocation Space; (2) the conversion of the virtual collocation arrangement will not cause the equipment or the results of that conversion to be located in a space that AT&T has reserved for its own future needs; and (3) any changes to the arrangement can be accommodated by existing power, HVAC, and other requirements. Unless otherwise specified herein, AT&T will complete virtual to physical Collocation Space conversions (in-place) within sixty (60) days from receipt of the BFFO. AT&T will bill Rightlink USA an Administrative Only Application Fee, as set forth in Exhibit B, on the date AT&T provides an Application Response to Rightlink USA.
- 7.8.2 In Alabama and Tennessee, AT&T will complete virtual to physical conversions (in place) within thirty (30) days from receipt of the BFFO as long as the conversion meets all of the criteria specified in Section 7.8.1 above.
- 7.9 <u>Cancellation.</u> Unless otherwise specified in this Attachment, if at any time prior to Space Acceptance, Rightlink USA cancels its order for Collocation Space (Cancellation), AT&T will bill the

applicable nonrecurring charge(s) for any and all work processes for which work has begun or been completed. In Florida, if Rightlink USA cancels its order for Collocation Space at any time prior to the Space Ready Date, no cancellation fee shall be assessed by AT&T; however, Rightlink USA will be responsible for reimbursing AT&T for any costs specifically incurred by AT&T on behalf of Rightlink USA up to the date that the written notice of cancellation was received by AT&T. In Georgia, if Rightlink USA cancels its order for Collocation Space at any time prior to space acceptance, AT&T will bill Rightlink USA for all costs incurred prior to the date of Cancellation and for any costs incurred as a direct result of the Cancellation, not to exceed the total amount that would have been due had the Firm Order not been canceled.

- 7.10 <u>Licenses.</u> Rightlink USA, at its own expense, will be solely responsible for obtaining from governmental authorities, and any other appropriate agency, entity, or person, all rights, privileges, permits, licenses and certificates necessary or required to operate as a provider of telecommunications services to the public or to build-out, equip and/or occupy Collocation Space in an AT&T Premises.
- 7.11 <u>Environmental Compliance.</u> The Parties agree to utilize and adhere to the Environmental Hazard Guidelines identified in Exhibit A attached hereto.

#### 8 Rates and Charges

- 8.1 Rates. Rightlink USA agrees to pay the rates and charges identified in Exhibit B attached hereto.
- 8.1.1 In Tennessee, if Rightlink USA elects the TRA rates as set forth in Exhibit C, the additional language also set forth in Exhibit C for Application Fee, Space Preparation, Floor Space and Caged Collocation Power Usage metering, will be effective in conjunction with the remaining terms and conditions of this Attachment.
- 8.1.2 Should Rightlink USA elect to transition to the TRA Option after the execution of this Agreement, Rightlink USA shall notify AT&T in writing sixty (60) days prior to the implementation of this election.
- 8.2 <u>Application Fees.</u> AT&T shall assess any nonrecurring application fees within thirty (30) days of the date that AT&T provides an Application Response to Rightlink USA or on Rightlink USA's next scheduled monthly billing statement.

#### 8.3 Recurring Charges

- If Rightlink USA has met the applicable fifteen (15) day acceptance walk through interval specified in Section 4.2 above, billing for recurring charges will begin upon the Space Acceptance Date. In the event Rightlink USA fails to complete an acceptance walk through within the applicable fifteen (15) day interval, billing for recurring charges will commence on the Space Ready Date. If Rightlink USA occupies the space prior to the Space Ready Date, the date Rightlink USA occupies the space is deemed the Space Acceptance Date and billing for recurring charges will begin on that date. The billing for all applicable monthly recurring charges will begin in Rightlink USA's next billing cycle and will include any prorated charges for the period from Rightlink USA's Space Acceptance Date or Space Ready Date, whichever is appropriate pursuant to Section 4.2 above, to the date the bill is issued by AT&T.
- 8.3.2 Unless otherwise stated in Section 8.9 below, monthly recurring charges for -48V DC power will be assessed per fused ampere (amp), per month, based upon the total number of fused amps of power capacity requested by Rightlink USA on Rightlink USA's Initial Collocation Application and all Subsequent Collocation Applications, which may either increase or decrease the originally requested, and any subsequently augmented, number of fused amps of power capacity requested,

ATT 4 - COLLOCATION/<u>AT&T-9STATE</u>
PAGE 27 OF 44
Rightlink USA
1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

consistent with Commission orders.

- 8.3.3 AT&T shall have the right to inspect and inventory any DC power fuse installations at an AT&T BDFB or DC power circuit installations at AT&T's main power board for any Rightlink USA collocation arrangement, to verify that the total number of fused amps of power capacity installed by Rightlink USA's AT&T Certified Supplier matches the number of fused amps of DC power capacity requested by Rightlink USA on Rightlink USA's Initial Application and all Subsequent Applications. If AT&T determines that Rightlink USA's AT&T Certified Supplier has installed more DC capacity than Rightlink USA requested on its Initial Application and all Subsequent Applications, AT&T shall notify Rightlink USA in writing of such discrepancy and shall assess Rightlink USA for the additional DC power fuse/circuit capacity from the Space Acceptance Date or Space Ready Date, whichever is applicable pursuant to Section 8.3.1 above, for the most recent Initial Application or Subsequent Application, submitted for such collocation arrangement. AT&T shall also revise Rightlink USA's recurring DC power charges, on a going-forward basis, to reflect the higher number of fused amps of power capacity available for the collocation arrangement.
- Nonrecurring Charges. Unless specified otherwise herein, AT&T shall assess nonrecurring charges, including all application fees, within thirty (30) days of the date that AT&T provides an Application Response to Rightlink USA or on Rightlink USA's next scheduled monthly billing statement, if Rightlink USA's current month's billing cycle has already closed. Nonrecurring charges associated with the processing of the Firm Order for collocation space preparation (Firm Order Processing Fee) shall be billed by AT&T within thirty (30) days of AT&T's confirmation of Rightlink USA's BFFO or on Rightlink USA's next scheduled monthly billing statement.
- In some cases, Commissions have ordered AT&T to separate its disconnect costs and its installation costs into two separate nonrecurring charges. Accordingly, unless otherwise noted in this Agreement, the Commission ordered disconnect charges will be applied at the time the disconnect activity is performed by AT&T, regardless of whether or not a disconnect order is issued by Rightlink USA. Disconnect charges are set forth in Exhibit B of this Attachment.
- 8.6 Central Office Space Preparation. Space preparation fees consist of a nonrecurring charge for Firm Order Processing and monthly recurring charges for Central Office Modifications and Common Systems Modifications. For all states except Florida, Rightlink USA shall remit the payment of the nonrecurring Firm Order Processing Fee coincident with the submission of Rightlink USA's BFFO. In Florida, the nonrecurring Firm Order Processing Fee will be billed by AT&T, pursuant to Section 8.4 above. The monthly recurring charge for Central Office Modifications will be assessed per arrangement, per square foot, for both caged and cageless physical Collocation Space. The monthly recurring charge for Common Systems Modifications will be assessed per arrangement, per square foot for cageless physical Collocation Space and on a per cage basis for caged physical Collocation Space. These charges recover the costs associated with preparing the Collocation Space, which includes, but is not limited to, the following items: a survey, engineering of the Collocation Space, and design and modification costs for network, building and support systems.
- 8.7 Central Office Floor Space. The Floor Space Charge includes reasonable charges for lighting, HVAC, and other allocated expenses associated with maintenance of the AT&T Premises; however, this charge does not include any expenses associated with AC or DC power supplied to Rightlink USA's Collocation Space for the operation of Rightlink USA's equipment. For caged physical Collocation Space, Rightlink USA shall pay floor space charges based upon the number of square feet enclosed. The minimum size for caged Collocation Space is fifty (50) square feet. Additional caged Collocation Space may be requested in increments of fifty (50) square feet. For cageless Collocation Space, Rightlink USA shall pay floor space charges based upon the following

floor space calculation: [(depth of the equipment lineup in which the rack is placed) + (0.5 x maintenance aisle depth) + (0.5 x wiring aisle depth)] x (width of rack and spacers). For purposes of this calculation, the depth of the equipment lineup shall consider the footprint of equipment racks plus any equipment overhang. AT&T will assign cageless Collocation Space in conventional equipment rack lineups where feasible. In the event Rightlink USA's collocated equipment requires special cable racking, an isolated ground plane, or any other considerations and treatment which prevents placement within conventional equipment rack lineups, Rightlink USA shall be required to request an amount of floor space sufficient to accommodate the total equipment arrangement.

8.8

Remote Site Bay Space. In a Remote Site, the bay space charge recovers the costs associated with air conditioning, ventilation and other allocated expenses for the maintenance of the Remote Site Location, and includes the amperage necessary to power Rightlink USA's equipment. Rightlink USA shall remit bay space charges based upon the number of bays requested. AT&T will assign Remote Site Collocation Space in conventional Remote Site bay lineups where feasible.

#### 8.9 Power

8.9.1

In a Central Office AT&T shall make available -48V DC power for Rightlink USA's Collocation Space at an AT&T BDFB. When obtaining DC power from an AT&T BDFB, Rightlink USA's fuses and power cables (for the A & B feeds) must be engineered (sized), and installed by Rightlink USA's AT&T Certified Supplier, in accordance with the number of fused amps of DC power requested by Rightlink USA on Rightlink USA's Initial Application and any Subsequent Applications. Rightlink USA is also responsible for contracting with an AT&T Certified Supplier to run the power distribution feeder cable from the AT&T BDFB to the equipment in Rightlink USA's Collocation Space. The AT&T Certified Supplier contracted by Rightlink USA must provide AT&T with a copy of the engineering power specifications prior to the day on which Rightlink USA's equipment becomes operational (hereinafter "Commencement Date"). AT&T will provide the common power feeder cable support structure between the AT&T BDFB and Rightlink USA's Collocation Space. Rightlink USA shall contract with an AT&T Certified Supplier who shall be responsible for performing those power provisioning activities required to enable Rightlink USA's equipment to become operational, which may include, but are not limited to, the installation, removal or replacement of the following: dedicated power cable support structure within Rightlink USA's Collocation Space, power cable feeds and terminations of the power cabling. Rightlink USA and Rightlink USA's AT&T Certified Supplier shall comply with all applicable NEC, AT&T TR 73503, Telcordia and ANSI Standards that address power cabling, installation and maintenance.

8.9.1.1

At a Remote Site, AT&T shall make available -48V DC power for Rightlink USA's Remote Collocation Space at a BDFB within the Remote Site Location. The charge for power shall be assessed as part of the recurring charge for bay space, as referenced in Section 8.8 above. If the power requirements for Rightlink USA's equipment exceed the capacity available, then such additional power requirements shall be assessed on an individual case basis.

8.9.2

In Florida Central Offices only, subject to technical feasibility, commercial availability and safety limitations, AT&T will permit Rightlink USA to request DC power in five (5) amp increments from five (5) amps up to one hundred (100) amps from the AT&T BDFB. However, in accordance with industry standard fuse sizing, Rightlink USA may request that AT&T provision DC power of seventy (70) amps or greater directly from AT&T's main power board. The industry standard fuse size (which is a circuit breaker on the main power board) available at an AT&T main power board in all AT&T Premises is a two hundred twenty-five (225) amp circuit breaker.

8.9.3

AT&T will revise Rightlink USA's Central Office recurring power charges, in accordance with Section 8.3 above, to reflect a power upgrade when Rightlink USA submits a Subsequent

Application requesting an increase in the number of fused amps it is currently receiving from AT&T for its Collocation Space. If Rightlink USA's existing fuses and power cables (for the A&B power feed) are not sufficient to support the additional number of fused amps requested. Rightlink USA's AT&T Certified Supplier shall perform whatever activities are necessary, which may include the installation of new/additional fuses or power cables, to comply with the appropriate NEC, AT&T TR 73503, Telcordia and ANSI Standards, as well as the requirements noted in Sections 8.9.1 and 8.9.1.1 above. Rightlink USA's AT&T Certified Supplier shall provide notification to AT&T when these activities have been completed.

8.9.4 AT&T will revise Rightlink USA's Central Office recurring power charges, in accordance with Section 8.3 above, to reflect a power reduction upon AT&T's receipt of the Power Reduction Form from Rightlink USA, certifying the completion of the power reduction work, including the removal of any associated power cabling by Rightlink USA's AT&T Certified Supplier. Notwithstanding the foregoing, if Rightlink USA's AT&T Certified Supplier has not removed or, at AT&T's discretion, cut the power cabling within thirty (30) days, the power reduction will not become effective until the cabling is removed or, at AT&T's discretion, cut by Rightlink USA's AT&T Certified Supplier and

> Rightlink USA shall pay for the amount of power that had been requested prior to the power reduction request for the period up to the date the power cabling is actually removed.

- If Rightlink USA requests an increase or a reduction in the amount of power that AT&T is currently providing in a Central Office, Rightlink USA must submit a Subsequent Application. In all states other than Florida and Tennessee if no modification to the Collocation Space is requested other than the increase or reduction in power, the Simple Augment fee will apply. In Florida and Tennessee the Power Reconfiguration Only Application Fee as set forth in Exhibit B will apply. If modifications are requested in addition to the increase or reduction of power, the Subsequent Application Fee will apply. AT&T will bill this nonrecurring fee on the date that AT&T provides an Application Response to Rightlink USA's Subsequent Application.
- 8.9.5.1 In Central Offices in Alabama and Louisiana, if Rightlink USA has existing power configurations currently served from the AT&T main power board and requests that its power be reconfigured to connect to an AT&T BDFB, in a specific AT&T Premises, Rightlink USA must submit a Subsequent Application to AT&T. AT&T will provide a response to such application within seven (7) days and no Simple Augment Application Fee will be assessed by AT&T for this one time only power reconfiguration to an AT&T BDFB. For any power reconfigurations thereafter, Rightlink USA will submit a Subsequent Application and the appropriate Simple Augment Application Fee will apply.
- If Rightlink USA elects to install its own DC Power Plant, AT&T shall provide AC power to feed 8.9.6 Rightlink USA's DC Power Plant. Charges for AC power will be assessed on a per breaker ampere, per month basis, pursuant to the rates specified in Exhibit B. The AC power rates include recovery for the provision of commercial and standby AC power. When obtaining power from an AT&T service panel, protection devices and power cables must be engineered (sized) and installed by Rightlink USA's AT&T Certified Supplier, with the exception that AT&T shall engineer and install protection devices and power cables for Adjacent Collocation. Rightlink USA's AT&T Certified Supplier must provide a copy of the engineering power specifications prior to the Commencement Date. AC power voltage and phase ratings shall be determined on a per location basis. At Rightlink USA's option, Rightlink USA may arrange for AC power in an adjacent collocation arrangement from a retail provider of electrical power.
- 8.9.7 Rightlink USA shall contract with an AT&T Certified Supplier to perform the installation and removal of dedicated power cable support structure within Rightlink USA's arrangement and terminations of cable within the Collocation Space.

8.9.5

8.9.8 Fused Amp Power. In all states, except as otherwise set forth in this Agreement, AT&T shall make available -48V DC power on a per fused amp, per month basis, pursuant to the following:

For power provisioned from a BDFB. The number of fused amps requested by Rightlink USA on its collocation application for power that is being provisioned from an AT&T BDFB will be multiplied by the DC power fused amp rate set forth in Exhibit B. A minimum of ten (10) fused amps is required.

For existing power configurations that are provisioned from AT&T's main power board. The number of fused amps made available at the main power board, in increments of two hundred and twenty-five (225) amps/main power board circuit, will be multiplied by the DC power fused amp rate set forth in Exhibit B.

#### 8.9.9 Florida Power Usage Option

8.9.9.1 In Central Offices in Florida only, Rightlink USA may request that -48 DC power provisioned by AT&T to Rightlink USA's Collocation Space be assessed per amp, per month based upon amps used, pursuant to the rates set forth in Exhibit B. Monthly recurring power charges will be assessed on the Space Acceptance Date or Space Ready Date, whichever is appropriate, pursuant to Section 8.3 above. If Rightlink USA desires to convert existing physical collocation arrangements to the Florida Power Usage Option (hereinafter "FL Option"), then the monthly recurring power charges that are applicable to the FL Option, contained in Exhibit B, will be assessed on the Space Ready Date associated with the Subsequent Application submitted by Rightlink USA to convert an existing collocation arrangement to the FL Option. The monthly recurring charges for DC power, under the FL Option, shall be calculated and applied based on the amount of power Rightlink USA requests that it be allowed to draw at a given time to a specific physical collocation arrangement in a particular AT&T Premises on Rightlink USA's Initial Application or Subsequent Application. AT&T shall allow Rightlink USA at Rightlink USA's option, to order a power feed that is capable of delivering a higher DC power level but to fuse this power feed so as to allow a power level less than the feed's maximum to be drawn by Rightlink USA. AT&T is not required to build its central office power infrastructure to meet Rightlink USA's forecasted DC power demand. Rightlink USA must specify on its Initial or Subsequent Application the power level it wishes to be able to draw from AT&T's power plant for each existing collocation arrangement Rightlink USA converts to the FL Option or for any new collocation arrangements Rightlink USA establishes under the FL Option.

- AT&T, at any time and at its own expense, shall have the right to verify the accuracy of Rightlink USA's power usage under the FL Option for a specific collocation arrangement in a particular AT&T Premises, based on a meter reading(s) taken by AT&T of the amount of power being consumed by Rightlink USA's collocation arrangement. AT&T may perform its own meter reading(s) via any method it chooses, such as, but not limited to, a clamp-on ammeter. If the meter reading(s) varies by more than ten percent (10%) or five (5) amps from the power usage that has been requested by Rightlink USA for the collocation arrangement, under the FL Option, the Parties agree to work cooperatively to reconcile such discrepancy and establish the appropriate usage figure in a reasonable and expeditious manner. If the Parties substantiate AT&T's reading, then AT&T shall adjust Rightlink USA's billing to reflect AT&T's power reading beginning with the first day of the month immediately following the date of the last metered reading taken by AT&T.
- 8.9.9.3 AT&T shall assess Rightlink USA a monthly recurring charge for DC power under the FL Option, as set forth in Exhibit B. Rightlink USA shall notify AT&T of any change in its DC power usage by submitting a Subsequent Application, which reflects the new DC power level desired by Rightlink

USA. The requested change in DC power usage will be reflected in Rightlink USA's next scheduled monthly billing cycle.

- 8.9.10

  Tennessee Caged Collocation Power Usage Metering Option. In Central Offices in Tennessee only, Rightlink USA may request that DC power provisioned by AT&T to Rightlink USA's caged Collocation Space be assessed pursuant to the orders entered by the Tennessee Regulatory Authority in Dockets 97-01262, 99-00430, and 00-00544 for Collocation for Tennessee. By electing the TRA Option, Rightlink USA accepts the TRA rates, terms and conditions of Exhibit C in their entirety in conjunction with the other terms and conditions of Attachment 4.
- 8.9.11 <u>Georgia Caged Collocation Power Usage Metering Option.</u> In Georgia, Rightlink USA may request that DC power provisioned by AT&T to Rightlink USA's Collocation Space be assessed pursuant to Georgia Public Service Commission Order Docket No. 14361-U ("Order"). AT&T will assess Rightlink USA for -48V DC power using the actual number of load Amps measured. The power circuits may be fed from either an AT&T BDFB or Rightlink USA's BDFB. These recurring power charges will be assessed by AT&T on the Space Acceptance Date or Space Ready Date, whichever is appropriate, pursuant to Section 8.3.
- 8.9.11.1 Upon Rightlink USA's election of the power metering option Rightlink USA will convert existing caged collocation arrangements to the power metering rate structure. The recurring power charges that are contained Exhibit B of this Attachment will be assessed on the Space Ready Date associated with the Subsequent Application submitted by Rightlink USA to convert an existing caged collocation arrangement to the metered power rates.
- 8.9.11.2 Pursuant to the Order, Rightlink USA shall provide a Fluke Model 189 AC/DC multimeter and Fluke Model i410 clamp-on ammeter probe for each central office where they have requested metered power. One copy of the FlukeView software must also be provided for each Fluke 189 multimeter, and each copy must comply with Fluke copyrights.
- 8.9.11.3 Rightlink USA may, at its sole cost and expense, install its own meters on its BDFB(s) located in its own caged Collocation Space(s) and notify AT&T of the option of using such meters for the purposes of measuring Rightlink USA's actual power usage. In such case, AT&T, or its AT&T Certified Supplier, will have the option of reading and recording the actual power usage from either the meter installed on Rightlink USA's own BDFB(s) or via the aforementioned Fluke 189 multimeter equipped with a Fluke i410 clamp-on ammeter probe.
- 8.9.11.4 AT&T, at its sole option and at its own cost, may choose to purchase, install, and use its own ammeter measurement device. The usage reading for the option elected by AT&T shall be used for purposes of calculating the DC power usage billing.
- 8.9.11.5 AT&T, or its AT&T Certified Supplier, will perform all metering activities, to measure the actual power usage being drawn by Rightlink USA's collocation equipment on both the A and B power feeds. The charge will be the sum of both the A and B power feeds and will be based upon either an instantaneous reading or busy hour average current reading, depending on the capabilities of the ammeter measurement device.
- 8.9.11.6 If AT&T, or its AT&T Certified Supplier, requires access to Rightlink USA's caged Collocation Space(s) for purposes of measuring the power usage, AT&T or its AT&T Certified Supplier shall provide Rightlink USA with a minimum of forty-eight (48) hours (two business days) notice that access is required. Rightlink USA shall respond to such request for access within twenty-four (24) hours for the purpose of establishing the date and time of access to Rightlink USA's caged Collocation Space(s). Once the date and time of access to Rightlink USA's caged Collocation Space(s) has been agreed upon, Rightlink USA and AT&T, or its AT&T Certified Supplier, shall

adhere to the agreed upon date and time, or provide a minimum of three (3) hours notice to the other Party if the original appointment(s) will be missed or must be canceled and rescheduled. Once a mutually agreed upon date and time are established and Rightlink USA does not provide minimum of three (3) hours notice, AT&T's Certified Supplier will only remain at the site for thirty (30) minutes. After thirty (30) minutes the appointment will be considered missed by Rightlink USA.

- 8.9.11.7 If Rightlink USA fails to provide access to its caged Collocation Space(s) or fails to provide AT&T, or its AT&T Certified Supplier, with sufficient notification of the missed appointment(s), as noted above, then Rightlink USA shall pay the nonrecurring "Additional Meter Reading Trip Charge", as set forth in Exhibit B of this Attachment, for each additional meter reading trip that must be rescheduled to measure Rightlink USA's power usage for such caged Collocation Space(s). Rightlink USA and the AT&T Certified Supplier may jointly agree to less stringent notification requirements to address, for example, any service interruption or restoration of service situations, on a location-by-location basis.
- 8.9.11.8 For each new caged collocation arrangement, Rightlink USA shall indicate on Rightlink USA's Initial Application that they are electing to have metered power. For each location that Rightlink USA wishes to convert to metered power Rightlink USA will submit a Subsequent Application and agrees to include in the Comments section of the Subsequent Application the following comment:

This Subsequent Application is Rightlink USA's certification that Rightlink USA is opting to convert this caged collocation arrangement to metered power and will permit AT&T, or the AT&T Certified Supplier, to measure its actual power usage on all power feeds.

- 8.9.11.9 AT&T will bill Rightlink USA a Simple Augment Application Fee, as set forth in Exhibit B of this Attachment, on the date that AT&T provides an Application Response to each Subsequent Application submitted by Rightlink USA converting its caged collocation arrangements to the metered power rates. AT&T shall then arrange for the measurement of Rightlink USA's actual power usage on each power feed (each A and B power feed) once each quarter at each of Rightlink USA's caged collocation arrangements for which Rightlink USA has submitted an Initial or Subsequent Application electing metered power.
- 8.9.11.10

  Based upon the actual power usage measurement taken by AT&T or the AT&T Certified Supplier, AT&T shall assess Rightlink USA for power usage for the following quarter based upon Rightlink USA's actual metered usage for each power feed (both the A and B power feeds) or a minimum of ten (10) amps of –48V DC power usage for the sum of the A and B feeds for each power cable, whichever is greater. Such usage shall then be multiplied by the rate for Load Amps either with an AT&T BDFB or with Rightlink USA BDFB as set forth in Exhibit B of this Attachment, to determine the appropriate monthly recurring power usage charge that will be billed to Rightlink USA for the following three (3) months or until the next power usage measurement is taken, whichever is later.
- 8.9.11.11 Either Party, within fifteen (15) days of notice of the usage measurement established by the scheduled meter reading, may challenge the accuracy of that reading by requesting a new reading. If Rightlink USA requests that an unscheduled (prior to the next scheduled quarterly power reading date) power usage reading be taken, then Rightlink USA will be responsible for paying the "Additional Meter Reading Trip Charge" contained in Exhibit B of this Attachment. If AT&T requests a power usage reading be taken in this instance, then Rightlink USA will not be charged the "Additional Meter Reading Trip Charge" for the unscheduled meter reading. If the readings vary by more than ten (10) % or five (5) Amps, whichever is greater, the Parties shall work cooperatively to reconcile such discrepancies and establish the appropriate usage figure in a

reasonable and expeditious manner. If the readings do not vary outside these ranges, the initial reading will be used to calculate Rightlink USA's AC usage charge for the next three (3) months.

- 8.9.11.12 AT&T, at any time and at its own expense, shall have the right to verify the accuracy of Rightlink USA's BDFB meter by performing its own meter reading via an alternate method, such as, but not limited to, an ammeter. If the meter readings vary by more than ten (10) % or five (5) Amps, whichever is greater, the Parties agree to perform a joint investigation. If Rightlink USA's BDFB meter is found to be in error, then Rightlink USA agrees to recalibrate, repair, or replace its meter as required. The Parties recognize that the meter readings discussed in this Attachment are instantaneous readings that can experience minor fluctuations due to usage traffic, voltage
  - meter is found to be in error, then Rightlink USA agrees to recalibrate, repair, or replace its meter as required. The Parties recognize that the meter readings discussed in this Attachment are instantaneous readings that can experience minor fluctuations due to usage traffic, voltage fluctuations, and calibration of the meters themselves. The readings must vary by more than ten (10) % or five (5) Amps, whichever is greater, before any recalibration, repair, or replacement will be required. If the AT&T reading is substantiated, AT&T shall adjust Rightlink USA's billing retroactive to the beginning of the quarter for which the last meter reading was taken.
- 8.9.11.13 When Rightlink USA submits the appropriate Initial or Subsequent Application for a specific caged collocation arrangement in a particular AT&T Premises, AT&T will provide the associated Application Response pursuant to Section 6 above. It will then be the responsibility of Rightlink USA to submit a BFFO. After AT&T receives the BFFO from Rightlink USA, the Initial or Subsequent Application will be completed by AT&T within the provisioning intervals contained in Section 7 above and Rightlink USA will be notified of the Space Ready Date or when the appropriate record and database changes have been made by AT&T to reflect Rightlink USA's conversion to the metered power rates (which will be considered the "Space Ready Date" for purposes of a Subsequent Application submitted to convert a specific caged collocation arrangement in a particular AT&T Premises to the metered power rates).
- AT&T will not permit Rightlink USA to elect an earlier Space Acceptance Date than the Space 8.9.11.14 Ready Date for any request submitted via a Subsequent Application for an existing caged collocation arrangement. When a Subsequent Application is used to elect metered power and there are no other changes requested, billing for the recurring charges associated with metered power will begin upon the Space Ready Date. If Rightlink USA occupies the space prior to the Space Ready Date, for Initial Application requests only, the date Rightlink USA occupies the space will be deemed the new Space Acceptance Date and billing for metered power will begin on that date. When Rightlink USA moves to metered power the number of fused amps of DC Power requested by Rightlink USA on its Initial or Subsequent Application will be used for calculating the number of amps to be billed until such time as AT&T or its AT&T Certified Supplier can perform. under the currently existing quarterly meter reading schedule, a reading of Rightlink USA's power usage for the requested caged Collocation Space. As soon as this reading has been taken, AT&T will adjust Rightlink USA's billing accordingly to reflect the actual metered usage back to the Space Acceptance Date. AT&T will also use this reading for billing purposes until the next quarterly meter reading is performed by AT&T or its AT&T Certified Supplier.
- 8.9.11.15 Rightlink USA agrees to submit a Subsequent Application to notify AT&T when Rightlink USA has removed or installed telecommunications equipment in Rightlink USA's physical Collocation Space to ensure that Rightlink USA's existing fused DC power capacity is sufficiently engineered to accommodate the power requirements associated with the installation of additional equipment in Rightlink USA's Collocation Space. An associated change in power usage will be reflected in the next quarterly power measurement billing cycle.
- 8.9.11.16 AT&T will bill Rightlink USA a monthly recurring charge per caged Collocation Space for each arrangement that Rightlink USA has converted to metered power or for new caged Collocation Spaces under the election of metered power. This "Meter Reading" monthly recurring rate element

will be assessed per circuit for each circuit read by AT&T or its AT&T Certified Supplier, at the rates set forth in Exhibit B.

8.9.12

In Alabama and Louisiana, Rightlink USA has the option to purchase power directly from an electric utility company. Under such option, Rightlink USA is responsible for contracting with the electric utility company for its own power feed and meter and is financially responsible for purchasing all equipment necessary to accomplish the arrangement, including inverters, batteries, power boards, bus bars, BDFBs, backup power supplies and cabling. The actual work to install this arrangement must be performed by an AT&T Certified Supplier hired by Rightlink USA. Rightlink USA's AT&T Certified Supplier must comply with all applicable safety codes, including the NEC and National Electric Safety Code (NESC) standards, in the installation of this power arrangement. If Rightlink USA currently has power supplied by AT&T, Rightlink USA may request to change its Collocation Space to obtain power from an electric utility company by submitting a Subsequent Application. AT&T will waive the application fee for this Subsequent Application if no other changes are requested therein. Any floor space, cable racking, etc., utilized by Rightlink USA in provisioning said power will be billed by AT&T on an ICB basis.

8.9.13

In South Carolina, Rightlink USA has the option to purchase power directly from an electric utility company where technically feasible and where space is available in a requested AT&T Premises. Under such option, Rightlink USA is responsible for contracting with the electric utility company for its own power feed and meter, and is financially responsible for purchasing all equipment necessary to accomplish the conversion of the commercial AC power to DC power, including inverters, batteries, power boards, bus bars, BDFBs, backup power supplies and power cabling. The actual work to install this arrangement must be performed by an AT&T Certified Supplier hired by Rightlink USA. Rightlink USA's AT&T Certified Supplier must comply with all applicable national, regional, state and local safety, electrical, fire and building codes, including the NESC standards, in the installing of this power arrangement, just as AT&T is required to comply with these codes. Rightlink USA must submit an application to AT&T for the appropriate amount of Collocation Space that Rightlink USA requires in order to install this type of power arrangement. AT&T will evaluate the request and determine if the appropriate amount of space is available within the AT&T Premises for the installation of Rightlink USA's power equipment and facilities. This type of power arrangement must be located in an appropriate area in the AT&T Premises that has been properly conditioned for the installation of power equipment and conforms to the applicable national, regional, state and local safety, electrical, fire and building codes. AT&T shall waive the application fee or any other nonrecurring charge that would otherwise be due from a CLEC that decides to reconfigure an existing collocation power arrangement so as to purchase power directly from an electric utility company as provided herein. Rightlink USA shall be responsible for the recurring charges associated with the additional space needed in the AT&T Premises for this type of power arrangement, including space required to place associated power-related equipment and facilities (i.e., batteries, generator, fuse panel, power meter, etc.). If there is no space available for this type of power arrangement in the requested AT&T Premises, AT&T may seek a waiver of these requirements from the Commission for the AT&T Premises requested. Rightlink USA would have the option to order its power needs directly from AT&T.

8.10

<u>Central Office Cable Installation.</u> Cable Installation fees will be assessed on a per entrance cable basis. This nonrecurring charge will be billed by AT&T upon receipt of Rightlink USA's BFFO. Charges for cable racking, cable support structure and entrance fiber structure are recurring fees and will also be assessed according to the rates set forth in Exhibit B.

8.11

<u>Central Office Cable Records.</u> Cable Records charges apply for work activities required to build or remove existing cable records assigned to Rightlink USA in AT&T's database systems. The

VG/DS0 per cable record charge is for a maximum of thirty-six hundred (3,600) records per request. The fiber cable record charge is for a maximum of ninety-nine (99) records per request. Cable Record fees will be assessed as a nonrecurring charge, upon receipt of Rightlink USA's BFFO, in all AT&T states, except Louisiana. In Louisiana, Cable Record fees will be assessed on a monthly recurring charge basis, upon receipt of Rightlink USA's BFFO. All charges will be assessed the rates set forth in Exhibit B.

- Security Escort. After Rightlink USA has used its one (1) accompanied site visit, pursuant to Section 5.12.1 above, and prior to Rightlink USA's completion of the AT&T Security Training requirements, contained in Section 12 below, a security escort will be required when Rightlink USA's employees, approved agent, supplier, or Guest(s) desire access to the entrance manhole or an AT&T Premises. The rates for security escort service are assessed pursuant to the fee schedule contained in Exhibit B, beginning with the scheduled escort time agreed to by the Parties. AT&T will wait for one-half (1/2) hour after the scheduled escort time to provide such requested escort service and Rightlink USA shall pay for such half-hour charges in the event Rightlink USA's employees, approved agent, supplier or Guest(s) fails to show up for the scheduled escort appointment.
- 8.13 Other. If no collocation rate element and associated rate is identified in Exhibit B, the Parties, upon request by either Party, will negotiate the rate for the specific collocation service or function identified in this Attachment.

#### 9 Insurance

- 9.1 Rightlink USA shall, at its sole cost and expense, procure, maintain, and keep in force insurance as specified in this Section and underwritten by insurance companies licensed to do business in the states applicable under this Agreement and having a Best's Insurance Rating of A.
- 9.2 Rightlink USA shall maintain the following specific coverage:
- 9.2.1 Commercial General Liability coverage in the amount of ten million dollars (\$10,000,000) or a combination of Commercial General Liability and Excess/Umbrella coverage totaling not less than ten million dollars (\$10,000,000). AT&T shall be named as an Additional Insured on the Commercial General Liability policy as specified herein.
- 9.2.2 Statutory Workers Compensation coverage and Employers Liability coverage in the amount of one hundred thousand dollars (\$100,000) each accident, one hundred thousand dollars (\$100,000) each employee by disease, and five hundred thousand dollars (\$500,000) policy limit by disease.
- 9.2.3 All Risk Property coverage on a full replacement cost basis insuring all of Rightlink USA's real and personal property situated on or within an AT&T Premises.
- 9.2.4 Rightlink USA may elect to purchase business interruption and contingent business interruption insurance, having been advised that AT&T assumes no liability for loss of profit or revenues should an interruption of service occur.
- 9.3 The limits set forth in Section 9.2 above may be increased by AT&T from time to time during the term of this Agreement, upon thirty (30) days notice to Rightlink USA, to at least such minimum limits as shall then be customary with respect to comparable occupancy of AT&T structures.
- 9.4 All policies purchased by Rightlink USA shall be deemed to be primary and not contributing to or in excess of any similar coverage purchased by AT&T. All insurance must be in effect on or before the date equipment is delivered to AT&T's Premises and shall remain in effect for the term of this Agreement or until all of Rightlink USA's property has been removed from AT&T's Premises,

whichever period is longer. If Rightlink USA fails to maintain required coverage, AT&T may pay the premiums thereon and seek reimbursement of same from Rightlink USA.

Rightlink USA shall submit certificates of insurance reflecting the coverage required pursuant to this Section within a minimum of ten (10) business days prior to the commencement of any work in the Collocation Space. Failure to meet this interval may result in construction and equipment installation delays. Rightlink USA shall arrange for AT&T to receive thirty (30) business days' advance notice of cancellation or non-renewal from Rightlink USA's insurance company. Rightlink USA shall forward a certificate of insurance and notice of cancellation/non-renewal to AT&T at the following address:

AT&T Southeast Collocation Service Center 600 North 19th Street 22nd Floor Birmingham, AL 35203

9.5

- 9.6 Rightlink USA must conform to recommendations made by AT&T's fire insurance company to the extent AT&T has agreed to, or shall hereafter agree to, such recommendations.
- 9.7 <u>Self Insurance.</u> If Rightlink USA's net worth exceeds five hundred million dollars (\$500,000,000), Rightlink USA may elect to request self-insurance status in lieu of obtaining any of the insurance required in Section 9.2 above. Rightlink USA shall provide audited financial statements to AT&T thirty (30) days prior to the commencement of any work in the Collocation Space. AT&T shall then review such audited financial statements and respond in writing to Rightlink USA in the event that self-insurance status is not granted to Rightlink USA. If AT&T approves Rightlink USA for self-insurance, Rightlink USA shall annually furnish to AT&T, and keep current, evidence of such net worth that is attested to by one of Rightlink USA's corporate officers. The ability to self-insure shall continue so long as Rightlink USA meets all of the requirements of this Section. If Rightlink USA subsequently no longer satisfies the requirements of this Section, Rightlink USA is required to purchase insurance as indicated by Section 9.2 above.
- 9.8 The net worth requirements set forth in Section 9.7 above may be increased by AT&T from time to time during the term of this Agreement upon thirty (30) days' notice to Rightlink USA to at least such minimum limits as shall then be customary with respect to comparable occupancy of an AT&T Premises.
- 9.9 Failure to comply with the provisions of this Section will be deemed a material breach of this Attachment.

#### 10 Mechanics Lien

If any mechanics lien or other liens are filed against property of either Party (AT&T or Rightlink USA), or any improvement thereon by reason of or arising out of any labor or materials furnished or alleged to have been furnished or to be furnished to or for the other Party or by reason of any changes, or additions to said property made at the request or under the direction of the other Party, the other Party directing or requesting those changes shall, within thirty (30) business days after receipt of written notice from the Party against whose property said lien has been filed, either pay such lien or cause the same to be bonded off the affected property in the manner provided by law. The Party causing said lien to be placed against the property of the other shall also defend at its sole cost and expense, on behalf of the other, any action, suit or proceeding which may be brought for the enforcement of such liens and shall pay any damage and discharge any judgment entered thereon.

# 11 Inspections

AT&T may conduct an inspection of Rightlink USA's equipment and facilities in Rightlink USA's Collocation Space(s) prior to the activation of facilities and/or services between Rightlink USA's equipment and equipment of AT&T. AT&T may conduct an inspection if Rightlink USA adds equipment and may otherwise conduct routine inspections at reasonable intervals mutually agreed upon by the Parties. AT&T shall provide Rightlink USA with a minimum of forty-eight (48) hours or two (2) business days, whichever is greater, advance notice of all such inspections. All costs of such inspections shall be borne by AT&T.

# 12 Security and Safety Requirements

- Unless otherwise specified, Rightlink USA will be required, at its own expense, to conduct a statewide investigation of criminal history records for each Rightlink USA employee hired in the past five (5) years being considered for work on an AT&T Premises, for the states/counties where the Rightlink USA employee has worked and lived for the past five (5) years. Where state law does not permit statewide collection or reporting, an investigation of the applicable counties is acceptable. Rightlink USA shall not be required to perform this investigation if an affiliated company of Rightlink USA has performed an investigation of the Rightlink USA employee seeking access, if such investigation meets the criteria set forth above. This requirement will not apply if Rightlink USA has performed a pre-employment statewide investigation of criminal history records of the Rightlink USA employee for the states/counties where the Rightlink USA employee has worked and lived for the past five (5) years or, where state law does not permit a statewide investigation, an investigation of the applicable counties.
- 12.2 Rightlink USA will be required to administer to its personnel assigned to the AT&T Premises security training either provided by AT&T, or meeting criteria defined by AT&T at AT&T's Wholesale Southeast Web site, http://wholesale.att.com/reference\_library/guides.
- Rightlink USA shall provide its employees and agents with picture identification, which must be worn and visible at all times while in Rightlink USA's Collocation Space or other areas in or around the AT&T Premises. The photo identification card shall bear, at a minimum, the employee's name and photo and Rightlink USA's name. AT&T reserves the right to remove from an AT&T Premises any employee of Rightlink USA not possessing identification issued by Rightlink USA or who has violated any of AT&T's policies as outlined in the CLEC Security Training documents. Rightlink USA shall hold AT&T harmless for any damages resulting from such removal of Rightlink USA's personnel from an AT&T Premises. Rightlink USA shall be solely responsible for ensuring that any Guest(s) of Rightlink USA is in compliance with all subsections of this Section.
- Rightlink USA shall not assign to the AT&T Premises any personnel with records of felony criminal convictions. Rightlink USA shall not assign to the AT&T Premises any personnel with records of misdemeanor convictions, except for misdemeanor traffic violations, without advising AT&T of the nature and gravity of the offense(s). AT&T reserves the right to refuse building access to any of Rightlink USA's personnel who have been identified to have misdemeanor criminal convictions. Notwithstanding the foregoing, in the event Rightlink USA chooses not to advise AT&T of the nature and gravity of any misdemeanor conviction, Rightlink USA may, in the alternative, certify to AT&T that it shall not assign to the AT&T Premises any personnel with records of misdemeanor convictions (other than misdemeanor traffic violations).
- 12.4.1 Rightlink USA shall not knowingly assign to the AT&T Premises any individual who was a former employee of AT&T and whose employment with AT&T was terminated for a criminal offense, whether or not AT&T sought prosecution of the individual for the criminal offense.

- 12.4.2 Rightlink USA shall not knowingly assign to the AT&T Premises any individual who was a former supplier of AT&T and whose access to an AT&T Premises was revoked due to the commission of a criminal offense, whether or not AT&T sought prosecution of the individual for the criminal offense.
- For each Rightlink USA employee or agent hired by Rightlink USA within the last five (5) years, who requires access to an AT&T Premises to perform work in Rightlink USA Collocation Space(s), Rightlink USA shall furnish AT&T certification that the aforementioned background check and security training were completed. This certification must be provided to and approved by AT&T before an employee or agent will be granted such access to an AT&T Premises. The certification will contain a statement that no felony convictions were found and certify that the employee completed the security training. If the employee's criminal history includes misdemeanor convictions, Rightlink USA will disclose the nature of the convictions to AT&T at that time. In the alternative, Rightlink USA may certify to AT&T that it shall not assign to the AT&T Premises any personnel with records of misdemeanor convictions, other than misdemeanor traffic violations.
- 12.5.1 For all other Rightlink USA employees requiring access to an AT&T Premises pursuant to this Attachment, Rightlink USA shall furnish AT&T, prior to an employee gaining such access, a certification that the employee is not subject to the requirements of Section 12.5 above and that security training was completed by the employee.
- At AT&T's request, Rightlink USA shall promptly remove from the AT&T Premises any employee of Rightlink USA that AT&T does not wish to grant access to an AT&T Premises: 1) pursuant to any investigation conducted by AT&T, or 2) prior to the initiation of an investigation if an employee of Rightlink USA is found interfering with the property or personnel of AT&T or another collocated telecommunications carrier, provided that an investigation shall be promptly commenced by AT&T.
- 12.7 Security Violations. AT&T reserves the right to interview Rightlink USA's employees, agents. suppliers, or Guests in the event of wrongdoing in or around an AT&T Premises or involving AT&T's or another collocated telecommunications carrier's property or personnel, provided that AT&T shall provide reasonable notice to Rightlink USA's Security representative of such interview. Rightlink USA and its employees, agents, suppliers, or Guests shall reasonably cooperate with AT&T's investigation into allegations of wrongdoing or criminal conduct committed by, witnessed by, or involving Rightlink USA's employees, agents, suppliers, or Guests. Additionally, AT&T reserves the right to bill Rightlink USA for all reasonable costs associated with investigations involving its employees, agents, suppliers, or Guests if it is established and mutually agreed in good faith that Rightlink USA's employees, agents, suppliers, or Guests are responsible for the alleged act(s). AT&T shall bill Rightlink USA for AT&T property, which is stolen or damaged, where an investigation determines the culpability of Rightlink USA's employees, agents, suppliers, or Guests and where Rightlink USA agrees, in good faith, with the results of such investigation. Rightlink USA shall notify AT&T in writing immediately in the event that Rightlink USA discovers one of its employees, agents, suppliers, or Guests already working on the AT&T Premises is a possible security risk. Upon request of the other Party, the Party who is the employer shall discipline consistent with its employment practices, up to and including removal from AT&T's Premises, any employee found to have violated the security and safety requirements of this Section. Rightlink USA shall hold AT&T harmless for any damages resulting from such removal of Rightlink USA's personnel from an AT&T Premises.
- 12.8 <u>Use of Supplies.</u> Unauthorized use of equipment, supplies or other property by either Party, whether or not used routinely to provide telephone service will be strictly prohibited and handled appropriately. Costs associated with such unauthorized use may be charged to the offending Party, as may be all associated investigative costs.

12.9

<u>Use of Official Lines.</u> Except for non-toll calls necessary in the performance of their work, neither Party shall use the telephone(s) of the other Party on AT&T's Premises. Charges for unauthorized telephone calls may be charged to the offending Party, as may be all associated investigative costs.

12.10

Accountability. Full compliance with the Security requirements of this Section shall in no way limit the accountability of either Party to the other for the improper actions of its employees, agents, suppliers, or Guests.

### 13 Destruction of Collocation Space

13.1

In the event a Collocation Space is wholly or partially damaged by fire, windstorm, hurricane, tornado, flood or by similar force majeure circumstances to such an extent as to be rendered wholly unsuitable for Rightlink USA's permitted use hereunder, then either Party may elect within ten (10) days after such damage, to terminate occupancy of the damaged Collocation Space, and if either Party shall so elect, by giving the other written notice of termination, both Parties shall stand released of and from further liability under the terms hereof. If the Collocation Space shall suffer only minor damage and shall not be rendered wholly unsuitable for Rightlink USA's permitted use, or is damaged and the option to terminate is not exercised by either Party, AT&T covenants and agrees to proceed promptly without expense to Rightlink USA, except for improvements not to the property of AT&T, to repair the damage. AT&T shall have a reasonable time within which to rebuild or make any repairs, and such rebuilding and repairing shall be subject to delays caused by storms, shortages of labor and materials, government regulations, strikes, walkouts, and causes beyond the control of AT&T, which causes shall not be construed as limiting factors, but as exemplary only. Rightlink USA may, at its own expense, accelerate the rebuild of its Collocation Space and equipment provided, however, that an AT&T Certified Supplier is used and the necessary space preparation has been completed. If Rightlink USA's acceleration of the project increases the cost of the project, then those additional charges will be incurred at Rightlink USA's expense. Where allowed and where practical, Rightlink USA may erect a temporary facility while AT&T rebuilds or makes repairs. In all cases where the Collocation Space shall be rebuilt or repaired, Rightlink USA shall be entitled to an equitable abatement of rent and other charges, depending upon the unsuitability of the Collocation Space for Rightlink USA's permitted use, until such Collocation Space is fully repaired and restored and Rightlink USA's equipment installed therein (but in no event later than thirty (30) days after the Collocation Space is fully repaired and restored). Where Rightlink USA has placed an Adjacent Arrangement pursuant to Section 3.4 above. Rightlink USA shall have the sole responsibility to repair or replace said Adjacent Arrangement provided herein. Pursuant to this Section, AT&T will restore the associated services to the Adjacent Arrangement.

#### 14 Eminent Domain

14.1

If the whole of a Collocation Space or Adjacent Arrangement shall be taken by any public authority under the power of eminent domain, then this Attachment shall terminate with respect to such Collocation Space or Adjacent Arrangement as of the date possession shall be taken by such public authority and rent and other charges for the Collocation Space or Adjacent Arrangement shall be paid up to that day with a proportionate refund by AT&T of such rent and charges as may have been paid in advance for a period subsequent to the date of the taking. If any part of the Collocation Space or Adjacent Arrangement shall be taken under eminent domain, AT&T and Rightlink USA shall each have the right to terminate this Attachment with respect to such Collocation Space or Adjacent Arrangement and declare the same null and void, by written notice of such intention to the other Party within ten (10) days after such taking.

ATT 4 - COLLOCATION/<u>AT&T-9STATE</u>
PAGE 40 OF 44
Rightlink USA
1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

# 15 Nonexclusivity

15.1 Rightlink USA understands that this Attachment is not exclusive and that AT&T may enter into similar agreements with other Parties. Assignment of Collocation Space pursuant to all such agreements shall be determined by space availability and made on a first come, first serve basis.

ATT 4 - COLLOCATION/AT&T-9STATE
EXHIBIT A - ENVIRONMENTAL AND SAFETY PRINCIPLES
PAGE 41 OF 44
Rightlink USA
1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

#### **ENVIRONMENTAL AND SAFETY PRINCIPLES**

The following principles provide basic guidance on environmental and safety issues when applying for and establishing physical collocation arrangements.

#### 1. General Principles

- 1.1 Compliance with Applicable Law. AT&T and Rightlink USA agree to comply with applicable federal, state, and local environmental and safety laws and regulations including U.S. Environmental Protection Agency (USEPA) regulations issued under the Clean Air Act (CAA), Clean Water Act (CWA), Resource Conservation and Recovery Act (RCRA), Comprehensive Environmental Response, Compensation and Liability Act (CERCLA), Superfund Amendments and Reauthorization Act (SARA), the Toxic Substances Control Act (TSCA), and Occupational Safety and Healthy Act (OSHA) regulations issued under the OSHA of 1970, as amended and National Fire Protection Association (NFPA), NEC and NESC (Applicable Laws) requirements. Each Party shall notify the other if compliance inspections are conducted by regulatory agencies and/or citations are issued that relate to any aspect of this Attachment.
- Notice. AT&T and Rightlink USA shall provide notice to the other, including any Material Safety Data Sheets (MSDSs), of known and recognized physical hazards or Hazardous Chemicals existing on site or brought on site. A Hazardous Chemical inventory list is posted on an OSHA Poster and updated annually at each Central Office. This Poster is normally located near the front entrance of the building or in the lounge area. Each Party is required to provide specific notice for known potential Imminent Danger conditions. Rightlink USA should contact 1-800-743-6737 for any AT&T MSDS required.
- Practices/Procedures. AT&T may make available additional environmental control procedures for Rightlink USA to follow when working at an AT&T Premises (See Section 2, below). These practices/procedures will represent the regular work practices required to be followed by the employees and suppliers of AT&T for environmental protection. Rightlink USA will require its suppliers, agents, Guests, and others accessing the AT&T Premises to comply with these practices. Section 2 below lists the Environmental categories where AT&T practices should be followed by Rightlink USA when operating in the AT&T Premises.
- 1.4 <u>Environmental and Safety Inspections.</u> AT&T reserves the right to inspect the Rightlink USA space with proper notification. AT&T reserves the right to stop any Rightlink USA work operation that imposes Imminent Danger to the environment, employees or other persons in or around an AT&T Premises.
- 1.5 <u>Hazardous Materials Brought On Site.</u> Any hazardous materials brought into, used, stored or abandoned at an AT&T Premises by Rightlink USA are owned by and considered the property of Rightlink USA. Rightlink USA will indemnify AT&T for claims, lawsuits or damages to persons or property caused by these materials. Without prior written AT&T approval, no substantial new safety or environmental hazards can be created by Rightlink USA or different hazardous materials used by Rightlink USA at an AT&T Premises. Rightlink USA must demonstrate adequate emergency response capabilities for the materials used by Rightlink USA or remaining at an AT&T Premises.

- 1.6 <u>Spills and Releases.</u> When contamination is discovered at an AT&T Premises, either Party discovering the condition must notify the other Party. All Spills or Releases of regulated materials will immediately be reported by Rightlink USA to AT&T.
- 1.7 Coordinated Environmental Plans and Permits. AT&T and Rightlink USA will coordinate plans, permits or information required to be submitted to government agencies, such as emergency response plans, spill prevention control and countermeasures (SPCC) plans and community reporting. If fees are associated with filing, AT&T and Rightlink USA will develop a cost sharing procedure. If AT&T's permit or EPA identification number must be used, Rightlink USA must comply with all of AT&T's permit conditions and environmental processes, including environmental "best management practices (BMP)" (see Section 2, below) and the selection of AT&T disposition vendors and disposal sites.
- Environmental and Safety Indemnification. AT&T and Rightlink USA shall indemnify, defend and hold harmless the other Party from and against any claims (including, without limitation, third-party claims for personal injury or death or real or personal property damage), judgments, damages (including direct and indirect damages and punitive damages), penalties, fines, forfeitures, costs, liabilities, interest and losses arising in connection with the violation or alleged violation of any Applicable Law or contractual obligation or the presence or alleged presence of contamination arising out of the acts or omissions of the indemnifying Party, its employees, agents, suppliers, or Guests concerning its operations at an AT&T Premises.

# 2. Categories for Consideration of Environmental Issues

- 2.1 When performing functions that fall under the following Environmental categories on AT&T's Premises, Rightlink USA agrees to comply with the applicable sections of the current issue of AT&T's Environmental and Safety Methods and Procedures (M&Ps), incorporated herein by this reference. Rightlink USA further agrees to cooperate with AT&T to ensure that Rightlink USA's employees, agents, suppliers and/or Guests are knowledgeable of and satisfy those provisions of AT&T's Environmental M&Ps, which apply to the specific Environmental function being performed by Rightlink USA, its employees, agents, suppliers, and/or Guests.
- The most current version of the reference documentation must be requested from Rightlink USA's AT&T Regional Contract Manager (RCM).

Environmental Categories	Environmental Issues	Addressed By The Following Documentation
Disposal of hazardous material or other regulated material (e.g., batteries, fluorescent tubes, solvents	Compliance with all applicable local, state & federal laws and regulations	Std T&C 450 Fact Sheet Series 17000
& cleaning materials)	Pollution liability insurance	Std T&C 660-3
	EVET approval of supplier	Approved Environmental Vendor List (Contact RCM Representative)
Emergency response	Hazmat/waste release/spill fire safety emergency	Fact Sheet Series 17000 Building Emergency Operations Plan (EOP) (specific to and located on

# ATT 4 - COLLOCATION/<u>AT&T-9STATE</u> EXHIBIT A - ENVIRONMENTAL AND SAFETY PRINCIPLES PAGE 43 OF 44 Rightlink USA 1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

		AT&T's Premises)
Contract labor/outsourcing for	Compliance with all applicable local,	Std T&C 450
services with environmental	state and federal laws and	
implications to be performed on	regulations	
AT&T Premises (e.g., disposition of		Std T&C 450-B
hazardous material/waste;	Performance of services in	(Contact RCM Representative for
maintenance of storage tanks)	accordance with AT&T's	copy of appropriate E/S M&Ps.)
	environmental M&Ps	
		Std T&C 660
Towns della film of the second	Insurance	
Transportation of hazardous material	Compliance with all applicable local,	Std T&C 450
	state & federal laws and regulations	Fact Sheet Series 17000
	Pollution liability insurance EVET	
	approval of supplier	Std T&C 660-3
	approval of supplier	3iu 1ac 000-3
		Approved Environmental Vendor List
		(Contact RCM Representative)
Maintenance/operations work which	Compliance with all applicable local,	Std T&C 450
may produce a waste	state & federal laws and regulations	
	Protection of AT&T employees and	
Other maintenance work	equipment	29 C.F.R. § 1910.147 (OSHA
		Standard)
		29 C.F.R. § 1910 Subpart O (OSHA
		Standard)
Janitorial service	All waste removal and disposal must	Procurement Manager (CRES
carnorar our noc	conform to all applicable federal,	Related Matters)-AT&T Supply
	state and local regulations	Chain Services
	J	
	All Hazardous Material and Waste	
		Fact Sheet Series 17000
	Asbestos notification and protection	
	of employees and equipment	
		GU-BTEN-001BT, Chapter 3
		BSP 010-170-001BS
Markala da aria	Compliance with all and in the last	(Hazcom)
Manhole cleaning	Compliance with all applicable local,	Std T&C 450
	state & federal laws and regulations	Fact Sheet 14050 BSP 620-145-011PR
		Issue A, August 1996
	Pollution liability insurance	ioodo / i, / idguot 1000
	Total industry modification	Std T&C 660-3
	EVET approval of supplier	
	,,,	Approved Environmental Vendor List
		(Contact RCM Representative)
Removing or disturbing building	Asbestos work practices	GU-BTEN-001BT, Chapter 3 for

# ATT 4 - COLLOCATION/<u>AT&T-9STATE</u> EXHIBIT A - ENVIRONMENTAL AND SAFETY PRINCIPLES PAGE 44 OF 44 Rightlink USA 1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

materials that may contain asbestos	questions regarding removing or disturbing materials that contain asbestos, call the AT&T Building Service Center: AL, MS, TN, KY &
	LA (local area code) 557-6194
	FL, GA, NC & SC (local area code)
	780-2740

#### 3. Definitions

Generator. Under RCRA, the person whose act produces a Hazardous Waste, as defined in 40 C.F.R. § 261, or whose act first causes a Hazardous Waste to become subject to regulation. The Generator is legally responsible for the proper management and disposal of Hazardous Wastes in accordance with regulations.

<u>Hazardous Chemical.</u> As defined in the U.S. OSHA hazard communications standard (29 C.F.R. § 1910.1200), any chemical which is a health hazard or physical hazard.

Hazardous Waste. As defined in Section 1004 of RCRA.

<u>Imminent Danger.</u> Any conditions or practices at an AT&T Premises which are such that a danger exists which could reasonably be expected to cause immediate death or serious harm to people or immediate significant damage to the environment or natural resources.

Spill or Release. As defined in Section 101 of CERCLA.

#### 4. Acronyms

RCM – Regional Collocation Manager (f/k/a Account Team Collocation Coordinator)

BST - BellSouth Telecommunications

CRES - Corporate Real Estate and Services (formerly PS&M)

<u>DEC/LDEC</u> – Department Environmental Coordinator/Local Department Environmental Coordinator

E/S – Environmental/Safety

EVET - Environmental Vendor Evaluation Team

GU-BTEN-001BT - AT&T Environmental Methods and Procedures

NESC - National Electrical Safety Codes

P&SM - Property & Services Management

Std T&C - Standard Terms & Conditions

TEGORY	RATE ELEMENTS	Interim	Zone	BCS	Usoc		-	RATES(\$)	<u></u>			Svc Order Submitted Manually per LSR	Att: 4 Exh: 8 Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremen Charge Manual S Order vs Electroni
						Rec	Nonrec		Nonrecurrin	g Disconnect	<u>                                     </u>		1st	Add'I Rates(\$)	Disc 1st	Disc Add
			_		<del></del>	<del> </del>	First	Add*l	First	Add*I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	OLLOCATION					<del>                                     </del>			ļ. <u></u>					00,100,10	JOHAN	SUMAN
Appr	ication								<u> </u>	<u> </u>						
<del></del>	Physical Collocation - Initial Application Fee Physical Collocation - Subsequent Application Fee	_		CLO	PE18A		1.879.48		0.51		<del>,                                     </del>					
<del></del> -	Physical Collocation - Co-Carrier Cross Connects/Direct Connect,		ļ	CLO	PE1CA		1,566,60		0.51		<del>  </del>				_	
	Application Fee, per application	l i		0.0					0.51	<del> </del>	┿					
	Physical Collection Administrative Only Application Fee			CLO	PEIDT		584.22				1 1		l		i	
	IPhysical Collocation - Application Cost, Simple Augment			CLO	PE1BL		742.15				<del> </del>					
	Physical Collection - Application Cost, Minor Augment	<del>                                     </del>		CLO	PE1KS PE1KM		594,41		1.21	<del>                                     </del>	<del>                                     </del>	<del></del>	——	<del></del>		
	IPhysical Collection - Application Cost Intermediate Assessment	-	1	CLO	PE1KM		833.47		1.21		1		<del></del>	<del></del>		
	[Filysical Collocation - Application Cost - Major Aunment		-	CLO	PE1KJ		1,058.00		1.21		<b>—</b>					
Spac	e Preparation				ILLING		2,410.00		1.21							
<del></del>	Physical Collocation - Floor Space, per sq feet			CLO	PE1PJ	3.22			T							
1	Physical Collocation - Space Enclosure, welded wire, first 50					3.56			<del> </del>							
<del></del>	Square feet		<u> </u>	CLO	PE1BX	140.99				1 :			-			
-	Physical Collocation - Space enclosure, welded wire, first 100 square feet				1	- 3.00	·		<del> </del>	<u> </u>				1	í	
<del></del>	Studie rest			CLO	PE1BW	156.33			1		! !		-			
	Physical Collocation - Space enclosure, welded wire, each additional 50 square feet		I						<del> </del>	<del> </del> -						
+	Physical Collocation - Space Preparation - C.O. Modification per			cro	PE1CW	15.34	i		1	i l	] [	i				
1	square ft.		I.			-			<del> </del>		<del></del>	<del></del>				
	Physical Collocation - Space Preparation, Common Systems	∤		CLO	PEISK	1.96						İ				
	Modifications-Cageless, per square foot			21.0								<del></del>				
	Physical Collocation - Space Preparation - Common Systems	-+		CLO	PE1SL	2.62				i i			ŀ	i		-
	Modifications-Caged, per cage			CLO	PE1SM							- +-		<del></del>		
			<del>-  `</del>	JEQ	PEISM	88.86				L	1	- 1	ł			
	Physical Collocation - Space Preparation - Firm Order Processing		- 1	CLO	PE1SJ								<del></del>			
	Physical Collocation - Space Availability Report, per Central Office	_	<del></del>		LE 193		600.71			L	ĺ	i		1	1	
	Requested		lo	CLO	PE1SR	i			1					<del></del>	<del></del>	——
Powe					1. 2.1011		1,075.17	<del></del>					ļ	1		
i	Physical Collocation - Power, -48V DC Power - per Fused Amp	$\overline{}$			T		<del></del>									
-	Requested			CLO	PE1PL	7.83			i l		[ ]					
	Physical Collocation - Power, 120V AC Power, Single Phase, per Breaker Amp	T			1									. 1		
+	Physical Colleges P. Communication			LO	PE1FB	4.91					Ī					
-	Physical Collocation - Power, 240V AC Power, Single Phase, per Breaker Amp	[	1													
<del>-</del>	Physical Collocation - Power, 120V AC Power, Three Phase, per		C	LO	PE1FD	9.84				1	ĺ	ſ	"			
-	Breaker Amp							_								
	Physical Collocation - Power, 277V AC Power, Three Phase, per		, jc	LO	PE1FE	14.74			1							
	lareaker Amo		_ ا		1 1											_
Cross	Connects (Cross Connects, Co-Carrier Cross Connects, and Ports		<u>_</u>	ro	PE1FG	34.06			ļ			ľ	ĺ			
	The state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the s	<del>"</del>	71.0	EANL,UEQ.	· · · · · · · · · · · · · · · · · · ·											
Į.			١	NCNX, UEA, UCL,	1 1		ĺ		T T				——r-	<del></del>	<del></del>	
i				AL, UHL, UDN		- (				1	ĺ		!	- 1	J	
_	Physical Collocation - 2-wire cross-connect, loop, provisioning			NCVX	PE1P2	0.03						Į.	1		i	
				EA, UHL, UNCVX.	TEIFE	0.03	12.30	11.80	6.03	5.44		ł	J	1		
	Physical Collocation - 4-wire cross-connect, loop, provisioning	-		NCDX, UCL, UDL	PE1P4	0.05	12.39								<del></del>	
				DS1L, WDS1S,	1.3-1.4	0.05	12.39	11.87	6.39	5.73			ļ	}		
			lu:	XTD1, ULDD1.	i 1	J				1					<del></del>	
			U:	SLEL, UNLD1.	1 1			i					J	1		
j		1	ĮU:	TD1, UNC1X,	!		1		ŀ		]		1		(	
			Įυ	EPSR UEPSB,	i i	- 1		ľ	ļ.		1	1		1		
	Physical Collegation, DC1 Cares Communication			EPSE, UEPSP,		1		1		j		ì	i		i	
ļ	Physical Collocation -DS1 Cross-Connect for Physical Collocation, provisioning	İ		SL, UEPEX.	!						1	- 1		i		í
1	Samuel Provisional			EPDX	PE1P1	1,11	22.03	15.93	6.40	5.79	- 1	1	1		1	
				E3, U1TD3	T					5.79						
				KTD3, UXTS1,			1						- 1			
1	ĺ			NC3X, UNCSX		- 1		- 1	1	}	-		1			1
1				DD3, U1TS1,					1	- 1	1		ļ	1	1	
		- 1		.DS1, UNLD3, PEX, UEPDX.		I	i				J	1	i	1		1
1	i i	Ì		PSR, UEPDX,		1		İ	1	- 1			- 1		1	
L	Physical Collocation - DS3 Cross-Connect, provisioning				PE1P3				ľ			1	-	J		Í
			100	JE, ULFOR	r G IP3	14.16	20.89	15.20	7.38	5.92		ı		i		

	ION - Alabama		Τ		<del>-,</del>	<del> </del> -				<del></del>			Att: 4 Exh: 8			
CATEGORY	RATE ELEMENTS	Interim	Zone	one BCS	USOC			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Charge - Manual Svc Order vs.	Charge			
		-	$\vdash$	<del></del>		Rec	Nonr	ecurring		g Disconnect			OSS	Rates(\$)		
			_	CLO, ULDO3.	<del></del>		First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - 2-Fiber Cross-Connect	:		ULD12, ULD48, U1T03, U1T12, U1T48, UDLO3, UDL12, UDF ULDO3, ULD12,	PE1F2	2.81	20.89	15.20	7.38	5.92						
	Physical Collocation - 4-Fiber Cross-Connect			ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF, UDFCX	PE1F4	4.99	25.55	19.86								:
					T-5.1.4	4.55	25,55	19.86	9.71	8.25					í	
	Physical Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per Cable.			cro	PE1ES	0.0011										
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect							]		1			·	-		
-	Copper/Coax Cable Support Structure, per linear foot, per cable.			CLO	PE1DS	0.0016						i	]			
	Physical Callegatics 9 Mf G			UEPSR, UEPSP. UEPSE, UEPSB,												
<del></del> -	Physical Collocation 2-Wire Cross Connect, Port Physical Collocation 4-Wire Cross Connect, Port			UEPSX, UEP2C	PE1R2	0.03	12.30		6.03	5,44	-		1		i	
Security		1		UEPEX, UEPDD	PE1R4	0.05	12.39	11.87	6.39							
	Physical Collocation - Security Escort for Basic Time - normally						<del></del>									
	scheduled work, per half hour			CLO	PE1BT		16.93	10.73	i		ĺ					
	Physical Collocation - Security Escort for Overtime - outside of									<del>                                     </del>						
	normally scheduled working hours on a scheduled work day, per half hour	- 1		CLO	55.55					i I	1	i	1	ļ		
	Physical Collocation - Security Escort for Premium Time - outside		<del>  </del> `	ULU	PE1OT		22.05	13.86	<u> </u>			ĺ		1	1	
	of scheduled work day, per half hour Physical Collocation - Security Access System - Security System			CLO	PE1PT		27.17	16.98								
	per Central Office	.		CLO	PE1AX	45.70										
	Physical Collocation - Security Access System - New Card Activation, per Card Activation (First), per State			cro	PE1A1	0.05	27.79							<del>- +</del>		
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card			cio	PETAA		7.79									
1 1	Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card		l.	cro						<del></del>			<del></del>	<del></del>		
<del>-    </del>	Physical Collocation - Security Access - Initial Key, per Key			clo	PE1AR PE1AK		22.78			<u> </u>			Į			
	Physical Collocation - Security Access - Key, Replace Lost or	_			PETAK		13.10									
السلب	Stolen Key, per Key	i	C	CLO	PE1AL		13.10									
1 1	Physical Collocation - CFA Information Resend Request, per premises, per arrangement, per request			SLO	PE1C9		77.56									
Cable Re	ecords - Note: The rates in the First & Additional columns will ac	tually be	billed a	s "Initial I" and "Su	bsequent S" n	espectively	77.30									
<del></del>	Physical Collocation - Cable Records, per request Physical Collocation, Cable Records, VG/DS0 Cable, per cable		C	CLO	PE1CR		759.29	S 488.11	133.00				<del></del>			
	ecord (maximum 3600 records)  Physical Collocation, Cable Records, VG/DS0 Cable, per cable		c	CLO	PE1CD		326.92		189.12						<del></del>	
! !!	100 pair			CLO	PE1CO		4.81		5.90	-						
<del>-    </del>	Physical Collocation, Cable Records, DS1, per T1 TIE Physical Collocation, Cable Records, DS3, per T3 TIE			LO	PE1C1		2.25		2.76							
	Physical Colocation, Cable Records, DS3, per 13 FE			LO	PE1C3		7.88		9.66		_	<del></del> +-				
	ecord (maximum 99 records)		0	LO	PE1CB	}	84.49								-+	
I F	Physical Collocation, Cable Records,CAT5/RJ45	_ †		LO	PE1C5		2.25		77.13 2.76							
Virtual to	Physical					<del></del>	<u> </u>	<del></del> L	2.76	<u> </u>						
1 15	Physical Collocation - Virtual to Physical Collocation Relocation, ler Voice Grade Circuit		c	LO	PE1BV		33.00									
P	Physical Collocation - Virtual to Physical Collocation Relocation, er DSO Circuit		С	LO	PE1BO		33.00							<del>-  </del>		
IP	Physical Collocation - Virtual to Physical Collocation Relocation, er DS1 Circuit			LO	PE1B1		52.00									
Į į	hysical Collocation - Virtual to Physical Collocation Relocation, er DS3 Circuit			10	PE1B3		52.00									

		i									Svc Order	Svc Order	Att: 4 Exh: B			
ATEGOR	RATE ELEMENTS	Interim	Zone	BCS	usoc		<del></del>	RATES(\$)			Submitted Elec per LSR			Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Charge -	Charg Manual Order
			1			Rec	Nonre	curring	Nonrecurrin	Disconnect	<u> </u>		OSS	Rates(\$)		
- 1	Physical Collocation - Virtual to Physical Collocation In-Place, Per					<del></del>	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
-+	Voice Grade Circuit			CLO	PE1BR	1	22.44								SUMAN	SOMA
	Physical Collocation Virtual to Physical Collocation In-Place, Per DSO Circuit			-	1 2 1011	+	22,44	ļ.——	<del> </del>			l				l
-	Physical Callessian Manual Physical Callessian Manual Physical Callessian Manual Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Physical Phy			CLO	PE1BP	-	22.44	ŀ		i						<del></del>
	Physical Collocation - Virtual to Physical Collocation In Place, Per DS1 Circuit						- 22.44	_						'	! !	
	Physical Collection Vistaglia District Collection	<u> </u>		CLO	PE1BS		32.62				! 1					
	Physical Collocation - Virtual to Physical Collocation In-Place, per DS3 Circuit						02.00			<del></del>						
En	rance Cable	L		CLO	PE18E		32.62			!						
	Physical Collocation - Fiber Cable Installation, Pricing, non-						32.02				<u> </u>				l i	
	recurring charge, per Entrance Cable															
-	Physical College per Entrance Cable			CLO	PE18D	1	859.71		22.49		!					
	Physical Collocation - Fiber Cable Support Structure, per Entrance Cable				1		000		22.49			1				
	7000		<u> </u>	CLO	PE1PM	17.11			I			Т				
ŀ	Physical Collocation - Fiber Entrance Cable Installation, per Fiber		ıΤ										I			
TUAL C	OLLOCATION			CLO	PE1ED		3.87									
Apr	plication							-							J	
<del>- 177</del>	Virtual Collectaion - Application Fee									I			1			
$\neg$	Virtual Collocation - Co-Carrier Gross Connects/Direct Connect,			AMTÉS	EAF	L	1,205.26	·	0.51							
	Application Fee, per application	i				] "			0.51							
$\overline{}$	Virtual Collocation Administrative Only - Application Fee			AMTFS	VE1CA	<u>i                                      </u>	584.22			ļ	- 1	- 1				
Spi	ce Preparation			AMTFS	VE1AF		742.15			-					- 1	
	Virtual Collocation - Floor Space, per sq. ft.					-										
Pow	/er			AMTES	ESPVX	3.22										
	Virtual Collocation - Power, per fused amp					-										
Cro	ss Connects (Cross Connects, Co-Carrier Cross Connects, and Port			AMTFS	ESPAX	7.83			_							
	Total Cross Colliners, and Port	<u>s)</u>														
		- 1	l,	JEANL, UEA, UDN.					1							
		- 1		JAL, UHL, UCL,	1	1		ı			i	- 1	J			
	Virtual Collocation - 2-wire cross-connect, loop, previsioning	- 1		JEQ, UNCVX.	1		1			!				ſ		
	See See See See See See See See See See	$\overline{}$		INCDX, LINCNX	UEAC2	0.03	12.30	11.80	6.03	5.44		ſ				
		- 1		JEA, UHL, UCL.	1				0.00	3.44					!	
	Virtual Collocation - 4-wire cross-connect, loop, provisioning	- 1	I.	JDL, UNCVX. JNCDX		!!!		ŀ	ļ	- 1	1	1		I		
$\neg$		_		JLR, UXTD1.	UEAC4	0.05	12.39	11.87	6.39	5.73	- 1	- 1	1			
- 1				INC1X, ULDD1,								<del>-  </del> -				
			1,	JITD1, USLEL.	1 1	1 1	- 1	- 1	- 1					1	- 1	
	Virtual collocation - Special Access & UNE, cross-connect per	ì		INLD1, USLEL,	!	]	- 1	Į	- 1		- 1	i	- 1			
	DS1	- 1	١	PEPEX, UEPDX	CNC1X		- 1	1	1	- 1		- 1				
			1	ISL, UE3, UITD3.	CNC1X	1.11	22.03	15.93	6.40	5.79	l l	ĺ				
	1		li li	XTS1, UXTD3,												
-			١	NC3X, UNCSX,		!	- 1	- 1				- 1	1	- 1		
	Į.			LDD3, U1TS1.				!				-	I		ı	
	Virtual collocation - Special Access & UNE, cross-connect per	- 1		LDS1, UDLSX.	1	l		1			ļ	1	I	1	ĺ	
+	DS3	- 1		NLD3, XDEST	CND3x	14.16		1		i	1	1	1	I		
			<del> </del>		- Acor	14.16	20.89	15.20	7.38	5.92		i	i	I		
			11	DL12, UDLO3,	I	i	ł							<del></del>		
Į	1		ŭ	1T48, U1T12,	<u> </u>	- 1		Į	ļ	!	J			1	I	
ŀ	[			1TO3, ULDO3,	1 !	- 1		[	İ				1	I	I	
<del></del>	Virtual Collocation · 2-Fiber Cross Connects	- 1		LD12, ULD48, UDF	CNC2E	2.84		1		J		- 1		- 1	1	
1			<del></del>		UNIOEF .	2.84	20.89	15.20	7.38	5.92			I	1	1	
1			u	DL12, UDLO3,			]	- 1					-			
		- 1	Įú.	1T48, U1T12,			i		ŀ	ĺ	f		1	- 1	1	
	Materia 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8		lu-	1TO3, ULDO3.	)		- 1			1		- 1				
+-	Virtual Collocation - 4-Fiber Cross Connects		Ü	D12, ULD48, UDF	CNC4F	5.69	25.55	10.00			- 1			1		
	With the College Co. Co.			-, -, -, -, -, -, -, -, -, -, -, -, -, -		3.05	20.55	19.86	9.71	8.25			I	I	I	
1	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect -			İ		- 1			- 1							
<del></del>	Fiber Cable Support Structure, per linear foot, per cable		AI	MTFS	VE1CB	0.0011	i		f		1		- 1	1	1	
ì					.2.00	0.0011	<del></del>					_	Į	1		
1	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect -	- 1				1		1		1	-					
+	Copper/Coax Cable Support Structure, per linear foot, per cable		An	MTFS	VE1CD	0.0016	- 1	- 1	- 1	ļ				ı	l	
1				PSX, UEPSB.		V.0016						1	I	í	I	
		1		PSE, UEPSP.			Į	- 1	Ţ							
	14.4															
	Virtual Collocation 2-Wire Cross Connect, Port Virtual Collocation 4-Wire Cross Connect, Port		UE	PSR, UEP2C PDD, UEPEX	VE1R2	0.03	12.30	11.80	6.03	5.44		ŀ	- 1		,	

COLLOCATION	- Alabama										Svc Order	Svc Order	Att: 4 Exh: B	Incremental	Incremental	Incrementa
ATEGORY	RATE ELEMENTS	interim	Zone	BCS	usoc			RATES(\$)			Submitted Elec per LSR		Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring		00100	COMAN	OSS	Rates(\$) SOMAN	SOMAN	SOMAN
							First	Add'I	First	Add'l	SUMEC	SUMAN	SUMAN	SUMMAN	SOMAN	SOMAN
CFA													T			7
	al Collocation - CFA Information Resend Request, per				V5400		77.56	i								1
Prem	nises, per Arrangement, per request		 	AMTES	VE1QR	enecthrehi	77.50									
Cable Recor	ds - Note: The rates in the First & Additional columns will a	ctually c	HE CHINE	AMTFS	VE1BA	I ii	759.29	S 488.11	133.00					i		
	al Collocation Cable Records - per request al Collocation Cable Records - VG/DS0 Cable, per cable		_		112.102.	†				***	-					
reco				AMTFS	VE188		326.92		189.12							
Virtu	al Collocaiton Cable Records - VG/DS0 Cable, per each 100										{		ļ		\	1
pair		<u> </u>		AMTES	VE1BC	<del></del>	4.81		5.90° 2.76		<u> </u>					<del> </del>
Virtu	al Collocation Cable Records - DS1, per T1TIE	<u> </u>	-	AMTES	VE18D VE18E		2.25 7.88		9.66		+					
Virtu	al Collocation Cable Records - DS3, per T3TIE	-		AMTFS	AF IRE		7.00		5.00		<del></del>		· · · · · · · · · · · · · · · · · · ·			
	al Collocation Cable Records - Fiber Cable, per 99 fiber			AMTFS	VE1BF	] [	84.49		77.13			_	<u></u> .	i		
reco	al Collocation Cable Records - CAT 5/RJ45	├	<del> </del>	AMTES	VE185	<del>                                     </del>	2.25		2.76							
	dal Collocation Cable Records - CRT 5/1045			1,,,,,,,,												
Security	ual collocation - Security escort, basic time, normally scheduled		T		T											1
	k hours	_	i	AMTFS	SPTBX		16.93	10.73								
Virtu	al collocation - Security escort, overtime, outside of normally						AA ==	40.54			1	1	\	1	\	1
sche	eduled work hours on a normal working day	<u> </u>	1	AMTES	SPTOX	<del>}</del>	22.05	13.86			<del> </del>					<del> </del>
	ual collocation - Security escort, premium time, outside of a		1		SPTPX	!	27.17	16.98						1	l	Ī
	eduled work day	Ц.	<u> </u>	AMTFS	ISPIPX		27.17	10.30								
Maintenance	e	-	T	AMTFS	CTRLX		27.93	10.73		· · ·				Ţ		
Vint	ual collocation - Maintenance in CO - Basic, per half hour	<del></del>	<del> </del>	CIVITIO	1011127									1		T
Vien	ual collocation - Maintenance in CO - Overtime, per half hour			AMTES	SPTOM	<u> </u>	36.47	13.86			<u> </u>					,
<del></del>	au obligation manage and	<del>                                     </del>	T-"								1					1
Virtu	ual collocation - Maintenance in CO - Premium per half hour		<u> </u>	AMTFS	SPTPM	<u> </u>	45.02	16.98	L,,				<u> </u>	<del></del>		L
Entrance Ca	able	-		T	leanovi		859.71		22.49	T				<del></del> -		
Vinu	ual Collocation - Cable Installation Charge, per cable	╄	<del>`</del>	AMTFS AMTFS	ESPSX	14.97	859.71		22.43		<del> </del>			<del></del> -		
	ual Collocation - Cable Support Structure, per cable	+	+	AMIPS	ESPSA	14.07					<del>                                     </del>					
OLLOCATION IN	THE REMOTE SITE		_													
Physical Re	sical Collocation in the Remote Site - Application Fee	T	T -	CLORS	PEIRA		307.70		168.22							\
Cab	pinet Space in the Remote Site per Bay/ Rack		1	CLORS	PEIRB	201.42					<b>_</b>		<u> </u>	<del></del>		<del></del>
- 1			1						1					i		
Phy	rsical Collocation in the Remote Site - Security Access - Key			CLORS	PEIRD	4	13.10			<del> </del>				<del> </del>		
Phy	sical Collocation in the Remote Site - Space Availability Repor	t			DE400		115.87					1		ļ	l	
per	Premises Requested		+-	CLORS	PE1SR	<del></del>	113.67	<del></del> -	<del></del>		<del></del>		1	<del>}</del>		
Phy	sical Collocation in the Remote Site - Remote Site CLLI Code	1	1	CLORS	PE1BE	1 1	37.56		1				i			l
Rec	guest, per CLLI Code Requested mote Site DLEC Data (BRSDD), per Compact Disk, per CO	<del>  -</del>	+	CLORS	PEIRR	<del> </del>	233.38									
	wer, DC Power Provisioning (Alabama Only ICB Rate)	<del> </del>	+	000.10	-											
	sical Collocation - Security Escort for Basic Time - normally	_						[			ļ	}	1	1	ì	1
	eduled work, per half hour	١	<u> </u>	CLORS	PE1BT		16.93	10.73					ļ			<del> </del>
Phy	vsical Collocation - Security Escort for Overtime - outside of		"						İ	1		İ				
non	mally scheduled working hours on a scheduled work day, per	1				!	20.05	10.00					i	1	i	
half	hour		+	CLORS	PE10T		22.05	13.86			<del>  -                                   </del>		<del> </del>	<del> </del>	<del></del>	<del>  -</del>
	sical Collocation - Security Escort for Premium Time - outside	1	l	CLORS	PEIPT		27.17	16.98	1	1	ì		ì	)		
	scheduled work day, per half hour	ــــــــــــــــــــــــــــــــــــــ		CLORS	In City		2									
	emote Site Collocation mote Site-Adjacent Collocation-Application Fee	$\overline{}$		CLORS	PETRU		755.62	755.62	T							
Her	mote dite-Adjacent Conocaron Application is se	+	1	1										- ~		
Rer	mote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PEIRT	0.134		Ļ <u>.</u>		<del></del>	<del></del>	<u> </u>		<del></del>	<del></del>	<del> </del>
- t		П	1					1	1		1	1	1			1
Ren	mote Site-Adjacent Collocation - AC Power, per breaker amp		Щ.,	CLORS	PEIRS	6.27		<u></u>		L			<del></del>			<del></del>
NOTE: If Se	ecurity Escort and/or Add'l Engineering Fees become neces	sary fo	r adjacı	ent remote site collo	cation, the Par	mes will negotial	e appropriate	rates.								
Virtual Rem	note Site Collocation	<del>,</del>	-,-	VETRS	VE1RB	T	307.70		168.22	168.22		T	Τ	1	T	1
Virt	tual Collocation in the Remote Site - Application Fee	+	+	VEIRO	- VEINE	<del> </del>	3070	30.,70	1		1-			1 -		
1.5.	tual Collocation in the Remote Site - Per Bay/Rack of Space			VE1RS	VE1RC	201,42										<b></b>
	tual Collocation in the Remote Site - Per Day Hack of Space	+	<del> </del>	1-1-1-1	<del></del>	1		-								i
	Premises requested			VE1RS	VE1RR		115.87	115.87		<u> </u>	ــــــــــــــــــــــــــــــــــــــ		<u> </u>	<b></b>		<del> </del>
							I	1		1	1	1	1	1	)	1
Viri	tual Collocation in the Remote Site - Remote Site CLLI Code	1		VE1RS	VE18L	1	37.56	37.56	ì	1	1	1	1	1	i	1

					Т	<del></del>							Att: 4 Exh: B			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge -	incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
		<del> </del>				Rec	Nonrec	urring	Nonrecurring	Disconnect			000	D	L	
DJACENT C	OLLOCATION	<del> </del>		<del></del>	<del></del>	1.00	First	Add'l	First	Add'l	SOMEC	SOMAN	OSS	Rates(\$)		
	Adjacent Collocation - Space Charge per Sq. Ft.	+	_	0.040							ODMICO	SUMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.	<del> </del>		CLOAC	PE1JA	0.14					<del></del>					
	Charge per Cinear Ft.	-		CLOAC	PE1JC	5.41					<del></del>					
	Adjacent Collocation - 2-Wire Cross-Connects Adjacent Collocation - 4-Wire Cross-Connects			UEANL,UEQ,UEA,U CL, UAL, UHL. UDN	PE1JE	0.02	12.30	11.80	6.03	5.44						
	Adjacent Collocation - DS1 Cross-Connects	<del> </del>		UEA,UHL UDL.UCL		0.04	12.39	11.87	6.39	5.73					i	
	Adjacent Collocation - DS3 Cross-Connects	↓		USL	PE1JG	1.03	22.03	15.93	6.40	5.79						
	Adjacent Collocation - 2-Fiber Cross-Connect	<b>-</b>		UE3	PE1JH	13.95	20.89	15.20	7.38	5.79						
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1JJ	2.36	20.89	15.20	7.38							
	Adjacent Collocation - Application Fee				PÉ1JK	4.52	25.55	19.86	9.71	5.92						
	Adjacent Collection - Application Fee			CLOAC	PE1JB		1,576,69	13.00	0.51	8.25						
	Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp		ĺ	CLOAC	PE1JL	4.91	1,070.00 /		U.51	· · · · · · ·						
	Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1JM	9.84			<del></del>	·			<del></del>			<del></del>
	Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1JN	14.74		·		<del></del>						
	Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Arrip			-	PE1JO	34.06			<del></del> -	<del></del>						
	Adjacent Collocation - DC power provisioning (Alabama Only Mandate iCB)					34.05	-		· · · · ·							
	Note: ICB means Individual Case Basis	<del></del>	<del>-</del> +	<del></del>	——-										ĺ	

COL	LOCAT	ION - Florida												Att: 4 Exh; B			
	GORY	RATE ELEMENTS	rsterim	Zane	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual Sy Order vs Electronic Disc Add
							Rec	Nonred First		Nonrecurring First	Disconnect Add'l		SOMAN		Rates(\$)	SOMAN	SOMAN
	+		├─	<del>                                     </del>			<del>                                     </del>	FIRST	Add'I	FIISt	Addi	SUMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
PHYSI	ICAL CO	LLOCATION		<u> </u>	·····		· · · · · · · · · · · · · · · · · · ·			†		<del> </del>					
	Applic	ation															
		Physical Collocation - Initial Application Fee	<u> </u>		CLO	PE1BA		2,785.00		1.20		<u> </u>	· .				L
	<del></del>	Physical Collocation - Subsequent Application Fee	<del> </del>	-	CLÖ	PE1CA		2,236.00		1.20		<u> </u>				<u> </u>	ļ <u> </u>
		Physical Collocation - Co-Carrier Cross Connects/Direct Connect, Application Fee, per application	Ì		CLO	PEIDT	i [	564.81					l		ĺ		
<del>                                     </del>	+	Physical Collocation - Power Reconfiguration Only, Application	┼──	┢	OLO .	FEIDI		504.61		1				<del></del>		<del> </del>	<del></del>
l		Fee			CLO	PE1PR		409.50		l				ļ		i	
		Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		760.91		1.20							
	Space	Preparation															
L	1	Physical Collocation - Floor Space, per sq feet	<u> </u>	ļ	CLO	PE1PJ	5.28			ļ <u> </u>							
	1	Physical Collocation - Space Enclosure, welded wire, first 50			CLO	DE1DY	171,12				1		!		1		1
$\vdash$	+	square feet  Physical Collocation - Space enclosure, welded wire, first 100	<del> </del>	<del> </del>	ULU	PE1BX	1/1.12			<del> </del>		<del></del>		<del>                                     </del>		<del>                                     </del>	<del> </del>
	1	square feet	1		CLO	PE1BW	189.73			1						i	
<del></del>	+	Physical Collocation - Space enclosure, welded wire, each	<del> </del>	t			100.19				· · · · ·	<del>                                     </del>	<u> </u>		· · · · · · · · · · · · · · · · · · ·	<del>                                     </del>	<del></del>
l		additional 50 square feet	l		CLO	PE1CW	18.61			<u></u>	<u> </u>			L	Į	Į ,	{
	1	Physical Collocation - Space Preparation - C.O. Modification per	1	ī													
		square ft.	<u> </u>		CLO	PEISK	2.38			ļ				ļ			
		Physical Collocation - Space Preparation, Common Systems			l											İ	
-	+	Modifications Cageless, per square foot	<b>↓</b>	-	CLO	PE1SL	2.50					<b></b>					
1		Physical Collocation - Space Preparation - Common Systems Modifications-Caged, per cage			CLO	PEISM	84.93			Į.							1
<u> </u>	+	Modifications-Caged, per cage	<del> </del>	<del> </del> -	CLO	FEISIM	04.93			<del> </del> -		<del></del>				-	_
		Physical Collocation - Space Preparation - Firm Order Processing			CLO	PEISJ		287.36	!		ļ			Į	l	ļ	(
<del></del>	1	Physical Collocation - Space Availability Report, per Central Office	,	· · · · ·			<u> </u>			1		T				1	
		Requested		L	CLO	PE1SR		572.66						l			
	Power																
' '		Physical Collocation - Power, -48V DC Power - per Fused Amp					!										
	+	Requested	<b>⊢</b> —	-	CLO	PE1PL	7.80			ļ		-					
ſ		Physical Collocation - Power, 120V AC Power, Single Phase, per Breaker Amp	1	i .	CLO	PEIFB	5.26			1	ł					i	ĺ
	+-	Physical Collocation - Power, 240V AC Power, Single Phase, per	-	<u> </u>	ISLO	ITEITB	3.26			<del> </del>		<del> </del> -		<del></del> -	<del> </del>	l	<del></del>
}	ነ	Breaker Amp	1	1	cro	PE1FD	10.53			1				!			l
<b>—</b>	<del> </del>	Physical Collocation - Power, 120V AC Power, Three Phase, per	+	<del>                                     </del>													
		Breaker Amp			CLO	PE1FE	15.80					<u> </u>				<u></u>	ĺ
		Physical Collocation - Power, 277V AC Power, Three Phase, per	Γ				1	_								[	
ļ	4	Breaker Amp	<b>↓</b>	ļ	CLO	PE1FG	36.47					<u> </u>					
<u> </u>	-	Physical Collocation - Power - DC power, per Used Amp	<u> </u>	<u> </u>	CLO	PEIFN	10.69			l	L	<b>_</b>		L		L	
<del></del>	Cross	Connects (Cross Connects, Co-Carrier Cross Connects, and Po	TS)	1	UEANL UEQ UNGN		· · · · · · · · · · · · · · · · · · ·								<del>,</del>		
)	1	}		1	X, UEA, UCL, UAL,		] ]			i							1
L		Physical Collocation - 2-wire cross-connect, loop, provisioning	Ι.	L	UHL, UDN. UNCVX	PE1P2	0.0208	7.32	5.37	4.58	2.71	]	<u></u>		1		1
	$\top$		TT	1	UEA, UHL, UNCVX,												
<u> </u>	1	Physical Collocation - 4-wire cross-connect, loop, provisioning	<b>Ļ</b>	ļ		PE1P4	0.0416	00.8	5.75	5.00	2.69						L
1				"	WDS1L, WDS1S,		į T	,									
	1				UXTD1, ULDD1, USLEL, UNLD1,		<u> </u>										1
			l		UITDI, UNCIX,		(			1	ļ	ļ ;	,		}	\	ì
]				-	UEPSR, UEPSB,					ì	1						i
ĺ					UEPSE, UEPSP.							]					i
1		Physical Collocation -DS1 Cross-Connect for Physical	1	Ì	USL, UEPEX,							i				}	i
		Collocation, provisioning	<b>└</b> ─	ļ	UEPDX	PE1P1	0.3786	7.88	6.25	1.35	0.9899	<u> </u>					
					UE3, U1TD3,				-								
					UXTD3, UXTS1, UNC3X, UNCSX,												l
l		Į.		Į.	UNCSX, UNCSX,	ļ	1			1	1	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \			ł		ſ
				1	ULDS1, UNLD3,	1	! <b> </b>		Ì		1						į
					UEPEX, UEPDX,	1						1					l
!			1	-	UEPSR, UEPSB,		[ ]										l
į.	1	Physical Collocation - DS3 Cross-Connect, provisioning	l	1	UEPSE, UEPSP	PE1P3	4.16	32.40	31.03	11.15	10.98						L .

COLLOCAT	ION - Florida			•									Att: 4 Exh: B			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manuel Sv. Order vs. Electronic Disc Add'
		<u> </u>			ļ	Rec	Nonre First	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	COMAN	SOMAN	Rates(\$)	SOMAN	SOMAN
	Physical Collocation - 2-Fiber Cross-Comect			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF ULDO3, ULD12, ULD48, U1TO3,	PE1F2	1.71	28.26	25.85	13.78	11.01	SUMEC	SUMAN	SOMAN	SUMAN	SUMAN	SUMAN
	Physical Collocation - 4-Fiber Cross-Connect			U1T12, U1T48, UDLO3, UDL12, UDF, UDFCX	PE1F4	3.34	37.92	35.51	18.20	15.44						
	Physical Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable.			CLO	PE1ES	0.0008										
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect - Copper/Coax Cable Support Structure, per linear foot, per cable.			CLO UEPSR, UEPSP,	PE1DS	0.0012										
	Physical Collocation 2-Wire Cross Connect, Port Physical Collocation 4-Wire Cross Connect, Port			UEPSE, UEPSB, UEPSX, UEP2C UEPEX, UEPDD	PE1R2 PE1R4	0.0208 0.0416	7.32 8.00	5.37 5.75	4.58 5.00	2.71 2.69						
Securit		ь	Щ.	JUEFEN, UEFUU	ILC IM4	0.0416]	a.00	3.75	3.00	2.59	1					
Security	Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour			CLO	PE1BT	1 1	33.65	22.05								
	Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per	1								· · · · · · · · · · · · · · · · · · ·						
	half hour Physical Collocation - Security Escort for Premium Time - outside	-		CLO	PE1OT		44.63	28.89								
	of scheduled work day, per half hour  Physical Collocation - Security Access System - Security System			CLO	PE1PT		55.62	35.73								
+-	per Central Office, per Sq. Ft. Physical Collocation - Security Access System - New Card	ļ .		CLO	PE1AY	0.0101		<u> </u>								
	Activation, per Card Activation (First), per State	ļ. <u> </u>	ļ	CLO	PE1A1		38.95									
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or			CLO	PE1AA		8.84									
	Stolen Card, per Card		Ī	cro	PETAR		28.78									
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PETAK		23.28	•								
	Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key			CLO	PE1AL		23.28									
CFA	054 17 10 10	,			1	· · · · · · · · · · · · · · · · · · ·				·						
	Physical Collocation - CFA Information Resend Request, per premises, per arrangement, per request		L	CLO	PE1C9		79.52			<u></u>						
	Records - Note: The rates in the First & Additional columns will a	ctually b				respectively	4545.00	0 070.04	050.55					,		
	Physical Collocation - Cable Records, per request Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records)			cro	PE1CR PE1CD		1 1515.00 646.84	S 973.64	256.35 362.41							
	Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pair			CLO	PE1CO		9.11		10.80							
	Physical Collocation, Cable Records, DS1, per T1 TIE	<u> </u>		CLO	PE1C1	ļ J	4.52		5.35							
	Physical Collocation, Cable Records, DS3, per T3 TIE Physical Collocation - Cable Records, Fiber Cable, per cable	<del> </del>		CLO	PE1C3		15.81		18.73							
	record (maximum 99 records) Physical Collocation, Cable Records, CAT5/RJ45	-		CLO	PE1CB PE1C5		169.96 4.52		149.97 5.35							
	to Physical	<del></del>	L	ULU	[F21Q3	1	4.52		3.35	<u> </u>		!				
	Physical Collocation - Virtual to Physical Collocation Relocation, per Voice Grade Circuit			CLO	PE1BV		33.00									
	Physical Collocation - Virtual to Physical Collocation Relocation, per DSO Circuit			CLO	PE1BO		33.00									
	Physical Collocation - Virtual to Physical Collocation Relocation, per DS1 Circuit			CLO	PE1B1		52.00								,	
	Physical Collocation - Virtual to Physical Collocation Relocation, per DS3 Circuit			CLO	PE1B3		52.00									

	TION - Florida	т				-, <u> </u>							Att: 4 Exh; 8			
TEGORY	RATE ELEMENTS	Interim	Zone	BC\$	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs, Electronic- Add't	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increme Charge Manual S Order v Electror Disc Ad
		<b>├</b> -		ļ <u>.</u>		Rec	Nonre	curring	Nonrecurring	Disconnect	<del> </del> -			Rates(\$)		
	Physical Collocation - Virtual to Physical Collocation In-Place, Per	<del></del>				1.00	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	
<del></del>	Voice Grade Circuit  Physical Collocation Virtual to Physical Collocation In-Place, Per	<u> </u>		сго	PE1BR		22.51						32.000	SUMAN	SOMAN	SOMAN
	DSO Circuit  Physical Collocation - Virtual to Physical Collocation In-Place, Per			CLO	PE1BP		22.51									
	DS1 Circuit			cro	PE1BS		32.73				<u> </u>		· ,			
Entro	Physical Collocation - Virtual to Physical Collocation In-Place, per DS3 Circuit			CLO	PE1BE		32.73				-			· <del>-</del>		
Cilitali	Physical Collection Fiber Calls Co.	·							<del></del>		<b>—</b>					
_	Physical Collocation - Fiber Cable Support Structure, per Entrance Cable			cro	PE1PM	5.19					1			Т	· <del></del> -	
4	Physical Collocation - Fiber Entrance Cable per Cable (CO manhole to vault splice)			cro	PE1EC		994.12		43.84		<del></del>					
FUAL COL	Physical Collocation - Fiber Entrance Cable Installation, per Fiber LOCATION			CLO	PE1ED		7.43		45.04				<del></del>			
Applica	LOCATION		1		T	· · · · · ·	. ,,,-0		<del></del>		<del></del>					
Appaca									<del></del>		<u> </u>					
	Virtual Collocation - Application Fee Virtual Collocation - Co-Carrier Cross Connects/Direct Connect.			AMTFS	EAF		1,241.00		1.20							
	Application Fee, per application		- 1	AMTFS	VE1CA	1	564.81		i I							
Space	Virtual Collocation Administrative Only - Application Fee			AMTFS	VETAF		760.91		1.20							
- 5000	Virtual Collocation - Floor Space, per sq. ft.	—			1===											
Power				AMTFS	ESPVX	5.28									<del></del> -	
	Virtual Collocation - Power, per fused amp	7	- 17	AMTES	ESPAX	6.95	<del></del> ,									
	Virtual Collocation - Power DC nower per Used Amp			AMTES	VEIPE	10.69										
Cross (	Connects (Cross Connects, Co-Carrier Cross Connects, and Por	(s)			1.2.	10.00		i								
	Virtual Collocation - 2-wire cross-connect, loop, provisioning  Virtual Collocation - 4-wire cross-connect, loop, provisioning			JAL, UHL, UGL, JEQ, UNCVX, JNCDX, UNCNX JEA, UHL, UGL, JDL, UNCVX, JNCDX	UEAC2	0.0201	7.32	5.37	4.58	2.71				_		
	Virtual collocation - Special Access & UNE, cross-connect per DS1			JLR, UXTD1, JNC1X, ULDD1, J1TD1, USLEL, JNLD1, USL, JEPEX, UEPDX	CNC1X	0.3786	7.88	5.75	5.00	0.9915						
	Virtual collocation - Special Access & UNE, cross-connect per DS3		UUU	JSL, UE3, U1TD3, JXTS1, UXTD3, JNC3X, UNCSX, JLDD3, U1TS1, JLDS1, UDLSX, JNLD3, XDEST	CND3X	4.16	32.40	31.03	11.15	10.98						
	Virtual Collocation - 2-Fiber Cross Connects		U	IDL12, UDLO3, I1T48, U1T12, I1TO3, ULDO3, LD12, ULD48, UDF	CNC2F	1.75	28.26	25.85	13.78	11.01						<del></del> ,
	Virtual Collocation - 4-Fiber Cross Connects		U	DL12, UDLO3. 1748, U1712, 1703, ULDO3, LD12, ULD48, UDF	CNC4F_	3.50	37.92	35.51	18.20	15.44						
<del>  </del>	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable	_	Al	MTFS	VE1CB	0.0008										
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Copper/Coax Cable Support Structure, per linear foot, per cable	_		MTFS EPSX, UEPSB.	VE1CD	0.0012										
	Virtual Collocation 2-Wire Cross Connect, Port		UE	EPSE, UEPSP,	VE1R2_	0.0201	7.32	5.37	4.58	2.71						

**********	ION - Florida												Att: 4 Exh: B			
ATEGORY	RATE ELEMENTS	interim	Zone	acs	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	increment Charge Manual Sy Order vs Electronic Disc Add
		_			<del>                                     </del>	Rec	Nonrec First	Add'i	Nonrecurring First		501450	******		Rates(\$)		
	Virtual Collocation 4-Wire Cross Connect, Port	+	<del></del>	UEPDO, UEPEX	VE1R4	0.0403	8.00	5.75	5.00	Add'I 2.69	SUMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
CFA	7710 01000 001100, 1 011	1		DEI DU, GEFEX	IACIUA	0.0403	6.00	5.75	5.00	2.69						L
	Virtual Collocation - CFA Information Resent Request, per	1			T	1										
- 1	Premises, per Arrangement, per request	1		AMTES	VE1OR		79.52									
Cable	Records - Note: The rates in the First & Additional columns will a	ctually b	e billed	as "Initial I" & "Sub	sequent S" re	spectively	70.02		· · · · · · · · · · · · · · · · · · ·							L
	Virtual Collocation Cable Records - per request			AMTES	VE1BA	1	1515.00	S 973.64	256.35							
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable															
	record	<u></u> .	j	AMTFS	VE1BB	1	646.84		362.41							
Į.	Virtual Collocation Cable Records - VG/DS0 Cable, per each 100					1										
	pair		L	AMTFS	VE1BC		9.11		10.80							
<del></del>	Virtual Collocation Cable Records - DS1, per T1TIE	<u> </u>	ļ	AMTFS	VE1BD		4.52		5.35							
	Virtual Collocation Cable Records - DS3, per T3TIE	<u> </u>	ļ	AMTFS	VE1BE		15.81		18.73							
- 1	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber	1			l											
-	records	-		AMTFS	VE1BF		169.96		149.97							
Securit	Virtual Collocation Cable Records - CAT 5/RJ45	<u> </u>	Ь	AMTFS	VE185		4.52		5.35							
Secura	Virtual collocation - Security escort, basic time, normally scheduled	,														
	work hours	1		AMTES	SPTBX		25.05									
<del></del>	Virtual collocation - Security escort, overtime, outside of normally	<del>                                     </del>		AMIFS	SPIBA		33.65	22.05								
- 1	scheduled work hours on a normal working day			AMTFS	SPTOX		44.63	00.00								
	Virtual collocation - Security escort, premium time, outside of a	<del>                                     </del>	$\vdash$	AMILO	SPIOX	<b> </b>	44.63	28.89								
- 1	scheduled work day		1	AMTFS	SPTPX		55.62	35.73						1		
Mainter	nance			MINITO	Si    X	<del></del>	33.62	35.73								
-	Virtual collocation - Maintenance in CO - Basic, per half hour		1	AMTES	CTRLX	1	54.05	22.05		· · · · · · · · · · · · · · · · · · ·				· · · ·		
			<del>  </del>	THAT I	1011100	<del> </del>	34.00	EE.05								
İ	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		72.18	28.89				ŀ				
		1					12:13	20:00				•		-		
	Virtual collocation - Maintenance in CO - Premium per half hour			AMTES	SPTPM		90.31	35.73						ļ		
€ntran/	ce Cable					*	-									
	Virtual Collocation - Cable Installation Charge, per cable			AMTFS	ESPCX		1,473.00		43.84		·····	Į.				
	Virtual Collocation - Cable Support Structure, per cable			AMTFS	ESPSX	4.54										
	N IN THE REMOTE SITE	1.														
	al Remote Site Collocation															•
	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		612.23		270.35							
-	Cabinet Space in the Remote Site per Bay/ Rack	<b>—</b> —		CLORS	PE1RB	154.59										
- 1	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD									1		
	Physical Collocation in the Remote Site - Space Availability Report		- 1	CLURS	PETRU	<del> </del>	23.28									
	per Premises Requested	1 1	1	CLORS	PEISH		223.91						1			
	Physical Collocation in the Remote Site - Remote Site CLLI Code		-	CLURS	PEISH		223.91									
	Request, per CtLI Code Requested			CLORS	PE1RE		73.39								1	
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PEIAR	· · · · · · · · · · · · · · · · · · ·	208.02					-				
	Physical Collocation - Security Escort for Basic Time - normally		$\vdash$	000,10		<del>                                     </del>	200.02									
	scheduled work, per half hour			CLORS	PE1BT		33.65	22.05		1						
												-				
	Physical Collocation - Security Escort for Overtime - outside of				1		33.65									
	Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per						33.65									
	Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour															
	normally scheduled working hours on a scheduled work day, per half hour Physical Collocation - Security Escort for Premium Time - outside			CLORS	PE1OT		44.63	28.89					-			
	normally scheduled working hours on a scheduled work day, per half hour Physical Collocation - Security Escort for Premium Time - outside						44.63	28.89					<u>.</u>			
Adjacer	normally scheduled working hours on a scheduled work day, per half hour Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour nt Remote Site Collocation			CLORS	PE1OT											
Adjacer	normally scheduled working hours on a scheduled work day, per half hour Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour			CLORS	PE1OT		44.63	28.89								
Adjacer	normally scheduled working hours on a scheduled work day, per half hour Physical Colocation - Security Escort for Premium Time - outside of scheduled work day, per half hour nt Remote Site Collocation Remote Site Adjacent Collocation-Application Fee			CLORS CLORS	PE1OT PE1PT PE1RU		44.63 55.62	28.89 35.73								-
Adjacer	normally scheduled working hours on a scheduled work day, per half hour Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour nt Remote Site Collocation			CLORS CLORS	PE1OT PE1PT	0.134	44.63 55.62	28.89 35.73								-
Adjacer	normally scheduled working hours on a scheduled work day, per half hour Physical Colocation - Security Escort for Premium Time - outside of scheduled work day, per half hour It Remote Site Collocation Remote Site-Adjacent Collocation-Application Fee Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS CLORS CLORS	PE1OT PE1PT PE1RU PE1RT		44.63 55.62	28.89 35.73								
Adjacer	normally scheduled working hours on a scheduled work day, per half hour Physical Colocation - Security Escort for Premium Time - outside of scheduled work day, per half hour nt Remote Site Collocation Remote Site Adjacent Collocation - Application Fee Remote Site-Adjacent Collocation - Real Estate, per square foot Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS CLORS CLORS CLORS	PE1PT PE1RU PE1RT PE1RS	6.27	44.63 55.62 755.62	28.89 35.73 755.62								
Adjacer NOTE:	normally scheduled working hours on a scheduled work day, per half hour  Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour  Remote Site Collocation  Remote Site-Adjacent Collocation-Application Fee  Remote Site-Adjacent Collocation - Real Estate, per square foot  Remote Site-Adjacent Collocation - AC Power, per breaker amp  If Security Escort and/or Add'l Engineering Fees become necess	sary for a		CLORS CLORS CLORS CLORS	PE1DT PE1PT PE1RU PE1RT PE1RS	6.27	44.63 55.62 755.62	28.89 35.73 755.62								
Adjacer NOTE: Virtual F	normally scheduled working hours on a scheduled work day, per half hour Physical Colocation - Security Escort for Premium Time - outside of scheduled work day, per half hour nt Remote Site Collocation Remote Site-Adjacent Collocation-Application Fee Remote Site-Adjacent Collocation - Real Estate, per square foot Remote Site-Adjacent Collocation - AC Power, per breaker amp ff scheduled Site-Adjacent Collocation - AC Power, per breaker amp ff security Escort and/or Add! Engineering Fees become necess Remote Site Collocation	sary for a	adjacen	CLORS CLORS CLORS CLORS CLORS CLORS t remote site colloca	PE1PT PE1RU PE1RT PE1RS tion, the Part	6.27	44.63 55.62 755.62	28.89 35.73 755.62								
Adjacer NOTE: Virtual F	normally scheduled working hours on a scheduled work day, per half hour  Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour  Remote Site Collocation  Remote Site-Adjacent Collocation-Application Fee  Remote Site-Adjacent Collocation - Real Estate, per square foot  Remote Site-Adjacent Collocation - AC Power, per breaker amp  If Security Escort and/or Add'l Engineering Fees become necess	sary for a	adjacen	CLORS CLORS CLORS CLORS	PE1DT PE1PT PE1RU PE1RT PE1RS	6.27	44.63 55.62 755.62	28.89 35.73 755.62	270.35							
Adjacer  NOTE: Virtual F	normally scheduled working hours on a scheduled work day, per half hour Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour in Remote Site Collocation Remote Site-Adjacent Collocation - Application Fee Remote Site-Adjacent Collocation - Real Estate, per square foot Remote Site-Adjacent Collocation - AC Power, per breaker amp if Security Escort and/or Add'l Engineering Fees become necess Remote Site Collocation Virtual Collocation in the Remote Site - Application Fee	sary for a	adjacen	CLORS CLORS CLORS CLORS CLORS CLORS t remote site colloca	PE1PT PE1RU PE1RT PE1RS tion, the Part	6.27 ies will negotlate	44.63 55.62 755.62	28.89 35.73 755.62	270.35							
Adjacer  NOTE: Virtual F	normally scheduled working hours on a scheduled work day, per half hour Physical Colocation - Security Escort for Premium Time - outside of scheduled work day, per half hour nt Remote Site Collocation Remote Site-Adjacent Collocation-Application Fee Remote Site-Adjacent Collocation - Real Estate, per square foot Remote Site-Adjacent Collocation - AC Power, per breaker amp ff Security Escort and/or Add! Engineering Fees become necess Remote Site Collocation in the Remote Site - Application Fee Virtual Collocation in the Remote Site - Per Bay/Rack of Space	sary for a	adjacen	CLORS CLORS CLORS CLORS CLORS CLORS t remote site colloca	PE1PT PE1RU PE1RT PE1RS tion, the Part	6.27	44.63 55.62 755.62	28.89 35.73 755.62	270.35							
Adjacer NOTE: Virtual	normally scheduled working hours on a scheduled work day, per half hour Physical Colocation - Security Escort for Premium Time - outside of scheduled work day, per half hour Remote Site Collocation Remote Site-Adjacent Collocation-Application Fee Remote Site-Adjacent Collocation - Real Estate, per square foot Remote Site-Adjacent Collocation - AC Power, per breaker amp If Security Escort and/or Add't Engineering Fees become necess Remote Site Collocation Virtual Collocation the Remote Site - Application Fee Virtual Collocation in the Remote Site - Per Bay/Rack of Space Virtual Collocation in the Remote Site - Space Availability Report	sary for a	adjacen	CLORS CLORS CLORS CLORS CLORS t remote site colloca VETRS	PE1PT PE1RU PE1RT PE1RS tion, the Part VE1R8	6.27 ies will negotlate	44 63 55.62 755.62 3 appropriate ra	28.89 35.73 755.62	270.35							
Adjacer  NOTE:  Virtual F	normally scheduled working hours on a scheduled work day, per half hour Physical Colocation - Security Escort for Premium Time - outside of scheduled work day, per half hour nt Remote Site Collocation Remote Site-Adjacent Collocation-Application Fee Remote Site-Adjacent Collocation - Real Estate, per square foot Remote Site-Adjacent Collocation - AC Power, per breaker amp ff Security Escort and/or Add! Engineering Fees become necess Remote Site Collocation in the Remote Site - Application Fee Virtual Collocation in the Remote Site - Per Bay/Rack of Space	sary for a	adjacen	CLORS CLORS CLORS CLORS CLORS CLORS t remote site colloca	PE1PT PE1RU PE1RT PE1RS tion, the Part	6.27 ies will negotlate	44.63 55.62 755.62	28.89 35.73 755.62	270.35							

COLLO	CAT	ION - Florida										-		Att: 4 Exh: B			
CATEGO	RY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
			<del> </del>					Nonrec	υπino	Nonrecurring	Disconnect	<del>                                     </del>	1	oss	Rates(\$)		
			<del> </del>	!			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ADJACEN	IT CC	LLOCATION					1.					]		1			
77.77		Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PË1JA	0.1666					1					
		Adjacent Collocation · Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	4.62										
		Adjacent Collocation - 2-Wire Cross-Connects			UEANL,UEQ,UEA,U CL, UAL, UHL, UDN	PE1JE	0.0194	7.32	5.37		2.71			 			
		Adjacent Collocation - 4-Wire Cross-Connects			UEA,UHL,UDL,UCL	PE1JF	0.0388	8.00	5.75	5.00	2.69				[		
		Adjacent Collocation - DS1 Cross-Connects			USL	PE1JG	0.3708	7.88	6.26		0.9915		T_:.				
		Adjacent Collocation - DS3 Cross-Connects			UE3	PE1JH	4.14	32.40	31.03		10.98						
		Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1JJ	1.70	28.26	25.85	13.78	11.01		Γ				
		Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1JK	3.33	37.92	35.51	18.20	15.44						
		Adjacent Collocation - Application Fee		1	CLOAC	PE1JB		2,763.00		1.02							
		Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp		<u></u>	CLOAC	PEIJL	5.26										
		Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1JM	10.53										
		Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1JN	15.80										
		Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1JO	36.47										
		Adjacent Collocation - Cable Support Structure per Entrance Cable	,		CLOAC	PE1JP	5.19										

OOLLOOM	ION - Georgia												Att: 4 Exh: B			,
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs Electronic Disc Add
						Rec	Nonre		Nonrecurring					Rates(\$)		
		ļ	ļ			1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
HYSICAL CO	LI CONTION	<del> </del>														
Applica		L	لـــــا						<u> </u>							L
Арріка	Physical Collocation - Initial Application Fee			CLO	PE1BA		1,284.72		0.59	•	T "1			· · · · · · · · · · · · · · · · · · ·		
	Physical Collocation - Subsequent Application Fee	· · · · · · · · · · · · · · · · · · ·		CLO	PE1CA		1.084.41		0.59		<del>1 - 1</del>					<del> </del>
	Physical Collocation - Co-Carrier Cross Connects/Direct Connect,															
	Application Fee, per application			CLO	PE1DT		583.18									
	Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		740.83									
	Physical Collocation - Application Cost, Simple Augment	<u> </u>		CLO	PE1KS		594.05		1.21	-						
	Physical Collocation - Application Cost, Minor Augment			CLO	PE1KM		832.95		1.21		1					
	Physical Collocation - Application Cost, Intermediate Augment	1		CLO	PE1K1		1,057.00		1.21		1 1			<b></b>		<u> </u>
<del></del> _	Physical Collocation - Application Cost - Major Augment			CLO	PE1KJ	<u></u>	2,408.00		1.21		!					<u> </u>
Space	Preparation Physical Collocation - Floor Space, per sq feet	1		ÇLO	PE1PJ	4.71			Ţ		1 1			· · · · · · · · · · · · · · · · · · ·		
	Physical Collocation - Floor Space, per sq feet  Physical Collocation - Space Enclosure, welded wire, first 50	<b></b>	$\vdash$	520	FEIFU	4.71			1	· · · · · · · · · · · · · · · · · · ·	<del> </del>					
	square feet			CLO	PE1BX	144.71					1			i İ		
	Physical Collocation - Space enclosure, welded wire, first 100	1	$\vdash$	<u> </u>	LIDA	144.71			<del>                                     </del>		<del>                                     </del>					<u> </u>
	square feet		1 1	CLO	PE1BW	167.00					1 1			ı		ļ
	Physical Collocation - Space enclosure, welded wire, each	<del>                                     </del>				107.00					<del>                                     </del>					<del>}                                    </del>
	additional 50 square feet		l i	CLO	PE1CW	16.38								ı		
	Physical Collocation - Space Preparation - C.O. Modification per									•	1 1					
	square ft.		L I	CLO	PE1SK	2.10										
	Physical Collocation - Space Preparation, Common Systems							•								"
	Modifications-Cageless, per square foot			CLO	PE1SL	2.27										
	Physical Collocation - Space Preparation - Common Systems											-				
	Modifications-Caged, per cage	ļ		CLO	PE1SM	77.24										
}		]	1 1		1	]					1			ı		
	Physical Collocation - Space Preparation - Firm Order Processing	<u> </u>	ļ	CLO	PE1SJ		140.96				<del>   </del>					
ı	Physical Collocation - Space Availability Report, per Central Office			CLO							1 1			ı		
Power	Requested	└──	J	CLO	PE1SR		248.50		ا ا							L
Power	Physical Collocation - Power, -48V DC Power - per Fused Amp	T	,						T							
	Requested		1	CLO	PE1PL	4.84										
-+-	Physical Collocation - Power, 120V AC Power, Single Phase, per	<b></b>	1	OLO .	/ = 17 =	4.04					<del>                                     </del>	-				
	Breaker Amp		l i	ÇLO	PE1FB	5.16										
<del></del>	Physical Collocation - Power, 240V AC Power, Single Phase, per		1	<b>V</b> LU		0.10			<del> </del>		<del> </del>					
	Breaker Amp	{		CLO	PE1FD	10.34					1 1	' I		. 1		l
	Physical Collocation - Power, 120V AC Power, Three Phase, per		1 1						1 1		1					
	Breaker Amp	l		CLO	PE1FE	15.50					1			. 1	i	
	Physical Collocation - Power, 277V AC Power, Three Phase, per													, <del></del>		
	Breaker Amp			CLO	PE1FG	35.79					<u> </u>					
	Physical Collocation - Power - DC power using a CLEC 8DFB, per	1	ļŢ						1		I			,		
	Used Amp	<b></b>	$\vdash \vdash$	CLO	PEIPW	6.45					<del>   </del>					ļ
l	Physical Collocation - Power, -48V DC Power using a CLEC	1		010	BE4BY				]		1 7					1
	8DFB - per Fused Amp Requested	<del> </del>		CLO	PE1PX	4.31					+					
	Physical Collocation-Physical Meter Reading Expense	<del> </del>			PE1FL PE1FN	5.00			<del>                                     </del>		+			,———		
-+-	Physical Collocation - Power - DC power, per Used Amp Physical Collocation-Additional Meter Reading Trip Charge, per	<del> </del>	$\vdash$	OLO .	FEIFN	7.24			<del>                                     </del>		+					
	Central Office per Occurrence			CLO	PE1FM		15.00							, 1	l	
Cross	Connects (Cross Connects, Co-Carrier Cross Connects, and Po	rts)		000	1	1	13.00	·	ا., .				l			·
		Ι΄		UEANL,UEQ,		I			1		7					
		1		UNCNX, UEA, UCL,					1		1			I		
		1		UAL, UHL, UDN,							1 1	ļ	ł	[	l	
	Physical Collocation - 2-wire cross-connect, loop, provisioning	ļ	LI	UNCVX	PE1P2	0.0202			J		<u>11</u>					
				UEA, UHL, UNCVX,							[ T					
	Physical Collocation - 4-wire cross-connect, loop, provisioning		$\vdash$	UNCDX, UCL, UDL	PE†P4	0.0403					<del> </del>					L
		1		WDS1L, WDS1S.												
1		1		UXTD1, ULDD1,	1	l l	I.		1		1		ì	. 1	ì	
				USLEL, UNLD1, U1TD1, UNC1X,					1 1					, 1	l	
									1 1		1					l
												. !		,	l l	
				UEPSR, UEPSB.										' <u> </u>		
	Physical Collocation -DS1 Cross-Connect for Physical															

		1	7	1	·								Att: 4 Exh: E			
CATEGO	RY RATE ELEMENTS	Interin	Zone	BCS	Usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incrementa Charge - Manual Svo Order vs.	Charge - Manual Syc Order vs.	Charge - Manual Svc Order vs.	Charg Manual Order
			-	<del>                                     </del>	<del></del>	-	T		,		1	}	Electronic- 1st	Electronic-	Electronic- Disc 1st	Electron Disc Ad
$\neg$						Rec	First	ecurring Add'I	Nonrecurring			·	OSS	Rates(\$)		
			1	UE3, U1TD3,				Addi	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
		1	1	UXTD3, UXTS1,	1	1					1	1 1				0000
Į		1	ı	UNC3X, UNCSX, ULDD3, U1TS1,	1	1					1	i I				
- 1		ſ	ĺ	ULDS1, UNLD3,	1	1	1	ļ	1	J	J			1 1		
		1	l	UEPEX. UEPDX			1	1	!		1	I [		1 1	' '	
1	Physical Collocation - DS3 Cross-Connect, provisioning	1		UEPSR, UEPSB.	1				İ	1		!		i l	}	
	7 Trysical Collocation - DS3 Cross-Connect, provisioning	<u> </u>		UEPSE, UEPSP	PE1P3	4.15		1			1	i I		l (	ł	
				CLO, ULDO3.		4:13	<del> </del>	+		<u> </u>						
- }	1	ļ		ULD12, ULD48,	1	1		1						-		
	\	i l		U1TO3, U1T12,	1	(	1	ł	}	ļ	, ;	j j				
	Physical Collocation - 2-Fiber Cross-Connect			U1T48, UDLO3, UDL12, UDF	DE 4 50	1	1							[	- 1	
				ULDO3, ULD12,	PE1F2	1.76					!	!				
				ULD48, U1TO3.	ì											
- 1				U1T12, U1T48.	1			1			!	!		1	ĺ	
	Physical Collocation - 4-Fiber Cross-Connect	1 1		UDLO3, UDL12,	1 .	J	J	1	İ		İ	1		- 1		
				UDF, UDFCX	PE1F4	3.38		[	(		1	- 1	- 1	- 1	ļ	
	Physical Collocation - Co-Carrier Cross Connects/Direct Connect -		- 1													
	Fiber Cable Support Structure, per linear foot, per cable.		ı.													
				Cro	PE1ES	0.001					i	- 1	ľ		!	
- }	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -					1							~			
_	Copper/Coax Cable Support Structure, per linear foot, per cable.	' 1	- 1	CLO	PE1DS			! !	l J							
- 1				JEPSR, UEPSP.	PEIDS	0.0015				4	ſ	ſ	- 1	1	- 1	
i	Physical Callegation 2 Mills of	- 1		JEPSE, UEPSB.	1 1								$\overline{}$			
	Physical Collocation 2-Wire Cross Connect, Port Physical Collocation 4-Wire Cross Connect, Port		1	JEPSX, UEP2C	PE1R2	0.0202	i					i				
Sec	urky			JEPEX, UEPDD	PE1R4	0.0403										
ſ	Physical Collocation - Security Escort for Basic Time - normally		_													
—	pocioculos work, per nair nour		l.	CLO	PEIBT											
ļ	Physical Collocation - Security Escort for Overtime - outside of		_		PEIBL		16.51	10.82	i	!						
ſ	normally scheduled working hours on a scheduled work day, per half hour					1										
<del></del>	Physical Collocation - Security Escort for Premium Time - outside		0	LO	PE1OT	1	21.90			i		1	- 1			
- 1	of scheduled work day, per half hour		Г				21.90	14.17					- 1		- 1	
	Physical Collocation - Security Access System - Security System	$\rightarrow$	(C	LO	PEIPT	- 1	27.29	17.53	- 1	J						
	The Central Office, per Sa. Ft.							17.33				[_	(	- (	ľ	
	Physical Collocation -Security Access System - Now Cord	$\rightarrow$	<u> </u>	LO	PE1AY	0.011		1								
	Inclivation, per Card Activation (Firet), oar State		10	LO	PE1A1											
	Physical Collocation - Security Access System - New Access Card	-	٦		PE1A1		21.98			ļ		1	- 1			
─-{	Deactivation, per Card	- 1	lo	LO	PE1A4	1										
ł	Physical Collegation Security Assess Co.				1 5 1 5 4		8.72	8.72			1	- 1	Į.			
1	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card					İ		- 1				$\overline{}$	<del></del>		-	
T	Physical Collocation - Security Access System - Replace Lost or	-+	ÇI		PE1AA		5.37	- 1				-		- 1	- 1	
				_			3.57								- 1	
-	Physical Collocation - Security Access - Initial Key per Key		CL	.0	PE1AR		16.99									
	Priysical Collocation - Security Access - Key Dentage Lock of	<del></del>		.0	PETAK		13.19			<del></del>					†	
CFA	Stolen Key, per Key		ÇL	_	PE1AL						-					
UFA.	I Dhysical College College		100		FEIAL		13.19			1			ſ	İ		
	Physical Collocation - CFA Information Resend Request, per		$\neg$													
Cable	premises, per arrangement, per request  Records - Note: The rates in the First & Addition		<u> </u> cl	.0	PE1C9		77.42							<del></del>		
1	Records - Note: The rates in the First & Additional columns will act  Physical Collocation - Cable Records, per request	ally be b	liled as	"Initial I" and "Sub	sequent 5" res	spectively	11.42							ı		
	Physical Collocation, Cable Records, VG/DS0 Cable, occapile	<del></del>	ÇL.	0 7	PE1CR	1	742.92 S	477.59	125.63							
-	record (maximum 3600 records)		<sub>C</sub> ,						125.63							
1	Physical Collocation, Cable Records, VG/DS0 Cable, per each		CL	·	PE1CD		317.29		177.60	- 1		-	1			
+			CL	, l.	PE1CO				1.7.00		+					
	Physical Collocation, Cable Records, DS1, per T1 TIE		CL		PE1CO PE1C1		4.47		5.29	j						
1	Physical Collocation, Cable Records, DS3, per 13 TIE Physical Collocation - Cable Records, Fiber Cable, per cable		Č	<del></del>	PE1C3		2.22 7.76		2.62				<del></del>			
+	If the Calle Gold Calle Hecomic Fiber Calle and all the	$\overline{}$	7-5		<u></u>		7.76		9.16			<del></del>				
+	record (maximum 99 records)		- 1													
	record (maximum 99 records)  Physical Collocation, Cable Records, CAT5/RJ45		CL		PE1CB		83.37		73.49							

COLLO	CATI	ON - Georgia												Att: 4 Exh: B			
ATEGO		RATE ELEMENTS	interim	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	increment Charge Manual Sy Order vs Electronic Disc Add
							Rec	Nonre		Nonrecurring					Rates(\$)		
				L		1		First	Add'l	First	AddT	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		o Physical		,						, <u></u>							,
ł		Physical Collocation - Virtual to Physical Collocation Relocation, per Voice Grade Circuit		1	СГО	PE1BV	1	33.00		ĺ .		1 .		i		}	
-		Physical Collocation - Virtual to Physical Collocation Relocation.				1.2.01		30.00			<del></del>	+					<del></del>
Į.		per DSO Circuit	ļ	\	cro _	PEIBO	\\	33.00		· '	\	]	١	)	1	ì	Ì
		Physical Collocation - Virtual to Physical Collocation Relocation,				[									I		
		per DS1 Circuit		Ļ	CLO	PE1B1	<u> </u>	52.00		<b></b>	<u></u>	ļ		<u> </u>			
		Physical Collocation - Virtual to Physical Collocation Relocation, per DS3 Circuit			cro	PE183	li	52.00									
-		Physical Collocation - Virtual to Physical Collocation In-Place, Per		$\vdash$	CLO	FE103		52.00				<del>                                     </del>				<del>-</del>	
		Voice Grade Circuit		l	CLO	PE1BR		22.59		1					•		
		Physical Collocation Virtual to Physical Collocation In-Place, Per															
		DSO Circuit			CLO	PE1BP	L,	22.59									
		Physical Collocation - Virtual to Physical Collocation In-Place, Per	1	1										]			
		DS1 Circuit	<u> </u>	├	CLO	PE1BS	<del> </del>	32.85		<del> </del>	-			-			
		Physical Collocation - Virtual to Physical Collocation In-Place, per DS3 Circuit			CLO	PE1BE		32.85							ļ		
F		e Cable	1		1023	J. C. 10 C	<del></del>	32.00		<del>_</del>	<del></del>	<u> </u>		<u> </u>	L		L
<del> </del>		Physical Collocation - Fiber Cable Installation, Pricing, non-		Г						T				· · ·			T
		recurring charge, per Entrance Cable		<u> </u>	CLO	PE1BD		736.20		21.49							_
		Physical Collocation - Fiber Cable Support Structure, per Entrance		Γ													
		Cable	<b></b>	<b>↓</b> _	cro	PE1PM	7.37			<u> </u>	<del></del>	<del>                                     </del>		<b></b>			
		Physical Collocation, Entrance Cable Support Structure, Copper,								1				ļ	ł		
		per each 100 pairs or fraction thereof (CO Manhole to Collocation Space)			CLO	PE1EE	0.2686			[							
		Physical Collocation, Entrance Cable Installation, Copper, per	·	<del></del>	1000	1 2.22	0.2000			<del> </del>		<del>                                     </del>				<del></del>	-
- 1		Cable (CO Manhole to Collocation Space)	1		CLO	PETEF	li	754.41		21.49							
		Physical Collocation, Entrance Cable Installation, Copper, per each	1			L		_									
		100 pairs or fraction thereof (CO Manhole to Collocation Space)	<b>↓</b>	<b>├</b> ─	CLO	PE1EG		9.11		<del></del>				-			
		Physical Collocation - Fiber Entrance Cable Installation, per Fiber		1	CLO	PETED		3.90		1		j l					ļ
/IRTUAL		OCATION	† ·	├	020	1 2120	_	3.30		<del> </del>	<del></del>	<del> </del>	-				
	pplicat		•				<u> </u>										
		Virtual Collocation - Application Fee	Ι		AMTFS	EAF		608.92		0.59							
		Virtual Collocation - Co-Carrier Cross Connects/Direct Connect,		T		]											
		Application Fee, per application		<u> </u>	AMTES	VEICA		583.18		<u> </u>	<b>_</b>	ļ					
		Virtual Collocation Administrative Only - Application Fee	L	ــــــــــــــــــــــــــــــــــــــ	AMTFS	VE1AF		609.52		<u> </u>		ــــــــــــــــــــــــــــــــــــــ					
3.		Virtual Collocation - Floor Space, per sq. ft.		т—	AMTES	ESPVX	4.71			T		T					
P	ower	Vittor Collection - Floor Space, por Sq. 12			17.00770	1201 177	1	-				<u> </u>					
		Virtual Collocation - Power, per fused amp	L	Т	AMTFS	ESPAX	4.84					! "-					
С		onnects (Cross Connects, Co-Carrier Cross Connects, and Po-	rts)														
					UEANL, UEA, UDN.	,											
					UAL, UHL, UCL,					1							
		Virtual Collocation - 2-wire cross-connect, loop, provisioning			UEQ, UNCVX, UNCDX, UNCNX	UEAC2	0.0192			1							
<del>-</del> +		Villagi Collocation • 2-wife closs-confect, loop, plovisioning	1	<del> </del>	UEA, UHL, UCL,	TOUR DE	G.013E					<del>                                     </del>					
	ļ				UDL, UNCVX,												
	[	Virtual Collocation - 4-wire cross-connect, loop, provisioning			UNCDX	UEAC4	0.0385										
T					ULR, UXTD1,												
				]	UNC1X, ULDD1,					j				'			
- 1	i	Mid-ul cellocation. Consid Senons & LINE group			U1TD1, USLEL,						İ					!	
- 1		Virtual collocation - Special Access & UNE, cross-connect per DS1			UNLD1, USL, UEPEX, UEPDX	CNC1X	0.3807					1				İ	
		<u> </u>	<del>                                     </del>	<del></del>	USL, UE3, U1TD3.	1511517	5.5307			<del> </del>	-	<del>                                     </del>					
- 1	\ \ \		1	1	UXTS1, UXTD3,	1		· ·									
					UNC3X, UNCSX,	1											
Į					ULDD3, U1TS1,	1		j		]			ļ		i		
- 1		Virtual collocation - Special Access & UNE, cross-connect per	1		ULDS1, UDLSX,	ON PON						] [	j			j	
	- 1	DS3	1		UNLD3, XDEST	CND3X	4.15			.1		1					l .

ULLUCAT	ION - Georgia	,											Att: 4 Exh: B			
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs, Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order v Electron Disc Ad
		<del></del>	_			Rec	Nonre	curring	Nonrecurring					Rates(\$)		
<del></del>		-	-		ļ. —	_	First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	Virtual Collocation - 2-Fiber Cross Connects	<u></u>		UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF	CNC2F	1.76										 
	Virtual Collocation - 4-Fiber Cross Connects	:		UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF	CNC4F	3.53						İ				
	The constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant o			OLD12, OLD46, ODF	GIACAF	3.53										-
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable			AMTFS	VE1CB	0.001										
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Copper/Coax Cable Support Structure, per linear foot, per cable			AMTES UEPSX, UEPSB.	VE1CD	0.0015										
	Virtual Collocation 2-Wire Cross Connect, Port Virtual Collocation 4-Wire Cross Connect, Port			UEPSE, UEPSP. UEPSA, UEP2C	VE1R2	0.0192										
CFA	Ivinual Collocation 4-Wire Cross Connect, Port			UEPDD, UEPEX	VE1R4	0.0385										
	Virtual Collocation - CFA Information Resend Request, per															
	Premises, per Arrangement, per request		نــــبـا	AMTFS	VE1QR		77.42				<b>i</b> I					
Cable R	tecords - Note: The rates in the First & Additional columns will a	ctually b	e billed	as "Initial I" & "Subs	equent S" res											
$\dashv$	Virtual Collocation Cable Records - per request Virtual Collocation Cable Records - VG/DS0 Cable, per cable			AMTES	VE1BA		742.92	S 477.59	125.63							
	Virtual Collocation Cable Records VG/DS0 Cable, per cable  Virtual Collocation Cable Records VG/DS0 Cable, per each 100			AMTFS	VE1BB		317.29		177.60							
	pair			AMTFS	VE1BC		4.47		5 29			[				l
	Virtual Collocation Cable Records - DS1, per T1TIE				VE1BD		2.22		2.62							
	Virtual Collocation Cable Records - DS3, per T3TIE Virtual Collocation Cable Records - Fiber Cable, per 99 fiber				VE1BÉ		7.76		9.18							_
	records			AMTFS	VE1BF		83.37		73.49							
Security	Virtual Collocation Cable Records - CAT 5/RJ45			AMTES	VE1B5		2.22		2.62							
	Virtual collocation - Security escort, basic time, normally scheduled						_									
	Work hours  Virtual collocation - Security ascort, overtime, outside of normally		_	AMTFS	SPTBX		16.51	10.82								
	Scheduled work hours on a normal working day  Virtual collocation - Security escort, premium time, outside of a			AMTFS	SPTOX		21.90	14.17								
	scheduled work day			AMTFS	SPTPX	l	27.29	17.53							_	
	Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS	CTRLX		20.60	10.82								
7	Virtual collocation - Maintenance in CO - Overtime, per half hour				SPTOM		26.52				-					
	Virtual collocation - Maintenance in CO - Premium per half hour				SPTPM		<u>35.41</u> 44.30	14.17								
	e Cable			ZMITTO .	OF IEW		44.30	17,53								
	Virtual Collocation - Cable Installation Charge, per cable				ESPCX		736.20		21.49							
	Virtual Collocation - Cable Support Structure, per cable				ESPSX	7.74										
	Virtual Collocation, Entrance Cable Support Structure, Copper, per															
7	each 100 pairs or fraction thereof (CO Manhole to Frame) Virtual Collocation, Entrance Cable Installation, Copper, per Cable (CO Manhole to Frame)		_		VE1EE	0,235										
	Virtual Collocation, Entrance Cable Installation, Copper, per each 100 pairs or fraction thereof (CO Manhole to Frame)			AMTES	VE1EF VE1EG		754.41 9.11		21.49							
LLOCATION	IN THE REMOTE SITE			Aur. G	· CIEG		9.11									
	Remote Site Collocation															
	Physical Collocation in the Remote Site - Application Fee Cabinet Space in the Remote Site per Bay/ Rack				PE1RA PEIRB	148.11	300.31		132.49							
	Physical Collocation in the Remote Site - Security Access - Key				PE1BD	-	13.19									

COL	LOCAT	ION - Georgia												Att: 4 Exh: B			
CATE	GORY	RATE ELEMENTS	luterim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual Sy Order vs Electronic Disc Add
	+		<u> </u>	<u> </u>			Rec	Nonrec	urting	Nonrecurring	Disconnect			OSS	Rates(\$)		
	+			_				First	Add'I_	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Physical Collocation in the Remote Site - Space Availability Report per Premises Requested	<u> </u>		CLORS	PE1SR		109.83	_								
	_L	Physical Coffocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested			CLORS	PEIRE	Ll	36.00							i I		1
		Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1AR		116.71				<del> </del>					
		Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour			CLORS	PE1BT		16.51	10.82	,			,				
		Physical Collocation - Security Escon for Overtime - outside of normally scheduled working hours on a scheduled work day, per															
	+	half hour	ļ	<b>!</b>	CLORS	PE10T	<u> </u>	21.90	14.17					<u> </u>		i	L
	1	Physical Collocation - Security Escont for Premium Time - outside of scheduled work day, per half hour	]		el one												
_		of scrieduled work day, per half hour  Remote Site Collocation	<u> </u>		CLORS	PEIPT		27.29	17.53		L	<u> </u>			L	L	
		Remote Site Collocation Remote Site-Adjacent Collocation-Application Fee	·	· -	o one	lne	<del>,</del>										
-	<del> </del>	vierrate arre-walaceut Conocation-Application Fee	<b>├</b> ──	ļ	CLORS	PETRU	<b></b>	755.62	755.62								
	ļ	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PEIRT	0.134			L		<u> </u>					
	ìi	Remote Site-Adjacent Collocation - AC Power, per breaker amp		l i	CLORS		ii	ļ									
	NOTE	If Security Escont and/or Add't Engineering Fees become necess		4	CLURS	PE1RS	6.27					L			L		<b></b>
_	Virtual B	Remote Site Collocation	sary ror	Hojacen	it remote site colloca	tion, the Part	ies will negotiate	appropriate ra	tes.								
		Virtual Collocation in the Remote Site - Application Fee			VE18S	VE1RB	т — т				<del></del>	<del></del>					
_	1	The solution to the sale of the Approximation	<del> </del> -	<del>  </del>	VEINS	VEIND	<del> </del>	300.31		132.49		<del> </del>			<del></del>		<del></del>
_		Virtual Collocation in the Remote Site - Per Bay/Rack of Space Virtual Collocation in the Remote Site - Space Availability Report	<b></b>		VE1RS	VE1RC_	148.11										
		per Premises requested Virtual Collocation in the Remote Site - Remote Site CLU Code		<u> </u>	VE1RS	VEIRR	<u>  </u>	109.83									L
	1	Request, per CLLI Code Requested		1 1	VE1RS	VE1RL	i i	36.00									(
JAC	ENT CO	LLOCATION					<del></del>					<del></del>		· · · · · · · · · · · · · · · · · · ·			
		Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.1725										
		Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	4.12										
	1	Adjacent Collocation - 2-Wire Cross-Connects			UEANL,UEO,UEA,U	DE	ĺĺ										
	$\vdash$	Adjacent Collocation - 4-Wire Cross-Connects	<del> </del>		CL. UAL, UHL, UDN UEA,UHL, UDL, UCL		0.0176					<del>  </del>		<u>-</u>		ļ	<del></del>
		Adjacent Collocation - 4-14 Cross-Connects	├			PE1JG	0.0353				<u> </u>	<del>  _  </del>					<b>/</b>
		Adjacent Collocation - DS3 Cross-Connects				PEIJH	4.83					<del>                                     </del>					
		Adjacent Collocation - 2-Fiber Cross-Connect				PEIJJ	1.69					<del> </del>			ļ	<del></del>	
		Adjacent Collocation - 4-Fiber Cross-Connect	<del>                                     </del>			PE1JK	3.31				<del></del>	<del> </del>					
		Adjacent Collocation - Application Fee	$\vdash$			PE 1JB	3.31	1,380.83		0.50		<del> </del>					
		Adjacent Collocation - 120V, Single Phase Standby Power Rate			OLD TO	E 150	<del> </del>	.360.03		0.50		<del>1 - 1</del>		<del></del>	<del></del>		
		per AC Breaker Amp Adjacent Collocation - 240V, Single Phase Standby Power Rate	ļ		CLOAC	PE1JL	5.16										
	Li	per AC Breaker Amp Adjacent Collocation - 120V. Three Phase Standby Power Rate			CLOAC	PE1JM	10,34			<u> </u>							
		Adjacent Colocation - 120V. Three Phase Standby Power Rate  Adjacent Colocation - 277V. Three Phase Standby Power Rate	L		CLOAC	PE1JN	15.50				<u> </u>						
	<u>1.                                      </u>	per AC Breaker Amp			CLOAC	PE1JO	35.79										
		Adjacent Collocation - 240V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1JD	35.79					1					

JULLULA	TION - Kentucky		-										Att: 4 Exh: B			
ATEGORY	RATE ELEMENTS	interim	Zone	BCS	usoc			RATES(\$)				Svc Order	incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual Sy Order vs Electronic Disc Add
<del></del>	<del></del>	<u> </u>	_		<del> </del>	Rec	Nanrec		Nonrecurring					Rates(\$)		
<del></del>			-	<del></del>			First	Add't	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
HYSICAL CO	DLLOCATION		<del> </del>	<del></del>	<del> </del>											
Applic			<u> </u>	L							L	L				
17.	Physical Collocation - Initial Application Fee		7	CLO	PE18A		3,773.54		1.01							
	Physical Collocation - Subsequent Application Fee		_	CLO	PE1CA		3,145.35		1.01		-					
	Physical Collocation - Co-Carrier Cross Connects/Direct Connect.				5.0		3,143.03		1.01		<del> </del> -					
	Application Fee, per application		l	Cro	PE1DT		584.20		1 i		]			l j		1
	Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		742.12		<del></del>		-					
-	Physical Collocation - Application Cost, Simple Augment		L.	CLO	PE1KS		594.98		1,21							
	Physical Collocation - Application Cost, Minor Augment			CLO	PE1KM		834.26		1.21							
	Physical Collocation - Application Cost, Intermediate Augment	_	_	CLO	PE1K1		1,059.00		1.21							
	Physical Collocation - Application Cost - Major Augment			CLO	PE1KJ		2,412.00		1.21							
> pace	Preparation			0.10												
	Physical Collocation - Floor Space, per sq feet		_	CLO	PE1PJ	7.99										
1	Physical Collocation - Space Enclosure, welded wire, first 50 square feet			0.0	2545		T									
	Physical Collocation - Space enclosure, welded wire, first 100	<del>-</del>	ļ	CLO	PE18X	166.83										
1	square feet			CLO	n=40,4/		1									
	Physical Collocation - Space enclosure, welded wire, each			CLO	PE1BW	184.97										
	additional 50 square feet	İ	1	CLO	PE1CW	18.14					l 1					1
	Physical Collocation - Space Preparation - C.O. Modification per			OLO	ILE ICAA	18.14			<del>- 1</del>							
1	square ft.			CLO	PE1SK	2.32					i	i	- 1			i
	Physical Collocation - Space Preparation, Common Systems				- CIGIC	2.32										
	Modifications-Cageless, per square foot			CLO	PE1SL	3.26	i		1 1		1					i
	Physical Collocation - Space Preparation - Common Systems		_		I THE	3.20										
	Modifications-Caged, per cage			CLO	PE1SM	110.57	1					ı			1	i
	Physical Collocation - Space Preparation - Firm Order Processing			CLO	PE1\$J		1,206.07		!		- 1			i		i
	Physical Collocation - Space Availability Report, per Central Office						-									
	Requested			CLO	PEISR		2,158.67							Į.		
Power																
	Physical Collocation - Power, 48V DC Power - per Fused Amp			<b>a</b> . •												
	Requested Physical Collocation - Power, 120V AC Power, Single Phase, per			<u>clo</u>	PEIPL	8.06										
ĺ	Breaker Amp		' I	01.0	nr.en											
	Physical Collocation - Power, 240V AC Power, Single Phase, per			CLO	PE1FB	5.44							-			
	Breaker Amp			CLO	PE1FD	40.00	1		i			1				
	Physical Collocation - Power, 120V AC Power, Three Phase, per			CLO	PETED	10.88	<del></del>									
ì	Breaker Amp	ſ		clo	PE1FE	16.32						- 1			ĺ	
	Physical Collocation - Power, 277V AC Power, Three Phase, per		_		7 2 11 6	10.32										
	Breaker Amp	- 1		CLO	PE1FG	37.68	- 1			i	- 1		- 1	1		
Cross	Connects (Cross Connects, Co-Carrier Cross Connects, and Port	s)			<u> </u>	000										
				UEANLUEQ.	T						т-			· · · · ·		
				UNCNX, UEA. UCL.	, l		- 1				i		ı	- 1		
	la	- 1	-	UAL, UHL, UDN,	i 1	- 1	l			- 1	- 1	1	[		1	
	Physical Collocation - 2-wire cross-connect, loop, provisioning			UNCVX	PE1P2	0.0333	24.68	23.88	12.14	10.95				- 1	ì	
(	Charles Collegation Automate	7		UEA, UHL, UNCVX.	IT											
	Physical Collocation - 4-wire cross-connect, loop, provisioning			UNCDX, UCL, UDL	PE1P4	0.0665	24.88	23.82	12.77	11.46						
	1	- 1		WDS1L, WDS1S,												
İ		}		UXTO1, ULDD1. USLEL, UNLD1.	j l	J	J		ļ	,	1	}	1	ł	1	
1	(	ĺ		USLEL, UNLD1, U1TD1, UNC1X,	[ [			j		I		- 1			1	
	1	- 1		UTTOT, UNGTX, JEPSR. UEPSB.			- 1		- 1	i	1	-				
1		ļ		UEPSE, UEPSP.			- 1	I		I	- 1		I	1	}	
	Physical Collocation -DS1 Cross-Connect for Physical	j		USL, UEPEX,	1 J	ļ	}	1	1	1	1	1	1	ł	i	
	Collocation, provisioning	- 1			PE1P1	1.48	44.23	31,98	12.81	11.57				1		
		-		UE3, U1TD3.		7.40	44.20	31,38	10.51	11.5/			<del></del> -			
		İ	ł	UXTD3, UXTS1,		1				ļ	1	İ		- 1		
	]		J	UNC3X, UNCSX,	]	ŀ	1	j	j	I	ł	- }	1	}	}	
	1	- (	- 1	JLDD3, U1TS1,	[	1	- 1	- 1	ļ					i	ļ	
		i		JLDS1, UNLD3,		- 1						i	1	- 1	ĺ	
		- 1		JEPEX, UEPDX,		!	1	İ	i	i				1		
	Number of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the stat	- 1		JEPSR, UEPSB,	1	- 1	1	- 1	J	J	J		J	1	)	
	Physical Collocation - DS3 Cross-Connect, provisioning	- 1	- I	JEPSE, UEPSP	PE1P3	18.89	41.93	30.51	14.75	11.83	f	- 1		- 1	1	

			T	1	<del></del>								Att: 4 Exh; B			
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Orde Submitter Elec per LSR	Svc Orde Submitted Manually per LSR	Incremental Charge	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increme Charge Manual : Order v Electror Disc Ad
<del></del>	<del> </del>				<del></del>	Rec	First	curring	Nonrecurring	Disconnect			088	Rates(\$)	L	
	i			CLO, ULDO3,		<del>                                       </del>	FHBL	Addi	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAI
<u> </u>	Physical Colocation - 2-Fiber Cross-Connect			ULD12, ULD48, U1T03, U1T12, U1T48, UDL03, UDL12, UDF ULD03, ULD12,	PE1F2	3.75	41.93	30.51	14.76	11.84					COMPAN	SUMA
	Discount Cally and a fill			ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12,									-			
	Physical Collocation - 4-Fiber Cross-Connect			UDF, UDFCX	PE1F4	6.65	51.29	39.87	1					Į.		
-	Physical Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable.			CLO	PE1ES	0.0012	31.20	39.87	19.41	16.49			-			
ļ	Physical Collocation - Co-Carrier Cross Connect/Direct Connect					0.0012							i		]	
+	Copper/Coax Cable Support Structure, per linear foot, per cable.			CLO JEPSR, UEPSP,	PE10S	0.0018										
	Description III and the second	Į		JEPSE UEPSB					7 7					<b></b>		
	Physical Collocation 2-Wire Cross Connect, Port	1		JEPSX, UEP2C	PE1R2	0.0333	24.68			ļ				1	ĺ	
Security	Physical Collocation 4-Wire Cross Connect, Port			JEPEX, UEPDD	PE1R4	0.0665	24.68	23.68	12.14	10.95		i			J	
1000000	Physical Collocation - Security Escort for Basic Time - normally					0.0000	24,00	23.82	12.77	11.46					<del></del>	
<del></del>	Physical Collocation - Security Escort for Overtime - cutside of			CLO	PE1BT		33.98	21.53								
_	normally scheduled working hours on a scheduled work day, per half hour			CLO	PE1OT	!	44.26									
[	Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour Physical Collocation - Security Access System, Security System,		c	CLO	PE1PT		54.54	27. <u>8</u> 1 34.09	<del></del> +	<del></del> +						
. 1 11	per Central Office		c	CLO	PETAX	76.10		54.03			$-\!\!-\!\!\!+$					
<del>-    </del>	Physical Collocation -Security Access System - New Card Activation, per Card Activation (First), per State		c	LO	PE1A1	0.058	55.79	<del></del>						<del>-</del>		
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card		c	LO	PE1AA											
	Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card						15.64				[	1	1	ļ		
<del>-    ;</del>	Physical Collocation - Security Access - Initial Key, per Key			LO	PE1AR		45.74		1							
F	Physical Collocation - Security Access - Key, Replace Lost or		c	LO	PETAK		26.29							1	i	
	Stolen Key, per Key	- 1	ا	LO	T											
CFA			ļC	LU	PEIAL		26.29			- 1	1					
	Physical Collocation - CFA Information Resend Request, per remises, per arrangement, per request		Ja	LO	PE1C9		77.55				<u>_</u>					
IP	cords - Note: The rates in the First & Additional columns will acture Physical Collocation - Cable Records, per request	ally be	billed as	"Initial I" and "Sul	sequent S" re	spectively	/7.55					1	- 1	}	ł	
- I	Physical Collocation - Cable Records, per request Physical Collocation, Cable Records, VG/DS0 Cable, per cable	-	Ţ <u>c</u> i	-0	PE1CA	11	1524.45 S	980 01	267.02							
P	hysical Collocation, Cable Records, VG/DS0 Cable per each	_	CI	.0	PE1CD		656.37	340.01	379.70							
P	hysical Collocation, Cable Records, DS1, per T1 TIE		CL		PE1CO		9.65		11.84			<del></del>	<del> -</del>			
	Tysical Collocation, Cable Records, NS3, nor T3 TIC	-+			PE1C1 PE1C3		4.52		5.54	<del> </del> -						
1 1	hysical Collocation - Cable Records, Fiber Cable, per cable acord (maximum 99 records)	_					15.81		19.39	$=$ $\perp$						
PI	hysical Collocation, Cable Records CAT5/R.I45	-+	CL		PE1CB		169.63	1	154.85		T			<del></del>	<del></del>	
Virtual to	Physical		ICL	<u>~</u>	PE1C5		4.52		5.54	<del></del>						
P	hysical Collocation - Virtual to Physical Collocation Relocation.		_	<del>-</del>										$ \Box$		
Pi	by Voice Grade Circuit  hysical Collocation - Virtual to Physical Collocation Relocation	+	CL		PE1BV		33.00									
PI	hysical Collocation - Virtual to Physical Collocation Relocation	+	<u>C</u> L	o	PE1BO		33.00									
Pr	rysical Collocation - Virtual to Physical Collocation Relocation		CL	<u> </u>	E1B1		52.00									
l be	r DS3 Circuit	- 1	CL	_	E183							L				

1									<del></del>					lass a Euro			
_							1					Svc Order	Syc Order	Att: 4 Exh: 8	Incremental		
CATE	GORY	RATE ELEMENTS	Interim	Zone	BCS	Usc	ос		RATES(\$	,		Submitted Elec per LSR	Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs, Electronic-	Char
								Man	ecurring	T				15t	Add'i	Disc 1st	Disc A
	1 1	Physical Collocation - Virtual to Physical Collocation In-Place, Per Voice Grade Circuit		┝──┥			Reç	First	Add'f	Nonrecurrir First	g Disconnect			OSS	Rates(\$)		
				i 1	CLO	l	'		1	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	
i	i	Physical Collocation Virtual to Physical Collocation In Place, Per DSO Circuit		<del>                                     </del>	000	PE1BR		22.4	<u> </u>	1	i					SOMAGE	SOMA
				Lk	CLO	PEIBP		1		T	<del> </del>	├──					
		Physical Collocation - Virtual to Physical Collocation In-Place, Per DS1 Circuit				C.0,	<del></del>	22.4	1		I	i i	l i				
		Physical Collocation - Virtual to Physical Collocation in Disco-		(	CLO	PE1BS		32.7	ļ								
				' l.				32.7	<del> </del>	<del></del>				ł		ĺ	
	Entrance	Cable			CLO	PE1BE		32.71	1								
J	15	Physical Collocation · Fiber Cable Installation, Pricing, non-		$\overline{}$					·		┴─┈	<u></u>		!	1	ļ	
- +			ļ	lo	LO	PE1BD	1			T							
	[5	Physical Collocation - Fiber Cable Support Structure, per Entrance Cable			<del></del>	1-5180	<del>-  </del>	1,729 11	<b></b>	45.16	[		Ĩ				
	$\neg \neg$			c	LO	PE1PM	19.86	.									_
	F	Physical Collocation - Fiber Entrance Cable Installation, per Fiber	T	П			13.00	<del>' </del>	<del> </del>	<del> </del>		_ [	1				
IRTUA		- CRITICIT			LO	PE1ED		7.75	ĺ	1				<del>+</del>	$\longrightarrow$		
/	Application									<del> </del>	<del> </del>			_ [	J	1	
	(V	Intual Collocation - Application Fee		A	MTFS	EAF				<del></del>						<del></del>	
		intual Collocation - Co-Carrier Cross Connects/Direct Connect, pplication Fee, per application		<del>-  </del> ^		- ICAP	<del> </del>	2,419.86		1.01							
	v	intual Collocation Administrative Only - Application Fee			MTFS	VE1CA		504.00									
S	Mara Lti	eparation	Ĺ	A	MTFS	VE1AF	<del></del>	584.20 742.12						ĺ			
_4	V	inual Collocation - Floor Space, per sq. ft.		- 141				142.12	<del> </del>								
IP	OWEL			IAI	MTFS	ESPVX	7.99										
	Pose Co.	rtual Collocation - Power, per fused amp	$\neg \top$	A	MTFS	ESPAX											
<del> </del>	TOSS COL	nnects (Cross Connects, Co-Carrier Cross Connects, and Ports				IESPAX	8.06	L								<del></del>	
_	Vii	rtual Collocation - 2-wire cross-connect, loop, provisioning		UA UE UN	ANL, UEA, UD NL, UHL, UGL, O, UNGVX, IGDX, UNGNX	N, UEAC2	0.0309	24.68						<del></del>		<del></del>	
_	Vir	tual Collocation - 4-wire cross-connect, loop, provisioning	- }	UD	A, UHL, UCL, UL, UNCVX, ICDX			24.66	23.68	12.14	10.95						
ı	- 1		$\neg$		A, UXTD1,	UEAC4	0.0619	24,88	23.82	12.77	11.46	]	- 1	1	İ	J	
	Vin DS	tual collocation - Special Access & UNE, cross-connect per		UN U1 UE	C1X, ULDD1, TD1, USLEL, LD1, USL, PEX, UEPDX	CNC1X	1,48	44.23	31.98								
	i				L, UE3, U1TD3, TS1, UXTD3,				31.36	12.81	11.57						
-	Virt DS:	ual collocation - Special Access & UNE, cross-connect per 3		UNI ULC ULC	C3X, UNCSX, DD3, U1TS1, DS1, UDLSX, LD3, XDEST	CND3X	18.89	41.93	30.51	14.75	11.00						<del></del>
	Virtu	ual Gollocation - 2-Fiber Cross Connects		U1T	.12, UDLO3, 48, U1T12, O3, ULDO3, 112, ULD48, UD	E CNC25					11.83		-		<del>-  -</del>		
J	]		7	1	-	CIYOZF	3.80	41.94	30.51	14.76	11.84	1	j		}	1	
-	Virtu	al Collocation - 4-Filber Cross Connects		U1T-	12, UDLO3, 48, U1T12, O3, ULDO3, 12, ULD48, UDF	I CNC45		ļ						<del>-  -</del>		_	
	Virtu	al Collecation - Co Coming Co.	$\neg$	1	_, 02040, 001	UNU4F	7.59	51.29	39.87	19.41	16.49		1	- 1		]	i
+	11.00	al Collocation - Co-Camier Cross Connects/Direct Connect - r Cable Support Structure, per linear foot, per cable	4	AMT	FS	VE1CB	0.0012					_					
+-	Virtu. Capr	al Collocation - Co-Carrier Cross Connects/Direct Connect per/Coax Cable Support Structure, per linear foot, per cable		AMT		VE1CD	0.0018				_			+		_	
$\perp$	Virtua	al Collocation 2-Wire Cross Connect, Port		UEP	SX, UEPSB, SE, UEPSP,							_	<del></del>				
Щ.	Virtua	al Collocation 4-Wire Cross Connect, Port	+	DEP	SR. UEP2C DD. UEPEX	VE1R2 VE1R4	0.0309	24.68	23.68	12.14	10.95		1		1		
								24.88									

OLLOCA	TION - Kentucky												Att; 4 Exh: 8			
ATEGORY	RATE ELEMENTS	interim	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge - Manuel Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
<del></del>	<del></del>	-				Rec		curring	Nonrecurring		Į		oss	Rates(\$)		
CFA	<del></del>						First	Add'l_	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	MAMOS	NAMOS
1	Virtual Collocation - CFA Information Resend Request, per	<u> </u>			<del>-,</del>			<del></del>	<del></del>		<del>,                                     </del>					
).	Premises, per Arrangement, per request	l	1 1	AMTES	VETQR	1	77.55		1	İ				Į I		ļ
Cable	Records - Note: The rates in the First & Additional columns will a	ctually b	e billed	as "Initial I" & "St	ubsequent S" re	spectively			<u> </u>	<del></del> -	<del></del>				<u> </u>	L
	Virtual Collocation Cable Records - per request	L		AMTES	VE1BA		1524.45	\$ 980.01	267.02		T					
1	Virtual Collocation Cable Records - VG/DS0 Cable, per cable record			AMTES	VE1BB			\			[					ř – –
<del></del>	Virtual Collocation Cable Records - VG/DS0 Cable, per each 100	-	<del>  </del>	AMIPS	VE188	<del> </del>	656.37		379.70	<del> </del>	<del> </del>					
	ipair		J 1.	AMTFS	VE1BC		9.65	ļ	11.84	ł	1 1	i i	·	)	l ,	
	Virtual Collocation Cable Records -DS1, per T1TIE			AMTFS	VEIBD		4.52		5.54		<del> </del>					
	Virtual Collocation Cable Records - DS3, per T3TIE		L	AMTES	VEIBE		15.81		19.39							<del> </del>
- (	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber records	)	1 1	ALITEC	V5105		400.00			[						
	Virtual Collocation Cable Records - CAT 5/RJ45			AMTES	VE1BF VE1B5	<del> </del>	169.63 4.52		154.85 5.54	<del> </del>	<del> </del>			<u> </u>		<b> -</b>
Secur			<u> </u>		(VI, 100	<del></del> -	4.02		3.54	<del></del>	<u> </u>					L
	Virtual collocation - Security escort, basic time, normally scheduled		$\Box$			T			(		Τ					
	work hours	<b></b>	<b></b>	AMTES	SPTBX	1	33.98	21.53	L					<u> </u>		
)	Virtual collocation - Security escort, overtime, outside of normally		1 1	4.4===		1					[					
+	scheduled work hours on a normal working day Virtual collocation - Security escort, premium time, outside of a		<del>   </del>	AMTES	SPTOX	<del>}</del>	44.26	27,81	<b> </b>	<b> </b>	<del>   </del>					
)	scheduled work day		l i	AMTFS	SPTPX		54.54	34 29	ĺ		1 1	ŀ		(	ļ	
Mainte	enance	·					04.04	04.55	<del></del>	<u> </u>	<del>11</del>					
	Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS	CTRLX		56.07	21.53							<del></del> -	
	Land and the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state	l	!			,									~	
	Virtual collocation - Maintenance in CO - Overtime, per half hour		├ <i>\</i>	AMTFS	SPTOM	<del> </del>	73.23	27.81		<b></b>						
1	Virtual collocation - Maintenance in CO - Premium per half hour			AMTES	SPTPM		90.39	34.09			1	j	ì	ĺ		
Entra	nce Cable		·		10: 1: 1		30.33	34.03		L	<del></del>	<u>_</u>				
	Virtual Collocation - Cable Installation Charge, per cable			AMTES	ESPCX		1,729,11		45.16			—— <sub>T</sub>				
	Virtual Collocation - Cable Support Structure, per cable		-	AMTFS	ESPSX	17.38										
	IN THE REMOTE SITE	<b>!</b>	Ц			لـــــــــــــــــــــــــــــــــــــ										
Firysa	Physical Collocation in the Remote Site - Application Fee	Γ	7	CLORS	PE1RA	1	617.78		338.89				<del></del>	<del></del>	<del></del>	
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PETRB	219.67	<u> </u>		555.00		<del>                                     </del>				<del></del>	
T						1									<del></del> +	
	Physical Collocation in the Remote Site - Security Access - Key		i	CLORS	PEIRD	ļ	26.29				<u> </u>		\	}	_ }	
	Physical Collocation in the Remote Site - Space Availability Report per Premises Requested	<b>\</b>	١.	CLORS	PE1SA	) )	232.64				1			· - T		
	Physical Collocation in the Remote Site - Remote Site CLLf Code		<del></del>	Jiona	FEISH	<del> </del>	232.64				<del> </del> -					
	Request, per CLLI Code Requested	ļ	}	CLORS	PE1RE	}	75.40				1	. [	I	-	-	
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PEIRR		233,42				<del> </del>					
Ī	Physical Collocation - Security Escort for Basic Time - normally	l	ļ — Ţ			}					T -					
	scheduled work, per half hour  Physical Collocation - Security Escort for Overtime - outside of	<del> </del>	├	CLORS	PE18T	<del> </del>	33.98	21.53			<b> </b>					
i	normally scheduled working hours on a scheduled work day, per	Į .	ll		- 1	,	\	ĺ		'	) ]		- 1			
- 1	half hour	ļ		CLORS	PEIOT	1	44.26	27.81			1		J	ĺ	[	
	Physical Collocation - Security Escort for Premium Time - outside					T					<del></del>		<del></del>	<del></del>	<del></del> +	
	of scheduled work day, per half hour	1	الــــــا	CLORS	PE1PT		54.54	34.09				i				
Adjac	ent Remote Site Collocation  Remote Site-Adjacent Collocation Application Fee			CLORS	PEIRU	<del></del> -										
<del></del>	Theritore Site-Adjacent Collocation-Application Fee	<del>-</del>	<del>  </del>	JUNA	- FEINU	<del></del>	755.62	755.62			<u> </u>					
	Remote Site-Adjacent Collocation - Real Estate, per square foot	i	1 6	CLORS	PEIRT	0.134	Į				1 1	1	}	ľ	)	
	T		1								<del>                                     </del>	<del></del>		<del></del> -	<del>+</del>	
	Remote Site-Adjacent Collocation - AC Power, per breaker amp	L		CLORS	PE1RS	6.27					L	\	{	}	}	
	: If Security Escort and/or Add'l Engineering Fees become nacess Remote Site Collocation	sary for	idjacen	remote ske colk	ocation, the Part	nes will negotiate	e appropriate ra	ites.								
VIITUA	Virtual Collecation in the Remote Site - Application Fee		,	/E1RS	VE1RB	<del>                                     </del>	617.78	<del></del> -	338.89			<del></del>		<del></del>		
		<u> </u>	<u> </u>		<del></del>	1		<del></del> i	330.08		<del></del>					
	Virtual Collocation in the Remote Site - Per Bay/Rack of Space	L	لالل	/E1RS	VE1RC	219.67	]					j		ļ	}	
	Virtual Collocation in the Remote Site - Space Availability Report	l				}								<del></del>	<del></del> +	
- 1	per Premises requested	ı	, l	VE1RS	VE1AA	i i	232.64						[	l	- {	
	Vietual Collection in the Remain City Commis City City Co. J.		_													
-	Virtual Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested			VE1RS	VE1AL	Ţ	75.40				·					

COLLOCA	TION - Kentucky												Att: 4 Exh: B			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec	urring	Nonrecurring I	Disconnect			OSS	Rates(\$)		
						I Rec	First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.0173					1	<del></del>			1 2 2	<u> </u>
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.		<u> </u>	CLOAC	PE1JC	5.35										
	Adjacent Collocation - 2-Wire Cross-Connects Adjacent Collocation - 4-Wire Cross-Connects		ļ 	UEANL,UEQ,UEA,U CL, UAL, UHL, UDN UEA,UHL,UDL,UCL	PE1JE	0.0258 0.0515	24.68 24.88	23.68	12.14	10.95						
		+	┼					23.82	12.77	11.46				<u> </u>		
	Adjacent Collocation - DS1 Cross-Connects  Adjacent Collocation - DS3 Cross-Connects	+			PE1JG PE1JH	1.37	44.23 41.93	31.98	12.81	11.57			L		<u> </u>	
		<del></del>	╄			3.15		30.51	14.75	11.83	L			<b>L</b>		
<del></del> -	Adjacent Collocation - 2-Fiber Cross-Connect	+	+		PE1JJ PE1JK	6.02	41.93 51.29	30.51	14.76	11,84	<u> </u>			<u> </u>		
	Adjacent Collocation - 4-Fiber Cross-Connect	┼──			PE1JB	6.02		39.87	19.41	16.49						
	Adjacent Collocation - Application Fee Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PETUL	5.44	3,165,50					ļ		<del></del>		
	Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1JM	10.88										
	Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1JN	16.32										
	Adjacent Collocation - 277V, Three Phase Standby Power Rafe per AC Breaker Amp			CLOAC	PEIJO	37.68										

COLLOCAL	ION - Louisiana													Att: 4 Exh: B			
ATEGORY	RATE ELEMENTS	Interim	Zone	BCs	s	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sy Order vs Electronic Disc Add
<del></del>		<del>}</del>					Rec	Nonre First	curring Add't	Nonrecurring First		l		oss	Rates(\$)		
	<del></del>	<del>                                     </del>	┿					LASI	Addi	PHSt	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
HYSICAL CO							1			<del>                                     </del>	<del> </del>	† <del>  </del>			<del> </del>		
Applica											·				L—.—J		
	Physical Collocation - Initial Application Fee			CLO		E1BA		1,837,24									
	Physical Collocation - Subsequent Application Fee Physical Collocation - Co-Carrier Cross Connects/Direct Connect.	<b>-</b>	<b>-</b>	Cro	P	E1CA	<del> </del> -	1,533.41		ļ							
ł	Application Fee, per application			CLO	0	E1DT		583.30		į .	l	ļ ļ			-		
	Physical Collocation Administrative Only - Application Fee		1-	CLO	P	E1BL	<del>}</del>	741.97	<del></del>	<del>                                       </del>	<del> </del>	<del> </del>					
	Physical Collocation - Application Cost, Simple Augment		$\vdash$	CLO		EIKS		596.35		1.22	<del> </del>	<del>  </del>		<del></del>	<del> </del>		
	Physical Collocation - Application Cost, Minor Augment			CLO	PE	E1KM		836.18		1.22		<del>                                     </del>			<del></del>		
	Physical Collocation - Application Cost, Intermediate Augment			CLO	P(	E1K1		1.061.00		1.22							
	Physical Collocation - Application Cost - Major Augment	Ь	┸	CLO	P	EIKJ		2,418.00		1.22							
	Preparation Preparation Preparation - Floor Space, per sq feet			CLO	lbi	EIPJ	5.30				,						
	Physical Collocation - Proof Space, per sq reet  Physical Collocation - Space Enclosure, welded wire, first 50	_				LIFU	5.30				<del> </del>	<del> </del>					
	square feet	ļ	( )	cro	P	E1BX	166,40	ļ.		1	1	1	ì			-	
	Physical Collocation - Space enclosure, welded wire, first 100 square feet			CLO		£1BW	184.50							<del></del>			
	Physical Collocation - Space enclosure, welded wire, each additional 50 square feet	}		CLO	PI	E1CW	18.10										
	Physical Collocation - Space Preparation - C.O. Modification per square ft.			CFO		ɆSK	2.31									<del></del>	
	Physical Collocation - Space Preparation, Common Systems Modifications-Cageless, per square foot			CLO		E1SL	2.70		<del></del>		<del></del>	+					
	Physical Collocation - Space Preparation - Common Systems Modifications-Caged, per cage			CLO		E1SM	91.60				<del>                                     </del>	<del>  </del>					············
	Physical Collocation - Space Preparation - Firm Order Processing			CLO		E1\$J	1	502.00			<del></del>	<del> </del>	-			<del></del>	
	Physical Collocation - Space Availability Report, per Central Office Requested		<b>†</b>	CLO				583.33				<del>  </del>		~ <del>-</del>	+		
Power	neduesied			CLO	(PE	E1SR	لـــــــــــــــــــــــــــــــــــــ	1,044,07		1	<u></u>	<u> </u>				i	
- \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Physical Collocation - Power, -48V DC Power - per Fused Amp						Т			<del></del>		<del></del>		<del></del>			
	Requested	ļ		CLO	PE	E1PL	8.32	ļ		1	1	1	1	j	1		
	Physical Collocation - Power, 120V AC Power, Single Phase, per									ļ — — — — — — — — — — — — — — — — — — —		<del> </del> +				<del></del>	
$\longrightarrow$	Breaker Amp			CLO	P	E1FB	5.45							}	{	}	
	Physical Collocation - Power, 240V AC Power, Single Phase, per Breaker Amp			CLO	PE	EIFD	10.92										
	Physical Collocation - Power, 120V AC Power, Three Phase, per Breaker Amp			CLO	PE	E1FE	16.37		•							<del></del>	
1	Physical Collocation - Power, 277V AC Power, Three Phase, per		Γi											<del></del>		<del></del>	
	Breaker Amp	L	لـــــــــــــــــــــــــــــــــــــ	CLO	PE	E1FG	37.80					<u> </u>			)	)	
Cross (	Connects (Cross Connects, Co-Carrier Cross Connects, and Por	ntil)		UEANL.UEC	<del></del>	_	,										
			ļ	UNGNX, UE. UNGNX, UE. UAL. UHL. U	A. UCL.		(										
	Physical Collocation - 2-wire cross-connect, loop, provisioning	<del> </del>	l i	UNCVX UEA UHL L	PE	E1P2	0.0318	11.94	11.46							}	
	Physical Collocation - 4-wire cross-connect, loop, provisioning			UNCDX, UC	CL. UDL PE	E1P4	0.0636	12.04	11.53								
	Physical Collocation -DS1 Cross-Connect for Physical			WDS+L, WD UXTD+, ULD USLEL, UNL U+TD+, UNC UEPSE, UEF UEPSE, UEF USL, UEPEX	DD1. LD1. C1X, PSB. PSP.												······································
	Collocation, provisioning	ļ		USC, UEPEX UEPDX UE3, U1TD3	PE	E1P1	1.04	21.39	15.47								
			i :	UXTD3, UXT UNC3X, UNC ULDD3, U1T ULDS1, UNL UEPEX, UEF UEPSR, UEF	TS1, CSX, TS1, LD3, PDX, PSB												
!	Physical Collocation - OS3 Cross-Connect, provisioning	L		UEPSE, UEF	PSP PE	E1P3	13.21	20.28	14.76	}	\ \ \	1	1	Ì	1	1	

OLLOCA	ION - Louisiana												Att: 4 Exh: B			
ATEGORY	RATE ELEMENTS	interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order vi Electroni Disc Add
	<del> </del>	ļ.,	<del>}</del> -		<del> </del>	Rec	Nonrec			Disconnect				Rates(\$)		
	<del></del>		<del>   </del>	CLO. ULDO3.	<del> </del>	<del> </del>	First	Add'i	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - 2-Fiber Cross-Cornect			ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF ULDO3, ULD12,	PE1F2	2.62	20.28	14.76				<del></del>				,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
	Physical Collocation - 4-Fiber Cross-Connect		]	ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF, UDFCX	PE1F4								ļ			
	Priysical Collocation 4-Proef Closs-Contract		<del> </del>	DUF, UDFGX	PE1F4	4.65	24.81	19.29		<u> </u>					/	
	Physical Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable.			CLO	PE1ES	0.001										
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect - Copper/Coax Cable Support Structure, per linear foot, per cable.			CLO UEPSA, UEPSP.	PE1DS	0.0015				ļ						
1				UEPSE, UEPSB,			í			į .		ı	Ĩ	Ţ		
	Physical Collocation 2-Wire Cross Connect, Port	i	ĹJ	UEPSX, UEP2C	PE1R2	0.0318	11.94	11.46			)	Ì	1	ļ	ļ	
- 10-	Physical Collocation 4-Wire Cross Connect, Port			UEPEX, UEPOD	PE1R4	0.0636	12.04	11.53			<del></del>					
Securit	Physical Collocation - Security Escort for Basic Time - normally		<del></del>													
	scheduled work, per half hour  Physical Collocation - Security Escon for Overtime - outside of	<u> </u>		CLO	PE1BT		16.44	10.42								
	normally scheduled working hours on a scheduled work day, per half hour			CLO	PEIQT		21.41	13.45			ļ		ł	}	}	
	Physical Collocation - Security Escort for Premium Time - outside		_				- 62.31									
	of scheduled work day, per half hour Physical Collocation - Security Access System - Security System			CLO_	PE1PT	<del></del>	26.38	16.49								
	per Central Office, per Sq. Ft. Physical Collocation - Security Access System - New Card		<b>├</b> ──	CLO	PE1AY	0.0224					{	1	i	1	1	
	Activation, per Card Activation (First), per State			CLO	PE1A1	0.0579	27.50									
	Physical Collocation Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card			CLO	PE1AA		7.74				ļ	}	{			
4	Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card	! ]	) ].	CLO	PEIAR			1								
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		22.64							1	_	
	Physical Collocation - Security Access - Key, Replace Lost or		<del>  </del>	320	FEIAK		13.01									
CFA	Stolen Key, per Key	1		CLO	PETAL		13.01									
Cable F	Physical Collocation - CFA Information Reservi Request, per premises, per arrangement, per request			cro	PE1C9		77_43									
	Recurring Collocation Cable Records - per request		T	CLO	PE1CU	10.97				<del></del>						
	Recurring Collocation Cable Records - VG/DS0 Cable, per cable record			CTO	PE1CE	5.29								<del></del>		
	Recurring Collocation Cable Records - VG/DS0 Cable, per each 100 pair			CLO	PE1CT	0.08									<del></del>	
-+	Recurring Collocation Cable Records - DS1, per T1TIE  Recurring Collocation Cable Records - DS3, per T3TIE			CLO	PE1C2	0.04									<del></del> -	
<del>-                                    </del>	Recurring Collocation Cable Records - DS3, per 1311E  Recurring Collocation Cable Records - Fiber Cable, per 99 fiber		<u> </u>	CLO	PE1C4	0.13									·	
	records			Cro	PE1CG	1.37					-					
\f:=4 •	Physical Collocation, Cable Records, CAT5/RJ45	1		CLO	PE1C6	0.04								<del></del> +	<del></del>	
Virtual	to Physical Physical Collecation - Virtual to Physical Collecation Relocation. per Voice Grade Circuit			oro	PEIBV		33.00							<del></del>	<del></del>	
	Physical Collocation - Virtual to Physical Collocation Relocation.			oro	PE1BO			<del></del>				-				
1	Physical Collocation - Virtual to Physical Collocation Relocation, per DS1 Circuit	-		CLO	PE180		52.00			+		+	<del></del>			
_	Physical Collocation - Virtual to Physical Collocation Relocation, per DS3 Circuit			CLO	PE183	<del>+</del>	52.00	<del></del>		+						

					1		T							Att: 4 Exh: E			
CATEGO	DRY	RATE ELEMENTS	Interin	Zone	BCS	nsoc		Norm	RATES(\$)			Svc Order Submitted Elec per LSR	Manually	r Incremental	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increme Charg Manual Order Electro Disc A
	-	Physical Collocation - Virtual to Physical Collocation In-Place, Per	-				Rec	First	pnimus PbA	Nonrecurring	Disconnect			OSS	Rates(\$)		
	- 4	voice Grade Circuit	[	1				1	Addi	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN T	
		Physical Collocation Virtual to Physical Collocation in Place Rev	<del></del>	$\leftarrow$	CLO	PE1BR		22.52		1					00.00.11	SUMAN	SOMA
_		230 Circuit	1		cro	PE1BP				<del>                                     </del>		<del> </del>					
	[	Physical Collocation - Virtual to Physical Collocation In-Place, Per	_	<del>                                     </del>	000	PEIBP	<del></del>	22.52						-			
					CLO	PE18S				1		<del>                                     </del>		<del></del>			
ĺ	l'	Physical Collocation - Virtual to Physical Collocation In-Place, per DS3 Circuit				1 2 100		32.74		<del> </del>		!					
Εı	ntrance	P Cable	<u></u>		CLO	PE1BE	1	32.74							-		
	-	Physical Collocation - Fiber Cable Installation, Pricing, non-						32.74						!			
		ecurring charge, per Entrance Calde			CLO			· · · · ·									
- 1	Į,	Physical Collocation - Fiber Cable Support Structure, per Entrance	-	<del>                                     </del>	CLO	PE18D		841.54				í I					
		Cable Cable		Ιİ	CLO	PE1PM		"		1 -		<del></del>					
	].	Program College St. T.		$\vdash$		CEIEM	18.31	<u> </u>					i				
RTUAL	COLUC	Physical Collocation - Fiber Entrance Cable Installation, per Fiber		L	CLO	PE1ED	1	3.88			-						
Ar	plication	on .						3.88					- 1				
	V	firtual Collocation - Application Fee					-			<u> </u>							
	. IV	firtual Collocation - Co-Carrier Cross Cossocto/Direct Consest			AMTFS	EAF		1,770.40									
		Application ree, per application		l L	AMTES												
	y	Intual Collocation Administrative Only - Application Fee			AMTES	VE1CA VE1AF	<del></del>	583.30				1					
Sp.	ace Pr	eparation				IVEJAF		741.97								1	
Po	Wer	firtual Collocation - Floor Space, per sq. ft.			AMTFS	ESPVX	5.30										
1.0		irtual Collocation - Power, per fused amp				120. 17.	3.30										
Cro	oss Ca	nnects (Cross Connects, Co-Carrier Cross Connects, and Port		/	MTFS	ESPAX	8.32										_
		Cross Connects, and Port	5)							<del></del>							
i				I.	JEANL, UEA, UDN		1									———	
	l.	<b> </b>	- 1		JAL, UHL, UCL, JEQ, UNCVX,	1 .	] I	1	ļ	1							
	Vi	intual Collocation - 2-wire cross-connect, loop, provisioning		l li	NCDX, UNCNX	UEAC2				1				- 1	J		
1				ľ	EA, UHL, UCL.	DEVOS	0.0296	11.94	11.46					ļ	1	1	
1	Vii	rtual Collecation - Awire cross or		u	DL, UNCVX,			ļ	7				-				
_	<del>-   ''</del>	rtual Collocation - 4-wire cross-connect, loop, provisioning		U	NCDX	UEAC4	0.0591	12.04	11.53	ĺ	i	]		1	1		
- 1					LR, UXTD1,			72.04	11.00	<del>-  -</del>					ļ		
- 1					NC1X, ULDD1, 1TD1, USLEL.				1		- 1				<del></del>		
1	Vir	rtual collocation - Special Access & UNE, cross-connect per			NLD1, USLEL.		ļ	1						ĺ	1	J	
-	DS	51		lu	EPEX, UEPDX	CNC1X		ا ۔۔		İ			1	ļ	I	- 1	
				U	SL. UE3, U1TD3.	15.10.1	1.04	21.39	15.47				ĺ	1	1	1	
				U	XTS1, UXTD3,	1 1		1									
J		1	Ì		NC3X, UNCSX,		ļ			[	- 1		- 1	i	1	] "	
i	Vir	tual collocation - Special Access & UNE, cross-connect per			LDD3, U1TS1,		1	- 1		ĺ	- 1			ļ			
	DS	3		100	LDS1, UDLSX, VLD3, XDEST	CND3X		1						- 1	İ	1	ĺ
					, 230, AVEO	CUDOX	13.21	20.28	14.76			1			- 1	- 1	ļ
j		1	1	u	DL12, UDLO3,	i I	ŀ		T								
1				įU:	T48, U1T12,	į į	i	!		1	ì	- 1		!			
	Vin	tual Collocation - 2-Fiber Cross Connects		U1	TO3, ULDO3,	j i		i	j					İ	i	ı	- 1
	Т		-	UL	D12, ULD48, UDF	CNC2F	2.65	20.29	14.76					1	ļ		- 1
- 1		1	ı	UF	DL12, UDLO3.					<del></del>						1	
1			İ	U	T48. U1T12,		1			1							
- 1	115-4	vol Collegation ( EV and		U1	TO3, ULDO3.		- 1		- 1	1				1	1	1	
<del></del>	VINI	ual Collocation - 4-Fiber Cross Connects		UL	D12, ULD48, UDF	CNC4F	5.31	34.84		1				!	J	Ţ	i
	Virt	ual Collocation - Co-Carrier Cross Connects/Direct Connect -	$\neg \top$	T			3.31	24.81	19.29					1	i i	1	
	Fibe	er Cable Support Structure, per linear foot, per cable	- 1	1		ŀ	- 1	- 1									
	- 1		-	Αŀ	ITFS	VE1CB	0.001			1	ł			1	1	1	
	Virtu	ual Collocation - Co-Carrier Cross Connects/Direct Connect -														]	- 1
-	Сор	per/Coax Cable Support Structure, per linear loot, per cable	- 1	414	ITFS	V-100	1	- 1									
1		, 50 0000	_		PSX. UEPSB.	VE1CD	0.0015				1		1		ļ	1	
ı	15.4				PSE, UEPSP,	İ		7			<del></del>					_	- 1
_	Virtu	al Collocation 2-Wire Cross Connect, Port				VE1R2	0.0296	11		1	}	!		]			
	Aluth	al Collocation 4-Wire Cross Connect, Port				VE1R4	0.0296	11.94	11.46		ı	1	- 1	ĺ		1	- 1
									11.53								

						T						Att: 4 Exh: 8			
			1		l l					Syc Order	Svc Order	THE TEXTS			
				Ì		1				Submitte	Sub-u/s	Incremental		Incremental	Increme
CATEGOR	Y RATE ELEMENTS	Interior	Zone							2 COLLECTION	Submitted	Charge -	Charge -	Charge -	Charg
	·	ii itaa (a)	1 2011	BCS	USOC			RATES(\$)		Elec	Manually	Manual Syc	Manual Syc	Manual Svc	
				1		1				perLSR	perLSR				Manual
			1							1 '			Order vs.	Order vs.	Order
			1	l .	1					i	1	Electronic-	Electronic-	Electronic-	Electron
			_	<del> </del>	<del></del>	<del></del>					1	1st	Add'i	Disc 1st	Disc Ad
			<del> </del>	<del></del>	<del></del>	Rec	None	ecurring	Nonrecurring Disconnect	<del></del>	<u> </u>				1
CF/							First	Add'i		<del></del>		0\$8	Rates(\$)		
	Virtual Collocation - CFA Information Resend Request, per	<del>-</del>							First Add')	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	Premises, per Arrangement, per request		[				T		<del> </del>					90000	JUMA
Cat	ole Records			AMTES	VE1QR		77,43	, ]	i i						
- +						<del></del>	77.46	<del>'</del>	<u> </u>	L	i			ľ	
	Virtual Collocation Cable Records - per request(LA only)			AMTES	VE1BG	10.97	7						·		
ı	Virtual Collocation Cable Records - VG/DS0 Cable, per cable		T			10.5	<del>'</del>	<del> </del>	I						
	(record(LA dniv)	ì	1	AMTES	VE1BH		.	I .				<u> </u>			
	Virtual Collocation Cable Records - VG/DS0 Cable, per each 100				VEIBH	5.29				1			- 1		
	IDARILA ONV)	1		AMTES		1	i								
	Virtual Collection Cable Records - DS1, per T1T(E(LA only)	+	<del>                                     </del>		VE1BJ	0.08			1	l i	i	1			
	Virtual Collocation Cable Records - DS3, per T3TIE(LA only)	+ -	—	AMTFS	VE1BK	0.04							i	ļ	
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber	-	<b>├</b>	AMTES	VE1BL	0.13		<del>                                     </del>							
- 1	records(LA only)						T	<del>                                     </del>						<del></del>	
	Virtual Collection Cable Comment	لــــــــــــــــــــــــــــــــــــــ	Щ.	AMTES	VE18M	1.37	, [	[ ]							
Seci	Virtual Collocation Cable Records - CAT 5/RJ45 (LA only)		L	AMTES	VE1B6	0.04		<del></del>			ŀ	1			
2 acı	unty				1,4,00	U.04	<u> </u>						<u>-</u>		
ļ	Virtual collocation - Security escort, basic time, normally scheduled	<u> </u>											<u>-</u>		
	THO TOURS	1 I	ı i	AMTES	COTTON	1	1	I							
	Virtual collocation - Security escort, overtime, outside of normally	<del>                                     </del>	-	rimi FO	SPTBX	<u> </u>	16.44	10.42	1 1	1	1	T			
	ischeduled work hours on a normal working day	Į I	ļļ	******	1.	1	1						f	- 1	
	Virtual collocation - Security escort, premium time, outside of a	<del>├</del> ──-		AMTFS	SPTOX	L	21,41	13.45	1	Į.	F			<del></del>	
	scheduled work day	l i			]			10.40					ĺ		
Main	fenance			AMTFS	SPTPX	ļ	26.38	40.40	1 1	T					
- India	Vistoria alla						20.38	16.49							
	Virtual collocation - Maintenance in CO - Basic, per half hour	[	— т	AMTES	CTRLX	r——		r							
i					O THEX		27.12	10.42							
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTES	SPTOM										
J		_		лип о	SPIOM		35.42	13.45	' '						
	Virtual collocation - Maintenance in CO - Premium per half hour		f	******	1.				<del>"</del>	+				ĺ	
Entra	ince Cable		/	AMTES	SPTPM		43.72	16,49	}						
	Virtual Collocation - Cable Installation Charge, per cable							10,43				i	- 1		
	Virtual Collogation Cable Course of Statistical Collogation Collogation			AMTES	ESPCX I		841,54								
LOCATIO	Virtual Collocation - Cable Support Structure, per cable  DN IN THE REMOTE SITE		/	AMTES	ESPSX	16.02	041.34			T	$\neg$			<del></del>	
Physic	Ical Remote Site Collocation					- 0.01									
- 1	Physical College to 1						<b>'</b> -								
	Physical Collocation in the Remote Site - Application Fee		-70	CLORS	PEIRA		000.00								
	Cabinet Space in the Remote Site per Bay/ Rack		(	CLORS	PE1RB	225.39	298.80								
					1 1	223.38									
<del></del> -	Physical Collocation in the Remote Site - Security Access - Key	í	10	CLORS	PEIRD	1	1								
- 1	[Filysical Collection in the Hemote Site - Space Availability Penorti		- +	JEONS .	PEIRD	<del></del>	13.01		1 1	ľ	- 1	1			
	Iper Fremises Regulested		۔ ا		1	I									
	Physical Collocation in the Remote Site - Remote Site CLLI Code			CLORS	PE1SR		112.52		1 1	ľ	i				
- 1	Intuest, per Ctt Code Reguested		i						<del></del>			[	I	J	
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			LORS	PETRE	i	36 47	l	1 1	1~-	T		<del></del>		
+-	Physical Collegation, Court of Compact Disk, per CO		JC	LORS	PE1RR		233.21			i	1	J	- 1	1	
1	Physical Collegation - Security Escort for Basic Time - normally				T		200.21						<del></del>		
	ischeduled work, per half hour	- 1	lo	LOAS	PE1BT	i	1	ļ					<del></del> -		
1	Physical Collocation - Security Escort for Overtime - outside of		<del>-  </del> -		F-5101		16.44	10.42		J	j	i i	1		
- 1	indiminally scheduled working hours on a scheduled work day nor		i i		]	ľ	T			-					
	Inali riour	1	ما	1 Oge			í	}		J	- 1	1	7		
	Physical Collocation - Security Escort for Premium Time - outside	<del></del>	10	LORS	PE1OT		21.41	13.45	1	1	ĺ	J	I	ſ	
L	To scrieduled work day, per half hour		1		1								ĺ	1	
Adjace	ent Remote Site Collocation		<u>c</u>	LORS	PE1PT		26.38	16.49	1 1	I	7			+	
	Remote Site-Adjacent Collocation-Application Fee							10.40			1	i i	i	J	
_			IC.	LORS	PE1RU		755.62	755.62 T						-	
1	Remote Site Adiscost Callegation Co. : -	- 1					/33.02	/33.62							
	Remote Site-Adjacent Collocation - Real Estate, per square foot		lcı	LORS	PEIRT	0.134					-	<del>   -</del>	<del></del>	$-\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!$	
	1	-				0,134				1	- 1	1		1 ~	7
NAT-	Remote Site-Adjacent Collocation - AC Power, per breaker amp	J	lei	LORS	PEIRS			Ţ		<del>  -</del> -	$-\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!$				_
NOTE	If Security Escort and/or Add'I Engineering Fees become necessa Remote Site Collocation	ry for arti	acent -	remote site calls	ic no	5.27				- 1	i	i	[		
Virtual	Remote Site Collocation		agent I	SULPTE SER CONOCSE	on, the Partle:	will negotlate	appropriate rate	s.						l	ļ
	Virtual Collocation in the Remote Site - Application Fee		_												$\overline{}$
1			IVE	EIRS	VE1RB		298.80		<del></del>						
j	Virtual Collocation in the Remote Site. Bar Bar Bar Park		i		T			<del></del>			T				
	Virtual Collection in the Remote Site - Per Bay/Rack of Space		<u>  [V8</u>	E1RS	VE1RC	225.39	J	1	T T						
1	Virtual Collocation in the Remote Site - Space Availability Report	T	T											Ì	1
<del></del>	per Premises requested		ÍVE	E1RS	VE1RR	l	4,4		1 -			<del></del>			
1	Virtual Collocation in the Remote Site - Remote Site CLLI Code		<del></del>	<del></del>	Inn		112.52			l		i			
1	IMEQUEST, DET CLI I Code Requested	1	الرا	IRS V	VE1RL		Γ		<del></del>	<del>+</del> -				_	- 1
CENT CO	DLLOCATION		- V-	ina	VETHL		36.47	ľ				i			

COLLUCAT	ION - Louisiana		-	<del>,</del>	<del></del>								Att: 4 Exh: B			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Charge -	Charge -
						Rec	Nonrec	urring	Nonrecurré	nd Disconnect	<del></del>		OSS	Rates(\$)	L	
			Ш.			Rec _	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Adjacent Collocation - Space Charge per Sq. Ft.				PEIJA	0.0552					<del>                                     </del>		1		- OCHAN	SCHOOL
·	Adjacent Collocation - Electrical Facility Charge per Linear Ft.	<b>⊹</b> —	<del>}</del> —	GLOAC	PEIJC	561										
		1		UEANL,UEQ,UEA.U			1			1			,			
	Adjacent Collocation - 2-Wire Cross-Connects	<b>-</b>	<b>↓</b>	CL, UAL, UHL, UDN	PE1JE	0.0245	11.94	11.46		1		l				1
	Adjacent Collocation - 4-Wire Cross-Connects			UEA,UHL,UDL,UCL	PE1JF	0.0491	12.04	11.53			T					r——-
	Adjacent Collocation - DS1 Cross-Connects				PE1JG	0.9605	21.39	15.47		T	T					
	Adjacent Collocation - DS3 Cross-Connects				PE1JH	13.01	20.28	14.76								
	Adjacent Collocation - 2-Fiber Cross-Connect				PE1JJ	2.20	20.28	14.76								
	Adjacent Collocation - 4-Fiber Cross-Connect				PE1JK	4.21	24.81	19.29			<del></del>					<del></del>
	Adjacent Collocation - Application Fee			CLOAC	PEIJB		1,543.20									
	Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1JL	5.45					Ţ					
	Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp				PEIJM	10.92							<u>-</u>			
	Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp				PE1JN	16.37				<del>                                     </del>					<del></del>	
	Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1JO	37.80				1	<del>                                     </del>					

							<del>-,</del> -							Att: 4 Exh: 8			
CATEGO	DRY	RATE ELEMENTS	Interin	Zone	BCS	usoc			RATES(\$)	-			Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.	Increme Charg Manual Order
	_			-	<del> </del>			_						Electronic-	Electronic- Add'l	Electronic- Disc 1st	Electron Disc Ad
				+	<del> </del>	<del></del>	Rec	Nonre	curring	Nonrecurrir	g Disconnect	<del></del>		<u> </u>		Disc 181	UISC AD
	ليب			┼──	<del> </del>	<del> </del>	-	First	Add I	First	Add'i	SOMEC	SOMAN	SOMAN	Rates(\$)		
		LOCATION				<del></del>		<u> </u>					- SOME	SUMAN	SOMAN	SOMAN	SOMA
^	pplicat				<del>'                                    </del>	<del></del> -		L	L				<del> </del>	<del>                                      </del>			
-		Physical Collocation - Initial Application Fee			CLO	PE18A	<del></del>	1,890.38					<del></del> -		———i		
		Physical Collocation - Subsequent Application Fee			CLO	PETCA		1,575.69		<del> </del>				T 7			
	. !	Physical Collocation · Co-Camer Cross Connects/Direct Connect, Application Fee, per application		1			1	1,373.03		+	· <del> </del>						
	- 0	Physical Collocation Administrative Only Application Co.			CLO	PE1DT	<u> </u>	583.13		1	1		1				
		riysical Collocation - Application Cost, Simple Augment		<del> </del>	CLO	PE1BL		740.76		<del> </del>	+	+				Í	
				<del> </del>	CLO	PEIKS		597.34		1.22	<del>,  </del> -	<del> </del>	<b>-</b>				
	17	Physical Collocation - Application Cost Intermoducto Augment		├-	CLO	PE1KM (PE1K1		837.57		1.22		<del> </del>					
	!	Physical Collection - Application Cost - Major Augment		<del>  -</del>	CLO	PEIKI		1,063.00		1.22		<del> </del>	<b>—</b>				
S	pace P	reparation			10-0	IFEIKJ	<del></del>	2,422.00		1.22		†		<b></b>			
<del></del>	<u> </u>	Physical Collocation - Floor Space, per sq feet			CLÖ	[PE1PJ	5.74						<u> </u>				
]		"hysical Collocation - Space Enclosure, welded wire, first 50		Ī			5./4								<del></del>		
-	ĮS	quare reet			CLO	PE1BX	165.23	]		1					——— <u>-</u> -		
	5	Physical Collocation - Space enclosure, welded wire, first 100 quare feet			cro	PE1BW	183.20			<del>                                     </del>		<del>  </del>					
	اً ا	hysical Collocation - Space enclosure, welded wire, each idditional 50 square feet					100.20								ļ	í	
	e	Physical Collegation Cores Organic Co.			CLO	PE1CW	17.97										
	ıs	Physical Collocation - Space Preparation - C.O. Modification per quare ft.				"				<del> </del>		L <b>_</b>				- 1	
	P	hysical Collocation - Space Preparation, Common Systems fodifications-Cageless, per square foot		ļ—	CLO	PE1SK	2.30				ļ						
	P	hysical Collocation - Space Preparation - Common Systems			CLO	PE1SL	2.52	İ			1	1				<del></del>	
!	l.	lodifications-Caged, per cage	ļ												_ i	J	
	- 1				CLO	PE1SM	85.67			1	ĺ		ľ				
	P	hysical Collocation - Space Preparation - Firm Order Processing			CLO	J										!	
ĺ	IP	nysical Collocation - Space Availability Report, per Central Office			<u> </u>	PE1SJ		604.19			i i		[				
		equested		- 6	CLO	PE1SR	- 1				<u> </u>	+					
Po	wer					FEISH ]	<del></del> -	1,081.40				1	- 1	ļ	i		
	I P	hysical Collocation - Power, -48V DC Power - per Fused Amp				T											
	- In	equested		(	CLO	PE1PL	7.33										
	В	hysical Collocation - Power, 120V AC Power, Single Phase, per reaker Amp	i												[		
	Pi	nysical Collocation - Power, 240V AC Power, Single Phase, per			CLO	PE1FB	5.29	J		i						<del></del>	
_	Вг	eaker Amp														1	
	P	nysical Collocation - Power, 120V AC Power, Three Phase, per	-+		CLO	PE1FD	10.58			1		i	- 1				
	10/	eaker Amp		ı,	CLO	l										_ i	
	P	nysical Collocation - Power, 277V AC Power, Three Phase, per	-+		<u></u>	PE1FE	15.87			1		- 1					
	101	eaker Amb		- 10	CLO	PE1FG						<del>-</del>	<del></del>				
Cro	ss Cor	mects (Cross Connects, Co-Carrier Cross Connects, and Ports)				PETFG 1	36.65			1	l l	1		l l			
			$\neg \neg$		JEANL, UEQ.	т т	<del></del>										
-	ı				INCNX, UEA, UCL.		i		ļ		T						
ĺ	Ph	Presignal Collegation Courses	- 1	U	JAL, UHL, UDN,	i l				ľ	İ			1	1	1	
$\dashv$	<del> </del> -"	sysical Collocation - 2-wire cross-connect, loop, provisioning			INCVX	PE1P2	0.0288	12.37	11.87		_ ]			1	- 1		
- 1	Ph	ysical Collocation - 4-wire cross-connect, loop, provisioning		Įΰ	EA, UHL, UNCVX.			12.07	11.87	6.04	5.45					i i	
		your od location - 4-wire cross-connect, loop, provisioning		!_	NCDX, UCL, UDL	PE1P4	0.0576	12.47	11.94	6.59			T			<del></del>	
	i			l <sub>N</sub>	DS1L, WDS1S,				11.54	6.59	5.91	,			l l		
1	ł			l.	XTD1, ULDD1.	'		J	- 1	1	!		ı				
					SLEL, UNLD1, 1TD1, UNC1X,	1	ĺ		- 1	l	1		1	- 1	1	!	- 1
- 1					EPSR, UEPSB.	İ				i	J	ľ					ļ
1			- 1	ارا	EPSE, UEPSP,	l	f	1	-	-				ĺ		i	- 1
	Phy	ysical Collocation -DS1 Cross-Connect for Physical		Ιŭ	SL, UEPEX	ļ				1	J	1		ļ	ļ	ļ	- 1
	Co	location, provisioning	_	Ιŭ	EPDX	PE1P1	1.14	20.40		1		1	1	1	i	[	ļ
1			_		E3, U1TD3,		1.14	22.16	16.02	6.60	5.97	_		1	1	- 1	ĺ
	1			Ju:	XTD3, UXTS1,			ļ	- 1					<del></del>	<del></del>		
1	1	İ	ļ	Ui	NC3X, UNCSX,		1		1	i	ļ	]		}	ı	ĺ	1
- 1	]		ĺ	0	LDD3, U1TS1,	ļ	1	ļ		!	1			l		]	- 1
1	- 1	1			LDS1, UNLD3,	i	ļ	i	1		ļ	j	l	ĺ	ĺ		- 1
					EPEX, UEPDX,	1	[					1		ļ	J	ł	
	Phy	sical Collocation - OS3 Cross-Connect, provisioning			EPSR, UEPSB,		ļ	- 1	i	l	ļ	1		1	1	Į	1
		200 0.000 00. Ficel, provisioning			EPSE, UEPSP	PE1P3	14.49	21.01	15.29	7.61	6.10	I	j	I		ĺ	

ATEGORY	RATE ELEMENTS	Interim	Zone BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Char
		:: <u>=</u> :			Rec	None	curring	Nonrecurrin	g Disconnect		L	1st	Add'l	Disc 1st	Disc Ad
		<del></del>	CLO, ULDO3,	<del></del>	<del> </del>	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMA
	Physical Collocation - 2-Fiber Cross-Connect		ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3											JOHNA	SOMA
			UDL12, UDF ULDO3, ULD12 ULD48, U1TO3 U1T12, U1T48,		2.87	21.01	15.29	7.61	6.10						
_	Physical Collocation - 4-Fiber Cross-Connect		UDLO3, UDL12 JUDF, UDFCX	PE1F4	5.10	25.70	40.07						ĺ	ĺ	
	76-1-10-1				3.10	23.70	19.97	10.01	8.50					1	1
	Physical Collocation · Co-Carrier Cross Connects/Direct Connect · Fiber Cable Support Structure, per linear toot, per cable.		cro	PEIES	0.001		1				İ				
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -					·									
	Copper/Coax Cable Support Structure, per linear foot, per cable.		CLO	PE1DS	0.0015	<u>L</u>									
	Physical Collocation 2-Wire Cross Connect, Port		UEPSR, UEPSE UEPSE, UEPSE	i,									<del>+</del>		
	Physical Collocation 4-Wire Cross Connect, Port		UEPSX, UEP20		0.0288	12.37	11.87	6.04	5.45	1	15.75	{		}	
Securit	у		UEPEX, UEPDI	PE1R4	0.0576	12.47	11.94	6.59	5.91		15.75		<del></del>		
	Physical Collocation - Security Escort for Basic Time - normally			<del></del>		· · · · ·									
<del></del>	scheduled work, per half hour		CLO	PE18T		17.02	10.79				- T				
1 1	Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per								<del></del>						
- I I	Inair hour		CLO	PE1OT			1			ł		Į.		ļ	
	Physical Collocation - Security Escort for Premium Time - outside		- 0.0	FEIOI		22.17	13.94								
1	of scheduled work day, per half hour  Physical Collocation - Security Access System, Security System.		CLO	PE1PT		27.32	17.08								
	per Central Office		CLO	PE1AX	75.23		ļ ,								
_	Physical Collocation - Security Access System - New Card Activation, per Card Activation (First), per State	_	CLO	PE1A1	0.0576	27.95		·							
	Physical Collocatron-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card		CLO	PE1AA		7.84	-				-				
	Physical Collocation - Security Access System - Replace Lost or			LIZE		7.84							- 1	ļ	
-+	Stolen Card, per Card		Cro	PE1AR		22.91	į								
-	Physical Collocation - Security Access - Initial Key, per Key Physical Collocation - Security Access - Key, Replace Lost or		CLO	PE1AK PE1AK		13.17									
	Stolen Key, per Key	1	CLO	PETAL	i			<u> </u>				<del></del>			
CFA				1, 5,75		13.17	<del></del> -							ĺ	
3 II	Physical Collocation - CFA Information Resend Request, per premises, per arrangement, per request		CLO	PE1C9		77.41			<del></del> - T						
Cable K	ecords - Note: The rates in the First & Additional columns will act Physical Collocation - Cable Records, per request	tually be	billed as "Initial I" and	'Subsequent S" r	espectively			<del></del>							
	Physical Collocation, Cable Records, VG/DS0 Cable, per cable		CLÓ	PETCR		763.69	5 490.94	133.77	· T						
	record (maximum 3600 records) Physical Collocation, Cable Records, VG/DS0 Cable, per each		CLO	PE1CD		328.81		190.22			_		<del></del>	-+	
	100 pair		cro_	PEICO		4.84		5.93							
<del>-  </del>	Physical Collocation, Cable Records, 0S1, per T1 TIE Physical Collocation, Cable Records, DS3, per T3 TIE		CLO	PE1C1		2.27		2.78		<del></del> -					
	Physical Collocation - Cable Records, Fiber Cable, per cable		CLO	PE1C3		7.92		9.72				<del>- i</del>			
r	record (maximum 99 records)		CLO	PE1CB	i	24.00									
VI-	Physical Collocation, Cable Records,CAT5/RJ45		CLO	PE1C5		84.98 2.27		77.58 2.78							
	Physical							2.78							
	Physical Collocation - Virtual to Physical Collocation Relocation, per Voice Grade Circuit		CLO						···-·	<del>- T</del>					
F	Physical Collocation - Virtual to Physical Collocation Relocation.	-	CLO	PE1BV		33.00									
F	Physical Collocation - Virtual to Physical Collocation Relocation.	-+	CLO	PE1BO		33.00									
F	per DS1 Circuit  Physical Collocation - Virtual to Physical Collocation Relocation,		CFO	PE1B1		52.00									
l le	per DS3 Circuit	i	CLO	PE1B3	ĺ	52.00						<del></del>			

ULLOCAT	ION - Mississippi												Att: 4 Exh: B			
ATEGORY	RATE ELEMENTS	interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremer Charge Manual S Order v Electron Diac Add
<del></del>		+	-	<del></del>	<del> </del>	Rec	First	curring	Nonrecurring				OSS	Rates(\$)		
	Physical Collocation - Virtual to Physical Collocation In-Place, Per Voice Grade Circuit			CLO	PEIBR		22.54	Add1	First	Add't	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation Virtual to Physical Collocation in-Place, Per OSO Circuit			CLO	PE1BP		22.54									
	Physical Collocation - Virtual to Physical Collocation in Place, Per DS1 Circuit Physical Collocation - Virtual to Physical Collocation in Place, per		_	CLO	PE1BS		32.78									
Entran	DS3 Circuit  Ce Cable	<u></u>		CLO	PE1BE	لـــــــــــــــــــــــــــــــــــــ	32.78									
Entrain	Physical Collocation - Fiber Cable Installation, Pricing, non-	_			7											
	recurring charge, per Entrance Cable  Physical Collocation - Fiber Cable Support Structure, per Entrance			CLO	PE1BD		926.27		22.62							
	Cable	<u> </u>		CLO	PE1PM_	17.42				<del></del>						
RTUAL COL	Physical Collocation - Fiber Entrance Cable Installation, per Fiber LOCATION	-		CLO	PEIED	<del>  </del>	3,89									
Applica					-											
	Virual Collocation - Application Fee Virual Collocation - Co-Carrier Cross Connects/Direct Connect,			AMTES	EAF		1,212.25		0.51							
	Application Fee, per application Virtual Collocation Administrative Only - Application Fee			AMTES AMTES	VE1CA VE1AF	<del>                                     </del>	583.13 740.76									
	Preparation  Virtual Collocation - Floor Space, per sq. ft.		,	(i) ere	Incario:											
Power				AMTES	ESPVX	5.74							1			
	Virtual Collocation - Power, per fused amp			AMTFS	ESPAX	7,33										
Cross	Connects (Cross Connects, Co-Carrier Cross Connects, and Po-	rts}		MEAN REAL HOSE												
				UEANL, UEA, UDN, UAL, UHL, UCL, UEQ, UNCVX,	}	1	1		}			}				
	Virtual Collocation - 2-wire cross-connect, loop, provisioning	<del> </del>		UNCDX, UNCNX UEA, UHL, UCL.	UEAC2	0.0268	12,37	11.87	6.04	5.45						
	Virtual Collocation - 4-wire cross-connect, loop, provisioning			UDL, UNCVX.	UEAG4	0.0536	12.47	11,94	6.59	5.91	1	1			j	
	Virtual Collocation - Special Access & UNE, cross-connect per			ULR, UXTO1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1, USL					0.00	5.01						
-	DS1			UEPEX, UEPDX USL, UE3, U1TD3.	CNC1X	1.14	22.16	16.02	6.60	5.97						
	Virtual collocation - Special Access & UNE, cross-connect per			UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX.												
	DS3	<del> </del>	-	UNLD3, XDEST	CND3X	14.49	21.01	15.29	7.61	6.10						
	Virtual Collocation - 2-Fiber Cross Connects			UDL12, UDL03, U1T48, U1T12, U1T03, ULD03, ULD12, ULD48, UDF	CHOOF											
<del></del>	Virtual CONUCATION 2-FIDER CIOSS CONTRECTS	-	-4	ULU12, ULU48, UDF	UNC2F	2.91	21.01	15.29	7.61	6.10						
	Virtual Collocation - 4-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC4F	5.82	25.70	19.97	10.01	8.50			{			
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect -							10.01	10.01	0.50						
	Fiber Cable Support Structure, per linear foot, per cable			AMTFS	VE1CB	0.001		<del></del>	<del></del>							
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Copper/Coax Cable Support Structure, per linear foot, per cable			AMTES UEPSX, UEPSB,	VE1CD	0.0015										
	Virtual Collocation 2-Wire Cross Connect, Port			UEPSE, UEPSP, UEPSR, UEP2C UEPDD, UEPEX	VE1R2	0.0268	12.37	11.87	6.04	5.45		1	1			
	Virtual Collocation 4-Wire Cross Connect, Port				VE1R4	0.0536										

COLLOCA	TION - Mississippi								_				Att: 4 Exh: B			
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)	l Name			Svc Order	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual Sv Order vs Electronic Disc Add
		├	┝	<del></del>	<del> </del>	Rec	Nonred First	Add'l	Nonrecurring					Rates(\$)		
CFA	<del></del>	<del></del>	<u></u> -	· · · · · · · · · · · · · · · · · · ·	<del></del>	Ъ	FIIST	Addi	First	Add I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
- 1500	Virtual Collocation - CFA Information Resend Request, per				т	T 7										
ļ	Premises, per Arrangement, per request	ļ	[ ,	AMTES	VEIGR	, ,	77.41		}		) i	Ì	l i			
Cable	Records - Note: The rates in the First & Additional columns will a	ctually t	be billed	as "Initial I" & "Sub	sequent S" re	spectively										
	Virtual Collocation Cable Records - per request		$\Box$	AMTES	VE1BA		763.69	S 490.94	133.77							
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable	{	\ \		1	1 - I										
	record			AMTES	VE1BB	<b>-</b>	328.81		190.22		Li					L
	Virtual Collocation Cable Records - VG/DS0 Cable, per each 100	J	l .	AMTES	VE1BC	l l	4.84		5.93	ı	} '					
	Virtual Collocation Cable Records - DS1, per T1TIE	<del> </del>	<del>                                     </del>	AMTES	VE1BD		2.27	·	2.78		<u> </u>					
	Virtual Collocation Cable Records - DS3, per T3TIE			AMTES	VEIBE	<del></del>	7.92		9.72		ļ					
	Virtual Collocation Cable Records - Fiber Cable, per 99 (iber		<b>!</b>		T. C.D.	<del>                                     </del>	7.02		¥.//-		<u> </u>		<del></del>			
i	records	L		AMTFS_	VE1BF	1	84.98		77.58				i	ì	ĺ	ı
	Virtual Collocation Cable Records - CAT 5/RJ45			AMTFS	VE1B5		2.27		2.78							
Secu																
	Virtual collocation - Security escort, basic time, normally scheduled		[		1											
	Work hours	<del> </del> -	┼━	AMTFS	SPTBX	<b>├</b> ──┤	17.02	10.79	<del></del>					l		
1	Virtual collocation - Security escort, overtime, outside of normally scheduled work hours on a normal working day	1	ļ į	AMTES	SPTOX	[ [	22.17	13.94				Ţ			7	
	Virtual collocation - Security escort, premium time, outside of a	┼──	<del> </del>	AWIFS	SPIUX		22.17	13.94	<del></del>							
- 1	scheduled work day	!	1 {	AMTFS	SPTPX	<b>}</b> }	27.32	17.08	i ì			ļ		ł		
Maint	enance				10. 11.11		21.92	17.00	L							
	Virtual collocation - Maintenance in CO - Basic, per half hour			AMTES	CTRLX	T	28.09	10.79						<del></del> -		
														<del></del>	<del></del>	
	Virtual collocation - Maintenance in CO - Overtime, per half hour	<u> </u>		AMTFS	SPTOM		36.69	13.94	l i		'		- 1	i	-	
		ļ	1 1		l	! !										
	Virtual collocation - Maintenance in CO - Premium per half hour	<u> </u>	<u> </u>	AMTFS	SPTPM	ــــــــــــــــــــــــــــــــــــــ	45.28	17.08	<u> </u>							_
Entra	Virtual Collocation - Cable Installation Charge, per cable			AMTES	ESPCX	г	200.07									
<del></del>	Virtual Collocation - Cable Support Structure, per cable	<del> </del> -		AMTES	ESPSX	15.24	926.27		22.62							
OLLOGATIO	ON IN THE REMOTE SITE	<del></del> -	_	AIR.110	TEO, UK	13.24										
	cal Remote Site Collocation		·			·										
	Physical Collecation in the Remote Site - Application Fee			CLORS	PETRA	TT	309.48		168.63				<del></del>	<del></del>	<del></del>	
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	210.05										
	1	Į	l !		\ _											
	Physical Collocation in the Remote Site - Security Access - Key		<u> </u>	CLORS	PE1RD	<b></b>	13.17	<del></del>							_	
ļ	Physical Collocation in the Remote Site - Space Availability Report per Premises Requested	l	i I	CLORS	PE1SR	) [	445.54	ŀ	l		Į.	ļ		- 7		
	Physical Collocation in the Remote Site - Remote Site CLLI Code	<del>                                     </del>	1	CLOH3	IPE ION	<del> </del>	116.54		<del>-</del>				↓			
	Request, per CLLI Code Requested	İ		CLORS	PETRE	1	37.77		·			l		ļ		
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO		_	CLORS	PETRR	t	233.14						<del></del>		<del></del>	
	Physical Collocation - Security Escort for Basic Time - normally				1	†			<del></del> -							
	scheduled work, per half hour	<u> </u>		CLORS	PE1BT	<b> </b>	17.02	10.79					- 1	Į	(	
	Physical Collocation - Security Escort for Overtime - outside of	ι	[ ]													
1	normally scheduled working hours on a scheduled work day, per half hour	i		CI ODO	05107		<b>. .</b>		ŀ		ļ		ĺ	Į.	- 1	
-	Physical Collocation - Security Escort for Premium Time - outside	├──		CLORS	PE1OT	<del></del>	22.17	13.94								
į.	of scheduled work day, per half hour	}	1	CLORS	PEIPT	i 1	27.32	17.08					ĺ			
Adiac	ent Remote Site Collocation	<u> </u>	Щ.	CCONS	11211	L	27.32	17.08								
- 13.3.4	Remote Site-Adjacent Collocation-Application Fee			CLORS	TPE1RU		755.62	755.62						<del></del>		
												+		+	+	
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134						1		ļ	(	
			[		1	1									<del></del>	
	Remote Sile-Adjacent Collecation - AC Power, per breaker amp			CLORS	PEIRS	6.27										_
	<ul> <li>if Security Escort and/or Add'l Engineering Fees become neces:</li> <li>if Remote Site Collocation</li> </ul>	sary for	adjacer	ii remote sae colloca	tion, the Parl	es will negotiate	appropriate ra	tes.								
Autha	Virtual Collocation in the Remote Site - Application Fee	,		VE18S	VE1R8		309.48		158.63			<del></del>				
	Auror Collegenot but one Herrioge Orig - Application Lee		+		110	<del>                                     </del>			168.63							
	Virtual Collocation in the Remote Site - Per Bay/Rack of Space	l	(	VE1RS	VE1RC	210.05	, [		}	ł	ł	1	)	1	J	
	Virtual Collocation in the Remote Site - Space Availability Report					1			<del></del>					<del></del>		
	per Premises requested			VE1RS	VE1RR	<u> </u>	116.54			l			1	ļ	1	
	Virtual Collocation in the Remote Site - Remote Site CLLI Code	\	"		\	1										
	Request, per CLLi Code Requested COLLOCATION		<b></b> _	VE1RS	VE1RL	<del> </del>	37.77	1						I	í	
					1			T								

COLLOCAT	ION - Mississippi	,	,										Att: 4 Exh: B			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
7 "			T -		T	Rec	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)		
			I				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
i "T	Adjacent Collocation - Space Charge per Sq. Ft.		$\Gamma$	CLOAC	PEIJA	0.0678										
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.		Щ.	CLOAC	PEIJC	4.68										
	Adjacent Collocation - 2-Wire Cross-Connects	Ì	}	UEANLUEO,UEA,U CL, UAL, UHL, UDN		0.0223	12.37	11.87	6.04	5.45	}					
	Adjacent Collocation - 4-Wire Cross-Connects	<del>                                     </del>	<u> </u>	UEA UHL, UDL, UCL		0.0446	12.47	11.94	6.59	5.91	···					<del></del>
<del></del>	Adjacent Collocation - DS1 Cross-Connects	_	<b>,</b> ~	USL	PEIJG	1.05	22.16	16.02		5.97	<del>}</del>					<del></del>
	Adjacent Collocation - DS3 Cross-Connects			UE3	PETJH	14.27	21.01	15.29		6.10						
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PEIJJ	2.42	21.01	15.29	7.61	6.10	<del>                                     </del>					
	Adjacent Collocation - 4-Fiber Cross-Connect		1	CLOAC	PE1JK	4.62	25.70	19.97	10.01	8.50	<del> </del>					<del> </del>
	Adjacent Collocation - Application Fee			CLOAC	PEIJB	I	1,585.83									
	Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PEIJL	5.29				]						1
	Adjacent Collocation - 240V. Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1JM	10.58							<del></del>		1	Ī
	Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PEIJN	15 87										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1JO	36.65					)					

CATEG	FORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Att: 4 Exh: B Incremental Charge - Manual Svc Order vs. Electronic- 1st	incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						+	Rec	Nonrec First	curring Add'l	Nonrecurring First	Disconnect			oss	Rates(\$)		
HYSK	AL CO	LLOCATION							YOU	FIFET	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Applic			Щ.			l			1	<del> </del>						
		Physical Collocation - Initial Application Fee			CLO	PE1BA											<u> </u>
		Physical Collocation - Subsequent Application Fee			CLO	PETCA		2.322.00									
		Physical Collocation - Co-Carrier Cross Connects/Direct Connect				, cica		2,311.00		<del></del>							
		Application Fee, per application			CLO	PÉIDT		317.20									г
-		Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		741,44		<del> </del>							ł
- 1		Physical Collocation - Application Cost, Simple Augment			CLO	PEIKS		269.83		1.15	<del></del>	—					
-+		Physical Collocation - Application Cost, Minor Augment			CLO	PE1KM		493.40		1.15	<del> </del>						
		Physical Collocation - Application Cost, Intermediate Augment Physical Collocation - Application Cost - Major Augment			CLO	PE1K1		1,012.00		1.15							
_	Space	Preparation			CLO	PE1KJ		2,343.00		1.15							
		Physical Collocation - Floor Space, per sq feet		-		· · · · · · · · · · · · · · · · · · ·			·		<u> </u>						
- 1		Physical Collocation - Space Enclosure, welded wire, first 50			CLO	PE1PJ	2.69			T							
		square teet	- 1		CLO				****								
		Physical Collocation - Space enclosure, welded wire, first 100			ULU	PE1BX		534.44		ļ		i			1		
		Square ree!			CLO	PE1BW								-			
		Physical Collocation - Space enclosure, welded wire, each			JEC	PEIBW		559.81							- 1		
		additional 50 square feet	- 1	l,	CLO	PE1CW		25.04		' -							
-		Physical Collocation - Space Preparation - C.O. Modification per				1010		25.37					- 1		- 1	1	
$\rightarrow$		square ft.		- 1	CLO	PEISK	2.42	- 1									
		Physical Collocation - Space Preparation, Common Systems				1.2101	2.42			ļ				Į.	- }	i	
-		Modifications Cageless, per square foot			CLO	PE1SL	2.88	!		i 1	1						
- 1		Physical Collocation - Space Preparation - Common Systems				1	2.00								ļ	1	
-+		Modifications-Caged, per cage		(	CLO	PEISM	97.98			!	,						
		Physical Collegation, Secret Barrelli, E. C.														_ [	
-		Physical Collocation - Space Preparation - Firm Order Processing Physical Collocation - Space Availability Report, per Central Office	<del></del>	(	10	PE1SJ		1.196.00				- 1	i	1			
	- 1	Requested Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Prop	J	- 1.								+					
F	ower	- Angeotica			LO	PEISR		2.140.00	i				- 1	1	i		
		Physical Collocation - Power, -48V DC Power - per Fused Amp		т-									———				
		Requested	- !	-	CLO	PEIPL											
		Physical Collocation - Power, 120V AC Power, Single Phase, per	-		il O	PEIPL	7.65								ļ	ł	
_	!	Breaker Amp			LO	PE1FB	5.50		ļ						<del>+</del>		
		Physical Collocation - Power, 240V AC Power, Single Phase, per				I CIT I	3.50								J	1	
	1	dreaker Amp		lo	LO	PE1FD	11.01							-			
- 1	- 1	Physical Collocation - Power, 120V AC Power, Three Phase, per				<del> </del>	11.01									ł	- 1
-		Breaker Amp			LO	PE1FE	16.51		- 1								
	- 1	Physical Collocation - Power, 277V AC Power, Three Phase, per Breaker Amp	- 1"													- 1	- 1
-	mes C	onnects (Cross Connects, Co-Carrier Cross Connects, and Ports		c	LO	PE1FG	38.12		}								
	1000	sand Ports Connects, and Ports	1	- 10													/
			- 1		EANLUEQ,	1 1				_ т							
-			- 1		NCNX, UEA, UCL. AL. UHL, UDN.	1 !			i					i		ł	
	8	Physical Collocation - 2-wire cross-connect, loop, provisioning			NCVX	PE1P2				Ī	i		ì		f		
	1				EA, UHL, UNCVX,	PETP2	0.0309	19.77	14.95				ĺ	í		i	ľ
_		Physical Collocation - 4-wire cross-connect, loop, provisioning			NCDX, UCL, UDL	PEIDA	0.0618	40.00	1								
- 1					DS1L, WDS1S,	<del>  -                                   </del>	0.0018	19.95	15.05				_	- 1		i i	i
	Ī				XTD1, ULDD1,	1 1	ĺ		ŀ								
	i			U	SLEL, UNLD1,	] ]				ŀ	f					- 1	- 1
			1	U	1TD1, UNC1X,	i i	1	1						1	1		
					EPSR UEPSB,	1 1	İ				1					- 1	- 1
	16	hysical Collocation -DS1 Cross-Connect for Physical			EPSE, UEPSP,							ŀ		ĺ	1		
1	ľ	collocation, provisioning	i		SL, UEPEX,	1 1	}	í			ļ	ł	İ			- 1	í
		and the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of t			PDX	PE1P1	1.38	39.15	23.20		1	ļ	1	[	1		
					E3, U1TD3.												
- }	1	!	- 1	[0]	KTD3, UXTS1, NC3X, UNCSX,	] ]	ļ	İ		J	ł			I	ļ		
1					.DD3, U1TS1,	[	ĺ		İ							- 1	i
					.DD3, U1151, .DS1, UNLD3,		I	ļ			ļ	i		1	}	I	ļ
	ļ		1		PEX UEPDX		1	ĺ	}		- 1	- 1		I		1	
		Ť.	- 1			1 1	1		ı				ì	ı	1	- 1	
		hysical Collecation - DS3 Cross-Connect, provisioning		IUI	PSR, UEPSB,									1			

TEGORY	RATE ELEMENTS	Interim	Zone	BCS	Usoc			RATES(\$)	<u>.                                    </u>		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Att: 4 Exh: B Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual St Order vs Electronic
			-		<del> </del>	Rec	Nonr	ecurring	Nonrecurrin	g Disconnect	<del> </del>	L	089	Rates(\$)		
			_	CLO, ULDO3,	<del>                                     </del>		First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	<u> </u>
	Physical Collocation - 2-Fiber Cross-Connect			ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF ULDO3, ULD12,	PE1F2	3.50	38.25	21.94						Sometia	SUMAN	SOMAN
	Physical Collocation - 4-Fiber Cross-Connect			ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF, UDFCX	PE1F4											
		1		DDF, UDFCX	PE1F4	5.20	43.96	26.17		<u> </u>	i	1		1		
<del> </del>	Physical Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable.		_	CLO	PE1ES_	0.0028								-		
-	Physical Collocation - Co-Carrier Cross Connect/Direct Connect- Copper/Coax Cable Support Structure, per linear foot, per cable.			CLO	PE1DS	0.0041										
	1	ĺ		UEPSR, UEPSP,						<del></del>						
	Physical Collocation 2-Wire Cross Connect, Port			UEPSE, UEPSB, UEPSX, UEP2C	PE1B2			i i					}	- 1		
-	Physical Collocation 4-Wire Cross Connect, Port			UEPEX, UEPDD	PE1B4	0.0309 0.061B	19.77 19.95	14.95					26.94	12.76	- 1	
Securi	у				1. 2.114	0.0016	19.95	15.05					26.94	12.76	<del></del>	
	Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour Physical Collocation - Security Escort for Overtime - outside of			CLO	PE1BT		33.68	21.34		<del>-</del> -			<u> </u>	<u> </u>		
_	normally scheduled working hours on a scheduled work day, per half hour		_	CLO	PE1OT		43.87	27.57								
	Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour						45.01	27.37		<del> </del>					_	
	Physical Collocation - Security Access System - Security System per Central Office, per So. Ft.	<del>-</del>	$\neg$	CLO	PE1PT PE1AY		54.06	33.80								
-	Physical Collocation - Security Access System - New Card Activation, per Card Activation (First), per State			CLO	PE1A1	0.0135 0.0622	15.00	-	··-	<del></del>						
-	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or		c	CLO	PE1AA		15.51			_				<del>-  </del>		
	Stolen Card, per Card	- 1	را	CLO						<del></del>						
	Physical Collocation - Security Access - Initial Key, per Key	-		SLO	PE1AR PE1AK		15.00			•	1			i		
1	Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key			ilo	PE1AL		15.00 15.00									
	Physical Collocation - CFA Information Resend Request, per				· ·						<del></del>					
<u> </u>	DISMISS per arrangement, por request		c	LO	PE1C9	1										
Cable R	ecords - Note: The rates in the First & Additional columns will get	ually be	billed a	s "Initial I" and "Su	bsequent S" re	Spectively	77.48						1	1	Í	
			C	LO	PE1CR	i li	1458.00	S 937 20 I	245.00	247.00						
	Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records) Physical Collocation, Cable Records, VG/DS0 Cable, per each		С	LO	PE1CD		622.69	622.69	346.35	245.00 346.35					$=$ $\mp$	
	100 pair		c	LO	PE1CO		8.77									
	Physical Collocation, Cable Records, DS1, per T1 TIE			LO	PE1C1		4.35	8.77 4.35	10.32 5.11	10.32			i	1	ĺ	1
+	Physical Collocation, Cable Records, DS3, per T3 TIE Physical Collocation - Cable Records, Fiber Cable, per cable			LO	PE1C3		15.22	15.22	17.90	5.11 17.90					-	
	record (maximum 99 records)		C	LO	PE1CB		163.61				- <del>-</del>					
200-1	Physical Collocation, Cable Records CAT5/RJ45				PE1C5		2.27	163.61	143.32	143.32			- 1		- 1	i
Virtual to	Physical College (college)						2.27	<del></del>	2.78							
	Physical Collocation - Virtual to Physical Collocation Relocation, per Voice Grade Circuit  Physical Collocation - Virtual to Physical Collocation Relocation,	_	Cl	LO	PE1BV		33.00								<u> </u>	
. I N	per DSO Circuit  Physical Collocation - Virtual to Physical Collocation Relocation,		Cı.	.0	PE1BO		33.00						<del></del> -		<del>-  -</del>	
	per DS1 Circuit		CL	_0	PE1B1		52.00								<del></del>	
1	Physical Collocation - Virtual to Physical Collocation Relocation, per DS3 Circuit															

		7		<del></del>		<del></del>						Att: 4 Exh; B			
CATEGORY	RATE ELEMENTS	Interin	Zone	BCS	USOC			RATES(\$)		Svc Orde Submitter Elec per LSR	Manually	Incremental	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Charge -	Charge Manual S Order va Electroni
		<del> </del>	<del> </del>	ļ		Rec	Nonre	curring	Nonrecurring Disconne	unt .	<u>.                                    </u>			DISC 151	Disc Add
1	Physical Collocation - Virtual to Physical Collocation In-Place, Per	<del>                                     </del>	<del> </del>	<del>                                     </del>			First	Addi	First Add	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN		
	Voice Grade Circuit		1	lcro	PE1BR		69.51				- SOMETH	SOMAN	SUMAN	SOMAN	SOMAN
i	Physical Collocation Virtual to Physical Collocation In-Place, Per DSO Circuit				·	<del></del>	69,51	20.45				!		1	
	Physical Collocation - Virtual to Physical Collocation In-Place, Per		—	Cro	PE1BP		69.51	20.45							
	IDST CIRCUIT	l	Ι.	CLO		_		= = = = = = = = = = = = = = = = = = = =	<del></del>	<del></del> -	<del> </del>			Í	
	Physical Collocation - Virtual to Physical Collocation In-Place, per	<del>                                     </del>		CLO	PE18S	<del> </del>	78.93	29.87	_		]				
Entran	DS3 Circuit	l		cro	PE1BE	ļ	7				<del>   </del>				
enuan	Physical Collocation - Fiber Cable Installation, Pricing, non-				1, 2, 3, 2	<del></del>	75.11	26.04						- 1	
	recurring charge, per Entrance Cable	J			T	T	T	<u> </u>							
	Physical Collocation - Fiber Cable Support Structure, per Entrance	<b>-</b>		CLO	PE1BD		1,233.00			ļ	1 1	I			
	Cable			CLO	PE1PM					<del></del>	<del>                                      </del>				
1	Charical Caller of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of th				ILC IAM	20.57	<del></del>	- <u>-</u> ,			[	}		Ī	
IRTUAL COLL	Physical Collocation - Fiber Entrance Cable Installation, per Fiber			CLO	PE1ED	1	7.79	l T		7	<del></del>				
Applica	ation					<u> </u>	/9		<del></del>		<u> </u>				
	Virtual Collecation - Application Fee		<del></del> -	111750					<del></del>						
1	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect			AMTES	EAF	<del></del>	1,195.00								
		i		AMTES	VEICA	1									
Space 5	Virtual Collocation Administrative Only - Application Fee			AMTES	VETAF	<del> </del>	317.20 741.44							i	
	Preparation						/41.44								
Power	Tribal Collection Fridor Space, per sq. ft.	_ '		AMTFS	ESPVX	2.69			<del></del>						
	Virtual Collocation - Power, per fused amp			AMTFS	7										
Cross C	onnects (Cross Connects, Co-Carrier Cross Connects, and Port	8)	<u>l'</u>	MM115	ESPAX	7.65	T				<del></del>				
		<del></del>	Ti	UEANL, UEA, UDN		<del></del>	·					L			
		i i		JAL, UHL, UCL,	`	1 1	ļ.								
ľ	Virtual Collocation - 2-wire cross-connect, loop, provisioning		įι	JEQ. UNCVX.		! !				l i	1		}	1	
	- Wire Cross-connect, loop, provisioning			JNCDX, UNCNX	UEAC2	0.0225	19.77	14.95		i i	ĺ	i		1	
l i			ľ	JEA, UHL, UCL. JDL, UNCVX,	ŀ	1			<del></del>	<del></del>	-				
<del>-    </del>	Virtual Collectation - 4-wire cross-connect, loop, provisioning			JNCDX	UEAC4	00440				1 1					
1 1				JLR, UXTD1,	UCAC4	0.0449	19.95	15.05			- !		1	}	
- 1 1	ļ	Į.	Į.	JNC1X, ULDD1,		i	1								
	Virtual collocation - Special Access & UNE, cross-connect per	1		JITD1, USLEL,				j	i	1 1		- 1		ĺ	
	DS1			JNLD1, USL,		1 1	Į.					1	i	}	
				JEPEX, UÉPOX JSL. UÉ3, U1TO3,	CNC1X	0.4195	39.15	23.20	_ 1	1 1		1	J		
1 1				JXTS1, UXTD3,	1	! [				+					
1				INC3X, UNCSX,				1	į	1 1	i		1	1	
	Virtual collocation - Special Access & UNE, cross-connect per			LDD3, U1TS1,	}					1 1	1	ĺ	J	1	
	DS3			LDS1, UDLSX,			}	ļ	1		1	]		- 1	
			Ju	NLD3, XDEST	CND3X	4.41	38.25	21.94		1 1			i		
			_ lu	DL12, UDLO3,	1 :					<del> </del>		<del></del>	<del></del>		i
		1	U	1T48, U1T12,		}	- 1	- 1	1	l i	1	J	1		
1	Firtual Collocation - 2-Fiber Cross Connects		įυ	1TO3, ULDO3,	[ .	'	ļ	1	J			ĺ	1		
<del>-   '</del>			<u> </u>	LD12, ULD48, UDF	CNC2F	1.96	38.25	21.94		1	- 1	- 1		ĺ	l
			J.,	Dista Heren					<del></del>	+					,
			[0]	DL12, UDLO3, 1T48, U1T12,	i	ļ	i	- 1		1					
l	Network College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of th		ļū.	1TO3, ULDO3.		İ	J	i		1				İ	Ī
<del>-    </del> ^	/irtual Collocation - 4-Fiber Cross Connects		Ű	LD12, ULD48, UDF	CNC4F	3.93	43.96	26.17		1	ľ	1	ĺ		1
l lv	firtual Collocation - Co-Carrier Cross Connects/Direct Connect -	T	T			<u> </u>		40.17							
Fi	iber Cable Support Structure, per linear foot, per cable			4750			1			1 1					
		+	- IAM	MTFS	VE1CB	0.0028				] [					- 1
1 1	irtual Collocation - Co-Carrier Cross Connects/Direct Connect					[	7			<del>-  -</del>					
vi	Conner/Cony Cable C C.	J	AN	MTFS	VE1CD	0.0041	- 1	1		] ]					
vi	opper/Coax Cable Support Structure, per linear foot, per cable					0.0041						1		1	J
vi	opper-coax Gable Support Structure, per linear foot, per cable			PSX, UEPSB,		""   -						,	ľ	- 1	ı
Vi G		7	UE	EPSE, UEPSP,		]-				<del>                                     </del>					
Vi	irtual Collocation 2-Wire Cross Connect, Port Irtual Collocation 4-Wire Cross Connect, Port		UE UE	PSE, UEPSP, PSR, UEP2C	VE1R2 VE1R4	0.0225	19.77	14.95				_		_	

JULLOUAI	ION - North Carolina				<del></del>	<del></del> _							Att: 4 Exn: B			
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order v Electron Disc Ad
						Rec	Nonre		Nonrecurring	Disconnect				Rates(\$)		
	<u></u>		Ц			1	First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
CFA	Virtual Collocation - CFA Information Resend Request, per	,			T											
	Premises, per Arrangement, per request	Ì		AMTFS	VE1QR	1 !	77.48									1
Cable F	Records - Note: The rates in the First & Additional columns will a	ctually t	oe billed	as "initial I" & "Sui	bsequent S" re	spectively	77.46		<u> </u>		1					<del></del>
	Virtual Collocation Cable Records - per request			AMTES	VEIBA	1	1458.00	S 937.29	245.00	245.00						
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable	$\overline{}$	$\Box$	T		1										
	record	<b>.</b>	<b>.</b>	AMTES	VE1BB	<u> </u>	622.69	622.69	346.35	346.35				[	_	1
	Virtual Collocation Cable Records - VG/DS0 Cable, per each 100	ļ		******										"		
	pair Virtual Collocation Cable Records - DS1, per T1TIE	<b>-</b>	├	AMTFS AMTFS	VE1BC VE1BD	<del>  </del>	8.77 4.35	8.77	10.32	10.32						
<del></del>	Virtual Collocation Cable Records - DS1, per TTTLE  Virtual Collocation Cable Records - DS3, per T3TIE	<del>}</del>	-	AMTES	VE18E	<del>  </del>	15.22	4.35 15.22	5.11 17.90	5.11 17.90						<b></b>
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber			A4110	V-10L	<del>                                     </del>	13.22	13.22	17.90	17.80						
	records	L.	L	AMTFS	VEIBF	\ \	163.61	163.61	143.32	143.32						l .
	Virtual Collocation Cable Records - CAT 5/RJ45			AMTES	VE185		4.35	4.35	5.11	5.11	_					
Securif																
	Virtual collocation - Security escort, basic time, normally scheduled	\	}		1	\								T		
	work hours	<del> </del> -	<del></del>	AMTFS	SPTBX	ļ	33.68	21.34							<u></u>	
	Virtual coflocation - Security escort, overtime, outside of normally scheduled work hours on a normal working day	ł		AMTES	SPTOX	į į	43.87		, ,		}	1	-			
	Virtual collocation - Security escort, premium time, outside of a	<del></del> -	<del>}</del>	AMITS	ISPIUX	<del>   </del>	43.87	27.57								
1	scheduled work day	!		AMTES	SPTPX	, ,	54.06	33.80				1		I	l	ı
Mainter					TOT TI			33.60			<del></del>					
	Virtual collocation - Maintenance in CO - Basic, per half hour			AMTES	CTRLX	_ ·	52.03	21.22							`Т	
	Virtual collocation - Maintenance in CO - Overtime, per half hour	<u></u>	<u> </u>	AMTES	SPTOM	<b></b> \	69.48	27.81							_ {	1
1	la company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a company and a		1													
	Virtual collocation - Maintenance in CO - Premium per half hour	<u> </u>	Ь	AMTFS	SPTPM	1	86.94	34.40								
Entrane	ce Cable  Virtual Collocation - Cable Installation Charge, per cable			AMTES	ESPCX	<del></del>	1,233.00								~	
	Virtual Collocation - Cable Support Structure, per cable			AMTES	ESPSX	13.28	1,233.00									
LLOCATION	IN THE REMOTE SITE	ļ			1==-0	,,,,,,,						<del></del>	<del></del>	<del></del>		
	a) Remote Site Collocation		•	<u> </u>		·										
	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		589.38		258.38							
	Cabinet Space in the Remote Site per Bay/ Rack	L		CLORS	PETRB	218.07										
		1	ŀ	0.0		]										
	Physical Collocation in the Remote Site - Security Access - Key	<b></b> _	<del> </del>	CLORS	PE1RD	ļ	15.00									
i	Physical Collocation in the Remote Site - Space Availability Report per Premises Requested	1	ł	CLORS	PE1SR	i i		]	1					J		
	Physical Collocation in the Remote Site - Remote Site CLLI Code	<del> </del>	<del>-</del>	OCONS.	FEISH	<del> </del>	215,55									
1	Request, per CLLt Code Requested	1		CLORS	PEIRE	t l	70.65	ļ	ļ	{	, ,	1	}	}	}	
<del>-  </del>	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO	1	$\overline{}$	CLORS	PEIRR	<del>                                     </del>	232.94									
	Physical Collocation - Security Escort for Basic Time - normally					<del>  </del>										
	scheduled work, per half hour	<u> </u>	<u> </u>	CLORS	PE1BT		33.68	21.34					Ì			
1	Physical Collocation - Security Escort for Overtime - outside of	1	1		1	"										
	normally scheduled working hours on a scheduled work day, per			CLORE	PETCT	! 1			1	l	. [		ţ	ļ	ļ	
<del>-  </del>	half hour  Physical Collocation - Security Escort for Premium Time - outside	<del> </del>	-	CLORS	PE1OT_	<del>├───</del> ┤	43.87	27.57								
	of scheduled work day, per half hour	1	1	CLORS	PE1PT		54,06	33.80	ļ				- 1			
Adiace	nt Remote Site Collocation		Ь	1020110	<u> </u>	<del></del>	34,00	G3.8U_						—		
1,0,000	Remote Site-Adjacent Collocation-Application Fee	Г	$\overline{}$	CLORS	PE1RU		755.62	755.62	— т	<del></del>		т	—		<del></del>	
			1			<del>                                     </del>	100.01							<del></del>	<del></del>	
_	Remote Site-Adjacent Collocation - Real Estate, per square foot	<u> </u>		CLORS	PEIRT	0.134		1	i	\	{	1		1	)	
1		]		1	1											
	Remote Site-Adjacent Collocation - AC Power, per breaker amp	<u></u>	<u> </u>	CLORS	PE1RS	6.27				1						
NOTE:	If Security Escort and/or Add'l Engineering Fees become necess	ary for	adjacer	nt remote site collec	eation, the Part	ies will negotiate	e appropriate re	ites.								
Allitual	Remote Site Collocation  Virtual Collocation in the Remote Site - Application Fee	,		VETRS	VE1AB	<del></del> ,	589.38		OFFI OC.		<del></del>					
+	Altural Confortion to the Helitote Site - Application 566	├──	+	YEIRS	ACIMB	<del>  -                                   </del>	589.38		258.38							
l	Virtual Collocation in the Remote Site - Per Bay/Rack of Space	ł	1	VE1RS	VETRO	218.07	)	)	Ì	- 1		- 1			1	
	Virtual Collocation in the Remote Site - Space Availability Report	<del> </del>	$\vdash$		12	2.0.07						<del></del>			+	
	per Premises requested	l	Ш.	VEIRS	VE1RR	! l	215.55	ļ	ŀ	J	- !		}	}	}	
	Virtual Collocation in the Remote Site - Remote Site CLL) Code									<del>  </del>	-			<del></del>	+	
I	Request, per CLLI Code Requested	L		VE1RS	VE1RL		70.65							_	ļ	
JACENT CO																

COLLOCAT	North Carolina												Att: 4 Exh: B			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR		Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
					i		Nonrec	urring	Nonrecurring I	Disconnect	<del></del>	·	OSS	Rates(\$)		<u> </u>
						Rec	First	Add'l	First	Addi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Adjacent Collocation - Space Charge per Sq. Ft			CLOAC	PE1JA	0.1555									00.00	- <del> </del>
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	5.78										
	Adjacent Collocation - 2-Wire Cross-Connects		_	UEANL,UEQ,UEA,U CL, UAL, UHL, UDN		0.0239	19.77	14.95						[		
	Adjacent Collocation - 4-Wire Cross-Connects	—		UEA,UHL,UDL,UCL		0.0477	19.95	15.05				L				
	Adjacent Collocation - DS1 Cross-Connects				PE1JG	1.28	39.15	23.20								
	Adjacent Collocation - DS3 Cross-Connects	<b>↓</b>			PEIJH	17.35	38.25	21.94			T					
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1JJ	2.94	38.25	21.94								
	Adjacent Collocation - 4-Fiber Cross-Connect	<del>_</del> _		CLOAC	PE1JK	5.62	43.96	26.17				i				
	Adjacent Collocation - Application Fee	<del> </del>		CLOAC	PE1JB		2,266.00		0.5842		1					
	Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1JL	5.50		]		-		-				
	Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp	<u> </u>		CLOAC	PEIJM	11.01					[			,		
	Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PEIJN	16.51										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1JO	38.12					ļ <u> </u>					
Note:	Rates displaying an "!" in interim column are interim as a result o	of a Com	mission	order.												

				T	_												
			1									Syc Order	Svc Order	Att; 4 Exh: B			
CATE	GORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Submitted Elec per LSR	Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs, Electronic- Disc 1st	Charge Manual : Order v Electron
	_			_			Rec	Nonre	curring	Nonrecurrin	g Disconnect	<del></del>	<u> </u>		]	Disc 18t	Disc Ad
PHYSIC	CAL CO	LLOCATION				<del></del>	<del></del>	First	Add'I	First	Add'I	SOMEC	SOMAN	oss	Rates(\$)		
	Applica						<del> </del>					COMILC	SUMAN	SOMAN	SOMAN	SOMAN	SOMA
	1	Physical Collocation - Initial Application Fee				<del></del>	<del></del>	<del></del>	L								
	$\overline{}$	Physical Collocation - Subsequent Application Fee			CLÖ	PE1BA		1000.00									
		Physical Collocation - Co-Carrier Cross Connects/Direct Connect.			CLO	PE1CA		1,883.67		0.51							
						-	-	1,570.10		0.51							
		Physical Collocation Administrative Only Application			CLO	PE1DT	i	584.42									
					CLO	PE1BL		743.66		<del> </del>			- 1	- 1	- 1	- 1	
					CLO	PE1KS		594.27		1.21							
					CLO	PEIKM		833.26			<u> </u>						
		Trysical Collication Coet - Mains A			Cro	PE1K1		1,058.00		1.21							
					ULU	PE1KJ		2,409.00		1.21							
		Physical Collocation - Floor Space, per sq feet			CLO	logar:				1,21							
- 1		rhysical Collocation - Space Enclosure, welded wire first so		-	ULU	PE1PJ	3.95			T							
			1	I	CLO	DEIDY											
- 1	Ľ	Physical Collocation - Space enclosure, welded wire, first 100				PE1BX	197.69										
				I,	CLO	PE1BW											
	l.	Physical Collocation - Space enclosure, welded wire, each additional 50 square feet				LE IBW	219.19				- 1						
			:	- 4	CLO	PEICW	24.50										
- 1	5	Physical Collocation - Space Preparation - C.O. Modification per square ft.				121011	21.50				- 1			- 1			
$\overline{}$	T IF	Physical Collocation - Space Preparation, Common Systems		(	CLO	PE1SK	2.75										
						1	2./3	<del></del>				- 1	Į.				
					CLO	PE1SL	3.24		- 1	i			-+	+	$\longrightarrow$		
	N	Modifications-Caged, per cage					- 0.24						ĺ			"	
- 1					CLO	PE1SM	110.16					-					
	P	Physical Collocation - Space Preparation - Firm Order Processing		٦													
	l.	"Joined Composition - Obace Availability Report for Control Office I	-	- 10	CLO	PE1SJ		602.05	I	1	1						
		lequested Topon, per Central Office			CLO	L_ T			——- <u> </u>		———			I	ĺ	- 1	
P	ower			10	,	PE1SR		1,077.57	- 1	J		1					
	IP.	hysical Collocation - Power, -48V DC Power - per Fused Amp	_			,										I	
+			j	c	LO	PE1PL											
- 1	[P.	hysical Collocation - Power, 120V AC Power, Single Phase, per reaker Amp		Ť		FEIFL	9.19				- 1						
$\overline{}$				С	LO	PE1FB											
	Br	hysical Collocation - Power, 240V AC Power, Single Phase, per reaker Amp	$\neg$				5.67				1	- 1	ļ	Ţ			
1		reader Amp	$\bot$	С	LO	PE1FD	11.36	ĺ			<del></del>			<del></del>		J	
			T			-	(1.36				[			J			
	Ph	hysical Collocation - Power, 277V AC Power, Three Phase, per		CI	ro	PE1FE	17.03	1									
	Br	eaker Amp												ļ	1		
Cr	oss Con	nnects (Cross Connects, Co-Carrier Cross Connects, and Ports)		C	LO	PE1FG	39.33	ļ	i	T					<del>  </del>		
		Ports)		I. c			55.55								J		
				UE	ANL,UEQ,												
	1			U	NCNX, UEA, UCL.	1	!	1	i	!	1						
-	Ph	ysical Collocation - 2-wire cross-connect, loop, provisioning		LIK	AL, UHL, UDN,	, I	1	1	- 1	l	- 1		- 1	1	ĺ	- 1	
1			<del></del>	IJE	A, UHL, ÜNÇVX,	PE1P2	0.0341	12.32	11.83	6.04	5 45			I	I	ĺ	- 1
+-	120	ysical Collocation - 4-wire cross-connect, loop, provisioning		UN	CDX, UCL, UDL	PE1P4	0.0			- 0.04	5.45				[	I	
		<u> </u>		wi	DS1L, WDS1S.	FEIF4	0.0682	12.42	11.90	6.40	5.74	- 1					-
				UX	TD1, ULDD1,	ļ	I	T			J./-	-+					-
		1		US	LEL, UNLD1,	i	-	1	1	ļ	1	- 1					$\neg$ $\dashv$
	i	1	]	U1	TD1, UNC1X,		ĺ	I	ļ	- 1	I						ļ
	ļ		İ	ŲΕ	PSR, UEPSB.					ŀ	I			- 1	I		- 1
i	Phy	rsical Collocation -DS1 Cross-Connect for Physical		UE	PSE UEPSP.	1	-	ĺ		ı	J				1	I	J
$\bot$	Col	location, provisioning		US	L, UEPEX,	I	ĺ			ļ	1		- 1	1		1	1
	7				PDX F	E1P1	1.12	22.08	15.96		I	1		ı	J	I	J
i	1	ļ			3. U1TD3,			22.00	15.96	6.42	5.80			ļ	I	ŀ	1
	- 1	1			TD3, UXTS1,	- 1	ĺ	I	!								
				UNI	C3X UNCSX		- 1	1	1	1	ļ			ļ	1	ļ	7
				ULL	DD3, U1TS1,	1	1	í	1		1			İ		I	
İ	1	1		UCC	DS1, UNLD3,	I	i	ı	ſ	ĺ	I		ļ		ĺ	J	ĺ
					PEX, UEPOX,	ļ		1	- 1	- 1	1		1	- 1		1	
	Phys	sical Collocation - DS3 Cross-Connect, provisioning		Just	PSR, UEPSB. PSE, UEPSP P	E1P3	1	1	J		1	1	[	- 1	1	Ţ	- 1
							14.21										

ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Aft: 4 Exh: B Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs, Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order vi Electroni Disc Add
						Rec	Nonre	curring	Nonrecurring	Disconnect	<del>                                     </del>				5.50 750	Dist Add
				CLO, ULDO3,	+		First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
	Physical Collocation - 2-Fiber Cross-Connect			ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1F2	2.82	20.94	15.23	7.40					SSWAN	SOMA	SOMAN
	Dharian Callaurian 151			ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12,			20.04	13.23	7.40	5.93			-			
	Physical Collocation - 4-Fiber Cross-Connect			UDF, UDFCX	PE1F4	5.01	25.61	19.90	9.73	8.26		i	ļ	1		
	Physical Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable.			CLO	PE1ES	0.001				0.20						
-	Physical Collocation - Co-Carrier Gross Connect/Direct Connect -	İ								_						
	Copper/Coax Cable Support Structure, per linear foot, per cable.		10	CLO	PE1DS	0.0015						-	1		i	
	Physical Collocation 2-Wire Cross Connect, Port		į	JEPSR, UEPSP, JEPSE, UEPSB, JEPSX, UEP2C	PE1R2	0.0341	10.00		<del></del> -							
0	Physical Collocation 4-Wire Cross Connect, Port			JEPEX, UEPDD	PE1R4	0.0682	12.32 12.42	11.83	6.04	5.45		15.69				
Securit	Physical Collocation - Security Escort for Basic Time - normally					*******	12.42	11.90	6.40	5.74		15.69				
	scheduled work, per half hour  Physical Collocation - Security Escort for Overtime - outside of		c	cro	PE1BT		16.96	10.75			_					
l l	normally scheduled working hours on a scheduled work day, per half hour	_		CLO_	PE1OT		22.10	13.89								
	Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour				Jiron f			13.03								
	Physical Collocation - Security Access System, Security System, per Central Office			ELO ELO	PE1PT PE1AX		27.23	17.02								
	Physical Collocation -Security Access System - New Card				PEIAX	74.72							.	-		
-	Activation per Card Activation (First), per State	-+	c	LO	PE1A1	0.0601	27.85									
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or		c	LO	PE1AA		7.81			1						
	Stolen Card, per Card		_	LO	PE1AR								·	<del></del>		
	Physical Collocation - Security Access - Initial Key, per Key			io -	PETAK	<del>-</del>	22.83 13.13						i	}		
	Physical Collection - Security Access - Key, Replace Lost or						13.13									
CFA	Stolen Key, per Key		C	LO	PE1AL		13.13		[	}		i				
	Physical Collocation - CFA Information Resend Request, per premises, per arrangement, per request	Ţ	C	LO	PE1C9		77.71									
Cable Re	ecords - Note: The rates in the First & Additional columns will act	ually be	billed as	s "Initial (" and "Su	sequent S" re:	spectively	77.7()								1	
	Physical Collocation - Cable Records, per request Physical Collocation, Cable Records, VG/DS0 Cable, per cable	L	ļči	LO	PE1CR	1	760.98 IS	489.20	133.29	<del></del>						
	record (maximum 3600 records)  Physical Collocation, Cable Records, VG/DS0 Cable, per each	_	CI	LO	PE1CD		327.65		189.54						<del></del>	
	100 pair Physical Collocation, Cable Records, DS1, per T1 TIE			LO	PE1CO		4.82		5.91		_			<del></del>		
	Physical Collocation, Cable Records, DS3, per T3 TIE			.0	PEIC1 PEIC3		2.26		2.77							
JF	Physical Collocation - Cable Records, Fiber Cable, per cable				FE103		7.90		9.68					<del> </del>		
<del></del>	ecord (maximum 99 records)			_0	PE1CB	i	84.68		77.30							
Virtual to	Physical Collocation, Cable Records.CAT5/RJ45 Physical		CL	.0	PE1C5		2.26		2.77							
7 4 9 1 1 1 1	Physical Collocation - Virtual to Physical Collocation Relocation,							<del></del>	2.77							
	Physical Collocation - Virtual to Physical Collocation Relocation.		CI.	.00	PE1BV		33.00									
1	per DSO Circuit  Physical Collocation - Virtual to Physical Collocation Relocation.		CL	.0	PE1BO		33.00								<del></del>	
- F	Physical Collocation - Virtual to Physical Collocation Relocation		CL	.0	PE181		52.00				-					
1	er DS3 Circuit	- i	CL	_ 1	PE1B3		- 1	-								

		1											Att: 4 Exh; B			
TEGORY	RATE ELEMENTS	interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
		├	├			Rec	Nonre	curring	Nonrecurring	Disconnect	<del> </del>		000	Rates(\$)	<u> </u>	
	Physical Collocation - Virtual to Physical Collocation In-Place, Per		<del> </del>	<del></del>	+		First	Addil	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	
	Voice Grade Circuit	]		CLO	PE1BR								COMPAN	SUMAN	SUMAN	SOMAN
	Physical Collocation Virtual to Physical Collocation In-Place, Per				1 21211		22.43	<del> </del>	<del>  </del>							ĺ
	DSO Circuit  Physical Collocation - Virtual to Physical Collocation In-Place, Per		L	CLO	PE1BP		22.43			l	1 1				i	
1	DS1 Circuit	i					1		<del>                                      </del>		<del>                                     </del>					ĺ
	Physical Collocation - Virtual to Physical Collocation In-Place, per			CLO	PE1BS		32 61				1 1					
_	DS3 Circuit	!		CLO	55.55											
Entr	ance Cable			CLO	PE1BE	L	32.61			<u>L.</u> .	, 1		İ	ľ		
	Physical Collocation - Fiber Cable Installation, Pricing, non-										<del></del>			<del></del>		L
-	recurring charge, per Entrance Cable	<u></u>	!	CLO	PE1BD		794.22									
	Physical Collocation - Fiber Cable Support Structure, per Entrance Cable						754.22		22.54							
				CLO	PE1PM	21.33			}			}	T			
$\perp$	Physical Collocation - Fiber Entrance Cable Installation, per Fiber	I	- 1	CLO					<del>                                     </del>		$\longrightarrow$					
	DECCATION		-+	ULU	PE1ED		3.87			_			1	]		
Appli	cation	1			<del></del>		L	_								
	Virtual Collocation - Application Fee			AMTFS	EAF		1.207.95									
-	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect, Application Fee, per application	T			-		7.207.95		0.51						1	
	Virtual Collocation Administrative Only - Application Fee			AMTFS	VETCA		584.42			ĺ			T			
Spac	e Preparation			AMTES	VETAF		743.66					<del></del>	<del></del>			
	Virtual Collocation - Floor Space, per sq. ft	·r		AMTFS	lea-in-											
Powe	er			NIVI I PO	ESPVX	3.95								<del></del>		
	Virtual Collocation - Power, per fused amp	T		AMTES	ESPAX	9.19								<del></del>		
Cross	s Connects (Cross Connects, Co-Carrier Cross Connects, and Port	s)			I LOI AM	9.19										
_	Virtual Collocation - 2-wire cross-connect, loop, provisioning		և Լ	JEANL, UEA, UDN, JAL, UHL, UCL, JEQ, UNCVX, JACDX, UNCNX	UEAC2	0.0317	12.32	11.83	6.04	5.45						
_	Virtual Collocation - 4-wire cross-connect, loop, provisioning		Į.	JEA, ÜHE, ÜCL. JDL, ÜNGVX, JNGDX	UEAC4	0.0634										
	Virtual collocation - Special Access & UNE cross-connect per DS1			ILR, UXTD1, INC1X, ULDD1, IITD1, USLEL, INLD1, USL, IEPEX, UEPDX	CNC1X	1.12	12.42	11.90	6.42	5.74						_
	Virtual collocation - Special Access & UNE, cross-connect per DS3		UUU	SL, UE3, U1TD3, XTS1, UXTD3, NC3X, UNCSX, LDD3, U1TS1, LDS1, UDLSX, NLD3, XDEST	CND3X	14.21										
1			1		1	14.21	20.94	15.23	7.39	5.93				_	i	
	Virtual Collocation - 2-Fiber Cross Connects		U	DL12, UDLO3. 1T48, U1T12, 1TO3, ULDO3, LD12, ULD48, UDF	CNC2F	2.86	20.94	15.23	2.45							
		Ţ				2.00	£0.54	15.23	7.40	5.93						
-	Virtual Collocation - 4-Fiber Cross Connects		U.	DL12, UDLO3, 1T48, U1T12, 1TO3, ULDO3, LD12, ULD48, UDF	CNC4F	5.71	25.61	19.90	9.73	8.26						
<del>                                     </del>	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable			MTFS	VE1CB	0.001			9.10	0.20						
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Copper/Coax Cable Support Structure, per linear foot, per cable	-	UE	PSX, UEPSB,	VE1CD	0.0015										
<u> </u>	Virtual Collocation 2-Wire Cross Connect, Port Virtual Collocation 4-Wire Cross Connect, Port		ĺUΕ	PSE, UEPSP,	VE182	0.0317	12.32	11.83	6.04	5.45						

COLLUCA	TION - South Carolina												Att: 4 Exh; B			
ATEGORY	RAYE ELEMENTS	Intefim	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge
<del></del>													1st	Add'l	Disc 1st	Disc Add
	<del> </del>	<del>   </del>			<del></del>	Rec		curring	Nonrecurring		<u> </u>			Rates(\$)		
CFA		<del></del>			<del></del>	L	First	Add'l	First	Addʻi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
<del>-   5'</del>	Virtual Collocation - CFA Information Resent Request, per								<del>,                                     </del>	T						
1	Premises, per Arramement, per request	l !		AMTES	VEIOR	\	77.71	}	i	1	1			İ		
Cable	Records - Note: The rates in the First & Additional columns will a	ctually be	e billed	as "Initial I" & "Sul	bsequent S" re	spectively	77.71	<u> </u>	<u> </u>	<del></del>	<del></del>		L			┸——
<del></del>	Virtual Collocation Cable Records - per request	, , , , , , , , , , , , , , , , , , ,		AMTES	VE1BA	apcouvery_	760.98	S 489.20	133.29	T						
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable				<del> </del>	<del></del>			730.23	<del></del>				<del>}                                    </del>		<del></del> -
_	record	l l		AMTFS	VE1BB		327.65		189.54	1	ł			! I		1
	Virtual Collocation Cable Records - VG/DS0 Cable, per each 100													<del></del>		<del>                                     </del>
	pair			AMTES	VE1BÇ		4.82		5.91		,	}		} i		1
	Virtual Collocation Cable Records - DS1, per T1TIE			AMTFS	VE1BD		2.26		2.77						<del></del> ,	
	Virtual Collocation Cable Records - DS3, per T3TIE	<b></b> _		AMTFS	VE1BE		7.90		9.68							
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber			414750					l	l —						
<del></del> -	records  Without Collegetion Cable Booker's CAT 5/8 146	<del>   </del>		AMTES	VE18F	<u> </u>	84.68		77.30					i		L
Secur	Virtual Collocation Cable Records - CAT 5/RJ45	Ц		AMTES	VE1B5	<u></u>	2.26	L	2.77	l	L					
Secur	Virtual collocation - Security escort, basic time, normally scheduled							<del></del>			,			,		
	work hours	\ \	- 1	AMTES	SPTBX	1	****		l	[	]		j	1 Π		
	Virtual collocation - Security escort, overtime, outside of normally	┝─┤		Districo	JOLIBY	<del> </del> -	16.96	10.75	<del> </del>		<del>                                     </del>			<del></del>		<del></del>
	scheduled work hours on a normal working day	i		AMTES	SPTOX		22.10	13 89	ſ				i	į Į		
	Virtual collocation - Security escort, premium time, outside of a			PART I S	Jar TOX	<del> </del>	22.10	13 65	<del> </del> -	<del></del>	}			<del> </del>		
ì	scheduled work day			AMTES	SPTPX		27.23	17.02	ļ	ļ						l
Mainte	enance		_	THE CO	TOT II V		27.23	17.02	<del></del>		<b>_</b>			L <del></del>		<b></b> _
	Virtual collocation - Maintenance in CO - Basic, per half hour			AMTES	CTRLX		27.99	10.75	· · · · · · · · · · · · · · · · · · ·					<del>,</del>		r
						<del></del>	27.00	10.75			<del></del>			<del></del>		
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		36.56	13.89								ĺ
i		_														r
	Virtual collocation - Maintenance in CO - Premium per half hour			AMTES	SPTPM	<u></u>	45.12	17.02	i						ĺ	ĺ
Entra	nce Cable															
	Virtual Collocation - Cable Installation Charge, per cable			AMTFS	ESPCX		794.22		22.54							
11.064810	Virtual Collocation - Cable Support Structure, per cable  N IN THE REMOTE SITE			AMTES	ESPSX	18.66										
	cal Remote Site Collocation				<del></del>	L			L		ابـــــا					
Friyan	Physical Collocation in the Remote Site - Application Fee			CLORS	(PE1RA	<del></del>	308.38		168.60							
_+_	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PETRB	246.44	300.30		100.00							<b></b>
				020110	- EDID	E-10,44										
	Physical Collocation in the Remote Site - Security Access - Key	!		CLORS	PE1RD	)	13.13				l l	ļ	ļ		- 1	i
	Physical Collocation in the Remote Site - Space Availability Report						10.10		<del></del>							<del></del>
	per Premises Requested			CLORS	PEISR	l i	116.13						ļ		- 1	
	Physical Collocation in the Remote Site - Remote Site CLLI Code													<del></del>		
	Request, per CLLI Code Requested		- 1	CLORS	PE1RE	{	37.64			l i	ŀ				- 1	1
	Remote Site DLEC Data (BRSDD), per Compact Disk_per CO			CLORS	PEIAR		234.50									
	Physical Collocation - Security Escort for Basic Time - normally															
	scheduled work, per half hour		1	CLORS	PE18T		16.96	10.75	'		Ì	j	}		1	1
\ \ \ \ \ \	Physical Collocation - Security Escort for Overtime - outside of				1											
	normally scheduled working hours on a scheduled work day, per	١ ١			1				į i					1	- 1	
	half hour			CLORS	PE10T	ļl	22.10	13,89			L \		\	i	)	ł
1	Physical Collocation - Security Escort for Premium Time - outside	)	1		1											
	of scheduled work day, per half hour			CLORS	PE1PT_	Ļ <u>_</u>	27.23	17.02	L				1	1		
Adjac	ent Remote Site Collocation	т		-1000	705.5											
<del></del>	Remote Site-Adjacent Collocation-Application Fee			CLORS	PEIRU	<b> </b>	755.62	755.62								
	Remote Site-Adjacent Collocation - Real Estate, per square foot	1	- 1	CLORS	PEIRT									T		
<del></del>	memore one-Adjacent Conucation - near Estate, per square foot	<del></del> +		CLORS	FEIRI	0.134										
l	Remote Site-Adjacent Collocation - AC Power, per breaker amp	. }	- }	CLORS	PEIRS	6.27	ì	Ì	l i	ļ			Į		I	
NOTE	: If Security Escort and/or Add'l Engineering Fees become necess	any for a	diaces	t remote site collec	ation the Part	iet will penetica	annrounist	***		i						
Virtua	Remote Site Collocation		-1-0-011	and compt		will hedotlass		LES.						<del></del>		
1100	Virtual Collocation in the Remote Site - Application Fee			VETRS	IVE1RB	1	616.76		337.19				<del></del> -			
$\neg$					1	<del></del>	310.76		337.19			<del>+</del>				
1	Virtual Collocation in the Remote Site : Per Bay/Back of Space		i	VE1RS	VETRC	246.44				ļ			!	}	Į	
	Virtual Collocation in the Remote Site - Space Availability Report				1		<del></del>		<del></del>	<del></del> -	<del></del>		<del></del>			
}	per Premises requested	· ]	)	VE1RS	VE1AR		232.25	ļ	i		- 1	j	ļ	ļ	- 1	
	Virtual Collocation in the Remote Site - Remote Site CLLI Code					<del>  </del>						<del></del>	<del></del>	+	<del></del> -	
	le ii airia a			VE1RS	VE1RL	1 /	75.27		Í	l	- 1	ļ		}	1	
	Request, per CLLI Code Requested OLLOCATION	{		VEIDS	TACIME	1	(3,2)		1							

COLLOCAT	ION - South Carolina												Att: 4 Exh: B			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)				Submitted Manually	Incremental	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						-	Nonrec	иппа	Nonrecurring	Disconnect			OSS	Rates(\$)		
			L			Rec	First	Adďi	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Adjacent Collocation - Space Charge per Sq. Ft.	Ι			PE1JA	0.0939										
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	6.40										
	Adjacent Collocation - 2-Wire Cross-Connects			UEANL,UEQ,UEA,U CL, UAL, UHL, UDN	PE1JE	0.0264	12.32	11.83	6.04	5.45						
	Adjacent Collocation - 4-Wire Cross-Connects			UEA,UHL,UDL,UCL	PE1JF	0.0527	12.42	11.90	6.40	5.74	<u> </u>					<del></del>
	Adjacent Collocation - DS1 Cross-Cornects			USL	PE1JG	1.03	22.08	15.96	6.42	5.80						
	Adjacent Collocation - DS3 Cross-Connects	1		UE3	PE1JH	14.00	20.94	15.23	7.39	5.93						
	Adjacent Collocation - 2-Fiber Cross-Connect	$\Box$			PE 1JJ	2.37	20.94	15.23	7.40	5.93						
	Adjacent Collocation - 4-Fiber Cross-Connect				PE1JK	4.53	25.61	19.90	9.73	8.26						
	Adjacent Collocation - Application Fee	1		CLOAC	PEIJB		1,580.20					-				
	Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1JL	5.67										
	Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1JM	11.36										
	Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp	T		CLOAC	PE1JN	17.03										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1JO	39.33										

OLLOCA	ATION - Tennessee			**								- 1.5	Att: 4 Exh: B			
ATEGORY		interim	Zone	8C\$	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svo Order vs. Electronic- Add'l	Incremental Charge - Manual Syc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv. Order vs. Electronic Disc Add'i
		=				Rec	Nonrecurring First	Add'I	Nonrecurring First	Disconnect Add'I	SOMEC	- L	OSS	Rates(\$)	SOMAN	
<del></del>	<del></del>	<del>                                     </del>			+	<del></del>	Frist	Augi	FIRST	Addi	SUMEC	SUMAN	SUMAN	SUMAN	SOMAN	SOMAN
HYSICAL (	COLLOCATION				<del> </del>		<del> </del>			<del></del> -						
Арр	lication									·	<u> </u>					
	Physical Collocation - Initial Application Fee	I		CLO	PE1BA		,285.98									
	Physical Collocation - Subsequent Application Fee	L		CLO	PE1CA		1,085.48	·								
	Physical Collocation - Co-Carrier Cross Connects/Direct Connect,		1 1	CLO	PE1DT		F0F 00		ļ	i						
	Application Fee, per application  Physical Collocation - Power Reconfiguration Only, Application	<del>├</del> ──	<del>├</del> ──┤	CLU	PEIDI	ļ <u>-</u> -	585.09		<del>                                     </del>					<u> </u>		
i	Fee	ĺ		CLO	PE1PR	1	400.10			ľ	l [					
	Physical Collocation Administrative Only - Application Fee			CLO	PETBL		743.25		<del>                                     </del>					<del></del>		
Spac	ce Preparation				1	·			·	<del></del>	·			L	<u> </u>	
	Physical Collocation - Floor Space, per sq feet	1	· · · · · · · · · · · · · · · · · · ·	CFO	PE1PJ	5.94			T.					[ <u> </u>		
	Physical Collocation - Space Enclosure, welded wire, first 50		1									i				
	square feet		<b> </b>	CLO	PE1BX	197.09	<del>   </del>		ļ					<u></u> i		
ľ	Physical Collocation - Space enclosure, welded wire, first 100	1		0.0	or a product				l							
<del></del>	square feet Physical Collocation - Space enclosure, welded wire, each	<del> </del>	<del>   </del>	cro	PE1BW	218.53	<del> </del>		<del> </del>	<del></del>	ļ. <b></b>			<u>-</u>		
	additional 50 square feet		il	CLO	PE1CW	21,44	1 1		1							
	Physical Collocation - Space Preparation - C.O. Modification per		1	<u> </u>	FEIGW	21,44		<del></del>								
	square ft.			CLO	PE1SK	2.74	{		Į.	1	}	1	1	1		
	Physical Collocation - Space Preparation, Common Systems		1 1						<del> </del>		<del></del>					
_	Modifications-Cageless, per square foot			CLO	PE1SL	2.95	L	_		}		1				
	Physical Collocation - Space Preparation - Common Systems		1								-					
	Modifications-Caged, per cage	L	igsquare	CLO	PE1SM I	100 14								L Ì		
ì	BU TOTAL BUT BUT BUT BUT BUT BUT BUT BUT BUT BUT	1		01.0				-								
	Physical Collocation - Space Preparation - Firm Order Processing	<b>├</b> ──	┝─┤	CLO	PE1SJ	<u> </u>	1,204.00		ļ	<b></b> _						
	Physical Collocation - Space Availability Report, per Central Office Requested	<b>!</b> .		CLO	PE1SR		2,027.00		1	[		į	Į	Ţ		
Pow			ــــــــــــــــــــــــــــــــــــــ		(FEISE	L	2,021.00		<del></del>	·	L					
1	Physical Collocation - Power, -48V DC Power - per Fused Amp	ι	, <del></del>		Τ		<del></del>			<u> </u>				т		
	Requested	1		CLO	PE1PL	8.87	[		I			1	1	ľ		
	Physical Collocation - Power, 120V AC Power, Single Phase, per						<u>r</u>		<del>,                                    </del>				<del></del>	<del></del> +		<del></del>
	Breaker Amp	<u> </u>		CLO	PE1FB	5.60			l	<u> </u>						
	Physical Collocation - Power, 240V AC Power, Single Phase, per						!			[				<del></del>		
	Breaker Amp		<b></b>	CLO	PE1FD	11.22										_
	Physical Collocation - Power, 120V AC Power, Three Phase, per	l	ll		i		l i		l .		1	ì				
-+-	Breaker Amp Physical Collocation - Power, 277V AC Power, Three Phase, per	<del> </del>	<del>                                     </del>	Cro	PE1FE	16.82	<del>  </del>		<del></del>		<b></b>					
	Breaker Amp			CLO	PE1FG	38.84	1		1					1	i	
Cres	is Connects (Cross Connects, Co-Carrier Cross Connects, and Por	16)		<u> </u>	prestru	36.84	<u> </u>									
- 1 <del>5.6.</del>	Total Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the	<u>~</u> ,	5 5	UEANL,UEQ.	1	·	, — т		T	, <del></del> .			<del></del>			
		1		UNCNX, UEA, UCL,					1			1	1	ĺ		
- 1		1		UAL, UHL, UDN,					1		İ	!				
	Physical Collocation - 2-wire cross-connect, loop, provisioning	L		UNCVX	PE1P2	0.033	33.82	31.92	L						{	
ļ		Ì	1	UEA, UHL, UNCVX.	1	) <u> </u>	. T	_								
	Physical Collocation - 4-wire cross-connect, loop, provisioning	<b>└</b>		UNCDX, UCL. UDL	PE1P4	0.066	33.94	31.95	L							
- 1		1		WDS1L, WDS1S.					1		T	1	-			
		ĺ		UXTD1, ULDD1, USCEL, UNCD1,	(	ļ	ļ l		ļ.			}	1	i i	}	
- 1		]		U1TD1, UNC1X,			ĺ		1					i	1	
1				UEPSR UEPSB.			1					i		l	ļ	
ĺ		l		UEPSE, UEPSP,	1 1				1	į į	1		I	1	i	
	Physical Collocation -DS1 Cross-Connect for Physical	(	, ,	USL, UEPEX.	1	<b> </b>	}		1	ì	)	)	j	1	1	
	Collocation, provisioning			UEPDX	PE1P1	1.51	53.27	40.16					ĺ			
				UE3, UTTD3,												
		[		UXTD3, UXTS1,					[ i			Į	Į	Ļ	ļ	
ļ		1		UNC3X, UNCSX,	1	)	ì		] '	}		1		1	ĺ	
				ULDD3, U1TS1,						·			J	1		
				ULDS1, UNLD3. UEPEX, UEPDX.			ļ l				- 1		ĺ		ł	
- 1		i		UEPSA, UEPSB,	1		[		(		1		ļ	[	\ \	

													Att: 4 Exh; B			
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order v Electroni Disc Add
					<del>                                      </del>	Rec	Nonrecurring		Nonrecurring	Disconnect	<del> </del>	Ļ	OSS	Rates(\$)		
				CLO, ULDO3,	<del> </del>	<del> </del>	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - 2-Fiber Cross-Connect			ULD12, ULD48, U1T03, U1T12, U1T48, UDLO3, UDL12, UDF ULD03, ULD12,	PE1F2	15.64	41.56	29.82	12.96	10.34			2.69	2.69	1.56	1.5
	Physical Collocation - 4-Fiber Cross-Connect		i	ULD48, U1TO3, U1T12, U1T48, UDEO3, UDE12, UDF, UDFCX	PE1F4	28.11										
	Dhariatoalla		-	<u> </u>	r cirs	28.11	50.53	38.78	16.97	14.35			2.69	2.69	1.56	1.5
	Physical Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable.			CLO	PE1ES	0.0013		,								
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -		j								<del>-</del>					
<del>-   -</del> -	Copper/Coax Cable Support Structure, per linear foot, per cable.			CLO UEPSR, UEPSP,	PE1DS	0.0019	,								ĺ	
			li	UEPSE, UEPSB.												
	Physical Collocation 2-Wire Cross Connect, Port Physical Collocation 4-Wire Cross Connect, Port		\	UEPSX. UEP2C	PE1R2	0.033	33.82	31.92				- 1	1			
Security	/		<u> </u>	JEPEX, UEPDD	PE1R4	0.066	33.94	31.95					20.35	10.54	13.32	1.40
	Physical Collocation - Security Escort for Basic Time - normally		_		T								20.33	10.54	13.32	1.4
	scheduled work, per half hour			CLO	PE18T		33.91	21.49	1		T					
1 1	Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour													<del></del>		
<del>                                      </del>	Physical Collocation - Security Escort for Premium Time - outside	-+		DLO	PE10T		44.17	27.76		ļ	-	1				
	of scheduled work day, per half hour Physical Collocation - Security Access System - Security System			CLO	PE1PT		54 42	34.02						·		-
!	per Central Office Physical Collocation -Security Access System - New Card			CLO	PE1AX	55.99								<del></del>	<del></del>	
+ +	Activation, per Card Activation (First), per State			CLO	PE1A1	0.059	55.67							<del>-  </del>		
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or		c	ELO	PE1AA		15.61									
	Stolen Card, per Card		٦	LO	PE1AR							<del></del>		<del></del>		
!	Physical Collocation - Security Access - Initial Key, per Key			LQ	PETAK		45.64 26.24							ĺ		
18	Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key			LO	PE1AL											
CFA			,,,		JECIAL		26.24							1		
	Physical Collocation - CFA Information Resend Request, per premises, per arrangement, per request				l T				<del></del>							
Cable Re	cords		C	ro	PE1C9	<u> </u>	77.67			1			}			
<del></del>	Physical Collocation - Cable Records, per request		Ĉ	LO	PEICR		1.711.00 [							<u>-</u> -	<del></del> i.	
n	Physical Collocation, Cable Records, VG/DS0 Cable, per cable ecord (maximum 3600 records)		CI	LO	PE1CD		925.06				<del></del>		<del></del>			
וי	Physical Collocation, Cable Records, VG/DS0 Cable, per each 00 pair			LO	PE1CO		18.05									
	hysical Collocation, Cable Records, DS1, per T1 TIE hysical Collocation, Cable Records, DS3, per T3 TIE		CI		PE1C1		8.45									
I 1P	'hysical Collocation - Cable Records, Fiber Cable, per cable	_	CI	.0	PE1C3		29.57									
P	ecord (maximum 99 records) hysical Collocation, Cable Records, CAT5/RJ45				PE1CB		279.42									
Virtual to	Physical		CL	.0	PE1C5		8.45			<del></del>						
P	hysical Collocation - Virtual to Physical Collocation Relocation, or Voice Grade Circuit			.0									<u>_</u> _			
P	hysical Collocation - Virtual to Physical Collocation Relocation, er DSO Circuit	$\neg \uparrow$			PE1BV	<del></del>	33.00									
P	hysical Collocation - Virtual to Physical Collocation Relocation, er DS1 Circuit				PE1BO		33.00									
P	hysical Collocation - Virtual to Physical Collocation Relocation, er DS3 Circuit		CL		PE1B1		52.00									
<u></u>	i Doo Circuit		CL	.0	PE1B3	1	52.00	I			1					

						<del></del>	<del></del>						Att: 4 Exh: B			
ATEGORY	RATE ELEMENTS	interm	n Zone	BCS	usoc			RATÉS(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
		<del> </del>	+	<del>                                     </del>	<del></del>	Rec	Nonrecurring			Disconnect	<del></del>		088	Rates(\$)	<u> </u>	L
- 1	Physical Collocation - Virtual to Physical Collocation In-Place, Per	<del>                                     </del>	+		<del></del>	<del></del>	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Voice Grade Circuit	Ĺ		CLO	PE1BR		21.11	ļ		[ "				00,000	SUMAN	SUMAN
-	Physical Collocation Virtual to Physical Collocation In-Place, Per DSO Circuit				<del>                                     </del>	<del></del>			<del> </del>	<del> </del> -	<b></b>					
	Physical Collocation - Virtual to Physical Collocation In-Place, Per	├-	<del> </del>	CLO	PE1BP	1	21.11				Ji					
	DS1 Circuit		1		1				<del> </del>	<del> </del>						
	Physical Collocation - Virtual to Physical Collocation In Place, per	<del> </del>	<del> </del> -	CLO	PE1BS	<u> </u>	30.69	<u>_</u>	İ	l	J i		- 1			
	DS3 Circuit	1		CLO	PE1BE						<del>                                     </del>					
Entr;	ance Cable	<del></del>	ــــــــــــــــــــــــــــــــــــــ	010	TELBE	J	30.69		<b></b>		J i		i	ł	- }	
- 1	Physical Collocation - Fiber Cable Support Structure, per Entrance				<del></del>	T	<del> </del>									
			L	CLO	PEIPM	19.80	1		i		- T					
1	Physical Collocation - Fiber Entrance Cable per Cable (CO manhole to vault splice)					1	<del>†</del>									
	Jimar Die to vault spice)			CLO	PE1EC		1.071.00		43.10	ĺ		Ţ				
	Physical Collocation - Fiber Entrance Cable Installation, per Fiber					1	1.571.001		43.10						- 1	
TUAL CO	LLOCATION Der Friber			CLO	PE1ED	<u> </u>	7.29		l i			İ				
	cation									-	<del></del>					
	Virtual Collocation - Application Fee		1 7	AMTES	IEAF											
"	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect			AM1F5	EAF		2,633,00						2.07		<del></del>	
				AMTFS	VE1CA						-		2.07	2.81	0.67	1.4
	Virtual Collocation Administrative Only - Application Fee	_		AMTFS	VETAF	<del> </del>	585.09					1	i	i		
Space	e Preparation				Tre Ini	<del></del>	743.25						<del>  </del> -			
Powe	Virtual Collocation - Floor Space, per sq. ft.			AMTES	ESPVX	3.91										
7.044	Virtual Collocation - Power, per fused amp															
Cross	Connects (Cross Connects, Co-Carrier Cross Connects, and Port		L/	AMTES	ESPAX	6.79										
	Connects, co-carrier cross connects, and Port	(5)									———		<u></u>			
1		ĺ	L	JEANL, UEA, UDN,		]						<del></del>				
			- 13	JAL, UHL, UCL JEO, UNCVX	1						- 1					
	Virtual Collocation - 2-wire cross-connect, loop, provisioning			JNCDX, UNCNX	UEAC2				ŀ	- 1				İ	ĺ	
				JEA, UHL, UCL.	UEAC2	0.57	11.62	9.90	10.38	8.66	1	ĺ	2.07	2.81	0.07	
-	le le le le le le le le le le le le le l			JDL, UNCVX.	í i		ľ						2.07	2.81	0.67	1.41
	Virtual Collocation - 4-wire cross-connect, loop, provisioning			JNCDX	UEAC4	0.57	11.81	40.04			i					
				JLR, UXTD1,		0.57	11.07	10.04	10.44	8.67			2.07	2.81	0.67	1.41
- 1			Į.	JNC1X, ULDD1,	1 1		i	i	i i		i					1.41
i	Virtual collocation - Special Access & UNE, cross-connect per	i	Į.	J1TD1, USLEL.			-		ļ	- 1	1	j	1	1	i	
!	DS1			JNLD1, USL,	[	}		1			1			ļ	l l	
7				JEPEX, UEPDX JSL, UE3, U1TD3,	CNC1X	1.32	32.22	17.76	10.46	8.75		i	2.07	1	1	
	· i	1	l'i	IXTS1, UXTD3,	! !			-					2.07	2.81	0.67	1.41
			Ιŭ	INC3X, UNCSX.	1 1	- 1			- 1			- 1	i			
1		- 1		LDD3, U1TS1,					- 1		1	i i		!	ļ	
	Virtual collegation Constitute and the		ļu	LDS1, UDLSX,	ł [	- 1		1	1	!	ļ	1	ĺ	1		
<del></del>	Virtual collocation - Special Acess & UNE, cross-connect per DS3		Ų	NLD3, XDEST	CND3X	12.32	29.97	16.30	12.03	1				1	1	
	1	- 1			-			10.50	12,03	8.99			2.07	2.81	0.67	1.41
				DL12, UDLO3,	1 1	1				i	İ	ł				
			l'i	1T48, U1T12,			ļ	- 1			1		1			i
	Virtual Collocation - 2-Fiber Cross Connects		l:	1703, ULDO3, LD12, ULD48, UDF	01100-					1	i			1	1	
			<del>- 1</del> º	LUTZ, ULU48, UDF	UNUZF	3.03	41.56	29.82	12.96	10.34	İ		2.69	,	, [	
	]	- 1	- la	DL12, UDLQ3,				T				<del></del>	2.09	2.69	1.56	1.56
			Ju	1T48, U1T12,	1	1		- 1	1	l			- 1			
-	Virtual Collegation A Fit C			1TO3, ULDO3.			Ţ	1	1	- 1				- 1	ĺ	
+	Virtual Collocation - 4-Fiber Cross Connects			LD12, ULD48, UDF	CNC4F	6.06	50.53	38.78	16.97	,,,,,		1	i			ĺ
]	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect		- 1					50.70	16.97	14.35			2.69	2.69	1.56	1.56
i	Fiber Cable Support Structure, per linear foot, per cable	J	<sub>.</sub> .	4750			- 1		1	l		1				
	· · · · · · · · · · · · · · · · · · ·		AI	MTFS	VE1CB	0.0013			_	J					ĺ	ļ
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect -		- 1	i						<del>+</del>	<del></del>	<del></del>	<del></del>			
<b>†</b>	IC	- 1	۸۵	MTES	VE1CD	0.0040	ĺ	I	ľ							
	Copper/Coax Cable Support Structure, per linear foot, per cable				VC100	0.0019				i	J	ľ	!	1	ı	1
	Copper/Coax Cable Support Structure, per linear foot, per cable		ÜF	PSX UEPSR												
		T	ÜE	PSX. UEPSB, PSE, UEPSP.			- 1	T				-+				
	Virtual Collocation 2-Wire Cross Connect. Port		[UE	PSX. UEPSB, PSE. UEPSP, PSA. UEP2C	VE1R2	0.57	11 00	6.00	45		_					
			UE	PSE, UEPSP, PSR, UEP2C	VE1R2 VE1R4	0.57 0.57	11.62	9.90	10.38	8.66 8.67			20.35	10.54	13.32	1.40

COLLOCAT	ION - Tennessee				_								Att: 4 Exh: B			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic Disc Add'i
<del></del>		<del> </del>	┼	<del> </del>	<del> </del>	Rec	Nonrecurring First	Add'l	Nonrecurring First		CONTO	501411	OSS	Rates(\$)		
CFA	<del></del>	I	—	·	<del></del>	<u> </u>	FIRST_	Augi	FIFSE	Add'l	SUMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation - CFA Information Resent Request, per		<del></del>	T	1	T	1		T		1					
1_	Premises, per Arrangement, per request	l _	I	AMTFS	VETOR	ĺ	77.67							·		
Cable	Records								·		<del></del>					
	Virtual Collocation Cable Records - per request		ļ	AMTES	VE1BA		1,711.00									
ì	Virtual Collocation Cable Records - VG/DS0 Cable, per cable		i	AMTES	l											
	record Virtual Collocation Cable Records - VG/DS0 Cable, per each 100			AMTES	VE188		925.06			ļ	<del></del>					
Į.	nair	ł .	}	AMTES	VE1BC	1	18.05				1 .					
	Virtual Collocation Cable Records - DS1, per T1TIE	<del> </del>		AMTES	VE1BD	<del> </del>	8.45		<del>                                     </del>		+					
	Virtual Collocation Cable Records - DS3, per T3TIE		<u> </u>	AMTES	VEIBE	<del> </del>	29.57		<del></del>		<del>\</del>					
- J	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber				1		Ī				<b>T</b>					
	records		<b>_</b> _	AMTES	VE1BF	<del></del> _	279.42		L	L						
	Virtual Collocation Cable Records - CAT 5/RJ45	Ц	Щ_	AMTES	VE1B5		8,45		<u> </u>		1					
Securit	y Virtual collocation - Security escort, basic time, normally scheduled					<del>, , , , , , , , , , , , , , , , , , , </del>	<del></del>									
1	work hours		1	AMTES	SPTBX		33,15	20.44					2.07			
	Virtual collocation - Security escort, overtime, outside of normally	$\vdash \lnot$		- 110	Jon   10 A	<del>†</del>	33,15	20.44			+		2.07	2.81	0.67	1.4
1	scheduled work hours on a normal working day	)	Ì	AMTES	SPTOX		41.50	25.61		ļ			2.07	2,81	0.67	1.4
	Virtual collocation - Security escort, premium time, outside of a				<del>                                     </del>		1.39	20.01			<del> </del>			2,01	0.07	1.4
	scheduled work day	_	<u> </u>	AMTES	SPTPX	(	49.86	30.79	i	ł	1 1		2.07	2.81	0.67	1.4
Mainter																
	Virtual collocation - Maintenance in CO - Basic, per half hour		↓	AMTES	CTALX		30.64						2.07	2.81	0.67	1.4
I	District and a state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the sta	l	ĺ		lastou.				1	}	1					
	Virtual collocation - Maintenance in CO - Overtime, per half hour	<del> </del>	<del> </del>	AMTFS	SPTOM	<del>                                     </del>	35.77				<del> </del>		2.07	2.81	0.67	1,4
	Virtual collocation - Maintenance in CO - Premium per half hour	<u> </u>		AMTFS	SPTPM	L	40,90					į	2.07	2.81	0.67	1.4
Entrand	ce Cable															
	Virtual Collocation - Cable Installation Charge, per cable	<b>-</b>	<b>├</b> ──	AMTES	ESPCX		1,749.00						2.07	2.81	0.67	1.41
COLLOCATION	Virtual Collocation - Cable Support Structure, per cable	<del></del>	┼	AMTES	ESPSX	17.87	ļ				<del> </del>					
Physic	al Remote Site Collocation	<del></del>	<u> </u>	·	<del>)</del>	<del></del>	L		<u> </u>	L	<u> </u>					
- 1,775	Physical Collocation in the Remote Site - Application Fee	T	Τ -	CLORS	PEIRA	T	580.20		312.76		T -		———			
	Cabinet Space in the Remote Site per Bay/ Rack	_		CLORS	PE1RB	220.41	000.20		9,12,70		+ +			<del></del>	<del> )</del>	
					<del> </del>	j										
	Physical Collecation in the Remote Site - Security Access - Key			CLORS	PEIRD	<u></u>	24.69			_	1 1			ľ		
	Physical Collocation in the Remote Site - Space Availability Report	ļ	į				[			1						
	per Premises Requested	<b>├</b>	┼	CLORS	PE1SR	<del></del>	218.49				<b> </b>					
i	Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested		1	CLORS	PE1RE		7004				1 1			l	Į.	
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO	<del>                                     </del>	₩-	CLORS	PEIRR	<del> </del>	70.81 234.15			· <del>-</del>	<del>  </del>					
	Physical Collecation - Security Escort for Basic Time - normally	<del>                                     </del>	+	52.0110	F	<del> </del>	E34.13				+					
	scheduled work, per half hour	1 _		CLORS	PE1BT	:	33.91	21.49				ļ	į	Į	ļ	
	Physical Collecation - Security Escort for Overtime - outside of	·	$\Box$	1	I						7	<del></del>				
ì	normally scheduled working hours on a scheduled work day, per			L		] .	!		l			1	- 1			
	half hour		<b>├</b> ─-	CLORS	PE1OT	<b></b>	44.17	27.76			<u> </u>			<u> </u>		
Į	Physical Collocation - Security Escort for Premium Time - outside	1	1	CLORS	PE1PT	i '	( ا	24.00			1 1		ĺ			
Adiace	of scheduled work day, per half hour nt Remote Site Collocation	L	ــــــــــــــــــــــــــــــــــــــ	ICLORS	INETHI	ــــــ	54.42	34.02			ــــــــــــــــــــــــــــــــــــــ					
Aujaco	Remote Site-Adjacent Collocation-Application Fee	<del></del> _	т	CLORS	PE1RU		755.62	755.62								
	Institute dite-stateoni colocation Approaliem se	<del></del>	┼	OLO III O	1 2 1110	<del> </del>	(30.62	133.62			+					
	Remote Site-Adjacent Collocation - Real Estate, per square foot		<u>L.</u>	CLORS_	PE1RT	0.134	L		_				1			
											T		<del></del>	<del></del>		
	Remote Site-Adjacent Collocation - AC Power, per breaker amp	<u> </u>	ـــــــــــــــــــــــــــــــــــــــ	CLORS	PEIRS	6.27	LI									
NOTE:	If Security Escort and/or Add'l Engineering Fees become necess Remote Site Collocation	ary for	adjacel	nt remote site colloca	ition, the Parl	ies will negotiat	e appropriate re	ites.								
Virtual	Virtual Collocation in the Remote Site - Application Fee		<del>,                                    </del>	VE1RS	VETAB		580.20	<del>-</del>	212.70		<del>, ,</del>					
	Tritter concernation is not off offer - Abbricanion Lise	<del></del> -	<del> </del>	115100	1451110	<del> </del>	560,20		312.76		<del>  </del>			+		
	Virtual Collocation in the Remote Site - Per Bay/Rack of Space		ĺ	VE1RS	VEIRC	220.41										
	Virtual Collocation in the Remote Site - Space Availability Report		T		1	-	<del> </del>				<del> </del>		<del></del>	<del></del>	<del>}</del>	
	per Premises requested	<u></u> _	<u>L</u> .	VE1RS	VE1RR	<u></u> i	218.49						J			
· [	Virtual Collocation in the Remote Site - Remote Site CLLI Code		1	l		]					, <del></del>					
	Request, per CLLI Code Requested		<del></del>	VE18S_	VE1RL		70.81						1	l	1	_
MI SACENT CC	LLOCATION	1	.1	1	i	I					1					

ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)		-	Svc Order Submitted Elec per LSR	Svc Order Submitted	Att: 4 Exh; B Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
		-	Ļ			Rec	Nonrecurring		Nonrecurring	Disconnect						
	Adjacent Collocation - Space Charge per Sq. Ft.						First	Add'l	First	Add'i	SOMEC	SOMAN	OSS	Rates(\$)		
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JA	0.0656					SOMEC	SUMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Elocation Facility Charge per Linear Ft.	——	<del></del> -	CLOAC	PE1JC	5.53										
	Adjacent Colocation - 2-Wire Cross-Connects Adjacent Colocation - 4-Wire Cross-Connects Adjacent Colocation - DS1 Cross-Connects Adjacent Colocation - DS2 Cross-Connects Adjacent Colocation - 2-Fiber Cross-Connect Adjacent Colocation - 4-Fiber Cross-Connect Adjacent Colocation - 4-Fiber Cross-Connect Adjacent Colocation - Application Fee Adjacent Colocation - 120V. Single Phase Standby Power Rate			CLOAC	PEIJE	0.34 0.33 1.70 19.03 3.49 6.50	11.12 11.30 28.39 26.23 26.23 29.75 2,973.00	10.18 10.31 16.88 15.51 15.51 19.02	11.33 11.62 11.65 13.40 13.41 17.60	10.23 10.44 10.54 10.77 10.78 14.97			1,77 1,77 1,77 1,77 1,77 1,77 1,77	1,77 1,77 1,77 1,77 1,77 1,77	1.12 1.12 1.12 1.12 1.12 1.12 1.12	1.1) 1.1) 1.1) 1.1) 1.1) 1.1)
	per AC Breaker Amp Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1JL	5.81		-								0.0
	Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp	-		CLOAC CLOAC	PE1JM PE1JN	11.64 17.45										
	Adjacent Collocation - 277V. Three Phase Standby Power Rate per AC Breaker Amp				PE1JO	40.30										

ATT 5 – ACCESS TO NUMBERS AND NUMBER PORTABILITY/<u>AT&T9-STATE</u>

PAGE 1 OF 5

Rightlink USA
1Q08 GENERIC INTERCONNECTION AGREEMENT – 03/10/08

# Attachment 5

**Access to Numbers and Number Portability** 

# ATT 5 – ACCESS TO NUMBERS AND NUMBER PORTABILITY/AT&T9-STATE PAGE 2 OF 5 Rightlink USA 1Q08 GENERIC INTERCONNECTION AGREEMENT – 03/10/08

# **TABLE OF CONTENTS**

1.	Non-Discriminatory Access to Telephone Numbers	3
2.	Local Number Portability	4
3.	Service Order Charges	5

Rightlink USA 1Q08 GENERIC INTERCONNECTION AGREEMENT – 03/10/08

#### **ACCESS TO NUMBERS AND NUMBER PORTABILITY**

# 1, Non-Discriminatory Access to Telephone Numbers

- 1.1 During the term of this Agreement, where Rightlink USA is utilizing its own switch, Rightlink USA shall contact the North American Numbering Plan Administrator (NANPA), or, where applicable, the relevant Number Pool Administrator for the assignment of numbering resources.
- 1.2 Where AT&T provides resold services to Rightlink USA, AT&T will provide Rightlink USA with online access to available telephone numbers as defined by applicable FCC rules and regulations on a first come first served basis. Rightlink USA acknowledges that such access to numbers shall be in accordance with the appropriate FCC rules and regulations. Rightlink USA may designate up to a forecasted six (6) months supply of available numbers as intermediate (an available number provided to Rightlink USA) telephone numbers per rate center if the following conditions are met:
- 1.2.1 Rightlink USA must: (1) indicate that all of the intermediate numbers currently held by Rightlink USA in each rate center where Rightlink USA will be requesting intermediate telephone numbers have six (6) or less months to exhaust; (2) supply projected monthly telephone number demand on a rate center basis for the coming twelve (12) months for each rate center where Rightlink USA will be requesting intermediate telephone numbers; and, (3) demonstrate that the utilization level on current intermediate numbers held by Rightlink USA in the rate center where Rightlink USA is requesting telephone numbers has reached at least seventy-five percent (75%).
- 1.2.2 The above information will be provided by Rightlink USA by submitting to AT&T a fully completed "CO Code Assignments Months To Exhaust Certification Worksheet TN Level" (MTE Worksheet), Appendix B to the Central Office Code (NXX) Assignments Guidelines, INC 95-0407-008 for each rate center where Rightlink USA will be requesting intermediate telephone numbers. The utilization level is calculated by dividing all intermediate numbers currently assigned by Rightlink USA to customers by the total number of intermediate numbers held by Rightlink USA in the rate center and multiplying the result by one hundred (100).
- 1.2.3 If fulfilling Rightlink USA's request for intermediate numbers results in AT&T having to submit a request for additional telephone numbers to a national numbering administrator (either NANPA CO Code Administration or NeuStar Pooling Administration or their successors), AT&T will submit the required numbering request to the national numbering administrator to satisfy Rightlink USA's request for intermediate numbers. AT&T will also pursue all appropriate steps (including submitting a safety valve request (petition) to the appropriate Commission if the numbering request is denied by the national administrator) to satisfy Rightlink USA's request for intermediate numbers. In these cases, AT&T is not obligated to fulfill the request by Rightlink USA for intermediate numbers unless, and until, AT&T's request for additional numbering resources is granted.
- 1.2.4 Rightlink USA agrees to supply supporting information for any numbering request and/or safety valve request that AT&T files pursuant to Section 1.2.3 above.

# ATT 5 – ACCESS TO NUMBERS AND NUMBER PORTABILITY/<u>AT&T9-STATE</u> PAGE 4 OF 5 Rightlink USA 1Q08 GENERIC INTERCONNECTION AGREEMENT – 03/10/08

1.3 Rightlink USA acknowledges that there may be instances where there is an industry shortage of available telephone numbers in a number plan area (NPA). These instances occur where a jeopardy status has been declared by NANPA and the industry has determined that limiting the assignment of new numbers is the appropriate method to employ until the jeopardy can be alleviated. In such NPA jeopardy situations where assignment of new numbers is restricted per the jeopardy guidelines developed by the industry, AT&T may request that Rightlink USA cancel all or a portion of its unassigned intermediate numbers. Rightlink USA's consent to AT&T's request shall not be unreasonably withheld.

### 2. Local Number Portability

- 2.1 The Parties will offer LNP in accordance with rules, regulations and guidelines adopted by the Commission, the FCC and industry fora.
- 2.2 <u>Service Management System (SMS) Administration.</u> The Parties will work cooperatively with other local service providers to establish and maintain contracts for the LNP SMS.
- 2.3 Network Architecture. The Parties agree to adhere to applicable FCC rules and orders governing LNP network architecture.
- 2.4 <u>Signaling.</u> In connection with LNP, each Party agrees to use SS7 signaling in accordance with applicable FCC rules and orders.
- 2.5 N-1 Query. The Parties agree to adhere to applicable FCC rules and orders governing LNP N-1 queries.
- 2.6 Porting of Reserved Numbers and Suspended Lines. Customers of each Party may port numbers, via LNP, that are in a denied state or that are on suspend status. In addition, customers of each Party may port reserved numbers that the customer has paid to reserve. Portable reserved numbers are identified on the Customer Service Record (CSR). In anticipation of porting from one Party to the other Party, a Party's customer may reserve additional telephone numbers and include them with the numbers that are subsequently ported to the other Party. It is not necessary to restore a denied number before it is ported.
- 2.7 <u>Splitting of Number Groups.</u> The Parties shall permit blocks of subscriber numbers (including, but not limited to, Direct Inward Dial (DID) numbers and MultiServ groups) to be split in connection with an LNP request. AT&T and Rightlink USA shall permit customers who port a portion of DID numbers to retain DID service on the remaining portion of numbers. If a Party requests porting a range of DID numbers smaller than a whole block, that Party shall pay the applicable charges for doing so as set forth in Attachment 2. In the event no rate is set forth in Attachment 2, then the Parties shall negotiate a rate for such services.
- 2.8 The Parties will set Location Routing Number (LRN) unconditional or ten (10) digit triggers where applicable. Where triggers are set, the porting Party will remove the ported number at the same time the trigger is removed.

#### ATT 5 - ACCESS TO NUMBERS AND NUMBER PORTABILITY/AT&T9-STATE

PAGE 5 OF 5 Rightlink USA

1008 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

- 2.9 A trigger order is a service order issued in advance of the porting of a number. A trigger order 1) initiates call queries to the AIN SS7 network in advance of the number being ported; and 2) provides for the new service provider to be in control of when a number ports.
- 2.10 Where triggers are not set, the Parties shall coordinate the porting of the number between service providers so as to minimize service interruptions to the customer.
- 2.11 AT&T and Rightlink USA will work cooperatively to implement changes to LNP process flows ordered by the FCC or as recommended by standard industry foras addressing LNP.
- 2.12 Where Rightlink USA utilizes AT&T's LNP Query Service, AT&T shall bill and Rightlink USA shall pay the query charge associated with LNP Query Service as set forth in Attachment 2. To receive the LNP Query Service charge set forth in Attachment 2, Rightlink USA shall fill out and submit the Interconnection data sheet for AT&T LNP Query Service. The form can be obtained on AT&T's Wholesale Southeast Region Web site under AT&T LNP Query Service and click on forms. Once the form has been filled out and submitted the LNP Query charge will take effect on the approved date. This charge is not subject to the resale discount set forth in Attachment 1.

### 3. Service Order Charges

3.1 The terms, conditions and rates for OSS utilized in connection with LNP are as set forth in Attachment 6 and Exhibit A of Attachment 2.

ATT 6 – PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR/<u>AT&T-9STATE</u>
PAGE 1 OF 8
Rightlink USA
1Q08 GENERIC INTERCONNECTION AGREEMENT – 03/10/08

# Attachment 6

Pre-Ordering, Ordering, Provisioning, Maintenance and Repair

# ATT 6 - PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR/<u>AT&T-9STATE</u> PAGE 2 OF 8 Rightlink USA 1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

# **TABLE OF CONTENTS**

1.	Quality of Pre-Ordering, Ordering, Provisioning, Maintenance and Repair	. 3
2.	Access to Operations Support Systems	. 3
3.	Miscellaneous	. 7

#### PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR

#### 1. Quality of Pre-Ordering, Ordering, Provisioning, Maintenance and Repair

1.1 AT&T shall provide to Rightlink USA nondiscriminatory access to its OSS and the necessary information contained therein in order that Rightlink USA can perform the functions of pre-ordering, ordering, provisioning, maintenance and repair, and billing. AT&T shall provide Rightlink USA with all relevant documentation (manuals, user guides, specifications, etc.) regarding business rules and other formatting information as well as practices and procedures necessary to ensure requests are efficiently processed. All documentation will be readily accessible at AT&T's Wholesale – Southeast Region Web site. AT&T shall ensure that its OSS are designed to accommodate requests for both current and projected demands of Rightlink USA and other CLECs in the aggregate.

#### 2. Access to Operations Support Systems

- 2.1 AT&T shall provide to Rightlink USA nondiscriminatory access to its OSS and the necessary information contained therein in order that Rightlink USA can perform the functions of pre-ordering, ordering, provisioning, maintenance and repair, and billing. AT&T shall provide nondiscriminatory access to the OSS through manual and/or electronic interfaces as described in this Attachment. It is the sole responsibility of Rightlink USA to obtain the technical capability to access and utilize AT&T's OSS interfaces. Specifications for Rightlink USA's access and use of AT&T's electronic interfaces are set forth at AT&T's Wholesale Southeast Region Web site.
- 2.1.1 Rightlink USA agrees to comply with the provisions of the OSS Interconnection Volume Guidelines as set forth at AT&T's Wholesale Southeast Region Web site.

### 2.2 <u>Pre-Ordering</u>

- 2.2.1 AT&T will provide electronic access to its OSS and the information contained therein in order that Rightlink USA can perform the following pre-ordering functions: service address validation, telephone number selection, service and feature availability, due date information, customer record information and loop makeup information. Mechanized access is provided by electronic interfaces whose specifications for access and use are set forth at AT&T's Wholesale Southeast Region Web site. The process by which the Parties will manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process as described in Section 2.7 below.
- 2.2.2 AT&T shall provide to Rightlink USA electronic access to customer service record information in accordance with the applicable performance intervals referenced in Attachment 9. If electronic access is not available, AT&T shall provide to Rightlink USA such information within twenty-four (24) hours. Rightlink USA shall provide to AT&T access to customer record information, including circuit numbers associated with each telephone number where applicable. Rightlink USA shall provide such information within four (4) hours after request via electronic access where available. If

# ATT 6 – PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR/<u>AT&T-9STATE</u> PAGE 4 OF 8 Rightlink USA 1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

electronic access is not available, Rightlink USA shall provide to AT&T paper copies of customer record information, including circuit numbers associated with each telephone number where applicable. Rightlink USA shall provide to AT&T such customer service records within twenty-four (24) hours of a valid request, exclusive of Saturdays, Sundays and holidays.

2.2.3 The Parties agree not to view, copy, or otherwise obtain access to the other Party's customer record information about any of the other Party's customers without that customer's permission. Rightlink USA will obtain access to customer record information only in strict compliance with applicable laws, rules, or regulations of the state in which the service is provided. AT&T reserves the right to audit Rightlink USA's access to customer record information. If AT&T has reason to believe, through its audit or by any other means, that Rightlink USA is accessing customer record information without having obtained the proper customer authorization, AT&T upon reasonable notice to Rightlink USA may take corrective action, including but not limited to suspending or terminating Rightlink USA's access to AT&T's pre-ordering and ordering OSS, and the provisioning of pending and existing services.

### 2.3 Ordering

- 2.3.1 AT&T will make available to Rightlink USA electronic interfaces for the purpose of exchanging order information, including order status and completion notification, for non-complex and certain complex resale requests and certain network elements. Specifications for access and use of AT&T's electronic interfaces are set forth at AT&T's Wholesale Southeast Region Web site. The process by which the Parties will manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process as described in Section 2.7 below.
- 2.3.2 Rightlink USA shall place orders for services by submitting a LSR to AT&T. AT&T shall bill Rightlink USA an electronic service order charge at the rate set forth in the applicable Attachment to this Agreement for each LSR submitted by means of an electronic interface. AT&T shall bill Rightlink USA a manual service order charge at the rate set forth in the applicable Attachment to this Agreement for each LSR submitted by means other than the electronic Interfaces (e.g., mail, fax, courier, etc.). An individual LSR will be identified for billing purposes by its PON.
- 2.3.2.1 Rightlink USA may submit an LSR to request that a customer's service be temporarily suspended, denied, or restored. Alternatively, Rightlink USA may submit a list of such customers if Rightlink USA provides a separate PON for each location on the list. AT&T will bill an electronic or manual service order charge for each location.
- 2.3.2.2 AT&T will bill the electronic or manual service order charge, as applicable, for an LSR, regardless of whether that LSR is later supplemented, clarified or cancelled.
- 2.3.2.3 Notwithstanding the foregoing, AT&T will not bill an additional electronic or manual service order charge for supplements to any LSR submitted to clarify, correct, change or cancel a previously submitted LSR.

# ATT 6 - PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR/AT&T-9STATE

PAGE 5 OF 8 Rightlink USA

1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

AT&T shall return a Firm Order Confirmation (FOC) or LSR clarification in accordance with the applicable performance intervals referenced in Attachment 9. Rightlink USA shall provide to AT&T a FOC within twenty-four (24) hours of the receipt from AT&T of a complete and accurate LSR, exclusive of Saturdays, Sundays and holidays. Rightlink USA shall provide to AT&T an LSR clarification within twenty-four (24) hours of the receipt from AT&T of an incomplete and inaccurate LSR, exclusive of Saturdays, Sundays and holidays.

# 2.4 Provisioning

- AT&T shall provision services during its regular working hours. To the extent Rightlink USA requests provisioning of service to be performed outside AT&T's regular working hours, or the work so requested requires AT&T's technicians or project managers to work outside of regular working hours, overtime charges set forth in AT&T's intrastate Access Services Tariff, Section E13.2, shall apply. Notwithstanding the foregoing, if such work is performed outside of regular working hours by a AT&T technician or project manager during his or her scheduled shift and AT&T does not incur any overtime charges in performing the work on behalf of Rightlink USA, AT&T will not assess Rightlink USA additional charges beyond the rates and charges specified in this Agreement.
- 2.4.2 In the event AT&T must dispatch to the customer's location more than once due to incorrect or incomplete information provided by Rightlink USA (e.g., incomplete address, incorrect contact name/number, etc.), AT&T will bill Rightlink USA for each additional dispatch required to provision the circuit due to the incorrect/incomplete information provided. AT&T will assess the applicable Maintenance of Service rates from BellSouth's FCC No. 1 Tariff, Section 13.3.1.
- 2.4.3 Cancellation Charges. If Rightlink USA cancels an LSR for network elements or resold services subsequent to AT&T's generation of a service order, any costs incurred by AT&T in conjunction with provisioning of Services as requested on the cancelled LSR will be recovered in accordance with the cancellation methodology set forth in the Cancellation Charge Percentage Chart found on AT&T's Wholesale Southeast Region Web site. In addition, AT&T reserves the right to assess cancellation charges if Rightlink USA fails to respond within nine (9) business days to a Missed Appointment order notification.
- 2.4.3.1 Notwithstanding the foregoing, if Rightlink USA places an LSR based upon AT&T's loop makeup information, and such information is inaccurate resulting in the inability of AT&T to provision the network elements requested and another spare compatible facility cannot be found with the transmission characteristics of the network elements originally requested, cancellation charges described in this Section shall not apply. Where Rightlink USA places a single LSR for multiple network elements or services based upon loop makeup information, and information as to some, but not all, of the network elements or services is inaccurate, if AT&T cannot provision the network elements or services that were the subject of the inaccurate loop makeup information, Rightlink USA may cancel its request for those network elements or services without incurring cancellation charges as described in this Section. In such instance, should Rightlink USA elect to cancel the entire LSR, cancellation charges as described in this Section shall apply to those elements and services that were not the subject of inaccurate loop makeup.

- 2.4.4 <u>Service Date Advancement Charges (Expedites).</u> For Service Date Advancement requests by Rightlink USA, Service Date Advancement charges will apply for intervals less than the standard interval as outlined in the AT&T Product and Services Interval Guide. The charges are as set forth in Exhibit A of Attachment 2.
- 2.4.5 Order Modification Charges. If Rightlink USA modifies an order after being sent a FOC from AT&T, the Order Modification Charge (OMC) or Order Modification Charge Additional Dispatch (OMCAD) will be paid by Rightlink USA in accordance with Exhibit A of Attachment 2.

### 2.5 <u>Maintenance and Repair</u>

- 2.5.1 AT&T will make available to Rightlink USA electronic interfaces for the purpose of reporting and monitoring service troubles. Specifications for access and use of AT&T's maintenance and repair electronic interfaces are set forth at AT&T's Wholesale Southeast Region Web site. The process by which the Parties will manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process as described in Section 2.7 below. Requests for trouble repair are billed in accordance with the provisions of this Agreement. AT&T and Rightlink USA agree to adhere to AT&T's Operational Understanding. The Operational Understanding may be accessed via AT&T's Wholesale Southeast Region Web site.
- 2.5.2 If Rightlink USA reports a trouble on a AT&T Network Element and no trouble is found in AT&T's network, AT&T will charge Rightlink USA a Maintenance of Service Charge for any dispatching and testing (both inside and outside the CO) required by AT&T in order to confirm the working status. AT&T will assess the Maintenance of Service rates as set forth in BellSouth's FCC No. 1 Tariff, Section 13.3.1.
- 2.5.2.1 In the event AT&T must dispatch to the customer's location more than once due to incorrect or incomplete information provided by Rightlink USA (e.g., incomplete address, incorrect contact name/number, etc.), AT&T will bill Rightlink USA for each additional dispatch required to repair the circuit due to the incorrect/incomplete information provided. AT&T will assess the Maintenance of Service rates as set forth in BellSouth's FCC No. 1 Tariff, Section 13.3.1.
- 2.5.3 If Rightlink USA reports a trouble on a resold service and no trouble is found in AT&T's network, AT&T will charge Rightlink USA a Trouble Determination Charge or a Trouble Location Charge for any dispatching and testing (both inside and outside the CO) required by AT&T in order to confirm the working status. AT&T will assess the Trouble Determination Charge or Trouble Location Charge from the applicable AT&T tariff.
- 2.5.3.1 In the event AT&T must dispatch to the customer's location more than once due to incorrect or incomplete information provided by Rightlink USA (e.g., incomplete address, incorrect contact name/number, etc.), AT&T will bill Rightlink USA for each additional dispatch required to repair the circuit due to the incorrect/incomplete information provided. AT&T will assess the Trouble Determination Charge or Trouble Location Charge from the applicable AT&T tariff.
- 2.6 <u>Billing.</u> AT&T will provide Rightlink USA nondiscriminatory access to billing information as specified in Attachment 7.

- Change Management. The Parties agree that the collaborative change management process known as the Change Control Process (CCP) will be used to manage changes to existing interfaces, introduction of new interfaces and retirement of interfaces. The Parties agree to comply with the provisions of the documented CCP as may be amended from time to time and incorporated herein by reference. The change management process will cover changes to AT&T's electronic interfaces, AT&T's testing environment, associated manual process improvements, and relevant documentation. The process will define a procedure for resolution of change management disputes. Documentation of the CCP as well as related information and processes will be clearly organized and readily accessible to Rightlink USA at AT&T's Wholesale Southeast Region Web site.
- 2.8 Rates. Unless otherwise specified herein, charges for the use of AT&T's OSS, and other charges applicable to pre-ordering, ordering, provisioning and maintenance and repair, shall be at the rates set forth in the applicable Attachment of this Agreement.
- 2.9 The Commissions in some states have ordered per element manual additive nonrecurring charges for Network Elements and Other Services ordered by means other than one of the interactive interfaces. These ordered Network Elements and Other Services manual additive nonrecurring charges will apply in these states, rather than the charge per LSR. The per element charges are listed in Exhibit A of Attachment 2.

#### 3. Miscellaneous

- 3.1 Pending Orders. To the extent that Rightlink USA submits an LSR with incomplete, incorrect or conflicting information, AT&T will return the LSR to Rightlink USA for clarification. Rightlink USA shall respond to the request for clarification within thirty (30) days by submitting a supplemental LSR. If Rightlink USA does not submit a supplement LSR within thirty (30) days, AT&T will cancel the original LSR and Rightlink USA shall be required to submit a new LSR, with a new PON.
- 3.2 Single Point of Contact. Rightlink USA will be the single point of contact with AT&T for ordering activity for network elements and other services used by Rightlink USA to provide services to its customers, except that AT&T may accept a request directly from another CLEC, or AT&T, acting with authorization of the affected customer. Rightlink USA and AT&T shall each execute a blanket LOA with respect to customer requests so that prior proof of customer authorization will not be necessary with every request (except in the case of a local service freeze). The Parties shall each be entitled to adopt their own internal processes for verification of customer authorization for requests, provided, however, that such processes shall comply with applicable state and federal law and industry and regulatory guidelines. Pursuant to a request from another carrier, AT&T may disconnect any network element being used by Rightlink USA to provide service to that customer and may reuse such network elements or facilities to enable such other carrier to provide service to the customer. AT&T will notify Rightlink USA that such a request has been processed but will not be required to notify Rightlink USA in advance of such processing.
- 3.2.1 Neither Party shall prevent or delay a customer from migrating to another carrier because of unpaid bills, denied service, or contract terms.

# ATT 6 – PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR/<u>AT&T-9STATE</u> PAGE 8 OF 8 Rightlink USA 1Q08 GENERIC INTERCONNECTION AGREEMENT – 03/10/08

- 3.2.2 <u>Use of Facilities.</u> When a customer of Rightlink USA elects to discontinue service and to transfer service to another local exchange carrier, including AT&T, AT&T shall have the right to reuse the facilities provided to Rightlink USA, regardless whether those facilities are provided as Network Elements or as part of a resold service, and regardless of whether the end user served with such facilities has paid all charges to Rightlink USA or has been denied service for nonpayment or otherwise. AT&T will notify Rightlink USA that such a request has been processed after the disconnect order has been completed.
- 3.3 Contact Numbers. The Parties agree to provide one another with toll-free nation-wide (50 states) contact numbers for the purpose of ordering, provisioning and maintenance of services. Contact numbers for maintenance/repair of services shall be staffed twenty-four (24) hours per day, seven (7) days per week. AT&T will close trouble tickets after making a reasonable effort to contact Rightlink USA for authorization to close a ticket. AT&T will place trouble tickets in delayed maintenance status after making a reasonable effort to contact Rightlink USA to request additional information or to request authorization for additional work deemed necessary by AT&T.
- 3.4 <u>Subscription Functions.</u> In cases where AT&T performs subscription functions for an IXC (i.e., PIC and LPIC changes via Customer Account Record Exchange (CARE)), AT&T will in all possible instances provide the affected IXCs with the OCN of the local provider for the purpose of obtaining customer billing account and other customer information required under subscription requirements.
- 3.4.1 When Rightlink USA's customer, served by resale or loop and port combinations, changes its PIC or LPIC, and per AT&T's FCC or state tariff the interexchange carrier elects to charge the customer the PIC or LPIC change charge, AT&T will bill the PIC or LPIC change charge to Rightlink USA, which has the billing relationship with that customer, and Rightlink USA may pass such charge to the customer.

ATT 7 - BILLING/<u>AT&T-9STATE</u>
PAGE 1 OF 10
Rightlink USA
1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

Attachment 7

Billing

ATT 7 – BILLING/<u>AT&T-9STATE</u>
PAGE 2 OF 10
Rightlink USA
1Q08 GENERIC INTERCONNECTION AGREEMENT – 03/10/08

# **TABLE OF CONTENTS**

1.	Payment and Billing Arrangements	3
2.	Billing Disputes	8
3.	Non-Intercompany Settlements	9

#### **BILLING**

# 1. Payment and Billing Arrangements

The terms and conditions set forth in this Attachment shall apply to all services ordered and provisioned pursuant to this Agreement.

- 1.1 AT&T will bill through the Carrier Access Billing System (CABS), Integrated Billing System (IBS) and/or the Customer Records Information Systems (CRIS) depending on the particular service(s) provided to Rightlink USA under this Agreement. AT&T will use its best efforts to format bills in CABS Billing Output Specification (CBOS) standard format. AT&T's billing format may change in accordance with applicable industry standards; provided, however, that AT&T may, in some instances, not apply CBOS standard format for certain types of billing for certain products and services. Billing in a format other than CBOS shall not be the basis of any Rightlink USA dispute or withholding of payment.
- 1.1.1 For any service(s) AT&T receives from Rightlink USA, Rightlink USA shall bill AT&T in CBOS format.
- 1.1.2 Any switched access charges associated with interexchange carrier access to the resold local exchange lines will be billed by, and due to AT&T.
- 1.1.3 AT&T will render bills each month on established bill days for each of Rightlink USA's accounts. If either Party requests multiple billing media or additional copies of the bills, the billing Party will provide these at the rates set forth in BellSouth's FCC No. 1 Tariff, Section 13.3.6.3, except for resold services which shall be at the rates set forth in AT&T's Non-Regulated Services Pricing List N6.
- 1.1.4 AT&T will bill Rightlink USA in advance for all services to be provided during the ensuing billing period except charges associated with service usage and nonrecurring charges, which will be billed in arrears.
- 1.1.4.1 For resold services, charges for services will be calculated on an individual customer account level, including, if applicable, any charge for usage or usage allowances. AT&T will also bill Rightlink USA, and Rightlink USA will be responsible for and remit to AT&T, all charges applicable to said services including but not limited to 911 and E911 charges, EUCL charges, federal subscriber line charges, telecommunications relay charges, and franchise fees, unless otherwise ordered by a Commission.
- 1.1.5 AT&T will not perform billing and collection services for Rightlink USA as a result of the execution of this Agreement.
- 1.2 <u>Establishing Accounts and Subsequent State Certifications.</u> After submitting a credit profile and deposit, if required, and after receiving certification as a local exchange carrier from the appropriate Commission, Rightlink USA will provide the appropriate AT&T Senior Carriers Accounts Manager responsible for new CLEC activation, the necessary documentation to enable AT&T to establish accounts for Local Interconnection, Network Elements and Other Services and/or resold services.

ATT 7 – BILLING/<u>AT&T-9STATE</u>
PAGE 4 OF 10
Rightlink USA
1Q08 GENERIC INTERCONNECTION AGREEMENT – 03/10/08

Such documentation shall include the Application for Master Account, if applicable, proof of authority to provide Telecommunications Services, the appropriate OCN for each state as assigned by the NECA, CIC, if applicable, ACNA, if applicable, AT&T's blanket form LOA, Misdirected Number form, and a tax exemption certificate, if applicable. Notwithstanding anything to the contrary in this Agreement, Rightlink USA may not order services under a new account and/or subsequent state certification, established in accordance with this Section until thirty (30) days after all information specified in this Section is received from Rightlink USA.

- 1.2.1 ACNAs. Rightlink USA shall provide AT&T with documentation from Telcordia identifying the ACNA assigned to it by Telcordia (as applicable) in the same legal name as reflected in the preamble to this Agreement. Such ACNA will be used by Rightlink USA to order services pursuant to this Agreement and will not be shared by Rightlink USA with another entity.
- 1.2.2 Company Identifiers. If Rightlink USA needs to change, add to, eliminate or convert its OCN(s), ACNAs and other identifying codes (collectively "Company Identifiers") under which it operates when Rightlink USA has already been conducting business utilizing those Company Identifiers, Rightlink USA shall follow the Mergers and Acquisitions Process as described on AT&T's Wholesale Southeast Region Web site, and shall be subject to separately negotiated rates, terms and conditions.
- 1.2.3 Tax Exemption. It is the responsibility of Rightlink USA to provide AT&T with a properly completed tax exemption certificate in the current version of the form customarily used by AT&T and at intervals required by the appropriate taxing authorities or reasonably requested by AT&T. A tax exemption certificate must be supplied for each individual Rightlink USA entity purchasing Services under this Agreement. Upon AT&T's receipt of a properly completed tax exemption certificate, subsequent billings to Rightlink USA will not include those taxes or fees from which Rightlink USA is exempt. Prior to receipt of a properly completed exemption certificate, AT&T shall bill, and Rightlink USA shall pay all applicable taxes and fees. In the event that Rightlink USA believes that it is entitled to an exemption from and refund of taxes with respect to the amount billed prior to AT&T's receipt of a properly completed exemption certificate, AT&T shall assign to Rightlink USA its rights to claim a refund of such taxes. If applicable law prohibits the assignment of tax refund rights or requires the claim for refund of such taxes to be filed by AT&T, AT&T shall, after receiving a written request from Rightlink USA and at Rightlink USA's sole expense, pursue such refund claim on behalf of Rightlink USA, provided that Rightlink USA promptly reimburses AT&T for any costs and expenses incurred by AT&T in pursuing such refund claim; and, provided further, that AT&T shall have the right to deduct any such outstanding costs and expenses from the amount of any refund obtained prior to remitting such refund to Rightlink USA or to deduct any such outstanding costs and expenses from any amounts owed by AT&T to Rightlink USA if no refund is obtained. Rightlink USA shall be solely responsible for the computation, tracking, reporting and payment of all taxes and fees associated with the services provided by Rightlink USA to its customers.
- 1.3 <u>Deposit Policy.</u> Prior to the inauguration of service or, thereafter, upon AT&T's request, Rightlink USA shall complete the AT&T Credit Profile (AT&T form) and provide information to AT&T regarding Rightlink USA's credit and financial condition. Based on AT&T's analysis of the AT&T Credit Profile and other relevant information regarding Rightlink USA's credit and financial condition, AT&T reserves the right to require Rightlink USA to provide AT&T with a suitable form of security deposit for Rightlink USA's account(s). If, in AT&T's sole discretion, circumstances so

warrant and/or Rightlink USA's gross monthly billing has increased, AT&T reserves the right to request additional security (or to require a security deposit if none was previously requested) and/or file a Uniform Commercial Code (UCC-1) security interest in Rightlink USA's "accounts receivables and proceeds".

- 1.3.1 Security deposit shall take the form of cash, an irrevocable letter of credit (AT&T form), surety bond (AT&T form) or, in AT&T's sole discretion, some other form of security proposed by Rightlink USA and accepted by AT&T. Any such security deposit shall in no way release Rightlink USA from its obligation to make complete and timely payments of its bill(s). If AT&T requires Rightlink USA to provide a security deposit, Rightlink USA shall provide such security deposit prior to the inauguration of service or within fifteen (15) days of AT&T's request, as applicable. Security deposit request notices will be sent to Rightlink USA via certified mail or overnight delivery. Such notice period will start the day after the deposit request notice is rendered by certified mail or overnight delivery. Interest on a cash security deposit shall accrue and be applied or refunded in accordance with the terms in AT&T's GSST.
- 1.3.2 Security deposits collected under this Section shall not exceed two (2) months' estimated billing for services pursuant to this Agreement. Estimated billings are calculated based upon the monthly average of the previous six (6) months current billings, if Rightlink USA has received service from AT&T during such period at a level comparable to that anticipated to occur over the next six (6) months. If either Rightlink USA or AT&T has reason to believe that the level of service to be received during the next six (6) months will be materially higher or lower than received in the previous six (6) months, Rightlink USA and AT&T shall agree on a level of estimated billings based on all relevant information.
- 1.3.3 In the event Rightlink USA fails to provide AT&T with a suitable form of security deposit or additional security deposit as required herein, defaults on its account(s), or otherwise fails to make any payment or payments required under this Agreement in the manner and within the time required, service to Rightlink USA may be Suspended, Discontinued or Terminated in accordance with the terms of Section 1.5 below. Upon Termination of services, AT&T shall apply any security deposit to Rightlink USA's final bill for its account(s). If no bill is rendered to Rightlink USA, AT&T shall, nevertheless, apply any security deposit to Rightlink USA's outstanding balance.
- 1.3.3.1 At least seven (7) days prior to the expiration of any letter of credit provided by Rightlink USA as security under this Agreement, Rightlink USA shall renew such letter of credit or provide AT&T with evidence that Rightlink USA has obtained a suitable replacement for the letter of credit. If Rightlink USA fails to comply with the foregoing, AT&T shall thereafter be authorized, in its sole discretion, to draw down the full amount of such letter of credit and utilize the cash proceeds as security for Rightlink USA accounts(s). If Rightlink USA provides a security deposit or additional security deposit in the form of a surety bond as required herein, Rightlink USA shall renew the surety bond or provide AT&T with evidence that Rightlink USA has obtained a suitable replacement for the surety bond at least seven (7) days prior to the cancellation date of the surety bond. If Rightlink USA fails to comply with the foregoing, AT&T shall thereafter be authorized, in its sole discretion, to take action on the surety bond and utilize the cash proceeds as security for Rightlink USA's account(s). If the credit rating of any bonding company that has provided Rightlink USA with a surety bond provided as security hereunder has fallen below B, AT&T will provide written notice to Rightlink USA that Rightlink USA must provide a replacement bond or other suitable security within

ATT 7 – BILLING/<u>AT&T-9STATE</u>
PAGE 6 OF 10
Rightlink USA
1Q08 GENERIC INTERCONNECTION AGREEMENT – 03/10/08

fifteen (15) days of AT&T's written notice. If Rightlink USA fails to comply with the foregoing, AT&T shall thereafter be authorized, in its sole discretion, to take action on the surety bond and utilize the cash proceeds as security for Rightlink USA's account(s). Notwithstanding anything contained in this Agreement to the contrary, AT&T shall be authorized, in its sole discretion, to draw down the full amount of any letter of credit or take action on any surety bond provided by Rightlink USA as security hereunder if Rightlink USA defaults on its account(s) or otherwise fails to make any payment or payments required under this Agreement in the manner and within the time, as required herein and apply the cash proceeds to any outstanding balance on Rightlink USA's accounts and utilize any remaining cash proceeds as security for Rightlink USA's account(s).

- 1.4 Payment Responsibility. Payment of all charges will be the responsibility of Rightlink USA.

  Rightlink USA shall pay invoices by utilizing wire transfer services or automatic clearing house services. Rightlink USA shall make payment to AT&T for all services billed including disputed amounts. AT&T will not become involved in billing disputes that may arise between Rightlink USA and Rightlink USA's customer.
- 1.4.1 Payment Due. Payment for services provided by AT&T, including disputed charges, is due on or before the next bill date. Information required to apply payments must accompany the payment. The information must notify AT&T of Billing Account Numbers (BAN) paid; invoices paid and the amount to be applied to each BAN and invoice (Remittance Information). Payment is considered to have been made when the payment and Remittance Information are received by AT&T. If the Remittance Information is not received with payment, AT&T will be unable to apply amounts paid to Rightlink USA's accounts. In such event, AT&T shall hold such funds until the Remittance Information is received. If AT&T does not receive the Remittance Information by the payment due date for any account(s), late payment charges shall apply.
- 1.4.1.1 <u>Due Dates.</u> If the payment due date falls on a Sunday or on a holiday that is observed on a Monday, the payment due date shall be the first non-holiday day following such Sunday or holiday. If the payment due date falls on a Saturday or on a holiday which is observed on Tuesday, Wednesday, Thursday, or Friday, the payment due date shall be the last non-holiday day preceding such Saturday or holiday. If payment is not received by the payment due date, a late payment charge, as set forth in Section 1.4.1.2, below, shall apply.
- 1.4.1.2 <u>Late Payment.</u> If any portion of the payment is not received by AT&T on or before the payment due date as set forth above, or if any portion of the payment is received by AT&T in funds that are not immediately available to AT&T, then a late payment and/or interest charge shall be due to AT&T. The late payment and/or interest charge shall apply to the portion of the payment not received and shall be assessed as set forth in Section A2 of AT&T's GSST, Section B2 of the Private Line Service Tariff or Section E2 of the AT&T intrastate Access Services Tariff, or pursuant to the applicable state law as determined by AT&T. In addition to any applicable late payment and/or interest charges, Rightlink USA may be charged a fee for all returned checks at the rate set forth in Section A2 of AT&T's GSST or pursuant to the applicable state law.
- 1.5 <u>Discontinuing Service to Rightlink USA.</u> The procedures for discontinuing service to Rightlink USA are as follows:

- 1.5.1 In order of severity, Suspend/Suspension, Discontinue/Discontinuance and Terminate/Termination are defined as follows for the purposes of this Attachment:
- 1.5.1.1 Suspend/Suspension is the temporary restriction of the billed Party's access to the ordering systems and/or access to the billed Party's ability to initiate PIC-related changes. In addition, during Suspension, pending orders may not be completed and orders for new service or changes to existing services may not be accepted.
- 1.5.1.2 Discontinue/Discontinuance is the denial of service by the billing Party to the billed Party that will result in the disruption and discontinuation of service to the billed Party's customers. Additionally, at the time of Discontinuance, AT&T will remove any Local Service Freezes in place on the billed Party's customers.
- 1.5.1.3 Terminate/Termination is the disconnection of service by the billing Party to the billed Party.
- 1.5.2 AT&T reserves the right to Suspend, Discontinue or Terminate service in the event of prohibited, unlawful or improper use of AT&T facilities or service, abuse of AT&T facilities, or any other violation or noncompliance by Rightlink USA of the rules and regulations of AT&T's tariffs.
- 1.5.3 Suspension. If payment of amounts due as described herein is not received by the bill date in the month after the original bill date, or fifteen (15) days from the date of a deposit request in the case of security deposits, AT&T will provide written notice to Rightlink USA that services will be Suspended if payment of such amounts, and all other amounts that become past due before Suspension, is not received by wire transfer, automatic clearing house or cashier's check in the manner set forth in Section 1.4.1 above, or in the case of a security deposit request, in the manner set forth in Section 1.3.1 above: (1) within seven (7) days following such notice for CABS billed services; (2) within fifteen (15) days following such notice for CRIS and IBS billed services; and (3) within seven (7) days following such notice for security deposit requests.
- 1.5.3.1 The Suspension notice shall also provide that all past due charges for CRIS and IBS billed services, and all other amounts that become past due for such services before Discontinuance, must be paid within thirty (30) days from the date of the Suspension notice to avoid Discontinuance of CRIS and IBS billed services.
- 1.5.3.2 For CABS billed services, AT&T will provide a Discontinuance notice that is separate from the Suspension notice, that all past due charges for CABS billed Services, and all other amounts that become past due for such services before Discontinuance, must be paid within thirty (30) days from the date of the Suspension notice to avoid Discontinuance of CABS billed services. This Discontinuance notice may be provided at the same time that AT&T provides the Suspension notice.
- 1.5.4 <u>Discontinuance.</u> If payment of amounts due as described herein is not received by the bill date in the month after the original bill date, AT&T will provide written notice that AT&T may discontinue the provision of existing services to Rightlink USA if payment of such amounts, and all other amounts that become past due before Discontinuance, including requested security deposits, is not received by wire transfer, automatic clearing house or cashier's check in the manner set forth in Section 1.4.1 above or in the case of a deposit in accordance with Section 1.3.1 above, within thirty (30)

days following such written notice; provided, however, that AT&T may provide written notice that such existing services may be Discontinued within fifteen (15) days following such notice, subject to the criteria described in Section 1.5.4.1 below.

- 1.5.4.1 AT&T may take the action to Discontinue the provision of existing service upon fifteen (15) days from the day after AT&T provides written notice of such Discontinuance if (a) such notice is sent by certified mail or overnight delivery; (b) Rightlink USA has not paid all amounts due pursuant to a subject bill(s), or has not provided adequate security pursuant to a deposit request; and (c) either:
  - (1) AT&T has sent the subject bill(s) to Rightlink USA within seven (7) business days of the bill date(s), verifiable by records maintained by AT&T:
    - i. in paper or CDROM form via the United States Postal Service (USPS), or
    - ii. in magnetic tape form via overnight delivery, or
    - iii. via electronic transmission: or
  - (2) AT&T has sent the subject bill(s) to Rightlink USA, using one of the media described in (1) above, more than thirty (30) days before notice to Discontinue service has been rendered.
- 1.5.4.2 In the case of Discontinuance of services, all billed charges, as well as applicable disconnect charges, shall become due.
- 1.5.4.3 Rightlink USA is solely responsible for notifying the customer of the Discontinuance of service. If, within seven (7) days after Rightlink USA's services have been Discontinued, Rightlink USA pays, by wire transfer, automatic clearing house or cashier's check, all past due charges, including late payment charges, outstanding security deposit request amounts if applicable and any applicable restoral charges as set forth in Section A4 of AT&T's GSST, then AT&T will reestablish service for Rightlink USA.
- 1.5.5 <u>Termination.</u> If within seven (7) days after Rightlink USA's service has been Discontinued and Rightlink USA has failed to pay all past due charges as described above, then Rightlink USA's service will be Terminated.

# 2. Billing Disputes

2.1 Rightlink USA shall electronically submit all billing disputes to AT&T using the form specified by AT&T. In the event of a billing dispute, the Parties will endeavor to resolve the dispute within sixty (60) days of the notification date. Within five (5) business days of AT&T's denial, or partial denial, of the billing dispute, if Rightlink USA is not satisfied with AT&T's resolution of the billing dispute or if no response to the billing dispute has been received by Rightlink USA by such sixtieth (60th) day, Rightlink USA must pursue the escalation process as outlined in the Billing Dispute Escalation Matrix, set forth on AT&T's Wholesale – Southeast Region Web site, or the billing dispute shall be considered denied and closed. If, after escalation, the Parties are unable to reach resolution, then the aggrieved Party, if it elects to pursue the dispute shall pursue dispute resolution in accordance with General Terms and Conditions.

For purposes of this Section 2, a billing dispute means a reported dispute submitted pursuant to Section 2.1 above of a specific amount of money actually billed by AT&T within twelve (12) months of the submission of such dispute. Rightlink USA agrees to not submit billing disputes for amounts billed more than twelve (12) months prior to submission of a billing dispute filed for amounts billed. The billing dispute must be clearly explained by Rightlink USA and supported by written documentation, which clearly shows the basis for disputing charges. The determination as to whether the billing dispute is clearly explained or clearly shows the basis for disputing charges shall be within AT&T's sole reasonable discretion. Disputes that are not clearly explained or those that do not provide complete information may be rejected by AT&T. Claims by Rightlink USA for damages of any kind will not be considered a billing dispute for purposes of this Section. If AT&T resolves the billing dispute, in whole or in part, in favor of Rightlink USA, any credits and interest due to Rightlink USA as a result therof shall be applied to Rightlink USA's account by AT&T upon resolution of the billing dispute.

### 3. Non-InterCompany Settlements

- 3.1 Direct Participants are Telecommunications carriers that exchange data directly with other Direct Participants via the Centralized Message Distribution System (CMDS) Data Center (Direct Participant) and may act as host companies (Host) for those Telecommunications carriers that do not exchange data directly via the CMDS Data Center.
- 3.2 The Non-InterCompany Settlements (NICS) is the national system administered by Telcordia that is used in the settlement of revenues for calls that are originated and billed by two (2) different local exchange carriers (LEC) within a single Direct Participant's territory to another for billing. NICS applies to calls involving another LEC where the Earning Company and the Billing Company are located within AT&T's Southeast Region 9-State.
- 3.3 In association with message distribution service, AT&T will provide Rightlink USA with associated intercompany settlements reports as appropriate.
- 3.4 Notwithstanding anything in this Agreement to the contrary, in no case shall either Party be liable to the other for any direct or consequential damages incurred as a result of the obligations set out in this Section 3.

### 3.5 Intercompany Settlements Messages

- 3.5.1 Intercompany Settlements Messages facilitate the settlement of revenues associated with traffic originated from or billed by Rightlink USA as a facilities based provider of local exchange Telecommunications Services.
- 3.5.2 AT&T will receive the monthly NICS reports from Telcordia on behalf of Rightlink USA and will distribute copies of these reports to Rightlink USA on a monthly basis.
- 3.5.3 Through NICS, AT&T will collect the revenue earned by Rightlink USA within the AT&T Southeast Region 9-State from another LEC also within the AT&T Southeast Region 9-State where the messages are billed, less a per message billing and collection fee of five cents (\$0.05), on behalf of Rightlink USA. AT&T will remit the revenue billed by Rightlink USA within the AT&T Southeast

ATT 7 - BILLING/AT&T-9STATE
PAGE 10 OF 10
Rightlink USA
1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

Region 9-State to the LEC also within the AT&T Southeast Region 9-State, where the messages originated, less a per message billing and collection fee of five cents (\$0.05). These two (2) amounts will be netted together by AT&T and the resulting charge or credit issued to Rightlink USA via a CABS miscellaneous bill on a monthly basis in arrears.

3.5.4 AT&T and Rightlink USA agree that monthly netted amounts of less than fifty dollars (\$50.00) will not be settled.

ATT 8 – RIGHTS-OF-WAY, CONDUITS AND POLE ATTACHMENTS/<u>AT&T-9STATE</u>
PAGE 1 OF 2
Rightlink USA
1Q08 GENERIC INTERCONNECTION AGREEMENT – 03/10/08

# Attachment 8

Rights-of-Way, Conduits and Pole Attachments

# ATT 8 – RIGHTS-OF-WAY, CONDUITS AND POLE ATTACHMENTS/<u>AT&T-9STATE</u> PAGE 2 OF 2 Rightlink USA 1Q08 GENERIC INTERCONNECTION AGREEMENT – 03/10/08

# Rights-of-Way, Conduits and Pole Attachments

AT&T will provide nondiscriminatory access to any pole, duct, conduit, or right-of-way owned or controlled by AT&T pursuant to 47 U.S.C. § 224, as amended by the Act, pursuant to terms and conditions of a separate license agreement negotiated with AT&T.

ATT 9 – SERVICE QUALITY MEASUREMENTS/<u>AT&T-9STATE</u>
PAGE 1 OF 2
Rightlink USA
1Q08 GENERIC INTERCONNECTION AGREEMENT – 03/10/08

# **Attachment 9**

**Service Quality Measurements** 

ATT 9 – SERVICE QUALITY MEASUREMENTS/<u>AT&T-9STATE</u>
PAGE 2 OF 2
Rightlink USA
1Q08 GENERIC INTERCONNECTION AGREEMENT – 03/10/08

# **SERVICE QUALITY MEASUREMENTS**

Upon a particular Commission's issuance of an order pertaining to Service Quality Measurements in a proceeding expressly applicable to all CLECs generally, AT&T shall implement in that state such Service Quality Measurements as of the date specified by the Commission. Service Quality Measurements that have been ordered in a particular state can currently be accessed via the internet at <a href="http://pmap.wholesale.att.com">http://pmap.wholesale.att.com</a>.

# ATT 10 - AT&T DISASTER RECOVERY PLAN<u>/AT&T-9STATE</u> PAGE 1 OF 9 Rightlink USA 1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

# **Attachment 10**

# **AT&T Disaster Recovery Plan**

CON	TENTS			PAGE
				FAGL
1.0	Purpo	se		2
2.0	Single	Point of C	Contact	2
3.0		ying the P		2
	3.1	Site Co	ontrol	3
	3.2	Enviro	nmental Concerns	4
4.0	The E	mergency	Control Center (ECC)	4
5.0	Recov	ery Proce	dures	5
	5.1	CLEC C	Dutage	5
	5.2	AT&T O	putage	5
		5.2.1	Loss of Central Office	6
		5.2.2	Loss of a Central Office with Serving Wire Center Functions	6
		5.2.3	Loss of a Central Office with Tandem Functions	6
		5.2.4	Loss of a Facility Hub	7
	5.3	Combin	ed Outage (CLEC and AT&T Equipment)	7
6.0	T1 lde	ntification	Procedures	7
7.0	Acron	yms		8

# ATT 10 – AT&T DISASTER RECOVERY PLAN<u>/AT&T-9STATE</u> PAGE 2 OF 9 Rightlink USA 1Q08 GENERIC INTERCONNECTION AGREEMENT – 03/10/08

#### 1.0 PURPOSE

In the unlikely event of a disaster occurring that affects AT&T's long-term ability to deliver traffic to a CLEC, general procedures have been developed by AT&T to hasten the recovery process in accordance with the Telecommunications Service Priority (TSP) Program established by the FCC to identify and prioritize telecommunication services that support national security or emergency preparedness (NS/EP) missions. A description of the TSP Program as it may be amended from time to time is available on AT&T's Wholesale – Southeast Region Web site. Since each location is different and could be affected by an assortment of potential problems, a detailed recovery plan is impractical. However, in the process of reviewing recovery activities for specific locations, some basic procedures emerge that appear to be common in most cases.

These general procedures should apply to any disaster that affects the delivery of traffic for an extended time period. Each CLEC will be given the same consideration during an outage, and service will be restored as quickly as possible.

This document will cover the basic recovery procedures that would apply to every CLEC.

#### 2.0 SINGLE POINT OF CONTACT

When a problem is experienced, regardless of the severity, the AT&T Network Management Center (NMC) will observe traffic anomalies and begin monitoring the situation. Controls will be appropriately applied to insure the sanity of AT&T's network; and, in the event that a switch or facility node is lost, the NMC will attempt to circumvent the failure using available reroutes.

AT&T's NMC will remain in control of the restoration efforts until the problem has been identified as being a long-term outage. At that time, the NMC will contact AT&T's ECC and relinquish control of the recovery efforts. Even though the ECC may take charge of the situation, the NMC will continue to monitor the circumstances and restore traffic as soon as damaged network elements are revitalized.

The telephone number for the AT&T Network Management Center in Atlanta, as published in Telcordia's National Network Management Directory, is 404-321-2516.

#### 3.0 IDENTIFYING THE PROBLEM

During the early stages of problem detection, the NMC will be able to tell which CLECs are affected by the catastrophe. Further analysis and/or first hand observation will determine if the disaster has affected CLEC equipment only, AT&T equipment only or a combination. The initial restoration activity will be largely determined by the equipment that is affected.

Once the nature of the disaster is determined and after verifying the cause of the problem, the NMC will initiate reroutes and/or transfers that are jointly agreed upon by the affected CLECs' Network Management Center and the AT&T NMC. The type and percentage of controls used will depend upon available network capacity. Controls necessary to stabilize the situation will be invoked and the NMC will attempt to reestablish as much traffic as possible.

For long-term outages, recovery efforts will be coordinated by the ECC. Traffic controls will continue to be applied by the NMC until facilities are re-established. As equipment is made available for service, the ECC will instruct the NMC to begin removing the controls and allow traffic to resume.

ATT 10 – AT&T DISASTER RECOVERY PLAN/AT&T-9STATE
PAGE 3 OF 9
Rightlink USA
1Q08 GENERIC INTERCONNECTION AGREEMENT – 03/10/08

#### 3.1 SITE CONTROL

In the total loss of building use scenario, what likely exists will be a smoking pile of rubble. This rubble will contain many components that could be dangerous. It could also contain any personnel on the premises at the time of the disaster. For these reasons, the local fire marshal with the assistance of the police will control the site until the building is no longer a threat to surrounding properties and the companies have secured the site from the general public.

During this time, the majority owner of the building should be arranging for a demolition contractor to mobilize to the site with the primary objective of reaching the cable entrance facility for a damage assessment. The results of this assessment would then dictate immediate plans for restoration, both short term and permanent.

In a less catastrophic event, i.e., the building is still standing and the cable entrance facility is usable, the situation is more complex. The site will initially be controlled by local authorities until the threat to adjacent property has diminished. Once the site is returned to the control of the companies, the following events should occur.

An initial assessment of the main building infrastructure systems (mechanical, electrical, fire and life safety, elevators, and others) will establish building needs. Once these needs are determined, the majority owner should lead the building restoration efforts. There may be situations where the site will not be totally restored within the confines of the building. The companies must individually determine their needs and jointly assess the cost of permanent restoration to determine the overall plan of action.

Multiple restoration trailers from each company will result in the need for designated space and installation order. This layout and control is required to maximize the amount of restoration equipment that can be placed at the site, and the priority of placements.

Care must be taken in this planning to ensure other restoration efforts have logistical access to the building. Major components of telephone and building equipment will need to be removed and replaced. A priority for this equipment must also be jointly established to facilitate overall site restoration. (Example: If the AC switchgear has sustained damage, this would be of the highest priority in order to regain power, lighting, and HVAC throughout the building.)

If the site will not accommodate the required restoration equipment, the companies would then need to quickly arrange with local authorities for street closures, rights of way or other possible options available.

# ATT 10 - AT&T DISASTER RECOVERY PLAN/AT&T-9STATE PAGE 4 OF 9 Rightlink USA 1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

### 3.2 ENVIRONMENTAL CONCERNS

In the worse case scenario, many environmental concerns must be addressed. Along with the police and fire marshal, the state environmental protection department will be on site to monitor the situation.

Items to be concerned with in a large central office building could include:

- 1. Emergency engine fuel supply. Damage to the standby equipment and the fuel handling equipment could have created "spill" conditions that have to be handled within state and federal regulations.
- Asbestos-containing materials that may be spread throughout the wreckage. Asbestos could be in many components of building, electrical, mechanical, outside plant distribution, and telephone systems.
- 3. Lead and acid. These materials could be present in potentially large quantities depending upon the extent of damage to the power room.
- 4. Mercury and other regulated compounds resident in telephone equipment.
- 5. Other compounds produced by the fire or heat.

Once a total loss event occurs at a large site, local authorities will control immediate clean up (water placed on the wreckage by the fire department) and site access.

At some point, the companies will become involved with local authorities in the overall planning associated with site clean up and restoration. Depending on the clean up approach taken, delays in the restoration of several hours to several days may occur.

In a less severe disaster, items listed above are more defined and can be addressed individually depending on the damage.

In each case, the majority owner should coordinate building and environmental restoration as well as maintain proper planning and site control.

### 4.0 THE ECC

The ECC is located in the Midtown 1 Building in Atlanta, Georgia. During an emergency, the ECC staff will convene a group of pre-selected experts to inventory the damage and initiate corrective actions. These experts have regional access to AT&T's personnel and equipment and will assume control of the restoration activity anywhere in the nine-state area.

In the past, the ECC has been involved with restoration activities resulting from hurricanes, ice storms and floods. They have demonstrated their capabilities during these calamities as well as during outages caused by human error or equipment failures. This group has an excellent record of restoring service as quickly as possible.

# ATT 10 - AT&T DISASTER RECOVERY PLAN<u>/AT&T-9STATE</u> PAGE 5 OF 9 Rightlink USA 1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

During a major disaster, the ECC may move emergency equipment to the affected location, direct recovery efforts of local personnel and coordinate service restoration activities with the CLECs. The ECC will attempt to restore service as quickly as possible using whatever means is available, leaving permanent solutions, such as the replacement of damaged buildings or equipment, for local personnel to administer.

Part of the ECC's responsibility, after temporary equipment is in place, is to support the NMC efforts to return service to the CLECs. Once service has been restored, the ECC will return control of the network to normal operational organizations. Any long-term changes required after service is restored will be made in an orderly fashion and will be conducted as normal activity.

### **5.0 RECOVERY PROCEDURES**

The nature and severity of any disaster will influence the recovery procedures. One crucial factor in determining how AT&T will proceed with restoration is whether or not AT&T's equipment is incapacitated. Regardless of whose equipment is out of service, AT&T will move as quickly as possible to aid with service recovery; however, the approach that will be taken may differ depending upon the location of the problem.

### **5.1 CLEC OUTAGE**

For a problem limited to one CLEC (or a building with multiple CLECs), AT&T has several options available for restoring service quickly. For those CLECs that have agreements with other CLECs, AT&T can immediately start directing traffic to a provisional CLEC for completion. This alternative is dependent upon AT&T having concurrence from the affected CLECs.

Whether or not the affected CLECs have requested a traffic transfer to another CLEC will not impact AT&T's resolve to re-establish traffic to the original destination as quickly as possible.

### **5.2 AT&T OUTAGE**

Because AT&T's equipment has varying degrees of impact on the service provided to the CLECs, restoring service from damaged AT&T equipment is different. The outage will probably impact a number of Carriers simultaneously. However, the ECC will be able to initiate immediate actions to correct the problem.

A disaster involving any of AT&T's equipment locations could impact the CLECs, some more than others. A disaster at a Central Office (CO) would only impact the delivery of traffic to and from that one location, but the incident could affect many Carriers. If the CO is a Serving Wire Center (SWC), then traffic from the entire area to those Carriers served from that switch would also be impacted. If the switch functions as an Access Tandem, or there is a tandem in the building, traffic from every CO to every CLEC could be interrupted. A disaster that destroys a facility hub could disrupt various traffic flows, even though the switching equipment may be unaffected.

The NMC would be the first group to observe a problem involving AT&T's equipment. Shortly after a disaster, the NMC will begin applying controls and finding re-routes for the completion of as much traffic as possible. These reroutes may involve delivering traffic to alternate Carriers upon receiving approval from the CLECs involved. In some cases, changes in translations will be required. If the outage is caused by the destruction of equipment, then the ECC will assume control of the restoration.

# ATT 10 - AT&T DISASTER RECOVERY PLAN/AT&T-9STATE PAGE 6 OF 9 Rightlink USA 1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

### 5.2.1 Loss of a CO

When AT&T loses a CO, the ECC will

- a) Place specialists and emergency equipment on notice;
- b) Inventory the damage to determine what equipment and/or functions are lost;
- c) Move containerized emergency equipment and facility equipment to the stricken area, if necessary;
- d) Begin reconnecting service on a parity basis for Hospitals, Police and other emergency agencies or customers served by AT&T or CLEC in accordance with the TSP priority restoration coding scheme entered in the AT&T Maintenance database prior to the emergency.

### 5.2.2 Loss of a CO with SWC Functions

The loss of a CO that also serves as a SWC will be restored as described in Section 5.2.1.

#### 5.2.3 Loss of a CO with Tandem Functions

When AT&T loses a CO building that serves as an Access Tandem and as a SWC, the ECC will

- a) Place specialists and emergency equipment on notice;
- b) Inventory the damage to determine what equipment and/or functions are lost;
- c) Move containerized emergency equipment and facility equipment to the stricken area, if necessary;
- d) Begin reconnecting service on a parity basis for Hospitals, Police and other emergency agencies or customers served by AT&T or CLEC in accordance with the TSP priority restoration coding scheme entered in the AT&T Maintenance database prior to the emergency;
- e) Re-direct as much traffic as possible to the alternate access tandem (if available) for delivery to those CLECs utilizing a different location as a SWC;
- f) Begin aggregating traffic to a location near the damaged building. From this location, begin reestablishing trunk groups to the CLECs for the delivery of traffic normally found on the direct trunk groups. (This aggregation point may be the alternate access tandem location or another CO on a primary facility route.)

## ATT 10 – AT&T DISASTER RECOVERY PLAN/AT&T-9STATE PAGE 7 OF 9 Rightlink USA 1Q08 GENERIC INTERCONNECTION AGREEMENT – 03/10/08

### 5.2.4 Loss of a Facility Hub

In the event that AT&T loses a facility hub, the recovery process is much the same as above. Once the NMC has observed the problem and administered the appropriate controls, the ECC will assume authority for the repairs. The recovery effort will include

- a) Placing specialists and emergency equipment on notice;
- b) Inventorying the damage to determine what equipment and/or functions are lost;
- c) Moving containerized emergency equipment to the stricken area, if necessary;
- d) Reconnecting service on a parity basis for Hospitals, Police and other emergency agencies or customers served by AT&T or CLEC in accordance with the TSP priority restoration coding scheme entered in the AT&T Maintenance database prior to the emergency; and
- e) If necessary, AT&T will aggregate the traffic at another location and build temporary facilities. This alternative would be viable for a location that is destroyed and building repairs are required.

### 5.3 COMBINED OUTAGE (CLEC AND AT&T EQUIPMENT)

In some instances, a disaster may impact AT&T's equipment as well as the CLECs'. This situation will be handled in much the same way as described in Section 5.2.3. Since AT&T and the CLECs will be utilizing temporary equipment, close coordination will be required.

### **6.0 T1 IDENTIFICATION PROCEDURES**

During the restoration of service after a disaster, AT&T may be forced to aggregate traffic for delivery to a CLEC. During this process, T1 traffic may be consolidated onto DS3s and may become unidentifiable to the Carrier. Because resources will be limited, AT&T may be forced to "package" this traffic entirely differently than normally received by the CLECs. Therefore, a method for identifying the T1 traffic on the DS3s and providing the information to the Carriers is required.

# ATT 10 - AT&T DISASTER RECOVERY PLAN<u>/AT&T-9STATE</u> PAGE 8 OF 9 Rightlink USA 1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

## 7.0 ACRONYMS

CLEC	-	Competitive Local Exchange Carrier
CO	-	Central Office (AT&T)
DS3	-	Facility that carries 28 T1s (672 circuits)
ECC	-	Emergency Control Center (AT&T)
NMC	-	Network Management Center
SWC	-	Serving Wire Center (AT&T switch)
T1	-	Facility that carries 24 circuits
TSP	-	Telecommunications Service Priority

## ATT 10 – AT&T DISASTER RECOVERY PLAN<u>/AT&T-9STATE</u> PAGE 9 OF 9 Rightlink USA 1Q08 GENERIC INTERCONNECTION AGREEMENT – 03/10/08

### **Hurricane Information**

During a hurricane, AT&T will make every effort to keep CLECs updated on the status of our network. Information centers will be set up throughout AT&T. These centers are not intended to be used for escalations, but rather to keep the CLEC informed of network related issues, area damages and dispatch conditions, etc.

Hurricane-related information can also be found on AT&T's Wholesale - Southeast Web site by clicking on the link "Relief Information" in the special alert box located on the Web page. Additionally, information concerning Mechanized Disaster Reports can also be found by clicking on the link "Click here for information concerning Disaster Recovery Reports" on the Hurricane Relief page.

### **AT&T Disaster Management Plan**

AT&T maintenance centers have geographical and redundant communication capabilities. In the event of a disaster removing any maintenance center from service another geographical center would assume maintenance responsibilities. The contact numbers will not change and the transfer will be transparent to the CLEC.

ATT 11 - BONA FIDE REQUEST AND NEW BUSINESS REQUEST PROCESS/<u>AT&T9-STATE</u>
PAGE 1 OF 6
Rightlink USA
1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

## **Attachment 11**

**Bona Fide Request and New Business Request Process** 

### **BONA FIDE REQUEST AND NEW BUSINESS REQUEST PROCESS**

### 1. Bona Fide Request

- The Parties agree that Rightlink USA is entitled to order any Network Element, interconnection option or service option required to be made available by FCC or Commission requirements pursuant to the Act. A Bona Fide Request (BFR) is to be used when Rightlink USA makes a request of AT&T to provide a new or modified Network Element, interconnection option or other service option pursuant to the Act that was not previously provided for in this Agreement.
- A BFR shall be submitted in writing by Rightlink USA and shall specifically identify the requested service date, technical requirements, space requirements and/or such other specifications that clearly define the request such that AT&T has sufficient information to analyze and prepare a response. Such a request shall also include Rightlink USA's designation of the request as being pursuant to the Telecommunications Act of 1996 (i.e., a BFR). The request shall be sent to Rightlink USA's designated AT&T Sales contact or Senior Carriers Accounts Manager.
- 1.3 Within two (2) business days of receipt of a BFR, AT&T shall acknowledge in writing its receipt and identify a single point of contact responsible for responding to the BFR and shall request any additional information needed to process the request to the extent known at that time. Notwithstanding the foregoing, AT&T may reasonably request additional information from Rightlink USA at any time during the processing of the BFR.
- 1.4 Within thirty (30) business days of AT&T's receipt of the BFR, if the preliminary analysis of the requested BFR is not of such complexity that it will cause AT&T to expend extraordinary resources to evaluate the BFR, AT&T shall respond to Rightlink USA by providing a preliminary analysis of the new or modified Network Element or interconnection option not ordered by the FCC or Commission that is the subject of the BFR. The preliminary analysis shall either confirm that AT&T will offer access to the new or modified Network Element, interconnection option or service option or confirm that AT&T will not offer the new or modified Network Element, interconnection option or service option.
- For any new or modified Network Element, interconnection option or service option not ordered by the FCC or Commission, if the preliminary analysis states that AT&T will offer the new or modified Network Element, interconnection option or service option, the preliminary analysis will include an estimate of the costs of utilizing existing resources, both personnel and systems, in the development including, but not limited to, request parameters analysis, determination of impacted AT&T departments, determination of required resources, project management resources, etc. (Development Rate) including a general breakdown of such costs associated with the Network Element, interconnection option or service option and the date the request can be met. If the preliminary analysis states that AT&T will not offer the new or modified Network Element, interconnection option or service option, AT&T will provide an explanation of why the request is not technically feasible, does not qualify as a BFR for the new or modified Network Element,

PAGE 3 OF 6 Rightlink USA

1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

interconnection option or service option, should actually be submitted as a New Business Request (NBR) or is otherwise not required to be provided under the Act. If AT&T cannot provide the Network Element, interconnection option or service option by the requested date, AT&T shall provide an alternative proposed date together with a detailed explanation as to why AT&T is not able to meet Rightlink USA's requested date.

1.6 For any new or modified Network Element, interconnection option or service option not ordered by the FCC or Commission, if AT&T determines that the preliminary analysis of the requested BFR is of such complexity that it will cause AT&T to expend extraordinary resources to evaluate the BFR, AT&T shall notify Rightlink USA within ten (10) business days of AT&T's receipt of BFR that a fee will be required prior to the preliminary evaluation of the BFR. Such fee shall be limited to AT&T's extraordinary expenses directly related to the complex request that require the allocation and engagement of additional resources above the existing allocated resources used on BFR cost development which include, but are not limited to, expenditure of funds to develop feasibility studies, specific resources that are required to determine request requirements (such as operation support system analysts, technical managers, software developers). software impact analysis by specific software developers; software architecture development, hardware impact analysis by specific system analysts, etc. and the request for such fee shall be accompanied with a general breakdown of such costs. If Rightlink USA accepts the complex request evaluation fee proposed by AT&T, Rightlink USA shall submit such fee within thirty (30) business days of AT&T's notice that a complex request evaluation fee is required. Within thirty (30) business days of AT&T's receipt of the complex request evaluation fee, AT&T shall respond to Rightlink USA by providing a preliminary analysis, consistent with Section 1.4 above.

Rightlink USA may cancel a BFR at any time up until thirty (30) business days after receiving AT&T's preliminary analysis. If Rightlink USA cancels the BFR within thirty (30) business days after receipt of AT&T's preliminary analysis, AT&T shall be entitled to keep any complex request evaluation fee submitted in accordance with Section 1.6 above, minus those costs included in the fee that have not been incurred as of the date of cancellation.

1.7

- Rightlink USA will have thirty (30) business days from receipt of preliminary analysis to accept the preliminary analysis or cancel the BFR. If Rightlink USA fails to respond within this thirty (30) business day period, the BFR will be deemed cancelled. Acceptance of the preliminary analysis must be in writing and accompanied by the estimated Development Rate for the new or modified Network Element, interconnection option or service option quoted in the preliminary analysis.
- Notwithstanding any other provision of this Agreement, AT&T shall propose a firm price quote, including the firm Development Rate, the firm nonrecurring rate and the firm recurring rate, and a detailed implementation plan within ten (10) business days of receipt of Rightlink USA's accurate BFR application for a Network Element, interconnection option or service option that is operational at the time of the request; thirty (30) business days of receipt of Rightlink USA's accurate BFR application for a new or modified Network Element, interconnection option or service option ordered by the FCC or Commission; and

PAGE 4 OF 6 Rightlink USA

1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

within sixty (60) business days of receipt of Rightlink USA's accurate BFR application for a new or modified Network Element, interconnection option or service option not ordered by the FCC or Commission or not operational at the time of the request. The firm nonrecurring rate will not include any of the Development Rate or the complex request evaluation fee, if required, in the calculation of this rate. Such firm price quote shall not exceed the estimate provided with the preliminary analysis by more than twenty-five percent (25%).

- 1.10 Rightlink USA shall have thirty (30) business days from receipt of firm price quote to accept or deny the firm price quote and submit any additional Development or nonrecurring rates quoted in the firm price quote.
- 1.11 Unless Rightlink USA agrees otherwise, all prices shall be consistent with the applicable pricing principles and provisions of the Act.
- 1.12 If Rightlink USA believes that AT&T's firm price quote is not consistent with the requirements of the Act, either Party may seek dispute resolution in accordance with the dispute resolution provisions set forth in General Terms and Conditions.
- 1.13 Upon agreement to the rates, terms and conditions of a BFR, the Parties shall negotiate in good faith an amendment to this Agreement.

## 2 New Business Request

- 2.1 Rightlink USA also shall be permitted to request the development of new or modified facilities or service options which may not be required by the Act. Procedures applicable to requesting the addition of such elements, services and options are specified in this Attachment. A NBR is to be used by Rightlink USA to make a request of AT&T for a new or modified feature or capability of an existing product or service, a new product or service that is not deployed within the AT&T network or operations and business support systems, or a new or modified service option that was not previously included in this Agreement (Requested NBR Services) and is not required by the Act.
- An NBR shall be submitted in writing by Rightlink USA and shall specifically identify the requested service date, technical requirements, space requirements and/or such specifications that clearly define the request such that AT&T has sufficient information to analyze and prepare a response. The request shall be sent to Rightlink USA's designated AT&T Sales contact or Senior Carrier Accounts Carrier.
- 2.3 Within two (2) business days of receipt of an NBR, AT&T shall acknowledge in writing its receipt and identify a single point of contact responsible for responding to the NBR and shall request any additional information needed to process the request to the extent known at that time. Notwithstanding the foregoing, AT&T may reasonably request additional information from Rightlink USA at any time during the processing of the NBR.
- 2.4 If the preliminary analysis of the requested NBR is not of such complexity that it will cause AT&T to expend extraordinary resources to evaluate the NBR, within thirty (30) business days of its receipt of the NBR, AT&T shall respond to Rightlink USA by providing a

PAGE 5 OF 6 Rightlink USA

1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

preliminary analysis of such Requested NBR Services that are the subject of the NBR. The preliminary analysis shall either confirm that AT&T will offer access to the Requested NBR Services or confirm that AT&T will not offer the Requested NBR Services.

- 2.5 If the preliminary analysis states that AT&T will offer the Requested NBR Services, the preliminary analysis will include an estimate of the Development Rate including a general breakdown of costs and the date the request can be met. If AT&T cannot provide the Requested NBR Service by the requested date, it shall provide an alternative proposed date together with a detailed explanation as to why AT&T is not able to meet Rightlink USA's requested date.
- 2.6 If AT&T determines that the preliminary analysis of the requested NBR is of such complexity that it will cause AT&T to expend extraordinary resources to evaluate the NBR, AT&T shall notify Rightlink USA within ten (10) business days of AT&T's notice that a complex request evaluation fee is required prior to the evaluation of the NBR. Such fee shall be limited to AT&T's extraordinary expenses directly related to the complex request. If Rightlink USA accepts the complex request evaluation fee amount proposed by AT&T, Rightlink USA shall submit such complex request evaluation fee within thirty (30) business days of AT&T's notice that a complex request evaluation fee is required.
- 2.7 Within thirty (30) business days of AT&T's receipt of the complex request evaluation fee, AT&T shall respond to Rightlink USA by providing a preliminary analysis of such Requested NBR Services.
- 2.8 Rightlink USA may cancel an NBR at any time. If Rightlink USA cancels the request more than ten (10) business days after submitting it, Rightlink USA shall pay AT&T's reasonable and demonstrable costs of processing and/or implementing the NBR up to the date of cancellation in addition to any fee submitted in accordance with Section 1.6 above.
- 2.9 Rightlink USA will have thirty (30) business days from receipt of the preliminary analysis to accept the preliminary analysis or cancel the NBR. If Rightlink USA fails to respond within this thirty (30) business day period, the NBR will be deemed cancelled.
- 2.10 Acceptance of the preliminary analysis must be in writing and accompanied by the estimated Development Rate for the Requested NBR Services quoted in the preliminary analysis.
- AT&T shall propose a firm price quote including the firm Development Rate, the firm nonrecurring rate, and the firm recurring rate, and a detailed implementation plan within ten (10) business days of receipt of Rightlink USA's accurate NBR application for a Requested NBR Service that is operational at the time of the request and within sixty (60) business days of receipt of Rightlink USA's accurate NBR application for the Requested NBR Services not operational at the time of the request. The firm nonrecurring rate will not include any of the Development Rate or the complex request evaluation fee, if required, in the calculation of this rate. Such firm price quote shall not exceed the estimate provided with the preliminary analysis by more than twenty-five percent (25%).

PAGE 6 OF 6 Rightlink USA

1Q08 GENERIC INTERCONNECTION AGREEMENT - 03/10/08

- 2.12 Rightlink USA shall have thirty (30) business days from receipt of the firm price quote to accept or deny the firm price quote and submit any additional nonrecurring, non-refundable fees quoted in the firm price quote. If the firm price quote is less than the preliminary analysis' estimate of the Development Rate, AT&T will credit Rightlink USA's account for the difference.
- 2.13 Upon agreement to the rates, terms and conditions of a NBR, an amendment to this Agreement, or a separate agreement, may be required and the Parties shall negotiate such agreement or amendment in good faith.