FILED OCT 11, 2013 DOCUMENT NO. 06139-13 FPSC - COMMISSION CLERK

Crystal Card

From: Sent: To: Subject: Attachments: Marsha Rule <marsha@rutledge-ecenia.com> Friday, October 11, 2013 1:30 PM Filings@psc.state.fl.us Docket No. 130010-WS Ni Florida. Oct.11.2013.pdf

Docket No. 130010-WS: Application for increase in water rates in Lee County and wastewater rates in Pasco County by Ni Florida, LLC

Person responsible for filing: Marsha E. Rule, contact information below.

Filed on behalf of Ni Florida, LLC

2pages; letter responding to Staff data request

Marsha E. Rule, Attorney

Rutledge Ecenia 119 South Monroe St. Suite 202 Tallahassee, FL 32301 850.681.6788

PLEASE NOTE NEW EMAIL ADDRESS:

marsha@rutledge-ecenia.com

Rutledge | Ecenia

Confidentiality Note: This email is intended only for the person or entity to which it is addressed and may contain information that is privileged, confidential or otherwise protected from disclosure. Dissemination, distribution or copying of this email or the information herein by anyone other than the intended recipient, or any employee or agent responsible for delivering the message to the intended recipient, is prohibited. If you have received this email in error, please call the Receptionist at Rutledge Ecenia, P.A. at 850 681-6788, and destroy the original message and all copies.

RUTLEDGE ECENIA

PROFESSIONAL ASSOCIATION ATTORNEYS AND COUNSELORS AT LAW

POST OFFICE BOX 551, 32302-0551 119 SOUTH MONROE STREET, SUITE 202 TALLAHASSEE, FLORIDA 32301-1841

> TELEPHONE (850) 681-6788 TELECOPIER (850) 681-6515 www.rutledge-ecenia.com

October 11, 2013

MARSHA E. RULE GARY R. RUTLEDGE MAGGIE M. SCHULTZ GABRIEL F.V. WARREN

GOVERNMENTAL CONSULTANT JONATHAN M. COSTELLO

OF COUNSEL HAROLD F. X. PURNELL

Ann Cole, Commission Clerk Office of Commission Clerk Florida Public Service Commission 2540 Shumard Oak Boulevard Tallahassee, Fl 32399

> Re: Docket No. 130010-WS: Application for increase in water rates in Lee County and wastewater rates in Pasco County by Ni Florida, LLC

Dear Ms. Cole:

Ni Florida, LLC, hereby responds to a Staff data request regarding elder valve expense:

Ni Florida cannot control the flow of water into its customers' locations, and therefore must physically disconnect service when customers fail to pay their bills. Once an elder valve is installed, the company may readily disconnect and reconnect service. Although a water provider has no obligation (and likely no legal right) to cease service to its paying customer upon Ni Florida's request, Ni Florida nevertheless investigated this possibility. Ni Florida was advised by a water service provider that serves Ni Florida's customers that it would not be willing to turn off water service upon Ni Florida's request.

During the test year 10/01/2011 through 09/30/2012, Ni Florida was forced to install 121 elder valves to disconnect customers who failed to pay their bills, at a cost of \$65,546. During the period 10/01/2012 through 08/31/2013, Ni Florida installed 59 more elder valves at a cost of \$32,688. The company's bad debt expense was \$74,595 during the test year and \$72,230 for the period 10/01/2012 through 08/31/2013.

For various reasons, Ni Florida does not expect an immediate reduction in bad debt expense following installation of an elder valve. For example, there is a timing delay between installation of the valve and collection from the customer. Further, some customers may move away, but the elder valve remains in place for collection efforts with the next customer.

Bad debt expense is a financial statement item to adjust the balance sheet receivable amount to approximate the amount of past billings which will never be collected. It is therefore

MICHAEL J. BARRY STEPHEN A. ECENIA RICHARD M. ELLIS DIANA M. FERGUSON MARTIN P. McDONNELL J. STEPHEN MENTON CRAIG D. MILLER B. DAVID PRESCOTT

RUTLEDGE ECENIA

October 11, 2013 Page 2

not reliable or efficient to use it to compare a single period's installation of elder valves to collections. Bad debt expense may rise during the period, but would have risen more, but for the elder valves.

Should you or members of the Staff have any questions regarding this filing, please do not hesitate to give me a call.

Sincerely,

Maiti P. McDU

Martin P. McDonnell

MPM/vp Enclosures cc:

> Suzanne Brownless Stanley Rieger Melissa L'Amoreaux Joseph D. Richards