FILED DEC 10, 2013 DOCUMENT NO. 07366-13 FPSC - COMMISSION CLERK



Tracy W. Hatch General Attorney RECEIVED-FPSC 13 DEC 10 PM 4:23

AT&T Florida 150 South Monroe Street Suite 400 Tallahassee, FL 32301

T: (850) 577-5508 th9467@att.com



December 10, 2013

REDACTED

Ann Cole, Commission Clerk Office of the Commission Clerk Florida Public Service Commission 2540 Shumard Oak Boulevard Tallahassee, FL 32399-0850

> Re: Docket No.: _____ Petition for Expedited Review of Growth Code Denials by the Number Pooling Administrator for the Jacksonville exchange (San Marco)

Dear Ms. Cole:

BellSouth Telecommunications LLC d/b/a AT&T Florida, pursuant to Section 364.183(3), Florida Statutes and Rule 25-22.006(5), Florida Administrative Code, hereby makes a claim of confidentiality for certain information contained in Attachments 1 and 2 to AT&T Florida's Petition for Expedited Review of Growth Code Denial in the captioned *new* docket. Attachments 1 and 2 contain confidential and proprietary business information that should be held exempt from public disclosure. As required by Rule 25-22.006(5), enclosed are the confidential and two redacted copies of each attachments. The Petition for Expedited Review of Growth Code Denial was also filed on this same day.


Sincerely,

lacg

Tracy W. Hatch

COM AFD APA ECO COL ENG GCL IDM TED I redacted Copy

Attachment 1



	Administrator's processing time, however the request will still be processed in the received.
Reques	st Expedited Treatment? YesNoX
	a) Type of company/entity requesting the code: <u>Incumbent Local Exchan</u> er (ILEC) (LEC, IC, CMRS, Other)
	b) Types of service: <u>Wireline</u> (e.g., Cellular - Type 2)
	c) Code Assignment Preference (Optional)
	d) Codes that are undesirable, if any
	e) Type of change(Mark <u>all</u> that apply)
	OCN-Intra-company ¹¹ Switching Id Rate Center Tandem Homing CLLI
	OCN-Inter-company ¹² Effective Date LATA Extend Reservation
Poo	oling Indicator: ¹³ 🗹 Yes 🗋 No
1.6 N	PA Jeopardy Criteria Apply: 🛛 Yes 🗍 No
1.7 Co	ode request for new service (Explain):
1.7 Co	ode request for new service (Explain):
1.7 Co	ode request for new service (Explain):
1.8 BIRRD	It is the code applicant's responsibility to arrange input of Part 2 information into
1.8 BIRRD	It is the code applicant's responsibility to arrange input of Part 2 information into S. The 45-calendar day nationwide minimum interval cut-over for BIRRDS will no antil input into BIRRDS has been completed.

State Street

11/27/2013


Signature of Code Applicant

 \mathbb{Q}^{2}

×

Title Date

neustar	© 1997-2012 Neustar, Inc. Legal Notice
	Question? Email us
	block number pooling and will leave this field blank if it is not. ¹⁴ An incomplete form may result in delays in processing this request.
	¹³ The Applicant will indicate "YES" if the NXX being requested will be used for thousands-
	¹² Select if you are <u>not</u> the current Code Holder
	¹¹ Select if you are the current Code Holder
	requests for code assignment shall not be made more than six months prior to the requested effective date.
	⁹ Code applicants should request an effective date that is at least 66 calendar days from the submission of this form. It should be noted that interconnection arrangements and facilities need to be in place prior to activation of a code. Such arrangements are outside the scope of these guidelines. ¹⁰ Requests for code assignment shall not be made more than six months prior to the
	routing calls. This must be the CLLI TM Location Identification Code of the switching entity/POI, and is the same on Part 2, Form 1, Page 2 of 2.
	⁸ This is an eleven-character descriptor provided by the owning entity for the purpose of
	⁷ Applies to any code applicant connecting to the Public Switched Telephone Network via a tandem owned by a different carrier.
	⁶ Rate Center name must be a tariffed Rate Center associated with toll billing.
	⁵ This is an eleven-character descriptor of the switch provided by the owning entity for the purpose of routing calls. This is the eleven-character Telcordia TM COMMON LANGUAGE CLLI TM Location Identification of the applicant's switch or POI. (Telcordia and CLLI are trademarks and COMMON LANGUAGE is a registered trademarks of Telcordia Technologies, Inc.)
	⁴ Operating Company Number (OCN) assignments must uniquely identify the applicant. Relative to CO Code assignments, NECA-assigned Company Codes may be used as OCNs. Companies with no prior CO Code or Company Code assignments may contact NECA (800-228-8597) to be assigned a Company Code(s). Since multiple OCNs and/or Company Codes may be associated with a given company, companies with prior assignment should direct questions regarding appropriate OCN usage to the Telcordia TM Routing Administration (TRA) on 732-699-6700.
	³ The NXX field is required for any code request in which there is a change or the NXX is being returned.
	² A list of the current Code Administrator(s) who can provide assistance in completing this form is available upon request from NANPA.
	¹ Identify type and reason for change(s) in Section 1.4(e).



9417

Number of Thousands-Blocks Requested : 10

Switching Identification(Switch Entity/POI) : V _____ JCVLFLSMDS0____

City or Wire Center Name :_____

Rate Center Sub Zone:_____

1.3 Dates:

Date of Application: vii _____1/27/2013_

Requested Block Effective Date: VIII 02/01/2014

Rate Center: VI

JACKSONVL

By selecting this checkbox, I acknowledge that I am requesting the earliest possible effective date the Administrator can grant. Please note that this only applies to a reduction in the Administrator's processing time, however the request will still be processed in the order received.

Request Expedited Treatment? (See Section 8.6) Yes _____No ___X

1.4 Type of Service Provider Requesting the Thousands-Block :

a) Type of Service Provider : Incumbent Local Exchange Carrier (ILEC) (LEC, IXC, CMRS, Other)

b) Primary type of service Blocks to be used for : Wireline

c) Thousands-Block(s) (NXX-X) assignment Preference (Optional) _

d) Thousands-Block(s) (NXX-X) that are undesirable for this assignment, if any _____

e) If requesting a code for LRN purposes, indicate which block(s) you will be keeping(the remainder of the blocks will be given to the pool) <u>N/A</u>

1.5 Type of Request:

Initial block for rate center : Yes ______If Yes , attach evidence of authorization and proof of capability to provide service within 60 days.

Growth block for rate center : Yes _____ If Yes , attach months to exhaust worksheet

By selecting this checkbox, I acknowledge that I am willing to accept a block in red and explicitly understand that the underlying CO code may not yet be activated in the PSTN and loaded in the NPAC on the block effective date.

Type of change(Mark all that apply)

OCN:Intra-company ix Switching Id Part

		-	a many second second
1.1	OCN:Inter-company x	1.1	Effective Date

Change block : Yes _____If Yes , list NPA-NXX-X _____

1.6 Block Return :

1B

- a) Is this block Contaminated Yes _____ No ____
- b) If Yes how many TNs are NOT available for assignment :_____

c) Have all new Intra SP ports been completed in the NPAC Yes _____ No ____

d) Has this block been protected from further assignment Yes _____ No ____

Disconnect block : Yes ______If Yes , list NPA-NXX-X ___

Remarks:

I hereby certify that the above information requesting an NXX-X block is true and accurate to the best of my knowledge and that this application has been prepared in accordance with the Thousands-Block (NXX-X) Pooling Administration Guidelines(ATIS-0300066) available on the ATIS web site (http://www.atis.org/inc) or by contacting inc@atis.org as of the date of this application.





Instructions for filling out each Section of the Part 1A form:

Section 1.1 Contact information requires that Service Providers supply under "Block Applicant" the company name, company headquarters address, a contact within the company, an address where the contact person may be reached, in addition to the correct phone, fax, and e-mail address. The Pooling Administrator section also requires the Service Provider to fill in the Pooling Administrator s name, address, phone, fax and e-mail.

Section 1.2 Service Providers who need a thousands-block assignment or for an Location Routing Number (LRN) are required to fill in this section. If needed for an LRN, a CO Code Application needs to also be submitted to the PA. The Service Provider should supply the Numbering Plan Area (NPA); the Local Access Transport Area (LATA), which is a three-digit number that can be found in the TelcordiaTM LERGTM Routing Guide. The Operating Company Number (OCN) assigned to the service provider and the OCN its parent company. An OCN is a four-character alphanumeric assigned by TelcordiaTM Routing Administration (TRA). In addition, the number of thousands-blocks requested should be supplied. The Switch Identification as well as the city or wire center name, rate center, rate center sub zone, homing tandem and CLLITM tandem of the facilities based provider ^{xi}. Explanations of these terms may be found in the footnotes.

Section 1.3 The date the Service Provider completes the application should be entered in this section, as well as the Effective Date of the requested thousands-block.

Section 1.4 Service Providers should indicate their type, e.g., local exchange carrier, competitive local exchange carrier, interexchange carrier, CMRS. The also indicate the primary type of business in which the numbering resource is to be used. Service Providers also may indicate their preference for a particular thousands-block, e.g., 321-9XXX, or indicate any thousands-blocks that may be undesirable, e.g., 321-6XXX.

Section 1.5 Service Providers indicate the type of request. Initial requests are for first applications for thousands-blocks in a rate center, growth for additional thousands-blocks in a rate center in which the applicant already has numbering resources, and provide the required evidence as ordered by the FCC.


Section 1.6 Service Providers must indicate the updated/current information in regards to contaminated TNs on the block they are returning to the pool. Blocks with over 10% contamination (101 TNs or more) shall not be returned to the pool unless they meet criteria outlined in section 9.1.2 of these Guidelines. If the block being returned is over 10% contaminated the PA shall seek a new block holder. If question c and/or d have a response of No, the request for return shall be denied. The thousands-block applicant certifies veracity of this form by signing their name, and providing their title and date.

Foot Notes :

ı ı		
	ⁱ Identify the type of change(s) in Section 1.5.	
	ⁱⁱ The Pool Administrator is available to assist in completing these forms.	
	ⁱⁱⁱ A CO Code application will also need to be submitted to the PA.	
	^{iv} Operating Company Number (OCN) assignments must uniquely identify the applicant. Relative to CO Code assignments, NECA-assigned Company Codes may be used as OCNs. Companies with no prior CO Code or Company Code assignments should contact NECA (800 524-1020) to be assigned a Company Code(s). Since multiple OCNs and/or Company Codes may be associated with a given company, companies with prior assignments should direct questions regarding appropriate OCN usage to (TRA) (732- 699-6700).	
	^v This is an eleven-character descriptor of the switch provided by the owning entity for the purpose of routing calls. This is the 11 character CLLI TM code of the switch /POI.	
	^{vi} Rate Center name must be a tariffed Rate Center.	
	vii Acknowledgment and indication of disposition of this application will be provided to applicant within seven calendar days from the date of receipt of this application. An incomplete form may result in delays in processing this request.	
	viii Please ensure that the NPA-NXX of the LRN to be associated with this block(s) is/will be active in the network prior to the effective date of the block(s).	
	^{ix} Select if you are the current Block Holder.	
	^x Select if you are <u>not</u> the current Block Holder	
	^{xi} Telcordia, LERG Routing Guide, and CLLI are trademarks of Telcordia Technologies, Inc.	
	Back	
neustar	Question? Email us © 1997-2012 Neustar, Inc. Legal Notice	

•

.



	F. Forecast - Next 12 months ⁴ G. Average Monthly Forecast (Sum of months 1-6 (Part F above) divided by 6):					
	H. Months to <u>Numbers Available for Assignment to</u> Exhaust ⁵ <u>Customers(A)</u> =					
	Average Monthly Forecast(G)					
	Block Requested Available Numbers Months To Exhaust 1 171.597					
	I. Utilization ⁶ <u>Assigned Numbers(B) - Excluded</u> X 100 = <u>Numbers(D)</u> <u>55.613</u>					
54.	Total Numbering Resources(C)-Excluded Numbers(D)					
	Explanation:					
	¹ A copy of this worksheet is required to be submitted to the Pooling Administrator when requesting additional numbering resources in a rate center. For auditing purposes, the applicant must retain a copy of this document.					
	² Quantity of numbers activated in the past 90 days is based on blocks and/or codes received from the administrator and shall be reported in increments of 1,000 or 10,000 TNs (e. g.: 2 blocks received=2,000 and 1 code received =10,000).					
	³ Net change in TNs no longer available for assignment in each previous month, starting with the most distant month as Month #1, and Month #6 as the current month.					
	⁴ Forecast of TNs needed in each following month, starting with the most recent month as Month #1.					
	⁵ To be assigned an additional thousands-block (NXX-X) for growth, "Months to Exhaust" must be less than or equal to 6 months. (FCC 00-104, section 52.15 (g) (3) (iii)).					
	⁶ Newly acquired numbers may be excluded from the Utilization calculation (FCC 00104, section 52.15 (g) (3)(ii))					
	Back					
DOLICIOF	Question? Email us					
neustar	© 1997-2012 Neustar, Inc.					
	Legal Notice					

.

Pooling Administration System				
Catt.com (SP)	• Sign	Out		
	Time : 11/27/2013 11:21:20 AM EST			
 Individual Block Requests CO/NXX Code Requests Mithdraw Pending Requests Confirm Resources In Service Donate Blocks 	Months to Exhaust and Utilization Certification Worksheet - TN Level(Continued) ¹ Your Utilization calculates to 55.613%. The FCC required the utilization of 75.000%. You have requested more blocks than you will exhaust in six months.			
E Submit Forecast	Soloot One Option and Submit			
E Search Forms	Select One Option and Submit			
⊞ BReports	 Return to the Months To Exhaust Form 			
E GUser Profile	O Need to request a State Waiver			
	O Received a State Waiver			
neustar	Question? Email us © 1997-2012 Neustar, Inc. Legal Notice			

•

Jacksonville Utilization Summary Report

Exchange	Central Office	Wire Center CLLI	Blocks	Average Growth	Available TNs	MTE	Util
Jacksonville	Arlington	JCVLFLARDS0	101		an forta - p. di si		
Jacksonville	Atlantic	JCBHFLABRS0	20				Sector of the sector
Jacksonville	Avenues	MNDRFLAVDS0	50		L. Martines		
Jacksonville	Beachwood	JCVLFLBWDS0	145				
Jacksonville	Clay Street	JCVLFLCLDS0	293			19. J. S. S.	t a A di s
Jacksonville	Ft. Caroline	JCVLFLFCDS0	36				
Jacksonville	Ft. George	FTGRFLMARS0	5				
Jacksonville	Int. Airport	JCVLFLIARS0	11			an we are the	
Jacksonville	Lake Forest	JCVLFLLFDS0	52				
Jacksonville	Loretto	MNDRFLLODS0	83				
Jacksonville	Normandy	JCVLFLNODS0	63				ал ^{ана} (с. 191
Jacksonville	Oceanway	JCVLFLOWDS0	38	RT IN THE R			
Jacksonville	Riverside	JCVLFLRV38E	61			u la decia 3	
Jacksonville	San Jose	JCVLFLSJ73E	128				
Jacksonville	San Marco	JCVLFLSMDS0	143				
Jacksonville	San Pablo	JCBHFLSPRS0	48				
Jacksonville	Southpoint	JCVLFLJTRSA	70				iller ad
Jacksonville	Wesconnett	JCVLFLWCDS0	107	Standarse.			

Customer Contact Information

٠

.

