State of Florida



Public Service Commission

CAPITAL CIRCLE OFFICE CENTER • 2540 SHUMARD OAK BOULEVARD TALLAHASSEE, FLORIDA 32399-0850

-M-E-M-O-R-A-N-D-U-M-

DATE:

January 9, 2014

TO:

Samantha Cibula, Office of the General Counsel

FROM:

Bureau of Auditing (Deamer, Vedula)

RE:

CONFIDENTIALITY OF CERTAIN INFORMATION

Docket No: 011403-EI Document No: 02580-12

Description: FPL (Moncada) – (CONFIDENTIAL) Certain material provided to staff pursuant to Audit Control No. 01-073-4-1. (x-ref.DN 13412-01; note x-ref.

DN 13656-01 returned to the source.)

Source: Florida Power & Light Company

We recommend that Document No. 13412-01 be granted a seventh 18-month extension of confidential classification along with Document No. 02580-12. The Company's listing of the sensitive information along with the public redacted copy can be found within Clerks's Document No. 02579-12.

Details	Original Workpapers APA	Company Provided Highlighted Copy	Company Provided Redacted Copy	Company's Request	Orders
Original	13412-01	13656-01	13655-01	13655-01	PSC-01-2339-CFO-EI
First Extension	13412-01	13656-01	13655-01	04838-03	PSC-03-0892-CFO-EI
Second Extension	13412-01	13656-01	13655-01	01277-05	PSC-05-0332-CFO-EI
Third Extension	13412-01	13656-01	13655-01	09021-06	PSC-06-0980-CFO-EI
Fourth Extension	13412-01	13656-01	13655-01	04492-08	PSC-08-0776-CFO-EI
Fifth Extension	13412-01	13656-01	13655-01	04365-10	PSC-10-0669-CFO-EI
Sixth Extension	13412-01	02580-12	02579-12	02579-12	PSC-12-0313-CFO-EI
Seventh Extension	13412-01	02580-12	02579-12	07401-13	

cc: Office of Commission Clerk (2)

ECEIVED-FPSC

DM TEL

CLKMM

State of Florida



Public Service Commission

CAPITAL CIRCLE OFFICE CENTER • 2540 SHUMARD OAK BOULEVARD TALLAHASSEE, FLORIDA 32399-0850

M-E-M-O-R-A-N-D-U-M-

DATE:	January 9, 2014			
TO:	Office of Auditing and Performance Analysis, Office of Primary Responsibility			
FROM:	OFFICE OF COMMISSION CLERK			
RE:	CONFIDENTIALITY OF CERTAIN INFORMATION			
	DOCKET NO: <u>011403-EI</u> DOCUMENT NO(s): <u>02580-12</u>			
	DESCRIPTION: FPL (Moncada) - (CONFIDENTIAL) Certain material provided to staff pursuant to Audit Control No. 01-073-4-1. (x-ref. DN 13412-01; note: x-ref. DN 13656-01 returned to the source.)			
	SOURCE: Florida Power & Light Company			
classification complete the	confidential material is related to a <u>seventh request for extension of confidential</u> on of materials provided pursuant to Audit No. 01-073-4-1, filed 12/12/13. Please the following form by checking all applicable information and forward it to the ssigned to the docket, along with a brief memorandum supporting your lation.			
	ocument(s) is (are), in fact, what the utility asserts it (them) to be.			
0.09-0.00	ility has provided enough details to perform a reasoned analysis of its request.			
	aterial has been received incident to an inquiry. aterial is confidential business information because it includes:			
	a) Trade secrets;			
	b) Internal auditing controls and reports of internal auditors;			
71	c) Security measures, systems, or procedures;			
, , , ,	 d) Information concerning bids or other contractual data, the disclosure of which would impair the efforts of the public utility or its affiliates to contract for goods or services on favorable terms; 			
	e) Information relating to competitive interests, the disclosure of which would impair the competitive business of the provider of information;			
(f) Employee personnel information unrelated to compensation, duties, qualifications, or responsibilities; 			
	aterial appears to be confidential in nature and harm to the company or its ratepayers			
will result from public disclosure.				
	aterial appears <u>not</u> to be confidential in nature. aterial is a periodic or recurring filing and each filing contains confidential information.			
1110 111	aterial is a periodic of reculting titing and each titing contains confidential information.			

This response was prepared by V. Hywavattu on 1914, a copy of which has been sent to the Office of Commission Clerk and the Office of General Counsel.