

State of Florida



# Public Service Commission

CAPITAL CIRCLE OFFICE CENTER • 2540 SHUMARD OAK BOULEVARD  
TALLAHASSEE, FLORIDA 32399-0850

**-M-E-M-O-R-A-N-D-U-M-**

---

**DATE:** May 15, 2014  
**TO:** Carlotta S. Stauffer, Commission Clerk, Office of Commission Clerk  
**FROM:** Michael A. Springer, Public Utilities Supervisor, Division of Accounting & Finance *mas*  
**RE:** Docket No. 130174-WU - Application for approval of transfer of certain water and wastewater facilities and Certificate No. 002-W of Aqua Utilities Florida, Inc. to Brevard Waterworks, Inc. in Brevard County. *CJP*

---

Please include the attached documents into the docket file referenced above.

RECEIVED-FPSC  
14 MAY 15 AM 8:10  
COMMISSION  
CLERK

**Brevard Waterworks, Inc.**  
**Audit Report 13-199-4-2**

**Kingswood Water Rate Base**

	<u>Utility Balance</u>	<u>Adjustment</u>	<u>Audit Balance</u>
Plant in Service	\$ 20,383		\$ 20,383
Land	\$ 1,058		\$ 1,058
Accuulated Depreciation	\$ (4,816)	\$ (67)	\$ (4,883)
CIAC	\$ (289)		\$ (289)
Accumulated Amortization - CIAC	\$ 87	\$ 1	\$ 88
	<u>\$ 16,423</u>	<u>\$ (66)</u>	<u>\$ 16,357</u>

One month Depreciation - Audit Finding 1

\$ 67
Annual Amount (x12)
\$ 802

		<u>Depreciation Expense</u>		<u>Remaining Life of Assets</u>
Plant in Service	\$ 20,383			
Accumulated Depreciation	\$ (4,883)			
	<u>\$ 15,500</u>	\$ 802	5.17	<b>19.34 years</b>
Check figure:			15,500	

**Oakwood Water Rate Base**

	<u>Utility Balance</u>	<u>Adjustment</u>	<u>Audit Balance</u>
Plant in Service	\$ 76,148		\$ 76,148
Land	\$ 1,708		\$ 1,708
Accuulated Depreciation	\$ (26,268)	\$ (260)	\$ (26,528)
CIAC	\$ (7,514)		\$ (7,514)
Accumulated Amortization - CIAC	\$ 1,388	\$ 29	\$ 1,417
	<u>\$ 45,463</u>	<u>\$ (231)</u>	<u>\$ 45,232</u>

One month Depreciation - Audit Finding 1

\$ 260
Annual Amount (x12)
\$ 3,118

		<u>Depreciation Expense</u>		<u>Remaining Life of Assets</u>
Plant in Service	\$ 76,148			
Accumulated Depreciation	\$ (26,528)			
	<u>\$ 49,620</u>	\$ 3,118	6.28	<b>15.91 years</b>
Check figure:			49,620	