

Notice of Development of Rulemaking

PUBLIC SERVICE COMMISSION

RULE NO.: RULE TITLE:

25-6.058: Determination of Average Meter Error

PURPOSE AND EFFECT: The rule would be amended to correct the description of an equation for consistency with the applicable ANSI standard.

Undocketed.

SUBJECT AREA TO BE ADDRESSED: Determination of average registration error for a polyphase metering installation used on a varying load.

RULEMAKING AUTHORITY: 366.05(1), FS

LAW IMPLEMENTED: 366.05(3), FS

IF REQUESTED IN WRITING AND NOT DEEMED UNNECESSARY BY THE AGENCY HEAD, A RULE DEVELOPMENT WORKSHOP WILL BE NOTICED IN THE NEXT AVAILABLE FLORIDA ADMINISTRATIVE REGISTER.

THE PERSON TO BE CONTACTED REGARDING THE PROPOSED RULE DEVELOPMENT AND A COPY OF THE PRELIMINARY DRAFT, IF AVAILABLE, IS: Kathryn G. W. Cowdery, Florida Public Service Commission, Office of the General Counsel, 2540 Shumard Oak Blvd., Tallahassee, FL 32399-0850, (850) 413-6216, [kcowdery@psc.state.fl.us](mailto:kcowdery@psc.state.fl.us).

THE PRELIMINARY TEXT OF THE PROPOSED RULE DEVELOPMENT IS AVAILABLE AT NO CHARGE FROM THE CONTACT PERSON LISTED ABOVE.

I:\FAR\undocketed.doc

RECEIVED-FPSC  
14 MAY 28 PM 4: 58  
COMMISSION  
CLERK



Florida Department of State

## FLORIDA ADMINISTRATIVE CODE & FLORIDA ADMINISTRATIVE REGISTER

[Home](#) | [Advanced Search](#) | [MyFLRules](#) | [Rules Open for Comments](#)

[Agency Main Menu](#)  
[Manage my profile](#)

You are currently logged in ( [Log Out](#) )

### Notices Submitted to/Confirmed by Administrative Code & Register Staff

[Notices Confirmed by ACR](#)

#### Notices Submitted to ACR

ID	Rule No./ Organization	Rule Title	Section	Issue	Date
None					

#### Notices Confirmed by ACR

ID	Rule No./ Organization	Rule Title	Section	Issue	Date
✓ <a href="#">14624319</a>	25-6.058	Determination of Average Meter Error	Rule	5/29/2014 Vol. 40/104	5/28/2014

[Back to Agency Home](#)