

COMMISSIONERS:  
JULIE I. BROWN, CHAIRMAN  
ART GRAHAM  
RONALD A. BRISÉ  
JIMMY PATRONIS  
DONALD J. POLMANN

STATE OF FLORIDA



DIVISION OF ENGINEERING  
TOM BALLINGER  
DIRECTOR  
(850) 413-6910

# Public Service Commission

January 25, 2017

Mr. Gary Deremer  
Merritt Island Utility Company, Inc.  
5320 Captains Court  
New Port Richey, FL 34652-3062  
[gderemer@uswatercorp.net](mailto:gderemer@uswatercorp.net)

VIA EMAIL & US MAIL

**Re: Docket No. 170018-SU - Application to transfer wastewater system and Certificate No. 137-S in Brevard County from Colony Waste Services, LLC to Merritt Island Utility Company, Inc.**

Dear Mr. Deremer:

Staff reviewed the draft notice provided prior to the application for transfer of the wastewater system and Certificate No. 137-S in Brevard County from Colony Waste Services, LLC to Merritt Island Utility Company, Inc. (MIU). To obtain Commission approval of its notice, MIU should make the following changes to its notice:

1. Rule 25-30.030(4)(b), Florida Administrative Code (F.A.C.), requires that the notice contain the name, address, telephone number, and, if available, email address, and fax number of the applicant. Please amend the notice to include the email address and fax number of the applicant.
2. Rule 25-30.030(4)(c), F.A.C., requires that the notice include the common name of developments served by the utility. Please amend the notice to include this information.
3. Rule 25-30.030(4)(d), F.A.C., requires that the notice include the application docket number and title. Please amend the notice to contain this information, as provided in the subject line of this letter.
4. Rule 25-30.030(4)(e), F.A.C., requires that the notice include the common reference of street names bordering the area served by the utility, if applicable. Please amend the notice to include this statement.

Mr. Deremer  
January 25, 2017  
Page 2

Please make the changes noted in items 1 through 4 above and submit the corrected notice to:

Office of Commission Clerk  
2540 Shumard Oak Boulevard  
Tallahassee, Florida 32399-0850

Please reference Docket No. 170018-SU. Additionally, if MIU plans to publish a different, abbreviated, notice in a newspaper of general circulation in the proposed service area, as required by Rule 25-30.030(5)(c), F.A.C., please submit the notice to be published to the Office of Commission Clerk for staff approval prior to publication. If you have any questions, please contact me by telephone at (850) 413-6952, or by email at [mwatts@psc.state.fl.us](mailto:mwatts@psc.state.fl.us).

Sincerely,



Melinda Watts  
Engineering Specialist  
Division of Engineering

MW:tj

cc: Office of the Commission Clerk (Docket No. 170018-SU)  
Mr. Troy Rendell ([trendell@uswatercorp.net](mailto:trendell@uswatercorp.net))