CITY OF ST. PETERSBURG, FLORIDA Cost of Service Allocation Summary Summary of Current & Proposed Wholesale Rates

| Wholesale Customer Type | <u>Cui</u> | rent Rate | Pro | posed Rate | <u>\</u> | Variance % Change | <u>.</u> |
|-----------------------------------|------------|-----------|-----|------------|----------|-------------------|----------|
| WATER | \$ | 4,824 | \$ | 4,862 | \$ | 38 0.79% | |
| WASTEWATER (excl. St. Pete Beach) | \$ | 2,956 | \$ | 3,008 | \$ | 52 1.76% | |
| ST. PETE BEACH | | | | | | | |
| Capital Charge (Monthly) | \$ | 52,082 | \$ | 51,884 | \$ | (198) -0.38% | |
| O&M Rate | \$ | 2,052 | \$ | 2,032 | \$ | (20) -0.97% | |
| Average Monthly Bill | \$ | 225,514 | \$ | 223,625 | \$ | (1,888) -0.84% | |

Note: All rates and variances are per million gallons of demand/flow unless stated otherwise.

| Principal Factors Attributable to Proposed Rate Adjustments: | | | | | |
|--|--------|--|--|--|--|
| WATER | | | | | |
| Change in Estimated Water Demand | 0.60% | | | | |
| Updated Budget Requirements for FY 2017 | 1.02% | | | | |
| Updated Cost Allocation Criteria | -0.83% | | | | |
| Total Proposed Rate Increase | 0.79% | | | | |
| WASTEWATER | | | | | |
| Change in Estimated Wastewater Flow | -4.23% | | | | |
| Updated Budget Requirements for FY 2017 | 5.35% | | | | |
| Updated Cost Allocation Criteria | 0.64% | | | | |
| Total Proposed Rate Increase | 1.76% | | | | |
| SPB - CAPITAL | | | | | |
| Change in Estimated Wastewater Flow | -0.42% | | | | |
| Allocated Capital Requirements for FY 2015 | -5.08% | | | | |
| Allocated Capital Requirements for FY 2016 | 4.05% | | | | |
| Updated Capital Requirements for FY 2017 | 0.96% | | | | |
| Updated Cost Allocation Criteria | 0.11% | | | | |
| Total Proposed Rate Increase | -0.38% | | | | |
| SPB - O&M | | | | | |
| Change in Estimated Wastewater Flow | -4.04% | | | | |
| Updated Budget Requirements for FY 2017 | 3.27% | | | | |
| Updated Cost Allocation Criteria | -0.19% | | | | |
| Total Proposed Rate Increase | -0.97% | | | | |
| | | | | | |