DOCKET NO. 20190023-EI
FILED 1/17/2019
DOCUMENT NO. 00264-2019
FPSC - COMMISSION CLERK



Matthew R. Bernier ASSOCIATE GENERAL COUNSEL

January 17, 2019

Mr. Adam Teitzman, Commission Clerk Florida Public Service Commission 2540 Shumard Oak Boulevard Tallahassee, Florida 32399-0850

| Re: | DEF's Petition for Approval of Modifications to DEF's Rate Schedule LS-1 - |
|-----|--|
| | Lighting Service; Docket No. |

Dear Mr. Teitzman:

On behalf of Duke Energy Florida, LLC ("DEF"), please find enclosed for electronic filing, DEF's Petition for approval of modifications to DEF's Rate Schedule LS-1 – Lighting Service.

The revised Tariff Sheets include Tariff Sheet Nos. 6.280, 6.281, 6.2811, 6.2812, 6.282, 6.2821, 6.283, and 6.284.

Thank you for your assistance in this matter. Please feel free to call me at (850) 521-1428 should you have any questions concerning this filing.

Sincerely,

s/ Matthew R. Bernier

Matthew R. Bernier

MRB/mw Enclosures

cc: Ms. Elizabeth Draper

BEFORE THE FLORIDA PUBLIC SERVICE COMMISSION

| In Re: Petition for approval of | Docket No. |
|--|-------------------------|
| modifications to DEF's Rate Schedule LS- 1 – Lighting Service | Filed: January 17, 2019 |
| | Filed: January 17, 2019 |

PETITION FOR APPROVAL OF MODIFICATIONS TO DEF'S RATE SCHEDULE LS-1, LIGHTING SERVICE

Pursuant to rules 25-9.004 and 25-9.033, Florida Administrative Code ("FAC"), Duke Energy Florida, LLC ("DEF" or "the Company") hereby petitions this Commission for approval of modifications to DEF's Rate Schedule LS-1 – Lighting Service, Tariff Sheet Nos. 6.280, 6.281, 6.2811, 6.2812, 6.282, 6.2821, 6.283, and 6.284. In support of this Petition, DEF states as follows:

1. The Petitioner's name and address are:

Duke Energy Florida, LLC 299 1st Avenue North St. Petersburg, Florida 33701

2. Any pleading, motion, notice, order, or other document required to be served upon DEF or filed by any party to this proceeding should be served upon the following individuals:

Dianne M. Triplett

Dianne.triplett@duke-energy.com

Duke Energy Florida, LLC

299 1st Avenue North

St. Petersburg, Florida 33701

(727) 820-4962

(727) 820-5041 (fax)

Matthew Bernier

Matthew.bernier@duke-energy.com

Duke Energy Florida, LLC

106 E. College Avenue, Ste. 800

Tallahassee, FL 32301

(850) 521-1428

(727) 820-5041 (fax)

- 3. DEF is the utility primarily affected by the request in this Petition. DEF is an investor-owned electric utility, regulated by the Commission, and is a wholly owned subsidiary of Duke Energy Corporation. The Company's principal place of business is located at 299 1st Avenue North, St. Petersburg, Florida 33701.
- 4. DEF serves approximately 1.8 million retail customers in Florida. Its service area comprises approximately 20,000 square miles in 35 of the state's 67 counties, including the densely populated areas of Pinellas and western Pasco Counties and the Greater Orlando area in Orange, Osceola, and Seminole Counties. DEF supplies electricity at retail to approximately 350 communities and at wholesale to Florida municipalities, utilities, and power agencies in the State of Florida.
- 5. Exhibits A and B to this Petition contain proposed tariff sheets in legislative format and clean copy format respectively, including Section No. VI, Thirty-Third Revised Sheet No. 6.280, Thirtieth Revised Sheet No. 6.281, Tenth Revised Sheet No. 6.2811, Original Sheet No. 6.2812, Nineteenth revised Sheet No. 6.282, Original Sheet No. 6.2821, Twelfth Revised Sheet No. 6.283, and Seventh Revised Sheet No. 6.284, of DEF's Retail Tariff Rate Schedule LS-1 Lighting Service.
- 6. In this Petition, DEF requests approval of proposed changes to its Lighting Service tariff schedule. These changes reflect DEF's continued efforts to identify technological improvements in the lighting industry and to make the resulting benefits available to its customers.
- 7. First, DEF requests approval to close metal halide technology for new installations. The Energy Independence and Security Act of 2007 requires that ballasts installed in metal halide fixtures meet higher energy efficiency standards, which have

been gradually phased-in over time.¹ As of February 2017, certain metal halide lamps between specific rated wattages cannot contain a probe-start metal halide ballast. Therefore, fixture manufacturers have decided to no longer support the production of new metal halide fixtures and ballasts. To minimize customer disruption, DEF proposes to utilize currently installed metal halide fixtures until the fixture and/or the ballast fails. At which time, the metal halide fixture will be replaced with a comparable LED fixture and the applicable monthly rate will apply.

- 8. Second, DEF requests approval to close sodium vapor technology for new installations. Though the Energy Independence and Security Act of 2007 does not limit the production of ballasts in sodium vapor fixtures, manufacturers have begun to primarily manufacture LED technology. The market is moving towards higher energy efficiency technology and customers tend to prefer LEDs. Due to the increased product selection including color temperature options of LEDs, the Company can continue to meet customer demand utilizing LED technology. Existing customers may still request sodium vapor fixtures to match to existing installations as noted under Special Provision No. 9 in Schedule LS-1. As with metal halide, customers may continue to utilize the currently installed sodium vapor fixtures until the fixture fails and/or it requires major repair. At which time, the sodium vapor fixture will be replaced with a comparable LED fixture and the applicable monthly rate will apply.
- 9. Third, DEF requests approval to include additional fixtures and poles to Schedule LS-1 to provide more product selection and pricing transparency.
- 10. Lastly, DEF requests approval to update Note 2 under the Notes Per Unit Charged section of Schedule LS-1. The Company is seeking to modify this notation to

¹ 10 C.F.R. §431.326(d)

make it easier and more applicable to LEDs, which do not contain ballasts. Also, LED manufacturers are producing increasingly more efficient fixtures with the equivalent lumen output but with lower wattages. To ensure that the Company can purchase the most efficient products for customers, the Company is requesting to add language indicating that the wattages may vary.

WHEREFORE, DEF respectfully requests the Commission approve this Petition and the modifications to Section No. VI, Thirty-Third Revised Sheet No. 6.280, Thirtieth Revised Sheet No. 6.281, Tenth Revised Sheet No. 6.2811, Original Sheet No. 6.2812, Nineteenth revised Sheet No. 6.282, Original Sheet No. 6.2821, Twelfth Revised Sheet No. 6.283, and Seventh Revised Sheet No. 6.284 of DEF's Retail Tariff Rate Schedule LS-1 – Lighting Service as set forth in Exhibits A and B attached hereto.

Respectfully submitted,

Dianne M. Triplett
Deputy General Counsel
Duke Energy Florida, LLC

299 1st Avenue North St. Petersburg, Florida 33701

(727) 820-4962

(727) 820-5041 (fax)
Dianne.triplett@duke-energy.com

s/Matthew R. Bernier

Matthew R. Bernier Associate General Counsel Duke Energy Florida, LLC 106 E. College Avenue, Ste. 800 Tallahassee, FL 32301 (850) 521-1428

(727) 820-5041 (fax)

Matthew.bernier@duke-energy.com

EXHIBIT A

Legislative Format Tariffs (1 copy)

Thirty Third Revised Sheet No. 6.280
Thirtieth Revised Sheet No. 6.281
Tenth Revised Sheet No. 6.2811
Original Sheet No. 6.2812
Nineteenth Revised Sheet No. 6.282
Original Sheet No. 6.2821
Twelfth Revised Sheet No. 6.283
Seventh Revised Sheet No. 6.284



6.280

Page 1 of 68

RATE SCHEDULE LS-1 LIGHTING SERVICE

Availability:

Available throughout the entire territory served by the Company.

Applicable:

To any customer for the sole purpose of lighting roadways or other outdoor land use areas; served from either Company or customer owned fixtures of the type available under this rate schedule. Service hereunder is provided for the sole and exclusive benefit of the customer, and nothing herein or in the contract executed hereunder is intended to benefit any third party or to impose any obligation on the Company to any such third party.

Character of Service:

Continuous dusk to dawn automatically controlled lighting service (i.e. photoelectric cell); alternating current, 60 cycle, single phase, at the Company's standard voltage available.

Limitation of Service:

Availability of certain fixture or pole types at a location may be restricted due to accessibility.

Standby or resale service not permitted hereunder. Service under this rate is subject to the Company's currently effective and filed "General Rules and Regulations Governing Electric Service."

Rate Per Month:

Customer Charge:

Unmetered: \$ 1.31 per line of billing Metered: \$ 3.77 per line of billing

Energy and Demand Charge:

Non-Fuel Energy Charge: 2.547¢ per kWh

Plus the Cost Recovery Factors listed in Rate Schedule BA-1, *Billing Adjustments*, except the Fuel Cost Recovery Factor and Asset Securitization Charge Factor:

See Sheet No. 6.105 and 6.106

Per Unit Charges:

I. Fixtures:

| | | | LAMP SIZE ² | | | CHARGES PER UNIT | | |
|-----------------|------------------|-----------------------------|------------------------|-----|---------|------------------|---------------------------------|--|
| BILLING TYPE | DESCRIPTION | INITIAL LUMENS OUTPUT | LAMP WATTAGE | kWh | FIXTURE | MAINTENANCE | NON-FUEL ENERGY ³ | |
| | Incandescent: 1 | | | | | | | |
| 110 | Roadway | 1,000 | 105 | 32 | \$1.03 | \$4.07 | \$0.82 | |
| 115 | Roadway | 2,500 | 205 | 66 | 1.61 | 3.67 | 1.68 | |
| 170 | Post Top | 2,500 | 205 | 72 | 20.39 | 3.67 | 1.83 | |
| | Mercury Vapor: 1 | | | | | | | |
| 205 | Open Bottom | 4,000 | 100 | 44 | \$2.55 | \$1.80 | \$1.12 | |
| 210 | Roadway | 4,000 | 100 | 44 | 2.95 | 1.80 | 1.12 | |
| 215 | Post Top | 4,000 | 100 | 44 | 3.47 | 1.80 | 1.12 | |
| 220 | Roadway | 8,000 | 175 | 71 | 3.34 | 1.77 | 1.81 | |
| 225 | Open Bottom | 8,000 | 175 | 71 | 2.50 | 1.77 | 1.81 | |
| 235 | Roadway | 21,000 | 400 | 158 | 4.04 | 1.81 | 4.02 | |
| 240 | Roadway | 62,000 | 1,000 | 386 | 5.29 | 1.78 | 9.83 | |
| 245 | Flood | 21,000 | 400 | 158 | 5.29 | 1.81 | 4.02 | |
| 250 | Flood | 62,000 | 1,000 | 386 | 6.20 | 1.78 | 9.83 | |

(Continued on Page No. 2)

ISSUED BY: Javier J. Portuondo, Managing Director Rates & Regulatory Strategy - FL

EFFECTIVE: January 1, 2019







Page 2 of 68

RATE SCHEDULE LS-1 LIGHTING SERVICE

(Continued from Page No. 1)

| I. Fixtures | : (Continued) |
|-------------|---------------|
|-------------|---------------|

| | | LAMP SIZE ² | | | CHARGES PER UNIT | | |
|------------|---|------------------------|-----------|----------|------------------|-------------|---------------------|
| | • | INITIAL | | | | | |
| BILLING | | LUMENS | LAMP | | | | NON-FUEL |
| TYPE | DESCRIPTION | OUTPUT | WATTAGE | kWh | FIXTURE | MAINTENANCE | ENERGY ³ |
| | Sodium Vapor: 1 | | | | | | |
| 300 | HPS Deco Rdwy White | 50,000 | 400 | 168 | \$14.73 | \$1.61 | \$4.28 |
| 301 | Sandpiper HPS Deco Roadway | 27,500 | 250 | 104 | 13.81 | 1.72 | 2.65 |
| 302 | Sandpiper HPS Deco Rdwy B k | 9,500 | 100 | 42 | 14.73 | 1.58 | 1.07 |
| 305 | Open Bottom ⁴ | 4,000 | 50 | 21 | 2.54 | 2.04 | 0.53 |
| 310 | Roadway ¹ | 4,000 | 50 | 21 | 3.12 | 2.04 | 0.53 |
| 313 | Open Bottom ⁴ | 6,500 | 70 | 29 | 4.19 | 2.05 | 0.74 |
| 314 | Hometown II | 9,500 | 100 | 42 | 4.08 | 1.72 | 1.07 |
| 315 | Post Top - Colonial/Contemp 4 | 4,000 | 50 | 21 | 5.04 | 2.04 | 0.53 |
| 316 | Colonial Post Top 4 | 4,000 | 50 | 34 | 4.05 | 2.04 | 0.87 |
| 318 | Post Top ¹ | 9,500 | 100 | 42 | 2.50 | 1.72 | 1.07 |
| 320 | Roadway-Overhead Only | 9,500 | 100 | 42 | 3.64 | 1.72 | 1.07 |
| 321 | Deco Post Top - Monticello | 9,500 | 100 | 49 | 12.17 | 1.72 | 1.25 |
| 322 | Deco Post Top - Flagler | 9,500 | 100 | 49 | 16.48 | 1.72 | 1.25 |
| 323 | Roadway-Turtle OH Only | 9,500 | 100 | 42 | 4.32 | 1.72 | 1.07 |
| 325 | Roadway-Overhead Only | 16,000 | 150 | 65 | 3.78 | 1.75 | 1.66 |
| 326 | Deco Post Top – Sanibel | 9,500 | 100 | 49 | 18.16 | 1.72 | 1.25 |
| 330 | Roadway-Overhead Only | 22,000 | 200 | 87 | 3.64 | 1.83 | 2.22 |
| 335 | Roadway-Overhead Only | 27,500 | 250 | 104 | 4.16 | 1.72 | 2.65 |
| 336 | Roadway-Bridge ⁴ | 27,500 | 250 | 104 | 6.74 | 1.72 | 2.65 |
| 337 | Roadway-DOT ⁴ | 27,500 | 250 | 104 | 5.87 | 1.72 | 2.65 |
| 338 | Deco Roadway–Maitland | 27,500 | 250 | 104 | 9.62 | 1.72 | 2.65 |
| 340 | Roadway-Overhead Only | 50,000 | 400 | 169 | 5.03 | 1.76 | 4.30 |
| 341 | HPS Flood-City of Sebring only ¹ | 16,000 | 150 | 65 | 4.06 | 1.75 | 1.66 |
| 342 | Roadway-Turnpike ⁴ | 50,000 | 400 | 168 | 8.95 | 1.76 | 4.28 |
| 343 | Roadway-Turnpike ⁴ | 27,500 | 250 | 108 | 9.12 | 1.72 | 2.75 |
| 345 | Flood-Overhead Only | 27,500 | 250 | 103 | 5.21 | 1.72 | 2.62 |
| 347 | Clermont | 9,500 | 100 | 49 | 20.65 | 1.72 | 1.25 |
| 348 | Clermont | 27,500 | 250 | 104 | 22.65 | 1.72 | 2.65 |
| 350 | Flood-Overhead Only | 50,000 | 400 | 170 | 5.19 | 1.76 | 4.33 |
| 351 | Underground Roadway | 9,500 | 100 | 42 | 6.22 | 1.72 | 1.07 |
| 352 | Underground Roadway | 16,000 | 150 | 65 | 7.58 | 1.75 | 1.66 |
| 354 | Underground Roadway | 27,500 | 250 | 108 | 8.10 | 1.72 | 2.75 |
| 356 | Underground Roadway | 50,000 | 400 | 168 | 8.69 | 1.76 | 4.28 |
| 357 | Underground Flood | 27,500 | 250 | 108 | 9.36 | 1.72 | 2.75 |
| 358 | Underground Flood ⁴ | 50,000 | 400 | 168 | 9.49 | 1.76 | 4.28 |
| 359 | Underground Turtle Roadway | 9,500 | 100 | 42 | 6.09 | 1.72 | 1.07 |
| 360 | Deco Roadway Rectangular ⁴ | 9,500 | 100 | 47 | 12.53 | 1.72 | 1.20 |
| 365 | Deco Roadway Rectangular | 27,500 | 250 | 108 | 11.89 | 1.72 | 2.75 |
| 366 | Deco Roadway Rectangular | 50,000 | 400 | 168 | 12.00 | 1.76 | 4.28 |
| 370 | Deco Roadway Round 4 | 27,500 | 250 | 108 | 15.41 | 1.72 | 2.75 |
| 370 375 | Deco Roadway Round ⁴ | 50,000 | 400 | 168 | 15.42 | 1.76 | 4.28 |
| 380 | Deco Roadway Round Deco Post Top – Ocala | 9,500 | 100 | 49 | 8.78 | 1.70 | 4.26 1.25 |
| 381 | Deco Post Top - Ocala Deco Post Top 4 | 9,500 | 100 | 49 49 | 4.05 | 1.72 | 1.25 |
| 383 | Deco Post Top-Biscayne | 9,500 | 100 | 49 49 | 4.05 14.17 | 1.72 | 1.25 |
| | Deco Post Top-Biscayne Deco Post Top – Sebring | 9,500 9,500 | 100 | - | 14.17 6.75 | | 1.25 |
| 385 | Deco Post Top – Sebring Deco Post Top ⁴ | | | 49 21 | | 1.72 | |
| 393 | | 4,000 | 50 100 | 21 | 8.72 | 2.04 | 0.53 |
| 394 | Deco Post Top ⁴ | 9,500 | 100 | 49 | 18.16 | 1.72 | 1.25 |

(Continued on Page No. 3)

ISSUED BY: Javier J. Portuondo, Managing Director Rates & Regulatory Strategy - FL

EFFECTIVE: January 1, 2019





Page 3 of <u>68</u>

RATE SCHEDULE LS-1 LIGHTING SERVICE

(Continued from Page No. 2)

| l Eisster | was (Continued) | (Continu | ed from Page | No. 2) | | | |
|-----------------|---|------------------|-------------------|--|----------------|---------------------|---------------------|
| i. Fixtu | res: (Continued) | | AMP SIZE 2 | | | CHARGES PER | IINIT |
| | | INITIAL | AIVIF SIZE | | - | CHARGES FER | ONIT |
| BILLING | | LUMENS | LAMP | | | | NON-FUEL |
| TYPE | DESCRIPTION | OUTPUT | WATTAGE | kWh | FIXTURE | MAINTENANCE | ENERGY ³ |
| | | | | | | | |
| | Metal Halide: 1 | | | | | | |
| 307 | Deco Post Top-MH San bel P | 11,600 | 150 | 65 | \$16.85 | \$2.68 | \$1.66 |
| 308 | Clermont Tear Drop P | 11,600 | 150 | 65 | 19.91 | 2.68 | 1.66 |
| 309 | MH Deco Rectangular P | 36,000 | 320 | 126 | 13.07 | 2.74 | 3.21 |
| 311 | MH Deco Cube P | 36,000 | 320 | 126 | 15.98 | 2.74 | 3.21 |
| 312 319 | MH Flood P MH Post Top Biscayne P | 36,000 11,600 | 320 150 | 126 65 | 10.55 15.24 | 2.74 2.68 | 3.21 1.66 |
| 327 | Deco Post Top-MH San bel ⁴ | 12,000 | 175 | 74 | 18.39 | 2.72 | 1.88 |
| 349 | Clermont Tear Drop ¹ | 12,000 | 175 | 74 74 | 21.73 | 2.72 | 1.88 |
| 371 | MH Deco Rectangular ⁴ | 38,000 | 400 | 159 | 14.26 | 2.84 | 4.05 |
| 372 | MH Deco Circular ⁴ | 38,000 | 400 | 159 | 16.70 | 2.84 | 4.05 |
| 373 | MH Deco Rectangular ^{4,5} | 110,000 | 1,000 | 378 | 15.30 | 2.96 | 9.63 |
| 386 | MH Flood ^{4,5} | 110,000 | 1,000 | 378 | 13.17 | 2.96 | 9.63 |
| 389 | MH Flood-Sportslighter ^{4,5} | 110,000 | 1,000 | 378 | 13.01 | 2.96 | 9.63 |
| 390 | MH Deco Cube ¹ | 38,000 | 400 | 159 | 17.44 | 2.84 | 4.05 |
| 396 | Deco PT MH San bel Dual 5 | 24,000 | 350 | 148 | 33.73 | 5.43 | 3.77 |
| 397 | MH Post Top-Biscayne 4 | 12,000 | 175 | 74 | 14.98 | 2.72 | 1.88 |
| 398 | MH Deco Cube ^{1,5} | 110,000 | 1,000 | 378 | 20.34 | 2.96 | 9.63 |
| 399 | MH Flood | 38,000 | 400 | 159 | 11.51 | 2.84 | 4.05 |
| | Light Emitting Diode (LED): | | | | | | |
| 106 | Underground San bel | 5,500 | 70 | 25 | \$20.80 | \$1.39 | \$0.64 |
| 107 | Underground Traditional Open | 3,908 | 49 | 17 | 13.57 | 1.39 | 0.43 |
| 108 | Underground Traditional w/Lens | 3,230 | 49 | 17 | 13.57 | 1.39 | 0.43 |
| 109 111 | Underground Acorn Underground Mini Bell | 4,332 | 70 50 | 25 18 | 20.16 17.88 | 1.39 1.39 | 0.64 0.46 |
| <u>121</u> | Shoebox Bronze III | 2,889 21,164 | 213 | | 20.42 | 1.39 <u>1.39</u> | 1.91 |
| 122 | Shoebox Bronze IV | 20,555 | <u>213</u> 213 | 75 75 75 75 75 75 75 | 20.42 20.42 | 1.39 1.39 | 1.91 1.91 |
| 123 | Shoebox Bronze V | 21,803 | <u>213</u> | 75 | 20.42 | 1.39 | 1.91 |
| 124 | Shoebox Black III | 21,164 | 213 | 75 | 20.42 | 1.39 | 1.91 |
| 126 | Shoebox Black IV FWT | 20,555 | 213 | 75 | 20.42 | 1.39 | 1.91 |
| 127 | Shoebox Black V | 21,803 | 213 | 75 | 20.42 | 1.39 | 1.91 |
| 130 | Monticello 3000 Kelvin | 4,430 | <u>50</u> | <u>17.5</u> | 20.16 | 1.39 | <u>0.45</u> |
| 133 | ATBO Roadway | 4,521 | 48 | 17 | 6.22 | 1.39 | 0.43 |
| 134 | Underground ATBO Roadway | 4,521 | 48 | 17 | 7.71 | 1.39 | 0.43 |
| 136 | Roadway | 9,233 | 108 | 38 | 7.05 | 1.39 | 0.97 |
| 137 | Underground Roadway | 9,233 | 108 | 38 | 8.55 | 1.39 | 0.97 |
| 138, 176 | Roadway | 18,642 | 216 216 | 76 76 | 11.61 | 1.39 | 1.94 |
| 139 141, 177 | Underground Roadway | 18,642 24,191 | 284 | 99 | 13.11 14.08 | 1.39 1.39 | 1.94 2.52 |
| 141, 177 | Roadway Underground Roadway | 24,191 | 284 284 | 99 | 14.06 15.58 | 1.39 | 2.52 2.52 |
| 142, 102 | Roadway | 12,642 | 150 | 53 | 9.74 | 1.39 | 1.35 |
| 148 | Underground Roadway | 12,642 | 150 | 53 | 11.24 | 1.39 | 1.35 |
| 151 | ATBS Roadway | 4,500 | 49 | 17 | 5.07 | 1.39 | 0.43 |
| <u>156</u> | Shoebox Bronze IV FWT | 39,078 | 421 | <u>147</u> | 29.20 | <u>1.39</u> | <u>3.74</u> |
| 157 | Shoebox Bronze V | 43,317 | 421 | <u>147</u> | 29.20 | 1.39 | 3.74 |
| <u>158</u> | Shoebox Black IV FWT | <u>39,078</u> | <u>421</u> | <u>147</u> | <u>29.20</u> | <u>1.39</u> | <u>3.74</u> |
| <u>159</u> | Shoebox Black V | <u>43,317</u> | <u>421</u> | 147 | <u>29.20</u> | <u>1.39</u> | <u>3.74</u> |
| <u>163</u> | Shoebox Pedestrian Bronze | <u>3,130</u> | <u>50</u> | <u>17</u> <u>17</u> | <u>12.91</u> | <u>1.39</u> | 0.43 |
| <u>164</u> | Shoebox Pedestrian Black | <u>3,130</u> | <u>50</u> | <u>17</u> | <u>14.05</u> | <u>1.39</u> | 0.43 |
| 167 | Underground Mitchell | 5,186 | 50 50 | 18 | 21.44 | 1.39 | 0.46 |
| 168 | Underground Mitchell w/Top Hat | 4,336 | 50 | 18 | 21.44 | 1.39 | 0.46 |

(Continued on Page No. 4)

ISSUED BY: Javier J. Portuondo, Managing Director Rates & Regulatory Strategy - FL

EFFECTIVE: January 1, 2019





RATE SCHEDULE LS-1 LIGHTING SERVICE (Continued from Page No. 3) Page 4 of 8

I. Fixtures: (Continued)

| | | L | | CHARGES PER | UNIT | | |
|---|--|-----------------------------|--|---|------------------------------|--------------|--|
| BILLING TYPE | DESCRIPTION | INITIAL LUMENS OUTPUT | LAMP WATTAGE | <u>kWh</u> | FIXTURE | MAINTENANCE | NON-FUEL ENERGY ³ |
| | Light Emitting Diode (LED): | | | | | | |
| | Continued | | | | | | |
| 160 | Teardrop | 8,472 | <u>150</u> | 52 | <u>28.54</u> | 1.39 | 1 32 |
| <u>169</u> <u>181</u> | Sanibel | 10,820 | 150 150 | <u>52</u> | 21.31 | 1.39 | <u>1.32</u> <u>1.32</u> |
| 182 | Biscayne | 4,655 | 150 60 150 40 70 70 130 260 50 130 260 70 70 | <u>21</u> | 19.11 | 1.39 | 0.53 1.32 0.36 0.36 0.61 |
| 183 | Clermont | 15,375 | 1 <u>50</u> | 52 | 29.28 | 1.39 | 1.32 |
| 183 184 185 186 187 191 192 193 194 195 196 197 198 | ATBS Roadway, Overhead Feed | 4,195 | 40 | 14 | 4.57 | 1.39 | 0.36 |
| 185 | ATBS Roadway, Underground Feed | 4,195 | 40 | 14 | 6.06 | 1.39 | 0.36 |
| <u>186</u> | ATBS Roadway, Overhead Feed | 8,200 | <u>70</u> | <u>24</u> | <u>5.35</u> | 1.39 | <u>0.61</u> |
| <u>187</u> | ATBS Roadway, Underground Feed | | <u>70</u> | <u>24</u> | 6.85 | <u>1.39</u> | 0.61 |
| <u>191</u> | Flood Overhead Feed | 13,729 | <u>130</u> | <u>46</u> | <u>10.57</u> | <u>1.39</u> | 1.17 2.32 0.46 1.17 |
| <u>192</u> | Flood Overhead Feed | 30,238 | <u>260</u> | <u>91</u> | 16.86 | 1.39 | <u>2.32</u> |
| <u>193</u> | Clermont | 7,451 | <u>50</u> | <u>18</u> | <u>26.91</u> | <u>1.39</u> | <u>0.46</u> |
| <u>194</u> | Flood Underground Feed | <u>13,729</u> | <u>130</u> | <u>46</u> | 12.06 | <u>1.39</u> | <u>1.17</u> |
| <u>195</u> | LED Flood Underground Feed | 30,238 | <u>260</u> | <u>91</u> | 18.35 | 1.39 | 2.32 0.64 0.64 |
| <u>196</u> | Amber Roadway Överhead | 4,133 | <u>70</u> | <u>25</u> | <u>11.28</u> <u>12.77</u> | <u>1.39</u> | 0.64 |
| 197 100 | Amber Roadway Underground | <u>4,133</u> | <u>70</u> | <u>25</u> | 12.77 13.55 | 1.39 1.39 | 0.64 0.99 |
| 196 100 | Amber Roadway Overhead Amber Roadway Underground | <u>5,408</u> 5,408 | 110 110 | <u>39</u> | 15.04 | 1.39 1.39 | <u>0.99</u> |
| 199 361 | Roadway Onderground Roadway 1 | 6,000 | 110 95 | 33 <u>38</u> | 16.93 | 1.39 2.43 | 0.99 |
| 362 | Roadway 1 | 9,600 | 110 95 157 | <u>55</u> 55 | 20.07 | 2.43 2.43 | <u>0.84</u> 1.40 |
| 363 | Shoebox Type 3 ¹ | <u>20,664</u> | 309 | 108 | <u>20.07</u> 41.08 | 2.84 2.84 | 2 75 |
| 364 | Shoebox Type 4 ¹ | 14,421 | <u>206</u> | 72 | <u>32.59</u> | <u>2.84</u> | 1.83 |
| 199 361 362 363 364 367 | Shoebox Type 5 ¹ | 14,421 | <u>206</u> | 72 | <u>31.65</u> | 2.84 | 0.99 0.84 1.40 2.75 1.83 1.83 |
| 369 | Underground Biscayne | 6,500 | 80 | 52 52 21 52 14 24 24 46 91 18 46 91 25 39 39 33 55 108 72 28 | 18.60 | 1.39 | 0.71 |

(Continued on Page No. 5)





NO 6 282

Page 5 of 68

RATE SCHEDULE LS-1 LIGHTING SERVICE

(Continued from Page No. 34)

II. POLES

| LING TYPE | DESCRIPTION | CHARGE PER UNIT |
|--------------------------|---|-----------------|
| 404 | 35' Deco Concrete – Mariner | \$22.35 |
| 405 | Concrete, 30/35' | 5.05 |
| 406 | 16' Deco Conc – Single Sanibel | 11.70 |
| 407 | 16' Decon Conc – Double Sanibel | 12.61 |
| 408 | 26' Aluminum DOT Style Pole | 45.92 |
| 409 | 36' Aluminum DOT Style Pole | 54.80 |
| 410 | Concrete, 15' 1 | 2.31 |
| 411 | 16' Octagonal Conc ¹ | 2.18 |
| 412 | 32' Octagonal Deco Concrete | 16.29 |
| 413 | 25' Tenon Top Concrete | 11.84 |
| 415 | Concrete, Curved ¹ | 4.77 |
| 418 | 35' Tenon Top Black Concrete | 20.14 |
| 420 | Wood, 30/35' | 2.17 |
| <u>422</u> <u>423</u> | 36ft OAL Aluminum Fluted Multi-Use Pole | <u>117.51</u> |
| <u>423</u> | 29ft OAL Aluminum Fluted Multi-Use Pole | <u>113.25</u> |
| <u>424</u> | 36ft OAL Aluminum 10" Multi-Use Pole | <u>101.90</u> |
| 425 | Wood, 14' Laminated 1 | 2.38 |
| 428 | Deco Fiberglass, 35', Bronze, Reinforced ¹ | 19.11 |
| 429 | Deco Fiberglass, 41', Bronze, Reinforced ¹ | 31.54 |
| 430 | Fiberglass, 14', Black ¹ | 2.51 |
| 431 | Deco Fiberglass, 41', Bronze 1 | 17.18 |
| 432 | Deco Fiberglass, 35', Bronze, Anchor Base 1 | 27.49 |
| 433 | Deco Fiberglass, 35', Bronze 1 | 13.60 |
| 434 | Deco Fiberglass, 20', Black, Deco Base 1 | 12.47 |
| 435 | Aluminum, Type A 1 | 6.59 |
| 436 | Deco Fiberglass, 16', Black, Fluted ¹ | 19.50 |
| 437 | Fiberglass, 16', Black, Fluted, Dual Mount 1 | 21.94 |
| 438 | Deco Fiberglass, 20', Black ¹ | 5.85 |
| 439 | Black F berglass 16' | 19.78 |
| 440 | Aluminum, Type B 1 | 7.33 |
| 441 | 15' Black Aluminum | 6.54 |
| 442 | 40ft OAL Conc Static Cast Multi-Use Pole | <u>46.18</u> |
| 443 | 45ft OAL Conc Static Cast Multi-Use Pole | <u>48.73</u> |
| 445 | Aluminum, Type C ¹ | 14.33 |
| 446 | Deco Fiberglass, 30', Bronze 1 | 11.57 |
| 447 | Deco Fiberglass, 35', Silver, Anchor Base ¹ | 21.40 |
| 448 | Deco Fiberglass, 41', Silver 1 | 18.00 |
| 449 | Deco Fiberglass, 16', Black, Fluted, Anchor Base ¹ | 17.35 |
| 450 451 | Concrete, 1/2 Special | 1.75 |
| <u>451</u> | 36ft OAL Aluminum Multi-Use Pole | <u>84.19</u> |
| <u>452</u> | 36ft Aluminum Breakaway Pole | <u>43.51</u> |
| <u>453</u> | 46ft Aluminum Breakaway Pole | <u>46.87</u> |
| <u>454</u> 455 | 35ft OAL Promenade Receptacle Pole | <u>40.22</u> |
| | Steel, Type A 1 | 4.11 |
| <u>457</u> | 46ft OAL Aluminum I-Drive Multi-Use Pole | <u>75.92</u> |
| 460 465 | Steel, Type B ¹ | 4.41 |
| 465 466 | Steel, Type C ¹ | 6.17 |
| 466 | 16' Deco Con Vic II – Dual Mount | 18.06 |
| 467 468 | 16' Deco Conc Washington – Dual | 25.87 13.35 |
| 468 469 | 16' Deco Conc Colonial – Dual Mount | 13.35 13.63 |
| | 35' Tenon Top Quad Flood Mount | |
| 470 471 | 45' Tenon Top Quad Flood Mount | 18.90 |
| 471 472 | 22' Deco Concrete 22' Deco Conc Single San bel | 14.99 16.03 |
| 472 473 | 22' Deco Conc Single San bel | 16.03 17.26 |
| 473 474 | 22' Deco Conc Double San bei | 18.74 |
| | 25' Tenon Top Bronze Concrete | |
| 476 477 | 30' Tenon Top Bronze Concrete | 17.54 18.70 |
| | | |
| 478 470 | 35' Tenon Top Bronze Concrete 41' Tenon Top Bronze Concrete | 20.14 |
| 479 480 | | 24.33 |
| 480 | Wood, 40/45' | 5.25 |
| 481 | 30' Tenon Top Concrete, Single Flood Mount | 10.06 |
| 482 | 30' Tenon Top Conc, Double Flood Mount/Includes Bracket | 12.29 |
| 483 | 46' Tenon Top Conc, Triple Flood Mount/Includes Bracket | 18.80 |
| 484 | 46' Tenon Top Conc, Double Flood Mount/Includes Bracket | 18.50 |
| 485 | Concrete, 40/45' Tanan Stula Congrete 46' Single Flood Mount | 10.19 |
| 486 487 | Tenon Style Concrete 46' Single Flood Mount | 15.31 13.53 |
| 487 | 35' Tenon Top Conc, Triple Flood Mount/Includes Bracket | 13.53 |
| | | |

ISSUED BY: Javier J. Portuondo, Managing Director Rates & Regulatory Strategy – FL

EFFECTIVE: January 5, 2016



SECTION NO. VI

EIGHTEENTH NINETEENTH REVISED SHEET NO. 6.282 CANCELS SEVENTEENTH EIGHTEENTH REVISED SHEET

NO 6 282

Page 5 of 68 35' Tenon Top Conc, Double Flood Mount/Includes Bracket 35' Tenon Top Concrete, Single Flood Mount 13.23 11.00 488 489 (Continued on Page No. 56)

ISSUED BY: Javier J. Portuondo, Managing Director Rates & Regulatory Strategy - FL

EFFECTIVE: January 5, 2016





RATE SCHEDULE LS-1 LIGHTING SERVICE (Continued from Page No. 5) Page 6 of 8

| II. | PO | LES |
|-----|----|-----|
|-----|----|-----|

| BILLING TYPE | DESCRIPTION | CHARGE PER UNIT |
|---------------------------------|---|-------------------------|
| 490 | Special Concrete 13' 1 | 17.39 |
| 491 | 30' Tenon Top Conc. Triple Flood Mount/Includes Bracket | 12.60 |
| 492 | Program Determine Concrete/The Colonial | 1<u>8.</u>99 |
| 493 494 493 496 496 | 3g՝ փորքովլցը թթրç: Triple Flood Mount/Includes Bracket | 2<u>8.97</u> |
| 494 | 46 SERVITES COUNTY ROOF FROM WEGINNIA Fixtures | 1 8.29 |
| 493 | Deal Wilter 1900 Puber diass 1 | 79.84 |
| 496 | 36' Tenen Top Concrete/Non-Flood Mount/1-4 Fixtures | 12:44 |
| 495 | पिश्योधिशमधां√ि Coheraies क/decorative base/The Washington | 2♥:₹ |
| 499 | 39' Tenen Top Concrete/Non-Flood Mount/1-4 Fixtures | 18.97 |
| 499 | 16' Decerative Concrete-widecorative base/The Washington | 23.07 |

(Continued on Page No. 7)



SECTION NO. VI ELEVENTH TWELFTH REVISED SHEET NO. 6.283 CANCELS TENTH ELEVENTH REVISED SHEET NO. 6.283

Page 5 6 of 68

RATE SCHEDULE LS-1 LIGHTING SERVICE

(Continued from Page No. 64)

III. Additional Facilities

BILLING TYPE

Electrical Pole Receptacle 4

 401
 Single
 \$3.00 per unit

 402
 Double
 \$3.90 per unit

Notes to Per Unit Charges:

- (1) Restricted to existing installations.
- (2) Lumens output and wattage ratings may vary with lamp configuration and/or age may vary with lamp configuration and age. Wattage ratings do not include ballast losses. Actual wattage may vary up to +/ 5 watts.
- (3) Shown for information only. Energy charges are billed by applying the foregoing energy and demand charges to the total monthly kWh.
- (4) Electric use permitted only during the period of October through January, only on poles designated by the Company. Energy charged separately. Customers must notify Company of installation of customer-owned receptacles prior to such installation.
- (5) Special applications only.

Additional Charges:

Fuel Cost Recovery Factor:

Asset Securitization Charge Factor:

Gross Receipts Tax Factor:

Right-of-Way Utilization Fee:

Municipal Tax:

See Sheet No. 6.106

Sales Tax:

See Sheet No. 6.106

Minimum Monthly Bill:

The minimum monthly bill shall be the sum of the Customer Charge and applicable Fixture, Maintenance and Pole Charges.

Terms of Payment:

Bills rendered hereunder are payable within the time limit specified on bill at Company-designated locations.

Terms of Service:

Service under this rate schedule shall be for a minimum initial term of ten (10) years from the commencement of service and shall continue thereafter until terminated by either party by written notice sixty (60) days prior to termination. Upon early termination of service under this schedule, the customer shall pay an amount equal to the remaining monthly lease amount for the term of contract including Contribution in Aid of Construction ("CIAC") under Special Provision No.16, applicable Customer Charges and removal cost of the facilities.

Special Provisions:

- 1. The customer shall execute a contract on the Company's standard filed contract form for service under this rate schedule.
- 2. Where the Company provides a fixture or pole type other than those listed above, the monthly charges, as applicable shall be computed as follows:

I. Fixture

(a) Fixture Charge:1.59% of the Company's average installed cost.(b) Maintenance Charge:The Company's estimated cost of maintaining fixture.

II. Pole

Pole Charge: 1.82% of installed cost.

- 3. The customer shall be responsible for the cost incurred to repair or replace any fixture or pole which has been willfully damaged. The Company shall not be required to make such repair or replacement prior to payment by the customer for damage.
- 4 Maintenance Service for customer-owned fixtures at charges stated hereunder shall be restricted to fixtures being maintained as of November 1, 1992.

(Continued on Page No. 67)

ISSUED BY: Javier J. Portuondo, Managing Director Rates & Regulatory Strategy – FL

EFFECTIVE: May 8, 2018



SECTION NO. VI SIXTH SEVENTH REVISED SHEET NO. 6.284 CANCELS FIFTH SIXTH REVISED SHEET NO. 6.284

Page 6 7 of 68

RATE SCHEDULE LS-1 LIGHTING SERVICE

(Continued from Page No. 57)

Special Provisions: (Continued)

5. kWh consumption for Company-owned fixtures shall be estimated in lieu of installing meters. kWh estimates will be made using the following formula:

kWh = <u>Unit Wattage (including ballast losses) x 350 hours per month</u> 1.000

- 6. kWh consumption for customer-owned fixtures shall be metered. Installation of customer-owned lighting facilities shall be provided for by the customer. Any costs incurred by the Company to provide for consolidation of existing lighting facilities for the purpose of metering shall be at the customer's expense.
- 7. No Pole Charge shall be applicable for a fixture installed on a company-owned pole which is utilized for other general electrical distribution purposes.
- 8. The Company will repair or replace malfunctioning lighting fixtures maintained by the Company in accordance with Section 768.1382, Florida Statutes (2005).
- 9. For a fixture type and/or pole type restricted to existing installations and requiring major renovation or replacement, the fixture and/or pole shall be replaced by an available similar non-restricted fixture and/or pole and the customer shall commence being billed at its appropriate rate. Where the customer requests the continued use of the same fixture type and/or pole type for appearance reasons, the Company will attempt to provide such fixture and/or pole and the customer shall commence being billed at a rate determined in accordance with Special Provision No. 2 for the cost of the renovated or replaced fixture and/or pole.
- 10. The customer will be responsible for trimming trees and other vegetation that obstruct the light output from fixture(s) or maintenance access to the facilities.
- 11. After December 31, 1998, all new leased lighting shall be installed on poles owned by the Company.
- 12. Alterations to leased lighting facilities requested by the customer after date of installation (i.e. redirect, install shields, etc.), will be billed to the customer in accordance with the Company's policy related to "Work Performed for the Public".
- 13. Service for street or area lighting is normally provided from existing distribution facilities. Where suitable distribution facilities do not exist, it will be the customer's responsibility to pay for necessary additional facilities. Refer to Section III, paragraph 3.01 of the Company's General Rules and Regulations Governing Electric Service to determine the CIAC owed by the customer.
- 14. Requests for exchanging facilities, upgrades, relocations, removals etc. are subject to Section III, paragraph 3.05, of the Company's General Rules and Regulations Governing Electric Service.
- 15. For available LEDs, the customer may opt to make an initial, one-time Contribution in Aid of Construction payment of 50% of the installed cost of fixtures rated greater than 200 Watts and/or poles other than standard wood poles, to reduce the Company's installed cost. If a customer chooses this option, the monthly fixture and/or pole charge shall be computed as the reduced installed cost times the corresponding monthly percentage in 2.I.(a) and/or 2.Il above.
- 16. As an alternative to making an initial one-time CIAC payment to extend distribution facilities to render lighting service, as referenced in Special Provision No. 13, the customer may elect to pay a monthly fee of 1.59% of the calculated CIAC amount.

ISSUED BY: Javier J. Portuondo, Managing Director Rates & Regulatory Strategy – FL

EFFECTIVE: May 8, 2018

EXHIBIT B

Clean Copy Format Tariffs (1 Copy)

Thirty Third Revised Sheet No. 6.280
Thirtieth Revised Sheet No. 6.281
Tenth Revised Sheet No. 6.2811
Original Sheet No. 6.2812
Nineteenth Revised Sheet No. 6.282
Original Sheet No. 6.2821
Twelfth Revised Sheet No. 6.283
Seventh Revised Sheet No. 6.284



Page 1 of 8

RATE SCHEDULE LS-1 LIGHTING SERVICE

Availability:

Available throughout the entire territory served by the Company.

Applicable:

To any customer for the sole purpose of lighting roadways or other outdoor land use areas; served from either Company or customer owned fixtures of the type available under this rate schedule. Service hereunder is provided for the sole and exclusive benefit of the customer, and nothing herein or in the contract executed hereunder is intended to benefit any third party or to impose any obligation on the Company to any such third party.

Character of Service:

Continuous dusk to dawn automatically controlled lighting service (i.e. photoelectric cell); alternating current, 60 cycle, single phase, at the Company's standard voltage available.

Limitation of Service:

Availability of certain fixture or pole types at a location may be restricted due to accessibility.

Standby or resale service not permitted hereunder. Service under this rate is subject to the Company's currently effective and filed "General Rules and Regulations Governing Electric Service."

Rate Per Month:

Customer Charge:

Unmetered: \$ 1.31 per line of billing Metered: \$ 3.77 per line of billing

Energy and Demand Charge:

Non-Fuel Energy Charge: 2.547¢ per kWh

Plus the Cost Recovery Factors listed in Rate Schedule BA-1, *Billing Adjustments*, except the Fuel Cost Recovery Factor and Asset Securitization Charge Factor:

See Sheet No. 6.105 and 6.106

Per Unit Charges:

I. Fixtures:

| | | | LAMP SIZE ² | | | CHARGES PER UNIT | | |
|-----------------|------------------|-----------------------------|------------------------|-----|---------|------------------|---------------------------------|--|
| BILLING TYPE | DESCRIPTION | INITIAL LUMENS OUTPUT | LAMP WATTAGE | kWh | FIXTURE | MAINTENANCE | NON-FUEL ENERGY ³ | |
| | Incandescent: 1 | | | | | | | |
| 110 | Roadway | 1,000 | 105 | 32 | \$1.03 | \$4.07 | \$0.82 | |
| 115 | Roadway | 2,500 | 205 | 66 | 1.61 | 3.67 | 1.68 | |
| 170 | Post Top | 2,500 | 205 | 72 | 20.39 | 3.67 | 1.83 | |
| | Mercury Vapor: 1 | | | | | | | |
| 205 | Open Bottom | 4,000 | 100 | 44 | \$2.55 | \$1.80 | \$1.12 | |
| 210 | , Roadway | 4,000 | 100 | 44 | 2.95 | 1.80 | 1.12 | |
| 215 | Post Top | 4,000 | 100 | 44 | 3.47 | 1.80 | 1.12 | |
| 220 | Roadway | 8,000 | 175 | 71 | 3.34 | 1.77 | 1.81 | |
| 225 | Open Bottom | 8,000 | 175 | 71 | 2.50 | 1.77 | 1.81 | |
| 235 | Roadway | 21,000 | 400 | 158 | 4.04 | 1.81 | 4.02 | |
| 240 | Roadway | 62,000 | 1,000 | 386 | 5.29 | 1.78 | 9.83 | |
| 245 | Flood | 21,000 | 400 | 158 | 5.29 | 1.81 | 4.02 | |
| 250 | Flood | 62,000 | 1,000 | 386 | 6.20 | 1.78 | 9.83 | |

(Continued on Page No. 2)

ISSUED BY: Javier J. Portuondo, Managing Director Rates & Regulatory Strategy - FL





Page 2 of 8

RATE SCHEDULE LS-1 LIGHTING SERVICE (Continued from Page No. 1)

I. Fixtures: (Continued)

| | | LAMP SIZE ² | | | CHARGES PER UNIT | | |
|-----------------|---|-----------------------------|-----------------|-----|------------------|-------------|---------------------------------|
| BILLING TYPE | DESCRIPTION | INITIAL LUMENS OUTPUT | LAMP WATTAGE | kWh | FIXTURE | MAINTENANCE | NON-FUEL ENERGY ³ |
| | Sodium Vapor: 1 | | | | | | |
| 300 | HPS Deco Rdwy White | 50,000 | 400 | 168 | \$14.73 | \$1.61 | \$4.28 |
| 301 | Sandpiper HPS Deco Roadway | 27,500 | 250 | 104 | 13.81 | 1.72 | 2.65 |
| 302 | Sandpiper HPS Deco Rdwy B k | 9,500 | 100 | 42 | 14.73 | 1.58 | 1.07 |
| 305 | Open Bottom | 4,000 | 50 | 21 | 2.54 | 2.04 | 0.53 |
| 310 | Roadway | 4,000 | 50 | 21 | 3.12 | 2.04 | 0.53 |
| 313 | Open Bottom | 6,500 | 70 | 29 | 4.19 | 2.05 | 0.74 |
| 314 | Hometown II | 9,500 | 100 | 42 | 4.08 | 1.72 | 1.07 |
| 315 | Post Top - Colonial/Contemp | 4,000 | 50 | 21 | 5.04 | 2.04 | 0.53 |
| 316 | Colonial Post Top | 4,000 | 50 | 34 | 4.05 | 2.04 | 0.87 |
| 318 | Post Top | 9,500 | 100 | 42 | 2.50 | 1.72 | 1.07 |
| 320 | Roadway-Overhead Only | 9,500 | 100 | 42 | 3.64 | 1.72 | 1.07 |
| 321 | Deco Post Top - Monticello | 9,500 | 100 | 49 | 12.17 | 1.72 | 1.25 |
| 322 | Deco Post Top - Northcello Deco Post Top - Flagler | 9,500 | 100 | 49 | 16.48 | 1.72 | 1.25 |
| 323 | Roadway-Turtle OH Only | 9,500 | 100 | 49 | 4.32 | 1.72 | 1.07 |
| 325 | Roadway-Overhead Only | 16,000 | 150 | 65 | 3.78 | 1.75 | 1.66 |
| | | | | | | 1.75 | |
| 326 | Deco Post Top – Sanibel | 9,500 | 100 | 49 | 18.16 | | 1.25 |
| 330 | Roadway-Overhead Only | 22,000 | 200 | 87 | 3.64 | 1.83 | 2.22 |
| 335 | Roadway-Overhead Only | 27,500 | 250 | 104 | 4.16 | 1.72 | 2.65 |
| 336 | Roadway-Bridge | 27,500 | 250 | 104 | 6.74 | 1.72 | 2.65 |
| 337 | Roadway-DOT | 27,500 | 250 | 104 | 5.87 | 1.72 | 2.65 |
| 338 | Deco Roadway-Maitland | 27,500 | 250 | 104 | 9.62 | 1.72 | 2.65 |
| 340 | Roadway-Overhead Only | 50,000 | 400 | 169 | 5.03 | 1.76 | 4.30 |
| 341 | HPS Flood-City of Sebring only | 16,000 | 150 | 65 | 4.06 | 1.75 | 1.66 |
| 342 | Roadway-Turnpike | 50,000 | 400 | 168 | 8.95 | 1.76 | 4.28 |
| 343 | Roadway-Turnpike | 27,500 | 250 | 108 | 9.12 | 1.72 | 2.75 |
| 345 | Flood-Overhead Only | 27,500 | 250 | 103 | 5.21 | 1.72 | 2.62 |
| 347 | Clermont | 9,500 | 100 | 49 | 20.65 | 1.72 | 1.25 |
| 348 | Clermont | 27,500 | 250 | 104 | 22.65 | 1.72 | 2.65 |
| 350 | Flood-Overhead Only | 50,000 | 400 | 170 | 5.19 | 1.76 | 4.33 |
| 351 | Underground Roadway | 9,500 | 100 | 42 | 6.22 | 1.72 | 1.07 |
| 352 | Underground Roadway | 16,000 | 150 | 65 | 7.58 | 1.75 | 1.66 |
| 354 | Underground Roadway | 27,500 | 250 | 108 | 8.10 | 1.72 | 2.75 |
| 356 | Underground Roadway | 50,000 | 400 | 168 | 8.69 | 1.76 | 4.28 |
| 357 | Underground Flood | 27,500 | 250 | 108 | 9.36 | 1.72 | 2.75 |
| 358 | Underground Flood | 50,000 | 400 | 168 | 9.49 | 1.76 | 4.28 |
| 359 | Underground Turtle Roadway | 9,500 | 100 | 42 | 6.09 | 1.72 | 1.07 |
| 360 | Deco Roadway Rectangular | 9,500 | 100 | 47 | 12.53 | 1.72 | 1.20 |
| 365 | Deco Roadway Rectangular | 27,500 | 250 | 108 | 11.89 | 1.72 | 2.75 |
| 366 | Deco Roadway Rectangular | 50,000 | 400 | 168 | 12.00 | 1.76 | 4.28 |
| 370 | Deco Roadway Round | 27,500 | 250 | 108 | 15.41 | 1.72 | 2.75 |
| 375 | Deco Roadway Round | 50,000 | 400 | 168 | 15.42 | 1.76 | 4.28 |
| 380 | Deco Post Top – Ocala | 9,500 | 100 | 49 | 8.78 | 1.72 | 1.25 |
| 381 | Deco Post Top | 9,500 | 100 | 49 | 4.05 | 1.72 | 1.25 |
| 383 | Deco Post Top-Biscayne | 9,500 | 100 | 49 | 14.17 | 1.72 | 1.25 |
| 385 | Deco Post Top – Sebring | 9,500 | 100 | 49 | 6.75 | 1.72 | 1.25 |
| 393 | Deco Post Top | 4,000 | 50 | 21 | 8.72 | 2.04 | 0.53 |
| 394 | Deco Post Top | 9,500 | 100 | 49 | 18.16 | 1.72 | 1.25 |

(Continued on Page No. 3)

ISSUED BY: Javier J. Portuondo, Managing Director Rates & Regulatory Strategy - FL



SECTION NO. VI TENTH REVISED SHEET NO. 6.2811 CANCELS NINTH REVISED SHEET NO. 6.2811

Page 3 of 8

RATE SCHEDULE LS-1 LIGHTING SERVICE (Continued from Page No. 2)

I. Fixtures: (Continued)

| | | LAMP SIZE 2 | | | CHARGES PER UNIT | | |
|-----------------|---|-----------------------------|-----------------|----------|------------------|--------------|---------------------------------|
| BILLING TYPE | DESCRIPTION | INITIAL LUMENS OUTPUT | LAMP WATTAGE | kWh | FIXTURE | MAINTENANCE | NON-FUEL ENERGY ³ |
| | | | | | | | |
| | Metal Halide: 1 | | | | | | |
| 307 | Deco Post Top-MH San bel P | 11,600 | 150 | 65 | \$16.85 | \$2.68 | \$1.66 |
| 308 | Clermont Tear Drop P | 11,600 | 150 | 65 | 19.91 | 2.68 | 1.66 |
| 309 | MH Deco Rectangular P | 36,000 | 320 | 126 | 13.07 | 2.74 | 3.21 |
| 311 | MH Deco Cube P | 36,000 | 320 | 126 | 15.98 | 2.74 | 3.21 |
| 312 | MH Flood P | 36,000 | 320 | 126 | 10.55 | 2.74 | 3.21 |
| 312 | | 11,600 | 150 | 65 | 15.24 | 2.74 | 1.66 |
| 327 | MH Post Top Biscayne P Deco Post Top-MH San bel | 12,000 | 175 | 74 | 18.39 | 2.72 | 1.88 |
| 349 | Clermont Tear Drop | 12,000 | 175 | 74 74 | 21.73 | 2.72 | 1.88 |
| | | | 400 | | | | |
| 371 372 | MH Deco Rectangular | 38,000 | 400 | 159 | 14.26 | 2.84 | 4.05 |
| | MH Deco Circular | 38,000 | | 159 | 16.70 | 2.84 | 4.05 |
| 373 | MH Deco Rectangular ⁵ | 110,000 | 1,000 | 378 | 15.30 | 2.96 | 9.63 |
| 386 | MH Flood 5 | 110,000 | 1,000 | 378 | 13.17 | 2.96 | 9.63 |
| 389 | MH Flood-Sportslighter ⁵ | 110,000 | 1,000 | 378 | 13.01 | 2.96 | 9.63 |
| 390 | MH Deco Cube | 38,000 | 400 | 159 | 17.44 | 2.84 | 4.05 |
| 396 | Deco PT MH San bel Dual ⁵ | 24,000 | 350 | 148 | 33.73 | 5.43 | 3.77 |
| 397 | MH Post Top-Biscayne | 12,000 | 175 | 74 | 14.98 | 2.72 | 1.88 |
| 398 | MH Deco Cube ⁵ | 110,000 | 1,000 | 378 | 20.34 | 2.96 | 9.63 |
| 399 | MH Flood | 38,000 | 400 | 159 | 11.51 | 2.84 | 4.05 |
| | | | | | | | |
| 400 | Light Emitting Diode (LED): | 5 500 | 70 | 05 | # 00.00 | #4.00 | #0.04 |
| 106 | Underground San bel | 5,500 | 70 | 25 | \$20.80 | \$1.39 | \$0.64 |
| 107 | Underground Traditional Open | 3,908 | 49 | 17 | 13.57 | 1.39 | 0.43 |
| 108 | Underground Traditional w/Lens | 3,230 | 49 | 17 | 13.57 | 1.39 | 0.43 |
| 109 | Underground Acorn | 4,332 | 70 | 25 | 20.16 | 1.39 | 0.64 |
| 111 | Underground Mini Bell | 2,889 | 50 | 18 | 17.88 | 1.39 | 0.46 |
| 121 | Shoebox Bronze III | 21,164 | 213 | 75 | 20.42 | 1.39 | 1.91 |
| 122 | Shoebox Bronze IV | 20,555 | 213 | 75 | 20.42 | 1.39 | 1.91 |
| 123 | Shoebox Bronze V | 21,803 | 213 | 75 | 20.42 | 1.39 | 1.91 |
| 124 | Shoebox Black III | 21,164 | 213 | 75 | 20.42 | 1.39 | 1.91 |
| 126 | Shoebox Black IV FWT | 20,555 | 213 | 75 | 20.42 | 1.39 | 1.91 |
| 127 | Shoebox Black V | 21,803 | 213 | 75 | 20.42 | 1.39 | 1.91 |
| 130 | Monticello 3000 Kelvin | 4,430 | 50 | 17.5 | 20.16 | 1.39 | 0.45 |
| 133 | ATBO Roadway | 4,521 | 48 | 17 | 6.22 | 1.39 | 0.43 |
| 134 | Underground ATBO Roadway | 4,521 | 48 | 17 | 7.71 | 1.39 | 0.43 |
| 136 | Roadway | 9,233 | 108 | 38 | 7.05 | 1.39 | 0.97 |
| 137 | Underground Roadway | 9,233 | 108 | 38 | 8.55 | 1.39 | 0.97 |
| 138, 176 | Roadway | 18,642 | 216 | 76 70 | 11.61 | 1.39 | 1.94 |
| 139 | Underground Roadway | 18,642 | 216 | 76 | 13.11 | 1.39 | 1.94 |
| 141, 177 | Roadway | 24,191 | 284 | 99 | 14.08 | 1.39 | 2.52 |
| 142, 162 | Underground Roadway | 24,191 | 284 | 99 | 15.58 | 1.39 | 2.52 |
| 147, 174 | Roadway | 12,642 | 150 | 53 | 9.74 | 1.39 | 1.35 |
| 148 | Underground Roadway | 12,642 | 150 | 53 | 11.24 | 1.39 | 1.35 |
| 151 | ATBS Roadway | 4,500 | 49 | 17 | 5.07 | 1.39 | 0.43 |
| 156 | Shoebox Bronze IV FWT | 39,078 | 421 | 147 | 29.20 | 1.39 | 3.74 |
| 157 | Shoebox Bronze V | 43,317 | 421 | 147 | 29.20 | 1.39 | 3.74 |
| 158 | Shoebox Black IV FWT | 39,078 | 421 | 147 | 29.20 | 1.39 | 3.74 |
| 159 | Shoebox Black V | 43,317 | 421 | 147 | 29.20 | 1.39 | 3.74 |
| 163 | Shoebox Pedestrian Bronze | 3,130 | 50 | 17 | 12.91 | 1.39 | 0.43 |
| 164 | Shoebox Pedestrian Black | 3,130 | 50 | 17 | 14.05 | 1.39 | 0.43 |
| 167 | Underground Mitchell | 5,186 | 50 | 18 | 21.44 | 1.39 | 0.46 |
| 168 | Underground Mitchell w/Top Hat | 4,336 | 50 | 18 | 21.44 | 1.39 | 0.46 |

(Continued on Page No. 4)

ISSUED BY: Javier J. Portuondo, Managing Director Rates & Regulatory Strategy - FL





Page 4 of 8

RATE SCHEDULE LS-1 LIGHTING SERVICE (Continued from Page No. 3)

(Continued from Page No. Fixtures: (Continued)

| | DESCRIPTION | LAMP SIZE ² | | | CHARGES PER UNIT | | |
|-----------------|--------------------------------|-----------------------------|-----------------|-----|------------------|-------------|--------------------|
| BILLING TYPE | | INITIAL LUMENS OUTPUT | LAMP WATTAGE | kWh | FIXTURE | MAINTENANCE | NON-FUEL ENERGY |
| | Light Emitting Diode (LED): | | | | | | |
| | | | | | | | |
| 400 | Continued | 0.470 | 450 | 50 | 00.54 | 4.00 | 4.00 |
| 169 | Teardrop | 8,472 | 150 | 52 | 28.54 | 1.39 | 1.32 |
| 181 | Sanibel | 10,820 | 150 | 52 | 21.31 | 1.39 | 1.32 |
| 182 | Biscayne | 4,655 | 60 | 21 | 19.11 | 1.39 | 0.53 |
| 183 | Clermont | 15,375 | 150 | 52 | 29.28 | 1.39 | 1.32 |
| 184 | ATBS Roadway, Overhead Feed | 4,195 | 40 | 14 | 4.57 | 1.39 | 0.36 |
| 185 | ATBS Roadway, Underground Feed | | 40 | 14 | 6.06 | 1.39 | 0.36 |
| 186 | ATBS Roadway, Overhead Feed | 8,200 | 70 | 24 | 5.35 | 1.39 | 0.61 |
| 187 | ATBS Roadway, Underground Feed | | 70 | 24 | 6.85 | 1.39 | 0.61 |
| 191 | Flood Overhead Feed | 13,729 | 130 | 46 | 10.57 | 1.39 | 1.17 |
| 192 | Flood Overhead Feed | 30,238 | 260 | 91 | 16.86 | 1.39 | 2.32 |
| 193 | Clermont | 7,451 | 50 | 18 | 26.91 | 1.39 | 0.46 |
| 194 | Flood Underground Feed | 13,729 | 130 | 46 | 12.06 | 1.39 | 1.17 |
| 195 | LED Flood Underground Feed | 30,238 | 260 | 91 | 18.35 | 1.39 | 2.32 |
| 196 | Amber Roadway Overhead | 4,133 | 70 | 25 | 11.28 | 1.39 | 0.64 |
| 197 | Amber Roadway Underground | 4,133 | 70 | 25 | 12.77 | 1.39 | 0.64 |
| 198 | Amber Roadway Overhead | 5,408 | 110 | 39 | 13.55 | 1.39 | 0.99 |
| 199 | Amber Roadway Underground | 5,408 | 110 | 39 | 15.04 | 1.39 | 0.99 |
| 361 | Roadway ¹ | 6,000 | 95 | 33 | 16.93 | 2.43 | 0.84 |
| 362 | Roadway ¹ | 9,600 | 157 | 55 | 20.07 | 2.43 | 1.40 |
| 363 | Shoebox Type 3 ¹ | 20,664 | 309 | 108 | 41.08 | 2.84 | 2.75 |
| 364 | Shoebox Type 4 ¹ | 14,421 | 206 | 72 | 32.59 | 2.84 | 1.83 |
| 367 | Shoebox Type 5 ¹ | 14,421 | 206 | 72 | 31.65 | 2.84 | 1.83 |
| 369 | Underground Biscayne | 6,500 | 80 | 28 | 18.60 | 1.39 | 0.71 |

(Continued on Page No. 5)

ISSUED BY: Javier J. Portuondo, Managing Director Rates & Regulatory Strategy - FL





Page 5 of 8

RATE SCHEDULE LS-1 LIGHTING SERVICE (Continued from Page No. 4)

| DILLING TOT | DECORIDATION | OUADOE DED IIII |
|--------------|--|-----------------|
| BILLING TYPE | DESCRIPTION | CHARGE PER UNIT |
| 404 | 35' Deco Concrete – Mariner | \$22.35 |
| 405 | Concrete, 30/35' | 5.05 |
| 406 | 16' Deco Conc – Single Sanibel | 11.70 |
| 407 | 16' Decon Conc – Double Sanibel | 12.61 |
| 408 | 26' Aluminum DOT Style Pole | 45.92 54.80 |
| 409 410 | 36' Aluminum DOT Style Pole | 54.80 |
| | Concrete, 15' 1 | 2.31 |
| 411 412 | 16' Octagonal Conc 1 | 2.18 16.29 |
| 413 | 32' Octagonal Deco Concrete 25' Tenon Top Concrete | 11.84 |
| 415 | Concrete, Curved ¹ | 4.77 |
| 418 | 35' Tenon Top Black Concrete | 20.14 |
| 420 | Wood, 30/35' | 2.17 |
| 422 | 36ft OAL Aluminum Fluted Multi-Use Pole | 117.51 |
| 423 | 29ft OAL Aluminum Fluted Multi-Use Pole | 113.25 |
| 424 | 36ft OAL Aluminum 10" Multi-Use Pole | 101.90 |
| 425 | Wood, 14' Laminated ¹ | 2.38 |
| 428 | Deco Fiberglass, 35', Bronze, Reinforced ¹ | 19.11 |
| 429 | Deco Fiberglass, 41', Bronze, Reinforced ¹ | 31.54 |
| 430 | Fiberglass, 14', Black ¹ | 2.51 |
| 431 | Deco Fiberglass, 41', Bronze 1 | 17.18 |
| 432 | Deco Fiberglass, 35', Bronze, Anchor Base ¹ | 27.49 |
| 433 | Deco Fiberglass, 35', Bronze 1 | 13.60 |
| 434 | Deco Fiberglass, 20', Black, Deco Base 1 | 12.47 |
| 435 | Aluminum, Type A 1 | 6.59 |
| 436 | Deco Fiberglass, 16', Black, Fluted ¹ | 19.50 |
| 437 | Fiberglass, 16', Black, Fluted, Dual Mount ¹ | 21.94 |
| 438 | Deco Fiberglass, 20', Black ¹ | 5.85 |
| 439 | Black F berglass 16' | 19.78 |
| 440 | Aluminum, Type B ¹ | 7.33 |
| 441 | 15' Black Aluminum | 6.54 |
| 442 | 40ft OAL Conc Static Cast Multi-Use Pole | 46.18 |
| 443 | 45ft OAL Conc Static Cast Multi-Use Pole | 48.73 |
| 445 | Aluminum, Type C 1 | 14.33 |
| 446 | Deco Fiberglass, 30', Bronze 1 | 11.57 |
| 447 | Deco Fiberglass, 35', Silver, Anchor Base 1 | 21.40 |
| 448 | Deco Fiberglass, 41', Silver 1 | 18.00 |
| 449 | Deco Fiberglass, 16', Black, Fluted, Anchor Base ¹ | 17.35 |
| 450 | Concrete, 1/2 Special | 1.75 |
| 451 452 | 36ft OAL Aluminum Multi-Use Pole | 84.19 |
| 452 453 | 36ft Aluminum Breakaway Pole | 43.51 46.87 |
| 453 454 | 46ft Aluminum Breakaway Pole | 40.87 40.22 |
| 454 455 | 35ft OAL Promenade Receptacle Pole Steel, Type A ¹ | 40.22 |
| 457 | 46ft OAL Aluminum I-Drive Multi-Use Pole | 75.92 |
| 460 | Steel, Type B 1 | 75.92 4.41 |
| 465 | Steel, Type B Steel, Type C 1 | 6.17 |
| 466 | 16' Deco Con Vic II – Dual Mount | 18.06 |
| 467 | 16' Deco Conc Washington – Dual | 25.87 |
| 468 | 16' Deco Conc Colonial – Dual Mount | 13.35 |
| 469 | 35' Tenon Top Quad Flood Mount | 13.63 |
| 470 | 45' Tenon Top Quad Flood Mount | 18.90 |
| 471 | 22' Deco Concrete | 14.99 |
| 472 | 22' Deco Conc Single San bel | 16.03 |
| 473 | 22' Deco Conc Double San bel | 17.26 |
| 474 | 22' Deco Conc Double Mount | 18.74 |
| 476 | 25' Tenon Top Bronze Concrete | 17.54 |
| 477 | 30' Tenon Top Bronze Concrete | 18.70 |
| 478 | 35' Tenon Top Bronze Concrete | 20.14 |
| 479 | 41' Tenon Top Bronze Concrete | 24.33 |
| 480 | Wood, 40/45' | 5.25 |
| 481 | 30' Tenon Top Concrete, Single Flood Mount | 10.06 |
| 482 | 30' Tenon Top Conc, Double Flood Mount/Includes Bracket | 12.29 |
| 483 | 46' Tenon Top Conc, Triple Flood Mount/Includes Bracket | 18.80 |
| 484 | 46' Tenon Top Conc, Double Flood Mount/Includes Bracket | 18.50 |
| 485 | Concrete, 40/45' | 10.19 |
| 486 | Tenon Style Concrete 46' Single Flood Mount | 15.31 |
| 487 | 35' Tenon Top Conc, Triple Flood Mount/Includes Bracket | 13.53 |
| 488 | 35' Tenon Top Conc, Double Flood Mount/Includes Bracket | 13.23 |
| 489 | 35' Tenon Top Concrete, Single Flood Mount | 11.00 |
| | | (Continued on |

ISSUED BY: Javier J. Portuondo, Managing Director Rates & Regulatory Strategy – FL



SECTION NO. VI ORIGINAL SHEET NO. 6.2821

Page 6 of 8

RATE SCHEDULE LS-1 LIGHTING SERVICE (Continued from Page No. 5)

II. POLES

| BILLING TYPE | DESCRIPTION | CHARGE PER UNIT |
|--------------|--|-----------------|
| 490 | Special Concrete 13' 1 | 17.39 |
| 491 | 30' Tenon Top Conc, Triple Flood Mount/Includes Bracket | 12.60 |
| 492 | 16' Smooth Decorative Concrete/The Colonial | 8.99 |
| 493 | 19' White Aluminum ¹ | 25.87 |
| 494 | 46' Tenon Top Concrete/Non-Flood Mount/1-4 Fixtures | 16.27 |
| 495 | Dual Mount 20' Fiberglass1 | 10.84 |
| 496 | 30' Tenon Top Concrete/Non-Flood Mount/1-4 Fixtures | 12.44 |
| 497 | 16' Decorative Concrete w/decorative base/The Washington | 21.77 |
| 498 | 35' Tenon Top Concrete/Non-Flood Mount/1-4 Fixtures | 13.37 |
| 499 | 16' Decorative Concrete-Vic II | 13.07 |

(Continued on Page No. 7)

ISSUED BY: Javier J. Portuondo, Managing Director Rates & Regulatory Strategy - FL



SECTION NO. VI TWELFTH REVISED SHEET NO. 6.283 CANCELS ELEVENTH REVISED SHEET NO. 6.283

Page 7 of 8

RATE SCHEDULE LS-1 LIGHTING SERVICE

(Continued from Page No. 6)

III. Additional Facilities

BILLING TYPE

Electrical Pole Receptacle 4

401 Single \$3.00 per unit **402 Double** \$3.90 per unit

Notes to Per Unit Charges:

- (1) Restricted to existing installations.
- (2) Lumens output and wattage ratings may vary with lamp configuration and/or age
- (3) Shown for information only. Energy charges are billed by applying the foregoing energy and demand charges to the total monthly kWh.
- (4) Electric use permitted only during the period of October through January, only on poles designated by the Company. Energy charged separately. Customers must notify Company of installation of customer-owned receptacles prior to such installation.
- (5) Special applications only.

Additional Charges:

Fuel Cost Recovery Factor:

Asset Securitization Charge Factor:

Gross Receipts Tax Factor:

Right-of-Way Utilization Fee:

Municipal Tax:

See Sheet No. 6.106

Sales Tax:

See Sheet No. 6.106

See Sheet No. 6.106

See Sheet No. 6.106

See Sheet No. 6.106

Minimum Monthly Bill:

The minimum monthly bill shall be the sum of the Customer Charge and applicable Fixture, Maintenance and Pole Charges.

Terms of Payment:

Bills rendered hereunder are payable within the time limit specified on bill at Company-designated locations.

Terms of Service:

Service under this rate schedule shall be for a minimum initial term of ten (10) years from the commencement of service and shall continue thereafter until terminated by either party by written notice sixty (60) days prior to termination. Upon early termination of service under this schedule, the customer shall pay an amount equal to the remaining monthly lease amount for the term of contract including Contribution in Aid of Construction ("CIAC") under Special Provision No.16, applicable Customer Charges and removal cost of the facilities.

Special Provisions:

- 1. The customer shall execute a contract on the Company's standard filed contract form for service under this rate schedule.
- 2. Where the Company provides a fixture or pole type other than those listed above, the monthly charges, as applicable shall be computed as follows:

Fixture

(a) Fixture Charge:
 (b) Maintenance Charge:
 1.59% of the Company's average installed cost.
 The Company's estimated cost of maintaining fixture.

II. Pole

Pole Charge: 1.82% of installed cost.

- The customer shall be responsible for the cost incurred to repair or replace any fixture or pole which has been willfully damaged. The Company shall not be required to make such repair or replacement prior to payment by the customer for damage.
- 4 Maintenance Service for customer-owned fixtures at charges stated hereunder shall be restricted to fixtures being maintained as of November 1, 1992.

(Continued on Page No. 8)

ISSUED BY: Javier J. Portuondo, Managing Director Rates & Regulatory Strategy - FL



SECTION NO. VI SEVENTH REVISED SHEET NO. 6.284 CANCELS SIXTH REVISED SHEET NO. 6.284

Page 8 of 8

RATE SCHEDULE LS-1 LIGHTING SERVICE

(Continued from Page No. 7)

Special Provisions: (Continued)

5. kWh consumption for Company-owned fixtures shall be estimated in lieu of installing meters. kWh estimates will be made using the following formula:

kWh = <u>Unit Wattage (including ballast losses) x 350 hours per month</u> 1.000

- 6. kWh consumption for customer-owned fixtures shall be metered. Installation of customer-owned lighting facilities shall be provided for by the customer. Any costs incurred by the Company to provide for consolidation of existing lighting facilities for the purpose of metering shall be at the customer's expense.
- 7. No Pole Charge shall be applicable for a fixture installed on a company-owned pole which is utilized for other general electrical distribution purposes.
- 8. The Company will repair or replace malfunctioning lighting fixtures maintained by the Company in accordance with Section 768.1382, Florida Statutes (2005).
- 9. For a fixture type and/or pole type restricted to existing installations and requiring major renovation or replacement, the fixture and/or pole shall be replaced by an available similar non-restricted fixture and/or pole and the customer shall commence being billed at its appropriate rate. Where the customer requests the continued use of the same fixture type and/or pole type for appearance reasons, the Company will attempt to provide such fixture and/or pole and the customer shall commence being billed at a rate determined in accordance with Special Provision No. 2 for the cost of the renovated or replaced fixture and/or pole.
- 10. The customer will be responsible for trimming trees and other vegetation that obstruct the light output from fixture(s) or maintenance access to the facilities.
- 11. After December 31, 1998, all new leased lighting shall be installed on poles owned by the Company.
- 12. Alterations to leased lighting facilities requested by the customer after date of installation (i.e. redirect, install shields, etc.), will be billed to the customer in accordance with the Company's policy related to "Work Performed for the Public".
- 13. Service for street or area lighting is normally provided from existing distribution facilities. Where suitable distribution facilities do not exist, it will be the customer's responsibility to pay for necessary additional facilities. Refer to Section III, paragraph 3.01 of the Company's General Rules and Regulations Governing Electric Service to determine the CIAC owed by the customer.
- 14. Requests for exchanging facilities, upgrades, relocations, removals etc. are subject to Section III, paragraph 3.05, of the Company's General Rules and Regulations Governing Electric Service.
- 15. For available LEDs, the customer may opt to make an initial, one-time Contribution in Aid of Construction payment of 50% of the installed cost of fixtures rated greater than 200 Watts and/or poles other than standard wood poles, to reduce the Company's installed cost. If a customer chooses this option, the monthly fixture and/or pole charge shall be computed as the reduced installed cost times the corresponding monthly percentage in 2.I.(a) and/or 2.Il above.
- 16. As an alternative to making an initial one-time CIAC payment to extend distribution facilities to render lighting service, as referenced in Special Provision No. 13, the customer may elect to pay a monthly fee of 1.59% of the calculated CIAC amount.

ISSUED BY: Javier J. Portuondo, Managing Director Rates & Regulatory Strategy - FL