**Economic Potential - RIM**

Passing Measures Savings & Costs

[Economic Potential or Achievable Potential] – [TRC or RIM] – [Nominal or NPV]

| Customer Class | Measure Name | Segment | Vintage | Technical Potential | Economic Potential | Achievable Technical Potential | Achievable Economic Potential | Utility Cost | Utility Benefits | Utility Net Benefits | Utility Cumulative Cost | Utility Cumulative Benefits | Utility Cumulative Net Benefits |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | NPV | NPV | NPV | NPV | NPV | NPV | NPV | NPV | NPV | Nominal |
| Residential | 14 SEER ASHP from base electric resistance heating | Single Family | Turnover | T_SF_14 | 78,029,723 | 127,524,865 | N/A | 49,880,047 | N/A | N/A | 214,392,374 | N/A | 73,034,415 |
| Residential | 14 SEER ASHP from base electric resistance heating | Multi-Family | Turnover | T_MF_14 | 6,289,846 | 10,278,260 | N/A | 4,020,236 | N/A | N/A | 17,275,615 | N/A | 5,433,267 |
| Residential | 14 SEER ASHP from base electric resistance heating | Manufactured Home | Turnover | T_MH_1 | 3,145,782 | 5,141,187 | N/A | 2,010,923 | N/A | N/A | 8,643,266 | N/A | 4,749,025 |
| Residential | 14 SEER ASHP from base electric resistance heating | Single Family | New | N_SF_14 | 1,415,887 | 2,314,001 | N/A | 905,098 | N/A | N/A | 3,890,254 | N/A | 1,325,242 |
| Residential | 14 SEER ASHP from base electric resistance heating | Multi-Family | New | N_MF_1 | 116,860 | 190,985 | N/A | 74,705 | N/A | N/A | 321,087 | N/A | 119,539 |
| Residential | 14 SEER ASHP from base electric resistance heating | Manufactured Home | New | N_MH_ | 59,671 | 97,521 | N/A | 38,144 | N/A | N/A | 163,950 | N/A | 90,082 |
| Residential | 15 SEER Air Source Heat Pump | Single Family | Turnover | T_SF_15 | 77,486,218 | 126,636,610 | N/A | 56,209,450 | N/A | N/A | 222,543,765 | N/A | 173,574,279 |
| Residential | 15 SEER Air Source Heat Pump | Single Family | New | N_SF_15 | 1,412,802 | 2,308,958 | N/A | 1024,864 | N/A | N/A | 3,881,777 | N/A | 3,164,725 |
| Residential | 15 SEER Central AC | Single Family | Turnover | T_SF_15 | 0 | 0 | N/A | 0 | N/A | N/A | 0 | N/A | 0 |
| Residential | 15 SEER Central AC | Single Family | New | N_SF_15 | 0 | 0 | N/A | 0 | N/A | N/A | 0 | N/A | 0 |
| Residential | 16 SEER Central AC | Single Family | Turnover | T_SF_16 | 32,490,775 | 53,054,368 | N/A | 29,274,456 | N/A | N/A | 93,264,459 | N/A | 75,628,493 |
| Residential | 16 SEER Central AC | Single Family | New | N_SF_16 | 614,374 | 1,003,212 | N/A | 553,526 | N/A | N/A | 1,975,792 | N/A | 1,418,726 |
| Residential | Air Sealing-Infiltration Control | Single Family | Existing | E_SF_Ai | 26,112,618 | 41,202,620 | N/A | 25,441,332 | N/A | N/A | 99,619,174 | N/A | 86,786,163 |
| Residential | Air Sealing-Infiltration Control | Multi-Family | Existing | E_MF_C | 14,714,614 | 24,448,047 | N/A | 14,336,343 | N/A | N/A | 59,615,273 | N/A | 44,015,572 |
| Residential | Air Sealing-Infiltration Control | Manufactured Home | Existing | E_MH_1 | 9,777,345 | 22,516,094 | N/A | 9,525,995 | N/A | N/A | 37,300,398 | N/A | 20,792,082 |
| Residential | Ceiling Insulation(R12 to R30) | Single Family | Existing | E_SF_Ca | 64,363,074 | 86,392,380 | N/A | 40,020,120 | N/A | N/A | 149,615,766 | N/A | 83,184,167 |
| Residential | Ceiling Insulation(R12 to R30) | Multi-Family | Existing | E_MF_C | 20,065,605 | 26,933,386 | N/A | 12,476,427 | N/A | N/A | 46,656,165 | N/A | 34,786,725 |
| Residential | Ceiling Insulation(R12 to R30) | Manufactured Home | Existing | E_MH_1 | 9,449,603 | 12,683,084 | N/A | 5,872,765 | N/A | N/A | 21,972,036 | N/A | 17,443,095 |
| Residential | Ceiling Insulation(R12 to R30) | Single Family | New | N_SF_Ca | 0 | 0 | N/A | 0 | N/A | N/A | 0 | N/A | 0 |
| Residential | Ceiling Insulation(R12 to R30) | Multi-Family | New | N_MF_C | 0 | 0 | N/A | 0 | N/A | N/A | 0 | N/A | 0 |
| Residential | Ceiling Insulation(R12 to R30) | Manufactured Home | New | N_MH_1 | 0 | 0 | N/A | 0 | N/A | N/A | 0 | N/A | 0 |
| Residential | Ceiling Insulation(R19 to R30) | Single Family | Existing | E_SF_Ca | 13,406,285 | 17,994,805 | N/A | 8,331,774 | N/A | N/A | 31,172,038 | N/A | 29,382,043 |
| Residential | Ceiling Insulation(R19 to R30) | Single Family | New | N_SF_Ca | 0 | 0 | N/A | 0 | N/A | N/A | 0 | N/A | 0 |
| Residential | Ceiling Insulation(R30 to R38) | Single Family | Existing | E_SF_Ca | 20,931,360 | 28,095,471 | N/A | 13,008,409 | N/A | N/A | 48,665,212 | N/A | 8,487,459 |
| Residential | Ceiling Insulation(R30 to R38) | Multi-Family | Existing | E_MF_C | 6,618,977 | 85,662,068 | N/A | 39,662,392 | N/A | N/A | 148,390,662 | N/A | 35,688,549 |
| Residential | Ceiling Insulation(R30 to R38) | Manufactured Home | Existing | E_MH_1 | 31,813,913 | 42,702,745 | N/A | 19,771,797 | N/A | N/A | 73,973,108 | N/A | 18,220,714 |
| Residential | Ceiling Insulation(R30 to R38) | Single Family | New | N_SF_Ca | 0 | 0 | N/A | 0 | N/A | N/A | 0 | N/A | 0 |
| Residential | Ceiling Insulation(R30 to R38) | Multi-Family | New | N_MF_C | 0 | 0 | N/A | 0 | N/A | N/A | 0 | N/A | 0 |
| Residential | Ceiling Insulation(R30 to R38) | Manufactured Home | New | N_MH_1 | 0 | 0 | N/A | 0 | N/A | N/A | 0 | N/A | 0 |
| Residential | Duct Repair | Single Family | Existing | E_SF_Du | 23,979,138 | 56,202,189 | N/A | 23,362,698 | N/A | N/A | 91,479,988 | N/A | 28,413,664 |
| Residential | Duct Repair | Multi-Family | Existing | E_MF_D | 26,599,086 | 62,342,899 | N/A | 25,915,294 | N/A | N/A | 101,475,041 | N/A | 48,468,842 |
| Residential | Duct Repair | Manufactured Home | Existing | E_MH_D | 17,674,159 | 41,424,000 | N/A | 17,219,804 | N/A | N/A | 67,426,600 | N/A | 21,409,209 |
| Residential | Energy Star Windows | Single Family | Existing | E_SF_En | 86,525,813 | 116,146,688 | N/A | 53,774,298 | N/A | N/A | 201,188,163 | N/A | 70,901,555 |
| Residential | Energy Star Windows | Multi-Family | Existing | E_MF_En | 43,790,425 | 57,436,148 | N/A | 26,599,455 | N/A | N/A | 99,495,477 | N/A | 35,303,924 |
| Residential | Energy Star Windows | Manufactured Home | Existing | E_MH_E | 19,963,618 | 26,568,517 | N/A | 12,301,157 | N/A | N/A | 46,024,040 | N/A | 16,219,562 |
| Residential | Home Energy Management System | Single Family | Existing | E_SF_Ho | 1,105,459 | 2,590,969 | N/A | 1,077,040 | N/A | N/A | 4,217,305 | N/A | 2,610,424 |
| Residential | Home Energy Management System | Multi-Family | Existing | E_MF_H | 737,219 | 1,727,891 | N/A | 718,267 | N/A | N/A | 2,812,470 | N/A | 2,416,120 |
| Residential | Home Energy Management System | Manufactured Home | Existing | E_MH_1 | 1,126,286 | 2,639,789 | N/A | 1,097,336 | N/A | N/A | 4,296,719 | N/A | 2,294,548 |
| Residential | Home Energy Management System | Single Family | New | N_SF_H | 20,651 | 48,401 | N/A | 20,120 | N/A | N/A | 78,782 | N/A | 48,764 |
| Residential | Home Energy Management System | Multi-Family | New | N_MF_1 | 15,298 | 35,826 | N/A | 14,889 | N/A | N/A | 57,987 | N/A | 49,013 |
| Residential | Home Energy Management System | Manufactured Home | New | N_MH_1 | 22,627 | 53,032 | N/A | 22,045 | N/A | N/A | 86,320 | N/A | 48,105 |
| Residential | Spray Foam Insulation(Base R2) | Single Family | Existing | E_SF_Sp | 222,107,826 | 298,127,854 | N/A | 138,036,172 | N/A | N/A | 516,440,844 | N/A | 429,202,040 |
| Residential | Spray Foam Insulation(Base R2) | Single Family | New | N_SF_Sp | 0 | 0 | N/A | 0 | N/A | N/A | 0 | N/A | 0 |
| Residential | Wall Insulation | Single Family | Existing | E_SF_W | 17,455,362 | 23,429,746 | N/A | 10,848,206 | N/A | N/A | 40,588,874 | N/A | 38,278,196 |
| Residential | Wall Insulation | Manufactured Home | Existing | E_MH_1 | 4,076,188 | 5,471,330 | N/A | 2,533,283 | N/A | N/A | 9,477,875 | N/A | 7,744,076 |
| Commercial | High Efficiency Chiller (Water cooled-centrifugal, 200 tons) | Assembly | Turnover | T_AS_H | 574,676 | 770,415 | N/A | 459,468 | N/A | N/A | 1,546,303 | N/A | 707,539 |
| Commercial | High Efficiency Chiller (Water cooled-centrifugal, 200 tons) | College and University | Turnover | T_CU_H | 33,492 | 44,908 | N/A | 26,778 | N/A | N/A | 90,118 | N/A | 37,169 |
| Commercial | High Efficiency Chiller (Water cooled-centrifugal, 200 tons) | Grocery | Turnover | T_GR_H | 0 | 0 | N/A | 0 | N/A | N/A | 0 | N/A | 0 |
| Commercial | High Efficiency Chiller (Water cooled-centrifugal, 200 tons) | Healthcare | Turnover | T_HC_H | 0 | 0 | N/A | 0 | N/A | N/A | 0 | N/A | 0 |
| Commercial | High Efficiency Chiller (Water cooled-centrifugal, 200 tons) | Hospitals | Turnover | T_HS_H | 1,401,427 | 1,878,753 | N/A | 1,120,470 | N/A | N/A | 3,770,856 | N/A | 837,092 |
| Commercial | High Efficiency Chiller (Water cooled-centrifugal, 200 tons) | Institutional | Turnover | T_IN_H | 356,354 | 477,728 | N/A | 284,913 | N/A | N/A | 958,851 | N/A | 812,227 |
| Commercial | High Efficiency Chiller (Water cooled-centrifugal, 200 tons) | Lodging/Hospitality | Turnover | T_LG_H | 222,056 | 297,688 | N/A | 177,538 | N/A | N/A | 597,491 | N/A | 165,504 |
| Commercial | High Efficiency Chiller (Water cooled-centrifugal, 200 tons) | Miscellaneous | Turnover | T_MS_H | 343,371 | 460,324 | N/A | 274,533 | N/A | N/A | 923,919 | N/A | 756,906 |
| Commercial | High Efficiency Chiller (Water cooled-centrifugal, 200 tons) | Offices | Turnover | T_OF_H | 985,624 | 1,321,327 | N/A | 788,027 | N/A | N/A | 2,652,044 | N/A | 1,078,199 |
| Commercial | High Efficiency Chiller (Water cooled-centrifugal, 200 tons) | Restaurants | Turnover | T_RS_H | 65,410 | 87,688 | N/A | 52,296 | N/A | N/A | 175,999 | N/A | 49,695 |
| Commercial | High Efficiency Chiller (Water cooled-centrifugal, 200 tons) | Retail | Turnover | T_RT_H | 0 | 0 | N/A | 0 | N/A | N/A | 0 | N/A | 0 |
| Commercial | High Efficiency Chiller (Water cooled-centrifugal, 200 tons) | Schools K-12 | Turnover | T_SC_H | 277,639 | 372,203 | N/A | 221,978 | N/A | N/A | 747,050 | N/A | 309,609 |
| Commercial | High Efficiency Chiller (Water cooled-centrifugal, 200 tons) | Assembly | New | N_AS_H | 0 | 0 | N/A | 0 | N/A | N/A | 0 | N/A | 0 |
| Commercial | High Efficiency Chiller (Water cooled-centrifugal, 200 tons) | College and University | New | N_CU_H | 0 | 0 | N/A | 0 | N/A | N/A | 0 | N/A | 0 |
| Commercial | High Efficiency Chiller (Water cooled-centrifugal, 200 tons) | Grocery | New | N_GR_H | 0 | 0 | N/A | 0 | N/A | N/A | 0 | N/A | 0 |
| Commercial | High Efficiency Chiller (Water cooled-centrifugal, 200 tons) | Healthcare | New | N_HC_H | 0 | 0 | N/A | 0 | N/A | N/A | 0 | N/A | 0 |
| Commercial | High Efficiency Chiller (Water cooled-centrifugal, 200 tons) | Hospitals | New | N_HS_H | 0 | 0 | N/A | 0 | N/A | N/A | 0 | N/A | 0 |
| Commercial | High Efficiency Chiller (Water cooled-centrifugal, 200 tons) | Institutional | New | N_IN_H | 6,421 | 8,608 | N/A | 5,134 | N/A | N/A | 17,277 | N/A | 14,635 |
| Commercial | High Efficiency Chiller (Water cooled-centrifugal, 200 tons) | Lodging/Hospitality | New | N_LG_H | 0 | 0 | N/A | 0 | N/A | N/A | 0 | N/A | 0 |
| Commercial | High Efficiency Chiller (Water cooled-centrifugal, 200 tons) | Miscellaneous | New | N_MS_H | 6,187 | 8,295 | N/A | 4,947 | N/A | N/A | 16,648 | N/A | 13,639 |
| Commercial | High Efficiency Chiller (Water cooled-centrifugal, 200 tons) | Offices | New | N_OF_H | 0 | 0 | N/A | 0 | N/A | N/A | 0 | N/A | 0 |
| Commercial | High Efficiency Chiller (Water cooled-centrifugal, 200 tons) | Restaurants | New | N_RS_H | 0 | 0 | N/A | 0 | N/A | N/A | 0 | N/A | 0 |
| Commercial | High Efficiency Chiller (Water cooled-centrifugal, 200 tons) | Retail | New | N_RT_H | 0 | 0 | N/A | 0 | N/A | N/A | 0 | N/A | 0 |
| Commercial | High Efficiency Chiller (Water cooled-centrifugal, 200 tons) | Schools K-12 | New | N_SC_H | 0 | 0 | N/A | 0 | N/A | N/A | 0 | N/A | 0 |
| Commercial | High Efficiency Chiller (Water cooled-positive displacement, 100 tons) | Assembly | Turnover | T_AS_H | 348,513 | 467,216 | N/A | 278,643 | N/A | N/A | 937,752 | N/A | 737,600 |
| Commercial | High Efficiency Chiller (Water cooled-positive displacement, 100 tons) | College and University | Turnover | T_CU_H | 20,343 | 27,272 | N/A | 16,265 | N/A | N/A | 54,738 | N/A | 38,808 |
| Commercial | High Efficiency Chiller (Water cooled-positive displacement, 100 tons) | Healthcare | Turnover | T_HC_H | 0 | 0 | N/A | 0 | N/A | N/A | 0 | N/A | 0 |
| Commercial | High Efficiency Chiller (Water cooled-positive displacement, 100 tons) | Hospitals | Turnover | T_HS_H | 849,891 | 1,139,364 | N/A | 679,506 | N/A | N/A | 2,286,824 | N/A | 872,658 |
| Commercial | High Efficiency Chiller (Water cooled-positive displacement, 100 tons) | Lodging/Hospitality | Turnover | T_LG_H | 134,876 | 180,815 | N/A | 107,838 | N/A | N/A | 362,915 | N/A | 172,807 |
| Commercial | High Efficiency Chiller (Water cooled-positive displacement, 100 tons) | Offices | Turnover | T_OF_H | 597,728 | 801,315 | N/A | 477,896 | N/A | N/A | 1,608,323 | N/A | 1,124,008 |
| Commercial | High Efficiency Chiller (Water cooled-positive displacement, 100 tons) | Restaurants | Turnover | T_RS_H | 39,730 | 53,262 | N/A | 31,765 | N/A | N/A | 106,902 | N/A | 51,888 |
| Commercial | High Efficiency Chiller (Water cooled-positive displacement, 100 tons) | Retail | Turnover | T_RT_H | 0 | 0 | N/A | 0 | N/A | N/A | 0 | N/A | 0 |
| Commercial | High Efficiency Chiller (Water cooled-positive displacement, 100 tons) | Schools K-12 | Turnover | T_SC_H | 168,637 | 226,075 | N/A | 134,829 | N/A | N/A | 453,757 | N/A | 323,270 |
| Commercial | High Efficiency Chiller (Water cooled-positive displacement, 100 tons) | Assembly | New | N_AS_H | 0 | 0 | N/A | 0 | N/A | N/A | 0 | N/A | 0 |
| Commercial | High Efficiency Chiller (Water cooled-positive displacement, 100 tons) | College and University | New | N_CU_H | 0 | 0 | N/A | 0 | N/A | N/A | 0 | N/A | 0 |
| Commercial | High Efficiency Chiller (Water cooled-positive displacement, 100 tons) | Healthcare | New | N_HC_H | 0 | 0 | N/A | 0 | N/A | N/A | 0 | N/A | 0 |
| Commercial | High Efficiency Chiller (Water cooled-positive displacement, 100 tons) | Hospitals | New | N_HS_H | 0 | 0 | N/A | 0 | N/A | N/A | 0 | N/A | 0 |
| Commercial | High Efficiency Chiller (Water cooled-positive displacement, 100 tons) | Lodging/Hospitality | New | N_LG_H | 0 | 0 | N/A | 0 | N/A | N/A | 0 | N/A | 0 |
| Commercial | High Efficiency Chiller (Water cooled-positive displacement, 100 tons) | Offices | New | N_OF_H | 0 | 0 | N/A | 0 | N/A | N/A | 0 | N/A | 0 |
| Commercial | High Efficiency Chiller (Water cooled-positive displacement, 100 tons) | Restaurants | New | N_RS_H | 0 | 0 | N/A | 0 | N/A | N/A | 0 | N/A | 0 |
| Commercial | High Efficiency Chiller (Water cooled-positive displacement, 100 tons) | Retail | New | N_RT_H | 0 | 0 | N/A | 0 | N/A | N/A | 0 | N/A | 0 |
| Commercial | High Efficiency Chiller (Water cooled-positive displacement, 100 tons) | Schools K-12 | New | N_SC_H | 0 | 0 | N/A | 0 | N/A | N/A | 0 | N/A | 0 |
| Commercial | High Efficiency Chiller (Water cooled-positive | | | | | | | | | | | | |

**Economic Potential - TRC**

Passing Measures Savings & Costs

[Economic Potential or Achievable Potential] – [TRC or RIM] – [Nominal or NPV]

| Customer Class | Measure Name | Segment | Vintage | Technical Potential | Economic Potential | Achievable Technical Potential | Achievable Economic Potential | Utility Cost | Utility Benefits | Utility Net Benefits | Utility Cumulative Cost | Utility Cumulative Benefits | Utility Cumulative Net Benefits |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | NPV | NPV | NPV | NPV | NPV | NPV | NPV | NPV | NPV | NPV |
| Residential | Residential High Efficiency Induction Cooktop | Single Family | Turnover | T_SF_Hi | 2,944,052 | 8,690,902 | N/A | 5,142,900 | N/A | N/A | 20,393,564 | N/A | 8,433,680 |
| Residential | Residential High Efficiency Induction Cooktop | Multi-Family | Turnover | T_MF_Hi | 561,032 | 2,277,847 | N/A | 1,643,869 | N/A | N/A | 6,518,507 | N/A | 2,695,728 |
| Residential | Residential High Efficiency Induction Cooktop | Manufactured Home | Turnover | T_MH_H | 238,957 | 705,405 | N/A | 417,428 | N/A | N/A | 1,655,262 | N/A | 684,527 |
| Residential | Residential High Efficiency Induction Cooktop | Single Family | New | N_SF_Hi | 48,479 | 143,111 | N/A | 84,687 | N/A | N/A | 335,816 | N/A | 138,875 |
| Residential | Residential High Efficiency Induction Cooktop | Multi-Family | New | N_MF_Hi | 15,496 | 45,747 | N/A | 27,069 | N/A | N/A | 107,340 | N/A | 44,393 |
| Residential | Residential High Efficiency Induction Cooktop | Manufactured Home | New | N_MH_H | 3,935 | 11,616 | N/A | 6,874 | N/A | N/A | 27,257 | N/A | 11,272 |
| Residential | 14 SEER ASHP from base electric resistance heating | Single Family | Turnover | T_SF_14 | 80,996,483 | 132,373,476 | N/A | 51,776,533 | N/A | N/A | 222,543,765 | N/A | 73,034,415 |
| Residential | 14 SEER ASHP from base electric resistance heating | Multi-Family | Turnover | T_MF_14 | 6,491,501 | 10,609,134 | N/A | 4,149,654 | N/A | N/A | 17,835,474 | N/A | 5,433,267 |
| Residential | 14 SEER ASHP from base electric resistance heating | Manufactured Home | Turnover | T_MH_1 | 3,063,986 | 5,007,508 | N/A | 1,958,636 | N/A | N/A | 8,418,527 | N/A | 4,625,542 |
| Residential | 14 SEER ASHP from base electric resistance heating | Single Family | New | N_SF_14 | 1,445,005 | 2,363,213 | N/A | 924,346 | N/A | N/A | 3,973,882 | N/A | 1,325,242 |
| Residential | 14 SEER ASHP from base electric resistance heating | Multi-Family | New | N_MF_1 | 116,868 | 190,985 | N/A | 74,702 | N/A | N/A | 321,081 | N/A | 119,539 |
| Residential | 14 SEER ASHP from base electric resistance heating | Manufactured Home | New | N_MH_1 | 59,657 | 97,521 | N/A | 38,144 | N/A | N/A | 163,950 | N/A | 90,082 |
| Residential | 15 SEER Air Source Heat Pump | Single Family | Turnover | T_SF_15 | 75,505,517 | 123,399,527 | N/A | 54,772,625 | N/A | N/A | 207,456,334 | N/A | 169,137,376 |
| Residential | 15 SEER Air Source Heat Pump | Single Family | New | N_SF_15 | 1,381,605 | 2,259,033 | N/A | 1,002,290 | N/A | N/A | 3,796,276 | N/A | 3,050,262 |
| Residential | 15 SEER Central AC | Single Family | Turnover | T_SF_15 | 16,126,744 | 29,226,647 | N/A | 39,602,454 | N/A | N/A | 37,500,398 | N/A | 20,792,082 |
| Residential | 15 SEER Central AC | Single Family | New | N_SF_15 | 327,666 | 535,048 | N/A | 725,233 | N/A | N/A | 1,053,757 | N/A | 724,996 |
| Residential | 16 SEER Central AC | Single Family | Turnover | T_SF_16 | 0 | 0 | N/A | 0 | N/A | N/A | 0 | N/A | 0 |
| Residential | 16 SEER Central AC | Single Family | New | N_SF_16 | 0 | 0 | N/A | 0 | N/A | N/A | 0 | N/A | 0 |
| Residential | CFL-15W | Single Family | Turnover | T_SF_CF | 800,956 | 6,140,721 | N/A | 16,810,163 | N/A | N/A | 68,278,625 | N/A | 20,251,517 |
| Residential | CFL-15W | Multi-Family | Turnover | T_MF_C | 366,049 | 2,806,403 | N/A | 7,682,511 | N/A | N/A | 31,204,376 | N/A | 9,255,253 |
| Residential | CFL-13W | Manufactured Home | Turnover | T_MH_C | 105,162 | 806,251 | N/A | 2,207,106 | N/A | N/A | 8,964,036 | N/A | 2,658,939 |
| Residential | CFL-15W | Single Family | New | N_SF_CF | 13,199 | 101,118 | N/A | 276,894 | N/A | N/A | 1,124,330 | N/A | 333,477 |
| Residential | CFL-15W | Multi-Family | New | N_MF_C | 6,028 | 46,212 | N/A | 126,506 | N/A | N/A | 513,835 | N/A | 152,404 |
| Residential | CFL-13W | Manufactured Home | New | N_MH_C | 1,732 | 13,277 | N/A | 36,345 | N/A | N/A | 147,628 | N/A | 43,784 |
| Residential | LED - 9W Flood | Single Family | Turnover | T_SF_LE | 6,616,066 | 19,511,781 | N/A | 55,685,126 | N/A | N/A | 220,812,799 | N/A | 60,851,448 |
| Residential | LED - 9W Flood | Multi-Family | Turnover | T_MF_L | 3,023,616 | 8,917,182 | N/A | 25,448,934 | N/A | N/A | 100,914,027 | N/A | 27,810,043 |
| Residential | LED - 9W Flood | Manufactured Home | Turnover | T_MH_L | 868,654 | 2,562,133 | N/A | 7,311,232 | N/A | N/A | 28,991,759 | N/A | 7,989,159 |
| Residential | LED - 9W Flood | Single Family | New | N_SF_LE | 108,944 | 321,296 | N/A | 916,956 | N/A | N/A | 3,636,072 | N/A | 1,002,026 |
| Residential | LED - 9W Flood | Multi-Family | New | N_MF_L | 49,708 | 146,612 | N/A | 418,262 | N/A | N/A | 1,661,743 | N/A | 457,941 |
| Residential | LED - 9W Flood | Manufactured Home | New | N_MH_L | 14,304 | 42,185 | N/A | 120,392 | N/A | N/A | 477,401 | N/A | 131,562 |
| Residential | LED Specialty Lamps-5W Chandelier | Single Family | Turnover | T_SF_LE | 254,703 | 751,165 | N/A | 2,143,750 | N/A | N/A | 8,500,861 | N/A | 2,294,639 |
| Residential | LED Specialty Lamps-5W Chandelier | Multi-Family | Turnover | T_MF_L | 116,411 | 343,316 | N/A | 979,797 | N/A | N/A | 3,885,270 | N/A | 1,007,019 |
| Residential | LED Specialty Lamps-5W Chandelier | Manufactured Home | Turnover | T_MH_L | 33,295 | 98,192 | N/A | 280,213 | N/A | N/A | 1,111,230 | N/A | 288,190 |
| Residential | LED Specialty Lamps-5W Chandelier | Single Family | New | N_SF_LE | 4,194 | 12,369 | N/A | 35,303 | N/A | N/A | 139,455 | N/A | 36,303 |
| Residential | LED Specialty Lamps-5W Chandelier | Multi-Family | New | N_MF_L | 1,917 | 5,653 | N/A | 16,130 | N/A | N/A | 63,970 | N/A | 16,592 |
| Residential | LED Specialty Lamps-5W Chandelier | Manufactured Home | New | N_MH_L | 548 | 1,617 | N/A | 4,613 | N/A | N/A | 18,298 | N/A | 4,740 |
| Residential | Two Speed Pool Pump | Single Family | Turnover | T_SF_Tw | 1,480,786 | 10,265,458 | N/A | 16,059,492 | N/A | N/A | 61,682,022 | N/A | 21,307,122 |
| Residential | Two Speed Pool Pump | Multi-Family | Turnover | T_MF_Tw | 15,989 | 111,000 | N/A | 174,156 | N/A | N/A | 666,911 | N/A | 230,195 |
| Residential | Two Speed Pool Pump | Manufactured Home | Turnover | T_MH_T | 0 | 0 | N/A | 0 | N/A | N/A | 0 | N/A | 0 |
| Residential | Two Speed Pool Pump | Single Family | New | N_SF_Tw | 57,217 | 169,018 | N/A | 264,448 | N/A | N/A | 1,048,019 | N/A | 350,858 |
| Residential | Two Speed Pool Pump | Multi-Family | New | N_MF_T | 0 | 0 | N/A | 0 | N/A | N/A | 0 | N/A | 0 |
| Residential | Two Speed Pool Pump | Manufactured Home | New | N_MH_T | 0 | 0 | N/A | 0 | N/A | N/A | 0 | N/A | 0 |
| Residential | Variable Speed Pool Pump | Single Family | Turnover | T_SF_Va | 26,765,478 | 62,732,799 | N/A | 26,077,409 | N/A | N/A | 102,109,825 | N/A | 31,715,289 |
| Residential | Variable Speed Pool Pump | Multi-Family | Turnover | T_MF_Va | 27,196,905 | 63,743,974 | N/A | 26,497,745 | N/A | N/A | 103,755,709 | N/A | 49,558,187 |
| Residential | Variable Speed Pool Pump | Manufactured Home | Turnover | T_MH_V | 18,235,892 | 42,741,196 | N/A | 17,767,096 | N/A | N/A | 69,569,605 | N/A | 22,089,642 |
| Residential | Variable Speed Pool Pump | Single Family | New | N_SF_Va | 85,846,011 | 115,228,213 | N/A | 53,351,833 | N/A | N/A | 199,607,499 | N/A | 70,344,507 |
| Residential | Variable Speed Pool Pump | Multi-Family | New | N_MF_V | 42,819,992 | 57,475,835 | N/A | 26,611,885 | N/A | N/A | 99,564,225 | N/A | 35,087,842 |
| Residential | Variable Speed Pool Pump | Manufactured Home | New | N_MH_V | 19,818,427 | 26,601,608 | N/A | 12,316,810 | N/A | N/A | 46,081,426 | N/A | 16,239,747 |
| Residential | Home Energy Management System | Single Family | Existing | E_SF_Ho | 1,160,608 | 2,720,228 | N/A | 1,130,772 | N/A | N/A | 4,427,700 | N/A | 2,740,654 |
| Residential | Home Energy Management System | Multi-Family | Existing | E_MF_H | 713,047 | 1,671,235 | N/A | 694,716 | N/A | N/A | 2,720,260 | N/A | 2,336,897 |
| Residential | Home Energy Management System | Manufactured Home | Existing | E_MH_1 | 1,168,157 | 2,737,921 | N/A | 1,138,127 | N/A | N/A | 4,456,499 | N/A | 2,483,559 |
| Residential | Home Energy Management System | Single Family | New | N_SF_Ho | 21,210 | 49,713 | N/A | 20,665 | N/A | N/A | 80,917 | N/A | 50,086 |
| Residential | Home Energy Management System | Multi-Family | New | N_MF_1 | 15,200 | 35,626 | N/A | 14,809 | N/A | N/A | 57,987 | N/A | 49,815 |
| Residential | Home Energy Management System | Manufactured Home | New | N_MH_1 | 22,627 | 53,032 | N/A | 22,045 | N/A | N/A | 86,320 | N/A | 48,105 |
| Residential | Spray Foam Insulation(Base R2) | Single Family | Existing | E_SF_Sp | 0 | 0 | N/A | 0 | N/A | N/A | 0 | N/A | 0 |
| Residential | Spray Foam Insulation(Base R2) | Single Family | New | N_SF_Sp | 0 | 0 | N/A | 0 | N/A | N/A | 0 | N/A | 0 |
| Residential | Wall Insulation | Single Family | Existing | E_SF_Wa | 15,054,056 | 20,206,598 | N/A | 9,355,857 | N/A | N/A | 35,003,480 | N/A | 33,012,399 |
| Residential | Wall Insulation | Manufactured Home | Existing | E_MH_W | 3,384,742 | 4,543,225 | N/A | 2,103,550 | N/A | N/A | 7,870,137 | N/A | 6,430,438 |
| Residential | Residential Efficient Electric Water Heater | Assembly | Turnover | T_AS_EW | 0 | 0 | N/A | 0 | N/A | N/A | 0 | N/A | 0 |
| Residential | Residential Efficient Electric Water Heater | College and University | Turnover | T_CU_EW | 222 | 363 | N/A | 37 | N/A | N/A | 1,279 | N/A | 281 |
| Residential | Residential Efficient Electric Water Heater | Grocery | Turnover | T_GR_EW | 0 | 0 | N/A | 0 | N/A | N/A | 15,868 | N/A | 121,458 |
| Residential | Residential Efficient Electric Water Heater | Healthcare | Turnover | T_HC_EW | 13,294 | 21,707 | N/A | 22,350 | N/A | N/A | 76,592 | N/A | 17,044 |
| Residential | Residential Efficient Electric Water Heater | Hospitals | Turnover | T_HS_EW | 45,477 | 74,263 | N/A | 76,392 | N/A | N/A | 261,786 | N/A | 58,257 |
| Residential | Residential Efficient Electric Water Heater | Institutional | Turnover | T_IN_EW | 0 | 0 | N/A | 0 | N/A | N/A | 0 | N/A | 0 |
| Residential | Residential Efficient Electric Water Heater | Lodging/Hospitality | Turnover | T_LG_EW | 173,101 | 282,658 | N/A | 291,008 | N/A | N/A | 997,024 | N/A | 221,943 |
| Residential | Residential Efficient Electric Water Heater | Miscellaneous | Turnover | T_MS_EW | 0 | 0 | N/A | 0 | N/A | N/A | 0 | N/A | 0 |
| Residential | Residential Efficient Electric Water Heater | Offices | Turnover | T_OF_EW | 0 | 0 | N/A | 0 | N/A | N/A | 0 | N/A | 0 |
| Residential | Residential Efficient Electric Water Heater | Restaurants | Turnover | T_RS_EW | 849,348 | 1,386,905 | N/A | 1,427,981 | N/A | N/A | 4,893,525 | N/A | 1,088,982 |
| Residential | Residential Efficient Electric Water Heater | Retail | Turnover | T_RT_EW | 0 | 0 | N/A | 0 | N/A | N/A | 0 | N/A | 0 |
| Residential | Residential Efficient Electric Water Heater | Schools K-12 | Turnover | T_SC_EW | 4,142 | 6,763 | N/A | 6,963 | N/A | N/A | 23,862 | N/A | 5,310 |
| Residential | Residential Efficient Electric Water Heater | Warehouse | Turnover | T_WH_E | 0 | 0 | N/A | 0 | N/A | N/A | 0 | N/A | 0 |
| Residential | Residential Efficient Electric Water Heater | Assembly | New | N_AS_EW | 0 | 0 | N/A | 0 | N/A | N/A | 0 | N/A | 0 |
| Residential | Residential Efficient Electric Water Heater | College and University | New | N_CU_EW | 4 | 7 | N/A | 1 | N/A | N/A | 25 | N/A | 6 |
| Residential | Residential Efficient Electric Water Heater | Grocery | New | N_GR_EW | 0 | 0 | N/A | 0 | N/A | N/A | 0 | N/A | 0 |
| Residential | Residential Efficient Electric Water Heater | Healthcare | New | N_HC_EW | 240 | 391 | N/A | 403 | N/A | N/A | 1,380 | N/A | 307 |
| Residential | Residential Efficient Electric Water Heater | Hospitals | New | N_HS_EW | 819 | 1,337 | N/A | 1,376 | N/A | N/A | 4,715 | N/A | 1,050 |
| Residential | Residential Efficient Electric Water Heater | Institutional | New | N_IN_EW | 0 | 0 | N/A | 0 | N/A | N/A | 0 | N/A | 0 |
| Residential | Residential Efficient Electric Water Heater | Lodging/Hospitality | New | N_LG_EW | 3,115 | 5,087 | N/A | 5,240 | N/A | N/A | 17,951 | N/A | 3,999 |
| Residential | Residential Efficient Electric Water Heater | Miscellaneous | New | N_MS_EW | 0 | 0 | N/A | 0 | N/A | N/A | 0 | N/A | 0 |
| Residential | Residential Efficient Electric Water Heater | Offices | New | N_OF_EW | 0 | 0 | N/A | 0 | N/A | N/A | 0 | N/A | 0 |
| Residential | Residential Efficient Electric Water Heater | Restaurants | New | N_RS_EW | 15,304 | 24,991 | N/A | 25,715 | N/A | N/A | 88,178 | N/A | 19,622 |
| Residential | Residential Efficient Electric Water Heater | Retail | New | N_RT_EW | 0 | 0 | N/A | 0 | N/A | N/A | 0 | N/A | 0 |
| Residential | Residential Efficient Electric Water Heater | Schools K-12 | New | N_SC_EW | 75 | 122 | N/A | 126 | N/A | N/A | 430 | N/A | 96 |
| Residential | Residential Efficient Electric Water Heater | Warehouse | New | N_WH_E | 0 | 0 | N/A | 0 | N/A | N/A | 0 | N/A | 0 |
| Commercial | Energy Star Hot Food Holding Cabinet | Assembly | Turnover | T_AS_EH | 0 | 0 | N/A | 0 | N/A | N/A | 0 | N/A | 0 |
| Commercial | Energy Star Hot Food Holding Cabinet | College and University | Turnover | T_CU_EH | 380 | 757 | N/A | 883 | N/A | N/A | 3,106 | N/A | 1,578 |
| Commercial | Energy Star Hot Food Holding Cabinet | Grocery | Turnover | T_GR_EH | 0 | 0 | N/A | 0 | N/A | N/A | 0 | N/A | 0 |
| Commercial | Energy Star Hot Food Holding Cabinet | Healthcare | Turnover | T_HC_EH | 22,618 | 45,118 | N/A | 52,601 | N/A | N/A | 184,990 | N/A | 93,997 |
| Commercial | Energy Star Hot

| | | |

| | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Commercial | Facility Energy Management System | College and University | Existing | E_CU_Fd | 3,786 | 6,172 | N/A | 9,38 | N/A | N/A | 32,16 | 15,05 | Commercial | Low U-Value Windows | College and University | Existing | E_CU_Lg | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | Facility Energy Management System | Healthcare | Existing | E_HC_Fd | 62,123 | 101,441 | N/A | 108,54 | N/A | N/A | 278,23 | 65,794 | Commercial | Low U-Value Windows | Grocery | Existing | E_GR_Lg | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | Facility Energy Management System | Hospitals | Existing | E_HS_Fd | 580,291 | 947,568 | N/A | 1,440,73 | N/A | N/A | 4,937,24 | 870,19 | Commercial | Low U-Value Windows | Healthcare | Existing | E_HC_Lg | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | Facility Energy Management System | Lodging/Hospitality | Existing | E_LG_Fd | 154,601 | 252,579 | N/A | 217,86 | N/A | N/A | 746,59 | 233,13 | Commercial | Low U-Value Windows | Hospitals | Existing | E_HS_Lg | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | Facility Energy Management System | Miscellaneous | Existing | E_MS_Fd | 2,573,058 | 4,201,560 | N/A | 4,512,29 | N/A | N/A | 15,463,95 | 3,547,71 | Commercial | Low U-Value Windows | Institutional | Existing | E_IN_Lg | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | Facility Energy Management System | Offices | Existing | E_OF_Fd | 1,283,161 | 2,095,281 | N/A | 2,250,24 | N/A | N/A | 7,711,30 | 1,317,10 | Commercial | Low U-Value Windows | Lodging/Hospitality | Existing | E_LG_Lg | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | Facility Energy Management System | Retail | Existing | E_RT_Fd | 2,849,418 | 4,652,832 | N/A | 4,013,36 | N/A | N/A | 13,753,31 | 5,287,08 | Commercial | Low U-Value Windows | Miscellaneous | Existing | E_MS_Lg | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | Facility Energy Management System | Schools K-12 | Existing | E_SC_Fd | 20,557 | 33,568 | N/A | 36,05 | N/A | N/A | 123,53 | 57,81 | Commercial | Low U-Value Windows | Offices | Existing | E_OF_Lg | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | Facility Energy Management System | Assembly | New | N_AS_Fd | 8,229 | 13,437 | N/A | 14,43 | N/A | N/A | 49,45 | 35,07 | Commercial | Low U-Value Windows | Restaurants | Existing | E_RS_Lg | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | Facility Energy Management System | College and University | New | N_CU_Fd | 427 | 697 | N/A | 1,06 | N/A | N/A | 3,63 | 1,70 | Commercial | Low U-Value Windows | Retail | Existing | E_RT_Lg | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | Facility Energy Management System | Healthcare | New | N_HC_Fd | 9,775 | 15,961 | N/A | 17,14 | N/A | N/A | 58,74 | 10,35 | Commercial | Low U-Value Windows | Schools K-12 | Existing | E_SC_Lg | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | Facility Energy Management System | Hospitals | New | N_HS_Fd | 8,318 | 13,583 | N/A | 20,65 | N/A | N/A | 70,77 | 12,47 | Commercial | Low U-Value Windows | Warehouse | Existing | E_WR_Lg | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | Facility Energy Management System | Lodging/Hospitality | New | N_LG_Fd | 16,629 | 27,154 | N/A | 23,42 | N/A | N/A | 80,26 | 25,06 | Commercial | Programmable Thermostat | Lodging/Hospitality | Existing | E_LG_Pd | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | Facility Energy Management System | Miscellaneous | New | N_MS_Fd | 46,364 | 75,708 | N/A | 81,30 | N/A | N/A | 278,62 | 63,92 | Commercial | Programmable Thermostat | Restaurants | Existing | E_RS_Pd | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | Facility Energy Management System | Offices | New | N_OF_Fd | 15,421 | 25,181 | N/A | 27,04 | N/A | N/A | 92,67 | 15,82 | Commercial | Programmable Thermostat | Lodging/Hospitality | New | N_LG_Pd | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | Facility Energy Management System | Retail | New | N_RT_Fd | 52,244 | 85,310 | N/A | 73,58 | N/A | N/A | 252,10 | 96,99 | Commercial | Programmable Thermostat | Restaurants | New | N_RS_Pd | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | Facility Energy Management System | Schools K-12 | New | N_SC_Fd | 2,313 | 3,777 | N/A | 4,05 | N/A | N/A | 13,89 | 6,56 | Commercial | Smart Thermostat | Hospitals | Existing | E_HS_Sd | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | HVAC tune-up | Assembly | Existing | E_AS_Hf | 0 | 4,982 | N/A | 1,834 | N/A | N/A | 7,12 | 3,66 | Commercial | Smart Thermostat | Institutional | Existing | E_IN_Sd | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | HVAC tune-up | Lodging/Hospitality | Existing | E_LG_Hf | 0 | 0 | N/A | 0 | N/A | N/A | 0 | 0 | Commercial | Smart Thermostat | Lodging/Hospitality | Existing | E_LG_Sd | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | HVAC tune-up | Offices | Existing | E_OF_Hf | 0 | 33,018 | N/A | 14,68 | N/A | N/A | 56,93 | 40,06 | Commercial | Smart Thermostat | Offices | Existing | E_OF_Sd | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | HVAC tune-up | Restaurants | Existing | E_RS_Hf | 0 | 3,478 | N/A | 1,27 | N/A | N/A | 4,98 | 2,43 | Commercial | Smart Thermostat | Retail | Existing | E_RT_Sd | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | HVAC tune-up | Retail | Existing | E_RT_Hf | 0 | 410 | N/A | 113 | N/A | N/A | 68 | 36 | Commercial | Smart Thermostat | Hospitals | New | N_HS_Sd | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | HVAC tune-up | Schools K-12 | Existing | E_SC_Hf | 0 | 67 | N/A | 23 | N/A | N/A | 93 | 60 | Commercial | Smart Thermostat | Institutional | New | N_IN_Sd | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | HVAC tune-up | Assembly | New | N_AS_Hf | 0 | 959 | N/A | 32 | N/A | N/A | 137 | 108 | Commercial | Smart Thermostat | Lodging/Hospitality | New | N_LG_Sd | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | HVAC tune-up | Lodging/Hospitality | New | N_LG_Hf | 0 | 0 | N/A | 0 | N/A | N/A | 0 | 0 | Commercial | Smart Thermostat | Offices | New | N_OF_Sd | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | HVAC tune-up | Offices | New | N_OF_Hf | 0 | 648 | N/A | 267 | N/A | N/A | 1,110 | 786 | Commercial | Smart Thermostat | Retail | New | N_RT_Sd | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | HVAC tune-up | Restaurants | New | N_RS_Hf | 0 | 63 | N/A | 23 | N/A | N/A | 90 | 44 | Commercial | Thermal Energy Storage | Assembly | Existing | E_AS_Th | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | HVAC tune-up | Retail | New | N_RT_Hf | 0 | 8 | N/A | 0 | N/A | N/A | 1 | 7 | Commercial | Thermal Energy Storage | College and University | Existing | E_CU_Th | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | HVAC tune-up | Schools K-12 | New | N_SC_Hf | 0 | 0 | N/A | 2 | N/A | N/A | 2 | 3 | Commercial | Thermal Energy Storage | Grocery | Existing | E_GR_Th | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | HVAC tune-up RTU | Healthcare | Existing | E_HC_Hf | 0 | 2,039,404 | N/A | 903,11 | N/A | N/A | 3,531,70 | 1,708,56 | Commercial | Thermal Energy Storage | Healthcare | Existing | E_HC_Th | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | HVAC tune-up RTU | Hospitals | Existing | E_HS_Hf | 0 | 880,997 | N/A | 354,53 | N/A | N/A | 1,382,49 | 796,06 | Commercial | Thermal Energy Storage | Hospitals | Existing | E_HS_Th | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | HVAC tune-up RTU | Lodging/Hospitality | Existing | E_LG_Hf | 0 | 1,186,259 | N/A | 1,034,76 | N/A | N/A | 4,044,72 | 1,087,22 | Commercial | Thermal Energy Storage | Institutional | Existing | E_IN_Th | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | HVAC tune-up RTU | Offices | Existing | E_OF_Hf | 0 | 3,202,143 | N/A | 1,415,44 | N/A | N/A | 5,667,70 | 3,692,23 | Commercial | Thermal Energy Storage | Lodging/Hospitality | Existing | E_LG_Th | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | HVAC tune-up RTU | Retail | Existing | E_RT_Hf | 0 | 5,018,979 | N/A | 2,222,56 | N/A | N/A | 8,666,91 | 7,203,02 | Commercial | Thermal Energy Storage | Miscellaneous | Existing | E_MS_Th | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | HVAC tune-up RTU | Healthcare | New | N_HC_Hf | 0 | 39,093 | N/A | 17,32 | N/A | N/A | 67,68 | 22,75 | Commercial | Thermal Energy Storage | Offices | Existing | E_OF_Th | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | HVAC tune-up RTU | Hospitals | New | N_HS_Hf | 0 | 14,494 | N/A | 6,41 | N/A | N/A | 25,02 | 12,81 | Commercial | Thermal Energy Storage | Restaurants | Existing | E_RS_Th | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | HVAC tune-up RTU | Lodging/Hospitality | New | N_LG_Hf | 0 | 8,215 | N/A | 3,64 | N/A | N/A | 12,84 | 26,47 | Commercial | Thermal Energy Storage | Retail | Existing | E_RT_Th | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | HVAC tune-up RTU | Restaurants | New | N_RS_Hf | 0 | 58,775 | N/A | 25,14 | N/A | N/A | 98,04 | 63,80 | Commercial | Thermal Energy Storage | Schools K-12 | Existing | E_SC_Th | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | HVAC tune-up RTU | Retail | New | N_RT_Hf | 0 | 98,600 | N/A | 43,04 | N/A | N/A | 178,49 | 141,52 | Commercial | Thermal Energy Storage | Warehouse | Existing | E_WR_Th | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | Low U-Value Windows | Assembly | Existing | E_AS_Ld | 2,626,619 | 3,521,240 | N/A | 2,224,36 | N/A | N/A | 7,485,91 | 5,723,92 | Commercial | Thermal Energy Storage | Assembly | New | N_AS_Th | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | Low U-Value Windows | College and University | Existing | E_CU_Ld | 121,297 | 162,611 | N/A | 102,72 | N/A | N/A | 345,70 | 264,33 | Commercial | Thermal Energy Storage | College and University | New | N_CU_Th | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | Low U-Value Windows | Grocery | Existing | E_GR_Ld | 2,519,779 | 3,378,004 | N/A | 2,133,87 | N/A | N/A | 7,181,39 | 5,491,07 | Commercial | Thermal Energy Storage | Grocery | New | N_GR_Th | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | Low U-Value Windows | Healthcare | Existing | E_HC_Ld | 1,036,109 | 4,070,208 | N/A | 2,571,14 | N/A | N/A | 8,652,97 | 6,616,79 | Commercial | Thermal Energy Storage | Healthcare | New | N_HC_Th | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | Low U-Value Windows | Hospitals | Existing | E_HS_Ld | 2,800,866 | 3,754,841 | N/A | 2,371,92 | N/A | N/A | 7,982,52 | 6,133,38 | Commercial | Thermal Energy Storage | Hospitals | New | N_HS_Th | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | Low U-Value Windows | Institutional | Existing | E_IN_Ld | 1,519,607 | 2,037,184 | N/A | 1,286,06 | N/A | N/A | 4,330,91 | 3,311,52 | Commercial | Thermal Energy Storage | Institutional | New | N_IN_Th | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | Low U-Value Windows | Lodging/Hospitality | Existing | E_LG_Ld | 7,452,089 | 9,990,258 | N/A | 5,315,99 | N/A | N/A | 17,890,57 | 13,679,75 | Commercial | Thermal Energy Storage | Lodging/Hospitality | New | N_LG_Th | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | Low U-Value Windows | Miscellaneous | Existing | E_MS_Ld | 5,745,949 | 7,703,018 | N/A | 5,253,84 | N/A | N/A | 17,681,39 | 13,510,56 | Commercial | Thermal Energy Storage | Miscellaneous | New | N_MS_Th | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | Low U-Value Windows | Offices | Existing | E_OF_Ld | 5,429,337 | 7,278,508 | N/A | 4,597,85 | N/A | N/A | 15,473,72 | 11,831,59 | Commercial | Thermal Energy Storage | Offices | New | N_OF_Th | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | Low U-Value Windows | Restaurants | Existing | E_RS_Ld | 7,943,991 | 10,649,714 | N/A | 6,727,39 | N/A | N/A | 22,648,58 | 17,311,53 | Commercial | Thermal Energy Storage | Restaurants | New | N_RS_Th | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | Low U-Value Windows | Retail | Existing | E_RT_Ld | 5,545,414 | 7,434,183 | N/A | 4,696,15 | N/A | N/A | 15,804,54 | 12,084,54 | Commercial | Thermal Energy Storage | Retail | New | N_RT_Th | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | Low U-Value Windows | Schools K-12 | Existing | E_SC_Ld | 976,478 | 1,309,068 | N/A | 826,92 | N/A | N/A | 2,782,38 | 2,127,94 | Commercial | Thermal Energy Storage | Schools K-12 | New | N_SC_Th | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | Low U-Value Windows | Warehouse | Existing | E_WR_Ld | 639,467 | 857,270 | N/A | 584,08 | N/A | N/A | 1,967,75 | 1,504,04 | Commercial | Thermal Energy Storage | Warehouse | New | N_WR_Th | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | Programmable Thermostat | Lodging/Hospitality | Existing | E_LG_Pd | 0 | 0 | N/A | 0 | N/A | N/A | 0 | 0 | Commercial | Wall Insulation | Assembly | Existing | E_AS_Wd | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | Programmable Thermostat | Restaurants | Existing | E_RS_Pd | 1,013,612 | 2,366,243 | N/A | 1,346,05 | N/A | N/A | 4,783,10 | 1,125,17 | Commercial | Wall Insulation | College and University | Existing | E_CU_Wd | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | Programmable Thermostat | Lodging/Hospitality | New | N_LG_Pd | 0 | 0 | N/A | 0 | N/A | N/A | 0 | 0 | Commercial | Wall Insulation | Grocery | Existing | E_GR_Wd | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | Programmable Thermostat | Restaurants | New | N_RS_Pd | 18,264 | 42,637 | N/A | 24,25 | N/A | N/A | 86,18 | 20,74 | Commercial | Wall Insulation | Healthcare | Existing | E_HC_Wd | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | Smart Thermostat | Healthcare | Existing | E_HC_Sd | 41,677 | 97,293 | N/A | 127,32 | N/A | N/A | 438,08 | 183,95 | Commercial | Wall Insulation | Hospitals | Existing | E_HS_Wd | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | Smart Thermostat | Hospitals | Existing | E_HS_Sd | 318,523 | 743,682 | N/A | 1,875,32 | N/A | N/A | 6,663,30 | 1,700,93 | Commercial | Wall Insulation | Institutional | Existing | E_IN_Wd | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | Smart Thermostat | Institutional | Existing | E_IN_Sd | 24,426 | 57,011 | N/A | 1,012,34 | N/A | N/A | 3,037,23 | 837,50 | Commercial | Wall Insulation | Lodging/Hospitality | Existing | E_LG_Wd | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | Smart Thermostat | Lodging/Hospitality | Existing | E_LG_Sd | 17,461,589 | 40,926,388 | N/A | 3,123,45 | N/A | N/A | 11,099,11 | 3,002,95 | Commercial | Wall Insulation | Miscellaneous | Existing | E_MS_Wd | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | Smart Thermostat | Offices | Existing | E_OF_Sd | 117,689 | 274,509 | N/A | 4,873,59 | N/A | N/A | 17,318,19 | 4,336,44 | Commercial | Wall Insulation | Offices | Existing | E_OF_Wd | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | Smart Thermostat | Retail | Existing | E_RT_Sd | 2,952,562 | 6,892,633 | N/A | 3,920,93 | N/A | N/A | 13,932,94 | 8,459,78 | Commercial | Wall Insulation | Restaurants | Existing | E_RS_Wd | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | Smart Thermostat | Healthcare | New | N_HC_Sd | 864 | 2,017 | N/A | 35,85 | N/A | N/A | 127,27 | 34,24 | Commercial | Wall Insulation | Retail | Existing | E_RT_Wd | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | Smart Thermostat | Hospitals | New | N_HS_Sd | 5,539 | 12,930 | N/A | 32,61 | N/A | N/A | 115,87 | 29,37 | Commercial | Wall Insulation | Schools K-12 | Existing | E_SC_Wd | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | Smart Thermostat | Institutional | New | N_IN_Sd | 451 | 1,053 | N/A | 18,69 | N/A | N/A | 66,40 | 15,45 | Commercial | Wall Insulation | Warehouse | Existing | E_WR_Wd | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | Smart Thermostat | Lodging/Hospitality | New | N_LG_Sd | 314,639 | 737,450 | N/A | 56,28 | N/A | N/A | 199,99 | 90,14 | Commercial | VSD Controlled Compressor | Assembly | Existing | E_AS_Vf | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | Smart Thermostat | Offices | New | N_OF_Sd | 2,362 | 5,514 | N/A | 97,88 | N/A | N/A | 347,84 | 88,89 | Commercial | VSD Controlled Compressor | College and University | Existing | E_CU_Vf | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | Smart Thermostat | Retail | New | N_RT_Sd | 56,638 | 132,219 | N/A | 75,21 | N/A | N/A | 267,20 | 162,27 | Commercial | VSD Controlled Compressor | Grocery | Existing | E_GR_Vf | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | Thermal Energy Storage | Assembly | Existing | E_AS_Th | 5,653,573 | 6,008,697 | N/A | -257,84 | N/A | N/A | -867,38 | 4,398,93 | Commercial | VSD Controlled Compressor | Healthcare | Existing | E_HC_Vf | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | Thermal Energy Storage | College and University | Existing | E_CU_Th | 450,528 | 603,973 | N/A | -22,54 | N/A | N/A | -75,86 | 418,73 | Commercial | VSD Controlled Compressor | Hospitals | Existing | E_HS_Vf | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | Thermal Energy Storage | Grocery | Existing | E_GR_Th | 0 | 0 | N/A | 0 | N/A | N/A | 0 | 0 | Commercial | VSD Controlled Compressor | Institutional | Existing | E_IN_Vf | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | Thermal Energy Storage | Healthcare | Existing | E_HC_Th | 0 | 0 | N/A | 0 | N/A | N/A | 0 | 0 | Commercial | VSD Controlled Compressor | Lodging/Hospitality | Existing | E_LG_Vf | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | Thermal Energy Storage | Hospitals | Existing | E_HS_Th | 16,757,010 | 22,464,457 | N/A | -838,63 | N/A | N/A | -2,821,66 | 15,574,38 | Commercial | VSD Controlled Compressor | Miscellaneous | Existing | E_MS_Vf | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | Thermal Energy Storage | Institutional | Existing | E_IN_Th | 2,130,163 | 2,855,077 | N/A | -106,58 | N/A | N/A | -358,69 | 1,979,87 | Commercial | VSD Controlled Compressor | Offices | Existing | E_OF_Vf | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | Thermal Energy Storage | Lodging/Hospitality | Existing | E_LG_Th | 1,645,571 | 2,206,052 | N/A | -82,33 | N/A | N/A | -277,09 | 1,529,43 | Commercial | VSD Controlled Compressor | Restaurants | Existing | E_RS_Vf | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | Thermal Energy Storage | Miscellaneous | Existing | E_MS_Th | 3,464,037 | 4,643,888 | N/A | -173,37 | N/A | N/A | -583,29 | 3,219,56 | Commercial | VSD Controlled Compressor | Retail | Existing | E_RT_Vf | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | Thermal Energy Storage | Offices | Existing | E_OF_Th | 6,246,463 | 8,374,008 | N/A | -312,53 | N/A | N/A | -1,051,82 | 5,805,67 | Commercial | VSD Controlled Compressor | Schools K-12 | Existing | E_SC_Vf | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | Thermal Energy Storage | Restaurants | Existing | E_RS_Th | 0 | 0 | N/A | 0 | N/A | N/A | 0 | 0 | Commercial | VSD Controlled Compressor | Warehouse | Existing | E_WR_Vf | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | Thermal Energy Storage | Retail | Existing | E_RT_Th | 0 | 0 | N/A | 0 | N/A | N/A | 0 | 0 | Commercial | VSD Controlled Compressor | Assembly | New | N_AS_Vf | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | Thermal Energy Storage | Schools K-12 | Existing | E_SC_Th | 1,867,083 | 2,503,012 | N/A | -93,40 | N/A | N/A | -314,93 | 1,735,314 | Commercial | VSD Controlled Compressor | College and University | New | N_CU_Vf | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | Thermal Energy Storage | Warehouse | Existing | E_WR_Th | 0 | 0 | N/A | 0 | N/A | N/A | 0 | 0 | Commercial | VSD Controlled Compressor | Grocery | New | N_GR_Vf | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | Thermal Energy Storage | Assembly | New | N_AS_Th | 92,858 | 124,486 | N/A | -4,646 | N/A | N/A | -15,636 | 86,395 | Commercial | VSD Controlled Compressor | Healthcare | New | N_HC_Vf | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | Thermal Energy Storage | College and University | New | N_CU_Th | 8,118 | 10,883 | N/A | -406 | N/A | N/A | -1,367 | 7,545 | Commercial | VSD Controlled Compressor | Hospitals | New | N_HS_Vf | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | Thermal Energy Storage | Grocery | New | N_GR_Th | 0 | 0 | N/A | 0 | N/A | N/A | 0 | 0 | Commercial | VSD Controlled Compressor | Institutional | New | N_IN_Vf | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | Thermal Energy Storage | Healthcare | New | N_HC_Th | 0 | 0 | N/A | 0 | N/A | N/A | 0 | 0 | Commercial | VSD Controlled Compressor | Lodging/Hospitality | New | N_LG_Vf | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | Thermal Energy Storage | Hospitals | New | N_HS_Th | 301,944 | 404,786 | N/A | -15,108 | N/A | N/A | -50,84 | 280,54 | Commercial | VSD Controlled Compressor | Miscellaneous | New | N_MS_Vf | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | Thermal Energy Storage | Institutional | New | N_IN_Th | 38,383 | 51,457 | N/A | -1,920 | N/A | N/A | -6,46 | 35,67 | Commercial | VSD Controlled Compressor | Offices | New | N_OF_Vf | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | Thermal Energy Storage | Lodging/Hospitality | New | N_LG_Th | 29,651 | 39,753 | N/A | -1,484 | N/A | N/A | -4,99 | 27,559 | Commercial | VSD Controlled Compressor | Restaurants | New | N_RS_Vf | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | Thermal Energy Storage | Miscellaneous | New | N_MS_Th | 62,418 | 83,678 | N/A | -3,123 | N/A | N/A | -10,51 | 58,03 | Commercial | VSD Controlled Compressor | Retail | New | N_RT_Vf | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | Thermal Energy Storage | Offices | New | N_OF_Th | 112,555 | 150,891 | N/A | -5,632 | N/A | N/A | -18,95 | 104,61 | Commercial | VSD Controlled Compressor | Schools K-12 | New | N_SC_Vf | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | Thermal Energy Storage | Restaurants | New | N_RS_Th | 0 | 0 | N/A | 0 | N/A | N/A | 0 | 0 | Commercial | VSD Controlled Compressor | Warehouse | New | N_WR_Vf | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | Thermal Energy Storage | Retail | New | N_RT_Th | 0 | 0 | N/A | 0 | N/A | N/A | 0 | 0 | Commercial | PSC to ECM Evaporator Fan Motor (Reach-In) | Assembly | Existing | E_AS_Pf | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | Thermal Energy Storage | Schools K-12 | New | N_SC_Th | 33,643 | 45,102 | N/A | -1,685 | N/A | N/A | -5,66 | 31,299 | Commercial | PSC to ECM Evaporator Fan Motor (Reach-In) | College and University | Existing | E_CU_Pf | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | Thermal Energy Storage | Warehouse | New | N_WR_Th | 0 | 0 | N/A | 0 | N/A | N/A | 0 | 0 | Commercial | PSC to ECM Evaporator Fan Motor (Reach-In) | Grocery | Existing | E_GR_Pf | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | Wall Insulation | Assembly | Existing | E_AS_Wd | 0 | 0 | N/A | 0 | N/A | N/A | 0 | 0 | Commercial | PSC to ECM Evaporator Fan Motor (Reach-In) | Healthcare | Existing | E_HC_Pf | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | Wall Insulation | College and University | Existing | E_CU_Wd | 0 | 0 | N/A | 0 | N/A | N/A | 0 | 0 | Commercial | PSC to ECM Evaporator Fan Motor (Reach-In) | Hospitals | Existing | E_HS_Pf | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | Wall Insulation | Grocery | Existing | E_GR_Wd | 0 | 0 | N/A | 0 | N/A | N/A | 0 | 0 | Commercial | PSC to ECM Evaporator Fan Motor (Reach-In) | Institutional | Existing | E_IN_Pf | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | Wall Insulation | Healthcare | Existing | E_HC_Wd | 1,607,942 | 2,157,078 | N/A | 1,214,58 | N/A | N/A | 4,087,43 | 1,521,89 | Commercial | PSC to ECM Evaporator Fan Motor (Reach-In) | Lodging/Hospitality | Existing | E_LG_Pf | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | Wall Insulation | Hospitals | Existing | E_HS_Wd | 0 | 0 | N/A | 0 | N/A | N/A | 0 | 0 | Commercial | PSC to ECM Evaporator Fan Motor (Reach-In) | Miscellaneous | Existing | E_MS_Pf | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | Wall Insulation | Institutional | Existing | E_IN_Wd | 0 | 0 | N/A | 0 | N/A | N/A | 0 | 0 | Commercial | PSC to ECM Evaporator Fan Motor (Reach-In) | Offices | Existing | E_OF_Pf | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | Wall Insulation | Lodging/Hospitality | Existing | E_LG_Wd | 0 | 0 | N/A | 0 | N/A | N/A | 0 | 0 | Commercial | PSC to ECM Evaporator Fan Motor (Reach-In) | Restaurants | Existing | E_RS_Pf | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | Wall Insulation | Miscellaneous | Existing | E_MS_Wd | 0 | 0 | N/A | 0 | N/A | N/A | 0 | 0 | Commercial | PSC to ECM Evaporator Fan Motor (Reach-In) | Retail | Existing | E_RT_Pf | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | Wall Insulation | Offices | Existing | E_OF_Wd | 11,214,892 | 15,053,37 | N/A | 8,475,77 | N/A | N/A | 28,524,54 | 10,318,38 | Commercial | PSC to ECM Evaporator Fan Motor (Reach-In) | Schools K-12 | Existing | E_SC_Pf | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | Wall Insulation | Restaurants | Existing | E_RS_Wd | 0 | 0 | N/A | 0 | N/A | N/A | 0 | 0 | Commercial | PSC to ECM Evaporator Fan Motor (Reach-In) | Warehouse | Existing | E_WR_Pf | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | Wall Insulation | Retail | Existing | E_RT_Wd | 7,397,132 | 9,928,92 | N/A | 5,403,31 | N/A | N/A | 18,184,42 | 6,578,07 | Commercial | PSC to ECM Evaporator Fan Motor (Reach-In) | Assembly | New | N_AS_Pf | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | Wall Insulation | Schools K-12 | Existing | E_SC_Wd | 0 | 0 | N/A | 0 | N/A | N/A | 0 | 0 | Commercial | PSC to ECM Evaporator Fan Motor (Reach-In) | College and University | New | N_CU_Pf | 0 | 0 | N/A | 0 | 0 | 0 | 0 | N/A | 0 |
| Commercial | Wall Insulation | Warehouse | Existing | E_WR_Wd | 0 | 0 | N/A | 0 | N/A | N/A | 0 | 0 | Commercial | PSC to EC

| | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Commercial | PSC to ECM Evaporator Fan Motor (Walk-In, Refrigeration) | Warehouse | Existing | E_WH_P | 0 | 0 | N/A | 0 | N/A | N/A | 0 | N/A | 0 | | | | | | |
| Commercial | PSC to ECM Evaporator Fan Motor (Walk-In, Refrigeration) | Assembly | New | N_AS_P | 82 | 134 | N/A | 216 | N/A | N/A | 742 | N/A | 362 | | | | | | |
| Commercial | PSC to ECM Evaporator Fan Motor (Walk-In, Refrigeration) | College and University | New | N_CU_P | 0 | 0 | N/A | 0 | N/A | N/A | 2 | N/A | 1 | | | | | | |
| Commercial | PSC to ECM Evaporator Fan Motor (Walk-In, Refrigeration) | Grocery | New | N_GR_P | 46,098 | 75,273 | N/A | 121,736 | N/A | N/A | 417,174 | N/A | 203,865 | | | | | | |
| Commercial | PSC to ECM Evaporator Fan Motor (Walk-In, Refrigeration) | Healthcare | New | N_HC_P | 0 | 0 | N/A | 0 | N/A | N/A | 0 | N/A | 0 | | | | | | |
| Commercial | PSC to ECM Evaporator Fan Motor (Walk-In, Refrigeration) | Hospitals | New | N_HS_P | 792 | 1,293 | N/A | 2,245 | N/A | N/A | 7,692 | N/A | 3,759 | | | | | | |
| Commercial | PSC to ECM Evaporator Fan Motor (Walk-In, Refrigeration) | Institutional | New | N_IN_PS | 0 | 0 | N/A | 0 | N/A | N/A | 0 | N/A | 0 | | | | | | |
| Commercial | PSC to ECM Evaporator Fan Motor (Walk-In, Refrigeration) | Lodging/Hospitality | New | N_LG_P | 2,463 | 4,022 | N/A | 6,982 | N/A | N/A | 23,926 | N/A | 11,692 | | | | | | |
| Commercial | PSC to ECM Evaporator Fan Motor (Walk-In, Refrigeration) | Miscellaneous | New | N_MS_P | 0 | 0 | N/A | 0 | N/A | N/A | 0 | N/A | 0 | | | | | | |
| Commercial | PSC to ECM Evaporator Fan Motor (Walk-In, Refrigeration) | Offices | New | N_OF_P | 0 | 0 | N/A | 0 | N/A | N/A | 0 | N/A | 0 | | | | | | |
| Commercial | PSC to ECM Evaporator Fan Motor (Walk-In, Refrigeration) | Restaurants | New | N_RS_P | 31,269 | 51,059 | N/A | 88,644 | N/A | N/A | 303,773 | N/A | 148,448 | | | | | | |
| Commercial | PSC to ECM Evaporator Fan Motor (Walk-In, Refrigeration) | Retail | New | N_RT_P | 2,706 | 4,418 | N/A | 7,141 | N/A | N/A | 24,407 | N/A | 11,966 | | | | | | |
| Commercial | PSC to ECM Evaporator Fan Motor (Walk-In, Refrigeration) | Schools K-12 | New | N_SC_P | 143 | 233 | N/A | 404 | N/A | N/A | 1,386 | N/A | 677 | | | | | | |
| Commercial | PSC to ECM Evaporator Fan Motor (Walk-In, Refrigeration) | Warehouse | New | N_WH_P | 0 | 0 | N/A | 0 | N/A | N/A | 0 | N/A | 0 | | | | | | |
| Commercial | Demand Controlled Ventilation | Assembly | Existing | E_AS_Da | 264,502 | 780,062 | N/A | 296,931 | N/A | N/A | 1,069,118 | N/A | 434,741 | | | | | | |
| Commercial | Demand Controlled Ventilation | Grocery | Existing | E_GR_Da | 221,653 | 653,694 | N/A | 248,829 | N/A | N/A | 895,958 | N/A | 391,996 | | | | | | |
| Commercial | Demand Controlled Ventilation | Lodging/Hospitality | Existing | E_LG_Da | 2,292,963 | 6,496,938 | N/A | 2,473,057 | N/A | N/A | 8,904,736 | N/A | 2,221,916 | | | | | | |
| Commercial | Demand Controlled Ventilation | Miscellaneous | Existing | E_MS_Da | 153,304 | 452,122 | N/A | 172,100 | N/A | N/A | 619,681 | N/A | 170,448 | | | | | | |
| Commercial | Demand Controlled Ventilation | Offices | Existing | E_OF_Da | 3,330,072 | 9,820,976 | N/A | 3,738,355 | N/A | N/A | 13,460,696 | N/A | 3,533,847 | | | | | | |
| Commercial | Demand Controlled Ventilation | Restaurants | Existing | E_RS_Da | 496,225 | 1,463,455 | N/A | 557,064 | N/A | N/A | 2,005,822 | N/A | 1,665,362 | | | | | | |
| Commercial | Demand Controlled Ventilation | Retail | Existing | E_RT_Da | 3,257,372 | 9,606,570 | N/A | 3,656,742 | N/A | N/A | 13,166,830 | N/A | 4,886,045 | | | | | | |
| Commercial | Demand Controlled Ventilation | Warehouse | Existing | E_WH_Da | 253,075 | 746,363 | N/A | 284,103 | N/A | N/A | 1,022,970 | N/A | 1,022,538 | | | | | | |
| Commercial | Demand Controlled Ventilation | Assembly | New | N_AS_Da | 4,468 | 13,177 | N/A | 5,016 | N/A | N/A | 18,061 | N/A | 7,344 | | | | | | |
| Commercial | Demand Controlled Ventilation | Grocery | New | N_GR_Da | 3,994 | 11,779 | N/A | 4,484 | N/A | N/A | 16,144 | N/A | 14,451 | | | | | | |
| Commercial | Demand Controlled Ventilation | Lodging/Hospitality | New | N_LG_Da | 39,695 | 117,068 | N/A | 44,562 | N/A | N/A | 160,454 | N/A | 40,037 | | | | | | |
| Commercial | Demand Controlled Ventilation | Miscellaneous | New | N_MS_Da | 2,762 | 8,147 | N/A | 3,101 | N/A | N/A | 11,166 | N/A | 3,073 | | | | | | |
| Commercial | Demand Controlled Ventilation | Offices | New | N_OF_Da | 45,003 | 132,723 | N/A | 50,521 | N/A | N/A | 181,911 | N/A | 47,757 | | | | | | |
| Commercial | Demand Controlled Ventilation | Restaurants | New | N_RS_Da | 8,941 | 26,370 | N/A | 10,038 | N/A | N/A | 36,143 | N/A | 30,008 | | | | | | |
| Commercial | Demand Controlled Ventilation | Retail | New | N_RT_Da | 58,694 | 173,100 | N/A | 65,891 | N/A | N/A | 237,252 | N/A | 88,041 | | | | | | |
| Commercial | Demand Controlled Ventilation | Warehouse | New | N_WH_D | 4,560 | 13,449 | N/A | 5,119 | N/A | N/A | 18,433 | N/A | 18,425 | | | | | | |
| Commercial | Retro-Commissioning | Assembly | Existing | E_AS_Re | 0 | 3,380,477 | N/A | 1,291,799 | N/A | N/A | 5,037,376 | N/A | 3,549,363 | | | | | | |
| Commercial | Retro-Commissioning | College and University | Existing | E_CU_Re | 0 | 364,541 | N/A | 158,316 | N/A | N/A | 617,353 | N/A | 287,030 | | | | | | |
| Commercial | Retro-Commissioning | Schools K-12 | Existing | E_SC_Re | 0 | 1,172,272 | N/A | 447,966 | N/A | N/A | 1,746,846 | N/A | 812,173 | | | | | | |
| Commercial | Retro-Commissioning | Assembly | New | N_AS_Re | 0 | 0 | N/A | 0 | N/A | N/A | 0 | N/A | 0 | | | | | | |
| Commercial | Retro-Commissioning | College and University | New | N_CU_Re | 0 | 0 | N/A | 0 | N/A | N/A | 0 | N/A | 0 | | | | | | |
| Commercial | Retro-Commissioning | Schools K-12 | New | N_SC_Re | 0 | 0 | N/A | 0 | N/A | N/A | 0 | N/A | 0 | | | | | | |
| Industrial | Process Refrig Controls | Agriculture and Assembly | | AA_Proc | 9,315 | 15,211 | N/A | 24,870 | N/A | N/A | 85,227 | N/A | 34,143 | | | | | | |
| Industrial | Pump Equipment Upgrade | Agriculture and Assembly | | AA_Pump | 302,006 | 493,147 | N/A | 824,326 | N/A | N/A | 2,824,868 | N/A | 757,639 | | | | | | |
| Industrial | Fan Equipment Upgrades | Agriculture and Assembly | | AA_Fan | 215,946 | 352,619 | N/A | 589,424 | N/A | N/A | 2,019,888 | N/A | 394,225 | | | | | | |
| Industrial | Efficient Lighting - Other Interior Lighting | Agriculture and Assembly | | AA_EffIn | 643,944 | 1,110,960 | N/A | 1,727,656 | N/A | N/A | 5,963,874 | N/A | 2,267,019 | | | | | | |
| Industrial | Efficient Lighting - High Bay | Agriculture and Assembly | | AA_EffHi | 1,463,933 | 2,525,640 | N/A | 3,927,624 | N/A | N/A | 13,558,183 | N/A | 2,792,603 | | | | | | |
| Industrial | Compressed Air Controls | Agriculture and Assembly | | AA_Com | 254,258 | 469,581 | N/A | 761,395 | N/A | N/A | 2,652,931 | N/A | 659,595 | | | | | | |
| Industrial | Compressed Air Equipment | Agriculture and Assembly | | AA_Com | 547,518 | 894,046 | N/A | 1,494,456 | N/A | N/A | 5,121,318 | N/A | 1,065,620 | | | | | | |
| Industrial | Process Heat Improved Controls | Chemicals and Plastics | | CP_Proco | 52,516 | 85,753 | N/A | 140,207 | N/A | N/A | 480,472 | N/A | 265,934 | | | | | | |
| Industrial | Process Heat Equipment Upgrade | Chemicals and Plastics | | CP_Proe | 290,066 | 608,292 | N/A | 911,425 | N/A | N/A | 3,281,759 | N/A | 965,615 | | | | | | |
| Industrial | Process Refrig Controls | Chemicals and Plastics | | CP_Proc | 76,888 | 125,092 | N/A | 199,636 | N/A | N/A | 685,156 | N/A | 196,866 | | | | | | |
| Industrial | Pump Equipment Upgrade | Chemicals and Plastics | | CP_Pump | 728,905 | 1,190,233 | N/A | 1,989,556 | N/A | N/A | 6,817,915 | N/A | 1,286,153 | | | | | | |
| Industrial | Motor Equipment Upgrades | Chemicals and Plastics | | CP_Motor | 116,750 | 344,774 | N/A | 528,136 | N/A | N/A | 1,901,650 | N/A | 117,169 | | | | | | |
| Industrial | Fan Equipment Upgrades | Chemicals and Plastics | | CP_Fan E | 105,201 | 171,783 | N/A | 287,145 | N/A | N/A | 984,014 | N/A | 203,278 | | | | | | |
| Industrial | Efficient Lighting - Other Interior Lighting | Chemicals and Plastics | | CP_EffIn | 1,225,283 | 2,113,912 | N/A | 3,287,344 | N/A | N/A | 11,347,934 | N/A | 4,313,637 | | | | | | |
| Industrial | Efficient Lighting - High Bay | Chemicals and Plastics | | CP_EffHi | 468,198 | 807,756 | N/A | 1,256,143 | N/A | N/A | 4,336,209 | N/A | 893,137 | | | | | | |
| Industrial | Process Refrig Equipment Upgrade | Construction | | CS_Proe | 27,921 | 80,651 | N/A | 120,842 | N/A | N/A | 435,114 | N/A | 114,069 | | | | | | |
| Industrial | Efficient Lighting - Other Interior Lighting | Construction | | CS_EffIn | 149,837 | 258,505 | N/A | 402,085 | N/A | N/A | 1,387,171 | N/A | 527,504 | | | | | | |
| Industrial | Efficient Lighting - High Bay | Construction | | CS_EffHi | 108,334 | 186,903 | N/A | 290,653 | N/A | N/A | 1,003,335 | N/A | 206,659 | | | | | | |
| Industrial | HVAC Recommissioning | Construction | | CS_HVA | 35,845 | 105,817 | N/A | 153,272 | N/A | N/A | 531,725 | N/A | 101,615 | | | | | | |
| Industrial | Efficient Lighting - Other Interior Lighting | Electrical and Electronic Equip. | | EE_EffIn | 380,982 | 657,287 | N/A | 1,022,140 | N/A | N/A | 3,528,460 | N/A | 1,341,257 | | | | | | |
| Industrial | Efficient Lighting - High Bay | Electrical and Electronic Equip. | | EE_EffHi | 151,363 | 261,139 | N/A | 406,097 | N/A | N/A | 1,401,849 | N/A | 288,741 | | | | | | |
| Industrial | Process Refrig Equipment Upgrade | Lumber/Furniture/Pulp/Paper | | LP_Proe | 4,769 | 14,079 | N/A | 21,095 | N/A | N/A | 75,958 | N/A | 23,060 | | | | | | |
| Industrial | Pump Sysytem Optimization | Lumber/Furniture/Pulp/Paper | | LP_Pump | 300,219 | 886,253 | N/A | 1,357,592 | N/A | N/A | 4,888,283 | N/A | 1,568,758 | | | | | | |
| Industrial | Pump Equipment Upgrade | Lumber/Furniture/Pulp/Paper | | LP_Pump | 615,600 | 1,005,217 | N/A | 1,680,284 | N/A | N/A | 5,758,135 | N/A | 1,643,384 | | | | | | |
| Industrial | Fan Equipment Upgrades | Lumber/Furniture/Pulp/Paper | | LP_Fan E | 416,536 | 680,163 | N/A | 1,136,930 | N/A | N/A | 3,896,145 | N/A | 814,489 | | | | | | |
| Industrial | Efficient Lighting - Other Interior Lighting | Lumber/Furniture/Pulp/Paper | | LP_EffIn | 409,276 | 706,101 | N/A | 1,098,050 | N/A | N/A | 3,790,501 | N/A | 1,440,865 | | | | | | |
| Industrial | Efficient Lighting - High Bay | Lumber/Furniture/Pulp/Paper | | LP_EffHi | 278,057 | 479,715 | N/A | 746,005 | N/A | N/A | 2,575,215 | N/A | 530,422 | | | | | | |
| Industrial | Process Refrig Controls | Metal Products and Machinery | | MM_Proc | 5,014 | 8,188 | N/A | 13,388 | N/A | N/A | 45,877 | N/A | 24,649 | | | | | | |
| Industrial | Process Refrig Equipment Upgrade | Metal Products and Machinery | | MM_Proe | 8,148 | 24,052 | N/A | 36,038 | N/A | N/A | 129,761 | N/A | 32,184 | | | | | | |
| Industrial | Efficient Lighting - Other Interior Lighting | Metal Products and Machinery | | MM_EffIn | 260,382 | 449,222 | N/A | 698,586 | N/A | N/A | 2,413,523 | N/A | 916,681 | | | | | | |
| Industrial | Efficient Lighting - High Bay | Metal Products and Machinery | | MM_EffHi | 308,663 | 532,519 | N/A | 828,120 | N/A | N/A | 2,858,676 | N/A | 588,807 | | | | | | |
| Industrial | Process Refrig Equipment Upgrade | Miscellaneous Manufacturing | | MS_Proe | 4,064 | 11,998 | N/A | 17,977 | N/A | N/A | 64,731 | N/A | 19,449 | | | | | | |
| Industrial | Motor Equipment Upgrades | Miscellaneous Manufacturing | | MS_Mote | 11,002 | 32,478 | N/A | 49,731 | N/A | N/A | 179,139 | N/A | 49,448 | | | | | | |
| Industrial | Efficient Lighting - Other Interior Lighting | Miscellaneous Manufacturing | | MS_EffIn | 338,347 | 583,731 | N/A | 907,761 | N/A | N/A | 3,133,595 | N/A | 1,191,159 | | | | | | |
| Industrial | Efficient Lighting - High Bay | Miscellaneous Manufacturing | | MS_EffHi | 372,059 | 641,892 | N/A | 998,206 | N/A | N/A | 3,445,815 | N/A | 709,741 | | | | | | |
| Industrial | HVAC Equipment Upgrades | Miscellaneous Manufacturing | | MS_HVA | 2,149,499 | 3,021,111 | N/A | 4,887,731 | N/A | N/A | 16,584,671 | N/A | 4,249,750 | | | | | | |
| Industrial | Efficient Lighting - Other Interior Lighting | Primary Resources Industries | | PR_EffIn | 337,117 | 581,608 | N/A | 904,460 | N/A | N/A | 3,122,200 | N/A | 1,186,827 | | | | | | |
| Industrial | Efficient Lighting - High Bay | Primary Resources Industries | | PR_EffHi | 522,542 | 901,512 | N/A | 1,401,942 | N/A | N/A | 4,838,513 | N/A | 996,803 | | | | | | |
| Industrial | HVAC Equipment Upgrades | Primary Resources Industries | | PR_HVA | 107,775 | 151,477 | N/A | 245,069 | N/A | N/A | 831,548 | N/A | 157,098 | | | | | | |
| Industrial | Process Heat Equipment Upgrade | Stone/Clay/Glass/Concrete | | ST_Proe | 638,025 | 1,883,463 | N/A | 2,822,050 | N/A | N/A | 10,161,355 | N/A | 2,989,833 | | | | | | |
| Industrial | Process Refrig Equipment Upgrade | Stone/Clay/Glass/Concrete | | ST_Proe | 11,047 | 32,610 | N/A | 48,861 | N/A | N/A | 175,934 | N/A | 57,481 | | | | | | |
| Industrial | Efficient Lighting - Other Interior Lighting | Stone/Clay/Glass/Concrete | | ST_EffIn | 199,821 | 344,739 | N/A | 536,104 | N/A | N/A | 1,850,633 | N/A | 703,473 | | | | | | |
| Industrial | Efficient Lighting - High Bay | Stone/Clay/Glass/Concrete | | ST_EffHi | 131,938 | 227,626 | N/A | 353,981 | N/A | N/A | 1,221,944 | N/A | 251,686 | | | | | | |
| Industrial | Compressed Air Equipment | Stone/Clay/Glass/Concrete | | ST_Com | 71,209 | 116,278 | N/A | 194,366 | N/A | N/A | 666,076 | N/A | 133,143 | | | | | | |
| Industrial | Motor Optimization | Textiles and Leather | | TX_Mot | 11,274 | 33,280 | N/A | 50,979 | N/A | N/A | 183,561 | N/A | 71,295 | | | | | | |
| Industrial | Efficient Lighting - Other Interior Lighting | Textiles and Leather | | TX_EffIn | 15,386 | 26,545 | N/A | 41,280 | N/A | N/A | 142,497 | N/A | 54,167 | | | | | | |
| Industrial | Efficient Lighting - High Bay | Textiles and Leather | | TX_EffHi | 5,494 | 9,478 | N/A | 14,746 | N/A | N/A | 50,881 | N/A | 10,489 | | | | | | |
| Industrial | Building Envelope Improvements | Textiles and Leather | | TX_Bulde | 1,384 | 2,261 | N/A | 3,572 | N/A | N/A | 12,241 | N/A | 3,113 | | | | | | |
| Industrial | Pump Equipment Upgrade | Transportation Equipment | | TR_Pump | 46,116 | 75,303 | N/A | 125,874 | N/A | N/A | 431,356 | N/A | 98,847 | | | | | | |
| Industrial | Fan Equipment Upgrades | Transportation Equipment | | TR_Fan E | 28,693 | 46,853 | N/A | 78,330 | N/A | N/A | 268,387 | N/A | 61,502 | | | | | | |
| Industrial | Efficient Lighting - Other Interior Lighting | Transportation Equipment | | TR_EffIn | 375,936 | 648,581 | N/A | 1,008,608 | N/A | N/A | 3,481,723 | N/A | 1,323,491 | | | | | | |
| Industrial | Efficient Lighting - High Bay | Transportation Equipment | | TR_EffHi | 132,517 | 228,623 | N/A | 355,532 | N/A | N/A | 1,227,299 | N/A | 252,789 | | | | | | |
| Industrial | HVAC Recommissioning | Transportation Equipment | | TR_HVA | 63,041 | 186,098 | N/A | 269,478 | N/A | N/A | 970,309 | N/A | 286,524 | | | | | | |
| Industrial | Process Refrig Equipment Upgrade | Water and Wastewater | | WW_Proe | 329 | 972 | N/A | 1,457 | N/A | N/A | 5,246 | N/A | 1,375 | | | | | | |
| Industrial | Efficient Lighting - Other Interior Lighting | Water and Wastewater | | WW_EffIn | 1,807 | 3,117 | N/A | 4,847 | N/A | N/A | 16,732 | N/A | 6,369 | | | | | | |
| Industrial | Efficient Lighting - High Bay | Water and Wastewater | | WW_EffHi | 1,306 | 2,253 | N/A | 3,504 | N/A | N/A | 12,097 | N/A | 2,492 | | | | | | |
| Industrial | HVAC Recommissioning | Water and Wastewater | | WW_HV | 432 | 1,276 | N/A | 1,847 | N/A | N/A | 6,652 | N/A | 1,949 | | | | | | |
| Residential | Central air conditioner - Load Shed | Single Family | Existing | | 647,615,677 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | | | | | | | |
| Residential | Central air conditioner - Load Shed | Multi Family | Existing | | 157,495,441 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | | | | | | | |
| Residential | Central air conditioner - Load Shed | Mobile Home/Other | Existing | | 116,955,945 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | | | | | | | |
| Residential | Central Heating - Load Shed | Single Family | Existing | | 1,185,410,681 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | | | | | | | |
| Residential | Central Heating - Load Shed | Multi Family | Existing | | 346,664,589 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | | | | | | | |
| Residential | Central Heating - Load Shed | Mobile Home/Other | Existing | | 220,101,246 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | | | | | | | |
| Residential | Central air conditioner - 50% cycling | Single Family | Existing | | 0 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | | | | | | | |
| Residential | Central air conditioner - 50% cycling | Multi Family | Existing | | 0 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | | | | | | | |
| Residential | Central air conditioner - 50% cycling | Mobile Home/Other | Existing | | 0 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | | | | | | | |
| Residential | Central Heating - 50% cycling | Single Family | Existing | | 0 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | | | | | | | |
| Residential | Central Heating - 50% cycling | Multi Family | Existing | | 0 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | | | | | | | |
| Residential | Central Heating - 50% cycling | Mobile Home/Other | Existing | | 0 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | | | | | | | |
| Residential | Water heater switches | Single Family | Existing | | 164,551,554 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | | | | | | | |
| Residential | Water heater switches | Multi Family | Existing | | 85,295,218 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | | | | | | | |
| Residential | Water heater switches | Mobile Home/Other | Existing | | 32,845,198 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | | | | | | | |
| Residential | Pool pump switches | Single Family | Existing | | 156,703,327 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | | | | | | | |
| Residential | Pool pump switches | Multi Family | Existing | | 0 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | | | | | | | |
| Residential | Pool pump switches | Mobile Home/Other | Existing | | 0 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | | | | | | | |
| Residential | Room AC control | Single Family | New | | 0 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | | | | | | | |
| Residential | Room AC control | Multi Family | New | | 0 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | | | | | | | |
| Residential | Room AC control | Mobile Home/Other | New | | 0 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | | | | | | | |
| Residential | Smart thermostats - Utility Installation | Single Family | New | | 0 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | | | | | | | |
| Residential | Smart thermostats - Utility Installation | Multi Family | New | | 0 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | | | | | | | |
| Residential | Smart thermostats - Utility Installation | Mobile Home/Other | New | | 0 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | | | | | | | |
| Residential | Smart thermostats - BYOT | Single Family | New | | 0 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | | | | | | | |
| Residential | Smart thermostats - BYOT | Multi Family | New | | 0 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | | | | | | | |
| Residential | Smart thermostats - BYOT | Mobile Home/Other | New | | 0 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | | | | | | | |
| Residential | CPP + Tech | Single Family | New | | 0 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | | | | | | | |
| Residential | CPP + Tech | Multi Family | New | | 0 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | | | | | | | |
| Residential | CPP + Tech | Mobile Home/Other | New | | 0 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | | | | | | | |
| Small C&I | Central air conditioner - Load Shed | 0-15,000 kWh | New | | 55,147,983 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | | | | | | | |
| Small C&I | Central air conditioner - Load Shed | 15,001-25,000 kWh | New | | 15,124,213 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | | | | | | | |
| Small C&I | Central air conditioner - Load Shed | 25,001-50,000 kWh | New | | 9,269,930 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | | | | | | | |
| Small C&I | Central air conditioner - Load Shed | 50,001 kWh + | New | | 10,096,366 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | | | | | | | |
| Small C&I | Central Heating - Load Shed | 0-15,000 kWh | New | | 27,807,743 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | | | | | | | |
| Small C&I | Central Heating - Load Shed | 15,001-25,000 kWh | New | | 12,969,074 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | | | | | | | |
| Small C&I | Central Heating - Load Shed | 25,001-50,000 kWh | New | | 10,822,589 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | | | | | | | |
| Small C&I | Central Heating - Load Shed | 50,001 kWh + | New | | 6,630,163 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | | | | | | | |
| Small C&I | Central air conditioner - 50% cycling | 0-15,000 kWh | New | | 0 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | | | | | | | |
| Small C&I | Central air conditioner - 50% cycling | 15,001-25,000 kWh | New | | 0 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | | | | | | | |
| Small C&I | Central air conditioner - 50% cycling | 25,001-50,000 kWh | New | | 0 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | | | | | | | |
| Small C&I | Central air conditioner - 50% cycling | 50,001 kWh + | New | | 0 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | | | | | | | |
| Small C&I | Central Heating - 50% cycling | 0-15,000 kWh | New | | 0 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | | | | | | | |
| Industrial | Process Refrig Controls | Chemicals and Plastics | | CP_Proco | 17,003 | 27,765 | N/A | 45,395 | 0 | 18,321 | 155,564 | N/A | 44,698 | | | | | | |
| Industrial | Pump Equipment Upgrade | Chemicals and Plastics | | CP_Pump | 45,369 | 74,083 | N/A | 123,834 | 0 | 14,945 | 424,364 | N/A | 86,900 | | | | | | |
| Industrial | Motor Equipment Upgrades | Chemicals and Plastics | | CP_Motor | 7,515 | 22,184 | N/A | 33,981 | 0 | 4,136 | 122,357 | N/A | 33,276 | | | | | | |
| Industrial | Fan Equipment Upgrades | Chemicals and Plastics | | CP_Fan E | 6,505 | 10,622 | N/A | 17,755 | 0 | 2,160 | 60,844 | N/A | 12,476 | | | | | | |
| Industrial | Efficient Lighting - Other Interior Lighting | Chemicals and Plastics | | CP_EffIn | 332,690 | 573,971 | N/A | 892,583 | 0 | 619,157 | 3,081,203 | N/A | 1,171,242 | | | | | | |
| Industrial | Efficient Lighting - High Bay | Chemicals and Plastics | | CP_EffHi | 102,419 | 176,697 | N/A | 274,781 | 0 | 25,415 | 948,547 | N/A | 195,374 | | | | | | |
| Industrial | Process Refrig Equipment Upgrade | Construction | | CS_Proe | 1,422 | 4,199 | N/A | 6,291 | 0 | 544 | 22,651 | N/A | 5,938 | | | | | | |
| Industrial | Efficient Lighting - Other Interior Lighting | Construction | | CS_EffIn | 41,762 | 72,052 | N/A | 112,052 | 0 | 77,727 | 386,806 | N/A | 147,035 | | | | | | |
| Industrial | Efficient Lighting - High Bay | Construction | | CS_EffHi | 23,698 | 40,885 | N/A | 63,580 | 0 | 5,881 | 219,480 | N/A | 45,207 | | | | | | |
| Industrial | HVAC Recommissioning | Construction | | CS_HVA | 7,382 | 21,793 | N/A | 31,557 | 0 | 6,233 | 113,629 | N/A | 33,294 | | | | | | |
| Industrial | Efficient Lighting - Other Interior Lighting | Electrical and Electronic Equip. | | EE_EffIn | 103,445 | 178,407 | N/A | 277,534 | 0 | 192,517 | 958,050 | N/A | 364,179 | | | | | | |
| Industrial | Efficient Lighting - High Bay | Electrical and Electronic Equip. | | EE_EffHi | 33,111 | 57,124 | N/A | 88,834 | 0 | 8,216 | 306,655 | N/A | 63,162 | | | | | | |
| Industrial | Process Refrig Equipment Upgrade | Lumber/Furniture/Pulp/Paper | | LP_Proe | 263 | 777 | N/A | 1,164 | 0 | 274 | 4,191 | N/A | 1,272 | | | | | | |
| Industrial | Pump System Optimization | Lumber/Furniture/Pulp/Paper | | LP_Pump | 67,191 | 198,350 | N/A | 303,839 | 0 | 90,552 | 1,094,032 | N/A | 351,099 | | | | | | |
| Industrial | Pump Equipment Upgrade | Lumber/Furniture/Pulp/Paper | | LP_Pump | 42,496 | 69,302 | N/A | 115,976 | 0 | 46,041 | 397,437 | N/A | 113,429 | | | | | | |
| Industrial | Fan Equipment Upgrades | Lumber/Furniture/Pulp/Paper | | LP_Fan E | 25,945 | 42,365 | N/A | 70,816 | 0 | 9,584 | 242,679 | N/A | 50,732 | | | | | | |
| Industrial | Efficient Lighting - Other Interior Lighting | Lumber/Furniture/Pulp/Paper | | LP_EffIn | 111,127 | 191,721 | N/A | 298,146 | 0 | 208,814 | 1,029,200 | N/A | 391,227 | | | | | | |
| Industrial | Efficient Lighting - High Bay | Lumber/Furniture/Pulp/Paper | | LP_EffHi | 60,825 | 104,938 | N/A | 163,189 | 0 | 15,093 | 563,329 | N/A | 116,038 | | | | | | |
| Industrial | Process Refrig Controls | Metal Products and Machinery | | MM_Proc | 1,315 | 2,147 | N/A | 3,511 | 0 | 4,424 | 12,031 | N/A | 6,464 | | | | | | |
| Industrial | Process Refrig Equipment Upgrade | Metal Products and Machinery | | MM_Proe | 414 | 1,221 | N/A | 1,829 | 0 | 65 | 6,586 | N/A | 1,633 | | | | | | |
| Industrial | Efficient Lighting - Other Interior Lighting | Metal Products and Machinery | | MM_EffIn | 74,962 | 129,328 | N/A | 201,118 | 0 | 139,599 | 694,201 | N/A | 263,906 | | | | | | |
| Industrial | Efficient Lighting - High Bay | Metal Products and Machinery | | MM_EffHi | 67,520 | 116,489 | N/A | 181,151 | 0 | 16,755 | 625,336 | N/A | 128,802 | | | | | | |
| Industrial | Process Refrig Equipment Upgrade | Miscellaneous Manufacturing | | MS_Proe | 223 | 660 | N/A | 988 | 0 | 222 | 3,559 | N/A | 1,069 | | | | | | |
| Industrial | Motor Equipment Upgrades | Miscellaneous Manufacturing | | MS_Mote | 674 | 1,989 | N/A | 3,046 | 0 | 415 | 10,969 | N/A | 3,027 | | | | | | |
| Industrial | Efficient Lighting - Other Interior Lighting | Miscellaneous Manufacturing | | MS_EffIn | 91,866 | 158,495 | N/A | 246,476 | 0 | 170,973 | 850,836 | N/A | 323,424 | | | | | | |
| Industrial | Efficient Lighting - High Bay | Miscellaneous Manufacturing | | MS_EffHi | 81,388 | 140,414 | N/A | 218,358 | 0 | 20,196 | 753,773 | N/A | 155,256 | | | | | | |
| Industrial | HVAC Equipment Upgrades | Miscellaneous Manufacturing | | MS_HVA | 124,883 | 175,522 | N/A | 283,970 | 0 | 104,220 | 963,543 | N/A | 246,904 | | | | | | |
| Industrial | Efficient Lighting - Other Interior Lighting | Primary Resources Industries | | PR_EffIn | 96,587 | 166,636 | N/A | 259,135 | 0 | 179,754 | 894,537 | N/A | 340,036 | | | | | | |
| Industrial | Efficient Lighting - High Bay | Primary Resources Industries | | PR_EffHi | 114,306 | 197,206 | N/A | 306,675 | 0 | 28,364 | 1,058,645 | N/A | 218,051 | | | | | | |
| Industrial | HVAC Equipment Upgrades | Primary Resources Industries | | PR_HVA | 5,724 | 8,045 | N/A | 13,015 | 0 | 1,804 | 44,162 | N/A | 8,343 | | | | | | |
| Industrial | Process Heat Equipment Upgrade | Stone/Clay/Glass/Concrete | | ST_Proe | 43,575 | 128,633 | N/A | 192,735 | 0 | 38,920 | 693,981 | N/A | 204,194 | | | | | | |
| Industrial | Process Refrig Equipment Upgrade | Stone/Clay/Glass/Concrete | | ST_Proe | 625 | 1,845 | N/A | 2,765 | 0 | 882 | 9,954 | N/A | 3,252 | | | | | | |
| Industrial | Efficient Lighting - Other Interior Lighting | Stone/Clay/Glass/Concrete | | ST_EffIn | 54,255 | 93,604 | N/A | 145,563 | 0 | 100,973 | 502,486 | N/A | 191,007 | | | | | | |
| Industrial | Efficient Lighting - High Bay | Stone/Clay/Glass/Concrete | | ST_EffHi | 28,862 | 49,793 | N/A | 77,433 | 0 | 7,162 | 267,301 | N/A | 55,056 | | | | | | |
| Industrial | Compressed Air Equipment | Stone/Clay/Glass/Concrete | | ST_Com | 4,663 | 7,613 | N/A | 12,726 | 0 | 1,323 | 43,612 | N/A | 8,718 | | | | | | |
| Industrial | Motor Optimization | Textiles and Leather | | TX_Mote | 2,538 | 7,409 | N/A | 11,441 | 0 | 6,190 | 41,196 | N/A | 16,051 | | | | | | |
| Industrial | Efficient Lighting - Other Interior Lighting | Textiles and Leather | | TX_EffIn | 4,178 | 7,207 | N/A | 11,208 | 0 | 7,775 | 38,691 | N/A | 14,707 | | | | | | |
| Industrial | Efficient Lighting - High Bay | Textiles and Leather | | TX_EffHi | 1,202 | 2,073 | N/A | 3,224 | 0 | 298 | 11,130 | N/A | 2,293 | | | | | | |
| Industrial | Building Envelope Improvements | Textiles and Leather | | TX_Bulde | 304 | 497 | N/A | 785 | 0 | 228 | 2,691 | N/A | 684 | | | | | | |
| Industrial | Pump Equipment Upgrade | Transportation Equipment | | TR_Pump | 2,988 | 4,879 | N/A | 8,156 | 0 | 1,666 | 27,950 | N/A | 6,405 | | | | | | |
| Industrial | Fan Equipment Upgrades | Transportation Equipment | | TR_Fan E | 1,846 | 3,014 | N/A | 5,039 | 0 | 1,029 | 17,267 | N/A | 3,957 | | | | | | |
| Industrial | Efficient Lighting - Other Interior Lighting | Transportation Equipment | | TR

| | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Small C&I | Central Heating - 50% cycling | 15,001-25,000 kWh | New | | 0 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| Small C&I | Central Heating - 50% cycling | 25,001-50,000 kWh | New | | 0 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| Small C&I | Central Heating - 50% cycling | 50,001 kWh + | New | | 0 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| Small C&I | Smart thermostats - Utility Installation | 0-15,000 kWh | New | | 0 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| Small C&I | Smart thermostats - Utility Installation | 15,001-25,000 kWh | New | | 0 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| Small C&I | Smart thermostats - Utility Installation | 25,001-50,000 kWh | New | | 0 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| Small C&I | Smart thermostats - Utility Installation | 50,001 kWh + | New | | 0 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| Small C&I | Smart thermostats - BYOT | 0-15,000 kWh | New | | 0 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| Small C&I | Smart thermostats - BYOT | 15,001-25,000 kWh | New | | 0 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| Small C&I | Smart thermostats - BYOT | 25,001-50,000 kWh | New | | 0 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| Small C&I | Smart thermostats - BYOT | 50,001 kWh + | New | | 0 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| Small C&I | CPP + Tech | 0-15,000 kWh | New | | 0 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| Small C&I | CPP + Tech | 15,001-25,000 kWh | New | | 0 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| Small C&I | CPP + Tech | 25,001-50,000 kWh | New | | 0 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| Small C&I | CPP + Tech | 50,001 kWh + | New | | 0 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| Large C&I | Auto DR | 0-50 kW | New | | 435,392,478 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| Large C&I | Auto DR | 51-300 kW | New | | 607,869,253 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| Large C&I | Auto DR | 301-500 kW | New | | 150,634,828 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| Large C&I | Auto DR | 501 kW + | Existing | | 323,741,399 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| Large C&I | CPP | 0-50 kW | New | | 0 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| Large C&I | CPP | 51-300 kW | New | | 0 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| Large C&I | CPP | 301-500 kW | New | | 0 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| Large C&I | CPP | 501 kW + | New | | 0 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| Large C&I | Firm Service Level | 0-50 kW | New | | 0 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| Large C&I | Firm Service Level | 51-300 kW | New | | 0 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| Large C&I | Firm Service Level | 301-500 kW | New | | 0 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| Large C&I | Firm Service Level | 501 kW + | Existing | | 0 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| Large C&I | Guaranteed Load Drop | 0-50 kW | New | | 0 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| Large C&I | Guaranteed Load Drop | 51-300 kW | New | | 0 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| Large C&I | Guaranteed Load Drop | 301-500 kW | New | | 0 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| Large C&I | Guaranteed Load Drop | 501 kW + | Existing | | 0 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |