

Writer's E-Mail Address: bkeating@gunster.com

September 24, 2019

**VIA E-PORTAL**

Mr. Adam Teitzman  
Commission Clerk  
Florida Public Service Commission  
2540 Shumard Oak Boulevard  
Tallahassee, FL 32399-0850

**Re: Docket No. 20190083-GU: Petition for Rate Increase by Sebring Gas System, Inc.**

Dear Mr. Teitzman:

Attached, for electronic filing in the above referenced matter, please find Sebring Gas System's Responses to Staff's Ninth Set of Data Requests.

Thank you for your assistance with this filing. As always, please do not hesitate to contact me if you have any questions whatsoever.

Sincerely,



Beth Keating  
Gunster, Yoakley & Stewart, P.A.  
215 South Monroe St., Suite 601  
Tallahassee, FL 32301  
(850) 521-1706

MEK

ATTACHMENTS

cc:// Office of Public Counsel (Kelly/Fall-Fry)



**Sebring Gas System, Inc.  
Docket No. 20190083-GU  
Responses to Staff's  
Ninth Set of Data Requests**

1. In MFR Schedule E-5, the Company provided the average usage per customer (in therms), by rate schedule, for the historic test year. For rate schedules TS-3, TS-4, and TS-5, please complete the following charts, providing the total annual 2018 Historic Test year consumption (therms) for each customer used to calculate the E-5 schedule (only include customers who were billed throughout the full 12-month historic test year). Please provide in Excel format.

Rate Schedule TS-3	
Customer *	Total Annual Test-Year Consumption (therms)
1.	
2.	
3.	
4.	

*\*Please identify each customer as a number, not by name or account.*

Rate Schedule TS-4	
Customer *	Total Annual Test-Year Consumption (therms)
1.	
2.	
3.	
4.	

*\*Please identify each customer as a number, not by name or account.*




SEBRING GAS SYSTEM, INC.

Rate Schedule TS-5	
Customer *	Total Annual Test-Year Consumption (therms)
1.	
2.	
3.	
4.	

*\*Please identify each customer as a number, not by name or account.*

**Response: Please see the excel spreadsheet attached. There are three (3) tabs, one for each requested Rate Classification.**

Response Provided By:

  
\_\_\_\_\_  
Jerry H. Metendy, Jr.  
President

9/24/2019  
Date

**Sebring Gas System, Inc.**  
**Response to Staff's Ninth Set of Data Requests**  
**Response to Question 1**  
**Rate Schedule TS-3**

Customer	Jan-18	Feb-18	Mar-18	Apr-18	May-18	Jun-18	Jul-18	Aug-18	Sep-18	Oct-18	Nov-18	Dec-18	Total Annual 2018 Consumption (therms)
1	413.2	350.3	409.8	392.1	386.1	395.9	290.6	419.9	328.2	359.2	376.5	370.2	4,492.0
2	211.4	215.9	232.0	240.9	247.5	253.4	229.3	247.5	219.2	249.0	233.3	272.9	2,852.3
3	772.5	636.0	604.6	548.5	542.6	451.9	424.9	442.1	414.0	454.5	538.8	598.6	6,429.0
4	376.2	246.6	421.4	332.9	339.5	341.0	311.8	325.8	312.3	330.6	355.3	343.7	4,037.1
5	23.2	23.3	19.1	3.2	6.3	5.3	1.1	2.1	4.2	2.1	12.7	7.4	110.0
6	567.5	485.7	521.0	392.1	217.9	0.0	0.0	0.0	316.6	404.7	450.8	488.6	3,844.9
7	553.8	401.1	477.5	497.7	452.7	469.8	424.9	447.4	425.6	486.3	502.7	562.7	5,702.2
8	483.0	409.5	452.1	433.3	418.9	365.3	305.4	373.4	275.3	375.1	414.7	414.6	4,720.6
9	507.3	400.0	436.3	361.4	371.3	267.1	218.8	238.0	231.9	283.9	312.9	336.3	3,965.2
10	1,337.9	1,309.0	1,414.6	1,444.6	1,256.6	1,294.4	1,257.1	1,157.2	1,117.0	1,381.6	1,264.3	1,414.0	15,648.3
11	184.9	147.1	152.5	173.3	159.7	22.2	19.0	117.4	139.8	181.2	129.4	138.5	1,565.0
12	237.8	254.0	273.2	238.8	212.6	210.1	165.9	154.4	133.4	196.0	189.9	204.1	2,470.2
13	160.6	64.6	278.5	(114.2)	88.8	45.4	37.0	32.8	28.6	36.0	84.8	107.9	850.8
14	49.7	36.0	42.4	25.4	41.3	38.0	40.2	50.8	39.2	40.3	75.3	64.6	543.2
15	80.3	112.2	136.6	119.4	254.9	247.0	332.9	385.0	326.1	335.9	10.6	1.1	2,342.0
16	242.0	109.0	120.7	31.7	34.9	0.0	0.0	0.0	0.0	58.3	167.6	236.9	1,001.1
17	109.9	163.0	187.4	262.1	67.7	144.6	107.8	168.2	149.3	160.0	161.2	104.7	1,785.9
18	152.2	73.0	274.2	169.1	192.5	83.4	76.1	152.3	204.3	208.7	197.3	169.2	1,952.3
19	400.5	316.4	348.4	522.1	177.7	323.1	261.1	296.2	321.9	379.3	359.6	389.2	4,095.5
20	455.5	320.6	427.8	380.4	426.3	370.6	310.7	269.7	255.2	348.6	386.1	346.9	4,298.4
21	369.9	389.4	264.7	310.7	364.9	315.7	295.9	355.4	321.0	375.1	354.2	342.7	4,059.6
22	572.8	462.5	645.9	524.2	587.0	522.6	448.1	526.7	476.4	513.8	586.5	642.0	6,508.5
23	221.9	193.7	234.0	155.3	206.3	174.2	179.7	148.1	147.2	172.7	172.9	198.8	2,204.8
24	242.0	189.4	222.4	194.4	85.7	11.6		0.0	0.0				945.5
25	226.2	198.9	198.0	154.3	168.2	123.5	31.7	22.2	112.2	146.2	140.0	146.0	1,667.4
26	261.0	181.0	196.9	170.1	205.2	171.0	160.6	190.4	170.5	138.8	213.2	283.4	2,342.1
27	39.1	32.8	40.2	37.0	45.5	39.1	39.1	39.1	37.1	37.1	36.1	36.0	458.2
28	670.0	285.7	441.5	349.8	374.4	17.9	1.1			213.0	383.9	495.0	3,232.3
29	212.4	152.4	145.1	108.8	153.4	85.5	107.8		11.6	119.7	183.5	75.1	1,355.3
30	287.4	219.1	235.1	230.4	233.8	221.7	199.8	214.7	200.1	233.1	234.4	254.9	2,764.5
31	56.0	9.5	26.5	14.8		38.0	8.5	10.6	28.6	32.8	7.4	6.3	239.0
32	86.7	54.0	56.1	63.4	46.5	52.8	42.3	61.3	48.7	55.1	45.6	66.6	679.1
33	990.2	866.7	1,052.5	865.5	835.6	891.7	829.7	893.8	835.4	960.9	868.6	922.2	10,812.8
34	696.4	731.2	771.9	788.4	793.3	789.7	709.2	798.6	739.0	858.2	799.7	789.0	9,264.6
35	209.2	1,005.3	176.8	158.5	183.0	176.3	180.7	185.1	160.9	168.5	188.8	181.9	2,975.0
36	139.5	60.3	83.6	55.0	68.8	37.0	33.8	45.5	23.3	53.0	59.4	94.1	753.3
37	530.5	476.2	416.1	444.9	418.9	409.6	363.6	353.3	320.8	372.9	345.8	414.6	4,867.2
38	804.2	628.6	750.7	727.1	355.4	335.7	379.4	382.0	357.9	401.5	387.1	416.7	5,926.3
39	373.0	352.4	400.2	399.5	394.5	367.4	347.7	367.0	354.7	362.5	350.0	391.3	4,460.2
40	690.1	602.1	605.7	511.5	772.1	662.0	555.9	523.6	421.4	694.0	1,120.0	863.0	8,021.4
41	488.2	373.6	463.8	475.6	498.2	561.7	508.4	517.2	525.1	420.6	425.3	532.0	5,789.7
42	404.8	363.0	404.5	344.5	398.8	380.1	286.4	386.1	333.5	396.2	379.7	356.4	4,434.0
43	698.5	633.9	680.8	571.4	387.1	545.8	608.8	599.7	568.6	670.7	590.8	702.3	7,258.4
44	456.5	361.9	406.6	413.2	416.7	441.3	371.0	412.5	368.4	441.8	406.2	431.5	4,927.6

45	251.5	211.6	226.6	215.6	222.1	206.9	176.5	185.1	203.3	240.5	211.1	227.4	2,578.2
46	213.5	169.3	212.8	217.7	191.4	187.9	153.3	181.9	168.3	216.1	227.0	185.1	2,324.3
47	1,040.9	898.4	966.7	939.5	939.3	912.2	812.8	851.5	753.8	921.7	894.1	942.3	10,873.2
48	68.7	72.0	75.2	70.8	55.0	70.7	65.5	75.1	60.3	79.5	74.2	77.2	844.2
49	281.1	250.8	246.7	16.9	171.4	230.2	198.7	215.8	172.6	209.1	213.2	223.2	2,429.7
50	199.7	191.5	203.3	209.2	199.9	152.0	141.6	208.4	132.3	187.6	184.5	197.8	2,207.8
51	111.0	888.8	974.2	930.0	908.6	882.6	763.1	840.9	770.8	917.5	859.1	886.3	9,732.9
52	813.7	748.2	830.1	810.6	801.8	717.9	654.2	648.4	650.1	687.6	679.9	689.6	8,732.1
53	105.7	101.6	420.4	559.0	558.5	570.1	469.3	471.7	447.9	536.1	456.1	448.4	5,144.8
54	293.8	250.8	272.1	269.5	270.8	270.3	245.2	256.0	230.8	275.5	241.8	236.9	3,113.5
55	1,533.4	359.8	1,120.3	405.8	411.5	342.1	465.0	514.1	477.5	599.7	813.6	1,041.8	8,084.6
56	977.5	734.4	748.6	569.6	523.6	492.0	430.2	435.8	384.3	428.0	449.7	487.6	6,661.3
57	915.2	799.0	846.0	967.0	854.6	774.9	793.7	854.6	749.6	960.0	829.4	791.1	10,135.1
58	265.3	229.6	258.4	266.3	258.1	273.4	245.2	242.2	209.6	216.1	212.1	254.9	2,931.2
59	120.5	113.2	121.8	115.2	108.9	120.4	125.8	137.5	118.6	135.6	110.3	108.9	1,436.7
60	206.1	155.6	190.6	188.1	203.1	203.8	165.9	187.2	170.5	180.1	153.8	39.1	2,043.9
61	279.0	242.3	260.5	220.9	222.1	257.6	227.2	231.6	199.8	228.8	215.3	251.7	2,836.8
62	300.1	76.2	117.5	114.1	85.7	66.5	58.1	50.8	60.3	63.6	117.7	172.4	1,283.0
63	460.8	424.4	525.2	438.6	442.1	468.8	405.8	391.4	400.2	473.6	425.3	443.1	5,299.3
64	512.5	405.3	442.6	349.8	313.1	279.8	250.5	269.7	243.6	296.7	295.9	314.1	3,973.6
65	1,039.2	982.0	1,032.4	1,084.3	784.8	862.6	718.7	840.9	722.1	979.0	924.9	1,004.9	10,975.8
66	887.7	826.5	889.4	898.3	835.6	819.3	731.4	826.1	767.6	874.1	723.3	800.6	9,879.9
67	165.9	142.9	152.5	159.6	161.8	163.6	149.0	162.9	146.1	155.7	145.3	141.7	1,847.0
68	192.0	159.8	178.1	146.2	595.5	(326.2)	114.1	121.6	97.4	148.3	144.2	157.6	1,728.6
69	44.4	40.2	28.6	7.4	38.1	75.0	33.8				15.9	41.2	324.6
70	402.6	355.6	354.7	383.6	367.0	371.6	338.2	373.4	325.0	397.3	350.0	382.0	4,401.0
71	472.4	214.8	306.0	191.3	144.9	186.2	137.4	142.8	82.6	173.8	253.5	267.0	2,572.7
72	0.0	0.0		0.0	353.3	0.0							353.3
73	87.7	81.5	85.8	81.4	81.4	95.0	82.4	92.0	76.2	108.1	108.2	107.9	1,087.6
74	81.4	251.9	151.4	145.8	144.9	133.0	118.4	141.7	120.7	133.6	124.1	141.7	1,688.6
75	111.0	77.3	86.8	65.5	62.4	73.9	62.4	63.5	68.8	63.6	71.1	74.0	880.3
76	572.8	433.9	465.9	423.8	583.9	289.3	130.0	137.5	149.3	142.0	316.1	708.6	4,353.1
77	344.5	250.8	237.2	179.7	206.3	193.2	161.7	176.6	184.2	184.3	178.2	187.2	2,483.9
78	6.3		2.1	1.1		0.0	1.1	1.1	0.0	1.1	0.0	1.1	13.9
79	854.9	348.2	500.8	204.0	142.8	31.7	24.3	26.4	24.4	99.6	225.9	570.1	3,053.1
80	0.0	15.9	110.1	136.3	124.8	120.4	106.7	110.0	105.9	109.1	109.2	112.1	1,160.5
81	347.7	196.8	278.5	186.0	212.6	92.9	85.6	115.3	84.7	125.0	200.5	188.3	2,113.9
82	597.1	928.1	1,268.5	1,122.3	861.0	658.8	629.6	482.3	750.7	767.1	448.6	443.1	8,957.2
83	602.4	450.8	515.7	528.2	345.9	343.1	304.4	331.1	463.7	436.5	510.2	556.3	5,388.3
84	398.4	335.5	366.3	387.8	346.9	296.7	318.1	297.2	334.6	329.5	318.0	347.1	4,076.1
85	851.8	781.0	856.6	820.1	743.6	645.1	303.3	427.3	692.4	756.5	787.0	821.8	8,486.5
86	597.1	427.5	570.7	426.9	456.9	445.5	362.5	396.6	367.4	454.5	418.9	443.1	5,367.6
87				379.4	290.9	202.7	196.6	242.2	188.5	203.4	195.2	196.7	2,095.6
88				0.0	44.4	59.1	206.1	326.8	328.2	415.2	415.8	438.9	2,234.5
89				27.5	581.8	479.3	399.5	415.8	366.3	415.3	353.2	378.6	3,417.3
90								112.1	114.3	174.8	167.6	66.6	635.4
91											304.4	260.2	564.6
92													
<hr/>													
	34,653.2	29,520.7	33,647.4	30,383.8	30,142.2	26,492.3	24,066.7	25,926.0	24,969.8	29,610.3	29,976.3	32,071.2	351,459.9

Customers  
Billed

86                      85                      85                      89                      87                      89                      86                      86                      87                      87                      89                      89

Average Use  
Per Customer

402.9	347.3	395.9	341.4	346.5	297.7	279.8	301.5	287.0	340.3	336.8	360.4	4,037.5
-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	---------



**Sebring Gas System, Inc.**  
**Response to Staff's Ninth Set of Data Requests**  
**Response to Question 1**  
**Rate Schedule TS-5**

Customer	Jan-18	Feb-18	Mar-18	Apr-18	May-18	Jun-18	Jul-18	Aug-18	Sep-18	Oct-18
1	16,867.4	8,912.5	14,439.7	11,471.5	12,785.8	11,632.4	9,755.2	11,749.3	10,832.2	13,923.7
2	6,147.3	6,786.5	5,534.5	6,543.6	6,896.4	6,321.9	5,747.4	7,741.5	4,656.4	6,915.2
3	3,332.1	4,439.3	2,806.0	3,527.6	2,917.3	2,465.2	1,787.2	2,064.7	2,802.5	2,965.5
4	10,595.4	10,133.7	10,733.7	11,849.8	10,089.7	9,782.7	10,748.7	11,492.3	5,611.5	7,840.2
5	420.6	388.4	407.7	3,169.3	(2,318.6) Florida Hospital Wauchula was changed to TS-4 for June and following.					
6										
7										
	37,362.8	30,660.4	33,921.6	36,561.8	30,370.6	30,202.2	28,038.5	33,047.8	23,902.6	31,644.6
Customers Billed	5	5	5	5	5	4	4	4	4	4
Average Use Per Customer	7,472.6	6,132.1	6,784.3	7,312.4	6,074.1	7,550.6	7,009.6	8,262.0	5,975.7	7,911.2