

**Antonia Hover**

---

**From:** Antonia Hover on behalf of Records Clerk  
**Sent:** Monday, April 8, 2024 10:39 AM  
**To:** 'terry kent'  
**Cc:** Consumer Contact  
**Subject:** RE: RE. Docket #20240032-SU

Good Morning, Terry Kent.

We will be placing your comments below in consumer correspondence in Docket No. 20240032, and forwarding them to the Office of Consumer Assistance and Outreach.

Thank you!

Toni Hover  
Commission Deputy Clerk I  
Florida Public Service Commission  
2540 Shumard Oak Boulevard  
Tallahassee, FL 32399  
Phone: (850) 413-6467

PLEASE NOTE: Florida has a very broad public records law. Most written communications to or from state officials regarding state business are considered to be public records and will be made available to the public and the media upon request. Therefore, your email message may be subject to public disclosure.

-----Original Message-----

From: terry kent <terryakent1031@gmail.com>  
Sent: Sunday, April 7, 2024 8:55 AM  
To: Records Clerk <CLERK@PSC.STATE.FL.US>  
Cc: Office of Commissioner Clark <Commissioner.Clark@psc.state.fl.us>; Office of Chairman La Rosa <Commissioner.LaRosa@psc.state.fl.us>; Office of Commissioner Passidomo <Commissioner.Passidomo@psc.state.fl.us>; Office of Commissioner Graham <Commissioner.Graham@PSC.STATE.FL.US>; Office of Commissioner Fay <Commissioner.Fay@psc.state.fl.us>  
Subject: RE. Docket #20240032-SU

CAUTION: This email originated from outside your organization. Exercise caution when opening attachments or clicking links, especially from unknown senders.

> My Name is Terry Kent  
> 470 Bocilla Dr.  
> Don Pedro Island  
>  
> Up front I want to voice my opinion on why we do not want a sewer at this present time.  
>  
> After reading over the proposal my first comment is "This proposal is a solution looking for a problem."  
>  
> Why I am against this:

- > A. I do not believe at this time we have a problem on sewerage that needs addressing. No proven reason why we need it.
- > B. If we need a sewer that should be up to the county to address and to tax us accordingly .
- > C. Uncertain Hook-up Cost:
- > D. No contract...normally for this type of construction there is a general bid. EU is not a contractor that has won a bid to install sewer.
- > E. No performance bond required.
- > F. EU has not shown that he has the expertise for this type of project.
- > G. The scope of this project would be large...disruption of traffic flow on the island would be horrible. We are accessed only by ferry.
- > H. No compensation for the easements that would be from the house to the road.
- >
- > Commissioner, I would ask that you deny this 1/2 baked idea be shelved until we have a problem that needs to be solved. And not let someone who thinks we have a problem for him to solve. Please deny the EU application.
- >
- > Thank you,
- > Terry Kent