### **David Christian**

Vice President Regulatory Affairs Florida



106 E. College Ave Tallahassee, Florida 32301 Telephone 850-224-3963 Fax 850-222-2912 david.christian@verizon.com

October 30, 2008

Ms. Beth W. Salak, Director Division of Competitive Markets and Enforcement Florida Public Service Commission 2540 Shumard Oak Boulevard Tallahassee, FL 32399-0850

Dear Ms. Salak:

Attached are revised tariff pages filed to become part of the Verizon Florida LLC Facilities for Intrastate Access Tariff.

## **FACILITIES FOR INTRASTATE ACCESS**

### 16. ADVANCED COMMUNICATIONS NETWORKS

- Eleventh Revised Page 1
- Eighth Revised Page 2
- Tenth Revised Page 3
- Eleventh Revised Page 4
- Fifth Revised Page 4.1
- Tenth Revised Page 5 - Eighth Revised Page 5.1
- Eleventh Revised Page 6
- Fifth Revised Page 7
- Original Page 7.0.1
- Original Page 7.0.2
- Sixth Revised Page 7.1
- Original Page 7.1.1
- Original Page 7.1.2
- Original Page 7.1.3
- Second Revised Page 7.5

The purpose of this filing is to provide new UNI Optical Transport Access options for Verizon Switched Ethernet Services customers.

If you require additional information, please call Joan Gage at (813) 483-2530.

Sincerely, David M. Christian Vice President Regulatory Affairs Florida

Attachment

DMC:rt

### 16.3 Transparent LAN Service (TLS)

### (A) <u>Definitions</u>

In addition to the Definitions set forth in General Regulations, Section 2.6, the following definitions apply:

Domain: A Virtual Local Area Network (VLAN) or a collection of circuits that belong to one closed user group.

Gigabits per Second (Gbps): Data transfer rate for 1000 Mbps

(N)

<u>Megabit Per Second (Mbps)</u>: The speed where data is being transferred in the network, where one Megabit Per Second equals to the transfer rate of 1 million bits of data in 1 second.

Nanometers (nm): Wavelength frequency equivalent to 1 billionth of a meter.

### (B) Service Description

Transparent LAN Service (TLS) is a high speed data service which uses a shared optical transport network to allow for the interconnection of Local Area Networks (LANs) across selected metropolitan areas. TLS delivers an interface of 10 Mbps, 100 Mbps and 1000 Mbps from the Customer's LANs to the shared network.

TLS creates a network with the ability to function as a shared public network. TLS protects data privacy by using specialized screening software that permits subscribers to access only their data.

TLS is available in two service types: Ethernet Multipoint Service (EMS) or Ethernet Relay Service (ERS). The customer must select either (EMS) or (ERS) as the service type for each domain.

### (1) Ethernet Multipoint Service

Ethernet Multipoint Service (EMS) is a connection-less Ethernet TLS service that allows connectivity among multiple customer designated locations within a LATA.

With the EMS service type, Ethernet TLS protects data privacy by using closed user groups (CUGs), also known as virtual LANs. CUGs or virtual LANs are used to provide traffic separation, privacy and security between customers on the shared switch and backbone. An EMS domain is comprised of any number of access lines designated by the customer to be included in a closed user group (CUG) or virtual LAN. EMS provides multipoint-to-multipoint connectivity among all of the customer's access lines within a given domain. Subscribers in a CUG can only access their own data.

(C)

### (2) Ethernet Relay Service

Ethernet Relay Service (ERS) is a connection-oriented Ethernet TLS service that allows for point-to-point connectivity between customer designated locations within a LATA.

With the ERS TLS service type, each Ethernet Virtual Circuit (EVC) establishes a virtual LAN or CUG. An ERS domain is comprised of any number of virtual LANs designated by the customer to be included in the ERS domain. ERS provides point-to-point connectivity between pairs of customer's User Network Interface (UNI) port with access lines, and shared network virtual circuits within a given domain.

(C)

A customer may have more than one domain within a LATA, but connections between domains are not permitted. TLS may be used to access shared networks. In such cases, subscribers in a CUG can only access their own data.

(C)

(C)

### 16. ADVANCED COMMUNICATIONS NETWORKS

## 16.3 Transparent LAN Service (TLS)

- (B) <u>Service Description</u> (Continued)
  - (2) Ethernet Relay Service (Continued)

Four EVC service classes are available for use with ERS service type:

- (a) ERS Standard (ERS-Std) and ERS Basic(ERS-B): designed for customer applications that do not require a Committed Information Rate (CIR) or low delay, where CIR = 0 and Excess Information Rate (EIR) = # of Mbps of the selected ERS-Std/ERS-B EVC service class.
- (b) ERS-Priority Data (ERS-PD): designed for customer applications which do not require low delay, but require a CIR, where CIR = # of Mbps of the selected ERS-PD EVC service class and EIR = # of Mbps of the selected ERS-PD EVC service class.
- (c) ERS Real Time (ERS-RT): designed for customer applications which require a CIR and low delay for some portion of their traffic, where CIR = # of Mbps of the selected ERS-RT EVC service class and EIR = 0.
- (d) An ERS EVC can include up to three service classes (ERS-B, ERS-PD and ERS-RT) as described above within each EVC. The customer will be required to identify the Basic, PD and RT Class of Service Ethernet frames by one of the following choices: setting the VLAN Class of Service (CoS) ID (for 802.1q tagged Ethernet Frames), or setting the DiffServ Code Point (DSCP) (for tagged or untagged Ethernet frames) or setting the VLAN ID (for tagged or untagged Ethernet frames), appropriately.

## (C) Conditions

- (1) A TLS network will be limited to central offices in a specific geographic location. Customers gain access to the shared TLS network via a switch, node or other Telephone Company equipment delivering service through a shared fiber path or network infra-structure deployed in the Customer's serving central office (TLS equipped central office), deployed in leased space near the Customer's location, or deployed at the Customer's location. At subscription, the Customer has an option of selecting standard access lines at speeds of 10 Mbps, 100 Mbps or 1000 Mbps.
- (2) TLS is available to Customers whose serving central office is a TLS equipped central office and is located within the maximum allowable range of the serving central office. The maximum allowable fiber range is determined by the dB loss rate where the actual distance between the TLS equipped serving wire center and the Customer's location will vary based on the specifics of the transport facility used in each serving arrangement. (T)
- (3) If the Customer's serving central office is not a TLS equipped central office, the Customer may obtain service by paying the Interoffice Mileage charge (from the customer's serving central office and the nearest TLS equipped central office) in addition to TLS access charges. The fiber dB loss cannot exceed the maximum allowable range, as specified in regulation above.

EFFECTIVE: November 1, 2008

ISSUED: October 30, 2008

### 16. ADVANCED COMMUNICATIONS NETWORKS

### 16.3 Transparent LAN Service (TLS)

### (C) <u>Conditions (Continued)</u>

(4) Provision of Service

The TLS service will consist of:

- a. Network Interface Device (NID) at the Customer's premises to terminate the fiber pair or other optical transport.
- b. Optical Transport from the Customer's premises to the serving central office.
- c. Network Management including fault monitoring and diagnostics, performance and network configuration applications and manual monitoring when necessary.
- d. User Network Interface (UNI) Port with Access Line Connection

UNI Port with Access Line Connections, provide connectivity between the customer premises and the serving wire center. UNI Port with Access Line connections are available as either EMS or ERS. Connectivity can be established only between or among UNI Port with Access Line Connections of the same service type. The available UNI Port with Access Line Connections are 10 Mbps, 100 Mbps, and 1000 Mbps.

(C)

For EMS service type, the customer may select a Standard Access or Protected Access Line Connection. For ERS service type, the customer must select a Standard Access or Premier Access Line Connection. The Standard Access Line Connection only supports ERS Standard EVCs. Premier Access Line Connections support ERS Basic, Priority Data and Real-Time EVCs.

(C)

(N)

For ERS service type, the customer must select a Standard Access or Premier Access Line Connection. The Standard Access Line Connection only supports ERS Standard EVCs. Premier Access Line Connections support ERS Basic, Priority Data and Real-Time EVCs.

| (N)

e. Ethernet TLS Ethernet Virtual Circuit (EVC), where applicable.

An Ethernet TLS EVC provides point-to-point Ethernet connectivity between two UNIs, between a UNI and a shared network EVC or between a UNI and an Internet VC. Ethernet TLS EVCs are only available with ERS. The ERS Ethernet TLS EVCs are designed for customer applications that do not require bandwidth or delay guarantees. ERS Standard provides no performance guarantees.

- f. Interoffice Mileage, where applicable.
- g. Optional Features

Customer Service Management (CSM)

(5) Availability of Service

TLS will be provided seven days a week, 24 hours a day, from central offices equipped to provide this service.

ERS service, including Premier Access Lines and ERS-Std, ERS-B, ERS-PD, ERS-RT EVCs, as defined in section (B)(2), will only be available from Central Offices equipped to support ERS service.

## 16.3 Transparent LAN Service (TLC) Continued)

# (C) <u>Conditions</u> (Continued)

### (6) Connections

The network interface is the LAN interface on the TLS equipment at the Customer's premises. The Customer is responsible for any inside wire required in connecting the LAN to the TLS equipment.

The Customer is also responsible for installation, operation and maintenance of any Customer-provided equipment.

The Company has the service responsibility up to and including the network interface.

The standard Customer connectivity model for UNI Port and Access includes direct fiber or existing fiber or existing transport facilities between the Customer's location and the TLS equipped central office. Customers requesting Protected Access Line service will have two standby fibers provisioned in addition to the primary direct fiber. Customers may select to have their UNI Port and Access provisioned over an optical transport system. If so, the Customer must choose one of the following UNI Port with Access arrangements:

- Protected Non-Diverse: Customer connectivity is provisioned over an optical transport system
  as a survivable service with an alternate (non diverse) facility between the Customer's location
  and the TLS equipped central office. The optical Protected Interoffice mileage charge is only
  applicable to the 1000 Mbps speed when interoffice facilities are required.
- Protected Diverse: Customer connectivity is provisioned over an optical transport system as a survival service with an alternate and diverse fiber path between the Customer's location and the TLS equipped central office. The optical Protected Interoffice mileage charge is only applicable to the 1000 Mbps speed when interoffice facilities are required. Dual entrance at the Customer premises and Company wire centers are not considered a standard feature of this option, but may be provided through special construction charges, where facilities are available.
- Protected Private: Customer connectivity is provisioned over a dedicated private ring which the customer has already obtained from the Telephone Company. At least one node of the private ring must be located in a TLS equipped central office.

(7) Limitations (N)

The Customer's location must be within the maximum allowable range of the TLS equipped central office, as defined in (C)(2).

### (8) Maintenance Window

To meet the Customers' requirements, occasional network upgrades must be performed. These network upgrades are needed to provide improved performance and new features. Generally these upgrades will be performed between the hours of 11 PM and 6 AM. Network upgrades are planned to provide Customers reasonable and timely notification in order to minimize any impact on the Customers' service.

### (9) Technical Specifications

The technical specifications for TLS are delineated in IEEE802.3-2000.

(M) Material relocated to Page 4.1.

(M) (N)

(N)

EFFECTIVE: November 1, 2008 ISSUED: October 30, 2008

### 16.3 Transparent LAN Service (TLC) Continued)

## (C) <u>Conditions</u> (Continued)

(M)

### (10) Transmission Mode

The supported transmission mode is dependent on the access rate. The supported transmission mode for 10 Mbps access is half-duplex and full duplex. Full duplex 10 Mbps access is available only where conditions and facilities permit. The supported transmission mode for 100 Mbps and 1000 Mbps access is full duplex.

(11) TLS is available where facilities and conditions permit. Special construction charges may apply.

(M)

## (D) Service Level Agreements (SLA)

Service Level Agreements (SLA) provide TLS Customers with Service Response Credits (SRC) applied to their Verizon Florida telephone bill if the Company fails to meet certain operational and network thresholds. SLAs are available at no additional charge or fee to the Customer.

A Customer is eligible for the SLA SRC given the Customer adheres to the conditions stated within this section. The SLA specifies performance criteria against which actual performance for TLS will be compared on a monthly basis.

The TLS SLA includes the following measurements:

Operational SLAs

- Mean Time to Repair (MTTR)
- Network Availability

**Network Performance SLAs** 

- Ethernet Virtual Circuit (EVC) Class of Service (CoS) Performance
  - Data Delivery Ratio (DDR)
  - Round Trip Delay (RTD)
  - Jitter

The SLA SRC will apply to the following TLS elements:

UNI Port with Access Line Connection Ethernet Virtual Circuit (EVC) Bandwidth

To receive SRCs on eligible rate elements, the Customer must have the eligible rate elements listed in its initial subscription based on the established customer of record, or have ordered the eligible rate elements subsequent to its initial subscription. The Company reserves the right to change, alter or discontinue the optional SRC plan at its discretion.

All service performance and provisioning measurements are conducted using the Company monitoring systems and procedures. The Company may change these systems and procedures at its sole discretion. In performing measurements of overall Mean Time To Repair (MTTR) and Network Availability, the Company shall include data measured throughout the territories covered by this tariff.

To receive credit, the Company must receive from the Customer a written request for credit within thirty (30) calendar days of the end of the monitoring period that the SRC is referencing. The Customer's request for credit must be submitted to the appropriate Company entity (office or interface) in a manner prescribed by Company. The request must include a list of all impacted circuit/connection identification numbers and the type of SRC requested for each circuit/connection. The SRC monitoring period is based on a calendar month.

(M) Material relocated from Page 4.

## 16.3 <u>Transparent LAN Service (Continued)</u>

- (E) Application of Rates and Charges
  - (1) The following rate elements are applicable to TLS:
    - UNI Port with Access Line Connection Standard Access Line Protected Access Line Premier Access Line EMS
    - Ethernet Virtual Circuit (EVC)
    - Interoffice Mileage
    - Domain/LAN Extension Equipment Changes
    - Optional Features
       Customer Service Management (CSM)
    - (a) UNI Port and Access Line
      - 1. Standard Access Line

A monthly rate applies on a per line basis, based on the speed of the access connection (i.e., 10, Mbps, 100 Mbps or 1000 Mbps). The Standard Access Line is offered on a month to month basis, or as a three-year or five-year Term Payment Plan. A nonrecurring charge applies to the installation of the TLS Access Line provided on a month-to-month basis. Besides the standard connectivity model, Standard Access Line is offered with three other types of UNI Port with Access Line Connections, where facilities exist.

Protected Non-Diverse Protected Diverse Protected Private

2. Protected Access Line (available for EMS Service type only)

Protected Access Lines are provisioned as a survivable service with an alternate fiber pair between the central office and the customer premises. Protected Access Line allows the Company to detect and recover a failure and move the customer's data to an alternate fiber pair in approximately one second in most instances. Both fiber pairs must be served by the same central office and must have the same access speed. The second fiber pair will be routed over a diverse fiber path when possible. A monthly rate applies on a per line basis, based on the speed of the access connection (i.e., 100 Mbps and 1000 Mbps). A nonrecurring charge will apply to the installation of a Protected Access Line provided on a month-to-month basis. Protected Access Line is only offered with a direct fiber UNI Port with Access Line Connection, where facilities exist.

(T)

(C)

(C)

EFFECTIVE: November 1, 2008

ISSUED: October 30, 2008

#### 16.3 Transparent LAN Service (Continued)

- (E) Application of Rates and Charges (Continued)
  - The following rate elements are applicable to TLS: (Continued) (1)
    - (a) UNI Port and Access Line (Continued)
      - 3. Premier Access Line

A monthly rate applies on a per-line basis, based on the speed of the access line (i.e., 10 MBPS, 100 MBPS or 1000 MBPS). A Premier Access Line must be purchased in conjunction with some combination of ERS-B, ERS-PD, and/or ERS-RT EVC service classes, which are described in section B.1. The Premier Access Line is offered on a month-to-month basis or as a 3 Year or 5 Year Term Plan. A nonrecurring charge applies to the installation of the UNI provided on a month-to-month basis. A customer can not mix Premier UNI Ports with any other UNI port type.

The percentage of each Premier Access Line UNIs allowed for EVC bandwidth is limited, where connections must comply with each of the following threshold requirements:

ERS-B less than or = 500% of UNI Speed ERS-PD less than or = 85% of UNI Speed ERS-RT less than or = 50% of UNI Speed ERS-PD + ERS-RT less than or = 85% of UNI Speed ERS-B + ERS-PD + ERS-RT less than or = 500% of UNI Speed

Besides the standard connectivity model, Premier Access Line is offered with three other types of UNI Port with Access Line Connections, where facilities exist.

- (2) Protected Diverse

(1) Protected Non-Diverse

- (3) Protected Private
- EMS Real Time (EMS-RT) Access Line 4.

A monthly rate applies on a per-line basis, based on the speed of the access connection (i.e., 100 MBPS or 1000 MBPS). This enhanced service class configures a fixed portion of the UNI to be configured for Real Time Traffic, where each 100 MBPS UNI has CIR = 5 MBPS with EIR = 0 with each 1000 MBPS UNI has CIR = 20 MBPS with EIR = 0. The remainder of the UNI can be used for CIR = 0 and EIR = 0 traffic. The EMS-RT Access Line is offered on a month-to-month basis or as a 3 Year or 5 Year Term Plan. A nonrecurring charge applies to the installation of the EMS-RT Access Line provided on a month-to-month basis. A customer can not mix an EMS-RT Access Line with the ERS Service type, but may mix EMS-RT Access Line with EMS Access Lines.

Besides the standard connectivity model, EMS Real Time Access Line is offered with three other types of UNI Port with Access Line Connections, where facilities exist.

Protected Non-Diverse Protected Diverse **Protected Private** 

(N)

(N)

(N)

ISSUED: October 30, 2008

### 16.3 Transparent LAN Service (Continued)

- (E) Application of Rates and Charges (Continued)
  - (1) The following rate elements are applicable to TLS: (Continued)
    - b. Ethernet Virtual Circuit (EVC)

For customers who order the Standard Access Line, a monthly rate will apply on a per EVC bandwidth basis. ERS Standard is the only EVC class available with the Standard Access Line. The EVC bandwidth must be equal to the bandwidth of the lowest speed of the end points it is connecting. ERS Standard EVCs are purchased on a month-to-month basis. A non-recurring setup charge will apply per ERS Standard EVC.

For customers who order the Premier Access Line, a monthly rate will apply on a service class and EVC bandwidth basis. Premier Access Line customers have the choice of combining ERS-Basic, ERS-Priority Data, and/or ERS-Real Time bandwidth on an EVC. A non-recurring setup charge will apply per ERS EVC. EVCs are purchased on a month-to-month basis. A customer may have more than one service class on the EVC, but will only pay one EVC non-recurring setup charge.

The number of EVCs permitted on each Standard Access Line and/or Premier Access Line are limited as follows:

10 Mbps less than or = 2 EVCs 100 Mbps less than or = 16 EVCs 1000 Mbps less than or = 75 EVCs. (C)

ERS-Basic, ERS-Priority Data and ERS-Real Time EVC bandwidth is limited to a maximum Mbps per Service Class per EVC, and must comply with each of the following maximum limits :

EVC Service Class	100 Mbps UNI Max/EVC	1000 Mbps UNI Max/EVC
ERS-B	100 Mbps	1000 Mbps
ERS-PD	50 Mbps	500 Mbps
ERS-RT	50 Mbps	100 Mbps

### (c) Interoffice Mileage

The Interoffice Mileage charge is based on the Per Mile charge multiplied by the distance between the Customer's serving central office and the nearest TLS equipped central office (a central office equipped with a switch, node, or other Telephone company equipment capable of delivering service, via a shared fiber path or network infra-structure). This interoffice distance is measured in airline miles, based upon latitude and longitude of each central office. The mileage measurement is calculated as specified by NECA Tariff FCC No. 4. The mileage rate applies on a per mile basis. This charge applies in addition to the applicable rates and charges for Standard Access Line, Protected Access Line or Premier Access Line. Optical Protected interoffice transport is available for the 1000M UNI speed.

(d) Domain/LAN Extension Equipment Changes

Customer requests for changes in Domains and replacement of LAN extension equipment will be charged a nonrecurring charge per location per change.

(C) (C)

#### 16.3 Transparent LAN Service (TLS) (Continued)

#### (F) Rates and Charges

(d) Claydayl Assay Day and b	Nonrecurring <u>Charge</u> 1	Monthly <u>Rate</u>	
(1) Standard Access Line, per lin	e		
Month to Month Plan			
10 Mbps			
Half duplex	\$ 1,300.00	\$ 1,200.00	
Full duplex	1,300.00	1,200.00	
100 Mbps	1,300.00	2,400.00	
1000 Mbps	1,300.00	4,000.00	
Three Year Plan			
10 Mbps			
Half duplex	N/A	1,000.00	
Full duplex	N/A	1,000.00	
100 Mbps	N/A	2,000.00	
1000 Mbps	N/A	3,500.00	
Five Year Plan			
10 Mbps			
Half duplex	N/A	900.00	
Full duplex	N/A	900.00	
100 Mbps	N/A	1,800.00	
1000 Mbps	N/A	3,200.00	
Standard Access Line - Prote	ected Non-Diverse, per Line		(N)
Month to Month Plan			
10 Mbps Full duplex	1,300.00	1,600.00	
100 Mbps Full duplex	1,300.00	2,600.00	
1000 Mbps Full duplex	1,300.00	9,000.00	
Three Year Term			
10 Mbps Full duplex	N/A	1,400.00	
100 Mbps Full duplex	N/A	2,400.00	
1000 Mbps Full duplex	N/A	8,000.00	
Five Year Term			
10 Mbps Full duplex	N/A	1,300.00	
100 Mbps Full duplex	N/A	2,100.00	
1000 Mbps Full duplex	N/A	7,000.00	(N)
			(M)
in lieu of service charges found elsewh	nere in this Tariff or other Company Tariffs.		(111)
relocated to Page 7.0.2.			(N)

Applies in

(M) Material relocated to Page 7.0.2.

(N)

# 16. ADVANCED COMMUNICATIONS NETWORKS

# 16.3 <u>Transparent LAN Service (TLS) (Continued)</u>

(F) <u>Rates and Charges</u> (Continued)

Naic	salid Charges (Continued)		
(1)	Standard Access Line, per line (Continued)	Nonrecurring Charge <sup>1</sup>	Monthly <u>Rate</u>
	Standard Access Line - Protected Diverse, per Line		
	Month to Month Plan		
	10 Mbps Full duplex 100 Mbps Full duplex 1000 Mbps Full duplex	1,300.00 1,300.00 1,300.00	1,900.00 3,000.00 9,500.00
	Three Year Term		
	10 Mbps Full duplex 100 Mbps Full duplex 1000 Mbps Full duplex	N/A N/A N/A	1,800.00 2,800.00 8,500.00
	Five Year Term		
	10 Mbps Full duplex 100 Mbps Full duplex 1000 Mbps Full duplex	N/A N/A N/A	1,700.00 2,500.00 7,500.00
	Standard Access Line - Protected Private, per Line		
	Month to Month Plan		
	10 Mbps Full duplex 100 Mbps Full duplex 1000 Mbps Full duplex	1,300.00 1,300.00 1,300.00	700.00 900.00 2,600.00
	Three Year Term		
	10 Mbps Full duplex 100 Mbps Full duplex 1000 Mbps Full duplex	N/A N/A N/A	600.00 800.00 2,400.00
	Five Year Term		
	10 Mbps Full duplex 100 Mbps Full duplex 1000 Mbps Full duplex	N/A N/A N/A	500.00 700.00 2,000.00

(N)

MICHELLE ROBINSON, PRESIDENT
TAMPA, FLORIDA

EFFECTIVE: November 1, 2008
ISSUED: October 30, 2008

<sup>1</sup> Applies in lieu of service charges found elsewhere in this Tariff or other Company Tariffs.

16.3	16.3 <u>Transparent LAN Service (TLS) (Continued)</u>				(N)
	(F)	Rates and Charges (Continued)			
			Nonrecurring <u>Charge</u> 1	Monthly <u>Rate</u>	(N)
		(2) Protected Access Line, per line			(M)
		Month to Month Plan			
		100 Mbps 1000 Mbps	1,300.00 1,300.00	3,600.00 6,000.00	
		Three Year Plan			
		100 Mbps 1000 Mbps	N/A N/A	3,000.00 5,200.00	
		Five Year Plan			

N/A

N/A

100 Mbps

1000 Mbps

EFFECTIVE: November 1, 2008 ISSUED: October 30, 2008

2,700.00

4,800.00

(M)

<sup>&</sup>lt;sup>1</sup> Applies in lieu of service charges found elsewhere in this Tariff or other Company Tariffs.

<sup>(</sup>M) Material relocated from Page 7. (N)

# 16.3 <u>Transparent LAN Service (TLS) (Continued)</u>

(F)	Rates and Charges (Continued)		Nonrecurring <u>Charge</u>	Monthly <u>Rate</u>	
	(3)	Premier Access Line			
		Month to Month Plan			
		10 Mbps 100 Mbps 1000 Mbps	\$ 1,300.00 1,300.00 1,300.00	\$ 1,075.00 1,200.00 2,400.00	
		Three Year Plan			
		10 Mbps 100 Mbps 1000 Mbps	N/A N/A N/A	875.00 1,000.00 2,000.00	(T)
		Five Year Plan			
		10 Mbps 100 Mbps 1000 Mbps	N/A N/A N/A	775.00 900.00 1,800.00	(T)
		Premier Access Line - Protected Non-Diverse, p	per Line		(N)
		Month to Month Plan			
		10 Mbps Full duplex 100 Mbps Full duplex 1000 Mbps Full duplex	1,300.00 1,300.00 1,300.00	1,050.00 1,900.00 7,500.00	
		Three Year Term			
		10 Mbps Full duplex 100 Mbps Full duplex 1000 Mbps Full duplex	N/A N/A N/A	900.00 1,600.00 7,000.00	
		Five Year Term			
		10 Mbps Full duplex 100 Mbps Full duplex 1000 Mbps Full duplex	N/A N/A N/A	750.00 1,450.00 6,500.00	(N)

Material relocated to Page 7.1.2.

EFFECTIVE: November 1, 2008

ISSUED: October 30, 2008

# 16. ADVANCED COMMUNICATIONS NETWORKS

# 16.3 <u>Transparent LAN Service (TLS) (Continued)</u>

(N)

# (F) Rates and Charges (Continued)

Mate	ss and onarges (oonlinded)			
		Nonrecurring <u>Charge</u>	Monthly Rate	
(3)	Premier Access Line (Continued)			
	Premier Access Line - Protected Diverse, per Line			
	Month to Month Plan			
	10 Mbps Full duplex 100 Mbps Full duplex 1000 Mbps Full duplex	1,300.00 1,300.00 1,300.00	1,200.00 2,150.00 9,000.00	
	Three Year Term			
	10 Mbps Full duplex 100 Mbps Full duplex 1000 Mbps Full duplex	N/A N/A N/A	1,000.00 1,800.00 8,500.00	
	Five Year Term			
	10 Mbps Full duplex 100 Mbps Full duplex 1000 Mbps Full duplex	N/A N/A N/A	850.00 1,600.00 8,000.00	
	Premier Access Line - Protected Private, per Line			
	Month to Month Plan			
	10 Mbps Full duplex 100 Mbps Full duplex 1000 Mbps Full duplex	1,300.00 1,300.00 1,300.00	600.00 700.00 1,700.00	
	Three Year Term			
	10 Mbps Full duplex 100 Mbps Full duplex 1000 Mbps Full duplex	N/A N/A N/A	500.00 600.00 1,550.00	
	Five Year Term			
	10 Mbps Full duplex 100 Mbps Full duplex 1000 Mbps Full duplex	N/A N/A N/A	400.00 500.00 1,400.00	(N)

### 16.3 Transparent LAN Service (TLS) (Continued) (N) (F) Rates and Charges (Continued) Nonrecurring Monthly Charge \_ Rate \_ (N) (4) EMS - Real Time Access Line (M) Month to Month Plan 100 Mbps 1,300.00 2,500.00 1000 Mbps 1,300.00 4,500.00 Three Year Plan 100 Mbps N/A 2,100.00 1000 Mbps N/A 4,000.00 Five Year Plan 100 Mbps N/A 1,900.00 1000 Mbps N/A 3,700.00 (M)EMS - Real Time Access Line - Protected Non-Diverse, per Line (N) Month to Month Plan 100 Mbps Full duplex 1,300.00 2,700.00 1000 Mbps Full duplex 1,300.00 11,000.00 Three Year Term 100 Mbps Full duplex N/A 2,500.00 1000 Mbps Full duplex N/A 10,000.00 Five Year Term 100 Mbps Full duplex N/A 2,300.00 1000 Mbps Full duplex N/A 9,000.00 (N)

(M) Material relocated from Page 7.1.

EFFECTIVE: November 1, 2008

ISSUED: October 30, 2008

# 16. ADVANCED COMMUNICATIONS NETWORKS

# 16.3 <u>Transparent LAN Service (TLS) (Continued)</u>

(N)

# (F)

Rate	s and Charges (Continued)			
		Nonrecurring <u>Charge</u>	Monthly <u>Rate</u>	
(4)	EMS – Real Time Access Line (Continued)			
	EMS Real Time Access Line - Protected Diverse,	per Line		
	Month to Month Plan			
	100 Mbps Full duplex 1000 Mbps Full duplex	1,300.00 1,300.00	3,250.00 10,000.00	
	Three Year Term			
	100 Mbps Full duplex 1000 Mbps Full duplex	N/A N/A	3,000.00 9,000.00	
	Five Year Term			
	100 Mbps Full duplex 1000 Mbps Full duplex	N/A N/A	2,750.00 8,500.00	
	EMS Real Time Access Line - Protected Private	e, per Line		
	Month to Month Plan			
	100 Mbps Full duplex 1000 Mbps Full duplex	1,300.00 1,300.00	950.00 2,700.00	
	Three Year Term			
	100 Mbps Full duplex 1000 Mbps Full duplex	N/A N/A	850.00 2,500.00	
	Five Year Term			
	100 Mbps Full duplex 1000 Mbps Full duplex	N/A N/A	750.00 2,100.00	(N)

#### 16.3 Transparent LAN Service (TLS) (Continued)

# (F) Rates and Charges (Continued)

		Nonrecurring <u>Charge<sup>1</sup></u>	Monthly <u>Rate</u>	
(3)	Interoffice Mileage, per line <sup>2</sup>			
	Per Mile Per Optical Protected Mile (1000M Only)	N/A N/A	\$100.00 750.00	(N)
(4)	TLS Domain/LAN, per location Extension Equipment Changes per change	\$ 400.00	N/A	
(5)	Optional Features			
	(a) Customer Service Management (CSM) Per Domain/VLAN	350.00	150.00	

Applies in lieu of service charges found elsewhere in this Tariff or other Company Tariffs. Applies in addition to applicable rates and charges for TLS Access Line.

#### 16.3 Transparent LAN Service (TLS)

#### (A) Definitions

In addition to the Definitions set forth in General Regulations, Section 2.6, the following definitions apply:

Domain: A Virtual Local Area Network (VLAN) or a collection of circuits that belong to one closed user group.

Megabit Per Second (Mbps): The speed where data is being transferred in the network, where one Megabit Per Second equals to the transfer rate of 1 million bits of data in 1 second.

Gigabits per Second (Gbps): Data transfer rate for 1000 Mbps

(N)

Nanometers (nm): Wavelength frequency equivalent to 1 billionth of a meter.

#### (B) **Service Description**

Transparent LAN Service (TLS) is a high speed data service which uses a shared optical transport fiber network to (C) allow for the interconnection of Local Area Networks (LANs) across selected metropolitan areas. TLS delivers an interface of 10 Mbps, 100 Mbps and 1000 Mbps from the Customer's LANs to the shared network.

TLS creates a network with the ability to function as a shared public network. TLS protects data privacy by using specialized screening software that permits subscribers to access only their data.

TLS is available in two service types: Ethernet Multipoint Service (EMS) or Ethernet Relay Service (ERS). The customer must select either (EMS) or (ERS) as the service type for each domain.

#### **Ethernet Multipoint Service** (1)

Ethernet Multipoint Service (EMS) is a connection-less Ethernet TLS service that allows connectivity among multiple customer designated locations within a LATA.

With the EMS service type, Ethernet TLS protects data privacy by using closed user groups (CUGs), also known as virtual LANs. CUGs or virtual LANs are used to provide traffic separation, privacy and security between customers on the shared switch and backbone. An EMS domain is comprised of any number of access lines designated by the customer to be included in a closed user group (CUG) or virtual LAN. EMS provides multipoint-to-multipoint connectivity among all of the customer's access lines within a given domain. TLS may be used to access shared networks. In such cases, sSubscribers in a CUG can only (C) access their own data.

#### (2) **Ethernet Relay Service**

Ethernet Relay Service (ERS) is a connection-oriented Ethernet TLS service that allows for point-to-point connectivity between customer designated locations within a LATA.

With the ERS TLS service type, each Ethernet Virtual Circuit (EVC) establishes a virtual LAN or CUG. An ERS domain is comprised of any number of virtual LANs designated by the customer to be included in the ERS Standard domain. ERS provides point-to-point connectivity between pairs of customer's User (C) Network Interface (UNI) port with access lines, Internet virtual circuits and shared network virtual circuits (C) within a given domain.

EFFECTIVE: November 15, 2006

ISSUED: November 14, 2006

A customer may have more than one domain within a LATA, but connections between domains are not permitted. TLS may be used to access shared networks. In such cases, subscribers in a CUG can only access their own data.

### Material transferred from Page 2.

## 16.3 <u>Transparent LAN Service (TLS)</u>

- (B) <u>Service Description</u> (Continued)
  - (2) Ethernet Relay Service (Continued)

Four EVC service classes are available for use with ERS service type:

- (a) ERS Standard (ERS-Std) and ERS Basic(ERS-B): designed for customer applications that do not require a Committed Information Rate (CIR) or low delay, where CIR = 0 and Excess Information Rate (EIR) = # of Mbps of the selected ERS-Std/ERS-B EVC service class.
- (b) ERS-Priority Data (ERS-PD): designed for customer applications which do not require low delay, but require a CIR, where CIR = # of Mbps of the selected ERS-PD EVC service class and EIR = # of Mbps of the selected ERS-PD EVC service class.
- (c) ERS Real Time (ERS-RT): designed for customer applications which require a CIR and low delay for some portion of their traffic, where CIR = # of Mbps of the selected ERS-RT EVC service class and EIR = 0.
- (d) An ERS EVC can include up to three service classes (ERS-B, ERS-PD and ERS-RT) as described above within each EVC. The customer will be required to identify the Basic, PD and RT Class of Service Ethernet frames by one of the following choices: setting the VLAN Class of Service (CoS) ID (for 802.1q tagged Ethernet Frames), or setting the DiffServ Code Point (DSCP) (for tagged or untagged Ethernet frames) or setting the VLAN ID (for tagged or untagged Ethernet frames), appropriately.

### (C) Conditions

- (1) A TLS network will be limited to central offices in a specific geographic location. Customers gain access to the shared TLS network via a switch, node or other Telephone Company equipment delivering service through a shared fiber path or network infra-structure and deployed in the Customer's serving central office (TLS equipped central office), or deployed in leased space near the Customer's location, or deployed at (C) the Customer's location. At subscription, the Customer has an option of selecting standard access lines at speeds of 10 Mbps, 100 Mbps or 1000 Mbps.
- TLS is available to Customers whose serving central office is a TLS equipped central office and is located within the maximum allowable range of the serving central office. The maximum allowable <u>fiber</u> range is determined by the dB loss rate where the actual distance between the TLS equipped serving wire center and the Customer's location will vary based on the specifics of the <u>transport</u> facility used in each serving arrangement.
- (3) If the Customer's serving central office is not a TLS equipped central office, the Customer may obtain service by paying the Interoffice Mileage charge (from the customer's serving central office and the nearest TLS equipped central office) in addition to TLS access charges. The <a href="fiber\_dB">fiber\_dB</a> loss cannot exceed the TD maximum allowable range, as specified in regulation above.

(M) Material moved to Page 1.

(M<sup>1</sup>) Material transferred from Page 3.

#### 16.3 Transparent LAN Service (TLS)

- (C) Conditions (Continued)
  - (4) Provision of Service

The TLS service will consist of:

- Network Interface Device (NID) at the Customer's premises to terminate the fiber pair or other optical transport.
- Optical Transport from the Customer's premises to the serving central office. b.
- Network Management including fault monitoring and diagnostics, performance and network C. configuration applications and manual monitoring when necessary.
- d. User Network Interface (UNI) Port with Access Line Connection

UNI Port with Access Line Connections, which are available at 10 Mbps, 100 Mbps and <del>1000 Mbps, provide connectivity between the customer premises and the serving wire center.</del> UNI Port with Access Line connections are available as either EMS or ERS. Connectivity can be established only between or among UNI Port with Access Line Connections of the same service type. The available UNI Port with Access Line Connections are 10 Mbps, 100 Mbps, and 1000 Mbps.

(C)

For EMS service type, the customer may select a Standard Access or Protected Access Line

Connection. For ERS service type, the customer must select a Standard Access or Premier Access Line Connection. The Standard Access Line Connection only supports ERS Standard EVCs. Premier Access Line Connections support ERS Basic, Priority Data and Real-Time EVCs.

(N)

For ERS service type, the customer must select a Standard Access or Premier Access Line Connection. The Standard Access Line Connection only supports ERS Standard EVCs. Premier Access Line Connections support ERS Basic, Priority Data and Real-Time EVCs.

(N)

Ethernet TLS Ethernet Virtual Circuit (EVC), where applicable.

An Ethernet TLS EVC provides point-to-point Ethernet connectivity between two UNIs, between a UNI and a shared network EVC or between a UNI and an Internet VC. Ethernet TLS EVCs are only available with ERS. The ERS Ethernet TLS EVCs are designed for customer applications that do not require bandwidth or delay guarantees. ERS Standard provides no performance quarantees.

- f. Interoffice Mileage, where applicable.
- g. Optional Features

Customer Service Management (CSM)

(5)Availability of Service

> TLS will be provided seven days a week, 24 hours a day, from central offices equipped to provide this service.

> ERS service, including Premier Access Lines and ERS-Std, ERS-B, ERS-PD, ERS-RT EVCs, as defined in section (B)(2), will only be available from Central Offices equipped to support ERS service.

> > EFFECTIVE: November 15, 2006

ISSUED: November 14, 2006

(M) Material moved to Page 2. (M<sup>1</sup>) Material transferred from Page 4.

### 16.3 Transparent LAN Service (TLC) Continued)

## (C) Conditions (Continued)

## (6) Connections

The network interface is the LAN interface on the TLS equipment at the Customer's premises. The Customer is responsible for any inside wire required in connecting the LAN to the TLS equipment.

The Customer is also responsible for installation, operation and maintenance of any Customer-provided equipment.

The Company has the service responsibility up to and including the network interface.

The standard Customer connectivity model for UNI Port and Access includes direct fiber or existing fiber or existing transport facilities between the Customer's location and the TLS equipped central office. Customers requesting Protected Access Line service will have two standby fibers provisioned in addition to the primary direct fiber. Customers may select to have their UNI Port and Access provisioned over an optical transport system. If so, the Customer must choose one of the following UNI Port with Access arrangements:

- Protected Non-Diverse: Customer connectivity is provisioned over an optical transport system
  as a survivable service with an alternate (non diverse) facility between the Customer's location
  and the TLS equipped central office. The optical Protected Interoffice mileage charge is only
  applicable to the 1000 Mbps speed when interoffice facilities are required.
- Protected Diverse: Customer connectivity is provisioned over an optical transport system as a survival service with an alternate and diverse fiber path between the Customer's location and the TLS equipped central office. The optical Protected Interoffice mileage charge is only applicable to the 1000 Mbps speed when interoffice facilities are required. Dual entrance at the Customer premises and Company wire centers are not considered a standard feature of this option, but may be provided through special construction charges, where facilities are available.
- Protected Private: Customer connectivity is provisioned over a dedicated private ring which the customer has already obtained from the Telephone Company. At least one node of the private ring must be located in a TLS equipped central office.

## (7) Limitations

The Customer's location must be within the maximum allowable range of the TLS equipped central office, as defined in (C)(2).

### (8) Maintenance Window

To meet the Customers' requirements, occasional network upgrades must be performed. These network upgrades are needed to provide improved performance and new features. Generally these upgrades will be performed between the hours of 11 PM and 6 AM. Network upgrades are planned to provide Customers reasonable and timely notification in order to minimize any impact on the Customers' service.

### (9) Technical Specifications

The technical specifications for TLS are delineated in IEEE802.3-2000.

## (10) Transmission Mode

The transmission mode supported is dependent on the access rate. The supported transmission mode for 10 Mbps access is half duplex and full duplex. Full duplex 10 Mbps access is available only where conditions and facilities permit. The supported transmission mode for 100 Mbps and 1000 Mbps access is full duplex.—

<u>(N)</u>

<u>(N)</u>

(M)

# (M) Material relocated to Page 4.1.

<u>(N)</u>

- (M) Material moved to Page 3.
- (M) Material transferred from Page 4.1.

ALAN F. CIAMPORCERO, MICHELLE ROBINSON, PRESIDENT

TAMPA, FLORIDA

EFFECTIVE: November 15, 2006

ISSUED: November 14, 2006

### 16.3 Transparent LAN Service (TLC) Continued)

### (C) Conditions (Continued)

### (M)

## (10) Transmission Mode

The supported transmission mode is dependent on the access rate. The supported transmission mode for 10 Mbps access is half-duplex and full duplex. Full duplex 10 Mbps access is available only where conditions and facilities permit. The supported transmission mode for 100 Mbps and 1000 Mbps access is full duplex.

(11) TLS is available where facilities and conditions permit. Special construction charges may apply.

## (M)

### (D) Service Level Agreements (SLA)

Service Level Agreements (SLA) provide TLS Customers with Service Response Credits (SRC) applied to their Verizon Florida telephone bill if the Company fails to meet certain operational and network thresholds. SLAs are available at no additional charge or fee to the Customer.

A Customer is eligible for the SLA SRC given the Customer adheres to the conditions stated within this section. The SLA specifies performance criteria against which actual performance for TLS will be compared on a monthly basis.

The TLS SLA includes the following measurements:

### Operational SLAs

- Mean Time to Repair (MTTR)
- Network Availability

## **Network Performance SLAs**

- Ethernet Virtual Circuit (EVC) Class of Service (CoS) Performance
  - Data Delivery Ratio (DDR)
  - Round Trip Delay (RTD)
  - Jitter

The SLA SRC will apply to the following TLS elements:

UNI Port with Access Line Connection Ethernet Virtual Circuit (EVC) Bandwidth

To receive SRCs on eligible rate elements, the Customer must have the eligible rate elements listed in its initial subscription based on the established customer of record, or have ordered the eligible rate elements subsequent to its initial subscription. The Company reserves the right to change, alter or discontinue the optional SRC plan at its discretion.

All service performance and provisioning measurements are conducted using the Company monitoring systems and procedures. The Company may change these systems and procedures at its sole discretion. In performing measurements of overall Mean Time To Repair (MTTR) and Network Availability, the Company shall include data measured throughout the territories covered by this tariff.

To receive credit, the Company must receive from the Customer a written request for credit within thirty (30) calendar days of the end of the monitoring period that the SRC is referencing. The Customer's request for credit must be submitted to the appropriate Company entity (office or interface) in a manner prescribed by Company. The request must include a list of all impacted circuit/connection identification numbers and the type of SRC requested for each circuit/connection. The SRC monitoring period is based on a calendar month.

(M) Material moved to Page 4.

ALAN F. CIAMPORCERO, MICHELLE ROBINSON, PRESIDENT TAMPA, FLORIDA

EFFECTIVE: November 15, 2006 ISSUED: November 14, 2006

## 16.3 Transparent LAN Service (Continued)

- (E) Application of Rates and Charges
  - (1) The following rate elements are applicable to TLS:
    - UNI Port with Access Line Connection Standard Access Line Protected Access Line Premier Access Line EMS
    - Ethernet Virtual Circuit (EVC)
    - Interoffice Mileage
    - Domain/LAN Extension Equipment Changes
    - Optional Features
      Customer Service Management (CSM)
    - (a) UNI Port and Access Line
      - Standard Access Line

A monthly rate applies on a per line basis, based on the speed of the access connection (i.e., 10, Mbps, 100 Mbps or 1000 Mbps). The Standard Access Line is offered on a month to month basis, or as a three-year or five-year Term Payment Plan. A nonrecurring charge applies to the installation of the TLS Access Line provided on a month-to-month basis. Besides the standard connectivity model, Standard Access Line is offered with three other types of UNI Port with Access Line Connections, where facilities exist.

- (1) Protected Non-Diverse
- (2) Protected Diverse
- (3) Protected Private
- 2. Protected Access Line (available for EMS Service type only)

Protected Access Lines are provisioned as a survivable service with an alternate fiber pair between the central office and the customer premises. Protected Access Line allows the Company to detect and recover a failure and move the customer's data to an alternate fiber pair in approximately one second in most instances. Both fiber pairs must be served by the same central office and must have the same access speed. The second fiber pair will be routed over a diverse fiber path when possible. A monthly rate applies on a per line basis, based on the speed of the access connection (i.e., 100 Mbps and, 1000 Mbps). A nonrecurring charge will apply to the installation of a Protected Access Line provided on a month-to-month basis. Protected Access Line is only offered with a direct fiber UNI Port with Access Line Connection, where facilities exist.

رح

(C)

<u>T)</u>

#### 16.3 Transparent LAN Service (Continued)

- (E) Application of Rates and Charges (Continued)
  - (1) The following rate elements are applicable to TLS: (Continued)
    - (a) UNI Port and Access Line (Continued)
      - 3. Premier Access Line

A monthly rate applies on a per-line basis, based on the speed of the access line (i.e., 10 MBPS, 100 MBPS or 1000 MBPS). A Premier Access Line must be purchased in conjunction with some combination of ERS-B, ERS-PD, and/or ERS-RT EVC service classes, which are described in section B.1. The Premier Access Line is offered on a month-to-month basis or as a 3 Year or 5 Year Term Plan. A nonrecurring charge applies to the installation of the UNI provided on a month-to-month basis. A customer can not mix Premier UNI Ports with any other UNI port type.

The percentage of each Premier Access Line UNIs allowed for EVC bandwidth is limited, where connections must comply with each of the following threshold requirements:

ERS-B less than or = 500% of UNI Speed ERS-PD less than or = 85% of UNI Speed ERS-RT less than or = 50% of UNI Speed ERS-PD + ERS-RT less than or = 85% of UNI Speed ERS-B + ERS-PD + ERS-RT less than or = 500% of UNI Speed

Besides the standard connectivity model, Premier Access Line is offered with three other types of UNI Port with Access Line Connections, where facilities exist.

- (1) Protected Non-Diverse
- (2) Protected Diverse
- (3) Protected Private

EMS Real Time (EMS-RT) Access Line 4.

> A monthly rate applies on a per-line basis, based on the speed of the access connection (i.e., 100 MBPS or 1000 MBPS). This enhanced service class configures a fixed portion of the UNI to be configured for Real Time Traffic, where each 100 MBPS UNI has CIR = 5 MBPS with EIR = 0 with each 1000 MBPS UNI has CIR = 20 MBPS with EIR = 0. The remainder of the UNI can be used for CIR = 0 and EIR = 0 traffic. The EMS-RT Access Line is offered on a month-to-month basis or as a 3 Year or 5 Year Term Plan. A nonrecurring charge applies to the installation of the EMS-RT Access Line provided on a month-to-month basis. A customer can not mix an EMS-RT Access Line with the ERS Service type, but may mix EMS-RT Access Line with EMS Access Lines.

Besides the standard connectivity model, EMS Real Time Access Line is offered with three other types of UNI Port with Access Line Connections, where facilities exist.

- Protected Non-Diverse
- **Protected Diverse** (2)
- (3)**Protected Private**

(N)

(N)

(N)

ALAN F. CIAMPORCERO, MICHELLE ROBINSON, PRESIDENT TAMPA, FLORIDA

EFFECTIVE: November 15, 2006 ISSUED: November 14, 2006

### 16.3 Transparent LAN Service (Continued)

- (E) Application of Rates and Charges (Continued)
  - (1) The following rate elements are applicable to TLS: (Continued)
    - b. Ethernet Virtual Circuit (EVC)

For customers who order the Standard Access Line, a monthly rate will apply on a per EVC bandwidth basis. ERS Standard is the only EVC class available with the Standard Access Line. The EVC bandwidth must be equal to the bandwidth of the lowest speed of the end points it is connecting. ERS Standard EVCs are purchased on a month-to-month basis. A non-recurring setup charge will apply per ERS Standard EVC.

For customers who order the Premier Access Line, a monthly rate will apply on a service class and EVC bandwidth basis. Premier Access Line customers have the choice of combining ERS-Basic, ERS-Priority Data, and/or ERS-Real Time bandwidth on an EVC. A non-recurring setup charge will apply per ERS EVC. EVCs are purchased on a month-to-month basis. A customer may have more than one service class on the EVC, but will only pay one EVC non-recurring setup charge.

The number of EVCs permitted on each Standard Access Line and/or Premier Access Line are limited as follows:

```
10 Mbps less than or = 2 \text{ EVCs}
100 Mbps less than or = 1640 \text{ EVCs}
1000 Mbps less than or = 75 \text{ EVCs}.
```

(C)

ERS-Basic, ERS-Priority Data and ERS-Real Time EVC bandwidth is limited to a maximum Mbps per Service Class per EVC, and must comply with each of the following maximum limits :

EVC Service Class	100 Mbps UNI Max/EVC	1000 Mbps UNI Max/EVC
ERS-B	100 Mbps	1000 Mbps
ERS-PD	50 Mbps	500 Mbps
ERS-RT	50 Mbps	100 Mbps

### (c) Interoffice Mileage

The Interoffice Mileage charge is based on the Per Mile charge multiplied by the distance between the Customer's serving central office and the nearest TLS equipped central office (a central office equipped with a switch, node, or other Telephone company equipment capable of delivering service, via a shared fiber path or network infra-structure). This interoffice distance is measured in airline miles, based upon latitude and longitude of each central office. The mileage measurement is calculated as specified by NECA Tariff FCC No. 4. The mileage rate applies on a per mile basis. This charge applies in addition to the applicable rates and charges for Standard Access Line, Protected Access Line or Premier Access Line. Optical Protected interoffice transport is available for the 1000M UNI speed. For the TLS Access Line.

EFFECTIVE: November 15, 2006

ISSUED: November 14, 2006

## (d) Domain/LAN Extension Equipment Changes

Customer requests for changes in Domains and replacement of LAN extension equipment will be charged a nonrecurring charge per location per change.

# 16.3 <u>Transparent LAN Service (TLS) (Continued)</u>

# (F) Rates and Charges

		Nonrecurring <u>Charge</u> <sup>1</sup>	Monthly Rate	
(1)	Standard Access Line, per line			
	Month to Month Plan			
	10 Mbps	¢ 1 200 00	ф 1 200 00	
	Half duplex Full duplex	\$ 1,300.00 1,300.00	\$ 1,200.00 1,200.00	
	100 Mbps	1,300.00	2,400.00	
	1000 Mbps	1,300.00	4,000.00	
	Three Year Plan			
	10 Mbps			
	Half duplex	N/A	1,000.00	
	Full duplex	N/A	1,000.00	
	100 Mbps	N/A	2,000.00	
	1000 Mbps	N/A	3,500.00	
	Five Year Plan			
	10 Mbps			
	Half duplex	N/A	900.00	
	Full duplex	N/A	900.00	
	100 Mbps	N/A	1,800.00	
	1000 Mbps	N/A	3,200.00	
	Standard Access Line - Protecte	ed Non-Diverse, per Line		<u>(N)</u>
	Month to Month Plan			
	10 Mbps Full duplex	1,300.00	1,600.00	
	100 Mbps Full duplex	1,300.00	2,600.00	
	1000 Mbps Full duplex	1,300.00	9,000.00	
	Three Year Term			
	10 Mbps Full duplex	N/A	1,400.00	
	100 Mbps Full duplex	N/A	2,400.00	
	1000 Mbps Full duplex	N/A	8,000.00	
	Five Year Term			
	10 Mbps Full duplex	N/A	1,300.00	
	100 Mbps Full duplex	N/A	2,100.00	
	1000 Mbps Full duplex	N/A	7,000.00	<u>(N)</u>
				<u>(M)</u>
				(171)

(M) Material relocated to Page 7.0.2.

Applies in lieu of service charges found elsewhere in this Tariff or other Company Tariffs.

<u>(N)</u>

<u>(N)</u>

# 16. ADVANCED COMMUNICATIONS NETWORKS

				Nonrecurring  Charge <sup>1</sup>	Monthly Rate _
	(1)	Standard Access Line, per line (Contin	ued)		
		Standard Access Line - Protecte	d Diverse, per Line	2	
		Month to Month Plan			
		10 Mbps Full duplex	1,300.00	1,900.00	
		100 Mbps Full duplex	1,300.00	3,000.00	
		1000 Mbps Full duplex	1,300.00	9,500.00	
		Three Year Term			
		10 Mbps Full duplex	N/A	1,800.00	
		100 Mbps Full duplex	N/A	2,800.00	
		1000 Mbps Full duplex	N/A	8,500.00	
		Five Year Term			
		10 Mbps Full duplex	N/A	1,700.00	
		100 Mbps Full duplex	N/A	2,500.00	
		1000 Mbps Full duplex	N/A	7,500.00	
		Standard Access Line - Protecte	d Private, per Line		
		Month to Month Plan			
		10 Mbps Full duplex	1,300.00	700.00	
		100 Mbps Full duplex	1,300.00	900.00	
		1000 Mbps Full duplex	1,300.00	2,600.00	
		Three Year Term			
		10 Mbps Full duplex	N/A	600.00	
		100 Mbps Full duplex	N/A	800.00	
		1000 Mbps Full duplex	N/A	2,400.00	
		Five Year Term			
		10 Mbps Full duplex	N/A	500.00	
		100 Mbps Full duplex	N/A	700.00	
		1000 Mbps Full duplex	N/A	2,000.00	

1 Applies in lieu of service charges found elsewhere in this Tariff or other Company Tariffs.

16.3	<u>Trar</u>	<u>ısparen</u>	t LAN Service (TLS) (Continued)			<u>(N)</u>
	(F)	Rate	es and Charges (Continued)			
				Nonrecurring <u>Charge</u> <sup>1</sup>	Monthly Rate	(N)
		(2)	Protected Access Line, per line			<u>(M)</u>
			Month to Month Plan			
			100 Mbps 1000 Mbps	1,300.00 1,300.00	3,600.00 6,000.00	
			Three Year Plan			
			100 Mbps 1000 Mbps	N/A N/A	3,000.00 5,200.00	
			Five Year Plan			
			100 Mbps 1000 Mbps	N/A N/A	2,700.00 4,800.00	( <u>M)</u>

1 Applies in lieu of service charges found elsewhere in this Tariff or other Company Tariffs.

(N)

(M) Material relocated from Page 7.

# Transparent LAN Service (TLS) (Continued)

#### (F) Rates and Charges (Continued)

		Nonrecurring <u>Charge</u>	Monthly <u>Rate</u>
(3)	Premier Access Line		
	Month to Month Plan		
	10 Mbps - 100 Mbps 1000 Mbps	\$1,300.00 \$ 1,300.00 1,300.00	\$1,075.00 \$ 1,200.00 2,400.00
	Three Year Plan		
	10 Mbps 100 Mbps 1000 Mbps	N/A N/A N/A	\$875.00 <u>(T)</u> 1,000.00 2,000.00
	Five Year Plan		
	10 Mbps - 100 Mbps 1000 Mbps	N/A N/A N/A	\$775.00 <u>(T)</u> 900.00 1,800.00
	Premier Access Line - Protected Non-Diverse, per Li	<u>ne</u>	<u>(N)</u>
	Month to Month Plan		
	10 Mbps Full duplex 100 Mbps Full duplex 1000 Mbps Full duplex	1,300.00 1,300.00 1,300.00	1,050.00 1,900.00 7,500.00
	Three Year Term		
	10 Mbps Full duplex 100 Mbps Full duplex 1000 Mbps Full duplex	N/A N/A N/A	900.00 1,600.00 7,000.00
	Five Year Term		
	10 Mbps Full duplex 100 Mbps Full duplex	N/A N/A	750.00 1,450.00
	1000 Mbps Full duplex	N/A	6,500.00 (N)

(M) Material relocated to Page 7.1.2.

<u>(N)</u>

6.3 T	ransparent LAN Service (TLS) (Continued)			
(F	) Rates and Charges (Continued)			
			Nonrecurring	Monthly
			Charge _	Rate _
			•	
	(3) Premier Access Line (Continued)			
	Premier Access Line - Protected	<u>Diverse, per Line</u>		
	Month to Month Plan			
	10 Mbps Full duplex	1,300.00	1,200	
	100 Mbps Full duplex	1,300.00	2,150	
	1000 Mbps Full duplex	1,300.00	9,000	0.00
	Three Year Term			
	10 Mbps Full duplex	N/A	1,000	00
	100 Mbps Full duplex	N/A	1,800	
	1000 Mbps Full duplex	N/A	8,500	
	Five Year Term			
	10 Mbps Full duplex	N/A	850	0.00
	100 Mbps Full duplex	N/A	1,600	0.00
	1000 Mbps Full duplex	N/A	8,000	0.00
	Premier Access Line - Protected	l Private, per Line		
	Month to Month Plan			
	10 Mbps Full duplex	1,300.00	600	
	100 Mbps Full duplex	1,300.00	700	
	1000 Mbps Full duplex	1,300.00	1,700	<u>).00</u>
	Three Year Term			
	10 Mbps Full duplex	N/A	500	0.00
	100 Mbps Full duplex	N/A	600	
	1000 Mbps Full duplex	N/A	1,550	
	Five Year Term			
	10 Mbps Full duplex	N/A	400	0.00
	100 Mbps Full duplex	N/A	500	
	1000 Mbps Full duplex	N/A	1,400	

16.3	<u>Tran</u>	<u>sparen</u>	t LAN Service (TLS) (Continued)					<u>(N)</u>
	(F)	Rate	s and Charges (Continued)					
					Nonrecurring <u>Charge</u>		Monthly Rate	(N)
		(4)	EMS – Real Time Access Line					<u>(M)</u>
			Month to Month Plan					
			100 Mbps 1000 Mbps		1,300.00 1,300.00		2,500.00 4,500.00	
			Three Year Plan					
			100 Mbps 1000 Mbps		N/A N/A		2,100.00 4,000.00	
			Five Year Plan					
			100 Mbps 1000 Mbps		N/A N/A		1,900.00 3,700.00	( <u>M)</u>
			EMS – Real Time Access Line -	Protected Non-Divers	se, per Line			<u>(N)</u>
			Month to Month Plan					
			100 Mbps Full duplex 1000 Mbps Full duplex	1,300.00 1,300.00		2,700.00 11,000.00		
			Three Many Town					
			Three Year Term  100 Mbps Full duplex	N/A		2,500.00		
			1000 Mbps Full duplex	N/A		10,000.00		
			Five Year Term  100 Mbps Full duplex  1000 Mbps Full duplex	N/A N/A		2,300.00 9,000.00		(N)
ı ——			. o o o . mopo i un umpion			.,000.00		<u> </u>

# FACILITIES FOR INTRASTATE ACCESS

# 16. ADVANCED COMMUNICATIONS NETWORKS

Transparent LAN Service (TLS) (Continued)			
(F) Rates and Charges (Continued)			
		Nonrecurring	Monthly
		Charge _	Rate _
(I) FMC Deal Track Assess Line (Continue	.1\		
(4) EMS – Real Time Access Line (Continue	<u>:a)</u>		
EMS Real Time Access Line - Pro	tected Diverse,	<u>per Line</u>	
Month to Month Plan			
100 Mbps Full duplex	1,300.00	3,250.0	
1000 Mbps Full duplex	1,300.00	10,000.0	<u>00</u>
Three Year Term			
100 Mbps Full duplex	N/A	3,000.0	
1000 Mbps Full duplex	N/A	9,000.0	<u> </u>
Five Year Term			
100 Mbps Full duplex	N/A	2,750.0	
1000 Mbps Full duplex	N/A	8,500.0	<u>00</u>
EMS Real Time Access Line - Pro	tected Private, p	oer Line	
Month to Month Plan			
100 Mbps Full duplex	1,300.00	950.0	<u>00</u>
1000 Mbps Full duplex	1,300.00	2,700.0	
Three Year Term			
100 Mbps Full duplex	N/A	850.0	
1000 Mbps Full duplex	N/A	2,500.0	<u>)0</u>
Five Year Term			
100 Mbps Full duplex	N/A	750.0	00
1000 Mbps Full duplex	N/A	2,100.0	

MICHELLE ROBINSON, PRESIDENT TAMPA, FLORIDA EFFECTIVE: ISSUED:

EFFECTIVE: November 15, 2006

ISSUED: November 14, 2006

<u>(N)</u>

## 16. ADVANCED COMMUNICATIONS NETWORKS

# 16.3 <u>Transparent LAN Service (TLS) (Continued)</u>

(F) Rates and Charges (Continued)

	Nonrecurring <u>Charge</u> <sup>1</sup>	Monthly <u>Rate</u>
(3)	Interoffice Mileage, per line <sup>2</sup>	
	Per Mile N/A Per Optical Protected Mile (1000M Only) N/A	\$100.00 \$750.00
(4)	TLS Domain/LAN, per location Extension Equipment Changes per change \$ 400.00	N/A
(5)	Optional Features	
	(a) Customer Service Management (CSM) Per Domain/VLAN 350.00	150.00

Applies in lieu of service charges found elsewhere in this Tariff or other Company Tariffs.

Applies in addition to applicable rates and charges for TLS Access Line.