

**BellSouth Telecommunications, Inc.** 150 South Monroe Street Suite 400 Tallahassee, Florida 32301

marshall.criser@bellsouth.com

Marshall M. Criser III Vice-President Regulatory & External Affairs

(850) 224-7798 Fax (850) 224-5073

March 29, 2005

Ms. Beth Salak Director Division of Competitive Markets and Enforcement Florida Public Service Commission 2540 Shumard Oak Boulevard Tallahassee, Florida 32399-0850

Dear Ms. Salak:

Pursuant to Florida Statue 364.051, we are filing herewith revisions to our General Subscriber Services Tariff. Following are the affected pages:

### General Subscriber Services Tariff

A12	-	First Revised Page 105
	-	Fifth Revised Page 119

The purpose of this filing is to introduce BellSouth's Centrex Caller ID Deluxe Service.

Acknowledgement, date of receipt and authority number of this filing are requested.

Your consideration and approval will be appreciated.

Yours very truly,

Marshall M. Marshall M. Criser III (slg)

Regulatory Vice President Attachments

BELLSOUTH - Florida Attachment A Page 1 of 1

## **EXECUTIVE SUMMARY**

### **Introduction**

At the present time, Caller ID Deluxe is provided in the 1AESS, 5ESS, and EWSD central offices; however, only Calling Number has been available in DMS central offices. This filing will bring DMS switch type customers the same functionality as the others.

This feature will only be provided for BellSouth Centrex Service and is not available for ESSX or MultiServ customers even by Special Assembly. BellSouth Centrex Caller ID Deluxe will be a standard DMS feature for BellSouth Centrex Service, to be added to the existing BellSouth Centrex tariff (A12.25.12).

All Centrex DMS customers will be targeted for this feature that has become a de facto standard. Notification will be sent to customers making them aware of the availability of the feature. Customers who have purchased this feature via special assembly will be converted to the tariff at no charge.

## **Description of Proposed Tariff**

BellSouth Centrex Caller ID Deluxe (consisting of both Calling Number and Calling Name functions) will be a standard feature for BellSouth Centrex service in DMS-100 switch types. It will be added to the existing BellSouth Centrex tariff standard features section in A12.25.

## Cost Information

BellSouth will cover its cost for this feature with the provision of Centrex service.

#### FL2005-027

All BellSouth marks contained herein and as set forth in the trademarks and servicemarks section of the BellSouth Tariff are owned by BellSouth Intellectual Property Corporation.

A12 CENTRAL OFFICE NON TRANSPORT SERVICE OFFERINGS

TELECOMMUNICATIONS, INC. FLORIDA ISSUED: March 29, 2005July 12, 1999 BY: Joseph P. Lacher, President -FL

Miami, Florida

BELLSOUTH

				x Service (Cont'd)			(N
		Optional Fea	•	ont'u)			(N
<b>A</b> .		s and Charges			(1.2.3 (D))	(G. 100)	
	4.	Automatic Ca	ll Distribu	tion (ACD) Network Management Reports, Per A			(N
		(a)	Analog	Termination	Installation Charge \$ 265.00	Monthly Rate \$ 75.00	USOC M3VAD <sub>(N</sub>
	5.	(b)	Digital 11 Distribu	Termination tion (ACD) Remote Load Management,	265.00	75.00	M3VDD <sub>(N</sub> (N
	6.	(a) Automatic Nu	Update	capability	200.00	1.40	M3WMD <sub>(N</sub> (N
		(a)		with a non-listed Directory Number (1AESS, 00, 5ESS, EWSD <sup>®</sup> )	13.00	-	CENAN <sub>(N</sub>
		(b)	DMS-1	with a listed Directory Number (1AESS, 00, 5ESS, EWSD <sup>®</sup> )	-	-	CENAL (N
		(c) (d)	EBS, po	r DN, per non-listed DN (DMS-100) r DN, per listed DN (DMS-100)	13.00	-	M4F2N <sub>(N</sub> M4F1N <sub>(N</sub>
	7.	Automatic Ro		-			<del>(N</del>
	8.	(a) (b) Automatic Ro	Per line	em (1AESS, DMS-100, EWSD <sup>®</sup> ) (5ESS)	200.00 10.50	7.50 0.20	M2HM3( <del>N</del> M2HN5( <del>N</del> ( <del>N</del>
	0.				300.00	7.50	CENOB(N
		(a) (b)	Route s	em (1AESS, DMS-100, EWSD <sup>®</sup> ) election patterns, per pattern (1AESS, 00, 5ESS, EWSD <sup>®</sup> )	135.00	0.25	CENOC
		(c)		uxe line, each (5ESS)	10.50	0.20	CEND8(N
		(d)	Additio	s, deletions, or changes of routes, per pattern S, DMS-100, 5ESS, EWSD <sup>®</sup> )	41.00	-	CENO8(A)
	9.	Assumed Dia					4)
	10.	(a) Caller ID <del>-Nu</del>	nber Only		40.50	1.10	M2DDA(₽ (₽
		(a)	Note 1:	tem (DMS-100) Requires ACD Basic.	-	-	M2NBB( <del>)</del> ( <del>)</del>
			Note 2:	Includes functionality of Virtual Facility Groubetween a VFG and an ACD group.			
			Note 3:	Requires a dedicated Four-wire Full Duplex central office to the subscriber's premises. App	analog or digital f propriate Private Line	acility from the 6 e Service charges	apply.
			Note 4:	Requires Network Management Reports.			<del>(</del>
			Note 5:	May include three and six digit screening.			<del>(</del>
			Note 6:	May include extended screening.			4)
				Only one Caller ID-Number Only, Per system			

All BellSouth marks contained herein and as set forth in the trademarks and servicemarks section of this Tariff are owned by BellSouth Intellectual Property Corporation.<sup>®</sup> BellSouth is a registered trademark of BellSouth Intellectual Property Corporation.<sup>®</sup> Registered Trademark of Siemens Aktiengesellschaft

ф

USOC

EFFECTIVE: November 22, 2003 April 13, 2005

Miami, Florida

# A12. CENTRAL OFFICE NON-TRANSPORT SERVICE OFFERINGS

# A12.25 BellSouth<sup>®</sup> Centrex Service (Cont'd)

## A12.25.21 Standard Features List (Cont'd)

C. DMS-100 Non-Electronic Business Sets (Cont'd)

#### **Feature Element**

Feature Element	0500		
Call Forwarding Don't Answer Programmable, internal destination internal source denied	CENDM		
Call Forwarding Multiple Simultaneous, Per line	M2JR4	<del>(T)</del>	
Call Forwarding Variable, Per line - Intragroup - With Ring Reminder	CENLO		
Call Forwarding Variable, Per line - Intragroup - Without Ring Reminder	CENLF		
Call Forwarding Variable, Per line - With Ring Reminder (Intra &Inter)	M4QVC		
Call Forwarding Variable, Per line - Without Ring Reminder (Intra &Inter)	CENLP		
Call Hold, Per line - With Other Flash Features on line	M4RXC		
Call Hold, Permanent, Per line	CENDN		
Call Park/Call Retrieve, Per line	M4SPX		
Call Pickup, Per line	M4UBC		
Call Return, Per line	M4VRC		
Call Selector, Per line	M4WSC		
Call Tracing, Per line	M2KTA		
Call Transfer (System Exception), Per line	CENDS		
Call Waiting Exempt, Per line	M2LED		
Call Waiting Originating, Per line	M2LOA		
Call Waiting Terminating w/ Cancel CW - Incoming only, Per line	M2LA6		
Call Waiting Terminating w/ Cancel CW, Per line all calls	M2LCA		
Caller ID Deluxe, Per line <sup>1,2</sup>	<u>M2NA7</u>		<u>a</u> b
Caller ID Number Only, Per non-EBS line <sup>1,2</sup>	M2NBA	<del>(T)</del>	
Calling Name Delivery, Per line <sup>1,2</sup>	<u>M2NC7</u>		œ
Calling Name Display, <u>I</u> ntragroup, Per line <sup>2</sup>	M2NDD	<del>(Ŧ)</del>	ф
Calling Number Delivery Blocking - Permanent, Per line (agency)	M2NFA		I
Code Restriction of 011, Per line <sup>3</sup>	M2POA	<del>(Ŧ)</del>	
Code Restriction of 10XXX and 101XXXX, Per line <sup>3</sup>	M2P1A	<del>(T)</del>	1
Code Restriction of 411, Per line <sup>3</sup>	M2P4A	<del>(T)</del>	
Code Restriction of 900, Per line <sup>3</sup>	M2P9A	<del>(T)</del>	
Code Restriction of N11, Per line <sup>3</sup>	M2PN1	<del>(T)</del>	
Code Restriction of $0+/0$ - and $00+/00$ -, Per line (Includes international operator calls) <sup>3</sup>	M2PCB	<del>(Ŧ)</del>	
Code Restriction of 1+ (except 1+800, 1+888, and other Toll Free Numbers), Per line <sup>3</sup>	M2PCC	<del>(T)</del>	
Code Restriction of Toll Free Numbers (1+800, 1+888, and other Toll Free Numbers), Per line <sup>3</sup>	M2PCD	<del>(T)</del>	
Data Call Protection, Per line	M4YPG		1
Denial of Call Tracing - Per Successful Trace/Activation - Per line	M2TTA		
Dial Call Waiting, Per line	M5CWC		
Directed Call Park/Directed Call Retrieve, Per line	M5EDX		
Directed Call Pickup - Barge in, Per line	M2VPA		
Directed Call Pickup - Barge in exempt, Per line	M2VBD		
Directed Call Pickup - Non-barge in, Per line	M2VNA		
Directed Call Pickup - Non-barge in exempt, Per line	M2VC6		
Note 1: Requires Caller ID Number Only, Per System in A12.25.12 of this Tariff.		<del>(Ŧ)</del>	<u>ر</u>
	different	<del>(T)</del>	
<b>Note 2:</b> Feature operation is not guaranteed when used with Station Links provisioned in a serving wire center.	WILL ALL ALL ALL ALL ALL ALL ALL ALL ALL	,	I
serving whe center.		(T)	. 1

**Note 3:** Any type of Code Restriction not indicated in this section will be provided via the Automatic (1) Route Selection-Basic feature or Automatic Route Selection-Deluxe feature.

First Revised Page 105 Cancels Original Page 105

4.

#### A12.25 BellSouth Centrex Service (Cont'd) A12.25.12 Optional Features (Cont'd) A. Rates and Charges (Cont'd) Automatic Call Distribution (ACD) Network Management Reports, Per Arrangement<sup>1,2,3</sup> (DMS-100) Installation Monthly Charge Rate

**A12. CENTRAL OFFICE NON-TRANSPORT SERVICE OFFERINGS** 

	(a)	Analog	Termination	Charge \$ 265.00	Rate \$ 75.00	USOC M3VAD
	(b)	Digital	Termination	265.00	75.00	M3VDD
5.	Automatic Ca Per Arrangem		ntion (ACD) Remote Load Management, S-100)			
6.	(a) Automatic Nu		capability erral	200.00	1.40	M3WMD
	(a)		with a non-listed Directory Number (1AESS, 00, 5ESS, EWSD <sup>®</sup> )	13.00	-	CENAN
	(b)	Per line	with a listed Directory Number (1AESS, 00, 5ESS, EWSD <sup>®</sup> )	-	-	CENAL
	(c)		er DN, per non-listed DN (DMS-100)	13.00	-	M4F2N
_	(d)		er DN, per listed DN (DMS-100)	-	-	M4F1N
7.	Automatic Ro					
	(a)	-	tem (1AESS, DMS-100, EWSD <sup>®</sup> )	200.00 10.50	7.50 0.20	M2HM3
8.	(b) Automatic Ro		(5ESS) ion-Deluxe <sup>5,6</sup>	10.50	0.20	M2HN5
0.	(a)		tem (1AESS, DMS-100, EWSD <sup>®</sup> )	300.00	7.50	CENOB
	(a) (b)		election patterns, per pattern (1AESS,	135.00	0.25	CENOC
	(0)		00, 5ESS, EWSD <sup>®</sup> )			
	(c)		uxe line, each (5ESS)	10.50	0.20	CEND8
	(d)		ns, deletions, or changes of routes, per pattern	41.00	-	CENO8
ō			S, DMS-100, 5ESS, EWSD <sup>®</sup> )			
9.	Assumed Dial					
10.	(a) Caller ID <sup>7</sup>	Per syst	tem (1AESS, DMS-100, 5ESS, EWSD <sup>®</sup> )	40.50	1.10	M2DDA
	(a) Per system (DMS-1			-	-	M2NBB
		Note 1:	Requires ACD Basic.			
		Note 2:	Includes functionality of Virtual Facility Group between a VFG and an ACD group.	(VFG) Option which	ch provides an op	tional line
		Note 3:	Requires a dedicated Four-wire Full Duplex a central office to the subscriber's premises. Approx			
		Note 4:	Requires Network Management Reports.			
		Note 5:	May include three and six digit screening.			
		Note 6:	May include extended screening.			

Note 7: Only one Caller ID, Per system rate element is required on a subscriber's system.

(C)

(C)

All BellSouth marks contained herein and as set forth in the trademarks and servicemarks section of this Tariff are owned by BellSouth Intellectual Property Corporation. <sup>®</sup> Registered Trademark of Siemens Aktiengesellschaft

USOC

(T)

(N)

(N) (T)

(C)

USOC

# A12. CENTRAL OFFICE NON-TRANSPORT SERVICE OFFERINGS

# A12.25 BellSouth Centrex Service (Cont'd)

### A12.25.21 Standard Features List (Cont'd)

C. DMS-100 Non-Electronic Business Sets (Cont'd)

#### **Feature Element**

r cature Entine		CSOC	
	g Don't Answer Programmable, internal destination internal source denied	CENDM	
	g Multiple Simultaneous, Per line	M2JR4	
	g Variable, Per line - Intragroup - With Ring Reminder	CENLO	
	g Variable, Per line - Intragroup - Without Ring Reminder	CENLF	
	g Variable, Per line - With Ring Reminder (Intra &Inter)	M4QVC	
	g Variable, Per line - Without Ring Reminder (Intra &Inter)	CENLP	
	ine - With Other Flash Features on line	M4RXC	
Call Hold, Pern	,	CENDN	
	Retrieve, Per line	M4SPX	
Call Pickup, Pe		M4UBC	
Call Return, Pe		M4VRC	
Call Selector, P		M4WSC	
Call Tracing, Po		M2KTA	
	system Exception), Per line	CENDS	
Call Waiting Ex	xempt, Per line	M2LED	
	riginating, Per line	M2LOA	
	erminating w/ Cancel CW - Incoming only, Per line	M2LA6 M2LCA	
Call Waiting Terminating w/ Cancel CW, Per line all calls			
Caller ID Delux		M2NA7	
Caller ID Number Only, Per non-EBS line <sup>1,2</sup>			
Calling Name Delivery, Per line <sup>1,2</sup>			
Calling Name Display, Intragroup, Per line <sup>2</sup>			
	Delivery Blocking - Permanent, Per line (agency)	M2NFA	
	n of 011, Per line <sup>3</sup>	M2POA	
Code Restriction of 10XXX and 101XXXX, Per line <sup>3</sup>			
Code Restriction of 411, Per line <sup>3</sup>			
Code Restriction of 900, Per line <sup>3</sup>			
Code Restrictio	n of N11, Per line <sup>3</sup>	M2PN1	
Code Restrictio	n of $0+/0$ - and $00+/00$ -, Per line (Includes international operator calls) <sup>3</sup>	M2PCB	
Code Restrictio	n of 1+ (except 1+800, 1+888, and other Toll Free Numbers), Per line <sup>3</sup>	M2PCC	
Code Restrictio	n of Toll Free Numbers (1+800, 1+888, and other Toll Free Numbers), Per line <sup>3</sup>	M2PCD	
Data Call Prote		M4YPG	
Denial of Call	Fracing - Per Successful Trace/Activation - Per line	M2TTA	
Dial Call Waitin	ng, Per line	M5CWC	
Directed Call Park/Directed Call Retrieve, Per line			
Directed Call Pickup - Barge in, Per line			
Directed Call Pickup - Barge in exempt, Per line			
Directed Call Pickup - Non-barge in, Per line			
Directed Call Pickup - Non-barge in exempt, Per line			
Note 1:	Requires Caller ID, Per System in A12.25.12 of this Tariff.		
Note 2:	Feature operation is not guaranteed when used with Station Links provisioned in serving wire center.	n a different	

**Note 3:** Any type of Code Restriction not indicated in this section will be provided via the Automatic Route Selection-Basic feature or Automatic Route Selection-Deluxe feature.