

**ATTACHMENT
C-1**

**CIRRUS TEMPERATURES
and CALCULATED HEATING
DEGREE DAYS 1965-95
PANAMA CITY DIVISION**

CONTENTS

SECTION 1

Degree Days Calculated By WFNG from
NOAA Weather Reporting Sheets 1969-95


SECTION 2

CIRRUS Maximum: Minimum Temperatures
1965-68

SECTION 3

CIRRUS Maximum: Minimum Temperatures
1965-68
Converted to Degree Days
(8 Pages)

SECTION 1



West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
January 1969

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	52	33	42.5	22.5
2	52	32	42.0	23.0
3	56	41	48.5	16.5
4	51	38	44.5	20.5
5	41	28	34.5	30.5
6	55	23	39.0	26.0
7	62	40	51.0	14.0
8	66	37	51.5	13.5
9	70	50	60.0	5.0
10	55	38	46.5	18.5
11	49	35	42.0	23.0
12	55	32	43.5	21.5
13	58	34	46.0	19.0
14	60	32	46.0	19.0
15	61	36	48.5	16.5
16	67	42	54.5	10.5
17	69	53	61.0	4.0
18	67	59	63.0	2.0
19	66	61	63.5	1.5
20	61	53	57.0	8.0
21	63	51	57.0	8.0
22	64	50	57.0	8.0
23	69	50	59.5	5.5
24	74	57	65.5	0.0
25	58	44	51.0	14.0
26	57	37	47.0	18.0
27	70	47	58.5	6.5
28	72	56	64.0	1.0
29	71	56	63.5	1.5
30	70	55	62.5	2.5
31	71	54	62.5	2.5
			Month Total ----->	382.5

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
February 1969

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Day.</u>
1	70	58	64.0	1.0
2	75	62	68.5	0.0
3	67	47	57.0	8.0
4	55	35	45.0	20.0
5	60	31	45.5	19.5
6	68	51	59.5	5.5
7	69	57	63.0	2.0
8	65	60	62.5	2.5
9	64	46	55.0	10.0
10	58	35	46.5	18.5
11	63	45	54.0	11.0
12	66	41	53.5	11.5
13	59	35	47.0	18.0
14	54	43	48.5	16.5
15	62	44	53.0	12.0
16	53	41	47.0	18.0
17	51	41	46.0	19.0
18	55	36	45.5	19.5
19	60	35	47.5	17.5
20	63	42	52.5	12.5
21	63	48	55.5	9.5
22	68	46	57.0	8.0
23	59	46	52.5	12.5
24	64	40	52.0	13.0
25	61	40	50.5	14.5
26	64	41	52.5	12.5
27	68	42	55.0	10.0
28	64	45	54.5	10.5
29	0	0	0.0	0.0
30	0	0	0.0	0.0
31	0	0	0.0	0.0
Monthly Total ----->			333.0	

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
March 1969

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	62	42	52.0	13.0
2	59	36	47.5	17.5
3	57	41	49.0	16.0
4	60	44	52.0	13.0
5	55	38	46.5	18.5
6	59	48	53.5	11.5
7	59	43	51.0	14.0
8	68	43	55.5	9.5
9	60	42	51.0	14.0
10	56	36	46.0	19.0
11	51	32	41.5	23.5
12	52	37	44.5	20.5
13	61	35	48.0	17.0
14	65	35	50.0	15.0
15	65	45	55.0	10.0
16	60	49	54.5	10.5
17	59	52	55.5	9.5
18	65	58	61.5	3.5
19	76	55	65.5	0.0
20	72	48	60.0	5.0
21	72	53	62.5	2.5
22	76	53	64.5	0.5
23	73	55	64.0	1.0
24	74	54	64.0	1.0
25	67	52	59.5	5.5
26	63	45	54.0	11.0
27	64	35	49.5	15.5
28	71	50	60.5	4.5
29	73	43	58.0	7.0
30	76	45	60.5	4.5
31	78	54	66.0	0.0
Monthly Total ----->			66.0	<u><u>313.5</u></u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
April 1969

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	76	52	64.0	1.0
2	77	55	66.0	0.0
3	78	55	66.5	0.0
4	81	56	68.5	0.0
5	78	65	71.5	0.0
6	80	61	70.5	0.0
7	80	61	70.5	0.0
8	79	58	68.5	0.0
9	82	61	71.5	0.0
10	77	62	69.5	0.0
11	79	64	71.5	0.0
12	86	62	74.0	0.0
13	79	68	73.5	0.0
14	77	63	70.0	0.0
15	74	67	70.5	0.0
16	76	66	71.0	0.0
17	74	67	70.5	0.0
18	78	68	73.0	0.0
19	71	60	65.5	0.0
20	70	51	60.5	4.5
21	77	58	67.5	0.0
22	78	57	67.5	0.0
23	81	54	67.5	0.0
24	75	53	64.0	1.0
25	79	51	65.0	0.0
26	79	52	65.5	0.0
27	80	56	68.0	0.0
28	79	59	69.0	0.0
29	81	59	70.0	0.0
30	78	55	66.5	0.0
31	0	0	0.0	0.0
Monthly Total ----->				<u>6.5</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
May 1969

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	85	52	68.5	0.0
2	76	63	69.5	0.0
3	79	62	70.5	0.0
4	83	61	72.0	0.0
5	82	61	71.5	0.0
6	83	63	73.0	0.0
7	85	62	73.5	0.0
8	82	67	74.5	0.0
9	77	66	71.5	0.0
10	78	52	65.0	0.0
11	77	62	69.5	0.0
12	83	54	68.5	0.0
13	86	57	71.5	0.0
14	77	64	70.5	0.0
15	78	64	71.0	0.0
16	81	64	72.5	0.0
17	82	68	75.0	0.0
18	77	67	72.0	0.0
19	83	66	74.5	0.0
20	88	67	77.5	0.0
21	90	67	78.5	0.0
22	91	69	80.0	0.0
23	88	69	78.5	0.0
24	91	68	79.5	0.0
25	89	69	79.0	0.0
26	89	70	79.5	0.0
27	87	67	77.0	0.0
28	85	67	76.0	0.0
29	89	66	77.5	0.0
30	85	68	76.5	0.0
31	90	70	80.0	0.0
Monthly Total ----->				<u>0.0</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
June 1969

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	88	73	80.5	0.0
2	88	70	79.0	0.0
3	88	69	78.5	0.0
4	91	64	77.5	0.0
5	87	69	78.0	0.0
6	89	67	78.0	0.0
7	90	68	79.0	0.0
8	91	70	80.5	0.0
9	92	72	82.0	0.0
10	90	77	83.5	0.0
11	91	71	81.0	0.0
12	87	72	79.5	0.0
13	94	72	83.0	0.0
14	91	73	82.0	0.0
15	93	71	82.0	0.0
16	91	73	82.0	0.0
17	90	70	80.0	0.0
18	89	74	81.5	0.0
19	90	77	83.5	0.0
20	91	78	84.5	0.0
21	85	77	81.0	0.0
22	91	72	81.5	0.0
23	93	78	85.5	0.0
24	92	80	86.0	0.0
25	92	79	85.5	0.0
26	92	74	83.0	0.0
27	96	76	86.0	0.0
28	97	78	87.5	0.0
29	97	77	87.0	0.0
30	94	75	84.5	0.0
31	0	0	0.0	0.0
Monthly Total ----->				0.0

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
July 1969

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	94	74	84.0	0.0
2	94	76	85.0	0.0
3	93	73	83.0	0.0
4	92	76	84.0	0.0
5	92	75	83.5	0.0
6	93	77	85.0	0.0
7	96	79	87.5	0.0
8	94	75	84.5	0.0
9	94	75	84.5	0.0
10	91	73	82.0	0.0
11	93	81	87.0	0.0
12	90	77	83.5	0.0
13	90	75	82.5	0.0
14	90	74	82.0	0.0
15	91	70	80.5	0.0
16	79	71	75.0	0.0
17	83	70	76.5	0.0
18	85	75	80.0	0.0
19	89	72	80.5	0.0
20	87	71	79.0	0.0
21	85	74	79.5	0.0
22	88	75	81.5	0.0
23	91	79	85.0	0.0
24	85	73	79.0	0.0
25	89	78	83.5	0.0
26	89	80	84.5	0.0
27	91	81	86.0	0.0
28	84	72	78.0	0.0
29	89	73	81.0	0.0
30	85	73	79.0	0.0
31	90	75	82.5	0.0
Monthly Total ----->				0.0

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
August 1969

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	92	73	82.5	0.0
2	90	74	82.0	0.0
3	84	74	79.0	0.0
4	89	72	80.5	0.0
5	87	71	79.0	0.0
6	89	70	79.5	0.0
7	89	70	79.5	0.0
8	89	75	82.0	0.0
9	89	77	83.0	0.0
10	88	76	82.0	0.0
11	88	72	80.0	0.0
12	89	71	80.0	0.0
13	85	70	77.5	0.0
14	87	70	78.5	0.0
15	87	73	80.0	0.0
16	90	75	82.5	0.0
17	88	73	80.5	0.0
18	88	74	81.0	0.0
19	90	76	83.0	0.0
20	90	78	84.0	0.0
21	93	79	86.0	0.0
22	89	77	83.0	0.0
23	85	75	80.0	0.0
24	87	72	79.5	0.0
25	88	69	78.5	0.0
26	90	68	79.0	0.0
27	92	67	79.5	0.0
28	90	74	82.0	0.0
29	89	68	78.5	0.0
30	85	68	76.5	0.0
31	83	72	77.5	0.0
Monthly Total ----->			77.5	<u>0.0</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
September 1969

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Day:</u>
1	86	72	79.0	0.0
2	80	71	75.5	0.0
3	89	70	79.5	0.0
4	99	72	80.5	0.0
5	91	72	81.5	0.0
6	91	73	82.0	0.0
7	91	71	81.0	0.0
8	92	73	82.5	0.0
9	91	74	82.5	0.0
10	81	65	73.0	0.0
11	82	61	71.5	0.0
12	84	64	74.0	0.0
13	85	62	73.5	0.0
14	85	63	74.0	0.0
15	88	66	77.0	0.0
16	85	71	78.0	0.0
17	89	70	79.5	0.0
18	90	72	81.0	0.0
19	88	72	80.0	0.0
20	77	70	73.5	0.0
21	82	70	76.0	0.0
22	84	72	78.0	0.0
23	84	70	77.0	0.0
24	79	69	74.0	0.0
25	85	66	75.5	0.0
26	87	70	78.5	0.0
27	88	63	75.5	0.0
28	86	67	76.5	0.0
29	81	66	73.5	0.0
30	72	62	67.0	0.0
31	0	0	0.0	0.0
Monthly Total ----->				<u>0.0</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
October 1969

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	81	61	71.0	0.0
2	80	65	72.5	0.0
3	85	61	73.0	0.0
4	87	68	77.5	0.0
5	84	73	78.5	0.0
6	84	72	78.0	0.0
7	85	67	76.0	0.0
8	85	69	77.0	0.0
9	85	68	76.5	0.0
10	83	69	76.0	0.0
11	85	68	76.5	0.0
12	86	69	77.5	0.0
13	84	64	74.0	0.0
14	70	64	71.0	0.0
15	71	60	65.5	0.0
16	77	60	68.5	0.0
17	80	57	68.5	0.0
18	82	56	69.0	0.0
19	82	68	75.0	0.0
20	81	73	77.0	0.0
21	80	72	76.0	0.0
22	84	70	77.0	0.0
23	81	54	67.5	0.0
24	70	59	64.5	0.5
25	73	60	66.5	0.0
26	79	65	72.0	0.0
27	79	62	70.5	0.0
28	78	58	68.0	0.0
29	72	58	65.0	0.0
30	72	54	63.0	2.0
31	68	61	64.5	1.5
Monthly Total ----->				3.0

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
November 1969


<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	73	64	68.5	0.0
2	70	58	64.0	1.0
3	67	49	58.0	7.0
4	58	46	52.0	13.0
5	61	40	50.5	14.5
6	67	41	54.0	11.0
7	73	53	63.0	2.0
8	73	53	63.0	2.0
9	74	53	63.5	1.5
10	73	51	62.0	3.0
11	72	46	59.0	6.0
12	76	59	67.5	0.0
13	68	54	61.0	4.0
14	55	36	45.5	19.5
15	50	28	39.0	26.0
16	61	37	49.0	16.0
17	73	43	58.0	7.0
18	77	58	67.5	0.0
19	69	45	57.0	8.0
20	58	37	47.5	17.5
21	63	35	49.0	16.0
22	67	41	54.0	11.0
23	69	50	59.5	5.5
24	73	53	63.0	2.0
25	72	55	63.5	1.5
26	71	49	60.0	5.0
27	72	52	62.0	3.0
28	66	55	60.5	4.5
29	62	46	54.0	11.0
30	58	40	49.0	16.0
31	0	0	0.0	0.0
Monthly Total ----->				234.5

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
December 1969

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	64	42	53.0	12.0
2	61	45	53.0	12.0
3	65	39	52.0	13.0
4	58	41	49.5	15.5
5	58	34	46.0	19.0
6	63	47	55.0	10.0
7	63	50	56.5	8.5
8	58	47	52.5	12.5
9	52	44	48.0	17.0
10	64	49	56.5	8.5
11	65	45	55.0	10.0
12	58	40	49.0	16.0
13	59	32	45.5	19.5
14	66	39	52.5	12.5
15	62	42	52.0	13.0
16	63	44	53.5	11.5
17	62	35	48.5	16.5
18	63	37	50.0	15.0
19	68	42	55.0	10.0
20	57	41	49.0	16.0
21	64	44	54.0	11.0
22	56	39	47.5	17.5
23	67	34	50.5	14.5
24	64	41	52.5	12.5
25	66	50	58.0	7.0
26	54	41	47.5	17.5
27	58	33	45.5	19.5
28	65	42	53.5	11.5
29	72	54	63.0	2.0
30	71	59	65.0	0.0
31	60	46	53.0	12.0
Monthly Total ----->				<u><u>393.0</u></u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.



West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
January 1970

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	49	41	45.0	20.0
2	49	30	39.5	25.5
3	47	41	44.0	21.0
4	50	30	40.0	25.0
5	52	38	45.0	20.0
6	55	43	49.0	16.0
7	43	26	34.5	30.5
8	41	21	31.0	34.0
9	37	20	28.5	36.5
10	43	23	33.0	32.0
11	51	33	42.0	23.0
12	55	47	51.0	14.0
13	50	39	44.5	20.5
14	57	35	46.0	19.0
15	59	47	53.0	12.0
16	58	51	54.5	10.5
17	64	53	58.5	6.5
18	61	54	57.5	7.5
19	59	45	52.0	13.0
20	50	37	43.5	21.5
21	45	30	37.5	27.5
22	50	29	39.5	25.5
23	61	39	50.0	15.0
24	55	32	43.5	21.5
25	67	41	54.0	11.0
26	65	56	60.5	4.5
27	60	52	56.0	9.0
28	71	52	61.5	3.5
29	68	58	63.0	2.0
30	64	40	52.0	13.0
31	55	32	43.5	21.5
			monthly Total ----->	<u>542.0</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
February 1970

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	61	35	48.0	17.0
2	67	53	60.0	5.0
3	54	30	42.0	23.0
4	44	21	32.5	32.5
5	56	30	43.0	22.0
6	62	41	51.5	13.5
7	68	44	56.0	9.0
8	62	41	51.5	13.5
9	59	48	53.5	11.5
10	55	37	46.0	19.0
11	59	45	52.0	13.0
12	62	42	52.0	13.0
13	58	30	44.0	21.0
14	66	38	52.0	13.0
15	70	50	60.0	5.0
16	71	60	65.5	0.0
17	63	46	54.5	10.5
18	63	43	53.0	12.0
19	67	52	59.5	5.5
20	61	41	51.0	14.0
21	59	35	47.0	18.0
22	63	30	46.5	18.5
23	70	41	55.5	9.5
24	67	46	56.5	8.5
25	66	55	60.5	4.5
26	55	33	44.0	21.0
27	60	31	45.5	19.5
28	66	42	54.0	11.0
29	0	0	0.0	0.0
30	0	0	0.0	0.0
31	0	0	0.0	0.0
Monthly Total ----->				<u>383.5</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
March 1970

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Day</u>
1	71	49	60.0	5.0
2	72	50	61.0	4.0
3	72	56	64.0	1.0
4	68	57	62.5	2.5
5	71	61	66.0	0.0
6	69	52	60.5	4.5
7	61	51	56.0	9.0
8	58	52	55.0	10.0
9	70	49	59.5	5.5
10	69	45	57.0	8.0
11	67	49	58.0	7.0
12	69	56	62.5	2.5
13	59	41	50.0	15.0
14	56	39	47.5	17.5
15	60	41	50.5	14.5
16	62	39	50.5	14.5
17	70	47	58.5	6.5
18	72	59	65.5	0.0
19	72	64	68.0	0.0
20	76	64	70.0	0.0
21	71	62	66.5	0.0
22	62	47	54.5	10.5
23	65	39	52.0	13.0
24	71	57	64.0	1.0
25	70	56	63.0	2.0
26	73	54	63.5	1.5
27	71	47	59.0	6.0
28	66	53	59.5	5.5
29	74	63	68.5	0.0
30	75	63	69.0	0.0
31	79	65	72.0	0.0
Monthly Total ----->				<u>166.5</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
April 1970

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	81	68	74.5	0.0
2	73	59	66.0	0.0
3	70	48	59.0	6.0
4	72	48	60.0	5.0
5	69	57	63.0	2.0
6	75	56	65.5	0.0
7	78	58	68.0	0.0
8	72	49	60.5	4.5
9	75	51	63.0	2.0
10	77	62	69.5	0.0
11	79	57	68.0	0.0
12	79	60	69.5	0.0
13	77	58	67.5	0.0
14	80	63	71.5	0.0
15	79	56	67.5	0.0
16	81	56	68.5	0.0
17	79	56	67.5	0.0
18	82	69	75.5	0.0
19	80	68	74.0	0.0
20	85	62	73.5	0.0
21	84	67	75.5	0.0
22	87	71	79.0	0.0
23	83	67	75.0	0.0
24	84	65	74.5	0.0
25	85	70	77.5	0.0
26	83	70	76.5	0.0
27	84	73	78.5	0.0
28	85	74	79.5	0.0
29	87	73	80.0	0.0
30	88	69	78.5	0.0
31	0	0	0.0	0.0
Monthly Total ----->				<u>19.5</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
May 1970

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Day.</u>
1	85	67	76.0	0.0
2	84	66	75.0	0.0
3	81	63	72.0	0.0
4	75	58	66.5	0.0
5	81	53	67.0	0.0
6	91	56	73.5	0.0
7	89	64	76.5	0.0
8	88	59	73.5	0.0
9	84	62	73.0	0.0
10	84	63	73.5	0.0
11	85	62	73.5	0.0
12	86	64	75.0	0.0
13	87	63	75.0	0.0
14	90	65	77.5	0.0
15	89	66	77.5	0.0
16	88	66	77.0	0.0
17	87	69	78.0	0.0
18	90	65	77.5	0.0
19	83	68	75.5	0.0
20	89	65	77.0	0.0
21	89	66	77.5	0.0
22	92	65	78.5	0.0
23	89	68	78.5	0.0
24	88	67	77.5	0.0
25	86	68	77.0	0.0
26	87	75	81.0	0.0
27	89	75	82.0	0.0
28	91	68	79.5	0.0
29	87	70	78.5	0.0
30	86	70	78.0	0.0
31	86	70	78.0	0.0
Monthly Total --->			78.0	0.0

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
June 1970

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	86	70	78.0	0.0
2	85	72	78.5	0.0
3	78	70	74.0	0.0
4	86	71	78.5	0.0
5	83	73	78.0	0.0
6	83	67	75.0	0.0
7	83	62	72.5	0.0
8	88	63	75.5	0.0
9	90	65	77.5	0.0
10	86	69	77.5	0.0
11	90	68	79.0	0.0
12	89	68	78.5	0.0
13	92	73	82.5	0.0
14	95	71	83.0	0.0
15	90	70	80.0	0.0
16	91	70	80.5	0.0
17	92	71	81.5	0.0
18	97	73	85.0	0.0
19	96	78	87.0	0.0
20	97	80	88.5	0.0
21	96	79	87.5	0.0
22	95	76	85.5	0.0
23	93	73	83.0	0.0
24	92	71	81.5	0.0
25	78	72	75.0	0.0
26	84	73	78.5	0.0
27	90	77	83.5	0.0
28	90	72	81.0	0.0
29	93	70	81.5	0.0
30	90	68	79.0	0.0
31	0	0	0.0	0.0
Monthly Total ----->				<u>0.0</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
 Panama City Division
 Actual Heating Degree Days
 July 1970

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Day_s</u>
1	93	70	81.5	0.0
2	95	75	85.0	0.0
3	93	80	86.5	0.0
4	87	70	78.5	0.0
5	91	75	83.0	0.0
6	92	72	82.0	0.0
7	91	75	83.0	0.0
8	90	77	83.5	0.0
9	90	72	81.0	0.0
10	94	80	87.0	0.0
11	93	78	85.5	0.0
12	87	74	80.5	0.0
13	89	74	81.5	0.0
14	93	74	83.5	0.0
15	93	75	84.0	0.0
16	92	76	84.0	0.0
17	89	72	80.5	0.0
18	93	72	82.5	0.0
19	93	75	84.0	0.0
20	93	79	86.0	0.0
21	85	72	78.5	0.0
22	86	70	78.0	0.0
23	89	76	82.5	0.0
24	88	72	80.0	0.0
25	91	73	82.0	0.0
26	95	73	84.0	0.0
27	94	76	85.0	0.0
28	92	74	83.0	0.0
29	93	74	83.5	0.0
30	95	76	85.5	0.0
31	95	76	85.5	0.0
Monthly Total ----->				<u>0.0</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
 Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
 Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
August 1970

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	95	76	85.5	0.0
2	94	76	85.0	0.0
3	93	78	85.5	0.0
4	96	75	85.5	0.0
5	95	75	85.0	0.0
6	99	74	86.5	0.0
7	93	73	83.0	0.0
8	91	73	82.0	0.0
9	85	73	79.0	0.0
10	85	73	79.0	0.0
11	82	75	78.5	0.0
12	85	75	80.0	0.0
13	87	72	79.5	0.0
14	90	71	80.5	0.0
15	91	75	83.0	0.0
16	93	73	83.0	0.0
17	91	72	81.5	0.0
18	92	75	83.5	0.0
19	87	73	80.0	0.0
20	90	75	82.5	0.0
21	89	74	81.5	0.0
22	91	74	82.5	0.0
23	89	76	82.5	0.0
24	86	75	80.5	0.0
25	89	73	81.0	0.0
26	89	76	82.5	0.0
27	87	75	81.0	0.0
28	88	72	80.0	0.0
29	92	75	83.5	0.0
30	92	74	83.0	0.0
31	93	73	83.0	0.0
Monthly Total ----->				<u><u>0.0</u></u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
September 1970

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	94	71	82.5	0.0
2	96	72	83.5	0.0
3	94	73	83.5	0.0
4	91	76	83.5	0.0
5	92	79	85.5	0.0
6	93	72	82.5	0.0
7	91	73	82.0	0.0
8	90	72	81.0	0.0
9	91	73	82.0	0.0
10	93	73	83.0	0.0
11	90	73	81.5	0.0
12	92	74	83.0	0.0
13	89	74	81.5	0.0
14	90	73	81.5	0.0
15	91	75	83.0	0.0
16	88	74	81.0	0.0
17	89	75	82.0	0.0
18	90	74	82.0	0.0
19	91	74	82.5	0.0
20	91	74	82.5	0.0
21	92	74	83.0	0.0
22	90	74	82.0	0.0
23	88	74	81.0	0.0
24	89	71	80.0	0.0
25	90	70	80.0	0.0
26	89	70	79.5	0.0
27	90	72	81.0	0.0
28	84	69	76.5	0.0
29	80	57	68.5	0.0
30	80	54	67.0	0.0
31	0	C	0.0	0.0
Monthly Total ----->			0.0	<u>0.0</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
October 1970

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	85	54	69.5	0.0
2	87	60	73.5	0.0
3	89	65	77.0	0.0
4	87	67	77.0	0.0
5	85	58	71.5	0.0
6	86	65	75.5	0.0
7	77	68	72.5	0.0
8	85	70	77.5	0.0
9	84	71	77.5	0.0
10	86	72	79.0	0.0
11	87	69	78.0	0.0
12	87	70	78.5	0.0
13	86	69	77.5	0.0
14	87	74	80.5	0.0
15	86	70	78.0	0.0
16	74	63	68.5	0.0
17	74	57	65.5	0.0
18	71	55	63.0	2.0
19	70	64	67.0	0.0
20	79	66	72.5	0.0
21	77	60	68.5	0.0
22	77	58	67.5	0.0
23	79	56	67.5	0.0
24	83	63	73.0	0.0
25	81	59	70.0	0.0
26	79	61	70.0	0.0
27	76	59	67.5	0.0
28	72	58	65.0	0.0
29	74	67	70.5	0.0
30	76	64	70.0	0.0
31	77	60	68.5	0.0
Monthly Total				2.0

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
November 1970

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	72	55	63.5	1.5
2	75	58	66.5	0.0
3	63	47	55.0	10.0
4	60	45	52.5	12.5
5	60	44	52.0	13.0
6	66	45	55.5	9.5
7	70	48	59.0	6.0
8	75	46	60.5	4.5
9	78	56	67.0	0.0
10	71	53	62.0	3.0
11	66	48	57.0	8.0
12	72	50	61.0	4.0
13	66	47	56.5	8.5
14	73	54	63.5	1.5
15	59	45	52.0	13.0
16	50	37	43.5	21.5
17	56	31	43.5	21.5
18	71	40	55.5	9.5
19	74	58	66.0	0.0
20	74	55	64.5	0.5
21	65	44	54.5	10.5
22	70	40	55.0	10.0
23	60	41	50.5	14.5
24	41	25	33.0	32.0
25	48	25	36.5	28.5
26	65	35	50.0	15.0
27	71	46	58.5	6.5
28	75	41	58.0	7.0
29	72	47	59.5	5.5
30	75	48	61.5	3.5
31	0	0	0.0	0.0
			Monthly Total ----->	<u>281.0</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
December 1970

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	74	51	62.5	2.5
2	74	57	65.5	0.0
3	75	53	64.0	1.0
4	71	61	66.0	0.0
5	67	42	54.5	10.5
6	66	44	55.0	10.0
7	59	34	46.5	18.5
8	66	40	53.0	12.0
9	75	52	63.5	1.5
10	76	55	65.5	0.0
11	75	51	63.0	2.0
12	73	53	63.0	2.0
13	55	41	48.0	17.0
14	61	44	52.5	12.5
15	62	41	51.5	13.5
16	68	48	58.0	7.0
17	60	46	53.0	12.0
18	65	39	52.0	13.0
19	70	46	58.0	7.0
20	71	52	61.5	3.5
21	73	53	63.0	2.0
22	75	64	69.5	0.0
23	77	63	70.0	0.0
24	70	46	58.0	7.0
25	62	41	51.5	13.5
26	53	31	42.0	23.0
27	53	26	39.5	25.5
28	63	38	50.5	14.5
29	70	50	60.0	5.0
30	56	45	50.5	14.5
31	67	49	58.0	7.0
Monthly Total ----->				257.5

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.



West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
January 1971

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	53	37	45.0	20.0
2	60	33	46.5	18.5
3	71	40	55.5	9.5
4	72	62	67.0	0.0
5	68	50	59.0	6.0
6	54	43	48.5	16.5
7	60	35	47.5	17.5
8	54	48	51.0	14.0
9	60	43	51.5	13.5
10	62	40	51.0	14.0
11	63	53	58.0	7.0
12	71	58	64.5	0.5
13	68	51	59.5	5.5
14	73	57	65.0	0.0
15	73	61	67.0	0.0
16	63	40	51.5	13.5
17	53	35	44.0	21.0
18	64	46	55.0	10.0
19	59	36	47.5	17.5
20	45	24	34.5	30.5
21	60	27	43.5	21.5
22	63	51	57.0	8.0
23	70	59	64.5	0.5
24	73	59	66.0	0.0
25	69	60	64.5	0.5
26	71	53	62.0	3.0
27	56	39	47.5	17.5
28	56	29	42.5	22.5
29	64	36	50.0	15.0
30	68	56	62.0	3.0
31	72	61	66.5	0.0
(Monthly Total ----->			66.5	<u>226.5</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
February 1971

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	62	34	48.0	17.0
2	55	34	44.5	20.5
3	65	45	55.0	10.0
4	72	57	64.5	0.5
5	65	55	60.0	5.0
6	71	42	56.5	8.5
7	70	53	61.5	3.5
8	65	36	50.5	14.5
9	45	27	36.0	29.0
10	44	23	33.5	31.5
11	58	29	43.5	21.5
12	67	36	51.5	13.5
13	52	38	45.0	20.0
14	52	28	40.0	25.0
15	60	33	46.5	18.5
16	68	42	55.0	10.0
17	72	40	56.0	9.0
18	74	45	59.5	5.5
19	75	55	65.0	0.0
20	74	62	68.0	0.0
21	77	65	71.0	0.0
22	70	58	64.0	1.0
23	60	45	52.5	12.5
24	69	45	57.0	8.0
25	65	56	60.5	4.5
26	72	59	65.5	0.0
27	77	64	70.5	0.0
28	72	63	67.5	0.0
29	0	0	0.0	0.0
30	0	0	0.0	0.0
31	0	0	0.0	0.0
			Monthly Total ----->	<u>289.0</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
March 1971

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	73	65	69.0	0.0
2	73	67	70.0	0.0
3	70	41	55.5	9.5
4	52	33	42.5	22.5
5	61	33	47.0	18.0
6	66	43	54.5	10.5
7	64	43	53.5	11.5
8	59	35	47.0	18.0
9	64	35	49.5	15.5
10	71	46	58.5	6.5
11	64	47	55.5	9.5
12	67	47	57.0	8.0
13	68	54	61.0	4.0
14	76	54	65.0	0.0
15	71	63	67.0	0.0
16	76	55	65.5	0.0
17	70	51	60.5	4.5
18	70	45	57.5	7.5
19	68	59	63.5	1.5
20	61	45	53.0	12.0
21	64	35	49.5	15.5
22	69	53	61.0	4.0
23	75	62	68.5	0.0
24	68	53	60.5	4.5
25	72	52	62.0	3.0
26	67	49	58.0	7.0
27	61	38	49.5	15.5
28	68	45	56.5	8.5
29	69	58	63.5	1.5
30	67	47	57.0	8.0
31	70	40	55.0	10.0
Monthly Total ----->				<u>236.5</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
April 1971

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	72	47	59.5	5.5
2	64	51	57.5	7.5
3	68	38	53.0	12.0
4	58	48	53.0	12.0
5	64	55	59.5	5.5
6	63	45	54.0	11.0
7	65	40	52.5	12.5
8	72	40	56.0	9.0
9	76	44	60.0	5.0
10	77	49	63.0	2.0
11	84	55	69.5	0.0
12	80	53	66.5	0.0
13	80	50	65.0	0.0
14	78	62	70.0	0.0
15	79	52	65.5	0.0
16	81	52	66.5	0.0
17	79	56	67.0	0.0
18	79	57	68.0	0.0
19	86	55	70.5	0.0
20	85	57	71.0	0.0
21	83	65	74.0	0.0
22	84	70	77.0	0.0
23	81	68	74.5	0.0
24	81	65	73.0	0.0
25	83	54	68.5	0.0
26	78	62	70.0	0.0
27	81	71	76.0	0.0
28	83	72	77.5	0.0
29	81	69	75.0	0.0
30	80	64	72.0	0.0
31	0	0	0.0	0.0
Monthly Total ----->				<u>82.0</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
May 1971

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	79	63	71.0	0.0
2	80	53	66.5	0.0
3	74	60	67.0	0.0
4	74	46	60.0	5.0
5	75	46	60.5	4.5
6	81	63	72.0	0.0
7	80	68	74.0	0.0
8	82	71	76.5	0.0
9	85	67	76.0	0.0
10	86	68	77.0	0.0
11	83	67	75.0	0.0
12	80	68	74.0	0.0
13	76	70	73.0	0.0
14	72	58	65.0	0.0
15	76	63	69.5	0.0
16	81	60	70.5	0.0
17	86	61	73.5	0.0
18	85	62	73.5	0.0
19	84	68	76.0	0.0
20	85	71	78.0	0.0
21	84	67	75.5	0.0
22	88	60	74.0	0.0
23	85	60	72.5	0.0
24	84	68	76.0	0.0
25	83	68	75.5	0.0
26	87	69	78.0	0.0
27	89	72	80.5	0.0
28	84	71	77.5	0.0
29	81	65	73.0	0.0
30	81	58	69.5	0.0
31	85	62	73.5	0.0
Monthly Total ----->				<u>9.5</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
June 1971

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	90	64	77.0	0.0
2	87	68	77.5	0.0
3	90	69	79.5	0.0
4	89	67	78.0	0.0
5	92	71	81.5	0.0
6	89	75	82.0	0.0
7	83	69	76.0	0.0
8	90	68	79.0	0.0
9	89	74	81.5	0.0
10	89	68	78.5	0.0
11	90	70	80.0	0.0
12	91	70	80.5	0.0
13	92	74	83.0	0.0
14	93	76	84.5	0.0
15	91	81	86.0	0.0
16	92	78	85.0	0.0
17	89	73	81.0	0.0
18	91	73	82.0	0.0
19	90	74	82.0	0.0
20	93	75	84.0	0.0
21	89	75	82.0	0.0
22	91	77	84.0	0.0
23	89	73	81.0	0.0
24	92	75	83.5	0.0
25	90	75	82.5	0.0
26	93	75	84.0	0.0
27	91	73	82.0	0.0
28	92	77	84.5	0.0
29	91	75	83.0	0.0
30	91	73	82.0	0.0
31	0	0	0.0	0.0
Monthly Total ----->				<u>0.0</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
 Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
 Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
July 1971

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	92	75	83.5	0.0
2	90	78	84.0	0.0
3	89	73	81.0	0.0
4	79	74	76.5	0.0
5	87	74	80.5	0.0
6	90	78	84.0	0.0
7	92	74	83.0	0.0
8	89	72	80.5	0.0
9	90	71	80.5	0.0
10	92	71	81.5	0.0
11	92	74	83.0	0.0
12	89	72	80.5	0.0
13	90	72	81.0	0.0
14	92	76	84.0	0.0
15	89	73	81.0	0.0
16	87	73	80.0	0.0
17	90	76	83.0	0.0
18	92	79	85.5	0.0
19	86	75	80.5	0.0
20	87	72	79.5	0.0
21	87	74	80.5	0.0
22	91	73	82.0	0.0
23	91	70	80.5	0.0
24	91	73	82.0	0.0
25	92	74	83.0	0.0
26	88	75	81.5	0.0
27	82	72	77.0	0.0
28	90	72	81.0	0.0
29	91	75	83.0	0.0
30	87	75	81.0	0.0
31	88	71	79.5	0.0
Monthly Total ----->				0.0

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
August 1971

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	84	72	78.0	0.0
2	87	70	78.5	0.0
3	89	73	81.0	0.0
4	92	73	82.5	0.0
5	91	73	82.0	0.0
6	90	73	81.5	0.0
7	89	72	80.5	0.0
8	91	74	82.5	0.0
9	93	78	85.5	0.0
10	88	75	81.5	0.0
11	84	74	79.0	0.0
12	91	73	82.0	0.0
13	92	75	83.5	0.0
14	91	73	82.0	0.0
15	91	72	81.5	0.0
16	90	75	82.5	0.0
17	89	71	80.0	0.0
18	86	74	80.0	0.0
19	91	73	82.0	0.0
20	92	73	82.5	0.0
21	91	74	82.5	0.0
22	91	75	83.0	0.0
23	91	77	84.0	0.0
24	91	75	83.0	0.0
25	88	73	80.5	0.0
26	87	73	80.0	0.0
27	89	72	80.5	0.0
28	90	74	82.0	0.0
29	90	72	81.0	0.0
30	85	73	79.0	0.0
31	89	73	81.0	0.0
Monthly Total ----->				0.0

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
September 1971

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	90	73	81.5	0.0
2	90	73	81.5	0.0
3	89	74	81.5	0.0
4	85	74	79.5	0.0
5	87	73	80.0	0.0
6	90	73	81.5	0.0
7	90	73	81.5	0.0
8	87	73	80.0	0.0
9	85	74	79.5	0.0
10	90	69	79.5	0.0
11	86	73	79.5	0.0
12	85	73	79.0	0.0
13	85	70	77.5	0.0
14	86	62	74.0	0.0
15	85	65	75.0	0.0
16	86	72	79.0	0.0
17	88	78	83.0	0.0
18	85	67	76.0	0.0
19	86	70	78.0	0.0
20	88	71	79.5	0.0
21	91	72	81.5	0.0
22	88	70	79.0	0.0
23	86	73	79.5	0.0
24	88	72	80.0	0.0
25	88	73	80.5	0.0
26	88	70	79.0	0.0
27	88	73	80.5	0.0
28	89	70	79.5	0.0
29	88	66	77.0	0.0
30	88	66	77.0	0.0
31	0	0	0.0	0.0
Monthly Total ----->				0.0

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
 Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
 Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
October 1971

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	90	70	80.0	0.0
2	89	72	80.5	0.0
3	90	72	81.0	0.0
4	89	70	79.5	0.0
5	89	72	80.5	0.0
6	86	70	78.0	0.0
7	85	68	76.5	0.0
8	84	58	71.0	0.0
9	75	67	71.0	0.0
10	74	61	67.5	0.0
11	73	50	61.5	3.5
12	80	51	65.5	0.0
13	82	59	70.5	0.0
14	85	71	78.0	0.0
15	84	67	75.5	0.0
16	84	65	74.5	0.0
17	85	70	77.5	0.0
18	83	68	76.0	0.0
19	77	68	68.5	0.0
20	79	64	71.5	0.0
21	80	64	72.0	0.0
22	79	68	73.5	0.0
23	80	62	71.0	0.0
24	80	65	72.5	0.0
25	75	63	69.0	0.0
26	78	61	69.5	0.0
27	81	65	73.0	0.0
28	82	68	71.0	0.0
29	84	64	74.0	0.0
30	80	70	75.0	0.0
31	80	68	74.5	0.0
Monthly Total ----->				<u>3.5</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
November 1971


<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	85	67	76.0	0.0
2	85	71	78.0	0.0
3	80	68	74.0	0.0
4	69	48	58.5	6.5
5	74	44	59.0	6.0
6	81	59	70.0	0.0
7	76	64	70.0	0.0
8	66	38	52.0	13.0
9	63	46	54.5	10.5
10	63	46	54.5	10.5
11	68	40	54.0	11.0
12	71	42	56.5	8.5
13	74	47	60.5	4.5
14	76	50	63.0	2.0
15	75	51	63.0	2.0
16	78	55	66.5	0.0
17	80	57	68.5	0.0
18	78	59	68.5	0.0
19	79	59	69.0	0.0
20	71	53	62.0	3.0
21	70	53	61.5	3.5
22	64	37	50.5	14.5
23	60	48	54.0	11.0
24	62	45	53.5	11.5
25	60	39	49.5	15.5
26	67	40	53.5	11.5
27	75	55	65.0	0.0
28	72	50	61.0	4.0
29	70	62	66.0	0.0
30	67	48	57.5	7.5
31	0	0	0.0	0.0
Monthly Total ----->				<u>156.5</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
December 1971

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	64	45	54.5	10.5
2	52	47	49.5	15.5
3	61	42	51.5	13.5
4	49	43	46.0	19.0
5	58	45	51.5	13.5
6	74	57	65.5	0.0
7	0	0	0.0	0.0
8	0	0	0.0	0.0
9	0	0	0.0	0.0
10	0	0	0.0	0.0
11	0	0	0.0	0.0
12	0	0	0.0	0.0
13	0	0	0.0	0.0
14	0	0	0.0	0.0
15	0	0	0.0	0.0
16	0	0	0.0	0.0
17	0	0	0.0	0.0
18	0	0	0.0	0.0
19	0	0	0.0	0.0
20	0	0	0.0	0.0
21	0	0	0.0	0.0
22	0	0	0.0	0.0
23	0	0	0.0	0.0
24	0	0	0.0	0.0
25	0	0	0.0	0.0
26	0	0	0.0	0.0
27	0	0	0.0	0.0
28	0	0	0.0	0.0
29	0	0	0.0	0.0
30	0	0	0.0	0.0
31	0	0	0.0	0.0
Monthly Total ----->				72.0

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
 Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
 Both formulas are used by the National Weather Service.



West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
January 1972

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	80	56	67.5	0.0
2	79	55	67.0	0.0
3	70	57	63.5	1.5
4	73	60	66.5	0.0
5	77	53	65.0	0.0
6	55	34	44.5	20.5
7	49	28	38.5	26.5
8	60	29	44.5	20.5
9	67	34	50.5	14.5
10	74	52	63.0	2.0
11	79	68	73.5	0.0
12	73	58	65.5	0.0
13	76	61	68.5	0.0
14	76	65	70.5	0.0
15	67	38	52.5	12.5
16	52	24	38.0	27.0
17	40	24	32.0	33.0
18	53	25	39.0	26.0
19	69	45	57.0	8.0
20	72	49	60.5	4.5
21	69	59	64.0	1.0
22	73	59	66.0	0.0
23	71	50	60.5	4.5
24	75	55	65.0	0.0
25	76	63	69.5	0.0
26	68	53	60.5	4.5
27	67	49	58.0	7.0
28	75	51	63.0	2.0
29	75	58	66.5	0.0
30	71	58	64.5	0.5
31	75	39	57.0	8.0
Monthly Total ----->				<u>24.0</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
February 1972

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	58	39	48.5	16.5
2	52	45	48.5	16.5
3	61	47	54.0	11.0
4	63	30	46.5	18.5
5	51	30	40.5	24.5
6	58	31	44.5	20.5
7	68	41	54.5	10.5
8	62	35	48.5	16.5
9	61	36	48.5	16.5
10	57	32	44.5	20.5
11	63	37	50.0	15.0
12	55	43	49.0	16.0
13	65	42	53.5	11.5
14	57	30	43.5	21.5
15	56	32	44.0	21.0
16	62	34	48.0	17.0
17	60	54	57.0	8.0
18	65	53	59.0	6.0
19	70	38	54.0	11.0
20	53	35	44.0	21.0
21	61	32	46.5	18.5
22	64	38	51.0	14.0
23	74	48	61.0	4.0
24	0	0	0.0	0.0
25	71	54	62.5	2.5
26	75	54	64.5	0.5
27	76	55	65.5	0.0
28	66	55	60.5	4.5
29	74	56	65.0	0.0
30	0	0	0.0	0.0
31	0	0	0.0	0.0
Monthly Total ----->			363.5	

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
March 1972

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	76	58	67.0	0.0
2	76	58	67.0	0.0
3	75	48	61.5	3.5
4	57	39	48.0	17.0
5	69	39	54.0	11.0
6	66	37	51.5	13.5
7	63	35	49.0	16.0
8	70	42	56.0	9.0
9	67	43	55.0	10.0
10	62	32	47.0	18.0
11	73	37	55.0	10.0
12	75	42	58.5	6.5
13	75	45	60.0	5.0
14	74	50	62.0	3.0
15	76	54	65.0	0.0
16	76	62	69.0	0.0
17	72	45	58.5	6.5
18	79	43	61.0	4.0
19	79	46	62.5	2.5
20	76	53	64.5	0.5
21	78	56	67.0	0.0
22	77	59	68.0	0.0
23	78	41	59.5	5.5
24	78	50	64.0	1.0
25	75	54	64.5	0.5
26	71	44	57.5	7.5
27	70	46	58.0	7.0
28	73	55	64.0	1.0
29	79	59	69.0	0.0
30	72	55	63.5	1.5
31	62	53	57.5	7.5
Monthly Total ----->			167.5	

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
April 1972

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	63	43	53.0	12.0
2	69	39	54.0	11.0
3	69	45	57.0	8.0
4	74	48	61.0	4.0
5	72	52	62.0	3.0
6	73	51	62.0	3.0
7	78	55	66.5	0.0
8	79	69	74.0	0.0
9	82	40	61.0	4.0
10	72	46	59.0	6.0
11	74	48	61.0	4.0
12	77	62	69.5	0.0
13	79	67	73.0	0.0
14	80	70	75.0	0.0
15	84	71	77.5	0.0
16	83	70	76.5	0.0
17	83	59	71.0	0.0
18	78	54	66.0	0.0
19	82	60	71.0	0.0
20	84	61	72.5	0.0
21	83	58	70.5	0.0
22	83	71	77.0	0.0
23	77	59	68.0	0.0
24	86	59	72.5	0.0
25	84	59	71.5	0.0
26	77	47	62.0	3.0
27	78	49	63.5	1.5
28	79	53	66.0	0.0
29	77	61	69.0	0.0
30	80	59	69.5	0.0
31	0	0	0.0	0.0
Monthly Total ----->				<u>59.5</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
May 1972

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	82	61	71.5	0.0
2	82	60	71.0	0.0
3	82	63	72.5	0.0
4	0	0	0.0	0.0
5	81	51	66.0	0.0
6	83	50	66.5	0.0
7	84	55	69.5	0.0
8	85	61	73.0	0.0
9	79	69	74.0	0.0
10	85	62	73.5	0.0
11	85	63	74.0	0.0
12	78	66	72.0	0.0
13	75	68	71.5	0.0
14	77	64	70.5	0.0
15	82	68	75.0	0.0
16	83	64	73.5	0.0
17	84	58	71.0	0.0
18	82	59	70.5	0.0
19	84	59	71.5	0.0
20	81	56	68.5	0.0
21	82	59	70.5	0.0
22	85	58	71.5	0.0
23	87	61	74.0	0.0
24	87	59	73.0	0.0
25	87	61	74.0	0.0
26	87	65	76.0	0.0
27	87	58	72.5	0.0
28	76	61	68.5	0.0
29	75	65	70.0	0.0
30	84	65	74.5	0.0
31	84	67	75.5	0.0
Monthly Total --			----->	<u>0.0</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
June 1972

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	85	61	73.0	0.0
2	81	49	65.0	0.0
3	86	55	70.5	0.0
4	89	57	73.0	0.0
5	91	61	76.0	0.0
6	91	61	76.0	0.0
7	91	71	81.0	0.0
8	97	70	83.5	0.0
9	91	66	78.5	0.0
10	88	66	78.0	0.0
11	89	69	79.0	0.0
12	90	68	79.0	0.0
13	86	68	78.0	0.0
14	85	71	78.0	0.0
15	90	73	81.5	0.0
16	91	72	81.5	0.0
17	93	73	83.0	0.0
18	94	67	80.5	0.0
19	86	70	78.0	0.0
20	77	70	73.5	0.0
21	90	72	81.0	0.0
22	91	74	82.5	0.0
23	91	66	78.5	0.0
24	85	71	78.0	0.0
25	84	74	79.0	0.0
26	85	69	77.0	0.0
27	87	78	82.5	0.0
28	87	77	82.0	0.0
29	88	79	83.5	0.0
30	86	70	78.0	0.0
31	0	0	0.0	0.0
Monthly Total ----->				<u>0.0</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
 Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
 Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
July 1972

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	88	70	79.0	0.0
2	91	66	78.5	0.0
3	90	69	79.5	0.0
4	91	68	79.5	0.0
5	89	72	80.5	0.0
6	89	69	79.0	0.0
7	86	64	75.0	0.0
8	89	69	79.0	0.0
9	90	63	76.5	0.0
10	89	64	76.5	0.0
11	91	70	80.5	0.0
12	93	68	80.5	0.0
13	97	68	82.5	0.0
14	95	69	82.0	0.0
15	91	69	80.0	0.0
16	92	69	80.5	0.0
17	91	69	80.0	0.0
18	92	72	82.0	0.0
19	94	70	82.0	0.0
20	94	71	82.5	0.0
21	91	71	81.0	0.0
22	92	69	80.5	0.0
23	94	70	82.0	0.0
24	94	73	83.5	0.0
25	92	73	82.5	0.0
26	85	74	79.5	0.0
27	90	73	81.5	0.0
28	90	69	79.5	0.0
29	91	71	81.0	0.0
30	92	80	86.0	0.0
31	90	69	79.5	0.0
Monthly Total ----->				<u>0.0</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
 Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
 Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
August 1972

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	87	70	78.5	00
2	91	72	81.5	00
3	91	71	81.0	00
4	93	71	82.0	00
5	96	71	83.5	00
6	95	74	84.5	00
7	94	76	85.0	00
8	93	78	85.5	00
9	92	74	83.0	00
10	93	70	81.5	00
11	94	71	82.5	00
12	93	69	81.0	00
13	95	68	81.5	00
14	91	70	80.5	00
15	92	71	81.5	00
16	94	70	82.0	00
17	95	72	83.5	00
18	94	72	83.0	00
19	94	72	83.0	00
20	97	71	84.0	00
21	98	73	85.5	00
22	94	72	83.0	00
23	91	72	81.5	00
24	86	70	78.0	00
25	91	71	81.0	00
26	89	72	80.5	00
27	91	69	80.0	00
28	90	71	80.5	00
29	89	70	79.5	00
30	90	66	78.0	00
31	91	69	80.0	00
Monthly Total ----->				00

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
September 1972

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	90	69	79.5	0.0
2	89	68	78.5	0.0
3	91	66	78.5	0.0
4	91	68	79.5	0.0
5	91	68	79.5	0.0
6	89	70	79.5	0.0
7	90	71	80.5	0.0
8	91	69	80.0	0.0
9	93	71	82.0	0.0
10	94	71	82.5	0.0
11	88	68	78.0	0.0
12	89	66	77.5	0.0
13	88	67	77.5	0.0
14	92	68	80.0	0.0
15	93	68	80.5	0.0
16	93	69	81.0	0.0
17	91	69	80.0	0.0
18	91	69	80.0	0.0
19	92	70	81.0	0.0
20	93	72	82.5	0.0
21	94	70	82.0	0.0
22	89	66	77.5	0.0
23	89	67	78.0	0.0
24	91	68	79.5	0.0
25	0	0	0.0	0.0
26	87	70	78.5	0.0
27	91	69	80.0	0.0
28	92	70	81.0	0.0
29	91	70	80.5	0.0
30	90	71	80.5	0.0
31	0	0	0.0	0.0
Monthly total ----->				0.0

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
 Panama City Division
 Actual Heating Degree Days
 October 1977

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	84	50	67.0	0.0
2	77	50	63.5	1.5
3	81	61	71.0	0.0
4	84	66	75.0	0.0
5	83	66	74.5	0.0
6	69	63	76.0	0.0
7	83	63	73.0	0.0
8	84	51	67.5	0.0
9	83	52	67.5	0.0
10	86	50	68.0	0.0
11	86	57	71.5	0.0
12	86	61	73.5	0.0
13	85	54	69.5	0.0
14	87	56	71.5	0.0
15	88	62	75.0	0.0
16	87	57	72.0	0.0
17	87	58	72.5	0.0
18	87	61	74.0	0.0
19	87	62	74.5	0.0
20	86	53	69.5	0.0
21	65	54	59.5	5.5
22	79	54	66.5	0.0
23	83	58	70.5	0.0
24	83	66	74.5	0.0
25	75	55	65.0	0.0
26	73	47	60.0	5.0
27	73	48	60.5	4.5
28	78	56	67.0	0.0
29	75	55	65.0	0.0
30	73	50	61.5	3.5
31	84	59	71.5	0.0
Monthly Total ----->				20.0

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
 Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
 Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
November 1972


<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	83	67	72.5	0.0
2	83	63	73.0	0.0
3	83	69	76.0	0.0
4	91	66	78.5	0.0
5	80	63	71.5	0.0
6	71	64	67.5	0.0
7	73	66	69.5	0.0
8	81	52	66.5	0.0
9	71	40	55.5	9.5
10	74	47	60.5	4.5
11	74	55	64.5	0.5
12	75	56	65.5	0.0
13	81	60	70.5	0.0
14	81	63	72.0	0.0
15	72	45	58.5	6.5
16	58	37	47.5	17.5
17	64	36	50.0	15.0
18	57	34	45.5	19.5
19	64	39	51.5	13.5
20	74	39	56.5	8.5
21	52	37	44.5	20.5
22	53	41	47.0	18.0
23	56	39	47.5	17.5
24	50	39	44.5	20.5
25	59	43	51.0	14.0
26	76	44	60.0	5.0
27	57	32	44.5	20.5
28	69	41	55.0	10.0
29	73	51	62.0	3.0
30	59	51	55.0	10.0
31	0	0	0.0	0.0
Monthly Total ----->			234.0	

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
December 1972

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	54	34	44.0	21.0
2	59	32	45.5	19.5
3	60	35	47.5	17.5
4	65	49	57.0	8.0
5	75	59	67.0	0.0
6	77	63	70.0	0.0
7	79	53	66.0	0.0
8	67	54	60.5	4.5
9	75	64	69.5	0.0
10	80	65	72.5	0.0
11	80	60	70.0	0.0
12	81	60	70.5	0.0
13	80	63	71.5	0.0
14	79	66	72.5	0.0
15	79	68	73.5	0.0
16	75	33	54.0	11.0
17	50	28	39.0	26.0
18	48	29	38.5	26.5
19	60	34	47.0	18.0
20	71	41	56.0	9.0
21	74	59	66.5	0.0
22	65	56	60.5	4.5
23	58	46	52.0	13.0
24	57	37	47.0	18.0
25	71	41	56.0	9.0
26	56	32	44.0	21.0
27	55	31	43.0	22.0
28	60	29	44.5	20.5
29	66	30	48.0	17.0
30	70	42	56.0	9.0
31	73	51	62.0	3.0
Monthly Total ----->				<u>208.0</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.



West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
January 1973

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	69	60	64.5	0.5
2	66	50	58.0	7.0
3	64	51	57.5	7.5
4	73	64	68.5	0.0
5	73	53	63.0	2.0
6	74	54	64.0	1.0
7	76	53	64.5	0.5
8	70	49	59.5	5.5
9	69	45	57.0	8.0
10	65	38	51.5	13.5
11	50	37	43.5	21.5
12	50	35	42.5	22.5
13	44	27	35.5	29.5
14	53	25	39.0	26.0
15	58	31	44.5	20.5
16	70	32	51.0	14.0
17	70	35	52.5	12.5
18	71	45	58.0	7.0
19	75	51	63.0	2.0
20	73	46	59.5	5.5
21	74	31	52.5	12.5
22	71	44	57.5	7.5
23	70	41	55.5	9.5
24	73	42	57.5	7.5
25	66	40	53.0	12.0
26	64	42	53.0	12.0
27	66	41	53.5	0.0
28	69	41	55.0	10.0
29	63	40	51.5	13.5
30	45	25	35.0	30.0
31	52	26	39.0	26.0
			Month's Total ----->	<u>347.0</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
February 1973

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Day_s</u>
1	66	40	53.0	12.0
2	69	60	64.5	0.5
3	65	44	54.5	10.5
4	61	30	45.5	19.5
5	64	31	47.5	17.5
6	70	47	58.5	6.5
7	72	47	59.5	5.5
8	73	49	61.0	4.0
9	71	38	54.5	10.5
10	40	31	35.5	29.5
11	42	24	33.0	32.0
12	55	27	41.0	24.0
13	55	32	43.5	21.5
14	69	38	53.5	11.5
15	72	40	56.0	9.0
16	62	31	46.5	18.5
17	53	29	41.0	24.0
18	44	29	36.5	28.5
19	55	40	47.5	17.5
20	59	33	46.0	19.0
21	65	36	50.5	14.5
22	65	35	50.0	15.0
23	63	40	51.5	13.5
24	64	35	49.5	15.5
25	70	39	54.5	10.5
26	70	48	59.0	6.0
27	72	46	59.0	6.0
28	71	49	60.0	5.0
29	0	0	0.0	0.0
30	0	0	0.0	0.0
31	0	0	0.0	0.0
Monthly Total ----->				<u><u>407.5</u></u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
March 1973

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	72	43	57.5	7.5
2	71	45	58.0	7.0
3	72	60	66.0	0.0
4	78	60	69.0	0.0
5	74	60	67.0	0.0
6	72	62	67.0	0.0
7	79	64	71.5	0.0
8	71	57	64.0	1.0
9	80	59	69.5	0.0
10	80	62	71.0	0.0
11	75	65	70.0	0.0
12	77	64	70.5	0.0
13	79	64	71.5	0.0
14	80	63	71.5	0.0
15	80	66	73.0	0.0
16	80	71	75.5	0.0
17	78	49	63.5	1.5
18	63	35	49.0	16.0
19	69	41	55.0	10.0
20	77	51	64.0	1.0
21	69	51	60.0	5.0
22	64	38	51.0	14.0
23	69	37	53.0	12.0
24	74	47	60.5	4.5
25	68	56	62.0	3.0
26	74	59	66.5	0.0
27	71	50	60.5	4.5
28	70	49	59.5	5.5
29	73	49	61.0	4.0
30	72	61	66.5	0.0
31	71	66	68.5	0.0
Monthly Total ----->				<u>96.5</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
April 1973

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	73	61	67.0	0.0
2	77	53	65.0	0.0
3	81	56	68.5	0.0
4	71	59	65.0	0.0
5	70	43	56.5	8.5
6	65	48	56.5	8.5
7	70	51	60.5	4.5
8	71	50	60.5	4.5
9	69	46	57.5	7.5
10	72	40	56.0	9.0
11	58	38	48.0	17.0
12	63	41	52.0	13.0
13	70	49	59.5	5.5
14	78	51	64.5	0.5
15	79	53	66.0	0.0
16	78	59	68.5	0.0
17	78	56	66.0	0.0
18	75	57	66.0	0.0
19	77	62	69.5	0.0
20	80	58	69.0	0.0
21	84	64	74.0	0.0
22	81	60	70.5	0.0
23	80	66	73.0	0.0
24	79	69	74.0	0.0
25	80	75	77.5	0.0
26	80	74	77.0	0.0
27	75	62	68.5	0.0
28	67	45	56.0	9.0
29	71	44	57.5	7.5
30	76	45	60.5	4.5
31	0	0	0.0	0.0
Monthly Total ----->				<u>99.5</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
May 1973

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	79	54	66.5	0.0
2	78	60	69.0	0.0
3	80	57	68.5	0.0
4	77	55	66.0	0.0
5	72	45	58.5	6.5
6	80	48	64.0	1.0
7	79	56	67.5	0.0
8	79	62	70.5	0.0
9	74	68	71.0	0.0
10	82	61	71.5	0.0
11	87	58	72.5	0.0
12	85	64	74.5	0.0
13	85	66	75.5	0.0
14	84	66	75.0	0.0
15	83	54	68.5	0.0
16	78	50	64.0	1.0
17	75	49	62.0	3.0
18	78	55	66.5	0.0
19	80	58	69.0	0.0
20	80	63	71.5	0.0
21	80	64	72.0	0.0
22	83	66	74.5	0.0
23	84	65	74.5	0.0
24	85	70	77.5	0.0
25	82	66	74.0	0.0
26	83	69	76.0	0.0
27	83	66	74.5	0.0
28	82	64	73.0	0.0
29	85	66	75.5	0.0
30	87	69	78.0	0.0
31	81	65	73.0	0.0
Monthly Total ----->				<u>11.0</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
June 1973

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	88	67	76.5	0.0
2	87	63	75.0	0.0
3	88	66	77.0	0.0
4	86	68	77.0	0.0
5	86	62	74.0	0.0
6	87	68	77.5	0.0
7	86	69	77.5	0.0
8	88	68	78.0	0.0
9	88	68	78.0	0.0
10	88	72	80.0	0.0
11	89	74	81.5	0.0
12	88	73	80.5	0.0
13	87	70	78.5	0.0
14	89	70	79.5	0.0
15	89	70	79.5	0.0
16	90	71	80.5	0.0
17	90	73	81.5	0.0
18	88	68	78.0	0.0
19	87	68	77.5	0.0
20	89	71	80.0	0.0
21	87	69	78.0	0.0
22	89	71	80.0	0.0
23	89	72	80.5	0.0
24	89	66	77.5	0.0
25	91	64	77.5	0.0
26	91	65	78.0	0.0
27	88	67	77.5	0.0
28	90	69	79.5	0.0
29	89	70	79.5	0.0
30	92	65	78.5	0.0
31	0	0	0.0	0.0
Monthly Total ----->				0.0

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
 Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
 Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
July 1973

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	94	71	82.5	0.0
2	93	70	81.5	0.0
3	95	71	83.0	0.0
4	93	69	81.0	0.0
5	88	72	80.0	0.0
6	89	73	81.0	0.0
7	89	72	80.5	0.0
8	90	68	79.0	0.0
9	93	72	82.5	0.0
10	93	72	82.5	0.0
11	94	72	83.0	0.0
12	90	72	81.0	0.0
13	92	75	83.5	0.0
14	67	75	81.0	0.0
15	89	73	81.0	0.0
16	88	73	80.5	0.0
17	90	73	81.5	0.0
18	92	75	83.5	0.0
19	89	73	81.0	0.0
20	91	73	82.0	0.0
21	92	72	82.0	0.0
22	91	71	81.0	0.0
23	90	73	81.5	0.0
24	86	72	79.0	0.0
25	88	72	80.0	0.0
26	89	71	80.0	0.0
27	89	73	81.0	0.0
28	82	73	77.5	0.0
29	88	75	81.5	0.0
30	94	74	84.0	0.0
31	94	73	83.5	0.0
Monthly Total ----->				0.0

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
August 1973

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	92	74	83.0	0.0
2	90	72	81.0	0.0
3	88	72	80.0	0.0
4	87	73	80.0	0.0
5	89	72	80.5	0.0
6	90	72	81.0	0.0
7	89	71	80.0	0.0
8	91	70	80.5	0.0
9	90	71	80.5	0.0
10	91	72	81.5	0.0
11	91	72	81.5	0.0
12	90	73	81.5	0.0
13	89	70	79.5	0.0
14	90	72	81.0	0.0
15	89	72	80.5	0.0
16	92	71	81.5	0.0
17	90	71	80.5	0.0
18	91	70	80.5	0.0
19	93	71	82.0	0.0
20	91	70	80.5	0.0
21	92	68	80.0	0.0
22	94	66	80.0	0.0
23	85	65	75.0	0.0
24	88	65	76.5	0.0
25	90	66	78.0	0.0
26	91	69	80.0	0.0
27	90	69	79.5	0.0
28	92	68	80.0	0.0
29	92	68	80.0	0.0
30	92	70	81.0	0.0
31	90	71	80.5	0.0
Monthly Total ----->				<u>0.0</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
 Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
 Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
September 1973

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Day</u>
1	91	71	81.0	0.0
2	79	72	75.5	0.0
3	87	71	79.0	0.0
4	90	72	81.0	0.0
5	90	72	81.0	0.0
6	88	73	80.5	0.0
7	90	73	81.5	0.0
8	90	71	80.5	0.0
9	93	73	83.0	0.0
10	88	74	81.0	0.0
11	85	75	80.0	0.0
12	90	75	82.5	0.0
13	89	75	82.0	0.0
14	85	75	80.0	0.0
15	86	74	80.0	0.0
16	88	72	80.0	0.0
17	89	70	79.5	0.0
18	89	67	78.0	0.0
19	89	67	78.0	0.0
20	86	61	73.5	0.0
21	89	62	75.5	0.0
22	91	67	79.0	0.0
23	92	70	81.0	0.0
24	90	68	79.0	0.0
25	90	65	77.5	0.0
26	90	66	78.0	0.0
27	79	72	75.5	0.0
28	88	72	80.0	0.0
29	85	69	77.0	0.0
30	89	68	78.5	0.0
31	0	0	0.0	0.0
Monthly total ----->			0.0	0.0

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
October 1973

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	87	70	78.5	0.0
2	82	68	75.0	0.0
3	89	67	78.0	0.0
4	89	67	78.0	0.0
5	90	65	77.5	0.0
6	90	65	77.5	0.0
7	91	65	78.0	0.0
8	89	66	77.5	0.0
9	87	70	78.5	0.0
10	88	66	77.0	0.0
11	87	66	76.5	0.0
12	86	65	75.5	0.0
13	86	65	75.5	0.0
14	86	61	73.5	0.0
15	88	63	75.5	0.0
16	87	63	75.0	0.0
17	86	63	74.5	0.0
18	84	48	66.0	0.0
19	79	46	62.5	2.5
20	83	48	65.5	0.0
21	83	54	68.5	0.0
22	84	56	70.0	0.0
23	86	60	73.0	0.0
24	82	49	65.5	0.0
25	81	48	64.5	0.5
26	81	46	63.5	1.5
27	84	47	65.5	0.0
28	84	53	68.5	0.0
29	78	47	61.0	4.0
30	64	35	49.5	15.5
31	60	42	55.5	5.5
			Monthly Total ----->	<u>37.5</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
November 1973


<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	76	48	62.0	3.0
2	75	44	59.5	5.5
3	80	53	66.5	0.0
4	81	62	71.5	0.0
5	83	64	73.5	0.0
6	77	49	63.0	2.0
7	72	49	60.5	4.5
8	79	56	67.5	0.0
9	80	64	72.0	0.0
10	75	44	59.5	5.5
11	62	35	48.5	16.5
12	66	36	50.5	14.5
13	74	45	59.5	5.5
14	75	50	62.5	2.5
15	79	48	63.5	1.5
16	79	47	63.0	2.0
17	78	42	60.0	5.0
18	73	45	59.0	6.0
19	77	51	64.0	1.0
20	75	58	66.5	0.0
21	80	69	74.5	0.0
22	76	59	67.5	0.0
23	73	64	68.5	0.0
24	75	64	69.5	0.0
25	78	68	73.0	0.0
26	82	68	75.0	0.0
27	81	69	75.0	0.0
28	79	61	70.0	0.0
29	70	38	54.0	11.0
30	61	33	47.0	18.0
31	0	0	0.0	0.0
Monthly Total ----->				<u>104.0</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
December 1973

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	67	35	51.0	14.0
2	72	37	54.5	10.5
3	76	42	59.0	6.0
4	77	57	67.0	0.0
5	76	60	68.0	0.0
6	70	39	54.5	10.5
7	61	38	49.5	15.5
8	50	31	40.5	24.5
9	58	32	45.0	20.0
10	60	32	46.0	19.0
11	59	25	42.0	23.0
12	54	29	41.5	23.5
13	68	28	48.0	17.0
14	73	42	57.5	7.5
15	68	42	55.0	10.0
16	75	45	60.0	5.0
17	49	29	39.0	26.0
18	46	27	36.5	28.5
19	55	30	42.5	22.5
20	67	38	52.5	12.5
21	63	29	46.0	19.0
22	44	25	34.5	30.5
23	54	24	39.0	26.0
24	64	27	45.5	19.5
25	71	45	58.0	7.0
26	72	64	68.0	0.0
27	69	51	60.0	5.0
28	68	33	50.5	14.5
29	67	36	51.5	13.5
30	73	55	64.0	1.0
31	75	65	70.0	0.0
Monthly Total ----->				431.5

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.



West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
January 1974

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	74	65	69.5	0.0
2	66	57	61.5	3.5
3	75	54	64.5	0.5
4	76	64	70.0	0.0
5	74	62	68.0	0.0
6	70	61	65.5	0.0
7	73	62	67.5	0.0
8	72	54	63.0	2.0
9	72	55	63.5	1.5
10	77	64	70.5	0.0
11	75	54	64.5	0.5
12	75	56	65.5	0.0
13	62	41	51.5	13.5
14	65	41	53.0	12.0
15	70	53	61.5	3.5
16	74	54	64.0	1.0
17	76	54	65.0	0.0
18	75	52	63.5	1.5
19	75	53	64.0	1.0
20	66	56	61.0	4.0
21	73	55	64.0	1.0
22	76	45	60.5	4.5
23	75	45	60.0	5.0
24	76	59	67.5	0.0
25	76	60	68.0	0.0
26	77	63	70.0	0.0
27	76	68	72.0	0.0
28	78	68	73.0	0.0
29	78	68	73.0	0.0
30	77	63	70.0	0.0
31	78	57	67.5	0.0
Monthly Total ----->			67.5	<u>36.0</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
 Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
 Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
February 1974

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	77	57	67.0	0.0
2	75	65	70.0	0.0
3	76	66	71.0	0.0
4	74	40	57.0	8.0
5	60	35	47.5	17.5
6	63	36	49.5	15.5
7	72	49	60.5	4.5
8	75	43	59.0	6.0
9	52	30	41.0	24.0
10	50	28	39.0	26.0
11	57	29	43.0	22.0
12	64	32	48.0	17.0
13	65	32	48.5	16.5
14	71	44	57.5	7.5
15	75	58	66.5	0.0
16	74	62	68.0	0.0
17	71	44	57.5	7.5
18	63	32	47.5	17.5
19	69	38	53.5	11.5
20	70	40	55.0	10.0
21	70	42	56.0	9.0
22	74	55	64.5	0.5
23	61	38	49.5	15.5
24	60	38	49.0	16.0
25	68	33	50.5	14.5
26	50	26	38.0	27.0
27	51	24	37.5	27.5
28	61	25	43.0	22.0
29	0	0	0.0	0.0
30	0	0	0.0	0.0
31	0	0	0.0	0.0
			Monthly Total ----->	<u>343.0</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
March 1974

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Day:</u>
1	68	23	45.5	19.5
2	70	42	56.0	9.0
3	71	46	58.5	6.5
4	74	51	62.5	2.5
5	76	52	64.0	1.0
6	79	58	68.5	0.0
7	79	52	65.5	0.0
8	81	51	66.0	0.0
9	81	55	68.0	0.0
10	87	57	72.0	0.0
11	81	58	69.5	0.0
12	83	61	72.0	0.0
13	80	53	66.5	0.0
14	72	46	59.0	6.0
15	72	47	59.5	5.5
16	74	52	63.0	2.0
17	76	46	61.0	4.0
18	66	41	53.5	11.5
19	72	42	57.0	8.0
20	76	64	70.0	0.0
21	80	68	74.0	0.0
22	78	47	62.5	2.5
23	66	51	58.5	6.5
24	75	49	62.0	3.0
25	80	46	63.0	2.0
26	56	47	51.5	13.5
27	58	53	55.5	9.5
28	73	53	63.0	2.0
29	77	64	70.5	0.0
30	78	63	70.5	0.0
31	78	53	65.5	0.0
Monthly Total ----->				114.5

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
April 1974

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	80	54	67.0	0.0
2	82	70	76.0	0.0
3	75	72	73.5	0.0
4	83	55	69.0	0.0
5	81	55	68.0	0.0
6	69	39	54.0	11.0
7	69	38	53.5	11.5
8	71	41	56.0	9.0
9	75	46	60.5	4.5
10	69	36	52.5	12.5
11	75	37	56.0	9.0
12	77	54	65.5	0.0
13	78	65	72.0	0.0
14	78	68	73.0	0.0
15	81	71	76.0	0.0
16	77	58	67.5	0.0
17	70	48	59.0	6.0
18	78	43	60.5	4.5
19	76	43	59.5	5.5
20	81	48	64.5	0.5
21	84	51	67.5	0.0
22	81	59	70.0	0.0
23	79	63	71.0	0.0
24	81	60	70.5	0.0
25	80	51	65.5	0.0
26	79	45	62.0	3.0
27	77	47	62.0	3.0
28	81	50	65.5	0.0
29	82	55	68.5	0.0
30	81	56	68.5	0.0
31	0	0	0.0	0.0
Monthly Total ----->				<u><u>80.0</u></u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
May 1974

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	80	55	67.5	0.0
2	83	51	67.0	0.0
3	80	65	72.5	0.0
4	84	65	74.5	0.0
5	84	66	75.0	0.0
6	81	64	72.5	0.0
7	79	53	66.0	0.0
8	84	53	68.5	0.0
9	84	53	68.5	0.0
10	84	60	72.0	0.0
11	85	63	74.0	0.0
12	77	69	73.0	0.0
13	90	59	74.5	0.0
14	88	54	71.0	0.0
15	83	59	71.0	0.0
16	85	63	76.5	0.0
17	87	68	77.5	0.0
18	88	65	76.5	0.0
19	85	67	76.0	0.0
20	90	70	80.0	0.0
21	90	70	80.0	0.0
22	89	71	80.0	0.0
23	80	73	76.5	0.0
24	85	68	76.5	0.0
25	86	66	76.0	0.0
26	90	69	79.5	0.0
27	82	64	73.0	0.0
28	84	65	74.5	0.0
29	86	66	76.0	0.0
30	86	71	78.5	0.0
31	87	71	80.5	0.0
Monthly Total ----->				<u>0.0</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
June 1974

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	88	71	79.5	0.0
2	87	73	80.0	0.0
3	85	67	76.0	0.0
4	89	68	78.5	0.0
5	88	67	77.5	0.0
6	87	67	77.0	0.0
7	88	68	78.0	0.0
8	89	71	80.0	0.0
9	91	69	80.0	0.0
10	90	72	81.0	0.0
11	89	65	77.0	0.0
12	89	58	73.5	0.0
13	91	65	78.0	0.0
14	92	68	80.0	0.0
15	88	63	75.5	0.0
16	90	66	78.0	0.0
17	88	70	79.0	0.0
18	90	63	76.5	0.0
19	91	65	78.0	0.0
20	95	69	82.0	0.0
21	96	69	82.5	0.0
22	93	68	80.5	0.0
23	92	70	81.0	0.0
24	89	69	79.0	0.0
25	84	64	74.0	0.0
26	88	65	76.5	0.0
27	83	60	71.5	0.0
28	87	59	73.0	0.0
29	86	60	73.0	0.0
30	91	61	76.0	0.0
31	0	0	0.0	0.0
Monthly Total ----->				0.0

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
July 1974

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	90	65	77.5	0.0
2	91	69	80.0	0.0
3	92	65	78.5	0.0
4	92	65	78.5	0.0
5	90	69	79.5	0.0
6	88	66	77.0	0.0
7	90	69	79.5	0.0
8	89	68	78.5	0.0
9	92	72	82.0	0.0
10	93	72	82.5	0.0
11	94	77	85.5	0.0
12	97	72	84.5	0.0
13	98	73	85.5	0.0
14	93	72	82.5	0.0
15	92	65	78.5	0.0
16	90	67	78.5	0.0
17	90	69	79.5	0.0
18	91	71	81.0	0.0
19	94	72	83.0	0.0
20	92	69	80.5	0.0
21	92	74	83.0	0.0
22	90	75	82.5	0.0
23	93	71	82.0	0.0
24	87	72	79.5	0.0
25	90	73	81.5	0.0
26	90	72	81.0	0.0
27	85	74	79.5	0.0
28	84	73	78.5	0.0
29	88	72	80.0	0.0
30	94	72	83.0	0.0
31	96	69	82.5	0.0
Monthly Total ----->				0.0

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
August 1974

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	93	69	81.0	0.0
2	90	70	80.0	0.0
3	85	71	78.0	0.0
4	87	69	78.0	0.0
5	83	71	77.0	0.0
6	85	67	76.0	0.0
7	88	69	78.5	0.0
8	84	70	77.0	0.0
9	90	70	80.0	0.0
10	92	72	82.0	0.0
11	91	72	81.5	0.0
12	93	72	82.5	0.0
13	92	72	82.0	0.0
14	87	70	78.5	0.0
15	90	72	81.0	0.0
16	82	69	75.5	0.0
17	88	71	79.5	0.0
18	91	72	81.5	0.0
19	90	70	80.0	0.0
20	91	72	81.5	0.0
21	91	71	81.0	0.0
22	88	68	78.0	0.0
23	85	68	76.5	0.0
24	90	70	80.0	0.0
25	92	72	82.0	0.0
26	90	69	79.5	0.0
27	93	70	81.5	0.0
28	92	71	81.5	0.0
29	90	71	80.5	0.0
30	88	71	79.5	0.0
31	69	72	80.5	0.0
Monthly Total ----->				<u><u>0.0</u></u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
September 1974

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	90	69	79.5	0.0
2	92	70	81.0	0.0
3	90	70	80.0	0.0
4	84	68	76.0	0.0
5	84	68	76.0	0.0
6	77	69	73.0	0.0
7	75	68	71.5	0.0
8	88	69	78.5	0.0
9	86	71	78.5	0.0
10	88	69	78.5	0.0
11	91	70	80.5	0.0
12	93	71	82.0	0.0
13	93	70	81.5	0.0
14	93	72	82.5	0.0
15	95	73	84.0	0.0
16	93	70	81.5	0.0
17	91	72	81.5	0.0
18	91	70	80.5	0.0
19	91	71	81.0	0.0
20	90	70	80.0	0.0
21	90	72	81.0	0.0
22	90	72	81.0	0.0
23	88	65	76.5	0.0
24	82	63	72.5	0.0
25	82	63	72.5	0.0
26	83	63	73.0	0.0
27	76	71	73.5	0.0
28	88	74	81.0	0.0
29	88	74	81.0	0.0
30	89	57	73.0	0.0
31	0	0	0.0	0.0
Monthly Total ----->				<u>0.0</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
October 1974

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	79	52	65.5	0.0
2	80	52	66.0	0.0
3	80	48	64.0	1.0
4	71	41	56.0	9.0
5	74	49	61.5	3.5
6	78	52	65.0	0.0
7	82	57	69.5	0.0
8	84	58	71.0	0.0
9	85	58	71.5	0.0
10	83	59	71.0	0.0
11	82	61	71.5	0.0
12	84	53	68.5	0.0
13	85	54	69.5	0.0
14	84	61	72.5	0.0
15	86	64	75.0	0.0
16	84	63	73.5	0.0
17	68	48	58.0	7.0
18	75	46	60.5	4.5
19	80	48	64.0	1.0
20	78	44	61.0	4.0
21	73	42	57.5	7.5
22	74	49	61.5	3.5
23	75	50	62.5	2.5
24	77	44	60.5	4.5
25	77	46	61.5	3.5
26	79	48	63.5	1.5
27	81	49	65.0	0.0
28	81	49	65.0	0.0
29	81	55	68.0	0.0
30	82	50	70.5	0.0
31	85	44	64.5	0.5
Monthly Total ----->				<u>53.5</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
November 1974


<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	85	59	72.0	0.0
2	86	57	71.5	0.0
3	91	58	74.5	0.0
4	83	59	71.0	0.0
5	82	61	71.5	0.0
6	83	61	72.0	0.0
7	64	48	56.0	9.0
8	71	47	59.0	6.0
9	64	42	53.0	12.0
10	71	39	55.0	10.0
11	75	41	58.0	7.0
12	75	47	61.0	4.0
13	65	33	49.0	16.0
14	63	34	48.5	16.5
15	74	44	59.0	6.0
16	60	36	48.0	17.0
17	73	40	56.5	8.5
18	78	44	61.0	4.0
19	82	54	68.0	0.0
20	79	55	67.0	0.0
21	73	40	56.5	8.5
22	72	44	58.0	7.0
23	73	38	55.5	9.5
24	75	30	57.0	8.0
25	77	45	61.0	4.0
26	59	30	44.5	20.5
27	57	34	45.5	19.5
28	64	33	48.5	16.5
29	63	31	47.0	18.0
30	72	41	56.5	8.5
31	0	0	0.0	0.0
Monthly Total ----->				236.0

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
December 1974

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	71	32	51.5	13.5
2	47	34	40.5	24.5
3	53	33	43.0	22.0
4	59	27	43.0	22.0
5	63	26	44.5	20.5
6	66	30	48.0	17.0
7	70	43	56.5	8.5
8	72	49	60.5	4.5
9	62	39	50.5	14.5
10	56	27	41.5	23.5
11	60	27	43.5	21.5
12	67	47	57.0	8.0
13	57	37	47.0	18.0
14	58	37	47.5	17.5
15	67	40	53.5	11.5
16	71	42	56.5	8.5
17	62	32	47.0	18.0
18	54	22	38.0	27.0
19	76	28	52.0	13.0
20	67	32	49.5	15.5
21	68	37	52.5	12.5
22	63	33	48.0	17.0
23	67	36	51.5	13.5
24	71	43	57.0	8.0
25	73	60	66.5	0.0
26	78	50	64.0	1.0
27	72	49	60.5	4.5
28	74	56	65.0	0.0
29	75	64	69.5	0.0
30	76	62	69.0	0.0
31	78	58	68.0	0.0
Monthly Total ----->			68.0	<u>385.5</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.



West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
January 1975

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	78	55	66.5	0.0
2	77	44	60.5	4.5
3	62	42	52.0	13.0
4	70	48	59.0	6.0
5	57	33	45.0	20.0
6	62	34	48.0	17.0
7	66	39	52.5	12.5
8	71	40	55.5	9.5
9	72	38	55.0	10.0
10	77	47	62.0	3.0
11	74	56	65.0	0.0
12	72	56	64.0	1.0
13	72	34	53.0	12.0
14	46	28	37.0	28.0
15	52	28	40.0	25.0
16	60	31	45.5	19.5
17	69	34	51.5	13.5
18	69	43	56.0	9.0
19	65	45	55.0	10.0
20	66	48	57.0	8.0
21	51	27	39.0	26.0
22	56	28	42.0	23.0
23	53	45	49.0	16.0
24	61	53	57.0	8.0
25	69	60	64.5	0.5
26	69	51	60.0	5.0
27	72	52	62.0	3.0
28	74	46	60.0	5.0
29	78	47	62.5	2.5
30	77	59	68.0	0.0
31	73	51	62.0	3.0
			Monthly Total ----->	<u>3135</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
February 1975

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	78	52	65.0	0.0
2	77	57	67.0	0.0
3	76	58	67.0	0.0
4	77	54	65.5	0.0
5	62	54	58.0	7.0
6	72	55	63.5	1.5
7	66	35	50.5	14.5
8	50	27	38.5	26.5
9	55	28	41.5	23.5
10	65	45	55.0	10.0
11	68	45	56.5	8.5
12	74	47	60.5	4.5
13	77	44	60.5	4.5
14	68	37	52.5	12.5
15	70	39	54.5	10.5
16	74	44	59.0	6.0
17	76	63	69.5	0.0
18	74	64	69.0	0.0
19	78	64	71.0	0.0
20	74	51	62.5	2.5
21	65	50	57.5	7.5
22	65	52	58.5	6.5
23	74	61	67.5	0.0
24	76	47	61.5	3.5
25	55	41	48.0	17.0
26	60	37	48.5	16.5
27	72	38	55.0	10.0
28	70	42	56.0	9.0
29	0	0	0.0	0.0
30	0	0	0.0	0.0
31	0	0	0.0	0.0
Monthly Total ----->				<u><u>202.0</u></u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
 Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
 Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
March 1975

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	71	45	58.0	7.0
2	69	47	58.0	7.0
3	59	37	48.0	17.0
4	50	37	43.5	21.5
5	42	37	39.5	25.5
6	58	38	48.0	17.0
7	70	44	57.0	8.0
8	74	47	60.5	4.5
9	65	37	51.0	14.0
10	61	36	48.5	16.5
11	75	45	60.0	5.0
12	80	64	72.0	0.0
13	79	67	73.0	0.0
14	78	49	63.5	1.5
15	60	37	48.5	16.5
16	70	37	53.5	11.5
17	72	53	62.5	2.5
18	69	54	61.5	3.5
19	65	55	60.0	5.0
20	71	43	57.0	8.0
21	73	43	58.0	7.0
22	74	46	60.0	5.0
23	77	68	72.5	0.0
24	80	69	74.5	0.0
25	78	52	65.0	0.0
26	78	49	63.5	1.5
27	76	50	63.0	2.0
28	78	54	66.0	0.0
29	80	62	71.0	0.0
30	79	69	74.0	0.0
31	74	49	61.5	3.5
Monthly Total ----->				<u>210.5</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
April 1975

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	62	49	55.5	9.5
2	79	54	66.5	0.0
3	71	44	57.3	7.8
4	62	34	48.0	17.0
5	68	39	53.5	11.5
6	75	42	58.5	6.5
7	70	40	55.0	10.0
8	75	42	58.5	6.5
9	77	55	66.0	0.0
10	79	62	70.5	0.0
11	77	63	70.0	0.0
12	72	50	61.0	4.0
13	70	45	57.5	7.5
14	70	50	60.0	5.0
15	75	54	64.5	0.5
16	73	47	60.0	5.0
17	77	48	62.5	2.5
18	78	50	64.0	1.0
19	79	60	69.5	0.0
20	80	53	66.5	0.0
21	65	54	59.5	5.5
22	71	53	62.0	3.0
23	84	54	69.0	0.0
24	80	58	69.0	0.0
25	79	59	69.0	0.0
26	80	62	71.0	0.0
27	84	66	75.0	0.0
28	85	66	75.5	0.0
29	80	68	74.0	0.0
30	81	72	76.5	0.0
31	0	0	0.0	0.0
Monthly Total ----->				<u>102.8</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
 Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
 Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
May 1975

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	85	70	77.5	0.0
2	85	62	73.5	0.0
3	88	66	77.0	0.0
4	81	66	73.5	0.0
5	82	65	73.5	0.0
6	77	60	68.5	0.0
7	82	62	72.0	0.0
8	85	62	73.5	0.0
9	82	68	75.0	0.0
10	87	64	75.5	0.0
11	85	62	73.5	0.0
12	85	62	73.5	0.0
13	83	62	72.5	0.0
14	83	65	74.0	0.0
15	83	68	75.5	0.0
16	82	67	74.5	0.0
17	82	67	74.5	0.0
18	83	70	76.5	0.0
19	85	67	76.0	0.0
20	87	65	76.0	0.0
21	88	68	78.0	0.0
22	88	71	79.5	0.0
23	94	64	79.0	0.0
24	93	66	79.5	0.0
25	89	70	79.5	0.0
26	92	70	81.0	0.0
27	92	68	80.0	0.0
28	92	69	80.5	0.0
29	91	72	81.5	0.0
30	88	68	78.0	0.0
31	88	70	79.0	0.0
Monthly Total -- ----->				<u>0.0</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
June 1975

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	86	70	78.0	0.0
2	85	70	77.5	0.0
3	86	65	75.5	0.0
4	91	65	78.0	0.0
5	92	66	79.0	0.0
6	90	72	81.0	0.0
7	90	71	80.5	0.0
8	85	70	77.5	0.0
9	83	72	77.5	0.0
10	88	72	80.0	0.0
11	90	75	82.5	0.0
12	90	72	81.0	0.0
13	90	71	80.5	0.0
14	91	71	81.0	0.0
15	90	73	81.5	0.0
16	77	67	72.0	0.0
17	90	69	79.5	0.0
18	90	71	80.5	0.0
19	92	72	82.0	0.0
20	95	70	82.5	0.0
21	95	69	82.0	0.0
22	92	71	81.5	0.0
23	91	69	80.0	0.0
24	90	71	80.5	0.0
25	89	66	77.5	0.0
26	90	68	79.0	0.0
27	91	67	79.0	0.0
28	88	67	77.5	0.0
29	89	67	78.0	0.0
30	90	70	80.0	0.0
31	0	0	0.0	0.0
Monthly Total ----->				0.0

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 Degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
July 1975

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	92	69	80.5	0.0
2	92	70	81.0	0.0
3	91	66	78.5	0.0
4	91	67	79.0	0.0
5	89	69	79.0	0.0
6	91	73	82.0	0.0
7	89	75	82.0	0.0
8	90	73	81.5	0.0
9	90	71	80.5	0.0
10	87	72	79.5	0.0
11	87	71	79.0	0.0
12	82	71	76.5	0.0
13	86	70	78.0	0.0
14	86	71	78.5	0.0
15	86	70	78.0	0.0
16	84	70	77.0	0.0
17	86	70	78.0	0.0
18	87	69	78.0	0.0
19	90	71	80.5	0.0
20	91	71	81.0	0.0
21	78	69	73.5	0.0
22	84	69	76.5	0.0
23	84	69	76.5	0.0
24	84	69	76.5	0.0
25	90	69	79.5	0.0
26	88	72	80.0	0.0
27	90	73	81.5	0.0
28	90	73	81.5	0.0
29	90	73	81.5	0.0
30	77	72	74.5	0.0
31	75	70	72.5	0.0
Monthly Total ----->				<u>0.0</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
August 1975

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	79	71	75.0	0.0
2	87	69	78.0	0.0
3	89	70	79.5	0.0
4	86	72	79.0	0.0
5	85	73	79.0	0.0
6	83	70	76.5	0.0
7	85	73	79.0	0.0
8	83	70	76.5	0.0
9	88	71	79.5	0.0
10	90	74	82.0	0.0
11	82	71	76.5	0.0
12	91	73	82.0	0.0
13	90	72	81.0	0.0
14	93	72	82.5	0.0
15	91	71	81.0	0.0
16	92	72	82.0	0.0
17	91	73	82.0	0.0
18	91	72	81.5	0.0
19	92	75	83.5	0.0
20	92	74	83.0	0.0
21	93	70	81.5	0.0
22	89	70	79.5	0.0
23	88	71	79.5	0.0
24	92	68	80.0	0.0
25	89	73	81.0	0.0
26	94	69	81.5	0.0
27	93	70	81.5	0.0
28	96	72	84.0	0.0
29	92	70	81.0	0.0
30	90	71	80.5	0.0
31	89	70	79.5	0.0
Monthly Total ----->				<u>0.0</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
September 1975

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	89	71	80.0	0.0
2	93	71	82.0	0.0
3	93	71	82.0	0.0
4	92	72	82.0	0.0
5	91	70	80.5	0.0
6	92	72	82.0	0.0
7	86	70	78.0	0.0
8	87	73	80.0	0.0
9	92	72	82.0	0.0
10	89	71	80.0	0.0
11	89	70	79.5	0.0
12	89	71	80.0	0.0
13	87	71	79.0	0.0
14	83	69	76.0	0.0
15	80	64	72.0	0.0
16	86	65	75.5	0.0
17	80	66	73.0	0.0
18	88	71	79.5	0.0
19	85	65	75.0	0.0
20	88	66	77.0	0.0
21	88	72	80.0	0.0
22	82	72	77.0	0.0
23	84	73	78.5	0.0
24	75	57	66.0	0.0
25	74	54	64.0	1.0
26	72	51	61.5	3.5
27	70	48	59.0	6.0
28	76	49	62.5	2.5
29	84	55	69.5	0.0
30	85	68	76.5	0.0
31	0	0	0.0	0.0
Monthly Total ----->				<u>13.0</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
October 1975

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	84	60	76.0	0.0
2	76	60	72.0	0.0
3	80	57	68.5	0.0
4	80	59	69.5	0.0
5	69	62	65.5	0.0
6	70	63	66.5	0.0
7	74	70	72.0	0.0
8	74	68	71.0	0.0
9	83	65	74.0	0.0
10	87	64	75.5	0.0
11	87	62	74.5	0.0
12	86	60	73.0	0.0
13	88	61	74.5	0.0
14	88	62	75.0	0.0
15	86	68	77.0	0.0
16	86	60	77.5	0.0
17	82	66	74.0	0.0
18	75	55	65.0	0.0
19	75	50	62.5	2.5
20	72	43	57.5	7.5
21	74	43	58.5	6.5
22	77	44	60.5	4.5
23	81	48	64.5	0.5
24	83	54	68.5	0.0
25	83	54	68.5	0.0
26	85	57	71.0	0.0
27	84	60	72.0	0.0
28	83	60	71.5	0.0
29	84	62	73.0	0.0
30	82	58	70.0	0.0
31	77	54	65.5	0.0
Monthly Total ----->				<u>21.5</u>

Note Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
November 1975

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	75	52	63.5	1.5
2	79	58	68.5	0.0
3	81	60	70.5	0.0
4	82	63	72.5	0.0
5	84	64	74.0	0.0
6	85	63	74.0	0.0
7	78	65	71.5	0.0
8	71	64	67.5	0.0
9	83	68	75.5	0.0
10	82	70	76.0	0.0
11	79	69	74.0	0.0
12	83	70	76.5	0.0
13	79	44	61.5	3.5
14	56	34	45.0	20.0
15	56	32	43.5	21.5
16	62	32	47.0	18.0
17	68	37	52.5	12.5
18	73	41	57.0	8.0
19	77	47	62.0	3.0
20	79	53	66.0	0.0
21	76	50	63.0	2.0
22	62	33	47.5	17.5
23	56	35	45.5	19.5
24	48	33	40.5	24.5
25	57	32	44.5	20.5
26	61	34	47.5	17.5
27	70	30	54.5	10.5
28	68	35	51.5	13.5
29	75	39	57.0	8.0
30	77	54	65.5	0.0
31	0	0	0.0	0.0
Monthly Total ----->				<u>221.5</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
December 1975

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	75	50	62.5	2.5
2	53	32	42.5	22.5
3	62	33	47.5	17.5
4	71	34	52.5	12.5
5	75	36	55.5	9.5
6	76	49	62.5	2.5
7	77	55	66.0	0.0
8	76	56	66.0	0.0
9	62	50	56.0	9.0
10	59	35	47.0	18.0
11	56	28	42.0	23.0
12	66	32	49.0	16.0
13	71	39	55.0	10.0
14	78	53	65.5	0.0
15	78	52	65.0	0.0
16	75	54	64.5	0.5
17	78	55	66.5	0.0
18	71	35	53.0	12.0
19	47	22	34.5	30.5
20	46	23	34.5	30.5
21	50	29	39.5	25.5
22	50	24	37.0	28.0
23	49	29	39.0	26.0
24	57	27	42.0	23.0
25	65	29	47.0	18.0
26	68	43	55.5	9.5
27	49	41	45.0	20.0
28	56	37	46.5	18.5
29	65	37	51.0	14.0
30	65	48	56.5	8.5
31	68	57	62.5	2.5
Monthly Total ----->				410.0

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
 Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
 Both formulas are used by the National Weather Service.



West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
January 1976

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	68	33	50.5	14.5
2	64	35	49.5	15.5
3	68	41	54.5	10.5
4	75	35	55.0	10.0
5	47	27	37.0	28
6	52	28	40.0	25
7	62	41	51.5	13.5
8	69	36	52.5	12.5
9	40	23	31.5	33.5
10	43	23	33.0	32.0
11	58	26	42.0	23.0
12	65	48	56.5	8.5
13	63	43	53.0	12.0
14	72	45	58.5	6.5
15	65	36	50.5	14.5
16	68	31	49.5	15.5
17	63	33	48.0	17.0
18	48	27	37.5	27.5
19	47	23	35.0	30.0
20	52	24	38.0	27.0
21	61	31	46.0	19.0
22	60	33	46.5	18.5
23	59	30	44.5	20.5
24	62	32	47.0	18.0
25	70	49	59.5	5.5
26	71	55	63.0	2.0
27	68	46	57.0	8.0
28	52	30	41.0	24.0
29	52	31	41.5	23.5
30	63	31	47.0	18.0
31	65	33	49.0	16.0
Monthly Total ----->				549.5

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
February 1976

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	68	40	54.0	11.0
2	64	39	51.5	13.5
3	61	39	50.0	15.0
4	70	49	59.5	5.5
5	71	44	57.5	7.5
6	72	45	58.5	6.5
7	72	39	55.5	9.5
8	50	24	37.0	28.0
9	54	25	39.5	25.5
10	67	32	49.5	15.5
11	67	36	51.5	13.5
12	73	44	58.5	6.5
13	73	50	61.5	3.5
14	71	52	61.5	3.5
15	74	53	63.5	1.5
16	76	54	65.0	0.0
17	74	57	65.5	0.0
18	74	60	67.0	0.0
19	75	61	68.0	0.0
20	76	51	63.5	1.5
21	76	51	63.5	1.5
22	75	52	63.5	1.5
23	59	38	48.5	16.5
24	63	32	47.5	17.5
25	68	34	51.0	14.0
26	73	40	56.5	8.5
27	75	32	53.5	11.5
28	79	42	60.5	4.5
29	78	43	60.5	4.5
30	0	0	0.0	0.0
31	0	0	0.0	0.0
Monthly Total ----->				247.5

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
March 1976

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	74	44	59.0	6.0
2	78	51	64.5	0.5
3	71	64	67.5	0.0
4	79	60	69.5	0.0
5	80	54	67.0	0
6	79	62	70.5	0
7	78	59	68.5	0.0
8	76	47	61.5	3.5
9	74	54	64.0	1.0
10	70	50	60.0	5.0
11	64	40	52.0	13.0
12	74	43	58.5	6.5
13	73	59	66.0	0.0
14	74	48	61.0	4.0
15	64	54	59.0	6.0
16	73	62	67.5	0.0
17	73	34	53.5	11.5
18	62	35	48.5	16.5
19	71	39	55.0	10.0
20	72	49	60.5	4.5
21	76	64	70.0	0.0
22	72	60	66.0	0.0
23	61	46	53.5	11.5
24	73	44	58.5	6.5
25	75	52	63.5	1.5
26	74	56	65.0	0.0
27	70	56	63.0	2.0
28	69	64	66.5	0.0
29	81	65	73.0	0.0
30	79	66	72.5	0.0
31	80	70	75.0	0.0
Monthly Total ----->				109.5

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
April 1976

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	79	48	63.5	1.5
2	72	44	58.0	7.0
3	79	45	62.0	3.0
4	80	45	62.5	2.5
5	74	51	62.5	2.5
6	80	59	69.5	0
7	70	53	61.5	3.5
8	79	55	67.0	0.0
9	80	53	66.5	0.0
10	78	45	61.5	3.5
11	74	52	63.0	2.0
12	77	50	63.5	1.5
13	82	58	70.0	0.0
14	79	62	70.5	0.0
15	78	57	67.5	0.0
16	79	57	68.0	0.0
17	79	53	66.0	0.0
18	81	63	72.0	0.0
19	82	62	72.0	0.0
20	86	63	74.5	0.0
21	85	63	74.0	0.0
22	80	54	67.0	0.0
23	81	55	68.0	0.0
24	82	56	69.0	0.0
25	82	64	73.0	0.0
26	77	60	68.5	0.0
27	77	50	63.5	1.5
28	79	51	65.0	0.0
29	84	56	70.0	0.0
30	83	57	70.0	0.0
31	0	0	0.0	0.0
Monthly Total ----->			28.5	

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
 Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
 Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Dys
May 1976

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	79	65	72.0	0.0
2	77	58	67.5	0.0
3	77	52	64.5	0.5
4	81	57	69.0	0.0
5	78	46	62.0	3
6	80	55	67.5	0
7	82	64	73.0	0.0
8	80	62	71.0	0.0
9	78	62	70.0	0.0
10	78	62	70.0	0.0
11	80	63	71.5	0.0
12	77	60	68.5	0.0
13	83	63	73.0	0.0
14	83	65	74.0	0.0
15	78	68	72.0	0.0
16	80	68	74.0	0.0
17	81	62	71.5	0.0
18	83	65	74.0	0.0
19	77	53	65.0	0.0
20	84	48	66.0	0.0
21	81	66	73.5	0.0
22	79	69	74.0	0.0
23	82	67	74.5	0.0
24	80	66	73.0	0.0
25	81	65	73.0	0.0
26	82	62	72.0	0.0
27	84	68	76.0	0.0
28	75	67	71.0	0.0
29	80	65	72.5	0.0
30	79	70	74.5	0.0
31	83	71	77.0	0.0
Monthly Total ----->				<u><u>35</u></u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
June 1976

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	85	69	77.0	0.0
2	85	66	75.5	0.0
3	75	36	70.5	0.0
4	33	67	75.0	0.0
5	85	63	76.5	0
6	78	66	72.0	0
7	80	61	70.5	0.0
8	85	61	73.0	0.0
9	87	62	74.5	0.0
10	88	64	76.0	0.0
11	90	64	77.0	0.0
12	90	67	78.5	0.0
13	91	69	80.0	0.0
14	92	70	81.0	0.0
15	91	68	79.5	0.0
16	89	69	79.0	0.0
17	86	69	77.5	0.0
18	89	65	77.0	0.0
19	89	70	79.5	0.0
20	87	69	78.0	0.0
21	76	65	70.5	0.0
22	86	66	76.0	0.0
23	85	65	75.0	0.0
24	84	71	77.5	0.0
25	86	68	77.0	0.0
26	86	67	76.5	0.0
27	92	69	80.5	0.0
28	93	70	81.5	0.0
29	88	70	79.0	0.0
30	88	73	80.5	0.0
31	0	0	0.0	0.0
Monthly Total ----->				<u>0.0</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Divisions
Actual Heating Degree Days
1978

WEST FLORIDA NATURAL GAS COMPANY

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	84	70	77.0	0.0
2	88	70	79.0	0.0
3	88	69	78.5	0.0
4	89	71	80.0	0.0
5	88	76	82.0	0
6	86	70	78.0	0
7	75	68	71.5	0.0
8	83	68	75.5	0.0
9	88	66	77.0	0.0
10	88	68	78.0	0.0
11	89	70	79.5	0.0
12	89	72	80.5	0.0
13	89	75	82.0	0.0
14	90	77	83.5	0.0
15	91	76	83.5	0.0
16	92	73	82.5	0.0
17	93	75	84.0	0.0
18	91	70	80.5	0.0
19	91	70	80.5	0.0
20	90	72	81.0	0.0
21	91	74	82.5	0.0
22	93	76	84.5	0.0
23	98	69	83.5	0.0
24	97	70	83.5	0.0
25	94	70	82.0	0.0
26	91	70	80.5	0.0
27	92	74	83.0	0.0
28	94	72	83.0	0.0
29	93	73	83.0	0.0
30	92	73	82.5	0.0
31	87	73	80.0	0.0
Monthly Total ----->				<u>0.0</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
 Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
 Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
August 1976

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	91	73	82.0	0.0
2	89	75	82.0	0.0
3	91	73	82.0	0.0
4	91	72	81.5	0.0
5	89	71	80.0	0
6	91	72	81.5	0
7	91	73	82.0	0.0
8	89	74	81.5	0.0
9	91	69	80.0	0.0
10	88	67	77.5	0.0
11	89	70	79.5	0.0
12	94	70	82.0	0.0
13	93	65	79.0	0.0
14	90	70	80.0	0.0
15	89	73	81.0	0.0
16	89	72	80.5	0.0
17	92	71	81.5	0.0
18	90	69	79.5	0.0
19	86	65	75.5	0.0
20	88	66	77.0	0.0
21	85	68	76.5	0.0
22	88	68	78.0	0.0
23	91	70	80.5	0.0
24	95	72	83.5	0.0
25	96	72	84.0	0.0
26	92	72	82.0	0.0
27	88	72	80.0	0.0
28	88	70	79.0	0.0
29	90	69	79.5	0.0
30	91	70	80.5	0.0
31	93	70	81.5	0.0
Monthly Total ----->				0.0

Note:

Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
 Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
 Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
September 1976

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	88	70	79.0	0.0
2	88	69	78.5	0.0
3	89	70	79.5	0.0
4	93	69	81.0	0.0
5	90	70	80.0	0
6	83	69	76.0	0
7	84	70	77.0	0.0
8	80	71	75.5	0.0
9	87	70	78.5	0.0
10	89	69	79.0	0.0
11	88	60	74.0	0.0
12	87	61	74.0	0.0
13	84	66	75.0	0.0
14	85	66	75.5	0.0
15	76	58	67.0	0.0
16	86	50	72.5	0.0
17	85	60	72.5	0.0
18	89	62	75.5	0.0
19	89	64	76.5	0.0
20	90	65	77.5	0.0
21	89	68	78.5	0.0
22	82	65	73.5	0.0
23	87	62	74.5	0.0
24	86	63	75.5	0.0
25	83	70	76.5	0.0
26	86	70	78.0	0.0
27	86	71	78.5	0.0
28	87	72	79.5	0.0
29	87	73	80.0	0.0
30	83	69	76.0	0.0
31	0	0	0.0	0.0
Monthly Total ----->				0.0

Note:

Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
 Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
 Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
October 1976

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degrec Days</u>
1	61	55	62.0	0
2	70	54	66.5	0
3	83	55	69.0	0
4	85	57	71.0	0
5	83	63	73.0	0
6	84	64	74.0	0
7	81	69	75.0	0
8	75	65	70.0	0
9	72	52	62.0	3
10	68	46	57.0	8
11	73	45	59.0	6
12	74	46	60.0	5
13	75	46	60.5	4.5
14	76	47	61.5	3.5
15	75	51	63.0	2
16	81	54	67.5	0
17	79	55	67.0	0
18	72	53	62.5	2.5
19	72	53	62.5	2.5
20	78	54	66.0	0
21	69	40	54.5	10.5
22	65	39	52.0	13
23	72	40	56.0	9
24	71	43	57.0	8
25	79	55	67.0	0
26	70	56	63.0	2
27	67	46	56.5	8.5
28	70	46	58.0	7
29	58	40	49.0	16
30	71	41	56.0	9
31	70	47	58.5	6.5
			Monthly Total ----->	<u>126.5</u>

Note:

Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
November 1976

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	61	44	52.5	12.5
2	65	42	53.5	11.5
3	68	43	55.5	9.5
4	72	42	57.0	8.0
5	69	38	53.5	11.5
6	61	28	44.5	20.5
7	65	34	49.5	15.5
8	73	37	55.0	10.0
9	62	29	45.5	19.5
10	65	30	47.5	17.5
11	72	51	61.5	3.5
12	75	53	64.0	1.0
13	64	42	53.0	12.0
14	61	44	52.5	12.5
15	58	46	52.0	13.0
16	57	46	51.5	13.5
17	52	48	50.0	15.0
18	55	47	51.0	14.0
19	70	46	58.0	7.0
20	69	50	59.5	5.5
21	60	55	57.5	7.5
22	66	32	49.0	16.0
23	56	30	43.0	22.0
24	55	30	42.5	22.5
25	64	32	48.0	17.0
26	69	35	52.0	13.0
27	70	52	61.0	4.0
28	73	45	59.0	6.0
29	73	42	57.5	7.5
30	42	28	35.0	30.0
31	0	0	0.0	0.0
Monthly Total ----->				<u>378.5</u>

Note:


Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
 Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
 Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
December 1976

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	44	29	36.5	28.5
2	53	32	42.5	22.5
3	59	27	43.0	22.0
4	62	29	45.5	19.5
5	64	33	48.5	16.5
6	66	40	53.0	12
7	62	53	57.5	7.5
8	66	37	51.5	13.5
9	54	29	41.5	23.5
10	56	30	43.0	22.0
11	71	47	59.0	6.0
12	68	58	62.0	2.0
13	73	60	66.5	0.0
14	60	47	53.5	11.5
15	51	47	49.0	16.0
16	57	45	51.0	14.0
17	65	33	49.0	16.0
18	65	37	51.0	14.0
19	72	39	55.5	9.5
20	71	41	56.0	9.0
21	61	29	45.0	20.0
22	43	26	34.5	30.5
23	44	28	36.0	29.0
24	50	25	37.5	27.5
25	62	27	44.5	20.5
26	65	47	56.0	9.0
27	53	39	46.0	19.0
28	63	40	51.5	13.5
29	70	37	53.5	11.5
30	61	37	49.0	16.0
31	65	34	49.5	15.5
Monthly Total ----->				497.5

Note:

Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
 Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
 Both formulas are used by the National Weather Service.



West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
January 1977

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	62	28	45.0	20.0
2	48	30	39.0	26.0
3	46	42	44.0	21.0
4	49	44	46.5	18.5
5	50	45	47.5	17.5
6	69	42	55.5	9.5
7	69	42	55.5	9.5
8	54	33	43.5	21.5
9	53	35	44.0	21.0
10	69	43	56.0	9.0
11	45	23	34.0	31.0
12	45	23	34.0	31.0
13	52	31	41.5	23.5
14	61	37	49.0	16.0
15	62	48	55.0	10.0
16	58	33	45.5	19.5
17	57	18	37.5	27.5
18	36	19	27.5	37.5
19	38	11	24.5	40.5
20	33	11	22.0	43.0
21	51	25	38.0	27.0
22	54	25	39.5	25.5
23	56	33	44.5	20.5
24	58	38	48.0	17.0
25	60	32	46.0	19.0
26	55	26	40.5	24.5
27	55	27	41.0	24.0
28	69	31	50.0	15.0
29	67	28	47.5	17.5
30	44	29	36.5	28.5
31	50	26	38.0	27.0
Monthly Total ----->				<u><u>698.5</u></u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
February 1977

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	48	26	37.0	28.0
2	48	27	37.5	27.5
3	60	33	46.5	18.5
4	51	40	45.5	19.5
5	59	42	50.5	14.5
6	60	28	44.0	21
7	55	27	41.0	24.0
8	57	31	44.0	21.0
9	61	32	46.5	18.5
10	63	29	46.0	19.0
11	67	30	48.5	16.5
12	71	34	52.5	12.5
13	70	44	57.0	8.0
14	70	37	53.5	11.5
15	70	37	53.5	11.5
16	69	36	52.5	12.5
17	50	27	38.5	26.5
18	56	35	45.5	19.5
19	70	53	61.5	3.5
20	71	39	55.0	10.0
21	58	35	46.5	18.5
22	60	36	48.0	17.0
23	66	43	54.5	10.5
24	69	46	57.5	7.5
25	71	43	57.0	8.0
26	77	45	61.0	4.0
27	69	52	60.5	4.5
28	64	38	51.0	14.0
29	0	0	0.0	0.0
30	0	0	0.0	0.0
31	0	0	0.0	0.0
Monthly Total ----->				427.5

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
March 1977

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	62	30	46.0	19.0
2	65	34	49.5	15.5
3	68	40	54.0	11.0
4	70	57	63.5	1.5
5	70	58	64.0	1
6	62	55	58.5	6.5
7	59	50	54.5	10.5
8	65	35	50.0	15.0
9	68	39	53.5	11.5
10	72	41	56.5	8.5
11	65	55	60.0	5.0
12	72	64	68.0	0.0
13	72	55	63.5	1.5
14	72	42	57.0	8.0
15	83	48	65.5	0.0
16	81	60	70.5	0.0
17	84	55	69.5	0.0
18	79	58	68.5	0.0
19	78	68	73.0	0.0
20	81	67	74.0	0.0
21	79	59	69.0	0.0
22	78	59	68.5	0.0
23	66	42	54.0	11.0
24	69	38	53.5	11.5
25	70	49	59.5	5.5
26	76	50	63.0	2.0
27	77	54	65.5	0.0
28	78	60	69.0	0.0
29	77	68	72.5	0.0
30	80	68	74.0	0.0
31	80	66	73.0	0.0
			Monthly Total ----->	<u>144.5</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
April 1977

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	80	64	72.0	0.0
2	80	65	72.5	0.0
3	81	71	76.0	0.0
4	82	72	77.0	0.0
5	82	59	70.5	0
6	68	36	52.0	13
7	71	40	55.5	9.5
8	77	50	63.5	1.5
9	80	55	67.5	0.0
10	85	45	65.0	0.0
11	83	47	65.0	0.0
12	85	52	68.5	0.0
13	85	49	67.0	0.0
14	81	49	65.0	0.0
15	85	54	69.5	0.0
16	83	58	70.5	0.0
17	83	60	71.5	0.0
18	85	54	69.5	0.0
19	83	52	67.5	0.0
20	83	57	70.0	0.0
21	82	63	72.5	0.0
22	83	65	74.0	0.0
23	83	68	75.5	0.0
24	80	60	70.0	0.0
25	80	51	65.5	0.0
26	81	45	63.0	2.0
27	78	42	60.0	5.0
28	77	45	61.0	4.0
29	78	47	62.5	2.5
30	80	49	64.5	0.5
31	0	0	0.0	0.0
Monthly Total ----->				<u>38.0</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Dys
May 1977

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	83	50	66.5	0.0
2	86	57	71.5	0.0
3	82	56	69.0	0.0
4	85	52	68.5	0.0
5	88	58	73.0	0
6	87	52	69.5	0
7	90	62	76.0	0.0
8	87	67	77.0	0.0
9	92	65	78.5	0.0
10	88	57	72.5	0.0
11	88	59	73.5	0.0
12	86	60	73.0	0.0
13	84	56	70.0	0.0
14	88	58	72.0	0.0
15	88	58	73.0	0.0
16	90	56	73.0	0.0
17	90	60	75.0	0.0
18	85	70	72.5	0.0
19	90	57	73.5	0.0
20	92	59	75.5	0.0
21	90	63	76.5	0.0
22	90	66	78.0	0.0
23	89	63	76.0	0.0
24	90	64	77.0	0.0
25	86	63	74.5	0.0
26	86	61	73.5	0.0
27	89	63	76.0	0.0
28	87	68	77.5	0.0
29	86	64	75.0	0.0
30	90	67	78.5	0.0
31	94	64	79.0	0.0
			Monthly Total ----->	<u>0.0</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
June 1977

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	95	66	80.5	0.0
2	90	61	75.5	0.0
3	94	63	78.5	0.0
4	95	63	79.0	0.0
5	94	70	82.0	0
6	95	73	84.0	0
7	92	68	80.0	0.0
8	87	57	72.0	0.0
9	88	56	72.0	0.0
10	82	63	72.5	0.0
11	95	73	84.0	0.0
12	99	75	87.0	0.0
13	94	74	84.0	0.0
14	93	71	82.0	0.0
15	94	68	81.0	0.0
16	98	69	83.5	0.0
17	96	68	82.0	0.0
18	94	68	81.0	0.0
19	92	73	82.5	0.0
20	94	71	82.5	0.0
21	91	70	80.5	0.0
22	94	72	83.0	0.0
23	93	72	82.5	0.0
24	93	70	81.5	0.0
25	93	73	83.0	0.0
26	93	77	85.0	0.0
27	93	73	83.0	0.0
28	94	73	83.5	0.0
29	94	70	82.0	0.0
30	94	70	82.0	0.0
31	0	0	0.0	0.0
Monthly Total ----->				<u>0.0</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Divisions
Actual Heating Degree Days
July 1977

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	93	72	82.5	0.0
2	95	72	83.5	0.0
3	95	68	81.5	0.0
4	92	70	81.0	0.0
5	93	72	82.5	0
6	94	72	83.0	0
7	95	73	84.0	0.0
8	94	76	85.0	0.0
9	94	71	82.5	0.0
10	91	75	83.0	0.0
11	92	70	81.0	0.0
12	93	68	80.5	0.0
13	97	71	84.0	0.0
14	97	74	85.5	0.0
15	98	71	84.5	0.0
16	98	72	85.0	0.0
17	95	68	81.5	0.0
18	90	70	80.0	0.0
19	90	70	80.0	0.0
20	79	70	74.5	0.0
21	89	70	79.5	0.0
22	92	69	80.5	0.0
23	91	71	81.0	0.0
24	94	74	84.0	0.0
25	93	70	81.5	0.0
26	95	70	82.5	0.0
27	95	72	83.5	0.0
28	92	76	84.0	0.0
29	91	71	81.0	0.0
30	90	74	82.0	0.0
31	92	74	83.0	0.0
Monthly Total ----->				<u>0.0</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
August 1977

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	85	71	78.0	0.0
2	93	72	82.5	0.0
3	86	73	79.5	0.0
4	88	71	79.5	0.0
5	96	72	84.0	0
6	92	73	82.5	0
7	95	74	84.5	0.0
8	95	73	84.0	0.0
9	95	73	84.0	0.0
10	93	71	82.0	0.0
11	90	68	79.0	0.0
12	90	71	80.5	0.0
13	91	71	81.0	0.0
14	91	71	81.0	0.0
15	87	71	79.0	0.0
16	87	72	79.5	0.0
17	89	73	81.0	0.0
18	90	76	83.0	0.0
19	86	73	79.5	0.0
20	81	72	76.5	0.0
21	87	72	79.5	0.0
22	90	73	81.5	0.0
23	90	75	82.5	0.0
24	90	73	81.5	0.0
25	81	73	77.0	0.0
26	87	72	79.5	0.0
27	88	70	79.0	0.0
28	90	73	81.5	0.0
29	92	72	82.0	0.0
30	90	72	81.0	0.0
31	92	72	82.0	0.0
Monthly Total ----->				0.0

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
September 1977

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	92	72	82.0	0.0
2	91	72	81.5	0.0
3	85	73	79.0	0.0
4	81	70	75.5	0.0
5	88	73	80.5	0
6	87	73	80.0	0
7	85	76	80.5	0.0
8	89	72	80.5	0.0
9	90	72	81.0	0.0
10	90	70	80.0	0.0
11	89	71	80.0	0.0
12	90	68	79.0	0.0
13	93	70	81.5	0.0
14	89	72	80.5	0.0
15	90	72	81.0	0.0
16	90	89	79.5	0.0
17	87	71	79.0	0.0
18	89	69	79.0	0.0
19	84	70	77.0	0.0
20	88	71	79.5	0.0
21	89	69	79.0	0.0
22	90	68	79.0	0.0
23	89	64	76.5	0.0
24	91	68	79.5	0.0
25	89	70	79.5	0.0
26	89	70	79.5	0.0
27	88	70	79.0	0.0
28	89	71	80.0	0.0
29	92	71	81.5	0.0
30	87	71	79.0	0.0
31	0	0	0.0	0.0
Monthly Total ----->				<u>0.0</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
October 1977

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	88	72	80.0	0.0
2	87	60	73.5	0.0
3	89	58	73.5	0.0
4	75	50	62.5	2.5
5	78	52	65.0	0
6	80	55	67.5	0
7	83	52	67.5	0.0
8	84	54	69.0	0.0
9	83	62	72.5	0.0
10	80	51	65.5	0.0
11	79	52	65.5	0.0
12	74	56	65.0	0.0
13	71	44	57.5	7.5
14	71	39	55.0	10.0
15	68	39	53.5	11.5
16	74	40	57.0	8.0
17	71	40	55.5	9.5
18	70	40	55.0	10.0
19	73	42	57.5	7.5
20	79	49	64.0	1.0
21	75	50	62.5	2.5
22	79	50	64.5	0.5
23	80	56	68.0	0.0
24	81	57	69.0	0.0
25	78	64	71.0	0.0
26	78	63	70.5	0.0
27	79	52	65.5	0.0
28	77	54	65.5	0.0
29	79	54	66.5	0.0
30	81	58	69.5	0.0
31	79	59	69.0	0.0
			Monthly Total ----->	<u>70.5</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
November 1977

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	77	51	64.0	1.0
2	78	53	65.5	0.0
3	77	61	69.0	0.0
4	80	62	71.0	0.0
5	74	58	66.0	0
6	71	63	67.0	0
7	72	53	62.5	2.5
8	76	55	65.5	0.0
9	79	58	68.5	0.0
10	75	48	61.5	3.5
11	58	37	47.5	17.5
12	62	42	52.0	13.0
13	67	39	53.0	12.0
14	62	37	49.5	15.5
15	66	38	52.0	13.0
16	72	43	57.5	7.5
17	69	54	61.5	3.5
18	77	49	63.0	2.0
19	69	57	63.0	2.0
20	70	58	64.0	1.0
21	74	60	67.0	0.0
22	79	56	67.5	0.0
23	72	62	67.0	0.0
24	75	65	70.0	0.0
25	79	39	59.0	6.0
26	65	42	53.5	11.5
27	53	36	44.5	20.5
28	67	37	52.0	13.0
29	77	53	65.0	0.0
30	77	67	72.0	0.0
31	0	0	0.0	0.0
Monthly Total ----->				<u><u>145.0</u></u>


Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
December 1977

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	75	54	64.5	0.5
2	68	48	57.0	8.0
3	62	43	52.5	12.5
4	72	46	59.0	6.0
5	74	54	64.0	1
6	78	51	64.5	0.5
7	55	26	40.5	24.5
8	51	30	40.5	24.5
9	63	57	60.0	5.0
10	75	28	51.5	13.5
11	47	26	36.5	28.5
12	55	26	40.5	24.5
13	64	40	52.0	13.0
14	73	53	63.0	2.0
15	69	51	60.0	5.0
16	69	46	57.5	7.5
17	66	46	56.0	9.0
18	74	44	59.0	6.0
19	67	38	52.5	12.5
20	71	40	55.5	9.5
21	74	33	53.5	11.5
22	51	29	40.0	25.0
23	50	31	40.5	24.5
24	60	38	49.0	16.0
25	66	58	62.0	3.0
26	65	30	47.5	17.5
27	49	25	37.0	28.0
28	51	27	39.0	26.0
29	50	30	40.0	25.0
30	60	34	47.0	18.0
31	62	52	57.0	8.0
Monthly Total ----->				416.0

Note:

Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
 Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
 Both formulas are used by the National Weather Service.



West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
January 1978

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	57	50	53.5	11.5
2	68	42	55.0	10.0
3	44	30	37.0	28.0
4	55	28	41.5	23.5
5	63	30	46.5	18.5
6	67	39	53.0	12
7	70	58	64.0	1.0
8	72	65	68.5	0.0
9	66	27	46.5	18.5
10	40	24	32.0	33.0
11	42	24	33.0	32.0
12	46	24	35.0	30.0
13	48	32	40.0	25.0
14	46	34	40.0	25.0
15	42	24	33.0	32.0
16	45	24	34.5	30.5
17	59	24	41.5	23.5
18	65	32	48.5	16.5
19	52	32	42.0	23.0
20	62	34	48.0	17.0
21	38	35	36.5	28.5
22	44	31	37.5	27.5
23	56	30	43.0	22.0
24	52	32	42.0	23.0
25	67	43	55.0	10.0
26	69	52	60.5	4.5
27	52	40	46.0	19.0
28	51	27	39.0	26.0
29	51	26	38.5	26.5
30	51	27	39.0	26.0
31	45	32	38.5	26.5
Monthly Total ----->				<u>650.0</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
February 1978

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	39	34	36.5	28.5
2	58	37	47.5	17.5
3	58	40	49.0	16.0
4	46	35	40.5	24.5
5	54	26	40.0	25
6	59	28	43.5	21.5
7	47	27	37.0	28.0
8	45	28	36.5	28.5
9	37	32	34.5	30.5
10	51	33	42.0	23.0
11	52	28	40.0	25.0
12	62	31	46.5	18.5
13	68	28	48.0	17.0
14	69	43	56.0	9.0
15	58	31	44.5	20.5
16	59	33	46.0	19.0
17	54	46	50.0	15.0
18	58	47	52.5	12.5
19	58	45	51.5	13.5
20	57	35	46.0	19.0
21	49	32	40.5	24.5
22	52	27	39.5	25.5
23	51	28	39.5	25.5
24	61	28	44.5	20.5
25	59	31	45.0	20.0
26	68	39	53.5	11.5
27	69	39	54.0	11.0
28	68	44	56.0	9.0
29	0	0	0.0	0.0
30	0	0	0.0	0.0
31	0	0	0.0	0.0
Monthly Total ----->				<u><u>559.5</u></u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
March 1978

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	64	55	59.5	5.5
2	55	45	55.0	10.0
3	62	49	55.5	9.5
4	62	56	49.0	16.0
5	41	28	34.5	30.5
6	55	30	42.5	22.5
7	62	33	47.5	17.5
8	72	43	57.5	7.5
9	65	56	60.5	4.5
10	60	40	50.0	15.0
11	59	40	49.5	15.5
12	63	39	51.0	14.0
13	73	58	65.5	0.0
14	77	58	67.5	0.0
15	69	54	61.5	3.5
16	73	55	64.0	1.0
17	67	39	53.0	12.0
18	60	56	58.0	7.0
19	65	39	52.0	13.0
20	66	42	54.0	11.0
21	70	43	56.5	8.5
22	74	55	64.5	0.5
23	76	50	63.0	2.0
24	76	47	61.5	3.5
25	77	51	64.0	1.0
26	75	52	63.5	1.5
27	64	36	50.0	15.0
28	64	35	49.5	15.5
29	66	39	52.5	12.5
30	79	44	61.5	3.5
31	85	48	66.5	0.0
Monthly Total ----->				279.0

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
 Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
 Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
April 1978

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	78	46	62.0	3.0
2	78	51	64.5	0.5
3	80	48	64.0	1.0
4	81	52	66.5	0.0
5	76	48	62.0	3
6	81	50	65.5	0
7	79	54	66.5	0.0
8	88	62	75.0	0.0
9	88	57	72.5	0.0
10	85	55	70.0	0.0
11	83	59	71.0	0.0
12	80	62	71.0	0.0
13	79	63	71.0	0.0
14	77	50	63.5	1.5
15	84	53	68.5	0.0
16	85	53	69.0	0.0
17	84	58	71.0	0.0
18	81	62	71.5	0.0
19	75	62	68.5	0.0
20	80	44	62.0	3.0
21	72	44	58.0	7.0
22	72	50	61.0	4.0
23	79	53	66.0	0.0
24	74	60	67.0	0.0
25	85	57	71.0	0.0
26	83	52	67.5	0.0
27	71	45	58.0	7.0
28	75	48	61.5	3.5
29	78	58	68.0	0.0
30	74	60	67.0	0.0
31	0	0	0.0	0.0
Monthly Total →				<u><u>33.5</u></u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
May 1978

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	78	52	65.0	0.0
2	82	62	72.0	0.0
3	86	66	76.0	0.0
4	73	68	70.5	0.0
5	76	53	64.5	0.5
6	80	55	67.5	0
7	75	55	65.0	0.0
8	79	70	74.5	0.0
9	80	71	75.5	0.0
10	76	61	68.5	0.0
11	86	58	71.0	0.0
12	86	57	71.5	0.0
13	82	61	71.5	0.0
14	83	53	68.0	0.0
15	78	54	66.0	0.0
16	78	57	67.5	0.0
17	80	61	70.5	0.0
18	82	63	72.5	0.0
19	87	64	75.5	0.0
20	90	62	76.0	0.0
21	90	64	77.0	0.0
22	90	65	77.5	0.0
23	90	63	76.5	0.0
24	89	64	76.5	0.0
25	92	66	79.0	0.0
26	92	67	79.5	0.0
27	93	68	80.5	0.0
28	90	68	79.0	0.0
29	90	64	77.0	0.0
30	90	66	78.0	0.0
31	90	65	77.5	0.0
Monthly Total ----->				<u>0.5</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
 Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
 Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
June 1978

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	91	68	79.5	0.0
2	92	68	80.0	0.0
3	84	70	77.0	0.0
4	78	72	75.0	0.0
5	85	70	77.5	0
6	84	75	79.5	0
7	88	70	79.0	0.0
8	88	72	80.0	0.0
9	85	72	78.5	0.0
10	87	71	79.0	0.0
11	89	73	81.0	0.0
12	91	70	80.5	0.0
13	90	68	79.0	0.0
14	93	67	80.0	0.0
15	92	70	81.0	0.0
16	87	69	78.0	0.0
17	91	70	80.5	0.0
18	90	67	78.5	0.0
19	89	69	79.0	0.0
20	89	65	77.0	0.0
21	90	70	80.0	0.0
22	93	70	81.5	0.0
23	92	71	81.5	0.0
24	94	72	83.0	0.0
25	97	71	84.0	0.0
26	98	72	85.0	0.0
27	94	73	83.5	0.0
28	96	77	86.5	0.0
29	98	80	89.0	0.0
30	96	75	85.5	0.0
31	0	0	0.0	0.0
Monthly Total ----->				0.0

Not: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Divisions
Actual Heating Degree Days
July 1978

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	94	75	84.5	00
2	92	60	86.0	00
3	91	60	85.5	00
4	91	72	81.5	00
5	90	72	81.0	0
6	91	73	82.0	0
7	93	71	82.0	00
8	89	71	80.0	00
9	94	72	83.0	00
10	94	72	83.0	00
11	90	74	82.0	00
12	88	73	80.5	00
13	94	70	82.0	00
14	88	71	79.5	00
15	90	73	81.5	00
16	90	74	82.0	00
17	87	71	79.0	00
18	91	72	81.5	00
19	89	75	82.0	00
20	85	71	78.0	00
21	92	71	81.5	00
22	91	75	83.0	00
23	92	76	84.0	00
24	91	73	82.0	00
25	89	72	80.5	00
26	89	72	80.5	00
27	81	71	76.0	00
28	83	70	76.5	00
29	86	74	80.0	00
30	90	74	82.0	00
31	88	72	80.0	00
			Monthly Total ----->	<u>00</u>

Note: Daily avg. temperature = the max. temp. plus min. temp., divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
August 1978

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	82	69	75.5	0.0
2	92	70	81.0	0.0
3	95	71	83.0	0.0
4	93	70	81.5	0.0
5	86	70	78.0	0
6	88	68	78.0	0
7	90	70	80.0	0.0
8	88	70	79.0	0.0
9	89	71	80.0	0.0
10	84	72	78.0	0.0
11	81	72	76.5	0.0
12	85	72	78.5	0.0
13	90	73	81.5	0.0
14	92	72	82.0	0.0
15	90	71	80.5	0.0
16	90	72	81.0	0.0
17	92	72	82.0	0.0
18	92	72	82.0	0.0
19	92	75	83.5	0.0
20	94	69	81.5	0.0
21	92	69	80.5	0.0
22	96	71	83.5	0.0
23	94	72	83.0	0.0
24	91	72	81.5	0.0
25	92	69	80.5	0.0
26	94	70	82.0	0.0
27	92	71	81.5	0.0
28	93	68	80.5	0.0
29	93	70	81.5	0.0
30	91	72	81.5	0.0
31	91	71	81.0	0.0
Monthly Total ----->				0.0

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
September 1978

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	92	72	82.0	0.0
2	95	72	83.5	0.0
3	94	69	81.5	0.0
4	90	64	77.0	0.0
5	93	67	80.0	0
6	92	68	80.0	0
7	92	68	80.0	0.0
8	93	67	80.0	0.0
9	94	73	83.5	0.0
10	93	73	83.0	0.0
11	94	68	81.0	0.0
12	89	68	78.5	0.0
13	95	69	82.0	0.0
14	93	69	81.0	0.0
15	91	70	80.5	0.0
16	92	69	80.5	0.0
17	93	69	81.0	0.0
18	92	70	81.0	0.0
19	93	70	81.5	0.0
20	93	66	79.5	0.0
21	95	68	81.5	0.0
22	91	70	80.5	0.0
23	93	69	81.0	0.0
24	92	71	81.5	0.0
25	91	69	80.0	0.0
26	90	70	80.0	0.0
27	87	70	78.5	0.0
28	85	67	76.0	0.0
29	82	66	74.0	0.0
30	75	66	70.5	0.0
31	0	0	0.0	0.0
Monthly Total ----->				0.0

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
October 1978

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	79	66	72.5	0.0
2	83	56	69.5	0.0
3	84	57	70.5	0.0
4	85	58	71.5	0.0
5	88	62	75.0	0
6	93	62	77.5	0
7	84	55	69.5	0.0
8	74	49	61.5	3.5
9	75	45	60.0	5.0
10	80	51	65.5	0.0
11	84	59	71.5	0.0
12	86	59	72.5	0.0
13	86	61	73.5	0.0
14	85	65	75.0	0.0
15	76	45	60.5	4.5
16	69	38	53.5	11.5
17	76	38	57.0	8.0
18	74	49	61.5	3.5
19	78	45	61.5	3.5
20	80	45	62.5	2.5
21	83	45	64.0	1.0
22	84	47	65.5	0.0
23	85	47	66.0	0.0
24	85	54	69.5	0.0
25	86	55	70.5	0.0
26	85	59	72.0	0.0
27	86	62	74.0	0.0
28	82	65	73.5	0.0
29	78	65	71.5	0.0
30	85	65	75.0	0.0
31	80	65	72.5	0.0
Monthly Total ----->				<u>43.0</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
November 1978

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	80	54	67.0	0.0
2	83	49	66.0	0.0
3	83	42	62.5	2.5
4	82	43	62.5	2.5
5	81	44	62.5	2.5
6	81	46	63.5	1.5
7	80	50	65.0	0.0
8	75	52	63.5	1.5
9	59	53	56.0	9.0
10	72	48	60.0	5.0
11	78	52	65.0	0.0
12	80	46	63.0	2.0
13	80	45	62.5	2.5
14	77	48	62.5	2.5
15	84	59	71.5	0.0
16	83	57	70.0	0.0
17	83	60	71.5	0.0
18	81	67	74.0	0.0
19	80	53	66.5	0.0
20	79	53	66.0	0.0
21	72	52	62.0	3.0
22	75	52	63.5	1.5
23	77	55	66.0	0.0
24	76	44	60.0	5.0
25	80	50	65.0	0.0
26	76	44	60.0	5.0
27	75	49	62.0	3.0
28	65	61	63.0	2.0
29	67	62	64.5	0.5
30	77	65	71.0	0.0
31	0	0	0.0	0.0
Monthly Total ----->				<u>51.5</u>


Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
December 1978

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	74	55	64.5	0.5
2	70	46	58.0	7.0
3	71	54	62.5	2.5
4	81	69	75.0	0.0
5	80	44	62.0	3
6	62	36	49.0	16
7	73	42	57.5	7.5
8	82	57	69.5	0.0
9	80	69	74.5	0.0
10	76	29	52.5	12.5
11	48	29	38.5	26.5
12	52	32	42.0	23.0
13	58	28	43.0	22.0
14	66	29	47.5	17.5
15	61	33	47.0	18.0
16	68	35	51.5	13.5
17	74	51	62.5	2.5
18	60	28	44.0	21.0
19	67	30	48.5	16.5
20	75	32	53.5	11.5
21	77	39	58.0	7.0
22	68	38	53.0	12.0
23	63	31	47.0	18.0
24	66	39	52.5	12.5
25	70	38	54.0	11.0
26	60	32	46.0	19.0
27	64	33	48.5	16.5
28	48	40	44.0	21.0
29	57	41	49.0	16.0
30	65	44	54.5	10.5
31	75	55	65.0	0.0
Monthly Total ----->				<u><u>364.5</u></u>

Note:

Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
 Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
 Both formulas are used by the National Weather Service.



West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
January 1979

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	75	59	67.0	0.0
2	74	43	57.0	8.0
3	41	19	30.0	35.0
4	37	19	28.0	37.0
5	51	28	39.5	25.5
6	66	35	50.5	14.5
7	70	34	52.0	13.0
8	63	43	53.0	12.0
9	46	24	35.0	30.0
10	48	24	36.0	29.0
11	52	29	40.5	24.5
12	58	40	49.0	16.0
13	58	45	51.5	13.5
14	62	45	53.5	11.5
15	52	25	38.5	26.5
16	56	26	41.0	24.0
17	64	32	48.0	17.0
18	72	45	58.5	6.5
19	67	48	57.5	7.5
20	71	48	59.5	5.5
21	69	49	59.0	6.0
22	52	29	40.5	24.5
23	51	29	40.0	25.0
24	64	35	49.5	15.5
25	47	28	37.5	27.5
26	44	29	36.5	28.5
27	50	34	42.0	23.0
28	54	34	44.0	21.0
29	49	29	39.0	26.0
30	43	30	36.5	28.5
31	58	34	46.0	19.0
Monthly Total ----->				<u>601.0</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
February 1979

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	47	27	37.0	28.0
2	47	26	36.5	28.5
3	56	28	42.0	23.0
4	64	47	55.5	9.5
5	62	43	52.5	12.5
6	45	40	42.5	22.5
7	64	44	54.0	11.0
8	55	39	47.0	18.0
9	53	35	44.0	21.0
10	45	25	35.0	30.0
11	55	25	40.0	25.0
12	62	27	44.5	20.5
13	64	30	47.0	18.0
14	70	40	55.0	10.0
15	64	45	54.5	10.5
16	73	46	59.5	5.5
17	74	41	57.5	7.5
18	64	41	52.5	12.5
19	48	34	41.0	24.0
20	56	34	45.0	20.0
21	65	45	55.0	10.0
22	69	60	64.5	0.5
23	69	60	64.5	0.5
24	75	61	68.0	0.0
25	65	55	60.0	5.0
26	56	40	48.0	17.0
27	57	34	45.5	19.5
28	65	37	51.0	14.0
29	0	0	0.0	0.0
30	0	0	0.0	0.0
31	0	0	0.0	0.0
Monthly Total ----->				424.0

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
 Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
 Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
March 1979

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	68	43	55.5	9.5
2	69	43.0	56.0	9.0
3	78	51	64.5	0.5
4	70	51	60.5	4.5
5	70	48	59.0	6
6	71	37	54.0	11
7	32	35	33.5	31.5
8	38	37	37.5	27.5
9	37	34	35.5	29.5
10	35	36	35.5	29.5
11	72	44	58.0	7.0
12	63	36	49.5	15.5
13	73	37	55.0	10.0
14	72	40	56.0	9.0
15	78	47	62.5	2.5
16	69	39	54.0	11.0
17	70	50	60.0	5.0
18	75	47	61.0	4.0
19	75	45	60.0	5.0
20	75	47	61.0	4.0
21	79	51	65.0	0.0
22	80	55	67.5	0.0
23	72	58	65.0	0.0
24	73	51	62.0	3.0
25	62	42	52.0	13.0
26	59	31	45.0	20.0
27	65	34	49.5	15.5
28	71	39	55.0	10.0
29	79	46	62.5	2.5
30	77	52	64.5	0.5
31	77	55	66.0	0.0
Monthly Total ----->				296.0

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
April 1979

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	79	54	66.5	0.0
2	79	58	68.5	0.0
3	78	66	72.0	0.0
4	78	65	71.5	0.0
5	77	57	67.0	0
6	75	46	60.5	4.5
7	80	46	63.0	2.0
8	82	49	65.5	0.0
9	74	57	65.5	0.0
10	78	56	67.0	0.0
11	82	58	70.0	0.0
12	85	66	75.5	0.0
13	83	71	77.0	0.0
14	80	63	71.5	0.0
15	83	55	69.0	0.0
16	84	49	66.5	0.0
17	84	51	67.5	0.0
18	86	54	70.0	0.0
19	85	54	69.5	0.0
20	86	54	70.0	0.0
21	81	57	69.0	0.0
22	81	64	72.5	0.0
23	80	63	71.5	0.0
24	78	67	72.5	0.0
25	72	62	67.0	0.0
26	76	62	69.0	0.0
27	80	68	74.0	0.0
28	78	60	69.0	0.0
29	79	55	67.0	0.0
30	79	51	65.0	0.0
31	0	0	0.0	0.0
Monthly Total ----->				<u>6.5</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Dys
May 1979

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	82	58	70.0	0.0
2	84	59	71.5	0.0
3	81	61	71.0	0.0
4	83	65	74.0	0.0
5	83	67	75.0	0
6	84	65	74.5	0
7	84	62	73.0	0.0
8	73	67	70.0	0.0
9	83	69	76.0	0.0
10	82	71	76.5	0.0
11	85	68	76.5	0.0
12	86	67	76.5	0.0
13	86	67	76.5	0.0
14	84	63	73.5	0.0
15	82	55	68.5	0.0
16	86	55	70.5	0.0
17	89	60	74.5	0.0
18	85	53	69.0	0.0
19	84	56	70.0	0.0
20	82	62	72.0	0.0
21	85	64	74.5	0.0
22	87	61	74.0	0.0
23	84	64	74.0	0.0
24	78	64	71.0	0.0
25	84	55	69.5	0.0
26	75	45	60.0	5.0
27	77	50	63.5	1.5
28	77	53	65.0	0.0
29	81	59	70.0	0.0
30	85	65	75.0	0.0
31	85	70	77.5	0.0
Monthly Total ----->				8.5

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
June 1979

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	85	71	78.0	0.0
2	88	67	77.5	0.0
3	92	68	80.0	0.0
4	89	66	77.5	0.0
5	89	65	77.0	0
6	88	69	78.5	0
7	88	68	78.0	0.0
8	91	68	79.5	0.0
9	95	70	82.5	0.0
10	91	68	79.5	0.0
11	89	69	79.0	0.0
12	85	64	74.5	0.0
13	86	60	73.0	0.0
14	89	65	77.0	0.0
15	87	67	77.0	0.0
16	83	63	73.0	0.0
17	86	64	75.0	0.0
18	91	66	79.5	0.0
19	93	66	79.5	0.0
20	97	69	83.0	0.0
21	98	71	84.5	0.0
22	89	69	79.0	0.0
23	87	71	79.0	0.0
24	90	70	80.0	0.0
25	89	69	79.0	0.0
26	90	70	80.0	0.0
27	80	68	74.0	0.0
28	88	67	77.5	0.0
29	90	65	77.5	0.0
30	89	70	79.5	0.0
31	0	0	0.0	0.0
Monthly Total ----->				0.0

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Divisions
Actual Heating Degree Days
July 1979

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	89	74	81.5	0.0
2	93	68	80.5	0.0
3	94	74	84.0	0.0
4	95	71	83.0	0.0
5	95	74	84.5	0
6	95	75	85.0	0
7	91	71	81.0	0.0
8	94	71	82.5	0.0
9	90	71	80.5	0.0
10	89	70	79.5	0.0
11	84	71	77.5	0.0
12	86	74	80.0	0.0
13	87	72	79.5	0.0
14	91	76	83.5	0.0
15	90	71	80.5	0.0
16	95	69	82.0	0.0
17	90	72	81.0	0.0
18	87	72	79.5	0.0
19	86	72	79.0	0.0
20	85	73	79.0	0.0
21	90	75	82.5	0.0
22	91	76	83.5	0.0
23	84	73	78.5	0.0
24	83	72	77.5	0.0
25	82	72	77.0	0.0
26	78	69	73.5	0.0
27	89	70	79.5	0.0
28	90	71	80.5	0.0
29	89	73	81.0	0.0
30	90	70	80.0	0.0
31	91	74	82.5	0.0
Monthly Total ----->				<u>0.0</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
August 1979

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	90	73	81.5	0.0
2	87	73	80.0	0.0
3	90	71	80.5	0.0
4	90	73	81.5	0.0
5	90	73	81.5	0
6	90	72	81.0	0
7	93	70	81.5	0.0
8	94	71	82.5	0.0
9	94	72	83.0	0.0
10	91	74	82.5	0.0
11	86	69	77.5	0.0
12	87	71	79.0	0.0
13	85	67	76.0	0.0
14	90	66	78.0	0.0
15	92	66	79.0	0.0
16	89	66	77.5	0.0
17	92	68	80.0	0.0
18	89	71	80.0	0.0
19	91	70	80.5	0.0
20	95	70	82.5	0.0
21	95	73	84.0	0.0
22	91	71	81.0	0.0
23	90	68	79.0	0.0
24	87	70	78.5	0.0
25	77	72	74.5	0.0
26	87	72	79.5	0.0
27	91	70	80.5	0.0
28	91	69	80.0	0.0
29	89	69	79.0	0.0
30	91	71	81.0	0.0
31	95	72	83.5	0.0
Monthly Total ----->				<u><u>0.0</u></u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
September 1979

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	92	69	80.5	0.0
2	89	71	80.0	0.0
3	90	72	81.0	0.0
4	93	72	82.5	0.0
5	93	72	82.5	0
6	90	73	81.5	0
7	92	72	82.0	0.0
8	93	68	80.5	0.0
9	91	70	80.5	0.0
10	89	72	80.5	0.0
11	88	69	78.5	0.0
12	88	69	78.5	0.0
13	83	77	80.0	0.0
14	87	74	80.5	0.0
15	90	70	80.0	0.0
16	87	72	79.5	0.0
17	81	70	75.5	0.0
18	85	71	78.0	0.0
19	90	70	80.0	0.0
20	90	70	80.0	0.0
21	88	72	80.0	0.0
22	85	72	78.5	0.0
23	84	65	74.5	0.0
24	81	64	72.5	0.0
25	70	64	67.0	0.0
26	69	64	66.5	0.0
27	72	66	69.0	0.0
28	81	71	76.0	0.0
29	86	69	77.5	0.0
30	86	60	73.0	0.0
31	0	0	0.0	0.0
Monthly Total ----->				<u>0.0</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
 Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
 Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
October 1979

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	86	60	73.0	0.0
2	86	61	73.5	0.0
3	86	58	71.0	0.0
4	82	56	69.0	0.0
5	84	51	67.5	0
6	80	50	65.0	0
7	84	50	67.0	0.0
8	86	51	68.5	0.0
9	83	56	69.5	0.0
10	75	52	63.5	1.5
11	75	53	64.0	1.0
12	74	50	62.0	3.0
13	80	50	65.0	0.0
14	84	53	68.5	0.0
15	74	48	61.0	4.0
16	79	50	64.5	0.5
17	80	61	70.5	0.0
18	86	64	75.0	0.0
19	87	60	73.5	0.0
20	85	61	73.0	0.0
21	86	65	75.5	0.0
22	86	63	74.5	0.0
23	86	64	75.0	0.0
24	68	47	57.5	7.5
25	73	41	57.0	8.0
26	73	43	58.0	7.0
27	77	44	60.5	4.5
28	78	46	62.0	3.0
29	81	56	68.5	0.0
30	81	60	70.5	0.0
31	85	65	75.0	0.0
Monthly Total ----->				40.0

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
 Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
 Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
November 1979

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	83	65	74.0	0.0
2	82	65	74.0	0.0
3	81	51	66.0	0.0
4	78	47	62.5	2.5
5	69	42	55.5	9.5
6	75	48	61.5	3.5
7	78	49	63.5	1.5
8	75	42	58.5	6.5
9	75	49	62.0	3.0
10	79	64	71.5	0.0
11	82	60	71.0	0.0
12	71	58	64.5	0.5
13	73	49	61.0	4.0
14	64	40	52.0	13.0
15	63	36	49.5	15.5
16	68	34	51.0	14.0
17	72	38	55.0	10.0
18	74	40	57.0	8.0
19	74	41	57.5	7.5
20	77	37	57.0	8.0
21	78	47	62.5	2.5
22	79	55	67.0	0.0
23	80	59	69.5	0.0
24	76	60	68.0	0.0
25	79	59	69.0	0.0
26	76	45	60.5	4.5
27	70	43	56.5	8.5
28	75	44	59.5	5.5
29	78	33	55.5	9.5
30	51	29	40.0	25.0
31	0	0	0.0	0.0
Monthly Total ----->			0.0	<u>162.5</u>

Note: Daily avg. temperature = the max. temp. plus (min. temp. divided by 2).
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
December 1979

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	48	26	37.0	28.0
2	49	28	38.5	26.5
3	57	34	45.5	19.5
4	59	36	47.5	17.5
5	62	30	46.0	19
6	68	34	51.0	14
7	70	35	52.5	12.5
8	67	37	52.0	13.0
9	69	39	54.0	11.0
10	68	40	54.0	11.0
11	74	38	56.0	9.0
12	77	53	65.0	0.0
13	78	55	66.5	0.0
14	78	57	67.5	0.0
15	65	55	60.0	5.0
16	58	47	52.5	12.5
17	63	42	52.5	12.5
18	49	28	38.5	26.5
19	56	26	41.0	24.0
20	62	28	45.0	20.0
21	63	34	48.5	16.5
22	66	41	53.5	11.5
23	67	50	58.5	6.5
24	72	48	60.0	5.0
25	63	46	54.5	10.5
26	63	37	50.0	15.0
27	65	31	48.0	17.0
28	62	31	46.5	18.5
29	70	37	53.5	11.5
30	69	47	58.0	7.0
31	59	44	51.5	13.5
Monthly Total ----->				<u>414.0</u>

Note:

Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
 Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
 Both formulas are used by the National Weather Service.



West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
January 1980

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	54	39	46.5	18.5
2	51	28	39.5	25.5
3	60	29	44.5	20.5
4	66	33	49.5	15.5
5	59	32	45.5	19.5
6	52	26	39.0	26
7	54	28	41.0	24.0
8	67	36	51.5	13.5
9	67	59	63.0	2.0
10	75	58	66.5	0.0
11	72	56	64.0	1.0
12	67	52	59.5	5.5
13	64	54	59.0	6.0
14	55	46	50.5	14.5
15	68	41	54.5	10.5
16	69	43	56.0	9.0
17	70	47	58.5	6.5
18	70	61	65.5	0.0
19	75	49	62.0	3.0
20	75	43	59.0	6.0
21	73	44	58.5	6.5
22	75	44	59.5	5.5
23	71	48	59.5	5.5
24	52	27	39.5	25.5
25	58	30	44.0	21.0
26	65	49	57.0	8.0
27	68	57	62.5	2.5
28	60	45	52.5	12.5
29	65	39	52.0	13.0
30	67	42	54.5	10.5
31	69	45	57.0	8.0
Monthly Total ----->				345.5

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
February 1980

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	58	26	42.0	23.0
2	47	25	36.0	29.0
3	43	27	35.0	30.0
4	52	26	39.0	26.0
5	55	24	39.5	25.5
6	58	32	45.0	20
7	56	30	43.0	22.0
8	53	32	42.5	22.5
9	60	35	47.5	17.5
10	70	43	56.5	8.5
11	44	30	37.0	28.0
12	55	29	42.0	23.0
13	49	41	45.0	20.0
14	56	41	48.5	16.5
15	68	43	55.5	9.5
16	70	51	60.5	4.5
17	67	31	49.0	16.0
18	49	30	39.5	25.5
19	60	30	45.0	20.0
20	67	32	49.5	15.5
21	74	55	64.5	0.5
22	76	61	68.5	0.0
23	75	63	69.0	0.0
24	76	65	70.5	0.0
25	69	61	65.0	0.0
26	69	32	50.5	14.5
27	51	27	39.0	26.0
28	60	32	46.0	19.0
29	66	39	52.5	12.5
30	0	0	0.0	0.0
31	0	0	0.0	0.0
Monthly Total ----->				<u>475.0</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
April 1980

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	74	50	62.0	3.0
2	78	57	67.5	2.0
3	65	61	64.0	1.0
4	78	64	71.0	0.0
5	78	53	65.5	0
6	70	50	60.0	5
7	72	52	62.0	3.0
8	67	51	59.0	6.0
9	75	55	65.0	0.0
10	75	49	62.0	3.0
11	76	48	62.0	3.0
12	82	58	70.0	0.0
13	75	61	68.0	0.0
14	78	58	68.0	0.0
15	67	45	56.0	9.0
16	70	42	56.0	9.0
17	75	44	59.5	5.5
18	76	48	62.0	3.0
19	74	52	63.0	2.0
20	75	49	62.0	3.0
21	72	51	61.5	3.5
22	89	54	71.5	0.0
23	87	60	73.5	0.0
24	82	69	75.5	0.0
25	80	63	71.5	0.0
26	80	64	72.0	0.0
27	77	66	71.5	0.0
28	77	54	65.5	0.0
29	71	53	62.0	3.0
30	75	56	65.5	0.0
31	0	0	0.0	0.0
			Monthly Total ----->	<u>62.0</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
 Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
 Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Dys
May 1980

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	78	65	71.5	0.0
2	76	58	67.0	0.0
3	81	61	71.0	0.0
4	77	62	69.5	0.0
5	82	56	69.0	0
6	83	55	69.0	0
7	82	56	69.0	0.0
8	84	60	76.0	0.0
9	83	59	71.0	0.0
10	77	53	65.0	0.0
11	78	54	66.0	0.0
12	81	58	69.5	0.0
13	83	61	72.0	0.0
14	82	64	73.0	0.0
15	85	65	75.0	0.0
16	83	66	74.5	0.0
17	87	66	76.5	0.0
18	77	64	70.5	0.0
19	82	67	74.5	0.0
20	85	72	78.5	0.0
21	83	64	73.5	0.0
22	87	70	78.5	0.0
23	82	71	76.5	0.0
24	81	70	75.5	0.0
25	84	71	77.5	0.0
26	88	65	76.5	0.0
27	87	66	76.5	0.0
28	87	67	77.0	0.0
29	88	67	77.5	0.0
30	88	66	77.0	0.0
31	86	68	77.0	0.0
Monthly Total ----->				0.0

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
June 1980

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	88	68	78.0	0.0
2	86	69	77.5	0.0
3	88	62	75.0	0.0
4	89	67	78.0	0.0
5	94	70	82.0	0
6	96	71	83.5	0
7	92	67	79.5	0.0
8	90	70	80.0	0.0
9	90	75	82.5	0.0
10	92	65	78.5	0.0
11	90	59	74.5	0.0
12	94	62	78.0	0.0
13	97	67	82.0	0.0
14	93	67	80.0	0.0
15	87	70	78.5	0.0
16	90	65	77.5	0.0
17	90	70	80.0	0.0
18	92	72	82.0	0.0
19	88	68	78.0	0.0
20	90	72	81.0	0.0
21	87	71	79.0	0.0
22	90	70	80.0	0.0
23	87	71	79.0	0.0
24	88	69	78.5	0.0
25	88	70	79.0	0.0
26	86	71	78.5	0.0
27	79	72	75.5	0.0
28	89	74	81.5	0.0
29	88	70	79.0	0.0
30	83	69	76.0	0.0
31	0	0	0.0	0.0
Monthly Total ----->				0.0

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Divisions
Actual Heating Degree Days
July 1980

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	94	69	81.5	0.0
2	96	66	81.0	0.0
3	95	72	83.5	0.0
4	90	73	81.5	0.0
5	92	72	82.0	0
6	94	73	83.5	0
7	94	73	83.5	0.0
8	97	72	84.5	0.0
9	97	72	84.5	0.0
10	95	71	83.0	0.0
11	96	75	85.5	0.0
12	97	78	87.5	0.0
13	99	81	90.0	0.0
14	101	81	91.0	0.0
15	100	79	89.5	0.0
16	96	75	85.5	0.0
17	99	75	87.0	0.0
18	95	76	85.5	0.0
19	96	72	84.0	0.0
20	90	76	83.0	0.0
21	87	74	80.5	0.0
22	92	71	81.5	0.0
23	90	70	80.0	0.0
24	89	72	80.5	0.0
25	81	74	77.5	0.0
26	87	75	81.0	0.0
27	87	74	80.5	0.0
28	87	71	79.0	0.0
29	90	70	80.0	0.0
30	90	69	79.5	0.0
31	93	70	81.5	0.0
Monthly Total ----->				0.0

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
August 1980

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	91	71	81.0	0.0
2	90	71	80.5	0.0
3	91	73	82.0	0.0
4	91	72	81.5	0.0
5	92	71	81.5	0
6	95	74	84.5	0
7	96	73	84.5	0.0
8	95	74	84.5	0.0
9	95	70	82.5	0.0
10	93	70	81.5	0.0
11	92	72	82.0	0.0
12	90	70	80.0	0.0
13	94	73	83.5	0.0
14	93	73	83.0	0.0
15	90	74	82.0	0.0
16	82	72	77.0	0.0
17	90	71	80.5	0.0
18	93	73	83.0	0.0
19	93	70	81.5	0.0
20	95	74	84.5	0.0
21	95	75	85.0	0.0
22	97	74	85.5	0.0
23	96	72	84.0	0.0
24	95	73	84.0	0.0
25	91	70	80.5	0.0
26	90	67	78.5	0.0
27	89	69	79.0	0.0
28	89	70	79.5	0.0
29	90	68	79.0	0.0
30	92	69	80.5	0.0
31	93	68	80.5	0.0
Monthly Total ----->			0.0	

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
September 1980

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	93	70	81.5	0.0
2	85	70	77.5	0.0
3	90	70	80.0	0.0
4	92	69	80.5	0.0
5	95	70	82.5	0
6	94	69	81.5	0
7	95	70	82.5	0.0
8	94	69	81.5	0.0
9	92	70	81.0	0.0
10	93	70	81.5	0.0
11	90	69	79.5	0.0
12	89	69	79.0	0.0
13	92	68	80.0	0.0
14	91	68	79.5	0.0
15	93	70	81.5	0.0
16	93	70	81.5	0.0
17	90	74	82.0	0.0
18	80	71	75.5	0.0
19	84	72	78.0	0.0
20	89	72	80.5	0.0
21	92	72	82.0	0.0
22	90	73	81.5	0.0
23	95	70	82.5	0.0
24	90	70	80.0	0.0
25	90	70	80.0	0.0
26	90	69	79.5	0.0
27	94	70	82.0	0.0
28	93	71	82.0	0.0
29	89	72	80.5	0.0
30	90	72	81.0	0.0
31	0	0	0.0	0.0
Monthly Total ----->			0.0	<u>0.0</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
October 1980

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	83	56	74.5	0.0
2	72	64	68.0	0.0
3	84	64	74.0	0.0
4	80	50	65.0	0.0
5	74	49	61.5	3.5
6	77	50	63.5	1.5
7	75	50	62.5	2.5
8	77	48	62.5	2.5
9	83	50	66.5	0.0
10	86	51	68.5	0.0
11	86	55	70.5	0.0
12	88	53	70.5	0.0
13	76	46	61.0	4.0
14	78	45	61.5	3.5
15	82	50	66.0	0.0
16	85	62	73.5	0.0
17	86	64	75.0	0.0
18	86	60	77.0	0.0
19	85	68	76.5	0.0
20	83	61	72.0	0.0
21	78	58	68.0	0.0
22	76	58	67.0	0.0
23	75	59	67.0	0.0
24	75	61	68.0	0.0
25	70	49	59.5	5.5
26	67	37	52.0	13.0
27	72	41	56.5	8.5
28	79	54	66.5	0.0
29	69	62	65.5	0.0
30	68	59	63.5	1.5
31	70	53	61.5	3.5
Monthly Total ----->				49.5

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
November 1980

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	68	40	54.0	11.0
2	75	43	59.0	6.0
3	80	52	66.0	0.0
4	81	60	70.5	0.0
5	70	39	54.5	10.5
6	70	40	55.0	10
7	73	41	57.0	8.0
8	77	48	62.5	2.5
9	80	48	64.0	1.0
10	81	50	65.5	0.0
11	80	58	69.0	0.0
12	68	47	57.5	7.5
13	71	44	57.5	7.5
14	75	52	63.5	1.5
15	75	60	67.5	0.0
16	81	66	73.5	0.0
17	76	67	71.5	0.0
18	74	49	61.5	3.5
19	56	38	47.0	18.0
20	57	34	45.5	19.5
21	66	33	49.5	15.5
22	64	38	51.0	14.0
23	64	47	55.5	9.5
24	73	60	66.5	0.0
25	66	45	55.5	9.5
26	65	47	56.0	9.0
27	64	51	57.5	7.5
28	53	33	43.0	22.0
29	55	30	42.5	22.5
30	65	32	48.5	16.5
31	0	0	0.0	0.0
			Monthly Total ----->	<u>232.5</u>


Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
December 1980

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	68	34	51.0	14.0
2	70	36	53.0	12.0
3	76	48	62.0	3.0
4	67	33	50.0	15.0
5	70	39	54.5	10.5
6	74	46	60.0	5
7	77	45	61.0	4.0
8	76	43	59.5	5.5
9	75	48	61.5	3.5
10	77	60	68.5	0.0
11	72	39	55.5	9.5
12	60	32	46.0	19.0
13	68	34	51.0	14.0
14	69	36	52.5	12.5
15	66	30	48.0	17.0
16	65	32	48.5	16.5
17	64	40	52.0	13.0
18	58	29	43.5	21.5
19	64	31	47.5	17.5
20	71	44	57.5	7.5
21	54	43	48.5	16.5
22	49	37	43.0	22.0
23	46	38	42.0	23.0
24	64	39	51.5	13.5
25	68	34	51.0	14.0
26	45	28	36.5	28.5
27	51	30	40.5	24.5
28	45	30	37.5	27.5
29	55	34	44.5	20.5
30	66	40	53.0	12.0
31	55	28	41.5	23.5
Monthly Total ----->				446.0

Note:

Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
 Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
 Both formulas are used by the National Weather Service.



West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
January 1981

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	57	28	42.5	22.5
2	66	33	49.5	15.5
3	60	26	43.0	22.0
4	64	27	45.5	19.5
5	64	30	47.0	18
6	50	27	38.5	26.5
7	62	35	48.5	16.5
8	52	26	39.0	26.0
9	54	27	40.5	24.5
10	58	32	45.0	20.0
11	54	27	40.5	24.5
12	51	21	36.0	29.0
13	42	13	27.5	37.5
14	49	15	32.0	33.0
15	60	32	46.0	19.0
16	65	32	48.5	16.5
17	60	30	45.0	20.0
18	47	27	37.0	28.0
19	57	26	41.5	23.5
20	63	30	46.5	18.5
21	60	45	52.5	12.5
22	51	41	46.0	19.0
23	50	31	40.5	24.5
24	55	29	42.0	23.0
25	60	29	44.5	20.5
26	67	33	50.0	15.0
27	67	36	51.5	13.5
28	67	49	58.0	7.0
29	67	31	49.0	16.0
30	66	33	49.5	15.5
31	68	40	54.0	11.0
Monthly Total ----->				<u>638.0</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
February 1981

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	53	49	51.0	14.0
2	78	47	59.0	6.0
3	50	25	39.0	26.0
4	54	25	39.5	25.5
5	54	28	41.0	24
6	58	31	44.5	20.5
7	61	42	51.5	13.5
8	58	52	55.0	10.0
9	59	37	48.0	17.0
10	65	32	48.5	16.5
11	70	21	45.5	19.5
12	61	23	42.0	23.0
13	45	25	35.0	30.0
14	53	36	44.5	20.5
15	62	45	53.5	11.5
16	59	53	56.0	9.0
17	70	58	64.0	1.0
18	67	62	64.5	0.5
19	73	49	61.0	4.0
20	72	53	62.5	2.5
21	76	41	58.5	6.5
22	77	42	59.5	5.5
23	70	41	55.5	9.5
24	66	39	52.5	12.5
25	72	40	56.0	9.0
26	73	45	59.0	6.0
27	79	46	62.5	2.5
28	82	45	63.5	1.5
29	0	0	0.0	0.0
30	0	0	0.0	0.0
31	0	0	0.0	0.0
Monthly Total ----->				<u>347.5</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
March 1981

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	76	46	61.0	4.0
2	73	54.0	63.5	1.5
3	75	41	58.0	7.0
4	71	43	57.0	8.0
5	69	53	61.0	4
6	72	46	59.0	6
7	68	47	57.5	7.5
8	65	47	56.0	9.0
9	69	43	56.0	9.0
10	70	40	55.0	10.0
11	67	43	55.0	10.0
12	69	44	56.5	8.5
13	70	45	57.5	7.5
14	70	39	54.5	10.5
15	73	37	55.0	10.0
16	72	42	57.0	8.0
17	72	33	52.5	12.5
18	65	39	52.0	13.0
19	73	42	57.5	7.5
20	60	42	51.0	14.0
21	65	38	51.5	13.5
22	69	51	60.0	5.0
23	69	48	58.5	6.5
24	56	37	46.5	18.5
25	63	36	49.5	15.5
26	69	40	54.5	10.5
27	74	42	58.0	7.0
28	76	48	62.0	3.0
29	81	54	67.5	0.0
30	75	52	63.5	1.5
31	80	58	69.0	0.0
Monthly Total ----->				<u>248.5</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
April 1981

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	78	65	71.5	0.0
2	75	56	65.5	0.0
3	83	54	68.5	0.0
4	79	55	67.0	0.0
5	79	62	70.5	0
6	75	51	63.0	2
7	74	40	57.0	8.0
8	76	51	63.5	1.5
9	77	54	65.5	0.0
10	79	58	68.5	0.0
11	84	59	71.5	0.0
12	79	54	66.5	0.0
13	81	55	68.0	0.0
14	85	55	70.0	0.0
15	89	58	73.5	0.0
16	90	62	76.0	0.0
17	80	58	69.0	0.0
18	80	57	68.5	0.0
19	85	58	71.5	0.0
20	83	59	71.0	0.0
21	82	69	75.5	0.0
22	87	62	74.5	0.0
23	82	63	72.5	0.0
24	81	64	72.5	0.0
25	82	59	70.5	0.0
26	81	60	70.5	0.0
27	84	55	69.5	0.0
28	85	49	67.0	0.0
29	83	56	69.5	0.0
30	83	64	73.5	0.0
31	0	0	0.0	0.0
Monthly Total ----->				<u>11.5</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Dys
May 1981

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	87	69	78.0	0.0
2	84	61	72.5	1.0
3	74	49	61.5	3.5
4	78	42	60.0	5.0
5	85	49	67.0	0
6	82	64	73.0	0
7	81	64	72.5	0.0
8	81	61	71.0	0.0
9	81	55	68.0	0.0
10	81	56	68.5	0.0
11	79	59	69.0	0.0
12	75	46	60.5	4.5
13	79	49	64.0	1.0
14	83	50	66.5	0.0
15	81	57	69.0	0.0
16	81	55	68.0	0.0
17	79	55	67.0	0.0
18	87	52	69.5	0.0
19	85	57	71.0	0.0
20	84	62	73.0	0.0
21	82	55	68.5	0.0
22	80	55	67.5	0.0
23	85	56	70.5	0.0
24	82	59	70.5	0.0
25	87	52	69.5	0.0
26	87	64	75.5	0.0
27	79	69	74.0	0.0
28	83	63	73.0	0.0
29	87	65	76.0	0.0
30	89	68	78.5	0.0
31	90	68	79.0	0.0
Monthly Total ----->				<u><u>14.0</u></u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
June 1981

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	87	67	77.0	0.0
2	89	61	75.0	0.0
3	90	69	79.5	0.0
4	90	70	80.0	0.0
5	92	72	82.0	0
6	91	73	82.0	0
7	90	78	84.0	0.0
8	91	76	83.5	0.0
9	89	76	82.5	0.0
10	91	80	85.5	0.0
11	92	76	84.0	0.0
12	92	72	82.0	0.0
13	90	74	82.0	0.0
14	94	70	82.0	0.0
15	93	70	81.5	0.0
16	98	73	85.5	0.0
17	99	75	87.0	0.0
18	100	74	87.0	0.0
19	99	71	85.0	0.0
20	99	74	86.5	0.0
21	96	73	84.5	0.0
22	95	72	83.5	0.0
23	96	75	85.5	0.0
24	96	69	82.5	0.0
25	92	71	81.5	0.0
26	95	75	85.0	0.0
27	95	72	83.5	0.0
28	92	73	82.5	0.0
29	93	67	80.0	0.0
30	90	66	78.0	0.0
31	0	0	0.0	0.0
Monthly Total ----->				0.0

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Divisions
Actual Heating Degree Days
July 1981

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	92	65	78.5	0.0
2	89	70	79.5	0.0
3	77	70	73.5	0.0
4	77	69	73.0	0.0
5	85	71	78.0	0
6	88	72	80.0	0
7	89	69	79.0	0.0
8	94	72	83.0	0.0
9	97	72	84.5	0.0
10	91	73	82.0	0.0
11	93	70	81.5	0.0
12	90	72	81.0	0.0
13	94	74	84.0	0.0
14	98	70	84.0	0.0
15	98	76	87.0	0.0
16	99	80	89.5	0.0
17	97	82	89.5	0.0
18	97	81	89.0	0.0
19	98	80	89.0	0.0
20	90	72	81.0	0.0
21	85	72	78.5	0.0
22	86	73	79.5	0.0
23	91	75	83.0	0.0
24	91	75	83.0	0.0
25	92	75	83.5	0.0
26	92	74	83.0	0.0
27	92	72	82.0	0.0
28	92	73	82.5	0.0
29	95	70	82.5	0.0
30	92	75	83.5	0.0
31	86	73	79.5	0.0
Monthly Total ----->			0.0	

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2
 Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
 Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
August 1981

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	86	74	80.0	0.0
2	80	70	75.0	0.0
3	87	70	78.5	0.0
4	89	72	80.5	0.0
5	88	71	79.5	0
6	89	72	80.5	0
7	90	74	82.0	0.0
8	91	75	83.0	0.0
9	87	60	73.5	0.0
10	90	75	82.5	0.0
11	92	70	81.0	0.0
12	92	71	81.5	0.0
13	91	71	81.0	0.0
14	91	72	81.5	0.0
15	94	72	83.0	0.0
16	93	72	82.5	0.0
17	92	74	83.0	0.0
18	95	71	83.0	0.0
19	94	72	83.0	0.0
20	90	74	82.0	0.0
21	81	72	76.5	0.0
22	83	72	77.5	0.0
23	82	73	77.5	0.0
24	83	66	74.5	0.0
25	87	66	76.5	0.0
26	91	69	80.0	0.0
27	89	70	79.5	0.0
28	80	73	76.5	0.0
29	90	72	81.0	0.0
30	87	73	80.0	0.0
31	84	71	77.5	0.0
Monthly Total ----->				0.0

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
September 1981

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	89	71	80.0	0.0
2	89	69	79.0	0.0
3	90	69	79.5	0.0
4	91	69	80.0	0.0
5	90	70	80.0	0
6	89	71	80.0	0
7	85	70	77.5	0.0
8	90	70	80.0	0.0
9	89	72	80.5	0.0
10	89	63	76.0	0.0
11	90	69	79.5	0.0
12	90	65	77.5	0.0
13	92	65	78.5	0.0
14	90	68	79.0	0.0
15	90	69	79.5	0.0
16	89	70	79.5	0.0
17	88	70	79.0	0.0
18	84	57	70.5	0.0
19	76	48	62.0	3.0
20	75	47	61.0	4.0
21	78	43	60.5	4.5
22	85	47	66.0	0.0
23	88	60	74.0	0.0
24	92	61	76.5	0.0
25	92	63	77.5	0.0
26	89	59	74.0	0.0
27	89	64	76.5	0.0
28	89	64	76.5	0.0
29	92	63	77.5	0.0
30	93	63	78.0	0.0
31	0	0	0.0	0.0
Monthly Total ----->				<u>11.5</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
 Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
 Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
October 1981

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	90	63	76.5	0.0
2	90	64	77.0	0.0
3	91	49	70.0	0.0
4	81	51	66.0	0.0
5	88	56	72.0	0
6	90	57	73.5	0
7	87	62	74.5	0.0
8	88	65	76.5	0.0
9	72	64	68.0	0.0
10	83	65	74.0	0.0
11	88	70	79.0	0.0
12	85	65	75.0	0.0
13	82	55	68.5	0.0
14	77	54	65.5	0.0
15	81	56	68.5	0.0
16	84	56	70.0	0.0
17	85	56	70.5	0.0
18	85	57	71.0	0.0
19	85	45	65.0	0.0
20	70	38	54.0	11.0
21	77	43	60.0	5.0
22	83	56	69.5	0.0
23	86	59	72.5	0.0
24	83	50	66.5	0.0
25	62	48	55.0	10.0
26	79	61	70.0	0.0
27	74	52	63.0	2.0
28	72	47	59.5	5.5
29	76	47	61.5	3.5
30	79	54	66.5	0.0
31	76	59	67.5	0.0
Monthly Total ----->				37.0

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
November 1981

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	74	55	64.5	0.5
2	78	60	69.0	0.0
3	80	61	70.5	0.0
4	83	60	71.5	0.0
5	82	61	71.5	0
6	83	61	72.0	0
7	78	47	62.5	2.5
8	72	39	55.5	9.5
9	71	41	56.0	9.0
10	75	52	63.5	1.5
11	70	56	63.0	2.0
12	72	45	58.5	6.5
13	74	47	60.5	4.5
14	66	34	50.0	15.0
15	68	34	51.0	14.0
16	71	35	53.0	12.0
17	75	49	62.0	3.0
18	73	37	55.0	10.0
19	75	48	61.5	3.5
20	79	54	66.5	0.0
21	61	32	46.5	18.5
22	59	28	43.5	21.5
23	64	30	47.0	18.0
24	70	36	53.0	12.0
25	73	37	55.0	10.0
26	70	39	54.5	10.5
27	75	42	58.5	6.5
28	78	61	69.5	0.0
29	80	50	65.0	0.0
30	72	52	62.0	3.0
31	0	0	0.0	0.0
			Monthly Total ----->	<u>193.5</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
December 1981

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	78	57	67.5	0.0
2	74	50	62.0	3.0
3	65	33	49.0	16.0
4	69	34	51.5	13.5
5	63	33	48.0	17
6	60	29	44.5	20.5
7	56	31	43.5	21.5
8	68	34	51.0	14.0
9	76	45	60.5	4.5
10	63	34	48.5	16.5
11	53	31	42.0	23.0
12	57	32	44.5	20.5
13	59	46	52.5	12.5
14	64	48	56.0	9.0
15	72	47	59.5	5.5
16	51	30	40.5	24.5
17	61	30	45.5	19.5
18	62	39	50.5	14.5
19	48	20	34.0	31.0
20	39	20	29.5	35.5
21	46	22	34.0	31.0
22	59	34	46.5	18.5
23	71	53	62.0	3.0
24	78	53	65.5	0.0
25	67	48	57.5	7.5
26	52	48	50.0	15.0
27	67	50	58.5	6.5
28	72	45	58.5	6.5
29	72	54	63.0	2.0
30	62	47	54.5	10.5
31	55	49	52.0	13.0
Monthly Total ----->				<u><u>435.5</u></u>

Note:

Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
 Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
 Both formulas are used by the National Weather Service.



West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
January 1982

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	69	57	63.0	2.0
2	70	55	62.5	2.5
3	69	67	68.0	0.0
4	77	62	69.5	0.0
5	65	32	48.5	16.5
6	66	33	49.5	15.5
7	74	66	70.0	0.0
8	78	49	63.5	1.5
9	61	30	45.5	19.5
10	56	36	46.0	19.0
11	47	13	30.0	35.0
12	33	13	23.0	42.0
13	54	22	38.0	27.0
14	51	37	44.0	21.0
15	39	22	30.5	34.5
16	53	25	39.0	26.0
17	67	30	48.5	16.5
18	53	30	41.5	23.5
19	71	40	55.5	9.5
20	76	57	66.5	0.0
21	77	57	67.0	0.0
22	77	53	65.0	0.0
23	77	55	66.0	0.0
24	75	34	54.5	10.5
25	58	31	44.5	20.5
26	65	32	48.5	16.5
27	52	27	39.5	25.5
28	58	39	48.5	16.5
29	69	46	57.5	7.5
30	73	50	61.5	3.5
31	74	65	69.5	0.0
Monthly Total ----->				<u>412.0</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
February 1982

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	70	39	54.5	10.5
2	60	40	50.0	15.0
3	70	53	61.5	3.5
4	67	53	60.0	5.0
5	65	54	59.5	5.5
6	78	56	67.0	0
7	64	35	49.5	15.5
8	64	48	56.0	9.0
9	73	35	54.0	11.0
10	76	40	58.0	7.0
11	60	34	47.0	18.0
12	64	47	55.5	9.5
13	63	49	56.0	9.0
14	58	33	45.5	19.5
15	69	38	53.5	11.5
16	68	57	62.5	2.5
17	79	58	68.5	0.0
18	73	46	59.5	5.5
19	78	46	62.0	3.0
20	76	43	59.5	5.5
21	72	44	58.0	7.0
22	75	47	61.0	4.0
23	70	35	52.5	12.5
24	73	37	55.0	10.0
25	74	51	62.5	2.5
26	78	56	67.0	0.0
27	61	49	55.0	10.0
28	70	45	57.5	7.5
29	0	0	0.0	0.0
30	0	0	0.0	0.0
31	0	0	0.0	0.0
Monthly Total ----->				<u>219.5</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
March 1982

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	50	46	48.0	17.0
2	57	32.0	44.5	20.5
3	65	41	53.0	12.0
4	69	54	61.5	3.5
5	76	57	66.5	0
6	76	55	65.5	0
7	77	42	59.5	5.5
8	52	33	42.5	22.5
9	63	32	47.5	17.5
10	72	39	55.5	9.5
11	74	47	60.5	4.5
12	75	52	63.5	1.5
13	75	51	63.0	2.0
14	79	57	68.0	0.0
15	80	63	71.5	0.0
16	77	65	71.0	0.0
17	80	67	73.5	0.0
18	81	69	75.0	0.0
19	84	61	72.5	0.0
20	79	62	70.5	0.0
21	81	68	74.5	0.0
22	82	64	73.0	0.0
23	82	50	66.0	0.0
24	77	56	66.5	0.0
25	67	62	64.5	0.5
26	79	52	65.5	0.0
27	70	46	58.0	7.0
28	59	44	51.5	13.5
29	51	49	50.0	15.0
30	68	43	55.5	9.5
31	78	57	67.5	0.0
Monthly Total ----->				<u><u>161.5</u></u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
April 1982

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	76	61	68.5	0.0
2	81	58	69.5	0.0
3	81	71	76.0	0.0
4	81	53	67.0	0.0
5	77	65	71.0	0
6	80	45	62.5	2.5
7	68	40	54.0	11.0
8	73	45	59.0	6.0
9	70	58	64.0	1.0
10	75	49	62.0	3.0
11	57	48	52.5	12.5
12	71	41	56.0	9.0
13	74	46	60.0	5.0
14	75	59	67.0	0.0
15	77	64	70.5	0.0
16	81	61	71.0	0.0
17	83	65	74.0	0.0
18	83	55	74.0	0.0
19	82	59	70.5	0.0
20	79	65	72.0	0.0
21	85	62	73.5	0.0
22	85	60	72.5	0.0
23	77	53	65.0	0.0
24	73	52	62.5	2.5
25	70	57	63.5	1.5
26	73	65	69.0	0.0
27	79	64	71.5	0.0
28	82	56	69.0	0.0
29	80	55	67.5	0.0
30	79	59	69.0	0.0
31	0	0	0.0	0.0
Monthly Total ----->				<u>54.0</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Dys
May 1982

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	78	58	68.0	0.0
2	78	65	71.5	0.0
3	79	37	68.0	0.0
4	66	56	71.0	0.0
5	87	55	71.0	0
6	82	57	69.5	0
7	80	57	68.5	0.0
8	78	64	71.0	0.0
9	78	52	65.0	0.0
10	83	58	70.5	0.0
11	83	55	69.0	0.0
12	85	54	69.5	0.0
13	89	62	75.5	0.0
14	83	55	69.0	0.0
15	83	58	70.5	0.0
16	85	59	72.0	0.0
17	90	62	76.0	0.0
18	93	65	79.0	0.0
19	86	67	76.5	0.0
20	86	64	75.0	0.0
21	85	64	74.5	0.0
22	89	67	78.0	0.0
23	90	70	80.0	0.0
24	89	67	78.0	0.0
25	86	65	75.5	0.0
26	84	67	75.5	0.0
27	87	70	78.5	0.0
28	89	69	79.0	0.0
29	92	71	81.5	0.0
30	93	76	84.5	0.0
31	83	67	75.0	0.0
Monthly Total ----->				0.0

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
June 1982

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	87	72	79.5	0.0
2	87	71	79.0	0.0
3	91	69	80.0	0.0
4	90	71	80.5	0.0
5	90	73	81.5	0
6	94	68	81.0	0
7	93	60	76.5	0.0
8	95	61	78.0	0.0
9	98	63	80.5	0.0
10	93	68	80.5	0.0
11	92	71	81.5	0.0
12	96	68	82.0	0.0
13	87	68	77.5	0.0
14	89	68	78.5	0.0
15	91	69	80.0	0.0
16	91	68	79.5	0.0
17	90	69	79.5	0.0
18	74	72	73.0	0.0
19	90	72	81.0	0.0
20	90	78	84.0	0.0
21	91	77	84.0	0.0
22	89	69	79.0	0.0
23	90	71	80.5	0.0
24	90	70	80.0	0.0
25	88	70	79.0	0.0
26	89	72	80.5	0.0
27	80	74	77.0	0.0
28	85	72	78.5	0.0
29	88	69	78.5	0.0
30	88	72	80.0	0.0
31	0	0	0.0	0.0
Monthly Total ----->				<u>0.0</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Divisions
Actual Heating Degree Days
July 1982

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree D_{ays}</u>
1	89	73	79.5	0.0
2	81	72	71.5	0.0
3	95	74	84.5	0.0
4	91	75	83.0	0.0
5	93	66	79.5	0
6	90	70	80.0	0
7	88	71	79.5	0.0
8	83	73	78.0	0.0
9	85	73	79.0	0.0
10	87	73	80.0	0.0
11	87	71	79.0	0.0
12	88	70	79.0	0.0
13	91	70	80.5	0.0
14	91	72	81.5	0.0
15	92	73	82.5	0.0
16	90	74	82.0	0.0
17	88	73	80.5	0.0
18	91	73	82.0	0.0
19	87	69	78.0	0.0
20	87	72	79.5	0.0
21	88	73	80.5	0.0
22	88	76	82.0	0.0
23	85	72	78.5	0.0
24	84	72	78.0	0.0
25	90	73	81.5	0.0
26	91	72	81.5	0.0
27	93	71	82.0	0.0
28	89	71	80.0	0.0
29	84	71	77.5	0.0
30	81	72	76.5	0.0
31	81	72	76.5	0.0
Monthly Total ----->				0.0

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily a.o. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
August 1982

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	86	75	80.5	0.0
2	85	73	79.0	0.0
3	95	72	83.5	0.0
4	92	69	80.5	0.0
5	93	70	81.5	0
6	91	68	79.5	0
7	83	69	76.0	0.0
8	87	72	79.5	0.0
9	89	72	80.5	0.0
10	87	72	79.5	0.0
11	88	71	79.5	0.0
12	90	71	80.5	0.0
13	89	72	80.5	0.0
14	90	74	82.0	0.0
15	91	71	81.0	0.0
16	92	75	83.5	0.0
17	93	75	81.5	0.0
18	90	71	80.5	0.0
19	87	69	78.0	0.0
20	88	70	79.0	0.0
21	89	74	81.5	0.0
22	87	73	80.0	0.0
23	89	73	81.0	0.0
24	91	68	79.5	0.0
25	90	75	82.5	0.0
26	91	75	83.0	0.0
27	95	76	85.5	0.0
28	95	73	84.0	0.0
29	96	74	85.0	0.0
30	93	73	83.0	0.0
31	90	69	79.5	0.0
Monthly Total ----->				<u>0.0</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
September 1982

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	90	69	79.5	0.0
2	94	68	81.0	0.0
3	94	69	81.5	0.0
4	88	70	79.0	0.0
5	90	70	80.0	0
6	82	69	75.5	0
7	86	69	77.5	0.0
8	79	68	73.5	0.0
9	84	70	77.0	0.0
10	75	67	71.0	0.0
11	85	71	78.0	0.0
12	89	69	79.0	0.0
13	93	68	80.5	0.0
14	93	70	81.5	0.0
15	93	69	81.0	0.0
16	93	69	81.0	0.0
17	90	71	80.5	0.0
18	95	71	83.0	0.0
19	91	72	81.5	0.0
20	90	70	80.0	0.0
21	90	68	79.0	0.0
22	84	56	70.0	0.0
23	76	49	62.5	2.5
24	79	49	64.0	1.0
25	83	52	67.5	0.0
26	78	56	67.0	0.0
27	82	56	69.0	0.0
28	84	57	70.5	0.0
29	88	58	73.0	0.0
30	86	59	72.5	0.0
31	0	0	0.0	0.0
Monthly Total ----->				<u><u>35</u></u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
October 1982

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	82	63	72.5	0.0
2	86	62	74.0	0.0
3	87	62	74.5	0.0
4	78	66	72.0	0.0
5	85	74	79.5	0
6	90	70	80.0	0
7	86	69	77.5	0.0
8	86	67	76.5	0.0
9	88	65	76.5	0.0
10	88	65	76.5	0.0
11	89	67	78.0	0.0
12	90	64	77.0	0.0
13	87	68	77.5	0.0
14	79	63	71.0	0.0
15	78	49	63.5	1.5
16	75	59	67.0	0.0
17	81	50	65.5	0.0
18	75	59	67.0	0.0
19	78	49	63.5	1.5
20	80	58	69.0	0.0
21	81	58	69.5	0.0
22	85	57	71.0	0.0
23	77	56	66.5	0.0
24	64	44	54.0	11.0
25	69	36	52.5	12.5
26	70	35	52.5	12.5
27	75	39	57.0	8.0
28	77	39	58.0	7.0
29	78	43	60.5	4.5
30	81	53	67.0	0.0
31	83	57	70.0	0.0
Monthly Total ----->				58.5

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
 Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
 Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
November 1982

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	73	57	65.0	0.0
2	83	60	71.5	0.0
3	83	64	73.5	0.0
4	81	55	68.0	0.0
5	62	39	50.5	14.5
6	59	35	47.0	18
7	63	39	51.0	14.0
8	67	48	57.5	7.5
9	77	46	61.5	3.5
10	77	48	62.5	2.5
11	78	51	64.5	0.5
12	79	58	68.5	0.0
13	80	45	62.5	2.5
14	62	41	51.5	13.5
15	71	45	58.0	7.0
16	66	35	50.5	14.5
17	70	43	56.5	8.5
18	70	56	63.0	2.0
19	80	61	70.5	0.0
20	78	62	70.0	0.0
21	74	63	68.5	0.0
22	79	55	67.0	0.0
23	80	56	68.0	0.0
24	78	56	67.0	0.0
25	75	45	60.0	5.0
26	76	44	60.0	5.0
27	74	56	65.0	0.0
28	77	59	68.0	0.0
29	79	59	69.0	0.0
30	77	62	69.5	0.0
31	0	0	0.0	0.0
Monthly Total ----->				<u>118.5</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
December 1982

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	82	67	74.5	0.0
2	82	67	74.5	0.0
3	82	67	74.5	0.0
4	81	42	61.5	3.5
5	78	59	68.5	0
6	66	45	55.5	9.5
7	64	44	54.0	11.0
8	68	46	57.0	8.0
9	70	55	62.5	2.5
10	65	58	61.5	3.5
11	69	63	66.0	0.0
12	72	44	58.0	7.0
13	48	29	38.5	26.5
14	55	29	42.0	23.0
15	63	42	52.5	12.5
16	75	45	60.0	5.0
17	60	34	47.0	18.0
18	50	27	38.5	26.5
19	59	29	44.0	21.0
20	71	30	50.5	14.5
21	62	36	49.0	16.0
22	69	35	52.0	13.0
23	70	39	54.5	10.5
24	72	46	59.0	6.0
25	75	61	68.0	0.0
26	78	43	60.5	4.5
27	77	55	66.0	0.0
28	79	46	62.5	2.5
29	77	53	65.0	0.0
30	56	44	50.0	15.0
31	49	47	48.0	17.0
			Monthly Total ----->	<u>278.5</u>

Note:

Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
 Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
 Both formulas are used by the National Weather Service.



West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
January 1983

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	54	49	51.5	13.5
2	62	60	61.0	4.0
3	70	45	57.5	7.5
4	48	38	43.0	22.0
5	58	32	45.0	20
6	38	33	35.5	29.5
7	63	35	49.0	16.0
8	68	38	53.0	12.0
9	69	44	56.5	8.5
10	71	50	60.5	4.5
11	59	44	51.5	13.5
12	64	37	50.5	14.5
13	49	26	37.5	27.5
14	55	26	40.5	24.5
15	65	28	46.5	18.5
16	58	28	43.0	22.0
17	56	24	40.0	25.0
18	60	24	42.0	23.0
19	56	32	44.0	21.0
20	48	33	40.5	24.5
21	56	37	46.5	18.5
22	49	43	46.0	19.0
23	51	39	45.0	20.0
24	56	32	44.0	21.0
25	57	31	44.0	21.0
26	59	31	45.0	20.0
27	60	47	53.5	11.5
28	62	40	51.0	14.0
29	60	42	51.0	14.0
30	66	53	59.5	5.5
31	72	41	56.5	8.5
Monthly Total ----->				524.5

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
February 1983

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	70	50	60.0	5.0
2	70	52	61.0	4.0
3	67	39	53.0	12.0
4	53	34	43.5	21.5
5	58	42	50.0	15
6	60	54	57.0	8
7	70	43	56.5	8.5
8	56	27	41.5	23.5
9	56	32	44.0	21.0
10	66	35	50.5	14.5
11	69	48	58.5	6.5
12	60	42	51.0	14.0
13	52	40	46.0	19.0
14	44	39	41.5	23.5
15	63	32	47.5	17.5
16	67	33	50.0	15.0
17	68	51	59.5	5.5
18	70	37	53.5	11.5
19	70	30	54.5	10.5
20	71	41	56.0	9.0
21	74	50	62.0	3.0
22	73	48	60.5	4.5
23	70	48	59.0	6.0
24	69	41	55.0	10.0
25	66	50	58.0	7.0
26	64	37	50.5	14.5
27	50	45	47.5	17.5
28	57	55	56.0	9.0
29	0	0	0.0	0.0
30	0	0	0.0	0.0
31	0	0	0.0	0.0
Monthly Total ----->			•	<u>336.5</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
March 1983

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	60	48	54.0	11.0
2	70	44.0	57.0	8.0
3	72	55	63.5	1.5
4	75	56	65.5	0.0
5	75	66	70.5	0
6	71	54	62.5	2.5
7	82	62	72.0	0.0
8	73	58	65.5	0.0
9	72	42	57.0	8.0
10	65	39	52.0	13.0
11	46	32	39.0	26.0
12	52	31	41.5	23.5
13	61	31	46.0	19.0
14	65	35	50.0	15.0
15	67	43	55.0	10.0
16	63	53	58.0	7.0
17	71	55	63.0	2.0
18	57	50	53.5	11.5
19	65	51	58.0	7.0
20	74	51	62.5	2.5
21	70	48	59.0	6.0
22	59	35	47.0	18.0
23	59	34	46.5	18.5
24	67	49	58.0	7.0
25	51	35	43.0	22.0
26	63	50	56.5	8.5
27	69	57	63.0	2.0
28	72	49	60.5	4.5
29	64	40	52.0	13.0
30	67	39	53.0	12.0
31	58	51	54.5	10.5
Monthly Total ----->				<u>289.5</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
April 1983

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	70	49	59.5	5.5
2	69	58	63.5	1.5
3	65	55	60.0	5.0
4	66	46	56.0	9.0
5	77	38	57.5	7.5
6	76	62	69.0	0
7	79	64	71.5	0.0
8	72	62	67.0	0.0
9	70	52	61.0	4.0
10	72	49	60.5	4.5
11	70	49	59.5	5.5
12	76	50	63.0	2.0
13	80	52	66.0	0.0
14	78	60	69.0	0.0
15	71	52	61.5	3.5
16	70	41	55.5	9.5
17	66	38	52.0	13.0
18	72	52	62.0	3.0
19	70	40	55.0	10.0
20	64	43	53.5	11.5
21	68	50	59.0	6.0
22	75	53	64.0	1.0
23	79	63	71.0	0.0
24	71	56	63.5	1.5
25	74	50	62.0	3.0
26	73	44	58.5	6.5
27	78	43	60.5	4.5
28	77	48	62.5	2.5
29	80	52	66.0	0.0
30	80	57	68.5	0.0
31	0	0	0.0	0.0
Monthly Total ----->				<u><u>120.0</u></u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Dys
May 1983

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	79	61	70.0	0.0
2	82	60	71.0	0.0
3	82	66	74.0	0.0
4	79	52	65.5	0.0
5	76	48	62.0	3
6	81	51	66.0	0
7	83	51	67.0	0.0
8	80	54	67.0	0.0
9	79	60	69.5	0.0
10	84	61	72.5	0.0
11	83	62	72.5	0.0
12	84	61	72.5	0.0
13	82	60	71.0	0.0
14	85	64	74.5	0.0
15	81	58	69.5	0.0
16	80	61	70.5	0.0
17	86	57	71.5	0.0
18	83	58	70.5	0.0
19	80	68	74.0	0.0
20	84	68	76.0	0.0
21	83	68	75.5	0.0
22	85	70	77.5	0.0
23	82	76	79.0	0.0
24	88	64	76.0	0.0
25	90	62	76.0	0.0
26	86	60	73.0	0.0
27	90	63	76.5	0.0
28	91	60	75.5	0.0
29	90	64	77.0	0.0
30	85	69	77.0	0.0
31	83	65	74.0	0.0
Monthly Total ----->				30

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
June 1983

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	86	67	76.5	0.0
2	89	63	76.0	0.0
3	92	65	78.5	0.0
4	90	66	78.0	0.0
5	87	67	77.0	0
6	85	69	77.0	0
7	87	71	79.0	0.0
8	80	62	71.0	0.0
9	87	65	76.0	0.0
10	88	64	76.0	0.0
11	87	64	75.5	0.0
12	90	68	79.0	0.0
13	89	67	78.0	0.0
14	87	67	77.0	0.0
15	91	62	76.5	0.0
16	90	68	79.0	0.0
17	91	70	80.5	0.0
18	91	69	80.0	0.0
19	87	70	78.5	0.0
20	82	72	77.0	0.0
21	81	62	71.5	0.0
22	85	69	77.0	0.0
23	81	74	77.5	0.0
24	81	72	76.5	0.0
25	84	72	78.0	0.0
26	86	72	79.0	0.0
27	90	74	82.0	0.0
28	86	61	73.5	0.0
29	83	71	77.0	0.0
30	85	71	78.0	0.0
31	0	0	0.0	0.0
Monthly Total ----->				<u>0.0</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
 Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
 Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Divisions
Actual Heating Degree Days
July 1983

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	89	71	80.0	0.0
2	94	72	83.0	0.0
3	90	72	81.0	0.0
4	91	72	81.5	0.0
5	90	74	82.0	0
6	90	71	80.5	0
7	91	73	82.0	0.0
8	94	71	82.5	0.0
9	91	68	79.5	0.0
10	91	63	77.0	0.0
11	93	68	80.5	0.0
12	93	69	81.0	0.0
13	93	69	81.0	0.0
14	95	70	82.5	0.0
15	94	43	68.5	0.0
16	93	74	83.5	0.0
17	92	72	82.0	0.0
18	96	74	85.0	0.0
19	95	72	83.5	0.0
20	96	74	85.0	0.0
21	97	71	84.0	0.0
22	95	73	84.0	0.0
23	95	77	86.0	0.0
24	96	80	88.0	0.0
25	95	81	88.0	0.0
26	95	80	87.5	0.0
27	97	71	84.0	0.0
28	92	72	82.0	0.0
29	94	69	81.5	0.0
30	95	64	79.5	0.0
31	91	72	81.5	0.0
Monthly Total ----->			0.0	

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
August 1983

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	85	73	79.0	0.0
2	89	71	80.0	0.0
3	86	71	78.5	0.0
4	90	71	80.5	0.0
5	93	72	82.5	0
6	91	72	81.5	0
7	91	71	81.0	0.0
8	91	72	81.5	0.0
9	92	72	82.0	0.0
10	93	72	82.5	0.0
11	92	76	84.0	0.0
12	92	74	83.0	0.0
13	87	73	80.0	0.0
14	90	76	83.0	0.0
15	92	72	82.0	0.0
16	89	64	76.5	0.0
17	93	66	79.5	0.0
18	93	69	81.0	0.0
19	94	70	82.0	0.0
20	96	71	83.5	0.0
21	99	74	86.5	0.0
22	96	77	86.5	0.0
23	95	74	84.5	0.0
24	97	71	84.0	0.0
25	97	71	84.0	0.0
26	99	71	85.0	0.0
27	85	72	78.5	0.0
28	94	72	83.0	0.0
29	94	73	83.5	0.0
30	97	71	84.0	0.0
31	95	71	83.0	0.0
Monthly Total ----->				<u>0.0</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
September 1983

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	93	72	82.5	0.0
2	89	62	75.5	0.0
3	88	69	78.5	0.0
4	88	70	79.0	0.0
5	90	71	80.5	0
6	90	70	80.0	0
7	90	65	77.5	0.0
8	93	67	80.0	0.0
9	94	69	81.5	0.0
10	96	69	82.5	0.0
11	94	71	82.5	0.0
12	92	70	81.0	0.0
13	78	67	72.5	0.0
14	84	69	76.5	0.0
15	87	65	76.0	0.0
16	85	68	76.5	0.0
17	87	69	78.0	0.0
18	91	70	80.5	0.0
19	89	71	80.0	0.0
20	86	68	77.0	0.0
21	85	69	77.0	0.0
22	85	54	69.5	0.0
23	76	71	73.5	0.0
24	80	51	65.5	0.0
25	84	60	72.0	0.0
26	83	57	70.0	0.0
27	80	56	68.0	0.0
28	80	53	66.5	0.0
29	82	53	67.5	0.0
30	82	51	66.5	0.0
31	0	0	0.0	0.0
Monthly Total ----->				<u>0.0</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
October 1983

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	80	50	65.0	0.0
2	84	52	68.0	0.0
3	88	63	75.5	0.0
4	88	63	75.5	0.0
5	87	68	77.5	0
6	87	64	75.5	0
7	85	61	73.0	0.0
8	84	65	74.5	0.0
9	86	69	77.5	0.0
10	82	70	76.0	0.0
11	77	66	71.5	0.0
12	76	66	71.0	0.0
13	85	71	78.0	0.0
14	78	55	66.5	0.0
15	79	62	70.5	0.0
16	85	69	77.0	0.0
17	85	65	75.0	0.0
18	80	64	72.0	0.0
19	85	64	74.5	0.0
20	85	62	73.5	0.0
21	86	61	73.5	0.0
22	80	66	73.0	0.0
23	78	65	71.5	0.0
24	85	56	70.5	0.0
25	72	53	62.5	2.5
26	73	52	62.5	2.5
27	72	47	59.5	5.5
28	75	45	60.0	5.0
29	79	40	59.5	5.5
30	80	46	63.0	2.0
31	83	53	68.0	0.0
Monthly Total ----->				23.0

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
November 1983

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	78	60	69.0	0.0
2	83	57	70.0	0.0
3	82	50	66.0	0.0
4	80	53	66.5	0.0
5	79	56	67.5	0
6	73	37	55.0	10
7	73	44	58.5	6.5
8	62	55	58.5	6.5
9	68	60	64.0	1.0
10	70	59	64.5	0.5
11	74	47	60.5	4.5
12	55	39	47.0	18.0
13	60	35	47.5	17.5
14	67	57	62.0	3.0
15	77	58	67.5	0.0
16	69	44	56.5	8.5
17	63	32	47.5	17.5
18	65	36	50.5	14.5
19	72	42	57.0	8.0
20	75	49	62.0	3.0
21	72	41	56.5	8.5
22	73	43	58.0	7.0
23	80	49	64.5	0.5
24	78	58	68.0	0.0
25	62	39	50.5	14.5
26	60	36	48.0	17.0
27	68	44	56.0	9.0
28	77	56	66.5	0.0
29	65	38	51.5	13.5
30	60	33	46.5	18.5
31	0	0	0.0	0.0
			Monthly Total ----->	<u>207.5</u>


Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
December 1983

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	69	46	57.5	7.5
2	73	49	61.0	-0
3	77	70	73.5	0.0
4	80	63	71.5	0.0
5	75	64	69.5	0
6	78	68	73.0	0
7	72	37	54.5	10.5
8	56	32	44.0	21.0
9	64	38	51.0	14.0
10	70	43	56.5	8.5
11	74	69	71.5	0.0
12	70	54	62.0	3.0
13	59	45	52.0	13.0
14	68	61	64.5	0.5
15	73	39	56.0	9.0
16	63	37	50.0	15.0
17	65	40	52.5	12.5
18	57	49	53.0	12.0
19	55	47	51.0	14.0
20	58	46	52.0	13.0
21	58	48	53.0	12.0
22	59	49	54.0	11.0
23	75	49	62.0	3.0
24	49	29	39.0	26.0
25	38	11	24.5	40.5
26	27	12	19.5	45.5
27	37	15	26.0	39.0
28	67	31	49.0	16.0
29	69	42	55.5	9.5
30	44	22	33.0	32.0
31	37	20	28.5	36.5
Monthly Total ----->			428.5	

Note:

Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
 Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
 Both formulas are used by the National Weather Service.



West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
January 1984

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	46	20	33.0	32.0
2	56	23	39.5	25.5
3	60	16	38.0	27.0
4	60	29	44.5	20.5
5	62	50	56.0	9
6	63	34	48.5	16.5
7	67	45	56.0	9.0
8	61	36	48.5	16.5
9	68	44	56.0	9.0
10	67	55	61.0	4.0
11	65	35	50.0	15.0
12	43	35	39.0	26.0
13	47	35	41.0	24.0
14	57	29	43.0	22.0
15	61	36	48.5	16.5
16	55	39	47.0	18.0
17	55	47	51.0	14.0
18	60	50	55.0	10.0
19	71	36	53.5	11.5
20	45	31	38.0	27.0
21	39	30	34.5	30.5
22	49	26	37.5	27.5
23	56	26	41.0	24.0
24	66	42	54.0	11.0
25	73	58	65.5	0.0
26	66	54	60.0	5.0
27	57	55	56.0	9.0
28	60	38	49.0	16.0
29	65	38	51.5	13.5
30	65	37	51.0	14.0
31	68	34	51.0	14.0
Monthly Total ----->				<u><u>517.5</u></u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees
Both formulas are used by the National Weather Service

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
February 1984

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	55	28	41.5	23.5
2	60	36	48.0	17.0
3	66	43	54.5	10.5
4	63	54	58.5	6.5
5	67	34	50.5	14.5
6	58	26	42.0	23
7	49	25	37.0	28.0
8	55	26	40.5	24.5
9	61	30	45.5	19.5
10	69	39	54.0	11.0
11	71	47	59.0	6.0
12	26	50	38.0	27.0
13	74	55	64.5	0.5
14	78	51	64.5	0.5
15	73	38	55.5	9.5
16	74	39	56.5	8.5
17	72	44	58.0	7.0
18	76	41	58.5	6.5
19	75	40	57.5	7.5
20	75	50	62.5	2.5
21	65	52	58.5	6.5
22	55	48	51.5	13.5
23	62	48	55.0	10.0
24	65	40	52.5	12.5
25	69	47	58.0	7.0
26	66	40	53.0	12.0
27	72	58	65.0	0.0
28	70	40	55.0	10.0
29	50	34	42.0	23.0
30	0	0	0.0	0.0
31	0	0	0.0	0.0
Monthly Total ----->				348.0

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
March 1984

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	52	27	39.5	25.5
2	53	40	46.5	18.5
3	65	41	53.0	12.0
4	73	47	60.0	5.0
5	73	65	69.0	0
6	70	60	65.0	0
7	67	40	53.5	11.5
8	56	29	42.5	22.5
9	64	34	49.0	16.0
10	62	30	46.0	19.0
11	66	36	51.0	14.0
12	71	39	55.0	10.0
13	70	47	58.5	6.5
14	77	53	65.0	0.0
15	84	50	67.0	0.0
16	77	53	65.0	0.0
17	76	53	64.5	0.5
18	79	50	64.5	0.5
19	80	51	65.5	0.0
20	80	51	65.5	0.0
21	69	36	52.5	12.5
22	68	48	58.0	7.0
23	72	55	63.5	1.5
24	80	55	67.5	0.0
25	75	65	70.0	0.0
26	76	51	63.5	1.5
27	74	66	70.0	0.0
28	74	64	69.0	0.0
29	76	53	64.5	0.5
30	60	46	53.0	12.0
31	67	50	58.5	6.5
Monthly Total ----->				<u>203.0</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
 Panama City Division
 Actual Heating Degree Days
 April 1984

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	70	52	61.0	4.0
2	74	52	63.0	7.0
3	73	56	64.5	0.5
4	69	58	63.5	1.5
5	74	51	62.5	2.5
6	66	41	53.5	11.5
7	69	49	59.0	6.0
8	80	54	67.0	0.0
9	76	57	66.5	0.0
10	79	55	67.0	0.0
11	69	53	61.0	4.0
12	66	47	56.5	8.5
13	76	49	62.5	2.5
14	76	55	65.5	0.0
15	77	58	67.5	0.0
16	74	51	62.5	2.5
17	68	47	57.5	7.5
18	69	46	57.5	7.5
19	73	62	67.5	0.0
20	78	64	71.0	0.0
21	81	65	73.0	0.0
22	82	71	76.5	0.0
23	81	64	72.5	0.0
24	74	44	59.0	6.0
25	78	50	64.0	1.0
26	80	59	69.5	0.0
27	84	72	78.0	0.0
28	84	71	77.5	0.0
29	84	67	75.5	0.0
30	82	62	72.0	0.0
31	0	0	0.0	0.0
Monthly Total ----->				<u>67.5</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
 Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
 Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Dys
May 1984

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	82	68	75.0	0.0
2	85	67	76.0	0.0
3	80	63	71.5	0.0
4	81	66	73.5	0.0
5	87	69	78.0	0
6	85	65	75.0	0
7	87	71	79.0	0.0
8	89	70	79.5	0.0
9	84	54	69.0	0.0
10	79	46	62.5	2.5
11	82	45	63.5	1.5
12	85	55	70.0	0.0
13	85	57	71.0	0.0
14	88	58	73.0	0.0
15	88	61	74.5	0.0
16	93	60	76.5	0.0
17	88	60	74.0	0.0
18	86	59	72.5	0.0
19	83	57	70.0	0.0
20	84	61	72.5	0.0
21	83	62	72.5	0.0
22	86	69	77.5	0.0
23	84	68	76.0	0.0
24	87	68	77.5	0.0
25	89	70	79.5	0.0
26	88	68	78.0	0.0
27	91	69	80.0	0.0
28	90	69	79.5	0.0
29	90	67	78.5	0.0
30	90	53	71.5	0.0
31	75	52	63.5	1.5
Monthly Total ----->				<u>5.5</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
June 1984

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	78	46	62.0	3.0
2	85	51	68.0	0.0
3	86	36	71.0	0.0
4	69	56	73.5	0.0
5	86	58	72.0	0
6	92	62	77.0	0
7	91	66	78.5	0.0
8	92	67	79.5	0.0
9	89	63	76.0	0.0
10	90	61	75.5	0.0
11	91	65	78.0	0.0
12	95	67	81.0	0.0
13	92	57	74.5	0.0
14	92	71	81.5	0.0
15	91	71	81.0	0.0
16	88	71	79.5	0.0
17	90	71	80.5	0.0
18	92	71	81.5	0.0
19	90	62	76.0	0.0
20	91	72	81.5	0.0
21	91	78	84.5	0.0
22	91	74	82.5	0.0
23	92	70	81.0	0.0
24	90	72	81.0	0.0
25	92	75	83.5	0.0
26	97	67	82.0	0.0
27	94	67	80.5	0.0
28	91	69	80.0	0.0
29	87	72	79.5	0.0
30	85	60	72.5	0.0
31	0	0	0.0	0.0
Monthly Total ----->				<u>3.0</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Divisions
Actual Heating Degree Days
July 1984

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	84	68	76.0	0.0
2	80	68	74.0	0.0
3	88	71	79.5	0.0
4	90	74	82.0	0.0
5	91	72	81.5	0
6	90	71	80.5	0
7	90	56	73.0	0.0
8	90	73	81.5	0.0
9	92	73	82.5	0.0
10	93	73	83.0	0.0
11	94	74	84.0	0.0
12	96	71	83.5	0.0
13	90	71	80.5	0.0
14	90	73	81.5	0.0
15	87	70	78.5	0.0
16	91	71	81.0	0.0
17	89	72	80.5	0.0
18	87	65	76.0	0.0
19	79	67	73.0	0.0
20	81	72	76.5	0.0
21	89	73	81.0	0.0
22	86	74	80.0	0.0
23	93	71	82.0	0.0
24	85	70	77.5	0.0
25	89	70	79.5	0.0
26	90	70	80.0	0.0
27	92	72	82.0	0.0
28	89	71	80.0	0.0
29	89	70	79.5	0.0
30	74	68	71.0	0.0
31	77	71	74.0	0.0
Monthly Total ----->				<u>0.0</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
August 1984

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	84	68	76.0	0.0
2	87	76	81.5	0.0
3	38	73	80.5	0.0
4	03	73	83.0	0.0
5	90	73	81.5	0
6	90	73	81.5	0
7	94	74	84.0	0.0
8	93	72	82.5	0.0
9	90	75	82.5	0.0
10	93	70	81.5	0.0
11	93	72	82.5	0.0
12	88	73	80.5	0.0
13	86	73	79.5	0.0
14	89	70	79.5	0.0
15	89	70	79.5	0.0
16	91	74	82.5	0.0
17	93	75	84.0	0.0
18	93	75	84.0	0.0
19	92	75	83.5	0.0
20	89	73	81.0	0.0
21	92	68	80.0	0.0
22	91	69	80.0	0.0
23	87	69	78.0	0.0
24	89	75	82.0	0.0
25	87	71	79.0	0.0
26	90	74	82.0	0.0
27	87	72	79.5	0.0
28	85	66	75.5	0.0
29	90	67	78.5	0.0
30	90	70	80.0	0.0
31	89	69	79.0	0.0
Monthly Total ----->				0.0

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
September 1984

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	91	75	83.0	0.0
2	93	72	82.5	0.0
3	92	70	81.0	0.0
4	91	66	78.5	0.0
5	89	69	79.0	0
6	85	65	75.0	0
7	85	62	73.5	0.0
8	87	63	75.0	0.0
9	86	60	73.0	0.0
10	87	63	75.0	0.0
11	91	70	80.5	0.0
12	92	67	79.5	0.0
13	92	69	80.5	0.0
14	89	71	80.0	0.0
15	90	67	78.5	0.0
16	92	68	80.0	0.0
17	89	65	77.0	0.0
18	82	49	65.5	0.0
19	86	68	77.0	0.0
20	84	64	74.0	0.0
21	88	64	76.0	0.0
22	89	63	76.0	0.0
23	89	67	78.0	0.0
24	90	68	79.0	0.0
25	90	65	77.5	0.0
26	89	62	75.5	0.0
27	94	68	81.0	0.0
28	91	65	78.0	0.0
29	85	63	74.0	0.0
30	85	62	73.5	0.0
31	0	0	0.0	0.0
Monthly Total ----->				0.0

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
October 1984

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	83	49	66.0	0.0
2	74	48	61.0	4.0
3	77	42	59.5	5.5
4	81	43	62.0	3.0
5	82	46	64.0	1
6	84	56	70.0	0
7	85	60	72.5	0.0
8	87	64	75.5	0.0
9	87	63	75.0	0.0
10	87	61	74.0	0.0
11	89	60	74.5	0.0
12	87	61	74.0	0.0
13	87	56	71.5	0.0
14	88	55	71.5	0.0
15	89	57	73.0	0.0
16	81	69	75.0	0.0
17	86	68	77.0	0.0
18	86	65	75.5	0.0
19	85	67	76.0	0.0
20	85	61	73.0	0.0
21	84	65	74.5	0.0
22	83	68	75.5	0.0
23	86	67	76.5	0.0
24	83	66	74.5	0.0
25	87	64	75.5	0.0
26	86	64	75.0	0.0
27	87	71	79.0	0.0
28	85	71	78.0	0.0
29	85	69	77.0	0.0
30	88	64	76.0	0.0
31	85	65	75.0	0.0
Monthly Total ----->				<u>13.5</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
November 1984

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	85	68	76.5	0.0
2	85	66	75.5	0.0
3	79	57	73.0	0.0
4	77	65	71.0	0.0
5	77	61	69.0	0
6	72	51	61.5	3.5
7	69	42	55.5	9.5
8	66	41	53.5	11.5
9	69	45	57.5	7.5
10	75	41	58.0	7.0
11	78	46	62.0	3.0
12	60	39	49.5	15.5
13	68	37	52.5	12.5
14	65	33	49.0	16.0
15	71	47	59.0	6.0
16	78	58	68.0	0.0
17	73	47	60.0	5.0
18	75	49	62.0	3.0
19	78	73	75.5	0.0
20	74	49	61.5	3.5
21	55	47	51.0	14.0
22	50	38	44.0	21.0
23	56	38	47.0	18.0
24	68	42	55.0	10.0
25	71	39	55.0	10.0
26	74	56	65.0	0.0
27	76	61	68.5	0.0
28	75	50	62.5	2.5
29	60	35	47.5	17.5
30	59	41	50.0	15.0
31	0	0	0.0	0.0
Monthly Total ----->				211.5


Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
December 1984

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	70	56	63.0	2.0
2	78	56	67.0	0.0
3	77	64	70.5	0.0
4	75	52	63.5	1.5
5	61	57	59.0	6
6	76	46	61.0	4
7	52	29	40.5	24.5
8	53	27	40.0	25.0
9	63	34	48.5	16.5
10	67	50	58.5	6.5
11	68	52	60.0	5.0
12	73	59	66.0	0.0
13	68	63	65.5	0.0
14	77	52	64.5	0.5
15	79	51	65.0	0.0
16	75	58	66.5	0.0
17	78	61	69.5	0.0
18	77	52	64.5	0.5
19	80	56	68.0	0.0
20	75	62	68.5	0.0
21	77	61	69.0	0.0
22	75	61	68.0	0.0
23	78	55	66.5	0.0
24	77	55	66.0	0.0
25	76	56	66.0	0.0
26	78	56	67.0	0.0
27	79	59	69.0	0.0
28	74	58	66.0	0.0
29	77	50	63.5	1.5
30	79	58	68.5	0.0
31	76	57	66.5	0.0
Monthly Total ----->				93.5

Note:

Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
 Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
 Both formulas are used by the National Weather Service.



West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
January 1985

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	78	65	71.5	0.0
2	77	67	72.0	0.0
3	72	52	62.0	3.0
4	48	32	40.0	25.0
5	53	29	41.0	24
6	58	29	43.5	21.5
7	64	43	53.5	11.5
8	62	36	49.0	16.0
9	64	32	48.0	17.0
10	71	42	56.5	8.5
11	62	36	49.0	16.0
12	44	32	38.0	27.0
13	48	31	39.5	25.5
14	52	40	46.0	19.0
15	57	30	43.5	21.5
16	61	27	44.0	21.0
17	68	47	57.5	7.5
18	50	40	45.0	20.0
19	64	41	52.5	12.5
20	62	14	38.0	27.0
21	28	6	17.0	48.0
22	49	16	32.5	32.5
23	54	24	39.0	26.0
24	46	31	38.5	26.5
25	61	43	52.0	13.0
26	51	25	38.0	27.0
27	59	22	40.5	24.5
28	64	41	52.5	12.5
29	59	34	46.5	18.5
30	67	38	52.5	12.5
31	73	64	68.5	0.0
Monthly Total ----->				564.5

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
February 1985

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	75	66	70.5	0.0
2	70	36	53.0	12.0
3	53	33	43.0	22.0
4	66	44	55.0	10.0
5	71	52	61.5	3.5
6	70	45	57.5	7.5
7	55	38	46.5	18.5
8	51	34	42.5	22.5
9	56	34	45.0	20.0
10	62	26	44.0	21.0
11	67	29	48.0	17.0
12	67	37	52.0	13.0
13	52	34	43.0	22.0
14	57	33	45.0	20.0
15	60	31	45.5	19.5
16	56	27	41.5	23.5
17	58	29	43.5	21.5
18	66	34	50.0	15.0
19	73	46	59.5	5.5
20	73	51	62.0	3.0
21	75	49	62.0	3.0
22	77	51	64.0	1.0
23	77	58	67.5	0.0
24	76	55	65.5	0.0
25	77	65	71.0	0.0
26	78	65	71.5	0.0
27	75	60	67.5	0.0
28	75	51	63.0	2.0
29	0	0	0.0	0.0
30	0	0	0.0	0.0
31	0	0	0.0	0.0
Monthly Total ----->				<u>303.0</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
March 1985

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	71	47	59.0	6.0
2	74	53	63.5	1.5
3	77	49	63.0	2.0
4	77	50	63.5	1.5
5	81	60	70.5	0
6	77	49	63.0	2
7	79	53	66.0	0.0
8	77	50	63.5	1.5
9	82	57	69.5	0.0
10	82	56	69.0	0.0
11	76	55	65.5	0.0
12	79	64	71.5	0.0
13	81	60	70.5	0.0
14	80	56	68.0	0.0
15	75	58	66.5	0.0
16	59	54	56.5	8.5
17	65	51	58.0	7.0
18	66	40	53.0	12.0
19	69	34	51.5	13.5
20	73	38	55.5	9.5
21	73	55	64.0	1.0
22	70	55	62.5	2.5
23	70	48	59.0	6.0
24	74	53	63.5	1.5
25	78	46	62.0	3.0
26	76	47	61.5	3.5
27	74	45	59.5	5.5
28	77	65	71.0	0.0
29	79	64	71.5	0.0
30	79	61	70.0	0.0
31	78	59	68.5	0.0
Monthly Total ----->				<u><u>88.0</u></u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
April 1985

<u>Day</u>	<u>Max. Temp.</u>	<u>M/n. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	75	50	62.5	2.5
2	67	42	54.5	10.5
3	70	37	53.5	11.5
4	75	50	62.5	2.5
5	77	65	71.0	0
6	78	50	64.0	1
7	77	50	63.5	1.5
8	74	50	62.0	3.0
9	72	42	57.0	8.0
10	75	42	58.5	6.5
11	76	46	61.0	4.0
12	78	63	70.5	0.0
13	72	62	67.0	0.0
14	72	62	67.0	0.0
15	77	59	68.0	0.0
16	79	55	67.0	0.0
17	87	52	69.5	0.0
18	82	53	67.5	0.0
19	80	57	68.5	0.0
20	83	56	69.5	0.0
21	85	56	70.5	0.0
22	83	59	71.0	0.0
23	80	62	71.0	0.0
24	82	59	70.5	0.0
25	82	58	70.0	0.0
26	85	61	73.0	0.0
27	83	59	71.0	0.0
28	84	61	72.5	0.0
29	93	66	79.5	0.0
30	86	63	74.5	0.0
31	0	0	0.0	0.0
Monthly Total ----->				<u>51.0</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Dys
May 1985

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	82	60	71.0	0.0
2	82	60	71.0	0.0
3	83	64	73.5	0.0
4	86	59	72.5	0.0
5	82	59	70.5	0
6	83	57	70.0	0
7	87	63	75.0	0.0
8	82	65	73.5	0.0
9	78	65	71.5	0.0
10	84	65	74.5	0.0
11	87	61	74.0	0.0
12	88	64	76.0	0.0
13	91	66	78.5	0.0
14	88	64	76.0	0.0
15	93	69	81.0	0.0
16	90	67	78.5	0.0
17	83	67	75.0	0.0
18	79	58	68.5	0.0
19	76	64	70.0	0.0
20	87	68	77.5	0.0
21	87	66	76.5	0.0
22	84	66	75.0	0.0
23	90	69	79.5	0.0
24	84	65	74.5	0.0
25	86	62	74.0	0.0
26	88	57	72.5	0.0
27	86	59	72.5	0.0
28	85	62	73.5	0.0
29	87	65	76.0	0.0
30	86	68	77.0	0.0
31	87	67	77.0	0.0
Monthly Total ----->				<u>0.0</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
June 1985

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	86	76	81.0	0.0
2	91	76	83.5	0.0
3	93	76	84.5	0.0
4	97	76	86.5	0.0
5	94	75	84.5	0
6	96	77	86.5	0
7	89	74	81.5	0.0
8	90	74	82.0	0.0
9	90	77	83.5	0.0
10	90	78	84.0	0.0
11	86	69	77.5	0.0
12	86	73	79.5	0.0
13	83	69	76.0	0.0
14	75	63	69.0	0.0
15	78	63	70.5	0.0
16	85	63	74.0	0.0
17	86	75	80.5	0.0
18	86	76	81.0	0.0
19	86	71	78.5	0.0
20	82	69	75.5	0.0
21	85	65	75.0	0.0
22	87	65	76.0	0.0
23	94	65	79.5	0.0
24	93	70	81.5	0.0
25	94	69	81.5	0.0
26	87	71	79.0	0.0
27	91	71	81.0	0.0
28	89	71	80.0	0.0
29	87	70	78.5	0.0
30	84	68	76.0	0.0
31	0	0	0.0	0.0
Monthly Total ----->			0.0	<u>0.0</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Divisions
Actual Heating Degree Days
July 1985

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	87	72	79.5	0.0
2	88	73	80.5	0.0
3	90	73	81.5	0.0
4	87	71	79.0	0.0
5	87	70	78.5	0
6	85	69	77.0	0
7	88	73	80.5	0.0
8	90	69	79.5	0.0
9	91	76	83.5	0.0
10	94	75	84.5	0.0
11	90	75	82.5	0.0
12	88	71	79.5	0.0
13	89	71	80.0	0.0
14	88	71	79.5	0.0
15	89	73	81.0	0.0
16	89	73	81.0	0.0
17	90	71	80.5	0.0
18	89	71	80.0	0.0
19	88	73	80.5	0.0
20	94	72	83.0	0.0
21	90	72	81.0	0.0
22	88	73	80.5	0.0
23	90	73	81.5	0.0
24	89	73	81.0	0.0
25	80	73	76.5	0.0
26	84	74	79.0	0.0
27	88	71	79.5	0.0
28	89	73	81.0	0.0
29	89	73	81.0	0.0
30	90	73	81.5	0.0
31	87	74	80.5	0.0
Monthly Total ----->			0.0	

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
 Panama City Division
 Actual Heating Degree Days
 August 1985

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	89	74	81.5	0.0
2	89	72	80.5	0.0
3	68	72	80.0	0.0
4	91	72	81.5	0.0
5	91	72	81.5	0
6	87	74	80.5	0
7	83	73	78.0	0.0
8	84	73	78.5	0.0
9	89	71	80.0	0.0
10	91	71	81.0	0.0
11	92	71	81.5	0.0
12	89	73	81.0	0.0
13	93	73	83.0	0.0
14	90	73	81.5	0.0
15	91	72	81.5	0.0
16	89	76	82.5	0.0
17	90	76	83.0	0.0
18	93	76	84.5	0.0
19	94	74	84.0	0.0
20	91	75	83.0	0.0
21	91	74	82.5	0.0
22	91	74	82.5	0.0
23	91	75	83.0	0.0
24	90	73	81.5	0.0
25	88	73	80.5	0.0
26	85	72	78.5	0.0
27	90	72	81.0	0.0
28	83	72	77.5	0.0
29	92	73	82.5	0.0
30	84	71	77.5	0.0
31	78	72	75.0	0.0
Monthly Total ----->				<u>0.0</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
 Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
 Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
September 1985

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	83	72	77.5	0.0
2	87	74	80.5	0.0
3	88	73	80.5	0.0
4	89	72	80.5	0.0
5	89	70	79.5	0
6	88	70	79.0	0
7	90	70	80.0	0.0
8	91	70	80.5	0.0
9	91	71	81.0	0.0
10	92	71	81.5	0.0
11	95	71	83.0	0.0
12	95	73	84.0	0.0
13	90	69	79.5	0.0
14	80	58	69.0	0.0
15	85	57	71.0	0.0
16	87	65	76.0	0.0
17	87	64	75.5	0.0
18	89	66	77.5	0.0
19	89	65	77.0	0.0
20	89	67	78.0	0.0
21	86	67	76.5	0.0
22	87	69	78.0	0.0
23	86	69	77.5	0.0
24	83	69	76.0	0.0
25	85	67	76.0	0.0
26	87	70	78.5	0.0
27	81	58	69.5	0.0
28	85	55	70.0	0.0
29	87	63	75.0	0.0
30	88	69	78.5	0.0
31	0	0	0.0	0.0
Monthly Total ----->				<u>0.0</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
October 1985

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	85	69	77.0	0.0
2	85	60	72.5	0.0
3	87	70	78.5	0.0
4	84	73	78.5	0.0
5	80	60	70.0	0
6	74	53	63.5	1.5
7	79	49	64.0	1.0
8	85	55	70.0	0.0
9	86	75	80.5	0.0
10	88	62	75.0	0.0
11	89	64	76.5	0.0
12	89	63	76.0	0.0
13	87	64	75.5	0.0
14	86	66	76.0	0.0
15	87	67	77.0	0.0
16	87	69	79.5	0.0
17	88	68	78.0	0.0
18	87	72	79.5	0.0
19	89	70	79.5	0.0
20	88	69	78.5	0.0
21	87	65	76.0	0.0
22	87	66	76.5	0.0
23	86	67	76.5	0.0
24	85	69	77.0	0.0
25	86	67	76.5	0.0
26	84	66	75.0	0.0
27	78	68	73.0	0.0
28	85	68	76.5	0.0
29	77	66	71.5	0.0
30	71	65	68.0	0.0
31	74	66	70.0	0.0
Monthly Total			—————>	<u>2.5</u>

Note. Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
November 1985

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Day†</u>
1	72	55	63.5	1.5
2	65	55	60.0	5.0
3	65	55	60.0	5.0
4	65	49	57.0	8.0
5	67	44	55.5	9.5
6	67	39	53.0	12
7	76	46	61.0	4.0
8	70	44	57.0	8.0
9	77	44	60.5	4.5
10	83	44	63.5	1.5
11	84	57	70.5	0.0
12	85	64	74.5	0.0
13	84	62	73.0	0.0
14	81	63	72.0	0.0
15	82	61	71.5	0.0
16	81	59	70.0	0.0
17	82	60	71.0	0.0
18	82	59	70.5	0.0
19	84	64	74.0	0.0
20	77	70	73.5	0.0
21	75	68	71.5	0.0
22	77	61	69.0	0.0
23	78	58	68.0	0.0
24	79	63	71.0	0.0
25	78	64	71.0	0.0
26	79	66	72.5	0.0
27	80	62	71.0	0.0
28	80	66	73.0	0.0
29	78	71	74.5	0.0
30	76	66	71.0	0.0
31	0	0	0.0	0.0
Monthly Total ----->				59.0

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
December 1985

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	80	65	72.5	0.0
2	68	40	54.0	11.0
3	58	36	47.0	18.0
4	67	40	53.5	11.5
5	68	48	58.0	7
6	63	40	51.5	13.5
7	64	33	48.5	16.5
8	68	53	60.5	4.5
9	74	53	63.5	1.5
10	74	51	62.5	2.5
11	77	60	68.5	0.0
12	75	66	70.5	0.0
13	73	47	60.0	5.0
14	45	30	37.5	27.5
15	49	27	38.0	27.0
16	56	27	41.5	23.5
17	63	32	47.5	17.5
18	55	44	49.5	15.5
19	55	32	43.5	21.5
20	58	30	44.0	21.0
21	50	30	40.0	25.0
22	56	27	41.5	23.5
23	70	42	56.0	9.0
24	68	46	57.0	8.0
25	47	23	35.0	30.0
26	38	18	28.0	37.0
27	65	33	49.0	16.0
28	63	33	48.0	17.0
29	61	33	47.0	18.0
30	64	31	47.5	17.5
31	70	37	53.5	11.5
			Monthly Total ----->	<u>457.0</u>

Note:

Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
 Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
 Both formulas are used by the National Weather Service.



West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
January 1986

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	63	52	57.5	7.5
2	66	47	56.5	8.5
3	68	51	59.5	5.5
4	59	54	56.5	8.5
5	58	29	43.5	21.5
6	56	28	42.0	23
7	61	44	52.5	12.5
8	61	44	52.5	12.5
9	48	41	44.5	20.5
10	58	47	52.5	12.5
11	63	37	50.0	15.0
12	62	32	47.0	18.0
13	58	34	46.0	19.0
14	60	28	44.0	21.0
15	69	37	53.0	12.0
16	68	35	51.5	13.5
17	71	49	60.0	5.0
18	71	53	62.0	3.0
19	64	67	65.5	0.0
20	59	39	49.0	16.0
21	70	38	54.0	11.0
22	72	43	57.5	7.5
23	65	42	53.5	11.5
24	66	41	53.5	11.5
25	66	41	53.5	11.5
26	65	40	52.5	12.5
27	40	23	31.5	33.5
28	58	20	39.0	26.0
29	69	46	57.5	7.5
30	67	37	52.0	13.0
31	69	32	50.5	14.5
Monthly Total ----->				<u>415.0</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
February 1986

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	73	33	53.0	12.0
2	74	32	53.0	12.0
3	73	54	63.5	1.5
4	75	55	65.0	0.0
5	76	63	69.5	0
6	71	58	64.5	0.5
7	71	50	60.5	4.5
8	72	54	63.0	2.0
9	65	57	61.0	4.0
10	74	63	68.5	0.0
11	65	34	49.5	15.5
12	50	30	40.0	25.0
13	50	31	40.5	24.5
14	62	31	46.5	18.5
15	63	38	50.5	14.5
16	65	35	50.0	15.0
17	67	44	55.5	9.5
18	72	58	65.0	0.0
19	73	62	67.5	0.0
20	74	64	69.0	0.0
21	75	61	68.0	0.0
22	74	58	66.0	0.0
23	70	42	56.0	9.0
24	68	39	53.5	11.5
25	68	39	53.5	11.5
26	68	36	52.0	13.0
27	74	58	66.0	0.0
28	73	59	66.0	0.0
29	0	0	0.0	0.0
30	0	0	0.0	0.0
31	0	0	0.0	0.0
Monthly Total ----->				<u>204.0</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
 Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
 Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
March 1986

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	59	28	43.5	21.5
2	60	27.0	43.5	21.5
3	70	60	65.0	0.0
4	65	49	57.0	8.0
5	59	36	47.5	17.5
6	70	39	54.5	10.5
7	66	37	51.5	13.5
8	75	42	58.5	6.5
9	75	42	58.5	6.5
10	74	52	63.0	2.0
11	76	64	70.0	0.0
12	79	65	72.0	0.0
13	77	56	66.5	0.0
14	72	56	64.0	1.0
15	79	57	68.0	0.0
16	80	58	69.0	0.0
17	79	53	66.0	0.0
18	79	53	66.0	0.0
19	76	61	68.5	0.0
20	61	45	53.0	12.0
21	55	37	46.0	19.0
22	58	33	45.5	19.5
23	68	31	49.5	15.5
24	78	37	57.5	7.5
25	74	43	58.5	6.5
26	76	53	64.5	0.5
27	82	57	69.5	0.0
28	79	51	65.0	0.0
29	78	50	64.0	1.0
30	78	59	68.5	0.0
31	80	51	65.5	0.0
Monthly Total ----->				190.0

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
April 1986

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	82	49	65.5	0.0
2	80	55	67.5	0.0
3	80	54	67.0	0.0
4	80	57	68.5	0.0
5	80	55	67.5	0
6	79	57	68.0	0
7	84	58	71.0	0.0
8	78	65	71.5	0.0
9	75	53	64.0	1.0
10	71	46	58.5	6.5
11	74	47	60.5	4.5
12	70	49	59.5	5.5
13	80	53	66.5	0.0
14	80	51	65.5	0.0
15	76	53	64.5	0.5
16	71	53	62.0	3.0
17	72	48	60.0	5.0
18	79	47	63.0	2.0
19	76	47	61.5	3.5
20	76	47	61.5	3.5
21	75	55	65.0	0.0
22	74	45	59.5	5.5
23	75	41	58.0	7.0
24	80	40	60.0	5.0
25	79	43	61.0	4.0
26	78	43	60.5	4.5
27	80	43	61.5	3.5
28	81	50	65.5	0.0
29	88	58	73.0	0.0
30	87	53	70.0	0.0
31	0	0	0.0	0.0
Monthly Total ----->				<u>64.5</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Dys
May 1986

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	80	56	68.0	0.0
2	87	68	77.5	0.0
3	85	58	71.5	0.0
4	83	55	68.0	0.0
5	81	54	67.5	0
6	80	63	71.5	0
7	82	66	74.0	0.0
8	85	62	73.5	0.0
9	96	63	79.5	0.0
10	85	64	74.5	0.0
11	76	63	69.5	0.0
12	77	58	67.5	0.0
13	81	62	71.5	0.0
14	83	65	74.0	0.0
15	85	53	69.0	0.0
16	83	64	73.5	0.0
17	84	63	73.5	0.0
18	85	63	74.0	0.0
19	74	65	69.5	0.0
20	84	64	74.0	0.0
21	81	60	70.5	0.0
22	86	53	69.5	0.0
23	84	56	70.0	0.0
24	87	56	71.5	0.0
25	89	56	72.5	0.0
26	90	65	77.5	0.0
27	88	67	77.5	0.0
28	86	70	78.0	0.0
29	90	69	79.5	0.0
30	90	68	79.0	0.0
31	91	70	80.5	0.0
Monthly Total ----->				0.0

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
June 1986

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	91	69	80.0	0.0
2	95	69	82.0	0.0
3	93	70	81.5	0.0
4	90	71	80.5	0.0
5	89	70	79.5	0
6	87	70	78.5	0
7	89	71	80.0	0.0
8	88	75	81.5	0.0
9	88	74	81.0	0.0
10	90	73	81.5	0.0
11	90	71	80.5	0.0
12	92	79	85.5	0.0
13	92	72	82.0	0.0
14	92	70	81.0	0.0
15	90	70	80.0	0.0
16	90	68	79.0	0.0
17	93	72	82.5	0.0
18	93	75	84.0	0.0
19	88	70	79.0	0.0
20	90	68	79.0	0.0
21	95	68	81.5	0.0
22	93	68	80.5	0.0
23	93	60	76.5	0.0
24	89	70	79.5	0.0
25	90	72	81.0	0.0
26	91	72	81.5	0.0
27	93	73	83.0	0.0
28	90	72	81.0	0.0
29	90	72	81.0	0.0
30	87	71	79.0	0.0
31	0	0	0.0	0.0
Monthly Total ----->				0.0

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Divisions
Actual Heating Degree Days
July 1986

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	90	76	83.0	0.0
2	89	70	79.5	0.0
3	91	73	82.0	0.0
4	93	71	82.0	0.0
5	92	70	81.0	0
6	92	70	81.0	0
7	93	60	76.5	0.0
8	92	70	81.0	0.0
9	90	71	80.5	0.0
10	90	74	82.0	0.0
11	91	76	83.5	0.0
12	91	79	85.0	0.0
13	89	74	81.5	0.0
14	92	71	81.5	0.0
15	94	71	82.5	0.0
16	94	72	83.0	0.0
17	91	70	80.5	0.0
18	94	71	82.5	0.0
19	94	71	82.5	0.0
20	95	79	87.0	0.0
21	94	74	84.0	0.0
22	94	72	83.0	0.0
23	89	74	81.5	0.0
24	86	73	79.5	0.0
25	90	73	81.5	0.0
26	89	75	82.0	0.0
27	88	74	81.0	0.0
28	95	74	84.5	0.0
29	88	75	81.5	0.0
30	94	74	84.0	0.0
31	90	70	80.0	0.0
Monthly Total ----->				0.0

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
August 1986

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	95	68	81.5	0.0
2	95	68	81.5	0.0
3	96	69	82.5	0.0
4	86	69	77.5	0.0
5	90	70	80.0	0
6	90	72	81.0	0
7	90	72	81.0	0.0
8	92	74	83.0	0.0
9	88	72	80.0	0.0
10	89	71	80.0	0.0
11	89	72	80.5	0.0
12	89	70	79.5	0.0
13	87	73	80.0	0.0
14	86	74	81.5	0.0
15	83	74	78.5	0.0
16	91	73	82.0	0.0
17	90	75	82.5	0.0
18	92	73	82.5	0.0
19	93	72	82.5	0.0
20	84	72	78.0	0.0
21	85	70	77.5	0.0
22	90	76	83.0	0.0
23	95	72	83.5	0.0
24	96	73	84.5	0.0
25	89	75	82.0	0.0
26	90	72	81.0	0.0
27	90	71	80.5	0.0
28	85	74	79.5	0.0
29	75	63	69.0	0.0
30	70	68	69.0	0.0
31	78	71	74.5	0.0
Monthly Total ----->				0.0

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
September 1966

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	86	71	78.5	0.0
2	89	73	81.0	0.0
3	90	71	80.5	0.0
4	90	70	80.0	0.0
5	89	72	80.5	0
6	89	72	80.5	0
7	90	68	79.0	0.0
8	89	71	80.0	0.0
9	89	70	79.5	0.0
10	86	71	78.5	0.0
11	88	78	83.0	0.0
12	87	73	80.0	0.0
13	90	68	79.0	0.0
14	91	65	78.0	0.0
15	85	73	79.0	0.0
16	88	72	80.0	0.0
17	88	73	80.5	0.0
18	87	71	79.0	0.0
19	90	70	80.0	0.0
20	92	69	80.5	0.0
21	92	69	80.5	0.0
22	92	70	81.0	0.0
23	89	69	79.0	0.0
24	89	70	79.5	0.0
25	90	72	81.0	0.0
26	93	71	82.0	0.0
27	91	70	80.5	0.0
28	96	71	83.5	0.0
29	91	72	81.5	0.0
30	89	71	80.0	0.0
31	0	0	0.0	0.0
Monthly Total ----->				0.0

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
October 1986

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	89	73	81.0	0.0
2	90	70	80.0	0.0
3	90	70	80.0	0.0
4	89	70	79.5	0.0
5	90	73	81.5	0
6	90	74	82.0	0
7	89	67	78.0	0.0
8	89	79	84.0	0.0
9	80	71	75.5	0.0
10	85	69	77.0	0.0
11	83	69	76.0	0.0
12	79	68	73.5	0.0
13	86	71	78.5	0.0
14	79	65	72.0	0.0
15	79	59	69.0	0.0
16	73	51	62.0	3.0
17	75	50	62.5	2.5
18	78	47	62.5	2.5
19	74	48	61.0	4.0
20	76	45	60.5	4.5
21	78	41	59.5	5.5
22	82	53	67.5	0.0
23	80	59	69.5	0.0
24	78	66	72.0	0.0
25	77	63	70.0	0.0
26	76	56	66.0	0.0
27	75	56	65.5	0.0
28	76	50	63.0	2.0
29	76	53	64.5	0.5
30	79	49	64.0	1.0
31	81	64	72.5	0.0
Monthly Total ----->				25.5

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
November 1986

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	81	61	71.0	0.0
2	66	56	60.5	4.5
3	80	51	65.5	0.0
4	79	56	67.5	0.0
5	78	64	71.0	0
6	82	66	74.0	0
7	84	70	77.0	0.0
8	84	63	73.5	0.0
9	84	62	73.0	0.0
10	86	65	75.5	0.0
11	86	65	75.5	0.0
12	83	65	74.0	0.0
13	70	49	59.5	5.5
14	62	45	53.5	11.5
15	71	48	59.5	5.5
16	78	57	67.5	0.0
17	78	73	75.5	0.0
18	76	71	73.5	0.0
19	81	65	73.0	0.0
20	79	59	69.0	0.0
21	70	44	57.0	8.0
22	73	44	58.5	6.5
23	79	53	66.0	0.0
24	81	68	74.5	0.0
25	79	70	74.5	0.0
26	76	58	67.0	0.0
27	65	54	59.5	5.5
28	61	43	52.0	13.0
29	66	62	64.0	1.0
30	74	62	68.0	0.0
31	0	0	0.0	0.0
Monthly Total →				61.0


Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
December 1986

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	74	62	68.0	0.0
2	70	49	59.5	5.5
3	60	41	50.5	14.5
4	58	42	50.0	15.0
5	62	38	50.0	15
6	65	35	50.0	15
7	73	37	55.0	10.0
8	76	50	63.0	2.0
9	77	61	69.0	0.0
10	75	65	70.0	0.0
11	76	61	68.5	0.0
12	62	44	53.0	12.0
13	58	39	48.5	16.5
14	59	43	51.0	14.0
15	63	49	56.0	9.0
16	66	54	60.0	5.0
17	70	60	65.0	0.0
18	72	55	63.5	1.5
19	61	49	55.0	10.0
20	65	48	56.5	8.5
21	61	46	53.5	11.5
22	54	41	47.5	17.5
23	72	45	58.5	6.5
24	61	49	55.0	10.0
25	51	42	46.5	18.5
26	49	38	43.5	21.5
27	64	38	51.0	14.0
28	63	37	50.0	15.0
29	61	35	48.0	17.0
30	57	37	47.0	18.0
31	50	42	46.0	19.0
Monthly Total ----->				<u>322.0</u>

Note:

Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
 Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
 Both formulas are used by the National Weather Service.



West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
January 1987

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	60	42	51.0	14.0
2	53	30	44.5	20.5
3	60	28	44.0	21.0
4	50	42	46.0	19.0
5	63	36	49.5	15.5
6	67	33	50.0	15
7	69	42	55.5	9.5
8	67	42	54.5	10.5
9	68	44	56.0	9.0
10	64	44	54.0	11.0
11	50	32	41.0	24.0
12	57	31	44.0	21.0
13	66	38	52.0	13.0
14	67	29	48.0	17.0
15	69	56	62.5	2.5
16	62	57	59.5	5.5
17	62	57	59.5	5.5
18	72	59	65.5	0.0
19	71	43	57.0	8.0
20	54	41	47.5	17.5
21	47	41	44.0	21.0
22	50	37	43.5	21.5
23	48	31	39.5	25.5
24	60	33	46.5	18.5
25	67	49	58.0	7.0
26	52	33	42.5	22.5
27	49	26	37.5	27.5
28	67	42	54.5	10.5
29	71	42	56.5	8.5
30	72	42	57.0	8.0
31	66	38	52.0	13.0
Monthly Total ----->				<u><u>442.5</u></u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
 Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
 Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
February 1987

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	67	38	52.5	12.5
2	67	48	57.5	7.5
3	69	42	55.5	9.5
4	61	51	56.0	9.0
5	56	50	53.0	12
6	35	49	52.0	13
7	55	46	50.5	14.5
8	64	42	53.0	12.0
9	54	33	43.5	21.5
10	58	26	42.0	23.0
11	61	29	45.0	20.0
12	69	37	53.0	12.0
13	72	43	57.5	7.5
14	72	44	58.0	7.0
15	75	56	65.5	0.0
16	68	51	59.5	5.5
17	60	48	54.0	11.0
18	56	42	49.0	16.0
19	62	38	50.0	15.0
20	66	43	54.5	10.5
21	52	48	50.0	15.0
22	68	38	53.0	12.0
23	62	44	53.0	12.0
24	62	46	54.0	11.0
25	64	52	58.0	7.0
26	57	55	56.0	9.0
27	73	54	63.5	1.5
28	63	63	63.0	2.0
29	0	0	0.0	0.0
30	0	0	0.0	0.0
31	0	0	0.0	0.0
Monthly Total ----->				308.5

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
March 1987

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	65	51	58.0	7.0
2	66	43	54.5	10.5
3	74	46	60.0	5.0
4	75	43	59.0	6.0
5	75	39	57.0	8
6	74	44	59.0	6
7	75	45	60.0	5.0
8	67	46	56.5	8.5
9	68	55	61.5	3.5
10	72	47	59.5	5.5
11	57	45	51.0	14.0
12	52	35	43.5	21.5
13	67	33	50.0	15.0
14	68	35	51.5	13.5
15	71	38	54.5	10.5
16	75	45	60.0	5.0
17	79	48	63.5	1.5
18	65	60	62.5	2.5
19	77	56	66.5	0.0
20	71	48	59.5	5.5
21	76	49	62.5	2.5
22	82	50	66.0	0.0
23	78	49	63.5	1.5
24	75	65	70.0	0.0
25	84	65	74.5	0.0
26	73	60	66.5	0.0
27	69	65	67.0	0.0
28	84	64	74.0	0.0
29	71	63	67.0	0.0
30	72	44	58.0	7.0
31	55	37	46.0	19.0
Monthly Total ----->				<u>184.0</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
April 1987

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	61	34	47.5	17.5
2	65	38	51.5	13.5
3	62	40	51.0	14.0
4	56	35	45.5	19.5
5	60	34	47.0	18
6	69	40	54.5	10.5
7	70	46	58.0	7.0
8	69	43	56.0	9.0
9	76	56	66.0	0.0
10	78	59	68.5	0.0
11	72	54	63.0	2.0
12	78	51	64.5	0.5
13	80	60	70.0	0.0
14	78	67	72.5	0.0
15	72	59	65.5	0.0
16	75	53	64.0	1.0
17	75	49	62.0	3.0
18	82	54	68.0	0.0
19	80	48	64.0	1.0
20	85	53	69.0	0.0
21	86	53	69.5	0.0
22	84	62	73.0	0.0
23	87	67	77.0	0.0
24	82	55	68.5	0.0
25	77	49	63.0	2.0
26	82	54	68.0	0.0
27	80	51	65.5	0.0
28	87	62	74.5	0.0
29	81	53	67.0	0.0
30	81	49	65.0	0.0
31	0	0	0.0	0.0
Monthly Total ----->				118.5

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Dys
May 1987

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	80	55	67.5	0.0
2	81	56	68.5	0.0
3	82	57	69.5	0.0
4	82	61	71.5	0.0
5	78	67	72.5	0
6	80	63	71.5	0
7	81	62	71.5	0.0
8	85	64	74.5	0.0
9	82	63	72.5	0.0
10	79	64	71.5	0.0
11	81	66	73.5	0.0
12	83	64	73.5	0.0
13	84	65	74.5	0.0
14	88	66	77.0	0.0
15	83	63	73.0	0.0
16	81	67	74.0	0.0
17	81	67	74.0	0.0
18	83	70	76.5	0.0
19	85	67	76.0	0.0
20	86	67	76.5	0.0
21	88	66	77.0	0.0
22	86	67	76.5	0.0
23	88	68	78.0	0.0
24	85	67	76.0	0.0
25	86	67	76.5	0.0
26	87	68	77.5	0.0
27	88	67	77.5	0.0
28	89	67	78.0	0.0
29	88	67	77.5	0.0
30	89	68	78.5	0.0
31	91	67	79.0	0.0
Monthly Total ----->				<u>0.0</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
June 1987

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	86	68	77.0	0.0
2	90	71	80.5	0.0
3	91	71	81.0	0.0
4	93	72	82.5	0.0
5	91	73	82.0	0
6	89	69	79.0	0
7	90	68	79.0	0.0
8	89	67	78.0	0.0
9	89	64	76.5	0.0
10	91	64	77.5	0.0
11	92	67	79.5	0.0
12	92	67	79.5	0.0
13	72	77	74.5	0.0
14	80	72	76.0	0.0
15	83	73	78.0	0.0
16	85	73	79.0	0.0
17	86	75	80.5	0.0
18	89	73	81.0	0.0
19	90	74	82.0	0.0
20	88	72	80.0	0.0
21	82	73	77.5	0.0
22	83	60	71.5	0.0
23	87	72	79.5	0.0
24	88	73	80.5	0.0
25	88	77	82.5	0.0
26	87	74	80.5	0.0
27	91	73	82.0	0.0
28	92	67	79.5	0.0
29	91	65	78.0	0.0
30	90	75	82.5	0.0
31	0	0	0.0	0.0
Monthly Total ----->				<u>0.0</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
 Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
 Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Divisions
Actual Heating Degree Days
July 1987

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	89	74	81.5	0.0
2	89	74	81.5	0.0
3	89	74	81.5	0.0
4	89	76	82.5	0.0
5	90	75	82.5	0
6	91	73	82.0	0
7	92	71	81.5	0.0
8	92	72	82.0	0.0
9	94	71	82.5	0.0
10	96	73	84.5	0.0
11	97	73	85.0	0.0
12	96	75	85.5	0.0
13	96	76	86.0	0.0
14	92	75	83.5	0.0
15	92	72	82.0	0.0
16	92	67	79.5	0.0
17	94	64	79.0	0.0
18	93	71	82.0	0.0
19	90	70	80.0	0.0
20	87	73	80.0	0.0
21	85	72	78.5	0.0
22	90	73	81.5	0.0
23	95	75	85.0	0.0
24	98	74	86.0	0.0
25	94	70	82.0	0.0
26	93	70	81.5	0.0
27	90	71	80.5	0.0
28	89	73	81.0	0.0
29	91	74	82.5	0.0
30	90	73	81.5	0.0
31	90	73	81.5	0.0
Monthly Total ----->				0.0

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
August 1987

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	90	77	83.5	0.0
2	91	72	81.5	0.0
3	90	74	82.0	0.0
4	90	75	82.5	0.0
5	88	76	82.0	0
6	90	78	84.0	0
7	91	77	84.0	0.0
8	93	74	83.5	0.0
9	95	74	84.5	0.0
10	93	75	84.0	0.0
11	89	76	82.5	0.0
12	86	75	80.5	0.0
13	80	65	72.5	0.0
14	80	65	72.5	0.0
15	82	74	78.0	0.0
16	90	75	82.5	0.0
17	90	73	81.5	0.0
18	90	73	81.5	0.0
19	91	76	83.5	0.0
20	92	74	83.0	0.0
21	96	75	85.5	0.0
22	95	74	84.5	0.0
23	96	71	83.5	0.0
24	96	78	87.0	0.0
25	93	75	84.0	0.0
26	91	74	82.5	0.0
27	93	74	83.5	0.0
28	91	74	82.5	0.0
29	93	74	83.5	0.0
30	92	71	81.5	0.0
31	91	74	82.5	0.0
Monthly Total ----->				<u>0.0</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
 Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees
 Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
September 1987

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	85	73	79.0	0.0
2	85	72	78.5	0.0
3	91	70	80.5	0.0
4	81	70	75.5	0.0
5	78	69	73.5	0
6	87	72	79.5	0
7	87	68	77.5	0.0
8	87	69	78.0	0.0
9	88	72	80.0	0.0
10	89	72	80.5	0.0
11	85	72	78.5	0.0
12	86	72	79.0	0.0
13	87	73	80.0	0.0
14	91	72	81.5	0.0
15	92	70	81.0	0.0
16	87	69	78.0	0.0
17	88	72	80.0	0.0
18	91	74	82.5	0.0
19	85	74	79.5	0.0
20	87	65	76.0	0.0
21	88	65	76.5	0.0
22	85	67	76.0	0.0
23	84	60	72.0	0.0
24	83	55	69.0	0.0
25	83	58	70.5	0.0
26	87	57	72.0	0.0
27	89	70	79.5	0.0
28	85	69	77.0	0.0
29	76	69	72.5	0.0
30	83	67	75.0	0.0
31	0	0	0.0	0.0
Monthly Total ----->				<u>0.0</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
October 1987

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	83	55	69.0	0.0
2	85	49	67.0	0.0
3	73	54	63.5	1.5
4	75	47	61.0	4.0
5	76	43	59.5	5.5
6	76	46	62.0	3
7	77	49	63.0	2.0
8	74	44	59.0	6.0
9	80	61	70.5	0.0
10	81	57	69.0	0.0
11	83	55	69.0	0.0
12	78	60	69.0	0.0
13	74	54	64.0	1.0
14	73	43	58.0	7.0
15	74	37	55.5	9.5
16	79	43	61.0	4.0
17	83	45	64.0	1.0
18	85	54	69.5	0.0
19	84	52	68.0	0.0
20	80	56	68.0	0.0
21	73	53	63.0	2.0
22	72	42	57.0	8.0
23	76	43	59.5	5.5
24	79	52	65.5	0.0
25	83	57	70.0	0.0
26	83	55	69.0	0.0
27	74	53	63.5	1.5
28	69	44	56.5	8.5
29	73	37	55.0	10.0
30	78	40	59.0	6.0
31	80	44	62.0	3.0
Monthly Total ----->				<u>89.0</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
November 1987

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	85	44	64.5	0.5
2	79	65	72.0	0.0
3	71	66	68.5	0.0
4	72	67	69.5	0.0
5	83	58	70.5	0
6	72	44	58.0	7
7	75	35	55.0	10.0
8	78	51	64.5	0.5
9	76	61	68.5	0.0
10	72	49	60.5	4.5
11	57	41	49.0	16.0
12	65	34	49.5	15.5
13	71	32	51.5	13.5
14	74	37	55.5	9.5
15	80	46	63.0	2.0
16	80	59	69.5	0.0
17	80	59	69.5	0.0
18	76	57	66.5	0.0
19	59	49	54.0	11.0
20	66	44	55.0	10.0
21	61	34	47.5	17.5
22	67	33	50.0	15.0
23	74	42	58.0	7.0
24	77	47	62.0	3.0
25	77	64	70.5	0.0
26	78	64	71.0	0.0
27	76	64	70.0	0.0
28	74	56	65.0	0.0
29	63	45	54.0	11.0
30	63	45	54.0	11.0
31	0	0	0.0	0.0
Monthly Total →				164.5

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
December 1987

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	60	37	48.5	16.5
2	51	36	48.5	16.5
3	66	34	50.0	15.0
4	68	43	55.5	9.5
5	60	29	44.5	20.5
6	69	33	51.0	14
7	72	49	60.5	4.5
8	76	60	68.0	0.0
9	75	59	67.0	0.0
10	71	47	59.0	6.0
11	69	39	54.0	11.0
12	73	53	63.0	2.0
13	68	56	62.0	3.0
14	75	58	66.5	0.0
15	72	45	58.5	6.5
16	53	35	44.0	21.0
17	57	31	44.0	21.0
18	64	34	49.0	16.0
19	69	44	56.5	8.5
20	74	58	66.0	0.0
21	71	58	64.5	0.5
22	72	44	58.0	7.0
23	71	41	56.0	9.0
24	76	50	63.0	2.0
25	76	59	67.5	0.0
26	79	66	72.5	0.0
27	72	66	69.0	0.0
28	72	47	59.5	5.5
29	54	37	45.5	19.5
30	60	30	45.0	20.0
31	68	41	54.5	10.5
Monthly Total ----->				265.5

Note:

Daily avg. temperature = the max. temp. plus min. temp. divided by 2.

Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.

Both formulas are used by the National Weather Service.



West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
January 1988

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	64	56	60.0	5.0
2	56	46	51.0	14.0
3	50	46	48.0	17.0
4	50	39	44.5	20.5
5	55	31	43.0	22
6	56	31	43.5	21.5
7	53	37	45.0	20.0
8	41	37	39.0	26.0
9	41	35	38.0	27.0
10	54	34	44.0	21.0
11	57	29	43.0	22.0
12	63	27	45.0	20.0
13	58	36	47.0	18.0
14	54	30	42.0	23.0
15	58	31	44.5	20.5
16	63	35	49.0	16.0
17	66	56	61.0	4.0
18	71	62	66.5	0.0
19	74	65	69.5	0.0
20	74	53	63.5	1.5
21	53	32	42.5	22.5
22	57	26	41.5	23.5
23	56	27	41.5	23.5
24	55	42	48.5	16.5
25	55	40	47.5	17.5
26	49	28	38.5	26.5
27	52	26	39.0	26.0
28	60	25	42.5	22.5
29	66	28	47.0	18.0
30	72	39	55.5	9.5
31	74	51	62.5	2.5
Monthly Total ----->				527.5

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
February 1988

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	74	52	63.0	2.0
2	75	57	66.0	0.0
3	70	62	66.0	0.0
4	73	50	61.5	3.5
5	50	37	43.5	21.5
6	45	30	37.5	27.5
7	51	23	37.0	28.0
8	62	32	47.0	18.0
9	63	28	45.5	19.5
10	67	29	48.0	17.0
11	68	29	48.5	16.5
12	55	28	41.5	23.5
13	56	27	41.5	23.5
14	67	32	49.5	15.5
15	63	40	51.5	13.5
16	62	32	47.0	18.0
17	60	29	44.5	20.5
18	54	45	49.5	15.5
19	67	5 ⁿ	60.0	5.0
20	56	46	51.0	14.0
21	62	41	51.5	13.5
22	64	37	50.5	14.5
23	72	42	57.0	8.0
24	64	38	51.0	14.0
25	64	31	47.5	17.5
26	63	31	47.0	18.0
27	67	40	53.5	11.5
28	74	44	59.0	6.0
29	0	0	0.0	0.0
30	0	0	0.0	0.0
31	0	0	0.0	0.0
Monthly Total ----->				<u>405.5</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
March 1988

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	77	45	61.0	4.0
2	74	42	58.0	7.0
3	66	67	66.5	0.0
4	68	60	64.0	1.0
5	60	52	56.0	9
6	70	49	59.5	5.5
7	74	47	60.5	4.5
8	68	50	59.0	6.0
9	71	52	61.5	3.5
10	62	45	53.5	11.5
11	67	38	52.5	12.5
12	71	48	59.5	5.5
13	75	52	63.5	1.5
14	58	40	49.0	16.0
15	57	30	43.5	21.5
16	61	35	48.0	17.0
17	67	31	49.0	16.0
18	65	40	52.5	12.5
19	56	37	46.5	18.5
20	65	33	49.0	16.0
21	69	41	55.0	10.0
22	73	41	57.0	8.0
23	75	41	58.0	7.0
24	78	54	66.0	0.0
25	78	60	68.0	0.0
26	71	60	65.5	0.0
27	79	47	63.0	2.0
28	81	44	62.5	2.5
29	79	55	67.0	0.0
30	78	55	66.5	0.0
31	80	57	68.5	0.0
Monthly Total ----->				<u><u>218.5</u></u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
April 1988

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	77	64	70.5	0.0
2	76	63	69.5	0.0
3	75	37	71.0	0.0
4	62	63	72.5	0.0
5	87	57	72.0	0
6	81	57	69.0	0
7	79	54	66.5	0.0
8	77	51	64.0	1.0
9	77	49	63.0	2.0
10	76	55	65.5	0.0
11	70	49	59.5	5.5
12	62	45	53.5	11.5
13	73	44	58.5	6.5
14	74	51	62.5	2.5
15	76	55	65.5	0.0
16	76	56	66.0	0.0
17	77	56	66.5	0.0
18	79	66	72.5	0.0
19	80	55	67.5	0.0
20	75	51	63.0	2.0
21	78	49	63.5	1.5
22	81	59	70.0	0.0
23	82	71	76.5	0.0
24	79	72	75.5	0.0
25	83	71	77.0	0.0
26	84	68	76.0	0.0
27	85	55	70.0	0.0
28	80	59	69.5	0.0
29	77	54	65.5	0.0
30	66	55	60.5	4.5
31	0	0	0.0	0.0
Monthly Total ----->				37.0

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Dys
May 1988

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	79	53	66.0	0.0
2	80	47	63.5	1.5
3	78	50	64.0	1.0
4	77	54	65.5	0.0
5	79	59	69.0	0
6	84	57	70.5	0
7	84	53	68.5	0.0
8	80	55	67.5	0.0
9	79	56	67.5	0.0
10	81	63	72.0	0.0
11	88	66	77.0	0.0
12	86	54	70.0	0.0
13	77	59	68.0	0.0
14	85	55	70.0	0.0
15	85	60	72.5	0.0
16	87	62	74.5	0.0
17	87	64	75.5	0.0
18	88	58	73.0	0.0
19	85	56	70.5	0.0
20	66	58	62.0	3.0
21	85	59	72.0	0.0
22	84	71	77.5	0.0
23	83	70	76.5	0.0
24	85	68	76.5	0.0
25	85	66	75.5	0.0
26	85	63	74.0	0.0
27	85	56	70.5	0.0
28	86	50	68.0	0.0
29	88	55	71.5	0.0
30	92	56	74.0	0.0
31	91	59	75.0	0.0
Monthly Total ----->				<u><u>5.5</u></u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
June 1988

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	89	62	75.5	0.0
2	92	63	77.5	0.0
3	92	73	82.5	0.0
4	65	67	76.0	0.0
5	71	62	66.5	0
6	83	68	75.5	0
7	85	70	77.5	0.0
8	84	67	75.5	0.0
9	84	75	79.5	0.0
10	84	64	74.0	0.0
11	87	58	72.5	0.0
12	88	62	75.0	0.0
13	88	63	75.5	0.0
14	89	64	76.5	0.0
15	89	66	77.5	0.0
16	88	64	76.0	0.0
17	88	67	77.5	0.0
18	87	63	75.0	0.0
19	92	65	78.5	0.0
20	90	66	78.0	0.0
21	91	68	79.5	0.0
22	89	72	80.5	0.0
23	89	71	80.0	0.0
24	92	72	82.0	0.0
25	96	70	83.0	0.0
26	96	72	84.0	0.0
27	93	79	86.0	0.0
28	94	77	85.5	0.0
29	89	77	83.0	0.0
30	86	77	81.5	0.0
31	0	0	0.0	0.0
Monthly Total ----->			0.0	<u>0.0</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
 Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
 Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Divisions
Actual Heating Degree Days
July 1988

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	84	71	77.5	0.0
2	89	71	80.0	0.0
3	90	71	80.5	0.0
4	88	72	80.0	0.0
5	88	73	80.5	0
6	89	69	79.0	0
7	91	69	80.0	0.0
8	91	65	78.0	0.0
9	92	74	83.0	0.0
10	89	73	81.0	0.0
11	88	75	81.5	0.0
12	88	74	81.0	0.0
13	89	70	79.5	0.0
14	92	73	82.5	0.0
15	93	75	84.0	0.0
16	88	74	81.0	0.0
17	82	73	77.5	0.0
18	86	72	79.0	0.0
19	86	74	80.0	0.0
20	86	73	79.5	0.0
21	92	73	82.5	0.0
22	91	74	82.5	0.0
23	91	75	83.0	0.0
24	88	70	79.0	0.0
25	88	70	79.0	0.0
26	86	73	79.5	0.0
27	84	72	78.0	0.0
28	88	71	79.5	0.0
29	93	72	82.5	0.0
30	94	71	82.5	0.0
31	93	69	81.0	0.0
Monthly Total ----->				0.0

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
August 1988

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	94	71	82.5	0.0
2	91	71	81.0	0.0
3	87	73	80.0	0.0
4	89	72	80.5	0.0
5	89	73	81.0	0
6	87	73	80.0	0
7	90	74	82.0	0.0
8	85	73	79.0	0.0
9	91	72	81.5	0.0
10	92	72	82.0	0.0
11	95	72	83.5	0.0
12	93	74	83.5	0.0
13	93	73	83.0	0.0
14	87	73	80.0	0.0
15	85	74	79.5	0.0
16	86	72	79.0	0.0
17	87	73	80.0	0.0
18	90	73	81.5	0.0
19	89	73	81.0	0.0
20	89	71	80.0	0.0
21	89	73	81.0	0.0
22	90	71	80.5	0.0
23	91	73	82.0	0.0
24	91	73	82.0	0.0
25	91	73	82.0	0.0
26	90	73	81.5	0.0
27	89	72	80.5	0.0
28	93	71	82.0	0.0
29	91	71	81.0	0.0
30	92	72	82.0	0.0
31	94	72	83.0	0.0
Monthly Total ----->				<u>0.0</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
September 1988

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	86	74	80.0	0.0
2	82	73	77.5	0.0
3	87	74	80.5	0.0
4	84	73	78.5	0.0
5	79	71	75.0	0
6	86	67	76.5	0
7	84	63	73.5	0.0
8	74	65	69.5	0.0
9	75	65	70.0	0.0
10	89	74	81.5	0.0
11	90	73	81.5	0.0
12	93	74	83.5	0.0
13	92	73	82.5	0.0
14	94	71	82.5	0.0
15	88	74	81.0	0.0
16	83	73	78.0	0.0
17	88	74	81.0	0.0
18	89	71	80.0	0.0
19	89	71	80.0	0.0
20	91	75	83.0	0.0
21	93	73	83.0	0.0
22	92	73	82.5	0.0
23	89	70	79.5	0.0
24	88	72	80.0	0.0
25	88	73	80.5	0.0
26	89	71	80.0	0.0
27	89	71	80.0	0.0
28	87	70	78.5	0.0
29	90	68	79.0	0.0
30	88	71	79.5	0.0
31	0	0	0.0	0.0
Monthly Total ----->				0.0

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
October 1988

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avn. Temp.</u>	<u>Degree Days</u>
1	85	70	77.5	0.0
2	85	70	77.5	0.0
3	83	64	73.5	0.0
4	78	62	70.0	0.0
5	77	58	67.5	0
6	80	56	68.0	0
7	76	53	64.5	0.5
8	74	50	62.0	3.0
9	75	48	61.5	3.5
10	76	51	63.5	1.5
11	73	53	63.0	2.0
12	78	55	66.5	0.0
13	72	50	61.0	4.0
14	74	42	58.0	7.0
15	79	44	61.5	3.5
16	82	44	63.0	2.0
17	82	52	67.0	0.0
18	82	53	67.5	0.0
19	83	56	69.5	0.0
20	78	60	69.0	0.0
21	82	58	70.0	0.0
22	76	47	61.5	3.5
23	76	44	60.0	5.0
24	78	49	63.5	1.5
25	78	42	60.0	5.0
26	79	45	62.0	3.0
27	79	45	62.0	3.0
28	82	63	72.5	0.0
29	81	64	72.5	0.0
30	80	63	71.5	0.0
31	67	58	62.5	2.5
Monthly Total ----->				50.5

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
November 1988

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	69	50	59.5	5.5
2	79	46	62.5	2.5
3	77	48	62.5	2.5
4	80	59	69.5	0.0
5	75	61	68.0	0
6	69	45	57.0	8
7	74	40	57.0	8.0
8	78	50	64.0	1.0
9	80	52	66.0	0.0
10	78	52	65.0	0.0
11	78	48	63.0	2.0
12	76	52	64.0	1.0
13	80	60	70.0	0.0
14	79	62	70.5	0.0
15	80	62	71.0	0.0
16	82	61	71.5	0.0
17	75	56	65.5	0.0
18	80	57	68.5	0.0
19	80	65	72.5	0.0
20	76	54	65.0	0.0
21	65	48	56.5	8.5
22	61	52	56.5	8.5
23	70	51	60.5	4.5
24	73	47	60.0	5.0
25	73	51	62.0	3.0
26	73	59	66.0	0.0
27	79	54	66.5	0.0
28	61	36	48.5	16.5
29	65	32	48.5	16.5
30	71	35	53.0	12.0
31	0	0	0.0	0.0
Monthly Total →				105.0

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
December 1988

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	69	38	53.5	11.5
2	57	30	43.5	21.5
3	60	27	43.5	21.5
4	70	35	52.5	12.5
5	70	38	54.0	11
6	67	34	50.5	14.5
7	72	40	56.0	9.0
8	65	47	56.0	9.0
9	66	48	57.0	8.0
10	63	43	53.0	12.0
11	51	43	47.0	18.0
12	46	32	39.0	26.0
13	61	26	43.5	21.5
14	64	30	47.0	18.0
15	64	48	56.0	9.0
16	57	35	46.0	19.0
17	54	29	41.5	23.5
18	53	29	41.0	24.0
19	62	26	44.0	21.0
20	73	34	53.5	11.5
21	74	47	60.5	4.5
22	76	55	65.5	0.0
23	74	53	63.5	1.5
24	76	53	64.5	0.5
25	75	40	57.5	7.5
26	74	42	58.0	7.0
27	75	49	62.0	3.0
28	74	48	61.0	4.0
29	64	46	55.0	10.0
30	69	46	57.5	7.5
31	71	46	58.5	6.5
Monthly Total ----->			374.0	

Note:

Daily avg. temperature = the max. temp. plus min. temp. divided by 2.

Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.

Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
January 1989

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	76	65	70.5	0.0
2	73	54	63.5	1.5
3	74	52	63.0	2.0
4	64	37	50.5	14.5
5	65	33	49.0	16
6	76	50	63.0	2
7	76	62	69.0	0.0
8	76	67	71.5	0.0
9	69	54	61.5	3.5
10	70	55	62.5	2.5
11	65	56	60.5	4.5
12	75	59	67.0	0.0
13	77	61	69.0	0.0
14	76	62	69.0	0.0
15	74	60	67.0	0.0
16	60	37	48.5	16.5
17	66	34	50.0	15.0
18	70	49	59.5	5.5
19	71	45	58.0	7.0
20	57	49	53.0	12.0
21	53	42	47.5	17.5
22	69	43	56.0	9.0
23	70	38	54.0	11.0
24	74	36	55.0	10.0
25	76	36	56.0	9.0
26	74	42	58.0	7.0
27	77	41	59.0	6.0
28	77	43	60.0	5.0
29	75	51	63.0	2.0
30	75	44	59.5	5.5
31	72	38	55.0	10.0
Monthly Total ----->				194.5

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
February 1989

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	78	60	69.0	0.0
2	79	66	72.5	0.0
3	76	65	70.5	0.0
4	74	58	66.0	0.0
5	78	54	66.0	0
6	74	68	71.0	0
7	70	43	56.5	8.5
8	70	38	54.0	11.0
9	55	37	46.0	19.0
10	55	30	42.5	22.5
11	60	28	44.0	21.0
12	70	33	51.5	13.5
13	73	44	58.5	6.5
14	78	56	67.0	0.0
15	79	54	66.5	0.0
16	82	53	67.5	0.0
17	75	54	64.5	0.5
18	62	49	55.5	9.5
19	70	46	58.0	7.0
20	71	51	61.0	4.0
21	71	55	63.0	2.0
22	56	.1	48.5	16.5
23	41	28	34.5	30.5
24	48	24	36.0	29.0
25	59	23	41.0	24.0
26	69	35	52.0	13.0
27	71	46	58.5	6.5
28	78	60	69.0	0.0
29	0	0	0.0	0.0
30	0	0	0.0	0.0
31	0	0	0.0	0.0
Monthly Total ----->				244.5

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
March 1989

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	60	55	57.5	7.5
2	58	53	55.5	9.5
3	77	53	65.0	0.0
4	90	53	71.5	0.0
5	79	53	66.0	0
6	64	41	52.5	12.5
7	42	37	39.5	25.5
8	50	40	45.0	20.0
9	67	39	53.0	12.0
10	73	36	54.5	10.5
11	72	38	55.0	10.0
12	74	54	64.0	1.0
13	72	59	65.5	0.0
14	77	61	69.0	0.0
15	77	66	71.5	0.0
16	78	57	67.5	0.0
17	81	53	67.0	0.0
18	81	53	67.0	0.0
19	86	59	72.5	0.0
20	86	56	71.0	0.0
21	79	61	70.0	0.0
22	68	58	63.0	2.0
23	68	52	60.0	5.0
24	58	49	53.5	11.5
25	71	49	60.0	5.0
26	80	47	63.5	1.5
27	78	53	65.5	0.0
28	81	55	68.0	0.0
29	80	59	69.5	0.0
30	77	59	68.0	0.0
31	79	68	73.5	0.0
Monthly Total ----->				<u>133.5</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
April 1989

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	70	42	56.0	9.0
2	74	38	56.0	9.0
3	76	51	63.5	1.5
4	81	68	74.5	0.0
5	71	56	63.5	1.5
6	69	44	56.5	8.5
7	75	49	62.0	3.0
8	77	48	62.5	2.5
9	80	53	66.5	0.0
10	55	47	51.0	14.0
11	65	45	55.0	10.0
12	72	42	57.0	8.0
13	78	53	65.5	0.0
14	73	50	61.5	3.5
15	78	63	70.5	0.0
16	80	56	68.0	0.0
17	83	53	68.0	0.0
18	81	61	71.0	0.0
19	82	59	70.5	0.0
20	80	62	71.0	0.0
21	80	58	69.0	0.0
22	81	53	67.0	0.0
23	81	53	67.0	0.0
24	81	52	66.5	0.0
25	82	55	68.5	0.0
26	85	58	72.0	0.0
27	85	59	72.0	0.0
28	82	65	73.5	0.0
29	82	64	73.0	0.0
30	82	64	73.0	0.0
31	0	0	0.0	0.0
Monthly Total ----->				<u>70.5</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Dys
May 1989

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	78	67	72.5	0.0
2	80	58	69.0	0.0
3	83	52	67.5	0.0
4	79	60	69.5	0.0
5	82	71	76.5	0
6	83	68	75.5	0
7	78	52	64.0	1.0
8	78	47	62.5	2.5
9	81	69	75.0	0.0
10	76	56	66.0	0.0
11	78	48	63.0	2.0
12	76	47	61.5	3.5
13	79	52	65.5	0.0
14	78	54	66.0	0.0
15	85	57	71.0	0.0
16	86	65	75.5	0.0
17	88	65	76.5	0.0
18	90	63	76.5	0.0
19	83	69	76.0	0.0
20	85	68	76.5	0.0
21	74	64	69.0	0.0
22	83	62	72.5	0.0
23	82	68	75.0	0.0
24	84	67	75.5	0.0
25	86	77	81.5	0.0
26	87	74	80.5	0.0
27	90	75	82.5	0.0
28	94	74	84.0	0.0
29	91	69	80.0	0.0
30	87	70	78.5	0.0
31	88	70	79.0	0.0
Monthly Total ----->				9.0

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
 Panama City Division
 Actual Heating Degree Days
 June 1989

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	91	67	79.0	0.0
2	85	70	77.5	0.0
3	87	69	78.0	0.0
4	87	68	77.5	0.0
5	86	68	77.0	0
6	81	69	75.0	0
7	87	68	77.5	0.0
8	82	69	75.5	0.0
9	85	71	78.0	0.0
10	88	71	79.5	0.0
11	86	73	79.5	0.0
12	88	68	78.0	0.0
13	88	71	79.5	0.0
14	89	77	83.0	0.0
15	84	73	78.5	0.0
16	74	68	71.0	0.0
17	86	68	77.0	0.0
18	89	68	78.5	0.0
19	85	69	77.0	0.0
20	86	72	79.0	0.0
21	87	70	78.5	0.0
22	86	70	78.0	0.0
23	91	73	82.0	0.0
24	88	70	79.0	0.0
25	90	68	79.0	0.0
26	91	71	81.0	0.0
27	90	71	80.5	0.0
28	90	72	81.0	0.0
29	88	73	80.5	0.0
30	90	70	80.0	0.0
31	0	0	0.0	0.0
Monthly Total ----->				<u>0.0</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
 Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
 Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Divisions
Actual Heating Degree Days
July 1989

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	90	70	80.0	0.0
2	90	70	80.0	0.0
3	88	73	80.5	0.0
4	88	73	80.5	0.0
5	84	74	79.0	0
6	88	76	82.0	0
7	90	72	81.0	0.0
8	90	72	81.0	0.0
9	92	72	82.0	0.0
10	92	72	82.0	0.0
11	94	72	83.0	0.0
12	94	73	83.5	0.0
13	89	71	80.0	0.0
14	86	72	79.0	0.0
15	86	72	79.0	0.0
16	86	73	79.5	0.0
17	88	73	80.5	0.0
18	89	72	80.5	0.0
19	88	72	80.0	0.0
20	88	75	81.5	0.0
21	84	71	77.5	0.0
22	81	71	76.0	0.0
23	83	72	77.5	0.0
24	89	73	81.0	0.0
25	93	72	82.5	0.0
26	94	74	84.0	0.0
27	92	71	81.5	0.0
28	90	73	81.5	0.0
29	90	76	83.0	0.0
30	91	75	83.0	0.0
31	91	74	82.5	0.0
Monthly Total ----->			0.0	

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
August 1989

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	91	74	82.5	0.0
2	92	73	82.5	0.0
3	95	72	83.5	0.0
4	98	76	87.0	0.0
5	98	73	85.5	0
6	96	74	85.0	0
7	92	75	83.5	0.0
8	83	69	76.0	0.0
9	86	70	78.0	0.0
10	84	70	77.0	0.0
11	88	68	78.0	0.0
12	85	68	76.5	0.0
13	87	71	79.0	0.0
14	86	68	77.0	0.0
15	85	67	76.0	0.0
16	87	69	78.0	0.0
17	89	71	80.0	0.0
18	92	73	82.5	0.0
19	81	71	76.0	0.0
20	92	73	82.5	0.0
21	88	75	81.5	0.0
22	90	73	81.5	0.0
23	92	74	83.0	0.0
24	92	73	82.5	0.0
25	92	74	83.0	0.0
26	94	75	84.5	0.0
27	94	76	85.0	0.0
28	92	74	83.0	0.0
29	92	74	83.0	0.0
30	92	72	82.0	0.0
31	92	74	83.0	0.0
Monthly Total ----->				0.0

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
 Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
 Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
September 1989

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	89	74	81.5	0.0
2	98	75	86.5	0.0
3	95	74	84.5	0.0
4	88	71	81.0	0.0
5	92	73	82.5	0
6	92	70	81.0	0
7	93	72	82.5	0.0
8	93	74	83.5	0.0
9	93	72	82.5	0.0
10	95	69	82.0	0.0
11	95	71	83.0	0.0
12	96	69	82.5	0.0
13	94	68	81.0	0.0
14	90	70	80.0	0.0
15	90	69	79.5	0.0
16	87	72	79.5	0.0
17	89	68	78.5	0.0
18	91	65	78.0	0.0
19	89	65	77.0	0.0
20	87	61	74.0	0.0
21	88	64	76.0	0.0
22	87	64	75.5	0.0
23	89	64	76.5	0.0
24	74	61	67.5	0.0
25	79	61	70.0	0.0
26	79	61	70.0	0.0
27	81	68	74.5	0.0
28	80	68	74.0	0.0
29	82	67	74.5	0.0
30	87	67	77.0	0.0
31	0	0	0.0	0.0
Monthly Total ----->				0.0

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
October 1989

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	82	67	74.5	0.0
2	85	62	73.5	0.0
3	88	63	75.5	0.0
4	88	62	75.0	0.0
5	87	58	72.5	0
6	89	64	76.5	0
7	87	65	76.0	0.0
8	81	60	73.5	0.0
9	78	57	67.5	0.0
10	73	59	66.0	0.0
11	83	58	70.5	0.0
12	81	65	73.0	0.0
13	78	68	73.0	0.0
14	80	66	73.0	0.0
15	87	69	78.0	0.0
16	89	71	80.0	0.0
17	80	70	75.0	0.0
18	79	56	67.5	0.0
19	56	42	49.0	16.0
20	58	36	47.0	18.0
21	67	33	50.0	15.0
22	75	33	54.0	11.0
23	79	47	63.0	2.0
24	80	48	64.0	1.0
25	79	49	64.0	1.0
26	80	46	63.0	2.0
27	82	54	68.0	0.0
28	81	50	65.5	0.0
29	81	46	63.5	1.5
30	84	58	71.0	0.0
31	82	55	68.5	0.0
			Monthly Total →	<u>67.5</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
November 1989

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	78	57	67.5	0.0
2	78	58	68.0	0.0
3	71	41	56.0	9.0
4	74	37	55.5	9.5
5	80	45	62.5	2.5
6	77	51	64.0	1
7	60	52	56.0	9.0
8	65	54	59.5	5.5
9	72	48	60.0	5.0
10	78	38	58.0	7.0
11	82	38	60.0	5.0
12	80	42	61.0	4.0
13	85	50	67.5	0.0
14	76	56	66.0	0.0
15	81	65	73.0	0.0
16	68	42	55.0	10.0
17	54	35	44.5	20.5
18	54	42	48.0	17.0
19	63	45	54.0	11.0
20	70	39	54.5	10.5
21	78	51	64.5	0.5
22	76	60	68.0	0.0
23	62	42	52.0	13.0
24	64	35	49.5	15.5
25	70	44	57.0	8.0
26	78	54	66.0	0.0
27	76	51	63.5	1.5
28	77	58	67.5	0.0
29	61	42	51.5	13.5
30	60	36	48.0	17.0
31	0	0	0.0	0.0
Monthly Total →				195.5

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.


West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
December 1989

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	65	40	52.5	12.5
2	65	37	51.0	14.0
3	65	35	50.0	15.0
4	52	26	39.0	26.0
5	64	30	47.0	18
6	70	40	55.0	10
7	72	55	63.5	1.5
8	69	50	59.5	5.5
9	69	41	55.0	10.0
10	51	38	44.5	20.5
11	66	43	54.5	10.5
12	71	39	55.0	10.0
13	51	27	39.0	26.0
14	59	25	42.0	23.0
15	69	28	48.5	16.5
16	48	31	39.5	25.5
17	49	30	39.5	25.5
18	49	31	40.0	25.0
19	45	41	43.0	22.0
20	47	41	44.0	21.0
21	51	42	46.5	18.5
22	58	30	44.0	21.0
23	33	16	24.5	40.5
24	28	12	20.0	45.0
25	33	13	23.0	42.0
26	44	25	34.5	30.5
27	55	30	42.5	22.5
28	65	32	48.5	16.5
29	68	38	53.0	12.0
30	67	44	55.5	9.5
31	73	51	62.0	3.0
Monthly Total ----->				599.0

Note:

Daily avg. temperature = the max. temp. plus min. temp. divided by 2.

Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees. Both formulas are used by the National Weather Service.



West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
January 1990

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	69	42	55.5	9.5
2	57	33	45.0	20.0
3	60	36	48.0	17.0
4	70	48	59.0	6.0
5	73	51	62.0	3
6	70	62	66.0	0
7	65	58	61.5	3.5
8	69	53	61.0	4.0
9	57	43	50.0	15.0
10	59	42	50.5	14.5
11	71	38	54.5	10.5
12	68	51	59.5	5.5
13	65	34	49.5	15.5
14	59	27	43.0	22.0
15	62	29	45.5	19.5
16	71	38	54.5	10.5
17	76	48	62.0	3.0
18	76	48	62.0	3.0
19	76	52	64.0	1.0
20	78	56	67.0	0.0
21	77	60	68.5	0.0
22	68	38	53.0	12.0
23	66	32	49.0	16.0
24	66	34	50.0	15.0
25	75	57	66.0	0.0
26	77	32	54.5	10.5
27	58	29	43.5	21.5
28	66	39	52.5	12.5
29	71	50	60.5	4.5
30	75	34	54.5	10.5
31	63	38	50.5	14.5
Monthly Total			—————>	<u>300.0</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
February 1990

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	73	43	58.0	7.0
2	71	56	63.5	1.5
3	79	62	70.5	0.0
4	80	63	71.5	0.0
5	71	42	56.5	8.5
6	65	42	53.5	11.5
7	70	44	57.0	8.0
8	74	47	60.5	4.5
9	73	52	62.5	2.5
10	78	63	70.5	0.0
11	70	51	60.5	4.5
12	69	38	53.5	11.5
13	76	41	58.5	6.5
14	72	47	59.5	5.5
15	76	58	67.0	0.0
16	77	67	72.0	0.0
17	77	58	67.5	0.0
18	63	53	58.0	7.0
19	70	56	63.0	2.0
20	67	55	61.0	4.0
21	69	56	62.5	2.5
22	70	56	63.0	2.0
23	66	57	61.5	3.5
24	66	35	50.5	14.5
25	67	38	52.5	12.5
26	62	37	49.5	15.5
27	68	38	53.0	12.0
28	72	42	57.0	8.0
29	0	0	0.0	0.0
30	0	0	0.0	0.0
31	0	0	0.0	0.0
Monthly Total ----->				<u>155.0</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 55 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
March 1990

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	73	43	58.0	7.0
2	74	44	59.0	8.0
3	69	51	60.0	5.0
4	61	38	49.5	15.5
5	70	38	54.0	11
6	73	45	59.0	6
7	80	53	66.5	0.0
8	80	55	67.5	0.0
9	72	54	63.0	2.0
10	78	50	64.0	1.0
11	80	50	65.0	0.0
12	80	52	66.0	0.0
13	81	54	67.5	0.0
14	80	55	67.5	0.0
15	79	54	66.5	0.0
16	74	69	71.5	0.0
17	79	56	67.5	0.0
18	67	43	55.0	10.0
19	75	44	59.5	5.5
20	73	38	55.5	9.5
21	61	31	46.0	19.0
22	70	33	51.5	13.5
23	73	42	57.5	7.5
24	76	42	59.0	6.0
25	77	48	62.5	2.5
26	78	53	65.5	0.0
27	81	50	65.5	0.0
28	76	52	64.0	1.0
29	76	60	68.0	0.0
30	79	63	71.0	0.0
31	73	62	67.5	0.0
Monthly Total ----->				<u>128.0</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
April 1990

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	77	55	66.0	0.0
2	82	56	69.0	0.0
3	79	52	65.5	0.0
4	69	39	54.0	11.0
5	71	44	57.5	7.5
6	74	48	61.0	4
7	76	49	62.5	2.5
8	66	35	50.5	14.5
9	70	36	53.0	12.0
10	79	53	66.0	0.0
11	77	59	68.0	0.0
12	72	41	56.5	8.5
13	71	41	56.0	9.0
14	74	42	58.0	7.0
15	76	41	58.5	6.5
16	77	41	59.0	6.0
17	82	54	68.0	0.0
18	82	57	69.5	0.0
19	86	58	72.0	0.0
20	78	56	68.0	0.0
21	80	57	68.5	0.0
22	75	56	65.5	0.0
23	67	57	62.0	3.0
24	85	62	73.5	0.0
25	82	57	69.5	0.0
26	83	56	69.5	0.0
27	82	54	68.0	0.0
28	83	61	72.0	0.0
29	79	56	67.5	0.0
30	79	61	70.0	0.0
31	0	0	0.0	0.0
Monthly Total ----->				<u>91.5</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Dys
May 1990

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	82	61	71.5	0.0
2	87	61	74.0	0.0
3	89	33	78.0	0.0
4	86	64	75.0	0.0
5	84	72	78.0	0
6	82	61	71.5	0
7	74	54	64.0	1.0
8	83	53	68.0	0.0
9	79	61	70.0	0.0
10	75	69	72.0	0.0
11	86	49	67.5	0.0
12	81	55	68.0	0.0
13	84	59	71.5	0.0
14	78	63	70.5	0.0
15	87	64	75.5	0.0
16	90	67	78.5	0.0
17	87	71	79.0	0.0
18	84	70	77.0	0.0
19	88	57	72.5	0.0
20	85	63	74.0	0.0
21	85	76	80.5	0.0
22	86	65	75.5	0.0
23	83	60	71.5	0.0
24	80	58	69.0	0.0
25	87	63	75.0	0.0
26	88	64	76.0	0.0
27	87	66	76.5	0.0
28	89	70	79.5	0.0
29	88	68	78.0	0.0
30	87	56	71.5	0.0
31	86	58	72.0	0.0
Monthly Total ----->				1.0

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
June 1990

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	88	60	74.0	0.0
2	89	71	80.0	0.0
3	90	69	79.5	0.0
4	90	73	81.5	0.0
5	88	72	80.0	0
6	89	71	80.0	0
7	71	70	80.5	0.0
8	92	70	81.0	0.0
9	90	71	80.5	0.0
10	88	71	79.5	0.0
11	87	74	80.5	0.0
12	93	64	78.5	0.0
13	90	68	79.0	0.0
14	88	66	77.0	0.0
15	91	68	79.5	0.0
16	89	73	81.0	0.0
17	91	74	82.5	0.0
18	86	71	78.5	0.0
19	93	71	82.0	0.0
20	91	76	83.5	0.0
21	90	76	83.0	0.0
22	90	76	83.0	0.0
23	87	71	79.0	0.0
24	83	68	75.5	0.0
25	89	65	77.0	0.0
26	91	65	78.0	0.0
27	93	67	80.0	0.0
28	92	67	79.5	0.0
29	90	67	78.5	0.0
30	91	71	81.0	0.0
31	0	0	0.0	0.0
Monthly Total ----->				<u><u>0.0</u></u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Divisions
Actual Heating Degree Days
July 1990

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree D_{ays}</u>
1	94	73	85.0	0.0
2	96	79	87.5	0.0
3	94	68	81.0	0.0
4	84	70	77.0	0.0
5	87	71	79.0	0
6	88	73	80.5	0
7	90	75	82.5	0.0
8	98	76	87.0	0.0
9	93	74	83.5	0.0
10	92	72	82.0	0.0
11	94	72	83.0	0.0
12	91	72	81.5	0.0
13	87	71	79.0	0.0
14	80	71	75.5	0.0
15	86	69	77.5	0.0
16	86	67	76.5	0.0
17	90	71	80.5	0.0
18	93	71	82.0	0.0
19	93	71	82.0	0.0
20	86	71	78.5	0.0
21	90	72	81.0	0.0
22	90	74	82.0	0.0
23	90	74	82.0	0.0
24	89	71	80.0	0.0
25	94	72	83.0	0.0
26	95	74	84.5	0.0
27	95	74	84.5	0.0
28	96	65	80.5	0.0
29	95	72	83.5	0.0
30	94	74	84.0	0.0
31	92	74	83.0	0.0
Monthly Total →				0.0

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
August 1990

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	92	72	82.0	0.0
2	91	74	82.5	0.0
3	92	71	81.5	0.0
4	97	73	85.0	0.0
5	95	75	85.0	0
6	95	75	85.0	0
7	93	74	83.5	0.0
8	95	71	83.0	0.0
9	92	69	80.5	0.0
10	91	69	80.0	0.0
11	93	65	79.0	0.0
12	92	67	79.5	0.0
13	92	67	79.5	0.0
14	91	67	79.0	0.0
15	93	69	81.0	0.0
16	95	72	83.5	0.0
17	93	73	83.0	0.0
18	96	71	83.5	0.0
19	96	72	84.0	0.0
20	96	73	84.5	0.0
21	95	71	83.0	0.0
22	92	72	82.0	0.0
23	91	73	82.0	0.0
24	89	76	82.5	0.0
25	93	73	83.0	0.0
26	91	75	83.0	0.0
27	92	74	83.0	0.0
28	90	72	81.0	0.0
29	92	72	82.0	0.0
30	92	77	84.5	0.0
31	93	72	82.5	0.0
Monthly Total ----->				0.0

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
September 1990

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	90	72	81.0	0.0
2	93	71	82.0	0.0
3	96	71	83.5	0.0
4	96	72	84.0	0.0
5	95	70	82.5	0
6	95	67	81.0	0
7	94	69	81.5	0.0
8	92	72	82.0	0.0
9	93	72	82.5	0.0
10	93	70	81.5	0.0
11	92	71	81.5	0.0
12	93	72	82.5	0.0
13	94	72	83.0	0.0
14	90	71	80.5	0.0
15	91	72	81.5	0.0
16	91	75	83.0	0.0
17	94	68	81.0	0.0
18	94	61	77.5	0.0
19	94	61	77.5	0.0
20	91	65	78.0	0.0
21	91	67	79.0	0.0
22	92	68	80.0	0.0
23	92	67	79.5	0.0
24	92	54	73.0	0.0
25	81	45	63.0	2.0
26	83	47	65.0	0.0
27	85	53	69.0	0.0
28	91	56	73.5	0.0
29	84	69	76.5	0.0
30	74	67	70.5	0.0
31	0	0	0.0	0.0
Monthly Total			—————>	<u>2.0</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
October 1990

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	86	67	76.5	0.0
2	88	64	76.0	0.0
3	90	65	77.5	0.0
4	90	68	79.0	0.0
5	88	69	78.5	0
6	91	66	78.5	0
7	89	65	77.0	0.0
8	91	69	80.0	0.0
9	92	65	78.5	0.0
10	90	71	80.5	0.0
11	82	65	73.5	0.0
12	84	65	74.5	0.0
13	82	63	72.5	0.0
14	85	52	68.5	0.0
15	83	52	67.5	0.0
16	90	55	72.5	0.0
17	88	55	71.5	0.0
18	85	67	76.0	0.0
19	82	51	66.5	0.0
20	77	45	61.0	4.0
21	83	54	68.5	0.0
22	86	63	74.5	0.0
23	82	64	73.0	0.0
24	76	53	64.5	0.5
25	73	49	61.0	4.0
26	67	42	54.5	10.5
27	68	35	51.5	13.5
28	74	35	54.5	10.5
29	78	40	59.0	6.0
30	77	42	59.5	5.5
31	79	43	61.0	4.0
Monthly Total ----->				<u>58.5</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
November 1990

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	78	43	60.5	4.5
2	82	48	65.0	0.0
3	84	53	68.5	0.0
4	85	52	68.5	0.0
5	85	56	70.5	0
6	80	45	62.5	2.5
7	71	39	55.0	10.0
8	77	43	60.0	5.0
9	79	50	64.5	0.5
10	72	50	61.0	4.0
11	62	43	52.5	12.5
12	75	38	56.5	8.5
13	77	43	60.0	5.0
14	78	40	59.0	6.0
15	79	43	61.0	4.0
16	78	51	64.5	0.5
17	80	48	64.0	1.0
18	72	37	54.5	10.5
19	72	34	53.0	12.0
20	74	39	56.5	8.5
21	77	42	59.5	5.5
22	76	40	58.0	7.0
23	76	44	60.0	5.0
24	68	46	57.0	8.0
25	74	42	58.0	7.0
26	75	45	60.0	5.0
27	79	60	69.5	0.0
28	80	64	72.0	0.0
29	83	58	70.5	0.0
30	65	35	50.0	15.0
31	0	0	0.0	0.0
Monthly Total →				147.5


Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
December 1990

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	65	36	50.5	14.5
2	74	42	58.0	7.0
3	78	64	71.0	0.0
4	78	46	62.0	3.0
5	56	35	45.5	19.5
6	60	28	44.0	21
7	66	37	51.5	13.5
8	47	43	45.0	20.0
9	60	31	45.5	19.5
10	65	30	47.5	17.5
11	68	31	49.5	15.5
12	71	34	52.5	12.5
13	66	43	54.5	10.5
14	74	35	54.5	10.5
15	74	46	60.0	5.0
16	75	48	61.5	3.5
17	78	52	65.0	0.0
18	75	58	66.5	0.0
19	76	46	61.0	4.0
20	72	61	66.5	0.0
21	79	61	70.0	0.0
22	78	65	71.5	0.0
23	79	34	56.5	8.5
24	78	34	56.0	9.0
25	46	30	38.0	27.0
26	50	30	40.0	25.0
27	63	43	53.0	12.0
28	72	51	61.5	3.5
29	75	55	65.0	0.0
30	74	63	68.5	0.0
31	76	62	70.0	0.0
Monthly Total ----->				282.0

Note:

Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
 Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
 Both formulas are used by the National Weather Service.



West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
January 1991

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	67	55	61.0	4.0
2	53	55	59.0	6.0
3	63	55	59.0	6.0
4	65	52	58.5	6.5
5	61	53	57.0	8
6	63	56	59.5	5.5
7	73	60	66.5	0.0
8	77	55	66.0	0.0
9	76	51	63.5	1.5
10	69	51	60.0	5.0
11	65	52	58.5	6.5
12	67	54	60.5	4.5
13	58	38	46.0	17.0
14	53	27	40.0	25.0
15	60	33	46.5	18.5
16	62	57	59.5	5.5
17	66	40	53.0	12.0
18	64	37	50.5	14.5
19	61	40	50.5	14.5
20	58	50	54.0	11.0
21	57	36	46.5	18.5
22	52	31	41.5	23.5
23	51	31	41.0	24.0
24	57	41	49.0	16.0
25	52	42	47.0	18.0
26	50	36	43.0	22.0
27	62	31	46.5	18.5
28	63	34	48.5	16.5
29	69	51	60.0	5.0
30	70	58	64.0	1.0
31	76	54	65.0	0.0
Monthly Total ----->				<u>334.5</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
February 1991

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	61	38	49.5	15.5
2	65	36	51.5	13.5
3	72	46	59.0	6.0
4	75	56	65.5	0.0
5	77	51	64.0	1
6	75	56	65.5	0
7	68	59	63.5	1.5
8	70	46	58.0	7.0
9	61	38	49.5	15.5
10	67	37	52.0	13.0
11	70	46	58.0	7.0
12	67	36	51.5	13.5
13	65	47	56.0	9.0
14	69	48	58.5	6.5
15	69	44	56.5	8.5
16	48	26	37.0	28.0
17	51	27	39.0	26.0
18	64	39	51.5	13.5
19	71	56	63.5	1.5
20	76	64	70.0	0.0
21	79	61	70.0	0.0
22	78	60	69.0	0.0
23	71	58	64.5	0.5
24	65	54	59.5	5.5
25	66	54	60.0	5.0
26	68	49	58.5	6.5
27	59	34	46.5	18.5
28	63	37	50.0	15.0
29	0	0	0.0	0.0
30	0	0	0.0	0.0
31	0	0	0.0	0.0
Monthly Total ----->				<u><u>237.5</u></u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
 Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 55 degrees.
 Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Palm Bay City Division
Actual Heating Degree Days
March 1991

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	71	56	63.5	1.5
2	70	54	62.0	3.0
3	69	33	61.0	4.0
4	65	43	54.0	11.0
5	63	37	50.0	15
6	66	41	53.5	11.5
7	75	67	71.0	0.0
8	75	55	65.0	0.0
9	77	49	63.0	2.0
10	69	43	56.0	9.0
11	64	31	47.5	17.5
12	67	38	52.5	12.5
13	68	46	57.0	8.0
14	76	52	64.0	1.0
15	66	44	55.0	10.0
16	68	31	49.5	15.5
17	60	51	55.5	9.5
18	63	52	57.5	7.5
19	77	50	63.5	1.5
20	76	42	59.0	6.0
21	75	48	61.5	3.5
22	77	55	66.0	0.0
23	79	66	72.5	0.0
24	80	64	72.0	0.0
25	83	52	67.5	0.0
26	86	47	66.5	0.0
27	83	55	69.0	0.0
28	80	70	75.0	0.0
29	80	72	76.0	0.0
30	77	47	62.0	3.0
31	70	47	58.5	6.5
Monthly Total ----->				<u>159.0</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
April 1991

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	70	43	56.5	8.5
2	77	42	59.5	5.5
3	79	45	62.0	3.0
4	78	55	66.5	0.0
5	79	61	70.0	0
6	79	64	71.5	0
7	83	66	74.5	0.0
8	81	66	73.5	0.0
9	77	59	68.0	0.0
10	82	59	70.5	0.0
11	78	61	69.5	0.0
12	85	64	74.5	0.0
13	84	66	75.0	0.0
14	84	60	72.0	0.0
15	82	65	73.5	0.0
16	79	68	73.5	0.0
17	82	70	76.0	0.0
18	79	58	68.5	0.0
19	80	63	71.5	0.0
20	84	64	74.0	0.0
21	83	56	69.5	0.0
22	72	51	61.5	3.5
23	75	53	64.0	1.0
24	84	61	72.5	0.0
25	88	64	76.0	0.0
26	69	63	66.0	0.0
27	69	66	67.5	0.0
28	84	57	70.5	0.0
29	86	73	79.5	0.0
30	87	66	76.5	0.0
31	0	0	0.0	0.0
Monthly Total ----->				21.5

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Dys
May 1991

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	85	50	67.5	0.0
2	84	64	74.0	0.0
3	89	61	75.0	0.0
4	85	65	75.0	0.0
5	85	61	73.0	0
6	84	66	75.0	0
7	79	65	72.0	0.0
8	73	64	68.5	0.0
9	83	65	74.0	0.0
10	80	65	72.5	0.0
11	83	67	75.0	0.0
12	82	67	74.5	0.0
13	85	66	75.5	0.0
14	87	68	77.5	0.0
15	85	67	76.0	0.0
16	85	70	77.5	0.0
17	87	70	78.5	0.0
18	86	68	77.0	0.0
19	89	70	79.5	0.0
20	85	71	78.0	0.0
21	74	60	67.0	0.0
22	78	71	74.5	0.0
23	85	73	79.0	0.0
24	81	71	76.0	0.0
25	88	73	80.5	0.0
26	83	75	79.0	0.0
27	85	75	80.0	0.0
28	83	74	78.5	0.0
29	88	69	78.5	0.0
30	88	68	78.0	0.0
31	89	74	81.5	0.0
Monthly Total ----->			0.0	

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
June 1991

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	89	68	78.5	0.0
2	89	70	79.5	0.0
3	87	69	78.0	0.0
4	87	73	80.0	0.0
5	92	70	81.0	0
6	93	71	82.0	0
7	85	61	73.0	0.0
8	82	63	72.5	0.0
9	87	65	76.0	0.0
10	88	65	76.5	0.0
11	88	65	76.5	0.0
12	86	65	75.5	0.0
13	87	67	77.0	0.0
14	88	68	78.0	0.0
15	90	65	77.5	0.0
16	89	69	79.0	0.0
17	88	73	80.5	0.0
18	88	74	81.0	0.0
19	83	71	77.0	0.0
20	88	77	82.5	0.0
21	87	72	79.5	0.0
22	88	73	80.5	0.0
23	89	74	81.5	0.0
24	90	73	81.5	0.0
25	91	71	81.0	0.0
26	90	70	80.0	0.0
27	84	71	77.5	0.0
28	88	70	79.0	0.0
29	90	71	80.5	0.0
30	95	71	83.0	0.0
31	0	0	0.0	0.0
Monthly Total ----->				0.0

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
 Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
 Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Divisions
Actual Heating Degree Days
July 1991

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	95	73	84.0	0.0
2	92	74	83.0	0.0
3	91	72	81.5	0.0
4	89	74	81.5	0.0
5	89	76	82.5	0
6	78	72	75.0	0
7	86	71	78.5	0.0
8	89	72	80.5	0.0
9	87	74	80.5	0.0
10	92	72	82.0	0.0
11	92	74	83.0	0.0
12	93	77	85.0	0.0
13	94	77	85.5	0.0
14	94	77	85.5	0.0
15	95	70	82.5	0.0
16	89	73	81.0	0.0
17	87	74	80.5	0.0
18	82	73	77.5	0.0
19	87	73	80.0	0.0
20	89	72	80.5	0.0
21	91	70	80.5	0.0
22	90	72	81.0	0.0
23	91	73	82.0	0.0
24	94	72	83.0	0.0
25	90	74	82.0	0.0
26	90	72	81.0	0.0
27	87	73	80.0	0.0
28	86	72	79.0	0.0
29	91	73	82.0	0.0
30	92	74	83.0	0.0
31	83	72	77.5	0.0
Monthly Total ----->				0.0

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
August 1991

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	92	73	82.5	0.0
2	92	72	82.0	0.0
3	87	73	80.0	0.0
4	88	74	81.0	0.0
5	90	74	82.0	0
6	92	74	83.0	0
7	91	71	81.0	0.0
8	91	71	81.0	0.0
9	91	74	82.5	0.0
10	91	74	82.5	0.0
11	86	73	79.5	0.0
12	89	73	81.0	0.0
13	89	74	81.5	0.0
14	88	72	80.0	0.0
15	84	72	78.0	0.0
16	85	70	77.5	0.0
17	87	72	79.5	0.0
18	87	72	79.5	0.0
19	87	74	80.5	0.0
20	83	69	76.0	0.0
21	92	67	79.5	0.0
22	89	68	78.5	0.0
23	91	71	81.0	0.0
24	91	72	81.5	0.0
25	83	73	78.0	0.0
26	86	72	79.0	0.0
27	90	73	81.5	0.0
28	92	73	82.5	0.0
29	91	73	82.0	0.0
30	93	72	82.5	0.0
31	87	71	79.0	0.0
Monthly Total ----->			0.0	

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
September 1991

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	89	70	79.5	0.0
2	92	70	81.0	0.0
3	94	72	83.0	0.0
4	88	71	79.5	0.0
5	91	71	81.0	0
6	90	70	80.0	0
7	90	71	80.5	0.0
8	93	72	82.5	0.0
9	93	71	82.0	0.0
10	91	64	77.5	0.0
11	92	69	80.5	0.0
12	93	71	82.0	0.0
13	95	72	83.5	0.0
14	97	72	84.5	0.0
15	91	72	81.5	0.0
16	94	72	83.0	0.0
17	96	73	84.5	0.0
18	92	72	82.0	0.0
19	90	72	81.0	0.0
20	89	66	77.5	0.0
21	87	66	76.5	0.0
22	83	66	74.5	0.0
23	90	66	78.0	0.0
24	91	67	79.0	0.0
25	88	69	78.5	0.0
26	81	56	68.5	0.0
27	80	56	68.0	0.0
28	82	55	68.5	0.0
29	84	58	71.0	0.0
30	85	61	73.0	0.0
31	0	0	0.0	0.0
Monthly Total ----->				0.0

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
October 1991

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	85	61	73.0	0.0
2	77	69	73.0	0.0
3	83	64	73.5	0.0
4	83	64	73.5	0.0
5	83	67	75.0	0
6	80	62	71.0	0
7	74	50	62.0	3.0
8	70	37	53.5	11.5
9	76	42	59.0	6.0
10	82	58	70.0	0.0
11	83	53	68.0	0.0
12	80	51	65.5	0.0
13	83	51	67.0	0.0
14	86	55	70.5	0.0
15	83	56	69.5	0.0
16	80	51	65.5	0.0
17	72	40	56.0	9.0
18	72	42	57.0	8.0
19	75	43	59.0	6.0
20	84	46	65.0	0.0
21	84	46	65.0	0.0
22	80	60	70.0	0.0
23	86	54	70.0	0.0
24	84	68	76.0	0.0
25	84	68	76.0	0.0
26	85	65	75.0	0.0
27	87	65	76.0	0.0
28	85	62	73.5	0.0
29	84	63	73.5	0.0
30	82	60	71.0	0.0
31	80	53	66.5	0.0
Monthly Total ----->				43.5

Note: Daily avg. temperature = the max. temp. plus min. temp., divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
November 1991

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	80	67	73.5	0.0
2	77	42	59.5	5.5
3	65	42	53.5	11.5
4	54	34	44.0	21.0
5	53	30	41.5	23.5
6	60	28	44.0	21
7	66	32	49.0	16.0
8	70	39	54.5	10.5
9	58	40	49.0	16.0
10	59	36	47.5	17.5
11	62	31	46.5	18.5
12	67	31	49.0	16.0
13	68	35	51.5	13.5
14	71	35	53.0	12.0
15	73	35	54.0	11.0
16	79	49	64.0	1.0
17	80	49	64.5	0.5
18	81	51	66.0	0.0
19	79	63	71.0	0.0
20	81	64	72.5	0.0
21	78	69	73.5	0.0
22	76	51	63.5	1.5
23	69	42	55.5	9.5
24	68	38	53.0	12.0
25	55	30	42.5	22.5
26	57	30	43.5	21.5
27	63	30	46.5	18.5
28	67	38	52.5	12.5
29	77	46	61.5	3.5
30	80	56	68.0	0.0
31	0	0	0.0	0.0
Monthly Total →				316.5

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
 Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
 Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
December 1991

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	78	67	72.5	0.0
2	80	69	74.5	0.0
3	79	70	74.5	0.0
4	73	37	55.0	10.0
5	55	31	43.0	22
6	57	32	44.5	20.5
7	68	37	52.5	12.5
8	69	53	61.0	4.0
9	72	64	68.0	0.0
10	74	60	67.0	0.0
11	73	40	56.5	8.5
12	75	43	59.0	6.0
13	73	55	64.0	1.0
14	76	56	66.0	0.0
15	71	44	57.5	7.5
16	62	30	46.0	19.0
17	62	27	44.5	20.5
18	64	28	46.0	19.0
19	69	36	52.5	12.5
20	58	35	46.5	18.5
21	67	35	51.0	14.0
22	72	44	58.0	7.0
23	70	47	58.5	6.5
24	70	47	58.5	6.5
25	65	40	52.5	12.5
26	64	39	51.5	13.5
27	70	50	60.0	5.0
28	60	53	56.5	8.5
29	69	53	61.0	4.0
30	57	45	51.0	14.0
31	53	38	45.5	19.5
			Monthly Total ----->	<u>292.5</u>

Note:

Daily avg. temperature = the max. temp. plus min. temp. divided by 2.

Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.

Both formulas are used by the National Weather Service.



West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
January 1992

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	58	46	52.0	13.0
2	56	50	53.0	12.0
3	62	48	55.0	10.0
4	55	41	50.0	15.0
5	59	38	48.5	16.5
6	60	38	49.0	16
7	66	35	50.5	14.5
8	71	36	53.5	11.5
9	70	44	57.0	8.0
10	72	53	62.5	2.5
11	56	27	41.5	23.5
12	61	41	51.0	14.0
13	69	42	55.5	9.5
14	73	46	59.5	5.5
15	54	28	41.0	24.0
16	50	31	40.5	24.5
17	48	22	35.0	30.0
18	33	26	29.5	35.5
19	51	39	45.0	20.0
20	46	29	37.5	27.5
21	57	24	40.5	24.5
22	68	26	47.0	18.0
23	66	44	55.0	10.0
24	65	41	53.0	12.0
25	59	27	43.0	22.0
26	59	29	44.0	21.0
27	68	50	59.0	6.0
28	67	52	59.5	5.5
29	57	54	55.5	9.5
30	58	54	56.0	9.0
31	59	54	56.5	8.5
Monthly Total ----->				<u>479.0</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
February 1992

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	68	37	52.5	12.5
2	67	34	50.5	14.5
3	64	35	49.5	15.5
4	69	38	53.5	11.5
5	72	47	59.5	5.5
6	72	49	60.5	4.5
7	51	29	45.0	20.0
8	60	31	45.5	19.5
9	57	26	41.5	23.5
10	58	28	43.0	22.0
11	67	35	51.0	14.0
12	69	35	52.0	13.0
13	70	45	57.5	7.5
14	74	62	68.0	0.0
15	71	60	65.5	0.0
16	81	58	69.5	0.0
17	69	62	65.5	0.0
18	66	60	63.0	2.0
19	73	47	60.0	5.0
20	70	48	59.0	6.0
21	62	46	54.0	11.0
22	69	56	62.5	2.5
23	76	46	61.0	4.0
24	71	54	62.5	2.5
25	74	42	58.0	7.0
26	58	34	46.0	19.0
27	57	35	46.0	19.0
28	67	39	53.0	12.0
29	76	40	58.0	0.0
30	0	0	0.0	0.0
31	0	0	0.0	0.0
Monthly Total ----->				273.5

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
 Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 55 degrees.
 Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
March 1992

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	76	40	58.0	7.0
2	75	44	59.5	5.5
3	77	46	61.5	3.5
4	77	47	62.0	3.0
5	80	50	65.0	0
6	71	63	67.0	0
7	74	64	69.0	0.0
8	75	65	70.0	0.0
9	83	57	70.0	0.0
10	77	60	68.5	0.0
11	73	36	54.5	10.5
12	52	36	44.0	21.0
13	55	42	48.5	16.5
14	64	36	50.0	15.0
15	65	36	50.5	14.5
16	70	45	57.5	7.5
17	68	39	53.5	11.5
18	73	45	59.0	6.0
19	72	63	67.5	0.0
20	74	45	59.5	5.5
21	65	39	52.0	13.0
22	65	48	56.5	8.5
23	64	57	60.5	4.5
24	62	40	51.0	14.0
25	69	43	56.0	9.0
26	70	49	59.5	5.5
27	73	47	60.0	5.0
28	77	50	63.5	1.5
29	73	50	61.5	3.5
30	72	55	63.5	1.5
31	76	53	64.5	0.5
Monthly Total ----->				193.5

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
April 1992

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	72	41	56.5	8.5
2	70	47	58.5	9.5
3	61	46	53.5	11.5
4	65	34	49.5	15.5
5	68	50	59.0	6
6	75	50	62.5	2.5
7	63	54	58.5	6.5
8	74	57	65.5	0.0
9	80	56	68.0	0.0
10	80	60	70.0	0.0
11	81	59	70.0	0.0
12	80	62	71.0	0.0
13	81	57	69.0	0.0
14	81	55	68.0	0.0
15	80	49	64.5	0.5
16	79	54	66.5	0.0
17	79	56	67.5	0.0
18	80	54	67.0	0.0
19	82	58	70.0	0.0
20	82	58	70.0	0.0
21	75	65	70.0	0.0
22	81	50	65.5	0.0
23	87	51	69.0	0.0
24	87	58	72.5	0.0
25	85	62	73.5	0.0
26	85	55	70.0	0.0
27	74	40	57.0	8.0
28	68	43	55.5	9.5
29	68	44	56.0	9.0
30	72	44	58.0	7.0
31	0	0	0.0	0.0
Monthly Total ----->				91.0

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Dys
May 1992

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	76	53	64.5	0.5
2	85	56	70.5	0.0
3	85	60	72.5	0.0
4	82	67	74.5	0.0
5	86	51	68.5	0
6	85	51	68.0	0
7	71	47	59.0	6.0
8	66	40	53.0	12.0
9	71	48	58.5	6.5
10	77	48	62.5	2.5
11	82	51	66.5	0.0
12	83	53	68.0	0.0
13	80	58	69.0	0.0
14	86	63	74.5	0.0
15	89	60	74.5	0.0
16	87	61	74.0	0.0
17	85	65	75.0	0.0
18	87	66	76.5	0.0
19	88	59	73.5	0.0
20	85	58	71.5	0.0
21	86	63	74.5	0.0
22	87	66	77.5	0.0
23	84	55	69.5	0.0
24	84	56	70.0	0.0
25	87	55	71.0	0.0
26	87	63	75.0	0.0
27	85	65	75.0	0.0
28	85	67	76.0	0.0
29	83	67	75.0	0.0
30	82	69	75.5	0.0
31	83	64	73.5	0.0
Monthly Total ----->				27.5

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
June 1992

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	87	59	73.0	0.0
2	83	59	71.0	0.0
3	86	65	75.5	0.0
4	79	71	75.0	0.0
5	83	72	77.5	0
6	87	65	76.0	0
7	87	68	77.5	0.0
8	88	74	81.0	0.0
9	87	74	80.5	0.0
10	85	76	80.5	0.0
11	87	69	78.0	0.0
12	86	72	79.0	0.0
13	86	71	78.5	0.0
14	86	68	77.0	0.0
15	86	68	77.0	0.0
16	85	67	76.0	0.0
17	90	70	80.0	0.0
18	91	72	81.5	0.0
19	92	72	82.0	0.0
20	90	71	80.5	0.0
21	93	72	82.5	0.0
22	91	70	80.5	0.0
23	87	66	76.5	0.0
24	89	72	80.5	0.0
25	90	68	79.0	0.0
26	91	72	81.5	0.0
27	91	71	81.0	0.0
28	89	71	80.0	0.0
29	89	71	80.0	0.0
30	88	71	79.5	0.0
31	0	0	0.0	0.0
Monthly Total ----->			0.0	

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
 Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
 Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Divisions
Actual Heating Degree Days
July 1992

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	85	70	77.5	0.0
2	88	72	80.0	0.0
3	88	72	80.0	0.0
4	90	78	84.0	0.0
5	95	71	83.0	0
6	94	72	83.0	0
7	94	74	84.0	0.0
8	95	75	85.0	0.0
9	92	62	77.0	0.0
10	91	72	81.5	0.0
11	90	71	80.5	0.0
12	95	73	84.0	0.0
13	91	73	82.0	0.0
14	91	73	82.0	0.0
15	88	74	81.0	0.0
16	86	72	79.0	0.0
17	87	72	79.5	0.0
18	88	71	79.5	0.0
19	87	71	79.0	0.0
20	90	71	80.5	0.0
21	91	73	82.0	0.0
22	89	71	80.0	0.0
23	87	72	79.5	0.0
24	89	71	80.0	0.0
25	90	70	80.0	0.0
26	89	68	78.5	0.0
27	89	74	81.5	0.0
28	89	76	82.5	0.0
29	90	74	82.0	0.0
30	89	75	82.0	0.0
31	88	72	80.0	0.0
Monthly Total ----->				0.0

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
August 1992

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	90	71	80.5	0.0
2	91	72	81.5	0.0
3	89	71	80.0	0.0
4	89	71	80.0	0.0
5	90	73	81.5	0
6	91	71	81.0	0
7	91	71	81.0	0.0
8	91	72	81.5	0.0
9	90	74	82.0	0.0
10	90	71	80.5	0.0
11	93	70	81.5	0.0
12	90	70	80.0	0.0
13	87	71	79.0	0.0
14	78	73	75.5	0.0
15	81	72	76.5	0.0
16	86	70	78.0	0.0
17	87	70	78.5	0.0
18	83	71	77.0	0.0
19	85	72	78.5	0.0
20	76	68	72.0	0.0
21	86	71	78.5	0.0
22	83	70	76.5	0.0
23	88	69	78.5	0.0
24	81	72	76.5	0.0
25	91	72	81.5	0.0
26	91	73	82.0	0.0
27	88	75	81.5	0.0
28	86	71	78.5	0.0
29	87	68	77.5	0.0
30	84	59	71.5	0.0
31	85	61	73.0	0.0
Monthly Total ----->				<u>0.0</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
September 1992

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	89	64	76.5	0.0
2	89	67	78.0	0.0
3	91	67	79.0	0.0
4	89	48	68.5	0.0
5	90	71	80.5	0
6	87	71	79.0	0
7	85	69	77.0	0.0
8	89	69	79.0	0.0
9	89	69	79.0	0.0
10	90	69	79.5	0.0
11	90	69	79.5	0.0
12	92	71	81.5	0.0
13	92	72	82.0	0.0
14	90	65	77.5	0.0
15	90	65	77.5	0.0
16	87	71	79.0	0.0
17	88	72	80.0	0.0
18	87	67	77.0	0.0
19	88	68	78.0	0.0
20	88	67	77.5	0.0
21	87	67	77.0	0.0
22	87	66	76.5	0.0
23	87	68	77.5	0.0
24	88	72	80.0	0.0
25	80	65	72.5	0.0
26	81	65	73.0	0.0
27	74	67	70.5	0.0
28	81	72	76.5	0.0
29	82	69	75.5	0.0
30	84	66	75.0	0.0
31	0	0	0.0	0.0
Monthly Total ----->				0.0

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
October 1992

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	79	58	66.5	0.0
2	95	58	63.5	1.5
3	69	58	63.5	1.5
4	78	53	70.5	0.0
5	76	60	68.0	0
6	75	59	67.0	0
7	74	58	66.0	0.0
8	80	60	70.0	0.0
9	77	65	71.0	0.0
10	84	58	71.0	0.0
11	78	58	68.0	0.0
12	79	44	61.5	3.5
13	73	45	59.0	6.0
14	77	47	62.0	3.0
15	81	52	66.5	0.0
16	82	55	68.5	0.0
17	82	57	69.5	0.0
18	77	63	70.0	0.0
19	78	45	61.5	3.5
20	74	42	58.0	7.0
21	77	47	62.0	3.0
22	82	52	67.0	0.0
23	82	52	67.0	0.0
24	79	45	62.0	3.0
25	76	46	61.0	4.0
26	82	50	66.0	0.0
27	81	54	67.5	0.0
28	77	57	67.0	0.0
29	79	57	68.0	0.0
30	78	59	68.5	0.0
31	77	61	69.0	0.0
Monthly Total ----->				<u>36.0</u>

Note: Daily avg. temperature = the max. temp. plus min. temp., divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
November 1992

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	82	60	71.0	0.0
2	82	63	72.5	0.0
3	75	64	69.5	0.0
4	83	66	74.5	0.0
5	82	65	73.5	0
6	71	38	54.5	10.5
7	57	40	48.5	16.5
8	59	41	50.0	15.0
9	64	44	54.0	11.0
10	68	50	59.0	6.0
11	74	56	65.0	0.0
12	73	61	67.0	0.0
13	78	50	64.0	1.0
14	65	37	51.0	14.0
15	66	36	51.0	14.0
16	71	39	55.0	10.0
17	65	44	54.5	10.5
18	64	52	58.0	7.0
19	76	52	64.0	1.0
20	80	58	69.0	0.0
21	78	62	70.0	0.0
22	78	67	72.5	0.0
23	78	55	66.5	0.0
24	74	58	66.0	0.0
25	79	68	73.5	0.0
26	77	56	66.5	0.0
27	57	46	51.5	13.5
28	58	33	45.5	19.5
29	53	35	44.0	21.0
30	56	30	43.0	22.0
31	0	0	0.0	0.0
Monthly Total			—————>	<u>192.5</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
December 1992

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	60	35	47.5	17.5
2	60	38	49.0	16.0
3	64	30	47.0	18.0
4	63	32	47.5	17.5
5	68	40	54.0	11
6	58	38	48.0	17
7	66	39	52.5	12.5
8	72	42	57.0	8.0
9	57	38	47.5	17.5
10	64	39	51.5	13.5
11	63	43	53.0	12.0
12	59	35	47.0	13.0
13	62	32	47.0	18.0
14	59	33	46.0	19.0
15	65	41	53.0	12.0
16	68	53	60.5	4.5
17	72	64	68.0	0.0
18	70	44	57.0	8.0
19	70	50	60.0	5.0
20	74	55	64.5	0.5
21	77	57	67.0	0.0
22	75	61	68.0	0.0
23	75	59	67.0	0.0
24	76	58	67.0	0.0
25	68	41	54.5	10.5
26	58	45	51.5	13.5
27	58	53	55.5	9.5
28	51	45	53.0	12.0
29	64	45	54.5	10.5
30	62	46	54.0	11.0
31	58	51	54.5	10.5
Monthly Total ----->				323.0

Note:

Daily avg. temperature = the max. temp. plus min. temp. divided by 2.

Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.

Both formulas are used by the National Weather Service.



West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
January 1993

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	69	51	60.0	5.0
2	72	51	61.5	3.5
3	75	51	63.0	2.0
4	75	55	65.0	0.0
5	72	62	67.0	0
6	78	63	70.5	0
7	65	63	64.0	1.0
8	71	62	66.5	0.0
9	68	55	61.5	3.5
10	61	56	58.5	6.5
11	65	56	60.5	4.5
12	69	56	62.5	2.5
13	74	66	70.0	0.0
14	68	47	57.5	7.5
15	58	44	51.0	14.0
16	58	44	51.0	14.0
17	62	36	49.0	16.0
18	63	36	49.5	15.5
19	69	44	56.5	8.5
20	72	51	61.5	3.5
21	63	54	58.5	6.5
22	69	61	65.0	0.0
23	76	40	58.0	7.0
24	76	40	58.0	7.0
25	68	41	54.5	10.5
26	55	41	48.0	17.0
27	49	38	43.5	21.5
28	65	31	48.0	17.0
29	66	33	49.5	15.5
30	62	46	54.0	11.0
31	70	35	52.5	12.5
Monthly Total ----->			233.0	

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
February 1993

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	67	35	51.0	14.0
2	68	36	52.0	13.0
3	65	33	47.5	17.5
4	65	31	48.0	17.0
5	64	37	50.5	14.5
6	70	46	58.0	7
7	53	51	52.0	13.0
8	60	43	51.5	13.5
9	65	37	51.0	14.0
10	68	39	53.5	11.5
11	60	53	56.5	8.5
12	72	55	63.5	1.5
13	64	43	53.5	11.5
14	61	36	48.5	16.5
15	63	40	51.5	13.5
16	68	47	57.5	7.5
17	74	38	56.0	9.0
18	63	35	49.0	16.0
19	63	28	45.5	19.5
20	54	29	41.5	23.5
21	63	35	49.0	16.0
22	72	45	58.5	6.5
23	74	45	59.5	5.5
24	67	33	50.0	15.0
25	64	46	55.0	10.0
26	60	55	57.5	7.5
27	61	40	50.5	14.5
28	62	41	51.5	13.5
29	0	0	0.0	0.0
30	0	0	0.0	0.0
31	0	0	0.0	0.0
Monthly Total ----->				<u><u>350.5</u></u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
March 1993

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	64	46	55.0	10.0
2	67	46	56.5	8.5
3	69	51	60.0	5.0
4	60	44	52.0	13.0
5	60	44	52.0	13
6	60	41	50.5	14.5
7	64	35	49.5	15.5
8	65	41	53.0	12.0
9	70	47	58.5	6.5
10	77	44	60.5	4.5
11	73	50	61.5	3.5
12	71	48	59.5	5.5
13	67	34	50.5	14.5
14	40	28	34.0	31.0
15	48	29	38.5	26.5
16	56	32	44.0	21.0
17	66	43	54.5	10.5
18	58	46	52.0	13.0
19	69	44	56.5	8.5
20	68	45	56.5	8.5
21	70	50	60.0	5.0
22	76	50	63.0	2.0
23	74	58	66.0	0.0
24	73	57	65.0	0.0
25	73	51	62.0	3.0
26	77	56	66.5	0.0
27	76	48	62.0	3.0
28	66	46	56.0	9.0
29	73	45	59.0	6.0
30	79	52	65.5	0.0
31	77	62	69.5	0.0
Monthly Total ----->				<u>273.0</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
April 1993

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	76	50	63.0	2.0
2	71	48	59.5	5.5
3	66	38	52.0	13.0
4	66	53	59.5	5.5
5	67	54	60.5	4.5
6	70	51	60.5	4.5
7	73	40	59.5	5.5
8	74	48	61.0	4.0
9	74	53	63.5	1.5
10	70	49	59.5	5.5
11	75	45	60.0	5.0
12	77	47	62.0	3.0
13	78	49	63.5	1.5
14	78	50	64.0	1.0
15	76	53	64.5	0.5
16	76	49	62.5	2.5
17	66	49	57.5	7.5
18	73	49	61.0	4.0
19	75	45	60.0	5.0
20	77	47	62.0	3.0
21	75	54	64.5	0.5
22	74	44	59.0	6.0
23	69	35	52.0	13.0
24	70	39	54.5	10.5
25	74	44	59.0	6.0
26	79	59	69.0	0.0
27	80	52	66.0	0.0
28	80	52	66.0	0.0
29	76	46	61.0	4.0
30	75	48	61.5	3.5
31	0	0	0.0	0.0
Monthly Total ----->				<u><u>128.0</u></u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Dys
May 1993

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	76	55	65.5	0.0
2	71	61	66.0	0.0
3	77	50	63.5	1.5
4	76	57	66.5	0.0
5	80	54	67.0	0
6	88	56	72.0	0
7	89	57	73.0	0.0
8	81	60	70.5	0.0
9	85	64	74.5	0.0
10	87	60	73.5	0.0
11	80	57	68.5	0.0
12	81	56	68.5	0.0
13	79	61	70.0	0.0
14	79	54	66.5	0.0
15	78	56	67.0	0.0
16	82	57	69.5	0.0
17	82	59	70.5	0.0
18	87	60	73.5	0.0
19	82	62	72.0	0.0
20	81	62	71.5	0.0
21	84	53	68.5	0.0
22	80	46	63.0	2.0
23	81	45	63.0	2.0
24	82	54	68.0	0.0
25	82	61	71.5	0.0
26	83	61	72.0	0.0
27	81	64	72.5	0.0
28	83	68	75.5	0.0
29	86	68	77.0	0.0
30	87	63	75.0	0.0
31	87	67	77.0	0.0
Monthly Total ----->				5.5

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
June 1993

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	87	67	77.0	0.0
2	89	61	75.0	0.0
3	87	57	72.0	0.0
4	84	69	76.5	0.0
5	85	70	77.5	0
6	86	71	78.5	0
7	89	69	79.0	0.0
8	88	65	76.5	0.0
9	90	64	77.0	0.0
10	92	66	79.0	0.0
11	93	70	81.5	0.0
12	96	69	82.5	0.0
13	92	72	82.0	0.0
14	95	70	82.5	0.0
15	89	70	79.5	0.0
16	93	68	80.5	0.0
17	92	69	80.5	0.0
18	91	69	80.0	0.0
19	90	70	80.0	0.0
20	87	66	76.5	0.0
21	89	68	78.5	0.0
22	89	70	79.5	0.0
23	86	67	76.5	0.0
24	86	70	78.0	0.0
25	87	72	79.5	0.0
26	86	71	78.5	0.0
27	87	71	79.0	0.0
28	87	71	79.0	0.0
29	85	73	79.0	0.0
30	89	71	80.0	0.0
31	0	0	0.0	0.0
Monthly Total ----->				0.0

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Divisions
Actual Heating Degree Days
July 1993

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	89	69	79.0	0.0
2	93	70	81.5	0.0
3	95	72	83.5	0.0
4	90	70	80.0	0.0
5	88	69	78.5	0
6	89	69	79.0	0
7	91	74	82.5	0.0
8	92	68	80.0	0.0
9	91	71	81.0	0.0
10	89	72	80.5	0.0
11	91	71	81.0	0.0
12	87	70	78.5	0.0
13	89	70	79.5	0.0
14	88	68	78.0	0.0
15	90	70	80.0	0.0
16	90	70	80.0	0.0
17	89	71	80.0	0.0
18	91	77	84.0	0.0
19	90	76	83.0	0.0
20	90	75	82.5	0.0
21	92	74	83.0	0.0
22	90	74	82.0	0.0
23	90	74	82.0	0.0
24	90	74	82.0	0.0
25	88	72	80.0	0.0
26	90	71	80.5	0.0
27	92	74	83.0	0.0
28	94	72	83.0	0.0
29	94	71	82.5	0.0
30	93	72	82.5	0.0
31	96	70	83.0	0.0
Monthly Total ----->				0.0

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
August 1993

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	95	64	79.5	0.0
2	95	64	79.5	0.0
3	90	69	79.5	0.0
4	91	73	82.0	0.0
5	91	73	82.0	0
6	91	71	81.0	0
7	91	73	82.0	0.0
8	91	71	81.0	0.0
9	93	70	81.5	0.0
10	96	73	84.5	0.0
11	91	73	82.0	0.0
12	89	69	79.0	0.0
13	91	69	80.0	0.0
14	91	69	80.0	0.0
15	90	75	82.5	0.0
16	91	73	82.0	0.0
17	90	70	80.0	0.0
18	95	73	84.0	0.0
19	95	75	85.0	0.0
20	94	71	82.5	0.0
21	90	71	80.5	0.0
22	89	72	80.5	0.0
23	90	73	81.5	0.0
24	93	73	83.0	0.0
25	94	72	83.0	0.0
26	96	72	84.0	0.0
27	93	72	82.5	0.0
28	89	69	79.0	0.0
29	93	71	82.0	0.0
30	87	72	79.5	0.0
31	80	73	76.5	0.0
Monthly Total ----->				0.0

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
September 1993

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	85	73	79.0	0.0
2	85	73	79.0	0.0
3	88	74	81.0	0.0
4	86	73	79.5	0.0
5	85	71	78.0	0
6	82	72	77.0	0
7	86	71	78.5	0.0
8	80	70	75.0	0.0
9	86	70	78.0	0.0
10	85	71	78.0	0.0
11	74	68	71.0	0.0
12	87	67	77.0	0.0
13	87	69	78.0	0.0
14	87	71	79.0	0.0
15	88	71	79.5	0.0
16	89	68	78.5	0.0
17	83	70	79.0	0.0
18	89	70	79.5	0.0
19	90	70	80.0	0.0
20	93	70	81.5	0.0
21	90	69	79.5	0.0
22	91	70	80.5	0.0
23	92	61	76.5	0.0
24	91	62	76.5	0.0
25	93	64	78.5	0.0
26	88	64	76.0	0.0
27	87	68	77.5	0.0
28	82	55	68.5	0.0
29	91	52	71.5	0.0
30	86	53	69.5	0.0
31	0	0	0.0	0.0
Monthly Total ----->				0.0

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
October 1993

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	80	44	62.0	3.0
2	81	49	65.0	0.0
3	85	54	70.0	0.0
4	89	55	72.0	0.0
5	86	56	71.0	0
6	86	59	72.5	0
7	86	65	75.5	0.0
8	74	65	69.5	0.0
9	82	63	72.5	0.0
10	84	66	75.0	0.0
11	81	48	64.5	0.5
12	75	48	61.5	3.5
13	75	44	59.5	5.5
14	78	47	62.5	2.5
15	78	68	73.0	0.0
16	81	68	74.5	0.0
17	75	63	69.0	0.0
18	85	61	73.0	0.0
19	84	60	72.0	0.0
20	84	62	73.0	0.0
21	84	64	74.0	0.0
22	85	51	68.0	0.0
23	85	60	72.5	0.0
24	63	56	59.5	5.5
25	78	50	68.0	0.0
26	77	62	69.5	0.0
27	80	55	67.5	0.0
28	78	54	66.0	0.0
29	71	50	60.5	4.5
30	78	57	67.5	0.0
31	78	38	58.0	7.0
Monthly Total ----->				32.0

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
November 1993

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	50	28	39.0	26.0
2	60	27	43.5	21.5
3	63	39	51.0	14.0
4	74	54	64.0	1.0
5	74	54	64.0	1
6	77	63	70.0	0
7	65	37	51.0	14.0
8	59	35	47.0	18.0
9	66	48	57.0	8.0
10	58	50	54.0	11.0
11	69	35	52.0	13.0
12	72	36	54.0	11.0
13	74	49	61.5	3.5
14	82	58	70.0	0.0
15	81	65	73.0	0.0
16	84	61	72.5	0.0
17	81	62	71.5	0.0
18	81	57	69.0	0.0
19	70	44	57.0	8.0
20	71	50	60.5	4.5
21	66	37	51.5	13.5
22	67	42	54.5	10.5
23	73	49	61.0	4.0
24	75	39	57.0	8.0
25	76	44	60.0	5.0
26	78	48	63.0	2.0
27	69	56	62.5	2.5
28	63	34	48.5	16.5
29	63	31	47.0	18.0
30	68	33	50.5	14.5
31	0	0	0.0	0.0
Monthly Total ----->			249.0	


Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
December 1993

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	73	36	54.5	10.5
2	71	46	58.5	6.5
3	74	48	61.0	4.0
4	74	47	60.5	4.5
5	75	47	61.0	4
6	65	41	53.0	12
7	63	34	48.5	16.5
8	63	36	49.5	15.5
9	69	37	53.0	12.0
10	71	49	60.0	5.0
11	62	51	56.5	8.5
12	58	29	43.5	21.5
13	58	38	48.0	17.0
14	63	46	54.5	10.5
15	62	39	50.5	14.5
16	51	37	44.0	21.0
17	56	30	43.0	22.0
18	61	34	47.5	17.5
19	64	38	51.0	14.0
20	59	43	51.0	14.0
21	66	41	53.5	11.5
22	56	33	44.5	20.5
23	46	36	41.0	24.0
24	41	34	37.5	27.5
25	40	29	34.5	30.5
26	57	25	41.0	24.0
27	52	31	41.5	23.5
28	64	34	49.0	16.0
29	68	48	58.0	7.0
30	69	36	52.5	12.5
31	51	23	37.0	28.0
Monthly Total ----->				476.0

Note:

Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
 Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
 Both formulas are used by the National Weather Service.



West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
January 1994

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	56	30	43.0	22.0
2	51	40	45.5	19.5
3	68	41	54.5	10.5
4	64	36	50.0	15.0
5	53	30	41.5	23.5
6	49	30	39.5	25.5
7	57	39	48.0	17.0
8	62	39	50.5	14.5
9	50	26	38.0	27.0
10	57	29	43.0	22.0
11	62	35	48.5	16.5
12	65	47	56.5	8.5
13	61	48	54.5	10.5
14	46	38	42.0	23.0
15	63	28	45.5	19.5
16	55	29	42.0	23.0
17	51	30	40.5	24.5
18	63	32	47.5	17.5
19	51	24	37.5	27.5
20	45	30	37.5	27.5
21	58	32	45.0	20.0
22	57	23	40.0	25.0
23	59	25	42.0	23.0
24	63	26	44.5	20.5
25	67	37	52.0	13.0
26	71	43	57.0	8.0
27	74	52	63.0	2.0
28	70	58	64.0	1.0
29	73	53	63.0	2.0
30	57	46	51.5	13.5
31	50	33	41.5	23.5
Monthly Total ----->				546.0

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
February 1994

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	56	31	43.5	21.5
2	50	23	41.5	23.5
3	46	22	34.0	31.0
4	55	23	39.0	26.0
5	67	31	49.0	16
6	71	31	51.0	14
7	66	54	60.0	5.0
8	75	49	62.0	3.0
9	74	59	66.5	0.0
10	77	66	71.5	0.0
11	77	59	68.0	0.0
12	61	48	54.5	10.5
13	73	43	58.0	7.0
14	68	29	48.5	16.5
15	70	33	51.5	13.5
16	71	53	62.0	3.0
17	63	43	53.0	12.0
18	73	46	59.5	5.5
19	76	55	65.5	0.0
20	80	55	67.5	0.0
21	73	54	63.5	1.5
22	77	53	65.0	0.0
23	74	62	68.0	0.0
24	72	48	60.0	5.0
25	63	33	48.0	17.0
26	65	39	52.0	13.0
27	68	38	53.0	12.0
28	62	44	53.0	12.0
29	0	0	0.0	0.0
30	0	0	0.0	0.0
31	0	0	0.0	0.0
Monthly Total ----->				<u>268.5</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 55 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
March 1994

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	69	60	64.5	0.5
2	67	59.0	63.0	2.0
3	63	41	52.0	13.0
4	64	38	51.0	14.0
5	73	44	58.5	6.5
6	77	52	64.5	0.5
7	78	54	66.0	0.0
8	79	48	63.5	1.5
9	78	52	65.0	0.0
10	78	45	61.5	3.5
11	56	62	59.0	6.0
12	63	65	64.0	1.0
13	68	44	56.0	9.0
14	69	47	58.0	7.0
15	72	48	60.0	5.0
16	73	55	64.0	1.0
17	71	35	53.0	12.0
18	70	39	54.5	10.5
19	73	55	64.0	1.0
20	78	63	70.5	0.0
21	78	63	70.5	0.0
22	78	62	70.0	0.0
23	83	49	66.0	0.0
24	71	65	68.0	0.0
25	78	64	71.0	0.0
26	79	53	66.0	0.0
27	79	60	69.5	0.0
28	81	60	70.5	0.0
29	61	75	68.0	0.0
30	65	47	56.0	9.0
31	71	43	57.0	8.0
Monthly Total ----->				<u><u>111.0</u></u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
April 1994

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	69	41	55.0	10.0
2	69	36	52.5	12.5
3	72	38	55.0	10.0
4	72	53	62.5	2.5
5	73	48	60.5	4.5
6	73	51	62.0	3
7	75	51	63.0	2.0
8	72	39	55.5	9.5
9	78	53	65.5	0.0
10	76	62	69.0	0.0
11	81	56	68.5	0.0
12	82	59	70.5	0.0
13	72	68	70.0	0.0
14	73	57	65.0	0.0
15	82	71	78.5	0.0
16	81	63	72.0	0.0
17	81	62	71.5	0.0
18	81	48	64.5	0.5
19	84	54	69.0	0.0
20	81	64	72.5	0.0
21	87	65	76.0	0.0
22	81	60	70.5	0.0
23	77	65	71.0	0.0
24	77	61	69.0	0.0
25	80	60	70.0	0.0
26	81	61	71.0	0.0
27	84	61	72.5	0.0
28	84	66	75.0	0.0
29	84	63	73.5	0.0
30	85	57	71.0	0.0
31	0	0	0.0	0.0
Monthly Total ----->				<u><u>54.5</u></u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Dys
May 1994

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	85	63	74.0	0.0
2	84	65	74.5	0.0
3	83	34	73.5	0.0
4	78	67	72.5	0.0
5	82	55	68.5	0
6	81	51	66.0	0
7	80	52	66.0	0.0
8	79	63	71.0	0.0
9	85	66	75.5	0.0
10	84	70	77.0	0.0
11	86	63	74.5	0.0
12	86	64	75.0	0.0
13	86	66	76.0	0.0
14	89	68	78.5	0.0
15	87	68	77.5	0.0
16	88	66	77.0	0.0
17	86	70	78.0	0.0
18	84	60	72.0	0.0
19	87	63	75.0	0.0
20	82	48	65.0	0.0
21	78	46	62.0	3.0
22	79	48	63.5	1.5
23	82	53	67.5	0.0
24	85	57	71.0	0.0
25	85	62	73.5	0.0
26	83	61	72.0	0.0
27	83	64	73.5	0.0
28	86	65	75.5	0.0
29	86	64	75.0	0.0
30	83	66	74.5	0.0
31	84	63	73.5	0.0
Monthly Total ----->				<u>4.5</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
June 1994

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	82	65	73.5	0.0
2	84	70	77.0	0.0
3	87	67	77.0	0.0
4	86	68	77.0	0.0
5	85	71	78.0	0
6	85	72	78.5	0
7	76	71	73.5	0.0
8	82	75	78.5	0.0
9	86	77	81.5	0.0
10	87	70	78.5	0.0
11	88	68	78.0	0.0
12	89	69	79.0	0.0
13	90	65	77.5	0.0
14	91	67	79.0	0.0
15	92	71	81.5	0.0
16	92	70	81.0	0.0
17	89	71	80.0	0.0
18	82	71	76.5	0.0
19	84	69	76.5	0.0
20	77	72	74.5	0.0
21	82	71	76.5	0.0
22	86	71	78.5	0.0
23	96	72	84.0	0.0
24	84	70	77.0	0.0
25	86	71	78.5	0.0
26	82	68	75.0	0.0
27	85	79	82.0	0.0
28	87	77	82.0	0.0
29	88	76	82.0	0.0
30	87	77	82.0	0.0
31	0	0	0.0	0.0
Monthly Total ----->				0.0

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Divisions
Actual Heating Degree Days
July 1994

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	93	68	80.5	0.0
2	93	59	31.0	0.0
3	85	73	79.0	0.0
4	80	75	77.5	0.0
5	86	79	82.5	0
6	87	72	79.5	0
7	86	72	79.0	0.0
8	80	71	75.5	0.0
9	87	71	79.0	0.0
10	87	69	78.0	0.0
11	88	72	80.0	0.0
12	88	73	80.5	0.0
13	84	71	77.5	0.0
14	86	68	77.0	0.0
15	88	68	78.0	0.0
16	88	69	78.5	0.0
17	89	70	79.5	0.0
18	88	70	79.0	0.0
19	91	74	82.5	0.0
20	90	71	80.5	0.0
21	91	71	81.0	0.0
22	89	71	80.0	0.0
23	86	71	78.5	0.0
24	87	72	79.5	0.0
25	87	71	79.0	0.0
26	89	71	80.0	0.0
27	87	75	81.0	0.0
28	79	71	75.0	0.0
29	82	66	74.0	0.0
30	87	68	77.5	0.0
31	83	68	75.5	0.0
Monthly Total ----->				<u>0.0</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
August 1994

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	82	67	74.5	0.0
2	87	67	77.0	0.0
3	89	70	79.5	0.0
4	91	70	80.5	0.0
5	91	70	80.5	0
6	89	71	80.0	0
7	88	70	79.0	0.0
8	88	70	79.0	0.0
9	89	61	75.0	0.0
10	90	62	76.0	0.0
11	92	71	81.5	0.0
12	90	70	80.0	0.0
13	90	71	80.5	0.0
14	84	73	78.5	0.0
15	84	74	79.0	0.0
16	78	72	75.0	0.0
17	84	72	78.0	0.0
18	86	72	79.0	0.0
19	83	69	76.0	0.0
20	86	69	77.5	0.0
21	87	69	78.0	0.0
22	86	72	79.0	0.0
23	87	68	77.5	0.0
24	89	67	78.0	0.0
25	88	72	80.0	0.0
26	89	70	79.5	0.0
27	91	71	81.0	0.0
28	77	68	72.5	0.0
29	92	70	81.0	0.0
30	88	71	79.5	0.0
31	90	69	79.5	0.0
Monthly Total ----->				0.0

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
September 1994

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	88	69	78.5	0.0
2	89	70	79.5	0.0
3	90	70	80.0	0.0
4	89	70	79.5	0.0
5	78	63	70.5	0
6	90	70	80.0	0
7	88	68	78.0	0.0
8	88	68	78.0	0.0
9	89	69	79.0	0.0
10	86	70	78.0	0.0
11	88	68	78.0	0.0
12	86	69	77.5	0.0
13	89	68	78.5	0.0
14	89	67	78.0	0.0
15	87	72	79.5	0.0
16	83	74	78.5	0.0
17	83	72	77.5	0.0
18	80	72	76.0	0.0
19	85	66	75.5	0.0
20	86	69	77.5	0.0
21	81	64	72.5	0.0
22	82	66	74.0	0.0
23	85	66	75.5	0.0
24	83	65	74.0	0.0
25	85	66	75.5	0.0
26	85	60	72.5	0.0
27	77	55	66.0	0.0
28	83	57	70.0	0.0
29	90	63	76.5	0.0
30	91	63	77.0	0.0
31	0	0	0.0	0.0
Monthly Total ----->				0.0

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
October 1994

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	90	66	78.0	0.0
2	83	70	76.5	0.0
3	81	70	75.5	0.0
4	84	66	75.0	0.0
5	77	55	66.0	0
6	83	56	69.5	0
7	83	57	70.0	0.0
8	84	57	70.5	0.0
9	79	65	72.0	0.0
10	82	70	76.0	0.0
11	75	62	68.5	0.0
12	64	58	61.0	4.0
13	67	58	62.5	2.5
14	80	62	71.0	0.0
15	79	61	70.0	0.0
16	78	57	67.5	0.0
17	78	58	68.0	0.0
18	79	60	69.5	0.0
19	80	59	69.5	0.0
20	82	61	71.5	0.0
21	82	64	73.0	0.0
22	82	62	72.0	0.0
23	82	60	71.0	0.0
24	80	57	68.5	0.0
25	85	48	66.5	0.0
26	80	62	71.0	0.0
27	77	48	62.5	2.5
28	74	48	61.0	4.0
29	73	51	62.0	3.0
30	65	57	61.0	4.0
31	82	65	73.5	0.0
Monthly Total ----->				<u>20.0</u>

Note. Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
November 1994

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	79	61	70.0	0.0
2	70	40	55.0	10.0
3	75	41	58.0	7.0
4	78	44	61.0	4.0
5	79	44	61.5	3.5
6	81	63	72.0	0
7	79	57	68.0	0.0
8	81	59	70.0	0.0
9	82	60	71.0	0.0
10	81	64	72.5	0.0
11	81	59	70.0	0.0
12	63	52	57.5	7.5
13	73	55	64.0	1.0
14	81	57	69.0	0.0
15	80	61	70.5	0.0
16	82	64	73.0	0.0
17	81	51	66.0	0.0
18	73	54	63.5	1.5
19	76	54	65.0	0.0
20	80	49	64.5	0.5
21	78	56	67.0	0.0
22	78	53	65.5	0.0
23	78	46	62.0	3.0
24	76	39	57.5	7.5
25	55	34	44.5	20.5
26	70	40	55.0	10.0
27	73	47	60.0	5.0
28	77	66	71.5	0.0
29	76	62	69.0	0.0
30	75	53	64.0	1.0
31	0	0	0.0	0.0
Monthly Total →				82.0

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
December 1994

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	62	39	50.5	14.5
2	66	40	53.0	12.0
3	71	48	59.5	5.5
4	73	63	68.0	0.0
5	70	60	65.0	0
6	69	57	63.0	2
7	64	58	61.0	4.0
8	73	55	64.0	1.0
9	74	54	64.0	1.0
10	74	52	63.0	2.0
11	75	37	56.0	9.0
12	54	32	43.0	22.0
13	61	31	46.0	19.0
14	61	38	49.5	15.5
15	62	41	51.5	13.5
16	55	44	49.5	15.5
17	57	45	51.0	14.0
18	68	45	56.5	8.5
19	62	36	49.0	16.0
20	60	35	47.5	17.5
21	55	37	46.0	19.0
22	69	50	59.5	5.5
23	57	46	51.5	13.5
24	48	46	47.0	18.0
25	65	38	51.5	13.5
26	56	34	45.0	20.0
27	65	34	49.5	15.5
28	69	36	52.5	12.5
29	71	39	55.0	10.0
30	68	50	59.0	6.0
31	64	50	57.0	8.0
Monthly Total ----->			334.0	

Note:

Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
 Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
 Both formulas are used by the National Weather Service.



West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
January 1995

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	61	49	55.0	10.0
2	54	36	45.0	20.0
3	56	34	45.0	20.0
4	56	34	45.0	20.0
5	52	32	42.0	23
6	71	39	55.0	10
7	68	38	53.0	12.0
8	60	26	43.0	22.0
9	66	31	48.5	16.5
10	70	40	55.0	10.0
11	69	42	55.5	9.5
12	73	47	60.0	5.0
13	73	56	64.5	0.5
14	70	42	56.0	9.0
15	61	42	51.5	13.5
16	66	36	51.0	14.0
17	66	33	49.5	15.5
18	65	38	51.5	13.5
19	64	40	52.0	13.0
20	57	44	50.5	14.5
21	60	28	44.0	21.0
22	64	33	48.5	16.5
23	61	34	47.5	17.5
24	60	34	47.0	18.0
25	55	28	41.5	23.5
26	67	35	51.0	14.0
27	66	44	55.0	10.0
28	66	40	53.0	12.0
29	60	46	53.0	12.0
30	54	34	44.0	21.0
31	56	24	40.0	25.0
Monthly Total ----->				<u><u>462.0</u></u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
February 1995

Day	Max. Temp.	Min. Temp.	Daily Avg. Temp.	Degree Days
1	58	24	41.0	24.0
2	69	38	53.5	11.5
3	70	55	62.5	2.5
4	68	38	53.0	12.0
5	62	28	45.0	20
6	51	27	39.0	26
7	62	28	45.0	20.0
8	46	28	37.0	28.0
9	47	21	34.0	31.0
10	67	44	55.5	9.5
11	66	48	57.0	8.0
12	59	37	48.0	17.0
13	51	41	46.0	19.0
14	68	37	52.5	12.5
15	69	60	64.5	0.5
16	76	63	69.5	0.0
17	73	63	68.0	0.0
18	68	60	64.0	1.0
19	60	56	58.0	7.0
20	69	54	61.5	3.5
21	73	45	59.0	6.0
22	69	33	51.0	14.0
23	67	39	53.0	12.0
24	75	46	60.5	4.5
25	70	33	51.5	13.5
26	75	38	56.5	8.5
27	71	50	60.5	4.5
28	64	60	62.0	3.0
29	0	0	0.0	0.0
30	0	0	0.0	0.0
31	0	0	0.0	0.0
Monthly Total ----->				<u>319.0</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
 Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
 Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
March 1995

Day	Max. Temp.	Min. Temp.	Daily Avg. Temp.	Degree Days
1	64	50	57.0	8.0
2	68	45.0	56.5	8.5
3	66	46	56.0	9.0
4	76	46	61.0	4.0
5	66	53	59.5	5.5
6	77	57	67.0	0
7	75	63	69.0	0.0
8	70	39	54.5	10.5
9	61	33	47.0	18.0
10	68	33	50.5	14.5
11	70	34	52.0	13.0
12	75	42	58.5	6.5
13	77	50	63.5	1.5
14	74	56	65.0	0.0
15	70	59	64.5	0.5
16	71	56	63.5	1.5
17	73	52	62.5	2.5
18	77	52	64.5	0.5
19	78	50	64.0	1.0
20	74	50	62.0	3.0
21	76	58	67.0	0.0
22	77	56	66.5	0.0
23	76	66	71.0	0.0
24	84	53	68.5	0.0
25	84	53	68.5	0.0
26	77	56	66.5	0.0
27	78	50	67.0	0.0
28	69	55	62.0	3.0
29	60	53	56.5	8.5
30	76	53	64.5	0.5
31	57	50	53.5	11.5
Monthly Total ----->				<u>131.5</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
April 1995

Day	Max. Temp.	Min. Temp.	Daily Avg. Temp.	Degree Days
1	69	71	46.0	19.0
2	69	73	40.0	25.0
3	72	77	41.0	24.0
4	72	69	45.0	20.0
5	73	63	56.0	9
6	73	73	56.0	9
7	75	77	53.0	12.0
8	72	79	49.0	16.0
9	78	79	52.0	13.0
10	76	84	51.0	14.0
11	81	80	62.0	3.0
12	82	73	66.0	0.0
13	72	79	55.0	10.0
14	73	82	46.0	19.0
15	82	80	46.0	19.0
16	81	80	52.0	13.0
17	81	80	59.0	6.0
18	81	81	61.0	4.0
19	84	83	62.0	3.0
20	81	81	63.0	2.0
21	87	78	65.0	0.0
22	81	82	60.0	5.0
23	77	80	67.0	0.0
24	77	73	53.0	12.0
25	80	75	46.0	19.0
26	81	79	44.0	21.0
27	84	72	55.0	10.0
28	84	81	56.0	9.0
29	84	84	53.0	12.0
30	85	82	53.0	12.0
31	0	0	0.0	0.0
Monthly Total ----->				<u>340.0</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Dys
May 1995

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	85	80	54.0	11.0
2	84	76	59.0	6.0
3	83	79	49.0	16.0
4	78	84	53.0	12.0
5	82	86	62.0	3
6	81	87	59.0	6
7	80	87	55.0	10.0
8	79	84	54.0	1.0
9	85	84	70.0	0.0
10	84	76	66.0	0.0
11	86	83	66.0	0.0
12	86	82	67.0	0.0
13	86	84	68.0	0.0
14	89	86	72.0	0.0
15	87	86	73.0	0.0
16	88	91	71.0	0.0
17	86	34	66.0	0.0
18	84	85	70.0	0.0
19	87	84	72.0	0.0
20	82	83	60.0	5.0
21	78	87	56.0	9.0
22	79	88	57.0	8.0
23	82	91	59.0	6.0
24	85	89	66.0	0.0
25	85	89	65.0	0.0
26	83	88	63.0	2.0
27	83	88	66.0	0.0
28	86	88	64.0	1.0
29	86	87	67.0	0.0
30	83	87	67.0	0.0
31	84	86	64.0	1.0
Monthly Total ----->				97.0

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
June 1995

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	89	68	78.5	0.0
2	85	68	76.5	0.0
3	92	65	78.5	0.0
4	84	71	77.5	0.0
5	83	69	76.0	0
6	87	65	76.0	0
7	87	74	80.5	0.0
8	90	75	82.5	0.0
9	91	73	82.0	0.0
10	95	73	84.0	0.0
11	89	68	78.5	0.0
12	85	66	75.5	0.0
13	83	56	69.5	0.0
14	85	53	69.0	0.0
15	86	55	70.5	0.0
16	89	67	78.0	0.0
17	88	67	77.5	0.0
18	87	62	74.5	0.0
19	88	61	74.5	0.0
20	82	65	73.5	0.0
21	84	66	75.0	0.0
22	90	65	77.5	0.0
23	88	68	78.0	0.0
24	88	68	78.0	0.0
25	88	68	78.0	0.0
26	87	73	80.0	0.0
27	87	72	79.5	0.0
28	84	71	77.5	0.0
29	86	68	77.0	0.0
30	92	69	80.5	0.0
31	0	0	0.0	0.0
Monthly Total ----->				0.0

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Divisions
Actual Heating Degree Days
July 1995

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	91	67	79.0	0.0
2	86	68	77.0	0.0
3	86	76	81.0	0.0
4	89	76	82.5	0.0
5	90	71	80.5	0
6	96	68	82.0	0
7	99	73	86.0	0.0
8	97	70	83.5	0.0
9	94	70	82.0	0.0
10	88	69	78.5	0.0
11	91	72	81.5	0.0
12	97	71	84.0	0.0
13	94	71	82.5	0.0
14	94	71	82.5	0.0
15	90	70	80.0	0.0
16	93	71	82.0	0.0
17	94	73	83.5	0.0
18	87	71	79.0	0.0
19	91	71	81.0	0.0
20	91	76	83.5	0.0
21	87	71	79.0	0.0
22	90	70	80.0	0.0
23	91	72	81.5	0.0
24	90	78	84.0	0.0
25	91	77	84.0	0.0
26	90	71	80.5	0.0
27	91	72	81.5	0.0
28	85	71	78.0	0.0
29	91	71	81.0	0.0
30	88	72	80.0	0.0
31	92	72	82.0	0.0
Monthly Total ----->				0.0

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 55 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
August 1975

Day	Max. Temp.	Min. Temp.	Daily Avg. Temp.	Degree Day:
1	94	73	83.5	0.0
2	90	73	81.5	0.0
3	81	75	78.0	0.0
4	82	74	78.0	0.0
5	88	73	80.5	0
6	88	71	79.5	0
7	93	60	81.0	0.0
8	92	72	82.0	0.0
9	91	72	81.5	0.0
10	90	73	81.5	0.0
11	91	71	81.0	0.0
12	91	74	82.5	0.0
13	91	73	82.0	0.0
14	95	73	84.0	0.0
15	100	76	88.0	0.0
16	97	74	85.5	0.0
17	91	3	82.0	0.0
18	91	75	83.0	0.0
19	92	73	82.5	0.0
20	88	73	80.5	0.0
21	92	74	83.0	0.0
22	94	74	84.0	0.0
23	94	71	82.5	0.0
24	91	74	82.5	0.0
25	86	73	79.5	0.0
26	86	74	80.0	0.0
27	91	74	82.5	0.0
28	95	75	85.0	0.0
29	93	71	82.0	0.0
30	94	66	80.0	0.0
31	94	71	82.5	0.0
Monthly Total ----->				0.0

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
September 1995

<u>Day</u>	<u>Max. Temp.</u>	<u>Min. Temp.</u>	<u>Daily Avg. Temp.</u>	<u>Degree Days</u>
1	94	71	82.5	0.0
2	97	70	83.5	0.0
3	93	69	81.0	0.0
4	91	67	79.0	0.0
5	86	67	76.5	0
6	87	65	76.0	0
7	90	67	78.5	0.0
8	87	69	78.0	0.0
9	90	66	78.0	0.0
10	90	67	78.5	0.0
11	92	70	81.0	0.0
12	87	72	79.5	0.0
13	86	71	78.5	0.0
14	86	72	79.0	0.0
15	90	69	79.5	0.0
16	89	71	80.0	0.0
17	89	74	81.5	0.0
18	91	71	81.0	0.0
19	90	70	80.0	0.0
20	90	68	79.0	0.0
21	91	67	79.0	0.0
22	89	68	78.5	0.0
23	84	67	75.5	0.0
24	82	62	72.0	0.0
25	82	61	71.5	0.0
26	85	72	78.5	0.0
27	88	68	78.0	0.0
28	89	67	78.0	0.0
29	89	66	77.5	0.0
30	83	68	75.5	0.0
31	0	0	0.0	0.0
Monthly Total ----->				<u>0.0</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
 Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
 Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
October 1995

Day	Max. Temp.	Min. Temp.	Daily Avg. Temp.	Degree Days
1	83	69	76.0	0.0
2	85	72	78.5	0.0
3	85	74	79.5	0.0
4	83	73	78.0	0.0
5	84	66	75.0	0
6	84	62	73.0	0
7	83	63	73.0	0.0
8	84	58	71.0	0.0
9	88	56	72.0	0.0
10	77	69	73.0	0.0
11	79	70	74.5	0.0
12	83	69	76.0	0.0
13	86	67	76.5	0.0
14	83	62	72.5	0.0
15	76	50	63.0	2.0
16	81	50	65.5	0.0
17	82	52	67.0	0.0
18	83	63	73.0	0.0
19	80	67	73.5	0.0
20	82	55	68.5	0.0
21	72	42	57.0	8.0
22	77	39	58.0	7.0
23	85	39	62.0	3.0
24	85	64	74.5	0.0
25	83	61	72.0	0.0
26	81	53	67.0	0.0
27	82	61	71.5	0.0
28	78	54	66.0	0.0
29	73	50	61.5	3.5
30	71	54	62.5	2.5
31	74	61	67.5	0.0
Monthly Total ----->				<u>26.0</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
November 1995

Day	Max. Temp.	Min. Temp.	Daily Avg. Temp.	Degree Days
1	84	63	73.5	0.0
2	82	66	74.0	0.0
3	72	53	62.5	2.5
4	65	45	55.0	10.0
5	69	42	55.5	9.5
6	74	53	63.5	1.5
7	79	57	68.0	0.0
8	66	41	53.5	11.5
9	66	35	50.5	14.5
10	76	42	59.0	6.0
11	74	36	55.0	10.0
12	59	33	46.0	19.0
13	67	31	49.0	16.0
14	61	40	50.5	14.5
15	60	32	46.0	19.0
16	68	46	57.0	8.0
17	74	50	62.0	3.0
18	68	49	58.5	6.5
19	76	45	60.5	4.5
20	64	55	59.5	5.5
21	71	46	58.5	6.5
22	66	34	50.0	15.0
23	70	32	51.0	14.0
24	61	45	53.0	12.0
25	59	35	47.0	18.0
26	65	33	49.0	16.0
27	73	46	59.5	5.5
28	77	59	68.0	0.0
29	71	45	58.0	7.0
30	65	37	51.0	14.0
31	0	0	0.0	0.0
Monthly Total ----->			0.0	<u>269.5</u>

Note: Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
 Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
 Both formulas are used by the National Weather Service.

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
December 1995

Day	Max. Temp.	Min. Temp.	Daily Avg. Temp.	Degree Days
1	69	35	52.0	13.0
2	71	38	54.5	10.5
3	71	40	55.5	9.5
4	74	48	61.0	4.0
5	75	56	65.5	0
6	75	63	69.0	0
7	71	51	61.0	4.0
8	60	50	55.0	10.0
9	62	38	50.0	15.0
10	46	28	37.0	28.0
11	56	26	41.0	24.0
12	67	28	47.5	17.5
13	72	42	57.0	8.0
14	75	46	60.5	4.5
15	77	58	67.5	0.0
16	79	56	67.5	0.0
17	74	51	62.5	2.5
18	75	64	69.5	0.0
19	70	46	58.0	7.0
20	47	31	39.0	26.0
21	52	29	40.5	24.5
22	42	34	38.0	27.0
23	47	30	38.5	26.5
24	47	29	38.0	27.0
25	49	24	36.5	28.5
26	52	30	41.0	24.0
27	55	33	44.0	21.0
28	50	31	40.5	24.5
29	58	29	43.5	21.5
30	54	29	41.5	23.5
31	69	49	59.0	6.0
Monthly Total ----->				437.5

Note:

Daily avg. temperature = the max. temp. plus min. temp. divided by 2.
 Heating degree days are arrived at by subtracting the daily avg. temperature from the base temperature of 65 degrees.
 Both formulas are used by the National Weather Service.

SECTION 2

Station: (086841) PANAMA_CITY_2,FL

Year: 1966

Element: Maximum Temperature (F)

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	74	61	66	75	87	83	87	92	91	85	78	62
2	74	62	71	78	85	85	92	93	91	75	69	67
3	68	48	73	76	82	87	91	91	92	81	49	69
4	70	53	68	77	84	86	91	85	92	85	61	60
5	71	52	55	68	80	87	90	81	93	88	70	62
6	66	57	53	72	75	88	90	80	89	81	76	71
7	61	62	56	75	72	91	91	87	92	80	78	73
8	57	71	58	77	84	91	96	79	90	84	78	74
9	59	70	62	71	88	83	95	80	89	83	79	74
10	69	69	69	71	80	91	95	88	80	82	78	68
11	66	62	73	73	80	84	94	87	89	78	77	58
12	65	67	75	77	85	88	93	89	91	80	79	47
13	65	67	66	76	81	88	92	91	88	77	74	51
14	61	66	71	81	85	85	92	91	88	86	68	51
15	65	69	70	75	85	86	90	92	90	84	69	60
16	53	70	70	77	83	84	92	90	85	84	76	64
17	57	60	72	80	88	87	93	89	87	84	76	61
18	56	54	72	81	85	88	95	89	80	85	77	64
19	46	63	74	71	87	82	93	90	83	79	76	63
20	44	69	74	80	81	85	90	93	85	67	75	64
21	47	72	76	85	85	76	88	93	79	73	70	66
22	48	70	75	81	85	88	92	94	79	83	64	66
23	45	58	75	80	90	87	90	95	83	81	70	67
24	41	57	68	82	81	90	92	88	86	78	71	67
25	43	59	66	80	78	91	90	90	86	73	71	48
26	45	61	63	79	85	93	91	88	87	75	70	61
27	51	70	73	80	85	93	93	91	87	72	73	66
28	57	66	70	85	86	92	92	92	80	74	55	70
29	57		70	84	91	92	93	90	84	77	56	65
30	35		71	83	86	90	92	92	86	79	63	52
31	46		76		85		93	90		77		56

Avg 56.8 63.0 68.7 77.7 83.7 87.4 91.9 89.0 86.7 79.7 70.9 62.8

Data values are for 24 hours ending at 18:00

✓

Station: (086841) PANAMA_CITY_2,FL
 Year: 1966
 Element: Minimum Temperature (F)

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	57	38	49	61	64	59	72	69	73	66	58	34
2	62	36	45	53	68	59	70	70	72	53	42	36
3	61	30	61	50	65	60	77	74	73	52	33	44
4	57	31	53	60	61	65	74	74	74	66	31	45
5	58	30	43	47	64	64	78	73	78	69	42	40
6	49	25	39	42	65	66	75	72	74	61	49	49
7	42	36	33	61	64	68	75	71	72	66	58	60
8	40	36	38	59	66	70	73	72	72	66	56	61
9	28	55	35	50	66	70	72	72	70	73	65	64
10	43	60	42	48	57	72	73	73	70	72	68	58
11	44	58	48	43	58	66	72	76	70	61	68	44
12	42	58	51	57	70	69	72	74	71	50	67	42
13	52	54	60	62	67	70	76	73	72	62	65	43
14	58	45	60	65	69	70	77	74	69	67	52	36
15	48	56	52	58	65	71	71	75	74	70	44	30
16	39	57	58	54	65	72	76	73	67	71	51	37
17	38	53	53	52	73	75	76	73	70	69	55	42
18	39	45	51	55	69	74	73	74	71	71	53	49
19	36	42	56	64	75	70	74	74	72	56	52	47
20	37	39	59	62	71	69	75	74	70	48	57	45
21	42	42	56	62	74	68	72	75	64	50	55	43
22	43	47	56	64	71	68	71	77	61	64	49	55
23	35	45	57	62	65	69	72	78	58	65	45	45
24	27	42	48	60	63	67	71	69	64	66	43	34
25	37	44	39	66	66	68	75	69	66	62	38	29
26	40	38	50	62	67	69	75	69	69	59	45	39
27	29	47	42	70	65	69	74	70	75	53	52	46
28	27	59	48	69	71	71	73	72	71	48	45	57
29	35		51	64	70	73	76	72	72	50	40	43
30	11		47	65	69	70	79	72	72	51	41	39
31	18		59		68		74	73		52		46
Avg	41.1	44.6	49.6	58.2	66.8	68.4	73.8	72.8	70.2	60.9	50.6	44.6

Data values are for 24 hours ending at 18:00

Station: (086841) PANAMA CITY_2, FL
 Year: 1965
 Element: Maximum Temperature (F)

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	72	64	68	75	80	89	92	81	91	84	81	55
2	74	62	73	75	82	88	90	90	85	89	76	61
3	68	47	78	80	77	88	38	90	89	84	78	67
4	64	58	62	80	84	89	91	87	89	81	80	69
5	60	56	57	80	82	88	90	88	91	73	78	63
6	70	66	56	79	82	84	91	87	89	74	77	72
7	68	73	63	82	86	89	89	90	89	76	80	65
8	73	74	54	81	88	78	88	88	-99m	80	77	60
9	74	73	65	81	84	85	87	86	90	82	78	66
10	70	75	71	81	86	78	84	86	89	83	76	68
11	55	75	64	82	84	85	88	87	89	83	77	69
12	61	72	74	85	88	88	89	85	90	84	69	73
13	62	58	66	89	86	87	83	91	92	83	70	68
14	57	48	64	85	85	81	83	92	93	83	72	65
15	55	61	76	82	84	82	87	93	91	-99m	69	61
16	53	49	77	80	85	86	88	91	91	85	74	63
17	39	55	75	75	85	82	91	87	89	84	77	61
18	53	70	72	78	86	82	92	85	87	74	60	56
19	56	70	68	81	89	85	95	87	89	77	69	49
20	66	66	57	76	84	87	93	89	91	80	71	55
21	68	67	56	86	87	87	88	90	90	80	78	62
22	74	60	69	82	87	89	90	91	90	75	73	63
23	67	55	69	82	84	88	90	92	90	69	66	69
24	64	66	75	85	88	90	90	93	89	69	70	71
25	64	66	75	81	86	83	89	93	84	67	73	66
26	71	58	74	83	88	81	86	94	88	71	-99m	52
27	64	67	72	77	86	89	84	93	81	74	79	60
28	57	68	80	75	88	89	89	90	72	77	66	67
29	69		70	71	86	88	90	92	78	75	60	72
30	72		82	75	90	92	82	91	85	72	56	73
31	47		74		92		87	88		78		74
Avg	63.5	63.5	68.9	80.1	85.5	85.9	88.5	89.3	88.0	78.2	72.8	64.4

Data values are for 24 hours ending at 18:00

✓

Station: (086841) PANAMA_CITY_2,FL
 Year: 1965
 Element: Minimum Temperature (F)

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	52	34	57	55	54	66	71	74	73	73	54	31
2	52	41	60	51	55	68	75	72	72	72	52	39
3	56	32	59	59	57	73	75	72	72	69	54	39
4	42	40	47	61	55	70	78	73	72	61	56	56
5	44	41	41	60	58	69	72	72	70	67	63	36
6	47	53	38	59	61	70	76	71	70	66	64	43
7	48	58	34	67	63	70	77	73	63	67	58	36
8	47	58	37	67	63	70	74	73	-99m	62	55	33
9	57	60	37	70	63	67	72	72	75	73	56	34
10	44	60	55	69	61	70	73	72	80	71	60	35
11	42	58	52	67	66	72	72	71	79	64	57	<u>38</u>
12	39	58	57	72	70	74	73	72	73	59	60	56
13	43	43	51	71	68	78	72	72	73	66	59	57
14	49	42	49	56	61	72	72	73	74	65	56	50
15	42	32	47	61	62	72	76	77	77	-99m	53	54
16	31	43	48	68	62	74	74	77	77	63	52	57
17	22	48	63	49	61	70	75	74	71	62	52	56
18	25	49	59	53	66	70	70	75	71	57	39	45
19	27	48	51	64	63	65	73	73	71	63	41	45
20	38	43	40	58	65	66	76	72	73	66	53	38
21	42	46	35	62	69	68	74	79	72	67	63	42
22	47	39	35	64	67	64	71	76	71	57	60	39
23	61	44	61	64	69	68	70	73	72	53	47	40
24	52	54	64	65	70	77	72	73	70	56	48	50
25	41	33	63	70	69	71	74	74	65	41	50	45
26	59	27	62	68	71	73	73	75	65	42	-99m	34
27	41	37	60	65	73	71	74	75	71	40	61	33
28	30	47	61	59	76	71	75	73	67	46	48	47
29	41		64	54	75	69	73	70	69	50	46	52
30	42		58	50	68	71	73	73	73	53	34	53
31	27		61		58		73	73		56		56
Avg	42.9	45.3	51.8	61.9	64.5	70.3	73.5	73.4	71.8	60.2	53.5	44.2

Data values are for 24 hours ending at 18:00

Station: (086841) PANAMA_CITY_2,FL

Year: 1967

Element: Maximum Temperature (F)

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	69	70	64	80	82	88	91	89	88	82	58	73
2	62	70	68	77	82	81	91	90	85	83	66	73
3	64	65	73	84	85	88	88	91	83	82	67	70
4	55	54	72	85	82	87	91	89	79	84	61	62
5	60	63	74	77	84	85	91	90	80	84	58	67
6	64	69	74	78	83	85	90	92	77	85	57	72
7	70	67	65	80	82	85	88	91	77	85	58	68
8	65	51	68	89	84	88	90	93	81	83	64	67
9	55	49	77	79	83	88	88	86	84	79	67	73
10	48	57	76	78	84	87	86	87	87	75	70	70
11	52	69	77	84	85	89	91	82	89	75	74	70
12	56	60	74	84	87	91	91	87	82	73	76	63
13	66	62	76	83	89	93	90	79	85	82	76	73
14	65	63	79	82	87	90	82	86	84	83	73	76
15	63	71	75	83	88	86	84	88	83	80	66	74
16	53	70	70	86	81	88	87	84	86	81	65	70
17	59	74	71	85	85	88	82	89	86	75	70	75
18	64	70	62	85	87	90	-99m	90	89	70	71	76
19	68	68	68	85	85	91	89	89	87	69	65	75
20	64	70	73	85	87	91	86	85	88	71	66	72
21	63	65	74	81	85	88	89	81	86	78	69	77
22	73	62	76	86	82	88	90	84	88	80	75	73
23	73	56	77	86	75	89	89	85	82	81	74	49
24	74	58	79	85	79	90	90	88	-99m	80	77	50
25	72	44	77	83	85	85	90	88	86	76	75	59
26	74	53	77	86	87	85	85	90	84	70	78	62
27	67	64	68	79	89	89	92	89	87	74	76	61
28	58	68	76	74	96	89	90	89	75	71	63	65
29	60		80	78	86	90	90	83	68	76	69	50
30	65		82	80	85	89	85	89	73	76	77	57
31	69		80		86		90	88		73		63

Avg 63.5 62.9 73.6 82.2 84.7 88.0 88.5 87.5 83.1 77.9 68.7 67.3

Data values are for 24 hours ending at 18:00

✓

Station: (086841) PANAMA_CITY_2,FL
 Year: 1967
 Element: Minimum Temperature (F)

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	56	48	41	57	65	75	77	73	71	50	51	55
2	54	55	44	53	67	68	73	71	69	56	52	57
3	54	47	49	56	65	66	72	71	68	60	48	44
4	43	44	59	60	68	68	73	72	68	59	51	36
5	38	37	59	58	69	69	70	74	68	60	39	40
6	35	55	65	57	67	67	73	75	69	63	38	53
7	52	38	42	65	73	68	71	77	67	66	34	56
8	55	30	44	67	59	68	75	78	69	68	33	59
9	48	40	48	64	67	69	72	73	72	68	36	55
10	44	31	59	61	57	69	71	73	72	57	40	55
11	37	51	65	69	71	69	76	73	70	57	48	55
12	31	47	65	64	74	69	74	69	68	56	51	50
13	39	39	63	67	72	71	77	68	68	52	52	49
14	49	31	60	67	71	70	70	66	67	55	56	60
15	47	43	65	70	75	68	63	67	62	57	50	67
16	35	59	46	72	58	69	-99m	71	64	64	40	59
17	32	62	41	71	56	70	71	71	61	64	48	55
18	35	61	42	73	58	70	-99m	72	63	55	52	69
19	43	47	38	66	65	77	69	73	68	49	40	68
20	43	57	48	58	63	77	70	72	69	47	36	65
21	46	37	62	61	65	76	69	71	69	47	41	60
22	54	35	52	72	67	77	70	74	74	50	58	49
23	52	47	45	72	59	78	72	74	62	60	65	30
24	52	39	46	73	58	78	73	73	-99m	63	64	29
25	53	30	50	62	57	72	75	73	60	58	63	34
26	57	25	57	69	64	73	75	72	64	45	63	39
27	41	34	62	66	69	73	77	72	69	47	56	41
28	36	50	56	52	71	76	78	72	63	53	47	47
29	32		59	49	71	73	79	72	48	50	44	38
30	37		58	54	73	76	70	70	45	62	56	32
31	45		60		71		78	72		57		43
Avg	44.4	43.5	53.2	63.5	66.0	71.6	72.9	72.2	65.8	56.6	48.4	50.0

Data values are for 24 hours ending at 18:00

✓

Station: (086841) PANAMA_CITY_2,FL
 Year: 1968
 Element: Maximum Temperature (F)

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	63	70	-99m	81	85	-99m	95	90	87	87	78	73
2	71	66	-99m	76	86	-99m	91	91	89	86	79	68
3	72	59	-99m	80	85	-99m	90	89	90	86	77	66
4	72	63	-99m	78	80	-99m	86	93	92	82	74	66
5	56	63	-99m	76	81	-99m	85	81	92	83	69	62
6	71	62	-99m	78	78	-99m	86	91	92	74	72	67
7	66	61	-99m	77	85	-99m	90	93	93	83	71	66
8	57	52	-99m	79	83	-99m	84	96	91	85	64	51
9	67	51	-99m	80	81	90	82	94	91	82	55	52
10	66	60	-99m	78	83	89	83	95	91	83	56	55
11	57	64	-99m	79	82	91	88	92	87	87	55	57
12	49	53	-99m	77	84	90	90	89	84	85	52	63
13	50	57	-99m	77	84	93	90	92	88	86	56	71
14	42	56	-99m	77	85	93	93	87	87	86	64	61
15	53	56	-99m	79	87	91	93	92	88	85	73	41
16	52	51	-99m	76	85	91	89	92	77	87	76	50
17	59	57	-99m	79	86	91	91	94	80	83	75	57
18	68	50	-99m	80	87	92	85	90	86	84	70	66
19	71	59	-99m	79	85	92	91	91	89	80	59	68
20	68	-99m	-99m	80	82	92	92	93	90	79	55	60
21	71	-99m	73	85	82	92	92	95	88	79	59	70
22	70	-99m	74	82	86	91	88	96	87	81	65	72
23	67	-99m	53	83	86	92	90	96	88	82	69	65
24	60	-99m	56	78	86	92	92	96	88	78	70	52
25	50	-99m	66	76	83	92	91	95	88	67	65	54
26	58	-99m	72	77	84	93	94	91	91	67	68	62
27	64	-99m	75	77	85	90	96	90	87	71	74	69
28	70	-99m	76	82	83	90	95	84	88	71	72	66
29	71	-99m	74	80	83	92	96	86	83	73	64	58
30	72		73	81	-99m	94	93	88	87	72	71	68
31	67		74		-99m		94	87		76		63
Avg	62.9	58.4	69.6	78.9	83.9	91.5	90.2	91.3	88.0	80.3	66.9	61.9

Data values are for 24 hours ending at 18:00

Station: (086841) PANAMA_CITY_2,FL

Year: 1968

Element: Minimum Temperature (F)

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	51	49	-99m	65	55	-99m	76	76	66	64	48	60
2	52	47	-99m	60	62	-99m	72	71	65	65	53	60
3	64	39	-99m	61	62	-99m	71	73	70	65	56	56
4	56	36	-99m	67	62	-99m	71	74	70	70	63	42
5	37	44	-99m	65	61	-99m	72	70	74	57	55	39
6	38	47	-99m	58	53	-99m	72	73	75	69	57	43
7	46	35	-99m	55	55	-99m	72	74	73	70	56	45
8	34	30	-99m	61	63	-99m	72	77	72	70	47	36
9	46	31	-99m	63	60	76	72	73	75	69	45	30
10	56	41	-99m	61	60	77	72	77	76	66	42	33
11	47	43	-99m	54	68	77	71	79	70	68	41	31
12	37	28	-99m	54	72	74	77	71	68	69	41	35
13	39	33	-99m	54	69	68	75	75	67	67	30	51
14	27	33	-99m	58	71	68	72	73	70	65	33	41
15	32	43	-99m	63	73	74	73	74	69	65	45	26
16	30	34	-99m	51	73	71	73	74	71	70	64	27
17	31	36	-99m	54	73	73	73	78	72	69	65	30
18	34	38	-99m	60	73	71	71	79	72	72	58	34
19	45	35	-99m	63	72	70	73	76	75	66	42	57
20	43	-99m	-99m	64	63	72	72	75	73	57	33	50
21	41	-99m	60	70	58	72	73	78	68	56	33	45
22	44	-99m	40	67	58	72	72	74	66	60	36	63
23	50	-99m	37	69	57	72	72	74	64	64	41	41
24	39	-99m	32	56	67	73	73	74	68	59	46	33
25	33	-99m	35	46	70	77	73	72	67	53	48	32
26	31	-99m	40	54	70	76	75	71	69	43	40	32
27	32	-99m	50	66	69	80	79	71	67	43	56	45
28	39	-99m	53	68	63	66	79	69	65	54	60	50
29	48	-99m	53	70	59	68	75	65	67	42	52	41
30	47		55	61	-99m	73	76	70	68	43	51	39
31	53		51		-99m		77	68		46		50
Avg	42.0	38.0	46.0	60.6	64.5	72.7	73.4	73.5	69.7	61.2	47.9	41.8

Data values are for 24 hours ending at 18:00

SECTION 3

West Florida Natural Gas Company
Panama City Division
Actual Heating Degree Days
1965-1968

	1965			1966			1967			1968		
	Max	Min	DD	Max	Min	DD	Max	Min	DD	Max	Min	DD
1-Jan	72	52	3	74	57	0	69	56	3	63	51	8
2-Jan	74	52	2	74	62	0	62	54	7	71	52	4
3-Jan	68	56	3	68	61	1	64	54	6	72	64	0
4-Jan	64	42	12	70	57	2	55	43	16	72	56	1
5-Jan	60	44	13	71	58	1	60	38	16	56	37	19
6-Jan	70	47	7	66	49	8	64	35	16	71	38	11
7-Jan	68	48	7	61	42	14	70	52	4	66	46	9
8-Jan	73	47	5	57	40	17	65	55	5	57	34	20
9-Jan	74	57	-1	59	28	22	55	48	14	67	48	9
10-Jan	70	44	8	69	43	9	48	44	19	66	56	4
11-Jan	55	42	17	66	44	10	52	37	21	57	47	13
12-Jan	61	39	15	65	42	12	56	31	22	49	37	22
13-Jan	62	43	13	65	52	7	66	39	13	50	39	21
14-Jan	57	49	12	61	58	6	65	49	8	42	27	31
15-Jan	55	42	17	65	48	9	63	47	10	53	32	23
16-Jan	53	31	23	53	39	19	53	35	21	52	30	24
17-Jan	39	22	35	57	38	18	59	32	20	59	31	20
18-Jan	53	25	26	56	39	18	64	35	16	68	34	14
19-Jan	56	27	24	46	36	24	68	43	10	71	45	7
20-Jan	66	38	13	44	37	25	64	43	12	68	43	10
21-Jan	68	42	10	47	42	21	63	46	11	71	41	9
22-Jan	74	47	5	48	43	20	73	54	2	70	44	8
23-Jan	67	61	1	45	35	25	73	52	3	67	50	7
24-Jan	64	52	7	41	27	31	74	52	2	60	39	16
25-Jan	64	41	13	43	37	25	72	53	3	50	33	24
26-Jan	71	59	0	45	40	23	74	57	0	58	31	21
27-Jan	64	41	13	51	29	25	67	41	11	64	32	17
28-Jan	57	30	22	57	27	23	58	36	18	70	39	11
29-Jan	69	41	10	57	35	19	60	32	19	71	48	6
30-Jan	72	42	8	35	11	42	65	37	14	72	47	6
31-Jan	47	27	28	46	18	33	69	45	8	67	53	5
1-Feb	64	34	16	61	38	16	70	48	6	70	49	6
2-Feb	62	41	14	62	36	16	70	55	3	66	47	9
3-Feb	47	32	26	48	30	26	65	47	9	59	39	16
4-Feb	58	40	16	53	31	23	54	44	16	63	36	16
5-Feb	56	41	17	52	30	24	63	37	15	63	44	12
6-Feb	66	53	6	57	25	24	69	55	3	62	47	11
7-Feb	73	58	0	62	36	16	67	38	13	61	35	17
8-Feb	74	58	0	71	36	12	51	30	25	52	30	24
9-Feb	73	60	0	70	55	3	49	40	21	51	31	24
10-Feb	75	60	0	69	60	1	57	31	21	60	41	15
11-Feb	75	58	0	62	58	5	69	51	5	64	43	12
12-Feb	72	58	0	67	58	3	60	47	12	53	28	25
13-Feb	58	43	15	67	54		62	39	15	57	33	20

14-Feb	48	42	20	66	45	10	63	31	18	56	33	21
15-Feb	61	32	19	69	56	3	71	43	8	56	43	16
16-Feb	49	43	19	70	57	2	70	59	1	51	34	23
17-Feb	55	48	14	60	53	9	74	62	0	57	36	19
18-Feb	70	49	6	54	45	16	70	61	0	50	38	21
19-Feb	70	48	6	63	42	13	68	47	8	59	35	18
20-Feb	66	43	11	69	39	11	70	57	2	(99)m	(99)m	0
21-Feb	67	46	9	72	42	8	65	37	14	(99)m	(99)m	0
22-Feb	60	39	16	70	47	7	62	35	17	(99)m	(99)m	0
23-Feb	55	44	16	58	45	14	56	47	14	(99)m	(99)m	0
24-Feb	66	54	5	57	42	16	58	39	17	(99)m	(99)m	0
25-Feb	66	33	16	59	44	14	44	30	28	(99)m	(99)m	0
26-Feb	58	27	23	61	38	16	53	25	26	(99)m	(99)m	0
27-Feb	67	37	13	70	47	7	64	34	16	(99)m	(99)m	0
28-Feb	68	47	8	66	59	3	68	50	6	(99)m	(99)m	0
29-Feb	0	0	0	0	0	65	0	0	0	(99)m	(99)m	0
1-Mar	68	57	3	66	49	8	64	41	13	(99)m	(99)m	0
2-Mar	73	60	0	71	45	7	73	44	7	(99)m	(99)m	0
3-Mar	78	59	0	73	61	0	72	49	5	(99)m	(99)m	0
4-Mar	62	4	11	68	53	5	74	59	0	(99)m	(99)m	0
5-Mar	57	41	16	55	43	16	74	59	0	(99)m	(99)m	0
6-Mar	58	38	18	53	39	19	65	65	0	(99)m	(99)m	0
7-Mar	63	34	17	56	33	21	68	42	10	(99)m	(99)m	0
8-Mar	54	37	20	58	38	17	77	44	5	(99)m	(99)m	0
9-Mar	65	37	14	62	35	17	76	48	3	(99)m	(99)m	0
10-Mar	71	55	2	69	42	10	77	59	0	(99)m	(99)m	0
11-Mar	64	52	7	73	48	5	74	65	0	(99)m	(99)m	0
12-Mar	74	57	0	75	51	2	78	65	0	(99)m	(99)m	0
13-Mar	66	51	7	66	60	2	79	63	0	(99)m	(99)m	0
14-Mar	64	49	9	71	60	0	75	60	0	(99)m	(99)m	0
15-Mar	76	47	4	70	52	4	70	65	0	(99)m	(99)m	0
16-Mar	77	48	3	70	58	1	71	46	7	(99)m	(99)m	0
17-Mar	75	63	0	72	53	3	62	41	14	(99)m	(99)m	0
18-Mar	72	59	0	72	51	4	68	42	10	(99)m	(99)m	0
19-Mar	68	51	6	74	56	0	73	38	10	(99)m	(99)m	0
20-Mar	57	40	17	74	59	0	74	48	4	(99)m	(99)m	0
21-Mar	56	35	20	76	56	0	76	62	0	73	60	0
22-Mar	69	35	13	75	56	0	77	52	1	74	40	8
23-Mar	69	61	0	75	57	0	79	45	3	53	37	20
24-Mar	75	64	0	68	48	7	77	46	4	56	32	21
25-Mar	75	63	0	66	39	13	77	50	2	66	35	15
26-Mar	74	62	0	63	50	9	68	57	3	72	40	9
27-Mar	72	60	0	73	42	8	76	62	0	75	50	3
28-Mar	80	61	0	70	48	6	80	56	0	78	53	1
29-Mar	70	64	0	70	51	5	82	59	0	74	53	2
30-Mar	82	58	0	71	47	6	80	58	0	73	55	1
31-Mar	74	61	0	76	59	0	80	60	0	74	51	3
1-Apr	75	55	0	75	61	0	80	57	0	81	65	0
2-Apr	75	51	2	78	53	0	77	53	0	76	60	0
3-Apr	80	59	0	76	50	2	84	56	0	80	61	0
4-Apr	80	61	0	77	60	0	85	60	0	78	67	0
5-Apr	80	60	0	68	47	0	77	58	0	76	65	0

6-Apr	79	59	0	72	42	8	78	57	0	78	58	0
7-Apr	82	67	0	75	61	0	80	65	0	77	56	0
8-Apr	81	67	0	77	59	0	89	67	0	79	61	0
9-Apr	81	70	0	71	50	5	79	64	0	80	63	0
10-Apr	81	69	0	71	48	6	78	61	0	78	61	0
11-Apr	82	67	0	73	43	7	84	69	0	79	54	0
12-Apr	85	72	0	77	57	0	84	64	0	77	54	0
13-Apr	89	71	0	76	62	0	83	67	0	77	58	0
14-Apr	85	58	0	81	65	0	82	67	0	79	63	0
15-Apr	82	61	0	75	56	0	83	70	0	79	51	2
16-Apr	80	68	0	77	54	0	86	72	0	78	51	0
17-Apr	75	49	3	80	52	0	85	71	0	79	54	0
18-Apr	78	53	0	81	55	0	85	73	0	80	60	0
19-Apr	81	64	0	71	64	0	85	66	0	79	63	0
20-Apr	76	58	0	80	62	0	85	58	0	80	64	0
21-Apr	86	62	0	85	62	0	81	61	0	85	70	0
22-Apr	82	64	0	81	64	0	86	72	0	82	67	0
23-Apr	82	64	0	80	62	0	86	72	0	83	69	0
24-Apr	85	65	0	82	60	0	85	73	0	78	56	0
25-Apr	81	70	0	80	66	0	83	62	0	78	46	4
26-Apr	83	68	0	80	66	0	86	69	0	77	54	0
27-Apr	77	65	0	79	62	0	79	66	0	77	66	0
28-Apr	75	59	0	80	70	0	74	52	2	82	68	0
29-Apr	71	54	3	85	69	0	78	49	2	80	70	0
30-Apr	75	50	3	84	64	0	80	54	0	81	61	0
1-May	80	54	0	83	65	0	82	65	0	85	55	0
2-May	82	55	0	87	64	0	82	67	0	86	62	0
3-May	77	57	0	85	68	0	85	65	0	85	62	0
4-May	84	55	0	82	65	0	82	68	0	80	62	0
5-May	82	58	0	84	61	0	84	60	0	81	61	0
6-May	82	61	0	80	64	0	83	67	0	78	53	0
7-May	86	63	0	75	65	0	82	73	0	85	55	0
8-May	88	63	0	72	64	0	84	59	0	83	63	0
9-May	84	63	0	84	66	0	83	67	0	81	60	0
10-May	86	61	0	88	66	0	84	57	0	83	60	0
11-May	84	66	0	80	57	0	85	71	0	82	68	0
12-May	88	70	0	80	58	0	87	74	0	84	72	0
13-May	88	70	0	85	70	0	89	72	0	84	69	0
14-May	86	68	0	81	67	0	87	71	0	85	71	0
15-May	85	61	0	85	68	0	87	71	0	87	73	0
16-May	84	62	0	85	65	0	88	75	0	87	73	0
17-May	85	62	0	83	65	0	81	58	0	85	73	0
18-May	85	61	0	88	73	0	85	58	0	86	73	0
19-May	86	66	0	85	69	0	87	58	0	87	73	0
20-May	89	63	0	87	75	0	85	65	0	85	72	0
21-May	84	65	0	81	71	0	87	63	0	82	63	0
22-May	87	69	0	85	74	0	85	65	0	82	58	0
23-May	87	67	0	85	71	0	82	67	0	86	58	0
24-May	84	69	0	90	65	0	75	59	0	86	57	0
25-May	88	70	0	81	63	0	79	58	0	86	67	0
26-May	86	69	0	81	63	0	85	57	0	83	70	0
27-May	88	71	0	78	66	0	87	64	0	84	70	0
27-May	86	73	0	85	67	0	89	69	0	85	69	0

28-May	88	76	0	86	71	0	96	71	0	83	63	0
29-May	86	75	0	91	70	0	86	71	0	83	59	0
30-May	90	68	0	86	69	0	85	73	0	(99)m	(99)m	0
31-May	92	58	0	85	68	0	86	71	0	(99)m	(99)m	0
1-Jun	89	66	0	83	59	0	88	75	0	(99)m	(99)m	0
2-Jun	88	68	0	85	59	0	81	68	0	(99)m	(99)m	0
3-Jun	88	73	0	87	60	0	88	66	0	(99)m	(99)m	0
4-Jun	89	70	0	86	65	0	87	68	0	(99)m	(99)m	0
5-Jun	88	69	0	87	64	0	85	69	0	(99)m	(99)m	0
6-Jun	84	70	0	88	66	0	85	67	0	(99)m	(99)m	0
7-Jun	89	70	0	91	68	0	85	68	0	(99)m	(99)m	0
8-Jun	78	70	0	91	70	0	88	68	0	(99)m	(99)m	0
9-Jun	85	67	0	83	70	0	88	69	0	90	76	0
10-Jun	78	70	0	91	72	0	87	69	0	89	77	0
11-Jun	85	72	0	84	66	0	89	69	0	91	77	0
12-Jun	88	74	0	88	69	0	91	69	0	90	74	0
13-Jun	87	78	0	88	70	0	93	71	0	93	68	0
14-Jun	81	72	0	85	70	0	90	70	0	93	68	0
15-Jun	82	72	0	86	71	0	86	68	0	91	74	0
16-Jun	86	74	0	84	72	0	88	69	0	91	71	0
17-Jun	82	70	0	87	75	0	88	70	0	91	73	0
18-Jun	82	70	0	88	74	0	90	70	0	92	71	0
19-Jun	85	65	0	82	70	0	91	77	0	92	70	0
20-Jun	87	66	0	85	69	0	91	77	0	92	72	0
21-Jun	87	68	0	76	68	0	88	76	0	92	72	0
22-Jun	89	64	0	88	68	0	88	77	0	91	72	0
23-Jun	88	68	0	87	69	0	89	78	0	92	72	0
24-Jun	90	77	0	90	67	0	90	78	0	92	73	0
25-Jun	83	71	0	91	68	0	85	72	0	92	77	0
26-Jun	81	73	0	93	69	0	85	73	0	93	76	0
27-Jun	89	71	0	93	69	0	89	73	0	90	80	0
28-Jun	89	71	0	92	71	0	89	76	0	90	66	0
29-Jun	88	69	0	92	73	0	90	73	0	92	68	0
30-Jun	92	71	0	90	70	0	89	76	0	94	73	0
1-Jul	92	71	0	87	72	0	91	77	0	95	76	0
2-Jul	90	75	0	92	70	0	91	73	0	91	72	0
3-Jul	88	75	0	91	77	0	88	72	0	90	71	0
4-Jul	91	78	0	91	74	0	91	73	0	86	71	0
5-Jul	90	72	0	90	78	0	91	70	0	85	72	0
6-Jul	91	76	0	90	75	0	90	73	0	86	72	0
7-Jul	89	77	0	91	75	0	88	71	0	90	72	0
8-Jul	88	74	0	96	73	0	90	75	0	84	72	0
9-Jul	87	72	0	95	72	0	88	72	0	82	72	0
10-Jul	84	73	0	95	73	0	86	71	0	83	72	0
11-Jul	88	72	0	94	72	0	91	76	0	88	71	0
12-Jul	89	73	0	93	72	0	91	74	0	90	77	0
13-Jul	83	72	0	92	76	0	90	77	0	90	75	0
14-Jul	83	72	0	92	73	0	82	70	0	93	72	0
15-Jul	87	76	0	90	71	0	84	63	0	93	73	0
16-Jul	88	74	0	92	76	0	87	(99)m	0	89	73	0
17-Jul	91	75	0	93	76	0	82	71	0	91	73	0
18-Jul	92	70	0	95	73	0	(99)m	(99)m	0	85	71	0

19-Jul	95	73	0
20-Jul	93	76	0
21-Jul	88	74	0
22-Jul	90	71	0
23-Jul	990	70	0
24-Jul	90	72	0
25-Jul	89	74	0
26-Jul	86	73	0
27-Jul	84	74	0
28-Jul	89	75	0
29-Jul	90	73	0
30-Jul	82	73	0
31-Jul	87	73	0
1-Aug	81	74	0
2-Aug	90	72	0
3-Aug	90	72	0
4-Aug	87	73	0
5-Aug	88	72	0
6-Aug	87	71	0
7-Aug	90	73	0
8-Aug	88	73	0
9-Aug	86	72	0
10-Aug	86	71	0
11-Aug	87	72	0
12-Aug	85	72	0
13-Aug	91	72	0
14-Aug	92	73	0
15-Aug	93	77	0
16-Aug	91	77	0
17-Aug	87	74	0
18-Aug	85	75	0
19-Aug	87	73	0
20-Aug	89	72	0
21-Aug	90	79	0
22-Aug	91	76	0
23-Aug	92	73	0
24-Aug	93	73	0
25-Aug	93	74	0
26-Aug	94	75	0
27-Aug	93	75	0
28-Aug	90	73	0
29-Aug	92	70	0
30-Aug	91	73	0
31-Aug	88	73	0
1-Sep	91	73	0
2-Sep	85	72	0
3-Sep	89	72	0
4-Sep	89	72	0
5-Sep	91	70	0
6-Sep	89	63	0
7-Sep	89	(99)m	0
8-Sep	(99)m	75	0

93	74	0
90	75	0
88	72	0
92	71	0
90	72	0
92	71	0
90	75	0
91	75	0
93	74	0
92	73	0
93	76	0
92	79	0
93	74	0
92	69	0
93	70	0
91	74	0
85	74	0
81	73	0
80	72	0
87	71	0
79	72	0
80	72	0
88	73	0
87	76	0
89	74	0
91	73	0
91	74	0
92	75	0
90	73	0
89	73	0
89	74	0
90	74	0
93	74	0
93	75	0
94	77	0
95	78	0
88	69	0
90	69	0
88	69	0
91	70	0
92	72	0
90	72	0
92	72	0
90	73	0
91	73	0
91	72	0
92	73	0
92	74	0
93	78	0
89	74	0
92	72	0
90	72	0

89	69	0
86	70	0
89	69	0
90	70	0
89	72	0
90	73	0
90	75	0
85	75	0
92	77	0
90	78	0
90	79	0
85	70	0
90	78	0
89	78	0
90	71	0
91	71	0
89	72	0
90	74	0
92	75	0
91	77	0
93	78	0
86	73	0
87	73	0
82	73	0
87	69	0
79	68	0
86	66	0
88	67	0
84	71	0
89	71	0
90	72	0
89	73	0
85	72	0
81	71	0
84	74	0
85	74	0
88	73	0
88	73	0
90	72	0
89	72	0
89	72	0
83	72	0
89	70	0
88	72	0
88	71	0
85	69	0
83	68	0
79	68	0
80	68	0
77	69	0
77	67	0
81	69	0

91	73	0
92	72	0
92	73	0
88	72	0
90	72	0
92	73	0
91	73	0
94	75	0
96	79	0
95	79	0
96	75	0
93	76	0
94	77	0
90	76	0
91	71	0
89	73	0
93	74	0
81	70	0
91	73	0
93	74	0
96	77	0
94	73	0
95	77	0
92	79	0
89	71	0
92	75	0
87	73	0
92	74	0
92	74	0
94	78	0
90	79	0
91	76	0
93	75	0
95	78	0
96	74	0
96	74	0
96	74	0
95	72	0
91	71	0
90	71	0
84	69	0
88	65	0
88	70	0
87	68	0
87	66	0
89	65	0
90	70	0
92	70	0
92	74	0
92	75	0
93	73	0
91	72	0

ep	90	80	0	89	70	0	84	72	0	91	75	0
10-Sep	89	79	0	80	70	0	87	72	0	91	76	0
11-Sep	89	73	0	89	70	0	89	70	0	87	70	0
12-Sep	90	73	0	91	71	0	82	68	0	84	68	0
13-Sep	92	74	0	88	72	0	85	68	0	88	67	0
14-Sep	93	77	0	88	69	0	84	67	0	87	70	0
15-Sep	91	77	0	90	74	0	83	62	0	88	69	0
16-Sep	91	71	0	85	67	0	86	64	0	77	71	0
17-Sep	89	71	0	87	70	0	86	61	0	80	72	0
18-Sep	87	71	0	80	71	0	89	63	0	86	72	0
19-Sep	89	73	0	83	72	0	87	68	0	89	75	0
20-Sep	91	72	0	85	70	0	88	69	0	90	73	0
21-Sep	90	71	0	79	64	0	86	69	0	88	68	0
22-Sep	90	72	0	79	61	0	88	74	0	87	66	0
23-Sep	90	70	0	83	58	0	82	62	0	88	64	0
24-Sep	89	65	0	86	64	0	(99)m	(99)m	0	88	68	0
25-Sep	84	65	0	86	56	0	86	60	0	88	67	0
26-Sep	88	65	0	87	69	0	84	64	0	91	69	0
27-Sep	81	71	0	87	75	0	87	69	0	87	67	0
28-Sep	72	67	0	80	71	0	75	63	0	88	65	0
29-Sep	78	69	0	84	72	0	68	48	7	83	67	0
30-Sep	85	73	0	86	72	0	73	45	6	87	68	0
1-Oct	84	73	0	85	66	0	82	50	0	87	64	0
2-Oct	89	72	0	75	53	0	83	56	0	86	65	0
3-Oct	84	69	0	81	52	0	82	60	0	86	65	0
4-Oct	81	61	0	85	66	0	84	59	0	82	70	0
5-Oct	73	67	0	88	69	0	84	60	0	83	57	0
6-Oct	74	66	0	81	61	0	85	63	0	74	69	0
7-Oct	76	67	0	80	66	0	85	66	0	83	70	0
8-Oct	80	62	0	84	66	0	83	68	0	85	70	0
9-Oct	82	73	0	83	73	0	79	68	0	82	69	0
10-Oct	83	71	0	82	72	0	75	57	0	83	66	0
11-Oct	83	64	0	78	61	0	75	57	0	87	68	0
12-Oct	84	59	0	80	50	0	73	56	1	85	69	0
13-Oct	83	66	0	77	62	0	82	52	0	86	67	0
14-Oct	83	65	0	86	67	0	83	55	0	86	65	0
15-Oct	(99)m	(99)m	0	84	70	0	80	57	0	85	65	0
16-Oct	85	63	0	84	71	0	81	64	0	87	70	0
17-Oct	84	62	0	84	69	0	75	64	0	83	69	0
18-Oct	74	57	0	85	71	0	70	55	3	84	72	0
19-Oct	77	63	0	79	56	0	69	49	6	80	66	0
20-Oct	80	66	0	67	48	8	71	47	6	79	57	0
21-Oct	80	67	0	73	50	4	78	47	3	79	56	0
22-Oct	75	57	0	83	64	0	80	50	0	81	60	0
23-Oct	69	53	4	81	65	0	81	60	0	82	64	0
24-Oct	69	56	3	78	66	0	80	63	0	78	59	0
25-Oct	67	41	11	73	62	0	76	58	0	67	53	5
26-Oct	71	42	9	75	59	0	70	45	8	67	43	10
27-Oct	74	40	8	72	53	0	74	47	5	71	43	8
28-Oct	77	46	4	74	48	0	71	53	3	71	54	3
29-Oct	75	50	3	77	50	2	76	50	2	73	42	8
30-Oct	72	53	3	79	51	0	76	62	0	72	43	8

22-Dec	63	39	14	66	55	5	73	49	4	72	63	0
23-Dec	69	40	11	67	45	9	49	30	26	65	41	12
24-Dec	71	50	5	67	34	15	50	29	26	52	33	23
25-Dec	66	45	10	48	29	27	59	34	19	54	32	22
26-Dec	52	34	22	61	39	15	62	39	15	62	32	18
27-Dec	60	33	19	66	46	9	61	41	14	69	45	8
28-Dec	67	47	8	70	57	2	65	47	9	68	50	7
29-Dec	72	52	3	65	43	11	50	38	21	58	41	16
30-Dec	73	53	2	52	39	20	57	32	21	68	39	12
31-Dec	74	56	0	56	46	14	63	43	12	63	50	9
Total			<u>1333</u>			<u>1646</u>			<u>1267</u>			<u>1498</u>