BELLSOUTH

BellSouth Telecommunications, Inc.

Surte 400 150 South Monroe Street Tallahassee, FL 32301-1556

marshall.criser@bellsouth.com

Marshall M. Criser III

Vice President Regulatory & External Affairs

850 224 7798 Fax 850 224 5073

December 11, 2002

Mrs. Blanca S. Bayo
Director, Division of the Commission Clerk and Administrative Services
Florida Public Service Commission
2540 Shumard Oak Boulevard
Tallahassee, Florida 32399

O2/234-7P

Re: Approval of the negotiated Interconnection, Unbundling, Resale, and Collocation agreement by and between BellSouth Telecommunications, Inc. ("BellSouth") and Delta Phones, Inc. pursuant to Sections 251, 252 and 271 of the Telecommunications Act of 1996

Dear Mrs. Bayo:

Pursuant the Telecommunications Act of 1996, BellSouth and Delta Phones, Inc. are submitting to the Florida Public Service Commission their negotiated agreement for the interconnection, unbundling of specific network elements, collocation of BellSouth networks, and resale of their telecommunications services to Delta Phones, Inc.. The agreement was negotiated pursuant to sections 251,252 and 271 of the Act.

Pursuant to section 252(e) of the Act, the Commission is charged with approving or rejecting the negotiated Interconnection, Unbundling, Resale, and Collocation agreement between BellSouth and Delta Phones, Inc. within 90 days of its submission. The Commission may only reject such an agreement if it finds that the agreement, or any portion of the agreement, discriminates against a telecommunications carrier not a party to the agreement, or if implementation of the agreement, or any portion thereof is not consistent with the public interest, convenience and necessity. Both parties represent that neither of these reasons exists as to the agreement they have negotiated and that the Commission should approve their agreement. As such this agreement will be deemed effective by operation of law on March 11, 2003.

Very truly yours,

Regulatory Vice President

Moralad M. Criser I

DOCUMENT NUMBER-DATE

13548 DEC 118

BELLSOUTH® / CLEC Agreement

Customer Name: Delta Phones, Inc.

Delta Phones, Inc.	2
Table of Contents	3
General Terms and Conditions	5
Att 1 - Resale	25
Att 1 - Resale Discounts and Rates	44
Att 2 - UNEs	45
Att 2 - UNE Rates	123
Att 3 - Network Interconnection	481
Att 3 - Local Interconnection Rates	510
Att 4 - Collocation - Central Office	519
Att 4 - Collocation - Remote Site	560
Att 4 - Collocation Rates	597
Att 5 - Access to Numbers and Number Portability	634
Att 6 - Ordering	638
Att 7 - Billing	645
Att 7 - ODUF/ADUF/EODUF/CMDS Rates	660
Att 8 - Rights of Way	669
Att 9 - Performance Measurements	671
Att 10 - Disaster Recovery Plan	824
Att 11 - BFR and NBR Process	833

INTERCONNECTION AGREEMENT BETWEEN BELLSOUTH TELECOMMUNICATIONS INC. AND DELTA PHONES, INC.

TABLE OF CONTENTS

General Terms and Conditions

-	~		
1)6	۱tr	11f1	ons

- 1. CLEC Certification
- 2. Term of the Agreement
- 3. Operational Support Systems
- 4. Parity
- 5. White Pages Listings
- 6. Court Ordered Requests for Call Detail Records and Other Subscriber Information
- 7. Liability and Indemnification
- 8. Intellectual Property Rights and Indemnification
- 9. Proprietary and Confidential Information
- 10. Resolution of Disputes
- 11. Taxes
- 12. Force Majeure
- 13. Adoption of Agreements
- 14. Modification of Agreement
- 15. Non-waiver of Legal Rights
- 16. Indivisibility
- 17. Waivers
- 18. Governing Law
- 19. Assignments
- 20. Notices
- 21. Rule of Construction
- 22. Headings of No Force or Effect
- 23. Multiple Counterparts
- 24. Filing of Agreement
- 25. Compliance with Applicable Law
- 26. Necessary Approvals
- 27. Good Faith Performance
- 28. Nonexclusive Dealings
- 29. Rate True-Up
- 30. Survival
- 31. Entire Agreement

TABLE OF CONTENTS (cont'd)

- **Attachment 1 Resale**
- **Attachment 2 Network Elements and Other Services**
- Attachment 3 Network Interconnection
- **Attachment 4 Physical Collocation**
- Attachment 5 Access to Numbers and Number Portability
- Attachment 6 Pre-Ordering, Ordering, Provisioning, Maintenance and Repair
- Attachment 7 Billing
- Attachment 8 Rights-of-Way, Conduits and Pole Attachments
- **Attachment 9 Performance Measurements**
- **Attachment 10- BellSouth Disaster Recovery Plan**
- Attachment 11-Bona Fide Request/New Business Request Process

AGREEMENT GENERAL TERMS AND CONDITIONS

THIS AGREEMENT is made by and between BellSouth Telecommunications, Inc., ("BellSouth"), a Georgia corporation, and Delta Phones, Inc., ("Delta Phones"), a Louisiana corporation, and shall be effective on the Effective Date, as defined herein. This Agreement may refer to either BellSouth or Delta Phones or both as a "Party" or "Parties."

WITNESSETH

WHEREAS, BellSouth is a local exchange telecommunications company authorized to provide telecommunications services in the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina and Tennessee; and

WHEREAS, Delta Phones is or seeks to become a CLEC authorized to provide telecommunications services in the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee; and

WHEREAS, Delta Phones wishes to resell BellSouth's telecommunications services and purchase network elements and other services, and, solely in connection therewith, may wish to utilize collocation space as set forth in Attachment 4 of this Agreement); and

WHEREAS, the Parties wish to interconnect their facilities and exchange traffic pursuant to Sections 251 and 252 of the Act.

NOW THEREFORE, in consideration of the mutual agreements contained herein, BellSouth and Delta Phones agree as follows:



Definitions

Affiliate is defined as a person that (directly or indirectly) owns or controls, is owned or controlled by, or is under common ownership or control with, another person. For purposes of this paragraph, the term "own" means to own an equity interest (or equivalent thereof) of more than 10 percent.

Commission is defined as the appropriate regulatory agency in each state of BellSouth's nine-state region (Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee).

Competitive Local Exchange Carrier (CLEC) means a telephone company certificated by the Commission to provide local exchange service within BellSouth's franchised area.

Effective Date is defined as the date that the Agreement is effective for purposes of rates, terms and conditions and shall be thirty (30) days after the date of the last signature executing the Agreement. Future amendments for rate changes will also be effective thirty (30) days after the date of the last signature executing the amendment.

End User means the ultimate user of the Telecommunications Service.

FCC means the Federal Communications Commission.

General Terms and Conditions means this document including all of the terms, provisions and conditions set forth herein.

Telecommunications means the transmission, between or among points specified by the user, of information of the user's choosing, without change in the form or content of the information as sent and received.

Telecommunications Service means the offering of telecommunications for a fee directly to the public, or to such classes of users as to be effectively available directly to the public, regardless of the facilities used.

Telecommunications Act of 1996 ("Act") means Public Law 104-104 of the United States Congress effective February 8, 1996. The Act amended the Communications Act of 1934 (47 U.S.C. Section 1 et. seq.).

1. CLEC Certification

- Prior to execution of this Agreement, Delta Phones agrees to provide BellSouth in writing Delta Phones's CLEC certification for all states covered by this Agreement except Kentucky prior to BellSouth filing this Agreement with the appropriate Commission for approval.
- 1.2 To the extent Delta Phones is not certified as a CLEC in each state covered by this Agreement as of the execution hereof, Delta Phones will notify BellSouth in writing and provide CLEC certification when it becomes certified to operate in any other state covered by this Agreement. Upon notification, BellSouth will file this Agreement with the appropriate Commission for approval.

2. Term of the Agreement

2.1 The term of this Agreement shall be three years, beginning on the Effective Date and shall apply to the BellSouth territory in the state(s) of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina and Tennessee. Notwithstanding any prior agreement of the Parties, the rates, terms and conditions of this Agreement shall not be applied retroactively prior to the Effective Date.

- 2.2 The Parties agree that by no earlier than two hundred seventy (270) days and no later than one hundred and eighty (180) days prior to the expiration of this Agreement, they shall commence negotiations for a new agreement to be effective beginning on the expiration date of this Agreement ("Subsequent Agreement").
- 2.3 If, within one hundred and thirty-five (135) days of commencing the negotiation referred to in Section 2.2 above, the Parties are unable to negotiate new terms, conditions and prices for a Subsequent Agreement, either Party may petition the Commission to establish appropriate terms, conditions and prices for the Subsequent Agreement pursuant to 47 U.S.C. 252.
- If, as of the expiration of this Agreement, a Subsequent Agreement has not been executed by the Parties, this Agreement shall terminate. Upon termination of this Agreement, BellSouth shall continue to offer services to Delta Phones pursuant to the terms, conditions and rates set forth in BellSouth's then current standard interconnection agreement. In the event that BellSouth's standard interconnection agreement becomes effective as between the Parties, the Parties may continue to negotiate a Subsequent Agreement or arbitrate disputed issues to reach a Subsequent Agreement as set forth in Section 2.3 above, and the terms of such Subsequent Agreement shall be effective as of the effective date as stated in the Subsequent Agreement.

3. Operational Support Systems

Delta Phones shall pay charges for Operational Support Systems (OSS) as set forth in this Agreement in Attachment 1 and/or in Attachments 2, 3 and 5, as applicable.

4. Parity

When Delta Phones purchases Telecommunications Services from BellSouth pursuant to Attachment 1 of this Agreement for the purposes of resale to End Users, such services shall be equal in quality, subject to the same conditions, and provided within the same provisioning time intervals that BellSouth provides to its Affiliates, subsidiaries and End Users. To the extent technically feasible, the quality of a Network Element, as well as the quality of the access to such Network Element provided by BellSouth to Delta Phones shall be at least equal in quality to that which BellSouth provides to itself, its Affiliates or any other Telecommunications carrier. The quality of the interconnection between the network of BellSouth and the network of Delta Phones shall be at a level that is equal to that which BellSouth provides itself, a subsidiary, an Affiliate, or any other party. The interconnection facilities shall be designed to meet the same technical criteria and service standards that are used within BellSouth's network and shall extend to a consideration of service quality as perceived by BellSouth's End Users and service quality as perceived by Delta Phones.

5. White Pages Listings

- 5.1 BellSouth shall provide Delta Phones and its customers access to white pages directory listings under the following terms:
- 5.2 <u>Listings</u>. Delta Phones shall provide all new, changed and deleted listings on a timely basis and BellSouth or its agent will include Delta Phones residential and business customer listings in the appropriate White Pages (residential and business) or alphabetical directories in the geographic areas covered by this Interconnection Agreement. Directory listings will make no distinction between Delta Phones and BellSouth subscribers.
- 5.2.1 <u>Rates.</u> So long as Delta Phones provides subscriber listing information (SLI) to BellSouth in accordance with Section 5.3 below, BellSouth shall provide to Delta Phones one (1) primary White Pages listing per Delta Phones subscriber at no charge other than applicable service order charges as set forth in BellSouth's tariffs.
- 5.3 Procedures for Submitting Delta Phones SLI are found in The BellSouth Business Rules for Local Ordering.
- Delta Phones authorizes BellSouth to release all Delta Phones SLI provided to BellSouth by Delta Phones to qualifying third parties via either license agreement or BellSouth's Directory Publishers Database Service (DPDS), General Subscriber Services Tariff (GSST), Section A38.2, as the same may be amended from time to time. Such Delta Phones SLI shall be intermingled with BellSouth's own customer listings and listings of any other CLEC that has authorized a similar release of SLI.
- No compensation shall be paid to Delta Phones for BellSouth's receipt of Delta Phones SLI, or for the subsequent release to third parties of such SLI. In addition, to the extent BellSouth incurs costs to modify its systems to enable the release of Delta Phones's SLI, or costs on an ongoing basis to administer the release of Delta Phones SLI, Delta Phones shall pay to BellSouth its proportionate share of the reasonable costs associated therewith. At any time that costs may be incurred to administer the release of Delta Phones's SLI, Delta Phones will be notified. If Delta Phones does not wish to pay its proportionate share of these reasonable costs, Delta Phones may instruct BellSouth that it does not wish to release its SLI to independent publishers, and Delta Phones shall amend this Agreement accordingly. Delta Phones will be liable for all costs incurred until the effective date of the amendment.
- 5.4.2 Neither BellSouth nor any agent shall be liable for the content or accuracy of any SLI provided by Delta Phones under this Agreement. Delta Phones shall indemnify, hold harmless and defend BellSouth and its agents from and against any damages, losses, liabilities, demands, claims, suits, judgments, costs and expenses (including but not limited to reasonable attorneys' fees and expenses) arising from BellSouth's tariff obligations or otherwise and resulting from or arising out of any third party's claim of inaccurate Delta Phones listings or use of the SLI provided pursuant to this Agreement. BellSouth may forward to Delta Phones any

complaints received by BellSouth relating to the accuracy or quality of Delta Phones listings.

- 5.4.3 Listings and subsequent updates will be released consistent with BellSouth system changes and/or update scheduling requirements.
- 5.5 <u>Unlisted/Non-Published Subscribers</u>. Delta Phones will be required to provide to BellSouth the names, addresses and telephone numbers of all Delta Phones customers who wish to be omitted from directories. Unlisted/Non-Published SLI will be subject to the rates as set forth in BellSouth's General Subscriber Services Tariff.
- 5.6 <u>Inclusion of Delta Phones End Users in Directory Assistance Database</u>. BellSouth will include and maintain Delta Phones subscriber listings in BellSouth's Directory Assistance databases at no recurring charge and Delta Phones shall provide such Directory Assistance listings to BellSouth at no recurring charge.
- 5.7 <u>Listing Information Confidentiality</u>. BellSouth will afford Delta Phones's directory listing information the same level of confidentiality that BellSouth affords its own directory listing information.
- 5.8 <u>Additional and Designer Listings</u>. Additional and designer listings will be offered by BellSouth at tariffed rates as set forth in the General Subscriber Services Tariff.
- 5.9 <u>Directories</u>. BellSouth or its agent shall make available White Pages directories to Delta Phones subscribers at no charge or as specified in a separate agreement with BellSouth's agent.

6. Court Ordered Requests for Call Detail Records and Other Subscriber Information

- Subpoenas Directed to BellSouth. Where BellSouth provides resold services or local switching for Delta Phones, BellSouth shall respond to subpoenas and court ordered requests delivered directly to BellSouth for the purpose of providing call detail records when the targeted telephone numbers belong to Delta Phones End Users. Billing for such requests will be generated by BellSouth and directed to the law enforcement agency initiating the request. BellSouth shall maintain such information for Delta Phones End Users for the same length of time it maintains such information for its own End Users.
- 6.2 <u>Subpoenas Directed to Delta Phones</u>. Where BellSouth is providing to Delta Phones Telecommunications Services for resale or providing to Delta Phones the local switching function, then Delta Phones agrees that in those cases where Delta Phones receives subpoenas or court ordered requests regarding targeted telephone numbers belonging to Delta Phones End Users, and where Delta Phones does not have the requested information, Delta Phones will advise the law enforcement agency initiating the request to redirect the subpoena or court ordered request to BellSouth for handling in accordance with 6.1 above.

In all other instances, where either Party receives a request for information involving the other Party's End User, the Party receiving the request will advise the law enforcement agency initiating the request to redirect such request to the other Party.

7. Liability and Indemnification

- 7.1 <u>Delta Phones Liability</u>. In the event that Delta Phones consists of two (2) or more separate entities as set forth in this Agreement and/or any Amendments hereto, all such entities shall be jointly and severally liable for the obligations of Delta Phones under this Agreement.
- 7.2 <u>Liability for Acts or Omissions of Third Parties</u>. BellSouth shall not be liable to Delta Phones for any act or omission of another Telecommunications company providing services to Delta Phones.

7.3 <u>Limitation of Liability</u>

- 7.3.1 Except for any indemnification obligations of the Parties hereunder, each Party's liability to the other for any loss, cost, claim, injury, liability or expense, including reasonable attorneys' fees relating to or arising out of any negligent act or omission in its performance of this Agreement, whether in contract or in tort, shall be limited to a credit for the actual cost of the services or functions not performed or improperly performed.
- 1.3.2 Limitations in Tariffs. A Party may, in its sole discretion, provide in its tariffs and contracts with its End Users and third parties that relate to any service, product or function provided or contemplated under this Agreement, that to the maximum extent permitted by Applicable Law, such Party shall not be liable to the End User or third party for (i) any loss relating to or arising out of this Agreement, whether in contract, tort or otherwise, that exceeds the amount such Party would have charged that applicable person for the service, product or function that gave rise to such loss and (ii) consequential damages. To the extent that a Party elects not to place in its tariffs or contracts such limitations of liability, and the other Party incurs a loss as a result thereof, such Party shall indemnify and reimburse the other Party for that portion of the loss that would have been limited had the first Party included in its tariffs and contracts the limitations of liability that such other Party included in its own tariffs at the time of such loss.
- 7.3.3 Neither BellSouth nor Delta Phones shall be liable for damages to the other Party's terminal location, equipment or End User premises resulting from the furnishing of a service, including, but not limited to, the installation and removal of equipment or associated wiring, except to the extent caused by a Party's negligence or willful misconduct or by a Party's failure to ground properly a local loop after disconnection.
- 7.3.4 Under no circumstance shall a Party be responsible or liable for indirect, incidental, or consequential damages, including, but not limited to, economic loss or lost

Version 2Q02: 07/11/02

business or profits, damages arising from the use or performance of equipment or software, or the loss of use of software or equipment, or accessories attached thereto, delay, error, or loss of data. In connection with this limitation of liability, each Party recognizes that the other Party may, from time to time, provide advice, make recommendations, or supply other analyses related to the services or facilities described in this Agreement, and, while each Party shall use diligent efforts in this regard, the Parties acknowledge and agree that this limitation of liability shall apply to provision of such advice, recommendations, and analyses.

- 7.3.5 To the extent any specific provision of this Agreement purports to impose liability, or limitation of liability, on either Party different from or in conflict with the liability or limitation of liability set forth in this Section, then with respect to any facts or circumstances covered by such specific provisions, the liability or limitation of liability contained in such specific provision shall apply.
- 7.4 Indemnification for Certain Claims. The Party providing services hereunder, its Affiliates and its parent company, shall be indemnified, defended and held harmless by the Party receiving services hereunder against any claim, loss or damage arising from the receiving Party's use of the services provided under this Agreement pertaining to (1) claims for libel, slander or invasion of privacy arising from the content of the receiving Party's own communications, or (2) any claim, loss or damage claimed by the End User of the Party receiving services arising from such company's use or reliance on the providing Party's services, actions, duties, or obligations arising out of this Agreement.
- 7.5 Disclaimer. EXCEPT AS SPECIFICALLY PROVIDED TO THE CONTRARY IN THIS AGREEMENT, NEITHER PARTY MAKES ANY REPRESENTATIONS OR WARRANTIES TO THE OTHER PARTY CONCERNING THE SPECIFIC QUALITY OF ANY SERVICES, OR FACILITIES PROVIDED UNDER THIS AGREEMENT. THE PARTIES DISCLAIM, WITHOUT LIMITATION, ANY WARRANTY OR GUARANTEE OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARISING FROM COURSE OF PERFORMANCE, COURSE OF DEALING, OR FROM USAGES OF TRADE.

8. Intellectual Property Rights and Indemnification

8.1 No License. No patent, copyright, trademark or other proprietary right is licensed, granted or otherwise transferred by this Agreement. The Parties are strictly prohibited from any use, including but not limited to, in the selling, marketing, promoting or advertising of telecommunications services, of any name, service mark, logo or trademark (collectively, the "Marks") of the Other Party. The Marks include those Marks owned directly by a Party or its Affiliate(s) and those Marks that a Party has a legal and valid license to use. The Parties acknowledge that they are separate and distinct and that each provides a separate and distinct service and agree that neither Party may, expressly or impliedly, state, advertise or market that it is or offers the same service as the Other Party or engage in any

other activity that may result in a likelihood of confusion between its own service and the service of the Other Party.

- 8.2 Ownership of Intellectual Property. Any intellectual property that originates from or is developed by a Party shall remain the exclusive property of that Party. Except for a limited, non-assignable, non-exclusive, non-transferable license to use patents or copyrights to the extent necessary for the Parties to use any facilities or equipment (including software) or to receive any service solely as provided under this Agreement, no license in patent, copyright, trademark or trade secret, or other proprietary or intellectual property right, now or hereafter owned, controlled or licensable by a Party, is granted to the other Party. Neither shall it be implied nor arise by estoppel. Any trademark, copyright or other proprietary notices appearing in association with the use of any facilities or equipment (including software) shall remain on the documentation, material, product, service, equipment or software. It is the responsibility of each Party to ensure at no additional cost to the other Party that it has obtained any necessary licenses in relation to intellectual property of third Parties used in its network that may be required to enable the other Party to use any facilities or equipment (including software), to receive any service, or to perform its respective obligations under this Agreement.
- 8.3 Intellectual Property Remedies
- 8.3.1 <u>Indemnification</u>. The Party providing a service pursuant to this Agreement will defend the Party receiving such service or data provided as a result of such service against claims of infringement arising solely from the use by the receiving Party of such service in the manner contemplated under this Agreement and will indemnify the receiving Party for any damages awarded based solely on such claims in accordance with Section 7 preceding.
- 8.3.2 <u>Claim of Infringement</u>. In the event that use of any facilities or equipment (including software), becomes, or in the reasonable judgment of the Party who owns the affected network is likely to become, the subject of a claim, action, suit, or proceeding based on intellectual property infringement, then said Party shall promptly and at its sole expense and sole option, but subject to the limitations of liability set forth below:
- 8.3.2.1 modify or replace the applicable facilities or equipment (including software) while maintaining form and function, or
- 8.3.2.2 obtain a license sufficient to allow such use to continue.
- 8.3.2.3 In the event Section 8.3.2.1 or 8.3.2.2 are commercially unreasonable, then said Party may terminate, upon reasonable notice, this contract with respect to use of, or services provided through use of, the affected facilities or equipment (including software), but solely to the extent required to avoid the infringement claim.
- 8.3.3 <u>Exception to Obligations</u>. Neither Party's obligations under this Section shall apply to the extent the infringement is caused by: (i) modification of the facilities or

equipment (including software) by the indemnitee; (ii) use by the indemnitee of the facilities or equipment (including software) in combination with equipment or facilities (including software) not provided or authorized by the indemnitor, provided the facilities or equipment (including software) would not be infringing if used alone; (iii) conformance to specifications of the indemnitee which would necessarily result in infringement; or (iv) continued use by the indemnitee of the affected facilities or equipment (including software) after being placed on notice to discontinue use as set forth herein.

- 8.3.4 <u>Exclusive Remedy</u>. The foregoing shall constitute the Parties' sole and exclusive remedies and obligations with respect to a third party claim of intellectual property infringement arising out of the conduct of business under this Agreement.
- 8.4 <u>Dispute Resolution.</u> Any claim arising under this Section 8 shall be excluded from the dispute resolution procedures set forth in Section 10 and shall be brought in a court of competent jurisdiction.

9. Proprietary and Confidential Information

- 9.1 Proprietary and Confidential Information. It may be necessary for BellSouth and Delta Phones, each as the "Discloser," to provide to the other Party, as "Recipient," certain proprietary and confidential information (including trade secret information) including but not limited to technical, financial, marketing, staffing and business plans and information, strategic information, proposals, request for proposals, specifications, drawings, maps, prices, costs, costing methodologies, procedures, processes, business systems, software programs, techniques, customer account data, call detail records and like information (collectively the "Information"). All such Information conveyed in writing or other tangible form shall be clearly marked with a confidential or proprietary legend. Information conveyed orally by the Discloser to Recipient shall be designated as proprietary and confidential at the time of such oral conveyance, shall be reduced to writing by the Discloser within forty-five (45) days thereafter, and shall be clearly marked with a confidential or proprietary legend.
- 9.2 <u>Use and Protection of Information.</u> Recipient agrees to protect such Information of the Discloser provided to Recipient from whatever source from distribution, disclosure or dissemination to anyone except employees of Recipient with a need to know such Information solely in conjunction with Recipient's analysis of the Information and for no other purpose except as authorized herein or as otherwise authorized in writing by the Discloser. Recipient will not make any copies of the Information inspected by it.
- 9.3 <u>Exceptions</u>. Recipient will not have an obligation to protect any portion of the Information which:
- 9.3.1 (a) is made publicly available by the Discloser or lawfully by a nonparty to this Agreement; (b) is lawfully obtained by Recipient from any source other than

Discloser; (c) is previously known to Recipient without an obligation to keep it confidential; or (d) is released from the terms of this Agreement by Discloser upon written notice to Recipient.

- 9.4 Recipient agrees to use the Information solely for the purposes of negotiations pursuant to 47 U.S.C. 251 or in performing its obligations under this Agreement and for no other entity or purpose, except as may be otherwise agreed to in writing by the Parties. Nothing herein shall prohibit Recipient from providing information requested by the FCC or a state regulatory agency with jurisdiction over this matter, or to support a request for arbitration or an allegation of failure to negotiate in good faith.
- 9.5 Recipient agrees not to publish or use the Information for any advertising, sales or marketing promotions, press releases, or publicity matters that refer either directly or indirectly to the Information or to the Discloser or any of its affiliated companies.
- 9.6 The disclosure of Information neither grants nor implies any license to the Recipient under any trademark, patent, copyright, application or other intellectual property right that is now or may hereafter be owned by the Discloser.
- 9.7 Survival of Confidentiality Obligations. The Parties' rights and obligations under this Section 9 shall survive and continue in effect until two (2) years after the expiration or termination date of this Agreement with regard to all Information exchanged during the term of this Agreement. Thereafter, the Parties' rights and obligations hereunder survive and continue in effect with respect to any Information that is a trade secret under applicable law.

10. Resolution of Disputes

Except as otherwise stated in this Agreement, if any dispute arises as to the interpretation of any provision of this Agreement or as to the proper implementation of this Agreement, the aggrieved Party shall petition the Commission for a resolution of the dispute. However, each Party reserves any rights it may have to seek judicial review of any ruling made by the Commission concerning this Agreement.

11. Taxes

11.1 <u>Definition</u>. For purposes of this Section, the terms "taxes" and "fees" shall include but not be limited to federal, state or local sales, use, excise, gross receipts or other taxes or tax-like fees of whatever nature and however designated (including tariff surcharges and any fees, charges or other payments, contractual or otherwise, for the use of public streets or rights of way, whether designated as franchise fees or otherwise) imposed, or sought to be imposed, on or with respect

to the services furnished hereunder or measured by the charges or payments therefore, excluding any taxes levied on income.

- 11.2 Taxes and Fees Imposed Directly On Either Providing Party or Purchasing Party.
- Taxes and fees imposed on the providing Party, which are not permitted or required to be passed on by the providing Party to its customer, shall be borne and paid by the providing Party.
- Taxes and fees imposed on the purchasing Party, which are not required to be collected and/or remitted by the providing Party, shall be borne and paid by the purchasing Party.
- 11.3 <u>Taxes and Fees Imposed on Purchasing Party But Collected And Remitted By Providing Party.</u>
- 11.3.1 Taxes and fees imposed on the purchasing Party shall be borne by the purchasing Party, even if the obligation to collect and/or remit such taxes or fees is placed on the providing Party.
- 11.3.2 To the extent permitted by applicable law, any such taxes and/or fees shall be shown as separate items on applicable billing documents between the Parties. Notwithstanding the foregoing, the purchasing Party shall remain liable for any such taxes and fees regardless of whether they are actually billed by the providing Party at the time that the respective service is billed.
- If the purchasing Party determines that in its opinion any such taxes or fees are not payable, the providing Party shall not bill such taxes or fees to the purchasing Party if the purchasing Party provides written certification, reasonably satisfactory to the providing Party, stating that it is exempt or otherwise not subject to the tax or fee, setting forth the basis therefor, and satisfying any other requirements under applicable law. If any authority seeks to collect any such tax or fee that the purchasing Party has determined and certified not to be payable, or any such tax or fee that was not billed by the providing Party, the purchasing Party may contest the same in good faith, at its own expense. In any such contest, the purchasing Party shall promptly furnish the providing Party with copies of all filings in any proceeding, protest, or legal challenge, all rulings issued in connection therewith, and all correspondence between the purchasing Party and the taxing authority.
- In the event that all or any portion of an amount sought to be collected must be paid in order to contest the imposition of any such tax or fee, or to avoid the existence of a lien on the assets of the providing Party during the pendency of such contest, the purchasing Party shall be responsible for such payment and shall be entitled to the benefit of any refund or recovery.
- 11.3.5 If it is ultimately determined that any additional amount of such a tax or fee is due to the imposing authority, the purchasing Party shall pay such additional amount, including any interest and penalties thereon.

- 11.3.6 Notwithstanding any provision to the contrary, the purchasing Party shall protect, indemnify and hold harmless (and defend at the purchasing Party's expense) the providing Party from and against any such tax or fee, interest or penalties thereon, or other charges or payable expenses (including reasonable attorney fees) with respect thereto, which are incurred by the providing Party in connection with any claim for or contest of any such tax or fee.
- 11.3.7 Each Party shall notify the other Party in writing of any assessment, proposed assessment or other claim for any additional amount of such a tax or fee by a taxing authority; such notice to be provided, if possible, at least ten (10) days prior to the date by which a response, protest or other appeal must be filed, but in no event later than thirty (30) days after receipt of such assessment, proposed assessment or claim.
- 11.4 Taxes and Fees Imposed on Providing Party But Passed On To Purchasing Party.
- Taxes and fees imposed on the providing Party, which are permitted or required to be passed on by the providing Party to its customer, shall be borne by the purchasing Party.
- To the extent permitted by applicable law, any such taxes and/or fees shall be shown as separate items on applicable billing documents between the Parties. Notwithstanding the foregoing, the purchasing Party shall remain liable for any such taxes and fees regardless of whether they are actually billed by the providing Party at the time that the respective service is billed.
- If the purchasing Party disagrees with the providing Party's determination as to the application or basis for any such tax or fee, the Parties shall consult with respect to the imposition and billing of such tax or fee. Notwithstanding the foregoing, the providing Party shall retain ultimate responsibility for determining whether and to what extent any such taxes or fees are applicable, and the purchasing Party shall abide by such determination and pay such taxes or fees to the providing Party. The providing Party shall further retain ultimate responsibility for determining whether and how to contest the imposition of such taxes and fees; provided, however, that any such contest undertaken at the request of the purchasing Party shall be at the purchasing Party's expense.
- In the event that all or any portion of an amount sought to be collected must be paid in order to contest the imposition of any such tax or fee, or to avoid the existence of a lien on the assets of the providing Party during the pendency of such contest, the purchasing Party shall be responsible for such payment and shall be entitled to the benefit of any refund or recovery.
- 11.4.5 If it is ultimately determined that any additional amount of such a tax or fee is due to the imposing authority, the purchasing Party shall pay such additional amount, including any interest and penalties thereon.

- 11.4.6 Notwithstanding any provision to the contrary, the purchasing Party shall protect, indemnify and hold harmless (and defend at the purchasing Party's expense) the providing Party from and against any such tax or fee, interest or penalties thereon, or other reasonable charges or payable expenses (including reasonable attorneys' fees) with respect thereto, which are incurred by the providing Party in connection with any claim for or contest of any such tax or fee.
- 11.4.7 Each Party shall notify the other Party in writing of any assessment, proposed assessment or other claim for any additional amount of such a tax or fee by a taxing authority; such notice to be provided, if possible, at least ten (10) days prior to the date by which a response, protest or other appeal must be filed, but in no event later than thirty (30) days after receipt of such assessment, proposed assessment or claim.
- Mutual Cooperation. In any contest of a tax or fee by one Party, the other Party shall cooperate fully by providing records, testimony and such additional information or assistance as may reasonably be necessary to pursue the contest. Further, the other Party shall be reimbursed for any reasonable and necessary out-of-pocket copying and travel expenses incurred in assisting in such contest.

12. Force Majeure

In the event performance of this Agreement, or any obligation hereunder, is either directly or indirectly prevented, restricted, or interfered with by reason of fire, flood, earthquake or like acts of God, wars, revolution, civil commotion, explosion, acts of public enemy, embargo, acts of the government in its sovereign capacity, labor difficulties, including without limitation, strikes, slowdowns, picketing, or boycotts, unavailability of equipment from vendor, changes requested by Delta Phones, or any other circumstances beyond the reasonable control and without the fault or negligence of the Party affected, the Party affected, upon giving prompt notice to the other Party, shall be excused from such performance on a day-to-day basis to the extent of such prevention, restriction, or interference (and the other Party shall likewise be excused from performance of its obligations on a day-to-day basis until the delay, restriction or interference has ceased); provided, however, that the Party so affected shall use diligent efforts to avoid or remove such causes of non-performance and both Parties shall proceed whenever such causes are removed or cease.

13. Adoption of Agreements

BellSouth shall make available, pursuant to 47 USC § 252 and the FCC rules and regulations regarding such availability, to Delta Phones any interconnection, service, or network element provided under any other agreement filed and approved pursuant to 47 USC § 252, provided a minimum of six months remains on the term of such agreement. The Parties shall adopt all rates, terms and conditions concerning such other interconnection, service or network element and any other rates, terms and conditions that are legitimately related to or were negotiated in exchange for or in conjunction with the interconnection, service or

network element being adopted. The adopted interconnection, service, or network element and agreement shall apply to the same states as such other agreement. The term of the adopted agreement or provisions shall expire on the same date as set forth in the agreement that was adopted.

14. Modification of Agreement

- 14.1 If Delta Phones changes its name or makes changes to its company structure or identity due to a merger, acquisition, transfer or any other reason, it is the responsibility of Delta Phones to notify BellSouth of said change and request that an amendment to this Agreement, if necessary, be executed to reflect said change.
- 14.2 No modification, amendment, supplement to, or waiver of the Agreement or any of its provisions shall be effective and binding upon the Parties unless it is made in writing and duly signed by the Parties.
- In the event that any effective legislative, regulatory, judicial or other legal action materially affects any material terms of this Agreement, or the ability of Delta Phones or BellSouth to perform any material terms of this Agreement, Delta Phones or BellSouth may, on thirty (30) days' written notice, require that such terms be renegotiated, and the Parties shall renegotiate in good faith such mutually acceptable new terms as may be required. In the event that such new terms are not renegotiated within ninety (90) days after such notice, the Dispute shall be referred to the Dispute Resolution procedure set forth in this Agreement.

15. Non-waiver of Legal Rights

Execution of this Agreement by either Party does not confirm or imply that the executing Party agrees with any decision(s) issued pursuant to the Telecommunications Act of 1996 and the consequences of those decisions on specific language in this Agreement. Neither Party waives its rights to appeal or otherwise challenge any such decision(s) and each Party reserves all of its rights to pursue any and all legal and/or equitable remedies, including appeals of any such decision(s).

16. Indivisibility

The Parties intend that this Agreement be indivisible and nonseverable, and each of the Parties acknowledges that it has assented to all of the covenants and promises in this Agreement as a single whole and that all of such covenants and promises, taken as a whole, constitute the essence of the contract. Without limiting the generality of the foregoing, each of the Parties acknowledges that any provision by BellSouth of collocation space under this Agreement is solely for the purpose of facilitating the provision of other services under this Agreement and that neither Party would have contracted with respect to the provisioning of collocation space under this Agreement if the covenants and promises of the other Party with respect to the other services provided under this Agreement had not been made. The Parties further acknowledge that this Agreement is intended to constitute a single

transaction, that the obligations of the Parties under this Agreement are interdependent, and that payment obligations under this Agreement are intended to be recouped against other payment obligations under this Agreement.

17. Waivers

A failure or delay of either Party to enforce any of the provisions hereof, to exercise any option which is herein provided, or to require performance of any of the provisions hereof shall in no way be construed to be a waiver of such provisions or options, and each Party, notwithstanding such failure, shall have the right thereafter to insist upon the performance of any and all of the provisions of this Agreement.

18. Governing Law

Where applicable, this Agreement shall be governed by and construed in accordance with federal and state substantive telecommunications law, including rules and regulations of the FCC and appropriate Commission. In all other respects, this Agreement shall be governed by and construed and enforced in accordance with the laws of the State of Georgia without regard to its conflict of laws principles.

19. Assignments

Any assignment by either Party to any non-affiliated entity of any right, obligation or duty, or of any other interest hereunder, in whole or in part, without the prior written consent of the other Party shall be void. A Party may assign this Agreement in its entirety to an Affiliate of the Party without the consent of the other Party; provided, however, that the assigning Party shall notify the other Party in writing of such assignment thirty (30) days prior to the Effective Date thereof and, provided further, if the assignee is an assignee of Delta Phones, the assignee must provide evidence of Commission CLEC certification. The Parties shall amend this Agreement to reflect such assignments and shall work cooperatively to implement any changes required due to such assignment. All obligations and duties of any Party under this Agreement shall be binding on all successors in interest and assigns of such Party. No assignment or delegation hereof shall relieve the assignor of its obligations under this Agreement in the event that the assignee fails to perform such obligations. Notwithstanding anything to the contrary in this Section, Delta Phones shall not assign this Agreement to any Affiliate or nonaffiliated entity unless either (1) Delta Phones pays all bills, past due and current, under this Agreement, or (2) Delta Phones's assignee expressly assumes liability for payment of such bills.

20. Notices

20.1 Every notice, consent, approval, or other communications required or contemplated by this Agreement shall be in writing and shall be delivered by hand, by overnight courier or by US mail postage prepaid, address to:

BellSouth Telecommunications, Inc.

BellSouth Local Contract Manager 600 North 19th Street, 8th floor Birmingham, Alabama 35203

and

ICS Attorney Suite 4300 675 W. Peachtree St. Atlanta, GA 30375

Delta Phones, Inc.

Jon E. Davis Vice President P. O. Box 784 Delhi, Louisiana 71232

or at such other address as the intended recipient previously shall have designated by written notice to the other Party.

- Unless otherwise provided in this Agreement, notice by mail shall be effective on the date it is officially recorded as delivered by return receipt or equivalent, and in the absence of such record of delivery, it shall be presumed to have been delivered the fifth day, or next business day after the fifth day, after it was deposited in the mails.
- 20.3 Notwithstanding the foregoing, BellSouth may provide Delta Phones notice via Internet posting of price changes and changes to the terms and conditions of services available for resale per Commission Orders. BellSouth will also post changes to business processes and policies, notices of new service offerings, and changes to service offerings not requiring an amendment to this Agreement, notices required to be posted to BellSouth's website, and any other information of general applicability to CLECs.

21. Rule of Construction

No rule of construction requiring interpretation against the drafting Party hereof shall apply in the interpretation of this Agreement.

22. Headings of No Force or Effect

The headings of Articles and Sections of this Agreement are for convenience of reference only, and shall in no way define, modify or restrict the meaning or interpretation of the terms or provisions of this Agreement.

23. Multiple Counterparts

This Agreement may be executed in multiple counterparts, each of which shall be deemed an original, but all of which shall together constitute but one and the same document.

24. Filing of Agreement

Upon execution of this Agreement it shall be filed with the appropriate state regulatory agency pursuant to the requirements of Section 252 of the Act, and the Parties shall share equally any filing fees therefor. If the regulatory agency imposes any filing or public interest notice fees regarding the filing or approval of the Agreement, Delta Phones shall be responsible for publishing the required notice and the publication and/or notice costs shall be borne by Delta Phones. Notwithstanding the foregoing, this Agreement shall not be submitted for approval by the appropriate state regulatory agency unless and until such time as Delta Phones is duly certified as a local exchange carrier in such state, except as otherwise required by a Commission.

25. Compliance with Applicable Law

Each Party shall comply at its own expense with Applicable Law.

26. Necessary Approvals

Each Party shall be responsible for obtaining and keeping in effect all approvals from, and rights granted by, governmental authorities, building and property owners, other carriers, and any other persons that may be required in connection with the performance of its obligations under this Agreement. Each Party shall reasonably cooperate with the other Party in obtaining and maintaining any required approvals and rights for which such Party is responsible.

27. Good Faith Performance

Each Party shall act in good faith in its performance under this Agreement and, in each case in which a Party's consent or agreement is required or requested hereunder, such Party shall not unreasonably withhold or delay such consent or agreement.

28. Nonexclusive Dealings

This Agreement does not prevent either Party from providing or purchasing services to or from any other person nor, except as provided in Section 252(i) of the Act, does it obligate either Party to provide or purchase any services (except insofar as the Parties are obligated to provide access to Interconnection, services and Network Elements to Delta Phones as a requesting carrier under the Act).

29. Rate True-Up

- 29.1 This section applies to Network Interconnection and/or Unbundled Network Elements and Other Services rates that are expressly subject to true-up under this Agreement.
- 29.2 The designated true-up rates shall be trued-up, either up or down, based on final prices determined either by further agreement between the Parties, or by a final order (including any appeals) of the Commission. The Parties shall implement the true-up by comparing the actual volumes and demand for each item, together with the designated true-up rates for each item, with the final prices determined for each item. Each Party shall keep its own records upon which the true-up can be based, and any final payment from one Party to the other shall be in an amount agreed upon by the Parties based on such records. In the event of any disagreement as between the records or the Parties regarding the amount of such true-up, the Parties shall submit the matter to the Dispute Resolution process in accordance with the provisions of Section 10 of the General Terms and Conditions of this Agreement.
- An effective order of the Commission that forms the basis of a true-up shall be based upon cost studies submitted by either or both Parties to the Commission and shall be binding upon BellSouth and Delta Phones specifically or upon all carriers generally, such as a generic cost proceeding.

30. Survival

The Parties' obligations under this Agreement which by their nature are intended to continue beyond the termination or expiration of this Agreement shall survive the termination or expiration of this Agreement.

31. Entire Agreement

This Agreement means the General Terms and Conditions, the Attachments identified in Section 31.2 below, and all documents identified therein, as such may be amended from time to time and which are incorporated herein by reference, all of which, when taken together, are intended to constitute one indivisible agreement. This Agreement sets forth the entire understanding and supersedes prior agreements between the Parties relating to the subject matter contained in this Agreement and merges all prior discussions between them. Any orders placed under prior agreements between the Parties shall be governed by the terms of this Agreement and Delta Phones acknowledges and agrees that any and all amounts and obligations owed for services provisioned or orders placed under prior agreements between the Parties, related to the subject matter hereof, shall be due and owing under this Agreement and be governed by the terms and conditions of this Agreement as if such services or orders were provisioned or placed under this Agreement. Neither Party shall be bound by any definition, condition, provision,

representation, warranty, covenant or promise other than as expressly stated in this Agreement or as is contemporaneously or subsequently set forth in writing and executed by a duly authorized officer or representative of the Party to be bound thereby.

31.2 This Agreement includes Attachments with provisions for the following:

Resale
Network Elements and Other Services
Network Interconnection
Collocation
Access to Numbers and Number Portability
Pre-Ordering, Ordering, Provisioning, Maintenance and Repair
Billing
Rights-of-Way, Conduits and Pole Attachments
Performance Measurements
BellSouth Disaster Recovery Plan
Bona Fide Request/New Business Request Process

The following services are included as options for purchase by Delta Phones pursuant to the terms and conditions set forth in this Agreement. Delta Phones may elect to purchase said services by written request to its Local Contract Manager if applicable:

Optional Daily Usage File (ODUF)
Enhanced Optional Daily Usage File (EODUF)
Access Daily Usage File (ADUF)
Line Information Database (LIDB) Storage
Centralized Message Distribution Service (CMDS)
Calling Name (CNAM)
LNP Data Base Query Service

IN WITNESS WHEREOF, the Parties have executed this Agreement the day and year written below.

BellSouth Telecommunications, Inc.

Delta Phones, Inc.

Name: EURIBETH P. A. Shirershi

Title: assistant Director

Date: 8/24/02

Varne: Jon E. DAVIS

Title: () ice President

Date: 8-23-02

Attachment 1 Page 1

Attachment 1

Resale

Version: 2Q02: 05/31/02

Table of Contents

1. Discount Rates	3
2. Definition of Terms	3
3. General Provisions	4
4. BellSouth's Provision of Services to Delta Phones	8
5. Maintenance of Services	9
6. Establishment of Service	9
7. Discontinuance of Service	10
8. Operator Services (Operator Call Processing and Directory Assistance)	10
9. Line Information Database (LIDB)	14
10. RAO Hosting	14
Resale Restrictions	Exhibit A
Line Information Database (LIDB) Storage Agreemt	Exhibit B
Resale Discounts and Rates	Exhibit C

RESALE

1. Discount Rates

- 1.1 The discount rates applied to Delta Phones purchases of BellSouth
 Telecommunications Services for the purpose of resale shall be as set forth in
 Exhibit C. Such discounts have been determined by the applicable Commission to
 reflect the costs avoided by BellSouth when selling a service for wholesale
 purposes.
- The telecommunications services available for purchase by Delta Phones for the purposes of resale to Delta Phones's End Users shall be available at BellSouth's tariffed rates less the discount set forth in Exhibit C to this Agreement and subject to the exclusions and limitations set forth in Exhibit A to this Agreement.

2. Definition of Terms

- 2.1 COMPETITIVE LOCAL EXCHANGE COMPANY (CLEC) means a telephone company certificated by the Commission to provide local exchange service within BellSouth's franchised area.
- 2.2 CUSTOMER OF RECORD means the entity responsible for placing application for service; requesting additions, rearrangements, maintenance or discontinuance of service; payment in full of charges incurred such as non-recurring, monthly recurring, toll, directory assistance, etc.
- 2.3 DEPOSIT means assurance provided by a customer in the form of cash, surety bond or bank letter of credit to be held by BellSouth.
- 2.4 END USER means the ultimate user of the Telecommunications Service.
- 2.5 END USER CUSTOMER LOCATION means the physical location of the premises where an End User makes use of the telecommunications services.
- 2.6 NEW SERVICES means functions, features or capabilities that are not currently offered by BellSouth. This includes packaging of existing services or combining a new function, feature or capability with an existing service.
- 2.7 RESALE means an activity wherein a certificated CLEC, such as Delta Phones, subscribes to the telecommunications services of BellSouth and then offers those telecommunications services to the public.

3. General Provisions

- 3.1 All of the negotiated rates, terms and conditions set forth in this Attachment pertain to the resale of BellSouth's retail telecommunications services and other services specified in this Attachment. Subject to effective and applicable FCC and Commission rules and orders, BellSouth shall make available to Delta Phones for resale those telecommunications services BellSouth makes available, pursuant to its General Subscriber Services Tariff and Private Line Services Tariff, to customers who are not telecommunications carriers.
- 3.1.1 When Delta Phones provides Resale service in a cross boundary area (areas that are part of the local serving area of another state's exchange) the rates, regulations and discounts for the tariffing state will apply. Billing will be from the serving state.
- 3.1.2 In Tennessee, if Delta Phones does not resell Lifeline services to any end users, and if Delta Phones agrees to order an appropriate Operator Services/Directory Services block as set forth in BellSouth's General Subscriber Services Tariff, the discount shall be 21.56%.
- 3.1.2.1 In the event Delta Phones resells Lifeline service to any end user in Tennessee, BellSouth will begin applying the 16% discount rate to all services. Upon Delta Phones and BellSouth's implementation of a billing arrangement whereby a separate Master Account (Q-account) associated with a separate Operating Customer Number (OCN) is established for billing of Lifeline service end users, the discount shall be applied as set forth in 3.1.2 preceding for the non-Lifeline affected Master Account (Q-account).
- 3.1.2.2 Delta Phones must provide written notification to BellSouth within 30 days prior to providing its own operator services/directory services or orders the appropriate operator services/directory assistance blocking, to qualify for the higher discount rate of 21.56%.
- 3.2 Delta Phones may purchase resale services from BellSouth for their own use in operating their business. The resale discount will apply to those services under the following conditions:
- 3.2.1 Delta Phones must resell services to other End Users.
- 3.2.2 Delta Phones cannot be a competitive local exchange telecommunications company for the single purpose of selling to themselves.
- 3.3 Delta Phones will be the customer of record for all services purchased from BellSouth. Except as specified herein, BellSouth will take orders from, bill and receive payment from Delta Phones for said services.

Version: 2002: 05/31/02

- Delta Phones will be BellSouth's single point of contact for all services purchased pursuant to this Agreement. BellSouth shall have no contact with the End User except to the extent provided for herein. Each Party shall provide to the other a nation wide (50 states) toll-free contact number for purposes of repair and maintenance.
- 3.5 BellSouth will continue to bill the End User for any services that the End User specifies it wishes to receive directly from BellSouth. BellSouth maintains the right to serve directly any End User within the service area of Delta Phones. BellSouth will continue to market directly its own telecommunications products and services and in doing so may establish independent relationships with End Users of Delta Phones. Neither Party shall interfere with the right of any person or entity to obtain service directly from the other Party.
- 3.5.1 When a subscriber of Delta Phones or BellSouth elects to change his/her carrier to the other Party, both Parties agree to release the subscriber's service to the other Party concurrent with the due date of the service order, which shall be established based on the standard interval for the subscriber's requested service as set forth in the BellSouth Product and Services Interval Guide.
- 3.5.2 BellSouth and Delta Phones will refrain from contacting subscribers who have placed or whose selected carrier has placed on their behalf an order to change his/her service provider from BellSouth or Delta Phones to the other Party until such time that the order for service has been completed.
- 3.6 Current telephone numbers may normally be retained by the End User and are assigned to the service furnished. However, neither Party nor the End User has a property right to the telephone number or any other call number designation associated with services furnished by BellSouth, and no right to the continuance of service through any particular central office. BellSouth reserves the right to change such numbers, or the central office designation associated with such numbers, or both, whenever BellSouth deems it necessary to do so in the conduct of its business and in accordance with BellSouth practices and procedures on a nondiscriminatory basis.
- 3.7 Where BellSouth provides local switching or resold services to Delta Phones, BellSouth will provide Delta Phones with on line access to intermediate telephone numbers as defined by applicable FCC rules and regulations on a first come first served basis. Delta Phones acknowledges that such access to numbers shall be in accordance with the appropriate FCC rules and regulations. Delta Phones acknowledges that there may be instances where there is a shortage of telephone numbers in a particular Common Language Location Identifier Code (CLLIC); and in such instances, Delta Phones shall return unused intermediate telephone numbers to BellSouth upon BellSouth's request. BellSouth shall make all such requests on a nondiscriminatory basis.

- 3.8 BellSouth will allow Delta Phones to designate up to 100 intermediate telephone numbers per CLLIC, for Delta Phones's sole use. Assignment, reservation and use of telephone numbers shall be governed by applicable FCC rules and regulations. Delta Phones acknowledges that there may be instances where there is a shortage of telephone numbers in a particular CLLIC and BellSouth has the right to limit access to blocks of intermediate telephone numbers. These instances include: 1) where jeopardy status has been declared by the North American Numbering Plan (NANP) for a particular Numbering Plan Area (NPA); or 2) where a rate center has less than six months supply of numbering resources.
- 3.9 Service is furnished subject to the condition that it will not be used for any unlawful purpose.
- 3.10 Service will be discontinued if any law enforcement agency advises that the service being used is in violation of the law.
- 3.11 BellSouth can refuse service when it has grounds to believe that service will be used in violation of the law.
- 3.12 BellSouth will cooperate with law enforcement agencies with subpoenas and court orders relating to Delta Phones's End Users, pursuant to Section 6 of the General Terms and Conditions.
- 3.13 If Delta Phones or its End Users utilize a BellSouth resold telecommunications service in a manner other than that for which the service was originally intended as described in BellSouth's retail tariffs, Delta Phones has the responsibility to notify BellSouth. BellSouth will only provision and maintain said service consistent with the terms and conditions of the tariff describing said service.
- Facilities and/or equipment utilized by BellSouth to provide service to Delta Phones remain the property of BellSouth.
- 3.15 White page directory listings for Delta Phones End Users will be provided in accordance with Section 5 of the General Terms and Conditions.
- 3.16 Service Ordering and Operational Support Systems (OSS)
- 3.16.1 Delta Phones must order services through resale interfaces, i.e., the Local Carrier Service Center (LCSC) and/or appropriate Complex Resale Support Group (CRSG) pursuant to this Agreement. BellSouth has developed and made available interactive interfaces by which Delta Phones may submit LSRs electronically as set forth in Attachment 6 of this Agreement. Service orders will be in a standard format designated by BellSouth.
- 3.16.2 LSRs submitted by means of one of these interactive interfaces will incur an OSS electronic charge as set forth in Exhibit C to this Agreement. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs

Version: 2002: 05/31/02

submitted by means other than one of these interactive interfaces (Mail, fax, courier, etc.) will incur a manual order charge as set forth in Exhibit C to this Agreement. Supplements or clarifications to a previously billed LSR will not incur another OSS charge.

- 3.16.3 <u>Denial/Restoral OSS Charge.</u> In the event Delta Phones provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and therefore will be billed as one LSR per location.
- 3.16.4 Cancellation OSS Charge. Delta Phones will incur an OSS charge for an accepted LSR that is later canceled.
- 3.17 Where available to BellSouth's End Users, BellSouth shall provide the following telecommunications services at a discount to allow for voice mail services:
 - Message Waiting Indicator ("MWI"), stutter dialtone and message waiting light feature capabilities
 - Call Forward Busy Line ("CF/B")
 - Call Forward Don't Answer ("CF/DA")

Further, BellSouth messaging services set forth in BellSouth's Messaging Service Information Package shall be made available for resale without the wholesale discount.

- 3.18 BellSouth shall provide branding for, or shall unbrand, voice mail services for Delta Phones per the Bona Fide Request/New Business Request process as set forth in Attachment 11 of the General Terms and Conditions.
- 3.19 BellSouth's Inside Wire Maintenance Service Plan is available for resale at rates, terms and conditions as set forth by BellSouth and without the wholesale discount.
- 3.20 In the event Delta Phones acquires an end user whose service is provided pursuant to a BellSouth Special Assembly, BellSouth shall make available to Delta Phones that Special Assembly at the wholesale discount at Delta Phones's option. Delta Phones shall be responsible for all terms and conditions of such Special Assembly including but not limited to termination liability if applicable.
- 3.21 BellSouth shall provide 911/E911 for Delta Phones customers in the same manner that it is provided to BellSouth customers. BellSouth shall provide and validate Delta Phones customer information to the PSAP. BellSouth shall use its service order process to update and maintain, on the same schedule that it uses for its customers, the Delta Phones customer service information in the ALI/DMS (Automatic Location Identification/Location Information) databases used to support 911/E911 services.

- 3.22 BellSouth shall bill, and Delta Phones shall pay, the End User line charge associated with implementing Number Portability as set forth in BellSouth's FCC No. 1 tariff. This charge is not subject to the wholesale discount.
- 3.23 Pursuant to 47 CFR Section 51.617, BellSouth will bill to Delta Phones, and Delta Phones shall pay, End User common line charges identical to the End User common line charges BellSouth bills its End Users.

4. BellSouth's Provision of Services to Delta Phones

- 4.1 Resale of BellSouth services shall be as follows:
- 4.1.1 The resale of telecommunications services shall be limited to users and uses conforming to the class of service restrictions.
- 4.1.2 Hotel and Hospital PBX services are the only telecommunications services available for resale to Hotel/Motel and Hospital End Users, respectively. Similarly, Access Line Service for Customer Provided Coin Telephones is the only local service available for resale to Payphone Service Provider (PSP) customers. Shared Tenant Service customers can only be sold those local exchange access services available in BellSouth's A23 Shared Tenant Service Tariff in the states of Florida, Georgia, North Carolina and South Carolina, and in A27 in the states of Alabama, Kentucky, Louisiana, Mississippi and Tennessee.
- 4.1.3 BellSouth reserves the right to periodically audit services purchased by Delta Phones to establish authenticity of use. Such audit shall not occur more than once in a calendar year. Delta Phones shall make any and all records and data available to BellSouth or BellSouth's auditors on a reasonable basis. BellSouth shall bear the cost of said audit. Any information provided by Delta Phones for purposes of such audit shall be deemed Confidential Information pursuant to the General Terms and Conditions of this Agreement.
- 4.2 Subject to Exhibit A hereto, resold services can only be used in the same manner as specified in BellSouth's Tariffs. Resold services are subject to the same terms and conditions as are specified for such services when furnished to an individual End User of BellSouth in the appropriate section of BellSouth's Tariffs. Specific tariff features (e.g. a usage allowance per month) shall not be aggregated across multiple resold services.
- 4.3 Delta Phones may resell services only within the specific service area as defined in its certificate of operation approved by the Commission.
- 4.4 If Delta Phones cancels an order for resold services, any costs incurred by BellSouth in conjunction with provisioning of such order will be recovered in accordance with BellSouth's General Subscriber Services Tariffs and Private Line Services Tariffs.

Version: 2002: 05/31/02

5. Maintenance of Services

- 5.1 Services resold pursuant to this Attachment and BellSouth's General Subscriber Service Tariff and Private Line Service Tariff and facilities and equipment provided by BellSouth shall be maintained by BellSouth.
- 5.2 Delta Phones or its End Users may not rearrange, move, disconnect, remove or attempt to repair any facilities owned by BellSouth except with the written consent of BellSouth.
- 5.3 Delta Phones accepts responsibility to notify BellSouth of situations that arise that may result in a service problem.
- Delta Phones will contact the appropriate repair centers in accordance with procedures established by BellSouth.
- 5.5 For all repair requests, Delta Phones shall adhere to BellSouth's prescreening guidelines prior to referring the trouble to BellSouth.
- BellSouth will bill Delta Phones for handling troubles that are found not to be in BellSouth's network pursuant to its standard time and material charges. The standard time and material charges will be no more than what BellSouth charges to its retail customers for the same services.
- 5.7 BellSouth reserves the right to contact Delta Phones's End Users, if deemed necessary, for maintenance purposes.

6. Establishment of Service

- After receiving certification as a local exchange company from the appropriate regulatory agency, Delta Phones will provide the appropriate BellSouth service center the necessary documentation to enable BellSouth to establish a master account for Delta Phones's resold services. Such documentation shall include the Application for Master Account, proof of authority to provide telecommunications services, an Operating Company Number ("OCN") assigned by the National Exchange Carriers Association ("NECA") and a tax exemption certificate, if applicable.
- Delta Phones shall provide to BellSouth a blanket letter of authorization ("LOA") certifying that Delta Phones will have End User authorization prior to viewing the End User's customer service record or switching the End User's service. BellSouth will not require End User confirmation prior to establishing service for Delta Phones's End User customer. Delta Phones must, however, be able to demonstrate End User authorization upon request.
- BellSouth will accept a request directly from the End User for conversion of the End User's service from Delta Phones to BellSouth or will accept a request from

another CLEC for conversion of the End User's service from Delta Phones to such other CLEC. Upon completion of the conversion BellSouth will notify Delta Phones that such conversion has been completed.

7. Discontinuance of Service

- 7.1 The procedures for discontinuing service to an End User are as follows:
- 7.1.1 BellSouth will deny service to Delta Phones's End User on behalf of, and at the request of, Delta Phones. Upon restoration of the End User's service, restoral charges will apply and will be the responsibility of Delta Phones.
- 7.1.2 At the request of Delta Phones, BellSouth will disconnect a Delta Phones End User customer.
- 7.1.3 All requests by Delta Phones for denial or disconnection of an End User for nonpayment must be in writing.
- 7.1.4 Delta Phones will be made solely responsible for notifying the End User of the proposed disconnection of the service.
- 7.1.5 BellSouth will continue to process calls made to the Annoyance Call Center and will advise Delta Phones when it is determined that annoyance calls are originated from one of its End User's locations. BellSouth shall be indemnified, defended and held harmless by Delta Phones and/or the End User against any claim, loss or damage arising from providing this information to Delta Phones. It is the responsibility of Delta Phones to take the corrective action necessary with its End Users who make annoying calls. (Failure to do so will result in BellSouth's disconnecting the End User's service.)

8.0 Operator Services (Operator Call Processing and Directory Assistance)

- 8.1 Operator Services provides: (1) operator handling for call completion (for example, collect, third number billing, and manual calling-card calls). (2) operator or automated assistance for billing after the end user has dialed the called number (for example, calling card calls); and (3) special services including but not limited to Busy Line Verification and Emergency Line Interrupt (ELI), Emergency Agency Call and Operator-assisted Directory Assistance.
- 8.2 Upon request for BellSouth Operator Call Processing, BellSouth shall:
- 8.2.1 Process 0+ and 0- dialed local calls
- 8.2.2 Process 0+ and 0- intraLATA toll calls.
- 8.2.3 Process calls that are billed to Delta Phones end user's calling card that can be validated by BellSouth.

8.2.4	Process person-to-person calls.
8.2.5	Process collect calls.
8.2.6	Provide the capability for callers to bill a third party and shall also process such calls.
8.2.7	Process station-to-station calls.
8.2.8	Process Busy Line Verify and Emergency Line Interrupt requests.
8.2.9	Process emergency call trace originated by Public Safety Answering Points.
8.2.10	Process operator-assisted directory assistance calls.
8.2.11	Adhere to equal access requirements, providing Delta Phones local end users the same IXC access that BellSouth provides its own operator service.
8.2.12	Exercise at least the same level of fraud control in providing Operator Service to Delta Phones that BellSouth provides for its own operator service.
8.2.13	Perform Billed Number Screening when handling Collect, Person-to-Person, and Billed-To-Third-Party calls.
8.2.14	Direct customer account and other similar inquiries to the customer service center designated by Delta Phones.
8.2.15	Provide call records to Delta Phones in accordance with ODUF standards.
8.2.16	The interface requirements shall conform to the interface specifications for the platform used to provide Operator Services as long as the interface conforms to industry standards.
8.3	Directory Assistance Service
8.3.1	Directory Assistance Service provides local end user telephone number listings with the option to complete the call at the caller's direction separate and distinct from local switching.
8.3.2	Directory Assistance Service shall provide up to two listing requests per call, if available and if requested by Delta Phones's end user. BellSouth shall provide caller-optional directory assistance call completion service at rates contained in Exhibit C to one of the provided listings.
8.3.3	Directory Assistance Service Updates
8.3.3.1	BellSouth shall update end user listings changes daily. These changes include:

- 8.3.3.1.1 New end user connections
- 8.3.3.1.2 End user disconnections
- 8.3.3.1.3 End user address changes
- 8.3.3.2 These updates shall also be provided for non-listed and non-published numbers for use in emergencies.
- 8.4 <u>Branding for Operator Call Processing and Directory Assistance</u>
- 8.4.1 BellSouth's branding feature provides a definable announcement to Delta Phones end users using Directory Assistance (DA)/ Operator Call Processing (OCP) prior to placing such end users in queue or connecting them to an available operator or automated operator system. This feature allows Delta Phones's name on whose behalf BellSouth is providing Directory Assistance and/or Operator Call Processing. Rates for the branding features are set forth in Exhibit C.
- 8.4.2 BellSouth offers three branding offering option to Delta Phones when ordering BellSouth's Directory Assistance and Operator Call Processing: BellSouth Branding, Unbranding and Custom Branding.
- 8.4.3 Upon receipt of the branding order from Delta Phones, the order is considered firm after ten (10) business days. Should Delta Phones decide to cancel the order, written notification to Delta Phones's BellSouth Account Executive is required. If Delta Phones decides to cancel after ten (10) business days from receipt of the branding order, Delta Phones shall pay all charges per the order.
- 8.4.4 Selective Call Routing using Line Class Codes (SCR-LCC)
- 8.4.4.1 Where Delta Phones resells BellSouth's services and utilizes an operator services provider other than BellSouth, BellSouth will route Delta Phones's end user calls to that provider through Selective Call Routing.
- 8.4.4.2 Selective Call Routing using Line Class Codes (SCR-LCC) provides the capability for Delta Phones to have its OCP/DA calls routed to BellSouth's OCP/DA platform for BellSouth provided Custom Branded or Unbranded OCP/DA or to its own or an alternate OCP/DA platform for Self-Branded OCP/DA. SCR-LCC is only available if line class code capacity is available in the requested BellSouth end office switches.
- 8.4.4.3 Custom Branding for Directory Assistance is not available for certain classes of service, including but not limited to Hotel/Motel services, WATS service and certain PBX services.
- Where available, Delta Phones specific and unique line class codes are programmed in each BellSouth end office switch were Delta Phones intends to

service end users with customized OCP/DA branding. The line class codes specifically identify Delta Phones's end users so OCP/DA calls can be routed over the appropriate trunk group to the request OCP/DA platform. Additional line class codes are required in each end office if the end office serves multiple NPAs (i.e., a unique LCC is required per NPA), and/or if the end office switch serves multiple rate areas and Delta Phones intends to provide Delta Phones-branded OCP/DA to its end users in these multiple rate areas.

- 8.4.4.5 SCR-LCC supporting Custom Branding and Self Branding require Delta Phones to order dedicated transport and trunking from each BellSouth end office identified by Delta Phones, either to the BellSouth Traffic Operator Position System (TOPS) for Custom Branding or to the Delta Phones Operator Service Provider for Self Branding. Separate trunk groups are required for Operator Services and for Directory Assistance. Rates for transport and trunks are as set forth in applicable BellSouth Tariffs.
- 8.4.4.6 The rates for SCR-LCC are as set forth in Exhibit C of this Attachment. There is a nonrecurring charge for the establishment of each Line Class Code in each BellSouth central office.
- 8.4.4.7 Unbranded Directory Assistance and/or Operator Call Processing calls ride common trunk groups provisioned by BellSouth from those end offices identified by Delta Phones to the BellSouth Tops. The calls are routed to "No Announcement."
- 8.4.5 Branding via Originating Line Number Screening (OLNS)
- 8.4.5.1 BellSouth Branding, Unbranding and Custom Branding are also available for Directory Assistance, Operator Call Processing or both via OLNS software. When utilizing this method of Unbranding or Custom Branding, Delta Phones shall not be required to purchase direct trunking.
- For Bellsouth to provide Unbranding or Custom Branding via OLNS software for Operator Call Processing or for Directory Assistance, Delta Phones must have its Operating Company Number ("OCN(s)") and telephone numbers reside in BellSouth's LIDB; however, a BellSouth LIDB Storage Agreement is not required. To implement Unbranding and Custom Branding via OLNS software, Delta Phones must submit a manual order form which requires, among other things, Delta Phones's OCN and a forecast for the traffic volume anticipated for each BellSouth TOPS during the peak busy hour. Delta Phones shall provide updates to such forecast on a quarterly basis and at any time such forecasted traffic volumes are expected to change significantly. Upon Delta Phones's purchase of Unbranding or Custom Branding using OLNS software for any particular TOPS, all Delta Phones end users served by that TOPS will receive the Unbranded "no announcement" or the Custom Branded announcement.

- 8.4.5.3 Rates for Unbranding and Custom Branding via OLNS software for Directory Assistance and for Operator Call Processing are as set forth in Exhibit C of this Attachment. Notwithstanding anything to the contrary in this Agreement, to the extent BellSouth is unable to bill Delta Phones applicable charges currently, BellSouth shall track such charges and will bill the same retroactively at such time as a billing process is implemented. In addition to the charges for Unbranding and Custom Branding via OLNS software, Delta Phones shall continue to pay BellSouth applicable labor and other charges for the use of BellSouth's Directory Assistance and Operator Call Processing platforms as set forth in Exhibit C of this Attachment.
- 8.4.5.4 Customized Branding includes charges for the recording of the branding announcement and the loading of the audio units in each TOPS Switch and Network Applications Vehicles (NAV) equipment for which Delta Phones requires service.
- 8.4.5.5 Directory Assistance customized branding uses:
- 8.4.5.5.1 the recording of Delta Phones
- 8.4.5.5.2 the loading on the Digital Recorded Announcement Machine (DRAM) in each TOPS switch.
- 8.4.5.6 Operator Call Processing customized branding uses:
- 8.4.5.6.1 the recording of Delta Phones
- 8.4.5.6.2 the loading on the DRAM in the TOPS Switch (North Carolina)
- 8.4.5.6.3 the loading on the Network Applications Vehicle (NAV). All NAV shelves within the region where the customer is offering service must be loaded.
- 9. Line Information Database (LIDB)
- 9.1 BellSouth will store in its Line Information Database (LIDB) records relating to service only in the BellSouth region. The LIDB Storage Agreement is included in this Attachment as Exhibit B.
- 9.2 BellSouth will provide LIDB Storage upon written request to Delta Phones's Account Manager stating a requested activation date.
- 10. RAO Hosting
- 10.1 RAO Hosting is not required for resale in the BellSouth region.

EXCLUSIONS AND LEMITATIONS ON SERVICES AVAILABLE FOR RESALE (Note 5)

Type of Service		AL		FL		GA		KY		LA		MS		NC		SC		TN	
1 1	pe of Service	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount
1 Grand Service	lfathered ces (Note 1)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
1 1	otions - > 90 Note 2)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Note 3
	otions - <u><</u> 90 (Note 2)	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
4 Lifelii Servic	ne/Link Up ces	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Note 4	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
5 911/E	911 Services	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
6 N11 S		Yes	Yes	Yes	Yes	Yes	Yes	No	No	No	No	Yes	Yes	Yes	Yes	No	No	Yes	Yes
7 Memo	oryCall®Service	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
8 Mobil	le Services	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
1 1	al Subscriber Charges	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
	RecurCharges	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No
11 End U	Jser Line Chg- per Portability	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
	Telephone ss Svc(PTAS)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes
1 1	e Wire Maint ce Plan	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
	Applicable No									l									
1.	Grandfathered	d servic	es can be	resold o	nly to exis	ting sul	bscribers o	f the gra	andfathere	ed service	æ.								
2.	Where availabl														l it been p	rovided	by BellSo	uth dire	ctly.
3.	In Tennessee, 1						n ninety (90) days	s) may be	obtainec	at one of	the foll	owing rate	s:					
	(a) the stated tariff rate, less the wholesale discount;																		
	(b) the promotional rate (the promotional rate offered by BellSouth will not be discounted further by the wholesale discount rate)																		
4.	Lifeline/Link Up services may be offered only to those subscribers who meet the criteria that BellSouth currently applies to subscribers of these services as set forth in Sections A3 and A4 of the BellSouth General Subscriber Services Tariff.																		
5.	Some of BellSouth's local exchange and toll telecommunications services are not available in certain central offices and areas.																		

LINE INFORMATION DATA BASE (LIDB)

RESALE STORAGE AGREEMENT

I. Definitions (from Addendum)

- A. Billing number a number used by BellSouth for the purpose of identifying an account liable for charges. This number may be a line or a special billing number.
- B. Line number a ten-digit number assigned by BellSouth that identifies a telephone line associated with a resold local exchange service, or with a SPNP arrangement.
- C. Special billing number a ten-digit number that identifies a billing account established by BellSouth in connection with a resold local exchange service or with a SPNP arrangement.
- D. Calling Card number a billing number plus PIN number assigned by BellSouth.
- E. PIN number a four-digit security code assigned by BellSouth that is added to a billing number to compose a fourteen-digit calling card number.
- F. Toll billing exception indicator associated with a billing number to indicate that it is considered invalid for billing of collect calls or third number calls or both, by Delta Phones.
- G. Billed Number Screening refers to the activity of determining whether a toll billing exception indicator is present for a particular billing number.
- H. Calling Card Validation refers to the activity of determining whether a particular calling card number exists as stated or otherwise provided by a caller.
- I. Billing number information information about billing number or Calling Card number as assigned by BellSouth and toll billing exception indicator provided to BellSouth by Delta Phones.

II. General

A. This Agreement sets forth the terms and conditions pursuant to which BellSouth agrees to store in its LIDB certain information at the request of Delta Phones and pursuant to which BellSouth, its LIDB customers and Delta Phones shall have access to such information. In addition, this Agreement sets forth the terms and conditions for Delta Phones's provision of billing number information to BellSouth for inclusion in BellSouth's LIDB. Delta Phones understands that BellSouth provides access to

information in its LIDB to various telecommunications service providers pursuant to applicable tariffs and agrees that information stored at the request of Delta Phones, pursuant to this Agreement, shall be available to those telecommunications service providers. The terms and conditions contained herein shall hereby be made a part of this Interconnection/Resale Agreement upon notice to Delta Phones's account team and/or Local Contract Manager to activate this LIDB Storage Agreement. The General Terms and Conditions of the Interconnection/Resale Agreement shall govern this LIDB Storage Agreement. The terms and conditions contained in the attached Addendum are hereby made a part of this LIDB Storage Agreement as if fully incorporated herein.

B. BellSouth will provide responses to on-line, call-by-call queries to billing number information for the following purposes:

1. Billed Number Screening

BellSouth is authorized to use the billing number information to determine whether Delta Phones has identified the billing number as one that should not be billed for collect or third number calls.

2. Calling Card Validation

BellSouth is authorized to validate a 14-digit Calling Card number where the first 10 digits are a line number or special billing number assigned by BellSouth, and where the last four digits (PIN) are a security code assigned by BellSouth.

3. Fraud Control

BellSouth will provide seven days per week, 24-hours per day, fraud monitoring on Calling Cards, bill-to-third and collect calls made to numbers in BellSouth's LIDB, provided that such information is included in the LIDB query. BellSouth will establish fraud alert thresholds and will notify Delta Phones of fraud alerts so that Delta Phones may take action it deems appropriate.

III. Responsibilities of the Parties

A. BellSouth will administer all data stored in the LIDB, including the data provided by Delta Phones pursuant to this Agreement, in the same manner as BellSouth's data for BellSouth's End User customers. BellSouth shall not be responsible to Delta Phones for any lost revenue which may result from BellSouth's administration of the LIDB pursuant to its established practices and procedures as they exist and as they may be changed by BellSouth in its sole discretion from time to time.

B. Billing and Collection Customers

BellSouth currently has in effect numerous billing and collection agreements with various interexchange carriers and billing clearing houses and as such these billing and

collection customers ("B&C Customers") query BellSouth's LIDB to determine whether to accept various billing options from End Users. Until such time as BellSouth implements in its LIDB and its supporting systems the means to differentiate Delta Phones's data from BellSouth's data, the following shall apply:

- (1) Delta Phones will accept responsibility for telecommunications services billed by BellSouth for its B&C Customers for Delta Phones's End User accounts which are resident in LIDB pursuant to this Agreement. Delta Phones authorizes BellSouth to place such charges on Delta Phones's bill from BellSouth and shall pay all such charges, including, but are not limited to, collect and third number calls.
- (2) Charges for such services shall appear on a separate BellSouth bill page identified with the name of the B&C Customers for which BellSouth is billing the charge.
- (3) Delta Phones shall have the responsibility to render a billing statement to its End Users for these charges, but Delta Phones shall pay BellSouth for the charges billed regardless of whether Delta Phones collects from Delta Phones's End Users.
- (4) BellSouth shall have no obligation to become involved in any disputes between Delta Phones and B&C Customers. BellSouth will not issue adjustments for charges billed on behalf of any B&C Customer to Delta Phones. It shall be the responsibility of Delta Phones and the B&C Customers to negotiate and arrange for any appropriate adjustments.

C. SPNP ARRANGEMENTS

- BellSouth will include billing number information associated with resold exchange lines or SPNP arrangements in its LIDB. Delta Phones will request any toll billing exceptions via the Local Service Request (LSR) form used to order resold exchange lines, or the SPNP service request form used to order SPNP arrangements.
- 2. Under normal operating conditions, BellSouth shall include the billing number information in its LIDB upon completion of the service order establishing either the resold local exchange service or the SPNP arrangement, provided that BellSouth shall not be held responsible for any delay or failure in performance to the extent such delay or failure is caused by circumstances or conditions beyond BellSouth's reasonable control. BellSouth will store in its LIDB an unlimited volume of the working telephone numbers associated with either the resold local exchange lines or the SPNP arrangements. For resold local exchange lines or for SPNP arrangements, BellSouth will issue line-based calling cards only in the name of Delta Phones. BellSouth will not issue line-based calling cards in the name of Delta Phones's individual End Users. In the event that Delta Phones wants to include calling card numbers assigned by Delta Phones in the BellSouth LIDB, a separate agreement is required.

IV. Fees for Service and Taxes

- A. Delta Phones will not be charged a fee for storage services provided by BellSouth to Delta Phones, as described in this LIDB Resale Storage Agreement.
- B. Sales, use and all other taxes (excluding taxes on BellSouth's income) determined by BellSouth or any taxing authority to be due to any federal, state or local taxing jurisdiction with respect to the provision of the service set forth herein will be paid by Delta Phones in accordance with the tax provisions set forth in the General Terms and Conditions of this Agreement.

RESALE DISCOUNTS AND RATES

		ALABAMA	FLORIDA	GEORGIA	KENTUCKY	LOUISIANA	MISSISSIPPI	NORTH CAROLINA	SOUTH CAROLINA	TENNESSEE
RESIDENCI	E	16.3%	21.83%	20.3%	16.79%	20.72%	15.75%	21.5%	14.8%	16%
BUSINESS		16.3%	16.81%	17.3%	15.54%	20.72%	15.75%	17.6%	14.8%	16%
CSAs*						9.05%			8,98%	
* Unless noted in	n this row, the d	liscount for Busin	ness will be the applicat	ole discount rate for	CSAs.					
										udy fortal plant of a limit of the server of
ELEMENT	USOC									
Electronic LSR	SOMEC	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50
Manual LSR	SOMAN	\$19.99	\$19.99	\$19.99	\$19.99	\$19.99	\$19.99	\$19.99	\$19.99	\$19,99

Attachment 2

Network Elements and Other Services

TABLE OF CONTENTS

1	INTRODUCTION	3
2	UNBUNDLED LOOPS	4
3	HIGH FREQUENCY SPECTRUM NETWORK ELEMENT	25
4	LOCAL SWITCHING	35
5	UNBUNDLED NETWORK ELEMENT COMBINATIONS	12
6	TRANSPORT, CHANNELIZATION AND DARK FIBER	19
7 SCR	BELLSOUTH SWITCHED ACCESS ("SWA") 8XX TOLL FREE DIALING TEN DIGIT EENING SERVICE	54
8	LINE INFORMATION DATABASE (LIDB)	55
9	SIGNALING	57
10	OPERATOR SERVICES (OPERATOR CALL PROCESSING AND DIRECTORY ASSISTANCE).	63
11	AUTOMATIC LOCATION IDENTIFICATION/DATA MANAGEMENT SYSTEM (ALI/DMS)	69
12	CALLING NAME (CNAM) DATABASE SERVICE	70
13 ADV	SERVICE CREATION ENVIRONMENT AND SERVICE MANAGEMENT SYSTEM (SCE/SMS) ANCED INTELLIGENT NETWORK (AIN) ACCESS	71
14	BASIC 911 AND E911	72
15	OPERATIONAL SUPPORT SYSTEMS (OSS)	73
LID	B Storage AgreementExhibit	A
Rate		

ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES

1 Introduction

- 1.1 This Attachment sets forth rates, terms and conditions for Network Elements and combinations of Network Elements that BellSouth agrees to offer to Delta Phones in accordance with its obligations under Section 251(c)(3) of the Act. Additionally, this Attachment sets forth the rates, terms and conditions for other services BellSouth makes available to Delta Phones. The price for each Network Element and combination of Network Elements and other services are set forth in Exhibit B of this Agreement. Additionally, the provision of a particular Network Element or service may require Delta Phones to purchase other Network Elements or services.
- 1.2 For purposes of this Agreement, "Network Element" is defined to mean a facility or equipment Delta Phones used in the provision of a telecommunications service. For purposes of this Agreement, combinations of Network Elements shall be referred to as "Combinations."
- 1.3 BellSouth shall, upon request of Delta Phones, and to the extent technically feasible, provide to Delta Phones access to its Network Elements for the provision of Delta Phones's telecommunications services. If no rate is identified in this Agreement, the rate for the specific service or function will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.
- Delta Phones may purchase Network Elements and other services from BellSouth for the purpose of combining such network elements in any manner Delta Phones chooses to provide telecommunication services to its intended users, including recreating existing BellSouth services. With the exception of the sub-loop Network Elements which are located outside of the central office, BellSouth shall deliver the Network Elements purchased by Delta Phones to the demarcation point associated with Delta Phones's collocation arrangement.
- 1.5 BellSouth shall comply with the requirements as set forth in the technical references within this Attachment 2.
- 1.6 Delta Phones may not purchase unbundled network elements (UNEs) or convert special access circuits to UNEs if such network elements will be used to provide wireless telecommunications services.
- 1.7 Rates
- 1.7.1 The prices that Delta Phones shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit B to this Attachment. If Delta Phones

purchases a service(s) from a tariff, all terms and conditions and rates as set forth in such tariff shall apply.

- 1.7.2 Rates, terms and conditions for order cancellation charges and Service Date Advancement Charges will apply in accordance with Attachment 6 and are incorporated herein by this reference.
- 1.7.3 If Delta Phones modifies an order (Order Modification Charge (OMC)) after being sent a Firm Order Confirmation (FOC) from BellSouth, any costs incurred by BellSouth to accommodate the modification will be paid by Delta Phones in accordance with FCC No. 1 Tariff, Section 5.
- 1.7.4 A one-month minimum billing period shall apply to all UNE conversions or new installations.

2 Unbundled Loops

2.1 General

- 2.1.1 The local loop Network Element ("Loop") is defined as a transmission facility between a distribution frame (or its equivalent) in BellSouth's central office and the loop demarcation point at an end-user customer premises, including inside wire owned by BellSouth. The local loop Network Element includes all features, functions, and capabilities of the transmission facilities, including dark fiber and attached electronics (except those used for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers) and line conditioning.
- 2.1.2 The provisioning of a Loop to Delta Phones's collocation space will require cross-office cabling and cross-connections within the central office to connect the Loop to a local switch or to other transmission equipment. These cross-connects are separate components, that are not considered a part of the Loop, and thus, have a separate charge.
- 2.1.3 To the extent available within BellSouth's network at a particular location, BellSouth will offer Loops capable of supporting telecommunications services. If a requested loop type is not available, and cannot be made available through BellSouth's Unbundled Loop Modification process, then Delta Phones can use the Special Construction process to request that BellSouth place facilities in order to meet Delta Phones's loop requirements. Standard Loop intervals shall not apply to the Special Construction process.
- 2.1.4 Where facilities are available, BellSouth will install Loops in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com. For orders of 15 or more Loops, the installation and any applicable Order Coordination as described below will be handled on a project basis, and the intervals will be set by the BellSouth project manager for that order. When Loops require a Service Inquiry (SI) prior to

issuing the order to determine if facilities are available, the interval for the SI process is separate from the installation interval.

- 2.1.5 The Loop shall be provided to Delta Phones in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specification and applicable industry standard technical references.
- 2.1.6 Delta Phones may utilize the unbundled Loops to provide telecommunications services, so long as such services are consistent with industry standards and BellSouth's TR73600.
- 2.1.7 BellSouth will only provision, maintain and repair the Loops to the standards that are consistent with the type of Loop ordered. In those cases where Delta Phones has requested that BellSouth modify a Loop so that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ISDN, ADSL, etc.) the resulting Loop will be maintained as an unbundled copper Loop (UCL), and Delta Phones shall pay the recurring and non-recurring charges for a UCL. For non-service specific loops (e.g. UCL, Loops modified by Delta Phones using the Unbundled Loop Modification (ULM) process), BellSouth will only support that the Loop has copper continuity and balanced tip-and-ring.

2.1.8 <u>Loop Testing/Trouble Reporting</u>

- 2.1.8.1 Delta Phones will be responsible for testing and isolating troubles on the Loops. Delta Phones must test and isolate trouble to the BellSouth portion of a designed/non-designed unbundled loop (e.g., UVL-SL2, UCL-D, UVL-SL1, UCL-ND, etc.) before reporting repair to the UNE Customer Wholesale Interconnection Network Services (CWINS) Center. At the time of the trouble report, Delta Phones will be required to provide the results of the Delta Phones test which indicate a problem on the BellSouth provided loop.
- Once Delta Phones has isolated a trouble to the BellSouth provided Loop, and had issued a trouble report to BellSouth on the Loop, BellSouth will take the actions necessary to repair the Loop if a trouble actually exists. BellSouth will repair these Loops in the same time frames that BellSouth repairs similarly situated Loops to its end users.
- 2.1.8.3 If Delta Phones reports a trouble on a non-designed loop (e.g., UVL-SL1, UCL-ND, etc.) and no trouble actually exists, BellSouth will charge Delta Phones for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the loop's working status. If Delta Phones reports trouble on a designed loop and no trouble is found, BellSouth will charge Delta Phones for any dispatch and testing outside the central office.

2.1.9 Order Coordination and Order Coordination-Time Specific

- 2.1.9.1 "Order Coordination" (OC) allows BellSouth and Delta Phones to coordinate the installation of the SL2 Loops, Unbundled Digital Loops (UDL) and other Loops where OC may be purchased as an option, to Delta Phones's facilities to limit end user service outage. OC is available when the Loop is provisioned over an existing circuit that is currently providing service to the end user. OC for physical conversions will be scheduled at BellSouth's discretion during normal working hours on the committed due date. OC shall be provided in accordance with the chart set forth below.
- 2.1.9.2 "Order Coordination – Time Specific" (OC-TS) allows Delta Phones to order a specific time for OC to take place. BellSouth will make every effort to accommodate Delta Phones's specific conversion time request. However, BellSouth reserves the right to negotiate with Delta Phones a conversion time based on load and appointment control when necessary. This OC-TS is a chargeable option for all Loops except Unbundled Copper Loops (UCL) and Universal Digital Channel (UDC), and is billed in addition to the OC charge. Delta Phones may specify a time between 9:00 a.m. and 4:00 p.m. (location time) Monday through Friday (excluding holidays). If Delta Phones specifies a time outside this window, or selects a time or quantity of Loops that requires BellSouth technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges. Overtime charges will be applied based on the amount of overtime worked and in accordance with the rates established in the Access Services Tariff, Section E13.2, for each state. The OC-TS charges for an order due on the same day at the same location will be applied on a per Local Service Request (LSR) basis.

2.1.10 <u>CLEC to CLEC Conversions for Unbundled Loops</u>

- 2.1.10.1 The CLEC to CLEC conversion process for unbundled Loops may be used by Delta Phones when converting an existing unbundled Loop from another CLEC for the same end user. The Loop type being converted must be included in Delta Phones's Interconnection Agreement before requesting a conversion.
- 2.1.10.2 To utilize the CLEC to CLEC conversion process, the Loop being converted must be the same Loop type with no requested changes to the Loop, must serve the same end user location from the same serving wire center, and must not require an outside dispatch to provision.
- 2.1.10.3 The Loops converted to Delta Phones pursuant to the CLEC to CLEC conversion process shall be provisioned in the same manner and with the same functionality and options as described in this Attachment for the specific Loop type.

	Order Coordination (OC)	Order Coordination - Time Specific (OC-TS)	Test Points	DLR	Charge for Dispatch and Testing if No Trouble Found
SL-1 (Non- Designed)	Chargeable Option	Chargeable Option	Not available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
UCL-ND (Non- Designed)	Chargeable Option	Not Available	Not Available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
Unbundled Voice Loops - SL-2 (including 2- and 4-wire UVL) (Designed)	Included	Chargeable Option	Included	Included	Charged for Dispatch outside Central Office
Unbundled Digital Loop (Designed)	Included	Chargeable Option (except on Universal Digital Channel)	Included (where appropriate)	Included	Charged for Dispatch outside Central Office
Unbundled Copper Loop (Designed)	Chargeable in accordance with Section 2	Not available	Included	Included	Charged for Dispatch outside Central Office

For UVL-SL1 and UCLs, Delta Phones must order and will be billed for both OC and OC-TS if requesting OC-TS.

2.2 <u>Unbundled Voice Loops (UVLs)</u>

- 2.2.1 BellSouth shall make available the following UVLs:
- 2.2.1.1 2-wire Analog Voice Grade Loop SL1 (Non-Designed)
- 2.2.1.2 2-wire Analog Voice Grade Loop SL2 (Designed)
- 2.2.1.3 4-wire Analog Voice Grade Loop (Designed)

- Unbundled Voice Loops (UVL) may be provisioned using any type of facility that will support voice grade services. This may include loaded copper, non-loaded copper, digital loop carrier systems, fiber or a combination of any of these facilities. BellSouth, in the normal course of maintaining, repairing, and configuring its network, may also change the facilities that are used to provide any given voice grade circuit. This change may occur at any time. In these situations, BellSouth will only ensure that the newly provided facility will support voice grade services. BellSouth will not guarantee that Delta Phones will be able to continue to provide any advanced services over the new facility. BellSouth will offer UVL in two different service levels Service Level One (SL1) and Service Level Two (SL2).
- 2.2.3 Unbundled Voice Loop SL1 (UVL-SL1) loops are 2-wire loop start circuits, will be non-designed, and will not have remote access test points. OC will be offered as a chargeable option on SLI loops when reuse of existing facilities has been requested by Delta Phones. Delta Phones may also order OC-TS when a specified conversion time is requested. OC-TS is a chargeable option for any coordinated order and is billed in addition to the OC charge. An Engineering Information (EI) document can be ordered as chargeable option. The EI document provides loop make up information which is similar to the information normally provided in a Design Layout Record. Upon issuance of a non-coordinated order in the service order system, SL1 loops will be activated on the due date in the same manner and time frames that BellSouth normally activates POTS-type loops for its end users.
- 2.2.4 For an additional charge BellSouth will make available Loop Testing so that Delta Phones may request further testing on new UVL-SL1 loops. Rates for Loop Testing are as set forth in Exhibit B of this Attachment.
- 2.2.5 Unbundled Voice Loop SL2 (UVL-SL2) loops may be 2-wire or 4-wire circuits, shall have remote access test points, and will be designed with a Design Layout Record provided to Delta Phones. SL2 circuits can be provisioned with loop start, ground start or reverse battery signaling. OC is provided as a standard feature on SL2 loops. The OC feature will allow Delta Phones to coordinate the installation of the loop with the disconnect of an existing customer's service and/or number portability service. In these cases, BellSouth will perform the order conversion with standard order coordination at its discretion during normal work hours.

2.3 <u>Unbundled Digital Loops</u>

- 2.3.1 BellSouth will offer Unbundled Digital Loops (UDL). UDLs are service specific, will be designed, will be provisioned with test points (where appropriate), and will come standard with OC and a Design Layout Record (DLR). The various UDLs are intended to support a specific digital transmission scheme or service.
- 2.3.2 BellSouth shall make available the following UDLs:

2.3.2.1 2-wire Unbundled ISDN Digital Loop 2.3.2.2 2-wire Universal Digital Channel (IDSL Compatible) 2.3.2.3 2-wire Unbundled ADSL Compatible Loop 2.3.2.4 2-wire Unbundled HDSL Compatible Loop 2.3.2.5 4-wire Unbundled HDSL Compatible Loop 2.3.2.6 4-wire Unbundled DS1 Digital Loop 4-wire Unbundled Digital Loop/DS0 - 64 kbps, 56 kbps and below 2.3.2.7 2.3.2.8 DS3 Loop 2.3.2.9 STS-1 Loop 2.3.2.10 OC3 Loop 2.3.2.11 OC12 Loop 2.3.2.12 OC48 Loop 2-Wire Unbundled ISDN Digital Loops will be provisioned according to industry 2.3.3 standards for 2-Wire Basic Rate ISDN services and will come standard with a test point, Order Coordination, and a DLR. Delta Phones will be responsible for providing BellSouth with a Service Profile Identifier (SPID) associated with a particular ISDN-capable loop and end user. With the SPID, BellSouth will be able to adequately test the circuit and ensure that it properly supports ISDN service. BellSouth will not reconfigure its ISDN-capable loop to support IDSL service. The Universal Digital Channel (UDC) (also known as IDSL-compatible Loop) is intended to be compatible with IDSL service and has the same physical characteristics and transmission specifications as BellSouth's ISDN-capable loop. These specifications are listed in BellSouth's TR73600. The UDC may be provisioned on copper or through a Digital Loop Carrier (DLC) 2.3.3.2 system. When UDC Loops are provisioned using a DLC system, the Loops will be provisioned on time slots that are compatible with data-only services such as IDSL. 2-Wire ADSL-Compatible Loop. This is a designed loop that is provisioned 2.3.4 according to Revised Resistance Design (RRD) criteria and may be up to 18kft long and may have up to 6kft of bridged tap (inclusive of loop length). The loop is a 2-wire circuit and will come standard with a test point, Order Coordination, and a DLR.

- 2.3.5 2-Wire or 4-Wire HDSL-Compatible Loop. This is a designed loop that is provisioned according to Carrier Serving Area (CSA) criteria and may be up to 12,000 feet long and may have up to 2,500 feet of bridged tap (inclusive of loop length). It may be a 2-wire or 4-wire circuit and will come standard with a test point, Order Coordination, and a DLR.
- 4-Wire Unbundled DS1 Digital Loop. This is a designed 4-wire loop that is provisioned according to industry standards for DS1 or Primary Rate ISDN services and will come standard with a test point, Order Coordination, and a DLR. A DS1 Loop may be provisioned over a variety of loop transmission technologies including copper, HDSL-based technology or fiber optic transport systems. It will include a 4-Wire DS1 Network Interface at the end-user's location.
- 4-Wire Unbundled Digital/DS0 Loop. These are designed 4-wire loops that may be configured as 64kbps, 56kbps, 19kbps, and other sub-rate speeds associated with digital data services and will come standard with a test point, Order Coordination, and a DLR.
- 2.3.8 DS3 Loop. DS3 Loop is a two-point digital transmission path, which provides for simultaneous two-way transmission of serial, bipolar, return-to-zero isochronous digital electrical signals at a transmission rate of 44.736 megabits per second (Mbps) that is dedicated to the use of the ordering CLEC in its provisioning of local exchange and associated exchange access services. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four analog voice grade channels. The interface to unbundled dedicated DS3 transport is a metallic-based electrical interface.
- 2.3.9 STS-1 Loop. STS-1 Loop is a high-capacity digital transmission path with SONET VT1.5 mapping that is dedicated for the use of the ordering customer for the purpose of provisioning local exchange and associated exchange access services. It is a two-point digital transmission path, which provides for simultaneous two-way transmission of serial bipolar return-to-zero synchronous digital electrical signals at a transmission rate of 51.84 megabits per second (Mbps). It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four analog voice grade channels. The interface to unbundled dedicated STS-1 transport is a metallic-based electrical interface.
- 2.3.10 OC3 Loop/OC12 Loop/OC48 Loop. OC3/OC-12/OC-48 Loops are optical two-point transmission paths that are dedicated to the use of the ordering CLEC in its provisioning of local exchange and associated exchange access services. The physical interface for all optical transport is optical fiber. This interface standard allows for transport of many different digital signals using a basic building block or base transmission rate of 51.84 megabits per second (Mbps). Higher rates are direct multiples of the base rate. The following rates are applicable: OC-3 155.52 Mbps; OC12 622.08 Mbps; and OC-48 2488 Mbps.

2.3.11 DS3 and above services come with a test point and a DLR. Mileage is airline miles, rounded up and a minimum of one mile applies. BellSouth TR 73501

LightGate® Service Interface and Performance Specifications, Issue D, June 1995 applies to DS3 and above services.

2.4 <u>Unbundled Copper Loops (UCL)</u>

2.4.1 BellSouth shall make available Unbundled Copper Loops (UCLs). The UCL is a copper twisted pair Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters) and is not intended to support any particular telecommunications service. The UCL will be offered in two types – Designed and Non-Designed.

2.4.2 Unbundled Copper Loop – Designed (UCL-D)

- 2.4.2.1 The UCL-D will be provisioned as a dry copper twisted pair loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters). The UCL-D will be offered in two versions Short and Long.
- 2.4.2.2 A short UCL-D (18,000 feet or less) is provisioned according to Resistance Design parameters, may have up to 6,000 feet of bridged tap and will have up to 1300 ohms of resistance.
- 2.4.2.3 The long UCL-D (beyond 18,000 feet) is provisioned as a dry copper twisted pair longer than 18,000 feet and may have up to 12,000 feet of bridged tap and up to 2800 ohms of resistance.
- 2.4.2.4 The UCL-D is a designed circuit, is provisioned with a test point, and comes standard with a DLR. OC is a chargeable option for a UCL-D; however, OC is always required on UCLs where a reuse of existing facilities has been requested by Delta Phones.
- 2.4.2.5 These loops are not intended to support any particular services and may be utilized by Delta Phones to provide a wide-range of telecommunications services so long as those services do not adversely affect BellSouth's network. This facility will include a Network Interface Device (NID) at the customer's location for the purpose of connecting the loop to the customer's inside wire.
- 2.4.2.6 BellSouth will make available the following UCL-Ds:
- 2.4.2.6.1 2-Wire UCL-D/short
- 2.4.2.6.2 2-Wire UCL-D/long
- 2.4.2.6.3 4-Wire UCL-D/short

2.4.2.6.4 4-Wire UCL-D/long

2.4.3 <u>Unbundled Copper Loop - Non-Designed (UCL-ND)</u>

- 2.4.3.1 The UCL-ND is provisioned as a dedicated 2-wire metallic transmission facility from BellSouth's Main Distribution Frame to a customer's premises (including the NID). The UCL-ND will be a "dry copper" facility in that it will not have any intervening equipment such as load coils, repeaters, or digital access main lines ("DAMLs"), and may have up to 6,000 feet of bridged tap between the end user's premises and the serving wire center. The UCL-ND typically will be 1300 Ohms resistance and in most cases will not exceed 18,000 feet in length, although the UCL-ND will not have a specific length limitation. For loops less than 18,000 feet and with less than 1300 Ohms resistance, the loop will provide a voice grade transmission channel suitable for loop start signaling and the transport of analog voice grade signals. The UCL-ND will not be designed and will not be provisioned with either a DLR or a test point.
- 2.4.3.2 The UCL-ND facilities may be mechanically assigned using BellSouth's assignment systems. Therefore, the Loop Make Up process is not required to order and provision the UCL-ND. However, Delta Phones can request Loop Make Up for which additional charges would apply.
- 2.4.3.3 At an additional charge, BellSouth also will make available Loop Testing so that Delta Phones may request further testing on the UCL-ND. Rates for Loop Testing are as set forth in Exhibit B of this Attachment.
- 2.4.3.4 UCL-ND loops are not intended to support any particular service and may be utilized by Delta Phones to provide a wide-range of telecommunications services so long as those services do not adversely affect BellSouth's network. The UCL-ND will include a Network Interface Device (NID) at the customer's location for the purpose of connecting the loop to the customer's inside wire.
- 2.4.3.5 Order Coordination (OC) will be provided as a chargeable option and may be utilized when the UCL-ND provisioning is associated with the reuse of BellSouth facilities. Order Coordination -Time Specific (OC-TS) does not apply to this product.
- 2.4.3.6 Delta Phones may use BellSouth's Unbundled Loop Modification (ULM) offering to remove bridge tap and/or load coils from any loop within the BellSouth network. Therefore, some loops that would not qualify as UCL-ND could be transformed into loops that do qualify, using the ULM process.

2.5 Unbundled Loop Modifications (Line Conditioning)

2.5.1 Line Conditioning is defined as the removal from the Loop of any devices that may diminish the capability of the Loop to deliver high-speed switched wireline

telecommunications capability, including xDSL service. Such devices include, but are not limited to, load coils, bridged taps, low pass filters, and range extenders.

- 2.5.2 BellSouth shall condition Loops, as requested by Delta Phones, whether or not BellSouth offers advanced services to the End User on that Loop.
- 2.5.3 In some instances, Delta Phones will require access to a copper twisted pair loop unfettered by any intervening equipment (e.g., filters, load coils, range extenders, etc.), so that Delta Phones can use the loop for a variety of services by attaching appropriate terminal equipment at the ends. Delta Phones will determine the type of service that will be provided over the loop. BellSouth's Unbundled Loop Modifications (ULM) process will be used to determine the costs and feasibility of conditioning the loops as requested. Rates for ULM are as set forth in Exhibit B of this Attachment.
- 2.5.4 In those cases where Delta Phones has requested that BellSouth modify a Loop so that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ISDN, ADSL, etc.) the resulting modified Loop will be ordered and maintained as a UCL.
- 2.5.5 The Unbundled Loop Modifications (ULM) offering provides the following elements: 1) removal of devices on 2-wire or 4-wire Loops equal to or less than 18,000 feet; 2) removal of devices on 2-wire or 4-wire Loops longer than 18,000 feet; and 3) removal of bridged-taps on loops of any length.
- 2.5.6 Delta Phones shall request Loop make up information pursuant to this Attachment prior to submitting a service inquiry and/or a LSR for the Loop type that Delta Phones desires BellSouth to condition.
- 2.5.7 When requesting ULM for a loop that BellSouth has previously provisioned for Delta Phones, Inc., Delta Phones, Inc. will submit a service inquiry to BellSouth. If a spare loop facility that meets the loop modification specifications requested by Delta Phones, Inc. is available at the location for which the ULM was requested, Delta Phones, Inc. will have the option to change the loop facility to the qualifying spare facility rather than to provide ULM. In the event that BellSouth changes the loop facility in lieu of providing ULM, Delta Phones, Inc. will not be charged for ULM but will only be charged the service order charges for submitting an order.

2.6 <u>Loop Provisioning Involving Integrated Digital Loop Carriers</u>

2.6.1 Where Delta Phones has requested an Unbundled Loop and BellSouth uses Integrated Digital Loop Carrier (IDLC) systems to provide the local service to the end user and BellSouth has a suitable alternate facility available, BellSouth will make such alternative facilities available to Delta Phones. If a suitable alternative facility is not available, then to the extent it is technically feasible, BellSouth will make alternative arrangements available to Delta Phones (e.g. hairpinning).

- 2.6.2 BellSouth will select one of the following arrangements:
 - 1. Roll the circuit(s) from the IDLC to any spare copper that exists to the customer premises.
 - 2. Roll the circuit(s) from the IDLC to an existing DLC that is not integrated.
 - 3. If capacity exists, provide "side-door" porting through the switch.
 - 4. If capacity exists, provide "DACS-door" porting (if the IDLC routes through a DACS prior to integration into the switch).
- 2.6.3 Arrangements 3 and 4 above require the use of a designed circuit. Therefore, non-designed loops such as the SL1 voice grade and UCL-ND may not be ordered in these cases.
- 2.6.4 If no alternate facility is available, BellSouth will utilize its Special Construction (SC) process to determine the additional costs required to provision the loop facilities. Delta Phones will then have the option of paying the one-time SC rates to place the loop.

2.7 <u>Network Interface Device (NID)</u>

- 2.7.1 The NID is defined as any means of interconnection of end-user customer premises wiring to BellSouth's distribution plant, such as a cross-connect device used for that purpose. The NID is a single-line termination device or that portion of a multiple-line termination device required to terminate a single line or circuit at the premises. The NID features two independent chambers or divisions that separate the service provider's network from the end user's customer-premises wiring. Each chamber or division contains the appropriate connection points or posts to which the service provider and the end user each make their connections. The NID provides a protective ground connection and is capable of terminating cables such as twisted pair cable.
- 2.7.2 BellSouth shall permit Delta Phones to connect Delta Phones's Loop facilities the end-user's customer-premises wiring through the BellSouth NID or at any other technically feasible point.

2.7.3 Access to NID

- 2.7.3.1 Delta Phones may access the end user's customer-premises wiring by any of the following means and Delta Phones shall not disturb the existing form of electrical protection and shall maintain the physical integrity of the NID:
- 2.7.3.1.1 1) BellSouth shall allow Delta Phones to connect its loops directly to BellSouth's multi-line residential NID enclosures that have additional space and are not used by BellSouth or any other telecommunications carriers to provide service to the premises.
- 2.7.3.1.2 2) Where an adequate length of the end user's customer premises wiring is present and environmental conditions permit, either Party may remove the customer

- premises wiring from the other Party's NID and connect such wiring to that Party's own NID;
- 2.7.3.1.3 3) Enter the subscriber access chamber or dual chamber NID enclosures for the purpose of extending a connect divisioned or spliced jumper wire from the customer premises wiring through a suitable "punch-out" hole of such NID enclosures; or
- 2.7.3.1.4 4) Request BellSouth to make other rearrangements to the end user customer premises wiring terminations or terminal enclosure on a time and materials cost basis.
- 2.7.3.2 In no case shall either Party remove or disconnect the other Party's loop facilities from either Party's NIDs, enclosures, or protectors unless the applicable Commission has expressly permitted the same and the disconnecting Party provides prior notice to the other Party. In such cases, it shall be the responsibility of the Party disconnecting loop facilities to leave undisturbed the existing form of electrical protection and to maintain the physical integrity of the NID. It will be Delta Phones's responsibility to ensure there is no safety hazard and will hold BellSouth harmless for any liability associated with the removal of the BellSouth loop from the BellSouth NID. Furthermore, it shall be the responsibility of the disconnecting Party, once the other Party's loop has been disconnected from the NID, to reconnect the disconnected loop to a nationally recognized testing laboratory listed station protector, which has been grounded as per Article 800 of the National Electrical Code. If no spare station protector exists in the NID, the disconnected loop must be appropriately cleared, capped and stored.
- 2.7.3.3 In no case shall either Party remove or disconnect ground wires from BellSouth's NIDs, enclosures, or protectors.
- 2.7.3.4 In no case shall either Party remove or disconnect NID modules, protectors, or terminals from BellSouth's NID enclosures.
- 2.7.3.5 Due to the wide variety of NID enclosures and outside plant environments,
 BellSouth will work with Delta Phones to develop specific procedures to establish
 the most effective means of implementing this section if the procedures set forth
 herein do not apply to the NID in question.
- 2.7.4 Technical Requirements
- 2.7.4.1 The NID shall provide an accessible point of interconnection and shall maintain a connection to ground.
- 2.7.4.2 If an existing NID is accessed, it shall be capable of transferring electrical analog or digital signals between the end user's customer premises and the Distribution Media and/or cross connect to Delta Phones's NID.

2.7.4.3 Existing BellSouth NIDS will be provided in "as is" condition. Delta Phones may request BellSouth do additional work to the NID on a time and material basis. When Delta Phones deploys its own local loops with respect to multiple-line termination devices, Delta Phones shall specify the quantity of NIDs connections that it requires within such device.

2.8 **Sub-loop Elements**

2.8.1 Where facilities permit, BellSouth shall offer access to its Unbundled Sub-Loop (USL) and Unbundled Sub-loop Concentration (USLC) System.

2.8.2 <u>Unbundled Sub-Loop Distribution</u>

2.8.2.1 The unbundled sub-loop distribution facility is a dedicated transmission facility that BellSouth provides from an end user's point of demarcation to a BellSouth cross-connect device. The BellSouth cross-connect device may be located within a remote terminal (RT) or a stand-alone cross-box in the field or in the equipment room of a building. The unbundled sub-loop distribution media is a copper twisted pair that can be provisioned as a 2 Wire or 4 Wire facility. BellSouth will make the following available sub-loop distribution offerings where facilities permit:

Unbundled Sub-Loop Distribution – Voice Grade
Unbundled Copper Sub-Loop
Unbundled Sub-Loop Distribution – Intrabuilding Network Cable (aka riser cable)

- 2.8.2.2 Unbundled Sub-Loop Distribution Voice Grade (USLD-VG) is a sub-loop facility from the cross-box in the field up to and including the point of demarcation, at the end user's premises and may have load coils.
- 2.8.2.3 Unbundled Copper Sub-Loop (UCSL) is a copper facility of any length provided from the cross-box in the field up to and including the end-user's point of demarcation. If available, this facility will not have any intervening equipment such as load coils between the end-user and the cross-box.
- 2.8.2.4 If Delta Phones requests a UCSL and it is not available, Delta Phones may request the Sub-Loop facility be modified pursuant to the ULM process request to remove load coils and/or bridged taps. If load coils and/or bridged taps are removed, the facility will be classified as a UCSL.
- 2.8.2.5 Unbundled Sub-Loop Distribution Intrabuilding Network Cable (USLD-INC) is the distribution facility inside a building or between buildings on the same continuous property which is not separated by a public street or road. USLD-INC includes the facility from the cross-connect device in the building equipment room up to and including the point of demarcation, at the end user's premises.
- 2.8.2.6 BellSouth will install a cross connect panel in the building equipment room for the purpose of accessing USLD-INC pairs from a building equipment room. The

cross-connect panel will function as a single point of interconnection (SPOI) for USLD-INC and will be accessible by multiple carriers as space permits. BellSouth will place cross-connect blocks in 25-pair increments for Delta Phones's use on this cross-connect panel. Delta Phones will be responsible for connecting its facilities to the 25-pair cross-connect block(s).

- 2.8.2.7 Unbundled Sub-Loop distribution facilities shall support functions associated with provisioning, maintenance and testing of the Unbundled Sub-Loop. For access to Voice Grade USLD and UCSL, Delta Phones shall install a cable to the BellSouth cross-box pursuant to the terms and conditions for physical collocation for remote sites set forth in this Agreement. This cable would be connected by a BellSouth technician within the BellSouth cross-box during the set-up process. Delta Phones's cable pairs can then be connected to BellSouth's USL within the BellSouth cross-box by the BellSouth technician.
- 2.8.2.8 Through the Service Inquiry (SI) process, BellSouth will determine whether access to Unbundled Sub-Loops at the location requested by Delta Phones is technically feasible and whether sufficient capacity exists in the cross-box. If existing capacity is sufficient to meet Delta Phones's request, then BellSouth will perform the site set-up as described in the CLEC Information Package, located at the Website address: http://www.interconnection.bellsouth.com/products/html/unes.html. If any work must be done to modify existing BellSouth facilities or add new facilities (other than adding the cross-connect panel in a building equipment room to accommodate Delta Phones's request for Unbundled Sub-Loops, Delta Phones may request BellSouth's Special Construction (SC) process to determine additional costs required to provision the Unbundled Sub-Loops. Delta Phones will have the option to proceed under the SC process to modify the BellSouth facilities.
- 2.8.2.9 The site set-up must be completed before Delta Phones can order sub-loop pairs. For the site set-up in a BellSouth cross-connect box in the field, BellSouth will perform the necessary work to splice Delta Phones's cable into the cross-connect box. For the site set-up inside a building equipment room, BellSouth will perform the necessary work to install the cross-connect panel and the connecting block(s) that will be used to provide access to the requested USLs.
- 2.8.2.10 Once the site set-up is complete, Delta Phones will request sub-loop pairs through submission of a Local Service Request (LSR) form to the Local Carrier Service Center (LCSC). Order Coordination is required with USL pair provisioning when Delta Phones requests reuse of an existing facility and is in addition to the USL pair rate. For expedite requests by Delta Phones for sub-loop pairs, expedite charges will apply for intervals less than 5 days.
- 2.8.2.11 Unbundled Sub-Loops will be provided in accordance with technical reference TR73600.

2.8.3 Unbundled Network Terminating Wire (UNTW)

- 2.8.3.1 Unbundled Network Terminating Wire (UNTW) is unshielded twisted copper wiring that is used to extend circuits from an intra-building network cable terminal or from a building entrance terminal to an individual customer's point of demarcation. It is the final portion of the Loop which in multi-subscriber configurations represents the point at which the network branches out to serve individual subscribers.
- 2.8.3.2 This element will be provided in Multi-Dwelling Units (MDUs) and/or Multi-Tenants Units (MTUs) where either Party owns wiring all the way to the end-users premises. Neither Party will provide this element in those locations where the property owner provides its own wiring to the end-user's premises, where a third party owns the wiring to the end-user's premises or where the property owner will not allow the other Party to place its facilities to the end user.

2.8.3.3 Requirements

- 2.8.3.3.1 On a multi-unit premises, upon request of the other Party ("Requesting Party"), the Party owning the network terminating wire ("Provisioning Party") will provide access to UNTW pairs on an Access Terminal that is suitable for use by multiple carriers at each Garden Terminal or Wiring Closet.
- 2.8.3.3.2 The Provisioning Party shall not be required to install new or additional NTW beyond existing NTW to provision the services of the Requesting Party.
- 2.8.3.3.3 In existing Multi-Dwelling Units (MDUs) and/or Multi-Tenant Units (MTUs) in which BellSouth does not own or control wiring (INC/NTW) to the end users premises, Delta Phones will install UNTW Access Terminals for BellSouth at no additional charge.
- 2.8.3.3.4 In situations in which BellSouth activates a UNTW pair, BellSouth will compensate Delta Phones for each pair activated commensurate to the price specified in Delta Phones's Agreement.
- 2.8.3.3.5 Upon receipt of the UNTW Service Inquiry (SI) requesting access to the Provisioning Party's UNTW pairs at a multi-unit premises, representatives of both Parties will participate in a meeting at the site of the requested access. The purpose of the site visit will include discussion of the procedures for installation and location of the Access Terminals. By request of the Requesting Party, an Access Terminal will be installed either adjacent to each Provisioning Party's Garden Terminal or inside each Wiring Closet. Requesting Party will deliver and connect its central office facilities to the UNTW pairs within the Access Terminal. Requesting Party may access any available pair on an Access Terminal. A pair is available when a pair is not being utilized to provide service or where the end user has requested a change in its local service provider to the Requesting Party. Prior

to connecting Requesting Party's service on a pair previously used by Provisioning Party, Requesting Party is responsible for ensuring the end-user is no longer using Provisioning Party's service or another CLEC's service before accessing UNTW pairs.

- 2.8.3.3.6 Access Terminal installation intervals will be established on an individual case basis.
- 2.8.3.3.7 Requesting Party is responsible for obtaining the property owner's permission for Provisioning Party to install an Access Terminal(s) on behalf of the Requesting Party. The submission of the SI by the Requesting Party will serve as certification by the Requesting Party that such permission has been obtained. If the property owner objects to Access Terminal installations that are in progress or subsequent to completion and demands removal of Access Terminals, Requesting Party will be responsible for costs associated with removing Access Terminals and restoring property to its original state prior to Access Terminals being installed.
- 2.8.3.3.8 The Requesting Party shall indemnify and hold harmless the Provisioning Party against any claims of any kind that may arise out of the Requesting Party's failure to obtain the property owner's permission. Requesting Party will be billed for non-recurring and recurring charges for accessing UNTW pairs at the time the Requesting Party activates the pair(s). The Requesting Party will notify the Provisioning Party each time it activates UNTW pairs using the LSR form.
- 2.8.3.3.9 Requesting Party will isolate and report troubles in the manner specified by the Provisioning Party. Requesting Party must tag the UNTW pair that requires repair. If Provisioning Party dispatches a technician on a reported trouble call and no UNTW trouble is found, Provisioning Party will charge Requesting Party for time spent on the dispatch and testing the UNTW pair(s).
- 2.8.3.3.10 If Requesting Party initiates the Access Terminal installation and the Requesting Party has not activated at least one pair on the Access Terminal installed pursuant to Requesting Party's request for an Access Terminal within 6 months of installation of the Access Terminal, Provisioning Party will bill Requesting Party a non-recurring charge equal to the actual cost of provisioning the Access Terminal.
- 2.8.3.3.11 If Provisioning Party determines that Requesting Party is using the UNTW pairs without reporting the activation of the pairs, the following charges shall apply:
- 2.8.3.3.11.1 If Requesting Party issued a LSR to disconnect an end-user from Provisioning Party in order to use a UNTW pair, Requesting Party will be billed for the use of the pair back to the disconnect order date.
- 2.8.3.3.11.2 If Requesting Party activated a UNTW pair on which Provisioning Party was not previously providing service, Requesting Party will be billed for the use of that pair back to the date the end-user began receiving service using that pair. Upon

request, Requesting Party will provide copies of its billing record to substantiate such date. If Requesting Party fails to provide such records, then Provisioning Party will bill the Requesting Party back to the date of the Access Terminal installation.

2.8.4 **Unbundled Sub-Loop Feeder**

- 2.8.4.1 Unbundled Sub-Loop Feeder (USLF) provides connectivity between BellSouth's central office and cross-box (or other access point) that serves an end user location.
- 2.8.4.2 USLF utilized for voice traffic can be configured as 2-wire voice (USLF-2W/V) or 4-wire voice (USLF-4W/V).
- 2.8.4.3 USLF utilized for digital traffic can be configured as 2-wire ISDN (USLF-2W/I); 2-wire Copper (USLF-2W/C); 4-wire Copper (USLF-4W/C); 4-wire DS0 level loop (USLF-4W/D0); or 4-wire DS1 and ISDN (USLF-4W/DI).
- 2.8.4.4 USLF will provide access to both the equipment and the features in the BellSouth central office and BellSouth cross box necessary to provide a 2W or 4W communications pathway from the BellSouth central office to the BellSouth cross-box. This element will allow for the connection of Delta Phones's loop distribution elements onto BellSouth's feeder system.

2.8.4.5 Requirements

- 2.8.4.5.1 Delta Phones will extend a compatible cable to BellSouth's cross-box. BellSouth will connect the cable to a cross-connect panel inside the BellSouth cross-box to the requested level of feeder element. In those cases when there is no room in the BellSouth cross-box to accommodate the additional cross-connect panels mentioned above, Delta Phones may request, through the BellSouth Special Construction process, a determination of costs to provide the sub-loop feeder element to Delta Phones. Delta Phones will then have the option of paying the special construction charges or canceling the order.
- 2.8.4.5.2 USLF will be a designed circuit and BellSouth will provide a Design Layout Record (DLR) for this element.
- 2.8.4.5.3 BellSouth will provide USLF elements in accordance with applicable industry standards for these types of facilities. Where industry standards do not exist, BellSouth's TR73600 will be used to determine performance parameters.
- 2.8.4.6 Unbundled Sub-Loop Feeder (USLF DS3 and above)
- 2.8.4.6.1 USLF DS3 and above provides connectivity between a BellSouth Serving Wire Center (SWC) and the Remote Terminal (RT) associated with that SWC that serves an end user location.

- 2.8.4.6.2 The sub-loop feeder is intended to be utilized for voice traffic and digital traffic. It can be configured at DS3, STS-1, OC-3, OC-12, or OC-48 transmission capacities.
- 2.8.4.6.3 The OC-48 Sub-Loop Feeder will consist of four (4) OC12 interfaces.
- 2.8.4.6.4 Both 2-fiber and 4-fiber-protect applications will be supported for OC-3 level and higher.
- 2.8.4.7 Requirements
- 2.8.4.7.1 Access in the SWC and RT will be via a Collocation cross-connect.
- 2.8.4.7.2 USLF DS3 and above will be a designed circuit. BellSouth will provide a Design Layout Record (DLR) for this network element.
- 2.8.4.7.3 Rates. Rates for these services are as set forth in Exhibit B of this Attachment. Mileage is based on airline miles.
- 2.8.4.7.4 BellSouth will provide USLF DS3 and above elements in accordance with applicable industry standards.

2.8.5 <u>Unbundled Loop Concentration (ULC)</u>

- 2.8.5.1 BellSouth will provide to Delta Phones Unbundled Loop Concentration (ULC). Loop concentration systems in the central office concentrate the signals transmitted over local loops onto a digital loop carrier system. The concentration device is placed inside a BellSouth central office. BellSouth will offer ULC with a TR008 interface or a TR303 interface.
- 2.8.5.2 ULC will be offered in two system options. System A will allow up to 96
 BellSouth loops to be concentrated onto two or more DS1s. The high-speed connection from the concentrator will be at the electrical DS1 level and will connect to Delta Phones at Delta Phones's collocation site. System B will allow up to 192 BellSouth loops to be concentrated onto 4 or more DS1s. System A may be upgraded to a System B. A minimum of two DS1s is required for each system (i.e., System A requires two DS1s and System B would require an additional two DS1s or four in total). All DS1 interfaces will terminate to Delta Phones's collocation space. ULC service is offered with concentration (2 DS1s for 96 channels) or without concentration (4 DS1s for 96 channels) and with or without protection. A Loop Interface element will be required for each loop that is terminated onto the ULC system.

2.8.6 Unbundled Sub-Loop Concentration (USLC)

2.8.6.1 Where facilities permit, Delta Phones may concentrate its sub-loops onto multiple DS1s back to the BellSouth Central Office.

- 2.8.6.2 USLC, using the Lucent Series 5 equipment, will be offered in two system options. System A will allow up to 96 of Delta Phones's sub-loops to be concentrated onto two or more DS1s. System B will allow an additional 96 of Delta Phones's sub-loops to be concentrated onto two or more additional DS1s. One System A may be supplemented with one System B and they both must be physically located in a single Series 5 dual channel bank. A minimum of two DS1s is required for each system (i.e., System A requires two DS1s and System B would require an additional two DS1s or four in total). The DS1 level facility that connects the Remote Terminal site with the serving wire center is known as a Feeder Interface. All DS1 Feeder Interfaces will terminate to Delta Phones's demarcation point associated with Delta Phones's collocation space within the SWC that serves the remote terminal (RT). USLC service is offered with or without concentration and with or without a protection DS1.
- 2.8.6.3 Delta Phones is required to deliver its sub-loops to its own cross-box, RT, or other similar device and deliver a single cable to the BellSouth RT. This cable shall be connected, by a BellSouth technician, to a cross-connect panel within the BellSouth RT/cross-box and shall allow Delta Phones's sub-loops to be placed on the USLC and transported to Delta Phones's collocation space at a DS1 level.

2.8.7 **Dark Fiber Loop**

2.8.7.1 Dark Fiber Loop is an unused optical transmission facility, without attached signal regeneration, multiplexing, aggregation or other electronics, from an end user's premises connected via a cross connect to the demarcation point associated with Delta Phones's collocation space in the end user's serving wire center. Dark Fiber Loops may be strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for Delta Phones to utilize Dark Fiber Loops.

2.8.7.2 Requirements

- 2.8.7.2.1 BellSouth shall make available Dark Fiber Loop where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. Dark Fiber Loop will not be deemed available if: (1) it is used by BellSouth for maintenance and repair purposes; (2) it is designated for use pursuant to a firm order placed by another customer; (3) it is restricted for use by all carriers, including BellSouth, because of transmission problems or because it is scheduled for removal due to documented changes to roads and infrastructure; or (4) BellSouth has plans to use the fiber within a two-year planning period. BellSouth is not required to place the fiber for Dark Fiber Loop if none is available.
- 2.8.7.2.2 Delta Phones is solely responsible for testing the quality of the Dark Fiber to determine its usability and performance specifications.

- 2.8.7.2.3 BellSouth shall use its commercially reasonable efforts to provide to Delta Phones information regarding the location, availability and performance of Dark Fiber Loop within ten (10) business days after receiving a Service Inquiry ("SI") from Delta Phones.
- 2.8.7.2.4 If the requested Dark Fiber Loop is available, BellSouth shall use commercially reasonable efforts to provision the Dark Fiber Loop to Delta Phones within twenty (20) business days after Delta Phones submits a valid, error free LSR. Provisioning includes identification of appropriate connection points (e.g., Light Guide Interconnection (LGX)) to enable Delta Phones to connect Delta Phones provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber Loop.

2.9 <u>Loop Makeup (LMU)</u>

- 2.9.1 Description of Service
- 2.9.1.1 BellSouth shall make available to Delta Phones (LMU) information so that Delta Phones can make an independent judgment about whether the Loop is capable of supporting the advanced services equipment Delta Phones intends to install and the services Delta Phones wishes to provide. 'This section addresses LMU as a preordering transaction, distinct from Delta Phones ordering any other service(s). Loop Makeup Service Inquiries (LMUSI) for preordering loop makeup are likewise unique from other preordering functions with associated service inquiries (SI) as described in this Agreement.
- 2.9.1.2 BellSouth will provide Delta Phones LMU information consisting of the composition of the loop material (copper/fiber); the existence, location and type of equipment on the Loop, including but not limited to digital loop carrier or other remote concentration devices, feeder/distribution interfaces, bridged taps, load coils, pair-gain devices; the loop length; the wire gauge and electrical parameters.
- 2.9.1.3 BellSouth's LMU information is provided to Delta Phones as it exists either in BellSouth's databases or in its hard copy facility records. BellSouth does not guarantee accuracy or reliability of the LMU information provided.
- 2.9.1.4 BellSouth's provisioning of LMU information to the requesting CLEC on facilities is contingent upon either BellSouth or the requesting CLEC owning the loop(s) that serve the service location for which LMU information has been requested by the CLEC. The requesting CLEC is not authorized to receive LMU information on a facility owned by another CLEC unless BellSouth receives a Letter of Authorization (LOA) from the voice CLEC (owner) or its authorized agent on the LMUSI (Loop Makeup Service Inquiry) submitted by the requesting CLEC.
- 2.9.1.5 Delta Phones may choose to use equipment that it deems will enable it to provide a certain type and level of service over a particular BellSouth Loop so long as that

equipment does not disrupt other services on the BellSouth network. The determination shall be made solely by Delta Phones and BellSouth shall not be liable in any way for the performance of the advanced data services provisioned over said Loop. The specific Loop type (ADSL, HDSL, or otherwise) ordered on the LSR must match the LMU of the loop reserved taking into consideration any requisite line conditioning. The LMU data is provided for informational purposes only and does not guarantee Delta Phones's ability to provide advanced data services over the ordered loop type. Further, if Delta Phones orders loops that do not require a specific facility medium (i.e. copper only) or loops that are not intended to support advanced services (such as UV-SL1, UV-SL2, or ISDN compatible loops) and that are not inventoried as advanced services loops, the LMU information for such loops is subject to change at any time due to modifications and/or upgrades to BellSouth's network. Delta Phones is fully responsible for any of its service configurations that may differ from BellSouth's technical standard for the loop type ordered.

2.9.2 <u>Submitting Loop Makeup Service Inquiries</u>

- 2.9.2.1 Delta Phones may obtain LMU information by submitting a LMU Service Inquiry (LMUSI) mechanically or manually. Mechanized LMUSIs should be submitted through BellSouth's Operational Support Systems interfaces. After obtaining the Loop information from the mechanized LMUSI process, if Delta Phones needs further loop information in order to determine loop service capability, Delta Phones may initiate a separate Manual Service Inquiry for a separate nonrecurring charge as set forth in Exhibit B of this Attachment.
- 2.9.2.2 Manual LMUSIs shall be submitted by electronic mail to BellSouth's Complex Resale Support Group (CRSG) utilizing the Preordering Loop Makeup Service Inquiry form. The service interval for the return of a Loop Makeup Manual Service Inquiry is three business days. Manual LMUSIs are not subject to expedite requests. This service interval is distinct from the interval applied to the subsequent service order.

2.9.3 Loop Reservations

- 2.9.3.1 For a Mechanized LMUSI, Delta Phones may reserve up to ten Loop facilities. For a Manual LMUSI, Delta Phones may reserve up to three Loop facilities.
- 2.9.3.2 Delta Phones may reserve facilities for up to four (4) business days for each facility requested on a LMUSI from the time the LMU information is returned to Delta Phones. During and prior to Delta Phones placing an LSR, the reserved facilities are rendered unavailable to other customers, including BellSouth. If Delta Phones does not submit an LSR for a UNE service on a reserved facility within the four-day reservation timeframe, the reservation of that spare facility will become invalid and the facility will be released.

2.9.3.3 Charges for preordering LMUSI are separate from any charges associated with ordering other services from BellSouth.

2.9.4 Ordering of Other UNE Services

- 2.9.4.1 All LSRs issued for reserved facilities shall reference the facility reservation number as provided by BellSouth. Delta Phones will not be billed any additional LMU charges for the loop ordered on such LSR. If, however, Delta Phones does not reserve facilities upon an initial LMUSI, Delta Phones's placement of an order for an advanced data service type facility will incur the appropriate billing charges to include service inquiry and reservation per Exhibit B of this Attachment.
- 2.9.4.2 Where Delta Phones has reserved multiple Loop facilities on a single reservation,

 Delta Phones may not specify which facility shall be provisioned when submitting
 the LSR. For those occasions, BellSouth will assign to Delta Phones, subject to
 availability, a facility that meets the BellSouth technical standards of the BellSouth
 type Loop as ordered by Delta Phones. If the ordered Loop type is not available,
 Delta Phones may utilize the Unbundled Loop Modification process or the Special
 Construction process, as applicable, to obtain the Loop type ordered.

3 High Frequency Spectrum Network Element

- 3.1 General
- 3.1.1 BellSouth shall provide Delta Phones access to the high frequency spectrum of the local loop as an unbundled network element only where BellSouth is the voice service provider to the end user at the rates set forth in this Attachment.
- The High Frequency Spectrum is defined as the frequency range above the voiceband on a copper loop facility carrying analog circuit-switched voiceband transmissions. Access to the High Frequency Spectrum is intended to allow Delta Phones the ability to provide Digital Subscriber Line ("xDSL") data services to the end user for which BellSouth provides voice services. The High Frequency Spectrum shall be available for any version of xDSL complying with Spectrum Management Class 5 of ANSI T1.417, American National Standard for Telecommunications, Spectrum Management for Loop Transmission Systems. BellSouth will continue to have access to the low frequency portion of the loop spectrum (from 300 Hertz to at least 3000 Hertz, and potentially up to 3400 Hertz, depending on equipment and facilities) for the purposes of providing voice service. Delta Phones shall only use xDSL technology that is within the PSD mask for Spectrum Management Class 5 as found in the above-mentioned document.
- 3.1.3 Access to the High Frequency Spectrum requires an unloaded, 2-wire copper Loop. An unloaded Loop is a copper Loop with no load coils, low-pass filters, range extenders, DAMLs, or similar devices and minimal bridged taps consistent with ANSI T1.413 and T1.601.

- 3.1.4 BellSouth will provide Loop Modification to Delta Phones on an existing Loop in accordance with procedures developed in the Line Sharing Collaborative. High Frequency Spectrum (Central Office Based) Unbundled Loop Modification is a separate distinct service from Unbundled Loop Modification set forth in Section 2.5 of this Attachment. Procedures for High Frequency Spectrum (Central Office Based) Unbundled Loop Modification were developed in the Line Sharing Collaborative and may be found posted to the web at http://www.interconnection.bellsouth.com/html/unes.html. Nonrecurring rates for this UNE offering may be found in Exhibit B of this Attachment. BellSouth is not required to modify a Loop for access to the High Frequency spectrum if modification of that Loop significantly degrades BellSouth's voice service. If Delta Phones requests that BellSouth modify a Loop longer than 18,000 ft. and such modification significantly degrades the voice services on the Loop, Delta Phones shall pay for the Loop to be restored to its original state.
- 3.1.5 The High Frequency Spectrum shall only be available on Loops on which BellSouth is also providing, and continues to provide, analog voice service directly to the end user. In the event the end-user terminates its BellSouth provided voice service for any reason, or in the event BellSouth disconnects the end user's voice service pursuant to its tariffs or applicable law, and Delta Phones desires to continue providing xDSL service on such Loop, Delta Phones shall be required to purchase a full stand-alone Loop unbundled network element. To the extent commercially practicable, BellSouth shall give Delta Phones notice in a reasonable time prior to disconnect, which notice shall give Delta Phones an adequate opportunity to notify BellSouth of its intent to purchase such Loop. In those cases in which BellSouth no longer provides voice service to the end user and Delta Phones purchases the full stand-alone loop, Delta Phones may elect the type of loop it will purchase. Delta Phones will pay the appropriate recurring and nonrecurring rates for such Loop as set forth in Exhibit B to this Attachment. In the event Delta Phones purchases a voice grade Loop, Delta Phones acknowledges that such Loop may not remain xDSL compatible.
- 3.1.6 Only one competitive local exchange carrier (CLEC) shall be permitted access to the High Frequency Spectrum of any particular loop.

3.2 Provisioning of High Frequency Spectrum and Splitter Space

- 3.2.1 BellSouth will provide Delta Phones with access to the High Frequency Spectrum as follows:
- 3.2.1.1 To order High Frequency Spectrum on a particular Loop, Delta Phones must have a Digital Subscriber Line Access Multiplexer (DSLAM) collocated in the central office that serves the end-user of such Loop.
- 3.2.1.2 Delta Phones may provide its own splitters or may order splitters in a central office once it has installed its DSLAM in that central office. BellSouth will install

splitters within thirty-six (36) calendar days of Delta Phones's submission of an error free Line Splitter Ordering Document ("LSOD") to the BellSouth Complex Resale Support Group.

- 3.2.1.3 Once a splitter is installed on behalf of Delta Phones in a central office in which Delta Phones is located, Delta Phones shall be entitled to order the High Frequency Spectrum on lines served out of that central office. BellSouth will bill and Delta Phones shall pay the electronic or manual ordering charges as applicable when Delta Phones orders High Frequency Spectrum for end-user service.
- 3.2.1.4 BellSouth shall test the data portion of the loop to ensure the continuity of the wiring for Delta Phones's data.

3.3 BellSouth Provided Splitter

- 3.3.1 BellSouth will select, purchase, install, and maintain a central office POTS splitter and provide Delta Phones access to data ports on the splitter. The splitter will route the High Frequency Spectrum on the circuit to Delta Phones's xDSL equipment in Delta Phones's collocation space. At least 30 days before making a change in splitter suppliers, BellSouth will provide Delta Phones with a carrier notification letter, informing Delta Phones of change. Delta Phones shall purchase ports on the splitter in increments of 8, 24, or 96 ports in Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina and South Carolina. Delta Phones shall purchase ports on the splitter in increments of 24 or 96 ports in Tennessee.
- 3.3.2 BellSouth will install the splitter in (i) a common area close to Delta Phones's collocation area, if possible; or (ii) in a BellSouth relay rack as close to Delta Phones's DS0 termination point as possible. Delta Phones shall have access to the splitter for test purposes, regardless of where the splitter is placed in the BellSouth premises. For purposes of this section, a common area is defined as an area in the central office in which both Parties have access to a common test access point. A Termination Point is defined as the point of termination for Delta Phones on the main distributing frame in the central office and is not the demarcation point set forth in Attachment 4 of this Agreement. BellSouth will cross-connect the splitter data ports to a specified Delta Phones DS0 at such time that a Delta Phones end user's service is established.

3.4 CLEC Provided Splitter

3.4.1 Delta Phones may at its option purchase, install and maintain central office POTS splitters in its collocation arrangements. Delta Phones may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures and the terms and conditions relating to Collocation set forth in Attachment 4 shall apply.

3.4.2 Any splitters installed by Delta Phones in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. Delta Phones may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.

3.5 Ordering

- 3.5.1 Delta Phones shall use BellSouth's Line Splitter Ordering Document ("LSOD") to order splitters from BellSouth and to activate and deactivate DS0 Collocation Connecting Facility Assignments (CFA) for use with High Frequency Spectrum.
- 3.5.2 BellSouth will provide Delta Phones the Local Service Request ("LSR") format to be used when ordering the High Frequency Spectrum.
- 3.5.3 BellSouth will provision High Frequency Spectrum in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com.
- 3.5.4 BellSouth will provide Delta Phones access to Preordering Loop Makeup (LMU), in accordance with the terms of this Agreement. BellSouth shall bill and Delta Phones shall pay the rates for such services, as described in Exhibit B.

3.6 Maintenance and Repair

- 3.6.1 Delta Phones shall have access for repair and maintenance purposes, to any loop for which it has access to the High Frequency Spectrum. If Delta Phones is using a BellSouth owned splitter, Delta Phones may access the loop at the point where the combined voice and data signal exits the central office splitter via a bantam test jack. If Delta Phones provides its own splitter, it may test from the collocation space or the Termination Point.
- 3.6.2 BellSouth will be responsible for repairing voice services and the physical line between the network interface device at the customer's premises and the Termination Point. Delta Phones will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.
- 3.6.3 Delta Phones shall inform its end users to direct data problems to Delta Phones, unless both voice and data services are impaired, in which event the end users should call BellSouth.
- 3.6.4 Once a Party has isolated a trouble to the other Party's portion of the loop, the Party isolating the trouble shall notify the end user that the trouble is on the other Party's portion of the Loop.
- 3.6.5 Notwithstanding anything else to the contrary in this Agreement, when BellSouth receives a voice trouble and isolates the trouble to the physical collocation arrangement belonging to Delta Phones, BellSouth will notify Delta Phones. Delta

Phones will provide at least one but no more than two (2) verbal connecting facility assignments (CFA) pair changes to BellSouth in an attempt to resolve the voice trouble. In the event a CFA pair change resolves the voice trouble, Delta Phones will provide BellSouth an LSR with the new CFA pair information within 24 hours. If the owner of the collocation space fails to resolve the trouble by providing BellSouth with the verbal CFA pair changes, BellSouth may discontinue Delta Phones's access to the High Frequency Spectrum on such loop. BellSouth will not be responsible for any loss of data as a result of this action.

3.7 Line Splitting

3.7.1 General

- 3.7.2 Line splitting allows a provider of data services (a "Data LEC") and a provider of voice services (a "Voice CLEC") to deliver voice and data service to end-users over the same loop. The Voice CLEC and Data LEC may be the same or different carriers. Delta Phones shall provide BellSouth with a signed Letter of Authorization ("LOA") between it and the Data LEC or Voice CLEC with which it desires to provision Line Splitting services, if Delta Phones will not provide voice and data services.
- 3.7.3 End Users currently receiving voice service from a Voice CLEC through a UNE platform (UNE-P) may be converted to Line Splitting arrangements by Delta Phones or its authorized agent ordering Line Splitting Service. If the CLEC wishes to provide the splitter, the UNE-P arrangement will be converted to a stand-alone UNE loop, a UNE port, two collocation cross connects and the high frequency spectrum line activation. If BellSouth owns the splitter, the UNE-P arrangement will be converted to a stand-alone UNE loop, port, and one collocation cross connection.
- When end users on Loops using High Frequency Spectrum CO Based line sharing service are converted to Line Splitting, BellSouth will discontinue billing Delta Phones for the High Frequency Spectrum. BellSouth will continue to bill the Data LEC for all associated splitter charges if the Data LEC continues to use a BellSouth splitter. It is the responsibility of Delta Phones or its authorized agent to determine if the loop is compatible for Line Splitting Service. Delta Phones or its authorized agent may use the existing loop unless it is not compatible with the Data LEC's data service and Delta Phones or its authorized agent submits an LSR to BellSouth to change the loop.

3.8 Provisioning Line Splitting and Splitter Space

3.8.1 The Data LEC, Voice CLEC or BellSouth may provide the splitter. When Delta Phones or its authorized agent owns the splitter, Line Splitting requires the following: a non-designed analog loop from the serving wire center to the network interface device (NID) at the end user's location; a collocation cross

connection connecting the loop to the collocation space; a second collocation cross connection from the collocation space connected to a voice port; the high frequency spectrum line activation, and a splitter. The loop and port cannot be a loop and port combination (i.e. UNE-P), but must be individual stand-alone network elements. When BellSouth owns the splitter, Line Splitting requires the following: a non designed analog loop from the serving wire center to the network interface device (NID) at the end user's location with CFA and splitter port assignments, and a collocation cross connection from the collocation space connected to a voice port.

- 3.8.2 An unloaded 2-wire copper loop must serve the end user. The meet point for the Voice CLEC and the Data LEC is the point of termination on the MDF for the Data LEC's cable and pairs.
- 3.8.3 The foregoing procedures are applicable to migration to Line Splitting Service from a UNE-P arrangement, Bellsouth Retail Voice Service, BellSouth High Frequency Spectrum (CO Based) Line Sharing.
- 3.8.4 For other migration scenarios to line splitting, BellSouth will work cooperatively with CLECs to develop methods and procedures to develop a process whereby a Voice CLEC and a Data LEC may provide services over the same loop.

3.9 Ordering

- 3.9.1 Delta Phones shall use BellSouth's Line Splitter Ordering Document ("LSOD") to order splitters from BellSouth and to activate and deactivate DS0 Collocation Connecting Facility Assignments (CFA) for use with Line Splitting.
- 3.9.2 BellSouth shall provide Delta Phones the Local Service Request ("LSR") format to be used when ordering Line Splitting service.
- 3.9.3 BellSouth will provision Line Splitting service in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com.
- 3.9.4 BellSouth will provide Delta Phones access to Preordering Loop Makeup (LMU) in accordance with the terms of this Agreement. BellSouth shall bill and Delta Phones shall pay the rates for such services as described in Exhibit B.
- 3.9.5 BellSouth will provide loop modification to Delta Phones on an existing loop in accordance with procedures developed in the Line Sharing Collaborative. High Frequency Spectrum (CO Based) Unbundled Loop Modification is a separate distinct service from Unbundled Loop Modification set forth in Section 2.5 of this Attachment. Procedures for High Frequency Spectrum (CO Based) Unbundled Loop Modification may be found on the web at:

 HTTP://www.interconnection.bellsouth.com/html/unes.html. Nonrecurring rates for this UNE offering may be found in Exhibit B of this Attachment.

3.10 Maintenance

- 3.10.1 BellSouth will be responsible for repairing voice services and the physical line between the network interface device at the customer's premises and the Termination Point. Delta Phones will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.
- 3.10.2 Delta Phones shall inform its end users to direct data problems to Delta Phones, unless both voice and data services are impaired, in which event the end users should call BellSouth.
- 3.10.3 Once a Party has isolated a trouble to the other Party's portion of the loop, the Party isolating the trouble shall notify the end user that the trouble is on the other Party's portion of the Loop.
- 3.10.4 When BellSouth receives a voice trouble and isolates the trouble to the physical collocation arrangement belonging to owner of the collocation space, BellSouth will notify the owner of the collocation space. The owner of the collocation space will provide at least one but no more than two (2) verbal CFA pair changes to BellSouth in an attempt to resolve the voice trouble. In the event the CFA pair is changed, the owner of the collocation space will provide BellSouth an LSR with the new CFA pair information within 24 hours. If the owner of the collocation space fails to resolve the trouble by providing BellSouth with the verbal CFA pair changes, BellSouth may discontinue the owner of the collocation space access to the High Frequency Spectrum on such loop.
- 3.10.5 If Delta Phones is not the data provider, Delta Phones shall indemnify, defend and hold harmless BellSouth from and against any claims, losses, actions, causes of action, suits, demands, damages, injury, and costs including reasonable attorney fees, which arise out of actions, related to the data provider.

3.11 Remote Site High Frequency Spectrum

3.11.1 General

- 3.11.2 BellSouth shall provide Delta Phones access to the high frequency spectrum of the local sub-loop as an unbundled network element (UNE) only where BellSouth is the voice service provider to the end user at the rates set forth in this Attachment.
- 3.11.3 The High Frequency Spectrum is defined as the frequency range above the voiceband on a copper sub-loop facility carrying analog circuit-switched voiceband transmissions. Access to the High Frequency Spectrum is intended to allow Delta Phones the ability to provide Digital Subscriber Line ("xDSL") data services to the end user for whom BellSouth provides voice services. The High Frequency Spectrum shall be available for any version of xDSL complying with Spectrum Management Class 5 of ANSI T1.417, American National Standard for Telecommunications, Spectrum Management for Loop Transmission Systems.

BellSouth will continue to have access to the low frequency portion of the sub-loop spectrum (from 300 Hertz to at least 3000 Hertz, and potentially up to 3400 Hertz, depending on equipment and facilities) for the purposes of providing voice service. Delta Phones shall only use xDSL technology that is within the PSD mask for Spectrum Management Class 5 as found in the above-mentioned document.

- 3.11.4 Access to the High Frequency Spectrum requires an unloaded, 2-wire (Non-Designed) copper sub-loop. An unloaded copper sub-loop has no load coils, low-pass filters, range extenders, DAMLs, or similar devices and minimal bridged taps consistent with ANSI T1.413 and T1.601.
- 3.11.5 BellSouth will provide Loop Modification to Delta Phones on an existing sub-loop in accordance with procedures developed in the Line Sharing Collaborative. Procedures for High Frequency Spectrum (Remote Site) Unbundled Loop Modification were developed in the Line Sharing Collaborative and may be found posted to the web at http://www.interconnection.bellsouth.com/html/unes.html. Nonrecurring rates for this UNE offering may be found in Exhibit B of this Attachment. BellSouth is not required to modify a loop for access to the High Frequency spectrum if modification of that loop significantly degrades BellSouth's voice service. If Delta Phones requests modifications on a sub loop longer than 18,000 ft. and requested modifications significantly degrades the voice services on the loop, Delta Phones shall pay for the loop to be restored to its original state.
- The High Frequency Spectrum shall only be available on sub-loops provided by 3.11.6 BellSouth that continues to provide, analog voice service directly to the end user. In the event the end-user terminates its BellSouth provided voice service for any reason, or in the event BellSouth disconnects the end user's voice service pursuant to its tariffs or applicable law, and Delta Phones desires to continue providing xDSL service on such sub-loop, Delta Phones shall be required to purchase a full stand-alone sub-loop. To the extent commercially practicable, BellSouth shall give Delta Phones notice in a reasonable time prior to disconnect, which notice shall give Delta Phones an adequate opportunity to notify BellSouth of its intent to purchase such sub-loop. In those cases where BellSouth no longer provides voice service to the end user and Delta Phones purchases the full stand-alone sub-loop, Delta Phones may elect the type of sub-loop it will purchase. Delta Phones will pay the appropriate recurring and non-recurring rates for such sub-loop as set forth in Exhibit B to this Attachment. In the event Delta Phones purchases a voice grade Loop, Delta Phones acknowledges that such sub-loop may not remain xDSL compatible.
- 3.11.7 Only one competitive local exchange carrier shall be permitted access to the High Frequency Spectrum of any particular sub-loop.
- 3.12 Provisioning of High Frequency Spectrum and Splitter Space

- 3.12.1 BellSouth will provide Delta Phones with access to the High Frequency Spectrum as follows:
- 3.12.1.1 To order High Frequency Spectrum on a particular sub-loop, Delta Phones must have a Digital Subscriber Line Access Multiplexer (DSLAM) collocated at the remote site that serves the end-user of such sub-loop.
- 3.12.1.2 Delta Phones may provide its own splitters or may order splitters in a remote site once the Delta Phones has installed its DSLAM at that remote site. BellSouth will install splitters within thirty-six (36) calendar days of Delta Phones's submission of an error free Line Splitter Ordering Document ("LSOD") to the BellSouth Complex Resale Support Group.
- 3.12.1.3 Once a splitter is installed on behalf of Delta Phones in a remote site in which Delta Phones is located, Delta Phones shall be entitled to order the High Frequency Spectrum on lines served out of that remote site. BellSouth will bill and Delta Phones shall pay applicable for High Frequency Spectrum end-user activation.

3.13 BellSouth Owned Splitter

- 3.13.1 BellSouth will select, purchase, install and maintain a splitter at the remote site. The Delta Phones's meet point is at the BellSouth "cross connect" point located at the Feeder Distribution Interface (FDI). The Delta Phones will provide a cable facility to the BellSouth FDI. BellSouth will splice the Delta Phones's cable to BellSouth's spare binding post in the FDI and use "cross connects" to connect the Delta Phones's cable facility to the BellSouth splitter. The splitter will route the high frequency portion of the circuit to the Delta Phones's xDSL equipment in their collocation space. Access to the high frequency spectrum is not compatible with foreign exchange (FX) lines, ISDN, and other services listed in the technical section of this document.
- The BellSouth splitter bifurcates the digital and voice band signals. The low frequency voice band portion of the circuit is routed back to the BellSouth switch. The high frequency digital traffic portion of the circuit is routed to the xDSL equipment in the Delta Phones's Remote Terminal (RT) collocation space and routed back to the Delta Phones's network. At least 30 business days before making a change in splitter suppliers, BellSouth will provide Delta Phones with a carrier notification letter, informing Delta Phones of change. Delta Phones shall purchase ports on the splitter in increments of 24 ports.
- 3.13.3 BellSouth will install the splitter in (i) a common area close to Delta Phones's collocation area, if possible; or (ii) in a BellSouth relay rack as close to Delta Phones's DS0 termination point as possible. Delta Phones shall have access to the splitter for test purposes, regardless of where the splitter is placed in the BellSouth premises. For purposes of this section, a common area is defined as an area in the

remote site in which both Parties have access to a common test access point. BellSouth will cross-connect the splitter data ports to a specified Delta Phones DSO at such time that a Delta Phones end user's service is established.

3.14 CLEC Owned Splitter

- 3.14.1 Delta Phones may at its option purchase, install and maintain splitters in its collocation arrangements. Delta Phones may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures shall apply. The CLEC will be required to activate cable pairs in no less than 8 (eight) pair increments.
- 3.14.2 Any splitters installed by Delta Phones in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. Delta Phones may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.

3.15 Ordering

- 3.15.1 Delta Phones shall use BellSouth's Remote Splitter Ordering Document ("RSOD") to order and activate splitters from BellSouth or to activate CLEC owned splitters at an RT for use with High Frequency Spectrum.
- 3.15.2 BellSouth will provide Delta Phones the Local Service Request ("LSR") format to be used when ordering the High Frequency Spectrum.
- 3.15.3 BellSouth will provision High Frequency Spectrum in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com.
- 3.15.4 BellSouth will provide Delta Phones access to Preordering Loop Makeup (LMU), in accordance with the terms of this Agreement. BellSouth shall bill and Delta Phones shall pay the rates for such services, as described in Exhibit B.
- 3.15.5 BellSouth shall test the data portion of the sub-loop to ensure the continuity of the wiring for Delta Phones's data.

3.16 Maintenance and Repair

3.16.1 Delta Phones shall have access for repair and maintenance purposes, to any subloop for which it has access to the High Frequency Spectrum. If Delta Phones is using a BellSouth owned splitter, Delta Phones may access the sub-loop at the point where the data signal exits. If Delta Phones provides its own splitter, it may test from the collocation space or the Termination Point.

- 3.16.2 BellSouth will be responsible for repairing voice services and the physical line between the network interface device at the customer's premises and the Termination Point. Delta Phones will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.
- 3.16.3 Delta Phones shall inform its end users to direct data problems to Delta Phones, unless both voice and data services are impaired, in which event the end users should call BellSouth.
- Once a Party has isolated a trouble to the other Party's portion of the sub-loop, the Party isolating the trouble shall notify the end user that the trouble is on the other Party's portion of the sub-loop.
- 3.16.5 Notwithstanding anything else to the contrary in this Agreement, when BellSouth receives a voice trouble and isolates the trouble to the physical collocation arrangement belonging to Delta Phones, BellSouth will notify Delta Phones. Delta Phones will provide at least one but no more than two (2) verbal connecting facility assignments (CFA) pair changes to BellSouth in an attempt to resolve the voice trouble. In the event a CFA pair change resolves the voice trouble, Delta Phones will provide BellSouth an LSR with the new CFA pair information within 24 hours. If the owner of the collocation space fails to resolve the trouble by providing BellSouth with the verbal CFA pair changes, BellSouth may discontinue Delta Phones's access to the High Frequency Spectrum on such sub-loop. BellSouth will not be responsible for any loss of data as a result of this action.

4 Local Switching

- 4.1 BellSouth shall provide non-discriminatory access to local circuit switching capability and local tandem switching capability on an unbundled basis, except as set forth in the Sections below to Delta Phones for the provision of a telecommunications service. BellSouth shall provide non-discriminatory access to packet switching capability on an unbundled basis to Delta Phones for the provision of a telecommunications service only in the limited circumstance described below in Section 4.5.
- 4.2 Local Circuit Switching Capability, including Tandem Switching Capability
- 4.2.1 Local circuit switching capability is defined as: (A) line-side facilities, which include, but are not limited to, the connection between a loop termination at a main distribution frame and a switch line card; (B) trunk-side facilities, which include, but are not limited to, the connection between trunk termination at a trunk-side cross-connect panel and a switch trunk card; (C) switching provided by remote switching modules; and (D) all features, functions, and capabilities of the switch, which include, but are not limited to: (1) the basic switching function of connecting lines to lines, line to trunks, trunks to lines, and trunks to trunks, as well as the same basic capabilities made available to BellSouth's customers, such

as a telephone number, white page listings, and dial tone; and (2) all other features that the switch is capable of providing, including but not limited to customer calling, customer local area signaling service features, and Centrex, as well as any technically feasible customized routing functions provided by the switch. Any features that are not currently available but are technically feasible through the switch can be requested through the BFR/NBR process.

- 4.2.2 Notwithstanding BellSouth's general duty to unbundle local circuit switching, BellSouth shall not be required to unbundle local circuit switching for Delta Phones when Delta Phones serves an end-user with four (4) or more voice-grade (DS-0) equivalents or lines served by BellSouth in one of the following MSAs: Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA, and BellSouth has provided non-discriminatory cost based access to the Enhanced Extended Link (EEL) throughout Density Zone 1 as determined by NECA Tariff No. 4 as in effect on January 1, 1999.
- 4.2.3 In the event that Delta Phones orders local circuit switching for an end user with four (4) or more DS0 equivalent lines within Density Zone 1 in an MSA listed above, BellSouth shall charge Delta Phones the market based rates in Exhibit B for use of the local circuit switching functionality for the affected facilities. If a market rate is not set forth in Exhibit B, such rate shall be negotiated by the Parties.
- 4.2.4 Unbundled Local Switching consists of three separate unbundled elements:
 Unbundled Ports, End Office Switching Functionality, and End Office Interoffice
 Trunk Ports.
- 4.2.5 Unbundled Local Switching combined with Common Transport and, if necessary, Tandem Switching provides to Delta Phones's end user local calling and the ability to presubscribe to a primary carrier for intraLATA and/or to presubscribe to a primary carrier for interLATA toll service.
- 4.2.6 Provided that Delta Phones purchases unbundled local switching from BellSouth and uses the BellSouth CIC for its end users' LPIC or if a BellSouth local end user selects BellSouth as its LPIC, then the Parties will consider as local any calls originated by an Delta Phones local end user, or originated by a BellSouth local end user and terminated to an Delta Phones local end user, where such calls originate and terminate in the same LATA, except for those calls originated and terminated through switched access arrangements (i.e., calls that are transported by a party other than BellSouth). For such calls, BellSouth will charge Delta Phones the UNE elements for the BellSouth facilities utilized. Neither Party shall bill the other originating or terminating switched access charges for such calls. Intercarrier compensation for local calls between BellSouth and Delta Phones shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's web site.

- Where Delta Phones purchases unbundled local switching from BellSouth but does not use the BellSouth CIC for its end users' LPIC, BellSouth will consider as local those direct dialed telephone calls that originate from an Delta Phones end user and terminate within the basic local calling area or within the extended local calling areas and that are dialed using 7 or 10 digits as defined and specified in Section A3 of BellSouth's General Subscriber Services Tariffs. For such local calls, BellSouth will charge Delta Phones the UNE elements for the BellSouth facilities utilized. Intercarrier compensation for local calls between BellSouth and Delta Phones shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's web site.
- 4.2.8 For any calls that originate and terminate through switched access arrangements (i.e., calls that are transported by a party other than BellSouth), BellSouth shall bill Delta Phones the UNE elements for the BellSouth facilities utilized. Each Party may bill the toll provider originating or terminating switched access charges, as appropriate.

4.2.9 <u>Unbundled Port Features</u>

- 4.2.9.1 Charges for Unbundled Port are as set forth in Exhibit B, and as specified in such exhibit, may or may not include individual features.
- 4.2.9.2 Where applicable and available, non-switch-based services may be ordered with the Unbundled Port at BellSouth's retail rates.
- 4.2.9.3 Any features that are not currently available but are technically feasible through the switch can be requested through the BFR/NBR process.
- 4.2.9.4 BellSouth will provide to Delta Phones selective routing of calls to a requested Operator System platform pursuant to Section 10 of Attachment 2. Any other routing requests by Delta Phones will be made pursuant to the BFR/NBR Process as set forth in Attachment 12.

4.2.10 Remote Call Forwarding

- 4.2.10.1 As an option, BellSouth shall make available to Delta Phones an unbundled port with Remote Call Forwarding capability ("URCF service"). URCF service combines the functionality of unbundled local switching, tandem switching and common transport to forward calls from the URCF service telephone number (the number dialed by the calling party) to another telephone number selected by the URCF service subscriber. When ordering URCF service, Delta Phones will ensure that the following conditions are satisfied:
- 4.2.10.1.1 That the end user of the forward-to number (service) agrees to receive calls forwarded using the URCF service (if such end user is different from the URCF service end user);

- 4.2.10.1.2 That the forward-to number (service) is equipped with sufficient capacity to receive the volume of calls that will be generated from the URCF service;
- 4.2.10.1.3 That the URCF service will not be utilized to forward calls to another URCF or similar service; and
- 4.2.10.1.4 That the forward-to number (service) is not a public safety number (e.g. 911, fire or police number).
- 4.2.10.2 In addition to the charge for the URCF service port, BellSouth shall charge Delta Phones the rates set forth in Exhibit B for unbundled local switching, tandem switching, and common transport, including all associated usage, incurred for calls from the URCF service telephone number (the number dialed by the calling party) to the forward- to number (service).

4.2.11 <u>Provision for Local Switching</u>

- 4.2.11.1 BellSouth shall perform routine testing (e.g., Mechanized Loop Tests (MLT) and test calls such as 105, 107 and 108 type calls) and fault isolation on a mutually agreed upon schedule.
- 4.2.11.2 BellSouth shall control congestion points such as those caused by radio station call-ins, and network routing abnormalities. All traffic shall be restricted in a non-discriminatory manner.
- 4.2.11.3 BellSouth shall perform manual call trace and permit customer originated call trace. BellSouth shall provide Switching Service Point (SSP) capabilities and signaling software to interconnect the signaling links destined to the Signaling Transfer Point Switch (STPS). These capabilities shall adhere to the technical specifications set forth in the applicable industry standard technical references.
- 4.2.11.4 BellSouth shall provide interfaces to adjuncts through Telcordia standard interfaces. These adjuncts can include, but are not limited to, the Service Circuit Node and Automatic Call Distributors. BellSouth shall offer to Delta Phones all AIN triggers in connection with its SMS/SCE offering.
- 4.2.11.5 BellSouth shall provide access to SS7 Signaling Network or Multi-Frequency trunking if requested by Delta Phones.

4.2.12 Local Switching Interfaces.

- 4.2.12.1 Delta Phones shall order ports and associated interfaces compatible with the services it wishes to provide, as listed in Exhibit B. BellSouth shall provide the following local switching interfaces:
- 4.2.12.1.1 Standard Tip/Ring interface including loopstart or groundstart, on-hook signaling (e.g., for calling number, calling name and message waiting lamp);

- 4.2.12.1.2 Coin phone signaling: 4.2.12.1.3 Basic Rate Interface ISDN adhering to appropriate Telcordia Technical Requirements; 4.2.12.1.4 Two-wire analog interface to PBX; 4.2.12.1.5 Four-wire analog interface to PBX; 4.2.12.1.6 Four-wire DS1 interface to PBX or customer provided equipment (e.g. computers and voice response systems); Primary Rate ISDN to PBX adhering to ANSI standards Q.931, Q.932 and 4.2.12.1.7 appropriate Telcordia Technical Requirements; Switched Fractional DS1 with capabilities to configure Nx64 channels (where N =4.2.12.1.8 1 to 24); and Loops adhering to Telcordia TR-NWT-08 and TR-NWT-303 specifications to 4.2.12.1.9 interconnect Digital Loop Carriers. 4.3 **Tandem Switching** 4.3.1 The Tandem Switching capability Network Element is defined as: (i) trunkconnect facilities, which include, but are not limited to, the connection between trunk termination at a cross connect panel and switch trunk card; (ii) the basic switch trunk function of connecting trunks to trunks; and (iii) the functions that are centralized in the Tandem Switches (as distinguished from separate end office switches), including but not limited to call recording, the routing of calls to operator services and signaling conversion features. Technical Requirements Tandem Switching shall have the same capabilities or equivalent capabilities as those described in Telcordia TR-TSY-000540 Issue 2R2, Tandem Supplement, 6/1/90. The requirements for Tandem Switching include, but are not limited to the following: Tandem Switching shall provide signaling to establish a tandem connection; 4.3.2.1.1 Tandem Switching will provide screening as jointly agreed to by Delta Phones and 4.3.2.1.2 BellSouth;
- 4.3.2.1.4 Tandem Switching shall provide access to Toll Free number database;

switch, to the extent such Tandem switch has such capability;

4.3.2.1.3

Tandem Switching shall provide Advanced Intelligent Network triggers supporting AIN features where such routing is not available from the originating end office

- 4.3.2.1.5 Tandem Switching shall provide connectivity to PSAPs where 911 solutions are deployed and the tandem is used for 911; and
- 4.3.2.1.6 Where appropriate, Tandem Switching shall provide connectivity for the purpose of routing transit traffic to and from other carriers.
- 4.3.2.2 BellSouth may perform testing and fault isolation on the underlying switch that is providing Tandem Switching. Such testing shall be testing routinely performed by BellSouth. The results and reports of the testing shall be made available to Delta Phones.
- 4.3.2.3 BellSouth shall control congestion points and network abnormalities. All traffic will be restricted in a non-discriminatory manner.
- 4.3.2.4 Tandem Switching shall process originating toll-free traffic received from Delta Phones's local switch.
- 4.3.2.5 In support of AIN triggers and features, Tandem Switching shall provide SSP capabilities when these capabilities are not available from the Local Switching Network Element, to the extent such Tandem Switch has such capability.
- 4.3.3 Upon Delta Phones's purchase of overflow trunk groups, Tandem Switching shall provide an alternate routing pattern for Delta Phones's traffic overflowing from direct end office high usage trunk groups.
- 4.4 <u>AIN Selective Carrier Routing for Operator Services, Directory Assistance</u> and Repair Centers
- 4.4.1 BellSouth will provide AIN Selective Carrier Routing at the request of Delta Phones. AIN Selective Carrier Routing will provide Delta Phones with the capability of routing operator calls, 0+ and 0- and 0+ NPA (LNPA) 555-1212 directory assistance, 1+411 directory assistance and 611 repair center calls to preselected destinations.
- 4.4.2 Delta Phones shall order AIN Selective Carrier Routing through its Account Team and/or Local Contract Manager. AIN Selective Carrier Routing must first be established regionally and then on a per central office, per state basis.
- 4.4.3 AIN Selective Carrier Routing is not available in DMS 10 switches.
- 4.4.4 Where AIN Selective Carrier Routing is utilized by Delta Phones, the routing of Delta Phones's end user calls shall be pursuant to information provided by Delta Phones and stored in BellSouth's AIN Selective Carrier Routing Service Control Point database. AIN Selective Carrier Routing shall utilize a set of Line Class Codes (LCCs) unique to a basic class of service assigned on an 'as needed' basis. The same LCCs will be assigned in each central office where AIN Selective Carrier Routing is established.

- 4.4.5 Upon ordering of AIN Selective Carrier Routing Regional Service, Delta Phones shall remit to BellSouth the Regional Service Order non-recurring charges set forth in Exhibit B of this Attachment. There shall be a non-recurring End Office Establishment Charge per office due at the addition of each central office where AIN Selective Carrier Routing will be utilized. Said non-recurring charge shall be as set forth in Exhibit B of this Attachment. For each Delta Phones end user activated, there shall be a non-recurring End User Establishment charge as set forth in Exhibit B of this Attachment. Delta Phones shall pay the AIN Selective Carrier Routing Per Query Charge set forth in Exhibit B of this Attachment.
- 4.4.6 This Regional Service Order non-recurring charge will be non-refundable and will be paid with 1/2 due up-front with the submission of all fully completed required forms, including: Regional Selective Carrier Routing (SCR) Order Request-Form A, Central Office AIN Selective Carrier Routing (SCR) Order Request Form B, AIN_SCR Central Office Identification Form Form C, AIN_SCR Routing Options Selection Form Form D, and Routing Combinations Table Form E. BellSouth has 30 days to respond to Delta Phones's fully completed firm order as a Regional Service Order. With the delivery of this firm order response to Delta Phones, BellSouth considers that the delivery schedule of this service commences. The remaining 1/2 of the Regional Service Order payment must be paid when at least 90% of the Central Offices listed on the original order have been turned up for the service.
- 4.4.7 The non-recurring End Office Establishment Charge will be billed to Delta Phones following BellSouth's normal monthly billing cycle for this type of order.
- 4.4.8 End-User Establishment Orders will not be turned-up until the second payment is received for the Regional Service Order. The non-recurring End-User Establishment Charges will be billed to Delta Phones following BellSouth's normal monthly billing cycle for this type of order.
- Additionally, the AIN Selective Carrier Routing Per Query Charge will be billed to Delta Phones following the normal billing cycle for per query charges.
- 4.4.10 All other network components needed, for example, unbundled switching and unbundled local transport, etc, will be billed per contracted rates.

4.5 Packet Switching Capability

4.5.1 The packet switching capability network element is defined as the function of routing or forwarding packets, frames, cells or other data units based on address or other routing information contained in the packets, frames, cells or other data units.

4.5.2 BellSouth shall be required to provide non-discriminatory access to unbundled packet switching capability only where each of the following conditions are satisfied: 4.5.2.1 BellSouth has deployed digital loop carrier systems, including but not limited to, integrated digital loop carrier or universal digital loop carrier systems; or has deployed any other system in which fiber optic facilities replace copper facilities in the feeder section (e.g., end office to remote terminal, pedestal or environmentally controlled vault); There are no spare copper loops capable of supporting the xDSL services Delta 4.5.2.2 Phones seeks to offer; 4.5.2.3 BellSouth has not permitted Delta Phones to deploy a DSLAM at the remote terminal, pedestal or environmentally controlled vault or other interconnection point, nor has Delta Phones obtained a virtual collocation arrangement at these sub-loop interconnection points as defined by 47 CFR § 51.319 (b); and 4.5.2.4 BellSouth has deployed packet switching capability for its own use. If there is a dispute as to whether BellSouth must provide Packet Switching, such 4.5.3 dispute will be resolved according to the dispute resolution process set forth in Section 12 of the General Terms and Conditions of this Agreement, incorporated herein by this reference. 5 **Unbundled Network Element Combinations** 5.1 For purposes of this Section, references to "Currently Combined" network elements shall mean that the particular network elements requested by Delta Phones are in fact already combined by BellSouth in the BellSouth network. 5.2 Unbundled Network Element Combinations shall include: 5.2.1 Density Zone 1 Enhanced Extended Links (EELs); 5.2.2 Ordinarily Combined UNE Combinations; 5.2.3 Special Access Service to UNE Conversions; 5.2.4 Currently Combined Transport Element Combination Conversions; and 5.2.5 UNE Loop/Port Combinations. 5.3 **Density Zone 1 EELs**

5.3.1

Delta Phones with EELs where they are available.

EELs are a combination of unbundled loop and transport. BellSouth shall provide

- Density Zone 1 EELs, as they relate to the FCC's Unbundled Switching Option, are comprised of the configurations in Section 5.3.4 consisting of Local Loop and Interoffice Channel terminating in the requesting CLEC's collocation in the Point of Presence (POP) Serving Wire Center (SWC).
- 5.3.3 Density Zone 1 EELs are intended to provide new service connectivity from an end user's location through that end user's SWC to Delta Phones's collocation space in a BellSouth central office. The circuit must be connected to the Delta Phones's switch for the purpose of provisioning circuit telephone exchange service to the Delta Phones's end-user customers. These new EELs may be connected within the Delta Phones's collocation to other transport terminating into Delta Phones's switch.
- 5.3.4 Density Zone 1 EELs are:
- 5.3.4.1 DS1 Interoffice Channel + DS1 Channelization + 2-wire VG Local Loop
- 5.3.4.2 DS1 Interoffice Channel + DS1 Channelization + 4-wire VG Local Loop
- 5.3.4.3 DS1 Interoffice Channel + DS1 Channelization + 2-wire ISDN Local Loop
- 5.3.4.4 DS1 Interoffice Channel + DS1 Channelization + 4-wire 56 kbps Local Loop
- 5.3.4.5 DS1 Interoffice Channel + DS1 Channelization + 4-wire 64 kbps Local Loop
- 5.3.4.6 DS1 Interoffice Channel + DS1 Local Loop
- 5.3.4.7 DS3 Interoffice Channel + DS3 Local Loop
- 5.3.4.8 STS-1 Interoffice Channel + STS-1 Local Loop
- 5.3.4.9 DS3 Interoffice Channel + DS3 Channelization + DS1 Local Loop
- 5.3.4.10 STS-1 Interoffice Channel + DS3 Channelization + DS1 Local Loop

5.3.4.11	2-wire VG Interoffice Channel + 2-wire VG Local Loop
5.3.4.12	4wire VG Interoffice Channel + 4-wire VG Local Loop
5.3.4.13	4-wire 56 kbps Interoffice Channel + 4-wire 56 kbps Local Loop
5.3.4.14	4-wire 64 kbps Interoffice Channel + 4-wire 64 kbps Local Loop
5.3.5	Density Zone 1 EELs as described in Section 5.3.4 shall be made available to Delta Phones as new service in density zone 1, as defined in 47 CFR 69.123 as of January 1, 1999, in the Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA MSAs.
5.3.6	Density Zone 1 EELs as described in Section 5.3.4 are subject to the restrictions of Sections 5.6.1.1, 5.6.1.2, 5.6.2, and 5.6.3.
5.3.7	Rates
5.3.7.1	Density Zone 1 EEL rates as described in Section 5.3.4 shall be the sum of the recurring rates for that combination as set forth in Exhibit B of this Attachment.
5.4	Ordinarily Combined UNE Combinations
5.4.1	BellSouth shall provide Ordinarily Combined UNE Combinations to Delta Phones as new service in all states, where available, regardless of whether or not such network element combinations are Currently Combined. Ordinarily Combined UNE Combinations consist of a loop-transport combination, where the transport may consist of an Interoffice Channel, a Local Channel, or a Local Channel and an Interoffice Channel. These combinations may terminate to Delta Phones 's collocation; however collocation is not required. BellSouth does not connect Ordinarily Combined UNEs Combinations to tariffed services.
5.4.2	Rates
5.4.2.1	The rates for Ordinarily Combined UNE Combinations, which replicate the architecture described in Section 5.3.4, shall be the sum of the recurring and non-recurring rates for that combination as set forth in Exhibit B of this Attachment.

- 5.4.2.2 The rates for Ordinarily Combined UNE Combinations which do not replicate a combination described in Section 5.3.4, shall be the sum of the recurring rates and nonrecurring rates for the stand-alone network elements as set forth in Exhibit B of this Attachment.
- 5.4.3 To the extent that Delta Phones seeks to obtain other combinations of network elements that BellSouth ordinarily combines in its network which have not been specifically priced by the Commission when purchased in combined form, Delta Phones, at its option, may request that such rates be determined pursuant to the BFR/NBR process set forth in this Agreement.

5.5 Currently Combined Combinations to UNE Conversions

- 5.5.1 In every state within which BellSouth operates, Delta Phones's existing network transport element combinations may be converted to UNEs, if requested. These combinations may not be connected to tariffed services.
- 5.5.2 Rates
- 5.5.3 The rates for the Conversion of Currently Combined Combinations which replicate a configuration described in Section 5.3.4 shall be the sum of the recurring rates for that combination and a one-time conversion charge as set forth in Exhibit B of this Attachment.
- The rates for the Conversion of Currently Combined Combinations which <u>do not</u> replicate a configuration described in Section 5.3.4 shall be the sum of the recurring rates for the stand-alone network elements and a one-time conversion charge as set forth in Exhibit B of this Attachment.
- To the extent BellSouth has not developed methods and procedures to provide any specific combination of network elements requested by Delta Phones, whether or not Currently Combined, such methods and procedures shall be established pursuant to the BFR/NBR process.

5.6 Special Access Service to UNE Conversions

In every state within which BellSouth operates, Delta Phones may not convert existing special access services to combinations of loop and transport network elements, whether or not Delta Phones self-provides its entrance facilities (or obtains entrance facilities from a third party), unless Delta Phones uses the combination to provide a significant amount of local exchange service, in addition to exchange access service, to a particular customer. To the extent Delta Phones requests to convert any special access services to combinations of loop and transport network elements at UNE prices, Delta Phones shall provide to BellSouth a certification that Delta Phones is providing a significant amount of

local exchange service (as described in this Section) over such combinations. The certification shall also indicate under what local usage option Delta Phones seeks to qualify for conversion of special access circuits. Delta Phones shall be deemed to be providing a significant amount of local exchange service over such combinations if one of the following options is met:

- 5.6.1.1 Option 1: Delta Phones certifies that it is the exclusive provider of an end user's local exchange service. The loop-transport combinations must terminate at Delta Phones's collocation arrangement in at least one BellSouth central office. This option does not allow loop-transport combinations to be connected to BellSouth's tariffed services. Under this option, Delta Phones is the end user's only local service provider, and thus, is providing more than a significant amount of local exchange service. Delta Phones can then use the loop-transport combinations that serve the end user to carry any type of traffic, including using them to carry 100 percent interstate access traffic; or
- Option 2: Delta Phones certifies that it provides local exchange and exchange access service to the end user customer's premises and handles at least one third of the end user customer's local traffic measured as a percent of total end user customer local dial tone lines; and for DS1 circuits and above, at least 50 percent of the activated channels on the loop portion of the loop-transport combination have at least 5 percent local voice traffic individually, and the entire loop facility has at least 10 percent local voice traffic. When a loop-transport combination includes multiplexing, each of the individual DS1 circuits must meet this criterion. The loop-transport combination must terminate at Delta Phones's collocation arrangement in at least one BellSouth central office. This option does not allow loop-transport combinations to be connected to BellSouth tariffed services; or
- 5.6.1.3 Option 3: Delta Phones certifies that at least 50 percent of the activated channels on a circuit are used to provide originating and terminating local dial tone service and at least 50 percent of the traffic on each of these local dial tone channels is local voice traffic, and that the entire loop facility has at least 33 percent local voice traffic. When a loop-transport combination includes multiplexing, each of the individual DS1 circuits must meet this criterion. This option does not allow loop-transport combinations to be connected to BellSouth's tariffed services. Under this option, collocation is not required. Delta Phones does not need to provide a defined portion of the end user's local service, but the active channels on any loop-transport combination, and the entire facility, must carry the amount of local exchange traffic specified in this option.
- 5.6.2 In addition, there may be extraordinary circumstances where Delta Phones is providing a significant amount of local exchange service, but does not qualify

under any of the three options set forth in Section 5.6. In such case, Delta Phones may petition the FCC for a waiver of the local usage options set forth above. If a waiver is granted, then upon Delta Phones's request the Parties shall amend this Agreement to the extent necessary to incorporate the terms of such waiver for such extraordinary circumstance.

- 5.6.3 BellSouth may, at its sole discretion, audit Delta Phones's records in order to verify compliance with the local usage option provided by Delta Phones pursuant to Section 5.6.1. The audit shall be conducted by a third party independent auditor, and Delta Phones shall be given thirty days written notice of scheduled audit. Such audit shall occur no more than one time in a calendar year, unless results of an audit find noncompliance with the significant amount of local exchange service requirement. In the event of noncompliance, Delta Phones shall reimburse BellSouth for the cost of the audit. If, based on its audits, BellSouth concludes that Delta Phones is not providing a significant amount of local exchange traffic over the combinations of loop and transport network elements, BellSouth may file a complaint with the appropriate Commission, pursuant to the dispute resolution process as set forth in the Interconnection Agreement. In the event that BellSouth prevails, BellSouth may convert such combinations of loop and transport network elements to special access services and may seek appropriate retroactive reimbursement from Delta Phones.
- 5.6.4 Delta Phones may convert special access circuits to combinations of loop and transport UNEs pursuant to the terms of this Section and subject to the termination provisions in the applicable special access tariffs, if any.
- 5.6.5 Rates
- 5.6.5.4 For a Special Access network element combination which replicates a configuration described in Section 5.3.4, the rates for the UNEs resulting from a Special Access conversion shall be the sum of the recurring charges for the combinations and a one-time conversion charge as set forth in Exhibit B of this Attachment.
- 5.6.5.2 For a Special Access network element combination which <u>does not</u> replicate a configuration described in Section 5.3.4, the rates for the UNEs resulting from a Special Access conversion shall be the sum of recurring charges of the stand-alone network elements and a conversion charge as set forth in Exhibit B of this Attachment.

5.7 UNE Port/Loop Combinations

- 5.7.1 Combinations of port and loop unbundled network elements along with switching and transport unbundled network elements provide local exchange service for the origination or termination of calls. Port/ loop combinations support the same local calling and feature requirements as described in the Unbundled Local Switching or Port section of this Attachment 2 and the ability to presubscribe to a primary carrier for intraLATA and/or to presubscribe to a primary carrier for interLATA toll service.
- 5.7.2 BellSouth shall make available UNE port/loop combinations, regardless of whether such combinations are Currently Combined, so long as such combinations are ordinarily combined in BellSouth's network.
- 5.7.3 Except as set forth in section 5.7.6 below, BellSouth shall provide UNE port/loop combinations that are ordinarily combined in BellSouth's network, regardless of whether such combinations are Currently Combined at the cost-based rates in Exhibit B.
- 5.7.4 Left blank intentionally
- 5.7.5 Left blank intentionally
- 5.7.6 BellSouth is not required to provide combinations of port and loop network elements on an unbundled basis in locations where, pursuant to FCC rules, BellSouth is not required to provide circuit switching as an unbundled network element.
- 5.7.6.1 BellSouth shall not be required to provide local circuit switching as an unbundled network element in density Zone 1, as defined in 47 CFR 69.123 as of January 1, 1999 of the Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA, MSAs to Delta Phones if Delta Phones's customer has 4 or more DS0 equivalent lines.
- 5.7.6.2 Notwithstanding the foregoing, BellSouth shall provide combinations of port and loop network elements on an unbundled basis where, pursuant to FCC rules, BellSouth is not required to provide local circuit switching as an unbundled network element and shall do so at the market rates in Exhibit B. If a market rate is not set forth in Exhibit B for a UNE port/loop combination, such rate shall be negotiated by the Parties.
- 5.7.7 BellSouth shall make 911 updates in the BellSouth 911 database for Delta Phones's UNE port/loop combinations. BellSouth will not bill Delta Phones for 911 surcharges. Delta Phones is responsible for paying all 911 surcharges to the applicable governmental agency.

- 5.7.8 Combination Offerings
- 5.7.8.1 2-wire voice grade port, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.7.8.2 2-wire voice grade Coin port, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.7.8.3 2-wire voice grade DID port, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.7.8.4 2-wire CENTREX port, voice grade loop, CENTREX intercom functionality, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.7.8.5 2-wire ISDN Basic Rate Interface, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.7.8.6 4-wire ISDN Primary Rate Interface, DS1 loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.7.8.7 4-wire DS1 Trunk port, DS1 Loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 4-wire DS1 Loop with normal serving wire center channelization interface, 2-wire voice grade ports (PBX), 2-wire DID ports, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.

6 Transport, Channelization and Dark Fiber

6.1 <u>Transport</u>

- 6.1.1 BellSouth shall provide nondiscriminatory access, in accordance with FCC Rule 51.311 and Section 251(c)(3) of the Act, to interoffice transmission facilities on an unbundled basis to Delta Phones for the provision of a telecommunications service. Interoffice transmission facility network elements include:
- 6.1.1.1 Dedicated transport, defined as BellSouth's transmission facilities, is dedicated to a particular customer or carrier that provides telecommunications between wire

- centers or switches owned by BellSouth, or between wire centers and switches owned by BellSouth and Delta Phones.
- Dark Fiber transport, defined as BellSouth's optical transmission facilities without attached signal regeneration, multiplexing, aggregation or other electronics;
- 6.1.1.3 Common (Shared) transport, defined as transmission facilities shared by more than one carrier, including BellSouth, between end office switches, between end office switches and tandem switches, and between tandem switches, in BellSouth's network. Where BellSouth Network Elements are connected by intraoffice wiring, such wiring is provided as part of the Network Element and is not Common (Shared) Transport.
- 6.1.2 BellSouth shall:
- 6.1.2.1 Provide Delta Phones exclusive use of interoffice transmission facilities dedicated to a particular customer or carrier, or shared use of the features, functions, and capabilities of interoffice transmission facilities shared by more than one customer or carrier;
- 6.1.2.2 Provide all technically feasible transmission facilities, features, functions, and capabilities of the transport facility for the provision of telecommunications services;
- 6.1.2.3 Permit, to the extent technically feasible, Delta Phones to connect such interoffice facilities to equipment designated by Delta Phones, including but not limited to, Delta Phones's collocated facilities; and
- Permit, to the extent technically feasible, Delta Phones to obtain the functionality provided by BellSouth's digital cross-connect systems.
- 6.1.3 Technical Requirements of Common (Shared) Transport
- 6.1.3.1 Common (Shared) Transport provided on DS1 or VT1.5 circuits, shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for Central Office to Central Office ("CO to CO") connections in the applicable industry standards.
- 6.1.3.2 Common (Shared) Transport provided on DS3 circuits, STS-1 circuits, and higher transmission bit rate circuits, shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for CO to CO connections in the applicable industry standards.
- 6.1.3.3 BellSouth shall be responsible for the engineering, provisioning, and maintenance of the underlying equipment and facilities that are used to provide Common (Shared) Transport.

6.1.3.4	At a minimum, Common (Shared) Transport shall meet all of the requirements set forth in the applicable industry standards.
6.2	Dedicated Transport
6.2.1	Dedicated Transport is composed of the following Unbundled Network Elements:
6.2.1.1	Unbundled Local Channel, defined as the dedicated transmission path between Delta Phones's Point of Presence ("POP") and Delta Phones's collocation space in the BellSouth Serving Wire Center for Delta Phones's POP, and
6.2.1.2	Unbundled Interoffice Channel, defined as the dedicated transmission path that provides telecommunication between BellSouth's Serving Wire Centers' collocations.
6.2.1.3	BellSouth shall offer Dedicated Transport in each of the following ways:
6.2.1.3.1	As capacity on a shared UNE facility.
6.2.1.3.2	As a circuit (e.g., DS0, DS1, DS3) dedicated to Delta Phones.
6.2.1.4	Dedicated Transport may be provided over facilities such as optical fiber, copper twisted pair, and coaxial cable, and shall include transmission equipment such as, line terminating equipment, amplifiers, and regenerators.
6.2.2	Technical Requirements
6.2.2.1	The entire designated transmission service (e.g., DS0, DS1, DS3) shall be dedicated to Delta Phones designated traffic.
6.2.2.2	For DS1 or VT1.5 circuits, Dedicated Transport shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for Customer Interface to Central Office ("CI to CO") connections in the applicable industry standards.
6.2.2.3	For DS3 circuits, Dedicated Transport shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for CI to CO connections in the applicable industry standards.
6.2.2.4	BellSouth shall offer the following interface transmission rates for Dedicated Transport:
6.2.2.4.1	DS0 Equivalent;
6.2.2.4.2	DS1;
6.2.2.4.3	DS3; and

- 6.2.2.4.4 SDH (Synchronous Digital Hierarchy) Standard interface rates in accordance with International Telecommunications Union (ITU) Recommendation G.707 and Plesiochronous Digital Hierarchy (PDH) rates per ITU Recommendation G.704.
- 6.2.2.5 BellSouth shall design Dedicated Transport according to its network infrastructure. Delta Phones shall specify the termination points for Dedicated Transport.
- 6.2.2.6 At a minimum, Dedicated Transport shall meet each of the requirements set forth in the applicable industry technical references.
- 6.2.2.7 BellSouth Technical References:
- 6.2.2.7.1 TR-TSY-000191 Alarm Indication Signals Requirements and Objectives, Issue 1, May 1986.
- 6.2.2.7.2 TR 73501 LightGate[®] Service Interface and Performance Specifications, Issue D, June 1995.
- 6.2.2.7.3 TR 73525 MegaLink® Service, MegaLink Channel Service and MegaLink Plus Service Interface and Performance Specifications, Issue C, May 1996.

6.3 <u>Unbundled Channelization (Multiplexing)</u>

- 6.3.1 Unbundled Channelization (UC) provides the multiplexing capability that will allow a DS1 (1.544 Mbps) or DS3 (44.736 Mbps) or STS-1 (51.84 Mbps)
 Unbundled Network Element (UNE) or collocation cross-connect to be multiplexed or channelized at a BellSouth central office. Channelization will be offered with both the high and low speed sides to be connected to collocation. Channelization can be accomplished through the use of a stand-alone multiplexer or a digital cross-connect system at the discretion of BellSouth. Once UC has been installed, Delta Phones may request channel activation on an as-needed basis and BellSouth shall connect the requested facilities via Central Office Channel Interfaces (COCIs). The COCI must be compatible with the lower capacity facility and ordered with the lower capacity facility.
- 6.3.2 BellSouth shall make available the following channelization systems and COCIs:
- 6.3.2.1 DS3/STS-1 Channelization System: channelizes a DS3 signal into 28 DS1s.
- 6.3.2.2 DS1 COCI, which can be activated on a DS3 Channelization System.
- 6.3.2.3 DS1 Channelization System: channelizes a DS1 signal into 24 DS0s.
- Voice Grade, Digital Data and ISDN can be activated on a DS1 Channelization System through the use of a COCI.

- 6.3.2.5 Data COCI, which can be activated on a DS1 Channelization System.
- 6.3.2.6 AMI and B8ZS line coding with either Super Frame (SF) and Extended Super Frame (ESF) framing formats will be supported as an optional feature on DS1 facilities.
- 6.3.3 Technical Requirements
- 6.3.3.1 In order to assure proper operation with BellSouth provided central office multiplexing functionality, Delta Phones's channelization equipment must adhere strictly to form and protocol standards. Delta Phones must also adhere to such applicable industry standards for the multiplex channel bank, for voice frequency encoding, for various signaling schemes, and for sub rate digital access.
- 6.3.3.2 DS0 to DS1 Channelization
- 6.3.3.2.1 The DS1 signal must be framed utilizing the framing structure defined in ANSI T1.107, Digital Hierarchy Formats Specifications and ANSI T1.403.02, DS1 Robbed-bit Signaling State Definitions.
- 6.3.3.3 DS1 to DS3 Channelization
- 6.3.3.3.1 The DS3 signal must be framed utilizing the framing structure define in ANSI T1.107, Digital Hierarchy Formats Specifications. The asynchronous M13 multiplex format (combination of M12 and M23 formats) is specified for terminal equipment that multiplexes 28 DS1s into a DS3.
- 6.3.3.4 DS1 to STS Channelization
- 6.3.3.4.1 The STS-1 signal must be framed utilizing the framing structure define in ANSI T1.105, Synchronous Optical Network (SONET) Basic Description Including Multiplex Structure, Rates and Formats and T1.105.02, Synchronous Optical Network (SONET) Payload Mappings.

6.4 **Dark Fiber Transport**

- 6.4.1 Dark Fiber Transport is an unused optical transmission facility without attached signal regeneration, multiplexing, aggregation or other electronics. Dark Fiber Transport is offered in two configurations: Interoffice Channel, between Delta Phones's collocation arrangement within the POP serving wire center and the end user service wire center and Local Channel, from Delta Phones's POP to Delta Phones's collocation arrangement in the POP serving wire center. It may be strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for Delta Phones to utilize Dark Fiber Transport.
- 6.4.2 Requirements

- 6.4.2.1 BellSouth shall make available Dark Fiber Transport where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. Dark Fiber Transport will not be deemed available if (1) it is used by BellSouth for maintenance and repair purposes, (2) it is designated for use pursuant to a firm order placed by another customer, (3) it is restricted for use by all carriers, including BellSouth, because of transmission problems or because it is scheduled for removal due to documented changes to roads and infrastructure, or (4) BellSouth has plans to use the fiber within a two-year planning period. BellSouth is not required to place fibers for Dark Fiber Transport if there are none available.
- Delta Phones is solely responsible for testing the quality of the Dark Fiber Transport to determine its usability and performance specifications.
- 6.4.2.3 BellSouth shall use its best efforts to provide to Delta Phones information regarding the location, availability and performance of Dark Fiber Transport within ten (10) business days after receiving a request from Delta Phones. Within such time period, BellSouth shall send written confirmation of availability of the Dark Fiber Transport.
- 6.4.2.4 If the requested Dark Fiber Transport is available, BellSouth shall use its commercially reasonable efforts to provision the Dark Fiber Transport to Delta Phones within twenty (20) business days after Delta Phones submits a valid, error free LSR. Provisioning includes identification of appropriate connection points (e.g., Light Guide Interconnection (LGX)) to enable Delta Phones to connect Delta Phones provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber Transport.

7 BellSouth Switched Access ("SWA") 8XX Toll Free Dialing Ten Digit Screening Service

- 7.1 The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service database ("8XX SCP Database") is a Signaling control Point ("SCP") that contains customer record information and the functionality to provide call-handling instructions for 8XX calls. The 8XX SCP IN software stores data downloaded from the national SMS/8XX database and provides the routing instructions in response to queries from the Switching Service Point ("SSP") or tandem. The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service ("8XX TFD Service") utilizes the 8XX SCP Database to provide identification and routing of the 8XX calls, based on the ten digits dialed. At Delta Phones's option, 8XX TFD Service is provided with or without POTS number delivery, dialing number delivery, and other optional complex features as selected by Delta Phones.
- 7.2 The 8XX SCP Database is designated to receive and respond to queries using the ANSI Specification of Signaling System Seven (SS7) protocol.

8 Line Information Database (LIDB)

- 8.1 The Line Information Database (LIDB) is a transaction-oriented database accessible through Common Channel Signaling (CCS) networks. For access to LIDB, Delta Phones must purchase appropriate signaling links pursuant to Section 9 of this Attachment. LIDB contains records associated with end user Line Numbers and Special Billing Numbers. LIDB accepts queries from other Network Elements and provides appropriate responses. The query originator need not be the owner of LIDB data. LIDB queries include functions such as screening billed numbers that provides the ability to accept Collect or Third Number Billing calls and validation of Telephone Line Number based non-proprietary calling cards. The interface for the LIDB functionality is the interface between BellSouth's CCS network and other CCS networks. LIDB also interfaces to administrative systems.
- 8.2 Technical Requirements
- 8.2.1 BellSouth will offer to Delta Phones any additional capabilities that are developed for LIDB during the life of this Agreement.
- 8.2.2 BellSouth shall process Delta Phones's Customer records in LIDB at least at parity with BellSouth customer records, with respect to other LIDB functions. BellSouth shall indicate to Delta Phones what additional functions (if any) are performed by LIDB in the BellSouth network.
- 8.2.3 Within two (2) weeks after a request by Delta Phones, BellSouth shall provide Delta Phones with a list of the customer data items, which Delta Phones would have to provide in order to support each required LIDB function. The list shall indicate which data items are essential to LIDB function, and which are required only to support certain services. For each data item, the list shall show the data formats, the acceptable values of the data item and the meaning of those values.
- 8.2.4 BellSouth shall provide LIDB systems for which operating deficiencies that would result in calls being blocked shall not exceed 30 minutes per year.
- 8.2.5 BellSouth shall provide LIDB systems for which operating deficiencies that would not result in calls being blocked shall not exceed 12 hours per year.
- 8.2.6 BellSouth shall provide LIDB systems for which the LIDB function shall be in overload no more than 12 hours per year.
- 8.2.7 All additions, updates and deletions of Delta Phones data to the LIDB shall be solely at the direction of Delta Phones. Such direction from Delta Phones will not be required where the addition, update or deletion is necessary to perform standard fraud control measures (e.g., calling card auto-deactivation).
- 8.2.8 BellSouth shall provide priority updates to LIDB for Delta Phones data upon Delta Phones's request (e.g., to support fraud detection), via password-protected

telephone card, facsimile, or electronic mail within one hour of notice from the established BellSouth contact.

- 8.2.9 BellSouth shall provide LIDB systems such that no more than 0.01% of Delta Phones customer records will be missing from LIDB, as measured by Delta Phones audits. BellSouth will audit Delta Phones records in LIDB against DBAS to identify record mismatches and provide this data to a designated Delta Phones contact person to resolve the status of the records and BellSouth will update system appropriately. BellSouth will refer record of mis-matches to Delta Phones within one business day of audit. Once reconciled records are received back from Delta Phones, BellSouth will update LIDB the same business day if less than 500 records are received before 1:00PM Central Time. If more than 500 records are received, BellSouth will contact Delta Phones to negotiate a time frame for the updates, not to exceed three business days.
- 8.2.10 BellSouth shall perform backup and recovery of all of Delta Phones's data in LIDB including sending to LIDB all changes made since the date of the most recent backup copy, in at least the same time frame BellSouth performs backup and recovery of BellSouth data in LIDB for itself. Currently, BellSouth performs backups of the LIDB for itself on a weekly basis and when a new software release is scheduled, a backup is performed prior to loading the new release.
- 8.2.11 BellSouth shall provide Delta Phones with LIDB reports of data, which are missing or contain errors, as well as any misrouted errors, within a reasonable time period as negotiated between Delta Phones and BellSouth.
- 8.2.12 BellSouth shall prevent any access to or use of Delta Phones data in LIDB by BellSouth personnel that are outside of established administrative and fraud control personnel, or by any other Party that is not authorized by Delta Phones in writing.
- 8.2.13 BellSouth shall provide Delta Phones performance of the LIDB Data Screening function, which allows a LIDB to completely or partially deny specific query originators access to LIDB data owned by specific data owners, for Customer Data that is part of an NPA-NXX or RAO-0/1XX wholly or partially owned by Delta Phones at least at parity with BellSouth Customer Data. BellSouth shall obtain from Delta Phones the screening information associated with LIDB Data Screening of Delta Phones data in accordance with this requirement. BellSouth currently does not have LIDB Data Screening capabilities. When such capability is available, BellSouth shall offer it to Delta Phones under the BFR/NBR process as set forth in Attachment 12.
- 8.2.14 BellSouth shall accept queries to LIDB associated with Delta Phones customer records, and shall return responses in accordance with industry standards.

- 8.2.15 BellSouth shall provide mean processing time at the LIDB within 0.50 seconds under normal conditions as defined in industry standards.
- 8.2.16 BellSouth shall provide processing time at the LIDB within 1 second for 99% of all messages under normal conditions as defined in industry standards.
- 8.3 Interface Requirements
- 8.3.1 BellSouth shall offer LIDB in accordance with the requirements of this subsection.
- 8.3.2 The interface to LIDB shall be in accordance with the technical references contained within.
- 8.3.3 The CCS interface to LIDB shall be the standard interface described herein.
- 8.3.4 The LIDB Data Base interpretation of the ANSI-TCAP messages shall comply with the technical reference herein. Global Title Translation shall be maintained in the signaling network in order to support signaling network routing to the LIDB.
- 8.3.5 The application of the LIDB rates contained in Exhibit B to this Attachment will be based on a Percent CLEC LIDB Usage ("PCLU") factor. Delta Phones shall provide BellSouth a PCLU. The PCLU will be applied to determine the percentage of total LIDB usage to be billed to the other Party at local rates. Delta Phones shall update its PCLU on the first of January, April, July and October and shall send it to BellSouth to be received no later than thirty (30) calendar days after the first of each such month based on local usage for the past three months ending the last day of December, March, June and September, respectively. Requirements associated with PCLU calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time.

9 Signaling

9.1 BellSouth shall offer access to signaling and access to BellSouth's signaling databases subject to compatibility testing and at the rates set forth in this Attachment. BellSouth may provide mediated access to BellSouth signaling systems and databases. Available signaling elements include signaling links, signal transfer points and service control points. Signaling functionality will be available with both A-link and B-link connectivity.

9.2 Signaling Link Transport

- 9.2.1 Signaling Link Transport is a set of two or four dedicated 56 kbps transmission paths between Delta Phones-designated Signaling Points of Interconnection that provide appropriate physical diversity.
- 9.2.2 Technical Requirements

Signaling Link Transport shall consist of full duplex mode 56 kbps transmission 9.2.3 paths and shall perform in the following two ways: As an "A-link" Signaling Link Transport is a connection between a switch or SCP 9.2.3.1 and a home Signaling Transfer Point switch pair; and As a "B-link" Signaling Link Transport is a connection between two Signaling 9.2.3.2 Transfer Point switch pairs in different company networks (e.g., between two Signaling Transfer Point switch pairs for two CLECs). Signaling Link Transport shall consist of two or more signaling link layers as 9.2.4 follows: An A-link layer shall consist of two links. 9.2.4.1 9.2.4.2 A B-link layer shall consist of four links. A signaling link layer shall satisfy interoffice and intraoffice diversity of facilities 9.2.4.3 and equipment, such that: No single failure of facilities or equipment causes the failure of both links in an A-9.2.4.4 link layer (i.e., the links should be provided on a minimum of two separate physical paths end-to-end); and No two concurrent failures of facilities or equipment shall cause the failure of all 9.2.4.5 four links in a B-link layer (i.e., the links should be provided on a minimum of three separate physical paths end-to-end). 9.2.5 Interface Requirements 9.2.5.1 There shall be a DS1 (1.544 Mbps) interface at Delta Phones's designated SPOIs. Each 56 kbps transmission path shall appear as a DSO channel within the DS1 interface. 9.3 Signaling Transfer Points (STPs) A Signaling Transfer Point is a signaling network function that includes all of the 9.3.1 capabilities provided by the signaling transfer point switches (STPs) and their associated signaling links that enables the exchange of SS7 messages among and between switching elements, database elements and signaling transfer point switches. Technical Requirements 9.3.2 Signaling Transfer Point s shall provide access to BellSouth Local Switching or 9.3.2.1 Tandem Switching and to BellSouth Service Control Points/Databases connected

to BellSouth SS7 network. Signaling Transfer Point also provide access to third-

party local or tandem switching and Third-party-provided Signaling Transfer Points.

- 9.3.2.2 The connectivity provided by Signaling Transfer Points shall fully support the functions of all other Network Elements connected to the BellSouth SS7 network. This includes the use of the BellSouth SS7 network to convey messages that neither originate nor terminate at a signaling end point directly connected to the BellSouth SS7 network (i.e., transit messages). When the BellSouth SS7 network is used to convey transit messages, there shall be no alteration of the Integrated Services Digital Network User Part or Transaction Capabilities Application Part (TCAP) user data that constitutes the content of the message.
- 9.3.2.3 If a BellSouth tandem switch routes traffic, based on dialed or translated digits, on SS7 trunks between a Delta Phones local switch and third party local switch, the BellSouth SS7 network shall convey the TCAP messages that are necessary to provide Call Management features (Automatic Callback, Automatic Recall, and Screening List Editing) between Delta Phones local STPs and the STPs that provide connectivity with the third party local switch, even if the third party local switch is not directly connected to BellSouth STPs.
- 9.3.2.4 STPs shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service, as defined in Telcordia ANSI Interconnection Requirements. This includes Global Title Translation (GTT) and SCCP Management procedures, as specified in ANSI T1.112.4. Where the destination signaling point is a Delta Phones or third party local or tandem switching system directly connected to BellSouth SS7 network, BellSouth shall perform final GTT of messages to the destination and SCCP Subsystem Management of the destination. In all other cases, BellSouth shall perform intermediate GTT of messages to a gateway pair of STPs in an SS7 network connected with BellSouth SS7 network, and shall not perform SCCP Subsystem Management of the destination. If BellSouth performs final GTT to a Delta Phones database, then Delta Phones agrees to provide BellSouth with the Destination Point Code for Delta Phones database.
- 9.3.2.5 STPs shall provide all functions of the OMAP as specified in applicable industry standard technical references, which may include, where available in BellSouth's network, MTP Routing Verification Test (MRVT); and SCCP Routing Verification Test (SRVT).
- 9.3.2.6 Where the destination signaling point is a BellSouth local or tandem switching system or database, or is a Delta Phones or third party local or tandem switching system directly connected to the BellSouth SS7 network, STPs shall perform MRVT and SRVT to the destination signaling point. In all other cases, STPs shall perform MRVT and SRVT to a gateway pair of STPs in an SS7 network connected with the BellSouth SS7 network. This requirement may be superseded

by the specifications for Internetwork MRVT and SRVT when these become approved ANSI standards and available capabilities of BellSouth STPs.

9.4 SS7 Advanced Intelligent Network (AIN) Access

- 9.4.1 When technically feasible and upon request by Delta Phones, SS7 AIN Access shall be made available in association with switching. SS7 AIN Access is the provisioning of AIN 0.1 triggers in an equipped BellSouth local switch and interconnection of the BellSouth SS7 network with Delta Phones's SS7 network to exchange TCAP queries and responses with a Delta Phones SCP.
- 9.4.2 SS7 AIN Access shall provide Delta Phones SCP access to an equipped BellSouth local switch via interconnection of BellSouth's SS7 and Delta Phones SS7 Networks. BellSouth shall offer SS7 AIN Access through its STPs. If BellSouth requires a mediation device on any part of its network specific to this form of access, BellSouth must route its messages in the same manner. The interconnection arrangement shall result in the BellSouth local switch recognizing the Delta Phones SCP as at least at parity with BellSouth's SCPs in terms of interfaces, performance and capabilities.
- 9.4.3 Interface Requirements
- 9.4.3.1 BellSouth shall provide the following STP options to connect Delta Phones or Delta Phones-designated local switching systems to the BellSouth SS7 network:
- 9.4.3.1.1 An A-link interface from Delta Phones local switching systems; and,
- 9.4.3.1.2 A B-link interface from Delta Phones local STPs.
- 9.4.3.2 Each type of interface shall be provided by one or more layers of signaling links.
- 9.4.3.3 The Signaling Point of Interconnection for each link shall be located at a cross-connect element in the Central Office (CO) where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the SPOIs. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
- 9.4.3.4 BellSouth shall provide intraoffice diversity between the Signaling Point of Interconnection and BellSouth STPs, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- 9.4.3.5 STPs shall provide all functions of the MTP as defined in the applicable industry standard technical references.
- 9.4.4 Message Screening

- 9.4.4.1 BellSouth shall set message screening parameters so as to accept valid messages from Delta Phones local or tandem switching systems destined to any signaling point within BellSouth's SS7 network where the Delta Phones switching system has a valid signaling relationship.
- 9.4.4.2 BellSouth shall set message screening parameters so as to pass valid messages from Delta Phones local or tandem switching systems destined to any signaling point or network accessed through BellSouth's SS7 network where the Delta Phones switching system has a valid signaling relationship.
- 9.4.4.3 BellSouth shall set message screening parameters so as to accept and pass/send valid messages destined to and from Delta Phones from any signaling point or network interconnected through BellSouth's SS7 network where the Delta Phones SCP has a valid signaling relationship.

9.5 <u>Service Control Points/Databases</u>

- 9.5.1 Call Related Databases provide the storage of, access to, and manipulation of information required to offer a particular service and/or capability. BellSouth shall provide access to the following Databases: Local Number Portability, LIDB, Toll Free Number Database, Automatic Location Identification/Data Management System, and Calling Name Database. BellSouth also provides access to Service Creation Environment and Service Management System (SCE/SMS) application databases and Directory Assistance.
- 9.5.2 A Service Control Point (SCP) is deployed in a SS7 network that executes service application logic in response to SS7 queries sent to it by a switching system also connected to the SS7 network. Service Management Systems provide operational interfaces to allow for provisioning, administration and maintenance of subscriber data and service application data stored in SCPs.
- 9.5.3 Technical Requirements for SCPs/Databases
- 9.5.3.1 BellSouth shall provide physical access to SCPs through the SS7 network and protocols with TCAP as the application layer protocol.
- 9.5.3.2 BellSouth shall provide physical interconnection to databases via industry standard interfaces and protocols (e.g. SS7, ISDN and X.25).
- 9.5.3.3 The reliability of interconnection options shall be consistent with requirements for diversity and survivability.

9.6 Local Number Portability Database

9.6.1 The Permanent Number Portability (PNP) database supplies routing numbers for calls involving numbers that have been ported from one local service provider to another. BellSouth agrees to provide access to the PNP database at rates, terms

and conditions as set forth by BellSouth and in accordance with an effective FCC or Commission directive.

9.7 **SS7 Network Interconnection**

- 9.7.1 SS7 Network Interconnection is the interconnection of Delta Phones local signaling transfer point switches or Delta Phones local or tandem switching systems with BellSouth signaling transfer point switches. This interconnection provides connectivity that enables the exchange of SS7 messages among BellSouth switching systems and databases, Delta Phones local or tandem switching systems, and other third-party switching systems directly connected to the BellSouth SS7 network.
- 9.7.2 The connectivity provided by SS7 Network Interconnection shall fully support the functions of BellSouth switching systems and databases and Delta Phones or other third-party switching systems with A-link access to the BellSouth SS7 network.
- 9.7.3 If traffic is routed based on dialed or translated digits between a Delta Phones local switching system and a BellSouth or other third-party local switching system, either directly or via a BellSouth tandem switching system, then it is a requirement that the BellSouth SS7 network convey via SS7 Network Interconnection the TCAP messages that are necessary to provide Call Management services (Automatic Callback, Automatic Recall, and Screening List Editing) between the Delta Phones local signaling transfer point switches and BellSouth or other third-party local switch.
- 9.7.4 SS7 Network Interconnection shall provide:
- 9.7.4.1 Signaling Data Link functions, as specified in ANSI T1.111.2;
- 9.7.4.2 Signaling Link functions, as specified in ANSI T1.111.3; and
- 9.7.4.3 Signaling Network Management functions, as specified in ANSI T1.111.4.
- 9.7.5 SS7 Network Interconnection shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service, as specified in ANSI T1.112. This includes Global Title Translation (GTT) and SCCP Management procedures, as specified in ANSI T1.112.4. Where the destination signaling point is a BellSouth switching system or DB, or is another third-party local or tandem switching system directly connected to the BellSouth SS7 network, SS7 Network Interconnection shall include final GTT of messages to the destination and SCCP Subsystem Management of the destination. Where the destination signaling point is a Delta Phones local or tandem switching system, SS7 Network Interconnection shall include intermediate GTT of messages to a gateway pair of Delta Phones local STPs, and shall not include SCCP Subsystem Management of the destination.

- 9.7.6 SS7 Network Interconnection shall provide all functions of the Integrated Services Digital Network User Part, as specified in ANSI T1.113.
- 9.7.7 SS7 Network Interconnection shall provide all functions of the TCAP, as specified in ANSI T1.114.
- 9.7.8 If Internetwork MRVT and SRVT become approved ANSI standards and available capabilities of BellSouth STPs, SS7 Network Interconnection may provide these functions of the OMAP.
- 9.7.9 Interface Requirements
- 9.7.9.1 The following SS7 Network Interconnection interface options are available to connect Delta Phones or Delta Phones-designated local or tandem switching systems or signaling transfer point switches to the BellSouth SS7 network:
- 9.7.9.1.1 A-link interface from Delta Phones local or tandem switching systems; and
- 9.7.9.1.2 B-link interface from Delta Phones STPs.
- 9.7.9.2 The Signaling Point of Interconnection for each link shall be located at a cross-connect element in the central office where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the Signaling Points of interconnection. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
- 9.7.9.3 BellSouth shall provide intraoffice diversity between the Signaling Points of Interconnection and the BellSouth STP, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- The protocol interface requirements for SS7 Network Interconnection include the MTP, ISDNUP, SCCP, and TCAP. These protocol interfaces shall conform to the applicable industry standard technical references.
- 9.7.9.5 BellSouth shall set message screening parameters to accept messages from Delta Phones local or tandem switching systems destined to any signaling point in the BellSouth SS7 network with which the Delta Phones switching system has a valid signaling relationship.
- 10 Operator Services (Operator Call Processing and Directory Assistance)
- Operator Call Processing provides: (1) operator handling for call completion (for example, collect, third number billing, and manual calling-card calls), (2) operator or automated assistance for billing after the end user has dialed the called number (for example, calling card calls); and (3) special services including but not limited

10.3	Directory Assistance Service
10.2.16	The interface requirements shall conform to the interface specifications for the platform used to provide Operator Services as long as the interface conforms to industry standards.
10.2.15	Provide call records to Delta Phones in accordance with ODUF standards specified in Attachment 7.
10.2.14	Direct customer account and other similar inquiries to the customer service center designated by Delta Phones.
10.2.13	Perform Billed Number Screening when handling Collect, Person-to-Person, and Billed-to-Third-Party calls.
10.2.12	Exercise at least the same level of fraud control in providing Operator Service to Delta Phones that BellSouth provides for its own operator service.
10.2.11	Adhere to equal access requirements, providing Delta Phones local end users the same IXC access as provided to BellSouth end users.
10.2.10	Process operator-assisted directory assistance calls.
10.2.9	Process emergency call trace originated by Public Safety Answering Points.
10.2.8	Process Busy Line Verify and Emergency Line Interrupt requests.
10.2.7	Process station-to-station calls.
10.2.6	Provide the capability for callers to bill to a third party and shall also process such calls.
10.2.5	Process collect calls.
10.2.4	Process person-to-person calls.
10.2.3	Process calls that are billed to Delta Phones end user's calling card that can be validated by BellSouth.
10.2.2	Process 0+ and 0- intraLATA toll calls.
10.2.1	Process 0+ and 0- dialed local calls.
10.2	Upon request for BellSouth Operator Call Processing, BellSouth shall:
	Agency Call, and Operator-assisted Directory Assistance.

to Busy Line Verification and Emergency Line Interrupt (ELI), Emergency

10.3.1 Directory Assistance Service provides local and non-local end user telephone number listings with the option to complete the call at the caller's direction separate and distinct from local switching. 10.3.2 Directory Assistance Service shall provide up to two listing requests per call. If available and if requested by Delta Phones's end user, BellSouth shall provide caller-optional directory assistance call completion service at rates contained in this Attachment to one of the provided listings. 10.3.3 **Directory Assistance Service Updates** 10.3.3.1 BellSouth shall update end user listings changes daily. These changes include: 10.3.3.1.1 New end user connections End user disconnections 10.3.3.1.2 10.3.3.1.3 End user address changes 10.3.3.2 These updates shall also be provided for non-listed and non-published numbers for use in emergencies. 10.4 Branding for Operator Call Processing and Directory Assistance 10.4.1 BellSouth's branding feature provides a definable announcement to Delta Phones end users using Directory Assistance (DA)/Operator Call Processing (OCP) prior to placing such end users in queue or connecting them to an available operator or automated operator system. This feature allows Delta Phones to have its calls custom branded with Delta Phones's name on whose behalf BellSouth is providing Directory Assistance and/or Operator Call Processing. Rates for the branding features are set forth in this Attachment. BellSouth offers three branding offering options to Delta Phones when ordering BellSouth's Directory Assistance and Operator Call Processing: BellSouth Branding, Unbranding and Custom Branding. Upon receipt of the custom branding order from Delta Phones, the order is 10.4.3 considered firm after ten business days. Should Delta Phones decide to cancel the order, written notification to <customer_short_name's> BellSouth Account Executive is required. If Delta Phones decides to cancel after ten business days from receipt of the custom branding order, Delta Phones shall pay all charges per the order. 10.4.4 **Selective Call Routing Using Line Class Codes (SCR-LCC)**

- 10.4.4.1 Where Delta Phones purchases unbundled local switching from BellSouth and utilizes an Operator Services Provider other than BellSouth, BellSouth will route Delta Phones's end user calls to that provider through Selective Call Routing.
- Selective Call Routing using Line Class Codes (SCR-LCC) provides the capability for Delta Phones to have its OCP/DA calls routed to BellSouth's OCP/DA platform for BellSouth provided Custom Branded or Unbranded OCP/DA or to its own or an alternate OCP/DA platform for Self-Branded OCP/DA. SCR-LCC is only available if line class code capacity is available in the requested BellSouth end office switches.
- 10.4.4.3 Custom Branding for Directory Assistance is not available for certain classes of service, including but not limited to Hotel/Motel services, WATS service, and certain PBX services.
- Where available, Delta Phones specific and unique line class codes are programmed in each BellSouth end office switch where Delta Phones intends to serve end users with customized OCP/DA branding. The line class codes specifically identify Delta Phones's end users so OCP/DA calls can be routed over the appropriate trunk group to the requested OCP/DA platform. Additional line class codes are required in each end office if the end office serves multiple NPAs (i.e., a unique LCC is required per NPA), and/or if the end office switch serves multiple rate areas and Delta Phones intends to provide Delta Phones -branded OCP/DA to its end users in these multiple rate areas.
- 10.4.4.5 BellSouth Branding is the default branding offering.
- 10.4.4.6 SCR-LCC supporting Custom Branding and Self Branding require Delta Phones to order dedicated trunking from each BellSouth end office identified by Delta Phones, either to the BellSouth Traffic Operator Position System (TOPS) for Custom Branding or to the Delta Phones Operator Service Provider for Self Branding. Separate trunk groups are required for Operator Services and for Directory Assistance. Rates for trunks are set forth in applicable BellSouth tariffs.
- 10.4.4.7 Unbranding Unbranded Directory Assistance and/or Operator Call Processing calls ride common trunk groups provisioned by BellSouth from those end offices identified by Delta Phones to the BellSouth TOPS. These calls are routed to "No Announcement."
- 10.4.4.8 The Rates for SCR-LCC are as set forth in this Attachment. There is a nonrecurring charge for the establishment of each Line Class Code in each BellSouth central office. Furthermore, for Unbranded and Custom Branded OCP/DA provided by BellSouth Operator Services with unbundled ports and unbundled port/loop switch combinations, monthly recurring usage charges shall apply for the UNEs necessary to provide the service, such as end office and tandem switching and common transport. A flat rated end office switching charge

shall apply to Self-Branded OCP/DA when used in conjunction with unbundled ports and unbundled port/loop switch combinations.

- 10.4.4.9 UNE Provider Branding via Originating Line Number Screening (OLNS)
- 10.4.4.10 BellSouth Branding, Unbranding and Custom Branding are also available for Directory Assistance, Operator Call Processing or both via Originating Line Number Screening (OLNS) software. When utilizing this method of Unbranding or Custom Branding, Delta Phones shall not be required to purchase dedicated trunking.
- 10.4.4.11 For BellSouth to provide Unbranding or Custom Branding via OLNS software for Operator Call Processing or for Directory Assistance, Delta Phones must have its Operating Company Number ("OCN(s)") and telephone numbers reside in BellSouth's LIDB; however, a BellSouth LIDB Storage Agreement is not required. To implement Unbranding and Custom Branding via OLNS software, Delta Phones must submit a manual order form which requires, among other things, Delta Phones's OCN and a forecast for the traffic volume anticipated for each BellSouth TOPS during the peak busy hour. Delta Phones shall provide updates to such forecast on a quarterly basis and at any time such forecasted traffic volumes are expected to change significantly. Upon Delta Phones's purchase of Unbranding or Custom Branding using OLNS software for any particular TOPS, all Delta Phones end users served by that TOPS will receive the Unbranded "no announcement" or the Custom Branded announcement.
- 10.4.4.12 BellSouth Branding is the default branding offering.
- Rates for Unbranding and Custom Branding via OLNS software for Directory
 Assistance and for Operator Call Processing are as set forth in this Attachment.
 Notwithstanding anything to the contrary in this Agreement, to the extent
 BellSouth is unable to bill Delta Phones applicable charges currently, BellSouth
 shall track such charges and will bill the same retroactively at such time as a billing
 process is implemented. In addition to the charges for Unbranding and Custom
 Branding via OLNS software, Delta Phones shall continue to pay BellSouth
 applicable labor and other charges for the use of BellSouth's Directory Assistance
 and Operator Call Processing platforms as set forth in this Attachment. Further,
 where Delta Phones is purchasing unbundled local switching from BellSouth, UNE
 usage charges for end office switching, tandem switching and transport, as
 applicable, shall continue to apply.

10.4.5 Facilities Based Carrier Branding

10.4.5.1 All Service Levels require Delta Phones to order dedicated trunking from their end office(s) point of interface to the BellSouth TOPS Switches. Rates for trunks are set forth in applicable BellSouth tariffs.

- 10.4.5.2 Unbranding is the default branding offering.
- 10.4.5.3 Rates for Custom Branded OCP/DA are set forth in this Attachment.
- 10.4.5.4 Customized Branding includes charges for the recording of the branding announcement and the loading of the audio units in each TOPS Switch and Network Applications Vehicle (NAV) equipment for which Delta Phones requires service.
- 10.4.5.5 Directory Assistance customized branding uses:
- 10.4.5.5.1 the recording of Delta Phones;
- 10.4.5.5.2 <u>the loading on the Digital Recorded Announcement Machine (DRAM) in each TOPS switch.</u>
- 10.4.5.6 Operator Call Processing customized branding uses:
- 10.4.5.6.1 the recording of Delta Phones;
- 10.4.5.6.2 the loading on the DRAM in the TOPS Switch (North Carolina);
- 10.4.5.6.3 the loading on the Network Applications Vehicle (NAV). All NAV shelves within the region where the customer is offering service must be loaded.

10.5 <u>Directory Assistance Database Service (DADS)</u>

- 10.5.1 BellSouth shall make its Directory Assistance Database Service (DADS) available at the rates set forth in this Attachment solely for the expressed purpose of providing Directory Assistance type services to Delta Phones end users. The term "end user" denotes any entity that obtains Directory Assistance type services for its own use from a DADS customer. Directory Assistance type service is defined as Voice Directory Assistance (DA Operator assisted) and Electronic Directory Assistance (Data System assisted). Delta Phones agrees that DADS will not be used for any purpose that violates federal or state laws, statutes, regulatory orders or tariffs. For the purposes of provisioning a Directory Assistance type service, all terms and conditions of GSST A38 apply and are incorporated by reference herein. Except for the permitted uses, Delta Phones agrees not to disclose DADS to others and shall provide due care in providing for the security and confidentiality of DADS.
- BellSouth shall initially provide Delta Phones with a Base File of subscriber listings via magnetic tape. DADS is available and may be ordered on a Business, Residence or combined Business and Residence listings basis for each central office requested. BellSouth will require approximately 30- 45 days after receiving an order from Delta Phones to prepare the Base File.

- 10.5.3 BellSouth will provide updates on either a daily or weekly basis reflecting all listing change activity occurring since Delta Phones's previous update. Delivery of updates will commence immediately after Delta Phones receives the Base File. Updates will be provided via magnetic tape unless BellSouth and Delta Phones mutually develop CONNECT: Direct TM electronic connectivity. Delta Phones will pay all costs associated with CONNECT: Direct TM connectivity, which will vary depending upon volume and mileage.
- 10.5.4 Delta Phones authorizes the inclusion of Delta Phones Directory Assistance listings in the BellSouth Directory Assistance products, including but not limited to DADS. Any other use is not authorized.

10.6 <u>Direct Access to Directory Assistance Service</u>

- 10.6.1 Direct Access to Directory Assistance Service (DADAS) will provide Delta Phones's directory assistance operators with the ability to search, using a standard directory assistance search format, the same listing information that is available to BellSouth operators including all available BellSouth subscriber listings, all available listings associated with lines resold by competitive local exchange carriers, and all available listings associated with lines provisioned by local exchange carriers that provide their listings to BellSouth. DADAS will also provide Delta Phones with the ability to search all listings BellSouth obtains from sources other than the provider of the local exchange lines associated with the listings. The search format will be provided to Delta Phones by BellSouth upon subscription to the service. Subscription to DADAS requires that Delta Phones utilize its own switch, operator workstations, directory assistance operators, transport facilities, and optional audio subsystems.
- 10.6.2 Rates, terms and conditions for provisioning DADAS are as set forth in the FCC tariff No. 1.

Automatic Location Identification/Data Management System (ALI/DMS)

- The ALI/DMS Database contains end user information (including name, address, telephone information, and sometimes special information from the local service provider or end user) used to determine to which Public Safety Answering Point ("PSAP") to route the call. The ALI/DMS database is used to provide enhanced routing flexibility for E911.
- 11.2 Technical Requirements
- BellSouth shall provide Delta Phones access to the ALI/DMS database. BellSouth shall provide error reports from the ALI/DMS database to Delta Phones after Delta Phones provides end user information for input into the ALI/DMS database.
- When BellSouth is responsible for administering the ALI/DMS database in its entirety, ported number NXXs entries for the ported numbers should be

maintained unless Delta Phones requests otherwise and shall be updated if Delta Phones requests, provided Delta Phones supplies BellSouth with the updates.

- When Remote Call Forwarding (RCF) is used to provide number portability to the local end user and a remark or other appropriate field information is available in the database, the shadow or "forwarded-to" number and an indication that the number is ported shall be added to the customer record.
- 11.2.4 If BellSouth is responsible for configuring PSAP features (for cases when the PSAP or BellSouth supports an ISDN interface) it shall ensure that CLASS Automatic Recall (Call Return) is not used to call back to the ported number. Although BellSouth currently does not have ISDN interface, BellSouth agrees to comply with this requirement once ISDN interfaces are in place.
- 11.3 Interface Requirements
- 11.3.1 The interface between the E911 Switch or Tandem and the ALI/DMS database for Delta Phones end users shall meet industry standards.

12 Calling Name (CNAM) Database Service

- 12.1 CNAM is the ability to associate a name with the calling party number, allowing the end user (to which a call is being terminated) to view the calling party's name before the call is answered. This service also provides Delta Phones the opportunity to load and store its subscriber names in the BellSouth CNAM SCPs.
- Delta Phones shall submit to BellSouth a notice of its intent to access and utilize BellSouth CNAM Database Services. Said notice shall be in writing, no less than 60 days prior to Delta Phones's access to BellSouth's CNAM Database Services and shall be addressed to Delta Phones's Local Contract Manager.
- BellSouth's provision of CNAM Database Services to Delta Phones requires interconnection from Delta Phones to BellSouth CNAM Service Control Points (SCPs). Such interconnections shall be established pursuant to Attachment 3 of this Agreement, incorporated herein by this reference.
- In order to formulate a CNAM query to be sent to the BellSouth CNAM SCP, Delta Phones shall provide its own CNAM SSP. Delta Phones's CNAM SSPs must be compliant with TR-NWT-001188, "CLASS Calling Name Delivery Generic Requirements".
- 12.5 If Delta Phones elects to access the BellSouth CNAM SCP via a third party CCS7 transport provider, the third party CCS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish

CCS7 interconnection at the BellSouth Local Signal Transfer Points (LSTPs) serving the BellSouth CNAM SCPs that Delta Phones desires to query.

- 12.6 If Delta Phones queries the BellSouth CNAM SCP via a third party national SS7 transport provider, the third party SS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish SS7 interconnection at one or more of the BellSouth Gateway Signal Transfer Points (STPs). The payment of all costs associated with the transport of SS7 signals via a third party will be established by mutual agreement of the Parties and this Agreement shall be amended in accordance with modification of the General Terms and Conditions incorporated herein by this reference.
- The mechanism to be used by Delta Phones for initial CNAM record load and/or updates shall be determined by mutual agreement. The initial load and all updates shall be provided by Delta Phones in the BellSouth specified format and shall contain records for every working telephone number that can originate phone calls. It is the responsibility of Delta Phones to provide accurate information to BellSouth on a current basis.
- 12.8 Updates to the SMS shall occur no less than once a week, reflect service order activity affecting either name or telephone number, and involve only record additions, deletions or changes.
- Delta Phones CNAM records provided for storage in the BellSouth CNAM SCP shall be available, on a SCP query basis only, to all Parties querying the BellSouth CNAM SCP. Further, CNAM service shall be provided by each Party consistent with state and/or federal regulation.
- Service Creation Environment and Service Management System (SCE/SMS)
 Advanced Intelligent Network (AIN) Access
- 13.1 BellSouth's Service Creation Environment and Service Management System (SCE/SMS) Advanced Intelligent Network (AIN) Access shall provide Delta Phones the capability to create service applications in a BellSouth SCE and deploy those applications in a BellSouth SMS to a BellSouth SCP.
- BellSouth's SCE/SMS AIN Access shall provide access to SCE hardware, software, testing and technical support (e.g., help desk, system administrator) resources available to Delta Phones. Training, documentation, and technical support will address use of SCE and SMS access and administrative functions, but will not include support for the creation of a specific service application.
- 13.3 BellSouth SCP shall partition and protect Delta Phones service logic and data from unauthorized access.

- When Delta Phones selects SCE/SMS AIN Access, BellSouth shall provide training, documentation, and technical support to enable Delta Phones to use BellSouth's SCE/SMS AIN Access to create and administer applications.
- Delta Phones access will be provided via remote data connection (e.g., dial-in, ISDN).
- 13.6 BellSouth shall allow Delta Phones to download data forms and/or tables to BellSouth SCP via BellSouth SMS without intervention from BellSouth.

14 Basic 911 and E911

- 14.1 Basic 911 and E911 provides a caller access to the applicable emergency service bureau by dialing 911.
- Basic 911 Service Provisioning. BellSouth will provide to Delta Phones a list consisting of each municipality that subscribes to Basic 911 service. The list will also provide, if known, the E911 conversion date for each municipality and, for network routing purposes, a ten-digit directory number representing the appropriate emergency answering position for each municipality subscribing to 911. Delta Phones will be required to arrange to accept 911 calls from its end users in municipalities that subscribe to Basic 911 service and translate the 911 call to the appropriate 10-digit directory number as stated on the list provided by BellSouth. Delta Phones will be required to route that call to BellSouth at the appropriate tandem or end office. When a municipality converts to E911 service, Delta Phones will be required to begin using E911 procedures.
- 14.3 E911 Service Provisioning. Delta Phones shall install a minimum of two dedicated trunks originating from the Delta Phones serving wire center and terminating to the appropriate E911 tandem. The dedicated trunks shall be, at a minimum, DS-0 level trunks configured either as a 2-wire analog interface or as part of a digital (1.544 Mb/s) interface. Either configuration shall use CAMA-type signaling with multifrequency ("MF") pulsing that will deliver automatic number identification ("ANI") with the voice portion of the call. If the user interface is digital, MF pulses, as well as other AC signals, shall be encoded per the u-255 Law convention. Delta Phones will be required to provide BellSouth daily updates to the E911 database. Delta Phones will be required to forward 911 calls to the appropriate E911 tandem, along with ANI, based upon the current E911 end office to tandem homing arrangement as provided by BellSouth. If the E911 tandem trunks are not available, Delta Phones will be required to route the call to a designated 7-digit local number residing in the appropriate Public Service Answering Point ("PSAP"). This call will be transported over BellSouth's interoffice network and will not carry the ANI of the calling party. Delta Phones shall be responsible for providing BellSouth with complete and accurate data for submission to the 911/E911 database for the purpose of providing 911/E911 to its end users.

- 14.4 <u>Rates.</u> Charges for 911/E911 service are borne by the municipality purchasing the service. BellSouth will impose no charge on Delta Phones beyond applicable charges for BellSouth trunking arrangements.
- 14.5 Basic 911 and E911 functions provided to Delta Phones shall be at least at parity with the support and services that BellSouth provides to its end users for such similar functionality.
- The detailed practices and procedures for 911/E911 services are contained in the E911 Local Exchange Carrier Guide For Facility-Based Providers as amended from time to time during the term of this Agreement.

15 Operational Support Systems (OSS)

15.1 BellSouth has developed and made available the following electronic interfaces by which Delta Phones may submit LSRs electronically.

LENS Local Exchange Navigation System

EDI Electronic Data Interchange

TAG Telecommunications Access Gateway

- LSRs submitted by means of one of these electronic interfaces will incur an OSS electronic ordering charge. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (mail, fax, courier, etc.) will incur a manual order charge. All OSS charges are specified in Rate Exhibit B of this Attachment 2.
- 15.3 Denial/Restoral OSS Charge
- In the event Delta Phones provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and, therefore will be billed as one LSR per location.
- 15.4 Cancellation OSS Charge
- Delta Phones will incur an OSS charge for an accepted LSR that is later canceled.
- 15.4.2 Supplements or clarifications to a previously billed LSR will not incur another OSS charge.
- 15.4.3 Network Elements and Other Services Manual Additive
- The Commissions in some states have ordered per-element manual additive non-recurring charges (NRC) for Network Elements and Other Services ordered by means other than one of the interactive interfaces. These ordered Network Elements and Other Services manual additive NRCs will apply in these states,

Attachment 2 Page 74

rather than the charge per LSR. The per-element charges are listed on the Rate Tables in Exhibit B.

LINE INFORMATION DATA BASE (LIDB)

FACILITIES BASED STORAGE AGREEMENT

I. Definitions

- A. Billing number a number that Delta Phones creates for the purpose of identifying an account liable for charges. This number may be a line or a special billing number.
- B. Line number a ten-digit number that identifies a telephone line administered by Delta Phones.
- C. Special billing number a ten-digit number that identifies a billing account established by Delta Phones.
- D. Calling Card number a billing number plus PIN number.
- E. PIN number a four-digit security code assigned by Delta Phones that is added to a billing number to compose a fourteen-digit calling card number.
- F. Toll billing exception indicator associated with a billing number to indicate that it is considered invalid for billing of collect calls or third number calls or both, by Delta Phones.
- G. Billed Number Screening refers to the activity of determining whether a toll billing exception indicator is present for a particular billing number.
- H. Calling Card Validation refers to the activity of determining whether a particular calling card number exists as stated or otherwise provided by a caller.
- I. Willing number information information about billing number, Calling Card number and toll billing exception indicator provided to BellSouth by Delta Phones.

II. General

A. This Agreement sets forth the terms and conditions pursuant to which BellSouth agrees to store in its LIDB certain information at the request of Delta Phones and pursuant to which BellSouth, its LIDB customers and Delta Phones shall have access to such information. In addition, this Agreement sets forth the terms and conditions for Delta Phones's provision of billing number information to BellSouth for inclusion in BellSouth's LIDB. Delta Phones understands that BellSouth provides access to information in its LIDB to various telecommunications service providers pursuant to applicable tariffs and agrees that information stored at the request of Delta Phones, pursuant to this Agreement, shall be available to those telecommunications service providers. The terms and conditions contained herein shall hereby be made a part of this Interconnection Agreement upon notice to Delta Phones's account team and/or

Local Contract Manager to activate this LIDB Storage Agreement. The General Terms and Conditions of the Interconnection/Resale Agreement shall govern this LIDB Storage Agreement.

B. BellSouth will provide responses to on-line, call-by-call queries to billing number information for the following purposes:

1. Billed Number Screening

BellSouth is authorized to use the billing number information to determine whether Delta Phones has identified the billing number as one that should not be billed for collect or third number calls.

2. Calling Card Validation

BellSouth is authorized to validate a 14-digit Calling Card number where the first 10 digits are a line number or special billing number assigned by BellSouth and where the last four digits (PIN) are a security code assigned by BellSouth.

3. Fraud Control

BellSouth will provide seven days per week, 24-hours per day, fraud monitoring on Calling Cards, bill-to-third and collect calls made to numbers in BellSouth's LIDB, provided that such information is included in the LIDB query. BellSouth will establish fraud alert thresholds and will notify Delta Phones of fraud alerts so that Delta Phones may take action it deems appropriate.

III. Responsibilities of the Parties

A. BellSouth will administer all data stored in the LIDB, including the data provided by Delta Phones pursuant to this Agreement, in the same manner as BellSouth's data for BellSouth's end user customers. BellSouth shall not be responsible to Delta Phones for any lost revenue which may result from BellSouth's administration of the LIDB pursuant to its established practices and procedures as they exist and as they may be changed by BellSouth in its sole discretion from time to time.

B. Billing and Collection Customers

BellSouth currently has in effect numerous billing and collection agreements with various interexchange carriers and billing clearinghouses and as such these billing and collection customers ("B&C Customers") query BellSouth's LIDB to determine whether to accept various billing options from end users. Until such time as BellSouth implements in its LIDB and its supporting systems the means to differentiate Delta Phones's data from BellSouth's data, the following terms and conditions shall apply:

- Delta Phones will accept responsibility for telecommunications services billed by BellSouth for its B&C Customers for Delta Phones's End User accounts which are resident in LIDB pursuant to this Agreement. Delta Phones authorizes BellSouth to place such charges on Delta Phones's bill from BellSouth and shall pay all such charges including, but not limited to, collect and third number calls.
- 2. Charges for such services shall appear on a separate BellSouth bill page identified with the name of the B&C Customers for which BellSouth is billing the charge.
- 3. Delta Phones shall have the responsibility to render a billing statement to its End Users for these charges, but Delta Phones shall pay BellSouth for the charges billed regardless of whether Delta Phones collects from Delta Phones's End Users.
- 4. BellSouth shall have no obligation to become involved in any disputes between Delta Phones and B&C Customers. BellSouth will not issue adjustments for charges billed on behalf of any B&C Customer to Delta Phones. It shall be the responsibility of Delta Phones and the B&C Customers to negotiate and arrange for any appropriate adjustments.

C. SPNP Arrangements

- 1. BellSouth will include billing number information associated with exchange lines or SPNP arrangements in its LIDB. Delta Phones will request any toll billing exceptions via the Local Service Request (LSR) form used to order exchange lines, or the SPNP service request form used to order SPNP arrangements.
- 2. Under normal operating conditions, BellSouth shall include the billing number information in its LIDB upon completion of the service order establishing either the local exchange service or the SPNP arrangement, provided that BellSouth shall not be held responsible for any delay or failure in performance to the extent such delay or failure is caused by circumstances or conditions beyond BellSouth's reasonable control. BellSouth will store in its LIDB an unlimited volume of the working telephone numbers associated with either the local exchange lines or the SPNP arrangements. For local exchange lines or for SPNP arrangements, BellSouth will issue line-based calling cards only in the name of Delta Phones. BellSouth will not issue line-based calling cards in the name of Delta Phones's individual End Users. In the event that Delta Phones wants to include calling card numbers assigned by Delta Phones in the BellSouth LIDB, a separate agreement is required.

IV. Fees for Service and Taxes

A. Delta Phones will not be charged a fee for storage services provided by BellSouth to Delta Phones, as described in this LIDB Facilities Based Storage Agreement.

B. Sales, use and all other taxes (excluding taxes on BellSouth's income) determined by BellSouth or any taxing authority to be due to any federal, state or local taxing jurisdiction with respect to the provision of the service set forth herein will be paid by Delta Phones in accordance with the tax provisions set forth in the General Terms and Conditions of this Agreement.

JNBUNDLED NE	TWORK ELEMENTS - Alabama													nent: 2		sit: B
ATEGORY	RATE ELEMENTS	interi m	Zone	BCS	usoc			RATES(\$)			Submitted Elec per LSR	Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
						Rec	Nonrec		Nonrecurring		COMEC	COMAN	OSS	Rates(\$)	SOMAN	SOMAN
					.l	1	First	Add'I	First	Add'1	SOMEC	SOMAN	SUMAN	SOMAN	SOMAN	SUMA
EDATIONAL OUR	DOOT OVOTELLO		,			,	· •								<u> </u>	
INOTE: (4) EI	asheria Candas Ordes Ol FO should a constitution		1	11 protoro (110 outro					7 1110 511110 551	10013310113. 1	no orecavi	IIC SCITICO O	I warmy chary	e contenut o	// / / / / / / / / / / / / / / / / / /	10 1019
exhibit is the	e BellSouth regional electronic service ordering charge.	CLEC	may ele	ct either the state s	pecific Comr	nission ordered	rates for the e	lectronic servi	ce ordering ch	arges, or CLE	C may elec	t the region	al electronic	ervice orderi	ng charge.	
	ny element that can be ordered electronically will be bill															
	ents that cannot be ordered electronically at present per t				e in this cate	gory reflects the	charge that w	ould be billed	to a CLEC ond	e electronic o	ordering ca	pabilities co	me on-line fo	r that elemen	t. Otherwise,	the man
	arge, SOMAN, will be applied to a CLECs bill when it sub tronic OSS Charge, per LSR, submitted via BST's OSS	mits ar	LSR	BellSouth.	_	r					1	т		T		
intera	active interfaces (Regional)				SOMEC	1	3 50						į			
Manu	ual Service Order Charge, per LSR, Disconnect Only (AL)	-			SOMAN				1.97							
	E ADVANCEMENT CHARGE											ļ				
	Expedite charge will be maintained commensurate with I	BellSou	th's FC	C No.1 Tariff, Section	on 5 as appli	cable.										ļ
	Expedite Charge per Circuit or Line Assignable USOC, per			ALL LINE	COACD		200.00					1		1	1	
Day	ANGE ACCESS LOOP	<u> </u>	├	ALL UNE	SDASP		200.00					 	 	 		-
	ALOG VOICE GRADE LOOP	_			 	 						 				
	re Analog Voice Grade Loop - Service Level 1- Zone 1		1-	UEANL	UEAL2	12.58	37.81	17.56	23.49	5.30		15.66				
2-Wii	re Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEAL2	21.05	37.81	17.56	23.49	5.30		15.66				Ī
	re Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEAL2	34.34	37.B1	17.56	23.49	5.30		15.66				
Loop	Testing - Basic 1st Haif Hour			UEANL	URET1		34.16					15 66				ļ
	Testing - Basic Additional Half Hour		L	UEANL	URETA		19.85				ļ	15 66	 			
	C to CLEC Conversion Charge Without Outside Dispatch			UEANL	UREWO	1 1	15.78	8.94				15.66	1			1
	-SL1)		-	UEANL	UEANM		13.44	0.94			 	13.00				
	neering Information Document (EI) ual Order Coordination for UVL-SL1s (per loop)		-	UEANL	UEAMC		8.15				 					
	er Coordination for Specified Conversion Time for UVL-SL1		+-	OLA 1	OL744IO		. 57.0	-			\vdash	1				
	LSR)			UEANL	OCOSL		18.09									
2-WIRE Unb	oundled COPPER LOOP											15.00	├			
2-Wi	re Unbundled Copper Loop - Non-Designed Zone 1	- 1		UEQ	UEQ2X	11.20	34.14	15.10	21 25 21.25	4.15 4.15	-	15.66 15.66				
	re Unbundled Copper Loop - Non-Designed - Zone 2	-		UEQ	UEQ2X UEQ2X	13 27 15.07	34.14 34.14	15.10 15.10	21.25	4.15	 	15.66			 	
	er Coordination 2 Wire Unbundled Copper Loop - Non-	- '-	3	UEQ	UEUZX	15.07	34.14	13.10	21,25	4.10		10.00				
	igned (per loop)	Į.		UEQ	USBMC	i 1	8.15				1		<u> </u>			<u> </u>
Engl	ineering Information Document		 	UEQ			13.44					15 66			1	
Loop	Testing - Basic 1st Half Hour			UEQ	URET1		34.16					15.66				
	Testing - Basic Additional Half Hour		I	UEQ	URETA		19.85					15.66				┼
CLE	C to CLEC Conversion Charge Without Outside Dispatch				LIBERTO	1	14.27	7.43			1	15.66				1
(UCL	L-ND)			UEQ	UREWO		14.27	7.43			 	10.00			T	
NBUNDLED EXCH	IANGE ACCESS LOOP		 		+			-				1				
2-WIRE ANA	ALOG VOICE GRADE LOOP ire Analog Voice Grade Loop-Service Level 1-Line Splitting-	-	-		 											Τ
Zone		1	1 1	UEPSR UEPSB	UEALS	12.58	37.81	17.56	23 49	5.30		15.66		ļ		
	ire Analog Voice Grade Loop-Service Level 1-Line Splitting-		_		1						1	4		1	1	1
Zone	e 1		1	UEPSR UEPSB	UEABS	12.58	37.81	17.56	23.49	5.30	 	15.66	+	 		
	ire Analog Voice Grade Loop- Service Level 1-Line Splitting-					04.05	07.04	17.56	23 49	5 30	1	15.66	.1	1	1	1
Zone	e 2	_	2	UEPSR UEPSB	UEALS	21.05	37.81	17.56	23 49	÷ 30	 	1				
	ire Analog Voice Grade Loop- Service Level 1-Line Splitting-		2	UEPSR VEPSB	UEABS	21.05	37.81	17 56	23.49	5.30		15.66	<u> </u>	l		
Zone	e 2 ire Analog Voice Grade Loop-Service Level 1-Line Splitting-	 	+-	OLF SH VEFOR	102,200	255	0									
Zone		l	з	UEPSR UEPSB	UEALS	34.34	37.81	17.56	23.49	5.30	<u> </u>	15.66	ļ	ļ		+
	ire Analog Voice Grade Loop-Service Level 1-Line Splitting-	 	 							· ·	1	10.00		1		1
Zone	e 3		3	UEPSR UEPSB	UEABS	34.34	37.81	17.56	23.49	5.30	-	15 66	+	-	 	+
	IANGE ACCESS LOOP					 					+	+	+	 	 	1
	ALOG VOICE GRADE LOOP	ļ	1_		+						 	+		<u> </u>		T
	ire Analog Voice Grade Loop - Service Level 2 w/Loop or		١.	UEA	UEAL2	14.38	88.00	55.00	47.24	7.44		15.66	<u> </u>			
	und Start Signaling - Zone 1	\vdash	+-	UEA	UEALZ	14.30	00.00	55.00								1
I 12-W	Ire Analog Voice Grade Loop - Service Level 2 w/Loop or	1	2	UEA	UEAL2	22.85	88.00	55.00	47 24	7,44	. 1	15.66	i I	I	I	1

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted	Manual Svc Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	incrementa Charge - Manual Sw Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Addil	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	•	١.	l	i						1			ì	1	ļ
l	Ground Start Signaling - Zone 3		3	UEA_	UEAL2	36.14	88.00	55.00	47.24	7.44		15.66			ļ	<u> </u>
	Order Coordination for Specified Conversion Time (per LSR)		₩	UEA	OCOSL		18.09						ļ			ļ
1 1	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1		1	UEA	UEAR2	4400	00.00	=- 00	1 47.04			4-40			ĺ	1
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	 -	 !.	UEA	UEAR2	14.38	88 00	55.00	47.24	7.44		15.66				
	Battery Signaling - Zone 2	i	2	UEA	UEAR2	22.85	88.00	55 00	47.24	7.44		15 66	<u>!</u>			l
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	-	-	UEA	UEAnz	22.00	86.00	35 00	41.24	7.44	 	15 66			 	
	Battery Signaling - Zone 3	ł	3	UEA	UEAR2	36.14	88.00	55.00	47,24	7.44		15.66	f	1		İ
	Order Coordination for Specified Conversion Time (per LSR)	 	+-	UEA	OCOSL		18.09	33.00	77.24	7.77		13.00			 	
	CLEC to CLEC Conversion Charge without outside dispatch	-	1	UEA	UREWO	-	87.72	36.36	 			15 66	l	 	 	
4-WIRI	E ANALOG VOICE GRADE LOOP		 		U.I.E.VVO		07.72	00.00			 	10 00		 	 	
 	4-Wire Analog Voice Grade Loop - Zone 1	 	1	UEA	UEAL4	25.34	131 97	94.51	59.14	14.50		15 66		 	l .	t
 	4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	38.58	131 97	94.51		14.50	<u> </u>	15.66		 -	· · · · · ·	
	4-Wire Analog Voice Grade Loop - Zone 3			ŲEA	UEAL4	60.02	131.97	94.51	59.14	14.50	 	15.66	 	 		\vdash
	Order Coordination for Specified Conversion Time (per LSR)		<u> </u>	UEA	OCOSL		18.09								· · · · · · · · · · · · · · · · · · ·	
	CLEC to CLEC Conversion Charge without outside dispatch		 	UEA	UREWO		87.72	36.36				15.66				\vdash
2-WIRI	E ISDN DIGITAL GRADE LOOP	_	1	-	01.2770		0,,,,	00.00							 	
	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	21.88	117 24	79.77	52,88	10.54		15.66		<u> </u>	1	<u> </u>
	2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	32.85	117 24	79.77	52.88	10.54		15.66			 	· · · · · · · · · · · · · · · · · · ·
	2-Wire ISDN Digital Grade Loop - Zone 3			UDN	U1L2X	48.55	117 24	79.77	52.88	10.54		15.66		†	 	
	Order Coordination For Specified Conversion Time (per LSR)	· · · · · · · · · · · · · · · · · · ·	1	UDN	OCOSL	10.00	18 09								 	1
	CLEC to CLEC Conversion Charge without outside dispatch	 	_	UDN	UREWO		91.63	44.16				15.66		<u> </u>	l	†
2-WIRI	E Universal Digital Channel (UDC) COMPATIBLE LOOP		+	55.1	0112110									1		
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone		1												1	
j	1	١.	1 1	UDC	UDC2X	21.88	117 24	79.77	52 88	10 54	1	15.66		1	1	
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone	<u> </u>	<u> </u>	-												
	2	l ı	2	UDC	UDC2X	32 85	117.24	79.77	52.88	10.54		15.66				
 	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone	<u> </u>	 													
	3	l ı	3	UDÇ	UDC2X	48 55	117.24	79.77	52.88	10.54		15.66			1	
	CLEC to CLEC Conversion Charge without outside dispatch		Ť	UDC	UREWO		91.63	44.16				15.66				
2-WIRI	E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOF											Γ		
	2 Wire Unbundled ADSL Loop including manual service inquiry	1	T													
1	& facility reservation - Zone 1		1 1	UAL	UAL2X	11.01	110.00	68.00	47.24	7.44	i	15.66				
	2 Wire Unbundled ADSL Loop including manual service inquiry												'	Τ		
l l	& facility reservation - Zone 2		2	UAL	UAL2X	12.73	110.00	68.00	47 24	7 44		15.66	_		<u> </u>	
	2 Wire Unbundled ADSL Loop including manual service inquiry		1													
1 !	& facility reservation - Zone 3		3	UAL	UAL2X	14 30	110.00	68 00	47.24	7 44		15.66		<u> </u>	<u> </u>	
	Order Coordination for Specified Conversion Time (per LSR)		1	UAL	OCOSL		18.09							·		
	2 Wire Unbundled ADSL Loop without manual service inquiry &		\vdash								T				-	1
1 1	facility reservaton - Zone 1	1	1 1	UAL	UAL2W	11.01	90.00	57.00	47.24	7.44	l	15.66			<u> </u>	1
 	2 Wire Unbundled ADSL Loop without manual service inquiry &		_								1					ł
1 1	facility reservator Zone 2	l	2	UAL	UAL2W	12.73	90.00	57.00	47.24	7.44	L	15.66			<u> </u>	
	2 Wire Unbundled ADSL Loop without manual service Inquiry &		+									Ī				
1 1	facility reservation - Zone 3		3	UAL	UAL2W	14.30	90.00	57.00	47 24	7.44	L	15.66		1		
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.09		T							
	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86 20	40.40			l	15.66			ļ	
2-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP												ļ	
1	2 Wire Unbundled HDSL Loop including manual service inquiry	Ι	T											1	ì	
	& facility reservation - Zone 1	I	1	UHL	UHL2X	8.74	110.00	- 68.00	47.24	7.44	<u> </u>	15.66			 	
	2 Wire Unbundled HDSL Loop including manual service inquiry	Г										1	l	1	1	
	& facility reservation - Zone 2	1	2	UHL	UHL2X	10.17	110.00	68.00	47.24	7.44	<u> </u>	15.66	ļ			
	2 Wire Unbundled HDSL Loop including manual service inquiry	1	1							I				1	1	
1 [& facility reservation - Zone 3	1	3	UHL	UHL2X	11.44	110.00	68.00	47.24	7,44		15.66		<u> </u>	ļ	
 	Order Coordination for Specified Conversion Time (per LSR)	1	T -	UHL	OCOSL		18.09				<u> </u>	ļ			<u> </u>	
h	2 Wire Unbundled HDSL Loop without manual service inquiry	—		1							1	1			1	
	and facility reservation - Zone 1	1	1	UHL	UHL2W	8 74	90.00	57.00	47.24	7.44	<u> </u>	15.66			↓	
	2 Wire Unbundled HDSL Loop without manual service inquiry	t —	T .	1							1	l .	ŀ		1	
	IE 1110 Oliveridide Hode Ecob militar manage portion inden.	1	2	UHL	UHL2W	10.17	90.00	57.00	47 24	7.44	1	15.66	1	1	1	1

UNBUI	NDLE	D NETWORK ELEMENTS - Alabama												Attachi	ment: 2	Exhi	bit: B
				Γ	A	1				-		Svc Order	Svc Order	Incremental		incremental	
					1							Submitted Elec	Submitted Manually	Charge - Manual Svc	Charge - Manual Svc	Charge - Manual Svc	Charge - Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		į	m											Electronic-	Electronic-	Electronic-	Electronic-
		İ												1st	Add'i	Disc 1st	Disc Add'l
\vdash				-		<u> </u>	Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates(\$)		
							nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		١.	UHL		11.44	20.00	57.00	47.04	7.44	ļ	45.00				l
 		Order Coordination for Specified Conversion Time (per LSR)		_3	UHL	UHL2W OCOSL	11.44	90 00	57.00	47.24	7.44	 	15.66			ļ	├ ──
		CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO	 	86.14	40 40				15 66			<u> </u>	
	4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
1		4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1		,	UHL	UHL4X	40.05	148.36	68 00	51.70	9.73		45.00	1	İ	1	i
		4-Wire Unbundled HDSI, Loop including manual service inquiry	-		UHL	UHL4X	13.95	148.36	68 00	51.70	9.73		15.66				
]]		and facility reservation - Zone 2		2	UHL	UHL4X	15.56	148.36	68 00	51.70	9.73		15 66		ŀ		
		4-Wire Unbundled HDSL Loop including manual service inquiry										I					
 		and facility reservation - Zone 3		3	UHL	UHL4X OCOSL	15 25	148 36	68 00	51.70	9.73	 	15.66		ļ <u>.</u>	 	ļ
 		Order Coordination for Specified Conversion Time (per LSR) 4-Wire Unbundled HDSL Loop without manual service inquiry			UHL	TOCOSL		18 09					 		 		
		and facility reservation - Zone 1	l	1	UHL	UHL4W	13.95	94.00	57.00	51.70	9.73		15 66		1		
		4-Wire Unbundled HDSL Loop without manual service inquiry	· · · · · ·													Ĭ	
\sqcup		and facility reservation - Zone 2		2	UHL	UHL4W	15.56	94.00	57.00	51.70	9.73		15 66				
		4-Wire Unbundled HDSL Loop without manual service inquiry		١,	UHL	UHL4W	45.05	94 00	57.00	51,70	9.73		15.66			١.	
-		and facility reservation - Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3_	UHL	OCOSL	15.25	18.09	57.00	51.70	9.73		15.00		 		
-		CLEC to CLEC Conversion Charge without outside dispatch		_	UHL	UREWO		86.14	40 40			-	15 66				
	4-WIRE	DS1 DIGITAL LOOP															
		4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	82.55	252.47	157 54	44.70	11.71		15 66				
		4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	154.18	252,47	157.54	44,70	11.71 11.71		15 66 15.66		ļ —		<u> </u>
$\vdash \vdash \vdash$		4-Wire DS1 Digital Loop - Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	USL	USLXX	314.52	252 47 18.09	157.54	44 70	11.71		13.00	-	_		
 		CLEC to CLEC Conversion Charge without outside dispatch	<u> </u>	 	USL	UREWO	 	101 09	43.05				15.66	i			
\vdash	4-WIRE	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP				107.27.0											
		4 Wire Unbundled Digital 19 2 Kbps			UDL	UDL19	26 09	126.27	88.80	59.14	14.50		15.66				_
		4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	35.95	126.27	88 80		14 50 14 50	ļ	15.66 15.66				
\vdash		4 Wire Unbundled Digital 19.2 Kbps	<u> </u>		UDL UDL	UDL19 UDL56	37.88 26 09	126 27 126 27	08.88 08.88	59.14 59.14	14 50	-	15.66			-	
\vdash		4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	 		UDL	UDL56	35.95	126 27	88.80	59.14	14.50		15.66				†
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	 		UDL	UDL56	37.88	126.27	88.80	59.14	14.50		15.66				<u> </u>
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.09									ļ
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 1			UDL	UDL64	26 09	126.27	88.80	59.14	14.50		15.66				
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL	UDL64	35.95 37.88	126.27 126.27	88.80 88.80	59.14 59.14	14.50 14.50		15 66 15.66				├──
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	UDL	UDL64 OCOSL	37.88	18.09	86.80	59 14	14.30	 	13.00				
		CLEC to CLEC Conversion Charge without outside dispatch	 		UDL	UREWO	l	102.13	49.75				15 66				
	2-WIRI	E Unbundled COPPER LOOP															<u> </u>
		2-Wire Unbundled Copper Loop/Short including manual service									7.44		15.66	ŀ			
		inquiry & facility reservation - Zone 1		1	UCL	UCLPB	11.01	112.46	65.30	47.24	7.44	ļ	15.66		 		
		2-Wire Unbundled Copper Loop/Short including manual service Inquiry & facility reservation - Zone 2		2	UCL	UCLPB	12.73	112.46	65.30	47.24	7.44	1	15.66		l		
\vdash		2 Wire Unbundled Copper Loop/Short Including manual service			UOL	OOL D	12.70	112.40	00.00		•						
		inquiry & facility reservation - Zone 3		3	UCL	UCLPB	14.30	112.46	65.30	47.24	7 44		15.66				<u> </u>
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.15	8.15			ļ			ļ	 	
		2-Wire Unbundled Copper Loop/Short without manual service	l	l .		LIOLES	11.01	91,46	54.30	47.24	7,44		15.66]
		Inquiry and facility reservation - Zone 1	┝	1_	UCL	UCLPW	11.01	91.46	54.30	41.24	7,44	 -	13.00		 	1	T^{-}
		2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 2	1	2	UCL	UCLPW	12.73	91.46	54.30	47.24	7.44	L	15.66				<u> </u>
		2-Wire Unbundled Copper Loop/Short without manual service	 	<u> </u>		1										1	1
		inquiry and facility reservation - Zone 3		3	UCL	UCLPW	14 30	91.46	54 30		7.44	 	15 66		ļ 	1	
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC	ļ	8.15	8.15						 	 	
		2-Wire Unbundled Copper Loop/Long - includes manual srvc.		1.	UCL	UCL2L	31.42	112.46	65.30	47.24	7.44		15.66				
		Inquiry and facility reservation - Zone 1		1	UUL	UULZL	31.42	112.40	00.30	71.27	····	 					
	-	2-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 2		2	UCL	UCL2L	55.01	112.46	65.30	47.24	7.44		15.66	<u> </u>	<u> </u>	L	L
	L	lindary and lacility reservation - Zone Z			1222	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,							-				

JNBUNDLE	D NETWORK ELEMENTS - Alabama													nent: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec		Nonrecurring					Rates(\$)		
			ļ		ļ		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 3		3	UCL	luci ei	80.00	112 46	05.00	47.04	- 44		45.00				
	Order Coordination for Unbundled Copper Loops (per loop)		1 3	UCL	UCL2L UCLMC	80.00	8.15	65.30 8.15	47.24	7.44		15.66				
	2-Wire Unbundled Copper Loop/Long - without manual service		 	000	OCLIVIC	-	0.15	6.15								
ŀ	inquiry and facility reservation - Zone 1	- 1	1 1	UCL	UCL2W	31.42	91.46	54.30	47,24	7.44		15 66				ĺ
	2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 2	ı	2	UCL	UCL2W	55.01	91.46	54.30	47.24	7,44	-	15.66				
	2-Wire Unbundled Copper Loop/Long - without manual service															
	inquiry and facility reservation - Zone 3	I	3	UCL	UCL2W	80.00	91.46	54.30	47.24	7.44		15.66	_			
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.15	8.15								L
	CLEC to CLEC Conversion Charge without outside dispatch		ĺ					40.40				45.00			Ì	
4 9/15	(UCL-Des) E COPPER LOOP		├	UCL	UREWO		97.23	42.48				15.66				
14-1111	4-Wire Copper Loop/Short - including manual service inquiry		-						-							
	and facility reservation - Zone 1 4-Wire Copper Loop/Short - including manual service inquiry		1	UCL	UCL4S	17.36	135.21	88.05	51.70	9.73		15.66				
l	and facility reservation - Zone 2		2	UCL	UCL4S	20.76	135.21	88.05	51.70	9.73		15 66			i	1
	4-Wire Copper Loop/Short - including manual service inquiry			002	00240	20.70	100.21		010			.0 00				
	and facility reservation - Zone 3		3	UCI.	UCL4S	28.21	135.21	88 05	51.70	9.73		15 66				1
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.15	8.15								
	4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 1	1	1	UCL	UCL4W	17.36	114.21	67.05	51.70	9.73		15.66				-
	4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4W	20 76	114.21	67.05	51.70	9.73		15.66				
	4-Wire Copper Loop/Short - without manual service inquiry and		† ·													
1	facility reservation - Zone 3	1	3	UCL	UCL4W	28 21	114 21	67.05	51.70	9.73		15 66				
	Order Coordination for Unbundled Copper Loops (per loop)		[UCL	UCLMC		8.15	8 15								ļ
	4-Wire Unbundled Copper Loop/Long - includes manual svc.		i .							9 73		15.66				1
	Inquiry and facility reservation - Zone 1		1	UCL	UCL4L	49.35	135 21	88 05	51.70	9 /3		15.66				
	Wire Unbundled Copper Loop/Long - Includes manual svc. inquiry and facility reservation - Zone 2		2	UCL	UCL4L	92.45	135.21	88 05	51.70	9.73		15.66				
	4-Wire Unbundled Copper Loop/Long - includes manual svc.		١.			127.39	135.21	88 05	51.70	9.73		15.66				ı
	inquiry and facility reservation - Zone 3		3	UCL	UCL4L UCLMC	127.39	8.15	8.15	51.70	9.73		13.00				
	Order Coordination for Unbundled Copper Loops (per loop) 4-Wire Unbundled Copper Loop/Long - without manual svc.		├	UCL	UCLMC		0.10	0.10								
	inquiry and facility reservation - Zone 1	1	1	UCL	UCL4O	49.35	114.21	67 05	51.70	9.73		15.66	-			
l l	4-Wire Unbundled Copper Loop/Long - without manual svc.	1	2	UCL	UCL4O	92.45	114.21	67.05	51.70	9.73		15.66				ĺ
	inquiry and facility reservation - Zone 2 4-Wire Unbundled Copper Loop/Long - without manual svc.		-2	UCL	UCL4O	52.45	114.21	67.03	31.70	3.70		10.00				
	inquiry and facility reservation - Zone 3		3	UCL	UCL4O	127.39	114.21	67.05	51.70	9.73		15.66		_		
	Order Coordination for Unbuildled Copper Loops (per loop)	<u> </u>	Ť	UCL	UCLMC		8 15	8.15								
	CLEC to CLEC conversion Charge without outside dispatch		1	UCL	UREWO		97.23	42.48				15.66				
OOP MODIF	CATION															
				UAL, UHL, UCL, UEQ, ULS, UEA,		-							-			
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UDL, UDC,	ULM2L		0.00	0.00				15.66	_			
	pair less than or equal to 18k ft		├	UDN, UDL, USL	ULMZL		0.00	0.00				13.00			 	
	Unbundled Loop Modification, Removal of Load Coils - 2 wire greater than 18k ft			UCL, ULS, UEQ	ULM2G		170 51	170.51	1			15.66				
-	Unbundled Loop Modification Removal of Load Coils - 4 Wire	<u> </u>	\vdash	002, 020, 024			.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,								ľ	
	less than or equal to 18K ft	1	<u> </u>	UHL, UCL	ULM4L		0.00	0.00				15.66				
	Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft	_1_		UCL	ULM4G		170.51	170.51				15.66				<u> </u>
				UAL, UHL, UCL,						i		l				
			1	UEQ, UEF, ULS,	·	1						l				
- 1	L.,			UEA, UEANL, UDL,							1	1				
	Unbundled Loop Modification Removal of Bridged Tap Removal,			UDC, UDN, UDL, USL	ULMBT		32.41	32.41	1			15.66				
SUB-LOOPS	per unbundled loop	 	 	UOL	ULIND I		32.41	32.41				10.00			1	

UNBUNDLI	D NETWORK ELEMENTS - Alabama												Attachi	ment: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(S)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
			├			Rec		urring	Nonrecurring				OSS	Rates(\$)		
Sub-I	oop Distribution	 	├		 		First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
300-	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-		-								<u> </u>		-	<u> </u>		
	Up -	١,		UEANL	USBSA	1	244 42					15.66				
		 		OLATE	OGBOA	+	244 42		 		 	15.00		-		
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	l ı		UEANL	USBSB		22.64		1			15.66		!		ŀ
	Sub-Loop - Per Building Equipment Room - CLEC Feeder											10.00		 		
	Facility Set-Up	1		UEANL	USBSC		177.45	:			<u> </u>	15.66				
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel										l					
· · · · · · · · · · · · · · · · · · ·	Set-Up			UEANL	USBSD		55.15					15 66	<u> </u>			
[]	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1		١,	UEANL	USBN2	11.21	05.00		45.05			45.00]	l		
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	├─-	 -	UEANL	USBNZ	11,21	65.80	30.96	45.25	6.70		15.66			ļ	
1	Zone 2	l	2	UEANL	USBN2	11,94	65.80	30 96	45.25	6 70		15.66	l			
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	 	T-		- 34.12		- 55.50	35 00				15.50		<u> </u>		
l	Zone 3	İ	3	UEANL	USBN2	16.86	65 80	30 96	45.25	6 70		15.66		ŀ		
<u> </u>	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		ــــــ	UEANL	USBMC		8.15	8.15								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -	İ	١.		l 1								ĺ			
	Zone 1 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -	-	1	UEANL	USBN4	8 46	79 03	44.19	49 71	9 07		15.66		ļ ——		
i I	Zone 2	l	2	UEANL	USBN4	16.67	79 03	44.19	49 71	9.07		15.66		j	}	ļ
 	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -	 	 -	CEANL	O3DIV4	10.07	, , , , ,	44.13	4971	5.07		13.00		-		
	Zone 3	ŀ	3	UEANL	USBN4	32.57	79.03	44.19	49.71	9.07		15.66		1	-	
			 	02/412	000.11	52.07	70.00		70.7.	0,07		10.00				
1 . !	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	ŀ	ł	UEANL	USBMC	i	8 15	8.15					l	i		1
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	- 1		UEANL	USBR2	2.27	53.01	18.17	45.25	6.70		15.66		_		
			1										-			
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		_	UEANL	USBMC		8 15	- 8.15								
<u> </u>	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)		├ ──	UEANL	USBR4	5.16	59 25	24.41	49.71	9.07		15.66	ļ			
1 1	Onder Consideration for High and land Carlo Lorenza and all long and	1		UEANL	USBMC		8 15	8 15								l
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		╁	UEF	UCS2X	6.22	65.80	30.96	45 25	6.70		15.66				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	 		UEF	UCS2X	8 76	65 80	30.96	45 25	6.70		15.66				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3			UEF	UCS2X	11,27	65,80	30.96	45 25	6.70	 	15.66		· ·		
			 - -													
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8 15	8.15					l			
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1			UEF	UCS4X	6 11	79.03	44.19	49 71	9.07	ļ	15.66				
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS4X	12.61	79 03	44 19	49.71	9 07		15 66				ļ
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	15.36	79.03	44.19	49 71	9.07		15.66	ļ			
	Order Construction for Habrard Cat Lanca and the sale	l	1	UEF	USBMC		8.15	8,15			1		l	ŀ		
lieb.	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	 	├	UEF	UNIDEU		0.15	0.15			1	 	 	 		l
Unibu	Unbundled Sub-Loop Modification - 2-W Copper Dist Load	 	\vdash		 						1			<u> </u>	l	1
1 1	Coil/Equip Removal per 2-W PR	1	1	UEF	ULM2X		175.78	5.10				15.66	l		L	
	Unbundled Sub-loop Modification - 4-W Copper Dist Load															
	Coil/Equip Removal per 4-W PR	L_	L	UEF	ULM4X		175.78	5.10				15.66		<u></u>		ļ
	Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged									1		,			l	}
igsquare	Tap Removal, per PR unloaded		<u> </u>	UEF	ULM4T		278.20	6.11			<u> </u>	15 66	ļ	 		<u> </u>
Unbu	ndled Network Terminating Wire (UNTW)	 	—	HELDY.	UENPP	0.40	30.01					15.66	ļ	 	 	
h	Unbundled Network Terminating Wire (UNTW) per Pair ork Interface Device (NID)	<u> </u>	₩-	UENTW	UENPP	0.40	30.01		—		 	15.00		 		
Netwo	Network Interface Device (NID) - 1-2 lines		├	UENTW	ÜND12		43.23	28.38				15.66	 	-		
 	Network Interface Device (NID) - 1-2 lines Network Interface Device (NID) - 1-6 lines	 	 	UENTW	UND16		63 97	49.11	 		 	15.66	l			
 	Network Interface Device Cross Connect - 2 W	\vdash	 	UENTW	UNDC2		5.87	5.87			l — —	15.66	1			
	Network Interface Device Cross Connect - 4W	 	t	UENTW	UNDC4		5.87	5.87	-			15.66				
SUB-LOOPS			t						I							
	oop Feeder															ļ
	USL-Feeder, DS0 Set-up per Cross Box location - CLEC			UEA,									1	[1	
L	Distribution Facility set-up	1	1	UDN,UCL,UDL,UDC	USBFW		244.42	L			<u> </u>	15.66	L	1	1	<u> </u>

	TO METINODIC EL EMENTO. Alabama												Attachr			bit: B
JNBUNDLE	ED NETWORK ELEMENTS - Alabama											Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted		Charge -	Charge -	Charge -	Charge -
			1 1		1						Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
CATEGORI	11/12 222	m									1		Electronic-	Electronic-	Electronic-	Electronic
			1 1		1								1st	Add'l	Disc 1st	Disc Add'l
			\sqcup				None	ina	Nonrecurring	Disconnect			OSS	Rates(\$)		
						Rec	First	urring Add'l	First	Add'1	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
			⊢⊢	LICA			Filet			7,00						
	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair		1 1	UEA, UDN,UCL,UDL,UDC	USBFX	1	22.64	22 64			ŀ	15.66				<u> </u>
	set-up		+	USL	USBFZ		519.95	11.32				15 66				
	USL Feeder DS1 Set-up at DSX location, per DS1 termination Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice		 		000.2											
1 1	Grade - Zone 1		1	UEA	USBFA	8.03	93.00	56.48	54.51	13 67		15.66			ļ	
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice		_										1	ì		1
	Grade - Zone 2	i	2	UEA	USBFA	12.00	93.00	56.48	54.51	13 67		15 66			 	+
	Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start,									40.07		15 66				1
	Voice Grade - Zone 3	L	3	UEA	USBFA	20.39	93 00	56 48	54.51	13 67	 	15.00			 	+
	Order Coordination for Specified Conversion Time, per LSR			UEA	ÖCOSL		18 09					 			-	
	Unbundide Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice	ı	1				93.00	56.48	54.51	13 67	l	15.66	1		ŀ	1
	Grade - Zone 1	ļ	1	UEA	USBFB	8.03	93.00	50,46	54.51	13 07		10.00				1
	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice	1		4154	USBFB	12.00	93 00	56.48	54.51	13.67		15.66				
	Grade - Zone 2		2	UEA	USBre	12.00		30.40	04.01							
! T	Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice	1	3	UEA	USBFB	20.39	93.00	56.48	54.51	13.67		15.66				
	Grade - Zone 3	 	+-³	UEA	OCOSL	20.00	18.09									
	Order Coordination for Specified Time Conversion, per LSR Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,	-	+	0EA	00000										1	1
1 1			1	UEA	USBFC	8.03	93.00	56.48	54.51	13.67		15 66	↓			
	Voice Grade - Zone 1 Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,		+	027.									l	!	1	
1 1	Voice Grade - Zone 2		1 2	UEA	USBFC	12 00	93.00	56.48	54 51	13.67		15.66		 -		
	Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse		 - -								1	45.00]	l .	1	1
1	Battery, Voice Grade - Zone 3	1	3	UEA	USBFC	20.39	93.00	56.48	54.51	13.67	├	15 66				+
-	Order Coordination For Specified Conversion Time, per LSR			UEA	OCOSL		18.09					+	 			+
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice	$\overline{}$						70.00	60.05	17.40		15.66	1	1	1	1
1 1	Grade - Zone 1	l	1_1_	UEA	USBFD	19 21	107.56	70.09	62 05	17.40	 	15.00		1		1
-	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice		T			20.47	107.50	70 09	62.05	17.40		15 66				
1 1	Grade - Zone 2		2	UEA	USBFD	23 47	107.56	70 09	02.00	177.13						
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice	1	1 _		USBFD	39.63	107.56	70.09	62.05	17.40	1	15.66		<u> </u>		
	Grade - Zone 3		3	UEA	OCOSL	39.63	18.09		1							
	Order Coordination For Specified Conversion Time, Per LSR			UEA	CCCSL	-	10.00					1		ı	1	1
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice	1	1 1	UEA	USBFE	19.21	107.56	70.09	62.05	17 40	·I	15.66	·	<u> </u>		+
	Grade - Zone 1	+	 ' '	UEA	OOD! L							i	. 1	1	i	1
1 1	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice	1	2	UEA	USBFE	23.47	107.56	70.09	62 05	17.40		15 66	-		+	+
	Grade - Zone 2 Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice	+	+-		1			T			.	15.66		1	1	1
i		1	3	UEA	USBFE	39.63	107 56		62.05	17.40	\	15.66	}		+	1
-	Grade - Zone 3 Order Coordination For Specified Conversion Time, Per LSR	 		UEA	OCOSL		18.09			13.29		15 66		 		-
	Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1	1	1	UDN	USBFF	14 87	106 16					15.66		 		
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2		2	UDN	USBFF	21.69						15.66				
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3		3	UDN	USBFF	32.51			55.04	10.23	-	1				
	Order Coordination For Specified Conversion Time, Per LSR			UDN	OCOSL	1107	18.09		55.64	13.29)	15 66	3			
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		1	UDC	USBFS	14.87 21.69						15.66				
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		2	UDC	USBFS		106.16					15.66	3			
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)			UDC	USBFS	32.51						15 66	3 -			
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1		1	USL	USBFG	55.09 124.69						15 66				
1	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2			USL	USBFG	294.62						15.66	3			
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3	+-	3	USL	USBFG	294.02	18.09		1					_	+-	
	Order Coordination For Specified Conversion Time, Per LSR	-	+-	USL	USBFH	5.75			53.02	10.6	7	15 66	8		+	+
	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1		 1	UCL	USBETT								.1	1		
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone	1	2	UCL	USBFH	4.93	83.78	46.3	53.02	10.6	7	15 60	5	+-	+	+
	2	+	+	TOOL	1000111	1					_1		اء		1	
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone	Ð	1 3	UCL	USBFH	3.96	83.78	46.3	2 53.02	10.6	7.	15.60	6		 	
	3			UCL	OCOSL	1	18 09					10.0		+		+
	Order Coordination For Specified Conversion Time, per LSR	+	+	UCL	USBFJ	12.71		63.5				15.6 15.6		+		+-
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1	+		UCL	USBFJ	9.69						15.6		+		$\overline{}$
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2	+-		UCL	USBFJ	14.37			3 57.90	13.2	-	15.6		+		
1 1	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3 Order Coordination For Specified Conversion Time, per LSR	+-	+	UCL	OCOSL		18.09	9								

MBUNDLE	D NETWORK ELEMENTS - Alabama												Attachi	ment: 2	Exhil	bit; B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BČS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vi Electroni Disc Add
		 	1		<u> </u>					I	-					, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
	Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop															
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop	 	13		(1.222)	21.21	:::::	2:.20	::.:.	1.1.12		:5.53				
	Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop -	-	1	L.T.L.	[12271]	_========	::::::	2:,30	52.55	:7. (3		:5.53				
	Zone 1				<u>-</u>											
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 2]				,	
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -	T														
$-\!\!\!\!\!-\!\!\!\!\!-$	Zone 3	_	3	UDL	USBFO	23.75	101.85	64.38	62.05	17.40		15.66				
	Order Coordination For Specified Time Conversion, per LSR Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop	-	├	UDL	OCOSL		18.09									-
	Zone 1		1	UDL	USBFP	19 20	101.85	64.38	62.05	17.40		15.66				
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 2		2	UDL	USBFP_	21.64	101 85	64.38	62 05	17.40		15.66				
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 3		3	UDL	USBFP	23.75	101.85	64.38	62 05	17 40		15.66				
	Order Coordination For Specified Conversion Time, per LSR			UDL	OCOSL		18.09									
B-LOOPS																
Sub-Lo	pop Feeder	<u> </u>	└		-1	10.50										
	Sub Loop Feeder - DS3 - Per Mile Per Month	!	-	UE3 UE3	1L5SL USBF1	13 55 332.40	3,384.00	407.00	160.47	90.97		15 66				<u> </u>
	Sub Loop Feeder - DS3 - Facility Termination Per Month Sub Loop Feeder - STS-1 - Per Mile Per Month	1	├	UDLSX	1L5SL	13.55	3,384.00	407.00	160.47	90.97		15 66				
-	Sub Loop Feeder - STS-1 - Fer Mile Fer Worth	 	-	UDLSX	USBF7	357.36	3,384.00	407.00	160.47	90.97		15 66				-
	Sub Loop Feeder - OC-3 - Per Mile Per Month	l i		UDLO3	1L5SL	10.28	0,007.00	407.00	100.77							
_	Sub Loop Feeder - OC-3 - Facility Termination Protection Per	一			1											
	Month	1		UDLO3	USBF5	54.89										
	Sub Loop Feeder - OC-3 - Facility Termination Per Month	1		UDLO3	USBF2	538.69	3,384.00	407.00	160.47	90.97		15.66				ļ
	Sub Loop Feeder - OC-12 - Per Mile Per Month		<u> </u>	UDL12	1L5SL	12.66		-								
1	Sub Loop Feeder - OC-12 - Facility Termination Protection Per	1 .	ł	UDL12	USBF6	620 18	-									}
	Sub Loop Feeder - OC-12 - Facility Termination Per Month	1		UDL12	USBF3	1,729.00	3,384.00	407.00	160.47	90.97		15.66				
	Sub Loop Feeder - OC-48 - Per Mile Per Month			UDL48	1L5SL	41.51										
	Sub Loop Feeder - OC-48 - Facility Termination Protection Per	1]					}
	Month	1 1		UDL48	USBF9	310.30			100.17	20.07	-	45.00				
	Sub Loop Feeder - OC-48 - Facility Termination Per Month Sub Loop Feeder - OC-12 Interface On OC-48	! !	-	UDL48	USBF4 USBF8	1,495.00 350.09	3,570.00 788.09	407 00 407.00	160.47 160.47	90.97 90.97		15.66 15.66				
D. W.D. CD				UDL48	USBF8	350.09	788.09	407.00	160.47	90.97	-	15.00				
RONDLED I	LOOP CONCENTRATION [Unbundled Loop Concentration - System A (TR008)	-		ULC	UĆT8A	364 17	325.41	325 41				15,66				
	Unbundled Loop Concentration - System A (THOOS)	1	-	ULC	UCT8B	43 70	135.59	135 59				15.66				
	Unbundled Loop Concentration - System A (TR303)			ULC	UCT3A	395.12	325.41	325.41								
	Unbundled Loop Concentration - System B (TR303)			ULC	UCT3B	73.64	135.59	135.59				15.66				
	Unbundled Loop Concentration - DS1 Loop Interface Card			ULC	UCTCO	4.16	63.29	46.07	16 79	4.70		15.66				
	Unbundled Loop Concentration - ISDN Loop Interface (Brite Card)			UDN	ULCC1	6.60	10.54	10.48	5.39	5.36		15.66				
	Unbundled Loop Concentration - UDC Loop Interface (Brite Card)			UDC	ULCCU	6.60	10.54	10.48	5.39	5.36		15.66				
-	Unbundled Loop Concentration2 Wire Voice-Loop Start or Ground Start Loop Interface (POTS Card)															
	Unbundled Loop Interface (COTS Card) Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery Loop Interface (SPOTS Card)			1 : .												
	Unbundled Loop Concentration - 4 Wire Voice Loop Interface						40.51	40.40	E 00	5.00		15.66				
	(Specials Card)	4	1	UEA	ULCC4	5.85 28.60	10 54 10.54	10.48 10.48	5.39 5.39	5.36 5.36	\vdash	15.66	-			
	Unbundled Loop Concentration - TEST CIRCUIT Card	ł ——		ULC	UCTTC	28.60	10.54	10.48	5.39	5.30		15.50				
	Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop Interface		1	UDL	ULCC7	8.67	10 54	10.48	5.39	5.36		15.66				l
	Unbundled Loop Concentration - Digital 56 Kbps Data Loop				ULCC5	8.67	10.54	10.48	5.39	5.36		15.66				
	Interface Unbundled Loop Concentration - Digital 64 Kbps Data Loop Interface	<u> </u>		UDL UDL	ULCC6	8.67	10.54	10.48	5.39	5.36		15.66				

Page 7 of 358

UNBUNDLE	ED NETWORK ELEMENTS - Alabama			-									Attachi	ment; 2	Exhil	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)		-		Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sy Order vs.
			<u> </u>			Rec	Nonrec		Nonrecurring		001150	- A011411		Rates(\$)		
LINE OTHER	PROVISIONING ONLY - NO RATE	-	\vdash				First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
i i	NID - Dispatch and Service Order for NID installation	 	+	UENTW	UNDBX	0.00	0.00				 					
	UNTW Circuit Id Establishment, Provisioning Only - No Rate		 	UENTW	UENCE	0.00	0.00				 			 		
		 	1	UEANL.UEF.UEQ.U							 					1
	Unbundled Contract Name, Provisioning Only - No Rate		·	ENTW	UNECN	0.00	0.00			L	l					
UNE OTHER,	PROVISIONING ONLY - NO RATE										I				Ľ.	
	Unbundled Contact Name, Provisioning Only - no rate Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no			UAL,UCL,UDC,UDL, UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
	rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0 00		l							<u> </u>
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no										1					
	rate		ļ	UEA,USL,UCL,UDL	USBFR	0.00	0.00									-
—	Unbundled DS1 Loop - Superframe Format Option - no rate		├	USL	CCOSF	0.00	0.00				 				<u> </u>	
	Unbundled DS1 Loop - Expanded Superframe Format option -			USL	CCOEF	0.00	0.00				1					
HIGH CARAC	ITY UNBUNDLED LOCAL LOOP	-	+	UJL	COULT	0.00	0.00				 			 	 	
HIGH CAPAC	High Capacity Unbundled Local Loop - DS3 - Per Mile per	\vdash	 			 					 				-	
	month High Capacity Unbundled Local Loop - DS3 - Facility		<u> </u>	UE3	1L5ND	8.38										
	Termination per month High Capacity Unbundled Local Loop - STS-1 - Per Mile per		ļ	UE3	UE3PX	308.98	451.52	263.94	119.49	83.58		15.66				
	month High Capacity Unbundled Local Loop - STS-1 - Facility			UDLSX	1L5ND	8.38					ļ					
	Termination per month	1		UDLSX	UDLS1	319 83	451.52	263.94	119.49	83 58		15 66		1		
LOOP MAKE		-														
	Loop Makeup - Preordering Without Reservation, per working or	 	1													
	spare facility queried (Manual) Loop Makeup - Preordering With Reservation, per spare facility			имк	UMKLW		20.00	20 00							 	 -
	queried (Manual) Loop MakeupWith or Without Reservation, per working or	ļ		UMK	UMKLP		21.00	21.00							<u> </u>	
	spare facility queried (Mechanized)			имк	PSUMK		0 59	0 59			ļ			ļ <u> </u>		 -
	ENCY SPECTRUM SHARING	├	 - -						-		· · · · · · · · · · · · · · · · · · ·					
	TTERS-CENTRAL OFFICE BASED		+													
ŞFEI I	Line Shanng Splitter, per System 96 Line Capacity	 		ULS	ULSDA	155.97	188.79	0.00	177.98	0.00		15 66				
	Line Shanng Splitter, per System 24 Line Capacity			ULS	ULSOB	38.99	188 79	0.00	177.98	0.00		15.66				
	Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	12.73	377 58	0 00	355.96	0.00	ļ	15.66		ļ		
	Line Sharing-DLEC Owned Splitter in CO-CFA activation-					1						45.00				1
	deactivation (per LSOD)	1		ULS	ULSDG		86.47	0.00	49.84	0.00		15.66				+
END	USER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENC	Y SPEC	TRUM	AKA LINE SHARING		0.04	18 51	10.60	10.01	4.92		15.66				+
	Line Sharing - per Line Activation (BST Owned splitter)	├ ──	∔ —	ULS	ULSDC	0.61	18 51	10.60	10.01	4.52	 	13.00				1
	Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter			ULS	ULSDS		16.39	8.19			ļ	15 66				
	Line Sharing - per Subsequent Activity per Line Rearrangement(DLEC Owned Splitter			ULS	ULSCS		16.39	8.19		9.83		15.66 15.66	-		ļ	
	Line Sharing - per Line Activation (DLEC owned Splitter)	ـــــــــــــــــــــــــــــــــــــ	—	ULS	ULSCC	0.61	47 44	19.31	20 02	9.83	 -	15.00				+
	SPLITTING				ļ						 	 			†	
END (USER ORDERING-CENTRAL OFFICE BASED [Line Splitting - per line activation DLEC owned splitter]	1	+	VEPSR VEPSB	UREOS	0.61			 		 	<u> </u>	<u> </u>		1	1
	Line Splitting - per line activation DLEC owned splitter Line Splitting - per line activation BST owned - physical	₩	+	VEPSR VEPSB	UREBP	0.61	37.01	21.19	20.02	9 83		15.66				
 	Line Splitting - per line activation BST owned - physical	++	+	UEPSA UEPSB	UREBV	0.61	37.01	21.19	20.02	9 83		15.66				
REMO	OTE SITE HIGH FREQUENCY SPECTRUM	 	† —	527.57.52.52											ļ	<u> </u>
	TTERS-REMOTE SITE	<u> </u>	1									<u> </u>		ļ	<u> </u>	
	Remote Site Line Share BellSouth Owned Splitter, 24 Port	1.1		ULS	ULSRB	38.18	221.09	0.00	254.79	0.00	<u> </u>	15.66		ļ	 	
	Remote Site Line Share Cable Pair Activation CLEC Owned at			ULS	ULSTG		74.38	0.00	46 77	0.00		15 66			1	

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attachi	nent: 2	Exhil	bit: B
CATEGORY	RATE ELEMENTS	interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
	-		 				Nonrec	urrina	Nonrecurring	Disconnect			OSS	Rates(\$)		
	<u> </u>	_			1	Rec	First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Remote Site Line Share Line Activation for End User Served at RS, BST Splitter			ULS	ULSRC	0.61	37.01	21.19	20.02	9.83		15 66				
	RS Line Share Line Activation for End User served at RS, CLEC	<u> </u>	 												<u> </u>	
HARTING ED	Splitter DEDICATED TRANSPORT	<u> </u>	├	ULS	ULSTC	0.61	37.01	21,19	20 02	9.83		15.66			 	├
	: INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimur	m hillin	a perio	d - below DS3-one	month DS3/	STS-1-four mo	nthe								 	
	OFFICE CHANNEL - DEDICATED TRANSPORT	III DIAIN	d baild	ra - pelow pos=olie	1 1101101, 033/	313-1=1001 1110	TILLIB					 		ļ	 	
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -		 												 	
	Per Mile per month		l	UtTVX	1L5XX	0.008838										<u> </u>
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination			U1TVX	U1TV2	21.13	40.54	27.41	16.74	6.90		15.66				
	Interoffice Channel - Dedicated Transport- 2-Wire Voice Grade				1								}			ľ
	Rev Bat Per Mile per month	L	 	U1TVX	1L5XX	0.008838					 	 	-		 	
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination		<u> </u>	U1TVX	U1TR2	21.13	40.54	27.41	16 74	6.90		15.66				
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.008838										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade														1	
	- Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - per mile	-	├	U1TVX	U1TV4	18.73	40 54	27.41	16 74	6.90		15.66			ļ	<u> </u>
	per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility		-	U1TDX	1L5XX	0.008838						-			1	
	Termination		ļ	U1TDX	U1TD5	15.12	40.54	27.41	16.74	6.90		15.66				ļ.——
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0.008838										<u> </u>
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination			U1TDX	U1TD6	15,12	40 54	27,41	16.74	6.90		15.66				
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			U1TD1	1L5XX	0.18		-								
	month Interoffice Channel - Dedicated Tranport - DS1 - Facility		 	OTID!	ILJAA	0.10										
	Termination		↓	U1TD1	U1TF1	60 16	89.27	81.81	16.35	14.44		15 66			 	-
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month		<u> </u>	U1TD3	1L5XX	4.09									<u> </u>	
	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month	l	1	U1TD3	U1TF3	703.52	278.75	162.76	60.20	58.46		15.68			<u> </u>	
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TS1	1L5XX	4 09										
-	Interoffice Channel - Dedicated Transport - STS-1 - Facility		1	U1TS1	U1TFS	701.37	278.75	162 76	60.20	58.46		15 66				
1.004	Termination	-	-	01131	Ulifa	701.57	270.75	102.70	00:20	- 45.15		1,43,5				
LOCA	:: LOCAL CHANNEL DEDICATED TRANSPORT - minimum billin	a perio	d - beli	w DS3sone month	DS3/STS-1=	four months										Ι
NOTE	Local Channel - Dedicated - 2-Wire Voice Grade	y pene	1	ULDVX	JULDV2	13.97	193 10	33.17	36.64	3.20		15.66				
	Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat		+	ULDVX	ULDR2	13.97	193.10	33.17	36.64	3 20		15.66			1	
	Local Channel - Dedicated - 4-Wire Voice Grade		+	UNDVX	ULDV4	14 93	193.53	33 60	27.11	3 67		15 66				<u> </u>
 	Local Channel - Dedicated - DS1 - Zone 1		1 1	ULDD1	ULDF1	35 76	177.47	153 72	22.19	15 26		15 66				<u> </u>
	Local Channel - Dedicated - DS1 - Zone 2		2	ULDD1	ULDF1	49.98	177.47	153.72	22.19	15.26		15 66		<u> </u>	<u> </u>	
	Local Channel - Dedicated - DS1 - Zone 3		3	ULDD1	ULDF1	107.63	177.47	153.72	22.19	15.26		15.66	ļ		 	
	Local Channel - Dedicated - DS3 - Per Mile per month			ULDD3	1L5NC	6.92				 	<u> </u>	ļ	ļ	 	 	+
	Local Channel - Dedicated - DS3 - Facility Termination			ULDD3	ULDF3	416 54	451 52	463.94	119.49	83.58		15.66	 	 	 	+
	Local Channel - Dedicated - STS-1- Per Mile per month			ULDS1	1L5NC	6 92	151	400.01	110.40	83.58	 	15.66	 	 	 	+
	Local Channel - Dedicated - STS-1 - Facility Termination		1	ULDS1	ULDFS	408.49	451.52	463.94	119.49	03.58	├	13.00	 	 	 	
DARK FIBER		<u> </u>	_		-			<u> </u>			 		 	 	1	†
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	!	1	lune	41 EDG	60.32		1	I			1	ŀ		1	1
	Thereof per month - Local Channel	ļ	₩	UDF	1L5DC UDFC4	60.32	639.09	137.87	317 06	197.66	+	15.66			1	
 	NRC Dark Fiber - Local Channel	-	 	JUUP	UUFG4	 	60.600	137.87	317 00	157.00	 	1	i	1	T	
1 1	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	i	1	UDF	1		l	I	1	1	1	1	1	i	l	1
1 1	Thereof per month - Interoffice Channel	1	1	11100=	1L5DF	22.34			l	1	1	1	1			

UNBUNDI F	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	Increments Charge - Manual Sv Order vs.
			 				Nonrec	urrina	Nonrecurring	Disconnect	 	L	OSS	Rates(\$)		
			 		<u> </u>	Rec	First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction						-		"		i					
	Thereof per month - Local Loop		<u> </u>	UDF	1L5DL	60 32										
	NRC Dark Fiber - Local Loop			UDF	UDFL4		639 09	137 87	317.06	197 66		15.66				Ĭ
8XX ACCESS	TEN DIGIT SCREENING	ļ	_								ļ					
	8XX Access Ten Digit Screening, Per Call	ļ	 	OHD		0.00056					ļ		ļ			<u> </u>
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved			OHD	N8R1X		2.58	0.44				15.66			i	1
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O		1	01.5	INGLITA							10.00				
	POTS Translations			OHD			5.94	0.81	4.57	0.54	ļ	15.66				<u> </u>
	8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations			ОНО	N8FTX		5.94	0.81	4.57	0.54		15.66	ŀ			1
	8XX Access Ten Digit Screening, Customized Area of Service	 	†						1.57	3.57						
	Per 8XX Number	ļ	ļ	OHD	N8FCX		2.58	1.29				15 66				<u> </u>
	8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No.			ОНД	N8FMX		3.02	1.73			}	15 66				
	8XX Access Ten Digit Screening, Change Charge Per Request	 	+	OHD	N8FAX		3 02	0 44			 	15.66		 		
	8XX Access Ten Digit Screening, Call Handling and Destination		 	0.1.5	1107.701									l		1
	Features		1	OHD	N8FDX		2 58				l	15 66				
	8XX Access Ten Digit Screening, w/ 8FL No. Delivery			OHD		0.000565					Ī					
	8XX Access Ten Digit Screening, w/ POTS No. Delivery			OHD		0.000565										
LINE INFORM	ATION DATA BASE ACCESS (LIDB)															
	LIDB Common Transport Per Query		<u> </u>	ООТ		0 00002										ļ
	LIDB Validation Per Query		ļ	oqu		0 012002			10.00		ļ	45.00				
	LIDB Originating Point Code Establishment or Change	<u> </u>	₩	оат, оаи	NRPBX		34 32		42.08		 	15 66				
SIGNALING (C	CCS7 Signaling Connection, Per 56Kbps Facility		—			15 46	35.53	35.53	16 44	16 44	 	15.66				
	CCS7 Signaling Cornection, Fer Serops Facility		1	UDB	PT8SX	130 83	- 00.00	45.56	10 +	10 44	 	10.00				
	CCS7 Signaling Usage, Per Call Setup Message		+		1 100%	0.0000142										
+	CCS7 Signaling Usage, Per TCAP Message	.	 	UDB	<u> </u>	0.0000569										
	CCS7 Signaling Connection, Per link (A link)		1	UDB	TPP++	15.46	35 53	35.53	16.44	16 44		15.66				
	CCS7 Signaling Connection, Per link (B link) (also known as D															
	link)			UDB	TPP++	15.46	35 53	35.53	16.44	16 44	<u> </u>	15.66	<u> </u>			
	CCS7 Signaling Usage, Per ISUP Message	L		UDB		0.0000142										<u> </u>
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	650.33					ļ					
	CCS7 Signaling Point Code, per Onginating Point Code	!	1		1					05.53		45.00			1	1
	Establishment or Change, per STP affected			UDB	CCAPO		29.01	29.01	35.57	35.57		15 66				
E911 SERVICE			<u> </u>	ļ		13.97	193.10	33.17	36.64	3.20		15.66				
	Local Channel - Dedicated - 2-wr Voice Grade	1	 		+	0.008838	193.10	33.17	36.04	3.20	 	13.00				+
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility	-	+		 	0.000008					 	 			 	t
	Termination		1			21.13	40 54	27,41	16.74	6.90		15 66				i
	Local Channel - Dedicated - DS1 - Zone 1	 	+			35.76	177.47	153.72	22 19	15 26		15.66	i	- "		
	Local Channel - Dedicated - DS1 - Zone 2	1	+			49 98	177.47	153.72	22 19	15 26		15.66				
	Local Channel - Dedicated - DS1 - Zone 3	<u> </u>	 			107.63	177.47	153.72	22 19	15.26		15.66				
	Interoffice Transport - Dedicated - DS1 Per Mile					0.18										
													· ·	i	i	
	Interoffice Transport - Dedicated - DS1 Per Facility Termination					60.16	89.27	81.81	16.35	14.44	ļ	15.66	ļ	1	ļ	
CALLING NAM	IE (CNAM) SERVICE										 		ļ	ļ	 	├
	CNAM For DB Owners - Service Establishment		-	oov			22.95		21.11		 			 -		
	CNAM For Non DB Owners - Service Establishment	ļ	—	oov		ļ	22.95	-	21.11		 		 	 	 	
1	CNAM For DB Owners - Service Provisioning With Point Code	1	1	oov	1		990.88	732.84	268.93	197.74	1					
	Establishment CNAM For Non DB Owners - Service Provisioning With Point		┼	OUV	+		390.68	/32.04	200.93	197.74	 		 	 	†	
1	Code Establishment	1		logv	i		342.33	245.14	275.25	197.74	L	<u></u>	L			<u></u>
	CNAM for DB Owners, Per Query	i –	1	logv	1	0.000902	2.23									
	CNAM for Non DB Owners, Per Query	†	1	oov	1	0.000902										
LNP Query Se		1													1	
	LNP Charge Per query					0.000757						1		<u> </u>	<u> </u>	
	LNP Service Establishment Manual		1				12.52		11.51		L	15 66	l	L	<u> </u>	1

UNBUNDLI	ED NETWORK ELEMENTS - Alabama											******	Attachi	nent: 2	Exhil	bit; B
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs.		Incremental Charge -	Incrementa Charge -
													Electronic- 1st	Electronic- Add'i	Electronic- Disc 1st	Electronic- Disc Add'i
			├			Rec	Nonrec		Nonrecurring					Rates(\$)		
	LNP Service Provisioning with Point Code Establishment		-				First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
OPERATOR O	CALL PROCESSING		 				593.49	303.20	268.93	197.74	 	15.66				
1	Oper. Call Processing - Oper Provided, Per Min Using BST		 		-						 			ļ	ļ	
- 1	LIDB	ł				1.20			!		ł	1 1				1
	Oper. Call Processing - Oper Provided, Per Min Using										 		• • •		 	
	Foreign LIDB					1.24					1					1
	Oper. Call Processing - Fully Automated, per Call - Using BST														ĺ	
	LIDB					0.20										ļ
ł	Oper. Call Processing - Fully Automated, per Call - Using Foreign LIDB	1			1	2.00					j]				1
NWARD OR	ERATOR SERVICES		ļ			0.20										
INVALUE OF E	Inward Operator Services - Verification, Per Minute				+	1.15					 				<u> </u>	
	Inward Operator Services - Verification and Emergency Interrupt		1		+	1.10					 					
l l	- Per Minute					1.15										l
	OPERATOR CALL PROCESSING										<u> </u>					
Facili	ty based CLEC															
	Recording of Custom Branded OA Announcement				CBAOS		7,000.00	7,000.00				15 66				
	Loading of Custom Branded OA Announcement per shelf/NAV				1						1					
	per OCN				CBAOL		500.00	500 00			L	15. <u>6</u> 6				
UNEF	Recording of Custom Branded OA Announcement		\vdash				7.000.00	700000				45.00				ļ
	Loading of Custom Branded OA Announcement				· 		7,000.00	7,000 00			ļ	15 66				
i	per OCN						500 00	500.00				15.66				ĺ
Unbr	anding via OLNS for UNEP CLEC		1		+			500.00			 	13.00				
10	Loading of OA per OCN (Regional)						1,200 00	1,200.00				15.66				
DIRECTORY	ASSISTANCE SERVICES															
	CTORY ASSISTANCE ACCESS SERVICE				1	-										
	Directory Assistance Access Service Calls, Charge Per Call					0.275		-								
DIRE	CTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (D	ACC)														
	Directory Assistance Call Completion Access Service (DACC),											1				ĺ
	Per Call Attempt					0.10					ļ <u>.</u>					
	BER SERVICES INTERCEPT ACCESS SERVICE		\vdash								ļ <u></u>	ļ				
	ASSISTANCE SERVICES										 					
DIRE	CTORY ASSISTANCE DATA BASE SERVICE (DADS) Directory Assistance Data Base Service Charge Per Listing				+	0 04					 					
	Directory Assistance Data Base Service Charge Fer Listing Directory Assistance Data Base Service, per month				DBSOF	150.00					 					
BRANDING -	DIRECTORY ASSISTANCE				100001	150.00					 					
	ty Based CLEC				 											
	Recording and Provisioning of DA Custom Branded															
	Announcement			AMT	CBADA		6,000.00	6,000.00				15.66				
	Loading of Custom Branded Announcement per DRAM	-									ļ	45.00				ĺ
	Card/Switch	<u> </u>		AMT	CBADC		1,170 00	1,170.00			ļ	15.66				<u> </u>
UNEP	CLEC						2 000 00	2.000.00			 	15.66				
	Recording of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per DRAM						3,000.00	3,000.00			 	15.66				
	Card/Switch per OCN				1		1,170.00	1,170.00			ŀ	15.66				ĺ
Uphr	anding via OLNS for UNEP CLEC				+			1,110.00			 					
051	Loading of DA per OCN (1 OCN per Order)	$\overline{}$			1		420.00	420.00				15.66				
	Loading of DA per Switch per OCN						16.00	16.00				15.66				
SELECTIVE I	ROUTING															
	Selective Routing Per Unique Line Class Code Per Request Per											,,			Ì	1
	Switch		$ldsymbol{ldsymbol{ldsymbol{eta}}}$		USRCR		84.70	84.70	14.11	14.11	<u> </u>	15.66				
VIRTUAL CO					- 		1.005.00	1000 00			<u> </u>	15.60				
	Virtual Collocation - Application Cost	<u> </u>		AMTES	EAF		1,205.26	1,205.26	0.51	0.51 22.49	 	15.66 15.66				
	Virtual Collocation - Cable Installation Cost, per cable	<u> </u>		AMTES	ESPCX	9.00	859.71	859.71	22.49	22.49		15.00				
	Virtual Collocation - Floor Space, per sq. ft.			AMTES AMTES	ESPVX	3.22 7.83					 					
	Virtual Collocation - Power, per fused amp Virtual Collocation - Cable Support Structure, per entrance		$\vdash\vdash$	AWIFS	LEGEMA	, 63										
1	cable	l	1	AMTFS	ESPSX	14 97						ı l				1

UNBUNDLE	D NETWORK ELEMENTS - Alabama							•					Attachi	nent: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(S)				Svc Order Submitted Manually per LSR	incremental Charge - Manual Svc Order vs. Electronic- 1st	incremental Charge - Manual Svc Order vs. Electronic- Add'l		Incrementa Charge -
						Rec	Nonrec		Nonrecurring					Rates(\$)		T-2
				HEARD HEATIDALD			First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation - 2-wire Cross Connects (loop)		1	UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, AMTFS, UDL, UNCVX, UNCDX, UNCNX	UEAC2	0.03	12.30	11.80	6.03	5.44		15.66				
	Virtual Collocation - 4-wire Cross Connects (loop)			UEA,UHL,UCL,UDL, AMTFS, UAL, UDN,	UEAC4	0.05	12,39	11.87	6.39	5 73		15.66				
				AMTFS,UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12,												
	Virtual Collocation - 2-Fiber Cross Connects			ULD48, UDF AMTFS, UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12.	CNC2F	2.84	20 89	15 20	7.38	5 92		15.66				
	Virtual Collocation - 4-Fiber Cross Connects			ULD48, UDF	CNC4F	5.69	25.55	19 86	9.71	8 25		15.66				1
	Virtual collocation - DS1 Cross Connects				CNC1X	1 11	22.03	15.93	6.40	5.79		15 66				
	Virtual collocation - DS3 Cross Connects			USL,ULC,AMTFS,U E3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CND3X	14.16	20.89	15.20	7 38	5.92		15.66				
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear foot			AMTFS	VE1CB	0.0026										
	Virtual Collocation - Co-Carner Cross Connects - Copper/Coax Cable Support Structure, per linear ft			AMTFS	VE1CD	0.0038										ļ
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure,per cable		<u> </u>	AMTFS	VE1CC		535.37			·		15 66				
l	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax		1	AMTFS	VE1CE		535 37					15.66	į			
	Cable Support Structure, per cable Virtual Collocation Cable Records - per request	 -	 	AMTFS	VE1BA		1,518.57	1,518.57	265.99	265.99		15.66				
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable record			AMTFS	VE1BB		653.83	653 83	378 24	378.24		15.66				
	Virtual Collocaiton Cable Records - VG/DS0 Cable, per each 100 pair			AMTFS	VE1BC		9.62	9 62	11.79	11.79		15 66				ļ
	Virtual Collocation Cable Records - DS1, per T1TIE			AMTFS	VE1BD		4 50	4.50	5.52	5.52		15.66 15.66			 	
	Virtual Collocation Cable Records · DS3, per T3TIE	<u> </u>	<u> </u>	AMTFS_	VE1BE		15.75	15.75	19.32	19.32	 	15.66		 	 	+
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber records		<u> </u>	AMTFS	VE1BF SPTBX		168 97 16 93	168.97 10.73	154.25	154 <u>25</u>	<u> </u>	15.66 15.66				
	Virtual collocation - Security Escort - Basic, per half hour Virtual collocation - Security Escort - Overtime, per half hour	 	 	AMTES	SPTOX	 	22.05	13.86	<u> </u>		†	15 66				
 	Virtual collocation - Security Escort - Overline, per half hour	\vdash	+	AMTES	SPTPX	† <u> </u>	27.17	16.98				15.66				
 	Virtual collocation - Maintenance in CO - Basic, per half hour	 		AMTFS	CTRLX		27 93	10.73				15.66				ļ
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		36.47	13.86			ļ	15.66				
	Virtual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM		45.02	16.98			<u> </u>	15.66				
VIRTUAL COL	LOCATION Virtual Collocation - 2-wire Cross Connect, Exchange Port 2- Wire Analog - Res		\vdash	UEPSR	VE1R2	0.03	12 30	11.80	6 03	5.44		15.66				

UNBUND	LED NETWORK ELEMENTS - Alabama						- ''						Attachi	nent: 2	Exhil	bit: B
CATEGORY		Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'i
						Rec	Nonrec		Nonrecurring			r		Rates(\$)	Y	
├		_	!				First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1 1	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus	ì		UEPSP	VE1R2	0.03	12.30	11.80	6.03	5.44		15.66	1	l		l
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire		┼	IUEPSP	IVE INZ	0.03	12.30	11.80	6.03	5.44	 	15.00	 		 	
1 1	Voice Grade PBX Trunk - Res	1		UEPSE	VE1R2	0 03	12.30	11.80	6.03	5 44		15.66	1	i		1
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire	1			1						 					
	Analog Bus	1		UEPSB	VE1R2	0.03	12.30	11.80	6.03	5.44		15.66				L
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire											T	1		1	
<u> </u>	ISDN	↓	↓	UEPSX	VE1R2	0.03	12.30	11.80	6.03	5.44		15.66			ļ	
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN	1	Ì	UEPTX	VE1R2	0.03	12.30	11.80	6.03	5,44		15.66	1	i	1	
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire		 	DEFIX	VEINZ	0.03	12.30	11.00	0.03	5,44	 -	15.00			 	
i :	ISDN DS1	1	1	UEPEX	VE1R4	0.05	12.39	11.87	6.39	5 44	İ	15.66			i	
VIRTUAL C	OLLOCATION	†	_				,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,						†		† 	† ·
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line															ļ — — ·
	Splitting	<u> </u>	<u> </u>	UEPSR, UEPSB	VE1LS	0.03	12.30	11.80	6.03	5.44		15 66			ļ	<u> </u>
PHYSICAL	COLLOCATION	ļ														
1 1	Physical Collocation-2 Wire Cross Connects (Loop) for Line	1	ŀ		m=41.0		40.00	44.00	0.00	5.44	1	15.66			1	
AIN CELEC	Splitting TIVE CARRIER ROUTING	├ ─	┼	UEPSR, UEPSB	PE1LS	0.03	12.30	11.80	6 03	5.44	 -	15.00				
AIN SELEC	Regional Service Establishment	-	 	SRC	SACEC		101,098.91		8,590.70	 	 	15.66	 		 	ļ
 	End Office Establishment	 	+	SRC	SRCEO		169.88	169.88	1.70	1.70	 	15.66			 	
	Query NRC, per query	1	1	SRC	57.525	0.002749										
AIN - BELL	SOUTH AIN SMS ACCESS SERVICE															
	AIN SMS Access Service - Service Establishment, Per State,										ì		ł	ļ)	
	Initial Setup			A1N	CAMSE		39.44	39 44	40.69	40.69		15.66				
			1	l					0.00	1		15 66		Į.		-
	AIN SMS Access Service - Port Connection - Dial/Shared Acces	s	↓	A1N	CAMDP		7.83 7.83	7.83 - 7.83	9.09	9.09	 	15.66			 	l
	AIN SMS Access Service - Port Connection - ISDN Access AIN SMS Access Service - User Identification Codes - Per User	+		A1N	CAM1P		7.83	- 7.83	9.09	9.03	 	15.00	 	}	 	
1	ID Code		l	A1N	CAMAU		35.00	35.00	27.06	27.06	1	15 66	ļ		1	1
	AIN SMS Access Service - Security Card, Per User ID Code,	+	┼	AIN	- CANAD		00.00	00.00			 		· · · · · · · · · · · · · · · · · · ·			
1 1	Initial or Replacement			A1N	CAMRC		41.88	41.88	11,71	11.71		15.66	l	<u> </u>	L	
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)	1				0.002188							ļ			L
	AIN SMS Access Service - Session, Per Minute	1				0.59							ļ			
	AIN SMS Access Service - Company Performed Session, Per			1									ĺ	1		
	Minute	<u> </u>		<u> </u>		0.73									 	
AIN - BELL	SOUTH AIN TOOLKIT SERVICE		 -						[
i i	AIN Toolkit Service - Service Establishment Charge, Per State,			CAM	BAPSC		39.44	39.44	40 69	40 69		15.66	1			
 	Initial Setup AiN Toolkit Service - Training Session, Per Customer	+	+-	- CAW	BAPVX	 	4,202.17	4,202.17				15.66				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	+	+	 	1272 171	·	.,									
1	DN, Term. Attempt		1	ļ .	BAPTT		7.83	7.83	9.09	9.09		15.66	L	1	 	 _
	AlN Toolkit Service - Trigger Access Charge, Per Trigger, Per		1		T										1	
1 1	DN, Off-Hook Delay	<u> </u>			BAPTD		7.83	7.83	9.09	9.09	 	15.66	 	ļ. ———		+
	AlN Toolkit Service - Trigger Access Charge, Per Trigger, Per	}	1	}	l	1		7.00	9.09	9.09	J	15.66	j	1	ļ	J
	DN, Off-Hook Immediate		+	 	BAPTM		7.83	7.83	9.09	9.09	 	13.00	 		 	
1 1	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	1	1		ВАРТО	1	34.47	34.47	14 36	14.36		15.66	1		1	
	DN, 10-Digit PODP AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	┪	+	 	DAT 10	 	34.47	04.47								
1 1	DN. CDP	ł	ł		BAPTC	1	34.47	34.47	14.36	14.36		15.66				<u> </u>
	AlN Toolkit Service - Trigger Access Charge, Per Trigger, Per	1	+													1
1 1	DN, Feature Code	1	1		BAPTE	l	34.47	34 47	14.36	14 36	<u> </u>	15 66	ļ	ļ	 	
	AIN Toolkit Service - Query Charge, Per Query		Ι			0.05						↓	ļ. ———	ļ	 -	
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit				1	1		}	ł	ł	1	1	1	1	1	
	Subscription, Per Node, Per Query		1-	ļ		0.00582			 	 	+	₩	+	+	+	+
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access		1	1	1	0.05		1	[1		1		1		
	Account, Per 100 Kilobytes AIN Toolkit Service - Monthly report - Per AIN Toolkit Service		┼—	 	+-	0.05		 	 -	 	+	-	1		1	
								1				15.66				

Version 2Q02, 08/07/02

JNBUNDLE	D NETWORK ELEMENTS - Alabama												Attachi	ment: 2	Exhit	oit: 🖪
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	OSS SOMAN	Rates(\$)	SOMAN	SOMAN
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service					 	rirst	Addi	FifSt	Addi	SOMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
ı	Subscription		İ	САМ	BAPLS	2.87	8.66	8 66			ļ '	15.66	1			ĺ
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service							5 - 4							i	
	Subscription		<u> </u>	CAM	BAPDS	7.39	7.83	7.83	_ 5 50	5 50		15.66				<u> </u>
ı	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription			CAM	BAPES	0.10	8.66	8 66				15 66				
ENHANCED E	XTENDED LINK (EELs)			CAM	BAPES	0.10	8.00	8 00				13 00	<u> </u>	-		
	New Density Zone 1 EELs are available in the following MSAs	: Orlan	do, FL;	Miami, FL; Ft. Laud	erdale, FL; A	Atlanta, GA; Ne	w Orleans, LA;						···			
NOTE:	Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-	High P	oint, N	C and Nashville, TN.												
	in all states, EEL network elements shown below also apply to												UNEs.(Non-re	curring rates	do not apply	.)
NOTE:	In all states the EEL network elements apply to ordinarily com	nbined	networ	k elements.(No Swit	ch As is Cha	arge.) When or	dering ordinari	ly combined n	etwork elemen	ts, nonrecumi	ng rates do	apply.				
2-WIR	E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR	ANSPORT (EEL)		ļ									ļ	
	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1		1	UNCVX	UEAL2	14 38	88.00	55.00	47.24	7.44		15.66				
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2		2	UNCVX	UEAL2	22.85	88.00	55.00	47.24	7.44		15.66				<u> </u>
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3		3_	UNCVX	UEAL2	36.14	88 00	55.00	47 24	7.44		15.66				<u> </u>
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.18						15.66				
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month		1	UNC1X	U1TF1	60.16	89 27	81.81	16 35	14.44		15 66				
	DS1 Channelization System Per Month			UNC1X	MQ1	107.19	91.04	62.57	10.54	9.79		15.66		<u> </u>	ļ	
	Voice Grade COCI - DS1 To Ds0 Interface - Per Month		<u> </u>	UNCVX	1D1VG	0.56	6 58	4.72				15.66				
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	14 38	88 00	55.00	47.24	7.44		15.66				
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	22.85	88.00	55 00	47.24	7 44		15.66		ļ		
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44		15 66	<u> </u>			
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	0.56	6.58	4.72				15 66		ļ		
	Nonrecurning Currently Combined Network Elements Switch -As- is Charge	l		UNCIX	UNCCC		5.59	5.59	6.98	6.98		15 66				ļ
4-WIR	E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR	ANSPORT (EEL)												-
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice	i	١.			05.04	404.07	04.54	59.14	14.50		15 66	-		i	1
	Transport Combination - Zone 1 First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice		1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50		13.60				†
	Transport Combination - Zone 2		2	UNCVX	UEAL4	38.58	131 97	94.51	59 14	14,50	ļ	15.66				├
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 3	ļ	3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14 50		15.66			ļ	ļ
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.18						15.66				
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14 44		15.66				<u> </u>
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	107.19	91.04	62.57	10.54	9.79		15.66				ļ
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	0.56	6 58	4.72			ļ <u></u>	15.66		ļ. <u></u>	<u> </u>	
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14 50		15.66			ļ	<u> </u>
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50		15.66				<u> </u>
	Additional 4-Wire Analog Voice Grade Loop In same DS1 Interoffice Transport Combination - Zone 3		╅	UNCVX	UEAL4	60.02	131.97	94.51	59,14	14.50		15.66				<u> </u>
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month		Ť	UNCVX	1D1VG	0.56	6 58	4.72				15.66				<u> </u>
	per month Nonrecurring Currently Combined Network Elements Switch -As- ls Charge			UNC1X	UNCCC	1 3.00	5 59	5.59	6.98	6.98		15.66				

ONBUNDLE	D NETWORK ELEMENTS - Alabama		,											nent: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)	_			Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
			-		-	Rec	Nonrec			Disconnect				Rates(\$)		
4-WIB	E 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	NTED	SEEICE	TRANSPORT /EEL			First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice		1	THAMOS OTT (LLL)	<u> </u>	-										
	Transport Combination - Zone 1		1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50		15.66			ŀ	ĺ
	First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	35 95	126,27	88.80	59.14	14.50		15.66				
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice								55	14.00		10.00				
	Transport Combination - Zone 3		3	UNCDX	UDL56	37 88	126.27	88.80	59.14	14.50		15.66				l
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.18						15.66				
	Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44		15.66				<u> </u>
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	107.19	91.04	62 57	10.54	9.79		15.66				
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per		t	0.1017	IALCE I	107.18	31.04	02 37	10.54	9.79		15.06				
	month (2.4-64kbs) Additional 4-Wire 56Kbps Digital Grade Loopin same DS1		<u> </u>	UNCDX	1D1DD	1,19	6.58	4.72				15.66				
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	26.09	126.27	88 80	59.14	14.50		15.66				
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	35.95	126 27	88.80	59.14	14 50		15.66				
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1											10,00				
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	37 88	126.27	88.80	59.14	14.50		15.66				
	OCU-DP COCI (data) - DS1 to DS0 Channel System - combination per month (2.4-64kbs)			UNCDX	1D1DD	1.19	6.58	4.72				15.66				
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98		15.66				
4-WIR	E 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 I	NTERC	FFICE				3.55	5.55	0.50	0.50		10.00				
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	26.09	126.27	- 88 80	59 14	14.50		15.66				
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 2 First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		2	UNCDX	UDL64	35.95	126 27	88.80	59 14	14,50		15.66				
	Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCDX	UDL64	37 88	126.27	88.80	59.14	14 50		15.66			-	
	Per Month			UNC1X	1L5XX	0.18					1	15.66				l
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14,44		15.66				
	Channelization - Channel System DS1 to DS0 combination Per									9 79						
	Month OCU-DP COCI (data) - DS1 to DS0 Channel System			UNC1X	MQ1	107.19	91 04	62 57	10.54	9 /9		15.66				
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.19	6 58	4.72				15.66				
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1															
	Interoffice Transport Combination - Zone 1 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1		1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50	 	15.66				
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	35.95	126 27	88.80	59.14	14.50		15.66				
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50		15 66				
	OCU-DP COCI (data) - DS1 to DS0 Channel System		ا ا	ONOBA	ODE64	37.00	120.27	00.00	30.14	14.00	-					
	combination - per month (2 4-64kbs) Nonrecurning Currently Combined Network Elements Switch -As-			UNCDX	1D1DD	1.19	6.58	4 72				15.66				
	Is Charge			UNC1X	UNCCC		5.59	5.59	6 98	6.98		15 66				
4-WIR	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTE	ROFFI	CE TR	ANSPORT (EEL)		ļ		 							 	
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 1		1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71		15.66				
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice				1101.104	464.40	050.47	(57.54	44.70	11.71		15.66				1
-	Transport - Zone 2 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice			UNC1X	USLXX	154.18	252.47	157.54								
 	Transport - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71		15.66				
	Per Month		1	UNC1X	1L5XX	0.18				l	L	15 66		l	<u> </u>	<u> </u>

UNBUN	DLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: B
CATEGOR	RY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(S)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						↓	Rec	Nonrec		Nonrecurring					Rates(\$)		
		Interesting Transport Delivery 1 DOI 101 DOI 101 DOI		 		ļ		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month		ł	I II IO A V										!	l	
		Nonrecurring Currently Combined Network Elements Switch -As-	<u> </u>	! -	UNC1X	U1TF1	60.16	89 27	81.81	16.35	14.44		15.66				
1 1		Is Charge]	İ	UNC1X	LINICOO				١					i	ı	1
4-	WIRE	DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTE	POEEL	CE TD	ANCHORT (EEL)	UNCCC		5.59	5.59	6.98	6.98	 	15.66				1
T		First DS1Loop in DS3 Interoffice Transport Combination - Zone		I IN	HIGFORT (CEL)								ļ				
		1		1	UNC1X	USLXX	82.55	252.47	157 54	44.70	11.71	Ì	15.66				1
		First DS1Loop in DS3 Interoffice Transport Combination - Zone		<u> </u>		100201			107 04	44:70		1	13.00				}
		2	l	2	UNC1X	USLXX	154.18	252,47	157.54	44 70	11,71		15.66		ŀ		Ì
		First DS1Loop in DS3 Interoffice Transport Combination - Zone				1							70.00			·	
		3	l	3	UNC1X	USLXX	314.52	252 47	157.54	44.70	11.71	1	15.66		i i	·	
li		Interoffice Transport - Dedicated - DS3 combination - Per Mile							-								
		Per Month		<u> </u>	UNC3X	1L5XX	4.09						15.66				
		Interoffice Transport - Dedicated - DS3 - Facility Termination per	ł		l												
		month		ļ	UNC3X	U1TF3	703.52	278 75	162.76	60 20	58 46	<u> </u>	15 66				
		DS3 to DS1 Channel System combination per month	ļ	↓	UNC3X	MQ3	176.20	178.14	93 97	33.26	31.83		15.66				<u> </u>
		DS3 Interface Unit (DS1 COCI) combination per month	ļ		UNC1X	UC1D1	13.47	6.58	4.72				15.66				
		Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 1	1	١.,	LINGAN										1		i .
		Additional DS1Loop in DS3 Interoffice Transport Combination -		1	UNC1X	USLXX	82.55	252.47	157.54	44 70	11 71		15.66			ļ	
		Zone 2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71		15.66		i		ı
		Additional DS1Loop in DS3 Interoffice Transport Combination -		-	IONOTA	10357	154.16	202.41	157.54	44.70	(1.71		15.00			 	├──
		Zone 3		3	UNC1X	USLXX	314.52	252.47	157.54	44 70	11.71		15 66		1		
		DS3 Interface Unit (DS1 COCI) combination per month		┈	UNC1X	UC1D1	13.47	6.58	4 72	77.70	11.71	1	15 66		· · · · · ·	-	+
		Nonrecurring Currently Combined Network Elements Switch -As-		l -		100.07		0.00					1000				
		Is Charge			UNC3X	UNCCC		5.59	5 59	6.98	5.98		15.66		1		1
2-	WIRE	VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INT	EROFF	ICE TE	ANSPORT (EEL)												
		2-WireVG Loop used with 2-wire VG Interoffice Transport			l												
		Combination - Zone 1		1	UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44		15 66				
		2-WireVG Loop used with 2-wire VG Interoffice Transport		1													1
		Combination - Zone 2		2	UNCVX	UEAL2	22.85	88.00	55.00	47.24	7,44	<u> </u>	15 66				
		2-WireVG Loop used with 2-wire VG Interoffice Transport			l												1
		Combination - Zone 3	<u> </u>	3	UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44		15 66			ļ	
		Interoffice Transport - Dedicated - 2-wire VG combination - Per		ł									15.66				1
		Mile Per Month		 	UNCVX	1L5XX	0.008838						35.66	-			!
		Interoffice Transport - Dedicated - 2- Wire Voice Grade		1	UNCVX	U1TV2	21.13	40.54	27.41	16.74	690		15.66	-	1		I
\vdash		combination - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As-	<u> </u>	-	UNCVX	01172	21.13	40.54	27.41	10.74	0.50		13.00			-	
		Is Charge]	UNCVX	UNCCC		5.59	5.59	6.98	6 98		15.66		1		1
4.	WIRE	VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INT	FROFE	ICF TE		011000		0.00	0.00	0.00		1					
 	*******	4-WireVG Loop used with 4-wire VG Interoffice Transport		T	l	· · · · · · · · · · · · · · · · · · ·		~									1
1		Combination - Zone 1	l	l 1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50		15.66			1	<u>l</u> .
		4-WireVG Loop used with 4-wire VG Interoffice Transport		 		T											
		Combination - Zone 2	1	2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50		15.66				<u> </u>
		4-WireVG Loop used with 4-wire VG Interoffice Transport						-						_			
		Combination - Zone 3		3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50		15.66			ļ	
		Interoffice Transport - Dedicated - 4-wire VG combination - Per															İ
		Mile Per Month		<u> </u>	UNCVX	1L5XX	0.008838	_					15.66				
		Interoffice Transport - Dedicated - 4- Wire Voice Grade	-	1	l								4- ^-		i		
<u> </u>		combination - Facility Termination per month	ļ	<u> </u>	UNCVX	U1TV4	18.73	40.54	27.41	16.74	6.90	ļ	15.66			 	
		Nonrecurring Currently Combined Network Elements Switch -As-	l l				1	, l			6.98	1	15.66		1	1	
 	<u> </u>	Is Charge	l rac	VICEO-	UNCVX	UNCCC		5.59	5.59	6.98	6.98		15.00			 	+
D:	53 DI	GITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC	E IKA	NSPOR	(CEL)	+					· · ·	-				+	+
		High Capacity Unbundled Local Loop - DS3 combination - Per	1	1	UNC3X	1L5ND	8.89			1			15.66		l .		
		Mile per month High Capacity Unbundled Local Loop - DS3 combination -	-	+	DINCOX	ILOND	6,09			 		 	19.00			 	
1		Facility Termination per month	ł	1	UNC3X	UE3PX	327.71	451.52	263.94	119.49	83.58		15.66		I	1	
			1		I DI TOUR	JOEO! A	JE1.11	707.02	200.04	1.10.10	55.50		15.66				1

INBUNDLE	D NETWORK ELEMENTS - Alabama													nent: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					Rates(\$)		T 0011411
			├				First	Add'l	First	Add'i_	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per per month			UNC3X	U1TF3	703.52	278.75	162.76	60 20	58.46		15.66				
1	Nonrecurring Currently Combined Network Elements Switch -As-	1		LINCOV	UNCCC		5.59	5.59	6.98	6.98		15.66				1
STS1	Is Charge DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROF	FICE TI	RANSP	UNC3X	UNCCC		5.59	5.59	0.90	0.56	 	15.00			 	
0.0.	High Capacity Unbundled Local Loop - STS1 combination - Per Mile per month	102 11		UNCSX	1L5ND	8.89						15.66				
	High Capacity Unbundled Local Loop - STS1 combination - Facility Termination per month			UNCSX	UDLS1	339 21	451.52	263.94	119.49	83.58		15.66				
	Interoffice Transport - Dedicated - STS1 combination - Per Mile per month			UNCSX	1L5XX	4.09		-		,		15.66				
	Interoffice Transport - Dedicated - STS1 combination - Facility Termination per month			UNCSX	U1TFS	701.37	278.75	162 76	60.20	58.46		15.66				
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCSX	UNCCC		5.59	5.59	6.98	6.98		15.66				
2-WIF	RE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR	RT (EEL	.)													
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1		1	UNCNX	U1L2X	21.88	117.24	79.77	52 88	10.54		15.66				
	First 2-Wire ISDN Loop in a DS1 interoffice Combination Transport - Zone 2		2	UNCNX	U1L2X	32.85	117.24	79 77	52.88	10.54		15 66				
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 3		3	UNCNX	U1L2X	48.55	117.24	79.77	52.88	10.54		15 66			ļ	<u> </u>
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			UNC1X	1L5XX	0.18						15 66			<u> </u>	
	Interoffice Transport - Dedicated - DS1 combintion - Facility Termination per month		<u> </u>	UNC1X	U1TF1	60.16	89.27	81 81	16.35	14 44	ļ	15.66			ļ	
	Channelization - Channel System DS1 to DS0 combination - per month			UNC1X	MQ1	107.19	91.04	62 57	10.54	9.79		15 66	ļ			-
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combination - per month			UNCNX	UC1CA	2.56	6.58	4.72		,	<u> </u>	15 66			<u> </u>	
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 1		1	UNCNX	U1L2X	21 88	117.24	7 9 77	52.88	10.54		15.66	<u> </u>			
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 2		2	UNCNX	U1L2X	32.85	117.24	79.77	52.88	10.54		15 66	ļ			ļ
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3		3	UNCNX	U1L2X	48.55	117.24	79.77	52 88	10.54		15.66				-
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combintaion- per month			UNCNX	UC1CA	2.56	6 58	4 72				15.66	ļ		ļ	<u> </u>
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		5.59	5 59	6.98	6.98	ļ	15 66	ļ			
4-WII	RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN	ITEROI	FICE 1	RANSPORT (EEL)					<u> </u>	 			 	 	 	+
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	82 55	252.47	157.54	44.70	11.71	<u> </u>	15.66	ļ <u>.</u>	<u> </u>		
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 2	<u> </u>	2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71	ļ	15 66	<u> </u>	ļ		
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 3		3	UNC1X	usLXX	314.52	252.47	157.54	44.70	11.71	<u> </u>	15.66	ļ	ļ	 	
	Interoffice Transport - Dedicated - STS1 combination - Per Mile Per Month			UNCSX	1L5XX	4.09					<u> </u>	15.66	ļ	<u> </u>	ļ	
	Interoffice Transport - Dedicated - STS1 combination - Facility Termination			UNCSX	U1TFS	701.37	278.75	162.76	60.20	58 46		15 66 15.66		ļ		_
	STS1 to DS1 Channel System conbination per month		$\perp \overline{}$	UNCSX	MQ3	176.20	178.14	93.97		31.83	+	15.66		+	+	+
	DS3 Interface Unit (DS1 COCI) combination per month Additional DS1Loop in STS1 Interoffice Transport Combination -	\vdash	+	UNC1X	UC1D1	13.47	6.58	4 72 157.54	44.70	11.71		15.66				
	Zone 1 Additional DS1Loop in STS1 Interoffice Transport Combination -	┼	1	UNC1X	USLXX	82.55	252.47		44.70	11.71		15.66	1			
	Zone 2 Additional DS1Loop in STS1 Interoffice Transport Combination -	+	2	UNC1X	USLXX	154.18	252.47	157.54		11.71		15.66		1		1
1	Zone 3	1	3	UNC1X	USLXX	314 52	252.47	157.54 4.72	44.70	11./1		15.66		+	+	+

UNBUNDLE	D NETWORK ELEMENTS - Alabama													ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Increments Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-] '		1				ا ۔ ۔ ا		!	45.50		1		
4 1000	Is Charge	TELOP 1	FD 4 MC	UNCSX	UNCCC		5 59	5 59	6.98	6 98		15.66			-	
4-WIH	E 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROP 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport	FFICE	HANSI	PORT (EEL)					ļ		 					
1	Combination - Zone 1		1 1	UNCDX	UDL56	26.09	126.27	88 80	59.14	14.50		15.66			į	i
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport		+	ONOBA	OBLOG	20.00	120.27	- 00.00	33.71	7		10.00				
	Combination - Zone 2		2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50		15 66				ł
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport		1													
	Combination - Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50		15.66				<u> </u>
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		1								1		1	1		
	Per Mile			UNCDX	1L5XX	0.008838						15 66		ļ. .		
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			LINODY	LISTES	45.40	40.54	27 41	16 74	690		15.66		1	1	
	Facility Termination		├	UNCDX	U1TD5	15.12	40.54	2/41	10 /4	6 90	 	13.00		-	 	1
1	Nonrecurring Currently Combined Network Elements Switch -As- is Charge			UNCDX	UNCCC		5 59	5.59	698	6 98		15.66			1	
4.0010	IS Charge E 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROP	FFICE 1	TRANS!		ONOGO.		3 39	5.09	7 30		 					
1-4411	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport		T		1									1		T
İ	Combination - Zone 1		1 1	UNCDX	UDL64	26 09	126.27	88 80	59.14	14 50		15.66				<u> </u>
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport		1													
1	Combination - Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50		15 66			ļ	ļ
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport													1	1]
	Combination - Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50		15 66			 	}
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			l	1						1	15.66	1	1	ì	
	Per Mile			UNCDX	1L5XX	0.008838			ļ		 	15.00		 	 	
- 1	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			, miony	U1TD6	15.12	40.54	27.41	16 74	6.90		15 66	•	ł		1
	Facility Termination		_	UNCDX	שטווט	15.12	40,54	27.41	10 /4	0.50	 	10 00		 	 	
	Nonrecurring Currently Combined Network Elements Switch -As-			UNCDX	UNCCC		5.59	5 59	6 98	6.98	1	15.66		1		1
DOLTIONAL	Is Charge NETWORK ELEMENTS		-	ONODA	011000		0.00				1			1		
When	used as a part of a currently combined facility, the non-recurr	ng cha	rges do	not apply, but a S	Switch As Is c	harge does ap	oty.									
When	used as ordinarily combined network elements in all states, th	e non-	recurrir	og charges apply ar	nd the Switch	As is Charge of	oes not.								-	ļ
Node	(SynchroNet)	l	1		1						<u> </u>					
Nonre	curring Currently Combined Network Elements "Switch As Is"	Charge	(One a	pplies to each com	nbination)						ļ		ļ		ļ	ļ <u>.</u>
	Nonrecurring Currently Combined Network Elements Switch -As-			ļ		i				0.00	1	15.00	ł			•
	Is Charge - 2 wire/4-Wire VG	L		UNCVX	UNCCC		5.59	5.59	6.98	6.98	 	15.66		 	 	
	Nonrecurring Currently Combined Network Elements Switch - As-			, mony				5.59	6.98	6.98	1	15 66	·	1		
	Is Charge - 56/64 kbps	ļ	—	UNCDX	UNCCC		5.59	5.59	6.98	6.98	 	10 00	 	 	 	
1	Nonrecurring Currently Combined Network Elements Switch -As-	1	1	UNC1X	UNCCC		5.59	5 59	6.98	6.98		15.66			1	
	Is Charge - DS1	 	+	UNU IX	UNICCO		3.39	7.59	V.50	3.50	1	1				
	Nonrecurring Currently Combined Network Elements Switch -As-		1	UNC3X	UNCCC	l	5.59	5.59	6.98	6.98		15.66	<u></u>	l		
	Is Charge - DS3 Nonrecurring Currently Combined Network Elements Switch -As-	 	+	5,100/	10.1000		Ç.55								1	
	le Charne - STS1			UNCSX	UNGCC		5.59	5 59	6.98	6.98	İ	15 66	<u> </u>		1	<u> </u>
NOTE	: Local Channel - Dedicated Transport - minimum billing period	d - Belo	w DS3	one month. DS3 a	nd above=fou	r months									<u> </u>	1
INOTE	Local Channel - Dedicated - 2-Wire Voice Grade		1	UNCXV	JULDV2	13.97	193.10	33.17	36.64	3.20		15 66			ļ	
	Local Channel - Dedicated - 4-Wire Voice Grade	$\overline{}$	1	UNCXV	ULDV4	14.93	193.53	33.60		3.67		15.66	ļ <u>.</u>	 		
	Local Channel - Dedicated - DS1 per month Zone 1			UNC1X	ULDF1	35.76	177 47	153,72		15.26		15.66	ļ . ·	1	 	
	Local Channel - Dedicated -DS1 Per Month Zone 2			UNC1X	ULDF1	49 98	177 47	153.72		15.26 15.26		15.66 15.66	 	 	 	+
	Local Channel - Dedicated - DS1- Per Month Zone 3		3	UNC1X	ULDF1	107.63	177.47	153 72	22.19	15.26	 	15.00	 	+	 	
	Local Channel - Dedicated - DS3 - Per Mile per month			UNC3X	1L5NC	6.92	151.50	263.94	119.49	83.58		15.66	 	 		+
	Local Channel - Dedicated - DS3 - Facility Termination		4	UNC3X	ULDF3	416.54	451.52	203.94	119.49	63.56	+	10.00	 	 	1	
	Local Channel - Dedicated - STS-1- Per Mile per month	<u> </u>	4	UNCSX	1L5NC	5.81 872.27	483.06	204.36	60.20	58.46	 	15.66				1
	Local Channel - Dedicated - STS-1 - Facility Termination		-	UNCSX	ULDFS	8/2.2/	483.06	204.30	00.20	33,40	 	1		—	1	
iOntio	nal Features & Functions:	<u> </u>	+		+				 	 	 	T	 	1		I
107.00	ridi e vedu		t	1	I	1	L				1	15 66		T	I	
MULT		 	_	HYTD1	MO1	101 06	91.04	62.57	10.54	9.79		1000	l			
MUL1	Channelization - DS1 to DS0 Channel System OCU-DP COCI (data) - DS1 to DS0 Channel System - per			UXTD1	MQ1	101.06	91.04	62.57	10.54	9.79		15 66		 	 	

UNBI	UNDLE	D NETWORK ELEMENTS - Alabama			,									Attachi	ment: 2	Exhil	bit: B
CATE		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge -
ļ	Τ		<u> </u>	├ ─				Nonrec	u umi m m	Nonrecurring	Disconnect	ļ	L	<u> </u>	Rates(\$)	Disc 181	Disc Add 1
	+		_	+			Rec	First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-	†	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per		 				-1113	Addi	INOL	Addi	JOMEO	JONIAN	30111734	JOHAN	JOHNIY	SOMAN
		month		1	UDN	UC1CA	2.41	6 58	4.72			Ì	15.66	1		i	ł
		Voice Grade COCI - DS1 to DS0 Channel System - per month			UEA	1D1VG	0 53	6.58	4 72				15.66		 		
		DS3 to DS1 Channel System per month		1	UXTD3	MQ3	166.13	176.14	93 97	33.26	31.83	 	15.66		<u> </u>		
		STS1 to DS1 Channel System per month			UXTS1	MQ3	166.13	176.14	93 97	33.26	31.83		15.66				· · · · · · · · · · · · · · · · · · ·
		DS3 Interface Unit (DS1 COCI) used with Loop per month			USL	UC1D1	12.70	6.58	4.72				15.66				
		DS3 Interface Unit (DS1 COCI) used with Local Channel per month			ULDD1	UC1D1	12.70	6 58	4.72				15.66				
		DS3 Interface Unit (DS1 COCI) used with Interoffice Channel		i 		-						i e	12.00				
1		per month		1	U1TD1	UC1D1	12.70	6.58	4.72		1	ł	15 66				
UNBU	INDLED I	LOCAL EXCHANGE SWITCHING(PORTS)		1						-							†
		nge Ports								L	L			l			
$ldsymbol{ldsymbol{eta}}$	NOTE:	Although the Port Rate includes all available features in GA, I	KY, LA	& TN, t	he desired features	will need to b	e ordered usin	g retail USOCs	1							L	
<u></u>	2-WIRE	VOICE GRADE LINE PORT RATES (RES)										ļ					
<u> </u>	+	Exchange Ports - 2-Wire Analog Line Port- Res.	L	 	UEPSR	UEPRL	1.38	2.38	2 27	1.42	1.33	ļ	15.66				
		Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.		<u> </u>	UEPSR	UEPRC	1.38	2.38	2.27	1.42	1.33		15 66				
1	1	Surbana Bada Balda Andra Andra I an Bada ada da ada da Bad			LIEDAD	LIEDDA	4.00			٠,,	4.00		45.00	1	ł		
├	 	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.		i	UEPSR	UEPRO	1 38	2.38	2.27	1.42	1.33	ļ	15 66				
		Exchange Ports - 2-Wire VG unbundled AL extended local dialing parity Port with Caller ID - Res.		<u> </u>	UEPSR	UEPAR	1.38	2.38	2.27	1.42	1.33		15.66				
İ	-	Exchange Ports - 2-Wire VG unbundled res, low usage line port		ļ	UEPSR	UEPAP	4.00			4.0	1		15 66				1
	 	with Caller ID (LUM)			UEPSR	USASC	1 38	2.38	2 27	1.42	1.33		15.66		 		
	FEATU	Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00		 		15,66				-
\vdash	FEATO	All Available Vertical Features		┼	UEPSR	UEPVF	1.98	0.00	0.00			 	15.66				
	2.WIRI	E VOICE GRADE LINE PORT RATES (BUS)		 	OCFOR	OEF VI	1.80	- 0.00	0.00		 		10.00	 			
	2. 47,1711	Exchange Ports - 2-Wire Analog Line Port without Caller ID -		 					-								
	ļ	Bus		_	UEPSB	UEPBL	1.38	2.38	2 27	1.42	1.33		15 66				ļ
		Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus			UEPSB	UEPBC	1.38	2 38	2.27	1.42	1.33		15.66	-			ļ
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	VEPBO	1.38	2.38	2.27	1.42	1.33		15 66				
		Exchange Ports - 2-Wire VG unbundled AL extended local dialing party Port with Caller ID - Bus.		1	UEPSB	UEPAW	1.38	2.38	2.27	1.42	1.33		15.66	<u> </u>			
ļ		Exhange Ports - 2-Wire VG unbundled incoming only port with															l
		Caller ID - Bus			UEPSB	UEPB1	1.38	2.38	2.27	1.42	1.33		15.66			L	<u> </u>
		Subsequent Activity	L		UEPSB	USASC	0.00	0.00	0.00			ļ	15.66				ļ
	FEATL			ļ									15.00		 		
	1	All Available Vertical Features		\vdash	UEPSB	UEPVF	1 98	0 00	0.00			 	15.66				
	EXCH/	ANGE PORT RATES (DID & PBX)		Ь—			1.38	31.27	14 85	13 94	0 90		15,66	-			
		2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE UEPSP	UEPRD UEPPC	1.38	31.27	14.85	13.94	0.90	 	15.66	-			
<u> </u>	1	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus		╄	UEPSP	UEPPO	1.38	31.27	14.85	13.94	0.90		15.66				
_		2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus 2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus	-	+	UEPSP	UEPP1	138	31.27	14.85	13.94	0.90		15 66	<u> </u>			†
\vdash	+	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus 2-Wire Analog Long Distance Terminal PBX Trunk - Bus	\vdash	+	UEPSP	UEPLD	1.38	31.27	14.85	13.94	0.90	 	15.66	l			
—	+	2-Wire Voice Unbundled 2-Way PBX Alabama Calling Port		+	UEPSP	UEPA2	1.38	31.27	14.85	13.94	0 90	t	15.66	1	I	1	T
\vdash	+	2-Wire Voice Unbundled PBX LD Terminal Ports	\vdash	+	UEPSP	UEPLD	1 38	31.27	14 85	13.94	0.90		15 66				
—	1	2-Wire Vice Unbundled 2-Way PBX Usage Port		T	UEPSP	UEPXA	1.38	31.27	14 85	13.94	0.90		15 66				
	1	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.38	31.27	14 85	13.94	0.90		15 66				<u> </u>
		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.38	31.27	14.85	13.94	0.90		15.66			ļ	<u> </u>
	\perp	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.38	31.27	14.85	13.94	0.90	L	15.66		ļ	L	
	1	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD													l	ĺ	
<u> </u>	-	Capable Port 2-Wire Voice Unbundted 2-Way PBX Hotel/Hospital Economy		├-	UEPSP	UEPXÉ	1.38	31.27	14.85	13 94	0.90	 	15.66	 			
		Administrative Calling Port 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		ļ	UEPSP	UEPXL	1.38	31.27	14.85	13.94	0.90		15.66	ļ		<u> </u>	
	-	Room Calling Port	<u> </u>	1	UEPSP	UÉPXM	1.38	31.27	14.85	13 94	0 90	l	15.66			L	<u> </u>

NRUNDI FO	NETWORK ELEMENTS - Alabama												Attachi	ment: 2	Exhi	bit: B
112011222											Svc Order	Svc Order	incremental	Incremental	Incremental	Incremen
- 1					ļ						Submitted	Submitted	Charge -	Charge -	Charge -	Charge
ŀ			1 1								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual S
	RATE ELEMENTS	Interi	Zone	BCS	USOC	1		RATES(\$)				per LSR	Order vs.	Order vs.	Order vs.	Order v
ATEGORY	HATE ELEMENTS	m	20116	503	0300			1.511 ==(+)			per Lan	per Lon				
			1 1		1								Electronic-	Electronic-	Electronic-	Electroni
i			!		į.						i		1st	Add'l	Disc 1st	Disc Add
_												<u> </u>	L	<u> </u>	L	
				<u> </u>		Rec	Nonrec	urring	Nonrecurring	_Disconnect_				Rates(\$)		
-						Hec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital		-													
1 1	Discount Room Calling Port	l	, ,	UEPSP	UEPXO	1 38	31.27	14 85	13 94	0.90		15.66		!		ŀ
				UEPSP	UEPXS		31.27	14.85	13 94	0.90	 	15.66				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port					1.38			10 54	0.50		15.66				
	Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00				15 66		 		
FEATU																
	All Available Vertical Features			UEPSP UEPSE	UEPVF	1.98	0.00	0.00				15.66		Í		
EXCHA	NGE PORT RATES (COIN)													l		L
	Evolunga Porte - Com Port	_				1.38	2.38	2 27	1 42	1 33		15 66				
NOTE	Transmission/usage charges associated with POTS circuit so	-itals ad		will also anakı ta ci	muit cuitabe	nd waice and/or	circuit switch	ad data transm	ission by B-Ch	annels assoc	ated with 2	wire ISDN I	oorts.			
NUIE:	Access to B Channel or D Channel Packet capabilities will be	********	usaye	The area DEDA	Dueles-s	TOTAL DESCRIPTION	Dates 4-4	nackat canal	itiae will be de	termined via	he Bone El	e Recuset	New Busines	s Request Pro	Cess.	
INOTE:	Access to B Channel of D Channel Packet capabilities will be	avalia	NE OUI	airough BEN/NOW	Dusiness Ke	Addest Piocess.	naws for the	Packer nahani				1			1	+
	OCAL EXCHANGE SWITCHING(PORTS)	L								ļ	 	 	 	 		
	NGE PORT RATES					<u> </u>					 			——		
_	Exchange Ports - 2-Wire DID Port		I	UEPEX	UEPP2	8 05	119.31	18.74	59.90	3 76		15.66			_	
_	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID											i	1	i	l	
	capability	l	1	UEPDD	UEPDD	60.09	202 02	95 69	72.59	2 46	1	15 66		L	J	l
			+	UEPTX UEPSX	UIPMA	9.79	72.77	52.99	47.79	10.74	1	15 66		T	T	
	Exchange Ports - 2-Wire ISDN Port (See Notes below)		-			1 98	0.00	0.00						 		
	All Features Offered			UEPTX UEPSX	UEPVF	1 96	0.00	0.00	I alam bar D Ol		ated with 2	wine ICDM		 	· · · · · · · · · · · · · · · · · · ·	
NOTE:	Transmission/usage charges associated with POTS circuit st	wi <u>tched</u>	usage	will also apply to c	ircuit switch	ed voice and/or	circuit switch	ed data transm	ission by B-Ci	ianneis assoc	ated with 2	WITE ISDIV	DOI LO.			
NOTE:	Access to B Channel or D Channel Packet capabilities will be	availa	ble only	through BFR/New	Business Re	equest Process.	Rates for the	packet capabi	lities will be de	etermined via	he Bona Fi	e Request	New Busines	S Hequest Pri	ocess.	ļ
	Exchange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX UEPSX	U1UMA	0 00	0 00	0 00	l		L		<u> </u>	<u> </u>		└ —
	Exchange Ports - 4-Wire ISDN DS1 Port	-		UEPEX	UEPEX	84,32	203.81	101.56	79 18	20.06		15.66			l	
		, 	-	OC: LX	TOLI LA	- · · · · · · · · · · · · · · · · · · ·										
	IDLED PORT with REMOTE CALL FORWARDING CAPABILITY		-			 									·	
UNBUN	IDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE				I			2 27	1,42	1 33	f	15 66	 			
	Unbundled Remote Call Forwarding Service, Area Calling, Res		<u> </u>	UEPVR	UERAC	1.38	2 38	221	1,42	1 33		13 00	1	 		
			T		ŀ						1	4= 00		1		1
ì	Unbundled Remote Call Forwarding Service, Local Calling - Res	1	Į.	UEPVR	BERLC	1 38	2.38	2.27	1.42	1 33	ļ	15.66				
	Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTE	1 38	2.38	2.27	1 42	1.33	L	15 66	<u> </u>	<u> </u>		L
	Unbundled Remote Call Forwarding Service, IntraLATA - Res	_	+	ÜEPVR	UERTR	1 38	2 38	2 27	1 42	1.33		15.66				
		├──	+	OLF VII	OLIVIII.	 									T	
Non-Re	curring		—			 										
	Unbundled Remote Call Forwarding Service - Conversion -	l	i i					0 10			1	15.66	ĺ	ĺ	1	i
	Switch-as-is	i	l	UEPVŘ	USAC2		0.10	0 10	L		 	13.00			 	+
	Unbundled Remote Call Forwarding Service - Conversion with				T				1	ł	1		l:	1	l .	
1	allowed change (PIC and LPIC)	ł	ļ.	UEPVR	USACC	ļ	0.10	0 10			<u> </u>	15.66			 .	
I IN IO I II	IDLED REMOTE CALL FORWARDING - Bus	├ ─	+	<u> </u>	1	ļ					I	Ĺ	1		1	
UNBUN	IDLED REMOTE CALL FORWARDING - BUS				+	 										1
		1			LIEDAG	1.38	2.38	2.27	1.42	1.33		15 66	l .		1	1
- 1	Unbundled Remote Call Forwarding Service, Area Calling - Bus	<u> </u>		UEPVB	UERAC	1.38	2.30	2.6.1	1.72	1.00		1 - 13 - 1		 		
					l.	1			٠	1 400	1	15.66		ſ	ſ	i
l	Unbundled Remote Call Forwarding Service, Local Calling - Bus	1	1	UEPVB	UERLC	1.38	2.38	2 27	1.42	1 33				+	+	+
	Unbundled Remote Call Forwarding Service, InterLATA - Bus	T		ÜEPVB	UERTE	1.38	2.38	2 27	1.42	1.33		15.66			 	+
	Unbundled Remote Call Forwarding Service, IntraLATA - Bus	+		UEPVB	UERTR	1.38	2.38	2 27	1.42	1.33	L	15.66				+
_	Undundled Hemote Call Forwarding Service, mitaLATA - Bos	 	+	July 10	1	1		i					1		ĺ	1
ĺ	Unbundled Remote Call Forwarding Service Expanded and		1	Lucava	DERVJ	1.38	2.38	2 27	1.42	1 33	1	15.66	1	1 .	l	
1	Exception Local Calling			UEPVB	DEHVJ	1,30	2.00			 						T
Non-Re	ecurring	l	1						ļ———	 	 	 	+	 		
	Unbundled Remote Call Forwarding Service - Conversion -							1	İ		1	45.00	[i	i	1
	Switch-as-is	Į.	1	UEPVB	USAC2		0.10	0.10	l		 	15.66			 	+-
	Unbundled Remote Call Forwarding Service - Conversion with	-						1	l		Į.	1 .	-			1
- 1	Onbundied Remote Call Forwarding Service - Conversion Will	1	ł	UEPVB	USACC	1	0.10	0.10	J	J	J	15.66	.]			
	allowed change (PIC and LPIC)	_	+	UEF VD	03200	+									I	<u> </u>
IBUNDLED I	LOCAL SWITCHING, PORT USAGE										 	1				
End Of	ffice Switching (Port Usage)									 	1	 	1		1	T
	End Office Switching Function, Per MOU	Γ		1	1	0.0007025			 	 	 	+	+	 		-
	End Office Trunk Port - Shared, Per MOU		1		1	0.0001638	L	L		 _	 	+	+	+	+	+
F		-	+ -			1							1	+		
lande	m Switching (Port Usage) (Local or Access Tandem)		+	 	+	0.000095		T	T -				L			
	Tandem Switching Function Per MOU	↓	+-		+	0.0002015	 	 	1	1						1
	Tandem Trunk Port - Shared, Per MOU	 _	_	ļ	_	0.0002015		 	 	 		1	1	T		
Comm	on Transport	L		<u> </u>	.1		$oldsymbol{ol}oldsymbol{ol}oldsymbol{ol}ol}}}}}}}}}}}}}}}}$		 -	 	+	+	+			1
	Common Transport - Per Mile, Per MOU	\top	1			0.0000023	l	L		<u> </u>		\vdash	+		+	+
	Common Transport - Facilities Termination Per MOU		+			0.0003224				<u></u>			<u> </u>		 	+-
	PORT/LOOP COMBINATIONS - COST BASED RATES	+	+	 	+	+	T	Γ			I		1		4	
			1	mmission rule to p				1							1	

UNBUNDL	ED NETWORK ELEMENTS - Alabama												Attachi	ment: 2	Exhit	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st		incremental Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'i
						Rec	Nonrec		Nonrecurring				OSS	Rates(\$)		<u> </u>
East	uses shall earth to the Hebrardied Bodil on Combination Co.	<u> </u>			<u></u>		First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
End	ures shall apply to the Unbundled Port/Loop Combination - Cos Office and Tandem Switching Usage and Common Transport U	sage rat	es in th	section in the same i	nanner as th	ey are applied to	to the Stand-A	lone Unbundle	d Port section	of this Rate E	xhibit.	- Do-M	Cambiastic	<u> </u>		
The f	irst and additional Port nonrecurring charges apply to Not Curr	rently Co	ombine	ed Combos. For Cu	rently Comb	ined Combos.	the connecurri	ng charges sh	all he those ide	entitied in the	Monrecurdo	n Porvioop	v Combined	ns. sections Ad	littonal nonce	
cnar	ges may apply also and are categorized accordingly.	,			,			ing changes on	un be blese lac	minioo mi me	· ·	ig - continu	y Combined	SOCIONS. AU	Muonai nonre	curning
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)													I	· · · · · · · · · · · · · · · · · · ·	
UNE	Port/Loop Combination Rates [2-Wire VG Loop/Port Combo - Zone 1															
- -	2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2	-	2			12.70										
	2-Wire VG Loop/Port Combo - Zone 3	 	3			34.80										
UNE	Loop Rates		Ť			34.00						-				
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	11.55										
	2-Wire Voice Grade Loop (SL1) - Zone 2			UEPRX	UEPLX	20 04										
0.14	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	33.65										
2-1/1	re Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence		-	UEPRX	UFPRL	1.15	40.19	19.83	24 91			45.00				
_	2-Wire voice unbundled port with Caller ID - res	_	_	UEPRX	UEPRC	1.15	40.19	19.83	24.91	6 63 6 63		15.66 15.66				
	2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	1.15	40.19	19.83	24.91	6.63		15.66	-			
	2-Wire voice Grade unbundled Alabama extended local dialing											,,,,,,,,				
	parity port with Caller ID - res			UEPRX	UEPAR	1.15	40.19	19.83	24 91	6.63		15.66				L
1	2-Wire voice unbundles res, low usage line port with Caller ID															
	(LUM)			UEPRX	UEPAP	1,15	40 19	19 83	24 91	6.63		15.66				
PEA	All Features Offered			UEPRX	UEPVF	1.98	0.00	0,00				15 66				
LOCA	AL NUMBER PORTABILITY	-		UEPRA	DEPVE	1.98	0.00	0.00				15 66				
-	Local Number Portability (1 per port)	1		UEPRX	LNPCX	0.35					-					
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED					V.00										
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPRX	USAC2		0 10	- 0.10				15.66				
ADDI	TIONAL NRCs			<u> </u>	007.02											
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent			UEPRX	USAS2	0.00	0.00	0.00				15 66	-			
2-WII	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)		-	CLITIK	CONCE	0.00	0.50	0.00				10 00				
	Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			12.70										
	2-Wire VG Loop/Port Combo - Zone 2		2			21.19										
	2-Wire VG Loop/Port Combo - Zone 3	<u> </u>	3			34.80								ļ		
UNE	Loop Rates	⊢—		UEPBX	LIEDI Y	11.55										
	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2	-	2	UEPBX	UEPLX	20 04										
	2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3			UEPBX	UEPLX	33.65										
2-Wir	e Voice Grade Line Port (Bus)		Ť			\$0.00										
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL.	1.15	40.19	19.83	24.91	6 63		15.66				
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.15	40 19	19 83	24.91	6.63		15.66				
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.15	40 19	19.83	24.91	6 63		15.66				
	2-Wire voice Grade unbundled Alabama extended local dialing			LIEDDY	LUEDANN	ا	40.40	19.83	24.91	6 63	1	15 66				1
	parity port with Caller ID - bus 2-Wire voice unbundled incoming only port with Caller ID - Bus		-	UEPBX UEPBX	UEPAW UPEB1	1.15	40.19 40.19	19.83	24.91	6 63		15.66				
100	AL NUMBER PORTABILITY		 	OEF BA	OPEDI	1,15	40 19	19.03	24,91	- 003		10.00				
100/	Local Number Portability (1 per port)		_	UEPBX	LNPCX	0.35										
FEAT	TURES (* par party															
	All Features Offered			UEPBX	UEPVF	1.98	0.00	0.00				15 66				
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED		<u> </u>													
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			LIEDOV	110400		0.40					15.66				1
	Switch-as-is	-		UEPBX	USAC2	<u> </u>	0.10	0.10				15.06		 		
ADDI	TIONAL NRCs [2-Wire Voice Grade Loop/Line Port Combination - Subsequent		_		 _											
	Activity			UEPBX	USAS2		0.00	0.00				15.66				
2-WII	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
UNF	Port/Loop Combination Rates										L	l		L	L	

NBUNDLE	D NETWORK ELEMENTS - Alabama												Attachi	nent: 2	Exhil	bit: B
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Submitted Elec	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs
						D	Nonrec	urring	Nonrecurring	Disconnect	1			Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/Port Combo - Zone 1		1			12.70										
	2-Wire VG Loop/Port Combo - Zone 2		2			21,19			i							
	2-Wire VG Loop/Port Combo - Zone 3		3		 	34 80								-		
LINE I	oop Rales	 	-		+	0700					 				 	
-	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	11 55					 	 	 			
	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEPRG	UEPLX	20.04										
	2-Wire Voice Grade Loop (SL 1) - Zone 3			UEPRG	UEPLX	33 65					·					
2.00	Voice Grade Line Port Rates (RES - PBX)		-3-	UEPRO	UEPLA	33 03					 		· · · · · · · · · · · · · · · · · · ·			
S-AAILE											 					·
1	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -	i	l i		1			4.	!				ļ	ł	Į	1
	Res		ļ	UEPRG	UEPRD	1.15	69.08	32 41	37.43	6.20		15.66				_
LOCA	L NUMBER PORTABILITY		<u> </u>													
	Local Number Portability (1 per port)	1	L	UEPRG	LNPCP	3.15	0.00	0.00	i			15.66				
FEAT	URES															<u> </u>
	All Features Offered			UEPRG	UEPVF	1 98	0.00	0.00				15.66				
NONE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED				1				1			1			,	T
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -				1											
- 1	Conversion - Switch-As-Is		1	UEPRG	USAC2		7.91	1.90				15.66		į		i
ADDIT	TIONAL NRCs		-	OLI TIQ	COAOZ		1.07	1.00								
ADDI	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		 - 											 	-	+
1		ł		UEDDO	USAS2	0.00	0.00	0.00				15.66	1		1	
	Subsequent Activity	<u> </u>		UEPRG	USA52	0.00	0.00	0.00				15.00	 		 	+
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt	1		İ	1 1	1			i i		Ĭ	1	i	1	1	i .
	Group		1				7.32	7.32				15.66		ļ		
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)		!		l											J
UNE F	Port/Loop Combination Rates											<u></u>				
	2-Wire VG Loop/Port Combo - Zone 1		1			12 70						L				
	2-Wire VG Loop/Port Combo - Zone 2		2			21.19					F					
1	2-Wire VG Loop/Port Combo - Zone 3		3			34.80					T					
UNE	oop Rates		<u> </u>													
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	11.55						T				T
		l		UEPPX	UEPLX	20 04										
	2-Wire Voice Grade Loop (SL 1) - Zone 2	├		UEPPX	UEPLX	33.65									· · ·	
	2-Wire Voice Grade Loop (SL 1) - Zone 3	ļ	3	UEPPX	UEPLX	33.03						· ·-	 	 		+
2-Wire	Voice Grade Line Port Rates (BUS - PBX)		 								 	 -		 		 -
- 1		l							07.40	0.00	1	15.66		1	1	i
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	<u> </u>		UEPPX	UEPPC	1.15	69.08	32 41	37.43	6 20			 		 	
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1.15	69.08	32 41	37.43	6.20		15 66			 	
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1.15	69 08	32.41	37.43	6.20	ļ	15.66		<u> </u>		
	2-Wire Voice Unbundled 2-Way Combination PBX Alabama		Г								1	ļ	1	1	1	1
1	Calling Port	ļ	ļ	UEPPX	UEPA2	1,15	69.08	32.41	37.43	6 20		15 66	İ	l		
\rightarrow	2-Wire Voice Unbundled PBX LD Terminal Ports	 		UEPPX	UEPLD	1.15	69 08	32 41	37.43	6.20	Γ	15.66			<u> </u>	
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port	-	+	UEPPX	UEPXA	1.15	69 08	32.41	37,43	6 20	1	15.66				
	2-Wile Voice Oribundled 2-Way Combination PDA Osage Port		+	UEPPX	UEPXB	1.15	69.08	32 41	37.43	6.20		15 66	1			T
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	-	├—		UEPXC	1.15	69.08	32.41	37.43	6.20		15 66				1
	2-Wire Voice Unbundled PBX LD DDD Terminals Port		┼─┈	UEPPX			69.08	32.41	37 43	6 20		15.66			<u> </u>	
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.15	69.08	32.41	37 43	0 20	 	13.00			 	+
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			ĺ	1			Í			1	15.00	1	ì	1	1
1	Capable Port		L	UEPPX	UEPXE	1.15	69.08	32.41	37.43	6.20	 	15 66	ļ		<u> </u>	
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
İ	Administrative Calling Port	1	1	UEPPX	UEPXL	1.15	69.08	32.41	37 43	6.20	J	15.66	<u> </u>		L	
+	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	i	 					"					1	ĺ	1	1
		1	1	UEPPX	UEPXM	1.15	69.08	32.41	37.43	6.20		15.66			<u> </u>	
+-	Room Calling Port		 	(V=1.1.X)	5 m. 7(m		22.30							1		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	1	ŀ	UEPPX	UEPXO	1.15	69 08	32 41	37.43	6.20	1	15.66	1	1	1	1
	Discount Room Calling Port	├					69.08	32.41	37.43	6.20		15.66	1	1	1	T
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	₩	₩	UEPPX	UEPXS	1.15	80.60	32.41	37.43	0.20	+	10.00	 		 	$\overline{}$
LOC#	AL NUMBER PORTABILITY										+	15.66	 		+	+
	Local Number Portability (1 per port)	\perp	1	UEPPX	LNPCP	3.15	0.00	0.00	Ļ		+-	10.00	 		+	+
		T		1	1	L		1				 		 	 	+
FEAT		1		UEPPX	UEPVF	1.98	0.00	0.00	i		.	15.66		L		+
FEAT	All Features Offered	1	1	JUEFFA	100, 11	. 1.00										
	All Features Offered	-	┼─	OEFFX	ULI VI	1.00	-									
	All Features Offered IECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		<u> </u>	OEFFX	02.7	1.50						15 66	ļ	ļ <u>-</u> -	<u> </u>	

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attachi	nent: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge -	Incremental Charge -	increment Charge
		ļ	-		 	T	Nonrec	urring	Nonrecurring	Disconnect				Rates(\$)		
						Rec	First	Add'I	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
ADDIT	TONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity		1	UEPPX	USAS2	0.00	0.00	0.00				15.66				
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt	_	 -	OL: TX	OOADE	- 0.00									 	
	Group	<u> </u>	ļ				7.32	7 32				15.66			ļ	
	E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	श	L													
UNEF	Port/Loop Combination Rates		١			40.00									<u> </u>	
	2-Wire VG Coin Port/Loop Combo ~ Zone 1		1		 	12.70									 	
-+-	2-Wire VG Coin Port/Loop Combo – Zone 2 2-Wire VG Coin Port/Loop Combo – Zone 3	-	2			21 19					 				}	
UNE	oop Rates		3_		 	34 80					 				 	
ONEL	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	11.55					 					
	2-Wire Voice Grade Loop (SL1) - Zone 1	 	2	UEPCO	UEPLX	20.04					 	 			 	
	2-Wire Voice Grade Loop (SL1) - Zone 3	 	3	UEPCO	UEPLX	33 65					 				†	
2-Wire	Voice Grade Line Ports (COIN)	 		02,00	100,00											<u> </u>
	2-Wire Coin 2-Way without Operator Screening and without		1								 				†	
	Blocking (AL, KY, LA, MS)	[1 1	UEPCO	UEPRF	1 15	40.19	19 83	24.91	6.63	l	15.66	}	1	ŀ	1
	2-Wire Coin 2-Way with Operator Screening (AL, KY)		1	UEPCO	UEPRE	1 15	40.19	19.83	24.91	6.63		15 66				
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,			UEPCO	UEPRA	1.15	40 19	19.83	24 91	6.63		15.66				
	900/976, 1+DDD (AL, KY, LA, MS) 2-Wire Coin 2-Way with Operator Screening and 011 Blocking		 	DEPCO	DEPRA	1.15	40 15	19.03	2431		-				ļ	
	(AL, LA, MS)		 	UEPCO	UEPRB	1.15	40.19	19.83	24.91	6 63		15.66				
ł	2-Wire Coin 2-Way with Operator Screening & Blocking: 900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)	l		UEPCO	UEPCD	1,15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Coin Outward with Operator Screening and 011 Blocking (AL. FL)			UEPCO	UEPRK	1.15	40.19	19.83	24.91	6.63		15.66				
	(AL, FL) 2-Wire Coin Outward with Operator Screening and Blocking:		1-	DEPCO	UEPHK	1.15	40.19	19.03								
	011, 900/976, 1+DDD (AL, KY, LA, MS)		 	UEPCO	UEPRH	1 15	40.19	- 19.83	24 91	6 63		15.66			ļ	
	2-Wire Coin Outward Operator Screening & Blocking: 900/976, 1+DDD, 011+, and Local (AL, KY, LA, MS)		1	UEPCO	UEPCN	1.15	40 19	19.83	24 91	6.63		15 66				
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.15	40 19	19 83	24 91	6 63		15.66				<u> </u>
	2-Wire Coin Outward Smartline with 900/976 (all states except LA)			UEPCO	UEPCR	1.15	40.19	19.83	24,91	6.63		15 66				
- ADDIT	TIONAL UNE COIN PORT/LOOP (RC)		+	UEFCO	OLFOR	1.10	70.10	10.00						 		
AUUII	UNE Coin Port/Loop Combo Usage (Flat Rate)	1	+	UEPCO	URECU	1.56	40.19	19.83	24.91	6 63	· · · · · ·	15 66				
- LOCA	L NUMBER PORTABILITY	 	1-	021 00	OFFICE		10,10	.,,,,,,								
LUCA	Local Number Portability (1 per port)	 	 	UEPCO	LNPCX	0.35										
NONE	ECURRING CHARGES - CURRENTLY COMBINED	 	1	02, 00												
- Itoliii	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	 	†								1					[]
	Switch-as-is	l		UEPCO	USAC2	i i	0.10	0.10			l	15.66				
ADDIT	TIONAL NRCs											L			<u> </u>	L
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent			UEPCO	USAS2		0.00	0 00				15.66			1	
	Activity 2-Wire voice unbundles res, low usage line port with Caller ID	1	 			 								<u> </u>		
NDUNDU 52	(LUM) PORT/LOOP COMBINATIONS - COST BASED RATES	├	<u> </u>	UEPFR	UEPAP	2 07	225.00	175.00			 	15.66	 	 	 	<u> </u>
MEUNULED	PORT/LOOP COMBINATIONS - COST BASED RATES IE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	POPT	┼	 	+	 										
2-WIR	Port/Loop Combination Rates	TONI	+		+	 				l						
DNE	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1	 	1	 	+	22 40			_		T					
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1	+	2	 	 	30.88						T			I	
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3	-	3			44,17										
Tible !	Loop Rates	 	 	———	+											
OMET	2-Wire Analog Voice Grade Loop (SL2) - UNE Zone 1	 	1	UEPPX	UECD1	14 38										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2	1-	2	UEPPX	UECD1	22.85									1	
-+-	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3	\vdash		UEPPX	UECD1	36 14									.	
UNE C	Port Rate	1	+ ٿ	T	T									ļ		<u> </u>
OME	Exchange Ports - 2-Wire DID Port	1	+	UEPPX	UEPD1	8.02	207.31	73.74	107.14	11.20		15.66			↓	↓
	RECURRING CHARGES - CURRENTLY COMBINED	+	+	1==	-+ -				F		1	1		1	H	1

UNBUNDLE	ED NETWORK ELEMENTS - Alabama													Attachi	nent: 2	Exhib	bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	8	cs	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Rec	Nonrec	urring	Nonrecurring					Rates(\$)		
			<u> </u>			ļ	1	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
i i	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - Switch-as-is	i	l	UEPPX		110404	1 1	7.04	4.07	}		1	1]	i
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion		 	UEPPX		USAC1	 	7.31	1 87			 	 				
ļ	with BellSouth Allowable Changes	1	1	UEPPX		USA1C		7 31	1.87			ĺ					1
ADDI	TIONAL NRCs	_	┼	OCI I X		COATO			1.01			 	-	 			
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk		 	UEPPX		USAS1	 	26 78	26.78			 	 				
Telep	hone Number/Trunk Group Establisment Charges		_														
	DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0 00								
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00								
	DID Numbers, Non- consecutive DID Numbers, Per Number			UEPPX		ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0 00	0 00								
	Reserve DID Numbers		ota	UEPPX		NDV	0.00	0.00	0 00			L		L			
LOCA	L NUMBER PORTABILITY									ļ		<u> </u>	<u> </u>	ļ	ļ		<u> </u>
	Local Number Portability (1 per port)	L	<u> </u>	UEPPX		LNPCP	3,15	0.00	0.00			<u> </u>				l ———	
	RE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDI	PORT			ļ				ļ		<u> </u>	 	 		<u> </u>	
UNE	Port/Loop Combination Rates		!			ļ	[ļ						l — — —	
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		١,		LIEBBB	l	1					1	l				1
	UNE Zone 1	<u> </u>	 '-	UEPPB	UEPPR		27.28					 	 				
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2		2	UEPPB	UEPPR	1	37.86						1	1	ı	1	
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	├──	 -	OLITO	OLFTT	 	07.00						 				
l i	UNE Zone 3		3	UEPPB	UEPPR	1	53 84			1		1	ł	1		[
UNE	Loop Rates		⊢ <u>~</u>	02.70	QLI III	 	- 3331					<u> </u>					
- - -	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	19.03		·								
1	2-Wire ISDN Digital Grade Loop - UNE Zone 2	i	2	UEPPB	UEPPR	USI.2X	29.62					<u> </u>	<u> </u>		<u> </u>		<u> </u>
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	45 60										
UNE	Port Rate					I											
	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	8.24	190 01	132.76	100.67	21 28	ļ	15.66	ļ			ļ
NONE	RECURRING CHARGES - CURRENTLY COMBINED					L						ļ	 	<u> </u>			ļ
1	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port	i	1	l		1				ł i		ł	15.66	1	ł	l	ł
	Combination - Conversion		├ -	UEPPB	UEPPR	USACB	0.00	38.51	27.02			 	15.00				
	TIONAL NRCs		├				 			 		 				 	
LOCA	AL NUMBER PORTABILITY		-	UEPPB	UEPPR	LNPCX	0.35	0.00	0.00			 	 				
9 011	Local Number Portability (1 per port)		├	UEPPB	UEFFR	LINECA	0.35	0.00	0.00			 	 	 			
B-CH/	ANNEL USER PROFILE ACCESS: TCVS/CSD (DMS/5ESS)	├		UEPPB	UEPPR	U1UCA	0.00	0.00	0.00			t — —	 	-			
	CVS (EWSD)	-	 -	UEPPB	UEPPR	U1UCB	0.00	0.00	0.00				· · · · · · · · · · · · · · · · · · ·				
	CSD CSD	-	-	UEPPB	UEPPR	UIUCC	0.00	0.00	0 00			 	T				
B.CH.	ANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C.MS. 8	TN)			12.000											
- 2-011	ICVS/CSD (DMS/5ESS)	1	1	UEPPB	UEPPR	U1UCD	0.00	0 00	0 00								
i	CVS (EWSD)		 	UEPPB	UEPPR	UIUCE	0.00	0.00	0.00				Ι'				<u> </u>
	CSD		 	UEPPB	UEPPR	UIUCF	0.00	0.00	0 00								
USER	TERMINAL PROFILE	├	1-														
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00							ļ	<u> </u>
VERT	ICAL FEATURES											L	 	ļ. <u> </u>	 	J	ļ
-	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	1.98	0.00	0 00					<u> </u>	<u> </u>	!	 _
INTER	ROFFICE CHANNEL MILEAGE	Ι										<u> </u>	<u> </u>	<u> </u>	 _	 	
	Interoffice Channel mileage each, including first mile and	Ι ΄	Π							l		1	1		1		1
i	facilities termination		<u> </u>		UEPPR	M1GNC	21 14	40.54	- 27.41	16.74	6.90	ļ		 	 	ļ	
	Interoffice Channel mileage each, additional mile			UEPPB	UEPPR	MIGNM	0.008838	0.00	0.00	ļ	ļ		0.00			<u> </u>	
	RE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNI	(PORT										_	├	 	ļ	 	
UNE	Port/Loop Combination Rates					<u> </u>						<u> </u>		 		 	
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE			1		ì				1		1	1			1	1
	Zone 1	\vdash	1	UEPPP		ļ	166 87			 	 	 	 	 	 	 	
[4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	1	١.	LIEBBE		1	200 50			1	ł	1	1	ł	ł	1	1
	Zone 2	ļ	2	UEPPP		 	238.50						 	 			
1	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	1	l 3	UEPPP		1	398.85				I	1	1	1	l		1

INBUNDLED NETWORK ELEMENTS - Alabama													ment: 2		oit: B
ATEGORY RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)	7			Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
					Rec	Nonrec		Nonrecurring					Rates(\$)		
					nec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMÁN	SOMAN	SOMAN	SOMAN
UNE Loop Rates				'											
4-Wire DS1 Digital Loop - UNE Zone 1		1.	UEPPP	USL4P	82.55					<u></u>					
4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP	USL4P	154 18					1					
4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP	USL4P	314.52		· · · · · · · · · · · · · · · · · · ·			ļ					1
UNE Port Rate		ļ								<u> </u>	L	ļ			<u> </u>
Exchange Ports - 4-Wire ISDN DS1 Port		↓ —	UEPPP	UEPPP	84,32	456.28	259.10	123.88	31.77		15 66				
NONRECURRING CHARGES - CURRENTLY COMBINED		-								ļ					-
4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk P	ort		UEPPP	lucaco	0.00	440.07	70.50	i		l	15.00	1		İ	
Combination - Conversion -Switch-as-is			DEPPP	USACP	0.00	119.07	78 56			<u> </u>	15.66				ļ
ADDITIONAL NRCs		┼								 	ļ	<u> </u>			ļ
4-Wire DS1 Loop/4-W ISDN Digt! Trk Port - Subsqt Actvy- Inward/two way tel nos within Std Allowance (except NC)	- 1	1	UEPPP	PR7TF		0.49				1	1		I		į.
4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port		+	DEPPP	rn/Ir		0.49		 		 	 	 		 	
	1	1	UEPPP	PR7TO		11.51		l		ı		ŀ			
Outward Tel Numbers (All States except NC) 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -	 -	+	DEFFF	FR/10		11.51		 		 	 			 	
Subsequent Inward Tel Nos Above Std Allowance	1	1	UEPPP	PR7ZT		23.02		i				1			1
LOCAL NUMBER PORTABILITY		 	UEFFF	PRIZI		23.02					-				
		┼	UEPPP	LNPCN	1.75			-		 		 		1	
Local Number Portability (1 per port)		+	DEPPP	LNPCN	1.75							ļ			
INTERFACE (Provsioning Only) Voice/Data		┼	UEPPP	PR71V	0.00	0.00	0.00								
Digital Data		-	UEPPP	PR71D	0.00	0.00	0.00			 				 	
		╄	UEPPP	PR71E	0.00	0.00	0.00			 			 		
Inward Data			DEPPP	PR/1E	0.00	0.00	0.00								
New or Additional "B" Channel New or Additional - Voice/Data B Channel		┼	UEPPP	PR7BV	0.00	14.53						 			
		 	UEPPP	PR78F	0.00	14.53			····	 -	 				1
New or Additional - Digital Data B Channel		┼─	UEPPP	PR78D	0.00	14.53									
New or Additional Inward Data B Channel		┿	UEPPP	PR/BU	0,00	14.55		-		 	 				
CALL TYPES		-	UEPPP	PR7C1	0.00	0.00	0.00			 				 	
Inward		+	UEPPP	PR7C0	0.00	0.00	0.00				 		· · · · · · · · · · · · · · · · · · ·		
Outward		-		PR7CC	0.00	0.00	0.00				· · · · · ·			 	
Two-way		+	ÜEPPP	PM/CC	0.00	0.00	0.00				 	-	 		-
Interoffice Channel Mileage		+	LICODO	1LN1A	60.32	89 27	81 81	16.35	14,44	 	15 66				
Fixed Each Including First Mile		+	UEPPP	1LN1B	0.16	09 27	0101	10.55	14,44		15.00			 	
Each Airline-Fractional Additional Mile		-	DEPPP	ILNIB	0.16						 			 	
4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT		-						· · · · · · · · · · · · · · · · · · ·			 	 	 		
UNE Port/Loop Combination Rates		+_	UEDEO		142 64			<u> </u>			 		 	 	
4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		214.26					 	 	 			1
4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		374.61			 		+	 			<u> </u>	t
4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		3/4.01					 	-		 		
UNE Loop Rates		1	to-see	1101.00	82.55					+		-	 		
4-Wire DS1 Digital Loop - UNE Zone 1		1		USLDC	154.18					 	 		ļ		
4-Wire DS1 Digital Loop - UNE Zone 2			UEPDC	USLDC						 	 		 		
4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	314.52					 	 				
UNE Port Rate					20.00	454.40	253 23	117.29	14.17	 	15.66		 		
4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	60.09	454.49	253 23	117.29	14,17	 	13.00		<u> </u>	 	<u> </u>
NONRECURRING CHARGES - CURRENTLY COMBINED		<u> </u>								 	 		 		
4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combi	nation	1				400.40	67.02				15.66			1	1
- Switch-as-is		 	UEPDC	USAC4		129.49	67.02	├		 	10.00	 	 	 	†
4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combi	nation	1					67.60	{			15.66		1		
- Conversion with DS1 Changes		1—	UEPDC	USAWA		129.49	67.02			 	15.00	 	 	 	1
4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combi	nation	1					67.02	1			15.66	I	l	1	1
- Conversion with Change - Trunk		+	UEPDC	USAWB		129.49	61.02	 		+	10.00	 	 	 	
ADDITIONAL NRCs		4—	ļ					 		+	 	 		 	
4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -	1	1	l	l		ا ـ ا	44.40				15.66	1	1	1	1
Subsequent Channel Activation/Chan - 2-Way Trunk		J	UEPDC	UDTTA		14.48	14.48	 		+	15.00	 	 	1	
4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent	:	1		1		<u></u> l					15 66	1	I	1	
Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB	ļ	14.48	14.48	 		+	15 00	 	 	+	
4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Ch	annel			i						1	15.66	ŀ	1		1
Activation/Chan Inward Trunk w/out DID	1	ı	UEPDC	UDTTC		14.48	14.48				13.66	<u> </u>		<u> </u>	

			Τ'''		T						A	0	In an arrantal	1		
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremer Charge Manual S Order v Electron Disc Ad
						Rec	Nonrec		Nonrecurring				OSS	Rates(\$)		
						nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan	i .														("
	Activation Per Chan - Inward Trunk with DID		1	UEPDC	UDTTD		14.48	14.48			}_	15 66		j		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan											[!	
	Activation / Chan - 2-Way DID w User Trans		1	UEPDC	UDTTE		14 48	14.48				15.66			<u> </u>	
	AR 8 ZERO SUBSTITUTION															
	B8ZS -Superframe Format		<u> </u>	UEPDC	CCOSF		0 00	600 00								
	B8ZS - Extended Superframe Format		<u> </u>	UEPDC	CCOEF		0.00	600 00								L
	te Mark Inversion		—													
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								ļ
	AMI - Extended SuperFrame Format		1	UEPDC	MCOPO		0.00	0.00				<u> </u>				—
	one Number/Trunk Group Establisment Charges			LIEDDO	UDTOY					·		 -				—
	Telephone Number for 2-Way Trunk Group		-	UEPDC	UDTGX	0.00	,		<u> </u>			 				├──
	Telephone Number for 1-Way Outward Trunk Group		├	UEPDC UEPDC	UDTGZ	0 00										
	Telephone Number for 1-Way Inward Trunk Group Without DID		1			0 00	0.00					 	<u> </u>		ļ	
	DID Numbers for each Group of 20 DID Numbers DID Numbers, Non- consecutive DID Numbers, Per Number		-	UEPDC UEPDC	ND4 ND5	0 00	0.00					 -		 		├──
			-	UEPDC	ND6	0 00	0.00	0.00						ļ		├
	Reserve Non-Consecutive DID Nos		-	UEPDC	NDV	0.00	0 00	0.00						ļ		—
	Reserve DID Numbers	D1-14-				0.00	000	0.00								├
	led DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	Digita	LOOP	WITH 4-WIRE DULIS I	runk Port											\vdash
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination)			UEPDC	1LNO1	60 16	89.27	81.81	16.35	14.44		15.66				
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.16	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25 miles			UEPDC	1LNOB	0 16	0.00	0.00								ļ
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							<u> </u>
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.16	0.00	0.00								
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0 00	0.00		L					
	Central Office Termininating Point			UEPDC	CTG	0.00										
4-WIRE	DS1 LOOP WITH CHANNELIZATION WITH PORT											L				—
System	is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti	vations	5													—
Each Sy	ystem can have up to 24 combinations of rates depending on	type a	nd num	ber of ports used												
UNE DS			1		I						ļ					
	4-Wire DS1 Loop - UNE Zone 1			UEPMG	USLDC	82 55	0 00	0.00								—
	4-Wire DS1 Loop - UNE Zone 2			UEPMG	USLDC	154 18	0.00	0.00							ļ ———	├
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	314.52	0.00	0.00								 -
	60 Channelization Capacities (D4 Channel Bank Configuration	15)			ļ						 	 	<u> </u>			-
	24 DSO Channel Capacity - 1 per DS1		<u> </u>	UEPMG	VUM24	101 40	0.00	0 00			 	 	 	 		
	48 DSO Channel Capacity - 1 per 2 DS1s		1	UEPMG	VUM48	202.80	0.00	0.00				 	ļ	 	 	
	96 DSO Channel Capacity -1per 4 DS1s		<u> </u>	UEPMG	VUM96	405.60	0 00	0 00			 			 	 	
	144 DS0 Channel Capacity - 1 per 6 DS1s		1	UEPMG	VUM14	608.40	0.00	0.00			 	 	 	 		
	192 DS0 Channel Capacity -1 per 8 DS1s		<u> </u>	UEPMG	VUM19	811.20	0.00	0.00			 		 	 		
	240 DS0 Channel Capacity - 1 per 10 DS1s		<u> </u>	UEPMG	VUM20	1,014.00	0.00	0.00								
	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,216.80	0.00	0.00		L	 		 			
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,622 40	0.00	0 00			 	 	 		 	
	480 DS0 Channel Capacity - 1 per 20 DS1s		<u> </u>	UEPMG	VUM40	2,028.00	0 00	- 0.00	ļ				 		 	
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,433.60	0 00	0.00	ļ.——					 		
	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	2,839.20	0.00	0 00				 			 	
Non-Re	curring Charges (NRC) Associated with 4-Wire DS1 Loop with	Chan	neliztio	n with Port - Conve	rsion Charge	Based on a Sy	stem				 	 	 	 		+
A Minin	num System configuration is One (1) DS1, One (1) D4 Channe	l Bank,	and U	p To 24 DSO Ports w	vith Feature A	Activations.	_,				 	 			+	+
Multiple	es of this configuration functioning as one are considered Ad	id'i afte	er the m	inimum system con	figuration is	counted.			 		 	 			 	+
	NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes			UEPMG	USAC4	0.00	150.48	8.36				15 66				<u> </u>
, ,	Additions at End User Locations Where 4-Wire DS1 Loop wit															

UNBU	NDLEC	NETWORK ELEMENTS - Alabama													nent: 2		bit; B
CATEG		RATE ELEMENTS	interi m	Zone	BCS	usoc			RATES(\$)	New	Diagona	Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I Rates(\$)	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
				-			Rec	Nonrec		Nonrecurring First	Add'i	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4 DOADA Charact Barts Addition to Add NDC for each Bod	<u> </u>	—				First	Add'l	First	Add I	SUMEC	SUMAN	SUMAN	SUMAIN	SUMAIN	SOMAN
		DS1/D4 Channel Bank - Additionally Add NRC for each Port and Assoc Fea Activation	1	1	UEPMG	VUMD4	0.00	716,11	468 04	148.75	17.65	1	15 66	1	l	1	1
		8 Zero Substitution	 	-	DEFMG	VOIVID4	0.00	710.11	400 04	140.75	17.03		10.00				
		Clear Channel Capability Format, superframe - Subsequent		 		 						1					
i '		Activity Only		1	UEPMG	CCOSF	0.00	0.00	600.00	1	İ						
		Clear Channel Capability Format - Extended Superframe -		\vdash													
		Subsequent Activity Only			UEPMG	CCOEF	0.00	0 00	600.00							l	<u> </u>
	Alterna	te Mark Inversion (AMI)															
		Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
		Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
		ge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port													
	Exchan	ge Ports	_	-								 		— —			
,		the Orlean Charles Charles Charles Control Control	1		HEDDA	UEDOY	ا ۔ ا	0.00	0.00	0 00	0.00		15.66	1	1		1
<u> </u>	<u> </u>	Line Side Combination Channelized PBX Trunk Port - Business		-	UEPPX UEPPX	UEPOX	1.15	0.00	0.00	0.00	0.00		15.66	 	 		
<u> </u>		Line Side Outward Channelized PBX Trunk Port - Business	-	+	UCPPA	UEPUX	1.15	0.00	0.00	0.00	0.00		13.00	 		!	
, '		Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	1 15	0.00	0 00	0.00	0.00	1	15.66	ļ	Į.	1	1
<u> </u>		2-Wire Trunk Side Unbundled Channelized DID Trunk Port	 	 	UEPPX	UEPDM	8.05	0.00	0.00	0.00	0.00		15 66				
<u> </u>		2-Wire Channelized PBX Area Calling Service Combination Port	 	+	OCITA	OEI DIII	0.00	0.00	0.00								
! '		(AL Only)	i		UEPPX	UEPA4	1.15	0.00	0.00				15.66				
		2 Wire Channelized PBX Area Calling Service Outgoing Only		+										T			
		Port (AL Only)	1		UEPPX	UEPA3	1.15	0.00	0.00				15.66	<u> </u>			
	Feature	Activations - Unbundled Loop Concentration														<u> </u>	
		Feature (Service) Activation for each Line Side Port Terminated in D4 Bank			UEPPX	1PQWM	0.56	54.55				ļ	15.66				ļ
		Feature (Service) Activation for each Trunk Side Port Terminated in D4 Bank			UEPPX	1PQWU	0.56	77.03				ļ	15.66			ļ	
		one Number/ Group Establishment Charges for DID Service		↓		NDT	0 00	0 00	0.00				 			-	
		DiD Trunk Termination (1 per Port)	-	-	UEPPX	ND4	0.00	0.00	0.00		 	+	 		 		1
<u> </u>		DID Numbers - groups of 20 - Valid all States		+-	UEPPX	ND5	0.00	0.00	0.00			 	 	1			
Ь—	<u> </u>	Non-Consecutive DID Numbers - per number		+	UEPPX	ND6	0.00	0.00	0.00			T				I	
<u> </u>		Reserve Non-Consecutive DID Numbers	 	+	UEPPX	NDV	0.00	0.00	0.00								
		Reserve DID Numbers		+	OEFFX	1,454	- 555										
	Local	Local Number Portability - 1 per port		+	UEPPX	LNPCP	3.15	0.00	0.00								
	EFATU	RES - Vertical and Optional	 	+-		1						I					↓
		Switching Features Offered with Line Side Ports Only	 	-	·											1	
⊢-	Local	All Features Available	1	+-	UEPPX	UEPVF	1.98	0.00	0.00					ļ ——			
	LINE L	pop Rates													 		
IINBU	ini en d	DENTALLY BORTH COR COMPINIATIONS COST BASED BATE	S	_									 	<u> </u>	 -		
O.N.D.O.				r State	Commission rule to	provide Unb	undled Local S	witching or Sv	vitch Ports.	1		l Bata F	rebilbia	 			
\vdash										e Unbundled P	ort section of	this Hate	XNIDIT.	 			+
	3. End	Office and Tandem Switching Usage and Common Transport	Usage	rates i	n the Port section o	of this rate ext	nibit shall apply	to the Unbun	dled Centrex F	Port/Loop Com	bination.		<u> </u>		<u> </u>		
	4. The	recurring UNE Port and Loop charges listed apply to Current	ly Com	bined a	and Not Currently C	ombined Con	nbos, except in	Density Zone	of the top 8	MSAs where th	e end-user ha	s 4 or more	DS0 equiva	lents. The st	and alone fire	and addition	nal Port and
<u> </u>	Loop r	nonrecurring charges apply to Not Currently Combined Combinet Combinet Rates for Unbundled Centrex Port/Loop Combination in Description of the Combination of the Combinet Com	08.	Zone 1	areas of the Ton 8	MSAs will he	negotiated on	an Individual (ase Basis, un	til further notic	>0 .						
<u> </u>	5. Mar	Ket Hates for Unbundled Centrex Port/Loop Combination in L	A SHEAT	20:10 1	aroas vi lile TOP 6		T Squared on									ļ	
		CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo	4	+-			1										
		ort/Loop Combination Rates (Non-Design)	+	1									₩	 	1	 	+
	DIVER	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	+		-							1		1		1	i
1	1	Non-Design	1	1	UEP91		12.70				<u> </u>			 	+	+	+
\vdash	 -	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		 							1	1	1	1		1	
		Non-Design		2	UEP91		21.19		L	_	ļ			+	+		+
	L	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	1	1							1	1	1	I	1	1	1
├—	1				L	1	34.80	1	1	1	I	1 _	1		1		+
_		Non-Design		3	UEP91		34.00									1	
	UNE P	Non-Design ort/Loop Combination Rates (Design)		3	UEP91		34.50						F	-		 	 -
	UNE P	Non-Design		-	UEP91		15 53										

JNBUNDLED NETWORK E	LEMENTS - Alabama												Attach	ment: 2	Exhil	bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	incremental Charge - Manual Svc Order vs. Electronic- Add'i		Increments Charge - Manual Sv Order vs. Electronic Disc Add
		 	 		-	Rec	Nonrec First	Add'i	Nonrecurring First	Add'l	CONEC	SOMAN		Rates(\$)	SOMAN	SOMAN
2-Wire VG Loop/2	-Wire Voice Grade Port (Centrex)Port Combo -	 	 -		 -		riist	Audi	FIRST	AQQ 1	SOMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
Design	THE TOOL CHEST ON COMMON ON COMMO	j	2	UEP91	1	24.00					1	i	ļ	1	l	ì
	-Wire Voice Grade Port (Centrex)Port Combo -	 	1-	02.07	1	27.00					 			 		
Design	,		1 3	UEP91		37.29		,			ļ	ł	ŀ	l	l	l
UNE Loop Rate												·	l			
2-Wire Voice Grad	le Loop (St. 1) - Zone 1	I	1	UEP91	ÜECS1	11.55										
	le Loop (SL 1) - Zone 2	i	2	UEP91	UECS1	20.04										
	le Loop (SL 1) - Zone 3		3	UEP91	UECS1	33.65										
	le Loop (SL 2) - Zone 1	I	1	UEP91	UECS2	14 38										
	de Loop (SL 2) - Zone 2	<u> </u>	2	UEP91	UECS2	22 85										
	le Loop (SL 2) - Zone 3	-	3	UEP91	UECS2	36.14										
UNE Ports	Constitution and Constitution	-			 								ļ			
	Carolina and Sout Carolina)	 	+-	LIEDO4	Lurray 4											_
	de Port (Centrex) Basic Local Area de Port (Centrex 800 termination)Basic Local	-	 	UEP91	UEPYA	1.15	40.19	19.83	24.91	6 63		15.66				
Area	to rout (Certifex 600 termination) basic Local	1	1	UEP91	UEPYB	1.15	40 19	19.83	24.91	6 63	1	15.66	l	Į.	}	}
	le Port (Centrex with Caller ID)1Basic Local		 	UEP81	UEF 1B	1,15	40 19	19.03	24.91		-	15.00				
Area	Te Fort (Certifex with Caller ID) Dasic Local	1		UEP91	UEPYH	1.15	40.19	19.83	24.91	6 63	1	15 66		l	!]
	le Port (Centrex from diff Serving Wire	 	+	OEFBI	OEF III	1,10	40.15	15.03	24.91	0 03		15 00				
Center)2 Basic Lo		1	1	UEP91	UEPYM	1.15	90.38	57.27	48.66	8 77	1	15.66	ļ	1	!	ļ
	le Port, Diff Serving Wire Center - 800 Service	+	+	00.707	100. 110	1.10	50.00		70.00			10.00				
Term - Basic Loca			1	UEP91	UEPYZ	1.15	90 38	57.27	48.66	8.77	Ì	15.66	l	ļ		ļ
	de Port terminated in on Megalink or equivalent		_		102.12						 					
- Basic Local Area		1	1	UEP91	UEPY9	1.15	40.19	19 83	24.91	6.63	J	15 66	}	ļ	1	
	le Port Terminated on 800 Service Term -	_														
Basic Local Area			i i	UEP91	UEPY2	1 15	40 19	19.83	24.91	6.63		15.66	l]		
AL, KY, LA, MS, & TN O	nly	_	_													
2-Wire Voice Grad	de Port (Centrex)		1	UEP91	UEPQA	1.15	40 19	19.83	24 91	6 63		15.66				
2-Wire Voice Grad	de Port (Centrex 800 termination)	T .	1	UEP91	UEPQB	1.15	40 19	19.83	24 91	6 63		15 66				
	de Port (Centrex with Caller ID)1			UEP91	UEPQH	1.15	40.19	19.83	24 91	6 63		15.66				
2-Wire Voice Grad	te Port (Centrex from diff Serving Wire	Γ							1		i			1	l	ŀ
Center)2		<u> </u>		UEP91	UEPQM	1.15	90 38	57 27	48 66	8 77		15.66				
	le Port, Diff Serving Wire Center - 800 Service				l						ĺ.		(l	1	!
Term				UEP91	UEPQZ	1.15	90.38	57.27	48 66	8.77		15.66				
		l	1									15.00	i .	1	1	
	de Port terminated in on Megalink or equivalent		.	UEP91	UEPQ9	1.15	40.19	19.83	24 91	6.63	l ——	15 66				
	le Port Terminated on 800 Service Term	↓	↓	UEP91	UEPQ2	1.15	40.19	19.83	24.91	6.63	 	15 66	<u> </u>	 		
Local Switching		-			1.0500	0.5400						ļ				
	Funtionality, per port	├	-	UEP91	URECS	0.5488					 					
Local Number Portabilit		├──-	 	UEP91	LNPCC	0.35					 					
	tability (1 per port)		+-	DEPSI	LINPOG	0.35					 	 				
Features	ures Offered, per port	-	┾	UEP91	UEPVF	1.98										
	s Offered, per port			UEP91	UEPVS	0.00	405.52									
	of Features Offered, per port	+-	+	UEP91	UEPVC	1.98										
NARS	readules Offered, per port	· · · · ·	+-	02.737	102. 10								-			
	ork Access Register - Combination		+-	UEP91	UARCX	0.00	0.00	0 00								
	ork Access Register - Indial	-	t^-	UEP91	UAR1X	0.00	0.00	0.00								
	ork Access Register - Outdial	 	1 —	UEP91	UAROX	0.00	0 00	0.00								
Miscellaneous Terminat		1	1	1	T			-								
2-Wire Trunk Side		T -	T^-													<u> </u>
Trunk Side Termi	nations, each			UEP91	CENA6	8.05	119 31	18.74	59.90	3.76		15.66		<u> </u>		ļ
Interoffice Channel Mile																
	el Facilities Termination - Voice Grade			UEP91	M1GBC	21.13	40.54	27.41	16.74	6.90		15.66	ļ		ļ	
Interoffice Chann	el mileage, per mile or fraction of mile			UEP91	M1GBM	0.008838					ļ					
)) Centrex Loops on Channelized DS1 Service	ce				L				<u></u>					 	
D4 Channel Bank Featur									L		ļ					
Feature Activation	on D-4 Channel Bank Centrex Loop Slot		(UEP91	1PQWS	0.56			<u> </u>		<u></u>					L

INBUNDLE	D NETWORK ELEMENTS - Alabama												Attachi	ment: 2	Evhil	olt: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	
			_		+	Rec	Nonrec First	Add'i	First	g Disconnect Add'I	SOMEC	COMAN		Rates(\$)	001111	001111
							rnat	Addi	Filst	Addi	SOMEC	SUMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.56									1	
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop									 		-				
	Slot			UEP91	1PQW7	0.56			<u></u>					ł	ĺ	
- 1	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center	l	1													
	Dinaraut Aata Caufe.		-	UEP91	1PQWP	0.56										
- 1	Feature Activation on D-4 Channel Bank Private Line Loop Slot	ľ	1	UEP91	1PQWV	0.56				i						
	Feature Activation on D-4 Channel Bank Tile Line/Trunk Loop		-	021 31	11-02777	0.50										
	Slot		l	UEP91	1PQWQ	0.56								!	ĺ	
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0 56				 						
Non-Re	curring Charges (NRC) Associated with UNE-P Centrex															
1	Conversion - Currently Combined Switch-As-Is with allowed		1													
	changes, per port Conversion of Existing Centrex Common Block	_	-	UEP91	USAC2		0.10	0 10			ļ	15 66				
	New Centrex Standard Common Block			UEP91	USACN		37 75	16 58				15.66				
	New Centrex Standard Common Block			UEP91 UEP91	M1ACS	0 00	667 21					15.66				
	Secondary Block, per Block		 	UEP91	M1ACC M2CC1	0.00	667.21 78.02					15 66				
	NAR Establishment Charge, Per Occasion		1	UEP91	URECA	0 00	78.02					15 66 15.66				
UNE-P	CENTREX - 5ESS (Valid in All States)		_	OEF91	UNECA		12 13				-	15.00				
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo		-											ļ		
	ort/Loop Combination Rates (Non-Design)		1								-					
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				 											
[Non-Design		1 1	UEP95	1	12,70				l	1]		
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -				1											
_	Non-Design		2	UEP95	1	21.19				Į.						
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		3	UEP95		34.80		-			l .					
	ort/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design		1	UEP95		15.53										
- 1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -				1			i		l	1			1		
	Design		2	UEP95		24.00										
- 1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -				1					ŀ	!	·				
IINEL	Design pop Rate		3	UEP95		37.29				 				 		
	2-Wire Voice Grade Loop (SL 1) - Zone 1			UEP95	UECS1	11 55					 					
	2-Wire Voice Grade Loop (SL 1) - Zone 1			UEP95	UECS1	20 04				 	-					
	2-Wire Voice Grade Loop (SL 1) - Zone 3			UEP95	UECS1	33.65			-	 	 			-		
\neg	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	14.38						 				
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	22.85										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	36.14										
	ort Rate															
All Stat																
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	1.15	40.19	19.83	24 91	6 63		15.66				
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area			UEP95	UEPYH	1.15	40.19	19.83	24 91	6.63		15 66				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2 Basic Local Area			UEP95	UEPYM	1.15	90.38	57.27	48.66	8.77		15 66				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			LIEDOS	445047	أييا	00.00	-7.4-	40.00			15.66				
	Term - Basic Local Area		\vdash	UEP95	UEPYZ	1.15	90.38	57.27	48.66	877		15.66				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent]	LEBOE	LIEDVO	ا ـ ـ ـ ا	40.19	40.00	24.91	6 63		15.66				
	- Basic Local Area			UEP95	UEPY9	1.15	40.19	19.83	24.91	0 03	\vdash	15.00				
	2-Wire Voice Grade Port Terminated on 800 Service Term -			UEP95	UEPY2	1.15	40.19	19.83	24 91	6.63		15 66				
AI VV	Basic Local Area , LA, MS, SC, & TN Only		-	UEF95	UEP 12	1.15	40.19	19.83	2491	0.63		10.00				
AL, KT	2-Wire Voice Grade Port (Centrex)		-	UEP95	UEPQA	1.15	40.19	19.83	24.91	6.63	\vdash	15 66				
. 1	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPQB	1.15	40.19	19.83	24.91	6.63	_	15.66				

INRONDLED	NETWORK ELEMENTS - Alabama												Attech	nent: 2	Eukii	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		Name	RATES(\$)			Svc Order Submitted Elec per LSR	Submitted	incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge -
			 		-	Rec	Nonrec First	Add'l	Nonrecurring First	Add'I	SOMEC	COMAN	SOMAN	Rates(\$)	001141	
	2-Wire Voice Grade Port (Centrex with Caller ID)1		 	UEP95	UEPQH	1.15	40.19	19 83	24 91	6 63	SOMEC	15.66	SUMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex from diff Serving Wire				1					0.00		13.00				
	Center)2			UEP95	UEPQM	1.15	90 38	57.27	48.66	8.77		15.66				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term		İ			I										
- - 	Telth		├ ─	UEP95	UEPQZ	1.15	90.38	57.27	48.66	8.77		15.66				
- []:	2-Wire Voice Grade Port terminated in on Megalink or equivalent		l	UEP95	UEPQ9	1.15	40.19	19.83	24.91		,	45.00				
	2-Wire Voice Grade Port Terminated on 800 Service Term		 	UEP95	UEPQ2	1.15	40.19	19.83	24.91	6 63		15.66 15.66				
	witching			02.7 00	JOEI GIZ	1.15	40.19	19.03	24 91	0.63		15.00				
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.5488										
Local N	umber Portability															
	Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
Features	s All Standard Features Offered, per port	ļ			 											
- 1 - 1	All Select Features Offered, per port		-	UEP95	UEPVF	1.98										
	All Centrex Control Features Offered, per port			UEP95 UEP95	UEPVS	0 00 1.98	405.52									
NARS	All Carties Control Features Offered, per port			UEP95	DEPVC	1.98										
	Unbundled Network Access Register - Combination		 	UEP95	UARCX	0 00	0.00	0 00								
	Unbundled Network Access Register - Indial	_		UEP95	UARIX	0.00	0.00	0.00								
	Unbundled Network Access Register - Outdial	 		UEP95	UAROX	0.00	0.00	0.00								
Miscella	aneous Terminations		 -		1											
	Trunk Side					**										
	Trunk Side Terminations, each			UEP95	CEND6	8.05	119 31	18.74	59.90	3 76		15.66				
	Digital (1.544 Megabits)	<u> </u>	<u> </u>													
	DS1 Circuit Terminations, each			UEP95	M1HD1	60 09	202 02	95.69	72 59	2 46		15.66				
	DS0 Channels Activated, each ce Channel Mileage - 2-Wire		<u> </u>	UEP95	M1HDO	0.00	14 46					15 66				
	Interoffice Channel Facilities Termination	<u> </u>	├—	UEP95	MIGBC	21.13	40 54	27.41	16.74	6 90		15.66				
	Interoffice Channel mileage, per mile or fraction of mile		 	UEP95	MIGBM	0.008838	40 54	27.41	10.74	0 90		13.00				····
Feature	Activations (DS0) Centrex Loops on Channelized DS1 Service		\vdash	021 00	IVII CIDINI	0.00000										
	nnel Bank Feature Activations	ř			1						1					
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.56										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0 56										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop	1			1						1					
	Siot San Annual Contro		\vdash	UEP95	1PQW7	0.56										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -		i i	UEDas	100110	0.50										
	Different Wire Center			UEP95	1PQWP	0.56										
1 1	Feature Activation on D-4 Channel Bank Private Line Loop Slot		ŀ	UEP95	1PQWV	0.56										
	Feature Activation on D-4 Channel Bank Flivate Line Loop Slot			UEP95	IFQVV	0.56										
	Slot			UEP95	1PQWQ	0.56										
	Feature Activation on D-4 Channel Bank WATS Loop Slot	_	 	UEP95	1PQWA	0.56										
	curring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-is with allowed															
	changes, per port			UEP95	USAC2		0 10	0.10				15.66	•			
	Conversion of Existing Centrex Common Block, each			UEP95	USACN		37.75	16.58				15.66				
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	667.21					15.66				
	New Centrex Customized Common Block	<u> </u>		UEP95	M1ACC	0.00	667.21					15.66 15.66				
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	72.73	-			 	10.00				
	CENTREX - DMS100 (Valid in All States) /G Loop/2-Wire Voice Grade Port (Centrex) Combo	<u> </u>			+											
	rt/Loop Combination Rates (Non-Design)		-		+											
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				1 1			-								
	Non-Design	Ì	1 1	UEP9D] [12.70										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		\vdash		1											
	Non-Design		2	UEP9D	1 1	21.19	l									
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -						_									
	Non-Design	l	3	UEP9D	1	34.80					l <u></u>			L		

UNBU	NDLE	D NETWORK ELEMENTS - Alabama												Attachi	ment; 2	Exhi	bit: B
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	Incremental Charge -
				 		+ -	Rec	First	curring Add'l	First	g Disconnect Add'i	SOMEC	SOMAN	SOMAN	Rates(\$)	SOMAN	00444
	UNE P	ort/Loop Combination Rates (Design)		\vdash				11131	Addi	Liiat	Addi	SOMEC	SUMAN	SUMAN	SUMAN	SUMAN	SOMAN
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -			1					· · · · · · · · · · · · · · · · · · ·	i	† - · · ·					
		Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1	UEP9D		15.53										ļ.
		Design		ء ا	UEP9D	1	24.00		ĺ	l							
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		 - -	OLY SD	- t	24.00		<u> </u>	-	 	 					
		Design		3	UEP9D		37.29		i			Ì					l
	UNE L	pop Rate								i					-		l
		2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2		1	UEP9D UEP9D	UECS1	11 55										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1 UECS1	20 04 33.65										
	-	2-Wire Voice Grade Loop (SL 2) - Zone 1		Ť	UEP9D	UECS2	14.38		_								
		2-Wire Voice Grade Loop (SL 2) - Zone 2	-	2	UEP9D	UECS2	22.85										
		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	36.14				· · · · · · · · · · · · · · · · · · ·						
	UNE PO	ort Rate		ļ													
-		2-Wire Voice Grade Port (Centrex) Basic Local Area		 	UEP9D	UEPYA	1.5	40.45	10.55								
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local		_	DEPSD	UEPYA	1,15	40.19	19.83	24 91	6.63		15.66				
		Area		1	UEP9D	UEPYB	1.15	40.19	19 83	24,91	6.63		15.66				i
		2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local						10.10		24.01	0.00		10.00				
		Area			UEP9D	UEPYC	1.15	40.19	19.83	24.91	6.63		15 66				ł
		2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local				1											
		Area 2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local		_	UEP9D	UEPYD	1,15	40 19	19.83	24.91	6 63		15.66	44.			
		Area			UEP9D	UEPYE	1.15	40.19	40.00	04.04	٠		45.00				l .
		2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local			DEF9D	UEPTE	1.15	40.19	19.83	24.91	6.63		15 66				
		Area			UEP9D	UEPYF	1.15	40.19	19 83	24.91	6 63		15.66				i
		2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local											10.00				
		Area		<u> </u>	UEP9D	UEPYG	1.15	40.19	19 83	24.91	6 63		15 66				l .
- 1		2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local Area			LIFFOOD												i
		2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local			UEP9D	UEPYT	1.15	40 19	19 83	24.91	6 63		15.66				
		Area			UEP9D	UEPYU	1.15	40.19	19.83	24.91	6.63		15 66				i
		2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local				102:0		10.10		24.07	0.00		10 00				
		Area			UEP9D	UEPYV	1.15	40.19	19.83	24.91	6.63		15.66				
		2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local															
		Area			UEP9D	UEPY3	1 15	40.19	19 83	24.91	6 63		15.66				,
- 1		2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area		ŀ	UEP9D	UEPYH	1.15	40.19	19 83	24.91	6.63		15.66	ļ			ı
- 1		2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp		_	OEL-9D	UEFTH	1.15	40.19	19 63	24.91	6.63		15.00		· · · · · · · · · · · · · · · · · · ·		
		Indication))3 Basic Local Area			UEP9D	UEPYW	1.15	40.19	19.83	24.91	6.63		15 66				1
		2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3															
		Basic Local Area			UEP9D	UEPYJ	1.15	40.19	19.83	24.91	6.63		15 66				
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)										}	4-00				
		2 Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3		-	UEP9D	UEPYM	1.15	90.38	57.27	48.66	8.77		15.66	-			
- 1		Basic Local Area			UEP9D	UEPYO	1.15	90.38	57 27	48.66	8.77		15.66				
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3		\vdash		1		44.00	V		<u> </u>						
		Basic Local Area			UEP9D	UEPYP	1 15	90 38	57.27	48 66	8.77		15.66				
		2-Wire Volce Grade Port (Centrex/differ SWC /EBS-5209)2, 3							-								
_		Basic Local Area			UEP9D	UEPYQ	1.15	90.38	57.27	48.66	8.77		15.66				
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area			LIEDAD	UEPYR			E7 07	40.00			15.00				
-		Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3		\vdash	UEP9D	UEPTH	1.15	90.38	57.27	48.66	8 77		15.66				
	ı	Basic Local Area			UEP9D	UEPYS	1.15	90.38	57.27	48.66	8.77		15.66				
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3				 		00.00	5		5.7.7						
		Basic Locat Area		Li	UEP9D	UEPY4	1.15	90.38	57.27	48.66	8.77		15.66				
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3											T				
		Basic Local Area			UEP9D	UEPY5	1.15	90.38	57.27	48.66	8.77		15.66	1			

MBOIN	PLEI	D NETWORK ELEMENTS - Alabama												Attachi	ment: 2	Exhi	bit: B
ATEGOR	RY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremen Charge
	_						Rec	Nonrec		Nonrecurring					Rates(\$)		
	_	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			ļ			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Basic Local Area		1	UEP9D	LIEDVA				1		1		l			
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3		├	OEP9D	UEPY6	1.15	90.38	57.27	48.66	8 77		15.66				
		Basic Local Area			UEP9D	UEPY7	1,15	90.38	57 27	48.66		ŀ		[
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		 	-	OLF 17	1.15	50.36	5/ 2/	48.00	8 77		15.66				
		Term		1	UEP9D	UEPYZ	1.15	90.38	57.27	48.66	8.77		15.66				ŀ
		2-Wire Voice Grade Port terminated in on Megalink or equivalent		1 -				33.00	07.27	10.00	0,		13.00				
		Basic Local Area			UEP9D	UEPY9	1.15	40.19	19 83	24 91	6 63		15.66				
- 1		2-Wire Voice Grade Port Terminated on 800 Service Term Basic		1						1					-		
-		Local Area			UEP9D	UEPY2	1.15	40.19	19.83	24.91	6 63		15 66				
AL	L, N.Y.	LA, MS, SC, & TN Only 2-Wire Voice Grade Port (Centrex)		<u> </u>	LIEBOR	1.5											
-+	_	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPQA	1.15	40 19	19.83	24,91	6 63		15.66				
	 i	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex / EBS-PSET)3		├	ÜEP9D UEP9D	UEPQB	1.15 1 15	40.19 40.19	19 83 19 83	24.91	6 63		15 66		ļ		
		2-Wire Voice Grade Port (Centrex / EBS-M5009)3			UEP9D	UEPQD	1.15	40.19		24.91	6 63		15.66				ļ
\neg	\neg	2-Wire Voice Grade Port (Centrex / EBS-M5209)3			UEP9D	UEPQE	1.15	40.19	19.83 19.83	24.91 24.91	6 63 6.63	 	15.66 15.66				
		2-Wire Voice Grade Port (Centrex / EBS-M5112)3		-	UEP9D	UEPQF	1,15	40.19	19 83	24.91	6.63		15 66				
		2-Wire Voice Grade Port (Centrex / EBS-M5312)3		_	UEP9D	UEPQG	1.15	40.19	19.83	24 91	6.63	· · · · · · · · · · · · · · · · · · ·	15.66				
		2-Wire Voice Grade Port (Centrex / EBS-M5008)3			UEP9D	UEPQT	1.15	40.19	19.83	24 91	6.63		15.66				
		2-Wire Voice Grade Port (Centrex / EBS-M5208)3			UEP9D	UEPQU	1.15	40.19	19 83	24 91	6.63		15 66				
		2-Wire Voice Grade Port (Centrex / EBS-M5216)3			UEP9D	UEPOV	1.15	40 19	19 83	24.91	6 63		15 66				
		2-Wire Voice Grade Port (Centrex / EBS-M5316)3			UEP9D	UEPQ3	1.15	40 19	19.83	24 91	6 63		15.66				
		2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPQH	1.15	40 19	19.83	24.91	6 63		15.66				
1	1	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp				[(
	-	Indication)3			UEP9D	UEPQW	1.15	40.19	19 83	24 91	6 63		15.66				
		2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			UEP9D	UEPQJ	1.15	40.19	19.83	24.91	6 63		15.66				
	j	2-wire voice Grade Fort (Centrex from dirt Serving wire Center)			UEP9D	UEPQM	1.15	90 38	57.27	48 66	8,77		15.66				l
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3		-	UEP9D	UEPQO	1.15	90.38	57.27	48.66	8.77		15.66				
_		2 1110 1010 0100 1 011 (001110101101101101101101101101101101101			OLI 3D	102, 40		50.50	57.27	40.00	6.77		13.00				
•	- 1	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3		.	UEP9D	UEPQP	1.15	90.38	57.27	48.66	8.77		15.66	-	1		İ
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPQQ	1.15	90 38	57.27	48.66	8.77		15.66				
						T											
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPQR	1. <u>1</u> 5	90.38	57.27	48.66	8.77		15.66				L.
- 1						' -											
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPOS	1.15	90 38	57 27	48.66	8 77		15.66				
- 1	- 1	0.14111-1		1 1		1											ĺ
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPQ4	1.15	90 38	57.27	48 66	8.77		15.66				
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPQ5	1.15	90.38	57.27	48.66	8.77		15.66				1
		2-valle voice diade Fort (Centrex diller Savo /EBS-M3200)2, 3		-	UEP9D	UEPUS	1.15	90.38	57.27	48.00	8.77_		15.00				
- 1		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPQ6	1.15	90.38	57 27	48.66	8 77		15.66		'	1	1
-	\dashv	E TANO TOLOGO GILGOOT ON TOURISMONING CANOTEDO-HOE 10/2, O		\vdash	OLI 3D	OLI GO	1.10	30.00		40.00	077		19.00		-		
- 1		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPQ7	1.15	90 38	57.27	48 66	8.77		15.66				1
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service				1											
		Term			UEP9D	UEPQZ	1.15	90.38	57 27	48.66	8.77		15.66				i
	\neg																
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.15	40.19	19.83	24.91	6.63		15.66		i		
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPQ2	1.15	40.19	19.83	24 91	6.63		15.66				
Lo		witching				1											
		Centrex Intercom Funtionality, per port		\vdash	UEP9D	URECS	0.5488										
LO		umber Portability		\vdash	HEDOD	- Lunge											—
	ature	Local Number Portability (1 per port)			UEP9D	LNPCC	0 35										
- 1		All Standard Features Offered, per port		\vdash	UEP9D	UEPVF	1.98										
+		All Select Features Offered, per port			UEP9D	UEPVS	0.00	405.52			_						
\dashv		All Centrex Control Features Offered, per port			UEP9D	UEPVC	1 98	-700.02							t		
TNA	\RS	The second of th		-		1											$\overline{}$
- - - 		Unbundled Network Access Register - Combination			UEP9D	UARCX	0 00	0 00	0.00								$\overline{}$

NEONDE	ED NETWORK ELEMENTS - Alabama												Attachi	ment: 2	Exhil	bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge - Manual Svc Order vs. Electronic-	Incremen Charge Manual S Order vs Electroni
			┢				Nonre	urrina	Nonrecurring	Disconnect				Rates(\$)	Disc 1st	Disc Add
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
	Unbundled Network Access Register - Inward	1		UEP9D	UAR1X	0.00	0.00	0.00				33	- JOINTH	JOHIAN	SOMAN	SOMAIT
	Unbundled Network Access Register - Outdiat			UEP9D	UAROX	0.00	0.00	0 00								
	ellaneous Terminations							- 111							 	 -
2-Wir	e Trunk Side				1						 	 				
	Trunk Side Terminations, each			UEP9D	CEND6	8.05	119.31	18.74	59.90	3.76		15.66				
4-Win	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP9D	M1HD1	60 09	202.02	95.69	72.59	2.46		15.66				
	DS0 Channels Activated per Channel			UEP9D	M1HDO	0.00	14 46				-	15.66				-
Intero	ffice Channel Mileage - 2-Wire											10.00				·
	Interoffice Channel Facilities Termination			UEP9D	MIGBC	21.13	40.54	27.41	16.74	6.90		15 66				
	Interoffice Channel mileage, per mile or fraction of mile		T	UEP9D	MIGBM	0.008838	•					15.50				
Featu	re Activations (DS0) Centrex Loops on Channelized DS1 Service	:0														
D4 Ch	annel Bank Feature Activations		1													
	Feature Activation on D-4 Channel Bank Centrex Loop Siot		1	UEP9D	1PQWS	0.56								·	-	
					1											
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot	<u> </u>	1_	UEP9D	1PQW6	0.56						j i				1
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEDAD												
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			UEP9D	1PQW7	0.56										
	Different Wire Center			UEP9D	1PQWP	0.56										
-	Feature Activation on D-4 Channel Bank Private Line Loop Slot	ŀ		UEP9D	1PQWV	0.56										-
	Feature Activation on D-4 Channel Bank Tile Line/Trunk Loop															
	Slot			UEP9D	1PQWQ	0.56						L				l
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.56										
Non-F	Recurring Charges (NRC) Associated with UNE-P Centrex				1											
l	NRC Conversion Currently Combined Switch-As-Is with allowed		1		1											
	changes, per port			UEP9D	USAC2		0.10	0.10				15.66				
	Conversion of existing Centrex Common Block, each		Ļ	UEP9D	USACN		37 75	16.58				15 66				
	New Centrex Standard Common Block			UEP9D	M1ACS	0 00	667.21					15.66				
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	667.21					15.66				
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	72.73					15.66				
	CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)															1
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo	ļ			<u> </u>											
UNE	Port/Loop Combination Rates (Non-Design)				 											
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															ı
	Non-Design		1	UEP9E	I	12.70										L
-	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP9E		21 19										i
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		-	02,02	 											$\overline{}$
	Non-Design		l 3	UEP9E	1 1	34.80						1				l
LINE E	Port/Loop Combination Rates (Design)			02.02	1	01.00		-								
- 0,,,,,	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				+ +											
	Design		1	UEP9E	<u> </u>	15.53										l
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo		2	UEP9E	T	24.00							-			1
	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo		-	UEF9E	 	24.00										
	Design		3	UEP9E		37.29										
UNE L	oop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1			UEP9E	UECS1	11.55										
	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEP9E	UECS1	20 04				. ,						
	2-Wire Voice Grade Loop (SL 1) - Zone 3		_	UEP9E	UECS1	33.65										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2	14 38										
	2-Wire Voice Grade Loop (SL 2) - Zone 2			UEP9E	UECS2	22.85										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	36.14										
	ort Rate															
AL, FL	., KY, LA, MS, & TN only				,											
	2-Wire Voice Grade Port (Centrex) Basic Local Area		$\overline{}$	UEP9E	UEPYA	1.15	40.19	19.83	24.91	6.63		15.66				

Version 2Q02: 08/07/02

NRONDLE	D NETWORK ELEMENTS - Alabama												Attach	nent: 2	Exhil	bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental		Incremental Charge -	Increments Charge - Manual Sv Order vs. Electronic Disc Add
		L	—			Rec	Nonrec			Disconnect			OSS	Rates(\$)		
	2 Miro Volco Grada Bad (Castra 200 tomics to 200 to	⊢-				1100	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area	l		UEP9E												
	2-Wire Voice Grade Port (Centrex with Catler ID)1Basic Local	ļ		UEP9E	UEPYB	1.15	40.19	19 83	24.91	6.63		15.66				
	Area	l	1	UEP9E	UEPYH	1 15	40 19	40.00								
	2-Wire Voice Grade Port (Centrex from diff Serving Wire	_	 	OLI SE	TOEP TH	1 15	40 19	19.83	24 91	6.63		15.66				
	Center)2 Basic Local Area		1	UEP9E	UEPYM	1.15	90.38	57,27	48.66	8.77		15.66				Į.
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service				327 111		00.00		40.00	0.77		13.00				
	Term - Basic Local Area	L	<u> </u>	UEP9E	UEPYZ	1 15	90.38	57.27	48.66	8 77		15.66				1
-	2-Wire Voice Grade Port terminated in on Megalink or equivalent		I													
	- Basic Local Area		<u> </u>	UEP9E	UEPY9	1.15	40.19	19.83	24 91	6.63		15.66				
1	2-Wire Voice Grade Port Terminated on 800 Service Term -	l														
AT IN	Basic Local Area /, LA, MS, & TN Only	<u> </u>	\vdash	UEP9E	UEPY2	1.15	40.19	19.83	24.91	6 63		15.66				
AL, K	2-Wire Voice Grade Port (Centrex)			UEP9E	UEPQA	1,15	40.19	10.55	04.53			15.63				
	2-Wire Voice Grade Port (Centrex)		-	UEP9E	UEPQB	1.15	40.19	19.83 19.83	24.91	6.63		15 66				
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPOH	1,15	40.19	19.83	24.91 24.91	6.63 6.63		15 66 15.66				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire		-	OC. BC	IDEFUN	1,15	40.19	19.03	24.91	0.03		15.00				
-	Center)2		1	UEP9E	UEPQM	1.15	90.38	57.27	48 66	8.77	1	15.66				l
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		<u> </u>					07.127	40 00			13.00				
	Term		1	UEP9E	UEPQZ	1.15	90.38	57.27	48.66	8.77	1	15 66				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		l	UEP9É	UEPQ9	1.15	40.19	19 83	24 91	6 63		15.66				
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9E	UEPQ2	1.15	40.19	19.83	24 91	6 63		15.66				
Local	Switching		 						ļ							
1 2 2 2 1	Centrex Intercom Funtionality, per port Number Portability		⊢	UEP9E	URECS	0 5488										
Local	Local Number Portability (1 per port)		-	UEP9E	LNPCC	0.05										
Featur			-	UEP9E	LNPCC	0.35										
- Cato	All Standard Features Offered, per port			UEP9E	UEPVF	1,98										
	All Select Features Offered, per port		1-	UEP9E	UEPVS	0.00	405.52									
	All Centrex Control Features Offered, per port		 	UEP9E	UEPVC	1.98	7,00,02									
NARS																
	Unbundled Network Access Register - Combination			UEP9E	UARCX	0.00	0.00	0.00								
	Unbundled Network Access Register - Indial			UEP9E	UAR1X	0.00	0.00	0.00								
	Unbundled Network Access Register - Outdial			UEP9E	UAROX	0.00	0.00	0.00								
	laneous Terminations								l							
2-Wire	Trunk Side			LIEDAE	0=1/00		440.04	10.71	50.00		ļ ·	45.00				
4 1977	Trunk Side Terminations, each		├	UEP9E	CEND6	8 05	119 31	18.74	59.90	3 76		15.66				
4-Wire	Digital (1.544 Megabits) DS1 Circuit Terminations, each		\vdash	UEP9E	M1HD1	60.09	202 02	95.69	72.59	2,46		15.66				
+	DS0 Channel Activated Per Channel		\vdash	UEP9E	M1HDO	0.00	14 46	95.09	12.59	2.40		15.66				-
Intero	Hice Channel Mileage - 2-Wire		+-	OCI OL	.411150	0.00	17 40				l	70.00				
11110101	Interoffice Channel Facilities Termination			UEP9E	MIGBC	21.13	40.54	27.41	16.74	6.90		15.66				
	Interoffice Channel mileage, per mile or fraction of mile		 	UEP9E	MIGBM	0.008838				2.30						
Featur	e Activations (DS0) Centrex Loops on Channelized DS1 Service	ė														
	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9É	1PQWS	0.56										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot		└ ─	UEP9E	1PQW6	0.56										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop		l	UEBOE	1.000								'			
	Slot			UEP9E	1PQW7	0.56										
1	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			LIEDOE	1DOWD	0.50										
+-	Different Wire Center			UEP9E	1PQWP	0.56			-							
	Feature Activation on D-4 Channel Bank Private Line Loop Slot		-	UEP9E	1PQWV	0.56										
+	Feature Activation on D-4 Channel Bank Frivate Line Loop Stot		_	ULFBE	I LOIAAA	0.56										
	Slot			UEP9E	1PQWQ	0.56										
	Feature Activation on D-4 Channel Bank WATS Loop Slot		-	UEP9E	1PQWA	0.56										
				,		- 00										

DABONDE	D NETWORK ELEMENTS - Alabama												Attachr	nent: 2	Exhil	bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order va Electronic Disc Add
		<u> </u>	 			Rec	Nonrec			Disconnect				Rates(\$)		
	NRC Conversion Currently Combined Switch-As-Is with allowed	<u> </u>	├				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
i	changes, per port		1	UEP9E	USAC2					1	1					1
_	Conversion of Existing Centrex Common Block, each		├	UEP9E			0.10	0.10		<u> </u>		15.66				
	New Centrex Standard Common Block	 	 	UEP9E	USACN M1ACS	0 00	37.75	16.58				15 66				
	New Centrex Customized Common Block		├	UEP9E	MIACC	0.00	667 21					15 66				L
	NAR Establishment Charge, Per Occasion		 	UEP9E	URECA	0.00	667.21 72.73					15.66				
UNE-	CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)		├	ULFBE	UNEUA	0.00	12.13					15 66				
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo		 -						ļ <u>.</u>							
UNE	Port/Loop Combination Rates (Non-Design)	<u> </u>														
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															l
1	Non-Design		1 1	UEP93		12.70										į
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		+	021 90	1	12.70			 							
- 1	Non-Design		2	UEP93		21.19			1							l
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		-	UEF93		21.19										
	Non-Design		3	UEP93		34 80										l
LINE	Port/Loop Combination Rates (Design)		├ ु	OFLAS	+	34 80										-
- OILL	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				+											
1	Design		1 1	UEP93		15.53										I
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		 '	UEF93		15.53										
1	Design		2	UEP93		24.00	- 1				!					I
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		-	UEF93		24.00										.
]	Design		3	UEP93			- 1									-
LIME	oop Rate		3	UEP93		37.29										ļ
ONE	2-Wire Voice Grade Loop (St. 1) - Zone 1		 . 	UEP93	UECS1	11.55										
\rightarrow	2-Wire Voice Grade Loop (SL 1) - Zone 1			UEP93							ļ					
\dashv	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3			UEP93	UECS1	20.04										
	2-Wire Voice Grade Loop (SL 1) - Zone 3				UECS1	33.65										
				UEP93	UECS2	14.38		·								
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP93	UECS2	22.85										
11315	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP93	UECS2	36.14										
	Port Rate															
AL, N	Y, LA, MS, & TN only		-	UCBOO	11551/4	1.15	- 45.45	10.00	2121			45.00				
	2-Wire Voice Grade Port (Centrex) Basic Local Area		1	UEP93	UEPYA	1.15	40.19	19.83	24.91	6.63		15 66				
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local		!		1	1										I
	Area		ļ	UEP93	UEPYB	1.15	40.19	19.83	24.91	6 63		15 66				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local			LIEDAA							1	45.00				I
	Area			UEP93	UEPYH	1,15	40.19	19.83	24.91	6 63		15.66			. ———.	
	2-Wire Voice Grade Port (Centrex from diff Serving Wire				İ											I
	Center)2 Basic Local Area			UEP93	UEPYM	1.15	90.38	57.27	48 66	8 77		15.66				
- 1	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service				i i											I
	Term - Basic Local Area			UEP93	UEPYZ	1 15	90 38	57.27	48.66	8.77		15.66				
- 1	2-Wire Voice Grade Port terminated in on Megalink or equivalent		[I
	- Basic Local Area			UEP93	UEPY9	1.15	40.19	19.83	24 91	6.63		15.66				
- 1	2-Wire Voice Grade Port Terminated on 800 Service Term -															Į
	Basic Local Area			UEP93	UEPY2	1.15	40.19	19.83	24.91	6 63		15.66				
	2-Wire Voice Grade Port (Centrex)			UEP93	UEPQA	1.15	40.19	19.83	24.91	6.63		15.66				L
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP93	UEPQB	1.15	40.19	19.83	24 91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP93	UEPQH	1.15	40.19	19 83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															ł
	Center)2		l l	UEP93	UEPQM	1.15	90.38	57.27	48.66	8.77		15.66				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service				1											
	Term		<u> </u>	UEP93	UEPQZ	1.15	90.38	57.27	48 66	8.77		15.66				
- 1	2-Wire Voice Grade Port terminated in on Megalink or equivalent		1 1	UEP93	UEPQ9	1.15	40.19	19.83	24.91	6.63	L l	15.66		i		
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP93	UEPQ2	1,15	40.19	19.83	24 91	6.63		15.66				
Local	Switching				 								·			
-	Centrex Intercom Funtionality, per port			UEP93	URECS	0.5488										
Local	Number Portability				1		····									
1	Local Number Portability (1 per port)		\vdash	UEP93	LNPCC	0.35										
Featu	I		-		1-7.11 00	- 										

ARONDLE	NETWORK ELEMENTS - Alabama			·										ment: 2		bit: B
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually		Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
							Nonrec	urring	Nonrecurring	Disconnect	 	L	088	Rates(\$)	<u> </u>	L
					_	Rec	First	Add'l	First	Addi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	All Standard Features Offered, per port			UEP93	UEPVF	1.98							-	- 55	Johnson	301117
	All Centrex Control Features Offered, per port			UEP93	UEPVC	1.98									l	
NARS													- 			├──
	Unbundled Network Access Register - Combination			UEP93	UARCX	0.00	0.00	0.00			1			·		├
	Unbundled Network Access Register - Indial			UEP93	UAR1X	0.00	0.00	0.00								├
	Unbundled Network Access Register - Outdial			UEP93	UAROX	0.00	0.00	0.00			——				 	
	aneous Terminations							5.55	·		 	 			 	├
2-Wire	Trunk Side										 				 	
	Trunk Side Terminations, each			UEP93	CEND6	8.05	119.31	18.74	59 90	3.76	 	15 66				
4-Wire I	Digital (1.544 Megabits)					- 5100	1.0.01	10.14	- 00 00	0.70		13 00		 		├
	DS1 Circuit Terminations, each			UEP93	M1HD1	60.09	202 02	95.69	72.59	2.46		15.66				-
	DS0 Channels Activated, Per Channel			UEP93	M1HDO	0.00	14.46	35.03	72.00	2.40	 	15.66		<u> </u>		├──
	ice Channel Mileage - 2-Wire			02: 00		0.00	14.40				 	15 00				
	Interoffice Channel Facilities Termination			UEP93	MIGBC	21 13	40.54	27.41	16.74	6.90	 	15 66				——
	Interoffice Channel mileage, per mile or fraction of mile			UEP93	MIGBM	0 008838	40.54	21.41	10.74	0.50	 	15 66				
Feature	Activations (DS0) Centrex Loops on Channelized DS1 Service	<u>_</u>		OLI 30	IVIIGIDIVI	0 000000					├			<u> </u>		
	nnel Bank Feature Activations	~ 									 					
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.56										├ ──
	Todadie Politetion on B-4 Charmer Bank Oblition Loop Side			OCF 83	IF CW3	0.56						ļ				
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.56									<u> </u>	
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP93	1PQW7	0.56										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP93	1PQWP	0.56		•								
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.56										
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop	 		<u></u>	- ' ' ' ' '						 				 	\vdash
, [Slot	1		UEP93	1PQWQ	0.56	1	- 1	· 1		1	ì		ì	ì	Í
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.58			-							├──
	curring Charges (NRC) Associated with UNE-P Centrex	 			7. 4						-			-		
	NRC Conversion Currently Combined Switch-As-Is with allowed	- 														
	changes, per port			UEP93	USAC2	1	0.10	0 10	' <u>'</u>		1	15.66				ĺ
	Conversion of Existing Centrex Common Block, each	 		UEP93	USACN		37.75	16.58			-	15.66				\vdash
	New Centrex Standard Common Block	 		UEP93	M1ACS	0.00	667.21	10.56				15.66				
	New Centrex Customized Common Block	 		UEP93	M1ACC	0.00	667.21					15.66				
	NAR Establishment Charge, Per Occasion	 		UEP93	URECA	0.00	72.73					15.66		 		
	Required Port for Centrex Control in 1AESS, 5ESS & EWSD			UEF'93	UNEUA	0.00	12./3					10.00		 		
		├									 			-		-
Note 2	- Requires Interoffice Channel Mileage	├ ──┤			+											
Note 3 -	Requires Specific Customer Premises Equipment	l l			i l	1		1		1	I	1		i	I	1

ONBO	NDLE	D NETWORK ELEMENTS - Florida												Attach	ment; 2	Exhil	bit: B
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)					Incremental	Incremental Charge -		Increments Charge -
				<u> </u>			Rec		curring		Disconnect				Rates(\$)		
	Th- 117		L	Ь.	<u> </u>			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
. 1	http://s	one" shown in the sections for stand-alone loops or loops as	part of	a com	bination refers to G	eographically	y Deaveraged U	INE Zones. To	view Geograp	hically Deavers	aged UNE Zon	e Designatio	ns by Cent	ral Office, refe	er to internet	Website:	
	p.574	**************************************	connec	tion.h	tm							_	-	•			
OPEHA	NOTE:	SUPPORT SYSTEMS		<u> </u>									·		Ι	I	
	exhibit	(1) Electronic Service Order: CLEC should contact its contract is the Bell South regional electronic souther orders of the Bell South regional electronic souther orders.	et nego	tiator i	f it prefers the state	specific elec	tronic service o	rdering charge	es as ordered	by the State Co	mmissions. T	he electron	ic service o	rdering charg	e currently co	ntained in thi	is rate
	NOTE:	is the BellSouth regional electronic service ordering charge. (2) Any element that can be ordered electronically will be bill blaments that cannot be ordered electronically will be bill blaments that cannot be ordered electronically.	ed acco	may er	to the SOMEC rete	specific Com	mission ordere	d rates for the	electronic sen	ice ordering cl	narges, or CLE	C may elect	the region	al electronic s	service orderi	ng charge.	
						is in this cate	category. Fleat	se refer to bell	south's Busin	ess Hules for L	ocal Ordering	(BBR-LO) to	determine	if a product of	an be ordere	d electronical	ly. For
	orderir	g charge, SOMAN, will be applied to a CLECs bill when it sub	mits ar	LSR	to BellSouth	io in uno cate	gory remocia in	e charge trat t	MODIG DE DIIIE	O IO B CLEC ON	ce electronic (ordering cap	adilities co	me on-line fo	r that elemen	t. Otherwise,	the manual
		Manual Service Order Charge, per LSR, Disconnect Only (FL)		T		ISOMAN				1.83			г——	····			
		Electronic OSS Charge, per LSR, submitted via BST's OSS					1			1.55							
LINE OF	DVC	interactive interfaces (Regional)		L		SOMEC		3 50				<u></u>	L		1		İ
UNE SE	MOTE	DATE ADVANCEMENT CHARGE	L	1	1												
	NOTE	The Expedite charge will be maintained commensurate with UNE Expedite Charge per Circuit or Line Assignable USOC, per	BellSou	th's F	CC No.1 Tariff, Secti	on 5 as appli	cable.										
		Day	1		ALL UNE	SDASP		200.00		1		l					
UNBUN	DLED E	XCHANGE ACCESS LOOP		\vdash	THE OIRE	JUNGE	 	200.00				<u> </u>			ļ	ļ	
		ANALOG VOICE GRADE LOOP	<u> </u>	\vdash	t	 	 			 				L		 	
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	12.79	49 57	22.83	25 62	6 57		11.90				
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEAL2	17.27	49 57	22.83	25 62	6.57	-	11.90				-
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	ÜEANL	UEAL2	33.36	49.57	22.83	25 62	6.57		11 90			_	
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		77.09					11 90				
		Loop Testing - Basic Additional Half Hour CLEC to CLEC Conversion Charge Without Outside Dispatch		ļ	UEANL	URETA		33.12					11.90				
- 1		(UVL-SL1)			UEANL	LIDEWO		40.00									i i
		Engineering Information Document (EI)		-	UEANL	UREWO	 	15 78 12.28	8 94 12.28				11.90				
		Manual Order Coordination for UVL-SL1s (per loop)		 	UEANL	UEAMC	 	9.00	9.00								
		Order Coordination for Specified Conversion Time for UVL-SL1			02.0.2	- CEPANIO	1	3.00	3.00								
		(per LSR)			UEANL	OCOSL		23 02	23.02			1					i
	2-WIRE	Unbundled COPPER LOOP															
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1	1_	1	UEQ	UEQ2X	13.83	41 64	19.02	19.65	5.09		11.90				
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	-		UEQ	UEQ2X	15.29	41.64	19.02	19 65	5 09		11.90				
	-	Wire Unbundled Copper Loop - Non-Designed - Zone 3 Order Coordination 2 Wire Unbundled Copper Loop - Non-		3	UEQ	UEQ2X	20.29	41.64	19 02	19.65	5.09		11.90				
ŀ		Designed (per loop)			UEQ	USBMC		9 00	9,00								l
		Engineering Information Document			UEQ	USDINO		12 28	12.28				11.90				
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		77.09	·Eite				11 90	-			
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		33 12					11.90				
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UCL-ND)		L	UEQ	UREWO	ļ	14 27	7.43				11.90				
		XCHANGE ACCESS LOOP		<u> </u>													
 		ANALOG VOICE GRADE LOOP 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-				 	 			ļ 	·						
		Zone 1		1	UEPSR UEPSB	UEALS	12.79	49.57	22.83	25.62	6.57		11.90				i
- 		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting		- '-	OLI GIT OLF OD	102720	12.73	45.07	ZE.03	20.02	9.07		11.00				
		Zone 1		1	UEPSR UEPSB	UEABS	12.79	49.57	22.83	25.62	6.57		11.90	-			i
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															
		Zone 2		2	UEPSR UEPSB	UEALS	17.27	49 57	22 83	25.62	6.57		11.90				
T		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		l			1					Ī					
		Zone 2		2	UEPSR UEPSB	UEABS	17.27	49.57	. 22.83	25.62	6 57		11.90				
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3] ₃	UEPSR UEPSB	UEALS	33.36	49.57	22.83	25.62	6.57		11.90				i
-		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		1	UEFSH UEFSB	UEALS	33.36	49.57	22.83	25.62	0.57		11.90			. — . — . —	
I		Zone 3		3	UEPSR UEPSB	UEABS	33.36	49.57	22.83	25.62	6 57		11.90				i
UNBUN		XCHANGE ACCESS LOOP		┈	0-1 011 0ET 0E	172700	33.56	49.57	22.00	20.02			71.00			_	
		ANALOG VOICE GRADE LOOP				1											
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
		Ground Start Signaling - Zone 1		1	UEA	UEAL2	14.50	135 75	82.47	63.53	12 01		11.90				
T		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or				1											i
		Ground Start Signaling - Zone 2		2	UEA	UEAL2	19.57	135 75	82.47	63 53	12.01		11.90				L

NRONDE	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		Nonrec	RATES(\$)		D	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge -	Increments Charge - Manual Sv Order vs.
			\vdash	·		Rec	First	Add'i	Nonrecurring First	Add'I	SOMEC	COMMAN	SOMAN	Rates(\$) SOMAN	SOMAN	1 600000
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		t		1			Auu	1 11 31	Auu	SOMEC	JUMAN	SUMAN	SUMAN	SUMAN	SOMAN
	Ground Start Signaling - Zone 3		ј з	UEA	UEAL2	37 82	135.75	82 47	63.53	12.01	1	11.90				
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.02		35.55	12.01				-		
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	l														
	Battery Signaling - Zone 1 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		1	UEA	UEAR2	14.50	135 75	82.47	63 53	12.01		11.90		1.	1	
	Battery Signaling - Zone 2		2		1											
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		1 2	UEA	UEAR2	19.57	135.75	82.47	63 53	12.01		11.90				
	Battery Signaling - Zone 3		3	UEA	UEAR2	37 82	405.75	20.47						1		
	Order Coordination for Specified Conversion Time (per LSR)	-	 °	UEA	OCOSL	37 82	135 75 23 02	82.47	63 53	12.01		11 90				
	CLEC to CLEC Conversion Charge without outside dispatch		† 	UEA	UREWO		87.71	36.35				11.90				
4-WI	RE ANALOG VOICE GRADE LOOP		T		10.10							11.90				
	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	23.02	167.86	115.15	67.08	15 56		11 90				
	4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	31.07	167.86	115.15	67.08	15 56		11 90				
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	60 02	167 86	115 15	67.08	15 56	· · · · · · · · · · · · · · · · · · ·	11.90			· · · · · ·	
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23 02									t
0.100	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87 71	36 35				11.90				
2-WI	RE ISDN DIGITAL GRADE LOOP 2-Wire ISDN Digital Grade Loop - Zone 1		-													1
	2-Wire ISDN Digital Grade Loop - Zone 1			UDN	U1L2X	21.76	147 69	94.41	62.23	10 71		11.90				<u> </u>
	2-Wire ISDN Digital Grade Loop - Zone 2		3	UDN	U1L2X U1L2X	29.38 56.76	147.69	94.41	-62.23	10.71		11.90				ļ
	Order Coordination For Specified Conversion Time (per LSR)		13	UDN	OCOSL	56.76	147.69 23.02	94.41	62.23	10.71		11.90				
	CLEC to CLEC Conversion Charge without outside dispatch		 	UDN	UREWO		91.61	44.15				11.90			ļ. ———	
2-WI	RE Universal Digital Channel (UDC) COMPATIBLE LOOP		1	0011	- OILLIVO		31.01	44,13				11.50				
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone		 													
	1		1	UDC	UDÇ2X	21.76	147.69	94 41	62 23	10.71		11.90				
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone															
	2		2	UDC	UDC2X	29.38	147.69	94.41	62.23	10.71	1	11.90				
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone															
	3		3	UDC	UDC2X	56.76	147.69	94.41	62.23	10.71		11.90				
	CLEC to CLEC Conversion Charge without outside dispatch		١	UDC	UREWO		91.61	44.15				11.90				
2-WI	RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOF	, ,												
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1		١.	UAL	UAL2X	12 65	140.50	100.05	75.05	45.00		11.90				
	2 Wire Unbundled ADSL Loop including manual service inquiry		1 -	I DAL	UALZX	12 00	149.53	103.85	75.05	15.63	_	11.90				
	& facility reservation - Zone 2		2	UAL	UAL2X	17.08	149 53	103.85	75 05	15.63		11.90				1
	2 Wire Unbundled ADSL Loop including manual service inquiry		-	l l	- JONEZA	17.00	140 00	100.00	10 00	10.00		11.00				-
- [& facility reservation - Zone 3		3	UAL	UAL2X	33.00	149.53	103.85	75.05	15.63		11 90				1
	Order Coordination for Specified Conversion Time (per LSR)		Ť	UAL	OCOSL		23 02									
	2 Wire Unbundled ADSt. Loop without manual service inquiry &					i										·
	facility reservaton - Zone 1		1	UAL	UAL2W	12.65	124.83	71.12	60.64	9.12		11.90				<u> </u>
	2 Wire Unbundled ADSL Loop without manual service inquiry &															1
ļ	facility reservator - Zone 2		2	UAL	UAL2W	17.08	124.83	71.12	60.64	9.12		11.90				
1	2 Wire Unbundled ADSL Loop without manual service Inquiry &		١.	l	L 1			_,								1
	facility reservation - Zone 3		3	UAL.	UAL2W	33.00	124 83	71.12	60.64	9.12		11.90		-		
_	Order Coordination for Specified Conversion Time (per LSR)			UAL UAL	OCOSL		23.02 86.19	40.39		-		11.90				
2-M/II	CLEC to CLEC Conversion Charge without outside dispatch RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIRIE	LOOP	UAL	UREWO		80.19	40.39				11.50				
2-1711	2 Wire Unbundled HDSL Loop including manual service inquiry	IDLE														
1	& facility reservation - Zone 1		1	UHL	UHL2X	9 97	159 09	113.41	75.05	15.63		11.90				
	2 Wire Unbundled HDSL Loop including manual service inquiry		┢				132 80	,								
- 1	& facility reservation - Zone 2		2	UHL	UHL2X	13.46	159.09	113.41	75 05	15.63		11.90				L
	2 Wire Unbundled HDSL Loop including manual service inquiry		Γ	l	i											
	& facility reservation - Zone 3			UHL	UHL2X	26.00	159.09	113.41	75.05	15.63		11.90				<u> </u>
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.02									
	2 Wire Unbundled HDSL Loop without manual service inquiry											,				
	and facility reservation - Zone 1		1	UHL	UHL2W	9.97	134.40	80.69	60.64	9.12		11.90				
	2 Wire Unbundled HDSL Loop without manual service inquiry		ı	ı	1 1	1										l .

ONDONDLI	ED NETWORK ELEMENTS - Florida												Attachi	ment: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)		·	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Charge - Manual Sv Order vs.
													Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic
						Rec		urring		Disconnect				Rates(\$)		
	2 Wire Unbundled HDSL Loop without manual service inquiry						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	and facility reservation - Zone 3		3	UHL	UHL2W	26.00	134 40	80 69	60.64	9 12	1	11.90				
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23 02	00 03	00.04	312	 	11.90			· · · · · · · · · · · · · · · · · · ·	
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86 12	40.39				11.90				+
4-WI	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
ı	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1		١.,	l	1											
	4-Wire Unbundled HDSL Loop including manual service inquiry		1	UHL	UHL4X	15.69	193.31	138.98	77.15	12 61		11,90				
	and facility reservation - Zone 2	l	2	UHL	UHL4X	21 17	193 31	138.98								
	4-Wire Unbundled HDSL Loop including manual service inquiry	 	-	OTIL	UHL4A	21 17	193 31	138.98	77.15	12.61		11.90				ļ
	and facility reservation - Zone 3	1	3	UHL	UHL4X	40.90	193.31	138.98	77.15	12.61	1	11.90				[
	Order Coordination for Specified Conversion Time (per LSR)		Ť	UHL	OCOSL	10.00	23.02	100.36	77.15	14.01	 	11.50			 	
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL4W	15 69	168.62	115.47	62.74	11.22		11.90				1
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL4W	21.17	168 62	115 47	62.74	11 22		11.90				
1	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		١.													
	Order Coordination for Specified Conversion Time (per LSR)		3	UHL	UHL4W OCOSL	40.90	168 62	115.47	62 74	11.22		11.90				
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		23.02 86.12	40.39			<u> </u>	11.90				ļ
4-WIF	RE DS1 DIGITAL LOOP		_	OTAL	UNEWO		00.12	40.39				11.90				
	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	73.44	313.75	181,48	61.22	13 53	 	11.90				
	4-Wire DS1 Digital Loop - Zone 2		2		USLXX	99 13	313.75	181.48	61,22	13 53		11 90				
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	191 51	313.75	181 48	61.22	13 53		11.90				\vdash
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		23 02									
- 1200	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		101 07	43 04				11.90				
4-WIF	RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
	4 Wire Unbundled Digital 19 2 Kbps 4 Wire Unbundled Digital 19.2 Kbps			UDL UDL	UDL19	26 39	161.56	108 85	67 08	15 56	ļ	11.90				ļ
	4 Wire Unbundled Digital 19.2 Kbps		3		UDL19 UDL19	35.62 68 82	161.56 161.56	108 85 108 85	67 08 67 08	15.56 15.56		11.90 11.90				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1		UDL56	26.39	161.56	108 85	67 08	15.56		11.90				-
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2		UDL56	35.62	161.56	108.85	67 08	15.56		11.90				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			UDL	UDL56	68.82	161.56	108.85	67 08	15.56	i	11.90				
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		23.02									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	26.39	161.56	108.85	67.08	15.56		11 90				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL	UDL64	35.62	161.56	108.85	67.08	15.56		11.90				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	68.82	161.56	108 85	67.08	15 56		11 90				
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		23.02									ļ
0.3445	CLEC to CLEC Conversion Charge without outside dispatch RE Unbundled COPPER LOOP			UDL	UREWO		102.11	49.74				11.90				
2-1411	2-Wire Unbundled Copper Loop/Short including manual service				 											
1	inquiry & facility reservation - Zone 1		1	UCL	UCLPB	12.65	148.50	102.82	75.05	15 63		11.90				
	2-Wire Unbundled Copper Loop/Short including manual service		÷	GOL	100210	12.03	140.50	102.02	73.03	15 05		11.50				
	inquiry & facility reservation - Zone 2	1	2	UCL	UCLPB	17.08	148.50	102.82	75 05	15.63		11 90				
	2 Wire Unbundled Copper Loop/Short including manual service				1											
	inquiry & facility reservation - Zone 3		3	UCL	UCLPB	33.00	148.50	102.82	75.05	15.63		11.90	-			
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	2-Wire Unbundled Copper Loop/Short without manual service															
	inquiry and facility reservation - Zone 1		1	UCL	UCLPW	12.65	123.81	70.09	60.64	9.12		11.90				<u> </u>
	2-Wire Unbundled Copper Loop/Short without manual service		ایا	LICI	lucion.	17.00	100.04	. 20.00	20.04	0.40		44.00				1
	inquiry and facility reservation - Zone 2		2	UCL	UCLPW	17.08	123.81	70.09	60.64	9.12		11.90				
-	2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	33.00	123.81	70.09	60.64	9.12		11.90				1
	Order Coordination for Unbundled Copper Loops (per loop)		-3-	UCL	UCLMC	33,00	9.00	9.00	60.64	3.12		11.00				
	2-Wire Unbundled Copper Loop/Long - includes manual srvc.		—		30240		3.00	3.00	-							
	inquiry and facility reservation - Zone 1		1	UCL	UCLZL	37.07	148.50	102.82	75.05	15.63		11.90				
	2-Wire Unbundled Copper Loop/Long - includes manual svc.		<u> </u>		1222											
	inquiry and facility reservation - Zone 2		2	UCL	UCL2L	50.04	148.50	102.82	75.05	15.63		11.90				

UNDUNDLE	D NETWORK ELEMENTS - Florida												Attache	ment: 2	Exhl	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge -	Incremen
		_				Rec	Nonrec First	auming Add'i	Nonrecurring		001150	Laginair		Rates(\$)		
	2-Wire Unbundled Copper Loop/Long - includes manual svc.		_				rirst	Addi	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	inquiry and facility reservation - Zone 3	1	3	UCL	UCL2L	96.67	148 50	102 82	75 05	15.63	İ	11.90		ĺ	i	1
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00	10 00	10.00	 	11.90				
	2-Wire Unbundled Copper Loop/Long - without manual service										 				 	┼──
	inquiry and facility reservation - Zone 1	ļ	_ 1	UCL	UCL2W	37.07	123.81	70 09	60.64	9.12	İ	11.90				
	2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 2						, i				-					
	2-Wire Unbundled Copper Loop/Long - without manual service	<u> </u>	2	UCL	UCL2W	50.04	123 81	70.09	60.64	9.12	ļ. <u>.</u>	11.90		ļ		
	Inquiry and facility reservation - Zone 3		3	UCL	UCL2W	96.67	123.81	70.09	60.64	9.12		44.00				
	Order Coordination for Unbundled Copper Loops (per loop)		 	UCL	UCLMC	30.07	9.00	9.00	60.64	9.12	 	11.90				
	CLEC to CLEC Conversion Charge without outside dispatch	1				-	0.00				1					-
	(UCL -Des)			UCL	UREWO		97.21	42,47				11.90				i
4-WIR	E COPPER LOOP														+	
i	4-Wire Copper Loop/Short - including manual service inquiry		١.													
	and facility reservation - Zone 1 4-Wire Copper Loop/Short - including manual service inquiry	 -	1	UCL	UCL4S	18.03	177.87	132.76	77.15	17.73	 	11.90				<u> </u>
	and facility reservation - Zone 2		2	UCL	UCL4S	24.34	177.87	132 76	77.15	17.73		,, ,,				
	4-Wire Copper Loop/Short - including manual service inquiry			OOL	UCL#3	24.34	177.87	132 /6	77.15	17.73	ļ	11.90				 -
	and facility reservation - Zone 3		3	UCL	UCL4S	47.02	177.87	132.76	77.15	17.73		11.90				
	Order Coordination for Unbundled Copper Loops (per loop)		Ť	UCL	UCLMC	47.02	9 00	9.00	77.15	17.70	 	17.50				
	4-Wire Copper Loop/Short - without manual service inquiry and							0.00			 					
	facility reservation - Zone 1		1_	UCL	UCL4W	18.03	153.18	100.03	62.74	11.22		11.90				1
	4-Wire Copper Loop/Short - without manual service inquiry and									·						
	facility reservation - Zone 2		2	UCL	UCL4W	24.34	153.18	100.03	62 74	11.22		11 90				
ı	4-Wire Copper Loop/Short - without manual service inquiry and		_		l											
	facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop)	-	3	UCL	UCL4W	47.02	153.18	100.03	62.74	11.22		11.90				<u> </u>
	4-Wire Unbundled Copper Loop/Long - includes manual svc		├	UCL	UCLMC		9.00	9.00								
!	inquiry and facility reservation - Zone 1		1	UCL	UCL4L	64.52	177.87	132.76	77.15	17.73		11.90				
	4-Wire Unbundled Copper Loop/Long - includes manual syc.		<u> </u>		OOL+L	07.02	177.07	102,70	77.13	17.75	 -	11.30				
l l	inquiry and facility reservation - Zone 2		2	UCL	UCL4L	87.09	177.87	132.76	77.15	17.73		11.90				
	4-Wire Unbundled Copper Loop/Long - Includes manual svc.															
	inquiry and facility reservation - Zone 3		3	UCL	UCL4L	168.25	177 87	132 76	77.15	17.73		11.90				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	4-Wire Unbundled Copper Loop/Long - without manual svc		١.		l l							ll				
	inquiry and facility reservation - Zone 1 4-Wire Unbundled Copper Loop/Long - without manual svc.		1	UCL	UCL4O	64 52	153.18	100.03	62.74	11.22	1	11.90				
- 1	Inquiry and facility reservation - Zone 2	l	2	UCL	UCL4O	87.09	153.18	100.03	62.74	11.22	1	11.90				
	4-Wire Unbundled Copper Loop/Long - without manual svc.			001	00140	87.09	133,16	100.03	62.74	11.22		11.90				
	inquiry and facility reservation - Zone 3	İ	3	UCL	UCL4O	168,25	153.18	100.03	62,74	11,22		11.90				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	CLEC to CLEC Conversion Charge without outside dispatch			UCL	UREWO		97.21	42.47				11.90				
LOOP MODIFI	CATION															
				UAL, UHL, UCL,												1
	library and the second of the			UEQ, ULS, UEA,												ĺ
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft			UEANL, UDL, UDC, UDN, UDL, USL			0.00	0.00				11.90				1
	Unbundled Loop Modification, Removal of Load Coils - 2 wire		_	UDIN, UDL, USL	ULM2L		0.00	0.00			 	11.50				
	greater than 18k ft			UCL, ULS, UEQ	ULM2G		343.12	343.12			l	11.90				
**	Unbundled Loop Modification Removal of Load Coils - 4 Wire			002, 020, 024	<u> </u>		0.0	0.02								
	less than or equal to 18K ft			UHL, UCL	ULM4L		0.00	0.00				11 90				
	Unbundled Loop Modification Removal of Load Coils - 4 Wire															
	pair greater than 18k ft			UCL	ULM4G		343.12	343.12				11.90				
				UAL, UHL, UCL,												1
			l	UEQ, UEF, ULS,		ľ										1
				UEA, UEANL, UDL,		ļ										1
	Unbundled Loop Modification Removal of Bridged Tap Removal,			UDC, UDN, UDL, USL	ULMBT	ŀ	10.52	10.52				11.90				1
SUB-LOOPS	per unbundled loop			UOL	ULMBI		10.52	10.52				11.50				-

DURONDE	ED NETWORK ELEMENTS - F	lorida												Attachi	ment: 2	Exhi	bit: B
CATEGORY	RATE ELER	MENTS	Interi m	Zone	BCS	usoc		N	RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sy Order vs. Electronic Disc Add
						-	Rec	Nonrec First	Add'l	First	Disconnect Add'l	COMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	1 004444
Sub-	Loop Distribution				······	 		riist	Audi	FIIST	Addi	SUMEC	SUMAN	SUMAN	SUMAN	SOMAN	SOMAN
	Sub-Loop - Per Cross Box Location	- CLEC Feeder Facility Set-				-	-					-			<u> </u>		
	Up	<u>-</u>	1	F	UEANL	USBSA		487.23	487 23				11.90				l
1		-											71.00				
	Sub-Loop - Per Cross Box Location		1	_	UEANL	USBSB		6.25	6.25				11 90		l	Į	ĺ
	Sub-Loop - Per Building Equipmen Facility Set-Up	nt Room - CLEC Feeder	Ι.	1	l					_							
-	Sub-Loop - Per Building Equipmen	t Doom Doe Of Dois Donal		ļ	UEANL	USBSC		169 25	169.25				11.90			<u> </u>	
- 1	Set-Up	1 Hoom - Per 25 Pair Panel	١.	1	UEANL	USBSD		20.05									
	Sub-Loop Distribution Per 2-Wire A	nalog Voice Grade Loon -	'- -	 	UEANL.	USBSD		38.65	38.65				11.90				
- 1	Zone 1	vialog voice diade goop	ı	1 1	UEANL	USBN2	7.61	60.19	21.78	47 50	5 26		11.90		1		i
	Sub-Loop Distribution Per 2-Wire A	vnalog Voice Grade Loop -		 	027.012	000.12		00.15	21.70	47.50	3,20		71.50				
	Zone 2			2	UEANL	USBN2	10.27	60.19	21.78	47.50	5.26		11.90				1
	Sub-Loop Distribution Per 2-Wire A	vnalog Voice Grade Loop -															
	Zone 3			3	UEANL	USBN2	19.85	60.19	21.78	47.50	5.26		11.90				
1		_															
	Order Coordination for Unbundled			-	UEANL	USBMC		9.00	9.00								
- 1	Sub-Loop Distribution Per 4-Wire A	vialog Voice Grade Loop -		١		1											
	Sub-Loop Distribution Per 4-Wire A	Ingles Vers Crade Lass		1	UEANL	USBN4	8 12	68.83	30 42	49.71	6.60		11.90				
- 1	Zone 2	chargy voice Grade Loop -	l	2	UEANL	USBN4	10.96	60.00	20.40	40.74	6.60		44.00				1
-	Sub-Loop Distribution Per 4-Wire A	nelog Voice Grede Loop -		1.2	UEANL	USBN4	10.96	68 83	30.42	49 71	6.60		11.90				<u> </u>
- 1	Zone 3	analog voice chace coop	1	3	UEANL	USBN4	21.18	68.83	30.42	49.71	6.60	J	11.90				i
				Ť	02:112	1002.11	20	00.00	00.42	73.71	0.00		11.00				
	Order Coordination for Unbundled	Sub-Loops, per sub-loop pair	1		UEANL	USBMC	I	9 00	9.00	i							1
	Sub-Loop 2-Wire Intrabuilding Net	work Cable (INC)			UEANL	USBR2	3 50	51.84	13.44	47 50	5.26		11.90				
						T i											
	Order Coordination for Unbundled				UEANL	USBMC		9.00	9.00								
	Sub-Loop 4-Wire Intrabuilding Net	work Cable (INC)	_!		UEANL	USBR4	6.68	55.91	17.51	49.71	6.60		11 90				<u> </u>
	Order Coordination for Unbundled	Cub I some marguit face mais		1	UEANL	USBMC		9.00	9 00						ļ		1
	2 Wire Copper Unbundled Sub-Loc		 	1	UEF	UCS2X	6 25	60 19	21.78	47 50	5 26		11.90				
	2 Wire Copper Unbundled Sub-Loc		 - 		UEF	UCS2X	8 44	60.19	21.78	47 50	5 26		11.90				
	2 Wire Copper Unbundled Sub-Loc		H		UEF	UCS2X	16,30	60 19	21 78	47.50	5 26		11.90				
	Order Coordination for Unbundled		L		UEF	USBMC		9.00	9 00								
	4 Wire Copper Unbundled Sub-Loc				UEF	UCS4X	5.20	68 83	30 42	49.71	6.60		11 90				
	4 Wire Copper Unbundled Sub-Loc				UEF	UCS4X	7.02	68 83	30 42	49.71	6 60		11.90				
	4 Wire Copper Unbundled Sub-Loc	op Distribution - Zone 3		3	UEF	UCS4X	13.55	68 83	30.42	49 71	6.60		11.90				
	Order Constitution for Hotelandia	Out town was not been noted			UEF	USBMC	J	0.00	9.00								ı
Unbe	Order Coordination for Unbundled undled Sub-Loop Modification	Sub-Loops, per sub-loop pair			UEF	USBMC		9.00	9.00								\vdash
Unbu	Unbundled Sub-Loop Modification	- 2-W Copper Diet Load		 		 											
	Coil/Equip Removal per 2-W PR	- 2-VV Copper Dist Load		i i	UEF	ULM2X		10.11	10.11				11.90				
	Unbundled Sub-loop Modification -	4-W Conner Dist Load	_		OLI.	OLWEX		19.71	10.11				11.00				
	Coll/Equip Removal per 4-W PR	4 11 Copper Diot Load			UEF	ULM4X	i	10.11	10.11)			11.90	-			1
	Unbundled Sub-loop Modification -	2-w/4-w Copper Dist Bridged		-										-			
	Tap Removal, per PR unloaded				UEF	ULM4T	1	15.58	15.58				11.90				
Unbu	undled Network Terminating Wire (U																
	Unbundled Network Terminating W	/ire (UNTW) per Pair			UENTW	UENPP	0.2286	18.02	- 18.02				11.90				
Netw	rork Interface Device (NID)			\Box		ļ l			10				44.50				
	Network Interface Device (NID) - 1-				UENTW	UND12		68.08	42.80				11.90				
	Network interface Device (NID) - 1-			\vdash	UENTW	UND16		110.48	85.20				11.90 11.90		ļ		
	Network Interface Device Cross Co		<u> </u>		UENTW UENTW	UNDC2 UNDC4		7.63 7.63	7.63 7.63				11.90				
UB-LOOPS		mect - 444		\vdash	DENTY	IONDO4		1.63	7.03				11.30		-		
	Loop Feeder			\vdash		1 1											
1000	USL-Feeder, DS0 Set-up per Cross	Box location - CLEC		\vdash	UEA.	 											
i	Distribution Facility set-up				UDN,UCL,UDL,UDC	lusbew [I	487.23					11.90		1		1

0.100.1DE	D NETWORK ELEMENTS - Florida		,										Attach	ment: 2	Exhil	bit: B
CATEGORY	RATE ELEMENTS	interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge -	Increment Charge - Manual S Order vs Electronic Disc Add
	 					Rec	Nonrec			Disconnect		·		Rates(\$)		
	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair		├	UEA.			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
[]	set-up			UDN,UCL,UDL,UDC	HEREY		6 25	4.05	1		ļ			1		
	USL Feeder DS1 Set-up at DSX location, per DS1 termination		 	USL.	USBFZ		522.41	6.25 11.32	 		 	11.90 11.90				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice						322.41	11.02		<u> </u>	 	11.90				ļ
	Grade - Zone 1		1	UEA	USBFA	8.05	92.75	51 24	58.45	13.07	İ	11 90		ļ	1	l
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice Grade - Zone 2															
···-	Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start,		2	UEA	USBFA	10.87	92 75	51 24	58 45	13 07		11.90				
l 1	Voice Grade - Zone 3		3	UEA	USBFA	21.00	92.75	51 24	50.45							
	Order Coordination for Specified Conversion Time, per LSR		١Ť	UEA	OCOSL	21.00	23 02	5124	58.45	13.07		11 90		ļ		
	Unbundide Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice						20 02				 			 		
ļ	Grade - Zone 1		1	UEA	USBFB	8.05	92.75	51.24	58.45	13.07		11 90				ľ
	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice														-	
	Grade - Zone 2 Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice		2	UEA	USBFB	10.87	92.75	51.24	58.45	13.07		11.90				
	Grade - Zone 3		3	UEA	USBFB	21 00	92 75		i						_	
	Order Coordination for Specified Time Conversion, per LSR		- 3	UEA	OCOSL	21 00	23.02	51.24	58.45	13.07		11.90				L
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,			JEN.	00002	·	25.02									
	Voice Grade - Zone 1		1	UEA	USBFC	8 05	92.75	51.24	58.45	13 07		11.90				1
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,											7.7.50		-		
	Voice Grade - Zone 2		2	UEA	USBFC	10.87	92 75	51,24	58 45	13 07		11.90				ı
1	Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse Battery, Voice Grade - Zone 3		_												-	$\overline{}$
	Order Coordination For Specified Conversion Time, per LSR		3	UEA UEA	USBFC OCOSL	21.00	92 75 23.02	51.24	58.45	13 07		11.90				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice		-	CEA	OCOSL		23.02									<u> </u>
	Grade - Zone 1		1	UEA	USBFD	17.26	106.92	64 46	63.54	14.83		11 90				1
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice							07.10	55.54	17.00		11.50				
	Grade - Zone 2		2	UEA	USBFD	23.29	106.92	64.46	63.54	14 83		11.90				1
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice				-		•			-						
	Grade - Zone 3		3	UEA	USBFD	45.00	106.92	64.46	63 54	14.83		11.90				
	Order Coordination For Specified Conversion Time, Per LSR Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice			UEA	OCOSL		23.02									
	Grade - Zone 1	- 1	4	UEA	USBFE	17.26	106.92	64.46	63.54	14.83		11.90				l
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice			OLA	OGBIE	17.20	100.92	04,40	63.54	14.03	 	11.90				
	Grade - Zone 2		2	UEA	USBFE	23 29	106.92	64.46	63.54	14.83		11 90				l
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice															
	Grade - Zone 3		3	UEA	USBFE	45.00	106 92	64.46	63.54	14.83		11 90				l
	Order Coordination For Specified Conversion Time, Per LSR			UEA .	OCOSL		23.02									
	Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1 Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2		1	UDN UDN	USBFF USBFF	17.04 23.00	109.71 109.71	66.68	60.21	12 49 12.49		11 90				
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3				USBFF	44 43	109.71	66.68	60.21 60.21	12.49		11.90 11 90				
	Order Coordination For Specified Conversion Time, Per LSR		<u> </u>	UDN	OCOSL		23.02	00.00	00 21	12.49		11 50	-			
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		7	UDC	USBFS	17.04	109.71	66.68	60 21	12.49		11.90				i
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		2	UDC	USBFS	23.00	109.71	66.68	60 21	12.49		11.90				
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		3		USBFS	44.43	109.71	66 68	60.21	12.49		11 90				
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1				USBFG	46 27	133.77	78 02	85.16	21.21		11.90				
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2				USBFG	62.45	133.77	78.02	85.16	21.21		11 90				
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3 Order Coordination For Specified Conversion Time, Per LSR		3		USBFG OCOSL	120.65	133.77	78.02	85.16	21.21		11.90				
	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1	\dashv	1		USBFH	7.25	85.27	42.24	58.54	10 82		11.90				
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone			-			55.27	76.67	35.54	10 02		. 1.00				
	2		2	UCL	USBFH	9.79	85.27	42.24	58.54	10 82		11.90				
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone															
	3			UCL	USBFH	18.92	85.27	42.24	58.54	10.82	ļ	11.90				
	Order Coordination For Specified Conversion Time, per LSR				OCOSL		23.02					41.55				
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1		1 2		USBFJ	14.22	99.66	57.20	60.98	12.28		11.90				
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2 Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3		3		USBFJ USBFJ	19.20	99 66	57 20	60.98	12.28		11 90 11.90				
	Order Coordination For Specified Conversion Time, per LSR	-			OCOSL	37.09	99 66	57 20	60.98	12.28		11.80				

ONRONDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge	Increments Charge -
		├──			 	Rec	Nonrec			Disconnect				Rates(\$)		
	Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop		1	UDI	USBFN		First	Add'l	First	Add'1	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop			UDL	USBFN	18 68 25 21	100.62 100.62	58.16 58.16	63.54 63.54	14.83 14.83	 	11 90				ļ
	Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop			UDL	USBFN	48.71	100.62	58.16	63.54	14 83		11 90 11 90				
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -		<u> </u>		000:11	70.71	100.02	36.10	03.54	14 63	-	1190				
	Zone 1	L	1	UDL	USBFO	18 68	100 62	58 16	63.54	14 83		11 90				1
ł	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -									11.55						
	Zone 2		2	UDL	USBFO	25.21	100 62	58.16	63.54	14.83		11.90		1		l
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -			-												1
	Zone 3		3		USBFO	48.71	100.62	58.16	63 54	14.83		11.90				ł
	Order Coordination For Specified Time Conversion, per LSR		\perp	UDL	OCOSL		23.02									
ŀ	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 1	1		LID.	LIODES		,									
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -	 	1_1_	UDL	USBFP	18 68	100.62	58.16	63.54	14.83		11 90		ļ	ļ	ļ <u>.</u>
	Zone 2	l	2	UDL	USBFP	25 21	100.62	58.16	63.54	14 83] :	11.90		i		1
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -	!	-	ODL	USBFF	25 21	100.62	58.16	63.54	14 83		11.90		 		
1	Zone 3	l	₃	UDL	USBFP	48 71	100.62	58 16	63.54	14.83]	11.90		I		
1	Order Coordination For Specified Conversion Time, per LSR		-	UDL	OCOSL		23.02	30 10		14.00	 	11.50				
SUB-LOOPS					00002		20.02				 			 	· · · · · · · · · · · · · · · · · · ·	
Sub-Lo	oop Feeder			•								-				
	Sub Loop Feeder - DS3 - Per Mile Per Month	- 1		UE3	1L5SL	15.69										
	Sub Loop Feeder - DS3 - Facility Termination Per Month			UE3	USBF1	347.59	3,386.00	407.15	166.83	94.58		11.90				
	Sub Loop Feeder - STS-1 - Per Mile Per Month			UDLSX	1L5SL	15.69								i		·
	Sub Loop Feeder - STS-1 - Facility Termination Per Month			UDLSX	USBF7	402.09	3,386.00	407.15	166.83	94.58		11 90				
	Sub Loop Feeder - OC-3 - Per Mile Per Month	_		UDLO3	1L5SL	11.90										
	Sub Loop Feeder - OC-3 - Facility Termination Protection Per				1											
	Month			UDLO3	USBF5	62 98										
	Sub Loop Feeder - OC-3 - Facility Termination Per Month	-	-	UDLO3	USBF2	547 22	3,386.00	407.15	166.83	94.58		11.90				
	Sub Loop Feeder - OC-12 - Per Mile Per Month	<u> </u>		UDL12	1L5SL_	14.65										
	Sub Loop Feeder - OC-12 - Facility Termination Protection Per Month	١.		110140	USBF6	500.47			ŀ							1
	Sub Loop Feeder - OC-12 - Facility Termination Per Month		-	UDL12 UDL12	USBF3	502 47 1,577 00	3,386.00	407.15	166.83	94.58		11.90				
	Sub Loop Feeder - OC-12 - Pacinty Termination Fer Month	 		UDL48	1L5SL	48 06	3,300.00	407.15	100.03	94.56		11.90				
	Sub Loop Feeder - OC-48 - Facility Termination Protection Per	 		ODLTO	11.501.	70 00					-					
	Month	1 .		UDL48	USBF9	251.80								i		1
	Sub Loop Feeder - OC-48 - Facility Termination Per Month	i i		UDL48	USBF4	1,589 00	3,572 00	407 15	168.35	95 43		11 90				
	Sub Loop Feeder - OC-12 Interface On OC-48	<u> </u>		UDL48	USBF8	331.15	788.39	407.15	168 35	95.43		11.90				
JNBUNDLED I	OOP CONCENTRATION		 -		1								······································			
	Unbundled Loop Concentration - System A (TR008)			ULC	UCT8A	449.49	359 42	359.42				11 90				
	Unbundled Loop Concentration - System B (TR008)			ULC	UCT8B	53.44	149 76	149 76				11 90				
	Unbundled Loop Concentration - System A (TR303)			ULC	UCT3A	487.33	359.42	359.42				11.90				
	Unbundled Loop Concentration - System B (TR303)			ULC	UCT3B	90.05	149.76	149 76				11 90				
	Unbundled Loop Concentration - DS1 Loop Interface Card			ULC	UCTCO	5.04	71.70	51.52	18.49	4.82		11 90				
	Unbundled Loop Concentration - ISDN Loop Interface (Brite						1]					l
	Card)		\Box	UDN	ULCC1	8.00	16.59	16.50	6.77	6.73		11.90				
	Unbundled Loop Concentration - UDC Loop Interface (Brite		ll										-			l
	Card)			UDC	ULCCU	8 00	16 59	16.50	6.77	6.73		11.90				
	Unbundled Loop Concentration2 Wire Voice-Loop Start or	1	1 1			li						4400				l
	Ground Start Loop Interface (POTS Card)	<u> </u>		UEA	ULCC2	2.00	16.59	16.50	6.77	6.73		11.90				
	Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery		L	UEA	ULCCR	11.90	16.59	16.50	6 77	6.73		11.90		1		l
	Lcop Interface (SPOTS Card) Unbundled Lcop Concentration - 4 Wire Voice Lcop Interface	 		UEA	ULCCH	11.90	10.59	10.50	677	6.73		11.30				
	(Specials Card)			UEA	ULCC4	7.10	16.59	16.50	6.77	6.73]	11.90		}		l
	Unbundled Loop Concentration - TEST CIRCUIT Card	├	\vdash	ULC	UCTTC	34.68	16.59	16.50	6.77	6.73		11.90		 		
	Unbundled Loop Concentration - 7EST CIRCUIT Card	<u> </u>	\vdash	525	30170	37.00	10.59	10.30	0.77	0.70		.,,,,,,		<u> </u>		
	Interface			UDL	ULCC7	10.51	16.59	16.50	6.77	6,73]	11.90				1
	Unbundled Loop Concentration - Digital 56 Kbps Data Loop		Н		1	 			, , , , , , , , , , , , , , , , , , ,							
	Interface			UDL	ULCC5	10.51	16.59	16.50	6 77	6.73		11.90				
	Unbundled Loop Concentration - Digital 64 Kbps Data Loop				T											
	Interface	l	1 1	UDL	ULCC6	10.51	16.59	16.50	6.77	6 73		11 90			L	

UNBUN	IDLE	D NETWORK ELEMENTS - Florida												Attachr	nent: 2	Exhit	bit: B
CATEGO		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	incremental Charge - Manual Svc Order vs. Electronic- Add'l		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
\vdash				ļ			Rec	Nonrec		Nonrecurring					Rates(\$)		
LINE OT	HFR D	PROVISIONING ONLY - NO RATE		<u> </u>				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Ü.,.		NID - Dispatch and Service Order for NID installation		 	UENTW	UNDBX	000	0.00				 					
		UNTW Circuit Id Establishment, Provisioning Only - No Rate		\vdash	UENTW	UENCE	0.00	0.00									
					UEANL,UEF,UEQ,U												
		Unbundled Contract Name, Provisioning Only - No Rate		ļ	ENTW	UNECN	0.00	0.00									L
UNE OIL	HEH, P	ROVISIONING ONLY - NO RATE		<u> </u>			ļ										
		Unbundled Contact Name, Provisioning Only - no rate			UAL,UCL,UDC,UDL, UDN,UEA,UHL,ULC	UNEÇN	0.00	0.00								:	
		Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no															
\vdash		rate		ऻ—	UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									ļ
]		Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate	1	1	UEA,USL,UCL,UDL	USBFR	000	0 00				ļ	J				ı
 		Unbundled DS1 Loop - Superframe Format Option - no rate		 	USL	CCOSF	000	0.00				 	 	·			
- 1		Unbundled DS1 Loop - Expanded Superframe Format option -		 	001	0000	- 000	0.00									
		no rate	L.		USL	CCOEF	0 00	0.00				L	L	<u> </u>			L
HIGH CA	APACIT	TY UNBUNDLED LOCAL LOOP															
		High Capacity Unbundled Local Loop - DS3 - Per Mile per month		ļ	UE3	1L5ND	10.92										
		High Capacity Unbundled Local Loop - DS3 - Facility Termination per month High Capacity Unbundled Local Loop - STS-1 - Per Mile per			UE3	UE3PX	386.88	556 37	343.01	139.13	96.84		11.90				
		month			UDLSX	1L5ND	10 92					1					1
		High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	UDLS1	426.60	556.37	343.01	139.13	96.84		11.90			1.83	
LOOP M	IÄKE-U																
		Loop Makeup - Preordering Without Reservation, per working or spare facility quened (Manual).			UMK	UMKLW		52 17	- 52 17								
		Loop Makeup - Preordering With Reservation, per spare facility queried (Manual) Loop Makeup-With or Without Reservation, per working or		<u> </u>	UMK	UMKLP		55.07	55.07				<u> </u>				
1 1		spare facility queried (Mechanized)			UMK	PSUMK	1	0.6784	0.6784								L
HIGH FF	REQUE	NCY SPECTRUM															
		HARING											<u> </u>				
	SPLITT	FERS-CENTRAL OFFICE BASED											 			<u> </u>	 -
		Line Shanng Splitter, per System 96 Line Capacity - True up pending approval by PSC Line Shanng Splitter, per System 24 Line Capacity - True up	R	_	ULS	ULSDA	119.72	379 13	0.00	347.90	0 00		11 90			<u> </u>	ļ <u>.</u>
		pending approval by PSC	R		ULS	ULSDB	29.93	379.13	0 00	347.90	0 00		11 90				
		Line Shanng Splitter, Per System, 8 Line Capacity	H	1	ULS	ULSD8	8.33	379.13	0.00	347.90	0.00		11.90				
 		Line Shanng-DLEC Owned Splitter in CO-CFA activaton-														<u> </u>	
		deactivation (per LSOD)	<u> </u>	<u></u>	ULS	ULSDG		173 66	0.00	97.42	0.00	<u> </u>	11 90			ļ	
	END U	SER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY	SPEC	TRUM		LII GDA	0.61	29 68	21.28	19.57	9.61	 	11.90	 	 		
		Line Sharing - per Line Activation -(BST Owned Splitter)	<u> </u>	+	ULS	ULSDC	0.61	59 68	21.28	19.57	9.01	 	11.90	f	<u> </u>		
		Line Sharing - per Subsequent Activity per Line Rearrangement - True up pending approval by PSC(BST Owned Splitter)	R		ULS	ULSDS		21.68	16 44				11.90				
		Line Shanng - per Subsequent Activity per Line Rearrangement	R		ULS	ULSCS		21.68	16 44				11.90			·	
		- True up pending approval by PSC(DLEC Owned Splitter) Line Shanng - per Line Activation (DLEC owned Splitter)	H	+-	ULS	ULSCC	0.61	47.44	19.31	20.67	12.74	 -	11.90	[
-	LINE S	PLITTING	一	t -													
		SER ORDERING-CENTRAL OFFICE BASED		I												ļ	
		Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61					ļ					
		Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	29.68	21,28	19.57	9.61		11.90		<u> </u>		 -
		Line Splitting - per line activation BST owned - virtual		1-	UEPSR UEPSB	UREBV	1.134	29.68	21.28	19.57	9.61	 	1190			 	
		TE SITE HIGH FREQUENCY SPECTRUM	<u> </u>	₩	 		 					 	 				
	SPLIT	REMOTE SITE Remote Site Line Share Bell South Owned Splitter, 24 Port	 	+	ULS	ULSRB	25.00	150.00	0.00	150.00	0.00	1	11.90				
\Box		гленные эке шле энаге репосил Омнео эрикет, 24 Fort			1020	LOCOTO	20.00		5.50								

UNBUNDLE	D NETWORK ELEMENTS - Florida													ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted Manually	incremental Charge - Manual Svc Order vs. Electronic- 1st	incremental Charge - Manual Svc Order vs. Electronic- Add'l		Increment Charge -
			-		ļ	Rec		curring		Disconnect				Rates(\$)		
 -	Remote Site Line Share Cable Pair Activation CLEC Owned at		_		 		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	RS and deactivation			ULS	ULSTG]	74,38	0.00	46 77	0.00	ŀ	,			ŀ	
END U	SER ORDERING-REMOTE SITE HIGH FREQUENCY SPECTRUM	I AKA	REMOT	E SITE LINE SHARI	NG		74.36	0.00	46 //	0.00	ļ	 				
	Remote Site Line Share Line Activation for End User Served at		T		T						i					
	RS, BST Splitter	- 1		ULS	ULSRC	0.61	40.00	22.00	19.57	9.61		11.90		İ		
i I	RS Line Share Line Activation for End User served at RS, CLEC				1											
LIAIDI INDI ED	Splitter			ULS	ULSTC	0.61	40 00	22.00	19 57	9.61		11.90				
	DEDICATED TRANSPORT	- E:U?:	<u> </u>	- L. L	11 500	1					<u> </u>		ļ			
INTER	INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimus OFFICE CHANNEL - DEDICATED TRANSPORT	m Dillin	g penc	a - pelow DS3=one	month, US3/	SIS-1≃TOUR MO	ntns				ļ		ļ			ļ
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -				 											
	Per Mile per month			U1TVX	1L5XX	0.0091			1							
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -				1	5.555										—
	Facility Termination			U1TVX	U1TV2	25.32	47.35	31.78	18.31	7.03		11.90	1			l
l	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade															
	Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat		1	U1TVX	1L5XX	0.0091										<u> </u>
	Facility Termination		1	U1TVX	U1TR2	25.32	47.35	31 78	18 31	7 03		11 90		ļ	}	l
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -		-	UIIVA	UTINZ	23.32	47.00	31 70	10.01	7.03	 	11 90				
İ	Per Mile per month		1	υ1TVX	1L5XX	0 0091							1		1	1
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade		 		<u> </u>											
	- Facility Termination			U1TVX	U1TV4	22.58	47.35	31.78	18.31	7.03		11.90	<u> </u>			l
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile				1											
	per month			U1TDX	1L5XX	0 0091										ļ
İ	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination			U1TOX	U1TD5	اييميا	47.05	04.70	18 31	7.03		11.90	ł	i	ì	1
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile		-	UTIOX	101105	18.44	47.35	31.78	18 31	7.03		11.90	 	 		
	per month			U1TDX	1L5XX	0.0091						i '	1			ļ
- 	Interoffice Channel - Dedicated Transport - 64 kbps - Facility			0.1271	1 20701	3,433			 							
	Termination		1	U1TDX	U1TD6	18.44	47.35	31.78	18.31	7.03		11.90	·			<u> </u>
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per				1											
	month			U1TO1	1L5XX	0.1856										ļ
l	Interoffice Channel - Dedicated Tranport - DS1 - Facility				l	il			l	40.00		44.00		l	ŀ	1
	Termination		-	U1TD1	U1TF1	88.44	105.54	98.47	21.47	19.05		11 90			ļ	
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	3.87										1
	Interoffice Channel - Dedicated Transport - DS3 - Facility		-	01100	TIEDAN .	0.07										
	Termination per month			U1TD3	U1TF3	1,071.00	335.46	219.28	72.03	70.56		11 90			1	1
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per		—													
	month			U1TS1	1L5XX	3.87							ļ			ļ
· · · · ·	Interoffice Channel - Dedicated Transport - STS-1 - Facility										,	44.00				l
	Termination		1	U1T\$1	U1TFS	1,056.00	335.46	219.28	72.03	70.56		11.90		ļ	<u> </u>	
	L CHANNEL - DEDICATED TRANSPORT LOCAL CHANNEL DEDICATED TRANSPORT - minimum billin		1	DC2	DEA/ETE 1	ious months					_				-	
NOTE	Local Channel - Dedicated - 2-Wire Voice Grade - Zone 1	g peno	a - Deic	ULDVX	ULDV2	21.94	265.84	46.97	37.63	4.00		11.90	1			
	Local Channel - Dedicated - 2-Wire Voice Grade - Zone 2			ULDVX	ULDV2	29.62	265.84	46.97	37.63	4.00		11 90		†		T
	Local Channel - Dedicated - 2-Wire Voice Grade - Zone 3			UNDVX	ULDV2	57.22	265.84	46.97	37.63	4.00		11 90				
	Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat								1							
	Zone 1		1	ULDVX	ULDR2	21.94	265 84	46.97	37.63	4.00		11.90				
	Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat				l							14.00				
	Zone 2		2	ULDVX	ULDR2	29.62	265.84	46.97	37 63	4 00		11.90				
1	Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat		3	ULDVX	ULDR2	57.22	265.84	46 97	37.63	4.00	1	11.90	İ	1		1
	Zone 3 Local Channel - Dedicated - 4-Wire Voice Grade - Zone 1			UNDVX	ULDV4	22.81	266.54	47.67	44 22	5.33		11.90			-	—
	Local Channel - Dedicated - 4-Wire Voice Grade - Zone 2			UNDVX	ULDV4	30.79	266.54	47.67	44.22	5 33	t	11 90				
_	Local Channel - Dedicated - 4-Wire Voice Grade - Zone 3			UNDVX	ULDV4	59 48	266.54	47.67	44.22	5.33		11.90			<u> </u>	
	Local Channel - Dedicated - DS1 - Zone 1		1	ULDD1	ULDF1	35.28	216.65	183 54				11.90				<u> </u>
	Local Channel - Dedicated - DS1 - Zone 2		2	ULDD1	ÜLDF1	47.63	216.65	183.54	24.30	16.95		11.90				
	Local Channel - Dedicated - DS1 - Zone 3		3	ULDD1	ULDF1	92.01	216.65	183.54	24.30	16.95	l	11.90	<u> </u>	l	L	<u> </u>

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		Nonrec	RATES(\$)	I Noomourio	a Disconnect		Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I Rates(\$)	Incremental Charge -	Increments Charge -
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Local Channel - Dedicated - DS3 - Per Mile per month		1-	ULDD3	1L5NC	8,50			1					COMPAN	JOHNAN	SOME
	Local Channel - Dedicated - DS3 - Facility Termination			ULDD3	ULDF3	531 91	556 37	343 01	139.13	96 84	 	11.90				
	Local Channel - Dedicated - STS-1- Per Mile per month			ULDS1	1L5NC	8 50		-						-		
	Local Channel - Dedicated - STS-1 - Facility Termination			ULD\$1	ULDFS	540.69	556.37	343.01	139.13	96.84		11.90				
DARK FIBER																
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction		ı		1	ŀ										
	Thereof per month - Local Channel	-	 	UDF	1L5DC	55.04										
	NRC Dark Fiber - Local Channel Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	<u> </u>	ļ	UDF	UDFC4		751.34	193.88	356 21	230.11		11.90				
	Thereof per month - Interoffice Channel			UDF	1L5DF	00.05					l .			ŀ		
<u> </u>	NRC Dark Fiber - Interoffice Channel	i —	 	UDF	UDF14	26.85	751.34	193.88	356.21	230 11	 	11.90				
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			ODF	10DF 14		/31.34	193.88	356.21	230 11		11.90		 _		
	Thereof per month - Local Loop		i	UDF	1L5DL	55.04								ĺ		1
	NRC Dark Fiber - Local Loop			UDF	UDFL4	33.04	751.34	193.88	356.21	230.11	 	11.90		-		
8XX ACCESS	TEN DIGIT SCREENING		1	-	100/0		.01.07	100.00	000:21	200.71		. 11.00			·	
	8XX Access Ten Digit Screening, Per Call			OHD		0.0006252										
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX															
	Number Reserved	l		OHD	N8R1X	l i	4.15	0.70			1	11.90				
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O						-	-			1					
	POTS Translations			OHD			8.78	1 18	5.77	0 70	1	11.90		1	·	
	8XX Access Ten Digit Screening, Per 8XX No Established With															
	POTS Translations		l	OHD	N8FTX		8.78	1.18	5 77	0.70		11.90				
	8XX Access Ten Digit Screening, Customized Area of Service					1	_									
	Per 8XX Number			OHD	N8FCX		4.15	2 07				11.90				
	8XX Access Ten Digit Screening, Multiple InterLATA CXR															
	Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		4.85	2 78				11.90				
	8XX Access Ten Digit Screening, Change Charge Per Request	<u> </u>	\vdash	OHD	N8FAX		4.85	0.70			ļ	11.90				
	8XX Access Ten Digit Screening, Call Handling and Destination		ļ l		l											l
	Features			OHD	N8FDX		4 15	4.15				11.90				
	SVV Assess Ten Diget Personnes and OFI. No. Delines, non-super			OHD	i l	0.0006252					1					
	8XX Access Ten Digit Screening, w/ 8FL No. Delivery, per query 8XX Access Ten Digit Screening, w/ POTS No. Delivery, per		 	OHD		0.0006252				!						
-	query			OHD		0.0006252										
I INF INFORM	ATION DATA BASE ACCESS (LIDB)		_	OND		0.0006252										
CHAC HAI CHAIN	LIDB Common Transport Per Query	_		OQT		0 0000203										
	LIDB Validation Per Query			ogu	-	0.0136959										
	LIDB Originating Point Code Establishment or Change	-	\vdash	OQT, OQU	NRPBX	0.0.0000	55 13	55.13	55.13	55.13		11.90	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
SIGNALING (C			\vdash													
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	135.05										
	CCS7 Signaling Usage, Per TCAP Message			UDB		0.0000607										
	CCS7 Signaling Connection, Per link (A link)			ŲDĖ	TPP++	17.93	43.57	43 57	18.31	18.31		11 90				
	CCS7 Signaling Connection, Per link (B tink) (also known as D										1					
	link)			UDB	TPP++	17.93	43 57	43.57	18.31	18,31		11.90				
	CCS7 Signaling Usage, Per ISUP Message			UDB		0.0000152										
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	694.32										
	CCS7 Signaling Point Code, per Originating Point Code		1 1		_							i				
	Establishment or Change, per STP affected			UDB	CCAPO		46.03	46.03	46.03	46.03		11.90				
E911 SERVICE			L					40.07	07.00	4.00		11 90		· · ·		
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 1				 	21.94	265.84	46 97 46 97	37.63 37.63	4,00		11.90		—		
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 2	 	\vdash			29.62 57.22	265 84 265 84	46 97 46 97	37.63	4.00	\vdash	11.90				
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 3	 			+	0.0091	205 84	40 97	31.03	4.00	 	11.80		 		
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile		 		+	0.0091										
j	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination	[25.32	47.35	31.78	18.31	7.03		11.90				1
					+	35.28	216.65	183,54	21,47	19 05	 	11.90			-	
	Local Channel - Dedicated - DS1 - Zone 1	—	\vdash		+	47.63	216.65	183.54	21.47	19.05		11.90				
	Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3				+	92 01	216.65	183.54	21.47	19.05		11.90				
1	Interoffice Transport - Dedicated - DS1 - Zone 3	L			+	0.1856	210.00	165.54	21.41	10.00		150				

0110011000	D NETWORK ELEMENTS - Florida			·									Attach	ment: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	incremental		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sy Order vs.
						Rec	Nonrec First	curring Add'l	Nonrecurring First	Disconnect Add'I	201150			Rates(\$)	L	
						<u> </u>	11101	_ Auu i	First	Addi	SUMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
CALLING NAS	Interoffice Transport - Dedicated - DS1 Per Facility Termination WE (CNAM) SERVICE					88.44	105.54	98.47	21.47	19 05		11.90				
OALLING IVA	CNAM For DB Owners - Service Establishment		├	ogv		ļ.,									1	
	CNAM For Non DB Owners - Service Establishment		+	logv			25 35	25.35	19.01	19.01		11.90				
	CNAM For DB Owners - Service Provisioning With Point Code		 	1004		 	25.35	25.35	19.01	19.01	ļ	11.90				
	Establishment	ļ		oov			1,592.00	1,177.00	352.36	259.09		11.90			!	
	CNAM For Non DB Owners - Service Provisioning With Point						.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	1,111,00	302.00	200.03		11.30		 		ļ
	Code Establishment		L	oov			546.51	393.82	358.06	259.09		11.90		l	1	
	CNAM for DB Owners, Per Query CNAM for Non DB Owners, Per Query			OQV		0.001024										
LNP Query Se			-	oov		0 001024										
1	LNP Charge Per query	 	\vdash	ogv		0.000852					 					
	LNP Service Establishment Manual		 	CUV		0.000852	13.83	13.83	12.71	12.71		11.00				
	LNP Service Provisioning with Point Code Establishment		 				655.50	334 88	297.03	218 40		11.90 11.90				
OPERATOR C	ALL PROCESSING		İ				555.60	30, 55	251.00	£10-40		11.50				
	Oper. Call Processing - Oper. Provided, Per Min Using BST LIDB					1.00										
	Oper Call Processing - Oper Provided, Per Min Using		 			1.20										
	Foreign LIDB Oper. Call Processing - Fully Automated, per Call - Using BST					1.24										
	LIDB			1		0 20				:	l					
	Oper. Call Processing - Fully Automated, per Call - Using					- 020						· · · · · · · · · · · · · · · · · · ·				
INDIA DE CES	Foreign LIDB RATOR SERVICES					0.20										ĺ
INWARD OPE	Inward Operator Services - Verification, Per Call			ļ												
	Inward Operator Services - Verification and Emergency Interrupt - Per Call					1.00										
BRANDING - C	DPERATOR CALL PROCESSING					1.95										
	y based CLEC															
	Recording of Custom Branded OA Announcement				CBAOS		7,000.00	7,000.00	-			11.90				
	Loading of Custom Branded OA Announcement per shelf/NAV															
	per OCN				CBAOL		500.00	500.00				11 90				l
UNEP	Recording of Custom Branded OA Announcement															
	Loading of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN						7,000.00	7,000.00				11.90				
Unbres	nding via OLNS for UNEP CLEC						500.00	500 00				11.90				
	Loading of OA per OCN (Regional)		-				1,200 00	1,200.00				11.90				
	SSISTANCE SERVICES		 				1,200 00 1	1,200.00				11.30				
DIREC	TORY ASSISTANCE ACCESS SERVICE										-					
	Directory Assistance Access Service Calls, Charge Per Call					0.275										
DIREC	TORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (D	ACC)														
l	Directory Assistance Call Completion Access Service (DACC), Per Call Attempt															1
	SSISTANCE SERVICES					0.10										
	TORY ASSISTANCE DATA BASE SERVICE (DADS)		-										-:-			
	Directory Assistance Data Base Service Charge Per Listing					0.04										
	Directory Assistance Data Base Service, per month				DBSOF	150.00										
	DIRECTORY ASSISTANCE															
Facility	y Based CLEC															
	Recording and Provisioning of DA Custom Branded Announcement			AMT	CBADA		6,000.00	6,000.00				11.90				
	Loading of Custom Branded Announcement per DRAM															
UNEP	Card/Switch CLEC			AMT	CBADC		1,170.00	1,170.00			.=	11.90				
ONE !	Recording of DA Custom Branded Announcement						3,000.00	3,000.00				11.90				
	Loading of DA Custom Branded Announcement per DRAM Card/Switch per QCN						1,170 00	1,170 00				11.90				

INBUNDLE	D NETWORK ELEMENTS - Florida							**					Attachi	ment: 2	Exhil	bit: B
ATEGORY	RATE ELEMENTS	interi m	Zone	BCS	USOC			RATES(\$)				Submitted Manually	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge -
		ļ				Rec	Nonrec			Disconnect	<u> </u>			Rates(\$)		
		—	ļ				First	Àdd'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Unbrai	nding via OLNS for UNEP CLEC		 													
	Loading of DA per OCN (1 OCN per Order)	<u> </u>	<u> </u>	l •			420 00	420 00				11.90				
ELECTIVE R	Loading of DA per Switch per OCN		<u> </u>				16.00	16 00			ļ	11.90				
ELECTIVE H	Selective Routing Per Unique Line Class Code Per Request Per	 	┼													
	Switch	ŀ			USRCR	1	93.55	93.55	12 71	12.71		11.90				ı
TRTUAL COL		-	· —		OSHOR		93.55	93.55	12 / 1	12.(1)	 	11.90			<u> </u>	
1110/12/00/2	Virtual Collocation - Application Cost	i —	i —	AMTES	EAF	1	4,122.00	1,249.00				11.90				
	Virtual Collocation - Cable Installation Cost, per cable		i —		ESPCX	12.45	965.00	1,243.00				11.90				
	Virtual Collocation - Floor Space, per sq. ft.	i -	i —		ESPVX	4.25	000.00				i e	11.00				
	Virtual Collocation - Power, per fused amp		i —		ESPAX	6.95					·	L				
• • • • • • • • • • • • • • • • • • • •	Virtual Collocation - Cable Support Structure, per entrance		i —			5.55				ľ	I					
	cable	1	l	AMTES	ESPSX	13.35					ı					1
				UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, AMTFS, UDL, UNCVX, UNCDX,												
	Virtual Collocation - 2-wire Cross Connects (loop)		l	UNCNX	UEAC2	0.0502	11.57	11.57				11 90				
	Virtual Collocation - 4-wire Cross Connects (loop)			UEA,UHL,UCL,UDL, AMTFS, UAL, UDN, UNCVX, UNCDX	UEAC4	0.0502	11.57	11.57				11.90				
	Virtual Collocation - 2-Fiber Cross Connects				CNC2F	6 71	2,431.00					11.90				
	Virtual Collocation - 4-Fiber Cross Connects			AMTFS,UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC4F	6.71	2,431.00	-				11.90				
	Virtual collocation - DS1 Cross Connects			USL, ULC, AMTFS, ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1	CNC1X	7.50	155.00	14.00				11 90				
	Virtual collocation - DS3 Cross Connects			USL, ULC, AMTFS, U E3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CND3X	56.25	151 90	11.83				11.90				
	Virtual Collocation - Co-Carner Cross Connects - Fiber Cable	\vdash	_	AMTFS,CLO	VE1CB	0.0028										
	Support Structure, per linear foot Virtual Collocation - Co-Carner Cross Connects - Copper/Coax	 				0.0028										
	Cable Support Structure, per linear ft Virtual Collocation - Co-Carner Cross Connects - Fiber Cable	\vdash	 —		VE1CD	0.0041						11 90				
	Support Structure,per cable Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax	\vdash	-	AMTFS	VE1CC		535.54									
	Cable Support Structure, per cable	<u> </u>	J		VE1CE	<u> </u>	535.54				ļ	11.90	L		ļ	
	Virtual Collocation Cable Records - per request			AMTFS	VE1BA		1,525.00	1,525.00	267.08	267.08	ļ				ļ	
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable record			AMTFS	VE1BB		656.50	656.50	379 78	379.78						<u> </u>
	Virtual Collocation Cable Records - VG/DS0 Cable, per each 100 pair				VE1BC		9 66	9 66	11 84	11.84						
	Virtual Collocation Cable Records - DS1, per T1TIE]		VE1BD		4 52	4 52	5.54	5.54				ļ		
	Virtual Collocation Cable Records - DS3, per T3TIE	1	1	AMTFS	VE1BE	<u> </u>	15.82	15.82	19.40	19.40	<u> </u>		<u></u>	L	<u> </u>	

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	incremental	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge -	increments Charge -
						Rec		curring	Nonrecurring				OSS	Rates(\$)		
					J	noc	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
l	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber	ļ	ĺ	ALTTEC	VELOC		400.07	400.07	454.00	454.00			ł			l
	records Virtual collocation - Security Escort - Basic, per quarter hour		 	AMTFS	VE1BF SPTBQ		169.67 10.89	169.67	154.89	154.89	 	11.90	 	 		
	Virtual conocation - Security Escott - Sasic, per quarter flour	 	┼	AWIFS	SFIBU		10 69				 	11.90				
	Virtual collocation - Security Escort - Overtime, per quarter hour	1		AMTES	SPTOQ		13 64		!			11.90	•			
								h								
	Virtual collocation - Security Escort - Premium, per quarter hour			AMTES	SPTPQ		16.40					11 90				
1	15. 10.5	l	1								1	44.00			ł	
	Virtual Collocation - DS-1/DCS Cross Connects, PER 28 CKTS			AMTFS	VE11S	226.39	1,950.00				ļ	11.90	 			
	Virtual Collocation - DS-1 DSX Cross Connects, PER 28 CKTS			AMTES	VE11X	11 51	1,950.00					11.90	Ì	I		1
	Virtual Collocation - DS-3/DCS Cross Connects, PER 28 CKTS Virtual Collocation - DS-3/DCS Cross Connects, PER CKT	\vdash	+-	AMTES	VE13S	56.97	528.00	-			 	11.90		 		
	Virtual Collocation - DS-3/DSC Cross Connects, PER CKT			AMTFS	VE13X	10.06	528.00					11.90				
	Virtual collocation - Maintenance in CO - Basic, per quarter hour	<u> </u>	1	AMTFS	SPTRE		10.89				ļ	11.90				<u> </u>
	Virtual collocation - Maintenance in CO - Overtime, per quarter	1	İ				40.04				İ	44.00				İ
	hour Virtual collocation • Maintenance in CO • Premium per quarter	├	-	AMTFS	SPTOE		13 64				<u> </u>	11.90		 		
	hour		i	AMTES	SPTPE	1	16 40				1	11.90		1		İ
VIRTUAL COL			+-	AWITS	31112	-	10 70				l	11.00				-
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-															
1	Wire Analog - Res	1		UEPSR	VE1R2	0.524	11 57	11.57				11.90	L	L		<u> </u>
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Line Side PBX Trunk - Bus		L	UEPSP	VE1R2	0.524	11 57	11 57				11.90				
1	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire	ì	l		l		44 57	44.55	[]			11.90				1
	Voice Grade PBX Trunk - Res Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire	 	-	UEPSE	VE1R2	0.524	11.57	11.57	-			11.90	 			
	Analog Bus	l	1	UEPSB	VE1R2	0 524	11.57	11 57				11.90		l		1
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire		 	OLI OL	1	- 0021	,,,,,,									
	ISDN		1	UEPSX	VE1R2	0.524	11.57	11.57				11.90		L		
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire															
	ISDN		L	UEPTX	VE1R2	0.524	11.57	11.57			ļ <u> </u>	11.90				
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire	1	1	l	luzan.		44.55	4				11.90	1	i	Ĭ.	1
WD71141 001	ISDN DS1		-	UEPEX	VE1R4	0.524	11.57	11.57			 	11.90	<u> </u>			
VIRTUAL COL	Virtual Collocation-2 Wire Cross Connects (Loop) for Line				+								· · · · · · · · · · · · · · · · · · ·			<u> </u>
l	Splitting		1	UEPSR, UEPSB	VE1LS	0.0297	33.86	31.95				11.90	· ·	i		l
PHYSICAL CO			 		1											
	Physical Collocation-2 Wire Cross Connects (Loop) for Line		1		1											
	Splitting		1	UEPSR, UEPSB	PE1LS	0 0276	8.22	7.22	5 74	4.58	ļ	11.90	ļ			ļ
AIN SELECTI	VE CARRIER ROUTING		1		100000		193,444 00		7,737.00		<u> </u>	11.90	<u> </u>			
	Regional Service Establishment			SRC	SRCEO		193,444 00	187.36	0.69	0.69	 	11.90	 			
	End Office Establishment Query NRC, per query	 	 -	SRC	SACEO	0.0031868	107.30	107.30	0.03	0.00	 	11.00				
AIN - RELLSC	OUTH AIN SMS ACCESS SERVICE	-	 	Sho	 	0.0001000										
AIN - DECESO	AIN SMS Access Service - Service Establishment, Per State,		+-		 			<u> </u>					· ·			
1	Initial Setup		1	A1N	CAMSE		43.56	43.56	44.93	44.93		11.90	<u> </u>			
		Ī						l				l		1		
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		8.64	8.64	10.03	10.03		11.90				
	AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		8.64	- 8.64	10.03	10.03	<u> </u>	11.90	 	 		
1 -	AIN SMS Access Service - User Identification Codes - Per User		1	l	CAMAU		38.66	38.66	29.88	29.88		11.90				1
	ID Code		+	A1N	CAMAU		30.00	30.00	23.00	23.00	 	1	l		<u> </u>	
	AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement		1	A1N	CAMRC	[75.10	75.10	12.93	12.93		11.90				
	AlN SMS Access Service - Storage, Per Unit (100 Kilobytes)	_	+	1000	SPANIE TO	0 0028	,,,,,	1	1							
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)		\vdash		1	0.7809		T								
	AIN SMS Access Service - Company Performed Session, Per		T				_						1			1
l	Minute	<u></u>	1		_l	0.4609						1	ļ	<u> </u>		
AIN - BELLSC	OUTH AIN TOOLKIT SERVICE		1					L	L	l	ــــــــــــــــــــــــــــــــــــــ	L	<u> </u>			ــــــــــــــــــــــــــــــــــــــ

CHBOHD	LED NETWORK ELEMENTS - Florida					,					6 . 6 .	0 6 :	Attachr			oit: B
CATEGORY	Y RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Submitted Elec	Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
		1	.i			Rec	Nonrec		Nonrecurring					Rates(\$)		
						noc	First	Add'l	First	Addil	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
i l	AIN Toolkit Service - Service Establishment Charge, Per State,	1	1			l .										
	Initial Setup	 	↓	CAM	BAPSC	-	43 56	43 56	44 93	44.93		11.90				
	AIN Toolkit Service - Training Session, Per Customer	+-	+		BAPVX	ļ	8,439.00	8,439.00				11.90			+	
	AIN Toolkit Service - Tngger Access Charge, Per Tngger, Per DN, Term. Attempt			,	BAPTT		8.64	8.64	10.03	10.03		11.90			1	
\vdash	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	-	+	<u> </u>	DA 11	i	0.07	0.0+	10.00	10.00		11.00				
	DN, Off-Hook Delay		1		BAPTO		8.64	8.64	10.03	10.03		11.90				ļ
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
L	DN, Off-Hook Immediate	.l			BAPTM		8.64	8.64	10 03	10.03		11.90				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per														İ	
	DN, 10-Digit PODP	ļ <u> </u>			BAPTO		38.06	38.06	15 86	15.86		11.90				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		1		BAPTC		38.06	38 06	15.86	15.86		11 90				
	DN, CDP AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	 	╂		BAPIC		36.00	30 00	15.80	15.00		11 50			-	
	DN. Feature Code		1	1	BAPTF	1	38.06	38.06	15.86	15.86		11.90			l	
	AIN Toolkit Service - Query Charge, Per Query	 	+			0.0535927	- 55.55		10790							
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit		—		1											
1 1	Subscription, Per Node, Per Query					0.0063698										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access	1														į
	Account, Per 100 Kilobytes	<u> </u>	<u> </u>			0.06										<u> </u>
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service	1		[L							44.00				
	Subscription	 		CAM	BAPMS	8 34	8.64	8 64	6 08	6 08		11.90		-		
ļ	AIN Toolkit Service - Special Study - Per AIN Toolkit Service	1	i	CAM	BAPLS	373	9.56	9 56				11.90				
	Subscription AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service		+	CAM	BAPLS	3 /3	9.50	3 30				11.50				
1 !	Subscription	1		САМ	BAPDS	4,73	8.64	8.64	6.08	6.08		11 90				1
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit	 	+	- CAN	DA 50			5.5								
1 1	Service Subscription		1	CAM	BAPES	0.12	9.56	9.56				11.90				
ENHANCE	D EXTENDED LINK (EELs)	<u> </u>	1		1											
NO	TE: New Density Zone 1 EELs are available in the following MSA	s: Orlar	ido, FL	; Miami, FL; Ft. Lau	derdale, FL;	Atlanta, GA; Nev	v Orleans, LA;									
NO	TE: Charlotte Gastonia Bookhill NC: Greenshom Winston Salan	∟Hiah [Paint N	C and Nachville Ti	u I	1	I				4		1131F- (N			\
NO ⁻	TE: In all states, EEL network elements shown below also apply	to cum	ently co	mbined facilities w	hich are conv	rerted to UNE ra	tes. A Switch /	s is Charge a	pplies to curre	ntly combined	TACITITIES C	onverted to	UNES.(NOD-IE	curning rates	do not apply	'
NO	TE: In all states the EEL network elements apply to ordinarily co	mbined	netwo	ANCOCHT (FEL)	ITCH AS IS CH	irge.) when or	enng ordinan	y combined r	erwork elemen	ts, noniecum	ig rates do	арріу			 	
2-W	VIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 IN	EHOF	PICE IF	ANSPORT (EEL)												
1 1	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1	1	1	UNCVX	UEAL2	14.50	127.59	60.54	48.00	6.31	ļ	11 90				
$\vdash \vdash \vdash$	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed	+	+	0.1017	- OCAL	14.00	12.100	35.51								
	Transport Combination - Zone 2	1	2	UNCVX	UEAL2	19.57	127.59	60.54	48 00	6.31		11.90				
 	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed	\top														ŀ
			3	LUNCVX	UEAL2		405.50	00.54	48 00	6 31		11.90				
1 1	Transport Combination - Zone 3	1		10110111	OLALE	37 82	127.59	60 54	70 00						 	i
- -	Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile	+	+ -				127.59	60 54	40 00							
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month		Ţ	UNC1X	1L5XX	37 82 0.1856	127.59	60 54	40 00							
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility			UNC1X	1L5XX	0.1856				17.05		11 00				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X UNC1X	1L5XX U1TF1	0.1856 88.44	174.46	122.46	45.61	17.95		11.90 11.90				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month DS1 Channelization System Per Month			UNC1X UNC1X UNC1X	1L5XX U1TF1 MQ1	0.1856 88.44 146.77	174.46 57.28	122.46 14.74		17.95 1.34						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month DS1 Channelization System Per Month Volce Grade COCI - DS1 To Ds0 Interface - Per Month			UNC1X UNC1X	1L5XX U1TF1	0.1856 88.44	174.46	122.46	45.61			11.90				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month DS1 Channelization System Per Month US1 Channelization System Per Month Each Additional 2-Wire VG Loop(SL 2) in the same DS1			UNC1X UNC1X UNC1X UNCVX	U1TF1 MQ1 1D1VG	0.1856 88.44 146.77 1.38	174.46 57.28	122.46 14.74	45.61			11.90				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month DS1 Channelization System Per Month Voice Grade COCI - DS1 To DS0 Interface - Per Month Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1		1	UNC1X UNC1X UNC1X	1L5XX U1TF1 MQ1 1D1VG UEAL2	0.1856 88.44 146.77 1.38	174.46 57.28 6.71 127.59	122.46 14.74 4.84 60.54	45.61 1.50 48.00	6.31		11.90 11.90 11.90				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month DS1 Channelization System Per Month US1 Channelization System Per Month Each Additional 2-Wire VG Loop(SL 2) in the same DS1			UNC1X UNC1X UNC1X UNCVX	U1TF1 MQ1 1D1VG	0.1856 88.44 146.77 1.38	174.46 57.28 6.71	122.46 14.74 4.84	45.61 1.50	1.34		11.90 11.90				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1		1 2	UNC1X UNC1X UNC1X UNC1X UNCVX UNCVX	1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2	0.1856 88.44 146.77 1.38 14.50	174.46 57.28 6.71 127.59	122.46 14.74 4.84 60.54	45.61 1.50 48.00 48.00	6.31		11.90 11.90 11.90				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month DS1 Channelization System Per Month Voice Grade COCI - DS1 To DS0 Interface - Per Month Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3		1	UNC1X UNC1X UNC1X UNC1X UNCVX	1L5XX U1TF1 MQ1 1D1VG UEAL2	0.1856 88.44 146.77 1.38	174.46 57.28 6.71 127.59	122.46 14.74 4.84 60.54	45.61 1.50 48.00	6.31		11.90 11.90 11.90				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month DS1 Channelization System Per Month Voice Grade COCI - DS1 To DS0 Interface - Per Month Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 Voice Grade COCI - DS1 to DS0 Channel System combination		1 2	UNC1X UNC1X UNC1X UNC1X UNCVX UNCVX UNCVX UNCVX	1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2	0.1856 88.44 146.77 1.38 14.50 19.57	174.46 57.28 6.71 127.59 127.59	122.46 14.74 4.84 60.54 60.54	45.61 1.50 48.00 48.00	6.31		11,90 11,90 11,90 11,90 11,90				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Voice Grade COCI - DS1 to DS0 Channel System combination per month		1 2	UNC1X UNC1X UNC1X UNC1X UNCVX UNCVX	1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2	0.1856 88.44 146.77 1.38 14.50	174.46 57.28 6.71 127.59	122.46 14.74 4.84 60.54	45.61 1.50 48.00 48.00	6.31		11.90 11.90 11.90				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month DS1 Channelization System Per Month Volce Grade COCI - DS1 To DS0 Interface - Per Month Valce Grade COCI - DS1 To DS0 Interface - Per Month Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 Volce Grade COCI - DS1 to DS0 Channel System combination per month Nonrecurring Currently Combined Network Elements Switch - As		1 2	UNC1X UNC1X UNC1X UNC1X UNCVX UNCVX UNCVX UNCVX UNCVX	1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2 1D1VG	0.1856 88.44 146.77 1.38 14.50 19.57	174.46 57.28 6.71 127.59 127.59 127.59 6.71	122.46 14.74 4.84 60.54 60.54 4.84	45.61 1.50 48.00 48.00 48.00	6.31 6.31 6.31		11.90 11.90 11.90 11.90 11.90				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Voice Grade COCI - DS1 to DS0 Channel System combination per month Nonrecurring Currently Combined Network Elements Switch - As is Charge	;-	1 2 3	UNC1X UNC1X UNC1X UNCYX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2	0.1856 88.44 146.77 1.38 14.50 19.57	174.46 57.28 6.71 127.59 127.59	122.46 14.74 4.84 60.54 60.54	45.61 1.50 48.00 48.00	6.31		11,90 11,90 11,90 11,90 11,90				
4-W	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month DS1 Channelization System Per Month Volce Grade COCI - DS1 To DS0 Interface - Per Month Valce Grade COCI - DS1 To DS0 Interface - Per Month Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 Volce Grade COCI - DS1 to DS0 Channel System combination per month Nonrecurring Currently Combined Network Elements Switch - As	;-	1 2 3	UNC1X UNC1X UNC1X UNCYX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2 1D1VG	0.1856 88.44 146.77 1.38 14.50 19.57	174.46 57.28 6.71 127.59 127.59 127.59 6.71	122.46 14.74 4.84 60.54 60.54 4.84	45.61 1.50 48.00 48.00 48.00	6.31 6.31 6.31		11.90 11.90 11.90 11.90 11.90				

NOUNDLE	D NETWORK ELEMENTS - Florida													nent: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge -	Increment Charge - Manual St Order vs
			<u> </u>			Rec		urring	Nonrecurring					Rates(\$)		
	First 4-Wire Analog Voice Grade Loop In a DS1 Interoffice				<u> </u>		First	Add'l	First	Addil	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Transport Combination - Zone 2		2	UNÇVX	UEAL4	31.07	127.59	60 54	48.00	6.31		11 90				
	First 4-Wire Analog Voice Grade Loop In a DS1 Interoffice Transport Combination - Zone 3															
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		3_	UNCVX	UEAL4	60.02	127.59	60.54	48.00	6.31	ļ	11.90				
	Per Month			UNC1X	1L5XX	0.1856									 	
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month														ļ	
	Channelization - Channel System DS1 to DS0 combination Per		├	UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95		11 90				
	Month		1	UNC1X	MQ1	146.77	57.28	14.74	1.50	1,34		11.90				1
	Voice Grade COCI - DS1 to DS0 Channel System combination -						07.20		1.00	1.0-		11.30				
	per month Additional 4-Wire Analog Voice Grade Loop in same DS1			UNCVX	1D1VG	1.38	6.71	4.84				11.90				<u>L</u>
	Interoffice Transport Combination - Zone 1		١,	UNCVX	UEAL4	23.02	127.59	60.54	40.00	0.04		44.00				
	Additional 4-Wire Analog Voice Grade Loop in same DS1		-	ONOVA	OEAL4	23.02	127.59	60.54	48 00	6 31		11.90				├
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	31 07	127.59	60 54	48.00	6.31		11.90				ł
	Additional 4-Wire Analog Voice Grade Loop In same DS1 Interoffice Transport Combination - Zone 3															
	Voice Grade COCI - DS1 to DS0 Channel System combination -		3	UNCVX	UEAL4	60.02	127 59	60.54	48.00	6.31		11.90				ļ
	per month			UNCVX	1D1VG	1.38	6.71	4.84				11.90				İ
	Nonrecurring Currently Combined Network Elements Switch -As-															
4.000	Is Charge E 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DST I	UTCOO	FFIOR	UNC1X	UNCCC		8.98	8.98	8.98	8.98		11.90				ļ
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice	MICHU	PFICE	THANSPURT (EEL)					····							
	Transport Combination - Zone 1		1	UNCDX	UDL56	26.39	127.59	60.54	48 00	6.31		11.90	i			l
	First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 2 First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice		2	UNCDX	UDL56	35 62	127.59	60.54	48.00	6.31		11.90				
	Transport Combination - Zone 3		3	UNCDX	UDL56	68.82	127.59	60.54	48.00	6.31	1	11.90				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile				00000		121100	00.01	40.00	0.01						
	Per Month			UNC1X	1L5XX	0.1856										
	Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month			UNC1X	U1TF1	88 44	174 46	122.46	45.61	17.95		11.90				\
	Channelization - Channel System DS1 to DS0 combination Per		_	ONCIX	UHIFT	00 44	174 40	122.46	45.01	17.95		11.90				
	Month			UNC1X	MQ1	146.77	57.28	14.74	1.50	1.34		11.90				
- 1	OCU-DP COCI (data) - DS1 to DS0 Channel System - per												-			
	month (2 4-64kbs) Additional 4-Wire 56Kbps Digital Grade Loopin same DS1		_	UNCDX	1D1DD	2 10	6.71	4.84				11.90				
j	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	26 39	127.59	60 54	48.00	6 31		11.90				
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	35.62	127.59	60.54	48.00	6.31		11.90				<u> </u>
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	68 82	127 59	60.54	48.00	6.31		11.90				
	OCU-DP COCI (data) - DS1 to DS0 Channel System -		<u>~</u>	ONODA	00000		127 00	00,54	70.00	0.31		- 11.50				t
	combination per month (2 4-64kbs)			UNCDX	1D1DD	2.10	6.71	4.84				11.90			_	
	Nonrecurring Currently Combined Network Elements Switch -As-											44.00				1
4.WID	Is Charge E 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 I	NTERO	EEICE	UNC1X	UNCCC		8.98	8.98	8.98	8 98		11.90				
1 11111	First 4-Wire 64Kbps Digital Grade Loop In a DS1 Interoffice	MILNO	11100	THANSFORT (LLL)												
	Transport Combination - Zone 1		1	UNCDX	UDL64	26.39	127.59	60.54	48.00	6.31		11.90				
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		_	LINODY	[]					A 0 -		,,,,				}
	Transport Combination - Zone 2 First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		2	UNCDX	UDL64	35.62	127.59	60.54	48.00	6.31		11.90				
	Transport Combination - Zone 3		3	UNCDX	UDL64	68.82	127.59	60.54	48.00	6 31	,	11.90				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0.1856										ļ
- 1	Interoffice Transport - Dedicated - DS1 combination - Facility				i I		- 1								l	1

MRONDLE	D NETWORK ELEMENTS - Florida										,		Attachr			it: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Charge • Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order va. Electronic- Disc 1st	Increments Charge - Manual Sy Order vs. Electronic Disc Add
					1	Rec	Nonrec	urring		Disconnect			OSS	Rates(\$)		
						Hec .	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	146.77	57.28	14.74	1.50	1.34		11.90				
	OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs)			UNÇDX	1D1DD	2.10	6.71	4.84				11.90				
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	26.39	127.59	60.54	48.00	6.31		11.90				
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	35.62	127.59	60.54	48.00	6.31		11.90				
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	68 82	127,59	60.54	48.00	6.31		11 90				
	OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2 4-64kbs)			UNCDX	1D1DD	2.10	6.71	4.84				11.90				
	Nonrecurring Currently Combined Network Elements Switch -As- is Charge			UNC1X	UNCCC	2.10	8.98	8.98	8 98	8.98		11.90				
4-WIR	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTE	ROFFIC	E TR	ANSPORT (EEL)	0.1000		0.50	0.50	0 30	.0.30		11.30				
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 1			UNC1X	USLXX	73.44	217.75	121.62	51.44	14.45		11.90				
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 2			UNC1X	USLXX	99.13	217.75	121 62	51.44	14 45		11.90			-	
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3			UNC1X	USLXX	191.51	217.75	121.62	51.44	14,45		11.90				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		<u> </u>	UNC1X	1L5XX	0.1856	2,0	721102	511.44			11.00				
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	88 44	174 46	122.46	45.61	17.95		11.90		-		
	Nonrecurring Currently Combined Network Elements Switch -As- is Charge			UNC1X	UNCCC	33 11	8 98	8.98	8 98	8.98		11 90				
4-WIR	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTE	ROFFIC	E TR		971000											
	First DS1Loop in DS3 Interoffice Transport Combination - Zone			UNC1X	USLXX	73,44	217.75	121.62	51.44	14 45		11.90				
	First DS1Loop in DS3 Interoffice Transport Combination - Zone		2	UNC1X	USLXX	99.13	217.75	121.62	51 44	14.45		11.90				
	First DS1Loop in DS3 Interoffice Transport Combination - Zone		3	UNC1X	USLXX	191.51	217.75	121.62	51 44	14,45		11.90				
	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month			UNC3X	1L5XX	3.87										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per month			UNC3X	U1TF3	1,071.00	320 00	138.20	38 60	18.81		11.90				
\neg	DS3 to DS1 Channel System combination per month			UNC3X	MQ3	211.19	115.50	56.54	12.16	4.26		11.90				
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	13.76	6.71	4.84				11.90				
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	73.44	217.75	121.62	51.44	14.45		11.90				
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	99.13	217.75	121.62	51 44	14.45		11.90	-			
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	191.51	217.75	121 62	51.44	14.45		11.90				
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	13.76	6.71	4.84				11.90				
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge			UNC3X	UNCCC		8.98	8 98	8.98	8.98		11.90				
2-WIR	E VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INT	EROFF	CE TR	ANSPORT (EEL)												
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	14.50	127.59	60.54	48.00	6.31		11.90				
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	19.57	127.59	60 54	48 00	6.31		11.90				
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	37.82	127.59	60.54	48.00	6.31		11.90				
	Interoffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month			UNCVX	1L5XX	0.0091										

JNBUNDLI	ED NETWORK ELEMENTS - Florida													nent: 2	Exhi	oit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Charge -	Increments Charge - Manual Sv Order vs. Electronic Disc Add
			L			Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1	Interoffice Transport - Dedicated - 2- Wire Voice Grade				l '						Į.			Ì	l	
	combination - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As-			UNCVX	U1TV2	25.32	94.70	52.59	45 28	18.03	<u> </u>	11.90				
	Is Charge	1		UNCVX	UNCCC		8.98	8 98	8.98	8 98	İ	11 90		ŀ	i	
4-WIF	RE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INT	FROFÉ	ICE TO	ANSDODT (EEL)	UNCCC		0.90	0 90	8.98	8 96	 	11.90		 		
	4-WireVG Loop used with 4-wire VG Interoffice Transport	<u> </u>	1	Andi Oili (EEE)	1						 				 	
i	Combination - Zone 1		1	UNCVX	UEAL4	23.02	127.59	60.54	48 00	6.31	1	11.90			l	
	4-WireVG Loop used with 4-wire VG Interoffice Transport		†		1				19.55							
ı	Combination - Zone 2		2	UNCVX	UEAL4	31.07	127.59	60.54	48.00	6.31		11.90				
T T	4-WireVG Loop used with 4-wire VG Interoffice Transport		1													
	Combination - Zone 3		3	UNCVX	UEAL4	60.02	127.59	60.54	48.00	6.31	1	11.90				
	Interoffice Transport - Dedicated - 4-wire VG combination - Per				ì											
	Mile Per Month		<u> </u>	UNCVX	1L5XX	0.0091					ļ					
-	Interoffice Transport - Dedicated - 4- Wire Voice Grade				1							,			l	
	combination - Facility Termination per month			UNCVX	U1TV4	22.58	94.70	52.59	45.28	18.03		11.90				
	Nonrecurring Currently Combined Network Elements Switch -As-	1									İ	44.00				
DOA'	Is Charge	E TDA	HODOD	UNCVX	UNCCC		8.98	8.98	8 98	8.98	 	11.90				
D23 I	DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC High Capacity Unbundled Local Loop - DS3 combination - Per	EIHA	NSPOR	I (EEL)	 						 					
ļ	Mile per month			UNC3X	1L5ND	10.92					1					
	High Capacity Unbundled Local Loop - DS3 combination -			UNUSA	ILDIAD	10.92										
	Facility Termination per month		1	UNC3X	UE3PX	386.88	226.42	154.73	67.10	26.27		11.90			1	
_	Interoffice Transport - Dedicated - DS3 - Per Mile per month		1	UNC3X	1L5XX	3.87	220.42	134.70	07.10	20.27	· · · · · · · · · · · · · · · · · · ·	*11.00				
	Interoffice Transport - Dedicated - DS3 combination - Facility	-			1,20,00											
	Termination per per month		1	UNC3X	U1TF3	1,071.00	320.00	138.20	38.60	18.81		11 90				
	Nonrecurring Currently Combined Network Elements Switch -As-										1					
	Is Charge			UNC3X	UNCCC		8.98	8.98	8 98	8.98	<u> </u>	11.90				
STS1	DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROF	FICE T	RANSP	ORT (EEL)												
	High Capacity Unbundled Local Loop - STS1 combination - Per															
	Mile per month		 	UNCSX	1L5ND	10.92										
1	High Capacity Unbundled Local Loop - STS1 combination -		1					4=4=0		00.07		11.90				
	Facility Termination per month		 	UNCSX	UDLS1	426.60	226.42	154.73	67 10	26.27	 	11.90				
- 1	Interoffice Transport - Dedicated - STS1 combination - Per Mile per month		1	UNCSX	1L5XX	3 87										
	Interoffice Transport - Dedicated - STS1 combination - Facility		-	UNCOA	ILSAA	301					 					
i	Termination per month			UNCSX	U1TFS	1,056.00	320 00	138.20	38 60	18.81		11 90				
	Nonrecurring Currently Combined Network Elements Switch -As-		+	OHOOX	01110	1,000.00	020 00	100.20	- 55 55		i					
- 1	Is Charge			UNCSX	UNCCC		8 98	8.98	8 98	8 98	1	11.90				
2-WIF	RE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR	T (EEL														
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	T	-								1					
- 1	Transport - Zone 1		1 1	UNCNX	U1L2X	21.76	127.59	60.54	48 00	6 31	l	11.90				
	First 2-Wire ISDN Loop in a DS1 interoffice Combination										1					
- 1	Transport - Zone 2		2	UNCNX	U1L2X	29.38	127.59	60.54	48.00	6.31		11.90				
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination								·		i			1	i	
	Transport - Zone 3		3	UNCNX	U1L2X	56.76	127.59	60.54	48.00	6 31	ļ	11.90				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		<u> </u>	UNC1X	1L5XX	0.1856									ļ	
1	Interoffice Transport - Dedicated - DS1 combintion - Facility				l	44	4=4.40	400.40	45,61	17.95	1	11.90			l	
	Termination per month		↓	UNC1X	U1TF1	88 44	174 46	122.46	45.61	17.95		11.50	-			
1	Channelization - Channel System DS1 to DS0 combination -			LINGAV	MQ1	146.77	57.28	14.74	1.50	1.34	1	11.90		l	i	
	per month	-	+	UNC1X	IMCL	140.//	37.20	14.74	1.50	1.04	 	1,,,50			l	
-	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System	I		UNCNX	UC1CA	3.66	6.71	4.84			i	11.90		l	1	l
	combination - per month Additional 2-wire ISDN Loop in same DS1Interoffice Transport	 	1	ONONA	100104	3.00	0.71	7.04			 					· · · · · · ·
	Combination - Zone 1	1	1 1	UNCNX	U1L2X	21.76	127.59	60.54	48.00	6.31		11.90]		<u></u>
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	 	 	O. O. O.	101111	21.70	127.00	\$5.01								
	Combination - Zone 2	1	2	UNCNX	U1L2X	29.38	127.59	60.54	48.00	6.31	L	11.90				
-	Additional 2-wire ISDN Loop in same DS1 Interoffice Transport	t	T-		T		_				T			1		
1	Combination - Zone 3	ı	3	UNCNX	U1L2X	56 76	127.59	60.54	48 00	6 31	1	11.90		ŀ		

MOUNDLE	ED NETWORK ELEMENTS - Florida									<u></u>			Attachi	ment: 2	Exhi	bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	
		 	├		 	Rec	Nonrec First	urnng Add'i	Nonrecurring First	Disconnect Add'l	COMEO	SOMAN		Rates(\$)		
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System		†		 		riist	Addi	riişi	Addi	SOMEC	SUMAN	SOMAN	SOMAN	SOMAN	SOMAN
	combination- per month Nonrecurring Currently Combined Network Elements Switch -As-	-		UNCNX	UC1CA	3.66	6 71	4.84				11.90				
	is Charge	<u>i</u>		UNC1X	UNCCC		8.98	8 98	8 98	8.98		11.90				
4-WIH	IE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN First DS1 Loop in STS1 Interoffice Transport Combination -	TEROF	FICE T	RANSPORT (EEL)	ļ											
	Zone 1		١,	UNC1X	USLXX	73.44	047.75	404.00								
	First DS1 Loop in STS1 Interoffice Transport Combination -	 	+-	UNCIX	USLAX	/3.44	217.75	121.62	51.44	14.45		11.90				
	Zone 2		2	UNC1X	USLXX	99.13	217.75	121.62	51.44	14.45		11 90			ĺ	-
	First DS1 Loop in STS1 Interoffice Transport Combination -								91111			11.50			· · · · · · · · · · · · · · · · · · ·	
	Zone 3 Interoffice Transport - Dedicated - STS1 combination - Per Mile		3	UNC1X	USLXX	191.51	217.75	121.62	51 44	14 45		11.90				
- 1	Per Month			UNCSX	1L5XX											
	Interoffice Transport - Dedicated - STS1 combination - Facility	—		UNCSX	ILSAX	3 87					ļ					
	Termination			UNCSX	U1TFS	1,056.00	320.00	138.20	38.60	18.81		11.90				
	STS1 to DS1 Channel System conbination per month			UNCSX	MQ3	211.19		100.20	00.00	10.01		11.30				
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	13.76	6.71	4 84				11.90				
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 1	ì	1	UNC1X	1											
	Additional DS1Loop In STS1 Interoffice Transport Combination -	 	├-	UNCIX	USLXX	73.44	217.75	121 62	51.44	14 45		11 90				
	Zone 2	ŀ	2	UNC1X	USLXX	99.13	217.75	121.62	51 44	14.45		11.90			j	
	Additional DS1Loop in STS1 Interoffice Transport Combination -				1	33.75	1,1,1,0	121.02	01.44	14.40	-	17.50				
	Zone 3		3	UNC1X	USLXX	191.51	217.75	121.62	51 44	14.45		11.90				
	DS3 Interface Unit (DS1 COCI) combination per month Nonrecurring Currently Combined Network Elements Switch -As-		ļ	UNC1X	UC1D1	13.76	6.71	4.84				11 90				
	Is Charge			UNCSX	UNCCC		8.98	8.98	8.98	8.98		11.90				
4-WIR	E 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERO	FFICE T	RANS	PORT (EEL)	DINCOO	· · · · · · · · · · · · · · · · · · ·	0.50	0.90	0.90	0.90		11.90				
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport							-								
	Combination - Zone 1		1	UNCDX	UDL56	26 39	127.59	60.54	48.00	6.31		11.90				
ŀ	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 2		,	UNCDX	UDL56	35.62	107.50					44.00	_			
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport	-		UNCDX	ODESO	33.02	127.59	60.54	48.00	6.31		11.90				
	Combination - Zone 3		3	UNCDX	UDL56	68.82	127.59	60.54	48.00	6.31		11.90				
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
	Per Mile		ļ	UNCDX	1L5XX	0.0091										
- 1	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination			UNCDX	U1TD5	18.44	94.70	52 59	45.28	18.03		44.00				
	Nonrecurring Currently Combined Network Elements Switch -As-			UNCDX	01105	10.44	94.70	52 59	45.28	18.03		11.90				
	Is Charge			UNCDX	UNCCC		8.98	8.98	8 98	8 98		11.90				
4-WIR	E 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FFICE T	RANS	PORT (EEL)												
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport		١.	l											-	
	Combination - Zone 1 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport			UNCDX	UDL64	26.39	127.59	60.54	48.00	6.31		11.90				
1	Combination - Zone 2		2	UNCDX	UDL64	35 62	127.59	60.54	48.00	6 31		11.90				
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport		┢┺	ONODA	ODEO4	- 00 0E	127.00	00.54	40.00	001		11.50				
	Combination - Zone 3		3	UNCDX	UDL64	68.82	127.59	60.54	48 00	6.31		11.90				
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
	Per Mile		├—	UNCDX	1L5XX	0.0091										
- 1	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination		1	UNCDX	U1TD6	18.44	94.70	52.59	45.28	18.03		11.90				
+	Nonrecurring Currently Combined Network Elements Switch -As-		\vdash	CHODA	01100	10.44	34.70	52.33	45.20	10.03		11.50				
L	Is Charge		 	UNCDX	UNCCC		8 98	8.98	8.98	8.98		11.90				
	NETWORK ELEMENTS															
	used as a part of a currently combined facility, the non-recurn															
	used as ordinarily combined network elements in all states, th (SynchroNet)	e non-n	ecumir	ig charges apply and	a ine Switch	AS IS Unarge do	es not.				-					
	curring Currently Combined Network Elements "Switch As Is"	Charge	(One s	polies to each comb	ination)											
1	Nonrecurring Currently Combined Network Elements Switch -As-		,, -													
j i	Is Charge - 2 wire/4-Wire VG		ı	UNCVX	UNCCC		8.98	8 98	8.98	8.98		11 90	i			

Version 2Q02: 08/07/02

NRON	DLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: B
ATEGO	RY	RATE ELEMENTS	Interi m	Zone	BC\$	usoc			RATES(\$)				Submitted	Incremental			Incremer Charge Manual S Order v Electron Disc Ad
$=$ \top							Rec		curring	Nonrecurring	Disconnect	<u> </u>	L	oss	Rates(\$)	I	l
 -		Nonrecurring Currently Combined Network Elements Switch -As-	<u> </u>	 			,,,,,	First	Add'i	First	Add'1	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
		Is Charge - 56/64 kbps	1	1	LINODY												
		Nonrecurring Currently Combined Network Elements Switch -As-		┼─	UNCDX	UNCCC		8.98	8.98	8 98	8.98	ļ. <u> </u>	11.90		i		
- 1		Is Charge - DS1	}	ſ	UNC1X	UNCCC					1		1				
		Nonrecurring Currently Combined Network Elements Switch - As-		┼─	UNCIX	UNCCC	 	8 98	8.98	8.98	8 98		11.90	<u></u>			
		is Charge - DS3	ļ.	[UNC3X	UNCCC		8 98	8.98	8 98	8.98	l .	44.00		1		
		Nonrecurring Currently Combined Network Elements Switch -As-	_	 	0.100%	011000		0 96	0.90	8 98	8.98		11.90				
		Is Charge - STS1		1	UNCSX	UNCCC		8.98	8.98	8 98	8.98		11.90		i		
N	OTE: I	Local Channel - Dedicated Transport - minimum billing period	I - Belo	w DS3	one month. DS3	and above=fou	r months	0.55	0.50	0.30	8.50		11.50		ļ		
- 10	Duona	ai Features & Functions:		1		T					 	 			 		
М	ULTIF	PLEXERS													 		·
]	Channelization - DS1 to DS0 Channel System			UXTD1	MQ1	146.77	101.42	71.62	11 09	10 49		11.90		 		
T		OCU-DP COCI (data) - DS1 to DS0 Channel System - per	l		1				752	1,00	10 49		11,00				
	ı	month (2.4-64kbs)	L	<u></u>	UDL	1D1DD	2 10	10.07	7.08				11.90				
- 1	1	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per		1		1											
		month	L	<u>L</u>	UDN	UC1CA	3.66	10.07	7.08				11.90				
		Voice Grade COCI - DS1 to DS0 Channel System - per month			UEA	1D1VG	1 38	10.07	7 08				11 90				
		DS3 to DS1 Channel System per month			UXTD3	MQ3	211.19	199 28	118.64	40 34	39 07		11.90				
		STS1 to DS1 Channel System per month			UXTS1	MQ3	211.19	199 28	118.64	40.34	39.07	-	11.90				-
		DS3 Interface Unit (DS1 COCI) used with Loop per month			USL	UC1D1	13.76	10.07	7.08		99.05		11.90				
- 1	1	DS3 Interface Unit (DS1 COCI) used with Local Channel per															
		month			ULDD1	UC1D1	13.76	10.07	7 08				11.90				
- 1		DS3 Interface Unit (DS1 COCI) used with Interoffice Channel															
		per month			U1TD1	UC1D1	13.76	10.07	7.08			J	11.90				
		OCAL EXCHANGE SWITCHING (PORTS)															
E	chan	ge Ports		1													
NO.	OTE: /	Although the Port Rate includes all available features in GA, h	(Y, LA	& TN, t	he desired feature:	s will need to b	e ordered usin	g retail USOCs	3								
		VOICE GRADE LINE PORT RATES (RES)		ļ													
		Exchange Ports - 2-Wire Analog Line Port- Res		—	UEPSR	UÉPRL	1.40	3.74	3.63	1.88	1.80		11 90				
- 1		Funkanea Bada (Aldus Asalas I. a. Bada (N. O.)). ID. B.															
		Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.		├	UEPSR	UEPRC	1.40	3.74	3.63	1.88	1.80		11.90				
- 1	- 1	Contrario Bodo AME A L L B L L L B		i		1					1	!	1				
-+-		Exchange Ports - 2-Wire Analog Line Port outgoing only - Res		—	UEPSR_	UEPRO	1.40	3 74	3.63	1;88	1.80		11.90				
- 1		Exchange Ports - 2-Wire VG unbundled Florida area calling with Caller ID - Res.				I I						l i				ì	
	\rightarrow				UEPSR	UEPAF	1.40	3.74	3.63	1 88	1.80		11.90				
	- 1	Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)		i i		1				[i			
-+		Subsequent Activity		-	UEPSR	UEPAP	1 40	3.74	3 63	1.88	1.80		11.90				
	ATU				UEPSR	USASC	0 00	. 000	0.00				11.90				
- 155		All Available Vertical Features		-	UEDOD	1.000											
- 2		VOICE GRADE LINE PORT RATES (BUS)		 	UEPSR	UEPVF	2.26	0.00	0.00				11.90				
	MINE			<u> </u>													
		Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus		1 1		luenni I											
		Exchange Ports - 2-Wire VG unbundled Line Port with			UEPSB	UEPBL	1.40	3.74	3.63	1.88	1,80		11.90				
- 1		unbundled port with Caller+E484 ID - Bus.			urnon	UEPBC		1				1					
-+		unbundied port with Caller+E464 ID - Bus.			UEPSB	UEPBU	1.40	3.74	3.63	1,88	1.80		11.90				
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.40	3.74	3 63	1.88	1.80	1	11.90				
		Exhange Ports - 2-Wire VG unbundled incoming only port with		 	UEFOB	UEPBO	1.40	3.74	3 03	1.88	1.80		11.90				
		Caller ID - Bus		1	UEPSB	UEPB1	1.40	374	3.63	1.88	1.80		11.90	Į		i	
		Subsequent Activity		-	UEPSB	USASC	0.00	0.00	0.00	1.00	1.80		11.90				
_	ATU			 	OE1 0D	100,000	0.00	0.00	0.00				- 11.50				
FF		All Available Vertical Features			UEPSB	UEPVF	2.26	0.00	0.00				11.90				
FE		NGE PORT RATES (DID & PBX)		H	5E7 0D	OL/ 4	2.20	0.00	0.00				11.50				
	CHA			\vdash	UEPSE	UEPRD	1,40	39.06	18.18	12.35	0.7187		11 90				
		2-Wife VG Unbundled 2-Way PHX Trunk - Hes			V-1 UL	IUCIOU	1.40										
		2-Wire VG Unbundled 2-Way PBX Trunk - Res		_	HEDED	LIEDDO	4 40	20.00	40 40 1	40.05							
		2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.40	39.06	18.18	12.35	0.7187		11.90				
		2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus 2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.40	39.06	18.18	12.35	0.7187		11.90				
		2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus															

ONBONDLED	NETWORK ELEMENTS - Florida													nent: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic Disc Add'
						n	Nonrec	urring	Nonrecurring	Disconnect	1		OSS	Rates(\$)	L	·
		T				Rec	First	Addʻl	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1 40	39.06	18.18	12.35	0 7187	T	11.90				
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	-		UEPŠP	UEPXB	1.40	39.06	18.18	12.35	0.7187		11.90				
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.40	39.06	18.18	12 35	0.7187		11.90				
2	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	L		UEPSP	UEPXD	1.40	39.06	18.18	12.35	0.7187		11.90				1
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD]			1											
	Capable Port			UEPSP	UEPXE	1.40	39.06	18.18	12.35	0.7187		11.90				İ
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		ĺ	l								· · · · · · · · · · · · · · · · · · ·				
	Administrative Calling Port			UEPSP	UEPXL	1.40	39.06	18.18	12.35	0 7187		11.90				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port		1								ł			1		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			UEPSP	UEPXM	1.40	39 06	18.18	12.35	0 7187		11.90				
	2-wire voice onbundled 1-way Outgoing PBX Hotel/Hospital Discount Room Calling Port	l	ŀ	UEPSP	UEPXO	1 40	00.00	40.40	40.05	0.7407		44.00				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.40	39 06 39 06	18.18 18.18	12 35 12 35	0.7187 0.7187	 	11 90 11.90	ļ			
	Subsequent Activity	 		UEPSP	USASC	0 00	0.00	0.00	12 35	0.7187	ļ	11.90	ļ	ļ		
FEATUR		\vdash		UEFSF	USASC	0.00	0.00	0.00			 	11.90				
	All Available Vertical Features	 	\vdash	UEPSP UEPSE	UEPVF	2 26	0 00	0.00	 		 	11.90	 		 -	
	NGE PORT RATES (COIN)		 	OLI SI OLI SE	OLI VI	2 20	. 000	0.00	-		 	11.50				
	Exchange Ports - Coin Port				 -	1,40	3.74	3.63	1.88	1.80	 	11.90				
	Transmission/usage charges associated with POTS circuit so	witched	USAGA	will also apply to ci	rcuit switche						ated with 2		orts.			
	Access to B Channel or D Channel Packet capabilities will be													Request Pro	Cess.	
	OCAL EXCHANGE SWITCHING(PORTS)	1	T	, among a principal	1	1		paritot supas.	1		T		1	1104001710	T	
	IGE PORT RATES								i			· · · · ·				
IE.	Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	8.73	78.41	15.82	41.94	4.26		11.90		l	1.83	
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID				i											
l lo	capability	i		UEPDD	UEPDD	54.95	151.11	77.75	48 81	3.10		11.90			1.83	
I E	Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX UEPSX	U1PMA	8 83	46.83	50.68	27.64	11.93		11.90			1.83	
	All Features Offered			UEPTX UEPSX	ÜÉPVÉ	2.26	0.00	0.00				11 90			1.83	
	Transmission/usage charges associated with POTS circuit so															
	Access to B Channel or D Channel Packet capabilities will be	e availa	ble onl						lities will be de	termined via t	he Bona Fic	ie Request/	New Busines	Request Pro	C088.	
	Exchange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX UEPSX	U1UMA	0 00	0.00	0.00								
	Exchange Ports - 4-Wire ISDN DS1 Port	<u>!</u>	ļ	UEPEX	UEPEX	82 74	174.61	95 17	49.80	18 23	-	11,90	<u> </u>		1.83	
	DLED PORT with REMOTE CALL FORWARDING CAPABILITY		ļ													
	DLED REMOTE CALL FORWARDING SERVICE - RESIDENCE	 	-	UEDVD.	LIEDAO		0.74		4.00	1.80		11.90				
L	Unbundled Remote Call Forwarding Service, Area Calling, Res	⊢	ļ	UEPVR	UERAC	1.40	3.74	3 63	1.88	1.80	 	11.90	ļ			
l I I.	Unit and ad Daniel Call Englander Control Call Call Call	1		UEPVR	UERLC	1,40	3.74	3 63	1.88	1 80		11 90	1	}		1
	Unbundled Remote Call Forwarding Service, Local Calling - Res	 	-	UEPVR	UERTE	1.40	3.74	3.63	1.88	1.80	 	11.90				
	Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTR	1.40	3.74	3.63	1.88	1.80	 	11.90	· · · · · · · · · · · · · · · · · · ·			
Non-Rec	Unbundled Remote Call Forwarding Service, IntraLATA - Res	 		DEPVH	IUCHIN	1.40	3.74	3 03	1.00	1.00	 	11.50				1
	Unbundled Remote Call Forwarding Service - Conversion -	-	┼		 						 					
	Switch-as-is		1	UEPVR	USAC2		0,102	0.102			İ	11.90			į	
	Unbundled Remote Call Forwarding Service - Conversion with	 	+	001 111	CONOL			0.,02			-					
	allowed change (PIC and LPIC)		1	UEPVR	USACC		0.102	0.102	1	İ		ł	l			
	DLED REMOTE CALL FORWARDING - Bus		 	<u> </u>	007.00	-	5,152	3								
- ONDON	DEED HEIROTE ONDE FORTHAIN DIEG	1	+													
l l lı	Unbundled Remote Call Forwarding Service, Area Calling - Bus	ŀ	1	UEPVB	UERAC	1.40	3.74	3.63	1 88	1.80	l	11.90	l		l	
					1							[1			
II h	Unbundled Remote Call Forwarding Service, Local Calling - Bus	1	1	UEPVB	UERLC	1.40	3.74	3.63	1 88	1.80	L	11 90	<u> </u>	L	L	
	Unbundled Remote Call Forwarding Service, InterLATA - Bus		·	UEPVB	UERTE	1.40	3.74	3 63	1.88	1.80		11.90				
	Unbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UERTR	1.40	3.74	3 63	1.88	1.80		11 90				
	Unbundled Remote Call Forwarding Service Expanded and															
	Exception Local Calling	1	1	UEPVB	UERVJ	1.40	3.74	3.63	1.88	1.80		11.90	1	<u> </u>		ļ
Non-Rec																
	Unbundled Remote Call Forwarding Service - Conversion -	1										I	_	l		1
s	Switch-as-is	L	<u></u> _	UEPVB	USAC2		0.102	0.102				11.90		ļ	L	
	Unbundled Remote Call Forwarding Service - Conversion with														l	
	allowed change (PIC and LPIC)	L	<u>L_</u>	UEPVB	USACC	<u> </u>	0 102	0.102	L			<u> </u>			<u> </u>	
	OCAL SWITCHING, PORT USAGE				I						1	ŀ	l		l	1
UNBUNDLED LO	UCAL SWITCHING, FORT USAGE		1	1												

-11001		NETWORK ELEMENTS - Florida		_		т									ment: 2		bit: B
ATEGO	PRY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
$\overline{}$						ļ	Rec		curring		Disconnect			OSS	Rates(\$)		1
		End Office Switching Function, Per MOU	-			<u> </u>		First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-+		End Office Trunk Port - Shared, Per MOU		-		 	0.0007662										
7	ander	n Switching (Port Usage) (Local or Access Tandem)	+		 	 	0 000164										
		Tandem Switching Function Per MOU		+	 	+	0 0001319			ļ							
		Tandem Trunk Port - Shared, Per MOU	_	+		 	0.000235										
C	omme	on Transport		 			0.000235					-					
		Common Transport - Per Mile, Per MOU	_	 		 	0.0000035										
		Common Transport - Facilities Termination Per MOU					0.0004372										
JNBUND	LED F	ORT/LOOP COMBINATIONS - COST BASED RATES		$\overline{}$													ļ
c	ost B	ased Rates are applied where BellSouth is required by FCC a	nd/or S	tate Co	mmission rule to pr	ovide Unbun	dled Local Swit	tching or Swit	ch Ports								
	eature	is strain apply to the Unbundled Port/Loop Combination - Cod	it Raser	f Rate (eaction in the came	manner on th	ou are emplied	to the Class A	Inna II-bara II	ad Port section	of this Rate F	vhihit					
	0.	ice and randelli switching usage and common impressor us	sade rat	res in t	he Port section of th	ie rete avhih	it ehall annly to	all combineti		-44		1414	n Port/I con	Combination			
1.		and additional fortholisconning charges apply to Not Cur	ently C	ombine	ed Combos. For Cu	rrently Comb	ined Combos.	the nonrecurri	ng charges sh	all he those ide	entified in the	Vonrecurrin	a - Current	Combined	is.	Ilelanal	
			•			,				an bo blose id	ontanea in ane i	*OIII OCUITIII	g - Currenti	y Combined :	sections. Add	utional nonre	cuming
2	-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)		T											r		
		nt/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			14.11										
		2-Wire VG Loop/Port Combo - Zone 2		2			18.23										
		2-Wire VG Loop/Port Combo - Zone 3		3			33.04										
U		op Rates															
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	12 94										
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	17.06										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	31.87										
- 2		Voice Grade Line Port Rates (Res)															
		2-Wire voice unbundled port - residence			UEPRX	UEPRL	1 17	90 00	90.00				11 90				
		2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	1 17	90 00	90.00				11.90				
		2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	1.17	90.00	90.00				11.90				
[1		1											
		2-Wire voice unbundled Flonda Area Calling with Caller ID - res			UEPRX	UEPAF	1 17	90 00	90.00				11.90				
- 1		2-Wire voice unbundles res, low usage line port with Caller ID (LUM)		1	İ												
	EATU			—	UEPRX	UÉPAP	1.17	90.00	90.00				11.90				
		All Features Offered			(CDD)												
		NUMBER PORTABILITY		<u> </u>	UEPRX	UEPVF	2 26	0.00	0.00				11.90				
—— <u>-</u> -		Local Number Portability (1 per port)			UEPRX	LVIDOY	0.05										
- IN	ONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED		-	UEPHX	LNPCX	0.35										
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -		1													
		Switch-as-is			UEPRX	USAC2		0.102	0.102	!			44.00			1	
$\overline{}$		2-Wire Voice Grade Loop / Line Port Combination - Conversion -	 		OCFRA	USAUZ		0.102	0.102				11.90				
		Switch with change	ŀ		UEPRX	USACC	1	0 102	0.102		l l		11 90				
A		DNAL NRCs			OLI IIA	OSACC		.0 102	0.102				11 90				
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent				-									-		
i i		Activity		[.	UEPRX	USAS2	0.00	0.00	0.00				11.90				
2		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)		_	OLI TOC	00/02	0.00	0.00	0.00		•		11.30				
		rt/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			14,11										
		2-Wire VG Loop/Port Combo - Zone 2		2			18.23										
		2-Wire VG Loop/Port Combo - Zone 3		3			33.04										
U		op Rates		<u> </u>													
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	12 94				-				-		
\neg		2-Wire Voice Grade Loop (SL1) - Zone 2			UEPBX	UEPLX	17.06						~				
		2-Wire Voice Grade Loop (SL1) - Zone 3			UEPBX	UEPLX	31.87		-								
		/oice Grade Line Port (Bus)									-						
2-		2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.17	90.00	90.00				11 90				
2-	ŀ							90 00					11 90				
2-		2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1,17	90 00 1	90.00		ı		11901				
2-					UEPBX	UEPBO		90.00	90.00				11.90				
2-		2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.17										
								90.00	90.00				11.90				

NBUNDLE	D NETWORK ELEMENTS - Florida												Attachr	nent; 2	Exhi	bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		Nonrec	RATES(S)	I Name and a		Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge -
		-	 		+	Rec	First	Add'l	First	g Disconnect Add'l	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
FEATU	RES		 				11131	<u> </u>		7001	3011120	JOHIAN	SUMAII	SOMAIT	SOMAN	SUMAN
	All Features Offered			UEPBX	UEPVF	2.26	0 00	0.00				11.90				
NONRE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED										<u> </u>				-	
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPBX	USAC2		0 102	0.102				11.90				
ı	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	_			T											
	Switch with change			UEPBX	USACC		0.102	0.102	_	Ĺ	1	11.90				1
ADDIT	ONAL NRCs	L	<u> </u>				~									
- 1	2-Wire Voice Grade Loop/Line Port Combination - Subsequent	ŀ			· I											
0 14/150	Activity			UEPBX	USAS2		0.00	0 00				11 90				<u> </u>
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)		₩		+				ļ	-						↓
UNEP	ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1	├──	1		 	14.11				 		 				
	2-Wire VG Loop/Port Combo - Zone 1		2			18 23					} -					├──-
	2-Wire VG Loop/Port Combo - Zone 2	<u> </u>	1 5			33.04				 	 					
LINE L	pop Rates				+	33.04					+					
ONE E	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	12 94				 	 	 				
	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEPRG	UEPLX	17.06		·		+		···			·····	
	2-Wire Voice Grade Loop (SL 1) - Zone 3			UEPRG	UEPLX	31.87				-	 					
	Voice Grade Line Port Rates (RES - PBX)			<u> </u>	- 	5										
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -									· · · · · · · · · · · · · · · · · · ·	1					
	Res	ł	1	UEPRG	UEPRD	1.17	90.00	90.00				11 90				1
LOCAL	NUMBER PORTABILITY		1													
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00				11.90				
FEATU			L												."	
	All Features Offered			UEPRG	UEPVF	2.26	0 00	0.00			<u> </u>	11.90				ļ
NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED										ļ					
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is	l		UEPRG	USAC2		8.45	1.91				11.90				<u></u>
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -]							ľ
	Conversion - Switch with Change		L	UEPRG	USACC		8.45	1.91				11.90				<u> </u>
ADDIT	ONAL NRCs										ļ					Ь—
1	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	l				٠						11 90				
	Subsequent Activity	<u> </u>	<u> </u>	UEPRG	USAS2	0.00	0.00	0.00	-	+		1190				 -
1	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group	ł	l		İ	\	7.09	7.09	1	1	1	11.90				ì
0.14(10)	FVOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)		├		 		7.09	7.09		· · · · · · ·	 	11.50				
	ort/Loop Combination Rates		_		+	-			 			 				
ONE I'	2-Wire VG Loop/Port Combo - Zone 1	ł	1			14 11		-			 	 				$\overline{}$
	2-Wire VG Loop/Port Combo - Zone 2		2		<u> </u>	18 23										
	2-Wire VG Loop/Port Combo - Zone 3	\vdash	3			33 04					T					
UNE L	pop Rates		Ť		1											
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	12 94			I							
-	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	17 06										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	31.87										
2-Wire	Voice Grade Line Port Rates (BUS - PBX)										ļ	L				
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1.17	90.00	90.00		<u> </u>		11 90				<u> </u>
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1.17	90 00	90.00		<u> </u>	<u> </u>	11.90				
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1.17	90.00	90.00		-		11.90				
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.17	90.00	90.00		.	——	11.90				
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.17	90.00	90.00	L			11.90				
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.17	90.00	90.00	<u> </u>			11.90		<u> </u>		+
	2-Wire Voice Unbundled P8X LD DDD Terminals Port	L		UEPPX	UEPXC	1.17	90.00	90.00	ļ			11 90			-	
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			UEPPX	UEPXD	1.17	90.00	90.00	 			11.90				
	Capable Port 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	<u> </u>		UEPPX	UEPXE	1.17	90.00	90.00	 	+	 -	11.90				t

UNBUNDL	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhil	bit: B
			Т								Svc Order	Svc Order	Incremental		Incremental	
	!	1			1							Submitted	Charge -	Charge -	Charge -	Charge -
		Interi	1		1 1						Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m	ı								poi Loii	per con	Electronic-	Electronic-		Electronic-
	1		1	İ	1 1						1	1			Electronic-	
		[1		1						1	1	1st	Add'i	Disc 1st	Disc Add'i
			-				Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)		
						Rec	First	Add'l	First	Add'I	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy							Audi	11131		DOMEO	JOHAN	JOHAN	SOME	SUMAN	SOMAIN
	Room Calling Port	1	1	UEPPX	UEPXM	1.17	90.00	90.00	Ì		1	11.90]		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital		 -	OLI I K	OLI XIII		30.00	90.00				11.90				
	Discount Room Calling Port	1		UEPPX	UEPXO	1 17	90.00		ļ	i	ľ			ľ	l	i
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		_	UEPPX	UEPXS	1.17	90.00	90.00				11.90				
1004	AL NUMBER PORTABILITY	 	 	DEFFA	UEFAS	1.17	90.00	90.00		·		11 90				
12007	Local Number Portability (1 per port)		-	UEPPX	LNPCP							L				
EEAT	URES		 -	UEPPX	LNPCP	3.15	0.00	0.00				11.90				
PEAT												<u> </u>				
	All Features Offered			UEPPX	UEPVF	2.26	0.00	0 00	L			11 90				
NUN	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED											L				
ı	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	l	1													
	Conversion - Switch-As-Is			UEPPX	USAC2		8 45	1 91		L		11.90	l	İ		1
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															$\overline{}$
	Conversion - Switch with Change	L	1	UEPPX	USACC		8.45	1 91				11 90	1			1
ADDI	TIONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -										 					
I	Subsequent Activity	1	1	UEPPX	USAS2	0 00	0 00	0.00			1	11.90	1			1
·	PBX Subsequent Activity - Change/Rearrange Multiline Hunt		+	S-117	JUNE		000	0.00			 	11.90		ļ		
1	Group	l	1		((7.86	7 86		1		44.00	}	i .	1	i
2 WIE	RE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR		 				7.86					11.90				
		<u> </u>									ļ					ļ
UNE	Port/Loop Combination Rates		 													
	2-Wire VG Coin Port/Loop Combo – Zone 1	└ ─	1			14 11										
	2-Wire VG Coin Port/Loop Combo – Zone 2		2			18.23										
	2-Wire VG Coin Port/Loop Combo – Zone 3		3			33.04										
UNE	Loop Rates														,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	12.94										
	2-Wire Voice Grade Loop (SL1) - Zone 2			UEPCO	UEPLX	17.06										
	2-Wire Voice Grade Loop (SL1) - Zone 3			UEPCO	UEPLX	31.87										
2-Win	e Voice Grade Line Ports (COIN)	 -	<u> </u>	02.00	OLI CX	01.07										-
2 1111	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,		· · · ·													
į.	900/976, 1+DDD (FL)	l		UEPCO	UEP2F	1.17	90.00	90.00			i	11.90	l	ľ		ĺ
				DEFCO	UEPZF	1.17	90.00	90.00				11.50				
- 1	2-Wire Coin 2-Way with Operator Screening and 011 Blocking	l								1	1		1		i	ı
	(FL)		—	UEPCO	UEPFA	1.17	90.00	90.00				11.90				
	2-Wire Coin 2-Way with Operator Screening and Blocking:	1	Į		1		i							1		1
	900/976, 1+DDD, 011+, and Local (FL)			UEPCO	UEPCG	1.17	90.00	90.00		l		11,90				<u> </u>
- "	2-Wire Coin Outward with Operator Screening and 011 Blocking									I						
L	(AL, FL)		i	UEPCO	UEPRK	1.17	90.00	90.00			1	11.90	l			1
	2-Wire Coin Outward with Operator Screening and Blocking:		1													
1	900/976, 1+DDD, 011+ (FL)	I	I	UEPCO	UEPOF	1.17	90.00	90.00	l	l	Į.	11 90	l	1		1
	2-Wire Coin Outward with Operator Screening and Blocking:															
1	900/976, 1+DDD, 011+, and Local (FL, GA)	I	1	UEPCO	UEPCO	1.17	90.00	90.00		l	I	11 90	1	İ	i	1
	2-Wire 2-Way Smartline with 900/976 (all states except LA)		 	UEPCO	UEPCK	1 17	90.00	90.00			 	11.90				
	2-Wire Coin Outward Smartline with 900/976 (all states except			DE, 00	OEFOR		30.00	30.00			-	11.50				
1		!	1	WEDGG	UEPCR	1.17	90.00	90.00		1	1	11.90	I	l	1	1
	LA)	<u> </u>	-	UEPCO	UEPCH	1.17	90.00	90.00				11.90				
ADDI	TIONAL UNE COIN PORT/LOOP (RC)	<u> </u>	—		<u> </u>											
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	1,86	90.00	90.00				11.90		 		L
LOCA	AL NUMBER PORTABILITY															ļ <u> </u>
	Local Number Portability (1 per port)			UEPCO	LNPCX	0 35				L						
NONE	RECURRING CHARGES - CURRENTLY COMBINED															
_	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		T					-								
Ī	Switch-as-is	I	1	UEPCO	USAC2	i .	0.102	0.102			1	11.90	1			1.
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		_													
- 1	Switch with change	l	1	UEPCO	USACC		0.102	0.102			Į.	11.90	ł .	1	1	1
				UEPGU	USACU		0,102	0.102				11,30				
ADDI	TIONAL NRCs		-								 		<u> </u>			
t	2-Wire Voice Grade Loop/Line Port Combination - Subsequent		i		1					l						1
	Activity		L	UEPCO	USAS2		0.00	0 00				11 90				
	2-Wire voice unbundles res, low usage line port with Caller ID						-							Ì		1
Ī	(LUM)	l	1	UEPFR	UEPAP	1.62	250.00	250.00		l	l	11.90				L
	PORT/LOOP COMBINATIONS - COST BASED RATES		_								1					

ARONDLE	D NETWORK ELEMENTS - Florida								_					Attach	ment: 2	Evhi	bit: B
			T	T -		1						Suc Order	Suc Order	Incremental		Incremental	
			1		-£"	1 1								1			1
	1	ŀ	1	- E	3							Submitted	Submitted	Charge -	Charge -	Charge -	Charge
		Interi	1	- N = -	آهـ	1						Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
TEGORY	RATE ELEMENTS		Zone	l Ta	ics	usoc			RATES(\$)								
	10117 - 10117	m		_		1 0000			1141110(4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order v
		1	1			1 [, ,		Electronic-	Electronic-	Electronic-	Electron
	1	l	1	l		1 1						1					1
	ł	i	ı	į.		1 1						1 :		1st	Addʻi	Disc 1st	Disc Ad
	 		┿									·			<u> </u>	L	<u> </u>
							Rec	Nonrec	curring	Nonrecurring	Disconnect	1		oss	Rates(\$)		
i		ŀ	i				1100	First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
2-WIRE	VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT										0020	COMMAN	OUNTAIN	OUNTAIN	OUNTAIN	JUNIA
	ort/Loop Combination Rates		+			 _ _ _ _ _ _ _		···							<u> </u>	L	Į.
UNEF		1	1			1	1		'		1)	1				
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1	1	1				23.21										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2				28 28										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3																L.
1	12 Wile vo coop/2-Wile bib Halik Folt Collido - ONE Zorie 3	<u> </u>	3	<u> </u>			46.53				_	1				1	
	oop Rates	1	1	1		1											-
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX		UECD1	14 50						11.90			7.72	
$\overline{}$	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2	├													<u> </u>	1 83	1
	2-Wile Allaiog Voice Glade Loop - (SLZ) - UNE Zorie Z			UEPPX		UECD1	19.57					i	11.90			1 83	
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX		UECD1	37.82						11.90		i	1,83	
UNE Po	ort Rate		1									+	17100			1.00	
	Exchange Ports - 2-Wire DID Port	_	+	LIEBBY		tuene:						 					
			—	UEPPX		UEPD1	8 71	850 00	75.00			l	11.90			1.83	I
	ECURRING CHARGES - CURRENTLY COMBINED	L	1			1 7	T									l	
1	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -		1			1					 						
i	Switch-as-is	1	1	LIEBOY		lucas:	1				İ	1			I	l	1
$-\!\!\!\!+\!\!\!\!-\!\!\!\!-$				UEPPX		USAC1		7.85	1.87			<u> </u>	11.90		l	l .	ł
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion	1	1			1 7											T
- 1	with BellSouth Allowable Changes	l	I	UEPPX		USA1C I		7.85	1.87		l		11.90		l		I
	IONAL NRCs	├──	+	A		100010		7.65	1.87				11.90	ļ <u>.</u>			Ь
						<u> </u>									i		l
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk	i	[_	UEPPX		USAS1		32.26	32.26				11,90				1
Teleph	one Number/Trunk Group Establisment Charges		 			1							11,00				├──
1 47.4	IDID Touck Termination (One Des Des)		+	1150000		 						 					
	DID Trunk Termination (One Per Port)		1	UEPPX		NDT	0.00	0.00	0.00	_	1		11.90			1 83	
1	DID Numbers, Establish Trunk Group and Provide First Group																
	of 20 DID Numbers	i		UEPPX		NDZ	0 00	0.00	0.00			1 1	44.00		i		i
								0.00	0.00				11.90			1.83	
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0 00	0.00			l 1	11.90			1.83	
1	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX		ND5	0.00	0.00	0.00				11.90			1 83	†
	Reserve Non-Consecutive DID numbers		 	UEPPX		ND6	0.00	0.00	0 00			+	11,90			1.83	
	Reserve DID Numbers			UEPPX		NDV	0 00	0.00	0.00			1	11.90			1.83	
LOCAL	NUMBER PORTABILITY				_												
	Local Number Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	- 0.00			· · · · · · · · · · · · · · · · · · ·					
	ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LIF	VE 0/10/				LIVI O	0.10		0.00								
		ME SIDI	E PURI			 -											
JUNE Po	ort/Loop Combination Rates		1 1	i		1						1 1					1
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -													-			
	UNE Zone 1		1 1	UEPPB	UEPPR		20.00					1 1					
			1	UEPPB	UEPPR		32 09										
1	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	1		i		1 1						1 1					1
	UNE Zone 2	l	2	UEPPB	UEPPR	1 1	38.15				Į.	1 1					
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -				<u> </u>	} 	55.75					1 1					
		ł]	1		1	1	J			1	1			l		1
	UNE Zone 3		3	UEPPB	UEPPR	<u> </u>	59.94				L	1			L		
UNE L	pop Rates																I
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	luci ov	24.71						11.90			1.83	
	2-vvii e ippia pigital drade coop - DIAE Zone I			UEPPB	UEPPR	USLZA	24./1					 	11.90			1.83	ļ
				ł		1	1	l			l	1 1					l
1	2-Wire ISDN Digital Grade Loop - UNE Zone 2	l	2	UEPPB	UEPPR	IUSL2X	30.77	1			ì	j i	11.90	·)	1.83	1
	2-Wire ISDN Digital Grade Loop - UNE Zone 3			UEPPB	UEPPR		52.56					T	11.90		· · · · · · · · · · · · · · · · · · ·	1 83	
			+-	ULTED	UETER	USLEA	52.50				 	+	11.50			1 63	
	ort Rate	L		L		<u> </u>											
	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	7.38	525.00	400.00				11.09			1.83	1
	CURRING CHARGES - CURRENTLY COMBINED		-									1					
		—				↓						 					
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port	1	1	l		1 1	1	1			i	j 1			·		1
1	Combination - Conversion	l	1	UEPPB	UEPPR	USACB	0.00	25 22	17.00				11.90			1.83	I
	ONAL NRCs		1	H		 						1					1
			1	L										-			
	NUMBER PORTABILITY			L								<u> </u>					ļ
	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00			T					L
B-CHA	NNEL USER PROFILE ACCESS:					1						1					I
			-	uen	UEDDE	1000						 					
	CVS/CSD (DMS/5ESS)	l	1 1	UEPPB	UEPPR	U1UCA	0.00	0 00	0.00								L
	CVS (EWSD)			UEPPB	UEPPR	U1UC8	0.00	0.00	0.00								
		 						0.00	0.00			 				<u> </u>	
	CSD	L		UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
B-CHAI	NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC	C,MS, &	TN)			1 T		Ī				⊥ !					
	FERMINAL PROFILE					1											
- Joseph			├ ──	HEDDO	HERRE	111111111111111111111111111111111111111			0.00			\vdash					
	User Terminal Profile (EWSD only)	Щ		UEPPB	UEPPR	U1UMA	0.00	0 00	0.00						L		
VERTIC	CAL FEATURES					1					l	I					
				UEPPB	UEPPR	1.1551.65	2.26	0 00	0.00				11.90				
	All Vertical Features - One per Channel B User Profile																

NBUNDLED NET	WORK ELEMENTS - Florida													ment: 2		bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge Manual : Order v Electror Disc Ad
						Rec	Nonrec			Disconnect				Rates(\$)		
- Interest	ice Channel mileage each, including first mile and	├	_		 		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	s termination	l	1	UEPPB UEPPR	MIGNC	18,4491	47.35	31.78	18 31	7.03		11.90		Į.	1 83	ļ
	ice Channel mileage each, additional mile	_	 		MIGNM	0 0091	0.00	0 00	1031	7.03	 	11.90			1 83	
4-WIRE DS1 D	IGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	PORT		00.77			0.00				-	11 30				
	Combination Rates		 		1											
4W DS Zone 1	1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		1	UEPPP		156.18										
4W DS Zone 2	1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		2	UEPPP		181.87										
4W DS Zone 3	1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		3	UEPPP		274 25										
UNE Loop Rat			13	OLFFF.	 	214 25									 	
	DS1 Digital Loop - UNE Zone 1		1	UEPPP	USL4P	73 44						11 90		 -	1.83	
	DS1 Digital Loop - UNE Zone 2			UEPPP	USL4P	99 13						11.90			1 83	
	DS1 Digital Loop - UNE Zone 3			UEPPP	USL4P	191.51						11.90			1.83	
UNE Port Rate			† <u> </u>		1	.0,.01										
Exchan	ge Ports - 4-Wire ISDN DS1 Port			UEPPP	UEPPP	82.74	1,150.00	1,150.00				11.90			1.83	
	NG CHARGES - CURRENTLY COMBINED						,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,								
	DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port nation - Conversion -Switch-as-is			UEPPP	USACP	0.00	84.17	61 38				11 90			1.83	
ADDITIONAL N			-		1001101							1.00				
4-Wire	DS1 Loop/4-W ISDN Digit Trk Port - Subsqt Actvy- two way tel nos within Std Allowance (except NC)			UEPPP	PR7TF		0 5412					11.90			1 83	
	DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -															
	d Tel Numbers (All States except NC) DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -		_	UEPPP	PR7TO	,	12.71	12 71				11.90			1.83	
	uent Inward Tel Nos Above Std Allowance			UEPPP	PR7ZT		25 42	25.42			ļ	11.90			1,83	<u> </u>
	ER PORTABILITY		L.													
	lumber Portability (1 per port)			UEPPP	LNPCN	1.75										
	rovsioning Only)	-	<u> </u>								 -					
Voice/E				UEPPP	PR71V	0 00	0.00	0,00			 					
Digital				UEPPP UEPPP	PR71D PR71E	0.00	0.00	0 00								
Inward	Data onal "B" Channel		-	UEPPP	PH/1E	0.00	0.00	0 00								
	Additional - Voice/Data B Channel	├	-	UEPPP	PR7BV	000	15.48					11.90		-	1.83	
	Additional - Digital Data B Channel			UEPPP	PR7BF	0.00	15.48					11.90			1,83	
	Additional Inward Data B Channel		_	UEPPP	PR7BD	0.00	15.48					11.90			1.83	
CALL TYPES	Additional inward Data & Original		_	02711	1	- 000	70.10				 					
Inward			 	UEPPP	PR7C1	0.00	0.00	0 00								
Outwar	d			UEPPP	PR7C0	0.00	0 00	0.00			1					
Two-wa			-	UEPPP	PR7CC	0.00	0.00	0 00								
Interoffice Cha																
	ach including First Mile			UEPPP	1LN1A	88.6256	105.54	98.47	21.47	19.05		11.90			1.93	
Each A	irline-Fractional Additional Mile			UEPPP	1LN1B	0.1856										
4-WIRE DS1 D	GITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
UNE Port/Loop	Combination Rates									<u> </u>	↓	11.00			4.00	
4W DS	1 Digital Loop/4W DD/TS Trunk Port - UNE Zone 1	Ĺ		UEPDC	L	128,39					 	11.90 11.90	·		1.83	├
4W DS	1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2	<u> </u>		UEPDC	<u> </u>	154.08				<u> </u>	 	11.90		<u> </u>	1.83	
	1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3	<u> </u>	3	UEPDC	 	246.46				<u> </u>		11.90		 	1.63	
UNE Loop Rat		<u> </u>	-	UEDDO -	1101.00	30.77			ļ	ļ		11,90			1.83	
	DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	73.44 99.13						11.90		 	1.83	
	DS1 Digital Loop - UNE Zone 2	 		UEPDC	USLDC	191,51					 	11.90		-	1.83	· · · · ·
	DS1 Digital Loop - UNE Zone 3	 -	3	UEPDC	JUSLIDU	191,51					1	11.00			1.50	_
UNE Port Rate		 -		UEPDC	UDD1T	54.95					 	11,90		-	1.83	-
	DDITS Digital Trunk Port NG CHARGES - CURRENTLY COMBINED	-		ULPUC	I GOOD II	54.95					 			<u> </u>		
	DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination		_		 									<u> </u>		T
	n-as-is	ı	1	UEPDC	USAC4	l	95.31	46 71	i	!	I	11,90		1	1.83	l

	MDFE	D NETWORK ELEMENTS - Florida												Attachr	ment: 2	Exhil	oit: B
ATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	Increments Charge - Manual Sv Order vs. Electronic Disc Add'
			<u> </u>	L			Rec	Nonrec			Disconnect			OSS	Rates(\$)		
	- -	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination		<u> </u>				First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ŀ		- Conversion with DS1 Changes	i	1	UEPDC										1 '	ļ	
	-	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination		_	UEPUC	USAWA		95.31	46.71				11.90			1.83	L
ſ		- Conversion with Change - Trunk			UEPDC	USAWB	1	05.04	40.74						· '		
	ADDIT	ONAL NRCs		_	DEFDC	USAWB	 	95.31	46.71				11.90			1.83	
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -	-	 	 	+	 								 	 	
		Subsequent Channel Activation/Chan - 2-Way Trunk	l	1	UEPDC	UDTTA		15 69	15.69				11.90		l '	1.83	
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent				1							7.1.00			1.00	
		Channel Activation/Chan - 1-Way Outward Trunk		l	UEPDC	UDTTB		15.69	15 69				11.90		1 '	1.83	
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel														1,00	
		Activation/Chan_Inward Trunk w/out DID			UEPDC	UDTTC		15.69	15 69				11.90		1	1.83	
i		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan													,		
		Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		15 69	15.69				11.90			1.83	
- 1		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan		1				Ī							,		
$\overline{}$	DIRO:	Activation / Chan - 2-Way DID w User Trans		<u> </u>	UEPDC	UDTTE		15.69	15.69				11 90			1.83	
	BIPUL	AR 8 ZERO SUBSTITUTION		<u> </u>	1,5000	*****											
		B8ZS - Superframe Format B8ZS - Extended Superframe Format		 	UEPDC UEPDC	CCOSF		0.00	655 00				11.90		, <u>_</u>	1.83	
	Alterno	te Mark Inversion		├	UEPDC	CCOEF		0 00	655.00				11.90		, <i></i>	1.83	
 	71101110	AMI -Superframe Format		 	UEPDC	MCOSF		0.00	0.00						, <u> </u>		
		AMI - Extended SuperFrame Format	-	<u> </u>	UEPDC	MCOPO		0.00	0.00				-		,		
	Teleph	one Number/Trunk Group Establisment Charges		t	OLI DO	MCOFO			0.00								<u> </u>
		Telephone Number for 2-Way Trunk Group		 	UEPDC	UDTGX	0.00						11.90			1.83	
		Telephone Number for 1-Way Outward Trunk Group		1	UEPDC	UDTGY	0.00						11.90			1.83	
		Telephone Number for 1-Way Inward Trunk Group Without DID		t	UEPDC	UDTGZ	0.00						11.90			1.83	
		DID Numbers, Establish Trunk Group and Provide First Group		1				-							,		
		of 20 DID Numbers			UEPDC	NDZ	0.00	0.00	0.00				11.90		i 1	1.83	
		DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0 00		-				11.90			1.83	
		DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0 00						11.90			1.83	
		Reserve Non-Consecutive DID Nos		L	UEPDC	ND6	0 00	0.00	0.00				11.90	·		1.83	
		Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0 00				11.90			1.83	· · · · · · · · · · · · · · · · · · ·
	Dedica	ted DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS	Digital	Loop	with 4-Wire DDITS	Trunk Port											
- 1		Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities			UEPDC	I				21.47						1 1	
_		Termination)							98.47								
					OLI DO	1LNO1	88 44	105.54	30.77	21.47	19.05		11.90			1.83	
		Intereffice Channel Mileson Additional rate near mile Committee								21.41	19.05		11.90			1.83	
		Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	88 44 0.1856	0.00	0.00	21.47	19.05		11.90			1.83	
		Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities			UEPDC	1LNOA	0.1856	0.00	0.00	21,41	19.05		11.90			1.83	· · · · · · · · · · · · · · · · · · ·
		Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)								21,41	19.05		11.90			1.83	
		Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 9-25			UEPDC UEPDC	1LNOA 1LNO2	0.1856	0.00	0.00	21.41	19.05		11.90			1.83	
		Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 9-25 miles			UEPDC	1LNOA	0.1856	0.00	0.00	21.41	19.05		11.90			1.83	
		Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 9-25			UEPDC UEPDC UEPDC	1LNOA 1LNO2	0.1856 0.00 0.1856	0.00	0.00 0.00	0.00	19.05		11.90			1.83	
		Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 9-25 miles Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities			UEPDC UEPDC	1LNOA 1LNO2 1LNOB	0.1856	0.00	0.00		19.05		11.90			1.83	
		Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 9-25 miles Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination)			UEPDC UEPDC UEPDC UEPDC	1LNOA 1LNO2 1LNOB 1LNO3	0.1856 0.00 0.1856	0.00	0.00 0.00		19.05		11.90			1.83	
		Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 9-25 miles Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities			UEPDC UEPDC UEPDC	1LNOA 1LNO2 1LNOB	0.1856 0.00 0.1856 0.00	0.00 0.00 0.00	0.00 0.00 0.00 0.00		19.05		11.90			1.83	
		Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 9-25 miles Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 25+ miles Local Number Portability, per DSO Activated Central Office Termininating Point			UEPDC UEPDC UEPDC UEPDC UEPDC	1LNOA 1LNO2 1LNOB 1LNO3 1LNOG	0.1856 0.00 0.1856 0 00 0.1856	0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00	0.00	19.05		11.90			1.83	
		Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 9-25 miles Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 25+ miles Local Number Portability, per DSO Activated Central Office Termininating Point DS1 LOOP WITH CHANNELIZATION WITH PORT			UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	1LNOA 1LNO2 1LNOB 1LNO3 1LNOC LNPCP	0.1856 0.00 0.1856 0 00 0.1856 3.15	0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00	0.00	19.05		11.90			1.83	
	System	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 9-25 miles Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 25+ miles Local Number Portability, per DS0 Activated Central Office Termininating Point DS1 LOOP WITH CHANNELIZATION WITH PORT Is 1 DS1 LOOP, 1 D4 Channel Bank, and up to 24 Feature Activation			UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	1LNOA 1LNO2 1LNOB 1LNO3 1LNOC LNPCP	0.1856 0.00 0.1856 0 00 0.1856 3.15	0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00	0.00	19.05		11.90			1.83	
	System Each S	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 9-25 miles Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 25+ miles Local Number Portability, per DSO Activated Central Office Termininating Point DS1 LOOP WITH CHANNELIZATION WITH PORT Is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activated no have up to 24 combinations of rates depending on			UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	1LNOA 1LNO2 1LNOB 1LNO3 1LNOC LNPCP	0.1856 0.00 0.1856 0 00 0.1856 3.15	0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00	0.00	19.05		11.90			1.83	
	System Each S	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 9-25 miles Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 25+ miles Local Number Portability, per DSO Activated Central Office Terminiating Point DS1 LOOP WITH CHANNELIZATION WITH PORT Is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activated can have up to 24 combinations of rates depending on it Loop		nd num	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	1LNOA 1LNOB 1LNOB 1LNO3 1LNOC LNPCP CTG	0.1856 0.00 0.1856 0 00 0.1856 3.15 0.00	0.00 0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00	0.00	19.05		11.90			1.83	
	System Each S	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 9-25 miles Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 25+ miles Local Number Portability, per DSO Activated Central Office Termininating Point DS1 LOOP WITH CHANNELIZATION WITH PORT Is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activated can have up to 24 combinations of rates depending on 31 Loop 4-Wire DS1 Loop - UNE Zone 1		d num	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	1LNOA 1LNOB 1LNO3 1LNOC LNPCP CTG	0.1856 0.00 0.1856 0.00 0.1856 3.15 0.00	0.00 0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00	0.00	19.05		11.90			1.83	
	System Each S UNE DS	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 9-25 miles Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 25+ miles Local Number Portability, per DS0 Activated Central Office Termininating Point DS1 LOOP WITH CHANNELIZATION WITH PORT Is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activated can have up to 24 combinations of rates depending on 11 Loop 4-Wire DS1 Loop - UNE Zone 1 4-Wire DS1 Loop - UNE Zone 2		1 2	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	1LNOA 1LNOB 1LNOB 1LNOG 1LNOC LNPCP CTG USLOC USLOC	0.1856 0.00 0.1856 0.00 0.1856 3.15 0.00	0.00 0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00 0.00	0.00	19.05		11.90			1.83	
	System Each S UNE DS	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 9-25 miles Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 25+ miles Local Number Portability, per DSO Activated Central Office Termininating Pont DS1 LOOP WITH CHANNELIZATION WITH PORT Is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activated can have up to 24 combinations of rates depending on 1 Loop 4-Wire DS1 Loop - UNE Zone 1 4-Wire DS1 Loop - UNE Zone 2 4-Wire DS1 Loop - UNE Zone 2	type ar	1 2	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	1LNOA 1LNOB 1LNO3 1LNOC LNPCP CTG	0.1856 0.00 0.1856 0.00 0.1856 3.15 0.00	0.00 0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00	0.00	19.05		11.90			1.83	
	System Each S UNE DS	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 9-25 miles Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 25+ miles Local Number Portability, per DSO Activated Central Office Termininating Point DS1 LOOP WITH CHANNELIZATION WITH PORT Is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activatem can have up to 24 combinations of rates depending on 11 Loop 4-Wire DS1 Loop - UNE Zone 1 4-Wire DS1 Loop - UNE Zone 2 4-Wire DS1 Loop - UNE Zone 3 30 Channelization Capacities (D4 Channel Bank Configuration	type ar	1 2	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPMG UEPMG UEPMG	1LNOA 1LNOB 1LNOB 1LNOS 1LNOC LNPCP CTG USLOC USLOC USLOC USLOC	0.1856 0.00 0.1856 0.00 0.1856 3.15 0.00 73 44 99 13 191.51	0.00 0.00 0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00	19.05						
	System Each S UNE DS	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 9-25 miles Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 25+ miles Local Number Portability, per DSO Activated Central Office Termininating Point DS1 LOOP WITH CHANNELIZATION WITH PORT Is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activatem can have up to 24 combinations of rates depending on 31 Loop 4-Wire DS1 Loop - UNE Zone 1 4-Wire DS1 Loop - UNE Zone 2 4-Wire DS1 Loop - UNE Zone 3 O Channelization Capacities (D4 Channel Bank Configuration 24 DSO Channel Capacity - 1 per DS1	type ar	1 2 3	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPMG UEPMG UEPMG UEPMG	1LNOA 1LNOB 1LNOB 1LNO3 1LNOC LNPCP CTG USLDC USLDC USLDC VUM24	0.1856 0.00 0.1856 0.00 0.1858 3.15 0.00 73.44 99.13 191.51	0.00 0.00 0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00	19.05		11.90			1.83	
	System Each S UNE DS	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 9-25 miles Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 25+ miles Local Number Portability, per DSO Activated Central Office Termininating Pont DS1 LOOP WITH CHANNELIZATION WITH PORT Is 1 DS1 LOOP, 1 D4 Channel Bank, and up to 24 Feature Activated nave up to 24 combinations of rates depending on 1 Loop 4-Wire DS1 Loop - UNE Zone 1 4-Wire DS1 Loop - UNE Zone 2 4-Wire DS1 Loop - UNE Zone 3 G Channel Capacities (D4 Channel Bank Configuration 24 DSO Channel Capacity - 1 per DS1 48 DSO Channel Capacity - 1 per DS1 48 DSO Channel Capacity - 1 per 2 DS1s	type ar	1 2 3	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG	1LNOA 1LNOB 1LNOB 1LNOG 1LNOC LNPCP CTG USLOC USLOC USLOC VUM24 VUM48	0.1856 0.00 0.1856 0.00 0.1856 3.15 0.00 73 44 99 13 191.51 118.06 236.12	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00	19.05		11.90			1.83	
	System Each S UNE DS	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 9-25 miles Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 25+ miles Local Number Portability, per DSO Activated Central Office Termininating Point DS1 LOOP WITH CHANNELIZATION WITH PORT Is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activatem can have up to 24 combinations of rates depending on 31 Loop 4-Wire DS1 Loop - UNE Zone 1 4-Wire DS1 Loop - UNE Zone 2 4-Wire DS1 Loop - UNE Zone 3 O Channelization Capacities (D4 Channel Bank Configuration 24 DSO Channel Capacity - 1 per DS1	type ar	1 2 3	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPMG UEPMG UEPMG UEPMG	1LNOA 1LNOB 1LNOB 1LNO3 1LNOC LNPCP CTG USLDC USLDC USLDC VUM24	0.1856 0.00 0.1856 0.00 0.1858 3.15 0.00 73.44 99.13 191.51	0.00 0.00 0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00	19.05		11.90			1.83	

	NETWORK ELEMENTS - Florida		T	T	,			···			<u> </u>	10 0 :		ment: 2		oit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Increment Charge - Manual St Order vs Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	240 DS0 Channel Capacity - 1 per 10 DS1s		├	UEPMG	VUM20	1,180,60	First 0.00	Add'I 0.00	First	Add'I	SOMEC	SOMAN 11 90	SOMAN	SOMAN	SOMAN 1 83	SOMA
	288 DS0 Channel Capacity - 1 per 12 DS1s	 		UEPMG	VUM28	1,416,72	0.00	0.00				11.90			1 83	
	384 DS0 Channel Capacity - 1 per 16 DS1s	 		UEPMG	VUM38	1,888.96	0 00	0.00				11.90		 	1.83	
	480 DS0 Channel Capacity - 1 per 20 DS1s		$\overline{}$	UEPMG	VUM40	2,361 20	0.00	0.00			-	11.90			1 83	
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,833.44	0.00	0.00				11.90			1.83	
	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	3,305.68	0.00	0.00				11 90			1 83	
	curring Charges (NRC) Associated with 4-Wire DS1 Loop with						stem									
	num System configuration is One (1) DS1, One (1) D4 Channe															
	es of this configuration functioning as one are considered Ac	dd'i afte	r the n	ninimum system con	figuration is	counted.								ļ		
	NRC - Conversion (Currently Combined) with or without			UEPMG	USAC4				1		1	44.00				
	BellSouth Allowed Changes Additions at End User Locations Where 4-Wire DS1 Loop with	Ab Obser	<u> </u>			0.00	96 77	4 24	ļ <u>-</u>			11.90				
	ot Currently Combined) in all states, except in Density Zone 1				Ination Curre	nuy Exists and										
	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port	1 01 106	OMO	13	<u> </u>				··· - · · · · · · · · · · · · · · · · ·							
	and Assoc Fea Activation			UEPMG	VUMD4	0.00	726 11	468.21	145 32	17 24		11.90]	
	8 Zero Substitution			OL: MA	1000	9.55	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	700.27	,,,,,,,,,			11109				
	Clear Channel Capability Format, superframe - Subsequent		1						i							
	Activity Only	ł	1	UEPMG	CCOSF	0.00	0.00	655 00			l	11.90				
	Clear Channel Capability Format - Extended Superframe -											1				
	Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00	655 00	l			11,90			l	
Alternat	te Mark Inversion (AMI)				3											
	Superframe Format			UEPMG	MCOSF	0.00	0 00	0.00				ļ				
	Extended Superframe Format	ــــــــــــــــــــــــــــــــــــــ	<u></u>	UEPMG	MCOPO	0.00	0.00	0.00	L			ļ	ļ			
	ge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port		<u> </u>					**						
Exchan	ge Ports	 	<u> </u>		ļ									-		
1	Line Side Combination Channelized PBX Trunk Port - Business	Į.	1	UEPPX	UEPCX	1.38	0 00	0 00	000	0.00		11.90			1.83	
	Line Side Outward Channelized PBX Trunk Port - Business	┢	┼	UEPPX	UEPOX	1.38	0.00	0.00	0.00	0.00		11.90	 		1.83	
	Life Side Odtward Citaminenzeo FBX 11drik FOIL - Business	 	1	OCFFX	OLI OX	1.00	0.00	0.00	9.00				 			
	Line Side Inward Only Channelized PBX Trunk Port without DID		1	LIEPPX	UEP1X	1,38	0.00	0.00	0.00	0.00		11.90			1.83	
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port	1	+	UEPPX	UEPDM	8.71	0.00	0.00	0.00	0.00		11.90			1.83	
	Activations - Unbundled Loop Concentration		1													
	Feature (Service) Activation for each Line Side Port Terminated		1													ĺ
.	ın D4 Bank		1	UEPPX	1PQWM	0.66	25.40	13.41	3.96	3.93		11.90			1.83	
	Feature (Service) Activation for each Trunk Side Port Terminated											44.00	İ		1	
	ın D4 Bank	L		UEPPX	1PQWU	0.66	78.16	18.42	56.03	10.95		11.90	ļ <u></u>	 	1.83	
Telepho	one Number/ Group Establishment Charges for DID Service		!		lunz.			0.00				11.90	 		ļ	
	DID Trunk Termination (1 per Port)	ļ	↓	UEPPX	NDT	0.00	0.00	0 00				11.90	 		 	
	Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)	 	+	UEPPX	NDZ ND4	0 00	0.00	0 00			··	11.90	 	 		
	DID Numbers - groups of 20 - Valid all States Non-Consecutive DID Numbers - per number	-		UEPPX	ND5	0.00	0.00	0.00				11.90	 	 		
	Reserve Non-Consecutive DID Numbers	├ ──	₩	UEPPX	ND6	0.00	0.00	0.00	ļ		i — —	11.90	1			
	Reserve DID Numbers		┿	UEPPX	NDV	0.00	0.00	0.00	-			11.90				
	lumber Portability	 	+	- Carrier												
	Local Number Portability - 1 per port		1	UEPPX	LNPCP	3 15	0.00	0.00								L
FEATU	RES - Vertical and Optional	1	1		1											
	witching Features Offered with Line Side Ports Only											L				
	All Features Available	1	1	UEPPX	UEPVF	2 26	0.00	0.00				11.90			1.83	
NBUNDLED P	ORT LOOP COMBINATIONS - MARKET RATES					I							 			⊢—
Market	Dates shall apply where BallSouth is not required to provide	unbun	dled lo	cal switching or swi	itch ports pe	r FCC and/or S	tate Commissio	on rules.					<u> </u>	ļ	 	
į warket.	aludes unbundled portilions combinations that are Currently	Combin	nad ar	Not Currently Combi	ined in Zone	1 of the Top 8	MSAs in BellSe	outh's region !	for end users w	ith 4 or more	DS0 equival	ent lines.			 	
This inc				A /AM A-1. 1 A /Al	. Ad-a-al- M	` (Cb	Ullinaton Calor	. Hickopint/Ct	andatta Castan	io Bock Hill): "	IN (Machvill	en.	hill the retar	in the Cost S	need section	n recoding
This inc	p o Misas III belisodur s region are. PE (criando, PE Esadero				uming Market	Rates in this s	ection. In the	interim where	BellSouth Cant	ot dili Market	nates, bell	South Shall	PIII (LIG LAIGS	III UIA COSC-D	noor soundi	hioraniil
This inc The Top BellSou	uth currently is developing the billing capability to mechanic	ally bill	the rec	curring and non-recu	arring marke											
This inc The Top BellSou lieu of t	uth currently is developing the billing capability to mechanica the Market Rates and reserves the right to true-up the billing	ally bill differer	nce.	curring and non-recu												
This inc The Top BellSou lieu of t	of the currently is developing the billing capability to mechanicate the Market Rates and reserves the right to true-up the billing	ally bill differer	nce.	1							for LINE Co.	Γ			ļ	
This inc The Top BellSou lieu of t The Ma	of the currently is developing the billing capability to mechanice the Market Rates and reserves the right to true-up the billing trick Rate for unbundled ports includes all available features	ally bill differer in all st	nce. ates.			is about annual se			at pobuork aler	nente evcent	for UNE Co	in Port/Loo	n Combinatio	ns.		on.
This inc The Top BellSou lieu of t The Ma End Off For Not	of the currently is developing the billing capability to mechanicate the Market Rates and reserves the right to true-up the billing	ally bill differer in all st	nce. ates.			is about annual se			at pobuork aler	nente evcent	for UNE Co	in Port/Loo	n Combinatio	ns.		on.

INBUNDLE	D NETWORK ELEMENTS - Florida												Attachi	ment: 2	Exhil	bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		None	RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	incremental Charge -	
						Rec	Nonrec First	urnng Add'l	Nonrecumn First	g Disconnect Add'i	SOMEC	SOMAN		Rates(\$)	SOMAN	SOMAN
LINE P	Port/Loop Combination Rates						First	AGG I	FIISL	Addi	SOMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
0.12	2-Wire VG Loop/Port Combo - Zone 1		1		1	26.94				-	 			 		
	2-Wire VG Loop/Port Combo - Zone 2		2		-	31.06				 	 					
	2-Wire VG Loop/Port Combo - Zone 3		3		+	45.87				 	 					
UNEL	oop Rates		Ť		+	40.07				 	 					
	2-Wire Voice Grade Loop (SL1) - Zone 1	_	1	UEPRX	UEPLX	12.94										
	2-Wire Voice Grade Loop (SL1) - Zone 2			UEPRX	UEPLX	17.06					 	l				ļ
	2-Wire Voice Grade Loop (SL1) - Zone 3			UEPRX	UEPLX	31.87								 	-	
2-Wire	Voice Grade Line Port (Res)		-	OLITIA	- OLF LX	31.67					 			 		
	2-Wire voice unbundled port - residence	_	_	UEPRX	UEPRL	14.00	90.00	90 00			 	11.90				
	2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	14.00	90.00	90.00		 	 	11.90				
	2-Wire voice unbundled port with Carler ID - res 2-Wire voice unbundled port outgoing only - res	 		UEPRX	UEPRO	14.00	90.00	90.00		 	 	11.90	·	 		
	2-4416 Voice distancies port outgoing only - les			ULFIIA	UEFAU	14.00	50.00	90.00		 	 	11.90				-
	2-Wire voice unbundled Florida Area Calling with Caller ID - res	1		UEPRX	UEPAF	14.00	90.00	90.00		1	1	11.90		1	l	
	2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID		\vdash	OLFIN	UEFAF	14.00	90.00	90.00	ļ 	 	 	11.90		 		
1	(LUM)		l	UEPRX	UEPAP	14.00	90 00	90.00		1	1	11.90			l	
1.004	L NUMBER PORTABILITY		ļ	UEPHA	UEPAP	14.00	90 00	90.00		ļ	 	11.90				
LOCA				UEDDY	LUDOY	- 205					 			<u> </u>		
	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35					ļ					ļ. <u></u>
FEAT										ļ		44.00				
	All Features Offered	ļ		UEPRX	UEPVF	0 00	0.00	0 00		.		11.90				
ļ			1		1											
	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is		<u> </u>	UEPRX	USAC2		41.50	41.50		ļ	!	11.90				
Ì	2-Wire Voice Grade Loop / Line Port Combination - Switch with		i		1					1	1					
	change			UEPRX	USACC		41.50	41 50			ļ	11.90				
ADDIT	TONAL NRCs															
	NRC - 2-Wire Voice Grade Loop/Line Port Combination -						-								ļ	
	Subsequent		1	UEPRX	USAS2		0.00	0.00		<u> </u>		11.90				
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)							-			L					
UNE F	Port/Loop Combination Rates				1											
	2-Wire VG Loop/Port Combo - Zone 1		1			26.94					<u> </u>					
	2-Wire VG Loop/Port Combo - Zone 2		2			31.06				l						<u> </u>
	2-Wire VG Loop/Port Combo - Zone 3		3			45 87									<u> </u>	<u> </u>
UNE L	oop Rates															
_	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPĽX	12 94										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	17 06									<u> </u>	
	2-Wire Voice Grade Loop (SL1) - Zone 3			UEPBX	UEPLX	31.87										
2.Wire	Voice Grade Line Port (Bus)															Ĭ
	2-Wire voice unbundled port without Caller ID - bus	 		UEPBX	UEPBL.	14 00	90.00	90 00				11.90				
	2-Wire voice unbundled port with Caller + E484 ID - bus		-	UEPBX	UEPBC	14.00	90.00	90 00				11 90				
	2-Wire voice unbundled port with Caller + 2-4-4 to - 503	 	1	UEPBX	UEPBO	14.00	90.00	90.00		1		11 90				
1000	L NUMBER PORTABILITY	 		02. 27.	1021.00											
LOCA	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35				I						
NONID	ECURRING CHARGES - CURRENTLY COMBINED		-	V D/-	13.1.0%					1	1					L
NUNH	LOUISING CHANGES - CONNEWILL COMPRISED	 	 		+		-			1	1	T				I
-	2 Whre Voice Grade Lean / Line Bod Combination Suiteb as in			UEPBX	USAC2		41 50	41.50			1	11.90		1		i
-	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Switch with	 		OLFDA	UUAUE		71.50	71.00			1	1		1	Î	1
1				LIEBBY	USACC		41.50	41.50		1	1	11.90			i	1
	change		⊢	UEPBX	USACC		41.50	41.50		 	 	:-50				
ADDIT	TIONAL NRCs	 									 	— —	-	t	 	
	NRC - 2-Wire Voice Grade Loop/Line Port Combination -	1	1	UCDOV	lucaco		0.00	0.00		1	1	11 90		l .	1	1
	Subsequent		<u> </u>	UEPBX	USAS2		0.00	0.00		 	 	130		 	 	
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)		L						<u> </u>	 	+			 	 	
UNE	Port/Loop Combination Rates				_						+			 		
	2-Wire VG Loop/Port Combo - Zone 1		1			26.94				 	 	_		 		
_	2-Wire VG Loop/Port Combo - Zone 2		2			31.06				ļ				 		\vdash
	2-Wire VG Loop/Port Combo - Zone 3		3			45.87			ļ	ļ	_	 				
UNE	oop Rates						_				<u> </u>		L	<u> </u>		
·	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRG	UEPLX	12.94					J	<u> </u>		ļ	ļ	
-+-	2-Wire Voice Grade Loop (SL1) - Zone 2			UEPRG	UEPLX	17.06		_								
	E THIS TORS CHASE COOP (OE I) - ZOHE Z			UEPRG	UEPLX	31.87					1	1	1	1	l	1

IBUNDLE	D NETWORK ELEMENTS - Florida												Attachi	ment: 2	Exhit	pit: B
					T		_		·		Svc Order	Svc Order	Incremental		Incremental	Increment
					1							Submitted	Charge -	Charge -	Charge -	Charge -
												Manually		Manual Svc	Manual Svc	
TEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			Elec		Manual Svc			Manual Svo
LEGURT	HATE ELEMENTS	m	Zone	BCS	USUC			HA I E3(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											1		Electronic-	Electronic-	Electronic-	Electronic-
			,		j j						1 .]	1st	Add'I	Disc 1st	Disc Add'I
														, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	2,30 ,3.	ו שמת שמים
							Nonrec	umina	Nonrecurring	g Disconnect	T		OSS	Rates(\$)		
1						Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-Win	Voice Grade Line Port Rates (RES - PBX)	_	 		+ +				7.1.04		+		- 00	- COMPAN	00	COMPAN
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -		 	· · · · · · · · · · · · · · · · · · ·							-	-				
- 1	Res		1	LIEDDO	UEDDD	امميد					1			1		
1.004	L NUMBER PORTABILITY			UEPRG	UEPRD	14.00	90.00	90.00				11.90				
LOCA										<u> </u>	<u> </u>					
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0 00		i						
FEAT														_		
1	All Features Offered			ÜEPRG	UEPVF	0.00	0.00	0.00			1	11.90				
NONE	ECURRING CHARGES - CURRENTLY COMBINED							•			T					
ľ																
- 1	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is		Į.	UEPRG	USAC2		41.50	41.50		1	1	11.90				i
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with			041110	UONOZ		41.50	41,30		<u> </u>		11.50				
		l	I		1	j				1				1		I
1	Change			UEPRG	USACC		41.50	41.50		ļ	L	11.90	L			L
ADDI.	TIONAL NRCs										L	L.,,		L		L
	2 Wire Loop/Line Side Port Combination - Non feature -	_	1							1						
- 1	Subsequent Activity- Nonrecurring	ľ	1		1 1	1	0.00	0 00	1	1	ł	11.90		l		l
_	PBX Subsequent Activity - Change/Rearrange Multiline Hunt		t		1					1	 			 		
	Group						7.09	7 09				11.90				ł
2 10	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)						7.09	1 05		 		11.50				
		_														
UNE	Port/Loop Combination Rates				1											
	2-Wire VG Loop/Port Combo - Zone 1		1			26.94							_			L
	2-Wire VG Loop/Port Combo - Zone 2		2			31 06					I —					T
	2-Wire VG Loop/Port Combo - Zone 3		3			45 87										
UNF	oop Rates							·								
10.02	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPPX	UEPLX	12.94				 	 					
				UEPPX	UEPLX					 						
	2-Wire Voice Grade Loop (SL1) - Zone 2					17.06										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPPX	UEPLX	31.87				<u> </u>						ļ
2-Win	Voice Grade Line Port Rates (BUS - PBX)		<u> </u>	l							L					
										1	1	i				
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus		1	UEPPX	UEPPC	14.00	90 00	90 00		1		11 90	_			
_	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	14 00	90.00	90.00				11 90				
_	Line Side Unbundled Incoming PBX Trunk Port - Bus		1	UEPPX	UEPP1	14.00	90.00	90.00				11 90				
	2-Wire Voice Unbundled PBX LD Terminal Ports		 	UEPPX	UEPLD	14.00	90 00	90.00			 	11 90	-	-		
}			├	UEPPX	UEPXA	14 00	90 00	90.00			 	11 90				
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port										 	11.90				
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		1	UEPPX	UEPXB	14 00	90.00	90.00								
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			ÜEPPX	UEPXC	14 00	90.00	90.00				11.90				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	14.00	90.00	90 00		l	L	11.90				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	[T								1					
1	Capable Port	[UEPPX	UEPXË	14.00	90.00	90.00		l		11.90			ļ	1
-+-	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			, , , , , , , , , , , , , , , , , , ,	1021.72					1	T					
1			í	UEPPX	UEPXL	14.00	90.00	90.00		1		11.90	ł			Į.
	Administrative Calling Port			UEPPX	UEPAL	14.00	90.00	90.00			 	11.00	 	 		
ŀ	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1	1	1	i 1						1	مميد ا		1		
	Room Calling Port	L	<u></u>	UEPPX	UEPXM	14.00	90.00	90.00		<u> </u>		11.90	ļ			
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	T								1		I	1	I	[
	Discount Room Calling Port	l	ı	UEPPX	UEPXO	14.00	90.00	90 00		1		11.90	1	l	l	l
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	_	-	UEPPX	UEPXS	14.00	90.00	90 00		1		11.90		T		
1.00	12-14-16 VOICE CHIDATICIES 1-14-24 Outgoing FDA IMEASURES FOR		+	1921 1 A	105. 70	14.00	00.00	20.00		 	T			T		
LOCA	L NUMBER PORTABILITY	├	 	LICODY	LNPCP	 , , , , 	0.00	0.00		 	 		 	 -		
	Local Number Portability (1 per port)	<u> </u>	!	UEPPX	LNPCP	3.15	0.00	0.00		 					 	
FEAT											 	44.02		 	 	
1	All Features Offered			UEPPX	UEPVF	0.00	0.00	0 00		 	 	11.90			L	
NONE	ECURRING CHARGES - CURRENTLY COMBINED									1	1		L			
1 22.50	T			1						1		ļ		i	l	I
1	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is	l	1	UEPPX	USAC2		41.50	41.50		1	I	11.90			L	
			1 −−	OLI FA	10000		77.00	00		 	 		<u> </u>			
ĺ	2-Wire Voice Grade Loop/ Line Port Combination - Switch with	[ł	Lucosy	lugaço I]	44 50	44 50			1	11.90	I	1	I	I
	Change	<u> </u>	—	UEPPX	USACC]	41.50	41.50		ļ	 	11.90	 	 	\vdash	
ADDI	FIONAL NRCs		L	L		i					ļ	<u> </u>	 			
	T		T							1	1		l		1	1
				1	1 1					1	1	1 44 00				1
	2-Wire Voice Grade Loon/ Line Port Combination - Subsequent			IUEPPX	IUSAS2 I	0.00	0.00	0.00	1		L .	11 90	l			
_	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent 2 Wire Loop/Line Side Port Combination - Non feature -		├ ─-	UEPPX	USAS2	0.00	0.00	0.00		 	 	11 90		 	 	

UNBUNDLED N	ETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(S)				Submitted Manually	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order va Electronic Disc Add
			 			Rec	Nonrec			g Disconnect	SOMEC	LOOMAN		Rates(\$)	SOMAN	SOMAN
IDDV	K Subsequent Activity - Change/Rearrange Multiline Hunt		+			l	First	Add'i	First	Addi	SOMEC	SUMAN	SOMAN	SOMAN	SUMAN	SUMAN
Gro		l.				'	7.09	7.09		1	i	11.90		1	ì	1
	ICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	-	┼─				7.09	7.09	ļ	-	<u> </u>	11.90		ļ		·I
	oop Combination Rates	<u> </u>	 			ļ -				 	<u> </u>			ļ	 	
	Vire VG Coin Port/Loop Combo – Zone 1		1			00.04			 	 	 				 	{
	Vire VG Coin Port/Loop Combo - Zone 2					26.94 31.06				 	├				├ ──	
		_	2								ļ	ļ		 	ֈ	
	/ire VG Coin Port/Loop Combo – Zone 3		3_	ļ. .		45.87				<u> </u>	Į	<u> </u>				Į
UNE Loop			 							 	<u> </u>	<u> </u>		ļ		↓
2-W	/ire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	12.94				1	1	ļ			ļ	L
	/ire Voice Grade Loop (SL1) - Zone 2			UEPCO	UEPLX	17.06				1		ļ <u></u>				
	Are Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	31 87			ļ	4	1				ļ	
	ce Grade Line Port Rates (Coin)	L	<u> </u>							<u> </u>	L			<u> </u>	ļ	1
	Vire Coin 2-Way with Operator Screening and Blocking: 011,	ļ	1						ļ ———	I		1		_	1	i
	/976, 1+DDD (FL)			UEPCO	UEP2F	14 00	90 00	90.00	l	<u> </u>	i	11.90		1		<u> </u>
2-W	/ire Coin 2-Way with Operator Screening and 011 Blocking													1		ī
i (FL))	ľ	1	JUEPCO	JUEPFA	14,00	90 00	90.00	Í	í	j	11.90		ĺ	j	j
2-W	/ire Coin 2-Way with Operator Screening and Blocking:		1							1	1					
	/976, 1+DDD, 011+, and Local (FL)		1	JUEPCO	UEPCG	14.00	90.00	90.00	•	1	}	11.90		J	j	J
	/ire Coin Outward with Operator Screening and 011 Blocking		 	(102.00		00.00	00,00		1	 	1		1	Ì	t
	. FL)	}	1	UEPCO	UEPRK	14.00	90.00	90.00	i	i	ł	11.90				1
	/ FE) Vire Coin Outward with Operator Screening and Blocking	├	\leftarrow	IDEFCO	UEFNK	14.00	30.00		<u> </u>	 	ł —	11.50			 	
						14.00	00.00	90.00		i		11 90			1	1
	/976, 1+DDD, 011+ (FL)		—	UEPCO	UEPOF	14.00	90.00	90.00		 		11.90			 	
	/ire Coin Outward with Operator Screening and Blocking:				1				l	1		14.00				1
	/976, 1+DDD, 011+, and Local (FL, GA)		↓	UEPCO	UEPCQ	14 00	90.00	90.00		4		11.90			 	
	MBER PORTABILITY									ļ				<u> </u>	ļ	├
	al Number Portability (1 per port)			UEPCO	LNPCX	0.35				<u> </u>						
NONRECUE	RRING CHARGES - CURRENTLY COMBINED		1							<u> </u>					ļ	ļ
								_		1	l .			Ì	i	1
2-W	/ire Voice Grade Loop/ Line Port Combination - Switch-As-Is	ŀ	1	UEPCO	USAC2		41 50	41.50			L	11 90		<u> </u>	<u> </u>	<u> </u>
2-W	/ire Voice Grade Loop/ Line Port Combination - Switch with			1		i i					1	ì		i	ì	ì
I ICha	ange .	ł	J	UEPCO	USACC		41.50	41.50						Į	(<u> </u>
ADDITIONA			1					· ·		ì	1	ſ	ĺ	1	·	·
7.207.107.0			1													
l law	Vire Voice Grade Loop/ Line Port Combination - Subsequent	ļ	1	UEPCO	USAS2	1	0.00	0.00	1	ļ	ĺ	11.90		l	Į	l
	T/LOOP COMBINATIONS - MARKET BASED RATES	_	1 -							1		Ī		1	T	1
	ICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT	1	 					i	1		1				I
	oop Combination Rates	1	 													
	vire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1	 	1			69.50					<u> </u>					
	Vire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1 2			74,57				1	1	T		†	T	
		 		 		92 82			 	+		1		1	1	
	Vire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3	⊢—	3	 		92 02		L	 	 		 		 	t	
UNE Loop			+ -		LUE OD 4	14.50					 	11.90		 	1.83	
	Vire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	14.50						11.90		 	1.83	
	Vire Analog Voice Grade Loop - (SL2) - UNE Zone 2	L	2	UEPPX	UECD1	19.57				+	 	11.90		 	1.83	
2-W	Vire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1	37.82					ļ	11.90	ļ	 -	1.03	
UNE Port R		<u> </u>	1	L								44.00		ļ	1.00	
	change Ports - 2-Wire DID Port			UEPPX	UEPD1	55.00	850.00	75.00	L	ļ	<u> </u>	11 90	1	 	1.83	+
	RRING CHARGES - CURRENTLY COMBINED	I									!	 	<u> </u>			+
	Vire Voice Grade Loop / 2-Wire DID Trunk Port Combination -		T						1		I		[1		[
	itch-As-Is Top 8 MSAs only		1	UEPPX	USAC1	L	850.00	75.00			<u></u>	11.90				+
	Vire Voice Grade Loop / 2-Wire DID Trunk Port Conversion										1		I	1	1	1
	h BellSouth Allowable Changes Top 8 MSAs only	l	1	UEPPX	USA1C		850 00	75 00	1	1	L	11.90	L	<u> </u>	1	
ADDITIONA			+		 										1	L
		 	+	UEPPX	USAS1		32,26	32.26		1		11 90				1
[2-W	Vire DID Subsequent Activity - Add Trunks, Per Trunk	-	+	ULCEA	USAGI	t	JE.ZU	UZ.EU		1		 	i -	1		1
	Number/Trunk Group Establisment Charges	—	+	UEDDY	NOT.	0.00	0.00	0.00	— —	+	t	11 90	t		1.83	
	Trunk Termination (One Per Port)		+	UEPPX	NDT	0.00	0.00	0.00		+	 	1	l	 	1	1
	Numbers, Establish Trunk Group and Provide First Group	l	1		1				1	1	1	11.90	Į.	i	1.83	
	20 DID Numbers		Ь	UEPPX	NDZ	0.00	0.00	0.00		+	 	11.90	 	 	1.83	
Add	ditional DID Numbers for each Group of 20 DID Numbers			UEPPX	ND4	0.00	0.00	0.00					ļ	 		
	Numbers, Non- consecutive DID Numbers , Per Number	Ι	1	UEPPX	ND5	0.00	0.00	0.00	1	1	1	11.90	I	1	1.83	

JNBUNDL	LED	NETWORK ELEMENTS - Florida													Attachi	ment: 2	Exhit	bit: B
ATEGORY		RATE ELEMENTS	Interi m	Zone	В	cs	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Increments Charge - Manual Sv Order vs. Electronic Disc Add
								Rec	Nonrec		Nonrecurring		<u> </u>			Rates(\$)		
									First	Add'l	First	Add'l	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
		Reserve Non-Consecutive DID numbers		1	UEPPX		ND6	0 00	0.00	0 00		L	.!	11.90			1.83	İ
		Reserve DID Numbers		L	UEPPX		NDV	0.00	0.00	0.00				11.90			1.83	
LOC		NUMBER PORTABILITY	i															l
		Local Number Portability (1 per port)			UEPPX	·	LNPCP	3 15	0.00	0.00								
		ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDE	E PORT	Γ													
UNE		rt/Loop Combination Rates																
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1		1	UEPPB	UEPPR		94.71								•		
	:	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -								-			1	1				
1	- 1	UNE Zone 2		2	UEPP8	UEPPR		100.77										<u> </u>
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
	!	UNE Zone 3	L	3	ŲEPPB	UEPPR	<u> </u>	122.56								L		
UNE		op Rates																
		2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	24.71						11.90			1.83	
	\neg																	
	- 1:	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	30.77						11.90			1.83	<u> </u>
		2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	52 56					1	11.90			1.83	
UNE	E Po	rt Rate																<u> </u>
		Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	70 00	525.00	400 00				11.09			1.83	İ
NOP		CURRING CHARGES - CURRENTLY COMBINED												L				l
\neg		2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port		l														
		Combination - Conversion - Top 8 MSAs only	ł	1	UEPPB	UEPPR	USACB	0.00	215.00	215.00			l	11.90			1.83	
ADI		DNAL NRCs		\vdash			-											
		NUMBER PORTABILITY		_														
100		Local Number Portability (1 per port)	t -	+	UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
B.C		INEL USER PROFILE ACCESS:			<u> </u>	<u> </u>	Ert. Ort	3,32					1					
- 15-0		CVS/CSD (DMS/5ESS)		_	UEPPB	UEPPR	U1UCA	0.00	0 00	0.00								
		CVS/CSD (DMG/SESS)		 	UEPPB	UEPPR	U1UCB	0.00	0.00	0.00			-					
		CSD CSD	├──			UEPPR	U1UCC	0.00	0.00	0.00							<u> </u>	
		INEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	CHE I	TNI	OL, I D	OLITI	0.000	- 5.00									1	
		ERMINAL PROFILE	,,,,, o	Τ'''	 												-	
- 036		User Terminal Profile (EWSD only)	 	+	UEPPB	UEPPR	LI1LIMA	0.00	0.00	0.00								
1755		AL FEATURES	 	-	OLITE	OL: III	0101411		- 0.00									
VEF		All Vertical Features - One per Channel B User Profile	 	+	UEPPB	UEPPR	UEPVF	2 26	0 00	0 00			<u> </u>	11.90				
10.00		OFFICE CHANNEL MILEAGE	 		OLITE	OL: III	JC. 11											
INI	EHU												+					
1	- 1	Interoffice Channel mileage each, including first mile and	1	1	LIEDDB	UEPPR	M1GNC	18 4491	47.35	31 78	18.31	7 03		11.90	!	1	1.83	1
		facilities termination	 	₩		UEPPR	MIGNM	0.0091	0.00	0.00	10.01	1.33		11 90			1.83	
		Interoffice Channel mileage each, additional mile	L DODT	+	DEFFB	UEFFR_	IVITGINIVI	0.0031	0.00	0.00							 	
		DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUN	PORT	 	<u> </u>		 	l ————					+					
UNI	E PO	ort/Loop Combination Rates	├─-	 	 								1	f				
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		1	UEPPP		į .	973.44										
		Zone 1		+-	UEFFF			373.77						1				
- 1		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		١.	LICEDER		I	999.13			1	1				ļ		
		Zone 2	-	2	UEPPP			999.13					 -	 		1	 	
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	I	١.	LIEDDE			1,091.51				l	1		١ ٠	Į.	1	I
		Zone 3	Ь—	3	UEPPP		 	1,091.51					+	· · · · · ·	l .		1	
UNI		op Rates	├	1-	LIEBOR		1101.40	73,44			 	 		11.90	-	1	1.83	
		4-Wire DS1 Digital Loop - UNE Zone 1	ļ	1	UEPPP		USL4P USL4P	99 13			 		1	11.90		1	1.83	
		4-Wire DS1 Digital Loop - UNE Zone 2	!	2	UEPPP		USL4P USL4P	191.51				 	+	11.90		T	1.83	
		4-Wire DS1 Digital Loop - UNE Zone 3	1	3	UEPPP		USLAP	191.51				 	 	1		· · · · ·	T	
UNI		ort Rate	ļ	₩-	1.15005		LIEBBB	000 00	1 150 00	1,150.00		 	+	11.90	 	 	1.83	
		Exchange Ports - 4-Wire ISDN DS1 Port	— —	1-	UEPPP		UEPPP	900.00	1,150.00	1,150.00	 	 	+	11.30	 	 	1	
NOI	NRE	CURRING CHARGES - CURRENTLY COMBINED	↓	Ь.	<u> </u>								+	+	 -	 	 	
		4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port	1					_ [1	1	1	11.90		l	1.83	
- 1	I	Combination - Conversion -Switch-As-Is Top 8 MSAs only	<u>L</u>	1	UEPPP		USACP	0 00	925 00	925.00			 	11.90			1.03	
ADI	DITIO	ONAL NRCs										L	 	<u> </u>	 	 	+	+
		4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-	Ī	T					-			1			ŀ	1	1 400	1
i		Inward/two way tel nos within Std Allowance (except NC)	1	1	UEPPP		PR7TF	1	0.5412			l		11.90		<u> </u>	1.83	

JNBUNDLED NETWORK ELE	MENTS - Florida											•	Attachi	nent: 2	Exhil	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates(\$)		
						nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
4-Wire DS1 Loop / 4-	Wire ISDN DS1 Digital Trunk Port -		1		1											
	s (All States except NC)			UEPPP	PR7TO		12.71	12.71			1	11.90			1.83	
	Wire ISDN DS1 Digital Trk Port -															
	Tel Nos Above Std Allowance		l	UEPPP	PR7ZT		25 42	25 42				11.90			1.83	
LOCAL NUMBER PORTABI											ļ					
Local Number Portat				UEPPP	LNPCN	1 75										
INTERFACE (Provisioning C	Only)		_													
Voice/Data				UEPPP	PR71V	0 00	0 00	0 00								
Digital Data				UEPPP	PR71D	0.00	0.00	0.00								
Inward Data				UEPPP	PR71E	0 00	0.00	0 00			ļ					
New or Additional "B" Char																L
New or Additional - V				UEPPP	PR7BV	0 00	20 00				<u> </u>	11.90			1.83	
	igital Data B Channel			UEPPP	PR7BF	0 00	20.00					11.90			1.83	
New or Additional inv	vard Data B Channel			UEPPP	PR7BD	0.00	20.00				<u> </u>	11 90			1.83	L
CALL TYPES								·								
Inward				UEPPP	PR7C1	0 00	0 00	0.00								L
Outward				UEPPP	PR7C0	0.00	0 00	0 00				i				
Two-way				UEPPP	PR7CC	0.00	0.00	0 00								<u> </u>
Interoffice Channel Mileage																
Fixed Each Including	First Mile			ÜEPPP	1LN1A	88.6256	105.54	98 47	21.47	19 05		11.90			1.93	
Each Airline-Fraction				ÜEPPP	1LN1B	0.1856										
	WITH 4-WIRE DDITS TRUNK PORT										F					
UNE Port/Loop Combination																
	/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		128.39						11 90			1 83	
	/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		154.08					1	11.90			1 83	
	/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		246.46		-				11.90			1 83	
UNE Loop Rates	THE DESIGNATION OF THE POST OF	 														
4-Wire DS1 Digital Le	on - LINE Zone 1	 	1	UEPDC	USLDC	73.44		_			1	11.90			1.83	
4-Wire DS1 Digital Li	oon - UNE Zone 2		2	UEPDC	USLDC	99.13					1	11.90			1.83	
4-Wire DS1 Digital Lo			3	UEPDC	USLDC	191.51					1	11.90			1.83	
UNE Port Rate	JOP ONE ZONO U	†	<u> </u>		-						T					
4-Wire DDITS Digital	Trunk Port			UEPDC	UDD1T	750 00	1,019.56	479.87	204.92	20.10	1	11 90			1.83	
	S - CURRENTLY COMBINED	 	1													
	oop / 4-Wire DDITS Trunk Port Combination	 	+													1
- Switch-As-Is Top 8			1	UEPOC	USAC4		95.31	46.71				11 90	l		1.83	
- Switch-As-is 10p 0	Mora only		+	02.00	100.10											
A-Wire DS1 Digital L	oop / 4-Wire DDITS Trunk Port Combination	ŀ	1													1
	1 Changes Top 8 MSAs only		1	UEPDC	USAWA		95 31	46.71	ł		I	11.90			1 83	
CONTROLLER WILL DO	Tonangos rop o more only		\vdash								1					i .
4-Wire DS1 Digital L	oop / 4-Wire DDITS Trunk Port Combination		1													1
	ange - Trunk Top 8 MSAs only		1	UEPDC	USAWB		95.31	46.71				11.90			1.83	<u> </u>
ADDITIONAL NRCs	ango mank rop o word only	1	1													l
	Wire DDITS Trunk Port - Subsequent		+-													
Service Activity Per S			1	UEPDC	USAS4						Į.	Į.	į			l
	Wire DDITS Trunk Port - NRC -	 	+	DEI DO	100/101											1
	Activation/Chan - 2-Way Trunk	ł	l	UEPDC	UDTTA		15.69	15.69				11.90			1.83	
			+	OLI DO	UDITA		70.00									
	Wire DDITS Trunk Port - Subsequent		1	UEPDC	UDTTB		15.69	15.69			1	11.90	ļ		1.83	
	han - 1-Way Outward Trunk		-	OLFBO	100110		10.00	10.00								
	Wire DDITS Trunk Port - Subsqnt Channel	İ		UEPDC	UDTTC	<u> </u>	15.69	15.69	1		1	11.90	1	1	1.83	
Activation/Chan_Inw		 	+	UEFDO	100.10		10.05	15.55								
	Wire DDITS Trunk Port - Subsqnt Chan	1	1	UEPDC	DTTQU		15 69	15.69	1	i	i	11.90	l	I	1.83	
	Inward Trunk with DID	₩	 	DEPDO	טווטט	-	13 09	10.08	l		1		i			
	Wire DDITS Trunk Port - Subsqnt Chan		1	LUEDDO	LIGHT		40.00	15.69	1			11.90			1.83	
	Way DID w User Trans	 	—	UEPDC	UDTTE		15.69	15.69	-		 	1			T	1
BIPOLAR 8 ZERO SUBSTIT		<u> </u>			1000			655.00			 	11.90			1 83	+
B8ZS -Superframe F		↓	.↓	UEPDC	CCOSF		0.00		 		 	11.90	<u> </u>		1 83	
B8ZS - Extended Su	perframe Format	<u> </u>	↓	UEPDC	CCOEF		0.00	655.00	 		+	11.50			1	
Alternate Mark Inversion			<u> </u>						<u> </u>		 	 	 	 	 	+
AMI -Superframe Fo	mat		1	UEPDC	MCOSF		0.00	0.00	L		<u> </u>	<u> </u>	<u> </u>	1		

RUNDLE	D NETWORK ELEMENTS - Florida													nent: 2		oit: B
EGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Increment Charge Manual S Order vi Electron Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						1100	First	Addʻl	First _	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Telepi	hone Number/Trunk Group Establisment Charges															
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00						11.90			1,83	
	Telephone Number for 1-Way Outward Trunk Group		T	UEPDC	UDTGY	0.00						11.90			1.83	
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0 00						11.90	1		1 83	
	DID Numbers, Establish Trunk Group and Provide First Group															
1	of 20 DID Numbers	1		UEPDC	NDZ	1 oool	000	0.00				11 90			1 83	
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0 00					-	11.90			1.83	
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00						11.90			1 83	
\neg	Reserve Non-Consecutive DID Nos			UEPDC	ND6	0 00	0.00	0 00				11 90			1.83	-
_	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00				11.90			1.83	
Dodio	ated DS1 (Interoffice Channel Mileage) -		-	OEFDO	INDA	0.00		0.00				11.90			1.03	
	O for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port	—	 		+	 										├──
FAPL		<u> </u>			+											
ļ	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination)		L_	UEPDĊ	1LNO1	88.44	105.54	98 47	21 47	19.05		11 90			1.83	
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0 1856	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities		1	1	1	i !					l		ŀ			
	Termination)			UEPDC	1LNO2	0 00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25 miles			UEPDC	1LNOB	0.1856	0 00	0.00								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination)			UEPDC	1LNO3	0.00	0.00	0 00	0.00							-
					7											
1	Interoffice Channel Mileage - Additional rate per mile - 25+ miles		l	UEPDC	1LNOC	0 1856	0.00	0 00								
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0 00	0.00	0 00							
	Central Office Termininating Point			UEPDC	CTG	0.00										
4-WIR	E DS1 LOOP WITH CHANNELIZATION WITH PORT		_													
Syste	m is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act	vations							· · ·							1
	tem can have various rate combinations based on type and nu			used												
	OS1 Loop	1			-											
10	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG -	USLDC	73.44	0.00	0.00								
_	4-Wire DS1 Loop - UNE Zone 2			UEPMG	USLDC	99,13	0.00	0.00								
+	4-Wire DS1 Loop - UNE Zone 3			UEPMG	USLDC	191 51	0.00	0 00								
LINE	OSO Channelization Capacities (D4 Channel Bank Configuration	ne)	 	02.1.1.0	10020											
OIL L	24 DSO Channel Capacity - 1 per DS1	1		UEPMG	VUM24	118.06	0.00	0.00				11.90			1,83	
+	48 DSO Channel Capacity - 1 per 2 DS1s		 	UEPMG	VUM48	236 12	0.00	0.00				11,90			1.83	
+			-	UEPMG	VUM96	472 24	0.00	0 00				11.90	 		1.83	_
+	96 DSO Channel Capacity -1per 4 DS1s		├ -	UEPMG	VUM96	708.36	0.00	0.00				11 90			1.83	
	144 DS0 Channel Capacity - 1 per 6 DS1s				VUM14	944.48		0.00				11 90			1 83	
ļ	192 DS0 Channel Capacity -1 per 8 DS1s	⊢—		UEPMG			0.00					11.90			1.83	
	240 DS0 Channel Capacity - 1 per 10 DS1s		ļ	UEPMG	VUM20	1,180 60	0 00	0.00			ļ	11.90			1.83	
_	288 DS0 Channel Capacity - 1 per 12 DS1s	<u> </u>	↓ —	UEPMG	VUM28	1,416 72	0 00	0.00				11.90			1.83	-
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,888 96	0.00	0.00							1.83	
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM40	2,361.20	0.00	0.00				11.90				
	576 DS0 Channel Capacity -1 per 24 DS1s	1		UEPMG	VUM57	2,833 44	_0.00	0.00				11.90			1.83	₩-
	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	3,305.68	0.00	0.00				11.90	<u> </u>		1.83	
Non-F	Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with	h Chani	neliztio	n with Port - Conv	ersion Charge	Based on a Sy	stem									
A Min	imum System configuration is One (1) DS1, One (1) D4 Channe	l Bank,	and U	p To 24 DSO Ports	with Feature /	Activations.										<u> </u>
Multic	oles of this configuration functioning as one are considered Ac	id'i afte	r the n	ninimum system co	ntiguration is	counted.										
	NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes - Top 8 MSAs Only			UEPMG	USAC4	0.00	450.00	50.00				11 90				
System	m Additions Where Currently Combined and New (Not Current	v Com	ined \		1.5											
	o 8 MSAs	,	T T		 											
1	1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc		 	 								·				
	Fea Activation -			UEPMG	VUMD4	0.00	950 00	600.00	200 00	30 00		11.90	I	1	ļ	
Dia di			-	UZFMG	V UND4	0.00	350 00	000.00	200,00	50 00	1	11.90				\vdash
pipola	ar 8 Zero Substitution		1-		+							1				
	Clear Channel Capability Format, superframe - Subsequent		1	1			_ 1		. 1		1	1	1	1		1

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhil	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		Na	RATES(\$)	Nonrecurring	Discourse		Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
		├			+	Rec	Nonrec First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Clear Channel Capability Format - Extended Superframe -			 	+		Filst	Addi	First	Addi	SOMEC	SOMAN	JOHAN	JOMAN	JOMAN	3041511
	Subsequent Activity Only	ŀ	-	UEPMG	CCOEF	0.00	0.00	655.00			j	11.90	i	1	i '	l
Alterna	te Mark Inversion (AMI)		 	020	10002.											· · · · · · · · · · · · · · · · · · ·
	Superframe Format	1		UEPMG	MCOSF	0.00	0 00	0.00			-					
	Extended Superframe Format			UEPMG	MCOPO	0 00	0.00	0 00								
	ge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port								ļ					
Exchar	ige Ports	<u> </u>				I							ļ		 	
İ	Line Side Combination Channelized PBX Trunk Port - Business	1	1	UEPPX	UEPCX	14.00	0.00	0 00	000	0.00		11.90	1	Ì	1.83	
	Line Side Outward Channelized PBX Trunk Port - Business		┼	UEPPX	UEPOX	14.00	0.00	0.00	0.00	0.00		11.90	<u> </u>		1.83	
 	Enter State Outstand Ontamion 2007 DA THURK FOR - DUSINESS		 	V=' 1 A	102, 57	14.00	0.00	0.00	0.00	<u> </u>		1	· · · · · · · · · · · · · · · · · · ·			
	Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	14.00	0.00	0.00	0.00	0.00		11.90	l	!	1 83	l
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	55 00	0.00	0.00	0.00	0.00		11.90	L		1 83	
Feature	Activations - Unbundled Loop Concentration															
	Feature (Service) Activation for each Line Side Port Terminated				I										1'	
	In D4 Bank	<u> </u>	_	UEPPX	1PQWM	0.66	40.00	20.00	600	5.00	ļ	11.90			1.83	
	Feature (Service) Activation for each Trunk Side Port Terminated	l		UEPPX	1PQWU	0.66	110.00	30 00	65.00	20 00		11.90			1.83	l
7.1	in D4 Bank		 	UEPPX	IPQWU	0.66	110.00	30 00	65.00	20 00		11.90			1.03	
	one Number/ Group Establishment Charges for DID Service DID Trunk Termination (1 per Port)		┼──	UEPPX	NDT	0.00	0.00	0 00				11 90	 	 		
	Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)		 	UEPPX	NDZ	0.00	0.00	0 00				11.90	· · · · · · · · · · · · · · · · · · ·			
	DID Numbers - groups of 20 - Valid all States	-	-	UEPPX	ND4	0.00	0 00	0.00				11.90				
	Non-Consecutive DID Numbers - per number	-	 	UEPPX	ND5	0.00	0 00	0 00				11.90				
	Reserve Non-Consecutive DID Numbers	 	1	UEPPX	ND6	0.00	0 00	0.00				11 90				
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0 00				11.90				
	lumber Portability												<u> </u>			
	Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00			<u> </u>					
	RES - Vertical and Optional			ļ. <u>.</u> .									ļ			
	witching Features Offered with Line Side Ports Only		 	UEPPX	UEPVF	2 26	0.00	0.00				11 90			1.83	-
	All Features Available CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE	 	-	UEPPX	DEFVE	2 20	0,00	0.00				1	-			
1 Coef	Based Bates are applied where BallSouth is required by ECC	and/or	State (Commission rule to	provide Unb	undled Local S	witching or Sw	itch Ports.								
2 Foot	ures shall apply to the Unbundled Centrey Port/Loop Combin	ation -	Cost Ba	ased Rate section i	n the same ma	anner as thev a	re applied to th	ne Stand-Alone	e Unbundled P	ort section of	this Rate Ex	chibit.				
3. End	Office and Tandem Switching Usage and Common Transport	Usage	rates ir	the Port section o	f this rate exh	ibit shall apply	to the Unbund	iled Centrex P	ort/Loop Comb	ination.						
Loop n 5. Mar	recurring UNE Port and Loop charges listed apply to Currentl ionrecurring charges apply to Not Currently Combined Combi ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS (Valid in AL,FL,GA,KY,LA,MS,&TN only	os. be neg						of the top 8 N	ISAs where the	end-user has	4 or more I	DS0 equival	ents. The sta	and alone firs	and addition	al Port and
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo	1 —	 		 											
	ort/Loop Combination Rates (Non-Design)		1		T											
- - - - - - - - - - 	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -			l											I '	1
	Non-Design	L	1	UEP91		14.11									 	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP91		18.23		L							ļ	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP91		33.04										
UNE P	ort/Loop Combination Rates (Design)	L	ļ									 				
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design		1	UEP91		16 53								ļ		ļ
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design	L	2	UEP91	<u> </u>	21.60								ļ	 	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design	ļ <u>.</u>	3	UEP91	_	37.85					-		<u> </u>		 	
UNE L	oop Rate	<u> </u>	⊢		1,55						 			 -		
	2-Wire Voice Grade Loop (SL 1) - Zone 1	↓		UEP91	UECS1	12 94			<u> </u>			 		 	 	1
	2-Wire Voice Grade Loop (SL 1) - Zone 2	L		UEP91	UECS1	17.06	L				 			 	 	1
	2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1			UEP91 UEP91	UECS1 UECS2	31.87 15.36					 	 	 		 	

INBUNDLE	D NETWORK ELEMENTS - Florida												Attachi	ment: 2	Exhil	it: B
ATEGORY	RATE ELEMENTS	interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Increment Charge - Manual St Order vs Electronic Disc Add
						Rec	Nonrec			Disconnect			OSS	Rates(\$)		····
			l				First	Add'l	First	Addil	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL 2) - Zone 2			ÜEP91	UECS2	20.43										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	36.68										
UNEF			_													
All St	ites (Except North Carolina and Sout Carolina)			LIEBO.	LIEBUA							11.00				
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP91	UEPYA	1.17						11 90		ļ <u> </u>		
- 1	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP91	UEPYB	1.17						11.90		1		
	2-Wire Voice Grade Port (Centrex with Calter ID)1Basic Local		 	DEP91	UEPTB	1.17						11.90		 	 	
- 1	Area			LIEDO4	UEPYH						1	11 90		1	i	
	2-Wire Voice Grade Port (Centrex from diff Serving Wire		<u> </u>	UEP91	UEPTH	1.17						1190				
	Center)2 Basic Local Area			UEP91	UEPYM	1.17						11.90			Į.	
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UCP91	UEPIM	1.17			······			11.90				
				UEP91	UEPYZ	1 17						11.90		1		
	Term - Basic Local Area 2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	TOEP 12	11/						11.90		-		
				UEP91	UEPY9	1.17			l	1		11.90				
	- Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term -			OEF81	OEL 19	1.17						11.80				
	Basic Local Area		ļ	UEP91	UEPY2	1,17			1	İ		11.90			1	
	ia and Florida Only		⊢	UEF91	UEF 12	1.17						11.50				
Georg	2-Wire Voice Grade Port (Centrex)		-	ÜEP91	UEPHA	1.17			-		 	11 90				
	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPHB	1.17						11.90				
	2-Wire Voice Grade Port (Centrex soo termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1	_		UEP91	UEPHH	1.17						11.90				
	2-Wire Voice Grade Port (Centrex with Caller ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire		├	DEPSI	UEPHA	1.17						11.50				
- 1	Center)2		ĺ	UEP91	UEPHM	1.17			1	l	!	11.90				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		⊢	UEP91	UEFFINI	1.17						11.50				
- 1	Term		1	UEP91	UEPHZ	1.17						11.90		}		
	rem		 	UEP91	UEFFIZ	1.17						11.50				
- 1	O Miles Marco Condo Book towns about an an Marcolink or anythinless			UEP91	UEPH9	1.17			1			11 90				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term		_	UEP91	UEPH2	1.17						11.90		 		
1	Switching			OEF 91	OEFTIZ				· · · · · · · · · · · · · · · · · · ·			- 11.55				
Local	Centrex Intercom Funtionality, per port			UEP91	URECS	0 7384										
1 0001	Number Portability		-	OLF 91	ONLOS	U 7 QU-										
Locas	Local Number Portability (1 per port)		├	UEP91	LNPCC	0.35										
Featu			-	OL-31	LIN CO	-0.00								1		
- Featu	All Standard Features Offered, per port		 	UEP91	UEPVF	2.26						11.90				
	Alf Select Features Offered, per port	_	 	UEP91	UEPVS	0.00	370.70					11.90			_	
_	All Centrex Control Features Offered, per port		├-	UEP91	UEPVC	2.26						11.90				
NARS			├	OL: 31	02.70					-						
IVANS	Unbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00			 	11.90				
	Unbundled Network Access Register - Indial			UEP91	UARIX	0.00	0.00	0 00		-		11.90				
	Unbundled Network Access Register - Outdial		\vdash	UEP91	UAROX	0.00	0.00	0.00				11.90		T		
Micco	Ilaneous Terminations	\vdash	+	02.01	Jord ISA	5.50	0.00	0.00				· · ·			1	
	Trunk Side			 	 											
2-WIR	Trunk Side Terminations, each	-		UEP91	CENA6	8 81					<u> </u>					
Into	ffice Channel Mileage - 2-Wire		\vdash		JE11770	- 551		-			†	· · · · · · · · · · · · · · · · · · ·				
mero	Interoffice Channel Facilities Termination - Voice Grade		-	UEP91	M1GBC	25 32			1		 			T		
	Interoffice Channel mileage, per mile or fraction of mile		-	UEP91	M1GBM	0.0091					1	$\overline{}$				
Factor	re Activations (DS0) Centrex Loops on Channelized DS1 Service	<u> </u>	 			0.0001							-			
	annel Bank Feature Activations	-	_	 	 											
- ID4 CII	Feature Activation on D-4 Channel Bank Centrex Loop Slot		\vdash	UEP91	1PQWS	0.66	-									
	1 Sature Activation on B-4 Shariner Bank Control Ecop Grot		-	02.01	11.41.0			-								
	Feature Activation on D-4 Channel Bank FX line Side Loop Stot	l	1	UEP91	1PQW6	0 66			_		L_	l			L	
-	Feature Activation on D-4 Channel Bank FX Trunk Side Loop		 	 -	1											
1	Slot	l		UEP91	1PQW7	0 66			1	I	1					L
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -		+		1					T						
	Different Wire Center			UEP91	1PQWP	0 66				1		l				
	Cindidia Mile Center	-	-		1											
	Feature Activation on D-4 Channel Bank Private Line Loop Slot	l	1	UEP91	1PQWV	0 66	_		1				L			
	Feature Activation on D-4 Channel Bank Tile Line/Trunk Loop	\vdash	 		1											
ı	Slot		1	UEP91	1PQWQ	0.66			I	1	1	I	1		I	L

<u>JNBUNDLI</u>	ED NETWORK ELEMENTS - Florida													ment: 2		oit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BČŠ	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'i
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	Feature Activation on D-4 Channel Bank WATS Loop Slot	├──	├	ÜEP91	1PQWA		First	Addʻl	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex		├	UEP91	IPQWA	0.66					 		ļ			
	Conversion - Currently Combined Switch-As-Is with allowed	 	_	 						 				ļ <u> </u>		
- 1	changes, per port	ĺ	1	UEP91	USAC2	1	21 50	8.42		ì	ł	11.90	ļ)	ļ	1
	Conversion of Existing Centrex Common Block	-	\vdash	UEP91	USACN		5 17	8.32			 	11.90				
	New Centrex Standard Common Block			UEP91	M1ACS	0.00	618 82	0.02				11.90	l ——-			
	New Centrex Customized Common Block			UEP91	M1ACC	0.00	618.82					11 90				
	Secondary Block, per Block			UEP91	M2CC1	0.00	71.31					11.90				
	NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	66.48					11.90				
	P CENTREX - 5ESS (Valid in All States)															
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo		_													
UNE	Port/Loop Combination Rates (Non-Design)		└													
1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1		LUCTOS			ı			}			1	l	1	
	Non-Design	ļ	1 1	UEP95		14,11										ļ
ļ	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP95		18.23	ĺ	ı		ĺ			i	ì		1
			1 2	UEP95		18.23				 						
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design	1	3	UEP95]]	33.04	1			1		1	1	1		1
LINE	Port/Loop Combination Rates (Design)		-3	UEP95		33.04					 					
ONE	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo		-										l			
1	Design	1	1	UEP95	1 1	16.53				ļ	1	j	j	ļ		
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		 	021 00		70.00				l						
- 1	Design	1	2	UEP95		21.60					1		1	ļ		l
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	_	 		 											
- 1	Design	l	3	UEP95		37 85										Ĺ
UNE	Loop Rate		1													
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1_1_	UEP95	UECS1	12.94										
	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEP95	UECS1	17.06		-			<u> </u>					ļ
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3		UECS1	31.87					!					
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	15.36						 -	L			
	2-Wire Voice Grade Loop (SL 2) - Zone 2	├ ─	2		UECS2	20.43					 		ļ			
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	36.68					 		-			
All Si	Port Rate		 													
All Si	2-Wire Voice Grade Port (Centrex) Basic Local Area	<u> </u>	├-	UEP95	UEPYA	1.17						11.90				
	2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)		├	UEP95	UEPYB	1,17					 	11.90	 		-	
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	 	_	02.1 33	1021 12											
- 1	Area	ļ	i	UEP95	UEPYH	1.17	ļ			ļ	1	11.90	i		l	Į.
	2-Wire Voice Grade Port (Centrex from diff Serving Wire		1		100: 177											
- 1	Center)2 Basic Local Area		1	UEP95	UEPYM	1.17	- 1					11 90	l			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		_		1											
	Term - Basic Local Area	1		UEP95	UEPYZ	1.17	1					11.90	<u> </u>		<u> </u>	
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area		١	UEP95	UEPY9	1.17				l	L	11.90				
	2-Wire Voice Grade Port Terminated on 800 Service Term -				T								1	1	1	ł .
	Basic Local Area	L		UEP95	UEPY2	1.17						11.90		l		
	Y, LA, MS, SC, & TN Only										ļ					
FL &	GA Only		_	TV-	1							44.00			<u> </u>	
	2-Wire Voice Grade Port (Centrex)	<u> </u>	-	UEP95	UEPHA	1 17						11.90 11.90				
	2-Wire Voice Grade Port (Centrex 800 termination)	_	-	UEP95	UEPHB	1.17				ļ		11.90				
	2-Wire Voice Grade Port (Centrex with Caller ID)1		_	UEP95	UËPHH	1.17						11,90	 		 	
	2-Wire Voice Grade Port (Centrex from diff Serving Wire	I					1			1		11 90	I	I	1	
	Center)2	├──	↓ —	UEP95	UEPHM	1.17				 -		11.80			 	
}	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	1	1	LIEBOS	UEDUZ	1.17	i			1	i	11.90	l	Į.	ĺ	l
$-\!\!\!\!+\!\!\!\!-$	Term		-	UEP95	UEPHZ	1.17					 	11.50	 			
	L., .,			UEP95	UEPH9	1,17	ļ			1		11.90	1	l		1
1																
	2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term	 	 	UEP95	UEPH2	1,17					T	11.90				

UNBUND	LEC	NETWORK ELEMENTS - Florida												Attachi	ment: 2		bit: B
ATEGORY		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
	_							Nonrec	urdna	Nonmourrio	g Disconnect	<u> </u>		L	Rates(\$)	Disc 1st	DISC Add
	\dashv		}	+		 	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	\neg	Centrex Intercom Funtionality, per port		 	UEP95	URECS	0 7384										
Loc		umber Portability															
		Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
Fee	ature																
		All Standard Features Offered, per port		<u> </u>	UEP95	UEPVF	2.26										
		All Select Features Offered, per port	<u> </u>	1	UEP95	UEPVS	0.00	370.70				ļ	11 90	ļ		ļ. <u></u>	ļ
		All Centrex Control Features Offered, per port		 	UEP95	UEPVC	2.26					ļ		ļ			
NA				_	115000	LUADOV		0.00	0.00				11.90	ļ		ļ	
		Unbundled Network Access Register - Combination	 	-	UEP95 UEP95	UARCX UAR1X	0.00	0.00	0.00	ļ	ļ	 	11.90	 			
		Unbundled Network Access Register - Indial	├ ──	 	UEP95	UAROX	0.00	0.00	0.00			 	11.90			· · · · · · · · · · · · · · · · · · ·	
B#1-		Unbundled Network Access Register - Outdial ancous Terminations	\vdash	+-	051.90	UANUA		0.00	0.00	 		 	11.30	 	 	·	+
		Trunk Side		+-		+					 	 		†			
12-41		Trunk Side Trunk Side Terminations, each	-	+	UEP95	CEND6	8.81				 	 		T		 	†
4-W		Digital (1.544 Megabits)	— —	\vdash		1	2.01							T	1		
		DS1 Circuit Terminations, each		1	UEP95	M1HD1	54.95										
		DS0 Channels Activated, each			UEP95	M1HDO	0.00	15.69					11.90				
Inte		ice Channel Mileage - 2-Wire									I						<u> </u>
		Interoffice Channel Facilities Termination			UEP95	MIGBC	25 32			L				L			
		Interoffice Channel mileage, per mile or fraction of mile			UEP95	MIGBM	0.0091										
Fee	eture	Activations (DS0) Centrex Loops on Channelized DS1 Service	>9								L	<u> </u>		ļ			<u> </u>
D4		nnel Bank Feature Activations		Ι									ļ	ļ	ļ		ļ
		Feature Activation on D-4 Channel Bank Centrex Loop Slot	<u> </u>		UEP95	1PQWS	0.66			ļ	ļ	ļ		ļ	 		
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.66										ļ
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP95	1PQW7	0.66										<u> </u>
		Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP95	1PQWP	0.66										
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.66										
	-	Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop	+	+		7									_		1
	- 1	Slot		1	UEP95	1PQWQ	0.66				L			<u> </u>			ļ
	\neg	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.66										
No		curring Charges (NRC) Associated with UNE-P Centrex												ļ		ļ	ļ
		NRC Conversion Currently Combined Switch-As-Is with allowed										1		1			1
		changes, per port	<u> </u>	l	UEP95	USAC2	0 00	21.50	8.42		ļ <u>.</u>		11.90				
		Conversion of Existing Centrex Common Block, each			UEP95	USACN		5.17	8.32			 	11 90 11.90		 		+
		New Centrex Standard Common Block	<u> </u>	┷	UEP95	MIACS	0.00	618.82					11.90				 -
		New Centrex Customized Common Block	ļ	<u> </u>	UEP95	M1ĀCC	0 00	618 82 66.48				 	11.90		 	ļ	+
		NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	66.48			 	 	11.50	 -		 -	
		CENTREX - DMS100 (Valid in All States)	├								 	·	-		 		
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo	 	┿		 				 	 	 					†
UN		ort/Loop Combination Rates (Non-Design)	-									+			· · · · · · · · · · · · · · · · · · ·		
	1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design	1	1	UEP9D		14.11					ļ	<u> </u>	ļ <u>.</u>			
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design	<u> </u>	2	UEP9D		18.23				<u> </u>	ļ	ļ	-	<u> </u>		↓
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP9D		33.04					ļ		ļ			
ŲN		ort/Loop Combination Rates (Design)				J								 	 	 	+
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design	1	1	UEP9D	<u> </u>	16.53										<u> </u>
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP9D		21.60										
<u> </u>		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	3	UEP9D		37.85										
	<u></u>	Design	+	+ -	OEFBD	+	37.00				1	1					
LUN	IE LO	pop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1	+-	1	UEP9D	UECS1	12.94					1					.1

UNBUNDL	ED NETWORK ELEMENTS - Florida													ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic Disc Add
			ļ			Rec		curring		ng Disconnect			OSS	Rates(\$)		
-	0.14/1/-1/0	 					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL 1) - Zone 2	 		UEP9D	UECS1	17.06		ļ	<u> </u>							
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	31.87		ļ	<u> </u>		ļ					<u></u>
	2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2	├	 _	UEP9D	UECS2	15.36			ļ	ļ	 			ļ		1
 	2-Wire Voice Grade Loop (SL 2) - Zone 2	+	3	UEP9D	UECS2	20.43			 		+					
UNF	Port Rate	┼──	╌	UEP9D	UECS2	36 68		 	 	 	 		ļ			.
	STATES	+	+					ļ	 	 	 			ļ	ļ	
	2-Wire Voice Grade Port (Centrex) Basic Local Area	+	 	UEP9D	UEPYA	1,17			+		+	11.90			ļ	
 	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	+	 	02,00	OCI IX	1.17		 	+		 	11.90			 	
1 1	Area	1	1	UEP9D	UEPYB	1.17		Ĭ	1	1	į.	11 90	l	ł	ł	1
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local	1	 		- -						 		 			
	Area	1		UEP9D	UEPYC	1 17				ŀ		11.90	ŀ		l .	1
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local	T														
	Area	l		UEP9D	UEPYD	1.17				1	1	11.90	ŀ			
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local															
	Area		L	UEP9D	UEPYE	_ 1.17						11.90	<u> </u>	L		
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local															
	Area		<u> </u>	UEP9D	UEPYF	1.17						11.90				ļ
l	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local															1
	Area		1	UEP9D	UEPYG	1.17			<u> </u>			11.90				ļ
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local	Į									1					
	Area	ļ	ļ	UEP9D	UEPYT	1.17					ļ	11.90				
[]	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local	1	J		I			İ						1	1	
	Area	1	 	UEP9D	UEPYU	1.17		 	 	_	 	11.90				
1	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local	1		LIFTON	ueeva.			ŀ		ł	1	44.00			ì	1
	Area			UEP9D	UEPYV	1.17		 		 	 	11.90				ļ
1 1	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local	1	ł	UEDOD	luceve	4.47		_	1	1	! !	11.90	Į .		J	j
 	Area		ļ-—	UEP9D	UEPY3	1.17		 	+	 	 	11.90				
l i	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local		1	LIEBOD	luenza l	4.47						11.90				1
 	Area 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			UEP9D	UEPYH	1 17		ļ	 	 	 	11,50			 	
l 1	Indication))3 Basic Local Area	i	İ	UEP9D	UEPYW	1 17			ſ	ĺ	1	11.90	Ì		i	ľ
 	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3	+	-	OEFBD	UEF IV			 	 	 	 -	11.50				
1 1	Basic Local Area		1	UEP9D	UEPYJ	1 17			1			11.90	1		ţ	
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)	† ·- · · ·	 	OLI 3D	UL. 10				 	 	1					
1 1	2 Basic Local Area	1		UEP9D	UEPYM	1.17		1				11 90				1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3		_	02.100	1027 7.111			1	 		t			i		
1 1	Basic Local Area	ļ	ļ	UEP9D	UEPYO	1.17		J	1	1	i	11,90	ļ		ŀ	1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3	—									1					
t I	Basic Local Area		ĺ	UEP9D	UEPYP	1.17			<u>. </u>			11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3															
1 1	Basic Local Area	ĺ	1	UEP9D	UEPYO	1.17		l	L		1	11.90				<u> </u>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3	1							1				,			
l I	Basic Local Area	1	ŀ	UEP9D	UEPYR	1.17		L			<u> </u>	11.90			L	l
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3															
L	Basic Local Area	1		UEP9D	UEPYS	1.17		<u> </u>	<u> </u>			11 90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3									1					ŀ	
<u> </u>	Basic Local Area		1	UEP9D	UEPY4	1.17						11 90				ļ
T	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			1	T			1	1	1	1		}	l	ł	l
LL_	Basic Local Area			UEP9D	UEPY5	1.17		 	 	<u> </u>		11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3	1	_			ŀ		1		1						
L	Basic Local Area			UEP9D	UEPY6	1,17		 -	ļ		<u> </u>	11 90			<u> </u>	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3				T T			1					[ſ	1
	Basic Local Area	<u> </u>		UEP9D	UEPY7	1,17			 		<u> </u>	11.90		_		
J T-	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	I _			I T	\		1				44.00	1		l	1
	Term	1	ļ	UEP9D	UEPYZ	1.17		ļ	 	 	 	11.90	l			
	2-Wire Voice Grade Port terminated in on Megatink or equivalent	t	1	1		ļ		1		1	1	44.00	I			1
i l	Basic Local Area			UEP9D	UEPY9	1.17		1			L	11.90	L	L		

NBUNDLE	D NETWORK ELEMENTS - Florida											_	Attachi	nent: 2	Exhit	bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge -	Increment Charge -
	·				 		Nonrec	urring	Nonrecurrin	q Disconnect	<u> </u>		OSS	Rates(\$)	L	<u> </u>
			-			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic		1		-				1,,,,,,	1 - 11-11-1						- JOINTAIN
	Local Area			UEP9D	UEPY2	1.17			1	ľ	1	11.90			ì	1
FL&	A Only														-	
	2-Wire Voice Grade Port (Centrex)		1	UEP9D	UEPHA	1 17			 	 	 	11 90			-	├
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPHB	1.17				 	 	11 90			-	
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3		1-	UEP9D	UEPHC	1.17				<u> </u>	 	11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3		1	UEP9D	UEPHD	1.17	$\overline{}$				 	11 90				
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3		1	UEP9D	UEPHE	1.17					-	11 90				
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3	 	†	UEP9D	UEPHF	1.17				<u> </u>	 	11 90				
	2-Wire Voice Grade Port (Centrex / EBS-M5312)3		 	UEP9D	UEPHG	1.17				 	f	11.90				
_	2-Wire Voice Grade Port (Centrex / EBS-M5008)3		 	UEP9D	UEPHT	1,17				 	·	11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5208)3	 	†	UEP9D	UEPHU	1.17				 	1	11.90				
\neg	2-Wire Voice Grade Port (Centrex / EBS-M520a)3	 	 	UEP9D	UEPHV	1 17				 	 	11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5316)3		†	UEP9D	UEPH3	1 17				 	 	11.90			 	
	2-Wire Voice Grade Port (Centrex with Caller ID)		 	UEP9D	UEPHH	1.17				 	 	11.90			 	
-	2-Wire Voice Grade Port (Centrex With Caller ID/Msg Wtg Lamp	 	 	OLF 8D	OF UL	1.17				 		11.90				
- 1	Indication)3			UEP9D	UEPHW	1.17	1			!	1	11.90				i
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3	 		UEP9D	UEPHJ	1.17						11.90				
-	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)	├		UEF9D	UEPRI 1	1.17					 	11.90				
1	2-valle voice disde not (Centrex from diff Serving valle Center)	1		UEP9D	UEPHM	1,17			İ	1		11 90			1	1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3		_		UEPHO	1.17				 	ļ					
	2-Wire Voice Grade Port (Centrex differ SWC /EBS-PSET)2, 3			UEP9D	UEPHO	1.17				ļ		11.90				
ł	2 Mars Valos Condo Bort (Control differ State (FBC MESSON)	1		UEP9D	UEPHP	1,17						11.90			ł	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3				UEPHQ	1.17				 	.	11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3	-		UEP9D	UEPHQ	1.17				 	-	11.90				
İ	A Married Control Development (1871-2016) (FDC MELLONG CO	Į		LIEDAD	luceup		i			İ	i	44.00				i
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3	!		UEP9D	UEPHR	1,17				 		11 90				} -
					1						ļ				1	1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPHS	1.17				<u> </u>	ļ	11 90				
		ŀ			J.,					Į.	1	11.90				i .
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3		<u> </u>	UEP9D	UEPH4	1.17				ļ. —	ļ	11.90				
		1	1		l== l				ļ		1	11.90				Į.
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3	<u> </u>	├	UEP9D	UEPH5	1.17				<u> </u>	 	11.90				
					l.,	1						44.00			<u> </u>	l
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3		ļ	UEP9D	UEPH6	1 17						11.90				_
	_ ·	1			11		Į.		İ	1	1 !	44.00				I
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3		<u> </u>	UEP9D	UEPH7	1 17						11.90				
j	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service				1		i									1
	Term	L	<u> </u>	UEP9D	UEPHZ	1.17				ļ		11.90				
		İ				1				ĺ		44.00				[
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	<u> </u>	<u> </u>	UEP9D	UEPH9	1 17						11.90				ļ
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPH2	1.17						11.90				
Local	Switching	L			_											
1	Centrex Intercom Funtionality, per port		1	UEP9D	URECS	0.7384				<u> </u>	ļ					
Local	Number Portability								L	<u> </u>					Ļ	├──
	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										
Featu															ļ <u> </u>	
	All Standard Features Offered, per port			UEP9D	UEPVF	2 26				_						├
	All Select Features Offered, per port		<u> </u>	UEP9D	UEPVS	0.00	370.70		<u> </u>	ļ		11.90				
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	2.26			ļ							+
NARS		L							<u> </u>		 	44.60			 	
	Unbundled Network Access Register - Combination			UEP9D	UARCX	0 00	0.00	0.00	<u> </u>			11.90				——
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00	<u> </u>			11.90	L		 	
	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00				11.90				
Misce	llaneous Terminations															
	Trunk Side									L					<u> </u>	-
	Trunk Side Terminations, each			UEP9D	CEND6	8.81					<u> </u>				<u> </u>	
4-Wire	Digital (1.544 Megabits)														<u> </u>	↓
1.1711	DS1 Circuit Terminations, each			UEP9D	M1HD1	54.95										<u> </u>
	DS0 Channels Activiated per Channel	-	-	UEP9D	MIHDO	0.00	15 69			T	T :	11.90	l		I	1

<u>IBUNDLE</u>	D NETWORK ELEMENTS - Florida													ment: 2		blt: B
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
	·		-				Nonrec	urring	Nonrecurrin	g Disconnect	 		OSS	Rates(\$)	<u> </u>	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
Interof	fice Channel Mileage - 2-Wire							Auu	11131	Augi	JOHNEO	OCHA:	OUNIAN	JOHNA	DOMAN	JOHNA
11110101	Interoffice Channel Facilities Termination	-	1	UEP9D	MIGBC	25.32				 	-				 	
	Interoffice Channel mileage, per mile or fraction of mile	 		UEP9D	MIGBM	0.0091				 	}				<u> </u>	
Featur	e Activations (DS0) Centrex Loops on Channelized DS1 Service	e	 	00.00	1	0.0001				+	 				 	
	annel Bank Feature Activations	<u> </u>	1-								 				 	
\neg	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.66				†	 	 			<u> </u>	
								······		···						
į	Feature Activation on D-4 Channel Bank FX line Side Loop Slot	Ì		UEP9D	1PQW6	0.66					1		l			
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop		1				_			T	1					
	Slot		1	UEP9D	1PQW7	0 66				1			!		ł	
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -									T	1	 				<u> </u>
- 1	Different Wire Center	1	1 :	UEP9D	1PQWP	0.66				1	1		1	Į.	1	1
											<u> </u>					
	Feature Activation on D-4 Channel Bank Private Line Loop Slot] !	UEP9D	1PQWV	0.66										1
	Feature Activation on D-4 Channel Bank Tire Line/Trunk Loop															
	Slot			UEP9D	1PQWQ	0 66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0 66										
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed		T							T						
i i	changes, per port	ł	1	UEP9D	USAC2		21.50	8.42		.1	l	11.90			l	ł
	Conversion of existing Centrex Common Block, each			UEP9D	USACN		5.17	8.32				11 90				
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	618.82					11 90				
	New Centrex Customized Common Block	 -	—	UEP9D	MIACC	0 00	618.82					11.90				
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0 00	66.48				1	11.90				
UNE-P	CENTREX - EWSD (Valid in Al., FL, KY, LA, MS & TN)		—									1			1	
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo		-								1	1		-		
	ort/Loop Combination Rates (Non-Design)		_								1	1				
10112	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		 					-		1						
1	Non-Design	i	1	UEP9E		14.11					1			i	1	i
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -								·							
	Non-Design		2	UEP9E		18 23					Ì	l	-	l		1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		 -	04.04												
i	Non-Design	i	3	UEP9E		33.04			}		1			1		
LINE D	Port/Loop Combination Rates (Design)		+ -								1					
- ONL!	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		 													7
- 1	Design	1	1 1	UEP9E	1 1	16.53			ł	ł	ł	ł	ì	ł	l	1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	-	 ' -	OLI OL						1		1				
ı	Design		2	UEP9E		21 60			İ	1	l	i	ì	i	1	
 -	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	-		02:00								1				Ī -
1	Design		1 3	UEP9E		37 85					1				l	
LINET	oop Rate		۱Ť	<u> </u>		******								T	I	Γ
DINE	2-Wire Voice Grade Loop (SL 1) - Zone 1	 	1	UEP9Ē	UECS1	12.94										I
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1 2	UEP9E	UECS1	17.06										
	2-Wire Voice Grade Loop (SL 1) - Zone 3			UEP9E	UECS1	31.87					1				T	
	2-Wire Voice Grade Loop (SL 1) - Zone 3	-		UEP9E	UECS2	15.36				† ——· ::—						
	2-Wire Voice Grade Loop (SL 2) - Zone 2			UEP9E	UECS2	20 43				T	— —					
	2-Wire Voice Grade Loop (SL 2) - Zone 2		1 3	UEP9E	UECS2	36.68				T						
IINE 5	Port Rate		+ ⊸		1,5505	25.50			<u> </u>	1						
	L, KY, LA, MS, & TN only		1 —	 						T":						
- AL, FL	2-Wire Voice Grade Port (Centrex) Basic Local Area	-	 	UEP9E	UEPYA	1.17					T	11.90				
-	2-Wire Voice Grade Port (Centrex) basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	 	+		1				 		T		Ţ		1	
ı		I	1	UEP9E	UEPYB	1.17			I		ŀ	11.90		l	L	1
	Area	 	\vdash	OLI-SE	JEI ID					-		1	i			
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	1	1	UEP9E	UEPYH	1.17			1			11.90	1	i	L	<u> </u>
	Area	├─	+	UEFBE	UEFTH			 	 	 		T	T	1		T
	2-Wire Voice Grade Port (Centrex from diff Serving Wire	1	1	LIEBOE	LIEDVIA	1 17			l .	1	1	11 90	1	1	1	
	Center)2 Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		₩	UEP9E	UEPYM	<u> </u>					+	 uu		<u> </u>	—	T

DUMDLED NET	TWORK ELEMENTS - Florida												Attachr		Exhit	
BONDEED NE	WORK ELEMENTO TROMBU										Svc Order	Svc Order	Incremental	Incremental	Incremental	
					1 1						Submitted	Submitted	Charge -	Charge -	Charge -	Charge
			i '		i i						Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual S
j		Interi	l		11000			RATES(\$)				per LSR	Order vs.	Order vs.	Order vs.	Order v
EGORY	RATE ELEMENTS	m	Zone	BCS	usoc			HA I ES(3)			per LSR	perLSH				
			1		1 1						1		Electronic-	Electronic-	Electronic-	Electron
i			l		1 1						l '		1st	Add'I	Disc 1st	Disc Ad
						·			N	- Diagona	ļ <u></u>			Rates(\$)	<u> </u>	L
			<u> </u>			Rec	Nonrec		First	Disconnect Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
			├ ──				First	Add'I	FIISL	Audi	JUNIEU	SOME	- OOMIAN	- COMPANY	- 55	
	e Voice Grade Port terminated in on Megalink or equivalent		1	UEDOF	LUEDVO I	4.47	ì		Ì	1	1	11.90	ł	ŀ		1
	c Local Area		ļ	UEP9E	UEPY9	1.17			ļ		-	11.50	 		 	
	e Voice Grade Port Terminated on 800 Service Term -		1		1							11.90		!	l .	1
	Local Area		 _ 	UEP9E	UEPY2	1 17					 	11.90			 	
Florida Only			ļ							 	 	11.90	 			
	e Voice Grade Port (Centrex)			UEP9E	UEPHA	1.17						11.90			 	
2-Wire	e Voice Grade Port (Centrex 800 termination)		I	UEP9E	UEPHB	1,17				<u> </u>					 	
2-Wire	e Voice Grade Port (Centrex with Caller ID)1		T-	UEP9E	UEPHH	1.17				<u> </u>		11.90			ļ	
2-Wire	e Voice Grade Port (Centrex from diff Serving Wire								Ì	1	Į.			l .	1	Ì
Cente		Į.	l	UEP9E	UEPHM	1 17			L	L		11.90		L	 	├ ──
	e Voice Grade Port, Diff Serving Wire Center - 800 Service		1	I					l .—— —	1		i i		1	1	1
Term		l	1	UEP9E	UEPHZ	1 17			1	L	ł	11.90	<u> </u>			
119/111			+	† 										1		
	a Vales Cando Bort terminated in an Education or any Entant	l	1	UEP9E	UEPH9	1,17			l	1		11 90			l	
	e Voice Grade Port terminated in on Megalink or equivalent	├──	+	UEP9E	UEPH2	1.17				 		11 90				
	e Voice Grade Port Terminated on 800 Service Term		+	IOCLAE	UEFRZ	1.17			 	 	1	1	1	1	 	
Local Switch			 	LUEGOE -	- LUDE CO	0.7004				 	+	1		$\overline{}$	1	1
	rex Intercom Funtionality, per port	<u> </u>		UEP9E	URECS	0.7384					 	 		 		
Local Numbe	er Portability	L							 	ļ	 	 	 	 	 	
Local	Number Portability (1 per port)		<u> </u>	UEP9E	LNPCC	0 35				ļ		 				
Features		l"								 			 	<u> </u>	 	+-
	andard Features Offered, per port			UEP9E	UEPVF	2 26								ļ		
	elect Features Offered, per port		$\overline{}$	UEP9E	UEPVS	0.00	370.70		L	L	1	11 90	<u> </u>	ļ ———		↓
	entrex Control Features Offered, per port	 	+	UEP9E	UEPVC	2 26							<u> </u>		<u> </u>	ļ
NARS	aniex Control Features Officied, per port	 	+	02:02									l			↓
	III I Alian di Aires Desires Combination		+	UEP9E	UARCX	0.00	0.00	0.00				11.90		I		L
	indled Network Access Register - Combination		+	UEP9E	UAR1X	0.00	0.00	0.00				11 90			·	
	indled Network Access Register - Indial	 				0 00	0.00	0.00				11.90			T	I
	indled Network Access Register - Outdial		-	UEP9E	UAROX	000	0.00	0.00	 	 						
Miscellaneou	us Terminations								 	 	+	 			T	
2-Wire Trunk	k Side		<u> </u>										 	 		
Trunk	k Side Terminations, each			UEP9E	CEND6	8.81			 	 	 	 		 		
4-Wire Digita	al (1,544 Megabits)								ļ. ——	 	+	 	+	 	+	+
	Circuit Terminations, each			UEP9E	M1HD1	54.95				 -		11.90		 		_
	Channel Activated Per Channel			UEP9E	M1HDO	0 00	15.69					11.90	ļ — —			+
	hannel Mileage - 2-Wire								<u> </u>		_		 		 	
	office Channel Facilities Termination	+-	+-	UEP9E	MIGBC	25 32							<u> </u>	 	 	+
	office Channel mileage, per mile or fraction of mile	1	1	UEP9E	MIGBM	0 0091						_			 	+
Interc	vations (DS0) Centrex Loops on Channelized DS1 Servi	<u></u>	+-	1-2.0-		1	l					L				
Feature Activ	Vations (USU) Centrex Loops on Channelized UST Service	~	+-			 							<u></u>	<u> </u>		
D4 Channel	Bank Feature Activations	+	+	UEP9E	1PQWS	0.66		 								+
Featu	ure Activation on D-4 Channel Bank Centrex Loop Slot	+-	+	OFLAF	11.044.0	 			T				1		l .	1
J [1	1	LIEBOE	1PQW6	0.66	l	l	1		1	1	L	<u> </u>		
Featu	ure Activation on D-4 Channel Bank FX line Side Loop Slot	↓	+	UEP9E	TPQVVO	0.66		 	 	 		7				1
Featu	ure Activation on D-4 Channel Bank FX Trunk Side Loop	i .	1		400	1	1	i	1	1	1	1	1	1	1	
Slot				UEP9E	1PQW7	0.66	 	 	+		+	+				
	ure Activation on D-4 Channel Bank Centrex Loop Slot -	1					1	1	1	1	1	1	1	1	J	1
	rent Wire Center	1	1 .	UEP9E	1PQWP	0.66	<u> </u>	<u> </u>	 	+		+	+	 		
- Dillo			T			1	1	I	1	1		1	1	1	1	1
East	ure Activation on D-4 Channel Bank Private Line Loop Slot	1	ì	UEP9E	1PQWV_	0 66			 		+		+	 	+	+
Feat	ure Activation on D-4 Channel Bank Tije Line/Trunk Loop	T							1	1		1		1	1	
	are Activation on 5-4 channel bank the Bhot hank book	1	1	UEP9E	1PQWQ	0.66		l				4	+	+	4	+
Slot	Authority on D. J. Channel Book, MATC Lang Class	+		ÜEP9E	1PQWA	0.66							_	 	+	+
Feat	ure Activation on D-4 Channel Bank WATS Loop Slot	+-		OLI OL	1	1				L	1				 	+
Non-Recurri	ing Charges (NRC) Associated with UNE-P Centrex	+		 	 -	+			1	T				1	1	
NRC	Conversion Currently Combined Switch-As-Is with allowed	1	ł	l	1,,,,,,,,	1	21.50	8 42	. 1	1	1	11.90)	.L	1	
l İchan	nges, per port			UEP9E	USAC2					 		11.90				
Conv	version of Existing Centrex Common Block, each		$\perp \! \! \! \! \! \! \! \! \! \! \perp \! \! \! \! \! \! \! \!$	UEP9E	USACN		5 17		\	+		11.90				\top
New	Centrex Standard Common Block		T	UEP9E	M1ACS	0.00			 	+		11.90		1	 	1
Now	Centrex Customized Common Block	1	1	UEP9E	M1ACC	0.00				4		11.90		 	1	-
	Establishment Charge, Per Occasion	+	+	UEP9E	URECA	0.00	66.48	L	_		+	11.90	' +	 	+	-
INAH	Establishment Charge, Per Occasion			 		1			1				+			+
Note 1 - Req	quired Port for Centrex Control in 1AESS, 5ESS & EWSD quires Interoffice Channel Mileage	4	+				1	T		1				<u> </u>		—

TIMBUNDI P	D NETWORK ELEMENTS - Florida									 -			Attachi	nent: 2	Exhi	bit: B
ONDONDE	THE THE PERSON OF THE PERSON O			_** *							Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
		l	1 1	F	l						Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
1		1		المراجع والمراجع المراجع	[Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES(\$)			perLSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
DATEGORI		m				Ì					•	l •	Electronic-	Electronic-	Electronic-	Electronic-
						1					1		1st	Add'I	Disc 1st	Disc Add'l
	<u> </u>		-			 	Nonre	curring	Nonrecurring	Disconnect		L	OSS	Rates(\$)	L	
 		 	+			Rec	First	Add'I	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Note	3 - Requires Specific Customer Premises Equipment	— —	\vdash													
	Rates displaying an "R" in Interim column are interim and su	bject to	rate tru	e-up as set forth in	General Terr	ns and Condition	ons.									<u> </u>

RATE ELEMENTS RATE ELEMENTS RATE ELEMENTS RATE ELEMENTS RATE ELEMENTS RATE ELEMENTS RATE ELEMENTS ROWN in the sections for stand-alone loops or loops at terconnection.bellsouth.com/become_a_clec/html/inte ORT SYSTEMS Element Element it is contra BellSouth regional electronic service ordering charge y element that can be ordered electronically will be bits that cannot be ordered electronically will be bits that cannot be ordered electronically at present per ge, SOMAN, will be applied to a CLECs bill when it su DINIC OSS Charge, per LSR, submitted via BSTs OSS tive interfaces (Regional) ADVANCEMENT CHARGE xpedite charge will be maintained commensurate with	act negotic. CLEC	tion.ht tiator if may ele		USOC	- Rec	Nonrec	RATES(\$)			Svc Order Submitted Elec per LSR		Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge Manual : Order v
nown in the sections for stand-alone loops or loops at terconnection.bellsouth.com/become_a_clec/html/inte ORT SYSTEMS etronic Service Order: CLEC should contact its contra BellSouth regional electronic service ordering charge y element that can be ordered electronically will be bit its that cannot be ordered electronically at present per ge, SOMAN, will be applied to a CLECs bill when it su onic OSS Charge, per LSR, submitted via BSTs OSS the interfaces (Regional)	m part of erconnect act nego: CLEC:	a comt	pination refers to G		l					Submitted Elec	Submitted Manually	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.	Charge Manual
nown in the sections for stand-alone loops or loops at terconnection.bellsouth.com/become_a_clec/html/inte ORT SYSTEMS etronic Service Order: CLEC should contact its contra BellSouth regional electronic service ordering charge y element that can be ordered electronically will be bit its that cannot be ordered electronically at present per ge, SOMAN, will be applied to a CLECs bill when it su onic OSS Charge, per LSR, submitted via BSTs OSS the interfaces (Regional)	m part of erconnect act nego: CLEC:	a comt	pination refers to G		l					Elec	Manually	Manual Svc Order vs. Electronic-	Manual Svc Order vs.	Order vs.	1
nown in the sections for stand-alone loops or loops at terconnection.bellsouth.com/become_a_clec/html/inte ORT SYSTEMS etronic Service Order: CLEC should contact its contra BellSouth regional electronic service ordering charge y element that can be ordered electronically will be bit its that cannot be ordered electronically at present per ge, SOMAN, will be applied to a CLECs bill when it su onic OSS Charge, per LSR, submitted via BSTs OSS the interfaces (Regional)	m part of erconnect act nego: CLEC:	a comt	pination refers to G		l							Order vs. Electronic-	Order vs.	Order vs.	1
nown in the sections for stand-alone loops or loops at terconnection.bellsouth.com/become_a_clec/html/inte ORT SYSTEMS etronic Service Order: CLEC should contact its contra BellSouth regional electronic service ordering charge y element that can be ordered electronically will be bit its that cannot be ordered electronically at present per ge, SOMAN, will be applied to a CLECs bill when it su onic OSS Charge, per LSR, submitted via BSTs OSS the interfaces (Regional)	act nego	a comt	pination refers to G		l					percan	per Lon	Electronic-			Older .
terconnection.bellsouth.com/become_a_clec/html/interconnection.bellsouth.com/become_a_clec/html/interconnection.bellsouth regional electronic service ordering charge y element that can be ordered electronically will be bits that cannot be ordered electronically will be bits that cannot be ordered electronically at present per ge, SOMAN, will be applied to a CLECs bill when it such cost of the cost o	act negotic. CLEC	tion.ht tiator if may ele		eographically	l					۱ ۱	1 1		Electronic-	Electronic-	Electro
terconnection.bellsouth.com/become_a_clec/html/interconnection.bellsouth.com/become_a_clec/html/interconnection.bellsouth regional electronic service ordering charge y element that can be ordered electronically will be bits that cannot be ordered electronically will be bits that cannot be ordered electronically at present per ge, SOMAN, will be applied to a CLECs bill when it such cost of the cost o	act negotic. CLEC	tion.ht tiator if may ele		eographically	l								· /		
terconnection.bellsouth.com/become_a_clec/html/interconnection.bellsouth.com/become_a_clec/html/interconnection.bellsouth regional electronic service ordering charge y element that can be ordered electronically will be bits that cannot be ordered electronically will be bits that cannot be ordered electronically at present per ge, SOMAN, will be applied to a CLECs bill when it such cost of the cost o	act negotic. CLEC	tion.ht tiator if may ele		eographically	l					, '	, ,	1st	Add'I	Disc 1st	Disc Ad
terconnection.bellsouth.com/become_a_clec/html/interconnection.bellsouth.com/become_a_clec/html/interconnection.bellsouth regional electronic service ordering charge y element that can be ordered electronically will be bits that cannot be ordered electronically will be bits that cannot be ordered electronically at present per ge, SOMAN, will be applied to a CLECs bill when it such cost of the cost o	act negotic. CLEC	tion.ht tiator if may ele		eographically	l		umana l	Nonrecurring	Disconnect			OSS	Rates(S)		
terconnection.bellsouth.com/become_a_clec/html/interconnection.bellsouth.com/become_a_clec/html/interconnection.bellsouth regional electronic service ordering charge y element that can be ordered electronically will be bits that cannot be ordered electronically will be bits that cannot be ordered electronically at present per ge, SOMAN, will be applied to a CLECs bill when it such cost of the cost o	act negotic. CLEC	tion.ht tiator if may ele		eographically	<u> </u>	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
terconnection.bellsouth.com/become_a_clec/html/interconnection.bellsouth.com/become_a_clec/html/interconnection.bellsouth regional electronic service ordering charge y element that can be ordered electronically will be bits that cannot be ordered electronically will be bits that cannot be ordered electronically at present per ge, SOMAN, will be applied to a CLECs bill when it such cost of the cost o	act negotic. CLEC	tion.ht tiator if may ele		eographically											
ORT SYSTEMS ctronic Service Order: CLEC should contact its contre BellSouth regional electronic service ordering charge y element that can be ordered electronically will be bit ts that cannot be ordered electronically at present per ge, SOMAN, will be applied to a CLECs bill when it su pric OSS Charge, per LSR, submitted via BSTs OSS ctive interfaces (Regional) ADVANCEMENT CHARGE	act nego e. CLEC illed acco	tiator if may ele	m		y Deaveraged U	NE Zones. To	view Geograpi	hically Deavera	ged UNE Zone	Designation	ns by Cent	rai Office, rete	ir to internet v	Nebsite:	
etronic Service Order: CLEC should contact its control BellSouth regional electronic service ordering charge y element that can be ordered electronically will be bi ts that cannot be ordered electronically at present per ge, SOMAN, will be applied to a CLECs bill when it su punic OSS Charge, per LSR, submitted via BSTs OSS tive interfaces (Regional) ADVANCEMENT CHARGE	. CLEC	may ele													
BellSouth regional electronic service ordering charge y element that can be ordered electronically will be bit its that cannot be ordered electronically at present per ge, SOMAN, will be applied to a CLECs bill when it su price OSS Charge, per LSR, submitted via BSTs OSS attwe interfaces (Regional) ADVANCEMENT CHARGE	. CLEC	may ele											,		
y element that can be ordered electronically will be bits that cannot be ordered electronically at present per ge, SOMAN, will be applied to a CLECs bill when it suonic OSS Charge, per LSR, submitted via BSTs OSS clicke interfaces (Regional) ADVANCEMENT CHARGE	illed accor the BBF	ording (it prefers the state	specific elect	tronic service o	rdering charge	s as ordered b	y the State Cor	mmissions. T	he electron	ic service o	rdering charg	e currently co	ntained in thi	is rate
is that cannot be ordered electronically at present per ge, SOMAN, will be applied to a CLECs bill when it su pinc OSS Charge, per LSR, submitted via BSTs OSS stive interfaces (Regional) ADVANCEMENT CHARGE	r the BBF	ording t	ct either the state s	specific Com	mission ordered	rates for the e	lectronic serv	ice ordering ch	arges, or CLE	C may elect	t the region	al electronic s	ervice orderir	ng charge.	_
is that cannot be ordered electronically at present per ge, SOMAN, will be applied to a CLECs bill when it su pinc OSS Charge, per LSR, submitted via BSTs OSS stive interfaces (Regional) ADVANCEMENT CHARGE	r the BBF		the SOMEC rate	listed in this	category. Pleas	se refer to BellS	outh's Busine	ss Rules for Lo	ocal Ordering	(BBR-LO) to	o determine	if a product c	can be ordered	d electronical	ly. For
ge, SOMAN, will be applied to a CLECs bill when it su onc OSS Charge, per LSR, submitted via BSTs OSS stive interfaces (Regional) ADVANCEMENT CHARGE	ubmits ar	4-LO. th	e listed SOMEC rat	te in this cate	gory reflects th	e charge that w	ould be billed	to a CLEC ond	e electronic o	rdering car	pabilities co	me on-line for	r that element	L Otherwise,	the mar
onic OSS Charge, per LSR, submitted via BST's OSS (tive interfaces (Regional)	1	n I SR t	o ReliSouth		3,									-	
tive interfaces (Regional)		1	O DOMOGRAM.	7	T										
ADVANCEMENT CHARGE	1			SOMEC		3 50				1	1	1	1 '	1	1
ADVANCEMENT CHANGE	+	 		SONEO	 	-0.50		 			 				
	Policar	abia EC	C No 1 Tariff Cond	ion E se annii	icable						 	 			1
		AU S CC	JO 140.1 Tarill, Secti	lon o as appii	Caule.										1
expedite Charge per Circuit or Line Assignable USOC, per	"		ALL PAIC	SDASP		200.00				ı		1	1 '	1 '	1
105 100500 1000		 -	ALL UNE	SUASP	 	200.00		 		 		 			
NGE ACCESS LOOP		—									 				+
OG VOICE GRADE LOOP		 	115411	1								18.94	8.42		+
Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL	UEAL2	14 21	42 54	31.33					18.94	8.42		+
Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEAL2	16 41	42 54	31.33				 		8.42		┼──
Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	26 08	42.54	31.33					18 94	8.42		+
Testing - Basic 1st Half Hour			UEANL	URET		78.92	78.92			<u> </u>	↓	18 94			
Testing - Basic Additional Half Hour			UEANL	ÜRETA		23.33	23.33					18.94	8.42		↓
to CLEC Conversion Charge Without Outside Dispatch		T						i i		1	ł				1
SL1)		1	UEANL	UREWO		15 75	8 92								↓
sering Information Document (EI)			UEANL	UEANM		28 72	28.72					ļ			┼—
al Order Coordiantion for UVL-SL1s (per loop)		 	UEANL	UEAMC		16.11	16 11				<u> </u>				↓
Coordination for Specified Conversion Time for UVL-SL1		1									1		1	1	1
SR)	1	1	UEANL	OCOSL		35.74	35 74	i 1		L	1				1
Unbundled Copper Loop Non-Designed- Zone 1		1	UEQ	UEQ2X		11.02	44.69	25 65	7.06			18 94			
Unbundled Copper Loop Non-Designed-Zone 2	+	2	UEQ	UEQ2X		12 72	44.69	25.65	7 06			18 94			
Unbundled Copper Loop Non-Designed-Zone 3			UEQ	UEQ2X		20.22	44 69	25.65	7.06			18 94	8.42		1
Coordination 2 Wire Unbundled Copper Loop - Non-		 	024												
	1	1	UEQ	USBMC	1	16 11	16 11	, ,		1	1	18 94	8 42		1
ned (per loop)		-	UEQ	OSBIVIO	 	28.72	28.72					18 94	8 42		
eering Information Document	+	+	UEQ	URET1	 	78 92	78.92					18 94	8.42		
Testing - Basic 1st Half Hour		+	UEQ	URETA	 	23 33	23.33				T	18.94	8.42		
Testing - Basic Additional Half Hour		+	lucu .	UNEIA	+	20 00	20.00	 				1			1
to CLEC Conversion Charge Without Outside Dispatch			UEQ	UREWO	1	14.25	7 42	1 1		1	1	18.94	8 42		
ND)		+	IUEU	UNEWU		14.23						1			T
NGE ACCESS LOOP	-	₩		+	+			 		1					
OG VOICE GRADE LOOP		1	<u></u>		annha ratas IIF	DI V							<u> </u>	1	
ites for Line Splitting (In Ga. PSC ordered the line sp	olitting lo	op US	UCS match the lowe	er port- loop o	compo rates UE	-FLA)					+				
Voice Grade Loop (SL1) for Line Splitting - Zone 1		1	JUEPSR, UEPSB	JUEALS,	10.80	-		 			+	+			1
Voice Grade Loop (SL1) for Line Splitting - Zone 1		1	UEPSR, UEPSB	UEABS	10 83					-	+	+		+	_
Voice Grade Loop (SL1) for Line Splitting - Zone 2		2	UEPSR, UEPSB	UEALS,	12 47			ļ		+	+				1
Voice Grade Loop (SL1) for Line Splitting - Zone 2		2	UEPSR, UEPSB	UEABS	12 47	ļ				+	+			+	+-
Voice Grade Loop (SL1)for Line Splitting - Zone 3		3	UEPSR, UEPSB	UEALS	19 83			ļ		+	+	+			+-
	1	3	UEPSR, UEPSB	UEABS	19.83						+	+			+
										+	+	+			+
s Voice Grade Loop (SL1)for Line Splitting - Zone 3										──	+	+	 	+	+
S Voice Grade Loop (SL1) for Line Splitting - Zone 3					1		-	1	1	1	1	1	1	1	1
S Voice Grade Loop (SL1) for Line Splitting - Zone 3 INGE ACCESS LOOP LOG VOICE GRADE LOOP		1	UEA	UEAL2	16.84	104.17	78.10	L				18.94	8.42		+
s Voice Grade Loop (SL1)for Line Splitting - Zone 3 INGE ACCESS LOOP LOG VOICE GRADE LOOP S Analog Voice Grade Loop - Service Level 2 w/Loop or		+		1						1	1	1			1
s Voice Grade Loop (SL1)for Line Splitting - Zone 3 INGE ACCESS LOOP LOG VOICE GRADE LOOP e Analog Voice Grade Loop - Service Level 2 w/Loop or ad Start Signaling - Zone 1		1 2	UEA	UEAL2	19.45	104.17	78.10		L			18.94	8.42	 	+
s Voice Grade Loop (SL1)for Line Splitting - Zone 3 INGE ACCESS LOOP LOG VOICE GRADE LOOP e Analog Voice Grade Loop - Service Level 2 w/Loop or ad Start Signaling - Zone 1 e Analog Voice Grade Loop - Service Level 2 w/Loop or	+-	+-	102.7	135.5	1	—					1	1	1	1	1
s Voice Grade Loop (SL1) for Line Splitting - Zone 3 INGE ACCESS LOOP LOG VOICE GRADE LOOP S Analog Voice Grade Loop - Service Level 2 w/Loop or ad Start Signaling - Zone 1 s Analog Voice Grade Loop - Service Level 2 w/Loop or ad Start Signaling - Zone 2			LIEA	LIENIS	30.02	104.17	78.10			1	L	18 94	8.42		
s Voice Grade Loop (SL1) for Line Splitting - Zone 3 INGE ACCESS LOOP LOG VOICE GRADE LOOP 5 Analog Voice Grade Loop - Service Level 2 w/Loop or nd Start Signaling - Zone 1 6 Analog Voice Grade Loop - Service Level 2 w/Loop or nd Start Signaling - Zone 2 6 Analog Voice Grade Loop - Service Level 2 w/Loop or nd Start Signaling - Zone 2 6 Analog Voice Grade Loop - Service Level 2 w/Loop or		1 .		UEALE	L 30 82					T	1	1			
s Voice Grade Loop (SL1)for Line Splitting - Zone 3 INGE ACCESS LOOP LOG VOICE GRADE LOOP e Analog Voice Grade Loop - Service Level 2 w/Loop or ad Start Signaling - Zone 1 e Analog Voice Grade Loop - Service Level 2 w/Loop or ad Start Signaling - Zone 2 e Analog Voice Grade Loop - Service Level 2 w/Loop or ad Start Signaling - Zone 3		3		TOCOG!		35.74	1								
s Voice Grade Loop (SL1) for Line Splitting - Zone 3 INGE ACCESS LOOP OG VOICE GRADE LOOP Analog Voice Grade Loop - Service Level 2 w/Loop or ad Start Signaling - Zone 1 Analog Voice Grade Loop - Service Level 2 w/Loop or ad Start Signaling - Zone 2 Analog Voice Grade Loop - Service Level 2 w/Loop or ad Start Signaling - Zone 2 Analog Voice Grade Loop - Service Level 2 w/Loop or ad Start Signaling - Zone 3 Coordination for Specified Conversion Time (per LSR)		3	UEA	OCOSL		35 74								1	
s Voice Grade Loop (SL1) for Line Splitting - Zone 3 INGE ACCESS LOOP LOG VOICE GRADE LOOP a Analog Voice Grade Loop - Service Level 2 w/Loop or ad Start Signaling - Zone 1 a Analog Voice Grade Loop - Service Level 2 w/Loop or ad Start Signaling - Zone 2 a Analog Voice Grade Loop - Service Level 2 w/Loop or ad Start Signaling - Zone 3 Coordination for Specified Conversion Time (per LSR) a Analog Voice Grade Loop - Service Level 2 w/Reverse		3	UEA		40.01		70 10					18 94	8.42		
s Voice Grade Loop (SL1) for Line Splitting - Zone 3 INGE ACCESS LOOP OG VOICE GRADE LOOP Analog Voice Grade Loop - Service Level 2 w/Loop or ad Start Signaling - Zone 1 Analog Voice Grade Loop - Service Level 2 w/Loop or ad Start Signaling - Zone 2 Analog Voice Grade Loop - Service Level 2 w/Loop or ad Start Signaling - Zone 2 Analog Voice Grade Loop - Service Level 2 w/Loop or ad Start Signaling - Zone 3 Coordination for Specified Conversion Time (per LSR)		3		OCOSL UEAR2	16.84	35 74 104.17	78.10					18 94	8.42		+-
NGE OG		art Signaling - Zone 1 alog Voice Grade Loop - Service Level 2 w/Loop or art Signaling - Zone 2	art Signaling - Zone 1 liog Voice Grade Loop - Service Level 2 w/Loop or art Signaling - Zone 2 log Voice Grade Loop - Service Level 2 w/Loop or 2	art Signaling - Zone 1 1 UEA alog Voice Grade Loop - Service Level 2 w/Loop or 2 UEA alog Voice Grade Loop - Service Level 2 w/Loop or	art Signaling - Zone 1 1 UEA UEAL2 alog Voice Grade Loop - Service Level 2 w/Loop or art Signaling - Zone 2 2 UEA UEAL2 alog Voice Grade Loop - Service Level 2 w/Loop or	art Signaling - Zone 1 1 UEA UEAL2 16.84 slog Voice Grade Loop - Service Level 2 w/Loop or art Signaling - Zone 2 2 UEA UEAL2 19.45 slog Voice Grade Loop - Service Level 2 w/Loop or art Signaling - Zone 3 3 UEA UEAL2 30 92	art Signaling - Zone 1 1 UEA UEAL2 16.84 104.17 slog Voice Grade Loop - Service Level 2 w/Loop or art Signaling - Zone 2 2 UEA UEAL2 19.45 104.17 slog Voice Grade Loop - Service Level 2 w/Loop or art Signaling - Zone 3 3 UEA UEAL2 30 92 104.17	art Signaling - Zone 1 1 UEA UEAL2 16.84 104.17 78.10 slog Voice Grade Loop - Service Level 2 w/Loop or art Signaling - Zone 2 2 UEA UEAL2 19.45 104.17 78.10 slog Voice Grade Loop - Service Level 2 w/Loop or art Signaling - Zone 3 3 UEA UEAL2 30.92 104.17 78.10	art Signaling - Zone 1 1 UEA UEAL2 16.84 104.17 78.10 1 OUEA UEAL2 16.84 104.17 78.10 1 OUEA UEAL2 19.45 104.17 78.10 2 UEA UEAL2 19.45 104.17 78.10 2 OUEA UEAL2 19.45 104.17 78.10 2 OUEA UEAL2 30.92 104.17 78.10 3 OUEA UEAL2 30.92 104.17 78.10	art Signaling - Zone 1 1 UEA UEAL2 16.84 104.17 78.10 slog Voice Grade Loop - Service Level 2 w/Loop or art Signaling - Zone 2 UEA UEAL2 19.45 104.17 78.10 art Signaling - Zone 2 UEA UEAL2 30.92 104.17 78.10 art Signaling - Zone 3 3 UEA UEAL2 30.92 104.17 78.10	art Signaling - Zone 1 1 UEA UEAL2 16.84 104.17 78.10 1 1 1 UEA UEAL2 16.84 104.17 78.10 1 1 1 UEA UEAL2 16.84 104.17 78.10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	art Signaling - Zone 1 1 UEA UEAL2 16.84 104.17 78.10 1 OUEA UEAL2 16.84 104.17 78.10 1 OUEAL2 19.45 104.17 78.10 2 UEA UEAL2 19.45 104.17 78.10 2 OUEAL2 19.45 104.17 78.10 2 OUEAL2 30.92 104.17 78.10	art Signaling - Zone 1 1 UEA UEAL2 16.84 104.17 78.10 10g Voice Grade Loop - Service Level 2 w/Loop or art Signaling - Zone 2 UEA UEAL2 19.45 104.17 78.10 18.94 18.94 18.94	art Signaling - Zone 1 1 UEA UEAL2 16.84 104.17 78.10 1 Signaling - Zone 2 2 UEA UEAL2 19.45 104.17 78.10 18.94 8.42 art Signaling - Zone 2 3 UEA UEAL2 30.92 104.17 78.10 18.94 8.42 art Signaling - Zone 3 3 UEA UEAL2 30.92 104.17 78.10	art Signaling - Zone 1 1 UEA UEAL2 16.84 104.17 78.10 18.94 8.42 art Signaling - Zone 2 1 UEA UEAL2 19.45 104.17 78.10 18.94 8.42 art Signaling - Zone 2 art Signaling - Zone 3 3 UEA UEAL2 30.92 104.17 78.10 18.94 8.42 art Signaling - Zone 3 art Signaling - Zone 3 UEA UEAL2 30.92 104.17 78.10 18.94 8.42 art Signaling - Zone 3 UEA UEAL2 30.92 104.17 78.10 18.94 8.42

PHBUNDLEL	D NETWORK ELEMENTS - Georgia				,									ment; 2	4 11 11	ķit; 8
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(S)			Submitted Elec	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
			⊢-	ļ		Rec	Nonrec		Nonrecurring				OSS	Rates(\$)		
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		-		+ -+		First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1 1	Battery Signaling - Zone 3	İ	3	UEA	UEAR2	30.92	104.17	78.10	l j)	18.94	8.42		l .
	Order Coordination for Specified Conversion Time (per LSR)		L	UEA	OCOSL		35.74	70.10				 	10.04	5,42		
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36 36					18.94	8.42		
4-WIHE	ANALOG VOICE GRADE LOOP 4-Wire Analog Voice Grade Loop - Zone 1		1	1154												
	4-Wire Analog Voice Grade Loop - Zone 1			UEA	UEAL4 UEAL4	22.26 25.70	206.95	170.57					18.94	8.42		
	4-Wire Analog Voice Grade Loop - Zone 3			UEA	UEAL4	40.86	206 95 206.95	170.57 170.57					18.94	8 42		
	Order Coordination for Specified Conversion Time (per LSR)		 	ÜEA	OCOSL	40.00	35.74	170.57					18.94	8.42		
	CLEC to CLEC Conversion Charge without outside dispatch		\vdash	UEA	UREWO		87.72	36.36					18 94	8.42		
2-WIRE	ISDN DIGITAL GRADE LOOP												10.04	0.72		
	2-Wire ISDN Digital Grade Loop - Zone 1			UDN	U1L2X	21 89	233 38	180 35					18 94	8.42		
	2-Wire ISDN Digital Grade Loop - Zone 2 2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X U1L2X	25 27	233.38	180.35					18.94	8.42		
- 	Order Coordination For Specified Conversion Time (per LSR)		1 3	UDN	OCOSL OCOSL	40.17	233.38 35.74	180 35					18.94	8 42		
	CLEC to CLEC Conversion Charge without outside dispatch	-		UDN	UREWO		120.98	33.04					18.94	8.42		
2-WIRE	Universal Digital Channel (UDC) COMPATIBLE LOOP		\vdash		15,,5,,5		120.30	33.04					10.94	6.42		
1 1	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone	1	1	UDO	UDC2X	21 89	44 69	31.55	25 65	7.08			18.94	8.42		
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 2	1.	2	UDC	UDC2X	25.27	44.69	31.55	25.65	7.06			18.94	8.42		
_	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 3		3	UDC	UDC2X	40.17	44 69	31.55	25 65	7.06			18.94	8.42		
	CLEC to CLEC Conversion Charge without outside dispatch ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMIT	ATIDI D	1 000		UREWO		44.69	31.55				<u> </u>	18.94	8 42		
	2 Wire Unbundled ADSL Loop including manual service inquiry	A I IDEL	LOOP		 											
	& facility reservation - Zone 1 2 Wire Unbundled ADSL Loop including manual service inquiry		1	UAL	UAL2X	11 23	44.69	31,55	25.65	7.06	!		18.94	8 42		
	& facility reservation - Zone 2 2 Wire Unbundled ADSL Loop including manual service inquiry		2	UAL	UAL2X	12.97	44.69	31.55	25 65				18.94	8 42		
	& facility reservation - Zone 3		3	UAL	UAL2X	20 62	44.69	31.55	25 65	7.06			18 94	8.42		L
	Order Coordination for Specified Conversion Time (per LSR) 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 1		,	UAL	ÜÖÖSL UAL2W	11.23	35 74 44 69	31.55	25.65	7.06			18.94	8.42		
	Taching Teservation - Zone 1 2 Wire Unbundled ADSL Loop without manual service inquiry 8 facility reservation - Zone 2	<u> </u>		UAL	UAL2W	12.97	44.69	31.55	25.65	7.06			18.94	8.42		
	2 Wire Unbundled ADSL Loop without manual service inquiry &				1											
	facility reservaton - Zone 3	1	_3	UAL	UAL2W	20.62	_44 69	31.55	25 65	7.06			18.94	8,42		
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		35 74									
	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		44 69	29.29			<u> </u>		18.94	8.42		_
	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPUT Wire Unbundled HDSL Loop including manual service inquiry facility reservation - Zone 1	I IBLE I	1	UHL	UHL2X	7.88	44.69	31.55	25.65	7.06			18.94	8 42		
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2	1	2	UHL	UHL2X	9.09	44.69	31.55	25 65	7.06			18 94	8.42		
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3	ı	3	UHL	UHL2X	14,46	44.69	31.55	_ 25.65	7.06			18.94	8.42		
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		35 74									
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL.	UHL2W	7 88	44.69	31.55	25 65	7.06			18 94	8 42		_
!	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	L	2	UHL	UHL2W	9.09	44.69	31.55	25.65	7.06			18.94	8 42		
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3 Order Coordination for Specified Conversion Time (per LSR)			UHL	UHL2W OCOSL	14,46	44 69 35,74	31.55	25.65	7.06			18.94	8,42		
	CLEC to CLEC Conversion Charge without outside dispatch HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE		UHL.	UREWO		44.69	31.55					18.94	8 42		
	and facility reservation - Zone 1			UHL	UHL4X	10.39	44.69	31.55	25.65	7.06			18 94	8.42		

UNDUNE	N EF	NETWORK ELEMENTS - Georgia												Attachr	nent: 2	Exhit	bit: B
ONBONE	,LEL	NETWORK ELEMENTS - Georgia				T						Svc Order	Svc Order	Incremental		Incremental	Incremental
	- 1			1		1 1							Submitted	Charge -	Charge -	Charge -	Charge -
	l		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	Y	RATE ELEMENTS	m	Zone	BCS	usoc			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
ì	- 1	1	•••		i	1							1	Electronic-	Electronic-	Electronic-	Electronic-
1	-											1		1st	Add'I	Disc 1st	Disc Add'l
								Nonrec	urring	Nonrecurring	Disconnect			088	Rates(\$)		
\vdash	\dashv			-		 	Rec	First	Add'I	First	Add'i	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		4-Wire Unbundled HDSL Loop including manual service inquiry				 											
		and facility reservation - Zone 2	1	2	UHL	UHL4X	12 00	44.69	31 55	25 65	7.06			18.94	8.42		
		4-Wire Unbundled HDSL Loop including manual service inquiry															
		and facility reservation - Zone 3		3	UHL	UHL4X	19.07	44 69	31 55	25.65	7 06	ļ <u> </u>		18.94	8.42		
		Order Coordination for Specified Conversion Time (per LSR) 4-Wire Unbundled HDSL Loop without manual service inquiry		├-	UHL	OCOSI.		35.74									
1 1		and facility reservation - Zone 1	١,	1	UHL	UHL4W	10.39	44 69	31.55	25 65	7.06			18 94	8.42		
		4-Wire Unbundled HDSL Loop without manual service inquiry		 	OTILE .	OTIL-111			01.55	20 00	7.00			1004	0.42		
1 1		and facility reservation - Zone 2	[i	2	UHL	UHL4W	12.00	44 69	31.55	25.65	7.06	1	1	18.94	8.42		1
		4-Wire Unbundled HDSL Loop without manual service inquiry		1													
		and facility reservation - Zone 3		3	UHL	UHL4W	19 07	44.69	31.55	25 65	7.06			18 94	8.42		
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		35.74						10.0			ļ <u>.</u>
		CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		44.69	31.55			 	 -	18.94	8.42		
4-1		DS1 DIGITAL LOOP 4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	55.53	429.98	268 18					18 94	8.42		
		4-Wire DS1 Digital Loop - Zone 1 4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	64.13	429.98	268.18					18 94	8 42		
 		4-Wire DS1 Digital Loop - Zone 3	·		USL	USLXX	101.93	429 98	268 18					18,94	8.42		
		Order Coordination for Specified Conversion Time (per LSR)		<u> </u>	USL	OCOSL		35 74									
		CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		100.91	42.97					18.94	8 42		
4-1		19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP		L_													L
		4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	25.75	348.55	241 20					18 94	8.42 8.42		
—		4 Wire Unbundled Digital 19 2 Kbps	!		UDL	UDL19 UDL19	29 74 47.27	348 55 348 55	241.20 241.20			 		18.94 18.94	8.42		
-		4 Wire Unbundled Digital 19.2 Kbps	 	3	UDL	UDL56	25 75	348 55	241.20			 	 -	18,94	8 42		
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	29 74	348 55	241 20			 	 	18 94	8.42		
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	 		UDL	UDL56	47.27	348.55	241.20					18 94	8.42		
		Order Coordination for Specified Conversion Time (per LSR)		1	UDL	OCOSL		35 74									
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 1			UDL	UDL64	25 75	348.55	241.20					18 94	8.42		
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL	UDL64	29.74	348 55	241.20			 		18.94	8 42 8.42		
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	<u> </u>	3	ÜDL	UDL64 OÇOSL	47.27	348.55 35.74	241.20				 -	10.94	- 6.42		
		Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatc h		-	UDL UDL	UREWO		101.95	49 66			 		18 94	8.42		
2-		Unbundled COPPER LOOP		 -	TODE	UNLIVO		101.55	- 40 00								
- 12-	******	2-Wire Unbundled Copper Loop/Short including manual service		 													
1 1		inquiry & facility reservation - Zone 1	l ı	1_1_	UCL	UCLPB	12.02	44 69	31.55	25.65	7.06			18.94	8.42		
		2-Wire Unbundled Copper Loop/Short including manual service										1	ŀ			ł	ł
		inquiry & facility reservation - Zone 2		2	UCL	UCLPB	13 88	44.69	31.55	25.65	7 06			18 94	8.42		
		2 Wire Unbundled Copper Loop/Short including manual service		_	Luci	LUCK DD	22,07	44 69	31 55	25 65	7 06			18.94	8.42		[
\vdash		inquiry & facility reservation - Zone 3	⊢-	3	UCL	UCLMC	22.07	16.11	16.11	20 00	, , , , ,	+		10.34	3.72		
		Order Coordination for Unbundled Copper Loops (per loop) 2-Wire Unbundled Copper Loop/Short without manual service	\vdash	+	1002	COLING	ļ	10.11	10.11			1		 		<u> </u>	
		inquiry and facility reservation - Zone 1	1	1	UCL	UCLPW	12.02	44.69	31.55	25.65	7.06	1		18.94	8.42		ļ
		2-Wire Unbundled Copper Loop/Short without manual service		† -	1	1									1		1
1		inquiry and facility reservation - Zone 2	<u>_</u> 1	2	UCL	UCLPW	13 88	44 69	31.55	25 65	7 06	 	 	18.94	8.42	ļ	
		2-Wire Unbundled Copper Loop/Short without manual service		1			[1	1	- 18.94	8.42	1	1
\Box		inquiry and facility reservation - Zone 3	1	3	UCL	UCLPW	22.07	44.69	31.55	25 65	7.06	 	1	- 18.94	-8.42	 	
		Order Coordination for Unbundled Copper Loops (per loop)		+	UCL	UCLMC		16 11	16.11			 	 -			 -	
		2-Wire Unbundled Copper Loop/Long - Includes manual srvc	١.	١,	UCL	UCL2L	35.56	44.69	31.55	25.65	7.06	1	1	18.94	8 42		1
\vdash		Inquiry and facility reservation - Zone 1 2-Wire Unbundled Copper Loop/Long - includes manual svc.	 -'-	+ -	UOL	JULZE	30.00	17.00	- 51.35	1		1	1				
		inquiry and facility reservation - Zone 2	1	2	UCL	UCL2L	41.07	44.69	31.55	25.65	7.06		L	18.94	8.42		
		2-Wire Unbundled Copper Loop/Long - includes manual svc.	 	+ -		1							T				1
1 1		inquiry and facility reservation - Zone 3	1	3	UCL	UCL2L	65 28	44.69	31 55	25.65	7.06			18 94	8 42	 	
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		16.11	16 11	l———	·	 	 	 	 	 	
		2-Wire Unbundled Copper Loop/Long - without manual service							24.55	25.05	7.06	1	1	18.94	8.42		1
L		inquiry and facility reservation - Zone 1		1	UCL	UCL2W	35.56	44.69	31.55	25 65	7.06	 	 	10.34	0.42		
		2-Wire Unbundled Copper Loop/Long - without manual service	١.	1 _	uci	UCL2W	41.07	44.69	31.55	25.65	7.06	1	1	18.94	8.42		
		inquiry and facility reservation - Zone 2		2	UCL	100LZW	41.07	44.09	01.05	20.00	7.00						

NBUNDLED NETWORK ELEMENT	5 - Georgia													nent: 2	Exhil	bit: B
ATEGORY RATE	ELEMENTS	Interi m	Zone	BCS	บรอด			RATES(\$)				Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
		 -	⊢			Rec	Nonrec First	urning Add'l	Nonrecurring First	Add'i	SOMEC	SOMAN	SOMAN	Rates(\$)	SOMAN	SOMAN
2-Wire Unbundled Conner L	op/Long - without manual service		-				First	Addi	FIRST	Addi	SOMEC	SUMAN	SOMAN	SUMAN	SOMAN	SUMAI
inquiry and facility reservation	- Zone 3	l ı	3	UCL	UCL2W	65.28	44.69	31.55	25.65	7.06		1	18.94	8.42		1
	idled Copper Loops (per loop)		1	UCL	UCLMC		16.11	16.11								†
	harge without outside dispatch															T
(UCL-Des)			<u> </u>	UCL	UREWO		44.69	31.55					18 94	8.42		<u> </u>
4-WIRE COPPER LOOP	oludina manual anadas in mila	ļ	ļ													├
and facility reservation - Zone	ncluding manual service inquiry	1 .	1 1	UCL	UCL4S	12 02	44.69	31.55	25 65	7.06]	18 94	8.42		1
	ncluding manual service inquiry	 -	,	001	UCL45	12 02	44.69	31.33	25 05	7.06	-		18 94	8.42		
and facility reservation - Zone		1 ,	1 2	UCL	UCL4S	13 88	44 69	31 55	25 65	706	}	ł	18.94	8.42		1
	cluding manual service inquiry		+-									<u> </u>	<u> </u>			i
and facility reservation - Zone			3	UCL	UCL4S	22.07	44,69	31 55	25.65	7 06			18.94	8.42		<u> </u>
	idled Copper Loops (per loop)			UCL	UCLMC		16 11	16.11								
	vithout manual service inquiry and	١,	١.					'								l
facility reservation - Zone 1	vithout manual service inquiry and	- '-	1	UCL	UCL4W	12.02	44 69	31.55	25.65	7.06			18.94	8.42	ļ	
facility reservation - Zone 2	Amout manual service inquiry and	1 .	2	UCL	UCL4W	13 88	44.69	31 55	25.65	7.06	1		18 94	8.42		ł
	vithout manual service inquiry and		 -	552	COLTIV	10 00							1.007	V. 1.2		
facility reservation - Zone 3	,,	1	3	luct	UCL4W	22.07	44.69	31.55	25.65	7.06			18.94	8.42		!
Order Coordination for Unbu	idled Copper Loops (per loop)			UCL	UCLMC		16.11	16.11								
	op/Long - includes manual svc.		T													I —
inquiry and facility reservation		1	1	UCL	UCL4L	35.56	44.69	31 55	25.65	7.06			18 94	8.42		ļ
	op/Long - includes manual svc.	١.	_			ا ـــا	44.00						18.94	8.42		
inquiry and facility reservation		<u> </u>	2	UCL	UCL4L	41.07	44.69	31.55	25.65	7.06			18.94	8.42		
inquiry and facility reservation	op/Long - includes manual svc.		3	UCL	UCL4L	65.28	- 44 69	31.55	25.65	7.06			18.94	8.42		
	idled Copper Loops (per loop)	 	+-	UCL	UCLMC	05.20	16.11	16.11	25.05	7.00	 		10.01	0,12		
	op/Long - without manual svc.	1	+	1002	COLINIC											
inquiry and facility reservation		1	1 1	UCL	UCL4O	35.56	44.69	31.55	25.65	7.06		<u> </u>	18.94	8.42		
	op/Long - without manual svc.															
inquiry and facility reservation		1	2	UCL	UCL4O	41 07	44.69	31.55	25.65	7.06	<u> </u>		- 18 94	8.42		
	op/Long - without manual svc.	Ι.	1 _				44.00	04.55	25.65	7.06	}	j	18.94	8.42	1	
inquiry and facility reservation			3	UCL	UCL40 UCLMC	65.28	44 69 16.11	31.55 16.11	25.65	7.06	 		16.54	0.44	 	
	ndled Copper Loops (per loop) narge without outside dispatch	 	+	UCL	UREWO		44 69	31.55		<u> </u>		 	18.94	8.42		†
OP MODIFICATION	large without outside dispatch	 	+	502	0.12.10		.,, .,	055			 					
T T T		 	1 —	UAL, UHL, UCL.												
1 1		1	1	UEQ, ULS, UEA,	j]				j	ļ		1	l		
Unbundled Loop Modification	, Removal of Load Coils - 2 Wire		1	UEANL, UDL, UDC,	1					1	ì			٠	1	
pair less than or equal to 18		1	1	UDN, UDL, USL	ULM2L		0.00	0.00			ļ		18.94	8.42		
	, Removal of Load Colls - 2 wire	1 .					0.00	0.00					18.94	8.42		
greater than 18k ft	Description of Oalle Addison		+	UCL, ULS, UEQ	ULM2G		0.00	0.00			 	 	10,34	0.42		
less than or equal to 18K ft	Removal of Load Coils - 4 Wire	١,	į	UHL, UCL	ULM4L	j j	0.00	0.00					18.94	8.42	ŀ	1
	Removal of Load Colls - 4 Wire		+	OTIL, OCL	OLIVIAL		0.00	0.00			<u> </u>					
pair greater than 18k ft	Hemoval of Load Colla 44 ville	Li		UCL	ULM4G	1	0.00	0.00					18 94	8.42		
pan grouter than too t		 ` -	+	UAL, UHL, UCL,									1			
		1	1	UEQ, UEF, ULS,					ļ	l .			1			1
]]		[UEA, UEANL, UDL,]]					İ		1			1
	Removal of Bridged Tap Removal,			UDC, UDN, UDL,	l	1			ſ	ſ	i	[18.94	8.42		1
per unbundled loop		4		USL	ULMBT		0.00	0.00		 	+	 	18.94	5.42	 	+
JB-LOOPS		-			<u></u>						 	 	 	 	<u> </u>	
Sub-Loop Distribution	online CLEC Fooder Foothis Co.	├ ──	↓ —	 		 			 		1	† · · · · · ·				1
	cation - CLEC Feeder Facility Set-	١.		UEANL	USBSA	1	421.08	421,08					18.94	8 42	<u></u>	
Up		+-'-	+	ULAINE	00000	 		72.100			1					
Sub-Loop - Per Cross Boy L	cation - Per 25 Pair Panel Set-Up	1 .	1	UEANL	USBSB		67.10	67.10	l	L	L		18.94	8.42		↓
	pment Room - CLEC Feeder	 ' -	+]	1	1
Facility Set-Up		Li	1	UEANL	USBSC	1	394.74	394.74	I	ì	1		18.94	8.42		

			Γ								Svc Order	Svc Order	Incremental	Incremental	incremental	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						, noc	First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel	١.	1			1								ا		1
-+-	Set-Up	!_		UEANL	USBSD		154.57	154.57					18 94	8 42		ļ
	Unbundled Sub-Loops, Riser Cable, 2-Wire per Loop, Working and Spare Loop Activation			UEANL	USBRC	1.37	2.48	2.48	1.74	1.74			18.94	8.42		
	Unbundled Sub-Loops, Riser Cable, 4-Wire per Loop, Working			OLAVE	OODNO	1.07		2.40	1.75	1.74		l	10.04	0.72		
	and Spare Loop Activation			UEANL	USBRD	2.74	4.96	4.96	1.74	1.74			18.94	8.42		
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	Statewide		sw	UEANL	USBN2	9.12	207.01	171.32					18.94	8 42		<u> </u>
	la . a		1						i							
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop		-	UEANL	USBMC		34.22	34 22								
	Statewide		sw	UEANL.	USBN4	8.32	219.35	72.99	123.72	28 77			18 94	8 42		1
	Statewide		SW	OEANL.	030144	0.32	219.00	12.33	125.72	20 77	 		10 34	1 72		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		1	UEANL	USBMC	ļ	34.22	34.22	[1]	1		
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	1	\vdash	UEANL	USBR2	1.37	2.48	41.59	115.85	19.17			18.94	8.42		
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC) -						****									
	Intermediary Access Terminal (IAT)		L.	UEANL	USBAC	1.37	2.48	2.48	1.74	1.74			18.94	8.42		<u> </u>
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		<u> </u>	UEANL	USBMC		34.22	34.22								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC) -		1	UEANL	USBRD	2.74	4 96	4.96	1.74	1,74		İ	18.94	8 42		į
	Intermediary Access Terminal (IAT) Sub-Loop 4-Wire Intrabuliding Network Cable (INC)				USBR4	2.74	176 46	55.11	122 17	19.57			18.94	8.42		
-	Sub-coop 4-wire intrabuliding Network Cable (INC)		├	DEANL	USBN4	2.50	170 40	33.11	122 17	10.07			70.07			
ŀ	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		1	UEANL	USBMC	l i	34.22	34.22						l		
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1		UEF	UCS2X	5 54	175.16	55.50		24.53			18.84	8 42		
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	-		UEF	UCS2X	5.54	175.16	55.50		24.53			18.94	8.42		
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	_	3	UEF	UCS2X	5.54	175 16	55.50	108.86	24.53			18.94	8.42		
·			İ]	04.00	04.00	Į.		1					İ
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		1	UEF	USBMC UCS4X	6 89	34.22 219.35	34.22 72 99	123.72	28 77			18.94	8 42		
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS4X	6 89	219.35	72.99	123.72	28 77			18.94	8.42		
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3			UEF	UCS4X	6.89	219.35	72 99	123.72	28.77			18.94	8 42		T
	THE Copper Charles out Coop distribution 2010 0		1	02.												
- 1	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		1	UEF	USBMC	ll	34.22	34.22					L			ļ
Unbur	ndled Network Terminating Wire (UNTW)		Ĭ													Ļ
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	1 37	2 48	2 48	1 74	1 74	ļ		18.94	8.42		
Netwo	ork Interface Device (NID)		↓		LINIDAO	ļ	86 37	56.69	ļ '		ļ	-	18 94	8.42		
	Network Interface Device (NID) - 1-2 lines		├ ─	UENTW UENTW	UND12 UND16		127.93	98 21	 		ļ		18 94	8.42		
	Network Interface Device (NID) - 1-6 lines Network Interface Device Cross Connect - 2 W	 - 		UENTW	UNDC2	 	6.15	6.15					18 94	8.42		
	Network Interface Device Cross Connect - 2 W	 '		UENTW	UNDC4		6.15	6.15								
SUB-LOOPS	Network interface Device Closs Socialect - 444	 	+	02(111)	0.1.50											
	oop Feeder			· · · · · · · · · · · · · · · · · · ·												<u> </u>
	USL-Feeder, DS0 Set-up per Cross Box location - CLEC	l		UEA,												i .
- 1	Distribution Facility set-up			UDN,UCL,UDL,UDC	USBFW		421.08		<u> </u>				18.94	8.42		ļ
	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair			UEA,					ŀ					8.42		
	set-up		<u> </u>	UDN,UCL,UDL,UDC			67.10	67.10			ļ		18 94 18.94	8.42		
	USL Feeder DS1 Set-up at DSX location, per DS1 termination		ļ	USL	USBFZ		521.57	11.30	ļ				10.94	0.42		
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice	1		UEA	USBFA	8 58	206.44	-170.05			1		18.94	8.42		
	Grade- Statewide Order Coordination for Specified Conversion Time, per LSR	├	SW	UEA	OCOSL	6 38	35.74	170.05			 	 	1	1		
	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Volce	 	-	VEA	JUUJL		00.74	<u> </u>	 		1					Ţ
	Grade - Statewide	1	sw	UEA	USBFB	8.58	206.44	170.05	i		L	<u> </u>	18.94	8.42		1
	Order Coordination for Specified Time Conversion, per LSR		+ ""	UEA	OCOSL	<u> </u>	35.74									
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,	 -													1	1
- 1	Voice Grade Loop - Statewide		sw	UEA	USBFC	8.58	206.44	170.05	<u> </u>		<u> </u>		18 94	8.42	ļ	
	Order Coordination For Specified Conversion Time, per LSR			UEA	OCOSL		35.74		1	l	1	L	I	<u> </u>	↓	+
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice										T				l .	

UNBUNDLE	D NETWORK ELEMENTS - Georgia													ment: 2	Exhil	bit: B
CATEGORY	RATE ELEMENTS	interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'i
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Hec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		35.74									
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Statewide			l	1 1				1		1					
		L	św	UEA	USBFE	19.91	243.41	81.32	134.77	33.93			18.94	8.42		l
	Order Coordination For Specified Conversion Time, Per LSR Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI -		├	UEA	OCOSL		35.74									L
	Statewide		sw	UDN	USBFF	17 73	208 50	62.31	119.68	29 58	1			٠.,		i
	Order Coordination For Specified Conversion Time, Per LSR		5W	UDN	OCOSL	1/ /3	35 74	02.31	119.68	29 58		-	18 94	8.42		
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		sw	UDC	USBFS	17.73	208 50	62.31	119 68	29.58			19 99	19.99	19,99	19.99
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Statewide			USL	USBFG	79 30	203.69	128.76	124.09	34.80	 		19.99	19 99	19.99	
	Order Coordination For Specified Conversion Time, Per LSR		 	USL	OCOSL		35.74	120.70	124.00	04.00			13.33	13 33	13,33	19 99
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop -		T		-		==::, ,		1							_
	Statewide		sw	UCL	USBFH	7.22	195.38	63.15	119 68	29.58		ĺ	18 94	8.42	Ī	1
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		35.74									
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Statewide		SW	UCL	USBFJ	13.72	243.41	81.32	134.77	33 93			18 94	8 42		
	Order Coordination For Specified Conversion Time, per LSR		<u> </u>	UCL	OCOSL		35 74									
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		sw	UDL	USBFN	24.50	243.41	81.32	134.77	33 93		<u> </u>	19.99	19 99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -		l	l	1				ll				1			l
	Statewide		SW	UDL	USBFO_	24.50	243 41	81 32	134 77	33.93			19.99	19.99	19.99	19.99
	Order Coordination For Specified Time Conversion, per LSR Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -		ļ	UDL	OCOSL		35.74									ļ
	Statewide			UDL	USBFP	24.50	243.41	81.32	134.77	33.93		l	19.99	19.99	19.99	19 99
	Order Coordination For Specified Conversion Time, per LSR		SW	UDL	OCOSL	24.50	35.74	81.32	134.77	33.93			19.99	19.99	19.99	19 99
SUB-LOOPS	Cider Coordination For Specified Conversion Time, per LSA		 	IODL	- OCOSL		35.74									
	oop Feeder		 		+									 		
1	Sub Loop Feeder - DS3 - Per Mile Per Month	-	t	UE3	1L5SL	12.80										
	Sub Loop Feeder - DS3 - Facility Termination Per Month		†	UE3	USBF1	329.94	3,380.00	406.50	163.61	92.75			18 94	8.42		-
	Sub Loop Feeder - STS-1 - Per Mile Per Month	,	i	UDLSX	1L5SL	12.80					 					
	Sub Loop Feeder - STS-1 - Facility Termination Per Month	- 1	T -	UDLSX	USBF7	372.78	3,380 00	406.50	163 61	92.75			18.94	8.42		
	Sub Loop Feeder - OC-3 - Per Mile Per Month	-		UDLO3	1L5SL	9 71										
	Sub Loop Feeder - OC-3 - Facility Termination Protection Per											i "	1			
l1	Month	1	<u> </u>	UDLO3	USBF5	57.79					<u> </u>					
	Sub Loop Feeder - OC-3 - Facility Termination Per Month	_;		UDLQ3	USBF2	524.13	3,380.00	406 50	163 61	92.75			18 94	8.42		
	Sub Loop Feeder - OC-12 - Per Mile Per Month	_		UDL12	1L5SL	11.95										
i i	Sub Loop Feeder - OC-12 - Facility Termination Protection Per		ĺ	l		ŀ	1				1	l				l
	Month	!.	ļ	UDL12	USBF6	519 09										
	Sub Loop Feeder - OC-12 - Facility Termination Per Month	<u> </u>	ļ	UDL12	USBF3	1,570.00	3,380 00	406 50	163.61	92 75			18.94	8.42		
	Sub Loop Feeder - OC-48 - Per Mile Per Month			UDL48	1L5SL	39.20										
	Sub Loop Feeder - OC-48 - Facility Termination Protection Per Month	١.	1	UDL48	USBF9	259.99			i i		1					ı
	Sub Loop Feeder - OC-48 - Facility Termination Per Month		 	UDL48	USBF4	1,505.00	3,566.00	406.50	163.61	92 75			18.94	8.42		
 	Sub Loop Feeder - OC-12 Interface On OC-48	- 	 	UDL48	USBF8	323.43	787.13	406.50	163.61	92 75			18 94	8.42		
LINGUINDI ED	LOOP CONCENTRATION		├	ODE46	100010	020.40	707.10	400.50	100.01	02.70			1001	37.15.		
CIVECINDEED	Unbundled Loop Concentration - System A (TR008)		 	ULC	UCT8A	441,42	650.81	650.81		· · · · · · · · · · · · · · · · · · ·			19 99	19.99	19.99	19.99
 	Unbundled Loop Concentration - System B (TR008)		-	ULC	UCT8B	52.97	271,17	271.17					19 99	19 99	19 99	19.99
 	Unbundled Loop Concentration - System A (TR303)		 	ULC	UCT3A	478.93	650.81	650.81					19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - System B (TR303)		†	ULC	UCT3B	89 26	271.17	271.17	· · · · · · · · · · · · · · · · · · ·				19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - DS1 Loop Interface Card			ULC	UCTCO	5.04	126.57	92.14	33.57	9.40			19.99	19.99	19.99	19.99
-	Unbundled Loop Concentration - ISDN Loop Interface (Brite															
	Card)	L	L	UDN	ULCC1	8 00	21.07	20 96	10.78	10.71			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - UDC Loop Interface (Brite										1	1				
	Card)		<u></u>	UDC	ULCCU_	8.00	21.07	20.96	10.78	10 71			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration2 Wire Voice-Loop Start or		I	I					I		1	1	l		ــــــا	1
Ll	Ground Start Loop Interface (POTS Card)		<u> </u>	UEA	ULCC2	2.00	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19 99
	Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery			l	l				l . <u>. </u>		1	İ	40.00	40.00	40.00	40~
ļ	Loop Interface (SPOTS Card)		\vdash	UEA	ULCCR	11 89	21.07	20.96	10.78	10.71		ļ	19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - 4 Wire Voice Loop Interface			l				** **	1, -,	40.74		l	19.99	19 99	19.99	19 99
	(Specials Card)		Ļ	UEA	ULCC4	7.09	21.07	20.96	10.78	10.71	 		19.99	19.99		
1 1	Unbundled Loop Concentration - TEST CIRCUIT Card	L	<u> </u>	ÜLC	UCTTC	34.67	21.07	20.96	10.78	10.71	<u> </u>	L	19.99	19.99	19.99	<u>'ــــــــــــــــــــــــــــــــــــ</u>

Version 2002: 08/07/02

UNBUNDLE	D NETWORK ELEMENTS - Georgia										,			ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
			1	<u> </u>		Rec	Nonrec		Nonrecurring		CONTO	COMAN		Rates(\$)	COMAN	COMAN
	Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop		-				First	Add'l	First	Add'I	SUMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interface			UDL	ULCC7	10 51	21.07	20.96	10.78	10.71]		19 99	19.99	19.99	19.99
	Unbundled Loop Concentration - Digital 56 Kbps Data Loop Interface			UDL	ULCC5	10 51	21.07	20.96	10.78	10.71			19.99	19 99	19.99	19.99
	Unbundled Loop Concentration - Digital 64 Kbps Data Loop															
LINE OTHER E	Interface PROVISIONING ONLY - NO RATE		-	UDL	ULCC6	10,51	21.07	20.96	10.78	10.71			19.99	19.99	19 99	19 99
JALE OTTILET,	NID - Dispatch and Service Order for NID installation		 	UENTW	UNDBX	0.00	0 00				 			 		
	UNTW Circuit Id Establishment, Provisioning Only - No Rate		+	UENTW	UENCE	0.00	0.00				· · · · · · · · · · · · · · · · · · ·			<u> </u>		-
			1	UEANL,UEF,UEQ,U												
	Unbundled Contract Name, Provisioning Only - No Rate		<u> </u>	ENTW	UNECN	0.00	0 00									
UNE OTHER, P	PROVISIONING ONLY - NO RATE		↓								I					<u> </u>
		i		LIAL LIGIT LIBO LIBI												
	Unbundled Contact Name, Provisioning Only - no rate		1	UAL,UCL,UDC,UDL, UDN,UEA,UHL,ULC	UNECN	0.00	0.00								1	
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no	-	 	ODIN, OEA, OHL, OLO	DINECIN	0.00	0.00	· · · · · · · · · · · · · · · · · · ·						 	 	
	rate		1	UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no		1											1		
	rate				USBFR	0.00	0.00							L		
	Unbundled DS1 Loop - Superframe Format Option - no rate		I	USL	CCOSF	0.00	0.00								<u> </u>	
	Unbundled DS1 Loop - Expanded Superframe Format option -		i									ļ	i			l
1404 04040	no rate		 	USL	CCOEF	0 00	0.00	· · · · · · · · · · · · · · · · · · ·					 -	ļ		
HIGH CAPACI	TY UNBUNDLED LOCAL LOOP	⊢	+		ļ								 	-	-	
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1L5ND	8.90										ļ
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	390.34	639.50	426.40			<u></u>		37.55	37.55	18.03	18.03
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month		<u> </u>	UDLSX	1L5ND	8.90					ļ					
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	UDLS1	421.59	639.50	426.40		_			37.55	37.55	18.03	18.03
LOOP MAKE-L	JP	L	1								<u> </u>					
	Loop Makeup - Preordering Without Reservation, per working or spare facility quened (Manual).			имк	UMKLW		35.00	35 00								
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual)	<u> </u>		UMK	UMKLP		45.00	45.00		<u> </u>						ļ
	Loop MakeupWith or Without Reservation, per working or	1	1		PSUMK		0 075	0 075							1	
	spare facility queried (Mechanized)	├	+	UMK	PSUMK		00/5	00/5			 		 	 		
	NCY SPECTRUM	 	╂					· · · · · - · · · ·				·		 		1
	TERS-CENTRAL OFFICE BASED	┼	+	 					-							
0.2.	Line Sharing Splitter, per System 96 Line Capacity	_	-	ULS	ULSDA	131.00	0.00	0 00	0.00	0.00			18 94	8.42	L	
	Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	32.00	0.00	0.00	0.00	0.00			18 94	8.42		ļ
	Line Sharing Splitter, Per System, 8 Line Capacity	T		ULS	ULSD8	11.00	0.00	0.00	0.00	0.00	<u> </u>		18 94	8.42		
	Line Shanng-DLEC Owned Splitter in CO-CFA activation-			ULS	ULSDG		0.00	0.00	0.00	0 00			18.94	8.42		ļ
END U	SER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENC	Y SPEC	TRUM	AKA LINE SHARING			 			0.00	├	<u> </u>	18.94	8.42	 	+
	Line Sharing - per Line Activation (BST Owned Spillter)	L	1	ULS	ULSDC	0.61	10.51	7.70	0.00	0 00	 		18.94	6.42		+
	Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter			ULS	ULSDS		36.23	- 13.23					18.94	8 42		
	Line Shanng - per Subsequent Activity per Line Rearrangement(DLEC Owned Splitter			ULS	ULSCS		36.23	13.23					18 94	8.42		
	Line Sharing - per Line Activation (DLEC owned Splitter)			ULS	ULSCC	0.61	47.44	19.31	0.00	0.00	├	 	18 94	8.42		+
	PLITTING				L			ļ	ļ			 		 		+
END U	SER ORDERING-CENTRAL OFFICE BASED	<u> </u>	\perp			ļ	<u> </u>			<u> </u>		 	 	1	 	+
	Line Splitting - per line activation DLEC owned splitter		╄-	UEPSR UEPSB	UREOS	0.61	50.00	34.48	16.45	12.75	 	 -	18 94	8 42	19.99	19.99
	Line Splitting - per line activation BST owned - physical	1 (1	UEPSR UEPSB	UREBP	0.61	53.48						18.94			
`	Line Splitting - per line activation BST owned - virtual		_	UEPSR UEPSB	UREBY	0.61	53.48	34.48	16.45	12.75	ı	1	10.54	0.42	10.55	

UNBUNDLE	D NETWORK ELEMENTS - Georgia													ment; 2		oit: B
CATEGORY	RATE ELEMENTS	interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'i
						Rec	Nonrec			Disconnect		0011411		Rates(\$)		
- 650	TOO DEMOTE OUT	<u> </u>	 				First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SPLII	TERS-REMOTE SITE	-	╀	100		32.00		0.00			ļ. ——					ļ. ——
	Remote Site Line Share BellSouth Owned Splitter, 24 Port Remote Site Line Share Cable Pair Activation CLEC Owned at			ULS	ULSAB	32.00	0.00	0.00	0 00	0.00			<u> </u>			
	RS and Deactivation	١.	1	ULS	ULSTG	1	74.38	0.00	46.77	0 00			18.94		19,99	1
ENDII	SER ORDERING-REMOTE SITE HIGH FREQUENCY SPECTRU	U AKA	REMOT				74.30	0.00	40.77	0.00			10.54		19.99	
	Remote Site Line Share Line Activation or End User Served at	II AIGA	T	- STYLE LINE OF BATTE	i											
1	RS, BST Splitter	١,	i	luLS	ULSRC	0 61	10.51	7.70	0.00	0.00	!		18 94	8.42	19 99	19 99
	RS Line Share Line Activation for End User served at RS, CLEC	_	\vdash													
	Splitter	1	1	ULS	ULSTC	0.61	10.51	7.70	0 00	0.00	<u> </u>		18.94	8 42	19.99	19 99
	Remote Site Line Share Subsequent Activity-RS BST Owned															
	Splitter			ULS	ULSRS		2.00	3.00					18 94	8.42	19.99	19 99
	Remote Site Line Share Subsequent Activity-RS CLEC Owned	[1													
	Splitter		 	ULS	ULSTS	1.00	2 00	3.00	400	5.00	<u> </u>		18.94	8.42	19 99	19 99
	DEDICATED TRANSPORT		1	L	L						 		ļ		 	
	INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimu	m billin	g peric	d - below DS3=one	month, DS3/	STS-1=four mo	nths									<u> </u>
INTER	OFFICE CHANNEL - DEDICATED TRANSPORT															
1	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -	l				0.0000							ŀ		ì	ļ
	Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -	ļ	ļ	U1TVX	1L5XX	0.0222									ļ	
	Facility Termination	1		U1TVX	U1TV2	17.07	79.61	36.08			į į	1	18.94	18 94	1	ł
	Interoffice Channel - Dedicated Transport- 2-Wire Voice Grade	├──	-	OTIVA	01172	17.07	/9.01	30.08					10.94	10 94		
ļ	Rev Bat - Per Mile per month		ı	U1TVX	1L5XX	0.0222					1				l	
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat	 	-	U11VX	ILDAA	0.0222									 	
-	Facility Termination	l	1	U1TVX	U1TR2	17.07	79 61	36.08					18.94	18.94	l	
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile		1-	01177	OTTILE	17.07	75 01	- 00.00								
ſ	per month	ł	1 1	U1TDX	1L5XX	0.0222					}				1	
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility		 	91.57.	1,555											
	Termination	1	ì	U1TDX	U1TD5	16.45	79.61	36.08					18 94	18.94		
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile		1													
	per month	l		U1TDX	1L5XX	0.0222					Ĺ					L
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility		\vdash													
1	Termination			U1TDX	U1TD6	16 45	79 61	36.08					18.94	18 94		
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per														}	Į.
	month	L	<u> </u>	U1TD1	1L5XX	0.4523										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility													40.04	l .	
	Termination		—	U1TD1	U1TF1	78.47	147.07	111.75			 		18.94	18.94		
1	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per		1												l	1
	month			U1TD3	1L5XX	2.72							 	 	 	
í	Interoffice Channel - Dedicated Transport - DS3 - Facility	ł	1	LIATEO		700.00	544 40	330.77			1	1	37.55	37 55	18.03	18.03
	Termination per month	 -		U1TD3	U1TF3	788.00	511.10	330.77			 		37.35	3, 35	10.03	10.03
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per	1	1	111704	1L5XX	2.72]		1		i	l	1	ļ
	month Interoffice Channel - Dedicated Transport - STS-1 - Facility		 	U1TS1	III.	2.72					 					
	Termination	!		U1TS1	U1TFS	783.63	511.10	449 91			1	1	61.19	61.19	3.17	3.17
	L CHANNEL - DEDICATED TRANSPORT			01181	UTIFS	700.00	311.10	440 01								
MOTE	LOCAL CHANNEL DEDICATED TRANSPORT - minimum billin	0.0000	d - bale	DS3-one month	D\$2/\$T\$_1_	our months										
WOIL.	Local Channel - Dedicated - 2-Wire Voice Grade	g perio	1	ULDVX	ULDV2	13 91	382.95	62,40					18.94	8 42		
	Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat		_	ULDVX	ULDR2	13 91	382.95	62.40					18 94	18.94		
	Local Channel - Dedicated - 4-Wire Voice Grade		-	UNDVX	ULDV4	14.99	368.44	64.05					18 94	8.42		
	Local Channel - Dedicated - DS1		_	ULDD1	ULDF1	38.36	356.15	312.89					44.22	44.22	18 03	18.03
	Local Channel - Dedicated - DS3 - Per Mile per month			ULDD3	1L5NC	6.92										
	Local Channel - Dedicated - DS3 - Facility Termination			ULDD3	ULDF3	515.91	639.50	426 31					37.55	37.55	18.03	18.03
	Local Channel - Dedicated - STS-1- Per Mile per month			ULDS1	1L5NC	6.92						ļ		ļ	L	<u> </u>
	Local Channel - Dedicated - STS-1 - Facility Termination			ULDS1	ULDFS	517.56	639.50	426 31					18 94	18.94		<u> </u>
DARK FIBER																
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction												l		1	
	Thereof per month - Local Channel	L		UDF	1L5DC	44 22		070				l	18.94	18.94		
	NRC Dark Fiber - Local Channel		l	UDF	UDFC4		1,355.29	273.69					10.94	10.94	L	

UNBUNDLE	D NETWORK ELEMENTS - Georgia													ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Submitted Elec	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svo Order vs. Electronic- Disc 1st	Charge -
	1		1		 		Nonrec	urring	Nonrecurring	Disconnect				Rates(\$)		
						Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SÖMAN	SOMAN
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction				1						1	1			ł	į.
i I	Thereof per month - Interoffice Channel			UDF	1L5DF	44.22				L		l		<u> </u>		
	NRC Dark Fiber - Interoffice Channel			UDF	UDF14		1,355.29	273 69				<u> </u>	18 94	18.94		L
1	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction									ļ	1		J			1
!	Thereof per month - Local Loop			UDF	1L5DL	44.22								10.04	 	
	NRC Dark Fiber - Local Loop		—	UDF	UDFL4_		1,355.29	273.69				L	18.94	18.94	<u> </u>	
8XX ACCESS	TEN DIGIT SCREENING		 	A115		0.000,4000				 	+		 			 -
<u> </u>	BXX Access Ten Digit Screening, Per Call			ÓHD	 	0 0004868				 	+	 	 	 	 	
1 1	8XX Access Ten Digit Screening, Reservation Charge Per 8XX	ļ		OHD	N8R1X	1	6.57	0.76					18 94	18.94	1	
	Number Reserved		ļ	OHD	INDHIA		0.57	0.76			+	 	10 54	10.01		
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations	l	1	OHD	1	i i	12.81	1 45	l	1	1		18.94	18.94	1	
	8XX Access Ten Digit Screening, Per 8XX No. Established With	 		ערט	+		12.01	1 70					1	13.5		···
	POTS Translations	l	1	OHD	N8FTX		12.81	1.45			1	}	18.94	18 94	l	
	8XX Access Ten Digit Screening, Customized Area of Service	 	-	OHD	1401 17		12.01	1.40			 		1 - 3 - 3			
1 1	Per 8XX Number			OHD	N8FCX	i i	4.46	2 23				1	18,94	18 94		
	8XX Access Ten Digit Screening, Multiple InterLATA CXR	 	 	0115	THE CAL								1			
	Routing Per CXR Requested Per 8XX No.	ŀ		OHD	N8FMX		5.22	2.99		İ	1	1	18.94	18 94	l	
	8XX Access Ten Digit Screening, Change Charge Per Request		\vdash	OHD	N8FAX		7.33	0.76					18.94	18.94		
	8XX Access Ten Digit Screening, Call Handling and Destination	-							· · · · · · · · · · · · · · · · · · ·							
1 1	Features	i		OHD	N8FDX	!	4.72	4.46				L	18 94	18.94		<u> </u>
LINE INFORM	IATION DATA BASE ACCESS (LIDB)												L			
1	LIDB Common Transport Per Query			OQT		0.0000338							ļ	ļ		ļ
	LIDB Validation Per Query			oqu		0.0105974						<u> </u>		L		
	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRPBX		50.30						18.94	18.94	ļ	
SIGNALING (ļ	ļ	 	<u> </u>	
	CCS7 Signaling Termination, Per STP Port			UD8	PT8SX_	133 99					ļ		├ ──	 		
	CCS7 Signaling Usage, Per TCAP Message			UDB		0.000087					 	 	18.94	18.94		
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	17 05	131.96	131.96		<u> </u>	 		18.94	10.54		
	CCS7 Signaling Connection, Per link (B link) (also known as D	l	1	İ	l	ا ــ ــ ا	404.00	404.00	1	1	1	1	18.94	18.94	1	
	link)			UDB	TPP++	17.05	131.96	131.96		 	+	 	10.34	10.01	 	
	CCS7 Signaling Usage, Per ISUP Message		↓	UDB		0.0000354						 	 			
	CCS7 Signaling Usage Surrogate, per link per LATA		 	UDB	STU56	340.67						 				
	CCS7 Signaling Point Code, per Originating Point Code	ļ	1	l		l	40.00	40 00			1		18 94	18.94	1	i .
	Establishment or Change, per STP affected	↓	↓	UDB	CCAPO	1	40.00	40 00		 	+		1 1001	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		1
1	CCS7 Signaling Point Code, per Destination Point Code	l	1	LIDD	CCAPD		8 00	8.00	ĺ	1	ı	1	18 94	18.94	1	
	Establishment or Change, Per Stp Affected	├ ─		UDB	CCAPD		000	0.00			 		1			
CALLING NA	ME (CNAM) SERVICE	├	+	ogv	+	0.01					<u> </u>					
	CNAM for DB Owners, Per Query	├		logv	 	0.01						1				
	CNAM for Non DB Owners, Per Query	 	+	000		V.0.										
1	CNAM (Non-Databs Owner), NRC, applies when using the Character Based User Interface (CHUI)	l		logv	CDDCH		595.00	595.00		1			18.94	18.94	<u> </u>	
ODERATOR	CALL PROCESSING	 	+	-	1000011											
OPERATOR C	Oper. Call Processing - Oper. Provided, Per Min - Using BST	1	+											1		ļ
1	LIDB	1	1	i	1	1.20										
	Oper, Call Processing - Oper, Provided, Per Min Using		+-										-	Į.		
]]	Foreign LIDB	1	1		1	1.24		i		<u> </u>			<u> </u>	.l	ļ <u> </u>	
 	Oper. Call Processing - Fully Automated, per Call - Using BST	1	\leftarrow						T -		ł	i	ł	1	ł	ł
1 1	LIDB		1	1		0.20			<u></u>			<u> </u>			 	
	Oper Call Processing - Fully Automated, per Call - Using	-	1					-		i .	ì	1	1	1	İ	
1 1	Foreign LIDB		1			0.20			<u> </u>				_	 	ļ	
INWARD OPE	ERATOR SERVICES		-						L			_	 	 	 	+
	Inward Operator Svcs - Verification, Per Minute	T	1			1.15			L	 _	+	+	 	 	 	+
	Inward Operator Services - Verification and Emergency Interrupt		T					1		1		1	1	1		1
1 1	- Per Minute	1	L			1.15	L	<u> </u>		 	+	 	+	+	 	+
BRANDING -	OPERATOR CALL PROCESSING					L	L. — —	ļ	<u> </u>	 	+	 	+	+	 	+
	ity based CLEC	Ι				<u> </u>	<u> </u>			 		+	19.99	19.99	19.99	19.9
	Recording of Custom Branded OA Announcement				CBAOS	J	7,000.00	7,000.00	<u> </u>	ــــــــــــــــــــــــــــــــــــــ			15.55	10.00		

NOUND E	NETWORK ELEMENTS - Coordia						·						Attachi	nent: 2	Exhi	bit: B
NBUNDLEI	D NETWORK ELEMENTS - Georgia	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
			_				Nonrec	urring	Nonrecurring	Disconnect		ļ. <u></u> .	OSS	Rates(\$)	L	I
			┿			Rec -	First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
<u> </u>	Loading of Custom Branded OA Announcement per shelf/NAV per OCN				CBAOL		500.00	500.00					19.99	19.99		
UNEP			1									L				
	Recording of Custom Branded OA Announcement		\top				7,000.00	7,000.00					19.99	19.99	19 99	19.9
	Loading of Custom Branded OA Announcement per shelf/NAV		 				-									
1	per OCN		1				500.00	500.00			ļ	ļ	19.99	19.99		
Unbras	nding via OLNS for UNEP CLEC		1									ļ		12.55	ļ	
	Loading of OA per OCN (Regional)		Г				1,200.00	1,200.00			 	<u> </u>	19.99	19.99		
RECTORY A	SSISTANCE SERVICES		T								4	ļ	ļ		 	
DIREC	TORY ASSISTANCE ACCESS SERVICE		T									ļ	 			
	Directory Assistance Access Service Calls, Charge Per Call		1			0.275						ļ			 	
DIREC	TORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (I	DACC)									ļ			ļ ———	 	
	Directory Assistance Call Completion Access Service (DACC), Per Call Attempt					0.10]			ļ		<u> </u>		
DECTODY A	SSISTANCE SERVICES		+													
PIDEC	TORY ASSISTANCE DATA BASE SERVICE (DADS)	-				1							<u> </u>			
DIREC	Directory Assistance Data Base Service Charge Per Listing	 	+			0 04										
	Directory Assistance Data Base Service, per month		+		DBSOF	150.00										
DANIDING F	DIRECTORY ASSISTANCE					1									ļ	<u> </u>
	y Based CLEC	-	+			 										
Facilit	Recording and Provisioning of DA Custom Branded		+-			 									1	
	Announcement			AMT	CBADA		6,000 00	6,000.00			 		18.94	8.42		
	Loading of Custom Branded Announcement per DRAM Card/Switch			AMT	CBADC		1,170.00	1,170.00			<u> </u>		18.94	8.42	!	.
UNEP		T							Ļ		 	 	18 94	8.42	-	
- 1	Recording of DA Custom Branded Announcement		\top				3,000.00	3,000.00	<u> </u>		∔		10 94	5.42		+-
	Loading of DA Custom Branded Announcement per DRAM Card/Switch per OCN						1,170.00	- 1,170.00					18 94	8.42	<u>:</u>	
Habaa	nding via OLNS for UNEP CLEC	1	+									ļ. —				
Unbra	Loading of DA per OCN (1 OCN per Order)	+					420.00	420.00	l			 	18.94			
	Loading of DA per Switch per OCN	 		<u> </u>			16.00	16.00	1	L			18.94	8.42	'	
ELECTIVE R		 							<u> </u>				 	 		
ELECTIVE H	Selective Routing Per Unique Line Class Code Per Request Per				USRCR		180 62	180.62					33 67	7.88	3	
	Switch	+	+		00.10.1	 						<u> </u>				
IRTUAL COL		+	+	AMTES	EAF	1	2,848.30	2,848.30					19.99			+
-	Virtual Collocation - Application Cost	+	+	AMITES	ESPCX	 	2,750.00	2,750.00					19 99	19.99	}	
	Virtual Collocation - Cable Installation Cost, per cable	+	+-	AMTES	ESPVX	3.20										
_	Virtual Collocation - Floor Space, per sq. ft.	+-		AMTES	ESPAX	3.48							 	 	-	+-
	Virtual Collocation - Power, per fused amp	+-		AWITTO	20176	-						1				l l
1	Virtual Collocation - Cable Support Structure, per entrance	1	1	AMTES	ESPSX	13.35		l	<u> </u>				 	+	 	+
	cable	<u> </u>		UEANL, UEA, UDN, U												
				EQ, AMTFS, UDL, UNCVX, UNCDX,			24.56	23 56	9.20	8,3			19.99	19.9	9 19.99	9 1
ı	Virtual Collocation - 2-wire Cross Connects (loop)	ــــــــــــــــــــــــــــــــــــــ		UNCNX	UEAC2	0.0283	∠4.50	23 30	3.20	1		$\overline{}$				
		_	- 1						1		1	1	1	1		1
				UEA,UHL,UCL,UDL, AMTFS, UAL, UDN,							ا		19.99	19 9	9 19.9	9 1
	Virtual Collocation - 4-wire Cross Connects (loop)	1	1	UNCVX, UNCDX	UEAC4	0.0566	24.75	23.70	9 03	8.1	<u> </u>	4	19.93	199	13.5.	+
$-\!\!+\!\!-$	Virtual Collocation - 4-wire Cross Connects (100p)	+	 	AMTFS,UDL12,					1	i			1	ł		ì
l l			-	UDLO3, U1T48,				Į.	1	1	-		1	ı	1	
ı			1	U1T12, U1T03,				l	i	1		1	1	1	ĺ	
			- 1	ULDO3, ULD12,				i			_		2,2	2.2	اه	
	ı	1		ULD48, UDF	CNC2F	2.88	41.72	30.36	10 43	1 8.3	e 1		1 2.2	,, 2.2	· 1	

UNBU	NDLE	D NETWORK ELEMENTS - Georgia													nent: 2		bit: B
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates(\$)		
			ļ	-	AMTFS,UDL12,			First	Add'i	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
					UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12,												
		Virtual Collocation - 4-Fiber Cross Connects		┞	ULD48, UDF	CNC4F	5.76	51.03	39 67	13,71	11.65	ļ <u>.</u>		2.20	2.20		
		Virtual collocation - DS1 Cross Connects			USL,ULC,AMTFS, ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1	CNC1X_	7.50	155.00	14.00					19 99	19.99		
		Virtual collocation - DS3 Cross Connects			USL,ULC,AMTFS,U E3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CND3X	56.25	151 90	11.83					19 99	19.99		
		Virtual Collocation - Co-Carner Cross Connects - Fiber Cable Support Structure, per linear foot			AMTES	VE1CB	0.0023										
		Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax															
		Cable Support Structure, per linear ft		ļ	AMTFS	VE1CD	0.0034										
		Virtual Collocation - Co-Carner Cross Connects - Fiber Cable Support Structure,per cable			AMTFS	VE1CC_		553.43						19.99			· .
. 1		Virtual Collocation - Co-Carner Cross Connects - Copper/Coax	i	l	IAMTES	VE1CE		553.43						19 99			
 		Cable Support Structure, per cable Virtual Collocation Cable Records - per request			AMTES	VE1BA		1,706.00	1,706.00					10 00			
		Virtual Collocation Cable Records - VG/DS0 Cable, per cable record			AMTFS	VE1BB		922.38	922.38								
		Virtual Collocation Cable Records - VG/DS0 Cable, per each			AMTES	VE1BC		18.00	18.00								
		Virtual Collocation Cable Records - DS1, per T1TIE		├─	AMTES	VE1BD		8.43	8.43								
		Virtual Collocation Cable Records - DS3, per T3TIE		_	AMTES	VE1BE		29.49	29.49								
		Virtual Collocation Cable Records - Fiber Cable, per 99 fiber															
		records		<u> </u>	AMTFS	VE1BF_		278 61	278 61				ļ	10.00	10.00		<u> </u>
		Virtual collocation - Security Escort - Basic, per half hour			AMTES	SPTBX		41 00	25.00				ļ	19.99 19.99	19 99 19 99	 	
		Virtual collocation - Security Escort - Overtime, per half hour		↓	AMTES	SPTOX		48.00	30.00					19 99	19.99		
\vdash		Virtual collocation - Security Escort - Premium, per half hour			AMTFS AMTFS	SPTPX		55.00 30 64	35.00 30 64					19.99	19.99		
		Virtual collocation - Maintenance in CO - Basic, per half hour		-										19.99	19.99		
\vdash		Virtual collocation - Maintenance in CO - Overtime, per half hour		+	AMTES	SPTOM]	35,77	35.77								
لــــا		Virtual collocation - Maintenance in CO - Premium per half hour		<u> </u>	AMTFS	SPTPM		40.90	40 90					19.99	19.99		
VIRTUA	IL COL	LOCATION							L			 		 			
		Virtual Collocation - 2-wire Cross Connect, Exchange Port 2- Wire Analog - Res		_	UEPSR	VE1R2	0.30	12.60	12.60					18.94	8.42		ļ
		Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0.30	12.60	12.60					18.94	8.42		
		Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0.30	12.60	12 60					18.94	8.42		ļ
		Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus			UEPSB	VE1R2	0.30	12.60	12.60					18.94	8.42		
		Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN			UEPSX	VE1R2	0.30	12.60	12.60					18.94	8.42		ļ
		Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPTX	VE1R2	0.30	12.60	12.60					18 94	8 42		
		Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1			UEPEX	VE1R4	0.50	12.60	12.60			ļ		18.94	8.42		
VIRTUA	L COL	LOCATION		Ĺ								 			 	 	
		Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR, UEPSB	VE1LS	0.03	24.56	23.56	9.20	8.30			19.99	19.99	L	

UNBUN	IDLE	D NETWORK ELEMENTS - Georgia												Attachr	ment: 2	Exhit	bit: B
CATEGO		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
								Nonrec	urring	Nonrecurrin	g Disconnect	 	L	OSS	Rates(\$)	l	
				 		<u> </u>	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSIC/	AL CO	LLOCATION		\vdash								1					
I		Physical Collocation-2 Wire Cross Connects (Loop) for Line		t								1					
1		Spiriting			UEPSR, UEPSB	PE1LS	0 0318	11.94	11.46		1	1		19.99	19.99	Ì	1
AIN SEL	ÉCTIV	E CARRIER ROUTING		1								 					1
		Regional Service Establishment		-	SRC	SRCEC		391,788 00				1	<u> </u>	19.99	19.99	19 99	19.99
		End Office Establishment		 	SRC	SRCEO		320.53	320.53					19.99	19.99	19.99	19.99
		Line/Port NRC, per end user		t	SRC	SRCLP		2 06	2.06					19.99	19.99	19.99	19.99
_		Query NRC, per query		 	SRC		0.000448										
AIN . RE	LISO	UTH AIN SMS ACCESS SERVICE			5.10		0.00001.0				 	1					
7111 - 52		IAIN SMS Access Service - Service Establishment, Per State,		 		+									1		
		Initial Setup	1		A1N	CAMSE		90.25	90 25		1	1		18.94	18.94		Į.
		Initial Setup	_	+	A.1.	O/ WHOL		- 00.20			ļ	1					
		AIN SMS Access Service - Port Connection - Dial/Shared Access	1	1	A1N	CAMDP		29 66	29.66		1	1		18 94	18.94		
		AIN SMS Access Service - Port Connection - ISDN Access	 		A1N	CAM1P		29.66	29 66		1	 	-	18 94	18.94		
-		AIN SMS Access Service - User Identification Codes - Per User	-	-	7111	Orann.											
		ID Code		1	A1N	CAMAU	1	84.43	84 43					18 94	18.94		
		AIN SMS Access Service - Security Card. Per User ID Code.			AIN	CANAC		01.10	01 40					1			
		Initial or Replacement		1	A1N	CAMRC		35.44	35.44					18.94	18.94		
		AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)		 	12.114	O AVII IO	0 0023				 	1					
-		AIN SMS Access Service - Storage, Per Unit (100 Kilobytes) AIN SMS Access Service - Session, Per Minute	-	₩			0.0795604										
		AIN SMS Access Service - Session, Per Minute AIN SMS Access Service - Company Performed Session, Per		┿			0.0733004			 	1	 					1
1		Minute	ł				2 08									l	1
4111 55		UTH AIN TOOLKIT SERVICE	 -	├				-									
AIN - BE	LLSU	AIN Toolkit Service - Service Establishment Charge, Per State,	 	┼		+						 	· -				
				1	САМ	BAPSC		86.74	86 74	İ		1		18.94	18.94		
		Initial Setup		-	CAM	BAPVX		8,348.00	8.348 00		 	 		18 94	18.94		
		AIN Toolkit Service - Training Session, Per Customer	-	├		DAPVA		0,340.00	8,340 00		+				,,,,,		
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	1	1		BAPTT	ł	19.13	- 1913		1	1	ļ	18.94	18.94		
		DN, Term Attempt	ļ	 	ļ	DAPII		13.10	13 13		 	+	-	1			1
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		1		DARTE		114.80	114.80	1		1	ł	18.94	18.94		
		DN, Off-Hook Delay	<u> </u>	 	ļ	BAPTD		114.00	114.00			+	-	10.0	70.0	 	
1		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	1	1		CARTIA	1	19.13	19.13	i		1	ł	18.94	18.94	ļ.	
		DN, Off-Hook Immediate		ļ	ļ	BAPTM		19.13	19.13			+	 	10.0 1	75.5		
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per					1	70.06	70.06	[18.94	18.94		ŀ
		DN, 10-Digit PODP				BAPTO		70.00	70.00	 		 		10.01		·	+
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		1	i			70.00	70.06		;	1	1	18.94	18.94]	
<u> </u>		DN, CDP		ļ		BAPTC		70.06	70.06			+	 	10.04	10.01		
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	l	l.					70.00		Į.		1	18.94	18,94		
		DN, Feature Code		ــــــــــــــــــــــــــــــــــــــ		BAPTF		70.06	70.06		 	+		10.04	10.54	 	
		AIN Toolkit Service - Query Charge, Per Query	<u> </u>	↓			0.0209223				 				 		+
		AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit		1			l	į į			1			ł	l .]	
		Subscription, Per Node, Per Query	1				0.0053137					+		 		 	+
		AIN Toolkit Service - SCP Storage Charge, Per SMS Access				1				i				l .	1		
		Account, Per 100 Kilobytes	l	<u>[</u>	l		1.46						-	 	 		+
		AIN Toolkit Service - Monthly report - Per AIN Toolkit Service	Γ							1				18.94	18.94		İ
l I		Subscription	l		CAM	BAPMS	15.96	22.64	22,64		ļ	 -		18.94	10.94		+
		AIN Toolkit Service - Special Study - Per AIN Toolkit Service			1									4004	1004		
i		Subscription	1		CAM	BAPLS	0.0861109	22.64	22.64		 		 	18 94	18.94	 	+
\vdash		AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service	1	1							i		1		18.94	!	1
J 1		Subscription	1	1_	CAM	BAPOS	15.87	22 64	22.64		.	 	 	18.94	18.94	 	+
		AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit								1	1	1		4000	18.94		1
		Service Subscription	1		CAM	BAPES	0.0028704	22 64	22 64	ļ	 		 	18.94	18.94	 	+
ENHANC	CED F	VIENDED LINE (EEL a)	1	T								1	 			 	+
	MOTE	New Density Zone 1 FELs are available in the following MSA:	s: Orlar	do, FL	; Miami, FL; Ft. Lau	derdale, FL;	Atlanta, GA; Ne	w Orleans, LA:				_			 	 	+
										<u> </u>				100	1	l and are	
							erted to UNE n	tes. A Switch	As is Charge a	pplies to curr	ently combine	d facilities c	onverted to	UNES.(Non-r	ecurring rates	oo not apply	4
	NOTE	In all states the EEL network elements apply to ordinarily cor	mbined	netwo	rk elements.(No Sw	itch As Is Cha	rge.) When or	dering ordinar	ily combined r	network eleme	nts, nonrecum	ing rates do	apply.	1	 -	 	+
 ;	2-WID	E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EROF	ICE T	RANSPORT (EEL)		T									_	+
┷	F-441K	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport	T	T											_	1	1
, ,		Combination - Zone 1	1	1 .	UNCVX	UEAL2	16.84	104.14	78.10	1	1	1	1	18.94	8.42	1	

UNBUNDLE	D NETWORK ELEMENTS - Georgia													ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
		ļ	├		ļ <u></u>	Rec	Nonrec First	urring Add'i	Nonrecurrin First	g Disconnect	SOMEC	SOMAN		Rates(\$)	SOMAN	SOMAN
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed		 				Filat	Augi	FIIBL	Addi	SOMEO	SUMMIN	JOMAN	SUMAN	JOHAN	SOMAN
	Transport Combination - Zone 2		2	UNCVX	UEAL2	19 45	104.14	78.10		!	ļ		18.94	8.42		
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed															
	Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per MHe		3_	UNCVX	UEAL2	30 92	104.14	78 10		 	· · · · · · · · · · · · · · · · · · ·		18.94	8 42		
	per month			UNC1X	1L5XX	0 4523				l .	į.					
	Interoffice Transport - Dedicated - DS1 combination - Facility	_		5.1577		0.1920				· · · · · · · · · · · · · · · · · · ·	<u> </u>					
	Termination per month			UNC1X	U1TF1	78 47	194 63	141.51					33 63	27.49	19.88	11.85
	DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month	L	ļ.—	UNC1X UNCVX	MQ1 1D1VG	126,22 1 17	12.02	8.66		ļ	<u> </u>		18 94	8.42		
-	Each Additional 2-Wire VG Loop(SL 2) in the same DS1		├	DINCVA	IDIVG	117	12.02	8.00		 	 		10 94	0.42		
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	16 84	104 14	78.10		L			18 94	8.42		
	Each Additional 2-Wire VG Loop(SL2) in the same DS1															
	Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1		2	UNCVX	UEAL2	19 45	104.14	78 10		 			18 94	8.42	 	
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	30.92	104.14	78.10					18.94	8.42		
	Voice Grade COCI - DS1 to DS0 Channel System combination -		Ť													
	per month		ļ.,	UNCVX	1D1VG	1,17	12.02	8 66		ļ			18.94	8 42	ļ. ———	ļ
	Nonrecurring Currently Combined Network Elements Switch -As-		1	UNC1X	UNCCC	ĺ	40.07	11.27		Ì	ľ		45 46	15.72	i	į.
4.900	IS Charge E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	FDOSE	ICE TO		UNCCC		12.97	11,27		 			45 40	13.72		
4-11/10	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice	LIIOIT	1	I	<u> </u>											
]	Transport Combination - Zone 1		1	UNCVX	UEAL4	22,26	206.95	170.57					18.94	8.42		
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice								-						i	
	Transport Combination - Zone 2		2	UNCVX	UEAL4	25.70	206.95	170.57		 	 		18.94	8.42		
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	40.86	206.95	170 57					18.94	8.42		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		 	O.O.V.	52/21								1			
	Per Month		<u> </u>	UNC1X	1L5XX	0.4523				ļ	<u> </u>		ļ <u></u>	ļ	<u></u>	
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per					70.47	40.4.00	141 51		1	1		33.63	27.49	19.88	11.85
	Month Channelization - Channel System DS1 to DS0 combination Per	-	├ —	UNC1X	U1TF1	78.47	194.63	141 51		 	ļ			27.40	18.00	11.00
	Month	ļ]	UNC1X	MQ1	126.22				J						
	Voice Grade COCI - DS1 to DS0 Channel System combination -															
	per month		<u> </u>	UNCVX	1D1VG	1.17	12.02	8.66		ļ	ļ				ļ	 -
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	22 26	206.95	170.57		1	1		18 94	8.42	1	
	Additional 4-Wire Analog Voice Grade Loop in same DS1		 '	DINGVA	UEAL4	- 22.20	200.33	170.57			 					
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	25.70	206.95	170 57			<u> </u>		18 94	8 42		
	Additional 4-Wire Analog Voice Grade Loop in same DS1									1			18 94	8.42		Į.
	Interoffice Transport Combination - Zone 3 Voice Grade COCI - DS1 to DS0 Channel System combination -		3	UNCVX	UEAL4	40 86	206.95	170.57		 	 	ļ -	16 94	0.42	 	
	per month	ł	}	UNCVX	1D1VG	1.17	12.02	8.66	l			l	18.94	8.42		
	Nonrecurring Currently Combined Network Elements Switch -As-			00	12.7.1.0											
	Is Charge	l		UNC1X	UNCCC		_12.97	11.27		<u> </u>			45.46	15.72		
4-WIR	E 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	OFFICE	TRANSPORT (EEL)						 						
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	25.75	384.56	241.20		1	1		18.94	8.42	l	L
	First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice		† –	0.1007		20.70				T						
	Transport Combination - Zone 2		2	UNCDX	UDL56	29.74	384.56	241.20		ļ	ļ		18.94	8.42		
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice		_	LILLORY			004.54	044.00		1	1		18.94	8.42	1	
<u> </u>	Transport Combination - Zone 3		3	UNCDX	UDL56	47.27	384.56	241 20		+	 		,0.54	J.42	 	· · · · · · · · · · · · · · · · · · ·
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0 4523				i	l.,	<u> </u>	l		<u> </u>	<u> </u>
\vdash	Interoffice Transport - Dedicated - DS1 - combination Facility		1												40.55	44.00
	Termination Per Month	L	L	UNC1X	U1TF1	78.47	194.63	141.51		ļ			33.63	27.49	19.88	11.85
	Channelization - Channel System DS1 to DS0 combination Per	I	1	1	1	1 1	-			i	ì	i	ł	ł	ł	l .

JNBUNDLE	D NETWORK ELEMENTS - Georgia												Attachi	nent: 2	Exhi	oit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic-	Increment Charge - Manual St Order vs Electronic
													10.		Disc 1st	Disc Add
			<u> </u>		<u> </u>	Rec	Nonrec First	urring Add'i	Nonrecurring First	g Disconnect Add'I	SOMEC	SOMAN	OSS SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
_	OCU-DP COCI (data) - DS1 to DS0 Channel System - per				1		FIRSt	AGG I	FIRST	Addi	SUMEC	SUMAN	SOMAN	SUMAN	SUMAN	SUMAN
	month (2.4-64kbs)			UNCDX	1D1DD	1.86	12.02	8.66		1			18.94	8.42		
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1															
	Interoffice Transport Combination - Zone 1 Additional 4-Wire 56Kbps Digital Grade Loopin same DS1		1	UNCDX	UDL56	25.75	384.56	241 20	ļ				18 94	8 42		
	Interoffice Transport Combination - Zone 2	i	2	UNCDX	UDL56	29.74	384.56	241 20					18.94	8.42	ļ	ļ
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1												1,5,5	5		
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	47 27	384 56	241.20		l			18.94	8.42		
	OCU-DP COCI (data) - DS1 to DS0 Channel System -		ŀ	LINODY	1D1DD	4.00	40.00	8.66		1			18.94	8.42		
	combination per month (2 4-64kbs) Nonrecurring Currently Combined Network Elements Switch -As-			UNCDX	טטוטו	1.86	12.02	8.66			 		18.94	8.42		
	Is Charge			UNC1X	UNCCC		12 97	11 27	•				18.94	8.42		
4-WIR	E 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT (EEL)												
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice			LINORY	1.151.04	05.75	040.55	044.00					40.04	8.42		•
	Transport Combination - Zone 1 First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		1	UNCDX	UDL64	25.75	348.55	241.20					18 94	8.42	-	
	Transport Combination - Zone 2		2	UNCDX	UDL64	29.74	348.55	241.20		i			18.94	8.42		
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 3		3	UNCDX	UDL64	47.27	348.55	241.20					18.94	8 42		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile	İ		UNC1X	1L5XX	0,4523										
	Per Month Interoffice Transport - Dedicated - DS1 combination - Facility		l	UNCIX	ILSAA	0.4523										
	Termination Per Month		i '	UNC1X	U1TF1	78.47	194.63	141.51					33 63	27.49	19.88	11.8
	Channelization - Channel System DS1 to DS0 combination Per															
	Month			UNC1X	MQ1	126.22										·
	OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2 4-64kbs)			UNCDX	1D1DD	1.86	12.02	8.66		j			18.94	8.42		
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1			CHODA	15.55	1,00	12.72	-								
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	25.75	348.55	241.20					18.94	8.42		
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1			LINGSW	1101.04	00.74	040.55	241.20					18 94	8.42		ŀ
	Interoffice Transport Combination - Zone 2 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1		2	UNCDX	UDL64	29.74	348.55	241.20					10.54	0.42		
	Interoffice Transport Combination - Zone 3	į	3	UNCDX	UDL64	47.27	348.55	241.20					18 94	8.42		
	OCU-DP COCI (data) - DS1 to DS0 Channel System															
	combination - per month (2 4-64kbs)			UNCDX	1D1DD	1.86	12.02	8 66					18 94	8.42		
	Nonrecurning Currently Combined Network Elements Switch -As- is Charge	1		UNC1X	UNCCC		12.97	11.27		1			45.46	15.72		
4-WIR	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTE	ROFFI	CE TRA		0.1000		12.01									
1	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice															
	Transport - Zone 1	<u> </u>	1	UNC1X	USLXX	55.53	443.20	138.69			<u> </u>		18.94	8.42	ļ	
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 2	Ì	2	UNCIX	USLXX	64.13	443.20	138.69					18 94	8.42		ĺ
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice	 		ONCIA	I DOLLAN	04.10	410.20	100.00	· · · · · ·							
	Transport - Zone 3		3	UNC1X	USLXX	101.93	443 20	138.69					18 94	8.42		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile								ł							
	Per Month		-	UNC1X	1L5XX	0.4523					1					
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	78,47	194.63	141.51		1	1	ļ	33.63	27.49	19.88	11.8
	Nonrecurring Currently Combined Network Elements Switch -As-	 		CHO III	1											
	Is Charge] .		UNC1X	UNCCC		12.97	11 27		ļ			45.46	15.72		
4-WIR	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTE	EROFFI	CE TR/	ANSPORT (EEL)	ļ				ļ			 			 	
	First DS1Loop in DS3 Interoffice Transport Combination - Zone		1	UNC1X	USLXX	55.53	443.20	138.69					18.94	8.42	L	
	First DS1Loop in DS3 Interoffice Transport Combination - Zone		- '	OHOIA	JUDEN	30.00	770.20	100.00		-						
-	2	<u> </u>	2_	UNC1X	USLXX	64.13	443 20	138.69		<u> </u>		<u> </u>	18.94	8.42	 	ļ
\neg	First DS1Loop in DS3 Interoffice Transport Combination - Zone							100.00					18 94	8.42		
	[3	├─	1 3	UNC1X	USLXX	101.93	443.20	138.69	 	 	 		10 34	0.72		
	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month	Į.	1	UNC3X	1L5XX	2 72			1		1	1	1		I	1

INBUNDLE	D NETWORK ELEMENTS - Georgia												Attachi	ment: 2	Exhil	oit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
			ــــــ			Rec	Nonrec			g Disconnect	001150		OSS	Rates(\$)	2011411	
	Interoffice Transport - Dedicated - DS3 - Facility Termination per		+			ļ	First	Addʻi	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	month]		UNC3X	U1TF3	788.00	198,45	153,15		i		l	37.55	37.55	18.03	18.
	DS3 to DS1 Channel System combination per month			UNC3X	MQ3	137.73	196.66	204 61					18.94	8.42		
	DS3 Interface Unit (DS1 COCI) combination per month		_	UNC1X	UC1D1	11 02	12.02	8.66					18.94	8.42		
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 1	1	١.	UNC1X	USLXX	55.53	443.20	138 69					18.94	8.42		}
	Additional DS1Loop in DS3 Interoffice Transport Combination -		 '	UNUIX	USLAA	30.33	443.20	130 09		ļ	+		10.94	8.42		
	Zone 2		2	UNC1X	USLXX	64.13	443 20	138.69		i	l		18 94	8 42		
	Additional DS1Loop in DS3 Interoffice Transport Combination -								_						-	
	Zone 3 DS3 Interface Unit (DS1 COCI) combination per month	ļ —	3	UNC1X UNC1X	USLXX UC1D1	101.93	443.20 12.02	138 69 8.66		ļ.———		-	18 94 18.94	8 42 8.42		ļ
	Nonrecurring Currently Combined Network Elements Switch -As-	!	-	DNC1X	ICID!	11.02	12.02	8.00					10,94	5.42		
	Is Charge		1	UNC3X	UNCCC		12 97	11.27					45.46	15.72		İ
2-WIR	E VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INT	FEROF	ICE T	RANSPORT (EEL)												
	2-WireVG Loop used with 2-wire VG Interoffice Transport									1						
	Combination - Zone 1 2-WireVG Loop used with 2-wire VG Interoffice Transport		1	UNCVX	UEAL2	16.84	104.14	78.10					18 94	8.42		
- [Combination - Zone 2	l	2	UNCVX	UEAL2	19.45	104.14	78,10					18,94	8.42		
\neg	2-WireVG Loop used with 2-wire VG Interoffice Transport		 - -	UNIO TX	ULFALL	10710		70.10		<u> </u>			1			
	Combination - Zone 3		3_	UNCVX	UEAL2	30.92	104,14	78.10		<u> </u>	<u></u>		18.94	8 42		
	Interoffice Transport - Dedicated - 2-wire VG combination - Per													1		
_	Mile Per Month Interoffice Transport - Dedicated - 2- Wire Voice Grade		┼	UNCVX	1L5XX	0.0222				ļ <u>.</u> .	 			 		ļ
į į	combination - Facility Termination per month		1	UNCVX	U1TV2	17.07	79.61	36.08		ļ			18.94	18 94		
	Nonrecurring Currently Combined Network Elements Switch -As-		 	UNOVX.	0		, ,,,,,			 						
	Is Charge	ł	ł	UNCVX	UNCCC		12 97	11 27					45 46	15.72		
4-WIR	E VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INT	FEROFF	ICE TF	RANSPORT (EEL)						ļ	ļ					
	4-WireVG Loop used with 4-wire VG Interoffice Transport	l	1	1410101	UEAL4	22.26	206 95	170,57			1		18 94	8.42		l
	Combination - Zone 1 4-WireVG Loop used with 4-wire VG Interoffice Transport	╀	 '	UNCVX	UEAL4	22.20	200 95	170.57		 	+	 	10 34	0.72		
į	Combination - Zone 2		2	UNCVX	UEAL4	25.70	206.95	170.57		Į.			18.94	8.42		
	4-WireVG Loop used with 4-wire VG Interoffice Transport		+	-	1											
	Combination - Zone 3	<u> </u>	3	UNCVX	UEAL4	40.86	206.95	170.57					18 94	8.42		
	Interoffice Transport - Dedicated - 4-wire VG combination - Per							-		i	1	1	1	[ĺ	l
	Mile Per Month	—	↓—	UNCVX	1L5XX	0 0222			·	 	 					
-	Interoffice Transport - Dedicated - 4- Wire Voice Grade combination - Facility Termination per month	J		UNCVX	U1TV4	17.07	79 61	36.08				1	18.94	18 94		
	Nonrecurring Currently Combined Network Elements Switch -As-		+	UNOVA	0	17.01										
	Is Charge	·	L	UNCVX	UNCCC		12.97	11 27			<u> </u>		45 46	15.72		
DS3 D	IGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC	CE TRA	NSPOF	RT (EEL)							<u> </u>	 				ļ
1	High Capacity Unbundled Local Loop - DS3 combination - Per	1		UNC3X	1L5ND	8 90				1		ì	ĺ	1	ĺ	1
	Mile per month High Capacity Unbundled Local Loop - DS3 combination -	∤ -	┼─	UNC3X	ILSIND	890				 	 		 			
- [Facility Termination per month	1		UNC3X	UE3PX	390.34	639.50	426.40					37 55	37.55	18.03	1:
	Interoffice Transport - Dedicated - DS3 - Per Mile per month	 	1	UNC3X	1L5XX	2.72										
	Interoffice Transport - Dedicated - DS3 combination - Facility													07.55	18.03	1
	Termination per per month		<u> </u>	UNC3X	U1TF3	788.00	198.45	153.15		ļ. ——	 		37.55	37.55	18.03	 !
	Nonrecurring Currently Combined Network Elements Switch -As-	1	ł	UNG3X	UNCCC	}	12.97	11.27			1		45.46	15.72		l
STS1	IS Charge DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROF	FICE TO	RANSP		JUNGOO	 	12.31	- 11.27		 	1					
13131	High Capacity Unbundled Local Loop - STS1 combination - Per	T	T		T						T					
l_	Mile per month		<u></u>	UNCSX	1L5ND	8.90				<u> </u>	 	ļ ——			ļ	<u> </u>
	High Capacity Unbundled Local Loop - STS1 combination -	1								1			37.55	37.55	18.03	1,
	Facility Termination per month		ــــ	UNCSX	UDLS1	421.59	639.50	426.40		 	 		37.55	31.55	10.03	
	Interoffice Transport - Dedicated - STS1 combination - Per Mile	}		UNCSX	1L5XX	2.72]	1		j		
	per month Interoffice Transport - Dedicated - STS1 combination - Facility	┼	+-	UNCOA	TIEOAA					1	 					
	Termination per month	1	1	UNCSX	U1TFS	783 63	198 45	449 91			1	1	37.55	37.55	18.03	

<u>JNBUND</u>	LED	NETWORK ELEMENTS - Georgia													ment: 2		bit: B
CATEGOR	٧	RATE ELEMENTS	interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sw Order vs. Electronic Disc Add'i
							Rec	Nonrec		Nonrecurring					Rates(\$)		
		None of the County County and Natural Elements States As		├		<u> </u>		First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Nonrecurring Currently Combined Network Elements Switch -As- is Charge	1		UNCSX	UNCCC	1	12 97	11.27	1	ì	1	1	45.46	15 72	1	!
2-V		ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT	RT (EEL		ONOGA	0.1000		1207	11.21			 -		10.10	13.72		
		First 2-Wire ISDN Loop in a DS1 Interoffice Combination	T														
		Transport - Zone 1		1_1	UNCNX	U1L2X	21.89	233.38	180 38			 		18.94	8.42		
		First 2-Wire ISON Loop in a DS1 Interoffice Combination Transport - Zone 2	ĺ	2	UNCNX	U1L2X	25 27	233 38	180.38	}	ł	ł	ļ	18.94	8 42	}	1
		First 2-Wire ISDN Loop in a DS1 Interoffice Combination	 	 -	UNGNA	UILZX	25 21	233 36	100.36			 		10.54	842	 	
İ		Transport - Zone 3	1	3	UNCNX	U1L2X	40.17	233.38	180.38					18.94	8 42		
		Interoffice Transport - Dedicated - DS1 combination - Per Mile			UNC1X	1L5XX	0.4523										
		Interoffice Transport - Dedicated - DS1 combintion - Facility	1	1	11110414			40.4.00	444.54		l	1		33.63	27.49	19.88	11.89
		Termination per month Channelization - Channel System DS1 to DS0 combination -		-	UNC1X	U1TF1	78.47	194.63	141.51	-		 		33,63	27.49	19.88	11.80
		per month	1		UNC1X	MQ1	126.22			}	1	ł	1	l	Į.	1	
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System	 		UNU IX							1					
		combination - per month			UNCNX	UC1CA	3.37	12.02	8 66			 		33 63	27.49	19 88	11 85
1		Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1	١.	LINGLIN		1	000.00	400.00	ł	ŀ	1		18.94	8 42	ļ	ļ
		Combination - Zone 1 Additional 2-wire ISDN Loop in same DS1Interoffice Transport		1	UNCNX	U1L2X	21.89	233.38	180 38	 		 		18.94	6 42		
ĺ		Combination - Zone 2	1	2	UNCNX	U1L2X	25.27	233.38	180.38			1	ļ.	18 94	8.42	l	1
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport	 	╅	STIGITAL.	U I LL											
		Combination - Zone 3	<u> </u>	3_	UNCNX	U1L2X	40.17	233.38	180.38					18 94	8 42		
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System	\Box	Т											27.40	40.00	11.85
		combintaion- per month		↓	UNCNX	UC1CA	3 37	12.02	8.66		 	 	 -	33.63	27.49	19.88	11.85
1	l'	Nonrecurning Currently Combined Network Elements Switch -As- is Charge	1	1	UNC1X	UNCCC]	12 97	11.27	1			l	45,46	15.72	Į.	l
4-V	WIRE	DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN	TEROF	FICE T		011000		1207									
		First DS1 Loop in STS1 Interoffice Transport Combination -	I	T					-								
		Zone 1	<u> </u>	1	UNC1X	USLXX	55.53	443 20	138.69			ļ		18.94	8.42		
		First DS1 Loop in STS1 Interoffice Transport Combination -		١.	1111041	LIOI VV		443.20	138.69	1	į			18.94	8.42		
		Zone 2 First DS1 Loop in STS1 Interoffice Transport Combination -	-	2	UNC1X	USLXX	64.13	443.20	130,03		 	 		10.04			
		Zone 3	1	3	UNC1X	USLXX	101.93	443.20	138.69	1				18 94	8.42	L	l
		Interoffice Transport - Dedicated - STS1 combination - Per Mile		† <u>*</u>													
L		Per Month		_	UNCSX	1L5XX	2.72			<u> </u>	L			ļ	 		
		Interoffice Transport - Dedicated - STS1 combination - Facility	Į.	1	LINGOV	U1TFS	783 63	198.45	449.91	!				37 55	37.55	18 08	18 03
		Termination STS1 to DS1 Channel System conbination per month	-	┼-	UNCSX	MQ3	182.04	196.66	204.61					37.55	37 55	18.08	18.03
		DS3 Interface Unit (DS1 COCI) combination per month		 	UNCIX	ÚC1D1	11.02	12.02	8.66					37.55	37.55	18.08	18.03
		Additional DS1Loop in STS1 Interoffice Transport Combination -													8.42		
		Zone 1	ļ	1.1	UNC1X	USLXX	55 53	443.20	138.69		ļ	 		18.94	8.42	 	
		Additional DS1Loop in STS1 Interoffice Transport Combination -	1	2	UNC1X	USLXX	64.13	443 20	138.69	ł	ì		ł	18.94	8.42	j	ļ
		Zone 2 Additional DS1Loop in STS1 Interoffice Transport Combination -	 	1-2	UNCIX	USLAA	04.13	443 20	150.05	1				1			
1	- 1	Zone 3	1	3	UNC1X	USLXX	101.93	443.20	138.69			<u> </u>		18 94	8.42		
	-1	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	11.02	12.02	8.66				<u> </u>	18,94	8 42		ļ
		Nonrecurning Currently Combined Network Elements Switch -As-	-								1			45.46	15 72	1	i
	لــــــــــــــــــــــــــــــــــــــ	Is Charge	FEIGE:	TDANG	UNCSX	UNCCC	 	12.97	11 27	 		+	 	45.46	1972		
4-1	WIRE	56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERO	T	HANS	PUHI (EEL)	 -	 			 		 					
		4-wire 56 kbps Loop/4-wire 56 kbps interoffice Transport Combination - Zone 1	l	1	UNCDX	UDL56	25.75	384.56	241.20	L		L	l	18 94	8.42		1
		4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport	+	 		+								40			
- 1	- [Combination - Zone 2	_	2	UNCDX	UDL56	29.74	384.56	241.20	ļ			ļ	18.94	8,42	 	
	_	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport						004			1	1	1	18.94	8.42	1	!
		Combination - Zone 3	 	3	UNCDX	UDL56	47.27	384.56	241.20	 	 	 	 	10.94	0.42	 	
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -	1		UNCDX	1L5XX	0.0222		1	i	1	1			J		
		Per Mile Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		+-	ONCDA	ILDAX.	U.UZZZZ			1		T					
ı	- 1	Facility Termination	1	1	UNCDX	U1TD5	16.45	147.07	111.75	l	L		L	33.63	27,49	19.88	11 85

JNBUNDLEI	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhil	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sy Order vs. Etectronic Disc Add
						Rec	Nonrec			g Disconnect	L			Rates(\$)		
			1	<u> </u>	ļ		First	Add'l	First	Addʻl	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1	Nonrecurring Currently Combined Network Elements Switch -As- is Charge		1	LINODY	UNCCC	1	40.07	44.07			ł		45.40	45.70	1	
4.WIDE	IS CHAIGE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	CEICE	TDANC:	UNCDX	UNCCC		12.97	11.27	ļ	<u> </u>			45.46	15.72		
4-101116	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport	FFICE	HANS	PORT (EEL)	+	 				 				 		
	Combination - Zone 1		۱,	UNCDX	UDL64	25.75	348 55	241.20	1				18.94	8.42		1
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport		 		1					 						
i	Combination - Zone 2		2	UNCDX	UDL64	29.74	348 55	241.20	l	1			18.94	8 42		1
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport		†													
1	Combination - Zone 3		3	UNCDX	UDL64	47.27	348 55	241.20	l				18.94	8 42		
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															1
	Per Mile		<u> </u>	UNCDX	1L5XX	0.0222		<u> </u>				L	L		L	
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -					·					1	1				
	Facility Termination	ļ		UNCDX	U1TD6	16 45	147.07	111 75		 			33 63	27 49	19.88	11.
ļ	Nonrecurring Currently Combined Network Elements Switch -As-	1	1	LINCOV	Lineses	<u> </u>	12,97	11 27]	45.46	15.72	1	1
DDITIONAL A	Is Charge			UNCDX	UNCCC	 	12,97	11.27		 	 	 	45.46	15.72	 	
	used as a part of a currently combined facility, the non-recurr			natanniu but a C	huitah An In a	haraa daaa aar				 	 	 				
	used as a part of a currently combined facility, the non-recur used as ordinarily combined network elements in all states, the								 		 	 	 			
	SynchroNet)	le non-	T	ig charges apply an	T SWILCH	As is cliaige u	Oes not.			 	 	 				
	synctricities; surring Currently Combined Network Elements "Switch As Is"	Charge	(One s	nnlies to each com	hination)	 				+	+	l				
1101110	Nonrecurring Currently Combined Network Elements Switch -As-	U.i.a.g.	1	l	I	 				 						<u> </u>
l l	Is Charge - 2 wire/4-Wire VG		1	UNCVX	UNCCC		12.97	11.27					18.94	18.94		1
 	Nonrecurring Currently Combined Network Elements Switch -As-		 	OHOVA	10,11000		12.07	71127		· · · · · · · · · · · · · · · · · · ·	i	i ———				
i	Is Charge - 56/64 kbps		1	UNCDX	UNCCC	!	12.97	11 27					18 94	18.94		1
	Nonrecurring Currently Combined Network Elements Switch -As-															
- 1	lls Charge - DS1		1	UNC1X	UNCCC		12.97	11.27	ļ	1			18.94	18 94		<u> </u>
	Nonrecurring Currently Combined Network Elements Switch -As-															
1	ls Charge - DS3		1	UNC3X	UNCCC		12.97	11.27			<u> </u>	l	18.94	18 94		<u> </u>
	Nonrecurring Currently Combined Network Elements Switch -As-		T													ŀ
	Is Charge - STS1		i	UNCSX	UNCCC		12.97	11 27					18 94	18.94		<u> </u>
NOTE:	Local Channel - Dedicated Transport - minimum billing period	d - Belo	w DS3		nd above≕fou	r months			<u> </u>				1004	40.04		├
	Local Channel - Dedicated - 2-Wire Voice Grade		1	UNCXV	ULDV2	13.91	272.07	60 43	ļ	ļ			18 94 18.94	18 94 18 94		
	Local Channel - Dedicated - 4-Wire Voice Grade			UNCXV	ULDV4	14.99	272.07	60.43					18.94	18 94		-
	Local Channel - Dedicated - DS1	<u> </u>	ļ	UNC1X	ULDF1	38.36	356 15	312.89						 		
	Local Channel - Dedicated - DS3 - Per Mile per month	<u> </u>	₩	UNC3X	1L5NC	6.92 515 91	639 50	426.31	 	+	 		18.94	18.94	 	t
	Local Channel - Dedicated - DS3 - Facility Termination	 	\vdash	UNC3X UNCSX	ULDF3 1L5NC	6.92	639 50	420.31	 	+	 	 	10.54	10.04		
$\overline{}$	Local Channel - Dedicated - STS-1- Per Mile per month Local Channel - Dedicated - STS-1 - Facility Termination	 	+-	UNCSX	ULDFS	517.56	639 50	426.31	 	+		 	18 94	18.94		
	al Features & Functions:	 	+-	DINOSA	OLDI-3	317.00	009 30	720.01	 	 	 	 	1	1		1
	AI FEATURES & FUNCTIONS:	\vdash	+	1	1	 		l — — —			 	 	1	l	1	
MULII	Channelization - DS1 to DS0 Channel System	 	+	UXTD1	MQ1	126.22	198.22	123.59	†	T			14.75	6.55	10.70	
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per	 	t		1				1							1
	month (2.4-64kbs)	1	1	UDL	1D1DD	1.86	12.02	8.66	l				14.75	6.55	10.70	
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per	†	1		1											1
ļ	Imonth		ĺ	UDN	UC1CA	3 37	12.02	8.66	<u> </u>				14.75		10.70	
	Voice Grade COCI - DS1 to DS0 Channel System - per month			UEA	1D1VG	1,17	12.02	8.66			<u> </u>	ļ	14.75			
	DS3 to DS1 Channel System per month			UXTD3	MQ3	182.04	265.91	188.78				ļ	14.75			
	STS1 to DS1 Channel System per month		L	UXTS1	MQ3	182.04	265.91	188.78			1	ļ <u> </u>	14.75			
	DS3 Interface Unit (DS1 COCI) used with Loop per month			USL	UC1D1	11.02	12.02	8 66	ļ				14.75	6.55	10.70	
	DS3 Interface Unit (DS1 COCI) used with Local Channel per				1			l • _						6.55	10 70	
	month	L		ULDD1	UC1D1	11.02	12.02	8.66			ļ		14.75	6.55	10 /0	+
	DS3 Interface Unit (DS1 COCI) used with Interoffice Channel			1		1		l		1	1	1	44	6.55	10.70	
	per month	L	↓	U1TD1	UC1D1	11.02	12.02	8.66		· 		├	14.75	0.55	10.70	
	LOCAL EXCHANGE SWITCHING(PORTS)		1_							+	 	 			-	
Excha	nge Ports	<u> </u>	<u> </u>	<u> </u>	. س	<u>. </u>		<u></u>	 			 		 	 	
NOTE:	Although the Port Rate includes all available features in GA,	KY, LA	& TN, 1	ne desired features	will need to	pe ordered usin	ng retail USOC	9	ļ	 	+	 	 	 	 	
2-WIRI	VOICE GRADE LINE PORT RATES (RES)	 				 	47.10	1910	 	+	 		18 94	8 42	+	
I -	Exchange Ports - 2-Wire Analog Line Port- Res	l		UEPSR	UEPRL	1.85	17.16	17.16	<u> </u>			<u> </u>	10 94			

UNBUNDLED	NETWORK ELEMENTS - Georgia													ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
			-		_		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	xchange Ports - 2-Wire Analog Line Port with Caller ID - Res.	;	}	UEPSR	UEPRC	1.85	17.16	17 16	1 1				18.94	8.42		
- - - - - - - - - - 	Administration of the Political Inc.	-	 	OEFOR	UEFRO	1.65	17.10	17 16					18.94	8.42		
E:	xchange Ports - 2-Wire Analog Line Port outgoing only - Res.		1	UEPSR	UEPRO	1.85	17.16	17.16	1				18.94	8.42		i
	xchange Ports - 2-Wire VG unbundled res, low usage line port															
	vith Caller ID (LUM)		_	UEPSR	UEPAP	1.85		17.16					18.94	8 42		
FEATURE	Subsequent Activity		∤	UEPSR	USASC	0.00	0 00	0.00					18.94	8 42	ļ	ļ
	II Available Vertical Features			UEPSR	UEPVF	0 00	0 00	0.00					18 94	8.42	 	
	OICE GRADE LINE PORT RATES (BUS)		 - -	UEFON	UEFVF	000	0.00	0.00			 		10 94	0.42		
	xchange Ports - 2-Wire Analog Line Port without Caller ID -				 											
	Bus		<u> </u>	UEPSB	UEPBL	1 85	17.16	17.16	.				18 94	8.42		
	xchange Ports - 2-Wire VG unbundled Line Port with				1										1	
ur	nbundled port with Caller+E484 ID - Bus.		ļ.,	UEPSB	UEPBC	1.85	17.16	17.16	L				18.94	8 42	ļ	
	exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.	l		UEPSB	UEPBO	1.85	17.16	17.16]				18 94	8 42		
	xhange Ports - 2-Wire Walardy Line Port outgoing drily - Bus.			UEPSB	DEPBO	1.00	17.16	17.16			 		10 94	0 42		
	Caller ID - Bus]	}	UEPSB	UEPB1	1 85	17.16	17.16					18 94	8.42		
	ubsequent Activity		-	UEPSB	USASC	0.00	0.00	0 00					18.94	8.42		
FEATURE																
	If Available Vertical Features			UEPSB	UEPVF	0.00	0 00	0 00					18 94	8 42		ļ
	GE PORT RATES (DID & PBX)														ļ	ļ
	-Wire VG Unbundled 2-Way PBX Trunk - Res	<u> </u>	_	UEPSE	UEPRD	1.85	17 16	17.16 17.16					18.94 18.94	8 42 8.42	 	
	-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus -Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP UEPSP	UEPPC	1.85 1.85	17.16 17.16	17.16					18 94	8 42		
	-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus		 	UEPSP	UEPP1	1.85	17.16	17.16	-				18 94	8.42	 	
	-Wire Analog Long Distance Terminal PBX Trunk - Bus		+	UEPSP	UEPLD	1.85	17.16	17.16					18.94	8.42		
	-Wire Voice Unbundled PBX LD Terminal Ports	1	_	UEPSP	UEPLD	1,85	17.16	- 17.16	 	·····			18 94	8.42		
	-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.85	17.16	17.16					18 94	8 42		
	-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1 85	17.16	17.16					18 94	8.42		
	-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.85	17.16	17 16					- 18 94	8.42	ļ	
2-	-Wire Voice Unbundled PBX LD Terminal Switchboard Port		ļ	UEPSP	UEPXD	1.85	17.16	17.16					18 94	8 42	 	
	-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			LIEBOD.	UEPXE	1 85	17.16	17.16					18.94	8.42	1	
	Capable Port -Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		₩	UEPSP	DEPXE	1 85	17.16	17.16	 				10.54	0.42	 	
	dministrative Calling Port		l	UEPSP	UEPXL	1 85	17.16	17.16			1		18.94	8.42		
	-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		1-	OLI GI	102.72			7,7,0	1							
	Room Calling Port		1	UEPSP	UEPXM	1.85	17 16	17.16					18.94	8 42		
2-	-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port		1_	UEPSP	UEPXO	1 85	17.16	17 16					18 94 18 94	8 42 8 42	 	
	-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	ļ	⊢	UEPSP	UEPXS	1.85 0.00	17.16 0.00	17 16 0.00	 		 		18.94	8.42		
	Subsequent Activity	-	 —	UEPSP	USASC	0.00	0.00	0.00	 				10.54	<u>0.4E</u>		
FEATURE	Il Available Vertical Features	 	+-	UEPSP UEPSE	UEPVF	0.00	0.00	0.00	 				18.94	8.42		
EXCHANG	GE PORT RATES (COIN)	 	 	OE, O. OE, OE	 	5.50	5.50	2.00	 							
Te-	Johanna Boda, Cain Bod		t		-	2.05	17.16	17 16					18 94	8.42		
NOTE. T		witched	usage	will also apply to	circuit switche	d voice and/or	circuit switch	ed data transn	nission by B-Ch	annels assoc	iated with 2	wire ISDN	ports.	ــــــــــــــــــــــــــــــــــــــ	<u> </u>	ļ
NOTE: A	Access to B Channel or D Channel Packet capabilities will be	availa	ble onl	y through BFR/New	v Business Re	quest Process	Rates for the	packet capab	lities will be de	termined via t	ne Bona Fic	e Request/	New Busines	s Request Pro	cess.	
UNBUNDLED LO	CAL EXCHANGE SWITCHING(PORTS)	lacksquare	<u> </u>		+				 		 		 	 	 	
	GE PORT RATES	-	+-	UEPEX	UEPP2	11.35	61.91	61.91	 		 	 	19.99	19.99	19.99	19.99
	xchange Ports - 2-Wire DID Port xchange Ports - DDITS Port - 4-Wire DS1 Port with DID		┼—	UEPEA	UEFFA	11.35	61.91	01.91	 		 		1	1	1	
	exchange Ports - DDITS Port - 4-Wire DS1 Port with DID			UEPDD	UEPDD	120 80	108 38	60.88	1				19.99		19.99	19.99
	xchange Ports - 2-Wire ISDN Port (See Notes below.)	 	+	UEPTX UEPSX	UIPMA	13 47	47.37	47 37					39 98	39.98		
	II Feetures Offered		T^{-}	LIEDTY LIEDSY	HEDVE	0.00	0.00	0.00								L
NOTE. T	renewiceian/users shores sessiated with DOTS simult or	witched	usage	will also apply to	circuit ewitchs	d voice and/or	circuit switch	ed data transn	nission by B-Ch	annels assoc	iated with 2	wire ISDN	ports.	ل		
NOTE: A	access to B Channel or D Channel Packet capabilities will be	availa	ble onl	y through BFR/New	v Business Re	quest Process.	. Rates for the	packet capab	lities will be de	termined via t	he Bona Fic	te Request/	New Busines	s Request Pro	cess.	
E	xchange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX UEPSX	U1UMA	000	0.00	0.00				 	37.88	1		
	xchange Ports - 4-Wire ISDN DS1 Port	ì	1	UEPEX	UEPEX	163.16	186.80	186.80					37.00	31.00	<u> </u>	<u> </u>

INRUNDI ET	NETWORK ELEMENTS - Georgia												Attachr			oit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic Disc Add'i
			1		1	Rec	Nonrec		Nonrecurring					Rates(\$)		
						Hec	First	Add'l	First	Addʻl	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNBUN	IDLED PORT with REMOTE CALL FORWARDING CAPABILITY	,									ļ		ļ			
	IDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE												18.94	8,42		
	Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1 85	17.16	17.16			ļ		10.94	0.42	·	
.]		uen o	1.85	17 16	17.16					18.94	8 42		1
	Unbundled Remote Call Forwarding Service, Local Calling - Res		1	UEPVR UEPVR	UERLC	1.85	17.16	17.16			-		18.94	8.42		
ļ	Unbundled Remote Call Forwarding Service, InterLATA - Res Unbundled Remote Call Forwarding Service, IntraLATA - Res		 	UEPVR	UERTR	1.85	17.16	17.16					18.94	8.42		
	curring		 	DEFVR	OERIN	1.00		17 10								
Non-ne	Unbundled Remote Call Forwarding Service - Conversion -	 											Ì			
	Switch-as-is	1		UEPVR	USAC2		2.01	0.31					33.67	7.88	11.17	3.9
- - 	Unbundled Remote Call Forwarding Service - Conversion with															
	allowed change (PIC and LPIC)		1	UEPVR	USACC		2 01	0.31			ļ		ļ		ļ	ļ
UNBUN	DLED REMOTE CALL FORWARDING - Bus											ļ <u>.</u>				
					1			47.40			1		18.94	8.42		ł
	Unbundled Remote Call Forwarding Service, Area Calling - Bus	 	₩	UEPVB	UERAC	1.85	17.16	17.16			 	 	10.04	- 3.42	1	†
		1	l	U.E.D. (D	UERLC	1.85	17.16	17.16					18.94	8 42		1
	Unbundled Remote Call Forwarding Service, Local Calling - Bus	ļ	<u> </u>	UEPVB UEPVB	UERTE	1,85	17.16	17.16			 	 	18.94	8.42	7.5	
	Unbundled Remote Call Forwarding Service, InterLATA - Bus	!	↓	UEPVB	UERTR	1.85	17.16	17.16				 	18.94	8.42		
	Unbundled Remote Call Forwarding Service, IntraLATA - Bus		+	UEPVB	UENIN	1.03	17.10	17.10			<u> </u>					
	Unbundled Remote Call Forwarding Service Expanded and			UEPVB	UERVJ	1.85	17 16	17.16			}	l	18.94	8.42		
	Exception Local Calling	ऻ	 	UEFVB	OCTIVO	1.00									<u> </u>	I
Non-Re	ecurring Unbundled Remote Call Forwarding Service - Conversion -		+	· · ·	+								1		1	1
	Switch-as-is		1	UEPVB	USAC2		2.01	0.31	İ		l		33.67	7.88	11.17	3.9
	Unbundled Remote Call Forwarding Service - Conversion with		1	<u> </u>								ŀ				
1 1	allowed change (PiC and LPIC)		1	UEPVB	USACC		2 01	0.31				<u> </u>	ļ	ļ		
UNBUNDLED I	LOCAL SWITCHING, PORT USAGE	1	1									ļ	ļ		ļ — — — —	
End Of	ffice Switching (Port Usage)											ļ	 	 		
	End Office Switching Function, Per MOU					0.0016333					<u> </u>	ļ.———		 	 	
 	End Office Trunk Port - Shared, Per MOU	T				0 0001564						 	 	 	·	
	m Switching (Port Usage) (Local or Access Tandem)										 	 	 	<u> </u>	· · · · · · · · · · · · · · · · · · ·	1
	Tandem Switching Function Per MOU	l				0.0006757				 						
	Tandem Trunk Port - Shared, Per MOU	<u> </u>	1			0 0002126				-		 				
Comm	on Transport	 			 	0.000008					· · ·		1			
	Common Transport - Per Mile, Per MOU	↓				0.000308										
	Common Transport - Facilities Termination Per MOU	╄	+	 	+	0 0004132								I		
	PORT/LOOP COMBINATIONS - COST BASED RATES Based Rates are applied where BellSouth is required by FCC a	nd/or S	tate Co	mmission rule to n	rovide Unbur	idled Local Swi	tching or Swit	ch Ports.							ļ	
Cost B	Based Rates are applied where BellSouth is required by FCC a res shall apply to the Unbundled Port/Loop Combination - Cos	et Rase	d Rate	section in the same	manner as t	hey are applied	to the Stand-A	lone Unbund	ed Port section	of this Rate	Exhibit.		<u></u>	1		
Featur	res shall apply to the Unbundled Port/Loop Combination - Cos ffice and Tandem Switching Usage and Common Transport U	sage re	tes in t	he Port section of	his rate exhib	it shall apply to	all combinati	ons of loop/p	ort network ele	ments except	for UNE Co	in Port/Loc	p Combination	ns.	1-141	
The fir	office and Tandem Switching Usage and Common Transport Urst and additional Port nonrecurring charges apply to Not Cur	rently (Combin	ed Combos. For C	urrently Com	bined Combos,	the nonrecurr	ing charges sl	nall be those id	entified in the	Nonrecum	ng - Curren	tiy Combined	sections. At	igitional nom	ecuinny
charac	es may apply also and are categorized accordingly.									,			, 		T	
2-WIRI	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	Τ								<u> </u>			+	 		+
LINE P	Port/Loop Combination Rates	1	\top			<u> </u>			ļ		-	 	 		-	
1000	2-Wire VG Loop/Port Combo - Zone 1		1			12.59		 	ļ	 	+	 	+	+	 	+
	2-Wire VG Loop/Port Combo - Zone 2		2	l		14.26			 	 	+	 	+		 	
	2-Wire VG Loop/Port Combo - Zone 3		3	ļ		21.62		 	 	 	1	+	+	1	1	
UNE L	oop Rates			ļ		 		ļ — — —	 	 	+	1	 	1	1	
	2-Wire Voice Grade Loop (SL1) - Zone 1	1_	11	ÜEPRX	UEPLX	10 80		 	 	 	+		1			
	2-Wire Voice Grade Loop (SL1) - Zone 2			UEPRX	UEPLX	12.47 19.83	 	 	 		+	T = T	· I · · · · · ·			
	2-Wire Voice Grade Loop (SL1) - Zone 3	1—	3	UEPRX	UEPLX	19.83		+	 					L		
2-Wire	Voice Grade Line Port Rates (Res)		+-	LICODY	UEPRL	1.79	22.14	15.25	8.45	3 91			33.67			
	2-Wire voice unbundled port - residence	+	+	UEPRX	UEPRC	1.79		15 25					37.06			
	2-Wire voice unbundled port with Caller ID - res	\vdash	+	UEPRX	UEPRO	1.79	22,14	15.25					33.67	7.88	11.17	3.9
	2-Wire voice unbundled port outgoing only - res	-	+	VEFRA	OEP NO	1.78		1	1							
					1				1			i	33.67	7.88	11.17	3.9
	2-Wire voice unbundles res, low usage line port with Caller ID	1		HEPRY	LIEPAP	1.79	22.14	15.25	8.45	3.9			33.07	7.00		
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)	-	 	UEPRX	UEPAP	1.79	22.14	15.25	8.45	3.9			33.67			7 3.9

UNBUNDLED	NETWORK ELEMENTS - Georgia													ment: 2		oit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Sve Order vs. Electronic- Disc 1st	Increments Charge - Manual Sy Order vs. Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		
		ļ	ļ.—				First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	NUMBER PORTABILITY		-	UEPRX	LNPCX	0 35					 	<u> </u>				
	Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED	_		UEPHX	LNPCX	0 35					ļ			 		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		+		+						\vdash					!
	Switch-as-is			UEPRX	USAC2		2 01	0.3108			1		33 67	7.88	11.17	39
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		 	52.11X	100,102			0.01.00					3,00	1,125		
	Switch with change			UEPRX	USACC		2 01	0.3108					33.67	7.88	_	[.
	DNAL NRCs		1													
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	Activity	L		UEPRX	USAS2	0.00	0 00	0 00			ļ		33.67	7.88	11.17	3.9
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)										ļ		L			
	rt/Loop Combination Rates	L														
	2-Wire VG Loop/Port Combo - Zone 1		1_1_	ļ		12.59					<u> </u>		 		 	
	2-Wire VG Loop/Port Combo - Zone 2		2			14 26					 	<u> </u>	 	 	<u> </u>	
	2-Wire VG Loop/Port Combo - Zone 3	\vdash	3			21.62			ļ 	ļ		 		 	<u> </u>	
		├	1-	UEPBX	UEPLX	10 80				L				ļ — — 		
	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2		1 2	UEPBX	UEPLX	12,47										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	19.83					-			 		
	/oice Grade Line Port (Bus)	 		OLI DX	OCI LX	10.00										
	2-Wire voice unbundled port without Caller ID - bus		+	UEPBX	UEPBL	1.79	22.14	15 25	8.45	3 91	—	<u> </u>	33.67	7.88	11.17	39
	2-Wire voice unbundled port with Caller + E484 ID - bus	1	 	UEPBX	UEPBC	1 79	22.14	15 25	8.45	3.91			33 67	7.88	11.17	3.9
	2-Wire voice unbundled port outgoing only - bus	1	 	UEPBX	UEPBO	1.79	22.14	15.25	8.45	3 91			33 67	7.88	11.17	3.9
	2-Wire voice unbundled incoming only port with Caller ID - Bus		\vdash	UEPBX	UPEB1	1.79	22.14	15.25	8,45	3.91			33.67	7.88	11 17	3.9
	NUMBER PORTABILITY															
Į	Local Number Portability (1 per port)		T	UEPBX	LNPCX	0.35					1		ļ <u> </u>			
FEATUR											ļ	<u> </u>	·	·		
	All Features Offered			UEPBX	UEPVF	0.00	0.00	0.00			ļ		33 67	7.88	11,17	3.9
	CURRING CHARGES (NRCs) - CURRENTLY COMBINED	ļ <u> </u>	<u> </u>		-				ļ							
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1		LIEDEN	110400		2.01	0.3108			1		- 33 67	7.88	11.17	3.9
	Switch-as-is	 	┾	UEPBX	USAC2		2,01	0.3106	 	-	 	 		7.00	1	
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change	1		UEPBX	USACC		2.01	0.3108					ļ.		i	
	DNAL NRCs		┼	OL: DX	OOAOO			0.0700				T				
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent	 	-													
	Activity	i		UEPBX	USAS2		0.00	0 00					33.67	7.88	11 17	39
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)	 	+												l .	
	rt/Loop Combination Rates	1										1				
	2-Wire VG Loop/Port Combo - Zone 1	1	1			12.59					<u> </u>	ļ	ļ	<u> </u>		
	2-Wire VG Loop/Port Combo - Zone 2	I	2			14 26					ļ	<u> </u>	ļ	ļ		
	2-Wire VG Loop/Port Combo - Zone 3		3			21.62				<u> </u>	 	ļ	 	 	 	
UNE Lo	op Rates										 	├ ──	 	 	 	
	2-Wire Voice Grade Loop (SL 1) - Zone 1			UEPRG	UEPLX	10 80	_,		 		 -	 		 	 	
	2-Wire Voice Grade Loop (SL 1) - Zone 2	1		UEPRG	UEPLX	12.47				ļ	 	 	-	 	 	
	2-Wire Voice Grade Loop (SL 1) - Zone 3	ļ	3	UEPRG	UEPLX	19.83			 	 	 	 	 	 		
	Voice Grade Line Port Rates (RES - PBX)					 		L	 	 	+	 	 	 	 	
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -	1	1	LIEDDO	LIEBBB	1.79	22.14	15.25	8.45	3.91		1	33.67	7.88	11.17	3.9
	Res	₩-	+	UEPRG	UEPRD	1.79	22.14	15.25	0.40	5.51	+-	\vdash	55.57	 		
	NUMBER PORTABILITY	·	+	UEPRG	LNPCP	3 15	0.00	0.00	 	<u> </u>	 	 	33.67	7.88	11.17	3.9
	Local Number Portability (1 per port)	+-	+-	ULCHU	LINEOF	3 13		0.00	 							
FEATUR	All Features Offered	+	+	UEPRG	UEPVF	0.00	0.00	0.00		I			33.67	7 88	11 17	3 9
	CURRING CHARGES (NRCs) - CURRENTLY COMBINED	 	+		1	5.50	7.30				T					
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1	+		 						T T				1	1
	Conversion - Switch-As-Is	1		UEPRG	USAC2	[2.01	0.3108		L		<u> </u>	33 67	7 88	11.17	3.9
 	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1	+-	T	T								1	1	1	1 -
() (Conversion - Switch with Change	1	1	UEPRG	USACC	(2.01	0.3108	l			<u> </u>	33.67	7.88	11 17	3.9
	ONAL NRCs	-	+	+	120.00								1		L	L

NBUNDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhil	bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
			_			Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Hec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Subsequent Activity		1	UEPRG	USAS2	000	0 00	0.00				l	33.67	7.88	11.17	39
1	PBX Subsequent Activity - Change/Rearrange Multiline Hunt	1]												
	Group		<u> </u>				14.64	14 64					19.99	19.99	19.99	19.9
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)										<u> </u>					
UNE	ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1		-								ļ					ļ
		_	1 1		ļ <u>.</u>	12 59								ļ		
	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3	<u> </u>	2			14.26						ļ				
UNE	oop Rates	├─	3			21.62					 -	l		 		
ONEL	2-Wire Voice Grade Loop (SL 1) - Zone 1	-	1-1	UEPPX	UEPLX	10 80			·				 			
	2-Wire Voice Grade Loop (SL 1) - Zone 2	-		UEPPX	UEPLX	12.47			 		 	 	 			
-	2-Wire Voice Grade Loop (SL 1) - Zone 3	_		UEPPX	UEPLX	19.83		 -	 				 	 		
2-Wire	Voice Grade Line Port Rates (BUS - PBX)	-	᠆	12	- U	,5.55						-		-		
1	1,200		1		1				1							1
i	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1 79	22 14	15.25	8 45	3.91			33.67	7 88	11.17	3
	Line Side Unbundled Outward PBX Trunk Port - Bus		\vdash	UEPPX	UEPPO	1.79	22 14	15 25	8 45	3 91			33 67		11 17	
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1 79	22.14	15.25	8.45	3 91			33 67	7.88	11 17	3
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.79	22.14	15.25	8.45	3.91			33.67	7 88	11.17	3
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1 79	22.14	15 25	8.45	3.91			37.06		11.17	3
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.79	22.14	15 25	8.45	3 91			33 67		11.17	
	2-Wire Voice Unbundled PBX LD DDD Terminals Port		Γ	UEPPX	UEPXC	1.79	22.14	15.25	8 45	3.91			33.67	7 88	11.17	
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.79	22.14	15.25	8 45	3 91	L		33.67	7.88	11.17	3
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	I	T								1	i				i .
	Capable Port		<u> </u>	UEPPX	UEPXE	1.79	22 14	15.25	8.45	3.91	<u> </u>		33.67	7.88	11.17	3.
ĺ	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	l	ł	l							•	j				١ .
	Administrative Calling Port		<u> </u>	UEPPX	UEPXL	1.79	22.14	15.25	8.45	3.91	 		33 67	7.88	11.17	3.
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1	1					45.00	5.45		1	l .	33.67	7.88	11.17	3.
_	Room Calling Port		-	UEPPX	UEPXM	1.79	22.14	15 25	8.45	3 91	 		33,67	7.00	11.17	
1	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	l	[LUCODY	LIEDVO	1 79	22 14	15.25	8.45	3 91	1	ł	33 67	7.88	11 17	3
	Discount Room Calling Port	<u> </u>	 -	UEPPX	UEPXO	1.79	22.14	15.25	8.45	3.91	+		33.67	7.88	11 17	
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		-	DEPPX	UEPAS	1.79	22.14	15.25	0.45	3.91			00.07	7.00	11 17	
	L NUMBER PORTABILITY		+								 					
LUCA	Local Number Portability (1 per port)		┼	UEPPX	LNPCP	3.15	0 00	0.00					33.67	7.88	11.17	3
FEAT			-	OEFFX	LIW OF	0.10	- 0 00	0.00			 		1	1		
FEAT	All Features Offered		_	UEPPX	UEPVF	0.00	0.00	0.00					33.67	7 88	11 17	3
MOND	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED	_	+	OLITA	102.11	0.00	0.00				1					
- 1000	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		 										1			
	Conversion - Switch-As-Is		i	UEPPX	USAC2	1	2 01	0.3108		1	1		33.67	7.88	11.17	3
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		1								T				1	
1	Conversion - Switch with Change			UEPPX	USACC		2.01	0.3108		Í	L	<u> </u>	33.67	7.88	11,17	3
ADDIT	IONAL NRCs		† –													↓
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		1 -										1	1		
- 1	Subsequent Activity	ĺ	1	UEPPX	USAS2	0.00	0.00	0.00		L	<u> </u>	L	33.67	7.88	11.17	3
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt		-				-						·			1
- 1	Group						14.64	14.64			<u> </u>		19.99	19 99	19.99	19
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POI	RT									ļ		 			
UNE P	ort/Loop Combination Rates	L	\perp								 			 	 	+
	2-Wire VG Coin Port/Loop Combo – Zone 1	<u></u>	1			12.69					 	 	 	 	 	
	2-Wire VG Coin Port/Loop Combo - Zone 2		2	ļ		14.36			 	<u> </u>	 		 	 		
	2-Wire VG Coin Port/Loop Combo – Zone 3		3			21.72			 		 		1	 		
UNE L	oop Rates		 -	LIFEGO	UEDIN	1000					+		 	 	 	
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	10.80			 		 	 	 	 	1	-
	2-Wire Voice Grade Loop (SL1) - Zone 2			UEPCO	UEPLX	12 47		-			1		 	 	 	
- 	2-Wire Voice Grade Loop (SL1) - Zone 3	 	3	UEPCO	UEPLX	19.83			 		 	 	 	 	1	
2-Wire	Voice Grade Line Ports (COIN)	—	-	UEBOO	UEDOO -			15 25	8.45	3.91	+		33.67	7.88	11.17	3
ı	2-Wire Coin 2-Way with Operator Screening (GA)	L		UEPCO	UEPGC	1.89	22.14	15 25	0.45	3.91			00.07			

UNBUNDI	LED NETWORK ELEMENTS - Georgia													ment: 2		bit: B
CATEGORY	Y RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
		\vdash				Rec	Nonrec First	urring Add'i	Nonrecurring First	Disconnect Add'i	SOMEC	SOMAN	OSS	Rates(\$)	SOMAN	SOMAN
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,	 -	+				FIRST	Addi	FIRST	Add 1	SOMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
	900/976, 1+DDD (GA) 2-Wire Coin 2-Way with Operator Screening and 011 Blocking	<u> </u>	<u> </u>	UEPCO	UEP2G	1.89	22.14	15.25	8.45	3.91			33.67	7 88	11.17	3.91
	(GA)			UEPCO	UEPGA	1.89	22 14	15.25	8 45	3 91			33 67	7.88	11.17	3.91
ł	2-Wire Coin 2-Way with Operator Screening and 900/976 Blocking (GA)	l	1	UEPCO	UEPGB	1.89	22 14	15.25	8.45	3.91	}		33.67	7.88	11.17	3.91
	2-Wire Coin 2-Way with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (GA)			UEPCO	UEPCH	1.89	22.14	15 25	8.45	3.91			33 67	7.88	11.17	3.91
	2-Wire Coin Outward with Operator Screening and 011 Blocking	!														
	(GA, KY, MS) 2-Wire Coin Outward with Operator Screening and Blocking:		-	UEPCO	UEPRJ	1.89	22.14	15.25	8.45	3.91		l	33.67	7.88	11.17	3.91
	900/976, 1+DDD, 011+, and Local (FL, GA) 2-Wire 2-Way Smartline with 900/976 (all states except LA)	 	-	UEPCO UEPCO	UEPCQ UEPCK	1 89 1.89	22 14 22.14	15 25 15.25	8 45 8.45	3 91 3.91			33 67 33 67	7.88 7.88	11.17	3.9
	2-Wire Coin Outward Smartline with 900/976 (all states except LA)			UEPCO	UEPCR	1 89	22.14	15.25	8.45	3 91			33 67	7.88	11.17	
ADI	DITIONAL UNE COIN PORT/LOOP (RC)								8.45	391						
1.00	UNE Coin Port/Loop Combo Usage (Flat Rate) CAL NUMBER PORTABILITY		-	UEPCO	URECU	3.59	0.00	0.00	ļ				33.67	7.88	11.17	3.9
	Local Number Portability (1 per port)	-	+	UEPCO	LNPCX	0.35										
NOI	NRECURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPCO	USAC2		2.01	0.3108					33 67	_7.88	11.17	3.9
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change	1		UEPCO	USACC		2.01	0.31					33,67	7 88	11.17	3.9
ADI	DITIONAL NRCs	_	 	02.00	1007100											
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent			UEPCO	USAS2		0.00	0 00					33.67	7.88	11.17	3.9
UNBUNDLE	ED PORT/LOOP COMBINATIONS - COST BASED RATES		†													
	VIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	(PORT													ļ	
UNE	E Port/Loop Combination Rates	!	 			28 19			 		ļ		<u> </u>			
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2	 	1 2		<u> </u>	30.80			ļ				l			
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3	 	3			42.27										
LINE	E Loop Rates	+	۱Ť													
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1	1	1	UEPPX	UECD1	16.84	104 17	78.10								
-+	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2	1-	2	UEPPX	UECD1	19.45	104 17	78.10						·		
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3	1	3	UEPPX	UECD1	30 92	104.17	104.10								
UNI	E Port Rate		1 -													
	Exchange Ports - 2-Wire DID Port		1	UEPPX	UEPD1	11.35	61.91	61.91		<u> </u>	ļ		33.67	7 88		
NOI	NRECURRING CHARGES - CURRENTLY COMBINED										 					
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination Switch-as-is	•		UEPPX	USAC1		93.38	93.38		_			33 67	7.88		ļ
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with Bell South Allowable Changes			UEPPX	USA1C		93 38	93.38					33.67	7.88		<u> </u>
ADI	DITIONAL NRCs															ļ
	lephone Number/Trunk Group Establisment Charges										<u> </u>					ļ
	DID Trunk Termination (One Per Port)			UEPPX	NDT	0.00	0.00	0.00		<u> </u>	 	<u> </u>	ļ	-		
	DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers			UEPPX	NDŽ	0.00	0.00	0 00								
	Additional DID Numbers for each Group of 20 DID Numbers	1		UEPPX	ND4	0.00	0.00	0 00			ļ		ļ	 	 	
	DID Numbers, Non- consecutive DID Numbers , Per Number	1		UEPPX	ND5	0.00	0.00	0.00			ļ	<u> </u>	ļ			
	Reserve Non-Consecutive DID numbers		L	UEPPX	ND6	0.00	0.00	0.00	l				 	 	 	+
	Reserve DID Numbers			UEPPX	NDV	0.00	0 00	0.00		<u> </u>				ļ	 	
LOC	CAL NUMBER PORTABILITY								ļ		 		 			
	Local Number Portability (1 per port)			UEPPX	LNPCP	3 15	0 00	0.00	 			ļ.——				
	WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL L	INE SID	E POR						<u> </u>		├	 				
	IE Port/Loop Combination Rates		<u> </u>											 		
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -															

INBUNDLE	D NETWORK ELEMENTS - Georgia													Attachi	nent: 2	Exhit	oit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	Е	cs	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sve Order vs. Electronic- Disc Add'l
 								Nonrec	urina	Nonrecurrin	Disconnect			OSS	Rates(\$)		
			 -			 	Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		1														
	UNE Zone 2		2	UEPPB .	UEPPR]	38.74			l		1	İ				ĺ
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
	UNE Zone 3	<u> </u>	3	UEPPB	UEPPR	ļ	53.64					<u> </u>			<u></u>		L
	pop Rates		.			1 (2)						<u> </u>					
	2-Wire ISDN Digital Grade Loop - UNE Zone 1	<u> </u>	1	ŬEPP B	UEPPR	USL2X	21 89	252.32	188.77	ļ				19 99	19.99		
	2-Wire ISDN Digital Grade Loop - UNE Zone 2	ł	2	UEPPB	UEPPR	USL2X	25.27	252.32	100 77	İ				19 99	19.99		ĺ
	2-Wire ISDN Digital Grade Loop - UNE Zone 3			UEPPB	UEPPR		40.17	252.32	188.77 188.77			ļ		19.99	19.99		
LINE P	ort Rate		 	04110	ULFFIT	JUGLEX	40.17	202 02	100.77	 		 	l	19.55	19.55		
	Exchange Port - 2-Wire ISDN Line Side Port	-		UEPPB	UEPPR	UEPPB	13.47	47.37	47.37					19.99	19.99		
	CURRING CHARGES - CURRENTLY COMBINED	\vdash		1		T						1					-
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port		1			T									i ———		
	Combination - Conversion			UEPPB	UEPPR	USACB	0.00	93 38	93.38	L		L	L	19.99	19.99		
ADDIT	ONAL NRCs																
1	2-Wire ISDN Loop / 2-Wire ISDN Port Combination - Sub Actvy																
	Non Feature/Add Trunk			UEPPB	UEPPR	USASB		165 95				<u> </u>		19.99	19.99		
LOCAL	NUMBER PORTABILITY		⊥			L,						<u> </u>		<u> </u>			
	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0 35	0.00	0.00			ļ		ļ			ļ
B-CHA	NNEL USER PROFILE ACCESS:											 					└
	CVS/CSD (DMS/5ESS)		_	UEPPB	UEPPR	U1UCA	0.00	0.00	0.00	ļ		<u> </u>			<u> </u>		 -
	CVS (EWSD)	——	ļ	UEPPB	UEPPR UEPPR	U1UCB	0.00	0.00	0.00								
B CUA	CSD NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC		J	UEPPB	UEPPR	01000	0.00	0.00	0.00			 	l			·	
	TERMINAL PROFILE	<u>-,ma, a</u>	1 IN)	├		 						 		i			
USEN	User Terminal Profile (EWSD only)		1	UEPPB	UEPPR	UTUMA	0.00	0.00	0.00								
VERTIC	CAL FEATURES		 	021,0	OLITIN	0.101497	5.50					1					
12	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	0.00	0.00	0.00					19.99	19.99		
INTER	OFFICE CHANNEL MILEAGE					1											
	Interoffice Channel mileage each, including first mile and																
	facilities termination	L			UEPPR	M1GNC	16 47	79 61	36.08	l			L	19.99	19 99		
	Interoffice Channel mileage each, additional mile		Ī	UEPPB	UEPPR	MIGNM	0 0222	0.00	0 00			<u> </u>	0.00				ļ
	DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	PORT		<u></u>		<u> </u>					ļ	ļ					
UNE P	ort/Loop Combination Rates		<u> </u>	ļ		ļ				 		 				ļ	├ ──-
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	l	1 .			1	040.00					1			l .	i	
	Zone 1		1	UEPPP			218.69			<u> </u>		 		 		ļ	
ļ	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	1	١.	UEPPP			227.29					1		1			İ
	Zone 2		2	UEPPP		 	227.29			 		 				 -	
1	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE IZone 3	1	3	UEPPP			265.09			1		l .		l.	1		
INE			┝╩┈	UEPPP		 	205.09			 	 			· · ·			
UNEL	oop Rates 4-Wire DS1 Digital Loop - UNE Zone 1	 	+ +	UEPPP		USL4P	55.53	448.92	276 60	 				19 99	19.99		
-+-	4-Wire DS1 Digital Loop - UNE Zone 2	 		UEPPP		USL4P	64.13	448 92	276.60			i		19.99	19.99		
	4-Wire DS1 Digital Loop - UNE Zone 3			UEPPP		USL4P	101.93	448.92	276.60	-	<u> </u>	<u> </u>		19.99	19.99		
LINE P	ort Rate		 	02,		1.02				T	†·						
- JOINE !	Exchange Ports - 4-Wire ISDN DS1 Port	_	+	UEPPP		UEPPP	163.16	186.80	186.80	T				- 19 99	19.99		
NONRI	CURRING CHARGES - CURRENTLY COMBINED															L	L
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port		1										l	1		1	
\perp	Combination - Conversion -Switch-as-is	<u> </u>		UEPPP		USACP	0 00	269.96	269.96		ļ <u>.</u>			19.99	19.99	_	
ADDIT	IONAL NRCs									 _	 	 	├		 	ļ	
	4-Wire DS1 Loop/4-W ISDN Digit Trk Port - Subsqt Actvy-		1						Ì		1	1	ŀ	1	I	1	
	Inward/two way tel nos within Std Allowance (except NC)		1	UEPPP		PR7TF		0.9686		 	ļ	 	 	 	 	 	1
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -			1]		***	1			l	l			1
	Outward Tel Numbers (All States except NC)		⊢ –	UEPPP		PR7TO	<u> </u>	22.75	22 75	 	 	 	 	 	 		
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -		1	LIEBBE		DDZZZ	1	45.49	45.49		1	i		1		i	1
	Subsequent Inward Tel Nos Above Std Allowance	 		UEPPP		PR7ZT	ļ	45.49	45.49	 		 	 		 	 	
LOCAL	NUMBER PORTABILITY Local Number Portability (1 per port)		 	UEPPP		LNPCN	1.75			 	 	 	 	<u> </u>			T
						ILINECIA	1./5			r							

MINISTER EN	NETWORK ELEMENTS Coomic												Attachn			bit: B
ATEGORY	NETWORK ELEMENTS - Georgia RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
			—			5	Nonrecu	ırring	Nonrecurring					Rates(\$)		1 0011411
						Rec	First	Addʻl	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Voles ID als		 	UEPPP	PR71V	0 00	0.00	0.00			T					
	Voice/Data			UEPPP	PR71D	0.00	0.00	0.00			1					.i
	Digital Data		₩-	UEPPP	PR71E	0.00	0.00	0.00								1
	Inward Data		ļ.—	UEPPP	FR/1E	0.00	0,00	0.00			1					
	Additional "B" Channel				PR7BV	0.00	28.71				 		19.99	19.99		
	New or Additional - Voice/Data B Channel		ļ	UEPPP			28.71				 	-	19.99	19 99	 	
	New or Additional - Digital Data B Channel		<u> </u>	UEPPP	PR7BF	0 00	28 71						19.99	19.99		<u> </u>
	New or Additional Inward Data B Channel		<u> </u>	UEPPP	PR7BD	0.00	28 /1				 	 	10.00			
CALL T	YPES										 	-	 		 	
	Inward	Γ	1	UEPPP	PR7C1	0.00	0.00	0.00		ļ		<u> </u>				
	Outward		Τ	UEPPP	PR7C0	0.00	0 00	0.00			 	<u> </u>	 			
-	Two-way			UEPPP	PR7CC	0.00	0.00	0.00			 	 	!			+
	ice Channel Mileage		Γ_			[19.99	19 99	 	+
	Fixed Each Including First Mile		1	UEPPP	1LN1A	78.9223	147.07	111.75	0.00			 	19.99	19 99	 	
	Each Airline-Fractional Additional Mile		1	UEPPP	1LN1B	0.4523			L				ļ		 	+
4.WIDE	DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT	—	1	1	_		1		<u> </u>			 	 	ļ	 	 -
4-WIRE	ort/Loop Combination Rates		1	·								<u> </u>		ļ	 	1
UNE PO	HALDON Described and CAM DDITC Truck Bod LIME Zong 1		1	UEPDC		176 33				· · · · · · · · · · · · · · · · · · ·						ļ
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	-	1 2	UEPDC		184 93										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2			UEPDC		222.73							i			
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		+-	UEFUC									· ·	,		
UNE Lo	oop Rates		 	1	LICI DC	55 53	448.92	276.00					19.99	19.99		Τ
	4-Wire DS1 Digital Loop - UNE Zone 1	L		UEPDC	USLDC		448.92	276.60	 			 	19 99	19.99		
	4-Wire DS1 Digital Loop - UNE Zone 2	L	2_	UEPDC	USLDC	64.13					 	1	19.99	19.99		
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	101.93	448.92	276.60				 	1			1
UNE Po			T									 	19.99	19.99	 	+
	4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	120.80	89.44	52 46			+	 	10.00	10.00	+	
NONDE	CURRING CHARGES - CURRENTLY COMBINED	\vdash	+-				-			ļ <u> </u>				ļ	 	
NUNHE	CONTING CHANGES - CONNENTED COMMONDED	 	+						1	1	1	i			. i	l l
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	l	1	UEPDC	USAC4		269.96	- 269 96	Į.	l		l	19.99	19.99		
	- Switch-as-is		┿	DEFEC	00/104								i	ì	Į.	1
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	1	1	LIEBBO	USAWA		269 96	269.96	ł		1		19.99	19.99	·	
	- Conversion with DS1 Changes	L		UEPDC	USAWA		203 50	200.00								
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	ļ	1	1		1	269.96	269.96	ì	1	i		19.99	19.99		
1	- Conversion with Change - Trunk	ļ		UEPDC	USAWB		209.90	209.90		 						
ADDITI	ONAL NRCs	Γ'							 	_		 	 			
7.00111	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent			T		i I			i	i	l l	1	1	i .	1	1
1	Service Activity Per Service Order			UEPDC	USAS4		147.47	147.47				+			 	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -	+	 							1	1	1	19.99	19 99	,	1
1	14-Wire DS1 Loop / 4-Wire DD1/S Hall R Folt - NAC		1	UEPDC	UDTTA	1	28.71	28.71	<u> </u>				19.99	19.98	<u>' </u>	+
	Subsequent Channel Activation/Chan - 2-Way Trunk	-	+	02.00							1	i	1	1	, I	i
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent	1		UEPDC	UDTTB		28.71	28 71					19.99	19.99	<u>' </u>	
	Channel Activation/Chan - 1-Way Outward Trunk	 	+	UEPUC	100110							T	L.	1	.	ı
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel		1	LIEDDO	UDTTC		28.71	28.71	1	1	L		19.99	19.99	<u>' </u>	
1	Activation/Chan Inward Trunk w/out DID	1	4—	UEPDC	UDITO	 	<u> </u>		 	1				1	1	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan	1		1	l	'	28 71	28.71	1		1		19.99	19.99	9	
1	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		28 /1	20./1		+	 		T	T		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan		T						1		i	1	19.99	19.99	e i	1_
1	Activation / Chan - 2-Way DID w User Trans	1		UEPDC	UDTTE		28.71	28.71	 	+		+	19.88	1		
	AR 8 ZERO SUBSTITUTION	1	1						ļ			+	+	 	-	
BIPOL				UEPDC	CCOSF		0.00	600.00				+	+	+	 	
	B8ZS -Superframe Format	+	+	UEPDC	CCOEF		0.00	600.00	<u> </u>				+			
	B8ZS - Extended Superframe Format	+	+-	125. 23				L					+	+	+	
Alterna	ate Mark Inversion	+	+-	UEPDC	MCOSF		0.00	0.00) L		_	 		+	+	+
	AMI -Superframe Format	+	-l	UEPDC	MCOPO		0.00	0.00						 	+	+
	AMI - Extended SuperFrame Format	+	+-	UEPDU	WOOFU	 	 	<u> </u>				1				+
Teleph	none Number/Trunk Group Establisment Charges				- Interview	0.00	 	⊢—	 					1		
- ,,,,,	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00	<u> </u>	!	+	 		$\neg -$				
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00										
	Telephone Number for 1-Way Inward Trunk Group Without DID	\top	\neg	UEPDC	UDTGZ	0.00		ļ		+	+				$\overline{}$	
	Telephone Number for I-vivay inward Trank Group and Provide First Group	+-	\vdash				l	1	1	i	1		I	1	1	1
l	DID Numbers, Establish Trunk Group and Provide First Group	1	-1	UEPDC	NDZ	0.00	0.00	0.00	·			+-		+	 	
	of 20 DID Numbers	+	+	UEPDC	ND4	0 00							+-	+		+
	DID Numbers for each Group of 20 DID Numbers			IUEFUU	HINT	, , , , , ,						1			1	

NBUNDLED NETWO	RK ELEMENTS - Georgia												Attachi	ment: 2	Exhil	bit: B
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC	·		RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge
					+		Nonrec	urrino	Nonrecurring	Disconnect	 	L	OSS	Rates(\$)	l	
		_			 	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
Beserve No	n-Consecutive DID Nos	-	 	UEPDC	ND6	0.00	0.00	0.00	7							
Reserve DID				UEPDC	NDV	0.00	0.00	0.00			-					
	eroffice Channel Mileage) - FX/FCO for 4-Wire DS1	Digita	Loop									 			 	
	hannel Mileage - Fixed rate 0-8 miles (Facilities			UEPDC	1LNO1	78.47	147.07	111 75					19 99	19.99		
			I													
	hannel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.4523	0.00	0.00								<u> </u>
	hannel Mileage - Fixed rate 9-25 miles (Facilities					1					l					
Termination				UEPDC	1LNO2	0.00	0.00	0.00								
Interoffice C	hannel Mileage - Additional rate per mile - 9-25	1	1	UEPDC	1LNOB	0 4523	0.00	0.00								
	hannel Mileage - Fixed rate 25+ miles (Facilities			027 00	T.E.T.O.B	0 4020	0.00	0.00			 					
Termination		1		UEPDC	1LNO3	0.00	0 00	0.00			1	l	l	1	l	1
T CHIMITALION		-	+	OL: DO	12.100	0.00	- 00	0.00								
Interoffice C	hannel Mileage - Additional rate per mile - 25+ miles		1	UEPDC	1LNOC	0 4523	0 00	0.00				1		1	1	1
	er Portability, per DS0 Activated	-	 	UEPDC	LNPCP	3.15					 					
	ce Termininating Point		_	UEPDC	CTG	0.00							-	 		
	WITH CHANNELIZATION WITH PORT	├	 	00,00	1010	- 000						 				
	pop. 1 D4 Channel Bank, and up to 24 Feature Acti	ivations	-		+											
	ave up to 24 combinations of rates depending on			ther of ports used	+	l								 		
UNE DS1 Loop	ave up to 24 combinations of rates depending on	Type a	T	I	 						 		 	 		
	Loop - UNE Zone 1		1	UEPMG	USLDC	55.53	0.00	0.00			 		 			
	Loop - UNE Zone 1			UEPMG	USLDC	64.13	0.00	0.00			 	 		 	 	
	Loop - UNE Zone 3	├		UEPMG	USLDC	101.93	0.00	0.00			 			 		
	zation Capacities (D4 Channel Bank Configuration	<u></u>	-	UEF MIG	USLUC	101.33	0.00					-				
		ns)	-	UEPMG	VUM24	102 64	0 00	0.00			 	 	19.99	19 99		
	annel Capacity - 1 per DS1		-	UEPMG	VUM48	205 28	0.00	0.00			 	 	19 99			_
	annel Capacity - 1 per 2 DS1s			UEPMG UEPMG	VUM96	410.56	0.00	0.00			 		19.99	19 99		-
	annel Capacity -1per 4 DS1s			UEPMG	VUM14	615 84	0 00	0.00			 		19 99			
	annel Capacity - 1 per 6 DS1s		—	UEPMG	VUM19	821.12	0.00	0 00			 		19 99		 	
	annel Capacity -1 per 8 DS1s		-		VUM20	1,026 40	0.00	0.00			 	 	19.99	19 99		+
	annel Capacity - 1 per 10 DS1s	 	-	UEPMG	VUM28		0.00	0.00			 		19.99	19.99		
	annel Capacity - 1 per 12 DS1s		₩-	UEPMG		1,231 68		0 00			 	 	19.99	19 99	 	
	annel Capacity - 1 per 16 DS1s	-	—	UEPMG	VUM38	1,642.24	0 00	0 00			 		19 99			
	annel Capacity - 1 per 20 DS1s	├	—	UEPMG	VUM40	2,052 80						!	19.99			
	annel Capacity -1 per 24 DS1s		—	UEPMG	VUM57	2,463.36	0.00	0 00					19.99			
672 DS0 Ch	annel Capacity - 1 per 28 DS1s		<u> </u>	UEPMG	VUM67	2,873.92	0 00	0 00					10.00	10.00		
Non-Recurring Cha	arges (NRC) Associated with 4-Wire DS1 Loop with	h Chan	neliztio	n with Port - Conv	ersion Charge	Based on a Sy	stem							 		+
A Minimum System	configuration is One (1) DS1, One (1) D4 Channe	Bank,	and U	10 24 USO Ports	with Feature	ACTIVATIONS.					 					-
Multiples of this co	onfiguration functioning as one are considered Ac	dd'i afte	r the n	inimum system co	ntiguration is	counted.					 	 				_
	ersion (Currently Combined) with or without	i		UEPMG	USAC4	0 00	328.35	16 52			i		19 99	19.99	í	i
BellSouth A	llowed Changes		<u> </u>					10.52			 		10.00	10.00		
System Additions	at End User Locations Where 4-Wire DS1 Loop wi	th Char	neliza	tion with Port Com	binauon Curr	HILLY EXISTS BIR	<u> </u>				 	 				
	Combined) in all states, except in Density Zone 1	OTIO	8 MS/	18							 					
	hannel Bank - Additionally Add NRC for each Port	(í		VUMD4	000	738.61	462.53	144.05	17.09	1	ł	19.99	19.99	Į	1
	ea Activation	-	├	UEPMG	VUMD4	000	/30.01	402.00	144.00	17.03	 	 		1		_
Bipolar 8 Zero Sub		-	├								+			<u> </u>		
	nel Capability Format, superframe - Subsequent	!	i i	UEPMG	CCOSF	0.00	0.00	600.00			1	1	· .	1	ļ.	1
Activity Only		├ ──	╄	DEPMG	CCOSF	0.00	0.00	000.00			 	-	1			
	nel Capability Format - Extended Superframe -	I		LIEDMO	CCOEF	0 00	0.00	-600 00			1	1	Ì	1	I	ĺ
	t Activity Only	 		UEPMG	CCOEF	1	V.00	-000 00					1	1		
Alternate Mark Inve		-	-	LIEDMO	MCCCC	0.00	0.00	0.00			 			1		
Superframe			+	UEPMG	MCOSF			0.00			+	 	 	 		
	uperframe Format	L	<u></u>	UEPMG	MCOPO	0.00	0.00	0.00			+		 	 	 	1
	sociated with 4-Wire DS1 Loop with Channelization	on with	Port								 			 	 	
Exchange Ports			L								 					+
					l					۔۔۔		1	33.67	7.88	1	1
	ombination Channelized PBX Trunk Port - Business	L		UEPPX	UEPCX	1.79	0.00	0.00	0.00	0.00		+			 	+
111 014 0	utward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	1.79	0.00	0 00	0.00	0 00	1	1	33.67	7.88		

	WORK ELEMENTS - Georgia												Attachi	ment: 2	Exhib	oit; B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svi Order vs. Electronic Disc Add'i
			1				Nonre	curring	Nonrecurring	Disconnect			OSS	Rates(\$)		
						Rec	First	Add'I	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
					· ·											
	de Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	1.79	0 00	0 00	0 00	0 00	l .	1	33 67	7 88		!
	Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	11.35	0.00	0.00	0.00	0.00			33.67	7.88		
Feature Activa	ations - Unbundled Loop Concentration	<u> </u>	-													
in D4 B	e (Service) Activation for each Line Side Port Terminated		1	UEDOV		l	l		l							1
	e (Service) Activation for each Trunk Side Port Terminated			UEPPX	1PQWM	0.62	25.09	13 25	3.99	3.97			33.67	7.88		
in D4 B			i	UEPPX	1PQWU	0 62	77.21	18 20	56.49	11,04			20.07	7.00		
	mber/ Group Establishment Charges for DID Service		+	DEFFX	IFQVVO	- 062	//.21	18 20	56.49	11.04	-		33 67	7 88		
DID Tru	unk Termination (1 per Port)		 	UEPPX	NDT	0.00	0.00	0 00	-							
Estab T	Trk Grp and Provide 1st 20 DID Nos (FL.GA, NC.& SC)	 	1-	UEPPX	NDZ	0.00	0.00	0 00			 					-
	umbers - groups of 20 - Valid all States		 	UEPPX	ND4	0.00	0.00	0.00			<u> </u>					·······
Non-Co	onsecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0 00								
	e Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0 00	0.00								
	e DID Numbers			UEPPX	NDV	0 00	0.00	0.00								
Local Number																
	Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0 00								
	/ertical and Optional		1													
	ng Features Offered with Line Side Ports Only		-													
	itures Available OOP COMBINATIONS - MARKET RATES			UEPPX	UEPVF	0.00	0.00	0.00								
	shall apply where BellSouth is not required to provide		41-41-	1	1	500	1									
											200					
	unbundled port/loop combinations that are Currently															
ine iop 6 MS/	As in BellSouth's region are: FL (Orlando, Ft. Lauderda	ale, MIA	ami); G	A (Atlanta); LA (New	Oneans); NO	Retee in this	Winston Salen	Highpoinver	anotte-Gaston	Ia-ROCK HIII);	N (Nasnvill	e). South shall	bill the retec	in the Cost B		L
RallSouth curr																
BellSouth curr	rently is developing the billing capability to mechanics			and non-recu	illing market	nates III ulis a	section, in the	interim where	Bensouth cann	not bill Market	Hates, Della	SOULIN SHEET	Dill tile (ales	III UIII COSI-DI	ased section	preceaing in
BellSouth curr	rket Rates and reserves the right to true-up the billing o	differen	100.	T TOTAL TOTA	T T	nates III ulis s	section, in the	Interim where	BeilSouth cani	not bill Market	Hates, Bell	JOURN SHEET	Dill tile (bles	III die Cost-Ba	ased section	preceaing ir
BellSouth curr lieu of the Mar The Market Ra	rket Rates and reserves the right to true-up the billing of the for unbundled ports includes all available features in	differen in all st	nce.	T	Γ			T	l			l			ased section	preceaing in
BellSouth curr lieu of the Mar The Market Ra End Office and	rket Rates and reserves the right to true-up the billing of the for unbundled ports includes all available features in It Tandem Switching Usage and Common Transport Us	differen in all st sage rat	nce. lates. tes in ti	he Port section of th	is rate exhib	it shall apply to	all combinati	ons of loop/po	ert network elem	nents except	for UNE Coi	n Port/Loop	Combination	ns.		
BellSouth curr lieu of the Mar The Market Ra End Office and For Not Curren	rket Rates and reserves the right to true-up the billing of the for unbundled ports includes all available features in	differen in all st sage rat	nce. lates. tes in ti	he Port section of th	is rate exhib	it shall apply to	all combinati	ons of loop/po	ert network elem	nents except	for UNE Coi	n Port/Loop	Combination	ns.		
BellSouth curr Illeu of the Mar The Market Ra End Office and For Not Curren Additional NRG	rket Rates and reserves the right to true-up the billing it its for unbundled ports includes all available features is d Tandem Switching Usage and Common Transport Us ntly Combined scenarios, the Nonrecurring charges are	differen in all st sage rat	nce. lates. tes in ti	he Port section of th	is rate exhib	it shall apply to	all combinati	ons of loop/po	ert network elem	nents except	for UNE Coi	n Port/Loop	Combination	ns.		
BellSouth curr illeu of the Mar The Market Ra End Office and For Not Curren Additional NRC 2-WIRE VOICE	rket Rates and reserves the right to true-up the billing of the for unbundled ports includes all available features in If Tandern Switching Usage and Common Transport Us fully Combined scenarios, the Nonrecurring charges and Cs may apply also and are categorized accordingly.	differen in all st sage rat	nce. lates. tes in ti	he Port section of th	is rate exhib	it shall apply to ns for each Po	all combinati	ons of loop/po	ert network elem	nents except	for UNE Coi	n Port/Loop	Combination	ns.		
BellSouth curr illeu of the Mar The Market Ra End Office and For Not Curren Additional NR 2-WIRE VOICE UNE POTVLOOP [2-Wire]	riset Rates and reserves the right to true-up the billing of the for unbundled ports includes all available features is distanced. Switching Usage and Common Transport Usanity Combined scenarios, the Nonrecurring charges and Cs may apply also and are categorized accordingly. GRADE LOOP WITH 2-WIRE LINE PORT (RES) po Combination Rates VG Loop/Port Combo - Zone 1	differen in all st sage rat	tes in the	he Port section of th	is rate exhib	it shall apply to ns for each Por	all combinati	ons of loop/po	ert network elem	nents except	for UNE Coi	n Port/Loop	Combination	ns.		
BellSouth curr Illeu of the Mar The Market Ra End Office and For Not Curren Additional NR 2-WIRE VOICE UNE PORTLOOD 2-Wire 2-Wire	rket Rates and reserves the right to true-up the billing of the for unbundled ports includes all available features is distanced to the true with the reserved to the true with the reserved accordingly. The true with the reserved accordingly is graph and the true with the reserved accordingly. GRADE LOOP WITH 2-WIRE LINE PORT (RES) promination Rates VG Loop/Port Combo - Zone 1 VG Loop/Port Combo - Zone 2	differen in all st sage rat	tes in the	he Port section of th	is rate exhib	it shall apply to ns for each Poi	all combinati	ons of loop/po	ert network elem	nents except	for UNE Coi	n Port/Loop	Combination	ns.		
BellSouth curr lleu of the Mar The Market Ra End Office and For Not Currer Additional NRt 2-WiRE VOICE UNE Port/Loop 2-Wire 2-Wire 2-Wire	riset Rates and reserves the right to true-up the billing it to unbundled ports includes off available features it and a transmission whiching usage and Common Transport Us ntly Combined scenarios, the Nonrecurring charges and Cs may apply also and are categorized accordingly. CGRADE LOOP WITH 2-WIRE LINE PORT (RES) p Combination Rates VG Loop/Port Combo - Zone 1 VG Loop/Port Combo - Zone 2 VG Loop/Port Combo - Zone 3	differen in all st sage rat	tes in the	he Port section of th	is rate exhib	it shall apply to ns for each Por	all combinati	ons of loop/po	ert network elem	nents except	for UNE Coi	n Port/Loop	Combination	ns.		
BellSouth curr lileu of the Mar lileu of the Mar The Market Ra End Office and For Not Currer Additional NRC 2-WIRE VOICE UNE Port/Loop 2-Wire 2-Wire 12-Wire UNE Loop Rate	riset Rates and reserves the right to true-up the billing its for unbundled ports includes all available features is defaulted and trandem Switching Usage and Common Transport Usatily Combined scenarios, the Nonrecurring charges are Cs may apply also and are categorized accordingly. GRADE LOOP WITH 2-WIRE LINE PORT (RES) p Combination Rates VG Loop/Port Combo - Zone 1 VG Loop/Port Combo - Zone 2 VG Loop/Port Combo - Zone 3 tes	differen in all st sage rat	tes in the	he Port section of th First and Additional	is rate exhib NRC colum	it shall apply to as for each Poi 24.80 26.47 33.83	all combinati	ons of loop/po	ert network elem	nents except	for UNE Coi	n Port/Loop	Combination	ns.		
BellSouth curr Illeu of the Mar The Market Ra End Office and For Not Currer Additional NR 2-WIRE VOICE UNE PORTLOOD 2-Wire 2-Wire UNE LOOP Rat [2-Wire]	rivet Rates and reserves the right to true-up the billing of the for unbundled ports includes all available features in the for unbundled ports includes all available features to distance with the second common Transport Us milly Combined scenarios, the Nonrecurring charges and Cs may apply also and are categorized accordingly. GRADE LOOP WITH 2-WIRE LINE PORT (RES) por Combination Rates VG Loop/Port Combo - Zone 1 VG Loop/Port Combo - Zone 2 VG Loop/Port Combo - Zone 3 tes Voice Grade Loop (SL1) - Zone 1	differen in all st sage rat	tes in the	he Port section of the First and Additional	is rate exhib	24.80 26.47 33.83	all combinati	ons of loop/po	ert network elem	nents except	for UNE Coi	n Port/Loop	Combination	ns.		
BellSouth curr lleu of the Mar The Market Ra End Office and For Not Currer Additional NRt 2-WiRE VOICE UNE Port/Loop 2-Wire 2-Wire UNE Loop Rat 2-Wire 2-Wire 2-Wire	riset Rates and reserves the right to true-up the billing it to for unbundled ports includes off available features it d Tandem Switching Usage and Common Transport Us ntly Combined scenarios, the Nonrecurring charges an Cs may apply also and are categorized accordingly. GRADE LOOP WITH 2-WIRE LINE PORT (RES) p Combination Rates VG Loop/Port Combo - Zone 1 VG Loop/Port Combo - Zone 2 VG Loop/Port Combo - Zone 3 tes Voice Grade Loop (SL1) - Zone 1 Voice Grade Loop (SL1) - Zone 2	differen in all st sage rat	tes in the	ne Port section of the First and Additional Additional UEPRX UEPRX	UEPLX	24.80 26.47 33.83	all combinati	ons of loop/po	ert network elem	nents except	for UNE Coi	n Port/Loop	Combination	ns.		
BellSouth curr Ileu of the Mar The Market Ra End Office and For Not Currer Additional NRC 2-WiRE VOICE UNE Port/Loop 2-Wire 2-Wire 12-Wire UNE Loop Rat 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire	riset Rates and reserves the right to true-up the billing its for unbundled ports includes aff available features its for unbundled ports includes aff available features in definition and a second port of the right combined scenarios, the Nonrecurring charges are Cs may apply also and are categorized accordingly. • GRADE LOOP WITH 2-WIRE LINE PORT (RES) • Combination Rates VG Loop/Port Combo - Zone 1 VG Loop/Port Combo - Zone 2 VG Loop/Port Combo - Zone 3 • Volce Grade Loop (SL1) - Zone 1 Volce Grade Loop (SL1) - Zone 2 Volce Grade Loop (SL1) - Zone 3	differen in all st sage rat	tes in the	he Port section of the First and Additional	is rate exhib	24.80 26.47 33.83	all combinati	ons of loop/po	ert network elem	nents except	for UNE Coi	n Port/Loop	Combination	ns.		
BellSouth curr lieu of the Mar The Market Ra End Office and For Not Currer Additional NR 2-WIRE VOICE UNE PORT/Loop 2-Wire 2-Wire UNE Loop Rate 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire	riset Rates and reserves the right to true-up the billing its for unbundled ports includes all available features is different and transport used transport used to the transpor	differen in all st sage rat	tes in the	he Port section of the First and Additional Additional UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX	24.80 26.47 33.83 10.80 12.47 19.83	o all combinati	ons of loop/pc urrently Comb	ert network elem	nents except	for UNE Coi	n Port/Loop	Combination in the NRC -	ns. Currently Cor	nbined sectio	n.
BellSouth curr Illeu of the Mar The Market Ra End Office and For Not Currer Additional NR 2-WIRE VOICE UNE POT/Loop 2-Wire 2-Wire UNE Loop Rate 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire	riset Rates and reserves the right to true-up the billing it to unbundled ports includes off available features it of an analysis of the common transport Us intly Combined scenarios, the Nonrecurring charges and Cs may apply also and are categorized accordingly. CGRADE LOOP WITH 2-WIRE LINE PORT (RES) p Combination Rates VG Loop/Port Combo - Zone 1 VG Loop/Port Combo - Zone 2 VG Loop/Port Combo - Zone 3 tes Voice Grade Loop (SL1) - Zone 1 Voice Grade Loop (SL1) - Zone 2 Voice Grade Loop (SL1) - Zone 3 Grade Line Port (Res) voice unbundled port - residence	differen in all st sage rat	tes in the	DEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX	24.80 28.47 33.83 10.80 12.47 19.83	p all combination to the combination of the combina	ons of loop/pc currently Comb	ert network elem	nents except	for UNE Coi	n Port/Loop	Combination in the NRC -	ns. Currently Cor	nbined section	n
BellSouth curr Illeu of the Mar The Market Ra End Office and For Not Currer Additional NRc 2-Wire VOICE UNE Port/Loop 2-Wire 2-Wire 12-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire	rite to runbundled ports includes aff available features into for unbundled ports includes aff available features in dependence whiching usage and Common Transport Usarily Combined scenarios, the Nonrecurring charges and Cs may apply also and are categorized accordingly. EGRADE LOOP WITH 2-WIRE LINE PORT (RES) p Combination Rates VG Loop/Port Combo - Zone 1 VG Loop/Port Combo - Zone 2 VG Loop/Port Combo - Zone 3 voice Grade Loop (SL1) - Zone 1 Voice Grade Loop (SL1) - Zone 2 Voice Grade Loop (SL1) - Zone 3 Grade Line Port (Res) voice unbundled port - residence voice unbundled port with Caller ID - res	differen in all st sage rat	tes in the	DEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX	24.80 26.47 33 83 10.80 14.00 14.00	90 00 90.00	ons of loop/pc currently Comb	ert network elem	nents except	for UNE Coi	n Port/Loop	Combination in the NRC -	ns. Currently Cor	11.17 11.17	3.9 3.9
BellSouth curr Illeu of the Mar The Market Ra End Office and For Not Currer Additional NR 2-WIRE VOICE UNE PORT/Loop 2-Wire 2-Wire UNE Loop Rata 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire	rise for unbundled ports includes all available features is its for unbundled ports includes all available features is different processes and Common Transport Usinity Combined scenarios, the Nonrecurring charges are Cs may apply also and are categorized accordingly. GRADE LOOP WITH 2-WIRE LINE PORT (RES) p Combination Rates VG Loop/Port Combo - Zone 1 VG Loop/Port Combo - Zone 2 VG Loop/Port Combo - Zone 3 tes Voice Grade Loop (SL1) - Zone 1 Voice Grade Loop (SL1) - Zone 1 Voice Grade Loop (SL1) - Zone 2 Voice Grade Loop (SL1) - Zone 3 Grade Line Port (Res) voice unbundled port residence voice unbundled port with Caller ID - res voice unbundled port with Caller ID - res voice unbundled port with Caller ID - res	differen in all st sage rat	tes in the	DEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX	24.80 28.47 33.83 10.80 12.47 19.83	p all combination to the combination of the combina	ons of loop/pc currently Comb	ert network elem	nents except	for UNE Coi	n Port/Loop	Combination in the NRC -	ns. Currently Cor	nbined section	3.9 3.9
BellSouth curr Illeu of the Mar The Market Ra End Office and For Not Currer Additional NR 2-WIRE VOICE UNE PORTLOOP 2-Wire 2-Wire UNE Loop Rate 2-Wire	rite to runbundled ports includes aff available features into for unbundled ports includes aff available features in dependence whiching usage and Common Transport Usarily Combined scenarios, the Nonrecurring charges and Cs may apply also and are categorized accordingly. EGRADE LOOP WITH 2-WIRE LINE PORT (RES) p Combination Rates VG Loop/Port Combo - Zone 1 VG Loop/Port Combo - Zone 2 VG Loop/Port Combo - Zone 3 voice Grade Loop (SL1) - Zone 1 Voice Grade Loop (SL1) - Zone 2 Voice Grade Loop (SL1) - Zone 3 Grade Line Port (Res) voice unbundled port - residence voice unbundled port with Caller ID - res	differen in all st sage rat	tes in the	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC	24.80 26.47 33.83 10.80 12.47 19.83 14.00	90 00 90.00	90.00 90.00	ert network elem	nents except	for UNE Coi	n Port/Loop	23 67 33 67 33.67	7.88 7.88	11.17 11.17 11.17	3.9 3.9 3.9
BellSouth curr Illeu of the Mar The Market Ra End Office and For Not Currer Additional NR 2-Wire VOICE UNE POT/Loop 2-Wire 2-Wire UNE Loop Rate 2-Wire (LUM)	riset Rates and reserves the right to true-up the billing its for unbundled ports includes off available features it of an analysis of the property of the pro	differen in all st sage rat	tes in the	DEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRL	24.80 26.47 33 83 10.80 14.00 14.00	90 00 90.00	ons of loop/pc currently Comb	ert network elem	nents except	for UNE Coi	n Port/Loop	Combination in the NRC -	ns. Currently Cor	11.17 11.17	3.91 3.91 3.91
BellSouth curr Ileu of the Mar The Market Ra End Office and For Not Currer Additional NRt 2-Wire UNE Port/Loop 2-Wire 2-Wire UNE Loop Rat 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 1	rise for unbundled ports includes aff available features interfor unbundled ports includes aff available features in drander Switching Usage and Common Transport Usarily Combined scenarios, the Nonrecurring charges and Cs may apply also and are categorized accordingly. • GRADE LOOP WITH 2-WIRE LINE PORT (RES) • Combination Rates VG Loop/Port Combo - Zone 1 VG Loop/Port Combo - Zone 2 VG Loop/Port Combo - Zone 3 **Res	differen in all st sage rat	tes in the	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO	24.80 26.47 33 83 10.80 14.00 14.00	90 00 90.00	90.00 90.00	ert network elem	nents except	for UNE Coi	n Port/Loop	23 67 33 67 33.67	7.88 7.88	11.17 11.17 11.17	3.91 3.91 3.91
BellSouth curr lieu of the Mar The Market Ra End Office and For Not Currer Additional NR 2-WIRE VOICE UNE PORTLOOD 2-Wire 2-Wire 1-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 1-Wire 2-Wire 2-Wire 1-Wire 1-Wire 2-Wire 1-Wire	riset Rates and reserves the right to true-up the billing its for unbundled ports includes off available features it of an analysis of the property of the pro	differen in all st sage rat	tes in the	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC	24.80 26.47 33.83 10.80 12.47 19.83 14.00	90 00 90.00	90.00 90.00	ert network elem	nents except	for UNE Coi	n Port/Loop	23 67 33 67 33.67	7.88 7.88	11.17 11.17 11.17	3.91 3.91 3.91
BellSouth curr Illeu of the Mar The Market Ra End Office and For Not Currer Additional NR 2-WIRE VOICE UNE POT/Loop 2-Wire 2-Wire UNE Loop Rate 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire (2-Wire (2-Wire) (2-Wire) (2-Wire) (1-Wire) (2-Wire) (1-Wire	riset Rates and reserves the right to true-up the billing it to unbundled ports includes off available features it of another whiching usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Component Common Transport Usage and Component Common Transport Usage and Component Common Transport Usage Component Common Transport Usage Common Transport Usage Common Transport Usage Common Transport Usage Common Transport C	differen in all st sage rat	tes in the	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRC UEPRC	24.80 28.47 33.83 10.80 12.47 19.83 14.00 14.00 14.00	90 00 90.00 90.00	90.00 90.00 90.00	ert network elem	nents except	for UNE Coi	n Port/Loop	23 67 33 67 33.67	7.88 7.88	11.17 11.17 11.17	3.9 3.9 3.9 3.9
BellSouth curr Illeu of the Mar The Market Ra End Office and For Not Currer Additional NR 2-WIRE VOICE UNE POT/Loop 2-Wire 2-Wire UNE Loop Rate 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire (2-Wire (2-Wire) (1-Wire) (2-Wire) (1-Wire	rise for unbundled ports includes aff available features interfor unbundled ports includes aff available features in drander Switching Usage and Common Transport Usarily Combined scenarios, the Nonrecurring charges and Cs may apply also and are categorized accordingly. • GRADE LOOP WITH 2-WIRE LINE PORT (RES) • Combination Rates VG Loop/Port Combo - Zone 1 VG Loop/Port Combo - Zone 2 VG Loop/Port Combo - Zone 3 **Res	differen in all st sage rat	tes in the	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO	24.80 26.47 33 83 10.80 14.00 14.00	90 00 90.00	90.00 90.00	ert network elem	nents except	for UNE Coi	n Port/Loop	29 67 33.67 33.67	7.88 7.88 7.88 7.88	11.17 11.17 11.17 11.17	3.91 3.91 3.91 3.91
BellSouth curr Illeu of the Mar The Market Ra End Office and For Not Currer Additional NR 2-WIRE VOICE UNE PORT/Loop 2-Wire 2-Wire 1-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 1-Wire 2-Wire 1-Wi	rise for unbundled ports includes all available features is the for unbundled ports includes all available features in drander Switching Usage and Common Transport Usatily Combined scenarios, the Nonrecurring charges are Cs may apply also and are categorized accordingly. EGRADE LOOP WITH 2-WIRE LINE PORT (RES) p Combination Rates VG Loop/Port Combo - Zone 1 VG Loop/Port Combo - Zone 2 VGL Copp/Port Combo - Zone 3 tes Voice Grade Loop (SL1) - Zone 1 Voice Grade Loop (SL1) - Zone 1 Voice Grade Loop (SL1) - Zone 3 Grade Line Port (Res) voice unbundled port residence voice unbundled port with Caller ID - res voice unbundled port outgoing only - res voice unbundles res, low usage line port with Caller ID ER PORTABILITY Number Portability (1 per port)	differen in all st sage rat	tes in the	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRC UEPRC	24.80 28.47 33.83 10.80 12.47 19.83 14.00 14.00 14.00	90 00 90.00 90.00	90.00 90.00 90.00	ert network elem	nents except	for UNE Coi	n Port/Loop	29 67 33.67 33.67	7.88 7.88 7.88	11.17 11.17 11.17	3.91 3.91 3.91 3.91
BellSouth curr Illeu of the Mar The Market Ra End Office and For Not Currer Additional NR 2-WIRE VOICE UNE POT/Loop 2-Wire 2-Wire UNE Loop Rate 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire (LUM) LOCAL NUMBI LOCAL NUMBI LOCAL NUMBI LOCAL FEATURES All Feat	riset Rates and reserves the right to true-up the billing it to unbundled ports includes off available features it of another whiching usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Component Common Transport Usage and Component Common Transport Usage and Component Common Transport Usage Component Common Transport Usage Common Transport Usage Common Transport Usage Common Transport Usage Common Transport C	differen in all st sage rat	tes in the	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRC UEPAP	24.80 26.47 33 83 10.80 12.47 19.83 14.00 14.00 14.00	90 00 90.00 90.00	90.00 90.00 90.00	ert network elem	nents except	for UNE Coi	n Port/Loop	33 67 33.67	7.88 7.88 7.88 7.88	11.17 11.17 11.17 11.17	3.9 3.9 3.9 3.9
BellSouth curr Illeu of the Mar The Market Ra End Office and For Not Currer Additional NR 2-WIRE VOICE UNE POT/Loop 2-Wire 2-Wire UNE Loop Rate 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire (LUM) LOCAL NUMBI LOCAL NUMBI LOCAL NUMBI LOCAL SILE LOCAL FEATURES All Feat	rite for unbundled ports includes aff available features in the for unbundled ports includes aff available features in the form of the form of the feature in the feature i	differen in all st sage rat	tes in the	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRC UEPAP	24.80 26.47 33 83 10.80 12.47 19.83 14.00 14.00 14.00	90 00 90.00 90.00	90.00 90.00 90.00	ert network elem	nents except	for UNE Coi	n Port/Loop	33 67 33.67	7.88 7.88 7.88 7.88	11.17 11.17 11.17 11.17	3.9 3.9 3.9 3.9
BellSouth curr Illeu of the Mar The Market Ria End Office and For Not Currer Additional NR 2-WIRE VOICE UNE POT/Loop 2-Wire 2-Wire UNE Loop Rate 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 1-2-Wire 2-Wire 2-Wire 1-2-Wire 2-Wire 2-Wire 1-2-Wire 2-Wire 1-2-Wire 2-Wire 2-Wire 1-2-Wire 1-2-Wire 1-2-Wire 1-2-Wire 1-2-Wire 1-2-Wire 1-2-Wire 1-2-Wire 1-2-Wire 1-2-Wire 1-2-Wire 1-2-Wire 1-2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire	rise for unbundled ports includes aff available features in defaults for unbundled ports includes aff available features in defaults. The more common transport Using Combined scenarios, the Nonrecurring charges are Cs may apply also and are categorized accordingly. EGRADE LOOP WITH 2-WIRE LINE PORT (RES) p Combination Rates VG Loop/Port Combo - Zone 1 VG Loop/Port Combo - Zone 2 VGL Comport Combo - Zone 2 Voice Grade Loop (SL1) - Zone 3 Res Voice Grade Loop (SL1) - Zone 3 Res Voice Grade Loop (SL1) - Zone 3 Res Voice Unbundled port vith Caller ID - res voice unbundled port vith Caller ID - res voice unbundled port outgoing only - res voice unbundled port with Caller ID - res voice unbundled port with Caller ID - res voice unbundled port sugging only - res voice unbundled port sugging only - res voice unbundled port outgoing only - res voice or residence voice or residence voice or residence voice or residence voice or residence voice or residence voice or	differen in all st sage rat	tes in the	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRC UEPRO UEPAP LNPCX UEPVF	24.80 26.47 33 83 10.80 12.47 19.83 14.00 14.00 14.00	90 00 90.00 90.00 90.00 41.50	90.00 90.00 90.00 90.00 41.50	ert network elem	nents except	for UNE Coi	n Port/Loop	33 67 33.67 33.67	7.88 7.88 7.88 7.88	11.17 11.17 11.17 11.17	3.9 3.9 3.9 3.9
BellSouth curr Illeu of the Mar The Market Ra End Office and For Not Currer Additional NR 2-WIRE VOICE UNE POT/Loop 2-Wire 2-Wire UNE Loop Rate 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 1-Wire 2-Wire	rise for unbundled ports includes aff available features in defaults for unbundled ports includes aff available features in defaults. The more common transport Using Combined scenarios, the Nonrecurring charges are Cs may apply also and are categorized accordingly. EGRADE LOOP WITH 2-WIRE LINE PORT (RES) p Combination Rates VG Loop/Port Combo - Zone 1 VG Loop/Port Combo - Zone 2 VGL Comport Combo - Zone 2 Voice Grade Loop (SL1) - Zone 3 Res Voice Grade Loop (SL1) - Zone 3 Res Voice Grade Loop (SL1) - Zone 3 Res Voice Unbundled port vith Caller ID - res voice unbundled port vith Caller ID - res voice unbundled port outgoing only - res voice unbundled port with Caller ID - res voice unbundled port with Caller ID - res voice unbundled port sugging only - res voice unbundled port sugging only - res voice unbundled port outgoing only - res voice or residence voice or residence voice or residence voice or residence voice or residence voice or residence voice or	differen in all st sage rat	tes in the	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRC UEPRO UEPAP LNPCX UEPVF	24.80 26.47 33 83 10.80 12.47 19.83 14.00 14.00 14.00	90 00 90.00 90.00 90.00 41.50	90.00 90.00 90.00 90.00 41.50	ert network elem	nents except	for UNE Coi	n Port/Loop	33 67 33.67 33.67 33.67	7.88 7.88 7.88 7.88 7.88 7.88	11.17 11.17 11.17 11.17 11.17	3.9 3.9 3.9 3.9 3.9
BellSouth curr Illeu of the Mar The Market Ra End Office and For Not Currer Additional NR 2-WIRE VOICE UNE POT/Loop 2-Wire 2-Wire UNE Loop Rate 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 1-Wire 2-Wire 1-Cocal N	rite for unbundled ports includes aff available features in drander Switching Usage and Common Transport Usage and Common Transpo	differen in all st sage rat	tes in the	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRC UEPRO UEPAP LNPCX UEPVF	24.80 26.47 33 83 10.80 12.47 19.83 14.00 14.00 14.00	90 00 90.00 90.00 90.00 41.50	90.00 90.00 90.00 90.00 41.50	ert network elem	nents except	for UNE Coi	n Port/Loop	33 67 33.67 33.67	7.88 7.88 7.88 7.88	11.17 11.17 11.17 11.17	3.9 3.9 3.9 3.9 3.9
BellSouth curr Illeu of the Mar The Market Ra End Office and For Not Currer Additional NR 2-Wire 2-W	rite for unbundled ports includes aff available features in drander Switching Usage and Common Transport Usage and Common Transpo	differen in all st sage rat	tes in the	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRC UEPRC UEPRC UEPRC UEPAP LNPCX UEPVF USAC2 USACC	14 00 14 00 14 00 10 00 10 00 10 00 10 00 11 00 12 07 14 00 14 00 15 00 16 00 17 00 18 00	90 00 90.00 90.00 90.00 41.50	90.00 90.00 90.00 90.00 41.50	ert network elem	nents except	for UNE Coi	n Port/Loop	33 67 33.67 33.67 33.67	7.88 7.88 7.88 7.88 7.88 7.88	11.17 11.17 11.17 11.17 11.17	3.91 3.91 3.91 3.91 3.91
BellSouth curr Illeu of the Mar The Market Ra End Office and For Not Currer Additional NR 2-WIRE VOICE UNE PORT/Loop 2-Wire 3-Wire 2-Wire 2-Wire 2-Wire 3-Wire 2-Wire 2-Wire 3-Wire 3-Wire 3-Wire 3-Wire 4-Wire 4-Wire 4-Wire 5-Wire 5-Wire 6-Range ADDITIONAL N NRC - 2 Subseq 2-WIRE VOICE	rise for unbundled ports includes aff available features in defaults and reserves the right to true-up the billing rise for unbundled ports includes aff available features in defaults. Switching Usage and Common Transport Usarily Combined scenarios, the Nonrecurring charges are Cs may apply also and are categorized accordingly. EGRADE LOOP WITH 2-WIRE LINE PORT (RES) p Combination Rates VG Loop/Port Combo - Zone 1 VG Loop/Port Combo - Zone 2 VG Loop/Port Combo - Zone 2 Voice Grade Loop (SL1) - Zone 1 Voice Grade Loop (SL1) - Zone 1 Voice Grade Loop (SL1) - Zone 3 Grade Line Port (Res) voice unbundled port with Caller ID - res voice unbundled port outgoing only - res voice unbundled port outgoing only - res voice unbundled port with Caller ID - res voice unbundled port with Caller ID - res voice unbundled port outgoing only - res voice or and Loop / Line Port Combination - Switch with outgoing only - res voice or and Loop / Line Port Combination - Switch with outgoing only - res voice or and Loop / Line Po	differen in all st sage rat	tes in the	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRC UEPRC UEPRC UEPRC UEPAP LNPCX UEPVF USAC2 USACC	14 00 14 00 14 00 10 00 10 00 10 00 10 00 11 00 12 07 14 00 14 00 15 00 16 00 17 00 18 00	90 00 90.00 90.00 90.00 41.50	90.00 90.00 90.00 90.00 41.50	ert network elem	nents except	for UNE Coi	n Port/Loop	33 67 33.67 33.67 33.67	7.88 7.88 7.88 7.88 7.88 7.88	11.17 11.17 11.17 11.17 11.17	

Page 104 of 358

MBUNDLED	NETWORK ELEMENTS - Georgia												Attach	ment; 2	l Exhil	bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st			Incremer
						Rec	Nonrec			g Disconnect			oss	Rates(\$)		
- - 3	-Wire VG Loop/Port Combo - Zone 2	<u> </u>	-		J		First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	-Wire VG Loop/Port Combo - Zone 3		3			26.47				 _	ļ					
UNE Loo			 		+	33 83				·	 					
	2-Wire Voice Grade Loop (SL1) - Zone 1	-	1	UEPBX	UEPLX	10 80				 	 					<u> </u>
2	2-Wire Voice Grade Loop (St.1) - Zone 2			UEPBX	UEPLX	12 47				 	 		ļ			
2	2-Wire Voice Grade Loop (SL1) - Zone 3	_		UEPBX	UEPLX	19.83					 				ļ	
2-Wire V	oice Grade Line Port (Bus)				122. 27					 						
2	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	14 00	90 00	90.00		 	· · · · · · · ·		33 67	7 88	11,17	
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	14 00	90.00	90.00					33 67	7.88	11.17	-
	-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	14.00	90.00	90.00					33,67	7 88	11,17	1
	NUMBER PORTABILITY															
	ocal Number Portability (1 per port)			UEPBX	LNPCX	0.35										
FEATUR			ــــــــــــــــــــــــــــــــــــــ													
	All Features Offered CURRING CHARGES - CURRENTLY COMBINED		├	UEPBX	UEPVF	0 00	0 00	0.00					33 67	7.88	11 17	\square
HONAEC	ORRING CHARGES - CORRENTLY COMBINED				ļ. <u> </u>					ļ						
1 12	P-Wire Voice Grade Loop / Line Port Combination - Switch-as-is	ł	ł	UEPBX	USAC2	· •		44.55				[1
	-Wire Voice Grade Loop / Line Port Combination - Switch-as-is			UEPBX	USAC2		41.50	41 50					33 67	7.88	11.17	ļ
	thange		1	UEPBX	USACC		41.50	41.50				1	33.67			ļ
	NAL NRCs			ULFBX	USACC		41.50	41.50					33.67	7.88	11 17	╄
	RC - 2-Wire Voice Grade Loop/Line Port Combination -		-		 											├─
	Subsequent			UEPBX	USAS2		0.00	0.00					33.67	7.88	11.17	ļ
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)		_	OLI DX	00/02		0.00	0.00		 			33.67	7.00	13.17	<u>-</u>
	t/Loop Combination Rates				 					 						├
	-Wire VG Loop/Port Combo - Zone 1		1		1	24.80										
2-	-Wire VG Loop/Port Combo - Zone 2		2			26.47										
	-Wire VG Loop/Port Combo - Zone 3		3			33 83										
UNE Loo																
	-Wire Voice Grade Loop (SL1) - Zone 1		_1	UEPRG	UEPLX	10 80										
	-Wire Voice Grade Loop (SL1) - Zone 2			UEPRG	UEPLX	12.47										
	-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRG	UEPLX	19 83										
	oice Grade Line Port Rates (RES - PBX)		L		 											
	-Wire VG Unbundled Combination 2-Way PBX Trunk Port -		1 1		l						l .					İ
	Res			UEPRG	UEPRO	14 00	90.00	90.00					33.67	7.88	11.17	
	NUMBER PORTABILITY Local Number Portability (1 per port)			UEPRG	LNPCP	2.45	0.00	0.00								
FEATURE				DEPHG	LNPCP	3.15	0.00	0.00		 						
	VI Features Offered		-	UEPRG	UEPVF	0.00	0 00	0.00		 	 		33.67	7.88	11.17	
	URRING CHARGES - CURRENTLY COMBINED		_	OLFING	OEFVE	0.00	- 000	0.00		 	 		33.07	7.00		
THOM:	OTHER OTHER DESIGNATION OF THE PERSON OF THE				 					 						
2	-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is		í I	UEPRG	USAC2	ľ	41.50	41 50		Į.	ļ		33.67	7.88	11.17	}
	-Wire Voice Grade Loop/ Line Port Combination - Switch with				33.32											
	Change]]	UEPRG	USACC		41.50	41.50		i			33.67	7.88	11.17	
	NAL NRCs						_									
2	Wire Loop/Line Side Port Combination - Non feature -															
	Subsequent Activity- Nonrecurring		L				0.00	0.00					- 33 67	7.88	11.17	L
	BX Subsequent Activity - Change/Rearrange Multiline Hunt															
	Group						14.64	14.64			L		19,99	19.99	19.99	1
	OICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
	t/Loop Combination Rates		-		 					 	ļ——	<u> </u>				
	-Wire VG Loop/Port Combo - Zone 1		1		 	24 80				 						
	-Wire VG Loop/Port Combo - Zone 2		2		├ -	26.47					 -	- 				
UNE Loo	-Wire VG Loop/Port Combo - Zone 3		3		+	33 83										
			-	UEPPX	UEPLX	10.80										
	-Wire Voice Grade Loop (SL1) - Zone 1 -Wire Voice Grade Loop (SL1) - Zone 2			UEPPX	UEPLX	12 47	+			 						
	-Wire Voice Grade Loop (SL1) - Zone 2 -Wire Voice Grade Loop (SL1) - Zone 3			UEPPX	UEPLX	19.83				 	 					
1 12	THIS TOOK GIANG LOOP (OLT) - ZUIIE 3		ادا	OLITA	IOCI LA	19.00										

UNBI	NDLF	NETWORK ELEMENTS - Georgia												Attachr		Exhib	
ONDO	TOLLE	THE TWO THE ELEMENTO GOOTSIA			200	-T "I'						Svc Order	Svc Order		Incremental	Incremental	Incremental
	- 1		ŀ			1						Submitted	Submitted	Charge -	Char ge -	Charge -	Charge -
	l		l			1 1						Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	anv I	RATE ELEMENTS	Interi	Zone	BCS	Usoc 1			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
CALEG	UNT	RATE ELLIMENTS	m	200		1 3334			• • •				P	Electronic-	Electronic-	Electronic-	Electronic-
	1		ì									1		1st	Add'I	Disc 1st	Disc Add'l
ì	ŀ		1	l		1 1										2130 101	21007.007
								Nonrecu	urring 1	Nonrecurring	g Disconnect			OSS	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	-					-											
		CL. O. L. H. LO. L. L. O. W. DEV Touch Both Burn	1		UEPPX	UEPPC	14.00	90.00	90 00			1		33 67	7 88	11.17	3.91
	-	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus		 			14.00	90.00	90 00		 	 		33 67	7.88	11,17	3 91
		Line Side Unbundled Outward PBX Trunk Port - Bus	<u> </u>	ļ	UEPPX	UEPPO	14.00		90 00					33 67	7.88	11.17	3.91
		Line Side Unbundled Incoming PBX Trunk Port - Bus	<u> </u>	—	UEPPX	UEPP1		90.00						33.67	7.88	11.17	3.91
		2-Wire Voice Unbundled PBX LD Terminal Ports		<u> </u>	UEPPX	UEPLD	14.00	90 00	90.00		<u> </u>			33 67	7.88	11.17	3.91
		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port		L	UEPPX	UEPXA	14 00	90 00	90.00			ļ	-		7.88	11.17	3.91
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	l		UEPPX	UEPXB	14 00	90.00	90.00				ļ	33.67			
		2-Wire Voice Unbundled PBX LD DDD Terminals Port	l		UEPPX	UEPXC	14 00	90 00	90.00					33 67	7 88	11.17	3.91
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	14 00	90.00	90.00					33.67	7.88	11,17	3.91
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD									1	1	1	1		İ	
i		Capable Port	1		UEPPX	UEPXE	14.00	90.00	90.00				L	33.67	7.88	11.17	3 91
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		1											i .		İ
1			l		UEPPX	UEPXL	14.00	90.00	90.00		I			33.67	7.88	11.17	3.91
	_	Administrative Calling Port	 	+	55.1 A		700						·		1		
i		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1	1	UEPPX	UEPXM	14.00	90.00	90.00		1	1	1	33.67	7.88	11.17	3 91
		Room Calling Port	-	-	UEPPA	OEF AW	17.00		00.00		1			1			
l	1	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	1	1	LIEDBY	LIEBYA I	14.00	90.00	90.00		1		1	33 67	7.88	11.17	3.91
		Discount Room Calling Port	ļ	↓	UEPPX	UEPXO						+	 	33.67	7,88	11.17	3.91
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	<u> </u>	<u> </u>	UEPPX	UEPXS	14.00	90.00	90.00		 			33.07	7.00		
	LOCAL	NUMBER PORTABILITY	١.										 			 	
		Local Number Portability (1 per port)		T	UEPPX	LNPCP	3,15	0.00	0 00					ļ.——			
	FEATU		1											ļ			3 91
\vdash		All Features Offered		1	UEPPX	UEPVF	0 00	0.00	0.00					33.67	7.88	11.17	391
		CURRING CHARGES - CURRENTLY COMBINED	_	1 -									<u> </u>			ļ	
<u> </u>	NONE	CORNING CHARGES - CONTIENTED COMMENTED	1	+								1	1				l
		Out Marie Conde Land Land Combination Curitab Acids	1	1	UEPPX	USAC2		41.50	41.50					33.67	7 88	11.17	3.91
	├	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is		+	OLI I X	1007.02											
		2-Wire Voice Grade Loop/ Line Port Combination - Switch with		1	HEDDA	USACC		41.50	41 50		1	1	1	33 67	7.88	11.17	3.91
		Change		╄—	UEPPX	USACC		41.50			1	1					
L	ADDIT	ONAL NRCs	-	↓						-	- 	 				T	
			1	1					0 00		ì	1	l .	33.67	7.88	11.17	3.91
		2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPPX	USAS2	0.00	0.00	0.00		 	 	+			<u> </u>	
		2 Wire Loop/Line Side Port Combination - Non feature -	1	1	ļ					i		1		33.67	7.88	11.17	3.91
1		Subsequent Activity- Nonrecurring			<u> </u>			0.00	0.00		 	+	+		1.00	1,112	
	 	PBX Subsequent Activity - Change/Rearrange Multiline Hunt								1		1	l .	19.99	19.99	19.99	19.99
1	1	Group						14 64	14.64			 		19.55	13.33	10.00	10.00
├ ──	2-WIDE	VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PO	RT										ļ			 	·
_		ort/Loop Combination Rates	T	1						ļ	_		+-	 	 		+
-	JUNE P	2-Wire VG Coin Port/Loop Combo – Zone 1	 	1			24 80					_		 	 		
—	+	2-Wire VG Coin Port/Loop Combo – Zone 1	1	2			26.47				1		1				+
<u></u>	+		+	3	 		33 83						ļ.——	↓		+	
⊢	1.007-	2-Wire VG Coin Port/Loop Combo – Zone 3	+	+ ~	+								.—.—				+
L	UNE L	pop Rates	+	1	UEPCO	UEPLX	10 80					1	L				_
		2-Wire Voice Grade Loop (SL1) - Zone 1	├ ──			UEPLX	12.47	<u> </u>							L	<u> </u>	<u> </u>
		2-Wire Voice Grade Loop (SL1) - Zone 2	+	2	UEPCO		19.83				1	1					l
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	19.03	 		 	 	1		T			
	2-Wire	Voice Grade Line Port Rates (Coin)						 	90.00	+	+		1	33.67	7.88	11.17	3.91
	1	2-Wire Coin 2-Way with Operator Screening (GA)			UEPCO	UEPGC	14.00	90.00	90.00	 		+	+	1	1		T T
	+	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,	,			1		.		1		i	1	33 67	7.88	11.17	391
	1	900/976, 1+DDD (GA)		1	UEPCO	UEP2G	14.00	90.00	90.00		 	+	+	+ 3507	 	1	1
\vdash	+	2-Wire Coin 2-Way with Operator Screening and 011 Blocking	T	T .			·	[j .	1		1	33.67	7.88	11.17	3.91
					UEPCO	UEPGA	14.00	90.00	90.00					33.07	7.00	 	
⊢	+	(GA)	+	+-						1	1	1	1	00.00	7.00	11.17	3.91
1	1	2-Wire Coin 2-Way with Operator Screening and 900/976	1	1	UEPCO	UEPGB	14 00	90 00	90 00		1	_1		33 67	7.88	11.17	5.5
L	1	Blocking (GA)	+	+	32.00		 	1				1	1	1	.1		,1
1 -	[2-Wire Coin 2-Way with Operator Screening and Blocking:		1	HEDCO	UEPCH	14.00	90.00	90.00	1	1 .	1		33 67	7.88	11.17	3.9
1	1	900/976, 1+DDD, 011+,and Local (GA)		4	UEPCO	UEFUR	14.00	30.00			1				1	1	1
	T -	2-Wire Coin Outward with Operator Screening and 011Blocking		ı		ures :	14400	90.00	90 00	1	1	1		33 67	7 88	11.17	3.9
	1	(GA, KY, MS)			UEPCO	UEPRJ	14.00	30.00	- 50 00		+						
\vdash		2-Wire Coin Outward with Operator Screening and Blocking:			1	1 _				.1	i		I	33 67	7.88	11.17	3.9
ĺ	1	900/976, 1+DDD, 011+, and Local (FL, GA)	1	1	UEPCO	UEPCQ	14.00	90.00	90.00	1	-	+	+	 		T	
1		NUMBER PORTABILITY	\top				1	l					+	+	+	 	
-	II CCA					LNPCX	0.35										

UNBUN	IDLEI	NETWORK ELEMENTS - Georgia													Attachr	nent: 2	Exhit	bit: B
CATEGO		RATE ELEMENTS	Interi m	Zone	BCS		usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incrementa Charge -
								Rec	Nonrec			g Disconnect			OSS	Rates(\$)		
				L				1100	First	Add'i	First	Add'1	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
N	NONRE	CURRING CHARGES - CURRENTLY COMBINED		L														
		OM/or Valor Conde Land Ultra Day Combined Co. A. A. A. A.	1			i.							1				1	
		2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is	<u> </u>	↓	UEPCO		USAC2		41.50	41.50	<u> </u>		ļ		33.67	7.88	11.17	3.9
1		2-Wire Voice Grade Loop/ Line Port Combination - Switch with Change	1	1	UEPCO	- 1.	110400	1	44.50	44 =0		l .	1		1		l	۱
	ADDITI	ONAL NRCs			DEPCO		USACC		41.50	41.50		<u> </u>			33.67	7.88	11.17	39
- 	ADDIII	UNAL TINES	├──	-	<u> </u>						ļ	ļ	 					
		2-Wire Voice Grade Loop/ Line Port Combination - Subsequent	1	1	UEPCO	l,	USAS2		0.00	0 00	ļ	i	1		33.67	7.88	11,17	3.9
UNRUMO) FD F	PORT/LOOP COMBINATIONS - MARKET BASED RATES		+	DEFCO	P	USASZ		0.00	0 00			 	 	33.07	7.00	11.17	3.5
		VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT	+									 		 		 	
		ort/Loop Combination Rates	FORT	+		-		 					 			<u> </u>	 	
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1	 	1				99 84					 					
 -		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2	 			102 45				 	-				 	
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3	 			113.92			 		 	 			 	
	JNE L	pop Rates		۲	 	+	•	110.02			 	 	 					
	J112 = 1	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1 1	UEPPX		ÜECD1	16 84	104,78	78 10		 	 		 			
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX		UECD1	19.45	104.78	78.10			 		 		 	
-		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX		UECD1	30.92	104.78	104.10		 	 			<u> </u>		
	INE P	ort Rate		+ -	OLI I X		OLOD!	00.02	10470	107.10								
	3146 1	Exchange Ports - 2-Wire DID Port	├──	+	UEPPX		UEPD1	83.00	850.00	75.00			 		33.67	7 88		
	IONRE	CURRING CHARGES - CURRENTLY COMBINED		-	OLI I X		02.2.	- 55.00	000,00	70.00								
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -		t -								 	 					
		Switch-As-Is Top 8 MSAs only		1	UEPPX	- 1	USAC1	·	850.00	75 00]			33.67	7.88		ĺ
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion		+	02x		00/10 !											
		with BellSouth Allowable Changes Top 8 MSAs only	t		UEPPX	- le	USA1C		850 00	75.00	1				33.67	7.88		1
- 1	ADDIT	ONAL NRCs		 	ULI X		00/110					 						
		one Number/Trunk Group Establisment Charges		 								 	 					
- i		DID Trunk Termination (One Per Port)		 	UEPPX		NDT	0.00	0.00	0 00								
		DID Numbers, Establish Trunk Group and Provide First Group											i					
1		of 20 DID Numbers	í	1	UEPPX	İt	NDZ	0.00	0 00 1	0.00	ł	1			ł			l
		Additional DID Numbers for each Group of 20 DID Numbers			UEPPX	1	ND4	0 00	0.00	0 00								
		DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX		ND5	0.00	0.00	0.00								
\neg		Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0 00			l					L
		Reserve DID Numbers		1	UEPPX		NDV	0 00	0.00	0.00								
Ĺ	OCAL	NUMBER PORTABILITY																
-		Local Number Portability (1 per port)			UEPPX	· ·	LNPCP	3.15	0.00	0.00				L				<u> </u>
- 2	2-WIRE	ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SID	E POR	f T											L	<u> </u>	L
		ort/Loop Combination Rates		1													L	
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		1									1				1	1
1		UNE Zone 1		1	UEPPB I	UEPPR		81.89					<u> </u>				ļ	<u> </u>
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -											ļ	İ			l	i
- 1		UNE Zone 2	ł	2	UEPPB L	JEPPR		85.27				1			ļ			<u></u>
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -										1	1	1	l		i	1
		UNE Zone 3		3	UEPPB L	JEPPR		100.17					L			L	<u> </u>	ļ
L	JNE L	pop Rate										<u></u>	L	ļ <u>.</u>				
		2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB U	EPPR (USL2X	21.89	252.32	188.77		L			19.99	19.99		<u> </u>
											1	1	1					1
- 1		2-Wire ISDN Digital Grade Loop - UNE Zone 2	L	2		JEPPR I		25.27	252 32	188 77		ļ		L	19.99	19.99	ļ.———	
		2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB U	EPPR I	USL2X	40 17	252.32	188.77		L	ļ <u> </u>	<u> </u>	19.99	19.99		
lu	JNE Po	ort Rate								-	l		<u> </u>		ļ <u> </u>			——
		Exchange Port - 2-Wire ISDN Line Side Port			UEPPB UE	EPPR I	UEPPB	60.00	525.00	400.00	ļ	ļ	 		19.99	19.99		
N	NONRE	CURRING CHARGES - CURRENTLY COMBINED									<u> </u>	Ļ	 	 -				├ ──-
		2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port				T					l	1		1			I	
1		Combination - Conversion - Top 8 MSAs only	<u> </u>		UEPPB UE	EPPR I	USACB	0.00	215.00	215.00	ļ	ļ	 		19.99	19.99		├ ──
A	ADDIT	ONAL NRCs										L	ļ ———		 	<u> </u>		↓ ——
		2-Wire ISDN Loop / 2-Wire ISDN Port Combination - Sub Actvy											1	l			l	
		Non Feature/Add Trunk	L		UEPPB U	EPPR I	USASB		165.95			ļ	ļ		19.99	19.99	<u> </u>	
]L		NUMBER PORTABILITY										ļ			<u> </u>	ļ		
		Local Number Portability (1 per port)			UEPP8 U	EPPR I	LNPCX	0 35	0.00	0.00	L	<u></u>		l	L	L	<u> </u>	<u> </u>

NBUNDLED NETWORK ELEMENTS - Georgia								_					Attachi	ment: 2	Exhil	bit: B
ATEGORY RATE ELEMENTS	Interi m	Zone	As a second of the second of t	ics	USOC			RATES(\$)			Submitted Elec per LSR	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge
	+	-				Rec	Nonrec First	Add'l	First	Disconnect Add'l		SOMAN		Rates(\$) SOMAN	SOMAN	SOMAN
B-CHANNEL USER PROFILE ACCESS:			-		 -		Filst	Add I	Pirst	Addi	SUMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAR
CVS/CSD (DMS/5ESS)		 	ÜEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
CVS (EWSD)	-	+		UEPPR	U1UCB	0.00	0.00	0.00			 	 	 			
CSD	+	+		UEPPR	UTUCC	0.00	0 00	0.00								
B-CHANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C.MS. A	TN	020	OLITIT	0.000	1	0.00	0.00			+	 				
USER TERMINAL PROFILE	1	T.,				 			 	 	+	 	 			
User Terminal Profile (EWSD only)	-	 	UEPPB	UEPPR	U1UMA	0.00	0.00	0.00	 	 	 		 			
VERTICAL FEATURES	-	_			1575	- 0.00							f			
All Vertical Features - One per Channel B User Profile		 -	UEPPB	UEPPR	UEPVF	0.00	0 00	0.00			 		19.99	19 99		
INTEROFFICE CHANNEL MILEAGE	1	$\overline{}$			1			****					10.00	70.55		-
Interoffice Channel mileage each, including first mile and	$\overline{}$															
facilities termination		1	UEPPB	UEPPR	M1GNC	16,47	79 61	36 08	<u> </u>	1		l	19.99	19.99		1
Interoffice Channel mileage each, additional mile	1		UEPPB	UEPPR	M1GNM	0 0222	0.00	0.00			<u> </u>	1	1000			
4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUN	K PORT				1						 	-				
UNE Port/Loop Combination Rates	T															
4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE											1					
Zone 1	1	1	UEPPP		1	955 53					1	!	1			
4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	-															
Zone 2		2	UEPPP		1	964.13					1		1			
4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	$\overline{}$															1
Zone 3	1	l 3	UEPPP		1	1,001.93	- ([ì	1	1	ì			ł
UNE Loop Rates	-	_														
4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	55.53	448.92	276 60					19 99	19 99		
4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	64 13	448 92	276.60					19.99	19.99		
4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	101.93	448 92	276.60					19 99	19.99		
UNE Port Rate																
Exchange Ports - 4-Wire ISDN DS1 Port		1	UEPPP		UEPPP	900.00	1,200.00	1,200 00					19.99	19.99		
NONRECURRING CHARGES - CURRENTLY COMBINED								-								
4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port					1						1	, , , , , , , , , , , , , , , , , , ,				
Combination - Conversion -Switch-As-Is Top 8 MSAs only	1	1	UEPPP		USACP	0 00	925.00	925 00			ł		19 99	19.99		
ADDITIONAL NRCs					1											
4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-	 	-									1					
Inward/two way tel nos within Std Allowance (except NC)	1		UEPPP		PR7TF	!	0 9686			l	1	I	i			
4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -		 	02.17													
Outward Tel Numbers (All States except NC)	1	1	UEPPP		PR7TO	i i	22 75	22.75		1	1					
4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -	+		<u> </u>		1	 					 					
Subsequent Inward Tel Nos Above Std Allowance	1		UEPPP		PR7ZT		45.49	45.49			1	1	i			1
LOCAL NUMBER PORTABILITY	 	+	02		1											
Local Number Portability (1 per port)	+	_	UEPPP		LNPCN	1.75										
INTERFACE (Provisioning Only)	 	-	0													
Voice/Data	 	f	UEPPP		PR71V	0.00	0.00	0.00							-	
Digital Data	+	+-	UEPPP		PR71D	0.00	0.00	0.00								
Inward Data	+	 	UEPPP		PR71E	0.00	0.00	0.00			 	-				
New or Additional "B" Channel	 	\vdash	OLFFF		LAW IL	0.00		0.00								
New or Additional - Voice/Data B Channel	+	╌	UEPPP		PR7BV	0,00	28,71				 	 	19.99	19 99		
	+	┼─	UEPPP		PR7BF	0.00	28,71						19.99	19.99		
New or Additional - Digital Data B Channel	+	├ ─	UEPPP		PR7BD	0.00	28 71				 	 	19.99	19 99		
New or Additional Inward Data B Channel CALL TYPES	+-	 	UEFFF		FA/BU	0.00	11 03				1		1.0.00			
Inward	+	 	UEPPP		PR7C1	0.00	0 00	0 00	-	<u> </u>	-					
Outward	+	+-	UEPPP		PR7C0	0.00	0.00	0.00			1	t				
	+	+	UEPPP		PR7CC	0.00	0.00	0.00	l							
Two-way	+-	\vdash	UEFFF		1,000	- 000	0.00	0.00		 	+					
Interoffice Channel Mileage	+	 	UEPPP		1LN1A	78.9223	147.07	111.75	0.00	 	+		19.99	19.99		1
Fixed Each Including First Mile	+	+					147,07	111.75	0.50		+		15.55	,,,,,,		
Each Airline-Fractional Additional Mile	+		UEPPP		1LN1B	0 4523					+		-			1
4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT		-	 			 			ļ		+					
UNE Port/Loop Combination Rates		—									+	+				+
4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	-	1	UEPDC			176.33					 	 	 			
4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2			UEPDC			184.93					 	 	 			
4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3	1	1 3	UEPDC			222.73			L		1	1				

Version 2Q02: 08/07/02

<u>UNBUND</u> LI	ED NETWORK ELEMENTS - Georgia										· · · · · · · · · · · · · · · · · · ·			ment; 2		oit; B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)					Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						Rec	Nonrec		Nonrecurring				OSS	Rates(\$)		
						nec	First	Addʻi	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE	Loop Rates															
	4-Wire DS1 Digital Loop - UNE Zone 1			UEPDC	USLDC	55.53	448.92	276.00					19 99	19.99		
	4-Wire DS1 Digital Loop - UNE Zone 2			UEPDC	USLDC	64.13	448.92	276.60					19.99	19.99		
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	101.93	448.92	276.60			Ţ		19 99	19.99		
UNE	Port Rate	I	1													
1	4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	750.00	1,011.43	477.87	206.70	20.70			19.99	19 99		<u> </u>
NON	RECURRING CHARGES - CURRENTLY COMBINED		1	1												
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination		$\overline{}$						1			1	·		-	
	- Switch-As-Is Top 8 MSAs only		1	UEPDC	USAC4		269.96	269.96	1				19.99	19.99	1	
		· · · · ·			00.10		250.00	200.00					10.00	10.00		
1	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	1	1	1					1			1	I	l		1
1	- Conversion with DS1 Changes Top 8 MSAs only	ŀ	1	UEPDC	USAWA		269.96	269.96	1		1	l	19 99	19 99	ŀ	1
 -	Service Soft Will bo Forlanges Top 6 Works Only	 	1	52, 50	COMM	-	200.00	203.80	 		 		10 00	10 00	 	
ı	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	1	!	l]		l	l	1	1	1	1
	- Conversion with Change - Trunk Top 8 MSAs only		1	UEPDC	USAWB		269.96	260.06				j	19.99	19.99	ŀ	
- IABBI	FIONAL NRCs	 	 	ULFDU	USAVVD		203.30	269.96	 	 		-	15.59	15.33	 	-
- IADDI		 	-	-	1				 		—	 	+	 	 	
l	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent		1	uropo	LIGAC:		ا ــ ــ ا	4 400 200				1	1		Į.	
	Service Activity Per Service Order	ļ	—	UEPDC	USAS4		147.47	147.47			<u> </u>				ļ	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -		1	1								1				
	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		28.71	28.71					19 99	19.99		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent			·								1	1			
	Channel Activation/Chan - 1-Way Outward Trunk	l	1	UEPDC	UDTTB		28.71	28.71					19 99	19.99		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsont Channel														[
[Activation/Chan Inward Trunk w/out DID	1	i	UEPDC	UDTTC		28.71	28.71					19.99	19.99	l	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation Per Chan - Inward Trunk with DID		1	UEPDC	UDTTD		28.71	28.71					19.99	19.99		
 	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan	1	 	-						"						
	Activation / Chan - 2-Way DID w User Trans		1	UEPDC	UDTTE		28.71	28.71					19 99	19.99		
BIDO	LAR 8 ZERO SUBSTITUTION	1	1	00.00	007112											
10110	B8ZS -Superframe Format		+	UEPDC	CCOSF		0 00	600.00	 					·		
	B8ZS - Extended Superframe Format	 	+	UEPDC	CCOEF		0 00	600.00					 		· · · · · · · · · · · · · · · · · · ·	†
1000				UEFDC	CCOEF		- 000	500.00			·					
Alten	ate Mark Inversion	-	╄	UEPDC	MCOSE		0 00	0.00						 		
	AMI -Superframe Format	├	↓				0 00	0.00						 	 	
	AMI - Extended SuperFrame Format	 	├	UEPDC	мсоро		000	0.00								
Telep	hone Number/Trunk Group Establisment Charges	Ь—	↓		- Library				ļ	ļ	 	-		 	 	
	Telephone Number for 2-Way Trunk Group	┞——	 	UEPDC	UDTGX	0.00			ļ —		 	 	 	 		
	Telephone Number for 1-Way Outward Trunk Group	ļ	ļ	UEPDC	UDTGY	0 00					 		 	 		<u> </u>
	Telephone Number for 1-Way Inward Trunk Group Without DID	L		UEPDC	UDTGZ	0.00				ļ						
	DID Numbers, Establish Trunk Group and Provide First Group				1				ļ	l		1	1		1	
ı	of 20 DID Numbers		<u> </u>	UEPDC	NDZ	0.00	0.00	0 00								
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0 00						I	ļ	ļ <u> </u>	ļ	
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00							L	L		
	Reserve Non-Consecutive DID Nos	$\overline{}$	T	UEPDC	ND6	0.00	0.00	0.00			L				L	
	Reserve DID Numbers	\vdash	 	UEPDC	NDV	0.00	0.00	0.00	1							
Part:	ated DS1 (Interoffice Channel Mileage) -	 	 		1	- 5.50				,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		T				
EVIE	CO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port	 	+	 							1			1		
FA/F	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities		+	 	 				1				-			
	Termination)	ļ	<u> </u>	UEPDC	1LNO1	78.47	147 07	111.75					19.99	19.99		
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0,4523	0.00	- 0.00						ļ	ļ	<u> </u>
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities	1	1	l	1						[1	1	l		1
	Termination)	i	⊥	UEPDC	1LNO2	0.00	0.00	0.00			 	ļ.——	 			
	Interoffice Channel Mileage - Additional rate per mile - 9-25 miles			UEPDC	1LNOB	0.4523	0.00	0.00				•			ļ	
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination)			UEPDC	1LNO3	0.00	0.00	0.00								
			T				-									
- 1	Interoffice Channel Mileage - Additional rate per mile - 25+ miles	I	1	UEPDC	1LNOC	0.4523	0 00	0.00		<u></u>	ļ	L	ļ	 	<u> </u>	
	Local Number Portability, per DS0 Activated	<u> </u>	\vdash	UEPDC	LNPCP	3.15				I		l	L	<u> </u>	<u></u>	

UNBUNDLED NE	ETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhil	bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental	Incremental Charge -	Incremental Charge -	Incremen Charge
			1			Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Hec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	ntral Office Termininating Point		Г	UEPDC	CTG	0.00										
	1 LOOP WITH CHANNELIZATION WITH PORT															
System is 1	DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act	ivations														
A system ca	an have various rate combinations based on type and nu	mber of	ports	usød										· · · · · · ·		
UNE DS1 Lc		L													i	
	/ire DS1 Loop - UNE Zone 1	<u> </u>	1	UEPMG	USLDC	55.53	0 00	0.00								
	/ire DS1 Loop - UNE Zone 2			UEPMG	USLDC	64.13	0.00	0.00						l		
	/ire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	101.93	0.00	0.00								
	Channelization Capacities (D4 Channel Bank Configuration	ns)	<u> </u>													
	DSO Channel Capacity - 1 per DS1		\perp	UEPMG	VUM24	102.64	0.00	0 00					19 99	19 99		
48 D	DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	205.28	0.00	0.00					19 99	19 99		
96 0	DSO Channel Capacity -1per 4 DS1s	ļ	ļ	UEPMG	VUM96	410.56	0.00	0.00					19 99	19 99		
	DS0 Channel Capacity - 1 per 6 DS1s		L	UEPMG	VUM14	615.84	0.00	0.00					19 99	19 99		
	DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	821.12	0.00	0.00					19 99	19 99		
	DS0 Channel Capacity - 1 per 10 DS1s			UEPMĞ	VUM20	1,026.40	0.00	0.00			l		19 99	19 99		
	DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,231.68	0.00	0.00					19 99	19 99		
	DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,642.24	0.00	0.00					19.99			
	DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM40	2,052.80	0.00	0 00					19 99	19 99		
	DS0 Channel Capacity -1 per 24 DS1s		I	UEPMG	VUM57	2,463.36	0.00	0.00					19 99	19 99		
	DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	2,873.92	0.00	0.00					19.99	19.99		I
Non-Recurr	ring Charges (NRC) Associated with 4-Wire DS1 Loop with	h Chani	neliztio	n with Port - Conv	rersion Charge	Based on a Sy	stem							į.		
A Minimum	System configuration is One (1) DS1, One (1) D4 Channe	l Bank,	and U	To 24 DSO Ports	with Feature	ctivations.										
Multiples of	f this configuration functioning as one are considered Ac	dd'l afte	r the m	inimum system co	onfiguration is	counted.										
NRC	C - Conversion (Currently Combined) with or without															
Belts	South Allowed Changes - Top 8 MSAs Only		1	UEPMG	USAC4	0.00	450.00	50.00					19.99	19.99		l
System Add	ditions Where Currently Combined and New (Not Current)	y Comb	oined)				•									
In Top 8 MS	SAs							· · · · · ·						l		
1 DS	S1/D4 Channel Bank - Add NRC for each Port and Assoc		Ī					-						1	[
Fea	Activation -		1	UEPMG	VUMD4	0.00	950.00	600.00	200.00	30.00			19.99	19,99	l	1
Bipolar 8 Ze	ero Substitution		T													1
Clea	ar Channel Capability Format, superframe - Subsequent													1		
	vity Only			UEPMG	CCOSF	0.00	0.00	600.00	1					İ		
	ar Channel Capability Format - Extended Superframe -		1													
	sequent Activity Only	Į.	ŀ	UEPMG	CCOEF	0 00	0.00	600.00	l i		1				İ	
	lark Inversion (AMI)		 													
	perframe Format		\vdash	UEPMG	MCOSF	0.00	0 00	0.00	†							
	ended Superframe Format		1	UEPMG	MCOPO	0.00	0.00	0.00								
	Ports Associated with 4-Wire DS1 Loop with Channelizati	on with	Port	<u> </u>	155. 5											1
Exchange P		1	1											i		
Lacitatige		1														
1 1,00	Side Combination Channelized PBX Trunk Port - Business		1	UEPPX	UEPCX	14.00	0.00	0.00	0.00	0.00		•	33.67	7.88	!	1
	e Side Outward Channelized PBX Trunk Port - Business	l	-	UEPPX	UEPOX	14.00	0.00	0.00	0.00	0.00			33.67	7.88		
Line	3 Side Odtward Charmenzed FBA Hunk Fort - Susmess	+	+	OLI 1 X	OL: OX	14.00	0.00	0.00								
1 1	Cide Inward Only Channelined DRV Toyak Bort without DID	ŀ	1	UEPPX	UEP1X	14.00	0.00	0.00	0.00	0.00		ł	33.67	7.88		
	e Side Inward Only Channelized PBX Trunk Port without DID Vire Trunk Side Unbundled Channelized DID Trunk Port	 	 	UEPPX	UEPDM	83.00	0.00	0.00	0.00	0.00			33.67	7.88		
		 		UEPPA	UEFDIVI	83.00	0.00	0.00	V.00	0.00	 		00.07	 		
	tivations - Unbundled Loop Concentration		 	-										 		
	ature (Service) Activation for each Line Side Port Terminated	1	1	LICORY	4003474	0.62	40.00	20.00	6.00	5.00		Ì	33.67	7 88	I	1
	04 Bank	ļ	1 —	UEPPX	1PQWM	0.62	40.00	20.00	6.00	5.00			33.01	7.00		┼
	iture (Service) Activation for each Trunk Side Port Terminated		1	LIEDBY	4D034#1			30 00	65.00	20.00			33.67	7.88	I	1
	04 Bank	<u> </u>	_	UEPPX	1PQWU	0 62	110.00	30 00	65.00	20.00		 	33.07	7.00	 	
	Number/ Group Establishment Charges for DID Service	<u> </u>	—	LIFER V	NDT -	1 2 2 2			 		 				 	-
	Trunk Termination (1 per Port)	<u> </u>	<u> </u>	UEPPX	NDT	0 00	0 00	0.00	 		 	 		 	 	
	ab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)	ļ <u>.</u>		UEPPX	NDZ	0.00	0 00	0.00				 	 	 	 	+
	Numbers - groups of 20 - Valid all States	<u> </u>		UEPPX	ND4	0.00	0 00	0 00			 	 	 	 		-
	n-Consecutive DID Numbers - per number	L		UEPPX	ND5	0 00	0 00	0.00						 	 	1
	serve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0 00	0 00			ļ		ļ		<u> </u>	1
	serve DID Numbers			UEPPX	NDV	0 00	0.00	0.00			ļ					
Local Numb	ber Portability										ļ		_	ļ		
	al Number Portability - 1 per port	1		UEPPX	LNPCP	3.15	0.00	0.00			<u> </u>	<u> </u>	L		l	Ь

NRIINDI F	D NETWORK ELEMENTS - Georgia				-								Attachi	ment: 2	Exhil	bit: B
MOUNDEL	D NET WORK ELEMENTS - Georgia		Γ.								Svc Order	Svc Order	Incremental		Incremental	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'i	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
			L			ļ						L				L
		<u> </u>	ļ			Rec	Nonrec		Nonrecurring First	Disconnect Add'l	COMEC	SOMAN	SOMAN	Rates(\$)	SOMAN	SOMA
	URES - Vertical and Optional	<u> </u>	-				First	Add'l	FIRST	Addi	SOMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMA
	Switching Features Offered with Line Side Ports Only	<u> </u>	-												 	
Eucai	All Features Available	_	├	UEPPX	UEPVF	0,00	0 00	0.00			 	 				\vdash
BUNDLED	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE	<u></u>	 	OLI I X	OLI VI	0.00		9.00							 	
	at Based Rates are applied where BellSouth is required by FCC		State (Commission rule to	provide Unb	undled Local S	witching or Sv	vitch Ports.								
	tures shall apply to the Unbundled Centrex Port/Loop Combin										this Rate E	chibit.				
3. End	Office and Tandem Switching Usage and Common Transport	Usage	rates ir	the Port section of	this rate ext	ibit shall apply	to the Unbun	dled Centrex P	ort/Loop Comb	ination.	<u> </u>		L	L	<u></u>	<u> </u>
												DC0				
	recurring UNE Port and Loop charges listed apply to Currentl		rined a	nd Not Currently Co	mbined Com	ibos, except in	Density Zone	of the top 8 K	ISAS Where the	e end-user has	4 or more	D20 edrinai	ents. I ne sta	ing alone tirs	and addition	an Port 8
Loop	nonrecurring charges apply to Not Currently Combined Comb rket Rates for Unbundled Centrex Port/Loop Combination will	05.	- 0: - 01	an an Individual Ca	an Basis	All december madio					1	1		Υ		T
JJJJE I	P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only	ne ueg	Unated	On an inchiviousi Ca	<u> อช เวสราร, UN</u>	in futurer notice	o			<u> </u>		 	 		 	
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo	ſ	 	<u> </u>	 	 					 				1	
	Port/Loop Combination Rates (Non-Design)	<u> </u>	 										1			
-	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1														
	Non-Design	l	1	UEP91	L	12.59							ļ		L	ļ <u> </u>
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	ļ												I	1	}
	Non-Design		2	UEP91		14 26										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	ľ	1			1								1		İ
	Non-Design		3	UEP91	ļ	21.62										_
UNE P	Port/Loop Combination Rates (Design)		↓		!	ļ—								 	ļ	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1	١.		1	40.00					ļ					1
	Design Park Control of the Control o		1	UEP91	ļ	18.63					 					
- 1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	į	2	UEP91		21 24							į.	1		
	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		 -	DEFSI		21 24	_					 		 		
	Design	1	3	UEP91	İ	32.71			}			1	ļ			i
LINE	oop Rate	 	۱ř	OLI 31	 											
ONL	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	10 80										T
	2-Wire Voice Grade Loop (SL 1) - Zone 2	1	2	UEP91	UECS1	12.47										
-	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	19 83										↓
-	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	16 84										↓
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	19.45						<u> </u>			ļ	├
	2-Wire Voice Grade Loop (SL 2) - Zone 3	L	3	UEP91	UECS2	30.92						ļ		 	ļ	├──
UNE					ļ	<u> </u>						 	ļ	 	 	┼
All St	ates (Except North Carolina and Sout Carolina)	ļ	↓	1	LIEDVA	1 70	00.14	15.05	8.45	3 91		·	33.67	7.88		┼─
	2-Wire Voice Grade Port (Centrex) Basic Local Area	Ь—	├ ─	UEP91	UEPYA	1.79	22 14	15.25	0.40		 		50.07	- 7.00		$\overline{}$
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	1	1	UEP91	UEPYB	1.79	22.14	15.25	8.45	3 91	1	1	33 67	7.88	L	L
-	Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local		+	OLF 81	106110	1.73		.0.20	<u></u>	1						1
	Area	1		UEP91	UEPYH	1.79	22.14	15.25	8.45	3 91		<u>L</u>	33.67	7 88		⊥ _
	2-Wire Voice Grade Port (Centrex from diff Serving Wire	\vdash	$\overline{}$	1										1]	1
1	Center)2 Basic Local Area	1	İ	UEP91	UEPYM	1.79	22.14	15.25	8.45	3 91	<u> </u>		33 67	7.88		↓
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service										ĺ	1			ĺ	1
	Term - Basic Local Area	<u></u>	<u> </u>	UEP91	UEPYZ	1.79	22.14	15.25	8.45	3.91	 	⊢ —	33.67	7.88	┼	+
	2-Wire Voice Grade Port terminated in on Megalink or equivalent									3 91			33.67	7.88		l
L	- Basic Local Area		<u> </u>	UEP91	UEPY9	1.79	22.14	15.25	8.45	391	 	 	33 67	7.00	 	+
	2-Wire Voice Grade Port Terminated on 800 Service Term -	1	1	LIEBOA	UEPY2	1.79	22.14	15.25	8.45	3.91		1	33.67	7.88	1	1
	Basic Local Area	 	-	UEP91	UEPY2	1.79	22.14	15.25	0.40	0.01		 		1	· · · · · · · · · · · · · · · · · · ·	—
Georg	gia and Florida Only	↓	₩-	UEP91	UEPHA	1.79	22.14	15 25	8.45	3 91		 	33 67	7.88	1	
_	2-Wire Voice Grade Port (Centrex)	├—	+-	UEP91	UEPHB	1.79	22.14	15 25	8.45	3.91	 	 	33.67	7.88		
	2-Wire Voice Grade Port (Centrex 800 termination)	₩	-	UEP91	UEPHH	1.79	22.14	15.25	8,45	3.91	1		33.67			
—	2-Wire Voice Grade Port (Centrex with Caller ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire	+	+-	OEF 91	JULI 7111	1.,3		1	1 2	1		1				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2	1	1	UEP91	UEPHM	1.79	22.14	15.25	8.45	3.91	L	<u> </u>	33 67	7 88	1	1
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	-	+		1	1						1		1	1	1
	12-44110 ADICO GIAGO FOIL DIE CEIVING AND COLLEY - 000 SOLAICE	1	1	UEP91	UEPHZ	1,79	22.14	15.25	8 45	3.91	<u> </u>	<u> </u>	33.67	7.88	ļ	+-
	Term	1														
	Term	-	+	OEF 91	OLI III	- ""		15.25	8.45				33.67	7 88		

JNBUNDLE	D NETWORK ELEMENTS - Georgia													nent: 2		bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sy Order vs. Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port Terminated on 800 Service Term		<u> </u>	UEP91	UEPH2	1.79	22.14	15.25	8 45	3 91			33.67	7.88		
	Switching	<u> </u>	ļ													
I cont t	Centrex Intercom Funtionality, per port	├ —	-	UEP91	URECS	0.5554			ļ							
- Local I	Local Number Portability (1 per port)		 	UEP91	LNPCC	0.35					ļ					
Feature		 	+	OLY 31	LINI CO	0.35					 					
	All Standard Features Offered, per port	 	!	UEP91	UEPVF	0 00					 	 	 			
	All Select Features Offered, per port			UEP91	UEPVS	0.00	454.69				l					
	All Centrex Control Features Offered, per port			UEP91	UEPVC	0.00										
NARS																
	Unbundled Network Access Register - Combination			UEP91	UARCX	0 00	0.00	0.00					33 67	7.88		
	Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0 00	0 00					33 67	7.88		
- Bat	Unbundled Network Access Register - Outdial aneous Terminations	<u> </u>	₩	UEP91	UAROX	0.00	0.00	0 00			ļ		33 67	7.88		
	Inneous Terminations Trunk Side			<u> </u>	-	ļ					 			ļ		
	Trunk Side Trunk Side Terminations, each	+-	+-	UEP91	CENA6	11.35	61.91	61.91	 		 	 	33 67	7.88		
	fice Channel Mileage - 2-Wire	 		UCF91	CENAO	11.33	01.91	01.91					33 67	7.00		
11110101	Interoffice Channel Facilities Termination - Voice Grade	 	 -	UEP91	M1GBC	17,07					 -	1	ļ			 -
	Interoffice Channel mileage, per mile or fraction of mile	 		UEP91	M1GBM	0.0222		· · · · · · · · · · · · · · · · · · ·				1				
Feature	Activations (DS0) Centrex Loops on Channelized DS1 Service	e e	\vdash	100.01	111111111111111111111111111111111111111	0.0222			-					 		
	nnei Bank Feature Activations		-													
	Feature Activation on D-4 Channel Bank Centrex Loop Slot	1		UEP91	1PQWS	0.62										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot	1		UEP91	1PQW6	0.62						1	l			
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop												1	ļ		
	Slot			UEP91	1PQW7	0.62										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP91	1PQWP	0.62		-								
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.62										
	Feature Activation on D-4 Channel Bank Tjle Line/Trunk Loop	l	ŀ			1							ļ		1	
	Slot		↓	UEP91	1PQWQ	0.62					ļ					
	Feature Activation on D-4 Channel Bank WATS Loop Slot	-	-	UEP91	1PQWA	0 62		-			 		-			
Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex	<u> </u>									 	<u> </u>	 			
	Conversion - Currently Combined Switch-As-Is with allowed changes, per port		1	UEP91	USAC2		2.01	0.3108			ŀ	1	33.67	7.88		
	New Centrex Standard Common Block	 	+	UEP91	MIACS	0.00	659 41	0.0.00					33 67	7 88		
	New Centrex Customized Common Block		 	UEP91	M1ACC	0.00	659 41						33.67	7 88		
	Secondary Block, per Block		+	UEP91	M2CC1	0.00	77.10		† ·				33 67	7 88		
	NAR Establishment Charge, Per Occasion		1	UEP91	URECA	0.00	71.88						33.67	7 88		
UNE-P	CENTREX - 5ESS (Valid in All States)															
2-Wire	VG Loop/2-Wire Voice Grade Port (Centrex) Combo											<u> </u>	ļ			
UNE P	ort/Loop Combination Rates (Non-Design)	l		I							ļ	ļ	ļ			
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design		1	UEP95		12.59										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP95		14.26										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP95		21.62										
UNE P	ort/Loop Combination Rates (Design)										l				ļ	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design	1	1	UEP95		18.63										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP95		21,24								ļ <u>.</u>		
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		3	UEP95		32.71										
IINE	poo Rate	 	Ť										J.,			ļ
ONE D	2-Wire Voice Grade Loop (SL 1) - Zone 1	-	1	UEP95	UECS1	10.80										ļ
-	2-Wire Voice Grade Loop (SL 1) - Zone 2	t	2	UEP95	UECS1	12,47						L	L	<u> </u>		L

UNBUNDLE	D NETWORK ELEMENTS - Georgia													ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR		Manual Svo Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						Rec	Nonrec First	eurring Add'l	Nonrecurring First	Disconnect Add'1	SOMEC	SOMAN		Rates(\$)	501111	
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	19.83	FIRST	Addi	First	Addi	SOMEC	SOMAN	SOMAN	SUMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL 2) - Zone 1			UEP95	UECS2	16 84							 			
	2-Wire Voice Grade Loop (SL 2) - Zone 2			UEP95	UECS2	19 45					 					
	2-Wire Voice Grade Loop (SL 2) - Zone 3			UEP95	UECS2	30.92									-	
UNE Po	ort Rate		 													
All Stat																
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	1.79	22.14	15 25		3 91			33 67	7.88		
	2-Wire Voice Grade Port (Centrex 800 termination)		ļ	UEP95	UEPYB	1.79	22.14	15.25	8.45	3.91			33.67	7 88		
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP95	UEPYH	1.79	22.14	15.25	8.45	3.91			33 67	7.88		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area			UEP95	UEPYM	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 600 Service Term - Basic Local Area			UEP95	UEPYZ	1,79	22,14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent										<u> </u>					
	- Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term -		 	UEP95	UEPY9	1.79	22.14	15.25	8 45	3.91			33.67	7 88		
FL & G	Basic Local Area A Only			UEP95	UEPY2	1 79	22.14	15.25	8.45	3.91			33 67	7.88		
	2-Wire Voice Grade Port (Centrex)		·	UEP95	UEPHA	1 79	22.14	15 25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPHB	1 79	22.14	15.25	8.45	3 91			33 67	7.88		
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPHH	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2			UEP95	UEPHM	1.79	22.14	15.25	8.45	3.91			33 67	7.88		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP95	UEPHZ	1.79	22.14	15 25	8 45	3.91			33.67	7.88		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPH9	1.79	22 14	15 25	8.45	3 91			33.67	7.88		
	2-Wire Voice Grade Port Terminated on 800 Service Term		—	UEP95	UEPH2	1 79	22.14	15.25	8.45	3 91			33.67	7.88		
	Switching		—	LIEBOS	LIDEGO	0 5554										
	Centrex Intercom Funtionality, per port		 	UEP95	URECS	0 5554										
	Local Number Portability (1 per port)		┼	UEP95	LNPCC	0.35										
Feature			 	OLIFSO	LIVI CO	0.00	· ·									
	All Standard Features Offered, per port		···	UEP95	UEPVF	0 00							33.67	7.88		
	All Select Features Offered, per port		1	UEP95	UEPVS	0.00	454.69						33 67	7.88		
	All Centrex Control Features Offered, per port			UEP95	UEPVC	0.00							33.67	7.88		
NARS																
	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00					33.67	7 88		
	Unbundled Network Access Register - Indial		<u> </u>	UEP95	UAR1X	0 00	0 00	0.00					33.67 33.67	7.88 7.88		
	Unbundled Network Access Register - Outdial		-	UEP95	UAROX	0.00	0.00	0.00			 		33.67	7.58		\vdash
	aneous Terminations															
	Trunk Side		-	UEP95	CEND6	11.35	61.91	61.91			 		33.67	7.88		
	Trunk Side Terminations, each Digital (1.544 Megabits)		+-	OELas	CENUO	11.35	01.31	01.91			 		1 00.57			
	DS1 Circuit Terminations, each	\vdash	 	UEP95	M1HD1	120 80	89 44	52 46					33.67	7.88		
	DS0 Channels Activated, each	<u> </u>	<u> </u>	UEP95	M1HDO	0 00	28 71						. 33.67	7.88		
	fice Channel Mileage - 2-Wire		T	-												
	Interoffice Channel Facilities Termination			UEP95	MIGBC	17.07										
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	MIGBM	0.0222		-								
Feature	Activations (DS0) Centrex Loops on Channelized DS1 Service	æ									ļ					
	nnel Bank Feature Activations												<u> </u>			
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.62										——
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.62										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP95	1PQW7	0.62	_									
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP95	1PQWP	0.62										

UNBU	NDLE	D NETWORK ELEMENTS - Georgia				 									ment: 2		bit: B
CATEGO	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(S)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
I							Rec	Nonrec		Nonrecurring					Rates(\$)	·	
								First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.62					1		ł		•	
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop				1							<u> </u>				
		Stot	<u> </u>		UEP95	1PQWQ	0 62										-
	Mar D	Feature Activation on D-4 Channel Bank WATS Loop Slot	ļ	ļ	UEP95	1PQWA	0 62			ļi			 				
	NON-H	ecurring Charges (NRC) Associated with UNE-P Centrex NRC Conversion Currently Combined Switch-As-Is with allowed	 	-		-						 		 	-		
		changes, per port	l		UEP95	USAC2	[2 01	0.3108				1	33.67	7.88		1
		New Centrex Standard Common Block			UEP95	M1ACS	0.00	659.41						33 67	7.88		
		New Centrex Customized Common Block			UEP95	M1ACC	0 00	659.41						33.67	7 88		
		NAR Establishment Charge, Per Occasion	ļ	1	UEP95	URECA	0.00	71.88						33.67	7.88		ļ
		CENTREX - DMS100 (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo		-									 				
		ort/Loop Combination Rates (Non-Design)	 	-								 			 	———	
İ	O.V.C.	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design		1	UEP9D		12.59										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP9D		14.26										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP9D		21.62										
	UNE P	ort/Loop Combination Rates (Design)	ļ									ļ			 		
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design		1	UEP9D		18.63										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP9D		21.24										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		3	UEP9D		32 71										ļ
	UNE L	pop Rate							-					 		ļ	
		2-Wire Voice Grade Loop (SL 1) - Zone 1	<u> </u>	1	UEP9D	UECS1	10.80 12.47					 		 			
		2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3	—	3	UEP9D UEP9D	UECS1 UECS1	19.83				-						
		2-Wire Voice Grade Loop (SL 1) - Zone 3	 	1	UEP9D	UECS2	16 84										
		2-Wire Voice Grade Loop (SL 2) - Zone 2		1 2	UEP9D	UECS2	19.45							Ţ			
		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	30.92										<u> </u>
	UNE P	ort Rate												ļ			
	ALL S			L					45.05	8 45	3.91	<u> </u>	-	33.67	7.88		+
		2-Wire Voice Grade Port (Centrex) Basic Local Area	ļ <u>.</u>	<u> </u>	UEP9D	UEPYA	1.79	22 14	15.25	8 45	3.91			30.07	7.00	 	
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP9D	UEPYB	1.79	22.14	15.25	8.45	3.91			33 67	7.88		
		2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area		<u> </u>	UEP9D	UEPYC	1.79	22.14	15.25	8.45	3.91		<u> </u>	33 67	7.88		
		2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area			UEP9D	UEPYD	1.79	22.14	15.25	8.45	3.91	ļ		33.67	7 88		
		2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area	ļ <u>.</u>		UEP9D	UEPYE	1.79	22.14	15 25	8.45	3.91	ļ <u> </u>	ļ	33.67	7.88		
		2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local Area			UEP9D	UEPYF	1.79	22.14	15.25	8.45	3.91	<u> </u>	ļ	33.67	7.88		
		2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area			UEP9D	UEPYG	1.79	22.14	15.25	8.45	3.91	ļ		33 67	7.88	ļ .	
		2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local Area			UEP9D	UEPYT	1 79	22.14	15.25	8 45	3.91	ļ	<u> </u>	33.67	7.88	ļ	
		2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area			UEP9D	UEPYU	1.79	22.14	15 25	8.45	3.91		ļ	33.67	7.88	ļ	
		2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area			UEP9D	UEPYV	1.79	22.14	15.25	8.45	3.91	ļ	<u> </u>	33 67	7,88	<u> </u>	ļ
		2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area			UEP9D	UEPY3	1.79	22.14	15 25	8 45	3 91		<u> </u>	33.67	7 88	<u> </u>	
-		2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area			UEP9D	VEPYH	1.79	22.14	15.25	8 45	3.91		<u> </u>	33.67	7.88	<u></u>	<u> </u>

NEUNDLE	D NETWORK ELEMENTS - Georgia												Attachi	ment: 2	Exhil	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electronic Disc Add
					ļ	Rec	Nonrec First	aming Add'l	Nonrecurring First	Disconnect Add'I	COMEC	SOMAN		Rates(\$)	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))3 Basic Local Area			UEP9D	UEPYW	1.79	22 14	15.25	8.45	3 91	SOMEC	SUMAN	33 67	7.88	SUMAN	SUMAN
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 Basic Local Area			UEP9D	UEPYJ	1.79	22.14	45.05								
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)		\vdash				22.14	15.25	8.45	3.91			33.67	7.88	-	
_	2 Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3	-	├	UEP9D	UEPYM	1.79	22.14	15.25	8.45	3.91	ļ	<u> </u>	33.67	7 88	<u> </u>	
	Basic Local Area			UEP9D	UEPYO	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 Basic Local Area			UEP9D	UEPYP	1.79	22.14	15.25	8.45	3.91			33.67	7 88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area			UEP9D												
\dashv	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3				UEPYQ	1.79	22.14	15.25	8 45	3.91			33.67	7 88	-	-
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3	_	-	UEP9D	UÉPYR	1.79	22.14	15.25	8 45	3 91			33.67	7.88		
	Basic Local Area			UEP9D	UEPYS	1.79	22 14	15.25	8 45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 Basic Local Area			UEP9D	UEPY4	1.79	22 14	15.25	8.45	3 91			33 67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area			UEP9D	UEPY5	1.79	22 14	15 25	8 45	3.91			33 67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3															
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3		-	UEP9D	UEPY6	1.79	22.14	15 25	8.45	3.91			33.67	7 88		<u> </u>
	Basic Local Area 2-Wire Volce Grade Port, Diff Serving Wire Center - 800 Service		_	UEP9D	UEPY7	1.79	22.14	15 25	8 45	3.91			33.67	7.88		
	Term			UEP9D	UEPYZ	1.79	22.14	15 25	8.45	3.91			33 67	7.88		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	1 79	22.14	15.25	8.45	3.91			33.67	7,88		
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	1.79	22 14	15 25	8.45	3.91			33 67	7.88		
FI & C	AA Only	 		OEF9D	OEF 12	1.73		10 20	0.40	0.01			30 07	7.50		
	2-Wire Voice Grade Port (Centrex)	_	_	UEP9D	UEPHA	1.79	22 14	15 25	8.45	3 91			33 67	7 88		
-+-	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPHB	1 79	22 14	15 25	8 45	3 91			33 67	7 88		
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3			UEP9D	UEPHC	1,79	22.14	15.25	8.45	3 91			33.67	7.88		1-
_		_	_	UEP9D	UEPHD	1.79	22 14	15.25	8.45	3 91			33.67	7 88		1
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3			UEP9D	UEPHE	1.79	22 14	15.25	8 45	3 91			33 67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3			UEP9D	UEPHF	1.79	22.14		8 45	3 91	l		33 67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3		_					15.25					33 67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5312)3			UEP9D	UEPHG	1 79	22 14	15 25	8.45	3 91				7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5008)3			UEP9D	UEPHT	1.79	22.14	15 25	8.45	3 91			33 67			⊢ —
	2-Wire Voice Grade Port (Centrex / EBS-M5208)3			UEP9D	UEPHU	1.79	22 14	15 25	8.45	3.91			33.67	7 88		
	2-Wire Voice Grade Port (Centrex / EBS-M5216)3		1	UEP9D	UEPHV	1.79	22.14	15.25	8 45	3.91		<u> </u>	33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5316)3			UEP9D	UEPH3	1.79	22 14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPHH	1.79	22 14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
	Indication)3		l	UEP9D	UEPHW ,	1.79	22.14	15 25	8.45	3.91			33.67	7 88		
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3		T	UEP9D	UEPHJ	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
	2		<u> </u>	UEP9D	UEPHM	1.79	22 14	15.25	8 45	3.91			33.67	7.88 7.88		
-	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3	<u> </u>	\vdash	UEP9D	UEPHO	1.79	22.14	15.25	8.45	3.91			33.67			\vdash
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	VEPHP	1,79	22 14	15.25	8.45	3 91			33.67	7.88		_
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPHQ	1.79	22,14	15.25	8.45	3 91			33.67	7.88	-	
	2-Wire Volce Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPHR	1.79	22.14	15 25	8.45	3.91			33.67	7.88	L	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPHS	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPH4	1.79	22.14	15.25	8,45	3.91			33.67	7.88		

IBUNDLE	D NETWORK ELEMENTS - Georgia													ment: 2		bit; B
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge -
			-				Nonrec	urring	Nonrecurring	Disconnect	 	L	OSS	Rates(\$)	L	L
	<u> </u>		 	-		Rec	First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
\neg					1											
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPH5	1.79	22.14	15.25	8.45	3.91	<u> </u>		33.67	7.88		
																}
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3		-	UEP9D	UEPH6	1.79	22.14	15.25	8 45	3 91	 	 	33.67	7.88	ļ	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPH7	1.79	22.14	15.25	8 45	3.91			33.67	7 88		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		\vdash	52. 65	1027117		22,14	10.20	0.0		1					
1	Term			UEP9D	UEPHZ	1.79	22.14	15.25	8.45	3.91	<u> </u>		33 67	7.88		<u> </u>
			T													
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPH9	1.79	22.14	15.25	8.45	3.91	ļ		33 67 33.67	7.88 7.88		ļ
1	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPH2	1.79	22.14	15 25	8.45	3.91	 		33.67	7 88		ļ
Local	Switching Centrex Intercom Funtionality, per port		-	UEP9D	URECS	0.5554					 					
I ocal I	Number Portability	-		UEF9D	UNECS	0.5554										
	Local Number Portability (1 per port)		 	UEP9D	LNPCC	0.35					l					1
Featur			 													
	All Standard Features Offered, per port			UEP9D	UEPVF	0.00										
	All Select Features Offered, per port			UEP9D	ÜEPV\$	0.00	454.69						33.67	7 88		
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00					ļ					
NARS			ļ								<u> </u>		33.67	7 88		
_	Unbundled Network Access Register - Combination		ļ	UEP9D	UARCX	0.00	0.00	0.00			 	<u> </u>	33.67	7 88		
	Unbundled Network Access Register - Inward Unbundled Network Access Register - Outdial		—	UEP9D UEP9D	UAR1X UAROX	0.00	0.00	0.00			 		33.67	7.88		
Microl	Inneous Terminations			OEP9D	UAROX	0.00	0.00	0.00						- 7.00		
	Trunk Side		 	 							†·····		· · · · · · · · · · · · · · · · · · ·			
	Trunk Side Terminations, each			UEP9D	CEND6	11.35										
4-Wire	Digital (1.544 Megabits)										<u> </u>					
	DS1 Circuit Terminations, each			UEP9D	M1HD1	120.80	89.44	52.46					33 67	7.88		ļ
	DS0 Channels Activiated per Channel		ļ	UEP9D	M1HDO	0 00	28.71				<u> </u>		33 67	7.88		
Interof	fice Channel Mileage - 2-Wire		—	LIEBOD	1,000	17 07			-		 	<u> </u>		·		
	Interoffice Channel Facilities Termination		├ ─	UEP9D UEP9D	MIGBO	0.0222						 				1
Eastur	Interoffice Channel mileage, per mile or fraction of mile Activations (DS0) Centrex Loops on Channelized DS1 Service	•	\vdash	UEF9D	MIGDIN	0.0222		<u></u>	···					· · · · · · · · · · · · · · · · · · ·		
	annel Bank Feature Activations		┼													
	Feature Activation on D-4 Channel Bank Centrex Loop Slot		$\overline{}$	UEP9D	1PQWS	0.62										
				·												
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot		<u> </u>	UEP9D	1PQW6	0.62										ļ
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop									ľ		1				
	Slot			UEP9D	1PQW7	0.62										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			UEP9D	1PQWP	0.62						Ì	i	1		
	Different Wire Center	 	┿~	UEP90	IFGWF	0.02					 					
	Feature Activation on D-4 Channel Bank Private Line Loop Slot		1	UEP9D	1PQWV	0.62			1				ļ	1		
+	Feature Activation on D-4 Channel Bank Title Line/Trunk Loop	-	┼	OLI OD	11. 4.1.1	0.02			· · · · · ·							
	Slot		1	UEP9D	1PQWQ	0.62										
	Feature Activation on D-4 Channel Bank WATS Loop Slot		1	UEP9D	1PQWA	0.62					<u> </u>			ļ <u>——</u>		
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex									ļ					<u> </u>	
	NRC Conversion Currently Combined Switch-As-Is with allowed		1		1			2 2422		1	l		33.67	7.88		
	changes, per port		 	UEP9D	USAC2 M1ACS	0.00	2.01 659.41	0.3108	 	 		-	33.67		 	
	New Centrex Standard Common Block		+-	UEP9D UEP9D	MIACS	0.00	659.41			 		 	33.67		 	1
	New Centrex Customized Common Block NAR Establishment Charge, Per Occasion		+	UEP9D	URECA	0.00	71.88		 	 	 		33 67			
-	Centrex Intercom Funtionality, per port		+-	UEP9E	URECS	0.00	7 1.50				1					
4-Wire	Digital (1.544 Megabits)		 		-	-										
	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD	l	1	1												
Note 1	- Required For for Centrex Control III TAESS, SESS & EWSD	L														
	2 - Required For for Centrex Control in TAESS, SESS & EWSD															

UNBI	INDI F	D NETWORK ELEMENTS - Kentucky														,	
01100	INDEL	NETWORK ELEMENTS - Remucky	r	T	Τ	Τ	T					1	Ta		ment: 2		bit: B
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc	:		RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Charge -	Incrementa Charge - Manual Sw Order vs. Electronic- Disc Add'l
				ļ		<u> </u>	Rec		curring		g Disconnect				Rates(\$)		·
	The "7	one" shown in the sections for stand slove leave as leave as			L	<u> </u>	1	First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
•	http://v	one" shown in the sections for stand-alone loops or loops as www.interconnection.bellsouth.com/become_a_clec/html/inter	pan or	a com	Dination refers to Ge	ographically	y Deaveraged L	JNE Zones. To	view Geograp	hically Deaven	aged UNE Zon	e Designatio	ons by Cent	ral Office, refe	er to internet	Website:	
OPERA	TIONA	SUPPORT SYSTEMS			, - · · · · · · · · · · · · · · · · 	,											
	NOTE:	(1) Electronic Service Order: CLEC should contact its contract is the BellSouth regional electronic service ordering charge.	t nego	tiator i	it prefers the state :	specific elec	tronic service o	ordering charg	es se ordered l	hy the State Co	mmissions T	ba alastron		1	I		
	exhibit	is the BellSouth regional electronic service ordering charge. (2) Any element that can be ordered electronically will be bill	CLEC	may el	ect either the state s	pecific Com	mission ordere	d rates for the	electronic serv	rice ordering c	harnes or CLF	ne electron	IC SERVICE OI	raenng charg	e currently co	ontained in thi	is rate
																	ly Ear
		the present per terminal per transfer to the present per t	חסט פוו	1-LU, U	IU IISIUU SUMEU RII	in this cate	gory reflects th	e charge that	would be billed	to a CLEC on	ce electronic	ordering cap	abilities co	me on-line to	r that elemen	t. Otherwise.	the manual
	oraeni		mits ar	LSR	o BellSouth.							•					tilo inquiqui
		Manual Service Order Charge, per LSR, Disconnect Only (KY) Electronic OSS Charge, per LSR, submitted via BST's OSS		├		SOMAN				0.99							
		Interactive interfaces (Regional)		i		SOMEC		0.50									
UNE SE	ERVICE	DATE ADVANCEMENT CHARGE		 			 -	3.50		 							
	NOTE:	The Expedite charge will be maintained commensurate with I	BellSou	th's F	C No.1 Tariff, Section	on 5 as appli	icable.										
		UNE Expedite Charge per Circuit or Line Assignable USOC, per											 				
		Day			ALL UNE	SDASP		200.00	1						-		
		EXCHANGE ACCESS LOOP ANALOG VOICE GRADE LOOP									L						
	2-WIHE			L.	L IPT AAD												
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		1 2	UEANL UEANL	UEAL2	10.56	46 66	22.57	26 65	7 65		7.86				
	_	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	15.34 31.11	46 66 46 66	22 57	26.65	7 65		7.86				
		Loop Testing - Basic 1st Half Hour		۰	UEANL	URET1	31.11	46.88	22 57 46.88	26 65	7.65		7.86 7.86				
		Loop Testing - Basic Additional Half Hour		\vdash	UEANL	URETA	 	24.16	24.16				7.86				
		CLEC to CLEC Conversion Charge Without Outside Dispatch											7.00		<u> </u>		
		(UVL-SL1)			UEANL	UREWO		15.78	8 94		ļ	į į	7.86				
		Engineering Information Document (EI)			UEANL	UEANM		13.49	13.49								
		Manual Order Coordination for UVL-SL1s (per loop) Order Coordination for Specified Conversion Time for UVL-SL1			UEANL	UEAMC		9 00	9.00								
		(per LSR)			UEANL	OCOSL		23.01	20.04								
	2-WIRE	Unbundled COPPER LOOP		-	DEAINL	UCUSL		23.01	23 01				·				
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1	1	1	UEQ	UEQ2X	10 58	44 97	20 89	25.64	6 65		7.86				
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	Ι.		UEQ	UEQ2X	11 51	44 97	20 89	25 64	6 65	-	7.86				
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	_	3	UEQ	UEQ2X	13.19	44.97	20.89	25 64	6.65		7.86				
		Order Coordination 2 Wire Unbundled Copper Loop - Non-		İ		l					-						
		Designed (per loop) Engineering Information Document		<u> </u>	UEQ UEQ	USBMC		9.00	9.00								
		Loop Testing - Basic 1st Haif Hour		-	UEQ	URET1		13.49 46.88	13 49 46 88				7.86				
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		24.16	24 16				7.86			-	
		CLEC to CLEC Conversion Charge Without Outside Dispatch		 		- 1= 1/1		27.10					7.00				
		(UCL-ND)			UEQ	UREWO		14 27	7.43				7.86				
		XCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP		ļ													
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR UEPSB	UEALS	10.56	46.66	22.57	26.65	7.65		7.86				
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-						10.00	22.07	20.00	,,,,,,						
		Zone 1		1	UEPSR UEPSB	UEABS	10.56	46.66	22.57	26.65	7.65		7.86				
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															
		Zone 2		2	UEPSR UEPSB	UEALS	15 34	46.66	22.57	26.65	7.65		7.86				
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2		2	UEPSR UEPSB	UEABS	15 34	46.66	22.57	26.65	7.65		7.86				
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3															
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		3	UEPSR UEPSB	UEALS	31,11	46.66	22.57	26 65	7.65		7.86				
		Zone 3		3	UEPSR UEPSB	UEABS	31.11	46.66	22.57	26.65	7.65		7.86				
		XCHANGE ACCESS LOOP]								_						
		ANALOG VOICE GRADE LOOP							<u> </u>								
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1		1	UEA	UEAL2	12.67	134 89	81.87	73.65	14.88		7.86				
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2			UEA	UEAL2	17,45	134.89	04.07	70.05	14.88		7.00				
		Ground Start Digitaling - Zone Z			UEA	UEALZ	17.45	134.89	81.87	73.65	14.88		7.86				

IBUNUL	ED NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: B
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge -	Increment Charge -
		 				Rec	Nonrec	urring		Disconnect			oss	Rates(\$)	·	
	2 Miro Angles Voice Crade Land Control of the Land Control		↓		_1	1100	First	Add'l_	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3	l .	١.	UEA	l.,					ĺ					1	
	Order Coordination for Specified Conversion Time (per LSR)	 	3	UEA	UEAL2	33.22	134.89	81.87	73 65	14 88		7.86				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	+	+	UEA	OCOSL		23 01									
	Battery Signaling - Zone 1		١,	UEA	UEAR2	12.67	134.89	24.0=				i				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		十一	OLA .	UEARZ	12.07	134.89	81.87	73 65	14.88		7.86			ļ	
	Sattery Signaling - Zone 2		2	UEA	UEAR2	17.45	134.89	81.87	73,65	14.88		7.86		1		
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse				-		104.00	01.07	73.05	14.00		7.00				-
	Battery Signaling - Zone 3	1.	Э	UEA	UEAR2	33.22	134.89	81,87	73.65	14 88		7.86		l .		
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.01								·	
- 100	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87 72	36.36				7.86				-
4-WI	RE ANALOG VOICE GRADE LOOP	<u> </u>	<u> </u>													
	4-Wire Analog Voice Grade Loop - Zone 1	 	1	UEA	UEAL4	29.26	164 11	112.36	78 91	18.66		7.86				
 -	4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	34.25	164.11	112 36	78 91	18.66		7.86				
	4-Wire Analog Voice Grade Loop - Zone 3 Order Coordination for Specified Conversion Time (per LSR)	 	3	UEA	UEAL4	85 06	164.11	112 36	78.91	18.66		7 86				
	CLEC to CLEC Conversion Charge without outside dispatch	 	┾	UEA	OCOSL		23.01									
2-Wi	RE ISDN DIGITAL GRADE LOOP	┼──	 	UEA	UREWO		87.72	36 36				7.86				
- 111	2-Wire ISDN Digital Grade Loop - Zone 1	+	1	UDN	U1L2X	18.44	146.77	95.02	71.38	13.83		7.00				
	2-Wire ISDN Digital Grade Loop - Zone 2	+	2	UDN	U1L2X	25.08	146.77	95.02	71.38	13.83		7.86 7.86				
	2-Wire ISDN Digital Grade Loop - Zone 3	 	3	UDN	U1L2X	42.87	146.77	95.02	71.38	13.83		7.86				
	Order Coordination For Specified Conversion Time (per LSR)		<u> </u>	UDN	OCOSL	72.01	23.01	93 UZ	71.30	10 60		7.00		ļ		 -
	CLEC to CLEC Conversion Charge without outside dispatch	1		UDN	UREWO		91.63	44.16				7 86				
2-WI	RE Universal Digital Channel (UDC) COMPATIBLE LOOP						- ,,,,,,,	71110								
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone	1	T													
	1		1	UDC	UDC2X	18.44	146.77	95 02	71.38	13.83		7.86	i			1
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone	· ·														-
	2		2	UDC	UDC2X	25.08	146.77	_ 95.02	71.38	13.83		7 86				
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone	1	1		1 [,		
	3		3	UDC	UDC2X	42.87	146.77	95.02	71.38	13.83		7.86				
0.340	CLEC to CLEC Conversion Charge without outside dispatch RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	<u> </u>	<u> </u>	UDC	UREWO		91.63	44.16				7.86		:		
2-171	2 Wire Unbundled ADSL Loop including manual service inquiry	ATIBLE	LOOF	, 1	+											
	& facility reservation • Zone 1	1	1 1	UAL	UAL2X	40.00	444.00	70.70	20.00	44.45		7.00				
+	2 Wire Unbundled ADSL Loop including manual service inquiry	┼	 - '-	UAL	UALZX	10.82	141.98	79.73	69.02	11.47		7 86				
ŀ	& facility reservation - Zone 2	1	l 2	UAL	UAL2X	11.79	141 98	79 73	69 02	11 47		7.86				
	2 Wire Unbundled ADSL Loop including manual service Inquiry	 	 -	OAL .	- UALZA	11.79	141 35	19 13	09 02	1147		7.60				
	& facility reservation - Zone 3	1	lз	UAL	UAL2X	12 87	141.98	79.73	69.02	11.47		7.86				
	Order Coordination for Specified Conversion Time (per LSR)	 	۳	UAL	OCOSL	1207	23.01	75.75	00.02			7.00				· · · · · · · · · · · · · · · · · · ·
	2 Wire Unbundled ADSL Loop without manual service inquiry &			0.2	100002		20.01									
	facility reservation - Zone 1		1	UAL	UAL2W	10.82	121.18	69.00	69.09	11.54		7.86				1
	2 Wire Unbundled ADSL Loop without manual service inquiry &													·····		
	facility reservaton - Zone 2		2	UAL	UAL2W	11.79	121.18	69.00	69.09	11.54		7.86				ļ
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservation - Zone 3		3	UAL	UAL2W	12.87	121 18	69.00	69.09	11.54		7.86				
	Order Coordination for Specified Conversion Time (per LSR)		<u> </u>	UAL	OCOSL		23.01									
	CLEC to CLEC Conversion Charge without outside dispatch	<u> </u>	<u></u>	UAL	UREWO		86.20	40.40				7.86				
2-W1	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
	2 Wire Unbundled HDSL Loop including manual service inquiry	1		UHL	السم	ا ء ۔ ا	,,,,,	20.00	20.00	44 84		7.00				
	& facility reservation - Zone 1	-	1	UHL	UHL2X	8.75	151.54	89.29	69.09	11.54		7.86				
1	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2	l		L.,	1.4.4.02	0 = 0	454 5.	20.00	00.00	44 -4		7.00				
			2	UHL	UHL2X	9.56	151.54	89.29	69.09	11.54		7.86				
- 1	2 Wire Unbundled HDSL Loop including manual service Inquiry & facility reservation - Zone 3	1	3	UHL			454 54		20.00	44.54		ا مہ				
		 	-		UHL2X	10 61	151.54	89 29	69.09	11.54		7.86				
+-	Order Coordination for Specified Conversion Time (per LSR)	 		UHL	OCOSL		23.01									
- 1	2 Wire Unbundled HDSL Loop without manual service inquiry	1	١,		1,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	ا ۔۔ ا	100 7			44.54		7.00			i	
	and facility reservation - Zone 1 2 Wire Unbundled HDSL Loop without manual service inquiry		- ' -	UHL	UHL2W	8.75	130 74	78.56	69 09	11 54		7.86			-	
-																

UNBUNDLED N	NETWORK ELEMENTS - Kentucky												Attachi	ment; 2	Exhil	bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)		-	Submitted Elec	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic Disc Add
- -				L	_	Rec	Nonrec		Nonrecurring		001150			Rates(\$)		
	Wire Unbundled HDSL Loop without manual service inquiry				- 		First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	d facility reservation - Zone 3		3	UHL	luhlaw l	10.61	130 74	78.56	69.09	11.54	Ì	7.86	}			
	der Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL	,,,,,	23.01	70.00	00.00	11.0-1	 	7.00				
	EC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86 14	40.40			ì	7.86		† · ·		
	GH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE I	OOP													
	Wire Unbundled HDSL Loop including manual service inquiry difacility reservation - Zone 1		١,	UHL							1	l				
	Wire Unbundled HDSL Loop including manual service inquiry		1	OHL	UHL4X	13.95	185.75	123.50	74.95	14.69	 	7 86			ļ	
	d facility reservation - Zone 2		2	UHL	UHL4X	15.68	185.75	123.50	74 95	14.69	į	7 86		i		
	Wire Unbundled HDSL Loop including manual service inquiry		+	OnL	IONL4X	15.66	103.73	123.50	74 95	14.09		7.86				
	d facility reservation - Zone 3		3	UHL	UHL4X	16.98	185 75	123.50	74.95	14.69		7.86	1			1
	der Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.01									
	Wire Unbundled HDSL Loop without manual service inquiry															
	d facility reservation - Zone 1		1	UHL	UHL4W	13.95	164.95	114.04	77.32	15.80		7.86				
	Wire Unbundled HDSL Loop without manual service inquiry					1										
	d facility reservation - Zone 2 Wire Unbundled HDSL Loop without manual service inquiry		2	UHL	UHL4W	15.68	164.95	114.04	77.32	15.80		7 86	ļ			↓
	d facility reservation - Zone 3		3	UHL	UHL4W	16.98	164.95	114.04	77.32	15 80	1	7 86				
	der Coordination for Specified Conversion Time (per LSR)		۴	UHL	OCOSL	10.30	23.01	114.04	11.32	15 00	-	7 00				
	EC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.14	40.40			-	7 86	 		· · · · · · · · · · · · · · · · · · ·	
	S1 DIGITAL LOOP															
4-V	Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	86.47	306.69	174,44	65.83	14.55		7.86				\vdash
	Wire DS1 Digital Loop - Zone 2			USL	USLXX	114.10	306.69	174 44	65.83	14 55		7.86				
	Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	297.76	306.69	174 44	65.83	14.55		7.86				
	der Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		23.01									ļ
CLI	EG to CLEC Conversion Charge without outside dispatch		ļ	USL	UREWO		101.09	43 04			ļ		ļ	ļ		ļ
	0.2, 56 OR 64 KBPS DIGITAL GRADE LOOP Wire Unbundled Digital 19 2 Kbps		1	UDL	UDL19	27 59	157.81	106 06	78,91	18 66	ļ	7 86				
	Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	32.48	157.81	106 06	78.91	18 66		7.86				
	Wire Unbundled Digital 19 2 Kbps			UDL	UDL19	36 37	157.81	106 06	78.91	18 66		7.86	<u> </u>			
4 V	Wire Unbundled Digital Loop 56 Kbps - Zone 1	-		UDL	UDL56	27.59	157.81	106 06	78.91	18 66	†	7.86				
	Wire Unbundled Digital Loop 56 Kbps - Zone 2	-		UDL	UDL56	32.48	157.81	106.06	78.91	18 66		7 86				
	Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	36.37	157.81	106 06	78 91	18.66		7.86				
	der Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		23.01				L					ļ
	Wire Unbundled Digital Loop 64 Kbps - Zone 1			UDL	UDL64	27.59	157 81	106.06	78 91	18.66	ļ	7 86	ļ			
	Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	32.48	157 81	106.06	78 91	18.66		7.86 7.86	ļ			
	Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64 OCOSL	36.37	157 81 23 01	106.06	78 91	18.66	 	7.86			-	
	der Coordination for Specified Conversion Time (per LSR) EC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102 13	49.75			 	7.86		 	 	
	nbundled COPPER LOOP		├	ODE	UNEVVO		.102 10	45.75			ļ	7100				
	Wire Unbundled Copper Loop/Short including manual service				+				-							
	guiry & facility reservation - Zone 1	Ì	1	UCL	UCLPB	10.82	140.95	78.70	69.09	11.54		7.86		l		
	Wire Unbundled Copper Loop/Short Including manual service															
	guiry & facility reservation - Zone 2		2	UCL	UCLPB	11.79	140.95	78.70	69.09	11.54	<u> </u>	7.86				ļ
	Wire Unbundled Copper Loop/Short including manual service										1					ŀ
	guiry & facility reservation - Zone 3		3	UCL	UCLPB	12.87	140.95	78.70	69.09	11.54	<u> </u>	7 86	ļ	ļ <u>.</u>		
	der Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00			<u> </u>	 	·			
	Wire Unbundled Copper Loop/Short without manual service	l	,	UCL	UCLPW	10.82	120.15	67.97	69 09	11.54	1	7.86	[1
	quiry and facility reservation - Zone 1 Wire Unbundled Copper Loop/Short without manual service	-		UUL	OCLPVV	10.62	120.15	01.37	09 09	11.04	 	7.50	 	 		
	quiry and facility reservation - Zone 2	l	2	UCL	UCLPW	11.79	120,15	67.97	69 09	11.54	1	7.86	1	1	l	
	Wire Unbundled Copper Loop/Short without manual service	 	<u> </u>		,			\$1.57				i -	l		T	
	quiry and facility reservation - Zone 3	l	3	lucL .	UCLPW	12.87	120 15	67 97	69.09	11.54	l	7.86			l	<u> </u>
	der Coordination for Unbundled Copper Loops (per loop)		Ť	UCL	UCLMC		9.00	9.00			I					
	Wire Unbundled Copper Loop/Long - includes manual srvc.	·											1			1
ing	quiry and facility reservation - Zone 1	<u> </u>	1	UCL	UCL2L	24.91	140 95	78.70	69.09	11.54		7.86			ļ	
	Wire Unbundled Copper Loop/Long - includes manual svc.												1		1	1
l lina	quiry and facility reservation - Zone 2	ı	2_	UCL	UCL2L	36.94	140.95	78 70	69.09	11.54	1	7.86	1	L	<u> </u>	

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attachi	nent: 2	Exhil	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		Name	RATES(\$)	Nonrecurring	Diagonal	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st		incremental Charge -	Increments Charge -
		\vdash	╁──			Rec	Nonrec First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Unbundled Copper Loop/Long - includes manual svc.		_					7,44						0011111	COMPAN	
	inquiry and facility reservation - Zone 3		3	UCŁ	UCL2L	69.95	140.95	78.70	69.09	11.54		7.86		ļ		
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9 00								
ł	2-Wire Unbundled Copper Loop/Long - without manual service		Ι.													
	inquiry and facility reservation - Zone t 2-Wire Unbundled Copper Loop/Long - without manual service		1	UCL	UCL2W	24.91	120.15	67.97	69.09	11.54		7.86				
1	inquiry and facility reservation - Zone 2		1 2	UCL	UCL2W	36 94	120 15	67 97	69.09	11.54		7.86	ĺ	ļ		
_ _	2-Wire Unbundled Copper Loop/Long - without manual service	<u> </u>	 	005	002,11	30 34	120 13	0, 3,	03.03	17.54		7.00				
	inquiry and facility reservation - Zone 3		3	UCL	UCL2W	69.95	120 15	67.97	69.09	11.54	1	7.86	!			
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9 00	9 00								
- 1	CLEC to CLEC Conversion Charge without outside dispatch															
4 34(10	(UCL-Des)	ļ	-	UCL	UREWO		97.23	42.48				7.86				<u> </u>
4-441	4-Wire Copper Loop/Short - including manual service inquiry	 	 													
1	and facility reservation - Zone 1		1	UCL	UCL4S	16.92	170.31	108.06	74 95	14.69	i	7.86	l		l	İ
	4-Wire Copper Loop/Short - including manual service inquiry		1		333.3					.,,,,,,,,			·			
	and facility reservation - Zone 2	İ	2	UCL	UCL4S	17.36	170.31	108 06	74 95	14.69		7 86	l			
	4-Wire Copper Loop/Short - including manual service inquiry															
	and facility reservation - Zone 3		3	UCL	UCL4S	28.10	170 31	108.06	74.95	14.69	ļ	7.86	ļ			<u> </u>
	Order Coordination for Unbundled Copper Loops (per loop)		<u> </u>	UCL	UCLMC		9.00	9.00								
1	4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 1		1 1	UCL	UCL4W	16.92	149.52	97.33	74 95	14.69		7.86	1			
	4-Wire Copper Loop/Short - without manual service inquiry and		╁ᆣ	DCL	UCL4W	10.92	149.52	97.33	74 95	14.05		7.00		ļ		
ŀ	facility reservation - Zone 2		2	UCL	UCL4W	17.36	149.52	97.33	74.95	14.69	1	7.86	1			
	4-Wire Copper Loop/Short - without manual service inquiry and		┢┋		552111	.,,,,,	7,10,102	07.00	7				·			
	facility reservation - Zone 3		3	UCL	UCL4W	28.10	149 52	97.33	74.95	14.69		7.86	l			l
	Order Coordination for Unbundled Copper Loops (per loop)	l	Ī	UCL	UCLMC		9 00	9 00								
	4-Wire Unbundled Copper Loop/Long - includes manual svc.												i			
	inquiry and facility reservation - Zone 1		1	UCL	UCL4L	46.91	170.31	108 06	74.95	14.69		7.86	<u> </u>			
1	4-Wire Unbundled Copper Loop/Long - includes manual svc inquiry and facility reservation - Zone 2		₂	UCL	UCL4L	45.78	170.31	108.06	74.95	14.69		7.86		}		
	4-Wire Unbundled Copper Loop/Long - includes manual svc.	_	 -	001	OOL4L	40.10	170.01	100.00	74.00	74.00		7.00				
İ	inquiry and facility reservation - Zone 3		3	UCL	UCL4L	171 34	170.31	108.06	74.95	14.69		7.86				
	Order Coordination for Unbundled Copper Loops (per loop)		<u> </u>	UCL	UCLMC		9.00	9.00								
	4-Wire Unbundled Copper Loop/Long - without manual svc.															ł
	inquiry and facility reservation - Zone 1		1	UÇL	UCL4O	46.91	149.52	97.33	74.95	14.69		7 86			ļ	
	4-Wire Unbundled Copper Loop/Long - without manual svc.	į	١.	UCL			440 50	97.33	74 95	14.69		7.86				1
	inquiry and facility reservation - Zone 2 4-Wire Unbundled Copper Loop/Long - without manual svc.		2	UCL	UCL4O	45.78	149.52	97.33	74 95	14.09		7.00	-			
1	inquiry and facility reservation - Zone 3		3	UCL	UCL4O	171.34	149 52	97.33	74 95	14 69		7.86	l			1
	Order Coordination for Unbundled Copper Loops (per loop)		ا ت	UCL	UCLMC		9.00	9 00								
	CLEC to CLEC Conversion Charge without outside dispatch	—	-													
	(UCL-Des)			UCL	UREWO		97.23	42 48			ļ	7.86		ļ		
OOP MODIF	ICATION											 	ļ			ļ
T.		1		UAL, UHL, UCL,									1			1
ĺ	L.,			UEQ, ULS, UEA,		ļ					1	l	I]		Į.
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire		1	UEANL, UDL, UDC, UDN, UDL, USL	ULM2L		9,24	9.24			1	7.86	i	1		
	pair less than or equal to 18k ft Unbundled Loop Modification, Removal of Load Colls - 2 wire		+	ODIN, ODE, USE	ULIVIEL		5.24	3.24			 	 			——	
1	greater than 18k ft		1	UCL, ULS, UEQ	ULM2G		342 24	342 24	}			7.86	l			L
	Unbundled Loop Modification Removal of Load Coils - 4 Wire		\vdash		T											
1	less than or equal to 18K ft		l	UHL, UCL	ULM4L		9.24	9 24	ļ		<u> </u>	7.86	ļ		ļ	1
	Unbundled Loop Modification Removal of Load Colls - 4 Wire												1	1		
	pair greater than 18k ft		<u> </u>	UCL	ULM4G		342.24	342.24				7.86				
				UAL, UHL, UCL,	l .							1				i
				UEQ, UEF, ULS, UEA, UEANL, UDL,		·		1					l	1		
- 1	Unbundled Lean Medification Remains of Dridged Tax Demains			UDC, UDN, UDL,										1		
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop	1	1	IUSL	ULMBT		10.47	10.47			I	7.86		1	I	I

UNB	UNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Evhi	bit: B
	GORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		Norma	RATES(\$)	Nonrecurring	Discount		Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge -
				 			Rec	Nonrec First	Add'1	First	Add'l	SOMEC	SOMAN	SOMAN	Rates(\$)	SOMAN	SOMAN
SUB-I	-00PS					1				1115	Audi	COME	COMAII	SUMAN	SUMAN	SUMAN	SUMAIN
	Sub-Lo	oop Distribution															
		Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-															
	+	Up	_ !	ļ	UEANL	USBSA		207.91	207.91		l		7.86			1	
	1	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up		ł				``									
	 	Sub-Loop - Per Building Equipment Room - CLEC Feeder		├	UEANL	USBSB		12.50	12.50			<u> </u>	7 86				<u> </u>
		Facility Set-Up		l	UEANL	USBSC		80.87	80 87			ı	7.00			ļ	
		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel	'	┼	OLAIL	00000		00.07	80 87			 	7.86			ļ <u></u>	
L		Set-Up	1		UEANL	USBSD	1	45 04	45.04			1	7.86	1	ľ		İ
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -											1.00				
L		Zone 1	- 1	1	UEANL	USBN2	6.34	85 03	39.05	59.81	7.90		7.86		i		ŀ
ĺ		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -			1												
<u> </u>		Zone 2		2	UEANL	USBN2	9.06	85.03	39.05	59 81	7.90	l	7.86				
ŀ		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3		 3	UEANL	LICOLIC	4400										
	+	2016 3		3	UEANL	USBN2	14.82	85 03	39.05	59 81	7.90		7.86				
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair		l	UEANL	USBMC	İ	9.00	9.00			1					
	1	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		-	OLANC	OSSINIC		9.00	9.00								<u> </u>
1	1	Zone 1		1 1	UEANL	USBN4	8.14	102.31	56.32	65.24	10.88		7.86				
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -				1000			- 00.02	00.24	10.00		7.00				
		Zone 2		2	UEANL	USBN4	8 63	102.31	56 32	65.24	10 88		7.86		1		1
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	25 60	102.31	56 32	65 24	10 88		7.86				
l		lausassa s. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.		l	l	1											
	+	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 2-Wire Intrabuilding Network Cable (INC)		-	UEANL	USBMC USBR2	0.57	9.00	9 00				7.00				
	+	Sub-Loop 2-wire intrabuliding Network Cable (INC)	'	-	UEANL	USBH2	2.57	68.35	22.36	59 81	7.90		7.86				
	1	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								Ī
	_	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)		_	UEANL	USBR4	4.98	76.49	30.51	65 24	10.88	ļ	7.86				
	T	j i i i i i i i i i i i i i i i i i i i				1000		70,10	50.51		10.00		7.00				
	L	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		1	UEANL	USBMC	I	9.00	9.00								
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	ı		UEF	UCS2X	5.45	85.03	39 05	59 81	7.90		7 86				
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS2X	7.06	85.03	39 05	59.81	7.90		7 86				
	-	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	L_	3	UEF	UCS2X	9.67	85.03	39.05	59.81	7.90		7.86				
i		Order Coordinates for Unburselled Cub Lanca and the coordinates			luce	Lucerto	l	0.55									
	+	Order Coordination for Unbundled Sub-Loops, per sub-loop pair 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1			UEF	USBMC UCS4X	7.09	9.00	9.00 56 32	65.24	10.88		7.86				
	+	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1			UEF	UCS4X UCS4X	7.09 8.66	102.31	56 32 56 32	65.24	10.88	 	7.86				
_	+	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3			UEF	UCS4X	19 40	102 31	56.32	65.24	10 88		7.86				
-			<u> </u>	١Ť		1000			55,52	00.27	10 00		,,,,,				
L	1	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		l	UEF	USBMC	i	9.00	9.00			<u> </u>					
	Unbun	dled Sub-Loop Modification															
		Unbundled Sub-Loop Modification - 2-W Copper Dist Load			,												
		Coil/Equip Removal per 2-W PR		L	UEF	ULM2X		5.23	5.23				7.86				
		Unbundled Sub-loop Modification - 4-W Copper Dist Load				1						[]					
	╄	Coll/Equip Removal per 4-W PR		⊢	UEF	ULM4X		5.23	5.23				7.86				ļ
	1	Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged Tap Removal, per PR unloaded		i	UEF	ULM4T		7.97	7.97				7.86				
\vdash	Unbus	dled Network Terminating Wire (UNTW)		\vdash	I DEF	ULIV#1		/.8/				 	7.00		-		
	Jonnoll	Unbundled Network Terminating Wire (UNTW) per Pair		\vdash	UENTW	UENPP	0.53	23.51	23.51				7.86				
_	Networ	rk Interface Device (NID)			QC:4177	OF 184 1	0.30	20.31					7.50				
		Network Interface Device (NID) - 1-2 lines		\vdash	UENTW	UND12		73.53	49.47				7.86				
	1	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		115.96	91.91				7.86				
		Network Interface Device Cross Connect - 2 W		l	UENTW	UNDC2		8.56	8.56				7.86				
		Network Interface Device Cross Connect - 4W			UENTW	UNDC4		8.56	8.56				7.86				
SUB-L	OOPS																
	Sub-Lo	oop Feeder															

UNBUNDLE	D NETWORK ELEMENTS - Kentucky					•							Attach	ment: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge -
		l —	-			Rec	Nonred First	urring Add'l	Nonrecurring First		CONTO	SOMAN		Rates(\$)		T 001144
	USL-Feeder, DS0 Set-up per Cross Box location - CLEC	— —	 	UEA.	 -	 	riist	Addi	riist	Add'l	SUMEC	SOMAN	SUMAN	SOMAN	SOMAN	SOMAN
i i	Distribution Facility set-up	ŀ	1	UDN,UCL,UDL,UDC	USBFW	1	207.91					7.86	[İ		
	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair		i	UEA,										 		+
	set-up		L	UDN,UCL,UDL,UDC			12.50	12 50				7.86	<u></u>	Į.	•	
	USL Feeder DS1 Set-up at DSX location, per DS1 termination		<u> </u>	USL	USBFZ		527 98	11.32				7.86				1
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice Grade - Zone 1		١,	UEA	LICOS		44400									
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice		 '-	UEA	USBFA	7.67	114.83	64.61	72.34	17.21	<u> </u>	7 86	ļ.——	<u> </u>		↓
	Grade - Zone 2	ŀ	2	UEA	USBFA	9.70	114.83	64.61	72 34	17.21	ŀ	7.86				
	Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start.		 -	004	OOD! A	3.70	114.00	04.01	12 34	17.21	<u> </u>	7.00	<u> </u>	 		+
L	Voice Grade - Zone 3	1	3	UEA	USBFA	19.53	114.83	64 61	72.34	17.21		7.86	l			į
	Order Coordination for Specified Conversion Time, per LSR			UEA	OCOSL		23.01				1			 		†
	Unbundlde Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice		ĺ													
<u> </u>	Grade - Zone 1		_1_	UEA	USBFB	7.67	114 83	64.61	72.34	17,21		7.86				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 2	i	١,	UEA	USBFB	9 70	444.00			47.04		7.00	1			
 	Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice		 -	UEA	USBFB	9 /0	114.83	64.61	72 34	17.21	 	7.86		 		+
	Grade - Zone 3	1	3	UEA	USBFB	19.53	114 83	64 61	72.34	17 21	1	7 86	i			
	Order Coordination for Specified Time Conversion, per LSR	 -	ļÿ	UEA	OCOSL	10.00	23 01	0401	72.07	17.21	1	, 00		 		
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,		—								1					† — —
	Voice Grade - Zone 1		1	UEA	USBFC	7.67	114 83	64.61	72 34	17.21		7.86		1		
ł I	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,													1		ŀ
<u> </u>	Voice Grade - Zone 2	ļ	2	UEA	USBFC	9 70	114.83	64.61	72.34	17.21		7.86		<u> </u>		
	Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse Battery, Voice Grade - Zone 3		3	UEA	USBFC	19.53	114 83	64.61	72.34	17.21	1	7.86	i			i .
	Order Coordination For Specified Conversion Time, per LSR	-	3	UEA	OCOSL	19.53	23 01	64.61	72.34	17.21		7.56		 	-	+
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice		 	0EA	IOCO3L		23 01				 			 	 	
i	Grade - Zone 1		l 1	UEA	USBFD	22 82	131 73	- 79.98	81.82	51.56	i	7.86	ŀ			1
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice													 		1
	Grade - Zone 2		2	UEA	USBFD	27.24	131.73	79.98	81.82	51.56		7.86	l .			
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice															
	Grade - Zone 3		3	UEA	USBFD	61 41	131.73	79 98	81 82	51.56	ļ	7.86		ļ		
 	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		23.01				ļ			ļ		
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice		1	UEA	USBFÉ	22 82	131.73	79.98	81.82	51.56	1	7.86	i			
 	Grade - Zone 1 Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice		 '	UEA	USBFE	22 82	131.73	79.98	81.82	\$1.00	1	7.00		 		+
	Grade - Zone 2	ŀ	2	UEA	USBFE	27 24	131.73	79.98	81.82	51.56	1	7.86			:	i
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice	-	┝	0271	CCDI E			70.00		5,,55				f	· · · · · · ·	
1 1	Grade - Zone 3		3	UEA	USBFE	61.41	131 73	79.98	81 82	51.56		7 86				1
	Order Coordination For Specified Conversion Time, Per LSR		i	UEA	OCOSL		23.01									ļ
	Unbundled Sub-Loop Feeder Loop, 2 Wire SDN BRI - Zone 1			UÐN	USBFF	13.00	131.79	80.04	74 16	16 60		7.86				
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2			UDN	USBFF	16 95	131.79	80 04	74.16	16 60		7.86		ļ		
L	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3		3	UDN	USBFF	28.95	131,79	80.04	74 16	16.60	 	7.86		ļ		+
 	Order Coordination For Specified Conversion Time, Per LSR		 _	UDN	OCOSL.	13.00	23.01 131.79	80.04	74 16	16.60	<u> </u>	7.86	 	 		+
 	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)			UDC	USBFS	16.95	131.79	80.04	74.16	16.60		7.86		 	 	
 	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)			UDC	USBFS	28.95	131.79	80.04	74 16	16.60		7 86		 		
 	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1			USL	USBFG	62.57	125 43	73.68	81.82	21 56		7.86				
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2			USL	USBFG	87.71	125 43	73.68	81.82	21.56	1	7.86				
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3			USL	USBFG	273.33	125 43	73.68	81.82	21.56		7.86			<u> </u>	
	Order Coordination For Specified Conversion Time, Per LSR			USL	OCOSL		23.01				ļ	<u> </u>		ļ		
	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1		1	UCL	USBFH	6 44	105.31	53.57	71.16	13.61		7.86		-		
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone										1		1	l	1	
	2	ļ	2	UCL	USBFH	5.78	105.31	53.57	71.16	13.61	 	7.86	 	 	 	
1 1	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone		١,	UCŁ	UCDEN	4,25	105.31	53 57	71.16	13.61	1	7.86		ŀ	1	
	Order Coordination For Congrided Common Time and LCD		3	UCL	USBFH	4,25	23.01	53.57	71.16	13.61	 	7.00				-
\vdash	Order Coordination For Specified Conversion Time, per LSR Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1	\vdash	1	UCL	USBFJ	11.33	125.55	73.80	77,12	16.86	 	7 86	l		—	+
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1	 		UCL	USBFJ	10.18	125.55	73.80	77.12	16.86		7.86		i		1

UNBUNDLI	ED NETWORK ELEMENTS - Kentucky													ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)					Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring				oss	Rates(\$)		
							First	Add'l	First	Adďi	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3			UCL	USBFJ	10.32	125 55	73.80	77.12	16.86		7.86			l	
1	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		23.01				1				1	
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop			UDL	USBFN	20 78	125.43	73.68	81 82	21.56		7 86	-			
	Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop		2	UDL	USBFN	26.41	125.43	73 68	81.82	21 56		7 86				1
	Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop		3	UDL	USBFN	23.10	125.43	73.68	81 82	21.56		7.86				T
! !	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -		1													
	Zone 1		1	UDL	USBFO	20 78	125.43	73 68	81.82	21.56		7.86		<u> </u>		
ł -	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -	1		!					į							
L l	Zone 2		2	UDL	USBFO	26.41	125.43	73.68	81.82	21.56		7.86		L	l	1
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -	1	I													
	Zone 3		3	UDL	USBFO	23.10	125.43	73.68	81.82	21.56	L	7.86		L		
	Order Coordination For Specified Time Conversion, per LSR			UDL	OCOSL		23 01				L			L	1	
_	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -											i				
	Zone 1	L	1_1_	UDL	USBFP	20.78	125.43	73 68	81.82	21 56		7.86		L		
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -												l			
	Zone 2	L	2	UDL	USBFP	26 41	125.43	73 68	81.82	21.56		7 86	l		<u> </u>	L
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -]												1	1	1
	Zone 3	1	3	UDL	USBFP	23 10	125 43	73 68	81.82	21.56	1	7.86	l			
	Order Coordination For Specified Conversion Time, per LSR			UDL	OCOSL		23 01				Ţ					I
SUB-LOOPS																T
Sub-I	Loop Feeder														1	
	Sub Loop Feeder - DS3 - Per Mile Per Month	1		UE3	1L5SL	15 38										1
	Sub Loop Feeder - DS3 - Facility Termination Per Month	1	$\overline{}$	UE3	USBF1	346 30	3,386 00	407.14	160.86	91 19		7.86	i e			
	Sub Loop Feeder - STS-1 - Per Mile Per Month	1	1	UDLSX	1L5SL	15 38										
1	Sub Loop Feeder - STS-1 - Facility Termination Per Month	ti		UDLSX	USBF7	372.80	3,386.00	407.14	160.86	91.19		7 86				
	Sub Loop Feeder - OC-3 - Per Mile Per Month	 	\vdash	UDLO3	1L5SL	11.67										
l	Sub Loop Feeder - OC-3 - Facility Termination Protection Per	 	 	0000	112022						† · · · · ·					
	Month	Li	1	UDLO3	USBF5	58.27						1				
	Sub Loop Feeder - OC-3 - Facility Termination Per Month	l i	 -	UDLO3	USBF2	564.68	3,386.00	407.14	160 86	91.19	-	7.86	· · · · · · · · · · · · · · · · · · ·			
 	Sub Loop Feeder - OC-12 - Per Mile Per Month	l i	+	UDL12	1L5SL	14.36	0,000.00	407.1.4	100 00		i					
	Sub Loop Feeder - OC-12 - Facility Termination Protection Per	 		ODLIZ	ILOGE	14.00					i – –					1
1 1	Month	١,		UDL12	USBF6	658 35					1		l			ľ
	Sub Loop Feeder - OC-12 - Facility Termination Per Month	 	+	UDL12	USBF3	1,778.00	3,386.00	407.14	160.86	91,19	 	7.86				1
	Sub Loop Feeder - OC-48 - Per Mile Per Month	 ' -	 	UDL48	1L5SL	47.11	0,000.00	407.14	100.00	01110	 				1	1
		 ' -		UDL48	ILSSL	47.11			·		· · · · · · · · · · · · · · · · · · ·	-				
	Sub Loop Feeder - OC-48 - Facility Termination Protection Per Month	1.	1	UDL48	USBF9	330.39			·			1			1	
		} .	+	UDL48	USBF4	1,533 00	3,571 00	407.14	160.86	91 19	 	7,86				
ļ	Sub Loop Feeder - OC-48 - Facility Termination Per Month	! 		UDL48	USBF8	372 76	788.37	407.14	160.86	91.19		7.86				†
	Sub Loop Feeder - OC-12 Interface On OC-48	 -	+	UUL40	USBro	3/2/6	700.37	407.14	100.00	\$1.15	 	 	 			†
UNBUNDLED	LOOP CONCENTRATION	 	+-	15.0	UCT8A	423.72	359 34	359 34	 		 	7.86	 		f	+
	Unbundled Loop Concentration - System A (TR008)	-	+	ULC			149 72	149.72	-		 	7.86			l	
\Box	Unbundled Loop Concentration - System B (TR008)	Ь—	+	ULC	UCT8B	51.60 460.27	359 34	359.34	 		 	7.86	 	 -	 	+
	Unbundled Loop Concentration - System A (TR303)		_	ULC	UCT3A			149.72			<u> </u>	7.86				+
	Unbundled Loop Concentration - System B (TR303)	L	—	ULC	UCT3B	86.95	149.72		80.00	6 00	 	7.86	\vdash	 	 	+
	Unbundled Loop Concentration - DS1 Loop Interface Card	<u> </u>	—	ÜLC	UCTCO	4 90	71.69	51.51	22 99	6.00	 	1.80			 	+
	Unbundled Loop Concentration - ISDN Loop Interface (Brite		1	l	l			40-4	۰		1	7.86	-		1	
Ll	Card)			UDN	ULCC1	7.78	16.59	16.50	8.42	8.37	 	7.86	 	ļ. ———	 	+
	Unbundled Loop Concentration - UDC Loop Interface (Brite		1	1 .	1						i	7.00	1	1	1	1
LL	Card)	L		UDC	nrccn	7.78	16.59	16.50	8.42	8.37	 	7.86		 	 	+
	Unbundled Loop Concentration2 Wire Voice-Loop Start or		1		1	l				l	1	700	1]	1	
j l	Ground Start Loop Interface (POTS Card)	<u> </u>		UEA	ULCC2	1.95	16.59	16.50	8.42	8.37	 	7.86			 	+
	Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery										1			1	1	1
1 I	Loop Interface (SPOTS Card)	L	<u> </u>	UEA	ULCCR	11 58	16 59	16 50	8.42	8.37	 	7.86	ļ		 	+
	Unbundled Loop Concentration - 4 Wire Voice Loop Interface		T								1		1	1	1	1
	(Specials Card)	1	1	UEA	ULCC4	6.90	16.59	16 50	8.42	8.37		7 86	ļ	<u> </u>	ļ	
	Unbundled Loop Concentration - TEST CIRCUIT Card			ULC	UCTTC	33.74	16.59	16 50	8.42	8.37	<u> </u>	7.86				
H -	Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop	†	$\overline{}$	1	-1	I				1	l	1	1		1	ł
	Interface		1	UDL	ULCC7	10.23	16.59	16.50	8.42	8.37	<u> </u>	7 86	ļ	<u> </u>	ļ	
11	Unbundled Loop Concentration - Digital 56 Kbps Data Loop	+	+	 					T					1	1	1
												7.86				

UNBUNDLE	D NETWORK ELEMENTS - Kentucky													ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Charge -	Increments Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec	urring		Disconnect				Rates(\$)		
						nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Loop Concentration - Digital 64 Kbps Data Loop		I								ļ				i	
	Interface		<u> </u>	UDL	ULCC6	10.23	16.59	16.50	8.42	8.37	1	7.86			ļ <u> </u>	<u> </u>
UNE OTHER,	PROVISIONING ONLY - NO RATE										<u> </u>		ļ	ļ	ļ	ļ
	NID - Dispatch and Service Order for NID installation UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UNDBX	0.00	0.00					ļ			 	ļ
	UNITY Circuit to Establishment, Provisioning Unity - No Hate			UEANL,UEF,UEQ,U	DENCE	0 00	0.00		 		 	 	 	-	 	ļ
!	Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN	0.00	0.00			1						
LINE OTHER	PROVISIONING ONLY - NO RATE	-	1	EINIAA	UNECN	0.00	0.00		 		 	\vdash	 	 -	 	<u> </u>
ONE OTTIEN,	FROTISIONING ONET - NO RATE		 						!		 	 	 	 		1
	Unbundled Contact Name, Provisioning Only - no rate			UAL,UCL,UDC,UDL, UDN,UEA,UHL,ULC	UNECN	0 00	_ 0 00			<u>.</u>						
.	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no		į.									ì	1	1	i	İ
.	rate		_	UEA,UDN,UCL,UDC	USBFQ	0 00	0 00		ļ	ļ			 	 	 	ļ. —.—
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no		1			0 00	0.00					ì	i	1	ľ	i
	rate		ļ	UEA,USL,UCL,UDL	USBFR	0.00	0.00					 				
	Unbundled DS1 Loop - Superframe Format Option - no rate	-		USL	CCOSF	0.00	0.00				 		 			<u> </u>
1 !	Unbundled DS1 Loop - Expanded Superframe Format option -		i	USL	CCOEF	0.00	0.00		ľ	1		1	1			
LIIGH CADAC	Ino rate		1	USL	CCOEF	0.00	0.00		ļ		 	 		 	 	
HIGH CAPAC	High Capacity Unbundled Local Loop - DS3 - Per Mile per		├ ──	 					 		+	 	-	 		1
	month			UE3	1L5ND	9.25										
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	308 31	551.38	338 08	173.00	120 42		7.86				
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	9 25										
	High Capacity Unbundled Local Loop - STS-1 - Facility		 			-			470.00	400.40	<u> </u>	7 86				
	Termination per month		\vdash	UDLSX	UDLS1	320.51	551.38	338 08	173.00	120.42	_	/ 00			-	
LOOP MAKE		ļ	-								<u> </u>	<u> </u>	 	 	•	 -
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).			UMK	UMKLW		23 40	23.40				ļ		ļ	ļ	
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP		24.85	24 85				ļ				
	Loop MakeupWith or Without Reservation, per working or			UMK	PSUMK		0.67	0.67								
INOLI ERECLI	spare facility queried (Mechanized)		1	OWN	FSUNK		0.07	0.07	 		†	†	· · · · · · · · · · · · · · · · · · ·	t "		
	SHARING	-														
	TTERS-CENTRAL OFFICE BASED		 			-										1
- Jaren	Line Sharing Splitter, per System 96 Line Capacity	i –	-	ULS	ULSDA	198.83	379.05	0.00	358 55	0.00		7.86			<u> </u>	
	Line Sharing Splitter, per System 24 Line Capacity	1	†	ULS	ULSDB	49 71	379 05	0 00		0.00		7.86			ļ	<u> </u>
	Line Sharing Splitter, Per System, 8 Line Capacity	 	1	ULS	ULSD8	16 94	377 71	0 00	357.29	0.00		7.86			1	
	Line Sharing-DLEC Owned Splitter in CO-CFA activation-										I				1	
1	deactivation (per LSOD)		1	ULS	ULSDG		173.62	0.00	100.40	0.00		7 86	ļ	ļ		
END	USER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENC	Y SPEC	TRUM	AKA LINE SHARING									 			
	Line Sharing - per Line Activation (BST Owned Splitter)			ULS	ULSDC	0.61	37.16	21 28	20 17	9.90	<u> </u>	7.86	<u> </u>	 	 	
	Line Sharing - per Subsequent Activity per Une Rearrangement(BST Owned Splitter)			ULS	ULSDS		32.90	16.43				7.86			<u> </u>	
 	Line Sharing - per Subsequent Activity per Line	1	1		Ι				1		ł	1				1
1 1	Rearrangement(DLEC Owned Splitter)		1	บเร	ULSCS		32 90	16.43	·			7 86		ļ —	 	
 	Line Sharing - per Line Activation (DLEC owned Splitter)	-	T	ULS	ULSCC	0.61	47.44	19.31	20.67	12.74	·	7.86		 	 	-
LINE	SPLITTING		1						1	<u> </u>	 		 	+	+	
	USER ORDERING-CENTRAL OFFICE BASED										4	 			 	
	Line Splitting - per line activation DLEC owned splitter			UEPSR UEPS8	UREOS	0.61			ļ <u></u>			7.00	+	 	+	+
	Line Splitting - per line activation BST owned - physical	Ti.		UEPSR UEPSB	UREBP	0.61	37.02	21.20		9.87		7.86 7.86		 	 	+
	Line Splitting - per line activation BST owned - virtual	T		UEPSR UEPS8	UREBV	0.61	37.02	21.20	21.10	9.87	+	1.86	' +	1	+	+
	OTE SITE HIGH FREQUENCY SPECTRUM								 	 	+	+	+	1	+	+
SPLI	TTERS-REMOTE SITE		L					L	057.00	0 00	+	7.86	+	 -	 	+
	Remote Site Line Share BellSouth Owned Splitter, 24 Port	1		ULS	ULSRB	50.83	377.71	0.00	357.29	1 000	'	7.00	\ 	 	1	
	Remote Site Line Share Cable Pair Activation CLEC Owned at RS and Deactivation	Ι.		ULS	ULSTG		74.38	0.00	46.77	0.00	. [7.86	. l	l	1	l

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attachi	nent: 2	Exhil	oit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic Disc Add'
			<u> </u>		<u> </u>	Rec	Nonrec		Nonrecurring		*****			Rates(\$)	******	*****
	OF COREDUIC DEMOTE CITE HOW EDECUTED OF CORE	1 A12A	<u> </u>		1		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
END	SER ORDERING-REMOTE SITE HIGH FREQUENCY SPECTRUM Remote Site Line Share Line Act vationfor End User Served at	AKA	HEMO!	E SHE LINE SHARI	NG T											
1 1	RS, BST Splitter	1	1	ULS	ULSRC	0.61	37.16	21.28	20.17	9.90		7.86		ĺ	1	1
 	RS Line Share Line Activation for End User served at RS, CLEC		-	013	ULBRU	0.01	37.10	21.20	20.17	5.50		7.00	}	 		
1 1	Splitter	1	1	บเร	ULSTC	0.61	37.16	21 28	20.17	9.90		7.86		1		l
UNBUNDLED	DEDICATED TRANSPORT		1										1			
	INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimu	m billin	g perio	d - below DS3=one	month, DS3/	STS-1=four mo	nths									
INTER	OFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.01										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination			UITVX	U1TV2	29,11	47,34	31.78	22,77	8 75		7.86				
 	Interoffice Channel - Dedicated Transport- 2-Wire Voice Grade	 	 	UIIVX	101142	29.11	47.34	31./8	22.11	8 /5	1	7.86	}		 	
	Rev Bat Per Mile per month			U1TVX	1L5XX	0.01							ļ		1	
<u> </u>	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat	\vdash	 		1.20,01	† <u></u>									l	
1	Facility Termination))	U1TVX	U1TR2	29.11	47.34	31.78	22 77	8.75		7.86	(ł		
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -	1	1		1								1			
	Per Mile per month		<u> </u>	U1TVX	1L5XX	0.01			[<u> </u>			
	interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination		<u> </u>	U1TVX	U1TV4	25.86	47.34	31 78	22.77	8.75		7.86	ļ			
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility			U1TDX	1L5XX	0.0115						<u> </u>				<u> </u>
	Termination		lacksquare	U1TDX	U1TD5	20.97	47.35	31.78	22 77	8.75		7.86				
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0.0115										
	interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			U1TDX	U1TD6	20 97	47.35	31 78	22 77	8.75		7.86				
	month		<u> </u>	ופדנט	1L5XX	0.23								 		
	Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination	ļ <u>.</u>	<u> </u>	U1TD1	U1TF1	96.04	105.52	98 46	23.09	20.49		7 86			<u> </u>	
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	4.97										
	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month		<u> </u>	U1TD3	U1TF3	1,175 15	335 40	219.24	89.57	87.75	-	7.86				
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TS1	1L5XX	4.97			ļ							
1.004	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination L CHANNEL - DEDICATED TRANSPORT		<u> </u>	U1TS1	U1TFS	1,149.51	335.40	219.24	89.57	87.75		7.86	ļ			
NOTE	L CHANNEL - DEDICATED TRANSPORT - MINIMUM BILLIN	a perio	d - held	w DS3=one month	DS3/STS-1=	four months					· · · · · · · · · · · · · · · · · · ·					
I INDIE	Local Channel - Dedicated - 2-Wire Voice Grade	5 PV.10		ULDVX	ULDV2	18.57	265.78	46.96		4.98		7.86				
 	Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat		1	ULDVX	ULDR2	18 57	265 78	46.96		4.98		7.86				
	Local Channel - Dedicated - 4-Wire Voice Grade		L	UNDVX	ULDV4	19.86	266.48	47.65		5.73		7.86				
	Local Channel - Dedicated - DS1 - Zone 1		1	ULDD1	ULDF1	40.46	209.60	176.51		21.07	<u> </u>	7 86				
	Local Channel - Dedicated - DS1 - Zone 2		.2	ULDD1	ULDF1	43.39	209.60			21.07		7.86				ļ
	Local Channel - Dedicated - DS1 - Zone 3	ļ	3	ULDD1	ULDF1	164.50	209 60	176.51	30 21	21.07	├	7.86				
ļ	Local Channel - Dedicated - DS3 - Per Mile per month		⊢ —	ULDD3	1L5NC ULDF3	8.74 576 05	551.38	338.08	173.00	120.42	 	7.86	 	 	 	
 	Local Channel - Dedicated - DS3 - Facility Termination		 	ULDD3 ULDS1	1L5NC	8.74	231.38	330.06	173.00	120.42		7.00	 			
 	Local Channet - Dedicated - STS-1- Per Mile per month Local Channet - Dedicated - STS-1 - Facility Termination		+	ULDS1	ULDFS	543.24	551.38	338.08	173.00	120 42	1	7.86	İ			
DARK FIBER		 	\vdash	0.001	555, 5	3-0.24	551.56	000.00	1	1						L
- I I I I I I I I I I I I I I I I I I I	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction		t		<u> </u>	1	j	1	1							
	Thereof per month - Local Channel	<u></u>		UDF	1L5DC	47.01	L	ļ			ļ		ļ	L	<u> </u>	
	NRC Dark Fiber - Local Channel			UDF	UDFC4		732.53	192.67	377.27	241.67	ļ	7 86		<u> </u>	ļ	
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			l	I	l	-	ł	1	ł	1		1	1		
	Thereof per month - Interoffice Channel	ļ	-	UDF	1L5DF	30.74	700.50	400.07	077.07	241.67	ļ	7.86	 	ļ	ļ	
L	NRC Dark Fiber - Interoffice Channel	L	1	UDF	(UDF14	<u> </u>	732.53	192.67	377 27	241.67		1.86	 	1	L	Ь

IUNBUNDLEI	D NETWORK ELEMENTS - Kentucky						***-			•			Attach	ment; 2	Evhl	bit: B
			Γ	27.0	Т	!			-		Sun Order	Svc Order	Incremental			
		l	l									Submitted	Charge -	Charge -		
			l												Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC	[RATES(\$)			Elec		Manual Svc			Manual Svo
DAILGONI	MAIL ELEMENTS	m	Zone	503	USUC			HA I ES(5)			perLSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			l	}							1		Electronic-	Electronic-	Electronic-	Electronic-
			l	•							1	i I	1st	Add'I	Disc 1st	Disc Add'l
·			<u> </u>													
			<u> </u>			Rec	Nonre		Nonrecurring					Rates(\$)		
		ļ	L			1,00	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
! !	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			1						_	[
 	Thereof per month - Local Loop			UDF	1L5DL	47.01						i I	ł	1		Į.
	NRC Dark Fiber - Local Loop			UDF	UDFL4		732 53	192 67	377.27	241 67		7.86		†		
8XX ACCESS T	FEN DIGIT SCREENING											1.55		 		
	8XX Access Ten Digit Screening, Per Call			OHD		0.0006478			-		-					
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX				T											
	Number Reserved		i	OHD	N8R1X		4.14	0.70			ŀ	7 86			1	
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O			V.12	-1101111	-	7,14	0.70				7.60				
	POTS Translations	1	l	OHD	1		8.78	1.18	7.00	0.00	1	7.00			1	
	8XX Access Ten Digit Screening, Per 8XX No. Established With			Unio	 		8.78	1.18	7.08	0 86		7.86				
	POTS Translations	l		loup.	NO.				i		1	1			1	
	8XX Access Ten Digit Screening, Customized Area of Service		-	OHD	N8FTX		8 78	1.18	7.08	0 86		7.86				<u> </u>
		l	1	l	J]						I			1	1
	Per 8XX Number	<u> </u>	I	OHD	N8FCX		4.14	2.07			L	7.86			L	l
	8XX Access Ten Digit Screening, Multiple InterLATA CXR	!	1													
	Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		4.85	2.78			l	7.86		1		1
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		4.85	0.70			i	7.86				
	8XX Access Ten Digit Screening, Call Handling and Destination				1						ľ	1		 		
	Features		1	OHD	N8FDX		4.14	4.14			ļ	7.86				
	8XX Access Ten Digit Screening w/ 8FL No Delivery,			OHD		0.0006478					-	7.00		 		
	8XX Access Ten Digit Screening, w/ POTS No. Delivery,		 	OHD	+	0.0006478						_				├
I INF INFORMA	ATION DATA BASE ACCESS (LIDB)			OTID	- 	0 0000478						 				
LINE HAS OTHERS	LIDB Common Transport Per Query	_		I COT	_											↓
				OQT		0 000023										<u> </u>
	LIDB Validation Per Query			OQU		0.0137322									L	<u> </u>
	LIDB Originating Point Code Establishment or Change		ļ	OQT, OQU	NRPBX		55 12		67.59			7.86				
SIGNALING (C																
	CCS7 Signaling Connection, Per 56 Kbps Facility			UDB	TPP++	20.71	43 56	43.56	22 45	22.45						
	CCS7 Signaling Termination, Per STP Port			UD8	PT8SX	151 39										
	CCS7 Signaling Usage, Per TCAP Message			UDB		0.0000656		-								
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	20.71	43.56	43.56	22 45	22.45		7.86				
	CCS7 Signaling Connection, Per link (B link) (also known as D		 		11111											
	link)		1	UDB	TPP++	20.71	43.56	43.56	22.45	22.45	ł	7 86				1
	CCS7 Signaling Usage, Per ISUP Message			UDB	IFFTT	0 0000164	40.30	45.50	22.40	22.40		, 30				├──
					OTUEO									<u> </u>		
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	751.08										└─ ─
	CCS7 Signaling Point Code, per Originating Point Code	ŀ										1 1				1
	Establishment or Change, per STP affected			UDB	CCAPO		46.02	46.02	56.43	56 43		7.86				
	CCS7 Signaling Point Code, per Destination Point Code		l											1		1
	Establishment or Change, Per Stp Affected	L	L	UDB	CCAPD		46.02	46 02	56.43	56 43		7.86		<u> </u>		<u> </u>
E911 SERVICE																
	Local Channel - Dedicated - 2-wr Voice Grade					18.57	265.78	46 96	46.79	4 98			18 94	18.94		
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile				1	0 0115								1		
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility				1											
	Termination		l			29.11	47.34	31 78	22.77	8.75			18.94	18,94		1
	Local Channel - Dedicated - DS1 - Zone 1		├			40 46	209.60	176.51	30.21	21,07		 	18.94	18.94	-	
			—–										18.94	18.94		
	Local Channel - Dedicated - DS1 - Zone 2		Ь—			43.39	209.60	176.51	30.21	21.07						
	Local Channel - Dedicated - DS1 - Zone 3		L			164 50	209.60	176.51	30.21	21.07			18.94	18.94		—
	Interoffice Transport - Dedicated - DS1 Per Mile		L			0 23										
			I											1		1
[Interoffice Transport - Dedicated - DS1 Per Facility Termination	l	l			96 04	105.52	98.46	23.09	20.49			18.94	18.94		
	E (CNAM) SERVICE															L
	CNAM For DB Owners - Service Establishment			ogv	1		25.34	25.34	23.30	23.30		7.86				
	CNAM For Non DB Owners - Service Establishment		 	ogv			25.34	25 34	23.30	23.30		7.86				
	CNAM For DB Owners - Service Provisioning With Point Code	·			+		20.04	2007			 					
		l	l	oov	1		1,591.54	1,177.08	431.95	317.61	l	7 86			1	1
	Establishment		—	OQV	-	L	1,091.54	1,177.08	431.95	317.01	 	, 90				
	CNAM For Non DB Owners - Service Provisioning With Point	l	l	l						c *:						1
	Code Establishment			OQV			546.40	393 74	438.93	317.61	L	7.86				├
	CNAM for DB Owners, Per Query		L	OQV		0.0010348										
	CNAM for Non DB Owners, Per Query			OQV		0.0010348					L					
	CNAM (Non-Databs Owner), NRC, applies when using the															
	Character Based User Interface (CHUI)	l	l	ogv	CDDCH		595.00	595.00			I	7.86		l	1	I

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attachi	ment: 2	Exhil	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge -	Incremental Charge -
			├		 -	Rec	Nonrec First	arning Add'l	Nonrecurring First	Add'I	SOMEC	COMANIT	SOMAN	Rates(\$)	001141	
LNP Query Ser	vice		 		 	 	FIISL	Addi	FIISL	Audi	SUMEC	SUMAN	SUMAN	SUMAN	SOMAN	SOMAN
	LNP Charge Per query		1			0.0008695			<u> </u>		 					
	LNP Service Establishment Manual		1		† <u>-</u> -	0.000000	13.82	13 82	12.71	12.71	 -	7.86				
	LNP Service Provisioning with Point Code Establishment						953.27	487.00	431.95	317.61		7.86			· · · · — —	
OPERATOR C	ALL PROCESSING		I										-			
	Oper. Call Processing - Oper. Provided, Per Min Using BST LIDB		J			1.20										
	Oper. Call Processing - Oper Provided, Per Min Using Foreign LIDB					1.24										
	Oper Call Processing - Fully Automated, per Call - Using BST LIDB					0.20										
	Oper Call Processing - Fully Automated, per Call - Using Foreign LIDB					0.20										
INWARD OPER	NATOR SERVICES		-		 	5.20					 	 				
	Inward Operator Services - Verification, Per Call		 		† · · · · · ·	1.00					 			 		
	Inward Operator Services - Verification and Emergency Interrupt - Per Call					1.95							,,			
	PERATOR CALL PROCESSING								i i							
Facility	based CLEC															
	Recording of Custom Branded OA Announcement				CBAOS		7,000.00	7,000.00				7.86				
	Loading of Custom Branded OA Announcement per shelf/NAV per OCN				CBAOL.		500.00	500.00				7.86				
UNEP																
	Recording of Custom Branded OA Announcement						7,000 00	7,000 00				7.86				
	Loading of Custom Branded OA Announcement per shelf/NAV per OCN		ļ				500 00	500.00				7.86				
Unhrar	Iding via OLNS for UNEP CLEC			ļ	 		500 00	500.00				7.86	-			
0.10.01	Loading of OA per OCN (Regional)		 		 	 	1,200.00	1,200.00	 		 	7.86		l		
DIRECTORY A	SSISTANCE SERVICES		\vdash		 		.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	1,200.00				- 7.00				
	TORY ASSISTANCE ACCESS SERVICE				 											
	Directory Assistance Access Service Calls, Charge Per Call		i –		l	0.275										
DIREC	TORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (D	ACC)	İ													
	Directory Assistance Call Completion Access Service (DACC),		T							_						
	Per Call Attempt					0.10			l							
	SSISTANCE SERVICES													ļ		
DIREC	TORY ASSISTANCE DATA BASE SERVICE (DADS)		ļ													
	Directory Assistance Data Base Service Charge Per Listing				00000	0.04 150.00					<u> </u>				ļ	
BRANDING B	Directory Assistance Data Base Service, per month IRECTORY ASSISTANCE		 		DBSOF	150.00			l							
	Based CLEC				 					· · · · · · · · · · · · · · · · · · ·						
racill)	Recording and Provisioning of DA Custom Branded Announcement			AMT	CBADA		6,000 00	6,000.00				7.86				
	Loading of Custom Branded Announcement per DRAM Card/Switch			AMT	CBADC		1,170.00	1,170.00				7.86				
UNEP (1	Cont.	03/200	 	1,170.00	1,170.00	i		\vdash	-,50				
UNEP	Recording of DA Custom Branded Announcement		 		 	 	3,000.00	3,000.00				7.86	-			
	Loading of DA Custom Branded Announcement per DRAM Card/Switch per OCN				1		1,170.00	1,170.00				7.86	-			
Linberg	Iding via OLNS for UNEP CLEC		 		 	 	1,110.00	1,120.00		_						
Olibial	Loading of DA per OCN (1 OCN per Order)	 	 		† 	\vdash	420.00	-420.00		_		7.86				
	Loading of DA per Switch per OCN		1	·			16.00	16.00				7.86				
SELECTIVE RO			T													
	Selective Routing Per Unique Line Class Code Per Request Per Switch				USRCR		93.53	93.53	15.58	15.58		7.86				
VIRTUAL COL						[L
	Virtual Collocation - Application Cost			AMTFS	EAF		2,419.86	2,419.86	1.01	1.01		7.86				
	Virtual Collocation - Cable Installation Cost, per cable			AMTFS	ESPCX		1,729.11	1,729.11	45.16	45.16		7.86				
	Virtual Collocation - Floor Space, per sq. ft.			AMTFS	ESPVX	7.99								ļ		
	Virtual Collocation - Power, per fused amp		I	AMTES	ESPAX	8.06					1				l <u> </u>	L

UNDUNDLE	D NETWORK ELEMENTS - Kentucky												Attachr	nent: 2	Exhil	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
		———			<u> </u>	Rec	First	ourring Add'l	Nonrecurring First	Disconnect Add'l		0011411		Rates(\$)		
—t	Virtual Collocation - Cable Support Structure, per entrance	 					LIISI	Addi	riist	ADUI	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	cable	1		AMTFS	ESPSX	17.38						Ì			Į.	1
	Virtual Collocation - 2-wire Cross Connects (toop)			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, AMTFS, UDL, UNCVX, UNCDX, UNCNX		0.0309	24.68	23.68	12 14	10.95		7.86				
	Virtual Collocation - 4-wire Cross Connects (loop)			UEA,UHL,UCL,UDL, AMTFS, UAL, UDN, UNCVX, UNCDX	UEAC4	0.0619	24.88	23.82	12.77	11.46		7.86				
	Virtual Collocation - 2-Fiber Cross Connects			AMTFS, UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC2F	3.80	41.94	30.51	14.76	11.84		7.86				
				AMTFS,UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12,									/-			
	Virtual Collocation - 4-Fiber Cross Connects			ULD48, UDF	CNC4F	7 59	51.29	39 87	19.41	16 49		7.86				L
	Virtual collocation - DS1 Cross Connects			USL,ULC,AMTFS, ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1 USL,ULC,AMTFS,U	CNC1X	1.48	44 23	31 98	12.81	11 57				· ·		
	Virtual collocation - DS3 Cross Connects			E3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CND3X	18.89	41.93	30.51	14 75	11.83			-			
i	Virtual Collocation - Co-Carner Cross Connects - Fiber Cable				l I											ŀ
	Support Structure, per linear foot Virtual Collocation - Co-Carner Cross Connects - Copper/Coax			AMTFS	VE1CB	0.003			-							
	Cable Support Structure, per linear ft Virtual Collocation - Co-Carner Cross Connects - Fiber Cable Support Structure,per cable			AMTFS AMTFS	VE1CD VE1CC	0.0045	535 55									
	Virtual Collocation - Co-Carner Cross Connects - Copper/Coax				1											
	Cable Support Structure, per cable Virtual Collocation Cable Records - per request			AMTES AMTES	VE1CE VE1BA		535.55 1,524.45	980.01	267.02	267.02	-					
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable			AMTFS	VE1BB		656.37	656.37	379.70	379.70						
	record Virtual Collocation Cable Records - VG/DS0 Cable, per each								11 84							
	100 pair Virtual Collocation Cable Records -DS1, per T1TIE	 		AMTES AMTES	VE1BC VE1BD		9.65 4.52	9.65 4.52	5.54	11.84 5.54	-					
	Virtual Collocation Cable Records - DS3, per T3TIE	 		AMTES	VE1BE	- -	15.81	15.81		19.39						
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber records			AMTFS	VE1BF		169.63	169.63	154.85	154.85						
 	Virtual collocation - Security Escort - Basic, per half hour			AMTES	SPTBX		33.98	21.53		1,5-7,65						
	Virtual collocation - Security Escort - Dasic, per half hour			AMTES	SPTOX		44.26	27.81								
	Virtual collocation - Security Escort - Premium, per half hour			AMTFS	SPTPX		54.54	34 09			 				·	
	Virtual collocation - Maintenance in CO - Basic, per half hour			AMTES	CTRLX		56.07	21.53	 							
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		73.23	27.81								
	Virtual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM		90.39	34.09								l

UNBUNDLE	D NETWORK ELEMENTS - Kentucky													ment: 2	Exhil	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(S)				Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
			 			Rec	Nonrec			Disconnect	201150	66		Rates(\$)	001111	
			↓		1		First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2- Wire Analog - Res			UEPSR	VE1R2	0.0309	24.68	23.68	12.14	10 95	<u> </u>	7.86				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus		<u> </u>	UEPSP	VE1R2	0.0309	24.68	23.68	12.14	10 95		7 86				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0.0309	24.68	23.68	12 14	10.95		7.86				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus			UEPSB	VE1R2	0 0309	24.68	23.68	12 14	10.95		7 86				
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN			UEPSX	VE1R2	0 0309	24.68	23.68	12.14	10.95		7.86				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPTX	VE1R2	0.0309	24 68	23.68	12.14	10.95		7.86				
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1			UEPEX	VE1R4	1.48	44 23	31 98	12.81	11.57		7.86				
VIRTUAL COL	LOCATION															
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR, UEPSB	VE1LS	0.309	24.68	23.68	12 14	10 95		7.86				
PHYSICAL CO	Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR, UEPSB	PE1LS	0.0333	24 68	23.68	12.14	10.95		7.96		<u> </u>		
AIN SELECTIV	/E CARRIER ROUTING		-	OLY GIV, OLY GO	1 2100	0.0000		20.00	12.17	10.00	 		i	-		
	Regional Service Establishment		-	SRC	SRCEC		193,401.00	193,401 00	9,483.34	9,483 34		7.86				
	End Office Establishment			SRC	SRCEO		194 09	194 09	0 85	0 85		7.86				
	Line/Port NRC, per end user			SRC	SRCLP		2.06	2 06				7.86				<u> </u>
	Query NRC, per query			SRC		0.0037502					 					
AIN - BELLSO	UTH AIN SMS ACCESS SERVICE				ļ						 				-	
	AIN SMS Access Service - Service Establishment, Per State, Initial Setup			A1N	CAMSE		43 55	43.55	44 93	44.93		7.86				
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		8.64	8.64	10.03	10 03		7.86				
	AIN SMS Access Service - Port Connection - ISDN Access		<u> </u>	A1N	CAM1P		8.64	8 64	10.03	10.03		7.86			<u> </u>	
	AIN SMS Access Service - User Identification Codes - Per User ID Code			A1N	CAMAU		38.65	38 65	29.88	29.88		7.86	ļ			
	AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement			A1N	CAMRC		75.08	75.08	12.93	12.93		7.86				
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.0025					ļ	ļ			 	ļ
	AIN SMS Access Service - Session, Per Minute AIN SMS Access Service - Company Performed Session, Per		-		 	0.666										
	Minute	ļ —	+	ļ		0.4608					 		 		-	
AIN - BELLSO	OUTH AIN TOOLKIT SERVICE AIN Toolkit Service - Service Establishment Charge, Per State,		†	CAM	BAPSC		43 55	43 55	44.93	44,93		7 86				
	Initial Setup AIN Toolkit Service - Training Session, Per Customer	 	+	CAN	BAPVX		8,436.93	8,436.93	1	7	1	7.86			1	
	All Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Term. Attempt		-		BAPTT		8.64	8.64	10.03	10.03		7.86				
	All Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay				BAPTD		8.64	8.64	10.03	10.03		7.86	-			
	All Noolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate				BAPTM		8.64	8.64	10.03	10.03		7 86				
	DN, Crr-Hook immediate AlN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP				BAPTO		51.01	51 01		18.50		7.86		- "		
	AlN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP				BAPTC		51.01	51.01	18.50	18 50		7.86				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN. Feature Code				BAPTE		51.01	51.01	18.50	18.50		7.86				
	AlN Toolkit Service - Query Charge, Per Query	 	+		1500 11	0.0549207	31.01	01.01	1							
	Alin Toolkit Service - Type 1 Node Charge, Per Alin Toolkit Subscription, Per Node, Per Query		\top			0.0066492	-									

SHOOMDLE	D NETWORK ELEMENTS - Kentucky												Attachr	nent: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	Increment Charge -
			 -			Rec		curring		Disconnect				Rates(\$)		
 	AiN Toolkit Service - SCP Storage Charge, Per SMS Access	 	-				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1 1	Account, Per 100 Kilobytes	ĺ				0.07										
	AiN Toolkit Service - Monthly report - Per AIN Toolkit Service															
	Subscription			CAM	BAPMS	7.87	8.64	8.64	6.08	6.08	!	7.86			l	
1 !	AIN Toolkit Service - Special Study - Per AIN Toolkit Service															
	Subscription AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service	_		CAM	BAPLS	3.26	9.56	9 56				7.86				
	Subscription			CAM	BAPDS	4.72	8.64	8.64	6.08	6 08		7.86			ľ	
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit		 	UAW.	15/4-03	4.72	6.04	0.04	6.08	- 6 08		7.86				
	Service Subscription		1	САМ	BAPES	0.11	9.56	9 56				7 86				
ENHANCED EX	KTENDED LINK (EELs)															
NOTE:	New Density Zone 1 EELs are available in the following MSAs Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-	: Orlan	do, FL;	Miami, FL; Ft. Lauc	lerdale, FL; A	tlanta, GA; Ne	v Orleans, LA;									
NOTE:	In all states, EEL network elements shown below also apply t	O CUITO	oth, N	mbined facilities wh	ich em conu	orted to LIME w	too A Curitoh	An In Charge	lies to sure		facilities as		ME- Man			Ļ
NOTE:	In all states the EEL network elements apply to ordinarily con	bined	networ	k elements (No Swit	ch As is Cha	me) When on	dering ordinari	tv combined n	obvork elemen	te nonrecurri	racilities co	enoly	UNES.(NOn-re	curring rates	do not apply	.)
2-WIRE	VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR	ANSPORT (EEL)	T	gel, milen en	acting ciantan	, , , , , , , , , , , , , , , , , , , ,	State of Common	l long tronger	ig raids do .	арріу.				
	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport															
	Combination - Zone 1		1	UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84		7.86				
1 1	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed					[į l					
	Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed		2	UNCVX	UEAL2	17.45	125 22	60 48	59 69	7.84		7.86				
1 1	Transport Combination - Zone 3		3	UNCVX	UEAL2	33.22	125.22	60.48	59 69	7 84		7.86			1	ļ
	Interoffice Transport - Dedicated - DS1 combination - Per Mile	-	<u> ۲</u>	UNOVA	UEALZ	33.22	123.22	60.46	39 69	/ 04		7.00				_
	per month			UNC1X	1L5XX	0.19										
	Interoffice Transport - Dedicated - DS1 combination - Facility															
\vdash	Termination per month			UNC1X	U1TF1	79.02	181.24	123.53	56 72	22.32		7.86		i		
\vdash	DS1 Channelization System Per Month			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67		7.86				
 	Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(St. 2) in the same DS1		-	UNCVX	1D1VG	0.62	6.71	4.84				7.86				ļ
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84		7.86				ł
 	Each Additional 2-Wire VG Loop(SL2) in the same DS1		 ' 	UNOVA	OLALE	12.07	120,22	00.40	00.00	7.07		7.00				
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	17 45	125.22	60 48	59.69	7.84		7.86				l
	Each Additional 2-Wire VG Loop(SL2) in the same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	33,22	125.22	60.48	59.69	7.84		7.86				
	Voice Grade COCI - DS1 to DS0 Channel System combination -		1		40446							7.00			i	
	per month Nonrecurring Currently Combined Network Elements Switch -As-			UNCVX	1D1VG	0.62	6.71	4.84				7 86				
	Is Charge			UNC1X	UNCCC		8.98	8 98	11.17	11 17		7.86				
4-WIRE	VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR		0.1000		0.00		7,117	- 17.17						
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice)												
	Transport Combination - Zone 1		1	UNCVX	UEAL4	29 26	125 22	60.48	59 69	7 84		7.86				
1 1	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice		١.	LINIOLOV		24.05	405.00	22.40	50.00	7.04		7.00				Į.
	Transport Combination - Zone 2 First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice		2	UNCVX	UEAL4	34.25	125 22	60.48	59 69	7.84		7.86				
1 1	Transport Combination - Zone 3		3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84		7.86				1
\vdash	Interoffice Transport - Dedicated - DS1 combination - Per Mile		Ľ	ONOVA	OL/L4	50.00	TEO.EE		00.00	1101						
L	Per Month		L_	UNC1X	1L5XX	0.19										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per		Γ													
<u> </u>	Month		L	UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32		7.86				
	Channelization - Channel System DS1 to DS0 combination Per		1	UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67		7.86				
	Month Voice Grade COCI - DS1 to DS0 Channel System combination -	_	-	UNUIX	IVQ1	113.33	57.26	14./4	1.80	1.67		7.00				
1 1	per month			UNCVX	1D1VG	0.62	6.71	4.84				7.86				L
	Additional 4-Wire Analog Voice Grade Loop in same DS1			551X												
 			1	UNCVX	UEAL4	29.26	125 22	60.48	59.69	7.84		7.86				
	Interoffice Transport Combination - Zone 1			DINOVA												
	Additional 4-Wire Analog Voice Grade Loop in same OS1															1
				UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84		7.86				

CATEGORY RATE ELEMENTS Indicate Rate	BUNDLED N	NETWORK ELEMENTS - Kentucky					•							Attachi	nent: 2	Exhi	bit: B
Outs Control Control Control Sparser combination UNION UNION O.65 E.71 A691 SPEC SOMM SOMM SOMM SOMM SOMM SOMM SOMM SOM			1	Zone	BCS	usoc						Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge -
None Group COCT COLD 10 DOD Charant Spring contraction Cold 10 DOD Charant Spring Charant Combination Cold 10 DOD Charant Spring Charant Combination Cold 10 DOD Charant Spring Charant Char	+			-			Rec					COMEC	COMAN			000000	001111
Noncouring Commission Streeting Commission Streeting Commission Streeting Commission C	Vo	pice Grade COCI - DS1 to DS0 Channel System combination -				-	-	First	Addi	FIISC	Add I	SUMEC	SUMAN	SUMAN	SOMAN	SUMAN	SOMAN
Scharge Scha					UNCVX	1D1VG	0.62	6.71	4.84				7.86				
### SERVICE DESCRIPTION OF THE PROPERTY OF THE PROPERTY CANADA SERVICE			1		LINGAY	LINICOC											
First A-Wile Solicipa Digital Control Ecopy in a DST Interoffice 1 UNCDX UDL69 27.66 125.22 60.46 59.69 7.64 7.66 1.00 1	4-WIRE 56	6 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT (EEL)	UNCCC		8.98	8.98	11.17	11.17		7 86				
First Levies SOROPS Digital Gradat Loop is a DST Interoffice 2 UNCDX	Fir	rst 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice															
Transport Combination - Zone 2				1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84		7.86				
First 4 Wike SROpp Digital Grafe Loop in a DST Interoffice 3 UNCDX UDL56 36.57 125.22 60.48 56.69 7.94 7.86				,	HNCDY	LIDLES	22.40	125.22	60.40	E0 60	7.04	1	7.00				
Intercifica Triangort - Obedicated - DST - Combination - Pari Me Pet Mort Program - Obedicated - DST - Combination Facility UNICIX 1LSXX 0.19 UN	Fir	rst 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice		-	ONODA	ODESO	32.40	125 22	60.46	59 69	7.04		/ 80				
Pet North				3	UNCDX	UDL56	36.37	125 22	60.48	59.69	7.84		7.86				ĺ
Interedifical Transport Conditional or Part					LINCAV	11 #555											
Termination Per Month				1	UNCIA	ILSAX	0.19										
North	Te	ermination Per Month			UNC1X	U1TF1	79.02	181.24	123.53	56 72	22.32		7.86				1
OCUPP COCI (data) - DST to DSD Channel System - per																	
morth 2.4-64bb MCDX 1010D 1,32 6,71 4,48 7,86			-	_	UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67		7 86				
Additional 4-Wire SRCtops Digital Grade Loopin same DS1					UNCDX	1D1DD	1.32	6.71	4.84			Ī	7.86				ĺ
Additional A-Wire S8Kbps Digital Grade Loopin same DS1 2 UNCDX													- 1.00				
Interoffice Transport Combination - Zone 2				1	UNCDX	UDL56	27.59	125.22	60.48	59 69	7.84		7.86				
Additional 4-Wire 56K0pc Digital Grade Loopin same DS1 niteroffice Transport Combination - Zone 3 3 UNCDX UDL58 36.37 125.22 60.48 59.69 7.84 7.86				١,	LINCDY	LIDIES	20.40	105 22	80.40	E0 60	704		700				i
Interoffice Triansport Combination - Zone 3				-	ONODA	ODES	32,40	125 22	00.46	59 69	7.04	-	7.80				
Combination par month (24-64kbg)	int	teroffice Transport Combination - Zone 3		3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84		7.86				
Nonrecurring Currently Combined Network Elements Switch -Ae is Charge UNCIX UNCCC 8.98 8.98 11.17 11.17 7.86					MICON	40400	4.00		4.04			ŀ	7.00				
UNCIX			<u> </u>		ONCDX	טטוטו	1.32	6./1	4 84			<u> </u>	7.86				
First 4-Wire 64Kbps Digital Grade Loop in a DSI Interoffice 1 UNCDX UDL64 27.55 125.22 60.48 59.69 7.84 7.86 7	ls (Charge				UNCCC		8.98	8.98	13,17	11, 17		7.86				
Transport Combination - Zone 1			INTERC	FFICE	TRANSPORT (EEL)				-								
First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - 2			l	, ;	HNCOY	UDLEA	27.50	125.22	60.40	50.60	70/	1	700			-	
First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3 3 UNCDX UDL64 36.97 125.22 60.48 59.69 7.84 7.86				<u> </u>	ONODA	UDL04	21.05	120,22	00.46	39.09	7.04	<u> </u>	7.00	·			
Transport Combination - Zone 3 3 UNCDX UDL64 36,37 125,22 60,48 59,69 7,84 7,86 Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month UNC1X ILSXX 0,19 Interoffice Transport - Dedicated - DS1 combination - Facility UNC1X U1TF1 79,02 181,24 123,53 56,72 22,32 7,86 Channelization - Channel System DS1 to DS0 combination Per Month UNC1X U1TF1 79,02 181,24 123,53 56,72 22,32 7,86 Channelization - Channel System DS1 to DS0 Channel System UNC1X MQ1 113,33 57,26 14,74 1,86 1,67 7,86 OCU-DP COCI (data) - DS1 to DS0 Channel System UNCDX UDLDX UDLDX UDLDX UDL64 27,59 125,22 60,48 59,89 7,84 7,86 Additional 4-Wire 64KDps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2 UNCDX UDL64 32,48 125,22 60,48 59,69 7,84 7,86 Additional 4-Wire 64KDps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3 3 UNCDX UDL64 36,37 125,22 60,48 59,69 7,84 7,86 OCU-DP COCI (data) - DS1 to DS0 Channel System UNCDX UDL64 36,37 125,22 60,48 59,69 7,84 7,86 OCU-DP COCI (data) - DS1 to DS0 Channel System UNCDX UDL64 36,37 125,22 60,48 59,69 7,84 7,86 OCU-DP COCI (data) - DS1 to DS0 Channel System UNCDX UNCDX UDL64 36,37 125,22 60,48 59,69 7,84 7,86 OCU-DP COCI (data) - DS1 to DS0 Channel System UNCDX	Tra	ansport Combination - Zone 2		2	UNCDX	UDL64	32.48	125.22	60 48	59.69	7.84		7.86				
Interoffice Transport - Dedicated - DS1 combination - Per Mile UNC1X				ا ۔ ا	LINODY	LIDI 04		405.00	20.40	50.00	704	·	7.00				
Per Month UNC1X 1L5XX 0.19			_	3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84	 	786				
Termination Per Month					UNC1X	1L5XX	0.19					ļ					
Channelization - Channel System DS1 to DS0 combination Per UNC1X MQ1 113.33 57.26 14.74 1.86 1.67 7.86					_												
Month UNC1X MQ1 113.33 57.26 14.74 1.86 1.67 7.86			<u> </u>	ļ .	UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32		7 86				
OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs) UNCDX 1D1DD 1.32 6.71 4.84 7.86					UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67		7.86				
Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 INCDX UDL64 27.59 125.22 60.48 59.69 7.84 7.86 7.86																	
Interoffice Transport Combination - Zone 1					UNCDX	1D1DD	1.32	6.71	4.84				7.86				<u> </u>
Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 interoffice Transport Combination - Zone 2 2 UNCDX UDL64 32.48 125.22 60.48 59.69 7.84 7.86 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 interoffice Transport Combination - Zone 3 3 UNCDX UDL64 36.37 125.22 60.48 59.69 7.84 7.86 OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64Kbs) UNCDX 1D1DD 1.32 6.71 4.84 7.86 OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64Kbs) UNCDX 1D1DD 1.32 6.71 4.84 7.86 OCU-DP COCI (data) - DS1 to DS0 Channel System UNCDX 1D1DD 1.32 6.71 4.84 7.86 OCU-DP COCI (data) - DS1 to DS0 Channel System UNCDX 1D1DD 1.32 6.71 4.84 7.86 OCU-DP COCI (data) - DS1 to DS0 Channel System UNCDX 1D1DD 1.32 6.71 4.84 7.86 OCU-DP COCI (data) - DS1 to DS0 Channel System UNCDX 1D1DD 1.32 6.71 4.84 7.86 OCU-DP COCI (data) - DS1 to DS0 Channel System UNCDX 1D1DD 1.32 6.71 4.84 7.86 OCU-DP COCI (data) - DS1 to DS0 Channel System UNCDX 1D1DD 1.32 6.71 4.84 7.86 OCU-DP COCI (data) - DS1 to DS0 Channel System UNCDX 1D1DD 1.32 6.71 4.84 7.86 OCU-DP COCI (data) - DS1 to DS0 Channel System UNCDX 1D1DD 1.32 6.71 4.84 7.86 OCU-DP COCI (data) - DS1 to DS0 Channel System UNCDX 1D1DD 1.32 6.71 4.84 OCU-DP COCI (data) - DS1 to DS0 Channel System UNCDX 1D1DD 1.32 6.71 4.84 OCU-DP COCI (data) - DS1 to DS0 Channel System UNCDX 1D1DD 1.32 6.71 4.84 OCU-DP COCI (data) - DS1 to DS0 Channel System UNCDX 1D1DD 1.32 6.71 4.84 OCU-DP COCI (data) - DS1 to DS0 Channel System UNCDX 1D1DD 1.32 6.71 4.84 OCU-DP COCI (data) - DS1 to DS0 Channel System UNCDX 1D1DD 1.32 6.71 4.84 OCU-DP COCI (data) - DS1 to DS0 Channel System UNCDX 1D1DD 1.32 6.71 4.84 OCU-DP COCI (data) - DS0 Channel System UNCDX 1D1DD 1.32 6.71 4.84 OCU-DP COCI (data) - DS0 Channel System UNCDX 1D1DD 1.32 6.71 4.84 OCU-DP COCI (data) - DS0 Channel System UNCDX 1D1DD 1.32 6.71 4.84 OCU-DP COCI (data) - DS0 Channel System UNCDX 1D1DD 1.32 6.71 4.84 OCU-DP COCI (data) - DS0 Channel System UNCDX 1D1DD 1.32 6.71 4.84 OCU-DP COCI (data) - DS0 Channel Syst					LINCDY	LIDLEA	27.50	105.00	60.40	50.60	704		7 06				ĺ
Interoffice Transport Combination - Zone 2				'	UNCDA	UDL04	27.59	123.62	00 40	55.65	7.04		7.00				
Interoffice Transport Combination - Zone 3	Int	teroffice Transport Combination - Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84		7.86				
OCU-DP COCI (data) - DS1 to DS0 Channel System UNCDX 1D1DD 1.32 6.71 4.84 7.86					, we have			,				I	7.00				i
Combination - per month (2.4-64kbs) UNCDX 1D1DD 1.32 6.71 4.84 7.86			<u> </u>	3	UNCDX	UDL64	36.37	125.22	- 60 48	59.69	7.84	 	7.86				
Nonrecurring Currently Combined Network Elements Switch -As- Scharge			1		UNCDX	1D1DD	1.32	6.71	4 84			L	7.86				l
4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL) 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 1 1 UNC1X USLXX 86 47 210.70 114.60 63.96 17.97 7.86	No	onrecurring Currently Combined Network Elements Switch -As-															
4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 1 1 UNC1X USLXX 86 47 210.70 114.60 63.96 17.97 7.86						UNCCC		8.98	8.98	11.17	11.17	<u> </u>	7.86				<u> </u>
Transport - Zone 1 1 UNC1X USLXX 86 47 210.70 114.60 63.96 17.97 7.86			HOFFI	JE TRA	INSPORT (EEL)					L		 					
				1	UNC1X	USLXX	86 47	210.70	114.60	63.96	17.97	l	7.86				L
Transport - Zone 2 2 UNC1X USLXX 114,10 210,70 114,60 63,96 17,97 7.86	4-1	Wire DS1 Digital Loop in Combination with DS1 Interoffice										1					

NRONDLE	D NETWORK ELEMENTS - Kentucky												Attachi	ment: 2	Exhil	bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Increments Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec			Disconnect				Rates(\$)	·	
	A War DOLD A Live to Control of the		ļ			1100	First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3			UNC1X	LICLYY		040 ===									
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCIX	USLXX	297.76	210.70	114 60	63.96	17.97		7 86				L
ļ	Per Month	1	ł	UNC1X	1L5XX	0.19					ì	1		1	ì	1
	Interoffice Transport - Dedicated - DS1 combination - Facility			OILO IX	12070	0.13									 	
	Termination Per Month		L	UNC1X	U1TF1	79.02	181.24	123.53	56.72	22 32		7.86		[ļ	
	Nonrecurring Currently Combined Network Elements Switch -As-															
4 14/10	Is Charge			UNC1X	UNCCC		8.98	8.98	11 17	11.17		7.86			<u></u>	
	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTE	ROFFI	CE TRA	ANSPORT (EEL)												
- 1	First DS1Loop in DS3 Interoffice Transport Combination - Zone		1	UNC1X	USLXX	06.47	210.70	111.00	20.00	47.07	1	7.00		!	1	1
-	First DS1Loop in DS3 Interoffice Transport Combination - Zone		'	DITOTA	103100	86.47	210.70	114.60	63 96	17.97		7.86			 	
	2		2	UNC1X	USLXX	114.10	210.70	114.60	63 96	17.97		7 86		İ	I	
	First DS1Loop in DS3 Interoffice Transport Combination - Zone				1				- 55 55							
	3		3	UNC1X	USLXX	297.76	210.70	114.60	63 96	17.97		7.86			l	
- 1	Interoffice Transport - Dedicated - DS3 combination - Per Mile								_						-	
	Per Month			UNC3X	1L5XX	4.09										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per month			LINGOV	LHTEO	222.22	950 50		40.00			7.00			1	
	DS3 to DS1 Channel System combination per month		_	UNC3X UNC3X	U1TF3 MQ3	966.89 158.20	350.56 115.48	141.58 56 53	48.00 15.12	23.39 5.30		7.86 7.86				
	DS3 Interface Unit (DS1 COCI) combination per month		-	UNC1X	UC1D1	11.80	6.71	4.84	15.12	5.30		7.86				
_	Additional DS1Loop in DS3 Interoffice Transport Combination -		-	UNCIX	OCIDI	11.00	6.71	4.84				7.80			 -	 -
	Zone 1		1	UNC1X	USLXX	86.47	210.70	114.60	63 96	17.97		7.86			•	
_	Additional DS1Loop in DS3 Interoffice Transport Combination -			0.10.11	100000		210.70		- 50 00			1,00				
	Zone 2		2	UNC1X	USLXX	114.10	210 70	114.60	63.96	17 97		7.86				
	Additional DS1Loop in DS3 Interoffice Transport Combination -															
	Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63 96	17.97		7.86			<u> </u>	
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	11.80	6.71	4.84				7.86				
	Nonrecurring Currently Combined Network Elements Switch -As-			UNC3X								7.86				
2 9/10	Is Charge E VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INT	EDOEE	ICE TO		UNCCC		8.98	8.98	11.17	11.17		7.86				
2-WIRI	2-WireVG Loop used with 2-wire VG Interoffice Transport	ENOFF	ICE IN	ANSPORT (EEL)	+											
- 1	Combination - Zone 1		1	UNCVX	UEAL2	12.67	125.22	60.48	59 69	7.84		7.86				
	2-WireVG Loop used with 2-wire VG Interoffice Transport															
	Combination - Zone 2		2	UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84		7 86		_		
	2-WireVG Loop used with 2-wire VG Interoffice Transport															
	Combination - Zone 3		3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84		7.86				
- 1	Interoffice Transport - Dedicated - 2-wire VG combination - Per		1		41.550									}		
	Mile Per Month Interoffice Transport - Dedicated - 2- Wire Voice Grade			UNCVX	1L5XX	0.01										_
	combination - Facility Termination per month			UNCVX	U1TV2	23.95	98 09	53.67	56 31	22.42		7.86		ļ	Ì	
	Nonrecurring Currently Combined Network Elements Switch -As-		_	DIVOTA	1511112	20.00	- 00 03					1.00				-
	Is Charge			UNCVX	UNCCC		8.98	8 98	11,17	11 17		7.86				
4-WIRI	E VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INT	EROFF	ICE TR	ANSPORT (EEL)												
	4-WireVG Loop used with 4-wire VG Interoffice Transport															
	Combination - Zone 1		1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84		7.86			ļ	
	4-WireVG Loop used with 4-wire VG Interoffice Transport		ا ہ	Lucia	l.,_,							7.86				
	Combination - Zone 2		2	UNCVX	UEAL4	34 25	125.22	60.48	59.69	7.84		7.86				
- (4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84		7.86		1	1	}
	Interoffice Transport - Dedicated - 4-wire VG combination - Per		-	0.1017	JERET	00.00	123.22	00.40	55.05	7.04		7.00				
	Mile Per Month			UNCVX	1L5XX	0.01							_	!		
	Interoffice Transport - Dedicated - 4- Wire Voice Grade		$\overline{}$													
	combination - Facility Termination per month		L	UNCVX	U1TV4	21.28	98.09	53.67	56.31	22.42		7.86				
	Nonrecurring Currently Combined Network Elements Switch -As-													ì	1	1
	Is Charge			UNCVX	UNCCC		8.98	8.98	11.17	11.17		7 86		<u> </u>		
																1
DS3 D	GITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC High Capacity Unbundled Local Loop - DS3 combination - Per	E TRAI	NSPOR	T (EEL)												

JUBUNDI	LEI	NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhil	bit: B
CATEGORY	Y	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(S)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
				├		 	Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'l	COUEC	SOMAN		Rates(\$)		
	\neg	High Capacity Unbundled Local Loop • DS3 combination -		 				riişt	Add I	First	Addi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Facility Termination per month			UNC3X	UE3PX	308.31	237.36	147,69	83 43	32.67		7.86	•			l
		Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	4.09			30.0							
	ı	Interoffice Transport - Dedicated - DS3 combination - Facility															
		Termination per per month Nonrecurring Currently Combined Network Elements Switch -As-		<u> </u>	UNC3X	U1TF3	966.89	350 56	141.58	48.00	23.39		7.86				
		Is Charge			UNC3X	UNCCC	1	8.98	8.98	11.17	44.45					i	
STS	S1 D	IGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROF	FICE TE	ANSP	ORT (FFL)	ONCCC		8.98	8.98	11.17	11.17		7.86		ļ		
		High Capacity Unbundled Local Loop - STS1 combination - Per	100 11	1		- 									-		
]	Mile per month			UNCSX	1L5ND	9.25								f		
		High Capacity Unbundled Local Loop - STS1 combination -										i					
		Facility Termination per month Interoffice Transport - Dedicated - STS1 combination - Per Mile		<u> </u>	UNCSX	UDLS1	320 51	237.36	147.69	83.43	32.67		7.86				
1		per month		1	UNCSX	1L5XX	4.09										
		Interoffice Transport - Dedicated - STS1 combination - Facility		<u> </u>	ONOGA	ILDAA	4.05								-		
		Termination per month			UNCSX	U1TFS	945.79	350.56	141.58	48.00	23.39		7 86				
		Nonrecurring Currently Combined Network Elements Switch -As-															
	1	ls Charge			UNCSX	UNCCC		8.98	8 98	11.17	11.17		7.86				
2-W	VIRE	ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR	T (EEL	—													
		First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1		1	UNCNX	1,41,61		405.00	22.42	50.00							
		First 2-Wire ISDN Loop in a DS1 Interoffice Combination		 ' -	UNCIX	U1L2X	18.44	125.22	60.48	59 69	7 84		7.86				ļ
	- 1	Transport - Zone 2		2	UNCNX	U1L2X	25.08	125 22	60.48	59.69	7.84	1	7.86				
		First 2-Wire ISDN Loop in a DS1 Interoffice Combination		┢╌	S. C. C. C.	- JUILLA	20.00	120 22	00.40	55.05	7.04		7.00				
		Transport - Zone 3		3	UNCNX	U1L2X	42 87	125.22	60.48	59.69	7.84		7.86				i
		Interoffice Transport - Dedicated - DS1 combination - Per Mile			UNC1X	1L5XX	0.19										
		Interoffice Transport - Dedicated - DS1 combintion - Facility										ł I					ł
		Termination per month Channelization - Channel System DS1 to DS0 combination -			UNC1X	U1TF1	79 02	181.24	123.53	56.72	22.32		7.86		<u> </u>		
		per month		1	UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67	l i	7.86				
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System		-	<u> </u>	17.5.											
		combination - per month			UNCNX	UC1CA	2.84	6.71	4.84				7.86				
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport													ĺ		
		Combination - Zone 1		1	UNCNX	U1L2X	18.44	125.22	60 48	59.69	7.84		7 86				
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 2		2	UNCNX	U1L2X	25.08	125 22	60 48	59.69	7.84		7 86				1
-	\dashv	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		-	ONCINA	UILZA	20.00	120 22	00 40	39.00	7,04		7.00				
		Combination - Zone 3		3	UNCNX	U1L2X	42.87	125.22	60.48	59.69	7.84		7 86				
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System															
		combintaion- per month			UNCNX	UC1CA	2.84	6.71	4.84				7.86		ļ		
		Nonrecurring Currently Combined Network Elements Switch -As-			UNC1X	UNCCC		8.98	8.98	11.17	11.17		7.86				
4-W		Is Charge DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN	TEDAE	FICE T		UNCCC		0.90	0.80	11.17	11.17		7.00				
4-171	,,,,,,	First DS1 Loop in STS1 Interoffice Transport Combination -	LINO	101.	HANSFORT (LLL)		-						-				
		Zone 1		1 1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97		7 86				İ
		First DS1 Loop in STS1 Interoffice Transport Combination -															
		Zone 2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97		7.86	-			
		First DS1 Loop in STS1 Interoffice Transport Combination -				1			444.00		47.07		7.00			:	l
	_	Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63 96	17.97		7.86				
	- 1	Interoffice Transport - Dedicated - STS1 combination - Per Mile Per Month			UNCSX	1L5XX	4.09										
 -		Per Month Interoffice Transport - Dedicated - STS1 combination - Facility			014007	+1222	4.03										t
		Termination			UNCSX	U1TFS	945.79	350.56	141.58	48.00	23.39		7.86				L
	\neg	STS1 to DS1 Channel System conbination per month			UNCSX	MQ3	158.20	115.48	56.53	15.12	5.30		7.86				
		DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	11.80	6.71	4.84				7.86				
		Additional DS1Loop in STS1 Interoffice Transport Combination -								[4= 5=		7.00				
1		Zone 1 Additional DS1Loop in STS1 Interoffice Transport Combination -		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97	<u> </u>	7.86				

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attach	nent: 2	Fyhil	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st		incremental Charge -	Increment Charge -
						Rec	Nonrec	urring		Disconnect			oss	Rates(\$)		<u> </u>
	Additional DOM In CTO4 In 1997					nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 3	İ	3	UNC1X	1101 22	007.70	040.70									
	DS3 Interface Unit (DS1 COCI) combination per month		3	UNC1X	USLXX UC1D1	297.76 11 80	210 70	114 60	63 96	17.97		7.86				ļ
	Nonrecurring Currently Combined Network Elements Switch -As-	<u> </u>		UNCIX	- IOCIDI	11 80	6 71	4.84				7.86				<u> </u>
	Is Charge			UNCSX	UNCCC		8.98	8.98	11,17	11 17		7.86				
4-WIR	56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERO	FFICE 1	RANS	PORT (EEL)	511000		0.30	0.30		11.17		7.00				
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport			l												
	Combination - Zone 1		1	UNCDX	UDL56	27.59	125 22	60 48	59,69	784		7.86				
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport															
	Combination - Zone 2		2	UNCDX	UDL56_	32.48	125.22	60.48	59.69	7.84	i	7.86				ĺ
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport													· - · · · · · · · · · · · · · · · · · ·		
	Combination - Zone 3		3	UNCDX	UDL56	36.37	125.22	60 48	59.69	7 84		7.86				L
1	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		l								l					
	Per Mile Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		├—	UNCDX	1L5XX	0 01										
1	Facility Termination		İ	UNCDX	U1TD5	47.00		80.5 -			1					i
	Nonrecurring Currently Combined Network Elements Switch -As-			UNCDX	UTID5	17.25	98 09	53.67	56 31	22.42		7.86				
1	Is Charge		ļ	UNCDX	UNCCC		8.98	0.00	44.47	44.47	i	7.00				1
4-WIRE	64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROI	FICE T	RANS	PORT (FFL)	UNCCC		8.98	8.98	11 17	11.17		7.86				
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport	TIOL I	IIAITO	On (LLL)							<u> </u>		• • • • • • • • • • • • • • • • • • • •			
i	Combination - Zone 1		1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84		7 86				l .
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport		<u> </u>			51.00	720.22	00.40	55.65	1.04						
- 1	Combination - Zone 2		2	UNCDX	UDL64	32 48	125.22	60.48	59.69	7.84	. 1	7.86				ı
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport															$\overline{}$
	Combination - Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7 84		7.86				l .
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -					~ "										$\overline{}$
	Per Mile			UNCDX	1L5XX	0 01										1
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -				1											1
	Facility Termination			UNCDX	U1TD6	17.25	98 09	53.67	56 31	22.42	<u>-</u>	7 86				
	Nonrecurring Currently Combined Network Elements Switch -As-			LINODY						44.45						1
ADDITIONAL A	Is Charge			UNCDX	UNCCC		8.98	8.98	11.17	11.17		7 86				
	used as a part of a currently combined facility, the non-recurr	na obo	ann de	not apply but a C	Switch As Is a	norma dono any										
When	used as ordinarily combined network elements in all states, th	e non-r	ges ut	a charges anniv ar	nd the Switch	As is Charge d	oes not									
	curring Currently Combined Network Elements "Switch As Is"					AS IS CITAL GO U	oes not.		-							
	Nonrecurring Currently Combined Network Elements Switch -As-		, , , , ,	FF50 15 154 00	1											
	Is Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		8.98	8 98	11.17	11.17		7.86				1
	Nonrecurring Currently Combined Network Elements Switch -As-															i
l _	Is Charge - 56/64 kbps			UNCDX	UNCCC		8.98	8.98	11.17	11.17		7.86		i		L
	Nonrecurring Currently Combined Network Elements Switch -As-								i i							
	ls Charge - DS1			UNC1X	UNCCC		8.98	8.98	11.17	11.17		7.86				·
	Nonrecurring Currently Combined Network Elements Switch -As-															ı ———
	ls Charge - DS3			UNC3X	UNCCC		8.98	8.98	11.17	11.17		7.86				į
	Nonrecurring Currently Combined Network Elements Switch -As-															 l
	is Charge - STS1		ــــــــــــــــــــــــــــــــــــــ	UNCSX	UNCCC		8.98	8.98	11.17	11.17		7.86				·
NOTE:	Local Channel - Dedicated Transport - minimum billing period	i - Belo	W DS3:							4.55						
	Local Channel - Dedicated - 2-Wire Voice Grade			UNCXV	ULDV2	18.57	265.78	46.96	46.79	4.98		7.86				r
	Local Channel - Dedicated - 4-Wire Voice Grade			UNCXV	ULDV4 ULDF1	19.86 40.46	266.48	47.65 176.51	47.54 30.21	5.73 21.07		7 86 7.86				
	Local Channel - Dedicated - DS1 per month Zone 1 Local Channel - Dedicated -DS1 Per Month Zone 2			UNC1X UNC1X	ULDF1	40 46	209.60 209.60	176.51 176.51	30.21	21.07		7.86				
- 	Local Channel - Dedicated -DS1 Per Month Zone 2			UNC1X	ULDF1	164 50	209.60	176.51	30.21	21.07		7.86	· · · · · · · · · · · · · · · · · · ·			
	Local Channel - Dedicated - DS3 - Per Mile per month		<u> </u>	UNC3X	1L5NC	8 74	203.00	17031	55.21	21.01		7.50			-	
	Local Channel - Dedicated - DS3 - Facility Termination			UNC3X	ULDF3	576.05	551.38	338 08	173.00	120.42		7.86				
	Local Channel - Dedicated - STS-1- Per Mile per month			UNCSX	1L5NC	8 74	351.30	555 00		120.10						
	Local Channel - Dedicated - STS-1 - Facility Termination			UNCSX	ULDFS	543 24	551 38	338 08	173.00	120.42		7.86				
MULTI	PLEXERS				1											
	Channelization - DS1 to DS0 Channel System			UXTD1	MQ1	113 33	101 40	71 60	13.79	13 04		7.86				
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per				1		1									
	month (2 4-64kbs)			UDL	1D1DD	1.32	10.07	7.08				7.86		1		1

Page 134 of 358

	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Evhi	bit: B
		i			T T						Svc Order	Svc Order	Incremental			
		i				1					Submitted					
		l			l l	1							Charge -	Charge -	Charge -	Charge -
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC						Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
	THE ELEMENTS	m	Zone	BUS	USOC			RATES(\$)			perLSR	per LSR	Order vs.	Order vs.	Order vs.	
	1		1 1		1	l						per corr				Order vs.
			1 1		1							l [Electronic-	Electronic-	Electronic-	Electronic
		L	1 1		1	ł							1st	Add'l	Disc 1st	Disc Add'
		T					Nonrec		Maria de la Companya			L				L
		 	1			Rec				Disconnect				Rates(\$)		
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per		1-1				First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1	month	l												· · · · · · · · · · · · · · · · · · ·		
	Voice Grade COCL DOLLE BOO Charles	├		UDN	UC1CA	2 84	10.07	7.08			l i	7.86				
	Voice Grade COCI - DS1 to DS0 Channel System - per month	<u> </u>		UEA	1D1VG	0.6228	10 07	7 08				7.86				
	DS3 to DS1 Channel System per month			UXTD3	MQ3	158.20	199.23	118.62	50,16	48 59						
	STS1 to DS1 Channel System per month			UXTS1	MQ3	158.20	199 23					7 86				
- 1	DS3 Interface Unit (DS1 COCI) used with Loop per month			USL				118.62	50.16	48.59		7.86				
	DS3 Interface Unit (DS1 COCI) used with Local Channel per	⊢-	-	USL	UC1D1	11 80	10 07	7 08				7.86				·
	Imonth	Į.	1 1		ľ											
		L	1	ULDD1	UC1D1	11.80	10.07	7.08						1	l	ŀ
	DS3 Interface Unit (DS1 COCI) used with Interoffice Channel					11100	10.01	7.00				7 86				
	per month	1	1 1	U1TD1	UC1D1	44.00										
BUNDLED I	LOCAL EXCHANGE SWITCHING(PORTS)		-	OTIDI	OC ID I	11.80	10.07	7.08				7.86				l
	nge Ports		-											-		
EXCITAL	ige Forts															
NOTE:	Although the Port Rate includes all available features in GA, I	KY, LA	& TN, th	ne desired features	will need to b	e ordered usin	g retail LISOC									
2-WIRE	- VOICE GRADE LINE PORT RATES (RES)		T		1	3 014010 3 43111	g retail 0300s									
	Exchange Ports - 2-Wire Analog Line Port- Res		-	UEPSR	UEPRL											
	Enter of the Enter of the Teles			UEPSH	OEPHL	1.49	3.74	3.63	2.23	2 13		7.86				
			1 1				-									
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.		1 1	UEPSR	UEPRC	1 49	3.74	3.63	2.23	2.13		7.00				i
ŀ							0.74	3.03	2.23	2.13		7.86				L
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res		1 1	UEPSR	UEDDO		1		The state of the s							
	Exchange Ports - 2-Wire VG unbundled KY extended local			UEPSH	UEPRO	1.49	3.74	3 63	2.23	2.13		7.86				ŀ
	Excitange Folts - 2-wile vis unbundled KY extended local		1 1													
	dialing parity Port with Caller ID - Res.		i l	UEP\$R	UEPRM	1.49	3.74	3 63	2.23	2.13		7.86			1	
	Exchange Ports - 2-Wire VG unbundled res, low usage line port							0 00	2,20	2.13		7.80				
	with Caller ID (LUM)		i l	UEPSR	UEPAP	4 40	1					l.				
	Subsequent Activity					1.49	3.74	3.63	2.23	2.13		7 86	i			
FEATU	DEC.			UEPSR	USASC	0.00	0.00	0 00	Ī			7.86				
	All Available Vertical Features			UEPSR	UEPVF	0.00	0.00	0.00				7.86				
12-WIRE	VOICE GRADE LINE PORT RATES (BUS)		-		10-11	0.00	0.00	0.00				7.80				
	Exchange Ports - 2-Wire Analog Line Port without Caller ID -		 													
	Bus		1 I.		1 1		l l				l					
			L!	UEPSB	UEPBL	1.49	3.74	3 63	2.23	2.13	- 1	7.86				
	Exchange Ports - 2-Wire VG unbundled Line Port with															
	unbundled port with Caller+E484 ID - Bus		i li	UEPSB	UEPBC	1.49	3.74	3.63	2.23	2.13		7 86				
			 	02.00	-105, 50	1.45	3,74	3.03	2.23	2.13		7 86				
l l	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.		l l.		1	1	Į.	i	l		ľ					
				UEPSB	UEPBO	1.49	3.74	3.63	2.23	2 13		7.86			ì	
	Exchange Ports - 2-Wire VG unbundled KY extended local		l i		1 1											
	dialing panty Port with Caller ID - Bus		l k	UEPSB	UEPBM	1.49	3.74	3.63	2 23	2 13		7.86				
	Exhange Ports - 2-Wire VG unbundled incoming only port with		\vdash				01,11	0.00				7.00				
1	Caller ID - Bus		l I,	UEDOO	I I					i		ļ	- 1		i	
				UEPSB	UEPB1	1,49	3.74	3.63	2 23	2.13		7 86	:			
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00				7.86				
FEATU			1													
	All Available Vertical Features			JEPSB	UEPVF	0.00	0.00	0 00				7 86				
	NGE PORT RATES (DID & PBX)			02.00	1021 11	0.00	0.00	- 000				/ 80				
	2-Wire VG Unbundled 2-Way PBX Trunk - Res		 .		·										i	
	2-Wile VG Unbundled 2-Way PBX Trunk - Res			JEPSE	UEPRD	1 49	39 05	18.17	15 38	0.89		7.86		i		
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus		ון	JEPSP	UEPPC	1.49	39 05	18.17	15.38	0.89		7.86				
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus		ī	JEPSP	UEPPO	1.49	39.05	18.17	15.38	0.89		7.86				
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			JEPSP	UEPP1	1.49	39.05	18 17	15.38	0.89		7.86				
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus															
	O Mars Vales Habitanded DDV I O Town A Date			JEPSP	UEPLD	1.49	39 05	18.17	15.38	0.89		7 86				
-	2-Wire Voice Unbundled PBX LD Terminal Ports			JEPSP	UEPLD	1.49	39.05	18.17	15 38	0.89		7.86				
	2-Wire Vice Unbundled 2-Way PBX Usage Port			JEPSP	UEPXA	1.49	39.05	18.17	15.38	0.89		7.86				
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			JEPSP	UEPXB	1.49	39.05	18 17	15.38	0.89		7.86				
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			JEPSP	UEPXC	1.49										
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port						39.05	- 18 17	15.38	0.89		7.86				
				JEPSP	UEPXD	1.49	39.05	18.17	15.38	0 89	1	7.86	T			
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	į	į į	· ·	1										1	
	Capable Port	ļ	և	JEPSP	UEPXE	1.49	39 05	18,17	15.38	0.89	1	7.86	į	1	l	
	2-Wire Voice Unbundled 2-Way PBX Kentucky Room Area		'		+	1.73	- 30 03	10.17	10.00	0.03		7.00				
	Colling Doct Without LUD	I	1.	IEDOD.	luenue	1				1	l	ŀ	J	ı	ŀ	
	Calling Port Without LUD			JEPSP	UEPXF	1.49	39.05	18.17	15.38	0.89		7.86			ı	
	2-Wire Voice Unbundled PBX Kentucky LUD Area Calling Port		, lu	JEPSP	UEPXG	1.49	39.05	18.17	15.38	0.89	I	7 86				
							39.05									
	2-Wire Voice Unbundled PBX Kentucky LUD Area Calling Port 2-Wire Voice Unbundled PBX Kentucky Premium Calling Port 2-Wire Voice Unbundled 2-Way PBX Kentucky Area Callling			JEPSP JEPSP	UEPXG UEPXH	1.49	39.05 39.05	18.17 18 17	15.38 15.38	0.89		7 86 7 86				

UNBUNDLED NETWORK ELEMENTS - Kent	ucky											Attachr	nent: 2	Exhit	it: B
CATEGORY RATE ELEMENT	rs Inter	Zone	BCS	usoc			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual So Order vs Electronic Disc Add
				+	Rec	Nonrec		Nonrecurring		201122			Rates(\$)		
2-Wire Voice Unbundled 2-Way PBX Ho	tel/Hospital Economy	+		 		First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Administrative Calling Port	new Hospital Economy	1	UEPSP	UEPXL	1.49	39.05	18.17	15.20	0.89		7.00	i :			
2-Wire Voice Unbundled 2-Way PBX He	ntel/Hospital Economy	+	OLF SF	UEFAL	1.49	39.05	18.17	15.38	0.89		7.86				
Room Calling Port	Activities and activities	!	UEPSP	UEPXM	1.49	39.05	18 17	15 38	0 89	1	7.86	1	1		
2-Wire Voice Unbundled 1-Way Outgoil	ng PBX Hotel/Hospital	1		102.74	1.40	00.00	10 17	10 00	0 09	 	7.00	-			
Discount Room Calling Port		i	UEPSP	UEPXO	1 49	39.05	18.17	15.38	0.89	1	7.86				
2-Wire Voice Unbundled 1-Way Outgoin	ng PBX Measured Port		UEPSP	UEPXS	1 49	39.05	18.17	15.38	0.89		7.86				
Subsequent Activity			UEPSP	USASC	0.00	0 00	0 00				7.86				
FEATURES															
All Available Vertical Features EXCHANGE PORT RATES (COIN)		_	UEPSP UEPSE	UEPVF	0.00	0.00	0.00				7.86				
Exchange Ports - Coin Port				+											
Local Switching Features offered with Port		+	-	+	1.49	3 74	3.63	2.23	2.13		7.86				
NOTE: Transmission/usage charges associa	ted with POTS circuit quitche	d ucone	will also engly to	l	ad vales end/s	alesult sudteb	- d d-t- t	leelee by D Ob			' 10001				
NOTE: Access to B Channel or D Channel Pr	scket capabilities will be availa	hie on	v through RER/Nev	Rusiness Re	voice and/or	Pates for the	pocket canabi	lission by B-Ch	termined via t	he Bone Fie	to Possest	Nous Business	Parisant Dra		
Exchange port - 4-wire ISDN trunk port	-all available features	1	, anough bi tuttor		quest riocess	Hates for the	packet capabi	ICIOS WIII DO GO	terrimien via t	ne Bona Fic	o nequesu	New Dusiliess	Hequest Pio	cess.	
included		1		UEPEX	101.60	188.36	95 15	61.92	22 67		7.86				
INBUNDLED LOCAL EXCHANGE SWITCHING(PORT	S)				75.1.66	100.00	30 13	01.52			7.00				
EXCHANGE PORT RATES															
Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	10.51	92.18	15.82	52.16	5.30		7 86				
Exchange Ports - DDITS Port - 4-Wire D	S1 Port with DID														
capability			UEPDD	UEPDD	74,77	164 86	77.74	60 69	3 86		7.86				
Exchange Ports - 2-Wire ISDN Port (Se	e Notes below.)		UEPTX UEPSX	U1PMA	13 46	60 60	50.67	32 83	14.17		7.86				
All Features Offered			UEPTX UEPSX	UEPVF	0 00	0.00	0 00								
NOTE: Transmission/usage charges associa	ted with POTS circuit switche	d usage	will also apply to	circuit switche	ed voice and/or	circuit switch	ed data transm	ission by B-Ch	annels associ	iated with 2-	wire ISDN p	orts.			
NOTE: Access to B Channel or D Channel Pa		ble on						lities will be de	termined via t	he Bona Fic	le Request/	New Business	Request Pro	cess.	
Exchange Ports - 2-Wire ISDN Port C		-	UEPTX UEPSX	U1UMA	0 00	- 0.00	0.00			ļ					
Exchange Ports - 4-Wire ISDN DS1 Por			UEPEX	UEPEX	101.60	188.36	95.15	61.92	22.67		7.86				
UNBUNDLED PORT with REMOTE CALL FOR UNBUNDLED REMOTE CALL FORWARDING		-		+	 										
Unbundled Remote Call Forwarding Se		+	UEPVR	UERAC	1.49	3.74	3.63			 	7.86				
Cribandied Hemote Can Forwarding Se	rvice, Area Calling, Res	+	DEFVR	UENAC	1.43	3.74	3.03				7.00	-			
Unbundled Remote Call Forwarding Se	nice Local Calling - Bes	1	UEPVR	UERLC	1 49	3.74	3 63				7.86	!			
Unbundled Remote Call Forwarding Se		+	UEPVR	UERTE	1 49	3 74	3.63				7.86	-			
Unbundled Remote Call Forwarding Se		 	UEPVR	UERTR	1 49	3.74	3.63				7.86				
Non-Recurring															
Unbundled Remote Call Forwarding Se	rvice - Conversion -														
Switch-as-is			UEPVR	USAC2		0.10	0.10				7.86				
Unbundled Remote Call Forwarding Se	rvice - Conversion with	T													
allowed change (PIC and LPIC)			UEPVR	USACC		0.10	0.10								
UNBUNDLED REMOTE CALL FORWARDING	- Bus														
		1		İ											
Unbundled Remote Call Forwarding Se	rvice, Area Calling - Bus	+-	UEPVB	UERAC	1,49	3.74	3.63				7.86				
i I		1									7.86				
	rvice. Local Calling - Bust		UEPVB UEPVB	UERLC	1 49	3.74 3.74	3.63				7.86				
Unbundled Remote Call Forwarding Se				UERTE	1.49	3.74	3.63				7.86				
Unbundled Remote Call Forwarding Se	rvice, InterLATA - Bus	.		LIEDTO						 	7.00				
Unbundled Remote Call Forwarding Se Unbundled Remote Call Forwarding Se	rvice, InterLATA - Bus rvice, IntraLATA - Bus		UEPVB	UERTR	1.49										
Unbundled Remote Call Forwarding Se Unbundled Remote Call Forwarding Se Unbundled Remote Call Forwarding Se	rvice, InterLATA - Bus rvice, IntraLATA - Bus		UEPVB			_	3.63				7.86				
Unbundled Remote Call Forwarding Se Unbundled Remote Call Forwarding Se Unbundled Remote Call Forwarding Se Exception Local Calling	rvice, InterLATA - Bus rvice, IntraLATA - Bus			UERVJ	1.49	3.74	3.63				7.86				
Unbundled Remote Call Forwarding Se Unbundled Remote Call Forwarding Se Unbundled Remote Call Forwarding Se Exception Local Calling Non-Recurring	rvice, InterLATA - Bus rvice, IntraLATA - Bus rvice Expanded and		UEPVB			_	3.63				7.86			-	
Unbundled Remote Call Forwarding Se Unbundled Remote Call Forwarding Se Unbundled Remote Call Forwarding Se Exception Local Calling Non-Recurring Unbundled Remote Call Forwarding Se	rvice, InterLATA - Bus rvice, IntraLATA - Bus rvice Expanded and		UEPVB UEPVB	UERVJ		3.74	3.63				7.86				
Unbundled Remote Call Forwarding Se Unbundled Remote Call Forwarding Se Unbundled Remote Call Forwarding Se Exception Local Calling Non-Recurring Unbundled Remote Call Forwarding Se Switch-as-is	rvice, InterLATA - Bus rvice, IntraLATA - Bus rvice Expanded and rvice - Conversion -		UEPVB			_									
Unbundled Remote Call Forwarding Se Unbundled Remote Call Forwarding Se Unbundled Remote Call Forwarding Se Exception Local Calling Non-Recurring Unbundled Remote Call Forwarding Se Switch-as-is Unbundled Remote Call Forwarding Se	rvice, InterLATA - Bus rvice, IntraLATA - Bus rvice Expanded and rvice - Conversion -		UEPVB UEPVB	UERVJ USAC2		3.74									
Unbundled Remote Call Forwarding Se Unbundled Remote Call Forwarding Se Unbundled Remote Call Forwarding Se Exception Local Calling Non-Recurring Unbundled Remote Call Forwarding Se Switch-as-is Unbundled Remote Call Forwarding Se allowed change (PIC and LPIC)	rvice, InterLATA - Bus rvice, IntraLATA - Bus rvice Expanded and rvice - Conversion -		UEPVB UEPVB	UERVJ		3.74	0.10								
Unbundled Remote Call Forwarding Se Unbundled Remote Call Forwarding Se Unbundled Remote Call Forwarding Se Exception Local Calling Non-Recurring Unbundled Remote Call Forwarding Se Switch-as-is Unbundled Remote Call Forwarding Se allowed change (PIC and LPIC) NBUNDLED LOCAL SWITCHING, PORT USAGE	rvice, InterLATA - Bus rvice, IntraLATA - Bus rvice Expanded and rvice - Conversion -		UEPVB UEPVB	UERVJ USAC2		3.74	0.10								
Unbundled Remote Call Forwarding Se Unbundled Remote Call Forwarding Se Unbundled Remote Call Forwarding Se Exception Local Calling Non-Recurring Unbundled Remote Call Forwarding Se Switch-as-is Unbundled Remote Call Forwarding Se allowed change (PIC and LPIC) NBUNDLED LOCAL SWITCHING, PORT USAGE End Office Switching (Port Usage)	rvice, InterLATA - Bus rvice, IntraLATA - Bus rvice Expanded and rvice - Conversion - rvice - Conversion with		UEPVB UEPVB	UERVJ USAC2		3.74	0.10								
Unbundled Remote Call Forwarding Se Unbundled Remote Call Forwarding Se Unbundled Remote Call Forwarding Se Exception Local Calling Non-Recurring Unbundled Remote Call Forwarding Se Switch-as-is Unbundled Remote Call Forwarding Se allowed change (PIC and LPIC) NBUNDLED LOCAL SWITCHING, PORT USAGE	rvice, InterLATA - Bus rvice, IntraLATA - Bus rvice Expanded and rvice - Conversion - rvice - Conversion with		UEPVB UEPVB	UERVJ USAC2	1.49	3.74	0.10								

	NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: B
<u> </u>					T						Svc Order	Svc Order	Incremental		Incremental	
					1						Submitted			Charge -	Charge -	Charge
			1 1		1	İ										
		Interi	[_ [f	ĺ					Elec	Manually	Manual Svc		Manual Svc	
rEGORY	RATE ELEMENTS		Zone	BCS	USOC	Ì		RATES(\$)			perLSR	per LSR	Order vs.	Order vs.	Order vs.	Order v
		m	1 1		I .	1						•	Electronic-	Electronic-	Electronic-	Electron
			1 1		1						i	1				
											1		1st	Add'I	Disc 1st	Disc Ad
-					 	 						L		D-4(4)	<u> </u>	<u> </u>
						Rec -	Nonrec		Nonrecurring					Rates(\$)		
						, noc	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	Tandem Switching Function Per MOU					0.000194										
_	Tandem Trunk Port - Shared, Per MOU					0 0002416										+
Commo	on Transport					U OCOLTIO								 		
			-		+						ļ					
	Common Transport - Per Mile, Per MOU		L			0 000003										
	Common Transport - Facilities Termination Per MOU					0.0007466					1					
BUNDLED P	ORT/LOOP COMBINATIONS - COST BASED RATES										1			1		
Cost B	ased Rates are applied where BellSouth is required by FCC ar	d/or St	ate Co	mmission rule to or	ovide Unbur	died Local Swit	ching or Swit	ch Ports								
									d Dark sastian	-4 this Date E	relation to			 		+
	s shall apply to the Unbundled Port/Loop Combination - Cos												<u> </u>	L		
	fice and Tandem Switching Usage and Common Transport Us															
The firs	it and additional Port nonrecurring charges apply to Not Curr	ently C	ombine	d Combos. For Cu	rrently Comb	pined Combos,	the nonrecurri	ng charges sh	all be those ide	entified in the	Nonrecurrin	ig - Current	ly Combined	sections. Ad	ditional nonre	ecurring
	s may apply also and are categorized accordingly.											-	-			•
o wine	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)					T		Г						T		T
			-			ļ.—.							 		 	+
	ort/Loop Combination Rates		L	L	1			L	L			<u> </u>				1
	2-Wire VG Loop/Port Combo - Zone 1		1			10.79			I					1		L
	2-Wire VG Loop/Port Combo - Zone 2		2	· · · · · · · · · · · · · · · · · · ·	T	15 52			T	1	T	Ι	I			
	2-Wire VG Loop/Port Combo - Zone 3		3	<u> </u>	+	31,74					 	1		1		
		 	1 3	<u> </u>	+	31.74			 		 					+
UNE LO	op Rates									L	└		ļ <u>.</u>	ļ		
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	ÜEPLX	9.64				_	l					
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	14 37										
	2-Wire Voice Grade Loop (SL1) - Zone 3	_	3	UEPRX	UEPLX	30 59										
	Voice Grade Line Port Rates (Res)			OLI TIX	TOL. LA	30 33								 -		
			!			I					ļ <u> </u>				}	
	2-Wire voice unbundled port - residence		<u> </u>	UEPRX	UEPRL	1.15	21.29	15.49	2 85	2.67		7 86	!	ļ		
	2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	1.15	21.29	15.49	2 85	2.67	L	7 86	<u> </u>	L		
	2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	1.15	21.29	15 49	2 85	2.67	1	7 86				
	2-Wire voice Grade unbundled Kentucky extended local dialing		t													
1 .		ļ	ļ	UEPRX	UEPRM	1.15	21.29	15.49	2.85	2 67		7.86			Į.	
	panty port with Caller ID - res		-	UEPHA	DEPHIN	1.15	21.29	13.49	2.00	207		7.00			}	+
	2-Wire voice unbundles res, low usage line port with Caller ID	ŀ	l]	1									ì		1
	(LUM)	1	i i	UEPRX	UEPAP	1.15	21.29	15.49	2 85	2.67	<u> </u>	7 86				
FEATU	RES			I	T				T		1	l		1	L	
	All Features Offered			UEPRX	UEPVF	0.00	0.00	0.00			T	7.86				
	NUMBER PORTABILITY		 	02.150	10-11	1								 		
LOCAL			-		1.00000	0 35					 					
	Local Number Portability (1 per port)	<u></u>		UEPRX	LNPCX	0.35								 		+
NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED	L	1		1				<u> </u>			ļ				-
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -							!			!		1	1		1
	Switch-as-is	1	1	UEPRX	USAC2	1 1	0.10	010		j	1	7.86	Į.		Į.	1
-	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		+	02	 	 					1				T	T
							0.40	0.10				7 86	-		1	1
1	Switch with change			UEPRX	USACC		0.10	0.10			ļ <u> </u>	7.00		ļ.———		┼─┈
ADDIT	ONAL NRCs	∟	L			<u> </u>				L		 				+
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent		1							· · · · · ·	i	1	1	1	1	1
1	Activity	I	1	UEPRX	USAS2	0.00	0.00	0.00	i	1	1	7.86	ł	1	L	L
				J-1 100	100,02	 - 0.50	0.00	1	 		1	T	T	T	T	
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)	ļ		 	 	+					+	 	 	†	1	$\overline{}$
	ort/Loop Combination Rates			L					 		 	+			 	+
	2-Wire VG Loop/Port Combo - Zone 1	i	1	l		10.79			L		1		 		 	+
	2-Wire VG Loop/Port Combo - Zone 2	1	2			15.52		I	I	<u></u>		<u> </u>	<u> </u>		<u> </u>	1
	2-Wire VG Loop/Port Combo - Zone 3		3	1		31.74							l	L	l	1
		 	ᡟ᠊᠆		 	+ · · · · · · · · · · · · · · · · · · ·				 	T	T			I	
	op Rates	 		EDBY	LIEDLY				 	 	 	 	 	1		T
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	9.64					├		 	 -	 	+
	2-Wire Voice Grade Loop (SL1) - Zone 2	1	2	UEPBX	UEPLX	14.37	L	L		<u> </u>	ļ					+
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	30.59		L	1			<u></u>	<u> </u>		 	4
	Voice Grade Line Port (Bus)	T	─		T -			1			1				L	
2-WIFE			+	LICORY	UEPBL	1.15	21.29	15 49	2.85	2 67	1	7.86			1	
	2-Wire voice unbundled port without Caller ID - bus	 	_	UEPBX						2.67		7.86	 	 		1
	2-Wire voice unbundled port with Caller + E484 ID - bus		Ь	UEPBX	UEPBC	1.15	21.29	15.49	2.85					+		+
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.15	21 29	15.49	2.85	2.67	<u> </u>	7.86	ļ <u></u>	 	 	+-
	2-Wire voice Grade unbundled Kentucky extended local dialing	Ι	$\overline{}$	1							1			l	1	1
1		I	1	UEPBX	UEPBM	1,15	21.29	15.49	2.85	2.67	1	7.86	I		1	
	parity port with Caller ID - bus	ļ						15.49	2.85			7.86	·		T	
	2-Wire voice unbundled incoming only port with Caller ID - Bus	1	1	UEPBX	UPEB1	1.15	21.29	15.49	2.60	2.0/		1.00		+	+	+-
			+							1		L	1			
	NUMBER PORTABILITY				LNPCX	0.35					<u> </u>	<u> </u>	 	 	<u> </u>	+

	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	F.,1.7	hie. F
EGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Incremental			Charge Manual Order v
		 	├─			Rec	Nonrec			g Disconnect			oss	Rates(\$)		
	All Features Offered		 	UEPBX	UEPVF		First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED	-	-	DEFBA	UEPVF	0.00	0.00	0.00				7.86				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	 -	 													
	Switch-as-is	1	ł	UEPBX	USAC2		0.10									
-	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		-	32.3%	UUAUZ		0.10	0.10			<u> </u>	7.86				
	Switch with change			UEPBX	USACC		0.10	0 10								
	ONAL NRCs						0.10	0 10		 -		7.86				
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity								<u></u>	 						
2.WIDE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)		L	UEPBX	USAS2		0.00	0 00				7 86				
UNE Po	ort/Loop Combination Rates											, 30				
	2-Wire VG Loop/Port Combo - Zone 1	<u> </u>														
	2-Wire VG Loop/Port Combo - Zone 2		1		_	10.79										
	2-Wire VG Loop/Port Combo - Zone 3		3			15 52										
UNE Lo	op Rates		-			31.74										·
	2-Wire Voice Grade Loop (SL 1) - Zone 1		-	UEPRG	UEPLX	9.64										
	2-Wire Volce Grade Loop (SL 1) - Zone 2	—	2	UEPRG	UEPLX											
1 1	2-Wire Voice Grade Loop (SL 1) - Zone 3			UEPRG	UEPLX	14.37 30.59										
2-Wire	Voice Grade Line Port Rates (RES - PBX)		٦	OLFNG	UEPLA	30.59										
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -		-		+											
	Res		1 1	UEPRG	UEPRD	1.15	24.00	45.40								
	NUMBER PORTABILITY			<u> </u>	OEFRD	1.15	21.29	15.49	2.85	2.67		7.86				
	Local Number Portability (1 per port)			UEPRG	LNPCP	3,15	0.00	0 00								
FEATU	RES				124,01	3.13	0.00	000				7.86				
	All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00				7.00				
NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED					0.00	0.00	0.00				7.86				
_	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch-As-Is			UEPRG	USAC2		8.45	1.91				7.86	i	l		
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -											7.00				
	Conversion - Switch with Change			UEPRG	USACC	ŀ	8.45	1.91				7.86		I	i	
	DNAL NRCs											7.50				
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Subsequent Activity			UEPRG	USAS2	0.00	0 00	0.00			ŀ	7.86		ļ		
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt		l		[" [
	Group						7.86	7 86				7.86			ŀ	
LINE DA	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
	rt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1															
			1		_i	10.79										
	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3		2		_	15.52										
	op Rates		3		_	31.74										
	2-Wire Voice Grade Loop (SL 1) - Zone 1			uchov												
	2-Wire Voice Grade Loop (SL 1) - Zone 1			UEPPX	UEPLX	9.64										
	2-Wire Voice Grade Loop (SL 1) - Zone 3			UEPPX	UEPLX	14.37										
	olce Grade Line Port Rates (BUS - PBX)		3	UEPPX	UEPLX	30.59										
<u> </u>	The Trans File Latt Bates (DOS - LDV)												T			
h	ine Side Unbundled Combination 2-Way PBX Trunk Port - Bus	J	I,	UEPPX	UEPPC				[1		. !		T		
	ine Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1.15	21.29	15.49	2 85	2.67		7 86				
	ine Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPPO UEPPO	1.15	21.29 21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.15	21.29	15 49 15.49	2.85	2.67		7.86				
1 2	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1,15	21.29	15.49	2.85 2.85	2.67 2.67		7.86				
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.15	21.29	15.49		2.67		7.86				
1 12	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.15	21.29	15.49	2.85 2.85	2.67		7.86				
	P-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1 15	21.29	15.49	2.85	2.67		7 86				
1 2	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	\rightarrow			JOET AD	1 10	21.49	15 49	∠.65	2.07		7.86				
	Capable Port		l,	JEPPX	UEPXE	1.15	21,29	15 49	2 85	2 67	1	7.00	ı	1	1	
					OLF AG	1.15	21,29	15 49	285	2 67		7.86				
12	-Wire Voice Unbundled 2-Way PRX Kentucky Room Area															
2	-Wire Voice Unbundled 2-Way PBX Kentucky Room Area Calling Port without LUD		l,	JEPPX	UEPXF	1.15	21.29	15.49	2 85	2.67		7 86	ļ	- 1		

UNBUNDLE	ED NETWORK ELEMENTS - Kentucky												Attachi	ment: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	O.M Valanda de A. D.		_				First	Add'l	First	Add'i_	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled PBX Kentucky Premium Calling Port 2-Wire Voice Unbundled 2-Way Kentucky Area Calling Port			UEPPX	UEPXH	1.15	21.29	15 49	2.85	2.67		7.86				
- 1	without LUD			UEPPX	UEPXJ		~ ~	45.45	2.05		İ			1	l	1
-+	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPPX	UEPAJ	1.15	21.29	15.49	2 85	2.67		7.86				
İ	Administrative Calling Port		1	UEPPX	UEPXL	1 15	21.29	15.49	2 85	2.67	1	7 86				1
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			02.17	ULI XL		21.20	10.40	2.00	2.07						
	Room Calling Port			UEPPX	UEPXM	1.15	21.29	15.49	2.85	2.67		7 86			1	
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	-			1								•			
	Discount Room Calling Port		i!	UEPPX	UEPXO	1 15	21.29	15.49	2.85	2 67		7.86				1
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.15	21.29	15.49	2.85	2.67		7 86				
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0 00	0.00			ļ	ļ				ļ
FEAT	URES		-	LICENTY	 											
- AIGNIE	All Features Offered		-	UEPPX	UEPVF	0.00	0.00	0 00			ļ. <u> </u>	7.86				
NUNH	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	-	-								 					
1	Conversion - Switch-As-Is		1	UEPPX	USAC2		8.45	1.91			1	7.86			!	1
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			UEFFX	USAUZ		0.40	1.91			 	7.00				
ĺ	Conversion - Switch with Change		!!	UEPPX	USACC		8.45	1.91				7.86			1	
ADDIT	TIONAL NRCs		-	UEFFX	03/00		0.40	1.01			+	7.00				
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															_
	Subsequent Activity			UEPPX	USAS2	0 00	000	0.00	1		i	7.86				ŀ
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt				100,000											
	Group		1		1 1		7.86	7 86				7.86				
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	iT.														
UNE F	Port/Loop Combination Rates															
	2-Wire VG Coin Port/Loop Combo – Zone 1		1			10.79										
	2-Wire VG Coln Port/Loop Combo – Zone 2		2			15.52										
	2-Wire VG Coin Port/Loop Combo – Zone 3		3_			31.74										
UNE	Loop Rates		_	UEDOO	- Lucaux											
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	9.64			ļ <u> —</u>		 					
	2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3			UEPCO UEPCO	UEPLX	30 59					 					+
2 11:	a Voice Grade Line Ports (COIN)		-	DEFCO	- OEPLA	30 33					 					
2-10114	2-Wire Coin 2-Way without Operator Screening and without		-								-					
	Blocking (AL, KY, LA, MS)			UEPCO	UEPRF	1.15	21 29	15 49	2.85	2 67		7 86				1
	2-Wire Coin 2-Way with Operator Screening (AL, KY)		-	UEPCO	UEPRE	1,15	21 29	15.49	2.85	2.67		7 86				
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,				1=====											
ĺ	900/976, 1+DDD (AL, KY, LA, MS)		1	UEPCO	UEPRA	1.15	21.29	15 49	2.85	2 67		7 86				
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking										1				1	
]	(KY)		L	UEPCO	UEPKA	1.15	21.29	15.49	2 85	2.67	↓	7.86				
	2-Wire Coin 2-Way with Operator Screening & Blocking.								1	_					I	
	900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)		L	UEPCO	UEPCD	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Coin Outward without Blocking and without Operator										1	7.00				1
	Screening (KY, LA, MS)		L_	UEPCO	UEPRN	1.15	21.29	15.49	2.85	2.67		7.86			1	+
	2-Wire Coin Outward with Operator Screening and 011 Blocking							15.49	2.85	2 67	1	7.86	l		I	1
	(GA, KY, MS)		ļ	UEPCO	UEPRJ	1.15	21.29	15.49	2.85	267		7.00	<u> </u>			
	2-Wire Coin Outward with Operator Screening and Blocking:			LIEBOO	UEPRH	1.15	21.29	15.49	2.85	2.67	1	7.86				
	011, 900/976, 1+DDD (AL, KY, LA, MS)		├	UEPCO	UEFRI	1.15	21.29	15,49	2.05	2.01	——	7.00				
ı	2-Wire Coin Outward Operator Screening & Blocking 900/976, 1+DDD, 011+, and Local (AL, KY, LA, MS)		1	UEPCO	UEPCN	1.15	21.29	15.49	2.85	2.67		7.86	İ	l		<u> </u>
-+-	2-Wire 2-Way Smartline with 900/976 (all states except LA)	_	1	UEPCO	UEPCK	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Coln Outward Smartline with 900/976 (all states except LA)	_	\vdash	OLF GO	DEFOR	,,,,,	21.20									
ı	LA)			UEPCO	UEPCR	1.15	21.29	15.49	2.85	2.67	1	7.86		l	L	<u> </u>
ADDI	TIONAL UNE COIN PORT/LOOP (RC)	_	 		15		2	1,51,0	7							
AUDIT	UNE Coin Port/Loop Combo Usage (Flat Rate)	-	-	ÚEPĆO	URECU	2.57	21.29	15.49	2.85	2.67						
LOCA	L NUMBER PORTABILITY	_	_		1		_									
LUCA	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
	RECURRING CHARGES - CURRENTLY COMBINED .													l	L	

UNBUNDLE	D NETWORK ELEMENTS - Kentucky														ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	B	ČŠ	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Sv Order vs. Electronic
					l									1st	Add'l	Disc 1st	Disc Add'
			-					Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)		<u> </u>
							Rec	First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		1													1	
	Switch-as-is			UEPCO		USAC2		0.10	0.10				7.86				├
1	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	l		UEPCO		USACC		0.10	0.10				7.86	l	1		
ADDI	Switch with change	 	-	DEPCO		USACC		0.10	0.10				7.00			 	
ADDIT	2-Wire Voice Grade Loop/Line Port Combination - Subsequent	\vdash	\vdash														
	Activity			UEPCO		USAS2		0.00	0.00				7.86				
	PORT/LOOP COMBINATIONS - COST BASED RATES	L											 -	ļ			—
	E VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT														-	\vdash
UNE F	Port/Loop Combination Rates	-	 				21 30					_		 	 -		
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		1 2				26.08									1	
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3	├─	3				41.85										
UNF	Loop Rates		Ť														
J	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1			UEPPX		UECD1	12.67					L	7.86				
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2			UEPPX		UECD1	17.45						7 86				
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX		UECD1	33.22						7.86				
UNE	Port Rate		1					200.11	27.75	132.37	9.31	 	7 86				
	Exchange Ports - 2-Wire DID Port	<u> </u>	ļ	UEPPX		UEPD1	8.63	336.11	27.75	132.37	9.31		7.00	 	 	-	
NONE	RECURRING CHARGES - CURRENTLY COMBINED	-	 									_		 			
1 1	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes	l	1	UEPPX		USA1C		7 85	1.87			i	7.86				
ADDI	TIONAL NRCs	 	+	OLI IX		OUNTO											
ADDI	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk	_		UEPPX		USAS1		32.25	32.25				7.86			<u> </u>	
Telep	hone Number/Trunk Group Establisment Charges		1										7.00			-	
	DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	- 0 00	0.00			-	7.86 7.86		 		+
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0 00 - 0.00				7.86		 		+
	DID Numbers, Non- consecutive DID Numbers , Per Number		 	UEPPX		ND5 ND6	0.00	0.00	0.00				7.86		 		
	Reserve Non-Consecutive DID numbers		+	UEPPX		NDV	0.00	0 00	0.00				7.86				
	Reserve DID Numbers	-	+	UEPPA		NDV	0.00	0.00	0.00						I		
LOCA	Local Number Portability (1 per port)	 	+ -	UEPPX		LNPCP	3.15	0.00	0 00								—
2-WIF	REISON DIGITAL GRADE LOOP WITH 2-WIRE ISON DIGITAL LI	NE SID	E PORT											ļ	 		
UNE	Port/Loop Combination Rates	T	T												 		+
10.112	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -]			1	1	1	1	
1 1	UNE Zone 1		1	UEPPB	UEPPR		25.69							+	 	 	+
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		T .									1			1		
L	UNE Zone 2	—	2	UEPPB	UEPPR		31.92					+	1	-			
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	l	3	UEPPB	UEPPR		50.21				ļ.	1			1		
	UNE Zone 3	+	1-3	UEFFB	UEFFR		50.27										
UNE	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	16.10						7.86				
-+-	2-1416 SDN Digital Glade Coop - Cite Zone I	1	+	1								1	7.00				1
1 1	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR		22.33				ļ	 	7 86			1	+
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	U\$L2X	40.63			 		+	7.86	+	+	+	+
ÜNE	Port Rate	L						200 52	200 10	92.19	17.56		7 86	+ -	-	1	+
	Exchange Port - 2-Wire ISDN Line Side Port	-	-	UEPPB	UEPPR	UEPPB	9.59	320.53	289.13	92.19	17.50	+	1	1			
NON	RECURRING CHARGES - CURRENTLY COMBINED	+	+	 					-	-			1				
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port	1	ı	LIEDDR	UEPPR	USACB	0.00	22.77	17.00			1	7.86	1			
H-1-5-	Combination - Conversion TIONAL NRCs	+	+	10CTEB	OL: FH	30.30	2.30				1					1	
	AL NUMBER PORTABILITY	+	+-	 										ļ		-	+
LUCA	Local Number Portability (1 per port)	T	1	UEPPB	UEPPR	LNPCX	0.35	0.00	0.00			+	 		 	+	+
B-CH	IANNEL USER PROFILE ACCESS:									ļ		+	+		+	+	+
1 1 5 5 1	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR		0.00	0.00			 	+	+	+	+	 	+
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0 00				+	+				
		1		IUEPPB	UEPPR	IU1UCC	0.00	0 00	1	l							1
	CSD IANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S			+									1	1	1		

) MBONDLED W	ETWORK ELEMENTS - Kentucky													Attachi	ment: 2	Exhil	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	В	cs	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Increment Charge Manual S Order va
		<u> </u>	├-	 			Rec	Nonrec First	Add'l	Nonrecurring First	Add'l	COMEC	SOMAN		Rates(\$)	SOMAN	SOMA
cvs	S (EWSD)	_	-	UEPPB	UEPPR	UIUCE	0 00	0 00	0.00	riisi	Auu	SOMEC	JUMAN	JUMAN	DOMAN	SUMAN	SOMA
CSI			 	UEPPB	UEPPR		0 00	0.00	0.00								
USER TER	MINAL PROFILE		 				- 1 11								 		-
	er Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
	FEATURES																
	Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	0 00	0.00	0 00								
	ICE CHANNEL MILEAGE																
	eroffice Channel mileage each, including first mile and		1														
	lities termination				UEPPR	M1GNC	29.12	47.34	31.78	22 77	8.75		7 86				
Inte	eroffice Channel mileage each, additional mile		—	UEPPB	UEPPR	M1GNM	0.01	0.00	0.00				7.86				
	oop Combination Rates	PURT		 													
	DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	-	-	-		 		<u> </u>				 					
Zon		ŀ	.	UEPPP			170.06									l	1
	DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		 '-	UEFFF			170.06										-
	18 2	l	,	UEPPP			197 70								1		1
	DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	— —	-	02111			107 70	 									+
	ne 3		3	UEPPP			381.35					,	1			1	1
UNE LOOP			+ -	-			00.100										
	Vire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	86 47						7.86				_
4-W	Vire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	114.10						7.86				
4-W	Vire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	297.76						7.86				
UNE Port R																	
	change Ports - 4-Wire ISDN DS1 Port			UEPPP		UEPPP	83.59	736.16	382.74	159 48	48.82		7 86				
	RRING CHARGES - CURRENTLY COMBINED																
	Vire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port		1												1		
	mbination - Conversion -Switch-as-is		┞	UEPPP		USACP	0.00	81.70	1 37				7.86				—
ADDITIONA			├														╂
	Vire DS1 Loop/4-W ISDN Digit Trk Port - Subsqt Actvy-	l	1	UEPPP		PR7TF		0.54		1		i	7.86				1
Inw	ard/two way tel nos within Std Allowance (except NC) vire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -		-	UEPPP		PR/IF		0.54					7.00				+
	tward Tel Numbers (All States except NC)		1	UEPPP		PR7TO		12 71	12.71				7.86				
	Vire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -	 	-	DEFFE		FR/10		1271	12.71				7.00				+
	osequent Inward Tel Nos Above Std Allowance	1	1	UEPPP		PR7ZT		25.41	25 41				7.86		1	l	i
LOCAL NU	MBER PORTABILITY		-	02		1 7 11 2											
	al Number Portability (1 per port)		 	UEPPP		LNPCN	1 75										
	E (Provsioning Only)		 											-			
	ce/Data	$\overline{}$	_	UEPPP		PR71V	0.00	0 00	0 00								
	ital Data			UEPPP		PR71D	0.00	0.00	0.00								
lnw	rard Data			UEPPP		PR71E	0 00	0 00	0 00						1		-
New or Add	ditional "B" Channel																↓
Nev	w or Additional - Voice/Data B Channel			UEPPP		PR7BV	0.00	15.48					7.86	Ļ			
	w or Additional - Digital Data B Channel			UEPPP		PR78F	0.00	15.48				ļ	7 86		 		+
	w or Additional Inward Data B Channel			UEPPP		PR7BD	0.00	15.48					7.86			ļ	+
CALL TYPE		ļ	ļ			00-5						 				 	+
	ard	<u> </u>	₩	UEPPP		PR7C1	0.00	0 00	0 00			 				 	+
	tward		 -	UEPPP		PR7C0	0 00	0.00	0.00							 	
	o-way	<u> </u>		UEPPP		PR7CC	0.00	0.00	0.00						 		
	Channel Mileage	<u> </u>	-	UEPPP		1LN1A	96 27	105 52	- 98.46	23 09	20 49	 	7.86		 -	 	
	ed Each Including First Mile	-	 	UEPPP		1LN1B	0.23	103 32	. 30.40	23 09	20 48	 	7.00				\vdash
	ch Airline-Fractional Additional Mile	 	+-	DEPPP		ILLIAID	0.23	 							1		+-
	11 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT						 	-									
	coop Combination Rates	 	1	UEPDC			147.99								·		1
4W	DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2			UEPDC			175.62										
	DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3	_		UEPDC		 	359.28								T		
UNE LOOP			-	DEFEC		 	000.20										
	Vire DS1 Digital Loop - UNE Zone 1		+-	UEPDC		USLDC	86 47						7 86				
	Vire DS1 Digital Loop - UNE Zone 1			UEPDC		USLDC	114.10	 					7 86		T		Τ

NBUNDI 1	ED NETWORK ELEMENTS - Kentucky													ment: 2	Exhib	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)		-	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic Disc Add'
							Name		Nonrecurring	Disconnect	<u> </u>	L	OSS	Rates(\$)	L,	<u>L</u>
			_			Rec	Nonrec First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire DS1 Digital Loop - UNE Zone 3		-	UEPDC	USLDC	297.76	riiat	Addi	11134	7,001		7,86				
LINE	Port Rate		۰	02,00	GOLDO											l
- JOINE !	4-Wire DDITS Digital Trunk Port		 	UEPDC	UDD1T	61.52	780.61	375.52	176.19	16.98		7 86				
NONE	RECURRING CHARGES - CURRENTLY COMBINED		1													
_	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination														i	
l	- Switch-as-is		<u> </u>	UEPDC	USAC4		92.84	46.70			ļ	7.86		 		
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination				1	i			!		l	7.00				
	- Conversion with DS1 Changes	L		UEPDC	USAWA		92.84	46 70	ļ		-	7.86		ļ	 	
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	1	1			i		40 70	i	į	1	7 86				
	- Conversion with Change - Trunk			UEPDC	USAWB		92.84	46.70		<u> </u>		7 80		 	 	· · · · · · · · · · · · · · · · · · ·
ADDI	TIONAL NRCs		<u> </u>								 	 		 	<u> </u>	1
1	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -			UEPDC	UDTTA	l	15 09	15 09				7.86			i	
	Subsequent Channel Activation/Chan - 2-Way Trunk 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent	-		UEPDC	TOD: IX	***	13 03	13 03	-		1				· -	
i i	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		15 09	15.09		ļ		7 86		İ		1
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel		┼	UEFUC	100175		10 00	10.00				•				
	Activation/Chan Inward Trunk w/out DID		i	UEPDC	UDTTC	l	15.09	15 09	ŀ		1	7.86	ł	1		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan	!	+	02,00	105.10											
l	Activation Per Chan - Inward Trunk with DID		1	UEPDC	UDTTO		15.09	15.09		l	1	7 86	1		1	l
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan	 		OL: BO												
1	Activation / Chan - 2-Way DID w User Trans	1	į	UEPDC	UDTTE		15 09	15.09				7.86	<u> </u>		<u> </u>	<u> </u>
BIRC	LAR 8 ZERO SUBSTITUTION	 									1	l	ļ		<u> </u>	
- 1511-0	B8ZS -Superframe Format		†	UEPDC	CCOSF		0.00	730 00				7.86		ļ	1	
	B8ZS - Extended Superframe Format	-		UEPDC	CCOEF		0.00	730.00			_	7 86	ļ	ļ	ļ	ļ
Alter	nate Mark Inversion									ļ	↓				<u> </u>	
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0 00			<u> </u>	↓	 	 		
	AMI - Extended SuperFrame Format	Ī		UEPDC	MCOPO		0.00	0.00	<u> </u>		 	ļ	ļ			
Teler	phone Number/Trunk Group Establisment Charges									 	 	7 86			+	
	Telephone Number for 2-Way Trunk Group	<u> </u>		UEPDC	UDTGX	0.00	0.00	0 00	ļ			7.86				
	Telephone Number for 1-Way Outward Trunk Group	L	_	UEPDC	UDTGY	0.00	0 00	0 00	 _	-		7.86		 		
	Telephone Number for 1-Way Inward Trunk Group Without DID	1	1—	UEPDC	UDTGZ	0.00	0 00	0.00	 	 	 	7.86		<u> </u>		
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4 ND5	0.00	0.00	0.00		 	1	7.86				
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND6	0.00	0.00	0.00			1	7.86				
	Reserve Non-Consecutive DID Nos	╁	╄	UEPDC	NDV	0.00	0.00	0.00		i	1	7 86		T		
	Reserve DID Numbers cated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS	1 Digital	III con	with 4-Wire DDITE	S Trunk Port	0.00	0.00		·							
Dedi-	cated DS1 (Interoffice Channel Mileage) - PAPCO for 4-Wire DS	i Digiti	T LOOP	HILL THIS DOILS	J. T. GIRTOIL											ĺ
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities	1	1	UEPDC	1LNO1	96 04	105.52	98.46	23.09	20 49		7.86			ļ	
	Termination)	+	+-	152, 55	- ·-···			<u> </u>		1		1	1	i		1
- 1	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles	1	1	UEPDC	1LNOA	0.23	0.00	0.00	<u> </u>	L				 	_	
-+	Interoffice Channel Mileage - Additional rate per fille - 0-6 filles Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities	† 	+-								1	1		1		1
l	Termination)	1		UEPDC	1LNO2	0.00	0.00	0.00	<u> </u>	L		 		 	 	
	Interoffice Channel Mileage - Additional rate per mile - 9-25	t^-	+ -							1				1	i	
	miles	ĺ		UEPDC	1LNOB	0.45	0.00	0.00		ļ <u> </u>	_			 	 	+-
-+	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities	\vdash	1							1				1		
Į.	Termination)	1	1	UEPDC	1LNO3	0.00	0.00	0 00					 			+
-+-	rommanory	1	+	T					1		Ī	1	1	1		1
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles	;		UEPDC	1LNOC	0 45	0.00	0 00			+	+	 		+	+
	Local Number Portability, per DS0 Activated	1		UEPDC	LNPCP	3 15	0.00	0 00	_	 		+	+	+	 	+
	Central Office Termininating Point	1		UEPDC	CTG	0.00		ļ		 	+	+	 	 	1	
4.Wi	IRE DS1 LOOP WITH CHANNELIZATION WITH PORT							ļ	1		+		+	+	 	
Curch	tomic 1 DS11 con 1 D4 Channel Bank and up to 24 Feature Ac	tivation	9					 	 	 	+	+	 		 	1
Faci	n System can have up to 24 combinations of rates depending o	n type :	and nu	mber of ports used	1					+	+	 	 	+		
UNF	DS1 Loop						<u> </u>	L	+	+	+-	+	 	 		
	4-Wire DS1 Loop - UNE Zone 1			UEPMG	USLDC	86.47	0.00				+	+	 	1		
				LUEDIAG	USLDC	114 10	0 00	1 000	' 1	1			+			
	4-Wire DS1 Loop - UNE Zone 2	Ь		UEPMG						T						
	4-Wire DS1 Loop - UNE Zone 2 4-Wire DS1 Loop - UNE Zone 3 DS0 Channelization Capacities (D4 Channel Bank Configuration)	\pm		UEPMG	USLDC	297.76	0.00								1	

UNDLE	NETWORK ELEMENTS - Kentucky												Attachr		Exhit	
EGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charg
\neg						Rec	Nonrec		Nonrecurring		001150	Lecuan	SOMAN	SOMAN	SOMAN	SOMA
	· · · · · · · · · · · · · · · · · · ·						First	Add'l	First	Add'l	SOMEC	SOMAN	SUMAN	SUMAN	SUMAIN	30m
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	222 32	0 00	0 00				7.86				\vdash
+	96 DSO Channel Capacity -1per 4 DS1s		1	UEPMG	VUM96	444,64	0.00	0.00			i	7.86				L
+	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	666.96	0 00	0.00				7.86				L
+	192 DS0 Channel Capacity -1 per 8 DS1s		 	UEPMG	VUM19	889.28	0.00	0.00				7 86				
	240 DS0 Channel Capacity - 1 per 10 DS1s		 	UEPMG	VUM20	1,111.60	0.00	0.00				7 86				L
	288 DS0 Channel Capacity - 1 per 10 DS1s		-	UEPMG	VUM28	1,333 92	0.00	0.00				7 86				
			 	UEPMG	VUM38	1,778,56	0.00	0.00			T	7 86				
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM40	2,223.20	0.00	0 00				7.86				
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM57	2,667.84	0.00	0.00				7.86				
	576 DS0 Channel Capacity -1 per 24 DS1s				VUM67	3,112.48	0.00	0.00				7.86				
-	672 DS0 Channel Capacity - 1 per 28 DS1s		٠	UEPMG	TVUIVIO7	3,112.46		0.00								
Non-Re	ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with	h Chan	neliztio	n with Port - Conv	ersion Charge	Based on a Sy	stem				+					$\overline{}$
A Mini	mum System configuration is One (1) DS1, One (1) D4 Channe	l Bank,	and U	p To 24 USU Ports	With Feature A	Activations.			-		 	 				
Multip	les of this configuration functioning as one are considered Ac	dd'i afte	or the n	ninimum system co	infiguration is	counted.						 	-	 		\vdash
	INRC - Conversion (Currently Combined) with or without			1	1							7 86	1			1
1	BellSouth Allowed Changes			UEPMG	USAC4	0.00	94 30	4.24				7 00			 	!
System	n Additions at End User Locations Where 4-Wire DS1 Loop wit	th Char	nneliza	tion with Port Com	bination Curre	ntly Exists and			L.,						 	┼─
New (N	lot Currently Combined) in all states, except in Density Zone 1	of Top	8 MS/	A's								ļ	ļ		 	-
1.1011 1.	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port	T				1						l		1	l .	
	and Assoc Fea Activation		l l	UEPMG	VUMD4	0.00	718.89	469.86	149 83	17.77		7.86				
Pinela	r 8 Zero Substitution	 	+-													↓
Біроіа	Clear Channel Capability Format, superframe - Subsequent	 	+						1				1	l .		1
1				UEPMG	CCOSF	0 00	0.00	730.00			i	7 86				—
.	Activity Only		+	OLI MG	3000.	-						I			i	1
	Clear Channel Capability Format - Extended Superframe -	1	1	UEPMG	CCOEF	0.00	0.00	730 00	1 1			7.86	İ	l		<u> </u>
	Subsequent Activity Only		+	UEPMG	CCOEI	0.00	0.00	7,00,00								
Aitem	ate Mark Inversion (AMI)		┿	LIEDMC	MCOSF	0.00	0 00	0.00			1	1				<u> </u>
	Superframe Format		 	UEPMG	MCOPO	0 00	0 00	0.00			—			1		
	Extended Superframe Format	<u></u>	<u> </u>	UEPMG	MCOPO	0.00	- 000	0.00			 	1 "				Π.
	nge Ports Associated with 4-Wire DS1 Loop with Channelizati	On with	POR	<u> </u>		ļ						—				1
Excha	nge Ports	-				ļ — —					 					
		1			EDOV	1.15	0.00	0 00	0 00	0 00	1	7.86	ì	1	l	l
1	Line Side Combination Channelized PBX Trunk Port - Business	1		UEPPX	UEPCX		0.00	0.00	0.00	0.00		7.86				T
	Line Side Outward Channelized PBX Trunk Port - Business	<u> </u>		UEPPX	UEPOX	1.15	0.00	0.00	0.00							T
1-		1	1						0.00	0.00	. 1	7 86		1	l l	
	Line Side Inward Only Channelized PBX Trunk Port without DID		1	UEPPX	UEP1X	1 15	0 00	0.00		0.00		7.86			·	_
+-	2-Wire Trunk Side Unbundled Channelized DID Trunk Port		Τ.	UEPPX	UEPDM	8.65	0.00	0.00	0.00	000		1.00				_
Footin	re Activations - Unbundled Loop Concentration					l					_	+	 	 		+-
reator	Feature (Service) Activation for each Line Side Port Terminated		1								.	7.00	Į.	1	1	L
	In D4 Bank	1	1	UEPPX	1PQWM	0 62	25.40	13 41	4.17	4 15	<u> </u>	7.86	 			+-
	Feature (Service) Activation for each Trunk Side Port Terminated	1	+-						1		.1	1		1	1	1
		Ί	1	UEPPX	1PQWU	0 62	78.15	19.68	59 05	11.54	·	7 86			 	+-
	in D4 Bank	1-	+	1					L					 		+
Telep	hone Number/ Group Establishment Charges for DID Service			UEPPX	NDT	0.00	0.00	0.00				7.86				+
1	DID Trunk Termination (1 per Port)	+-	+-	UEPPX	ND4	0 00	0.00	0.00				7.86		1		+-
	DID Numbers - groups of 20 - Valid all States	+	+	UEPPX	ND5	0.00	0.00	0.00				7.86				+-
	Non-Consecutive DID Numbers - per number	4	4		ND6	0.00	0.00	0.00			T	7.86	L	.1	1	
	Reserve Non-Consecutive DID Numbers			UEPPX		0.00	0.00	0.00				7.86	-			
	Reserve DID Numbers	Щ.	Щ.	UEPPX	NDV	0.00	0.00	0.00	 		1	1				
Local	Number Portability			<u> </u>				0.00	+			+				
1 223	Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00	 		+	+			1	
FFAT	URES - Vertical and Optional					ļ			 		+	+	 		1	T
Local	Switching Features Offered with Line Side Ports Only							<u> </u>				+-	 	1	 	+
		1		UEPPX	UEPVF	0.00	0.00	0.00				+	+-	+		+-
10	at Potos shall apply where ReliSouth is not required to provide	unbu	ndled l	ocal switching or s	witch ports pe	r FCC and/or S	tate Commissi	on rules.		<u> </u>		+	 	 	+	+-
Marke	at nates shall apply where perisonni is not required to provide	T	1								<u> </u>	<u> </u>	O lin dia lare-	nim where Pa	IISouth conse	1 bill
These	e scenarios include: outh currently is developing the billing capability to mechanic	ally bit	l the re	curring and non-re	curring Marke	t Rates in this	section except	for nonrecurri	ng charges for	not currently	combined	in FL and N	c. In the inte	MILION ITEM	nocuui Gaiille	/. will !
BellS	outh currently is developing the billing capability to mechanic , BellSouth shall bill the rates in the Cost-Based section prece	enty Dit	. Herra	i the Market Dates	and reservee	he right to true	up the billing	difference.								
Rates	, BellSouth shall bill the rates in the Cost-Based section prece	onng ir	1 lieu o	Tine market hates	and reserves	an O MCAC in B	all Couth's regi	on for and us	ers with 4 or me	ore DS0 equiv	alent lines.	Ī				┷
2 110	bundled nort/loop combinations that are Currently Combined	or Not	Currer	itiy Combined in Z	ONG 1 OT THE 11	OP O MOMO III D	ensouar a regi	OII IOI CIIG GO	harlotte-Gastor	ia-Rock Hill):	TN (Nashvi	lle).				
	op 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Laudero outh currently is developing the billing capability to mechanic	dale, M	iami); (A (Atlanta); LA (N	ew Uneans); N	C (Greensporo	WILLSTON SAIGH	for population	ng charges for	not currently	combined	in FL and N	C. In the inte	rim where Be	liSouth canno	t bill l
The T																

INBUNDLED N	ETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhil	pit: B
			Γ	- N. P. P.							Svc Order	Svc Order	incremental	Incremental	Incremental	Increment
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi		الأمرين والمراجع والأساء							Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual S
ATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs
		""									· ·	,	Electronic-	Electronic-	Electronic-	Electronic
		1	1		ł								1st	Add'l	Disc 1st	Disc Add
									r			<u> </u>	L	<u></u>	<u> </u>	
						Rec	Nonrec		Nonrecurring					Rates(\$)		
			<u> </u>				First	Add'I	First	Addʻl	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Rate for unbundled ports includes all available features i			L				<u></u>	1,			L <u>.</u>	l	L	<u> </u>	<u> </u>
End Office	and Tandem Switching Usage and Common Transport Us	sage rat	tes in th	ne Port section of th	is rate exhib	it shall apply to	all combination	ons of loop/po	rt network eler	nents except	for UNE Col	n Port/Loop	o Combinatio	ns which hav	e a flat rate us	sage charg
	rrently Combined scenarios where Market Rates apply, the				in the First a	and Additional	NHC columns	or each Port L	150C. For Cur	rently Combin	ea scenano	s, the Norr	ecurring char	ges are listed	In the NKC -	Currently
	section. Additional NRCs may apply also and are categor								·					,	,	
	ring Charges (NRC) Associated with 4-Wire DS1 Loop with						stem				<u> </u>				ļ	
	n System configuration is One (1) DS1, One (1) D4 Channe										<u> </u>		-		 	
	of this configuration functioning as one are considered Ad		r me n	inimum system con	inguration is	countea.					<u> </u>		ļ		 	
	TREX PORT/LOOP COMBINATIONS - COST BASED RATES sed Rates are applied where BellSouth is required by FCC		Ctota 1	ommississ suis 45	nmuida IIak	undled Local C	witching or C.	itch Dorto	1		 		 		-	
	sed Rates are applied where Bellsouth is required by FCC shall apply to the Unbundled Centrex Port/Loop Combine								e linhundled D	ort section of	this Reta E	hihit	-	 	 	
2. Features	ce and Tandem Switching Usage and Common Transport	ation -	COST D	sec Hate Section in	the same m	anner as they a	re applied to the	Hed Control	e Unbunuleu r	inction	IIIS NAIG EX	indir.	 		1	
3. Eng On	ce and Tandem Switching Usage and Common Transport	vsage	rates II	the Port Section of	triis late exi	non snan appry	to the onbun	JIOU CONTUGA F	Old Loop Collin	AII (aliQii.					ــــــــــــــــــــــــــــــــــــــ	
4 The ree	urring UNE Port and Loop charges listed apply to Currently	v Comb	ined e	nd Not Currently Co.	mhined Con	hos except in	Density Zone 1	of the ton 8 i	JSAs where the	enduser ha	4 or more l	OSO equival	ents. The sta	nd alone firs	t and addition	al Port an
	ecurring charges apply to Not Currently Combined Combo		ou a	NOL GUILDINIY CO		except III	- Jinany 20116	top 0 m	un	wow ild:		. Je vejania				
Loop nonr	ecurring charges apply to Not Currently Combined Combined Rates for Unbundled Centrex Port/Loop Combination will	he se-	لمعوزوم	on an Individual Ca	ea Racio	til further notic			Γ		т		l		T	Г
D. Market	NTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only	ne ued	Tirated	OIT BIT INGIVIOUSI CS	Juana, un	I	<u> </u>		 		†		 	t 	T	
	Loop/2-Wire Voice Grade Port (Centrex) Combo		+		 	 			 		 	l	 	· · · · · · · · · · · · · · · · · · ·	 	
	Loop/2-Wire Voice Grade Port (Centrex) Combo		+		 	 					 		 	 	 	
			+-			.					 				<u> </u>	
	Vire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1	1	UEP91	1	10.79					i	ŀ			į.	
	n-Design		+	UEF91	 	10.79								 		
	Vire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	ļ	١.	UEP91		15,52					1					
	n-Design		2	UEP91	ļ	15.52					 		 	 	 	-
	Vire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -]	١.,	LIEBOA		31.74						l			i	į
	n-Design		3	UEP91	<u> </u>	31.74			 		 	<u> </u>		 	 	
	oop Combination Rates (Design)	-	ļ <u> </u>		ļ	<u> </u>			 		 		 		 	
	Vire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1	1	UEP91	1	13.82	_				İ]	1	ı	1	
	sign	<u> </u>	1-3-	UEP91	 	13.62					 		 			
	Vire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		١.	UEP91		18 60		_	1			l			1	1
	sign		2	UEP91	 	18 60			 		<u> </u>		·		 	
	Vire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	l	3	UEP91	i	34 37	·		ŀ			i	i	ł	ł	ŀ
	sign	<u> </u>	3	IUEP91	 	3431					-		 		 	—
UNE Loop		Ь—		U5504	LIEGO.	9.64	ļ				ļ	7 86		 		<u> </u>
	Vire Voice Grade Loop (SL 1) - Zone 1	<u> </u>	1 1	UEP91	UECS1	14.37					 	7 86	 	 		
	Vire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1							7 86	 		1	
	Vire Voice Grade Loop (SL 1) - Zone 3	├	3	UEP91	UECS1	30.59 12.67		 				7.86	 	1	 	1
	Vire Voice Grade Loop (SL 2) - Zone 1	 	1	UEP91	UECS2	17.45			 			7.86	 	 		T .
	Vire Voice Grade Loop (SL 2) - Zone 2	ļ	2	UEP91	UECS2						 	7.86	 	 		
	Vire Voice Grade Loop (SL 2) - Zone 3	<u> </u>	3	ÜEP91	UECS2	33 22			+		 	1	 	 		† · · · · ·
UNE Ports		! -	+-		 	 			 		1 —		† · · · · · · · · · · · · · · · · · · ·	1	<u> </u>	
	(Except North Carolina and Sout Carolina)	 	+-	UEDOL	LIEDYA	1.15	21,29	15.49	2.85	2.67	 	7.86	 	1	1	T
	Vire Voice Grade Port (Centrex) Basic Local Area		1	UEP91	UEPYA	1.35	21.29	15.49	2.65	2.07	 	7.50	l	 	†	†***
1 1= -	Vire Voice Grade Port (Centrex 800 termination)Basic Local	i i	1	Lucas	LIEBYS	1	21 29	15.49	2.85	2.67		7 86		1	1	1
Are		├	-	UEP91	UÉPYB	1.15	21 29	15.49	2.00	2.01	+	- , 30	 	 	—	t
	Vire Voice Grade Port (Centrex with Caller ID)1Basic Local		ı		LIEDSEL	1	~.~	15.49	2.85	2.67		7.86	1	1	1	1
Are		ļ	 	UEP91	UEPYH	1.15	21.29	15.49	2.85	2.07	 	7.00	 			-
	Vire Voice Grade Port (Centrex from diff Serving Wire	1	1		usp.a.	1	~.~	15.49	2.85	2.67		7.86	1	1	1	
	nter)2 Basic Local Area	<u> </u>	+-	UEP91	UEPYM	1.15	21.29	10.49	2.05	2.07	+		 		 	l
	Wire Voice Grade Port, Diff Serving Wire Center - 800 Service]	1		LIEDYCZ	1		15 49	2.85	2.67	1	7 86	1	i	1	
	rm - Basic Local Area	1	↓	UEP91	UEPYZ	1.15	21.29	15 49	2.85	2.07	+	1 ., 30	 	1	 	
	Vire Voice Grade Port terminated in on Megalink or equivalent	1	1		LIEDYS	1		15.49	2 85	2.67		7.86	1		1	1
	asic Local Area	↓	<u> </u>	UEP91	UEPY9	1.15	21.29	15.49	285	2.0/	 	7.00	 	 	 	1
	Nire Voice Grade Port Terminated on 800 Service Term -	1	1	l					0.05	2.67		7.86	1	1	1	1
Ba	sic Local Area	i	<u> </u>	UEP91	UEPY2	1.15	21.29	15.49	2.85	2.67	 	7.86		 	 	
AL, KY, LA	A, MS, & TN Only							<u> </u>	 		 				+	-
	Vire Voice Grade Port (Centrex)			UEP91	UEPQA	1.15	21.29	15.49		2.67		7.86		 	 	
	Vire Voice Grade Port (Centrex 800 termination)	Ι.	\perp	UEP91	UEPQB	1.15				2.67		7 86		 	 	
2-V	Vire Voice Grade Port (Centrex with Caller ID)1			ÜEP91	UEPQH	1.15	21.29	15.49	2 85	2.67	1 ——	7.86	1	 		+
	Vire Voice Grade Port (Centrex from diff Serving Wire								1	l	1		1	1	1	
	nter)2	1	1	UEP91	UEPQM	1.15	21 29	15.49	2.85	2.67	·	7.86	i	1	<u> </u>	<u> </u>

NBUNDLE	D NETWORK ELEMENTS - Kentucky												Attachr			oit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec		Nonrecurring		SOMEC	SOMAN	OSS	Rates(\$) SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	ļ			 		First	Add'I	First	Add'l	SUMEC	SUMAN	SUMAN	SUMAN	SOMAN	SUMAN
	Term	<u> </u>		UEP91	UEPQZ	1.15	21.29	15.49	2.85	2.67		7.86				<u> </u>
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPQ9	1.15	21.29	15 49	2 85	2.67		7.86				
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPQ2	1.15	21.29	15.49	2.85	2.67		7.86			<u> </u>	
Local	Switching Centrex Intercom Funtionality, per port	<u> </u>	-	UEP91	URECS	0.8873		·	ļ - _			7.86				
Local	Number Portability		₩-	DEP91	UNECS	0.8673					 	7.00				
Local	Local Number Portability (1 per port)		 	UEP91	LNPCC	0.35										
Featur			t	02.01	12.11.00	- 0.00										
	All Standard Features Offered, per port		i e	UEP91	ÜEPVF	0.00						7 86				
	All Select Features Offered, per port		L	UEP91	UEPVS	0.00	405 66					7 86				
	All Centrex Control Features Offered, per port			UEP91	UEPVC	0.00						7.86			ļ	
NARS									ļ		ļ	<u> </u>	 		ļ	
	Unbundled Network Access Register - Combination			UEP91	UARCX	0 00	0 00	0 00			<u> </u>	7.86 7.86	ļ			
	Unbundled Network Access Register - Indial			UEP91	UAR1X	0 00	0.00	0 00				7.86				ļ
	Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0 00	 			7.00				
	laneous Terminations	<u> </u>								<u> </u>	 					
2-Wire	Trunk Side Trunk Side Terminations, each	-	-	ÜEP91	CENA6	10 51	92.18	15.82	52.16	5.30	 	7.86				
Interes	fice Channel Mileage - 2-Wire			OLFSI	DEITAG		<u> </u>	10.02	- 52.10	5.55		1.50			-	
IIILEIU	Interoffice Channel Facilities Termination - Voice Grade			UEP91	M1GBC	29.11						7.86				
	Interoffice Channel mileage, per mile or fraction of mile		-	UEP91	M1GBM	0.01			— ———————————————————————————————————			7.86				
Featur	e Activations (DS0) Centrex Loops on Channelized DS1 Service	e	1	02/01	1											
D4 Ch	annel Bank Feature Activations	Ī														<u></u>
12.00	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.62						7.86				
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.62						7.86				
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP91	1PQW7	0.62						7.86				Ĺ <u>.</u>
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP91	1PQWP	0.62						7.86			-	
 	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.62						7 86				
	Feature Activation on D-4 Channel Bank Tile Line/Trunk Loop		1								ĺ	_		1	i	l
	Slot		ļ	UEP91	1PQWQ	0.62					ļ	7 86	<u> </u>			
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.62			ļ		ļ	7.86			ļ	
Non-F	ecurring Charges (NRC) Associated with UNE-P Centrex		ļ.,						ļ		-		 			
	Conversion - Currently Combined Switch-As-Is with allowed	1	1				0.400	0.400	į į			7.86				ĺ
	changes, per port			UEP91	USAC2 USACN		0 102 18.95	0,102 8.32				7.50	 			· · · · · ·
	Conversion of Existing Centrex Common Block	<u> </u>		UEP91	MIACS	0.00	669 80	78.32		13,27		7.86				
	New Centrex Standard Common Block	 	╄	UEP91 UEP91	MIACC	0.00	669 80	78.32		13.27		7.86				
	New Centrex Customized Common Block	├	 	UEP91	M2CC1	0.00	78.32	78.32		13 27		7.86		i		
	Secondary Block, per Block NAR Establishment Charge, Per Occasion	 	+	UEP91	URECA	0.00	72.75	70.02				7 86				
LINE F	CENTREX - 5ESS (Valid in All States)	 	 	021 01	- OTILOT								-			Ī
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo	<u> </u>	_		+											
	ort/Loop Combination Rates (Non-Design)	 	1		+								l	L		<u> </u>
- UNL	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design		1	UEP95		10.79		-								
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP95		15.52										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP95		31.74				-						
UNF	Port/Loop Combination Rates (Design)	 	十二		T								ļ	L	<u> </u>	—
3,427	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design		1	UEP95		13 82	_									
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		† <u>- </u>	UEP95	1	18.60	_									<u> </u>

INBONDLED NET	WORK ELEMENTS - Kentucky								_				Attachi	ment: 2	Exhil	oit: B
TEGORY		Interi		(2)							Submitted Elec	Svc Order Submitted Manually	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	incremental Charge - Manual Svc	Increme Charge Manual
TEGORY	RATE ELEMENTS	m	Zone	BCS	usoc			RATES(\$)			perLSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'I	Order vs. Electronic- Disc 1st	Order v Electron Disc Ad
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	10.1	<u> </u>				1,00	First	Add'l	First	Addʻl	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1			1 1	l l										
Design			3	UEP95		34 37									ľ	l
UNE Loop Rai			<u> </u>													_
	Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	9 64						7.86				
	Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	14 37						7.86				
	Voice Grade Loop (SL 1) - Zone 3	l	3	UEP95	UECS1	30.59						7 86				
	Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	12.67						7 86				
	Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	17.45						7 86				
	Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	33.22						7.86				
UNE Port Rate																
All States													_			
	Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	1.15	21.29	15.49	2 85	2 67		7.86				
	Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1.15	21.29	15.49	2.85	2 67		7.86				L
	Voice Grade Port (Centrex with Caller ID)1Basic Local		l													
Area			L	UEP95	UEPYH	1 15	21 29	15.49	2.85	2.67	L	7.86				L
	Voice Grade Port (Centrex from diff Serving Wire	I				T										
)2 Basic Local Area		L	UEP95	UEPYM	1.15	21.29	15.49	2.85	2 67	L	7.86			l	
	Voice Grade Port, Diff Serving Wire Center - 800 Service											I				
	Basic Local Area		<u> </u>	UEP95	UEPYZ	1 15	21 29	15.49	2.85	2.67		7 86				
2-Wire	Voice Grade Port terminated in on Megalink or equivalent		T													
- Basic	Local Area			UEP95	UEPY9	1 15	21.29	15 49	2.85	2 67	1	7.86			ł	
2-Wire	Voice Grade Port Terminated on 800 Service Term -															
Basic I	Local Area		1	UEP95	UEPY2	1.15	21.29	15 49	2 85	2.67	 	7 86				
AL, KY, LA, M	S, SC, & TN Only	$\overline{}$														
2-Wire	Voice Grade Port (Centrex)			UEP95	UEPQA	1,15	21 29	15 49	2 85	2.67		7.86				
	Voice Grade Port (Centrex 800 termination)		· · · · ·	UEP95	UEPOB	1.15	21.29	15.49	2.85	2.67		7.86				
	Voice Grade Port (Centrex with Caller ID)1		1	UEP95	UEPQH	1.15	21.29	15.49	2.85	2.67		7.86				
	Voice Grade Port (Centrex from diff Serving Wire							-								
Center		ĺ		UEP95	UEPQM	1.15	21.29	15.49	2 85	2.67	l	7 86				
	Voice Grade Port, Diff Serving Wire Center - 800 Service		 													
Term		1	1	UEP95	UEPQZ	1.15	21.29	15.49	2.85	2 67		7.86				l
1 1.5				04.00	155. 35											
2-Wire	Voice Grade Port terminated in on Megalink or equivalent	i	l	UEP95	UEPQ9	1.15	21.29	15 49	2 85	2.67		7.86				1
2-Wire	Voice Grade Port Terminated in 61 Weganik of equivalent		 	UEP95	UEPQ2	1 15	21.29	15 49	2.85	2.67		7.86				-
Local Switchin			├─	OL: 33	OLF GE		21.23	10 10				7.00				
	x Intercom Funtionality, per port		 	UEP95	URECS	0 8873						7 86				
Local Number				UCF 33	UNECO	0 00/3						7.00				
	Number Portability (1 per port)		-	UEP95	LNPCC	0 35										
Features	Number Portability (1 per port)	-	├	OEF 93	LINFOC	0 33										
	adard Francisco Official and and		├ ─	UEP95	UEPVF	0 00						7 86				-
	ndard Features Offered, per port			UEP95	UEPVS	0.00	405.66					7.86				
	ect Features Offered, per port				UEPVS	0.00	405.00					7.86				
	ntrex Control Features Offered, per port	 	ļ.—	UEP95	DEPVC	0.00						7.00				
NARS			—	ļ. <u></u>	111501			——————————————————————————————————————				7.86				
	dled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0 00				7.86				
	dled Network Access Register - Indial	├—	<u> </u>	UEP95	UAR1X	0.00	0 00	0.00				7.86				
	dled Network Access Register - Outdial		<u> </u>	UEP95	UAROX	0.00	0 00	0.00				7.86				
	Terminations		-		 											
2-Wire Trunk S												7.00				_
	Side Terminations, each	├		UEP95	CEND6	10.51	92.18	15.82	52.16	5.30	<u> </u>	7 86			<u> </u>	├─
	(1.544 Megabits)	<u> </u>			1							7.00				
	Ircuit Terminations, each			UEP95	M1HD1	74.77	164 86	77 74	60.69	3 86	ļ <u> </u>	7.86				
	hannels Activated, each			UEP95	M1HDO	0.00	15.09					7.86				
	annel Mileage - 2-Wire															
	ice Channel Facilities Termination			UEP95	MIGBC	29.11						7.86				
	ice Channel mileage, per mile or fraction of mile			UEP95	MIGBM	0.01						7.86				
	itions (DS0) Centrex Loops on Channelized DS1 Service	æ														
	ank Feature Activations											7.86				
	e Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	TPQWS	0.62						7.86				

UNBUNDL	ED NETWORK ELEMENTS - Kentucky													ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sy Order vs. Electronic Disc Add
						Rec	Nonrec		Nonrecurring				OSS	Rates(\$)		
			-				First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot		l	UEP95	1PQW6	0 62						7.86				1
1	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP95	1PQW7	0.62						7.00				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -	-	+	OLI 93	TIFQVV/	0.02						7.86			ļ	
	Different Wire Center		<u> </u>	UEP95	1PQWP	0.62						7.86				L
	Feature Activation on D-4 Channel Bank Private Line Loop Slot		l	UEP95	1PQWV	0.62						7.86				
	Feature Activation on D-4 Channel Bank Tile Line/Trunk Loop															
	Slot Feature Activation on D-4 Channel Bank WATS Loop Slot	ऻ	-	UEP95	1PQWQ	0 62						7.86				
Non	Recurring Charges (NRC) Associated with UNE-P Centrex	 	-	UEP95	1PQWA	0.62						7.86				
14011	NRC Conversion Currently Combined Switch-As-Is with allowed				+											
	changes, per port		1	UEP95	USAC2		0 102	0.102				7.86	[}	İ
	Conversion of Existing Centrex Common Block, each			ÜEP95	USACN		18.95	8.32				7.86				
	New Centrex Standard Common Block			UEP95	M1ACS	0 00	669.80	78 32	111.05	13 27		7.86				
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	669.80	78.32	111.05	13.27		7 86				
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0 00	72 75					7.86				
	-P CENTREX - DMS100 (Valid in All States)															
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo				1											
UNE	Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design		1	UEP9D		10.79										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -									1						
	Non-Design		2	UEP9D		15 52										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP9D		31.74						1				
UNE	Port/Loop Combination Rates (Design)			02.1 02		51.14										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		1	UEP9D		40.00										
_	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		 ' -			13 82									<u> </u>	-
	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP9D		18.60										
	Design		3	UEP9D		34.37						L				L
UNE	Loop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	9 64						7 86				1
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	14.37						7.86				
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	30 59						7 86				
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	12.67						7 86				-
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	17 45					<u> </u>	7.86 7.86				
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	33.22					 	7.86				
	Port Rate	<u> </u>	 		-											
ALL	STATES	⊢	-	UEP9D	UEPYA	1.15	21.29	15.49	2 85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	-	 	DEPSU	UEFTA	1.15	21.29	13,49								
	Area		<u> </u>	UEP9D	UEPYB	1.15	21.29	15.49	2 85	2.67	-	7.86	ļi		<u> </u>	
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area		L	UEP9D	UEPYC	1.15	21.29	15.49	2.85	2.67		7.86	<u> </u>		L	
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area			UEP9D	UEPYD	1.15	21.29	- 15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local		1						2.85	2.67		7 86				
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local		+-	UEP9D	UEPYE	1.15	21.29	15.49	2.85				<u> </u>	 		
	Area		<u> </u>	UEP9D	UEPYF	1.15	21 29	15.49	2.85	2 67		7.86				
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area			UEP9D	UEPYG	1.15	21.29	15.49	2.85	2.67		7.86				<u> </u>
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local Area			UEP9D	UEPYT	1,15	21.29	15.49	2.85	2 67		7 86	1			

NBUNDLE	D NETWORK ELEMENTS - Kentucky									Com Control	Cura Order	Attachr Incremental		Incremental	bit: B Increme
ATEGORY	RATE ELEMENTS	Interi m Zo	ne BCS	USOC			RATES(\$)				Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charg
					Rec	Nonrec	urring Add'l	Nonrecurring First	Disconnect Add'i	SOMEC	SOMAN		Rates(\$)	SOMAN	SOMA
	O Miles Velles October 10 Part (Contract / EDC MEGOGN) 2 Pagin Local					First	Addi	FIIST	Auu	COMILO	00				T
-	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area		UEP9D	UEPYU	1.15	21.29	15.49	2 85	2.67		7.86			<u> </u>	—
_	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local							2.85	2.67		7 86	ł	1		
_ _	Area		UEP9D	UEPYV	1.15	21.29	15.49	2.85	2.07		7 00				
-	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local	1	UEP9D	UEPY3	1 15	21.29	15 49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local			UE5341	4.15	21.29	15.49	2.85	2 67		7.86				İ
	Area 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp		UEP9D	UEPYH	1.15	21.29	15,49	2.83	207					1	"
	Indication))3 Basic Local Area		UEP9D	UEPYW	1.15	21.29	15.49	2.85	2.67		7 86				-
_	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3				1.15	21,29	15.49	2 85	2.67		7 86				
	Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)	 	UEP9D	UEPYJ	1.15	21,23	13.43	200							
	2 Basic Local Area	1 1	UEP9D	UEPYM	1.15	21.29	15 49	2.85	2.67		7 86				┼
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3				1 15	21.29	15.49	2.85	2.67	i	7.86	ļ			1
	Basic Local Area	 	UEP9D	UEPYO	1 15	21.29	10,45	2.03	2.07						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 Basic Local Area		UEP9D	UEPYP	1,15	21.29	15 49	2.85	2.67	ļ	7 86	ļ			-
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3				1.15	21.29	15,49	2 85	2 67		7.86			ľ	
	Basic Local Area		UEP9D	UEPYQ	1.15	21.29	13.45	200	207						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area		UEP9D	UEPYR	1.15	21 29	15.49	2.85	2.67		7.86	ļ <u>.</u>	ļ		-
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3					21.00	15 49	2 85	2 67		7.86				
_	Basic Local Area		UEP9D	UEPYS	1.15	21.29	15 48	200							1 -
- 1	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 Basic Local Area		UEP9D	UEPY4	1.15	- 21.29	15.49	2 85	2 67		7 86	ļ	<u> </u>		┼
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3				145	04.00	- 15.49	2.85	2 67		7.86				
	Basic Local Area		UEP9D	UEPY5	1.15	21,29	15.48	2.00		·					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 Basic Local Area	1	UEP9D	UEPY6	1.15	21.29	15.49	2 85	2.67	↓	7 86	 		 	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3				1.5	21.29	15 49	2 85	2.67		7.86		1		
	Basic Local Area		UEP9D	UEPY7	1.15	21.29	10 49	203	2.07						T
1	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	1	UEP9D	UEPYZ	1.15	21.29	15.49	2.85	2.67	↓	7.86		ļ. ———	<u> </u>	-
	2-Wire Voice Grade Port terminated in on Megalink or equivalent				1.45	21.29	15 49	2.85	2 67	.	7.86		1		
_	Basic Local Area	 	UEP9D	UEPY9	1.15	21.29	15 48	2,00							Ţ
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic Local Area		UEP9D	UEPY2	1.15	21.29	15 49	2.85	2.67		7.86 7.86			 	+
AL. K	Y, LA, MS, SC, & TN Only					21,29	15.49	2.85	2.67		7 86		 	 	+-
_ ,	2-Wire Voice Grade Port (Centrex)		UEP9D	UEPQA	1.15 1.15		15.49		2 67		7.86				
	2-Wire Voice Grade Port (Centrex 800 termination)	 	UEP9D	UEPQB	1.15		15.49		2.67		7 86				\perp
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3		UEP9D UEP9D	UEPQD	1.15		15 49		2.67	1	7 86				
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3		UEP9D	UEPQE	1.15		15.49		2 67		7.86			ļ	
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3	++	UEP9D	UEPQF	1.15		15 49	2.85	2.67		7 86		1		—
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3	+	UEP9D	UEPQG	1.15		15.49	2.85	2.67		7.86		 		
	2-Wire Voice Grade Port (Centrex / EBS-M5312)3	++	UEP9D	UEPQT	1.15		15.49	2.85	2.67		7.86			 	
	2-Wire Voice Grade Port (Centrex / EBS-M5008)3		UEP9D	UEPQU	1.15	21.29	15 49		2 67		7,86				+-
	2-Wire Voice Grade Port (Centrex / EBS-M5208)3	+	UEP9D	UEPQV	1.15	21.29			2.67		7 86				+
	2-Wire Voice Grade Port (Centrex / EBS-M5216)3	 	UEP9D	UEPQ3	1.15		15.49		2.67		7.86		+	+	
	2-Wire Voice Grade Port (Centrex / EBS-M5316)3 2-Wire Voice Grade Port (Centrex with Caller ID)	 - 	UEP9D	UEPQH	1.15	21.29	15.49	2.85	2.67	'	7.86	<u>'</u>	+	+	+
-+-	2-Wire Voice Grade Port (Centrex With Caller ID/Msg Wtg Lamp	+								,	7.86	.		1	1
- 1	Indication)3		UEP9D	UEPQW	1,15		15.49		267		7.86		+	1	
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3	1	UEP9D	UEPQJ	1.15	21.29	15.49	2.85	267	'	7.00	' -	+	1	
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)	1 -	1							,	7 86	: [1	1
-	2		UEP9D	UEPQM	1.15		15.49		2.67		7.86		 		\top
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3		UEP9D	UEPQO	1 15	21.29	15.49	285	2.0	'	7.00	+	1		
					1	1	15 49	2 85	2.67	1	7.86	. I	1	1	1

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Evhil	oit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
			├──		 	Rec	Nonrec First	arring Add'l	First	Disconnect Add'l	COMEC	SOMAN	SOMAN	Rates(\$)	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3	 	 	UEP9D	UEPQQ	1.15	21.29	15.49	2.85	2 67	SOMEC	7.86	SUMAN	SOMAN	SUMAN	SUMAN
	0.000,000	-		02.130	OLI GG	1.10	21.20	15.45	2.00			7.00				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPQR	1.15	21.29	15.49	2 85	2.67		7.86		ĺ	1	{
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPQS	1.15	21.29	15 49	2.85	2 67		7 86				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPQ4	1.15	21,29	15.49	2.85	2.67		7.86				
											1					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPQ5	1.15	21.29	15 49	2.85	2.67	ļ	7.86				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3		_	UEP9D	UEPQ6	1.15	21.29	15.49	2 85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3		_	UEP9D	UEPQ7	1.15	21.29	15.49	2 85	2.67		7.86				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP9D	UEPQZ	1.15	21.29	15.49	2.85	2 67		7.86				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.15	21 29	15.49	2.85	2 67		7.86				
	2-Wire Voice Grade Port Terminated in on Megalink or equivalent			UEP9D	UEPQ2	1.15	21.29	15.49	2.85	267		7 86				
	Switching			02.00	Joz. Gz	5	21.20	15.45		- 207						
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.8873						7.86				
Local I	Number Portability			. u=DaB												
	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35					<u> </u>					
Feature	All Standard Features Offered, per port	<u> </u>	├-	UEP9D	UEPVF	0 00					 	7.86				
	All Select Features Offered, per port		⊢	ÜEP9D	UEPVS	0 00	405.66				 	7.86				
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00	403.00				 	7.86				
NARS	All Centrex Control Features Circled, per port		├-	OEF9D_	TOEF VO	- 0.00						7.00				
- 1.0.0.0	Unbundled Network Access Register - Combination		 	UEP9D	UARCX	0.00	0.00	0 00				7.86				
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0 00			1	7.86				
	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00				7.86				
Miscell	aneous Terminations															
2-Wire	Trunk Side															
	Trunk Side Terminations, each			UEP9D	CEND6	10.51	92.18	15 82	52.16	5.30		7.86				
	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP9D	M1HD1	74_77	164.86	77 74	60 69	3.86		7.86				
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	15.09				<u> </u>	7.86				
Interof	fice Channel Mileage - 2-Wire										 					
	Interoffice Channel Facilities Termination			UEP9D	MIGBC	29 11						7 86 7.86				
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	MIGBM	0.01						7,86				
	Activations (DS0) Centrex Loops on Channelized DS1 Service	, e	—								 					
D4 Cha	nnel Bank Feature Activations	 			400040							7.86		 		
\dashv	Feature Activation on D-4 Channel Bank Centrex Loop Slot		-	UEP9D	1PQWS	0.62					 			<u> </u>		
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop		├-	UEP9D	1PQW6	0.62						7.86				ļ
	Slot			UEP9D	1PQW7	0.62						7.86				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9D	1PQWP	0.62						7.86	-			
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.62		-				7.86				
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9D	1PQWQ	0.62						7.86				
- -	Feature Activation on D-4 Channel Bank WATS Loop Slot		 	UEP9D	1PQWA	0.62						7.86				
	ocurring Charges (NRC) Associated with UNE-P Centrex	 	 		1	V.U.										
, itonina	NRC Conversion Currently Combined Switch-As-Is with allowed				 											
- 1	changes, per port	l	1	UEP9D	USAC2	i	0.102	0.102				7.86		L	L	
	Conversion of existing Centrex Common Block, each	 		UEP9D	USACN		18.95	8.32				7.86				
	New Centrex Standard Common Block			UEP9D	MIACS	0.00	669.80	78.32	111.05	13.27		7.86				
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	669.80	78.32	111.05	13 27	I	7.86		1	I	

INBUNDLED NE	TWORK ELEMENTS - Kentucky													ment: 2		oit: B
			Ι –	24.50							Svc Order	Svc Order	Incremental	Incremental	Incremental	Increment
			1	-	1 1							Submitted		Charge -	Charge -	Charge
į .			i .								Elec	Manually	Manual Svc	Manual Svc		Manual S
	DATE EL ELLEVEO	Interi	 	*- ~- ***	11000			RATES(\$)								
TEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			HA I ES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs
j			l		1						i		Electronic-	Electronic-	Electronic-	Electronic
			ĺ	ĺ	1 1						i	i	1st	Add'i	Disc 1st	Disc Add
											1		J			
			Γ"	l		Rec	Nonrec	uming	Nonrecurring	Disconnect	l			Rates(\$)		
						Hec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
NAR I	Establishment Charge, Per Occasion			UEP9D	URECA	0.00	72.75					7.86				
UNE-P CENT	REX - EWSD (Valid in AL, FL, KY, LA, MS & TN)		_	7	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,								—	 	1	
	pop/2-Wire Voice Grade Port (Centrex) Combo										 		 	 -	<u> </u>	
	op Combination Rates (Non-Design)								-			 	 	 		
	rs VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -			 	 						 	ļ	 	 	 	
	Design		1	UEP9E		10,79							l		1	
		—	-'-	DEPSE		10.79							ļ	 		
	re VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		١.	l)]	}					1	l		1	1	
	Design		2	UEP9E		15,52					_	Ĺ		ļ	.	
	re VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1	ľ		i			l .				1		1	
	Design		3	UEP9E		31,74					J	1	1	L		
UNE Port/Loc	op Combination Rates (Design)										1	1		L		
2-Wir	re VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		1								T					
Desig			1 1	UEP9E		13.82			ŀ			ľ			i	
	re VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	_	一	t							T	· -	i	Γ	T	
Desig		l	2	UEP9E	1 1	18 60					1	1	!		1	I
	ne VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		+	OLF BL		1000					 	 	 	l	 	
		l	_	LUEDOE		34.37			1	1			1	1	1	1
Desig			3	UEP9E		34,37				<u> </u>	 -		 	-		├──
UNE Loop Ra			ऻ								ļ				ļ	
	re Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1_	9 64				ļ		7 86		 	 	
2-Wir	re Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1	14.37					<u> </u>	7.86			ļ	ļ
2-Wir	re Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	30.59					1	7.86		1	L	
	re Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2	12.67						7.86				L
	re Voice Grade Loop (SL 2) - Zone 2		1 2	UEP9E	UECS2	17.45						7 86				
	re Voice Grade Loop (SL 2) - Zone 3			UEP9E	UECS2	33.22					1	7 86				
UNE Port Rai			1	OLI OL	02002	- 00.11					i				T	
		<u> </u>	+								1				1	
	LA, MS, & TN only		 	UEP9E	UEPYA	1.15	21.29	15 49	2.85	2.67	_	7.86				
	re Voice Grade Port (Centrex) Basic Local Area		 	UEPSE	UEPTA	1,15	21.29	13 49	2.00	2.01	 	7.00	+	 -		
	re Voice Grade Port (Centrex 800 termination)Basic Local		1		I			-		۰	i	7.86			1	
Area				UEP9E	UEPYB	1.15	21.29	15.49	2.85	2.67	 	7.80	 	 	 	
2-Wir	re Voice Grade Port (Centrex with Caller ID)1 Basic Local		1								1	l	i	1		
Area			1	UEP9E	UEPYH	1.15	21.29	15.49	2.85	2.67		7.86		↓		
2-Wir	re Voice Grade Port (Centrex from diff Serving Wire		1								1		1			1
	er)2 Basic Local Area	ĺ		UEP9E	UEPYM	1.15	21.29	15.49	2.85	2.67	1	7.86	l			
	re Voice Grade Port, Diff Serving Wire Center - 800 Service															
	I - Basic Local Area	1	1	UEP9E	UEPYZ	1,15	21.29	15.49	2.85	2 67	1	7.86	i		1	l
		-	+	OLI BL	OE, IE											
	re Voice Grade Port terminated in on Megalink or equivalent	l		UEP9E	UEPY9	1,15	21 29	15.49	2 85	2.67	1	7 86	1	i	1	1
	sic Local Area	—	₩-	UEPSE	UEFTS	1, 15	2129	13.49	205		 	T	 			
	re Voice Grade Port Terminated on 800 Service Term -		1		luenus	ا ـ ا	04.00	45.40	2.85	2 67	1	7.86				1
	Local Area	_	ـــــ	UEP9E	UEPY2	1.15	21.29	15 49	2.85	267	+	7.00	 	+	 	
	MS, & TN Only							L		 	+	7.86	+	+	 	
2-Wir	re Voice Grade Port (Centrex)	l		UEP9E	UEPQA	1.15	21.29	15.49	2.85	2.67				 	+	+
	re Voice Grade Port (Centrex 800 termination)			UEP9E	UEPQB	1.15	21.29	15.49	2 85	2.67		7.86		ļ	 	├ ──
	re Voice Grade Port (Centrex with Caller ID)1		1	UEP9E	UEPQH	1.15	21.29	15.49	2.85	2.67		7.86	 	ļ	_	
	re Voice Grade Port (Centrex from diff Serving Wire	t	T							1	1	1			1	1
Cente		l	1	UEP9E	UEPQM	1,15	21.29	15.49	2 85	2.67	L	7.86			L	L
	re Voice Grade Port, Diff Serving Wire Center - 800 Service			1					· · · · · · · · · · · · · · · · · · ·	i		1	1	1		1
1 1	· •	j	1	UEP9E	UEPQZ	1.15	21.29	15.49	2.85	2 67	1	7.86		I	L	
Term	<u> </u>		+	OCI-95	JET GE		=1.23	.5.40		1	1					
		l	ł	LIEBOE	UEPQ9	1.15	21.29	15.49	2.85	2 67	· I	7.86	1	1	Ī	1
2-Wir	re Voice Grade Port terminated in on Megalink or equivalent	<u> </u>	—	UEP9E					2.85	2 67		7.86		 	T	1
2-Wir	re Voice Grade Port Terminated on 800 Service Term	Щ.	1	UEP9E	UEPQ2	1.15	21.29	15.49	2.85	20/	+	1.50	+	 	† · · · · · · ·	T
Local Switch	hing		1	<u> </u>								7.86	+	 	+	+
	rex Intercom Funtionality, per port	Г		UEP9E	URECS	0.8873					_	/.86	+		 	
	er Portability			,					l					<u> </u>	 	+
	Number Portability (1 per port)		 	UEP9E	LNPCC	0.35						7.86			ļ	+-
	number rotability (1 per port)		+													
Features		├──	+	UEP9E	UEPVF	0.00			 		T	7.86				
	tandard Features Offered, per port	⊢	+			0.00	405 66				1	7.86		T		
	elect Features Offered, per port	<u> </u>	╀	UEP9E	UEPVS		405 00		+		+	7.86		T		T
All Co	entrex Control Features Offered, per port			UEP9E	UEPVC	0.00		<u> </u>			+	+	+		 	
NARS				1					<u> </u>	<u> </u>			<u> </u>		٠	

NBUNDLE	D NETWORK ELEMENTS - Kentucky												Attachi	ment: 2	Exhit	bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
$\neg \neg \neg$						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Network Access Register - Combination			UEP9E	UARCX	0.00	0 00	0 00								
	Unbundled Network Access Register - Indial			UEP9E	UAR1X	0.00	0.00	0.00								
	Unbundled Network Access Register - Outdial			UEP9E	UAROX	0.00	0.00	0 00	ļ		L					
	Ilaneous Terminations		_		 				 		 -		 			
2-14/16	Trunk Side Terminations, each			UEP9E	CEND6	10.51	92.18	15.82	52.16	5,30	 	7 86	 			
4-Wire	Digital (1.544 Megabits)		_	OLI 9E	CLINDO	10.51	32.10	13.02	3E, 10	3.50	 	7.00				
	DS1 Circuit Terminations, each		-	UEP9E	M1HD1	74.77	164.86	77 74	60.69	3 86		7.86				
	DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	15.09				1	7.86				<u> </u>
Intero	ffice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination		-	UEP9E	MIGBC	29.11						7.86				
	Interoffice Channel mileage, per mile or fraction of mile			UEP9E	MIGBM	0 01						7.86				
Featu	re Activations (DS0) Centrex Loops on Channelized DS1 Service	•														
D4 Ch	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.62						7.86			L	ـــــــ
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.62						7.86				<u> </u>
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9E	1PQW7	0 62						7.86		ļ		<u> </u>
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9E	1PQWP	0.62						7 86				
				UEP9E	1PQWV	0 62						7 86				
┪┈┈	Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop	_										7.86				
	Slot		_	UEP9E	1PQWQ	0.62 0.62			 	 		7.86		 		
	Feature Activation on D-4 Channel Bank WATS Loop Slot	 -	├	UEP9E	IPQWA	0.62					 	7.00		f		
Non-F	lecurring Charges (NRC) Associated with UNE-P Centrex NRC Conversion Currently Combined Switch-As-Is with allowed				 				 		·					1
- 1	changes, per port			UEP9E	USAC2		0,102	0.102			1	7.86		1		
_	Conversion of Existing Centrex Common Block, each		├─	UEP9E	USACN		18.95	8.32			1					Γ
	New Centrex Standard Common Block		-	UEP9E	MIACS	0.00	669 80	78.32	111 05	13.27		7.86				
	New Centrex Customized Common Block			UEP9E	M1ACC	0.00	669 80	78.32	111.05	13 27	I	7.86		<u> </u>		
+	NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	72.75					7.86				
UNE-T	CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)										L					—
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo											<u> </u>		 	ļ	
UNE F	ort/Loop Combination Rates (Non-Design)				<u> </u>				Ļ		 -		ļ	 	 	+
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design		1	UEP93		10.79					<u> </u>					<u> </u>
\top	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP93		15 52								ļ		<u> </u>
1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP93		31.74					Í			<u> </u>		L
IINE :	Port/Loop Combination Rates (Design)	 	╁╌													↓ —
UNE	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo		\vdash													1
	Design		1	UEP93	 	13 82					 		ļ			 -
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design		2_	UEP93	_	18.60			 		 	<u> </u>	-			
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design		3	UEP93		34.37			Ļ		 	ļ		<u> </u>	ļ	
UNE I	oop Rate					l		<u> </u>		 	+	 	 	 	 	+
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP93	UECS1	9.64			ļ	 	 			 		+
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP93	UECS1	14.37		ļ	 	 		 	 	 	 	+
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3_	UEP93	UECS1	30.59			 	 	+	 	 	+	 	+
	2-Wire Voice Grade Loop (SL 2) - Zone 1			UEP93	UECS2	12 67		<u> </u>	 	 	+	 	 	 	 	
	2-Wire Volce Grade Loop (SL 2) - Zone 2	<u> </u>	2	UEP93	UECS2	17.45		<u> </u>	 	 	 		 	+	 	+
	2-Wire Voice Grade Loop (SL 2) - Zone 3	├	3_	UEP93	UECS2	33.22			 	 	 	 	 		 	
JUNE I	Port Rate Y. LA. MS, & TN only	\vdash	-	ļ	 	 			 	 	+	 	 	 	 	

NBUNDLE	D NETWORK ELEMENTS - Kentucky										1			nent: 2		oit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		
			ļ			7.00	First	Add'I	First	Add'1	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area		<u> </u>	UEP93	UEPYB	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP93	UEPYH	1 15	21.29	15.49	2.85	2.67		7.86				ļ
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area			UEP93	UEPYM	1.15	21.29	15.49	285	2.67	<u> </u>	7 86				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area			UEP93	UEPYZ	1.15	21 29	15.49	2.85	2.67		7.86				
	Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area			UEP93	UEPY9	1.15	21.29	15 49	2 85	2.67		7.86				
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP93	UEPY2	1 15	21 29	15 49	2 85	2.67		7 86				
	2-Wire Voice Grade Port (Centrex)			UEP93	UEPQA	1 15	21 29	15 49	2 85	2 67	ļ	7.86	<u> </u>	ļ		ļ
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP93	UEPOB	1.15	21.29	15.49	2 85	2 67 2,67		7.86 7.86		ļ	ļ	
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP93	UEPQH	1.15	21.29	15.49	2.85	2.67		7.66			 	
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		<u> </u>	UEP93	UEPQM	1.15	21.29	15.49	2.85	2.67		7.86				<u> </u>
	Z-wire voice Grade Port, Dir Serving Wire Center - 500 Service Term		ļ	UEP93	UEPQZ	1.15	21 29	15 49	2 85	2.67		7.86				
ſ	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPQ9	1.15	21 29	15 49	285	2.67		7.86				
_	2-Wire Voice Grade Port Terminated on 800 Service Term		_	UEP93	UEPQ2	1.15	21.29	15.49	2.85	2.67		7.86				
Local	Switching												ļ			
	Centrex Intercom Funtionality, per port			UEP93	URECS	0.8873			 		ļ	7.86	ļ	ļ		ļ
Local	Number Portability		├	UEP93	LNCCC	0.35				-	 	 -	 	 		
Feetur	Local Number Portability (1 per port)		├	UEF93	LINCOC	0.33										
reatur	All Standard Features Offered, per port		 	UEP93	ÜEPVF	0 00		_				7.86				
	All Centrex Control Features Offered, per port		1	UEP93	UEPVC	0 00						7.86				ļ
NARS												ļ				
	Unbundled Network Access Register - Combination		I_	UEP93	UARCX	0.00	0.00	0.00				ļ	 	 -	 	
	Unbundled Network Access Register - Indial		ļ	UEP93	UAR1X	0.00	0.00	0.00		ļ	 	 				
	Unbundled Network Access Register - Outdial			UEP93	UAROX	0.00	0.00	0 00	 		 	<u> </u>	 			
	laneous Terminations Trunk Side		-	 	 				 -		 	 	 			
2-Wire	Trunk Side Trunk Side Terminations, each		┼	UEP93	CEND6	10 51	92.18	15 82	52.16	5 30		7.86				
4-Wire	Digital (1.544 Megabits)		1	52. 05	12											
- 1	DS1 Circuit Terminations, each		1	UEP93	M1HD1	74.77	164.86	77.74	60 69	3.86	<u> </u>	7 86	ļ <u>.</u>			<u> </u>
	DS0 Channels Activated, Per Channel		I	UEP93	M1HDO	0.00	15.09				 	7.86		 		
Interol	fice Channel Mileage - 2-Wire		<u> </u>								 	7.86		 	+	
	Interoffice Channel Facilities Termination		-	UEP93	MIGBC MIGBM	29.11 0.01					┼	7.86	 			
	Interoffice Channel mileage, per mile or fraction of mile		-	UEP93	MIGBIN	0.01					1		t			
	a Activations (DS0) Centrex Loops on Channelized DS1 Service annel Bank Feature Activations	 	╁		+			·								
D4 Ch	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0 62						7.86	 			
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot		<u> </u>	UEP93	1PQW6	0.62						7.86	 	 	 	
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot		<u> </u>	UEP93	1PQW7	0 62					 -	7 86		 	<u> </u>	ļ
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center		_	UEP93	1PQWP	0 62				<u> </u>	 	7.86	ļ	 	ļ	
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.62				ļ	<u></u>	7 86	-			
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop			UEP93	1PQWQ	0.62				1		7 86				1
	Slot Feature Activation on D-4 Channel Bank WATS Loop Slot		+	UEP93	1PQWQ	0.62	 		 	 		7.86	 			
Man D	ecurring Charges (NRC) Associated with UNE-P Centrex	├	+	OCT-90	Trum.											
NON-H	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP93	USAC2		0.102	0 102				7.86				

LINIDIAM	DI EI	D NETWORK ELEMENTS - Kentucky												Attachn		Exhib	
ONDON	DEL	JACT WORK ELEMENTS - Kerkdoky			-			·				Svc Order	Svc Order	incremental	Incremental	incremental	Incremental
1												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
i												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			perLSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
	•••		m				l						1	Electronic-	Electronic-	Electronic-	Electronic-
1				li								i		1st	Add'I	Disc 1st	Disc Add'l
1													L	000	D-4(#)	L	<u> </u>
							Rec	Nonreci	urring	Nonrecurring					Rates(\$)		
							nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Conversion of Existing Centrex Common Block, each			UEP93	USACN		18.95	8.32				7.86			ļ	
		New Centrex Standard Common Block			UEP93	M1ACS	0.00	669 80	78 32	111.05	13.27		7 86			<u> </u>	<u> </u>
		New Centrex Customized Common Block			UEP93	M1ACC	0.00	669.80	78.32	111.05	13.27		7.86			<u> </u>	
		NAR Establishment Charge, Per Occasion			ÜEP93	URECA	0.00	72 75					7 86				
N	ote 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD		I													
N	ote 2	2 - Requres Interoffice Channel Mileage				İ	1						<u> </u>				
N	ote 3	- Requires Specific Customer Premises Equipment										ļ	ļ	L		——	
N	ote:	Rates displaying an "R" in Interim column are interim and sub	ject to	rate tru	e-up as set forth in	General Terr	ns and Condition	ons.		L		l	<u> </u>		L	1,	

INDIADIE	D NETWORK ELEMENTS - Louisiana													nent: 2		oit; B
JABOIADEL	D ILL WORK ELEMENTO - Education			-24.00	ř –					_	Svc Order	Svc Order	Incremental	Incremental	incremental	increment
			i i		1						Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			l í	To the second							Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
		Interi	l. I	* * * * * * * * * * * * * * * * * * *				RATES(\$)				per LSR	Order vs.	Order vs.	Order vs.	Order vs.
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			HA! E3(3)			per LSR	per LSR				
		m									1		Electronic-	Electronic-	Electronic-	Electronic
			i I		1	i						1	1st	Add'l	Disc 1st	Disc Add'
			1 1									L	l	l		L
							Nonrec	urring	Nonrecurrin	g Disconnect				Rates(\$)		
					 	Rec	First	Add'l	First	Add'l		SOMAN		SOMAN	SOMAN	SOMAN
	Zone" shown in the sections for stand-alone loops or loops as					D	ME Zanan Ta i	day Canaran	hinelly Deeve	eged LINE Zor	e Designation	ons by Cent	ral Office, ref	er to internet	Website:	
The "	Zone" shown in the sections for stand-alone loops or loops as	part of	a comt	ination refers to G	eograpnicany	Deaveraged U	ME ZOILES. 10	view Geograpi	incany Deaver	aged Oite 201	o boolgilaa	,,,, , , , , , , , , , , , , , , , , ,				
http://	/www.interconnection.belisouth.com/become_a_clec/html/inter	connec	tion.ht	n											.,	
					1										<u> </u>	<u> </u>
		d nego	tistor if	it prefers the state	specific elect	ronic service o	rdering charge	s as ordered b	y the State C	ommissions.	The electron	ic service o	rdering charg	e currently c	ontained in th	is rate
																lly. For
NOTE	 (2) Any element that can be ordered electronically will be billetelements that cannot be ordered electronically at present per t 	ed acco	oraing t	o the SOMEC rate i	isted in this (category. Pleas	Ma telel to bella	outil 5 Dusing	14 OLFC -		ordorina on	nahilitina ca	me on line fo	r that elemen	t Otherwise	the manual
those	elements that cannot be ordered electronically at present per t	he BBF	i-LO, th	e listed SOMEC rat	e in this cate	gory reflects th	e charge that w	ould be billed	to a CLEC o	nce electronic	ordening ca	papilities co	ine on-line io	I WAS GIGING!	ic Otherwise,	010 1141144
orden	ing charge, SOMAN, will be applied to a CLECs bill when it sub	mits a	LSRt	BellSouth.												
- Older	Electronic OSS Charge, per LSR, submitted via BSTs OSS										1					ł .
		1	1		SOMEC	ļ ļ	3.50		l	1	1	1	1	L	1	<u> </u>
	interactive interfaces (Regional)		+		JOINEO		0.00			1	1					
UNE SERVIC	E DATE ADVANCEMENT CHARGE		<u></u>		<u> </u>	L						1	T	1		
NOTE	: The Expedite charge will be maintained commensurate with	BellSou	ıth's FC	C No.1 Tariff, Secti	on 5 as apple	cable.			 	+	+	+	 	 	1	1
	UNE Expedite Charge per Circuit or Line Assignable USOC, per		1			Į.			i			1	1		1	
	Day	l	1	ALL UNE	SDASP	[200.00		<u> </u>		J		!	 	 	
		-	_							T				<u> </u>		
UNBUNDLED	EXCHANGE ACCESS LOOP	 	-			 			i					1	L	I
2-W1F	RE ANALOG VOICE GRADE LOOP		⊢ .	. 1= 337	115410	10.00	36.54	16 87				15 20			1	T
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	<u> </u>		UEANL	UEAL2	12.90		16.87		+	+	15 20		1	1	
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEAL2	23.33	36 54				-l -	15.20		 		
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	48 43	36 54	16.87								+
ļ	Loop Testing - Basic 1st Half Hour			UEANL	URET1		33.17	33.17				15.20				
	Loop resting - basic 1st half hour		+	UEANL	URETA	i — —	19.28	19.28		T		15 20	l			ļ
	Loop Testing - Basic Additional Half Hour		-	UEANL	UNCIA		1010									l
	CLEC to CLEC Conversion Charge Without Outside Dispatch						15.75	8.93		1	1	15 20				1
i !	(UVL-SL1)	1	1	UEANL	UREWO	L.,			 				+		 	
	Engineering Information Document (EI)			UEANL	UEANM		13 04	13.04				_		 	 	
	Manual Order Coordination for UVL-SL1s (per loop)	 	1	UEANL	UEAMC		7.92	7 92				ļ	ļ		 	
	Manual Order Cooldination for Over-Scis (per 100p)	-	+						T		1	1	1		1	
1 1	Order Coordination for Specified Conversion Time for UVL-SL1	l	1	UEANL	OCOSL		17.56	_ 17.56	ļ	1	1	1 .		l	1	
	(per LSR)	L		UEANL	OCOSL		17.00									
2-WII	RE Unbundled COPPER LOOP	l				 	05.07	15 60				15.20	1		T .	
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1		T 1	UEQ	UEQ2X	12.40					+	15 20				
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2		2	UEQ	UEQ2X	14.32	35.27	15.60	<u> </u>							1
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3		3	UEQ	UEQ2X	16.87	35 27	15.60				15.20				+
	2 Wire Onbundled Copper Loop - Non-Designed - Zone o		- 	0							1	1				ĺ
1 1	Order Coordination 2 Wire Unbundled Copper Loop - Non-	1		l.,	USBMC	1	7.92	7.92				1				
!!	Designed (per loop)			UEQ	USBIVIC	 	13.04	13.04				1	T			
	Engineering Information Document			UEQ							 	15.20				
	Loop Testing - Basic 1st Half Hour	1		UEQ	URET1	1	33.17	33 17				15.20			-	
	Loop Testing - Basic 1st Hair Hour	1		UEQ	URETA		19.28	19.28				15.20	'	+	 	1
	Loop resting - basic Additional nati nodi	+-	+-			1			1		i	l	1	1	Į.	1
1 1	CLEC to CLEC Conversion Charge Without Outside Dispatch	1	1	UEQ	UREWO	1	14.25	7.42	l	I		15.20	<u> </u>	1		
1 1	(UCL-ND)	1	-	1050	UNEWO	 	14.20		1							_
UNBUNDLE	D EXCHANGE ACCESS LOOP						1		-		$\neg - \neg$					
2.40	RE ANALOG VOICE GRADE LOOP			L							 	-	1		T	
2-101	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-						l .	1		1		45.00				i
i l		1	1 1	UEPSR UEPSB	UEALS	12.90	36.54	16 87	1			15.20	<u>'</u>	 	+	+
lL	Zone 1	 	+-	OCT OFF OE	10				T		1	1	1	ĺ	l	1
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	ì	١.		LUEADO	12.90	36.54	16.87	-1	1	1	15.20		1		
1 1	Zone 1		1 1	UEPSR UEPSB	UEABS	12.90	30.34	10.07	 	 			1			1
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		\top	1	ļ			40.00	. l			15.20	١ ا	1	l	1
	Zone 2	1	2	UEPSR UEPSB	UEALS	23.33	36.54	16.87		+		1,5.20	`			
 	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-	-	1					ļ.	I	1	1	4.5.5	, l	ı	1	
1 1			1 2	UEPSR UEPSB	UEABS	23.33	36.54	16.87	· I			15.20	<u> </u>	+		
	Zone 2	+-	 -	OLF ON OLF OD	155,55	1					1	i	1	1	l	i
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		1.		1	48 43	36.54	16.87	.	1	- 1	15.20				
	Zone 3		3_	UEPSR UEPSB	UEALS	46 43	30.54	13.07	-					i	1	1
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	T				l l			. 1			15.20	\	1		1
		1	3	UEPSR UEPSB	UEABS	48.43	36.54	16.87	<u> </u>			13.20	` 	+		1
	Zone 3	-	+	52. 51. 52.												+
	D EXCHANGE ACCESS LOOP	+			+	+	1									
2-WI	RE ANALOG VOICE GRADE LOOP	4		 		+	+							1	1	1
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			1	1	1	1		.1		1	1			1	
1 1	Ground Start Signaling - Zone 1	1	1 1	UEA	UEAL2	14.93	102.10	65.72	4							
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	+	1	1		T T	1	1	1	1	1	15.2	, l	1	1	1
						25 35	102.10	65 72								

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attachi	ment: 2	Evhil	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		Nonre	RATES(\$)	Noncurio	g Disconnect		Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i Rates(\$)	Incremental Charge -	Incrementa Charge -
			<u> </u>		 	Rec	First	Add'1	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or									1 1 1						
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	50.46	102.10	65.72				15.20				
<u> </u>	Order Coordination for Specified Conversion Time (per LSR)		├	UEA	OCOSL		17.56			L						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1		١,	UEA	UEAR2	14.93	102.10	65.72				15 20				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		- '-	OLK .	UEANZ	14.53	102.10	05.72		 		15 20				
	Battery Signaling - Zone 2		2	UEA	UEAR2	25 35	102.10	65.72		1		15.20		j		
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse						-									
	Battery Signaling - Zone 3		3	UEA	UEAR2	50.46	102 10	65.72				15 20			ļ	
ļ	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		17.56					45.00				
4-WIDE	CLEC to CLEC Conversion Charge without outside dispatch ANALOG VOICE GRADE LOOP			UEA	UREWO		87.59	36.30		 		15 20				
	4-Wire Analog Voice Grade Loop · Zone 1		1	UEA	UEAL4	30 81	127 40	91.02		 	 	15 20		· · · · · · · · · · · · · · · · · · ·		
	4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	38 32	127 40	91 02				15.20				
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	60.39	127.40	91 02				15.20				
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		17.56									
0 1100	CLEC to CLEC Conversion Charge without outside dispatch EISDN DIGITAL GRADE LOOP		_	UEA	UREWO		87.59	36.30				15.20				
2-WIHI	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	22.09	113 34	76.96		 	-	15 20				
	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	35.28	113.34	76.96		 		15 20			ļ	
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	65.18	113 34	76.96				15.20				
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		17.56									
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.49	44.09				15.20				
2-WIRI	Universal Digital Channel (UDC) COMPATIBLE LOOP		<u> </u>													
i i	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone		I٠	UDC	UDC2X	22.09	113.34	76.96	1	1		15 20		l		l
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone		 '	ODC	UDC2X	22.09	113.34	70.90		 		15 20				
	2	ŀ	2	UDC	UDC2X	35.28	113 34	76.96		1		15 20				
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone		1													
L	3		3	UDC	UDC2X	65.18	113.34	76 96				15.20				
	CLEC to CLEC Conversion Charge without outside dispatch	<u></u>	<u> </u>	UDC	UREWO		91.49	44.09				15.20				
2-WIRE	E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOP			ļ ——·				 						
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2X	12.29	117.08	68.36		1		15.20				•
	2 Wire Unbundled ADSL Loop including manual service inquiry		+	UAL	UALZA	12.20	117.00	00.00				70.20				
1	& facility reservation - Zone 2		2	UAL	UAL2X	14.09	117.08	68.36				15.20				
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 3		3	UAL	UAL2X_	15.75	117.08	68.36				15.20				
	Order Coordination for Specified Conversion Time (per LSR)		┞—	UAL	ÖCOSL	ļ	17.56									
	2 Wire Unbundled ADSL Loop without manual service inquiry &	ŀ	1	UAL	UAL2W	12.29	92.83	56 02	ŀ			15.20		!	l	
	facility reservator - Zone 1 2 Wire Unbundled ADSL Loop without manual service inquiry &	┝	 '-	UAL	UALZVV	12.29	92.00	30 02				10.20		-		
1 1	facility reservation - Zone 2	l	2	UAL	UAL2W	14.09	92.83	56.02				15.20		ŀ		
	2 Wire Unbundled ADSL Loop without manual service inquiry &	_							 							
	facility reservaton - Zone 3		3	UAL	UAL2W	15 75	92 83	56.02	·			15.20				L
	Order Coordination for Specified Conversion Time (per LSR)			UAL.	OCOSL		17.56									
	CLEC to CLEC Conversion Charge without outside dispatch	-		UAL	UREWO		86.07	40 34				15.20		 		
2-WIRI	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	IBLE	LOOP			ļ				 	 			 		
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1		۱,	UHL	UHL2X	9 79	125.50	- 76.77	1	1		15.20			.	
	2 Wire Unbundled HDSL Loop including manual service inquiry	\vdash	 	U. IL	U.12A	1	.20.50			 	T					1
	& facility reservation - Zone 2		2	UHL	UHL2X	11.52	125.50	76.77	L			15 20			<u> </u>	↓
	2 Wire Unbundled HDSL Loop including manual service inquiry														i	
	& facility reservation - Zone 3	<u> </u>	3	UHL	UHL2X	12.74	125.50	76.77	ļ	_		15 20			 	
	Order Coordination for Specified Conversion Time (per LSR)	<u> </u>		UHL	OCOSL	<u> </u>	17.56			 						
	2 Wire Unbundled HDSL Loop without manual service inquiry		.	 UHL	UHL2W	9 79	101 24	64.43		1		15.20		1		1
 	and facility reservation - Zone 1 2 Wire Unbundled HDSL Loop without manual service inquiry		 '-	OFF	Unizv	9 /9	101 24	04.43		 	 	70.20				
1 1	and facility reservation - Zone 2	I	1 _	UHL	UHL2W	11.52	101.24	64.43	I		1	15.20	l	I	1	1

JNBUNDLEI	D NETWORK ELEMENTS - Louisiana													nent: 2		bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic Disc Add
									r :. · · · · · ·			L			2,50	
						Rec	Nonrec			g Disconnect	001150	COMAN		Rates(\$) SOMAN	SOMAN	SOMAN
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SUMAN	SUMAN
	2 Wire Unbundled HDSL Loop without manual service inquiry		اما	ĺ		40.74	404.04	04.40	1	Ì	i	15.20	1		{	i
	and facility reservation - Zone 3		3	UHL	UHL2W	12.74	101.24	64.43			 	15.20				
	Order Coordination for Specified Conversion Time (per LSR)	 	<u> </u>	UHL	OCOSL UREWO		17.56 86.00	40.34		 	 	15.20				
4 14/15/	CLEC to CLEC Conversion Charge without outside dispatch HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	OOD	UHL	UHEWU		- 86.00	40.34			 	15.20				
4-4411/1	4 Wire Unbundled HDSL Loop including manual service inquiry	IIDLE	T		- 					+	+	 				
- 1	and facility reservation - Zone 1		1	UHL	UHL4X	16.24	153 26	104.54	[ľ	ĺ	15.20	l	ĺ		1
	4-Wire Unbundled HDSL Loop including manual service inquiry		 ' -	OTIL	UTILTA	10.2.		10-1.0 1								
1	and facility reservation - Zone 2		2	UHL	UHL4X	16 65	153.26	104.54		1	1	15 20				ı
	4-Wire Unbundled HDSL Loop including manual service inquiry			<u> </u>												
- 1	land facility reservation - Zone 3	!	3	UHL	UHL4X	17 34	153 26	104.54	J	1		15 20			l	
	Order Coordination for Specified Conversion Time (per LSR)		_	UHL	OCOSL		17.56									
	4-Wire Unbundled HDSL Loop without manual service inquiry									T						
	and facility reservation - Zone 1		1	UHL	UHL4W	16 24	129.00	92.20	İ			15.20				ļ <u>.</u>
	4-Wire Unbundled HDSL Loop without manual service inquiry											1	1	1	1	
ł	and facility reservation - Zone 2		2	UHL	UHL4W	16.65	129 00	92.20			J	15.20			ļ	
	4-Wire Unbundled HDSL Loop without manual service inquiry	-	Γ							1			i	[ĺ	
1	and facility reservation - Zone 3		3	UHL	UHL4W	17 34	129 00	92.20				15 20	ļ	ļ	<u> </u>	├ ──
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		17 56			ļ		ļ				├
	CLEC to CLEC Conversion Charge without outside dispatch		<u> </u>	UHL	UREWO		86 00	40 34				15.20			ļ	├
4-WIRI	DS1 DIGITAL LOOP								 _	 	 	15,20	 		ļ	├ ──
	4-Wire DS1 Digital Loop - Zone 1			USL	USLXX	85 70	245 16	152.98				15.20	 		ļ	
	4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	194 96	245 16	152.98			 	15.20			 	
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	491.94	245.16	152.98				15.20	 		 	
	Order Coordination for Specified Conversion Time (per LSR)		Ь	USL	OCOSL		17.56 100 93	42.98				15.20	 		 	
_	CLEC to CLEC Conversion Charge without outside dispatch	_	├ ─	USL	UREWO		100 93	42.98	 	 	+	15.20	 	 	 	
4-WIRI	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP	<u> </u>	-	LIBI	UDL19	30.99	121.86	85 48		 	+	15 20		<u> </u>		
	4 Wire Unbundled Digital 19 2 Kbps			UDL	UDL19	36.78	121.86	85.48	 	· 		15 20	<u> </u>			
	4 Wire Unbundled Digital 19 2 Kbps	├		UDL	UDL19	38.92	121 86	85 48	 	 	+	15 20			 	
	4 Wire Unbundled Digital 19 2 Kbps			UDL	UDL56	30.99	121.86	85.48			+	15.20				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	-		UDL	UDL56	36.78	121.86	85.48		 		15.20				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	-		UDL	UDL56	38 92	121.86	85 48		1	+	15.20				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 Order Coordination for Specified Conversion Time (per LSR)		+	UDL	OCOSL	- 05 02	17.56		-		1				I	
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	30 99	121 86	85.48	 	1	1	15 20				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL	UDL64	36.78	121.86	85.48				15.20				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3			UDL	UDL64	38.92	121.86	85.48				15.20				
	Order Coordination for Specified Conversion Time (per LSR)	-	۱Ť	UDL	OCOSI.		17.56									<u> </u>
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		101 97	49.67				15 20				↓
2.000	E Unbundled COPPER LOOP	-	 	1												
12-44 L	2-Wire Unbundled Copper Loop/Short Including manual service	-	 - 						i		T					
1	inquiry & facility reservation - Zone 1	ĺ	1 1	lucu	UCLPB	12.29	116.18	67.46	<u> </u>			15.20		ļ		
	2-Wire Unbundled Copper Loop/Short including manual service	1	1								1	1				
	Inquiry & facility reservation - Zone 2	i	2	UCL	UCLPB	14.09	116.18	67.46	ļ	<u> </u>		15.20		ļ. ——		┼──
	2 Wire Unbundled Copper Loop/Short including manual service								ļ	1	1			l		
l	inquiry & facility reservation - Zone 3	l	3	UCL	UCLPB	15 75	116.18	67.46			↓	15.20			ļ	
_	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		7.92	7.92				ļ	 	├	 	
	2-Wire Unbundled Copper Loop/Short without manual service											1	1		1	I
	inquiry and facility reservation - Zone 1	1	1_1	UCL _	UCLPW	12 29	91,92	55.12		 -		15 20	 	 		+
	2-Wire Unbundled Copper Loop/Short without manual service								i	1	1	15.20	1	ì		1
J	inquiry and facility reservation - Zone 2	<u> </u>	2	UCL	UCLPW	14.09	91.92	55.12	 	-	+	15.20	+	 	1	+
	2-Wire Unbundled Copper Loop/Short without manual service								1	1	1	40.00	1	ì	1	i
1	inquiry and facility reservation - Zone 3	l	_3	UCL	UCLPW	15.75	91.92	55.12	 	 	+	15.20	 	 	 	+
	Order Coordination for Unbundled Copper Loops (per loop)	L		UCL	UCLMC		7.92	7.92				 		 -	+	+
	2-Wire Unbundled Copper Loop/Long - Includes manual srvc.						l		1	1	1	15 20		1	1	
J	inquiry and facility reservation - Zone 1	L .	1_	UCL	UCL2L	17.21	116.18	67.46				15 20	\	 	+	
	2-Wire Unbundled Copper Loop/Long - includes manual svc						I		1	ſ	1	45.00	. [į.	1	1
- 1	inquiry and facility reservation - Zone 2		1 2	UCL	UCL2L	24.98	116.18	67.46				15.20	Ъ			

ONBONDL	ED NETWORK ELEMENTS - Louisiana													nent: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec			g Disconnect			OSS	Rates(\$)		1 - 2 - 1 - 1 - 1 - 1
	2-Wire Unbundled Copper Loop/Long - includes manual svc.	 					First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1	inquiry and facility reservation - Zone 3	ļ	3	UCL	UCL2L	39.57	116.18	67.46	i	1		15.20			•	
	Order Coordination for Unbundled Copper Loops (per loop)		13	UCL	UCLMC	39.57	7.92	7.92				15.20	-	···	 	
1	2-Wire Unbundled Copper Loop/Long - without manual service	_	 		COLING		7.02	7.52			 					
	inquiry and facility reservation - Zone 1		1	UCL	UCL2W	17.21	91.92	55 12				15.20				Į.
	2-Wire Unbundled Copper Loop/Long - without manual service															
	inquiry and facility reservation - Zone 2		2	UCL	UCL2W	24.98	91.92	55.12			L	15 20			Í	L
	2-Wire Unbundled Copper Loop/Long - without manual service		Γ													
	inquiry and facility reservation - Zone 3		3	UCL	UCL2W	39 57	91 92	55.12			<u> </u>	15 20				
	Order Coordination for Unbundled Copper Loops (per loop)		—	UCL	UCLMC		7.92	7.92	ļ	ļ						
1	CLEC to CLEC Conversion Charge without outside dispatch		ļ				04.00	40.49		1		45.00			ĺ	l
4 1471	(UCL-Des)		⊢	UCL	UREWO		91.92	42.47			<u> </u>	15.20				
4-1/1	RE COPPER LOOP 4-Wire Copper Loop/Short - including manual service inquiry		├	 	 				 	 	 					
	and facility reservation - Zone 1	J	1	UCL	UCL4S	22.27	139 69	90.96	J	l]	15.20		İ	ļ	!
 	4-Wire Copper Loop/Short - including manual service inquiry		⊢∸		- JOE-5	EE.E/	100 00	30.30	 	 	 -	15.20		· · · · · · · · · · · · · · · · · · ·		†
	and facility reservation - Zone 2	1	2	UCL	UCL4S	18.95	139.69	90.96	1			15.20		1	1	i
	4-Wire Copper Loop/Short - including manual service inquiry		<u>├</u>													T
	and facility reservation - Zone 3	Į .	3	UCL	UCL4S	10.99	139 69	90.96		i	L	15 20		i	1	
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		7 92	7.92								
	4-Wire Copper Loop/Short - without manual service inquiry and										T					
i	facility reservation - Zone 1		1	UCL	UCL4W	22.27	115.43	78.63		l		15.20				
	4-Wire Copper Loop/Short - without manual service inquiry and]	Ţ												}	
	facility reservation - Zone 2	L	2	UCL	UCL4W	18.95	115.43	78.63		Ļ	<u> </u>	15 20				<u> </u>
	4-Wire Copper Loop/Short - without manual service inquiry and	i	١.					=0.00		İ	l	45.00				
	facility reservation - Zone 3		3	UCL	UCL4W	10 99	115.43	78 63 7 92			 	15.20				
	Order Coordination for Unbundled Copper Loops (per loop)		├ —	UCL.	UCLMC		7.92	7 92	 	 	 					
ł I	4-Wire Unbundled Copper Loop/Long - includes manual svc.		١,	luct	UCL4L	26.17	139.69	90.96		1	İ	15 20		Ì	İ	i
 - 	inquiry and facility reservation - Zone 1 4-Wire Unbundled Copper Loop/Long - includes manual svc.		├-	OCC.	OCC4L	20.17	105.05	90.90	 		 	10 20				
1	inquiry and facility reservation - Zone 2		2	UCL	UCL4L	28.47	139.69	90 96				15.20				
 	4-Wire Unbundled Copper Loop/Long - includes manual svc.	 	-	002	DOLVE	20.11				1	T					
l	inquiry and facility reservation - Zone 3	•	lз	UCL	UCL4L	62.93	139 69	90.96	i		İ	15.20		i	i	
 	Order Coordination for Unbundled Copper Loops (per loop)	1	<u> </u>	UCL	UCLMC		7.92	7.92								
	4-Wire Unbundled Copper Loop/Long - without manual svc															
	inquiry and facility reservation - Zone 1	L	1	UCL	UCL4O	26.17	115.43	78.63		<u> </u>		15 20			_	
	4-Wire Unbundled Copper Loop/Long - without manual svc.									1	i	,		Ì	i	1
	inquiry and facility reservation - Zone 2	L	2	UCL	UCL4O	28.47	115.43	78 63		ļ	ļ	15.20		ļ	L	
	4-Wire Unbundled Copper Loop/Long - without manual svc.	1	l	l	l			70 00		1	1	15 20				
	inquiry and facility reservation - Zone 3	ļ	3	UCL	UCL40	62.93	115.43	78 63	 		 	15 20				
	Order Coordination for Unbundled Copper Loops (per loop)	ļ	ـ	UCL	UCLMC		7.92	7.92	 		 	 		 	 	
	CLEC to CLEC Conversion Charge without outside dispatch	1	1	luci	UREWO		91.92	42.47		1	1	15.20			I	
1000 110-	(UCL-Des)		₩-	UCL	UHEWU		91.92	42.41		 	 	13.20		 	 	
LOOP MODI	-ICATION	├ ─		UAL, UHL, UCL.					 	 	 	 				
		1	1	UEQ. ULS. UEA.						1	1	ĺ		1	i	}
l İ	Unbundled Loop Modification, Removal of Load Coils - 2 Wire	1		UEANL, UDL, UDC,	j					1	1	1		1	I	
	pair less than or equal to 18k ft	1	İ	UDN, UDL, USL	ULM2L		0.00	0.00	l	1		15.20	L	L		
 	Unbundled Loop Modification, Removal of Load Coils - 2 wire	 	1	1 2 2 2 2 2 2 2 2						1		l				
1	greater than 18k ft	1	1	UCL, ULS, UEQ	ULM2G		0.00	_ 0 00		L	1	15.20			L.—	
	Unbundled Loop Modification Removal of Load Coils - 4 Wire											l		İ	1	
	less than or equal to 18K ft	l	L	UHL, UCL	ULM4L		0.00	0.00	ļ	<u></u>	ļ	15 20	ļ	ļ		ļ
	Unbundled Loop Modification Removal of Load Coils - 4 Wire	Ţ]	I					1	1	1				1	
1	pair greater than 18k ft		L	UCL	ULM4G		0.00	0.00		 		15.20	ļ			
				UAL, UHL, UCL,						1	l	1	1		l	
		l	1	UEQ, UEF, ULS,	1 I	l i			!			1	l	!		1
1 1	1	J]	UEA, UEANL, UDL,			_		l	1			ļ	1		
l 1	Unbundled Loop Modification Removal of Bridged Tap Removal,			UDC, UDN, UDL,	l		40.1-	40	ĺ	ſ	1	15.20	1	1		1
i	per unbundled loop	1	<u> </u>	USL	ULMBT		12.15	12,15		ــــــــــــــــــــــــــــــــــــــ		10.20	L		L	

DITOUTE	D NETWORK ELEMENTS - Louisiana												Attachi	ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR		Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
			├		 	Rec	Nonrec First	Add'l	First	g Disconnect Add'I	COMEC	SOMAN	SOMAN	Rates(\$)	SOMAN	SOMAN
SUB-LOOPS		_					FIISt	AUU I	Filst	Auu	SOMEC	SOMAN	SOMAIN	SUMAN	SUMAIN	SUMAN.
	oop Distribution		 							+	+	 				
1000	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-		 -							 	+	 	 			
ĺ	Up	1	1	UEANL	USBSA	ł	144.09	144.09	ł	1	ł	15.20	ł	l	l	ł
												1				
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	1		UEANL	USBSB		10.99	10.99	1		ŀ	15.20			1	
	Sub-Loop - Per Building Equipment Room - CLEC Feeder															
	Facility Set-Up			UEANL	USBSC	,	86.16	86.16				15 20				L
- 1	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel		}	l						1	1		Į	j]	1
	Set-Up		├ —	UEANL	USBSD		27.13	27.13				15.20			ļ	
l l	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1	١.	1	UEANL	USBN2	7.57	63 89	30 06	ł		1	15.20		ļ	į.	
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		+-	UEANL	USBINZ	7.57	63 89	30.06			 	15.20	 	ļ		
	Zone 2		2	UEANL	USBN2	12.75	63 89	30 06	<u> </u>	1		15.20				ł
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	<u> </u>	-	OLAGE	OODITE	12.75	00 00	00.00			+	1,5,25	l			l ———
	Zone 3	1	3	UEANL	USBN2	21,45	63 89	30.06		1	1	15 20	[ĺ	ĺ	ſ
			<u> </u>													
i	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		l	UEANL	USBMC		7.92	7 92				L			<u> </u>	L
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop		T							1	1	1				
	Zone 1		1	UEANL	USBN4	11.76	76.75	42.92			<u> </u>	15.20			<u> </u>	<u> </u>
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		I^{-}								1	1	ł	ĺ	l	ł
	Zone 2		2	UEANL	USBN4	16 84	76.75	42 92			<u> </u>	15.20		ļ		
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		İ		1						1	1		1		
	Zone 3		3	UEANL	USBN4	19.27	76.75	42.92		 	ļ	15.20	 			
		l	i		1100140		- 700	7.92			t	1	1		1	
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		├ ──	UEANL UEANL	USBMC USBR2	2.91	7.92 51,48	17.65	 		 	15 20	 	 	 	
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)		├	UEANL	USBRZ	2.91	51,46	- 17.05		 	 	13 20	·			
. 1	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	1		UEANL	USBMC		7.92	7.92			1		į]		1
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)		+	UEANL	USBR4	6.58	57,54	23.71		<u> </u>		15.20	1		<u> </u>	
	Out-Loop 4-17/16 indabding Network Cable (1140)	 	+-	OE THE	005.11	- 5.00							1			
ı i	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	ļ		UEANL	USBMC		7.92	7 92							L	
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	<u> </u>	1		UCS2X	6 26	63 89	30.06				15.20				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1	2	UEF	UCS2X	10 07	63 89	30.06		<u> </u>		15.20				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS2X	12.70	63,89	30.06				15.20	ļ		ļ	
												l		•		
ــــــــــــــــــــــــــــــــــــــ	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		<u> </u>	UEF	USBMC		7 92	7.92		ļ		15 20	ļ.——	ļ	 _	
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1	UEF	UCS4X	8.03	76.75	42 92			 	15,20			 	
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS4X UCS4X	10.71 6.08	76.75 76.75	42.92 42.92		+		15.20		 	 	
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	_	13	UEF	UCS4X	_6.08	70 75	42.92		 	+	10.20	 		 	
i 1	Codes Consultantian facilitation alled Outs Languages with loop pair	l		UEF	USBMC		7.92	7.92		1						l
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair ndled Sub-Loop Modification		+-	UEF	OSBINO		7.02	7.04		1						
Unbu	Unbundled Sub-Loop Modification - 2-W Copper Dist Load		+	 -					· · · · · · · · · · · · · · · · · · ·				1	J		
i l	Coll/Equip Removal per 2-W PR			UEF	ULM2X		0.00	0.00				15.20	<u> </u>		<u> </u>	1
	Unbundled Sub-loop Modification - 4-W Copper Dist Load		† 										T	ĺ		
i 1	Coll/Equip Removal per 4-W PR	l		UEF	ULM4X		0 00	0.00				15.20				
	Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged		 							1	i			i	1	
<i>i</i> 1	Tap Removal, per PR unloaded	L		UEF	ULM4T		224 55	4.29	<u> </u>	 _		15 20	₩	 	 	
Unbu	ndled Network Terminating Wire (UNTW)								ļ	_	+	15.55		 	 	
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.3454	14.72	14.72	 	ļ	 	15.20	1	 	 	+
Netwo	ork Interface Device (NID)		\perp						ļ	ļ	+	15.20	 	 	 	
	Network Interface Device (NID) - 1-2 lines		<u> </u>	UENTW	UND12		42 26	27.83	 	 	+-	15.20		 	 	
	Network Interface Device (NID) - 1-6 lines		┼	UENTW	UND16		62.86	48.43 5.73		+	+	15.20		t	 	
	Network Interface Device Cross Connect - 2 W	<u> </u>	┼—	UENTW	UNDC2 UNDC4		5.73 5.73	5.73	 	+	+	15.20		 	 	1
	Network Interface Device Cross Connect - 4W	ı	1	UENTW	UNDU4	L	3.73	0./3		+	+-	+		+	 	
SUB-LOOPS	Hether intellace Believ Greece Samuel 111		1			Ī I	t e			1	1	1	4	1		

MOUNT	D NETWORK ELEMENTS . Louisians											Attachr			bit: B
NBUNDLE	D NETWORK ELEMENTS - Louisiana									Svc Order	Svc Order	incremental	Incremental	Incremental	Increment
	1		i		1 1						Submitted	Charge -	Charge -	Charge -	Charge -
			1 i							Elec	Manually	Manual Svc	Manual Svc		Manual S
	ļ	Interi	1 1					RATES(\$)						Order vs.	Order vs
TEGORY	RATE ELEMENTS		Zone	BCS	usoc			KA1E5(3)		per LSR	per LSR	Order vs.	Order vs.		
		m	1 1		! i					1		Electronic-	Electronic-	Electronic-	Electroni
			1 1		1					1	l	1st	Addʻl	Disc 1st	Disc Add
			1 1		!				· · · · · · · · · · · · · · · · · · ·		<u> </u>		D (0)	L	
						5	Nonrec	urring	Nonrecurring Disconne				Rates(\$)	0011411	1 0000
						Rec	First	Add'I	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	LIGHT IN THE COURT PROJECTION CLECK		-	UEA,							1			1	
- 1	USL-Feeder, DS0 Set-up per Cross Box location - CLEC		1	UDN,UCL,UDL,UDC	USBFW		144.09		i	l l	15.20			1	İ
	Distribution Facility set-up	<u> </u>	_		USBFVV		144.03							1	
	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair		1	UEA,			10.99	10 99			15.20	1]	ì
ŀ	set-up		L	UDN,UCL,UDL,UDC							15.20				
	USL Feeder DS1 Set-up at DSX location, per DS1 termination		I	USL	USBFZ		568.98	11.30			13.20			 	+
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice				i i						45.00	Ì			i
	Grade - Zone 1		1 1	UEA	USBFA	8 71	89.81	54 35			15 20	ļ <u> </u>			
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice		+						· ·	l	1	1		1	
- 1		l	2	UEA	USBFA	13 64	89.81	54.35			15 20		L		
	Grade - Zone 2	-	 -	ULA	100DIA										1
	Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start,	1	1 _	l	Lunner	ا مممد ا	89.81	54 35	1		15.20	i	I		l
	Voice Grade - Zone 3		3	UEA	USBFA	30.21		J+ 33			1	 			Г
	Order Coordination for Specified Conversion Time, per LSR		L	UEA	OCOSL		17 56		<u> </u>		+	 		·	
	Unbundide Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice										45.00	i	1	1	l
l	Grade - Zone 1	I	1 1	UEA	USBFB	8.71	89.81	54.35			15 20	 	 	 	+
	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice		+						I "	Į.	1	1		1	!
1		1	1 2	UEA	USBFB	13.64	89 81	54 35	_		15 20				4
	Grade - Zone 2	⊢—	+	054	300.0	10.04								1	1
	Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice	1	1		1	0004	89 81	54.35		l l	15.20	1		1	
- 1	Grade - Zone 3	l	3_	UEA	USBFB	30 21		54.35			10.20	·			1
	Order Coordination for Specified Time Conversion, per LSR		T-	UEA	OCOSL		17.56					+	 	· · · · · · · · · · · · · · · · · · ·	
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,						l		l 1	- [45.00	1	l		i
1		l	1 1	UEA	USBFC	871	89 81	54.35			15.20				+
	Voice Grade - Zone 1	┼──	+	CENT	1000					l l	ı	ì	1		1
- 1	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,	1	1 .	UEA	USBFC	13.64	89 81	54 35	1	ŀ	15 20	1	l	l	
	Voice Grade - Zone 2		2	UEA	USBFC	13.04	09.01	3700						T	
	Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse	1	1	i	1		l		; I	1	15.20	1	ļ	1	
j	Battery, Voice Grade - Zone 3	1	1 3	UEA	USBFC	30.21	89.81	54.35			10.20	+			1
-	Order Coordination For Specified Conversion Time, per LSR			UEA	OCOSL		17.56	L							+
	Order Coordination For Specified Conversion Time, per Lon		+	00								<u> </u>	1	ı	Ŀ
1	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice	l.	1 4	UEA	USBFD	21 44	103 69	67 31	i l		15.20				
- 1	Grade - Zone 1			UEA	CODID							1		ŀ	1
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice	1	1	!	1	1	103.69	67.31	k	1	15.20) [1		
- 1	Grade - Zone 2	I .	2	UEA	USBFD	24.66	103.68	67.31	 		· - · ·				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice				ì	1			1		15.20	۸l	1		4
l l			3	UEA	USBFD	42 84	103.69	67 31			13.20	4	 		
	Grade - Zone 3	+	-	UEA	OCOSL		17 56					 			+
	Order Coordination For Specified Conversion Time, Per LSR	+		OLA .							l l				ł
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice		١.	1	USBFE	21.44	103 69	67.31	1 1	1	15.20)			
1	Grade - Zone 1		<u> </u>	UEA	USBFE	61.77	100 05	5,,,,,							
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice					1	400.00	07.01		l l	15 20) 	1		
ĺ	Grade - Zone 2		2	UEA	USBFE	24.66	103.69	67.31	 						
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice	1	٦				1		1	1	15 20	s I	1	1	1
1	Onbunated Sub-Loop resoler Loop, 4 Wife Loop-Start, Voice	1	1 3	UEA	USBFE	42 84		67 31	<u> </u>		15 20	'	-	+	+
	Grade - Zone 3	+	+-	UEA	OCOSL	T	17 56		I			.+	+		+-
	Order Coordination For Specified Conversion Time, Per LSR	+	+		USBFF	15.44		66 20			15 20				
	Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1			UDN				66.20			15 20	0	1		
-	Highundlad Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2		2	UDN	USBFF	23.32					15 20				
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3		3	UDN	USBFF	44.57		66.20	 		 		1		
	Order Coordination For Specified Conversion Time, Per LSR	\top		UDN	OCOSL		17.56	ļ	 		15 20	. 	 	- 	T
	Order Coordination For Specified Conversion Time, Fer Con	+	1	UDC	USBFS	15.44		66.20					+		+-
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)	+		UDC	USBFS	23.32		66 20	1		15 20		+	+	+-
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)	-			USBFS	44.57				l	15.20			+	-
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)			UDC							15.2	0			
-	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1		1	USL	USBFG	55 38					15.2	0			
-+	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2		2	USL	USBFG	167 83					15.2		1		
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3			USL	USBFG	469.87					 !5.2				\top
	Unbundled Sub-Loop Feeder Loop, 4-vviie US1 - Zone 3	+-		USL	OCOSL		17 56		l			. 	+		+-
I	Order Coordination For Specified Conversion Time, Per LSR				USBFH	6.96	81.36	44.98			15.2	<u> </u>	+		
	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1	_	1	UCL	USBER	V.30		<u> </u>	1		1	1	1	1	
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone	∍	1	Į.		1	۔۔ یہ ا	44.98		-1	15.2	0			
	0	1	2	UCL	USBFH	4.97	81.36	44.98	`						1 -
	14 handled Oak Leep Feeder Leep C Miles Conner Leep - Zone	9	+-			T	1		1		150	n l	1	1	1
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone	'	3	UCL	USBFH	3.99	81 36	44.98	91		15.2	~ 			
1	3	-	- 3		OCOSL.	 	17.56								
	Order Coordination For Specified Conversion Time, per LSR			UCL		15.68					15.2	.0 [+	
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1			UCL.	USBFJ						15.2	10			
1	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2		7 2	UCL	USBFJ	9.68	98.07	01.0							

UNBU	NDLE	NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: B
CATEGO		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs, Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
							Rec	Nonrec		Nonrecurring Dis				OSS	Rates(\$)		
\Box								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3		3	UCL	USBFJ	6.39	98.07	61.69				15.20				
		Order Coordination For Specified Conversion Time, per LSR		 _ -	UCL	OCOSL		17.56				<u></u>					
\vdash		Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop			UDL,	USBFN	22 61	98.15	61.77				15.20	ļ			
$\vdash \vdash$		Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop			UDL	USBFN	22.87 24.25	98.15	61.77	<u> </u>		-	15 20				
		Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 1		1	UDL	USBFO	22 61	98.15 98.15	61.77				15 20 15.20				
		Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 2		2	UDL	USBFO	22 87	98.15	61.77				15.20				
		Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 3		3	UDL	USBFO	24.25	98.15	61.77				15.20				
\vdash		Order Coordination For Specified Time Conversion, per LSR		۳	UDL	OCOSL	£4.60	17.56	01.77	 		 	10.20	<u> </u>	 		
-		Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -		-		10000		17.50	-				 			 	
		Zone 1 Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -	ļ	1	UDL	USBFP	22.61	98.15	61.77				15 20				ļ
		Zone 2		2_	UDL	USBFP	22.87	98.15	61.77				15 20				
		Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 3		3_	UDL	USBFP	24 25	98.15	61 77				15.20				
		Order Coordination For Specified Conversion Time, per LSR			UDL	OCOSL		17.56									
SUB-LO																	
	Sub-Lo	op Feeder															
		Sub Loop Feeder - DS3 - Per Mile Per Month	1		UE3	1L5SL	17.00										ļ
		Sub Loop Feeder - DS3 - Facility Termination Per Month	1		UE3	USBF1	368.44	3,381 00	406 56				15.20		<u> </u>		ļ. —
L		Sub Loop Feeder - STS-1 - Per Mile Per Month		_	UDLSX	1L5SL	17.00						15.00				<u> </u>
<u></u>		Sub Loop Feeder - STS-1 - Facility Termination Per Month		—	UDLSX	USBF7	395.92	3,381.00	406 56				15.20				
		Sub Loop Feeder - OC-3 - Per Mile Per Month	<u> </u>	├	UDLO3	1L5SL	12 90			 				ļ		 	
		Sub Loop Feeder - OC-3 - Facility Termination Protection Per Month			UDLO3	USBF5	60 45		<u>-</u>	<u> </u>							
		Sub Loop Feeder - OC-3 - Facility Termination Per Month	1		UDLO3	USBF2	594.77	3,381.00	406.56				15.20		<u> </u>		
		Sub Loop Feeder - OC-12 - Per Mile Per Month	1		UDL12	1L5SL	15.87										ļ
		Sub Loop Feeder - OC-12 - Facility Termination Protection Per	İ .	1						1 1		l		-	l		
		Month	1 !	 	UDL12	USBF6	683.03	5.551.55	100 50				15.20				
		Sub Loop Feeder - OC-12 - Facility Termination Per Month	<u> </u>	—	UDL12	USBF3	1,922.00	3,381.00	406 56				15.20		 		
\vdash		Sub Loop Feeder - OC-48 - Per Mile Per Month	<u> </u>	 	UDL48	1L5SL_	52.07								 		
		Sub Loop Feeder - OC-48 - Facility Termination Protection Per Month			UDL48	USBF9	341 64			l							
		Sub Loop Feeder - OC-48 - Facility Termination Per Month	1		UDL48	USBF4	1,663 00	3,566.00	406 56			ļ	15.20	<u> </u>			├
		Sub Loop Feeder - OC-12 Interface On OC-48	ı		UDL48	USBF8	385.45	787.24	406 56				15 20	ļ ——		<u> </u>	
UNBUN	DLED I	OOP CONCENTRATION		—				040.00	240.00	 			15 20		 	 	 -
		Unbundled Loop Concentration - System A (TR008)	<u> </u>	↓ —	ULC	UCT8A_	374.26 53.40	316 00 131 67	316.00 131.67	 			15 20		 -	 	
\vdash		Unbundled Loop Concentration - System B (TR008)		↓ —	ULC	UCT8B	412.08	316 00	316.00	 			15.20			 	
\vdash		Unbundled Loop Concentration - System A (TR303)		┼	ULC	UCT3A UCT3B	89.98	131.67	131.67				15.20		-		
		Unbundled Loop Concentration - System B (TR303)	_	∔		UCTCO	5.12	61.46	44.74				15 20				
\vdash		Unbundled Loop Concentration - DS1 Loop Interface Card Unbundled Loop Concentration - ISDN Loop Interface (Brite	-	-	ULC												
		Card) Unbundled Loop Concentration - UDC Loop Interface (Brite		\vdash	UDN	ULCC1	8.12	10 23	10.18			 	15.20		 		
		Card) Urbundled Loop Concentration2 Wire Volce-Loop Start or		ļ. —	UDC	nrccn	8 12	10.23	10.18	 			15.20	 			├
		Ground Start Loop Interface (POTS Card)		_	UEA	ULCC2	2.03	10.23	10.18	<u> </u>			15.20				
		Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery Loop Interface (SPOTS Card)			UEA	ULCCR	12.07	10.23	10.18			ļ	15.20				 -
		Unbundled Loop Concentration - 4 Wire Voice Loop Interface (Specials Card)			UEA	ULCC4	7.20	10.23	10.18				15.20				L
		Unbundled Loop Concentration - TEST CIRCUIT Card		\mathbb{L}^{-}	ULC	UCTTC	35.19	10.23	10.18			 	15.20	-			
		Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop Interface			UDL	ULCC7	10 67	10 23	10.18				15.20				
		Unbundled Loop Concentration - Digital 56 Kbps Data Loop Interface			UDL	ULCC5	10.67	10,23	10.18				15.20				

UNBUND	LED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhil	bit; B
CATEGORY		Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronio- Add'l	Incremental Charge -	Incrementa Charge -
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	Unbundled Loop Concentration - Digital 64 Kbps Data Loop						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interface	1		UDL	ULCC6	10.67	10.23	10.18				15.00		1	l	
UNE OTHE	R, PROVISIONING ONLY - NO RATE		+	ODC	OLCOB	10.67	10.23	10.18				15.20				
	NID - Dispatch and Service Order for NID installation		 	UENTW	UNDBX	0 00	0.00					 				
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0 00	0.00									
				UEANL, UEF, UEQ, U												
	Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN	0 00	0.00							1	1	
UNE OTHE	R, PROVISIONING ONLY - NO RATE															
	Unbundled Contact Name, Provisioning Only - no rate Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no			UAL,UCL,UDC,UDL, UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
	rate	l	ļ	UEA,UDN,UCL,UDC	USBEO	0.00	0 00]					ŀ	1	l
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no	-	 	02.40014,002,000	0001 Q		- 000		-							
	rate		1	UEA,USL,UCL,UDL	USBFR	0.00	0.00				1			l		
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
	Unbundled DS1 Loop - Expanded Superframe Format option -															
	no rate		└	USL	CCOEF	0.00	0.00									<u> </u>
HIGH CAPA	ACITY UNBUNDLED LOCAL LOOP		 													
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month High Capacity Unbundled Local Loop - DS3 - Facility			UE3	1L5ND	10.04										
	Termination per month			UE3	UE3PX	362.34	438 46	256 30				15.20				
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	10.04										
	High Capacity Unbundled Local Loop - STS-1 - Facility	1	١.		l								1			1
LOOP MAK	Termination per month	-	ļ.	UDLSX	UDLS1	374.56	438 46	256 30				15 20				ļ
LUUP MAK	Loop Makeup - Preordering Without Reservation, per working or		 													
	spare facility queried (Manual). Loop Makeup - Preordering With Reservation, per spare facility	ļ	_	UMK	UMKLW		23.29	23 29								
	queried (Manual)	ļ	ļ	UMK	UMKLP		24.70	24.70						ļ		
	Loop MakeupWith or Without Reservation, per working or spare facility queried (Mechanized)		<u> </u>	UMK	PSUMK		0.19	0.19								
	QUENCY SPECTRUM	<u> </u>												·		
	IE SHARING		+													
SPL	LITTERS-CENTRAL OFFICE BASED	 		lue -	ULSDA	187.17	183.33	0.00	0 00	0.00		15.20				
	Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity	+	+-	ULS	ULSDB	46 79	183.33	0 00	0.00	0.00	 	15.20				-
	Line Sharing Splitter, Per System 24 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity	1	-	ULS	ULSD8	15.59	183.33	0.00	0.00	0 00		15.20				
\vdash	Line Sharing Spiriter, Fer System, & Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activaton-	 '-	_	-		10.00	100.50	0.50	5.50							
	deactivation (per LSOD)	1	1	ULS	ULSDG	l '	83.98	0.00	0.00	0.00		15 20				
ENI	D USER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENC	Y SPEC	TRUM													
 	Line Shanng - per Line Activation (BST Owned Splitter)	T	T	ULS	ULSDC	0 61	17.97	10.29	0.00	0.00		15 20				ļ
	Line Shanng - per Subsequent Activity per Line Rearrangement(BST Owned Splitter)			ULS	ULSDS		15.91	7 95				15.20	-			
	Line Shanng - per Subsequent Activity per Line Rearrangement(DLEC Owned Splitter)			ULS	ULSCS		15.91	7.95				15.20				
	Line Sharing - per Line Activation (DLEC owned Splitter)	1	T	ULS	ULSCC	0.61	47.44	19.31	0.00	0.00		15.20				
LIN	IE SPLITTING							-								ļ
ENI	D USER ORDERING-CENTRAL OFFICE BASED														L	
	Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61									 	
	Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	17.97	10.29				<u> </u>				
	Line Splitting - per line activation BST owned - virtual		-	UEPSR UEPSB	UREBV	0.61	17.97	10.29	-				ļ			
	MOTE SITE HIGH FREQUENCY SPECTRUM	<u> </u>	1									ļ				
SPL	LITTERS-REMOTE SITE		_		LHORS	50.55	ATT #4	0.00	0 00	0.00		15.20	 		 	
	Remote Site Line Share BellSouth Owned Splitter, 24 Port		 	ULS	ULSRB	53.97	377,71	0.00	0.00	0.00		15.20			 	
	Remote Site Line Share Cable Pair Activation CLEC Owned at RS and Deactivation	1		ULS	ULSTG		74.38	0 00	0.00	0.00		15.20	L	<u> </u>	<u></u>	<u> </u>

UNBUNDL	ED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	Bos	USOC			RATES(\$)				Submitted Manually	Incremental	Incremental Charge -	Incremental Charge -	Increments Charge -
		 			 	_	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)		
			_			Rec	First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
END	USER ORDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI	M AKA	REMOT	E SITE LINE SHARI	ING					1,1551				COMPAN	COMPAN	DOMAN
	Remote Site Line Share Line Activation for End User Served at													-		
	RS, BST Splitter	1		ULS	ULSRC	0.61	36.97	21.17	000	0.00		15.20			i	
- 1	RS Line Share Line Activation for End User served at RS, CLEC	١.														
LIMBUNDI ED	Splitter DEDICATED TRANSPORT	 	-	ULS	ULSTC	0.61	36.97	21.17	0.00	0.00		15.20				<u>.</u>
NOTE	: INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimu	m billin	l noric	d - below D62-one	month DC2	CTC 1 four mo										
INTE	ROFFICE CHANNEL - DEDICATED TRANSPORT	I	ig peric	G - Delow D23=0116	Tionen, DS3	515-1=10ur mo	กเกร									
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			UITVX	1L5XX	0.013										
l	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
	Facility Termination Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade	ļ	-	U1TVX	U1TV2	22.60	39 36	26.62				15.20				
1	Rev Bat, - Per Mile per month			U1TVX	1L5XX	0.013										
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat			OTIVA	ILSAA	0.013										
	Facility Termination		1	U1TVX	U1TR2	22.60	39.36	26.62	1			15.20				ļ
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0 013										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination		Γ	U1TVX	U1TV4	19.81	39.36	26.62				15.20				
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0.013										
	interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination			U1TDX	U1TD5	15.61	39.37	26.62				15.20				
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile	_	 				00.01					10.20				
	per month Interoffice Channel - Dedicated Transport - 64 kbps - Facility	-	_	U1TDX	1L5XX	0 013									-	-
	Termination Interoffice Channel - Dedicated Channel - DS1 - Per Mile per	_	 	U1TDX	U1TD6	15 61	39.37	26.62			ļ	15.20				
	month Interoffice Channel - Dedicated Tranport - DS1 - Facility		<u> </u>	U1TD1	1L5XX	0.2652								<u> </u>	ļ ———	ļ
	Termination Interoffice Channel - Dedicated Transport - DS3 - Per Mile per		<u> </u>	U1TD1	U1TF1	_70 47	86 69	79.44				15 20				
	month		<u> </u>	U1TD3	1L5XX	6.04										
	interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TD3	U1TF3	850.45	270.69	158.05				15.20				
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			บารา	1L5XX	6.04										
	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination			U1TS1	U1TFS	830.19	270.69	158.05				15.20				
	L CHANNEL - DEDICATED TRANSPORT															
NOTE	: LOCAL CHANNEL DEDICATED TRANSPORT - minimum billin	g perio	d - bel				107.51	20.01				15.20				
	Local Channel - Dedicated - 2-Wire Voice Grade	_	-	ULDVX	ULDV2 ULDR2	18 32 18.32	187 51 187.51	32.21 32.21			 	15.20				
	Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat Local Channel - Dedicated - 4-Wire Voice Grade	-		UNDVX	ULDV4	19.41	187.51	32.21				15 20		 -		
	Local Channel - Dedicated - 4-Wire Voice Grade Local Channel - Dedicated - DS1 - Zone 1		+	ULDD1	ULDF1	39.18	172 34	149.27				15.20				l
\vdash	Local Channel - Dedicated - DS1 - Zone 1			ULDD1	ULDF1	121 58	172.34	149.27			<u> </u>	15.20		···		
	Local Channel - Dedicated - DS1 - Zone 3			ÚLDD1	ULDF1	70.02	172.34	149.27	l			15.20				
	Local Channel - Dedicated - DS3 - Per Mile per month			ULDD3	1L5NC	7.82										
	Local Channel - Dedicated - DS3 - Facility Termination			ULDD3	ULDF3	469.44	438 46	256.30				15.20				ļ
	Local Channel - Dedicated - STS-1- Per Mile per month			ULDS1	1L5NC	7.82						45.00				
	Local Channel - Dedicated - STS-1 - Facility Termination			ULDS1_	ULDFS	457.22	438.46	256 30				15.20				
DARK FIBER			-													
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			UDF	1L5DC	52.23										1
	Thereof per month - Local Channel			UDF	UDFC4	52.23	620 60	133.88				15.20		1		
	NRC Dark Fiber - Local Channel Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	\vdash	1	025	JUDF 04		020 60	133.00				10.20			 	-
	Thereof per month - Interoffice Channel	l		UDF	1L5DF	25 28			1						L	L
 	NRC Dark Fiber - Interoffice Channel	 	 	UDF	UDF14		620.60	133.88				15.20				

UNBUNDLE	D NETWORK ELEMENTS - Louisiana													ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					Rates(\$)		
		<u> </u>	ļ	ļ	ļ		First	Add'l	First	Addi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
. 1	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop		1	UDF	1L5DL	52 23				ì		1	1	1		į.
	NRC Dark Fiber - Local Loop	-	┼─	UDF	UDFL4	52 23	620.60	133 88			 	15.20				
8XX ACCESS	TEN DIGIT SCREENING				100.24		020.00	100 00) 	10.20	 		 	
	8XX Access Ten Digit Screening, Per Call			OHD		0.0006387										
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved			ОНО	N8R1X		2 51	0 43				15.20				
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations			OHD			5.77	0 78				15.20				
	8XX Access Ten Digit Screening, Per 8XX No. Established With	ŀ		OHD	N8FTX		5.77	0 78			ŀ	15 20			l	
	POTS Translations 8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number			OHD	N8FCX		2 51	1.26				15.20	 			
	8XX Access Ten Digit Screening, Multiple InterLATA CXR												_			
	Routing Per CXR Requested Per 8XX No		—	OHD	N8FMX N8FAX		2.93 2.93	1.68 0.43		ļ <u> </u>		15 20 15.20		 	 	
	8XX Access Ten Digit Screening, Change Charge Per Request 8XX Access Ten Digit Screening, Call Handling and Destination		┼	OHD	N8FAX		2.93	0.43		· · · · · · · · · · · · · · · · · · ·	 	15.20			 	
	Features		<u> </u>	ОНО	N8FDX		2 51	•			<u> </u>	15.20	ļ 		<u> </u>	
	BXX Access Ten Digit Screening, w/ 8XX No. Delivery, per query BXX Access Ten Digit Screening, w/ POTS No. Delivery, per			ОНД	ļ	0 0006387					<u> </u>		ļ	ļ	ļ	ļ <u> </u>
	query		1	ОНО		0.0006387							1		<u> </u>	
LINE INFORM	ATION DATA BASE ACCESS (LIDB)															
	LIDB Common Transport Per Query		ļ	OQT		0 0000221				ļ <u></u> -						
	LIDB Validation Per Query	ļ		OQU	NRPBX	0 0135077	33 33					15 20	 	 	 	
CICALALING (LIDB Originating Point Code Establishment or Change	\vdash	┼	OQT, OQU	NHPBX		33 33			·	 	15 20				
SIGNALING (C	CCS7 Signaling Termination, Per STP Port	<u> </u>	-	UDB	PTBSX	147 60				 	 	 				1
	CCS7 Signaling Usage, Per TCAP Message	 	 	UDB	1.100%	0.000064					1					1
	CCS7 Signaling Connection, Per link (A link)		T -	UDB	TPP++	15.77	34.50	34.50				15.20				
	CCS7 Signaling Connection, Per link (B link) (also known as D													1		1
	link)	⊥		UDB	TPP++	15 77	34 50	34.50		ļ	 	15.20	ļ———	 	ļ	
	CCS7 Signating Usage, Per ISUP Message	ļ	 	UDB	OTUE	0.000016				 				 		+
	CCS7 Signaling Usage Surrogate, per link per LATA	ļ	+	UDB	STU56	732.10						 	ļ	 	 	
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected	<u> </u>	<u> </u>	UDB	CCAPO		28 17	28.17			ļ. ——	15.20		-	 	
	CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected		1	UDB	CCAPD	1	28 17	28.17				15.20			l	
E911 SERVICI		 	+	000	- 00/12									<u> </u>		
LOTT CENTRO	Local Channel - Dedicated - 2-wr Voice Grade - Zone 1					18.32	187 51	32 21				15 20		ļ	ļ	
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 2				T	18 32	187.51	32 21		 	.l	15.20		ļ	ļ	
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 3					18.32	187.51	32.21		ļ	ļ	15 20	 	 	 	
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0.013				ļ		 	 	 	 	
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility		1		Ì	22.60	39.36	26 62				15.20	ŀ		i	ļ
 _	Termination	₩	+-		+	39.18	172.34	149 27	 	 	 	15.20			1	
	Local Channel - Dedicated - DS1 - Zone 1 Local Channel - Dedicated - DS1 - Zone 2	 	+			121.58	172.34	149.27				15.20				
 	Local Channel - Dedicated - DS1 - Zone 2	 	+	 	+	70.02	172.34	149.27				15.20				ļ <u> </u>
	Interoffice Transport - Dedicated - DS1 Per Mile	+	 			0.2652							L		ļ	
	Interoffice Transport - Dedicated - DS1 Per Facility Termination					70.47	86.69	79.44				15.20		<u> </u>		<u> </u>
CALLING NAT	ME (CNAM) SERVICE		1]			ļ <u> </u>	ļ	ļ	 	<u> </u>	-	
	CNAM For DB Owners - Service Establishment			OQV			22.29		<u> </u>	 	 	15.20	 	 	 	+
	CNAM For Non DB Owners - Service Establishment			ÖQV			22.29	<u> </u>		 		15 20	 	 	+	+
	CNAM For DB Owners - Service Provisioning With Point Code Establishment			oov			962.22	711.64		ļ	<u> </u>	15 20		ļ	<u> </u>	
	CNAM For Non DB Owners - Service Provisioning With Point Code Establishment			oqv			332.43	238.05				15 20	<u> </u>		ļ	
	CNAM for DB Owners, Per Query	1		OQV		0.0010217	l			1	1	<u> </u>				

THEOHDER	D NETWORK ELEMENTS - Louisiana												Attachi	ment: 2	Exhil	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BČŠ	usoc			RATES(\$)				Submitted	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order vs Electroni Disc Add
						Rec	Nonre			g Disconnect				Rates(\$)		
	CNAME OF DECISION OF THE OWNER OWNER OF THE OWNER OWNE		—				First	Add'l	First	Addʻi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
.NP Query Se	CNAM for Non DB Owners, Per Query			oqv		0.0010217								<u> </u>		
NP Query Se				0014						ļ			<u> </u>			<u> </u>
	LNP Charge Per query LNP Service Establishment Manual		↓	OQV		0.0008559			<u></u>				<u> </u>			
	LNP Service Provisioning with Point Code Establishment		—				12.16			ļ	1	15.20				
DEDATORC	ALL PROCESSING	-					576.33	294 43		<u> </u>		15 20		ļ		
PERATOR C	Oper. Call Processing - Oper. Provided, Per Min - Using BST		 							 _	<u> </u>			ļ		
	LIDB		ļ			1.20										
	Oper. Call Processing - Oper. Provided, Per Min Using Foreign LIDB		_		<u></u>	1 24										
	Oper. Call Processing - Fully Automated, per Call - Using BST LIDB					0 20										
	Oper. Call Processing - Fully Automated, per Call - Using Foreign LIDB					0.20										
WARD OPER	RATOR SERVICES				\bot											
	Inward Operator Services - Verification, Per Minute	L				1.15										
	Inward Operator Services - Verification and Emergency Interrupt - Per Minute		_			1.15										
	PERATOR CALL PROCESSING		\perp													
Facility	y based CLEC															
	Recording of Custom Branded OA Announcement				CBAOS		7,000.00	7,000.00				15.20				
	Loading of Custom Branded OA Announcement per shelf/NAV per OCN				CBAOL		500.00	500.00				15.20				
UNEP																
	Recording of Custom Branded OA Announcement						7,000.00	7,000 00				15.20				
	Loading of Custom Branded OA Announcement per shelf/NAV per OCN						500.00	500.00				15.20				
Unbra	nding via OLNS for UNEP CLEC							-								
	Loading of OA per OCN (Regional)						1,200.00	1,200.00				15.20				
RECTORY A	SSISTANCE SERVICES															
DIREC	TORY ASSISTANCE ACCESS SERVICE															
	Directory Assistance Access Service Calls, Charge Per Call					0.275										
DIREC	TORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (E	DACC)														
	Directory Assistance Call Completion Access Service (DACC),															
	Per Call Attempt		l			0.10										
	SSISTANCE SERVICES															
DIREC	TORY ASSISTANCE DATA BASE SERVICE (DADS)				T											
	Directory Assistance Data Base Service Charge Per Listing					0.04										
	Directory Assistance Data Base Service, per month				DBSOF	150.00										<u> </u>
	DIRECTORY ASSISTANCE				<u> </u>									!		
Facility	y Based CLEC															
	Recording and Provisioning of DA Custom Branded Announcement			AMT	CBADA		6,000.00	6,000.00				15 20				
	Loading of Custom Branded Announcement per DRAM Card/Switch			AMT	CBADC		1,170.00	1,170.00				15.20				
UNEP																
	Recording of DA Custom Branded Announcement						3,000 00	3,000.00				15.20				
	Loading of DA Custom Branded Announcement per DRAM Card/Switch per OCN	_					1,170.00	1,170 00				15.20				
Unbrar	nding via OLNS for UNEP CLEC															
	Loading of DA per OCN (1 OCN per Order)						420.00	420.00				15 20				
	Loading of DA per Switch per OCN						16.00	16 00				15.20				L
LECTIVE R																
	Selective Routing Per Unique Line Class Code Per Request Per Switch				USRCR		82.25	82.25				15.20				
RTUAL COL			_		1					1						
	Virtual Collocation - Application Cost			AMTFS	EAF		1,770,40					15.20				
	Virtual Collocation - Cable Installation Cost, per cable		 	AMTES	ESPCX		841.54			†		15.20				
	Virtual Collocation - Floor Space, per sq. ft		+	AMTES	ESPVX	3 20	57,.57									

INDIINDI E	D NETWORK ELEMENTS - Louisiana												Attachr			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(S)					Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Nonrec	urring	Nonrecurring	Disconnect				Rates(\$)		
			-	 		Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation - Power, per fused amp			AMTES	ESPAX	8.32										ļ
	Virtual Collocation - Cable Support Structure, per entrance													ľ	ŀ	ł
	cable		ļ	AMTFS	ESPSX	16.02					 					
	Virtual Collocation - 2-wire Cross Connects (loop)			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, AMTFS, UDL, UNCVX, UNCDX, UNCNX	UEAC2	0 0296	11.94	11.46				15 20				
				UEA,UHL,UCL,UDL, AMTFS, UAL, UDN,												
ļ	Virtual Collocation - 4-wire Cross Connects (loop)		l	UNCVX, UNCDX	UEAC4	0 0591	12.04	11.53				15 20				
				AMTFS,UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12,	CNICOE	2.65	20.29	14 76				15.20				
	Virtual Collocation - 2-Fiber Cross Connects		 	ULD48, UDF AMTFS,UDL12,	CNC2F	2,65	20.29	14.70								
	Virtual Collocation - 4-Fiber Cross Connects			UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC4F	5 31	24.81	19.29				15.20				
	Vittal Collocation - Price Closs Collinects			USL,ULC,AMTFS, ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL,												
	Virtual collocation - DS1 Cross Connects	1		UNLD1	CNC1X	1.04	21.39	15.47	ļ	_		15.20	ļ		 	+
	Virtual collocation - DS3 Cross Connects			USL,ULC,AMTFS,U E3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CND3X	13.21	20.28	14.76				15 20				
	Virtual Collocation - Co-Carner Cross Connects - Fiber Cable							1	1			ì	l .	1	ì	
	Support Structure, per linear foot	<u> </u>		AMTES	VE1CB	0.0024										
	Virtual Collocation - Co-Carner Cross Connects - Copper/Coax Cable Support Structure, per linear ft	1		AMTFS	VE1CD_	0 0036				<u> </u>		<u> </u>	-	ļ	<u> </u>	
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable		T		VE400		534.79			1		15 20		<u> </u>	<u> </u>	
	Support Structure.per cable		+-	AMTFS	VE1CC	 	307.73				1					1
	Virtual Collocation - Co-Carner Cross Connects - Copper/Coax		1	AMTES	VE1CE		534.79			1		15 20		 	 	+-
	Cable Support Structure, per cable Virtual Collocation Cable Records - per request	+	+	AMTFS	VE1BA	10.97				 		+	 	+	 	1
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable record			AMTFS	VE1BB	5 29								 	<u> </u>	
-	Virtual Collocation Cable Records - VG/DS0 Cable, per each			AMTFS	VE1BC	0.08		1				<u></u>		<u> </u>		
	100 pair	+	 	AMTES	VE1BD	0.04								 		
	Virtual Collocation Cable Records - DS1, per T1TIE	+-	+-	AMITES	VE1BE	0.13						-	 	+	+	+
-+	Virtual Collocation Cable Records - DS3, per T3TIE Virtual Collocation Cable Records - Fiber Cable, per 99 fiber	+-	+			T			1 -	1		1		1		
	records	┸-		AMTFS	VE1BF	1.37	40.11	10.42	+	+	+	15.20	,	 		
	Virtual collocation - Security Escort - Basic, per half hour			AMTFS	SPTBX	 	16.44 21.41			1	+	15 20				
-†	Virtual collocation - Security Escort - Overtime, per half hour	<u> </u>		ÄMTFS	SPTOX	 	26.38	16 49		-	-	15.20				
	Wirtual collocation - Security Escort - Premium, per half hour		-	AMTES	SPTPX		27.12			 		15 20			 	
	Virtual collocation - Maintenance in CO - Basic, per half hour	-	+	AMTFS	CIMLX	 		1	† — ·				. 1		1	
	Virtual collocation - Maintenance in CO - Overtime, per half hou	ır	4	AMTFS	SPTOM		35.42				+	15.20		 	 	1
_							43.72	16 49								

UNBUNDLE	D NETWORK ELEMENTS - Louisiana													nent: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BČS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge -
			 		† · · · · · · · · · ·	B	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	•	
						Rec	First	Add'1	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2- Wire Analog - Res			UEPSR	VE1R2	0.0296	11.94	11.46				15.20				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus			UEPSP_	VE1R2	0.0296	11.94	11 46				15.20				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0 0296	11.94	11.46				15 20				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus			UEPSB	VE1R2	0.0296	11.94	11.46				15.20				
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN			UEPSX	VE1R2	0.0296	11.94	11.46				15 20				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPTX	VE1R2	0.0296	11.94	11.46				15.20				
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1			UEPEX	VE1R4	0 0591	12.04	11 53				15.20				
VIRTUAL COL	LOCATION Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR, VEPSB	VE1LS	0.0296	11 94	11 46	0.00	0.00		15.20				
PHYSICAL CO			-	OE: OH, OE! OB	VEILO	0.02.00	1134	,,,,,,	0.90	5.00		1000				
AIN SELECTI	Splitting VE CARRIER ROUTING			UEPSR, UEPSB	PE1LS_	0 0318	11.94	11.46				15 20	 		 	
T	Regional Service Establishment		1	UEBIB	SRCEC		100,209.33					15 20				
	End Office Establishment			UEBIB	SRCEO		164 29	164 29				15.20				Ī
	Query NRC, per query			UEBIB		0.0030293										
AIN - BELLSC	OUTH AIN SMS ACCESS SERVICE				I						<u> </u>					
	AIN SMS Access Service - Service Establishment, Per State, Initial Setup			A1N	CAMSE		38.30	38.30				15.20				
1	AIN SMS Access Service - Port Connection - Dial/Shared Access	l		A1N	CAMDP	·	7.60	7.60				15 20				
	AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		7.60	7.60				15.20				
	AIN SMS Access Service - User Identification Codes - Per User ID Code			A1N	CAMAU		33 99	33.99				15.20				
	AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement			A1N	CAMRC		41 39	41.39				15 20				
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.0022					ļ					
	AIN SMS Access Service - Session, Per Minute		<u> </u>			0.5795							ļ			ļ.———
	AIN SMS Access Service - Company Performed Session, Per Minute					0.8104										<u> </u>
AIN - BELLSO	OUTH AIN TOOLKIT SERVICE	ļ	 		-					ļ	 		 		 	+
	AIN Toolkit Service - Service Establishment Charge, Per State, Initial Setup			CAM	BAPSC		38.30	38.30			ļ <u>.</u>	15.20	ļ			ļ
	AIN Toolkit Service - Training Session, Per Customer AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		-		BAPVX		4,175.10	4,175.10			 	15.20				†
_	DN, Term Attempt Alin Toolkit Service - Trigger Access Charge, Per Trigger, Per	_	-		BAPTT		7.60	7.60				15.20	 			
	DN, Off-Hook Delay AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	-	├-		BAPTD		7.60	7.60			 	15.20			 	
	DN, Off-Hook Immediate AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		┼	<u> </u>	BAPTM		7.60	7.60	 	 	-	15 20	 	-	 	
	DN, 10-Digit PODP AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		-		BAPTO	-	33.47	33 47	 	 	 	15.20	 	 		
	DN, CDP AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		+-		BAPTC		33.47	33.47			† —	15.20	<u> </u>			 -
	DN, Feature Code AIN Toolkit Service - Query Charge, Per Query		_		BAPTF	0.0536446	33.47	33.47				15.20				1
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query					0.006569						<u> </u>				<u> </u>
	AlN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes					0.06				<u> </u>		<u> </u>			ļ	<u> </u>

<u>JNBUND</u>	DLED NETWORK ELEMENTS - Louisia	na											Attachr		Exhit	
CATEGOR	Y RATE ELEMENTS	Inter m	Zone	BCS	USOC			RATES(\$)				Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order vs Electroni Disc Add
						Rec	Nonrec			Disconnect	L			Rates(\$)		
							First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	AlN Toolkit Service - Monthly report - Per Al	N Toolkit Service	1	l	I						1					
 }	Subscription			CAM	BAPMS	10.90	7.60	7.60				15.20				
1	AIN Toolkit Service - Special Study - Per All Subscription	N TOOIKIT SERVICE	1		D. A. D. G											
	AIN Toolkit Service - Call Event Report - Pe	r Albi Tacilut Candon	-	CAM	BAPLS	2.80	8.41	8.41			ļ	15.20				
- 1	Subscription	I Ally TOOKIL Service		CAM	BAPDS	8.20	7.60	7.60				15 20				
	AlN Toolkit Service - Call Event Special Stu	dv - Per AlN Toolkit		DAW .	DA DO	0.20	7.00	7.00			·	13 20				
	Service Subscription	-,		САМ	BAPES	0.09	8.41	8.41				15.20				
	D EXTENDED LINK (EELs)										1					
NO	TE: New Density Zone 1 EELs are available in	the following MSAs: Orla	ndo, FL	Miami, FL; Ft. Lau	derdale, FL; A	tlanta, GA; Ne	v Orleans, LA;									
	OTE: Charlotte-Gastonia-Rockhill, NC; Greenst															
	TE: In all states, EEL network elements show												UNEs.(Non-re	curring rates	do not apply.	.)
	TE: In all states the EEL network elements ap				itch As Is Cha	rge.) When or	dering ordinari	ly combined n	etwork elemer	uts, nonrecurri	ng rates do	apply.				
2-W	WIRE VOICE GRADE EXTENDED LOOP WITH I		FICE TF	ANSPORT (EEL)												
	First 2-Wire VG Loop(SL2) in a DS1 Interoff	iced Transport	١.	LINON				**		l		45.00				
	Combination - Zone 1	lub a selfice and	1	UNCVX	UEAL2	14.93	94.21	45.09				15.20				
	First 2-Wire VG Grade Loop(SL2) in a DS1	Interofficed	١,	UNÇVX	UEAL2	25.35	94.21	45.09			i	15 20				
_	Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1	Intereffered	 2	UNCVX	UEAL2	25.35	94.21	45.09			 	15 20				
	Transport Combination - Zone 3	interonicea	١,	UNCVX	UEAL2	50 46	94.21	45 09			l	15.20				
	Interoffice Transport - Dedicated - DS1 com	hingtion - Der Mile		UNCVA	UEALZ	30 40	34.21	45.05			 	13.20				
	per month	Diriadori - Per Iville	1	UNC1X	1L5XX	0 2652				I	1					
	Interoffice Transport - Dedicated - DS1 com	bination - Facility	+	CHOIX	1120/05	0 2002					 					
	Termination per month	Jindaon Tabiny	1	UNC1X	U1TF1	70 47	143.58	103 88			1	15.20			1	
\dashv	DS1 Channelization System Per Month		+	UNC1X	MQ1	105.09	59.97	12 96			i	15.20				
_	Voice Grade COCI - DS1 To Ds0 Interface	- Per Month	 	UNCVX	1D1VG	0 6497	5.91	4.26			1					
	Each Additional 2-Wire VG Loop(SL 2) in th															
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	14.93	94.21	45 09				15.20				
	Each Additional 2-Wire VG Loop(SL2) in th	e same DS1														l
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	25.35	94.21	45.09				15 20		.,		
	Each Additional 2-Wire VG Loop(SL2) in the	e same DS1								l l	Ì					
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	50.46	94 21	45.09			ļ	15 20				
- 1	Voice Grade COCI - DS1 to DS0 Channel S	System combination -	1							Ì						
	per month			UNCVX	1D1VG	0.6497	5.91	4.26		ļ					<u> </u>	
	Nonrecurring Currently Combined Network	Elements Switch -As-			LINGO	l	5.43	5.43		1	1	15.20	1		ĺ	
	Is Charge	DEDICATED DOLUMEDO	FIOR TO	UNC1X	UNCCC		5.43	5.43				15.20				
4-V	WIRE VOICE GRADE EXTENDED LOOP WITH First 4-Wire Analog Voice Grade Loop in a		FICE II	IANSPORT (EEL)						 	 	-				
	Transport Combination - Zone 1	DO 1 HUGHOHICE	1	UNCVX	UEAL4	30 81	94.21	45.09				15 20			ļ .	i
- -	First 4-Wire Analog Voice Grade Loop in a	DS1 Interoffice	+ '-	5	1	50.51	- 34.21	10.00		ļ — — —	T			l	1 "	
ı	Transport Combination - Zone 2	DOT INDIONICO	1 2	UNCVX	UEAL4	38.32	94,21	45.09			i	15.20				!
	First 4-Wire Analog Voice Grade Loop in a	DS1 Interoffice	+-	0.1.0 1.7.						· · · · · · · · · · · · · · · · · · ·						
- 1	Transport Combination - Zone 3		3	UNCVX	UEAL4	60.39	94.21	45.09		i		15.20	İ			
	Interoffice Transport - Dedicated - DS1 cor	nbination - Per Mile														
- 1	Per Month			UNC1X	1L5XX	0.2652				l	<u></u>					
	Interoffice Transport - Dedicated - DS1 - Fa	cility Termination Per		1										Į.		
	Month	1	I	UNC1X	U1TF1	70.47	143.58	103.88			<u> </u>	15.20				
	Channelization - Channel System DS1 to I	OSO combination Per								ļ.		1	•		!	
	Month			UNC1X	MQ1	105.09	59.97	12.96			ļ			ļ — —		
T	Voice Grade COCI - DS1 to DS0 Channel S	System combination -			l			l			1]	I	l]
	per month			UNCVX	1D1VG	0.6497	5.91	4 26		 			 	 	 	
	Additional 4-Wire Analog Voice Grade Loop	in same DS1								1	1	15.20	1	1		Ī
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	30.81	94.21	45.09		 	 	13.20	-		 	-
l	Additional 4-Wire Analog Voice Grade Loop	in same DS1	1 _	LINICIA	luca: 4	20.00	04.04	45.00	ŀ	1	1	15.20	1			
	Interoffice Transport Combination - Zone 2	504	1 2	UNCVX	UEAL4	38.32	94.21	45.09		 	 	15.20			 	
	Additional 4-Wire Analog Voice Grade Loop	m same DS1	1 -	LINCUA	UEAL4	60.39	94 21	45.09	l	1	1	15.20	1		I	1
	Interoffice Transport Combination - Zone 3	Number of the last	3	UNCVX	UEAL4	60.39	94 21	45.09	-	 		1	 			†
- 1	Voice Grade COCI - DS1 to DS0 Channel 8	system combination -	1	UNCVX	1D1VG	0.6497	5 91	4 26	1		1	I		I	1	1

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhil	bit: B
CATEGORY	RATE ELEMENTS	interi m	Zone	BCS	usoc			RATES(\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
			<u> </u>			Rec	Nonrec			Disconnect	1		oss	Rates(\$)		
	Nonrecurring Currently Combined Network Elements Switch -As-					ļ	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Is Charge			UNC1X	UNCCC	i !	5.43	5.43		i	1	15.20	1	1		
4-WIRE	56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE					5.45			 	10.20				
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 1		1	UNCDX	UDL56	30.99	94 21	45.09				15 20	ļ			
	First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	36 78	94 21	45.09		ſ	ĺ	15 20	I	1		1
_	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice			UNCDA	UDESG	30 78	34 21	45.09			 	13 20	 			
	Transport Combination - Zone 3		3	UNCDX	UDL56	38.92	94.21	45 09				15 20				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month		L_	UNC1X	1L5XX	0.2652		· 			ļ					
1	interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month			UNC1X	U1TF1	70.47	143 58	103.88				15 20				
	Channelization - Channel System DS1 to DS0 combination Per			UNCIA	OHFI	70.47	143 36	103.66				1320				
	Month		l_	UNC1X_	MQ1	105.09	59 97	12.96		l			1			
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per								1		T					
	month (2.4-64kbs)			UNCDX	1D1DD	138	5.91	4 26	L		<u> </u>	<u> </u>	<u> </u>			
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	30.99	94.21	45.09			1	15 20	ŀ			
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1		├-	UNCDX	UULS6	30.99	94.21	45.09	 	-	 	15 20				
1	Interoffice Transport Combination - Zone 2	ļ	2	UNCDX	UDL56	36.78	94.21	45.09		ļ	i	15.20	l			
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1		- -	<u> </u>	-						1					
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09			ļ	15.20				
	OCU-DP COCI (data) - DS1 to DS0 Channel System -															
	combination per month (2.4-64kbs)		-	UNCDX	1D1DD	1.38	5.91	4.26			ļ.——		<u> </u>			
[Nonrecurring Currently Combined Network Elements Switch -As- Is Charge		1	UNC1X	UNCCC	ĺ	5.43	5 43	Ì	İ	ì	15.20	i	Ì		
4-WIRE	64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE		0.1000		0.10									
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		T	Ι												
	Transport Combination - Zone 1		1	UNCDX	UDL64	30.99	94.21	45.09			<u> </u>	15.20				
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	1		l				45.00	1	l	l	15.20	-	l		ļ
	Transport Combination - Zone 2 First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		2	UNCDX	UDL64	36.78	94.21	45 09	 			15.20				-
	Transport Combination - Zone 3		3	UNCDX	UDL64	38.92	94.21	45.09		}	1	15.20		1		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		┢	O NOBA	100201	- 50.02										
- 1	Per Month			UNC1X	1L5XX	0.2652			L	<u> </u>						
	Interoffice Transport - Dedicated - DS1 combination - Facility								ľ			45.00				ĺ
	Termination Per Month		 	UNC1X	U1TF1	70.47	143.58	103.88				15 20				
	Channelization - Channel System DS1 to DS0 combination Per Month	1	1	UNC1X	MQ1	105.09	59.97	12.96			1	1				<u> </u>
	OCU-DP COCI (data) - DS1 to DS0 Channel System	 	 		- Indian	100.09	33.07	12.30	l		1		T			-
	combination - per month (2.4-64kbs)	1		UNCDX	101DD	1.38	5.91	4.26	Í	ļ	L		L			
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1											45.55				
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	30.99	94.21	45.09	ļ	 	 	15.20	!			
i	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1		١,	UNCDX	UDL64	36.78	94 21	45 09	l .			15.20	ŀ			
	Interoffice Transport Combination - Zone 2 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1	ł	2	UNCDX	UDL64	30.70	34 21	45 05		 	 	10,120				
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	38.92	94.21	45.09			l	15.20	L			
	OCU-DP COCI (data) - DS1 to DS0 Channel System			DIAODX.	0000	- 55.02										
	combination - per month (2 4-64kbs)	<u> </u>	<u>l_</u>	UNCDX	101DD	1.38	5.91	4.26	L	ļ <u> </u>			 			<u> </u>
	Nonrecurring Currently Combined Network Elements Switch -As-		Γ			[]			ļ	ļ]	45.00		ļ]
	is Charge		<u></u>	UNC1X	UNCCC	<u> </u>	5 43	5.43		 	 	15.20	ļ	 		
4-WIRE	DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTE	ROFFI	CE TR.	ANSPORT (EEL)	ļ	ļ		L 	 	 		 	 			
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice	1	1	UNC1X	USLXX	85.70	169.22	100.89			1	15 20				<u> </u>
	Transport - Zone 1 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice		+	UNUIX	USLAA	03,70	103.22	100.00								
	Transport - Zone 2	[2	UNC1X	USLXX	194 96	169.22	100.89	L		<u> </u>	15.20				ļ
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice		广	T										i		
l	Transport - Zone 3	l	_ 3	UNC1X	USLXX	491.94	169 22	100.89	L	<u> </u>		15 20	L		L	L

UNBUNDLE	D NETWORK ELEMENTS - Louisiana													nent: 2		oit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sy Order vs. Electronic Disc Add
						Rec	Nonrec		Nonrecurrin					Rates(\$)		
	Universities Transport Desirent DOM as all the Desirent		<u> </u>				First	Add'I	First	Addʻl	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		<u> </u>	UNC1X	1L5XX	0.2652										l
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	70 47	143.58	103.88				15,20				
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		5.40	5.43				45.00				<u> </u>
4-WIR	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTE	FROFFI	CE TR	ANSDORT /FELL	UNCCC		5.43	5.43				15.20				
- 	First DS1Loop in DS3 Interoffice Transport Combination - Zone	1	T	THE OWN (CLL)							 	 				
	1		1	UNC1X	USLXX	85.70	169.22	100.89			<u> </u>	15.20				L
	First DS1Loop in DS3 Interoffice Transport Combination - Zone		2	UNC1X	USLXX	194 96	169.22	100.89				15.20				
	First DS1Loop in DS3 Interoffice Transport Combination - Zone		3	UNC1X	USLXX	491.94	169.22	100.89				15.20				
	Interoffice Transport - Dedicated - DS3 combination - Per Mile	\vdash	 	UNUIN	10000	491.94	109.22	100.89			 	15.20		 		
	Per Month	<u> </u>	<u> </u>	UNC3X_	1L5XX	6.04										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per			111001		250.45	555 55	404.40	ŀ		1	45.00	ļ			i
	month DS3 to DS1 Channel System combination per month			UNC3X	U1TF3 MQ3	850.45 201.48	296 68 107 05	121.16 48.07			ļ	15 20	ļ	ļ		<u> </u>
	DS3 Interface Unit (DS1 COCI) combination per month		├	UNC1X	UC1D1	11.78	5.91	48.07			├─ ─					
	Additional DS1Loop in DS3 Interoffice Transport Combination -	-	\vdash	CNCIX	OCIDI	11.70	3.31	4.20			 					
	Zone 1		1	UNC1X	USLXX	85.70	169.22	100.89				15 20				
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	194 96	169 22	100.89				15.20				
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	491.94	169.22	100.89				15.20				
	DS3 Interface Unit (DS1 COCI) combination per month		1	UNC1X	UC1D1	11.78	5.91	4.26			1					
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC3X	UNCCC		5.43	5 43				15.20				
2-WIE	IE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INT	FROFE	ICE T		011000		<u> </u>				 	19.25				
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	14 93	94 21	45.09				15.20				
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	25.35	94.21	45 09				15.20	-			
	2-WireVG Loop used with 2-wire VG Interoffice Transport		-	ONCVA	UEALZ	25.35	34.21	45 03			 	10,20				
	Combination - Zone 3		3_	UNCVX	UEAL2	50.46	94 21	45.09				15.20				
	Interoffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month			UNCVX	1L5XX	0 <u>01</u> 3					<u></u>		<u></u>			
	Interoffice Transport - Dedicated - 2- Wire Voice Grade combination - Facility Termination per month			UNCVX	U1TV2	22 60	72.60	41.75				15.20				
	Nonrecurring Currently Combined Network Elements Switch -As-	1	1										I			
	Is Charge	l		UNCVX	UNCCC		5.43	5.43			<u> </u>	15.20			ļ	ļ
4-WIF	E VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INT	TEROFF	ICE TI	RANSPORT (EEL)					ļ	 	├ ──					
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	30.81	94.21	45.09		i		15.20				<u></u>
	4-WireVG Loop used with 4-wire VG Interoffice Transport		2	UNCVX	UEAL4	38 32	94,21	45.09				15.20				1
	Combination - Zone 2 4-WireVG Loop used with 4-wire VG Interoffice Transport	-	 													
-+	Combination - Zone 3 Interoffice Transport - Dedicated - 4-wire VG combination - Per	 -	3	UNCVX	UEAL4	60.39	94.21	45.09	 	 	 	15.20	 	 		
	Mile Per Month Interoffice Transport - Dedicated - 4- Wire Voice Grade		↓	UNCVX	1L5XX	0.013			ļ	ļ	 	 	<u> </u>		 	
	combination - Facility Termination per month			UNCVX	U1TV4	19.81	72.60	41.75			<u> </u>	15 20			 	
	Nonrecurring Currently Combined Network Elements Switch -As- is Charge			UNCVX	UNCCC		5.43	5.43				15.20			L	
DS3 I	HIGHTAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC	E TRA	NSPOR			ł								L	ļ	ļ
<u> </u>	High Capacity Unbundled Local Loop - DS3 combination - Per Mile per month		T	UNC3X	1L5ND	10.04									İ	
	High Capacity Unbundled Local Loop - DS3 combination -	1	+-												1	
1	Facility Termination per month	<u> </u>	L.,	UNC3X	UE3PX	362.34	188.45	125 51	<u> </u>	1	ــــــــــــــــــــــــــــــــــــــ		1			

NBUNDLE	D NETWORK ELEMENTS - Louisiana												Attachi	nent: 2	Exhit	bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic Disc Add'
			<u> </u>			Rec	Nonrec			g Disconnect				Rates(\$)		
	Defends Book Book	 -	ــــ	111000	1,500		First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 combination - Facility	├──		UNC3X	1L5XX	6 04				 	 	 				
1	Termination per per month			UNC3X	U1TF3	850.45	296.68	121.16		Į.		15.20				İ
	Nonrecurring Currently Combined Network Elements Switch -As-	 	 	STOCK .	101110	300.40	200.00	121.10			 	10.20				
	ls Charge	İ		UNC3X	UNCCC _	i	5.43	5.43				15.20		<u> </u>	ł	
STS1 C	DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROF	FICE T	RANSP	ORT (EEL)												
	High Capacity Unbundled Local Loop - STS1 combination - Per				1					1		ļ			!	1
	Mile per month High Capacity Unbundled Local Loop - STS1 combination -		-	UNCSX	1L5ND	10.04				 		 	 			
1	Facility Termination per month	l	1	UNCSX	UDLS1	374 56	188.45	125.51		Į		l	1	[1	1
	Interoffice Transport - Dedicated - STS1 combination - Per Mile	_	 	ONOGA	ODLO:	5,400	100,40	120.51				 				
	per month	1		UNCSX	1L5XX	6.04		_		ļ		l				
	Interoffice Transport - Dedicated - STS1 combination - Facility															
	Termination per month	ļ	1	UNCSX	U1TFS	830.19	296.68	121.16		ļ	<u> </u>	15.20				ļ
1	Nonrecurring Currently Combined Network Elements Switch -As- is Charge			UNCSX	UNCCC		5.43	5.43			ŀ	15.20	1			ĺ
2-WIRE	ISON EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR	T (FFI	\ 	UNGSX	UNCCC		5.43	5.43		 		15.20	 			
2-1/11/12	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	11 (222	1		 						 				l	
ł	Transport - Zone 1		1_	UNCNX	U1L2X	22.09	94.21	45 09		l		15.20				
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
	Transport - Zone 2	<u> </u>	2	UNCNX	U1L2X	35.28	94.21	45.09				15.20	<u> </u>	ļ	.—	 _
j j	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	1		LINONIN	LILLOY	65.40	94.21	45 09		1		15.20		l		1
	Transport - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile	<u> </u>	3	UNCIX	U1L2X 1L5XX	65.18 0 2652	94.21	45 09		 	 	15.20	 			
	Interoffice Transport - Dedicated - DS1 combinton - Facility		-	UNCIA	1123	0 2032				· · · · · · · · · · · · · · · · · · ·	 	 	 	· · · · · ·		
	Termination per month	1		UNC1X	U1TF1	70 47	143 58	103 88				15.20			l	<u> </u>
	Channelization - Channel System DS1 to DS0 combination -													i —		
	per month	<u> </u>		UNC1X	MQ1	105.09	59.97	- 12.96		.l				ļ		
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System	ſ	[1			4.00		Ì	ľ	l .		i	i .	1
	combination - per month	 -	-	UNCNX	UC1CA_	2 96	5.91	4 26					 	 		
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 1	ļ	1 1	UNCNX	U1L2X	22 09	94 21	45.09		Į.		15.20	1			
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		 ' -	UNUIX	U /LEX			0.05								
1	Combination - Zone 2	1	2	UNCNX	U1L2X	35.28	94.21	45 09		<u> 1</u>		15.20	<u> </u>			<u> </u>
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport								-				1		1	!
	Combination - Zone 3	<u> </u>	3	UNCNX	U1L2X	65.18	94 21	45.09				15 20	 _			
	2-wire ISDN COCi (BRITE) - DS1 to DS0 Channel System			LINONIN		2.96	5.91	4.26			İ		İ	1		
	combintaion- per month Nonrecurring Currently Combined Network Elements Switch -As-		 	UNCNX	UC1CA	2,96	5,91	4.20			 	 	 			
	Is Charge	1		UNC1X	UNCCC		5.43	5.43		1		15.20				L
4-WIRI	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN	TEROF	FICE 1		10.1.000											
	First DS1 Loop in STS1 Interoffice Transport Combination -	i	1	T											ļ	
	Zone 1	<u> </u>	1	UNC1X	USLXX	85.70	169.22	100.89		ļ	ļ.,	15 20	ļ ———	 	 -	
	First DS1 Loop in STS1 Interoffice Transport Combination -		П									15.20]]	
	Zone 2	ļ	2	UNC1X	USLXX	194.96	169.22	100.89		 	+	15.20	 	 -		 -
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 3	İ	3	UNC1X	USLXX	491,94	169.22	100.89			1	15.20	1			
	Interoffice Transport - Dedicated - STS1 combination - Per Mile	-	13	UNCIA	DOLAN_	491.04	TGD.ZE	100.00		T			†	j	j ——-	
i	Per Month		ļ	UNCSX	1L5XX	6 04					<u> </u>		<u> </u>			
	Interoffice Transport - Dedicated - STS1 combination - Facility	<u> </u>													İ	
	Termination			UNCSX	U1TFS	830.19	296.68	121.16			 	15.20	 	 	 	
	STS1 to DS1 Channel System conbination per month		1	UNCSX	MQ3	201.48	107.05	48.07	 	 	 	 -	 	 	 	+
	DS3 Interface Unit (DS1 COCI) combination per month	├ ──	┼	UNC1X	UC1D1	11.78	5.91	4 26	ļ		+	+	 			
ĺ	Additional DS1Loop in STS1 Interoffice Transport Combination -		١,	UNC1X	USLXX	85,70	169.22	100.89	l			15 20	1		1	
	Zone 1 Additional DS1Loop in STS1 Interoffice Transport Combination -	 	 -	O.NO IA	0000	55.70	103.22	100.03	l		1					
	Zone 2]	2	UNC1X	USLXX	194.96	169.22	100 89		1	1	15.20	ļ			
	Additional DS1Loop in STS1 Interoffice Transport Combination -		1	T								1	1			I
1	Zone 3	1	3	UNC1X	USLXX	491.94	169 22	100 89	<u> </u>	<u> </u>		15.20	<u> </u>	<u> </u>		Ь

INBUNDLE	D NETWORK ELEMENTS - Louisiana						·						Attachi	nent: 2	Exhil	bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge -	Incremen Charge Manual S Order vs Electroni Disc Add
						Rec	Nonrec First	umng Add'i	Nonrecurrin First	g Disconnect Add'l	COMEC	SOMAN	SOMAN	Rates(\$)	SOMAN	SOMAN
	DS3 Interface Unit (DS1 COCI) combination per month		-	UNC1X	UC1D1	11.78	5.91	4 26	FIISt	Addi	SUMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAR
	Nonrecurring Currently Combined Network Elements Switch -As-		 	DINCIA	100101	11.70	5.91	420		 	 					
l l	is Charge		1	UNCSX	UNCCC	1	5.43	5.43		1	1	15 20			ĺ	l
4-WIRI	E 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERO	FFICE 1	RANSI	PORT (EEL)	15.1.555						T					
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport										f					
	Combination - Zone 1		1	UNCDX	UDL56	30 99	94 21	45.09				15.20			<u> </u>	1
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	36.78	94.21	45.09				15.20				
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport															
	Combination - Zone 3	<u> </u>	3	UNCDX	UDL56	38.92	94 21	45.09				15 20			<u> </u>	
- 1	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		1	LINCOV	11.577	0000	ĺ			1	1	ĺ		1	l	1
	Per Mile Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			UNCDX	1L5XX	0.013					 	ļ				
	Racility Termination Nonrecuring Currently Combined Network Elements Switch -As-			UNCDX	U1TD5	15.61	72.60	41.75			ļ	15 20				<u> </u>
ļ	Is Charge		1	UNCDX	UNCCC	!	5.43	5.43				15 20			{	ĺ
A-WID	E 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	EÉICE 1	PANS		ONCCC		5,45	5.40		 		1320		ļ .———		
4-1010	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport	FICE	RANS	PORT (EEE)	+						 	 				
	Combination - Zone 1		ĺ 1	UNCDX	UDL64	30.99	94,21	45.09		1	ł	15.20		ł	1	ł
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport		١Ò		1											
	Combination - Zone 2		2	UNCDX	UDL64	36.78	94 21	45.09			<u> </u>	15 20				1
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	38.92	94.21	45.09				15.20				
_	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
	Per Mile			UNCDX	1L5XX	0.013					L					
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination			UNCDX	U1TD6	15.61	72.60	41.75				15.20				
	Nonrecurring Currently Combined Network Elements Switch -As-						_	-								1
	Is Charge			UNCDX	UNCCC		5 43	5.43				15.20				ļ
DITIONAL	NETWORK ELEMENTS	L	1	L.,						ļ		<u> </u>		ļ. — <u> </u>	 	├
When	used as a part of a currently combined facility, the non-recur	ng cha	rges de	not apply, but a	Switch As is c	harge does ap	loop not		ļ	 	ļ				 	
	used as ordinarily combined network elements in all states, the (SynchroNet)	e non-	Tecumi	ig cnarges apply a	and the Switch	AS IS CHAIGE C	ides flot.			+	 					
Nonre	curring Currently Combined Network Elements "Switch As Is"	Charge	(One)	polies to each con	mhination)	 					 					
1401110	Nonrecurring Currently Combined Network Elements Switch -As-	l	1	ppiloo to coon co												
	Is Charge - 2 wire/4-Wire VG	l	ļ	UNCVX	UNCCC	1	5.43	5 43		l		15.20				L
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 56/64 kbps			UNCDX	UNCCC		5.43	5.43				15.20	-			ļ
	Nonrecurning Currently Combined Network Elements Switch -As-														ŀ	1
	Is Charge - DS1		ـــــ	UNC1X	UNCCC		5.43	5 43	L	 	ļ	15.20	ļ ———		 	
	Nonrecurring Currently Combined Network Elements Switch -As- is Charge - DS3			UNC3X	UNCCC		5.43	5.43				15.20				ļ
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - STS1	ļ		UNCSX	UNCCC		5.43	5.43				15.20				<u> </u>
NOTE	: Local Channel - Dedicated Transport - minimum billing perio	1 - Belo	w DS3	one month, DS3	and above≕fou	r months				 	 				 	
	Local Channel - Dedicated - 2-Wire Voice Grade			UNCXV	ULDV2	18 32	187 51	32 21		 	 		 	 	 	
	Local Channel - Dedicated - 4-Wire Voice Grade	L	1	UNCXV	ULDV4	19.41	187.94	32.63	 -	+	 	15.20	 	 	 	
	Local Channel - Dedicated - DS1 per month Zone 1	ļ		UNC1X	ULDF1	39.18 121.58	172 34	149.27 149.27	 	 	 	15.20			 	+
	Local Channel - Dedicated -DS1 Per Month Zone 2	<u> </u>	2	UNC1X	ULDF1	70.02	172 34 172.34	-149.27	 	+	 	15.20			 	
	Local Channel - Dedicated - DS1- Per Month Zone 3	\vdash	3	UNC1X UNC3X	1L5NC	70.02	1/2,34	-149.27	 	 		15.20	 			\vdash
-	Local Channel - Dedicated - DS3 - Per Mile per month		} 	UNC3X	ULDF3	469.44	438 46	256 30		 	1	15.20	T			\Box
	Local Channel - Dedicated - DS3 - Facility Termination	├──	+	UNCSX	1L5NC	7.82	700 70	200 00				15.20			1	
	Local Channel - Dedicated - STS-1- Per Mile per month Local Channel - Dedicated - STS-1 - Facility Termination	-	+	UNCSX	ULDES	457.22	438.46	256 30			1		T			
Onti-	nal Features & Functions:		+-	UNUUA	OLDF0	707.22	100.70	200 00	 	1	1					
	nal Features & Functions:	\vdash	+			 								l	L	
MULI	Channelization - DS1 to DS0 Channel System	\vdash	+-	UXTD1	MQ1	105.09	88.41	60 76				15.20				
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per	-	+			1									1	1
								4.58				15.20				

UNBUNDLF	D NETWORK ELEMENTS - Louisiana													nent: 2		bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	Bos	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
			 				Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
		 	+			Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															1
- 1	month	l		UDN	UC1CA	2.96	6 39	4.58				15 20				<u> </u>
	Voice Grade COCI - DS1 to DS0 Channel System - per month			UEA	1D1VG	0.6497	6.39	4 58				15.20				
	DS3 to DS1 Channel System per month		$\overline{}$	UXTD3	MQ3	201 48	172.99	91 25				15.20				<u> </u>
	STS1 to DS1 Channel System per month			UXTS1	MQ3	201.48	172.99	91.25				15 20				
	DS3 Interface Unit (DS1 COCI) used with Loop per month			USL	UC1D1	11.78	6.39	4.58				15 20				ļ <u> </u>
	DS3 Interface Unit (DS1 COCI) used with Local Channel per									l	ļ	!			ļ	-
	month			ULDD1	UC1D1	11 78	6 39	4 58			l	L			ļ	
	DS3 Interface Unit (DS1 COCI) used with Interoffice Channel	[1		1		1	l	l .
ı	per month		l	U1TD1	UC1D1	11.78	6.39	4 58								
Acces	s to DCS - Customer Reconfiguration (FlexServ)															
NBUNDLED 1	LOCAL EXCHANGE SWITCHING(PORTS)										<u> </u>					
Excha	nge Ports															
NOTE:	Although the Port Rate includes all available features in GA,	KY, LA	& TN, t	he desired features	will need to I	be ordered usin	g retail USOCs									 _
2-WIRI	E VOICE GRADE LINE PORT RATES (RES)				<u> </u>											
	Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.52	2.31	2.21				15.20				
														l	I	1
- 1	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res		1	UEPSR	UEPRC	1.52	2 31	2.21				15.20				
_											1			1		
1	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.	l	1	UEPSR	UEPRO	1.52	2.31	2.21				15.20				
	Exchange Ports - 2-Wire VG unbundled LA extended local		1											l	l	1
- 1	dialing panty Port with Caller ID - Res.	1	1	UEPSR	UEPAS	1.52	2.31	2.21				15.20				<u> </u>
	Exchange Ports - 2-Wire VG unbundled Louislana Area Plus	 	1									1		l	1	1
	with Caller ID - Res (RUL)	1	1	UEPSR	UEPAG	1 52	2.31	2.21				15 20				ļ
_	Exchange Ports - 2-Wire VG unbundled res, low usage line port	1	\top							1	1	l	İ		i	1
	with Caller ID (LUM)	1	1	UEPSR	UEPAP	1.52	2.31	2.21		L		15.20				
	Subsequent Activity			UEPSR	USASC	0 00	0.00	0.00		l		15 20				
FEATL		_	 		†									1	<u> </u>	<u> </u>
- Irean	All Available Vertical Features	_	 	UEPSR	UEPVF	0.00	0 00	0.00				15.20			<u> </u>	
2 10/10	E VOICE GRADE LINE PORT RATES (BUS)	_	-							I						
2-WIN	Exchange Ports - 2-Wire Analog Line Port without Caller ID -	_	+-		-											i
1	Bus	1	1	UEPSB	UEPBL	1.52	2.31	2.21			l	15 20			ļ <u> </u>	
	Exchange Ports - 2-Wire VG unbundled Line Port with		+-	0	1					1				1	l .	1
1	unbundled port with Caller+E484 ID - Bus.	1	1	UEPSB	UEPBC	1.52	2.31	2 21			1	15.20				
	Unbundled port with Callet +E464 10 - Bds.	 	+-	02.00	102::50										l	1
- 1	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.	1	1	UEPSB	UEPBO	1 52	2.31	2 21		ļ	l	15.20	<u> </u>			ļ <u> </u>
		 	+	OLI OD	102, 50					T					!	1
1	Exchange Ports - 2-Wire VG unbundled LA extended local	ı		UEPSB	UEPAX	1.52	2.31	2.21	1	1	l	15.20				1
	dialing parity Port with Caller ID - Bus.	 	+	OLI OB	TOE! TOE											
	Exhange Ports - 2-Wire VG unbundled incoming only port with	1	1	UEPSB	UEPB1	1.52	2.31	2.21			1	15.20		1		
	Caller ID - Bus		+	UEFSB	OEFBI	1.02	2.01		-		T					T
1	Exchange Ports - 2-Wire VG unbundled Louislana Bus Area	1	1	UEPSB	UEPAA	1 52	2 31	2.21	1			15.20		1		
	Calling Port with Caller ID - Bus (BUC)	—	—		USASC	0.00	0.00	0.00			1	15.20				Т
	Subsequent Activity	—	-	UEPSB	USASC	0,00	0.00	0.00	 		1	1				T
FEAT		—	┷		1		0 00	0.00	 	 -	+	15.20				
	All Available Vertical Features		-	UEPSB	UEPVF	0.00		0.00		 	+					T
EXCH	ANGE PORT RATES (DID & PBX)	-	↓		Luciana	1.50	30.37	14.42			 	15.20		 		
	2-Wire VG Unbundled 2-Way PBX Trunk - Res	↓	↓_	UEPSE	UEPRD	1.52	30.37	14.42		 	1	15 20		1		
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus	↓	-	UEPSP	UEPPC	1.52	30.37	14.42		 	+	15.20	 		1	
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus	-		UEPSP	UEPPO	1.52 1.52	30.37	14 42			-	15.20	1			
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus	↓ —		UEPSP	UEPP1	1.52	30.37	14.42		 	1	15 20			1	T_
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus		↓_	UEPSP	UEPLD		30.37	14.42			+	15.20				
	2-Wire Voice Unbundled 2-Way PBX Louisiana Calling Port	—		UEPSP	UEPL2	1.52	30.37	14.42			+	15.20		1	T	T
	2-Wire Voice Unbundled PBX LD Terminal Ports	<u> </u>		UEPSP	UEPLD	1 52				+	 	15.20			1	T
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.52	30.37	14 42			+	15.20		1		T
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPX8	1.52	30.37			-	+	15.20	 	-	 	
-	2-Wire Voice Unbundled PBX LD DDD Terminals Port		\bot	UEPSP	UEPXC	1.52	30.37	14 42		+	+	15 20		 		+
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.52	30.37	14.42		+		15 20		 	1	
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD		T^{T}	1					1	1	1	15.20	1	1	1	1
- 1	Capable Port	1	I	UEPSP	UEPXE	1 52	30.37	14.42				15.20	I			

RATE ELEMENTS Interior model in the per LSR Interior model in the per LSR Zone BCS USOC RATES(\$) BCS USOC RATES(\$) Svo Order Submitted Submitted Charge - Charge - Charge - Manual Svo Order vs. Order vs. Order vs. Order vs. Electronic 1st Disc 1st Disc Add'l Disc 1st Disc Add'l Disc 1st Disc Add Disc Add Disc 2st Disc Add Disc 2st Disc Add Disc 2st Disc Add Disc 2st Disc Add Disc 2st Disc Add Disc 2st Disc Add Disc 2st Disc Add Disc 2st Disc Add Disc 2st Disc 2st Disc Add Disc 2st	NBUNDLE	D NETWORK ELEMENTS - Louisiana													ment: 2	Exhil	oit: B
Miles March Marc	ATEGORY		ι	Zone	BCS	usoc			RATES(\$)			Submitted Elec	Submitted Manually	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Increment Charge - Manual Sv Order vs. Electronic Disc Add
Communication Switch Swi							Do-	Nonrec	urring	Nonrecurring	g Disconnect			OSS	Rates(\$)		
Content State St							Hec	First	Add'l			SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Carling Port		2-Wire Voice Unbundled 2-Way PBX Louisiana Local Optional									 						
Silver Voter Droughof Stwip FSX Hashinghaped Economy UEPSP UEPSA 1.52 30.37 14.42 15.50			1		UEPSP	UEPXK	1.52	30.37	14.42			l .	15.20				l
Administrative Calling Pet		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		-		<u> </u>					1					i —	
2-70% Vince Inhomated 2-Way PitX Hashingtoned Economy UEPSP UEPXA 1.52 33.07 14.42 1.5	[ĺ	1	UEPSP	UEPXL	1.52	30 37 1	14,42	i	l	ł	15 20	l	ł	ł	i
2-Wire Vote Discounted - Warp Culgrang PRX Healthroppial UEPSP UEPWO 1.52 50.77 14.42 15.00		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy				1					 	i					
2-Wer View Linding Life Type 1,52 35,57 14,42 15,50 1,50	i	Room Calling Port	ł		UEPSP	UEPXM	1.52	30.37	14.42			1	15.20				
Decourt Roon Calling Text		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital				 					1						
2-WWW York Districted 1-Way Copging PSK Measured Flori UPPS UPPS 1.50 30.37 14.42 15.50	ł				UEPSP	UEPXO	1.52	30.37	14.42	1	i	1	15.20		l		1
Discourt Calling Port UEPSP UEPSP 1:52 30:77 14:42 1:50			_			†					†						
Swither Voice Disturted T-Way Corgoling FRX Measured Port UFFSP UFFSR 1.52 93.07 14.42 1.520				1	UEPSP	UEPXP	1.52	30.37	14.42	ĺ	1	ĺ	15 20	i	i	i	i
Subsequent Activity			i –	 							1	†				·	
FEATWRISE UEPSP UEPSE UEPVF 0,00 0.00 0				\vdash								1					l
All Available Vertice Features	FEATI			 	00.01	50.20			0.00				10				
EXCHANCE PORT PARTES (CON) Exchange Ports - Con Port Exchange Ports - Con Port Exchange Ports - Con Port Exchange Ports - Con Port Exchange Ports - Con Port Exchange Ports - Con Port Exchange Ports - Con Port Exchange Ports - Con Port Exchange Ports - Con Port Exchange Ports - Con Port Port Exchange Ports - Con Port Port Exchange Port - Con Port Port Exchange Port - Con Port Port Exchange Port - Con Port Port Exchange Port - Con Port Port Port Exchange Port - Con Port Port Port Exchange Port - Con Port Port Port Port Port Port Port Port	1		-	 	LIEPSP LIEPSE	LIEPVE	0.00	0.00	0.00	 	 		15.20	 		-	· · · · · · · · · · · · · · · · · · ·
Exchange Ports - COR Port 15-20 15-20	EVCH			 	OLI SI OLI SE	OCT VI	0.00	. 000	0.00		 				 		
NOTE: Access to 5 Channel or 5 Channel seasociated with POTS circuit switched usage will also apply to circuit switched your seasociated with 2-wire (SDM ports.) NOTE: Access to 5 Channel or 5 Channel seasociated with 2-wire (SDM ports.) EXCHANGE SWITCHING(POTTS) EXCHANGE SWITCHING(POTTS) EXCHANGE SWITCHING(POTTS) EXCHANGE SWITCHING(POTTS) EXCHANGE SWITCHING(POTTS) EXCHANGE SWITCHING(POTTS) EXCHANGE PRiss 2-Wire SDM Port (See Nides ballow) UEPPD UEPPD UEPPD UEPPD UEPPD UEPPD UEPPD UEPPD UEPPD UEPPD UEPPD UEPPD UEPPD UEPPD UEPPD UEPPD UEPPD UEPPS UEPP	- LACIT			├		 -	1.52	231	2 21		 	1	15.20		 		
NOTE: Access to 8 Channel & Picular capabilities will be available only through BFR/New Susiness Request Process.	NOTE	Transmission/usage charges accepted with POTS circuit at	uitched	110000	will also spalu to o	reuit ewitche	nd voice and/or			iesion by B-C	hannele sesoc	isted with 2		orts			
REWOLD LOCAL EXCHANGE SWITCHING(PORTS)	NOTE	Access to B Channel or D Channel Declar compilities will be	Witched	usayo	will also apply to c	Pusiness Be	ou voice and/or	Potos for the	packet canabi	liting will be d	atarminad via (he Bone Ei	la Paguasti	New Busines	e Reguest Pro	COSS	
EXCHANGE PORT AITES	NOTE:	LOCAL EXCHANCE CHITCHING (DODTS)	avana	1	y tillough Brivinew	Dusilless ne	quest riocess.	nates for the	packet capabi	III 65 WIII DE C	T	i Dona i k	I	THE POST IN	I	1	
Exchange Ports - 2-Wire DDP Port UEPEX UEPPX UEPPX UEPPX 16.20 15.20							 							-			
Exhange Pots - 2-Wire DDT S Pots - 4-Wire DST Pots with DID UEPDO UEPTX UPPX UPPX UPPX UPPX UPPX UPPX UPPX U	EXCH			 	UEDEV	UEDDO	9.00	115.05	19.20			 	15.20				
Capability UEPOD				 	UEPEX	UEFFZ	0.25	110.65	10.20			l	15 20				
Exchange Pors - 2-Wire ISDN Port (See Notes below)	ŀ		1		HEDDD	U-COCD	60.47	400.40	00.00	1	ľ		+5 20			1	
All Features Offered				├							ļ	 		 			
NOTE: Transmission/usage charges associated with POTS circust switched usage will also apply to direct switched data transmission by B-Channels associated with 2-wine ISDN ports.											 		15.20		 		
NOTE: Access to B Channel or D Channel Procise ULEPTX UEPSX ULIMA 0.00		All Features Offered	L	Ь	DEPTX DEPSX	TOFFAL	0.00	0.00			<u> </u>						
Exchange Ports	NOTE	: Transmission/usage charges associated with POTS circuit st	witched	usage	will also apply to c	rcuit switche	ed voice and/or	circuit switch	ed data transh	nission by B-C	nanneis assoc	lated with 2	WIFE ISON	ports.	- Decreet Dr		
Exchange Ports	NOTE	: Access to B Channel or D Channel Packet capabilities will be	availa	ble onl	y through BFR/New	Business Re	quest Process	Hates for the	packet capabi	lities Will be a	etermined via	ine Bona Fig	e requeso	New busines	s nequest ric	Cess.	
UNBUNDLED PROFT With REMOTE CALL FORWARDING CAPABILITY UNBUNDLED PREMOTE CALL FORWARDING SERVICE - RESIDENCE Unbundled Premote Call Forwarding Service, Area Calling, Res UEPVR UERC 1.52 2.31 2.21 15.20 Unbundled Remote Call Forwarding Service, Local Calling - Res UEPVR UERC 1.52 2.31 2.21 15.20 Unbundled Remote Call Forwarding Service, InterNati-A - Res UEPVR UERT 1.52 2.31 2.21 15.20 UEPVR UERT 1.52 2.31 2.21 UEPVR UERT 1.52 2.31 2.21 UEPVR UERT 1.52 2.31 2.21 UEPVR UERT 1.52 2.31 2.21 UEPVR UERT 1.52 2.31 2.21 UEPVR UERT 1.52 UEPVR UERT 1.52 UEPVR UERT 1.52 UEPVR UERT 1.52 UEPVR UERT 1.52 UEPVR UERT 1.52 UEPVR UERT 1.52 UEPVR UERT 1.52 UEPVR UERT 1.52 UEPVR UERT 1.52 UEPVR UERT 1.52 UEPVR UERT 1.52 UEPVR UERT UEPVR UERT UEPVR UERT UEPVR UERT UEPVR UERT UEPVR UEP													45.00				
Unbundled Remote Call Forwarding Service, InterCalling, Res UEPVR UERIC 1.52 2.31 2.21 15.20 1		Exchange Ports - 4-Wire ISDN DS1 Port			UEPEX	UEPEX	94 82	197.92	98 62				15.20			ļ ————	
Unbundled Remote Call Forwarding Service, Area Calling, Res UEPVR UERAC 1.52 2.31 2.21 15.20				ـــــ		L	ļ							ļ			
Unbundled Remote Call Forwarding Service, Local Calling - Res UEPVR UERIC 1.52 2.31 2.21 15.20 Unbundled Remote Call Forwarding Service, IntraLATA - Res UEPVR UERTE 1.52 2.31 2.21 15.20 Unbundled Remote Call Forwarding Service, IntraLATA - Res UEPVR UERTE 1.52 2.31 2.21 15.20 Unbundled Remote Call Forwarding Service, IntraLATA - Res UEPVR UERTR 1.62 2.31 2.21 15.20 Unbundled Remote Call Forwarding Service, IntraLATA - Res UEPVR UERTR 1.62 2.31 2.21 15.20 UEPVR USAC2 0.10 0.10 15.20 UIDBUNDLED REMOTE CALL FORWARDING - Bus UEPVR USACC 0.10 0.10 0.10 UIBUNDLED REMOTE CALL FORWARDING - Bus UEPVR UERAC 1.52 2.31 2.21 15.20 Unbundled Remote Call Forwarding Service, Area Calling - Bus UEPVB UERAC 1.52 2.31 2.21 15.20 Unbundled Remote Call Forwarding Service, Local Calling - Bus UEPVB UERAC 1.52 2.31 2.21 15.20 UIDBUNDLED REMOTE CALL FORWARDING - Bus UEPVB UERAC 1.52 2.31 2.21 15.20 Unbundled Remote Call Forwarding Service, IntraLATA - Bus UEPVB UERTR 1.52 2.31 2.21 15.20 Unbundled Remote Call Forwarding Service, IntraLATA - Bus UEPVB UERTR 1.52 2.31 2.21 15.20 Unbundled Remote Call Forwarding Service (all Forwarding Service) IntraLATA - Bus UEPVB UERTR 1.52 2.31 2.21 15.20 Unbundled Remote Call Forwarding Service (all Forwarding Service) IntraLATA - Bus UEPVB UERTR 1.52 2.31 2.21 15.20 Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is Unbundled Remote Call Forwarding Service - Conversion - William Remote Call Forwarding Service - Conversion - William Remote Call Forwarding Service - Conversion - William Remote Call Forwarding Service - Conversion - William Remote Call Forwarding Service - Conversion - William Remote Call Forwarding Service - Conversion - William Remote Call Forwarding Service - Conversion - William Remote Call Forwarding Service - Conversion - William Remote Call Forwarding Service - Conversion - William Remote Call Forwarding Service - Conversion - William Remote Call Forwarding Service - Conversion - Wil	UNBU		1	ـــــ						ļ	<u> </u>	 					
Unbundled Remote Call Forwarding Service, InterLATA - Res UEFVR UERTE 152 2.31 2.21 15.20 15.2		Unbundled Remote Call Forwarding Service, Area Calling, Res		L	UEPVR	UERAC	1.52	2.31	2.21		<u> </u>		15 20				
Unbundled Remote Call Forwarding Service, InterLATA - Res UEFVR UERTE 152 2.31 2.21 15.20 15.2						1				ŀ			l		•	l	1
Unbundled Remote Call Forwarding Service, IntritAATA - Res UEPVR UERTR 1.52 2.31 2.21 15.20		Unbundled Remote Call Forwarding Service, Local Calling - Res		L											1		
Unbundled Remote Call Forwarding Service - Conversion - UEPVR UERTR 1.52 2.31 2.21 15.20		Unbundled Remote Call Forwarding Service, InterLATA - Res								L					ļ		
Unburndled Remote Call Forwarding Service - Conversion - Switch-as-ils UEPVR USACC 0.10 0.		Unbundled Remote Call Forwarding Service, IntraLATA - Res	l	L	UEPVR	UERTR	1.52	2 31	2.21			<u> </u>	15.20				
Switch-as-Is	Non-F	Recurring	I											ļ	ļ		ļ
Switch-as-Is		Unbundled Remote Call Forwarding Service - Conversion -	1	7						}	J	1	j	j	•)	J
Billowed change (PIC and LPIC)					UEPVR	USAC2	ļ	0.10	0.10	l			15.20		·	<u></u>	
Billowed change (PIC and LPIC)		Unbundled Remote Call Forwarding Service - Conversion with														<u> </u>	
Unbundled Remote Call Forwarding Service, Area Calling - Bus UEPVB UERAC 1.52 2.31 2.21 15.20	ŀ		1	1	UEPVR	USACC		0.10	0.10				i				
Unbundled Remote Call Forwarding Service, Area Calling - Bus UEPVB UERAC Unbundled Remote Call Forwarding Service, Local Calling - Bus UEPVB UERAC Unbundled Remote Call Forwarding Service, Local Calling - Bus UEPVB UERTC Unbundled Remote Call Forwarding Service, InterLATA - Bus UEPVB UERTE 1.52 2.31 2.21 15.20 Unbundled Remote Call Forwarding Service, InterLATA - Bus UEPVB UERTR 1.52 2.31 2.21 15.20 Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling UEPVB UERTR 1.52 2.31 2.21 15.20 UEPVB UERTR 1.52 2.31 2.21 15.20 UEPVB UERVJ 1.52 2.31 2.21 15.20 UEPVB UERVJ 1.52 2.31 2.21 15.20 UEPVB UERVJ 1.52 2.31 2.21 15.20 UEPVB UERVJ 1.52 2.31 2.21 15.20 UEPVB UERVJ 1.52 2.31 2.21 15.20 UEPVB UERVJ 1.52 2.31 2.21 15.20 UEPVB UERVJ 1.52 2.31 2.21 15.20 UEPVB UERVJ 1.52 2.31 2.21 15.20 UEPVB UERVJ 1.52 2.31 2.21 15.20 UEPVB UERVJ 1.52 2.31 2.21 15.20 UEPVB UERVJ 1.52 2.31 2.21 0.10 0.10 0.10 0.10 0.10 0.10 0.1	HINBH		1	T-								l		i			
Unbundled Remote Call Forwarding Service, Note Calling - Bus UEPVB UERLC 1.52 2.31 2.21 15.20 Unbundled Remote Call Forwarding Service, InterLATA - Bus UEPVB UERTE 1.52 2.31 2.21 15.20 Unbundled Remote Call Forwarding Service, InterLATA - Bus UEPVB UERTE 1.52 2.31 2.21 15.20 Unbundled Remote Call Forwarding Service, IntraLATA - Bus UEPVB UERTR 1.52 2.31 2.21 15.20 Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling UEPVB UERVJ 1.52 2.31 2.21 15.20 Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is UEPVB USAC2 0.10 0.10 USAC2 0.10 0.10 UEPVB USAC2 UEPVB USACC USACC UEPVB USACC USACC UEPVB USACC UEPVB USACC UEPVB USACC USACC UEPVB UEPVB USACC UEPVB UEP	Olloo	TOPE OF THE PROPERTY OF THE PR	· · · · ·	 			 										
Unbundled Remote Call Forwarding Service, Local Calling - Bus UEPVB UERIC 1.52 2.31 2.21 15.20 15.20 Unbundled Remote Call Forwarding Service, interLATA - Bus UEPVB UERTE 1.52 2.31 2.21 15.20 Unbundled Remote Call Forwarding Service, interLATA - Bus UEPVB UERTR 1.52 2.31 2.21 15.20 Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling UEPVB UERVJ 1.52 2.31 2.21 15.20 UEPVB UERVJ 1.52 2.31 2.21 Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is UEPVB USAC2 UEPVB USAC2 UEPVB USAC2 UEPVB USAC2 UEPVB USAC2 UEPVB USACC UEPVB UEPVB USACC UEPVB UE	- 1	Unbundled Remote Cell Forwarding Service, Area Celling - Bus	l	1	LIFPVB	UEBAC	1.52	2.31	2.21	į		1	15.20	J	ļ	l	
Unbundled Remote Call Forwarding Service, InterLATA - Bus UEPVB UERTE 1.52 2.31 2.21 15.20 Unbundled Remote Call Forwarding Service, InterLATA - Bus UEPVB UERTR 1.52 2.31 2.21 15.20 Unbundled Remote Call Forwarding Service, InterLATA - Bus UEPVB UERTR 1.52 2.31 2.21 15.20 Unbundled Remote Call Forwarding Service Expanded and Exception Local Cailling UEPVB UERVJ 1.52 2.31 2.21 15.20 UEPVB UERVJ 1.52 2.31 2.21 15.20 UEPVB UERVJ 1.52 2.31 2.21 15.20 UEPVB UERVJ 1.52 2.31 2.21 15.20 UEPVB UERVJ 1.52 2.31 2.21 15.20 UEPVB UERVJ 1.52 2.31 2.21 15.20 UEPVB UERVJ 1.52 2.31 2.21 15.20 UEPVB UERVJ 1.52 2.31 2.21 15.20 UEPVB UERVJ 1.52 2.31 2.21 3.31 2.21 3.31 3.22 3.31 3.22 3.31 3.22 3.31 3.22 3.31 3.22 3.31 3.22 3.31 3.32 3.32		Oribonoled Heriote Carl Forwarding Service, Wea Carling - Dus	\vdash	+	02110	1021110											
Unbundled Remote Call Forwarding Service, InterLATA - Bus UEPVB UERTE 1.52 2.31 2.21 15.20 Unbundled Remote Call Forwarding Service, InterLATA - Bus UEPVB UERTR 1.52 2.31 2.21 15.20 Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling UEPVB UERVJ 1.52 2.31 2.21 15.20 UEPVB UERVJ 1.52 2.31 2.21 15.20 UEPVB UERVJ 1.52 2.31 2.21 15.20 UEPVB UERVJ 1.52 2.31 2.21 15.20 UEPVB UERVJ 1.52 2.31 2.21 15.20 UEPVB UERVJ 1.52 2.31 2.21 15.20 UEPVB UERVJ 1.52 2.31 2.21 15.20 UEPVB UERVJ 1.52 2.31 2.21 2.21 2.21 2.21 2.22 2.31 2.21 2.2	ŀ	Liebundled Remote Cell Ferryarding Senses Local Calling - Bus	1		HEDVR	DEBLC	1 52	231	2.21			1	15.20	-	1	i	ļ
Unbundled Remote Call Forwarding Service, IntraLATA - Sus ULEPVB ULERTR 1.52 2.31 2.21 15.20 ULEPVB ULERTR 1.52 2.31 2.21 15.20 ULEPVB ULERTR 1.52 2.31 2.21 15.20 ULEPVB ULERTR 1.52 2.31 2.21 15.20 ULEPVB ULERVJ 1.52 2.31 2.21 15.20 ULEPVB ULERVJ 1.52 2.31 2.21 15.20 ULEPVB ULERVJ 1.52 2.31 2.21 15.20 ULEPVB ULERVJ 1.52 2.31 2.21 15.20 ULEPVB ULERVJ 1.52 2.31 2.21 15.20 ULEPVB			 	+									15 20				
Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling UEPVB UERVJ 1.52 2.31 2.21 15.20 Non-Recurring Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is UEPVB USAC2 0.10 0.10 15.20 UEPVB USACC 0.10 0.10 15.20 DIAMORD Remote Call Forwarding Service - Conversion - With allowed change (PIC and LPIC) UEPVB USACC 0.10 0.10 0.10 15.20 UEPVB USACC 0.10 0.				+							 				 	 	
Exception Local Calling			├──	┼─	DELAB	OCITIE	1.02			 	 	†				T	
Non-Recurring Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) UEPVB USACC 0 10 0 10 BUNDLED LOCAL SWITCHING, PORT USAGE End Office Switching (Port Usage) End Office Switching Function, Per MOU	1		l	ł	LIEONB	LIEBVI	1 50	224	. 201	Į.	1	1	15 20	ļ	l	Į.	1
Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is UEPVB USAC2 0,10 0.10 15.20 USAC2 0,10 0.10 USAC2 U			—	+	UCPVD	DEUAN	1,32		- 2.41	 	 	 	10.20	 			
Switch-as-is	Non-F		—	+		 	 			 		 		f	 	 	
Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) NBUNDLED LOCAL SWITCHING, PORT USAGE End Office Switching (Port Usage) End Office Switching Function, Per MOU 0.001868	ı		1	1	UE01/0	LICAGO	l.		0.40	1	1	l	15 20]	1	ļ	1
Rillowed change (PIC and LPIC) UEPVB USACC 0 10 0 10			⊢ –	 	DELAR	USAC2	 	0,10	0.10		+	+	15.20	 	 		
NBUNDLED LOCAL SWITCHING, PORT USAGE End Office Switching (Port Usage) End Office Switching Function, Per MOU 0.001868	1		1	1]					1	1		1	1	
End Office Switching (Port Usage) End Office Switching Function, Per MOU 0.001868				1	UEPVB	USACC	 	0 10	U 10		 	+		 	 		
End Office Switching Function, Per MOU 0.001868			L				<u> </u>			 -				 	 	 	
End Office Switching Function, Per MOU 0.001868	End O									ļ		+			 	 	
						l			ļ			_		ļ	 	 	
							0 00018			1	l		l	<u> </u>		ــــــــــــــــــــــــــــــــــــــ	

JNBUNDLED NE	TWORK ELEMENTS - Louisiana													nent: 2		bit: B
				_~.~	1	1					Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremen
1			1			ì					Submitted	Submitted	Charge -	Charge -	Charge -	Charge
			1 1		ŀ						Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual 1
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)				per LSR	Order vs.	Order vs.	Order vs.	Order v
		m				i		•••			po. 20	P 0. - 0	Electronic-	Electronic-	Electronic-	
					i							ĺ	1st	Add'I	Disc 1st	Disc Ac
1			1 1		ł										Disc 1st	Disc At
			\Box			Rec	Nonrec	urring	Nonrecurrin	g Disconnect	I		oss	Rates(\$)		
						nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOM
	tching (Port Usage) (Local or Access Tandem)															ļ
	lem Switching Function Per MOU					0.0001067					<u> </u>				1	<u> </u>
	lem Trunk Port - Shared, Per MOU					0.000222					1		<u></u>			
Common Tra			L							ļ	<u> </u>	<u> </u>			ļ	
	mon Transport - Per Mile, Per MOU					0.0000032				L			l			
	mon Transport - Facilities Termination Per MOU	l				0.0003748					<u> </u>				1	
	/LOOP COMBINATIONS - COST BASED RATES	<u> </u>			T					l	l					
	Rates are applied where BellSouth is required by FCC ar															
Features sha	all apply to the Unbundled Port/Loop Combination - Cos	t Basec	Rate s	ection in the same	manner as th	ey are applied	to the Stand-A	ione Unbundic	d Port section	n of this Rate E	xhibit.				l	
End Office a	nd Tandem Switching Usage and Common Transport Us	sage rat	es in th	e Port section of th	nis rate exhib	it shall apply to	all combination	ons of loop/po	rt network ele	ments except	for UNE Col	n Port/Loo	Combinatio	ns.		Γ
The first and	additional Port nonrecurring charges apply to Not Curr	entiv C	ombine	d Combos, For Cu	rrently Comt	ined Combos.	the nonrecurri	ng charges sh	all be those ic	lentified in the	Nonrecurrir	g - Current	ly Combined	sections. Ad	iditional nonn	ecurring
	apply also and are categorized accordingly.				•			•				•				
	CE GRADE LOOP WITH 2-WIRE LINE PORT (RES)									T						
	oop Combination Rates		\vdash		1					7						
	re VG Loop/Port Combo - Zone 1		1		 	13 13				1	T				1	
	re VG Loop/Port Combo - Zone 2	t	2		 	23.75				1	T	T	·	1	T	
	re VG Loop/Port Combo - Zone 3		3		+	49.62				-	†			T		T
UNE LOOD R			┝┵┤		+	70.02				†	 				1	
			1	UEPRX	UEPLX	11 77				+	 		 		1	1
	re Voice Grade Loop (SL1) - Zone 1			UEPRX	UEPLX	22.39				+		 				
	re Voice Grade Loop (SL1) - Zone 2			UEPRX	UEPLX	48.26						 	 		+	
	re Voice Grade Loop (SL1) - Zone 3		3	UEPHX	UEPLX	46,20				{				 -	 	
	Grade Line Port Rates (Res)		1-	i i i i i i i i i i i i i i i i i i i	UEDD:	4.00	90.05	19 08			 	15.20	 		 	+
	re voice unbundled port - residence			UEPRX	UEPRL	1 36	38.85 38.85	19 08				15.20			 	+
	re voice unbundled port with Caller ID - res	<u> </u>		UEPRX	UEPRC	1.36						15.20			 	
	re voice unbundled port outgoing only - res		_	UEPRX	UEPRO	1.36	38 85	19.08		 		15.20	 		 	├──
	re voice Grade unbundled Louisiana extended local dialing	J	J .							1	1	15.00	ł	ļ	i	1
panty	y port with Caller ID - res			UEPRX	UEPAS	1.36	38.85	19.08		 	├ ──	15.20	 	 	 	
2-Wii	re voice unbundled Louisiana Area Plus with Caller ID - res	!			1							45.00		l.		1
(RUL			<u></u>	UEPRX	UEPAG	1.36	38 85	19.08			<u> </u>	15 20	 -		+	+
2-Wi	re voice unbundies res, low usage line port with Caller ID						Ì					1		1		1
(LUM	M)	ļ	l	UEPRX	UEPAP	1.36	38.85	19.08			.	15 20				
FEATURES						l					<u> </u>				 	
	eatures Offered			UEPRX	UEPVF	0.00	0.00	0 00	<u></u>			15.20			 	↓ —
	MBER PORTABILITY		T								ļ		<u> </u>	ļ		
	Number Portability (1 per port)			UEPRX	LNPCX	0.35							ļ	<u> </u>		↓
	RING CHARGES (NRCs) - CURRENTLY COMBINED													<u> </u>		↓
	re Voice Grade Loop / Line Port Combination - Conversion -	1	1												1	
	ch-as-is	ļ	1	UEPRX	USAC2	j.	0 10	0 10				15.20		L		
	ire Voice Grade Loop / Line Port Combination - Conversion -		1								I	i	l .	1		
	ch with change	l	1	UEPRX	USACC		0.10	0.10				15.20				
ADDITIONAL		t	+							T		<u> </u>	<u> </u>	<u> </u>		4
	ire Voice Grade Loop/Line Port Combination - Subsequent	t	 			T							l		1	1
Activ		1	1	UEPRX	USAS2	0.00	0 00	0 00	ŀ	L	<u> </u>	15.20		L		
ACTIV	CE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)	 	+		+=====	1	1	T		7				J		
2-WIHE VOIC	OF GRADE LOUP WITH 2-WINE LINE PORT (803)	+	+	 	+	 		i	l							
	pop Combination Rates	 	+ -	 	+	13 13	 					I		L		1
	ire VG Loop/Port Combo - Zone 1	 	1 2			23.75			· · · · · · · · · · · · · · · · · · ·						20.00	L
	ire VG Loop/Port Combo - Zone 2			ļ	+	49.62		<u> </u>		 						
	re VG Loop/Port Combo - Zone 3	 	3	 	+	+3.02	 	 		 	†	1	1	I		
UNE Loop F		₩	+	ULDBA	LIEBLY	11.77	 	 	 	+	 	T		1	1	L =
	ire Voice Grade Loop (SL1) - Zone 1	 	11	UEPBX	UEPLX	22 39	 		 	+	+			1		T
	re Voice Grade Loop (SL1) - Zone 2			UEPBX	UEPLX					+	+	 		1		T
	re Voice Grade Loop (SL1) - Zone 3	<u> </u>	3	UEPBX	UEPLX	48.26	 			 	+	 	 		 	\top
	e Grade Line Port (Bus)	L		L				40.00			 -	15.20	 -	 	1	+-
2-Wi	ire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1 36		19.08			+			+	 	
2-Wi	re voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.36		19.08	Ļ		 	15.20		 	+	+
2-Wi	ire voice unbundled port outgoing only - bus		T	UEPBX	UEPBO	1.36	38.85	19.08			 	15 20	1	 	+	+
	ire voice Grade unbundled Louisiana extended local dialing	1	1	1						1	1		1		1	1
2.10				1			1 00.00	1 40.00			1	15 20	1			
2-Wi	y port with Caller ID - bus			IUEPBX	UEPAX	1 36	38.85	19.08 19.08				15 20		_		7

LIMPIEN	DI ED	NETWORK ELEMENTS - Louisiana												Attachr			bit: B
CATEGO		NETWORK ELEMENTS - Louisiana RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)					Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
								Nonrec	urring	Nonrecurring	Disconnect				Rates(\$)		
				+			Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	- 1	2-Wire voice unbundled Louisiana Bus Area Calling Port with	 	 		 										<u> </u>	ļ
		Caller ID (BUC)	1	1	UEPBX	UEPAA	1.36	38.85	19.08			L	15.20				
		NUMBER PORTABILITY	 	 													
- 		Local Number Portability (1 per port)	 -	1	UEPBX	LNPCX	0 35					ļ	ļ				
F	EATUR											ļ					
		All Features Offered			UEPBX	UEPVF	0.00	0.00	0 00				15 20				
١	IONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED										<u> </u>	 	 			
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -	i	1					2.12				15 20				1
		Switch-as-is	<u> </u>		UEPBX	USAC2		0 10	0.10			 	13 20				
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1			1,,,,,,,,		0.10	0.10			1	15.20				ı
		Switch with change	—	-	UEPBX	USACC		0.10	0.10			1	10,20	-			
	DOITK	ONAL NRCs	ļ	-									 	T		<u> </u>	
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent	1		UEPBX	USAS2		0 00	0 00				15.20	Į.			
		Activity PROPERTY OF THE PROPE		+	DEFBA	00702		- 000									<u> </u>
2	-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)	 	+	·												1
	INE PO	rt/Loop Combination Rates	1	+ 1	<u> </u>		13.13					Τ					<u> </u>
		2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2	 	2	 		23.75									<u> </u>	_
\longrightarrow		2-Wire VG Loop/Port Combo - Zone 3	+	3			49.62										
		op Rates	 	+								<u> </u>	ļ			ļ	
 	JUE LO	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	1 1	UEPRG	UEPLX	11 77					<u> </u>	ļ		ļ <u></u>	 	+
		2-Wire Voice Grade Loop (SL 1) - Zone 2	—	2	UEPRG	UEPLX	22.39						↓	ļ		1	
\vdash		2-Wire Voice Grade Loop (SL 1) - Zone 3	-	3		UEPLX	48 26						 		 	 	
 		Voice Grade Line Port Rates (RES - PBX)										ļ			 		
 		2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -									ļ		15.20		i		
i		Res	1	١	UEPRG	UEPRD	1.36	66 91	31.29				15.20	 	 	 	+
 		NUMBER PORTABILITY							0.00	 		+	15 20	+			
		Local Number Portability (1 per port)			UEPRG	LNPCP	3 15	0.00	0.00	ļ		+	1020	 	 		
	FEATU	RES			ļ <u>-</u>			0.00	0.00				15.20	1			
		All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00	ļ.——		1	1	· · · · · ·			
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED	1				 			 		1			1		
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		1	LUEDDO	USAC2		7.68	1.85	1		1	15.20			<u> </u>	<u> </u>
\sqcup		Conversion - Switch-As-Is	-		UEPRG	USAUZ		7.00						1			1
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1	i	UEPRG	USACC	1	7.68	1.85				15 20	· l	1		
\Box		Conversion - Switch with Change		-	DEPAG	03,000	 	7.55									
\perp	ADDITI	ONAL NRCs	+-	+	· 									1	i		1
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1	i	UEPRG	USAS2	0 00	0 00	0.00				15 20	<u> </u>	. 	 	
		Subsequent Activity PBX Subsequent Activity - Change/Rearrange Multiline Hunt	+		7			1			1	1	1	.1		1	I
1				-				7.11	7.11	<u> </u>			15.20	<u>' </u>	 	+	+
\vdash	o wine	Group VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)	, 	\neg							ļ	+		+	 	 	+
	LINE D	ort/Loop Combination Rates	4								ļ	+			 		
	UNE F	2-Wire VG Loop/Port Combo - Zone 1		1			13 13				ļ <u> </u>			 	├		+
\vdash		2-Wire VG Loop/Port Combo - Zone 2	1	2			23.75		 		 			+	·		T
\vdash		2-Wire VG Loop/Port Combo - Zone 3		3			49.62		ļ		ļ <u> </u>	 		+		 	
 	LINE I	pop Rates	T					ļ		 	 		+	+			1
\vdash		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	11.77		<u> </u>	 	 	+	+	+	 	1	1
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	22.39	_		 	+	+	+				
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	48.26	 	 	+	 	+	1	1			
	2-Wire	Voice Grade Line Port Rates (BUS - PBX)						 	 	 	 	1	T				I
			1		l	LICEDE	1.36	66.91	31 29	, [1	1	15 20)	_i		
		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	8		UEPPX	UEPPC		66.91	31.29			1	15 20				
		Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1.36		31.29				15.20			1	
		Line Side Unbundled Incoming PBX Trunk Port - Bus	4_		UEPPX	UEPP1	136	60.91	+ · · · · · · · · · · · ·	 	1		1 -				1
1 1		2-Wire Voice Unbundled 2-Way Combination PBX Louisiana	1		U.CDDV	UEPL2	1 36	66.91	31.29	ıl			15 20				
		la u Bost	l l	1	UEPPX								15 20	0			
		Calling Port	_	_													
		2-Wire Voice Unbundled PBX LD Terminal Ports 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port	丰		UEPPX	UEPLD	1.36 1.36				<u> </u>		15.2 15.2				

JNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attachi	ment: 2	Exhil	bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually	incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order vi Electron Disc Add
						Rec	Nonrec			g Disconnect				Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.36	66.91	31.29			Ī	15 20				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		I	UEPPX	UEPXD	1.36	66,91	31.29			T	15 20				Γ
	2-Wire Voice Unbundled PBX LD Terminal Switchboard iDD										T					
	Capable Port			UEPPX	UEPXE	1 36	66.91	31 29	l			15.20	L			
	2-Wire Voice Unbundled 2-Way PBX Louisiana Local Optional	ł		ĺ					ļ	1		1		1		
	Calling Port		L	UEPPX	UEPXK	1.36	66.91	31.29				15 20	<u> </u>			
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	ŀ											!		1	
	Administrative Calling Port			UEPPX	UEPXL	1.36	66 91	31.29				15 20				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	!	i						1		ŀ				i	
	Room Calling Port		<u> </u>	UEPPX	UEPXM	1 36	66 91	31 29	ļ			15.20			ļ <u>.</u>	
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital		1								1	1	ŀ	1	i	
	Discount Room Calling Port	ļ	<u> </u>	UEPPX	UEPXO	1.36	66,91	31 29			 	15.20				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Local	l				4.00		04.00			i	15 20			1	1
	Discount Calling Port 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	 		UEPPX UEPPX	UEPXPUEPXS	1 36 1 36	66.91 66.91	31 29 31.29	ļ	 	+	15 20	ļ <u>.</u>		 	├
1.004	L NUMBER PORTABILITY		├ ──	UEPPA	UEPAS	1 30	00.91	31.29		 	 	15 20				
LUCA		<u> </u>	 	UEPPX	LNPCP	3.15	0.00	0.00		+	+	15 20				
FEAT	Local Number Portability (1 per port)			UEPPA	LNPCP	3, 15	0.00	0.00		 	 	13 20	 	 	 	
FEAT	All Features Offered			UEPPX	UEPVF	0.00	000	0.00		 	+	15 20	 	 	 	
MOND	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED		├	UEFFA	DEFVE	0.00		0.00		 	 	10.20	 	 		
NON	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		——							 	 		 	<u> </u>	 	
1	Conversion - Switch-As-Is	1		UEPPX	USAC2	1	7.68	1.85	i		t	15 20	1		l	
$-\!\!+\!\!-\!\!\!-$	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		 	ULFFX	00/102		7.00					1,000		 		-
ŀ	Conversion - Switch with Change	ļ	ļ	UEPPX	USACC	l l	7.68	1.85	J		1	15.20	1	1	l	
ADDIX	TIONAL NRCs	 		OLI I X	00/100		7.00	1100			·					$\overline{}$
ADDIT	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	├─	├				-:				-					\vdash
1	Subsequent Activity	ł	ļ	UEPPX	USAS2	0.00	0.00	0.00				15.20		l	ŀ	1
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt		\vdash	DEI TX	100/02					 	1		<u> </u>			1
	Group						7.11	7.11	l			15.20	1		[1
2-WIB	E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POP	31	 -													
	Port/Loop Combination Rates	ii 														
15.1.5	2-Wire VG Coin Port/Loop Combo - Zone 1		1			13 13										
	2-Wire VG Coin Port/Loop Combo – Zone 2		2			23.75										
	2-Wire VG Coin Port/Loop Combo - Zone 3	<u> </u>	3			49.62		,,,					I		L	<u> </u>
UNE L	oop Rates		<u> </u>									I	l			
- (5772-5	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	11.77										
	2-Wire Voice Grade Loop (SL1) - Zone 2			UEPCO	UEPLX	22 39							L	L	ļ	
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	48 26						l	<u> </u>		<u> </u>	
2-Wire	Voice Grade Line Ports (COIN)			· · · · · · · · · · · · · · · · · · ·								L			<u> </u>	↓
	2-Wire Coin 2-Way without Operator Screening and without	-												i	i .	ł
	Blocking (AL, KY, LA, MS)			UEPCO	UEPRF	1.36	38.85	19.08		<u> </u>		15.20		<u> </u>	ļ	
	2-Wire Coin 2-Way with Operator Screening and Blocking, 011,								_			1		l .		
- }	900/976, 1+DDD (AL, KY, LA, MS)	1	I	UEPCO	UEPRA	1 36	38 85	19.08	<u> </u>			15 20	ļ <u> </u>			↓
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking									I	i	1	I	1	i	1
ļ	(AL, LA, MS)	i	l .	UEPCO	UEPRB	1.36	38.85	19.08		J	4	15.20	ļ	ļ <u> </u>	-	
	2-Wire Coin 2-Way with Operator Screening & Blocking:									l .	l				1	!
- 1	900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)		l	UEPCO	UEPCD	1.36	38.85	19.08		↓	 _	15.20			 	+
	2-Wire Coin Outward without Blocking and without Operator		1						i	i	1	45.00		1	[1
	Screening (KY, LA, MS)		<u> </u>	UEPCO	UEPRN	1.36	38.85	19.08		ļ <u> </u>		15 20	 		 	+
	2-Wire Coin Outward with Operator Screening and 011 Blocking	1	1		L	!				1		45.00	i	1	I	1
	(LA)			UEPCO	UEPLA	1.36	38.85	19 08	 	 	+	15.20	 	 	 	+
	2-Wire Coin Outward with Operator Screening and Blocking:]	!		1		1	45.00	1	1	1	Į.
L_	011, 900/976, 1+DDD (AL, KY, LA, MS)		<u> </u>	UEPCO	UEPRH	1.36	38 85	19 08	ļ	 		15.20	 	 	 	+
	2-Wire Coin Outward Operator Screening & Blocking: 900/976,								1	1	1	45.00	.1	l .		1
	1+DDD, 011+, and Local (AL, KY, LA, MS)	L		UEPCO	UEPCN	1 36	38.85	19.08	<u> </u>	+	 	15.20		 	 	+
	2-Wire Coin 2-Way Smartline with 900/976 (Louisiana only)			UEPCO	UEPNA	1.36	38.85	19.08		 		15.20		 	 	+
	2-Wire Coin Outward Smartline with 900/976 (Louisiana only)			UEPCO	UEPCB	1.36	38.85	19.08	ļ	 	 	15.20	1	 	 	+
ADDIT	TIONAL UNE COIN PORT/LOOP (RC)					L			<u> </u>		4	 	 	+	+	+
	UNE Coin Port/Loop Combo Usage (Flat Rate)	1		UEPCO	URECU	1 81	0 00	0.00	<u>. </u>			15.20	<u> </u>		1	

NBUNDI FO	NETWORK ELEMENTS - Louisiana													Attachr			bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS		usoc			RATES(\$)			_	Svc Order Submitted Manually per LSR	incremental Charge - Manual Svo Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual S Order vs
							Rec	Nonrec			Disconnect				Rates(\$)	1	
							nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	NUMBER PORTABILITY											<u> </u>		ļ			
	Local Number Portability (1 per port)			UEPCO		NPCX	0 35				ļ.—.	ļ	ļ			ļ	
NONRE	CURRING CHARGES - CURRENTLY COMBINED													 			
1	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is	1	1	UEPCO	1.	JSAC2	,	0 10	0.10	1	ļ	ļ	15 20	1		İ	
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	 	 	OCT CO		JOAOE		0 10	0.10							f	
1	Switch with change	l	ł	UEPCO	ŀ	JSACC		0.10	0.10				15 20				<u> </u>
ADDITI	ONAL NRCs															<u> </u>	
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent									1]					1	
	Activity		L	UEPCO		JSAS2		0.00	0.00	ļ	<u> </u>	 	15 20	ļ		 	
	ORT/LOOP COMBINATIONS - COST BASED RATES		<u> </u>									ļ —		 -			+
	VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT	⊢ —								 	 	 			 	
UNE PO	ort/Loop Combination Rates	├	-				23 20				 			 			
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		1 2				33.62			 	 			 		T	1
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - DNE Zone 2	 	3	 			58 73				·						
LINE 1	pop Rates	 	᠆ᢆ		+												T
ONE E	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1	-	1	UEPPX		UECD1	14 93						15.20				
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2			UEPPX		UECD1	25.35					I	15 20			<u> </u>	<u> </u>
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3			UEPPX		UECD1	50.46				<u> </u>		15.20				
UNE P	ort Rate										ļ		12.00	,		 	-
	Exchange Ports - 2-Wire DID Port			UEPPX		UEPD1	8.27	217.95	83.92	ļ. —.—			15.20	ļ		ļ	+
NONRE	CURRING CHARGES - CURRENTLY COMBINED									ļ	 		 	ļ		 	
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -	1								Į.		1	15.20	ĺ	l	1	1
	Switch-as-is	<u> </u>		UEPPX		USAC1		7.10	1 81	·	 	 	15.20	 	 	+	+
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion	1	1	l				7.40	1 81	1	i	İ	15 20	1	l	1	1
	with BellSouth Allowable Changes	<u> </u>	ļ	UEPPX		USA1C		7.10		 	 	 	10 20			 	
ADDIT	IONAL NRCs	 -	 	UEPPX		USAS1		26 01	26.01	 	 	ļ	15 20		1	1	
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk	⊢	+	DEFFY		03/01		2001		 							
I eleph	one Number/Trunk Group Establisment Charges [DID Trunk Termination (One Per Port)	+	┼	UEPPX		NDT	0 00	0.00	0.00				15 20				
	Additional DID Numbers for each Group of 20 DID Numbers	-	+	UEPPX		ND4	0.00	0.00	0.00				15.20			_	
	DID Numbers, Non- consecutive DID Numbers , Per Number		 	UEPPX		ND5	0 00	0.00	0.00			ļ	15.20		<u> </u>	<u> </u>	-
	Reserve Non-Consecutive DID numbers		†	UEPPX		ND6	0.00	0.00	0.00			ļ	15.20			 	+
	Reserve DID Numbers	1 -	1	UEPPX		NDV	0.00	0.00	0 00		<u> </u>		15.20	 	 -	 	+
LOCAL	NUMBER PORTABILITY													· 	 	+	+
	Local Number Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	0 00	 	 	+	 	+	 	 	+
	E ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL L	INE SID	E POR	Ţ						 			+		 	 	
	ort/Loop Combination Rates	-	4	ļ			 		 	 	+	+	1	1	 	1	1
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		1.	UEPPB	UEPPR		27.48			1	1	1	I	L	<u> </u>		
	UNE Zone 1	├	+-	UEPPB	UEPPR		27.40			1	 	1					1
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	1	2	UEPPB	UEPPR		40.34	İ	[ĺ	<u></u>			J	L	1	
	UNE Zone 2	+	+-	JULITO	JEITI		13.34		<u> </u>								1
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port	1	3	UEPPB	UEPPR		70 99	ſ	l		1		<u> </u>			ļ	4
I INC I	UNE Zone 3 oop Rates	+	† <u> </u>	 			1					1	ļ	 	 		+
UNEL	2-Wire ISDN Digital Grade Loop - UNE Zone 1	_	1	UEPPB	UEPPR	USL2X	19.09					 	15.20	' 	 	+	+
_	E THE LEGIT BIGHER CHARGE COOP OFFE AGING 1	T^{-}							i		1		15.00	.1 '	1	1	1
	2-Wire ISDN Digital Grade Loop - UNE Zone 2	1	2	UEPPB	UEPPR		31.95	L	 		 	 	15.20 15.20		 	 	+
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	62.60			 		+	13.20	\	 	T	+
UNE P	ort Rate						 	 	100 40	 	1	+	15.20		 	 	+
	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	8.39	184.10	128.42	+	+	+	,0.20	1	 		1
NONR	ECURRING CHARGES - CURRENTLY COMBINED						ļ	 	 	 	+	+	 	1			T
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port							07.40	26.23		1		15.20	1			
	Combination - Conversion	↓ _	↓ _	UEPPB	UEPPR	USACB	0.00	37.40	20.23	'	 		1	1	T		
	TONAL NRCs	4	4-	<u> </u>			 	 		+	+	1	†				
LOCA	L NUMBER PORTABILITY	+	_	115000	UCDDC	LNDCV	0.35	0.00	0.00		1						
	Local Number Portability (1 per port)	1		UEPPB	UEPPR	LINPUX	0.35	0.00	0.00	' 					1		1 .

UNBUNDI F	D NETWORK ELEMENTS - Louisiana													Attachi	ment: 2	Exhit	bit: B
J. I. DON'D LL	- 11 - 11 California			<i>(</i> **	·^;							Submitted	Svc Order Submitted	Incremental Charge -	Incremental Charge -	Incremental Charge -	Incremental Charge -
CATEGORY	RATE ELEMENTS	Interi m	Zone	⁾ Bc	ร์	usoc			RATES(\$)			Elec per LSR	Manually per LSR	Manual Svc Order vs. Electronic- 1st	Manual Svc Order vs. Electronic- Add'I	Manual Svc Order vs. Electronic- Disc 1st	Manual Svo Order vs. Electronic- Disc Add'l
							Rec	Nonrec	urring	Nonrecurring	g Disconnect				Rates(\$)		
	0,10,10,00,10,10,15,00							First	Addil	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CVS/CSD (DMS/5ESS) CVS (EWSD)		-			U1UCA	0 00	0 00	0.00		ļ	·		ļ	ļ		
	CSD	 	-		UEPPR UEPPR	U1UCB U1UCC	0.00	0.00	0.00						ļ	<u> </u>	
B-CHA	NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C.MS. 8	TN)	OEFFB	OCFFR	01000	0.00	0 00	0.00		 				 		
	CVS/CSD (DMS/5ESS)	<u> </u>	1	UEPPB	UEPPR	UTUCD	0.00	0 00	0.00							ļ	
	CVS (EWSD)					U1UCE	0.00	0.00	0.00								
	CSD			ÜEPPB	UEPPR	U1UCF	0.00	0 00	0.00								
USER	TERMINAL PROFILE	—	ļ														
VEDT	User Terminal Profile (EWSD only)	—		UEPPB	UEPPR	U1UMA	0.00	0.00	0 00								
VENT	All Vertical Features - One per Channel B User Profile	├		UEPPB	UEPPR	LIEDVE	0 00	0.00			ļ		15.00	 			
INTER	OFFICE CHANNEL MILEAGE		_	UEFFB	JEFFR	UEFVF	0.00	0.00	0.00				15 20		 -		
	Interoffice Channel mileage each, including first mile and		 								 						
	facilities termination			UEPPB L	JEPPR	MIGNO	22 613	39 36	26.62				15.20	l			
	Interoffice Channel mileage each, additional mile			UEPPB	UEPPR	MIGNM	0 013	0.00	0.00				15.20				
	E DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	(PORT															
UNE P	ort/Loop Combination Rates	-	_								ļ				<u> </u>		
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1		1	UEPPP			180.52										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2		2	UEPPP		l	289.78										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3		3	UEPPP			586.76										L
UNE L	oop Rates																
	4-Wire DS1 Digital Loop - UNE Zone 1			UEPPP		USL4P	85.70				<u> </u>		15.20	ļ <u>-</u>	<u> </u>		L
	4-Wire DS1 Digital Loop - UNE Zone 2	ļ	3	UEPPP UEPPP		USL4P USL4P	194.96 491 94				 		15 20 15 20				
IIIAIE D	4-Wire DS1 Digital Loop - UNE Zone 3 ort Rate		1-3-	UEPPP		USL4P	491 94				ļ		15 20				
UNEF	Exchange Ports - 4-Wire ISDN DS1 Port	1-		UEPPP		UEPPP	94.82	443 08	251.60	-	 		15 20				
NONR	ECURRING CHARGES - CURRENTLY COMBINED			02111		02.17	0	110 00	201100		 						
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port												45.00				
	Combination - Conversion -Switch-as-is	<u> </u>	⊢ −	UEPPP		USACP	0 00	115.63	76.29			 	15 20				
ADDIT	IONAL NRCs 4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-		ļ.—								 	 	 				
	Inward/two way tel nos within Std Allowance (except NC)	ì		UEPPP		PR7TF		0.48		i	•	ł	15 20				
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -			UEPPP		PR7TO		11,18	11.18		T		15.20				
	Outward Tel Numbers (All States except NC) 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -		-				<u> </u>				 						
	Subsequent Inward Tel Nos Above Std Allowance		↓ _	UEPPP		PR7ZT		22 35	22.35		ļ. <u></u>		15.20				
LOCA	L NUMBER PORTABILITY		₩-	UEPPP		LNPCN	1.75							 	 	 	
MITTER	Local Number Portability (1 per port) FACE (Provisioning Only)		├	UEPPP		LNPCN	1.75				 	 		-			
INIER	Voice/Data	 	+	UEPPP		PR71V	0 00	0.00	0 00		 -	 					
	Digital Data		\vdash	UEPPP		PR71D	0 00	0.00	0.00		1						
	Inward Data	 	\vdash	UEPPP		PR71E	0.00	0 00	0 00								
New o	r Additional "B" Channel																
	New or Additional - Voice/Data B Channel			UEPPP		PR7BV	0.00	14 11				l	15.20		ļ		
	New or Additional - Digital Data B Channel			UEPPP		PR7BF	0.00	14.11			 	 	15.20	 		<u> </u>	
	New or Additional Inward Data B Channel		-	UEPPP		PR7BD	0 00	14.11			 	 	15 20	 	 		
CALL	TYPES		├	UEPPP		PR7C1	0 00	0.00	0 00		 	1	 			 	
	Inward	├──	 	UEPPP		PR7C0	0.00	0.00	0.00		 	 			1		
	Outward Two-way	 - -	+	UEPPP		PR7CC	0.00	0.00	0.00		1	 -					
Interes	ffice Channel Mileage	 	\vdash	OGFFF.		111100	0.00	- 00	3.00								
mitero	Fixed Each Including First Mile	 	_	UEPPP		1LN1A	70.7352	86.69	79.44				15.20				
_	Each Arline-Fractional Additional Mile	!	1	UEPPP		1LN1B	0.2652										
	E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT		\Box														
UNE P	ort/Loop Combination Rates											 	15.00	ļ	-		
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC			154.17						15.20		<u> </u>	L	

														ment: 2	Exhi	bit: B
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge
					ļ	Rec	Nonrec		Nonrecurring				oss	Rates(\$)		
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC	 	263 43	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4W DS1 Digital Loop/4W DDITS Trunk Port - LINE Zone 3			UEPDC		560 41						15.20				
UNE Lo	op Rates		Ť	OLI DO	 	560 41						15.20				
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	85.70					1					
	4-Wire DS1 Digital Loop - UNE Zone 2			UEPDC	USLDC	194 96						15.20				
	4-Wire DS1 Digital Loop - UNE Zone 3			UEPDC	USLDC							15.20				
UNE Po	ort Rate		_ <u>`</u>	OLI DO	USLUC	491.94						15.20				
	4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	00.47										
NONRE	CURRING CHARGES - CURRENTLY COMBINED		-	OEFDO	ODDII	68.47	441 34	245 90				15.20				
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Switch-as-is		' I	UEPDC	USAC4											
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			OLF DO	USAC4		125.75	65.08				15.20			l	i
	- Conversion with DS1 Changes		- 1	UEPDC	USAWA											
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			UEPDC	USAWA		125 75	65 08				15 20	!	!		
1 1	- Conversion with Change - Trunk	- 1		UEPDC	LICANID											
ADDITION	ONAL NRCs			DEPUC	USAWB		125.75	65 08			L I	15 20			ĺ	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -															
i i	Subsequent Channel Activation/Chan - 2-Way Trunk	- 1		LICEDO	l		ŀ	i								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent			UEPDC	UDTTA		14 06	14 06				15.20		i	i	
- 1	Channel Activation/Chan - 1-Way Outward Trunk	Į.	- 1	LIEDDO	l }		i									
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel			UEPDC	UDTTB		14.06	14 06				15 20				i
- 1 - 1	Activation/Chan Inward Trunk w/out DID		- 1	UEDDO	l		j									
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqut Chan			UEPDC	UDTTC		14.06	14 06				15.20	i			
I	Activation Per Chan - Inward Trunk with DID		- !	UEDDO	l l	- 1	1									
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			UEPDC	UDTTD		14 06	14 06				15.20	Ì		ļ	
	Activation / Chan - 2-Way DID w User Trans	1	- 1		l l											
BIDOL A	R 8 ZERO SUBSTITUTION			UEPDC	UDTTE		14 06	14 06	!			15 20	i	ŀ		
DIT OLA	B8ZŠ -Superframe Format															
	BBZS - Extended Superframe Format			UEPDC	CCOSF		0.00	605 00				15.20				
	e Mark Inversion			UEPDC	CCOEF		0 00	605.00				15.20				
	AMI -Superframe Format															
				UEPDC	MCOSF		0 00	0.00								
Telepho	AMI - Extended SuperFrame Format ne Number/Trunk Group Establisment Charges		!	UEPDC	MCOPO		0.00	0 00								
 	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0 00						15.20				
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00						15 20				
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00						15 20				
	OID Numbers for each Group of 20 DID Numbers			JEPDC	ND4	0 00						15.20				
	DID Numbers, Non- consecutive DID Numbers , Per Number			JEPDC	ND5	0.00						15.20				
	Reserve Non-Consecutive DID Nos			JEPDC	ND6	0.00	0.00	0 00		·		15 20				
 _!	Reserve DID Numbers		\	JEPDC	NDV	0.00	0.00	0 00			-	15.20				
Dedicate	ed DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	Digital I	Loop w	ith 4-Wire DDITS T	runk Port									-		
ין ו	nteroffice Channel Mileage - Fixed rate 0-8 miles (Facilities		- 1													
	Termination)		Įι	JEPDC	1LNO1	70.47	86.69	79 44		ĺ	- 1	15.20	i	- 1	1	
1 1												13.20				
!	nteroffice Channel Mleage - Additional rate per mile - 0-8 miles	1	- Iu	JEPDC	1LNOA	0.2652	0.00	0.00					ı	- 1	i	
l h	nteroffice Channel Mileage - Fixed rate 9-25 miles (Facilities															
] [7	[ermination]	- 1	lι	JEPDÇ	1LNO2	0.00	0.00	0.00	i	i	1	- 1	1		ı	
_ [_]ı	nteroffice Channel Mileage - Additional rate per mile - 9-25					7.00	- 0.00	- 0.00				 +			——— <u>-</u>	
n	niles		Ιt	JEPDC	1LNOB	0.2652	0.00	0.00				1			4	
1	nteroffice Channel Mileage - Fixed rate 25+ miles (Facilities						0.00	- 0.00								
	ermination)	- 1	lι	JEPOC .	1LNO3	0.00	0.00	0.00	0.00	ľ	1	i		ł	l	
						0.00	0.00	0.00	0.00							
	nteroffice Channel Mileage - Additional rate per mile - 25+ miles	- 1	lı	JEPDC	1LNOC	0.2652	0 00	0.00	l				- 1		1	
L	ocal Number Portability, per DS0 Activated	-+		JEPDC JEPDC	LNPCP	3.15	0.00	0.00	0.00					<u> </u>		
[0	Central Office Termininating Point	- 		JEPDC .	CTG	0.00	0.00	0.00	0.00							
4-WIRE	OS1 LOOP WITH CHANNELIZATION WITH PORT		-1	,_, ,,,	V1G	0.00										
Cyreen :	s 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activ	ations	-+													
j System i																

	NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Euki	bit: B
		Interi							·			Svc Order Submitted Manually	Incremental Charge - Manual Svc	Incremental Charge -	Incremental Charge -	Increme
TEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs. Electronic- 1st	Manual Svc Order vs. Electronic- Add'I	Manual Svc Order vs. Electronic- Disc 1st	Manual Order v Electror Disc Ad
		├	├		 	Rec		curring	Nonrecurring				oss	Rates(\$)		
4	-Wire DS1 Loop - UNE Zone 1	 	1	UEPMG	USLDC	05 75	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	-Wire DS1 Loop - UNE Zone 2	 		UEPMG	USLDC	85 70	0.00	0 00			·	15.20				
	-Wire DS1 Loop - UNE Zone 3	 		UEPMG	USLDC	194.96	0.00	0.00				15.20				
UNE DSC	Channelization Capacities (D4 Channel Bank Configuration	ne)		OLFING	TOSLDC	491.94	0.00	0.00				15.20				
2/	4 DSO Channel Capacity - 1 per DS1	T T	 	UEPMG	VUM24	97.35				ļ	ļ					
	8 DSO Channel Capacity - 1 per 2 DS1s	-	+	UEPMG	VUM48	194 70	0 00	0 00				15 20				L
90	6 DSO Channel Capacity -1per 4 DS1s	-		UEPMG	VUM96	389 40		0 00				15 20				
	44 DS0 Channel Capacity - 1 per 6 DS1s	 		UEPMG	VUM14	584.10	0 00	0.00				15 20				
	92 DS0 Channel Capacity -1 per 8 DS1s	-	 	UEPMG	VUM19		0 00	0.00				15 20				J., .
	40 DS0 Channel Capacity - 1 per 10 DS1s		+-	UEPMG	VUM20	778.80	0.00	0.00				15 20				
	88 DS0 Channel Capacity - 1 per 12 DS1s		-	UEPMG	VUM28	973 50	0.00	0 00				15.20				
31	84 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,168 20	0 00	0 00				15 20				
45	80 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM38	1,557.60	0 00	0.00				15 20				
	76 DS0 Channel Capacity -1 per 24 DS1s	<u> </u>	-	UEPMG		1,947.00	0 00	0 00				15 20				
	72 DS0 Channel Capacity - 1 per 28 DS1s	-		UEPMG	VUM57	2,336.40	0 00	0.00				15.20				
Non-Reci	urring Charges (NRC) Associated with 4-Wire DS1 Loop with	h Chara		UEPMG	VUM67	2,725.80	0.00	0.00				15.20				
A Minim	m System configuration is One (1) DC4. One (4) D4 Ob	n Chani	reliztio	n wim Port - Conv	ersion Charge	Based on a Sy	stem									1
Baultinia	m System configuration is One (1) DS1, One (1) D4 Channe	Bank,	and U	10 24 DSO Ports	with Feature /	ctivations.										
Multiples	of this configuration functioning as one are considered Ad RC - Conversion (Currently Combined) with or without	ag.i atte	r the m	inimum system co	nfiguration is	counted.]
]	olicouth Allement Changes		1		1							1				
Custom	ellSouth Allowed Changes	<u> </u>	<u></u>	UEPMG	USAC4	0 00	146.13	8 12				15.20				
System A	dditions at End User Locations Where 4-Wire DS1 Loop wi	th Chan	nefizat	ion with Port Com	bination Curre	ntly Exists and										1
New (Not	Currently Combined) in all states, except in Density Zone 1	of Top	8 MSA	's												
	DS1/D4 Channel Bank - Additionally Add NRC for each Port			·												
	nd Assoc Fea Activation			UEPMG	VUMD4	0.00	715.54	467.54				15.20				
	Zero Substitution															
	lear Channel Capability Format, superframe - Subsequent								-							
	ctivity Only			UEPMG	CCOSF	0.00	0.00	605 00				15.20				
	lear Channel Capability Format - Extended Superframe -							-								
Sı	ubsequent Activity Only			UEPMG	CCOEF	0.00	0 00	605 00	i			15.20				
Alternate	Mark Inversion (AMI)															
Sı	uperframe Format			UEPMG	MCOSF	0.00	0 00	0.00								1
E)	xtended Superframe Format			UEPMG	MCOPO	0.00	0.00	0 00		-						
Exchange	Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port		1											
Exchange	Ports		T .		· · · · · · · · · · · · · · · · · · ·									-		
					<u> </u>											-
Lir	ne Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	1.52	0.00	0 00	0.00	0.00		15.20				l
	ne Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	1.52	0.00	0 00	0.00	0.00		15.20				
- - - - - - - - - - 	TO THE TOTAL CONTRACT OF THE TOTAL CONTRACT	 		OLITA .	OCT OX	1.52	0.00	0.00	0.00	0 00		15.20				ļ
l ltr	ne Side Inward Only Channelized PBX Trunk Port without DID	i		UEPPX	UEP1X	1 52	0 00	0 00	0.00	0.00		15 20	i			
	Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	8 29	0.00	0.00	0.00	0.00		15 20				
	ctivations - Unbundled Loop Concentration			OLITA	DEFDW	0 29	0.00	0.00	- 000	0.00		15 20				<u> </u>
			\vdash		_											
	eature (Service) Activation for each Line Side Port Terminated D4 Bank	l		UEDDV												
		L		UEPPX	1PQWM	0 6497	25.36	13.40				15.20				
	eature (Service) Activation for each Trunk Side Port Terminated						1									ŀ
	D4 Bank			UEPPX	1PQWU	0.6497	78.05	18.40				15.20				
	e Number/ Group Establishment Charges for DID Service		lacksquare													
	D Trunk Termination (1 per Port)	L		UEPPX	NDT	0.00	0 00	0.00				15 20				
	D Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00				15.20				
	on-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0 00	T			15 20				
	eserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00				15.20				
	eserve DID Numbers		L	UEPPX	NDV	0.00	0.00	0.00				15.20				
Local Nur	mber Portability															
	ocal Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
	S - Vertical and Optional				1											
Lo																
FÉATURE																
FEATURE Local Swi	tching Features Offered with Line Side Ports Only			UEPPX	()EPVE	0.00	0.00	0.00				15 20				
FEATURE Local Swit				UEPPX	UEPVF	0.00	0.00	0.00				15.20				

Version 2Q02, 08/07/02 Page 180 of 358

INROND	LED	NETWORK ELEMENTS - Louisiana				,						1			ment: 2	Exhit	
ATEGORY	Y	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Increment Charge Manual S Order vs Electroni
				<u> </u>										1st	Add'l	Disc 1st	Disc Add
	-			 		ļi	Rec	Nonrec First	urring Add'l	Nonrecurrin First	g Disconnect Add'l	SOMEC	SOMAN	OSS SOMAN	Rates(\$)	SOMAN	SOMAN
The	e Top	s MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd	ale, Mia	mi); G/	A (Atlanta); LA (New	Orleans); NC	(Greensboro-)	Winston Salen	-Highpoint/Ch	ariotte-Gastor	nia-Rock Hill):	TN (Nashvill	6)				
Bel	IISou	ith currently is developing the billing capability to mechanics	illy bill	the rec	urring and non-recu	ırring Market	Rates in this s	ection. In the	interim where	BellSouth can	not bill Marke	t Rates, Bell	South shall	bill the rates	in the Cost-B	ased section	preceding
lieu	u of t	he Market Rates and reserves the right to true-up the billing	differen	IC O .													
Enc	e Mai	rket Rate for unbundled ports includes all available features	n all st	ates.	 			-11		<u> </u>		<u> </u>		L			
For	r Not	ice and Tandem Switching Usage and Common Transport Us Currently Combined scenarios, the Nonrecurring charges ar	ayerat a listad	in the	First and Additional	NRC column	s for each Por	HISOC For C	ons or loop/po	ined scenario	ments except	tor UNE COL	n Port/Loop	in the NBC	ns.	hined section	<u> </u>
Add	ditio	nal NRCs may apply also and are categorized accordingly.			, wor and manifolia			. 0000. 1010	unonly come	illos socilario	3, 110 110111001	anning calange	o are nated	m ule mo -	Curional Co.	IIDIIIGG SOCIIO	
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	$\overline{}$	T			· · · · · ·			l	Υ	T		<u> </u>	Γ	I	
UNI		rt/Loop Combination Rates		T							1	1					
	[2-Wire VG Loop/Port Combo - Zone 1		1			25.77										
	<u></u> [2-Wire VG Loop/Port Combo - Zone 2		2			36 39				ļ	4					
1461		2-Wire VG Loop/Port Combo - Zone 3 op Rates	<u> </u>	3			62.26			ļ	 	 		<u> </u>	ļ		
- JUNI		2-Wire Voice Grade Loop (SL1) - Zone 1	 	1	UEPRX	UEPLX	11.77			 -	 	 					<u> </u>
-	- 	2-Wire Voice Grade Loop (SL1) - Zone 1	 	2	UEPRX	UEPLX	22.39			 	 	 	-		 		
\rightarrow	- 1	2-Wire Voice Grade Loop (SL1) - Zone 3	 		UEPRX	UEPLX	48 26	-	-		1	1			 		
2-W		Voice Grade Line Port (Res)		T		1					<u> </u>						
]:	2-Wire voice unbundled port - residence			UEPRX	UEPRL	14.00	90.00	90 00					31 92	7.32		
		2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	14.00	90.00	90.00					31 92	7.32		
		2-Wire voice unbundled port outgoing only - res	<u> </u>	1	UEPRX	UEPRO	14.00	90.00	90 00			ļ		31.92	7.32		
	l	2-Wire voice Grade unbundled Louislana extended local dialing parity port with Caller ID - res			UEPRX	UEPAS	14.00	90.00	90.00			ļ		31.92	7.32		
		Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL) Wire voice unbundled Louisiana Area Plus with Caller ID - res			UEPRX	UEPAG	14 00	90.00	90.00		ļ	ļ		31.92	7.32		
	1	2-Wire voice unbundled coulsiana wea Flus with Caller ID - les (AC7) 2-Wire voice unbundles res, low usage line port with Caller ID			UEPRX	UEPAH	14.00	- 90.00	90 00			-		31 92	7.32		-
_		CLUM) NUMBER PORTABILITY			UEPRX	UEPAP	14.00	90 00	- 90.00					31.92	7.32		
- 1-0		Local Number Portability (1 per port)		+	UEPRX	LNPCX	0.35					 					
FE/	ATUR			\vdash		7											
		All Features Offered		1	UEPRX	UEPVF	0.00	0.00	0 00					31 92	7.32		
NO	NRE	CURRING CHARGES - CURRENTLY COMBINED		1		l						<u> </u>					
		2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is			UEPRX	USAC2		41.50	41.50		ļ. <u></u>	-		31.92	7.32		
	- 1	2-Wire Voice Grade Loop / Line Port Combination - Switch with change	<u> </u>		UEPRX	USACC		41 50	41.50		ļ	ļ		31.92	7.32		
AD		ONAL NRCs		<u> </u>		.				ļ	ļ	 	 	 			
		NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent		<u> </u>	UEPRX	USAS2		0.00	0.00			ļ		31 92	7.32		
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) rt/Loop Combination Rates		+		 				 	 	1			 		
UNI	- 70	2-Wire VG Loop/Port Combo - Zone 1	 	1		+	25.77				 	T					
		2-Wire VG Loop/Port Combo - Zone 2	 	2		1	36 39										
		2-Wire VG Loop/Port Combo - Zone 3		3	<u> </u>		62.26										
UN	E Lo	op Rates										ļ	ļ <u> </u>	ļ	<u> </u>	ļ	ļ
		2-Wire Voice Grade Loop (SL1) - Zone 1	<u> </u>		UEPBX	UEPLX	11 77					 	<u> </u>	 		ļ	
		2-Wire Voice Grade Loop (SL1) - Zone 2			UEPBX	UEPLX	22.39 48.26			 	 	+		 	 	 	
		2-Wire Voice Grade Loop (SL1) - Zone 3	├	3	UEPBX	UEPLX	48.26			 	+	+			 		
12-14		Voice Grade Line Port (Bus) 2-Wire voice unbundled port without Caller ID - bus	 	+	UEPBX	UEPBL	14 00	90 00	90.00	 		†		31.92	7 32		
		2-Wire voice unbundled port with Caller + E484 ID - bus	_	+ -	UEPBX	UEPBC	14.00	90.00	90.00	<u> </u>				31.92	7.32		
-+	- +	2-Wire voice unbundled port outgoing only - bus	 	T -	UEPBX	UEPBO	14.00	90.00	90.00					31.92	7.32		
		2-Wire voice Grade unbundled Louisiana extended local dialing parity port with Caller ID - bus			UEPBX	UEPAX	14.00	90.00	90 00					31.92	7.32		
		2-Wire voice unbundled Louisiana Bus Area Calling Port with Caller ID (BUC)			UEPBX	UEPAA	14.00	90.00	90.00					31.92	7 32		
LO		NUMBER PORTABILITY									 	 		ļ	ļ		
		Local Number Portability (1 per port)		1	UEPBX	LNPCX	0.35			<u> </u>			<u> </u>	L	<u> </u>	L	

<u>UNBUNDLI</u>	ED NETWORK ELEMENTS - Louisiana												Attachi	ment: 2	Exhil	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			I .	Svc Order Submitted Manualty per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge -
			<u> </u>		ļ	Rec	Nonrec			g Disconnect				Rates(\$)		
NONE	RECURRING CHARGES - CURRENTLY COMBINED		 				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
HON	SECONNING CHANGES - CORRENTLY COMBINED		⊢		<u> </u>					ļ	 					<u> </u>
!	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-Is	1	1	UEPBX	USAC2		41.50	41,50					31.92	7.00		l
	2-Wire Voice Grade Loop / Line Port Combination - Switch with		†	OL, DX	OGAGE		41.50	41.50		 	 		31.92	7 32		
	change	l	1	UEPBX	USACC		41.50	41.50		i	1		31.92	7.32		
ADDI	TIONAL NRCs		<u> </u>								i					
1	NRC - 2-Wire Voice Grade Loop/Line Port Combination -															
0.1445	Subsequent RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)	L	 	UEPBX	USAS2		0.00	0 00					31 92	7.32		
	Port/Loop Combination Rates		<u> </u>		ļ						ļ					
UNE	2-Wire VG Loop/Port Combo - Zone 1	_	1	·····		25 77										
	2-Wire VG Loop/Port Combo - Zone 2		2		 	36.39		•				ļ				
-	2-Wire VG Loop/Port Combo - Zone 3		3		†	62 26				 						
UNE	Loop Rates		ᡰ᠊ᢆ							 	 	 				
	2-Wire Voice Grade Loop (SL1) - Zone 1	·	1	UEPRG	UEPLX	11.77						· · · · · · · ·				
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRG	UEPLX	22 39										
1_	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRG	UEPLX	48.26										
2-Win	e Voice Grade Line Port Rates (RES - PBX)															
- 1	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -	ŀ														1
1004	Res			UEPRG	UEPRD	14.00	90.00	90.00					31 92	7.32		
LUCA	L NUMBER PORTABILITY Local Number Portability (1 per port)		 	UEPĀĞ	LNPCP	0.45										
MONE	RECURRING CHARGES - CURRENTLY COMBINED	-	 	UEPRG	LNPCP	3.15				ļ		-				<u> </u>
140,41	ECONTAINS CHARGES - CONNENTET COMBINED				+	-						ļ				
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is		ļ	UEPRG	USAC2		41.50	41 50		1			31.92	7.32		l
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with	-	1	<u>oerrid</u>	1007.02								01.02	7.02		
l l	Change		ł	UEPRG	USACC		41.50	41.50				ļ	31 92	7.32		l .
ADDI:	FIONAL NRCs												-			
ļ.	2 Wire Loop/Line Side Port Combination - Non feature -		1													
	Subsequent Activity- Nonrecurring						0.00	0 00			1		31.92	7.32		l
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt	I														1
	Group	L	<u> </u>				14.64	14 64					31.92	7.32		
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)		 													
UNE	Port/Loop Combination Rates	ļ	<u> </u>													
	2-Wire VG Loop/Port Combo - Zone 1		1-1-		<u> </u>	25.77 36.39						ļ				
-+	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3		3		+	62.26									-	
UME	Loop Rates	 				02.20				 					·	
- 0.45	2-Wire Voice Grade Loop (SL1) - Zone 1	 	1	UEPPX	UEPLX	11.77		!		1	 					
\neg	2-Wire Voice Grade Loop (SL1) - Zone 2	— —		UEPPX	UEPLX	22.39										
\neg	2-Wire Voice Grade Loop (SL1) - Zone 3			UEPPX	UEPLX	48.26										
2-Win	e Voice Grade Line Port Rates (BUS - PBX)	I														
																ı ———
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	14 00	90.00	90 00					31 92	7.32		<u> </u>
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	14.00	90.00	90 00					31 92	7.32		
	Line Side Unbundled Incoming PBX Trunk Port - Bus	ļ	<u> </u>	UEPPX	UEPP1	14.00	90.00	90.00					31.92	7.32		
1	2-Wire Voice Unbundled 2-Way Combination PBX Louisiana	ŀ	1	LIFERY	lumpia					1	1			7.32		1
	Calling Port	 	-	UEPPX UEPPX	UEPL2	14.00 14.00	90.00	90 00	ļ	 	1		31.92 31.92	7.32		
_	2-Wire Voice Unbundled PBX LD Terminal Ports 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port	 	+	UEPPX	UEPLD	14.00	90.00	- 90.00		 			31.92	7.32		
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	 	├	UEPPX	UEPXB	14.00	90.00	90.00		 	 	——	31.92	7.32		$\overline{}$
	2-Wire Voice Unbundled PBX LD DDD Terminals Port	 	\vdash	UEPPX	UEPXC	14.00	90.00	90.00		 			31 92	7.32		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	-	\vdash	UEPPX	UEPXD	14.00	90.00	90.00		 			31 92	7.32		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	 	\vdash	OEI I A	125, 70	14.00	50.00	00.00					· · · · · ·			
	Capable Port	1	1	UEPPX	UEPXE	14.00	90.00	90.00		[1	31.92	7.32		1
-	2-Wire Voice Unbundled 2-Way PBX Louisiana Local Optional	 	-		12	7	55.55	22.30		1	 					
	Calling Port	ł	1	UEPPX	UEPXK	14.00	90.00	90.00				<u> </u>	31.92	7.32		L
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1	$\overline{}$		1							Γ				l
i	Administrative Calling Port	l	1	UEPPX	UEPXL	14.00	90.00	90.00		I		L	31.92	7.32		<u> </u>

ONBONDLED I	NETWORK ELEMENTS - Louisiana												Attachr	nent: 2	Exhil	oit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(S)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge -	Increments Charge - Manual Sv Order vs. Electronic Disc Add'
	The state of the s		 			Rec	Nonrec			g Disconnect	00000	COLLAN		Rates(\$)		
2-1	Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		+-				First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	oom Calling Port	ŀ	1	UEPPX	UEPXM	14.00	90 00	90.00			1	[31 92	7.00		ŀ
2-\	Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital		 	-		14.00	30 00	30.00		· · · · · · · · · · · · · · · · · · ·	 		3192	7.32		
Dis	scount Room Calling Port	<u> </u>	1.	UEPPX	UEPXO	14.00	90 00	90 00					31 92	7.32		
	Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Locat		1							·	† ************					
	scount Calling Port		<u> </u>	UEPPX	UEPXP	14.00	90 00	90 00					31 92	7.32		
	Wire Voice Unbundled 1-Way Outgoing PBX Measured Port UMBER PORTABILITY			UEPPX	UEPXS	14 00	90 00	90.00					31.92	7.32		
	ocal Number Portability (1 per port)	<u> </u>	+	UEPPX	LNPCP	3.15	0 00	0.00								
FEATURE	S		 	UEFFA	LINECE	3.15	0.00	0.00		ļ	1					
All	Features Offered	 	+ -	UEPPX	UEPVF	0.00	0 00	0.00			ļ		31.92	7 32		
NONRECU	URRING CHARGES - CURRENTLY COMBINED		1			0.00		0.00		 	 	<u> </u>	31.32	7 32		
	Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPPX	USAC2		41.50	41.50					31.92	7.32		
	Wire Voice Grade Loop/ Line Port Combination - Switch with															
ICh	hange			UEPPX	USACC		41.50	41 50			<u> </u>		31 92	7.32		
ADDITION	MAL NHUS		1			_										
21	Miro Voice Grade Loop/Line Dort Combination Cubecount	i	1	HEDDA	110400											
21	Wire Voice Grade Loop/ Line Port Combination - Subsequent Wire Loop/Line Side Port Combination - Non feature -			UEPPX	USAS2		0.00	0 00		ļ			31 92	7,32		
	ubsequent Activity- Nonrecurring		1				0 00	0.00					31 92	7.32		
	BX Subsequent Activity - Change/Rearrange Multiline Hunt	 	 		-		000	0.00	· · · · · · · · · · · · · · · · · · ·	 	 		3192	7.32		
	roup	1	l				14 64	14.64		ì	i	!	31.92	7.32		
2-WIRE VO	OICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	aT.				*		1,1107.		· · · · · · · · · · · · · · · · · · ·			01.02			
UNE Port/	Loop Combination Rates		\vdash							 	 	l				
	Wire VG Coin Port/Loop Combo – Zone 1		1			25 77	-									
	Wire VG Coin Port/Loop Combo – Zone 2		2			36 39					<u> </u>					
	Wire VG Coin Port/Loop Combo – Zone 3		3			62.26		-			<u> </u>					
UNE Loop																
	Wire Voice Grade Loop (SL1) - Zone 1	_	1	UEPCO	UEPLX	11 77				ļ	ļ					
	Wire Voice Grade Loop (SL1) - Zone 2 Wire Voice Grade Loop (SL1) - Zone 3		2	UEPCO UEPCO	UEPLX	22.39 48.26				<u> </u>						ļ
	ice Grade Line Port Rates (Coin)	 	+3-	UEFCO	UEPLA	40.20				 	ł	-	-			
	Wire Corn 2-Way without Operator Screening and without		 		+				-						-	
	locking (AL, KY, LA, MS)			UEPCO	UEPRF	14.00	90.00	90 00		ŀ	ļ	1	31.92	7.32		
	Wire Coin 2-Way with Operator Screening and Blocking: 011,															
	00/976, 1+DDD (AL, KY, LA, MS, SC)			UEPCO	UEPRA	14.00	90 00	90.00					31 92	7.32		
	Wire Coin 2-Way with Operator Screening and 011 Blocking									l .	l					
	L, LA, MS)		<u> </u>	UEPCO	UEPRB	14 00	90.00	90.00		ļ			31.92	7 32		
	Wire Coin 2-Way with Operator Screening & Blocking:		ŀ			4400	20.00	00.00					31.92	7 32		
90	00/976, 1+DDD, 011+, & Local (AL, KY, LA, MS) Wire Coin Outward without Blocking and without Operator	ļ	+	UEPCO	UEPCD	14.00	90.00	90.00			 		31.92	/ 32		
	creening (KY, LA, MS)	١,	1	UEPCO	UEPRN	14 00	90 00	90.00		Î			31.92	7.32		
	Wire Coin Outward with Operator Screening and 011 Blocking	\vdash	+-	OLI GO	OLI 1114	14 00	. 50 50	00.00			<u> </u>			- 1,52		
	A)		1	UEPCO	UEPLA	14.00	90.00	90.00		ı	ļ		31.92	7.32		
	Wire Coin Outward with Operator Screening and Blocking:		†	02.00	1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	. ,,,,,,										
	11, 900/976, 1+DDD (AL, KY, LA, MS)	ŀ	1	UEPCO	UEPRH	14.00	90.00	90.00		i	l		31 92	7.32		
2-1	Wire Coin Outward Operator Screening & Blocking: 900/976,															
1 1+	DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCN	14.00	90.00	90.00		ļ <u></u> .			31.92	7 32		
	UMBER PORTABILITY										<u> </u>	ļ		ļ		ļ
	ocal Number Portability (1 per port)			UEPCO	LNPCX	0.35										
NONRECU	URRING CHARGES - CURRENTLY COMBINED	<u> </u>	ļ							 -		— —				
	Marketon Contained as But Combination C. Set As to		1	urnee.	LICACO	ļ	41.50	41,50					31.92	7.32		l
	Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is	<u> </u>	+	UEPCO	USAC2		41.50	41.50		 	 		01.32	7.02		
	Wire Voice Grade Loop/ Line Port Combination - Switch with hange	l		UEPCO	USACC		41.50	41.50					31.92	7.32		1
ADDITION		-	1	UEPGO	USACC		41.50	41.50		 			J02			· · · · · ·
- POULION	INE MINE	 	+		+						 					I
1 1	Wire Voice Grade Loop/ Line Port Combination - Subsequent	l	1	UEPCO	USAS2		0.00	0.00	l		1	ı	31.92	7.32		I

INBUNDLE	D NETWORK ELEMENTS - Louisiana													Attachi	ment: 2	Exhil	bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	E	3CS	USOC		Nonrec	RATES(\$)	No.	g Disconnect	Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manuel Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order vs
		 					Rec	First	Add'l	First	Add'I	SOUEC	SOMAN		Rates(\$)	SOMAN	SOMAN
NBUNDLED	PORT/LOOP COMBINATIONS - MARKET BASED RATES			 		 		7 11 44	Addi	FIISL	AGG1	SOMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAR
2-WIRI	E VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT								 		 					
	ort/Loop Combination Rates	1	 			 					+	·			 	<u> </u>	
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1				50.93					 					├──
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			···	61 35				 		 				
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3		***	 	86.46				 	 	 	ļ			
UNE L	oop Rates		<u> </u>				00.40				 	 					
\neg	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1	 	1	UEPPX		UECD1	14.93				 		15.00				
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2	 	2	UEPPX		UECD1	25 35					 	15 20 15.20				
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3	 		UEPPX		UECD1	50.46					ļ					ļ
UNE P	ort Rate	 		JULIN X		1000	30.46				 	+	15.20	·	 		
	Exchange Ports - 2-Wire DID Port		+	UEPPX		UEPD1	36.00	600.00	45.00	 			15.00		 		├
NONR	ECURRING CHARGES - CURRENTLY COMBINED	 	1	OLI'FA		UEFU!	30.00	000.00	45.00	 	 		15.20		 		├
1.10,111	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -	 	_			 					 	 			ļ		
- 1	Switch-As-is Top 8 MSAs only	i	1	UEPPX		USAC1	j l	100 00	42.50	Ī	1		45.00	1	1		1
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion		-	VEPPA		USACI		100 00	42.50		 	 	15 20				
	with BellSouth Allowable Changes Top 8 MSAs only	l		UEPPX				400.00	40.50		1	1					
ADDIT	IONAL NRCs			UEPPX		USA1C		100 00	42.50			 	15 20				
AUUM							L										
7-1	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX		USAS1		45.00	45 00				15 20				1
I elepn	one Number/Trunk Group Establisment Charges			L											<u> </u>		
	DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00				15.20				L
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0 00	0 00	0.00		<u> </u>	<u> </u>	15 20				
	DID Numbers, Non-consecutive DID Numbers, Per Number	L		UEPPX		ND5	0 00	0 00	0 00				15 20				
	Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00				15 20				
	Reserve DID Numbers			UEPPX		NDV _	0.00	0 00	0.00				15 20				
LOCAL	NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPX		LNPCP	3.15	0 00	0.00		T	1					
	E ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDI	PORT														
UNE P	ort/Loop Combination Rates			I						1							
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
	UNE Zone 1	i	1	UEPPB	UEPPR		84.09			1		_ :			İ		
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
- 1	UNE Zone 2	ł	2	UEPPB	UEPPR		96.95	1		ļ				!			İ
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -								·								
ı	UNE Zone 3		3	UEPPB	UEPPR		127.60										
UNEL	pop Rates	-		-													
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	19 09			i		1	15.20	-			\vdash
	2 Tille IDDIT Bigital diade 200p - ONE 2016 1	 	-	OCT D	OLITI	OULD,	13 03				 	 	10,20		-		
	2-Wire ISDN Digital Grade Loop - UNE Zone 2	i	2	UEPPB	UEPPR	USL2X	31 95					i l	15 20				
	2-Wire ISON Digital Grade Loop - UNE Zone 3	├──		UEPPB	UEPPR		62.60						15 20				$\vdash \vdash$
LINE D	ort Rate		-	OLCE D	UEFFR	USLEA	02.00						10 20				\vdash
UNEF	Exchange Port - 2-Wire ISDN Line Side Port		-	LIEDDD	UEPPR	UEPPB	65.00	525.00	400.00		-	 	15.20				-
NOND	ECURRING CHARGES - CURRENTLY COMBINED	\vdash		UEFFB	OLFFR	OEFFB	. 03.00	325.00	400.00		 	·	10.20		-		\vdash
NONT		<u> </u>	├─									+			<u> </u>		├─
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port		1		UEPPR	USACB	0.00	230.00	230.00				15.20		ł		
4 5 5 1 2	Combination - Conversion - Top 8 MSAs only	├		UEPPB	UEPPR	USACB	0.00	230.00	230.00	 	 		15.20				-
	IONAL NRCs	l.——	<u> </u>									 					
	NUMBER PORTABILITY	<u> </u>	<u> </u>								ļ	 			 		
	Local Number Portability (1 per port)	L	.	UEPPB	UEPPR	LNPCX	0.35	0.00	0.00		ļ			<u> </u>	 	ļ	₩
B-CHA	NNEL USER PROFILE ACCESS:	L		<u> </u>													├──
	CVS/CSD (DMS/5ESS)	<u> </u>	L	UEPPB	UEPPR	U1UCA	0.00	0.00	_ 0 00		<u> </u>	 			L		
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00						 		
	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00	<u> </u>	<u> </u>				<u> </u>		
B-CHA	INNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C,MS, &	TN)														
T	CVS/CSD (DMS/5ESS)	· ·	Γ	UEPPB	UEPPR	U1UCD	0.00	0.00	0 00								
\neg	CVS (EWSD)	T		UEPPB	UEPPA		0.00	0.00	0.00	l							
-	ICSD		1	UEPPB		UTUCF	0.00	0.00	0.00		Ť "	1					
USER	TERMINAL PROFILE	 	 	<u> </u>	<u> </u>	1-1	 				†	1			1		
				UEPPB	UEDDD	U1UMA	0.00		0.00			+	-				$\overline{}$
	User Terminal Profile (EWSD only)			11 32 22 22			0.00	0.00	(11)14		1						

JNBUNDLED NETWORK ELEMENTS - Louisiana													Attachi	ment: 2	Exhil	bit: B
ATEGORY RATE ELEMENTS	Interi m	Zone		cs	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-		Incremer Charge Manual S Order v
		↓_	ļ				None			-			1st	Add'l	Disc 1st	Disc Ad
		+	 			Rec	Nonrec	urnng Add'l	First	Disconnect Add'!	COMEC	SOMAN		Rates(\$)	601141	
All Vertical Features - One per Channel B User Profile		-	UEPPB	UEPPR	LIEDVE	0.00	0.00	0.00	First	Addi	SUMEC		SOMAN	SOMAN	SOMAN	SOMA
INTEROFFICE CHANNEL MILEAGE		+	UL. I U	OLITI	OLI VI	0.00		0.00				15.20	-			
Interoffice Channel mileage each, including first mile and		+ -												 		
facilities termination	ı	1	UEPPB	UEPPR	M1GNC	22.613	39 36	26 62			İ	15.20			i	
Interoffice Channel mileage each, additional mile				UEPPR		0.013	0 00	0.00				15.20				
4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TE	RUNK PORT															
UNE Port/Loop Combination Rates																
4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UN Zone 1		1	UEPPP			935.70										
4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UN Zone 2	E	2	UEPPP			1,044.96										_
4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UN	E	 -	1			.,044.00					 					
Zone 3		3	UEPPP			1,341.94				1	1]		1
UNE Loop Rates																
4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	85.70						15.20				
4-Wire DS1 Digital Loop - UNE Zone 2			UEPPP		USL4P	194.96						15 20				
4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	491.94						15 20				
UNE Port Rate																
Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP		UEPPP	850 00	1,150 00	1,150.00				15.20				
NONRECURRING CHARGES - CURRENTLY COMBINED		—	<u></u>													
4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Po	rt	1	ļ													
Combination - Conversion -Switch-As-1s Top 8 MSAs only		1	UEPPP		USACP	0.00	950 00	950.00				15.20				
ADDITIONAL NRCs		↓	├ ─		ļ					<u> </u>						
4-Wire DS1 Loop/4-W ISDN Dig1 Trk Port - Subsqt Actvy-	- 1	1				i i				[į.					1
Inward/two way tel nos within Std Allowance (except NC)		—	UEPPP		PR7TF		0.48					15.20				
4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC)		<u> </u>	UEPPP		PR7TO		11.18	11.18				15.20				
4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Nos Above Std Allowance			UEPPP		PR7ZT		22.35	22.35			<u> </u>	15 20				<u> </u>
LOCAL NUMBER PORTABILITY						_										
Local Number Portability (1 per port)			UEPPP		LNPCN	1 75										
INTERFACE (Provisioning Only)			ļ													
Voice/Data		├	UEPPP		PR71V	0 00	_0.00	0.00								ļ
Digital Data		ــــ	UEPPP		PR71D	0.00	0.00	0.00			<u> </u>					
inward Data		↓	UEPPP		PR71E	0.00	0.00	0 00			ļ					ļ . <u></u>
New or Additional "B" Channel		1									ļ	45.00				
New or Additional - Voice/Data 8 Channel			UEPPP		PR7BV	0 00	14 11					15.20 15.20				
New or Additional - Digital Data B Channel New or Additional Inward Data B Channel		┼	UEPPP		PR7BF PR7BD	0.00	14 11					15.20				
CALL TYPES		+	DEPPP		LU/DD	0.00	14.11					15.20				-
Inward		+	UEPPP		PR7C1	0.00	0.00	0.00								
Outward		+-	UEPPP		PR7C0	0.00	0.00	0.00			 					
Two-way		+	UEPPP		PR7CC	0.00	0.00	0.00			 					
Interoffice Channel Mileage		+	ULTT		171700	0.00	0.00	0.00	-			 				
Fixed Each Including First Mile		+	UEPPP		1LN1A	70,7532	86 69	79.44				15.20				
Each Airline-Fractional Additional Mile		 	UEPPP		1LN1B	0.2652	50 05	70.11								
4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT		+			12.11.2										_	
UNE Port/Loop Combination Rates		+														
4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC			154.17						15.20				
4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC			263.43						15 20				
4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC			560 41					I	15.20				
UNE Loop Rates																<u> </u>
4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC		USLDC	85.70						15 20				
4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC		USLDC	194.96						15 20				
4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC		USLDC	491.94						15.20				
UNE Port Rate														ļ	L	
4-Wire DDITS Digital Trunk Port			UEPDC		UDD1T_	750.00	1,006.28	479 28	0.00	0.00		15.20				—
NONRECURRING CHARGES - CURRENTLY COMBINED		Γ										L		L		ь

MBUNDLE	D NETWORK ELEMENTS - Louisiana										_		Attachi	ment: 2	Exhi	bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		Nonre	RATES(\$)	Non-su-da	Disconnect		Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge -	Increment Charge
					 	Rec	First	Add'I	First	Add'I	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination						7 0.	7441	11131	Auu	JOINEC	SUMAN	SOMAN	SUMAN	SUMAN	SUMAN
	- Switch-As-Is Top 8 MSAs only			UEPDC	USAC4		125 75	65.08	Ì		i	15.20		i	1	
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes Top 8 MSAs only			UEPDC	USAWA		125.75	65.08				15.20				
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk Top 8 MSAs only			UEPDC	USAWB		125.75	65.08				15 20				
ADDIT	IONAL NRCs											10_20				
1	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
	Service Activity Per Service Order			UEPDC	USAS4											
- 1	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -			LIEDDO												
	Subsequent Channel Activation/Chan - 2-Way Trunk 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent		-	UEPDC	UDTTA		14.06	14.06				15 20				
	Channel Activation/Chan - 1-Way Outward Trunk		l i	UEODO												
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsont Channel			UEPDC	UDTTB		14.06	14.06				15.20				
	Activation/Chan Inward Trunk w/out DID 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			UEPDC	UDTTC		14.06	14.06				15.20				
- }	Activation Per Chan - Inward Trunk with DID		li	UEPDC	UDTTD		14.06	14.06				15.20				1
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsont Chan			02: 20	1001.10		74.00	14.00				13,20				
	Activation / Chan - 2-Way DID w User Trans		1	UEPDC	UDTTE	i	14.06	14 06			! !	15 20				1
	AR 8 ZERO SUBSTITUTION											- 12 - 2				
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00	605.00				15.20				
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0 00	605.00				15.20				
	ate Mark Inversion															
	AMI -Superframe Format			UEPDC	MCOSF		0 00	0.00								
	AMI - Extended SuperFrame Format			UEPDC	МСОРО		0.00	0.00								
	one Number/Trunk Group Establisment Charges Telephone Number for 2-Way Trunk Group			LIEBBO	Lunzov I											
	Telephone Number for 1-Way Outward Trunk Group			UEPDC UEPDC	UDTGX	0.00						15 20 15 20				
	Telephone Number for 1-Way Duward Trunk Group Without DID			UEPDC	UDTGZ	0.00						15.20				
	DID Numbers, Establish Trunk Group and Provide First Group	-		OLI DO	00102	- 000						15.20				
	of 20 DID Numbers			UEPDC	NDZ	0.00	0 00	0.00			}	15 20				!
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00		0.00				15 20				
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0 00						15.20				
	Reserve Non-Consecutive DID Nos			UEPDC	ND6	0.00	0 00	0.00				15 20				
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00				15.20				
	ited DS1 (Interoffice Channel Mileage) -															
FX/FCC	O for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port															
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination)			UEPDC	1LNO1	70.47	86.69	79.44				15 20				
	Interoffice Channel Mleage - Additional rate per mile - 0-8 miles Interoffice Channel Mleage - Fixed rate 9-25 miles (Facilities			UEPDC	1LNOA	0.2652	0.00	0.00								
	Termination) Interoffice Channel Mileage - Additional rate per mile - 9-25			UEPDC	1LNO2	0 00	_0 00	0.00								
	miles Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities			UEPDC	1LNOB	0.2652	0.00	0.00					 -			
_	Termination)			UEPDC	1LNO3	0.00	0.00	- 0 00								
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.2652	0.00	0.00	ļ							
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00								
	Central Office Termininating Point			UEPDC	CTG	0.00										
	DS1 LOOP WITH CHANNELIZATION WITH PORT				 						<u> </u>					
	n is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Active															
	em can have various rate combinations based on type and num	nDer of	ports	1200										L		
	S1 Loop 4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	85.70	0.00	0 00				15 20				
			1 1	UCEMIC	IUSLUC	65./0	0.00 [0.00				10 20				

	NETWORK ELEMENTS - Louisiana												ment: 2	Exhi	bit; 8
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(S)			Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order vs Electroni Disc Add
			<u> </u>		 		Nonrec	urring	Nonrecurring Disconne	of .	<u> </u>	OSS	Rates(\$)	L	
						Rec	First	Add'!	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire DS1 Loop - UNE Zone 3	<u> </u>	3	UEPMG	USLDC	491.94	0.00	0 00			15.20				
UNE DS	O Channelization Capacities (D4 Channel Bank Configuration	ns)	ļ		 										
	24 DSO Channel Capacity - 1 per DS1		├	UEPMG	VUM24	97.35	0 00	0.00			15 20				
	48 DSO Channel Capacity - 1 per 2 DS1s 96 DSO Channel Capacity -1per 4 DS1s		├──	UEPMG	VUM48	194.70	0.00	0.00			15.20	ļ			
	144 DS0 Channel Capacity - 1 per 6 DS1s		 	UEPMG UEPMG	VUM96 VUM14	389 40 584,10	0 00	0 00	L		15 20	L			└
	192 DS0 Channel Capacity -1 per 8 DS1s		 	UEPMG	VUM19	778.80	0.00	0.00			15 20 15,20				
	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM20	973.50	0.00	0.00			15.20	 			
	288 DS0 Channel Capacity - 1 per 12 DS1s	 		UEPMG	VUM28	1,168 20	0.00	0.00			15.20				
	384 DS0 Channel Capacity - 1 per 16 DS1s	_		UEPMG	VUM38	1,557.60	0.00	0.00			15.20		 		
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM40	1,947,00	0.00	0.00			15 20	 			
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,336,40	0.00	0.00			15.20		 		
	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	2,725 80	0.00	0.00			15.20				$\overline{}$
Non-Red	curring Charges (NRC) Associated with 4-Wire DS1 Loop with	n Chanr	neliztio	n with Port - Conv	ersion Charge	Based on a Sy	stem								
A Minim	num System configuration is One (1) DS1, One (1) D4 Channe	l Bank,	and Up	To 24 DSO Ports	with Feature A	ctivations.				_					$\overline{}$
	s of this configuration functioning as one are considered Ac	ld'I afte	r the m	inimum system co	onfiguration is	counted.					-				
	NRC - Conversion (Currently Combined) with or without														
	BellSouth Allowed Changes - Top 8 MSAs Only			UEPMG	USAC4	0.00	450.00	50.00			15 20				L
System	Additions Where Currently Combined and New (Not Current)	y Comb	ined)												
In Top 8															
	1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc		1												i
	Fea Activation -			UEPMG	VUMD4	0 00	900 00	600.00			15.20				
	8 Zero Substitution										ļ	ļ			
	Clear Channel Capability Format, superframe - Subsequent)	1	ì	1	l]		1	1	l				ı
	Activity Only			UEPMG	CCOSF	0.00	0 00	605.00			15 20				
	Clear Channel Capability Format - Extended Superframe -	ļ .			00055					1	4500				ı
	Subsequent Activity Only e Mark Inversion (AMI)			UEPMG	CCOEF	0.00	0.00	605 00		·	15 20				
				UEDNO	MCOSF	0.00	0.00	0 00			 	<u> </u>			
	Superframe Format Extended Superframe Format			UEPMG UEPMG	MCOPO	0.00	0.00	0.00			1	 			
	ge Ports Associated with 4-Wire DS1 Loop with Channelization	an with	Port	UEFMG	INICOPO	0.00	0.00	0		_	 				
	ge Ports	DET WILLT	FOIL		_						 				
LACITATIO	ge <u>r</u> orta				-						 				$\overline{}$
- 1 1	Line Side Combination Channelized PBX Trunk Port - Business	1	1	UEPPX	UEPCX	14 00	0.00	0.00	1	- 1	15.20				ı
	Line Side Outward Channelized PBX Trunk Port - Business	-	 	UEPPX	UEPOX	14 00	0.00	0.00		_	15.20				
	ESTO DIAG COLLEGE CHARLES TO DAY THANK TO DE DOGITOSO		 		- OZ. OX.	7. 00		0.00							
l l	Line Side Inward Only Channelized PBX Trunk Port without DID	ļ.	Į .	UEPPX	UEP1X	14 00	0.00	0.00			15 20				ı
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	36.00	0.00	0.00			15.20				
	Activations - Unbundled Loop Concentration		<u> </u>									<u> </u>			
	Feature (Service) Activation for each Line Side Port Terminated														
	in D4 Bank	ļ		UEPPX	1PQWM	0.6497	40.00	20.00	1 1	- I	15.20				
	Feature (Service) Activation for each Trunk Side Port Terminated]				
	n D4 Bank			UEPPX	1PQWU	0.6497	110.00	30.00		[15.20	l	l		l
	ne Number/ Group Establishment Charges for DID Service														
	DID Trunk Termination (1 per Port)			UEPPX	NDT	0 00	0.00	0.00			15 20				
	DID Numbers - groups of 20 - Valid all States	 		UEPPX	ND4	0.00	0.00	0.00			15.20				
	Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0 00			15.20				
1	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00			15.20				
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0 00			15.20	Ļ	<u> </u>		
	umber Portability										 	ļ	ļ		
	Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0 00			ļ	ļ	ļ		
	RES - Vertical and Optional														
	witching Features Offered with Line Side Ports Only										48.55	ļ			
	All Features Available			UEPPX	UEPVF	0.00	0 00	0.00			15.20	!	<u> </u>		
	ENTREX PORT/LOOP COMBINATIONS - COST BASED RATES		لــــــا										ļ		
	Based Rates are applied where BellSouth is required by FCC	and/or	State C	Commission rule to	o provide Unbu	undled Local S	witching or Sw	itch Ports.		!	l	L			
1. Cost I	res shall apply to the Unbundled Centrex Port/Loop Combin	u1.u20.													

NBUNDLE	D NETWORK ELEMENTS - Louisiana												Attachi	ment: 2	Exhib	bit: B
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental		Incremental Charge -	Increment Charge -
						Rec	Nonre	curring	Nonrecurrin	g Disconnect			OSS	Rates(\$)		
					1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
4. The	recurring UNE Port and Loop charges listed apply to Currenti	y Comb	ined a	nd Not Currently Co	ombined Con	bos, except in	Density Zone	1 of the top 8 i	ISAs where th	e end-user has	4 or more l	OS0 equivale	ents. The sta	nd alone first	and addition	al Port and
LCOOP	nonrecurring charges apply to Not Currently Combined Combo rket Rates for Unbundled Centrex Port/Loop Combination will	08 .								T						
UNE-F	CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)	I	on an marvidual Ca	ase basis, un	ui further notic	e.	ļ								
2-Wire	VG Loop/2-Wire Voice Grade Port (Centrex) Combo		!		+					ļ	 					├
	ort/Loop Combination Rates (Non-Design)		\vdash							 	 			 		
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		1		 	 				 				 		├──
	Non-Design	l	1	UEP91		13.13										1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		 	027.01	 	10.10		 								
	Non-Design		2	UEP91		23.75										1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		 		 	20.70										·
	Non-Design		3	UEP91	1	49 62				1						1
UNE P	ort/Loop Combination Rates (Design)		Ť		+	70 02				 			_			
 	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		 						 	 	-					
	Design		1	UEP91	1	16.29					i l					l .
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		 		_	,0.23			·	· · · · · · · · · · · · · · · · · · ·						
ı	Design		2	UEP91		26.71			Į.							i
+-	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		- -	02.01		20.71										
	Design		3	UEP91		48 26			Į.	1		l i		1		i
UNE	oop Rate		<u> </u>	02/01		40 20										
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	11.77										
_	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEP91	UECS1	22 39										
	2-Wire Voice Grade Loop (SL 1) - Zone 3			UEP91	UECS1	48.26										
_	2-Wire Voice Grade Loop (SL 2) - Zone 1			UEP91	UECS2	14.93										
+	2-Wire Voice Grade Loop (SL 2) - Zone 2			UEP91	UECS2	25.35					 -					
_	2-Wire Voice Grade Loop (St. 2) - Zone 3			UEP91	UECS2	50.46										
UNE P				OEF91	UECOZ	50.40										
	tes (Except North Carolina and Sout Carolina)		 				_									
7.11 01	2-Wire Voice Grade Port (Centrex) Basic Local Area		-	UEP91	UEPYA	1.36	38.85	19.08				15 20				
 	2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			OEF91	UEFTA	1.30	30.03	19.00			 	15 20				
	Area		l	UEP91	UEPYB	1.36	38 85	19.08			l	15.20				i
+	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local		\vdash	UEF91	UEPTB	1.30	30 00	19.08				15.20				
	Area		1	UEP91	UEPYH	1.36	38.85	19.08	ļ	!	<u> </u>	15.20				i
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			UEFSI	UEFTH	1,30	30.00	19.06				15.20				
1				LIEBOA	UEPYM	4.00	404.44	67.00	1			15.00				i
_	Center)2 Basic Local Area			UEP91	DEPYM	1.36	104.41	67 93				15.20				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			115004	LIEDVA	4.00	404.44					45.00				i
	Term - Basic Local Area		_	UEP91	UEPYZ	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent								!	!		4-00				i
	- Basic Local Area		L-	UEP91	UEPY9	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port Terminated on 800 Service Term -									i	<u> </u>				1	i
	Basic Local Area			UEP91	UEPY2	1.36	38.85	19 08				15.20				
AL, K	, LA, MS, & TN Only				1							45.00				
	2-Wire Voice Grade Port (Centrex)			UEP91	UEPQA	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPQB	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPQH	1.36	38.85	19 08				15.20				ļ
	2-Wire Voice Grade Port (Centrex from diff Serving Wire								Ì	1	1					i
	Center)2			UEP91	UEPQM	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															1
	Term		L	UEP91	UEPQZ	1.36	104.41	- 67.93				15.20				l
																1
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	L		UEP91	UEPQ9	1.36	38 85	19.08		L		15.20				
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPQ2	1.36	38.85	19.08				15.20				
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP91	URECS	0.8577										
Local	Number Portability				T											
	Local Number Portability (1 per port)			UEP91	LNPCC	0.35										
Featur	es				1	5.50	_									
																$\overline{}$

All Simple All Simple	nk Side Terminations, each Channel Mileage - 2-Wire roffice Channel Facilities Termination - Voice Grade roffice Channel mileage, per mile or fraction of mile tivations (DS0) Centrex Loops on Channelized DS1 Service Bank Feature Activations siture Activation on D-4 Channel Bank Centrex Loop Slot titure Activation on D-4 Channel Bank FX line Side Loop Slot	Interi m	Zone	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UEPVS UEPVC UARCX UARCX	Rec 0.00 0.00	Nonrec First 412.25	RATES(\$) urring Add'l	Nonrecurring Discon	Submitted Elec per LSR	Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	nent: 2 Incremental Charge - Manual Svc Order vs. Electronic- Add'I Rates(\$)		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
All C NARS Unbt Unbt Unbt Unbt Unbt Unbt Unbt Unbt	Centrex Control Features Offered, per port bundled Network Access Register - Combination bundled Network Access Register - Indial bundled Network Access Register - Outdial ous Terminations nk Side nk Side nk Side Terminations, each Channel Mileage - 2-Wire proffice Channel Facilities Termination - Voice Grade proffice Channel mileage, per mile or fraction of mile tivations (DSO) Centrex Loops on Channelized DS1 Service Il Bank Feature Activations ture Activation on D-4 Channel Bank Centrex Loop Slot titure Activation on D-4 Channel Bank FX line Side Loop Slot	>e		UEP91 UEP91 UEP91	UEPVC UARCX UAR1X	0.00	First					SOMAN		SOMAN	
All C NARS Unbt Unbt Unbt Unbt Unbt Unbt Unbt Unbt	Centrex Control Features Offered, per port bundled Network Access Register - Combination bundled Network Access Register - Indial bundled Network Access Register - Outdial ous Terminations nk Side nk Side nk Side Terminations, each Channel Mileage - 2-Wire proffice Channel Facilities Termination - Voice Grade proffice Channel mileage, per mile or fraction of mile tivations (DSO) Centrex Loops on Channelized DS1 Service Il Bank Feature Activations ture Activation on D-4 Channel Bank Centrex Loop Slot titure Activation on D-4 Channel Bank FX line Side Loop Slot	×8		UEP91 UEP91 UEP91	UEPVC UARCX UAR1X			Auu i	FIISE AGO	SUMEC		SUMAN	SOMAN	SOMAN I	
All C NARS Unbt Unbt Unbt Unbt Unbt Unbt Unbt Unbt	Centrex Control Features Offered, per port bundled Network Access Register - Combination bundled Network Access Register - Indial bundled Network Access Register - Outdial ous Terminations nk Side nk Side nk Side Terminations, each Channel Mileage - 2-Wire proffice Channel Facilities Termination - Voice Grade proffice Channel mileage, per mile or fraction of mile tivations (DSO) Centrex Loops on Channelized DS1 Service Il Bank Feature Activations ture Activation on D-4 Channel Bank Centrex Loop Slot titure Activation on D-4 Channel Bank FX line Side Loop Slot	20		UEP91 UEP91	UARCX UAR1X						15.20				SOMAN
Unbu Unbu Unbu Miscellaneo 2-Wire Truni Interoffice C Inte	bundled Network Access Register - Indial bundled Network Access Register - Outdial ous Terminations nk Side nk Side nk Side Terminations, each Channel Mileage - 2-Wire profice Channel Facilities Termination - Voice Grade profice Channel mileage, per mile or fraction of mile tivations (DSO) Centrex Loops on Channelized DS1 Service Bank Feature Activations siture Activation on D-4 Channel Bank Centrex Loop Slot titure Activation on D-4 Channel Bank FX line Side Loop Slot	28		UEP91	UAR1X						15.20	 	·		
Unbu Miscellanso 2-Wire Truni Interoffice C	bundled Network Access Register - Indial bundled Network Access Register - Outdial ous Terminations nk Side nk Side nk Side Terminations, each Channel Mileage - 2-Wire profice Channel Facilities Termination - Voice Grade profice Channel mileage, per mile or fraction of mile tivations (DSO) Centrex Loops on Channelized DS1 Service Bank Feature Activations siture Activation on D-4 Channel Bank Centrex Loop Slot titure Activation on D-4 Channel Bank FX line Side Loop Slot	in the second se		UEP91	UAR1X						+		; 		
Miscelland Miscelland Aligned 2-Wire Truni Interoffice C I	bundled Network Access Register - Outdial ous Terminations nk Side nk Side Terminations, each Channel Mileage - 2-Wire roffice Channel Facilities Termination - Voice Grade proffice Channel mileage, per mile or fraction of mile tivations (DSO) Centrex Loops on Channelized DS1 Service I Bank Feature Activations ature Activation on D-4 Channel Bank Centrex Loop Slot three Activation on D-4 Channel Bank FX line Side Loop Slot	in the second se				0.00	0 00	0 00			15 20		1		
Miscellaneo 2-Wire Truni Interoffice C Inter	ous Terminations nk Side nk Side Terminations, each Channel Mileage - 2-Wire roffice Channel Facilities Termination - Voice Grade roffice Channel mleage, per mile or fraction of mile tivations (DS0) Centrex Loops on Channelized DS1 Service I Bank Feature Activations ture Activation on D-4 Channel Bank Centrex Loop Slot ture Activation on D-4 Channel Bank FX line Side Loop Slot	i i i i i i i i i i i i i i i i i i i		UEP91		0.00	0 00	0.00			15.20				
2-Wire Truni Truni Interoffice C Interof	nk Side nk Side Terminations, each Channel Mileage - 2-Wire profice Channel Facilities Termination - Voice Grade profice Channel mileage, per mile or fraction of mile tivations (DSO) Centrex Loops on Channelized DS1 Service Bank Feature Activations ture Activation on D-4 Channel Bank Centrex Loop Slot titure Activation on D-4 Channel Bank FX line Side Loop Slot	æ			UAROX	0.00	0.00	0.00			15 20	L			
Iruni Interoffice C Interoffic	nk Side Terminations, each Channel Mileage - 2-Wire roffice Channel Facilities Termination - Voice Grade roffice Channel mileage, per mile or fraction of mile tivations (DS0) Centrex Loops on Channelized DS1 Service Bank Feature Activations siture Activation on D-4 Channel Bank Centrex Loop Slot titure Activation on D-4 Channel Bank FX line Side Loop Slot	28		1	 						1	ļ		ļ	
Interce Interce Interce Interce Interce Active Acti	arofice Channel Facilities Termination - Voice Grade profice Channel mileage, per mile or fraction of mile tivations (DS0) Centrex Loops on Channelized DS1 Service Bank Feature Activations atture Activation on D-4 Channel Bank Centrex Loop Slot titure Activation on D-4 Channel Bank FX line Side Loop Slot	28	<u> </u>	UEP91	CENA6	8.29	115.85	18.20			15.20	 			
Feature Active A	proffice Channel mileage, per mile or fraction of mile tivations (DS0) Centrex Loops on Channelized DS1 Service I Bank Feature Activations atture Activation on D-4 Channel Bank Centrex Loop Slot atture Activation on D-4 Channel Bank FX line Side Loop Slot	æ	1		100000	5.25	110.00	10.20			10.20		 	i	
Feature Acti D4 Channel Feat Feat Feat Siot Feat Dffet Feat Siot Feat Siot Feat Feat Siot Feat Conv Chan	tivations (DS0) Centrex Loops on Channelized DS1 Service I Bank Feature Activations sture Activation on D-4 Channel Bank Centrex Loop Slot sture Activation on D-4 Channel Bank FX line Side Loop Slot	æ	1.	UEP91	M1GBC	22.60	39.36	26 62			15.20				
P4 Channel Featt Featt Featt Slot Featt Differ Featt Featt Slot Featt Conv Chan Conv	Il Bank Feature Activations atture Activation on D-4 Channel Bank Centrex Loop Slot atture Activation on D-4 Channel Bank FX line Side Loop Slot	>e	 _	UEP91	MIGBM	0 013									
Featt Featt Featt Slot Featt Differ Featt Slot Featt Convector Conv	ature Activation on D-4 Channel Bank Centrex Loop Slot sture Activation on D-4 Channel Bank FX line Side Loop Slot	1	 		 										
Featt Siot Featt Diffet Featt Stot Featt Stot Featt Stot Featt Conv chan Conv New	sture Activation on D-4 Channel Bank FX line Side Loop Slot		+	UEP91	1PQWS	0.6497						 			
Featt Slot Featt Differ Featt Featt Slot Featt Slot Featt Non-Recurrin Conv Naw		 	├	DEP91	IPUWS	0.6497					15.20				
Featt Slot Featt Differ Featt Featt Slot Featt Slot Featt Non-Recurrin Conv Naw				UEP91	1PQW6	0.6497	l			1	15 20	, 1	, ,	, 1	i
Slot Feat Differ Feat Feat Slot Feat Non-Recurrin Conv chan Conv New	iture Activation on D-4 Channel Bank FX Trunk Side Loop		\vdash		1	3.0437					10 20	(
Differ Featt Featt Slot Featt Non-Recurrit Conv chan Conv	<u> </u>			UEP91	1PQW7	0.6497	ı			ľ	15 20	i l	,		i
Featu Featu Slot Featu Non-Recurri Conv chan Conv	ture Activation on D-4 Channel Bank Centrex Loop Slot -										1			[· · · · · · · · · · · · · · · · · · ·	
Featu Slot Featu Non-Recurrin Conv chan Conv	erent Wire Center	L	ــــــ	UEP91	1PQWP	0.6497					15.20	i		i	l
Featu Slot Featu Non-Recurrin Conv chan Conv	Anna Anna ann an Anna ann an Anna		ŀ			1	[1		i	i
Slot Feature Non-Recurrit Conviction Conviction New New	ture Activation on D-4 Channel Bank Private Line Loop Slot ture Activation on D-4 Channel Bank Tjie Line/Trunk Loop	ļ	ļ	UEP91	1PQWV	0.6497					15.20				
Featu Non-Recurri Conv chan Conv New	ture Activation on D-4 Channel Bank Tijle Line/Trunk Loop			UEP91	1PQWQ	0.6497	į			ŧ	45.00		. 1	<i>i</i> 1	i
Non-Recurrit Conv chan- Conv New	ature Activation on D-4 Channel Bank WATS Loop Slot		-	UEP91	1PQWA	0.6497					15.20 15.20				
Conv chan Conv New	ring Charges (NRC) Associated with UNE-P Centrex		 	OLI 91	THE COMPA	0.0437					15.20				
Conv New	oversion - Currently Combined Switch-As-Is with allowed										 				í
New	nges, per port		<u> </u>	UEP91	USAC2		0 10	0.10			15.20		. 1	i I	I
	oversion of Existing Centrex Common Block			UEP91	USACN	0 00	36 66	16.10							
I INAW	v Centrex Standard Common Block			UEP91	M1ACS	0.00	680.40				15 20				
	v Centrex Customized Common Block			UEP91	M1ACC	0.00	680.40				15 20				
	condary Block, per Block R Establishment Charge, Per Occasion		├	UEP91	M2CC1	0.00	79.31				15.20				
	ITREX - 5ESS (Valid in All States)			UEP91	URECA	0.00	73.93				15.20				
	Loop/2-Wire Voice Grade Port (Centrex) Combo				+						+				
UNE Port/Lo	oop Combination Rates (Non-Design)	 	t								 	/ 			
2-Wir	/ire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		T								\vdash				
Non-	n-Design		1	UEP95		13.13									
	/ire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -											,T		, T	
	n-Design		2	UEP95	 _	23.75					 			,	
	/ire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo		3	UEP95	j	40.00	j			İ		, !	, 1	i l	I
	n-Design .oop Combination Rates (Design)	 	1 3	UEP95		49.62					+	, +		,	
	/ire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	 	\vdash								+	,			
Desig			1	UEP95] [16.29	ļ	i		ı		, I			I
	/ire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	<u> </u>	†		1						1		,		
Desig	sign	L_	2	UEP95		26.71			I		<u>l </u>	l			
	/ire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -														
Desig		L	3	UEP95	ļ	51.82					\vdash				
UNE Loop R		<u> </u>	<u> </u>	LIEDAE	Lucas:						 	,			
2-Wir	/ire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	11 77					+			, -	
	Bra Voice Crede Lees (CL 4) 7		2	UEP95 UEP95	UECS1 UECS1	22 39 48.26					┼			,	
	/ire Voice Grade Loop (SL 1) - Zone 2		1	UEP95	UECS2	14.93					+			, 	
	/ire Voice Grade Loop (SL 1) - Zone 2 /ire Voice Grade Loop (SL 1) - Zone 3	\vdash	2	UEP95	UECS2	25.35					+ + +				
	/ire Voice Grade Loop (SL 1) - Zone 2 /ire Voice Grade Loop (SL 1) - Zone 3 /ire Voice Grade Loop (SL 2) - Zone 1	\vdash		UEP95	UECS2	50.46					1				
UNE Port Ra	/fire Voice Grade Loop (SL 1) - Zone 2 /fire Voice Grade Loop (SL 1) - Zone 3 /fire Voice Grade Loop (SL 2) - Zone 1 /fire Voice Grade Loop (SL 2) - Zone 2		<u> </u>												
All States	/fire Voice Grade Loop (SL 1) - Zone 2 /fire Voice Grade Loop (SL 1) - Zone 3 /fire Voice Grade Loop (SL 2) - Zone 1 /fire Voice Grade Loop (SL 2) - Zone 2 /fire Voice Grade Loop (SL 2) - Zone 3			i			1				1	·			

<u> </u>	DLE	NETWORK ELEMENTS - Louisiana													ment: 2		bit: B
ATEGOR	RY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
							Rec	Nonrec	urring	Nonrecurring D	Disconnect	 	·	OSS	Rates(\$)	l	
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
— <u> </u>		2-Wire Voice Grade Port (Centrex) Basic Local Area	ļ		UEP95	UEPYA	1.36	38.85	19 08	<u> </u>			15 20				
		2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local			UEP95	UEPYB	1.36	38.85	19.08				15.20				
		Area]		UEP95	UEPYH	1.36	38.85	19.08	ì		İ	15.20			i	
ĺ		2-Wire Voice Grade Port (Centrex from diff Serving Wire											10,20	····			-
		Center)2 Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP95	UEPYM	1.36	104 41	67.93				15 20				
1		Term - Basic Local Area	ł	1	UEP95	UEDVZ		404.44		1		1				1	
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP90	UEPYZ	1.36	104.41	67.93			 	15 20	ľ.		ļ	
		- Basic Local Area			UEP95	UEPY9	1,36	38 85	19.08				15 20			i	
		2-Wire Voice Grade Port Terminated on 800 Service Term -						1			-		1020		 		
	<u> </u>	Basic Local Area			UEP95	UEPY2	1.36	38 85	19 08	L			15.20			l	
AL		LA, MS, SC, & TN Only				1											
		2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPQA	1.36	38.85	19.08	└			15.20				
-+		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95 UEP95	UEPQB	1.36 1.36	38.85	19.08				15 20				
		2-Wire Voice Grade Port (Centrex from diff Serving Wire		_	UEP95	UEPGH	1.35	38 85	19.08				15.20		<u> </u>	 .	
1		Center)2	ŀ		UEP95	UEPQM	1.36	104.41	67.93				15.20				
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
		Term		<u> </u>	UÉP95	UEPQZ	1.36	104.41	67.93	<u> </u>			15.20		-		
]		2-Wire Voice Grade Port terminated in on Megalink or equivalent	l		UEP95	UFPQ9	1.36	38.85	19 08			[15.20		Ì	l	
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPQ2	1.36	38 85	19.08				15.20				
Lo	ocal S	witching															
		Centrex Intercom Funtionality, per port			UEP95	URECS	0.8577						15 20				
Lo	ocal N	lumber Portability															
	eature	Local Number Portability (1 per port)		-	UEP95	LNPCC	0 35										
Fe		All Standard Features Offered, per port	_	-	UEP95	UEPVE	0.00						15 20				
		All Select Features Offered, per port		-	UEP95	UEPVS	0.00	412 25					15.20				
		All Centrex Control Features Offered, per port			UEP95	UEPVC	0.00	712 23					15.20			 	
N/	ARS				33,33	- July 10							107=5				· · · · · · · · · · · · · · · · · · ·
		Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00				15 20				
		Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00				15.20				
		Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00				15 20				
		aneous Terminations															
2-1		Trunk Side															
—- - -		Trunk Side Terminations, each	ļ		UEP95	CEND6	8 29	115.85	18.20	-			15 20		<u> </u>		
4-1		Digital (1,544 Megabits)		—	UEP95	M1HD1	68.47	196 18	92.92				15 20				
		DS1 Circuit Terminations, each DS0 Channels Activated, each	├	 	UEP95	IM1HD0	0.00	14.06	92.92				15.20		 	 	
Ini	terofi	ice Channel Mileage - 2-Wire		\vdash		7411100	<u> </u>	14,001		 -			10.20				
		Interoffice Channel Facilities Termination		 	UEP95	MIGBC	22.60	39.36	26.62				15.20				
		Interoffice Channel mileage, per mile or fraction of mile			UEP95	MIGBM	0 013										
		Activations (DS0) Centrex Loops on Channelized DS1 Service	æ														
04		nnel Bank Feature Activations								T				-			
		Feature Activation on D-4 Channel Bank Centrex Loop Slot		├	UEP95	1PQWS	0.6497						15.20		 		
1		Feature Activation on D-4 Channel Bank FX line Side Loop Slot	ì	ì	UEP95	1PQW6	0.6497	l		1			15.20				
1		Feature Activation on D-4 Channel Bank FX Trunk Side Loop							•								
		Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot -			UEP95	1PQW7	0,6497			-	-	_	15.20				
]		Peature Activation on 0-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP95	1PQWP	0.6497			<u> </u>			15.20				
					LIEDAG											<u> </u>	
		Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tile Line/Trunk Loop	 	<u> </u>	UEP95	1PQWV	0.6497			-			15.20		<u> </u>		
1		Slot		<u> </u>	UEP95	1PQWQ	0.6497						15.20				
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.6497						15.20				
No	on-Re	curring Charges (NRC) Associated with UNE-P Centrex										<u></u>	l <u>.</u>		<u></u>	L	l

NRONDLE	D NETWORK ELEMENTS - Louisiana												Attachr	ment: 2	Exhil	bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Incremental	Incremental Charge - Manual Svo Order vs. Electronic- Add'l		increment Charge Manual S Order vs Electronic Disc Add
						Rec	Nonrec			Disconnect				Rates(\$)		·
	NRC Conversion Currently Combined Switch-As-Is with allowed	-	╁				First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	changes, per port		1	UEP95	USAC2	l i	0 10	0.10				15.00				I
	Conversion of Existing Centrex Common Block, each		 	UEP95	USACN		36.66	16.10				15.20				
	New Centrex Standard Common Block		$\overline{}$	UEP95	MIACS	0.00	680.40	10.10		 	 	15.20				
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	680.40			 	 	15.20				
	NAR Establishment Charge, Per Occasion		t	UEP95	URECA	0.00	73 93				 	15.20 15.20				
UNE-P	CENTREX - DMS100 (Valid in All States)		-	00.00	OTILO7	0.00	73 93					15.20				
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE P	ort/Loop Combination Rates (Non-Design)		 													
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	 	 													····
	Non-Design		1 4	UEP9D		40.40										1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	 	'	ULFBD	 	13.13					ļ	 				
1	Non-Design	1	2	UEP9D		23 75										i
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	- −		UEP9D		23 /5										l
- 1	Non-Design	1	3	UEP9D							1					ı
TIME O	ort/Loop Combination Rates (Design)	<u> </u>	3	UEP9D	_	49 62										L
UNEF																
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	i			1					ľ	l .					
	Design		1_	UEP9D		16.29										
1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP9D	_1	26.71	1	ì) i	1 '	1		∣ !	1	i
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design	i	3	UEP9D		51.82					i i					ı
UNE L	pop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	11 77										
	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEP9D	UECS1	22.39			*****			-				
	2-Wire Voice Grade Loop (SL 1) - Zone 3			UEP9D	UECS1	48.26										
	2-Wire Voice Grade Loop (SL 2) - Zone 1			UEP9D	UECS2	14,93										
	2-Wire Voice Grade Loop (SL 2) - Zone 2			UEP9D												
		<u> </u>			UECS2	25.35										
1,015 5	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	50.46										
	ort Rate															
ALLS	TATES				_											
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9D	UEPYA	1.36	38 85	19.08				15 20				
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local				i i											
	Area			UEP9D	UEPYB	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local		[
	Area			UEP9D	UEPYC	1.36	38.85	19.08		1	l	15.20				
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local				1											
_	Area			UEP9D	UEPYD	1.36	38 85	19.08				15.20		ł		
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local			· · · · · · · · · · · · · · · · · · ·												
ı	Area		Į.	UEP9D	UEPYE	1.36	38.85	19 08				15.20		Ī		
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local							.,,,,,								
- 1	Агеа	}	1	UEP9D	UEPYF	1.36	38.85	19.08				15.20		1		
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local							,0.00				- 101120				
1	Area		1	UEP9D	UEPYG	1 36	38.85	19.08		1		15.20	1	ľ		
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local		\vdash	OEFBD	OEF TO	1 30	30.03	19.00				15.20				
ı	Area		Į l	UEP9D	UEPYT	1.36	38.85	19 08				15.20		1		
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local			DELAD	UEPTI	1.30	30.00	19 00				15.20				
1				45000	1	امما		40.00		l i		45.00	i			
	Area			UEP9D	UEPYU	1.36	38 85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local			==-=	1	i i	1					!		l		
	Area			UEP9D	UEPYV	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local				1 - 7		7	- 7				· ·	7	7	1	
	Area			UEP9D	UEPY3	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local															
- 1	Area			UEP9D	UEPYH	1.36	38.85	19.08				15.20	Į.	l		
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp				 								f			
	Indication))3 Basic Local Area			UEP9D	UEPYW	1 36	38.85	19.08				15.20	l	i		
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3		\vdash	ULF BU	JOEP 1 VV	1 30	30.03	19.00				,5.20				
- 1				LIEBAB								ا محمدا	i	l	į	
ı	Basic Local Area			UEP9D	UEPYJ	1.36	38 85	19.08		L		15.20				

<u> </u>	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremen Charge Manual S Order ve Electroni
							Nonre	curring	Nonrecurrin	g Disconnect	ļ.,		1st	Add'I	Disc 1st	Disc Add
						Rec	First	Add'I	First	Add'l		SOMAN	SOMAN	Rates(\$)	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2 Basic Local Area										0020	- COMPAN	COMPAN	SOMAIT	SUMAN	SUMAN
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3		<u> </u>	UEP9D	UEPYM	1.36	104,41	67.93		L		15.20		1		
	Basic Local Area			UEP9D	UEPYO	4.00									t	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3	 		GEF 90	GEPTO	1.36	104.41	67.93		 		15.20				
	Basic Local Area			UEP9D	UEPYP	1.36	104,41	67 93		1		15.20				1
ŀ	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3									 	 	13.20			 -	
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPYQ	1.36	104.41	67.93		l		15.20				
	Basic Local Area			UEP9D	UEDVD .					1						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3		├─~	OELAD	UEPYR	1.36	104.41	67 93			ļ	15 20				
	Basic Local Area			UEP9D	UEPYS	1.36	104.41	67.93		1	1	15.20			1	1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3				1	,,,,,	104.41	07.33			 	15.20			 	
	Basic Local Area			UEP9D	UEPY4	1 36	104 41	67 93		i	i	15.20			1	ĺ
i	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3															
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UÉPY5	1.36	104.41	67 93				15 20				l
	Basic Local Area			UEP9D	UEPY6		40.44			i	1					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3		_	CEF9D	UEP 16	1.36	104.41	67.93			 	15 20				
_	Basic Local Area			UEP9D	UEPY7	1.36	104.41	67.93		Ī	1	15.20	1		İ	i
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service				1			07.55		 	 	13.20				
	Term			UEP9D	UEPYZ	1.36	104.41	67.93				15.20				1
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term Basic			UEP9D	UEPY9	1.36	38.85	19.08				15.20				i
ŀ	Local Area		Ì	UEP9D	UEPY2	1.36	38 85	40.00		l	1					i
AL, KY	, LA, MS, SC, & TN Only			OEFBD	UEFTZ	1.36	38 85	19.08			·	15 20				
	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPQA	1.36	38.85	19 08		 -	 	15 20				
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPQB	1.36	38 85	19 08			1	15 20				
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3			UEP9D	UEPQC	1 36	38 85	19 08				15 20		-		
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3 2-Wire Voice Grade Port (Centrex / EBS-M5209)3			UEP9D	UEPQD	1.36	38 85	19.08				15 20				
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3			UEP9D UEP9D	UEPQE	1.36	38.85	19 08				15 20				ļ
	2-Wire Voice Grade Port (Centrex / EBS-M5312)3			UEP9D	UEPQG	1.36 1.36	38 85 38 85	19 08 19 08			-	15.20 15.20				
	2-Wire Voice Grade Port (Centrex / EBS-M5008)3			UEP9D	UEPQT	1 36	38 85	19.08		 -	 	15 20				
	2-Wire Voice Grade Port (Centrex / EBS-M5208)3			UEP9D	UEPQU	1.36	38 85	19 08			1	15 20				
	2-Wire Volce Grade Port (Centrex / EBS-M5216)3			UEP9D	UEPQV	1.36	38.85	19 08				15 20				
	2-Wire Voice Grade Port (Centrex / EBS-M5316)3			UEP9D	UEPQ3	1.36	38.85	19 08				15 20				
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPQH	1.36	38.85	19.08		ļ	ļ	15.20				
1	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3	ſ		UEP9D	UEPQW	1.36	38.85	19 08				15.20				i
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3		_	UEP9D	UEPQJ	1.36	38 85	19 08	_		 	15.20				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			04.05	102: 30	1.00	30 00	- 13 00		 	t	13.20				
	2	1]	UEP9D	UEPQM	1.36	104.41	67.93		ļ		15.20	Ì			ı
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPQO	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPQP	1 36	104 41	67.93			ļ ļ	15.20	•			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPQQ	1.36	104.41	67.93		L		15.20				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3		[UEP9D	UEPQR	1.36	104.41	- 67.93			1	15.20	ł			Į
	The state of the s	-+			192, 411		104.41	- 07.93			 	15.20				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3	l		UEP9D	UEPQS	1.36	104.41	67.93				15.20				ļ.
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPQ4	1.36	104.41	67.93			<u> </u>	15.20				
	2 Wire Voice Ocade Ded (Control VIII - CVII) (TDD 1 - TDD 1	I		LIEDOD	lumno -							T				
-+-	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPQ5	1.36	104 41	67.93			 	15.20				
1	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3	- 1	- 1	UEP9D	UEPQ6	1.36	- 104.41	67 93		l	1	15 20				

NRONDFED I	NETWORK ELEMENTS - Louisiana													nent: 2	Exhil	oit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add'
			\vdash		 	Rec	Nonrec First	urring Add'l	Nonrecurring I	Disconnect Add'l	SOMEC	SOMAN	OSS	Rates(\$)	SOMAN	SOMAN
1.												COMPANY	COMPAN	JOINAN	JOINALL	SOMAN
	Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	<u> </u>		UEP9D	UEPQ7	1 36	104.41	67.93				15.20				
	erm			UEP9D	UEPQZ	1.36	104 41	67.93				15.20				
2-1	Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.36	38 85	19 08				15 20				
2-\	Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPQ2	1 36	38.85	19.08				15 20				
Local Swi																
	entrex Intercom Funtionality, per port			UEP9D	URECS	0.8577										
	mber Portability	<u> </u>	_	LIEBAR												
Features	cal Number Portability (1 per port)	<u> </u>		UEP9D	LNPCC	0.35			 					L		
	Standard Features Offered, per port		\vdash	UEP9D	UEPVF	0.00						15 20				
	Select Features Offered, per port			UEP9D	UEPVS	0.00	412.25		<u> </u>		 	15 20		· · · · · · · · · · · · · · · · · · ·		
	Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00	71E.20					15.20		-		
NARS												,,,,,,				
	bundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00				15.20				
	nbundled Network Access Register - Inward			UEP9D	UAR1X	0 00	0.00	0.00				15 20				
	bundled Network Access Register - Outdial			UEP9D	UAROX	0 00	0 00	0.00				15.20				
2-Wire Tru	eous Terminations				_											
	unk Side Terminations, each		_	UEP9D	CEND6	8.29	115.85	18.20				15.20				
4-Wire Dig	gital (1.544 Megabits)			OEP9D	CENDO	0.29	113.65	18.20				15.20				
	S1 Circuit Terminations, each		_	UEP9D	M1HD1	68.47	196.18	98.62			-	15 20				
	30 Channels Activated per Channel			UEP9D	M1HDQ	0.00	14.06	30.02	-			15 20				
	Channel Mileage - 2-Wire			02. 05		\$.50	- 1,100					10.20				
Int	teroffice Channel Facilities Termination			UEP9D	MIGBC	22.60	39.36	26.62				15 20				
inte	eroffice Channel mileage, per mile or fraction of mile			UEP9D	MIGBM	0.013		-								
	ctivations (DS0) Centrex Loops on Channelized DS1 Service	ø														
	el Bank Feature Activations				1							,				.
I Fe	eature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.6497						15.20				
	eature Activation on D-4 Channel Bank FX line Side Loop Stot			UEP9D	1PQW6	0 6497	j					15.20				
	eature Activation on D-4 Channel Bank FX Trunk Side Loop			DEFSD	IPOVO	0 0497						15.20				
Sid	ot			UEP9D	1PQW7	0.6497						15.20				
	eature Activation on D-4 Channel Bank Centrex Loop Slot -	·														
Dif	fferent Wire Center			UEP9D	1PQWP	0 6497						15 20				
-	satura Activation on D. 4 Channal Bank Brigata Line Long City			UEP9D	1PQWV	0.6497						15 20				
	eature Activation on D-4 Channel Bank Private Line Loop Slot eature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			UEFBU	IFQVV	0.0497						15 20				
Sid				UEP9D	1PQWQ	0 6497						15.20				
	eature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0 6497						15 20				
	rring Charges (NRC) Associated with UNE-P Centrex															
INF	RC Conversion Currently Combined Switch-As-Is with allowed															
cha	anges, per port			UEP9D	U\$AC2		0.10	0 10				15.20				
	onversion of existing Centrex Common Block, each			UEP9D	USACN		36.66	16.10				15 20				
	w Centrex Standard Common Block			UEP9D	M1ACS	0.00	680.40					15.20				
	ew Centrex Customized Common Block			UEP9D	M1ACC	0.00	680.40				<u> </u>	15.20 15.20			-	L
	AR Establishment Charge, Per Occasion	ļ	\vdash	UEP9D	URECA	0.00	73.93					15.20				
	NTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)	-			+											
	Loop/2-Wire Voice Grade Port (Centrex) Combo Loop Combination Rates (Non-Design)		-		+				-							
	Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				+											
	on-Design		1	UEP9E	1 1	13,13			!							
	Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		- 	<u> </u>	+ 1	.5.10										
l No	on-Design		2	UEP9E		23 75	1		, 1							
1 2-V	Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -				1											
l No	on-Design		3	UEP9E		49.62										
	Loop Combination Rates (Design)				 											

<u>INBUNDLE</u>	D NETWORK ELEMENTS - Louisiana												Attachi	ment; 2	Exhil	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sw Order vs. Electronic Disc Add'i
						Rec	Nonrec			g Disconnect				Rates(\$)		
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	ļ	 				First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Design	1	1	UEP9E		16.29						·			Į	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP9E		26 71										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -					20,7,										
	Design		3	UEP9E		51 82									<u></u>	
UNE L	pop Rate	├	!												ļ	
	2-Wire Voice Grade Loop (SL 1) - Zone 1	ļ	1	UEP9E	UEC\$1	11.77					 				ļ	
	2-Wire Voice Grade Loop (SL 1) - Zone 2	 	3	UEP9E UEP9E	UECS1	22 39								 -		
	2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1	├	1	UEP9E	UECS1 UECS2	48 26 14 93					 	<u> </u>				
	2-Wire Voice Grade Loop (SL 2) - Zone 1	-		UEP9E	UECS2	25 35						<u> </u>				
	2-Wire Voice Grade Loop (SL 2) - Zone 2	├	3	UEP9E	UECS2	50 46			ļ .	 	1			 		
UNF P	ort Rate	 	۲	OL: 9E	- JOEOGE	30 40					 					-
	, KY, LA, MS, & TN only	 								 	+			 		
Table 1 1 1 1 1 1 1 1 1	2-Wire Voice Grade Port (Centrex) Basic Local Area		 	UEP9E	UEPYA	1.36	38.85	19 08		 	 	15 20		 	<u> </u>	
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area		İ	UEP9E	UEPYB	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	-	 	UEF9E	UEPTB	1.36	36.03	19.00		 		15.20		 		
	Area		<u> </u>	UEP9E	UEPYH	1.36	38.85	19.08			ļ <u>.</u>	15.20				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area		<u> </u>	UEP9E	UEPYM	1 36	104.41	67.93				15.20				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area		1	UEP9E	UEPYZ	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term -	 -	├	UEP9E	UEPY9	1.36	38 85	19.08				15 20	<u> </u>		<u> </u>	
	Basic Local Area	ļ]	UEP9E	UEPY2	1.36	38.85	19.08				15.20				<u>. </u>
AL, KY	, LA, MS, & TN Only									<u> </u>	ļ				ļ	
	2-Wire Voice Grade Port (Centrex)			ÜEP9E	UEPQA	1 36	38 85	19.08		<u> </u>		15 20				
	2-Wire Voice Grade Port (Centrex 800 termination)		ـــ	UEP9E	UEPQB	1 36	38 85	19.08			 	15.20				· · · · · · · · · · · · · · · · · · ·
	2-Wire Voice Grade Port (Centrex with Caller ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire			UEP9E	UEPQH	1.36	38 85	19 08 67.93		-		15.20 15.20				
	Center)2 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	 		UEP9E	UEPQM	1.36	104.41	67.93	·		+	15 20			 	
	Term	ļ	<u> </u>	UEP9E	UEPQZ	1 36	104 41	67.93			ļ	15 20				
}	2-Wire Voice Grade Port terminated in on Megalink or equivalent		1	UEP9E	UEPQ9	1 36	38 85	19 08			1	15 20				
	2-Wire Voice Grade Port Terminated in on Megalink or equivalent	+	+	UEP9E	UEPQ2	1.36	38.85	19 08	 	 	 	15.20		1		
Local	Switching	 	+	5 <u>C. 3</u> L	- J., G.		55.55									
Local	Centrex intercom Funtionality, per port		1	UEP9E	URECS	0 8577										I
Local	Number Portability	l	1								<u> </u>			L		
	Local Number Portability (1 per port)	t	\vdash	UEP9E	LNPCC	0.35										
Featur		1	1													
1 - 1 - 1	All Standard Features Offered, per port			UEP9E	UEPVF	0.00						15.20				L
	All Select Features Offered, per port		L	UEP9E	UEPV\$	0.00	412.25				<u> </u>	15.20		ļ		
	All Centrex Control Features Offered, per port			UEP9E	UEPVC	0.00						15.20	ļ	ļ	 	ļ
NARS									ļ	<u> </u>			<u> </u>			ļ
	Unbundled Network Access Register - Combination		1_	UEP9E	UARCX	0 00	0.00	0.00		ļ	_		<u> </u>	 -		
	Unbundled Network Access Register - Indial		$oxed{\Box}$	UEP9E	UAR1X	0.00	0.00	. 0 00		 	 		 	ļ	 	
	Unbundled Network Access Register - Outdial		1	UEP9E	UAROX	0.00	0.00	0.00	 	<u> </u>	+	 	 	 		
	laneous Terminations	ļ	-	ļ						 	+	 	 	-	 	
2-Wire	Trunk Side	Ļ	<u> </u>				2222-	15.50		 	┼	15.20	ļ	 	 	
	Trunk Side Terminations, each	↓	—	UEP9E	CEND6	8 29	115.85	18.20			+	15.20		 	 	
	Digital (1.544 Megabits)		↓				100.10		 	 	+	15.20	l ———	 	-	
4-Wire																
4-Wire	DS1 Circuit Terminations, each	ļ	—	UEP9E	M1HD1	68.47	196.18	92 92						 	 	
	DS1 Circuit Terminations, each DS0 Channel Activated Per Channel ffice Channel Mileage - 2-Wire			UEP9E	M1HD1 M1HD0	68.47 0.00	196.18	92 92				15.20				

														ment: 2	Exni	bit: B
regory	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted		Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs
			-			Rec		curring		g Disconnect			OSS	Rates(\$)	L	Ь
	Interoffice Channel mileage, per mile or fraction of mile		—	UEP9E	MIGBM	0.040	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Featur	e Activations (DS0) Centrex Loops on Channelized DC1 Service	8		OL, OL	IVIIGIBIVI	0 013		ļ	 _							
D4 Chr	annel Bank Feature Activations								<u> </u>							$\overline{}$
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.6497		 								
- 1	Facture Astrophys D. 4 St					012.07		 				15.20				
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop			UEP9E	1PQW6	0.6497					l	15.20				
	ISlot											13.20				
$\overline{}$	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			UEP9E	1PQW7	0.6497						15.20				ı
	Different Wire Center			UEP9E	4DOMD											
				OLI 9E	1PQWP	0.6497						15.20				ı
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0 6497		l								
	Feature Activation on D-4 Channel Bank Tile Line/Trunk Loop			02, 02	110000	0.0497						15 20				
	Slot	[UEP9E	1PQWQ	0.6497						45.05				
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.6497						15 20				
- Non-Re	ocurring Charges (NRC) Associated with UNE-P Centrex											15.20				
1	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port Conversion of Existing Centrex Common Block, each			UEP9E	USAC2		0 10	0.10	,			15 20	İ	1		ı
 -	New Centrex Standard Common Block, each			UEP9E	USACN		36 66	16.10				15.20				
	New Centrex Customized Common Block			UEP9E	M1ACS	0.00	680.40					15.20				
1	NAR Establishment Charge, Per Occasion			UEP9E	M1ACC	0.00	680.40					15.20				
UNE-P	CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)			UEP9E	URECA	0.00	73.93					15.20				
2-Wire	VG Loop/2-Wire Voice Grade Port (Centrex) Combo		-													
UNE Po	ort/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		-													
- 1 1	Non-Design	ļ	1	UEP93		13 13	i				1		j	- 1		
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -							-								
	Non-Design		2	UEP93		23.75		1	ļ .	-		- 1				
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design	- 1							-							
	nt/Loop Combination Rates (Design)		3	UEP93		49.62						1	*			
- JOINE ! O	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	⊦														
]]	Design		1 1	JEP93	1 1	40.00		i				7				
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		-'-'	JEP93	+	16.29										
.	Design	- 1	2	JEP93	1 1	26.71				-	i i					
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			012. 00		20.71										
	Design		3 1	JEP93	1 1	51.82				İ				1		
	op Rate				+											
	2-Wire Voice Grade Loop (SL 1) - Zone 1			JEP93	UECS1	11 77										-
	2-Wire Voice Grade Loop (SL 1) - Zone 2			JEP93	UECS1	22.36										
+	2-Wire Voice Grade Loop (SL 1) - Zone 3			JEP93	UECS1	48 26										
	2-Wire Voice Grade Loop (SL 2) - Zone 1			JEP93	UECS2	14 93										
+	2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3			JEP93	UECS2	25.35										
UNE Poi	rt Rate		3 (JEP93	UECS2	50 46										
	LA, MS, & TN only	-+	\dashv	· · · ·												
	2-Wire Voice Grade Port (Centrex) Basic Local Area		 ,	JEP93	UEPYA	1,36	38.85					4				
7	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	\rightarrow	- 1 '	/L1 00	JUEF IA	1.36	38.85	19 08				15.20		↓		
/	Area	- 1	ſι	JEP93	UEPYB	1.36	38.85	19.08	1			15 20	1	1		
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local		Ť		1	*.00	30.00	19,00				10.20		+		
	Area	1	k	JEP93	UEPYH	1.36	38.85	19.08				15.20		[
	2-Wire Voice Grade Port (Centrex from diff Serving Wire									-		,5.20				
	Center)2 Basic Local Area		\	JEP93	UEPYM	1.36	104.41	67.93	ļ	i		15.20	1	1	ŀ	
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		Т												-	
	Term - Basic Local Area 2-Wire Voice Grade Port terminated in on Megalink or equivalent		lu	JEP93	UEPYZ	1.36	104.41	67.93			1	15.20	j			
] 1/																

NOCHDEED	NETWORK ELEMENTS - Louisiana												Attachs	ment: 2	Į Exhi	bit: B
ATEGORY	RATE ELEMENTS .	Interi m	Zone	BCS	USOC			RATES(S)		_		Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Increment Charge Manual S Order vs Electroni Disc Add
			ļ		_	Rec	Nonrec			g Disconnect	<u> </u>			Rates(\$)		
- 	VIII. V						First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Wire Voice Grade Port Terminated on 800 Service Term -		i l		l					1	1					ĺ
	asic Local Area			UEP93	UEPY2	1.36	38 85	19.08				15 20		l	1	1
	Wire Voice Grade Port (Centrex)			UEP93	UEPQA	1.36	38.85	19.08				15 20				
	Wire Voice Grade Port (Centrex 800 termination)			UEP93	UEPQB	1.36	38.85	19.08				15 20				
—- <u> 2</u> -	Wire Voice Grade Port (Centrex with Caller ID)1			UEP93	UEPQH	1.36	38.85	19.08				15 20				
2-	Wire Voice Grade Port (Centrex from diff Serving Wire	1	1		1		[
	enter)2			UEP93	UEPQM	1.36	104 41	67 93		L		15.20			1	
	Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	1					Ĩ									
Te	erm	l		UEP93	UEPQZ	1.36	104 41	67.93			i l	15.20		1	Į.	
	Wire Voice Grade Port terminated in on Megalink or equivalent	L		UEP93	UEPQ9	1.36	38.85	19.08				15 20		l	I	1
	Wire Voice Grade Port Terminated on 800 Service Term			UEP93	UEPQ2	1.36	38.85	19.08				15.20		l	 	
Local Swi										<u> </u>	 	- 3.23		l	 	
Ce	entrex Intercom Funtionality, per port			UEP93	URECS	0.8577								 		
	mber Portability				12::-22					 	 			 	 	
Lo	ocal Number Portability (1 per port)			UEP93	LNCCC	0 35					 				 	
Features	1 1 1		1							· · · · ·	 					
	Standard Features Offered, per port	 	-	UEP93	UEPVE	0 00				 		15.20				
	Centrex Control Features Offered, per port	 		UEP93	UEPVC	0 00				 		15.20			 	-
NARS	Centrex Control Lattales Cherea, per port	├	-	OLF 93	DEFVO					 		15.20		 		
	nbundled Network Access Register - Combination			UEP93	UARCX	0 00	0 00	0.00		 	1	15.20				
	nbundled Network Access Register - Combination		_	UEP93	UAR1X	0.00	0.00	0.00		 	1					
	nbundled Network Access Register - Indial			UEP93	UAROX	0.00		0.00				15 20				
	eous Terminations		\vdash	UEP93	UAHUX	_ 000	0.00	0.00		ļ	ļ	15.20				
2-Wire Tru			\vdash								 			ļ		
				UEBSS	05454						ļ			ļ		
	runk Side Terminations, each			UEP93	CEND6	8.27	115.85	18.20				15.20				
	gital (1.544 Megabits)									ļ	<u> </u>				ļ	
	S1 Circuit Terminations, each			UEP93	M1HD1	68.47	196.18	92 92				15.20				
	S0 Channels Activated, Per Channel		ш	UEP93	M1HDO	0.00	14.06			<u> </u>		15.20				
	e Channel Mileage - 2-Wire		\perp									i				
	teroffice Channel Facilities Termination		l	UEP93	MIGBC	22.60	39.36	26.62		1	1	15.20				
Int	teroffice Channel mileage, per mile or fraction of mile		I	UEP93	MIGBM	0.013										
	ctivations (DS0) Centrex Loops on Channelized DS1 Service	XB														
D4 Chann	nel Bank Feature Activations															
Fe	eature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.6497						15 20				
		$\overline{}$														
Fe	eature Activation on D-4 Channel Bank FX Line Side Loop Slot		1 1	UEP93	1PQW6	0.6497						15.20				
	eature Activation on D-4 Channel Bank FX Trunk Side Loop									1						
	lot	1	1	UEP93	1POW7	0.6497					1	15.20		1		
Ψ.	eature Activation on D-4 Channel Bank Centrex Loop Slot	 	_	01.00	11 2111	0.0.07										
	ifferent Wire Center		1 1	UEP93	1PQWP	0.6497						15.20		ļ	1	
	illerent whe Certei			UEF 83	"FQWF	0.0437						10.20				
l 1	Astrontion on D. 4 Channel Book British Line Land Clat	1	1	UEP93	1PQWV	0.6497						15.20		l	l	
	eature Activation on D-4 Channel Bank Private Line Loop Slot	—		OEP33	IFUWV	0.0497				 	-	19.20				1
	eature Activation on D-4 Channel Bank Tie Line/Trunk Loop	1	1			[- 1			1	1	أيميرا		l	}	
SI		<u> </u>	 	UEP93	1PQWQ	0.6497				ļ		15.20				
	eature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.6497				ļ		15.20				
Non-Recu	urring Charges (NRC) Associated with UNE-P Centrex														<u> </u>	
	RC Conversion Currently Combined Switch-As-Is with allowed	l	1 7				-1			ı	1			1	1	
	nanges, per port			UÉP93	USAC2		0 10	0.10				15 20			L	
	onversion of Existing Centrex Common Block, each			UEP93	USACN		36.66	- 16.10		1		15.20			ļ	L
	ew Centrex Standard Common Block			UEP93	M1ACS	0.00	680.40					15.20		L		
Ne	ew Centrex Customized Common Block			UEP93	M1ACC	0 00	680.40					15 20		L		
	AR Establishment Charge, Per Occasion	1	\Box	UEP93	URECA	0 00	73.93					15.20				
	Required Port for Centrex Control in 1AESS, 5ESS & EWSD		1					-		I				I	ŀ	
	Requires Interoffice Channel Mileage	ļ														
	Requires Specific Customer Premises Equipment										· ·			l	·	
	tes displaying an "R" in Interim column are interim and sub									 	 		-		 	

INBUNDLE	ED NETWORK ELEMENTS - Mississippi												Attach	ment; 2	Eule ii	bit: B
		T	Т		T	1		 -			Sw. Onler	Sun Order		Incremental		
			ŀ	F	l	i						Submitted	Charge -	Charge -		
			1		İ						Elec	Manually	Manual Svc		Charge -	Charge -
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC	\		RATES(\$)			per LSR	per LSR		Manual Svc	Manual Svc	
	i	m	i		1	!					PerLSH	PerLSH	Order vs.	Order vs.	Order vs.	Order vs.
			1										Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add
			<u> </u>			Rec		curring		g Disconnect			oss	Rates(\$)		
— <u> </u>			<u> </u>		<u> </u>		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
I ne "a	Zone" shown in the sections for stand-alone loops or loops a	s part of	a com	bination refers to Go	ographically	y Deaveraged U	NE Zones. To	view Geograp	hically Deaver	aged UNE Zone	Designation	ns by Cent	ral Office, refe	r to internet	Website:	
littebar	**************************************	erconne	tion.h	tm							-	•				
PERATIONA	AL SUPPORT SYSTEMS		<u> </u>											l	I	
NUIE	: (1) Electronic Service Order: CLEC should contact its contra	act nego	tiator i	it prefers the state	specific elec	tronic service o	rdering charg	es as ordered l	by the State Co	mmissions. T	ne electron	ic service o	dering charg	e currently co	ntained in th	is rate
																lly. For
1000	ordinorità triat carrilot de Ordered electroffically at present per	THE BBI	1-LU. 11	ia listari SCIMIEC, tan	in this cate	gory reflects th	e charge that	would be billed	d to a CLEC on	ce electronic o	rdering cap	abilities co	me on-line fo	r that element	. Otherwise,	the manua
Orden	ing charge, SOMAN, will be applied to a CLECs bill when it su Manual Service Order Charge, per LSR, Disconnect Only (MS)	iomits ai	LSR	o BellSouth.												
- 	Electronic OSS Charge, per LSR, submitted via BST's OSS		ļ		SOMAN				1.97							1
1	interactive interfaces (Regional)	1		İ	00450			1								
VE SERVICE	E DATE ADVANCEMENT CHARGE	+	 		SOMEC	 	3.50									L
	: The Expedite charge will be maintained commensurate with	Palica	th's E	C No 4 Tariff Conti						<u> </u>	·					L
	UNE Expedite Charge per Circuit or Line Assignable USOC, per	·	ui s r	l No. 1 Tarrit, Sector	on sasappii	Cable.										ļ
	Day			ALL UNE	SDASP	1	200 00	1	ł							
NBUNDLED	EXCHANGE ACCESS LOOP	 		OITE	JUNOF		200 00			 						
2-WIR	RE ANALOG VOICE GRADE LOOP	†	_		 	 										├
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	 	1	UEANL	UEAL2	12.03	37 92	17.55	23.48	5.25		15,75				
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEAL2	16.87	37 92	17.55	23.48	5 25		15.75				
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEAL2	25.68	37 92	17,55	23.48	5 25		15.75				
	2-Wire Analog Voice Grade Loop - Service Level 1-Zone 4	T =		UEANL	UEAL2	43.85	37 92	17.55	23.48	5.25		15.75				
	Loop Testing - Basic 1st Half Hour			UEANL.	URET1	-	34.36		20.10	0.20		15.75				
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.97					15 75				
	CLEC to CLEC Conversion Charge Without Outside Dispatch			UEANL	UREWO		15 75	8.92				15.75				
	Engineering Information Document (EI)			UEANL	UEANM		13 51	13 51								
	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		8 20	8.20								
	Order Coordination for Specified Conversion Time for UVL-SL1							_						- "		
	(per LSR)			UEANL	OCOSL		18 19	18.19		i						
2-WIR	RE Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1			UEQ	UEQ2X	11.01	36.53	16.16	22 66	4.42		15.75				
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	1-1-		UEQ	UEQ2X	11.51	36.53	16 16	22.66	4.42		15.75				
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	44		UEO	UEQ2X	11 57	36 53	16.16	22.66	4 42		15 75				
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 4	+	4	UEQ	UEQ2X	13 10	36 53	16.16	22.66	4.42		15.75				
ŀ	Order Coordination 2 Wire Unbundled Copper Loop - Non-	1						i		1						
	Designed (per loop)	—	<u> </u>	UEQ	USBMC		8 20	8.20								
	Engineering Information Document Loop Testing - Basic 1st Half Hour	 	-	UEQ UEQ	URET1		13 51	13.51				15.75				
	Loop Testing - Basic 1st Hair Hour	┼		UEQ	URETA	·	34.36									ļ
	CLEC to CLEC Conversion Charge Without Outside Dispatch	┼		UEQ	UREWO		19.97 14 24	7,42	<u> </u>			15.75 15.75				
IBUNDI ED	EXCHANGE ACCESS LOOP	+		DEG	UNEWU_	· · · · · · · · · · · · · · · · · · ·	14 24	7,42		<u> </u>		15.75		· · - · - · ·		
	RE ANALOG VOICE GRADE LOOP	+				-										
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	+	-													
1	Zone 1		1 1	UEPSR UEPSB	UEALS	12.03	37.92	17.55	23.48	5.25		15.75				1
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		<u> </u>	OL: OH OL: OB	02/20			17.00	20:10	5.25		1,52,7,5				
- 1	Zone 1	1	1 1	UEPSR UEPSB	UEABS	12.03	37.92	17.55	23.48	5.25	1	15.75				1
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-	+-	一													
	Zone 2		2	UEPSR UEPSB	UEALS.	16.87	37.92	17.55	23 48	5.25		15.75				1
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-	 														
1	Zone 2		2	UEPSR UEPSB	UEABS	16.87	37.92	17 55	23.48	5.25		15.75				1
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	Т														
	Zone 3	1	3	UEPSR UEPSB	UEALS,	25.68	37.92	17.55	23.48	5.25		15.75				
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-				-											
	Zone 3	ı	3	UEPSR UEPSB	UEABS	25 68	37.92	17.55	23.48	5.25		15.75				<u></u>
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	1			1											
	Zone 4]	4	UEPSR UEPSB	UEALS.	43.85	37.92	17.55	23.48	5.25		15.75				L
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	1				l										
	IS AND MISSION AND GUARD COOD-SOLVICE FRANK 1-THIS STRIKENS.															
	Zone 4	1	4	UEPSR UEPSB	UEABS .	43.85	37.92	17.55	23.48	5.25		15.75				
BUNDLED		 	4	UEPSR UEPSB	UEABS	43.85	37.92	17.55	23.48	5.25		15.75				

MOUNDL	ED NETWORK ELEMENTS - Mississippi												Attachr	ment: 2	Exhil	bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge -
						Rec	Nonre	curring	Nonrecurring	Disconnect			oss	Rates(\$)	L	·
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		 			1.00	First	Addʻl	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Ground Start Signaling - Zone 1		1	UEA	UEAL2	40.00	405.00									_
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	 	+-	UEA	UEALZ	13 89	105.96	68.28	52.82	10 37		15.75				
	Ground Start Signaling - Zone 2	l	2	UEA	UEAL2	18 75	105 96	68.28	52 82	10.37]	15.75				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		T		100		100 00	00.20	J2 62	10,37		15.75				
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	27.55	105 96	68 28	52 82	10 37		15.75				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 4		١.													
	Order Coordination for Specified Conversion Time (per LSR)		4	UEA	UEAL2	45 72	105 96	68.28	52 82	10 37		15.75				l
-	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		├	UEA	OCOSL		18.19									
	Battery Signaling - Zone 1	ŀ	۱,	UEA	UEAR2	13.89	105.96	68 28	52.82	10 37	1	45.75				1
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		Ħ	027,	JOEPHIL	10.03	103.50	00 20	52.62	10 37	-	15,75				
	Battery Signaling - Zone 2	L	2	UEA	UEAR2	18.75	105.96	68.28	52 82	10.37		15 75				1
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 3	L	3	UÉA	UEAR2	27.55	105.96	68.28	52.82	10.37		15 75				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 4		١.	l									7			
	Order Coordination for Specified Conversion Time (per LSR)		4	UEA UEA	UEAR2	45.72	105.96	68.28	52.82	10.37		15.75				
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	OCOSL UREWO		18 19 87.56	36,29				15.75				
4-WIF	RE ANALOG VOICE GRADE LOOP		 	UCA	UNEWO		67.56	30.29				15./5		-		
	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	27.47	132.27	94.59	60.68	14.64		15 75				
	4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	38.26	132 27	94 59	60 68	14.64		15 75				
	4-Wire Analog Voice Grade Loop - Zone 3			UEA	UEAL4	50.03	132.27	94 59	60.68	14 64		15 75		-		
	4-Wire Analog Voice Grade Loop - Zone 4		4	UEA	UEAL4	50.03	132 27	94 59	60.68	14.64		15 75				
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.19									
2-11/15	CLEC to CLEC Conversion Charge without outside dispatch		-	UEA	UREWO		87.56	36.29				15.75				L
2-1411	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	21.01	117.61	79 92	52.82	10.37		15.75				
	2-Wire ISDN Digital Grade Loop - Zone 2	_		UDN	U1L2X	27.59	117.61	79 92	52.82	10.37		15.75				
	2-Wire ISDN Digital Grade Loop - Zone 3			UDN	U1L2X	37 34	117.61	79 92	52.82	10.37		15.75				
	2-Wire ISDN Digital Grade Loop - Zone 4		4	UDN	U1L2X	59.18	117.61	79.92	52 82	10.37		15.75				
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		18.19									
0.1600	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91 46	44.07				15 75				
2-WIF	RE Universal Digital Channel (UDC) COMPATIBLE LOOP															
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone		1	UDC	UDC2X	21.01	447.04	70.00	50.00	10.07		46.75				
+	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone		,	ODC	UDC2X	21.01	117.61	79 92	52.82	10 37		15.75			-	
1	2		2	UDC	UDC2X	27.59	117.61	79.92	52.82	10.37		15.75				
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone		-		10002.1	27.00			OZ.OC	10.07		. 10.70				
	3		3	UDC	UDC2X	37.34	117.61	79 92	52 82	10.37		15.75	- 1	l		
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone															
	4		4	UDC	UDC2X	59.18	117.61	79.92	52.82	10.37		15.75				
	CLEC to CLEC Conversion Charge without outside dispatch *			UDC	UREWO		91.46	44.07				15.75				
2-WIF	E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOP	 	-											
i	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1		١,	UAL	UAL2X	11.11	121.27	70.81	50.38	7.93		15 75	-			
	2 Wire Unbundled ADSL Loop including manual service inquiry		<u> </u>	UAL	UALZA	- 11.11	121.27	70.01	50.36	1.93		15 /5				
	& facility reservation - Zone 2		2	UAL	UAL2X	11.47	121.27	70 81	50.38	7.93		15.75				
\dashv	2 Wire Unbundled ADSL Loop including manual service inquiry			<u></u>	0.22				33.50							
	& facility reservation - Zone 3		3	UAL	UAL2X	11.74	121.27	- 70.81	50.38	7 93		15.75				
	2 Wire Unbundled ADSL Loop including manual service inquiry				1							Ι. Τ				
+	& facility reservation - Zone 4		4	UAL	UAL2X	12.69	121.27	70.81	50.38	7.93		15.75				
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.19			-						
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 1			UAL	UAL2W	,,,,	ا ء ء ء	50.00	E0.00	7.93		15.75				
+	2 Wire Unbundled ADSL Loop without manual service inquiry &		 	UAL	UALZW	11.11	96.15	58.03	50.38	7.93		15./5				
	facility reservaton - Zone 2		2	UAL	UAL2W	11.47	96.15	58.03	50 38	7.93		15.75	- !			
	2 Wire Unbundled ADSL Loop without manual service inquiry &		-	O. 4.	JONE 11	11.4/	ag. 13	20.03	30,00	1.33		,5.75				
1	facility reservaton - Zone 3	- 1	3	LIAL.	UAL2W	11.74	96.15	58.03	50 38	7.93		15.75	i			

Version 2Q02: 08/07/02

JUROND L	ED NETWORK ELEMENTS - Mississippi												Attachi	nent; 2	Exhi	bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(S)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	
		-					Nonrec	curring	Nonrecurring	Disconnect			220	Rates(\$)		
					 	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2 Wire Unbundled ADSL Loop without manual service inquiry &		ļ —						<u> </u>	7,007	-	00	COMPAN	COMAN	JOHIAN .	SUMMIN
	facility reservation - Zone 4	1	4	UAL	UAL2W	12 69	96.15	58 03	50.38	7.93	1	15 75		ļ		
	Order Coordination for Specified Conversion Time (per LSR)	J		UAL	OCOSL		18.19				-	10.10				
- 0.100	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.04	40.33				15 75				
2-WIF	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	ATIBLE	LOOP													
L	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1	1														
	2 Wire Unbundled HDSL Loop including manual service inquiry		1	UHL	UHL2X	8.75	129.98	79.52	50.38	7.93		15.75				L
	& facility reservation - Zone 2]	2	UHL												
	2 Wire Unbundled HDSL Loop including manual service inquiry	-	²	IUHL	UHL2X	9.22	129.98	79.52	50.38	7 93		15.75				<u> </u>
	& facility reservation - Zone 3	ł	3	UHL	UHL2X	9.87	400.00	70.50	50.00	7.00	İ					ļ
	2 Wire Unbundled HDSL Loop including manual service inquiry	+	 		UNITE A	9.87	129.98	79.52	50.38	7.93	 	15 75				
	& facility reservation - Zone 4	1	4	UHL.	UHL2X	10.46	129 98	79 52	50 38	7 93	ł	15.75				1
	Order Coordination for Specified Conversion Time (per LSR)	 	广	UHL	OCOSL	10.40	18 19	19 32	50.38		-	15./5	-			
	2 Wire Unbundled HDSL Loop without manual service inquiry	l	 		12222		10 13				 					
	and facility reservation - Zone 1	1	1	UHL	UHL2W	8.75	104.86	66.74	50.38	7.93		15 75				ĺ
	2 Wire Unbundled HDSL Loop without manual service inquiry	1								7.00	_	10 70				
	and facility reservation - Zone 2	l	2	UHL	UHL2W	9.22	104.86	66.74	50.38	7.93	i	15.75				Ĭ
	2 Wire Unbundled HDSL Loop without manual service inquiry		T													
	and facility reservation - Zone 3	<u> </u>	3	UHL	UHL2W	9.87	104 86	66.74	50.38	7 93	ŀ	15.75				i
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 4		4	UHL	UHL2W	10.46	104.86	66.74	50.38	7.93	l	15.75				
	Order Coordination for Specified Conversion Time (per LSR)	<u> </u>		UHL	OCOSL		18.19				I					
4 3405	CLEC to CLEC Conversion Charge without outside dispatch	<u> </u>	1	UHL	UREWO		85.98	40.33				15.75				
4-WIF	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	ATIBLE	LOOP		.											
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1	1	١.	l	1,,,,,,,	40.00					1					l
-	4-Wire Unbundled HDSL Loop including manual service inquiry		┝┶	UHL	UHL4X	13.78	158.74	108 28	56 72	10 68	-	15.75				
	and facility reservation - Zone 2	1	2	UHL	UHL4X	13.43	158.74	100.00		40.00	1	45.75				
	4-Wire Unbundled HDSL Loop including manual service inquiry	 	 	UnL	UFL4X	13.43	158.74	108.28	56 72	10.68	 	15.75				
	and facility reservation - Zone 3		1 3	UHL	UHL4X	15.59	158.74	108.28	56.72	10.68		15.75	-			ì
-	4-Wire Unbundled HDSL Loop including manual service inquity	 		OTIL	OI IL-7A	10.05	150.74	100.20	30.72	10.00	 	15.75				
- }	and facility reservation - Zone 4	ł	4	UHL	UHL4X	14.46	158 74	108.28	56.72	10.68	i '	15.75				1
	Order Coordination for Specified Conversion Time (per LSR)	 	Η̈́	UHL	OCOSL	- 71.10	18 19	100.20	00.72	70.00		10.70				
	4-Wire Unbundled HDSL Loop without manual service inquiry		· · · · · ·	<u> </u>	12222		7,5,14				i				-	
	and facility reservation - Zone 1		1	UHL	UHL4W	13.78	133.62	95.50	56.72	10.68	1	15.75				1
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2	l	2	UHL	UHL4W	13.43	133.62	95 50	56.72	10.68	1	15 75				
	4-Wire Unbundled HDSL Loop without manual service inquiry				1											
	and facility reservation - Zone 3		3	UHL	UHL4W	15.59	133.62	95.50	56.72	10 68	ļ	15.75				L
- 1	4-Wire Unbundled HDSL Loop without manual service inquiry	1	ł	1	1 1		i				ì					İ
	and facility reservation - Zone 4		4	UHL	UHL4W	14.46	133 62	95.50	56 72	10.68	ļ	15.75				
	Order Coordination for Specified Conversion Time (per LSR)	↓	Ļ	UHL	OCOSL		18 19				ļ	45.70				——
	CLEC to CLEC Conversion Charge without outside dispatch	ļ <u> </u>		UHL	UREWO		85.98	40.33			<u> </u>	15.75				ļ
4-WIF	RE DS1 DIGITAL LOOP			1101	1101306		950.00	450.45	40.10	10.07	 	15.75				
	4-Wire DS1 Digital Loop - Zone 1			USL	USLXX	79.08	253.93	158.45	46.10	12.07	ļ	15.75				
	4-Wire DS1 Digital Loop - Zone 2 4-Wire DS1 Digital Loop - Zone 3	 		USL	USLXX	129.38 206 74	253.93 253.93	158.45 158.45	46.10 46.10	12.07	 	15.75 15.75				
	4-Wire DS1 Digital Loop - Zone 3	 	1 4	USL	USLXX	458 46	253.93	158.45	46.10	12.07	ļ	15.75				
	Order Coordination for Specified Conversion Time (per LSR)	+	+-	USL	OCOSL		18.19	100.75	70.10	IEIU/	 	15.15				
+	CLEC to CLEC Conversion Charge without outside dispatch	-	 	USL	UREWO		100.90	42.96				15 75				
A.WIE	RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP		<u> </u>		3		100.00	-12.50			· · · · · · · · · · · · · · · · · · ·					
7.44	4 Wire Unbundled Digital 19 2 Kbps	 	1	UDL	UDL19	27.44	126.53	88 85	60.68	14.64		15.75				
-	4 Wire Unbundled Digital 19 2 Kbps	1		UDL	UDL19	34.55	126 53	88 85	60 68	14 64		15 75				
	4 Wire Unbundled Digital 19 2 Kbps	 		UDL	UDL19	40.76	126.53	88 85	60 68	14 64		15.75				
	4 Wire Unbundled Digital 19 2 Kbps	$\overline{}$		UDL	UDL19	32.25	126.53	88.85	60 68	14 64		15.75				
\neg	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	T		UDL	UDL56	27.44	126.53	88.85	60.68	14.64		15.75				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	34.55	126 53	88.85	60.68	14.64		15.75				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			UDL	UDL56	40.76	126.53	88.85	60.68	14.64		15.75				

UNBU	NDLE	O NETWORK ELEMENTS - Mississippi					· · · · · · · · · · · · · · · · · · ·	·						Attach	ment: 2	Evhil	oit: B
						1			·			Svc Order	Svc Order				Incremental
ľ													Submitted	Charge -	Charge -	Charge -	Charge -
	004	· - · - · - · - · · · · ·	Interi	l_								Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEG	OHY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
1														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'I	Disc 1st	Disc Add'l
								Nonrec	urring	Nonrecurring	Disconnect			000	Rates(\$)	L	
				 	 		Rec	First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 4		4	UDL	UDL56	32.25	126.53	88.85	60 68	14.64	0020	15 75	COMPAR	30,117,11	JOHIAN	30mAit
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18 19							 		
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 1			UDL	UDL64	27.44	126 53	88.85	60 68	14 64		15 75				
_		4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	ļ		UDL	UDL64	34 55	126 53	88.85	60 68	14 64		15.75				
-		4 Wire Unbundled Digital Loop 64 Kbps - Zone 3			UDL	UDL64 UDL64	40.76	126 53	88.85	60 68	14 64		15.75				
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL	32.25	126 53 18.19	88.85	60.68	14.64		15.75		<u> </u>		
		CLEC to CLEC Conversion Charge without outside dispatch		_	UDL	UREWO		101.94	49 66				15 75		ļ		
	2-WIRE	Unbundled COPPER LOOP			-	0112110		101.57	+3 00	1			1373				
		2-Wire Unbundled Copper Loop/Short including manual service															
		inquiry & facility reservation - Zone 1		_1	UCL	UCLPB	11 11	120.34	69 87	50.38	7.93		15.75			<u> </u>	L
		2-Wire Unbundled Copper Loop/Short including manual service		_											-		
		inquiry & facility reservation - Zone 2 2 Wire Unbundled Copper Loop/Short including manual service		2	ncr	UCLPB	11.47	120 34	69.87	50.38	7.93		15.75		ļ	ļ	
		Inquiry & facility reservation - Zone 3		3	UCL	UCLPB	11.74	120 34	69.87	50.38	7.93		15.75		l		
		2 Wire Unbundled Copper Loop/Short including manual service		-3	UUL	UULLB	11.74	120 34	09.87	50.38	7.93		15./5		ļ		
		inquiry & facility reservation - Zone 4	l	4	UCL	UCLPB	12.69	120 34	69.87	50.38	7.93		15 75				
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC	12,55	8.20	8.20	00.00	7.00		10,0				
		2-Wire Unbundled Copper Loop/Short without manual service															
		inquiry and facility reservation - Zone 1		1	UCL	UCLPW	11.11	95.21	57 09	50.38	7.93		15.75				
		2-Wire Unbundled Copper Loop/Short without manual service															
		inquiry and facility reservation - Zone 2		2	UCL	UCLPW	11.47	95.21	57.09	50.38	7.93		15.75				
l i		2-Wire Unbundled Copper Loop/Short without manual service		3	UCL	LIGITIM		25.04	57.00		7.00		45.75				
		Inquiry and facility reservation - Zone 3 2-Wire Unbundled Copper Loop/Short without manual service		3	UCL	UCLPW	11.74	95.21	57.09	50.38	7 93		15.75		ļ		
1		inquiry and facility reservation - Zone 4		4	UCL	UCLPW	12 69	95.21	57 09	50.38	7 93		15 75		1		
	-	Order Coordination for Unbundled Copper Loops (per loop)		<u> </u>	UCL	UCLMC	1200	8.20	8.20	30.00	7.50		1070				
		2-Wire Unbundled Copper Loop/Long - includes manual srvc.					-				-						
		inquiry and facility reservation - Zone 1		1	UCL	UCL2L	29.29	120 34	69.87	50.38	7.93		15.75		<u> </u>		
1 1		2-Wire Unbundled Copper Loop/Long - includes manual svc.															
_		inquiry and facility reservation - Zone 2		2	UCL	UCL2L	43.46	120.34	69.87	50.38	7.93		15.75				
1 .		2-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 3		3	UCL	UCL2L	64.44	120.34	69 87	50.38	7.93		15.75			i	
-		2-Wire Unbundled Copper Loop/Long - includes manual svc.		-3-	000	OCLEC	04.44	120.04	03 07	50.30	7.90		15.75			·	
		inquiry and facility reservation - Zone 4		4	UCL	UCL2L	87.60	120 34	69 87	50.38	7.93		15.75		i		
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.20	8.20								
		2-Wire Unbundled Copper Loop/Long - without manual service															
		inquiry and facility reservation - Zone 1		1	UCL	UCL2W	29 29	95.21	57.09	50.38	7.93		15.75		ļ		
1		2-Wire Unbundled Copper Loop/Long - without manual service		_		LIGION	40.40	05.04	E7 ^^	50.00	7.93		15.75		l	ŀ	
 		inquiry and facility reservation - Zone 2 2-Wire Unbundled Copper Loop/Long - without manual service		2	UCL	UCL2W	43 46	95.21	57.09	50.38	7.93		15.75			 	
		inquiry and facility reservation - Zone 3		3	UCL	UCL2W	64.44	95.21	57.09	50.38	7.93		15.75				
\vdash		2-Wire Unbundled Copper Loop/Long - without manual service				33277	07.77	30.21	5,,09	\$0.50	7.50		,,,,,				
		Inquiry and facility reservation - Zone 4		4	UCL	UCL2W	87.60	95.21	57.09	50.38	7.93		15.75				
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8 20	8.20								
		CLEC to CLEC Conversion Charge without outside dispatch		T											1		
		(UCL-Des)			UCL	UREWO		95.21	42.40				15.75		ļ		
\vdash	4-WIRE	COPPER LOOP													 		
		4-Wire Copper Loop/Short - including manual service inquiry		۱,	luci	1,,0,46	17.30	144.68	94.22	56.72	10 68		15.75		1	l	'
		and facility reservation - Zone 1 4-Wire Copper Loop/Short - including manual service inquiry		├-	UCL	UCL4S	17.30	144.68	94.22	50.72	10 68		19.19		ļ · · · · ·	 	
		and facility reservation - Zone 2		l 2	UCL	UCL4S	18.84	144,68	94 22	56,72	10.68		15.75		1		
		4-Wire Copper Loop/Short - including manual service inquiry		 - -		100,10		1,7,00		951.2					T	T	
		and facility reservation - Zone 3		3	UCL	UCL4S	21.33	144.68	94.22	56.72	10.68		15.75				
		4-Wire Copper Loop/Short - including manual service inquiry															
<u> </u>		and facility reservation - Zone 4		4	UCL	UCL4S	21.33	144.68	94 22	56.72	10 68	ļi	15 75		ļ	<u> </u>	
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		-8.20	8 20				ļ			ļ	
		4-Wire Copper Loop/Short - without manual service inquiry and				1,,,,,,,,	17.30	119.56	81.44	56.72	10.68	· ·	15 75	1	ĺ	1	
لبيا		facility reservation - Zone 1		1	UCL	UCL4W	17.30	119.56	01.44	30.72	10.66		1979		<u> </u>	L	

Page 200 of 358

MOUNDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhit	bit: B
ATEGORY	RATE ELEM ENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge -
						Rec	Nonrec First			Disconnect				Rates(\$)		
	4-Wire Copper Loop/Short - without manual service inquiry and	-				···	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	facility reservation - Zone 2	1	2	nor	UCL4W	18.84	119.56	81.44	56.72	10.68		15.75				
	4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4W	21.33	119.56	81.44	56.72	10.68		15.75				
1	4-Wire Copper Loop/Short - without manual service inquiry and						-		34			10.70				
	facility reservation - Zone 4 Order Coordination for Unbundled Copper Loops (per loop)		4	UCL	UCL4W	21 33	119 56	81.44	56.72	10 68		15.75			i	
	4-Wire Unbundled Copper Loop/Long - includes manual svc.		 	UCL	UCLMC		8 20	8 20								
1	inquiry and facility reservation - Zone 1		1	UCL	UCL4L	54.72	144.68	94 22								
	4-Wire Unbundled Copper Loop/Long - includes manual svc.		- '-	-	OCLAL	54.72	144.68	94 22	56 72	10.68		15.75		ļ		
	inquiry and facility reservation - Zone 2		2	UCL	UCL4L	97.47	144.68	94 22	56.72	10.68		15.75		Į.		1
	4-Wire Unbundled Copper Loop/Long - Includes manual svc.	i					.,,,,,,	0,22	00.72	10.00		13.73				
	inquiry and facility reservation - Zone 3	L	3	UCL	UCL4L	106.06	144.68	94.22	56 72	10.68		15.7 5				Í
1	4-Wire Unbundled Copper Loop/Long - includes manual svc.													_		
	inquiry and facility reservation - Zone 4 Order Coordination for Unbundled Copper Loops (per loop)		4	UCL	UCL4L	106 06	144.68	94.22	56.72	10.68		15 75				
 -	4-Wire Unbundled Copper Loop/Long - without manual svc		 	UCL	UCLMC		8.20	8 20								
	inquiry and facility reservation - Zone 1	ĺ	1	UCL	UCL4O	54 72	119 56	81 44	56.72	10 68		1				1
	4-Wire Unbundled Copper Loop/Long - without manual svc.	<u> </u>		002	UCL4U	54 /2	119 56	81 44	56.72	10 68	···	15.75				
	inquiry and facility reservation - Zone 2	l	2	UCL	UCL4O	97.47	119,56	81.44	56.72	10.68		15.75				ĺ
	4-Wire Unbundled Copper Loop/Long - without manual svc.						- 111,00			70.00		10.10				
	inquiry and facility reservation - Zone 3		3	UCL	UCL4O	106.06	119 56	81.44	56.72	10.68		15 75				ĺ
	4-Wire Unbundled Copper Loop/Long - without manual service															
	inquiry and facility reservation - Zone 4		4	UCL	UCL4O	106.06	119.56	81.44	56.72	10.68		15.75				Ĺ
	Order Coordination for Unbundled Copper Loops (per loop) CLEC to CLEC Conversion Charge without outside dispatch			UCL	UCLMC		8.20	8 20		<u>_</u>						
	(UCL-Des)	İ		UCL	UREWO		95.21	42 40				46.75				í
OP MODIFI				OCL	UNEWO		95.21	42 40				15 75				
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UDL, UDC, UDN, UDL, USL	ULM2L		32.57	32.57				15.75	-			
	Unbundled Loop Modification, Removal of Load Coils - 2 wire greater than 18k ft			UCL, ULS, UEQ	ULM2G		171.49	171.49				15.75				
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft		ļ	UHL, UCL	ULM4L		32.57	32.57				15.75				i
_	Unbundled Loop Modification Removal of Load Colls - 4 Wire		\vdash	UNL, UCL	ULW4L		32.57	32.57				15.75				
- 1	pair greater than 18k ft			UCL	ULM4G		171,49	171.49				15.75				ĺ
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, UEF, ULS, UEA, UEANL, UDL, UDC, UDN, UDL, USL	ULMBT		32.59	32.59				15.75				
UB-LOOPS																
Sub-Le	pop Distribution															
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Up			UEANL	USBSA	-	259 69					15.75				
ļ	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up			UEANL	USBSB		22.77					15.75				
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up	_1	ļ	UEANL	USBSC		178 47					15.75				
_	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	,		UEANL	USBSD		56.39					15.75				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		.1	UEANL	USBN2	7.15	66.18	31.14	45.36	6.71		15.75				
	Zone 2		2	UEANL	USBN2	9.51	66.18	31.14	45.36	6.71		15.75			_	
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	1	3	UEANL	USBN2	12 45	66.18	31.14	45.36	6.71		15.75				L

	D NETWORK ELEMENTS - Mississippi													nent: 2	Exhit	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronio- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
			├			Rec	Nonrec		Nonrecurring					Rates(\$)		
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -						First	Addʻl	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Zone 4		4	UEANL	USBN2	18.26	66.18	31.14	45.36	6 71		15 75		'		
			_					91,14	43.50	971	-	13 /3		·		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.20	8 20		<u> </u>				i		
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		١,	UEANL	USBN4	7.00	70.40	44.4-								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		-	DEAINL	USBN4	7.30	79.49	44.45	51.27	9 35		15.75				
	Zone 2		2	UEANL	USBN4	13.92	79,49	44.45	51.27	9 35		15 75				
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop											10.10				
	Zone 3 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop		3	UEANL	USBN4	16.73	79.49	44.45	51.27	9.35		15 75				
	Zone 4		4	UEANL	USBN4	16,73	70.40	44.45	54.07	0.05	Ì	45.75				1
			- -	OEANL	USDINA	16.73	79 49	44.45	51.27	9.35		15.75				ļ
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8 20	8 20				15.75				
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	2.29	53 32	18 28	45 36	6.71		15.75				
j	Order Coordination for Link with a Cost Land and the Control of th															
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	1	<u> </u>	UEANL UEANL	USBMC USBR4	4.40	8 20 59 60	8.20 24.55	51.27	9.35		45.75				
	Cob Edop + Wile Intrabalianing Network Cable (INC)		_	UEANL	USBN4	4.40	29 60	24.55	51.27	9.35		15.75				
ļ	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8 20	8.20								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	-		UEF	UCS2X	6 06	66.18	31.14	45 36	6.71		15 75				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	Ξ.		UEF	UCS2X	7.09	66.18	31.14	45.36	6.71		15 75				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	<u> </u>		UEF	UCS2X	8.16	66 18	31.14	45.36	6.71		15 75				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 4		4	UEF	UCS2X	9.90	66.18	31 14	45.36	6.71		15.75				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		1	UEF	USBMC		8.20	8 20			İ					
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1	UEF	UCS4X	5.10	79.49	44.45	51.27	9.35		15.75				
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS4X	9.11	79 49	44 45	51 27	9.35		15 75				
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	1		UEF	UCS4X	14.00	79.49	44 45	51.27	9.35		15 75				
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 4		4_	UEF	UCS4X	14.00	79.49	44.45	51.27	9.35		15.75				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		ŀ	UEF	USBMC		8 20	8.20								
	ded Sub-Loop Modification		\vdash	OLI .	OSDIVIO		020	0.20								
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load										_					
	Coil/Equip Removal per 2-W PR			UEF	ULM2X		176 80	5.13				15.75				
1	Unbundled Sub-loop Modification - 4-W Copper Dist Load												_			
	Coil/Equip Removal per 4-W PR Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged		-	UEF	ULM4X		176 80	5.13			ļ	15.75				
	Tap Removal, per PR unloaded		ľ	UEF	ULM4T	i i	279.81	6.15				15 75				
	dled Network Terminating Wire (UNTW)			<u> </u>	CLIVITI		275.01	0.13								
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.3366	30 55					15 75				
	k Interface Device (NID)															
	Network Interface Device (NID) - 1-2 lines		ļ	UENTW	UND12		43 84	28.90				15 75				
	Network Interface Device (NiD) - 1-6 lines		ļ	UENTW	UND16 UNDC2		65 30	50.36				15.75 15.75				
	Network Interface Device Cross Connect - 2 W Network Interface Device Cross Connect - 4W		\vdash	UENTW UENTW	UNDC2 UNDC4		5.94 5.94	5.94 5.94				15.75				· · · · · ·
SUB-LOOPS	TOTAL TRANSPORTED COME CONTROL - TYP			C=11111	511557		5.54	3.54					-			· · · · · · · · · · · · · · · · · · ·
	op Feeder															
	USL-Feeder, DS0 Set-up per Cross Box location - CLEC			UEA,												
	Distribution Facility set-up		_		USBFW		259.69	•				15.75				
	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair			UEA,	USBFX		22.77	22.77				15 75				
	set-up USL Feeder DS1 Set-up at DSX location, per DS1 termination		\vdash	UDN,UCL,UDL,UDC USL	USBFZ		534.46	11.30			-	15.75				-
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice		\vdash	001	550FZ		334,40	11.50				10.70				
	Grade - Zone 1		1	UÉA	USBFA	7.98	93.23	56.50	54.45	13.51	<u></u>	15.75				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice															
				L LET A	USBFA	10.39	93.23	56.50	54.45	13 51	I	15 75				l
	Grade - Zone 2 Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start,		2	UEA	USOFA	10.05	30.20									

	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Euki	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge -		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sy Order vs Electronic Disc Add
		 	 -			Rec	Nonrec			g Disconnect				Rates(\$)		
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start Loop,	-	 				First	Add'I	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Voice Grade - Zone 4	1	4	UEA	USBFA	28.37	93 23	50.50		i						
	Order Coordination for Specified Conversion Time, per LSR			UEA	OCOSL	20.07	18.19	56 50	54.45	13.51		15.75				
	Unbundide Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice						10.19			ļ						_
-+	Grade - Zone 1		1	UEA	USBFB	7.98	93.23	56 50	54.45	13.51		15.75	i			1
	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 2								04.40	10.51	 	15.75				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice		2	UEA	USBFB	10.39	93.23	56.50	54.45	13 51		15.75				ĺ
	Grade - Zone 3										1	75775				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice		3	UÉA	USBFB	16.11	93 23	56 50	54 45	13.51		15 75				l
	Grade - Zone 4		4	UEA	USBFB	00.07		`								
	Order Coordination for Specified Time Conversion, per LSR		 -	UEA	OCOSL	28.37	93.23 18.19	56.50	54.45	13.51		15.75				L
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,			OLN.	COOSE		18.19									
	Voice Grade - Zone 1		1	UEA	USBFC	7.98	93 23	56 50	54.45	13.51						
- 1	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,					7.00	30 20	30 30	54,45	1351		15.75				
	Voice Grade - Zone 2		2	UEA	USBFC	10.39	93.23	56.50	54.45	13 51	1	15.75			i	i
- 1	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,								54.46	1001		10.75				
	Voice Grade - Zone 3		3	UEA	USBFC	16.11	93.23	56.50	54.45	13.51		15.75				
ı	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 4											19110				
	Order Coordination For Specified Conversion Time, per LSR		4_	UEA	USBFC	28.37	93.23	56 50	54.45	13.51		15.75		İ		
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice			UEA	OCOSL		18.19									
- 1	Grade - Zone 1		1	UEA	USBFD	24.00										
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice		-	OLA	USBFD	21.69	107.71	70.03	63.68	17.64		15.75				
	Grade - Zone 2		2	UEA	USBFD	26.06	107,71	70.03	63.68	47.64		45			- 1	
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice				1000.0	20.00	107.71	70.03	63.68	17.64		15.75				
	Grade - Zone 3		3	UEA	USBFD	34.77	107.71	70.03	63.68	17 64		15.75	- 1	i	- 1	
i	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice						- 101111	- 70.00	- 00.00	- 17 04		15.75				
	Grade - Zone 4		4	UEA	USBFD	34.77	107 71	70.03	63 68	17.64		15.75	i			
	Order Coordination For Specified Conversion Time, Per LSR	l		UEA	OCOSL		18 19									
1	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 1		.													
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice		1	UEA	USBFE	21.69	107 71	70.03	63.68	17 64		15.75				
	Grade - Zone 2		2	UEA	USBFE	26.06	407.74									
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice		-	OLA	USBEE	26.06	107.71	70.03	63.68	17.64		15.75				
	Grade - Zone 3		з	UEA	USBFE	34 77	107.71	70.03	63.68	17.64		15.75		1		
	Sub-Loop Feeder - Per 4-Wire Analog Voice Grade Loop-Start						107.71	70.03	03.00	17.04		15.75	 }			
	Loop - Zone 4		4	UEA	USBFE	34.77	107.71	70 03	63.68	17.64	I	15.75		1	ı	
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		18.19									
	Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1		1		USBFF	14.60	106.46	68 78	55.58	13 13		15.75				
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2	\longrightarrow	2		USBFF	18 78	106.46	68 78	55 58	13 13		15.75				
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3		3		USBFF	25.47	106 46	68.78	55 58	13.13		15 75				
+	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 4 Order Coordination For Specified Conversion Time, Per LSR		4		USBFF	41.41	106.46	68.78	55.58	13.13		15.75				
_	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		1	UDN	OCOSL		18,19									
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		2		USBFS	14 60	106 46	68.78	55 58	13.13		15.75				
_	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		3		USBFS	18.78 25.47	106.46 106.46	68 78	55.58	13.13		15.75				
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		4		USBFS	41.41	106.46	68.78 68.78	55.58 55.58	13.13 13.13		15.75				
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1		1		USBFG	55.19	101.40	64.29	63.68	17.64		15.75 15.75				
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2		2		USBFG	100.03	101 97	64.29	63 68	17.64		15.75				
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3		3	JSŁ	USBFG	183 66	101 97	64.29	63 68	17.64		15.75				
_	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 4		4		USBFG	430.04	101.97	64.29	63.68	17.64		15 75				
	Order Coordination For Specified Conversion Time, Per LSR			JSL	OCOSL		18.19									
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone				1											
	Inhundled Sub-Lean Feeder Leas Cities Committee		1 (JCL	USBFH	5 88	84.27	46.59	53.14	10.70		15.75				
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone		2 1	JCL	luoneu											
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone	\rightarrow	-	JUL	USBFH	5.21	84.27	46.59	53 14	10.70		15.75				
1 1	a contract of the coop i coop coop, 2-14116 Copper coop - Zone		3 (101	USBFH	4 40	84.27	46.59	53.14	10.70	- 1	15.75			Ì	

UNDUNDLE	ED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhil	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(S)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge -
			┼			Rec	Nonrec First	umng Add'i	Nonrecurring		001150	001111		Rates(\$)		
	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 4		1	UCL	USBFH	3.63	84.27	46.59	First 53.14	Add'I 10.70	SOMEC	15.75	SOMAN	SOMAN	SOMAN	SOMAN
	Order Coordination For Specified Conversion Time, per LSR		 	UCL	OCOSL	3.03	18.19	40.59	53.141	10.70		15.75				
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1	 	1	UCL	USBFJ	13,49	101.58	63 90	59.71	13.67		15.75	-			
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2			UCL	USBFJ	10.48	101.58	63 90	59.71	13.67		15.75				
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3		3	UCL	USBFJ	8.59	101.58	63.90	59.71	13.67		15.75		 		
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 4			UCL	USBFJ	8 59	101.58	63.90	59 71	13.67		15.75				
	Order Coordination For Specified Conversion Time, per LSR		1	UCL	OCOSL		18.19		3371	10.01		13,73				
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		1	UDL	USBEN	22 89	101.97	64.29	63.68	17 64	-	15 75		-	<u> </u>	
	Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop		2	UDL	USBFN	25 11	101 97	64.29	63 68	17 64		15.75				
	Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop			UDL	USBFN	30.84	101 97	64 29	63.68	17 64		15.75				
	Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop	T		UDL	USBFN	41.05	101 97	64.29	63.68	17.64		15.75		-		
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -		T		_		- 15.01	020	55.50	.,		.575		ļ		
	Zone 1	ļ.	1	UDL	USBFO	22.89	101.97	64.29	63.68	17 64		15.75				
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -				 				00.00							
	Zone 2		2	UDL.	USBFO	25.11	101.97	64 29	63.68	17.64		15.75				
1	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -				T		10.1101					,,,,,				
	Zone 3	İ	lэ	UDL	USBFO	30 84	101.97	64.29	63.68	17.64		15.75				
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -				1002.0		,01.01	04,20	00.00	17.04		,0.70				
	Zone 4	l	4	UDL	USBFO	41.05	101.97	64.29	63.68	17.64		15.75				
	Order Coordination For Specified Time Conversion, per LSR			UDL	OCOSL	1	18.19	01.20	00:00	17.01		10.10				
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -				10000	h										
	Zone 1		1	UDL	USBFP	22.89	101.97	64.29	63.68	17.64		15.75				
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -		· · · · · ·	<u> </u>	1000.		101.07	04.20	00.00	17.04		10.10				
	Zone 2		2	UDL	USBFP	25.11	101.97	64.29	63.68	17 64	J	15 75				
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -				122		70 (10)		- 55.55							
1	Zone 3		3	UDL	USBFP	30.84	101.97	64.29	63 68	17.64		15 75				
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -				1000											
ŀ	Zone 4		4	UDL	USBFP	41.05	101.97	64.29	63.68	17.64	i	15 75				
	Order Coordination For Specified Conversion Time, per LSR			UDL	OCOSL		18,19									
SUB-LOOPS				·		1						-				
Sub-L	oop Feeder				1											
	Sub Loop Feeder - DS3 - Per Mile Per Month	1		UE3	1L5SL	18 88										
****	Sub Loop Feeder - DS3 - Facility Termination Per Month			UE3	USBF1	349.41	3,380.00	406.45	157.96	89 54		15 75				
	Sub Loop Feeder - STS-1 - Per Mile Per Month	\neg		UDLSX	1L5SL	18 88										
	Sub Loop Feeder - STS-1 - Facility Termination Per Month			UDLSX	USBF7	376.07	3,380.00	406.45	157.96	89.54		15.75				
	Sub Loop Feeder - OC-3 - Per Mile Per Month			UDLO3	1L5SL	14.33							-			
	Sub Loop Feeder - OC-3 - Facility Termination Protection Per				1											
	Month	l ı		ludlo3	USBF5	58 63										
	Sub Loop Feeder - OC-3 - Facility Termination Per Month			UDLO3	USBF2	569.22	3,380.00	406.45	157.96	89.54		15.75				
	Sub Loop Feeder - OC-12 - Per Mile Per Month	<u> </u>		UDL12	1L5SL	17.63								· · · · · ·		
	Sub Loop Feeder - OC-12 - Facility Termination Protection Per				1											
	Month	1 1	1	UDL12	USBF6	662.39	1									
	Sub Loop Feeder - OC-12 - Facility Termination Per Month	l-i-		UDL12	USBF3	1,795,00	3,380.00	406.45	157.96	89.54		15.75				
— 	Sub Loop Feeder - OC-48 - Per Mile Per Month			UDL48	1L5SL	57.83										
	Sub Loop Feeder - OC-48 - Facility Termination Protection Per			OBLIO	12002	1 07,00										
1	Month	Ιı		UDL48	USBF9	331 52		[-			
	Sub Loop Feeder - OC-48 - Facility Termination Per Month	Hi		UDL48	USBF4	1,545.00	3,565,00	406.45	157.96	89.54		15.75				
- -	Sub Loop Feeder - OC-12 Interface On OC-48	 	-	UDL48	USBF8	374.04	787.04	406.45	157.96	89.54		15.75	i			
UNBUNDLED	LOOP CONCENTRATION				1000.0	1 - V		100.10								
1	Unbundled Loop Concentration - System A (TR008)	l		ULC	UCT8A	36367	327 30	- 327.30		-		15.75		••••		
- 1	Unbundled Loop Concentration - System B (TR008)		_	ULC	UCT8B	47.56	136 37	136.37				15.75				
	Unbundled Loop Concentration - System A (TR303)			ULÇ	UCT3A	397.35	327 30	327.30				15.75				
	Unbundled Loop Concentration - System B (TR303)			ULC	UCT3B	80 15	136.37	136.37				15.75				
 -	Unbundled Loop Concentration - DS1 Loop Interface Card	 		ULC	UCTCO	4.52	63.65	46.34	17.31	4.85		15.75				
	Unbundled Loop Concentration - ISDN Loop Interface (Brite				100.00	 	55.55		.,,,,,,	00						
i	Card)	1	1 '	UDN	ULCC1	7.17	10.60	10.54	5.56	5.53		15 75				
- -	Unbundled Loop Concentration - UDC Loop Interface (Brite		 			 '' 	10.00		- 0.00	0.00						
- 1	Card)	1	1	UDC	ULCCU	7.17	10.60	10 54	5.56	5.53		15 75				

UNBUNDLI	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Evhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Incremental Charge -	incremental Charge -	incremental Charge -	Incrementa Charge - Manual Sw Order vs.
						Rec		urring	Nonrecurring					Rates(\$)		·
	Unbundled Loop Concentration2 Wire Voice-Loop Start or	 	-				First	Add'1	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Ground Start Loop Interface (POTS Card) Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery			UEA	ULCC2	1 80	10.60	10 54	5.56	5.53		15.75				
	Loop Interface (SPOTS Card)		İ	UEA	ULCCR	10 66	10.60	10.54	5.56	5.53		15.75				
	Unbundled Loop Concentration - 4 Wire Voice Loop Interface										† 	10.70				
	(Specials Card) Unbundled Loop Concentration - TEST CIRCUIT Card			UEA	ULCC4 UCTTC	6.36	10 60	10.54	5.56	5 53		15.75		<u> </u>		<u> </u>
	Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop	\vdash	 	OLC .	OCITO	31.07	10.60	10.54	5.56	5 53	ļ	15.75		 		
	Interface	<u> </u>	<u> </u>	UDL	ULCC7	9.42	10.60	10.54	5 56	5 53		15 75				
	Unbundled Loop Concentration - Digital 56 Kbps Data Loop Interface			UDŁ	ULCC5	9.42	10.60	10 54	5.56	5.53		15 75				
	Unbundled Loop Concentration - Digital 64 Kbps Data Loop Interface	İ		UDL	ULCC6	9 42	40.00	40.54	5.50	5.50		45.35				
UNE OTHER,	PROVISIONING ONLY - NO RATE			ODL	OLCCG	9 42	10.60	10.54	5.56	5.53		15.75				
	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0 00									
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00									
l i	Unbundled Contract Name, Provisioning Only - No Rate		i	UEANL,UEF,UEQ,U ENTW	UNECN	0.00	0.00					l i		1		
UNE OTHER,	PROVISIONING ONLY - NO RATE				UNLOW	0.00	0.00									
	Unbundled Contact Name, Provisioning Only - no rate Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no			UAL,UCL,UDC,UDL, UDN,UEA,UHL,ULC		0.00	0.00									
	rate Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00	· · · · · · · · · · · · · · · · · · ·		~						ļ
	rate			UEA.USL.UCL.UDL	USBFR	0.00	0.00								•	1
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
	Unbundled DS1 Loop - Expanded Superframe Format option - no rate			USL	CCOEF	ا مما		-								
HIGH CAPAC	TY UNBUNDLED LOCAL LOOP		 	USL _	CCOEF	0 00	0.00								· · · · · · · · · · · · · · · · · · ·	
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1L5ND	11 20							-			
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	326.15	454.13	265.47	123,23	86.19		15.75				
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	11.20	494.10	200.47	120.20	00.10		70.70				
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	UDLS1	338 55	454.13	265.47	123,23	86.19		15.75				
LOOP MAKE-	UP					333,30		+		25.10						
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual)			UMK	UMKLW		24.12	24.12								
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP		25.58	25 58								
	Loop MakeupWith or Without Reservation, per working or spare facility queried (Mechanized)			UMK	PSUMK		0 6652	0.6652								
	ENCY SPECTRUM			5.7	, 50,		V 0004	0,0002								
LINE	SHARING															ļ
SPLIT	TERS-CENTRAL OFFICE BASED			111 6	I II CDA	186 67	189 89	0.00	178 41	0.00		15.75				
	Line Shanng Splitter, per System 96 Line Capacity Line Shanng Splitter, per System 24 Line Capacity			ULS	ULSDA	186 67 46 67	189.89	0.00	178 41	0.00	-	15.75				
	Line Sharing Splitter, Per System, 8 Line Capacity	_		ULS	ULSD8	15 55	189 89	0.00	178 41	0.00		15.75				
	Line Sharing-DLEC Owned Splitter in CO-CFA activation- deactivation (per LSOD)			ULS	ULSDG		86 98	0.00	49.96	0.00		15.75				
END L	ISER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY	SPEC		AKA LINE SHARING												
	Line Sharing - per Line Activation (BST Owned Splitter) Line Sharing - per Subsequent Activity per Line			ULS	ULSDC	0.61	18.62	10.66	10.04	4.93		15.75				
	Rearrangement(BST Owned Splitter) Line Sharing - per Subsequent Activity per Line			ULS	ULSDS		16.48	8.24				15.75		<u> </u>		
	Rearrangement(DLEC Owned Splitter)			ULS	ULSCS		16.48	8.24			<u> </u>	15.75		<u> </u>		

UNBUNDL	LED NETWORK ELEMENTS - Mississippi											,		nent: 2		bit: B
CATEGORY	Y RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(S)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order va. Electronic Disc Add'i
						Rec	Nonrec		Nonrecurring		201170			Rates(\$)		
<u> </u>	(1) 0		├	ULS	ULSCC	0.61	First 47,44	Add'l 19.31	First 20.67	Add'I 12.74	SOMEC	SOMAN 15.75	SOMAN	SOMAN	SOMAN	SOMAN
LINE	Line Shanng - per Line Activation (DLEC owned Splitter)			ULS	ULSCC	0.61	47,44	19.31	20.67	12.74		15.75		-		
	D USER ORDERING-CENTRAL OFFICE BASED					·								 		
	Line Splitting - per line activation DLEC owned splitter	R	1	UEPSR UEPSB	UREOS	0.61					· · · · · · · · ·	1				†
	Line Splitting - per line activation BST owned - physical	R		UEPSR UEPSB	UREBP	0.61	18.62	10.66	10.04	4.93		15 75				
	Line Splitting - per line activation BST owned - virtual	R		UEPSR UEPSB	UREBV	0.61	18.62	10.66	10.04	4 93		15.75				
	MOTE SITE HIGH FREQUENCY SPECTRUM				1									ļ		
SPL	LITTERS-REMOTE SITE													<u> </u>		ļ
	Remote Site Line Share Cable Pair Activation CLEC Owned at RS and Deactivation	١.		luLS	ULSTG		75.38	0.00	46,77	0 00		15.75	1		1	
\vdash	Remote Site Line Share BellSouth Owned Splitter, 24 Port	+	+	ULS	ULSRB	51.63	377.08	0.00	354.29	0.00	-	15.75	 			
END	D USER ORDERING-REMOTE SITE HIGH FREQUENCY SPECTRUM					5	377.00	0.00	357.25		 	1				1
	Remote Site Line Share Line Activationfor End User Served at		T													
L	RS, BST Splitter	1		ULS	ULSRC	0.61	36.96	21.17	19.93	9.78		15 75	<u> </u>			ļ
	RS Line Share Line Activation for End User served at RS, CLEC															
	Splitter		_	ULS	ULSTC	0.61	36.96	21.17	19.93	9.78		15 75				ļ
UNBUNDLE	ED DEDICATED TRANSPORT		<u>. </u>		1 500/	070 4 4							<u> </u>			
	TE: INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimur TEROFFICE CHANNEL - DEDICATED TRANSPORT	m Dillin	у рело	one⊃cou neces	month, DS3/	515-1=10ur mo	กเทย								·	
INTE	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -				 	}										
1	Per Mile per month		1	U1TVX	1L5XX	0.0098							1			i
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -		 	01147	1123/01	0.0000									,	
1	Facility Termination		1	U1TVX	U1TV2	22.52	40.77	27 57	17.26	7.11		15 75]		1	l
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade														1	T .
	Rev Bat - Per Mile per month		1	U1TVX	1L5XX	0.0098										
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat -														ľ	l.
L	Facility Termination			U1TVX	U1TR2	22 52	40.77	27.57	17.26	7.11	ļ	15.75				
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -		1		1				1							ľ
	Per Mile per month			U1TVX	1L5XX	0.0098						 	ļ		 	
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade	l				19.79	40.77	27.57	17.26	7.11	İ	15.75		i	1	1
	- Facility Termination	<u> </u>	-	U1TVX	U1TV4	19.79	40.77	21.51	17.20	7.11	 	10.70			· · · · · · · · · · · · · · · · · · ·	
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month	1		U1TDX	1L5XX	0.0098					1				l	į.
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility	-	╅	OTIOX	1000	0.0000										
1 1	Termination		-	U1TDX	U1TD5	15.68	40.78	27.57	17.26	7 11		15.75	·	l	1	
 	Interoffice Channel - Dedicated Transport - 64 kbps - per mile		 	0												
1 1	per month		1	U1TDX	1L5XX	0.0098			·					ļ	ļ	1
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility													1	İ	
L	Termination			U1TDX	U1TD6	15.68	40 78	27 57	17.26	7.11	<u> </u>	15.75			 	
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per		1		11 5204	0,201									1	
	month		+	U1TD1	1L5XX	0.201					 	 			-	<u> </u>
	Interoffice Channel - Dedicated Tranport - DS1 - Facility		1	U1TD1	U1TF1	57 33	89 79	82.28	16 86	14.90		15.75			1	1
	Termination Interoffice Channel - Dedicated Transport - DS3 - Per Mile per		-	OTIDI	UTIFI	37 33	03 73	02.20	1000							
1 1	month	ļ		U1TD3	1L5XX	4.76			1			1				
	Interoffice Channel - Dedicated Transport - DS3 - Facility		+	01103	123700	4.70						1				
1 1	Termination per month	1		U1TD3	U1TF3	641.90	280 37	163.70	62.08	60.29		15.75			<u> </u>	
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per		†										Į.	i	1	
	month		1	U1TS1	1L5XX	4.76								 	 	
	Interoffice Channel - Dedicated Transport - STS-1 - Facility		T							۰۰۰ ۸۰		15.75	ŀ			1
	Termination			U1TS1	U1TFS	644 21	280.37	163.70	62.08	60.29	ļ	15.75	 	 		
Loc	OCAL CHANNEL - DEDICATED TRANSPORT	L		L					 		+		 	 	+	
NO	OTE: LOCAL CHANNEL DEDICATED TRANSPORT - minimum billin	g perio	od - bel	ow DS3=one month	1, DS3/STS-1=	tour months	194.22	33.36	37.79	3 30	+-	15.75	 		 	1
	Local Channel - Dedicated - 2-Wire Voice Grade		+	ULDVX	ULDV2 ULDR2	14.91	194.22	33.36		3.30		15.75		 	1	1
	Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat	 	+-	ULDVX	ULDV4	15.99	194.22	33.80		3.78		15.75		1		
			1	LONDAY	IULUV4	15.99						15.75	1		1	
	Local Channel - Dedicated - 4-Wire Voice Grade	— —	1	III DD1	HIDE1	36.93	178 50	154.61	22 89	15 74		10.70				
	Local Channel - Dedicated - 4-wire voice Grade Local Channel - Dedicated - DS1 - Zone 1 Local Channel - Dedicated - DS1 - Zone 2	—		ULDD1 ULDD1	ULDF1	36 83 35 99	178.50 178.50	154.61 154.61		15 /4 15 74		15.75 15.75				

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Evhi	oit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	incremental Charge - Manual Svo Order vs. Electronic- Disc Add'I
			ļ			Rec	Nonrec			Disconnect				Rates(\$)		
	Level Observed Control Box 7			==.			First	Add'l	First	Addʻl	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Local Channel - Dedicated - DS1 - Zone 4		4	ULDD1	ULDF1	221.63	178.50	154.61	22 89	15 74	<u> </u>					
	Local Channel - Dedicated - DS3 - Per Mile per month Local Channel - Dedicated - DS3 - Facility Termination -		1	ULDD3	1L5NC	9.66										
	Local Channel - Dedicated - DS3 - Facility Termination		-	ULDD3 ULDS1	ULDF3	413.87	454.13	265.47	123.23	86.19		15.75				
	Local Channel - Dedicated - STS-1 - Facility Termination	 - 	-	ULDS1	1L5NC ULDFS	9 66	45440	205 47	100.00							
DARK FIBER	Cocar Chamier - Dedicated - STS-1 - Facility Termination		┼	ULDST	ULDFS	408.02	454.13	265.47	123.23	86.19		15 75				
1	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	 	 		+	 					 					
	Thereof per month - Local Channel	i		UDF	1L5DC	59.95					1			!	1	l
	NRC Dark Fiber - Local Channel		-	UDF	UDFC4	35.55	642.79	138.67	326.97	203.85	 	15.75				
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	-	 		102.0.		0.12.70	100.01	020.07	200.05	 	10.75				
	Thereof per month - Interoffice Channel	L		UDF	1L5DF	28 27					1			l		
	NRC Dark Fiber - Interoffice Channel			UDF	UDF14		642 79	138.67	326.97	203 85		15.75				
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
	Thereof per month - Local Loop			UDF	1L5DL	59.95					L				l	
	NRC Dark Fiber - Local Loop			UDF	UDFL4		642.79	138.67	326 97	203.85		15.75				
	EN DIGIT SCREENING		<u> </u>													
	8XX Access Ten Digit Screening, Per Call		ļ	OHD	ļ	0.0006216										
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX		1			1 1					i					
	Number Reserved 8XX Access Ten Digit Screening, Per 8XX No. Established W/O			OHD	N8R1X	 	2.60	0.44				15.75				
1	POTS Translations	i	1	OHD		i i	5.07	0.04	4.00	254	1	45.75			1	
	8XX Access Ten Digit Screening, Per 8XX No. Established With	 	-	UHU			5.97	0.81	4.60	0.54		15 75			·	
	POTS Translations		l l	ОНД	NOFTX	i i	5 97	0.81	4.60	0.54		15.75			•	
	8XX Access Ten Digit Screening, Customized Area of Service		 	OHD	INOFIA		5,97	0.01	4,00	0.54		15.75				
	Per 8XX Number			ОНО	N8FCX	l i	2.60	1.30			l	15.75				
	8XX Access Ten Digit Screening, Multiple InterLATA CXR	-	_	OND	INDECX		2.60	1.30				15.75				
1	Routing Per CXR Requested Per 8XX No.		1	ОНО	N8FMX	1	3.04	1 74				15.75				
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		3 04	- 0.44			-	15.75				
	8XX Access Ten Digit Screening, Call Handling and Destination		 		- 11011101			- 0.11				100				
- 1	Features	1		OHD	N8FDX	1	2.60					15.75				
					1											
i	8XX Access Ten Digit Screening, w/ 8FL No. Delivery, per query			OHD	1	0.0006216										
	BXX Access Ten Digit Screening, w/ POTS No. Delivery, per															
	query			OHD		0.0006216										
INE INFORMA	ATION DATA BASE ACCESS (LIDB)															
	LIDB Common Transport Per Query			ООТ		0.0000197										
	LIDB Validation Per Query			OQU	 	0.0137053										
101111111111111111111111111111111111111	LIDB Originating Point Code Establishment or Change		₩	OQT, OQU	NRPBX	 	34.52	34.52	42.33	42.33		15.75				
SIGNALING (C			-	UDD	DTOCY	100.04										
	CCS7 Signaling Termination, Per STP Port		\vdash	UDB	PT8SX	132.21 0.0000597						-				
	CCS7 Signaling Usage, Per TCAP Message		\vdash	UDB UDB	TPP++	16.55	35.74	35.74	16.53	16.53	 	15 75				
	CCS7 Signaling Connection, Per link (A link) CCS7 Signaling Connection, Per link (B link) (also known as D	\vdash		מטט	122++	10.55	35.74	35.74	10.53	10.53		10 /5				
1	link)	l		UDB	TPP++	16.55	35.74	35.74	16.53	16.53	1	15.75			l	
	CCS7 Signaling Usage, Per ISUP Message		 	UDB	1.55++	0.0000149	33.74	35.74	10.55	10.55		10.75				
	CCS7 Signaling Usage Surrogate, per link per LATA	-		UDB	STU56	683.55										
	CCS7 Signaling Osage Stringate, per link per EATA		1		1000	300.00										
1	Establishment or Change, per STP affected	l	1	UDB	CCAPO	[29.18	29.18	35.78	35.78	l	15.76				
911 SERVICE	and the state of t	 	1		1000	 	20.10	20.10	55.75	23,10		13.70				
1	Local Channel - Dedicated - 2-wr Voice Grade	l				14.91	194.22	33.36	37.79	3.30		15.75				
$\overline{}$	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile		t		1	0 0098					T					
-	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility	·	\vdash													
- 1	Termination	l				22 52	40.77	27.57	17.26	7.11		15.75				
	Local Channel - Dedicated - DS1 - Zone 1		1		1	36 83	178 50	154.61	22.89	15 74		15 75				
	Local Channel - Dedicated - DS1 - Zone 2					35 99	178 50	154.61	22.89	15.74		15.75				
	Local Channel - Dedicated - DS1 - Zone 3					221.63	178 50	154.61	22.89	15 74		15.75				
	Local Channel - Dedicated - DS1 - Zone 4					221.63	178.50	154 61	22.89	15.74		15.75				
	Interoffice Transport - Dedicated - DS1 Per Mile		T			0.2010										

UNBU	NDLE	D NETWORK ELEMENTS - Mississippi															
			Ι	Т	r · · · · · · · ·	т						Ta			ment; 2		bit: B
				1	1							Svc Order	Svc Order		Incremental	Incremental	Incremental
				1	ļ							Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
	^		Interi	1	1		ļ					Elec	Manually	Manual Svc	Manual Svc		
CATEGO	UHT	RATE ELEMENTS		Zone	BCS	USOC			RATES(\$)								
1			m	i			Į.					per LSR	perLSR	Order vs.	Order vs.	Order vs.	Order vs.
				1			[Electronic-	Electronic-	Electronic-	Electronic-
1				1			i							1st	Add'i	Disc 1st	Disc Add'l
			├	-											7001	Diec ist	DIBC AUU I
⊢ −−					1			Nonre	curring	Nonrecurring	Disconnect			220	Rates(\$)		·
							Rec	First	Add'I	First	Add'I	SOMEC	COMMAN	SOMAN			
1 1			\vdash							Filat	Add I	SUMEC	SUMAN	SUMAN	SOMAN	SOMAN	SOMAN
1 1		Interoffice Transport - Dedicated - DS1 Per Facility Termination	1	1	i				ŀ	•	1	i	l 1				
\vdash		Interesting transport - Dedicated - D3 / Fell Pacifity Termination					57.33	89.79	82.28	16 86	14 90		15.75		l	l	
			1			1							15.75				
CALLIN	G NAM	E (CNAM) SERVICE											33.73				
1		CNAM For DB Owners - Service Establishment		 	ogv			20.00								l	
		CNAM For Non DB Owners - Service Establishment	-			 		23.09	23 09	21.23	21 23		15 75				
F +		CNAM For DR Owners Consul Provide Listablishment			OQV			23.09	23.09	21.23	21,23		15.75				
l i		CNAM For DB Owners - Service Provisioning With Point Code	1	1	1												
$oldsymbol{ol}oldsymbol{ol}oldsymbol{ol}oldsymbol{ol}}}}}}}}}}}}}}}}}}$		Establishment	1		logv	1	l	996.62	737.08	070.40	400.00						
⊤Т		CNAM For Non DB Owners - Service Provisioning With Point		1		 		330.02	/3/.08	270.49	198.89	ļ	15.75				L
1 1		Code Establishment	I	1	loov	1	1	l	l	Ì	1		T				Ι
├──┼			L	L	OQV		L	344.32	246.56	276 85	198 89		15.75				I
\vdash		CNAM for DB Owners, Per Query		1	OQV		0.0010231			,							
		CNAM for Non DB Owners, Per Query			ogv	1	0.0010231	—			 						ļ
LNP Que	ery Sei	vice	 		- 	+	0.0010231										L
		LNP Charge Per query			001				L	L							
├					OQV		0 0008477										
└		LNP Service Establishment Manual	1	1				12.59	12.59	11.58	11,58		15 75				
ΙT		LNP Service Provisioning with Point Code Establishment		1				596.94				<u> </u>					
OPERAT	TOR C	ALL PROCESSING						590.94	304.96	270.49	198.89		15.75				
OF LINA			<u> </u>	<u> </u>		I											
1 1		Oper. Call Processing - Oper. Provided, Per Min Using BST	ŀ														
l i		LIDB	l	1		1	1.20						I				
		Oper. Call Processing - Oper. Provided, Per Min Using		\vdash			1.20										
1 1			1		l												
		Foreign LIDB			<u></u>		1.24										
1		Oper. Call Processing - Fully Automated, per Call - Using BST											-				
1 1		LIDB					0.20					1]				
_		Oper. Call Processing - Fully Automated, per Call - Using				ļ	0.20										
1 [1			i								
		Foreign LIDB				1	0.20					i		- 1			
INWARD	OPER	ATOR SERVICES				+											
		Inward Operator Services - Verification, Per Minute		_		 	4 45										
		Inward Operator Considers Ventication, 1 of William					1.15										
1 1		Inward Operator Services - Venfication and Emergency Interrupt															
		- Per Minute	l			1	1.15										
BRANDI	NG - O	PERATOR CALL PROCESSING															
T.	Facility	based CLEC		-													
	delitty																
		Recording of Custom Branded OA Announcement				CBAOS		7,000.00	7,000.00				15.75				
		Loading of Custom Branded OA Announcement per shelf/NAV		l i												-	
1		per OCN				CBAOL		500.00	500.00				45.75			ŀ	
1	JNEP (COACL		500.00	500.00				15 75				
						_								[
		Recording of Custom Branded OA Announcement	L					7,000.00	7,000 00				15.75				
		Loading of Custom Branded OA Announcement per shelf/NAV															
- 1		per OCN					1	500 00	500.00			I	اموجد	I			
 ,	Inhres	ding via OLNS for UNEP CLEC				 		300 00	500.00				15.75				
				 		1			1								
		Loading of OA per OCN (Regional)		L. 1				1,200.00	1,200.00				15.75				
DIRECTO	ORY AS	SSISTANCE SERVICES															
		ORY ASSISTANCE ACCESS SERVICE		-	· · · · · · · · · · · · · · · · · · ·												
				\vdash													
		Directory Assistance Access Service Calls, Charge Per Call					0.275					1	Т				
C	DIRECT	ORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (D	ACC)										1				
		Directory Assistance Call Completion Access Service (DACC).															
- 1		Per Cail Attempt				j l	ا ۔		J			I	I	_	1		
DIDEST	2011			\vdash		ļl	0.10										
		SISTANCE SERVICES										T					
	DIRECT	ORY ASSISTANCE DATA BASE SERVICE (DADS)				1 1									-		
		Directory Assistance Data Base Service Charge Per Listing		-		1	0.04								[
-				\vdash		100005										1	
		Directory Assistance Data Base Service, per month				DBSOF	150.00		•								
		RECTORY ASSISTANCE															
TF	acility	Based CLEC			•	 											
- 1		Recording and Provisioning of DA Custom Branded				 											
- 1				I		1.			l			I	ı	1	1	l	
		Announcement		L l	AMT	CBADA		6,000.00	6,000.00	J	·	I	15.75	1	1	l	
		Loading of Custom Branded Announcement per DRAM										f		i			
		Card/Switch		I	AMT	CBADC	1	4 470 00	4.70.00	1	t	- 1	45	Į	1		
	INEP C				rsevi I	ODADU	i	1,170.00	1,170.00				15.75			1	
	MEP C	LEU		1		1											
		Recording of DA Custom Branded Announcement															

ATTECOMY RATE ELEMENTS BCG BCG BCG BCG RATE(S) RATE(S)	ONRONDFI	ED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Fyhi	bit: B
14 Add Since 14 Add Since 14 Add Since 15 Add Since 15 Add Since 15 Add Since 15 Add Since 15 Add Since 15 Add Since 15 Add Since				Zone	BCS	usoc			RATES(\$)	······	•	Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incrementa Charge - Manual Svi Order vs. Electronic-
Sustring of PIX Casting Records Announcement per DRAM SOMAN SOMA										 				1st	Add'l		Disc Add'l
Country of No. Cost Service Part Cost Serv						<u> </u>	Rec							OSS			
		Loading of DA Custom Branded Announcement per DRAM						FIISL	Add I	First	Addi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Contention of District College Culture College Col		Card/Switch per OCN	ŀ			l		1,170 00	1 170 00			j	15.75			i	
Section Control of Character Plance Control of Character Con	Unbra							1,170 00	1,770.00	 		 	15.75				ļ
SECOND STATES SECOND S								420.00	420.00			 	15.76			 	
Section Rotting Par Unique Line Class Code Par Request Par Section Rotting Par Unique Line Class Code Par Request Par Section Rotting Par Unique Line Class Code Par Request Par Section Rotting Par Unique Line Class Code Par Request Par Section Rotting Par Unique Line Class Code Par Request Par Section Rotting Par Republic Part Section Rotting Part S	PELECTIVE I	Loading of DA per Switch per OCN										 					
MITTING CONTINUED MITT	SELECTIVE P	Soloothia Southan Bort Inches Line Olera Code South	<u></u>	-													
Note Collection Application Code Cod	ļ	Switch		1		1	!										
Virtual Collocation - Ageinstance Cost	VIRTUAL COL					USRCR		85 19	85.19	14 19	14.19	i	15 75		l		
Virtual Collocation - Cable invalation Cable Marins ESPCK 2002 2002 15.75	1				ALTEC	E 4 E											
Virtual Collocation - Pow Space, per sq. ft. AMTRS ESPX 5.74		Virtual Collocation - Cable Installation Cost ner cable															
Virtual Collocation - Power, per Justed darpo Auritr's ESPAX 7.33		Virtual Collocation - Floor Space, per sq. ft		-			E 74	926.27		22.62			15 75				
Virtual Collocation - Cable Suspond Structure, per entrance cable SePSX 15.24		Virtual Collocation - Power, per fused amp		 													ļ
Cabie		Virtual Collocation - Cable Support Structure, per entrance			7441110	LOI AX	7.33				·	ļ					ļ
UEAN_UEA_CRU CO.W., UEAC UEAC		cable			AMTFS	ESPSX	15.24										
Writual Collocation - 2-wire Cross Connects (loop)					DC,UAL,UHL,UCL,U EQ, AMTFS, UDL,												
Virtual Collocation - 4-wire Cross Connects (loop)		Virtual Collocation - 2-wire Cross Connects (Icop)				UEAC2	0.0268	12.37	11.87	6.04	5.45		15 75				
AMTES_UCIAZE UDLO3, UT46, UT172, UT073 UDLO3, UD12, UD13, UD12, UD13, U					AMTFS, UAL, UDN,												
Upda, Upda		Virtual Collocation - 4-wire Cross Connects (loop)				UEAC4	0.0536	12 47	11.94	6.59	5.91		15 75				
UDLO3, ULT 48, UTT 12, UTT 103, ULD 12, ULD 48, UDF C NC4F 5.82 25.70 19.97 10.01 8.50 15.75		Virtual Collocation - 2-Fiber Cross Connects			UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC2F	2 91	21.01	- 15.29	7.61	6.10		15.75				
ULR, UXTD1, UNC1X		Virtual Collocation - 4-Fiber Cross Connects			UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC4F	5.82	25.70	19.97	10.01	8.50		15.75	-			
USL, ULC, AMTFS, U E3, UITD3, UXTS1, UXTD3, UXTS1, UXTD3, UXTD3, UXTD3, UXTD3, UXTD3, UXTD3, UXTD3, UXTD3, ULDD3, UITD3, UXDD3, UITD3, ULDD3, UITD3, UITD3, ULDD3, UITD3, ULDD3, UITD3, ULDD3, UITD3, ULDD3, UIT		Virtual collocation - DS1 Cross Connects			ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL,	CNC1X	1.14	22.16	16 02	6.60	5 97		15.75				
Virtual Collocation - Co-Carner Cross Connects - Fiber Cable Support Structure, per linear foot Cable Support Structure, per linear ft Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per cable Support Structure, per cable AMTFS VE1CC S34.65 Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable AMTFS VE1CE S34.65 VE1CE S34.65 VIrtual Collocation Cable Records - per request AMTFS VE1CE S34.65 VIrtual Collocation Cable Records - VG/DSO Cable, per cable record Virtual Collocation Cable Records - VG/DSO Cable, per cable AMTFS VE1BB 328.81 328.81 190.22 190.22		Virtual collocation - DS3 Cross Connecte		3	E3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1,												
Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft AMTFS VE1CD 0.0037		Virtual Collocation - Co-Carner Cross Connects - Fiber Cable						21 01	15.29	7.61	6.10		15 75				
Cable Support Structure, per linear ft					AMTFS	VE1CB_	0 0025										
Support Structure,per cable		Cable Support Structure, per linear ft			AMTFS	VE1CD	0.0037										
Cable Support Structure, per cable		Support Structure,per cable			AMTFS	VE1CC		534.65					15.75				
Virtual Collocation Cable Records - per request AMTFS VE1BA 763.69 763.69 133.77 133.77 Virtual Collocation Cable Records - VG/DS0 Cable, per cable record AMTFS VE1BB 328.81 328.81 190.22 190.22 Virtual Collocation Cable Records - VG/DS0 Cable, per each VE1BB 328.81 328.81 190.22 190.22		Cable Support Structure, per cable			AMTFS	VE1CE		534.65					15.75				
Virtual Collocation Cable Records - VG/DS0 Cable, per cable record AMTFS VE1BB 328.81 190.22 190.22 Virtual Collocation Cable Records - VG/DS0 Cable, per each									763,69	133,77	133,77		.0.73				
		Virtual Collocation Cable Records - VG/DS0 Cable, per cable record															
MITES VETBC 4.84 4.84 5.93 5.93 Virtual Collocation Cable Records - DS1, per T1TIE IAMTES VETBD 2.27 2.27 2.78 2.78		100 pair			AMTFS	VE1BC		4 84	4.84	5.93	5.93						

UNBU	NDLE	D NETWORK ELEMENTS - Mississippi												Attachi	ment: 2	Evhil	bit: B
CATEG		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge -
							Rec	Nonrec First	Add'l	Nonrecurring First	Disconnect Add'I	SOMEC	SOMAN	SOMAN	Rates(\$)	SOMAN	SOMAN
		Virtual Collocation Cable Records - DS3, per T3TIE		\vdash	AMTFS	VE1BE	-	7.92	7.92	9.72	9.72	JOMEO	JOMAN	SOMAN	SOMAN	SOMAN	SUMAN
		Virtual Collocation Cable Records - Fiber Cable, per 99 fiber				1212		7,102	7.02	3.72				 			
		records			AMTES	VE1BF		84.98	84.98	77.58	77.58	!					
		Virtual collocation - Security Escort - Basic, per half hour		$ldsymbol{ldsymbol{ldsymbol{ldsymbol{eta}}}$	AMTFS	SPTBX		17.02	10.79				15 75				
<u> </u>		Virtual collocation - Security Escort - Overtime, per half hour		ļ	AMTFS	SPTOX		22 17	13.94				15 75				
- 		Virtual collocation - Security Escort - Premium, per half hour Virtual collocation - Maintenance in CO - Basic, per half hour	<u> </u>		AMTES	SPTPX		27.32	17 08				15.75				
├		Virtual collocation - Maintenance in CO - Basic, per hair nour			AMTFS	CTRLX		28 09	10.79				15.75				
		Virtual collocation - Maintenance in CO - Overtime, per half hour		<u> </u>	AMTES	SPTOM		36.69	13 94				15.75				
	1 001	Virtual collocation - Maintenance in CO - Premium per half hour			AMTES	SPTPM		45.28	17.08				15.75				
VIKTUA	L COL	LOCATION		-			<u> </u>										
		Virtual Collocation - 2-wire Cross Connect, Exchange Port 2- Wire Analog - Res Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-			UEPSR	VE1R2	0.0268	12 37	11.87	6.04	5.45		15.75				
		Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0.0268	12.37	11.87	6.04	5 45		15.75				
		Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0.0268	12.37	11 87	6.04	5.45		15.75				
		Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus			UEPSB	VE1R2	0.0268	12.37	11.87	6.04	5.45		15.75				
		Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN			UEPSX	VE1R2	0.0268	12.37	11 87	6.04	5 45		15.75				
		Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPTX	VE1R2	0.0268	12 37	11.87	6 04	5.45		15.75				
		Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1			UEPEX	VE1R4	0.0268	12.47	11.94	6.59	5.45		15.75				
VIRTUA	L COL	LOCATION		 	UCFLA	VETNA	0 0530	12.47	11.94	0.59	591		15.75				
		Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR. UEPSB	VE1LS	0.0268	12 37	11.87	6 04	5.45		15.75				
PHYSIC	AL CO	LLOCATION	_		021 011, 021 00	ya.r.c	0.0200		71.07		5.15		10.70				
		Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR, UEPSB	PEILS	0,0288	12.37	11.87	6.04	5.45		15.75				
AIN SEI	LECTIV	E CARRIER ROUTING															
		Regional Service Establishment			SRC	SRCEC		101,685 12		8,640 51			15.75				
		End Office Establishment			SRC	SRCEO		167.49	167.49	1 71	1.71		15.75				
		Query NRC, per query		_	SRC		0.0030502										
AIN - BI	ELLSO	UTH AIN SMS ACCESS SERVICE		 -													
		AIN SMS Access Service - Service Establishment, Per State, Initial Setup			A1N	CAMSE		39 67	39.67	40.92	40.92		15.75				
		AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP	ļ i	7 87	7 87	9.14	9.14		15.75				1
		AIN SMS Access Service - Port Connection - ISDN Access		_	AIN	CAM1P		7.87	7.87	9.14	9.14		15.75		-		
		AIN SMS Access Service - User Identification Codes - Per User				UAWII		7,07	7.07	3.14	3.14		10.70				
		ID Code AIN SMS Access Service - Security Card, Per User ID Code,			A1N	CAMAU		35.21	35 21	27.21	27.21		15.75				
		Initial or Replacement			A1N	CAMRC		42.13	42.13	11.78	11.78		15.75				
		AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.0021										
		AIN SMS Access Service - Session, Per Minute		-			0.5649									-	
		AIN SMS Access Service - Company Performed Session, Per Minute					0.8393										1
AIN - BI	ELLSO	JTH AIN TOOLKIT SERVICE				†	0.0000										
		AIN Toolkit Service - Service Establishment Charge, Per State,															
i		Initial Setup			CAM	BAPSC		39.67	39.67	40.92	40.92		15.75				
		AIN Toolkit Service - Training Session, Per Customer				BAPVX		4,226.54	4,226.54				15.75				
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Term. Attempt				BAPTT		7.87	7 87	9.14	9 14		15.75				
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay				BAPTD		- 7.87	7.87	9.14	9.14		15.75				

INRONDLE	D NETWORK ELEMENTS - Mississippi												Attach	nent: 2	Exhit	oit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	C BCs	USOC			RATES(S)				Submitted	incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'i
		 	 			Rec	Nonrec First	Add'l	Nonrecurring First		COMEO	SOMAN		Rates(\$)	******	
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	-				-	First	Addi	FIRST	Add'l	SOMEC	SUMAN	SOMAN	SOMAN	SOMAN	SOMAN
	DN, Off-Hook Immediate	İ		l	ВАРТМ		7.87	7.87	9.14	9.14		15.75				
	AlN Toolkit Service - Trigger Access Charge, Per Trigger, Per	— —			-		1.07	7.57	0.17	5.14		10.70				
	DN, 10-Digit PODP	<u> </u>	_		BAPTO		34 67	34.67	14 44	14.44		15.75				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN. CDP	İ														
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	 	┿		BAPTC		34.67	34 67	14.44	14.44		15.75				
- 1	DN, Feature Code	1	1		BAPTF		34.67	34.67	14 44	14 44	1	15.75]		
	AIN Toolkit Service - Query Charge, Per Query	$\overline{}$	_		12.1.	0.0535577	04.07	04.07	1444	17.77		13.75	•			
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit															
	Subscription, Per Node, Per Query		—		ļ	0.0063509										
ı	AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes		1		1											
	AlN Toolkit Service - Monthly report - Per AlN Toolkit Service	 	-		+	0.06										
- 1	Subscription			CAM	BAPMS	11,11	7.87	7.87	5.54	5 54		15.75				
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service		$\overline{}$						0.01							
	Subscription			CAM	BAPLS	2 71	8.71	8.71				15.75				
- 1	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service	1														
	Subscription AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit			CAM	BAPOS	8.48	7.87	7.87	5.54	5.54		15.75				
	Service Subscription			CAM	BAPES	0.09	8 71	8 71				15.75				
HANCED E	XTENDED LINK (EELs)	 	 	OAVI	DAFES	0.09	- 0/1	- 0/1				15.75		-		
	New Density Zone 1 EELs are available in the following MSAs	s: Orland	do. FL:	Miami, FL; Ft. Laud	dominia El : A	tlanta GA: No.	Orleane 1 A									
NOTE					Jeivale, FL, P	todite, un, ite	t Cilcans, LA,									
	Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem	-High P	oint, N	C and Nashville, TN	L.											
NOTE:	In all states, EEL network elements shown below also apply t	-High Pate to curre	oint, No	C and Nashville, TN mbined facilities wi	hich are conv	erted to UNE ra	tes. A Switch	As Is Charge a	oplies to curre	ntly combined	facilities co	onverted to	UNEs.(Non-re	curring rates	do not apply.)
NOTE:	In all states, EEL network elements shown below also apply to all states the EEL network elements apply to ordinarily con	High Peto current Transported	oint, No ntly co networ	C and Nashville, TN mbined facilities wi k elements.(No Swi	hich are conv	erted to UNE ra	tes. A Switch	As is Charge a ly combined n	oplies to curre etwork elemen	ntly combined ts, nonrecurri	facilities co	enverted to tapply.	UNEs.(Non-re	curring rates	do not apply.)
NOTE:	In all states, EEL network elements shown below also apply to In all states the EEL network elements apply to ordinarily con E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	High Peto current Transported	oint, No ntly co networ	C and Nashville, TN mbined facilities wi k elements.(No Swi	hich are conv	erted to UNE ra	tes. A Switch	As is Charge a ly combined n	oplies to curre etwork elemen	ntly combined ts, nonrecurri	facilities co	enverted to lapply.	UNEs.(Non-re	curring rates	do not apply.)
NOTE:	In all states, EEL network elements shown below also apply to in all states the EEL network elements apply to ordinarily cone EVOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1	High Peto current Transported	oint, No ntly co networ	C and Nashville, TN mbined facilities wi k elements.(No Swi	hich are conv	erted to UNE ra	tes. A Switch	As is Charge a ly combined n 68.28	oplies to curre etwork elemen 52 82	ntly combined ts, nonrecurris	facilities co ng rates do	enverted to tapply.	UNEs.(Non-re	curring rates	do not apply.)
NOTE:	In all states, EEL network elements shown below also apply to in all states the EEL network elements apply to ordinarily cone EVICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed	High Peto current Transported	oint, Nonthly connetwor	C and Nashville, TN mbined facilities wi k elements.(No Swi ANSPORT (EEL) UNCVX	hich are conv tch As Is Cha	erted to UNE ra	tes. A Switch A lering ordinari	ly combined n	etwork elemen 52 82	ts, nonrecurris	facilities cong rates do	15.75	UNEs.(Non-re	curring rates	do not apply.)
NOTE:	In all states, EEL network elements shown below also apply to all states the EEL network elements apply to ordinarily con EVOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2	High Peto current Transported	oint, Nonthly continued in the continued	C and Nashville, TN mbined facilities wi k elements (No Swi ANSPORT (EEL)	hich are conv tch As Is Cha	erted to UNE ra	tes. A Switch lering ordinari	ly combined n	etwork elemen	ts, nonrecurri	facilities cong rates do	apply.	UNEs.(Non-re	curring rates	do not apply.)
NOTE:	In all states, EEL network elements shown below also apply to all states the EEL network elements apply to ordinarily cone VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed	High Peto current Transported	oint, Nonthly constwor	C and Nashville, TN mbined facilities wi k elements.(No Swi ANSPORT (EEL) UNCVX	Linich are convict As is Cha	erted to UNE ra rge.) When or 13.89	tes. A Switch a lering ordinari 105 96 105.96	68.28 68.28	52 82 52.82	10.37	facilities cong rates do	15.75 15,75	UNEs.(Non-re	curring rates	do not apply.)
NOTE:	In all states, EEL network elements shown below also apply to all states the EEL network elements apply to ordinarily cone VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3	High Peto current Transported	oint, Nonthly constwor	C and Nashville, TN mbined facilities wi k elements.(No Swi ANSPORT (EEL) UNCVX	hich are conv tch As is Cha	erted to UNE ra	tes. A Switch A lering ordinari	ly combined n	etwork elemen 52 82	ts, nonrecurris	facilities cong rates do	15.75	UNEs.(Non-re	curring rates	do not apply.)
NOTE:	In all states, EEL network elements shown below also apply to all states the EEL network elements apply to ordinarily cone VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 First 2-Wire VG Carde Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport	High Peto current Transported	oint, Nontify constworticE TR	C and Nashville, TN mbined facilities wi k elements, (No Swi ANSPORT (EEL) UNCVX UNCVX	UEAL2	13.89 18.75	105.96	68.28 68.28 68.28	52 82 52.82 52.82	10.37 10.37	facilities congrates do	15.75 15,75	UNEs.(Non-re	curring rates	do not apply.)
NOTE:	In all states, EEL network elements shown below also apply to all states the EEL network elements apply to ordinarily cone VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3	High Peto current Transported	oint, Nontify constworticE TR	C and Nashville, TN mbined facilities wi k elements.(No Swi ANSPORT (EEL) UNCVX	Linich are convict As is Cha	erted to UNE ra rge.) When or 13.89	tes. A Switch a lering ordinari 105 96 105.96	68.28 68.28	52 82 52.82	10.37	facilities congrates do	15.75 15,75	UNEs.(Non-re	curring rates	do not apply.)
NOTE:	In all states, EEL network elements shown below also apply to in all states the EEL network elements apply to ordinarily cone VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 4 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month	High Peto current Transported	oint, Nontify constworticE TR	C and Nashville, TN mbined facilities wi k elements, (No Swi ANSPORT (EEL) UNCVX UNCVX	UEAL2	13.89 18.75	105.96	68.28 68.28 68.28	52 82 52.82 52.82	10.37 10.37	facilities or	15.75 15,75	UNEs.(Non-re	curring rates	do not apply)
NOTE:	In all states, EEL network elements shown below also apply to all states the EEL network elements apply to ordinarily cone VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 4 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility	High Peto current Transported	oint, Nontify constworticE TR	C and Nashville, TN mbined facilities wi k elements, (No Swi ANSPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2 UEAL2	13.89 18.75 27.55 45.72	105.96 105.96	68,28 68 28 68 28 68 28	52 82 52.82 52.82 52.82	10.37 10.37 10.37	facilities congrates do	15.75 15.75 15.75 15.75	JNEs.(Non-re	curring rates	do not apply)
NOTE:	In all states, EEL network elements shown below also apply to all states the EEL network elements apply to ordinarily cone VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 2-Wirs VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wirs VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wirs VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 First 2-Wirs VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 4 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month	High Peto current Transported	oint, Nentry construction of the construction	C and Nashville, TM mbined facilities wi k elements,(No Swi ANSPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2	13.89 18.75 27.55 45.72 0.1813	105.96 105.96 105.96 105.96	68.28 68.28 68.28 68.28 68.28	52.82 52.82 52.82 16.86	10.37 10.37 10.37 10.37	facilities congrates do	15.75 15.75 15.75 15.75	JNEs.(Non-re	curring rates	do not apply)
NOTE:	In all states, EEL network elements shown below also apply to in all states the EEL network elements apply to ordinarily cone VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 4 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month DS1 Channelization System Per Month	High Peto current Transported	oint, Nentry construction of the construction	C and Nashville, TM mbined facilities wi k elements,(No Swi ANSPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 IL5XX U1TF1	13.89 18.75 27.55 45.72 0.1813	105.96 105.96 105.96 105.96 105.96	68.28 68.28 68.28 68.28 68.28 68.28	52 82 52.82 52.82 52.82	10.37 10.37 10.37	facilities con	15.75 15.75 15.75 15.75	UNEs.(Non-re	curring rates	do not apply	
NOTE:	In all states, EEL network elements shown below also apply to all states the EEL network elements apply to ordinarily cone VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 4 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month US1 Channelization System Per Month Voice Grade COCI - DS1 To DS0 Interface - Per Month	High Peto current Transported	oint, Nentry construction of the construction	C and Nashville, TM mbined facilities wi k elements,(No Swi ANSPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2	13.89 18.75 27.55 45.72 0.1813	105.96 105.96 105.96 105.96	68.28 68.28 68.28 68.28 68.28	52.82 52.82 52.82 16.86	10.37 10.37 10.37 10.37	facilities congrates do	15.75 15.75 15.75 15.75	JNEs.(Non-re	curring rates	do not apply.	
NOTE:	In all states, EEL network elements shown below also apply to in all states the EEL network elements apply to ordinarily cone VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 4 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month DS1 Channelization System Per Month	High Peto current Transported	oint, Nentry construction of the construction	C and Nashville, TM mbined facilities wi k elements,(No Swi ANSPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 IL5XX U1TF1	13.89 18.75 27.55 45.72 0.1813	105.96 105.96 105.96 105.96 105.96	68.28 68.28 68.28 68.28 68.28 68.28	52.82 52.82 52.82 16.86	10.37 10.37 10.37 10.37	facilities or	15.75 15.75 15.75 15.75	JNEs.(Non-re	curring rates	do not apply.	
NOTE:	In all states, EEL network elements shown below also apply to all states the EEL network elements apply to ordinarily cone VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 4 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL2) in the same DS1	High Peto current Transported	oint, Nentry construction of the construction	C and Nashville, TM mbined facilities wi k elements,(No Swi ANSPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNCVX	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 ILSXX U1TF1 MQ1 1D1VG	13.89 18.75 27.55 45.72 0.1813 51.72 102.85 0.5737	105.96 105.96 105.96 105.96 105.96	68.28 68.28 68.28 68.28 68.28 68.28 62.94 4.74	52.82 52.82 52.82 52.82 16.96	10.37 10.37 10.37 10.37 10.37 10.37	facilities or	15.75 15.75 15.75 15.75 15.75	JNEs.(Non-re	curring rates	do not apply.	
NOTE:	In all states, EEL network elements shown below also apply to all states the EEL network elements apply to ordinarily cone VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 1	High Peto current Transported	oint, Nentry construction of the construction	C and Nashville, TM mbined facilities wi k elements,(No Swi ANSPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNCVX	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 ILSXX U1TF1 MQ1 1D1VG	13.89 18.75 27.55 45.72 0.1813 51.72 102.85 0.5737	105.96 105.96 105.96 105.96 105.96	68.28 68.28 68.28 68.28 68.28 68.28 62.94 4.74	52.82 52.82 52.82 52.82 16.96	10.37 10.37 10.37 10.37 10.37	facilities or	15.75 15.75 15.75 15.75 15.75	JNEs.(Non-re	curring rates	do not apply.	
NOTE:	In all states, EEL network elements shown below also apply to all states the EEL network elements apply to ordinarily cone VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 4 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1	High Peto current Transported	oint, Nentry connetwork	C and Nashville, TM mbined facilities wi k elements, (No Swi ANSPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNCVX UNCIX UNCIX UNCIX UNCIX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2	13.89 18.75 27.55 45.72 0.1813 51.72 102.85 0.5737 13.89	105.96 105.96 105.96 105.96 105.96 105.96	68.28 68.28 68.28 68.28 68.28 62.94 4.74 68.28	52 82 52.82 52.82 52.82 52.82 52.82 52.82 52.82	10.37 10.37 10.37 10.37 10.37 10.37	facilities co	15.75 15.75 15.75 15.75 15.75 15.75 15.75	JNEs.(Non-re	curring rates	do not apply.	
NOTE:	In all states, EEL network elements shown below also apply to in all states the EEL network elements apply to ordinarily cone VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 4 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3	High Peto current Transported	oint, Nentry connetwork	C and Nashville, TM mbined facilities wi k elements, (No Swi ANSPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCIX UNCIX UNCIX UNCIX UNCIX UNCVX UNCVX	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2	13.89 18.75 27.55 45.72 0.1813 51.72 102.85 0.5737	105.96 105.96 105.96 105.96 105.96 105.96	68.28 68.28 68.28 68.28 68.28 68.28 62.28 62.24 63.24 68.28	52 82 52.82 52.82 52.82 16.96 10.87	10.37 10.37 10.37 10.37 10.37 10.37	facilities or	15.75 15.75 15.75 15.75 15.75 15.75	JNEs.(Non-re	curring rates	do not apply.	
NOTE:	In all states, EEL network elements shown below also apply to nall states the EEL network elements apply to ordinarily cone VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 4 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month US1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 Each Additional 2-Wire VG Loop(SL2) in the same DS1	High Peto current Transported	oint, Nity co	C and Nashville, TM mbined facilities wi k elements, (No Swi ANSPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNCVX UNCIX UNCIX UNCIX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2	13.89 18.75 27.55 45.72 0.1813 51.72 102.85 0.5737 13.89 18.75 27.55	105.96 105.96 105.96 105.96 105.96 105.96 105.96	68.28 68.28 68.28 68.28 68.28 62.94 4.74 68.28 68.28	52 82 52.82 52.82 52.82 52.82 52.82 52.82 52.82 52.82	10.37 10.37 10.37 10.37 10.37 10.37 10.37	facilities or	15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75	JNEs.(Non-re	curring rates	do not apply.	
NOTE:	In all states, EEL network elements shown below also apply to In all states the EEL network elements apply to ordinarily cone VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 4 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month DS1 Channelization System Per Month Voice Grade COCI - DS1 To DS0 Interface - Per Month Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3	High Peto current Transported	oint, Nity co	C and Nashville, TM mbined facilities wi k elements, (No Swi ANSPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNCVX UNCIX UNCIX UNCIX UNCIX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2	13.89 18.75 27.55 45.72 0.1813 51.72 102.85 0.5737 13.89	105.96 105.96 105.96 105.96 105.96 105.96	68.28 68.28 68.28 68.28 68.28 62.94 4.74 68.28	52 82 52.82 52.82 52.82 52.82 52.82 52.82 52.82	10.37 10.37 10.37 10.37 10.37 10.37	facilities or	15.75 15.75 15.75 15.75 15.75 15.75 15.75	JNEs.(Non-re	curring rates	do not apply.	
NOTE:	In all states, EEL network elements shown below also apply to nall states the EEL network elements apply to ordinarily cone VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 4 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month US1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 Each Additional 2-Wire VG Loop(SL2) in the same DS1	High Peto current Transported	oint, Nity co	C and Nashville, TM mbined facilities wi k elements, (No Swi ANSPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNCVX UNCIX UNCIX UNCIX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2	13.89 18.75 27.55 45.72 0.1813 51.72 102.85 0.5737 13.89 18.75 27.55	105.96 105.96 105.96 105.96 105.96 105.96 105.96	68.28 68.28 68.28 68.28 68.28 62.94 4.74 68.28 68.28	52 82 52.82 52.82 52.82 52.82 52.82 52.82 52.82 52.82	10.37 10.37 10.37 10.37 10.37 10.37 10.37	facilities congrates do	15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75	JNEs.(Non-re	curring rates	do not apply.	
NOTE:	In all states, EEL network elements shown below also apply to in all states the EEL network elements apply to ordinarily cone VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 4 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month DS1 Channelization System Per Month Voice Grade COCI - DS1 To DS0 Interface - Per Month Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 Voice Grade COCI - DS1 to DS0 Channel System combination -	High Pool	oint, Nity co	C and Nashville, TM mbined facilities wi k elements, (No Swi ANSPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCIX UNCIX UNCIX UNCIX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2	13.89 18.75 27.55 45.72 0.1813 51.72 102.85 0.5737 13.89 18 75 27.55 45.72	105.96 105.96 105.96 105.96 105.96 105.96 105.96 105.96 105.96 105.96	82.28 68.28 68.28 68.28 68.28 62.94 4.74 68.28 68.28 68.28	52 82 52.82 52.82 52.82 52.82 52.82 52.82 52.82 52.82	10.37 10.37 10.37 10.37 10.37 10.37 10.37 10.37	facilities or	15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75	JNEs.(Non-re	curring rates	do not apply.	
NOTE: NOTE: 2-WIRI	In all states, EEL network elements shown below also apply to in all states the EEL network elements apply to ordinarily cone VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 4 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month DS1 Channelization System Per Month Voice Grade COCI - DS1 To DS0 Interface - Per Month Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 4 Voice Grade COCI - DS1 to DS0 Channel System combination - per month Nonrecurring Currently Combined Network Elements Switch -As-Isc Charge	High Pool	oint, Nieder	C and Nashville, TM mbined facilities wi k elements, (No Swi ANSPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCIX UNCIX UNCIX UNCVX	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2	13.89 18.75 27.55 45.72 0.1813 51.72 102.85 0.5737 13.89 18 75 27.55 45.72	105.96 105.96 105.96 105.96 105.96 105.96 105.96 105.96	98.28 68.28 68.28 68.28 68.28 62.94 4.74 68.28 68.28	52 82 52.82 52.82 52.82 52.82 52.82 52.82 52.82 52.82	10.37 10.37 10.37 10.37 10.37 10.37 10.37	facilities congrates do	15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75	JNEs.(Non-re	curring rates	do not apply.	
NOTE: NOTE: 2-WIRI	In all states, EEL network elements shown below also apply to in all states the EEL network elements apply to ordinarily cone VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 4 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Leach Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 4 Voice Grade COCI - DS1 to DS0 Channel System combination - per month Nonrecurring Currently Combined Network Elements Switch - As-Its Charge	High Pool	oint, Nieder	C and Nashville, TM mbined facilities wi k elements, (No Swi ANSPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCIX UNCIX UNCIX UNCVX	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2	13.89 18.75 27.55 45.72 0.1813 51.72 102.85 0.5737 13.89 18 75 27.55 45.72	105.96 105.96 105.96 105.96 105.96 105.96 105.96 105.96 105.96 105.96	82.28 68.28 68.28 68.28 68.28 62.94 4.74 68.28 68.28 68.28	52 82 52.82 52.82 52.82 52.82 52.82 52.82 52.82 52.82	10.37 10.37 10.37 10.37 10.37 10.37 10.37 10.37	facilities or grates do	15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75	JNEs.(Non-re	curring rates	do not apply.	
NOTE: NOTE: 2-WIRI	In all states, EEL network elements shown below also apply to in all states the EEL network elements apply to ordinarily cone VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 4 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month US1 Channelization System Per Month Voice Grade COCI - DS1 To DS0 Interface - Per Month Voice Grade COCI - DS1 To DS0 Interface - Per Month Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 4 Voice Grade COCI - DS1 to DS0 Channel System combination - per month Nonrecurring Currently Combined Network Elements Switch -As-Is Charge EVOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	High Pool	oint, Nh oint oint oint oint oint oint oint oint	C and Nashville, TM mbined facilities wi k elements, (No Swi ANSPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	UEAL2 UEAL2	13.89 18.75 27.55 45.72 0.1813 51.72 102.85 0.5737 13.89 18.75 27.55 45.72 0.5737	105.96 105.96 105.96 105.96 105.96 105.96 105.96 105.96 105.96 105.96 105.96	82.28 68.28 68.28 68.28 68.28 62.94 4.74 68.28 68.28 68.28 68.28	52 82 52.82 52.82 52.82 52.82 52.82 52.82 52.82 52.82 52.82	10.37 10.37 10.37 10.37 10.37 10.37 10.37 10.37 10.37	facilities congrates do	15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75	JNEs.(Non-re	curring rates	do not apply.	
NOTE: NOTE: 2-WIRI	In all states, EEL network elements shown below also apply to in all states the EEL network elements apply to ordinarily cone VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 4 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Leach Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 4 Voice Grade COCI - DS1 to DS0 Channel System combination - per month Nonrecurring Currently Combined Network Elements Switch - As-Its Charge	High Pool	oint, Nh oint oint oint oint oint oint oint oint	C and Nashville, TM mbined facilities wi k elements, (No Swi ANSPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCIX UNCIX UNCIX UNCVX	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2	13.89 18.75 27.55 45.72 0.1813 51.72 102.85 0.5737 13.89 18 75 27.55 45.72	105.96 105.96 105.96 105.96 105.96 105.96 105.96 105.96 105.96 105.96	82.28 68.28 68.28 68.28 68.28 62.94 4.74 68.28 68.28 68.28	52 82 52.82 52.82 52.82 52.82 52.82 52.82 52.82 52.82	10.37 10.37 10.37 10.37 10.37 10.37 10.37 10.37	facilities co	15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75	JNEs.(Non-re	curring rates	do not apply.	

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attachi	ment: 2	Exhil	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge -
						Rec	Nonrec		Nonrecurring		*****		OSS	Rates(\$)		
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice		-				First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Transport Combination - Zone 3		_ 3	UNCVX	UEAL4	50 03	132 27	94.59	60 68	14.64		15.75				
	First 4-Wire Analog Voice Grade Loop In a DS1 Interoffice Transport Combination - Zone 4		4	UNCVX												
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		-	UNCVA	UEAL4	50.03	132.27	94.59	60.68	14.64		15.75				
	Per Month			UNC1X	1L5XX	0.1813										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month			LINGAN												
	Channelization - Channel System DS1 to DS0 combination Per			UNC1X	U1TF1	51.72	89.79	82.28	16 86	14.90	ļ	15.75				
	Month			UNC1X	MQ1	102 85	91.57	62,94	10.87	10.10		15.75				
	Voice Grade COCI - DS1 to DS0 Channel System combination -		_					02.01	10.07	10.10		10.75				
	per month			UNCVX	1D1VG	0.5737	6.62	4 74				15.75				
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		١,	UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64	1	15.75	i			1
	Additional 4-Wire Analog Voice Grade Loop in same DS1			DINCVA	UEAL4	21.41	132.27	94.59	80.08	14.64	 	15.75				
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	38.26	132.27	94 59	60 68	14 64		15.75				İ
	Additional 4-Wire Analog Voice Grade Loop in same DS1									_						
	Interoffice Transport Combination - Zone 3 Additional 4-Wire Analog Voice Grade Loop in same DS1		_3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64	ļ	15 75				<u> </u>
	Interoffice Transport Combination - Zone 4		4	UNCVX	UEAL4	50 03	132.27	94.59	60.68	14.64		15.75				l
	Voice Grade COCI - DS1 to DS0 Channel System combination -															
	per month Nonrecurring Currently Combined Network Elements Switch -As-			UNCVX	1D1VG	0.5737	6 62	4.74			ļ	15.75				
1	Is Charge			UNC1X	UNCCC	1	5.63	5. 6 3	7.20	7 20		15.75				1
4-WIR	E 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	NTERO	FFICE		0.1000		5.00	5.00	7.20	, 20		13.73				
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 1 First 4-wire 56Kbps Digital Grade Loop in a DS1 interoffice		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64		15.75				
1	Transport Combination - Zone 2		2	UNCDX	UDL56	34.55	126 53	88.85	60 68	14.64		15.75				
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice				1											
	Transport Combination - Zone 3		3	UNCDX	UDL56	40.76	126 53	88.85	60.68	14.64		15.75				<u> </u>
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 4		4	UNCDX	UDL56	32.25	126 53	88 85	60 68	14.64		15 75				1
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		_	ONOBA	ODESO	<u> </u>	120 30	00 00	00 00	14.04	<u> </u>	- 13 / 3				
	Per Month			UNC1X	1L5XX	0.1813						15 75				
	Interoffice Transport - Dedicated - DS1 - combination Facility						22		40.00			45.75				
	Termination Per Month Channelization - Channel System DS1 to DS0 combination Per			UNC1X	U1TF1	51.72	89.79	82 28	16 86	14.90		15.75				
	Month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10		15 75				1
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
	month (2.4-64kbs)			UNCDX	1D1DD	1 22	6.62	4.74				15.75				
-	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1		4	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64	1	15.75				İ
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1		Ė	ONOBA	10000	2	ILOIGO				······					
	Interoffice Transport Combination - Zone 2		. 2	UNCDX	UDL56	34.55	126.53	88 85	60.68	14 64		15.75				
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1			LINCOV	UDITO	40.70	400 50	20.05	60.60	14.64		15.75	_			1
	Interoffice Transport Combination - Zone 3 Additional 4-Wire 56Kbps Digital Grade Loopin same DS1		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64		13.75		_		
	Interoffice Transport Combination - Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64		15.75				
	OCU-DP COCI (data) - DS1 to DS0 Channel System -															
	combination per month (2.4-64kbs) Nonrecurring Currently Combined Network Elements Switch -As-			UNCDX	1D1DD	1.22	6 62	4.74				15.75				
1	Is Charge			UNC1X	UNCCC	1	5.63	5 63	7.20	7.20		15.75				i
4-WIR	E 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	NTERO	FFICE				2.00									
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 1 First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64		15.75				
1	Transport Combination - Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64	l	15 75				ı

## RATE ELEMENTS Interfer Zene BCS USOC RATER(8) South BCS Element South BCS Element South BCS Element South BCS Element South BCS Element South Element South BCS Element	MOUNDLE	NETWORK ELEMENTS - Mississippi		,										Attach	ment: 2	Exhi	bit: B
First AVW 66/DB Digits Crist Loop in a DST trievoltes First 4-Wire 66/DB Digits Crist Loop in a DST Interoffice First 4-Wire 66/DB Digits Crist Loop in a DST Interoffice First 4-Wire 66/DB Digits Crist Loop in a DST Interoffice First 4-Wire 66/DB Digits Crist Loop in a DST Interoffice First 4-Wire 66/DB Digits Crist Loop in a DST Interoffice First 4-Wire 66/DB Digits Crist Loop in a DST Interoffice First 4-Wire 66/DB Digits Crist Loop in a DST Interoffice JUNCIX 1,55X 0,1953 UNCIX 1,55X 0,1953 UNCIX 1,55X 0,1953 UNCIX 1,55X 0,1953 UNCIX 1,55X 0,1953 First 1-Wire 66/DB Digits Crist Loop in a DST Interoffice Loop in a DST Interoffice Crist Loop in a DST Interoffice JUNCIX 1,55X 0,1953 UNCIX 1,55X 0,1953 UNCIX 1,55X 0,1953 UNCIX 1,55X 0,1953 UNCIX 1,55X 0,1953 UNCIX 1,55X 0,1953 UNCIX 1,55X 0,1953 UNCIX 1,55X 0,1953 UNCIX 1,55X 0,1953 Interoffice Transport Commission Travel State Loop in a DST Interoffice Crist Loop in a DST Interoffice Transport Commission Travel State Loop in a DST Interoffice Transport Commission Travel State Loop in a DST Interoffice Transport Commission Travel State Loop in a DST Interoffice Transport Commission Travel State Loop in a DST Interoffice Transport Commission Travel State Loop in a DST Interoffice Transport Commission Travel State Loop in a DST Interoffice Transport Commission Travel State Loop in a DST Interoffice Transport Commission Travel State Loop in a DST Interoffice Transport Commission Travel State Loop in a DST Interoffice Transport Commission Travel State Loop in a DST Interoffice Transport Commission Travel State Loop in a DST Interoffice Transport Commission Travel State Loop in a DST Interoffice Transport Commission Travel State Loop in a DST Interoffice Transport Commission Travel State Loop in a DST Interoffice Transport Commission Travel State Loop in Commission Travel State Loop in Commission Travel State Loop in Commission Travel State Loop in Commission Travel State Loop in Commission Travel State Loop in Commission Travel State Loop in	ATEGORY	RATE ELEMENTS		Zone	BCS	USOC						Submitted Elec	Submitted Manually	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	increment Charge - Manual Sy Order vs. Electronic Disc Add
First 4-Wine 6406pp Digital Grade Loop in a DST Interorfice 3 UNCDX				-		-	Rec					001150		OSS	Rates(\$)		
Transport Confirmation - Zeron 3		First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	_	-				FIRE	Addi	rirst	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
First A-Wire 648695 Digit Clarab Loop in a DSI Interoffice 4 UNCDX		Transport Combination - Zone 3		3	UNCDX	UDŁ64	40.76	126 53	88.85	60.68	14.64		15.75				1
Personant		First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice									7.1.5		. 10:70				
Part Month Interfolder Transport - Desicated DS1 combination - Facility UNCIX UTF1 51.72 69.77 82.28 16.86 14.90 15.75 15.75 COL-DP COL (false) - DS1 to DS0 combination Per Month COL-DP COL (false) - DS1 to DS0 Combination Per Month COL-DP COL (false) - DS1 to DS0 Combination Per Month COL-DP COL (false) - DS1 to DS0 Combination Per Month COL-DP COL (false) - DS1 to DS0 Combination Per Month COL-DP COL (false) - DS1 to DS0 Combination Per Month COL-DP COL (false) - DS1 to DS0 Combination Per Month COL-DP COL (false) - DS1 to DS0 Combination Per Month COL-DP COL (false) - DS1 to DS0 Combination Per Month COL-DP COL (false) - DS1 to DS0 Combination Per Month COL-DP COL (false) - DS1 to DS0 Combination Per Month Col-DP		Interoffice Transport - Dedicated - DS1 combination - Per Mile		4	UNCDX	UND64	32.25	126 53	88.85	60.68	14.64		15.75				
Interoffice Transport - Delicated - DST (combination - Facility UNCIX UTF1 \$1.72 \$8.77 \$8.28 16.88 14.90 15.75					UNC1X	11.5XX	0 1813				j						
Channellization - Channel System DSI to DSQ combanation Per UNCIX NO1 102.85 91.57 6.29.4 10.87 10.87 10.95 10.9						1.20751	0:1010								· · · · · · · · · · · · · · · · · · ·		
Microl					UNC1X	U1TF1	51.72	89.79	82 28	16.86	14 90		15.75				i
CCUDP COCI (data) - SSI to ISSO Channel System					LINICAN	l											
Combination - per month (2.4-64-bb)					UNCIX	MQ1	102.85	91 57	62,94	10 87	10.10		15 75				
Additional 4-Wire 64KCyps Digital Grade Loopin same OS1 1 UNCDX UDL64 27.44 126.53 88.85 90.68 14.64 15.75 14.64 15.75 14.64 15.75 14.64 15.75 14.64 16.75 16.75 14.64 16.75 1		combination - per month (2.4-64kbs)			UNCDX	1D1DD	1,22	6 62	4.74				15.75				ĺ
Additional 4-Wire 64Kbps Digital Grade Loopin same DS1		Additional 4-Wire 64Kbps Digital Grade Loopin same DS1											10,70				
Interoffice Transport Combination - Zone 2 2 UNCDX UDL64 34.55 128.55 88.85 60.68 14.64 15.75 Additional - 4-Wine REFUD point of Great Loopin same DS1 3 UNCDX UDL64 40.76 128.53 88.85 60.68 14.64 15.75 Additional - 4-Wine REFUD point of Great Loopin same DS1 4 UNCDX UDL64 32.25 128.53 88.85 60.68 14.64 15.75 OCLUP F COOT (Loop Combination - Zone 3 UNCDX UDL64 32.25 128.53 88.85 60.68 14.64 15.75 OCLUP F COOT (Loop Combination - Zone 2 UNCDX UDL64 32.25 128.53 88.85 60.68 14.64 15.75 OCLUP F COOT (Loop Combination - Zone 2 UNCDX UDL64 32.25 128.53 88.85 60.68 14.64 15.75 OCLUP F COOT (Loop Combination - Loop Comb		Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14 64		15 75				
Additional 4-Wire 64Cps Digital Grade Loopin same DST 3 UNCDX UDL64 40 76 126.53 88.85 60.68 14.64 15.75 1	l i	Interoffice Transport Combination - Zone 2		۰	LINCDY	LIDICA	24.55	100.50	80.05	20.00							
Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - 2 or on Combina				-	ONOBA	ODL04	34 55	120 33	88 85	60.68	14 64		15.75				
Additional 4-Wire 64Cbps Digital Grade Loopin same OS1		Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	40 76	126.53	88.85	60.68	14.64		15 75				ĺ
OCU-DP COCI (data) - DS1 to (DS0 Channel System combination - per morth (2 = 4405)		Additional 4-Wire 64Kbps Digital Grade Loopin same DS1		Ι.													
Combination - per month (2 4-64kts) UNCOX 10100 1.22 6.62 4.74 15.75 Nonrecuring Currently Combined Network Elements Switch - Asis Charge UNCTX UNCCC 5.63 5.63 7.20 7.20 15.75		OCU-DP COCI (data) - DS1 to DS0 Channel System		4	UNCDX	UDL64	32.25	126.53	88 85	60.68	14 64		15.75				
Nonrecuring Currently Combined Network Elements Switch -As- Is Charge UNC1X					UNCDX	10100	1 22	6.62	474				15.75				
A-WIRE DSI DIGITAL EXTENDED LOOP WITH DEDICATED DSI INTEROFFICE TRANSPORT (EEL) 1 UNC1X		Nonrecurring Currently Combined Network Elements Switch -As-			- CHOSK	10.00	1,22	0.02	7./7				13.75	·· <u>-</u>			
4-Wire DST Digital Loop in Combination with DST Interoffice 1 UNC1X					UNC1X	UNCCC		5.63	5.63	7.20	7.20		15.75				
Transport Zone 1	4-WIRE	4-Wire DS1 Digital Loop in Combination with DS1 Intereffice	ROFFI	CE TR/	ANSPORT (EEL)	<u> </u>											
4-Wire DS1 Digital Loop in Combination with DS1 interoffice 2 UNC1X				1	UNC1X	usixx	79.08	253 93	158.45	46 10	12.07		15.75				
4-Wire DS1 Digital Loop in Combination with DS1 Interoffice 3 UNC1X USLXX 206 74 253.93 158.45 46.10 12.07 15.75				-	5.10 11.	JOBUL	70 00	230.30	- 130.43	40.10	12.07		10.75				
Transport - Zone 3				2	UNC1X	USLXX	129.38	253.93	158.45	46,10	12.07		15.75				
4-Wire DS1 Digital Loop in Combination with DS1 Interoffice 4 UNC1X		4-Wire DS1 Digital Loop in Combination with DS1 Interoffice		_	I INDAY												i
Transport - Zone 4				3	UNCTX	USLXX	206 /4	253.93	158.45	46.10	12.07		15.75				
Interoffice Transport - Dedicated - DS1 combination - Per Mile		Transport - Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07		15.75				ĺ
Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month Nonrecuring Currently Combined Network Elements Switch - As- Is Charge 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL) First DS1Loop in DS3 Interoffice Transport Combination - Zone 1 UNC1X USLXX 79.08 253.93 158.45 46.10 12.07 15.75 First DS1Loop in DS3 Interoffice Transport Combination - Zone 2 UNC1X USLXX 129.38 253.93 158.45 46.10 12.07 15.75 First DS1Loop in DS3 Interoffice Transport Combination - Zone 3 UNC1X USLXX 129.38 253.93 158.45 46.10 12.07 15.75 First DS1Loop in DS3 Interoffice Transport Combination - Zone 4 UNC1X USLXX 206.74 253.93 158.45 46.10 12.07 15.75 First DS1Loop in DS3 Interoffice Transport Combination - Zone 4 UNC1X USLXX 458.46 253.93 158.45 46.10 12.07 15.75 Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month UNC3X 1L5XX 4.29 Interoffice Transport - Dedicated - DS3 - Facility Termination per month UNC3X U1TF3 641.90 280.37 163.70 62.08 60.29 15.75 DS3 to DS1 Channel System combination per month UNC3X M33 107.85 179.17 94.52 34.30 32.82 15.75 Additional DS1 Coci) combination per month UNC1X UC1D1 12.96 6.62 4.74 Additional DS1 Loop in DS3 Interoffice Transport Combination - Interoffice Transport Combination Per month UNC1X UC1D1 12.96 6.62 4.74 Additional DS1 Loop in DS3 Interoffice Transport Combination - Interoffice Transport Combination Per month UNC1X UC1D1 12.96 6.62 4.74 INC1X UC1D1 12.96 6.62 4.74																	
Termination Per Month					UNC1X	1L5XX	0.1813										
Nonrecurring Currently Combined Network Elements Switch -As UNC1X					LINCAY	HITE1	E1 70	80.70	92.20	1000	14.00		45.75				
Is Charge				_	UNUIX	UITE	51.72	09.79	62.26	10.00	14.90	·	15 /5				
First DS1Loop in DS3 Interoffice Transport Combination - Zone 1 UNC1X	1 1	Is Charge				UNCCC		5.63	5 63	7.20	7.20	l l	15.75				
1			ROFFI	CE TRA	NSPORT (EEL)												
First DS1Loop in DS3 Interoffice Transport Combination - Zone 2 UNC1X USLXX 129.38 253.93 158.45 46.10 12.07 15.75 First DS1Loop in DS3 Interoffice Transport Combination - Zone 3 UNC1X USLXX 206.74 253.93 158.45 46.10 12.07 15.75 First DS1Loop in DS3 Interoffice Transport Combination - Zone 4 UNC1X USLXX 458.46 253.93 158.45 46.10 12.07 15.75 Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month UNC3X 1L5XX 4.29 Interoffice Transport - Dedicated - DS3 - Facility Termination per month UNC3X U1TF3 641.90 280.37 163.70 62.08 60.29 15.75 DS3 Interoffice Transport - Dedicated - DS3 - Facility Termination per month UNC3X MQ3 107.85 179.17 94.52 34.30 32.82 15.75 DS3 Interoffice Transport - Dedicated - DS3 - Interoffice Transport - DS3 - Interoffice Transpor		First DS1Loop in DS3 Interoffice Transport Combination - Zone			LINICAV	liei vv	70.00	253.03	150 45	46 40	10.07		15.75				
2 UNC1X USLXX 129.38 253.93 158.45 46.10 12.07 15.75	-	First DS1Loop in DS3 Interoffice Transport Combination - Zone		<u> </u>	UNCIX	USLAA	79.06	253.93	158.45	46.10	12.07		15.75				
First DS1Loop in DS3 Interoffice Transport Combination - Zone 3 UNC1X		2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07		15.75				
First DS1Loop in DS3 Interoffice Transport Combination - Zone 4 UNC1X		First DS1Loop in DS3 Interoffice Transport Combination - Zone			_												
4 UNC1X USLXX 458 46 253.93 158.45 46.10 12.07 15.75 Interoffice Transport - Dedicated - DS3 combination - Per Mile UNC3X 1L5XX 4.29		Signature in PCC Interest Company		3	UNC1X	USLXX	206 74	253.93	158.45	46.10	12 07		15.75				
Interoffice Transport - Dedicated - DS3 combination - Per Mile		First DSTLOOP in DS3 interoffice Transport Complication - Zone		ا ۸	LINCAY	I I I I VV	450 AG	252.02	150 AE	48 10	10.07		15 75				
Per Month		Interoffice Transport - Dedicated - DS3 combination - Per Mile	_	 	ONOTA	DOLAN .	400 40	200.50	130.43	40.10	12.07		15.75			-	
month	[Per Month			UNC3X	1L5XX	4.29										
DS3 to DS1 Channel System combination per month UNC3X MQ3 107.85 179.17 94.52 34.30 32.82 15.75																	
DS3 Interface Unit (DS1 COCI) combination per month UNC1X UC1D1 12.96 6.62 4.74 15.75 Additional DS1Loop in DS3 Interoffice Transport Combination -																	
Additional DS1Loop in DS3 Interoffice Transport Combination -										34 30	32.82						
					X	133.57	12.30	0.02	7/7	•			13.73		-		
		Zone 1		1	UNC1X	USLXX	79.08	253.93	158 45	46.10	12.07		15.75				
Additional DS1Loop in DS3 Interoffice Transport Combination -																	

ONBONDLED	NETWORK ELEMENTS - Mississippi										_		Attach	ment: 2	Exhil	bit: 🖪
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
			ļ		ļ	Rec	Nonrec			Disconnect		· · · · · · · · · · · · · · · · · · ·		Rates(\$)		
I A	Additional DS1Loop in DS3 Interoffice Transport Combination -		╄				First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
l IZ	Zone 3		3	UNC1X	USLXX	206.74	253.93	158 45	46.10	12 07		15 75			l	
A	Additional DS1Loop in DS3 Interoffice Transport Combination -		ऻ —	0.101%	00000	200.74	230.93	100 40	40.10	12 07		15 /5			ļ	
Z	Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07		15.75			1	1
	OS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	12.96	6.62	4 74			-	15 75				
	Nonrecurring Currently Combined Network Elements Switch -As- s Charge	1														
	S Charge VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE IN 1	EDOE	I TO TO	UNC3X	UNCCC		5.63	5.63	7.20	7.20		15 75				ļ <u></u>
	P-WireVG Loop used with 2-wire VG Interoffice Transport	LNOF	ICE II	ANSPORT (EEL)	+									ļ		L
	Combination - Zone 1	ŀ	1 1	UNCVX	UEAL2	13.89	105.96	68.28	52 82	10.37		15.75				
	-WireVG Loop used with 2-wire VG Interoffice Transport								1 32.32	10.07	<u> </u>	10.75				
	Combination - Zone 2		2	UNCVX	UEAL2	18.75	105.96	68 28	52.82	10 37	<u> </u>	15.75				
	-WireVG Loop used with 2-wire VG Interoffice Transport	1	_	LINOLIN												
	A.1 2 2-WireVG Loop used with 2-wire VG Interoffice Transport		3	UNCVX	UEAL2	27.55	105 96	68.28	52 82	10 37		15.75				
6	Combination - Zone 4		4	UNCVX	UEAL2	45 72	105,96	68.28	52 82	10 37		15.75				
	nteroffice Transport - Dedicated - 2-wire VG combination - Per		 	CHOVA	OCALE	43 72	103.30	00.20	32.02	1037		15.75				
M	file Per Month	l		UNCVX	1L5XX	0.00088			ĺ							
	nteroffice Transport - Dedicated - 2- Wire Voice Grade															
cc	ombination - Facility Termination per month		<u> </u>	UNCVX	U1TV2	20.32	40.77	27.57	17.26	7.11		15.75				
	Ionrecurning Currently Combined Network Elements Switch -As-										1			1	· ·	
4-WIDE V	s Charge VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INT	EDAEE	ICE TE	UNCVX	UNCCC		5.63	5 63	7.20	7.20		15.75				
	-WireVG Loop used with 4-wire VG Interoffice Transport	CHOFF	ICE II	MINSPURI (EEL)	+											
	Combination - Zone 1		1	UNCVX	UEAL4	27,47	132.27	94.59	60.68	14.64		15.75				
	-WireVG Loop used with 4-wire VG Interoffice Transport				1											
	Combination - Zone 2		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14 64		15.75				l
	-WireVG Loop used with 4-wire VG Interoffice Transport				1									i		
	Combination - Zone 3		3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64		15.75		ļ		
	-WireVG Loop used with 4-wire VG Interoffice Transport		4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64		15.75		i		
	nteroffice Transport - Dedicated - 4-wire VG combination - Per		 	ONCVA	UEAL4	30.03	132.21	94.05	00.08	14,04		15.75		·		
	Mite Per Month			UNCVX	1L5XX	0.00088										
	nteroffice Transport - Dedicated - 4- Wire Voice Grade															
	ombination - Facility Termination per month			UNCVX	U1TV4	17.86	40.77	27.57	17.26	7.11		15.75				
	ionrecurring Currently Combined Network Elements Switch -As-				1	l i					ŀ					
Dea DICI	S Charge ITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC	E TOA	NEDOD	UNCVX	UNCCC		5.63	5.63	7.20	7.20		15 75		ļ		
	ligh Capacity Unbundled Local Loop - DS3 combination - Per	EIRA	T	I (EEL)	 									<u> </u>		
	file per month		1	UNC3X	1L5ND	11.20	j							1		l _
	ligh Capacity Unbundled Local Loop - DS3 combination -		†		1											
F	acility Termination per month		<u></u>	UNC3X	UE3PX_	252.17	454.13	265.47	123.23	86.19		15.75				Ļ
	nteroffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	4.29										
	nteroffice Transport - Dedicated - DS3 combination - Facility			LINION		أمسيما		400				45.75			Ì	
	ermination per per month lonrecurring Currently Combined Network Elements Switch -As-			UNC3X	U1TF3	641.90	280.37	163.70	62.08	60.29		15.75	-			
l li	s Charge			UNC3X	UNCCC		5.63	5.63	7.20	7.20		15.75	_	1		
	GITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROF	FICE TE	RANSP	ORT (EEL)	CNOOD		5.00	5.05	7.20	7.20						
	ligh Capacity Unbundled Local Loop - ST\$1 combination - Per		T	(===/	†											
м	file per month		<u></u>	UNCSX	1L5ND	11.20										
	ligh Capacity Unbundled Local Loop - STS1 combination -						1									_
	acility Termination per month		ļ	UNCSX	UDLS1	264.35	454.13	265.47	123.23	86.19		15 75				
	nteroffice Transport - Dedicated - STS1 combination - Per Mile			LINIOGY	41.500						j					l
	er month hteroffice Transport - Dedicated - STS1 combination - Facility		├	UNCSX	1L5XX	4 29										
	reference Transport - Dedicated - STS1 combination - Facility			UNCSX	U1TFS	644.21	280.37	163.70	62.08	60.29		15.75				1
	Ionrecurring Currently Combined Network Elements Switch -As-		+	5.,00%	7,1, 5	J-7-1-E1	200.07	100,70	02.00	00.25		,,,,,,			-	
	s Charge			UNCSX	UNCCC		5 63	5 63	7.20	7.20		15.75		ŀ		l
	SDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR	T (FFI)		1											

NBUNDLE	D NETWORK ELEMENTS - Mississippi													ment: 2		bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Efec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec			Disconnect				Rates(\$)		
		L	1			1,00	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
İ	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	1	Ι.	l	1								1			l
	Transport - Zone 1 First 2-Wire ISDN Loop in a DS1 Interoffice Combination	<u> </u>	1	UNCNX	U1L2X	21.01	117.61	79.92	52.82	10 37		15.75				
	Transport - Zone 2		2	LINICALV	LIALOY	27.50	447.04		l				ł	ŀ		
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	- -	-	UNCNX	U1L2X	27.59	117.61	79.92	52.82	10.37		15.75				
i	Transport - Zone 3		3	UNCNX	U1L2X	37.34	117 61	79 92	52.82	10 37		15.75	i			
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	 	۲	CITOTIX	- OILEA	37.34	117 01	75 92	52.02	10 37	 	15.75	ļ			
	Transport - Zone 4	ł	4	UNCNX	U1L2X	59.18	117.61	79.92	52.82	10 37		15.75	ļ.	1	l	
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		1	UNC1X	1L5XX	0.1813				.,,,,,	 	10.70				
	Interoffice Transport - Dedicated - DS1 combintion - Facility	1														
_	Termination per month	<u> </u>		UNC1X	U1TF1	51.72	89 79	82.28	16.86	14 90		15 75				1
	Channelization - Channel System DS1 to DS0 combination -	1														
	per month		<u> </u>	UNC1X	MQ1	102 85	91.57	62.94	10.87	10.10		15.75				
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System			LINONIN	1,,,,,,,				1					İ	ŀ	
	combination - per month Additional 2-wire ISDN Loop in same DS1Interoffice Transport	 	-	UNCNX	UC1CA	2 62	6.62	4.74	-			15 75		ļ	<u> </u>	L
- 1	Combination - Zone 1		١,	UNCNX	U1L2X	21 01	117.61	79.92	52.82	10.37		15.75				İ
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	 	+-	UNCNA	01127	2101	117.01	79.92	32.02	10.37	 	15.75			ļ	
	Combination - Zone 2	l	2	UNCNX	U1L2X	27.59	117.61	79.92	52.82	10,37	:	15.75			i	
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	 	<u> </u>	0,10701	10.12.	27.05	117.01	75.52	JE.02	10.07		13.73			ļ	
	Combination - Zone 3	ŀ	3	UNCNX	U1L2X	37.34	117.61	79.92	52.82	10.37		15 75				
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 4	ľ	4	UNCNX	U1L2X	59.18	117.61	79.92	52.82	10.37		15.75			-	
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System															
	combintaion- per month	L		UNCNX	UC1CA	2.62	6.62	4.74				15 75				
	Nonrecurring Currently Combined Network Elements Switch -As-	•	1		1		-				1		l	1		
4 14/15/5	Is Charge DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN		I V	UNC1X	UNCCC		5.63	5.63	7 20	7.20		15.75				
4-WIHE	First DS1 Loop in STS1 Interoffice Transport Combination -	LEHOP	FICE I	HANSPURI (EEL)												.
	Zone 1		۱ ،	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07		15.75	1		l	
_	First DS1 Loop in STS1 Interoffice Transport Combination -	 	 	ONOIX	00000	73.00	200.50	100.40	70.10	72.07					<u> </u>	-
	Zone 2		l 2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07		15.75				
	First DS1 Loop in STS1 Interoffice Transport Combination -														ĺ	
	Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45	46 10	12 07		15.75			l	
	First DS1 Loop in STS1 Interoffice Transport Combination -			,												
	Zone 4		4	UNC1X	USLXX	458,46	253 93	158 45	46.10	12 07		15.75				
	Interoffice Transport - Dedicated - STS1 combination - Per Mile		1	l	1						1					
	Per Month	ļ	1	UNCSX	1L5XX	4.29										
	Interoffice Transport - Dedicated - STS1 combination - Facility Termination	ŀ	ŀ	UNCSX	U1TFS	644,21	280.37	163.70	62.08	60.29		15.75			1	
	STS1 to DS1 Channel System conbination per month	 	-	UNCSX	MQ3	107.63	179.17	94 52	34.30	32.82	-	15.75	-	<u> </u>		
_	DS3 Interface Unit (DS1 COCI) combination per month	i		UNC1X	UC1D1	12.96	6.62	4.74	04.00	OL.OL		15.75				
	Additional DS1Loop in STS1 Interoffice Transport Combination -	—	1	UNUIX	100.0.	12.00	5,42	,,,,,							 	
	Zone 1	Ì	1 1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07		15.75			l	
	Additional DS1Loop in STS1 Interoffice Transport Combination -															
	Zone 2	1	2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07		15 75				<u> </u>
	Additional DS1Loop in STS1 Interoffice Transport Combination -	I														
	Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07		15.75	<u></u>		<u> </u>	
	Additional DS1Loop in STS1 Interoffice Transport Combination		١.	l			0-0	450 15	40.00	40.00		15 75	ł	l	1	
	Zone 4	├	4	UNC1X	USLXX	458.46	253.93	158 45 4.74	46.10	12.07		15 75	1		 	
	DS3 Interface Unit (DS1 COCI) combination per month	ļ	├	UNC1X	UC1D1	12.96	6 62	4./4	 			15 /5	 		 	
	Nonrecurring Currently Combined Network Elements Switch -As-	1	1	UNCSX	UNCCC		5.63	5.63	7.20	7.20		15 75	l		l	
4.WIDE	Is Charge 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERO	EEICE 1	PANC		DINOGO		5.03	5.03	7.20	,.20	 	10,70		<u> </u>		
-4-44145	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport	TIVE	TAIN		+			<u>. </u>	 						l	1
1	Combination - Zone 1	l .	1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64		15.75		l	L	L
+	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport	t	 '		1				1		·				1	1
I	Combination - Zone 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64	i	15 75	1		l	

UNBU	INDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: B
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge -
					L		Rec	Nonrec		Nonrecurring				OSS	Rates(\$)		
	<u> </u>						1100	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	1	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport				1	1	1				1					1
		Combination - Zone 3		3	UNCDX	UDL56	40 76	126 53	88 85	60 68	14.64	<u> </u>	15.75		!		1
İ	l .	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport		i .		1											
	 	Combination - Zone 4 Interoffice Transport - Dedicated - 4-wire 56 kbps combination -	-	4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14 64		15.75			1	
l	İ	Per Mile			LINORY					1			1				T
 		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		├ ──	UNCDX	1L5XX	0.00088						L				
	ŀ	Facility Termination		1	UNCDX	U1TD5		40 770				1					
		Nonrecurring Currently Combined Network Elements Switch -As-		├	UNCDX	01105	14.14	40 78	27.57	17.26	7.11	↓	15.75				<u> </u>
ľ		is Charge		1	UNCDX	UNCCC		5.63	5.00	7.00	7.00	İ					1
	4-WIRE	64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FEICE :	PANS	PORT (EEL)	UNCCC		5.03	5.63	7.20	7.20	ļ	15 75				<u> </u>
		4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport	1102	1	I Chi (ELL)							 	ļ <u> </u>		l		
	ļ	Combination - Zone 1		1 1	UNCDX	UDL64	27.44	126.53	88 85	60.68	14 64	1	15.75		1		
	T	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport		 	S. TODA	10000	27.77	120.55	00 00	00.08	[404	 	15.75			-	
1		Combination - Zone 2		1 2	UNCDX	UDL64	34 55	126 53	88.85	60 68	14.64	1	15.75				
		4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport		1			3.55			3000	14.04	 	15.15				
L	l	Combination - Zone 3		з	UNCDX	UDL64	40 76	126.53	88.85	60.68	14.64		15.75	!			t
		4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport		1								 	10170				+
	<u> </u>	Combination - Zone 4		4	UNCDX	UDL64	32.25	126 53	88 85	60.68	14,64		15.75	l			
	ŀ	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -											19119				
		Per Mile		<u>. </u>	UNCDX	1L5XX	0.00088							ŀ			
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -										T .					1
		Facility Termination			UNCDX	U1TD6	14.14	40 78	27.57	17.26	7.11		15 75				
	1	Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNCDX	UNCCC		5.63	5 63	7.20	7.20	L	15 75				
ADDIT		NETWORK ELEMENTS															
L		used as a part of a currently combined facility, the non-recurr											1				
		used as ordinarily combined network elements in all states, th					As is Charge d	oes not.							ļ		<u> </u>
	Nonrec	curring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch - As-	Charge	(One a	applies to each con	nbination)											ļ
		Is Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		5.63	5 63	7.20	7 20		15.75				
├──	 	Nonrecurring Currently Combined Network Elements Switch -As-		-	DINCVX	UNCCC		3.03	5 03	7.20	7 20	 	15.75				
ļ	i	Is Charge - 56/64 kbps			UNCOX	UNCCC		5.63	5.63	7.20	7 20	ŀ	15.75	ļ		ŀ	i
	 	Nonrecurring Currently Combined Network Elements Switch -As-		1	ONODA	DINOCO		3.03	5.03	7.20	7 20		13.73	l			
1	1	Is Charge - DS1			UNC1X	UNCCC		5.63	5.63	7.20	7.20		15.75	1			
		Nonrecurring Currently Combined Network Elements Switch -As-		<u> </u>	1011X		-	0.00	0.00	7.20	7.20	 		· · · · · · · · · · · · · · · · · · ·			
	1	Is Charge - DS3			UNC3X	UNCCC		5 63	5.63	7 20	7.20	1	15.75	-			1
	†	Nonrecurring Currently Combined Network Elements Switch -As-				1						1					
1		Is Charge - STS1		l	UNCSX	UNCCC		5.63	5.63	7.20	7.20		15.75	l	l		
	NOTE:	Local Channel - Dedicated Transport - minimum billing period	i - Belo	w DS3													
		Local Channel - Dedicated - 2-Wire Voice Grade			UNCXV	ULDV2	14 91	194 22	33.36	37 79	3.30		15.75				
		Local Channel - Dedicated - 4-Wire Voice Grade		l	UNCXV	ULDV4	15.99	194.66	33 80		3 78	<u> </u>	15.75				ļ
		Local Channel - Dedicated - DS1 per month Zone 1			UNC1X	ULDF1	36 83	178 50	154 61	22 89	15.74		15.75				
		Local Channel - Dedicated -DS1 Per Month Zone 2		2	UNC1X	ULDF1	35.99	178 50	154 61	22 89	15.74	ļ	15 75				<u> </u>
	<u> </u>	Local Channel - Dedicated - DS1- Per Month Zone 3		3	UNC1X	ULDF1	221.63	178.50	154.61	22.89	15.74		15.75				<u> </u>
<u> </u>	L	Local Channel - Dedicated - DS1- Per Month Zone 4		4	UNC1X	ULDF1	221.63	178.50	154.61	22 89	15.74	ļ <u>.</u>	15 75	<u> </u>			ļ
	ļ	Local Channel - Dedicated - DS3 - Per Mile per month			UNC3X	1L5NC	9 66						1				
		Local Channel - Dedicated - DS3 - Facility Termination			UNC3X	ULDF3	413.87	454.13	265.47	123.23	86.19		15.75				
	├──	Local Channel - Dedicated - STS-1- Per Mile per month		₩	UNCSX	1L5NC	9.66	454.13	006 47	123.23	86.19		15.75	 	 		
— —	0="	Local Channel - Dedicated - STS-1 - Facility Termination		├	UNCSX	ULDFS	408 02	454.13	- 265.47	123.23	80.19	 	10.75	-	 	 	$\overline{}$
—		al Features & Functions: PLEXERS		\vdash	<u> </u>	+	ļ					 		 		1	
	MULII	Channelization - DS1 to DS0 Channel System		—	UXTD1	MQ1	102.85	91.57	62.94	10.87	10.10	 	15.75	 			
-	-	OCU-DP COCI (data) - DS1 to DS0 Channel System - per		 	ועוגעון	14/1/1	102.85	91.57	02.94	10.87	10.10	 	13.73	 		 	
		month (2.4-64kbs)			UDL	1D1DD	1.22	6.62	4.74				15.75	I		1	1
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per		 	ODL	1.0100	1.22	0.02	7.74				10.75	l		 	
	l	Imonth			UDN	UC1CA	2.62	6.62	4.74]			15.75	!	l	1	1
	 	Voice Grade COCI - DS1 to DS0 Channel System - per month		1-	UEA	1D1VG	0.5737	6.62	4.74			<u> </u>	15.75				t

INBUNDL	ED NETWORK ELEMENTS - Mississippi												Attachi	nent: 2	Exhil	bit: 8
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			ſ	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electronic Disc Add
	141131111111111111111111111111111111111				 		Nonrec	urring	Nonrecurring	Disconnect		<u> </u>	oss	Rates(\$)	<u> </u>	
				1		Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	STS1 to DS1 Channel System per month		$\overline{}$	UXTS1	MQ3	170.63	179 17	94.52	34 30	32 82		15.75				
	DS3 Interface Unit (DS1 COCI) used with Loop per month		T	USL	UC1D1	12 96	6.62	4 74			***************************************	15 75				
	DS3 Interface Unit (DS1 COCI) used with Local Channel per															
	month			ULDD1	UC1D1	12 96	6.62	4.74	l			15.75				
	LOCAL EXCHANGE SWITCHING (PORTS)															
	ange Ports					<u> </u>										
	: Although the Port Rate includes all available features in GA,	KY, LA	& TN, t	the desired features	will need to	be ordered usin	g retail USOCs	·								
2-WIF	RE VOICE GRADE LINE PORT RATES (RES)		ļ													
_	Exchange Ports - 2-Wire Analog Line Port- Res.		ļ	UEPSR	UEPAL	1.41	2.39	2.29	1 42	1.33		15.75				
	Evelope Pode OMiles Anales Lies Ded with Colles ID. Dec			UEDOD	LIEBEO	ايبدا			4.00	400		4			ł	İ
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.		 	UEPSR	UEPRC	1.41	2 39	2.29	1 42	1.33	 	15.75			ļ	
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.	l	ł	UEPSR	UEPRO	1.41	2.39	2.29	1,42	1.33	ľ	15 75				1
	Exchange Ports - 2-Wire VG unbundled MS extended local		┼	UEFOR	IDEFAU	1.41	2.39	2.29	1,42	1.55	 	15 /5			 	
	dialing parity Port with Caller ID - Res.		1	UEPSR	UEPAT	1.41	2.39	2.29	1.42	1.33	!	15 75	1			ı
-	Exchange Ports - 2-Wire VG unbundled res, low usage line port		1	I I	TOP! AI	1.71	2.03	2.23	1.72	1.00		1979				
	with Caller ID (LUM)		ļ	UEPSR	UEPAP	1.41	2,39	2 29	1.42	1.33	ľ	15 75	1			
	Subsequent Activity		ł- —	UEPSR	USASC	0.00	0.00	0.00	1.42	1.00	-	15 75				
FEAT	URES		 	02, 0	100/20		0.00	0.00								
	All Available Vertical Features			UEPSR	UEPVF	2.56	0 00	0 00	l			15 75				
2-WIF	RE VOICE GRADE LINE PORT RATES (BUS)	-	 	02.0	1527 17	2.00	- 000									
	Exchange Ports - 2-Wire Analog Line Port without Caller ID -	_	 		+	1										
	Bus		l	UEPSB	UEPBL	1.41	2.39	2.29	1.42	1.33	1	15 75			1	ĺ
	Exchange Ports - 2-Wire VG unbundled Line Port with			102. 42	102:22	 										
	unbundled port with Caller+E484 ID - Bus	İ	l	UEPSB	UEPBC	1.41	2.39	2.29	1 42	1.33		15.75			ĺ	ı
	and and a part with daller 12-10-11 Bud		 	100.00	102: 00	 										
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.		l	UEPSB	UEPBO	1.41	2.39	2 29	1.42	1 33	1	15.75			ļ	ı
	Exchange Ports - 2-Wire VG unbundled MS extended local		-		1			-							· · · · · · · · · · · · · · · · · · ·	
ł	dialing parity Port with Caller ID - Bus.	i	l	UEPSB	UEPAY	1.41	2.39	2.29	1.42	1 33		15.75				ĺ
	Exhange Ports - 2-Wire VG unbundled incoming only port with				1											
ł	Caller ID - Bus		l	UEPSB	UEPB1	1,41	2.39	2 29	1.42	1.33]	15.75			!	Í
	Subsequent Activity			UEPSB	USASC	0.00	0 00	0.00				15.75				
FEAT	URES	T														
	All Available Vertical Features			UEPSB	UEPVF	2.56	0.00	0.00				15 75				
EXCH	IANGE PORT RATES (DID & PBX)															
	2-Wire VG Unbundled 2-Way PBX Trunk - Res		Ī	UEPSE	UEPRD	1.41	31.45	14 93	14.38	0 92		15.75				
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus		T	UEPSP	UEPPC	1.41	31.45	14 93	14.38	0 92		15.75				
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.41	31.45	14 93	14.38	0.92		15.75				L
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus	I	I	UEPSP	UEPP1	1.41	31.45	14 93	14 38	0.92		15 75				
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.41	31 45	14.93	14 38	0.92		15 75				
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.41	31 45	14.93	14 38	0.92		15.75				ļ
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.41	31.45	14.93	14 38	0 92		15 75				ļ
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.41	31.45	14.93	14 38	0.92		15.75	ļ			
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.41	31.45	14.93	14 38	0 92		15.75				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.41	31 45	14.93	14.38	0 92		15.75				<u> </u>
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															i
	Capable Port	l .	Ĺ	UEPSP	UEPXE	1.41	31.45	14.93	14.38	0.92		15.75				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		l						!		1					1
	Administrative Calling Port	<u> </u>	<u> </u>	UEPSP	UEPXL	1.41	31.45	14.93	14.38	0.92		15.75	ļ <u>.</u>			
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy				1											1
	Room Calling Port		L	UEPSP	UEPXM	1 41	31.45	14.93	14.38	0 92	ļ	15 75				↓
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital								1				I		l	1
- 1	Discount Room Calling Port	<u></u>	L	UEPSP	UEPXO	1.41	31.45	14.93	14.38	0.92	ļ	15.75			L	
	2-Wire Voice Unbundled 2-Way PBX Mississippi Local Economy												I		l	1
	Calling Port	L	<u></u>	UEPSP	UEPXQ	1,41	31 45	14.93	14.38	0.92	L	15.75			ļ	
	2-Wire Voice Unbundled 2-Way PBX Mississippi Local Optional											1			l	1
	Calling Port	<u> </u>		UEPSP	UEPXR .	1.41	31.45	14.93	14.38	0.92	L	15 75			<u> </u>	↓
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1 41	31.45	14 93	14.38	0.92		15.75				L
_	Subsequent Activity	1		UEPSP	USASC	0.00	0.00	0.00				15 75	L		L	

BUNDLE	NETWORK ELEMENTS - Mississippi												Attachi	ment: 2	Exhi	bit: B
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs, Electronic- Disc 1st	Incremen Charge Manual S Order vs Electroni Disc Add
			<u> </u>			Rec	Nonrec			Disconnect				Rates(\$)		
			<u> </u>			1100	First	Add'l	First	Addʻl	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
FEATU	All Available Vertical Features			115005115505												
	NGE PORT RATES (COIN)	_		UEPSP UEPSE	UEPVF	2.56	0.00	0.00				15.75				
	Exchange Ports - Coin Port	 -	 -		ļ	1,41			1.40		ļ					
NOTE:	Transmission/usage charges associated with POTS circuit sv	vitched	LISAGO	will also apply to c	ircuit ewitch	vi voice and/or	2.39	2.29	1 42	1.33	late of suith O	15 75			ļ	
NOTE;	Access to B Channel or D Channel Packet capabilities will be	availal	ble onl	v through BFR/New	Business Re	quest Process.	Rates for the	nacket canahi	lities will be d	etermined vie t	he Rone Fir	te Bernett	New Busines	Boarroot Dec	10000	
DOMULED L	OCAL EXCHANGE SWITCHING(POHTS)		T		1	1	TILLIOU TOT LITO	packet capabi	l	I I I I I I I I I I I I I I I I I I I	THE BOILE FIL	nequesu	INUM DUSINGS	s nequest Fit	Cess.	
EXCHA	NGE PORT RATES										i					
	Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	8.25	120.00	18 85	61.77	3 88		15.75			1.97	
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID					[1							
	capability		—	UEPDD	UEPDD	58 41	203 19	96.25	74 86	2.54	L	15 75		L	1 97	
	Exchange Ports - 2-Wire ISDN Port (See Notes below.)		┞	UEPTX UEPSX	U1PMA	13.69	73.19	53 30	47.90	10.76		15 75			1 97	
	All Features Offered	uitak - 1		UEPTX UEPSX	UEPVF	2.56	0 00	0.00	 			15.75			1.97	
NOTE:	Transmission/usage charges associated with POTS circuit so Access to B Channel or D Channel Packet capabilities will be	VITCHED	usage	will also apply to c	Produce B	voice and/or	Circuit switche	ed data transm	ission by B-Cl	nannels associ	ated with 2	wire ISDN p	orts.	<u> </u>	L	
- · · · · ·	Exchange Ports - 2-Wire ISDN Port Channel Profiles	avanai	Pie Otti	UEPTX UEPSX	U1UMA	Quest Process.	0.00	Dacket capabi 0.00	nuus Will De G	stermined viå t	ne Bona Fic	request/l	ARM DRSINGS	s nequest Pro	PC885.	├
	Exchange Ports - 4-Wire ISDN DS1 Port		 	UEPEX	UEPEX	84.63	205.00	102.14	81.65	20.69	 	15.75			1.97	!
UNBUN	DLED PORT with REMOTE CALL FORWARDING CAPABILITY	-			JOCI EX		200.00	102.14	01.00	20.09	 	10.75			1.97	
	DLED REMOTE CALL FORWARDING SERVICE - RESIDENCE		-	·	 				 		 		-	 		
	Unbundled Remote Call Forwarding Service, Area Calling, Res		1	UEPVR	UERAC	1,41	2 39	2.29	1.42	1,33		15.75				
					1							70.70				
	Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1.41	2.39	2.29	1 42	1.33	1	15.75				ŀ
	Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTE	1 41	2 39	2 29	1.42	1.33		15.75				
	Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	1 41	2 39	2.29	1.42	1.33		15.75				
	curring		L												-	
	Unbundled Remote Call Forwarding Service - Conversion -		1	İ	l											
	Switch-as-is			UEPVR	USAC2		0.0988	0.0988				15.75				
	Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)			UEPVR	USACC		0 0988	0.0000		1				1		
HINDLIN	DLED REMOTE CALL FORWARDING - Bus			UEPVH	USACC		0.0988	0.0988	ļ		!	-		ļ	-	
UNBON	DEED REMOTE CALL FORTFARDING - BES		_		 										-	
	Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	1.41	2.39	2 29	1.42	1 33		15.75				Ì
	oriestrates ricinote can't oriestrating corrido, raca caning bas			02.75	021110	1.41	2.00		1	1,50		70.10				
1 1	Unbundled Remote Call Forwarding Service, Local Calling - Bus		1	UEPVB	UERLC	1 41	2.39	2 29	1.42	1 33	1	15.75		1		1
	Unbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVB	UERTE	1 41	2 39	2 29	1 42	1.33		15.75				
	Unbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UERTR	1 41	2.39	2 29	1.42	1 33		15.75				
	Unbundled Remote Call Forwarding Service Expanded and															1
	Exception Local Calling		1	UEPVB	UERVJ	1.41	2.39	2.29	1.42	1.33		15 75				
	curring				ļ											
	Unbundled Remote Call Forwarding Service - Conversion -	ļ		HEDVO	USAC2		0.0988	0.0000	l			15.75		ł	1	1
	Switch-as-is			UEPVB	USAC2		0.0988	0.0988				10./5			 	
	Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)		1	UEPVB	USACC		0.0988	0.0988	1					1	1	l
	OCAL SWITCHING, PORT USAGE			OLFVD	JUSAUU		0.0908	0.0988		l — —	 			 		
	ice Switching (Port Usage)	_	 		 											
	End Office Switching Function, Per MOU				1	0 0010269		····					-			<u> </u>
	End Office Trunk Port - Shared, Per MOU		_		 	0.000161							_	i		
	Switching (Port Usage) (Local or Access Tandem)				 											
	Tandem Switching Function Per MOU				1	0.0001723			l	l						
	Tandem Trunk Port - Shared, Per MOU					0.0001828		•								
	n Transport				T									ļ		
	Common Transport - Per Mile, Per MOU				1	0.0000026								ļ	<u></u>	<u> </u>
	Common Transport - Facilities Termination Per MOU					0.0004541					<u> </u>			<u> </u>	<u> </u>	
	ORT/LOOP COMBINATIONS - COST BASED RATES	ــــــــــــــــــــــــــــــــــــــ			1	ليبييا				ļ	ļ			<u> </u>	 	<u> </u>
	sed Rates are applied where BellSouth is required by FCC ar									1.7.0.7. = =	1					
Feature	s shall apply to the Unbundled Port/Loop Combination - Cos ice and Tandem Switching Usage and Common Transport Us	t Based	Hate s	ection in the same	manner as th	ey are applied	to the Stand-A	one Unbundie	o Port section	or this Hate E	KNIDIT.	n Dorth co-	Combination	<u> </u>	 	

BUNDLED NETWORK ELEMEN	ITS - Mississippi												Attach	ment: 2	Exhi	bit: B
	TE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual St Order vs. Electronic Disc Add
						Rec	Nonrec			Disconnect				Rates(\$)		
2-WIRE VOICE GRADE LOOP WI	THE WINE LINE BORT (OFFI)						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE Port/Loop Combination Rat			_													
2-Wire VG Loop/Port Com			1		+	12 22			ļ							<u> </u>
2-Wire VG Loop/Port Com	no - Zone 2		2		-	17.13			 						ļ	
2-Wire VG Loop/Port Com			3			26.26					<u> </u>					
2-Wire VG Loop/Port Comi			4			44,91						-				
UNE Loop Rates			i i												-	
2-Wire Voice Grade Loop (1	UEPRX	UEPLX	10.98										┼──
2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	15.91										
2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	25.04										
2-Wire Voice Grade Loop (4	UEPRX	UEPLX	43.68										
2-Wire Voice Grade Line Port Ra			L		1											
2-Wire voice unbundled po			<u> </u>	UEPRX	UEPRL	1.23	40.31	19 84	24 90	6 58		15.75				
2-Wire voice unbundled po			<u> </u>	UEPRX	UEPRC	1.23	40.31	19 84	24.90	6 58		15.75	,			
2-Wire voice unbundled po				UEPRX	UEPRO	1.23	40.31	19.84	24.90	6.58	ļ	15.75				
dialing parity port with Call	dled Mississippi extended local			LIEDOV	LIEDAT						1					j
	er ID - res s, low usage line port with Caller ID			UEPRX	UEPAT	1 23	40.31	19 84	24 90	6 58		15.75				<u> </u>
(LUM)	s, low usage line port with Caller ID			UEPRX	UEPAP	1 23	40.31	40.04	24.90	6 58		45.75		1		
FEATURES			\vdash	UEFRA	UEPAP	123	40.31	19.84	24.90	0.08	ļ	15.75				<u> </u>
All Features Offered				UEPRX	UEPVF	2.56	0.00	0.00				15 75				
LOCAL NUMBER PORTABILITY				OL7 TIX	OL: VI	2.50		0.00			 	13.73				
Local Number Portability (per port)		_	UEPRX	LNPCX	0.35						 				
NONRECURRING CHARGES (NR			-		12.11.07.1											
	Line Port Combination - Conversion -										l					
Switch-as-is				UEPRX	USAC2		0.0988	0 0988]	j	l	15 75		ł	i	
2-Wire Voice Grade Loop /	Line Port Combination - Conversion -															
Switch with change				UEPRX	USACC		0.0988	0.0988		l	l	15.75		l		
	Line Port Combination - Conversion -															
Subsequent Database Upo	date						0.00	0.00			L.———	15.75				ļ.,
ADDITIONAL NRCs											<u> </u>					<u> </u>
	une Port Combination - Subsequent		İ		1				1		1					
Activity				UEPRX	USAS2	0.00	0.00	0.00			ļ	15.75				
2-WIRE VOICE GRADE LOOP WI														 		
UNE Port/Loop Combination Rat			1		 	12 22								 		
2-Wire VG Loop/Port Comi 2-Wire VG Loop/Port Comi			2			17 13									-	
2-Wire VG Loop/Port Comi			3			26.26								l		
UNE Loop Rates	50 - Zone 3	_	<u> </u>			20.20		·····			-				-	
2-Wire Voice Grade Loop (SI 1) - Zone 1		1	UEPBX	UEPLX	10.98			 							<u> </u>
2-Wire Voice Grade Loop (UEPBX	UEPLX	15 91	***		 					-		
2-Wire Voice Grade Loop (3	UEPBX	UEPLX	25.04			 							
2-Wire Voice Grade Loop (UEPBX	UEPLX	43.68					l			l	T	
2-Wire Voice Grade Line Port (Br			-								l			1	<u> </u>	
2-Wire voice unbundled po			<u> </u>	UEPBX	UEPBL	1.23	40.31	19 84	24.90	6.58		15.75			I	
	ort with Caller + E484 ID - bus			UEPBX	UEPBC	1.23	40.31	19 84	24.90	6.58		15.75				
2-Wire voice unbundled po			$\overline{}$	UEPBX	UEPBO	1.23	40.31	19 84	24.90	6.58		15.75				
	dled Mississippi extended local														l	
dialing parity port with Call	er ID - bus		L	UEPBX	UEPAY	1.23	40.31	19.84	24.90	6.58		15.75			<u></u>	1
2-Wire voice unbundled in	coming only port with Caller ID - Bus			UEPBX	UPEB1	1.23	40.31	19.84	24.90	6.58		15.75			ļ	
LOCAL NUMBER PORTABILITY											<u> </u>			ļ. ———	ļ	——
Local Number Portability (1 per port)			UEPBX	LNPCX	0.35			ļ		<u> </u>		L	ļ	 	
FEATURES					1					ļ	<u> </u>	<u> </u>		ļ	ļ	
All Features Offered				UEPBX	UEPVF	2.56	0.00	0.00			ļ	15.75		ļ	 	
NONRECURRING CHARGES (NR			<u> </u>							ļ	ļ				 	
Switch-as-is	Line Port Combination - Conversion -			UEPBX	USAC2		0 0988	0.0988				15 75				
2-Wire Voice Grade Loop / Switch with change	Line Port Combination - Conversion -			UEPBX	USACC		0.0988	0.0988				15.75		i		

ONRONDLED MET	WORK ELEMENTS - Mississippi													ment: 2		bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Charge -	Charge -
						Rec		urring	Nonrecurring					Rates(\$)		
0.18/	Malan Conda Lang (Ulan Bart Conda)						First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Voice Grade Loop / Line Port Combination - Conversion - quent Database Update	ļ	i '	l	1						1		İ	1		j
ADDITIONAL I					1		0.00	0.00			<u> </u>	15.75				1
	Voice Grade Loop/Line Port Combination - Subsequent	_	-	·	+											ļ
Activity	Toda diada coopicana i on combination - Sabsequent	l	l	UEPBX	USAS2		0 00	0.00			1	45.75				
	GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)	_	 	OLF DX	03/02		0.00	0.00	ļ. 		<u> </u>	15.75		ļ		
	p Combination Rates		 									-				
	VG Loop/Port Combo - Zone 1		1		+	12.22					 	-				
	VG Loop/Port Combo - Zone 2		2		 	17.13					-					
	VG Loop/Port Combo - Zone 3		3		†	26.26					 			 		
	VG Loop/Port Combo - Zone 4		4		+	44.91					 	-		 	-	
UNE Loop Rat			Ť		+	77.31				·	 	 	 	 	 	
	Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	10.98					 					
	Voice Grade Loop (SL 1) - Zone 2	_		UEPRG	UEPLX	15.91					 	 	 	ļ	 	
2-Wire	Voice Grade Loop (SL 1) - Zone 3			UEPRG	UEPLX	25.04					 	 		<u> </u>		
2-Wire	Voice Grade Loop (SL 1) - Zone 4			UEPRG	UEPLX	43.68					 					-
	Grade Line Port Rates (RES - PBX)	 		OL7 NG	DEFEA	43.00					 					
	VG Unbundled Combination 2-Way PBX Trunk Port -			<u> </u>	+											
Res	TO CHOUNGED COMBINATION 2-14ay F DX TIGHK FOIL			UEPRG	UEPRD	1.23	69 37	32.48	37.86	6.17	1	15.75	ŀ			l
	ER PORTABILITY			DEFING	DEFRU	1.20	09 37	32,46	37.00	0.17	 	15.75				——
	lumber Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00			 	15.75				
FEATURES	terriber i ortability (i per port)	 		OLFNG	LIVEOF	3.15	0.00	0.00			 	15.75			 	
	tures Offered			UEPRG	UEPVF	2 56	0 00	0.00			 	15.75				
	NG CHARGES (NRCs) - CURRENTLY COMBINED	├──		UEFRO	UEPVP	2 30	000	0.00			 	15.75				
	Voice Grade Loop/ Line Port Combination (PBX) -									ļ	 					
	rsion - Switch-As-Is	l	l	UEPRG	USAC2		7.96	1.91				15.75	i .	1		ł
	Voice Grade Loop/ Line Port Combination (PBX) -	<u> </u>	-	OEF NO	USACE		7.50	1.91			 	13.73	-			
	rsion - Switch with Change	i		UEPRG	USACC		7.96	1.91				15.75	ļ			
	Voice Grade Loop / Line Port Combination - Conversion -			OEF NG	03/00		7.50	1.51		····	 	13.75	-			
	quent Database Update						0.00	0.00				15.75	1			1
ADDITIONAL P		-			-		0.00	0.00			†	13.73				
	Voice Grade Loop/ Line Port Combination (PBX) -				+						 					
	quent Activity			UEPRG	USAS2	0 00	0 00	0.00			1	15.75		ł	i	
DDV S	ubsequent Activity - Change/Rearrange Multiline Hunt			OLFNG	03,52	0.00	- 000	0.00			 	13.75				
Group	ubsequent Activity - Change/Heartailge Multiline Hunt	1		ŀ			7 36	7 36				15.75		ļ	1	
	GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)		-				7 30	, 30	<u> </u>		 	10.70				
	p Combination Rates		_		-						 	-				┼──
	VG Loop/Port Combo - Zone 1		1			12.22					-					
	VG Loop/Port Combo - Zone 1		2			17,13					 				·	
	VG Loop/Port Combo - Zone 3	 	3		+	26.26					 				-	
		-	4		+	44.91					 					-
	VG Loop/Port Combo - Zone 4	<u> </u>		· · · · · · · · · · · · · · · · · · ·		44.51					 					+
UNE Loop Rat				HEDDY	LIEDLY	10.00				-	 		 			+
	Voice Grade Loop (SL 1) - Zone 1			UEPPX	UEPLX	10.98				<u> </u>	-		 			+
	Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	15.91									-	
	Voice Grade Loop (SL 1) - Zone 3	L		UEPPX	UEPLX	25.04 43.68					 					
	Voice Grade Loop (SL 1) - Zone 4		4	UEPPX	UEPLX	43 68			<u> </u>		 					+
2-Wire Voice C	Grade Line Port Rates (BUS - PBX)		L								 					+
l l				LIEBBY	LIEBBO	400	00.07	32.48	37.86	6.17		15.75				
	de Unbundled Combination 2-Way PBX Trunk Port - Bus	-	ļ	UEPPX	UEPPC	1.23	69.37		37.86	6.17		15.75			 	
	de Unbundled Outward PBX Trunk Port - Bus	l		UEPPX	UEPPO	1.23	69.37	- 32.48 32.48	37.86	6.17		15.75	 	 		+
	de Unbundled Incoming PBX Trunk Port - Bus	 		UEPPX	UEPP1	1.23	69 37		37.86	6.17		15.75				+
	Voice Unbundled PBX LD Terminal Ports	ļ	! —	UEPPX	UEPLD	1.23	69.37	32.48				15.75	 		 	
	Voice Unbundled 2-Way Combination PBX Usage Port		Ь_	UEPPX	UEPXA	1.23	69.37	32.48	37.86	6.17				ļ		+
	Voice Unbundled PBX Toll Terminal Hotel Ports	 		UEPPX	UEPXB	1.23	69.37	32.48	37 86	6.17		15.75				
	Voice Unbundled PBX LD DDD Terminals Port	L	L	UEPPX	UEPXC	1.23	69.37	32.48	37.86	6.17		15.75				+
	Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.23	69.37	32.48	37.86	6.17	ļ	15.75				
2-Wire	Voice Unbundled PBX LD Terminal Switchboard IDD		I	l			_			l	1	i .		1	1	1
1 10	le Port	ĺ	I	UEPPX	UEPXE	1,23	69.37	32.48	37.86	6.17	1	15.75	I	1	l	1

JNBUND	LEC	NETWORK ELEMENTS - Mississippi							-					Attachi	ment: 2	Exhi	bit: B
CATEGORY		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	Increment Charge -
				<u> </u>		ļ	Rec	Nonrec		Nonrecurring					Rates(\$)		
	-	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		├ ──				First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	i	Administrative Calling Port			UEPPX	UEPXL	1,23	69.37	32.48	37.86	6.17		15.75				
_		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	1 23	69.37	32.48	37 86	6 17		15.75				
	I	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	1.23	69.37	32.48	37 86	6.17		15 75				
	I	2-Wire Voice Unbundled 2-Way PBX Mississippi Local Economy Calling Port			UEPPX	UEPXQ	1.23	69.37	32.48	37.86	6 17		15 75				
		2-Wire Voice Unbundled 2-Way PBX Mississippi Local Optional Calling Port			UEPPX	UEPXR	1.23	69.37	32.48	37.86	6.17						
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.23	69.37	32.48	37.86			15.75				
LOC	CAL	NUMBER PORTABILITY								37.06	6.17		15.75				
		Local Number Portability (1 per port)		ļ	UEPPX	LNPCP	3 15	0.00	0.00				15.75				
FEA	TUT	RES All Features Offered			LIEDDA	LIFE DATE		<u> </u>					7.2			L	
NO		CURRING CHARGES (NRCs) - CURRENTLY COMBINED		ļ	UEPPX	UEPVF	2.56	0 00	0.00	ļ			15.75		<u> </u>	<u> </u>	
NO		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -				 											
		Conversion - Switch-As-Is 2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		<u> </u>	UEPPX	USAC2		7.96	1 91				15 75				
		Conversion - Switch with Change			UEPPX	USACC		7.96	1.91				15.75				
		2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update		l		.]		0.00	0.00				15.75				
ADD		DNAL NRCs															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00				15 75				
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						7.36	7.36				15 75				
2-W	IRE	VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	T						-								
UNE		rt/Loop Combination Rates															
		2-Wire VG Coin Port/Loop Combo – Zone 1		1	•		12,22										
		2-Wire VG Coin Port/Loop Combo – Zone 2		2			17.13							-			
		2-Wire VG Coin Port/Loop Combo - Zone 3		3			26.26										
		2-Wire VG Coin Port/Loop Combo Zone 4		4			44.91					ļ ļ					
UNE		op Rates			urnoo							ļ					ļ
_	-1	2-Wire Voice Grade Loop (SL1) - Zone 1			UEPCO UEPCO	UEPLX	10.98					ļ					
		2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3			UEPCO	UEPLX	15.91 25.04							-	ļ		
		2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 4			UEPCO	UEPLX	43.68					[- 			 		
2.W		/oice Grade Line Ports (COIN)		"	DEPCO	UEPLA	43.00		-								
		2-Wire Coin 2-Way without Operator Screening and without Blocking (AL, KY, LA, MS)			UEPCO	UEPRF	1,23	40.31	19.84	24.90	6.58		15.75				
		2-Wire Coin 2-Way without Operator Screening and without															
		Blocking; with Dialing Parity (Note 3) (MS) 2-Wire Coin 2-Way with Operator Screening and Blocking: 011,		-	UEPCO	UEPMC	1.23	40.31	19.84	24.90	6.58		15.75				
	7	900/976, 1+DDD (AL, KY, LA, MS) 2-Wire Coin 2-W with Operator Screening and Blocking: 011,		\vdash	UEPCO	UEPRA	1,23	40.31	19.84	24.90	6.58	-	15.75				
		900/976, 1+DDD; with Dialing Parity (MS) 2-Wire Coin 2-Way with Operator Screening and 011 Blocking			UEPCO	UEPMA	1 23	40.31	19.84	24.90	6 58		15.75				
		(AL, LA, MS) 2-Wire Coin 2-Way with Operator Screening and 011 Blocking;			UEPCO	UEPRB	1.23	40.31	19.84	24.90	6.58		15.75				
\perp	i	with Dialing Parity (MS)			UEPÇO	UEPMB	1.23	40 31	19.84	24.90	6.58		15.75				
	!	2-Wire Coin 2-Way with Operator Screening & Blocking. 900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	1 23	40 31	19.84	24.90	6.58		15.75				
	ŀ	2-Wire Coin 2-W Operator Screening: 900 Block: 900/976, 1+DDD, 011+, Local; with Dialing Parity (MS)			UEPCO	UEPCJ	1 23	40 31	19.84	24.90	6.58		15.75				
		2-Wire Coin Outward without Blocking and without Operator Screening (KY, LA, MS)			UEPCO	UEPRN	1.23	40.31	19.84	24.90	6.58		15.75				
	7	2-Wire Coin Outward without Blocking and without Operator Screening, With Dailing Parity (MS)			UEPCO	UEPME	1.23	40 31	19.84	24 90	6.58		15.75				

MEGNATED M	ETWORK ELEMENTS - Mississippi												Attachi	ment: 2	Exhi	bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l		Increment Charge - Manual Sy Order vs. Electronic Disc Add
		 				Rec	Nonrec			Disconnect	001150	0014141		Rates(\$)		
3_\A	Vire Coin Outward with Operator Screening and 011 Blocking				 		First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	A. KY. MS)		1	UEPCO	UEPRJ	1.23	40.31	19.84	24.90	6.58		45.75			į	1
	Vire Coin Outward with Operator Screening and 011		 	00	OLFNS	1,20	40.31	19.04	24.90	0.30		15.75				
Bloc	cking; with Dialing Parity (MS)	İ	1	UEPCO	UEPMD	1.23	40.31	19.84	24 90	6.58		15.75				
2-W	Vire Coin Outward with Operator Screening and Blocking:		 	33.33	UZ. IIIZ	1.20		13.04	2430	0.30		13.73				
	, 900/976, 1+DDD (AL, KY, LA, MS)		l	UEPCO	UEPRH	1.23	40 31	19.84	24 90	6.58		15.75				l
	Vire Coin Outward Operator Screening & Blocking 900/976,															
	DDD, 011+, and Local (AL, KY, LA, MS)			UEPCO	UEPCN	1.23	40 31	19.84	24 90	6.58		15.75				
	Vire Coin Out Operator Screen & Block: 900/976, 1+DDD,		1													
	+, and Local; with Dialing Parity (MS)		—	UEPCO	UEPCS	1.23	40.31	19.84	24 90	6.58		15.75				
2-W	Vire 2-Way Smartline with 900/976 (all states except LA) Vire Coin Outward Smartline with 900/976 (all states except	<u> </u>	 	UEPCO	UEPCK	1.23	40.31	19.84	24.90	6 58		15.75				ļ
1A)	The Sont Sutward Smartline with 900/976 (all states except	ł	1	UEPCO	UEPCR	1.23	40 31	19 84	24.90	6.58		15 70			l	!
	AL UNE COIN PORT/LOOP (RC)		 	02,00	Juanun	1.23	40 31	19 84	24.90	6.58		15.75				
	E Coin Port/Loop Combo Usage (Flat Rate)	l	\vdash	UEPCO	URECU	4.62	0 00	0.00	 							
	MBER PORTABILITY			52.00	0.1200		0 00	0.00								
	al Number Portability (1 per port)		 -	UEPCO	LNPCX	0.35										
	RRING CHARGES - CURRENTLY COMBINED				1								*			
	Vire Voice Grade Loop / Line Port Combination - Conversion -			-												
	tch-as-is		ŀ	UEPCO	USAC2		0 0988	0.0988				15.75				Ì
	Vire Voice Grade Loop / Line Port Combination - Conversion -	_	1													
	tch with change		ļ	UEPCO	USACC		0.0988	0 0988				15.75				
ADDITIONA			ļ													
	/ire Voice Grade Loop/Line Port Combination - Subsequent		l .		l				1					ł		
Acti	T/LOOP COMBINATIONS - COST BASED RATES		_	UEPCO	USAS2		0.00	0.00				15 75				
	ICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	DODT	1		ļ											
	oop Combination Rates	PURI			1									-		
	Vire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1	 	1			21 32				-						
	/ire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			26.16										
	/ire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			34.98										
	/ire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 4		4			53.15										
UNE Loop				•												
	/ire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	13.89										
	/ire Analog Voice Grade Loop - (SL2) - UNE Zone 2			UEPPX	UECD1	18.75										
	Vire Analog Voice Grade Loop - (SL2) - UNE Zone 3	L		UEPPX	UECD1	27.55										
	Vire Analog Voice Grade Loop - (SL2) - UNE Zone 4		4	UEPPX	UECD1	45.72										
UNE Port R	change Ports - 2-Wire DID Port			UEPPX	UEPD1	7,43	225.96	87.13	114 59	14.25		15.75			1 97	
	RRING CHARGES - CURRENTLY COMBINED			OEFFX.	DEFDI	-1.50	223.00	67.13	11435	14.20		13.70				
	Vire Voice Grade Loop / 2-Wire DID Trunk Port Combination -		 													
	tch-as-is			UEPPX	USAC1		7 35	1.88	l I			15.75		_	1.97	
2-W	Vire Voice Grade Loop / 2-Wire DID Trunk Port Conversion		†													
with	BellSouth Allowable Changes			UEPPX	USA1C		7.35	1.88				15.75		L	1.97	
ADDITIONA																
	/ire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX	USAS1		26.94	26.94				15.75			1,97	
	Number/Trunk Group Establisment Charges	ļ	<u> </u>												4.07	-
	Trunk Termination (One Per Port)	ļ		UEPPX	NDT	0 00	0.00	0.00	ļ			15.75			1 97 1.97	
	ditional DID Numbers for each Group of 20 DID Numbers	<u> </u>	L	UEPPX	ND4	0.00	0 00	0.00				15.75 15.75			1.97	
	Numbers, Non- consecutive DID Numbers , Per Number	ļ	├	UEPPX	ND5 ND6	0.00	0.00	0.00				15.75			1.97	
	serve Non-Consecutive DID numbers	 -	\vdash	UEPPX UEPPX	NDV NDV	0.00	0.00	0.00				15.75		 	1.97	····
	serve DID Numbers MBER PORTABILITY	\vdash	├ ┈	OLFFX	INDA	0.00	0.00	0.00	 			,0.70				— —
	al Number Portability (1 per port)	 	 	UEPPX	LNPCP	3.15	0.00	0.00						·		
2.WIRE ICO	ON DIGITAL GRADE LOOP WITH 2-WIRE ISON DIGITAL LI	NE SIDE			2.11 01	0.10	0.50	0.50		,						
	oop Combination Rates				h											
	ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		†				-		· ·	-						
	E Zone 1	l	1	UEPPB UEPPR	1 1	28.59	-		l '		l		l	I	Ī	l

INBUNDLE	D NETWORK ELEMENTS - Mississippi													Attachi	nent: 2	Exhit	bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	B	Ĉ.	usoc			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sy Order vs. Electronic Disc Add
							Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates(\$)		
							nec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2		2	UEPPB	UEPPR		35.00						İ				
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3		3	UEPPB	UEPPR		45 18										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 4		4				67.61										
UNE L	oop Rates	_	Ť			 	07.01					 					
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	18.26					i	15.75		· · · · · · · · · · · · · · · · · · ·	1 97	·
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	24.67						15.75			1.97	
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	34.85					1	15.75	-		1.97	
	2-Wire ISDN Digital Grade Loop - UNE Zone 4	 		UEPPB	UEPPR		57.28					· · · · · ·	15.75	- 		1.97	
UNE F	Port Rate	<u> </u>	T -			1	J			i		†	1	l	l	1	1
	Exchange Port - 2-Wire ISDN Line Side Port ECURRING CHARGES - CURRENTLY COMBINED			UEPPB	UEPPR	UEPPB	10.33	190.80	133.22	100.72	21.13		15.75			1,97	
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion			HEPPR	UEPPR	USACB	0.00	38.73	27.17				15.75			1,97	
ADDI	FIONAL NRCs		 	02.10	OLITI	JOSHOO	0.00	00.70				 	10.70				
	L NUMBER PORTABILITY	l	t		-							†					
1-55.	Local Number Portability (1 per port)		\vdash	UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
B-CH/	ANNEL USER PROFILE ACCESS:																
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00					L			
	CVS (EWSD)		Ĺ	UEPPB	UEPPR	U1UCB	0.00	0.00	0.00			L					<u> </u>
	CSD		l	UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
B-CH/	ANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C,MS, 8	(TN)				L	2.02						<u> </u>		 	
	CVS/CSD (DMS/5ESS)		├	UEPPB	UEPPR	U1UCD	0 00	0.00	0.00					-		-	
	CVS (EWSD)		├	UEPPB_ UEPPB	UEPPR UEPPR	U1UCE U1UCF	0.00	. 0.00	- 0.00	-							
LICED	CSD TERMINAL PROFILE		 	UEFFB	UEFFR	UTOCF	0.00	0.00	0.00								
USER	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								1
VERT	ICAL FEATURES		 	OL. I	0127777	0.00								-			
	All Vertical Features - One per Channel B User Profile		 	UEPPB	UEPPR	UEPVF	2.56	0.00	0.00				15.75			1 97	
INTER	Interoffice Channel mileage each, including first mile and			UEDDD	UEPPR	M1GNC	22.5298	40.77	27 57	17.26	7.11		15.75			1.97	
	facilities termination Interoffice Channel mileage each, additional mile	├──			UEPPR	MIGNM	0.0098	0.00	0.00	17.20			100,00				
- 4 300	RE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	PORT	+	OLI I D	OLITT	INTO THE	0.0000	5.55				†					
	Port/Loop Combination Rates	I	-	 		-											
10.1.2	J4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	Zone 1		1	UEPPP		<u> </u>	155.43					 					 -
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2		2	UEPPP			205.74										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3		3	UEPPP			283.10					<u> </u>					
-+	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		4				534 81										
TIME	Zone 4	 	+ 4-	UEPPP		+	33481										
	4-Wire DS1 Digital Loop - UNE Zone 1	i i	1	UEPPP		USL4P	79 08						15.75			1.97	
-	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	129.38						15 75	L	ļ	1.97	
-	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	206.74			L	ļ	 	15.75	<u> </u>		1 97 1.97	
	4-Wire DS1 Digital Loop - UNE Zone 4		4	UEPPP		USL4P	458.46					 	15.75	 	 	1.97	
UNE	Port Rate		\perp				ļ		404.55	10775	32.76	 	15.75	 	 	1.97	
	Exchange Ports - 4-Wire ISDN DS1 Port	L	<u> </u>	ÜEPPP		UEPPP	76 35	458.93	260.59	127.75	32.70	+	15.75	 	 	 	
NONE	RECURRING CHARGES - CURRENTLY COMBINED	—	↓_	<u> </u>		_	ļ		 			+	 	├ ┈──	 	<u> </u>	
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion -Switch-as-is			UEPPP		USACP	0 00	119.76	79.01	ļ		ļ	15,75		<u> </u>	1.97	ļ
ADDI	TIONAL NRCs	ļ	<u> </u>	ļ		_	ļ	L	ļ	 	 	+	 	 	 	 	†
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-															1.97	1

JNBUNDLED NETWORK ELEMENTS - Mississippi												Attachi	ment: 2	Exhil	bit: B
ATEGORY RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge -	
	<u> </u>	-			Rec	Nonrec			Disconnect				Rates(\$)		
4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -		 				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Outward Tel Numbers (All States except NC)		1	UEPPP	PR7TO		11.58	11.58	!		l.	15.75			1	
4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -	 	1	02/11	111710		11.56	11.50			 	15.75			1.97	
Subsequent Inward Tel Nos Above Std Allowance	i		UEPPP	PR7ZT	1	23.15	23.15		ĺ	1	15.75		1	1,97	
LOCAL NUMBER PORTABILITY	L									 	19.79			1.57	
Local Number Portability (1 per port)			UEPPP	LNPCN	1.75					1			·		
INTERFACE (Provisioning Only)										1		-			
Voice/Data	ļ	 	UEPPP	PR71V	0 00	0.00	0 00								
Digital Data Inward Data		_	UEPPP	PR71D	0 00	0.00	0.00			<u> </u>					
New or Additional "B" Channel	ऻ—	ļ	UEPPP	PR71E	0.00	0.00	0.00								
New or Additional - Voice/Data B Channel	ļ	 	UESDA .							<u> </u>					
New or Additional - Digital Data 8 Channel	 	├─	UEPPP UEPPP	PR78V PR78F	0.00	14.61		ļ	 _	ļ	15 75			1.97	ļ
New or Additional Inward Data 8 Channel	 		UEPPP	PR78F PR78D	0.00	14.61 14.61			ļ	ļ	15 75			1.97	ļ
CALL TYPES	 	 	OLFFF	PR/80	0 00	14 61			ļ	 	15.75	ļ		1.97	
Inward	 	 	UEPPP	PR7C1	0.00	0.00	0.00	1		 	 			ļ	-
Outward	 		UEPPP	PR7C0	0.00	0.00	0.00			 					
Two-way	 	 	UEPPP	PR7CC	0.00	0.00	0.00			 					· · · · · · · · · · · · · · · · · · ·
Interoffice Channel Mileage	†	†		1		0.00	0.00								
Fixed Each Including First Mile	-	1	UEPPP	1LN1A	57.53	89.79	82.28	16.66	14.90	 	15.75			1.97	—
Each Airline-Fractional Additional Mile		1	UEPPP	1LN18	0.20					 	19179			1.57	
4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT		1								 				· · · · · · · · · · · · · · · · · · ·	
UNE Port/Loop Combination Rates									· · · · · · · · · · · · · · · · · · ·	1					
4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1			UEPDC		131.78						15 75			1.97	
4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2	<u> </u>	2	UEPDC		182 07						15.75			1.97	
4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		259.44						15.75			1.97	
4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 4	ļ	4	UEPDC		511.15						15 75			1.97	
UNE Loop Rates	-			-							10.00				
4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2			UEPDC	USLDC	79.08					ļ	15.75			1 97	
4-Wire DS1 Digital Loop - UNE Zone 2	 -		UEPDC UEPDC	USLDC	129.38 206 74						15.75 15.75			1.97 1.97	
4-Wire DS1 Digital Loop - UNE Zone 4	 		UEPDC	USLDC	458.46	···				1	15.75			1.97	_
UNE Port Rate	 	1 7	OLI DO	103100	430.40						13.73			1.51	
4-Wire DDITS Digital Trunk Port	 	1	UEPDC	UDD1T	52.70	457.12	254,70	120.96	14 61	 	15.75			1,97	
NONRECURRING CHARGES - CURRENTLY COMBINED	 		0.0.00	100071	0	107.72	201110	120.00		 	19.75				
4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	 	+								Ì					
- Switch-as-is			UEPDC	lusac4		130.24	67,41			ļ	15.75	-	i :	1.97	ļ
4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination								·							
- Conversion with DS1 Changes	I	l_	UEPDC	USAWA		130.24	67.41		L		15 75		<u> </u>	1.97	
4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	1														
- Conversion with Change - Trunk		L	UEPDC	USAWB		130.24	67.41			<u> </u>	15.75			1.97	
ADDITIONAL NRCs															ļ
4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -				[1					1
Subsequent Channel Activation/Chan - 2-Way Trunk	<u> </u>	Ļ	UEPDC	UDTTA		14,56	14.56		ļ. —	<u> </u>	15.75			1.97	
4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent	1	1		l				1	1	1	l "	_			1
Channel Activation/Chan - 1-Way Outward Trunk	<u> </u>		UEPDÇ	UDTTB		14.56	14.56			ļ	15.75			1.97	
4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel	ŀ			l					•			-		1.97	1
Activation/Chan Inward Trunk w/out DID	ļ		UEPDC	UDTTC		14.56	14.56			 	15.75			1.97	-
4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID	1	1	UEPDC	υρττο		14.56	- 14,56			1	15.75			1.97	1
4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan	 	-	UEFDO	100110		14.00	- 14,36			 	10.75			1.97	
Activation / Chan - 2-Way DID w User Trans	I	1	UEPDC	JUDTTE		14.56	14.56]	1	15 75			1 97	1
BIPOLAR 8 ZERO SUBSTITUTION	 	1	OLFDO	100115		14.30	14.30			l	·····			l	
B8ZS -Superframe Format	+		UEPDC	CCOSF		0.00	600.00	 	-		15.75			1.97	
B8ZS - Extended Superframe Format	 		UEPDC	CCOEF		0.00	600.00			· · · · · · · · · · · · · · · · · · ·	15.75			1.97	
Alternate Mark Inversion	-	-		- COULT		5.50	200.50			t —			i	T	1
AMI -Superframe Format	1		UEPDC	MCOSF		0.00	0.00				i			l	
AMI - Extended SuperFrame Format	1	1	UEPDC	MCOPO		0.00	0 00	· · · · · · · · · · · · · · · · · · ·		T	1			l	
Telephone Number/Trunk Group Establisment Charges	1			 						1					

UNBUNDL	ED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhil	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge -	Increments Charge - Manual Sv Order vs. Electronic Disc Add
			<u> </u>			Rec	Nonrec			Disconnect				Rates(\$)		
	Telephone Number (- 0 W - Telephone)	<u> </u>	↓		ļ		First	Add'l	First	Addʻl	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
	Telephone Number for 2-Way Trunk Group		<u> </u>	UEPDC	UDTGX	0 00						15 75			1.97	
	Telephone Number for 1-Way Outward Trunk Group Telephone Number for 1-Way Inward Trunk Group Without DID		<u> </u>	UEPDC	UDTGY	0.00						15 75			1.97	
	DID Numbers for each Group of 20 DID Numbers		-	UEPDC UEPDC	UDTGZ ND4	0.00						15.75			1.97	
_	DID Numbers, Non- consecutive DID Numbers . Per Number		 	UEPDC	ND5	0.00						15.75		ļ	1.97	
	Reserve Non-Consecutive DID Nos	-	1	UEPDC	ND6	0.00	0.00	0 00				15 75 15 75			1.97	ļ
	Reserve DID Numbers	 -	 	UEPDC	NDV	0.00	0.00	0.00		ļ		15.75			1.97	
Dedic	cated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	Digita	Loop	with 4-Wire DDITS	runk Port	0.00	0.00	0.00				15.75			197	
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination)			UEPDC	1LNO1	57.33	89 79	82.28	16.86	14.90		15.75			1.97	
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.20	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)			UEPDC	1LNO2	0.00	0.00	0 00	<u></u> .							
	Interoffice Channel Mileage - Additional rate per mile - 9-25 miles Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities		ļ	UEPDC	1LNOB	0 20	0.00	0 00								
	Termination)			UEPDC	1LNO3	0.00	0 00	0.00	0.00							
]	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.20	0 00	0.00								
	Local Number Portability, per DS0 Activated	├		UEPDC	LNPCP	3.15	0.00	0.00	0 00		_					
	Central Office Termininating Point		 	UEPDC	CTG	0.00	0.00	0.00	000							
4-WIF	RE DS1 LOOP WITH CHANNELIZATION WITH PORT			OLI DO	0.0	0.00					-					
Syste	em is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti	vations						-								
Each	System can have up to 24 combinations of rates depending on	type a	nd num	ber of ports used	† -											
UNE	DS1 Loop	T			<u> </u>								-			
	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	79.08	0.00	0.00					······	i	i	
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	129.38	0 00	- 0.00								
	4-Wire DS1 Loop - UNE Zone 3			UEPMG	USLDC	206.74	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 4	L	4	UEPMG	USLDC	458 46	0.00	0.00				15 75		ļ	1.97	
UNE	DSO Channelization Capacities (D4 Channel Bank Configuration	18)														
	24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	95.06	0 00	0.00				15 75			1.97	
	48 DSO Channel Capacity - 1 per 2 DS1s 96 DSO Channel Capacity -1per 4 DS1s		-	UEPMG	VUM48	190.12	0 00	0.00				15.75			1.97	
	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG UEPMG	VUM96 VUM14	380.24 570.36	0.00	0.00				15 75 15 75			1.97	
	192 DS0 Channel Capacity - 1 per 8 DS1s			UEPMG	VUM19	760.48	0.00	0.00				15.75			1.97	
	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM20	950.60	0.00	0.00				15.75			1.97	
	288 DS0 Channel Capacity - 1 per 12 DS1s	<u> </u>		UEPMG	VUM28	1,140,72	0.00	0.00			1	15 75			1.97	
	384 DS0 Channel Capacity - 1 per 16 DS1s	\vdash	\vdash	UEPMG	VUM38	1,520 96	0 00	0.00				15 75		<u> </u>	1.97	
	480 DS0 Channel Capacity - 1 per 20 DS1s	· · · · · · · · · · · · · · · · · · ·	 	UEPMG	VUM40	1,901.20	0 00	0.00				15.75			1.97	
	576 DS0 Channel Capacity -1 per 24 DS1s		1	UEPMG	VUM57	2,281.44	0.00	0.00				15 75			1.97	
	672 DS0 Channel Capacity - 1 per 28 DS1s		\top	UEPMG	VUM67	2,661.68	0 00	0.00				15.75			1.97	
	Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with						stem									
A Mir	nimum System configuration is One (1) DS1, One (1) D4 Channe	l Bank,	and Up	To 24 DSO Ports w	ith Feature /	Activations.										
Multi	ples of this configuration functioning as one are considered Ac NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes	id'i afte	r the m	inimum system con UEPMG	figuration is	counted.	151.35	8.41				15 75			1.97	
E	BeilSouth Allowed Changes em Additions at End User Locations Where 4-Wire DS1 Loop with	h Cha	i molifica					0.41		·	 	19 /9			1.97	
	(Not Currently Combined) in all states, except in Density Zone 1				HIAGON CUTE	HUY EXISTS AND					l			 		
1408	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port and Assoc Fea Activation	J. 10p	J INSP	UEPMG	VUMD4	0.00	715.15	327.39	148 05	17.56		15.75			1.97	
Bipol	lare Bzero Substitution Clear Channel Capability Format, superframe - Subsequent		-	OLFIVIG	V UIVIU4	0.00	/ 10, 15	321.39	140 00	17.30		13.73			1.07	
	Activity Only Clear Channel Capability Format, superframe - Subsequent Activity Only Clear Channel Capability Format - Extended Superframe -			UEPMG	CCOSF	0.00	0.00	600.00				15.75			1 97	
Alton	Subsequent Activity Only Subsequent Activity Only nate Mark Inversion (AMI)		ļ	UEPMG	CCOEF	0.00	0 00	600.00				15.75			1.97	
Aiten	Superframe Format	 	 	UEPMG	MCOSF	0.00	0.00	0.00								
	papamamo i omiti		1	UEPMG	MCOPO	0.00	0.00	0.00								

	ED NETWORK ELEMENTS - Mississippi													nent: 2	Exhib	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
			ऻ—			Rec	Nonrec		Nonrecurring			T 22	oss	Rates(\$)		
Excl	nange Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	hange Ports	T ****	T			 										
		 	 		 							ļ				
i_	Line Side Combination Channelized PBX Trunk Port - Business]	1	UEPPX	UEPCX	1 23	0.00	0.00	0.00	0.00		15 75	1	ì	1.97	İ
	Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	1.23	0.00	0.00	0.00	0 00		15 75		<u> </u>	1.97	
-		T													1.07	
	Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	1.23	0 00	0.00	0.00	0 00		15 75		ļ	1.97	•
Fact	2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	7.40	0 00	0.00	0.00	0.00		15 75			1.97	
real	ure Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Side Port Terminated	<u> </u>	<u> </u>													
	in D4 Bank	l	1	LIEDDY	1.50444											
	Feature (Service) Activation for each Trunk Side Port Terminated	├─	 	UEPPX	1PQWM	0.61	25.36	13 39	4 29	4 26	ļ	<u>15</u> .75	 		1.97	
- 1	in D4 Bank	l		UEPPX	1PQWU	0.61	78.03	18.39	60 66				ŀ			Ì
Tele	phone Number/ Group Establishment Charges for DID Service		+	ULFFA	IPCIVIO	0.61	78.03	18.39	60 66	11.85		15 75			1 97	ļ
	DID Trunk Termination (1 per Port)		-	UEPPX	NDT	000	0.00	0.00	-		-	15 75			1,97	ļ
	DID Numbers - groups of 20 - Valid all States		1	UEPPX	ND4	000	0.00	0 00	l			15.75			1.97	
	Non-Consecutive DID Numbers - per number	-	1	UEPPX	ND5	0 00	0.00	0.00				15.75			1.97	
	Reserve Non-Consecutive DID Numbers		1	UEPPX	ND6	0.00	0.00	0.00				15.75			1.97	
	Reserve DID Numbers		1 -	UEPPX	NDV	0.00	0.00	0.00				15.75			1 97	
Loca	al Number Portability															
	Local Number Portability - 1 per port		I	UEPPX	LNPCP	3.15	0.00	0 00								
	TURES - Vertical and Optional															
Loca	al Switching Features Offered with Line Side Ports Only															
	All Features Available			UEPPX	UEPVF	2.56	0.00	0.00				15.75			1.97	
Mand	cet Rates shall apply where BellSouth is not required to provide	unhund	diad la	cal switching or swit	tak sasta sa	FCC andles Ch										
The:	se scenarios include: South currently is developing the billing capability to mechanica	ally bill	the rec	curring and non-recu	rring Marke	Rates in this s	ection except i	or nonrecurring	ng charges for	not currently c	ombined in	FL and NC	. In the interi	m where Bell:	South cannot	bill Market
The Bell! Rate 2. U The Bell!	se scenarios include: South currently is developing the billing capability to mechanics is, BellSouth shall bill the rates in the Cost-Based section precess inbundled port/loop combinations that are Currently Combined Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd South currently is developing the billing capability to mechanics	ally bill ding in or Not (ale, Mis	the rec lieu of Current mi); G, the rec	the Market Rates an type Combined in Zon- A (Atlanta); LA (New curring and non-recu	urring Marke d reserves to e 1 of the To Orleans); No erring Marke	Rates in this s ne right to true- p 8 MSAS in Be C (Greensboro- t Rates in this s	ection except in the billing of the	or nonrecurring difference, on for end use Highpoint/Chor nonrecurring	rs with 4 or mo	re DS0 equiva ia-Rock Hill); T	lent lines. N (Nashville	e).				
The Bells Rate 2. U The Bells Rate	se scenarios include: South currently is developing the billing capability to mechanics s, BellSouth shall bill the rates in the Cost-Based section preces inbundled port/loop combinations that are Currently Combined Top 8 MSAs in BellSouth's region are: FL (Orlando, FL Lauderd, South currently is developing the billing capability to mechanics s, BellSouth shall bill the rates in the Cost-Based section preces	ally bill ding in or Not C ale, Mia ally bill ding in	the rec lieu of Current mi); G, the rec lieu of	the Market Rates an type Combined in Zon- A (Atlanta); LA (New curring and non-recu	urring Marke d reserves to e 1 of the To Orleans); No erring Marke	Rates in this s ne right to true- p 8 MSAS in Be C (Greensboro- t Rates in this s	ection except in the billing of the	or nonrecurring difference, on for end use Highpoint/Chor nonrecurring	rs with 4 or mo	re DS0 equiva ia-Rock Hill); T	lent lines. N (Nashville	e).				
The Bells Rate 2. U The Bells Rate	se scenarios include: South currently is developing the billing capability to mechanics so, BellSouth shall bill the rates in the Cost-Based section preces inbundled port/loop combinations that are Currently Combined Top 8 MSAs in BellSouth's region are: FL (Orlando, FL Lauderd South currently is developing the billing capability to mechanics so, BellSouth shall bill the rates in the Cost-Based section preces Market Rate for unbundled ports includes all available features	ally bill ding in or Not C ale, Mia ally bill ding in in all st	the rec lieu of current mi); Ga the rec lieu of ates.	the Market Rates and the Market Rates and the Combined in Zona (Allanta); LA (New Surring and non-recuthe Market Rates and the Market R	urring Market d reserves the e 1 of the To Orleans); No urring Market d reserves the	Rates in this s ne right to true- p 8 MSAS in Be C (Greensboro- t Rates in this s ne right to true-	ection except of the billing of the	for nonrecurring difference, on for end use Highpoint/Ch or nonrecurring difference.	rs with 4 or mo arlotte-Gaston ng charges for	ore DS0 equiva ia-Rock Hill); T not currently c	lent lines. N (Nashville ombined in	e). FL and NC	. In the interi	m where Bell	South cannot	bill Market
These Bells Rate 2. U The Bells Rate The End	se scenarios include: South currently is developing the billing capability to mechanics, sellSouth shall bill the rates in the Cost-Based section preceinbundled port/loop combinations that are Currently Combined Top 8 MSAs in BellSouth's region are: FL (Orlando, FL Lauderd South currently is developing the billing capability to mechanics, BellSouth shall bill the rates in the Cost-Based section preceing Market Rate for unbundled ports includes all available features Office and Tandem Switching Usage and Common Transport Us	ding in or Not (ale, Mia ally bill ding in in all st	the rec lieu of current mi); Ga the rec lieu of ates.	burring and non-recu the Market Rates an ity Combined in Zon- A (Atlanta); LA (New burring and non-recu the Market Rates an he Port section of the	urring Market d reserves the 1 of the To Orleans); No urring Market d reserves the	t Rates in this s ne right to true- p 8 MSAS in Be C (Greensboro- F Rates in this s ne right to true- it shall apply to	ection except in the billing of the	or nonrecurring difference, on for end use Highpoint/Ch or nonrecurring difference.	rs with 4 or mo arlotte-Gaston ng charges for ort network elem	re DSO equiva ia-Rock Hill); 7 not currently c	lent lines. 'N (Nashville ombined in or UNE Coi	e). FL and NC	. In the interi	m where Bells	South cannot	bill Market
The Bells Rate 2. U The Bells Rate The End For	se scenarios include: South currently is developing the billing capability to mechanics, BellSouth shall bill the rates in the Cost-Based section preceding building the proceding building that are Currently Combined top 8 MSAs in BellSouth's region are: FL (Orlando, FL Lauderd, South currently is developing the billing capability to mechanics, BellSouth shall bill the rates in the Cost-Based section preceding the theorem of the proceding that the form of the proceding that the form of the proceding that the form of the proceding that the	ally bill ding in or Not C ale, Mia ally bill ding in in all st sage rat	the rec lieu of Current mi); G, the rec lieu of ates. tes in the	the Market Rates and y Combined in Zona (Atlanta); LA (New yurring and non-recuthe Market Rates and he Port section of the g charges are listed	urring Market d reserves the 1 of the To Orleans); No urring Market d reserves the	t Rates in this s ne right to true- p 8 MSAS in Be C (Greensboro- F Rates in this s ne right to true- it shall apply to	ection except in the billing of the	or nonrecurring difference, on for end use Highpoint/Ch or nonrecurring difference.	rs with 4 or mo arlotte-Gaston ng charges for ort network elem	re DSO equiva ia-Rock Hill); 7 not currently c	lent lines. 'N (Nashville ombined in or UNE Coi	e). FL and NC	. In the interi	m where Bells	South cannot	bill Market
These Bells Rate 2. U The Bells Rate The End For Corr	se scenarios include: Se scenarios include: Se BellSouth shall bill the rates in the Cost-Based section precessing the portion of the cost-Based section precessing the portion of the cost-Based section precessing the portion of the cost-Based section precessing the properties of the cost-Based section precessing the properties of the cost-Based section precessing the properties of the cost-Based section precessing the properties of the cost-Based section precessing the cost-Based section precessing the properties of the cost-Based section precessing the properties of the cost-Based section precessing the properties of the cost-Based section precessing the properties of the cost-Based section precessing the properties of the cost-Based section precessing the properties of the cost-Based section precessing the cost of the cost-Based section precessing the cost of the cost-Based section precessing the cost of the cost-Based section precessing the cost of the cost o	ally bill ding in or Not C ale, Mia ally bill ding in in all st sage rat	the rec lieu of Current mi); G, the rec lieu of ates. tes in the	the Market Rates and y Combined in Zona (Atlanta); LA (New yurring and non-recuthe Market Rates and he Port section of the g charges are listed	urring Market d reserves the 1 of the To Orleans); No urring Market d reserves the	t Rates in this s ne right to true- p 8 MSAS in Be C (Greensboro- F Rates in this s ne right to true- it shall apply to	ection except in the billing of the	or nonrecurring difference, on for end use Highpoint/Ch or nonrecurring difference.	rs with 4 or mo arlotte-Gaston ng charges for ort network elem	re DSO equiva ia-Rock Hill); 7 not currently c	lent lines. 'N (Nashville ombined in or UNE Coi	e). FL and NC	. In the interi	m where Bells	South cannot	bill Market
The Bells Rate 2. U The Bells Rate End For Com	se scenarios include: South currently is developing the billing capability to mechanics, sellSouth shall bill the rates in the Cost-Based section preceinbundled port/loop combinations that are Currently Combined Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd South currently is developing the billing capability to mechanics, sellSouth shall bill the rates in the Cost-Based section preceind Market Rate for unbundled ports includes all available features office and Tandem Switching Usage and Common Transport Usage Currently Combined scenarios where Market Rates apply, the bined section. Additional NRCs may apply also and are categoritional. NRCs	ally bill ding in or Not C ale, Mia ally bill ding in in all st sage rat	the rec lieu of Current mi); G, the rec lieu of ates. tes in the	the Market Rates and y Combined in Zona (Atlanta); LA (New yurring and non-recuthe Market Rates and he Port section of the g charges are listed	urring Market d reserves the 1 of the To Orleans); No urring Market d reserves the	t Rates in this s ne right to true- p 8 MSAS in Be C (Greensboro- F Rates in this s ne right to true- it shall apply to	ection except in the billing of the	or nonrecurring difference, on for end use Highpoint/Ch or nonrecurring difference.	rs with 4 or mo arlotte-Gaston ng charges for ort network elem	re DSO equiva ia-Rock Hill); 7 not currently c	lent lines. 'N (Nashville ombined in or UNE Coi	e). FL and NC	. In the interi	m where Bells	South cannot	bill Market
Thes Belli Rate 2. U The Belli Rate The End For Com ADD	se scenarios include: South currently is developing the billing capability to mechanics, BellSouth shall bill the rates in the Cost-Based section preceding building the proceding building that are Currently Combined Top 8 MSAs in BellSouth's region are: FL (Orlando, FL Lauderd, South currently is developing the billing capability to mechanics, BellSouth shall bill the rates in the Cost-Based section preceding that the for unbundled ports includes all available features office and Tandem Switching Usage and Common Transport Usage and Common Transport Usage and Common Additional NRCs may apply also and are category in Transport Usage and Common Transport Usage an	ally bill ding in or Not C ale, Mia ally bill ding in in all st sage rat	the rec lieu of Current mi); G, the rec lieu of ates. tes in the	the Market Rates and y Combined in Zona (Atlanta); LA (New yurring and non-recuthe Market Rates and he Port section of the g charges are listed	urring Market d reserves the 1 of the To Orleans); No urring Market d reserves the	t Rates in this s ne right to true- p 8 MSAS in Be C (Greensboro- F Rates in this s ne right to true- it shall apply to	ection except in the billing of the	or nonrecurring difference, on for end use Highpoint/Ch or nonrecurring difference.	rs with 4 or mo arlotte-Gaston ng charges for ort network elem	re DSO equiva ia-Rock Hill); 7 not currently c	lent lines. 'N (Nashville ombined in or UNE Coi	e). FL and NC	. In the interi	m where Bells	South cannot	bill Market
Thes Bells Rate 2. U The Bells Rate The End For Com ADD INBUNDLE	se scenarios include: South currently is developing the billing capability to mechanics, BellSouth shall bill the rates in the Cost-Based section precession bundled port/loop combinations that are Currently Combined Top 8 MSAs in BellSouth's region are: FL (Orlando, FL Lauderd, South currently is developing the billing capability to mechanics, BellSouth shall bill the rates in the Cost-Based section precess Market Rate for unbundled ports includes all available features office and Tandem Switching Usage and Common Transport Us Not Currently Combined scenarios where Market Rates apply, the bined section. Additional NRCs may apply also and are categor ITIONAL NRCs D PORT/LOOP COMBINATIONS - MARKET BASED RATES	ally bill ding in or Not Cale, Mia ally bill ding in in all st e Nonre rized ac	the rec lieu of Current mi); G, the rec lieu of ates. tes in the currin- cordin	the Market Rates and y Combined in Zon- A (Atlanta); LA (New curring and non-recu the Market Rates an he Port section of the g charges are listed gly.	urning Market d reserves the 1 of the To Orleans); No urning Market d reserves the is rate exhibiting the First to	Rates in this see right to true- p 8 MSAS in Bo C (Greensboro- Flates in this see in gift to true- it shell apply to and Additional	ection except i up the billing billSouth's region Winston Salem ection except i up the billing all combination NRC columns	or nonrecurring difference, on for end use Highpoint/Ch or nonrecurring difference.	rs with 4 or mo arlotte-Gaston ng charges for ort network elem	re DSO equiva ia-Rock Hill); 7 not currently c	lent lines. 'N (Nashville ombined in or UNE Coi	e). FL and NC	. In the interi	m where Bells	South cannot	bill Market
These Bells Rate 2. U The Bells Rate The End For Com ADD	se scenarios include: Se scenarios include: Se BellSouth shall bill the rates in the Cost-Based section preceding the billing capability to mechanica is, BellSouth shall bill the rates in the Cost-Based section preceding the property of the preceding the property of the preceding the property of the preceding the property of the preceding the property of the preceding the pre	ding in or Not Cale, Mia ally bill ding in in all st sege rate e Nonre rized ac	the rec lieu of Current mi); G, the rec lieu of ates. tes in the coordin	urring and non-recu the Market Rates an ity Combined in Zon- A (Attanta); LA (New curring and non-recu the Market Rates an he Port section of th g charges are listed gly.	urring Market d reserves ti e 1 of the To Orleans); Nurring Market d reserves ti is rate exhib in the First	Rates in this see right to true- p 8 MSAS in Br C (Greensboro- Res in this see right to true- it shall apply to and Additional in	ection except i up the billing billSouth's region Winston Salem ection except i up the billing all combination NRC columns	or nonrecurring difference, on for end use Highpoint/Ch or nonrecurring difference.	rs with 4 or mo arlotte-Gaston ng charges for ort network elem	re DSO equiva ia-Rock Hill); 7 not currently c	lent lines. 'N (Nashville ombined in or UNE Coi	e). FL and NC	. In the interi	m where Bells	South cannot	bill Market
Thes Bellis Rate 2. U The Bellis Rate The End For Com ADD JNBUNDLE UNE Non A Mi	se scenarios include: South currently is developing the billing capability to mechanics, BellSouth shall bill the rates in the Cost-Based section preceded by the section preceded by the section preceded by the section preceded by the section preceded by the section preceded by the section preceded by the section preceded by the section preceded by the section preceded by the section preceded by the section preceded by the section preceded by the section preceded by the section by the section by the section preceded by the section by the section preceded by the section precede	ding in or Not Cale, Mia ally bill ding in in all street acceptable with the control of the cont	the rec lieu of Current mi); G, the rec lieu of ates. tes in the coordin meliztion and U	turring and non-recu the Market Rates an ty Combined in Zone A (Atlanta); LA (New surring and non-recu the Market Rates an he Port section of th g charges are listed gly. In with Port - Conver p To 24 DSO Ports w	Irring Market d reserves ti e 1 of the To Orleans); Nerring Market d reserves ti lis rate exhibit in the First of reserves ti exhibit rsion Charge	Rates in this see right to true- p 8 MSAS in Bo c (Greensboro- the rates in this see right to true- it shall apply to and Additional b Based on a Sy Activations.	ection except i up the billing billSouth's region Winston Salem ection except i up the billing all combination NRC columns	or nonrecurring difference, on for end use Highpoint/Ch or nonrecurring difference.	rs with 4 or mo arlotte-Gaston ng charges for ort network elem	re DSO equiva ia-Rock Hill); 7 not currently c	lent lines. 'N (Nashville ombined in or UNE Coi	e). FL and NC	. In the interi	m where Bells	South cannot	bill Market
These Bells	se scenarios include: Se scenarios include: Se BellSouth shall bill the rates in the Cost-Based section preceding the billing capability to mechanica is, BellSouth shall bill the rates in the Cost-Based section preceding the property of the preceding the property of the preceding the property of the preceding the property of the preceding the property of the preceding the pre	ally bill ding in or Not Cale, Mis ale, Mis ally bill ding in in all st sage rat e Nonre rized ac h Chang B Bank, dd'l afte	the rec lieu of Current mi); G, the rec lieu of ates. tes in the coordin meliztion and U	turring and non-recu the Market Rates an ty Combined in Zone A (Atlanta); LA (New surring and non-recu the Market Rates an he Port section of th g charges are listed gly. In with Port - Conver p To 24 DSO Ports w	Irring Market d reserves ti e 1 of the To Orleans); Nerring Market d reserves ti lis rate exhibit in the First of reserves ti exhibit rsion Charge	Rates in this see right to true- p 8 MSAS in Bo c (Greensboro- the rates in this see right to true- it shall apply to and Additional b Based on a Sy Activations.	ection except i up the billing billSouth's region Winston Salem ection except i up the billing all combination NRC columns	or nonrecurring difference, on for end use Highpoint/Ch or nonrecurring difference.	rs with 4 or mo arlotte-Gaston ng charges for ort network elem	re DSO equiva ia-Rock Hill); 7 not currently c	lent lines. 'N (Nashville ombined in or UNE Coi	e). FL and NC	. In the interi	m where Bells	South cannot	bill Market
These Bellis Rates Bellis Rates Bellis Rates End For Com ADD JNBUNDLE Non A Millis Multiple Rates Rate	se scenarios include: South currently is developing the billing capability to mechanics, BellSouth shall bill the rates in the Cost-Based section preceding building the proceding building that are Currently Combined to Based section preceding the BellSouth's region are: FL (Orlando, FL Lauderd, South currently is developing the billing capability to mechanics, BellSouth shall bill the rates in the Cost-Based section preceding that the BellSouth shall bill the rates in the Cost-Based section preceding that the BellSouth shall bill the rates in the Cost-Based section preceding that the BellSouth shall bill the rates in the Cost-Based section preceding the BellSouth shall bill the rates in the Cost-Based section preceding that the BellSouth shall bill the rates in the Cost-Based section preceding that the Based section preceding that the Based section preceding the Based Common Transport Use the Cost Cost of the Based Section and the Based Section shall be belleved to the Based Section shall be belleved to the Based Section shall be belleved to the Based Section shall be belleved to the Based Section shall be belleved to the Based Section shall be belleved to the Based Section shall be belleved to the Based Section shall be belleved to the Based Section shall be belleved to the Based Section shall be belleved to the Based Section shall be belleved to the Based Section shall be belleved to the Based Section shall be belleved to the Based Section shall be belleved to the Based Section shall be belleved to the Based Section shall be belleved to the Based Section shall be belleved to the Based Section shall be belleved to the Cost Based Section shall be belleved to the Cost Based Section shall be belleved to the Cost Based Section shall be belleved to the Cost Based Section shall be belleved to the Cost Based Section shall be belleved to the Cost Based Section shall be belleved to the Cost Based Section	ally bill ding in or Not Cale, Mis ally bill ding in in all street Nonre rized ac h Chann B Bank, dd'l afte	the rec lieu of Current imi); Ga the rec lieu of ates. les in the coordin meliztio and U	the Market Rates and y Combined in Zon- A (Attanta); LA (New cutting and non-recuting and non-recuting and non-recuting and non-recuting and properties and the Port section of the gly- and with Port - Converting To 24 DSO Ports withinimum system continum system system continum syste	urning Market d reserves ti e 1 of the To Oricans); Ni irring Market d reserves ti is rate exhib in the First of in the First of inthe First	Rates in this see right to true- p 8 MSAS in Bc (Greensboro- to Hates in this see right to true- it shall apply to and Additional leads on a Sy Activations.	ection except i up the billing sillSouth's region winston Salemection except i up the billing all combination NRC columns	for nonrecurrir difference, on for end use thighpoint/Ch or nonrecurrir difference, ons of loop/po or each Port U	rs with 4 or mo arlotte-Gaston ng charges for ort network elem	re DSO equiva ia-Rock Hill); 7 not currently c	lent lines. 'N (Nashville ombined in or UNE Coi	e). FL and NC	. In the interi	m where Bells	South cannot	bill Market
These Bellis Pater Services Apply Se	se scenarios include: South currently is developing the billing capability to mechanics, BellSouth shall bill the rates in the Cost-Based section precessing the property of the precession of t	ding in on the ding in on the ding in in all strange rate of the control of the c	the rec lieu of Current imi); Grather rec lieu of ates. les in the coordin meliztion and Up or the m	Lurring and non-recurring and	urring Market d reserves ti e 1 of the To Orleans); Nurring Market d reserves ti is rate exhib in the First to reserves to First	Rates in this see right to true- p 8 MSAS in Br C (Greensboro- Rates in this see right to true- part of the right to true- and Additional in the see right to true- bear on a Sy Activations. counted. undled Local S	ection except i up the billing o billSouth's region Winston Salemection except i up the billing o all combination NRC columns o stem	for nonrecurrir difference, on for end use Highpoint/Ch or nonrecurrir difference. ons of loop/po for each Port U	rs with 4 or mo arlotte-Gaston ng charges for i the network elen SOC. For Cure	ore DSO equiva ia-Rock Hill); T not currently of ments except 1 rently Combine	lent lines. N (Nashville ombined in lent lines in lent lines in lent lines in lent lines in lent lines in lent lines in lent lines in lent lines in lent lines in lent lines in lent lines in lent lines in lent lines in le	e). FL and NC n Port/Loops, the Nonre	. In the interi	m where Bells	South cannot	bill Market
These Bellis Rates Process Pro	se scenarios include: Se scenarios include: Se BellSouth shall bill the rates in the Cost-Based section preceding the billing capability to mechanical section by the cost-Based section preceding the billing capability to mechanical section preceding the part of the cost-Based section preceding the billing capability to mechanical section currently is developing the billing capability to mechanical section by the cost-Based section preceding the section by the cost-Based section preceding the section by the cost of the cost-Based section preceding the section by the cost of	ally bill ding in or Not Cale, Mia ally bill ding in in all strength of the Changing of the Ch	the rec lieu of current mi); Gi the rec lieu of ates. les in the ecordin coordin and Up r the m	the Market Rates and y Combined in Zona (Atlanta); LA (New yurring and non-recu the Market Rates and he Port section of the g charges are listed gly. In with Port - Convert of the convertion of the convertion of the convertion of the grade of the port section of the grade of the port section of the convertion with Port - Convertion with Port - Convertion of the convertion of the convertion of the port of the p	rring Market d reserves ti e 1 of the To Orleans); Ni erring Market d reserves ti is rate exhitt in the First in the First rith Feature figuration is	Rates in this see right to true- p 8 MSAS in Bo C (Greensboro-) Rates in this see right to true- it shall apply to and Additional Based on a Sy Activations. counted. undled Local S anner as they a	ection except i up the billing i pillSouth's region Winston Salem ection except up the billing i all combination NRC columns stem witching or Sw re applied to ti	ior nonrecurrir difference. on for end use Highpoint/Ch or nonrecurrir difference. ons of loop/pa for each Port L vitch Ports. ne Stand-Alon.	rs with 4 or mo arriotte-Gastoni ig charges for i int network elen ISOC. For Cure	re DSO equiva ia-Rock Hill); T not currently of ments except (rently Combina ort section of	lent lines. N (Nashville ombined in lent lines in lent lines in lent lines in lent lines in lent lines in lent lines in lent lines in lent lines in lent lines in lent lines in lent lines in lent lines in lent lines in le	e). FL and NC n Port/Loops, the Nonre	. In the interi	m where Bells	South cannot	bill Market
These Bellis Rates Bellis Rates Bellis Rates Bellis Rates End For Com ADD NBUNDLE UNE Non A MultiNBUNDLE 1, C. 2, F. 4, T. 1, Loo.	se scenarios include: South currently is developing the billing capability to mechanical south currently is developing the billing capability to mechanical south currently is developing the billing capability to mechanical south currently combined in the cost-Based section precess and south currently is developing the billing capability to mechanical south currently is developing the billing capability to mechanical south currently is developing the billing capability to mechanical south shall bill the rates in the Cost-Based section precess Market Rate for unbundled ports includes all available features office and Tandem Switching Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Section. Additional NRCs may apply also and are categor ITIONAL NRCs DEPORT/LOOP COMBINATIONS - MARKET BASED RATES DEST Loop Recurring Charges (NRC) Associated with 4-Wire DS1 Loop will inlimum System configuration is One (1) DS1, One (1) D4 Channe iples of this configuration functioning as one are considered At D CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE and Destroated and Destroa	ally bill ding in or Not Cale, Mia ally bill ding in in all streed ac rized ac in the Change Bank, dd'l afte Sand/or ation - Cusage y Combos.	the rec Current Itilia of I	the Market Rates and y Combined in Zona (Atlanta); LA (New surring and non-recu the Market Rates and he Port section of the g charges are listed gly. In with Port - Convert of the Warket Rates are listed gly. In with Port - Convert of the Warket Rates are listed gly. In with Port - Convert of the Warket Rates are listed gly. Commission rule to assed Rate section in the Port section of and Not Currently Cond the Market Rates are listed gly.	rring Market d reserves the 1 of the To Orleans); No urring Market d reserves the is rate exhibiting the First of reserves the resion Charge rith Feature figuration is provide Units the same m this rate exhibiting the reserves mbined Com	Rates in this s e right to true- p 6 MSAS in Bo C (Greensboro- Rates in this s e right to true- it shall apply to and Additional Based on a Sy Activations. counted. Lundled Local S anner as they a hibt shall apply in	ection except i up the billing gollsouth's region winston Salemection except i up the billing i up the billing i all combination NRC columns i stem witching or Sw re applied to ti to the Unbund	for nonrecurrir difference. on for end use Highpoint/Ch or nonrecurrir difference. ons of loop/po for each Port L witch Ports. he Stand-Alon illed Centrex P	rs with 4 or mo artotte-Gastoning charges for in the network eleminate of the control of the con	ore DSO equiva ia-Rock Hill); T not currently of ments except if rently Combini ort section of ination.	lent lines. N (Nashville) ombined in or UNE Coi ed scenario:	e). FL and NC n Port/Loops, the Nonro	. In the interior	m where Bell	South cannot a flat rate us in the NRC - (bill Market age charge Currently
These Bellis Rates Annual Park Park Park Park Park Park Park Park	se scenarios include: South currently is developing the billing capability to mechanical includes and the currently is developing the billing capability to mechanical includes a policy of the control o	ally bill ding in or Not (ale, Misally bill ding in in all strange and the Channel Bank, did did after Strange automation - (Usage of Strange)	the rec Current Itilia of I	the Market Rates and y Combined in Zona (Atlanta); LA (New surring and non-recu the Market Rates and he Port section of the g charges are listed gly. In with Port - Convert of the Warket Rates are listed gly. In with Port - Convert of the Warket Rates are listed gly. In with Port - Convert of the Warket Rates are listed gly. Commission rule to assed Rate section in the Port section of and Not Currently Cond the Market Rates are listed gly.	rring Market d reserves the 1 of the To Orleans); No urring Market d reserves the is rate exhibiting the First of reserves the resion Charge rith Feature figuration is provide Units the same m this rate exhibiting the reserves mbined Com	Rates in this s e right to true- p 6 MSAS in Bo C (Greensboro- Rates in this s e right to true- it shall apply to and Additional Based on a Sy Activations. counted. Lundled Local S anner as they a hibt shall apply in	ection except i up the billing gollsouth's region winston Salemection except i up the billing i up the billing i all combination NRC columns i stem witching or Sw re applied to ti to the Unbund	for nonrecurrir difference. on for end use Highpoint/Ch or nonrecurrir difference. ons of loop/po for each Port L witch Ports. he Stand-Alon illed Centrex P	rs with 4 or mo artotte-Gastoning charges for in the network eleminate of the control of the con	ore DSO equiva ia-Rock Hill); T not currently of ments except if rently Combini ort section of ination.	lent lines. N (Nashville) ombined in or UNE Coi ed scenario:	e). FL and NC n Port/Loops, the Nonro	. In the interior	m where Bell	South cannot a flat rate us in the NRC - (bill Market age charge Currently
These Bellis Rates The Bellis Rates The Bellis Rates The End For Corr Corr Corr Corr Corr Corr Corr	se scenarios include: South currently is developing the billing capability to mechanica s, BellSouth shall bill the rates in the Cost-Based section preces inbundled port/loop combinations that are Currently Combined Top 8 MSAs in BellSouth's region are: FL (Orlando, FL Lauderd South currently is developing the billing capability to mechanics is, BellSouth shall bill the rates in the Cost-Based section preces Market Rate for unbundled ports includes all available features in Office and Tandem Switching Usage and Common Transport Us Not Currently Combined scenarios where Market Rates apply, the bined section. Additional NRCs may apply also and are categor INTIONAL NRCs DEPORTITION COMBINATIONS - MARKET BASED RATES DEST Loop Recurring Charges (NRC) Associated with 4-Wire DST Loop with Inimum System configuration functioning as one are considered A DE CENTREX PORTITION COMBINATIONS - COST BASED RATES DEST Based Rates are applied where BellSouth is required by FCC setures shall apply to the Unbundled Centrex Port/Loop Combination of Office and Tandem Switching Usage and Common Transport The recurring UNE Port and Loop charges listed apply to Currently pronnecurring the Port and Loop charges listed apply to Currently pronnecurring the Port and Loop charges listed apply to Currently pronnecurring the Port and Loop charges listed apply to Currently pronnecurring the Port and Loop charges listed apply to Currently pronnecurring the Port and Loop charges listed apply to Currently pronnecurring the Port and Loop charges listed apply to Currently pronnecurring the Port and Loop charges listed apply to Currently pronnecurring the Port and Loop charges listed apply to Currently pronnecurring the Port and Loop charges listed apply to Currently pronnecurring the Port and Loop charges listed apply to Currently pronnecurring the Port and Loop charges listed apply to Currently pronnecurring the Port and Loop charges listed apply to Currently pronnecurring the Port and Loop charges listed apply to Currently pronnecurring the Port	ally bill ding in or Not (ale, Misally bill ding in in all strange and the Channel Bank, did did after Strange automation - (Usage of Strange)	the rec Current Itilia of I	the Market Rates and y Combined in Zona (Atlanta); LA (New surring and non-recu the Market Rates and he Port section of the g charges are listed gly. In with Port - Convert of the Warket Rates are listed gly. In with Port - Convert of the Warket Rates are listed gly. In with Port - Convert of the Warket Rates are listed gly. Commission rule to assed Rate section in the Port section of and Not Currently Cond the Market Rates are listed gly.	rring Market d reserves the 1 of the To Orleans); No urring Market d reserves the is rate exhibiting the First of reserves the resion Charge rith Feature figuration is provide Units the same m this rate exhibiting the reserves mbined Com	Rates in this s e right to true- p 6 MSAS in Bo C (Greensboro- Rates in this s e right to true- it shall apply to and Additional Based on a Sy Activations. counted. Lundled Local S anner as they a hibt shall apply in	ection except i up the billing gollsouth's region winston Salemection except i up the billing i up the billing i all combination NRC columns i stem witching or Sw re applied to ti to the Unbund	for nonrecurrir difference. on for end use Highpoint/Ch or nonrecurrir difference. ons of loop/po for each Port L witch Ports. he Stand-Alon illed Centrex P	rs with 4 or mo artotte-Gastoning charges for in the network eleminate of the control of the con	ore DSO equiva ia-Rock Hill); T not currently of ments except if rently Combini ort section of ination.	lent lines. N (Nashville) ombined in or UNE Coi ed scenario:	e). FL and NC n Port/Loops, the Nonro	. In the interior	m where Bell	South cannot a flat rate us in the NRC - (bill Market age charge Currently
These Bells	se scenarios include: South currently is developing the billing capability to mechanics s, BellSouth shall bill the rates in the Cost-Based section preced inbundled port/loop combinations that are Currently Combined Top 8 MSAs in BellSouth's region are: Ft. (Orlando, Ft. Lauderd South currently is developing the billing capability to mechanics s, BellSouth shall bill the rates in the Cost-Based section preced Market Rate for unbundled ports includes all available features offlice and Tandem Switching Usage and Common Transport Us Not Currently Combined scenarios where Market Rates apply, the bined section. Additional NRCs may apply also and are categor ITIONAL NRCs D PORT/LOOP COMBINATIONS - MARKET BASED RATES D ST Loop Recurring Charges (NRC) Associated with 4-Wire DS1 Loop will iminum System configuration is One (1) DS1, One (1) D4 Channe fiples of this configuration functioning as one are considered Act D CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE: Deatures shall apply to the Unbundled Centrex Port/Loop Combinate of Office and Tandem Switching Usage and Common Transport the recurring UNE Port and Loop charges listed apply to Currently p nonrecurring charges apply to Not Currently Combined Combinated Rates for Unbundled Centrex Port/Loop Combination will -P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only re VG Loop/2-Wire Voice Grade Port (Centrex) Combo	ally bill ding in or Not (ale, Misally bill ding in in all strange and the Channel Bank, did did after Strange automation - (Usage of Strange)	the rec Current Itilia of I	the Market Rates and y Combined in Zona (Atlanta); LA (New surring and non-recu the Market Rates and he Port section of the g charges are listed gly. In with Port - Convert of the Warket Rates are listed gly. In with Port - Convert of the Warket Rates are listed gly. In with Port - Convert of the Warket Rates are listed gly. Commission rule to assed Rate section in the Port section of and Not Currently Cond the Market Rates are listed gly.	rring Market d reserves the 1 of the To Orleans); No urring Market d reserves the is rate exhibiting the First of reserves the resion Charge rith Feature figuration is provide Units the same m this rate exhibiting the reserves mbined Com	Rates in this s e right to true- p 6 MSAS in Bo C (Greensboro- Rates in this s e right to true- it shall apply to and Additional Based on a Sy Activations. counted. Lundled Local S anner as they a hibt shall apply in	ection except i up the billing gollsouth's region winston Salemection except i up the billing i up the billing i all combination NRC columns i stem witching or Sw re applied to ti to the Unbund	for nonrecurrir difference. on for end use Highpoint/Ch or nonrecurrir difference. ons of loop/po for each Port L witch Ports. he Stand-Alon illed Centrex P	rs with 4 or mo artotte-Gastoning charges for in the network eleminate of the control of the con	ore DSO equiva ia-Rock Hill); T not currently of ments except if rently Combini ort section of ination.	lent lines. N (Nashville) ombined in or UNE Coi ed scenario:	e). FL and NC n Port/Loops, the Nonro	. In the interior	m where Bell	South cannot a flat rate us in the NRC - (bill Market age charge Currently
These Bellis Rates Bellis Rates The Bellis Rates The End For Com ADD Non A MM Multiple Rates Rat	se scenarios include: South currently is developing the billing capability to mechanical south currently is developing the billing capability to mechanical south currently is developing the billing capability to mechanical south currently combined in the cost-Based section precess and south currently is developing the billing capability to mechanical south currently is developing the billing capability to mechanical south currently is developing the billing capability to mechanical south currently is developing the billing capability to mechanical south shall bill the rates in the Cost-Based section precess Market Rate for unbundled ports includes all available features in Mort Currently Combined scenarios where Market Rates apply, the bined section. Additional NRCs may apply also and are categoritional. NRCs DEST LOOP DEST	ally bill ding in or Not (ale, Misally bill ding in in all strange and the Channel Bank, did did after Strange automation - (Usage of Strange)	the rec Current Itilia of I	the Market Rates and y Combined in Zona (Atlanta); LA (New surring and non-recu the Market Rates and he Port section of the g charges are listed gly. In with Port - Convert of the Warket Rates are listed gly. In with Port - Convert of the Warket Rates are listed gly. In with Port - Convert of the Warket Rates are listed gly. Commission rule to assed Rate section in the Port section of and Not Currently Cond the Market Rates are listed gly.	rring Market d reserves the 1 of the To Orleans); No urring Market d reserves the is rate exhibiting the First of reserves the resion Charge rith Feature figuration is provide Units the same m this rate exhibiting the reserves mbined Com	Rates in this s e right to true- p 6 MSAS in Bo C (Greensboro- Rates in this s e right to true- it shall apply to and Additional Based on a Sy Activations. counted. Lundled Local S anner as they a hibt shall apply in	ection except i up the billing gollsouth's region winston Salemection except i up the billing i up the billing i all combination NRC columns i stem witching or Sw re applied to ti to the Unbund	for nonrecurrir difference. on for end use Highpoint/Ch or nonrecurrir difference. ons of loop/po for each Port L witch Ports. he Stand-Alon illed Centrex P	rs with 4 or mo artotte-Gastoning charges for in the network eleminate of the control of the con	ore DSO equiva ia-Rock Hill); T not currently of ments except if rently Combini ort section of lination.	lent lines. N (Nashville) ombined in or UNE Coi ed scenario:	e). FL and NC n Port/Loops, the Nonro	. In the interior	m where Bell	South cannot a flat rate us in the NRC - (bill Market age charge Currently
These Bellis Rates Bellis Rates The Bellis Rates The End For Com ADD Non A MM Multiple Rates Rat	se scenarios include: South currently is developing the billing capability to mechanics, BellSouth shall bill the rates in the Cost-Based section preceded by the process of the Cost-Based section preceded by the process of the Cost-Based section preceded by the	ally bill ding in or Not (ale, Misally bill ding in in all strange and the Channel Bank, did did after Strange automation - (Usage of Strange)	the rec Current Itilia of I	the Market Rates and y Combined in Zona (Atlanta); LA (New yurring and non-recuthe Market Rates and he Port section of the granges are listed gly. In with Port - Convert Pro 24 DSO Ports with Port section of the port section of the Port section	rring Market d reserves the 1 of the To Orleans); No urring Market d reserves the is rate exhibiting the First of reserves the resion Charge rith Feature figuration is provide Units the same m this rate exhibiting the reserves mbined Com	Rates in this seright to true- p 8 MSAS in Bo c (Greensboro- Rates in this seright to true- it shall apply to and Additional in the series of	ection except i up the billing gollsouth's region winston Salemection except i up the billing i up the billing i all combination NRC columns i stem witching or Sw re applied to ti to the Unbund	for nonrecurrir difference. on for end use Highpoint/Ch or nonrecurrir difference. ons of loop/po for each Port L witch Ports. he Stand-Alon illed Centrex P	rs with 4 or mo artotte-Gastoning charges for in the network eleminate of the control of the con	ore DSO equiva ia-Rock Hill); T not currently of ments except if rently Combini ort section of lination.	lent lines. N (Nashville) ombined in or UNE Coi ed scenario:	e). FL and NC n Port/Loops, the Nonro	. In the interior	m where Bell	South cannot a flat rate us in the NRC - (bill Market age charge Currently
These Bellis Rates Bellis Rates Bellis Rates The Bellis Rates The End For Com ADD UNE Non A MM Multipurous 1. C. 2. F. 6. 3. E. 4. Ti Looj 5. N UNE 2. W. E. 2. E. 6. S. M UNE C.	se scenarios include: South currently is developing the billing capability to mechanica is, BellSouth shall bill the rates in the Cost-Based section preceding bundled port/loop combinations that are Currently Combined 1709 8 MSAs in BellSouth's region are: Ft. (Orlando, Ft. Lauderd. South currently is developing the billing capability to mechanica is, BellSouth shall bill the rates in the Cost-Based section preceding the billing capability to mechanica is, BellSouth shall bill the rates in the Cost-Based section preceding the section of the combined section includes all available features: Office and Tandem Switching Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Transport Isage (NRC) Associated with 4-Wire DS1 Loop will inimum System configuration is One (1) DS1, One (1) D4 Channe in the Common Transport Isage Isage And Isage Isag	ally bill ding in or Not (ale, Misally bill ding in in all strange and the Channel Bank, did did after Strange automation - (Usage of Strange)	the rec Current Itilia of I	the Market Rates and y Combined in Zona (Atlanta); LA (New surring and non-recu the Market Rates and he Port section of the g charges are listed gly. In with Port - Convert of the Warket Rates are listed gly. In with Port - Convert of the Warket Rates are listed gly. In with Port - Convert of the Warket Rates are listed gly. Commission rule to assed Rate section in the Port section of and Not Currently Cond the Market Rates are listed gly.	rring Market d reserves the 1 of the To Orleans); No urring Market d reserves the is rate exhibiting the First of reserves the resion Charge rith Feature figuration is provide Units the same m this rate exhibiting the reserves mbined Com	Rates in this s e right to true- p 6 MSAS in Bo C (Greensboro- Rates in this s e right to true- it shall apply to and Additional Based on a Sy Activations. counted. Lundled Local S anner as they a hibt shall apply in	ection except i up the billing gollsouth's region winston Salemection except i up the billing i up the billing i all combination NRC columns i stem witching or Sw re applied to ti to the Unbund	for nonrecurrir difference. on for end use Highpoint/Ch or nonrecurrir difference. ons of loop/po for each Port L witch Ports. he Stand-Alon illed Centrex P	rs with 4 or mo artotte-Gastoning charges for in the network eleminate of the control of the con	ore DSO equiva ia-Rock Hill); T not currently of ments except if rently Combini ort section of lination.	lent lines. N (Nashville) ombined in or UNE Coi ed scenario:	e). FL and NC n Port/Loops, the Nonro	. In the interior	m where Bell	South cannot a flat rate us in the NRC - (bill Market age charge Currently
These Bellis Rates Bellis Rates Bellis Rates The Bellis Rates The End For Com ADD UNE Non A MM Multipurous 1. C. 2. F. 6. 3. E. 4. Ti Looj 5. N UNE 2. W. E. 2. E. 6. S. M UNE C.	se scenarios include: South currently is developing the billing capability to mechanics is, BellSouth shall bill the rates in the Cost-Based section preceded in bundled port/loop combinations that are Currently Combined in Top 8 MSAs in BellSouth's region are: Ft. (Orlando, Ft. Lauderd, South currently is developing the billing capability to mechanics is, BellSouth shall bill the rates in the Cost-Based section preceded in the Cost-Based section preceded in the Cost-Based section preceded in the Cost-Based section preceded in the Cost-Based section preceded in the Cost-Based section in the Cost-Based section preceded in the Cost-Based section preceded in the Cost-Based section in the Cost-Based section in the Cost-Based section in the Cost-Based section in the Cost-Based section in the Cost-Based in the Cost-Based Rates in the Cost-Based Rates in the Cost-Based Rates in the Cost-Based Rates in the Cost-Based Rates in the Cost-Based Rates in the Cost-Based Rates in the Cost-Based Rates in the Cost-Based Rates in the Cost-Based Rates in the Cost-Based Rates in the Cost-Based Rates in the Cost-Based Rates in the Cost-Based Rates in the Cost-Based Rates in the Cost-Based Rates in the Cost-Based Rates in the Unbundled Centres Port/Loop Combination in the Port and Cost-Based Rates for Unbundled Centres Port/Loop Combination will be Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design	ally bill ding in or Not (ale, Misally bill ding in in all strange and the Channel Bank, did did after Strange automation - (Usage of Strange)	the rectified of the re	the Market Rates and y Combined in Zona (Atlanta); LA (New surring and non-recu the Market Rates and he Port section of the g charges are listed gly. In with Port - Convert of the year	rring Market d reserves the 1 of the To Orleans); No urring Market d reserves the is rate exhibiting the First of reserves the resion Charge rith Feature figuration is provide Units the same m this rate exhibiting the reserves mbined Com	Rates in this see right to truep 8 MSAS in Bo (Greensboro-In Rates in this see right to true it shall apply to and Additional In Based on a Sy Activations. Counted. Jundled Local S anner as they a nibit shall apply thos, except in this see they a nibit shall apply thos, except in the see they a nibit shall apply thos, except in the see they a nibit shall apply thos, except in the see they a nibit shall apply thos.	ection except i up the billing gollsouth's region winston Salemection except i up the billing i up the billing i all combination NRC columns i stem witching or Sw re applied to ti to the Unbund	for nonrecurrir difference. on for end use Highpoint/Ch or nonrecurrir difference. ons of loop/po for each Port L witch Ports. he Stand-Alon illed Centrex P	rs with 4 or mo artotte-Gastoning charges for in the network eleminate of the control of the con	ore DSO equiva ia-Rock Hill); T not currently of ments except if rently Combini ort section of lination.	lent lines. N (Nashville) ombined in or UNE Coi ed scenario:	e). FL and NC n Port/Loops, the Nonro	. In the interior	m where Bell	South cannot a flat rate us in the NRC - (bill Market age charge Currently
These Bellis Rates Bellis Rates Bellis Rates The Bellis Rates The End For Com ADD INBUNOLE I. C. 2. F. F. S. N. L. C. S. N. L. C. S. N. L. C. S. N. L. C. S. N. L. C. S. N. L. C. S. N. L. C. C. S. N. L. C. S. N. L. C. S. N. L. C. S. N. L. C. S. N. L. C. C. S. N. L. C. C. S. N. L. C. C. S. N. L. C. C. S. N. L. C. C. S. N. L. C. C. S. N. L. C. C. S. N. L. C. C. S. N. L. C. C. S. N. L. C. C. S. N. L. C. C. S. N. L. C. C. S. N. L. C. C. S. N. L. C. C. S. N. L. C. C. S. N. L. C. C. C. S. N. L. C. C. C. S. N. L. C. C. C. C. C. C. C. C. C. C. C. C. C.	se scenarios include: South currently is developing the billing capability to mechanica is, BellSouth shall bill the rates in the Cost-Based section preceding bundled port/loop combinations that are Currently Combined 1709 8 MSAs in BellSouth's region are: Ft. (Orlando, Ft. Lauderd. South currently is developing the billing capability to mechanica is, BellSouth shall bill the rates in the Cost-Based section preceding the billing capability to mechanica is, BellSouth shall bill the rates in the Cost-Based section preceding the section of the combined section includes all available features: Office and Tandem Switching Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Transport Isage (NRC) Associated with 4-Wire DS1 Loop will inimum System configuration is One (1) DS1, One (1) D4 Channe in the Common Transport Isage Isage And Isage Isag	ally bill ding in or Not (ale, Misally bill ding in in all strange and the Channel Bank, did did after Strange automation - (Usage of Strange)	the rectified of the re	the Market Rates and y Combined in Zona (Atlanta); LA (New yurring and non-recuthe Market Rates and he Port section of the granges are listed gly. In with Port - Convert Pro 24 DSO Ports with Port section of the port section of the Port section	rring Market d reserves the 1 of the To Orleans); No urring Market d reserves the is rate exhibiting the First of reserves the resion Charge rith Feature figuration is provide Units the same m this rate exhibiting the reserves mbined Com	Rates in this seright to true- p 8 MSAS in Bo c (Greensboro- Rates in this seright to true- it shall apply to and Additional in the series of	ection except i up the billing gollsouth's region winston Salemection except i up the billing i up the billing i all combination NRC columns i stem witching or Sw re applied to ti to the Unbund	for nonrecurrir difference. on for end use Highpoint/Ch or nonrecurrir difference. ons of loop/po for each Port L witch Ports. he Stand-Alon illed Centrex P	rs with 4 or mo artotte-Gastoning charges for in the network elemination of the control of the c	ore DSO equiva ia-Rock Hill); T not currently of ments except if rently Combini ort section of lination.	lent lines. N (Nashville) ombined in or UNE Coi ed scenario:	e). FL and NC n Port/Loops, the Nonro	. In the interior	m where Bell	South cannot a flat rate us in the NRC - (bill Market age charge Currently

Page 226 of 358

MEDIADE	LED NETWORK ELEMENTS - Mississippi												Attach	ment; 2	Evhi	bit: B
				2400			_				Svc Order	Svc Order	Incremental		Incremental	
		1										Submitted		Charge -	Charge -	Charge
		Interi	ł	S. mary S.							Elec		Manual Svc	Manual Svc		
ATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR				
		m	•								PerLSH	per LSH	Order vs.	Order vs.	Order vs.	Order vs.
			1		1						•		Electronic-	Electronic-	Electronic-	
			1		_						l .		1st	Add'i	Disc 1st	Disc Add
1_						5	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)		
						Rec	First	Add'I	First	Add'1	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
j	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combi	7-	$\overline{}$											- JOHINI	JOHNAN	SOMAN
	Non-Design		4	UEP91		44.91				1	1			i	1	1
UNE	Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combi)	1											 		
$-\!\!\!-$	Design		1	UEP91		15 12										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	-	i													
	Design		2	UEP91		19.98										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	-	1													
	Design		3	UEP91		28.78			1	!						
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combi)	1								l					
	Design		4	UEP91		46.95				[ļ		1
UNE	Loop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	10.98										——
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	15.91										
	2-Wire Voice Grade Loop (SL 1) - Zone 3			UEP91	UECS1	25.04									 	
	2-Wire Voice Grade Loop (SL 1) - Zone 4		4_	UEP91	UECS1	43.68										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1_1_	UEP91	UECS2	13.89										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	18 75										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	27 55										-
	2-Wire Voice Grade Loop (SL 2) - Zone 4		4	UEP91	UECS2	45.72										
	Ports															
All S	States (Except North Carolina and Sout Carolina)															
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP91	UEPYA	1.23	40.31	19.84	24.90	6 58		15.75				
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local		T													
	Area		l	UEP91	UEPYB !	1.23	40 31	19.84	24 90	6.58	1 1	15 75			l	1
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	1			1		-									
	Area	1		UEP91	UEPYH	1 23	40.31	19 84	24 90	6.58		15.75				1
	2-Wire Volce Grade Port (Centrex from diff Serving Wire	\top														
	Center)2 Basic Local Area			UÉP91	UEPYM	1 23	108.35	70 57	54.24	11 70		15.75				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term - Basic Local Area	1		UEP91	UEPYZ	1.23	108.35	70.57	54.24	11,70		15.75				
	2-Wire Voice Grade Port terminated in on Megalink or equivaler	ıt i														
	- Basic Local Area		1	UEP91	UEPY9	1.23	40.31	19.84	24.90	6.58		15.75				ĺ
	2-Wire Voice Grade Port Terminated on 800 Service Term -			·												
	Basic Local Area			UEP91	UEPY2	1.23	40.31	19.84	24.90	6.58		15.75				l
AL, I	KY, LA, MS, & TN Only															
	2-Wire Voice Grade Port (Centrex)	 		UEP91	UEPQA	1.23	40 31	19.84	24.90	6.58		15 75				
	2-Wire Voice Grade Port (Centrex 800 termination)	T		UEP91	UEPQB	1.23	40 31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPQH	1 23	40 31	19.84	24 90	6.58		15 75				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
ı	Center)2	1	1	UEP91	UEPQM	1.23	108 35	70.57	54 24	11.70		15.75				ŀ
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term		1	UEP91	UEPQZ	1.23	108 35	70.57	54.24	11.70		15.75				ĺ
		_		52. 07	1027 42							- 10.110				
	2-Wire Voice Grade Port terminated in on Megalink or equivaler	·*		UEP91	UEPQ9	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port Terminated on 800 Service Term	<u> </u>		UEP91	UEPQ2	1.23	40.31	19.84	24.90	6,58		15.75				
Loca	al Switching	+		04131	JOLI GE	7.20	70.01	13.04	24.50	0.30		10.70				
12000	Centrex Intercom Funtionality, per port		_	UEP91	URECS	0.7947										
1.000	Number Portability	+		OEFFI	UNLUS	0.7347										
- 1200	Local Number Portability (1 per port)	+	-	UEP91	LNPCC	0.35										
Fast	ures	+		OLF 81	LINE CO.	0.33										
1 court	All Standard Features Offered, per port	+	 	UEP91	UEPVF	2.56						15 75				
	All Colont Footures Offered per port	+-					404.00				-	15.75				
-	All Select Features Offered, per port	+	-	UEP91	UEPVS	0.00	404.98								_	
MAG	All Centrex Control Features Offered, per port	+	\vdash	UEP91	UEPVC	2.56						15.75		-	ļ 	
NAR		+	 	LIEBO4	-lunov											
-	Unbundled Network Access Register - Combination	+	1	UEP91	UARCX	0.00	0.00	0 00			<u> </u>					
	Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00								
- 1	Unbundled Network Access Register - Outdial	1	1 1	UEP91	UAROX	0.00	0.00	0.00			ıl	ŀ				L

NADONDED NE	TWORK ELEMENTS - Mississippi													nent: 2	Exhil	bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						Rec	Nonrec			g Disconnect				Rates(\$)		
			<u> </u>			1100	First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
2-Wire Trunk			ļ	·										L		1
	k Side Terminations, each		↓	UEP91	CENA6	8.25	120.00	18.85	61.77	3.88		15.75				
	hannel Mileage - 2-Wire office Channel Facilities Termination - Voice Grade		╄													
Interc	office Channel Facilities Termination - Voice Grade		↓	UEP91	M1GBC	22.52	40.77	27.57	17.26	7,11		15.75		L		
Easture Activ	office Channel mileage, per mile or fraction of mile vations (DS0) Centrex Loops on Channelized DS1 Service		ļ	UEP91	M1GBM	0 0098										
	Bank Feature Activations	78	 													
	ure Activation on D-4 Channel Bank Centrex Loop Slot		—	LIEDAL												
reall	The Activation on D-4 Channel Bank Centrex Loop Sigt		Ļ	UEP91	1PQWS	0.57										L
Featu	ure Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.57										
	ure Activation on D-4 Channel Bank FX Trunk Side Loop	Į.	i													
Slot		L		UEP91	1PQW7	0.57				L	l			Į	İ	
	are Activation on D-4 Channel Bank Centrex Loop Slot - rent Wire Center			UEP91	1PQWP	0.57										
Featu	ure Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.57										
	ure Activation on D-4 Channel Bank Tjie Line/Trunk Loop								I							
Slot			L	ປEP91	1PQWQ	0 57								•		
	ire Activation on D-4 Channel Bank WATS Loop Slot		I	UEP91	1PQWA	0.57										
	ng Charges (NRC) Associated with UNE-P Centrex															
Conv	ersion - Currently Combined Switch-As-Is with allowed		T												·	1
	ges, per port		i	UEP91	USAC2		0 10	0 10		i	1	15.75				-
	ersion of Existing Centrex Common Block			UEP91	USACN		37.97	16.68				15.75				
New	Centrex Standard Common Block			UEP91	M1ACS	0 00	666 32					15.75				1
New (Centrex Customized Common Block			UEP91	M1ACC	0.00	666 32					15.75				
	ndary Block, per Block			UEP91	M2CC1	0 00	77.91					15.75				1
NAR	Establishment Charge, Per Occasion			UEP91	URECA	0.00	72 63					15.75				
	REX - 5ESS (Valid in All States)	1								_					·	
	cop/2-Wire Voice Grade Port (Centrex) Combo															
	op Combination Rates (Non-Design)		Ι													į.
	e VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1														l .
	Design		1 1	UEP95		12 22										
	e VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		Ī								1					
	Design	l	2	UEP95		17.13										
2-Wir	e VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -					·				1						
Non-I	Design		3	UEP95		26.26					!					<u> </u>
2-Wir	e VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -								,							ŀ
Non-I	Design	1	4	UEP95		44.91										
UNE Port/Loc	op Combination Rates (Design)															
2-Wir	e VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				T.					1	[[-		
Desig			<u> </u>	UEP95		15.12										
2-Wir	e VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		Ī							l	1 :			Į.	İ	
Desig		L	2	UEP95		19.98				l	L			<u> </u>		ļ
2-Wir	e VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -				1										l	
Desig		[3_	UEP95		28.78										
2-Wir Desig	e VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		4	UEP95		46.95					li					
UNE Loop R		├	+-	001 90		40.00					 					
	e Voice Grade Loop (SL 1) - Zone 1	 	1	UEP95	UECS1	10.98										
	e Voice Grade Loop (SL 1) - Zone 1			UEP95	UECS1	15.91		-		 	\vdash					
	e Voice Grade Loop (SL 1) - Zone 3	_		UEP95	UECS1	25.04				 						
	e Voice Grade Loop (SL 1) - Zone 4	 		UEP95	UECS1	43.68			 					i		T
	e Voice Grade Loop (SL 1) - Zone 4	 	1	UEP95	UECS2	13 89			-	 	 					
			1 2	UEP95	UECS2	18.75				 				 		t
	re Voice Grade Loop (SL 2) - Zone 2			UEP95	UECS2	27.55			 -							1
	re Voice Grade Loop (SL 2) - Zone 3			UEP95	UECS2	45.72			 	 					 	
UNE Port Rat	e Voice Grade Loop (SL 2) - Zone 4	 	+ *	OLFBO	05002	43.72			 	 	 				 	
	(8		 -		+						 					1
All States	e Voice Grade Port (Centrex) Basic Local Area			UEP95	ÜEPYA	1.23	40.31	19.84	24.90	6.58	 	15 75		 		

JNBUNDLE	D NETWORK ELEMENTS - Mississippi													ment: 2		olt: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sv Order vs. Electronic Disc Add
			 -				Nonrec	urring	Nonrecurring	Disconnect				Rates(\$)	2.50 151	Disc Add
			 			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex 800 termination)			ÜEP95	UEPYB	1.23	40.31	19.84	24 90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local														-	
	Area			UEP95	UEPYH	1.23	40.31	19.84	24.90	6.58		15 75				
- 1	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area		1	UEP95	UEPYM	1 23	108.35	70.57	54 24	11.70	1	45.75				İ
_	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		-	UEF95	DEPTM	1 23.	100.35	70.57	54 24	11.70	 	15.75			 	
	Term - Basic Local Area	,		UEP95	UEPYZ	1.23	108.35	70.57	54 24	11.70	i	15.75		1		i
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		\vdash													
	- Basic Local Area			UEP95	UEPY9	1.23	40.31	19.84	24.90	6.58		15.75			L	
	2-Wire Voice Grade Port Terminated on 800 Service Term -		}													
- 41 10	Basic Local Area	<u> </u>	-	UEP95	UEPY2	1 23	40.31	19.84	24.90	6.58	ļ	15 75				
AL, K	7, LA, MS, SC, & TN Only 2-Wire Voice Grade Port (Centrex)			UEP95	UEPQA	1.23	40 31	19 84	24.90	6 58	 	15.75	 		 	
	2-Wire Voice Grade Port (Centrex 800 termination)	_	 	UEP95	UEPQB	1.23	40 31	19 84	24.90	6.58	 	15.75	·			
	2-Wire Voice Grade Port (Centrex with Caller ID)1		\vdash	UEP95	UEPQH	1.23	40 31	19.84	24.90	6 58		15.75				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2			UEP95	UEPQM	1.23	108 35	70.57	54 24	11.70		15 75				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service												1			
	Term		ļ	UEP95	UEPQZ	1.23	108 35	70.57	54 24	11.70		15.75		ļ	 	ļ
- 1	2-Wire Voice Grade Port terminated in on Megalink or equivalent		ŀ	UEP95	UEPQ9	1.23	40.31	19 84	24 90	6 58		15 75		i	Į.	
	2-Wire Voice Grade Port Terminated in on Meganik of equivalent		_	UEP95	UEPQ2	1.23	40.31	19.84	24 90	6.58		15.75				
FL & C	GA Only		 	OL1 33	OL: GE		40.01	10.04	2755	- 0.00		15.75	· · · · · · · · · · · · · · · · · · ·	l		
	Switching															
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.7947										
Local	Number Portability										ļ					
	Local Number Portability (1 per port)			UEP95	LNPCC	0.35			ļ	 				ļ 		
Featu	All Standard Features Offered, per port		-	UEP95	UEPVF	2 56						15.75		 		
-+-	All Select Features Offered, per port	_	 	UEP95	UEPVS	0 00	404.98					15.75				
	All Centrex Control Features Offered, per port			UEP95	UEPVC	2 56						15.75				
NARS			1													
	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00				15.75				
	Unbundled Network Access Register - Indial		_	UEP95	UARIX	0.00	0.00	0.00	 		 	15.75 15.75		ļ	 	
	Unbundled Network Access Register - Outdial	<u> </u>		UEP95	UAROX	0 00	0 00	0.00	 	 -		15.75			 	
	laneous Terminations Trunk Side				-				 		 					
2-WIFE	Trunk Side Terminations, each		 	UEP95	CEND6	8.25	120.00	18.85	61.77	3.88		15.75				
4.Win	Digital (1.544 Megabits)		-	02730	CENTE											
	DS1 Circuit Terminations, each		1	UEP95	M1HD1	58.41	203 19	96 25	74.86	2.54		15.75				
	DS0 Channels Activated, each			UEP95	M1HDO	0 00	14 56									
Intero	ffice Channel Mileage - 2-Wire								17.00			15.75			ļ <u>. </u>	
	Interoffice Channel Facilities Termination	Ĺ <u> </u>	<u> </u>	UEP95	MIGBC	22 52	40 77	27.57	17 26	7.11		15.75	ļ <u> </u>	 	 	
	Interoffice Channel mileage, per mile or fraction of mile	<u></u>	-	UEP95	MIGBM	0.0098			 		 				 	 -
	e Activations (DS0) Centrex Loops on Channelized DS1 Service annel Bank Feature Activations	T	┼─								 					
D4 Ch	Feature Activation on D-4 Channel Bank Centrex Loop Slot	 	_	UEP95	1PQWS	0.57										
	- Comment of the 4 contained brain contains accept that		Τ-						1							1
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.57					I					
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP95	1PQW7	0.57									<u> </u>	
1	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP95	1PQWP	0.57										
_			t =								1					
	Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop		┼	UEP95	1PQWV	0.57			 	 			 			
	Slot	ļ	<u> </u>	UEP95 UEP95	1PQWQ	0.57 0.57			 		├			 		
	Feature Activation on D-4 Channel Bank WATS Loop Slot lecurring Charges (NRC) Associated with UNE-P Centrex	 -	+	02785	IFQWA	Ų.37			 							

DURONDE	ED NETWORK ELEMENTS - Mississippi													ment: 2	Exhi	bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svo Order vs. Electronic- Add'l	Charge -	Charge -
			ļ		<u> </u>	Rec	Nonrec		Nonrecurring					Rates(\$)		
	1000					1.00	First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ŀ	NRC Conversion Currently Combined Switch-As-Is with allowed	1									1					
	changes, per port Conversion of Existing Centrex Common Block, each		 	UEP95	USAC2		0.10	0.10				15 75				
	New Centrex Standard Common Block		 	UEP95	USACN		37 97	16.68			ļ	15.75				
	New Centrex Customized Common Block	+	+	UEP95 UEP95	M1ACS	0.00	666.32				<u> </u>	15.75				
	NAR Establishment Charge, Per Occasion	+	+	UEP95	M1ACC URECA	0.00	666.32				ļ	15.75				
UNE-	P CENTREX - DMS100 (Valid in All States)	+	-	UEF95	UNECA	0.00	72.63					15.75				
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo	+	+													
	Port/Loop Combination Rates (Non-Design)	 	 								 				ļ	ļ
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	 	+		 						 					ļ
1	Non-Design	1	1	UEP9D	1	12.22	j			l						
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	. 	 		+	15.55					 					
	Non-Design	1	2	UEP9D		17.13								l	Ī	1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	.1	† <u> </u>		 	179					 			 	 	
	Non-Design		3	UEP9D		26.26								I	1	1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	4			 					†	 					-
	Non-Design		4	UEP9D	1	44.91	ŀ			ŀ	1			1		
UNE	Port/Loop Combination Rates (Design)	1														
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	+									· · · · · · · · · · · · · · · · · · ·	-				
	Design	1	1	UEP9D		15.12										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	-1			1											
	Design		2	UEP9D		19 98	1				1			1		-
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	.	1		T						 					
	Design	1	3	UEP9D		28 78]				l					
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-									1					
	Design		4	UEP9D	į.	46 95					1	j			1	
UNE	Loop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	10 98										
	2-Wire Voice Grade Loop (SL 1) - Zone 2	1	2	UEP9D	UECS1	15.91										
	2-Wire Voice Grade Loop (SL 1) - Zone 3			UEP9D	UECS1	25 04										
	2-Wire Voice Grade Loop (SL 1) - Zone 4		4	UEP9D	UECS1	43.68										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	13 89										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	18 75										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	27.55					1					
	2-Wire Voice Grade Loop (SL 2) - Zone 4		4	UEP9D	UECS2	45 72					1					
	Port Rate		L													
ALL:	STATES															
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9D	UEPYA	1.23	40 31	19.84	24 90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local		1													
	Area	1	_	UEP9D	UEPYB	1.23	40 31	19.84	24.90	6 58	1	15.75		ļ	<u> </u>	<u> </u>
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local	1									1					
	Area			UEP9D	UEPYC	1.23	40.31	19.84	24.90	6 58		15.75				
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local	1									1			1		
	Area			UEP9D	UEPYD	1 23	40 31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local				i :				i		l					
	Area		ļ	UEP9D	UEPYE	1 23	40 31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local										l		-	1		
	Area		_	UEP9D	UEPYF	1.23	40.31	19.84	24 90	6 58		15.75				
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local	1	1												l	
	Area	 	 	UEP9D	UEPYG	1.23	40.31	- 19.84	24.90	6.58	<u> </u>	15.75				
1	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local	1			l		1				1			l		
	Area	1		UEP9D	UEPYT	1.23	40.31	19.84	24.90	6.58		15.75			ļ	<u> </u>
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local	1	1		l]					}	45.75]	l	ļ	
	Area	1	—	UEP9D	UEPYU	1.23	40.31	19.84	24.90	6.58	!	15.75				
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local	1	1	l	I							4		l	l	
	Area	1	ļ	UEP9D	UEPYV	1.23	40.31	19.84	24.90	6.58		15 75		ļ		
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local	1	1				_			1	1		1	l	ŀ	1
	Area	1	1	UEP9D	UEPY3	1 23	40.31	19 84	24.90	6.58	I	15.75	1	l	1	1

Area 2-Wir Indicia 2-Wir Basic	RATE ELEMENTS fire Voice Grade Port (Centrex with Caller ID) Basic Local a fire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp cation))3 Basic Local Area fire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 ic Local Area fire Voice Grade Port (Centrex from diff Serving Wire Center) asic Local Area fire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 ic Local Area fire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 ic Local Area fire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 ic Local Area fire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 ic Local Area fire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 ic Local Area	interi	Zone	UEP9D UEP9D	USOC UEPYH UEPYW	Rec	Nonrec First	RATES(\$) surring Add'l	Nonrecurring First	Disconnect	Svc Order Submitted Elec per LSR	Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svo Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
Area 2-Wir Indicia 2-Wir Basic	a //ire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp cation))3 Basic Local Area //ire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 ic Local Area //ire Voice Grade Port (Centrex/from diff Serving Wire Center) asic Local Area //ire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 ic Local Area //ire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 ic Local Area //ire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 ic Local Area //ire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 ic Local Area //ire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 ic Local Area //ire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 ic Local Area			UEP9D			First				COMEC		OSS			
Area 2-Wir Indicia 2-Wir Basic	a //ire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp cation))3 Basic Local Area //ire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 ic Local Area //ire Voice Grade Port (Centrex/from diff Serving Wire Center) asic Local Area //ire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 ic Local Area //ire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 ic Local Area //ire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 ic Local Area //ire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 ic Local Area //ire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 ic Local Area //ire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 ic Local Area			UEP9D				Add'l	First	Add'l	COMEC					
Area 2-Wir Indicia 2-Wir Basic	a //ire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp cation))3 Basic Local Area //ire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 ic Local Area //ire Voice Grade Port (Centrex/from diff Serving Wire Center) asic Local Area //ire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 ic Local Area //ire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 ic Local Area //ire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 ic Local Area //ire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 ic Local Area //ire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 ic Local Area //ire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 ic Local Area			UEP9D		1.23				·	SUMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-Wir India: 2-Wir	Irre Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp cation))3 Basic Local Area, //ire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 lc Local Area //ire Voice Grade Port (Centrex from diff Serving Wire Center) asic Local Area //ire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 lic Local Area //ire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 lic Local Area //ire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 lic Local Area //ire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 lic Local Area //ire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 lic Local Area //ire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 lic Local Area			UEP9D		1.23				١.	, ,		,			
Indicia	cation))3 Basic Local Area fire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 ic Local Area fire Voice Grade Port (Centrex from diff Serving Wire Center) asic Local Area fire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 ic Local Area fire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 ic Local Area fire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 ic Local Area fire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 ic Local Area fire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 ic Local Area				UEPYW		40.31	19.84	24.90	6.58	└	15.75			<u> </u>	
2-Wir Basic 2-Wir 2-Wir Basic 2-Wir	//Ire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 ic Local Area //Ire Voice Grade Port (Centrex from diff Serving Wire Center) asic Local Area //Ire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 ic Local Area //Ire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 ic Local Area //Ire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 ic Local Area //Ire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 ic Local Area //Ire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 ic Local Area //Ire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 ic Local Area				UEPYW	4.00	40.04	40.04			1 '		í '	ĺ	1 '	
Basic 2-Wir C-Wir C-Wir C-Wir C-C-Wir C-Wi	ic Local Area fire Voice Grade Port (Centrex from diff Serving Wire Center) asic Local Area fire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 ic Local Area fire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 ic Local Area fire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 ic Local Area fire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 ic Local Area fire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 ic Local Area fire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3		ļ. <u></u>	UEP9D		1.23	40 31	19.84	24.90	6.58	├ ──	15.75			ļ	ļ <u>.</u>
2-Wir 2 Basic 2-Wir Basic 2-Wi	//ire Voice Grade Port (Centrex from diff Serving Wire Center) asic Local Area //ire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 ic Local Area //ire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 icic Local Area //ire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 icic Local Area //ire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 icic Local Area //ire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 icic Local Area			02.05	UEPYJ	1.23	40.31	19 84	24.90	6.58	'	15.75	1 '	ĺ	1 ,	
2 Bas 2 Wift Basic 2-Wift Basic	asic Local Area //ire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 ic Local Area //ire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 ic Local Area //ire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 ic Local Area //ire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 ic Local Area //ire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 ic Local Area		-		021 10	1.20	40.01	18 04	24.50	0.50	 	15.75		 		
Basic 2-Wir Basic 2-Wir Basic 2-Wir Basic 2-Wir Basic 2-Wir Basic 2-Wir Basic 2-Wir Basic 2-Wir Basic 2-Wir Basic 2-Wir Basic 2-Wir Basic 2-Wir Basic 2-Wir Basic 2-Wir Basic 2-Wir Basic 2-Wir Basic 2-Wir Cod AL, KY, LA, I	ic Local Area //re Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 isc Local Area //re Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 isc Local Area //re Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 isc Local Area //re Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3		1	UEP9D	UEPYM	1 23	108.35	70 57	54 24	11.70	,	15.75	,		1 ,	İ
2-Wir Basic 2-Wir	/Ire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 ic Local Area // Irre Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 ic Local Area // Irre Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 ic Local Area // Irre Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 ic Local Area		1									10110				——
Basic 2-Wir Basic 2-Wir Basic 2-Wir Basic 2-Wir Basic 2-Wir Basic 2-Wir Basic 2-Wir Basic 2-Wir Basic 2-Wir Basic 2-Wir Basic 2-Wir Basic 2-Wir Basic 2-Wir Basic 2-Wir Local AL, KY, LA, 1 2-Wir	ic Local Area //re Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 elc Local Area //re Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 elc Local Area //re Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPYO	1.23	108.35	70.57	54 24	11 70	,	15.75	1 '		,	
2-Wir Basic 2-Wir	Are Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 ic Local Area //ire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 ic Local Area //ire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3															
Basic 2-Wir Basic 2-Wir Basic 2-Wir Basic 2-Wir Basic 2-Wir Basic 2-Wir Basic 2-Wir Basic 2-Wir Basic 2-Wir Carm 1-Carm 2-Wir Carm 1-Ca	ic Local Area //re Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 ic Local Area //re Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3	l	<u> </u>	UEP9D	UEPYP	1.23	108 35	70.57	54.24	11.70		15 75		<u> </u>		<u> </u>
2-Wir Basic 2-Wil Basic 2-Wir Basic 2-Wir Basic 2-Wir Basic 2-Wir Basic 2-Wir Basic 2-Wir Basic 2-Wir Basic 2-Wir Local AL, KY, LA, 12-Wir 2-Wir Local AL, KY, LA, 12-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 1-Wir 2-Wi	/Ire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 sic Local Area /Ire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3		1								1 7		1	1	1	
Basic 2-Wir Basic 2-Wir Basic 2-Wir Basic 2-Wir Basic 2-Wir Basic 2-Wir Basic 2-Wir Basic 2-Wir Basic 2-Wir Local AL, KY, LA, 2-Wir	ic Local Area Vire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3		+	UEP9D	UEPYQ	1.23	108.35	70.57	54.24	11.70	 	15.75	 		 	
2-Wir Basis 2-Wir	/ire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3		1	UEP9D	UEPYR	1.00	400.00	70.57		44.70	('	45	1		'	
Basic 2-Wir Basic 2-Wir Basic 2-Wir Basic 2-Wir Basic 2-Wir Basic 2-Wir Basic 2-Wir Local AL, KY, LA, 1 2-Wir		 		UEP9U	UEPTH	1.23	108 35	70.57	54.24	11.70		15.75				
2-Wir Basic 2-Wir Basic 2-Wir Basic 2-Wir Basic 2-Wir Basic 2-Wir Basic 2-Wir Basic 4-Wir Basic 2-Wir		l	1	UEP9D	UEPYS	1.23	108 35	70.57	54 24	11.70	1 '	15.75	('	1	1 '	
Basic 2-Wir Basic 2-Wir Basic 2-Wir Basic 2-Wir Term 2-Wir Basic 2-Wir Local AL, KY, LA, 1 2-Wir 2-Wir	/ire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3	 	+	001 30	1021 10	1.20	100 03	70.57	3727	17.70	 	19.75	· · · · · · · · · · · · · · · · · · ·			
2-Wir Basis 2-Wir Basis 2-Wir Basis 2-Wir Term 2-Wir Local AL, KY, LA, 12-Wir 2-Wir	ic Local Area	i .	1	UEP9D	UEPY4	1.23	108 35	70.57	54.24	11.70	1 '	15.75	1 '		,	
Basic 2-Wir Basic 2-Wir Basic 2-Wir Basic 2-Wir Term 2-Wir Basic 2-Wir Local AL, KY, LA, 12-Wir	/ire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3		+		152	,,,	100 00		3,1121			7	 			
Basic 2-Wil Basic 2-Wil Term 2-Wil Basic 2-Wil Local AL, KY, LA, 2-Wil 2-Wil	sic Local Area	l		UEP9D	UEPY5	1 23	108 35	70.57	54.24	11 70	'	15.75	!!	ı	1 '	
2-Wir Basic 2-Wir Term 2-Wir Basic 2-Wir Local AL, KY, LA, 12-Wir	/ire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3	$\overline{}$	1	<u> </u>												
Basic 2-Wir Term 2-Wir Basic 2-Wir Local AL, KY, LA, 2-Wir 2-Wir 2-Wir	ic Local Area			UEP9D	UEPY6	1.23	108.35	70.57	54.24	11 70	<u> </u>	15.75	<u>(</u>			l
2-Wir Term 2-Wir Basic 2-Wir Local AL, KY, LA, 2-Wir 2-Wir	/ire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3										,				1	
Term 2-Wir Basic 2-Wir Local AL, KY, LA, I 2-Wir 2-Wir 2-Wir	ic Local Area			UEP9D	UEPY7	1.23	108 35	70.57	54.24	11 70		15.75	<u> </u>			L
2-Wir Basic 2-Wir Local AL, KY, LA, 2-Wir 2-Wir	/ire Voice Grade Port, Diff Serving Wire Center - 800 Service			l						l	j '		1 '	ĺ	j ,	
Basic 2-Wir Local AL, KY, LA, 2-Wir 2-Wir	···		<u> </u>	UEP9D	UEPYZ	1,23	108.35	- 70.57	54 24	11.70	ļ	15.75			ļ	ļ
2-Wir Local AL, KY, LA, 2-Wir 2-Wir	/ire Voice Grade Port terminated in on Megalink or equivalent		1			4.00	40.04		24.90	6.58	'	15.75	(1
AL, KY, LA, I 2-Wir 2-Wir	ic Local Area			UEP9D	UEPY9	1 23	40.31	19.84	24.90	6.58		15.75				
AL, KY, LA, I 2-Wii 2-Wii	/ire Voice Grade Port Terminated on 800 Service Term Basic	l	1	UEP9D	UEPY2	1,23	40.31	19.84	24.90	6.58	!	15.75	1 '	l	Į l	1
2-Wii 2-Wii		1	┼	DEFBU	UEFTZ	1,40	40.51	15.04	24.30	0.50		19,19				
2-Wii	/ire Voice Grade Port (Centrex)		+-	UEP9D	UEPQA	1.23	40 31	19.84	24 90	6.58		15.75				<u> </u>
	/ire Voice Grade Port (Centrex 800 termination)	1	+	UEP9D	UEPQB	1,23	40 31	19.84	24 90	6.58		15.75				
	/ire Voice Grade Port (Centrex / EBS-PSET)3		+-	UEP9D	UEPQC	1.23	40 31	19.84	24 90	6.58		15.75				
	/ire Voice Grade Port (Centrex / EBS-M5009)3			UEP9D	UEPQD	1.23	40 31	19 84	24.90	6 58		15.75				
2-Wit	/ire Voice Grade Port (Centrex / EBS-M5209)3			UEP9D	UEPQE	1 23	40 31	19.84	24.90	6 58		15 75		L		ļ
	/ire Voice Grade Port (Centrex / EBS-M5112)3			UEP9D	UEPQF	1 23	40.31	19 84	24.90	6.58	 '	15.75			 '	<u> </u>
	/ire Voice Grade Port (Centrex / EBS-M5312)3			UEP9D	UEPQG	1.23	40.31	19.84	24 90	6.58	ļ	15 75			ļ	
	/ire Voice Grade Port (Centrex / EBS-M5008)3	ļ		UEP9D	UEPQT	1,23	40.31	19 84	24.90	6.58		15 75		<u> </u>	 '	
	/ire Voice Grade Port (Centrex / EBS-M5208)3		J	UEP9D_	UEPQU	1.23	40.31	19.84	24.90	6.58	ļ	15.75			 	
2-Wi	/ire Voice Grade Port (Centrex / EBS-M5216)3			UEP9D	UEPQV	1.23	40.31	19.84	24.90	6.58 6.58	ļ'	15 75 15 75		 -	 	
	/ire Voice Grade Port (Centrex / EBS-M5316)3	-	-	UEP9D_	UEPQ3	1.23	40.31 40.31	19.84 19.84	24.90 24.90	6.58		15.75				
	Vire Voice Grade Port (Centrex with Caller ID)	<u> </u>		UEP9D	UEPQH	1.23	40.31	19 84	24.90	0.56	 	10.75	 			
	/ire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp	Ì		UEP9D	UEPQW	1.23	40,31	19 84	24 90	6 58	ļ '	15.75	l '	1		
	ication)3 /ire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3	-	+-	UEP9D	UEPQJ	1 23	40.31	19.84	24 90	6.58		15.75		-		
	Vire Voice Grade Port (Centrexivisg Wig Lamp Indication)	 	+	00	OCT GIO	1.29	70.51	,0.04	1	5.50					1	
9	THE CONTRACT OF CONTRACT HORIZON CONTRACT OF THE CONTRACT	1		UEP9D	UEPQM	1 23	108.35	70.57	54.24	11.70	L	15.75				
2-Wii	Vire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3		1	UEP9D	UEPQO	1.23	108.35	70 57	54.24	11.70		15 75				
		1	+		1											
	THE TORSE CHARGE FOR TOTAL TOT	1		UEP9D	UEPQP	1 23	108.35	70.57	54.24	11.70		15.75				<u> </u>
	Vire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3		T	UEP9D	UEPQQ	1.23	108.35	70.57	54.24	11.70	L	15.75	 			
		1					1							1		İ
2-Wii	Vire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 Vire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3	1		UEP9D	UEPQR	1.23	108.35	70.57	54 24	11.70		15.75		1		
	Vire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3	<u> </u>			1	I										

INBUNDLE	D NETWORK ELEMENTS - Mississippi												Attachi	ment: 2	Exhil	pit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
- 				<u> </u>	+	Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates(\$)		l
						Hec	First	Addʻl	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3		1	UEP9D	UEPQ4	1.23	108.35	70.57	54.24	11.70	1	15.75]	!	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPQ5	1.23	108.35	70.57	54.24	11.70						
									-			15.75				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPQ6	1.23	108.35	70.57	54 24	11.70		15 75	<u> </u>			-
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3	<u> </u>	ļ	UEP9D	UEPQ7	1.23	108.35	70.57	54.24	11.70		15 75				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP9D	UEPQZ	1.23	108.35	70.57	54.24	11.70		15 75				1
		<u> </u>									-	T				
	Wire Voice Grade Port terminated in on Megalink or equivalent Port Terminated on 800 Service Term	-		UEP9D UEP9D	UEPQ9 UEPQ2	1.23 1.23	40.31 40.31	19 84 19.84	24 90 24.90	6.58 6.58		15.75 15.75				
Local	Switching	\vdash	 	<u> </u>	102. GE	1.20	10.01	15.54	2.4.00	0.00		10,70		-	 	1
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.7947										1
Local	Number Portability		1													
	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										
Featur																
	All Standard Features Offered, per port		<u> </u>	UEP9D	UEPVF	2 56						15.75		1		
	All Select Features Offered, per port		ļ	UEP9D	UEPVS	0.00	404 98				ļ	15.75		ļ	ļ .	ļ ——
	All Centrex Control Features Offered, per port		 -	UEP9D	UEPVC	2 56					ļ	15.75				
NARS				LIEDOD	UADOV -	0.00	0.00	0.00				15 75	.	 	ļ	
	Unbundled Network Access Register - Combination		 	UEP9D UEP9D	UARCX UAR1X	0.00	0.00	0.00				15.75			 	
	Unbundled Network Access Register - Inward		├	UEP9D	UAROX	0.00	0.00	0.00				15.75		 	 	
Minos	Unbundled Network Access Register - Outdial			DEP9D	UARUX	- 000	0.00	0.00			 	13.73		 		
	Trunk Side	-	+-								 	 		 	-	
2-1/114	Trunk Side Terminations, each	 		UEP9D	CEND6	8.25	120.00	18.85	61.77	3.88	<u> </u>	15.75		i i	T	
4-Wire	Digital (1.544 Megabits)		1	<u> </u>	10220						1	i -				
1	DS1 Circuit Terminations, each	-	 	UEP9D	M1HD1	58.41	203.19	96.25	74.86	2.54		15.75				
	DS0 Channels Activated per Channel		\vdash	UEP9D	M1HDO	0.00	14.56					Γ				
Intero	ffice Channel Mileage - 2-Wire		T									i				
	Interoffice Channel Facilities Termination			UEP9D	MIGBC	22.52	40 77	27.57	17.26	7.11		15.75				
	Interoffice Channel mileage, per mile or fraction of mile	I		UEP9D	MIGBM	0.0098					ļ <u> </u>			ļ	ļ	ļ
	re Activations (DS0) Centrex Loops on Channelized DS1 Service	: 0								ļ	<u> </u>	ļ				
D4 Ch	annel Bank Feature Activations		1								ļ		 	ļ	<u> </u>	
_	Feature Activation on D-4 Channel Bank Centrex Loop Slot	ļ	├—	UEP9D	1PQWS	0 57					 	 	-		 	
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0 57	, .								<u> </u>	
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9D	1PQW7	0.57										ļ
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9D	1PQWP	0.57									<u> </u>	
**				UEP9D	1PQWV	0.57										1
	Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tile Line/Trunk Loop	\vdash	+-	OCF 3D	IF WAAA	0.51	 	l			1	1			1	
	Slot	<u> </u>		UEP9D	1PQWQ	0.57					ļ	ļ <u> </u>	<u> </u>	ļ	<u> </u>	ļ
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0 57		 		ļ. — — —	 		 	 		
Non-F	lecurring Charges (NRC) Associated with UNE-P Centrex		↓	ļ			<u> </u>	ļ <u>-</u>	 	 		+	 	 	+	
	NRC Conversion Currently Combined Switch-As-Is with allowed	1		UEDOD	LICAGO		0.10	0.10	1	1		15.75			1	1
	changes, per port	<u> </u>	 	UEP9D	USAC2 USACN		37.97	16.68			 	15.75	 	 	—	
	Conversion of existing Centrex Common Block, each	 	+	UEP9D UEP9D	MIACS	0.00	666.32	10.08	 	 	 	15.75	 	1	1	
	New Centrex Standard Common Block	├	-		M1ACC	0.00	666.32		<u> </u>	 	 	15.75	<u> </u>	1	1	
	New Centrex Customized Common Block	 	+	UEP9D UEP9D	URECA	0.00	72.63	 	 			15.75	†	1	1	
- I.I.	NAR Establishment Charge, Per Occasion CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)	 	+	OEL SD	UNEUA	0.00	72.00				 	T	1		T	
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo	┼	+	 	+	 		 								
	Port/Loop Combination Rates (Non-Design)	-	+	 	 		 	<u> </u>	1		T	T			1	

UNBUNDLED NET	WORK ELEMENTS - Mississippi												Attach	ment: 2	Exhil	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Charge -	Incremental Charge - Manual Svc Order vs. Electronic-	Increments Charge - Manual Sv Order vs. Electronic
													1st	Add'I	Disc 1st	Disc Add'
						Rec	Nonrec		Nonrecurring					Rates(\$)		·
	VOI					1160	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-Wire Non-D	VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		1	UEP9E		40.00			1			·		ļ .		
	VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		╀	UEP9E		12.22					 	ļ				
Non-D			2	UEP9E		17.13			1		İ		1			
	VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		一						 		 					
Non-D			3	UEP9E		26.26										
	VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		1									T				
Non-D			4	UEP9E		44 91										
UNE POTVLOO	p Combination Rates (Design) VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		 								ļ	<u> </u>				ļ
Design			١.	UEP9E		15.12							i		į	
	VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		╁	0-1-3E		15.12					 	 		 		
Design	<u> </u>		2	UEP9E		19.98										
	VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		Г						· · · · · · · · · · · · · · · · · · ·		1			1		<u> </u>
Design			3	UEP9E		28.78			<u> </u>							
	VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		١.		1											
Design			4	UEP9E		46.95					ļ					ļ
UNE Loop Rat			<u> </u>	Licor	UECCA	40.00					-	ļ		ļ	ļ	
	Voice Grade Loop (SL 1) - Zone 1 Voice Grade Loop (SL 1) - Zone 2			UEP9E UEP9E	UECS1	10 98 15.91					-	 				-
	Voice Grade Loop (SL 1) - Zone 3			UEP9E	UECS1	25.04					 	 		 		
	Voice Grade Loop (SL 1) - Zone 4			UEP9E	UECS1	43.68					+	1		<u> </u>		
	Voice Grade Loop (SL 2) - Zone 1			UEP9E	UECS2	13 89					 	 	l	 		-
	Voice Grade Loop (SL 2) - Zone 2			UEP9E	UECS2	18.75					 	 				
2-Wire	Voice Grade Loop (SL 2) - Zone 3			UEP9E	UEÇS2	27.55					1	1		1		<u> </u>
2-Wire	Voice Grade Loop (SL 2) - Zone 4		4	UEP9E	UECS2	45.72					 	1		·		
UNE Port Rate											T					
	A, MS, & TN only							-			l					
	Voice Grade Port (Centrex) Basic Local Area			UEP9E	UEPYA	1.23	40.31	19.84	24.90	6 58		15.75	L			
2-Wire Area	Voice Grade Port (Centrex 800 termination)Basic Local			UEP9E	UEPYB	1.23	40.31	19.84	24.90	6.58	1	15 75	1			1
	Voice Grade Port (Centrex with Caller ID)1Basic Local		 	UEF9E	UEFTB	1.20	40.31	15.04	24.50	6.56	 	10.73		 		
Area	Voice Glade Fort (Centrex with Callel ID) I basic cocal		1	UEP9E	UEPYH	1.23	40.31	19.84	24.90	6.58		15.75			İ	
	Voice Grade Port (Centrex from diff Serving Wire		<u> </u>	32.32	02						1			<u> </u>		
)2 Basic Local Area		!	UEP9E	UEPYM	1.23	108 35	70.57	54,24	11.70		15.75				
2-Wire	Voice Grade Port, Diff Serving Wire Center - 800 Service											Ī		1		
	Basic Local Area			UEP9E	UEPYZ	1.23	108.35	70 57	54.24	11 70		15 75				
	Voice Grade Port terminated in on Megalink or equivalent		Ĭ	1								1		ŀ	1	
	Local Area		<u> </u>	UEP9E	UEPY9	1.23	40 31	19.84	24.90	6.58		15.75				
	Voice Grade Port Terminated on 800 Service Term -					1.23	40.31	19 84	24 90	6 58		15.75				1
	Local Area		 	UEP9E	UEPY2	1.23	40.31	19 64	24 90	- 0 50		13.75			-	
AL, KY, LA, M	Voice Grade Port (Centrex)		 	UEP9E	UEPQA	1.23	40.31	19 84	24 90	6.58	+	15.75				
	Voice Grade Port (Centrex) Voice Grade Port (Centrex 800 termination)		┼	UEP9E	UEPQB	1 23	40.31	19.84	24.90	6.58		15.75		 		
	Voice Grade Port (Centrex with Caller ID)1		 	UEP9E	UEPQH	1.23	40.31	19.84	24.90	6.58		15.75				
	Voice Grade Port (Centrex from diff Serving Wire		1	02.1 02	02. 4						1	1				
Center				UEP9E	UEPQM	1.23	108.35	70.57	54. <u>24</u>	11.70		15.75	1		L	
	Voice Grade Port, Diff Serving Wire Center - 800 Service	i	T													ŀ
Term	-	l		UEP9E	UEPQZ	1 23	108.35	70.57	54.24	11.70		15.75			<u> </u>	
				l	l							1	İ	1		l
2-Wire	Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	1.23	40 31	19.84	24.90	6.58 6.58		15.75 15.75	 	 	 	
	Voice Grade Port Terminated on 800 Service Term	<u> </u>	ļ	UEP9E	UEPQ2	1.23	40.31	19.84	24.90	6.58	+	15.75		-	 	
Local Switchi		⊢–		LIEBOE	URECS	0.7947			 		 	 	 	 	 	
Local Number	x Intercom Funtionality, per port	ļ		UEP9E	UNEUS	0.7947			 		 	l	 		<u> </u>	t
	Number Portability (1 per port)		+	UEP9E	LNPCC	0.35			 	 	+	 		1	 	
Features	Number Fortability (1 per port)		\vdash	VC: 3L	124 00	0.55					†			1		
	ndard Features Offered, per port		1	UEP9E	UEPVF	2.56					1	15.75			L	
141 0-1	ect Features Offered, per port		 	UEP9E	UEPVS	0.00	404.98				1	15.75				

INBUN	IDLE	NETWORK ELEMENTS - Mississippi												Attachi	ment: 2	Exhil	bit: B
ATEGO	DRY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add
I				ļ			Rec	Nonrec		Nonrecurring		201150			Rates(\$)		
 -		All Centrex Control Features Offered, per port		├	UEP9E	UEPVC	2 56	First	Add'l	First	Add'l	SOMEC	50MAN 15.75	SOMAN	SOMAN	SOMAN	SOMAN
- 1	NARS	7 di Gontico Control i datales Cherea, pei port		-	DEFBE	OEF VC	2 30				 		15.75			ļ	
		Unbundled Network Access Register - Combination		1	UEP9E	UARCX	0.00	0.00	0.00	-			15.75				
		Unbundled Network Access Register - Indial		1	UEP9E	UAR1X	0.00	0.00	0.00				15.75				
		Unbundled Network Access Register - Outdial			UEP9E	UAROX	0.00	0.00	0.00				15 75				-
		aneous Terminations															
2		Trunk Side															
		Trunk Side Terminations, each			UEP9E	CEND6	8 25	120 00	18.85	61.77	3.88		15.75				
4		Digital (1.544 Megabits)							_								
		DS1 Circuit Terminations, each		<u> </u>	UEP9E	M1HD1	58 41	203 19	96.25	74.86	2.54		15.75				
 .		DS0 Channel Activated Per Channel			UEP9E	M1HDQ	0 00	14.56					15.75				
!		ice Channel Mileage - 2-Wire	<u> </u>	┞	LIEDAE.		22.72										
\rightarrow		Interoffice Channel Facilities Termination	<u> </u>	 	UEP9E	MIGBC	22.52	40.77	27.57	17 26	7.11	 	15.75				
		Interoffice Channel mileage, per mile or fraction of mile Activations (DS0) Centrex Loops on Channelized DS1 Service	<u> </u>	ļ	UEP9E	MIGBM	0 0098										
		nnel Bank Feature Activations	78	-												ļ	
		Feature Activation on D-4 Channel Bank Centrex Loop Slot	├	├─	UEP9E	1PQWS	0.57						15.75			 	
-+		reactive Activation on D-4 Channel Bank Centrex Loop Stot		┼──	UEF9E	IFUVS	0.57			l			15.75				-
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot		<u> </u>	UEP9E	1PQW6	0.57						15.75		ļ		ļ
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9E	1PQW7	0.57						15 75				
		Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9E	1PQWP	0.57						15 75				
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.57				-		15.75				
		Feature Activation on D-4 Channel Bank Frivate Line Loop Siot		 	DEF9E	IFGVVV	0.57						10.70				
		Slot	ŀ		UEP9E	1PQWQ	0.57						15 75				
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.57						15.75				
N		curring Charges (NRC) Associated with UNE-P Centrex															
		NRC Conversion Currently Combined Switch-As-Is with allowed		Γ]	ł	
		changes, per port			UEP9E	USAC2		0.10	0.10				15.75				
		Conversion of Existing Centrex Common Block, each		<u> </u>	UEP9E_	USACN		37.97	16.68				15.75				
		New Centrex Standard Common Block		<u> </u>	UEP9E	M1ACS	0.00	666 32					15.75				
		New Centrex Customized Common Block		ـــــ	UEP9E	M1ACC_	0.00	666 32					15.75				
		NAR Establishment Charge, Per Occasion	ļ	-	UEP9E	URECA	0.00	72.63					15.75				
		CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)		<u> </u>													
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo	<u> </u>	ļ.—										· · · · · · · · · · · · · · · · · · ·		-	
		rt/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		 	ļ	 										l	
		Non-Design		١,	UEP93		12 22										
_		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		 													
\dashv		Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	 	2	UEP93	-	17.13										
4		Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo		3	UEP93		26.26			<u>.</u>							
		Non-Design	<u> </u>	4	UEP93		44.91										
iu	UNE Po	rt/Loop Combination Rates (Design)												-			<u> </u>
-		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design	1	1	UEP93		15.12										
\neg		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design			UEP93		19.98		-								
\dashv		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
\dashv		Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		3	UEP93	 	28.78					 				<u> </u>	
		Design	<u> </u>	4	UEP93	ļ	46.95									-	
	UNE LO	op Rate		1-	LIEDO0	UECC4	10 98			-		1				 	
		2-Wire Voice Grade Loop (SL 1) - Zone 1			UEP93	UECS1 UECS1	10 98 15 91					 				 	
- 1		2-Wire Voice Grade Loop (SL 1) - Zone 2	l		UEP93 UEP93	UECS1	15 91										+

INBUNDLE	D NETWORK ELEMENTS - Mississippi												Attachi	nent: 2	Exhil	bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	
						Rec	Nonre	urring	Nonrecurring				oss	Rates(\$)		
	2-Wire Voice Grade Loop (SL 1) - Zone 4	<u> </u>	 	UEP93	TIEDO4		First	Addʻl	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL 1) - Zone 4			UEP93	UECS1 UECS2	43 68										
	2-Wire Voice Grade Loop (SL 2) - Zone 2	ļ <u></u>		UEP93		13.89					ļ					
	2-Wire Voice Grade Loop (SL 2) - Zone 3	-		UEP93	UECS2 UECS2	18.75 27.55										
	2-Wire Voice Grade Loop (SL 2) - Zone 4			UEP93	UECS2	45.72										
UNE P	ort Rate		1-7-	ULF 93	05032	45.72			<u> </u>		 					
AL, KY	, LA, MS, & TN only		 		 											
	2-Wire Voice Grade Port (Centrex) Basic Local Area		 	UEP93	UEPYA	1 23	40.31	19.84	24.90	6.58		15 75				
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP93	UEPYB	1 23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local		 	02100	OL: 1D	120	40.51	19.04	24 30	0.56		15.75				
	Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire		<u> </u>	UEP93	UEPYH	1,23	40.31	19.84	24 90	6 58		15 75				
	Center)2 Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP93	UEPYM	1.23	108.35	70 57	54 24	11.70		15.75				
	Term - Basic Local Area 2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPYZ	1 23	108 35	70.57	54.24	11.70		15.75				
_	Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term -		_	UEP93	UEPY9	1.23	40.31	19.84	24 90	6 58		15 75				
	Basic Local Area		ł	UEP93	UEPY2	1.23	40.31	19 84	24.90	6.58		15 75				
	2-Wire Voice Grade Port (Centrex)			UEP93	UEPQA	1.23	40 31	19.84	24 90	6.58		15 75				
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP93	UEPQB	1.23	40.31	19.84	24.90	6.58		15 75				
	2-Wire Voice Grade Port (Centrex with Caller ID)1		-	UEP93	UEPQH	1.23	40.31	19.84	24.90	6.58		15.75			-	
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2			UEP93	UEPQM	1.23	108.35	70.57	54 24	11.70		15.75				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP93	UEPQZ	1.23	108.35	70.57	54.24	11.70		15 75				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPQ9	1.23	40.31	19.84	24.90	6.58		15 75				
	2-Wire Voice Grade Port Terminated on 800 Service Term		_	UEP93	UEPQ2	1.23	40.31	19.84	24.90	6 58		15.75				
Local	Switching Centrex Intercom Funtionality, per port		-	UEP93	URECS	0 7947										
1 0001	Number Portability		-	UEP93	URECS	0 /94/						 				
LOCAL	Local Number Portability (1 per port)		-	UEP93	LNCCC	0.35										
Featur			├	ULF 93	LIVOCC	0.55										
- Carar	All Standard Features Offered, per port			UEP93	UEPVF	2.56						15 75				
	All Centrex Control Features Offered, per port		_	UEP93	UEPVC	2.56						15 75				
NARS	The state of the s		$\overline{}$		1											
- 1	Unbundled Network Access Register - Combination			UEP93	UARCX	0.00	0.00	0 00				15.75				
	Unbundled Network Access Register - Indial			UEP93	UAR1X	0 00	0.00	0 00				15.75				
	Unbundled Network Access Register - Outdial			UEP93	UAROX	0.00	0.00	0.00				15.75				
	laneous Terminations															
2-Wire	Trunk Side															
	Trunk Side Terminations, each			UEP93	CEND6	8.25	120.00	18.85	61.77	3.88		15.75				
4-Wire	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP93	M1HD1	58.41	203.19	96.25	74.86	2.54		15.75				
	DS0 Channels Activated, Per Channel			UEP93	M1HDO	0.00	14.56					15.75				
Interof	fice Channel Mileage - 2-Wire		L		1				13.22			15.55				
	Interoffice Channel Facilities Termination			UEP93	MIGBC	22.52	40.77	27.57	17.26	7.11	-	15.75				
	Interoffice Channel mileage, per mile or fraction of mile		-	UEP93	MIGBM	0 0098										
	e Activations (DS0) Centrex Loops on Channelized DS1 Service	9	_													
D4 Cht	nnel Bank Feature Activations			UEDOO	11001110											
	Feature Activation on D-4 Channel Bank Centrex Loop Slot		 	UEP93	1PQWS	0.57										
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.57										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP93	1PQW7	0.57										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP93	1PQWP	0 57										

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attachr			oit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Charge -	Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Doc 1	Nonrec	urring	Nonrecurring	Disconnect				Rates(\$)		
						Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.57										
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot			UEP93	1PQWQ	0.57										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.57										
Non-F	lecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP93	USAC2		0.10	0 10				15.75				
	Conversion of Existing Centrex Common Block, each			ÜEP93	USACN	I	37.97	16.68								
	New Centrex Standard Common Block			UEP93	M1ACS	0.00	666.32					15.75				
	New Centrex Customized Common Block		T	UEP93	MIACC	0.00	666 32					15.75				
	NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	72.63					15.75				
Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
Note	2 - Requres Interoffice Channel Mileage															
	3 - Requires Specific Customer Premises Equipment															
Note:	Rates displaying an "R" in Interim column are interim and sub	ject to	rate tru	e-up as set forth in	General Terr	ms and Condition	ns.	-						l		

UNBUN	NDLE	NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Fyhil	bit: B
						Т	T	·				Svc Order	Svc Order	Incremental		Incremental	
			i		1								Submitted				
	1			i	<u> </u>									Charge -	Charge -	Charge -	Charge -
ATEG	nev i	RATE ELEMENTS	Interi	7		usoc			DATECO			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
AIEGO	UN1	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
	- 1			l	1	1	Į.					l		Electronic-	Electronic-	Electronic-	Electronic
			i	1			1					ļ		1st	Add'I	Disc 1st	Disc Add'
				└											L		
-							Rec	Nonrec			Disconnect				Rates(\$)		
 1			Ц	L				First	Add'l	First	Add'l			SOMAN			SOMAN
I.	ine "Zo	one" shown in the sections for stand-alone loops or loops as	part of	a com	bination refers to G	eographically	/ Deaveraged U	NE Zones. To	view Geograpi	hically Deaven	aged UNE Zone	e Designatio	ons by Cent	ral Office, refe	er to internet	Website:	
		ww.interconnection.bellsouth.com/become_a_clec/html/inter	connec	tion.ht	im												
OPERAT	TIONAL	SUPPORT SYSTEMS		Ī		T						T	1	r — —	г — —	Γ'	
יך	NOTE:	(1) Electronic Service Order: CLEC should contact its contract	t negot	tiator it	it prefers the state	specific elec	tronic service o	rdering charge	s as ordered b	y the State Co	mmissions. T	he electron	ic service o	rdering charg	e currently co	ntained in th	is rate
- 10	exnibit	is the belisouth regional electronic service ordering charge.	CLEC	mav eli	act either the state c	enacific Com	niccion ordera	d rotes for the	alactroale con	ica ardadaa a	hawaaa a. C. E	C	!	-1 -141			
		(2) Any element that can be ordered electronically will be blik	ea acco	raina '	to the SUMEC rate I	listed in this	category. Pies	se refer to Rell!	South's Rusina	es Ruins for I	acal Omlarina	(BBB.I O) t	a determine	if a product of	ron ha ardara	d alastrasiasi	lly. For
/1	those e	lements that cannot be ordered electronically at present per t	he BBR	-LO. tr	ne listed SOMEC rat	te in this cate	gory reflects th	e charge that y	vould be hilled	to a CLEC on	ce electronic o	rdering ce	ahilitina oo	ma on-line fo	r that alaman	t Otherwise	the menual
le	orderin	g charge, SOMAN, will be applied to a CLECs bill when it sub	mits ar	LSR	n BellSouth		301) 10	o ona go anat i		to a ozzo on	co diocalonic d	nooning ca	Japining Co	ine on the lo	i diat elemen	L Otherwise,	me manuai
		Electronic OSS Charge, per LSR, submitted via BST's OSS		1	Deliocatii.	1									r	· · · · · · · · · · · · · · · · · · ·	
- 1		interactive interfaces (Regional)	l	1		SOMEC		3.50				1		ļ		!	l
UNE SF	RVICE	DATE ADVANCEMENT CHARGE	 	_		JOINEO		3.30							 		
		The Expedite charge will be maintained commensurate with t	Religou	th's Er	CC No 1 Tariff Sant	on 5 ac conti	cable				 		 		 	 	
		UNE Expedite Charge per Circuit or Line Assignable USOC, per	3411300	ui s r	l secu	T as appil	Capie.									ļ	
- 1		Day			ALL UNE	SDASP	1	200.00			l	1		l	1	l	
IINBIINI	DI ED E	XCHANGE ACCESS LOOP		\vdash	ALL UNE	SUASP	 	200.00					ļ		 		
		ANALOG VOICE GRADE LOOP		-		+					ļ						L
	Z-WIRE				LIE AND	1000	<u></u>										
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL	UEAL2	12.11	57.99	42.37			L		26 94	12.76		
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEAL2	21.24	57 99	42.37					26 94	12.76		
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	33 65	57 99	42.37					26 94	12.76		
		Loop Testing - Basic 1st Half Hour			UEANL	URET1	L	76 24						26.94	12.76		
		Loop Testing - Basic Additional Half Hour		L .	UEANL	URETA		39.51						26.94	12.76		
- 1	i	CLEC to CLEC Conversion Charge Without Outside Dispatch										T					
1		(UVL-SL1)			UEANL	UREWO	1	15.76	8.93		j	1	ļ	26.94	12 76	i	
		Engineering Information Document (EI)			UEANL	UEANM		28.74	28 74			_					1
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		61.38	61.38								
		Order Coordination for Specified Conversion Time for UVL-SL1		1													
I		(per LSR)			UEANL	OCOSL		45.34			1	l				ł	1
	2-WIRE	Unbundled COPPER LOOP				00000		10.01									
-		2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	10.16	35.27	15 60					26.94	12.76		
-		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2			UEQ	UEQ2X	17.55	35.27	15.60					26 94	12.76		
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3			UEQ	UEQ2X	27.58	35.27	15.60		·			26.94	12 76		
		Order Coordination 2 Wire Unbundled Copper Loop - Non-		۳	OEG.	DEGZA	27.56	33.21	15.00				 	20.54	12 70		
- 1		Designed (per loop)			UEQ	USBMC		45 34			1						
		Engineering Information Document		⊢—	UEQ	OSBIVO	·	28 74	28.74					26 94	12.76		
						UDETA			28.74								
		Loop Testing - Basic 1st Half Hour		_	UEQ	URET1		76.24						26.94 26.94	12.76 12.76		
\rightarrow		Loop Testing - Basic Additional Half Hour	<u> </u>	-	UEQ	URETA		39 51					<u> </u>	26 94	12.76		
		CLEC to CLEC Conversion Charge Without Outside Dispatch	l	l	l		1				I	l	1			1	1
		(UCL-ND)			UEQ	UREWO		14.26	7.42					26.94	12 76		
		XCHANGE ACCESS LOOP											<u> </u>				
		ANALOG VOICE GRADE LOOP													ļ		
		2 Wire Analog Voice Grade Loop -Service Level 1-Statewide-															1
		Line Splitting	L .	1	UEPSR UEPSB	UEALS						<u> </u>		26.94	12.76		
$\neg \neg$		2 Wire Analog Voice Grade Loop -Service Level 1-Statewide-															
		Line Splitting	1	l	UEPSR UEPSB	UEABS	1	'			1	1		26.94	12.76	İ	
	$\overline{}$	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-				1											
		Zone 1		1	UEPSR UEPSB	UEALS	12.11	57 99	42.37		1			26.94	12.76	1	1
-+		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		-		+===		3, 30							1		
		Zone 1	1	1	UEPSR UEPSB	UEABS	12.11	57.99	42.37		i	1		26.94	12.76		1
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-			OL: OH OLI GO	CLADO		37.33	72.01								1
- 1		Zone 2	1	2	VEPSR VEPSB	UEALS	21.24	57.99	42.37		J]	J	26 94	12.76		
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-	-	- ــــــــــــــــــــــــــــــــــــ	OLI OR OLF OB	DEALS	21.24	31.88	42.31		 			2004	1		
1				_	LIEBOD LIEBOD	LIEABO	21.04	57.00	42.37		l	l	Į.	26.94	12.76	I	1
		Zone 2	Ļ	_2_	UEPSR UEPSB	UEABS	21.24	57.99	42.37	<u> </u>				20.94	12.70		
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	l								I	I			10.70		1
		Zone 3		3	UEPSR UEPSB	UEALS	33.65	57.99	42.37					26 94	12.76		
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-				1					1		1		J .	l]
. 1	- 1	Zone 3		3	UEPSR UEPSB	UEABS	33.65	57.99	42.37					26.94	12.76		
											I .	1		ı		I	L
1	UNE Lo	op Rates for Line Splitting															
		op Rates for Line Splitting 2-Wire Voice Grade Loop (SL1) for Line Splitting- Statewide		sw	UEPRX	UEPLX	14.18										

JNBUNDLE	NETWORK ELEMENTS - North Carolina												Attachi	ment; 2	Exhit	bit: B
TOO TO CE	THE WORK ELEMENTO NORTH GATOMIC											Svc Order Submitted	Incremental Charge -	Incremental Charge -	Incremental Charge -	Incrementa Charge -
ATEGORY	RATE ELEMENTS	interi m	Zone	BCS	usoc			RATES(\$)			Elec per LSR	Manually per LSR	Manual Svc Order vs. Electronic- 1st	Manual Svc Order vs. Electronic- Add'I	Manual Svc Order vs. Electronic- Disc 1st	Manual Sv Order vs. Electronic Disc Add
					+1		Nonrec	umina	Nonrecurring	Disconnect			oss	Rates(\$)	L	
			-			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
2-WIRE	ANALOG VOICE GRADE LOOP	-			+											
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		 	-	1											
	Ground Start Signaling - Zone 1		1	UEA	UEAL2	14.97	142.97	106.56	l l				26.94	12.76	1	
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 2		2	UEA	UEAL2	25 93	142 97	106 56					26 94	12.76	ļ	Ļ
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		3	UEA	DEAL2		440.07	400.50	1				26 94	12.76		
	Ground Start Signaling - Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	UEA	OCOSL	40.81	142 97 45.34	106 56			 	-	20 94	12.76		
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	 	-	UEA	OCOSE		45.34				<u> </u>					
1	Battery Signaling - Zone 1	ł	1	UEA	UEAR2	14.97	142.97	106.56					26.94	12 76		1
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		ΙĖ	-	102/112											
1	Battery Signaling - Zone 2	ŀ	2	UEA	UEAR2	25.93	142.97	106.56					26.94	12.76		l
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		1			-									.	
	Battery Signaling - Zone 3		3	UEA	UEAR2	40.81	142.97	106.56			ļ		26.94	12.76		<u> </u>
	Order Coordination for Specified Conversion Time (per LSR)	ļ	ļ	UEA	OCOSL		45 34				ļ		26 94	12.76		├
4 10/155	CLEC to CLEC Conversion Charge without outside dispatch		-	UEA	UREWO		87.64	36 33			 		26 94	12.76		
4-WIRE	ANALOG VOICE GRADE LOOP 4-Wire Analog Voice Grade Loop - Zone 1	 	1	UEA	UEAL4	21 32	288 47	237.45					26 94	12.76		
	4-Wire Analog Voice Grade Loop - Zone 1		2	UEA	UEAL4	36.27	288.47	237 45					26 94	12.76		
	4-Wire Analog Voice Grade Loop - Zone 3			UEA	UEAL4	56.57	288.47	237.45					26.94	12.76		
	Order Coordination for Specified Conversion Time (per LSR)	_	<u> </u>	UEA	OCOSL		45.34									
	CLEC to CLEC Conversion Charge without outside dispatch		1	UEA	UREWO		87 64	36.33					26.94	12 76		1
2-WIRE	ISDN DIGITAL GRADE LOOP															
	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	19.42	325 91	251.31					26.94	12.76		
	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	32.88	325.91	251 31			ļ		26.94 26.94	12.76 12.76		+
	2-Wire ISDN Digital Grade Loop - Zone 3	ļ	3	UDN	Ü1L2X OCOSL	51.14	325.91 45.34	251 31					20.54	12.70	 	+
	Order Coordination For Specified Conversion Time (per LSR)	<u> </u>	—	UDN	UREWO		91.55	44.12			 		26.94	12,76		+
0.1400	CLEC to CLEC Conversion Charge without outside dispatch Universal Digital Channel (UDC) COMPATIBLE LOOP		 	UDIN	ORLAND		31.33		 		<u> </u>				1	— ——
2-Wine	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone		 													
	1	1	I 1	UDC	UDC2X	19.42	325.91	251.31					26 94	12.76		
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone															1
- 1	2	ŀ	2	UDC	UDC2X	32.88	325 91	251.31			<u> </u>		26.94	12 76		
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone	\Box	I										00.04	12.76	i	1
	3		3	UDC	UDC2X	51.14	325.91	251.31					26 94 26.94			+
	CLEC to CLEC Conversion Charge without outside dispatch	<u> </u>	<u> ــــــــــــــــــــــــــــــــــــ</u>	UDC	UREWO		91.55	44 12	ļ 	ļ. 	+	 	20.94	12.70	 	+
2-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBL	E LOOF	1							 	 				
	2 Wire Unbundled ADSL Loop including manual service inquiry	ŀ	١.	UAL	UAL2X	11.00	264.71	145.60	1			1	Į.	!	l	
	& facility reservation - Zone 1 2 Wire Unbundled ADSL Loop including manual service inquiry	 	÷	OAL.	UNLEX	11.00		, , , , , , , ,								
ŀ	& facility reservation - Zone 2	1	2	UAL	UAL2X	18.39	264.71	145.60			<u> </u>	<u> </u>				
	2 Wire Unbundled ADSL Loop including manual service Inquiry		 -											1	1	
	& facility reservation - Zone 3		3	UAL	UAL2X	28.42	264.71	145.60								
	Order Coordination for Specified Conversion Time (per LSR)		Ī	UAL	OCOSL		45.34					<u> </u>	 		<u> </u>	+
	2 Wire Unbundled ADSL Loop without manual service inquiry &	1										1	26.94	12.76	ŀ	1
	facility reservation - Zone 1	<u>↓</u>	11	UAL	UAL2W	11.00	190.25	114.82	<u> </u>				20.94	12.70	 	
	2 Wire Unbundled ADSL Loop without manual service inquiry &		١,	UAL	UAL2W	18.39	190 25	114.82					26,94	12.76		
	facility reservation - Zone 2	 	12	UAL	UALZW	10.35	130 23	114.02			+					
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservator - Zone 3		1 3	UAL	UAL2W	28.42	190.25	-114 82		1		l	26.94	12.76	l	
	Order Coordination for Specified Conversion Time (per LSR)		╅	UAL	OCOSL		45.34									
	CLEC to CLEC Conversion Charge without outside dispatch	\vdash	1	UAL	UREWO		86.12	40.36			L	<u> </u>	26.94	12.76	 	↓
2-WIRI	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP										<u> </u>	 	 	+
1	2 Wire Unbundled HDSL Loop including manual service inquiry		1											0.00	1	1
	& facility reservation - Zone 1	L	1	UHL	UHL2X	9.01	284.74	163.54	ļ		 	⊢	0.00	0.00	 	+
	2 Wire Unbundled HDSL Loop including manual service inquiry	'-	1.	l			004-1	100 54			1	1	0.00	0.00	1	
	& facility reservation - Zone 2	 	2	UHL	UHL2X	14 87	284.74	163 54	 		+	+	1	- 5.00	 	+
1	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3	I	1 .	UHL	UHL2X	22.82	284.74	163.54		l		1	0.00	0.00		1

<u>UNBU</u> NDLE	D NETWORK ELEMENTS - North Carolina													nent: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic Disc Add
			\vdash		1	Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates(\$)		
						Hec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45.34				L					<u></u>
ł	2 Wire Unbundled HDSL Loop without manual service inquiry		1		1]]		})		J
	and facility reservation - Zone 1		1	UHL	UHL2W	9.01	207.48	132.05			ļ		26.94	12.76	ļ	
ì	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		١.,	UHL	UHL2W	14,87	207.48	132 05			!		26.94	12.76		l
	2 Wire Unbundled HDSL Loop without manual service inquiry		2_	UHL	UHLZW	14.87	207.48	132 05	 		 		20.94	12.76		
1	and facility reservation • Zone 3		3	I UHL	UHL2W	22.82	207.48	132.05	1		ļ		26 94	12 76		1
	Order Coordination for Specified Conversion Time (per LSR)		├. ऱ─	UHL	OCOSL		45 34									
	CLEC to CLEC Conversion Charge without outside dispatch		†	UHL	UREWO		86 06	40.36					26.94	12.76		
4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
	4 Wire Unbundled HDSL Loop including manual service inquiry									_						
	and facility reservation - Zone 1		1_	UHL	UHL4X	10.62	341.65	220.45			ļ		<u> </u>	ļ		
	4-Wire Unbundled HDSL Loop including manual service inquiry				l	· T					1		l	1		
_	and facility reservation - Zone 2		2	UHL	UHL4X	17.67	341.65	220 45	ļ .——			ļ	ļ	 		
ĺ	4-Wire Unbundled HDSL Loop including manual service inquiry	i		luhl	UHL4X	27 24	341.65	200 45	1 1		ł	l	l	1	1	1
	and facility reservation - Zone 3		3	UHL	OCOSI.	27 24	45.34	220.45	 			 				
	Order Coordination for Specified Conversion Time (per LSR) 4-Wire Unbundled HDSL Loop without manual service inquiry		1-	Uni	OCOSL.		45,34									
	land facility reservation - Zone 1	i	1	UHL	UHL4W	10.62	264 39	188.96					26.94	12 76	1	ł
	4-Wire Unbundled HDSL Loop without manual service inquiry		+ '-	UTIL	OTILATO	10.02	204 03	100.50	 		1			1		F
	and facility reservation - Zone 2		1 2	UHL	UHL4W	17.67	264.39	188.96			1		26.94	12.76		
	4-Wire Unbundled HDSL Loop without manual service inquiry		+-	<u> </u>												
	and facility reservation - Zone 3	i	3	UHL	UHL4W	27.24	264 39	188.96					26 94	12 76		
	Order Coordination for Specified Conversion Time (per LSA)			UHL	OCOSL		45 34									
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.06	40.36			ļ		26.94	12.76		
4-WIRE	DS1 DIGITAL LOOP										ļ					
	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	47.60	714 84	421.47			ļ <u>.</u>		42.19 42.19	12.76 12.76		 -
	4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	84.36	714 84	421.47					42.19	12.76		 -
	4-Wire DS1 Digital Loop - Zone 3		3	USL.	USLXX	134.29	714 84	421 47	 		├ ──		42 19	12.76		
	Order Coordination for Specified Conversion Time (per LSR)	ļ	↓	USL	UREWO		48.31 100.99	43.00	<u> </u>		 		26.94	12 76		
4 140m	CLEC to CLEC Conversion Charge without outside dispatch	!	⊹ —	USL	UNEWO		100.55	45.00			<u> </u>			19.19		
4-WIRI	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP 4 Wire Unbundled Digital 19.2 Kbps		+ -	UDL	UDL19	25.32	489.04	337 51	 		 		26.94	12.76		
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	43 11	489.04	337.51			<u> </u>		26.94	12.76		
	4 Wire Unbundled Digital 19 2 Kbps			UDL	UDL19	67 26	489 04	337 51					26.94	12 76		
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	25 32	489 04	337.51					26.94	12.76		
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	43 11	489.04	337 51]		26 94	12.76		<u> </u>
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			UDL	UDL56	67.26	489 04	337.51					26.94	12 76		<u> </u>
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		45 34						L			↓
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1			UDL	UDL64	25.32	489.04	337 51					26 94	12 76		├ ──
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL	UDL64	43.11	489.04	337.51	ļ		 	 	26.94 26.94	12.76 12.76	ļ	
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	67.26	489.04	337.51			 	 	20 94	12 /6		
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		45 34	40.70	l		+		26.94	12.76		+
	CLEC to CLEC Conversion Charge without outside dispatch	-		UDL	UREWO		102 03	49.70	 		+		20.54	12.70	 	
2-WIRI	E Unbundled COPPER LOOP		+								 	 	 		 	
1	2-Wire Unbundled Copper Loop/Short including manual service	1	١,	UCL	UCLPB	13.26	262.86	143.75	1	İ		l	į			ŀ
	inquiry & facility reservation - Zone 1 2-Wire Unbundled Copper Loop/Short including manual service		+ '-	OCL	OCCFB	10.20	202.00	1-0.10			 			1		
	Inquiry & facility reservation - Zone 2		2	UCL	UCLPB	22.39	262.86	143.75			i	1	l			
	2 Wire Unbundled Copper Loop/Short including manual service		+-		1002:0											
1	inquiry & facility reservation - Zone 3	1	3	UCL	UCLPB	34 80	262.86	143.75				<u> </u>				
	Order Coordination for Unbundled Copper Loops (per loop)		1	UCL	UCLMC		61 38	61.38					ļ	<u> </u>		
	2-Wire Unbundled Copper Loop/Short without manual service										1	Ī			1	
- 1	inquiry and facility reservation - Zone 1	L	1 1	UCL	UCLPW	13.26	188.39	112.96		ļ	 	↓	26.94	12.76	ļ	
	2-Wire Unbundled Copper Loop/Short without manual service]	1		1	00.01	40.70		1
	inquiry and facility reservation - Zone 2		2	UCL	UCLPW	22.39	188.39	112.96			 	 	26.94	12.76	 	+
	2-Wire Unbundled Copper Loop/Short without manual service	_	1 -				1			1	1	1	26.94	12.76		
	inquiry and facility reservation - Zone 3	L	3_	UCL	UCLPW	34 80	188 39	112 96	<u> </u>	 	+		20.94	12.70	 	+
	Order Coordination for Unbundled Copper Loops (per loop)	l	1	UCL	UCLMC		61 38	61.38		<u> </u>			<u> </u>	1		

11100110FF	D NETWORK ELEMENTS - North Carolina													ment: 2		bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
											ļ	<u></u>			L	
	<u> </u>					Rec	Nonrec			g Disconnect				Rates(\$)		7
		<u> </u>					First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Unbundled Copper Loop/Long - Includes manual srvc.		. '								l .	1	1	1	1	i
	inquiry and facility reservation - Zone 1		1	UCL	UCL2L	13.26	262.86	143.75	<u> </u>			 		 _		
1	2-Wire Unbundled Copper Loop/Long - includes manual svc.		١.						į	İ	1	i				
	inquiry and facility reservation - Zone 2		2	UCL	UCL2L	22.39	262.86	143 75			 	_	 			
[2-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 3	1	3	UCL	UCL2L	34.80	262.86	143.75	ļ	ł	1	1	1	1	1	ļ
	Order Coordination for Unbundled Copper Loops (per loop)	├	+ -		UCLMC	34.80	61.38	61 38		+	 	 	 	 		
	2-Wire Unbundled Copper Loop/Long - without manual service	 	+	OGL	OCTIVIC		01.30	0136			 			 	 	+
l	Inquiry and facility reservation - Zone 1	1	1 1	UCL	UCL2W	13.26	188.39	112.96	ì	1	ł	ł	26 94	12.76		į.
	2-Wire Unbundled Copper Loop/Long - without manual service	 	+ '-	002	000211	10.20	100.00	112.00	 	 	 			,,,,,,,		1
J	inquiry and facility reservation - Zone 2	l	2	UCL	UCL2W	22 39	188 39	112.96			1	ŀ	26.94	12 76		
	2-Wire Unbundled Copper Loop/Long - without manual service		 " -	V	002		100.00			1	 					
1	inquiry and facility reservation - Zone 3		3	UCL	UCL2W	34.80	188.39	112.96	ļ				26.94	12.76	i	1
	Order Coordination for Unbundled Copper Loops (per loop)		+		UCLMC		61 38	61.38								
	CLEC to CLEC Conversion Charge without outside dispatch															T
	(UCL-Des)			UCL	UREWO		97.14	42.44	L				26 94	12.76		
4-WIRI	E COPPER LOOP															
	4-Wire Copper Loop/Short - including manual service inquiry										1	ł	ł	1	l	
	and facility reservation - Zone 1		1	UCL	UCL4S	17.36	311.03	191 93		<u> </u>	ļ		ļ			
1	4-Wire Copper Loop/Short - including manual service inquiry	i									ì				1	1
	and facility reservation - Zone 2	<u> </u>	2	UCŁ	UCL4S	29.61	311 03	191.93			ļ	 .	ļ	<u> </u>	ļ	
1	4-Wire Copper Loop/Short - including manual service inquiry		1		_				1		1	l			i	-
	and facility reservation - Zone 3	<u> </u>	3	UCL	UCL4S	46.26	311.03	191.93		 						
	Order Coordination for Unbundled Copper Loops (per loop)	<u> </u>	 	UCL	UCLMC		61.38	61.38				 	ļ		ļ	
1	4-Wire Copper Loop/Short - without manual service inquiry and	ŀ	1 .						ļ	1	1	1	26.94	12.76	1	1
	facility reservation - Zone 1		1	UCL	UCL4W	17 36	236.57	161.14		ļ		 	20.94	12.70		+
	4-Wire Copper Loop/Short - without manual service inquiry and	[1 _			00.04	236.57	161.14	i		1	ł	26.94	12 76	1	į.
	facility reservation - Zone 2	<u> </u>	2	UCL	UCL4W	29 61	236.57	161.14		 	 	 	20.54	12 /0		+
1	4-Wire Copper Loop/Short - without manual service inquiry and	1	3	UCL	UCL4W	46.26	236.57	161.14		1	1		26.94	12.76		i
	facility reservation - Zone 3		1 3		UCLMC	45.25	61,38	61.38		+	+	 	20.54	12.70		+
	Order Coordination for Unbundled Copper Loops (per loop)	ļ	┼──	UCL	UCLMC		61.36	61.36	 	 	+			 	 -	1
	4-Wire Unbundled Copper Loop/Long - includes manual svc.		1	UCL	UCL4L	17.36	311.03	191.93					1		1	
	inquiry and facility reservation - Zone 1		 	UCL	UCL4L	17.30	311.00	191.33	 		+		 	 		1
i	4-Wire Unbundled Copper Loop/Long - includes manual svc.	i	2	UCL	UCL4L	29.61	311.03	191 93					İ]	
	inquiry and facility reservation - Zone 2	⊢	 	UCL	OCL4L	25.01	311200	10100						<u> </u>		1
	4-Wire Unbundled Copper Loop/Long - includes manual svc.	1	3	luci	UCL4L	46.26	311.03	191 93	i	1	1	i .	l .	{	ł	
	inquiry and facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop)	├	+ -	UCL	UCLMC	70.20	61.38	61,38		+					T	
	4-Wire Unbundled Copper Loop/Long - without manual svc.	 	+	UOL	OOLIVIO		0,100			1						1
İ	inquiry and facility reservation - Zone 1	1	1	UCL	UCL4O	17.36	236.57	161.14	ì	1			26 94	12.76	<u> </u>	
	4-Wire Unbundled Copper Loop/Long - without manual svc.	+	┼╌		902.0										1	
ļ	linguiry and facility reservation - Zone 2	1	1 2	UCL	UCL4O	29 61	236 57	161.14				L	26.94	12.76	<u> </u>	
	4-Wire Unbundled Copper Loop/Long - without manual svc.	 	+	302	-					7					1	1
1	inquiry and facility reservation - Zone 3		1 3	UCL	UCL4O	46.26	236.57	161.14				<u> </u>	26.94	12.76	<u> </u>	
	Order Coordination for Unbundled Copper Loops (per loop)	 	 	UCL	UCLMC	-	61.38	61.38					l			
	CLEC to CLEC Conversion Charge without outside dispatch		_								1	1	1 .	ł	ł	1
	(UCL-Des)	1	1	UCL	UREWO	-	97.14	42.44	l	<u> </u>		<u> </u>			ļ	<u> </u>
OOP MODIFI			 											ļ	<u> </u>	
1				UAL, UHL, UCL,					1	i	ì	i	i	ľ	ł	1
		1	1	UEQ, ULS, UEA,		l	l	} -	1	1	1]		1	ł	
- 1	Unbundled Loop Modification, Removal of Load Coils - 2 Wire	1	1	UEANL, UDL, UDC,	!	J	J]			1		1	1	1	
1	pair less than or equal to 18k ft	L		UDN, UDL, USL	ULM2L		21.24	21.24	<u> </u>	 	4	 	 	 	 	+
	Unbundled Loop Modification, Removal of Load Colls - 2 wire								l	1		1	1	l	1	
- 1	greater than 18k ft	<u> </u>	1	UCL, ULS, UEQ	ULM2G	L	119.24	119.24	 	- 	+	 	 	 	+	+
	Unbundled Loop Modification Removal of Load Colls - 4 Wire	T								1	1		1	1	i	1
1	less than or equal to 18K ft		1	UHL, UCL	ULM4L		21.24	21.24	<u> </u>	 		+	 	 	+	+
l l	Unbundled Loop Modification Removal of Load Coils - 4 Wire															

UNBU	NDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhil	bit: B
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR		incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
				Ι			Rec	Nonrec		Nonrecurring				OSS	Rates(\$)		
				L				First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, UEF, ULS, UEA, UEANL, UDL, UDC, UON, UDL, USL	ULMBT		24.84	24 84								
SUB-LC		pop Distribution		├ ─													↓
	SUD-LC	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-			 					<u> </u>							
		Up.		ļ	UEANL.	USBSA		373.57									<u> </u>
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up		ļ	UEANI.	USBSB		33.78									
		Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up	L	<u> </u>	UEANL	USBSC		234 76									ļ
		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up			UEANL	USBSD		81.05									
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN2	7.31	126.03	54.54				,	26.94	12.76		<u> </u>
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN2	11 93	126 03	54.54					26 94	12.76		
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN2	18.20	126.03	54.54					26 94	12.76		ļ
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		61.38	61,38								
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	8.44	156.52	79.66					26.94	12.76		
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	13.81	156.52	79.66					26.94	12.76		
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	21 10	156.52	79.66					26 94	12 76		
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		61.38	61.38		-			-			
		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)		1	UEANL	USBR2	2 79	114 05	37.20					26.94	12 76		
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		61.38	61 38								
		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	3 74	127.67	50.82					26 94	12.76		
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		61 38	61 38								
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1			UEF	UCS2X	6 10	137 10	60 24					26.94	12.76		
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS2X	9.70	137.10	60.24					26.94	12.76		 _
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS2X	14 59	137.10	60.24					26 94	12.76		
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair		1	UEF	USBMC		61.38	61 38								ļ <u>.</u>
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1			UEF	UCS4X	6.58	162.24	85.38					26.94 26.94	12.76 12.76	<u> </u>	
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	<u> </u>	2	UEF	UCS4X	10.51 15.84	162.24	85 38 85.38					26 94 26 94	12.76	-	
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	ÜEF	UCS4X	15.64	162.24						2034	12.70		
igsquare	<u></u>	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	⊢–	├	UEF	USBMC		61.38	61.38	 						-	+
	Aupau	dled Sub-Loop Modification Unbundled Sub-Loop Modification - 2-W Copper Dist Load			UEF	ULM2X		124.51	1.82					26.94	12.76		
		Coil/Equip Removal per 2-W PR Unbundled Sub-loop Modification - 4-W Copper Dist Load	<u> </u>	 		ULM4X		124.51	1.82					26,94	12.76		
		Coil/Equip Removal per 4-W PR Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged		-	UEF									26.94	12.76		
	Unbun	Tap Removal, per PR unloaded dled Network Terminating Wire (UNTW)		+_	UEF	ULM4T		249.25	47.30					20.94	12.70		<u> </u>
		Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.4351	64.98		 					ļ	ļ. — —	├
	Notwo	k Interface Device (NID)			1	UND12		86.37	56.69					26.94	12.76	ļ ———	
	IADIMOI	Network Interface Device (NID) - 1-2 lines			UENTW												

NRONDLE	D NETWORK ELEMENTS - North Carolina											'	Attachi	ment: 2	Exhil	bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge
													1st	Add'l	Disc 1st	Disc Add
						Rec	Nonrec			g Disconnect				Rates(\$)		
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Network Interface Device Cross Connect - 2 W	-	 	UENTW	UNDC2	 	11.68	11.68 11.68			 		26.94 26.94	12.76		├ -
B-LOOPS	Network alteriate Device Closs Contract - 444		 	OEMINA	UNDC4		11.08	11.68	ļ	 	 		26.94	12.76		├ ──
	oop Feeder		 		 					 	} -	 	 -			 -
	USL-Feeder, DS0 Set-up per Cross Box location - CLEC		_	UEA.						1	 			 		
	Distribution Facility set-up			UDN,UCL,UDL,UDC	USBFW		373 57		1		1			l	i	ł
	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair			ÜEA,												
	set-up			UDN,UCL,UDL,UDC		<u> </u>	33.78	33 78		1	1			l		
	USL Feeder DS1 Set-up at DSX location, per DS1 termination			USL	ÜSBFZ		523.51	11 31					19.99	19.99		
ļ	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice		Ι.	l					i					l	i	
	Grade - Zone 1 Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice		1	UEA	USBFA	10.41	122 52	46.61			↓		26.94	12.76		
	Grade - Zone 2		2	UEA	USBFA	17,31	122 52	46.61				İ	26 94	12.76	ľ	
	Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start,	-	-	UEA	USBEA	17.31	122 32	40.61	 	 	 		20 94	12.76	 	
- 1	Voice Grade - Zone 3		3	UEA	USBFA	26.67	122.52	46 61	j	1	1		26.94	12.76	1	1
	Order Coordination for Specified Conversion Time, per LSR		1	UEA	OCOSL		45.34		<u> </u>	 	 		1	1		
	Unbundide Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice			1												
	Grade - Zone 1		1_1_	UEA	USBFB	10 41	122.52	46.61	L	<u> </u>			26.94	12.76	L	
	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice		1													
	Grade - Zone 2		2	UEA	USBFB	17.31	122.52	46.61		ļ	ļ	Ĺ	26.94	12.76		ļ
	Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice		1 _							1				40.70		
	Grade - Zone 3		3	UEA	USBFB	26.67	122 52	46.61			 	ļ	26.94	12.76		-
	Order Coordination for Specified Time Conversion, per LSR Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery.			UEA	ocosL		45 34		}	 	+		 			
1	Voice Grade - Zone 1		1	UEA	USBFC	10.41	122.52	46.61		i			26 94	12 76	ĺ	1
+-	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery.		 	OLN.	000.0	10.41	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	40.01	l ————	 	 	<u> </u>				
i	Voice Grade - Zone 2		2	UEA	USBFC	17.31	122.52	46,61	ļ				26.94	12.76	_	
	Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse												1			
	Battery, Voice Grade - Zone 3		3	UEA	USBFC	26 67	122.52	46.61	l		<u> </u>		26 94	12.76		<u> </u>
	Order Coordination For Specified Conversion Time, per LSR			UEA	OCOSL		45 34									ــــــ
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice				1				İ			1		40.70	1	1
	Grade - Zone 1		1	UEA	USBFD	19.96	226.36	144.28	ļ	 	 		26.94	12 76	 	
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice		2	UEA	USBFD	33.91	226.36	144 28	[ł	26 94	12.76		ļ.
	Grade - Zone 2 Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice		 	UEA	USBFU	33.51	220.30	144 20		 	+		2007	1,2,70		
	Grade - Zone 3		3	UEA	USBFD	52 85	226.36	144.28					26.94	12 76	Į.	
	Order Coordination For Specified Conversion Time, Per LSR		╁	ÜEA	OCOSL	32.00	45.34									
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice		 								T					
- 1	Grade - Zone 1	l	1	UEA	USBFE	19.96	226.36	144 28					26.94	12.76		
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice										T					1
	Grade - Zone 2		2	UEA	USBFE	33.91	226 36	144 28		ļ			26.94	12.76		↓ —
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice									}	1		26.94	12.76		
	Grade - Zone 3		3	UEA	USBFE	52 85	226.36 45.34	144.28		 	├ ──		20.94	12.76		
	Order Coordination For Specified Conversion Time, Per LSR		1	UEA	USBFF	17,24	202.01	105.88		 	+		26.94	12,76		
	Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1 Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2	<u> </u>		UDN	USBFF	29.17	202.01	105.88		 	 		- 26 94	12.76		
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3		3	UDN	USBFF	45.37	202.01	105.88					26,94	12.76		
-+	Order Coordination For Specified Conversion Time, Per LSR		┯╌	UDN	OCOSL	,5,67	45.34									
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)	\vdash	17	UDC	USBFS	17.24	202 01	105.88					26.94	12.76		
- -	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)			UDC	USBFS	29,17	202 01	-105.88					26.94	12.76		 _
\neg	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)			UDC	USBFS	45.37	202.01	105.88					26 94	12.76		
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1			USL	USBFG	35.65	393 01	153.37				<u> </u>	42.19	12.76		
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2			USL	USBFG	63 18	393.01	153.37					42.19	12.76	ļ	
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3		3	USL	USBFG	100.58	393.01	153.37		 	_		42.19	12.76		
	Order Coordination For Specified Conversion Time, Per LSR		 	USL	OCOSL	ļ	48.31	70.01		 	 		26,94	12.76	 	
	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1		 1	UCL	USBFH	9.14	172.89	90.81	 	 	 		20.94	12.76	 	+
I -	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone	l	2	UCL	USBFH	14 90	172.89	90.81	1		1		26 94	12.76	I	1

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attachi	ment: 2	Exhil	bit; B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sv Order vs. Electronic Disc Add'l
			L								<u> </u>	l				
			_			Rec	Nonrec		Nonrecurring		001150	COMAN		Rates(\$)		001441
				<u> </u>			First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone	l	١.	luct	USBFH	00.74	172 89	00.04	!		1	1	26.94	12 76		
	Order Coordination For Constant Convenies Time and CD			UCL	OCOSL	22.71	1/2 89 45.34	90.81			· 		26.94	12 /6		
	Order Coordination For Specified Conversion Time, per LSR					13 41		134 77			ļ	 	26 94	12 76		—
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1 Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2			UCL	USBFJ	22 42	207 14 207.14	134 77				 -	26.94	12.76		
 	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3			UCL	USBFJ	34.66	207.14	134.77			+	 	26.94	12.76	 	
	Order Coordination For Specified Conversion Time, per LSR		 	UCL	OCOSL	34.00	45.34	134.77					20.34	12.70		
	Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop	├──	1	UDL	USBFN	24.27	215 00	132.92		-	· · · · · · · · · · · · · · · · · · ·		26 94	12.76		
 	Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop			UDL	USBFN	41.55	215 00	132.92			 	 	26 94	12.76		
 	Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop	_		UDL	USBFN	65.02	215.00	132.92				 	26.94	12.76		
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -	_	 	OOL	OOD! II	00.02	2,0.00	, OL.OL			†	f	20.01	,,,,,,	<u> </u>	
	Zone 1		1	UDL	USBFO	24.27	215.00	132 92					26.94	12.76		
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -	 	 	t	1505. 5		2.5.00				<u> </u>		1			
; ;	Zone 2	1	1 2	UDL	USBFO	41 55	215.00	132.92			1	1	26.94	12.76	1	
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -		 	1 · · · ·	1	1	2.5.50				1			1		
1 1	Zone 3		3	UDL	USBFO	65.02	215 00	132,92			ì	ļ	26.94	12.76		1
 	Order Coordination For Specified Time Conversion, per LSR		† *	UDL	OCOSL.		45 34				1					
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -		 	-	10000											
	Zone 1		1 1	UDL	USBFP	24.27	215.00	132.92			1	1	26 94	12 76	1	
 	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -		 	1002	100011		210,00	100.00					1	1		
	Zone 2		1 2	UDL	USBFP	41 55	215.00	132.92					26.94	12 76		1
\vdash	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -	1	+	1995	10001	1.00	2,0,00	102.02				<u>† </u>	 			1
1	Zone 3		3	UDL	USBFP	65.02	215.00	132.92			1		26.94	12.76		
	Order Coordination For Specified Conversion Time, per LSR	-	۲,	UDL	OCOSL	00.02	45.34	102.02	-		—			1.5.1.0	····	
SUB-LOOPS	Order Coordination 1 or Specified Conversion Time, per Libra		+	I DEC	00002		10.01						1	i	i	———
	oop Feeder	 	+									· · · · · ·		ļ		1
J J J J J J J J J J J J J J J J J J J	Sub Loop Feeder - DS3 - Per Mile Per Month	 	 	UE3	1L5SL	16.03	-					· · · ·	<u> </u>	 		1
	Sub Loop Feeder - DS3 - Facility Termination Per Month		+	UE3	USBF1	350.32	3,383.00	406 81	164.08	93 01	1		26.94	12.76	1	
 	Sub Loop Feeder - STS-1 - Per Mile Per Month	 	+-	UDLSX	1L5SL	16.03	5,000,00					1				
	Sub Loop Feeder - STS-1 - Facility Termination Per Month	 	-	UDLSX	USBF7	376.06	3,383.00	406.81	164.08	93.01	—	†	26.94	12.76		1
	Sub Loop Feeder - OC-3 - Per Mile Per Month	 	+	UDLO3	1L5SL	12.16			101122		†	1				1
	Sub Loop Feeder - OC-3 - Facility Termination Protection Per	 - '-	+-	00000	12002							1				T
1 1	Month	١.,		UDLO3	USBF5	56.60										l
	Sub Loop Feeder - OC-3 - Facility Termination Per Month	 	+	UDLO3	USBF2	564 14	3,383 00	406.81	164.08	93 01			26 94	12.76		T
<u> </u>	Sub Loop Feeder - OC-3 - Facility Fermination Fer Month	l i	+	UDL12	1L5SL	14.97	0,000 00	100.07	75 1155				1			
	Sub Loop Feeder - OC-12 - Facility Termination Protection Per	 	+	ODETE	1,2302	1										1
1 1	Month	Ι.	1	UDL12	USBF6	639.50		ĺ		Į.						
	Sub Loop Feeder - OC-12 - Facility Termination Per Month	╆	+	UDL12	USBF3	1,841.00	3,383 00	406.81	164 08	93.01		1	26.94	12.76		T
\vdash	Sub Loop Feeder - OC-12 - Facility Terminator Fer North	l i	┼─┈	UDL48	1L5SL	49 10										T
	Sub Loop Feeder - OC-48 - Per Mile Per Month Sub Loop Feeder - OC-48 - Facility Termination Protection Per	+-	├	00040	TEGGE	10 10										T
l 1	Month	1 .	i	UDL48	USBF9	319.92					l l	1	1		1	l
	Sub Loop Feeder - OC-48 - Facility Termination Per Month	ΙĖ	+	UDL48	USBF4	1,603.00	3,569.00	406.81	160.39	90.92	2		26.94	12.76		<u> </u>
		 	+	UDL48	USBF8	360.95	787.73	406.81	160.39	90.92	2		26.94	12.76		
LINE TO LED	Sub Loop Feeder - OC-12 Interface On OC-48	<u> </u>	+	ODE40	00010		, , , , , , ,									
ONBONDLED	Unbundled Loop Concentration - System A (TR008)	+	+-	ULC	UCT8A	398.41	652.26	652.26				1				
	Unbundled Loop Concentration - System 8 (TR008)	 	+	ULC	UCT8B	58.36	271.78	271.78					1			1
\vdash	Unbundled Loop Concentration - System & (TR303)	 	+	VLC	UCT3A	439.73	652.25	652 26				T				
	Unbuilded Loop Concentration - System R (TR303)	+-	+	ULC	ОСТЗВ	98.34	271.78	271.78								
	Unbundled Loop Concentration - System B (TR303)	┼	+	ULC	UCTCO	5.52	126.85	92.35		9.42	2		1			
	Unbundled Loop Concentration - DS1 Loop Interface Card Unbundled Loop Concentration - ISDN Loop Interface (Brite	+	+-	1020	150,50	J.UL	1.25.55	22.00	T	1						T T
				UDN	ULCC1	8 77	21.11	21 00	10.81	10 74	، ا	1	1	l		
\vdash	Card)	+	+	-	102001	 			1			1				
1 1	Unbundled Loop Concentration - UDC Loop Interface (Brite	!	1	UDC	ULCCU	8.77	21.11	21.00	10 81	10.74	1	1	_			
\vdash	Card)	+	+	1000	10000	3.77			1	1						
1 1	Unbundled Loop Concentration2 Wire Voice-Loop Start or	1	1	UEA	ULCC2	0.89	35.73	35.49	i		1		1			<u> </u>
į l	Ground Start Loop Interface (POTS Card)			UEA	ULUUZ	0.89	33.73	33.49	 	 	+	 	1	†	† <i>"</i>	1
	Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery	1	1	1	1	i	1	l	1	10.74	d	1	1	1	I	1
		I .		I II A	HILLOCO	40.00	21 11	21 (10)								
	Loop Interface (SPOTS Card) Unbundled Loop Concentration - 4 Wire Voice Loop Interface		↓	UEA	ULCCR	13.03	21.11	21 00	10.81	10.72	`	+	 -		†	

UNBUNDLED	NETWORK ELEMENTS - North Carolina												Attachi	ment: 2	Exhib	it: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	incremental Charge - Manual Svc Order vs. Electronic- 1st	incremental Charge - Manual Svc Order vs. Electronic- Add'i		Increments Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec		Nonrecurring					Rates(\$)	*****	******
 ,	Inhundred Loop Concentration TEST CONCUIT Cond	<u> </u>		1110	HOTTO	07.00	First	Add¹l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
 	Unbundled Loop Concentration - TEST CIRCUIT Card Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop		 	ULC	υςττς	37.98	21.11	21.00	10.81	10.74				ļ		
	Interface	1	İ	UDL	ULCC7	11.51	21,11	21.00	10.81	10.74		1				
	Unbundled Loop Concentration - Digital 56 Kbps Data Loop				0.000	.,,,,,	2.,,,	21.00		19.77		-				
	Interface		1	UDL	ULCC5	11.51	21.11	21.00	10 81	10.74				l		
	Unbundled Loop Concentration - Digital 64 Kbps Data Loop													1		
	Interface		L	UDL	ULCC6	11.51	21.11	21.00	10.81	10.74						
	ROVISIONING ONLY - NO RATE			LIENERAL	i in in in in	0.00	2.22									
	NID - Dispatch and Service Order for NID installation UNTW Circuit Id Establishment, Provisioning Only - No Rate		├─	UENTW UENTW	UNDBX	0.00	0.00					ļ				
	ONTW Circuit to Establishment, Flovisioning Only - No Hate		 	UEANL,UEF,UEQ,U	DENCE	0.00	0.00									
1 1 1	Unbundled Contract Name, Provisioning Only - No Rate		1	ENTW	UNECN	0.00	0.00									
UNE OTHER, PE	ROVISIONING ONLY - NO RATE		 													
	Unbundled Contact Name, Provisioning Only - no rate			UAL,UCL,UDC,UDL, UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate	ļ	1	UEA,UDN,UCL,UDC	LIEBEO	0.00	0 00									
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no		 	OLA,ODIN,OOL,ODO	00D/ Q	0.00	. 000			<u> </u>	 					
	rate	ł	ŀ	UEA,USL,UCL,UDL	USBFR	0.00	0.00									
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
	Unbundled DS1 Loop - Expanded Superframe Format option -															
	no rate			USL	CCOEF	0.00	0 00				<u> </u>					
	Y UNBUNDLED LOCAL LOOP		<u> </u>								ļ			ļ		
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1L5ND	13 33					i					
	Holdh High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	450.69	1,071 00	646 12					53.48	53.48		
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	13.33										
	High Capacity Unbundled Local Loop - STS-1 - Facility				UDLS1	464.26	1,071.00	646.12					53,48	53.48		
LOOP MAKE-UP	Termination per month	-	-	UDLSX	UDLST	464.26	1,071.00	646.12			 		33,40	30.40		
	Loop Makeup - Preordering Without Reservation, per working or	_	 								 					
l ll:	spare facility queried (Manual)		<u> </u>	UMK	UMKLW		55 44	55.44								
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).	1		I IUMK	UMKLP		55.73	55.73								
	Loop MakeupWith or Without Reservation, per working or														1	
	spare facility queried (Mechanized)]	UMK	PSUMK		0.6960821	0.6960821				L				
	NCY SPECTRUM													ļ		
LINE SI											 	-	ļ	ļ	 	
	ERS-CENTRAL OFFICE BASED		ــــــ			181 18	631 54	31.27		ļ <u> </u>		 			 	<u> </u>
	Line Sharing Splitter, per System 96 Line Capacity		—	ULS	ULSDA	38.99	631.54	31.27				 		 	 	
	Line Sharing Splitter, per System 24 Line Capacity	 	 	ULS ULS	ULSDB ULSD8	12.73	424.61	0 00		 		 	26 94	12.76		
	Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing Splitter - per Line Activation in the Remote	 '	t		OLSDB											
	Terminal (RT) Line Shanng-DLEC Owned Splitter in CO-CFA activaton-	 	 	ULS	 	2.23	122.12	48.05			<u> </u>					
	deactivation (per LSOD)	V 05==	TD1:	ULS	ULSDG		146.32	31.27			-	 	26.94	12.76		
	ER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENC	YSPEC	THUM		ULSDC	0.61	54.71	28.77				 	25 33	2.53		
	Line Sharing - per Line Activation (BST Owned Splitter) Line Sharing - per Subsequent Activity per Line		ļ	ULS		0.01						<u> </u>	25.33	2.53		
	Rearrangement(BST Owned Splitter Line Shanng - per Subsequent Activity per Line	 	┼	ULS	ULSDS	 	35.42	16.57		 	+	 	25.33	2.33		
1 1 1	Rearrangement(DLEC Owned Splitter		1	ULS	ULSCS		35.14	16.29			L		26.94	12.76		
	Line Sharing - per Line Activation (DLEC owned Splitter)	T T	T	ULS	ULSCC	0.61	47.44	19.31		1			26.94	12.76	ļ	ļ
LINE SE	PLITTING		\perp											<u> </u>		
	ER ORDERING-CENTRAL OFFICE BASED				T						ļ			↓		
	Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61			L		L	<u> </u>	L	<u> </u>	<u> </u>	L

UNBUNDLE	ED NETWORK ELEMENTS - North Carolina													ment: 2		oit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
					<u> </u>	Rec	Nonrec	urring	Nonrecurrin	Disconnect				Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Line Splitting · per line activation BST owned - physical		Ī	UEPSR UEPSB	UREBP	0.61	56.92	28.59					26.94	12.76		
	Line Splitting - per line activation BST owned - virtual	_		UEPSR VEPSB	UREBV	0 61	56 92	28.59					26.94	12.76		
REMO	OTE SITE HIGH FREQUENCY SPECTRUM															
SPLIT	TERS-REMOTE SITE	:	┞													
	Remote Site Line Share BellSouth Owned Splitter, 24 Port Remote Site Line Share Cable Pair Activation CLEC Owned at	_	├	ULS	ULSRB	38.18	424.61	0.00			ļ		26 94			
! I	IRS and Deactivation			ULS	ULSTG		74 38	0 00					26 94	ſ	[1
END	USER ORDERING-REMOTE SITE HIGH FREQUENCY SPECTRUM	AAKA	BEMOT				74 30	0.00	 				20 94		ļ	
1 1 1	Remote Site Line Share Line Activationfor End User Served at	i Alta	T	CONTE CINE OFFAIT	1				 		 					
ł	RS, BST Splitter	1	l	luLS	ULSRC	0.61	56.92	28 59			1		26 94	12.76		
	RS Line Share Line Activation for End User served at RS, CLEC		 -			1.0										
L1	Splitter	_	[]	ULS	ULSTC	0 61	56.92	28.59	i	l			26.94	12.76		
UNBUNDLED	DEDICATED TRANSPORT			L .												
NOTE	: INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimu	m billin	g perio	od - below DS3=one	month, D\$3/	STS-1=four mo	onths									
INTER	ROFFICE CHANNEL - DEDICATED TRANSPORT		<u> </u>						ļ	L				<u> </u>		
]	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -		1	LUTA	11.600	2045-			1	1				l		
	Per Mile per month		├	U1TVX	1L5XX	0.0125			 		 					
1 1	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination		1	UITVX	U1TV2	18.00	137.48	52.58		Í	i		38.07	38.07	ł	ļ
	Interoffice Channel - Dedicated Transport- 2-Wire Voice Grade			UTIVA	01172	18.00	137.46	52,56					36.07	36.07		
1 1	Rev Bat - Per Mile per month		1	U1TVX	1L5XX	0 0125			l.	1	1	i		1		
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat		 	01147	1120//	0 0123			 							
1 1	Facility Termination		i	U1TVX	U1TR2	18.00	137.48	52 58	1	1	j		38 07	38.07	1	
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -		 				7,511.4		 		— —					
. 1	Per Mile per month		l	U1TVX	1L5XX	0.0125					l					
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade	-												l		
1	- Facility Termination		l	U1TVX	U1TV4	22.16	106.11	65.95					22.32	22.32	<u></u>	
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile		1					-								
	per month			U1TDX	1L5XX	0.0282								<u></u>		ļ
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility								1	1						1
	Termination			U1TDX	U1TD5	17 40	137.48	52.58					38.07	38.07		
]]	Interoffice Channel - Dedicated Transport - 64 kbps - per mile		1]		1					1	1	ļ
<u> </u>	per month		 	UITDX	1L5XX	0.0282			<u> </u>		 					
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility	ì		U1TDX	U1TD6	17.40	137 48	52.58				l	38.07	38.07	1	
	Termination Interoffice Channel - Dedicated Channel - DS1 - Per Mile per	\vdash	-	UTIDA	01106	17.40	137 40	52.56	 	 			30.01	50.07		
1 1	month	1	ĺ	lu1TD1	1L5XX	0.5753	ì		1	ł	1			Į.	}	ļ
	Interoffice Channel - Dedicated Tranport - DS1 - Facility			01101	TESAK	0.0750										
1 1	Termination	!	1	U1TD1	U1TF1	71.29	217.17	163.75	1	į			38.07	38.07	L	l
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per		T -	1											1	
	month		!	U1TD3	1L5XX	12.98				L						
	Interoffice Channel - Dedicated Transport - DS3 - Facility														į.	1
! [Termination per month		l _	U1TD3	U1TF3	720 38	794.94	579.55	<u> </u>				91.26	91,26		<u> </u>
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per					1			1	1	1				Į.	ļ
LL	month		<u> </u>	U1TS1	1L5XX	6 14			<u> </u>		├		<u> </u>			
	Interoffice Channel - Dedicated Transport - STS-1 - Facility									1	1	I	FO 10	53 48	1	ł
	Termination	<u> </u>	└	U1TS1	UITFS	790.37	642 23	408.89			 		53.48	53 48		
LOCA	AL CHANNEL - DEDICATED TRANSPORT		<u> </u>	L	200/050	<u></u>	ļ	ļ	J	 						
NOTE	: LOCAL CHANNEL DEDICATED TRANSPORT - minimum billin	g perio	a - bele	ow DS3=one month,	DS3/STS-1=	rour months	553.80	89.69			 		42,17	12.76		
	Local Channel - Dedicated - 2-Wire Voice Grade - Zone 1			ULDVX	ULDV2 ULDV2	11.24	553.80	89.69			1		42.17	12.76	 	
	Local Channel - Dedicated - 2-Wire Voice Grade - Zone 2		3	ULDVX	ULDV2	31.70	553.80	89.69		 	 		42.17	12.76	 	
	Local Channel - Dedicated - 2-Wire Voice Grade - Zone 3 Local Channel - Dedicated - 4-Wire Voice Grade - Zone 1	-	1	UNDVX	ULDV2	12.03	562.23	92.67		 			42.17	12 76		
	Local Channel - Dedicated - 4-Wire Voice Grade - Zone 1 Local Channel - Dedicated - 4-Wire Voice Grade - Zone 2		2	UNDVX	ULDV4	21,33	562.23	92.67		 			42.17	12.76		
 	Local Channel - Dedicated - 4-Wire Voice Grade - Zone 2 Local Channel - Dedicated - 4-Wire Voice Grade - Zone 3			UNDVX	ULDV4	33.95	562.23	92.67					42.17	12.76		
	Local Channel - Dedicated - 4-Wire Voice Grade - 2016 5	 -	1	ULDD1	ULDF1	27 05	534.48	462.69			T		86.15	1.77		
	Local Channel - Dedicated - DS1 - Zone 2		1 2	ULDD1	ULDF1	47.94	534.48	462 69					86.15	1.77		
 	Local Channel - Dedicated - DS1 - Zone 3			ULDD1	ULDF1	76.32	534 48						86.15	1.77		
	Local Channel - Dedicated - DS3 - Per Mile per month		+	ULDD3	1L5NC	0.9954									1	I

UNBUNDLE	D NETWORK ELEMENTS - North Carolina			·				· · · · · · · · · · · · · · · · · · ·		•			Attach	ment: 2	Exhil	bit: B
		Γ			Ţ						Svc Order	Svc Order			Incremental	
												Submitted		Charge -	Charge -	Charge -
		۱									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)				per LSR	Order vs.	Order vs.	Order vs.	Order vs.
ļ		m									per Lon	per Lon	Electronic-	Electronic-	Electronic-	Electronic-
1											1		1st	Addi	Disc 1st	Disc Add'l
	f	ļ									l		134	Addi	DISC 18t	DISC AGG I
- "							Nonrec	curring	Nonrecurrin	g Disconnect	1		OSS	Rates(\$)		
			1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	Local Channel - Dedicated - DS3 - Facility Termination		1	ULDD3	ULDF3	298 92	562,25	527.88			1		56.25	56.25		
	Local Channel - Dedicated - STS-1- Per Mile per month		$\overline{}$	ULD\$1	1L5NC	0.9954				1	T					
	Local Channel - Dedicated - STS-1 - Facility Termination			ULDS1	ULDFS	286.13	1,071.00	646.12					53.48	53.48		
DARK FIBER																
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction										1					
	Thereof per month - Local Channel			UDF	1L5DC	64 04					1					
L	NRC Dark Fiber - Local Channel			UDF	UDFC4		1,347.00	279.87								
1 1	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction		ĺ													
L	Thereof per month - Interoffice Channel		L	UDF	1L5DF	27.71					L .			i	<u> </u>	
L	NRC Dark Fiber - Interoffice Channel		<u> </u>	UDF	UDF14		1,807.00	562.96								
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	I			1.											1
	Thereof per month - Local Loop	 _	ļ	UDF	1L5DL	64.04					ļ		ļ			ļ
	NRC Dark Fiber - Local Loop		ļ <u>.</u>	UDF	UDFL4		1,347.00	279.87								<u> </u>
8XX ACCESS	TEN DIGIT SCREENING									<u> </u>						
	8XX Access Ten Digit Screening, Per Call		<u> </u>	OHD		0.0005							<u> </u>			L
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX		ĺ	L	l						i				1	ŀ
L	Number Reserved			OHD	N8R1X		7.05	0.96			L		26.94			<u> </u>
1 1	8XX Access Ten Digit Screening, Per 8XX No Established W/O										ŀ				l	
	POTS Translations	ļ	ļ	OHD			23 82	2.73		<u> </u>	<u> </u>		41.35			ļ
1 1	8XX Access Ten Digit Screening, Per 8XX No Established With	İ									1				Į.	
	POTS Translations	<u> </u>	↓	OHD	N8FTX		23.82	2.73		<u> </u>	ļ		41.35			
1 1	8XX Access Ten Digit Screening, Customized Area of Service		ł		1						ŀ					
ļ	Per 8XX Number		<u> </u>	OHD	N8FCX_		5.63	2.82		 	<u> </u>					<u> </u>
1 1	8XX Access Ten Digit Screening, Multiple InterLATA CXR	ļ								ľ	i	İ				
ļ	Routing Per CXR Requested Per 8XX No.		ļ	OHD	N8FMX		6.59	3.77			ļ					
	8XX Access Ten Digit Screening, Change Charge Per Request		<u> </u>	OHD	N8FAX		8.01	0.96		ļ	<u> </u>		26.94			
	8XX Access Ten Digit Screening, Call Handling and Destination					1 1					İ				ĺ	ļ
<u> </u>	Features			OHD	N8FDX		5.63			ļ	ļ. <u></u>					
LINE INFORM	ATION DATA BASE ACCESS (LIDB)		<u> </u>								ļ	ļ	ļ	<u> </u>		
	LIDB Common Transport Per Query	ļ		OQT		0 00003				ļ				 		
	LIDB Validation Per Query			oqu		0.0134				 	 	<u> </u>	26,94	26.94		ļ
	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRPBX		62 26				 		26.94	20.94		
SIGNALING (C						40.00	070.00	070.00		ļ	 		41 35	41.35		
ļ	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	18 22	278 02	278.02		 	 		41 35	41.33	 	
1 1	CCS7 Signaling Connection, Per link (B link) (also known as D	1	ļ			40.00	070.00	070.00			ł		41 35	41.35		
———	link)		ļ	UDB	TPP++	18 22 132,83	278.02	278.02		+	 	 	41 35	41.33		
	CCS7 Signaling Termination, Per STP Port		<u> </u>	UDB	PT8SX					·			-			
<u> </u>	CCS7 Signaling Usage, Per ISUP Message		-	UDB		0.00004					 		-	 		
	CCS7 Signaling Usage, Per TCAP Message		ļ.,	UDB	OTUGO	0 00009	_			 			 			
	CCS7 Signaling Usage Surrogate, per link per LATA		├	UDB	STU56	338.98				 						
1 1	CCS7 Signaling Point Code, per Originating Point Code	ŀ			00400		40.00	40.00					19.99	19.99		l
	Establishment or Change, per STP affected	ļ	-	UDB	CCAPO		40.00	40.00		 		 	15.55	15.55		
i I	CCS7 Signaling Point Code, per Destination Point Code	l	1	upp	00400		8.00	8.00					19.99	19.99		
	Establishment or Change, Per Stp Affected	ļ	ļ <u> </u>	UDB	CCAPD		8.00	6.00		 			10.00	10.00		
E911 SERVICI						44.04	553 80	89 69		 		 	42.17	12.76	-	
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 1	ļ	1			11.24		89.69					42.17	12.76		
ļ	Local Channel - Dedicated - 2-wr Voice Grade - Zone 2	 	2	ļ		19.91	553.80 553.80	89.69		+	 	-	42.17	12.76		
\vdash	Local Channel - Dedicated - 2-wr Voice Grade - Zone 3	1	3			31.70 0.0282	553.80	69.69		+	 		75.17	1		
 	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile	 				0.0282				 	 	 	 	†·		—
1 1	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility	ı	1			40.00	137,48	52.58]		ł	1	38.07	38,07	İ	1
———	Termination	1	1		+	18.00	534,48	462.69			 		86 15	1.77	 	
	Local Channel - Dedicated - DS1 - Zone 1	ļ	1 1		 	27.05 47.94	534.48	462.69 462.69			 		86.15	1.77	 	
 	Local Channel - Dedicated - DS1 - Zone 2		2						-	+		 	86.15	1.77		
	Local Channel - Dedicated - DS1 - Zone 3	ļ	3		4	76 32	534.48	462.69		 	 	 	60.15	1.77	 	
	Interoffice Transport - Dedicated - DS1 Per Mile		ļ			0.5753			ļ	 	 	-			 	
		1	1	1	1						[38.07	38.07	l	I
	Interoffice Transport - Dedicated - DS1 Per Facility Termination		┞			71.29	217,17	163.75	-	 	 		36.07	30.07		
CALLING NAM	IE (CNAM) SERVICE	1	L						ļ	 	 		 	 	 	
	CNAM For DB Owners - Service Establishment	1	1	OQV		L	75.62	l	L				L		L	

UNBUNDLE	ED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhit	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge -
			+	 		Rec	Nonrec			g Disconnect				Rates(\$)		
	CNAM For Non DB Owners - Service Establishment		+	OQV	 		First 75.62	Add'I	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CNAM For DB Owners - Service Provisioning With Point Code	 	 	Ouv	 		15.02									
	Establishment (Initial)	1	1	oov	1	1	2,354.00	2,354.00	ł	1]	ļ	ı
	CNAM For DB Owners - Service Provisioning With Point Code		1					2,00 1.00		 						
	Establishment (Subsequent)	<u>l </u>	1	oqv_			1,739.00	1,739.00		1						l
	CNAM For Non DB Owners - Service Provisioning With Point	T														
	Code Establishment (Initial)		 	oav			1,072.00	1,072 00								i
1 1	CNAM For Non DB Owners - Service Provisioning With Point Code Establishment (Subsequent)	1	1							T						
	CNAM for DB & Non DB Owners, Per Query			oov			768.44	768.44			L			L		
LNP Query Se	ervice	├─-	-	oqv		0.0009592				 						
	LNP Charge Per query		-	ogv	 	0 00084		ļ	<u> </u>	 						
	LNP Service Establishment Manual		\vdash	oov	 	0 00004	41.25			 				l		
			$\overline{}$				41,23			 						
	LNP Service Provisioning with Point Code Establishment (Initial)		1	oov	1		1,563.00	1,563.00		1]			ļ		1
	LNP Service Provisioning with Point Code Establishment									T						
	(Subsequent)	<u> </u>		OQV			883.99	883 99]		i
OPERATOR C	CALL PROCESSING															
1 1	Oper. Call Processing - Oper Provided, Per Min Using BST LIDB	l	1		1											
 	Oper. Call Processing - Oper Provided, Per Min Using	<u> </u>	 			1.20										
	Foreign LIDB		1	1	1	1 44				ł	1					
 	Oper Call Processing - Fully Automated, per Call - Using BST		-		 -	1.24										
1 1	LIDB	ì	1	1	}	0.20		1		1	1 1			1		1
	Oper. Call Processing - Fully Automated, per Call - Using		1		1											
	Foreign LIDB	Į.	1			0.20					1 1					l .
INWARD OPE	RATOR SERVICES		$\overline{}$							 						
	Inward Operator Services - Verification, Per Minute					1.15		-								
]]	Inward Operator Services - Verification and Emergency Interrupt															
DD41/DING	- Per Minute		ļ		ļ	1.15										L
	OPERATOR CALL PROCESSING ty based CLEC	<u> </u>	├		-					<u> </u>						
Facilit	Recording of Custom Branded OA Announcement		├─-		00400		7 000 00	7.000.00					10.00	40.00	10.00	10.00
	Loading of Custom Branded OA Announcement per shelf/NAV		-		CBAOS		7,000.00	7,000.00		 	ļ .—. —ļ		19.99	19.99	19.99	19.99
	per OCN	Ì		1	CBAOL		500 00	500.00					19.99	19.99		i
UNEP	CLEC	 	+		OBAGE		300 00	300.00		 			19.98	19.99		
1	Recording of Custom Branded OA Announcement	_					7,000.00	7,000.00					19.99	19.99	19.99	19.99
	Loading of Custom Branded OA Announcement per shelf/NAV															
	per OCN				l		500.00	500.00		<u></u>	L		19 99	19.99		L
Unbra	Inding via OLNS for UNEP CLEC															Ĺ
	Loading of OA per OCN (Regional)						1,200.00	1,200 00								
	ASSISTANCE SERVICES		↓													
DINEC	CTORY ASSISTANCE ACCESS SERVICE		 													
DIREC	Directory Assistance Access Service Calls, Charge Per Call CTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (D)ACC)				0.275										
DINEC	Directory Assistance Call Completion Access Service (DACC),	ACC	 		 											
	Per Call Attempt		l		1	0.062	i			1	1 1	ſ				i
DIRECTORY A	ASSISTANCE SERVICES				t	0.002										
	CTORY ASSISTANCE DATA BASE SERVICE (DADS)		_													
	Directory Assistance Data Base Service Charge Per Listing					0 04										
	Directory Assistance Data Base Service, per month				DBSOF	150.00										
	DIRECTORY ASSISTANCE															
Facilit	ly Based CLEC															
1 1	Recording and Provisioning of DA Custom Branded			l	J					l					l	i
	Announcement			AMT	CBADA		6,000.00	6,000.00					26.94	12.76		
	Loading of Custom Branded Announcement per DRAM Card/Switch				l	l	4 470 00	4 4 7 0 0 0					20.04	امحما	1	ı
	CLEC CLEC			AMT	CBADC		1,170.00	1,170.00			\vdash		26.94	12.76		

JNBUNDL	ED NETWORK ELEMENTS - North Carolina													ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
						Rec	Nonrec		Nonrecurring		COMEC	SOMAN		Rates(\$)	SOMAN	SOMAN
	Landing of DAC and David Annual Control of DAM		 				First	Add'l	First	Add'l_	SOMEC	SUMAN	SUMAN	SOMAN	SOMAN	SOMAIN
l l	Loading of DA Custom Branded Announcement per DRAM Card/Switch per OCN	1	1			1	1,170.00	1,170.00				1	26.94	12 76	!	
Unbe	anding via OLNS for UNEP CLEC		├				1,170.00	1,170.00				 	20.01		-	
Oilbi	Loading of DA per OCN (1 OCN per Order)		 	 			420.00	420 00			 		26 94	12.76		
	Loading of DA per Switch per OCN		-				16.00	16.00					26.94	12 76		
ELECTIVE			1													
	Selective Routing Per Unique Line Class Code Per Request Per		\vdash								Γ					
	Switch	İ			USRCR		188.59	188 59								
/IRTUAL CO	LLOCATION														 	
	Virtual Collocation - Application Cost		<u> </u>	AMTES	EAF		2,848 30	2,848.30					 		ļ	
	Virtual Collocation - Cable Installation Cost, per cable			AMTFS	ESPCX	3 20	2,750.00	2,750.00			 					-
	Virtual Collocation - Floor Space, per sq. ft		1-	AMTFS AMTFS	ESPVX ESPAX	3 20 3.48							 			
	Virtual Collocation - Power, per fused amp		 	AMIFS	ESPAX	3.48					 				1	
1	Virtual Collocation - Cable Support Structure, per entrance cable			AMTES	ESPSX	13.35	1					I	I	1		
	Capie		├	UEANL, UEA, UDN, U	LOFOX	13.00										
- 1			1	DC,UAL,UHL,UCL,U							l	1]		1
- 1		l	1	EQ, AMTFS, UDL,	l						1	ı		1		i
- 1		ļ	1	UNCVX, UNCDX,	ĺ	!				1	1	1				
- 1	Virtual Collocation - 2-wire Cross Connects (loop)	l	<u> </u>	UNCNX	UEAC2	0.09	41.78	39.23	4.75	4.75			19.99	19.99	19.99	19.
				UEA,UHL,UCL,UDL, AMTFS, UAL, UDN,												
l i	Virtual Collocation - 4-wire Cross Connects (loop)	1	1	UNCVX, UNCDX	UEAC4	0.18	41.91	39.25	4.73	4.73		1	19.99	19.99	19.99	19.
	Virtual Collocation - 4-wire Cross Collinects (100p)	 	+-	AMTFS,UDL12,	OL/NO-	5.75										
				UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12,												40
	Virtual Collocation - 2-Fiber Cross Connects		1	ULD48, UDF	CNC2F	15 99	67.34	48.55			ļ		19.99	19.99	19.99	19.
	Virtual Collocation - 4-Fiber Cross Connects			AMTFS,UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC4F	28.74	82.35	63.56					19.99	19.99	19 99	19.
				USL,ULC,AMTFS, ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL,		0.07	71.02	51,08					-			
	Virtual collocation - DS1 Cross Connects	ļ	-	UNLD1	CNC1X	0 97	/1.02	51.08	 	 	+			1	1	1
				USL,ULC,AMTFS,U E3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CND3X	56.25	151.90	11.83					19.99	19.99		
	Virtual collocation - DS3 Cross Connects Virtual Collocation - Co-Carner Cross Connects - Fiber Cable	+	+-	UDESK, UNLUS	CINDOV	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	151.50					\top	-	1	Τ	
	Support Structure, per linear foot		1	AMTES	VE1CB	0.0028			l							
	Virtual Collocation - Co-Carner Cross Connects - Copper/Coax	†	+		1											ì
	Cable Support Structure, per linear ft		_	AMTFS	VE1CD	0.0041		<u> </u>				+	-	 	 	+
	Virtual Collocation - Co-Carner Cross Connects - Fiber Cable Support Structure,per cable		_	AMTFS	VE1CC		532.72		ļ		ļ	 	19.99	 	 	-
	Virtual Collocation - Co-Carner Cross Connects - Copper/Coax Cable Support Structure, per cable]		AMTES	VE1CE		532.72						19.99			
	Virtual Collocation Cable Records - per request	1	+-	AMTES	VE1BA		1,707.00						<u> </u>		Ļ	
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable record		\top	AMTFS	VE18B		923.08							<u> </u>		
	Virtual Collocation Cable Records - VG/DS0 Cable, per each		\top	AMTFS	VE1BC		18 02	18.02								<u> </u>
	100 pair Virtual Collocation Cable Records - DS1, per T1TIE	1		AMTES	VE1BD		8.43	8.43							Τ''	T

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attachi	ment: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'i	Charge -	Increment Charge - Manual Sv Order vs. Electronic Disc Add
		ļ			.	Rec	Nonrec			Disconnect				Rates(\$)		
	Virtual Collocation Cable Records - DS3, per T3TIE			AMTES	VE1BE		First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
 	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber		-	AMIFS	VETBE		29.51	29.51			-	<u> </u>				
- 1	records		l	AMTES	VE1BF	ļ	278.82	070.00	l		l	ł				1
	Virtual collocation - Security Escort - Basic, per half hour			AMTES	SPTBX		41.00	278 82 25.00					40.00			ļ
	Virtual collocation - Security Escort - Overtime, per half hour	 		AMTES	SPTOX	· · · · · ·	48.00	30 00		·	 		19.99 19.99	19 99	ļ	
	Virtual collocation - Security Escort - Premium, per half hour		-	AMTES	SPTPX	·	55.00	35 00			 	<u> </u>	19.99	19.99 19.99	ļ	
	Virtual collocation - Maintenance in CO - Basic, per half hour	<u> </u>		AMTFS	CTRLX		30.64	30 64		 	 		19.99	19.99	 	
							55.5.	300.			 	_	13.33	13 33		+
	Virtual collocation - Maintenance in CO - Overtime, per half hour]		AMTFS	SPTOM		35.77	35.77	l		İ		19 99	19.99		
											1	i				
	Virtual collocation - Maintenance in CO - Premium per half hour	L	<u></u>	AMTFS	SPTPM		40.90	40 90		L		<u></u>	19.99	19.99		
VIRTUAL COL																
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-]										
	Wire Analog - Res		<u> </u>	UEPSR	VE1R2	0.09	41.78	39 23		L	L		26 94	12.76		ļ
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-	1														
L	Wire Line Side PBX Trunk - Bus		<u> </u>	UEPSP	VE1R2_	0.09	41.78	39.23					26.94	12 76		
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire			l	1							1				
	Voice Grade PBX Trunk - Res	<u> </u>		UEPSE	VE1R2	0 09	41.78	39.23			ļ		26.94	12.76		ļ
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus			UEPSB	VE1R2		44 770	20.00	1	l		1				
	Virtual Collocation 2-Wire Cross Connect, Exchage Port 2-Wire		-	UEPSB	VETHS	0.09	41.78	39.23				 	26.94	12.76		₩
	ISDN			UEPSX	VE1R2	0.09	41.78	39.23				l	26 94	12.76		
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire			UEPSX	VEIRZ	0.09	41.78	39.23		 		 	26 94	12.76		├
	ISDN			UEPTX	VE1R2	0.09	41.78	39.23				ł	26 94	12.76		
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire	_	1	ULI 1X	721112	0.00	41.70	09.20					2034	12.70		
	ISDN DS1	ŀ		UEPEX	VE1R4	0.18	41.91	39.25				l	26.94	12.76		
VIRTUAL COL				ULI LX	145	0.10	71.01	00.20		-	 			12.70		\vdash
1	Virtual Collocation-2 Wire Cross Connects (Loop) for Line				 						<u> </u>					\vdash
i	Splitting	i		UEPSR. UEPSB	VE1LS	0.0287	33 96	32.08	36.72	34 84	1	l	19.99	19.99		
PHYSICAL CO		1	t —		1											
	Physical Collocation-2 Wire Cross Connects (Loop) for Line	 	 								1		·			
	Splitting	1	1	UEPSR, UEPSB	PE1LS	0.0309	33.53	31.65	36.29	34.41	1	i	19.99	19 99		
AIN SELECTIV	/E CARRIER ROUTING				1											
	Regional Service Establishment			SRC	SRCEC		215,597.00									l
	End Office Establishment			SRC	SRCEO		347.27									
	Query NRC, per query			SAC		0.0053758					1		L			
AIN - BELLSO	UTH AIN SMS ACCESS SERVICE															
	AIN SMS Access Service - Service Establishment, Per State,	I								I	I	I	I		1	1
	Initial Setup			A1N	CAMSE		294.77				<u> </u>		<u> </u>			<u> </u>
			T									i	[i .
l. I	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		86.94								ļ	
	AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		86.94									
	AIN SMS Access Service - User Identification Codes - Per User		1										İ			
	ID Code		L	A1N	CAMAU		200.83		ļ		ļ				ļ	
	AIN SMS Access Service - Security Card, Per User ID Code,	1			1				i							ŀ
	Initial or Replacement	↓		A1N	CAMRC		172.05						}		 	-
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)	<u> </u>	1			0.0023									 	
	AIN SMS Access Service - Session, Per Minute		ļ	ļ <u>-</u>		0.0791								-		
	AIN SMS Access Service - Company Performed Session, Per	1				2 08				1	1	1	1		1	
AD1 DE1122	Minute	⊢	├-	ļ	+	208				 						—
AIN - BELLSO	UTH AIN TOOLKIT SERVICE	-	├	 	+		 	 			+	 	 	· · · · · ·	 	$\overline{}$
	Ath Toolkit Service - Service Establishment Charge, Per State,	1	ı	САМ	BAPSC		290.05	i			i	1		1	1	
	Initial Setup	 	+	CAM	BAPVX	 	8,363.00		 	 	+	 	·	1	<u> </u>	T
\vdash	AIN Toolkit Service - Training Session, Per Customer	ļ	-	 	DA- AV	 	0,000.00		 	 	+	†			1	
	AlN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Term. Attempt	1	1		BAPTT	1	72.76		1		1					1
 	AlN Toolkit Service - Trigger Access Charge, Per Trigger, Per	 	 		DATE:	-	12.10		 	 	1	 	i	1	1	T
t 1	DN, Off-Hook Delay	1	1	1	BAPTD	ı	72.76	i	1	1	1	1	1	1	1	1

	D NETWORK ELEMENTS - North Carolina												Attachn			it: B
EGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
															Diac lat	Dioc Au
						Rec	Nonrec		Nonrecurring First	Disconnect Add'l	COMEC	SOMAN		Rates(\$)	SOMAN	SOMA
					<u> </u>		First	Add'l	FIRST	Addi	SOMEC	JUMAN	COMPAN	<u></u>		
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		1 1		ВАРТМ		72 76						l			
	DN, Off-Hook Immediate AlN Toolkit Service - Trigger Access Charge, Per Trigger, Per	-	+-		U/A TIM						T					
	DN, 10-Digit PODP				BAPTO		149 95									├ ──
	AlN Toolkit Service - Trigger Access Charge, Per Trigger, Per	, .					440.05					1	1	l		1
	DN, CDP	<u> </u>	-		BAPTC		149 95									
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		1		BAPTE		149.95									ļ
_	DN, Feature Code AIN Toolkit Service - Query Charge, Per Query	├	+		DA II	0.02										
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit	—	1								1					
	Subscription, Per Node, Per Query					0.005							 			
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access	ł				1 45							<u> </u>			<u> </u>
	Account, Per 100 Kilobytes AlN Toolkit Service - Monthly report - Per AlN Toolkit Service		 		 											İ
	Subscription		1	CAM	BAPMS	15.98	71 80				├ ──				<u> </u>	+
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service		\top			T			'				1	ļ	1	l .
	Subscription	<u> </u>		САМ	BAPLS	0.08	47.20			-	 		 			
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service			CAM	BAPDS	15 90	71 80		i			l		L		<u> </u>
	Subscription AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit	-	+	CAW	DAI DO									İ	1	1
ĺ	Service Subscription	ŀ	ļ	CAM	BAPES	0 003	47 20					 	ļ	 	 	+
ANCED I							. 6.1		ļ		 	 			 	
NOTE	Now Density Zone 1 FFI s are available in the following MSA	s: Orla	ndo, FL	; Miami, FL; Ft. Lau	iderdale, FL; A	Atlanta, GA; Ne	V Oneans, LA				 	 				
NOTE	: Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem	-High	Point, N	C and Nashville, 11	11.4	- And An IMIC W	too A Cwitch	As le Charge	pplies to curre	ntly combine	d facilities c	onverted to	UNEs.(Non-n	ecurring rates	do not apply	y.)
NOTE	in all states, EEL network elements shown below also apply in all states the EEL network elements apply to ordinarily co	to cum	entry co	minimed lacings n	IIICII BIO COIII	C. 104 10 0.14							1	1		
		mhiner	l netwo	rk elements.(No Sw	itch As Is Cha	arge.) When or	dering ordinas	ily combined (etwork elemer	its, nonrecuit	ing rates do	арріу.		 		+
NOTE 2-WIE					itch As Is Cha	arge.) When or	dering ordina	ily combined i	etwork elemen	its, nonrecurr	ing rates do	арріу.		<u> </u>		ļ
2-WIF	E: In all states the EEL network elements apply to ordinarily co RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 IN		FICE TI	RANSPORT (EEL)	Ten As is one	3 .,			etwork elemer	its, nonrecurr	ing rates do	арріу.				
2-WI	E: In all states the EEL network elements apply to ordinarily co RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 IN First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1				UEAL2	arge.) When or	dering ordinar	ily combined i	etwork elemer	nts, nonrecum	ing rates do	арріу.				
2-WIF	E: In all states the EEL network elements apply to ordinarily co RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 IN First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed		FICE TI	UNCVX	UEAL2	14.97	142.97		etwork elemer	nts, nonrecurr	ing rates do	арріу.				
2-WIF	E: In all states the EEL network elements apply to ordinarily co RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 IN First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2		FICE TI	RANSPORT (EEL)	Ten As is one	3 .,		106.56		its, nonrecum	ng rates do	арріу.				
2-WIF	E: In all states the EEL network elements apply to ordinarily co RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 IN First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed		FICE TI	UNCVX	UEAL2	14.97	142.97	106.56		ts, nonrecurr	ng rates do	арріу.				
2-WIF	E: In all states the EEL network elements apply to ordinarily co- RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 IN First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3		FICE TI	UNCVX UNCVX	UEAL2 UEAL2 UEAL2	14.97 25.93 40.81	142.97 142.97	106.56		ts, nonrecurr	ng rates do	арріу.				
2-WIF	E: In all states the EEL network elements apply to ordinarily co- RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 IN First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile over month		FICE TI	UNCVX UNCVX	UEAL2	14.97	142.97 142.97	106.56		ts, nonrecurr	ng rates do	арріу.				
2-Wif	E: In all states the EEL network elements apply to ordinarily co- RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 IN First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile		FICE TI	RANSPORT (EEL) UNCVX UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2 1L5XX	14.97 25.93 40.81 0.5753	142.97 142.97	106.56 106.56		nonrecurr	ng rates do	арріу.	38.07	38.07		
2-Wif	E: In all states the EEL network elements apply to ordinarily co RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 IN First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month		FICE TI	RANSPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNC1X	UEAL2 UEAL2 UEAL2 1L5XX U1TF1	14.97 25.93 40.81 0.5753 71.29	142.97 142.97	106.56 106.56 106.56		its, nonrecurr	ng rates do	арріу.	38.07 38.07	38.07		
2-WIF	E: In all states the EEL network elements apply to ordinarily co- RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 IN First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month DS1 Channelization System Per Month		FICE TI	RANSPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X	UEAL2 UEAL2 UEAL2 1L5XX	14.97 25.93 40.81 0.5753	142.97 142.97 142.97 217 17	106.56 106.56 106.56		ts, nonrecurr	ng rates do	арріу.	38.07	38.07		
2-Wif	E: In all states the EEL network elements apply to ordinarily co- RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 IN First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month DS1 Channelization System Per Month Virice Grade CCCI - DS1 To Ds0 Interface - Per Month		FICE TI	RANSPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNC1X	UEAL2 UEAL2 UEAL2 1L5XX U1TF1 MQ1 1D1VG	14.97 25.93 40.81 0.5753 71.29 146.69 1 27	142.97 142.97 142.97 217.17 197.78 13.09	106.56 106.56 106.56 163.75 140.06 9.38		ts, nonrecurr	ng rates do	арріу.	38.07 38.07	38.07		
2-Wif	E: In all states the EEL network elements apply to ordinarily co- RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 IN First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1		FICE TI	RANSPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X	UEAL2 UEAL2 UEAL2 1L5XX U1TF1 MQ1	14.97 25.93 40.81 0.5753 71.29	142.97 142.97 142.97 217.17 197.78	106.56 106.56 106.56 163.75 140.06 9.38		ts, nonrecur	ng rates do	арріу.	38.07 38.07	38.07		
NOTE 2-WIF	E: In all states the EEL network elements apply to ordinarily co- RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 IN First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1		FICE THE	UNCVX UNCVX UNCVX UNCVX UNCIX UNCIX UNCIX UNCIX UNCIX UNCIX UNCIX UNCIX UNCIX	UEAL2 UEAL2 UEAL2 1L5XX U1TF1 MQ1 1D1VG UEAL2	14.97 25.93 40.81 0.5753 71.29 145.69 1 27	142.97 142.97 142.97 217.17 197.78 13.09	106.56 106.56 106.56 163.75 140.06 9.38		ts, nonrecur	ng rates od	арріу.	38.07 38.07	38.07		
NOTE 2-WIF	E: In all states the EEL network elements apply to ordinarily co- RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 IN First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2		FICE TI	UNCVX UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X	UEAL2 UEAL2 UEAL2 1L5XX U1TF1 MQ1 1D1VG	14.97 25.93 40.81 0.5753 71.29 146.69 1 27	142.97 142.97 142.97 217.17 197.78 13.09	106.56 106.56 106.56 163.75 140.06 9.38		ts, nonrecur	ng rates oo	арріу.	38.07 38.07	38.07		
NOTE 2-WIF	E: In all states the EEL network elements apply to ordinarily come VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 IN First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 interofficed Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month DS1 Channelization System Per Month Voice Grade COC1 - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL2) in the same DS1 interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Each Additional 2-Wire VG Loop(SL2) in the same DS1		1 2 3 1 1 2 2 2	UNCVX UNCVX UNCVX UNCVX UNCTX UNCTX UNCTX UNCTX UNCTX UNCTX UNCTX UNCTX UNCVX UNCVX	UEAL2 UEAL2 UEAL2 1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2	14.97 25.93 40.81 0.5753 71.29 146.69 1 27 14.97	142.97 142.97 142.97 217.17 197.78 13.09	106.56 106.56 106.56 163.75 140.06 9.38 106.56		ts, nonrecur	ng rates oc	арріу.	38.07 38.07	38.07		
2-WiF	Et nail states the EEL network elements apply to ordinarily co- RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 IN First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2	TEROF	FICE THE	UNCVX UNCVX UNCIX UNCIX UNCIX UNCIX UNCIX UNCIX UNCIX UNCIX UNCYX UNCVX UNCVX	UEAL2 UEAL2 UEAL2 1L5XX U1TF1 MQ1 1D1VG UEAL2	14.97 25.93 40.81 0.5753 71.29 145.69 1 27 14.97 25.93	142.97 142.97 142.97 217.17 197.78 13.09 142.97	106.56 106.56 106.56 163.75 140.06 9 38 106.56		ts, nonrecur	ng rates od	арріу.	38.07 38.07 38.07	38.07 38.07 38.07		
2-WIF	Et nail states the EEL network elements apply to ordinarily come VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 IN First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Voice Grade COCI - DS1 to DS0 Channel System combination per month	TEROF	1 2 3 1 1 2 2 2	UNCVX UNCVX UNCVX UNCVX UNCTX UNCTX UNCTX UNCTX UNCTX UNCTX UNCTX UNCTX UNCVX UNCVX	UEAL2 UEAL2 UEAL2 1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2	14.97 25.93 40.81 0.5753 71.29 146.69 1 27 14.97	142.97 142.97 142.97 217.17 197.78 13.09 142.97	106.56 106.56 106.56 163.75 140.06 9 38 106.56		ts, nonrecur	ng rates od	арріу.	38.07 38.07	38.07 38.07 38.07		
2-WIF	Et nail states the EEL network elements apply to ordinarily come VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 IN First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Voice Grade COCI - DS1 to DS0 Channel System combination per month	TEROF	1 2 3 1 1 2 2 2	RANSPORT (EEL) UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNCYX UNCYX UNCVX UNCVX UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2 1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2 UEAL2	14.97 25.93 40.81 0.5753 71.29 145.69 1 27 14.97 25.93	142.97 142.97 142.97 217 17 197 78 13.09 142.97 142.97	106.56 106.56 106.56 106.56 163.75 140.06 9.38 106.56 106.56				арріу.	38.07 38.07 38.07	38.07 38.07 38.07	7	
2-WIF	E: In all states the EEL network elements apply to ordinarily come VOICE GRADE EXTENDED LOOP WITH DEDICATED DSI IN First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month DS1 Channelization System Per Month Voice Grade COC1 - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL2) in the same DS1 interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 interoffice Transport Combination - Zone 3 Voice Grade COC1 - DS1 to DS0 Channel System combination per month Nonrecurring Currently Combined Network Elements Switch - A	TEROF	1 2 3 1 1 2 3	RANSPORT (EEL) UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNC1X UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2 1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2 UEAL2	14.97 25.93 40.81 0.5753 71.29 145.69 1 27 14.97 25.93	142.97 142.97 142.97 217.17 197.78 13.09 142.97	106.56 106.56 106.56 106.56 163.75 140.06 9.38 106.56 106.56				арріу.	38.07 38.07 38.07	38.07 38.07 38.07	7	
2-WiF	Et nail states the EEL network elements apply to ordinarily come VOICE GRADE EXTENDED LOOP WITH DEDICATED DSI IN First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 interofficed Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month DS1 Channelization System Per Month Voice Grade COC1 - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL2) in the same DS1 interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 interoffice Transport Combination - Zone 3 Voice Grade COC1 - DS1 to DS0 Channel System combination per month Nonrecurring Currently Combined Network Elements Switch - As is Charge	TEROF	1 2 3 1 1 2 3	RANSPORT (EEL) UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNC1X UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2 1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2 UEAL2	14.97 25.93 40.81 0.5753 71.29 145.69 1 27 14.97 25.93	142.97 142.97 142.97 217 17 197 78 13.09 142.97 142.97	106.56 106.56 106.56 106.56 163.75 140.06 9.38 106.56 106.56 106.56	32.28			арріу.	38.07 38.07 38.07	38.07 38.07 38.07	7	
2-WiF	E: In all states the EEL network elements apply to ordinarily come VOICE GRADE EXTENDED LOOP WITH DEDICATED DSI IN First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 Voice Grade COCI - DS1 to DS0 Channel System combination per month Nonrecurring Currently Combined Network Elements Switch - A Is Charge IRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 Interoffice First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice	TEROF	1 2 3 1 1 2 3	RANSPORT (EEL) UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNCYX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2 1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2 UEAL2	14.97 25.93 40.81 0.5753 71.29 145.69 1 27 14.97 25.93	142.97 142.97 142.97 217.17 197.78 13.09 142.97 142.97 13.05 21.76	106.56 106.56 106.56 106.56 163.75 140.06 9.38 106.56 106.56 106.56	32.28			арріу.	38.07 38.07 38.07	38.07 38.07 38.07	7	
2-WiF	Et nail states the EEL network elements apply to ordinarily come VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 IN First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL 2) in the same DS1 interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 interoffice Transport Combination - Zone 3 Voice Grade COCI - DS1 to DS0 Channel System combination per month Nonrecurning Currently Combined Network Elements Switch - A is Charge IRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INF	TEROF	1 2 3 1 1 2 3	RANSPORT (EEL) UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNC1X UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2 1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2	14.97 25.93 40.81 0.5753 71.29 145.69 1 27 14.97 25.93 40.81	142.97 142.97 142.97 217.17 197.78 13.09 142.97 142.97 13.05 21.76	106.56 106.56 106.56 106.56 163.75 140.06 9.38 106.56 106.56 9.38 21.74	32.28			арріу.	38.07 38.07 38.07	38.07 38.07 38.07	7	
2-WIF	Et nail states the EEL network elements apply to ordinarily come VOICE GRADE EXTENDED LOOP WITH DEDICATED DSI IN First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 Voice Grade COCI - DS1 to DS0 Channel System combination per month Nonrecurring Currently Combined Network Elements Switch - A Is Charge Rev Voice Grade CoCI - DS1 to DS0 Channel System combination - Interoffice Transport Combination - Zone 3 First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 1 First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2	TEROF	1 2 3 1 1 2 3	RANSPORT (EEL) UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNCYX UNCVX	UEAL2 UEAL2 UEAL2 1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEACC	14.97 25.93 40.81 0.5753 71.29 146.69 1 27 14.97 25.93 40.81	142.97 142.97 142.97 217.17 197.78 13.09 142.97 142.97 13.05 21.76	106.56 106.56 106.56 106.56 163.75 140.06 9.38 106.56 106.56 9.38 21.74	32.28			арріу.	38.07 38.07 38.07	38.07 38.07 38.07	7	
2-WiF	Et nail states the EEL network elements apply to ordinarily come VOICE GRADE EXTENDED LOOP WITH DEDICATED DSI IN First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 Voice Grade COCI - DS1 to DS0 Channel System combination per month Nonrecurring Currently Combined Network Elements Switch - A Is Charge Rev Voice Grade CoCI - DS1 to DS0 Channel System combination - Interoffice Transport Combination - Zone 3 First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 1 First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2	TEROF	FFICE T	RANSPORT (EEL) UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNCYX UNCVX	UEAL2 UEAL2 UEAL2 1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL4 UEAL4	14.97 25.93 40.81 0.5753 71.29 146.69 1 27 14.97 25.93 40.81 1.27	142.97 142.97 142.97 217.17 197.78 13.09 142.97 142.97 13.08 21.75 288.47	106.56 106.56 106.56 106.56 163.75 140.06 9.38 106.56 106.56 106.56 21.76	32.28			арріу.	38.07 38.07 38.07	38.07 38.07 38.07	7	
2-WiF	Et nail states the EEL network elements apply to ordinarily co. EVOICE GRADE EXTENDED LOOP WITH DEDICATED DSI IN First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL 2) in the same DS1 interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 interoffice Transport Combination - Zone 3 Voice Grade COCI - DS1 to DS0 Channel System combination per month Nonrecurring Currently Combined Network Elements Switch - A is Charge IRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 IN First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 1 First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice	TEROF	FFICE T	RANSPORT (EEL) UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNCYX UNCVX	UEAL2 UEAL2 UEAL2 1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2	14.97 25.93 40.81 0.5753 71.29 145.69 1 27 14.97 25.93 40.81	142.97 142.97 142.97 217.17 197.78 13.09 142.97 142.97 13.05 21.76	106.56 106.56 106.56 106.56 163.75 140.06 9.38 106.56 106.56 106.56 21.76	32.28			арріу.	38.07 38.07 38.07	38.07 38.07 38.07	7	

JNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attachi	ment: 2	Exhi	bit: B
CATEGORY	RATE ÉLEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	incrementa Charge - Manual Sw Order vs. Electronic Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
			ļ				First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month		<u> </u>	UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
1	Channelization - Channel System DS1 to DS0 combination Per	i													1	l
	Month Voice Grade COCI - DS1 to DS0 Channel System combination -	 		UNC1X	MQ1	146.69	197.78	140 06					38 07	38.07	<u> </u>	
_	per month			UNCVX	1D1VG	1,27	13.09	9.38					38 07	38.07		
1	Additional 4-Wire Analog Voice Grade Loop in same DS1 interoffice Transport Combination - Zone 1	ŀ	1	UNCVX	UEAL4	21 32	288 47	237.45					_			
	Additional 4-Wire Analog Voice Grade Loop in same DS1		1													
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	36 27	288 47	237,45								
	Additional 4-Wire Analog Voice Grade Loop in same DS1		_					/-					·			1
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4_	56.57	288 47	237.45	·					 		
	Voice Grade COCI - DS1 to DS0 Channel System combination -	1	ł	UNCVX	1D1VG	1 27	13.09	9.38			1		38.07	38.07		1
	Nonrecurring Currently Combined Network Elements Switch -As-		╀──	UNCVA	IDIVG_	12/	13.09	9.36			 		30.07	36.07		
	Is Charge	(í	UNC1X	UNCCC !	1	21.75	21.75	32 28	10 96	Į.	1	38.07	38 07	1	1
4-WIF	RE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTER	OFFICE													
1 1111	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice		T													
	Transport Combination - Zone 1	<u>L</u>	1	UNCDX	UDL56	25.32	489.04	337.51			Ĺ					
	First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	43.11	489 04	337.51								
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice		T-												i	
	Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile	-	3	UNCDX	UDL56	67.26	489 04	337.51			 		<u> </u>	 		
_	Per Month Interoffice Transport - Dedicated - DS1 - combination Facility	-	ļ	UNC1X	1L5XX	0.5753								<u> </u>		
	Termination Per Month			UNC1X	U1TF1	71.29	217.17	163.75	L				38.07	38 07		<u> </u>
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	146.69	197.78	140.06			<u> </u>		38 07	38.07		
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per		T	LINCDY	1D1DD	2.00	15.76	11.28			1)	38.07	38 07		
	month (2 4-64kbs) Additional 4-Wire 56Kbps Digital Grade Loopin same DS1		+-	UNCDX	טטוטו	2.00	13.70	11.20			<u>├</u>					
	Interoffice Transport Combination - Zone 1		1_1_	UNCDX	UDL56	25.32	489.04	337.51	<u> </u>		 -					
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	43,11	489.04	337.51								<u> </u>
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1										1		ĺ	İ	(1
	Interoffice Transport Combination - Zone 3	L	3_	UNCDX	UDL56	67.26	489.04	337.51	ļ — — —		 		·	 		
	OCU-DP COCI (data) - DS1 to DS0 Channel System - combination per month (2 4-64kbs)			UNCDX	1D1DD	2.00	15.76	11 28			L		38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As-	1		UNC1X	UNCCC		21.75	21.75	32 28	10.96	}	}	38.07	38.07	ļ	
	Is Charge RE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTER	DEEICE			 	21.75	21170								
4-1411	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	T	T	I THANSTON (CEE	'											Γ
	Transport Combination - Zone 1	<u> </u>	1	UNCDX	UDL64	25.32	489.04	337.51		ļ	 	 -			<u> </u>	
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	43.11	489.04	337.51								
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	67 26	489.04	337.51	l		<u> </u>					
	Interoffice Transport - Dedicated - DS1 combination - Per Mile	1	T													
	Per Month Interoffice Transport - Dedicated - DS1 combination - Facility	 	┼─	UNC1X	1L5XX	0.5753			 		1		00.07	38 07		
	Termination Per Month Channelization - Channel System DS1 to DS0 combination Per	 	-	UNC1X	U1TF1	71,29	217.17	163 75		 	 	 	38 07	 		
	Month	ļ	1_	UNC1X	MQ1	146.69	197.78	140.06	<u> </u>	<u> </u>	 		38.07	38.07		+
	OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2 4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28					38.07	38.07		<u> </u>
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	25.32	489.04	337.51								

UNBUNDLE	D NETWORK ELEMENTS - North Carolina						-							ment: 2		bit: B
			П	[Svc Order		Incremental	Incremental	
			Ĭ	•	1						Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		1-0									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m			1						'		Electronic-	Electronic-	Electronic-	Electronic-
		i	l	İ	1						1	ł	1st	Add'i	Disc 1st	Disc Add'l
			<u> </u>										<u> </u>	<u> </u>	L	
			1			Rec	Nonrec		Nonrecurring					Rates(\$)		T 000000
					<u> </u>		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1	ĺ	i _	İ	i]			ł	i	1		l	1
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	43.11	489.04	337.51			ļ					
1 1	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1	l			1										ĺ	l
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	67 26	489.04	337.51								
! [OCU-DP COCI (data) - DS1 to DS0 Channel System	ĺ	1	I							1	ł			1	}
\vdash	combination - per month (2.4-64kbs)	 		UNCDX	1D1DD	2.00	15.76	11.28					38.07	38.07		ļ
ļ	Nonrecurring Currently Combined Network Elements Switch -As-	1	1			1		A4 775		40.00				00.07		l
	Is Charge		<u></u>	UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
4-WIF	RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTI	EHOFFI	CE TH	ANSPORT (EEL)											ļ.———	
1	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice	1	١.,		1101307	47.00	74404	404 47		İ		l				ŀ
	Transport - Zone 1	<u> </u>	1.	UNC1X	USLXX	47.60	714.84	421.47			 -				 	+
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice		١,		1101.44	1 0400	74404	421.47	1		1			Į.	ļ	
 	Transport - Zone 2		2	UNC1X	USLXX	84.36	714.84	421.47			 		 		 -	
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice		3		USLXX	134 29	714.84	421.47				ļ		1		1
	Transport - Zone 3		3	UNC1X	USLXX	134 29	714.84	421.47			 		 			
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		1	LINGAY	1L5XX	0.5753						1	{		ŀ	1
	Per Month			UNC1X	ILDAX	0.5753				ļ	 		 	 		
	Interoffice Transport - Dedicated - DS1 combination - Facility		1	LINDAY	U1TF1	71 29	217.17	163.75			1		38.07	38.07		
	Termination Per Month	 	<u> </u>	UNC1X	UTIFI	/129	217.17	103.75		ļ	 		36.07	36.07		
	Nonrecurring Currently Combined Network Elements Switch -As-	1	1	LINDAY	LINGCO		21 75	21.75	32 28	10.96	ł	1	38.07	38 07	Į.	1
	Is Charge		AC TO	UNC1X	UNCCC		21 /3	21.75	32 20	10.80	 	 	36.07			
4-W1F	RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INT	EHUFFI	CE IH	ANSPORT (EEL)										 		
	First DS1Loop in DS3 Interoffice Transport Combination - Zone	l	١.,	LINIOAN	USLXX	47.60	714.84	421.47			1		1			
 	1	├	1_	UNC1X	USLXX	47.60	714.84	421.47			 	 	 	 	 	
1 1	First DS1Loop in DS3 interoffice Transport Combination - Zone	l	2	UNC1X	USLXX	84 36	714.84	421.47]	l	}	1		1		
	2		 - -	UNCIX	DOLVY	04 30	714,04	421.47				 				1
1 1	First DS1Loop in DS3 Interoffice Transport Combination - Zone		3	UNC1X	USLXX	134.29	714.84	421.47		l	ł	ì	1	i	1	
	3		3	UNCIA	USLAA	104.23	714,04	421.41			 	 				1
1 1	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month	1	1	писзх	1L5XX	12.98			<u> </u>		1	ĺ		1		ŀ
	Interoffice Transport - Dedicated - DS3 - Facility Termination per		+	UNCOX	112300	12.30					 		1	f	1	
1 1		ĺ	1	UNC3X	U1TF3	720 38	794.94	579.55		ĺ		ŀ	38 07	38.07	1	
	month DS3 to DS1 Channel System combination per month	├	+	UNC3X	MQ3	233.10	403.97	234.40			 	 	38 07	38.07		1
	DS3 Interface Unit (DS1 COCI) combination per month	 	+ -	UNC1X	UC1D1	16.07	13.09	9.38				<u> </u>	38.07	38 07		
————		-	┿	UNCIA	100101	10.07	10.03				1	 				
1 1	Additional DS1Loop in DS3 Interoffice Transport Combination -	l	1	UNC1X	USLXX	47.60	714.84	421.47		1		1		1	į.	1
 	Zone 1		+-'-	UNCIX	103LXX	47.00	774.04	727.77			 -	†				
j j	Additional DS1Loop in DS3 Interoffice Transport Combination -	!	2	UNC1X	USLXX	84.36	714.84	421.47			1	1		1		i
	Zone 2		 -	UNCIX	10324	04.00	714.04	721.77			*	1	<u> </u>			
ł I	Additional DS1Loop in DS3 Interoffice Transport Combination -	İ	3	UNC1X	USLXX	134 29	714.84	421.47			1	1	1			
<u> </u>	Zone 3	 	1 3	UNC1X	UC1D1	16.07	13.09	9.38			 		38.07	38.07		1
	DS3 Interface Unit (DS1 COCI) combination per month			UNCIX	OCIDI	10.07	10.00						1			T
1 1	Nonrecurring Currently Combined Network Elements Switch -As-	i	1	UNC3X	UNCCC	[21.75	21.75	32.28	10 96	.1	ì	38.07	38.07	i	ł
<u> </u>	Is Charge	FEDOR	FICE T		UNCCC	 	21.70	21110								
2-WI1	RE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE IN	EROF	FICE I	HANSPURI (EEL)				 	 -	 		 	1	 		T
1 1	2-WireVG Loop used with 2-wire VG Interoffice Transport		١.	UNCVX	UEAL2	14.97	142.97	106.56	1	1				1		
	Combination - Zone 1	├	1 1	UNCVX	UEALZ.	14.51	142.57	100.00	 							
1 1	2-WireVG Loop used with 2-wire VG Interoffice Transport	1	2	UNCVX	UEAL2	25.93	142.97	106.56		1	ì	1	1	i	1	I
L	Combination - Zone 2		1 2	DINCVX	UEALZ	23.83	142.01	100.00	 			1				T
j l	2-WireVG Loop used with 2-wire VG Interoffice Transport	1	3	UNCVX	UEAL2	40.81	142.97	.106.56	1	!	1		ļ	i	I _	L
<u> </u>	Combination - Zone 3		1 3	UNCVA	UEALZ	40.01	142.07	.100.55	 		 	 	1			T
1	Interoffice Transport - Dedicated - 2-wire VG combination - Per	1	1	LINCLOY	1L5XX	0.0282		l	1	I	1			1	1	
	Mile Per Month		4	UNCVX	1L5XX	0.0262					+	 	 		— —	
	Interoffice Transport - Dedicated - 2- Wire Voice Grade	1	1	Lucia	11477250	40.00	407.40	52.58		-		1	38.07	38.07	1	1
	combination - Facility Termination per month	 	4	UNCVX	U1TV2	18.00	137.48	52.58			+	+	1 - 00.01	1		T
1 7	Nonrecurring Currently Combined Network Elements Switch -As	1	1	1		1			20.00	10.96	.1		38 07	38.07	1	1
L l_	Is Charge			UNCVX	UNCCC	<u> </u>	21.75	21.75	32.28	10.90	'	 	13007	30.07	 	
4-WII	RE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE IN	TEROF	FICE T	RANSPORT (EEL)				ļ <u>.</u>		 	+	+	 	 	+	+
	4-WireVG Loop used with 4-wire VG Interoffice Transport	1	1		1	1			1	Į.	J.		ļ]	I
1	Combination - Zone 1	ı	1	UNCVX	UEAL4	21.32	288,47	237,45	<u> </u>	<u> </u>	ــــــــــــــــــــــــــــــــــــــ		ــــــــــــــــــــــــــــــــــــــ			

INBUNDLE	D NETWORK ELEMENTS - North Carolina													nent: 2		bit: B
				-24 T ~									Incremental	Incremental		
		1									Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			İ	1 1	1 1						Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
ATEGORY	RATE ELEMENTS	Interi	Zone	RČS	usoc			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
AIEGONT	TALE ECEMENTS	m	20110	503	1 0300						percon	per Lon				
		1	ļ	j	1						ì		Electronic-	Electronic-	Electronic-	Electronic
				ļ							ĺ		1st	Add'l	Disc 1st	Disc Add
					 		Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)	<u>' </u>	
			├─			Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-WireVG Loop used with 4-wire VG Interoffice Transport		-		+		11100	- Add I	10		- 00	COMPAR				
	Combination - Zone 2	ľ	1 2	UNCVX	UEAL4	36.27	288.47	237.45	i .		!		İ			İ
	4-WireVG Loop used with 4-wire VG Interoffice Transport			ONCVA	UEAL4	30.21	200,47	237.43							 	
- 1	Combination - Zone 3	l	3	UNCVX	UEAL4	56 57	288.47	237.45			1					ì
	Interoffice Transport - Dedicated - 4-wire VG combination - Per		- J	ONOVA	UEAL4	36 37	200.41	237.40							 	├──
1	Mile Per Month	1	1	UNCVX	1L5XX	0.0282	ľ									1
	Interoffice Transport - Dedicated - 4- Wire Voice Grade		 	UNCVA	1120	0.0202								 	 	
	combination - Facility Termination per month	Į.	į .	UNCVX	U1TV4	22 16	106.11	65.95	I I		1		38,07	38.07	1	1
-	Nonrecurring Currently Combined Network Elements Switch -As-			UNCVA	D11 V4	22 10	100.11	05.95	 		 		30,07	36.07	 	
	Is Charge	1	1	I INCOM	UNCCC		04.75	21.75	32 28	10.96			38 07	38.07		
1000 0	IGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC		1000	UNCVX	UNCCC		21.75	21./5	32 20	10.90			38 07	36.07	 	
ט גפט		EIHAI	NSPUH	(I (EEL)											 	
	High Capacity Unbundled Local Loop - DS3 combination - Per		1		1		Į.]		Į.				1	
	Mile per month		 	UNC3X	1L5ND	11.12			1		 				 	
1	High Capacity Unbundled Local Loop - DS3 combination -		}	l					[.		1	ĺ			i	
	Facility Termination per month	<u> </u>	↓	UNC3X	UE3PX	404 98	1,071.00	646.12	 				38,07	38.07		
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	12.98			ļ		ļ <u>.</u>		ļ		ļ	
- 1	Interoffice Transport - Dedicated - DS3 combination - Facility	Ĺ	i	i		1	i		1		l	ł			ļ	1
	Termination per per month		<u> </u>	UNC3X	U1TF3	720.38	794 94	579 55			<u> </u>		38 07	38.07		↓
	Nonrecurring Currently Combined Network Elements Switch -As-	1	1		1 1										1	
	Is Charge			UNC3X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07	L	
STS1	DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROF	FICE TF	RANSP	ORT (EEL)								Ĺ	L			
	High Capacity Unbundled Local Loop - STS1 combination - Per										l			1		
	Mile per month	i	L	UNCSX	1L5ND	11.12			i			L	1			
	High Capacity Unbundled Local Loop - STS1 combination -				_				1		ì		1	1	ł	l
	Facility Termination per month	l	1	UNCSX	UDLS1	417.70	1,071.00	646.12					38.07	38.07		
	Interoffice Transport - Dedicated - STS1 combination - Per Mile															
- 1	per month	ł	1	UNCSX	1L5XX	6.14			!		l				i	<u> </u>
	Interoffice Transport - Dedicated - STS1 combination - Facility							_]		ĺ
į.	Termination per month	1		UNCSX	U1TFS	790.37	794.94	679.55				L	38 07	38.07		
	Nonrecurning Currently Combined Network Elements Switch -As-	;	 		1											
	Is Charge	i	1	UNCSX	UNCCC	ſ	21 75	21.75	32 28	10.96	l	i	38.07	38.07	l	L
2-WIR	E ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT	RT (EEL	; 													Γ
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	1, ,	 1													
ſ	Transport - Zone 1	l	1 1	UNCNX	U1L2X	19 42	325 91	251.31	1		ł				J	1
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	 	 	0.10.00	- I - I - I - I - I - I - I - I - I - I										Τ''	
i	Transport - Zone 2	l	2	UNCNX	U1L2X	32.88	325.91	251.31			1	1	1		ł .	1
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	 	 _	UNUNX	UTLEA	32.00	020.01									$\overline{}$
1			3	UNCNX	U1L2X	51.14	325.91	251.31	[ſ	ĺ	ĺ	i	1	1
	Transport - Zone 3	 	├ ³-		1L5XX	0,5753	023.31	201,01	 				 		<u> </u>	
	Interoffice Transport - Dedicated - DS1 combination - Per Mile	├ ──	┼	UNC1X	1125	0.5735			 				 		<u> </u>	
	Interoffice Transport - Dedicated - DS1 combintion - Facility	İ	1	111044	U1TF1	71.29	217.17	163.75	}		ł	l	38 07	38.07	ļ	j
_	Termination per month			UNC1X	UISES	71.29	217.17	100.70			 				 	$\overline{}$
i i	Channelization - Channel System DS1 to DS0 combination -	1	1			440.00	197.78	140.06				1	38.07	38.07	ł	1
	per month		↓	UNC1X	MQ1	146.69	197.78	140.00	 	ļ .———				00.01		
Į.	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System		i i					44.00	1		1		38.07	38 07	1	1
	combination - per month	<u> </u>	ļ	UNCNX	UC1CA_	3.59	15.76	11.28	ļ			 	30.07	30 07		+
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1	1	i	1	!			1	ĺ	1	i				
1	Combination - Zone 1	<u> </u>	11	UNCNX	U1L2X	19 42	325 91	251.31	 _		 		 	 	 	——
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport					l 1			1		1		1		i .	1
	Combination - Zone 2	<u>L</u>	2	UNCNX	U1L2X	32.88	325.91	251.31	ļ	L		 _		 	 	+
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport								j .		1		1	l .	ļ	1
- 1	Combination - Zone 3	1	3	UNCNX	U1L2X	51.14	325,91	251.31					ļ		 	₩
\neg	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System										1				1	1
- 1	combintaion- per month	1	1	LUNCNX	UC1CA	3.59	15.76	11.28	L		L		38.07	38 07	 _	+
	Nonrecurring Currently Combined Network Elements Switch -As-		\vdash	T	T						1	ľ	1	i	i .	1
	Is Charge	1	1	UNC1X	UNCCC	 	21 75	21.75	32.28	10.96	<u> </u>	L	38.07	38.07		_
A 147177	IS Charge E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN	TEPOE	FICE T		5500				1					L	L	
4-WIH	First DS1 Loop in STS1 Interoffice Transport Combination	T	T	The state of the s		 									1 -)
1	Zone 1	1	١,	UNC1X	USLXX	47.60	714 84	421.47	1	I		1	1	1	I	<u> </u>

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attachr	nent: 2	Exhil	oit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic Disc Add
		<u> </u>		·		Rec	Nonrec First	urnng Add'i	Nonrecurring First	Add'l	SOMEC	SOMAN		Rates(\$) SOMAN	SOMAN	SOMAN
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	84 36	714.84	421.47	Tilat	Addi	SOMEO	SOMAN	SOMAN	SUMAN	SOMAN	SUMAN
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	404.00	74404									
	Interoffice Transport - Dedicated - STS1 combination - Per Mile		,			134 29	714.84	421,47			-	<u> </u>	ļ			
	Per Month Interoffice Transport - Dedicated - STS1 combination - Facility		<u> </u>	UNCSX	11.5XX	6.14										
	Termination			UNCSX	U1TFS	790.37	794.94	679.55					38 07	38 07		
	STS1 to DS1 Channel System conbination per month			UNCSX	MQ3	233.10	403 97	234,40					38 07	38.07		
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	16.07	13 09	9.38					38 07	38.07		
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	47.60	714.84	421,47								
	Additional DS1Loop in STS1 Interoffice Transport Combination -		-'-	UNCIX		47.60	714.84	421,47								
	Zone 2 Additional DS1Loop in STS1 Interoffice Transport Combination -		2	UNC1X	USLXX	84.36	714.84	421.47								
	Zone 3		3	UNC1X	USLXX	134,29	714.84	421.47								
	IDS3 Interface Unit (DS1 COCI) combination per month	<u> </u>	1 3	UNC1X	UC1D1	16.07	13 09	9.38			 		38 07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As-			ONOIX	100.51	10.07		0.00					50 01			
	Is Charge			UNCSX	UNCCC		21 75	21.75	32 28	10 96			38 07	38.07		
4-WIRE	56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERO	FFICE	RANSI	ORT (EEL)												
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport		Γ													
	Combination - Zone 1 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport	 -	1	UNCDX	UDL56	25.32	489 04	337.51								
	Combination - Zone 2		2	UNCDX	UDL56	43.11	489.04	337.51								
j	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	67.26	489.04	337.51								
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			INCOV	1L5XX	0.0282										
	Per Mile Interoffice Transport - Dedicated - 4-wire 56 kbps combination -	 -		UNCDX												
	Facility Termination Nonrecurring Currently Combined Network Elements Switch -As-			UNCDX	U1TD5	17 40	137.48	52.58					38 07	_38.07		
	ls Charge			UNCDX	UNCCC		21.75	21.75	32 28	10.96			38.07	38.07		
4-WIRE	64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FFICE 1	RANS	PORT (EEL)												
	4-wire 64 kbps Leop/4-wire 64 kbps Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	25.32	489.04	337.51								
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport															
	Combination - Zone 2 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport	ļ	2	UNCDX	UDL64	43.11	489.04	337.51			 					
	Combination - Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51				<u> </u>	ļ			
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile	1	1	UNCDX	1L5XX	0.0282					l					
	interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination			UNCDX	U1TD6	17.40	137.48	52.58					38.07	_38.07		
	Nonrecurring Currently Combined Network Elements Switch -As- is Charge			UNCDX	UNCCC		21.75	21 75	32.28	10.96			38.07	38 07		
ADDITIONAL I	NETWORK ELEMENTS												-			
When	used as a part of a currently combined facility, the non-recurr	ng cha	rges do	not apply, but a	Switch As Is cl	narge does app	ly.				ļ		<u> </u>			
When	used as ordinarily combined network elements in all states, th	e non-	ecurrir	g charges apply a	and the Switch	As is Charge d	oes not.				ļ			<u> </u>		
Node (SynchroNet) curring Currently Combined Network Elements "Switch As Is"	Charce	(One s	nolies to each co	mbination)						 		 			
Nonrec	Nonrecurring Currently Combined Network Elements Switch -As-	Charge	COLIG				21 75	21.75	32.28	10.96			38.07	38.07		
	Is Charge - 2 wire/4-Wire VG Nonrecurring Currently Combined Network Elements Switch -As-	-	\vdash	UNCVX	UNCCC		21 /5				 					
	is Charge - 56/64 kbps Nonrecurning Currently Combined Network Elements Switch -As-	L	 	UNCDX	UNCCC		21.75	21.75	32.28	10.96		ļ	38 07	38.07		
	Is Charge - DS1			UNC1X	UNCCC		21.75	21.75	32 28	10 96		L.—	38.07	38.07	ļ	
1	Nonrecurning Currently Combined Network Elements Switch -As- is Charge • DS3	1	1	UNC3X	UNCCC		21.75	21.75	32.28	10.96	1	I	38.07	38.07	1	l

JNBUNE	DLE	O NETWORK ELEMENTS - North Carolina													ment: 2	Exhil	oit: B
CATEGOR	ЧY	RATE ELEMENTS	Interi m	Zone	Adams of the BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic Disc Add'
						L	Rec	Nonrec			Disconnect				Rates(\$)		
				<u> </u>			1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1		Nonrecurring Currently Combined Network Elements Switch -As-		1		l									l	1	i
		is Charge - STS1		<u> </u>	UNCSX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07	l	
N	OTE:	Local Channel - Dedicated Transport - minimum billing period	I - Belo														
		Local Channel - Dedicated - 2-Wire Voice Grade Zone 1			UNCVX	ULDV2_	11.24	553 80	89.69								
		Local Channel - Dedicated - 2-Wire Voice Grade Zone 2			UNCVX	ULDV2	19 91	553.80	89.69								
		Local Channel - Dedicated - 2-Wire Voice Grade - Zone 3		3	UNCXV	ULDV2	31.70	553 80	89.69								
		Local Channel - Dedicated - 4-Wire Voice Grade Zone 1		1	UNCVX	ULDV4	12 03	562.23	92.67								
		Local Channel - Dedicated - 4-Wire Voice Grade Zone 2		2	UNCVX	ULDV4	21.33	562 23	92.67		-						
		Local Channel - Dedicated - 4-Wire Voice Grade - Zone 3		3	UNCXV	ULDV4	33.95	562.23	92.67			1					
		Local Channel - Dedicated - DS1 per month Zone 1		1	UNC1X	ULDF1	27.05	534.48	462.69						l	i	
		Local Channel - Dedicated -DS1 Per Month Zone 2			UNC1X	ULDF1	47.94	534 48	462.69	· · · · · ·		1			†		
		Local Channel - Dedicated - DS1- Per Month Zone 3			UNC1X	ULDF1	76.32	534.48	462.69			 		l	<u> </u>	l	
		Local Channel - Dedicated - DS3 - Per Mile per month		+-	UNC3X	1L5NC	0.9954	307.70	102.03	 		 		<u> </u>	 		
-+		Local Channel - Dedicated - DS3 - Fer Wile per Month Local Channel - Dedicated - DS3 - Facility Termination		+	UNC3X	ULDF3	298.92	562.25	527.88			 		 	 		
		Local Channel - Dedicated - STS-1- Per Mile per month	 	+	UNCSX	1L5NC	0.9954	202.25	521.88		ļ	+		 		 	 -
		Local Channel - Dedicated - STS-1 - Per Mile per month Local Channel - Dedicated - STS-1 - Facility Termination	ļ					1,071.00	646.12					 			
- -			<u> </u>	-	UNCSX	ULDFS	286.13	1,071.00	646.12			+		ļ	 	<u> </u>	
		al Features & Functions:		Ļ		<u> </u>						ļ			ļ	ļ	L
M	ULTII	PLEXERS		<u> </u>													
		Channelization - DS1 to DS0 Channel System			UXTD1	MQ1	146.69	197.78	140.06					24.85	8.16		
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per										1					1
		month (2 4-64kbs)	1		UDL	1D1DD	2.00	13.09	9.38			l		24.85	8.16		
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
- 1		month			UDN	UC1CA	3.59	13.09	9 38			1		24 85	8 16		
		Voice Grade COCI - DS1 to DS0 Channel System - per month		-	UEA	1D1VG	1.27	13.09	9.38					24 85	8 16		
		DS3 to DS1 Channel System per month		+	UXTD3	MQ3	233,10	403.97	234.40			 	· · · · · · · · · · · · · · · · · · ·	24.78	7 42		
		STS1 to DS1 Channel System per month	<u> </u>	+	UXTS1	MQ3	233.10	403.97	234.40			 		38.07	38.07		
				+			16.07	13.09	9.38					24 85	8.16		
		DS3 Interface Unit (DS1 COCI) used with Loop per month	<u> </u>	-	USL	UC1D1	10.07	13.09	9.30					2400			
- 1		DS3 Interface Unit (DS1 COCI) used with Local Channel per	l		I				-			1					
		month			ULDD1	UC1D1	16 07	13.09	9.38					24 85	8.16		
		DS3 Interface Unit (DS1 COCI) used with Interoffice Channel		1		1				i l		1				1	
		per month			U1TD1	UC1D1	16 07	13.09	9.38			<u> </u>		24 85	8.16		
														24.85	8.16		
JNBUNDI	LED L	OCAL EXCHANGE SWITCHING (PORTS)		1													
		age Ports		1	<u> </u>												
N N	OTE:	Although the Port Rate includes all available features in GA, I	CY. LA	& TN. t	he desired features	will need to I	e ordered usin	na retail USOC	3								
10	WIDE	VOICE GRADE LINE PORT RATES (RES)	.,	T, .	1	1		3									
- 2-	*******		 	+	UEPSR	UEPRL	2.19	21.60	21.60			1		26.94	12 76	Γ	
		Exchange Ports - 2-Wire Analog Line Port- Res.	l	+	ULFOR	VEFRE	2.13	21.00	21.00	 							
		L	l	1	Lugger	Lieboo	0.40	21.60	21.60		l	1	I	26 94	12 76		
		Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res	<u> </u>	↓	UEPSR	UEPRC	2.19	21.60	21.60	ļ	ļ	 		20 34	12 70	 	
			l	1	L	I				1	l	1	1	00.04	40.70	I	1
- 1		Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.	L		UEPSR	UEPRO	2.19	21.60	21.60		L	ļ		26.94	12.76		
		Exchange Ports - 2-Wire VG unbundled res, low usage line port									l	1	1			1	
1		with Caller ID (LUM)	l	1	UEPSR	UEPAP	2.19	21.60	21.60	<u> </u>	l			26.94	12.76	<u></u>	
-+		Subsequent Activity	F	1	UEPSR	USASC	0.00	0.00	0.00				l	26.94	12.76		<u> </u>
	EATU		 	1	1	1					l						
		All Available Vertical Features	-	+-	UEPSR	UEPVF	3.40	0 00	0.00	1	1	1		26.94	12.76		
			├──	+	52.51	132. 1	V			1			l				
2-		VOICE GRADE LINE PORT RATES (BUS)	├──	+	-	+	 										
]		Exchange Ports - 2-Wire Analog Line Port without Caller ID -	l	1	LIEDER	UEPBL	2.19	21.60	21 60		1	1		26.94	12.76	1	
		Bus	 		UEPSB	UEPBL	2.19	21.60	2100	1	 	 		20.04	1	 	
1		Exchange Ports - 2-Wire VG unbundled Line Port with		1	l	1	1]	1	i	l	26.94	12 76	I	1
<u>[</u>		unbundled port with Caller+E484 ID - Bus.		<u> </u>	UEPSB	UEPBC	2.19	21.60	21.60			 	l	20.94	15 /0	 	
				1		1			ľ]	1		l		1	I	l
ļ		Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.	l	1	UEPSB	UEPBO	2.19	21.60	21.60	<u> </u>			L	26.94	12.76	L	
		Exhange Ports - 2-Wire VG unbundled incoming only port with	i -			T						1	!	I	I	1	1
ŀ		Caller ID - Bus	l		UEPSB	UEPB1	2 19	21 60	21.60		i	L	<u> </u>	26.94	12 76		
		Subsequent Activity	 	+-	UEPSB	USASC	0.00	0.00	0.00			1					L
			-	+-	02.00	CONCO	1										
[FI	EATU		-	+	HEDOD	UEPVF	3,40	0.00	0.00	 				26.94	12.76	1	
- 1		All Available Vertical Features	⊢	↓	UEPSB	UEPVF	3.40	0.00	0.00	 		1	 	1 20.04	1		
		INGE PORT RATES (DID & PBX)		1	1		1		1	1						1	

UNBUNDLED I	NETWORK ELEMENTS - North Carolina													ment; 2		pit; B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
					 		Nonrec	urrina	Nonrecurrin	g Disconnect			OSS	Rates(\$)	l	l
	·					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-	-Wire VG Unbundled 2-Way PBX Trunk - Res	t	1	UEPSE	UEPRD	2.18	21 60	21.60		1100	1		26 94	12.76		
	-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus		1	UEPSP	UEPPC	2.18	21 60	21 60	· · · · · · · · · · · · · · · · · · ·				26 94	12.76		
2-	-Wire VG Line Side Unbundled Outward PBX Trunk - Bus	1	\vdash	UEPSP	UEPPO	2.18	21.60	21 60	 	 	† · · · · · · ·		26 94	12 76		
	-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus	1	-	UEPSP	UEPP1	2.18	21.60	21.60			· · · · · ·		26.94	12.76		
2-	-Wire Analog Long Distance Terminal PBX Trunk - Bus	1	† "	UEPSP	UEPLD	2.18	21 60	21.60		<u> </u>	 		26.94	12.76		
	-Wire Voice Unbundled PBX LD Terminal Ports	 	†	UEPSP	UEPLD	2 18	21.60	21 60			<u> </u>		26.94	12.76		
	-Wire Vice Unbundled 2-Way PBX Usage Port		\vdash	UEPSP	UEPXA	2.18	21.60	21.60					26.94	12.76		
	-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	 	 	UEPSP	UEPXB	2.18	21 60	21.60		†			26.94	12.76		
	-Wire Voice Unbundled PBX LD DDD Terminals Port	 	 	UEPSP	UEPXC	2 18	21.60	21 60		1	† 		26.94	12.76		
	-Wire Voice Unbundled PBX LD Terminal Switchboard Port	 	+	UEPSP	UEPXD	2.18	21.60	21.60		 	 		26.94	12.76		
	-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	 	+	02: 01	1021 10			21.00		1	1		20.07	12.70		
	Capable Port	1	1	UEPSP	UEPXE	2.18	21.60	21.60	1	1		l	26.94	12.76	I	l
	-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	 	+	02.01	TOE! AL		21.00	21.00	 	 	 		20.04	12.70		
	Idministrative Calling Port	1	1	UEPSP	UEPXL	2.18	21.60	21.60	I	1	1	I	26 94	12.76	I	l
	-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	+	+	<u> </u>	JOE! VE	2.10	21.00	21.00	 	 	+	 	20 94		 	
	Room Calling Port	l	1	UEPSP	UEPXM	2 18	21 60	21.60			1	l	26 94	12.76		
	-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	╂	╂	UEFOF	DEFAM	2 10	2160	21.00		-		 	20 94	12.70		
	Discount Room Calling Port	I	1	UEPSP	UEPXO	2.18	21.60	21.60	<u> </u>	1	1	l	26 94	12.76	1	
	-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	-	-	UEPSP	UEPXS	2 18	21.60	21.60		 	 		26 94	12.76		
	Subsequent Activity	+	+	UEPSP	USASC	0 00	0 00	0 00		+	 	 	26.94	12.76	-	
FEATURE		+	+-	QEFOF	Danac	000	000	000		 	 		20.34	12.70		
	NI Available Vertical Features	+	+	UEPSP UEPSE	UEPVF	3 40	0 00	0 00			+	ļ	26.94	12.76		
	GE PORT RATES (COIN)		+	UEFSF UEFSE	DEPVE	3 40	000	0 00			 	 	20.54	12.70		
		↓	 		 	2.59	21.60	21.60		+	 		26.94	12.76		
NOTE T	xchange Ports - Coin Port	****			l	2.59	21.00				inted with 0	using ICDM		12.70		
NOTE: II	ransmission/usage charges associated with POTS circuit a access to B Channel or D Channel Packet capabilities will be	Witched	usage	Will also apply to c	Project Switche	a voice and/or	Circuit switch	o data transii	lission by B-C	nanners assoc	the Bone Eig	le Beguest	Nous Business	a Boquest Dre		
NUTE: A	Access to B Channel of D Channel Packet capabilities will be	e avalia	DIE ON	through BFH/New	Business Re	quest Process.	Hates for the	раскет сараот	IIII BS WIII DE O	etermined via	THE BUILD FIL	ie nequesu	New Dusines	s nequest FR	l cas	
	OCAL EXCHANGE SWITCHING(PORTS)	+								 	ļ					
	GE PORT RATES	-	+		1		04.04	04.04		· · · · · · · · · · · · · · · · · · ·	 -		26 94	12 76		ļ
	xchange Ports - 2-Wire DID Port	<u> </u>	ļ	UEPEX	UEPP2	12.36	81 84	81.84		ļ			20 94	12 /6		
	xchange Ports - DDITS Port - 4-Wire DS1 Port with DID		į.			i							26 94	12 76		ŀ
	apability	-	1	UEPDD	UEPDD	123.65	116 59	69.92		 	 			55.30	-	
	xchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX UEPSX	U1PMA	24.50	62.29	62.29			·		55 30	\$5.30		
Al	All Features Offered	<u> </u>	<u> </u>	UEPTX UEPSX	UEPVF	3.40	0 00	0 00	L		1	L	L	ļ —		
NOTE: T	ransmission/usage charges associated with POTS circuit s	witched	usage	will also apply to o	ircuit switche	ed voice and/or	circuit switch	ed data transn	nission by B-C	hannels assoc	lated with 2	WILE IZIN	ports.	D		ļ
NOTE: A	access to B Channel or D Channel Packet capabilities will be	e availa	ble on	y through BFR/New	Business Re	quest Process	Rates for the	packet capabi	ilities will be d	letermined via	the Bona Fi	ie Request	New Busines	s Request Pro	cess.	
	xchange Ports - 2-Wire ISDN Port Channel Profiles		L	UEPTX UEPSX	U1UMA	0.00	0.00	0.00							Ļ	
Ē	xchange Ports - 4-Wire ISDN DS1 Port	T		UEPEX	UEPEX	179.75	241.63	241.63			1		53 89	53.89		ļ
UNBUND	LED PORT with REMOTE CALL FORWARDING CAPABILITY	Ÿ													<u> </u>	
UNBUND	LED REMOTE CALL FORWARDING SERVICE - RESIDENCE		T										1		ļ	
Tu	Inbundled Remote Call Forwarding Service, Area Calling, Res		T	UEPVR	UERAC	2 19	21.60	21 60				<u> </u>	26.94	12 76		<u> </u>
	<u> </u>	1	1								1	1	1			İ
l lu	Inbundled Remote Call Forwarding Service, Local Calling - Res		1	UEPVR	UERLC	2.19	21.60	21.60			İ		26.94	12.76		
	Inbundled Remote Call Forwarding Service, InterLATA - Res	1	1	UEPVR	ÜERTE	2.19	21.60	21.60					26.94	12 76		1
	Inbundled Remote Call Forwarding Service, IntraLATA - Res	1	 	UEPVR	UERTR	2.19	21.60	21.60					26.94	12 76		<u> </u>
		 	_	0.00										T		
iNon-Recu					+					1			-			I
Non-Recu		+	_		1					i .			26.94	12.76		
Ü	Inbundled Remote Call Forwarding Service - Conversion -			HEPVR	USAC2		2.77	0.40	Į.	1			20.54			
U S	Inbundled Remote Call Forwarding Service - Conversion - Switch-as-is			UEPVR	USAC2		2.77	0.40			 		20.54	12.10		
S U	Jnbundled Remote Call Forwarding Service - Conversion - Switch-as-is Jnbundled Remote Call Forwarding Service - Conversion with												20.54	12.10		
U S U al	Inbundled Remote Call Forwarding Service - Conversion - witch-as-is Inbundled Remote Call Forwarding Service - Conversion with illowed change (PIC and LPIC)			UEPVR UEPVR	USAC2 USACC		2.77	0.40					20.94	12.70		
U S U al	Jnbundled Remote Call Forwarding Service - Conversion - Switch-as-is Jnbundled Remote Call Forwarding Service - Conversion with												20.54			
UNBUND	Jnbundled Remote Call Forwarding Service - Conversion - switch-as-is Jnbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) JLED REMOTE CALL FORWARDING - Bus			UEPVR	USACC	240	2.77	0.40					26 94	12.76		
UNBUND	Inbundled Remote Call Forwarding Service - Conversion - witch-as-is Inbundled Remote Call Forwarding Service - Conversion with illowed change (PIC and LPIC)					2.19										
U S U al UNBUND	Jobundled Remote Call Forwarding Service - Conversion - witch-as-is Jobundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) DLED REMOTE CALL FORWARDING - Bus Jobundled Remote Call Forwarding Service, Area Calling - Bus			UEPVR UEPV8	USACC		2.77	0.40 - 21.60					26 94	12.76		
UNBUND UNBUND UNBUND	Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is - Jubundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) DLED REMOTE CALL FORWARDING - Bus Unbundled Remote Call Forwarding Service, Area Calling - Bus Unbundled Remote Call Forwarding Service, Local Calling - Bus	6		UEPV8 UEPV8	USACC UERAC UERLC	2.19	2.77 21.60 21.60	0.40 - 21.60 21.60					26 94 26.94	12.76 12.76		
UNBUND UNBUND UNBUND	Inbundled Remote Call Forwarding Service - Conversion - witch-as-is Inbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) ILED REMOTE CALL FORWARDING - Bus Unbundled Remote Call Forwarding Service, Area Calling - Bus Unbundled Remote Call Forwarding Service, Local Calling - Bus Unbundled Remote Call Forwarding Service, InterLATA - Bus	6		UEPVB UEPVB UEPVB	USACC UERAC UERLC UERTE	2.19 2.19	21.60 21.60 21.60	0.40 - 21.60 21.60 21.60					26 94 26.94 26 94	12.76 12.76 12.76		
UNBUND UNBUND UNBUND UNBUND UNBUND UNBUND UNBUND UNBUND UNBUND UNBUND UNBUND	Inbundled Remote Call Forwarding Service - Conversion - witch-as-is Jubundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) ILED REMOTE CALL FORWARDING - Bus Unbundled Remote Call Forwarding Service, Area Calling - Bus Jubundled Remote Call Forwarding Service, Local Calling - Bus Jubundled Remote Call Forwarding Service, InterLATA - Bus Jubundled Remote Call Forwarding Service, InterLATA - Bus	3		UEPV8 UEPV8	USACC UERAC UERLC	2.19	2.77 21.60 21.60	0.40 - 21.60 21.60					26 94 26.94	12.76 12.76 12.76		
UNBUND UNBUND UNBUND UNBUND UNBUND UNBUND UNBUND UNBUND UNBUND UNBUND UNBUND	Inbundled Remote Call Forwarding Service - Conversion - witch-as-is Jubundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) ILED REMOTE CALL FORWARDING - Bus Unbundled Remote Call Forwarding Service, Area Calling - Bus Jubundled Remote Call Forwarding Service, Local Calling - Bus Jubundled Remote Call Forwarding Service, InterLATA - Bus Jubundled Remote Call Forwarding Service, InterLATA - Bus	3		UEPVB UEPVB UEPVB	USACC UERAC UERLC UERTE UERTR	2.19 2.19 2.19	21.60 21.60 21.60 21.60	21.60 21.60 21.60 21.60		-			26 94 26.94 26.94 26.94	12.76 12.76 12.76		
UNBUND UNBUND UNBUND UNBUND U	Inbundled Remote Call Forwarding Service - Conversion - witch-as-is Inbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) ILED REMOTE CALL FORWARDING - Bus Unbundled Remote Call Forwarding Service, Area Calling - Bus Unbundled Remote Call Forwarding Service, Local Calling - Bus Unbundled Remote Call Forwarding Service, InterLATA - Bus	3		UEPVB UEPVB UEPVB	USACC UERAC UERLC UERTE	2.19 2.19	21.60 21.60 21.60	0.40 - 21.60 21.60 21.60					26 94 26.94 26 94	12.76 12.76 12.76		

JNBUNDLED NET	WORK ELEMENTS - North Carolina												Attachi	nent: 2	Exhil	bit: B
CATEGORY	RATE ELEMENTS	interi m	Zone	BCS	usoc			RATES(\$)	Name	Diagram		Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremen Charge
		l				Rec	Nonrec			g Disconnect	CONEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
							First	Addʻl	First	Add'i	SUMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAI
Switch	ndled Remote Call Forwarding Service - Conversion -	1	1 '	UEPVB	USAC2		2.77	0.40		1	ì	1	26.94	12.76		
	ndled Remote Call Forwarding Service - Conversion with		1	DEPVB	USACZ		2.11	0.40		 	+	 	20.94	12.70		
allowe	ed change (PIC and LPIC)			UEPVB	USACC		2.77	0 40		1	1			1		
	SWITCHING, PORT USAGE				1205					 	 	†	·			1
	vitching (Port Usage)					1		-			1		,	i		
	Office Switching Function, Per MOU		1			0.0015				1					_	
End C	Office Trunk Port - Shared, Per MOU					0.00023					T					
	ching (Port Usage) (Local or Access Tandem)											l				
	m Switching Function Per MOU		L			0.0006										<u> </u>
	m Trunk Port - Shared, Per MOU				 	0.0003				 	4		ļ —····	ļ	ļ	├
Common Trai		 	 			0.00001				 -	+	 	ļ	 		├──
	non Transport - Per Mile, Per MOU non Transport - Facilities Termination Per MOU		+			0.00001		·		+	+	 	 	 	 	
	LOOP COMBINATIONS - COST BASED RATES	 	 			0.00034				 	+	 	 	 	 	
	lates are applied where BellSouth is required by FCC ar	nd/or St	tate Co	mmission rule to r	provide Unhun	dled Local Swi	tching or Swit	ch Ports		<u> </u>	+	†			İ	—
Features shall	If apply to the Unbundled Port/Loop Combination - Cos	t Basec	I Rate s	ection in the sam	e manner as th	ev are applied	to the Stand-A	Ione Unbundle	d Port section	n of this Rate	Exhibit.		i	l		
End Office an	d Tandem Switching Usage and Common Transport Us	sage rat	tes in ti	ne Port section of	this rate exhib	it shall apoly to	all combinati	ons of loop/po	rt network ele	ments except	for UNE Co	in Port/Loop	Combinatio	ns.		T
The first and	additional Port nonrecurring charges apply to Not Curr	ently C	ombine	d Combos. For C	urrently Comb	ined Combos,	the nonrecurri	ng charges sh	all be those ic	entified in the	Nonrecurri	ng - Current	y Combined	sections. Ad	ditional nonre	curring
charges may	apply also and are categorized accordingly.		•													
	E GRADE LOOP WITH 2-WIRE LINE PORT (RES)	1	1							1						
	op Combination Rates											Į			<u> </u>	
	e VG Loop/Port Combo - Zone 1		1			13.03										ļ
2-Wire	e VG Loop/Port Combo - Zone 2		2			21.33										ļ
2-Wire	e VG Loop/Port Combo - Zone 3		3_			32.61					_					
UNE Loop Ra						ļ				ļ		<u> </u>				
	e Voice Grade Loop (SL1) - Zone 1	L	1	UEPRX	UEPLX	10 75				 		 		-		
	e Voice Grade Loop (SL1) - Zone 2	└	2	UEPRX	UEPLX	19 05 30.33			<u> </u>	 	 	-			 	
	e Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	30.33				 	+	+	 	 		
	Grade Line Port Rates (Res)	 -		UEPRX	UEPRL	2.28	90 00	90 00		 	+	+	40,18	9,45		
	e voice unbundled port - residence	├		UEPRX	UEPRC	2.28	90.00	90.00				 	40.18	9.45		
	e voice unbundled port with Caller ID - res e voice unbundled port outgoing only - res	 	+	UEPRX	UEPRO	2.28	90.00	90.00				1	40.18	9.45		
	e voice unbundles res, low usage line port with Caller ID	 	-	ULFRA	OLITIO			00.00		· · · · · · · · · · · · · · · · · · ·	-	1				
(LUM)				UEPRX	UEPAP	2.28	90.00	90.00				1	40.18	9 45		<u> </u>
FEATURES	<u> </u>		+	OLI IIX	- 02.7%				_							
	atures Offered		+ -	UEPRX	UEPVF	3.40	0.00	0.00		1		T	40.18	9.45		<u></u>
	BER PORTABILITY		+	02.7.01										l	i	<u> </u>
	Number Portability (1 per port)	1	1	UEPRX	LNPCX	0.35										<u> </u>
NONRECURE	RING CHARGES (NRCs) - CURRENTLY COMBINED	<u> </u>														
2-Wire	e Voice Grade Loop / Line Port Combination - Conversion -									1	Ì	1				1
	h-as-is	l		UEPRX	USAC2		2.77	0.40					40.18	9 45		├ ──
2-Wire	e Voice Grade Loop / Line Port Combination - Conversion -	-										1	40.18	9.45		1
Switch	h with change	l	<u> </u>	UEPRX	USACC	1	2.77	0.40				. 	40.10	9.45	 	+
2-Wir	e Voice Grade Loop / Line Port Combination - Conversion -	1	I	i		İ	٠					1	10.27	ł	i	
Subse	equent Database Update		1			ļ	1.42			ļ.——		 	10.27		 	
ADDITIONAL	NRCs		<u> </u>										 	 	 	
	e Voice Grade Loop/Line Port Combination - Subsequent	1	ı		USAS2	0.00	0.00	0.00					40.18	9.45		1
Activit	y	 	+	UEPRX	USASZ	0.00	0.00	0.00	 	 	 	 	1	1		
2-WIRE VOIC	E GRADE LOOP WITH 2-WIRE LINE PORT (BUS)	1	+			 				 	1	1	1	1		
	op Combination Rates	+	1	-		13 03	 	l		 		1				
	e VG Loop/Port Combo - Zone 1	+	2	 		21.33		——	-			1				
	e VG Loop/Port Combo - Zone 2 e VG Loop/Port Combo - Zone 3	+	3		+	32.61	 			1	T					
UNE Loop Re		+	+			1			1							
	e Voice Grade Loop (SL1) - Zone 1	1	+	UEPBX	UEPLX	10 75	† · · · · · · · · · · · · · · · · · · ·	-			1		I		1	<u> </u>
	e Voice Grade Loop (SL1) - Zone 1 e Voice Grade Loop (SL1) - Zone 2	 	1 2	UEPBX	UEPLX	19.05		1	T					<u> </u>		 _
	e Voice Grade Loop (SL1) - Zone 2 e Voice Grade Loop (SL1) - Zone 3	+		UEPBX	UEPLX	30.33		1							<u> </u>	1
				Jul. 00	100,000											

NBUNDLED	NETWORK ELEMENTS - North Carolina												Attachi	ment: 2	Exhil	oit: B
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)	-			Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs.	Incremental Charge -	Incremental Charge - Manual Svc Order vs.	Increments Charge -
		m									po. 20	P 0, 2 0, 1	Electronic- 1st	Electronic- Add'I	Electronic- Disc 1st	Electronic Disc Add
		├─-	—		 	Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'l	COMEC	COMAN		Rates(\$)	00000	0011411
- - 	2-Wire voice unbundled port without Caller ID - bus	 		UEPBX	UEPBL	2.28	90.00	90 00	FIRSt	Addi	SOMEC	SOMAN	SOMAN 40.18	SOMAN	SOMAN	SOMAN
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	2 28	90.00	90.00			├	 	40.18	9.45 9.45		ļ
	2-Wire voice unbundled port outgoing only - bus		 	UEPBX	UEPBO	2.28	90.00	90.00		· · · · · · · · · · · · · · · · · · ·	+		40.18	9.45		 -
	2-Wire voice unbundled incoming only port with Caller ID - Bus	_	 	UEPBX	UPEB1	2.28	90.00	90.00			 		40.18	9.45		
	NUMBER PORTABILITY	_		<u> </u>	10.00		55.05				 		40.10	3.43		
	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35								 		
FEATUR			Ì								 					
	All Features Offered		Ī	UEPBX	UEPVF	3 40	0 00	0.00			<u> </u>		40 18	9.45		
	CURRING CHARGES (NRCs) - CURRENTLY COMBINED	_														
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		[]													
	Switch-as-is			UEPBX	USAC2		2.77	0.40			1	l	40.18	9.45		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1		İ	1							1				
	Switch with change		_	UEPBX	USACC		2.77	0.40			<u> </u>		40.18	9.45		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update	i			1											1
	ONAL NRCs	-	 —		1		1.42				 		10.27			
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent				+						 	ļ				
	Activity		1 1	UEPBX	USAS2		0 00	0.00				ł.	40.18	9.45		
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)	_		DEFBA	USASZ			0.00			 		40.18	9.45		
	rt/Loop Combination Rates	_	-		 						 	 				
	2-Wire VG Loop/Port Combo - Zone 1		1		 	13 03					 			 		
	2-Wire VG Loop/Port Combo - Zone 2		2		 	21.33					† 			 		
	2-Wire VG Loop/Port Combo - Zone 3		3			32.61							-			
	op Rates		1			- 4=15.1					1			ļ		
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	10 75										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	19.05										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	30.33										
	Voice Grade Line Port Rates (RES - PBX)															
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -		1	··												
	Res			UEPRG	UEPRD	2.28	90 00	90.00					40.18	9.45		
LOCAL	NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0 00	0.00								
FEATUR											<u> </u>					
	All Features Offered			UEPRG	UEPVF	3.40	0.00	0 00					40 18	9.45		
	CURRING CHARGES (NRCs) - CURRENTLY COMBINED										ļ <u>-</u>					
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -												10.40	0.45		i
	Conversion - Switch-As-Is			UEPRG	USAC2		2 77	0.40			ļ		40 18	9_45		
1 1	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	l									ļ		40.18	9 45		
	Conversion - Switch with Change	<u> </u>	<u> </u>	UEPRG	USACC		2.77	0.40			ļ		40.18	9 45		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -						4.40			-	1		10.27	1		
	Subsequent Database Update	!	-				1 42				 		10.27	 		
	DNAL NRCs		1								 					
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	i	1 '	LIEBBO	LUCACO		0.00	0.00					40.18	9.45	i	1
	Subsequent Activity		-	UEPRG	USAS2	0.00	0.00	0.00			 	 	40.10	3.43		
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)										 					
	rt/Loop Combination Rates		 _ -			13 03					 			 		
	2-Wire VG Loop/Port Combo - Zone 1		1 1			21.33					 	 		 	 	
	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3		3	l	 	32.61				 	 			 		
		 	 		1	92.01						<u> </u>				
	op Rates 2-Wire Voice Grade Loop (SL 1) - Zone 1	 	-	UEPPX	UEPLX	10.75				 		 		l		
		 -		UEPPX	UEPLX	19.05				 	 	 		1		
	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEPPX	UEPLX	30 33						l				
0 11/2-	2-Wire Voice Grade Loop (SL 1) - Zone 3 Voice Grade Line Port Rates (BUS - PBX)		+-	UEFFA	JOET LA	30 33					† ·	t				
2-WIR \	Volce Grade Line Port Hates (BUS - PBA)	 -	+	 							 	l		T	· · ·	
1 1	Line Orde Hebroadled Combinators & West DDV Totals Dad - Date	1	i i	IUEPPX	UEPPC	2 28	90.00	90.00		1	1	1	40.18	9.45	1	1
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus		₩	UEPPX	UEPPO	2 28	90.00	90.00			 	 	40.18	9 45		
										1		1				
	Line Side Unbundled Outward PBX Trunk Port - Bus Line Side Unbundled Incoming PBX Trunk Port - Bus	├──	┼	UEPPX	UEPP1	2.28	90.00	90.00					40.18	9.45		l .

MBOMPE	D NETWORK ELEMENTS - North Carolina												Attachi	ment: 2	Exhil	bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i		Incremer Charge
	<u> </u>				_	Rec	Nonrec			g Disconnect	ļ			Rates(\$)		
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	0.00	First	Add'i	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMA
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXA	2.28	90.00	90.00					40.18	9 45		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX		2 28	90.00	90.00					40 18	9.45		
	2-Wire Voice Unburidled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	2.28	90 00	90.00			4		40 18	9.45		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			UEFFX	UEPAD	2 28	90.00	90.00			 	ļ <u> </u>	40.18	9.45		
1	Capable Port			UEPPX	UEPXE	2.28	90.00	90.00		1	ł		40 18	9.45		l
\neg	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		<u> </u>	DET TX	OLI AL	2.20	30.00	90.00		 	1		40 18	9.45		
- 1	Administrative Calling Port		1 1	UEPPX	UEPXL	2.28	90.00	90.00		i	1	i	40,18	9.45		ĺ
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			OC. IX	OCI AL	2.20	30.00	30.00		 			40.16	9.45		
	Room Calling Port			UEPPX	UEPXM	2.28	90.00	90.00			ł		40.18	9.45		ĺ
	2-Wire Voice Unbundled 1-Way Outgoing P8X Hotel/Hospital	_		DEI I X	- OCI ANI	2.20	30.00	80.00		<u> </u>	 -		40.10	9.40		
	Discount Room Calling Port			UEPPX	UEPXO	2 28	90.00	90 00				1	40.18	9,45		l
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	l		UEPPX	UEPXS	2 28	90.00	90.00		 	+		40.18	9.45		
LOCA	L NUMBER PORTABILITY	i —			-		55.55			t	1	 	70.10	5.45		
1	Local Number Portability (1 per port)		$\overline{}$	UEPPX	LNPCP	3.15	0 00	0.00		l	1	 	40 18	9,45		
FEAT	URES		-					2.00			1			3.70		
	All Features Offered			UEPPX	UEPVF	3,40	0 00	0.00			 		40.18	9 45	-	
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED										 		70.10			
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -								-		 					-
	Conversion - Switch-As-Is			UEPPX	USAC2		2.77	0.40					40.18	9 45		l
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			02177	1007.02		24,77			 	+		40.10	845		
	Conversion - Switch with Change			UEPPX	USACC		2.77	0.40					40.18	9 45		l
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	-		OE: 17A	100/100		2.77	0.40			 		40.10	3-5		
	Subsequent Database Update						1.42				1		10.27			1
ADDIT	IONAL NRCs						1.42				+		10.27			
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -						-				1					$\overline{}$
	Subsequent Activity		!!	UEPPX	USAS2	0.00	0.00	0.00			Į.	1	40.18	9.45		ı
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	RT						-								
UNE P	Port/Loop Combination Rates							-			—					
	2-Wire VG Coin Port/Loop Combo - Zone 1		1			13.03				·	1					
	2-Wire VG Coin Port/Loop Combo - Zone 2		2			21.33					1		-		-	
	2-Wire VG Coin Port/Loop Combo - Zone 3		3			32.61										$\overline{}$
UNE L	oop Rates															$\overline{}$
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	10 75					1					
	2-Wire Voice Grade Loop (SL1) - Zone 2			UEPCO	UEPLX	19.05										$\overline{}$
	2-Wire Voice Grade Loop (SL1) - Zone 3			UEPCO	UEPLX	30.33					1					
2-Wire	Voice Grade Line Ports (COIN)															
1-::-	2-Wire Coin 2-Way without Operator Screening and without															
	Blocking (NC)	l		UEPCO	UEPND	2 28	90 00	90.00		1	1		40 18	9.45		
	2-Wire Coin 2-Way with Operator Screening (NC)			UEPCO	UEPNC	2 28	90 00	90.00					40.18	9.45		
_	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,															$\overline{}$
	900/976, 1+DDD (NC, TN)			UEPCO	UEPRP	2.28	90.00	90 00			1		40.18	9.45		1
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking				1											$\overline{}$
1	(NC)			UEPCO	UEPNB	2.28	90.00	90.00					40.18	9.45		i
	2-Wire Coin 2-Way with Operator Screening, 900 Blocking				1 2 1 1 1											
	900/976, 1+DDD, 011+, and Local (NC, TN)			UEPCO	UEPCA	2.28	90.00	90.00					40.18	9.45		1
_	2-Wire Coin Outward with Operator Screening and 011 Blocking			-	102: 07:											
ı	(NC)	İ	l l	UEPCO	UEPNE	2.28	90 00	90.00		ļ			40.18	9.45		i
+-	2-Wire Coin Outward with Operator Screening and Blocking:		 	<u> </u>	- 1001110		- 55 50				1					
1	900/976, 1+DDD, 011+, and Local (NC)	l		UEPCO	UEPCL	2.28	90 00	90.00]	1		40 18	9.45		ı
	2-Wire 2-Way Smartline with 900/976 (all states except LA)	 	\vdash	UEPCO	UEPCK	2.28	90.00	90 00			1		40.18	9.45		
+	2-Wire Coln Outward Smartline with 900/976 (all states except	 		<u> </u>	JOE: OIL	E.E.O	30.00	30,00		 	1					$\overline{}$
- 1	LA)	l		UEPCO	UEPCR	2.28	90.00	90.00		1			40.18	9.45		1
ADDIT	IONAL UNE COIN PORT/LOOP (RC)	\vdash	\vdash	02100	OEF OR	2.20	30.00	30.00	 -	 	 					
AUUII		-		UEPCO	URECU	3.70	90.00	90.00		 	 		40.18	9.45		
1.00*	UNE Com Port/Loop Combo Usage (Flat Rate)	├──		UEFUU	UNECO	3.70	80.00	80.00			+		77.10	J J		
LOCA	L NUMBER PORTABILITY	 	-	HEDGO	LNDOV	0.00				 	+					$\overline{}$
	Local Number Portability (1 per port) ECURRING CHARGES - CURRENTLY COMBINED		oxdot	UEPCO	LNPCX	0.35				ļ	 					

UNDUNDLE	D NETWORK ELEMENTS - North Carolina											1:		Attachr			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	во	es	USOC			RATES(\$)			Submitted Elec		Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sv Order vs.
							Rec	Nonrec		Nonrecurring				OSS	Rates(\$)		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	<u> </u>						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Switch-as-is	1	1	UEPCO		USAC2	1	2 77	0.40			i	ŀ	40.18	9.45		1
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		 	02, 00		GOAGE			0.40			 		40.16	9.40		
	Switch with change		l	UEPCO		USACC		2.77	0 40			l		40.18	9.45		1
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1													.,		
ADDIT	Subsequent Database Update TONAL NRCs	<u> </u>	-					1.42					<u> </u>				ļ
ADDII	2-Wire Voice Grade Loop/Line Port Combination - Subsequent	├──	├	ļ							ļ		ļ				
	Activity			UEPCO		USAS2		0 00	0.00			i		40.18	9 45		
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB		UEPBC	2.19	225.00	225.00					40.18	9.45		-
	PORT/LOOP COMBINATIONS - COST BASED RATES																
	E VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT	ļ	ļ <u></u>													ļ
UNE	ort/Loop Combination Rates 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1	-	 														
 	2-Wire VG Loop/2-Wire DID Trunk Port Combo - ONE Zone 1 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2	 	2				20.97 27.80				 	ļ	<u> </u>	<u> </u>	ļ	ļ	
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3	<u> </u>			37.08					<u> </u>					
UNE L	oop Rates	†	Ť				07.00				 			<u> </u>			
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX		UECD1	8.85							· · · · · · · · · · · · · · · · · · ·			
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX		UECD1	15.68										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX		UECD1	24.96										
UNE F	ort Rate											ļ					ļ <u></u>
MONIO	Exchange Ports - 2-Wire DID Port	ļ	├	UEPPX		UEPD1	12 12	485.00	75.00					40.18	9.45		├ ──
NUNH	ECURRING CHARGES - CURRENTLY COMBINED 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -	1	-														
	Switch-as-is			UEPPX		USAC1		13.26	8 39			ł		53.89	11 34		1
 	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion		t	OLI IX		00/01		10.20	0 00			 		20.00			
	with BellSouth Allowable Changes	i	l .	UEPPX		USA1C	1	13.26	8 39			ļ	l	53 89	11.34		ł
ADDIT	IONAL NRCs	i	1														
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX		USAS1		53.49						40.18	9.45		L
Telepi	none Number/Trunk Group Establisment Charges																 _
	DID Trunk Termination (One Per Port)		 	UEPPX		NDT	0.00	0.00	0.00					ļ			├
: 1	DID Numbers, Establish Trunk Group and Provide First Group	ļ	i	LIEDOV		NDZ	0.00	0.00	0 00		1						
-	of 20 DID Numbers Additional DID Numbers for each Group of 20 DID Numbers	 -	├	UEPPX		ND2 ND4	0.00	0.00	0 00								
 	DID Numbers, Non- consecutive DID Numbers , Per Number	 	 	UEPPX		ND5	0.00	0.00	0.00		 	+		 	<u> </u>		
 -	Reserve Non-Consecutive DID numbers	 	 -	UEPPX		ND6	0.00	0.00	0.00		 	 					
	Reserve DID Numbers	i		UEPPX		NDV	0.00	0.00	0.00								
LOCA	L NUMBER PORTABILITY	1															
	Local Number Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	0.00								
	E ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SID	E POR									<u> </u>		ļ		ļ. <u></u>	
UNE F	Port/Loop Combination Rates	Ļ	—								 	 		ļ			+
1 1	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1		1	UEPPB	UEPPR	,	38.84										İ
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	ļ	+-	UEPPB	UEFFR		30.04				}	 	 	 	 		
l i	UNE Zone 2	1] ₂	UEPPB	UEPPR		50.01						1	1		į	
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port		1 -	001.0	UL. III		- 00.01					1					
1 1	UNE Zone 3	1	3	UEPPB	UEPPR	1	65.18										
UNE	oop Rates																
	2-Wire ISDN Digital Grade Loop - UNE Zone 1	Ī	1	UEPPB	UEPPR	USL2X	14 47				<u> </u>	1		ļ <u>.</u>	ļ		
									-		ł	I			ļ	1	
<u> </u>	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	25.64			ļ	 	+		 -	 	 	+
 	2-Wire ISDN Digital Grade Loop - UNE Zone 3	 	3	UEPPB	UEPPR	USL2X	40.81			ļ - — —	 	+	 	 		 	
UNE	Port Rate	!	↓ —	UCCOO	urnnn	UCDDB	24 27	450.00	375.00		 	 	 	19.99	19 99	<u> </u>	
1000	Exchange Port - 2-Wire ISDN Line Side Port	 	+	UEPPB	UEPPH	UEPPB	24 37	450.00	3/5.00	 	 		<u> </u>	15.35	7,0 30		$\overline{}$
NONE	ECURRING CHARGES - CURRENTLY COMBINED 2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port	+	+	 						 	 	 	 	i			
	2-wire ISUN Digital Grade Loop / 2-wire ISUN Line Side Fort		i	UEPPB	UEPPR	USACB	0.00	174.35	174.35	1	1			l			<u> </u>
Annii	FIONAL NRCs	+	+-	52.75	J	33.33	<u> </u>		,,,,,,,,,,	 -	1		L				
	L NUMBER PORTABILITY	+	+	 		-					1	1	1				1

OMBUNDLED N	NETWORK ELEMENTS - North Carolina					···									ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	Contract of the second	CS CS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge -
		├─	├─	<u> </u>		ļ	Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	OSS SOMAN	Rates(\$)	SOMAN	SOMAN
Loc	cal Number Portability (1 per port)	 	+	UEPPB	UEPPR	LNPCX	0 35	0.00	0.00	101	71007	00	COMPAR	COMPAN	JOINAN	JOHNAN	JOHIAN
B-CHANNE	EL USER PROFILE ACCESS:	1				T						† · · · · ·	-		 		
CV	/S/CSD (DMS/5ESS)		T	UEPPB	UEPPR	UIUCA	0.00	0.00	0.00			 			 		
	/S (EWSD)		-	UEPPB		U1UCB	0.00	0.00	0.00	l		+	-				}
cs			 			UIUCC	0.00	0.00	0 00			 					
	EL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C MS 8	L TNI)	02.10	VETT III	0.000	0.00	0.00		· · · · · · · · · · · · · · · · · · ·							
USER TER	MINAL PROFILE	1	7	 								 					
	er Terminal Profile (EWSD only)			UEPPB	UEPPR	LISTINAA	0.00	0 00	0.00			1					
	FEATURES	├	+	VEFFB	UEFFR	UTUNIA	0.00	0.00	0.00			 					ļ
	Vertical Features - One per Channel B User Profile	├		UEPPB	UEPPR	LIEDVE	3.40	0.00	0.00								
	TICE CHANNEL MILEAGE	 		UEFFB	UEFFR	DEFVE	3.40	0.00	0.00								ļ
	eroffice Channel mileage each, including first mile and		+			 											
	sittles termination	1	1	LIEDDD	UEPPR	MIGNIC	40,000	407 40	50.50	j I		i l		40.0-		1	
	eroffice Channel mileage each, additional mile		+		UEPPR	M1GNC	18.0282	137.48	52.58	ļ. <u> </u>		1	ļ	19 99	19.99		
		/ DODT	_	UEPPB	UEPPR	M1GNM	0.0282	0.00	0.00								ļ
	S1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK Loop Combination Rates	POHI		<u> </u>			ļ					ļ					
	V DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		\leftarrow			 				 		1					
]										1
	ne 1	⊢	1	UEPPP			226.55			 						L	ļ
	V DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		١.										ì]		
	ne 2	ļ <u>.</u>	2	UEPPP		ļ	263.28								!		L
	V DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	1													1		İ
	ne 3	<u> </u>	3	UEPPP		ļ	313.15		_								
UNE Loop		ļ	<u> </u>														
4-V	Wire DS1 Digital Loop - UNE Zone 1	<u> </u>	1	UEPPP		USL4P	47.54								1.		
4-V	Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	84.27										L
	Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	134.14										
UNE Port F												l			l		
Ext	change Ports - 4-Wire ISDN DS1 Port			UEPPP		UEPPP	179.01	1,150.00	_ 1,150.00					19.99	19.99		
NONRECU	IRRING CHARGES - CURRENTLY COMBINED																
4-V	Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port					Ι											
l Co	mblnation - Conversion -Switch-as-is	l		UEPPP		USACP	0.00	481.51	481.51					-			ĺ
ADDITION	AL NRCs											1				·	
[4-V	Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -		†														
l su	bsequent Inward/2-Way Tel Nos - (NC Only)	ł	Ì	UEPPP		PR7TG	ì	1.17	1.17								l
4-V	Wire DS1 Loop/4-Wire ISDN Digital Trunk Port - Subsequent	<u> </u>															
	tivity Outward tel nos (NC only)	1	1	UEPPP		PR7TP		28.17	28.17						1		1
	Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -	1	1														
	bsequent Inward Tel Nos Above Std Allowance	1	ľ	UEPPP		PR7ZT		56 33	56.33								
LOCAL NI	JMBER PORTABILITY	 	+									1					
	cal Number Portability (1 per port)	1	+	UEPPP		LNPCN	1.75					 					
	CE (Provisioning Only)	-	+-	OL: I		12,41 0.14											
	ice/Data		 	UEPPP		PR71V	0.00	0.00	0.00	 		1					T
		-	₩	UEPPP		PR71D	0.00	0.00	0.00								
	grial Data	 	+	UEPPP		PR71E	0.00	0 00	0.00	 		 		· · ·	 		
	vard Data	├ ──	┼──	UEPPP		PR/IE	0.00	0.00	0.00	 					 	 	
	Iditional "B" Channel		\vdash	LIEBBS		DDZDY		00.00		 		 		19 99	19.99		
	w or Additional - Voice/Data B Channel	<u> </u>	-	UEPPP		PR7BV	0 00	36 92			-	 		19.99	19.99	 	
	w or Additional - Digital Data B Channel	 	 	UEPPP		PR78F	0.00	36.92	· · · -	 		+		19.99	19.99		
	w or Additional Inward Data B Channel	⊢		UEPPP		PR7BD	0.00	36.92		 		1		19.99	19 99		
CALL TYP		—	 							ļ		 					
	ward	<u> </u>	1	UEPPP		PR7C1	0.00	0.00	0.00	ļ						-	
	ıtward	L	1	UEPPP		PR7C0	0.00	0.00	0 00								
	/o-way	L		UEPPP		PR7CC	0.00	0.00	0.00								
Interoffice	Channel Mileage	L										ļ			L		
	ced Each Including First Mile			UEPPP		1LN1A	71.8653	217.17	163.75	0.00				19.99	19.99	L	└ ┈─
	ich Airline-Fractional Additional Mile		T	UEPPP		1LN1B	0.5753										
	51 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT		1												<u> </u>	L	<u> </u>
	Loop Combination Rates																<u> </u>
	V DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	 	1	UEPDC		1	171.06								L		ļ
	V DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2	 		UEPDC			207.79										

NABONDLED I	NETWORK ELEMENTS - North Carolina													ment: 2	<u>E</u> xhil	bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)	·			Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremer Charge Manual S Order v Electron Disc Ad
		-	ļ			Rec	Nonrec First			Disconnect	001150			Rates(\$)		
40	W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3	-	-	UEPDC		257.66	FITSE	Add'l	First	Add'l	SUMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
UNE LOOP			1-3	DEFEC		237.00							<u> </u>			
	Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	47.54			ļ <u> </u>		<u> </u>			ļ		
4.	Wire DS1 Digital Loop - UNE Zone 2			UEPDC	USLDC	84.27								L		L
\ \\ \\ \\ \ \ \ \ \ \ \ \ \ \ \ \	Wire DS1 Digital Loop - UNE Zone 3	 		UEPDC	USLDC	134,14					ļ					ـــــــ
UNE Port	Rate		 ° -	DEFDC	UŞLDC	134,14					ļ	ļ		ļ		
	Wire DDITS Digital Trunk Port		\vdash	UEPDC	UDD1T	123 52	1,050,00	480.00						ļ		
	JRRING CHARGES - CURRENTLY COMBINED		├	DEPDG	ווטטטון	123 52	1,050.00	480.00					19.99	19.99		<u> </u>
	Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination		├								ļ — — — —	ļ				
	Switch-as-is		ł	UEPDC	USAC4		490 38	400.00	[1	İ	İ	į	1
	Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination		\vdash	DEPDC	USAC4		490 38	490 38								
	Conversion with DS1 Changes			UEPDC	USAWA		400.00	400.00			1	1				1
	Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			DEFEC	USAVVA		490 38	490.38	 	ļ		—				—
	Conversion with Change - Trunk		i	UEPDC	USAWB		400.00	***	1			1		1		ĺ
	IAL NRCs		-	JUEPUU	OSAMB		490 38	490.38				 				
	Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent		├		 									ļ		ļ
	ervice Activity Per Service Order		1	LIEDDO	1,,,,,,,				ł		1	l				İ
				UEPDC	USAS4		127 63	127.63			ļ			ļ		ــــــ
	Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -		ł		I I							l		1		1
150	ubsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		28.81	28.81								
1 4-	Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent		1	l	I					İ		l	Ì	1	1	1
Cr	nannel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		28 81	28.81								!
	Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel		l		1				ļ			l		1	1	İ
	ctivation/Chan Inward Trunk w/out DID		_	UEPDC	UDTTC		28.81	28.81					19.99	19.99		L
	Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan		l		1						i	ł				1
	treation Per Chan - Inward Trunk with DID		Ь—	UEPDC	UDTTD		28.81	28.81	 				19.99	19.99		Ļ
	Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan		l		1				1	ł		ŀ	ļ	i		ĺ
	ctivation / Chan - 2-Way DID w User Trans		<u> </u>	UEPDC	UDTTE		28.81	28.81		<u></u>						
	8 ZERO SUBSTITUTION															<u> </u>
	BZS -Superframe Format			UEPDC	CCOSF		0.00	615 00								<u> </u>
	BZS - Extended Superframe Format		L	UEPDC	CCOEF		0.00	615.00				L				L
	Mark Inversion		<u> </u>													ļ
	VII -Superframe Format			UEPDC	MCOSF		0.00	0.00						L		<u> </u>
	VII - Extended SuperFrame Format	l	l	UEPDC	MCOPO		0.00	0 00						<u> </u>		İ
	e Number/Trunk Group Establisment Charges															ļ
	elephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00							19.99	19 99		<u> </u>
	elephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0 00			<u> </u>		<u> </u>		19.99	19.99		<u> </u>
Te	elephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00							19.99	19 99		<u> </u>
	D Numbers, Establish Trunk Group and Provide First Group		Τ	1												ĺ
	20 DID Numbers			UEPDC	NDZ	0.00	0.00	0 00				Ĺ	l	<u> </u>		
	D Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00										
DI	D Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00										
Re	eserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00								L
Re	eserve DID Numbers		—	UEPDC	NDV	0.00	0.00	0.00	·							
	DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	Digita	LOOD	with 4-Wire DDITS	Trunk Port			-								
	teroffice Channel Mileage - Fixed rate 0-8 miles (Facilities		T									1				
	ermination)		l l	UEPDC	1LNO1	71.29	217.17	163.75	0.00	0.00	1	f	19.99	19.99		1
- 			l		1											
lini	teroffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.5753	0.00	0.00				l				İ
	teroffice Channel Mileage - Fixed rate 9-25 miles (Facilities		1		1						1		Ì			
	omination)			UEPDC	1LNO2	0.00	0.00	- 0.00	l			!				ĺ
	teroffice Channel Mileage - Additional rate per mile - 9-25		_		 						 	 		 		
	lles		1	UEPDC	1LNOB	0.5753	0.00	0 00	l			Ì				1
1 1	teroffice Channel Mileage - Fixed rate 25+ miles (Facilities		\vdash		1	3.07.00	0.00		l —		†					——
	emination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00		<u></u>			<u> </u>		
					1											
	teroffice Channel Mileage - Additional rate per mile - 25+ miles		L	UEPDC	1LNOC	0.5753	0.00	0.00			L	L			ļ	<u> </u>
	ocal Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00							
	entral Office Termininating Point			UEPDC	CTG	0 00					l					
	S1 LOOP WITH CHANNELIZATION WITH PORT											l				1

INBUNDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge -	Incremen Charge
					<u> </u>	Rec	Nonrec			Disconnect			oss	Rates(\$)		
		L				noc	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Syster	m is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act	ivations	1													
Each	System can have up to 24 combinations of rates depending on	type a	nd num	ber of ports used												
UNE	S1 Loop –		L								l .					
	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	47 54	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	84 27	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 3	<u>L</u>	3_	UEPMG	USLDC	134.14	0.00	0.00								
UNE	SO Channelization Capacities (D4 Channel Bank Configuration	ns)	<u> </u>													
	24 DSO Channel Capacity - 1 per DS1	L	ļ	UEPMG	VUM24	123.06	0 00	0.00					19 99	19.99		
	48 DSO Channel Capacity - 1 per 2 DS1s		!	UEPMG	VUM48	246.12	0.00	0.00					19 99	19.99		
	96 DSO Channel Capacity -1per 4 DS1s		<u> </u>	UEPMG	VUM96	492.24	0 00	0.00					19.99	19.99		
	144 DS0 Channel Capacity - 1 per 6 DS1s	<u> </u>	 	UEPMG	VUM14	738.36	0 00	0.00			ļ	<u></u>	19.99	19.99		
	192 DS0 Channel Capacity -1 per 8 DS1s	├		UEPMG	VUM19	984.48	0.00	0 00			ļ		19 99	19 99		1
	240 DS0 Channel Capacity - 1 per 10 DS1s	 	١—	UEPMG	VUM20	1,230.60	0.00	0 00			ļ		19.99	19 99		<u> </u>
	288 DS0 Channel Capacity - 1 per 12 DS1s	<u> </u>	├	UEPMG	VUM28	1,476.72	0.00	0 00			ļ.,,,,,		19 99	19 99	<u> </u>	
	384 DS0 Channel Capacity - 1 per 16 DS1s	ļ		UEPMG	VUM38	1,968.96	0.00	0 00			L		19 99	19 99	<u> </u>	1
	480 DS0 Channel Capacity - 1 per 20 DS1s	 	_	UEPMG	VUM40	2,461.20	0.00	0.00			<u> </u>		19 99	19 99	ļ	
	576 DS0 Channel Capacity -1 per 24 DS1s		-	UEPMG	VUM57	2,953.44	0.00	0.00			ļ		19 99	19 99		1
	672 DS0 Channel Capacity - 1 per 28 DS1s	01		ÜEPMG	VUM67	3,445.68	0.00	0.00					19 99	19.99		ļ
	ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with						stem									
	imum System configuration is One (1) DS1, One (1) D4 Channe										ļ <u> </u>					
IMUITIE	eles of this configuration functioning as one are considered Ac	io i ane	r the m	inimum system con	riguration is	counted.										
l	NRC - Conversion (Currently Combined) with or without	1	1		USAC4	ا مما	000.04	40.04					40.00		İ	
	BellSouth Allowed Changes	<u> </u>	<u> </u>	UEPMG		0.00	330.61	16 64					19 99	19.99	<u></u>	
	n Additions at End User Locations Where 4-Wire DS1 Loop wit				nation Curre	ntly Exists and										
MeM (I	Not Currently Combined) in all states, except in Density Zone 1	or rop	8 MSA	18	ļ											
	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port	l		LIEDMA	VUMD4	0 00	743.74	200.00	149.02	17.68	l i		19.99	19.99		
Pinele	and Assoc Fea Activation at 8 Zero Substitution			UEPMG	VUMD4	000	/43.74	326 22	149.02	17.08			19.99	19.99	ļ	 -
Dibois	Clear Channel Capability Format, superframe - Subsequent		 		 						ļ					 -
	Activity Only	i		UEPMG	CCOSF	0.00	0 00	615 00						İ		
	Clear Channel Capability Format - Extended Superframe -	<u> </u>		UEPMG	CCOSF	0.00	0 00	615 00			ļ			 		
ŀ	Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00	615 00						[ļ
	ate Mark Inversion (AMI)		 —	UEPMG	CCOEF	0.00	0.00	615,00								
Aitem		<u> </u>	-	UEPMG	MCOSE	0.00	0.00	0 00								
	Superframe Format Extended Superframe Format	ļ	-	UEPMG	MCOPO	0.00	0.00	0 00								
F	nge Ports Associated with 4-Wire DS1 Loop with Channelization		<u></u>	UEPMG	MCOPO	0 00	. 000	0.00								
		on with	РОП		<u> </u>						ļ					
Excha	nge Ports		_		<u> </u>										-	-
	Line Cide Combination Channel and DDV Tarill Dad Distance			UEPPX	UEPCX	2 28	000	0.00	0.00	0 00			40.18	9.45		
	Line Side Combination Channelized PBX Trunk Port - Business	 		UEPPX	UEPOX	2 28	0 00	0.00	0.00	0.00	 		40.18	9.45	 	
-	Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPUX	2 28	0,00	0.00	0.00	0.00	}		40.18	9.45	 	\vdash
	Line Cide Inwest Only Channel and SDV Touck Bod or the SDV			LIEDDY	LIEBAY		0.00	0.00	0.00	0 00			40.18	9.45	l	
	Line Side Inward Only Channelized PBX Trunk Port without DID	 -	Ι—	UEPPX	UEP1X UEPDM	2.28 13 26		0.00	0.00	0.00	 		40.18	9.45	 	├
	2-Wire Trunk Side Unbundled Channelized DiD Trunk Port		_	UEPPX	DEPUM	13 26	0 00	0.00	0.00	0.00	 		40.18	9.45	 	
Featur	e Activations - Unbundled Loop Concentration	├	\vdash								 			 	 	
1	Feature (Service) Activation for each Line Side Port Terminated	l		LIEDEN.		li			ا ـ ا				40.40		l	
	in D4 Bank			UEPPX	1PQWM	0.65	25 27	13.34	4.15	4.12			40.18	9.45		
i	Feature (Service) Activation for each Trunk Side Port Terminated	ŀ	1						ا ا				40.40	۔. ا	I	
	in D4 Bank	 	\vdash	UEPPX	1PQWU	0.65	77.75	18.33	58.74	11.48	— —		40.18	9.45	ļ	—
Teleph	none Number/ Group Establishment Charges for DID Service	!	├ ─ं	UCODY	NOT			2.2-						 	ļ	
	DID Trunk Termination (1 per Port)	├──		UEPPX	NDT	0 00	0 00	0 00			1			 	 	
	Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)			UEPPX	NDZ	0 00	0 00	0.00			 			 	 	
	DID Numbers - groups of 20 - Valid all States	<u> </u>	 	UEPPX	ND4	0.00	0 00	0 00	ļ —		 			 	 	-
	Non-Consecutive DID Numbers - per number			UEPPX	ND5	0 00	0 00	0.00							 	
	Reserve Non-Consecutive DID Numbers	<u> </u>	L	UEPPX	ND6	0.00	0 00	0 00			<u> </u>			<u> </u>	l ——	
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00			ļ			ļ	ļ	
	Number Portability	ŀ	1		l i	l '					<u> </u>			L	ļ	
Local			-													
	Local Number Portability - 1 per port IRES - Vertical and Optional			UEPPX	LNPCP	3,15	0.00	0.00								

DIADONDE	ED NETWORK ELEMENTS - North Carolina					,								ment: 2	Exhi	bit: B
		1		}							Svc Order	Svc Order	Incremental	Incremental	Incremental	
		1	ŀ		J	1					Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATEGORY	DATE EL EMENTO	Interi	l_			1					Elec	Manually	Manual Svc			Manual Svo
DATEGORI	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		1									Pui =0.1	PUI 2011	Electronic-	Electronic-	Electronic-	
											l		1st			Electronic-
			L								l		131	Add'l	Disc 1st	Disc Add'l
	·		١			Rec	Nonre	curring	Nonrecurring	g Disconnect			oss	Rates(\$)		
	All Features Available		!				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
INDIINDI EC	D PORT LOOP COMBINATIONS - MARKET RATES			UEPPX	UEPVF	3.40	0.00	0 00					40,18	9.45		
Model	Let Peter chall and house Dalle		1													
This	ket Rates shall apply where BellSouth is not required to provid	<u>e unbun</u>	<u>died lo</u>	cal switching or swi	ch ports per	FCC and/or St	ate Commissi	on rules.						l		
									or end users v	vith 4 or more I	OSO equival	ent lines.				
													· · · · · · · · · · · · · · · · · · ·			
				urring and non-recu	ming Market	Rates in this s	ection. In the	interim where	BellSouth can	not bill Market	Rates, Bell	South shall	hill the rates	in the Cost-B	and costion	
												Journ Gilair	DIII 1.10 10100	III IIIG COSI-D	aseu secuții	preceding in
The	Market Rate for unbundled ports includes all available features	in all st	ates.							1						
End	Office and Tandem Switching Usage and Common Transport I Not Currently Combined scenarios, the Nonrecurring charges	Jsage rat	es in ti	ne Port section of th	s rate exhib	it shall apply to	all combinati	ons of loop/no	rt network ele	mente event f	or LINE Col	n Dom/I non	C			
		re listed	in the	First and Additional	NRC columi	s for each Por	USOC. For (urrently Comb	ined econorio	e the Monrocus	ring charge	o oro listed	Lombination	ns.		
								,		0, 000 1101110001	ing charge	S ale listed	III UIO NAC -	Currently Co.	noinea sectio	n.
2-WII	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
UNE	Port/Loop Combination Rates		1							 				<u> </u>		ļ
	2-Wire VG Loop/Port Combo - Zone 1	 	1		 	24.75								L		
	2-Wire VG Loop/Port Combo - Zone 2	+	2		 	33.05				ļ				L		
	2-Wire VG Loop/Port Combo - Zone 3	+	3													
UNF	Loop Rates	+-	 			44.33										
	2-Wire Voice Grade Loop (SL1) - Zone 1	+	1	UEPRX	LIEDLY				, <u>.</u>							
	2-Wire Voice Grade Loop (SL1) - Zone 2	+			UEPLX	10.75										
	2-Wire Voice Grade Loop (SL1) - Zone 3		2	UEPRX	UEPLX	19 05										
2 18/3-	re Voice Grade Line Port (Res)		3	UEPRX	UEPLX	30.33										
2-4411																
	2-Wire voice unbundled port - residence			UEPRX	UEPRL	14.00	90 00	90.00					40 18	9.45		
	2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	14.00	90.00	90.00					40.18	9.45		
	2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	14.00	90 00	90 00					40.18	9.45		
l	2-Wire voice unbundles res, low usage line port with Caller ID															
	(LUM)	<u> </u>		UEPRX	UEPAP	14 00	90.00	90.00				1	40.18	9.45		
LOCA	AL NUMBER PORTABILITY	Ι.												0.10		
	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
FEAT	TURES															
	All Features Offered	$\overline{}$		UEPRX	UEPVF	0.00	0.00	0.00					40.18	9.45		
							0.00	- 0.00						8.70		
	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is	: [UEPRX	USAC2		41 50	41.50					40 18	9.45		
	2-Wire Voice Grade Loop / Line Port Combination - Switch with						77 00	41.00					40 10	9.43		
	change	l .		UEPRX	USACC		41.50	41.50			!	i	40.18	9 45		
ADDI	ITIONAL NRCs		-	OLITA	COAGO		71.50	41.50					40.18	9 45		
	NRC - 2-Wire Voice Grade Loop/Line Port Combination -															
- 1	Subsequent			UEPRX	USAS2		0.00	0.00							1	
2-WIE	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)	 		OCFFIX	USASZ		0.00	0 00					40.18	9.45		
	Port/Loop Combination Rates	+														
-	2-Wire VG Loop/Port Combo - Zone 1	 	1			04.55				<u> </u>						
	2-Wire VG Loop/Port Combo - Zone 1	-				24.75										
		-	2	·		33.05										
1,1615	2-Wire VG Loop/Port Combo - Zone 3	-	3			44.33					1					
UNE	Loop Rates	1								I						
	2-Wire Voice Grade Loop (SL1) - Zone 1			UEPBX	ÜEPLX	10.75										
	2-Wire Voice Grade Loop (SL1) - Zone 2				UEPLX	19.05						-				
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	30.33										
2-Win	re Voice Grade Line Port (Bus)															
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	14.00	90.00	90.00					40.18	9.45		
	2-Wire voice unbundled port with Caller + E484 ID - bus				UEPBC	14.00	90 00	90.00				- 1	40.18	9,45		-
	2-Wire voice unbundled port outgoing only - bus				UEPBO	14.00	90.00	- 90.00		1			40.18	9.45		
LOCA	AL NUMBER PORTABILITY							- 55.50		-				- J. 40		
	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35			-							*****
FEAT	TURES					0.00										
	All Features Offered			UEPBX	UEPVF	0 00	0.00	0.00		-	-		40.18			
NONE	RECURRING CHARGES - CURRENTLY COMBINED	 		OLION	OCTVT	0.00	0.00	0.00					40.18	9.45		
III ON	TOURING STANGES - CONDENTED COMBINED															
- 1	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is		i	UEODY					Į				!	1	l	
	->z-vviie voice capage i non / Line Port Combination - Switch-selic	i 1		UEPBX	USAC2		41.50	41.50	i		l l		40.18	9.45		
 -	2-Wire Voice Grade Loop / Line Port Combination - Switch with	+	$\overline{}$				2.7.2							0.40		

<u>UNBUN</u> DL	ED NETWORK ELEMENTS - North Carolina													ment; 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)		•		Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic Disc Add'i
	<u> </u>	 - -	 	· · · · · · · · · · · · · · · · · · ·			Nonrec	urring	Nonrecurrin	g Disconnect	 	L	oss	Rates(\$)	1	Ь
	· · · · · · · · · · · · · · · · · · ·	 	 		_	Rec	First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ADD	ITIONAL NRCs	 	 													
	NRC - 2-Wire Voice Grade Loop/Line Port Combination -		1							· · · · · · · · · · · · · · · · · · ·	· · · · ·	· · · · · · · · · · · · · · · · · · ·				
	Subsequent		ŀ	UEPBX	USAS2		0.00	0.00	ļ	1	ı		40.18	9.45		
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
UNE	Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			24.75										
	2-Wire VG Loop/Port Combo - Zone 2		2			33 05					I					
	2-Wire VG Loop/Port Combo - Zone 3		3			44.33				1						
UNE	Loop Rates	L								<u> </u>	l					İ.,
	2-Wire Voice Grade Loop (SL1) - Zone 1	<u> </u>	1_1_	UEPRG	UEPLX	10.75										<u> </u>
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRG	UEPLX	19.05										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRG	UEPLX	30 33				ļ	ļ				ļ	
2-Wi	re Voice Grade Line Port Rates (RES - PBX)	1							L	1				<u> </u>	<u> </u>	<u> </u>
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -	1	1						l	1	1				ļ.	1
	Res			UEPRG	UEPRD	14.00	90.00	90.00			ļ		40.18	9.45		1
LOC	AL NUMBER PORTABILITY	<u>i </u>									<u> </u>					
	Local Number Portability (1 per port)	1		UEPRG	LNPCP	3.15	0.00	0.00		ļ	ļ			L		
FEA.	TURES	↓	<u> </u>											<u> </u>		
	All Features Offered	ļ		UEPRG	UEPVF	0.00	0.00	0.00		ļ	<u> </u>		40.18	9.45		
NON	RECURRING CHARGES - CURRENTLY COMBINED		ļ													
										1						
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is	ļ	1	UEPRG	USAC2		41 50	41.50					40.18	9 45		
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with	1									1				i	į.
	Change			UEPRG	USACC		41 50	41.50					40.18	9.45		<u> </u>
ADD	ITIONAL NRCs									<u> </u>				ļ		<u> </u>
	2 Wire Loop/Line Side Port Combination - Non feature -	ı			- [-		Į.		i			l		
l	Subsequent Activity- Nonrecurring	<u> </u>					0.00	0.00					40.18	9.45		_
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt	1						-						l	l	
	Group						14 64	14.64		ļ	1		40.18	9.45		
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)	<u> </u>	<u> </u>											ļ		
UNE	Port/Loop Combination Rates										4					
	2-Wire VG Loop/Port Combo - Zone 1		1			24.75				1	ļ					
	2-Wire VG Loop/Port Combo - Zone 2		2			33.05					ļ	 		ļ		
	2-Wire VG Loop/Port Combo - Zone 3		3			44.33					ļ			ļ		
UNE	Loop Rates	<u> </u>												_		
	2-Wire Voice Grade Loop (SL1) - Zone 1	1		UEPPX	UEPLX	10.75						ļ				
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPPX	UEPLX	19.05								.		
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPPX	UEPLX	30.33										ļ
2-Wi	re Voice Grade Line Port Rates (BUS - PBX)	<u> </u>									<u> </u>					
		1			i]			ŀ	1
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	1	<u> </u>	UEPPX	UEPPC	14.00	90.00	90 00			ļ	ļ	40.18	9 45		
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	14.00	90.00	90.00		<u> </u>			40.18			
	Line Side Unbundled Incoming PBX Trunk Port - Bus		7	UEPPX	UEPP1	14 00	90.00	90.00					40.18			
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	14.00	90.00	90.00			<u> </u>		40.18		ļ	+
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	14.00	90 00	90.00					40.18			
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		[UEPPX	UEPXB	14.00	90.00	90.00		ļ	L		40 18		ļ	
	2-Wire Voice Unbundled PBX LD DDD Terminals Port		-	UEPPX	UEPXC	14 00	90.00	90.00					40 18		!	
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	L		UEPPX	UEPXD	14 00	90.00	90 00				<u> </u>	40.18	9 45	1	
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD										1	1		l		
	Capable Port	l		UEPPX	UEPXE	14.00	90.00	90.00					40.18	9.45	 	ļ
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy										1		1	l		1
	Administrative Calling Port		1_	UEPPX	UEPXL	14 00	90.00	90.00			<u> </u>	ļ	40.18	9.45	ļ	
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1					-			1]	1	l	l .		
ļ	Room Calling Port	1	1	UEPPX	UEPXM	14.00	90 00	90.00	L	J			40 18	9.45		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	1														
	Discount Room Calling Port	1	1	UEPPX	UEPXO	14.00	90 00	90.00	1	1		<u> </u>	40 18			
 	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	 	1	UEPPX	UEPXS	14 00	90.00	90.00					40.18	9.45	L	ļ
Loc	AL NUMBER PORTABILITY	1	\top													1
1230	Local Number Portability (1 per port)	+	+	UEPPX	LNPCP	3.15	0.00	0.00	1	1	T				1	

NRONDL	ED NETWORK ELEMENTS - North Carolina												Attachr	nent: 2	Exhil	bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge -	Increment Charge -
			├		 	Rec	Nonrec		Nonrecurring		001150			Rates(\$)		
FEAT	URES	-			 		First	Add'l	First	Add'l	SOMEÇ	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	All Features Offered		_	UEPPX	UEPVF	0.00	0.00	0.00					40.18	0.45		
NONE	RECURRING CHARGES - CURRENTLY COMBINED			25:	1021 11	0.00			 				40.18	9.45		
																
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is	L	<u> </u>	UEPPX	USAC2		41.50	41 50					40.18	9 45		
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with Change	l		LICORY												
ADDI	TIONAL NRCs		├	UEPPX	USACC		41 50	41.50					40.18	9.45		
1			 		+				i							
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent		ł	UEPPX	USAS2		0.00	0.00			ļ		40.18	9.45		
	2 Wire Loop/Line Side Port Combination - Non feature -		—				0.00						40.10	3,43	-	
—	Subsequent Activity- Nonrecurring						0.00	0.00				•	40.18	9.45		1
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
2 14/15	Group RE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR		ļ		-		14 64	14 64					40.18	9.45		
LINE	Port/Loop Combination Rates	1			+											
- OIVE	2-Wire VG Coin Port/Loop Combo – Zone 1	 	1			24.75			i							ļ
	2-Wire VG Coin Port/Loop Combo – Zone 2	 	2		+	33.05										
	2-Wire VG Coin Port/Loop Combo - Zone 3		3		 	44.33										
UNE	Loop Rates				·	700										
	2-Wire Voice Grade Loop (SL1) - Zone 1			UEPCO	UEPLX	10.75							-			
_	2-Wire Voice Grade Loop (SL1) - Zone 2			UEPCO	UEPLX	19.05										
0.165	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	30.33	_									
2-WIR	e Voice Grade Line Port Rates (Coin) 2-Wire Coin 2-Way without Operator Screening and without	ļ	ļ													
	Blocking (NC)	1		UEPCO	UEPND	14 00	90 00	00.00	i							i
-	2-Wire Coin 2-Way with Operator Screening (NC)			UEPCO	UEPNC	14 00	90.00	90 00					40.18 40.18	9 45		
	2-Wire Coin 2-Way with Operator Screening and Blocking 011,		 	OEF CO	OEFING	14 00	90.00	90.00	-				40.18	9.40		
	900/976, 1+DDD (NC, TN)			UEPCO	UEPRP	14.00	90.00	90.00				1	40.18	9.45		
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking		i		1											
	(NC)			UEPCO	UEPNB	14 00	90.00	90.00	i	-			40 18	9 45		
	2-Wire Coin 2-Way with Operator Screening and Blocking				T											
	900/976, 1+DDD, 011+, and Local (NC, TN)		L	UEPCO	UEPCA	14 00	90.00	90.00					40.18	9.45		
	2-Wire Coin Outward with Operator Screening and 011 Blocking	ļ			l				1							
	(NC) 2-Wire Coin Outward with Operator Screening and Blocking:			UEPCO	UEPNE	14.00	90.00	90 00					40 18	9.45		ļ
-	900/976, 1+DDD, 011+, and Local (NC)		ŀ	UEPCO	UEPCL	14.00	90.00	90 00					40 18	9.45		
LOCA	L NUMBER PORTABILITY		1	OEFGO	DEFUL	14.00	90.00	90'00					40 10	5.40		
	Local Number Portability (1 per port)		· · · ·	UEPCO	LNPCX	0 35										
NONE	RECURRING CHARGES - CURRENTLY COMBINED				1											
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPCO	USAC2		41.50	41.50					40.18	9.45		
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with															
	Change		ــــــا	UEPCO	USACC		41.50	41.50					40.18	9.45		ļ. <u></u>
ADDI	TIONAL NRCs				↓											
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPCO	USAS2		0.00	0.00					40.18	9.45		l
IBUNDI FO	PORT/LOOP COMBINATIONS - MARKET BASED RATES			DEPCO	USASZ		0.00	0.00					- 40.18	9.45		
	RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT			 								-			
	Port/Loop Combination Rates		-		 								-,,-			
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1		1	60.85										
	2-Wire VG Loop/2-Wire DiD Trunk Port Combo - UNE Zone 2		2			67.68										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			77.96										
UNE	oop Rates															
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1			UEPPX	UECD1	8.85										<u> </u>
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2	4	12	UEPPX	UECD1	15.68	· i					Į.	- 1			L
III.E	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3			UEPPX	UECD1	25.96										

UNBUNDL	ED NETWORK ELEMENTS - North Carolina													Attach	ment: 2	Exhil	bit; B
CATEGORY	RATE ELEMENTS	Interi m	Zone		ics	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
		 		-				Nonrec	urring	Nonrecurrin	g Disconnect		L	OSS	Rates(\$)	l	l
			-				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
NONF	RECURRING CHARGES - CURRENTLY COMBINED					l											
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -																
	Switch-As-is Top 8 MSAs only			UEPPX		USAC1		200.00	75.00					53.89	11.34	l	
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion		1	1			1			1							
ADDI	with BellSouth Allowable Changes Top 8 MSAs only TIONAL NRCs	<u> </u>		UEPPX		USA1C_		200.00	75 00					53.89	11 34	ļ	
ADDI	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk	-	 	UEPPX		USAS1	 	75,00				ļ		40.40			ļ
Teler	hone Number/Trunk Group Establisment Charges	 	-	UEFFX		USAST	 	/5.00						40.18	9 45		
1.0.00	DID Trunk Termination (One Per Port)		 	UEPPX		NDT	0.00	0.00	0 00		 						
	DID Numbers, Establish Trunk Group and Provide First Group		 	OLI IX		1101	0.00		- 000						 	l	
I	of 20 DID Numbers	1	1	UEPPX		NDZ	0.00	0.00	0 00	I	1	1	1			1	
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00		1						
	DID Numbers, Non-consecutive DID Numbers, Per Number			UEPPX		ND5	0.00	0.00	0.00								L
	Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0 00								
	Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00		L						ļ
LOCA	AL NUMBER PORTABILITY		↓	l		1	ļ										
	Local Number Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	0.00			ļ			<u> </u>		ļ
	RE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDI	E PORT	1		 	ļ							 			
UNE	Port/Loop Combination Rates [2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		+				ļ							<u> </u>	 		 -
	UNE Zone 1		1	UEPPB	UEPPR		79.47										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2	1	2	UEPPB	UEPPR		90.64			i	1	1	ļ	i			i
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port	_	+-	OLITO	OLITIN	 	30.04			1				 		 	
	UNE Zone 3		з	UEPPB	UEPPR		105.81						1	l		1	i
UNE	Loop Rates										i i			· · · · · · · · · · · · · · · · · · ·			
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		. 1	UEPPB	UEPPR	USL2X	14.47										
		1 " -	T				1		-								
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	25.64										
	2-Wire ISDN Digital Grade Loop - UNE Zone 3	L	3	UEPPB	UEPPR	USL2X	40.81				<u> </u>		<u> </u>	ļ		ļ	ļ
UNE	Port Rate	1	—					150.00	275.00		ļ			19.99	19.99	<u> </u>	
	Exchange Port - 2-Wire ISDN Line Side Port		 	UEPPB	UEPPR	UEPPB	65.00	450.00	375.00		<u> </u>			19.99	19.99		
NUNI	RECURRING CHARGES - CURRENTLY COMBINED 2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port	ļ	+	!		 					 						
1 1	Combination - Conversion - Top 8 MSAs only		1	HEDDR	UEPPR	USACB	0.00	200.00	200.00		I		[i	ł
ADDI	TIONAL NRCs		-	ULFFU	OLITI	USAGE	0.00	200.00	200.00		 					·	
	AL NUMBER PORTABILITY	 	┼──	 			<u> </u>				1						
1-30	Local Number Portability (1 per port)	t	1	UEPPB	UEPPR	LNPCX	0.35	0 00	0.00								
В-СН	ANNEL USER PROFILE ACCESS:									l							
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR		0.00	0.00	0 00						ļ		ļ
	CVS (EWSD)]		UEPPR		0.00	0 00	0.00	ļ			ļ	ļ	ļ		ļ
	CSD			UEPPB	UEPPR	UTUCC	0.00	0.00	0.00	↓		ļ	ļ	<u> </u>		 	
	ANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C,MS, 8	k TN)	 						<u> </u>		-	ļ		 	 	
USEF	TERMINAL PROFILE	Ь—	↓			10410022				ļ	 		<u> </u>	 	 	 	
	User Terminal Profile (EWSD only)	ļ	₩	UEPPB	UEPPR	UIUMA	0.00	0,00	0.00	 	 			 	 	 	
VERT	TICAL FEATURES	 	 	LIEDDE	UEPPR	UEPVF	3 40	0.00	0 00	 	-	 		19.99	19 99	 	+
1	All Vertical Features - One per Channel B User Profile	 	+-	UEPPB	UEPPH	UCTVF	3 40	0.00	0.00	 	 	 	 	10.33	1,500	t	
INTE	ROFFICE CHANNEL MILEAGE Interoffice Channel mileage each, including first mile and	\vdash	+-	 			 			l	 	-	 	<u> </u>	1	<u> </u>	1
1 1	facilities termination	1	1	LIEPPR	UEPPR	MIGNO	18.0282	137.48	52.58	1	1	1		19.99	19.99		
	Interoffice Channel mileage each, additional mile	+	+		UEPPR	M1GNM	0.0282	0 00	0.00	 	1						
4-WII	RE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	K PORT	\top	1	3		1			1							
	Port/Loop Combination Rates	T		i i		———											
1=13-	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	İ	1			1											
i I	Zone 1	l	1_1_	UEPPP		l	947,54		<u> </u>	L		<u></u>			L		-
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																1
, 1		1	2	UEPPP		1	984 27	1	ŀ	1	1	1	i .	I	1	I	<u> </u>
	Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	↓	-	102			00,0.										I .

DUBONDLED	NETWORK ELEMENTS - North Carolina												Attachi	ment: 2	Exhil	bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order vs Electroni Disc Add
		ļ	├ ──		- 	Rec	Nonrec First	umng Add'i	First	Disconnect	COMEC	COMAN		Rates(\$)	00444	
UNE LO	op Rates						LIISE	Audi	riist	Add'l	SUMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire DS1 Digital Loop - UNE Zone 1	_	1	UEPPP	USL4P	47.54					 	<u> </u>				
	4-Wire DS1 Digital Loop - UNE Zone 2	 		UEPPP	USL4P	84 27					 					
	4-Wire DS1 Digital Loop - UNE Zone 3			UEPPP	USL4P	134 14										
UNE Po											-					
	Exchange Ports - 4-Wire ISDN DS1 Port		Ι	UEPPP	UEPPP	900.00	1,150 00	1,150 00				-	19.99	19.99		
	CURRING CHARGES - CURRENTLY COMBINED										1		19.00	70,00		
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port		ŀ													
ADDITIO	Combination - Conversion -Switch-As-Is Top 8 MSAs only	<u> </u>	L	UEPPP	USACP	0.00	925 00	925.00								
	ONAL NRCs	L														
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -	1			I											
 	Subsequent Inward/2-Way Tel Nos - (NC Only)	 	 -	VEPPP	PR7TG		1.17	1.17			L			L		<u> </u>
	4-Wire DS1 Loop/4-Wire ISDN Digital Trunk Port - Subsequent	1												1		
	Activity Outward tel nos (NC only) 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -	-		VEPPP	PR7TP		28.17	28.17						L		
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Nos Above Std Allowance	1		UEDOD		i i										
	NUMBER PORTABILITY		├	UEPPP	PR7ZT		56.33	56.33		ļ	ļ			L		<u> </u>
	Local Number Portability (1 per port)	 	-	UEPPP	LNPCN	1 75					ļ					ļ
INTERE	ACE (Provsioning Only)	├	├─	UEPPP	LNPCN	1.75										
	Voice/Data	├	├	UEPPP	PR71V	0.00					<u> </u>					
	Digital Data	-	 	UEPPP	PR71D	0.00					 					
	Inward Data	 	├──	UEPPP	PR71E	0.00					 					-
	Additional "B" Channel		 	UEFFF	FR/IE	0.00					 					
	New or Additional - Voice/Data B Channel	 	 	UEPPP	PR78V	0 00	36 92						19.99	19.99		
	New or Additional - Digital Data B Channel		 	UEPPP	PR7BF	0 00	36.92				 	-	19.99	19.99		
	New or Additional Inward Data B Channel	-	!	UEPPP	PR7BD	0 00	36.92				 		19 99	19.99	-	
CALL							00.02				 		10 50			
	Inward		1	UEPPP	PR7C1	0.00			-		† ···					-
	Outward	· · · · ·		UEPPP	PR7C0	0 00					†					
	Two-way	1	\vdash	UEPPP	PR7CC	0.00					 					
Interoffi	ce Channel Mileage	<u> </u>	T								1			·		†
	Fixed Each Including First Mile			UEPPP	1LN1A	71 8653	217.17	163 75	0.00				19 99	19.99		
	Each Airline-Fractional Additional Mile	I	T	UEPPP	1LN1B	0.5753					I					
	DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
	rt/Loop Combination Rates		<u> </u>													
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		797.54										<u></u>
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2	<u> </u>	2	UEPDC		834.27										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		884.14										
	op Rates		<u> </u>								<u> </u>					
	4-Wire DS1 Digital Loop - UNE Zone 1	ļ	11	UEPDC	USLDC	47.54					<u> </u>					
	4-Wire DS1 Digital Loop - UNE Zone 2	ļ		UEPDC	USLDC	84.27										ļ
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	134.14										
UNE Po					1		1 050 00			0.00	<u> </u>		19.99	19.99		
	4-Wire DDITS Digital Trunk Port	ļ	ļ	UEPDC	UDD1T	750.00	1,050.00	480.00	0.00	0.00	 	ļ	19.99	19.99	ļ 	
	CURRING CHARGES - CURRENTLY COMBINED	<u> </u>	⊢–			ļ					 		<u> </u>	<u> </u>	ļ	
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	I	l	UE000	lucac:			100.0=		Ī	1	1		l	I	
	- Switch-As-Is Top 8 MSAs only	 -	 	UEPDC	USAC4		288.86	133.87			 					
	4 Miro DC4 Digital Loop / 4 Miro DD/TC T	I	l				j				1	}		l	I	1
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	l		UEPDC	USAWA		288 86	- 133 37			1			I		Į.
	Conversion with DS1 Changes Top 8 MSAs only		\vdash	JUEPUC	USAWA		288 86	- 133 37			 			 		+
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	1	l							1	1	1		l		ļ
	- Conversion with Change - Trunk Top 8 MSAs only	l		UEPDC	USAWB		288.86	133.37		-		1		I		
	DNAL NRCs	 	\vdash	OLFDO	USANID		200.00	100.01		-	 		 	· · · · · · · · · · · · · · · · · · ·		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent		-		+					· · · · ·	1			 		-
	Service Activity Per Service Order	!		UEPDC	USAS4		127.63	127 63		-	1	Ì		l		i
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -	 	+	00.00	100/104	-	127.00	12, 00				l				
	Subsequent Channel Activation/Chan - 2-Way Trunk	I	1	UEPDC	UDTTA		28 81	28.81		1	ŀ	l	l	l	l	1

IBUNDLE	D NETWORK ELEMENTS - North Carolina	r —	_											ment: 2		bit: B
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						Rec	Nonre	curring	Nonrecurring	g Disconnect			oss	Rates(\$)	ــــــــــــــــــــــــــــــــــــــ	
	AMIN DOLL / AME DOMO TO A DOLL OF		<u> </u>			nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk	1		UEBBO												
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel		+	UEPDC	UDTTB		28.81	28.81						L	l	1
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		00.01	00.04	i	1						
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan	_	_	02100	00110	 	28.81	28.81	ļ		·		19.99	19.99		
	Activation Per Chan - Inward Trunk with DID	i	1	UEPDC	UDTTO	1	28 81	28 81					19.99	19.99		İ
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan					1		2007				 	19.99	19.99		
	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE	1 1	28 81	28.81		ļ		!				
BIPOL	AR 8 ZERO SUBSTITUTION										·					
	B8ZS -Superframe Format	L		UEPDC	CCOSF		0.00	615.00					19.99	19 99	* ***	
Altern	B8ZS - Extended Superframe Format		-	UEPDC	CCOEF		0.00	615.00					19.99	19 99		† · · · · ·
Aiterra	AMI -Superframe Format	-			_											
	AMI - Extended SuperFrame Format	_	 	UEPDC UEPDC	MCOSF	1	0.00	0.00								
Telept	hone Number/Trunk Group Establisment Charges	-	├	DEPDC	МСОРО		0 00	0.00								
- 10.00	Telephone Number for 2-Way Trunk Group	-	 	UEPDC	UDTGX	0.00										ļ <u></u>
\neg	Telephone Number for 1-Way Outward Trunk Group		+	UEPDC	UDTGY	0.00						l ————	19 99	19.99		ļ
	Telephone Number for 1-Way Inward Trunk Group Without DID	<u> </u>	 	UEPDC	UDTGZ	0.00							19.99 19.99	19.99		ļ
	DID Numbers, Establish Trunk Group and Provide First Group		 	021 00	00102	0.00							19.99	19.99		ļ
	of 20 DID Numbers		1	UEPDC	NDZ	0.00	0.00	0.00	ļ		i	!			Ï	1
	DID Numbers for each Group of 20 DID Numbers		-	UEPDC	ND4	0.00	0.00	0.00			-	 				
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0 00	0.00	0.00				 				
	Reserve Non-Consecutive DID Nos			UEPDC	ND6	0.00	0 00	0 00								
	Reserve DID Numbers			UEPDC	NDV	0.00	0 00	0.00								†
	ated DS1 (Interoffice Channel Mileage) -	L				ĺ										
FX/FC	O for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port		J													
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities	l				1										
	Termination)	├	 -	UEPDC	1LNO1	71.29	217.17	163 75	0.00	0.00		L	19.99	19.99		<u> </u>
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles	•		UEPDC	1LNOA											i
	Interoffice Channel Mleage - Fixed rate 9-25 miles (Facilities		-	DEPDC	ILNUA	0 5753	0.00	0.00				l				ļ
	Termination)		1	UEPDC	1LNO2	000	0.00	0 00				i I				Į.
	Interoffice Channel Mileage - Additional rate per mile - 9-25		 	OEF DC	ILNOZ	000	0.00	000				 			-	
	miles		i	UEPDC	1LNOB	0.5753	0 00	0.00								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities		1	02.00	TEROD	0.0750		0.00				 				
ľ	Termination)		ı	UEPDC	1LNO3	0.00	0.00	0.00	0.00		İ					
								5105	5.55							
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.5753	0 00	0.00								
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00							
	Central Office Termininating Point			UEPDC	CTG	0.00										
	E DS1 LOOP WITH CHANNELIZATION WITH PORT		L	ļ												
	n is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti			L <u>.</u>												
	em can have various rate combinations based on type and nur	nber of	ports	used			· · · · · · · · · · · · · · · · · · ·									ļ
ONE D	S1 Loop		-	LIEDIAO	1101.00	49.54										
	4-Wire DS1 Loop - UNE Zone 1		1 2	UEPMG	USLDC	47.54										ļ
1	4-Wire DS1 Loop - UNE Zone 2 4-Wire DS1 Loop - UNE Zone 3			UEPMG UEPMG	USLDC	84.27 134.14	0.00	0.00		-						ļ
			<u> </u>	UEFMIG	USLEC	134.14	0.00	0.00	·							
UNED		20)					0.00	0.00					19.99	19,99		-
UNE D	SO Channelization Capacities (D4 Channel Bank Configuration	18)		UEPMG	VUM24	123.06					1					
UNE D	SO Channelization Capacities (D4 Channel Bank Configuration 24 DSO Channel Capacity - 1 per DS1	18)		UEPMG UEPMG	VUM24 VUM48	123.06 246.12	0 00					1				
UNE D	SO Channelization Capacities (D4 Channel Bank Configuration 24 DSO Channel Capacity - 1 per DS1 48 DSO Channel Capacity - 1 per 2 DS1s	18)		UEPMG	VUM48	246.12	_0 00	0 00					19.99	19.99		
UNE D	SO Channelization Capacities (D4 Channel Bank Configuration 24 DSO Channel Capacity - 1 per DS1 48 DSO Channel Capacity - 1 per 2 DS1s 96 DSO Channel Capacity - 1 per 4 DS1s	18)		UEPMG UEPMG		246.12 492.24	0.00	0.00								
UNE D	SO Channelization Capacities (D4 Channel Bank Configuration 24 DSO Channel Capacity - 1 per DS1 48 DSO Channel Capacity - 1 per 2 DS1s	18)		UEPMG	VUM48 VUM96	246.12	_0 00	0 00					19.99 19.99	19.99 19.99		
UNE D	SO Channelization Capacities (D4 Channel Bank Configuration 24 DSO Channel Capacity - 1 per DS1 48 DSO Channel Capacity - 1 per 2 DS1s 96 DSO Channel Capacity - 1per 4 DS1s 144 DSO Channel Capacity - 1 per 6 DS1s	18)		UEPMG UEPMG UEPMG	VUM48 VUM96 VUM14	246.12 492.24 738.36	0.00 0.00 0.00	0.00 0.00 0.00					19.99 19.99 19.99	19.99 19.99 19.99		
UNE D	SO Channelization Capacities (D4 Channel Bank Configuration 24 DSO Channel Capacity - 1 per DS1 48 DSO Channel Capacity - 1 per 2 DS1s 96 DSO Channel Capacity - 1 per 4 DS1s 144 DSO Channel Capacity - 1 per 6 DS1s 144 DSO Channel Capacity - 1 per 8 DS1s 192 DSO Channel Capacity - 1 per 8 DS1s 192 DSO Channel Capacity - 1 per 10 DS1s 240 DSO Channel Capacity - 1 per 10 DS1s 288 DSO Channel Capacity - 1 per 12 DS1s	18)		UEPMG UEPMG UEPMG UEPMG	VUM48 VUM96 VUM14 VUM19	246.12 492.24 738.36 984 48	0 00 0.00 0 00 0.00	0 00 0.00 0.00 0.00					19.99 19.99 19.99 19.99	19.99 19.99 19.99 19.99		
UNE D	SO Channelization Capacities (D4 Channel Bank Configuration 24 DSO Channel Capacity - 1 per DS1 48 DSO Channel Capacity - 1 per 2 DS1s 96 DSO Channel Capacity - 1 per 4 DS1s 144 DSO Channel Capacity - 1 per 6 DS1s 144 DSO Channel Capacity - 1 per 8 DS1s 192 DSO Channel Capacity - 1 per 8 DS1s 240 DSO Channel Capacity - 1 per 10 DS1s 288 DS0 Channel Capacity - 1 per 12 DS1s 384 DSO Channel Capacity - 1 per 12 DS1s	18)		UEPMG UEPMG UEPMG UEPMG UEPMG	VUM48 VUM96 VUM14 VUM19 VUM20	246.12 492.24 738.36 984 48 1,230.60	0 00 0.00 0 00 0.00 0.00	0 00 0.00 0.00 0.00 0.00					19.99 19.99 19.99 19.99 19.99	19.99 19.99 19.99 19.99 19.99		
UNE D	SO Channelization Capacities (D4 Channel Bank Configuration 24 DSO Channel Capacity - 1 per DS1 48 DSO Channel Capacity - 1 per 2 DS1s 96 DSO Channel Capacity - 1 per 4 DS1s 144 DSO Channel Capacity - 1 per 6 DS1s 144 DSO Channel Capacity - 1 per 8 DS1s 192 DSO Channel Capacity - 1 per 8 DS1s 192 DSO Channel Capacity - 1 per 10 DS1s 240 DSO Channel Capacity - 1 per 10 DS1s 288 DSO Channel Capacity - 1 per 12 DS1s	18)		UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG	VUM48 VUM96 VUM14 VUM19 VUM20 VUM28	246.12 492.24 738.36 984 48 1,230.60 1,476.72	0 00 0.00 0 00 0.00 0.00 0.00	0 00 0.00 0.00 0.00 0.00 0.00					19.99 19.99 19.99 19.99 19.99 19.99	19.99 19.99 19.99 19.99 19.99		

UNBUND	LED	NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: B
CATEGORY	٧	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'!	Charge -	Charge -
							Rec	Nonrec		Nonrecurring					Rates(\$)		
Non	n-Rev	curring Charges (NRC) Associated with 4-Wire DS1 Loop with	h Chan	ا	n with Port Conver	nion Charac	1	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
A M	dinin	num System configuration is One (1) DS1, One (1) D4 Channe	Bank.	and U	To 24 DSO Ports w	ith Feature	Activations.	310111		-		<u> </u>	<u> </u>		-		
Mul	Itiple	es of this configuration functioning as one are considered Ac	ld'I afte	r the m	inimum system con	figuration is	counted.					i					ļ — —
		NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes - Top 8 MSAs Only			UEPMG	USAC4	0.00	330.61	16.64					19.99	19.99		
Sys		Additions Where Currently Combined and New (Not Currently	y Comi	ined)	OLI WG	00004	0.00	330.01	10.04		•	 	 	19.99	19.99	 	
		MSAs	1	1								 			 		
		1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc											1				
		Fea Activation -		<u> </u>	UEPMG	VUMD4	0.00	743.74	326.22	149 02	17.68			19.99	19.99		
Bib		8 Zero Substitution	ļ <u>.</u>				<u> </u>					ļ					<u> </u>
		Clear Channel Capability Format, superframe - Subsequent Activity Only		1	UEPMG	CCOSF	0.00	0.00	645.00			İ	1				1
		Clear Channel Capability Format - Extended Superframe -			UEFMG	CCOSF	0.00	0.00	615.00						 	 	
		Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00	615.00					1	1		1
Alte		le Mark Inversion (AMI)		T			5.50	J.30	3.0.50			†	†		 		
		Superframe Format			UEPMG	MCOSF	0.00	0.00	0 00					i			
		Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
		ge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port													
Exc	chan	ge Ports	<u> </u>	<u> </u>												· · · · · · · · · · · · · · · · · · ·	ļ
	1	Line Side Combination Channelized PBX Trunk Port - Business	1		UEPPX	UEPCX	14.00	0.00	0.00	0.00	0.00			40.18	9 45		1
		Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	14.00	0.00	0.00	0.00	0.00		· · · · · · · · · · · · · · · · · · ·	40.18	9 45		
		Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	14.00	0.00	0.00	0.00	0.00	l		40.18	9 45	<u> </u>	1
		2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	52.00	0.00	0.00	0.00	0.00			40.18	9.45		ļ <u>.</u>
Fea		Activations - Unbundled Loop Concentration	<u> </u>				ļ					ļ	 				
		Feature (Service) Activation for each Line Side Port Terminated in D4 Bank			UEPPX	1PQWM	0.65	40.00	20.00	10 00	5.00			40.18	9.45		
		Feature (Service) Activation for each Trunk Side Port Terminated in D4 Bank			UEPPX	1PQWU	0 65	110 00	30.00	75 00	15.00			40 18	9.45		_
Tele		one Number/ Group Establishment Charges for DID Service				L	L										ļ
		DID Trunk Termination (1 per Port)		<u> </u>	UEPPX	NDT	0 00	0 00	0.00			ļ					ļ
		Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)		ļ	UEPPX UEPPX	NDZ ND4	0.00	0 00	0 00			ļ					
		DID Numbers - groups of 20 - Valid all States Non-Consecutive DID Numbers - per number		-	UEPPX	ND5	0 00	0 00	0.00			 		 	 		
		Reserve Non-Consecutive DID Numbers		├	UEPPX	ND6	0.00	0.00	0.00			 	† · · · · · · · · · · · · · · · · · · ·				
		Reserve DID Numbers	_	\vdash	UEPPX	NDV	0.00	0.00	0 00				1	T			
Loc	cal N	umber Portability	-	\vdash		<u> </u>	1,33										
		Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0 00								
		RES - Vertical and Optional										_	<u> </u>			-	
Loc		witching Features Offered with Line Side Ports Only				L.EDIE	<u> </u>	ļ				 		40.18	9.45		
		All Features Available	<u></u>	├	UEPPX	UEPVF	3.40	0.00	0.00			 	 	40.18	9.45		+
UNBUNDLE	ED C	ENTREX PORT/LOOP COMBINATIONS - COST BASED RATE	5	Chr.4-	Dammiania	nunciale Hel-	undled 1 cost 5	uitobina or C.	vitch Borte			 			 		
1.0	cost	Based Rates are applied where BellSouth is required by FCC ires shall apply to the Unbundled Centrex Port/Loop Combin	and/or	State (commission rule to	the come	undied Local S	witching or SV	ncii Ports.	a Unbundlad B	ort section of	this Rate F	rhibit.	 	 	 	1
2. F	reatu	ores snall apply to the Unbundled Centrex Port/Loop Combin Office and Tandem Switching Usage and Common Transport	Heada	COST B	the Port section of	this rate av	anner as mey a	to the Unbur	dled Centrey P	ort/Loon Comb	ination.	1	1	-			<u> </u>
4. T	The r	ecurring UNE Port and Loop charges listed apply to Current	y Comi									4 or more	DS0 equival	lents. The st	and alone firs	and addition	al Port and
		onrecurring charges apply to Not Currently Combined Combo					4'4 C 4b								T		
		tet Rates for Unbundled Centrex Port/Loop Combination will	be neg	otiated	on an Individual Ca	se Basis, ur	turther notic	78. I				 		 	 	-	
		CENTREX - 5ESS (Valid in All States)	├	 	ļ	<u> </u>	 					 	 		 	 	
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo	├	+		 	 					-			·	 	1
UNI		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	 	 		 						1					
		Non-Design		1	UEP95		13.03			ļ l		L					<u> </u>
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	t	 				T									I
		Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	-	2	UEP95	 	21.33	<u> </u>		ļ	<u> </u>		-		 	-	
		Non-Design	!	3	UEP95	<u> </u>	32.61	<u> </u>	L			<u> </u>	<u> </u>		l		

DURONDEE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhil	bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		M	RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge -	Increment Charge
			 		_	Rec	Nonred First	Add'l		ng Disconnect	COMEO	SOMAN		Rates(\$)		T-001-1-
UNE Po	ort/Loop Combination Rates (Design)	_	 				FIIBL	Addi	First	Add'I	SUMEC	SUMAN	SUMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo		 		_					 	 					ļ
	Design		1 1	UEP95		17.25			Į.	1	1	1 1			i	1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -														-	┼──
	Design		2	UEP95		28.21		l	<u>'</u>	.	l	1			ļ	1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		١.													<u> </u>
UNEL	Design op Rate		3	UEP95		43.09					ļ			1	L	L
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	1,500					ļ	ļ <u>.</u>					
	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95 UEP95	UECS1	10.75 19.05			ļ	ļ						ļ
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	30.33				 	 					
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	14.97				1	 				<u> </u>	
	2-Wire Voice Grade Loop (SL 2) - Zone 2	— —		UEP95	UECS2	25 93			<u> </u>	+	1					
	2-Wire Voice Grade Loop (SL 2) - Zone 3	<u> </u>		UEP95	UECS2	40.81				†	 			 		
UNE Po	ort Rate				1					1	1					
All Stat																
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local				I I									1		
	Area			UEP95	UEPYH	2.28				<u> </u>		<u> </u>	40.18	9.45		<u> </u>
	2-Wire Voice Grade Port (Centrex from diff Serving Wire	1								i	İ	i l		i		ļ
	Center)2 Basic Local Area		-	UEP95	UEPYM	2.28					ļ		40.18	9.45		ļ
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area	1		UCDOE	LIEBYZ	2.28			}			ļ	40.40			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPYZ	2.28				 	ļ		40.18	9.45		
1	- Basic Local Area			UEP95	UEPY9	2.28							40.18	9.45	ĺ	-
	2-Wire Voice Grade Port Terminated on 800 Service Term -			02. 33	102113	2.20			· ·	·	 			3.70		
	Basic Local Area			UEP95	UEPY2	2.28		-					40.18	9,45		1
NC Onl														i		
	2-Wire Voice Grade Port (Centrex)			UEP95	UEPUA	2 28							40.18	9 45		
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPUB	2.28							40.18	9 45		
	2-Wire Voice Grade Port (Centrex with Caller ID)1	ļ	ļ	UEP95	UEPUH	2 28							40.18	9.45		<u> </u>
	2-Wire Voice Grade Port (Centrex from diff Serving Wire	l			l									l		l
	Center)2	ļ	ļ	UEP95	UEPUM	2 28							40 18	9.45		ļ
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		Į.	UEP95	LIEGUZ	2.28				•		i i	40.18	9 45		i
	Term	 		UEF95	UEPUZ	2,28			<u> </u>	+	 	 	40.18	9 45		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	l		UEP95	UEPU9	2 28	1			1			40.18	9.45		1
_	2-Wire Voice Grade Port Terminated in on Megalink of equivalent	\vdash		UEP95	UEPU2	2 28				 			40.18	9,45		
Local 9	witching	 	-		152.52											
	Centrex Intercom Funtionality, per port	 		UEP95	URECS	0.903				<u> </u>	· · · · · ·					
Local N	lumber Portability	l														
	Local Number Portability (1 per port)		L	UEP95	LNPCC	0 35										
Feature	s	L	I													
	All Standard Features Offered, per port			UEP95	UEPVF	3.40					L					
	All Select Features Offered, per port			UEP95	UEPVS	0.00	457.83			ļ						
	All Centrex Control Features Offered, per port	L		UEP95	UEPVC	3.40	_			<u> </u>				ļ		├──
NARS		<u> </u>	ـــــا	WEGGE	-lovesy			0.00		 			40.18	9.45		⊢—
	Unbundled Network Access Register - Combination	ļ	-	UEP95	UARCX UAR1X	0.00	0.00	0.00			 		40.18	9.45		
-	Unbundled Network Access Register - Indial Unbundled Network Access Register - Outdial	 	\vdash	UEP95 UEP95	UAROX	0.00	0.00	0.00		 	 	-	40.18	9.45		
Miccell	aneous Terminations	 	+	05190	UANUA	- 000	0.00	0.00			 		49.10	3.70		
	Trunk Side				+					 	t			<u> </u>	-	
Z-WITE	Trunk Side Trunk Side Terminations, each	 	 - 	UEP95	CEND6	12.36				 	 			 		— —
4-Wire	Digital (1.544 Megabits)		\vdash	0=100	02,500	12.00					 					
7	DS1 Circuit Terminations, each	<u> </u>	1	UEP95	M1HD1	123.65				1	<u> </u>		40.18	9 45		
	DS0 Channels Activated, each	l	T	UEP95	M1HDO	0.00	28.81						40 18	9.45		
	ice Channel Mileage - 2-Wire				1											
	Interoffice Channel Facilities Termination		г	UEP95	MIGBC	18.00										

<u> NNRÛNDFFI</u>	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhil	it: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st			Increment Charge Manual S Order vs Electroni Disc Add
						Rec	Nonrec			g Disconnect				Rates(\$)		
	Interoffice Channel mileage, per mile or fraction of mile			UEP95			First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Feature	Activations (DS0) Centrex Loops on Channelized DS1 Service			UEP95	MIGBM	0.0282			 	ļ	ļ -					
	nnel Bank Feature Activations	<u> </u>	 		 				 	 -	ļ					
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.65			 	 		ļ				
-	Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop		├ ─	UEP95	1PQW6	0 65				ļ						
	Slot			UEP95	1PQW7	0.65				1						
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -		_	OLI 33	II-GVV/	0.05			 	 	 	· · · · · · · · · · · · · · · · · · ·				
	Different Wire Center		1	UEP95	1PQWP	0.65				l				ļ		
										T				-		
	Feature Activation on D-4 Channel Bank Private Line Loop Slot		ļ	UEP95	1PQWV	0 65										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop				I						1					
	Slot Feature Activation on D-4 Channel Bank WATS Loop Slot	<u></u>		UEP95 UEP95	1PQWQ 1PQWA	0 65 0.65			 		ļ			ļ		
	curring Charges (NRC) Associated with UNE-P Centrex			UEP95	IPQWA	0.65				 						
Inchiage	NRC Conversion Currently Combined Switch-As-Is with allowed		 		+				 	 	 					-
	changes, per port		i I	UEP95	USAC2		2.77	0.40					40.18	9.45		
	New Centrex Standard Common Block		1	UEP95	MIACS	0.00	695 11	0.40					40.18	9.45		
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	695.11						40.18	9.45		
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	72.73					-	40.18	9.45		
	CENTREX - DMS100 (Valid in All States)															
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE Po	ort/Loop Combination Rates (Non-Design)				_					ļ			<u> </u>			
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		١. ١		1 .					i				,		
	Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1	UEP9D	ļ	13.03										
	Non-Design		2	UEP9D		21.33					ł					
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		-	OL: 3D	_	£1.33			 	 	 					
	Non-Design		3	UEP9D		32.61				ļ	1					
UNE Po	ort/Loop Combination Rates (Design)		<u> </u>	02.00	· · · · · · · · · · · · · · · · · · ·	52.51				 						
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		1													
	Design		1	UEP9D	1	17.25										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP9D		28.21										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_]								-			
	Design		3	UEP9D	ļ	43.09										
	oop Rate		-	UEP9D	LIESON -	10.75			 	 		l				
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1 2	UEP9D	UECS1	10 75 19 05				-						
	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	30 33				ļ						
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	14.97										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	25.93				i						
	2-Wire Voice Grade Loop (SL 2) - Zone 3			UEP9D	UECS2	40.81			 	1						
	ort Rate															
ALL ST																
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9D	UEPYA	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local										1					
	Area		 -	UEP9D	UEPYB	2.28			 	 			40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local			UEP9D	UEPYC	2,28		· ·		1			40.18	9.45		
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local			05130	UEPTU	2.28			 	 	 		70.10	5.40		
	Area		1	UEP9D	UEPYD	2.28]		Ì]	40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local		\vdash	<u></u>	152. 15	2.20				1						
	Area			UEP9D	UEPYE	2.28			1				40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local															
	Area			UEP9D	UEPYF	2.28					<u> </u>		40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local										1					
1	Area		l	UEP9D	UEPYG	2.28				<u> </u>			40.18	9.45		

O.I.DO.IIDE.	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: B
				_25.5.55							Svc Order	Svc Order	Incremental	Incremental	Incremental	
			1		l i							Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec		Manual Svc			
CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES(\$)								
		m	l .					==(+)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
	·		1		1								Electronic-	Electronic-	Electronic-	Electronic-
			1		1						1		1st	Add'!	Disc 1st	Disc Add'l
							Nonm	curring	Managarada	g Disconnect				1	L	<u>. </u>
						Rec -	First	Add'i	First			SOMAN		Rates(\$)		
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local		+				11154	Auu	Filat	Add'l	SUMEC	SUMAN	SOMAN	SOMAN	SOMAN	SOMAN
1	Area			UEP9D	UEPYT	2 28		1	ľ	1	1	1 1			ŀ	
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local			OEF 9D	UEFTI	2 28			ļ		_		40.18	9.45		1
	Area			UEP9D	UEPYU	0.00		ļ		1	1					
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local		├	UEF9D	DEPTU	2 28			_				40 18	9.45	ł	1
1	Area			UEP9D		1		1		1						1
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local			UEP9U	UEPYV	2 28							40.18	9.45		1
	Area			l	1						1					
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local			UEP9D	UEPY3	2.28					<u> </u>		40.18	9.45	ŀ	ì
	Area			ĺ		i				1						
				UEP9D	UEPYH	2.28				l.	i		40.18	9 45		1
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp		1								<u> </u>					
	Indication))3 Basic Local Area			UEP9D	UEPYW	2.28		}					40,18	9 45		1
l	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3			"												
	Basic Local Area	_		UEP9D	UEPYJ	2.28				ı			40 18	9.45		l
1	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)										· · · · · · · · · · ·					
	2 Basic Local Area			UEP9D	UEPYM	2 28			1				40 18	9.45		l
1	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3									 	+		40 10	9.45		
	Basic Local Area			UEP9D	UEPYO	2.28			1				40.18	9 45		ĺ
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3								+				40.18	9 45		
1	Basic Local Area			UEP9D	UEPYP	2,28				ļ.			40.40			1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3		-	02,00	02111	2.20							40 18	9 45		
	Basic Local Area			UEP9D	UEPYQ	2 28										ĺ
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			00, 30	OLF 1G	2 20							40 18	9.45		
	Basic Local Area			UEP9D	UEPYR	0.00			ľ	i						ĺ
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			OCLAD	UEPTH	2 28			 				40.18	9.45		
- 1	Basic Local Area			UEDOD	UEDVO I	0.00				1						ı
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPYS	2.28							40.18	9.45		
- 1	Basic Local Area	1		LIFERE												
				UEP9D	UEPY4	2.28		-					40.18	9.45		L
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3		1 !		1				ĺ	i						
	Basic Local Area			UEP9D	UEPY5	2 28							40.18	9 45		1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3				1							ì				
	Basic Local Area			UEP9D	UEPY6	2.28			l				40.18	9.45		ı
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3		!!													
	Basic Local Area			UEP9D	UEPY7	2.28					1	ı	40.18	9.45		1
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service											ŀ				
i	Term			UEP9D	UEPYZ	2.28			1			ŀ	40.18	9.45		1
	2-Wire Voice Grade Port terminated in on Megalink or equivalent								1							
	Basic Local Area			UEP9D	UEPY9	2 28			1		1		40.18	9.45		1
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic								 						_	
	Local Area	l		UEP9D	UEPY2	2.28					1 1	1	40 18	9.45		i
NC Or			\neg					*							· Winds	
	2-Wire Voice Grade Port (Centrex)		-	UEP9D	UEPUA	2,28					 		40.18	9.45		
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPUB	2.28	-		+		 		40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3		-	UEP9D	UEPUC	2.28			 		 		40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3			UEP9D	UEPUD	2.28			 							
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3								 				40.18	9 45		
-+		_	-	UEP9D	UEPUE	2.28			+				40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3		\square	UEP9D	UEPUF	2 28			 	ļ			40.18	9.45		
-	2-Wire Voice Grade Port (Centrex / EBS-M5312)3			UEP9D	UEPUG	2.28				ļ	ļ		40.18	9 45		
	2-Wire Voice Grade Port (Centrex / EBS-M5008)3		\blacksquare	UEP9D	UEPUT	2 28			ļ <u> </u>		J		40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5208)3			UEP9D	UEPUU	2.28			L		<u> </u>		40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5216)3			UEP9D	UEPUV	2 28							40.18	9 45		
	2-Wire Voice Grade Port (Centrex / EBS-M5316)3			UEP9D	UEPU3	2.28							40 18	9 45		
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPUH	2 28							40.18	9.45		$\overline{}$
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp									1						$\overline{}$
1	Indication)3		 	UEP9D	UEPUW	2 28	i			1		- 1	40.18	9.45	ļ	l .
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3			UEP9D	UEPUJ	2.28			 	 	1		40.18	9 45		
	2-Wire Voice Grade Port (Centrex/Wsg Wig Earlip Indication)			<u></u>	102, 30	2.20	-		+		+			3 73		
l	2	1	1	UEP9D	UEPUM	2.28]	l	1	I	40 18	9.45		1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3		\vdash	UEP9D	UEPUM	2.28			 	ļ	 		40 18	9.45		

UNBUNDL	ED NETWORK ELEMENTS - North Carolina												Attachi	ment: 2	Exhit	oit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'i	SOMEC	SOMAN	OSS	Rates(\$)	SOMAN	SOMAN
			\vdash						71.91	1,1357		-				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3		-	UEP9D UEP9D	UEPUP	2.28							40.18 40.18	9.45		
					ULFUQ	2.20					+		40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3	ļ	_	UEP9D	UEPUR	2.28							40.18	9 45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPUS	2 28							40 18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPU4	2.28							40.18	9 45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPU5	2.28							40.18	9 45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPU6	2.28							40 18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3	_		UEP9D	UÉPU7	2 28							40 18	9.45		
	2-Wire Voice Grade Port Centrex diller SWC /EBS-MSS 16/2, 3	 	\vdash	OEP9D	UEPU7	2 28			· · ·				40 18	9.45		
	Term		 	UEP9D	UEPUZ	2.28				<u> </u>			40.18	9.45		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPU9	2.28							40 18	9.45		
1	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPU2	2.28							40.18	9.45		
Loca	Centrex Intercom Funtionality, per port		├	UEP9D	URECS	0.903	-				 			 		
Loca	Number Portability		1	OL7 SD	OTILOG	0.505					 					-
	Local Number Portability (1 per port)		1	UEP9D	LNPCC	0.35	1.									
Feat			Ι													
	All Standard Features Offered, per port			UEP9D	UEPVF	3 40					 		10.10			
	All Select Features Offered, per port All Centrex Control Features Offered, per port		-	UEP9D UEP9D	UEPVS	0 00 3 40	457.83				-		40.18	9.45		
NAR		_	 	DEFBD	UEF VO	340										
117011	Unbundled Network Access Register - Combination		\vdash	UEP9D	UARCX	0.00	0.00	0.00					40.18	9.45		
	Unbundled Network Access Register - Inward		_	UEP9D	UAR1X	0.00	0 00	0.00					40.18	9 45		
	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0 00	0.00	0.00					40.18	9.45		
	elfaneous Terminations															
2-Wi	re Trunk Side		-		051100	12.36					·					
4 187	Trunk Side Terminations, each		-	UEP9D_	CEND6	12.36					+					
4-101	re Digital (1.544 Megabits) DS1 Circuit Terminations, each		-	UEP9D	M1HD1	123 65					 					
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	28.81				1		40.18	9.45		
													40.18	9 45		
Inter	office Channel Mileage - 2-Wire		Τ													
	Interoffice Channel Facilities Termination		1	UEP9D	MIGBC	18.00				ļ <u>.</u>	 		 	 	ļ	
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	MIGBM	0.0282			 		+					
	ure Activations (DS0) Centrex Loops on Channelized DS1 Service thannel Bank Feature Activations	же 1	-		+					 		 				
D4 C	Feature Activation on D-4 Channel Bank Centrex Loop Slot	 	+	UEP9D	1PQWS	0.65										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.65										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot -		₩-	UEP9D	1PQW7	0.65						 		 		\vdash
	Different Wire Center		_	UEP9D	1PQWP	0.65							ļ			ļ
	Feature Activation on D-4 Channel Bank Private Line Loop Slot		_	UEP9D	1PQWV	0.65	,						ļ			
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9D	1PQWQ	0.65				1						
	Feature Activation on D-4 Channel Bank WATS Loop Slot	 	_	UEP9D	1PQWQ	0.65			 		1					
Non	Recurring Charges (NRC) Associated with UNE-P Centrex	\vdash	_	02. 00		V.05										
1.1311	NRC Conversion Currently Combined Switch-As-is with allowed															
- 1	changes, per port	L		UEP9D	USAC2	L	2.77	0.40	L	<u> </u>	L	<u>l</u>	40.18	9.45		L

INBUNDLE	D NETWORK ELEMENTS - North Carolina												Attachi	ment: 2	Exhit	bit: B
ATEGORY	RATÉ ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted Manually	Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.	Electronic-	Charge - Manual Sv Order vs.
						Rec	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)		
						nec	First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	695.11				 		40 18	9.45		
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	695.11					 	40 18	9.45		
	NAR Establishment Charge, Per Occasion			ÜEP9D	URECA	0.00	72.73					 	40.18	9.45		
4-Wire	Digital (1.544 Megabits)												10.10	0.40		
Note 1	- Required Port for Centrex Control in 1AESS, SESS & EWSD										·					
	2 - Requres Interoffice Channel Mileage								 		+	 		 		
Note 3	- Requires Specific Customer Premises Equipment		_								 					
	Rates displaying an "R" in Interim column are interim and sub	ject to	rate tru	e-up as set forth i	n General Tem	ns and Condition	ns.				 	 				

INBUNDLE	ED NETWORK ELEMENTS - South Carolina												Attachi	ment: 2	Exhi	bit: B
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Increment
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Submitted Elec per LSR	Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual St Order vs Electronic Disc Add
			ļ				Nonre	curring	Nonrecurring	Disconnect	ļ <u>.</u>		088	Rates(\$)	l	<u> </u>
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
The "	Zone" shown in the sections for stand-alone loops or loops as	part of	a comi	bination refers to Ge	ographically	Deaveraged U	NE Zones. To	view Geograp	hically Deavers	ged UNE Zone	Designation	ns by Centi	al Office, refe	er to internet		
http://	/www.interconnection.bellsouth.com/become_a_clec/html/inter	connec	tion.ht	m	• • •	_			,	3	· · .	,				
PERATIONA	AL SUPPORT SYSTEMS							l						1	1	
NUIE	: (1) Electronic Service Order: CLEC should contact its contract	ct nego	tiator if	it prefers the state :	specific elect	ronic service o	ordering charg	es as ordered l	y the State Co	mmissions. T	he electroni	c service or	dering charg	e currently co	ntained in th	is rate
	it is the BellSouth regional electronic service ordering charge. : (2) Any element that can be ordered electronically will be bill															
those	elements that cannot be ordered electronically at present per t	he BBF	LO. th	e listed SOMEC rate	in this cate	ategury. Plea Tory reflects th	se reier to bei	South & Busine	to a CLEC on	ocal Ordering	(BBH-LU) to	aetermine	if a product o	can be ordere	d electronica	lly. For
orderi	ing charge, SOMAN, will be applied to a CLECs bill when it sub	mits ar	LSRt	o BellSouth.	in uno cate	gory remedia in	ie charge that	would be blile	I TO A CLEC OII	Co electronic C	ruening cap	ADIIITIOS COI	ne on-line to	r that elemen	L Otnerwise,	tne manua
	Manual Service Order Charge, per LSR, Disconnect Only (SC)				SOMAN	I	,	!	1.97					T	T	1
	Electronic OSS Charge, per LSR, submitted via BST's OSS													l		l
NE SEDVICE	Interactive Interfaces (Regional) E DATE ADVANCEMENT CHARGE		<u> </u>		SOMEC		3.50		<u></u>							
	: The Expedite charge will be maintained commensurate with	Religou	th'o EC	C No 1 Tariff Santi	D E es essii	l nable				· · · · · · · · · · · · · · · · · · ·						
	UNE Expedite Charge per Circuit or Line Assignable USOC, per	5611300	10137	70 110.1 Tallil, 300lik	n sasappii	Cable.										
	Day	l		ALL UNE	SDASP		200 00	1						1		1
	EXCHANGE ACCESS LOOP														<u> </u>	
2-WIR	E ANALOG VOICE GRADE LOOP															
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	14.94	37.92	17.62	23.56	5.32		15.69				
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	ļ	2	UEANL	UEAL2	21.39	37.92	17.62	23.56	5.32		15 69				
_	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 Loop Testing - Basic 1st Half Hour		3	UEANL UEANL	UEAL2 URET1	26.72	37.92 34.23	17.62 34 23	23.56	5.32		15 69		ļ	ļ	
	Loop Testing - Basic 1st Hall Hour			UEANL	URETA		19.90	19 90				15 69 15.69		ļ	<u> </u>	·
	CLEC to CLEC Conversion Charge Without Outside Dispatch	-		OCANE	OTIL TX		19.30	19 90				13.05		<u> </u>		
	(UVL-SL1)	l		UEANL	UREWO		15 81	8 96				15.69				
	Engineering Information Document (EI)			UEANL	UEANM		13 47	13 47								
	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		8.17	8 17								
	Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)			UEANL	OCOSL			40.40							ļ	
2-WIB	IE Unbundled COPPER LOOP			UEANL	IUCUSE	ļ	18 13	18 13						 		
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	12.94	36.40	16.10	22.66	4 42		15 69	·			
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	i		UEQ	UEQ2X	14.51	36 40		22.66	4.42		15.69				
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3			UEQ	UEQ2X	15.02	36.40	16.10	22.66	4 42		15.69			i	
	Order Coordination 2 Wire Unbundled Copper Loop - Non-															
	Designed (per loop) Engineering Information Document			UEQ UEQ	USBMC		8.17	8.17				15.69	·····	ļ	ļ	
_	Loop Testing - Basic 1st Half Hour			UEQ	URET1		13.47 34.23	13.47 34.23				15.69				
	Loop Testing - Basic Additional Half Hour		 	UEQ	URETA	-	19.90					15.69		-		
	CLEC to CLEC Conversion Charge Without Outside Dispatch								•							
	(UCL-ND)	l	<u> </u>	UEQ	UREWO		14,30	7 45				15.69				
	EXCHANGE ACCESS LOOP															
2-WIR	E ANALOG VOICE GRADE LOOP		<u> </u>													ļ
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1	l	١, ١	UEPSR UEPSB	UEALS	14 94	37.92	17.62	23.56	5.32		15.69		j	1	
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		-	UEFON UEFOD	UEALO	14 54	37.52	17.02	23.30	3.32		13.08		 		<u> </u>
- [Zone 1	1	1	UEPSR UEPSB	UEABS	14.94	37.92	17.62	23.56	5.32	1	15.69]	
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-												_			
	Zone 2		2	UEPSR UEPSB	UEALS	21.39	37.92	17 62	23.56	5 32		15.69		ļ		
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		_		l				22.52			45.00		j		
	Zone 2		2	UEPSR UEPSB	UEABS	21.39	37.92	_ 17.62	23.56	5.32	ļ	15.69		<u> </u>	 	
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3	l	3	UEPSR UEPSB	UEALS	26.72	37.92	17.62	23.56	5.32		15.69			1	1
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		1 3	OLFON VEPOD	UEALO	20.72	31.32	17.02	23.30	0.02		15.03		· · · · · · · ·		
	Zone 3	l	3	UEPSR VEPSB	UEABS	26.72	37.92	17.62	23.56	5 32	1	15 69				<u> </u>
NBUNDLED	EXCHANGE ACCESS LOOP		Ť													
	E ANALOG VOICE GRADE LOOP													ļ		
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or								••	40.00		45.55		•	I	1
	Ground Start Signaling - Zone 1		1	UEA	UEAL2	16 68	105.98	68 43	53.05	10 61	ļ <u> </u>	15,69		 	 	
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		1		l .	I	i	3	'			15 69		i	ı	1

NRONDLED	NETWORK ELEMENTS - South Carolina												Attachi	ment: 2	Exhil	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR		Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'i	incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
			L			Rec	Nonrec			Disconnect				Rates(\$)		
	Mire Apples Vers Conda Land		!				First	Addi	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ا ا	-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3		١.	1.54	115410						1					
- - 	Order Coordination for Specified Conversion Time (per LSR)		3	UEA UEA	UEAL2 OCOSL	28.46	105.98	68.43	53.05	10.61	ļ	15.69			<u> </u>	
1 2	-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		├	UEA	UCUSL		18.13				ļ					
	attery Signaling - Zone 1		Ιı	UEA	UEAR2	16.68	105.98	68.43	53.05		i	4				
	-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		 '	OLA .	UEANZ	10.08	105.98	08.43	53.05	10 61	 	15 69				ļ
В	attery Signaling - Zone 2		2	UEA	UEAR2	23.13	105.98	68.43	53.05	10 61		15 69	1			1
2-	-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		- -		027.012	20.10	100.00	00.40	33.03	- 10 61	 	15 69				
	attery Signating - Zone 3		3	UEA	UEAR2	28.46	105.98	68.43	53.05	10.61	1	15.69			i	ĺ
	order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.13			70.01	 	10.00				
	LEC to CLEC Conversion Charge without outside dispatch		I	UEA	UREWO		87.90	36 44				15 69				
	NALOG VOICE GRADE LOOP															
	-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	32.59	132.38	94 83	59.35	14 61		15 69				
	-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	43 89	132 38	94.83	59 35	14.61		15.69				
	-Wire Analog Voice Grade Loop - Zone 3		3		UEAL4	43.38	132 38	94.83	59.35	14 61		15.69				
1	order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18 13									
	LEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87 90	36.44				15.69				
			<u> </u>						L							
2	-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	25.21	117 58	80.03	53 05	10 61		15.69				
- 2-	-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	32.76	117.58	80 03	53.05	10.61		15 69				L
	-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	37.70	117 58	80.03	53 05	10.61		15.69		l		
	rder Coordination For Specified Conversion Time (per LSR) LEC to CLEC Conversion Charge without outside dispatch			UDN	OCOSL		18.13									
				UDN	UREWO		91.82	44.25				15.69				
	Iniversal Digital Channel (UDC) COMPATIBLE LOOP -Wire Universal Digital Channel (UDC) Compatible Loop - Zone										ļ					
ا ا	-wire Universal Digital Channel (UDC) Compatible Loop - Zone		1	UDC	LIDOOY	05.04	447.50				Į.				1	1
- - -	-Wire Universal Digital Channel (UDC) Compatible Loop - Zone		-1-	000	UDC2X	25.21	117.58	80 03	53.05	10.61	 	15.69				
1 2	**************************************		2	UDC	UDC2X	32.76	117.58	- 80.03	53.05	10.61	l	15 69	1		l '	[
2	-Wire Universal Digital Channel (UDC) Compatible Loop - Zone			000	UDUZA	32.70	117.50	60.03	53.05	(0.61	 =	15 69	 			
3	Time Offiversal Digital Offanire (ODO) Compatible Loop - Zone		ј з	oau	UDC2X	37.70	117.58	80.03	53.05	10.61	ŀ	15 69	1			1
l iči	LEC to CLEC Conversion Charge without outside dispatch			UDC	UREWO	37.70	91.82	44.25	33.03	10.01	 	15.69	-			···
2-WIRE A	SYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOF)	0.12110		01.0E	77.25			+	75.05	_			
	Wire Unbundled ADSL Loop including manual service inquiry			T	 						 		 			
	facility reservation - Zone 1		l 1	UAL	UAL2X	12 19	120.84	70.56	50.37	793	i	15.69	1	l		1
	Wire Unbundled ADSL Loop including manual service inquiry										 					
	facility reservation - Zone 2		2	UAL	UAL2X	13.71	120.84	70 56	50.37	7.93	1	15.69				ĺ
	Wire Unbundled ADSL Loop including manual service inquiry															
8	facility reservation - Zone 3		3	UAL.	UAL2X	14 14	120 84	70 56	50.37	793		15.69				l .
0	rder Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18 13									
2	Wire Unbundled ADSL Loop without manual service inquiry &										1			ł		
	cility reservaton - Zone 1		1_1_	UAL	UAL2W	12.19	95 81	57.82	50.37	7.93		15.69				
	Wire Unbundled ADSL Loop without manual service inquiry &										1					i
	cility reservaton - Zone 2		2	UAL	UAL2W	13.71	95 81	57.82	50.37	7.93		15.69				L
2	Wire Unbundled ADSL Loop without manual service inquiry &		Ī													i
	cility reservaton - Zone 3		3	UAL	UAL2W	14.14	95 81	57.82	50 37	7.93		15.69				
	rder Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.13									L
	LEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.38	40.48				15.69				
	IIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE I	LOOP								<u> </u>					
	Wire Unbundled HDSL Loop including manual service inquiry			l	1			_			Į.	,		l		1
	facility reservation - Zone 1		1	UHL	UHL2X	9.58	129.52	79.24	50.37	7.93	 	15.69				
	Wire Unbundled HDSL Loop including manual service inquiry		_	l		l	,				1			1		1
	facility reservation - Zone 2		2	UHL	UHL2X	10.92	129.52	79.24	50 37	7.93	ļ	15.69				
	Wire Unbundled HDSL Loop including manual service inquiry		l .	l	1	 					1			1		ĺ
	facility reservation - Zone 3		3	UHL	UHL2X	11.40	129.52	79.24	50.37	7.93		15.69		ļ		⊢—
	rder Coordination for Specified Conversion Time (per LSR)		ļ	UHL	OCOSL		18.13				 					1
	Wire Unbundled HDSL Loop without manual service inquiry			l	1						1		l			1
	nd facility reservation - Zone 1		1	UHL	UHL2W	9.58	104.49	66.50	50.37	7.93		15.69				
	Wire Unbundled HDSL Loop without manual service inquiry		1	l							1		i i	1		ĺ
I İan	nd facility reservation - Zone 2		1 2	UHL	UHL2W	10.92	104.49	66.50	50 37	7.93	l	15.69	l	l	l	(

UNBUNDL	ED NETWORK ELEMENTS - South Carolina									-			Attach	ment: 2	Evhi	bit: B
			Τ		7						Suc Order	Suo Order	Incremental			
		1			1							Submitted				
		١			1								Charge -	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)			Elec	Manually	Manual Svc	Manual Svc		
OA! EGO!!!	NATE ELEMENTS	m	Zone	DC3	USUC			RA I ES(3)			per LSR	perLSR	Order vs.	Order vs.	Order vs.	Order vs.
					1								Electronic-	Electronic-	Electronic-	Electronic-
			1		1						l		1st	Add'l	Disc 1st	Disc Add'I
			L											7444		Disc Add I
			<u> </u>			Rec	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)		
			<u> </u>			noc	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2 Wire Unbundled HDSL Loop without manual service inquiry								-							
	and facility reservation - Zone 3		3	UHL	UHL2W	11.40	104.49	66.50	50.37	7.93		15.69			1	
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL	- ,,,,,,,	18 13		30.01	7,00		10.03				
	CLEC to CLEC Conversion Charge without outside dispatch		 -	UHL	UREWO		86.32	40.48			-	15.69		· · · · · · · · · · · · · · · · · · ·		
4-WI	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	COP	0.12	UNETTO		00.32	40,46				15.09				
	4 Wire Unbundled HDSL Loop including manual service inquiry	T	LOOF		 											
1	and facility reservation - Zone 1		1	l Iuhl											l	ł
			1-	UHL	UHL4X	16.02	158.18	107.89	55.12	10.38		15 69				
	4-Wire Unbundled HDSL Loop including manual service inquiry		1						1	[i					
	and facility reservation - Zone 2		2	UHL	UHL4X	14.33	158.18	107.89	55.12	10.38		15 69				
I	4-Wire Unbundled HDSL Loop including manual service inquiry		1											l		T
L_	and facility reservation - Zone 3		3	UHL	UHL4X	16 84	158.18	107.89	55.12	10 38	I	15 69		l	1	I
	Order Coordination for Specified Conversion Time (per LSR)		1	UHL	OCOSL	1	18.13			1	i					i e
	4-Wire Unbundled HDSL Loop without manual service inquiry		T —		1						 		-			
ı	and facility reservation - Zone 1	l	۱ ،	UHL	UHŁ4W	16.02	133 14	95 16	55.12	10 38	1	15.69]	1	I
	4-Wire Unbundled HDSL Loop without manual service inquiry		-	5. IL	0110444	10.02	133 14	90 10	55.12	10 38		15.69		 -	 	
1	and facility reservation - Zone 2		١.,		1						i	i				l
			2	UHL	UHL4W	14.33	133 14	95.16	55.12	10 38		15.69				
1	4-Wire Unbundled HDSL Loop without manual service inquiry		l		1										ı	l
	and facility reservation - Zone 3		3	UHL	UHL4W	16.84	133 14	95.16	55.12	10.38		15.69				i
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18 13				i					
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86 32	40.48				15.69				
4-W1	RE DS1 DIGITAL LOOP															
	4-Wire DS1 Digital Loop - Zone 1	 	1	USL.	USLXX	79.51	253 03	157.89	44.80	11.73		15.69				-
	4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	136.00	253.03	157.89	44,80	11,73	<u> </u>	15.69				
	4-Wire DS1 Digital Loop - Zone 3			USL	USLXX	229.15	253.03	157.89	44.80	11.73	 	15.69				
	Order Coordination for Specified Conversion Time (per LSR)	-	-	USL		229.15		157.69	44.60	11 /3	 	15.09				· · · · · · · · · · · · · · · · · · ·
					OCOSL		18 13			L	ļ					
	CLEC to CLEC Conversion Charge without outside dispatch		!	USL	UREWO		101 30	43.13				15.69				
4-WI	RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP		<u> </u>								L					
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	29.93	126.66	89.12	59.35	14 61		15 69				
	4 Wire Unbundled Digital 19 2 Kbps		2	UDL	UDL19	33.99	126.66	89.12	59 35	14 61		15 69				
	4 Wire Unbundled Digital 19 2 Kbps	$\overline{}$	3	UDL	UDL19	34.74	126 66	89.12	59.35	14.61	i	15 69			ĺ	i
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	_	$\overline{}$	UDL	UDL56	29.93	126 66	89.12	59 35	14,61		15 69			-	
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	33.99	126 66	89.12	59,35	14.61		15 69				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	-		UDL	UDL56	34.74	126 66	89.12	59.35	14.61	 	15 69				
	Order Coordination for Specified Conversion Time (per LSR)	_	-	UDL	OCOSL	54.74	18.13	05.12	39.33	14.01		13 08				
			<u> </u>			00.00		00.40	50.05	1404	<u> </u>	45.00				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1			UDL	UDL64	29.93	126 66	89.12	59 35	14 61	 	15.69		ļ		ļ
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	L		UDL	UDL64	33.99	126 66	89.12	59 35	14.61	<u> </u>	15 69				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	L	3	UDL	UDL64	34.74	126 66	89 12	59 35	14.61		15 69				
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18 13									
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.34	49.85				15.69				
2-WI	RE Unbundled COPPER LOOP		T	·							l					
	2-Wire Unbundled Copper Loop/Short Including manual service		 								——					
- 1	inquiry & facility reservation - Zone 1	I	1	UCL	UCLPB	12.19	119.91	69.62	50.37	7.93	I	15.69				l
			+	UUL	OOLI'B	14.18	113.51	09.02	30.31	7.93		13.03			 	
- 1	2-Wire Unbundled Copper Loop/Short including manual service	l	١			ا ا	440.01			7.00	I	1		l		l
	inquiry & facility reservation - Zone 2	ļ	2	UCL	UCLPB	13.71	119.91	69.62	50.37	7.93	<u> </u>	15.69			ļ	
- 1	2 Wire Unbundled Copper Loop/Short including manual service	1	1								I			l		l
	inquiry & facility reservation - Zone 3		3	UCL	UCLPB	14.14	119.91	69.62	50 37	7.93	L	15.69				L
1	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.17	8.17								
	2-Wire Unbundled Copper Loop/Short without manual service				1											
ı	inquiry and facility reservation - Zone 1	l	1 1	UCL	UCLPW	12.19	94,87	56.89	50.37	7.93	I	15.69			I	l
	2-Wire Unbundled Copper Loop/Short without manual service	 			1				35.57							i
ı	inquiry and facility reservation - Zone 2		2	UCL	UCLPW	13.71	94.87	56.89	50.37	7.93	l	15.69			I	1
		 	 -	UUL	OOLP W	13./1	34.0/	50.09	50.37	7.83		13.03			 	
ŀ	2-Wire Unbundled Copper Loop/Short without manual service	1	ا ۽ ا			! i					l	اممدرا			I	I
	inquiry and facility reservation - Zone 3	<u> </u>	3	UCL	UCLPW	14.14	94.87	56.89	50.37	7.93	ļ	15.69			L	ļ
	Order Coordination for Unbundled Copper Loops (per loop)			UÇL	UCLMC		8.17	8.17			ļ					
1	2-Wire Unbundled Copper Loop/Long - Includes manual srvc.	l									1					
ŀ	inquiry and facility reservation - Zone 1	l	1	UCL	UCL2L	38.22	119.91	69.62	50.37	7.93	I	15.69			l	L
	2-Wire Unbundled Copper Loop/Long - includes manual svc.	\vdash	-		1											
	inquiry and facility reservation - Zone 2	ı	2	UCL	UCL2L	55.33	119.91	69.62	50.37	7.93		15.69		1	1	ı

ONDONDEL	D NETWORK ELEMENTS - South Carolina													ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svo Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sy Order vs Electronic Disc Add
]	Rec	Nonrec First			Disconnect	COLLEG	554444		Rates(\$)		
	2-Wire Unbundled Copper Loop/Long - Includes manual svc.	_	-				FIFST	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
- 1	inquiry and facility reservation - Zone 3	l	3	UCL	UCL2L	67.95	119 91	69 62	50.37	7.93		15.69		ļ		
	Order Coordination for Unbundled Copper Loops (per loop)		╁	UCL	UCLMC	07.83	8.17	8 17	50.57		ļ	15.69	 	 		
	2-Wire Unbundled Copper Loop/Long - without manual service	_			COLINO	_	0.17				 			· · · · · · · · · · · · · · · · · · ·	 	
	Inquiry and facility reservation - Zone 1		1	UCL	UCL2W	38 22	94 87	56 89	50 37	7 93		15 69			1	
	2-Wire Unbundled Copper Loop/Long - without manual service										i		-			
	inquiry and facility reservation - Zone 2		2	UCL	UCL2W	55.33	94 87	56.89	50 37	7.93		15.69			1	ļ
	2-Wire Unbundled Copper Loop/Long - without manual service															
	Inquiry and facility reservation - Zone 3		3	UCL	UCL2W	67.95	94.87	56 89	50 37	7.93		15.69				
	Order Coordination for Unbundled Copper Loops (per loop)		 	UCL	UCLMC		8.17	8.17	ļ		ļ					
ľ	CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)	1		UCL	LIDENIO						1				i	1
A-WIR	É COPPER LOOP	ļ	 	IOCL	UREWO		94.87	42.57	<u> </u>			15 69				
7 7710	4-Wire Copper Loop/Short - including manual service inquiry	<u> </u>	 		 			-	 			-		 		
1	and facility reservation - Zone 1	l	1	UCL	UCL4S	19 64	144,17	93.88	55.12	10.38		15.69				
	4-Wire Copper Loop/Short - including manual service inquiry				1002.0		7,4,17	50.00	55.12	10.00	 	10.00			 	
1	and facility reservation - Zone 2	i	2	lucL	UCL4S	20.90	144 17	93.88	55.12	10.38	1	15.69				
	4-Wire Copper Loop/Short - including manual service inquiry		1								<u> </u>		•		<u> </u>	
	and facility reservation - Zone 3	ł	3	UCL	UCL4S	19.34	144.17	93.88	55.12	10.38	ł	15.69				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.17	8.17								
	4-Wire Copper Loop/Short - without manual service inquiry and															
	facility reservation - Zone 1		1	UCL	UCL4W	19 64	119.13	81 15	55.12	10 38	<u> </u>	15.69				Į
	4-Wire Copper Loop/Short - without manual service inquiry and	i	!	}												1
	facility reservation - Zone 2		2	UCL	UCL4W	20.90	119.13	81.15	55.12	10 38	ļ	15.69				Ļ
	4-Wire Copper Loop/Short - without manual service inquiry and	l	١.				440.40			40.00		4 7 00			ľ	1
	facility reservation - Zone 3		3	UCL	UCL4W UCLMC	19.34	119.13	81 15 8.17	55.12	10.38	 	15 69				
	Order Coordination for Unbundled Copper Loops (per loop) 4-Wire Unbundled Copper Loop/Long - Includes manual svc		<u> </u>	IUCL	UÇLMC		8.17	8.17							 	
	inquiry and facility reservation - Zone 1		١,	UCL	UCL4L	77.29	144.17	93 88	55.12	10.38		15 69				ł
	4-Wire Unbundled Copper Loop/Long - includes manual svc.		 '-	1000	000-	11.20	144,17	33 00	33.1E	10.50	 -	15 05		 	 -	
	inquiry and facility reservation - Zone 2		2	UCL	UCL4L	118.78	144,17	93.88	55.12	10.38		15.69				
	4-Wire Unbundled Copper Loop/Long - includes manual svc.		 													—
l l	inquiry and facility reservation - Zone 3		3	UCL	UCL4L	144.10	144.17	93.88	55.12	10.38		15.69		1		1
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.17	8.17								
	4-Wire Unbundled Copper Loop/Long - without manual svc.															
	inquiry and facility reservation - Zone 1		1	UCL	UCL4O	77.29	119.44	81.45	55.12	10.38		15 69			ļ	1
	4-Wire Unbundled Copper Loop/Long - without manual svc.		١.	l	l							4=00				-
	inquiry and facility reservation - Zone 2		2	UCL	UCL4O	118.78	119.44	81.45	55.12	10.38		15.69				
	4-Wire Unbundled Copper Loop/Long - without manual svc.		١.	luci	1		440.44	81.45	55.12	10.38	1	15.69				İ
	inquiry and facility reservation - Zone 3		3	UCL	UCL4O UCLMC	144.10	119 44 8.17	81.45	55.12	10.38	 	15.69		 		
	Order Coordination for Unbundled Copper Loops (per loop) CLEC to CLEC Conversion Charge without outside dispatch	.	-	UCL .	UCLMC		0.17	0.17							 	
	(UCL-Des)	1		UCL	UREWO		94.87	42.57				15.69				
LOOP MODIFI		-	 	UCL	DREVIO		34.07	72.01			 	10.00				
LOOP MODIFI	CATION		-	UAL, UHL, UCL,							 				<u> </u>	
ı				UEQ, ULS, UEA,							İ					1
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UDL, UDC,	1											
	pair less than or equal to 18k ft	l	1	UDN, UDL, USL	ULM2L		32 46	32.46	i		i	15.69		i		1
	Unbundled Loop Modification, Removal of Load Coils - 2 wire		 													
ı	greater than 18k ft		1	UCL, ULS, UEQ	ULM2G		170.89	170.89				15.69				
	Unbundled Loop Modification Removal of Load Coils - 4 Wire	F														
	less than or equal to 18K ft		<u>L</u> .	UHL, UCL	ULM4L		32 46	32.46				15.69			<u> </u>	
	Unbundled Loop Modification Removal of Load Coils - 4 Wire										1				1	
	pair greater than 18k ft			UCL	ULM4G		170.89	170.89				15.69				
			1	UAL, UHL, UCL,					l						1	1
		l	1	UEQ, UEF, ULS,					[1	1
ĺ	L.,	ł	1	UEA, UEANL, UDL,					l						1	1
	Unbundled Loop Modification Removal of Bridged Tap Removal,	ı	1	UDC, UDN, UDL,	1				l .	I		I	ı	1	1	1

UNB	UNDLE	D NETWORK ELEMENTS - South Carolina												Attachi	nent; 2	Exhi	bit; B
	GORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge -	Incrementa Charge -
	+			├─			Rec	Nonrec First	arring Add'l	Nonrecurring First	Disconnect Add'l	COLLEG	SOMAN		Rates(\$)		
SUB-I	LOOPS							First	AGG 1	FIISI	Addi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Le	pop Distribution		$\overline{}$													ļ
		Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-		-								-					
		Up	- 1	l	UEANL	USBSA	l i	241 42	241.42				15 69				Į.
				1									- 10 00				
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	L_	<u> </u>	UEANL	USBSB		22 69	22.69				15.69				1
l		Sub-Loop - Per Building Equipment Room - CLEC Feeder															† — — — — — — — — — — — — — — — — — — —
<u> </u>		Facility Set-Up			UEANL	USBSC		177 84	177 84				15.69				
		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	١.	•	115.44.11												
	+	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	<u> </u>		UEANL	USBSD		55.58	55 58				15.69				
l		IZone 1		1	UEANL	USBN2	8.87	65.94	31.03	45.35	6.71	i					
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	-	- '-	ULANL	USBINZ	0.07	65,94	31.03	45.35	6.71		15.69				<u> </u>
		Zone 2	1	2	UEANL	USBN2	12.58	65.94	31.03	45.35	6.71		15 69				i
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -				100000	72.00	- 00.01	01.00	40.00	0.71		13 03				
		Zone 3	- 1	3	UEANL	USBN2	14.79	65.94	31.03	45.35	6.71		15 69				l
							-	-									
L		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8 17	8.17								l
	1	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
<u> </u>	+	Zone 1		1	UEANL	USBN4	14.11	79 21	44.29	49.82	9 09		15.69				
	1	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -											-				
	+	Zone 2		2	UEANL	USBN4	19.40	79.21	44.29	49.82	9.09		15 69				
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	18.90	70.04				1					
		2016 3			DEANL	USBN4	18.90	79.21	44.29	49.82	9.09		15.69				ļ
İ		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.17	8 17								
-		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	1		UEANL	USBR2	2.41	53.13	18 21	45.35	6.71		15.69				
						1							19,55				
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair		ļ	UEANL	USBMC		8 17	8 17								1
		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	Ī		UEANL	USBR4	5 36	59.38	24.47	49.82	9.09		15.69				
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair		L	UEANL	USBMC		8.17	8 17								
-	 	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	<u> </u>		UEF	UCS2X	7.11	65.94	31 03	45.35	6 71		15 69				
	+	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	- 		UEF	UCS2X	9.83	65 94	31.03	45 35	6 71		15 69	-			
\vdash		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	<u>'</u>	-3	UEF	UCS2X	10 48	65.94	31.03	45.35	6.71		15 69				
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair		1	UEF	USBMC		8 17	8 17					-			l
	+	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	7 85	79 21	44.29	49 82	9 09		15 69				
	+	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	÷		UEF	UCS4X	14.17	79 21	44 29	49.82	9 09		15.69				
	\top	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	- i		UEF	UÇS4X	12.64	79 21	44.29	49.82	9.09		15.69				<u> </u>
	1								•								
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair		L_	UEF	USBMC		8 17	8.17								
	Unbun	dled Sub-Loop Modification															
l	1	Unbundled Sub-Loop Modification - 2-W Copper Dist Load					-										1
L	+	Coil/Equip Removal per 2-W PR			UEF	ULM2X		176 17	5.11	····			15.69				└
	1	Unbundled Sub-loop Modification - 4-W Copper Dist Load		ĺ	UEF		 	,-, ,-					4500	-			1
	+	Cosl/Equip Removal per 4-W PR Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged		\vdash	JUEF I	ULM4X		176.17	5.11			<u> </u>	15.69	-			
	1	Tap Removal, per PR unloaded			UEF	ULM4T	ļ .	278.82	6.13				15.69				1
<u> </u>	Uphus	dled Network Terminating Wire (UNTW)			JUL!	OLIVIP1		210.02	- 0.13				13.03			-	—
	10,10011	Unbundled Network Terminating Wire (UNTW) per Pair		 	UENTW	UENPP	0.3303	30.20	30 20			l	15 69				
	Networ	k Interface Device (NID)		\vdash		· · ·	3.0000	00.20	30 20			h					
		Network Interface Device (NID) - 1-2 lines			UENTW	UND12		43.68	28 79				15.69				
		Network Interface Device (NID) - 1-6 lines			UENTW	UND16		64.42	49.53				15 69				
		Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		5 92	5 92				15 69				
		Network Interface Device Cross Connect - 4W			UENTW	UNDC4		5.92	5.92				15 69				L
SUB-L	OOPS																
	Sub-Lo	op Feeder															1

UNDUNDE	D NETWORK ELEMENTS - South Carolina						~							ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	H BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual St Order vs Electronic Disc Add
						Rec	Nonrec		Nonrecurring	Disconnect				Rates(\$)		
			l		· ·	r oc	First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1 1	USL-Feeder, DS0 Set-up per Cross Box location - CLEC		Į.	UEA,					I			1	1		1	[
	Distribution Facility set-up			UDN,UCL,UDL,UDC	USBFW		241.42					15 69			1	
	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair		T	UEA,												
L	set-up		L.	UDN,UCL,UDL,UDC			22.69	22.69				15.69			i	
	USL Feeder DS1 Set-up at DSX location, per DS1 terminatron			USL	USBFZ		523.87	11.34				15.69				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice		1						ľ		1	l				ŀ
	Grade - Zone 1		1_1_	UEA	USBFA	8 93	93.28	56 69	54.68	13 74	1	15.69			<u> </u>	
F	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice		1	·					ļ		1					
	Grade - Zone 2		2	UEA	USBFA	11.74	93 28	56.69	54 68	13.74		15.69				
	Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start,		Ι.	i							i					
ļ <u> </u>	Voice Grade - Zone 3		3	UEA	USBFA	14.74	93.28	56.69	54.68	13.74		15.69				<u> </u>
	Order Coordination for Specified Conversion Time, per LSR			UEA	OCOSL		18.13									ļ
ł I	Unbundlde Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice		١.,								1		İ	1		
 	Grade - Zone 1		1	UEA	USBFB	8.93	93.28	56.69	54.68	13.74		15 69				4
	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice		2		LIGATA					40.54	1	45.00		i		
	Grade - Zone 2		12	UEA	USBFB	11.74	93.28	56 69	54.68	13.74		15 69				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice		3	luca.	HODER		00.00	56.60	54.00	40.74	1	45.60				İ
	Grade - Zone 3		1 3	UEA	USBFB OCOSL	14 74	93 28 18.13	56 69	54 68	13.74	ļ	15.69				
 	Order Coordination for Specified Time Conversion, per LSR		 	IUEA	OCOSE		18.13				 	 			 	├ ──
!	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 1		l ,	UEA	USBFC	8.93	93.28	56.69	54.68	13.74		15.69			1	l
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,	-	+ +	UEA	USBFC	8.93	93.28	20.09	54.68	13.74		15.09			1	
1 1	Voice Grade - Zone 2		2	UEA	USBFC	11.74	93.28	56.69	54.68	13.74	l .	15.69				
			1-2-	UEA	USBFC	11.74	93.20	20.09	54.05	13.74		15.69				
1 1	Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse		3	UEA	USBFC	14.74	93.28	56 69	54.68	13.74	i	15 69				1
 	Battery, Voice Grade - Zone 3		1 3	UEA	OCOSL	14./4	18.13	20 09	54.00	13.74		13 69				<u> </u>
	Order Coordination For Specified Conversion Time, per LSR Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice			UEA	OCOSL		10.13					 				
l l	Grade - Zone 1		1	UEA	USBFD	21.63	107.91	- 70.36	62.26	17,52	l	15.69				1
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice		 	UEA	USBFD.	21.00	107.91	70.30	02,20	17,52	 	13.03			 	\vdash
l I	Grade - Zone 2		2	UEA	USBFD	27.57	107 91	70.36	62 26	17.52	1	15.69				1
h	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice	<u> </u>	+-	UEA	USBFD	21.51	107 91	70.30	02 20	17.52	 	13.03			 	
1 1	Grade - Zone 3		3	UEA	USBFD	26.04	107.91	70.36	62.26	17.52		15.69				
 	Order Coordination For Specified Conversion Time, Per LSR		13	UEA	OCOSL	20.04	18.13	70.30	02.20	17.52	 	13.00			 	
 	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice		₩-	UEA	OGOSE		10.10					-			 	
1 1	Grade - Zone 1		1	UEA	USBFE	21.63	107.91	70.36	62 26	17.52		15.69				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice	 -	 '	UEA	USBEE	21.00	107.91	70.00	02.20	17,02	 	10.00				
1 1	Grade - Zone 2	1	2	UEA	USBFE	27.57	107.91	70.36	62 26	17.52		15.69				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice	 	 - -	UEA	OSBITE	21.51	107.51	70.00	02.20	17.02	 	10.00				
	Grade - Zone 3	İ	3	UEA	USBFE	26.04	107.91	70.36	62 26	17 52	1	15.69		ļ		
	Order Coordination For Specified Conversion Time, Per LSR	<u> </u>	+	UEA	OCOSL	20.04	18 13	70.00			l				·	
\vdash	Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1	 	1 7	UDN	USBFF	17.05	106 47	68.92	55 81	13.37		15.69				T
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2			UDN	USBFF	20.92	106 47	68.92	55 81	13.37		15.69		-	1	
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3	 		UDN	USBFF	23.49	106 47	68.92	55.81	13.37		15.69				
 	Order Coordination For Specified Conversion Time, Per LSR	<u> </u>	+ -	UDN	OCOSL	20.70	18 13	00.02			†			i		
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		1 1	UDC	USBFS	17.05	106.47	68.92	55.81	13.37	†	15.69				1
 	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)	 		UDC	USBFS	20.92	106 47	68.92		13.37	1	15.69	·			
\vdash	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)	_		UDC	USBFS	23.49	106 47	68.92		13.37	1	15.69				
 	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1	 	1	USL	USBFG	55 85	102.19	64.64		17.52		15.69	l		I	
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2			USL	USBFG	109 16	102.19	64.64	62.26	17 52		15.69				
 	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3		3	USL	USBFG	203.35	102.19	64.64	62.26	17.52		15.69				
	Order Coordination For Specified Conversion Time, Per LSR		+ -	USL	OCOSL		18 13									
 	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1		1	UCL	USBFH	5.98	83.97	46.42	53.14	10.69		15.69				
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone		+ :											Ī		
i I	2	l	1 2	UCL	USBFH	4.80	83.97	46.42	53.14	10.69	L	15.69	l	<u> </u>		
 	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone		╁			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,										
1	3	[3	UCŁ	USBFH	4.59	83.97	46.42	53.14	10.69		15.69	L		<u> </u>	
	Order Coordination For Specified Conversion Time, per LSR	-	1 ×	UCL	OCOSL		18.13				1					
 	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1	 	1	UCL	USBFJ	13.21	101.22	63.67	58.03	13.29	T	15.69				
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2		2	UCL	USBFJ	8.28	101.22	63.67		13.29		15.69				

UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attachi	ment: 2	Exhil	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(S)				Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'i
						Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates(\$)	l	-
							First	Addʻl	First	Addʻl	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3		3	UCL	USBFJ	8.42	101.22	63.67	58.03	13.29		15.69				<u> </u>
	Order Coordination For Specified Conversion Time, per LSR Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop			UCL	OCOSL		18 13									
	Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop		2	UDL	USBFN	21 02 21.30	102.19	64 64	62.26	17.52		15.69		· · · · · · · · · · · · · · · · · · ·		
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		3		USBFN	20.17	102 19 102.19	64 64 64.64	62.26 62.26	17 52 17 52	-	15.69 15.69	ļ <u> </u>			
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 1		1	UDL	USBFO	21.02	102.19	64 64	62 26	17.52		15.69				
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 2		2	UDL	USBFO	21 30	102.19	64.64	62.26	17 52		15.69				
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -															
	Zone 3 Order Coordination For Specified Time Conversion, per LSR		3	UDL UDL	USBFO OCOSL	20.17	102 19 18 13	64.64	62 26	17 52		15 69		-	 	ļ
 	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -		 	000	JUUGE	 	10 13		 		 	 			 	-
	Zone 1 Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -		1	UDL	USBFP	21.02	102 19	64.64	62 26	17.52		15.69				
	Zone 2 Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -		2	UDL	USBFP	21.30	102.19	64.64	62.26	17.52		15.69				
	Zone 3		3	UDL	USBFP	20.17	102.19	64.64	62 26	17.52		15.69				ļ
	Order Coordination For Specified Conversion Time, per LSR		—	UDL	OCOSL	L	18.13									<u> </u>
SUB-LOOPS	oop Feeder		<u> </u>		<u> </u>											ļ
Sub-L	Sub Loop Feeder - DS3 - Per Mile Per Month			UE3	1L5SL	20 44							ļ	-		- -
	Sub Loop Feeder - DS3 - Facility Termination Per Month		+	UE3	USBF1	348.12	3,392.00	407.90	160.83	91 17		15.69		 		
	Sub Loop Feeder – STS-1 – Per Mile Per Month	l-i-	 	UDLSX	1L5SL	20 44	0,00E.00	401.00	100.00			70.00	l			
	Sub Loop Feeder - STS-1 - Facility Termination Per Month	Ť	1	UDLSX	USBF7	369.07	3,392.00	407.90	160.83	91.17		15 69	·	·		
	Sub Loop Feeder - OC-3 - Per Mile Per Month	\neg		UDLO3	1L5SL	15 51										
	Sub Loop Feeder - OC-3 - Facility Termination Protection Per Month	ı		UDLO3	USBF5	56.04										
	Sub Loop Feeder - OC-3 - Facility Termination Per Month			UDLO3	USBF2	565.50	3,392.00	407.90	160.83	91.17		15.69				ļ
	Sub Loop Feeder - OC-12 - Per Mile Per Month		<u> </u>	UDL12	1L5SL	19.08							<u> </u>			
	Sub Loop Feeder - OC-12 - Facility Termination Protection Per Month		1	UDL12	USBF6	669.82									-	1
	Sub Loop Feeder - OC-12 - Facility Termination Per Month			UDL12	USBF3	1.840.00	3,392.00	407.90	160 83	91.17		15.69				
	Sub Loop Feeder - OC-48 - Per Mile Per Month	1	 	UDL48	1L5SL	62.60										
	Sub Loop Feeder - OC-48 - Facility Termination Protection Per															
	Month	<u> </u>	<u> </u>	UDL48	USBF9	326.16	0.570.00	407.90	160.83	91,17	 	15.69	ļ	 		
	Sub Loop Feeder - OC-48 - Facility Termination Per Month	+	 	UDL48 UDL48	USBF4 USBF8	1,560.00 366.86	3,578 00 789.85	407.90		91.17		15.69				
IIMBUNDI ED	Sub Loop Feeder - OC-12 Interface On OC-48		 	UDL46	USBF8	300 00	709.00	407.50	100.00	31.17		10.00				
DIVEDINDLED	Unbundled Loop Concentration - System A (TR008)	\vdash	+	ULC	UCT8A	318.73	326.13	326.13	1			15.69	·			
	Unbundled Loop Concentration - System B (TR008)	 	1 -	ULC	UCT8B	46.69	135.89	135.89			L	15.69				
	Unbundled Loop Concentration - System A (TR303)	· · · · · ·	1	ULC	UCT3A	351.78	326.13	326.13				15.69				
	Unbundled Loop Concentration - System B (TR303)			ULC	UCT3B	78.67	135.89	135.89				15.69		ļ		ļ
	Unbundled Loop Concentration - DS1 Loop Interface Card			ULC	UCTCO	4.42	63.43	46.18	16.83	4.71		15.69	ļ		L	ļ
	Unbundled Loop Concentration - ISDN Loop Interface (Brite Card)			UDN	ULCC1	7.02	10.56	10.50	5.41	5.37		15.69	-			
	Unbundled Loop Concentration - UDC Loop Interface (Brite Card)			UDC	ULCCU	7.02	10.56	10.50	5.41	5.37		15.69	·			
	Unbundled Loop Concentration2 Wire Voice-Loop Start or Ground Start Loop Interface (POTS Card)			UEA	ULCC2	1.75	10.56	- 10.50	5.41	5.37		15.69				
	Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery Loop Interface (SPOTS Card)			UEA	ULCCR	10.42	10.56	10.50	5.41	5.37		15.69				<u> </u>
	Unbundled Loop Concentration - 4 Wire Voice Loop Interface (Specials Card)			UEA	ULCC4	6.22	10.56	10.50	5.41	5.37		15.69				
	Unbundled Loop Concentration - TEST CIRCUIT Card			ULC	UCTTC	30.38	10.56	10.50	5.41	5.37		15.69				<u> </u>
	Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop Interface			UDL	ULCC7	9.21	10.56	10.50	5 41	5 37		15.69				
	Unbundled Loop Concentration - Digital 56 Kbps Data Loop Interface			UDL	ULCC5	9.21	10.56	10.50	5.41	5 37		15.69				

UNDUNDE	ED NETWORK ELEMENTS - South Carolina												Attach	ment; 2	Exhil	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
	 		 			Rec	Nonrec			Disconnect	L			Rates(\$)		
	Unbundled Loop Concentration - Digital 64 Kbps Data Loop	<u> </u>	├				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1	Interface		ŀ	UDL	ULCC6	9.21	10.56	10.50	5.41	5.37	i	4			i	1
UNE OTHER.	PROVISIONING ONLY - NO RATE	_	 	002	02000	9.21	10.56	10.50	5.41	5.37	<u> </u>	15.69				
	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00		 	ļ		<u> </u>		<u> </u>	_	
	UNTW Circuit Id Establishment, Provisioning Only - No Rate		 	UENTW	UENCE	0.00	0.00				 					
			1 -	UEANLUEF.UEQ.U			0.00				 				 	
_	Unbundled Contract Name, Provisioning Only - No Rate	l	į .	ENTW	UNECN	0 00	0 00]			i	ŀ	
UNE OTHER,	PROVISIONING ONLY - NO RATE												 			
	Unbundled Contact Name, Provisioning Only - no rate Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no			UAL,UCL,UDC,UDL, UDN,UEA,UHL,ULC	UNECN	0 00	0.00									
	rate			UEA,UDN,UCL,UDC	USBFQ	0 00	0.00		}							
1	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no														1	
	rate		ļ	UEA,USL,UCL,UDL	USBFR	0.00	0.00									1.
	Unbundled DS1 Loop - Superframe Format Option - no rate		ļ	USL	CCOSF	0.00	0.00									
	Unbundled DS1 Loop - Expanded Superframe Format option - no rate		l .											i		
HIGH CARACI	ITY UNBUNDLED LOCAL LOOP			UŞL	CCOEF	000	0.00									ļ
HIGH CAPACI	High Capacity Unbundled Local Loop - DS3 - Per Mile per		_											ļ		L
	month High Capacity Unbundled Local Loop - DS3 - Facility			UE3	1L5ND	12.26										
	Termination per month			UE3	UE3PX	306.36	452.52	264.53	119.75	83.77		15.69				
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	12 26						15.69				
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			LIBLAY										į.	l	1
LOOP MAKE-				UDLSX	UDLS1	313.49	452.52	264.53	119.75	83.77		15.69			ļ	├
LOOF MAKE	Loop Makeup - Preordering Without Reservation, per working or spare facility guened (Manual)			UMK	UMKLW		24.04	24.04				!				
	Loop Makeup - Preordening With Reservation, per spare facility		-	UMK	OMINE		24.04	24.04			 					
	queried (Manual). [Loop MakeupWith or Without Reservation, per working or			UMK	UMKLP		25.49	25.49								
	spare facility queried (Mechanized)			имк	PSUMK		0.34	0.34								
	ENCY SPECTRUM					•						.,				
	SHARING															
SPLII	TERS-CENTRAL OFFICE BASED		_	ULS	ULSDA	216 22	189.21	0 00	178.38	0 00	 	15.69		ļ	 	
	Line Shanng Splitter, per System 96 Line Capacity Line Shanng Splitter, per System 24 Line Capacity		_	ULS	ULSDB	54 05	189.21	0.00	178.38	0.00		15.69				
\rightarrow	Line Sharing Splitter, Per System 24 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity	1	-	ULS	ULSDB ULSD8	18.02	189,21	0.00	178.38	0.00		15.69				
-	Line Sharing Splitter, Fer System, & Cine Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activator-		\vdash	0.3	ULSU6	10.02	109.21	0.00	170.30	0.00		15.05				
	deactivation (per LSOD)		1	ULS	ULSDĞ		86.67	0.00	49.95	0.00		15.69		l	i	i
ENDI	JSER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY	SPEC	TRUM		02000		50.01	0.00	45.55	0.00		10.00				
	Line Sharing - per Line Activation (BST owned Splitter)				ULSDC	0.61	18.55	10.62	10.04	4.93		15.69		l	i	
	Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter)			ULS	ULSDS		16.42	8 21				15.69				
	Line Sharing - per Subsequent Activity per Line Rearrangement(DLEC Owned Splitter)			ULS	ULSCS	-	16.42	8 21				15 69				
	Line Sharing - per Line Activation (DLEC owned Splitter)			ULS	ULSCC	0.61	47.44	19.31	20.67	12,74	1	15.69		l	1	
LINE 9	SPLITTING	<u> </u>	t	-												
	ISER ORDERING-CENTRAL OFFICE BASED		<u> </u>													
1	Line Splitting - per line activation DLEC owned splitter	1	T	UEPSR UEPSB	UREOS	0.61										
	Line Splitting - per line activation BST owned - physical		· · · · ·	UEPSR UEPSB	UREBP	0.61	37.09	21.24	20.07	9.85		15.69				
1	Line Splitting - per line activation BST owned - virtual	I		UEPSR UEPSB	UREBV	0.61	37.09	21.24	20.07	9.85		15.69				
	TE SITE HIGH FREQUENCY SPECTRUM															
SPLIT	TERS-REMOTE SITE													ļ	ļ <u> </u>	
	Remote Site Line Share BellSouth Owned Splitter, 24 Port			ÜLS	ULSRB	54.05	378.42	0.00	356.76	0.00		15.69		ļ	ļ <u> </u>	
	Remote Site Line Share Cable Pair Activation CLEC Owned at RS and Deactivation	1		ULS	ULSTG		74.38	0.00	46.77	0.00		15.69				<u> </u>

UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhil	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronio- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge -
			_				Nonrec	curring	Nonrecurring	Disconnect			OSS	Rates(\$)	· · · · · · · · · · · · · · · · · · ·	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
END	SER ORDERING-REMOTE SITE HIGH FREQUENCY SPECTRU	M AKA	REMOT	E SITE LINE SHARI	NG											
ľ	Remote Site Line Share Line Activation or End User Served at															
	RS, BST Splitter RS Line Share Line Activation for End User served at RS, CLEC			ULS	ULSRC	0.61	37.09	21 24	20.07	9.85		15.69				
	Splitter			ULS	ULSTC	0.61	37 09									
UNBUNDLED	DEDICATED TRANSPORT	'-	_	ULS .	ULSIC	0.61	37 09	21.24	20.07	9.85		15.69				
	INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimu	m billin	a perio	d - below DS3=one	month, DS3	/STS-1=four mo	nthe		-			 		 		
INTER	OFFICE CHANNEL - DEDICATED TRANSPORT	T	J Pana		1	1	1				 					
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0167										
- 1	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -	i	1													
	Facility Termination Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade	-	-	U1TVX	U1TV2	24.30	40.63	27.47	16 77	6 91		15.69				
- 1	Rev Bat - Per Mile per month	l		U1TVX	1L5XX	0 0167]			j		1		ŀ
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat			UTIVA	ILDAX	00167									<u> </u>	
	Facility Termination Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade		<u> </u>	U1TVX	U1TR2	24.30	40.63	27.47	16.77	6 91		15 69		ļ		
	Per Mile per month			U1TVX	1L5XX	0.0167			l	i				<u> </u>		
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade												I			
	- Facility Termination	 	—	U1TVX	U1TV4	21.29	40.63	27.47	16.77	6.91		15.69				L
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility			U1TDX	1L5XX	0.0167										<u>.</u>
	Termination	1		U1TDX	U1TD5	16.76	40.63	27.47	16.77	6.91		15.69	1	l	1	
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile		\vdash	UTIDA	UTIDS	16.76	40.63	27,47	10.77	6.91		15,09			-	
	per month	l	1	U1TDX	1L5XX	0.0167				1			1			
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination			U1TDX	U1TD6	16.76	40.63	27.47	16.77	6 91		15.69				
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
	month			U1TD1	1L5XX	0.3415			L							
	Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination			U1TD1	U1TF1	77.14	89.47	81.99	16.39	14.48		15.69				
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			01101	011111	77.14	03.47	01.33	10.33	14.40		10.00				
i	month	ĺ		U1TD3	1L5XX	8.02				l				1	l	
	Interoffice Channel - Dedicated Transport - DS3 - Facility					T										
	Termination per month			U1TD3	U1TF3	880.65	279.37	163.12	60.33	58.59		15.69		<u> </u>		
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per					1									1	
	month	<u> </u>	ļ	U1TS1	1L5XX	8.02						.			ļ	
	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination		i	U1TS1	U1TFS	880.55	279.37	163 12	60.33	58.59		15.69		1		
LOCA	L CHANNEL - DEDICATED TRANSPORT	-	+	01101	UTIFS	660.35	2/8.3/	100 12	00.33	30,59	†	10.00		 	<u> </u>	
	LOCAL CHANNEL DEDICATED TRANSPORT - minimum billin	a perio	d - bek	ow DS3=one month.	DS3/STS-1=	four months										
	Local Channel - Dedicated - 2-Wire Voice Grade		T	ULDVX	ULDV2	15 33	193.53	33.24		3.21		15.69				
	Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat	_	1	ÜLDVX	ULDR2	15.33	193.53	33 24		3.21		15 69		I		
	Local Channel - Dedicated - 4-Wire Voice Grade			UNDVX	ULDV4	16.54	193.97	33.68		3.68		15.69				
	Local Channel - Dedicated - DS1 - Zone 1		1	ÜLDD1	ULDF1	42 62	177.87	154.06		15.30		15.69	<u> </u>			ļ
	Local Channel - Dedicated - DS1 - Zone 2			ULDD1	ULDF1	70.32	177.87	154.06		15.30		15.69				-
	Local Channel - Dedicated - DS1 - Zone 3		3	ULDD1	ULDF1	190.68	177.87	154.06	22.24	15.30	+	15.69			 	
	Local Channel - Dedicated - DS3 - Per Mile per month Local Channel - Dedicated - DS3 - Facility Termination			ULDD3 ULDD3	1L5NC ULDF3	11.93 446.00	452.52	- 264.53	119.75	83.77	-	15.69				$\overline{}$
	Local Channel - Dedicated - DS3 - Facility Termination Local Channel - Dedicated - STS-1- Per Mile per month		+	ULDS1	1L5NC	11.93	452.52	- 204.53	119.75	53.77	 	10.09				
	Local Channel - Dedicated - STS-1 - Facility Termination		\vdash	ULDS1	ULDFS	435.10	452.52	264.53	119.75	83.77	 	15.69				
DARK FIBER	production - Doubleto - 010-1 - Facility Tellimitation	 	-	02001	10.0.0	+	402.52	207.33	1		 	1		1		
DAIN FIELD	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction		 			1				 			l			1
	Thereof per month - Local Channel		1	UDF	1L5DC	97 65				<u> </u>	L			L		
	NRC Dark Fiber - Local Channel	 	T	UDF	UDFC4		640 51	138.17	317.76	198 11		15.69				
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction		1				_									1
	Thereof per month - Interoffice Channel			UDF	1L5DF	36.41					<u> </u>			ļ		
	NRC Dark Fiber - Interoffice Channel			UDF	UDF14		640.51	138 17	317.76	198.11	J	15.69	L		L	

UNBUNDLE	D NETWORK ELEMENTS - South Carolina											_		ment; 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'i	Charge -	Charge -
						Rec	Nonrec			Disconnect	1			Rates(\$)		
						1100	First	Addil	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	1	1					İ	I		1	l .	i	Į.		l
	Thereof per month - Local Loop			UDF	1L5DL	97.65						l				
PAN 4 00500	NRC Dark Fiber - Local Loop TEN DIGIT SCREENING			UDF	UDFL4		640 51	138 17	317.76	198 11	ļ	15 69				
BXX ACCESS		<u> </u>	 	CUD											ļ	
	8XX Access Ten Digit Screening, Per Call 8XX Access Ten Digit Screening, Reservation Charge Per 8XX	├		OHD	+	0.0006673					-					+
	Number Reserved	ļ		OHD	N8R1X		2.59	0.44			1	15 69			İ	1
	8XX Access Ten Digit Screening, Per 8XX No Established W/O		+	UnD	INDUIN		2.59	0.44	 		+	15 69		 	-	
	POTS Translations	l		ОНО			5.95	0.81	4 58	0.54		15.69				i
	8XX Access Ten Digit Screening, Per 8XX No. Established With		 	OHD			5.95	V81	4 50	0.54	+	13.09			 	
	POTS Translations	l		ОНО	N8FTX		5.95	0.81	4.58	0 54		15.69		!	ŀ	1
 	8XX Access Ten Digit Screening, Customized Area of Service		 		170.17		5.55	0.01	7.30	- 5,54	†	10.00	i —	 		†
	Per 8XX Number	I	1	OHD	N8FCX		2 59	1.30	[1	15 69	l	ŀ	I	1
	8XX Access Ten Digit Screening, Multiple InterLATA CXR		t -								1					1
	Routing Per CXR Requested Per 8XX No.	l		ОНО	NBFMX		3.03	1.74			1	15 69		ŀ		1
	8XX Access Ten Digit Screening, Change Charge Per Request	$\overline{}$	1	OHD	N8FAX		3 03	0.44				15.69				
1	8XX Access Ten Digit Screening, Call Handling and Destination										1					
	Features	1	1	OHD	N8FDX		2 59	2 59				15.69				
	8XX Access Ten Digit Screening, w/ 8XX No. Delivery		—	OHD		0.0006673										
	8XX Access Ten Digit Screening, w/ POTS No. Delivery		1	ОНО		0.0006673										
LINE INFORM	ATION DATA BASE ACCESS (LIDB)		 		 											
	LIDB Common Transport Per Query		1	OQT		0.0000246										
	LIDB Validation Per Query		1	ogu		0 0138158										
	LIDB Onginating Point Code Establishment or Change	T	1	OQT, OQU	NRPBX		34.40		42.18			15.69				
SIGNALING (1													
·	CCS7 Signaling Connection, Per 56 Kbps Facility		1	UDB	TPP++	16 93	- 35.61	35.61	16 48	16.48	1					
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	163.49										
	CCS7 Signaling Usage, Per TCAP Message			UDB		0.0000692		-								ļ
i	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	16.93	35.61	35 61	16.48	16 48		15.69				
	CCS7 Signaling Connection, Per link (B link) (also known as D				i											l
1 1	link)			UDB	TPP++	16.93	35.61	35.61	16.48	16.48		15.69				ļ
	CCS7 Signaling Usage, Per ISUP Message			UDB		0.0000173							ļ			ļ
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	791.37			l		<u> </u>					ļ
	CCS7 Signaling Point Code, per Originating Point Code								1				1	ŀ	1	
	Establishment or Change, per STP affected		l _	UDB	CCAPO		29.08	29.08	35 65	35.65		15.69			ļ	
	CCS7 Signaling Point Code, per Destination Point Code												1			
	Establishment or Change, Per Stp Affected			UDB	CCAPD		29.08	29.08	35.65	35.65	ļ	15 69	ļ	ļ	ļ	
E911 SERVIC											ļ	45.00	ļ	ļ. —	 	
	Local Channel - Dedicated - 2-wr Voice Grade	<u> </u>				15.33	193.53	33.24	36.72	3,21	 	15.69	ļ		 	+
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile		ļ			0.0167			ļ		-		_	ļ		
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility											15.69		1	1	
L	Termination	<u> </u>	<u> </u>			24.30	40.63	27.47	16.77	6.91			 	 	 	
	Local Channel - Dedicated - DS1 - Zone 1		<u> </u>			42 62	177.87	154.06		15.30		15.69	ļ			
	Local Channel - Dedicated - DS1 - Zone 2					70 32	177.87	154.06		15.30		15.69	ļ		 	
	Local Channel - Dedicated - DS1 - Zone 3					190.68	177.87	154.06	22.24	15.30		15.69	ļ			·
	Interoffice Transport - Dedicated - DS1 Per Mile		<u> </u>			0.3415							 	 	ļ	
	Interoffice Transport - Dedicated - DS1 Per Facility Termination		1			77.14	89.47	81.99	16.39	14.48		15.69		1		
CALLING	ME (CNAM) SERVICE	 	+		1	17		• • • • • • • • • • • • • • • • • • • 	1	l	1	1	1			
CALLING NA	CNAM For DB Owners - Service Establishment	 	+	logv		 	23.00	23.00	21.15	21,15		15.69	1		1	
 	CNAM For Non DB Owners - Service Establishment	1	+	logv	-	 	23 00	23.00		21.15		15.69		I	F	
 	CNAM For DB Owners - Service Establishment CNAM For DB Owners - Service Provisioning With Point Code	 	+			 	1		1		1	1				
[]	Establishment	1	1	logv	1	1	993.09	734.47	269.53	198.18	1	15.69			l	L
 	CNAM For Non DB Owners - Service Provisioning With Point	 	+-	-		 			1	1	 			1		
l 1	Code Establishment	Į.	1	oav		1	343.09	245.69	275.87	198.18	:1	15.69	1	1	I .	
 	CNAM for DB Owners, Per Query	+	+	logv	+	0.0010433	1 2.0.00			<u> </u>			i	†		
 	CNAM for Non DB Owners, Per Query	+	+	logv	 	0.0010433		 	 		1		Ì			
LNP Query Se		+	+-		+	0.0010400	 	 ~	1		1	T	T	i		1
LINE QUERY SE		 	+		+	0.0008837		 	 	1	1	1	1	T		T
1 1	LNP Charge Per query	L		I	_1	V.0000001	1	<u></u>								

UNBUNDL	ED NETWORK ELEMENTS - South Carolina												Attack	ment: 2	E	bit: B
			Г	I	1						Eve Order	Svc Order				
			Į.	l									Incremental	1	Incremental	
				ļ	i							Submitted	Charge -	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	7		11000			D4750(4)			Elec	Manually	Manual Svc	Manual \$vc	Manual Svc	Manual Svc
CATEGORY	HATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			perLSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			1		I						l -	1.	Electronic-	Electronic-	Electronic-	
		i		l	i							1	1st	Add'l	Disc 1st	Disc Add'I
<u> </u>												i	131	Add .	Diac lat	DISC Add I
		<u> </u>				Rec	Nonre	curring	Nonrecurrin	Disconnect			OSS	Rates(\$)		
						Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
	LNP Service Establishment Manual		<u>. </u>				25.09	25.09	23.07	23 07		15.69				
	LNP Service Provisioning with Point Code Establishment						594.82	303.88	269.53	198.18		15 69		 	 	
OPERATOR	CALL PROCESSING	-		i						755.15	 	1000		-	 -	
1	Oper. Call Processing - Oper. Provided, Per Min - Using BST				† 						-	 		<u> </u>	 	
	LIDB	ł	1	1	1	1.20				i	1				1	
1 1	Oper. Call Processing - Oper Provided, Per Min Using		1		 									 -		
	Foreign LIDB			l		1.24				l .	i	1	Ī		l	l
	Oper. Call Processing - Fully Automated, per Call - Using BST		 			1.27										ļ
1 1	LIDB	l			1	0.20			ļ			l			l	i i
	Oper. Call Processing - Fully Automated, per Call - Using		 		 	0.20					-					
1 1	Foreign LIDB													1		
INWARD OR	ERATOR SERVICES	-				0.20										l
INTERNATION OF			1								L					
 	Inward Operator Services - Ventication, Per Minute	<u> </u>			_	1.15								1	L	
1 1	Inward Operator Services - Venfication and Emergency Interrupt	l			1			-								
<u> </u>	- Per Minute	ļ				1.15				L	l				l	Ì
	OPERATOR CALL PROCESSING															
Facil	ity based CLEC															
	Recording of Custom Branded OA Announcement				CBAOS		7,000 00	7,000.00				15.69		 		
	Loading of Custom Branded OA Announcement per shelf/NAV		1				.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	7,000.00				10.00				
1 1	per OCN		1 :		CBAOL		500.00	500.00		1		15.69				1
UNE	PCLEC				027.02		500.00	000.00			-	15.05				
	Recording of Custom Branded OA Announcement						7,000.00	7,000.00		 		15.69				
	Loading of Custom Branded OA Announcement per shelf/NAV				 		7,000.00	7,000.00		ļ		15.09				
	per OCN				ì					!				1		l .
Unb	anding via OLNS for UNEP CLEC	-					500.00	500.00				15.69				
Cilibi	Loading of OA per OCN (Regional)	<u> </u>			ļ							ļ				<u></u>
DIDECTORY							1,200.00	1,200.00				15.69				<u> </u>
	ASSISTANCE SERVICES				ļi						l					
DIRE	CTORY ASSISTANCE ACCESS SERVICE															
	Directory Assistance Access Service Calls, Charge Per Call		l		<u> </u>	0.275										
DIRE	CTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (I	DACC)									·					
1	Directory Assistance Call Completion Access Service (DACC),										·					
	Per Call Attempt					0 10					ŀ					
DIRECTORY	ASSISTANCE SERVICES				1						· ·				<u> </u>	<u> </u>
DIRE	CTORY ASSISTANCE DATA BASE SERVICE (DADS)				· · · · · · · · · · · · · · · · · · ·							<u> </u>				
	Directory Assistance Data Base Service Charge Per Listing				 	0 04						 				
	Directory Assistance Data Base Service, per month		1		DBSOF	150.00								 -		
BRANDING .	DIRECTORY ASSISTANCE	 			DDDOOI	130.00										
	ity Based CLEC		-		· · · · ·							 			···	
1 601	Recording and Provisioning of DA Custom Branded		 						· ···							├
1		l			CD4D4		0.000.00	0.000.00				1500		į		i
 	Announcement	⊢—	\vdash	AMT	CBADA		6,000 00	6,000 00		ļ. — ——		15.69			ļ	
	Loading of Custom Branded Announcement per DRAM	I		l <u>.</u>	l									l		1
L	Card/Switch			AMT	CBADC		1,170.00	1,170.00				15.69				
UNE	CLEC		آـــــــا											L		
	Recording of DA Custom Branded Announcement						3,000.00	3,000.00				15.69				
	Loading of DA Custom Branded Announcement per DRAM															
l	Card/Switch per OCN	l					1,170.00	1,170.00				15.69	-	i	i l	1
Unbr	anding via OLNS for UNEP CLEC		\Box		1	-						· · · · · · · · · · · · · · · · · · ·				
1	Loading of DA per OCN (1 OCN per Order)	i -	\vdash				420.00	420.00			·	15.69		·		
	Loading of DA per Switch per OCN		1		1	-	16.00	16.00				15.69		 		
SELECTIVE			-		 		10.00	10.00				,5.55		 		\vdash
VELLO IIVE	Selective Routing Per Unique Line Class Code Per Request Per	 	\vdash		+					-		-		 		
,		l	,		luenes		64.65			14.14		15.69		i		1
hunra co	Switch	L	ļ		USRCR		84.89	84.89	14.14	14.14		15.69			ļ	
VIRTUAL CO	LLOCATION		\sqcup								ļ					└
<u> </u>	Virtual Collocation - Application Cost	L		AMTFS	EAF		1,207.95	1,207.95	0.51	0.51	L	15.69				
	Virtual Collocation - Cable Installation Cost, per cable	L		AMTFS	ESPCX		794.22	794.22	22.54	22 54		15.69		L		
	Virtual Collocation - Floor Space, per sq. ft.			AMTFS	ESPVX	3 95										
	Virtual Collocation - Power, per fused amp			AMTFS	ESPAX	9.19						I				
	Virtual Collocation - Cable Support Structure, per entrance				1							1		1		
1 I	cable	1		AMTES	ESPSX	18.66					l	ı		I	1	1

ONBONDLE	D NETWORK ELEMENTS - South Carolina												Attachi	ment: 2	Exhil	bit: B
CATEGORY	RATE ELEM ENT \$	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge
						Rec	Nonrec First	umng Add'i	Nonrecurring First	Add'I	SOMEC	SOMAN		Rates(\$)	SOMAN	SOMAN
				UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, AMTFS, UDL, UNCVX, UNCDX, UNCNX	UEAC2	0.0317	12.32	11.83	6 04	5 45		15 69	SUMAIN	SOMAIS	SUMAN	SOMAN
				UEA,UHL,UCL,UDL, AMTFS, UAL, UDN,	04.00	0.0017	12.02	11.00		340		15 69				
	Virtual Collocation - 4-wire Cross Connects (loop)			UNCVX, UNCDX	UEAC4	0 0634	12.42	11.90	6.40	5.74		15.69		ĺ		
	Virtual Collocation - 2-Fiber Cross Connects			AMTFS,UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC2F	2 86	20 94 :	15.23	7,40	5 93		15.69				
	Virtual Collocation - 4-Fiber Cross Connects			AMTFS,UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12,	0.10.15							I				
	Virtual Collocation - 4-Fiber Cross Connects		-	ULD48, UDF USL,ULC,AMTFS,	CNC4F_	5.71	25 61	19.90	9 73	8.26	-	15 69	ļ			ļ
	Virtual collocation - DS1 Cross Connects			ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1 USL,ULC,AMTFS,U	CNC1X	1.12	22.08	15.96	6.42	5.80		15.69				
	Virtual collocation - DS3 Cross Connects			E3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CND3X	14.21	20.94	15.23	7.39	5.93		15.69				
	Virtual Collocation - Co-Carner Cross Connects - Fiber Cable Support Structure, per linear foot			AMTFS	VE1CB	0.0022										
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft			AMTFS	VE1CD	0.0033										
	Virtual Collocation - Co-Carner Cross Connects - Fiber Cable Support Structure, per cable			AMTFS	VE1CC	0,0550	536 56									
	Virtual Collocation - Co-Carner Cross Connects - Copper/Coax Cable Support Structure, per cable			AMTES	VE1CE		536 56									
	Virtual Collocation Cable Records - per request			AMTFS	VE1BA		760 98	489.20	133.29	133 29	 					
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable record			AMTFS	VE1BB		327.65	327.65	189.54	189.54						
	Virtual Collocation Cable Records - VG/DS0 Cable, per each			AMTES	VE1BC		4 82	4 82	5.91	5 91						
	Virtual Collocation Cable Records - DS1, per T1TIE			AMTFS	VE1BD		2.26	2.26	2.77	2.77						
	Virtual Collocation Cable Records - DS3, per T3TIE			AMTFS	VE1BE		7.90	7.90	9.68	9.68						
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber records			AMTFS	VE1BF		84 68	84.68	77.30	77.30						
	Virtual collocation - Security Escort - Basic, per half hour			AMTES	SPTBX	ļI	16.96	10 75			1	15 69				ļ
	Virtual collocation - Security Escort - Overtime, per half hour Virtual collocation - Security Escort - Premium, per half hour		<u> </u>	AMTFS AMTFS	SPTOX SPTPX		22.10 27.23	13 89 17.02				15 69 15.69				
-	Virtual collocation - Security Escort - Premium, per hair hour Virtual collocation - Maintenance in CQ - Basic, per half hour			AMTES	CTRLX		27.23	10.75				15.69				
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		36 56	13.89				15.69				
	Virtual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM		45.12	17.02				15.69				
VIRTUAL COL	LOCATION Virtual Collocation - 2-wire Cross Connect, Exchange Port 2- Wire Analog - Res			UEPSR	VE1R2	0,0317	12.32	11.83	6.04	5.45		15,69				

UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attachi	ment; 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR			Incremental Charge -	Incrementa Charge -
			-			Rec	Nonrec			Disconnect				Rates(\$)		
 -	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-		-				First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Wire Line Side PBX Trunk - Bus Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire		<u> </u>	UEPSP	VE1R2	0.0317	12.32	11.83	6.04	5.45		15 69				1
	Voice Grade PBX Trunk - Res Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire		<u> </u>	UEPSE	VE1R2	0.0317	12.32	11.83	6.04	5 45		15.69				
	Analog Bus			UEPSB	VE1R2	0 0317	12.32	11.83	6 04	5.45		15.69				
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN		<u> </u>	UEPSX	VE1R2	0.0317	12.32	11.83	6.04	5.45		15 69				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPTX	VE1R2	0.0317	12.32	11 83	6.04	5.45		15.69				
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1		"	UEPEX	VE1R4	1.12	22.08	15.96	6 42	5.80		15.69				
VIRTUAL COL										0.00		70.00				
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR, UEPSB	VE1LS	0.0317	12.32	11.83	6 04	5.45		15 69				
PHYSICAL CO												10.00				
	Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR, UEPSB	PE1LS_	0 0341	12.32	11.83	6.04	5.45		15.69				
AIN SELECTIV	/E CARRIER ROUTING				<u> </u>											
	Regional Service Establishment		ļ	SRC	SRCEC		101,324.34	101,324.34	8,609.85	8,609 85		15.69				
	End Office Establishment Query NRC, per query		ļ	SRC	SRCEO		175.66	175.66	1.70	1.70		15.69				
AIN - BELLSO	UTH AIN SMS ACCESS SERVICE		 	SRC	ļ	0.0035036									ļ	
AIN - DEELEGO	AIN SMS Access Service - Service Establishment, Per State.		 								ļ		•			
	Initial Setup		_	A1N	CAMSE		39.53	39.53	40.78	40.78		15.69				
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP	l	7.85	7.85	9 11	9 11		15.69			!	l
	AIN SMS Access Service - Port Connection - ISDN Access		—	A1N	CAM1P		7.85	7.85	9.11	9.11	1	15 69				
	AIN SMS Access Service - User Identification Codes - Per User ID Code			A1N	CAMAU		35.08	35.08	27.12	27.12		15.69		-		
	AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement			A1N	CAMRC		41.98	41.98	11.74	11.74		15 69				
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.0027	7,124									
	AIN SMS Access Service - Session, Per Minute					0 7121										
	AIN SMS Access Service - Company Performed Session, Per Minute					0.8364										
AIN - BELLSC	UTH AIN TOOLKIT SERVICE															
	AIN Toolkit Service - Service Establishment Charge, Per State, Initial Setup			САМ	BAPSC		39.53	39.53	40.78	40.78		15,69	-			
	AIN Toolkit Service - Training Session, Per Customer		L		BAPVX		4,211.54	4,211.54	0.00	0.00		15.69				
	AlN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Term. Attempt				BAPTT		7.85	7.85	9.11	9.11		15.69				
	AlN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay			"	BAPTD	_	7.85	7.85	9.11	9.11		15.69				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook immediate		1		BAPTM		7 85	7.85	9.11	9.11		15.69	-			
	AlN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP				BAPTO		34.54	34.54	14.39	14.39		15.69	-			
	All Toolkit Service - Trigger Access Charge, Per Trigger, Per IDN, CDP				BAPTC		34.54	- 34.54	14 39	14.39		15.69		-		
	All Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Feature Code				BAPTF		34.54	34.54	14.39	14.39		15.69		-		
	AIN Toolkit Service - Query Charge, Per Query		 		DOI 17	0.0558238			17.09	14.05		70.00				
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit		 	 	 	5.5550200	· ·	~								
	Subscription, Per Node, Per Query AIN Toolkit Service - SCP Storage Charge, Per SMS Access				 	0.0069214										
	Account, Per 100 Kilobytes All N Toolkit Service - Monthly report - Per All N Toolkit Service		_			0.07	<u> </u>									
	Subscription			САМ	BAPMS	11.87	7.85	7.85	5.52	5 52		15.69				

ONRONDE	ED NETWORK ELEMENTS - South Carolina												Attachi	nent: 2	Exhil	bit: B
CATEGORY	RATE ELEMENTS	interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Order vs. Electronic- Add'l		Incremen Charge
	·		<u> </u>			Rec	Nonrec		Nonrecurring				OSS	Rates(\$)		
	Albi Taallida Canana Canadal Chinta Bar Albi Tarillida Canalan		Ь—				First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription		1	CANA	DARLO	0.54		٠								
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service		-	CAM	BAPLS	3.51	8 68	8.68				15.69				
	Subscription			CAM	BAPDS	8.48	7 85	7.85				45.00				
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit		1	CAW	DAPUS	0.48	/ 85	7.85	5 52	5.52		15.69				
	Service Subscription		ł	CAM	BAPES	0.12	8.68	8.68				15.69				
ENHANCED	EXTENDED LINK (EELs)	_	 		1							13.09			·	├
NOT	E: New Density Zone 1 EELs are available in the following MSAs	: Orland	do. FL:	Miami, FL: Ft. Lauc	derdale. FL: /	Atlanta, GA: Ne	w Orleans, I A				-					
NOT	E: Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-	High P	oint. N	C and Nashville, TN	1.	1					 					
NOT	E: In all states, EEL network elements shown below also apply to	o curre	ntly co	mbined facilities wh	hich are conv	erted to UNE re	tes. A Switch	As la Charge a	pplies to curre	ntly combined	facilities co	onverted to	UNEs.(Non-re	curring rates	do not apply	5
NOT	E: In all states the EEL network elements apply to ordinarily con	nbined :	networ	k elements.(No Swi	tch As Is Cha	arge.) When on	dering ordinari	ly combined n	etwork elemen	ts. nonrecurri	ng rates do	apply.				''
2-Wi	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR	ANSPORT (EEL)		T		,								
	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport					<u> </u>										
	Combination - Zone 1		1 1	UNCVX	UEAL2	16 68	105.98	68 43	53 05	10 61		15.69				
	First 2-Wire VG Grade Loop(SL2) in a DS1 interofficed															
	Transport Combination - Zone 2		2	UNCVX	UEAL2	23.13	105 98	68.43	53 05	10 61		15.69				
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed		l .								j				-	
	Transport Combination - Zone 3		3	UNCVX	UEAL2	28.46	105.98	68.43	53 05	10 61		15.69				
	Interoffice.Transport - Dedicated - DS1 combination - Per Mile				1	[
	per month			UNC1X	1L5XX	0.27										
	Interoffice Transport - Dedicated - DS1 combination - Facility						l				1					
	Termination per month		 -	UNC1X	U1TF1	61.71	89 47	81.99	16 39	14 48		15 69				
	DS1 Channelization System Per Month	L		UNC1X	MQ1	107.57	91 24	62.71	10 56	9.81	ļ	15.69				ļ
	Voice Grade COCI - DS1 To Ds0 Interface - Per Month			UNCVX	1D1VG	0.56	6 59	4.73				15.69				
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1					40.00	405.00	20.40		40.04		15.69				
	Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1		1	UNCVX	UEAL2	16.68	105 98	68.43	53.05	10.61	<u> </u>	15.69				
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	23.13	105.98	- 68 43	53.05	10.61		15.69				
<u> </u>	Each Additional 2-Wire VG Loop(SL2) in the same DS1		 	DINCVX	UEALZ	23.13	105.56	- 00 43	33.05	10.01		13.09				
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	28.46	105.98	68.43	53.05	10 61		15.69		!		
	Voice Grade COCI - DS1 to DS0 Channel System combination -		۳	OHOYX	OLALE	20.40	100.00	00.40	30.03	10,01	 	10.00				
	per month		l l	UNCVX	1D1VG	0.56	6 59	4.73				15.69		Ì		1
	Nonrecurring Currently Combined Network Elements Switch -As-		 	UNOVA .	10110	0.50	0.00	4.70				70.00				
	Is Charge		ŀ	UNC1X	UNCCC	1	5.61	5.61	700	7 00		15.69		-		
4-WI	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR													
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice		1		 	1										
	Transport Combination - Zone 1		1 1	UNCVX	UEAL4	32.59	132.38	94.83	59 35	14.61		15 69				
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice					1										
	Transport Combination - Zone 2		2	UNCVX	UEAL4	43 89	132.38	94 83	59.35	14.61		15 69				
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice									_						
	Transport Combination - Zone 3		3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14 61		15 69				ļ <u> </u>
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		Γ													
	Per Month			UNC1X	1L5XX	0 27										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per		1											!		i
	Month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48		15.69				
	Channelization - Channel System DS1 to DS0 combination Per				1.							4= 00				
	Month		<u> </u>	UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81		15.69				
	Voice Grade COCI - DS1 to DS0 Channel System combination -		1					4.70				15.69				
	per month		1	UNCVX	1D1VG	0.56	6 59	4.73			 	15.69				
	Additional 4-Wire Analog Voice Grade Loop in same DS1			LINCLO	UEAL 4	20.50	100.00	94.83	59 35	14 61		15.69		l '		1
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	32.59	132 38	94.83	59 35	14-01	 	15.69				
	Additional 4-Wire Analog Voice Grade Loop in same DS1		١,	LINOVA	UEAL4	40.00	100.00	94 83	59 35	14.61	1	15.69				1
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	43 89	132.38	94 83	28.32	14.01		19.05				
	Additional 4-Wire Analog Voice Grade Loop in same DS1		_	UNICO	UEAL4	43.38	132 38	94.83	59.35	14.61		15.69		I		
	Interoffice Transport Combination - Zone 3 Voice Grade COCI - DS1 to DS0 Channel System combination -		3	UNCVX	UEAL4	43.38	132 38	94.83	39,35	14.01	 	10.03		-		
.		ì		UNCVX	1D1VG	0 56	6.59	4.73			1	15.69		I	l	
L	per month Nonrecurring Currently Combined Network Elements Switch -As-	Ц	 	DINCAY	TIDIVG	0.36	0.39	4./3				10.00				

ONBONDL	D NETWORK ELEMENTS - South Carolina	,												nent: 2		oit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svi Order vs. Electronic Disc Add'l
		<u> </u>				Rec	Nonrec		Nonrecurring					Rates(\$)		
4.900	 RE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INCTED O	FEIGE	TRANSPORT (FFI)			First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
4-4416	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice	INTER	JFFICE	HANSPORT (EEL)	<u> </u>									 	 	
	Transport Combination - Zone 1		١,	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61		15.69			ŀ	
	First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice	·	H	0.1.00%	00000	20.00	120.00	00.12	33.03	14.01		13.03	·			
	Transport Combination - Zone 2		2	UNCDX	UDL56	33 99	126.66	89.12	59.35	14.61	l	15 69			l	İ
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice													-		
	Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61		15 69				
	Per Month	ļ	l	UNC1X	1L5XX	0.27									l	
	Interoffice Transport - Dedicated - DS1 - combination Facility	ļ		DIVOIX	ILOAA	0.27									 	
	Termination Per Month	1		UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48		15 69			1	1
	Channelization - Channel System DS1 to DS0 combination Per															
	Month		<u> </u>	UNC1X	MQ1	107.57	91.24	62.71	10 56	9.81		15.69			<u> </u>	
1 1	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs)	j		UNCDX	1D1DD			4-0				45.00			ŀ	
 	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1	 	├	UNCDX	טטוטו	1.19	6.59	4 73			ļ	15.69			ļ	
l ł	Interoffice Transport Combination - Zone 1	1	l 1	UNCDX	UDL56	29 93	126.66	89.12	59.35	14 61		15 69			1	1
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1		1	UNODA	00000	20 30	120.00	05.12	33.03	1401		10.00				
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61		15.69			i	1
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1															
L	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	34 74	126 66	89.12	59 35	14.61		15.69			ļ	
1 1	OCU-DP COCI (data) - DS1 to DS0 Channel System -			UNCDX	1D1DD	1	0.50	4.70				15 69			İ	
	combination per month (2.4-64kbs) Nonrecurring Currently Combined Network Elements Switch -As-	 	-	UNCDX	טטוטין	1,19	6.59	4,73				15 69				
l i	Is Charge	1	ł	UNC1X	UNCCC	! 1	5.61	5.61	7.00	7.00		15.69		i	!	
4-WIF	RE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTER	FFICE		011000				1100	7.00						
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice			1												
	Transport Combination - Zone 1		1	UNCDX	UDL64	29.93	126.66	89,12	59.35	14.61		15.69			ļ	
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	İ	١.				400.00	20.40	50.05	44.04		45.00		1	!	
 	Transport Combination - Zone 2		2	UNCDX	UDL64	33 99	126.66	89.12	59 35	14 61	 	15.69				
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14 61		15 69		ļ		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile	 	ا ٽ	ONOBA	00204		120.00	001.12		,,,,,					·	
	Per Month	l		UNC1X	1L5XX	0.27										
	Interoffice Transport - Dedicated - DS1 combination - Facility												, ,			
l	Termination Per Month	ļ		UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48	<u> </u>	15 69				
	Channelization - Channel System DS1 to DS0 combination Per			LINCAY	MQ1	107.57	91.24	62.71	10.56	9.81	İ	15.69				
 	Month OCU-DP COCI (data) - DS1 to DS0 Channel System	 		UNC1X	MQ1	107.57	91.24	02.71	10.50	3.01		13.00				
l i	combination - per month (2 4-64kbs)			UNCDX	1D1DD	1.19	6 59	4.73	1	i]	15.69				i
 	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1	 	 													
1	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	29.93	126 66	89.12	59.35	14.61		15.69				
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1															
	Interoffice Transport Combination - Zone 2	<u> </u>	2	UNCDX	UDL64	33 99	126.66	89.12	59 35	14.61	 	15.69				
_	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1	1	_	LINCDY	UDL64	34.74	126.66	89.12	59.35	14.61		15.69	-	1		
 	Interoffice Transport Combination - Zone 3	 	3	UNCDX	UDL64	34.74	120.66	89.12	59.35	14.01	 	15.08		 		
	OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs)	1	1	UNCDX	1D1DD	1.19	6.59	4.73	l '			15.69		ĺ	1	
 	Nonrecurring Currently Combined Network Elements Switch -As-	!	 		1.2.25		5.50									
	Is Charge		L	UNC1X	UNCCC		5.61	5.61	7.00	7.00	 	15.69		<u></u>		
4-WIF	RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INT	EROFF	CE TR	ANSPORT (EEL)											ļ	
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice											15,69	İ			
	Transport - Zone 1	<u> </u>	1_1_	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73	 	15.09				
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice	1	2	UNC1X	USLXX	155,43	253.03	157.89	44.80	11 73	1	15.69				
	Transport - Zone 2 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice	 	+-	UNUIX	USLAA	155.43	203.03	157.03	77.50			1				
	Transport - Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73	L	15.69				<u> </u>
\vdash	Interoffice Transport - Dedicated - DS1 combination - Per Mile	 	╅													
	Per Month	ı	1	UNC1X	1L5XX	0.27		Í	I	I	1	I	1	I	1	1

UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhil	bit; B
				_>==,>=	T						Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
					1							Submitted		Charge -	Charge -	Charge -
					1						Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)								
CALEGORI	NA) E ELEMENTS	m	Zone	BCS	0300			DATES(4)			per LSR	perLSR	Order vs.	Order vs.	Order vs.	Order vs.
			l .									1	Electronic-	Electronic-	Electronic-	Electronic-
			l .									l	1st	Add'l	Disc 1st	Disc Add'l
											ļ	<u> </u>	<u> </u>	J		<u> </u>
			L			Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Addil	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS1 combination - Facility		1										1			
	Termination Per Month		l	UNC1X	U1TF1	61.71	89 47	81.99	16.39	14 48	1	15.69			1	ļ
	Nonrecurring Currently Combined Network Elements Switch -As-										l					†
1	Is Charge		l	UNC1X	UNCCC		5 61	5 61	7.00	7.00		15.69				ř
4-WIR	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTE	ROFFI	CE TR	ANSPORT (EEL)					7,00	7.00		10.00	 	 	-	
	First DS1Loop in DS3 Interoffice Transport Combination - Zone			1 (444)							· · · · · · · · · · · · · · · · · · ·		 	 		
	1	l	۱,	UNC1X	USLXX	90.87	252.02	157.00	44.00	11 70		1500	1	İ		i
	First DS1Loop in DS3 Interoffice Transport Combination - Zone			DIVOIX	OSLAN	90.67	253 03	157.89	44 80	11 73	ļ	15.69				ļ
	riist DSTLoop in DSS interoffice Transport Combination - Zone		١.	1							i		1		i	İ
	[2		2	UNC1X	USLXX	155.43	253 03	157.89	44.80	11 73	1	15 69			<u> </u>	
	First DS1Loop in DS3 Interoffice Transport Combination - Zone		l]							1			1		
	3		3	UNC1X	USLXX	261.89	253 03	157.89	44.80	11.73		15.69		1		
	Interoffice Transport - Dedicated - DS3 combination - Per Mile															
	Per Month	l	!	UNC3X	1L5XX	6.42					1	I		I	I	
	Interoffice Transport - Dedicated - DS3 - Facility Termination per		_	t	1	<u> </u>					1	-	———	 		
	month		1	UNC3X	U1TF3	704,52	279.37	163.12	60.33	58.59	!	15 69				ļ
	DS3 to DS1 Channel System combination per month		├	UNC3X	MQ3	144 02				31.90	 		 			
			┞				178 54	94 18	33.33	31.90		15.69			ļ	ļ <u>.</u>
	DS3 Interface Unit (DS1 COCI) combination per month		! —	UNC1X	UC101	8.64	6 59	4.73			ļ	15.69			L	ļ <u>.</u>
	Additional DS1Loop in DS3 Interoffice Transport Combination -		1	ļ								İ	1	1		
	Zone 1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73		15.69				
	Additional DS1Loop in DS3 Interoffice Transport Combination -		1													
	Zone 2		1 2	UNC1X	USLXX	155.43	253 03	157.89	44.80	11.73		15.69	Į.	1		
	Additional DS1Loop in DS3 Interoffice Transport Combination -														i	
	Zone 3		3	UNC1X	USLXX	261 89	253 03	157 89	44.80	11.73	1	15.69		i	1	
	DS3 Interface Unit (DS1 COCI) combination per month		۱Ť	UNC1X	UC1D1	8.64	6 59	4 73	- 1100		 	15,69	†	 		
			 	DINO IX	OCIDI.	0.04	0.53	473				10.00		 		-
1	Nonrecurring Currently Combined Network Elements Switch -As-		l	LINIOM					7.00	7.00		45.00	1			
	Is Charge	L	L	UNC3X	UNCCC		5.61	5.61	7.00	7.00	ļ	15.69				
2-WIR	E VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INT	EROFF	ICE TI	RANSPORT (EEL)							ļ			<u> </u>		ļ
	2-WireVG Loop used with 2-wire VG Interoffice Transport				1			-			-]		l	
	Combination - Zone 1		1 1	UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61	<u> </u>	15.69	<u> </u>			
	2-WireVG Loop used with 2-wire VG Interoffice Transport								-	1	1					1
	Combination - Zone 2		2	luncvx	UEAL2	23.13	105.98	68.43	53.05	10.61		15.69	l	1		ı
	2-WireVG Loop used with 2-wire VG Interoffice Transport		 	1	100.00						i			T		
	Combination - Zone 3		3	UNCVX	UEAL2	28.46	105.98	68 43	53.05	10.61	1	15.69				
			1-3	ONCVA	UEAL2	20.40	103.90	00 70	33.03	10.01	+	10.00	<u> </u>			
	Interoffice Transport - Dedicated - 2-wire VG combination - Per		1		l							!	i	j		ł
	Mile Per Month		L	UNCVX	1L5XX	0.0134					ļ		 			
l 1	Interoffice Transport - Dedicated - 2- Wire Voice Grade	1	1			ŀ					1		1			1
	combination - Facility Termination per month		1	UNCVX	U1TV2	19.44	40.63	27.47	16.77	6.91	l	15.69				
	Nonrecurring Currently Combined Network Elements Switch -As-											į.	i	1		ŀ
	Is Charge	l	1	UNCVX	UNCCC		5 61	5.61	7.00	7.00	L	15 69	l	<u> </u>	l	<u> </u>
4-14/15	IE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INT	EROFE	ICE T		1							1				
4-1411	4-WireVG Loop used with 4-wire VG Interoffice Transport		100 11	TOTAL TELL	+						·		1			1
		[۱,	HNCW	UEAL4	32.59	132.38	94.83	59.35	14.61	1	15.69	l .	1	1	1
	Combination - Zone 1	ļ	 	UNCVX	UEAL4	32.59	132,38	34.03	33.33	14.01		15.05	 	 	 	
	4-WireVG Loop used with 4-wire VG Interoffice Transport	l	1		l						1	4.5.5	1	1	I	1
	Combination - Zone 2		2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61		15.69		 		
	4-WireVG Loop used with 4-wire VG Interoffice Transport		I								I		1	1	1	1
 	Combination - Zone 3	ĺ	3	UNCVX	UEAL4	43.38	132.38	94.83	59 35	14.61	L	15.69	<u> </u>	<u> </u>		
 	Interoffice Transport - Dedicated - 4-wire VG combination - Per	t	一		1								1			I
	Mile Per Month	ĺ	1	UNCVX	1L5XX	0.0134		·			1	1	1	1	1	L
	Interoffice Transport - Dedicated - 4- Wire Voice Grade	 	 	2.1017	1	0.0.04					1	Γ'''	1	1		1
		ŀ	l	UNCVX	U1TV4	17 03	40.63	27.47	16.77	6,91	1	15.69	1	I	1	İ
	combination - Facility Termination per month	<u> </u>	├	UNCVX	U11V4	17 03	40.03	21.41	10.77	3,91	+	1		 		1
	Nonrecurring Currently Combined Network Elements Switch -As-	l	1		I	į				l	1	1	1	1	l	1
I	Is Charge	L		UNCVX	UNÇÇC		5.61	5.61	7.00	7.00	 	15.69	 			
DS3 E	DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC	E TRAI	NSPO	RT (EEL)							ļ		Ļ	ļ		
1-72	High Capacity Unbundled Local Loop - DS3 combination - Per	Ι		Γ΄ ΄΄ ΄΄ ΄΄									l	1	I	1
	Mile per month]	1	UNC3X	1L5ND	12.26					1		İ	<u> </u>	<u> </u>	<u> </u>
	High Capacity Unbundled Local Loop - DS3 combination -		 								1	1	T			
	Inigh Capacity Unbunuled Local Loop - D53 Combination -		1	1	I	ı		264.53	119.75	83.77	1	15.69	1	1	1	1
1	Facility Termination per month	9		IUNC3X	UE3PX	306.36	452.52			J XX //				1		

NOUNDLE	D NETWORK ELEMENTS - South Carolina											I	Attach	ment: 2	Exhi	bit: B
		Interi										Submitted	Incremental Charge - Manual Svc		Incremental Charge -	Incremen Charge
ATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Manual Svc Order vs. Electronic- Disc 1st	Manual St Order vs Electronic Disc Add
			_			Rec	Nonrec			Disconnect				Rates(\$)		
	Interoffice Transport - Dedicated - DS3 combination - Facility		├		ļ		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Termination per per month		l	UNC3X	U1TF3	704.52	279.37	163.12	60.33	50.50		45.00				
	Nonrecurring Currently Combined Network Elements Switch - As-		 	CITOOK	01110	704.02	219.31	163.12	60.33	58.59		15.69				<u> </u>
<u> </u>	Is Charge	<u></u>	1	UNC3X	UNCCC		5.61	5 61	7.00	7.00		15.69			!	İ
5151	DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROF	FICE TE	RANSP	ORT (EEL)								10.00				
1	High Capacity Unbundled Local Loop - STS1 combination - Per Mile per month	1	Ì	LINGOV												
	High Capacity Unbundled Local Loop - STS1 combination -			UNCSX	1L5ND	12.26										
	Facility Termination per month		İ	UNCSX	UDLS1	313.49	452.52	004.50				[
	Interoffice Transport - Dedicated - STS1 combination - Per Mile		-	ONCOX	UDLST	313.49	452.52	264 53	119.75	83.77		15 69				
	per month	İ		UNCSX	1L5XX	6 42									1	
	Interoffice Transport - Dedicated - STS1 combination - Facility														 -	<u> </u>
	Termination per month			UNCSX	U1TFS	704.44	279.37	163.12	60.33	58.59		15.69				1
	Nonrecurring Currently Combined Network Elements Switch -As- is Charge			l												
2-WIR	EISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR	Y (FE)	Ļ	UNCSX	UNCCC		5 61	5 61	7 00	7.00		15.69				l
1	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	II (EEL	-											-		
	Transport - Zone 1		1	UNCNX	U1L2X	25.21	117.58	80.03	53.05	40.04						1
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination			ONON	UILEA	23.21	117.56	80.03	53.05	10.61		15 69				
	Transport - Zone 2		2	UNCNX	U1L2X	32.76	117.58	80.03	53 05	10,61		15.69				1
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination							20.00	30.00	10.01		15.03				
<u> </u>	Transport - Zone 3		3	UNCNX	U1L2X	37.70	117.58	80 03	53.05	10 61		15.69		i		1
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			UNC1X	1L5XX	0.27										
	Interoffice Transport - Dedicated - DS1 combintion - Facility Termination per month												·			
	Channelization - Channel System DS1 to DS0 combination -			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48		15.69				<u> </u>
	per month			UNC1X	MQ1	107.57	91.24	62 71	10.56	9.81		45.00				l
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System			DIVOIX	IWAI	107.57	91.24	02/1	10.56	9.81		15.69				
_ :	combination - per month			UNCNX	UC1CA	2.56	6.59	4.73				15.69				i
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport						- 0.00					- 10:00				····
	Combination - Zone 1	_	1	UNCNX	U1L2X	25 21	117.58	80.03	53.05	10.61	i	15.69				l
	Additional 2-wire ISDN Loop in same DS1 interoffice Transport															
	Combination - Zone 2		2	UNCNX	U1L2X	32.76	117 58	80.03	53 05	10 61		15.69				l .
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3		ا ا	1.16.16.11.2		1										l
-	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System		3	UNCNX	U1L2X	37.70	117.58	80.03	53 05	10.61		15.69				
1	combintaion- per month			UNCNX	UC1CA	2.56	6.59	4.73				15 69	-			i
	Nonrecurning Currently Combined Network Elements Switch - As-			ONGIVA	IOC ICA	2.50	0.58	4.73				10 09				
	Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00		15 69			1	i
4-WIR	DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN	TEROF	ICE T	RANSPORT (EEL)		· /				,,,,,						
ı	First DS1 Loop in STS1 Interoffice Transport Combination -															
	Zone 1		11	UNC1X	USLXX	90 87	253.03	157.89	44.80	11.73		15.69				i
ì	First DS1 Loop in STS1 Interoffice Transport Combination -				1		1									1
	Zone 2 First DS1 Loop in STS1 Interoffice Transport Combination -		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73		15.69				
1	Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73		15.69	-			i
+	Interoffice Transport - Dedicated - STS1 combination - Per Mile			ONOIX	OSEAN	201.03	255.05	137.09	44.00	11.73		13.09				
	Per Month			UNCSX	1L5XX	6.42					ŀ		-			i
	Interoffice Transport - Dedicated - STS1 combination - Facility				1,20,0,											
	Termination			UNCSX	U1TFS	704.44	279.37	- 163.12	60.33	58.59		15.69				I
	STS1 to DS1 Channel System conbination per month			UNCSX	MQ3	144.02	178.54	94.18	33.33	31.90		15.69				
	DS3 Interface Unit (DS1 COCI) combination per month		\Box	UNC1X	UC1D1	8.64	6.59	4.73				15.69				
	Additional DS1Loop in STS1 Interoffice Transport Combination -				1			,		اغييا						ı
+-	Zone 1		1	UNC1X	USLXX	90.87	253.03	157 89	44.80	11.73		15 69				
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	455.40	050.00	457.00	44.00	44.70	- 1	15.00				ı
	Additional DS1Loop in STS1 Interoffice Transport Combination -			UNCIA	TOSLAY	155.43	253.03	157.89	44.80	11.73		15.69				
	Zone 3	- 1	3	UNC1X	JUSLXX	261.89	253.03	157.89	44.80	11.73	1	15.69				ı
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	8.64	6.59	4,73	77.00	11.73		15.69				

UNB	UNDLE	D NETWORK ELEMENTS - South Carolina			I	<u> </u>						10-01	In		ment: 2		bit: 🖪
ATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
	+						Rec	Nonrec		Nonrecurring					Rates(\$)		
	+	Nonrecurring Currently Combined Network Elements Switch -As-	}			 		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Ils Charge	į.		UNCSX	UNCCC		5.61	5.61	7.00	7.00		15.69		1	ľ	
	4-WIR	56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERO	FFICE T	RANS	PORT (EEL)	15.1000	 	0.01	3.01	7.00	7.00		15.09			ļ	
	1	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport													 		ļ
	+	Combination - Zone 1		1	UNCDX	UDL56	29.93	126.66	89.12	59 35	14.61		15.69		1		
	1	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 2		١.		 											
		4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport		2	UNCDX	UDL56	33 99	126.66	89 12	59 35	14 61		15.69				
	1	Combination - Zone 3		3	UNCDX	UDL56	34.74	400.00	00.45				l				
	1	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -	_		DINCDX	TODE20	34.74	126.66	89.12	59.35	14.61	ļ	15 69			ļ	
		Per Mile		l	UNCDX	1L5XX	0 0134			ļ		l				!	
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -					- 00.01										
		Facility Termination			UNCDX	U1TD5	13.41	40 63	27 47	16.77	6.91		15.69				
		Nonrecurring Currently Combined Network Elements Switch -As-												-			
_	4 14/10	Is Charge	<u> </u>		UNCDX	UNCCC		5 61	5 61	7.00	7.00	l	15 69				
	4-101111	64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FFICE T	RANS	PORT (EEL)												
	1	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 1	l	١,	UNCDX	1101.04											
		4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport		 '	UNCDX	UDL64	29.93	126 66	89 12	59.35	14.61		15.69				
		Combination - Zone 2	l	,	UNCDX	UDL64	33.99	126.66	89.12	50.05	44.04		4				
		4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport		-	CHODA	ODE04	33.99	120.00	89.12	59.35	14.61		15.69				
	ł	Combination - Zone 3	l	3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61		15.69				
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -		Ť		100201	57.17	120.00	00.12	39.35	14.01		15.09				
		Per Mile			UNCDX	1L5XX	0.0134										
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -							····								
		Facility Termination			UNCDX	U1TD6	13.41	40 63	27.47	16.77	6.91		15.69				
		Nonrecurring Currently Combined Network Elements Switch -As-		Į .			1										
A DIDIT	FIGNIAL B	Is Charge IETWORK ELEMENTS			UNCDX	UNCCC	 	5 61	- 5.61	7 00	7 00		15.69				
, DOI		used as a part of a currently combined facility, the non-recurr		da	not on the but of	huitah Aalaa	<u></u>										
	When	used as ordinarily combined network elements in all states, th	e non-n	ecurrir	n chames apply an	od the Switch	As is Charge d	nee not						-			
	Node (SynchroNet)					1	000 1101.									
	Nonre	curring Currently Combined Network Elements "Switch As Is"	Charge	(One a	pplies to each com	bination)											
		Nonrecurning Currently Combined Network Elements Switch -As-				1											
	-	Is Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		5.61	5.61	7.00	7 00		15.69				
		Nonrecurring Currently Combined Network Elements Switch -As-	·											,			
	+	Is Charge - 56/64 kbps Nonrecurring Currently Combined Network Elements Switch -As-		-	UNCDX	UNCCC	 	5.61	5 61	7.00	7.00		15.69				
		Is Charge - DS1			UNC1X	UNCCC		5.61	5 61	7.00	7.00		45.00				
_	 	Nonrecurring Currently Combined Network Elements Switch -As-		_	DINUIA	UNCCC	 	5.61	561	7.00	7.00		15.69				
	1	Is Charge - DS3			UNC3X	UNCCC		5 61	5.61	7.00	7.00		15 69				
	T	Nonrecurring Currently Combined Network Elements Switch -As-			0.1.00%	10.1000			3.01	7.55	7.00	-	15 00				
		Is Charge - STS1			UNCSX	UNCCC		5 61	5.61	7.00	7.00		15.69	:			
	NOTE:	Local Channel - Dedicated Transport - minimum billing period	- Belov	v DS3:	one month, DS3 ar	nd above=fou	r months										
		Local Channel - Dedicated - 2-Wire Voice Grade			UNCXV	ULDV2	15.33	193.53	33.24	36.72	3.21		15 69				
		Local Channel - Dedicated - 4-Wire Voice Grade			UNCXV	ULDV4	16.54	193.97	33.68	37.19	3 68		15 69				
	ļ	Local Channel - Dedicated - DS1 per month Zone 1			UNC1X	ULDF1	42.62	177.87	154.06	22.24	15 30		15.69				
	 	Local Channel - Dedicated -DS1 Per Month Zone 2			UNC1X	ULDF1	70 32	177.87	154.06	22.24	15 30		15.69				
	 	Local Channel - Dedicated - DS1- Per Month Zone 3 Local Channel - Dedicated - DS3 - Per Mile per month			UNC1X UNC3X	ULDF1 1L5NC	190.68 11.93	177.87	154.06	22.24	15 30		15 69				
	+	Local Channel - Dedicated - DS3 - Per Mile per month				ULDF3	446 00	452.52	264.53	119,75	83.77		15.69				
	+	Local Channel - Dedicated - DS3 - Facility Termination Local Channel - Dedicated - STS-1- Per Mile per month			UNC3X UNCSX	1L5NC	11.93	402.52	204.53	(19.75	83.77		15.09				
	+	Local Channel - Dedicated - STS-1 - Per Mile per month			UNCSX	ULDFS	435,10	452,52	264.53	119.75	83.77		15.69				
	Option	al Features & Functions:			011000	JEDI-O	435.10	+02.02	204.03	118.15	03.17	-	10.00				
		PLEXERS		\vdash		+											
	1	Channelization - DS1 to DS0 Channel System			UXTD1	MQ1	107.57	91.24	62.71	10.56	9.81		15.69				
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per				1											
	1	month (2.4-64kbs)			UDL	10100	1.19	6.59	4.73				15 69				

UNBLIND	I FD	NETWORK ELEMENTS - South Carolina									· · · · · · · · · · · · · · · · · · ·			A 84 b -		F - 11	
CATEGORY		RATE ELEMENTS	Interi m	Zone	BC\$	USOC			RATES(\$)	-			Svc Order Submitted Manually per LSR	Incremental	nent: 2 Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'i
							Rec	Nonrec	curring	Nonrecurring	Disconnect		LJ	oss	Rates(\$)		L
		Outer ISSN COCK (PRITE) BOAR BOAR OF	ļ				næ.	First	Add'l	First	Add'f	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month	i	1													
 		Voice Grade COCI - DS1 to DS0 Channel System - per month			UDN UEA	UC1CA	2 56	6 59	4 73				15 69		<u> </u>		
	- 1	DS3 to DS1 Channel System per month	 	 	UXTD3	1D1VG MQ3	0 56	6.59	4 73				15 69				
		STS1 to DS1 Channel System per month	├	+	UXTS1	MQ3	144.02	178.54 178.54	94 18	33.33 33.33	31.90 31.90	L	15 69				
		DS3 Interface Unit (DS1 COCI) used with Loop per month		+	USL	UC1D1	8.64	6 59	94.18 4.73	33.33	3190	-	15.69 15.69			ļ	
		DS3 Interface Unit (DS1 COCI) used with Local Channel per		t - t		00.01	9.07	0.09	4 /3				15.69				
		month	ŀ	1	ULDD1	UC101	8.64	6.59	4.73				15 69		1		
		DS3 Interface Unit (DS1 COCI) used with Interoffice Channel				-	0.01	0.55	4.70			 	15 09				
		per month	1	1	U1TD1	UC1D1	8 64	6.59	4 73				15.69		ŀ	}	
UNBUNDLE	ED L	OCAL EXCHANGE SWITCHING(PORTS)											1		 		
Exc	chan	ge Ports		L						-							
NO.	TE: /	Although the Port Rate includes all available features in GA,	KY, LA	& TN, ti	ne desired features	will need to t	oe ordered usin	g retail USOCs	3						· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·
2-W	VIKE	VOICE GRADE LINE PORT RATES (RES)				l											
		Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.65	2.38	2.28	1.42	1.33		15.69				
	I.	Frehence Date - OMS Applied to - Department	1			l	I										
		Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1 65	2 38	2.28	1.42	1.33		15 69				
	l.	Freshanna Bada (1964) Avalanta a Bada (1974)		i													
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Res			UEPSR	UEPRO	1.65	2.38	2 28	1.42	1 33		15.69		<u> </u>		
	l'	Exchange Ports - 2-Wire VG unbundled SC extended local dialing parity Port with Caller ID - Res.			LIEDOD		1								1		
		Exchange Ports - 2-Wire VG unbundled South Carolina Area	<u> </u>		UEPSR	UEPAU	1.65	2 38	2.28	1.42	1.33		15.69				
		Calling port with Caller ID - Res (LW8)	l	ł i	UEPSR	UEPAJ							ii				
		Exchange Ports - 2-Wire VG unbundled res, low usage line port			UEPSH	UEPAJ	1.65	2 38	2.28	1 42	1.33		15 69				
ŀ		with Caller ID (LUM)		1 1	UEPSR	UEPAP	1.65	2.38	2 28	1.42	1.33		15.69				
		Subsequent Activity		1	UEPSR	USASC	0.00	0.00	0 00	1.42	1.33		15.69				
FE/	ATUF		 	+	OLFOR	03/20	0.00	0.00	0 00				15 69				
		Ali Available Vertical Features		 	UEPSR	UEPVF	3.04	0.00	0 00				15.69				
2-W		VOICE GRADE LINE PORT RATES (BUS)			02, 011	<u> </u>	3.04	- 0.00	000	-			13.03	*** *** * * *			
		Exchange Ports - 2-Wire Analog Line Port without Caller ID -							•								
		Bus		1 .	UEPSB	UEP8L	1.65	2,38	2 28	1.42	1.33		15 69			1	
		Exchange Ports - 2-Wire VG unbundled Line Port with												**			
		unbundled port with Caller+E484 ID - Bus		1 1	UEPSB	UEPBC	1.65	2.38	2.28	1.42	1.33	į	15.69				
				1													
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.65	2.38	2 28	1.42	1.33		15 69				
		Exchange Ports - 2-Wire VG unbundled SC extended local			=												
		dialing parity Port with Caller ID - Bus.	L		UEPSB	UEPAZ	1.65	2.38	2 28	1.42	1.33		15.69				
1		Exhange Ports - 2-Wire VG unbundled incoming only port with	I	1 7									I . T				
		Catler ID - Bus			UEPSB	UEPB1_	1.65	2.38	2.28	1.42	1.33		15 69				
		Exchange Ports - 2-Wire VG unbundled South Carolina Bus	l			l	45-						45.5				
		Area Calling Port with Caller ID - Bus (LMB)	 	\vdash	UEPSB	UEPAB	1 65	2.38	2 28	1.42	1.33		15 69				
		Subsequent Activity	 	1—1	UEPSB	USASC	0.00	0.00	0 00				15.69				ļ
FE/	ATUF		Ь—	\vdash	LICOOD	LIEDVE		- 0.00					15 69				<u> </u>
		All Available Vertical Features	├	\vdash	UEPSB	UEPVF	3 04 3 04	0.00	0.00				15.69				
Ev/		All Available Vertical Features	 	1		UEPVF	3 04	0 00	0 00				10.09				
- IEX		2-Wire VG Unbundled 2-Way PBX Trunk - Res	<u> </u>	\vdash	UEPSE	UEPRD	1.65	31 34	14.88	13 97	0 90		15.69				
		2-Wire VG Unbundled 2-Way PBX Trunk - Hes 2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus	 	 	UEPSE	UEPPC	1.65	31 34	14.88	13.97	0.90		15.69	-			ļ
_		2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus	 		UEPSP	UEPPO	1.65	31 34	14.88	13.97	0.90		15.69		-		
 		2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus		 	UEPSP	UEPP1	1.65	31 34	- 14.88	13.97	0.90		15.69				
		2-Wire Analog Long Distance Terminal PBX Trunk - Bus		1	UEPSP	UEPLD	1.65	31 34	14.88	13.97	0.90		15.69				
		2-Wire Voice Unbundled PBX LD Terminal Ports		1-	UEPSP	UEPLD	1.65	31.34	14.88	13 97	0.90		15.69				
-		2-Wire Vice Unbundled 2-Way PBX Usage Port		1	UEPSP	UEPXA	1.65	31.34	14.88	13.97	0.90		15 69				
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		\vdash	UEPSP	UEPXB	1.65	31.34	14.88	13.97	0.90	· · · · · · · · · · · · · · · · · · ·	15 69				
		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.65	31.34	14 88	13.97	0.90		15.69				
-		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	· · · · · ·	 	UEPSP	UEPXD	1.65	31.34	14.88	13.97	0.90		15 69				
-		2-Wire Voice Unbundled PBX LD Terminal Switchboard (DD															
1		Capable Port	l	1 1	UEPSP	UEPXE	1.65	31.34	14.88	13.97	0.90		15.69			1	l

	D NETWORK ELEMENTS - South Carolina												Attachr	nent; 2	Exhit	bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	incremental Charge - Manual Svc Order vs. Electronic- 1st	incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge -	Increment Charge Manual S Order vs Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		
			<u> </u>				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPSP	UEPXL	1.65	31,34	14.88	13.97	0 90		15.69	l			
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPŠP	UEPXM	1.65	31.34	14.88	13.97	0.90		15.69				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPSP	UEPXO	1.65	31.34	14 88	13.97	0.90		15,69				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.65	31.34	14 88	13.97	0 90		15.69				
	2-Wire Voice Unbundled 2-Way PBX South Carolina Area Plus Calling Port			UEPŠP	UEPXT	1 65	31,34	14.88	13.97	0.90		15 69				
	Subsequent Activity		 	UEPSP	USASC	0.00	0.00	0.00	13.57	0.30		15.69				
FEAT			 	00.01	100/20	0.00		0.00			 	13,03				
	All Available Vertical Features		t	UEPSP UEPSE	UEPVF	3.04	0.00	0 00				15.69		 		
EXCH	ANGE PORT RATES (COIN)						2.30									
Local	Exchange Ports - Coin Port Switching Features offered with Port					1.65	2.38	2 28	1.42	1 33		15 69				
	Transmission/usage charges associated with POTS circuit sy	vitched	usage	will also apply to c	ircuit switch	ed voice and/o	circuit switch	ed data transm	ission by B-Ch	annels associ	ated with 2-	wire ISDN p	orts.			
	Access to B Channel or D Channel Packet capabilities will be													Request Pro	cess.	
	LOCAL EXCHANGE SWITCHING(PORTS)		T		1		.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				T				,	
EXCH	ANGE PORT RATES [Exchange Ports - 2-Wire DID Port		<u> </u>	UEPEX	UEPP2	8.86	119.57	18.78	60.03	3.77		15.69				
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID		<u> </u>	UEPEX	UEPP2	8.86	119.57	18.78	60.03	3.77		15.69				
	capability		L	UEPDD	UEPDD	73 62	202 47	95 90	72 75	2 47		15.69				
	Exchange Ports - 2-Wire ISDN Port (See Notes below.)		ļ	UEPTX UEPSX	U1PMA	13 38	72.93	53.11	47.90	10.76		15.69				
	All Features Offered	L		UEPTX UEPSX	UEPVF	3 04	0.00	0.00		<u> </u>		l				
NOTE	Transmission/usage charges associated with POTS circuit sv	vitched	usage	will also apply to c	Prount switch	ed voice and/or	Circuit switch	a data transm	ission by B-Cr	tannels associ	be Bone Fie	wire ISUN P	low Pusings	Beauset Dro		
NOTE	: Access to B Channel or D Channel Packet capabilities will be Exchange Ports - 2-Wire ISDN Port Channel Profiles	avalia	DIE OUI	UEPTX UEPSX	U1UMA	0.00	nates for the	0.00	IIII BE WIII DE CE	termined via i	ne Bona Pic	e nequesvi	New DUBINESS	s nequest FIG	cess.	
	Exchange Ports - 2-wire ISDN Port Channel Profiles	<u> </u>	+	UEPEX	UEPEX	107.44	204.27	101.78	79.35	20.10		15.69				
UMBU	NOLED PORT with REMOTE CALL FORWARDING CAPABILITY	ļ		DEFEA	UEFEX	107.44	204.27	101.70	73.03	20,10	 	10.00				
	NOLED REMOTE CALL FORWARDING SERVICE - RESIDENCE															
0.120	Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR				2.28	1.42	1.33		15 69				
			1		IUERAC	1.65	1 2.38	2.20				15 69	-		!	
	Cribarians Fichioto Sair Farmaranig Sarvisa; 7484 Saimig From		┝	DEPVH	UERAC	1.65	2.38						-			
	Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1.65	2.38	2.28	1.42	1.33		15.69	-			
							2.38 2.38	2.28 2.28	1.42	1.33 1 33		15.69 15.69	-			
	Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1.65	2.38	2.28		1.33		15.69				
Non-F	Unbundled Remote Call Forwarding Service, Local Calling - Res Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR UEPVR	UERLC UERTE	1.65 1.65	2.38 2.38	2.28 2.28	1.42	1.33 1 33		15.69 15.69				
Non-F	Unbundled Remote Call Forwarding Service, Local Calling - Res Unbundled Remote Call Forwarding Service, InterLATA - Res Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR UEPVR	UERLC UERTE	1.65 1.65	2.38 2.38	2.28 2.28	1.42	1.33 1 33		15.69 15.69				
Non-F	Unbundled Remote Call Forwarding Service, Local Calling - Res Unbundled Remote Call Forwarding Service, InterLATA - Res Unbundled Remote Call Forwarding Service, IntraLATA - Res lecurring Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with			UEPVR UEPVR UEPVR UEPVR	UERLC UERTE UERTR USAC2	1.65 1.65	2.38 2.38 2.38 2.38	2.28 2.28 2.28 2.28	1.42	1.33 1 33		15.69 15.69 15.69				
	Unbundled Remote Call Forwarding Service, Local Calling - Res Unbundled Remote Call Forwarding Service, InterLATA - Res Unbundled Remote Call Forwarding Service, IntraLATA - Res lecurring Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)			UEPVR UEPVR UEPVR	UERLC UERTE UERTR	1.65 1.65	2.38 2.38 2.38	2.28 2.28 2.28	1.42	1.33 1 33		15.69 15.69 15.69				
	Unbundled Remote Call Forwarding Service, Local Calling - Res Unbundled Remote Call Forwarding Service, InterLATA - Res Unbundled Remote Call Forwarding Service, IntraLATA - Res lecuring Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) NDLED REMOTE CALL FORWARDING - Bus			UEPVR UEPVR UEPVR UEPVR UEPVR	UERLC UERTE UERTR USAC2 USACC	1.65 1.65 1.65	2.38 2.38 2.38 0.10	2.28 2.28 2.28 0.10	1.42 1.42	1.33 1 33 1.33		15.69 15.69 15.69 15.69				
	Unbundled Remote Call Forwarding Service, Local Calling - Res Unbundled Remote Call Forwarding Service, InterLATA - Res Unbundled Remote Call Forwarding Service, IntraLATA - Res lecurring Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)			UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR	UERLC UERTE UERTR USAC2 USACC UERAC	1.65 1 65 1 65	2.38 2.38 2.38 0.10 0.10	2.28 2.28 2.28 0.10 0.10	1.42	1.33 1 33 1.33 1.33		15.69 15.69 15.69 15.69				
	Unbundled Remote Call Forwarding Service, Local Calling - Res Unbundled Remote Call Forwarding Service, InterLATA - Res Unbundled Remote Call Forwarding Service, IntraLATA - Res lecuring Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) NDLED REMOTE CALL FORWARDING - Bus Unbundled Remote Call Forwarding Service, Area Calling - Bus Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR	UERLC UERTE UERTR USAC2 USACC UERAC UERAC	1.65 1 65 1 65 1 65	2.38 2.38 2.38 0.10 0.10	2.28 2.28 2.28 0.10 0.10	1.42 1.42	1.33 1 33 1.33 1.33		15.69 15.69 15.69 15.69				
	Unbundled Remote Call Forwarding Service, Local Calling - Res Unbundled Remote Call Forwarding Service, InterLATA - Res Unbundled Remote Call Forwarding Service, IntraLATA - Res lecurring Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) NDLED REMOTE CALL FORWARDING - Bus Unbundled Remote Call Forwarding Service, Area Calling - Bus Unbundled Remote Call Forwarding Service, Local Calling - Bus Unbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVR UEPVR UEPVR UEPVR UEPVR UEPVB UEPVB	UERLC UERTE UERTR USAC2 USACC UERAC UERAC UERLC UERTE	1.65 1 65 1 65 1 65	2.38 2.38 2.38 0.10 0.10 2.38 2.38	2.28 2.28 2.28 0.10 2.28 2.28 2.28	1.42 1.42 1.42	1.33 1 33 1.33 1.33 1.33 1.33		15.69 15.69 15.69 15.69 15.69				
	Unbundled Remote Call Forwarding Service, Local Calling - Res Unbundled Remote Call Forwarding Service, InterLATA - Res Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) NDLED REMOTE CALL FORWARDING - Bus Unbundled Remote Call Forwarding Service, Area Calling - Bus Unbundled Remote Call Forwarding Service, Local Calling - Bus Unbundled Remote Call Forwarding Service, InterLATA - Bus Unbundled Remote Call Forwarding Service, InterLATA - Bus Unbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR	UERLC UERTE UERTR USAC2 USACC UERAC UERAC	1.65 1 65 1 65 1 65	2.38 2.38 2.38 0.10 0.10	2.28 2.28 2.28 0.10 0.10	1.42 1.42	1.33 1 33 1.33 1.33		15.69 15.69 15.69 15.69				
	Unbundled Remote Call Forwarding Service, Local Calling - Res Unbundled Remote Call Forwarding Service, InterLATA - Res Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) NDLED REMOTE CALL FORWARDING - Bus Unbundled Remote Call Forwarding Service, Area Calling - Bus Unbundled Remote Call Forwarding Service, InterLATA - Bus Unbundled Remote Call Forwarding Service, InterLATA - Bus Unbundled Remote Call Forwarding Service, IntraLATA - Bus Unbundled Remote Call Forwarding Service, IntraLATA - Bus Unbundled Remote Call Forwarding Service, IntraLATA - Bus Unbundled Remote Call Forwarding Service, IntraLATA - Bus Unbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVR UEPVR UEPVR UEPVR UEPVR UEPVB UEPVB	UERLC UERTE UERTR USAC2 USACC UERAC UERAC UERLC UERTE	1.65 1 65 1 65 1 65	2.38 2.38 2.38 0.10 0.10 2.38 2.38	2.28 2.28 2.28 0.10 2.28 2.28 2.28	1.42 1.42 1.42	1.33 1 33 1.33 1.33 1.33 1.33		15.69 15.69 15.69 15.69 15.69				
UNBU	Unbundled Remote Call Forwarding Service, Local Calling - Res Unbundled Remote Call Forwarding Service, InterLATA - Res Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) NDLED REMOTE CALL FORWARDING - Bus Unbundled Remote Call Forwarding Service, Area Calling - Bus Unbundled Remote Call Forwarding Service, Local Calling - Bus Unbundled Remote Call Forwarding Service, InterLATA - Bus Unbundled Remote Call Forwarding Service, InterLATA - Bus Unbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVR UEPVR UEPVR UEPVR UEPVR UEPVB UEPVB UEPVB UEPVB	UERLC UERTR USAC2 USACC UERAC UERAC UERLC UERTR	1.65 1 65 1 65 1 65 1 65 1.65 1.65	2.38 2.38 2.38 0.10 0.10 2.38 2.38 2.38	2.28 2.28 2.28 0.10 0.10 2.28 2.28 2.28 2.28	1.42 1.42 1.42 1.42 1.42 1.42 1.42	1.33 1 33 1.33 1.33 1.33 1.33 1.33		15.69 15.69 15.69 15.69 15.69 15.69 15.69				
UNBU	Unbundled Remote Call Forwarding Service, Local Calling - Res Unbundled Remote Call Forwarding Service, InterLATA - Res Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) NDLED REMOTE CALL FORWARDING - Bus Unbundled Remote Call Forwarding Service, Area Calling - Bus Unbundled Remote Call Forwarding Service, InterLATA - Bus Unbundled Remote Call Forwarding Service, InterLATA - Bus Unbundled Remote Call Forwarding Service, InterLATA - Bus Unbundled Remote Call Forwarding Service, InterLATA - Bus Unbundled Remote Call Forwarding Service, InterLATA - Bus Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling Tobundled Remote Call Forwarding Service - Conversion -			UEPVR UEPVR UEPVR UEPVR UEPVR UEPVB UEPVB UEPVB UEPVB UEPVB UEPVB	UERLC UERTR USAC2 USACC UERAC UERAC UERLC UERTE UERTR UERTR	1.65 1 65 1 65 1 65 1 65 1.65 1.65	2.38 2.38 2.38 0.10 0.10 2.38 2.38 2.38 2.38	2.28 2.28 2.28 0.10 0.10 2.28 2.28 2.28 2.28	1.42 1.42 1.42 1.42 1.42 1.42 1.42	1.33 1 33 1.33 1.33 1.33 1.33 1.33		15.69 15.69 15.69 15.69 15.69 15.69 15.69				
UNBU	Unbundled Remote Call Forwarding Service, Local Calling - Res Unbundled Remote Call Forwarding Service, InterLATA - Res Unbundled Remote Call Forwarding Service, InterLATA - Res Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) NDLED REMOTE CALL FORWARDING - Bus Unbundled Remote Call Forwarding Service, Area Calling - Bus Unbundled Remote Call Forwarding Service, Local Calling - Bus Unbundled Remote Call Forwarding Service, InterLATA - Bus Unbundled Remote Call Forwarding Service, IntraLATA - Bus Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling Incurring Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with			UEPVR UEPVR UEPVR UEPVR UEPVR UEPVB UEPVB UEPVB UEPVB UEPVB	UERLC UERTE UERTR USAC2 USACC UERAC UERLC UERTE UERTR UERVJ USAC2	1.65 1 65 1 65 1 65 1 65 1.65 1.65	2.38 2.38 2.38 0.10 0.10 2.38 2.38 2.38 2.38	2.28 2.28 2.28 0.10 0.10 2.28 2.28 2.28 2.28	1.42 1.42 1.42 1.42 1.42 1.42 1.42	1.33 1 33 1.33 1.33 1.33 1.33 1.33		15.69 15.69 15.69 15.69 15.69 15.69 15.69				
UNBU	Unbundled Remote Call Forwarding Service, Local Calling - Res Unbundled Remote Call Forwarding Service, InterLATA - Res Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) NDLED REMOTE CALL FORWARDING - Bus Unbundled Remote Call Forwarding Service, Area Calling - Bus Unbundled Remote Call Forwarding Service, Local Calling - Bus Unbundled Remote Call Forwarding Service, InterLATA - Bus Unbundled Remote Call Forwarding Service, InterLATA - Bus Unbundled Remote Call Forwarding Service, InterLATA - Bus Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling Inbundled Remote Call Forwarding Service - Conversion - Switch-as-is Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)			UEPVR UEPVR UEPVR UEPVR UEPVR UEPVB UEPVB UEPVB UEPVB UEPVB UEPVB	UERLC UERTR USAC2 USACC UERAC UERAC UERLC UERTE UERTR UERTR	1.65 1 65 1 65 1 65 1 65 1.65 1.65	2.38 2.38 2.38 0.10 0.10 2.38 2.38 2.38 2.38	2.28 2.28 2.28 0.10 0.10 2.28 2.28 2.28 2.28	1.42 1.42 1.42 1.42 1.42 1.42 1.42	1.33 1 33 1.33 1.33 1.33 1.33 1.33		15.69 15.69 15.69 15.69 15.69 15.69 15.69				
UNBU Non-F	Unbundled Remote Call Forwarding Service, Local Calling - Res Unbundled Remote Call Forwarding Service, InterLATA - Res Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) NDLED REMOTE CALL FORWARDING - Bus Unbundled Remote Call Forwarding Service, Area Calling - Bus Unbundled Remote Call Forwarding Service, Local Calling - Bus Unbundled Remote Call Forwarding Service, InterLATA - Bus Unbundled Remote Call Forwarding Service, InterLATA - Bus Unbundled Remote Call Forwarding Service, InterLATA - Bus Unbundled Remote Call Forwarding Service, InterLATA - Bus Unbundled Remote Call Forwarding Service, InterLATA - Bus Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling Iboundled Remote Call Forwarding Service - Conversion - Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)			UEPVR UEPVR UEPVR UEPVR UEPVR UEPVB UEPVB UEPVB UEPVB UEPVB	UERLC UERTE UERTR USAC2 USACC UERAC UERLC UERTE UERTR UERVJ USAC2	1.65 1 65 1 65 1 65 1 65 1.65 1.65	2.38 2.38 2.38 0.10 0.10 2.38 2.38 2.38 2.38	2.28 2.28 2.28 0.10 0.10 2.28 2.28 2.28 2.28	1.42 1.42 1.42 1.42 1.42 1.42 1.42	1.33 1 33 1.33 1.33 1.33 1.33 1.33		15.69 15.69 15.69 15.69 15.69 15.69 15.69				
UNBU Non-F	Unbundled Remote Call Forwarding Service, Local Calling - Res Unbundled Remote Call Forwarding Service, InterLATA - Res Unbundled Remote Call Forwarding Service, InterLATA - Res Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) NDLED REMOTE CALL FORWARDING - Bus Unbundled Remote Call Forwarding Service, Area Calling - Bus Unbundled Remote Call Forwarding Service, Local Calling - Bus Unbundled Remote Call Forwarding Service, InterLATA - Bus Unbundled Remote Call Forwarding Service, InterLATA - Bus Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling Inbundled Remote Call Forwarding Service - Conversion - Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) LOCAL SWITCHING, PORT USAGE Iffice Switching (Port Usage)			UEPVR UEPVR UEPVR UEPVR UEPVR UEPVB UEPVB UEPVB UEPVB UEPVB	UERLC UERTE UERTR USAC2 USACC UERAC UERLC UERTE UERTR UERVJ USAC2	1.65 1.65 1.65 1.65 1.65 1.65 1.65	2.38 2.38 2.38 0.10 0.10 2.38 2.38 2.38 2.38	2.28 2.28 2.28 0.10 0.10 2.28 2.28 2.28 2.28	1.42 1.42 1.42 1.42 1.42 1.42 1.42	1.33 1 33 1.33 1.33 1.33 1.33 1.33		15.69 15.69 15.69 15.69 15.69 15.69 15.69				
UNBU Non-F	Unbundled Remote Call Forwarding Service, Local Calling - Res Unbundled Remote Call Forwarding Service, InterLATA - Res Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) NDLED REMOTE CALL FORWARDING - Bus Unbundled Remote Call Forwarding Service, Area Calling - Bus Unbundled Remote Call Forwarding Service, Local Calling - Bus Unbundled Remote Call Forwarding Service, InterLATA - Bus Unbundled Remote Call Forwarding Service, InterLATA - Bus Unbundled Remote Call Forwarding Service, InterLATA - Bus Unbundled Remote Call Forwarding Service, InterLATA - Bus Unbundled Remote Call Forwarding Service, InterLATA - Bus Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling Iboundled Remote Call Forwarding Service - Conversion - Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)			UEPVR UEPVR UEPVR UEPVR UEPVR UEPVB UEPVB UEPVB UEPVB UEPVB	UERLC UERTE UERTR USAC2 USACC UERAC UERLC UERTE UERTR UERVJ USAC2	1.65 1 65 1 65 1 65 1 65 1.65 1.65	2.38 2.38 2.38 0.10 0.10 2.38 2.38 2.38 2.38	2.28 2.28 2.28 0.10 0.10 2.28 2.28 2.28 2.28	1.42 1.42 1.42 1.42 1.42 1.42 1.42	1.33 1 33 1.33 1.33 1.33 1.33 1.33		15.69 15.69 15.69 15.69 15.69 15.69 15.69				

NBUNDLE	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhit	bit; B
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremen
					İ						Submitted	Submitted	Charge -	Charge -	Charge -	Charge
			1 1		l						Elec	Manually	Manual Svc		Manual Svc	
ATEGORY	RATE ELEMENTS	interi	Zone	BCS	usoc			RATES(\$)						1		
AIEGONI	HATE ELEMENTS	m	Zone	BUS	0300			na i ca(a)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order v
			i i		i						1	l .	Electronic-	Electronic-	Electronic-	Electron
			1		İ	1							1st	Add'I	Disc 1st	Disc Ad
			1				_				L					
						B	Nonrec	urring	Nonrecurring	g Disconnect			OSS	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	Tandem Switching Function Per MOU		1			0.0001634					·					
	Tandem Trunk Port - Shared, Per MOU	\vdash	 			0.0002863				 	 			 		
Comm	on Transport		 		 	0.0002000				+					·	
Joonan	Common Transport - Per Mile, Per MOU		-			0.0000045	_			 	 					
						0.0000045				ļ		<u> </u>		ļ	ļ	<u> </u>
	Common Transport - Facilities Termination Per MOU					0.0004095					1			<u> </u>	L	
	PORT/LOOP COMBINATIONS - COST BASED RATES		l							<u> </u>	1	L	L	L	L	
	ased Rates are applied where BellSouth is required by FCC ar									1		1				I
Featur	es shall apply to the Unbundled Port/Loop Combination - Cos	t Based	Rate s	ection in the same	nanner as th	ey are applied	to the Stand-A	one Unbundie	d Port section	n of this Rate E	xhibit.					
	fice and Tandem Switching Usage and Common Transport Us											n Port/Loor	Combinatio	ns.	l	
	st and additional Port nonrecurring charges apply to Not Curr														ditional none	-
		only o	· · · · · · · · · · · · · · · · · · ·		Toning Contac	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	and monnedum	ng onanges on	un bo alogo la	cilling in air	1101110001111	ig - ourioni	.y combined	Sociolis. Au	araona nome	cuiling
	s may apply also and are categorized accordingly.								,						r	
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)		\vdash							 	 		[Ĺ	L
	ort/Loop Combination Rates		L		L	l				L	L	L	1	L	l	
	2-Wire VG Loop/Port Combo - Zone 1		1			14.89									L	
	2-Wire VG Loop/Port Combo - Zone 2		2			21.52				T	T -			 		
	2-Wire VG Loop/Port Combo - Zone 3		3		t	27.17				1	1			1		1
	pop Rates		 		 					 	+	 	 	 	 	1
	2-Wire Voice Grade Loop (SL1) - Zone 1		 	UEPRX	UEPLX	13 76				 	 	 		 		₩-
			_							 	 					ļ
	2-Wire Voice Grade Loop (SL1) - Zone 2			UEPRX	UEPLX	20.38						ļ <u> </u>			<u> </u>	↓
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	26.04				<u> </u>	J			1		ļ
2-Wire	Voice Grade Line Port Rates (Res)									L						
	2-Wire voice unbundled port - residence			UEPRX	UEPRL	1.13	37.93	16 72			T -	15.69				
	2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	1.13	37.93	16 72				15.69				
	2-Wire voice unbundled port outgoing only - res		_	UEPRX	UEPRO	1 13	37.93	16.72				15.69				
	2-Wire voice Grade unbundled South Carolina extended local	-		OLITIX	OLI IIO	1.0	07.33	10.72	·	 	 	10.00		 		
- 1		i		UEPRX	UEPAU	1.13	37.93	16 72			ı	15.69			1	
	dialing parity port with Caller ID - res		—	UEPRX	UEPAU	1.13	37.83	10 /2		+		15.05				
- 1	2-Wire voice unbundled South Carolina Area Calling port with	!	1 .		l				ļ	1		1		J	ļ	
	Caller ID - res (LW8)			UEPRX	UEPAJ	1.13	37.93	16.72			ļ	15.69				
	2-Wire voice unbundles res, low usage line port with Caller ID									l	1		1		ŀ	
1	(LUM)			UEPRX	UEPAP	1.13	37 93	16.72		l	<u> </u>	15.69				
FEATL	RES												<u> </u>			
	All Features Offered			UEPRX	UEPVF	3.04	0.00	0.00				15 69				
LOCAL	NUMBER PORTABILITY	_								1						
	Local Number Portability (1 per port)		 	UEPRX	LNPCX	0.35						1		1		
			-	ULFINA	LINFOX	0.00				+	 	 				
NONE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED										+	 		-		
l l	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		l		l	i			İ	1	1	45.00	_			1
	Switch-as-is		<u> </u>	UEPRX	USAC2		0.10	0.10			ļ	15.69	ļ			ļ
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	l	1						!	l	1	1 .	1	I	Į.	1
- 1	Switch with change	l	1	UEPRX	USACC	1	0 10	0.10	l	1		15.69	L	<u> </u>		<u> </u>
ADDIT	IONAL NRCs				1					I	1	1	L	1		L
70011	2-Wire Voice Grade Loop/Line Port Combination - Subsequent	 			 	1		-	1	Τ	T	1				
	Activity	l		UEPRX	USAS2	0.00	0.00	0.00		1		15.69		1		
		-		UEFRA	USASE	0.00	0.00	0.00		+		13,53	 			
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)		<u> </u>		<u> </u>					 		 				+
UNE P	ort/Loop Combination Rates		1							 		 	 			+
	2-Wire VG Loop/Port Combo - Zone 1		1_		L	14.89	L			ļ		<u> </u>			 	
	2-Wire VG Loop/Port Combo - Zone 2		2			21.52				l		L	<u> </u>			└
	2-Wire VG Loop/Port Combo - Zone 3		3		1	27.17						L	L		L	L
LIME !	oop Rates	-	† <u> </u>						<u> </u>	1						
ONEL		 	1	UEPBX	UEPLX	13 76			<u> </u>	1	1	1				
	2-Wire Voice Grade Loop (SL1) - Zone 1				UEPLX	20.38			 	 	+	1		 		1
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX						 	+	 	 	 	 	
	2-Wire Voice Grade Loop (SL1) - Zone 3		3_	UEPBX	UEPLX	26.04				 			 	 		
2-Wire	Voice Grade Line Port (Bus)	L	1	l	L	l:			ļ			1	 	 		
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.13	37 93	16.72				15.69	L			
$-\!\!\!-\!\!\!\!-$	2-Wire voice unbundled port with Caller + E484 ID - bus		1	UEPBX	UEPBC	1.13	37.93	16.72		1	1	15.69	l		L	
		 	 	UEPBX	UEPBO	1.13	37.93	16.72		1		15 69				
-								10172								1
	2-Wire voice unbundled port outgoing only - bus				<u> </u>						1					1
_	2-Wire voice Grade unbundled South Carolina extended local daling parity port with Caller ID - bus			UEPBX	UEPAZ	1,13	37.93	16.72			Ì	15.69				

DURONDEF	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Incremental			Incremen Charge Manual S Order vs Electroni Disc Add
 -			<u> </u>			Rec	Nonrec			g Disconnect				Rates(\$)		
	2-Wire voice unbundled South Carolina Bus Area Calling Port				+		First	Add'i	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	with Caller ID (LMB)	1	}	UEPBX	UEPAB	1,13	37.93	16.72	1			15 69		 		
LOCAL	L NUMBER PORTABILITY -						57.35	10.72				12.08		<u> </u>		
	Local Number Portability (1 per port)			UEPBX	LNPCX	0 35						 				<u> </u>
FEATL										1						-
MONE	All Features Offered ECURRING CHARGES (NRCs) - CURRENTLY COMBINED		<u> </u>	UEPBX	UEPVF	3.04	0.00	0 00				15.69				
NOMA	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch-as-is			UEPBX	1,,,,,,,,		اسما									
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		⊢	UEPBX	USAC2		0.10	0.10				15 69				
	Switch with change		ľ	UEPBX	USACC		0.10	0.10				15.69		ļ	ļ	
ADDIT	IONAL NRCs				1007.00		0.10	0.10				15.69		ļ	 	
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent				1					 						
	Activity			UEPBX	USAS2		0.00	0.00			1	15.69				l
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)									<u> </u>					 	
	ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1		L ,		<u> </u>											
	2-Wire VG Loop/Port Combo - Zone 1		2			14.89										
	2-Wire VG Loop/Port Combo - Zone 3		3			21.52 27.17										
UNE L	oop Rates		1		+	27.17				1						
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	VEPRG	UEPLX	13.76				 		ļ				ļ
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2		UEPLX	20.38										<u> </u>
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UÉPRG	UEPLX	26.04							· · · · ·		-	
2-Wire	Voice Grade Line Port Rates (RES - PBX)															
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -				1											
LOCAL	Res NUMBER PORTABILITY			UEPRG	UEPRD	1 13	37.93	16.72			ļ	15 69				
	Local Number Portability (1 per port)			UEPRĞ	LNPCP	3.15	0.00					- 45 00				
FEATU				DEFRG	LNPCP	3.15	0.00	- 0.00		 		15.69				
	All Features Offered			UEPRG	UEPVF	3.04	0 00	0.00				15 69				
NONRE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED						7.7	0.00								
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch-As-Is			UEPRG	USAC2		7.93	1.91				15.69				
- 1	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -														_	
ADDIT	Conversion - Switch with Change			UEPRG	USACC		7 93	1 91				15.69				
AUDITI	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		_		+											
	Subsequent Activity			UEPRG	USAS2	0 00	0 00	0.00]		15.69				
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt		 	OLFNG	UGROZ	000	0 00	0.00		 		15.09				
1	Group				j !	l	7.34	7.34		1	1	15.69				
2-WIRE	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)				†			,,,,,		-		10.00				
UNE P	ort/Loop Combination Rates				1											
	2-Wire VG Loop/Port Combo - Zone 1		1			14.89										
	2-Wire VG Loop/Port Combo - Zone 2		2			21.52										
	2-Wire VG Loop/Port Combo - Zone 3		3		ļ	27.17										
UNE LO	oop Rates			HEDDY	LIERLY -	40.50				l						ļ
	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2			UEPPX UEPPX	UEPLX	13 76 20.38										
-	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEPPX	UEPLX	26.04							-			
2-Wire	Voice Grade Line Port Rates (BUS - PBX)		-	OEI I A	150,00	20.04										
12	(200) 200				1 1											
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1.13	37.93	16.72		<u> </u>		15 69				
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1.13	37.93	16.72				15 69				
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1.13	37.93	16 72				15.69				
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1 13	37.93	16.72				15.69				
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.13	37.93	16.72				15.69				
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.13	37.93	16.72				15 69				
i i	2-Wire Voice Unbundled PBX LD DDD Terminals Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX UEPPX	UEPXC	1.13 1.13	37.93 37.93	16 72 16.72		ļ		15.69 15.69				

OMBONDE	ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit; B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(S)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	Increment Charge -
			 		 	Rec	Nonrec First	arring Add'l	Nonrecurring First	g Disconnect Add'l	COMEC	SOMAN		Rates(\$)	0014441	
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	-	 				FIISL	AUGI	riist	Addi	SOMEC	SUMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Capable Port	1		UEPPX	UEPXE	1.13	37.93	16 72			i	15.69		}	1]
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy											10.03				
	Administrative Calling Port		ļ	UEPPX	UEPXL	1.13	37.93	16.72				15.69		1	Ī	1
- 1	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM					1	1					
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	 	 	UEPPX	UEPXM	1.13	37.93	16 72				15 69				ļ
	Discount Room Calling Port			UEPPX	UEPXO	1.13	37.93	16.72				15 69				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.13	37,93	16 72	-	 	· 	15.69				
	2-Wire Voice Unbundled 2-Way PBX South Carolina Area Plus		Γ							1	1	10100				
1.004	Calling Port		—	UEPPX	UEPXT	1 13	37.93	16.72			<u> </u>	15.69		L	<u> </u>	<u></u>
LOCA	Local Number Portability (1 per port)		₩	LIEDDA	LUDOD					ļ	ļ					
FEAT	URES	-	╁──	UEPPX	ENPCP	3 15	0 00	0 00		 	+	15.69				
	All Features Offered	 	 	UEPPX	UEPVF	3.04	0.00	0.00		ļ	 	15.69	<u> </u>	ļ		.
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	i	†		J	3.04	0.00	0.00		 	+	15.69		ļ	 	
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -										1		·			
	Conversion - Switch-As-Is			UEPPX	USAC2		7.93	1.91		ŀ	1	15.69				
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -										T					
ADDE	Conversion - Switch with Change TIONAL NRCs		ļ	UEPPX	USACC		7.93	1.91			_	15.69				
AUU	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	-								<u> </u>	<u> </u>			ļ		
	Subsequent Activity		ĺ	UEPPX	USAS2	0.00	0.00	0 00		1		15 69				1
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt		_	OLY I X	100/02	0.00	0.00			 		15 69				
	Group		ŀ				7.34	7.34				15.69		•		1
	RE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POF	₹T									1					
UNE	Port/Loop Combination Rates															
	2-Wire VG Coin Port/Loop Combo - Zone 1		1			14 89					1					
	2-Wire VG Coin Port/Loop Combo – Zone 2		2			21.52										
HINE	2-Wire VG Coin Port/Loop Combo - Zone 3 Loop Rates		3		+	27.17				1						
- 0.1.2	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	13 76				 						
	2-Wire Voice Grade Loop (SL1) - Zone 2			UEPCO	UEPLX	20 38				<u> </u>	 					
	2-Wire Voice Grade Loop (SL1) - Zone 3			UEPCO	UEPLX	26 04					1					
2-Win	e Voice Grade Line Ports (COIN)															
1	2-Wire Coin 2-Way without Operator Screening and without															
	Blocking (SC)			UEPCO	UEPSD	1.13	37.93	16.72				15.69				<u> </u>
	2-Wire Coin 2-Way with Operator Screening and Blocking 011, 900/976, 1+DDD (SC)			UEPCO	UEPSA	1.13	37.93	16.72			1	15.69				
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking	-	<u> </u>	UEPCO	UEPSA	1.13	37.93	10.72		<u> </u>		15.08				
	(SC)			UEPCO	UEPSH	1.13	37.93	16 72			1	15.69				
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking;			02.00	102:01.		01.00				+				•	
i	with Dialing Parity (SC)			UEPCO	UEPSC	1.13	37.93	16.72			1	15.69				l
	2-Wire Coin 2-Way with Operator Screening and: 900 Blocking:					,										
	900/976, 1+DDD, 011+, and Local (SC)	L		UEPCO	UEPCC	1.13	37.93	16.72		<u> </u>		15 69		_		
	2-Wire Coin 2-W Operator Screen 900 Block: 900/976, 1+DDD,	l		LIEBOO	LIEBOE							45.00				1
	011+, Local; Enhanced Call OPT 3YV (SC) 2-Wire Coin 2-W Operator Screen: 900 Block: 900/976, 1+DDD,	 		UEPCO	UEPCE	1,13	37.93	16.72		 		15.69				
	011+, Local; Enhanced Call OPT AP7 (SC)			UEPCO	UEPCF	1.13	37.93	16.72				15.69				
	2-Wire Coin Outward without Blocking and without Operator		\vdash	V-1 VV	10-10-1	1.13	37.33	- 10.72			1	10.03				
	Screening (SC)	1		UEPCO	UEPSG	1.13	37.93	16.72		L		15.69				<u> </u>
	2-Wire Coin Outward with Operator Screening and 011 Blocking		1		1											
	(SC)			UEPCO	UEPSF	1.13	37.93	16.72				15.69				<u> </u>
I	2-Wire Coin Outward with Operator Screening and Blocking:	l														1
	011, 900/976, 1+DDD (SC)	Ь—		UEPCO	UEPSJ	1.13	37.93	16.72			 	15.69				
l	2-Wire Coin Outward with Operator Screening and Blocking:	l		LIEBOO	luenci.		~~ l	16.72				15.69				1
	900/976, 1+DDD, 011+, and Local (SC) 2-Wire Coin Out Operator Screen & Block: 900/976, 1+DDD,		 	UEPCO	UEPCM	1.13	37.93	16./2			+	10.09		 		
- 1	011+, Local; Enhanced Calling OPT 3YW (SC)	I		UEPCO	UEPCP	1.13	37.93	16.72		1		15.69			l	1

INBUNDLE	D NETWORK ELEMENTS - South Carolina													ment: 2		oit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Increments Charge - Manual Sv Order vs. Electronic Disc Add
··· · I ···						Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates(\$)		
							First	Addʻi	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.13	37.93	16.72			<u> </u>	15.69			ļ	
1	2-Wire Coin Outward Smartline with 900/976 (all states except		1				}				1				i	
	LA}		ļ	UEPCO	UEPCR	1.13	37.93	16.72				¥ 15.69			ļ	
ADDIT	TIONAL UNE COIN PORT/LOOP (RC)			UEPCO	URECU	4.05	37.93	16.72			ļ	15.69	ļ			
LOCA	UNE Coin Port/Loop Combo Usage (Flat Rate)		 	UEPCU	UNECU	4.05	37.83	10.72			-	13.09				
LOCA	Local Number Portability (1 per port)		 	UEPCO	LNPCX	0.35					 				-	
NONB	ECURRING CHARGES - CURRENTLY COMBINED		 	02100	LITT OX	0.00	h				 					
1.5	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		 		i						·					
ŀ	Switch-as-is		1	UEPCO	USAC2		0.10	0.10			ł	15 69	i			
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -								ĺ		1					I
	Switch with change	L	L	UEPCO	USACC		0.10	0.10	<u> </u>		L	15 69			L	
ADDIT	IONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent		l .							ŀ					Į.	
1	Activity		<u> </u>	UEPCO	USAS2		0.00	0.00			 	15.69		<u> </u>		ļ
	PORT/LOOP COMBINATIONS - COST BASED RATES		<u> </u>						ļ. ——				ļ			ļ.——
	E VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT	├							 	ļ				 	
UNE P	Port/Loop Combination Rates		 			23.75			 	<u> </u>				 		-
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		2			30.20					+	-		 		
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3	├	3			35.52			 			-			 	
UNE	.oop Rates	├	1 3			33.32									-	<u> </u>
UNEL	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	16.68			 							
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2	 		UEPPX	UECD1	23.13										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3	-		UEPPX	UECD1	28.46										
UNE P	Port Rate	 	 													
	Exchange Ports - 2-Wire DID Port	\vdash		UEPPX	UEPD1	7.06	225.55	87.21	113.08	14 38			15 69	<u> </u>		
NONR	ECURRING CHARGES - CURRENTLY COMBINED	T													<u> </u>	ļ
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -															1
1	Switch-as-is	<u></u>	l	UEPPX	USAC1		7.32	1.87			↓		15 69	ļ	 	ļ
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion								1				45.00		1	
	with BellSouth Allowable Changes	<u> </u>	<u> </u>	UEPPX	USA1C		7.32	1 87				<u> </u>	15.69			
ADDIT	FIONAL NRCs	ļ	ļ <u> </u>				26.84				 	 	15.69	 	 	
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk	ļ		UEPPX	USAS1		26.84						15.09	 	 	
Telepi	hone Number/Trunk Group Establisment Charges	ļ	├	HEDDA	NDT	0 00	0.00	0.00	-	ļ ——·	+	 	15 69			
	DID Trunk Termination (One Per Port)	 	+-	UEPPX	NDT	000	1 000	0.00	 	l	1-	†	1	 	<u> </u>	T .
	DID Numbers, Establish Trunk Group and Provide First Group	1	1	UEPPX	NDZ	0 00	0.00	0 00		1	1	1	15 69		1	L
	of 20 DID Numbers Additional DID Numbers for each Group of 20 DID Numbers	 	+	UEPPX	ND4	0.00		0 00		<u> </u>			15 69			
	DID Numbers, Non- consecutive DID Numbers , Per Number	 	+	UEPPX	ND5	0.00	0.00	0.00					15 69			
	Reserve Non-Consecutive DID numbers	 	\vdash	UEPPX	ND6	0 00	0.00	0 00					15.69			1
	Reserve DID Numbers	1	t^-	UEPPX	NDV	0.00	0.00	0.00					15.69		<u> </u>	
LOCA	L NUMBER PORTABILITY	†	1	1										 _	ļ	
- 12008	Local Number Portability (1 per port)	1	1	UEPPX	LNPCP	3.15	0.00	0.00						 	<u> </u>	
2-WIR	E ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SID	E POR							ļ	<u> </u>	<u> </u>			ļ	
UNE F	Port/Loop Combination Rates	1_								ļ	 			 	 	
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	1	Г								1	1		i	1	1
	UNE Zone 1	<u> </u>	1	UEPPB UEPPP	<u> </u>	30.86	ļ		 	ļ	+	 	 	+	 	+
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	1						I	i		1	1		1	1	
	UNE Zone 2	<u> </u>	2	UEPPB UEPPR	 	38.60	ļ		 	 	+	 	 	+	-	1
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	1	١.		1	44.00		1		1			1	ì	1	
	UNE Zone 3	1	3	UEPPB UEPPR	ļ	44.23	 	ļ	 	 	+	+	†		T	1
UNE	Loop Rates	-	+-	115000	LIOLOS	01.00	 	ļ	 	 	 		15.69			1
	2-Wire ISDN Digital Grade Loop - UNE Zone 1	1	1 1	UEPPB UEPPR	USL2X	21.90	 			 	+	-	1	† · · · ·	T	
		1	1_	UEDDD 115555	LICLOY	29 64	1	I	1	I	1		15 69		1	1
	2-Wire ISDN Digital Grade Loop - UNE Zone 2	 	2 3		USL2X	35,27		 	+	 	+		15.69			T
	2-Wire ISDN Digital Grade Loop - UNE Zone 3	-	1 3	UEPPB UEPPR	USLZA	35.27	 	 	 	<u> </u>	T		1			
HIME	Port Rate	1	1	UEPPB UEPPR	1		190.51	133.14	100.95	21.37		+	15.69		T.	

MOUNDLE	D NETWORK ELEMENTS - South Carolina													Attachi	ment: 2	Exhi	bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	E	ıcs	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge -	Incremen Charge
							Rec	Nonrec			Disconnect	ļ. <u></u> .			Rates(\$)		
NONE	ECURRING CHARGES - CURRENTLY COMBINED		 					First	Add'l	First	Add'1	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
1101111	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port		-														•
	Combination - Conversion	į .	1	LIEBBB	UEODD						1		i 1				
ADDIT	TONAL NRCs	_		UEPPB	UEPPR	USACB	0.00	38 59	27.08					15.69		l	
	L NUMBER PORTABILITY	<u> </u>													I		
LOCA	Local Number Portability (1 per port)	 	ļ	UEDOD							ļ <u>.</u>	ļ					
B.CUA	ANNEL USER PROFILE ACCESS:		├	UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
D-0117	CVS/CSD (DMS/5ESS)			UEDOD	UCDOD	1141104									l		
	CVS (EWSD)	-		UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
	CSD	-		UEPPB	UEPPR	U1UCB	0.00	0 00	0.00						ļ. <u></u>		<u> </u>
B-CH4	NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C 145 -	TAN	UEPPB	UEPPR	UTUCC	0 00	0 00	0.00		ļ	<u> </u>					
J-0/16	CVS/CSD (DMS/5ESS)	∪,m⊃, & 	[[11]	LIEDOR	UEPPR	HALICE	- 222				 	ļ				ļ	<u> </u>
	CVS (EWSD)	-		UEPPB	UEPPR UEPPR	U1UCD	0 00	0.00	0.00		ļ	ļ					ļ
	CSD		\vdash	UEPPB		UTUCE	0.00	0 00	0.00		<u> </u>	ļ			ļ		ļ
IISEP	TERMINAL PROFILE			UEPPB	UEPPR	UTUCE	0.00	0.00	0.00		ļ	ļ					
JOSEN	User Terminal Profile (EWSD only)	 	-	UEPPB	UEPPR	1141114	0.00					ļ	ļ <u> </u>		ļ		<u> </u>
VEDTI	CAL FEATURES			UEPPB	UEPPH	UTUMA	0.00	0.00	0 00								
VERT	All Vertical Features - One per Channel B User Profile		├	LIEDDD	UEDDD	UEDVE						ļ					ļ
INTER	OFFICE CHANNEL MILEAGE			OEPPB	UEPPR	UEPVE	3 04	0 00	0 00					15 69			ļ
INIER		-	—														
1	Interoffice Channel mileage each, including first mile and facilities termination		ľ									i					ĺ
-					UEPPR	M1GNC	24.30	40 63	27.47	16.77	6.91			15.69			<u> </u>
4 1000	Interoffice Channel mileage each, additional mile E DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK		<u> </u>	OFFER	UEPPR	MIGNM	0.0167	0.00	0.00								
		PORT	├														<u> </u>
UNEP	ort/Loop Combination Rates		1														ļ <u> </u>
1	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		1.	l		1											İ
	Zone 1		1	UEPPP			176.82										<u> </u>
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	l	1 _			1									ĺ		1
	Zone 2		2	UEPPP			241.38										
ļ	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	l	l _														1
	Zone 3	L	3	UEPPP			347.84										L
UNEL	oop Rates																
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	90.87					İ		15 69			L
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	155.43							15.69			L
	4-Wire DS1 Digital Loop - UNE Zone 3		.3	UEPPP		USL4P	261 89							15.69			
UNE P	ort Rate										<u></u>	ļ		·			
	Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP		UEPPP	85.95	457.30	259.67	124.15	31.83			15 69			<u> </u>
NONR	ECURRING CHARGES - CURRENTLY COMBINED																
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port															i	ĺ
	Combination - Conversion -Switch-as-is			UEPPP		USACP	0 00	119.34	78.73					15.69			l
ADDIT	TONAL NRCs																
1	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-							· ·									
	Inward/two way tel nos within Std Allowance (except NC)			UEPPP		PR7TF	l i	0.49	0.49					15.69			l .
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -																
	Outward Tel Numbers (All States except NC)	l	ł	UEPPP		PR7TO		11.54	11.54					15.69			
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -		T														
1	Subsequent Inward Tel Nos Above Std Allowance			UEPPP		PR7ZT		23.07	23.07				1	15.69			1 .
LOCAL	L NUMBER PORTABILITY										· · · · · · · · · · · · · · · · · · ·						
	Local Number Portability (1 per port)			UEPPP		LNPCN	1.75										
	Voice/Data			UEPPP		PR71V	0.00	0 00	0 00								
	Digital Data	1	T	VEPPP		PR71D	0.00	0.00	0.00								
	Inward Data			UEPPP		PR71E	0.00	0.00	0.00								
New o	r Additional "B" Channel		†	T					2.20			1			l		
1	New or Additional - Voice/Data B Channel	 		UEPPP		PR7BV	0 00	14.56						15 69			
	New or Additional - Digital Data B Channel	 		UEPPP		PR7BF	0,00	14.56				 		15 69			
\dashv	New or Additional Inward Data B Channel	 	_	UEPPP		PR7BD	0.00	14.56	-			 		15,69			
CALL	TYPES	_		JEFFF		1. 17.00	0.00	14,50				 		10,03			
VALL	Inward	 	-	UEPPP		PR7C1	0.00	6.00	0.00			 				-	
	Outward	1		UEPPP		PR7C0	0.00	0.00	0.00			 					
	IOuiwaiu	i	1	いしたととと		IFR/UU	0.001	0.00	0.00		i	1					

NBUNDLED I	NETWORK ELEMENTS - South Carolina												Attachi	ment: 2	Eyhi	bit: B
											Svc Order	Svc Order	Incremental	Incremental		
				₹ 3	1						Submitted	Submitted	Charge -	Charge -	Charge -	Charge
		Interi	,	الأمرين يوا	1						Elec		Manual Svc	Manual Svc		
ATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs
1		m			i l						her cau	herrou				
													Electronic- 1st	Electronic	Electronic-	
			L_											Add'l	Disc 1st	Disc Add
			<u> </u>			Rec	Nonrec First	urring Add'i	Nonrecurring		COME	COLLAN		Rates(\$)		
Interoffice	e Channel Mileage		 				FIRST	Addi	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	xed Each Including First Mile			UEPPP	1LN1A	77,4815	89.47	81.99	16 39	14.48			15 69		 	
Ea	ach Airline-Fractional Additional Mile			UEPPP	1LN1B	0.3415	50,41	01.33	10 09	14.40			15 69			
4-WIRE D	S1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT		!								-				ļ	
UNE Port/	/Loop Combination Rates										1		· · · · · · · · · · · · · · · · · · ·			
	W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDÇ		149.77									 	l
4V	W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		214 33										
4V	W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		320.78										
UNE Loop					1											
	Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	90 87							15.69		İ	
	Wire DS1 Digital Loop - UNE Zone 2			UEPDC	USLDC	155.43					I		15 69	I	1	
	Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	261 89							15 69			
UNE Port																
	Wire DDITS Digital Trunk Port			UEPDC	UDD1T	58.90	455.50	253.79	117.55	14.20			15.69			
	URRING CHARGES - CURRENTLY COMBINED										ļ				l	
	Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination Switch-as-is			UEDDO	1						' ']
				UEPDC	USAC4		129 78	67 17					15.69			
	Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination					ľ	1									
	Conversion with DS1 Changes		oxdot	UEPDC	USAWA		129.78	67.17					15 69		L	
	Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination										1				1	
	Conversion with Change - Trunk		L	UEPDC	USAWB		129.78	67.17					15.69			
	IAL NRCs													L		
	Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent				1	1										ŀ
C	nannel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		14.51	14.51					15.69			
	Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel					i						1				
	ctivation/Chan Inward Trunk w/out DID		-	UEPDC	UDTTC		14.51	14.51					15.69			
	Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			UEPDC	UDTTD .		44.54					1			ŀ	
	Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsont Chan			UEPDC	טווטטן		14.51	14 51			i		15.69			ļ
	trivation / Chan - 2-Way DID w User Trans		!	UEPDC	UDTTE	ŀ	44	44-4				- 1				l
PIDOL AD	8 ZERO SUBSTITUTION			UEPDU	UDTTE		14.51	14 51					15.69 15.69			ļ
	3ZS -Superframe Format	-	\vdash	UEPDC	CCOSF		0.00	605.00					15 69			
	3ZS - Extended Superframe Format			UEPDC	CCOEF		0.00	605.00					15.69			
	Mark Inversion			DEFDO	CCOEF	-	000	005.00					15.09			
	MI -Superframe Format			UEPDC	MCOSF		0.00	0 00								
	MI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0 00					· · · · · · · · · · · · · · · · · · ·			
	e Number/Trunk Group Establisment Charges		-	52. 20	155. 5											
	elephone Number for 2-Way Trunk Group		\vdash	UEPDC	UDTGX	0 00							15.69			
	elephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00							15 69			
	elephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00						1	15 69			
	D Numbers, Establish Trunk Group and Provide First Group															
of	20 DID Numbers			UEPDC	NDZ	0.00	0.00	0.00					15 69			
	D Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00							15 69			
	D Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00	0.00	0.00					15.69			
	eserve Non-Consecutive DID Nos			UEPDC	ND6	0.00	0.00	0.00					15 69			
	eserve DiD Numbers			UEPDC	NDV	0.00	0.00	0.00					15.69			
Dedicated	DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	Digital	Loop	with 4-Wire DDITS	Trunk Port											
Int	teroffice Channel Mileage - Fixed rate 0-8 miles (Facilities						1								·	
	ermination)			UEPDC	1LNO1	77.14	89.47	81.99	16.39	14.48			15.69			
int	teroffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.3415	0.00	0.00								
Int	teroffice Channel Mileage - Fixed rate 9-25 miles (Facilities						0.00	0.00								
	emination) teroffice Channel Mileage - Additional rate per mile - 9-25		-	UEPDC	1LNO2	0.00	0.00	0.00								
mil	les			UEPDC	1LNOB	0.3415	0 00	0.00								
	teroffice Channel Mileage - Fixed rate 25+ miles (Facilities emination)			UEPDC	1LNO3	0.00	0 00	0.00								
- 1 ''																

MBUNDLED HE I WOR	K ELEMENTS - South Carolina												Attach	ment: 2	Exhil	bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental		Incremental Charge - Manual Svc Order vs.	
					ļ							-	Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electron Disc Ad
	· · · · · · · · · · · · · · · · · · ·		-		1	Rec	Nonrec		Nonrecurring					Rates(\$)		
Local Number	Portability, per DS0 Activated		\vdash	UEPDC	LNPCP	3.15	First 0.00	Add'l 0.00	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
Central Office	Termininating Point	 		UEPDC	CTG	0.00	0.00	0.00					ļ			ļ. <u></u>
4-WIRE DS1 LOOP W	ITH CHANNELIZATION WITH PORT	1			10.0	0.00										ļ
System is 1 DS1 Loc	p, 1 D4 Channel Bank, and up to 24 Feature Act	ivations	1											 	·	
Each System can ha	ve up to 24 combinations of rates depending on	type ar	nd num	ber of ports used						 			<u> </u>	 		
UNE DS1 Loop	100															
	pop - UNE Zone 1	ļ		UEPMG	USLDC	90.87	0.00	0.00								t
	pop - UNE Zone 2			UEPMG	USLDC	155.43	0.00	0.00								
	pop - UNE Zone 3	Ц	3	ÜEPMG	USLDC	261.89	0.00	0.00								
24 DSO Chan	Ition Capacities (D4 Channel Bank Configuration nel Capacity - 1 per DS1	ns)		UEDI40	 											1
	nel Capacity - 1 per DS1	 		UEPMGUEPMG	VUM24	82.78	0 00	0 00		<u> </u>			15.69			
	nel Capacity - 1 per 2 DS1s	 		UEPMG UEPMG	VUM48 VUM96	165.56 331.12	0 00	0.00	 				15 69			
	nnel Capacity - 1 per 6 DS1s	 		UEPMG UEPMG	VUM96 VUM14	331.12 496.68		0.00					15.69			
	nnel Capacity - 1 per 8 DS1s	 		UEPMG	VUM19	662.24	0.00	0.00			ļ		15.69	 		1
	nnel Capacity - 1 per 10 DS1s			UEPMG	VUM20	827.80	0.00	0.00	 	 			15.69			
	inel Capacity - 1 per 12 DS1s			UEPMG	VUM28	993.36	0.00	0.00		 	 		15.69 15.69	<u> </u>		.
	nnel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1.324 48	0.00	0.00			 		15.69			⊢
	nnel Capacity - 1 per 20 DS1s			UEPMG	VUM40	1,655 60	0.00	0.00					15,69	 		
576 DS0 Char	nnel Capacity -1 per 24 DS1s			UEPMG	VUM57	1,986.72	0 00	0.00					15.69	 		
672 DS0 Char	nnel Capacity - 1 per 28 DS1s			UEPMG	VUM67	2.317.84	0.00	0.00					15.69			
Non-Recurring Charg	es (NRC) Associated with 4-Wire DS1 Loop with	h Chann	neliztio	with Port - Conve	rsion Charge	Based on a Sy	stem						10.00			-
A Minimum System o	configuration is One (1) DS1, One (1) D4 Channe	l Bank,	and Up	To 24 DSO Ports w	ith Feature A	Activations.										
Multiples of this con	figuration functioning as one are considered Ac	id'i after	r the m	nimum system con	figuration is	counted.										
NRC - Conver	sion (Currently Combined) with or without													1		
BellSouth Allo	wed Changes	Ļ <u>. </u>	احيبا	UEPMG	USAC4	0.00	150.81	8.38					15.69			
System Additions at	End User Locations Where 4-Wire DS1 Loop wit	th Chan	nelizati	on with Port Comb	ination Curre	ntly Exists and										
	ombined) in all states, except in Density Zone 1 nnel Bank - Additionally Add NRC for each Port	OTIOD	BMSA	S	<u> </u>						ļ					
and Assoc Fe				UEPMG	VUMD4	0.00	717.71	425.81	149.08	17.69	Ì.		15.69	l		
Bipolar 8 Zero Subst				OEFING	VOIVID4	0.00	/1/./1	423.01	149.06	17.09			15.09			
	Capability Format, superframe - Subsequent		\vdash		 	t										
Activity Only	copusing training, supername consequent			UEPMG	CCOSF	0.00	0.00	605.00		ľ						
	Capability Format - Extended Superframe -				1	5.00	0.00				-					
Subsequent A	ctivity Only			UEPMG	CCOEF	0.00	0.00	605 00			ŀ					1
Alternate Mark Invers	ion (AMI)															
Superframe F	ormat			UEPMG	MCOSF	0.00	0.00	0.00								
	erframe Format			UEPMG	MCOPO	0.00	0 00	0.00								
	ciated with 4-Wire DS1 Loop with Channelization	on with	Port											l		
Exchange Ports		L														
1 1			l I		l	[]				l				I		
	ibination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	1.13	0.00	0.00	0.00	0.00	<u> </u>		15.69			
Line Side Out	ward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	1.13	0.00	0.00	0.00	0 00			15.69			
						ا ا										l
	rd Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	1,13	0 00	0.00	0.00	0.00			15.69			
	Side Unbundled Channelized DID Trunk Port		\vdash	UEPPX	UEPDM	7.09	0.00	0.00	0.00	0.00			15.69			ļ
	Unbundled Loop Concentration		\vdash		ļ								·			
in D4 Bank	ce) Activation for each Line Side Port Terminated		1 1	LIEDDY	1PQWM	0.56	25.45	13.44	4.20	4,17			15.69			
	ce) Activation for each Trunk Side Port Terminated	—	$\vdash \vdash \vdash$	UEPPX	I POWM	U.56	25 45	13.44	4.20	4,17			15.69			
in D4 Bank	Let Activation for each mark Side Port Terminated			UEPPX	1PQWU	0.56	78.31	18.46	59 37	11.60			15.69			l
	Group Establishment Charges for DID Service	<u> </u>	 	ULITA	IT GIVO	0.56	/0.31	10.40	59 37	11.00			10.09			
	mination (1 per Port)	\vdash	 	UEPPX	NDT	0.00	0.00	0.00		 			-			
	and Provide 1st 20 DID Nos (FL,GA, NC,& SC)	H	 	UEPPX	NDZ	0.00	0.00	0.00					·		-	_
	groups of 20 - Valid all States		$\vdash \vdash$	UEPPX	ND4	0.00	0.00	0.00		l		-				
	ive DID Numbers - per number	\vdash	\vdash	UEPPX	ND5	0.00	0.00	0.00								
	Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00								
Reserve DID N				UEPPX	NDV	0.00	0.00	0.00								
	ility					0.00	5.50	5,50								

JNBUNDLED	NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: B
1		T		_24 = 402		I		-			Svc Order	Svc Order	Incremental	Incremental	Incremental	Increment
		i]]		İ	1						Submitted	Charge -	Charge -	Charge -	Charge
			1	1 1		1					Elec	Manually	Manual Svc			Manual S
CATEGORY	RATE ELEMENTS	Interi	7	BCS	USOC			RATES(\$)								
AIEGORT	NATE ELEMENTS	m	Zone	BC3	0300			1121 120(4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs
		l			1						!		Electronic-	Electronic-		Electroni
						1					1	1	1st	Add'i	Disc 1st	Disc Add
		ļ	ļ			ļ <u>.</u>				5 1		l				1
			<u> </u>			Rec	Nonrec			Disconnect				Rates(\$)		1
	· · · · · · · · · · · · · · · · · · ·	1					First	Addil	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00				l		l	1	1
FEATUR	RES - Vertical and Optional		<u> </u>													1
	witching Features Offered with Line Side Ports Only		l						•							1
	All Features Available			UEPPX	UEPVF	3 04	0.00	0.00				T	15.69			
JNBUNDLED PO	ORT LOOP COMBINATIONS - MARKET RATES		Г—-									1		T	T	1
Market F	Rates shall apply where BellSouth is not required to provide	unbun	dled lo	cal switching or s	witch ports pe	r FCC and/or St	ate Commissio	n rules.						<u> </u>		
	cludes unbundled port/loop combinations that are Currently								or end users v	rith 4 or more	DS0 equival	ent lines.				1
The Top	o 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd	ale. Mis	mi): G/	A (Atlanta): LA (No	w Orleans): No	: (Greenshoro-V	Vinston Salem	-Highpoint/Ch	arlotte-Gaston	ie-Bock Hill): 1	N (Nashvill	e)			+	
BellSou	th currently is developing the billing capability to mechanic	alty bill	the rec	urring and non-re	curring Marke	Rates in this se	ection. In the	nterim where	BellSouth can	not bill Market	Rates, Bell	South shall	bill the rates	in the Cost-F	ased section	preceding
	he Market Rates and reserves the right to true-up the billing										,					p.ococii.g
	rket Rate for unbundled ports includes all available features			T		1 1			· · · · ·	1		T	Г		т .	1
	ice and Tandem Switching Usage and Common Transport U			na Dort peobles -4	thic rate out it	it chall each **	all combines	ne of least-	et naturati ala	monte evenn ^a	or LINE Co	in Port/I oc	Combination	ne	 	
For Not	Currently Combined scenarios, the Nonrecurring charges at	augo rai	in the	Firet and Addition	and rate extric	ne for each Do-	HSOC FOR	urantii Comb	ined scenario	the Nonrecu	ming chers	es are listor	in the NPC	Currently Co	mhined service	on .
		e nateu	III WIO	riist and Addition	iai iano coluiti	ils for each ron	OSOC. FOI C	differency Comb	miod accitatio	s, me reomecu	ining charge	03 010 113100	III ale iiio -	Cultonay CO	IIIDINIOU SOCII	J11.
	nal NRCs may apply also and are categorized accordingly.				. ,						,			Υ		
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)		<u> </u>			!					<u> </u>			<u> </u>	ļ	ļ
	rt/Loop Combination Rates					1									<u> </u>	ļ
	2-Wire VG Loop/Port Combo - Zone 1	i	1_			27 76	1		·			L			1	
	2-Wire VG Loop/Port Combo - Zone 2		2_		i	34 38						<u> </u>				<u> </u>
	2-Wire VG Loop/Port Combo - Zone 3		3			40.04										
UNE Loc	op Rates												1		1	1
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	1	UEPRX	UEPLX	13.76			1			1				
	2-Wire Voice Grade Loop (SL1) - Zone 2	-	2	UEPRX	UEPLX	20.38			·			† 		<u> </u>	<u> </u>	
	2-Wire Voice Grade Loop (SL1) - Zone 3	 		UEPRX	UEPLX	26 04						h		<u> </u>	 	
	Voice Grade Line Port (Res)	 	+ 	OL: TIX	OLI LX		-				·	 				1
		 	1	UEPRX	UEPRL	14.00	90.00	90.00				15 69		 		
	2-Wire voice unbundled port - residence	1	-		UEPRC	14.00	90.00					15.69		···		-
	2-Wire voice unbundled port with Caller ID - res	 	↓	UEPRX				90.00			 			 		+
	2-Wire voice unbundled port outgoing only - res	1		UEPRX	UEPRO	14.00	90.00	90.00		1		15 69				
1 1	2-Wire voice unbundles res, low usage line port with Caller ID	l .	1	ľ	ł	1					!			1	1	
	(LUM)	l		UEPRX	UEPAP	14 00	90.00	90.00				15 69		<u> </u>		1
LOCAL	NUMBER PORTABILITY															1
	Local Number Portability (1 per port)		Т	UEPRX	LNPCX	0.35						i			L	1
FEATUR		1	1													
	All Features Offered	i -	+	UEPRX	UEPVF	0.00	0.00	0.00				15.69				T
	ONAL NRCs		 		- 					1						
	NRC - 2-Wire Voice Grade Loop/Line Port Combination -	 	 	 	-					·	i				Ĭ	
	Subsequent	1		UEPRX	USAS2		0.00	0.00			ł	15.69	l	i	i	
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)	-		DEFRA	USAGE	 	0.00	0.00			·	1				
			-	 		 			 	 	 	 		 	 	
	ort/Loop Combination Rates		 			 			 	 	 	 	 	 	 	
	2-Wire VG Loop/Port Combo - Zone 1	↓	1 1			27.76					 	+	 	+	+	
	2-Wire VG Loop/Port Combo - Zone 2	<u> </u>	2			34.38			ļ <u> </u>	<u> </u>	 	 		+	 	+
	2-Wire VG Loop/Port Combo - Zone 3		3			40.04			 			 	 		+	
UNE Lo	op Rates									L		<u> </u>			1	+-
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	1	UÉPBX	UEPLX	13.76				L	1	ļ	ļ	ļ		
	2-Wire Voice Grade Loop (SL1) - Zone 2	T	2	UEPBX	UEPLX	20.38				L	<u></u>	ļ				
	2-Wire Voice Grade Loop (SL1) - Zone 3	T -		UEPBX	UEPLX	26 04						1			<u> </u>	
	Voice Grade Line Port (Bus)	1 	 	† · · · · · · · · · · · · · · · · · · ·					T							1
	2-Wire voice unbundled port without Caller ID - bus	+ -	+	UEPBX	UEPBL	14 00	90.00	90 00	1		1	15 69				
		+	+-	UEPBX	UEPBC	14.00	90.00	90.00	 			15.69	1			
	2-Wire voice unbundled port with Calter + E484 ID - bus	+	+			14.00	90.00	90.00	 	· · · · · · · · · · · · · · · · · · ·	 	15.69	·	1	1	1
	2-Wire voice unbundled port outgoing only - bus	+	 	UEPBX	ÜEPBO	14.00	90.00	80.00	 	 	-	1	 		T	T
	2-Wire voice Grade unbundled South Carolina extended local	1	1			1 44.00	00.00	00.00			1	15.69		1	1	1
	dialing parity port with Caller ID - bus		L	UEPBX	UEPAZ	14.00	90 00	90.00	 	 	!	15.09		+	+	+
	2-Wire voice unbundled South Carolina Bus Area Calling Port		1		1						1	45.00	1	1		1
	with Caller ID (LMB)	1	1	UEPBX	UEPAB	14.00	90.00	90.00	L	L	<u> </u>	15.69	L	ļ	ļ.——	4
	NUMBER PORTABILITY	1	1							l	L		L	ļ	4	+
	Local Number Portability (1 per port)	 	1	UEPBX	LNPCX	0.35							l	1		
	Local Number Poliability (1 ber bort)		-	OL: ON		1				1						
	DEC.															
FEATUR	RES All Features Offered	ļ.—-		UEPBX	UEPVF	0.00	0.00	0.00	 	 	 	15.69		 	T	

INBUNDL	ED NETWORK ELEMENTS - South Carolina									•			Attach	ment: 2	Evhil	bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Sve Order vs. Electronic- Disc 1st	Incrementa Charge -
	- 				ļ	Rec	Nonrec			g Disconnect				Rates(\$)		
 	NRC - 2-Wire Voice Grade Loop/Line Port Combination -				+		First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Į.	Subsequent	1		UEPBX	USAS2	. 1	0.00			·	\ '				ŀ	1
2-WII	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)	 	-	UEFBA	USASZ		0.00	0.00			ļ	15,69				
UNE	Port/Loop Combination Rates		 							ļ	 					<u> </u>
	2-Wire VG Loop/Port Combo - Zone 1		1			27.76				<u> </u>						ļ <u></u>
	2-Wire VG Loop/Port Combo - Zone 2		2		+	34.38										<u> </u>
	2-Wire VG Loop/Port Combo - Zone 3		3		1	40.04										ļ
UNE	Loop Rates		 		+	40.04	·									<u> </u>
	2-Wire Voice Grade Loop (SL1) - Zone 1	—	1	UEPRG	UEPLX	13.76										
	2-Wire Voice Grade Loop (SL1) - Zone 2			UEPRG							<u> </u>					
	2-Wire Voice Grade Loop (SL1) - Zone 3			UEPRG	UEPLX	20.38								ļ	L	ļ
2,115.	e Voice Grade Line Port Rates (RES - PBX)		1 3	UEPHG	UEPLX	26.04										<u> </u>
2-1711	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -				4					ļ						<u> </u>
		ļ	i i		1						1					i
- 1	Res AL NUMBER PORTABILITY	 	↓	UEPRG	UEPRD	14.00	90 00	90.00		l	1	15 69		l		L
LUCA																
	Local Number Portability (1 per port)		₩	UEPRG	LNPCP	3.15	0.00	0.00			<u> </u>					
FEAT	URES															
	All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00				15 69				1
	RECURRING CHARGES - CURRENTLY COMBINED															
ADDI	TIONAL NRCs	<u> </u>					• •									
	2 Wire Loop/Line Side Port Combination - Non feature -									1						
	Subsequent Activity- Nonrecurring				1		0.00	0.00				15 69		İ		· ·
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
	Group				1		14 64	14.64			1	15.69				1
2-WII	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)						,									
UNE	Port/Loop Combination Rates				1			· · · · · · · · · · · · · · · · · · ·			1					
	2-Wire VG Loop/Port Combo - Zone 1		1			27.76				†	1					<u> </u>
	2-Wire VG Loop/Port Combo - Zone 2		2			34 38		····								1
	2-Wire VG Loop/Port Combo - Zone 3		3		1	40 04								· · · · · ·		1
UNE	Loop Rates		<u> </u>		 						1					
	2-Wire Voice Grade Loop (SL1) - Zone 1		1 1	UEPPX	UEPLX	13.76		· · · · · · · · · · · · · · · · · · ·								
	2-Wire Voice Grade Loop (SL1) - Zone 2	-		UEPPX	UEPLX	20.38	-				 					t
	2-Wire Voice Grade Loop (SL1) - Zone 3			UEPPX	ÜEPLX	26.04				 						
2-Win	e Voice Grade Line Port Rates (BUS - PBX)	├──	 	CLITA	102, 20	20.04				 		 				
	TOTO CITAL CITTO TOTAL TRACES (BOS - T DA)		+		+					· · · · · · · · · · · · · · · · · · ·	···					
- 1	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	14.00	90.00	90.00		İ		15 69		l .		l .
	Line Side Unbundled Outward PBX Trunk Port - Bus		_	UEPPX	UEPPO	14.00	90.00	90.00				15 69		l		
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	14 00	90.00	90.00				15 69				
				UEPPX	UEPLD	14 00	90.00	90.00			+	15.69				
	2-Wire Voice Unbundled PBX LD Terminal Ports		-		4	14 00	90.00	90.00			+	15.69				
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA					ļ	+	15.69				
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	14 00	90.00	90.00								
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	14.00	90 00	90.00			ļ	15.69				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	14.00	90.00	90.00			ļ	15.69				
- 1	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD				1									1		
	Capable Port			UEPPX	UEPXE	14.00	90.00	90.00				15.69				<u> </u>
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy					7					1			I		1
	Administrative Calling Port	<u> </u>	<u>.</u>	UEPPX	UEPXL	14.00	90.00	90.00		L	l	15.69				<u> </u>
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															1
- 1	Room Calling Port			UEPPX	UEPXM	14.00	90.00	90.00		L	<u> </u>	15.69		<u></u>		<u> </u>
\neg	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital				1			-								
	Discount Room Calling Port	ľ	1	UEPPX	UEPXO	14.00	90.00	90.00			1	15.69		L		l
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	 	1	UEPPX	UEPXS	14.00	90.00	90.00			1	15.69		1		
LOCA	AL NUMBER PORTABILITY	 			1					1	1					
1200,	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00			1					
EEAT	URES		 	ULI I A	12.41 01		0.00	0.00		 	1		-	-		T
PEAI		 -	\vdash	UEPPX	UEPVF	0.00	0.00	0.00		 	1	15.69				T
- 1	All Features Offered			ULFFA	UCFYF	0.00	0.00	Ų.ŲO			+	13.03				
110.00	RECURRING CHARGES - CURRENTLY COMBINED	1														

ONRONDL	ED NETWORK ELEMENTS - South Carolina													nent: 2		oit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
					4	Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	OSS	Rates(\$) SOMAN	SOMAN	SOMAN
			_			-	FIISI	Add I	rirat	Addi	SOMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPPX	USAS2		0.00	0.00				15.69			ľ	
	2 Wire Loop/Line Side Port Combination - Non feature - Subsequent Activity- Nonrecurring						0.00	0.00				15.69				
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt		\vdash			-	0.00	0.00				15.09				
	Group						7 34	7.34				15.69				Į.
	RE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	T.														
UNE	Port/Loop Combination Rates															
	2-Wire VG Coin Port/Loop Combo – Zone 1		1			27.76										
	2-Wire VG Coin Port/Loop Combo – Zone 2		2			34.38										
- Inc	2-Wire VG Coin Port/Loop Combo - Zone 3 Loop Rates		3			40 04										
UNE	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	10.76									ļ	ļ
 	2-Wire Voice Grade Loop (SL1) - Zone 1		2	UEPÇO	UEPLX	13 76 20,38										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3		UEPLX	26.04				· · · · · · · · · · · · · · · · · · ·						<u> </u>
2-Win	e Voice Grade Line Port Rates (Coin)		- ا	02,00	100.0	20.04										
	2-Wire Coin 2-Way without Operator Screening and without				 		· 									
	Blocking (SC)	1	l	UEPCO	UEPSD	14.00	90 00	90 00				15.69				1
	2-Wire Coin 2-Way with Operator Screening and Blocking 011, 900/976, 1+DDD (AL, KY, LA, MS, SC)			UEPCO	UEPRA	14 00	90.00	90.00				15.69				
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,			UEFCO	UEFRA	1400	90.00	90.00	1		_	15.09				
	900/976, 1+DDD (SC) 2-Wire Coin 2-Way with Operator Screening and 011 Blocking			UEPCO	UEPSA	14.00	90.00	90 00				15.69				
	(SC)			UEPCO	UEPSH	14 00	90.00	90.00				15.69	:			
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking, with Dialing Parity (SC)			UEPCO	UEPSC	14.00	90.00	90.00				15.69		1		
	2-Wire Coin 2-Way with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (SC)			UEPCO	UEPCC	14.00	90.00	- 90.00				15 69				
	2-Wire Coin 2-W Oper Screen & Blocking: 900/976, 1+DDD, 011+ & Local; Enhanced Calling OPT 3YV (SC)			UEPCO	UEPCE	14.00	90.00	90.00				15 69				
	2-Wire Coin 2-W Oper Screen & Block: 900/976, 1+DDD, 011+,															
	Local; Enhanced Calling OPT AP7 (SC) 2-Wire Coin Outward without Blocking and without Operator		 	UEPCO	UEPCF	14.00	90 00	90.00				15.69				
	Screening (SC) 2-Wire Coin Outward with Operator Screening and 011 Blocking			UEPCO	UEPSG	14.00	90.00	90.00				15.69			<u> </u>	
	(SC)			UEPCO	UEPSF	14.00	90.00	90.00				15.69				
	2-Wire Coin Outward with Operator Screening and Blocking: 011, 900/976, 1+DDD (SC)			UEPCO	UEPSJ	14.00	90.00	90.00				15.69				
	2-Wire Coin Outward with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (SC)			UEPCO	UEPCM	14.00	90.00	90.00				15.69				
	2-Wire Coin Out Oper Screen & Block: 900/976, 1+DDD, 011+, & Local: w/ Enhanced Call OPT 3YW (SC)			UEPCO	UEPCP	14.00	90,00	90,00				15 69				
LOCA	AL NUMBER PORTABILITY		 	02.00	02.0.	71.00										
 	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
ADDI	TIONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPCO	USAS2		0.00	0.00				15.69				
	PORT/LOOP COMBINATIONS - MARKET BASED RATES															
2-WIF	RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT												ļ		
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			73.68			ļ						ļ	ļ
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2	ļ	2			80.13									 	ļ
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			85.46								 		
UNE	Loop Rates	<u> </u>	<u> </u>	LIEDBY	UEOD!	40.00										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1	ļ	1	UEPPX	UECD1	16.68			 						 	
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2	ļ	2	ÜEPPX	UECD1	23.13								 		
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1	28.46			 							
UNE	Port Rate Exchange Ports - 2-Wire DID Port		├	UEPPX	UEPD1	57.00	600.00	75.00				15.69			-	
	RECURRING CHARGES - CURRENTLY COMBINED	L		OCITA	DEFU	31.00	000.00	10.00				17.75				

ONBONDE	D NETWORK ELEMENTS - South Carolina													Attach	ment: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	В	cs	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge -	Increment Charge - Manual Sv Order vs.
			↓			ļ	Rec	Nonrec			Disconnect			OSS	Rates(\$)		
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -	ļ	<u> </u>			ļ		First	Addil	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1	Switch-As-Is Top 8 MSAs only	•		UEPPX			1				1	1			1		
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion		ļ	UEPPX		USAC1		125.00	75.00				15.69				<u> </u>
	with BellSouth Allowable Changes Top 8 MSAs only	1	1	UEPPX		USA1C				i							
ADDIT	IONAL NRCs		-	UEFFX		USAIC		125.00	75.00				15.69			ļ	
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk		 	UEPPX		USAS1		53.68				 	15.69				
Telepi	ione Number/Trunk Group Establisment Charges		-	CLITA		USAST		53.06				 	15.69				
	DID Trunk Termination (One Per Port)	 	 	UEPPX		NDT	0.00	0.00	0 00						ļ		
	DID Numbers, Establish Trunk Group and Provide First Group			<u> </u>		1,13,	- 0.00	0.00	0 00	 	 	 					
ı	of 20 DID Numbers	1	1	UEPPX		NDZ	0.00	0.00	0 00			ĺ					1
	Additional DID Numbers for each Group of 20 DID Numbers		1	UEPPX		ND4	0.00	0.00	0 00			1					
	DID Numbers, Non- consecutive DID Numbers , Per Number		1	UEPPX		ND5	0 00	0.00	0 00		<u> </u>			· · · · · · · · · · · · · · · · · · ·	 	 	
	Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00								— —
	Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00							1	1
LOCA	NUMBER PORTABILITY		l							i		1					1
	Local Number Portability (1 per port)	L		UEPPX		LNPCP	3.15	0.00	0.00								Ĭ
	E ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDI	E PORT	<u>, </u>								<u> </u>					
UNE P	ort/Loop Combination Rates											<u> </u>					ļ
∣ !	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1	İ			UEDDO						t	1	ì			1	
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		1	UEPPB	UEPPR	 	76.90					ļ <u> </u>					ļ
l l	UNE Zone 2	l	2	UEPPB	UEPPR		84.64			i			- 1				1
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	ļ	2	UEPPB	UEPPR	 	84.64					 					
	UNE Zone 3		3	UEPPB	UEPPR		90.27	'		l		!			!		1
UNE L	oop Rates			05,10	OLI I II	 	30.27					 					
	2-Wire ISDN Digital Grade Loop - UNE Zone 1	_	1	UEPPB	UEPPR	USL2X	21 90					 					
												 					
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	29.64			i I		1					ł
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR		35.27					1					1
UNE P	ort Rate																
	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	55.00	525.00	400.00				15.69			1	
NONR	ECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port																
	Combination - Conversion - Top 8 MSAs only			UEPPB	UEPPR	USACB	0.00	225.00	225.00				15.69		·		
	IONAL NRCs									<u> </u>						ļ	<u> </u>
LOCAI	NUMBER PORTABILITY																<u> </u>
	Local Number Portability (1 per port)		⊢ —	UEPPB	UEPPR	LNPCX	0.35	0.00	0.00	ļ	ļ	<u> </u>			<u> </u>	ļ	
B-CHA	NNEL USER PROFILE ACCESS:									ļ		ļ			<u> </u>		├
	CVS/CSD (DMS/5ESS)	ļ		UEPPB	UEPPR		0.00	0.00	0 00			ļ			<u> </u>	 	1
	CVS (EWSD)	-		UEPPB	UEPPR	U1UCB	0.00	0.00	0 00	<u> </u>		 	 		 		
- B 6717	CSD NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC	- 440	TIV	IOFLARR	UEPPH	U1UCC	0.00	0.00	0 00	 	-				<u> </u>	-	
B-CHA	INNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS ST CVS/CSD (DMS/5ESS)	∍,m⊃, ō	T PI)	UEPPB	UEPPR	U1UCD	0 00	0.00	0.00		-	}	-			 	
	CVS/CSD (DMS/SESS)		├─	UEPPB	UEPPR		0 00	0.00	0.00	-	 	 					
	ICSD	-	├	UEPPB	UEPPR		0.00	0.00	0.00	 	 	-				l	
IIGES	TERMINAL PROFILE	ļ	 	UECTO	VETT	01005	0.00	0.00	0.00	· · · ·	 	-		-		 	
- OSER	User Terminal Profile (EWSD only)		 	UEPPB	UEPPR	U1UMA	0.00	0.00	0.00	-	· · · · · · · · · · · · · · · · · · ·			-		h	
VERT	CAL FEATURES		 	04110	JEITH	O.OMI	V.00	<u> </u>	0.00			· · · · ·		•			\vdash
-	All Vertical Features - One per Channel B User Profite			UEPPB	UEPPR	UEPVF	3.04	0.00	0.00								
INTER	OFFICE CHANNEL MILEAGE		—	, , , <u>, , , , , , , , , , , , , , , , </u>	<u> </u>		<u> </u>			i	1					l	
	Interoffice Channel mileage each, including first mile and		\vdash								1					T	
1	facilities termination		1	UEPPB	UEPPR	M1GNC	24.30	60 00	40.00	25.00	10.00		15.69			L	
	Interoffice Channel mileage each, additional mile				UEPPR	M1GNM	0.0167	0.00	0.00								
4-WIRI	DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	PORT															
	ort/Loop Combination Rates								-								
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE										1				1		
[Zone 1		[_1_]	UEPPP			940.87									<u> </u>	
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		T													1	
- 1	Zone 2	l	2	UEPPP			1,005.43								L	L	

LINBUNDI ED NE	TWORK ELEMENTS - South Carolina													nent: 2	Exhil	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'i
					 		Nonrec	uning	Nonrecurring	Disconnect	 	L	oss	Rates(\$)		L
						Rec	First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
			├				First	Auu I	riist	<u> </u>	10011120		-			
	DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		ا ا	LICODO	1 1	1,111.89			l 1		1	1	1	1	1	
Zone			3	UEPPP		1,111.09										
UNE Loop R			<u> </u>			00.07						15.69	<u> </u>		 	
	ire DS1 Digital Loop - UNE Zone 1		1	UEPPP	USL4P	90.87 155.43					+	15.69	<u> </u>		 	
	ire DS1 Digital Loop - UNE Zone 2		2	UEPPP	USL4P	261.89					+	15.69	<u> </u>		<u> </u>	
	re DS1 Digital Loop - UNE Zone 3	<u> </u>	3	UEPPP	USL4P	201.09					 	10.03	 		· · · · · ·	
UNE Port Ra			<u> </u>	HEDDO	UEPPP	850 00	1,150 00	1,150.00			 	15.69	<u> </u>	 		
Exch	nange Ports - 4-Wire ISDN DS1 Port	ļ. ——	-	UEPPP	UEPPP	850 00	1,150 00	1,150.00			+	10.00	 			
	RING CHARGES - CURRENTLY COMBINED		-								+					
	ire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port	l		UEPPP	USACP	0.00	950.00	950.00			1	15.69		I	1	
	hbination - Conversion -Switch-As-Is Top 8 MSAs only	 		105777	USACE	0.00	950.00	550.00			 	10.00	1			
ADDITIONAL	L NHUS	 									1	t	 		<u> </u>	
[]4-Wi	ire DS1 Loop/4-W ISDN Digit Trk Port - Subsqt Actvy-		1	UEPPP	PR7TF	l	0.9822		1			15 69			i	
Inwa	ard/two way tel nos within Std Allowance (except NC)	 	+	UEFFF.	FRUE	 	0.3022				+	1	1		1	
	ire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -			UEPPP	PR7TO		23 02	23 02			1	15.69	!	1		
	ward Tel Numbers (All States except NC)			UEFFF	FRATO		- 20 02	20 02								
	ire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -		i	UEPPP	PR7ZT		46.05	46.05				15 69	1			
	sequent Inward Tel Nos Above Std Allowance			UEPPP	FR/ZI		40.03	+0.03	 				1		1	
	MBER PORTABILITY		—	UEPPP	LNPCN	1.75							1			
	al Number Portability (1 per port)		—	UEPPP	LINPCIN	1.73					+		-		1	
	(Provsioning Only)		⊢ −	UEDDD	PR71V	0 00	0 00	0 00			1				T	
	e/Data	ļ.,	—	UEPPP	PR71D	0.00	0.00	0.00							T	
	tal Data		<u> </u>	UEPPP		0.00	0.00	0.00			 	 	1		T	
	ard Data		-	UEPPP	PR71E	0.00	0.00	0.00			·	 	1		1	
	litional "B" Channel					0.00	- 40.00				+	+			†·	
	v or Additional - Voice/Data B Channel		-	UEPPP	PR7BV		40.00				+	 		 	· ·	
	v or Additional - Digital Data B Channel	<u> </u>		UEPPP	PR7BF	0.00	40.00		 			+	 	 		
	v or Additional Inward Data B Channel	<u> </u>	1	UEPPP	PR7BD	0.00	40.00		 		+	 	1		†	
CALL TYPE	S		ļ				2.00	0.00			 	 	 		 	-
Inwa	ard		┸-	UEPPP	PR7C1	0.00	0.00	0.00				 	 	·	1	
Outv	ward	<u> </u>		UEPPP	PR7C0	0.00	0 00	0.00						 	1	
Two	o-way			UEPPP	PR7CC	0.00	0 00	0.00	 			 			 	1
	Channel Mileage		<u> </u>				20.47	81 99	16.39	14.48		15.69			 	
	ed Each Including First Mile	<u> </u>	↓	UEPPP	1LN1A	77 4815	89.47	8199	10.39	17,40	' 	10.00	 	 		
Eacl	h Airline-Fractional Additional Mile	<u> </u>		UEPPP	1LN18	0.3415			 			+				1
4-WIRE DS1	1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT										+		+	1		1
UNE Port/Lo	oop Combination Rates	<u> </u>				212.00						+	 			l
4W	DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		840 87		<u> </u>	 			+				
4W	DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2	ļ	2	UEPDC		905.43			 	 	 		1	 		
4W	DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		1,011.89			 		+	 		T		T
UNE Loop	Rates	<u> </u>	1			90.87			 				 		T	
4-W	/ire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC				 	 	+	 	 			
4-W	/ire DS1 Digital Loop - UNE Zone 2	<u> </u>		UEPDC	USLDC	155.43		ļ				 		 		
4-W	vire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	261 89				 	+			1	1	1
UNE Port R	Rate						1 222 22	470.00	213.53	20.9	, 	15.69		 	1	
14-W	vire DDITS Digital Trunk Port	l		UEPDC	UDD1T	750.00	1,005.07	478.99	213.53	20.5	' 	10,00		 	T	
NONRECUE	RRING CHARGES - CURRENTLY COMBINED								 			+	 		<u> </u>	
14-W	Vire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination		1	1	1	1		404.00	.1]	1	15.69	, l	1		1
- Sv	witch-As-Is Top 8 MSAs only	<u> </u>		UEPDC	USAC4	ļ	259 56	134.33	'	 	+	13.08	+	1	1	
- - - "					I	1	l	1	1	I				1		1
la-w	Vire DS1 Digital Loop / 4-Wire DDiTS Trunk Port Combination	ıl .	1			[.1	ŀ	1	15.69	اد	1		i
	onversion with DS1 Changes Top 8 MSAs only		1	UEPDC	USAWA	<u> </u>	259.56	134.33	4	 		15.08	'	+	+	1
		T	T				1	1			1	1		i	1	1
A 14	Vire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	ı			ŀ	1	Į.			i		45.00	.1	1	1	1
1 14-77	onversion with Change - Trunk Top 8 MSAs only	1	1	UEPDC	USAWB	L :	259.56	134.33				15.69	'	 	+	+
ADDITIONA		1	+	T						 _		 	 -	 	 	+
ADDITIONA	Vire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent	+	+										.1	i	1	
. 4-77	rvice Activity Per Service Order	1	1	UEPDC	USAS4	1	I		l		<u> </u>	15 69				

UNBUNDLED N	IETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhil	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(S)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge -
			-			Rec	Nonrec First	Add'I	Nonrecurring First	Add'l	COMEC	SOMAN		Rates(\$) SOMAN	SOMAN	SOMAN
4-V	Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -	 	 				LH2r	Augi	FIISL	Add I	SUMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
Su	bsequent Channel Activation/Chan - 2-Way Trunk	ŀ	1	UEPDC	UDTTA		29.01	29.01				15.69				1
4-1	Nire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent								-			10.00				
Ch	annel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		29.01	29 01				15 69				
	Wire DS1 Loop / 4-Wire DDiTS Trunk Port - Subsqnt Channel tivation/Chan Inward Trunk w/out DID			LIEDDO										1		\Box
	Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			UEPDC	UDTTC		29.01	29 01			ļ	15 69				<u> </u>
	tivation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		29 01	29.01			1	15.69	ŀ			
4-V	Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsont Chan	l	 	02.00	05115		2001	29.01			 	15.09				
	tivation / Chan - 2-Way DID w User Trans	[UEPDC	UDTTE		29.01	29.01				15.69	1			
	8 ZERO SUBSTITUTION														· ·	
	ZS -Superframe Format			UEPDC	CCOSF		0.00	605.00								
	ZS - Extended Superframe Format Mark Inversion	<u> </u>	ļ	UEPDC	CCOEF		0.00	605.00								ļ
	II -Superframe Format		<u> </u>	UEPDC	MCOSF		0.00	0.00					ļ		ļ	
	fi - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00				 	 	 	ļ	
	Number/Trunk Group Establisment Charges	1	 	02.00	10000		. 0.00	0.00			 					
Tel	lephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00						15.69	-		l	
	lephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00						15.69				
	lephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00						15.69				
	D Numbers, Establish Trunk Group and Provide First Group 20 DID Numbers		1		l	!										
	20 DID Numbers 20 Numbers for each Group of 20 DID Numbers			UEPDC UEPDC	NDZ ND4	0.00	0.00	0.00				15 69	ļ			
	Numbers, Non-consecutive DID Numbers , Per Number		 	UEPDC	ND5	0.00	0 00	0.00				15.69 15.69				-
	serve Non-Consecutive DID Nos.	-	+	UEPDC	ND6	0.00	000	0.00			i	15.69				
	serve DID Numbers		1	UEPDC	NDV	0.00	0 00	0.00				15.69			····	
	DS1 (Interoffice Channel Mileage) -												1			T .
FX/FCO fo	r 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port															
	eroffice Channel Mileage - Fixed rate 0-8 miles (Facilities			1									ļ			
lei	rmination)	ļ	+	UEPDC	1LNO1	77.14	89.47	81.99	16.39	14.48		15.69	ļ	 	ļ	
l lot	eroffice Channel Mileage - Additional rate per mile - 0-8 miles	l	1	UEPDC	1LNOA	0.3415	0 00	0.00			i					;
	eroffice Channel Mileage - Fixed rate 9-25 miles (Facilities			02, 00	TENO/			0.00			<u> </u>					t
	rmination)			UEPDC	1LNO2	0.00	0.00	0 00								l
	eroffice Channel Mileage - Additional rate per mile - 9-25															
mil			ļ	UEPDC	1LNOB	0.7598	0.00	0 00			<u> </u>					<u> </u>
	eroffice Channel Mileage - Fixed rate 25+ miles (Facilities	ł	1													1
1 e	mination)		—	UEPDC	1LNO3	0 00	0.00	0 00			-					+
l lot	eroffice Channel Mileage - Additional rate per mile - 25+ miles		1	UEPDC	1LNOC	0 7598	0.00	0.00								
	cal Number Portability, per DS0 Activated		+	UEPDC	LNPCP	3.15	0.00	0.00			<u> </u>					
	entral Office Termininating Point		 	UEPDC	CTG	0.00										
	S1 LOOP WITH CHANNELIZATION WITH PORT		1								1					
	1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti	ivations	8													
	can have various rate combinations based on type and nur	mber of	ports	used							ļ		<u> </u>			ļ
UNE DS1 I			ļ								ļ					
	Wire DS1 Loop - UNE Zone 1	<u> </u>	1	UEPMG	USLDC	90.87	0.00	0.00			 		-			
	Nire DS1 Loop - UNE Zone 2 Nire DS1 Loop - UNE Zone 3	 		UEPMG UEPMG	USLDC	155.43 261.89	0.00	0.00			 		····			
	Channelization Capacities (D4 Channel Bank Configuration	ns)	+-	OL: NO	33550	201.03	0.00				· · · · · · · · · · · · · · · · · · ·					
	DSO Channel Capacity - 1 per DS1	,	T	UEPMG	VUM24	103.47	0.00	0.00				15.69				
48	DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	206.94	0 00	0.00				15 69				ļ
96	DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	413.88	0 00	0.00				15 69				
	4 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	620.82	0.00	0.00				15.69				
	2 DS0 Channel Capacity -1 per 8 DS1s		<u> </u>	UEPMG	VUM19	827.76	0.00	0.00			<u> </u>	15.69 15.69	-		<u> </u>	
	0 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM20	1,034.70	0.00 0 Q	0.00			 	15.69	 		 	
	8 DS0 Channel Capacity • 1 per 12 DS1s	 		UEPMG UEPMG	VUM28 VUM38	1,241.64 1,655.52	0.00	0.00			 	15.69				
	4 DS0 Channel Capacity - 1 per 16 DS1s 0 DS0 Channel Capacity - 1 per 20 DS1s		+	UEPMG	VUM38	2,069.40	0.00	0.00			 	15.69	 		—	t

BUNDL	ED NETWORK ELEMENTS - South Carolina											,		ment: 2	Exhib	
		Interi						D.T.T.O.(#)			Svc Order Submitted Elec	Submitted Manually	Charge - Manual Svc	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Incrementa Charge - Manual Sw
EGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						1	First	Add'l	First	Addʻl	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,483.28	0.00	0.00				15.69				
	672 DS0 Channel Capacity - 1 per 28 DS1s	<u> </u>		UEPMG	VUM67	2,897.16	0.00	0.00				15.69	ļ			
	-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with inimum System configuration is One (1) DS1, One (1) D4 Channe						stem						 		-	
Mult	tiples of this configuration functioning as one are considered Ac	dd'i afte	or the m	inimum system co	onfiguration is	counted					 					
-	NRC - Conversion (Currently Combined) with or without	T Take	1 410 11		1											
	BellSouth Allowed Changes - Top 8 MSAs Only		ابــــــــــــــــــــــــــــــــــــ	UEPMG	USAC4	0.00	150.81	8.38			ļ	15.69				ļ. —
	tem Additions Where Currently Combined and New (Not Currentle	ly Com	bined)										 	 		
III I	op 8 MSAs 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc	 	+		+								-			
- 1	Fea Activation -	!	!	UEPMG	VUMD4	0.00	717,71	425.81	149.08	17.69		15 69	1	i	ļ	
Bing	plar 8 Zero Substitution	\vdash	+	OLI ING	70,707	0.00		420.01	145.50	11.00	1	1				
15.00	Clear Channel Capability Format, superframe - Subsequent	1	1										l			
	Activity Only			UEPMG	CCOSF	0 00	0 00	605 00					L			
	Clear Channel Capability Format - Extended Superframe -															
	Subsequent Activity Only	\vdash	<u> </u>	UEPMG	CCOEF	0.00	0.00	605 00					ļ			
Alte	rnate Mark Inversion (AMI)				1,100 ==											
	Superframe Format	├	-	UEPMG	MCOSF	0 00	0.00	0 00			+	 		-		
	Extended Superframe Format	<u></u>		UEPMG	мсоро	0.00	0.00	0 00								
	hange Ports Associated with 4-Wire DS1 Loop with Channelizati	on with	POR								+	+	 			
EXCI	hange Ports	 											 			
- 1	Line Side Combination Channelized PBX Trunk Port - Business	1	1	UEPPX	UEPCX	14 00	0.00	0.00	0.00	0.00	1	15 69	1	i		
-	Line Side Outward Channelized PBX Trunk Port - Business	 	+	UEPPX	UEPOX	14.00	0.00	0.00	0.00	0.00		15.69	1			
	Ene ode outward onarmenzed i by frank total occurred		1	02.121	<u> </u>											
1	Line Side Inward Only Channelized PBX Trunk Port without DID		1	UEPPX	UEP1X	14.00	0.00	0.00	0.00	0.00		15 69				
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port		1	UEPPX	UEPDM	57.00	0.00	0.00	0.00	0.00		15.69				Ļ
Feat	ture Activations - Unbundled Loop Concentration							-			 	 				
	Feature (Service) Activation for each Line Side Port Terminated									5.00	. 1	15.69				1
	in D4 Bank		↓	UEPPX	1PQWM	0.70	40.00	20.00	6 00	5.00	 	15.09			 	
	Feature (Service) Activation for each Trunk Side Port Terminated	'1	1		1PQWU	0.70	110 00	30.00	65.00	20.00	.1	15 69	1	i	1	1
	in D4 Bank	├	+-	UEPPX	1PQWU	0.70	11000	30.00	05.00	20.00	+	10 00	1	 	1	
Tele	phone Number/ Group Establishment Charges for DID Service	+		UEPPX	NDT	0.00	0.00	0 00				15.69				
	DID Trunk Termination (1 per Port) Estab Trk Gro and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)	 	+-	UEPPX	NDZ	0.00	0.00	0.00			1	15 69				
	DID Numbers - groups of 20 - Valid all States	 	+-	UEPPX	ND4	0.00	0 00	0 00				15 69				
-+	Non-Consecutive DID Numbers - per number	t	 	UEPPX	ND5	0.00	0.00	0 00				15 69				ļ
-	Reserve Non-Consecutive DID Numbers	1	\top	UEPPX	ND6	0.00	0.00	0 00				15.69				
_ _	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0 00	<u> </u>			15.69	'	 -		
Loc	al Number Portability							- 0.60		 	 	+	+		 	
	Local Number Portability - 1 per port	ļ		UEPPX	LNPCP	3.15	0.00	0.00	 		+	+	+	 	 	
FEA	ATURES - Vertical and Optional	-	 	ļ	 					1	+	+	†			
Loc	al Switching Features Offered with Line Side Ports Only	 	-	UEPPX	UEPVF	3.04	0.00	0.00	 	1	1	15.69		1		
	All Features Available	<u></u>	1-	UEPPA	OEPVF	3.04	0.00	0.00	1		T	T	1			
BUNDLE	D CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE ost Based Rates are applied where BellSouth is required by FC	~ d/-	r State	Commission arts	o provide Unb	undled Local S	witching or Sy	vitch Ports.	-							
1. 2	eatures shall apply to the Unbundled Centrex Port/Loop Combin	nation -	. Coet R	seed Rate section	in the same m	anner as thev a	ine addileo to t	IN SIRING-MICH	e Unbundled F	ort section of	this Rate E	xhibit.	1			
			- VOOL D	THE SOCIOTI	of this water out	ibit shall apply	to the Unbun	dled Centrex F	Port/Loop Com	bination.					L	<u> </u>
	eatures shall apply to the Unbundled Centrex Port/Loop Combined Office and Tandem Switching Usage and Common Transport	t Usage	rates i	n the Port section	OI (IIII2 IUTE ATI											nal Port an
2. F 3. E	nd Office and Tandem Switching Usage and Common Transport he recurring UNE Port and Loop charges listed apply to Current	t Usage Hy Com	rates i	n the Port section	Combined Con	nbos, except in	Density Zone	of the top 8	MSAs where th	e end-user ha	s 4 or more	DS0 equiva	alents. The st	and alone fire	t and addition	
2. F 3. E	and Office and Tandem Switching Usage and Common Transport the recurring UNE Port and Loop charges listed apply to Current	t Usage	rates is	n the Port section and Not Currently (Combined Con	nbos, except in	Density Zone	of the top 8	MSAs where th	e end-user ha	s 4 or more	DS0 equiva	elents. The st	and alone fire	t and addition	T
2. F 3. E	and Office and Tandem Switching Usage and Common Transport the recurring UNE Port and Loop charges listed apply to Current	t Usage	rates is	n the Port section and Not Currently (Combined Con	nbos, except in	Density Zone	of the top 8	MSAs where th	e end-user ha	s 4 or more	DS0 equiva	elents. The st	and alone fire	and addition	
2. F 3. E 4. T Loo 5. I	and Office and Tandem Switching Usage and Common Transport the recurring UNE Port and Loop charges listed apply to Current to nonrecurring charges apply to Not Currently Combined Comb Market Rates for Unbundled Centrex Port/Loop Combination will	t Usage	rates is	n the Port section and Not Currently (Combined Con	nbos, except in	Density Zone	of the top 8	MSAs where th	e end-user ha	s 4 or more	DS0 equiva	alents. The st	and alone fire	and addition	
2. F 3. E 4. T Loo 5. I	and Office and Tandem Switching Usage and Common Transport the recurring UNE Port and Loop charges listed apply to Current op nonrecurring charges apply to Not Currently Combined Comb Market Rates for Unbundled Centrex Port/Loop Combination will E-P CENTREX - 5ESS (Valid in All States)	t Usage	rates is	n the Port section and Not Currently (Combined Con	nbos, except in	Density Zone	of the top 8	MSAs where th	e end-user ha	s 4 or more	DS0 equiva	alents. The st	and alone firs	and addition	
2. F 3. E 4. T Loo 5. I UNE 2-W	Ind Office and Tendem Switching Usage and Common Transport The recurring UNE Port and Loop charges listed apply to Current to nonrecurring charges apply to Not Currently Combined Comb Market Rates for Unbundled Centrex Port/Loop Combination will E-P CENTREX - SESS (Valid in All States) Tire VG Loop/2-Wire Voice Grade Port (Centrex) Combo E-Port/Loop Combination Rates (Non-Design)	t Usage	rates is	n the Port section and Not Currently (Combined Con	nbos, except in	Density Zone	of the top 8	MSAs where th	e end-user ha	s 4 or more	DS0 equiva	alents. The st	and alone firs	t and addition	
2. F 3. E 4. T Loo 5. I UNE 2-W	Ind Office and Tendem Switching Usage and Common Transport The recurring UNE Port and Loop charges listed apply to Current to nonrecurring charges apply to Not Currently Combined Comb Market Rates for Unbundled Centrex Port/Loop Combination will E-P CENTREX - SESS (Valid in All States) Tire VG Loop/2-Wire Voice Grade Port (Centrex) Combo E-Port/Loop Combination Rates (Non-Design)	t Usage	rates is	nd Not Currently (Combined Con	nbos, except in	Density Zone	of the top 8	MSAs where th	e end-user ha	s 4 or more	DS0 equiva	Hents. The st	and alone firs	t and addition	
2. F 3. E 4. T Loo 5. I UNE 2-W	nd Office and Tendem Switching Usage and Common Transport he recurring UNE Port and Loop charges listed apply to Current op nonrecurring charges apply to Not Currently Combined Comb Market Rates for Unbundled Centrex Port/Loop Combination will E-P CENTREX - SESS (Valid in All States) Tire VG Loop/2-Wire Voice Grade Port (Centrex) Combo	t Usage tly Com nos.	rates is	n the Port section and Not Currently (Combined Con	nbos, except in	Density Zone	of the top 8	MSAs where th	e end-user ha	s 4 or more	DS0 equive	elents. The st	and alone firs	and addition	

SUNDLED N	NETWORK ELEMENTS - South Carolina												Attachi	ment: 2	Exhil	oit: B
EGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sy Order vs. Electronic Disc Add
			 	··· ·· ····	 		Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)		L
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1								1					
	on-Design /Loop Combination Rates (Design)		3	UEP95		27.17					ļ				<u> </u>	
	Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	<u> </u>	₩		-											
	esign	1	1 1	UEP95	1 .	17 81	i		ŀ							
	Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		 '	UCF95	+	1/81					ļ				L	
De	esign	ł	2	UEP95		24 26			ŀ			1				
2-1	Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		 - -	02.00					-					 	 	
	esign	l	1 3	UEP95	1 :	29.59			[i		ł	l i			i	
UNE Loop	Pate .		<u> </u>			20.00								 		ļ
2-1	Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	13.76					 			<u> </u>		
2-\	Wire Voice Grade Loop (SL 1) - Zone 2			UEP95	UECS1	20.38					1	l				
2-1	Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	26 04					T					
2-1	Wire Voice Grade Loop (SL 2) - Zone 1			UEP95	UECS2	16 68					T			·		· · · · · ·
2-\	Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	23.13				***************************************						
2-\	Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	28.46								1		
UNE Port			1											1		
All States			1													
2-\	Wire Voice Grade Port (Centrex) Basic Local Area		$\overline{}$	UEP95	UEPYA	1 13	40 30	19.90	24.98	6 65	1	15 69				
2-1	Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1 13	40 30	19.90	24.98	6 65		15.69				
Are				UEP95	UÉPYH	1 13	40.30	19.90	24.98	6 65		15.69				-
2-\	Wire Voice Grade Port (Centrex from diff Serving Wire															
	enter)2 Basic Local Area			UEP95	UEPYM	1 13	108.36	70 71	54.47	11.94	l	15.69			1	
	Wire Voice Grade Port, Diff Serving Wire Center - 800 Service										1					
	erm - Basic Local Area			UEP95	UEPYZ	1.13	108 36	70 71	54 47	11.94		15.69			L	
- E	Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area			UEP95	UEPY9	1.13	40.30	19.90	24.98	6.65		15 69				
	Wire Voice Grade Port Terminated on 800 Service Term -]	1		1 :	} [
	asic Local Area			UEP95	UEPY2	1.13	40.30	19.90	24.98	6.65	<u> </u>	15.69		 		
	A, MS, SC, & TN Only										<u> </u>			ļ		
	Wire Voice Grade Port (Centrex)	ļ		UEP95	UEPQA	1.13	40.30	19.90	24 98	6.65		15 69				
	Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPQB	1.13	40 30	19.90	24 98	6.65		15.69 15.69			ļ	
	Wire Voice Grade Port (Centrex with Caller ID)1	ļ	ļ	UEP95	UEPQH	1.13	40 30	19 90	24.98	6.65	<u> </u>	15.69				
Ce	Wire Voice Grade Port (Centrex from diff Serving Wire enter)2			UEP95	UEPQM	1 13	108 36	70.71	54 47	11 94		15.69				
	Wire Voice Grade Port, Diff Serving Wire Center - 800 Service erm		<u></u>	UEP95	UEPQZ	1,13	108 36	70.71	54 47	11.94		15 69				
	When the land a Brade and a second a se		1	LICEOCE	UEPQ9	1.13	40.30	19.90	24.98	6.65	1	15.69			ŀ	1
	Wire Voice Grade Port terminated in on Megalink or equivalent	 		UEP95		1.13	40.30	19.90		6.65		15.69		 	 	
	Wire Voice Grade Port Terminated on 800 Service Term	-	┼—	üEP95	UEPQ2	1.13	40 30	19.90	24.98	0.00	+	13.05		 	 	
Local Swi			⊢ −	UEP95	URECS	0.7996								 		
	entrex Intercom Funtionality, per port		├	UEP95	UHECS	0.7990								 		
	mber Portability			A ICEDA	111000	2005					 					
	ocal Number Portability (1 per port)		-	UEP95	LNPCC	0.35		ļ				 		† 	 	
Features				HEDOS	UEDVE	3.04						15.69		 	 	
	I Standard Features Offered, per port		+-	UEP95	UEPVF	0.00	406.42		 		 	15.69		1	1	
	Select Features Offered, per port	├	+-	UEP95 UEP95	UEPVS	3,04	400,42	l	 	 	 	15.69		T	l	
	Centrex Control Features Offered, per port	 	\vdash	IUEP95	UEFVO	3.04		-		 	 	10.00			 	
NARS	Desired Assessment Combined		+	UEP95	UARCX	0.00	0.00	0 00	 	 	 	15.69		-	1	
	nbundled Network Access Register - Combination	₩	+	UEP95	UAR1X	0.00	0.00	0.00	 	 	 	15.69			 	
	nbundled Network Access Register - Indial	-		UEP95	VARIX	0.00	0.00	0.00	 	 	t	15.69			<u> </u>	
	nbundled Network Access Register - Outdial	 		IOEP95	UARUX	0.00	0.00	0.00			+	10.00		<u> </u>	†	
	eous Terminations		₩-	l	+				 	 	 				1	
2-Wire Tru		 		LUCDOR	CENDS	8.86	119.57	18.78	60.03	3.77	 	15.69	l	 	 	
	runk Side Terminations, each	L		UEP95	CEND6	5.86	118.57	10./8	60.03	3.77		10.00			1	
	gital (1.544 Megabits)	 	₩-	LIEDOS	1441154	70.00	200 47	05.00	70 75	2.47	 	15 69	 	 	1	
			-					95.80	12.13	14.5	 		 -	 		
	S1 Circuit Terminations, each S0 Channels Activated, each			UEP95 UEP95	M1HD0	73.62 0.00	202.47 14.51	95.90	72.75	2.47		15 69 15.69	<u> </u>			_

NRONDLE	D NETWORK ELEMENTS - South Carolina													nent: 2		bit: B
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Hec	First	Add'l	First	Add'l_	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Intero	ffice Channel Mileage - 2-Wire		J													
	Interoffice Channel Facilities Termination		L^{-}	UEP95	MIGBC	24.30	40.63	27.47	16.77	6.91		15 69]			
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	MIGBM	0.0167										
	re Activations (DS0) Centrex Loops on Channelized DS1 Service	: 8														
D4 Ch	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot		<u> </u>	UEP95	1PQWS	0.56						15.69				
		i													•	
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot		1	UEP95	1PQW6	0.56						15.69				
i	Feature Activation on D-4 Channel Bank FX Trunk Side Loop	1	1	}	1 1		1		1	ł					1	
	Slot		↓	UEP95	1PQW7	0.56						15.69				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -	l	1	l	1	i						1			_	1
	Different Wire Center	<u> </u>	 	UEP95	1PQWP	0.56				L	ļ	15.69		L		Ь—
	L	!	1		1	!		!]	ł	l	1	1	1	I	1
	Feature Activation on D-4 Channel Bank Private Line Loop Slot		<u> </u>	UEP95	1PQWV	0.56						15 69				Ļ
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			l.,	1							4				1
	Slot		├	UEP95	1PQWQ	0 56						15.69				├
	Feature Activation on D-4 Channel Bank WATS Loop Slot		┼	UEP95	1PQWA	0 56						15.69				
Non-F	Recurring Charges (NRC) Associated with UNE-P Centrex		 												ļ	<u> </u>
	NRC Conversion Currently Combined Switch-As-Is with allowed	ł	1		1				ĺ				j	İ		
	changes, per port	ļ	┼—	UEP95	USAC2		37.93	16.72			L	15 69			 	<u> </u>
	New Centrex Standard Common Block		.	UEP95	M1ACS	0.00	668.70				ļ	15 69		 	Ļ	
	New Centrex Customized Common Block		ļ	UEP95	M1ACC	0.00	668.70				ļ	15 69				
	NAR Establishment Charge, Per Occasion		↓	UEP95	URECA	0.00	72 89					15.69				
	CENTREX - DMS100 (Valid in All States)		<u> </u>							<u> </u>	[L			ļ
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo										<u> </u>		ļ			
UNE	Port/Loop Combination Rates (Non-Design)		ļ													
1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	i	ì	l	1				1				l .	!	i	1
	Non-Design		1_1_	UEP9D		14.89									ļ <u> </u>	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	i	1		l l				į į	i	ŀ		1		ļ	
	Non-Design		2	UEP9D		21.52										—
1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	ĺ	f	1 1				1	i	(i	i	ł	ľ	i .
	Non-Design	<u> </u>	3	UEP9D		27.17					ļ	ļ.——.	-	ļ	ļ	
UNE	Port/Loop Combination Rates (Design)	ļ	-								ļ					
- 1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1	1		1							Į.			ľ	1
	Design	<u> </u>	1_1_	UEP9D	<u> </u>	17 81								 	ļ	
-	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	ļ	1		1 :							l		1	1	
	Design	ļ	2	UEP9D		24.26							1		 	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	i	i	1	1			l	1	i	ł	ł	l	ł	ł	ł
	Design	<u> </u>	3	UEP9D		29 59						 			 	
UNE	Loop Rate	L	_								ļ —		ļ		}	┼──
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1 1	UEP9D	UECS1	13.76			<u> </u>			ļ. ———	<u> </u>			
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	20.38			ļ			ļ. ———	 -		<u> </u>	↓ —
	2-Wire Voice Grade Loop (SL 1) - Zone 3			UEP9D	UECS1	26.04						├ ──	ļ			+
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	16 68			ļ			 			 	
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	23.13			└		<u> </u>	 			<u> </u>	┼──
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	28.46					 	<u> </u>			 	
UNE	Port Rate		I."											 		+
ALL S	STATES		Ι		·							45.00	-		ļ	-
	2-Wire Voice Grade Port (Centrex) Basic Local Area	L		UEP9D	UEPYA	1.13	40.30	19.90	24,98	6.65	ļ	15.69	 	ļ.——	 	+
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	I							1			1	i	1	1	i
	Area	L		UEP9D	UEPYB	1 13	40.30	19.90	24 98	6.65	 	15.69	 	 	 	+
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local	1								1	1	1	1	1	J	1
1	Area	L	1	UEP9D	UEPYC	1.13	40.30	19.90	24.98	6 65		15.69				
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local	Ι	T											I	1	1
	Area	1	1	UEP9D	UEPYD	1.13	40.30	19.90	24.98	6.65	<u> </u>	15.69	<u> </u>	 	 	├
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local	†	1	T							I			1	1	
	Area	1		UEP9D	UEPYE	1.13	40 30	19.90	24.98	6.65		15.69		 	 	┼──
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local	T	1	I								l .	l	1	1	1
- 1	Area	ı	1	UEP9D	UEPYF	1.13	40.30	19.90	24.98	6.65	i	15.69		L		

NRONDLE	D NETWORK ELEMENTS - South Carolina													nent: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec			Disconnect				Rates(\$)		
	O Mars Valor Conda Dard (Contact (EDD MESONS)) David Land		-				First	Add'l	First	Add'1	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area	i		UEP9D	UEPYG	1.13	40.30	19.90	24.98	0.05		45.00		!	l	1
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local	_	 	OEF9D	DEFTG	1.13	40.30	19.90	24.90	6.65		15,69			-	
	Area			UEP9D	UEPYT	1.13	40.30	19.90	24 98	6 65	1	15.69	!		i	1
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local															
	Area			UEP9D	UEPYU	1.13	40.30	19.90	24 98	6.65		15.69			İ	
ł	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area	1	1	UEP9D	UEPYV	1.13	40.00	40.00	24.00			45.00			!	
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local		├──	UEP9D	UEPTV	1.13	40.30	19 90	24.98	6 65		15.69				├──
	Area	1		UEP9D	UEPY3	1.13	40.30	19.90	24.98	6.65		15.69		l	1	
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local		_	02.02	100.10			10.00	24.00	0.00		10.00			-	
	Area		1	UEP9D	UEPYH	1.13	40.30	19.90	24 98	6.65		15.69				L
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
	Indication))3 Basic Local Area	ļ		UEP9D	UEPYW	1.13	40 30	19.90	24 98	6 65	ļ	15.69				<u> </u>
1	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 Basic Local Area	l		UEP9D	UEPYJ	1 13	40.30	19 90	24.98	6 65]	15.69				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			UEP9D	UEF 13	1 13	40.30	19 90	24.90	0 65		15.09			 	
	2 Basic Local Area			UEP9D	UEPYM	1.13	108.36	70,71	54.47	11.94		15.69	1	i		1
<u> </u>	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3				1											
	Basic Local Area			UEP9D	UEPYO	1.13	108 36	70.71	54 47	11.94		15.69				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3															
	Basic Local Area			UEP9D	UEPYP	1.13	108.36	70.71	54 47	11 94		15.69				
1	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPYQ	1.13	108.36	70 71	54.47	11 94	1	15.69	1		1	1
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3	-	_	DEP9D	DEFIG	1.13	106.30	7071	54.41	11 94		13.03				
	Basic Local Area			UEP9D	UEPYR	1.13	108.36	70 71	54 47	11.94		15.69	1			1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3		_	00.00												
	Basic Local Area			UEP9D	UEPYS	1.13	108.36	70.71	54 47	11.94		15.69				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3	Γ													1	1
	Basic Local Area			UEP9D	UEPY4	1.13	108 36	70.71	54.47	11.94		15 69				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3	ļ	1	UEP9D	UEPY5	1.13	108 36	70.71	54.47	11.94		15 69		i	1	1
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3	 		DEPSD	UEP15	1.13	100 30	70.71	34.47	11.04	 -	1000				
1	Basic Local Area	1		UEP9D	UEPY6	1 13	108 36	70 71	54,47	11 94	ļ	15 69				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3				1											
	Basic Local Area			UEP9D	UEPY7	1.13	108.36	70 71	54.47	11.94		15 69				<u> </u>
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service							l		44.04	1	45.00		ļ	1	ł
	Term	<u> </u>	! —	UEP9D	UEPYZ	1.13	108 36	70.71	54 47	11 94	 -	15.69				├──
	2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area	l		UEP9D	UEPY9	1.13	40.30	19.90	24.98	6 65		15 69	1	ŀ	1	1
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic			UEF9D	OEF 19	1.10	40.00	10:00	24.50						 	1
İ	Local Area	1	l	UEP9D	UEPY2	1.13	40.30	19.90	24.98	6.65		15.69				
AL, K	Y, LA, MS, SC, & TN Only														Ļ	ļ
	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPQA	1,13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex 800 termination)		_	UEP9D	UEPQB	1.13	40.30	19.90	24.98	6.65 6.65		15.69 15.69	ļ <u>.</u>			
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3	ļ		UEP9D	UEPQC UEPQD	1 13	40 30 40.30	19.90 19.90	24.98 24.98	6.65		15.69	 	 	 	
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3 2-Wire Voice Grade Port (Centrex / EBS-M5209)3	-		UEP9D UEP9D	UEPQE	1.13	40.30	19 90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3		-	UEP9D	UEPQF	1.13	40.30	19.90	24.98	6.65		15 69				
	2-Wire Voice Grade Port (Centrex / EBS-M5312)3		†	UEP9D	UEPQG	1.13	40 30	- 19 90	24.98	6 65		15.69				
	2-Wire Voice Grade Port (Centrex / EBS-M5008)3			UEP9D	UEPQT	1.13	40.30	19 90	24.98	6.65		15 69				
	2-Wire Voice Grade Port (Centrex / EBS-M5208)3			UEP9D	UEPQU	1.13	40.30	19.90	24.98	6 65		15.69				
	2-Wire Voice Grade Port (Centrex / EBS-M5216)3			ÜEP9D	UEPQV	1 13	40.30	19 90	24.98	6.65		15.69 15.69			 	
	2-Wire Voice Grade Port (Centrex / EBS-M5316)3		<u> </u>	UEP9D	UEPQ3	1.13	40.30	19.90	24.98 24.98	6.65 6.65		15.69			 	+
	2-Wire Voice Grade Port (Centrex with Caller ID)	 	<u> </u>	UEP9D	UEPQH	1.13	40.30	19.90	24 98	0.05	 	15.09				
1	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp	ļ	1	UEP9D	UEPQW	1.13	40 30	19.90	24.98	6 65		15.69	1	1		L
	Indication)3 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3	-	-	UEP9D	UEPQJ	1 13	40.30	19.90	24.98	6.65		15 69			T	

MBOMDE	D NETWORK ELEMENTS - South Carolina												Attachi	nent: 2	Exhil	bit; B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Incremental	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic
												L			DISC 1SI	DISC Add
			-			Rec	Nonrec			Disconnect	000150	001111		Rates(\$)		
_	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)				 		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2			UEP9D	UEPQM	1.13	108 36	70,71	54 47	11,94		15.69				1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPQO	1.13	108.36	70 71	54.47	11 94		15 69				
- 1	O Miles Visites Carada Danta C															
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3		_	UEP9D UEP9D	UEPQP	1.13	108.36	70 71	54.47	11 94		15 69				<u> </u>
	2-17116 Voice diade For (Carife and the SWC /EBS-5209)2, 3			UEP9U	UEPQQ	1.13	108.36	70.71	54.47	11 94		15 69				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPQR	1.13	108.36	70.71	54.47	11.94	İ	15.69				
					35. 4		100.00	10.77	34.47	11.04		10.05				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPQS	1.13	108.36	70.71	54.47	11.94	1	15 69		l		
ĺ	OME Very Conda Bod (D. d. Vivi et al. Vivi															
-	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPQ4	1 13	108.36	70.71	54.47	11.94		15.69				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPQ5	1.13	108 36	70.71	54,47	11.94	1	15.69				
$\overline{}$	E THIS TOOL CHARLET ON CONTROL OF THE PROPERTY			GEF9D	DEFUS	1.13	108 36	70.71	54.47	11.94		15.69				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPQ6	1.13	108.36	70.71	54 47	11.94		15.69				1
					32				34.47			10.05				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPQ7	1.13	108.36	70.71	54 47	11.94		15.69				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			!												
	Term			UEP9D	UEPQZ	1.13	108.36	70.71	54.47	11.94		15 69				
1	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	4.40	40.00	40.00			i 1	47.00				l
_	2-Wire Voice Grade Port Terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.13	40.30	19.90 19.90	24.98 24.98	6.65 6.65		15.69 15.69				
Local	Switching			OEL 9D	UEFGZ	1.13	40.30	19.90	24.50	0.03		15.09				
	Centrex Intercom Funtionality, per port		_	UEP9D	URECS	0.7996						15.69				
Local	Number Portability															
	Local Number Portability (1 per port)			UEP9D	LNPCC	0 35										
Featu																
	All Standard Features Offered, per port			UEP9D	UEPVF	3 04	100.40					15.69				
-	All Select Features Offered, per port All Centrex Control Features Offered, per port		-	UEP9D UEP9D	UEPVS UEPVC	0.00 3.04	406.42					15 69 15.69				
1-	All distillex Control Features Officied, per port		-	OLI 3D	OLF VC	3.04						15.69				
NARS												10.00				
	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00				15.69				
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.90	0.00				15.69				
	Unbundled Network Access Register - Outdial		<u> </u>	UEP9D	UAROX	0.00	0.00	0 00				15.69				
	Illaneous Terminations Trunk Side															
2-44116	Trunk Side Terminations, each			UEP9D	CEND6	8.86	119.57	18.78	60.03	3 77		15.69				
4-Win	Digital (1.544 Megabits)		_	02.00	OLINDO	0.00	110.09	10.75	00.00			15/00				
1	DS1 Circuit Terminations, each			UEP9D	M1HD1	73.62	202 47	95.90	72.75	2.47		15 69				
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	14.51					15.69				
Intero	ffice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP9D	MIGBC	24.30	40.63	27.47	16.77	6.91		15.69				
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	MIGBM	0.0167										
	re Activations (DS0) Centrex Loops on Channelized DS1 Service	е														
D4 Ch	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.56						15.69				
	- Salar Statement of D 4 Office Control Contro			<u> </u>		0.56										
L	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.56						15.69				
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop		Γ													1
	Slot		<u> </u>	UEP9D	1PQW7	0.56			ļ			15.69				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			LIFOAD	1004-		 					15 69		ļ		i
+	Different Wire Center		<u> </u>	UEP9D	1PQWP	0 56				L.———	<u> </u>	15 69				
1	Foothing Asthurbury on D. 4 Channel Book Deligate Line Land Clark			UEP9D	1PQWV	0.56						15.69				1
-	Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tile Line/Trunk Loop			ULFBU	I LCANAA	0.56						19.00				
1	Slot			UEP9D	1PQWQ	0 56						15.69				L
	Feature Activation on D-4 Channel Bank WATS Loop Slot		\vdash	UEP9D	1PQWA	0.56						15.69				

UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attachr	ment: 2	Exhil	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Submitted Elec	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.
						Rec	Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates(\$)	·	
						nec [First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	ecurring Charges (NRC) Associated with UNE-P Centrex															
ľ	NRC Conversion Currently Combined Switch-As-Is with allowed									 	 					
	changes, per port		1	UEP9D	USAC2		37.93	16.72				15.69	l	ļ		l
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	668.70	10.72			 	15.69				
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	668,70			<u> </u>	+	15 69				
	NAR Establishment Charge, Per Occasion		$\overline{}$	UEP9D	URECA	0.00	72.89				+	15.69	ļ			
	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD				1	0.00	72.00			-	 	15.05	 	 	 	
	2 - Requres Interoffice Channel Mileage								-	 	+-	 	 	 	 	
	- Requires Specific Customer Premises Equipment		1		 	t t					 	 				
Note	Rates displaying an "R" in Interim column are interim and sub	1				<u> </u>				 		ļ				1

UNBUNDLE	D NETWORK ELEMENTS - Tennessee							-					Attach	ment; 2	Exhil	oit: B
			1	_00.00		T					Svc Order	Svc Order	Incremental		Incremental	Incrementa
			1 !		1							Submitted	Charge -	Charge -	Charge -	Charge -
			1 !	Same of the second							Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	interi	Zone	BCS	usoc			RATES(\$)						II.	I .	
CATEGORI	HAIE ELEMENIS	m	20116	DC3	USUC			HA1 E3(\$)			perLSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			i										Electronic-	Electronic-	Electronic-	Electronic-
											l	į	1st	Addil	Disc 1st	Disc Add'l
											i			, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	0100 101	DISC AUG 1
							Nonrecurring		Nonrecurring	Disconnect			OSS	Rates(\$)		
			 			Rec	First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
The "7	Zono" chown in the sections for stand alone leave as been as			-ii		. Decrees and I										OOMAN
1116 2	Zone" shown in the sections for stand-alone loops or loops as	part of	a com	Dination reters to Ge	ograpnically	/ Deaveraged U	INE Zones. 10	view Geograp	nically Deaven	aged UNE Zone	e Designatio	ns by Cent	ral Office, ref	er to internet	Website:	
	www.interconnection.bellsouth.com/become_a_clec/html/inter	connec	tion.ht	m												
	AL SUPPORT SYSTEMS	· · · ·				T			· · · · · ·	1	1			· · · · · · · · · · · · · · · · · · ·	T	
INOTE	: (1) Electronic Service Order: CLEC should contact its contract	t nago	tistor if	it profess the state	enocific aloc	tropio condos c	rdodna obase	no ao amilanail l	L. Aba Ctata Ca	dominaia a a . T	ha alaataa					
ovhibi	it is the PallCouth majoral electronic consider and other shares	OI EO.			specific ciec	i i	ridening charge	75 PS UIUEI EU I	y the State Co	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	THE BIBCUOIS	IC SOI VICE O	dening charg	e currently co	muneo m un	is rate
NOTE	it is the BellSouth regional electronic service ordering charge.	CLEC	may en	ct either the state s	pecific Comi	mission ordere	d rates for the	electronic serv	ice ordering c	narges, or CLE	C may elect	the region	electronic :	service orderi	ng charge.	
NOTE	: (2) Any element that can be ordered electronically will be bill	ed acco	ording	to the SOMEC rate li	sted in this	category. Piea	se refer to Bell	South's Busin	ess Rules for L	ocal Ordering	(BBR-LO) to	determine	if a product	can be ordere	d electronical	ly. For
those	elements that cannot be ordered electronically at present per t	he BBF	I-LO, th	e listed SOMEC rate	in this cate	gory reflects th	e charge that	would be bitter	to a CLEC on	ce electronic c	rdering car	abilities co	me on-line fo	r that elemen	t Otherwise	the manual
orderi	ng charge, SOMAN, will be applied to a CLECs bill when it sub	mits ar	LSRI	o BellSouth		• •	•									
	Electronic OSS Charge, per LSR, submitted via BST's OSS	1	1	0 001100011111		,	r					,			T	
	Interactive interfaces (Regional)	l	1	j	001450		٠	Ī	l	1	Ī	l		I		I
INIE OEST (12		 	—		SOMEC	ļ	3.50	ļ							L	
	DATE ADVANCEMENT CHARGE	L					L				L					
NOTE:	: The Expedite charge will be maintained commensurate with I	BellSou	th's FC	C No.1 Tariff, Section	on 5 as appli	cable.									1	1
	UNE Expedite Charge per Circuit or Line Assignable USOC, per		T			l .		i			i					
	Day	1	l	ALL UNE	SDASP	1	200 00	1	1	1	1	1			1	I
IINRIINDI ED	EXCHANGE ACCESS LOOP	 	 	0114	3073	 	200 00			-	 		<u> </u>	 	 	
	E ANALOG VOICE GRADE LOOP	Ь——	\vdash								 			 		
Z-WIH		 	ļ													
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	<u> </u>		UEANL	UEAL2	13.19	31.99	20 02	10 65	1.41			20 35		13 32	13 32
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	17.23	31.99	20.02	10.65	1.41			20 35	10 54	13 32	13.32
1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	22.53	31 99	20.02	10.65	1,41			20.35	10.54	13 32	13 32
	Loop Testing - Basic 1st Half Hour		<u> </u>	UEANL	URET1		78 92	78.92			 		20.35	10.54	13.32	13.32
			├─	UEANL	URETA		23.33	23.33					20.35	10.54	13.32	13.32
	Loop Testing - Basic Additional Half Hour		-	UEANL	URETA		23.33	23.33					20.35	10.54	13.32	13.32
	CLEC to CLEC Conversion Charge Without Outside Dispatch	1	İ													l
	(UVL-SL1)	1		UEANL	UREWO		15 80	8.95		ļ			20 35	10 54	13 32	13.32
	Engineering Information Document (Et)			UEANL.	UEANM		28.80	28 80								
	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		- 36.52	36.52								
	Order Coordination for Specified Conversion Time for UVL-SL1			ULANL	OEAVO		- 30.32	30.52								
			1				l									l
	(per LSR)		L	UEANL	OCOSL		34.29	_ 34.29							1	
2-WIR	E Unbundled COPPER LOOP					į .										<u> </u>
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	1	1	UEQ	UEQ2X	13.19	31.99	20 02	10.65	1 41			20.35	10 54	13.32	13.32
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2		2	UEQ	UEQ2X	17.23	31.99	20.02	10.65	1 41			- 20.35	10 54	13 32	13.32
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3			UEQ	UEQ2X	22.53	31.99	20.02	10 65	1.41			20.35	10.54	13 32	13.32
			1 3	UEQ	UEUZA	22.55	31.88	20.02	10 05	1.41			20.00	10.54	10 02	10.02
l i	Order Coordination 2 Wire Unbundled Copper Loop - Non-		1			l .						l		1		
	Designed (per loop)	l	1	UEQ	USBMC		36.52	36.52							L	
	Engineering Information Document			UEQ			28.80	28 80					20 35	10.54	13.32	13 32
	Loop Testing - Basic 1st Half Hour		1	UEQ	URET1		78 92	78 92			T		20.35	10.54	13.32	13.32
	Loop Testing - Basic Additional Half Hour	 	+	UEQ	URETA	 	23 33	23.33		———			20.35	10.54	13.32	13.32
		 	 	ULW	IONE IA	 	- 20 00	20.00			! 	 	20.00	1	1.0.02	1.5.02
1 1	CLEC to CLEC Conversion Charge Without Outside Dispatch		l			1			ŀ	i	1	1	***	40.54		40.00
<u>i</u>	(UCL-ND)		<u> </u>	UEQ	UREWO	1	14 29	7 44	L			L	20.35	10 54	13.32	13.32
UNBUNDLED	EXCHANGE ACCESS LOOP								·		l	L		L	L	
	E ANALOG VOICE GRADE LOOP		1	·	1			1				I				
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	\vdash	 			 		t	l					T		
		l	١.,	HEDOD HEDOD	UEALC	10.40	94.00	20 02	10.65	1.41		1	20.35	10.54	13.32	13.32
	Zone 1	<u> </u>	╀-	UEPSR UEPSB	UEALS	13.19	31.99	20 02	10.65	1.41		 	20.35	10.34	10.02	10.32
1	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	l	1		1	ł	}	1	l	1	1	I		l		
	Zone 1	l	1 1	UEPSR UEPSB	UEABS	13.19	31.99	20.02	10.65	1.41	L	<u> </u>	20.35	10.54	13.32	13.32
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		1											ł		
l	Zone 2	l	2	UEPSR UEPSB	UEALS	17.23	31.99	20 02	10.65	1.41		I	20.35	10.54	13.32	13.32
		⊢—	+-	35. 31. 3E. 3B	100.00	17.20	0,.35		10.00	.,,,	 	l		1	1	T
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-	l	1 -	LIEBOD LIEBOS	LICADO	47.00		~~~	40.00	1 41	ł	I	20.35	10.54	13.32	13.32
	Zone 2		2	UEPSR UEPSB	UEABS	17.23	31 99	20.02	10.65	141	 		20.35	10.54	13.32	10.02
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	i	1		I		ŀ	i	l	1	1	I			l	
i	Zone 3	l	3	UEPSR UEPSB	UEALS	22 53	31.99	20 02	10.65	1 41	l		20.35	10.54	13.32	13.32
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	<u> </u>				1		1		i	1	I				
i		l	1 _	HEBOR HEBOR	LIEARS	00.50	34.00	20.02	10.65	1.41	1	I	20.35	10.54	13.32	13.32
	Zone 3	<u> </u>	3	UEPSR UEPSB	UEABS	22.53	31.99	20.02	10.65	1.41			20.00	10.54	10.02	10.02
	EXCHANGE ACCESS LOOP	<u> </u>	<u> </u>					L		ļ	 _			ļ	ļ	
2-WIR	E ANALOG VOICE GRADE LOOP		1							l	1	L			ļ	
1	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	l	1			1										1
!		l	1 1	UEA	UEAL2	16,56	75 06	48 20	28.70	17.64		I	20.35	10 54	13.32	13.32
\longrightarrow	Ground Start Signaling - Zone 1	⊢—	⊢' -	UCA	UEALE_	10.50	,,,00		20.70	17.04	 		25.00	1	1	
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	l	1		l	1	!	l	28.70	17.64	i		20.35	10.54	13.32	13.32
l l	Ground Start Signaling - Zone 2			UEA	UEAL2	21 63	75.06	48.20								

Page 315 of 358

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attachi	ment: 2	Exhit	bit: B
CATEGORY	RATE ELEMENTS	interi m	Zone	BCS	USOC			RATES(S)				Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
			<u> </u>						· · · · · · · · · · · · · · · · · · ·	5			<u> </u>	Add'l	DISC IST	DISC AGE
			<u> </u>			Rec	Nonrecurring First	Add'I	Nonrecurring First	Disconnect Add'I	SOMEC	SOMAN	SOMAN	Rates(\$)	SOMAN	SOMAN
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	_					Litar	Addi	LIISI	Addi	SOMEC	SUMAIN	SUMAIN	SOMAN	SOMAN	JOMAN
l J	Ground Start Signaling - Zone 3		3	UEA	UEAL2	28,28	75.06	48.20	28.70	17,64	Į	1	20.35	10.54	13.32	13.32
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		34.29									1
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse									-						
	Battery Signaling - Zone 1 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		1	UEA	UEAR2	16.56	75.06	48.20	28.70	17,64	 	<u> </u>	20,35	10.54	13.32	13.32
	Battery Signaling - Zone 2		2	UEA	UEAR2	21.63	75 06	48,20	28 70	17,64		,	20 35	10.54	13,32	13,32
 	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		 	-	100000		1000				l			10.01	10.00	1
	Battery Signaling - Zone 3		3	UEA	UEAR2	28.28	75 06	48.20	28.70	17.64	l		20.35	10.54	13.32	13 32
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		34 29				ļ		ļ			
4 90101	CLEC to CLEC Conversion Charge without outside dispatch E ANALOG VOICE GRADE LOOP			UEA	UREWO		75.06	36.41			⊹		20 35	10.54	13 32	13.32
4-WIRE	4-Wire Analog Voice Grade Loop - Zone 1	-	1	UEA	UEAL4	24.70	122,76	85.57	76.35	39.16		 	20 35	10.54	13 32	13 34
	4-Wire Analog Voice Grade Loop - Zone 1	 		UEA	UEAL4	32.25	122.76	85 57	76.35	39 16			20.35	10.54	13 32	
	4-Wire Analog Voice Grade Loop - Zone 3	 		UEA	UEAL4	42.17	122.76	85.57	76.35	39.16	 		20.35	10.54	13.32	
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		34.29									
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		75.06	36 41					20.35	10.54	13 32	13.3
2-WIRI	E ISDN DIGITAL GRADE LOOP															
	2-Wire ISDN Digital Grade Loop - Zone 1	ļ	1	UDN	U1L2X	22 22	142.76	88 88	76.35	39 16	-		20.35	10.54	13.32	
	2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X U1L2X	29.02 37.95	142.76 142.76	88 88 88.88	76.35 76.35	39.16 39.16			20.35	10 54 10.54	13.32	
	2-Wire ISDN Digital Grade Loop - Zone 3 Order Coordination For Specified Conversion Time (per LSR)	ļ	3	UDN	OCOSL	37 95	34.29	68.66	76.35	39.10			20.35	10.54	10.52	10.0
	CLEC to CLEC Conversion Charge without outside dispatch	 	┼	UDN	UREWO		91.77	44.22					20.35	10 54	13 32	13 3
2-WIR	E Universal Digital Channel (UDC) COMPATIBLE LOOP		-	10511	0.12110					-						
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone	-	-		T]]			
1 1	1	ĺ	1.1	UDC	UDC2X	22.22	142.76	88 88	76.35	39.16	1		20.35	10.54	13 32	13.32
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone													10.54	13 32	13.32
<u> </u>	2		2	UDC	UDC2X	29 02	142.76	88.88	76.35	39.16	ļ		20.35	10.54	13 32	13.34
ł	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone	1	١.	UDC	UDC2X	37.96	142,76	88 88	76 35	39.16	l		20.35	10 54	13.32	13 32
	CLEC to CLEC Conversion Charge without outside dispatch		3	UDC	UREWO	37.96	91.77	44.22	76 35	35.10	_		20.35	10.54	13.32	
2 WIDI	CLEC to CLEC Conversion Charge without outside dispatch E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	PATIRL	1006		ONEWO		31.77	77.22					1			
Z-WINE	2 Wire Unbundled ADSL Loop including manual service inquiry	1	T	· · · · · · · · · · · · · · · · · · ·												
()	& facility reservation - Zone 1	}	1	UAL	UAL2X	13.82	270.01	234.63	74 54	39.14			20.35	10.54	13.32	13.3
	2 Wire Unbundled ADSL Loop including manual service inquiry															1
	& facility reservation - Zone 2		2	UAL	UAL2X	18.05	270.01	234.63	74 54	39.14	—		20 35	10.54	13.32	13.3
	2 Wire Unbundled ADSL Loop including manual service inquiry							004.00	74 54	39.14	1	l	20 35	10.54	13.32	13.3
\longrightarrow	& facility reservation - Zone 3	<u> </u>	3	UAL	UAL2X	23.60	270 01 34.29	234.63	74 54	39,14	-		20 33	10.54	13.52	1
	Order Coordination for Specified Conversion Time (per LSR)	-		UAL	OCOSL		34.25			-						
1 1	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservator - Zone 1		1	UAL	UAL2W	13.82	31,99	20.02	10.65	1 41	į.		20 35	10.54	13.32	13.3
\vdash	2 Wire Unbundled ADSL Loop without manual service inquiry &	 - '	'	0.4	10.42.0	10.02	-									
1 1	facility reservaton - Zone 2	1 .	2	UAL	UAL2W	18.05	31.99	20 02	10.65	1.41	1		20.35	10.54	13.32	13.3
	2 Wire Unbundled ADSL Loop without manual service inquiry &		1													
1]	facility reservaton - Zone 3	1	3	UAL	UAL2W	23.60	31.99	20.02	10 65	1.41			20 35	10.54	13.32	13.3
	Order Coordination for Specified Conversion Time (per LSR)			UAL.	OCOSL		34 29				-		. 20.35	10.54	13.32	13.3
	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		31.99	20.02	 	 	!		. 20.35	10.54	19.02	10.0
2-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP						-	-	1	 		t		1
1 1	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1	1	١.	UHL	UHL2X	10.83	270.01	- 234.63	74.54	39.14	l	ļ	20.35	10.54	13 32	13.3
	2 Wire Unbundled HDSL Loop including manual service inquiry	+	+-	IOTIL	UIIZX	10,00									T	
1 1	& facility reservation - Zone 2	1) 2	UHL	UHL2X	14.15	270.01	234.63	74 54	39 14	<u> </u>		20.35	10.54	13 32	13 3
	2 Wire Unbundled HDSL Loop including manual service inquiry	1	1								ì	1			40.00	40.0
]]	& facility reservation - Zone 3		3	UHL	UHL2X	18.50	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.3
	Order Coordination for Specified Conversion Time (per LSR)			JUHL	ÖCOSL		34.29				 		 	 	 	1
\Box	2 Wire Unbundled HDSL Loop without manual service inquiry							20.02	10.65	1 41	1	l	20.35	10.54	13.32	13.3
	Lond for the secondary Tong 4		1 1	IUHL .	UHL2W	10.83	31.99	20.02	10.00	1 41			20,00	1 2101	1	1
	and facility reservation - Zone 1 2 Wire Unbundled HDSL Loop without manual service inquiry	-	+-								1	i .	1	1	13.32	13 3

NBUNDL	LED NETWO	RK ELEMENTS - Tennessee													ment: 2	Exhil	bit: 🖪
ATEGORY		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR			Incremental Charge - Manual Sve Order vs. Electronic- Disc 1st	Charge
							Rec	Nonrecurring		Nonrecurring					Rates(\$)		
				<u> </u>				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
- I		undled HDSL Loop without manual service inquiry	١.	1	l	1						1 '		į		Į.	1
		reservation - Zone 3		3	UHL	UHL2W	18.50	31.99	20.02	10 65	1.41			20.35	10.54	13.32	13.3
		dination for Specified Conversion Time (per LSR) EC Conversion Charge without outside dispatch		┼—	UHL	OCOSL		34.29				<u> </u>					
4.00		RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIDLE	1000	UHL	UREWO		31.99	20.02	ļ				20.35	10.54	13.32	13.3
4-11		undled HDSL Loop including manual service inquiry	IIBLE	LOOP										<u> </u>			_
		reservation - Zone 1		1	luhl	1.11.11.457	40.00	870.00		ll			ı	l			
		undled HDSL Loop including manual service inquiry		+	UnL	UHL4X	13.93	279.60	244.22	74.54	39.14			20 35	10 54	13.32	13.
		reservation - Zone 2		2	Lun	1	40.00	0770 00	044.00		0044			l			
		undled HDSL Loop including manual service inquiry		1 - Z	UHL	UHL4X	18 20	279.60	244 22	74.54	39 14			20 35	10 54	13.32	13
		reservation - Zone 3		3	UHL	UHL4X	23 80	070.00	244.22	ا بید	00 11	1			40	40	l
		dination for Specified Conversion Time (per LSR)	_	13-	UHL	OCOSL OCOSL	23 80	279.60	244.22	74.54	39.14	-		20 35	10.54	13.32	13
		undled HDSL Loop without manual service inquiry		+	IOUL	UCUSL		34.29						ļ	ļ		
		reservation - Zone 1	١.,	١.	UHL	1	40.00	04.00	00.00	40.05					40	40.55	
		undled HDSL Loop without manual service inquiry		₽-	IOUL	UHL4W	13 93	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13
l				1 .			40.00			40.05							
		reservation - Zone 2		2	UHL	UHL4W	18.20	31.99	20.02	10.65	1.41			20.35	10.54	13 32	13
		undled HDSL Loop without manual service inquiry	١.	3		I									l		
		reservation - Zone 3		3	UHL	UHL4W	23.80	31 99	20.02	10.65	1.41	ļ		20.35	10 54	13.32	13
		dination for Specified Conversion Time (per LSR)		├	ÜHL	OCOSL		34 29									13
4 300		EC Conversion Charge without outside dispatch			UHL	UREWO		31.99	20.02					20.35	10 54	13.32	12
4-101	IRE DS1 DIGIT								212 72		10.15				2.40	44.00	
_		Digital Loop - Zone 1			USL	USLXX	57.73	313 08	219.72	96 86	40.45			18.98	8.43	11.95	11
		Digital Loop - Zone 2			USL	USLXX	75.40	313 08	219.72	96.86	40.45 40.45			18.98 18.98	8 43	11.95 11.95	
		Digital Loop - Zone 3		3	USL	USLXX	98.59	313.08	219.72	96.86	40.45			18.98	8 43	1195	1
		dination for Specified Conversion Time (per LSR)		-	USL	OCOSL		34.59						20.35	10 54	13.32	13
		EC Conversion Charge without outside dispatch		—	USL	UREWO		130.47	40.11					20.35	10 54	13.32	18
4-W		R 64 KBPS DIGITAL GRADE LOOP		.						90.70	44,18			20.35	10.54	13 32	13
		undled Digital 19 2 Kbps			UDL	UDL19	31.10	207 01	141.38		44.18			20.35	10.54	13 32	
		undled Digital 19 2 Kbps			UDL	UDL19	40.61	207.01	141.38	90 70					10.54	13.32	
		undled Digital 19.2 Kbps			UDL	UDL19	53.11	207.01	141.38	90 70	44.18			20.35			
		undled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	31 10	207 01	141.38	90.70	44.18			20.35	10.54	13 32 13 32	1;
		undled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	40 61	207 01	141.38	90.70	44.18			20 35	10.54 10.54	13.32	1:
		undled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	53 11	207.01	141.38	90.70	44 18			20.35	10 54	13.32	<u> </u>
		dination for Specified Conversion Time (per LSR)		1	UDL	OCOSL		34.29			11.10	ļ			10 54	40.00	1:
		undled Digital Loop 64 Kbps - Zone 1			UDL	UDL64	31.10	207.01	141.38	90.70	44.18			20 35		13 32	
		undled Digital Loop 64 Kbps - Zone 2			UDL	UDL64	40.61	207 01	141.38	90 70	44.18			20.35	10 54	13 32	
		undled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	53.11	207.01	141.38	90.70	44.18			20.35	10.54	13 32	1
		dination for Specified Conversion Time (per LSR)		└ ─	UDL	OCOSL		34.29							40.54	10.00	1
		EC Conversion Charge without outside dispatch			UDL	UREWO		102 28	49.82			ļ		20.35	10.54	13 32	 '
2-W		COPPER LOOP		L		i						ļ			ļ		┼
- 1	2-Wire Unb	undled Copper Loop/Short including manual service						1				i		l			١.,
	inquiry & fa	cility reservation - Zone 1	1	1	UCL	UCLPB	13 19	31.99	20 02	10.65	1.41			20.35	10.54	13.32	13
	2-Wire Unb	undled Copper Loop/Short including manual service										1					
	inquiry & fa	cility reservation - Zone 2	1	2	UCL	UCLPB	17.23	31.99	20.02	10.65	1 41	<u></u>		20.35	10.54	13.32	13
	2 Wire Unb	undled Copper Loop/Short including manual service										ł			İ	1	
l	inquiry & fa	cility reservation - Zone 3	1	3	UCL	UCLPB	22 53	31.99	20 02	10.65	1,41			20.35	10.54	13.32	13
	Order Coor	dination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.52	36.52			<u> </u>					
	2-Wire Unb	undled Copper Loop/Short without manual service		T								ļ			l	1	
1	inquiry and	facility reservation - Zone 1		1	UCL	UCLPW	13.19	31.99	20 02	10.65	1.41			20.35	10.54	13.32	1:
		undled Copper Loop/Short without manual service										1		1	i		
		facility reservation - Zone 2	1	2	UCL	UCLPW	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	11
	2-Wire Unb	undled Copper Loop/Short without manual service					-					1		j	1		
- }		facility reservation - Zone 3	1	3	UCL	UCLPW	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	1
-		dination for Unbundled Copper Loops (per loop)	m	$\overline{}$	ÜCL	UCLMC		36.52	36.52								<u> </u>
\dashv		undled Copper Loop/Long - includes manual sivc.		1	1									I			
		facility reservation - Zone 1	l ı	1	UCL	UCL2L	13.19	31.99	20.02	10.65	1.41	l		20.35	10.54	13.32	1
-+-		undled Copper Loop/Long - includes manual svc.	 -	 	† 	1						1			1		i
	IT-14IIA OUD	facility reservation - Zone 2	Ι.	2	UCL	UCL2L	17.23	31.99	20.02	10.65	1.41	1	l	20 35	10 54	13.32	13

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attachi	ment: 2	Exhil	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BC\$	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual St Order vs Electronic Disc Add
		L	ļ			Rec	Nonrecurring			Disconnect			oss	Rates(\$)		
	0.146-1.1-1	<u> </u>	↓		 		First	Addʻl	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1	2-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 3	Ι.	3	UCL	ا المال	20.50						!		1		ľ
	Order Coordination for Unbundled Copper Loops (per loop)	- '-	1 3	UCL	UCL2L UCLMC	22 53	31.99 36.52	20.02	10 65	1.41			20 35	10.54	13.32	13 3
	2-Wire Unbundled Copper Loop/Long - without manual service		 	1002	DCLIVIC.		36.52	36 52			ļ					ļ
ŀ	inquiry and facility reservation - Zone 1	1	1 1	UCL	UCL2W	13.19	31 99	20 02	10 65	1.41			20 35	10.54	13 32	13.3
	2-Wire Unbundled Copper Loop/Long - without manual service	- 	<u> </u>		DOLL II	10,15	01,99	20 02	10 05	1.41			20.35	10.54	13 32	13.3
j	inquiry and facility reservation - Zone 2	1	2	UCL	UCL2W	17.23	31.99	20.02	10.65	1.41			20,35	10.54	13.32	13.3
	2-Wire Unbundled Copper Loop/Long - without manual service	_						······································								
	inquiry and facility reservation - Zone 3		3	UCL	UCL2W	22.53	31.99	20.02	10.65	1.41			20.35	10 54	13.32	13 3
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.52	36.52								
ŀ	CLEC to CLEC Conversion Charge without cutside dispatch	١.		l <u>.</u> .	l											
4 9/10	(UCL-Des)	<u> </u>	↓	UCL	UREWO		31.99	20.02					20 35	10.54	13.32	13.3
4-WIH	4-Wire Copper Loop/Short - including manual service inquiry	<u> </u>	<u> </u>													
	and facility reservation - Zone 1	Ι.	١,	UCL	UCL4S	24 70	122 76	85 57	76 35	39.16	}		20 35	40.54		400
	4-Wire Copper Loop/Short - including manual service inquiry	<u> </u>	-	UCL	UCL45	24 70	122 /6	85.57	7635	39.16	<u> </u>	ļ	20 35	10.54	13.32	13 3
- 1	and facility reservation - Zone 2	١.	2	UCL	UCL4S	32 25	122.76	85.57	76 35	39.16			20.35	10.54	13 32	133
	4-Wire Copper Loop/Short - including manual service inquiry	 - '-	-	OCL	UCL43	32 23	122.76	65.57	76.35	39.16			20.35	10.54	13 32	13.3
1	and facility reservation - Zone 3		3	UCL	UCL4S	42.17	122 76	85.57	76 35	39 16	l		20 35	10.54	13.32	13.3
<u> </u>	Order Coordination for Unbundled Copper Loops (per loop)		۱Ť	UCL	UCLMC .	72.17	36.52	36.52	70 33	33 10	 		20 00	10.54	10.02	10.0
	4-Wire Copper Loop/Short - without manual service Inquiry and	\vdash		\$5E	0020		00.02	00.02								
- 1	facility reservation - Zone 1	1 1	1	UCL	luctaw I	24.70	122.76	85.57	76.35	39.16	l		20.35	10.54	13 32	13 3
	4-Wire Copper Loop/Short - without manual service inquiry and															
- 1	facility reservation - Zone 2	1 1	2	UCL	luctaw I	32.25	122.76	85 57	76.35	39.16	İ		20.35	10.54	13.32	13.3
	4-Wire Copper Loop/Short - without manual service inquiry and		1													
1	facility reservation - Zone 3	1	3	UCL	UCL4W	42 17	122 76	85 57	76 35	39.16	ļ	ł	20.35	10.54	13.32	13.3
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.52	36.52								
	4-Wire Unbundled Copper Loop/Long - includes manual svc.															
	inquiry and facility reservation - Zone 1	1	1	UCL	UCL4L	24.70	122 76	85.57	76 35	39.16			20.35	10.54	13.32	13 3
j	4-Wire Unbundled Copper Loop/Long - includes manual svc.	i									l					
	inquiry and facility reservation - Zone 2		2	UCL	UCL4L	32 25	122 76	85.57	76.35	39 16			20.35	10.54	13.32	13 3
	4-Wire Unbundled Copper Loop/Long - includes manual svc.	Ι.	1 _	l	l					20.40	l		00.05	40.54	13.32	
	inquiry and facility reservation - Zone 3		3	UCL	UCL4L UCLMC	42.17	122 76	85 57	76.35	39.16			20 35	10.54	13.32	13 3
	Order Coordination for Unbundled Copper Loops (per loop) 4-Wire Unbundled Copper Loop/Long - without manual svc.	-	-	UCL	UCLMC		36.52	36.52				· · · · · · · · · · · · · · · · · · ·				-
ı	inquiry and facility reservation - Zone 1	1 .	1	UCL	UCL4O	24.70	122 76	85.57	76.35	39.16	1		20 35	10.54	13.32	13 3
	4-Wire Unbundled Copper Loop/Long - without manual svc.	- '-	 '-	1002	100240	24.70	122 70	00.07	70.00	00.10					1	
	inquiry and facility reservation - Zone 2	1 .	2	UCL	UCL4O	32 25	122 76	85.57	76 35	39.16			20 35	10.54	13.32	13 3
	4-Wire Unbundled Copper Loop/Long - without manual svc.	 	╅╌	1002	1	02.20	122 / 0									
	inquiry and facility reservation - Zone 3	Li	3	UCL	UCL4O	42,17	122 76	85 57	76.35	39 16	1		20 35	10.54	13.32	13.3
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36 52	36.52								
	CLEC to CLEC Conversion Charge without outside dispatch	i			Γ Ι											
į	(UCL-Des)			UCL	UREWO		31.99	20 02					20 35	10.54	13 32	13.3
LOOP MODIF	ICATION					····										
				UAL, UHL, UCL,	l 1						1		-			
		1		UEQ, ULS, UEA,	1 1		1				l				ł	
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire	l		UEANL, UDL, UDC,	l I				i		1			10.54	13.32	13.3
	pair less than or equal to 18k ft			UDN, UDL, USL	ULM2L		65.40	65 40					20.35	10.54	13.32	13.3
	Unbundled Loop Modification, Removal of Load Coils - 2 wire	Ι.			l			- 00 ==			l		20.35	10.54	13.32	13.3
	greater than 18k ft	 	-	UCL, ULS, UEQ	ULM2G		710.71	23.77					20.35	10.54	13.32	13,3
	Unbundled Loop Modification Removal of Load Coils - 4 Wire	1.	1		1			05.40					20.35	10.54	13 32	13.3
	less than or equal to 18K ft			UHL, UCL	ULM4L		65.40	65.40					20.55	10.37	10.02	10.0
1	Unbundled Loop Modification Removal of Load Coils - 4 Wire	1 .		1	1,,,,,,		710.71	23.77					20.35	10.54	13.32	13.3
	pair greater than 18k ft	₽-	 	UCL USI UCI	ULM4G		/10./1	23.77			 		20.05	10.54	10.02	10.0
		l	1	UAL, UHL, UCL,	 						l]		l		
		1		UEQ, UEF, ULS, UEA. UEANL, UDL.	!						l			i		
1	Unbundled Loop Modification Removal of Bridged Tap Removal,	1	1	UDC, UDN, UDL,	j		-				l				!	
1																

<u> </u>	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhil	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	
			L			Rec	Nonrecurring		Nonrecurring					Rates(\$)		
SUB-LOOPS							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	oop Distribution		ļ													<u> </u>
300-1	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-		 -								ļ			<u> </u>		
	Up			UEANL	USBSA		517.25	517.25					20.05			
			 	ULATE	OODOA		517.20	517.25			 		20.35	10.54	13.32	13.3
ł	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	1		UEANL	USBSB		42 68	42.68					20.35	10 54	13.32	13.3
	Sub-Loop - Per Building Equipment Room - CLEC Feeder		†—-										20.00	1007	10.02	70.0
	Facility Set-Up		l	UEANL	USBSC		313 01	313.01					20.35	10.54	13.32	13.3
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel										1					
	Set-Up		<u> </u>	UEANL	USBSD		108.06	108.06					20.35	10.54	13.32	13.3
i	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -			l										1		
—— -	Statewide		SW	UEANL	USBN2	10.02	148.84	112.34	73 14	36.65			20.35	10 54	13.32	13 3
i	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		1	UEANL	USBMC		34.29	34.29						ł	l	
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		 	UEANL	USBMC		34.29	34.29					 		ļ	
	Zone 1		1	UEANL	USBN4	7 30	147.93	75 11	99.96	16 98			20.35	10 54	13.32	13.3
<u> </u>	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		┢╌	OLAIL	00014		147.33		99.90	10 30			20.33	10 54	10.02	13.3
	Zone 2		1 2	UEANL	USBN4	9 54	147.93	75.11	99.96	16.98	j		20 35	10.54	13.32	13.3
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		 				1						20.00	10.01	10.02	10.0
	Zone 3		3	UEANL	USBN4	12.47	147.93	75.11	99.96	16.98	i		20.35	10.54	13.32	13.3
			1													
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		<u> </u>	UEANL	USBMC_		34 29	34 29								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	1.35	94.56	29.35					20 35	10.54	13 32	13 3
		_	I													
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		└	UEANL	USBMC		34.29	34.29					l			
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)		ļ	UÉANL	USBR4	2.26	116 14	37.10					20.35	10.54	13.32	13.3
l	Onder Consideration for the bounded Carlo Lanca and Lanca and			UEANL	USBMC		34 29	- 34 29					ŀ			
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	-	1	UEF	UCS2X	5.16	110,71	37 89	94 41	13.09	!		20.35	10.54	13 32	13.3
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	 -		UEF	UCS2X	6 74	110.71	37 89	94.41	13.09	 		20.35	10.54	13.32	13.3
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3			UEF	UCS2X	8.81	110 71	37 89	94.41	13 09			20.35	10.54	13.32	13.3
- 1	2 Wild dopper distanced das Ecop Bisting tion 2 2010 0			02.	COOLX	5.57		0, 05						10.01		
İ	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		1	UEF	USBMC		34.29	34.29					1			
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	6 52	117.12	44.30	99.96	16.98			20.35	10 54	13.32	13.3
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS4X	8.52	117.12	44.30	99.96	16.98			20.35	10.54	13.32	13.3
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	_	3	UEF	UCS4X	11.14	117.12	44.30	99 96	16.98			20.35	10.54	13 32	13.3
1				l									ŀ]		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		ļ	UEF	USBMC		34 29	34.29						ļ		
Unbur	ndled Sub-Loop Modification													ļ		
j	Unbundled Sub-Loop Modification - 2-W Copper Dist Load		l	UEF	ULM2X		335 36	7.82					20 34	10.54	13.32	13 3
	Coil/Equip Removal per 2-W PR Unbundled Sub-loop Modification - 4-W Copper Dist Load		 	UEF	OLIVIZA		335 36	1.02					20 07	10.54	10.02	100
i	Coil/Equip Removal per 4-W PR		}	UEF	ULM4X		335.36	7.82					20.35	10.54	13.32	133
	Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged		├	ULI	CLIVITA		000.00	7.02			 					
- 1	Tap Removal, per PR unloaded		ĺ	UEF	ULM4T		528.48	9.74					20.35	10.54	13.32	13.3
Unbur	ndled Network Terminating Wire (UNTW)			-	OLIVI-1		020,10									
102	Unbundled Network Terminating Wire (UNTW) per Pair		 	UENTW	UENPP	0.4555	2.48	2.48					20.35	10.54	13.32	13.3
Netwo	ork Interface Device (NID)		i –													
	Network Interface Device (NID) - 1-2 lines		<u> </u>	UENTW	UND12		89 69	54.56	0.6391	0.6391	Ĭ		20.35	10 54	13.32	13 3
	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		129 65	94.51	0.6522	0.6522			20.35	10.54	13,32	13.3
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		11.11	11.11					20 35		13 32	13.3
	Network Interface Device Cross Connect - 4W			UENTW	UNDC4		11,11	11.11					20 35	10.54	13.32	13.3
SUB-LOOPS														 	 	
Sub-L	oop Feeder		L										 	 		
	USL-Feeder, DS0 Set-up per Cross Box location - CLEC			UEA,	HODES								20 35	10.54	13.32	13.3
	Distribution Facility set-up			UDN,UCL,UDL,UDC	USBFW		517.25				 		20 35	10.54	13.02	10.0
- 1	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair			UEA, UDN,UCL,UDL,UDC	HEDEV		42.68	42.68			1		20.35	10.54	13 32	13.3
	USL Feeder DS1 Set-up at DSX location, per DS1 termination			USL	USBFZ	L	531.04	11.34			 		20.35		13.32	13.3

ARTERIONY RATE ELEMENTS RATE SIZEMENTS RATE	UNDINDI E	D NETWORK EL EMENTS. Tennesses												Attachr	nent: 2	Exhib	it: B
New York County Service County Ser				Zone	BCS	usoc			RATES(\$)			Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
Unitured Suit Compressed Loop, 2 With Control Suit, Vision Common Trans, 2 LES CORRES 120.06 120.26 150.06							Rec					COMEC	COMAN			COMAN	COMAN
Control Salements Secretary Control Control Transport Life Control Con		0						First	1 DDA	FIRST	Addi	SUMEC	SUMAN	SOMAN	SUMAN	SUMAIN	SUMAN
Clife Concension to Species Concensor Team, per LBT. U.S.A. COOSE. 34.92 Cooker Coo	į į		ì			LICPEA	12.05	100.04	95.05	76.25	30.16			20.35	10.54	13 32	13.32
Unknowned Start Loop Feeder Loop, 2 Win Loop Feeder Loop, 2 Win Loop Feeder Loop, 2 Win Loop Feeder Loop, 2 Win Loop Feeder Loop, 2 Win Loop Feeder Loop, 2 Win Loop Feeder Loop, 2 Win Loop Feeder Loop, 2 Win Loop Feeder Loop, 4 Win Loop Feeder Loop, 2 Win Loop Feeder Loop, 2 Win Loop Feeder Loop, 2 Win Loop Feeder Loop, 2 Win Loop Feeder Loop, 2 Win Loop Feeder Loop, 2 Win Loop Feeder Loop, 2 Win Loop Feeder Loop, 3 Win Loop Feeder Loop, 4 Win Loop Feeder				SW			12.05		65.05	70.55	39.10	 	1	20.00	10.54	10.02	10.02
Grade - Silsewoods 10 10 10 10 10 10 10 1			 		OEA	UUUUU		34.20					 				
Chief Coordination to Special Time Commerce, per LSR	1		1	sw	UEA	USBFB	12.05	122.24	85.05	76.35	39 16			20 35	10.54	13.32	13.32
Uncondered Sub-Losp Feeder Love, 2 Wire Strong Feeder Love, 1 Wire Ground State, Vices 10.56 10.													1				
Outer Coordination For Special Convenion Train, per LSR UEA COCOS. 3-4.59 UEA UEA UEA UEA UEB UEA UEB UEA UEB UEA UEB UEA UEB UEA UEB UEA UEB UEA UEB			<u> </u>														
Unburided Sub-Loop Feeder Loop, 4 Wire Ground-Start, Vote Ground-Start				sw			12 05		85.05	76.35	39.16		<u> </u>	20 35	10 54	13.32	13.32
Grade - Zone 1					UEA	OCOSL		34.29				<u> </u>					ļ
Unburded Sub-Lop Feeder Loo, 4 Wire Ground Start, Voice Grant Grant Start, Voice Grant Grant Start, Voice Grant Grant Start, Voice Grant Grant Start, Voice Grant Grant Start, Voice Grant G	1			Ι.			l	407.04			00.40		1	20.05	40.54	40.00	13.32
Carde - Zone 2				1 1	UEA	USBFD	21.52	137 31	61.93	118 04	30.13			20.35	10.54	13.32	13.32
Unbundled Glub-Loop Feeder Loop, A Wine Coursel Staff, Video Grants - Zima 3 Order Coordination For Spended Convenient Trins, Part LSR USEA Order Coordination For Spended Convenient Trins, Part LSR USEA ORDER O	1		1	1 -	LIEA	Heben	2011	437 34	£1 03	118.04	20 12	1	ľ	20.25	10.54	13.32	13.32
Criste - Zone 3			 	+-	UEA	USBFU	20.11	137.31	01,93	110.04	50 15	 	 	20 00	10.04	10 02	
Order Coordination For Specified Conversion Time, Per LSR UBA OCOSI. 34.29 UBA USBFE 21.50 173.21 61.80 118.04 30.13 20.35 10.54 13.32 1 UBA UBBFE 21.50 173.21 61.80 118.04 30.13 20.35 10.54 13.32 1 UBA UBBFE 21.50 173.21 61.80 118.04 30.13 20.35 10.54 13.32 1 UBA UBBFE 20.11 173.21 61.80 118.04 30.13 20.35 10.54 13.32 1 UBA UBBFE 20.11 173.21 61.80 118.04 30.13 20.35 10.54 13.32 1 UBA UBBFE 20.11 173.21 61.80 118.04 30.13 20.35 10.54 13.32 1 UBA UBBFE 20.11 123.21 123.				l 3	UEA	JUSBED	36.76	137.31	61.93	118 04	30.13	1		20.35	10 54	13 32	13.32
Chaumded Sub-Loop Feeder Loop, 4 Wins Loop-Start, Viole 1 UEA USBFE 21.52 137.31 61.99 118.04 50.13 20.55 10.54 13.32 1 Unbounded Sub-Loop Feeder Loop, 4 Wins Loop-Start, Viole 2 UEA USBFE 28.11 137.31 61.90 118.04 50.13 20.55 10.54 13.32 1 USBFE 28.11 137.31 61.90 118.04 50.13 20.55 10.54 13.32 1 USBFE 28.11 137.31 61.90 118.04 50.13 20.55 10.54 13.32 1 USBFE 28.11 137.31 61.90 118.04 50.13 20.55 10.54 13.32 1 USBFE 28.11 137.31 61.90 118.04 50.13 20.55 10.54 13.32 1 USBFE 28.11 137.31 61.90 118.04 50.13 20.55 10.54 13.32 1 USBFE 28.11 137.31 61.90 118.04 50.13 20.55 10.54 13.32 1 USBFE 28.11 137.31 61.90 118.04 50.13 20.55 10.54 13.32 1 USBFE 28.11 137.31 61.90 118.04 50.13 20.55 10.54 13.32 1 USBFE 28.11 137.31 61.90 118.04 50.13 20.55 10.54 13.32 1 USBFE 28.11 137.31 61.90 118.04 50.13 20.55 10.54 13.32 1 USBFE 28.11 10.90 10.				 							-				1		
Grade - Zone Unbounded Sub-Loop Feeder Loop, 4 Wire Loop Start, Volce 2 UEA																	
Grade - Zone 2 UFA USSET 28.11 137.31 61.90 118.04 30.13 20.35 10.54 13.32 13.02 13.	. 1			1.	UEA	USBFE	21.52	137.31	61.93	118 04	30.13			20.35	10.54	13.32	13.32
Unburned Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice 3 UEA		Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice		1								i					40.00
Grade - Zone 3 Grade - Zone 3 Grade - Zone 5 Grad			<u> </u>	2	UEA	USBFE	28.11	137 31	61.93	118.04	30.13	ļ	 	20.35	10 54	13.32	13.32
Control Cont		Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice		1							20.40		Į	00.05	10.54	10.00	13 32
Unburnded Sub-Loop Federic Loop, 2Wine SDN BRI- Zone 1 1 UDN USBFF 1911 142.83 67.45 104.67 19.53 19.99 19							36.76		61.93	118 04	30.13	<u> </u>		20,35	10.54	13 32	13.32
Unburied Sub-Loop Feeder Loop, Avers SON PRI - Zone 2 2 UNN USBFF 27.51 142.53 67.45 104.67 18.53 19.99 19.9		Order Coordination For Specified Conversion Time, Per LSH					10.11		67.45	104.67	18.53	 	+	19 99	19.99	19.99	19 99
Continue																	19.99
Order Coordination For Specified Conversion Time, Per LSR UDN OCOSI, 34.29 19.99			├													19.99	19 99
Unburded Sub-Loop Feeder, 2 Were UDC (IDS. compatible) Unburded Sub-Loop Feeder, 2 Were UDC (IDS. compatible) Unburded Sub-Loop Feeder, 2 Wire UDC (IDS. compatible) Unburded Sub-Loop Feeder, 2 Wire UDC (IDS. compatible) Unburded Sub-Loop Feeder, 2 Wire UDC (IDS. compatible) Unburded Sub-Loop Feeder Loop, 2 Wire UDC (IDS. compatible) Unburded Sub-Loop Feeder Loop, 2 Wire UDC (IDS. compatible) Unburded Sub-Loop Feeder Loop, 2 Wire UDC (IDS. compatible) Unburded Sub-Loop Feeder Loop, 2 Wire UDC (IDS. compatible) Unburded Sub-Loop Feeder Loop, 2 Wire Del : Zone 1 Unburded Sub-Loop Feeder Loop, 4 Wire Del : Zone 2 USS. USSFG 5190 Unburded Sub-Loop Feeder Loop, 2 Wire Del : Zone 2 USS. USSFG 5190 Unburded Sub-Loop Feeder Loop, 2 Wire Del : Zone 3 USS. USSFG 6786 Unburded Sub-Loop Feeder Loop, 2 Wire Del : Zone 3 USS. USSFG 6786 Unburded Sub-Loop Feeder Loop, 2 Wire Del : Zone 3 USS. USSFG 5190 Unburded Sub-Loop Feeder Loop, 2 Wire Del : Zone 3 Unburded Sub-Loop Feeder Loop, 2 Wire Sub-Loop Feeder Loop, 2 Wire Copper Loop - Zone 1 Unburded Sub-Loop Feeder Loop, 2 Wire Copper Loop - Zone 1 Unburded Sub-Loop Feeder Loop, 2 Wire Copper Loop - Zone 2 Uncl. USSFH 12,43 Unburded Sub-Loop Feeder Loop, 2 Wire Copper Loop - Zone 3 UCL USSFH 14,27 Unburded Sub-Loop Feeder Loop, 2 Wire Copper Loop - Zone 3 UCL USSFH 14,27 Unburded Sub-Loop Feeder Loop, 2 Wire Copper Loop - Zone 3 UCL USSFH 14,27 Unburded Sub-Loop Feeder Loop, 2 Wire Copper Loop - Zone 1 Unburded Sub-Loop Feeder Loop, 2 Wire Copper Loop - Zone 2 UCL USSFH 14,27 Unburded Sub-Loop Feeder Loop, 2 Wire Copper Loop - Zone 2 UCL USSFH 14,27 Unburded Sub-Loop Feeder Loop, 2 Wire Copper Loop - Zone 2 UCL USSFH 16,00 U		Order Coordination For Specified Conversion Time, Per LSB		<u> </u>													
Unbundled Sub-Loop Feeder, 2 Wire UDC (USL compatible) 2 UDC USBFS 21,04 142,83 67.45 104.67 18.53 19.99 19.			1	1			16.11	142.83	67.45								19.99
Unbundled Sub-Loop Feeder (2 wire UDC (IDSL compatible) 3 UDC USBFG 39.74 116 00 40.62 106.82 18.91 19.99 19.99 19.99 19.90		Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)	1	2	UDC	USBFS							<u> </u>				19 99
Unbundled Sub-Loop Feeder Loop, 4-Wire DST - Zone 2 2 USL USBFG 51.50 116 00 40.62 106.92 18.91 19.99 19.99 19.99 1 19		Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)											 				19.99 19.99
Unbundled Sub-Loop Feeder Loop, 4-Wire DST - Zone 2		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1															19.99
Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3 3 USL USSF 34.59 34.59 34.59 34.59 34.59 34.59 34.59 34.59 34.59 34.59 34.59 34.59 35.50																	
Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone 1 Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone 2 UCL USBFH 12.43 114.27 38.89 104.64 18.53 19.99			⊥	3			67 86		40.62	100.02	10.91	 	 	13.33	10.00	10.00	10.00
Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone 2 UCL USBFH 12.43 114.27 38.89 104.64 18.53 19.99				+			0.52		38.80	104.64	18.53	 	 	19 99	19.99	19 99	19.99
2 UCL USBFH 12.43 114.27 38.89 104.64 18.53 19.99				+	IUCL	USBFR	9.52	114 21	30.03	104 5.	10.00	 	1				
Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone 3 UCL USBFH 16.26 114.27 38.89 104.64 18.53 19.99		Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone		١,	UCI	USBEH	12.43	114.27	38.89	104 64	18.53		İ	19.99	19.99	19 99	19.99
3 UCL USBFH 16.26 114.27 39.89 104.64 16.33 10.46 16.3		Unburded Sub Loan Fooder Loan 2 Wire Conner Loan - Zone	 	+-	DOL .	000. 11	12.10										
Order Coordination For Specified Conversion Time, per LSR UCL UCSF 34.29		Unbuildied Sub-Loop Feeder Loop, 2-14the Copper Loop - Zone	1	1 3	UCL	USBFH	16.26	114.27	38.89	104.64	18.53			19.99	19 99	19.99	19.99
Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1		Order Coordination For Specified Conversion Time, per LSR	+	 		OCOSI.		34 29					<u> </u>		1000	I	19.99
Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2 2 UCL USBFJ 19.76 123.41 48.03 110.44 22.53 19.99			\top	1	UCL												
Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3 UCL USBFJ 24.53 123.41 48.05 110.44 22.05 110.44 22.05 110.44 22.05 110.44 22.05 110.44 22.05 110.44 22.05 110.44 22.05 110.44 22.05 110.44 22.05 110.44 22.05 110.44 22.05 110.44 22.05 110.44 22.05 110.44 110.				2									┼				
Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop 1 UDL USBFN 26 06 116.00 40 62 106.82 18.91 19.99		Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3		3			24.53		48.03	110 44	22.53	-	 	19.99	13.00	13.55	1
Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop 1 UDL USBFN 34.03 116.00 40.62 106.82 18.91 19.99		Order Coordination For Specified Conversion Time, per LSR					 		40.00	100.02	18 01	+	 	19.99	19.99	19.99	19.99
Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop 2 UDL USBFN 44.50 116.00 40.62 106.82 18.91 19.99 19.99 19.99 19.99 20.00			↓										+				
Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - 1 UDL														19.99	19.99	19.99	19.99
Zone 1		Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop	├	3	UDL	USBEN	44.50	110 00	10.02	100.00							T
Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - 2 UDL USBFO 34.03 116.00 40.62 106.82 18.91 19.99 19.99 19.99 19.99 19.99 19.99 19.99 19.99 19.99 19.99 19.99 19.99 19.99 19.99 19.99 19.99 19.99 19.99 19.99 19.99 19.99 19.99 19.99 19.99 19.99 19.99 19.9			1	1	UDL	USBFO	26.06	116.00	40.62	106.82	18.91			19.99	19.99	19 99	19.99
Zone 2 UDL USBFO 34.03 116.00 40.62 106.82 18.91 19.99 19.99 19.99 19.99 19.99 20ne 1 UDL USBFO 26.06 116.00 40.62 106.82 18.91 19.99 19.99 19.99 19.99 20ne 1 UDL USBFO 26.06 116.00 40.62 106.82 18.91 19.99 19.99 19.99 19.99 20ne 1 UDL USBFO 26.06 116.00 40.62 106.82 18.91 19.99 19.99 19.99 19.99 20ne 1 2			+	+	1000		1	1		T						45	
Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - 3 UDL USBFO 44 50 116 00 40.62 106.82 18.91 19.99	1		1	1 2	UDL	USBFO	34.03	116.00	40.62	106.82	18.91	<u> </u>	 	19.99	19.99	19.99	19.99
Zone 3 JUDL USBFO 44.50 116.00 40.62 106.62	$\vdash \vdash$		+	╅	† 			T		T			1	1		40.00	19.99
Order Coordination For Specified Time Conversion, per LSR	1 1	·	1	3	UDL		44 50		40.62	106.82	18.91			19.99	19.99	19.99	19.99
Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - 1 UDL USBFP 26.06 116.00 40.62 106.82 18.91 19.99	-+-					OCOSL		34.29			ļ	+	 	 	 	 	
Zone 1	\vdash						1				100	.		10.00	10.00	19.99	19,99
Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - 19.99 19.90	l			1	UDL	USBFP	26.06	116.00	40.62	106.82	18.9			19.95	, ,,,,,,,	1	1
		Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -	1	1 -	l	USBEP	34.03	116.00	40.62	106 82	18 0	ıl	1	19.99	19.99	19.99	19.99

UNBUNDLE	ED NETWORK ELEMENTS - Tennessee												Attachi	ment: 2	Exhil	oit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'I
			<u> </u>			Rec	Nonrecurring First	6441	Nonrecurring		COMEC	SOMAN	OSS SOMAN	Rates(\$)	SOMAN	SOMAN
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -		-				FIRST	Addʻl	First	Add'I	SUMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
	Zone 3		3	UDL	USBFP	44 50	116 00	40.62	106.82	18.91			19.99	19.99	19.99	19.99
0000	Order Coordination For Specified Conversion Time, per LSR			UDL	OCOSL		34.29									
SUB-LOOPS	Loop Feeder		┼													
300-1	Sub Loop Feeder - DS3 - Per Mile Per Month	1	 	ÜE3	1L5SL	14 11	 									-
	Sub Loop Feeder - DS3 - Facility Termination Per Month	i			USBF1	333 26	3,390.00	407.68	165.17	501.31			20 35	10 54	13 32	
	Sub Loop Feeder - STS-1 - Per Mile Per Month	- i	!		1L5SL	14 11	3,333,33		1,000,13						13.32	
	Sub Loop Feeder - STS-1 - Facility Termination Per Month	1			USBF7	359 02		407.68	165.17	501 31			20.35	10.54	13.32	
	Sub Loop Feeder – OC-3 – Per Mite Per Month	. 1		UDLO3	1L5SL	10.71										
	Sub Loop Feeder • OC-3 - Facility Termination Protection Per Month	١,	1	LIDLOS	USBF5	E	j		<u> </u>					ŀ		1
	Sub Loop Feeder - OC-3 - Facility Termination Per Month	 	+	UDLO3	USBF2	56 64 546.31	3,390.00	407.68	165 17	501 31			20 35	10,54	13.32	
	Sub Loop Feeder - OC-12 - Per Mile Per Month	 	+-		1L5SL	13 18	3,380.00	407,08	105 17	30131	 	 	20 35	10.34	10,02	
	Sub Loop Feeder - OC-12 - Facility Termination Protection Per	<u> </u>	 			'5' '0'			† <u> </u>		 	 	 	<u> </u>		
	Month	1	1	UDL12	USBF6	639 98	1 . 1		l I		i			l	1	
	Sub Loop Feeder - OC-12 - Facility Termination Per Month	Ī			USBF3	1,697.00	3,390.00	407.68	165.17	501 31			20.35	10.54	13.32	
	Sub Loop Feeder - OC-48 - Per Mile Per Month	ï		UDL48	1L5SL	43 22										
	Sub Loop Feeder - OC-48 - Facility Termination Protection Per	١.	1								1		1			
	Month		 —	UDL48	USBF9 USBF4	320 36 1,457 00	3,576 00	407.68	165,17	501 31	ļ		20.35	10.54	13.32	-
	Sub Loop Feeder - OC-48 - Facility Termination Per Month Sub Loop Feeder - OC-12 Interface On OC-48		┼	UDL48 UDL48	USBF8	361.44	789 41	407.68		501.31		 	20.35	10.54	13.32	
IINBLINDI EC	LOOP CONCENTRATION		+	UDL#6	OGDED	301.44	703 41	407.00	103.17	501.01			20 00	10.54	10 02	
ONDONDEED	Loop Channelization System		+	ULC	ULCCS	307 07	307 34	74 37	4.18			 	20 35	10.54	13.32	13 32
	CO Channel Interface - 2-Wire Voice Grade		-		ULCC2	1 20	9 57	9 52	8.66	8.60			20 35	10 54	13 32	13 32
	Unbundled Loop Concentration - System A (TR008)		T		UCT8A	500 18	613 60	613 60					20.35	10 54	13 32	13.32
	Unbundled Loop Concentration - System B (TR008)		I		UCT8B	54 82	255 67	255 67					20 35	10 54	13 32	13.32
	Unbundled Loop Concentration - System A (TR303)		 		UCT3A	539.00		613 60	ļ				20.35	10 54 10.54	13 32 13.32	13 32 13 32
	Unbundled Loop Concentration - System B (TR303)		 		UCT3B	92.37	255 67 74.39	255.67 53.07	30 23	8 46	 -		20.35 20.35	10.54	13.32	
	Unbundled Loop Concentration - DS1 Loop Interface Card Unbundled Loop Concentration - ISDN Loop Interface (Brite		 	ULC	UCTCO	6.23	74.39	53.07	30 23	0 40			20.33	10.54	10.02	10 02
- 1	Card)	l	1	UDN	ULCC1	8.46	8 69	8.65	9.71	9.65		1	20 35	10.54	13.32	13.32
	Unbundled Loop Concentration - UDC Loop Interface (Brite	 	 	ODIV	0200.	0										
1	Card)	1		UDC	ULCCU	8.46	8.69	8 65	9.71	9.65			20.35	10.54	13.32	13.32
	Unbundled Loop Concentration2 Wire Voice-Loop Start or											İ				
	Ground Start Loop Interface (POTS Card)		1	UEA	ULCC2	2.32	8.69	8.65	9 71	9.65	ļ		20 35	10.54	13.32	13.32
	Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery					1			9.71	9.65	1		20 35	10 54	13.32	13.32
	Loop Interface (SPOTS Card)		 	UEA	ULCCR	12.45	8.69	8.65	9.71	9.65	+		20 35	10 54	13.32	13.32
	Unbundled Loop Concentration - 4 Wire Voice Loop Interface	1	1	UEA	ULCC4	7.53	8.69	8 65	9 71	9.65			20.35	10 54	13 32	13.332
	(Specials Card) Unbundled Loop Concentration - TEST CIRCUIT Card	 	+	ULC	UCTTC	35.77	8.69	8.65	9.71	9.65			20.35	10.54	13 32	
	Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop	t	†	1							T					
	Interface		1	UDL	ULCC7	11.03	8.69	8.65	9.71	9.65			20.35	10.54	13 32	13.32
	Unbundled Loop Concentration - Digital 56 Kbps Data Loop													40.54	40.00	40.00
	Interface	L	1	UDL	ULCC5	11.03	8.69	8.65	9.71	9.65		 	20 35	10.54	13.32	13.32
	Unbundled Loop Concentration - Digital 64 Kbps Data Loop		1	l		1		205	9.71	9 65	į		20.35	10.54	13.32	13.32
	Interface			UDL	ULCC6	11.03	8.69	8.65	9.71	9 00	 	 	20.00	10.54	10.02	10.02
LIME CTUE	PROVICIONING ONLY NO DATE	 	 		 	 	 		9.71		†	 		 		
UNE UTHER,	PROVISIONING ONLY - NO RATE NID - Dispatch and Service Order for NID installation	+	+	UENTW	UNDBX	0 00	0.00		1							
	UNTW Circuit Id Establishment, Provisioning Only - No Rate	 	+	UENTW	UENCE	0.00			1							
	STATES SHOULD LESSED INTERIOR TO THE STATE OF THE STATE O	t	+	UEANL,UEF,UEQ,U		, , , , , , , , , , , , , , , , , , ,										
	Unbundled Contract Name, Provisioning Only - No Rate		1	ENTW	UNECN	0 00	0.00		L		L		ļ	Ļ		ļ
UNE OTHER.	PROVISIONING ONLY - NO RATE	L	L								ļ	ļ	ļ			
									1		1			1	1	1
ı			1	UAL,UCL,UDC,UDL,	l				j l]				1	
	Unbundled Contact Name, Provisioning Only - no rate	1	1	UDN,UEA,UHL,ULC	JUNEON	0.00	0.00		ļ		 			 -		
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no	-												1		

JNBUNDLEI	D NETWORK ELEMENTS - Tennessee													ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic Disc Add'l
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
			L.			1100	First	Addʻl	First	Add'1	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00		1			ł	1	İ	i	
	Unbundled DS1 Loop - Superframe Format Option - no rate		 	USL	CCOSF	0.00	0.00							 		
-	Unbundled DS1 Loop - Expanded Superframe Format option -		-	552	0000	0.00	0.00								_	
i	no rate			USL	CCOEF	0.00	0.00									L
IGH CAPACIT	TY UNBUNDLED LOCAL LOOP															ļ
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1L5ND	9,19	1							ŀ		
	High Capacity Unbundled Local Loop - DS3 - Facility	-	<u> </u>	063	ILSNU	9.19			-		 			·	ļ	
- 1	Termination per month			UE3	UE3PX	374.24	595.37	304.50	234.83	170.16		ļ	36.84	36 84	19.01	19.0
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per		1													
	month			UDLSX	1L5ND	9.19										
	High Capacity Unbundled Local Loop - STS-1 - Facility				l							İ	l			i
Note /s	Termination per month I): Rates provided in TN for both electronic and manual Loop	Maker	<u> </u>	UDLSX	UDLS1	389 35	595 37	304 50	215.82	151 15	conte from t	ho Toppess	36 84	36.84	19.01	19.0
OOP MAKE-U		Makeu	p are ir	iterim and subject to	retro-active	true-up aujust	ments pending	a permanent	rate ruling on t	mese rate erei	lents nom	ile remitess	l negulator	y Authority.		
1	Loop Makeup - Preordering Without Reservation, per working or		 	·		·									·	
	spare facility queried (Manual)	R		UMK	UMKLW		0.76	0.76								
	Loop Makeup - Preordering With Reservation, per spare facility							_								
	queried (Manual).	R		UMK	UMKLP		0.76	0.76				 		 		ļ
	Loop MakeupWith or Without Reservation, per working or	R	ļ	UMK	PSUMK		0.76	0.76	i			1				1
IIGH ERFOLIE	spare facility quened (Mechanized) NCY SPECTRUM	н	┼─-	UMK	PSUMIK		0.76	0.76			<u> </u>		1	 		
	HARING		-								 					
	TERS-CENTRAL OFFICE BASED		\vdash											1		1.
	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	100.00	150 00	0.00	0 00	0 00			20 35	10.54	13.32	13 3
	Line Sharing Splitter, per System 24 Line Capacity		L	ULS	ULSDB	25.00	150.00	0.00	0.00	0.00			20 35	10.54	13.32	13.3
	Line Sharing-DLEC Owned Splitter in CO-CFA activation-						400.00		20.74				20.35	10.54	13 32	13.3
	deactivation (per LSOD)			ULS	ULSDG		163 06	0.00	92.71	0.00			20.33	10.54	13 32	10.0
END U	SER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY Line Sharing - per Line Activation (BST owned Splitter)	SPEC	TRUM	ULS	ULSDC	0.61	40.00	31,39	0.00	0.00			20.35	10 54	13 32	13.3
	Line Sharing - per Line Activation (83) owned Spiritery		 -	010	OLOBO	0.01	10.00	01.00				<u> </u>		 		
ı	Rearrangement(BST Owned Splitter)			ULS	ULSDS		30.00	15.00					20.35	10.54	13.32	13.
	Line Sharing - per Subsequent Activity per Line															
Į.	Rearrangement(DLEC Owned Splitter)		<u> </u>	ULS	ULSCS		30 00	15.00					20 35 20.35	10.54 10.54	13.32	13.3
	Line Sharing - per Line Activation (DLEC owned Splitter)	1	↓	ULS	ULSCC	0.61	47 44	19 31	0.00	0.00			20.35	10.54	13.32	13.5
	PLITTING		-			 	ļ				 	 	-	 		
JEND U	SER ORDERING-CENTRAL OFFICE BASED Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61	l		 						 	
	Line Splitting - per line activation BST owned - physical	 	+	UEPSR UEPSB	UREBP	0.61	48,96	21.39	35.06	10.79			20.35	10 54	13.32	
}	Line Splitting - per line activation BST owned - virtual	 i 	+-	UEPSR VEPSB	UREBV	0.61	48 96	21.39	35 06	10.79			20.35	10.54	13 32	13.3
REMO	TE SITE HIGH FREQUENCY SPECTRUM		1								ļ		ļ	ļ	ļ	
	TERS-REMOTE SITE								1	<u> </u>	ļ	<u> </u>	20.35	10.54	13.32	13.3
	Remote Site Line Share Bell South Owned Splitter, 24 Port			ULS	ULSRB	25.00	150.00	0.00	150.00	0 00	 	 	20.35	10.54	13.32	13.3
	Remote Site Line Share Cable Pair Activation CLEC Owned at	١. ً	1		LUCTO		74.38	0,00	46.77	0.00	1		-	}		
	RS and Deactivation SER ORDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI	1 4 4 4	DEMA	ULS	ULSTG		/4.38	0.00	40.77	0.00	 	 	<u> </u>	· · · · · · ·		t
END U	Remote Site Line Share Line Activation for End User Served at	M ANA	TEMO	L SHE LINE SHARI	 	 				·						
	IRS. BST Splitter	l 1	1	ULS	ULSRC	0.61	40.00	31.39	35.06	10.79			20.35	10 54	13.32	13 3
	RS Line Share Line Activation for End User served at RS, CLEC	<u> </u>	T-					-						1	40.00	13.3
	Splitter	\perp		ULS	UŁSTC	0.61	40.00	31.39	35.06	10.79			20.35	10.54	13.32	13.3
	DEDICATED TRANSPORT			L			L			 	 	 	 	 	 	+
	INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimu	m billir	ng peri	od - below DS3≕one	month, DS3	515-1=four ma	ont ns	ļ	 		 	 	 	 	l	
INTER	OFFICE CHANNEL - DEDICATED TRANSPORT		⊹ —		 	 			 	 	 	 			1	
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month		1	U1TVX	1L5XX	0.0054	1				1_		<u> </u>	L		
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -	 	1		,,,,,,,	5.5557			T			T T				l
	Timesource custines - conceres manaport, v. sale soce cuere.		1	U1TVX	U1TV2	18.58	55.39	17.37	27.96	3.51		1	20.35	21.09	9.80	10.5

JNBUNDLE	D NETWORK ELEMENTS - Tennessee		_										Attach	ment: 2	Exhil	bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		T 2211
- 	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade	-				<u> </u>	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1	Rev Bat Per Mile per month		1	U1TVX	1L5XX	0.0054	l l			1		ļ			ļ	
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination			U1TVX	U1TR2	18.58	55.39	17.37	27 96	3 51			20.35	21.09	9.80	10.5
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0054								2,102	0.00	
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination			U1TVX	U1TV4	24.09	37.87	26.02	30.78	13.07			15.08	15.08	8.66	8.6
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0 0174	57.61	20.02	30.76	13.07			15.06	13.08	8.00	6.0
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility	_	 	UTIDA	111577	00174	 	_	 					<u> </u>		
	Termination Interoffice Channel - Dedicated Transport - 64 kbps - per mile	<u> </u>	<u> </u>	ναπυχ	U1TD5	17.98	55 39	17.37	27.96	3.51			20.35	21.09	9 80	10.5
	per month			U1TDX	1L5XX	0.0174			ļ		ļ <u>.</u>					<u> </u>
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination			UITDX	U1TD6	17.98	55.39	17 37	27.96	3.51			20.35	21.09	9.80	10 5
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			U1TD1	1L5XX	0 3562										
j	Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination			U1TD1	U1TF1	77.86	112.40	76.27	19 55	14.99			20.35	21.09	9.80	10.5
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	2 34										
	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TD3	U1TF3	848 99	395.29	176.56	109.04	105 91			36.84	36.84	19 01	19.0
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per												_			
	month Interoffice Channel - Dedicated Transport - STS-1 - Facility		 	U1TS1	1L5XX	2.34	-									
	Termination CHANNEL - DEDICATED TRANSPORT	<u> </u>		U1TS1	U1TFS	849.30	395.29	176 56	109 04	105.91			36.84	36.84	19.01	19.0
	LOCAL CHANNEL DEDICATED TRANSPORT - minimum billin	a pario	d - held	ow DS3-one month	DS3/STS-1=	four months			 		 					
- 1	Local Channel - Dedicated - 2-Wire Voice Grade - Zone 1	<u> </u>		ULDVX	ULDV2	17.18	199.33	24.16	54 81	4.80						
	Local Channel - Dedicated - 2-Wire Voice Grade - Zone 2		2	ÜLDVX	ULDV2	22.44	199.33	24 16	54 81	4 80						
	Local Channel - Dedicated - 2-Wire Voice Grade - Zone 3		3	UNDVX	ULDV2	29.34	199.33	24.16	54.81	4.80						ļ
	Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat		Γ.		T.,,,,,,,,,	47.40	400.00	04.40	54.04	4 90	ľ				1	1
	Zone 1 Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat		 1	ULDVX	ULDR2	17.18	199.33	24.16	54.81	4.80	 				 	
	Zone 2		2	ULDVX	ULDR2	22.44	199.33	24.16	54 81	4.80	<u> </u>					
	Local Channel - Dedicated - 2-Wire Volce Grade Rev. Bat	[3	ULDVX	ULDR2	29.34	199 33	24 16	54.81	4 80	1	ĺ		1		
	Zone 3 Local Channel - Dedicated - 4-Wire Voice Grade - Zone 1		1	UNDVX	ULDV4	18 18		24.83		5 51		 				
 	Local Channel - Dedicated - 4-Wire Voice Grade - Zone 2	-		UNDVX	ULDV4	23.74	201 53	24.83		5.51		·				1
	Local Channel - Dedicated - 4-Wire Voice Grade - Zone 3			UNDVX	ULDV4	31 05	201.53	24.83						T		
	Local Channel - Dedicated - DS1 - Zone 1		1 1	ULDD1	ULDF1	36.24	277.35	233 26								
-+-	Local Channel - Dedicated - DS1 - Zone 2		2	ULDD1	ULDF1	47 33	277.35	233 26	33.18	22.30						
	Local Channel - Dedicated - DS1 - Zone 3		3	ULDD1	ULDF1	61.89	277.35	233.26	33.18	22.30						
_	Local Channel - Dedicated - DS3 - Per Mile per month			ULDD3	1L5NC	7.15										
	Local Channel - Dedicated - DS3 - Facility Termination			ULDD3	ULDF3	611.30	595.37	304.50	215.82	151.15			36.84	36.84	19 01	19.
	Local Channel - Dedicated - STS-1- Per Mile per month		1 -	ULDS1	1L5NC	7.15										
	Local Channel - Dedicated - STS-1 - Facility Termination		 	ULDS1	ULDFS	599.59	588.07	297.20	215.82	151.15			20.35	21.09	9.80	10.
ARK FIBER													l	l	l.———	↓
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction		1		1							1	ļ	l	i .	
	Thereof per month - Local Channel	L	1	UDF	1L5DC	58.83			<u> </u>	ļ	 	 _		21.09	9.80	10.
	NRC Dark Fiber - Local Channel			UDF	UDFC4		1,121.00	153.19	580.26	357.17	 		20.35	21.09	9.80	10.
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction]		1		1					
	Thereof per month - Interoffice Channel	<u> </u>	╀	UDF	1L5DF	28.74		450.40	500.00	257 +7	 		20.35	21.09	9 80	10.
	NRC Dark Fiber - Interoffice Channel	└		ÜDF	UDF14	ļ	1,121.00	153.19	580.26	357.17	+	 	20.35	21.09	7 30	+ <u>-10.</u>
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction		1	Lune			1		1				Ì		1	
	Thereof per month - Local Loop	<u> </u>		UDF	1L5DL	58 83	7 101 50	150 15	500.00	057.47	+		20.35	21 09	9.80	10
1	NRC Dark Fiber - Local Loop	<u></u>	1	UDF	UDFL4	l	1,121.00	153.19	580.26	357.17			20.35	2109	3.00	

UNBUNDLE	D NETWORK ELEMENTS - Tennessee										. —			nent: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
			Ţ.,			Rec	Nonrecurring		Nonrecurring					Rates(\$)		
AVV ACCECC T	TEN DIGIT SCREENING		ऻ				First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
BAA ACCESS	8XX Access Ten Digit Screening, Per Call	⊢-	 	OHD	· ├	0.0005192	l				 		ļ			
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX	 	+	Onb	+	0.0005192	 				 -					 -
l	Number Reserved	ŀ	1	OHD	N8R1X		5.21	0.76		ľ	ľ		20.35	20.35	13.28	13.28
	8XX Access Ten Digit Screening, Per BXX No. Established W/O	 	 		1131111	†	0.27				 		20.00	20.00	10.20	10.20
	POTS Translations	ļ	1	ОНО	1		11.47	1.46	7.34	0.7602	1	ĺ	20.35	20.35	13.28	13.28
	8XX Access Ten Digit Screening, Per 8XX No. Established With		1													
	POTS Translations		<u> </u>	OHD	NBFTX		11.47	1.46	7 34	0.7602			20.35	20.35	13.28	13.28
l l	8XX Access Ten Digit Screening, Customized Area of Service		1										1			1
	Per 8XX Number		1	OHD	N8FCX	ļ	4,47	2.24			ļ		20.35	20.35	13.28	13.28
	8XX Access Ten Digit Screening, Multiple InterLATA CXR	1	1				!					i				
	Routing Per CXR Requested Per 8XX No.		+	OHD	N8FMX N8FAX	 	5.23	9 00 0 76			 		20.35	20.35	13.28	13 2
	8XX Access Ten Digit Screening, Change Charge Per Request 8XX Access Ten Digit Screening, Call Handling and Destination		+	OnD	INBFAX	 	5.97	0 76			 		20.35	20 35	13 28	13.2
i i	Features	1	1	OHD	N8FDX		4,47				ŀ		20.35	20.35	13 28	13.20
LINE INFORMA	ATION DATA BASE ACCESS (LIDB)		+	OTID	NOI DX	 					 		20.00	20.00	10 20	13.20
	LIDB Common Transport Per Query		1	OQT		0.0000354					 					
	LIDB Validation Per Query			ogu	 	0.0117403										· · · · · · · · · · · · · · · · · · ·
	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRPBX		49.03						20.35	20.35	13.28	13,28
SIGNALING (C	CS7)															
	CCS7 Signating Termination, Per STP Port			UDB	PT8SX	138 41										
	CCS7 Signaling Usage, Per TCAP Message		1	UDB		0.0000916					<u> </u>					
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	17.84	130.84	130.84					20.35	20.35	13.32	13.32
l l	CCS7 Signaling Connection, Per link (B link) (also known as D		1		<u></u>						1			l		1
	link)			UDB	TPP++	17 84	130.84	130.84			 	<u> </u>	20.35	20 35	13.32	13.32
_	CCS7 Signating Usage, Per ISUP Message		 	UDB UDB	STU56	0.0000373 352.30					 	<u> </u>	-		 	
	CCS7 Signaling Usage Surrogate, per link per LATA Signaling Point Code, per Originating Point Code Establishment		 	UDB	31056	352.30					 		 			
ŀ	or Change, per STP		1	UDB	CCAPO		121,77	121.77					20.35	20.35	13.32	13.3
CALLING NAM	IE (CNAM) SERVICE	 	+	000	TOUR C	 	121171				 					1
OALLING IVAII	ICNAM for DB Owners, Per Query		 	oov		0.0010541					1					
	CNAM for Non DB Owners, Per Query		 	oov	 	0.0010541										
	CNAM (Non-Databs Owner), NRC, applies when using the		†		1						1			1		
i	Character Based User Interface (CHUI)	ł	1	OQV	CDDCH	ł	595.00	595.00					20.35	20 35	13.28	13.20
OPERATOR C	ALL PROCESSING										<u> </u>		ļ			
	Oper Call Processing - Oper Provided, Per Min Using BST										1	1	l ,			
	LIDB	<u> </u>				1.08	L				ļ				<u> </u>	ļ
	Oper. Call Processing - Oper. Provided, Per Min Using	1	1	1	l		1	l	!	ł	ł	ł	1	ļ	ł	1
	Foreign LIDB	├	 		 	1 13	 		 		+				 	+
l	Oper. Call Processing - Fully Automated, per Call - Using BST	1	1	1	1	0.1010353			1		1	1	1	l	ŀ	1
	LIDB Oper. Call Processing - Fully Automated, per Call - Using	\vdash	+	 	+	0.1010353			 		 					
1	Oper. Call Processing - Fully Automated, per Call - Using Foreign LIDB	1	1	[[0 122818	(1	i	1	ľ	1	1	L	
INWARD OPE	RATOR SERVICES		+	 	+	5 .22510	 		<u> </u>	i						
INTO OPE	Inward Operator Services - Verification, Per Minute	h	+-		 	1.03			1							
	Inward Operator Services - Verification, in el Mande		_	1	1	1	<u> </u>		I		T		-			
1	- Per Minute	[1	_	L	1.03	L		L	<u> </u>			<u> </u>		L	
	PERATOR CALL PROCESSING										<u> </u>		ļ		ļ	
	y based CLEC										↓	<u> </u>		10.55	19.99	19.9
	Recording of Custom Branded OA Announcement				CBAOS		1,555.00	1;553.00	7.03	7.03	<u> </u>	<u> </u>	19.99	19 99	19.99	19.9
	Loading of Custom Branded OA Announcement per shelf/NAV		1	1	1	1			!	l			19.99	19.99		
	per OCN	└	 _ _ _ 	ļ	CBAOL	ļ	240 71	240 71	 	.	1	 	19.99	13.33	 	+
UNEP			 			 	1 555 55	1 === 00	 		 		19.99	19.99	19 99	19.9
	Recording of Custom Branded OA Announcement	⊢ —	↓	<u> </u>	+	 	1,555.00	1,555.00	 	 	 		18.33	15.55	1	1
1	Loading of Custom Branded OA Announcement per shelf/NAV	1			1		240.71	240.71	ļ	ĺ			19.99	19.99	1	
	per OCN	₩	+		+	 	240.71	240.71	 		 		1.5.55	,,,,,,		
Unbrai	Inding via OLNS for UNEP CLEC Loading of OA per OCN (Regional)	├	┼—	 	+	 	1,200.00	1,200.00	 		 	 	19.99	19.99	<u> </u>	

ARUNDI EI	NETWORK ELEMENTS - Tennessee													ment: 2		bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	Bos	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sy Order vs. Electronic Disc Add
						Rec	Nonrecurring		Nonrecurring		001150	001141		Rates(\$)	SOMAN	SOMAN
							First	Add'l	First	Add'l	SOMEC	SUMAN	SOMAN	SUMAN	SUMAN	SOMAN
DIREC	TORY ASSISTANCE ACCESS SERVICE														 	
	Directory Assistance Access Service Calls, Charge Per Call		ļ			0.2286787					ļ		ļ		 	
DIREC	TORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (DACC)	-										 			
- 1	Directory Assistance Call Completion Access Service (DACC), Per Call Attempt		1			0.0364771	- 1				l	1	1	Į.		1
AURIO	ER SERVICES INTERCEPT ACCESS SERVICE	 -	 			0.0304771										
NOMBI	Number Services Intercept Per Query		-			0 017793					1	1				
DIREC	TORY TRANSPORT (DT)		+-													
DIREC	IDT-Local Channel DS1	-	 			40.99	277.35	233.26	33.18	22.30			20.35	10.54	13 32	1
	DT-DS1 Level Interoffice per mile		 			0.3562										
	DT-DS1 Level Interoffice per facility termination					77 86	112.40	76 27	19.55	14 99			20 35	10 54	13 32	11
	SWA Common Transport per Directory Assistance Access		Т											1	-	1
	Service Per Call					0.000271								 		↓ -
	SWA Common Transport per Directory Assistance Access		T								1	i	i .	1	1	l
	Service Per Call Per Mile		<u> </u>			0.0000165					_		ļ		 	
	Access Tandem Switching Per Directory Assistance Access										1		1		1	
	Service Per Call					0.0001875					 			 		
	DT- Directory Assistance Interconnection Per Directory	1	1	1		0.00	1				!	1		1	1	ı
	Assistance Service Call		_			0.00	204.62	4,43	136.09	4.43	-	 	20.35	10.54	13 32	
	DT-Installation NRC, Per Trunk or Signaling Connection	ļ				<u> </u>	204.62	4.43	136.09	4.40			20.00	10.01	10.02	
i	DT Local Channel DS1-Incremental Cost-Manual Svc Order vs	İ	L				45 68	1.76	21.75	1,76	1					
	Electronic	-	-				40 66	1.70	21.75		 		1		1	
	DT Interoffice DS1-Incremental Cost-Manual Svc Order vs	1	1	!			20.35	21.09	980	10.54	i					
	Electronic SSISTANCE SERVICES		+			 	20.00	2,1100	1.00							
	TORY ASSISTANCE DATA BASE SERVICE (DADS)	-	+-			1										
DIREC	Directory Assistance Data Base Service Charge Per Listing		+			0.0485										-
	Directory Assistance Data Base Service Change 1 of Estang	 	 		DBSOF	104.13								1		
ANDING - T	DIRECTORY ASSISTANCE		1												 	+
Facilit	y Based CLEC	1									ļ	 -	 			
1. 00.114	Recording and Provisioning of DA Custom Branded	$\overline{}$								l	1	1	20.35	10 54	13.32	
ł	Announcement	l	1	AMT	CBADA	<u> </u>	1,555.00	1,553.00	7.03	7.03	 		20.35	10 54	13.32	+
	Loading of Custom Branded Announcement per DRAM				ľ	1			i	1	1	1	20.35	10.54	.1	1
	Card/Switch	ļ		AMT	CBADC	ļ	240 71	240.71	<u> </u>		-	+	20.35		—	+
UNEP	CLEC	<u> </u>					1.555.00	1,553.00	7.03	7.03	+	 	20.35			
	Recording of DA Custom Branded Announcement	ļ				 	1,555.00	1,555.00	7.00	7.00	-		1		T	T
	Loading of DA Custom Branded Announcement per DRAM	1	1		l	1	240,71	240 71	I	1		1	20.35	10.54		l
	Card/Switch per OCN	-	+-		 	 	240.71	240 /1	 		1	T	20 35			
Unbra	nding via OLNS for UNEP CLEC	╄	+	 			420.00	420.00					20.35	10 54		T
	Loading of DA per OCN (1 OCN per Order)	 -	-	 		 	16.00	16.00					20.35	10.54		
	Loading of DA per Switch per OCN	+-	+-	 		+	10.00		-		1 —					
ELECTIVE R	OUTING	-	+		-	+		<u> </u>	 							
- 1	Selective Routing Per Unique Line Class Code Per Request Per	1	1	1	USRCR	i	179 60	179.60					20.35	20.35	<u></u>	
	Switch	-	+		10011011	1					.1			 		, -
HTUAL COL	LOCATION Virtual Collocation - Application Cost	1-	+	AMTES	EAF		2,633.00	2,633.00					2.07			
	Virtual Collocation - Cable Installation Cost, per cable	+	+	AMTES	ESPCX		1,749.00	1,749.00					2.07	2.81	0.67	+
	Virtual Collocation - Floor Space, per sq. ft.	+	+-	AMTES	ESPVX	3.91									+	+-
_	Virtual Collocation - Proof Space, per sq. n.	_	1	AMTFS	ESPAX	6.79				<u> </u>	 	+		+		+
	Virtual Collocation - Cable Support Structure, per entrance	1	1				1		1	ļ	1	1	1	I	1	1
	cable	1		AMTFS	ESPSX	17.87				ļ		 	+	+	+	+
	Out of the control of			UEÄNL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, AMTFS, UDL,												
	Virtual Collocation - 2-wire Cross Connects (loop)			UNCVX, UNCDX,	UEAC2	0.57	11 62	9.90	10 38	8.66	3		2.07	2.8	0 67	<u>.L </u>

····	ED HETWORK EL EMENTS. Terrocco												Attachi	nent: 2	Exhib	it: 🖪
UNBUNDLI	ED NETWORK ELEMENTS - Tennessee												Incremental		Incremental	
i											Submitted		Charge -	Charge -	Charge -	Charge -
1		Interi	1								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
1													1st	Add'l	Disc 1st	Disc Add'l
<u> </u>		<u> </u>					Nonrecurring		Nonrecurring	Disconnect			OSS	Rates(\$)		
		 	-			Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
 		 	<u> </u>													
1 1		1	1	UEA,UHL,UCL,UDL,])			i	İ	İ	1		1		1
1 1		l	1	AMTES, UAL, UDN,	1					1	1		i	1		li
1 1	Virtual Collocation - 4-wire Cross Connects (loop)			UNCVX, UNCDX	UEAC4	0.57	11.81	10 04	10.44	8 67	<u> </u>		2.07	2.81	0.67	1.41
I				AMTFS,UDL12,						L		1	1]		[]
1 1		l .	1	UDLO3, U1T48,	1				1					1		i I
1 1				U1T12, U1T03,											1	! !
1 1		1		ULDO3, ULD12,	011005	3.03	41,56	29.82	12 96	10.34			2.69	2 69	1 56	1.56
	Virtual Collocation - 2-Fiber Cross Connects	ļ	ऻ	ULD48, UDF	CNC2F	3.03	41.56	29.82	12 90	10.54	l	 	2.00	1_00		
1 1		1	Į.	AMTFS,UDL12, UDLO3, U1T48,										1		
1 1				U1T12, U1T03,	ľ	1			į.			1			1	l i
1 1			1	ULDO3, ULD12,	ł	Į.						1	1	i .	l	1 1
	Virtual Collocation - 4-Fiber Cross Connects			ULD48, UDF	CNC4F	6.06	50.53	38.78	16 97	14.35	<u> </u>		2 69	2 69	1 56	1 56
 	Viltual Conocation - 4-Fiber Cross Contracts	 	+	USL,ULC,AMTFS,							1		İ	İ	İ	i l
1 1			1	ULR, UXTD1,			1			1			1	l .		l I
1 1		1	1	UNC1X, ULDD1,			1				Į.			l		1
			1	U1TD1, USLEL,		l]		40.40	8 75		i	2 07	2.81	0.67	1,41
1 1	Virtual collocation - DS1 Cross Connects			UNLD1	CNC1X	1.32	32.22	17 76	10.46	8 / 5			201	2.01	0.07	
				USL,ULC,AMTFS,U								1		1		1 1
1 1		1		E3, U1TD3, UXTS1,	!	1			l		i		1		i	1
1 1		1	1	UXTD3, UNC3X, UNCSX, ULDD3,	1					1	1		ľ			l
]		1	i	U1TS1, ULDS1,						1					1	ŀ
1 1	Virtual collocation - DS3 Cross Connects	1		UDLSX, UNLD3	CND3X	12.32	29.97	16.30	12 03	8.99	·		2.07	2.81	0.67	1.41
├	Virtual Collocation - Co-Carner Cross Connects - Fiber Cable	+	+	OBLOW, CHILDS	15						1			1	ļ	l l
1 1	Support Structure, per linear foot		ŀ	AMTFS	VE1CB	0 0031							ļ		i	
 	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax		T-							l .			1	1		
1 i	Cable Support Structure, per linear ft		1	AMTFS	VE1CD	0.0045				ļ			- 			
	Virtual Collocation - Co-Carner Cross Connects - Fiber Cable												2.07	2.81	0.67	1.41
1 1	Support Structure.per cable			AMTFS	VE1CC		555.03		 	 	+					
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax	1	1		VE1CE		555.03						2.07	2.81	0.67	1.41
	Cable Support Structure, per cable			AMTFS AMTFS	VE10E		1,711.00		+			T			<u> </u>	
	Virtual Collocation Cable Records - per request	┿	+	AMIFS	VEIDA	 	1,711.00		1							1 1
1 1	Virtual Collocation Cable Records - VG/DS0 Cable, per cable		1	AMTES	VE1BB		925.06				l				ļ	
 	record Virtual Collocation Cable Records - VG/DS0 Cable, per each	+	+-		1							1		1		1
1 1	100 pair	1		AMTES	VE1BC		18.05	18 05		ļ		 		 	 	+
 - -	Virtual Collocation Cable Records - DS1, per T1TIE	1 -		AMTFS	VE1BD		8.45	8.45		 		 	+	 	 	
	Virtual Collocation Cable Records - DS3, per T3TIE			AMTFS	VE1BE		29 57	29 57	4	+		+	+	 		1
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber			1	W5455		279,42	279.42	.1		1		1	1	l	<u> </u>
1 1	records	 		AMTFS	VE1BF SPTBX	 	33.15	279.42		<u> </u>	1		2 07			
	Virtual collocation - Security Escort - Basic, per half hour		+-	AMTES AMTES	SPTOX		41 50	25 61		1			2 07			
	Virtual collocation - Security Escort - Overtime, per half hour	+-	+-	AMTES	SPTPX	 	49.86	30 79					2.07			
	Virtual collocation - Security Escort - Premium, per half hour	+	+-	AMTES	CTRLX	 	30 64	30.64					- 2.07	7 2.81	0.67	1.41
 	Virtual collocation - Maintenance in CO - Basic, per half hour	+	+-		T			1			1	1	2.07	7 2.81	0.67	1.41
	Virtual collocation - Maintenance in CO - Overtime, per half hou	ırl		AMTFS	SPTOM		35.77	35.77	<u>'</u>	+	1	 	2.0	2.81	+ <u>v.8/</u>	1,71
 	VIII.OG CONOCALION - INGRITECTATION IN OO - OVERLING, POT HAN THOU	1	\top	i					.1	1	1	1	2.07	7 2.81	0.67	1.41
	Virtual collocation - Maintenance in CO - Premium per half hour	<u>rL</u>		AMTFS	SPTPM		40.90	- 40.90	' 	+	+	+		T	1	
VIRTUAL C	OLLOCATION						<u> </u>	 	 	+	+	+	 		T	
1	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-	ĺ	ı		115450	0.30	19.20	19.20	.	1		1	20.3	5 10.54	13.32	1.40
1 1	Wire Analog - Res			UEPSR	VE1R2	0.30	19.20	19.2	+		-					1
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-	1		Lucaco	VE1R2	0.30	19.20	19.20	5				20.3	5 10.54	13.32	2 1.40
	Wire Line Side PBX Trunk - Bus		+-	UEPSP	VEINZ	0.30	13.20	1.0.2.	1				1	1		
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire	e		UEPSE	VE1R2	0.30	19.20	19.20	o l				20.3	5 10.54	13.3	2 1.40
LL	Voice Grade PBX Trunk - Res	_	+-	UEFOE	VE INE	1	1	1					1	- 1	13 3	2 1.40
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire	٦		UEPSB	VE1R2	0.30	19.20	19.20	o	_L			20.3	5 10.5	+ 1 13 37	- 1,40
	Analog Bus			100,00												

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incrementa Charge -
			 -		 	Rec	Nonrecurring First	Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN		Rates(\$)	SOMAN	SOMAN
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire		 -				Filet	AUU 1	Filat	Addi	SUMEC	SUMAN	SOMAN	SOMAN	SOMAN	SUMAN
	ISDN		↓	UEPSX	VE1R2	0.30	19.20	19 20					20.35	10 54	13 32	1.40
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPTX	VE1R2	0.30	19.20	19.20					20 35	10.54	13 32	1,40
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire		1										2000	10.04	10 02	,.~
VIRTUAL COL	ISDN DS1	<u> </u>	1	UEPEX	VE1R4	0.50	19 20	19.20	<u></u>				20 35	10.54	13.32	1.40
VIRTUAL COL	Virtual Collocation-2 Wire Cross Connects (Loop) for Line	<u> </u>	 		 				L		-		 			
	Splitting		<u> </u>	UEPSR, UEPSB	VE1LS	0.57	11.62	9.90	10.38	8.66		İ	19 99	19.99	19.99	19.99
PHYSICAL CO	Physical Collocation-2 Wire Cross Connects (Loop) for Line	<u> </u>	_													
	Splitting			UEPSR, UEPSB	PETLS	0 0318	11.94	11.46					19.99	19.99	19 99	19.9
AIN SELECTIV	/E CARRIER ROUTING					V VV								70.00		75.6
	Regional Service Establishment End Office Establishment		_	SRC SRC	SACEC	ļ	190,638.00	047.55	0.10	0.10			20.35		40.00	13.2
	Line/Port NRC, per end user			SRC	SACLP		317 55	317.55	3 19	3.19			20 35	20.35	13 28	13.2
	Query NRC, per query		1	SRC	G7.027	0.0206047						t				
AIN - BELLSO	UTH AIN SMS ACCESS SERVICE															
	AIN SMS Access Service - Service Establishment, Per State, Initial Setup		ŀ	A1N	CAMSE	!	135.56	135.56			1		20.35	20.35	13 28	13.2
	antial Setop		 	I I	OAWAL	 	133.30	185.50				 	20.33	20.00	10 20	10.2
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		41.75	41.75					20.35	20 35	13.28	13.2
	AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		41.75	41.75					20.35	20.35	13.28	13.2
	AIN SMS Access Service - User Identification Codes - Per User ID Code			A1N	CAMAU		96 63	96.63					20.35	20.35	13 28	13.2
	AIN SMS Access Service - Security Card, Per User ID Code,		1		Cravino		- 00.00	30.00			 					
	Initial or Replacement			A1N	CAMRC		113.67	113.67			ļ <u>.</u>		20.35	20 35	13 28	13.2
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)		ļ			0 0024		-								ļ
	AIN SMS Access Service - Session, Per Minute AIN SMS Access Service - Company Performed Session, Per		-			0.0820123					 					
	Minute					2.27							-			
AIN - BELLSO	UTH AIN TOOLKIT SERVICE															
1	AIN Toolkit Service - Service Establishment Charge, Per State,	1	ļ	CAM	BAPSC]	132.04	132 04					20.35	20.35	13,28	13 2
	AIN Toolkit Service - Training Session, Per Customer	 	 	CAM	BAPVX	 	7,915.00	7,915 00	 			-	20.35	20.35	13.28	
_	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				1											
	DN, Term. Attempt	<u> </u>	┞		BAPTT		31.21	31.21			├	 	20.35	20 35	13 28	13 2
l	AiN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay	l			8APTD		31.21	31 21	1		İ		20.35	20.35	13.28	13.2
	AlN Toolkit Service - Trigger Access Charge, Per Trigger, Per		\dagger													
	DN, Off-Hook Immediate		ــــــ		BAPTM	ļ	31.21	31.21			ļ		20.35	20.35	13 28	13.2
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP		Į.		ВАРТО		85 24	85.24	İ				20 35	20.35	13.28	13.2
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		\vdash						 							
	DN, CDP		<u> </u>		BAPTC		85.24	85.24					20.35	20.35	13.28	13.2
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		İ		BAPTF		85.24	85.24			İ		20.35	20 35	13 28	13.2
	DN, Feature Code AIN Toolkit Service - Query Charge, Per Query		┼		DAPIF	0.0211882	65.24	03.24			†		20.00	2000		
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit	t			1				<u> </u>		T					
	Subscription, Per Node, Per Query	<u> </u>	ļ	<u> </u>	 	0.0054774			ļ		<u> </u>	 	 	 		
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes					1 50					1					
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service	\vdash	+-	 	+	1			<u> </u>			T				
	Subscription	Ĺ		CAM	BAPMS	17.43	33.52	33.52			<u> </u>	<u> </u>	20.35	20.35	13.28	132
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service				D 4 D 4 G	0.4001111	20.00	20.00			ļ		20.35	20.35	13.28	13.2
	Subscription		 	CAM	BAPLS	0.1321116	36.23	36 23			 	 	20.35	20.33	10.28	13.21
1	AiN Toolkit Service - Call Event Report - Per AlN Toolkit Service Subscription		1	CAM	BAPDS	17.35	33.52	33.52	ì				20.35	20.35	13.28	13 2

INBUNDLE	NETWORK ELEMENTS - Tennessee												Attachr			bit: B
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						Rec	Nonrecurring		Nonrecurring		SOMEC	001141		Rates(\$)	SOMAN	SOMA
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit						First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SUMAN	SOMA
	Service Subscription			CAM	BAPES	0 0511435	36.23	36.23					20.35	20.35	13 28	1
	TENDED LINK (EELs)		<u> </u>	44.	<u> </u>	1								<u> </u>	<u> </u>	—
	New Density Zone 1 EELs are available in the following MSAs Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem					tianta, GA; Ne	w Urleans, LA;				 		 	ļ.———		
NOTE:	in all states, EEL network elements shown below also apply t	o cure	oint, N	mhined fecilities wh	ich are conv	erted to LINE o	tes A Switch	is Charge a	onlies to curre	ntly combined	facilities o	nverted to	UNEs (Non-re	curring rates	do not apply	
NOTE:	In all states the EEL network elements apply to ordinarily con	nbined	networ	k elements.(No Swi	ch As Is Cha	rge.) When or	dering ordinari	v combined n	etwork elemen	ts. nonrecumi	ng rates do	apply.	I I	Conting to to	l do not apply	'
	VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT				T	1							1			
	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport		Γ													
	Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed	ļ	1	UNCVX	UEAL2	16.56	108.76	35.47	72 94	10.86	<u> </u>		20.35	21.09	9.80	<u> </u>
	Transport Combination - Zone 2		2	UNCVX	UEAL2	21,63	108.76	35 47	72.94	10 86			20 35	21.09	9.80	
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3		3	UNCVX	UEAL2	28.28	108.76	35.47	72.94	10.86	1		20.35	21.09	9.80	
-	Interoffice Transport - Dedicated - DS1 combination - Per Mile	1	Ť													
+	per month Interoffice Transport - Dedicated - DS1 combination - Facility		-	UNC1X	1L5XX	0 3562					 	·	j		 	
	Termination per month		<u> </u>	UNC1X	U1TF1	77 86	171.24	113 12	70.07	30.90			20.35	21.09	9.80	├ ─
	DS1 Channelization System Per Month		 	UNC1X	MQ1	80.77	105.76	14.48	3 04	2.74	 		 	ļ	 	+
	Voice Grade COCI - DS1 To Ds0 Interface - Per Month	<u> </u>	-	UNCVX	1D1VG	0 91	5.70	4.42	<u> </u>		ļ	 	 		 	
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1 interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	16.56	108.76	35.47	72.94	10.86			20.35	21.09	9.80	
	Each Additional 2-Wire VG Loop(SL2) In the same DS1				UEALA	04.00	108.76	35.47	72.94	10.86			20.35	21 09	9 80	-
 	Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1	 -	2	UNCVX	UEAL2	21.63					 					
	Interoffice Transport Combination - Zone 3 Voice Grade COCI - DS1 to DS0 Channel System combination -		3	UNCVX	UEAL2	28 28	108 76	35 47	72.94	10.86	 		20 35	21.09	9.80	┼
	per month		<u> </u>	UNCVX	1D1VG	0 91	5 70	4 42			ļ	ļ		<u> </u>		╄
	Nonrecurring Currently Combined Network Elements Switch -As- is Charge	1		UNC1X	UNCCC		52.73	24.62	9.12	9.12	<u> </u>		20 35	21.09	9.80	
4-WIRE	VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EROFF	ICE TF	ANSPORT (EEL)										<u> </u>	<u> </u>	↓
1	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice							05.47	72,94	10.86		ĺ	20.35	21.09	9.80	Ĺ
	Transport Combination - Zone 1 First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice	 	1	UNCVX	UEAL4	24.70	108.76	35 47			 					
	Transport Combination - Zone 2	ļ	2	UNCAX	UEAL4	32 26	108.76	35.47	72.94	10 86	 -	 	20 35	21 09	9 80	+
İ	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	42.18	108.76	35.47	72.94	10 86	ļ		20,35	21.09	9.80	
	interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.3562							<u> </u>			<u></u>
+	Interoffice Transport - Dedicated - DS1 - Facility Termination Per	1	1		U1TF1	77.86	171 24	113,12	70.07	30 90			20 35	21.09	9.80	,
	Month Channelization - Channel System DS1 to DS0 combination Per		+-	UNC1X	UITE				 							
	Month	<u> </u>		UNC1X	MQ1	80.77	105 76	14.48	3.04	2.74	 	 	+	 	 	+
-	Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	0.91	5.70	4.42			 	<u> </u>	 -	 	 	—
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	24.70	108.76	35.47	72.94	10 86		<u> </u>	20.35	21.09	9.80	4
	Additional 4-Wire Analog Voice Grade Loop in same DS1	\vdash	1		ura.	32.26	108.76	35.47	72.94	10.86	.]		20.35	21.09	9.80	, [
	Interoffice Transport Combination - Zone 2 Additional 4-Wire Analog Voice Grade Loop in same DS1	 	2	UNCVX	UEAL4	32.26			1		1	<u> </u>			9.80	T
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	42.18	108.76	35.47	72.94	10.86	 		20.35	21.09	9.80	+-
	Voice Grade COCI - DS1 to DS0 Channel System combination oper month	1	1_	UNCVX	1D1VG	0 91	5 70	4.42		<u> </u>	<u> </u>		 _	 	 	+-
	Nonrecurring Currently Combined Network Elements Switch -As	-		UNC1X	UNCCC		52.73	24.62	9.12	9.12	<u></u>		20 35	21.09	9.80	<u>, </u>
4-WIR	IS Charge 55 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTER	OFFICE										1		 	
7 17.11	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice	Τ	T	i			400.00	35.47	72.94	10 86	.1	1	20.35	21 09	9 80	ار
- 1	Transport Combination - Zone 1	<u> </u>	11	UNCDX	UDL56	31.10	108.76	33.47	1 12.94	1 10 00						

NRONDFE	D NETWORK ELEMENTS - Tennessee				,						r 			nent; 2		bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
	First Average Political Conditions in a DOI between						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	40.61	108.76	35 47	72.94	10.86			20.35	21.09	9.80	10.
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	53.11	108 76	35.47	72.94	10.86			20.35	21.09	9.80	10
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.3562										
	Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month			UNC1X	U1TF1	77.86	171.24	113 12	70.07	30 90			20.35	21.09	9.80	10
	Channelization - Channel System DS1 to DS0 combination Per Month			UNÇ1X	MQ1	80.77	105.76	14.48	3.04	2.74						
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2 4-64kbs)			UNCDX	1D1DD	0.91	5.70	4.42								
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86			20 35	21.09	9.80	10
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2		2_	UNCDX	UDL56	40.61	108.76	35.47	72.94	10 86			20 35	21.09	9.80	1
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	53,11	108.76	35.47	72.94	10.86			20 35	21.09	9.80	1
	OCU-DP COCI (data) - DS1 to DS0 Channel System - combination per month (2 4-64kbs)			UNCDX	1D1DD	0.91	5.70	4.42								
	Nonrecurring Currently Combined Network Elements Switch -As- is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	,
4-WIR	E 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	NTER	FFICE	TRANSPORT (EEL)												
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86		_	20.35	21.09	9.80	1
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNÇDX	UDL64	40.61	108.76	35 47	72 94	10.86			20.35	21.09	9.80	1
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86			20.35	21.09	9.80	
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month Interoffice Transport - Dedicated - DS1 combination - Facility		-	UNC1X	1L5XX	0.3562				30.90			20.35	21.09	9.80	
	Termination Per Month Channelization - Channel System DS1 to DS0 combination Per		\vdash	UNC1X	U1TF1	77.86	171.24	113.12	70.07							
-	Month OCU-DP COCI (data) - DS1 to DS0 Channel System		<u> </u>	UNC1X	MQ1	80.77	105 76	14.48	3 04	2.74			20.35	21.09	9 80	+
	combination - per month (2 4-64kbs) Additional 4-Wire 64Kbps Digital Grade Loopin same DS1		1	UNCDX	1D1DD	091	5.70	4 42								1
	Interoffice Transport Combination - Zone 1 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1		1_	UNCDX	UDL64	31.10	108.76	35 47	72.94	10 86	 	<u> </u>	20.35	21.09	9.80	
	Interoffice Transport Combination - Zone 2 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86			20.35	21.09	9.80	T
_	Interoffice Transport Combination - Zone 3 OCU-DP COCI (data) - DS1 to DS0 Channel System		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86	ļ		20.35	21.09	9.80	-
	combination - per month (2.4-64kbs) Nonrecurring Currently Combined Network Elements Switch -As-			UNCDX	1D1DD	0,91	5.70	4 42					-			┼
4-WIB	is Charge E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTE	l	CE TR	UNC1X	UNCCC		52.73	24.62	9,12	9.12			20.35	21.09	9.80	<u> </u>
4-1111	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 1		1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24 88			20.35	21.09	9 80	
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88			20.35	21.09	9 80	
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88			20 35	21.09	9 80	
	Transport - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		"	UNC1X	1L5XX	0.3562	220.70	10.174								
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month		\vdash	UNC1X	U1TF1	77.86	171.24	113,12	70.07	30 90			20.35	21.09	9.80	

NRONDLI	ED NETWORK ELEMENTS - Tennessee													ment; 2		bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charg
			├		ļ	Rec	Nonrecurring	4 . 40	Nonrecurring			001111		Rates(\$)		
	Nonrecurring Currently Combined Network Elements Switch -As-		 				First	Addi	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOM
	lls Charge	ļ	1	UNC1X	UNCCC		52 73	24 62	9.12	9.12	1 1		20.35	21 09	980	
4-WIF	RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTI	EROFF	CE TR	ANSPORT (EEL)									,,,,,,			1
	First DS1Loop in DS3 Interoffice Transport Combination - Zone															
	First DS1Loop in DS3 Interoffice Transport Combination - Zone	<u> </u>	1	UNC1X	USLXX	57.73	228.40	161.74	79 87	24 88			20.35	21.09	9.80	↓
1	2 Print D3 (Loop in D33 interoffice fransport Combination - Zone		2	UNC1X	USLXX	75 40	228 40	161 74	79.87	24 88			20 35	21.09	9.80	
	First DS1Loop in DS3 Interoffice Transport Combination - Zone		 	ONCIA	03177	75 40	220 40	101 /4	19.61	24 65	 		20 35	21.09	9.80	
	3	1	3	UNC1X	USLXX	98.59	228.40	161,74	79 87	24.88			20.35	21.09	9.80	
	Interoffice Transport - Dedicated - DS3 combination - Per Mile															1
	Per Month			UNC3X	1L5XX	2.34										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per month			UNC3X	U1TF3	854.97	482.01	450.04	64.43	35.43			20.35			
	DS3 to DS1 Channel System combination per month		├	UNC3X	MQ3	222 98	156.02	153 81 49.41	17.12	6.77			20.35	21 09	9.80	-
+-	DS3 Interface Unit (DS1 COCI) combination per month		 	UNC1X	UC1D1	17.58	5.70	4 42	17,12	0.77			·	ļ		<u> </u>
	Additional DS1Loop in DS3 Interoffice Transport Combination -	T			1											
	Zone 1		1	UNC1X	USLXX	57.73	228 40	161.74	79 87	24 88	Í		20.35	21.09	9.80	
	Additional DS1Loop in DS3 Interoffice Transport Combination -		l	[<u>.</u>												
	Zone 2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88			20.35	21.09	9.80	ļ
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 3	1	3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24,88			20.35	21 09	9.80	
 	DS3 Interface Unit (DS1 COCI) combination per month	_		UNC1X	UC1D1	17.58	5.70	4 42	19,01	24.00			20.33	2109	9.00	
	Nonrecurring Currently Combined Network Elements Switch -As-	 	_	CHO IX	100.01	11.00	- 5.70							-		_
	is Charge		ĺ	UNC3X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9 80	1
2-WIF	RE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE IN	EROFF	ICE TF	ANSPORT (EEL)												
-	2-WireVG Loop used with 2-wire VG Interoffice Transport	1	١.		UEAL2	16 56	108.76	35.47	72,94	10.86			20 35	21.09	9.80	1
	Combination - Zone 1 2-WireVG Loop used with 2-wire VG Interoffice Transport		 1	UNCVX	UEAL2	16 56	108.76	35.47	72.94	10.86			20 35	21.09	9.00	
l.	Combination - Zone 2	ł	2	UNCVX	UEAL2	21.63	108.76	35.47	72,94	10.86			20.35	21.09	9.80	
\top	2-WireVG Loop used with 2-wire VG Interoffice Transport		 -		1											T -
i	Combination - Zone 3		3	UNCVX	UEAL2	28.28	108 76	35.47	72,94	10.86			20.35	21 09	9.80	ļ
\neg	Interoffice Transport - Dedicated - 2-wire VG combination - Per												ĺ	1		
	Mile Per Month	ļ	-	UNCVX	1L5XX	0.0174							 			
	Interoffice Transport - Dedicated - 2- Wire Voice Grade combination - Facility Termination per month		1	UNCVX	U1TV2	21.79	79.83	44 08	69.32	31.00			20.35	21 09	9 80	
	Nonrecurring Currently Combined Network Elements Switch -As-		┼	GIADAY	01172	21.70	75.00	47.00	05.52	000	· · ·					1
- 1	Is Charge			UNCVX	UNCCC		52 73	24 62	9 12	9.12			20.35	21.09	9.80	
4-WIF	RE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE IN	TEROFF	ICE T	RANSPORT (EEL)											ļ	ļ
	4-WireVG Loop used with 4-wire VG Interoffice Transport		١.	l		04.70	400 70	05.47	70.04	40.00	1		20.35	21.09	9.80	1
	Combination - Zone 1	ļ —	1	UNCVX	UEAL4	24.70	108.76	35 47	72.94	10.86			20.35	21.09	9.60	
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	32.26	108.76	35.47	72.94	10.86			20.35	21.09	9.80	
	4-WireVG Loop used with 4-wire VG Interoffice Transport		+-	Bitotx	02,44								· · ·			
	Combination - Zone 3		3	UNCVX	UEAL4	42.18	108.76	35.47	72.94	10.86			20.35	21.09	9.80	<u> </u>
	Interoffice Transport - Dedicated - 4-wire VG combination - Per	$\overline{}$		1									_	i	1	1
	Mile Per Month	<u> </u>	<u> </u>	UNCVX	1L5XX	0.0174		· · · · · ·						ļ		
- 1	Interoffice Transport - Dedicated - 4- Wire Voice Grade	Į.			U1TV4	07.00	79.83	44.08	69.32	31.00			20.35	21.09	9.80	
	combination - Facility Termination per month	 	├	UNCVX	U11V4	27.30	/9.83	44.08	09.32	31.00			20.00	21.00	3.50	
i	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge]	İ	UNCVX	UNCCC		52.73	24.62	9 12	9.12			20 35	21.09	9 80	
DS3 I	DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC	CE TRA	NSPOR		15.1000			2.342								
1-20	High Capacity Unbundled Local Loop - DS3 combination - Per	T	T	T									ļ]]	1
\perp	Mile per month		<u> </u>	UNC3X	1L5ND	9.19					L		<u> </u>		ļ	+
	High Capacity Unbundled Local Loop - DS3 combination -				capy		040.00	400.07	100 70	45.24			20.35	21.09	9.80	1
	Facility Termination per month	ļ-—	├	UNC3X	UE3PX 1L5XX	373 47 2.34	240 23	180.87	106,78	45.24	-		20.33	21.00	3.00	
	Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 combination - Facility	 	+	UNC3X	ILDAA	2.34			 				t			T
ı	Termination per per month	i	l l	UNC3X	U1TF3	854.97	482.01	153 81	64,43	35,43	1	l	20.35	21.09	9.80	t

UNBUNDI	ED NETWORK ELEMENTS - Tennessee													ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svo Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic Disc Add'
		-	_		+-	Rec	Nonrecurring First	Add'l	Nonrecurring First	Disconnect Add'I	COMEC	SOMAN	SOMAN	Rates(\$)	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-	 -	├──		 		FIISL	Addi	FIISL	Addi	SOMEC	SUMAN	SOMAN	SUMAN	SUMAN	SUMAN
	Is Charge			UNC3X	UNCCC	L	52.73	24.62	9 12	9.12			20.35	21.09	9 80	105
STS	1 DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROF	FICE TI	ANSP	ORT (EEL)												
	High Capacity Unbundled Local Loop - STS1 combination - Per Mile per month			UNCSX	1L5ND	9.19									}	
	High Capacity Unbundled Local Loop - STS1 combination -		-	U. GOZA	123113	3.13					• • • • • • • • • • • • • • • • • • • •					
	Facility Termination per month	L.		UNCSX	UDLS1	394.56	240.23	180 87	106.78	45.24			20.35	21.09	9.80	10.5
	interoffice Transport - Dedicated - STS1 combination - Per Mile		1	UNCSX	1L5XX	2.34					į					
	Interoffice Transport - Dedicated - STS1 combination - Facility	t -		UNCSX	11.5	2.54										
	Termination per month			UNCSX	U1TFS	849.30	482.01	153.81	64.43	35.43			20.35	21.09	9.80	10.5
	Nonrecurring Currently Combined Network Elements Switch -As	1	T -													
- Jaw	Is Charge IRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPO	NT (FF)	<u> </u>	UNCSX	UNCCC		52 73	24.62	9 12	9,12			20.35	21.09	9.80	10.5
2-44	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	HI (EEL	┤													
	Transport - Zone 1	1	1	UNCNX	U1L2X	22.22	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.5
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
	Transport - Zone 2	_	2	UNCNX	U1L2X	29.02	108.76	35.47	72.94	10.86			20.35	21.09	9 80	10.5
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 3		3	UNCNX	U1L2X	37.95	108.76	35.47	72.94	10.86			20.35	21.09	9 80	105
	Interoffice Transport - Dedicated - DS1 combination - Per Mile	<u> </u>	-	UNC1X	1L5XX	0.3562	100,70	33.47	72.54	10.00			20.00	21.00		100
	Interoffice Transport - Dedicated - DS1 combintion - Facility		1													
	Termination per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30 90			20 35	21.09	9 80	10.5
	Channelization - Channel System DS1 to DS0 combination -		1	UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74			20.35	21.09	9.80	10.5
	per month 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System	 	├─	UNCIX	IWAI	80.77	105.70	14.40	3.04	2.74			20.00	21.00	5.00	10.0
	combination - per month	Į.		UNCNX	UC1CA	3 24	5.70	4.42					20.35	21.09	9.80	10 5
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport										1		20.05	21.09	9.80	10.5
	Combination - Zone 1	-	1	UNCNX	U1L2X	22.22	108.76	35 47	72.94	10 86			20 35	21.09	9.80	10.5
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 2	1	2	UNCNX	U1L2X	29.02	108.76	35.47	72.94	10.86			20.35	21.09	9 80	10 5
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		<u> </u>		1											
	Combination - Zone 3		3	UNCNX	U1L2X	37.95	108 76	35 47	72.94	10 86	ļ		20.35	21.09	9.80	10.5
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System	1		LINONY	UC1CA	3.24	5.70	4.42	1	ļ			20.35	21.09	9 80	10.5
	combintaion- per month Nonrecurring Currently Combined Network Elements Switch -As	 		UNCNX	UCICA	3.24	5.70	4.42					20.00	21.00		1
	Is Charge	1		UNC1X	UNCCC	1	52.73	24.62	9.12	9.12			20 35	21.09	9.80	10.5
4-W	IRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN	TEROF	FICE T	RANSPORT (EEL)												
	First DS1 Loop in STS1 Interoffice Transport Combination -		1				555.46	404.74	79.87	24.88	ł	l .	20 35	21.09	9 80	10.5
	Zone 1		1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.00			20 00	21.00		100
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 2	1	l 2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.5
	First DS1 Loop in STS1 Interoffice Transport Combination -	1-	-	OITO IX	- COBU											
	Zone 3	<u> </u>	3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88	 _	 	20.35	21.09	9.80	10.5
	Interoffice Transport - Dedicated - STS1 combination - Per Mile				41.530	2,34								ļ		
	Per Month Interoffice Transport - Dedicated - STS1 combination - Facility	-		UNCSX	1L5XX	2.34										
	Termination			UNCSX	UITES	849 30	482 01	153.81	64.43	35.43			20 35	21.09	9.80	
	STS1 to DS1 Channel System conbination per month			UNCSX	MQ3	222.98	156.02	49 41	17.12	6.77			20 35	21 09	9.80	
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	17.58	5.70	- 4.42			 		20.35	21.09	9.80	10.5
	Additional DS1Loop in STS1 Interoffice Transport Combination -		١.	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88	1	1	20 35	21.09	9.80	10.5
\vdash	Zone 1 Additional DS1Loop in STS1 Interoffice Transport Combination -	+-	+-	UNUIX	JUSEA	31.13	220,40	101.74	70.07							
	Zone 2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88	L		20.35	21 09	9.80	10 :
<u> </u>	Additional DS1Loop in STS1 Interoffice Transport Combination -		1									1	20.35	21.09	9.80	10.8
	Zone 3	<u> </u>	3	UNC1X	USLXX	98.59	228 40	161.74 4.42	79.87	24 88		 	20.35	21.09	9.80	10.5
	DS3 Interface Unit (DS1 COCI) combination per month	+-	-	UNC1X	UC101	17.58	5 70	4.42					20.55	2.35		
1 1	Nonrecurring Currently Combined Network Elements Switch -As is Charge	1		UNCSX	UNCCC	1	52.73	24.62	9.12	9 12		L	20.35	21 09	9.80	10.5

NURUNDL	ED NETWORK ELEMENTS - Tennessee													ment: 2	Exhil	bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
		 	-	 	+	Rec	Nonrecurring First	Addʻl	Nonrecurring First	Add'I	001150	0011431		Rates(\$)		
4-WII	RE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERC	FFICE	TRANS	PORT (FFL)	+	-	First	Addi	FIRST	Addi	SUMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport	1	1	TOTT VELLY	+										ļ	
ĺ	Combination - Zone 1	1	1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86	1		20.35		l	
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport		1 -		100200	01.10	100.70	33.47	72.34	10.66	 		20.35	21.09	9.80	10.
	Combination - Zone 2	1	2	UNCDX	UDL56	40 61	108.76	35 47	72.94	10.86	1		20.35	21 09	9.80	10.
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport										1		20.00	1	3.00	10.
	Combination - Zone 3		3	UNCDX	UDL56	53 11	108 76	35 47	72.94	10.86			20.35	21.09	9.80	10.
1	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile															
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -	↓	ļ. <u>. </u>	UNCDX	1L5XX	0.0174					1					
i	Facility Termination			UNCDX	U1TD5						1			!		
_	Nonrecurring Currently Combined Network Elements Switch -As	:	+	UNCDA	פטווט	21.19	79.83	44.08	69.32	31.00	ļ		20.35	21.09	9.80	10
	Is Charge	1		UNCDX	UNCCC	i l	52.73	24 62	9.12	9.12			20.35	21.09	9 80	10.
4-WII	RE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERC	FFICE	TRANS	PORT (EEL)	10.1.00		02.70		3.12	9.12	<u> </u>		20.33	21.09	9 00	10.
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport	T			1						i -			****		
	Combination - Zone 1		1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86	,		20.35	21 09	9.80	10.
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport		1		i											
	Combination - Zone 2		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10 86			20.35	21.09	9.80	10.
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 3		3	LINORY	LIBLA						l					
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -	 	1 3	UNCDX	UDL64	53.11	108 76	35.47	72.94	10 86			20 35	21.09	9.80	10
1	Per Mile			UNCDX	1L5XX	0.0174			l		j					
_	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -	 	+	TONCOX	1100	0.0174								ļ		
	Facility Termination		1	UNCDX	U1TD6	21.19	79.83	44 08	69.32	31.00			20.35	21.09	9 80	10.
	Nonrecurring Currently Combined Network Elements Switch -As	-					10100		- 55,52		 		20.00	27.00	2 00	,,,,
	Is Charge		1	UNCDX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.
	NETWORK ELEMENTS															
Wher	n used as a part of a currently combined facility, the non-recur	mg cha	rges de	onotapply, but a S	witch As is c	harge does app	Hy.	-								
	n used as ordinarily combined network elements in all states, t	he non-	recurri	ng charges apply ar	nd the Switch	As is Charge d	oes not.				L					
	e (SynchroNet) recurring Currently Combined Network Elements "Switch As Is"	Charac	///		hination)	ļ					ļ			<u> </u>		
NOIII	Nonrecurring Currently Combined Network Elements Switch As is		I (One a	appries to each con	ibination)						 			<u> </u>		
	Is Charge - 2 wire/4-Wire VG	7	1	UNCVX	UNCCC		52 73	24 62	9.12	9.12			20 35	21.09	9.80	10
	Nonrecurring Currently Combined Network Elements Switch -As		1	CHOTA	011000		- 02.10		3.12	- J.12	—		2005	21.00	0.00	' <u>`</u>
	Is Charge - 56/64 kbps		1	UNCDX	UNCCC	!	52.73	24 62	9.12	9.12			20.35	21.09	9.80	10
	Nonrecurring Currently Combined Network Elements Switch -As	-								-						
	Is Charge - DS1		1	UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10
	Nonrecurring Currently Combined Network Elements Switch -As	i-														
	Is Charge - DS3	├	↓	UNC3X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10
	Nonrecurring Currently Combined Network Elements Switch -As Is Charge - STS1	7		UNCSX	UNCCC	i l	52.73	24.62	9.12	9.12			20 35	21.09	9.80	10
NOTE	E: Local Channel - Dedicated Transport - minimum billing perio	d - Pole	DE2			r months	52.73	24.62	9.12	9.12			20 35	21.09	9.60	,,0
NOTE	Local Channel - Dedicated - 2-Wire Voice Grade Zone 1	T Deit		UNCVX	TULDV2	17.18	108.76	35.47	72.94	10.86			20.35	21 09	9.80	10
	Local Channel - Dedicated - 2-Wire Voice Grade Zone 2	+	2	UNCVX	ULDV2	22.44	108.76	35 47	72.94	10.86		—	20.35	21.09	9.80	10
	Local Channel - Dedicated - 2-Wire Voice Grade Zone 3	 	1 3	UNCXV	ULDV2	29.34	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10
1	Local Channel - Dedicated - 4-Wire Voice Grade Zone 1		1	UNCVX	ULDV4	18 18	108.76	35 47	72.94	10 86			20.35	21 09	9 80	10.
	Local Channel - Dedicated - 4-Wire Voice Grade Zone 2		2	UNCVX	ULDV4	23.74	108.76	35.47	72.94	10.86			20.35	21 09	9.80	10
	Local Channel - Dedicated - 4-Wire Voice Grade Zone 3		3	UNCXV	ULDV4	31.05	108.76	35.47	72.94	10 86			20 35	21.09	9.80	10
	Local Channel - Dedicated - DS1 per month Zone 1	 	1-	UNC1X	ULDF1	36 24	228 40	161 74	79.87	24 88			20 35	21.09	9.80	10
	Local Channel - Dedicated -DS1 Per Month Zone 2	+	2	UNC1X	ULDF1	47.33 61.89	228.40 228.40	161.74 161.74	79.87 79.87	24.88 24.88			20.35 20.35	21.09 21.09	9.80 9.80	10
	Local Channel - Dedicated - DS1- Per Month Zone 3 Local Channel - Dedicated - DS3 - Per Mile per month	 	3	UNC1X UNC3X	1L5NC	7.15	228.40	161.74	/9.8/	24.68			20.35	21.09	9.50	
+	Local Channel - Dedicated - DS3 - Fer Mile per month Local Channel - Dedicated - DS3 - Facility Termination	+	+	UNC3X	ULDF3	611,30	595.37	304.50	215.82	151 15			20.35	21.09	9.80	10
	Local Channel - Dedicated - DS3 - Facility Termination Local Channel - Dedicated - STS-1- Per Mile per month	 	+	UNCSX	1L5NC	7 15	383.37	304.00	210.02	101 10	 		20.03		0.00	<u>''</u>
_	Local Channel - Dedicated - STS-1 - Facility Termination	1	 	UNCSX	ULDFS	599.59	588.07	297.20	215.82	151 15	 		20.35	21.09	9.80	10
MUL.	TIPLEXERS	t			1											
	Channelization - DS1 to DS0 Channel System	1	1	UXTD1	MQ1	80.77	141.67	77.11	14.51	13 46			20.35	9.80	11.49	1
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per	T]	I												1
	month (2.4-64kbs)	1	1	UDL	10100	1,82	6 07	4.66			1 1		20 35	9.80	11.49	1

	1															
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
			\vdash				Nonrecurring		Nonrecurring	Disconnect			OSS	Rates(\$)		<u> </u>
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systeem - per															
	month Voice Grade COCI - DS1 to DS0 Channel System - per month			UDN UEA	UC1CA	3 10	6.07	4 66	ļ				20.35	9 80	11,49	1.1
	DS3 to DS1 Channel System per month	 		UXTD3	1D1VG MQ3	0.91 222 98	6.07 308.03	4 66 108 47	44,47	42.62			20.35 20.35	9 80	11.49	1.1
	STS1 to DS1 Channel System per month			UXTS1	MQ3	222 98	308.03	108.47	44.47	42.62			20.35	9.80 21.09	11.49 9.80	
	DS3 Interface Unit (DS1 COCI) used with Loop per month			USL	UC1D1	17.58	6.07	4.66	71.77	72.02			20.35	9.80	11.49	
	DS3 Interface Unit (DS1 COCI) used with Local Channel per					-										
	month			ULDD1	UC1D1		6 07	4.66					20.35	9.80	11.49	1.1
	LOCAL EXCHANGE SWITCHING(PORTS)					 			ļ							
	ange Ports : Although the Port Rate includes all available features in GA, h	CVIA	E TNI H	no decired features	will need to t	l no ordered usin	na mtail (ISOC)									
	E VOICE GRADE LINE PORT RATES (RES)	NI, LA	2 114, 11	ie desired leatures	WIII FIEED TO E	l ordered usin	ig retail USUCE	•			 			-		
	Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1 89	9 93	9.19	3.66	2 92			20 35	10.54	13 32	1.4
\neg	· · · · · · · · · · · · · · · · · · ·															
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.		igspace	UEPSR	UEPRC	1.89	9.93	9.19	3.66	2.92	L		20.35	10.54	13 32	1.4
						l			[
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. Exchange Ports - 2-Wire VG unbundled TN extended local	 		UEPSR	UEPRO	1.89	9 93	9.19	3 66	2.92	ļ		20 35	10.54	13 32	1.4
l	dialing parity Port with Caller ID - Res.			UEPSR	UEPAQ	1.89	9 93	9.19	3 66	2.92			20.35	10.54	13 32	1.4
	Exchange Ports - 2-Wire VG unbundled Tennessee Area Plus			OLITON	GEFAG	1.03	. 933	3.13	3 00	2.32	 		20.00	10.54	10.02	1.7
1	with Caller ID - Res (AC7)	ŀ		UEP\$R	UEPAH	1.89	9 93	9.19	3.66	2 92		-	20.35	10.54	13.32	14
	Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling															
	port with Caller ID - Res (F2R)			UEPSR	UEPAK	1.89	9 93	9.19	3.66	2 92			20 35	10.54	13.32	14
	Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling															
	port with Caller ID - Res (TACER)			UEPSR	UEPAL	1 89	9 93	9.19	3.66	2.92			20.35	10.54	13 32	1.4
	Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling	ŀ		UEPSR	UEPAM	1.89	9.93	9.19	3.66	2 92			20.35	10.54	13 32	1.4
-	port with Caller ID - Res (TACSR) Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling		_	UEPSR	UEPAM	1.09	9.93	9.19	3.00	2 92			20.33	10.54	10 02	1,4
i	port with Caller ID - Res (1MF2X)		į į	UEPSR	UEPAN	1 89	9.93	9,19	3 66	2 92			20.35	10 54	13.32	1.4
	Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling		†··		1											
i	port with Caller ID - Res (2MR)			UEPSR	UEPAO	1.89	9.93	9.19	3 66	2.92			20.35	10 54	13.32	1.4
	Exchange Ports - 2-Wire VG unbundled res, low usage line port													l		١
	with Caller ID (LUM)		ļ	UEPSR	UEPAP	1.89	9.93	9 19	3 66	2.92			20 35	10.54 10.54	13.32 13.32	14
	Subsequent Activity		ļ	UEPSR	USASC	0.00	0.00	0 00	!				20.35	10.54	13.32	14
FEAT	All Available Vertical Features	ļ		UEPSR	UEPVF	0.00	0.00	0.00					20 35	10 54	13.32	1.4
2-WIF	RE VOICE GRADE LINE PORT RATES (BUS)			OLI ON	OLI VI	— <u> </u>	0.00	0.00	-				==-==	1001		
	Exchange Ports - 2-Wire Analog Line Port without Caller ID -				1		1									
	Bus			UEPSB	UEPBL	1.89	9.93	9 19	3 66	2 92			20 35	10.54	13.32	1.4
	Exchange Ports - 2-Wire VG unbundled Line Port with	I			1					0.00		1	20.35	10 54	13.32	1.4
	unbundled port with Caller+E484 ID - Bus		ļ	UEPSB	UEPBC	1.89	9.93	9 19	3.66	2 92			20.35	10.54	13.32	1.4
	Subsection Bods OM/s Analysis Debugger		1	UEPSB	UEPBO	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13 32	1.4
-+-	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus. Exchange Ports - 2-Wire VG unbundled TN extended local	 .	1-	UEPSB	UEPBO	1.09	9.93	9.19	3.00	2.02			20.00	10.04		
ļ	dialing parity Port with Caller ID - Bus.	1	1 :	UEPSB	UEPAV	1.89	9.93	9.19	3 66	2.92			20.35	10.54	13.32	1.4
	Exhange Ports - 2-Wire VG unbundled incoming only port with		1	01.01									-			
	Caller ID - Bus			UEPSB	UEPB1	1.89	9.93	9.19	3.66	2.92			- 20.35	10.54	13.32	1.4
	Exchange Ports - 2-Wire VG unbundled TN Bus 2-Way Area														40.00	
	Calling Port Economy Option - Bus (TACC1)		<u> </u>	UEPSB	UEPAC	1.89	9.93	9.19	3.66	2.92			20 35	10.54	13.32	1.4
	Exchange Ports - 2-Wire VG unbundled TN Bus 2-Way Area		1	UEDCO	LIEDAD	1	0.00	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Calling Port Standard Option - Bus (TACC2)	├	├	UEPSB	UEPAD	1.89	9.93	9.19	3,06	2.92		 	20.00	10.54	10.02	
- 1	Exchange Ports - 2-W VG unbundled TN Bus 2-Way Collierville & Memphis Local Calling Port - Bus (B2F)			UEPSB	UEPAE	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13 32	1 4
	Subsequent Activity	\vdash	+	UEPSB	USASC	0.00	0.00	0.00	1				20 35	10.54	13 32	14
FEAT		—	†		1		1									
	Ali Available Vertical Features		t	UEPSB	UEPVF	0.00	0.00	0.00	L				20.35	10.54	13.32	1.4
1=37-27	IANGE PORT RATES (DID & PBX)		T	l			-							10.54	13,32	1.4
EXCh				UEPSE	UEPRD	1.79	9.93	9.19	3 66	2.92			20 35			

ATEGORY	RATE ELEM ENTS	interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Manually	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sve Order vs. Electronic Disc Add'l
						Rec	Nonrecurring		Nonrecurring			T- T		Rates(\$)		
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus		1	UEPSP	urnno		First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO UEPP1	1.79	9.93 9.93	9 19 9,19	3.66 3.66	2 92 2.92	-	-	20.35 20.35	10.54 10.54	13.32	1.40
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus -		 	UEPSP	UEPLD	1.79	9,93	9.19	3 66	2.92		 	20.35	10.54	13.32	1 40
	2-Wire Analog TN 2-Way Calling Plan PBX Trunk - Bus			UEPSP	UEPT2	1.79	9 93	9.19	3 66	2.92		 	20.35	10.54	13 32	1.40
	2-Wire TN Outward Calling Plan PBX Trunk - Bus		†	UEPSP	UEPTO	1 79	9.93	9.19	3.66	2.92	1		20 35	10.54	13.32	1.40
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.79	9 93	9.19		2 92			20.35	10.54	13.32	1,44
	2-Wire Voice Unbundled 2-Way PBX Tennessee Calling Port			UEPSP	UEPT2	1.79	9 93	9.19	3 66	2 92			20.35	10.54	13.32	1.44
	2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee		ł				· I									
	Calling Port 2-Wire Vice Unbundled 2-Way PBX Usage Port		ļ	UEPSP	UEPTO	1 79	9 93	9.19	3 66	2 92		ļ	20 35	10.54	13.32	14
	2-Wire Voice Unbundled 2-Way PBX Usage Port 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		┼	UEPSP UEPSP	UEPXB	1.79 1.79	9 93	9.19 9.19	3.66 3.66	2 92 2 92	 	ļ	20 35 20.35	10.54 10.54	13 32 13.32	1.4
-+-	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports 2-Wire Voice Unbundled PBX LD DDD Terminals Port		+	UEPSP	UEPXB	1.79	9 93	9.19	3.66	2 92		 	20.35	10.54	13.32	1,4
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		†	UEPSP	UEPXD	1.79	9 93	9.19	3.66	2 92		 	20.35	10.54	13.32	14
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD		 	02. 0.	02.7.5		"	5.15	3 00		<u> </u>			10.01	10.02	
	Capable Port			UEPSP	UEPXE	1 79	9 93 1	9.19	3 66	2 92			20.35	10.54	13.32	1.40
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPSP	UEPXL	1.79	9.93	9.19	3 66	2 92			20.35	10.54	13.32	1 40
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPSP	UEPXM	1.79	9 93	9.19	3 66	2.92			20 35	10.54	13 32	1 4
	2-W Voice Unbundled 1-Way Out PBX Hotel/Hospital Economy Administrative Calling Port TN Calling Port		ļ	UEPSP	UEPXN	1.79	9 93	9.19	3 66	2 92			20 35	10.54	13.32	1 44
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPSP	UEPXO	1 79	9 93	9.19	3 66	2.92	•		20 35	10.54	13.32	1.4
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.79	9.93	9.19	3 66	2 92			20.35	10.54	13.32	1.44
	2-Wire Voice Unbundled PBX Collierville and Memphis Calling Port			UEPSP	UEPXU	1.79	9.93	9.19	3 66	2 92			20 35	10.54	13.32	1,44
	2-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ Calling Port			UEPSP	UEPXV	1.79	9.93	- 9 19	3.66	2,92			20.35	10.54	13.32	1.4
	Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00				<u> </u>	20.35	10 54	13 32	1 4
FEATU			1						ļ <u>.</u>		ļ	ļ	20.35	10 54	13.32	1.4
	All Available Vertical Features			UEPSP UEPSE	UEPVF	0 00	0.00	0 00					20.35	10.54	13.32	1.4
EXCHA	INGE PORT RATES (COIN)		├		-	2,11	9 93	9.19	3.66	2.92	ļ	<u> </u>	20.35	10.54	13,32	1.4
- NOTE	Exchange Ports - Coin Port Transmission/usage charges associated with POTS circuit so	witch oc	Licaso	will also apply to a	nirouit awitche	d voice and/o	r circuit ewitche	od data transm	ission by B-Ch			-wire ISDN		10.04	10.02	
NOTE:	Access to B Channel or D Channel Packet capabilities will be	e lieve e	hie oni	through BER/New	Business Re	quest Process	. Rates for the	packet capabi	lities will be de	termined via	he Bona Fi	de Request/	New Busines	s Request Pro	cess.	
INBLINDI ED I	OCAL EXCHANGE SWITCHING(PORTS)	T	T	tinough Britains.	1	1							T			
	INGE PORT RATES	 	 										1		L	
	Exchange Ports - 2-Wire DID Port	-	1	UEPEX	UEPP2	8.97	47.75	47.01	9.21	8.47			20.35	10.54	13 32	1.4
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID										ļ					١.,
'	capability	<u> </u>	<u> </u>	UEPDD	UEPDD	35.74	. 75 93	38.15	8.77	8.04 4.10		 	20.35	10.54 10.54	13 32 13.32	1.4
	Exchange Ports - 2-Wire ISDN Port (See Notes below)	<u> </u>		UEPTX UEPSX	U1PMA	16 26	30.23	29.49	4.10	4.10	isted with 2	Luire ISDN		10.54	13.32	1.4
NOTE:	Transmission/usage charges associated with POTS circuit st Access to B Channel or D Channel Packet capabilities will be	WITCHEC	usage	will also apply to c	CITCUIT SWITCHE	o voice and/o	Pates for the	nacket canabi	lities will be de	termined via	he Bona Fi	de Request	New Busines	s Request Pro	ocess.	
NOTE:	Access to B Channel or D Channel Packet capabilities will be	e availa	Die oni	UEPTX UEPSX	U1UMA	0.00	0.00	0.00	indes will be de	CONTINUE VIA	T DONG T	1	1	1	1	1
	Exchange Ports - 2-Wire ISDN Port Channel Profiles Exchange Ports - 4-Wire ISDN DS1 Port	 	 	UEPEX	UEPEX	75.04	148.66	147.18	38.46	36 98			20.35	10.54	13.32	1.4
LINBUR	NOLED PORT with REMOTE CALL FORWARDING CAPABILITY	/	 	OL: LX	OL: LX											
	IDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE		†													<u> </u>
	Unbundled Remote Call Forwarding Service, Area Calling, Res		—	UEPVR	UERAC	1.89	9.93	9.19	3.66	2.92			20.35	10 54	13 32	1 4
	Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1 89	9 93	9.19	3.66	2.92			20.35		13 32	
	Unbundled Remote Call Forwarding Service, InterLATA - Res	1	 	UEPVR	UERTE	1.89	9.93	9.19	3 66	2.92			20 35			
 -	Unbundled Remote Call Forwarding Service, IntraLATA - Res		 	UEPVR	UERTR	1.89	9.93	9.19	3.66	2.92			20 35	10.54	13.32	1.4
	ecurring	t		I							1		<u> </u>		 	
	Unbundled Remote Call Forwarding Service - Conversion - Switch-as-Is			UEPVR	USAC2		1 03	0 29			<u> </u>		20.35	10.54	13.32	1.4
	Unbundled Remote Call Forwarding Service - Conversion with	1					1.03	0 29			1	1	1	1	1	

HOUNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhil	oit: 8
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	Increment Charge Manual S Order va Electroni Disc Add
		ļ	<u> </u>	ļ		Rec	Nonrecurring			Disconnect				Rates(\$)		
		-	 				First	Add'l	First	Addʻl	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1	Unbundled Remote Call Forwarding Service, Area Calling - Bus		i i	LIEBUD.		1										
	Cribandied Hemote Can Folwarding Service, Alea Calling - Bus	<u> </u>	 	UEPVB	UERAC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Unbundled Remote Call Forwarding Service, Local Calling - Bus		1	UEPVB	UERLC											
	Unbundled Remote Call Forwarding Service, InterLATA - Bus	-		UEPVB	UERTE	1 89	9.93	9.19	3.66	2.92			20 35	10.54	13 32	1,
	Unbundled Remote Call Forwarding Service, IntraLATA - Bus		+	UEPVB	UERTR	1.89	9 93 9.93	9.19	3 66	2 92			20.35	10 54	13 32	1.
	Unbundled Remote Call Forwarding Service Expanded and		 	JOET VID	UENIA	1.89	9.93	9.19	3.66	2.92			20.35	10 54	13.32	1.
	Exception Local Calling			UEPVB	UERVJ	1.89	9 93	9 19	۰							
Non-Re	ecurring		 	OCF VD	DEAVO	1.09	9 93	9 19	3.66	2 92			20 35	10.54	13.32	1
	Unbundled Remote Call Forwarding Service - Conversion -	_	-			 	 									
	Switch-as-is	l		UEPVB	USAC2		1.03	0 29						ا ا		
	Unbundled Remote Call Forwarding Service - Conversion with		 	IOLI VII	USAUZ	 	1.03	0 29					20 35	10.54	13.32	1.
	allowed change (PIC and LPIC)	1	1	UEPVB	USACC		1.03	0.29								
BUNDLED I	LOCAL SWITCHING, PORT USAGE	 	\vdash	OC. VD.	- JOSACO	 	1,03	0.29			-					
	ffice Switching (Port Usage)		 			 										
	End Office Switching Function, Per MOU		 			0.0008041										
Tander	m Switching (Port Usage) (Local or Access Tandem)		 	 		0.0008041										
	Tandem Switching Function Per MOU		 			0.0009778	1									
	on Transport	 -				0.0009778										
	Common Transport - Per Mile, Per MOU		 	 		0.0000064										
	Common Transport - Facilities Termination Per MOU		_			0.0003871										
BUNDLED I	PORT/LOOP COMBINATIONS - COST BASED RATES		 	 		0.0003871										
		<u> </u>			11. 11.1											
Cost B	ased Rates are applied where BellSouth is required by FCC an	nd/or St														
Feature End Of The fire	ased Rates are applied where BellSouth is required by FCC are as shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport Us at and additional Port nonrecurring charges apply to Not Curn are apply also and are categorized accordingly.	t Based sage rat	Rate :	section in the same	e manner as th this rate exhib	ey are applied it shall apply to	to the Stand-Al	one Unbundle	rt network elen	nents except 1	or UNE Coi	n Port/Loop g - Currenti	Combination y Combined s	ns. sections. Add	litional nonre	curring
End Of The first charge 2-WIRE	es shall apply to the Unbundled Port/Loop Combination - Cos ffice and Tandem Switching Usage and Common Transport Us st and additional Port nonrecurring charges apply to Not Curn s may apply also and are categorized accordingly. EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	t Based sage rat	Rate :	section in the same	e manner as th this rate exhib	ey are applied it shall apply to	to the Stand-Al	one Unbundle	rt network elen	nents except 1	or UNE Coi	n Port/Loop g - Currenti	Combination y Combined s	ns. sections. Add	litional nonre	curring
End Of The first charge 2-WIRE	es shall apply to the Unbundled Port/Loop Combination - Cos ffice and Tandem Switching Usage and Common Transport Us st and additional Port nonrecurring charges apply to Not Curn s may apply also and are categonzed accordingly. E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) prt/Loop Combination Rates	t Based sage rat	Rate :	section in the same	e manner as th this rate exhib	ey are applied it shall apply to	to the Stand-Al	one Unbundle	rt network elen	nents except 1	or UNE Coi	n Port/Loop g - Currenti	Combination y Combined s	ns. sections. Add	litional nonre	curring
End Of The first charge 2-WIRE	es shall apply to the Unbundled Port/Loop Combination - Cos fifee and Tandem Switching Usage and Common Transport Us st and additional Port nonrecurring charges apply to Not Curn s may apply also and are categorized accordingly. E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) port/Loop Combination Rates [2-Wire VG Loop/Port Combo - Zone 1	t Based sage rat	Rate :	section in the same	e manner as th this rate exhib	ey are applied it shall apply to	to the Stand-Al	one Unbundle	rt network elen	nents except 1	or UNE Coi	n Port/Loop g - Currenti	Combination y Combined s	ns. sections. Add	litional nonre	curring
End Of The first charge 2-WIRE	es shall apply to the Unbundled Port/Loop Combination - Cos ffice and Tandem Switching Usage and Common Transport Us st and additional Port nonrecurring charges apply to Not Curn s may apply also and are categonzed accordingly. E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) prt/Loop Combination Rates	t Based sage rat	Rate ses in the	section in the same	e manner as th this rate exhib	ey are applied it shall apply to ined Combos,	to the Stand-Al	one Unbundle	rt network elen	nents except 1	or UNE Coi	n Port/Loop g - Currenti	Combination y Combined s	ns. sections. Add	litional nonre	curring
End Of The first charge 2-WIRE	es shall apply to the Unbundled Port/Loop Combination - Cos fifee and Tandem Switching Usage and Common Transport Us st and additional Port nonrecurring charges apply to Not Curn s may apply also and are categorized accordingly. E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) port/Loop Combination Rates [2-Wire VG Loop/Port Combo - Zone 1	t Based sage rat	es in the sombine	section in the same	e manner as th this rate exhib	ey are applied it shall apply to ined Combos,	to the Stand-Al	one Unbundle	rt network elen	nents except 1	or UNE Coi	n Port/Loop g - Currenti	Combination y Combined a	ns. sections. Add	litional nonre	curring
Feature End Of The first charge 2-WIRE UNE Po	es shall apply to the Unbundled Port/Loop Combination - Cos fifee and Tandem Switching Usage and Common Transport Us st and additional Port nonrecurring charges apply to Not Curn is may apply also and are categorized accordingly. E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2	t Based sage rat	es in the s	section in the same	e manner as th this rate exhib	ey are applied it shall apply to ined Combos, 14 18 18.01	to the Stand-Al	one Unbundle	rt network elen	nents except 1	or UNE Coi	n Port/Loop g - Currenti	Combination y Combined s	ns. sections. Add	litional nonre	curring
Feature End Of The first charge 2-WIRE UNE Po	es shall apply to the Unbundled Port/Loop Combination - Cos fifee and Tandem Switching Usage and Common Transport Us st and additional Port nonrecurring charges apply to Not Curn s may apply also and are categorized accordingly. EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3	t Based sage rat	es in the s	section in the same	e manner as th this rate exhib	ey are applied it shall apply to ined Combos, 14 18 18.01	to the Stand-Al	one Unbundle	rt network elen	nents except 1	or UNE Coi	n Port/Loop g - Currenti	Combination y Combined a	ns. Sections. Add	litional nonre	curring
Feature End Of The first charge 2-WIRE UNE Po	es shall apply to the Unbundled Port/Loop Combination - Cos fitice and Tandem Switching Usage and Common Transport Us st and additional Port nonrecurring charges apply to Not Curn s may apply also and are categonzed accordingly. E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 [2-Wire VG Loop/Port Combo - Zone 2 [2-Wire VG Loop/Port Combo - Zone 3 pop Rates	t Based sage rat	es in the second of the second	section in the sam he Port section of ad Combos. For C	e manner as the this rate exhibitoring the currently Combined to the currently Combined the	ey are applied it shall apply to ined Combos, 14 18 18.01 23.02	to the Stand-Al	one Unbundle	rt network elen	nents except 1	or UNE Coi	n Port/Loop g - Currenti	Combination	is.	litional nonre	curring
Feature End Of The first charge 2-WIRE UNE Po	es shall apply to the Unbundled Port/Loop Combination - Cos fiftice and Tandem Switching Usage and Common Transport Us st and additional Port nonrecurring charges apply to Not Curn s may apply also and are categonzed accordingly. E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) prt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 poop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1	t Based sage rat	es in the second of the second	section in the same he Port section of ad Combos. For C	e manner as the this rate exhibiturently Combined to the combi	ey are applied it shall apply to ined Combos, 14 18 18.01 23.02	to the Stand-Al	one Unbundle	rt network elen	nents except 1	or UNE Coi	n Port/Loop g - Currenti	Combination y Combined s	ns. Add	litional nonre	curring
Feature End Of The fin charge 2-WIRE UNE Po	es shall apply to the Unbundled Port/Loop Combination - Cos fifee and Tandem Switching Usage and Common Transport Us st and additional Port nonrecurring charges apply to Not Curn s may apply also and are categonzed accordingly. E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) port/Loop Combination Rates [2-Wire VG Loop/Port Combo - Zone 1 [2-Wire VG Loop/Port Combo - Zone 2 [2-Wire VG Loop/Port Combo - Zone 3 pop Rates [2-Wire Voice Grade Loop (SL1) - Zone 1 [2-Wire Voice Grade Loop (SL1) - Zone 2 [2-Wire Voice Grade Loop (SL1) - Zone 2 [2-Wire Voice Grade Loop (SL1) - Zone 2	t Based sage rat	es in the second of the second	section in the same he Port section of secti	e manner as the this rate exhibitoring the currently Combination of the cu	14 18 18.01 23.02 12.48 16.31	to the Stand-Al	one Unbundle	rt network elen	nents except 1	or UNE Coi	n Port/Loop g - Currenti	Combination y Combined a	ns.	litional nonre	curring
Feature End Of The fin charge 2-WIRE UNE Po	es shall apply to the Unbundled Port/Loop Combination - Cos fitice and Tandem Switching Usage and Common Transport Us st and additional Port nonrecurring charges apply to Not Curn s may apply also and are categorized accordingly. VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 por Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3	t Based sage rat	es in the second of the second	section in the same he Port section of secti	e manner as the this rate exhibitoring the currently Combination of the cu	14 18 18.01 23.02 12.48 16.31	to the Stand-Al	one Unbundle	rt network elen	nents except 1	or UNE Coi	n Port/Loop g - Currenti	Combination y Combined s	ns. sections. Add	litional nonre	curring
Feature End Of The fin charge 2-WIRE UNE Po	es shall apply to the Unbundled Port/Loop Combination - Cos fifice and Tandem Switching Usage and Common Transport Us st and additional Port nonrecurring charges apply to Not Curn s may apply also and are categonzed accordingly. E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 2-Wire VG Loop/Port Combo - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence	t Based sage rat	es in the second of the second	Section in the same Port section of ad Combos. For Com	e manner as the this rate exhibition and the currently Combiner of the	ey are applied it shall apply to inied Combos, 14 18 18.01 23.02 12.48 16.31 21.32	to the Stand-Al combination the nonrecurring the nonrecur	one Unbundle ins of loop/go ng charges sh	rt network element de those ide	nents except 1 intified in the l	or UNE Coi	n Port/Loop g - Currenti	y Combined a	7.03	iitional nonre	curring
Feature End Of The fin charge 2-WIRE UNE Po	es shall apply to the Unbundled Port/Loop Combination - Cos fifice and Tandem Switching Usage and Common Transport Us st and additional Port nonrecurring charges apply to Not Curn s may apply also and are categorized accordingly. E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 yop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res)	t Based sage rat	es in the second of the second	Section in the same he Port section of an ad Combos. For Combos. For Combos. UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX	ey are applied it shall apply to inted Combos, 14 18 18.01 23.02 12.48 16.31 21.32 1.70	to the Stand-Al combination the nonrecurri	one Unbundle ins of loop/po ing charges sh	rt network elen	nents except 1	or UNE Coi	n Port/Loop g - Currenti	y Combined a	sections. Add	litional nonre	curring
Feature End Of The fin charge 2-WIRE UNE Po	es shall apply to the Unbundled Port/Loop Combination - Cos fitice and Tandem Switching Usage and Common Transport Us st and additional Port nonrecurring charges apply to Not Curn s may apply also and are categorized accordingly. VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port - residence	t Based sage rat	es in the second of the second	Section in the samme Port section of the Port	e manner as th this rate exhib currently Comb UEPLX UEPLX UEPLX UEPLX UEPRC	ey are applied it shall apply to inied Combos, 14 18 18.01 23.02 12.48 16.31 21.32 1.70 1.70	to the Stand-Al combination all combination the nonrecurring the nonrecurrent the nonrecurring the nonrecurr	one Unbundle ons of loop/po ng charges sh	rt network element in the state of the state	nents except 1 intified in the l	or UNE Coi	n Port/Loop g - Currenti	30 89 30 89	7.03 7.03	litional nonre	curring
Feature End Of The fin charge 2-WIRE UNE Po	es shall apply to the Unbundled Port/Loop Combination - Cos fifice and Tandem Switching Usage and Common Transport Us st and additional Port nonrecurring charges apply to Not Curn s may apply also and are categonzed accordingly. EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 opp Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Loop (SL1) - Zone 3 Voice Grade Loop (SL1) - Zone 3 Voice Grade Loop (SL1) - Zone 3 Voice Grade Loop (SL1) - Zone 3 Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port with Caller ID - res	t Based sage rat	es in the second of the second	Section in the samme Port section of the Port	e manner as th this rate exhib currently Comb UEPLX UEPLX UEPLX UEPLX UEPRC	14 18 18.01 23.02 12.48 16.31 21.32 1.70 1.70 1.70	to the Stand-Al combination the nonrecurring the nonrecurrent the nonrecurring the nonrecurring the nonrecurring the nonrecurrent the nonrecurring the nonrecur	one Unbundle ins of loop/po ng charges sh 15 25 15 25 15.25	nt network element all be those ide	and a second of a	or UNE Coi	n Port/Loop g - Currenti	30 89 30 89 30 89	7.03 7.03 7.03	iitional nonre	curring
Feature End Of The fin charge 2-WIRE UNE Po	es shall apply to the Unbundled Port/Loop Combination - Cos fifice and Tandem Switching Usage and Common Transport Us st and additional Port nonrecurring charges apply to Not Curn s may apply also and are categorized accordingly. E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 2-Wire VG Loop/Port Combo - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Tennessee extended local	t Based sage rat	es in the second of the second	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC	ey are applied it shall apply to inied Combos, 14 18 18.01 23.02 12.48 16.31 21.32 1.70 1.70	to the Stand-Al combination all combination the nonrecurring the nonrecurrent the nonrecurring the nonrecurr	one Unbundle ons of loop/po ng charges sh	rt network element in the state of the state	nents except 1 intified in the l	or UNE Coi	n Port/Loop g - Currenil	30 89 30 89	7.03 7.03	litional nonre	curring
Feature End Of The fin charge 2-WIRE UNE Po	es shall apply to the Unbundled Port/Loop Combination - Cos fitice and Tandem Switching Usage and Common Transport Us st and additional Port nonrecurring charges apply to Not Curn s may apply also and are categorized accordingly. VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Dop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade Loop Indied Tennessee extended local dailing parity port with Caller ID - res	t Based sage rat	es in the second of the second	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC	ey are applied it shall apply to inied Combos, 14 18 18.01 23.02 12.48 16.31 21.32 1.70 1.70 1.70	to the Stand-Al all combination the nonrecurring the nonr	15 25 15 25 15 25 15 25	## 1 network element	3 91 3.91	or UNE Coi	n Port/Loop g - Currenti	30 89 30 89 30 89 30 89	7.03 7.03 7.03	iitional nonre	curring
Feature End Of The fin charge 2-WIRE UNE Po	es shall apply to the Unbundled Port/Loop Combination - Cos fifice and Tandem Switching Usage and Common Transport Us st and additional Port nonrecurring charges apply to Not Curn s may apply also and are categorized accordingly. E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 2-Wire VG Loop/Port Combo - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice Unbundled port outgoing only - res 2-Wire voice Grade unbundled Tennessee extended local diafing parity port with Caller ID - res 2-Wire voice unbundled Tennessee Area Plus with Caller ID - res (AC7)	t Based sage rat	es in the second of the second	DEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	e manner as the this rate exhibition and the comment of the commen	14 18 18.01 23.02 12.48 16.31 21.32 1.70 1.70 1.70	to the Stand-Al combination the nonrecurring the nonrecur	one Unbundle ins of loop/po ng charges sh 15 25 15 25 15.25	nt network element all be those ide	and a second of a	or UNE Coi	n Port/Loop g - Currenti	30 89 30 89 30 89	7.03 7.03 7.03	iitional nonre	curring
Feature End Of The fin charge 2-WIRE UNE Po	es shall apply to the Unbundled Port/Loop Combination - Cos fifice and Tandem Switching Usage and Common Transport Us st and additional Port nonrecurring charges apply to Not Curn s may apply also and are categonzed accordingly. E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 2-Wire VG coop/Port Combo - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Tennessee extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Tennessee Area Plus with Caller ID - res (AC7) 2-Wire voice unbundled Tennessee Area Calling port with Caller 2-Wire voice unbundled Tennessee Area Calling port with Caller	t Based sage rat	es in the second of the second	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPRO UEPAQ UEPAA	14 18 18.01 23.02 12.48 16.31 21.32 1.70 1.70 1.70	to the Stand-Al combination the nonrecurring the nonrecurring 22.14 22.14 22.14 22.14 22.14	15 25 15.25 15.25	8.45 8.45 8.45	3 91 3 91 3 91 3 91 3 91 3 91	or UNE Coi	n Port/Loop g - Currenil	30 89 30 89 30 89 30 89 30.89	7.03 7.03 7.03 7.03 7.03	litional nonre	curring
Feature End Of The fin charge 2-WIRE UNE Po	es shall apply to the Unbundled Port/Loop Combination - Cos fifice and Tandem Switching Usage and Common Transport Us st and additional Port nonrecurring charges apply to Not Curn s may apply also and are categonzed accordingly. VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 opp Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port versidence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Tennessee extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Tennessee Area Plus with Caller ID - res (AC7) 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (F2R)	t Based sage rat	es in the second of the second	DEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	e manner as the this rate exhibition and the comment of the commen	ey are applied it shall apply to inied Combos, 14 18 18.01 23.02 12.48 16.31 21.32 1.70 1.70 1.70	to the Stand-Al all combination the nonrecurring the nonr	15 25 15 25 15 25 15 25	## 1 network element	3 91 3.91	or UNE Coi	n Port/Loop g - Currenil	30 89 30 89 30 89 30 89	7.03 7.03 7.03	iitional nonre	curring
Feature End Of The fin charge 2-WIRE UNE Po	es shall apply to the Unbundled Port/Loop Combination - Cos fiftice and Tandem Switching Usage and Common Transport Us st and additional Port nonrecurring charges apply to Not Curn s may apply also and are categorized accordingly. E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Tennessee extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Tennessee Area Plus with Caller ID - res (AC7) 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (F2R) 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (F2R)	t Based sage rat	es in the second of the second	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX	14 18 18.01 23.02 12.48 16.31 1.70 1.70 1.70 1.70	22.14 22.14 22.14	15 25 15 25 15 25 15 25 15 25 15 25	8.45 8.45 8.45 8.45 8.45	3.91 3.91 3.91 3.91	or UNE Coi	n Port/Loop g - Currenti	30 89 30 89 30 89 30 89 30 89 30 89	7.03 7.03 7.03 7.03 7.03 7.03 7.03	litional nonre	curring
End Or End Or The first charge 2-WIRE UNE Po	es shall apply to the Unbundled Port/Loop Combination - Cos fifice and Tandem Switching Usage and Common Transport Us st and additional Port nonrecurring charges apply to Not Curn s may apply also and are categorized accordingly. E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 2-Wire VG Loop/Port Combo - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Tennessee extended local diating parity port with Caller ID - res 2-Wire voice unbundled Tennessee Area Plus with Caller ID - ress (AC7) 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (F2R) 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (F2R)	t Based sage rat	es in the second of the second	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPRO UEPAQ UEPAA	14 18 18.01 23.02 12.48 16.31 21.32 1.70 1.70 1.70	to the Stand-Al combination the nonrecurring the nonrecurring 22.14 22.14 22.14 22.14 22.14	15 25 15.25 15.25	8.45 8.45 8.45	3 91 3 91 3 91 3 91 3 91 3 91	or UNE Coi	n Port/Loop g - Currenil	30 89 30 89 30 89 30 89 30.89	7.03 7.03 7.03 7.03 7.03	iitional nonre	curring
Feature End Or The first Charge 2-WIRE UNE Po UNE Lo	es shall apply to the Unbundled Port/Loop Combination - Cos fifice and Tandem Switching Usage and Common Transport Us st and additional Port nonrecurring charges apply to Not Curns may apply also and are categorized accordingly. VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 2-Wire VG Loop/Port Combo - Zone 3 2-Wire VG Loop/Port Combo - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Port outgoing only - res 2-Wire voice unbundled Tennessee extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (F2R) 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (F2R) 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACER) 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACER) 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACER)	t Based sage rat	es in the second of the second	UEPRX UEPRX	UEPAL	14 18 18.01 23.02 12.48 16.31 21.32 1.70 1	22.14 22.14 22.14 22.14 22.14 22.14	15 25 15 25 15 25 15 25 15 25 15 25 15 25	8.45 8.45 8.45 8.45 8.45 8.45	3 91 3 91 3 91 3 91 3 91 3 91 3 91 3 91	or UNE Coi	n Port/Loop g - Currenil	30 89 30 89 30 89 30 89 30 89 30 89 30 89	7.03 7.03 7.03 7.03 7.03 7.03 7.03	litional nonre	curring
End Or End Or The first charge 2-WIRE UNE Po	es shall apply to the Unbundled Port/Loop Combination - Cos fiftice and Tandem Switching Usage and Common Transport Us st and additional Port nonrecurring charges apply to Not Curn s may apply also and are categorized accordingly. E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 2-Wire VG Loop/Port Combo - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled Tennessee extended local dialing parity port with Caller ID - res (AC7) 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (F2R) 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACER) 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACER) 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACER)	t Based sage rat	es in the second of the second	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX	14 18 18.01 23.02 12.48 16.31 1.70 1.70 1.70 1.70	22.14 22.14 22.14	15 25 15 25 15 25 15 25 15 25 15 25	8.45 8.45 8.45 8.45 8.45	3.91 3.91 3.91 3.91	or UNE Coi	n Port/Loop g - Currenti	30 89 30 89 30 89 30 89 30 89 30 89	7.03 7.03 7.03 7.03 7.03 7.03 7.03	litional nonre	curring
Feature End Of The fire charge 2-WIRE UNE Po UNE Lo	es shall apply to the Unbundled Port/Loop Combination - Cos fifice and Tandem Switching Usage and Common Transport Us st and additional Port nonrecurring charges apply to Not Curn s may apply also and are categorized accordingly. E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 2-Wire VG Loop/Port Combo - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Port outgoing only - res 2-Wire voice unbundled Tennessee extended local diafing parity port with Caller ID - res 2-Wire voice unbundled Tennessee Area Plus with Caller ID - res (AC7) 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (F2R) 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACER) 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACER) 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACER) 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACER) 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACER) 2-Wire voice unbundled Tennessee Area Calling port with Caller 10 - res (TACER) 2-Wire voice unbundled Tennessee Area Calling port with Caller 10 - res (TACER) 2-Wire voice unbundled Tennessee Area Calling port with Caller 10 - res (TACER) 2-Wire voice unbundled Tennessee Area Calling port with Caller 10 - res (TACER) 2-Wire voice unbundled Tennessee Area Calling port with Caller 10 - res (TACER) 2-Wire voice unbundled Tennessee Area Calling port with Caller 10 - res (TACER) 2-Wire voice unbundled Tennessee Area Calling port with Caller 10 - res (TACER	t Based sage rat	es in the second of the second	UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRO UEPRO UEPRO UEPAQ UEPAH UEPAK UEPAL	14 18 18.01 23.02 12.48 16.31 21.32 1.70 1.70 1.70 1.70 1.70 1.70 1.70 1.70	22.14 22.14 22.14 22.14 22.14 22.14 22.14	15 25 15 25 15 25 15 25 15 25 15 25 15 25 15 25 15 25	8.45 8.45 8.45 8.45 8.45 8.45 8.45 8.45	3.91 3.91 3.91 3.91 3.91 3.91	or UNE Coi	n Port/Loop g - Currenil	30 89 30 89 30 89 30 89 30 89 30 89 30 89 30 89	7.03 7.03 7.03 7.03 7.03 7.03 7.03 7.03	ditional nonre	curring
Feature End Of The fire charge 2-WIRE UNE Po UNE Lo	es shall apply to the Unbundled Port/Loop Combination - Cos fitice and Tandem Switching Usage and Common Transport Us st and additional Port nonrecurring charges apply to Not Curn s may apply also and are categorized accordingly. VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Jop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice Grade Loop (SL1) - Zone 3 2-Wire voice unbundled Port with Caller ID - res 2-Wire voice unbundled Tennessee Area Plus with Caller ID - res (AC7) 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (F2R) 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (F2R) 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TAC5R) 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TAC5R) 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TAC5R) 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TAC5R) 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TAC5R) 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TAC5R) 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TAC5R) 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TAC5R)	t Based sage rat	es in the second of the second	UEPRX UEPRX	UEPAL	14 18 18.01 23.02 12.48 16.31 21.32 1.70 1	22.14 22.14 22.14 22.14 22.14 22.14	15 25 15 25 15 25 15 25 15 25 15 25 15 25	8.45 8.45 8.45 8.45 8.45 8.45	3 91 3 91 3 91 3 91 3 91 3 91 3 91 3 91	or UNE Coi	n Port/Loop g - Currenil	30 89 30 89 30 89 30 89 30 89 30 89 30 89	7.03 7.03 7.03 7.03 7.03 7.03 7.03	litional nonre	curring
Feature End Of The fir charge 2-WIRE UNE Po UNE Lo	es shall apply to the Unbundled Port/Loop Combination - Cos fifice and Tandem Switching Usage and Common Transport Us st and additional Port nonrecurring charges apply to Not Curn s may apply also and are categorized accordingly. E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 2-Wire VG Loop/Port Combo - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire voice Unbundled port - Port Carne 2 2-Wire voice Unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Tennessee extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (F2R) 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACER) 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACER) 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACER) 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACER) 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACER) 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACER) 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACER) 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACER)	t Based sage rat	es in the second of the second	DEPRIX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	WEPAL UEPAL	14 18 18.01 23.02 12.48 16.31 21.32 1.70 1	22.14 22.14 22.14 22.14 22.14 22.14 22.14	15 25 15 25 15 25 15 25 15 25 15 25 15 25 15 25 15 25 15 25	8.45 8.45 8.45 8.45 8.45 8.45 8.45 8.45	3 91 3 91 3 91 3 91 3 91 3 91 3 91 3 91	or UNE Coi	n Port/Loop g - Currenti	30 89 30 89 30 89 30 89 30 89 30 89 30 89 30 89	7.03 7.03 7.03 7.03 7.03 7.03 7.03 7.03	litional nonre	curring
Feature End Of The fire charge 2-WIRE UNE Po UNE Lo	es shall apply to the Unbundled Port/Loop Combination - Cos fiftice and Tandem Switching Usage and Common Transport Us st and additional Port nonrecurring charges apply to Not Curn s may apply also and are categorized accordingly. E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled Tennessee extended local dailing parity port with Caller ID - res 2-Wire voice unbundled Tennessee Area Plus with Caller ID - res (AC7) 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACER) 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACER) 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACER) 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACER) 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACER) 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACER) 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACER) 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACER) 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACER)	t Based sage rat	es in the second of the second	UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRO UEPRO UEPRO UEPAQ UEPAH UEPAK UEPAL	14 18 18.01 23.02 12.48 16.31 21.32 1.70 1.70 1.70 1.70 1.70 1.70 1.70 1.70	22.14 22.14 22.14 22.14 22.14 22.14 22.14	15 25 15 25 15 25 15 25 15 25 15 25 15 25 15 25 15 25	8.45 8.45 8.45 8.45 8.45 8.45 8.45 8.45	3.91 3.91 3.91 3.91 3.91 3.91	or UNE Coi	n Port/Loop g - Currenil	30 89 30 89 30 89 30 89 30 89 30 89 30 89 30 89	7.03 7.03 7.03 7.03 7.03 7.03 7.03 7.03	ditional nonre	curring
Feature End Of The fire charge 2-WIRE UNE Po UNE Lo	es shall apply to the Unbundled Port/Loop Combination - Cos fifice and Tandem Switching Usage and Common Transport Us st and additional Port nonrecurring charges apply to Not Curns may apply also and are categorized accordingly. VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) or VILOOP Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 2-Wire VG Loop/Port Combo - Zone 3 2-Wire VG Loop/Port Combo - Zone 3 2-Wire VG Loop/Port Combo - Zone 3 2-Wire VG Loop/Port Combo - Zone 3 2-Wire VG Loop/Port Combo - Zone 3 2-Wire VG Loop/Port Combo - Zone 3 2-Wire VG Loop/Port Combo - Zone 3 2-Wire VG Grade Loop (SL1) - Zone 1 2-Wire VG Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Port outgoing only - res 2-Wire voice unbundled Tennessee Area Plus with Caller ID - res (AC7) 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (F2R) 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACER) 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACER) 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACER) 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACER) 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACER) 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACER) 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACER)	t Based sage rat	es in the second of the second	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	WEPAN UEPAN	ey are applied it shall apply to	22.14 22.14 22.14 22.14 22.14 22.14 22.14	15 25 15	3 91 3 91 3 91 3 91 3 91 3 91 3 91 3 91	or UNE Coi	n Port/Loop g - Currenil	30 89 30 89 30 89 30 89 30 89 30 89 30 89 30 89 30 89 30 89	7.03 7.03 7.03 7.03 7.03 7.03 7.03 7.03	litional nonre	curring	
Feature End Of The fire charge 2-WIRE UNE Po UNE Lo	es shall apply to the Unbundled Port/Loop Combination - Cos fifice and Tandem Switching Usage and Common Transport Us st and additional Port nonrecurring charges apply to Not Curns may apply also and are categorized accordingly. EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 2-Wire VG Loop/Port Combo - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade Loop (SL1) - Zone 3 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Port outgoing only - res 2-Wire voice unbundled Tennessee extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (F2R) 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACER) 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACER) 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACER) 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACSR) 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACSR) 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TMF2X) 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (ZMF2X) 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (ZMF2X) 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (ZMF2X)	t Based sage rat	es in the second of the second	DEPRIX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	WEPAL UEPAL	14 18 18.01 23.02 12.48 16.31 21.32 1.70 1	22.14 22.14 22.14 22.14 22.14 22.14 22.14	15 25 15 25 15 25 15 25 15 25 15 25 15 25 15 25 15 25 15 25	8.45 8.45 8.45 8.45 8.45 8.45 8.45 8.45	3 91 3 91 3 91 3 91 3 91 3 91 3 91 3 91	or UNE Coi	n Port/Loop g - Currenti	30 89 30 89 30 89 30 89 30 89 30 89 30 89 30 89	7.03 7.03 7.03 7.03 7.03 7.03 7.03 7.03	iitional nonre	curring
Feature End of The first charge 2-WIRE UNE Post UNE Long 2-Wire End UNE Long 2-Wire End UNE Long	es shall apply to the Unbundled Port/Loop Combination - Cos fifice and Tandem Switching Usage and Common Transport Us st and additional Port nonrecurring charges apply to Not Curns may apply also and are categorized accordingly. EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 2-Wire VG Loop/Port Combo - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade Loop (SL1) - Zone 3 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Port outgoing only - res 2-Wire voice unbundled Tennessee extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (F2R) 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACER) 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACER) 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACER) 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACSR) 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACSR) 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TMF2X) 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (ZMF2X) 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (ZMF2X) 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (ZMF2X)	t Based sage rat	es in the second of the second	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	WEPAN UEPAN	ey are applied it shall apply to	22.14 22.14 22.14 22.14 22.14 22.14 22.14	15 25 15	3 91 3 91 3 91 3 91 3 91 3 91 3 91 3 91	or UNE Coi	n Port/Loop g - Currenil	30 89 30 89 30 89 30 89 30 89 30 89 30 89 30 89 30 89 30 89	7.03 7.03 7.03 7.03 7.03 7.03 7.03 7.03	ditional nonre	curring	

Version 2Q02⁻ 08/07/02

	ED NETWORK ELEMENTS - Tennessee												Attach	ment; 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	ecs ecs	usoc			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
		\vdash				Rec	Nonrecurring First	Addʻl	Nonrecurring First	Add'i	COMEC	SOMAN		Rates(\$)	COMAN	SOMAN
	Local Number Portability (1 per port)	-		UEPRX	LNPCX	0.35	FIISL	AUU I	FIISL	Addi	SOMEC	SUMAN	SUMAN	SOMAN	SOMAN	SUMAN
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED		1	OC, TIX	LIW OX	0.00					 	 				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		1								+					
	Switch-as-is		i i	UEPRX	USAC2		1.03	0 29			l .		30 89	7.03		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -										ļ — —			1,00		
	Switch with change	ļ	<u></u>	UEPRX	USACC		1.03	0.29			_		30.89	7.03		1
1	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Subsequent Database Update						0 76						7.97	l	<u> </u>	l
ADD	2-Wire Voice Grade Loop/Line Port Combination - Subsequent					·					<u> </u>					
l l	Activity	1		UEPRX	USAS2	0 00	0.00	0.00			+			7.00	ŀ	
2-WI	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)	-	-	UEFRA	103/62	000	0.00	0.00			 		30.89	7.03		
	Port/Loop Combination Rates	 														
	2-Wire VG Loop/Port Combo - Zone 1		1			14,18			·		 	 		 		
	2-Wire VG Loop/Port Combo - Zone 2	L	2			18 01					† · · · · · · ·			 		
	2-Wire VG Loop/Port Combo - Zone 3		3			23.02										1
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1			UEPBX	UEPLX	12.48										
	2-Wire Voice Grade Loop (SL1) - Zone 2			UEPBX	UEPLX	16.31										1
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	21.32										Ì
2-Wi	re Voice Grade Line Port (Bus)										<u></u>					
	2-Wire voice unbundled port without Caller ID - bus		-	UEPBX	UEPBL	1 70	22 14	15 25	8.45	3 91			30 89	7.03		
	2-Wire voice unbundled port with Caller + E484 ID - bus		ļ	UEPBX	UEPBC	1.70	22.14	15.25	8.45	3.91	ļ		30.89	7.03		
	2-Wire voice unbundled port outgoing only - bus		1	UEPBX	UEPBO	1.70	22.14	15.25	8.45	3.91	ļ		30.89	7.03		
!	2-Wire voice Grade unbundled Tennessee extended local		1									i			[1
	dialing parity port with Caller ID - bus		-	UEPBX UEPBX	UEPAV UPEB1	1.70	22.14	15 25 15,25	8.45 8.45	3.91 3.91	ļ		30 89 30 89	7.03		
	2-Wire voice unbundled incoming only port with Caller ID - Bus 2-Wire voice unbundled Tennessee Bus 2-Way Area Calling		 	UEPBX	UPEBT	1 /0	22 14	15.25	8 45	391			30.89	7.03	_	
J	Port Economy Option (TACC1)		l	UEPBX	UEPAC	1.70	22.14	15.25	8.45	3 91	1		30.89	7.03		
	2-Wire voice unbundled Tennessee Bus 2-Way Area Calling		-	DEFBA	- IOEFAC	1.70	22.14	10.20	0.40	331	_	 	00.03	7.00		
1	Port Standard Option (TACC2)			UEPBX	UEPAD	1.70	22 14	15.25	8.45	3.91		ŀ	30.89	7.03		1
-	2-Wire voice unbundled Tennessee Bus 2-Way Collierville and			-							i					1
ļ	Memphis Local Calling Port (B2F)			UEPBX	UEPAE	1.70	22.14	15.25	8.45	3.91			30.89	7.03		1
LOC	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
FEAT	TURES						-									1
	All Features Offered			UEPBX	UEPVF	0.00	0.00	0.00					30.89	7.03		
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															ļ
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	İ]					
	Switch-as-is		_	UEPBX	USAC2		1 03	0 29			 		30.89	7.03	 	
1	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			UEPBX	USACC		1.03	0 29			i		30.89	7.03		i .
	Switch with change	-	-	UEPBX	USACC		1.03	0 29			1		30.03	7.00		
1	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update		1		l i		0.76						7.97			ł
	TIONAL NRCs	 					0.70				 	 	7			
ADD	2-Wire Voice Grade Loop/Line Port Combination - Subsequent										 					
ı	Activity			UEPBX	USAS2	0.00	0.00	0.00				i	30 89	7 03	ł	
2-WI	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)	-	_		100/101	0.00										
	Port/Loop Combination Rates		†	<u> </u>												
-	2-Wire VG Loop/Port Combo - Zone 1		1	l		14 18										<u> </u>
	2-Wire VG Loop/Port Combo - Zone 2		2			18.01										
	2-Wire VG Loop/Port Combo - Zone 3		3			23.02										
$\neg \neg$	2-Wire Voice Grade Loop (SL 1) - Zone 1			UEPRG	UEPLX	12 48					1		L		<u> </u>	ļ
$\neg \neg$	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	16.31							ļ		ļ	
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	21.32				.,,	ļ		<u> </u>			₩
2-Wi	re Voice Grade Line Port Rates (RES - PBX)										ļ				1	+
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -										1	1	20.00	7.03	I	
	Res	i	ı	UEPRG	UEPRD	1.70	22.14	15.25	8.45	3.91	L	L	30.89	7.03	↓	

UNBUNDLED	NETWORK ELEMENTS - Tennessee													ment: 2		oit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual St Order vs Electronic Disc Add
						Rec	Nonrecurring		Nonrecurring	Disconnect				Rates(\$)		
							First	l'bbA	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Local Number Portability (1 per port)			UEPRG	LNPCP	3,15	0.00	0 00			l		30.89	7.03		
FEATUR			<u> </u>													
	All Features Offered		—	UEPRG	UEPVF	0.00	0 00	0 00					30.89	7.03		
	CURRING CHARGES (NRCs) - CURRENTLY COMBINED				- 						<u> </u>	ļ				ļ
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is		1	UEPRG	USAC2		1.03	0.29					00.00	7.00	1	ŀ
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			UEFŅG	USAUZ	ļ	1.03	0.29			 		30.89	7.03		ļ
	Conversion - Switch with Change		1	UEPRG	USACC	İ	1.03	0.29					30.89	7.03		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		 	UEFRG	USACC		1.03	0.29			-		30.89	7.03		ļ
	Subsequent Database Update		1		ì		0.76				1		7.97		Į.	
	DNAL NRCs		t			-	0.70				†	1	7.37			
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		 								 					
	Subsequent Activity			UEPRG	USAS2	0.00	000	0.00				1	30 89	7.03		i
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt		-								1	1			·	i
	Group			1			14.64	14 64				1	30.89	7.03		l
2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)							•								
UNE Po	rt/Loop Combination Rates															
1	2-Wire VG Loop/Port Combo - Zone 1		1			14,18										
	2-Wire VG Loop/Port Combo - Zone 2		2	_		18.01										
	2-Wire VG Loop/Port Combo - Zone 3		3			23 02					T					
	op Rates															
	2-Wire Voice Grade Loop (SL 1) - Zone 1			UEPPX	UEPLX	12 48										
	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEPPX	UEPLX	16.31										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	21,32										
2-Wire \	Voice Grade Line Port Rates (BUS - PBX)															
1 1											1					•
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus		<u> </u>	UEPPX	UEPPC	1 70	22 14	15 25	8 45	3 91	ļ		30 89	7.03		
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1.70	22.14	15.25	8 45	3 91			30.89	7.03 7.03		
	Line Side Unbundled Incoming PBX Trunk Port - Bus	<u> </u>		UEPPX	UEPP1	1.70	22.14	15 25	8.45	3 91	 		30 89	7.03		
	2-Wire Voice Unbundled PBX LD Terminal Ports	<u> </u>	<u> </u>	UEPPX	UEPLD	1 70	22.14	15.25	8.45	3 91			30 89	7.03		<u> </u>
	2-Wire Voice Unbundled 2-Way Combination PBX Tennessee			LIEDDY	LIFOTO	4 70		45.05	8 45	3 91	1		30 89	7.03		1
	Calling Port		 	UEPPX	UEPT2	1.70	22 14	15.25	849	391	 		30 03	7.03		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee			UEPPX	UEPTO	1.70	22 14	15 25	8.45	3 91	1		30.89	7.03	1	l
	Calling Port	 		UEPPX	UEPXA	1.70	22.14	15.25	8 45	3 91	†		30 89	7.03		
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	_	-	UEPPX	UEPXB	170	22.14	15.25	8.45	3.91	+	 	30 89	7 03		-
	2-Wire Voice Unbundled PBX LD DDD Terminals Port		 	UEPPX	UEPXC	170	22,14	15 25	8 45	3 91			30 89	7.03		
	2-Wire Voice Unbundled PBX LD DDD reminals Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		-	UEPPX	UEPXD	1.70	22.14	15 25	8.45	3.91	h		30.89	7.03		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD		+	DEFFX	OL! AD	1.70		10 20	0.40	5.57						
1 1	Capable Port		ł	UEPPX	UEPXE	1.70	22.14	15 25	8.45	3 91	ŀ		30.89	7 03	i	
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		+	OCFF X	OLIAL	1.70		10 20	0.10							
	Administrative Calling Port		1	UEPPX	UEPXL	1.70	22.14	15.25	8.45	3.91	1		30.89	7.03		1
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		1-	0211 X	OL: AL				57.15		i					
	Room Calling Port		1	UEPPX	UEPXM	1.70	22.14	15.25	8.45	3.91			30.89	7.03	l	i
	2-Wire Voice Unbundled 1W Out PBX Hotel/Hospital Economy		1	OLITA	02.7											
	Administrative Calling Port TN Calling Port			UEPPX	UEPXN	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital		+	OLI I X	102.7						1					
	Discount Room Calling Port		l	UEPPX	UEPXO	1 70	22,14	15.25	8.45	3,91	1		30.89	7.03		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		+	UEPPX	UEPXS	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire Voice Unbundled PBX Collierville and Memphis Calling		1													
	Port	l	1	UEPPX	UEPXU	1.70	22.14	15.25	8 45	3.91	L		30.89	7.03		
	2-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ		1		1						ł		1		l	I
	Cailling Port	l	I	UEPPX	UEPXV	1.70	22 14	15.25	8.45	3.91			30.89	7.03		L
	NUMBER PORTABILITY		1		1	-										
	Local Number Portability (1 per port)		 	UEPPX	LNPCP	3 15	0 00	0.00					30.89	7.03		
FEATUR			1													
	All Features Offered	1	\vdash	UEPPX	UEPVF	0.00	9.00	0.00					30.89	7.03		
	CURRING CHARGES (NRCs) - CURRENTLY COMBINED	l —	+						Γ		I	I .	l			l

NBONDL	ED NETWORK ELEMENTS - Tennessee												Attachr			oit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order vi Electroni Disc Add
						Rec	Nonrecurring		Nonrecurring	Disconnect				Rates(\$)		
						Nec	First	Add'l	First	Add'1	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -								·		l					
	Conversion - Switch-As-is			UEPPX	USAC2		1.03	0.29			L		30.89	7.03		
l	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch with Change 2-Wire Voice Grade Loop / Line Port Combination - Conversion -		—	UEPPX	USACC		1.03	0.29					30 89	7.03		L
- 1	Subsequent Database Update						ا ـــا			i	1					ŀ
ADDI	TIONAL NRCs						0.76			<u> </u>	ļ		7 97			<u> </u>
ADD	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -				+				<u> </u>	ļ	 					
	Subsequent Activity		1	UEPPX	USAS2	0.00	0.00	0.00		ŀ	1		30.89	7 03		
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt		\vdash	OLIT X	100,702	0.00	0.00	0.00			 		30.09	7 03		
	Group		1				14.64	14.64					30.89	7.03		
UNE	Port/Loop Combination Rates						1.114				i		50.00	7,00		
	2-Wire VG Coin Port/Loop Combo – Zone 1		1			14 18			i							
	2-Wire VG Coin Port/Loop Combo – Zone 2		2			18.01			L							
	2-Wire VG Coin Port/Loop Combo – Zone 3		3			23 02										
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1			UEPCO	UEPLX	12 48										
	2-Wire Voice Grade Loop (SL1) - Zone 2			UEPCO	UEPLX	16.31										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	21 32					<u> </u>					
2-Wii	e Voice Grade Line Ports (COIN)										ļ					
	2-Wire Coin 2-Way without Operator Screening and without Blocking (TN)			UEPCO	UEPTB	1.70	22.14	15 25	8.45	3 91			30.89	7.03		
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (NC, TN)			UEPCO	UEPRP	1.70	22 14	15.25	8.45	3 91			30 89	7.03		
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (TN)			UEPCO	UEPTA	1.70	22 14	15.25	8 45	3 91			30 89	7.03		
	2-Wire Coin 2-Way with Operator Screening 900 Blocking: 900/976, 1+DDD, 011+, and Local (NC, TN)			UEPCO	UEPCA	1.70	22 14	- 15.25	8.45	3,91			30.89	7.03		
	2-Wire Coin Outward with Operator Screening and 011 Blocking (TN)			UEPCO	UEPTC	1.70	22.14	15 25	8.45	3 91			30 89	7.03		
-	2-Wire Coin Outward with Operator Screening and Blocking			OLI OO	OEF 10	1.70		10 20	0.40							
1	900/976, 1+DDD, 011+, and Local (TN)		i .	UEPCO	UEPOT	1.70	22.14	15 25	8.45	3.91	1	1	30.89	7.03		
_	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1 88					 		30.89	7 03		
	2-Wire Coin Outward Smartline with 900/976 (all states except															
	LA)		1	UEPCO	UEPCR	1.88	İ		!				30.89	7.03		
ADDI	TIONAL UNE COIN PORT/LOOP (RC)										<u> </u>		·			
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	3.45	0 00	0.00		l			30.89	7.03		
	Local Number Portability (1 per port)			UEPCO	LNPCX	0 35										
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPCO	USAC2		1.03	0 29					30 89	7.03		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPCO	USACC		1.03	0.29					30.89	7.03		<u> </u>
\top	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPCO	USAS2	0 00	0.00	0 00					30.89	7.03		
	2-Wire voice unbundled incoming only port with Caller ID - Bus	l	\vdash	UEPFB	UEPB1	1.89	84.99	57.39	32.36	20.56	1		30 89	7.03		T
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		-	UEPFP	UEPXS	1.79	106 40	63.08	42.67	18.54			30 89	7.03		
BUNDLET	PORT/LOOP COMBINATIONS - COST BASED RATES		\vdash		1						I					
	TE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT														
	Port/Loop Combination Rates															
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			18.38										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			19 87				l	ļ					
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			24 78					ļ					
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	9 60				L	L		ļ 	<u> </u>		├
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD1	11 09					ļ <u> </u>		ļ			
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1_	16.00				<u> </u>	 	ļ		7.03		
	Exchange Ports - 2-Wire DID Port		<u> </u>	UEPPX	UEPD1	8.78	45.44	29.94	8.45	3.91	<u> </u>		30.89	7.03	ļ 	
NON	RECURRING CHARGES - CURRENTLY COMBINED		_								 					
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - Switch-as-is			UEPPX	USAC1		8.76	5.75					30.89	7.03		

DUBONDEED NET	WORK ELEMENTS - Tennessee													Attach	ment; 2	Exhil	bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	E	ocs	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremer Charge
							Rec	Nonrecurring			Disconnect				Rates(\$)		
O Miles	Value Conda I are 10 Mt - DID T I D- 10	<u> </u>						First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	Voice Grade Loop / 2-Wire DID Trunk Port Conversion	ļ	1	UEPPX		110440								l .			
Telephone Nu	mber/Trunk Group Establisment Charges	-	<u> </u>	DEPPX		USA1C		8.76	5.75					30.89	7.03		
	unk Termination (One Per Port)	_	 	UEPPX		NDT	0.00	0.00									
	nal DID Numbers for each Group of 20 DID Numbers		 	UEPPX		ND4	0.00	0.00	0.00								
	imbers, Non- consecutive DID Numbers , Per Number		 	UEPPX		ND5	0.00	000	0.00								
	e Non-Consecutive DID numbers		 	UEPPX		ND6	0.00	0 00	0 00			 					
Reserve	e DID Numbers		\vdash	UEPPX		NDV	0.00	0 00	0 00			 					
LOCAL NUMB	ER PORTABILITY							-3,00									
	lumber Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	0.00								
	DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDI	E PORT												i		 -
	Combination Rates														l		İ
	ON Digital Grade Loop/2W ISDN Digital Line Side Port -																
UNE Zo			1	UEPPB	UEPPR		32.27							l	l		
	ON Digital Grade Loop/2W ISDN Digital Line Side Port -																
UNE ZO		ļ	2	UEPPB	UEPPR		34 78										
	ON Digital Grade Loop/2W ISDN Digital Line Side Port -	l	1														
UNE Zo			3	UEPPB	UEPPR		44 32										
2-Wire	ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X_	16 20		-								
0.14/	ISBN Digital Conda Lang. LINE 7 6		١.		115555												
	ISDN Digital Grade Loop - UNE Zone 2	ļ	2	UEPPB	UEPPR	USL2X	18.71										ļ
	ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB		USL2X	28 25										
	ge Port - 2-Wire ISDN Line Side Port NG CHARGES - CURRENTLY COMBINED		-	UEPPB	UEPPA	UEPPB	16 07	141 75	118 37	49.20	43 26			19.99	19.99		
			 														ļ
	ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port	ŀ	ŀ														
ADDITIONAL N			├	UEPPB	UEPPR	USACB	0.00	117.23	117.23					19 99	19.99		<u> </u>
	ISDN Loop / 2-Wire ISDN Port Combination - Sub Activi		├									 					
	eature/Add Trunk	l	l	UEPPB	UEPPR	USASB		212.88						19 99	19.99		ŀ
	ER PORTABILITY		 	UEPPB	UEPPH	USASB		212.00				 		19 99	19.99	<u>_</u>	
I ocal N	lumber Portability (1 per port)		├─	UEPPB	UEPPR	LNPCX	0 35	0 00	0.00								
	SER PROFILE ACCESS:			OLITE	OL, i ii	LIVIOX	0,55	- 000	0.00								
	SD (DMS/5ESS)			UEPPB	UEPPR	LITLICA	0 00	0.00	0.00			-					
CVS (E			 	UEPPB	UEPPR	U1UCB	0.00	0.00	0.00			_					
CSD			†	UEPPB	UEPPR		0.00	0.00	0.00						-		
	REA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SO	C.MS. &	TN)														
	SD (DMS/5ESS)	1	T	UEPPB	UEPPR	U1UCD	0.00	0.00	0.00								
CVS (E		 	 	UEPPB	UEPPR	U1ÚCE	0.00	0.00	0.00								
CSD			1	VEPPB	UEPPR	U1UCF	0.00	0.00	0.00								
USER TERMIN	AL PROFILE		1														İ
	erminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
VERTICAL FE																	
All Vert	ical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	0.00	0.00	0.00								
	ice Channel mileage each, including first mile and																
facilities	s termination	1		UEPPB	UEPPR	M1GNC	17.91	53.99	17.37					19.99	19.99		
Interoff	ice Channel mileage each, additional mile			UEPPB	UEPPR	M1GNM	0.173	0.00	0.00								
4-WIRE DS1 DI	IGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	PORT															
	Combination Rates																
4W DS	1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
Zone 1		L	1	UEPPP			132.58		•								
	1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE													1	l		1
Zone 2			2	UEPPP			150.25	L						ļ	ļ <u>.</u>		
	1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	I												Ī	l		l
Zone 3		L	3	UEPPP			173.44								ļ		—
	DS1 Digital Loop - UNE Zone 1			UEPPP		USL4P	57.73							ļ			
	DS1 Digital Loop - UNE Zone 2			UEPPP		USL4P	75 40										<u> </u>
4-Wire	DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	98.59								L		<u> </u>
Exchan	ge Ports - 4-Wire ISDN DS1 Port			UEPPP		UEPPP	74 85	415 53	366 90	89.28	77.43			19.99	19.99		L
NONDECLIDAL	NG CHARGES - CURRENTLY COMBINED											1		1	ı	l	

UNBUNDLED NETWORK ELEMENTS - Tennessee													ment: 2		bit: B
ATEGORY RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
					Rec	Nonrecurring		Nonrecurring					Rates(\$)		
					Hec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Truni	k Port	1								ŀ					
Combination - Conversion -Switch-as-is		<u> </u>	UEPPP	USACP	0.00	328.53	328.53			<u> </u>		19.99	19.99		
4-Wire DS1 Loop/4-W ISDN Digit Trk Port - Subsqt Actv		-								ļ		ļ			
Inward/two way tel nos within Std Allowance (except NC	y-	1	UEPPP	PR7TF		ا ممدا					1				1
4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -		-	UEPPP	PR/IF		0.94	·					19.99	19.99		
Outward Tel Numbers (All States except NC)			UEPPP	PR7TO		22.36	22.36				1	19.99	19.99		1
4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -		+	OLI 11	7.17.10		22.50	22.50	-				13.33	19.99		
Subsequent Inward Tel Nos Above Std Allowance		1	UEPPP	PR7ZT		44.71	44.70					19.99	19.99		1
LOCAL NUMBER PORTABILITY		†	-							·		70.00	10.00		†
Local Number Portability (1 per port)	<u> </u>	1	UEPPP	LNPCN	1.75			· ·							
INTERFACE (Provsioning Only)		1					***	· · · · · · · ·		 	·	 -			
Voice/Data			UEPPP	PR71V	0.00	0 00	0.00			1		T			
Digital Data			UEPPP	PR71D	0.00	0.00	0.00			1					
Inward Data		1	UEPPP	PR71E	0.00	0 00	0.00			1					
New or Additional "B" Channel															
New or Additional - Voice/Data B Channel		1	UEPPP	PR7BV	0 00	28 39						19 99	19 99		
New or Additional - Digital Data B Channel		<u> </u>	UEPPP	PR7BF	0.00	29.11						19 99	19.99		
New or Additional Inward Data B Channel			UEPPP	PR7BD	0.00	29.39				<u> </u>		19 99	19 99		
CALL TYPES		1								1					L
Inward		1	UEPPP	PR7C1	0.00	0.00	0.00								ļ
Outward		1	UEPPP	PR7C0	0.00	0.00	0 00			<u> </u>		l			<u> </u>
Two-way			UEPPP	PR7CC	0.00	0.00	0.00			ļ					
Interoffice Channel Mileage													40.00		ļ
Fixed Each Including First Mile		↓	UEPPP	1LN1A	76.1825	145.98	109.85	19.55				19.99	19.99		
Each Airline-Fractional Additional Mile		┼	UEPPP	1LN1B	0 3525	-				ļ		 			
4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PO	HI .						 			ļ		ļ		ļ	
UNE Port/Loop Combination Rates		1-1	UEDDO.		93 28						·	19 99	19.99		
4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone	9 1		UEPDC UEPDC		110 95						 	19.99	19.99		
4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone			UEPDC		134 14					 		19.99	19.99		
UNE Loop Rates	3	+-*	DEPDO		134 14					-	i	10.00	10.00		
4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	57.53						 	 -			
4-Wire DS1 Digital Loop - UNE Zone 2			UEPDC	USLDC	75.40			-			 	 			† — —
4-Wire DS1 Digital Loop - UNE Zone 3			UEPDC	USLDC	98.59					-	 	1		· · · · · ·	
UNE Port Rate		+	02100	UULUU	30.09					1	 	1			
4-Wire DDITS Digitat Trunk Port		+-	ÚÉPDC	UDD1T	35.55	342 80	257.87	61 41	48.49	1		19 99	19.99		
NONRECURRING CHARGES - CURRENTLY COMBINED	 		OLI DO	ODDII		0 12 00					 				
4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Com	hinetion	+-	 		· · · - · · · ·				l	1	1	1			
- Switch-as-is		1	UEPDC	USAC4		312.91	312.91		1		l	19.99	19.99	L	<u> </u>
4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Com	bination	+								T		1			
- Conversion with DS1 Changes		1	UEPDC	USAWA		312.91	312.91	1	1			19.99	19.99		1
4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Com	hination	+													
- Conversion with Change - Trunk		i	UEPDC	USAWB		312.91	312.91	ļ			l	19.99	19.99		
ADDITIONAL NRCs			1												
4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subseque	ent	1			T			1					1		1
Service Activity Per Service Order			UEPDC	USAS4		94.88	94.88			<u> </u>			1	ļ	↓
4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -										1	1				
Subsequent Channel Activation/Chan - 2-Way Trunk	l	1	UEPDC	UDTTA		108 67	108 67	l				19.99	19.99		
4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subseque	ent							i			ł	10.55	40.00	ŀ	
Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		108.67	108.67	<u> </u>	ļ <u>-</u>	 	<u> </u>	19.99	19.99	<u> </u>	+
4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt	Channel				1			i			1	1 40.00	40.00	l	1
Activation/Chan Inward Trunk w/out DID	!	1	UEPDC	UDTTC	l	108.67	108.67	ļ				19.99	19.99		
4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt	Chan							1	i	1	1	40.00	40.00	I	I
Activation Per Chan - Inward Trunk with DID			UEPDC	OTTOU	<u> </u>	108.67	108.67		ļ	-	ļ	19 99	19.99	 	+
4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt	Chan				<u> </u>	1		1		1	1	40.00	19 99	1	1
Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE	<u> </u>	108 67	108.67	ļ	 	 	 	19 99	19 99	 	+
BIPOLAR 8 ZERO SUBSTITUTION			l		L			ļ	Ļ	 	ļ	19.99	19 99	 	+
B8ZS -Superframe Format			UEPDC	CCOSF		0.00	590.00		<u> </u>		1	19.99	1 19 99	L	——

NRONDLE	D NETWORK ELEMENTS - Tennessee												Attach	nent: 2	Exhi	bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Incremental	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	Increment Charge -
			 		 	_	Nonrecurring		Nonrecurring	Disconnect		l	088	Rates(\$)		
					<u> </u>	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00	590.00					19.99	19.99	Company	COMMAN
Alterna	ate Mark Inversion				L									,,,,,,		
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0 00								
Tala-1	AMI - Extended SuperFrame Format one Number/Trunk Group Establisment Charges		ļ	UEPDC	MCOPO		0.00	0.00								<u> </u>
reiepn	Telephone Number for 2-Way Trunk Group			LIEDDO	UDTOV									Ĺ		
	Telephone Number for 1-Way Outward Trunk Group	-	┼──	UEPDC UEPDC	UDTGX	0.00	ļ					L	19 99	19 99		
	Telephone Number for 1-Way Inward Trunk Group Without DID		 	UEPDC	UDTGZ	0.00	 					ļ	19.99	19 99		ļ
	DID Numbers for each Group of 20 DID Numbers		 	UEPDC	ND4	0.00	 					ļ	19 99	19 99		
	DID Numbers, Non- consecutive DID Numbers , Per Number	-	 	UEPDC	ND5	0.00	ļ				<u> </u>		19.99 19.99	19 99 19 99		
	Reserve Non-Consecutive DID Nos.	-	 	UEPDC	ND6	0.00	0.00	0.00		·	!		19.99	19 99		
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00					 	- · · · · · · -		
Dedica	ited DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	Digita	LOOD	with 4-Wire DDITS 1	runk Port		V.00	0.00				<u> </u>				\vdash
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities		Τ	T	1								 			
-	Termination)			UEPDC	1LNO1	75 83	145.98	109.85	19.66	14.99	<u> </u>					
-	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities			UEPDC	1LNOA	0.3525	0.00	0.00				ļ				
	Termination)			UEPDC	1LNO2	0.00	0 00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25 miles			UEPDC	1LNOB	0.3525	0.00	0.00				-				_
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination)			UEPDC	1LNO3	0.00	0.00	0 00								
			1		1											
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles		└	UEPDC	1LNOC	0.3525	0.00	0.00								L
	Local Number Portability, per DS0 Activated		↓	UEPDC	LNPCP	3.15	0.00	0.00								ļ
4 WIDE	Central Office Termininating Point DS1 LOOP WITH CHANNELIZATION WITH PORT			UEPDC	CTG	0 00										
	is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti		_													<u> </u>
	system can have up to 24 combinations of rates depending on			her of porte weed	· ·										·····	
	S1 Loop	type a	l nun	Der Or ports useu												
- CIVE D	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	57.73	0.00	0.00								
-	4-Wire DS1 Loop - UNE Zone 2			UEPMG	USLDC	75,40	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 3			UEPMG	USLDC	98.59	0.00	0.00								
UNE D	SO Channelization Capacities (D4 Channel Bank Configuration	ns)														· · · · · · ·
	24 DSO Channel Capacity - 1 per DS1		$\overline{}$	UEPMG	VUM24	131.87	0.00	0.00					19 99	19 99		
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	263.74	0.00	0.00					19.99	19.99		
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	527.48	0.00	0.00					19 99	19.99		
	144 DS0 Channel Capacity - 1 per 6 DS1s		l	UEPMG	VUM14	791 42	0 00	0 00					19 99	19 99		
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	827 76	0 00	0 00					19.99	19.99		L
	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM20	1,318 70	0 00	0 00					19 99	19 99		<u> </u>
	288 DS0 Channel Capacity - 1 per 12 DS1s		ļ	UEPMG	VUM28	1,582 44	0 00	0.00					19.99	19.99		
	384 DS0 Channel Capacity - 1 per 16 DS1s		<u> </u>	UEPMG	VUM38	2,109.92	0 00	0 00					19.99	19.99		
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM40	2,637.40	0.00	0.00					19.99	19.99 19.99		
	576 DS0 Channel Capacity -1 per 24 DS1s	-		UEPMG	VUM57	3,164.88	0.00	0.00					19 99 19.99	19.99		
	672 DS0 Channel Capacity - 1 per 28 DS1s	Ob and		UEPMG	VUM67	3,692.36		0.00					19.99	19.99		
	ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with mum System configuration is One (1) DS1, One (1) D4 Channe						21011									
	les of this configuration functioning as one are considered Ad															
	NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes	. and		UEPMG	USAC4	0.00	303.61	15.74					19.99	19.99		
	n Additions at End User Locations Where 4-Wire DS1 Loop wit	h Che-	nalize					10.74				 -	13.33	19.55		
	lot Currently Combined) in all states, except in Density Zone 1				IIIGUUN CUITE	INTERPOLATION	 			-						$\overline{}$
1.40W (N	I DS1/D4 Channel Bank - Additionally Add NRC for each Port land Assoc Fea Activation	J. 10p	JINGA	UEPMG	VUMD4	0.00	704 68	441.48	138.36	16 41			19.99			
Bipola	r 8 Zero Substitution			O'ET IVIGI	4 DIVID4	0.00	704 00	441.40	130.00	10 41			10.03			
	Clear Channel Capability Format, superframe - Subsequent Activity Only			UEPMG	CCOSF	0.00	0 00	590.00								1

CIADOIADE	ED NETWORK ELEMENTS - Tennessee	,											Attach	ment: 2	Exhi	bit: B
				A Mary State of the State of th					-		Submitted	Submitted	Incremental Charge -	Incremental Charge -	Incremental Charge -	Incremen
CATEGORY	RATE ELEMENTS	Interi m	Zone	ÈEES	USOC			RATES(\$)			Elec per LSR	Manually per LSR	Manual Svc Order vs. Electronic- 1st	Manual Svc Order vs. Electronic- Add'I	Manual Svc Order vs. Electronic- Disc 1st	Manual St Order vs Electronic Disc Add
_						Rec	Nonrecurring			Disconnect	_			Rates(\$)		
	Clear Channel Capability Format - Extended Superframe -	<u> </u>	+				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-	Subsequent Activity Only	i .	1	UEPMG	CCOFF		ا ۔ ۔ ا	'			1					
Alten	nate Mark Inversion (AMI)	 	-	UEFMG	CCOEF	0.00	0.00	590.00								
	Superframe Format	-	 	UEPMG	MCOSF											
	Extended Superframe Format	 	\vdash	UEPMG	MCOPO	0.00	0 00	0.00				ļ				
Exch	ange Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port	OEI MA	INCOT C	0.00	0.00	0.00								
Exch	ange Ports		1	 								 				
		1	-			 						l			<u> </u>	
	Line Side Combination Channelized PBX Trunk Port - Business	i	1	UEPPX	UEPCX	1 79	0 00	0 00	0.00	0 00	1	<u> </u>	00.00		ŀ	1
	Line Side Outward Channelized PBX Trunk Port - Business		1	UEPPX	UEPOX	1,79	0 00	0.00	0.00	0 00		 	30 89	7.03		
		T			1	1.,,		0.00	0.00	0 00	ļ	 	30.89	7.03		<u> </u>
	Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	1,79	0.00	0.00	000	0.00			30 89	1	ĺ	
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	8 97	0.00	0.00	0.00	0.00		 	30.89	7.03 7.03	ļ	
Featu	re Activations - Unbundled Loop Concentration					T		0.00	0.00	0.00		 	30.89	7.03	 	
į –	Feature (Service) Activation for each Line Side Port Terminated											 		 	 	
	in D4 Bank	L	1	UEPPX	1PQWM	0.66	23 94	12.64	3 82	3.80		[30.89	7.03		l
	Feature (Service) Activation for each Trunk Side Port Terminated								- V UZ	0.00	<u> </u>	 	30.69	7.03		
	in D4 Bank	1.	1	UEPPX	1PQWU	0 66	73.67	17 37	54.09	10.57			30.89	7.03		1
Telep	hone Number/ Group Establishment Charges for DID Service				_		15.57		0 1.00	10.07		H	30.69	7.03		
	DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
	DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00						 		
	Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID Numbers		1	UEPPX	ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
Local	Number Portability															
	Local Number Portability - 1 per port		$\overline{}$	UEPPX	LNPCP	3.15	0.00	0 00						ļ		
	URES - Vertical and Optional															
Local	Switching Features Offered with Line Side Ports Only							-								
	All Features Available			UEPPX	UEPVF	0.00	0.00	0.00								
	PORT LOOP COMBINATIONS - MARKET RATES			1												
Marke	et Rates shall apply where BellSouth is not required to provide	unbund	iled to	cal switching or s	witch ports per	FCC and/or Sta	ate Commissio	n rules.								
iThis i	includes unbundled port/loop combinations that are Currently (Combin	ed or l	Not Currently Com	hined in Zone	1 of the Ton 8 i	MSAc in BallSa	uth's region to	or end users wi	ith 4 or more D	S0 equival	ent lines.		-		
The T	op 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderda	ale. Mia	mi): Ga	A (Atlanta): LA (Ne	w Orleans): NO	(Greenshoro-V	Vinston Salem-	Highpoint/Ch:	arlotte-Gestoni	a-Rock Hill): T	N /Nachville	3)				
penso	outh currently is developing the billing capability to mechanica	illy bill 1	the rec	urring and non-re	curring Market	Rates in this se	ection. In the i	nterim where I	BellSouth cann	ot bill Market	Rates, BellS	outh shall t	ill the rates	n the Cost-Ba	sed section	preceding
lieu o	f the Market Rates and reserves the right to true-up the billing o	<u>differen</u>	Ce.													•
The M	larket Rate for unbundled ports includes all available features i	n ali sta	ates.													
End C	Office and Tandem Switching Usage and Common Transport Us	age rat	es in tl	ne Port section of	this rate exhibi	t shall apply to	all combinatio	ns of loop/poi	rt network elem	ents except f	or UNE Coi	n Port/Loop	Combination	18.		
FOT N	of Currently Combined scenarios, the Nonrecurring charges are	e listed	in the	First and Addition	nal NRC column	ns for each Port	l USOC. For Cu	urrently Combi	ined scenarios,	, the Nonrecur	ring charge	s are listed i	n the NRC -	Currently Cor	nbined sectio	n.
Additi	ional NRCs may apply also and are categorized accordingly.		,													
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
UNE	Port/Loop Combination Rates		L_	ļ												
\dashv	2-Wire VG Loop/Port Combo - Zone 1		1			26.48										
	2-Wire VG Loop/Port Combo - Zone 2		2			30.31						T				
	2-Wire VG Loop/Port Combo - Zone 3		3			35.32										
UNE	oop Rates											T				
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	12.48						T				
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	16.31						T				
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	21.32						T				
2-Wire	Voice Grade Line Port (Res)											Ţ				
	2-Wire voice unbundled port - residence			UEPRX	UEPRL	14 00	90 00	90.00				T	30 89	7.03		
	2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	14.00	90 00	90 00				T	30 89	7.03		
	2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	14.00	90.00	90.00	T			T	30.89	7.03		
	2-Wire voice Grade unbundled Tennessee extended local											T				
			ı	UEPRX	UEPAQ	14.00	90.00	90.00				- 1	30 89	7.03		
	dialing parity port with Caller ID - res			ULITIM	ULFAG	14.00										
	2-Wire voice unbundled Tennessee Area Calling port with Caller			OLI TIX	UEFAG	14.00										
	2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (F2R)			UEPRX	UEPAK	14.00	90.00	90.00					30.89	7.03		
	2-Wire voice unbundled Tennessee Area Calling port with Caller												30.89	7.03		

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attachr	nent: 2	Exhil	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
			-			Rec	Nonrecurring First	Add'l	Nonrecurring First	Disconnect Add'I	SOMEC	SOMAN	OSS	Rates(\$)	SOMAN	SOMAN
	2-Wire voice unbundled Tennessee Area Calling port with Caller		\vdash				Filat	Addi	Filst	Add I	SUMEC	SUMAN	SOMAN	SUMAN	SOMAN	SOMAN
	ID - res (TACSR) 2-Wire voice unbundled Tennessee Area Calling port with Caller		-	UEPRX	UEPAM	14.00	90 00	90.00					30 89	7.03		
	ID - res (1MF2X)		L_	UEPRX	UEPAN	14.00	90.00	90.00					30.89	7.03		1
	2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (2MR)			UEPRX	UEPAO	14.00	90 00	90.00					30.89	7.03		
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)										·					
LOCAL	NUMBER PORTABILITY		┼	UEPRX	UEPAP	14.00	90.00	90.00	l ———				30.89	7.03		
	Local Number Portability (1 per port)			UEPRX	LNPCX	0 35					-					
FEATU																
NONDE	All Features Offered CURRING CHARGES - CURRENTLY COMBINED		-	UEPRX	UEPVF	0.00	0.00	0.00					30 89	7 03		
NONKE	CONTINUE CHANGES - CONNENTET COMBINED	-	 -													
	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is			UEPRX	USAC2		41.50	41.50					30 89	7.03		İ
	2-Wire Voice Grade Loop / Line Port Combination - Switch with															
	change ONAL NRCs			UEPRX	USACC		41.50	41.50					30.89	7.03		
	NRC - 2-Wire Voice Grade Loop/Line Port Combination -						ļ		ļ							
	Subsequent	l		UEPRX	USAS2	000	0.00	0.00					30.89	7.03		i .
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)	 			00,02		0.00	0.00					50.05	7.05		
	ort/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			26 48										
	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3		3			30 31 35 32			ļ							
UNELO	pop Rates		3	<u> </u>	_	35 32			<u> </u>							· · · · · · · · · · · · · · · · · · ·
0.12.2	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	12 48				· · · · · · · · · · · · · · · · · · ·						
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	16.31			· · · · · · · · · · · · · · · · · · ·							
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	21.32										
	Voice Grade Line Port (Bus)															
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	14.00	90.00	90 00					30.89	7.03		
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	14 00	90 00	90.00					30.89	7.03 7.03		
	2-Wire voice unbundled port outgoing only - bus 2-Wire voice Grade unbundled Tennessee extended local	 		UEPBX	UEPBO	14 00	90 00	90.00					30.89	7.03		
	dialing panty port with Caller ID - bus	l		UEPBX	UEPAV	14.00	90.00	90.00					30.89	7.03		i
	2-Wire voice unbundled Tennessee Bus 2-Way Area Calling			02.00	02.7.1		55.55						00.00	.,,,,		
	Port Economy Option (TACC1)	L	l	UEPBX	UEPAC	14.00	90.00	90.00					30.89	7 03		
	2-Wire voice unbundled Tennessee Bus 2-Way Area Calling		i													l .
	Port Standard Option (TACC2) 2-Wire voice unbundled Tennessee Bus 2-Way Collierville and		-	UEPBX	UEPAD	14 00	90.00	90.00	 				30.89	7 03		
	Memphis Local Calling Port (B2F)		1	UEPBX	UEPAE	14 00	90.00	90 00					30 89	7.03		i
	NUMBER PORTABILITY		_	OLI DX	OL, AL	1400	50.00									
	Local Number Portability (1 per port)		—	UEPBX	LNPCX	0.35										
FEATU																
	All Features Offered			UEPBX	UEPVF	0.00	0.00	0.00	ļ				30.89	7.03		
NONRE	CURRING CHARGES - CURRENTLY COMBINED		-						 							
	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is		l	UEPBX	USAC2		41.50	41.50					30.89	7.03		i
	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is	\vdash	 	OLI DA	JUNUE		71.50	71.30					00.00			
	change	L		UEPBX	USACC		41.50	⁻ 41.50					30,89	7.03		
	ONAL NRCs															
	NRC - 2-Wire Voice Grade Loop/Line Port Combination -												20.00	7,00		
	Subsequent VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)		-	UEPBX	USAS2	0.00	0.00	0.00	 	·			30.89	7.03		
	ort/Loop Combination Rates		\vdash		-				· · ·					· · ·		
	2-Wire VG Loop/Port Combo - Zone 1	\vdash	1			26 48			 			-				
	2-Wire VG Loop/Port Combo - Zone 2		2			30.31	_									
	2-Wire VG Loop/Port Combo - Zone 3		3			35.32										
	op Rates	$\overline{}$														

/11D0/10cw	D NETWORK ELEMENTS - Tennessee												Attachi	ment: 2	Exhit	bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Nonrecuming		Nonrecurring	Disconnect	-		OSS	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRG	UEPLX	12.48										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRG	UEPLX	16 31	;				 		1			
	2-Wire Voice Grade Loop (SL1) - Zone 3			UEPRG	UEPLX	21.32					 		-	-		
2-Wire	e Voice Grade Line Port Rates (RES - PBX)								 		_		· ·			
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -								·	· · · · · · · · · · · · · · · · · · ·						
	Res			UEPRĠ	UEPRD	14.00	90.00	90 00	1			1	30 89	7.03		1
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
FEAT													I			
	All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00					30.89	7.03		
NONR	ECURRING CHARGES - CURRENTLY COMBINED										l					
1		I			1		I I	-			1					
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is		<u> </u>	UEPRG	USAC2		41 50	41 50			1		30 89	7.03		L
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with				I		Ι Τ					I				
	Change			UEPRG	USACC		41.50	41 50					30 89	7.03		
ADDIT	TIONAL NRCs	ļ	_				ļ l									
- 1	2 Wire Loop/Line Side Port Combination - Non feature -	1	Ι ΄		!		1				1	1				
	Subsequent Activity- Nonrecurring						0.00	0.00			ļ		30.89	7.03	ļ	
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt	İ	ŀ		1]	1	i			l	ì	1
0.1875	Group		<u> </u>		<u> </u>		14 64	14.64			ļ		30 89	7.03		ļ
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)										 		ļ			<u> </u>
UNE	Port/Loop Combination Rates										· · · · · · · · · · · · · · · · · · ·			ļ		
	2-Wire VG Loop/Port Combo - Zone 1		1		+	26 48					+		ļ			
	2-Wire VG Loop/Port Combo - Zone 2		2			30.31	<u> </u>			ļ		ļ				
	2-Wire VG Loop/Port Combo - Zone 3	_	3		+	35.32							ļ			
UNEL	Loop Rates			LIEDOV	- LIEBLY	10.10					+					
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPPX	UEPLX	12 48	1									
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPPX	UEPLX	16.31				· · · · · · · · · · · · · · · · · · ·					 	
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPPX	UEPLX	21.32			ļ		 				 	├
2-Wire	e Voice Grade Line Port Rates (BUS - PBX)		_				 									
	Line Order Hartward and Complete to a New POW To add Dark Dark			UEPPX	UEPPC	14 00	90.00	90.00	ļ	ļ.			30 89	7 03	l	1
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus Line Side Unbundled Outward PBX Trunk Port - Bus		<u> </u>	UEPPX	UEPPO	14.00	90.00	90.00			ļ.——		30 89	7.03		
-+-			⊢—	UEPPX	UEPP1	14.00	90.00	90.00					30 89	7.03		
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPLD	14.00	90.00	90.00			+		30.89	7.03		
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	14.00	90.00	90.00			+		30.03	7.03		
i	2-Wire Voice Unbundled 2-Way Combination PBX Tennessee	Į .		UEPPX	UEPT2	14 00	90 00	90.00	1		1		30.89	7.03	i	
	Calling Port			UEPPX	UEP12	14 00	9000	90.00					30.55	7.05	 	
1	2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee		l	UEPPX	UEPTO	14 00	90.00	90 00	I	I	1	1	30.89	7.03	1	1
	Calling Port	1-		UEPPX	UEPXA	14.00		90.00					30.89	7.03	-	
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port		_	UEPPX	UEPXA	14.00		90.00			 	 	30.89		 	\vdash
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	-		UEPPX	UEPXB	14.00	90 00	90.00					30.89			
	2-Wire Voice Unbundled PBX LD DDD Terminals Port	\vdash	⊢-	UEPPX	UEPXD	14.00	90.00	90.00			 		30.89			
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	 	-	UEPPX	UEPAU	14.00	90.00	30 00			 			7.00	 	
1	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	1		UEPPX	UEPXE	14.00	90.00	90.00	I	I		1	30.89	7.03	I	1
\longrightarrow	Capable Port		_	UEPPX	UEPAE	14.00	90.00	90.00		 	+		30.09	7.00		
1	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1		LIEBBY	UEPXL	14.00	90 00	90.00	1	I			30 89	7.03	I	}
	Administrative Calling Port		 	UEPPX	UEPAL	14.00	9000	30.00			+	 	00 00	7.00		
!	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		1	UEPPX	UEPXM	14.00	90 00	90 00	Į.	1			30.89	7.03		
	Room Calling Port			USEFFA	UEFAM	14.00	90 00	90 00			+		00.09	1.00	 	
1	2-Wire Voice Unbundled 1-W Out PBX Hotel/Hospital Economy	1		UEPPX	UEPXN	14.00	90.00	90.00	I	I		1	30.89	7 03	l	1
	Administrative Calling Port TN	ļ.——	-	DEPPA	UEFAIN	14.00	90.00	90.00			 	 	00.03	1	 	-
ĺ	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			UEPPX	UEPXO	14.00	90.00	90.00	I		1	1	30.89	7.03	i	1
	Discount Room Calling Port	-											30.89		 	
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		_	UEPPX	UEPXS	14 00	90 00	90.00			 		30.09	7.03	 	
- 1	2-Wire Voice Unbundled PBX Collierville and Memphis Calling	I		LIEDDY	LUEDYI.	44.00		00.00	i	1		1	30.89	7.03		1
	Port	Ь—		UÉPPX	UEPXU	14 00	90.00	90.00			+-	 	30.89	7.03		
	2-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ	1	I	UEPPX	UEPXV	14.00	90.00	90.00	I		1		30 89	7.03	1	
1	Callling Port															

UNE	UNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment; 2	Exhi	bit: B
CATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(S)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge -
	+		<u> </u>	├─		 	Rec	Nonrecurring First	Add'I	Nonrecurring First	Disconnect	00450	001141		Rates(\$)		
		Local Number Portability (1 per port)	-	-	UEPPX	LNPCP	3 15	0.00	0.00	FIRST	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	FEATL		 	 	OLITA .	1011 01	3 13	0.00	0.00		 		ļ		 		<u> </u>
		All Features Offered	—	t	UEPPX	UEPVF	0.00	0.00	0.00	-		 		30.89	7.03		-
	NONR	CURRING CHARGES - CURRENTLY COMBINED				102.7.	0.00	0.00	0.00			ļ		30.89	7.03		
	1											·				 	
	+	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPPX	USAC2		41.50	41.50	[1		ł	30 89	7 03		i
		2-Wire Voice Grade Loop/ Line Port Combination - Switch with											-		1 33		
		Change		ļ	UEPPX	USACC		41.50	41.50	L			1	30.89	7.03	ł	1
		2-Wire Voice Grade Loop/ Line Port Combination - Subsequent	ļ														·
	+	2 Wire Loop/Line Side Port Combination - Subsequent		 	UEPPX	USAS2	0.00	0.00	0.00			<u> </u>	<u> </u>	30.89	7 03	<u> </u>	l
	-	Subsequent Activity- Nonrecurring		1								l					
	+	PBX Subsequent Activity - Change/Rearrange Multiline Hunt		 		 		0.00	0.00	ļ	ļ			30.89	7.03		L
		Group		1	İ			44.0.			1]		l			
	2-WIR	VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	T .	-				14.64	14 64					30.89	7.03		<u> </u>
		ort/Loop Combination Rates	<u> </u>	· · · · ·		+	· · · · · · · · ·										
	1	2-Wire VG Coin Port/Loop Combo - Zone 1		1		+ -	26.48										Ļ
	$\overline{}$	2-Wire VG Coin Port/Loop Combo - Zone 2		2		- 	30.31					-				ļ	ļ
		2-Wire VG Coin Port/Loop Combo - Zone 3	_	3		 	35.32					!	<u> </u>				
	UNE L	pop Rates				_	35.32										
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	12 48			 -	-				ļ		
		2-Wire Voice Grade Loop (SL1) - Zone 2			UEPCO	UEPLX	16.31										
		2-Wire Voice Grade Loop (SL1) - Zone 3			UEPCO	UEPLX	21.32										
	2-Wire	Voice Grade Line Port Rates (Coin)		۳	02.00	TOLI LX	21.02								ļ		
		2-Wire Coin 2-Way without Operator Screening and without				 					l			ļ			
		Blocking (TN)			UEPCO	UEPTB	14.00	90 00	90.00			1		30 89	7.03		İ
		2-Wire Coin 2-Way with Operator Screening and Blocking, 011,			-	102.75		- 50 00	30.00					30 03	7.00		
	i i	900/976, 1+DDD (NC, TN)			UEPCO	UEPRP	14.00	90.00	90.00					30.89	7.03		
		2-Wire Coin 2-Way with Operator Screening and 011 Blocking				1021111	7.100		00.00					00.00	7.00		
	ľ	(TN)			UEPCO	UEPTA	14.00	90 00	90.00					30.89	7.03		
		2-Wire Coin 2-Way with Operator Screening and Blocking:			7										7.55		
		900/976, 1+DDD, 011+, and Local (NC, TN)			UEPCO	UEPCA	14.00	90.00	90.00					30 89	7.03		1
		2-Wire Coin Outward with Operator Screening and 011 Blocking															
		(TN)		1	UEPCO	UEPTC	14.00	90 00	90.00					30 89	7.03		
		2-Wire Coin Outward with Operator Screening and Blocking:															
		900/976, 1+DDD, 011+, and Local (TN)			UEPCO	UEPOT	14.00	90.00	90.00		l			30.89	7.03		Í
	LOCAL	NUMBER PORTABILITY						·									
		Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
	NONR	CURRING CHARGES - CURRENTLY COMBINED									ļ.,						ļ
					1	1					ľ						
		2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPCO	USAC2		41.50	41.50					30.89	7 03		
		2-Wire Voice Grade Loop/ Line Port Combination - Switch with				1					ł	!]
	45517	Change		ļ	UEPCO	USACC		41.50	41.50					30 89	7.03		ļ
	ADDIT	ONAL NRCs						j									
	1	0.146				1					1	1					1
LIMP	INDI ED I	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPCO	USAS2	0 00	0.00	0.00					30.89	7.03		
UNBL		ORT/LOOP COMBINATIONS - MARKET BASED RATES															
		VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORI			+											
	UNE P	ort/Loop Combination Rates		٠.		 	40.00										
	+	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1		+	49.60				l						
	 	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2	L	2		+	51.09					ļ					
	I INTE	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			56.00										
		pop Rates			HEDDA	UEOE:					ļ —— — <u>-</u>						
	 	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	9.60					_					
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD1	11.09				ļ	ļ					
	+	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1	16.00					ļ		20.00	7.00		
	 	Exchange Ports - 2-Wire DID Port		 	UEPPX	UEPD1	40.00	690.00	45.00	8.45	3.91	ļ		30 89	7.03		
	INONRE	CURRING CHARGES - CURRENTLY COMBINED			!	1 1		1	- 1	l	i						1

JNBUNI	DLE	D NETWORK ELEMENTS - Tennessee													Attachi	nent: 2	Exhil	bit: B
ATEGO	RY	RATE ELEMENTS	interi m	Zone		cs	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sw Order vs. Electronic Disc Add'
	_			├	├─-		<u> </u>		Nonrecurring		Nonrecurring	Disconnect		L		Rates(\$)	Disc 1st	Diac Add i
								Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -																
-+		Switch-As-Is Top 8 MSAs only 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion		├─-	UEPPX		USAC1	ļ	100.00	42.50			ļ		30 89	7.03		
1		with BellSouth Allowable Changes Top 8 MSAs only		1	UEPPX		USA1C		100.00	42.50		Ì	l	İ	30.89	7.03	1	
_ To		one Number/Trunk Group Establisment Charges		-	OLITA.		Journe		100.00	42.50				 	30.69	7.03		
		DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0 00	0.00								
		Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0 00								
		DID Numbers, Non- consecutive DID Numbers, Per Number			UEPPX		ND5	0 00	0 00	0.00								
_		Reserve Non-Consecutive DID numbers		L	UEPPX		ND6	0.00	0.00	0.00								
 		Reserve DID Numbers		ļ	UEPPX		NOV	0.00	0 00	0.00								
_	OCAL	NUMBER PORTABILITY		⊢			ļ <u>-</u>						<u> </u>					
	WIDE	Local Number Portability (1 per port) ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LII	IE OID:	L DOD'	UEPPX		LNPCP	3.15	0.00	0 00			_			ļ		ļ
		PRIVIOUS COMPONENTS OF THE PROPERTY OF THE PRO	VE SID	POH	<u></u>			—			 				<u> </u>	 _		
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	-	-				 					 					
_		UNE Zone 1		1	UEPPB	UEPPR		32 27										
		2W ISON Digital Grade Loop/2W ISON Digital Line Side Port - UNE Zone 2		2	UEPPB	UEPPR		34.78					<u></u>					
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3		3	UEPPB	UEPPR		44 32								ĺ		
-		2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	16.20					-					
- 1		2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	18 71					1			•		
		2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR		28.25					<u> </u>					
		Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	80.00	525.00	400.00	75.00	70.00			30.89	7.03		
N		CURRING CHARGES - CURRENTLY COMBINED									-							
		2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion - Top 8 MSAs only			UEPPB	UEPPR	USACB	0.00	225.00	- 225.00					30.89	7.03		
A		ONAL NRCs											l					
		2-Wire ISDN Loop / 2-Wire ISDN Port Combination - Sub Activy Non Feature/Add Trunk			UEPPB	UEPPR	USASB		212.88						30.89	7.03		
L		NUMBER PORTABILITY																
		Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0 00			I					
B		NNEL USER PROFILE ACCESS:					I											
		CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
_		CVS (EWSD)		_	UEPPB	UEPPR	U1UCB	0.00	0.00	0 00			ļ					
		CSD		<u></u>	UEPPB	UEPPR	U1UCC	0.00	0 00	0.00			 			ļ	ļ	ļ
B		NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC	C,MS, &	(TN)				1					 					
		CVS/CSD (DMS/5ESS)		 	UEPPB	UEPPR	U1UCD	0.00	0 00	0.00							 	
		CVS (EWSD)		├─	UEPPB	UEPPR	U1UCE U1UCF	0.00	0.00	0.00			 			 		
		FERMINAL PROFILE		 	OEFFB.	UEFFR	UTOOF	0.00	0.00	0.00	 	-	 					· · · · · · · · · · · · · · · · · · ·
	SER	User Terminal Profile (EWSD only)		 	UEPPB	UEPPR	U1UMA	0.00	0.00	0.00			t					
tv	FRTIC	CAL FEATURES		-	OLFFB	OCITA	O TOWN	0.00	5.55	0.00								——
		All Vertical Features - One per Channel B User Profile		 	UEPPB	UEPPR	UEPVF	0.00	0.00	0.00			1	T			1	
_		Interoffice Channel mileage each, including first mile and				UEPPR	MIGNC	17.91	53.99	17.37								
		facilities termination Interoffice Channel mileage each, additional mile	-	 		UEPPR	MIGNM	0,173	0.00	0.00			 				<u> </u>	
4	WIDE	DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	PORT	 	UEFFB	OLFFR	MIGHA	0.175	0.00	0.00					 			
		ort/Loop Combination Rates		 									-					
Ť		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Izone 1		1	UEPPP			982.73										
_		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		<u> </u>			1						1					
-+		Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port • UNE		2	UEPPP		 	1,000.40					 	 -	 			
		Zone 3		3	UEPPP		<u></u>	1,023 59						L				
		4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	57 73									 	
		4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	75.40						<u> </u>				
		4-Wire DS1 Digital Loop - UNE Zone 3	1	3	UEPPP		USL4P	98.59			L		,	<u> </u>		<u></u>		L

ONROND	DLED NETWORK ELEMENTS - Tennessee													ment: 2	Exhil	bit: B
CATEGORY	RY RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrecurring		Nonrecurring	Disconnect	1		oss	Rates(\$)	<u> </u>	
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP	UEPPP	925 00	950.00	950.00	130 00	100.00			30.89	7.03		
NO	ONRECURRING CHARGES - CURRENTLY COMBINED	4	ļ													
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion -Switch-As-Is Top 8 MSAs only		1													
ADI	DDITIONAL NRCs		 	UEPPP	USACP	0.00	925 00	925.00					30 89	7.03		<u> </u>
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-	+	+	·	 	 									ļ	
	Inward/two way tel nos within Std Allowance (except NC)			UEPPP	PR7TF		0.94				i i	l	1			ĺ
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -		+	ULFFF	FRAIR		0.94				<u> </u>					ļ
	Outward Tel Numbers (All States except NC)		1	UEPPP	PR7TO	ŀ	22.36	22.36	1		l .					l
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -	· · · · · ·	 	<u> </u>	1,1,7,0						 	l	 			
	Subsequent Inward Tel Nos Above Std Allowance	1	i	UEPPP	PR7ZT		44,71	44,70	! !				1	i		ļ
LOC	OCAL NUMBER PORTABILITY				1						 					
	Loca! Number Portability (1 per port)		1	UEPPP	LNPCN	1.75										
INT	TERFACE (Provisioning Only)										1				• • • • • • • • • • • • • • • • • • • •	
	Voice/Data			UEPPP	PR71V	0.00	0 00	0 00							****	†
	Digital Data			UEPPP	PR71D	0 00	0 00	0 00			1					
	Inward Data			UEPPP	PR71E	0 00	0.00	0 00								
Nev	ew or Additional "B" Channel						l				L					
	New or Additional - Voice/Data B Channel			UEPPP	PR78V	0.00	28.39									
	New or Additional - Digital Data B Channel		ļ	UEPPP	PR78F	0.00	29 11									L
	New or Additional Inward Data B Channel		ļ	UEPPP	PR78D	0.00	29 39									<u> </u>
CAL	ALL TYPES		ļ													<u> </u>
	Inward Outward	╄	 	UEPPP UEPPP	PR7C1	0.00		0 00			ļ					
	Two-way	↓	├	UEPPP	PR7C0 PR7CC	0.00	0.00	0.00	ļ							
- Inte	teroffice Channel Mileage			UEPPP	PH/CC	0.00	0.00	0.00								
IIII	Fixed Each Including First Mile	+	-	UEPPP	1LN1A	76 1825	145 98	109.85	19 55		 					
	Each Airline-Fractional Additional Mile	 	+	UEPPP	1LN1B	0.3525	145 96	109.65	19 00							
1.W	WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT	+	 	UEFFF	ILIVID.	0.3525										
	NE Port/Loop Combination Rates	 	†		+											1
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	+	1	UEPDC	+	93.28										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2	1		UEPDC	+	110.95					 					
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3	+	3	UEPDC	 	134,14										
UNE	NE Loop Rates	1			 				- 1				-			1
	4-Wire DS1 Digital Loop - UNE Zone 1	 	1	UEPDC	USLDC	57 53										
	4-Wire DS1 Digital Loop - UNE Zone 2	T	2	UEPDC	USLDC	75 40										
	4-Wire DS1 Digital Loop - UNE Zone 3			UEPDC	USLDC	98.59										
UNE	NE Port Rate															L
	4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	750.00	982.57	450.10	196.09	19.23			30.89	7 03		<u> </u>
NO	ONRECURRING CHARGES - CURRENTLY COMBINED															
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	1														
	- Switch-As-Is Top 8 MSAs only		1	UEPDC	USAC4		312 91	312.91	ļ .				30.89	7 03		
			1											l		1
- 1	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	וי	1		l				J .		I				1	
	- Conversion with DS1 Changes Top 8 MSAs only	ļ	<u> </u>	UEPDC	USAWA		312.91	312.91	<u> </u>		 		30.89	7 03		
	<u> </u>	1	1				[1			l	l	
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	וי	1		1		ا ا		l İ		1	}	00.00	7	l	
	- Conversion with Change - Trunk Top 8 MSAs only	 	ļ	UEPDC	USAWB		312.91	312 91	l		 		30.89	7 03		
ADI	DDITIONAL NRCs	 	 					<u>-</u>	 		 			 	 	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent	1		UEPDC	USA\$4		94.88	94.88						l	Ī	[
	Service Activity Per Service Order	+	 	DEPUG	USAS4		94.88	94.88	 		 					
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -	1		HEBDC	UDTT 4		100.07	108.67					30.89	7.03	I	1
	Subsequent Channel Activation/Chan - 2-Way Trunk	-	<u> </u>	UEPDC	UDTTA		108.67	108.67			 		30.89	1.03		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent		i i	LIEBBO	LIDTTO		100 04	100.07					30.89	7.03		
	Channel Activation/Chan - 1-Way Outward Trunk	-		UEPDC	UDTTB		108.67	108.67	 				30.89	7.03		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel	i	1	UEBDC	UDTTC		108.67	108.67				1	30.89	7.03		
	Activation/Chan Inward Trunk w/out DID	 		UEPDC	TODLIC		100.07	108.67	 				30.09	7.00		
- 4	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsont Chan	1	1	UEPDÇ	UDTTD	l	108 67	108.67	i l		1	l	30.89	7.03	l	I

HOUNDL	LED NETWORK ELEMENTS - Tennessee												Attachi	ment: 2	Exhil	bit: B
TEGORY	T RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge -	Incremen Charge
			Ι			Rec	Nonrecurring		Nonrecurrin	Disconnect	<u> </u>		oss	Rates(\$)		
			T			Hec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Char	١									1			COMPART	COMPAN	3011171
	Activation / Chan - 2-Way DID w User Trans	1	1	UEPDC	luptte		108.67	108.67	1	l .	1		30 89	7.03		
BIPC	OLAR 8 ZERO SUBSTITUTION							100.01			 		30 03	7.03		
	B8ZS -Superframe Format		1	UEPDC	CCOSF		0.00	590 00		 						
	B8ZS - Extended Superframe Format		+-	UEPDC	CCOEF		0.00	590.00					ļ			
Alter	ernate Mark Inversion						9.00	330.00	· · · · · · · · · · · · · · · · · · ·		 					
. [AMI -Superframe Format		$\overline{}$	UEPDC	MCOSF		0.00	0 00			 					
	AMI - Extended SuperFrame Format		+	UEPDC	мсоро		0.00	0.00			ļ					ļ
Tele	ephone Number/Trunk Group Establisment Charges		+	02700	1110010		0.00	0.00								
	Telephone Number for 2-Way Trunk Group		+	UEPDC	UDTGX	0.00		·			 					
	Telephone Number for 1-Way Outward Trunk Group		+	UEPDC	UDTGY	0.00				-	ļ - 					
	Telephone Number for 1-Way Inward Trunk Group Without	DID	+-	UEPDC	UDTGZ	0.00			 	 	 					
	DID Numbers, Establish Trunk Group and Provide First Group		+		100.02	0.00	 			 	 	 				
- 1	of 20 DID Numbers	T	1	UEPDC	NDZ	0.00	0.00	0.00	1		I	[!		,	
	DID Numbers for each Group of 20 DID Numbers		+-	UEPDC	ND4	0.00	0.00	0.00			 					
	DID Numbers, Non- consecutive DID Numbers , Per Number	,	+	UEPDC	ND5	0.00	 		 	 	ļ			ļ		
\neg	Reserve Non-Consecutive DID Nos		+-	UEPDC	ND6	0.00	0.00		L	ļ	<u> </u>	ļ				
	Reserve DID Numbers		+-					0 00			ļ					
Dodi	licated DS1 (Interoffice Channel Mileage) -		+	UEPDC	NDV	0.00	0.00	0 00								
EV/E	FCO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Po		.	 												
FAF		nt	\vdash								1					
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities	ŀ	1			1 :	i				1					
	Termination)		1	UEPDC	1LNO1	75.83	145.98	109.85	19.66	14.99	I	i				
			1													
	Interoffice Channel Mileage - Additional rate per mile - 0-8 m	iles		UEPDC	1LNOA	0.3525	0.00	0 00	l	l .		1				
- 1	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities														-	
	Termination)			UEPDC	1LNO2	0.00	0.00	0.00		!						
	Interoffice Channel Mileage - Additional rate per mile - 9-25															
	miles	i	1	UEPDC	1LNOB	0.3525	0.00	- 0.00			1					ŀ
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities									•						
- 1	Termination)	- 1		UEPDC	1LNQ3	0 00	0.00	0.00		l						ľ
			1							İ						· · · · · · · · · · · · · · · · · · ·
	Interoffice Channel Mileage - Additional rate per mile - 25+ m	nies		UEPDC	1LNOC	0 3525	000	0 00		f						
	Local Number Portability, per DS0 Activated		 	UEPDC	LNPCP	3.15	0.00	0.00								
	Central Office Termininating Point		+	UEPDC	CTG	0.00				·						
4-WI	TRE DS1 LOOP WITH CHANNELIZATION WITH PORT		+-		10.0	0.00										
	tem is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature	Activation		····												
A sv	ystem can have various rate combinations based on type and	t number o	í norte	lleed	+					 -						
IINF	E DS1 Loop		. porta							 	l					
15:17	4-Wire DS1 Loop - UNE Zone 1	_	1	UEPMG	USLDC	57.73	0.00	0.00		 	1	-				
+	4-Wire DS1 Loop - UNE Zone 2	+-	2	UEPMG	USLDC	75.40	0.00	0.00			——					
+	4-Wire DS1 Loop - UNE Zone 2			UEPMG	USLDC	98.59	0.00	0.00	L	 						
111117			13	UEPMG	USLUC	98.59	0.00	0.00								
UNE	DSO Channelization Capacities (D4 Channel Bank Configur	adons)	+	LIEDMO	1,0,000	404.55				<u> </u>			00.55	7.00		
	24 DSO Channel Capacity - 1 per DS1		+	UEPMG	VUM24	131.87	0.00	0.00					30.89	7.03		<u> </u>
	48 DSO Channel Capacity - 1 per 2 DS1s		1	UEPMG	VUM48	263 74	0.00	0.00					30.89	7.03		L
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	527.48	0.00	0 00		L			30.89	7.03		
	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	791.42	0.00	0.00			L		30.89	7.03		
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	827.76	0.00	0.00					30.89	7.03		
	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM20	1,318.70	0.00	0.00					30 89	7.03		
	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,582.44	0.00	0.00					30.89	7 03		
	384 DS0 Channel Capacity - 1 per 16 DS1s		Ĭ	UEPMG	VUM38	2,109.92	0.00	0.00					30 89	7 03		
	480 DS0 Channel Capacity - 1 per 20 DS1s		T	UEPMG	VUM40	2,637.40	0.00	0.00					30 89	7.03		
	576 DS0 Channel Capacity -1 per 24 DS1s		1	UEPMG	VUM57	3,164.88	0.00	0.00					30.89	7.03		
-1	672 DS0 Channel Capacity - 1 per 28 DS1s	\neg	 	UEPMG	VUM67	3,692,36	0.00	0.00					30.89	7,03		
Non-	-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop	with Chen	neliztio								· · · · · · · · · · · · · · · · · · ·		22:50			
	inimum System configuration is One (1) DS1, One (1) D4 Cha									 	 				~	
	tiples of this configuration functioning as one are considere						 			-	l		-			
muili	NRC - Conversion (Currently Combined) with or without	- 700 1 0111	,, 610 		myuration is	ocumou.									_	
1			1	UEPMG	USAC4	0.00	303.61	15.74					30 89	7.03		1
	BellSouth Allowed Changes - Top 8 MSAs Only	1	1	JUEPMG	JUSAU4	0.00	303.61	15./4					30 09	7.03		\vdash

NBUNDLE	NETWORK ELEMENTS - Tennessee													nent; 2		bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge -
						Rec	Nonrecurring			Disconnect				Rates(\$)		
					<u> </u>	1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
in Top	1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc	<u> </u>	1		-		ļ		<u> </u>		ļ					ļ
- 1	Fea Activation -			UEPMG	VUMD4	0.00	704.68	441.48	138,36	16.41			30.89	7.03		1
Bipolar	8 Zero Substitution		+	OCFINIG	14014104	0.00	704.00	441.40	130,30	10.41			30.09	7.03		
1.0	Clear Channel Capability Format, superframe - Subsequent		† 		 	<u> </u>			<u> </u>				ļ · ·			
	Activity Only		1	UEPMG	CCOSF	0.00	0.00	590.00	İ				l			1
	Clear Channel Capability Format - Extended Superframe -															
	Subsequent Activity Only		<u> </u>	UEPMG	CCOEF	0.00	0.00	590 00						L		l
Alterna	te Mark Inversion (AMI)		ļ													
	Superframe Format Extended Superframe Format		ļ	UEPMG UEPMG	MCOSF	0.00	0.00	0 00	ļ							ļ
Evchor	ge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Dost	UEPMG	MCOPO	0.00	0.00	0 00				ļ			ļ	ļ. — ——
	ge Ports Associated with 4-wire DST Loop with Channelization	on with	Port	· · · · · · · · · · · · · · · · · · ·	+							-				
Exolici	90 1 01.0		 		· 	 										
	Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	14.00	0.00	0 00	0.00	0.00			30.89	7 03	•	
	Line Side Outward Channelized PBX Trunk Port - Business		<u> </u>	UEPPX	UEPOX	14 00	0.00	0 00	0.00	0.00			30.89	7.03		
						1										T
	Line Side Inward Only Channelized PBX Trunk Port without DID		1	UEPPX	UEP1X	14.00	0 00	0.00	0 00	0.00			30.89	7 03		
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	40.00	0.00	0.00	0.00	0.00			30.89	7.03		<u> </u>
Feature	Activations - Unbundled Loop Concentration		ļ							<u> </u>						
	Feature (Service) Activation for each Line Side Port Terminated in D4 Bank		ļ	UEPPX	1PQWM	0.66	40.00	20.00	6.00	5.00						
	Feature (Service) Activation for each Trunk Side Port Terminated in D4 Bank			UEPPX	1PQWU	0.66	110.00	30.00	75.00	15.00						
Teleph	one Number/ Group Establishment Charges for DID Service															
	DID Trunk Termination (1 per Port)		——	UEPPX	NDT	0.00	0 00	0 00							 	
	DID Numbers - groups of 20 - Valid all States Non-Consecutive DID Numbers - per number			UEPPX UEPPX	ND4 ND5	0.00	0.00	0.00			ļ					<u> </u>
	Reserve Non-Consecutive DID Numbers		1	UEPPX	ND6	0.00	0.00	0.00				-	-	 	 	
	Reserve DID Numbers		+	UEPPX	NDV	0.00	0.00	0.00				 				
Local N	lumber Portability		-	U X	1.1.5	0.00	7.44		i							
	Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
FEATU	RES - Vertical and Optional															
Local 9	witching Features Offered with Line Side Ports Only														ļ	ļ
	All Features Available			UEPPX	UEPVF	0.00	0.00	0 00	<u> </u>							
BUNDLED (ENTREX PORT/LOOP COMBINATIONS - COST BASED RATES	s	<u> 1</u>			L			ļ							
1. Cost	Based Rates are applied where BellSouth is required by FCC	and/or	State (Commission rule to	provide Unb	undled Local S	witching or Sw	itch Ports.	. Unbundled D	land specified of	thic Bata Ex	daibit	-			
2. Feat	ures shall apply to the Unbundled Centrex Port/Loop Combin	ation -	Cost B	ased Rate section i	n the same m	anner as they a	re applied to the	led Control D	e Unbundled P	on section or	Inis rate E	Tibit.			 	
	Office and Tandem Switching Usage and Common Transport recurring UNE Port and Loop charges listed apply to Current										4 or more	DS0 equival	ents. The sta	nd alone firs	and addition	nal Port and
	onrecurring charges apply to Not Currently Combined Combo		A1100 0	ind reof Contoning Co	Ombinos oon	ibob, except iii		• • • • • • • • • • • • • • • • • • •				•				
5. Mar	ket Rates for Unbundled Centrex Port/Loop Combination will	be neg	otiated	on an Individual C	ase Basis, un	til further notic	е.							L		
UNE-P	CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only	7)														
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo											ļ				
UNE PO	ort/Loop Combination Rates (Non-Design)	l									ļ		ļ			
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1		Į.		1		i				1				
	Non-Design	L.	1	UEP91		14,18				 		 	 	 		
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP91		18.01										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP91		_23.02										<u> </u>
UNE P	ort/Loop Combination Rates (Design)		1													
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		T					-					1			
	Design		1	UEP91		18.26					<u> </u>	1	<u> </u>			ļ
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP91		23 33										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -											i .	ŀ			1

	NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Fyhi	bit: B
regory	RATE ELEMENTS	interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Incremental		Incremental Charge -	Increme
-+			 			Rec	Nonrecurring First	A J 40	Nonrecurring					Rates(\$)	· · · · · · · · · · · · · · · · · · ·	
UNE LO	op Rate	-	\vdash				FIFST	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	12 48		-			ļ	ļ				<u> </u>
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	16 31										↓
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	21.32					 -					
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	16.56										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	21.63					 					
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	28,28		-			 				<u> </u>	
UNE Po											 	 				\vdash
All Stat	es (Except North Carolina and Sout Carolina)										· ·					
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP91	UEPYA	1.70	22.14	15.25	8.45	3.91	 	30.89	7.03			
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local														 	
	Area			UEP91	UEPYB	1.70	22,14	15.25	8.45	3.91	ļ	30 89	7.03		1	1
1 1	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area	i														
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			UEP91	UEPYH	1.70	22.14	15 25	8.45	3 91		30 89	7.03			1
	Center)2 Basic Local Area			LIEDOA	Luena											
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP91	UEPYM	1 70	22.14	15 25	8.45	3 91		30 89	7 03			
1 1	Term - Basic Local Area			UEP91	UEPYZ	1.70		40.00								1
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			DEP91	UEPTZ	1.70	22 14	15 25	8.45	3 91		30.89	7.03		ļ	ļ
	- Basic Local Area			UEP91	UEPY9	1.70	22.14	15 25	8.45	3.91			7.00			Ì
	2-Wire Voice Grade Port Terminated on 800 Service Term -			OLI 31	- OEF 19	1.70	22.14	15 25	8.45	3.91		30 89	7.03			<u> </u>
	Basic Local Area			UEP91	UEPY2	1.70	22 14	15 25	8.45	3 91		30 89	7 03			i
AL, KY,	LA, MS, & TN Only			02.01	100, 12	1.70		19 29	0.40	391	 	30 89	7 03			├
	2-Wire Voice Grade Port (Centrex)			UEP91	UEPQA	1.70	22.14	15.25	8 45	3 91	-	30.89	7 03			
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPQB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPOH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire											- 55.55				-
	Center)2			UEP91	UEPQM	1.70	22.14	- 15.25	8.45	3 91		30.89	7 03			ı
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP91	UEPQZ	1,70	22.14	15.25	8 45	3.91		30.89	7.03			
													-			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPQ9	1.70	22.14	15 25	8.45	3.91		30 89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPQ2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	witching Centrex Intercom Funtionality, per port			14555												
	umber Portability			UEP91	URECS	0.6381					ļ				ļ	—
	Local Number Portability (1 per port)			UEP91	LNPCC	0.35					ļ					
Feature	e			DEFSI	LINFOC	0.35			-		ļ					
	All Standard Features Offered, per port			UEP91	UEPVF	0.00					 	30 89	7 03			
	All Select Features Offered, per port	_	_	UEP91	UEPVS	0.00	433.78		-			30 89	7.03			
	All Centrex Control Features Offered, per port			UEP91	UEPVC	0.00	400.70					30 89	7.03			
NARS	The Control Control Catalog Cheroa, per port			OLI 31	1021 10	0.00						30 03	, 03			
	Unbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0 00				30 89	7 03			
	Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0 00			 	30.89	7.03			
	Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00				30.89	7.03			
	aneous Terminations															$\overline{}$
2-Wire 1	Frunk Side				1 1											
	Trunk Side Terminations, each			UEP91	CENA6	8.78	22.14	15 25	8.45	3.91		30.89	7.03			
	ce Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination - Voice Grade			UEP91	M1GBC	18.58	22 14	15.25	8.45	3 91		30.89	7.03			
	Interoffice Channel mileage, per mile or fraction of mile			UEP91	M1GBM	0.0174										
	Activations (DS0) Centrex Loops on Channelized DS1 Service	9														
	nnel Bank Feature Activations															
\perp	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.66										
1 1							T									i
	Footure Astrution on D. 4 Channel Book FV time Cide Lane Clat.			UEP91	1PQW6	0.66	i i		ı		ı	· .				i
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop			OLIGI	11 (2440	0.00										

MRON	DLE	NETWORK ELEMENTS - Tennessee													nent: 2		oit: B
ATEGO	RY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sy Order vs. Electronic Disc Add
							Rec	Nonrecurring		Nonrecurring		001150	0014411		Rates(\$)		
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -		-				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Different Wire Center			UEP91	1PQWP	0.66					<u> </u>					
		Feature Activation on 0-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.66										
- 1		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			LIEDOA	100110				,							
-+		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91 UEP91	1PQWQ 1PQWA	0 66 0.66								ļ		
- IN		curring Charges (NRC) Associated with UNE-P Centrex			DEPSI	IPQWA	0.66	 				 					
	IOII-NO	Conversion - Currently Combined Switch-As-Is with allowed		\vdash	l	1						 			 		
		changes, per port			UEP91	USAC2		1.03	0.29	ļ .			30.89	7 03			
		New Centrex Standard Common Block			UEP91	MIACS	0.00	658 60	V.E5				30.89	7.03	 	 	-
\neg		New Centrex Customized Common Block			UEP91	MIACC	0.00	658 60				 	30 89	7.03	 		
\dashv		Secondary Block, per Block			UEP91	M2CC1	0 00	73 55		 			30 89	7.03	 	 	
\dashv		NAR Establishment Charge, Per Occasion			UEP91	URECA		68.57					30.89	7.03	<u> </u>		
	NE-P	CENTREX - 5ESS (Valid in All States)	-	\vdash		JULIEUZ.		00.07		 		 	50.05	7.03	 	 	
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo		\vdash	<u> </u>	 		 		 		 				 	 -
		ort/Loop Combination Rates (Non-Design)	-	-	 	1		 		 		 	 	 	 	 	
 		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		-	ļ ————	+	-					 					
		Non-Design		1	UEP95		14.18										
-		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP95		18.01										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP95		23.02										
	INF D	ort/Loop Combination Rates (Design)		<u> </u>	021 33	+	20.02					 		 			
— <u> </u> Ч	MERC	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		 								+	<u> </u>				
		Design		1	UEP95		18.26										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP95		23.33										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		3	UEP95		29.98										
	INE L	pop Rate			OEF 33	+	20.00						-			1	
	NAE F	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	12 48										
		2-Wire Voice Grade Loop (SL 1) - Zone 1		2	UEP95	UECS1	16 31	 	-			 					
				3	UEP95	UECS1	21.32	-				 	-				-
		2-Wire Voice Grade Loop (SL 1) - Zone 3			UEP95	UECS2	16.56					 					
		2-Wire Voice Grade Loop (SL 2) - Zone 1		1 2	UEP95	UECS2	21.63			-		····	·			l	
		2-Wire Voice Grade Loop (SL 2) - Zone 2		3	UEP95	UECS2	28.28					 					
		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	28.28					 				 	· · · · · · ·
		ort Rate	<u> </u>						-			 			 		<u> </u>
A	VII Stat		<u> </u>	ļ	UEP95	UEPYA	1.70	22 14	15 25	8,45	3 91	 	30.89	7 03			
		2-Wire Voice Grade Port (Centrex) Basic Local Area	<u> </u>	-	UEP95	UEPYB	1.70	22.14	15.25		391	+	30.89	7.03	·	-	
_		2-Wire Voice Grade Port (Centrex 800 termination)		 	UEP95	UEPTB_	1.70	22.14	15.25	0.40	331	 	00.00	7.00		 	
-		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP95	UEPYH	1.70	22.14	15 25	8.45	3.91		30.89	7.03			<u> </u>
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area			UEP95	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service								8,45	3.91		30.89	7.03			
		Term - Basic Local Area 2-Wire Voice Grade Port terminated in on Megalink or equivalent		├	UEP95	UEPYZ	1.70	22.14	15.25						 		
		- Basic Local Area	-	<u> </u>	UEP95	UEPY9	1.70	22.14	15.25	8.45	3.91	 	30.89	7.03		ļ	
		2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area		<u> </u>	UEP95	UEPY2	1.70	22.14	15.25	8.45	3.91	 	30.89	7.03		 	<u> </u>
A	AL, KY	, LA, MS, SC, & TN Only	<u> </u>	L	L	1	ļ			 	3 91	 	30.89	7 03	 	1	
		2-Wire Voice Grade Port (Centrex)			UEP95	UEPQA	1.70		15.25				30.89	7 03		1	
		2-Wire Voice Grade Port (Centrex 800 termination)		<u> </u>	UEP95	UEPQB	1.70	22 14	15 25		3 91					 	
		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPQH	1.70	22.14	15.25	8 45	3.91		30.89	7.03	 		
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2			UEP95	UEPQM	1.70	22.14	15.25	8.45	3.91		30 89	7.03			
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP95	UEPQZ	1 70	22.14	15.25	8.45	3.91		30.89	7.03			

UNBUNDLED N	ETWORK ELEMENTS - Tennessee												Attachi	ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)		•		Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge -
						Rec	Nonrecurring			Disconnect				Rates(\$)		
							First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SÓMAÑ
2-W	Vire Voice Grade Port terminated in on Megalink or equivalent	ı	}	UEP95	UEPQ9	1.70	22 14	15.25	8.45	3 91		30.89	7.03	1	1	
2-W	Vire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPQ2	1.70	22 14	15 25	8.45	3 91		30.89	7.03	 	 	
FL & GA Or													7,55			
Local Switch																
	ntrex Intercom Funtionality, per port		—	UEP95	URECS	0 6381										
	ber Portability al Number Portability (1 per port)	 -		ÚEP95	LNPCC	0 35										
Features	ai Number Portability (1 per port)	├─	-	UEP95	LNPCC	0.35			 					-		
	Standard Features Offered, per port	_	+	UEP95	ÜEPVF	0 00			 			30 89	7 03		<u> </u>	
	Select Features Offered, per port			UEP95	UEPVS	0.00	433.78	-				30.89	7.03			<u> </u>
All C	Centrex Control Features Offered, per port			UEP95	UEPVC	0.00						30 89	7.03			
NARS			L													
	bundled Network Access Register - Combination		-	UEP95	UARCX	0 00	0.00	0 00				30 89	7 03			
Unb	bundled Network Access Register - Indial bundled Network Access Register - Outdial	-	-	UEP95 UEP95	UAR1X UAROX	0 00	0.00	0.00				30.89 30.89	7.03			├──
Miscellaneo	ous Terminations	 	-	UEF95	UARUX	000	- 00	0.00				30.08	7.03			
2-Wire Trun			 													
	nk Side Terminations, each			UEP95	CEND6	8 78	47.75	47.01	9.21	8.47		30.89	7.03			
	ital (1.544 Megabits)															
	1 Circuit Terminations, each	L	L	UEP95	M1HD1	35.55	75.93	38.15				30.89	7.03			
	0 Channels Activated, each		—	UEP95	M1HDO	0 00	108.67					30 89	7.03			
	Channel Mileage - 2-Wire	 	-	UEP95	MIGBC	18.58	22 14	15.25	8 45	3.91		30.89	7.03			
	eroffice Channel Facilities Termination eroffice Channel mileage, per mile or fraction of mile	├	-	UEP95	MIGBU	0.0174	22 14	15.25	8 45	3.91		30.09	7.03		-	
Feature Act	tivations (DS0) Centrex Loops on Channelized DS1 Service		+	UEF-95	IVIIGBIVI	0.0174								 		-
	Bank Feature Activations	ĩ –	-													
	ature Activation on D-4 Channel Bank Centrex Loop Slot		1	UEP95	1PQWS	0.66		-								
	ature Activation on D-4 Channel Bank FX line Side Loop Slot	<u> </u>	<u> </u>	UEP95	1PQW6	0.66										
	ature Activation on D-4 Channel Bank FX Trunk Side Loop	1	1						l				l [*]			
Slot	t ature Activation on D-4 Channel Bank Centrex Loop Slot -		-	UEP95	1PQW7	0.66										
	erent Wire Center	Į.		UEP95	1PQWP	0.66	1 1									
- Dalle	Breilf Aylia Carda		 	ULF 33	TI GWI	0.00										
Fea	ature Activation on D-4 Channel Bank Private Line Loop Slot	ŀ	1	UEP95	1PQWV	0.66	1 1]	1			i		l	
Fea	ature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			-											i	
Slot	t		l	UEP95	1PQWQ	0.66			<u> </u>							<u> </u>
	ature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.66							ļ			ļ
	ring Charges (NRC) Associated with UNE-P Centrex	<u> </u>	ļ						ļ							
	C Conversion Currently Combined Switch-As-Is with allowed	i	1	UEP95	USAC2		1.03	0.29	1			30.89	7.03	1	1	ĺ
	anges, per port w Centrex Standard Common Block	-	-	UEP95	M1ACS	0.00	658 60	0.29				30.89	7.03			
	w Centrex Standard Common Block		 	UEP95	MIACC	0.00	658.60		 			30.89	7.03		1	
	R Establishment Charge, Per Occasion		 	UEP95	URECA	0.00	68 57					30.89	7.03			
UNE-P CEN	NTREX - DMS100 (Valid in All States)	_	+-	021 33	O. ILOX											
	Loop/2-Wire Voice Grade Port (Centrex) Combo															L
	.oop Combination Rates (Non-Design)														ļ <u>.</u>	
2-W	Vire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -												1			1
	n-Design	<u> </u>	1	UEP9D		14.18	\vdash						ļ	 		
	Vire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_	LICEOD	1	40.04				ĺ		l				
	n-Design	-	2	UEP9D		18.01					 -		\vdash	 		
	Vire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - n-Design	1	3	UEP9D	1	23.02				I		!	1		1	l
LINE Post/	n-Design Loop Combination Rates (Design)		+ *	OLF 3D		20.02										
	Vire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		+-							1						
Des			1	UEP9D		18.26	L			[L					<u> </u>
	Vire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -													1	1	
Des	sign	l	2	UEP9D		23.33						<u> </u>	<u> </u>	1	L	L

ONRONDE	ED NETWORK ELEMENTS - Tennessee												Attachi	ment: 2	Exhil	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge -	Increments Charge -
		 	-			Rec	Nonrecurring	4 4 4 11	Nonrecurring		551150	661441		Rates(\$)	1 0014411	T
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	+	 -		+		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Design		1 3	UEP9D		29.98					İ					1
ÜNE	Loop Rate	 	اٽ	02.00		20.50					 			-		
	2-Wire Voice Grade Loop (SL 1) - Zone 1	 	1	UEP9D	UECS1	12 48						····			 	
	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEP9D	UECS1	16.31	-									
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	21 32									·	
	2-Wire Voice Grade Loop (St. 2) - Zone 1		1	UEP9D	UECS2	16.56										· · · · · · · · · · · · · · · · · · ·
	2-Wire Voice Grade Loop (SL 2) - Zone 2			UEP9D	UECS2	21.63										<u> </u>
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	28.28								1		1
	Port Rate															
ALL	STATES													L		
	2-Wire Voice Grade Port (Centrex) Basic Local Area	\vdash	↓	UEP9D	UEPYA	1.70	22.14	15.25	8.45	3 91		30 89	7.03			
ı	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	1	1		1						1				1	1
	Area		1	UEP9D	UEPYB	1.70	22.14	15 25	8.45	3 91		30 89	7.03			ļ
ŀ	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area	1		LIEDOD	luenza				ا ـ			أيميم		l	1	1
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local	1		UEP9D	UEPYC	1.70	22,14	15.25	8.45	3.91	 	30.89	7.03	ļ.———	1	
	Area	1	1	UEP9D	UEPYD	1.70	22.14	15.25	8.45	3 91		30.89	7.03		1	
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local	+	┿	UEP9D	DEPTD	1.70	22.14	15.25	8.45	391		30.89	7.03	~	 	├──
l	Area		1	UEP9D	UEPYE	1.70	22.14	15 25	8.45	3.91	. !	30 89	7.03	ł	1	į.
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local	-	+	OLIBO	OCFIL	1.70	22.14	10 20	0,45	3.91	 	30 09	7.03		 	
	Area		1	UEP9D	UEPYF	1.70	22.14	15.25	8.45	3.91		30 89	7.03	i		
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local	 	 	OLF 3D	OLFIT	1.70	22.14	10.20	0.40	3.31		50 03	7.00	<u> </u>	 	
	Area		1	UEP9D	UEPYG	1.70	22.14	15 25	8.45	3 91		30 89	7 03		1	
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local	+	1	02.00	1027.10			10 20	0.10						 	
	Area		1	UEP9D	UEPYT	1.70	22.14	15.25	8 45	3.91		30 89	7.03		1	
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local	 	+-	02.700	JUL 11		22.74	10.20		0.01			7,00			
	Area		1	UEP9D	UEPYU	1.70	22.14	15 25	8.45	3.91		30.89	7.03			1
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local	 		<u> </u>	10-10-1											
	Area		1	UEP9D	UEPYV	1.70	22.14	15 25	8.45	3.91		30 89	7 03			1
<u> </u>	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local	 	 		1											
	Area	1	1	UEP9D	UEPY3	1.70	22.14	15.25	8.45	3.91		30 89	7 03	-		1
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local															
	Area			UEP9D	UEPYH	1.70	22.14	15.25	8.45	3.91	l	30.89	7.03			
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp	1									l .					1
	Indication))3 Basic Local Area			UEP9D	UEPYW	1.70	22.14	15.25	8.45	3.91		30.89	7.03		<u> </u>	<u> </u>
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3	T	T								1					
	Basic Local Area		L	UEP9D	UEPYJ	1.70	22 14	15.25	8 45	3.91		30.89	7.03			ļ
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
	2 Basic Local Area	l		UEP9D	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			Ļ
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3				1				!		1			!		1
	Basic Local Area			UEP9D	UEPYO	1.70	22.14	15.25	8.45	3.91	L	30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3	1	i		1						1	00.00]	1	
	Basic Local Area	ļ	ļ	UEP9D	UEPYP	1 70	22.14	15 25	8.45	3.91		30.89	7.03		 	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3					4 = 0		45.05	0.45	0.04	1	30.89	- 7.03	1		
	Basic Local Area		-	UEP9D	UEPYQ	1.70	22.14	15 25	8.45	3.91	 	30.69	7.03	·		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3				LIEDVE	4		15 25	8.45	3 91	1	30.89	7.03		}	
	Basic Local Area	ļ		UEP9D	UEPYR	1.70	22.14	15 25	6.43	391	 	30.09	7.03		 	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3		1	#EDOD	UEPYS	1.70	22.14	- 15.25	8.45	3.91		30.89	7.03	l	1	1
	Basic Local Area	+	+	UEP9D	UEF 13	1.70	<i>22.</i> 14	15.25	0.45	3.91	 	J.U.	7.00			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3		1	UEP9D	UEPY4	1.70	22.14	15.25	8 45	3.91		30.89	7.03	I		1
	Basic Local Area	+	+	DELAD	UEP 14	1.70	ZZ. 14	13.23	0.40	0.51						T
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3	1	1	UEP9D	UEPY5	1 70	22.14	15.25	8.45	3.91		30.89	7.03	1	1	
	Basic Local Area	+-	+	OELAD	UEPID	170	22.14	15.25	0.40	5.51	 					
ı	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPY6	1.70	22.14	15.25	8.45	3 91	1	30.89	7.03	1	1	
	Basic Local Area	 	+	UEP9U	UEF [D	1.70	22.14	15.25	0.40	, J 31	+	30.00				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3	1	1	UEP9D	UEPY7	1.70	22,14	15.25	8.45	3.91	1	30.89	7.03	I	I	1

	NULE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: B
ATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(S)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremen Charge
			_	ļ. -			Rec	Nonrecurring First	Add'l	Nonrecurring First	Disconnect Add'l	COMEC	SOMAN		Rates(\$)		
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		\vdash				FIISL	Aug I	First	Addi	SUMEC	SUMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Tem		<u> </u>	UEP9D	UEPYZ	1.70	22 14	15.25	8 45	3.91		30.89	7.03			}
- 1		2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area		1	LIEBOD												
		2-Wire Voice Grade Port Terminated on 800 Service Term Basic		┼──	UEP9D	UEPY9	1.70	22.14	15.25	8.45	3.91	<u> </u>	30.89	7 03			<u> </u>
		Local Area	ŀ		UEP9D	UEPY2	1.70	22 14	15.25	8.45	3.91		30.89	7.03			
	AL, KY	, LA, MS, SC, & TN Only		1					10.20	0.40	5.51		30.69	7.03			
		2-Wire Voice Grade Port (Centrex)			UEP9D	UEPQA	1.70	22.14	15 25	8 45	3.91		30 89	7 03			
		2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex / EBS-PSET)3		ļ	UEP9D	UEPQB	1.70	22 14	15.25	8 45	3.91		30.89	7.03			
		2-Wire Voice Grade Port (Centrex / EBS-PSE1)3		\vdash	UEP9D UEP9D	UEPQC UEPQD	1.70	22.14	15.25	8 45	3.91		30.89	7.03			
		2-Wire Voice Grade Port (Centrex / EBS-M5009)3	 	+	UEP9D	UEPQE	1.70	22 14 22.14	15 25 15.25	8.45 8.45	3 91 3 91		30.89	7.03 7.03			
		2-Wire Voice Grade Port (Centrex / EBS-M5112)3		-	UEP9D	UEPQF	1.70	22,14	15.25	8.45	3.91		30 89 30 89	7.03			
		2-Wire Voice Grade Port (Centrex / EBS-M5312)3			UEP9D	UEPQG	1.70	22.14	15.25	8.45	3.91		30 89	7.03	··············		
		2-Wire Voice Grade Port (Centrex / EBS-M5008)3			UEP9D	UEPQT	1.70	22 14	15 25	8 45	3 91		30.89	7.03			
		2-Wire Voice Grade Port (Centrex / EBS-M5208)3			UEP9D	UEPQU	1.70	22.14	15.25	8.45	3.91		30.89	7 03			
		2-Wire Voice Grade Port (Centrex / EBS-M5216)3			UEP9D	UEPQV	1.70	22.14	15.25	8 45	3.91		30.89	7 03			
-		2-Wire Voice Grade Port (Centrex / EBS-M5316)3 2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPQ3	1,70	22.14	15 25	8.45	3 91		30.89	7.03			
		2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp		 	UEP9D	UEPQH	1.70	22 14	15.25	8.45	3.91		30.89	7 03			<u> </u>
		Indication)3		1	UEP9D	UEPQW	1.70	22.14	15.25	8 45	3 91		30.89	7.03			
		2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3		f	UEP9D	UEPQJ	1.70	22 14	15.25	8 45	3.91	,	30.89	7.03			
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)								0 .0	0.01		00.00	7.00			
		2			UEP9D	UEPQM	1.70	22.14	15 25	8.45	3.91		30 89	7.03			
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3		 	UEP9D	UEPQO	1.70	22.14	15.25	8.45	3.91		30 89	7.03			
		2 Miro Voice Crade Bort (Controvidition CIMC /EBS MERCO) 0		ļ	LIEDAD	UEDOD	4 70										1
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3		 	UEP9D UEP9D	UEPQP UEPQQ	1.70	22.14 22.14	15.25 - 15.25	8.45 8.45	3 91 3 91		30.89	7.03			├
		2-vine voice drade toff (Certiexollier SWC /253-5209)2, 5			OEPSD	DEFGG	1.70	22.14	15.25	8 43	381		30.89	7.03			
i		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPQR	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		1							15.25					7.00			
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3		l	UEP9D	UEPQS	1.70	22.14	15.25	8.45	3.91		30 89	7.03			
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3		1	UEP9D	UEPQ4	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPQ5	1.70	22.14	15.25	8.45	3.91		30 89	7.03			
-		2-YVITO VOICE GIAGE FOIT (Centrexcille) SVVC /EB3-WB208/2, 3		 	UEF9U	UEFUS	1.70	22,14	15.25	0.40	3.91		30 69	7.03			
l		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPQ6	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		, ,		 		1 22. 22					4					-	
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3		<u> </u>	UEP9D	UEPQ7	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
i		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															l
		Term		-	UEP9D	UEPQZ	1.70	22.14	15.25	8 45	3.91		30.89	7.03			ļ
		2 Miro Voice Crade Part terminated in an Magaliak or aguitalant		1	UEP9D	UEPQ9	1.70	22.14	15.25	8,45	3.91		30.89	7.03			
_		2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term		 	UEP9D	UEPQ2	1.70	22.14	15.25	8.45	3.91		30.89	7.03		-	
	Local S	witching		1	OLI DD	OEI GE	1.70	22.17	10.20	0.45	0.01		00.00	7.00			
		Centrex Intercom Funtionality, per port		1	UEP9D	TURECS	0.6381										———
	Local N	lumber Portability				1-1-1-1								-			
		Local Number Portability (1 per port)			UEP9D	LNPCC	0 35										
	Feature																
[All Standard Features Offered, per port			UEP9D	UEPVF	0.00						30 89	7.03			
		All Select Features Offered, per port		-	UEP9D	UEPVS	0 00	433.78					30.89 30.89	7.03 7.03			
	NARS	All Centrex Control Features Offered, per port		├ ──	UEP9D	UEPVC	0 00						30.89	7.03			
	Char	Unbundled Network Access Register - Combination		 	UEP9D	UARCX	0.00	0.00	0.00				30 89	7 03			
		Unbundled Network Access Register - Combination Unbundled Network Access Register - Inward		+	UEP9D	UARIX	0.00	0.00	0.00		 		30.89	7.03			
	•	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00				30.89	7 03			
	Miscell	aneous Terminations			l												
		Trunk Side															

MOUNDLED IN	NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: B
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charg
						Rec	Nonrecurring First	43.00		Disconnect	001150	5511411		Rates(\$)		·
- To	unk Side Terminations, each			UEP9D	CEND6	8.78	22.14	Add'i	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOM
	jital (1.544 Megabits)	_		UEFBD	CENDO	8.70	22.14	15.25	8 45	3.91		30.89	7.03			
	61 Circuit Terminations, each			UEP9D	M1HD1	A									l	
	60 Channels Activated per Channel		—			35.55	75 93	38.15				30.89	7 03			
Intereffice	Channel Mileage - 2-Wire		⊢	UEP9D	M1HDO	0.00	108.67					30.89	7.03			
linte	eroffice Channel Facilities Termination		—	LIEDOD	1,000										l	
				UEP9D	MIGBC	18.58	22.14	15.25	8.45	3.91		30 89	7.03			l
	eroffice Channel mileage, per mile or fraction of mile	L		UEP9D	MIGBM	0 0174										
	ctivations (DS0) Centrex Loops on Channelized DS1 Service	æ												l		
	el Bank Feature Activations										l i					
Fee	ature Activation on D-4 Channel Bank Centrex Loop Stot			UEP9D	1PQWS	0.66			Li							
 			ł		↓ 7						i					
	ature Activation on D-4 Channel Bank FX line Side Loop Slot	لــــــا		UEP9D	1PQW6	0.66	l		L					l	L	
	ature Activation on D-4 Channel Bank FX Trunk Side Loop				1 -			-								
Slo			<u></u>	UEP9D	1PQW7	0.66	1 . [l	!	ı
	ature Activation on D-4 Channel Bank Centrex Loop Slot -														I	
Diff	ferent Wire Center			UEP9D	1PQWP	0 66								ļ .	ł	1
			· · · · ·													
Fea	ature Activation on D-4 Channel Bank Private Line Loop Slot		ŀ	UEP9D	1PQWV	0.66			i .							
	ature Activation on D-4 Channel Bank Tile Line/Trunk Loop								i i							
Sio				UEP9D	I Pawa	0 66										
	ature Activation on D-4 Channel Bank WATS Loop Slot	_		UEP9D	1PQWA	0.66										
	rring Charges (NRC) Associated with UNE-P Centrex			OLIJD	III QVVA	0.00										
	RC Conversion Currently Combined Switch-As-Is with allowed				+										ļ	
	anges, per port	1		UEP9D	USAC2		1 03	0.29				30 89	7.00		1 .	l .
	w Centrex Standard Common Block			UEP9D	M1ACS			0.29					7.03			
			—			0 00	658.60					30 89	7.03			ļ
	w Centrex Customized Common Block			UEP9D	M1ACC	0.00	658.60					30.89	7.03			ļ
	R Establishment Charge, Per Occasion		L	UEP9D	URECA		68.57					30.89	7.03			
	NTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)				4											ļ
	Loop/2-Wire Voice Grade Port (Centrex) Combo		\vdash		 											
	Loop Combination Rates (Non-Design)				1										ļ	ļ
	Nire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															l
	n-Design		1	UEP9E	i	14 18										<u> </u>
	Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -								i							l
	n-Design		2	UEP9E		18.01	l i		1							
2-W	Nire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
Nor	n-Design		3	UEP9E		23.02										
	Loop Combination Rates (Design)															1
	Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	sign		1	UEP9E		18.26										!
	Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -				 											
	sign		2	UEP9E	j	23.33										
1 2-14	Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<u> </u>		 											
	sign		3	UEP9E		29.98										
UNE LOOP		\vdash	۳	021 92	+	23.30		-								<u> </u>
	Nire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	12.48			 							
				UEP9E UEP9E	UECS1	16.31	-						-			\vdash
	Wire Voice Grade Loop (SL 1) - Zone 2			UEP9E UEP9E	UECS1	21.32							-		-	\vdash
	Wire Voice Grade Loop (SL 1) - Zone 3		3						 				-			\vdash
	Wire Voice Grade Loop (SL 2) - Zone 1			UEP9E	UECS2	16.56			-						-	
	Nire Voice Grade Loop (SL 2) - Zone 2			UEP9E	UECS2	21.63									-	\vdash
	Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	28 28		•								
UNE Port F																┡
	/, LA, MS, & TN only				4											
	Vire Voice Grade Port (Centrex) Basic Local Area			UEP9E	UEPYA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
2-W	Vire Voice Grade Port (Centrex 800 termination)Basic Local															l
Are	98			UEP9E	UEPYB	1.70	22.14	15.25	8.45	3.91		30.89	7.03	L		
2-W	Vire Voice Grade Port (Centrex with Caller ID)1Basic Local				1											i
Are				UEP9E	UEPYH	1 70	22.14	15.25	8.45	3.91		30.89	7.03			
2-W	Vire Voice Grade Port (Centrex from diff Serving Wire				1											
	nter)2 Basic Local Area		i i	UEP9E	UEPYM	1.70	22.14	15 25	8.45	3.91		30.89	7.03		l	l

ONBONDI	LED	NETWORK ELEMENTS - Tennessee													ment: 2		bit: B
CATEGORY	,	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual St Order vs Electronic Disc Add
	\dashv			 			Rec	Nonrecurring First	Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	OSS	Rates(\$)	SOMAN	SOMAN
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area			UEP9E	UEPYZ	1.70		15.25	8.45	3.91		30.89	7 03			
	- 1	2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area			UEP9E	UEPY9	1 70		15.25	8.45	3.91		30.89	7.03			
	2	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP9E	UEPY2	1,70								 	 	<u> </u>
AL.		LA, MS, & TN Only		+	DEPSE	UEPTZ	1.70	22 14	15.25	8.45	3.91	<u> </u>	30 89	7 03	 		
		2-Wire Voice Grade Port (Centrex)		† 	UEP9E	UEPQA	1.70	22 14	15.25	8 45	3.91	·	30.89	7 03		 	
	2	2-Wire Voice Grade Port (Centrex 800 termination)		1	UEP9E	UEPQB	1.70		15.25	8,45	3,91		30.89	7 03			
		2-Wire Voice Grade Port (Centrex with Caller ID)1		1	UEP9E	UEPQH	1.70		15.25	8 45	3.91		30 89	7.03			
		2-Wire Voice Grade Port (Centrex from diff Serving Wire							•			T					
		Center)2		ļ	UEP9É	UEPQM	1 70	22,14	15.25	8 45	3 91	<u> </u>	30 89	7 03	ļ		ļ
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP9E	UEPQZ	1 70	22,14	15.25	8 45	3 91		30 89	7 03			
	:	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	1.70		15.25	8 45	3 91	L	30.89	7 03			
		2-Wire Voice Grade Port Terminated on 800 Service Term	ļ	<u> </u>	UEP9E	UEPQ2	1.70	22.14	15.25	8 45	3.91		30.89	7 03	ļ <u> —</u>		ļ
Loc		witching	ļ	ļ								ļ	ļ		ļ		ļ
		Centrex Intercom Funtionality, per port		₩	UEP9E	URECS	0.6381					ļ.—.—	 		ļ	ļ	
LOC		Local Number Portability (1 per port)			UEP9E	LNPCC	0 35		·			 	 	 	 	 	
Fee	atures		 	+	UCF 3E	LINECO	0 33					 	 	 	 	 	<u> </u>
_ 1 04		All Standard Features Offered, per port	 	+-	UEP9E	UEPVF	0.00	 		 		<u> </u>	30 89	7.03		 	+
		All Select Features Offered, per port		_	UEP9E	UEPVS	0.00						30 89	7.03			
		All Centrex Control Features Offered, per port		1	UEP9E	UEPVC	0.00						30.89	7.03		1	
NAF	RS																
		Unbundled Network Access Register - Combination			UEP9E	UARCX	0.00		0.00				30.89	7.03			1
		Unbundled Network Access Register - Indial			UÉP9É	UAR1X	0.00		- 0.00				30.89	7.03			
		Unbundled Network Access Register - Outdial			UEP9E	UAROX	0.00	0.00	0.00				30.89	7.03	ļ		ļ
		neous Terminations								ļ			 	ļ		 	
2-W		runk Side		-	LIEDOE	OFNE	8 78	22.14	15 25	8.45	3,91	 	30.89	7.03		ļ	+
		Trunk Side Terminations, each		┼—	UEP9E	CEND6	8 /8	22.14	10 20	0.43	3.91		30.69	7.00		 	
4-W		Digital (1.544 Megabits) DS1 Circuit Terminations, each		1	UEP9E	M1HD1	35 55	75.93	38.15				30 89	7.03	 	 	
		DS0 Channel Activated Per Channel		+-	UEP9E	M1HDO	0.00		00.10			+	30.89	7.03		1	
Inte		ce Channel Mileage - 2-Wire		+	OLI BL	10111700		100.07			·		1				
11110		Interoffice Channel Facilities Termination		+	UEP9E	MIGBC	18.58	22.14	15.25	8.45	3.91		30.89	7.03			
		Interoffice Channel mileage, per mile or fraction of mile			UEP9E	MIGBM	0.0174					Ĭ				L	
Fea		Activations (DS0) Centrex Loops on Channelized DS1 Service	.e	7								1				ļ	<u> </u>
	Char	nnel Bank Feature Activations										<u> </u>		<u> </u>	ļ	ļ	↓
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0 66								 	ļ	
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.66						<u></u>				
	\neg	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9E	1PQW7	0.66										
	\neg	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center		\top	UEP9E	1PQWP	0.66										
		Feature Activation on D-4 Channel Bank Private Line Loop Slot		T	UEP9E	1PQWV	0.66										
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop		 		1PQWQ	0.66					<u> </u>					
<u> </u>		Slot		+	UEP9E	1PQWQ	0.66			 		+		 		1	1
L		Feature Activation on D-4 Channel Bank WATS Loop Slot	\vdash	+-	UEP9E	IFWWA	0.00			 	 	† · · · ·	 	1			
Nor	n-Re	curring Charges (NRC) Associated with UNE-P Centrex NRC Conversion Currently Combined Switch-As-Is with allowed	\vdash	+	 	+		 		 		T	 	 	1	1	
			l	1	UEP9E	USAC2		1.03	0.29	1	I	1	30 89	7.03	1	<u>L</u>	<u> </u>
 		changes, per port New Centrex Standard Common Block	 	+-	UEP9E	M1ACS	0.00		5.25	1	1		30.89	7.03			
		New Centrex Standard Common Block	 	+	UEP9E	MIACC	0.00			 			30.89	7.03			
 		NAR Establishment Charge, Per Occasion	\vdash	+	UEP9E	URECA	0.00			1		T	30.89	7 03]	
- 	E D /	CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)	 	+	† 	-		1							l	L	

JNBUNDLED I	NETWORK ELEMENTS - Tennessee												j Attachi	ment: 2	Exhil	bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC	İ		RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR			Incremental Charge -	Increment Charge
					ļ							L	L		<u> </u>	<u> </u>
			<u>↓</u>			Rec	Nonrecurring		Nonrecurring					Rates(\$)		
			<u> </u>			1100	First	Add'l	First	Addʻl	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-Wire VC	G Loop/2-Wire Voice Grade Port (Centrex) Combo										J			l		
UNE Port	/Loop Combination Rates (Non-Design)															
	-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1									Ī					
	lon-Design		1	UEP93		14.18	l i		i		1				1	l
2-	-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
N	Ion-Design	ļ	2	UEP93		18 01]				1	1	i		1	
2-	-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1													
	lon-Design	l	З	UEP93	1	23.02			i			i		i	ļ.	1
	/Loop Combination Rates (Design)								<u> </u>		-					
	-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -										1					
	esign	1	1 1	UEP93		18.26	i i		1		1	i				
	-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	 	- -		+	10.20			 		+		 	 	 	
	esign	ł	2	UEP93	ļ. ļ	23.33					1	l		İ	1	
	-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	├──	 - -	OEF 30	 	23.33			 		+	 	 		 	
		l	١.,	112000	i						1			l		1
	esign	<u> </u>	3	UEP93		29.98			 		-			 	 	
UNE Loo		 	₩-		1				 	ļ	 _		 	ļ	ļ	
	-Wire Voice Grade Loop (SL 1) - Zone 1			UEP93	UECS1	12.48									<u> </u>	<u> </u>
	-Wire Voice Grade Loop (SL 1) - Zone 2			UEP93	UECS1	16.31							L		1	L
2.	-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP93	UECS1	21 32										
2	-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP93	UECS2	16.56										
2-	-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP93	UECS2	21.63										
	-Wire Voice Grade Loop (SL 2) - Zone 3			UEP93	UECS2	28 28									1	
UNE Port		<u> </u>	<u> </u>		1-1-			-			†					
	A, MS, & TN only		 	 	 				T		1				T	
	-Wire Voice Grade Port (Centrex) Basic Local Area			UEP93	UEPYA	1.70	22.14	15.25	8 45	3.91		30 89	7.03		 	
			 	ULF 83	OCTIA	1.70	22,.17	13.20		0.07	+	- 00 50	1.00		 	
	-Wire Voice Grade Port (Centrex 800 termination)Basic Local	ł	1	LIEDOS	WEBYD.			45.05	8.45	3 91	1	30.89	7 03		1	ļ
	ırea			UEP93	UEPYB	1 70	22 14	15.25	8.43	391	 	30.03				├ ─
	-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	ļ	1						٠		1	30.89	7.03	ĺ	i	
	urea		<u> </u>	UEP93	UEPYH	1.70	22.14	15 25	8 45	3.91	 	30.89	7.03		 	├──
	-Wire Voice Grade Port (Centrex from diff Serving Wire								l	l					1	ł
	Center)2 Basic Local Area			UEP93	UEPYM	1.70	22.14	15 25	8.45	3.91		30.89	7 03			├ ──
	-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		ſ			ĺ	i		İ	Ì	1		1	í	ł	i
T	erm - Basic Local Area	1	l	UEP93	UEPYZ	1.70	22.14	15 25	8.45	3.91	<u> </u>	30 89	7.03		ļ <u></u>	
	-Wire Voice Grade Port terminated in on Megalink or equivalent		1											1	•	l .
	Basic Local Area	ŀ	1	UEP93	UEPY9	1 70	22.14	15 25	8.45	3 91	1	30.89	7.03			
	-Wire Voice Grade Port Terminated on 800 Service Term -	 			T	T										1
	Basic Local Area	1	1	UEP93	UEPY2	1.70	22.14	15.25	8 45	3.91	ì	30.89	7.03	L	<u></u>	<u></u> .
	-Wire Voice Grade Port (Centrex)		-	UEP93	UEPQA	1.70	22 14	15.25		3 91		30.89				
			+	UEP93	UEPQB	1.70	22 14	15.25		3 91		30.89			1	
	-Wire Voice Grade Port (Centrex 800 termination)	ļ	+-		UEPQB	1.70	22.14	15.25		3 91		30.89		 	 	
	-Wire Voice Grade Port (Centrex with Caller ID)1	⊢—	⊢	UEP93	UEPUH	1.70	22.14	13.25	- 0.40	391	+	- 00.00	7.00	 	 	
	-Wire Voice Grade Port (Centrex from diff Serving Wire		1	l				4	1	3.91		30.89	7.03	1	1	l
	Center)2		I	UEP93	UEPQM	1.70	22.14	15.25	8 45	3.91	4	30.89	7.03			
2	-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		1	l	1	!	1 !		1 .		1			1	1	
	erm			UEP93	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03		 	
		I				1			1	Į.	1	1	1 .	1	1	l
وا ا	-Wire Voice Grade Port terminated in on Megalink or equivalent	1	1	UEP93	UEPQ9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			L
	-Wire Voice Grade Port Terminated on 800 Service Term	<u> </u>	1	UEP93	UEPQ2	1.70	22.14	15.25	8.45	3.91		30.89	7.03		1	<u> </u>
Local Sw		-	+-	 	120. 12				1		1					L
	Centrex Intercom Funtionality, per port		+	UEP93	URECS	0.6381			1		T					L
			 	02, 30	0.1200	0.0001			 		 	T	1 "			
	mber Portability	⊢	+	UEP93	LNCCC	0.35			 		T	Τ	I	1 ***	T T	Г
	ocal Number Portability (1 per port)	 	 	IOEP93	LINCOL	0.35	ļ <u> </u>		 	 	+	 	 	1		1
Features		<u> </u>	\vdash						 	1	+	1	 		 	
	Il Standard Features Offered, per port			UEP93	UEPVF	0.00	<u></u>		ļ	<u> </u>	 	 	 		 	
T IA	II Centrex Control Features Offered, per port			UEP93	UEPVC	0.00	<u></u>						 		 	+
NARS									<u> </u>		4——	ļ	ļ <u>.</u>			
	Inbundled Network Access Register - Combination		T	UEP93	UARCX	0.00	0.00	0 00				30 89		ļ	<u> </u>	├
	Inbundled Network Access Register - Indial		 	UEP93	UAR1X	0.00	0.00	0 00				30.89		ļ		
	Inbundled Network Access Register - India		+	UEP93	UARÓX	0.00	0.00	0.00				30.89	7 03	L		L
	mounding Network Access negister - Outdial	Ι.	.——	JULI 80	071.07	0.00	0.00		+							1

INBLINDI FO	NETWORK ELEMENTS - Tennessee													ment: 2		bit: B
MBONDELD	NETWORK ELEMENTS - Termesses		Г	· · · · · · · · · · · · · · · · · · ·		[Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
			1								Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
- 1	RATE ELEMENTS	Interi	Zone	BCS	USOC						Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY						RATES(\$)					per LSR	Order vs.	Order vs.	Order vs.	Order vs.	
CAILGONI	TIATE CEEMENTO	m									P = 0 = 0.11		Electronic-	Electronic-	Electronic-	Electronic
1					1	E							1st	Add'l	Disc 1st	Disc Add'l
		↓	┿				Nonrecurring	Nonrecurring Disconnect				OSS Rates(\$)		<u>. </u>	L	
			 		+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-Wire Tr	runk Side		1												<u> </u>	
	runk Side Terminations, each		1	UEP93	CEND6	8.78	22.14	15.25	8.45	3.91		30.89	7.03			
	igital (1.544 Megabits)															
	S1 Circuit Terminations, each		1	UEP93	M1HD1	35.55	75.93	38.15				30.89	7.03			
	SO Channels Activated, Per Channel			UEP93	M1HDO	0.00	108 67					30.89	7.03			
Interoffic	e Channel Mileage - 2-Wire		1													
	nteroffice Channel Facilities Termination		1	UEP93	MIGBC	18.58	22.14	15.25	8.45	3.91	1	30.89	7.03			
li li	nteroffice Channel mileage, per mile or fraction of mile		—	UEP93	MIGBM	0.0174									Ĭ	
	Activations (DS0) Centrex Loops on Channelized DS1 Service	.e	1													L
	nel Bank Feature Activations		1								L			l		
IF	eature Activation on D-4 Channel Bank Centrex Loop Slot		1	UEP93	1PQWS	0.66								1		
F	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UÉP93	1PQW6	0 66					!					
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			UEP93	1PQW7	0.66										
F	eature Activation on D-4 Channel Bank Centrex Loop Slot -	1		1			I					l		ł		
	Different Wire Center			UEP93	1PQWP	0.66						ļ			ļ	
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0 66							<u> </u>	ļ		ļ
F	eature Activation on D-4 Channel Bank Tie Line/Trunk Loop		Т								ľ	1				Į.
	Slot		<u> </u>	UEP93	1PQWQ	0.66					ļ	ļ	<u> </u>			
	eature Activation on D-4 Channel Bank WATS Loop Slot		·	UEP93	1PQWA	0.66					ļ	-	<u> </u>		 	
	urring Charges (NRC) Associated with UNE-P Centrex													 	 	
I I	NRC Conversion Currently Combined Switch-As-Is with allowed]			i	1			İ		1	30.89	7.03		i	
	changes, per port		Ш.	UEP93	USAC2		1.03	0.29				30.89				+
	New Centrex Standard Common Block			UEP93	M1ACS	0.00					+	30.89			 	+
	New Centrex Customized Common Block		1	UEP93	M1ACC	0.00				 	 	30.89			+	
	NAR Establishment Charge, Per Occasion			ÜEP93	URECA	_	68.57		ļ . 	 	 	30.69	 	 	+	+
Note 1 -	Required Port for Centrex Control in 1AESS, 5ESS & EWSD					<u> </u>				 	 	 	1	 		
Note 2 -	Requres Interoffice Channel Mileage			<u> </u>							 	+	+	+	· · · · · · · · · · · · · · · · · · ·	
Note 3 -	Requires Specific Customer Premises Equipment			I		<u> </u>				 			 	 	 	+
Note: R	ates displaying an "R" in Interim column are interim and sul	ject to	rate tr	ue-up as set forth	in General Ten	ms and Condit	ions.			<u> </u>	ــــــــــــــــــــــــــــــــــــــ					

ATTACHMENT 3 NETWORK INTERCONNECTION

TABLE OF CONTENTS

1.	GENERAL	3
2.	DEFINITIONS: (FOR THE PURPOSE OF THIS ATTACHMENT)	3
3.	NETWORK INTERCONNECTION	4
4.	INTERCONNECTION TRUNK GROUP ARCHITECTURES	6
5.	NETWORK DESIGN AND MANAGEMENT FOR INTERCONNE	CCTION13
6.	LOCAL DIALING PARITY	16
7.	INTERCONNECTION COMPENSATION	16
8.	FRAME RELAY SERVICE INTERCONNECTION	22
9.	ORDERING CHARGES	25
Rat	tes	Exhibit A
Bas	sic Architecture	Exhibit B
	e Way Architecture	Exhibit C
	o Way Architecture	Exhibit D
Sup	pergroup Architecture	Exhibit E

NETWORK INTERCONNECTION

1.	GENERAL
1.1	The Parties shall provide interconnection with each other's networks for the transmission and routing of telephone exchange service (Local Traffic), ISP-bound Traffic, and exchange access (Switched Access Traffic) on the following terms:
2.	DEFINITIONS: (FOR THE PURPOSE OF THIS ATTACHMENT)
2.1	For purposes of this attachment only, the following terms shall have the definitions set forth below:
2.1.1	Call Termination has the meaning set forth for "termination" in 47CFR § 51.701(d).
2.1.2	Call Transport has the meaning set forth for "transport" in 47 CFR § 51.701(c).
2.1.3	Call Transport and Termination is used collectively to mean the switching and transport functions from the Interconnection Point to the last point of switching.
2.1.4	Common (Shared) Transport is defined as the transport of the originating Party's traffic by the terminating Party over the terminating Party's common (shared) facilities between (1) the terminating Party's tandem switch and end office switch, (2) between the terminating Party's tandem switches, and/or (3) between the terminating Party's host and remote end office switches. All switches referred herein must be entered into the Local Exchange Routing Guide ("LERG").
2.1.5	Dedicated Interoffice Facility is defined as a switch transport facility between a Party's Serving Wire Center and the first point of switching within the LATA on the other Party's network.
2.1.6	End Office Switching is defined as the function that establishes a communications path between the trunk side and line side of the End Office switch.
2.1.7	Fiber Meet is an interconnection arrangement whereby the Parties physically interconnect their networks via an optical fiber interface at which one Party's facilities, provisioning, and maintenance responsibility begins and the other Party's responsibility ends.
2.1.8	Interconnection Point ("IP") is the physical telecommunications equipment interface that interconnects the networks of BellSouth and Delta Phones.
2.1.9	IntraLATA Toll Traffic is as defined in Section 7 of this Attachment.

Version 2Q02: 05/31/02

2.1.10

ISP-bound Traffic is as defined in Section 7 of this Attachment.

- 2.1.11 **Local Channel** is defined as a switched transport facility between a Party's Interconnection Point and the IP's Serving Wire Center.
- 2.1.12 **Local Traffic** is as defined in Section 7 of this Attachment.
- 2.1.13 **Serving Wire Center** is defined as the wire center owned by one Party from which the other Party would normally obtain dial tone for its IP.
- 2.1.14 **Tandem Switching** is defined as the function that establishes a communications path between two switching offices through a third switching office through the provision of trunk side to trunk side switching.
- 2.1.15 **Transit Traffic** is traffic originating on Delta Phones's network that is switched and/or transported by BellSouth and delivered to a third party's network, or traffic originating on a third party's network that is switched and/or transported by BellSouth and delivered to Delta Phones's network.

3. NETWORK INTERCONNECTION

- 3.1 This Attachment pertains only to the provision of network interconnection where Delta Phones owns and provides its switch(es).
- 3.2 Network interconnection may be provided by the Parties at any technically feasible point within BellSouth's network. Requests to BellSouth for interconnection at points other than as set forth in this Attachment may be made through the Bona Fide Request/New Business Request process set out in this Agreement.
- 3.2.1 Each Party is responsible for providing, engineering and maintaining the network on its side of the IP. The IP must be located within BellSouth's serving territory in the LATA in which traffic is originating. The IP determines the point at which the originating Party shall pay the terminating Party for the Call Transport and Termination of Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic.
- 3.2.2 Pursuant to the provisions of this Attachment, the location of the initial IP in a given LATA shall be established by mutual agreement of the Parties. Subject to the requirements for installing additional IPs, as set forth below, any IPs existing prior to the Effective Date of the Agreement will be accepted as initial IPs and will not require re-grooming. When the Parties mutually agree to utilize two-way interconnection trunk groups for the exchange of Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic between each other, the Parties shall mutually agree to the location of IP(s). If the Parties are unable to agree to a mutual initial IP, each Party, as originating Party, shall establish a single IP in the LATA for the delivery of its originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic to the other Party for Call Transport and Termination by the terminating Party.

When first establishing the interconnection arrangement in each LATA, the location of the IP shall be established by mutual agreement of the Parties. In selecting the IP, both Parties will act in good faith and select the point that is most efficient for both Parties. If the Parties are unable to agree on the location of the IP, each Party will designate IPs for its originated traffic. Additional IP(s) in a LATA may be established by mutual agreement of the Parties. Notwithstanding the foregoing, additional IP(s) in a particular LATA shall be established, at the request of either Party, when the Local Traffic and ISP-bound Traffic exceeds 8.9 million minutes per month for three consecutive months at the proposed location of the additional IP. BellSouth will not request the establishment of an IP where physical or virtual collocation space is not available or where BellSouth fiber connectivity is not available. When the Parties agree to utilize two-way interconnection trunk groups for the exchange of Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic the Parties must agree to the location of the IP(s).

3.3 Interconnection via Dedicated Facilities

- 3.3.1 Local Channel Facilities. As part of Call Transport and Termination, the originating Party may obtain Local Channel facilities from the terminating Party. The percentage of Local Channel facilities utilized for Local Traffic shall be determined based upon the application of the Percent Local Facility (PLF) Factor on a statewide basis. The charges applied to the percentage of Local Channel facilities used for Local Traffic as determined by the PLF are as set forth in Exhibit A to this Attachment. The remaining percentage of Local Channel facilities shall be billed at BellSouth's applicable access tariff rates.
- 3.3.2 <u>Dedicated Interoffice Facilities.</u> As a part of Call Transport and Termination, the originating Party may obtain Dedicated Interoffice Facilities from the terminating Party. The percentage of Dedicated Interoffice Facilities utilized for Local Traffic shall be determined based upon the application of the Percent Local Facility (PLF) Factor on a statewide basis. The charges applied to the percentage of the Dedicated Interoffice Facilities used for Local Traffic as determined by the PLF are as set forth in Exhibit A to this Attachment. The remaining percentage of the Dedicated Interoffice Facilities shall be billed at BellSouth's applicable access tariff rates.
- 3.3.3 The facilities purchased pursuant to this Section 3 shall be ordered via the Access Service Request ("ASR") process.

3.4 Fiber Meet

3.4.1 If Delta Phones elects to interconnect with BellSouth pursuant to a Fiber Meet, Delta Phones and BellSouth shall jointly engineer, operate and maintain a Synchronous Optical Network ("SONET") transmission system by which they shall interconnect their transmission and routing of Local Traffic via a Local Channel at either the DS1 or DS3 level. The Parties shall work jointly to

determine the specific transmission system. However, Delta Phones's SONET transmission system must be compatible with BellSouth's equipment, and the Data Communications Channel (DCC) must be turned off.

- 3.4.2 Each Party, at its own expense, shall procure, install and maintain the agreed upon SONET transmission system in its network.
- 3.4.3 The Parties shall agree to a Fiber Meet point between the BellSouth Serving Wire Center and the Delta Phones Serving Wire Center. The Parties shall deliver their fiber optic facilities to the Fiber Meet point with sufficient spare length to reach the fusion splice point for the Fiber Meet Point. BellSouth shall, at its own expense, provide and maintain the fusion splice point for the Fiber Meet. A building type Common Language Location Identification ("CLLI") code will be established for each Fiber Meet point. All orders for interconnection facilities from the Fiber Meet point shall indicate the Fiber Meet point as the originating point for the facility.
- 3.4.4 Upon verbal request by Delta Phones, BellSouth shall allow Delta Phones access to the fusion splice point for the Fiber Meet point for maintenance purposes on Delta Phones's side of the Fiber Meet point.
- 3.4.5 Neither Party shall charge the other for its Local Channel portion of the Fiber Meet facility used exclusively for Local Traffic. All other appropriate charges will apply. Delta Phones shall be billed for a mixed use of the Local Channel as set forth in the appropriate tariff(s) using the PIU/PLF factors supplied by Delta Phones. Charges for switched and special access services shall be billed in accordance with the applicable access service tariff.

4. INTERCONNECTION TRUNK GROUP ARCHITECTURES

- BellSouth and Delta Phones shall establish interconnecting trunk groups and trunk group configurations between networks, including the use of one-way or two-way trunks in accordance with the following provisions set forth in this Agreement. For trunking purposes, traffic will be routed based on the digits dialed by the originating end user and in accordance with the LERG.
- 4.2 Delta Phones shall establish an interconnection trunk group(s) to at least one BellSouth access tandem within the LATA for the delivery of Delta Phones's originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic and for the receipt and delivery of Transit Traffic. To the extent Delta Phones desires to deliver Local Traffic, ISP-bound Traffic, IntraLATA Toll Traffic and/or Transit Traffic to BellSouth access tandems within the LATA, other than the tandems(s) to which Delta Phones has established interconnection trunk groups, Delta Phones shall order Multiple Tandem Access, as described in this Attachment, to such other BellSouth access tandems.

- 4.2.1 Notwithstanding the forgoing, Delta Phones shall establish an interconnection trunk group(s) to all BellSouth access and local tandems in the LATA where Delta Phones has homed (i.e. assigned) its NPA/NXXs. Delta Phones shall home its NPA/NXXs on the BellSouth tandems that serve the exchange rate center areas to which the NPA/NXXs are assigned. The specified exchange rate center assigned to each BellSouth tandem is defined in the LERG. Delta Phones shall enter its NPA/NXX access and/or local tandem homing arrangements into the LERG.
- 4.3 Switched access traffic will be delivered to and from Interexchange Carriers (IXCs) based on Delta Phones's NXX access tandem homing arrangement as specified by Delta Phones in the LERG.
- Any Delta Phones interconnection request that (1) deviates from the interconnection trunk group architectures as described in this Agreement, (2) affects traffic delivered to Delta Phones from a BellSouth switch, and (3) requires special BellSouth switch translations and other network modifications will require Delta Phones to submit a Bona Fide Request/New Business Request (BFR/NBR) via the BFR/NBR Process as set forth in this Agreement.
- 4.5 Recurring and non-recurring rates associated with interconnecting trunk groups between BellSouth and Delta Phones are set forth in Exhibit A. To the extent a rate associated with the interconnecting trunk group is not set forth in Exhibit A, the rate shall be as set forth in the appropriate BellSouth tariff for switched access services.
- For two-way trunk groups that carry only both Parties' Local and IntraLATA TollTraffic, the Parties shall be compensated at 50% of the nonrecurring and recurring rates for dedicated trunks and DS1 facilities. Delta Phones shall be responsible for ordering and paying for any two-way trunks carrying Transit Traffic.
- 4.7 All trunk groups will be provisioned as Signaling System 7 (SS7) capable where technically feasible. If SS7 is not technically feasible multi-frequency (MF) protocol signaling shall be used.
- In cases where Delta Phones is also an IXC, the IXC's Feature Group D (FG D) trunk group(s) must remain separate from the local interconnection trunk group(s).
- 4.9 Each Party shall order interconnection trunks and trunk group including trunk and trunk group augmentations via the ASR process. A Firm Order Confirmation (FOC) shall be returned to the ordering Party, after receipt of a valid, error free ASR, within the timeframes set forth in each state's applicable Performance Measures. Notwithstanding the foregoing, blocking situations and projects shall be managed through BellSouth's Local Interconnection Switching Center (LISC) Project Management Group and Delta Phones's equivalent trunking group, and FOCs for such orders shall be returned in the timeframes applicable to the project.

A project is defined as (1) a new trunk group or (2) a request for more than 96 trunks on a single or multiple group(s) in a given BellSouth local calling area.

4.10 Interconnection Trunk Groups for Exchange of Local Traffic and Transit Traffic

Upon mutual agreement of the Parties in a joint planning meeting, the Parties' shall exchange Local Traffic on two-way interconnection trunk group(s) with the quantity of trunks being mutually determined and the provisioning being jointly coordinated. Furthermore, the Parties shall agree upon the IP(s) for two-way interconnection trunk groups transporting both Parties' Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic. Delta Phones shall order such two-way trunks via the Access Service Request (ASR) process. BellSouth will use the Trunk Group Service Request (TGSR) to request changes in trunking. Furthermore, the Parties shall jointly review trunk performance and forecasts on a periodic basis. The Parties' use of two-way interconnection trunk groups for the transport of Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic between the Parties does not preclude either Party from establishing additional one-way interconnection trunks for the delivery of its originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic to the other Party.

4.10.1 BellSouth Access Tandem Interconnection

BellSouth access tandem interconnection at a single access tandem provides access to those end offices subtending that access tandem ("Intratandem Access"). Access tandem interconnection is available for any of the following access tandem architectures

4.10.1.1 Basic Architecture

In the basic architecture, Delta Phones's originating Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic and originating and terminating Transit Traffic is transported on a single two-way trunk group between Delta Phones and BellSouth access tandem(s) within a LATA to provide Intratandem Access. This trunk group carries Transit Traffic between Delta Phones and Independent Companies, Interexchange Carriers, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which Delta Phones desires to exchange traffic. This trunk group also carries Delta Phones originated Transit Traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic is transported on a separate single one-way trunk group terminating to Delta Phones. Other trunk groups for operator services, directory assistance, emergency services and intercept must be established pursuant to the applicable BellSouth tariff if service is requested. The LERG contains current routing and tandem serving arrangements. The basic Architecture is illustrated in Exhibit B.

4.10.1.2 One-Way Trunk Group Architecture

In one-way trunk group architecture, the Parties interconnect using three separate trunk groups. A one-way trunk group provides Intratandem Access for Delta Phones-originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic destined for BellSouth end-users. A second one-way trunk group carries BellSouth-originated Local Traffi, ISP-bound Traffic and IntraLATA Toll Traffic c destined for Delta Phones end-users. A two-way trunk group provides Intratandem Access for Delta Phones's originating and terminating Transit Traffic. This trunk group carries Transit Traffic between Delta Phones and Independent Companies, Interexchange Carriers, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which Delta Phones desires to exchange traffic. This trunk group also carries Delta Phones originated Transit Traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic is transported on a separate single one-way trunk group terminating to Delta Phones. Other trunk groups for operator services, directory assistance, emergency services and intercept must be established pursuant to the applicable BellSouth tariff if service is requested. The LERG contains current routing and tandem serving arrangements. The one-way trunk group architecture is illustrated in Exhibit C.

4.10.1.3 Two-Way Trunk Group Architecture

The two-way trunk group Architecture establishes one two-way trunk group to provide Intratandem Access for the exchange of Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic between Delta Phones and BellSouth. In addition, a separate two-way transit trunk group must be established for Delta Phones's originating and terminating Transit Traffic. This trunk group carries Transit Traffic between Delta Phones and Independent Companies, Interexchange Carriers, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which Delta Phones desires to exchange traffic. This trunk group also carries Delta Phones originated Transit Traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated traffic may, in order to prevent or remedy traffic blocking situations, be transported on a separate single one-way trunk group terminating to Delta Phones. However, where Delta Phones is responsive in a timely manner to BellSouth's transport needs for its originated traffic, BellSouth originating traffic will be placed on the two-way Local Traffic trunk group carrying ISP-bound Traffic and IntraLATA Toll Traffic. Other trunk groups for operator services, directory assistance, emergency services and intercept must be established pursuant to the applicable BellSouth tariff if service is requested. The LERG contains current routing and tandem serving arrangements. The two-way trunk group architecture is illustrated in Exhibit D.

4.10.1.4 **Supergroup Architecture**

In the supergroup architecture, the Parties' Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic and Delta Phones's Transit Traffic are exchanged on a single two-way trunk group between Delta Phones and BellSouth to provide Intratandem Access to Delta Phones. This trunk group carries Transit Traffic between Delta Phones and Independent Companies, Interexchange Carriers, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which Delta Phones desires to exchange traffic. This trunk group also carries Delta Phones originated Transit Traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated traffic may, in order to prevent or remedy traffic blocking situations, be transported on a separate single one-way trunk group terminating to Delta Phones. However, where Delta Phones is responsive in a timely manner to BellSouth's transport needs for its originated traffic, BellSouth originating traffic will be placed on the Supergroup. Other trunk groups for operator services, directory assistance, emergency services and intercept must be established pursuant to the applicable BellSouth tariff if service is requested. The LERG contains current routing and tandem serving arrangements. The supergroup architecture is illustrated in Exhibit E.

4.10.1.5 Multiple Tandem Access Interconnection

- 4.10.1.5.1 Where Delta Phones does not choose access tandem interconnection at every BellSouth access tandem within a LATA, Delta Phones may utilize BellSouth's multiple tandem access interconnection (MTA). To utilize MTA Delta Phones must establish an interconnection trunk group(s) at a BellSouth access tandem through multiple BellSouth access tandems within the LATA as required. BellSouth will route Delta Phones's originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic for LATA wide transport and termination. Delta Phones must also establish an interconnection trunk group(s) at all BellSouth access tandems where Delta Phones NXXs are homed as described in Section 4.2.1 above. If Delta Phones does not have NXXs homed at any particular BellSouth access tandem within a LATA and elects not to establish an interconnection trunk group(s) at such BellSouth access tandem, Delta Phones can order MTA in each BellSouth access tandem within the LATA where it does have an interconnection trunk group(s) and BellSouth will terminate Delta Phones's Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic to end-users served through those BellSouth access tandems where Delta Phones does not have an interconnection trunk group(s). MTA shall be provisioned in accordance with BellSouth's Ordering Guidelines.
- 4.10.1.5.2 Delta Phones may also utilize MTA to route its originated Transit Traffic; provided, however, that MTA may not be utilized to route switched access traffic that transits the BellSouth network to an Interexchange Carrier (IXC). Switched

access traffic originated by or terminated to Delta Phones will be delivered to and from IXCs based on Delta Phones's NXX access tandem homing arrangement as specified by Delta Phones in the LERG.

- 4.10.1.5.3 Compensation for MTA shall be at the applicable tandem switching and transport charges specified in Exhibit A to this Attachment and shall be billed in addition to any Call Transport and Termination charges.
- 4.10.1.5.4 To the extent Delta Phones does not purchase MTA in a LATA served by multiple access tandems, Delta Phones must establish an interconnection trunk group(s) to every access tandem in the LATA to serve the entire LATA. To the extent Delta Phones routes its traffic in such a way that utilizes BellSouth's MTA service without properly ordering MTA, Delta Phones shall pay BellSouth the associated MTA charges.

4.10.2 Local Tandem Interconnection

- 4.10.2.1 Local Tandem Interconnection arrangement allows Delta Phones to establish an interconnection trunk group(s) at BellSouth local tandems for: (1) the delivery of Delta Phones-originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic transported and terminated by BellSouth to BellSouth end offices served by those BellSouth local tandems, and (2) for local Transit Traffic transported by BellSouth for third party network providers who have also established an interconnection trunk group(s) at those BellSouth local tandems.
- When a specified local calling area is served by more than one BellSouth local tandem, Delta Phones must designate a "home" local tandem for each of its assigned NPA/NXXs and establish trunk connections to such local tandems. Additionally, Delta Phones may choose to establish an interconnection trunk group(s) at the BellSouth local tandems where it has no codes homing but is not required to do so. Delta Phones may deliver Local Traffi, ISP-bound Traffic and IntraLATA Toll Traffic c to a "home" BellSouth local tandem that is destined for other BellSouth or third party network provider end offices subtending other BellSouth local tandems in the same local calling area where Delta Phones does not choose to establish an interconnection trunk group(s). It is Delta Phones's responsibility to enter its own NPA/NXX local tandem homing arrangements into the LERG either directly or via a vendor in order for other third party network providers to determine appropriate traffic routing to Delta Phones's codes. Likewise, Delta Phones shall obtain its routing information from the LERG.
- 4.10.2.3 Notwithstanding establishing an interconnection trunk group(s) to BellSouth's local tandems, Delta Phones must also establish an interconnection trunk group(s) to BellSouth access tandems within the LATA on which Delta Phones has NPA/NXXs homed for the delivery of Interexchange Carrier Switched Access (SWA) and toll traffic, and traffic to Type 2A CMRS connections located at the access tandems. BellSouth shall not switch SWA traffic through more than one

BellSouth access tandem. SWA, Type 2A CMRS or toll traffic routed to the local tandem in error will not be backhauled to the BellSouth access tandem for completion. (Type 2A CMRS interconnection is defined in BellSouth's A35 General Subscriber Services Tariff).

- 4.10.2.4 BellSouth's provisioning of Local Tandem Interconnection assumes that Delta Phones has executed the necessary local interconnection agreements with the other third party network providers subtending those local tandems as required by the Act.
- 4.10.3 Direct End Office-to-End Office Interconnection
- 4.10.3.1 Direct End Office-to-End Office one-way or two-way interconnection trunk groups allow for the delivery of a Party's originating Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic to the terminating Party on a direct end office-to-end office basis.
- 4.10.3.2 The Parties shall utilize direct end office-to-end office trunk groups under any one of the following conditions:
- 4.10.3.2.1 Tandem Exhaust If a tandem through which the Parties are interconnected is unable to, or is forecasted to be unable to support additional traffic loads for any period of time, the Parties will mutually agree on an end office trunking plan that will alleviate the tandem capacity shortage and ensure completion of traffic between Delta Phones and BellSouth.
- 4.10.3.2.2 Traffic Volume –To the extent either Party has the capability to measure the amount of traffic between Delta Phones's switch and a BellSouth end office and where such traffic exceeds or is forecasted to exceed a single DS1 of traffic per month, then the Parties shall install and retain direct end office trunking sufficient to handle such traffic volumes. Either Party will install additional capacity between such points when overflow traffic exceeds or is forecasted to exceed a single DS1 of traffic per month. In the case of one-way trunking, additional trunking shall only be required by the Party whose trunking has achieved the preceding usage threshold.
- 4.10.3.2.3 Mutual Agreement The Parties may install direct end office trunking upon mutual agreement in the absence of conditions (1) or (2) above.

4.10.4 Transit Traffic Trunk Group

Transit Traffic trunks can either be two-way trunks or two one-way trunks ordered by Delta Phones to deliver and receive Transit Traffic. Establishing Transit Traffic trunks at BellSouth access and local tandems provides intratandem access to the third parties also interconnected at those tandems.

4.10.4.1 Toll Free Traffic

- 4.10.4.1.1 If Delta Phones chooses BellSouth to perform the Service Switching Point ("SSP") Function (i.e., handle Toll Free database queries) from BellSouth's switches, all Delta Phones originating Toll Free traffic will be routed over the Transit Traffic Trunk Group and shall be delivered using GR-394 format. Carrier Code "0110" and Circuit Code (to be determined for each LATA) shall be used for all such calls.
- 4.10.4.1.2 Delta Phones may choose to perform its own Toll Free database queries from its switch. In such cases, Delta Phones will determine the nature (local/intraLATA/interLATA) of the Toll Free call (local/IntraLATA/InterLATA) based on the response from the database. If the call is a BellSouth local or intraLATA Toll Free call. Delta Phones will route the post-query local or IntraLATA converted ten-digit local number to BellSouth over the local or intraLATA trunk group. If the call is a third party (ICO, IXC, CMRS or other CLEC) local or intraLATA Toll Free call, Delta Phones will route the post-query local or intraLATA converted ten-digit local number to BellSouth over the Transit Traffic Trunk Group and Delta Phones shall provide to BellSouth a Toll Free billing record when appropriate. If the query reveals the call is an interLATA Toll Free call, Delta Phones will route the post-query interLATA Toll Free call (1) directly from its switch for carriers interconnected with its network or (2) over the Transit Traffic Trunk Group to carriers that are not directly connected to Delta Phones's network but that are connected to BellSouth's access tandem.
- 4.10.5 All post-query Toll Free calls for which Delta Phones performs the SSP function, if delivered to BellSouth, shall be delivered using GR-394 format for calls destined to IXCs, and GR-317 format for calls destined to end offices that directly subtend a BellSouth access tandem within the LATA.

5. NETWORK DESIGN AND MANAGEMENT FOR INTERCONNECTION

- 5.1 <u>Network Management and Changes</u>. The Parties will exchange toll-free maintenance contact numbers and escalation procedures. The Parties will provide public notice of network changes in accordance with applicable federal and state rules and regulations.
- Interconnection Technical Standards. The interconnection of all networks will be based upon accepted industry/national guidelines for transmission standards and traffic blocking criteria. Interconnecting facilities shall conform, at a minimum, to the telecommunications industry standard of DS-1 pursuant to Telcordia Standard No. TR-NWT-00499. Where Delta Phones chooses to utilize Signaling System 7 signaling, also known as Common Channel Signaling ("SS7"), SS7 connectivity is required between the Delta Phones switch and the BellSouth Signaling Transfer Point ("STP"). BellSouth will provide SS7 signaling using Common Channel Signaling Access Capability in accordance with the technical specifications set forth in the BellSouth Guidelines to Technical Publication, TR-TSV-000905. Facilities of each Party shall provide the necessary on-hook, off-hook answer and

disconnect supervision and shall provide calling number ID (Calling Party Number) when technically feasible.

- Ouality of Interconnection. The local interconnection for the transmission and routing of telephone exchange service and exchange access that each Party provides to each other will be at least equal in quality to what it provides to itself and any subsidiary or affiliate, where technically feasible, or to any other Party to which each Party provides local interconnection.
- Network Management Controls. Both Parties will work cooperatively to apply sound network management principles by invoking appropriate network management controls (e.g., call gapping) to alleviate or prevent network congestion.
- SS7 Signaling. Both Parties will utilize LEC-to-LEC SS7 Signaling, where available, in conjunction with all traffic in order to enable full interoperability of CLASS features and functions except for call return. All SS7 signaling parameters will be provided, including but not limited to automatic number identification ("ANI"), originating line information ("OLI") calling company category and charge number. All privacy indicators will be honored, and the Parties will exchange Transactional Capabilities Application Part ("TCAP") messages to facilitate full interoperability of SS7-based features between the respective networks. Neither Party shall alter the SS7 parameters, or be a party to altering such parameters, or knowingly pass SS7 parameters that have been altered in order to circumvent appropriate interconnection charges.
- 5.6 <u>Signaling Call Information</u>. BellSouth and Delta Phones will send and receive 10 digits for Local Traffic. Additionally, BellSouth and Delta Phones will exchange the proper call information, i.e. originated call company number and destination call company number, CIC, and OZZ, including all proper translations for routing between networks and any information necessary for billing.

5.7 Forecasting for Trunk Provisioning

- 5.7.1 Within six (6) months after execution of this Agreement, Delta Phones shall provide an initial interconnection trunk group forecast for each LATA in which it plans to provide service within BellSouth's region. Upon receipt of Delta Phones's forecast, the Parties shall conduct a joint planning meeting to develop a joint interconnection trunk group forecast. Each forecast provided under this Section shall be deemed "Confidential Information" under the General Terms and Conditions of this Agreement.
- 5.7.1.1 At a minimum, the forecast shall include the projected quantity of Transit Trunks, Delta Phones-to-BellSouth one-way trunks ("Delta Phones Trunks"), BellSouth-to-Delta Phones one-way trunks ("Reciprocal Trunks") and/or two-way interconnection trunks, if the Parties have agreed to interconnect using two-way

trunking to transport the Parties' Local Traffic and IntraLATA Toll Traffic. The quantities shall be projected for a minimum of six months and shall include an estimate of the current year plus the next two years total forecasted quantities. The Parties shall mutually develop Reciprocal Trunk and/or two-way interconnection trunk forecast quantities.

- 5.7.1.2 All forecasts shall include, at a minimum, Access Carrier Terminal Location ("ACTL"), trunk group type (local/intraLATA toll, Transit, Operator Services, 911, etc.), A location/Z location (CLLI codes for Delta Phones location and BellSouth location where the trunks shall terminate), interface type (e.g., DS1), Direction of Signaling, Trunk Group Number, if known, (commonly referred to as the 2-6 code) and forecasted trunks in service each year (cumulative).
- 5.7.2 Once initial interconnection trunk forecasts have been developed, Delta Phones shall continue to provide interconnection trunk forecasts on a semiannual basis or at otherwise mutually agreeable intervals. Delta Phones shall use its best efforts to make the forecasts as accurate as possible based on reasonable engineering criteria. The Parties shall continue to develop Reciprocal Trunk and/or two-way interconnection trunk forecasts as described in Section 5.7.1.1.
- 5.7.3 The submitting and development of interconnection trunk forecasts shall not replace the ordering process for local interconnection trunks. Each Party shall exercise its best efforts to provide the quantity of interconnection trunks mutually forecasted. However, the provision of the forecasted quantity of interconnection trunks is subject to trunk terminations and facility capacity existing at the time the trunk order is submitted. Furthermore, the receipt and development of trunk forecasts does not imply any liability for failure to perform if capacity (trunk terminations or facilities) is not available for use at the forecasted time.

5.8 Trunk Utilization

- BellSouth and Delta Phones shall monitor traffic on each interconnection trunk group that is ordered and installed. The Parties agree that within 180 days of the installation of a trunk or trunks, the trunks will be utilized at 60 percent (60%) of the time consistent busy hour utilization level. The Parties agree that within 365 days of the installation of a trunk or trunks, the trunks will be utilized at eighty percent (80%) of the time consistent busy hour utilization level. Any trunk or trunks not meeting the minimum thresholds set forth in this Section are defined as "Under-utilized" trunks. BellSouth may disconnect any Under-utilized reciprocal trunk(s) and the Party whose trunks are disconnected shall refund to the other Party associated trunk and facility charges paid by such other Party, if any.
- 5.8.1.1 BellSouth's Local Interconnection Switching Center (LISC) will notify Delta Phones of any under-utilized reciprocal trunk groups and the number of trunks that BellSouth wishes to disconnect. BellSouth will provide supporting information either by email or facsimile to the designated Delta Phones interface. Delta Phones

will provide concurrence with the disconnection in seven (7) business days or will provide specific information supporting why the trunks should not be disconnected. Such supporting information should include expected traffic volumes (including traffic volumes generated due to Local Number Portability) and the timeframes within which Delta Phones expects to need such trunks. BellSouth's LISC Project Manager and Circuit Capacity Manager will discuss the information with Delta Phones to determine if agreement can be reached on the number of trunks to be removed. If no agreement can be reached, BellSouth will issue disconnect orders to Delta Phones. The due date of these orders will be four weeks after Delta Phones was first notified in writing of the underutilization of the trunk groups.

5.8.2 To the extent that any interconnection trunk group is utilized at a time-consistent busy hour of eighty percent (80%) or greater, the Parties shall negotiate in good faith for the installation of augmented facilities.

6. LOCAL DIALING PARITY

BellSouth and Delta Phones shall provide local and toll dialing parity, as defined in FCC rules and regulations, with no unreasonable dialing delays. Dialing parity shall be provided for all originating telecommunications services that require dialing to route a call.

7. INTERCONNECTION COMPENSATION

- 7.1 Compensation for Call Transportation and Termination for Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic
- 7.1.1 For reciprocal compensation between the Parties pursuant to this Attachment,
 Local Traffic is defined as any circuit switched call that originates in one exchange
 and terminates in either the same exchange or a corresponding Extended Area
 Service ("EAS") exchange as defined and specified in Section A3 of BellSouth's
 General Subscriber Service tariff.
- 7.1.1.1 Additionally, Local Traffic includes any cross boundary, voice-to-voice intrastate, interLATA or interstate, interLATA calls established as a local call by the ruling regulatory body.
- 7.1.2 ISP-bound Traffic is defined as calls to an information service provider or Internet service provider ("ISP") that are dialed by using a local dialing pattern (7 or 10 digits) by a calling party in one exchange to an ISP server or modem in either the same exchange or a corresponding Extended Area Service ("EAS") exchange as defined and specified in Section A3 of BellSouth's General Subscriber Service tariff. ISP-bound Traffic is not Local Traffic subject to reciprocal compensation, but instead is information access traffic subject to the FCC's jurisdiction.

- 7.1.3 Notwithstanding the definitions of Local Traffic and ISP-bound traffic above, and pursuant to the FCC's Order on Remand and Report and Order in CC Docket 99-68 released April 27, 2001 ("ISP Order on Remand"), BellSouth and Delta Phones agree to the rebuttable presumption that all combined circuit switched Local and ISP-bound Traffic delivered to BellSouth or Delta Phones that exceeds a 3:1 ratio of terminating to originating traffic on a statewide basis shall be considered ISP-bound traffic for compensation purposes. BellSouth and Delta Phones further agree to the rebuttable presumption that all combined circuit switched Local and ISP-bound Traffic delivered to BellSouth or Delta Phones that does not exceed a 3:1 ratio of terminating to originating traffic on a statewide basis shall be considered Local Traffic for compensation purposes.
- 7.1.4 IntraLATA Toll Traffic is defined as all traffic that originates and terminates within a single LATA that is not Local or ISP-bound traffic under this Attachment.
- 7.1.4.1 For terminating its intraLATA toll traffic on the other company's network, the originating Party will pay the terminating Party BellSouth's current intrastate or interstate, whichever is appropriate, terminating switched access tariff rates as set forth in BellSouth's Access Services Tariffs as filed and in effect with the FCC or Commission. The appropriate charges will be determined by the routing of the call. Additionally, if one Party is the other Party's end user's presubscribed interexchange carrier or if one Party's end user uses the other Party as an interexchange carrier on a 101XXXXX basis, the originating party will charge the other Party the appropriate BellSouth originating switched access tariff rates as set forth in BellSouth's Intrastate or Interstate Access Services Tariff as filed and in effect with the FCC or appropriate Commission.
- 7.1.5 Neither Party shall pay compensation to the other Party for per minute of use rate elements associated with the Call Transport and Termination of Local Traffic or ISP-bound Traffic.
- 7.1.6 The appropriate elemental rates set forth in Exhibit A of this Attachment shall apply for Transit Traffic as described in Sections 7.6 and 7.6.1 below and to Multiple Tandem Access as described in Section 4.10.1.5 above.
- 7.1.7 Neither Party shall represent Switched Access Traffic as Local Traffic or ISP-bound Traffic for purposes of determining compensation for the call.
- 7.1.8 If Delta Phones assigns NPA/NXXs to specific BellSouth rate centers within the LATA and assigns numbers from those NPA/NXXs to Delta Phones end users physically located outside of that LATA, BellSouth traffic originating from within the LATA where the NPA/NXXs are assigned and delivered to a Delta Phones customer physically located outside of such LATA, shall not be deemed Local Traffic. Further, Delta Phones agrees to identify such interLATA traffic to

BellSouth and to compensate BellSouth for originating and transporting such interLATA traffic to Delta Phones at BellSouth's switched access tariff rates.

7.2 If Delta Phones does not identify such interLATA traffic to BellSouth, to the best of BellSouth's ability BellSouth will determine which whole Delta Phones NPA/NXXs on which to charge the applicable rates for originating network access service as reflected in BellSouth's Access Service Tariff. BellSouth shall make appropriate billing adjustments if Delta Phones can provide sufficient information for BellSouth to determine whether or not said traffic is Local or ISP-bound Traffic.

7.3 **Jurisdictional Reporting**

- 7.3.1 Percent Local Use. Each Party shall report to the other a Percent Local Usage ("PLU") factor. The application of the PLU will determine the amount of local or ISP-bound minutes to be billed to the other Party. For purposes of developing the PLU, each Party shall consider every local and ISP-bound call and every long distance call, excluding Transit Traffic. Each Party shall update its PLU on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than 30 days after the first of each such month based on local and ISP-bound usage for the past three months ending the last day of December, March, June and September, respectively. Requirements associated with PLU calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time. Notwithstanding the foregoing, where the terminating Party has message recording technology that identifies the jurisdiction of traffic terminated as defined in this Agreement, such information, in lieu of the PLU factor, shall at the terminating Party's option be utilized to determine the appropriate local usage compensation to be paid.
- Percent Local Facility. Each Party shall report to the other a Percent Local Facility ("PLF") factor. The application of the PLF will determine the portion of switched dedicated transport to be billed per the local jurisdiction rates. The PLF shall be applied to Multiplexing, Local Channel and Interoffice Channel Switched Dedicated Transport utilized in the provision of local interconnection trunks. Each Party shall update its PLF on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than 30 days after the first of each such month to be effective the first bill period the following month, respectively. Requirements associated with PLU and PLF calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time.
- 7.3.3 Percent Interstate Usage. Each Party shall report to the other the projected Percent Interstate Usage ("PIU") factor. All jurisdictional report requirements, rules and regulations for Interexchange Carriers specified in BellSouth's Intrastate Access Services Tariff will apply to Delta Phones. After interstate and intrastate

traffic percentages have been determined by use of PIU procedures, the PLU and PLF factors will be used for application and billing of local interconnection. Each Party shall update its PIUs on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than 30 days after the first of each such month, for all services showing the percentages of use (PIUs, PLU, and PLF) for the past three months ending the last day of December, March, June and September. Notwithstanding the foregoing, where the terminating Party has message recording technology that identifies the jurisdiction of traffic terminated as defined in this Agreement, such information, in lieu of the PIU and PLU factors, shall at the terminating Party's option be utilized to determine the appropriate local usage compensation to be paid.

- Notwithstanding the provisions in Section 7.3.1, 7.3.2, and 7.3.3 above, where the terminating Party has message recording technology that identifies the jurisdiction of traffic terminated as defined in this Agreement, such information shall, at the terminating Party's option, be utilized to determine the appropriate jurisdictional reporting factors (PLU, PIU, and/or PLF), in lieu of those provided by the originating Party. In the event that the terminating Party opts to utilize its own data to determine jurisdictional reporting factors, such terminating Party shall notify the originating Party at least 15 days prior to the beginning of the calendar quarter in which the terminating Party will begin to utilize its own data. Such factors shall subject to the Dispute Resolution provisions in this Agreement, as well as the Audit provisions set forth in 7.3.5 below.
- 7.3.5 Audits. On thirty (30) days written notice, each Party must provide the other the ability and opportunity to conduct an annual audit to ensure the proper billing of traffic. BellSouth and Delta Phones shall retain records of call detail for a minimum of nine months from which the PLU, PLF and/or PIU can be ascertained. The audit shall be conducted during normal business hours at an office designated by the Party being audited. Audit requests shall not be submitted more frequently than one (1) time per calendar year. Audits shall be performed by a mutually acceptable independent auditor paid for by the Party requesting the audit. The PLF, PLU and/or PIU shall be adjusted based upon the audit results and shall apply for the quarter the audit was completed, for the quarter prior to the completion of the audit, and for the two quarters following the completion of the audit. If, as a result of an audit, either Party is found to have overstated the PLF, PLU and/or PIU by twenty percentage points (20%) or more, that Party shall reimburse the auditing Party for the cost of the audit.

7.4 Compensation for 8XX Traffic

7.4.1 Compensation for 8XX Traffic. Each Party shall pay the other the appropriate switched access charges set forth in the BellSouth intrastate or interstate switched access tariffs. Delta Phones will pay BellSouth the database query charge as set forth in the BellSouth intrastate or interstate switched access tariffs as applicable.

- 7.4.2 Records for 8XX Billing. Each Party will provide to the other the appropriate records necessary for billing intraLATA 8XX customers. The records provided will be in a standard EMI format.
- 7.4.3 <u>8XX Access Screening.</u> BellSouth's provision of 8XX Toll Free Dialing ("TFD") to Delta Phones requires interconnection from Delta Phones to BellSouth's 8XX Signal Channel Point ("SCP"). Such interconnections shall be established pursuant to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. Delta Phones shall establish SSS7 interconnection at the BellSouth Local Signal Transfer Points serving the BellSouth 8XX SCPs that Delta Phones desires to query. The terms and conditions for 8XX TFD are set out in BellSouth's Intrastate Access Services Tariff.

7.5 Mutual Provision of Switched Access Service

- 7.5.1 Switched Access Traffic. Switched Access Traffic is described as telephone calls requiring local transmission or switching services for the purpose of the origination or termination of Telephone Toll Service. Switched Access Traffic includes, but is not limited to, the following types of traffic: Feature Group A, Feature Group B, Feature Group C, Feature Group D, toll free access (e.g., 8XX), 900 access and their successors. Additionally, any Public Switched Telephone Network interexchange telecommunications traffic, regardless of transport protocol method, where the originating and terminating points, end-to-end points, are in different LATAs, or are in the same LATA and the Parties' Switched Access services are used for the origination or termination of the call, shall be considered Switched Access Traffic. Irrespective of transport protocol method used, a call which originates in one LATA and terminates in another LATA (i.e., the end-to-end points of the call) or in which the Parties' Switched Access Services are used for the origination or termination of the call, shall not be considered Local Traffic or ISP-bound Traffic.
- 7.5.2 If the BellSouth end user chooses Delta Phones as their presubscribed interexchange carrier, or if the BellSouth end user uses Delta Phones as an interexchange carrier on a 101XXXX basis, BellSouth will charge Delta Phones the appropriate BellSouth tariff charges for originating switched access services.
- 7.5.3 Where the originating Party delivers a call to the terminating Party over switched access facilities, the originating Party will pay the terminating Party terminating, switched access charges as set forth in BellSouth's Intrastate or Interstate Access Services Tariff, as appropriate.
- 7.5.4 When Delta Phones's end office switch provides an access service connection to or from an interexchange carrier ("IXC") by a direct trunk group to the IXC utilizing BellSouth facilities, each Party will provide its own access services to the IXC and bill on a multi-bill, multi-tariff meet-point basis. Each Party will bill its own access

services rates to the IXC with the exception of the interconnection charge. The interconnection charge will be billed by Delta Phones as the Party providing the end office function. Each party will use the Multiple Exchange Carrier Access Billing (MECAB) guidelines to establish meet point billing for all applicable traffic. The parties shall utilize a thirty (30) day billing period.

- 7.5.4.1 When Delta Phones's end office subtends the BellSouth Access Tandem switch for receipt or delivery of switched access traffic and provides an access service connection to or from an IXC via BellSouth's Access Tandem switch, BellSouth, as the tandem company agrees to provide to Delta Phones, as the End Office Company, as defined in MECAB, at no charge, all the switched access detail usage data, recorded at the access tandem, within no more than sixty (60) days after the recording date. Each Party will notify the other when it is not feasible to meet these requirements. As business requirements change, data reporting requirements may be modified as necessary.
- 7.5.5 BellSouth, as the tandem provider company, will retain for a minimum period of sixty (60) days, access message detail sufficient to recreate any data that is lost or damaged by the tandem provider company or any third party involved in processing or transporting data.
- 7.5.6 BellSouth, as the tandem provider company, agrees to recreate the lost or damaged data within forty-eight (48) hours of notification by the other or by an authorized third party handling the data.
- 7.5.7 Any claims against BellSouth, as the tandem provider company, for unbillable or uncollectible revenue should be filed with the tandem provider company within 120 days of the usage date.
- 7.5.8 BellSouth, as the tandem provider company shall keep records of its billing activities relating to jointly-provided Intrastate and Interstate access services in sufficient detail to permit the Subsequent Billing Party to, by formal or informal review or audit, to verify the accuracy and reasonableness of the jointly-provided access billing data provided by the Initial Billing Party. Each Party agrees to cooperate in such formal or informal reviews or audits and further agrees to jointly review the findings of such reviews or audits in order to resolve any differences concerning the findings thereof.
- 7.5.9 Delta Phones agrees not to deliver switched access traffic to BellSouth for termination except over Delta Phones ordered switched access trunks and facilities.

7.6 Transit Traffic

7.6.1 BellSouth shall provide tandem switching and transport services for Delta Phones's Transit Traffic. Rates for local Transit Traffic and ISP-bound Transit

Traffic shall be the applicable Call Transport and Termination charges as set forth in Exhibit A to this Attachment. Rates for Switched Access Transit Traffic shall be the applicable charges as set forth in BellSouth Interstate or Intrastate Switched Access tariffs. Billing associated with all Transit Traffic shall be pursuant to MECAB guidelines. Traffic between Delta Phones and Wireless Type 1 third parties shall not be treated as Transit Traffic from a routing or billing perspective. Traffic between Delta Phones and Wireless Type 2A or a third party CLEC utilizing BellSouth switching shall not be treated as Transit Traffic from a routing or billing perspective until BellSouth and the Wireless carrier or a third party CLEC utilizing BellSouth switching have the capability to properly meet-point-bill in accordance with MECAB guidelines.

7.6.2 The delivery of traffic that transits the BellSouth network and is transported to another carrier's network is excluded from any BellSouth billing guarantees. BellSouth agrees to deliver Transit Traffic to the terminating carrier; provided, however, that Delta Phones is solely responsible for negotiating and executing any appropriate contractual agreements with the terminating carrier for the exchange of Transit Traffic through the BellSouth network. BellSouth will not be liable for any compensation to the terminating carrier or to Delta Phones. In the event that the terminating third party carrier imposes on BellSouth any charges or costs for the delivery of Transit Traffic, Delta Phones shall reimburse BellSouth for such costs. Additionally, the Parties agree that any billing to a third party or other telecommunications carrier under this section shall be pursuant to MECAB procedures.

8. FRAME RELAY SERVICE INTERCONNECTION

- 8.1 In addition to the Local Interconnection services set forth above, BellSouth will offer a network to network Interconnection arrangement between BellSouth's and Delta Phones's frame relay switches as set forth below. The following provisions will apply only to Frame Relay Service and Exchange Access Frame Relay Service and Managed Shared Frame Relay Service in those states in which Delta Phones is certified and providing Frame Relay Service as a Local Exchange Carrier and where traffic is being exchanged between Delta Phones and BellSouth Frame Relay Switches in the same LATA.
- The Parties agree to establish two-way Frame Relay facilities between their respective Frame Relay Switches to the mutually agreed upon Frame Relay Service point(s) of interconnection ("TP(s)") within the LATA. All IPs shall be within the same Frame Relay Network Serving Areas as defined in Section A40 of BellSouth's General Subscriber Service Tariff except as set forth in this Attachment.
- Upon the request of either Party, such interconnection will be established where BellSouth and Delta Phones have Frame Relay Switches in the same LATA. Where there are multiple Frame Relay switches in one central office, an

interconnection with any one of the switches will be considered an interconnection with all of the switches at that central office for purposes of routing packet traffic.

- 8.4 The Parties agree to provision local and intraLATA Frame Relay Service and Exchange Access Frame Relay Service and Managed Shared Frame Relay Service (both intrastate and interstate) over Frame Relay interconnection facilities between the respective Frame Relay switches and the IPs.
- 8.5 The Parties agree to assess each other reciprocal charges for the facilities that each provides to the other according to the Percent Local Circuit Use Factor (PLCU), determined as follows:
- 8.5.1 If the data packets originate and terminate in locations in the same LATA, and are consistent with the local definitions of the Agreement, the traffic is considered local. Frame Relay framed packet data is transported within Virtual Circuits (VC). For the purposes of this Agreement, if all the data packets transported within a VC remain within the LATA, then consistent with the local definitions in this Agreement, the traffic on that VC is local ("Local VC").
- 8.5.2 If the originating and terminating locations of the two-way packet data traffic are not in the same LATA, the traffic on that VC is interLATA ("InterLATA VC").
- 8.5.3 The PLCU is determined by dividing the total number of Local VCs, by the total number of VCs on each Frame Relay facility. To facilitate implementation, Delta Phones may determine its PLCU in aggregate, by dividing the total number of Local VCs in a given LATA by the total number VCs in that LATA. The Parties agree to renegotiate the method for determining PLCU, at BellSouth's request, and within 90 days, if BellSouth notifies Delta Phones that it has found that this method does not adequately represent the PLCU.
- 8.5.4 If there are no VCs on a facility when it is billed, the PLCU will be zero.
- 8.5.5 BellSouth will provide the circuit between the Parties' respective Frame Relay Switches. The Parties will be compensated as follows: BellSouth will invoice, and Delta Phones will pay, the total non-recurring and recurring charges for the circuit based upon the rates set forth in BellSouth's Interstate Access Tariff, FCC No. 1. Delta Phones will then invoice, and BellSouth will pay, an amount calculated by multiplying the BellSouth billed charges for the circuit by one-half of Delta Phones's PLCU.
- 8.6 The Parties agree to compensate each other for Frame Relay network-to-network interface (NNI) ports based upon the NNI rates set forth in BellSouth's Interstate Access Tariff, FCC No. 1. Compensation for each pair of NNI ports will be calculated as follows: BellSouth will invoice, and Delta Phones will pay, the total non-recurring and recurring charges for the NNI port. Delta Phones will then invoice, and BellSouth will pay, an amount calculated by multiplying the BellSouth

billed non-recurring and recurring charges for the NNI port by Delta Phones's PLCU.

- 8.7 Each Party agrees that there will be no charges to the other Party for its own subscriber's Permanent Virtual Circuit (PVC) rate elements for the local PVC segment from its Frame Relay switch to its own subscriber's premises. PVC rate elements include the Data Link Connection Identifier (DLCI) and Committed Information Rate (CIR).
- 8.8 For the PVC segment between the Delta Phones and BellSouth Frame Relay switches, compensation for the PVC charges is based upon the rates in BellSouth's Interstate Access Tariff, FCC No. 1.
- 8.9 Compensation for PVC rate elements will be calculated as follows:
- 8.9.1 If Delta Phones orders a VC connection between a BellSouth subscriber's PVC segment and a PVC segment from the BellSouth Frame Relay switch to the Delta Phones Frame Relay switch, BellSouth will invoice, and Delta Phones will pay, the total non-recurring and recurring PVC charges for the PVC segment between the BellSouth and Delta Phones Frame Relay switches. If the VC is a Local VC, Delta Phones will then invoice and BellSouth will pay, the total nonrecurring and recurring PVC charges billed for that segment. If the VC is not local, no compensation will be paid to Delta Phones for the PVC segment.
- 8.9.2 If BellSouth orders a Local VC connection between a Delta Phones subscriber's PVC segment and a PVC segment from the Delta Phones Frame Relay switch to the BellSouth Frame Relay switch, BellSouth will invoice, and Delta Phones will pay, the total non-recurring and recurring PVC and CIR charges for the PVC segment between the BellSouth and Delta Phones Frame Relay switches. If the VC is a Local VC, Delta Phones will then invoice and BellSouth will pay the total non-recurring and recurring PVC and CIR charges billed for that segment. If the VC is not local, no compensation will be paid to Delta Phones for the PVC segment.
- 8.9.3 The Parties agree to compensate each other for requests to change a PVC segment or PVC service order record, according to the Feature Change charge as set forth in the BellSouth access tariff BellSouth Tariff FCC No. 1.
- 8.9.4 If Delta Phones requests a change, BellSouth will invoice and Delta Phones will pay a Feature Change charge for each affected PVC segment.
- 8.9.4.1 If BellSouth requests a change to a Local VC, Delta Phones will invoice and BellSouth will pay a Feature Change charge for each affected PVC segment.


- 8.9.5 The Parties agree to limit the sum of the CIR for the VCs on a DS1 NNI port to not more than three times the port speed, or not more than six times the port speed on a DS3 NNI port.
- 8.9.6 Except as expressly provided herein, this Agreement does not address or alter in any way either Party's provision of Exchange Access Frame Relay Service, Managed Shared Frame Relay Service or interLATA Frame Relay Service. All charges by each Party to the other for carriage of Exchange Access Frame Relay Service or interLATA Frame Relay Service are included in the BellSouth access tariff BellSouth Tariff FCC No. 1.
- 8.10 Delta Phones will identify and report quarterly to BellSouth the PLCU of the Frame Relay facilities it uses, per Section 8.5.3 above.
- 8.11 Either Party may request a review or audit of the various service components, consistent with the provisions of section E2 of the BellSouth State Access Services tariffs or Section 2 of the BellSouth FCC No.1 Tariff.

9. ORDERING CHARGES

9.1 The terms, conditions and rates for Ordering Charges are as set forth in FCC Tariff for Access Service Records.



Exhibit B



One-Way Architecture

Exhibit C






Exhibit D





Exhibit E

Supergroup Architecture



LOCAL	INIE	RCONNECTION - Alabama												Attachi	ment: 3	Eyhil	bit: A
CATEGOF	RY	RATE ELEMENTS	Interi m	Zone	BĆS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs, Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs.
				<u> </u>			Rec		curring		Disconnect				Rates(\$)		
				├				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCAL IN	TERC	ONNECTION (CALL TRANSPORT AND TERMINATION)	┼	├								ļ					
NO.	OTE: '	bk" beside a rate indicates that the Parties have agreed to bi	ill and k	een fo	that element nursu	ant to the to	rmo and senditi	and in Attack									
TA	ANDE	M SWITCHING	T	l l	that didnight pursu	lain to the te	This and conditi	IONS IN ATTACK	nent 3.								
		Tandem Switching Function Per MOU	 		OHD	 	0.000498bk			ļ — —					ļ		
- 1	- 1	Multiple Tandem Switching, per MOU (applies to initial tandem						·		<u> </u>							
	_	only)			OHD		0.000498		1	i		1					İ
	- 1	Tandem Intermediary Charge, per MOU*			OHD		0.0015					 			 		
TE	I NIS C	harge is applicable only to transit traffic and is applied in ad CHARGE	dition to	appli	cable switching and	/or intercon	nection charges	3.			i						
<u>''</u> '		Installation Trunk Side Service - per DS0	<u> </u>	<u> </u>													
		Dedicated End Office Trunk Port Service-per DS0**			OHD	TPP++		333.69	56.91								T
	$\neg \neg$	Dedicated End Office Trunk Port Service-per DS0**			OHD OH1 OH1MS	TDE0P	0.00										
	\neg	Dedicated Tandem Trunk Port Service-per DS0**	 	-	OHD	TDWOP	0.00										
		Dedicated Tandem Trunk Port Service-per DS1**			OHI OHIMS	TOWID	0.00				ļ						L
**	This	ate element is recovered on a per MOU basis and is included	in the	End O	fice Switching and	Tandem Swit	ching ner MO	I rate element									
CC	JMMC	IN TRANSPORT (Shared)				I	l line	Tate distribution									
		Common Transport - Per Mile, Per MOU			OHD		0.0000023bk										
		Common Transport - Facilities Termination Per MOU			OHD		0.0003224bk										
		ONNECTION (DEDICATED TRANSPORT)															
INT		FFICE CHANNEL - DEDICATED TRANSPORT															
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -	1			1										• • •	
		Per Mile per month	<u> </u>		OHL, OHM	1L5NF	0.008838										ı
	- 1	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month	l	1		1											
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile	 	ļ	OHL, OHM	1L5NF	21.13	40.54		16.74							
		per month	l		OHL, OHM	1L5NK	0.008838					: ·					1
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility	-		One, Onk	ILSNK	0.008838										
		Termination per month			OHL, OHM	1L5NK	15.12	40.54	-	16.74						i	4
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile	 	-	OTIE, OTIM	TESTAN.	13.12	40.54		10.74							
		per month	l	1	OHL, OHM	1L5NK	0.008838										l .
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility		\vdash	<u> </u>	1.30.111	0,000000										
		Termination per month	i		OHL, OHM	1L5NK	15.12	40.54		16.74							l .
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
		month	1		OH1, OH1MS	1L5NL	0.18										i
		Interoffice Channel - Dedicated Tranport - DS1 - Facility	i														
		Termination per month	ļ		OH1, OH1MS	1L5NL	60.16	89.27		16.35							
1		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per	1		0110 0110110								1				l .
		month Interoffice Channel - Dedicated Transport - DS3 - Facility		-	онз, онзмѕ	1L5NM	4 09									_	
- 1		Termination per month		1	онз, онзмѕ	1L5NM	700 50	278 75		60.00							i
10		CHANNEL - DEDICATED TRANSPORT		<u> </u>	Опо, Опомо	ILDINM	703.52	2/8 /5		60.20							
 -		Local Channel - Dedicated - 2-Wire Voice Grade per month		<u> </u>	OHL, OHM	TEFV2	13 97	193 10	33.17	36.64	3.20						
-+		Local Channel - Dedicated - 4-Wire Voice Grade per month			OHL, OHM	TEFV4	14.93	193.53	33.60	37.11	3.67						
		Local Channel - Dedicated - DS1 per month			OH!	TEFHG	35.76	177.47	153.72	22.19	15.26						
	 					1.5.110	33.78	171,47	150.72	22.19	13.20						
	lı	Local Channel - Dedicated - DS3 Facility Termination per month;	1		ОНЗ	TEFHJ	416.54	451.52	263.94	119.49	83.58						l .
LO		INTERCONNECTION MID-SPAN MEET															$\overline{}$
NO		Access service ride Mid-Span Meet, one-half the tariffed ser	rvice Lo	cal Ch													
		Local Channel - Dedicated - DS1 per month			OH1MS	TEFHG	0.00	0.00									
		Local Channel - Dedicated - DS3 per month			OH3MS	TEFHJ	0.00	0.00									
ML		LEXERS															
		Channelization - DS1 to DS0 Channel System			OH1, OH1MS	SATN1	101.06	91.04	62.57	10.54	9.79						ı
		DS3 to DS1 Channel System per month	<u> </u>		OH3, OH3MS	SATNS	166.13	178.14	93.97	33.26	31.63						<u> </u>
		DS3 Interface Unit (DS1 COCI) per month	L		OH1, OH1MS	SATCO	12.70	6.58	4.72								
i No	nes: I	f no rate is identified in the contract, the rates, terms, and co	ondition	s for th	ne specific service o	r function w	ill be as set fort	th in applicable	BellSouth tar	iff.			. 1				1

LOCAL INTER	CONNECTION - Florida												Attach	ment: 3	Exhi	bit: A
			1		1	1				_	Svc Order	Svc Order	Incremental		Incremental	
		1	1		1	i .						Submitted	Charge -	Charge -	Charge -	Charge
1			1		1						Elec			1 -		
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC	1		RATES(\$)					Manual Svc	1	Manual Svc	
	THE ELEMENTS	m	20110	003	0300			DATES(3)			perLSR	per LSR	Order vs.	Order vs.	Order vs.	Order v
					1								Electronic-	Electronic-	Electronic-	Electron
					1						1	l	1st	Addʻl	Disc 1st	Disc Ad
															5.00 .00) J.30 Au
			L			Rec		curring	Nonrecurring	Disconnect			OSS	Rates(\$)		
						nec	First	Add I	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMA
			\Box		· ·										-	
OCAL INTERCO	ONNECTION (CALL TRANSPORT AND TERMINATION)		· · · ·		1						 	···		 		
NOTE: "b	k" beside a rate indicates that the Parties have agreed to be	ll and k	eep for	that element nursu	ant to the te	rms and condi	ions in Attach	ment 3						 		-
TANDEM	SWITCHING		T	The control of the co	1	ino and condi	TOTAL IN ALLEGA	THOIR G.			├	<u> </u>		<u> </u>		
ITE	andem Switching Function Per MOU		\vdash	OHD	 	0.0006019bk										
	fultiple Tandem Switching, per MOU (applies to intial tandem	_	 	One		0.0006019BK								l		
1 100	nly)	l	i i													1
			<u> </u>	OHD		0.0006019					ļ					
118	andem Intermediary Charge, per MOU*	<u> L. </u>	<u> </u>	OHD		0.0015									· · · · · ·	
' i nis cha	arge is applicable only to transit traffic and is applied in ad	dition to	o applic	cable switching and	Vor intercon	nection charge	s									
THUNK C	MARGE											1				
	stallation Trunk Side Service - per DS0		1	OHD	TPP++	 	336.43	57.38				-		 		+
	edicated End Office Trunk Port Service-per DS0**			OHD	TDEOP	0.00	000.40	37,38			 			ł	ļ	
	edicated End Office Trunk Port Service-per DS1**		1	OH1 OH1MS	TDE 1P	0.00		 				 		 		
	edicated Tandem Trunk Port Service-per DS0**			OHD	TDWOP	0.00						 -			<u> </u>	
	edicated Tandem Trunk Port Service-per DS0**		 	OHI OHIMS			ļ	ļ			ļ	L				L
*9 This set	to element in the service-per DST	<u>. </u>	<u></u>	OHI OHIMS	TDW1P	0.00		<u> </u>								
Internal	te element is recovered on a per MOU basis and is included	in the	End Of	fice Switching and	Tandem Swi	tching, per MO	U rate element	s			1					
	TRANSPORT (Shared)				.1			1								
	ommon Transport - Per Mile, Per MOU			OHO	1	0.0000035bk										
Co	ommon Transport - Facilities Termination Per MOU			OHD	1	0.0004372bk						· · · · · ·		 		
CAL INTERCO	NNECTION (DEDICATED TRANSPORT)				1	10,000,000										
	FICE CHANNEL - DEDICATED TRANSPORT				 		 				<u> </u>			 		
	iteroffice Channel - Dedicated Transport - 2-Wire Voice Grade -	├─			+	 		-								
	er Mile per month	l		0.11	l	1	1									
			_	OHL, OHM	1L5NF	0.0091								l		
	teroffice Channel - Dedicated Transport- 2- Wire Voice Grade -	l	1		i		1									
	acility Termination per month	<u></u>	1	OHL, OHM	1L5NF	25.32	31 78		7 03					1	ł	İ
int	iteroffice Channel - Dedicated Transport - 56 kbps - per mile															
	er month	1		OHL, OHM	1L5NK	0.0091						i		ł	į.	
	iteroffice Channel - Dedicated Transport - 56 kbps - Facility	 		OTIL, OTIN	TESTAIN	0.0051					l					
	ermination per month	1	l l	0.11		1	l					l			ł	i
		<u> </u>	_	OHL, OHM	1L5NK	18.44	31.78		7 03							
	teroffice Channet - Dedicated Transport - 64 kbps - per mile	l			1						1					
	er month	<u></u>		OHL, OHM	1L5NK	0.0091	l				l	l				
ln!	iteroffice Channel - Dedicated Transport - 64 kbps - Facility															
Te	ermination per month	l		OHL, OHM	1L5NK	18,44	31.78		7 03					i	ŀ	
in	iteroffice Channel - Dedicated Channel - DS1 - Per Mile per		· ·		1	1										
	ionth			OH1, OH1MS	1L5NL	0.1856			1					1		
		 -		Oni, Oniika	LITOIAL	0.1000					ļ					├ ──
	iteroffice Channel - Dedicated Tranport - DS1 - Facility	l			[1		_	1	l	ľ
	ermination per month	L		OH1, OH1MS	1L5NL	88.44	98 47		19 05		l					<u> </u>
	iteroffice Channel - Dedicated Transport - DS3 - Per Mile per	l					1				1					
	onth	<u>L</u>		OH3, OH3MS	1L5NM	3.87	L	L			l	<u> </u>			L	<u> </u>
int	teroffice Channel - Dedicated Transport - OS3 - Facility															
	ermination per month	l		онз, онзмѕ	1L5NM	1,071.00	219 28		70 56		l			1	I	I
	HANNEL - DEDICATED TRANSPORT	 		C. 10, O1 10110	1.20(111)	1,07 7.00	210 20				 		-	 	-	
		 -		OUL OUR	TEFV2	01.01	000.00	40.07	07.60	7.44	 				 	l
	ocal Channel - Dedicated - 2-Wire Voice Grade per month	 		OHL, OHM		21.94	265 84	46.97	37.63	4.00	ļ				 	₩
	ocal Channel - Dedicated - 4-Wire Voice Grade per month	ļ		OHL, OHM	TEFV4	22.81	266.54	47.67	44.22	5.33	L					<u> </u>
[Lo	ocal Channel - Dedicated - DS1 per month	<u> </u>		OH1	TEFHG	35.28	216.65	183.54	24.30	16.95	L			L		
													-			
l lLo	ocal Channel - Dedicated - DS3 Facility Termination per month	İ		ОНЗ	TEFHJ	531.91	556.37	343.01	139.13	96.84	I				l	İ
	TERCONNECTION MID-SPAN MEET	 			1	1	I								i	1
	Access service ride Mid-Span Meet, one-half the tariffed ser	nice I o	cel Ch	anal rata io analia-	, bla	 	 				 				l	1
		1100 00	var vni			0.00									 	
	ocal Channel - Dedicated - DS1 per month	-		OH1MS	TEFHG		0.00				 			!		<u> </u>
	ocal Channel - Dedicated - DS3 per month			OH3MS	TEFHJ	0 00	0.00									1
MULTIPLI																
Cr	hannelization - DS1 to DS0 Channel System			OH1, OH1MS	SATN1	146.77	101.42	71.62	11.09	10.49					I	
	S3 to DS1 Channel System per month			OH3, OH3MS	SATNS	211.19	199.28	118,64	40.34	39.07	i				· ·	1
	S3 interface Unit (DS1 COCI) per month	⊢—		OH1, OH1MS	SATCO	13.76		7.08	70.04	00.01	 			 		$\overline{}$
l lux	no rate is identified in the contract, the rates, terms, and co	L								L					L	-

LOCAL	_ INTE	RCONNECTION - Georgia												Attache	ment: 3	Exhil	bit: A
CATEGO		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Submitted Elec	Submitted	incremental	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	
							Rec	Nonre			g Disconnect				Rates(\$)		
				-		<u> </u>	<u> </u>	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCAL	INTER	CONNECTION (CALL TRANSPORT AND TERMINATION)		1						ļ <u>.</u>	ļ <u> </u>	 					
		"bk" beside a rate indicates that the Parties have agreed to bi	ll and k	een fo	that element nursu	ant to the te	rme and conditi	one in Attach			 -	 			ļ	ļ. <u></u> .	
	TANDE	M SWITCHING	l alla	T	that oldinent parsa	I	ins and condi	Olis III ALLECIII	trent 3,		 	·					ļ
		Tandem Switching Function Per MOU		 	OHD	† · · · · ·	0 0011009bk				 	 				 	
1		Multiple Tandem Switching, per MOU (applies to initial tandem							·			†				 	
		only)			OHD		0.0011009					1					
<u>}</u>		Tandem Intermediary Charge, per MOU*			OHD		0.0015										
	TRUNK	harge is applicable only to transit traffic and is applied in ad CHARGE	dition to	o appli	cable switching and	or intercon	nection charges	·				L					
		Installation Trunk Side Service - per DS0		├ ──	OHD	TPP++	ļ	200.65			ļ						
_		Dedicated End Office Trunk Port Service-per DS0**		 	OHD	TDE0P	0 00	333 28	56 84		 	+					<u> </u>
		Dedicated End Office Trunk Port Service-per DS1**		├	OH1 OH1MS	TDE1P	0 00				 	+		<u>-</u>	 		
		Dedicated Tandem Trunk Port Service-per DS0**		†	OHD	TDW0P	0.00				1	+					
		Dedicated Tandem Trunk Port Service-per DS1**	 	-	OHI OHIMS	TDW1P	0.00				1	 			 		
·	** This	rate element is recovered on a per MOU basis and is included	in the	End O	fice Switching and	Tandem Swi	tching, per MOI	J rate element:	B								
	COMM	ON TRANSPORT (Shared)	Ι	I		J											
		Common Transport - Per Mile, Per MOU			OHD		0.0000080bk										
		Common Transport - Facilities Termination Per MOU			OHD	<u> </u>	0.0004152bk										
		CONNECTION (DEDICATED TRANSPORT)	<u> </u>														
		OFFICE CHANNEL - DEDICATED TRANSPORT	├ ──	1			<u> </u>					<u> </u>					
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			OHL, OHM	1L5NF	0.0222										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month			OHL, OHM	1L5NF	17,07	36.08						_			
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile	1								1						-
		per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility		┺	OHL, OHM	1L5NK	0.0222		-			 					
		Termination per month		ļ	OHL, OHM	1L5NK	16.45	36.08				ļ		ļ			
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month		<u> </u>	OHL, OHM	1L5NK	0.0222							-			
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month		Ī	OHL, OHM	1L5NK	16 45	36.08									
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month				1L5NL											
-		Interoffice Channel - Dedicated Tranport - DS1 - Facility	 	\vdash	OH1, OH1MS	ILDINL.	0.4523		-								
		Termination per month Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			OH1, OH1MS	1L5NL	78.47	111.75				-		- <u></u>			
		month			онз, онзм\$	1L5NM	2.72					 		-			
		Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			онз, онзмѕ_	1L5NM	788 00	330.77									
		CHANNEL - DEDICATED TRANSPORT															
		Local Channel - Dedicated - 2-Wire Voice Grade per month			OHL, OHM	TEFV2	13 91	382.95	62 40						ļ		ļ
		Local Channel - Dedicated - 4-Wire Voice Grade per month			OHL, OHM	TEFV4	14.99	368.44	64 05		<u> </u>						
		Local Channel - Dedicated - DS1 per month			OH1	TEFHG	38.36	356.15	312 89		 	+			 		
		Local Channel - Dedicated - DS3 Facility Termination per month			ОНЗ	TEFHJ	515.91	639 50	426.31							ļ	
	LOCAL	INTERCONNECTION MID-SPAN MEET		ــــــــــــــــــــــــــــــــــــــ	L	<u> </u>	<u> </u>		ļ		ļ	ļ			ļ	ļ	
		If Access service ride Mid-Span Meet, one-half the tariffed se	rvice Lo	cal Ch	annel rate is applica	ble.	1	0.00				 			 	 	
		Local Channel - Dedicated - DS1 per month	<u> </u>	├	OH1MS OH3MS	TEFHG	0.00	0.00				 		-	 		
		Local Channel - Dedicated - DS3 per month		 	Онзма	TEFHJ	0.00	0.00	 			+				 	
	MULIII	PLEXERS Channelization - DS1 to DS0 Channel System		 	OH1, OH1MS	SATN1	126.22	198 22	123.59		 	 			 		
		DS3 to DS1 Channel System per month	 	\vdash	OH3, OH3MS	SATNS	182.04	280.66	195.33		 	1		-	 "		
		DS3 Interface Unit (DS1 COCI) per month	 	\vdash	OH1. OH1MS	SATCO	11.02	12 02	8 66	·····		1					
		If no rate is identified in the contract, the rates, terms, and co	andition	la for i						riff.		1				ì	

LUCA	L INTE	RCONNECTION - Kentucky												Attach	ment: 3	Exhil	bit: A
			Interi										Svc Order Submitted Manually	Incremental Charge - Manual Svc		Incremental Charge - Manual Svc	Increments Charge -
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'i	Order vs. Electronic- Disc 1st	Order vs. Electronic Disc Add'
	├			-		ļ	Rec		curring		Disconnect				Rates(\$)		
	 					 		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCAL	INTER	CONNECTION (CALL TRANSPORT AND TERMINATION)	-	 		 						<u> </u>	ļ				<u> </u>
	NOTE:	"bk" beside a rate indicates that the Parties have agreed to b	ill and k	eep for	that element pursu	ant to the te	rms and condit	one in Attach	ment 2							<u> </u>	<u> </u>
	TANDE	M SWITCHING		1		The same sa	I Condition	Olis III Attacit	ilicit 3.		<u> </u>	 					<u> </u>
		Tandem Switching Function Per MOU		·	OHD		0.0006772bk					 					
	1	Multiple Tandem Switching, per MOU (applies to intial tandem										 					
	ļ	only)			OHD		0.0006772			ĺ		Ì	1		l		1
		Tandem Intermediary Charge, per MOU*			OHD		0.0015										
	" This	charge is applicable only to transit traffic and is applied in ad	dition to	o applic	cable switching and	/or intercon	nection charges	i									
	IRUNK	CHARGE															
	├	Installation Trunk Side Service - per DS0 Dedicated End Office Trunk Port Service-per DS0**			OHD	TPP++		334.09	57.12								· · · · · · · · · · · · · · · · · · ·
	├	Dedicated End Office Trunk Port Service-per DS0** Dedicated End Office Trunk Port Service-per DS1**	ļ		OHD	TDEOP	0.00										
		Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDE1P TDW0P	0 00		ļ			ļ					
		Dedicated Tandem Trunk Port Service-per DS0**			OHI OHIMS	TDW1P	0.00										
	** This	rate element is recovered on a per MOU basis and is included	in the	End Of	tice Switching and	Tondom Swi	1 0.00	l sata alamant	<u> </u>								
	сомм	ON TRANSPORT (Shared)	111111111111111111111111111111111111111	LIIG OI	nce Switching and	Tandem SWI	tening, per MUI	rate element	S								
		Common Transport - Per Mile, Per MOU			OHD		0 0000030bk					 				ļ	
	i	Common Transport - Facilities Termination Per MOU			OHD	 	0.0007466bk					 					
LOCAL	INTER	CONNECTION (DEDICATED TRANSPORT)			O T T	 	0.0007 TOODK					1	-				
	INTER	OFFICE CHANNEL - DEDICATED TRANSPORT				· · · · · · · · · · · · · · · · · · ·			 								
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -				<u> </u>						 					
		Per Mile per month			OHL, OHM	1L5NF	0 01					1	1 1				
	l	Interoffice Channel · Dedicated Transport- 2- Wire Voice Grade ·											i				
		Facility Termination per month			OHL, OHM	1L5NF	29.11	47.34		22.77		i					
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile	l														
		per month	<u> </u>		OHL, OHM	1L5NK	0.0115										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility	l			l			1								
		Termination per month Interoffice Channel - Dedicated Transport - 64 kbps - per mile			OHL, OHM	1L5NK	20.97	47.35		22,77		<u> </u>					
		per month			OHL, OHM	1L5NK	0 0115						i I				
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility			ORL, ORM	ILSINK	0 0115					_					ļ
		Termination per month			OHL, OHM	1L5NK	20.97	47.35	l .	22,77							
-		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per		-	OTIL, OTIW	ILDIAK .	20.97	47.00		22.11		 					
		month			OH1, OH1MS	1L5NL	0.23										
		Interoffice Channel - Dedicated Tranport - DS1 - Facility	 		0111, 01111110	1,00.12	0.20					 					
		Termination per month	l	1 1	OH1, OH1MS	1L5NL	96.04	105.52	İ	23.09				-			
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			······································							ļ					
		month	1	1 1	OH3, OH3MS	1L5NM	4.97		i				:				
		Interoffice Channel - Dedicated Transport - DS3 - Facility															
	L	Termination per month			OH3, OH3MS	1L5NM	1,175 15	335.40		89 57							1
	LOCAL	CHANNEL - DEDICATED TRANSPORT															
		Local Channel - Dedicated - 2-Wire Voice Grade per month			OHL, OHM	TEFV2	18.57	265.78	46.96	46.79	4 98						
		Local Channel - Dedicated - 4-Wire Voice Grade per month			OHL, OHM	TEFV4	19.86	266.48	47.65	47.54	5.73						
		Local Channel - Dedicated - DS1 per month			OH1	TEFHG	40.46	209.60	176.51	30.21	21.07	<u> </u>					
												ł				i	i
		Local Channel - Dedicated - DS3 Facility Termination per month		$oxed{\Box}$	ОНЗ	TEFHJ	576.05	551.38	338.08	173.00	120.42	!		•			ļ
		INTERCONNECTION MID-SPAN MEET	<u> </u>	ليبا		ļ						ļ					
	NOTE:	If Access service ride Mid-Span Meet, one-half the tariffed ser	vice Lo									ļ					
	 —	Local Channel - Dedicated - DS1 per month	 -		OH1MS	TEFHG	0.00	0.00				-	ļ				
——		Local Channel - Dedicated - DS3 per month	—	\vdash	OH3MS	TEFHJ	0.00	0 00									
		Channelization - DS1 to DS0 Channel System		\vdash	OH1, OH1MS	SATN1	113 33	101.40	71.60	13.79	13.04	 					\vdash
		DS3 to DS1 Channel System per month								13.79 50.16	13.04 48.59						
_	 	DS3 Interface Unit (DS1 COCI) per month	—		OH3, OH3MS OH1, OH1MS	SATNS	158.20 11.80	199.23	118.62 7.08	50.16	40.59		 				——
		If no rate is identified in the contract, the rates, terms, and co								144							

LOCA	LINTE	RCONNECTION - Louisiana												Attach	ment: 3	Exhil	bit: A
CATEG		RATE ELEMENTS	Interi m	Zone	Bos	USOC			RATES(\$)			Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l		Incrementa Charge -
	-			<u> </u>		<u> </u>	Rec		curring		Disconnect				Rates(\$)		T-22
			 			 	 -	First	Add'i	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCAL	INTER	CONNECTION (CALL TRANSPORT AND TERMINATION)		┼			 				 	 	<u> </u>	-	 	<u> </u>	
		"bk" beside a rate indicates that the Parties have agreed to bi	ll and k	eep fo	that element pursu	ant to the te	rms and condit	ions in Attach	ment 3.		 	+					
	TANDE	M SWITCHING				T	T	l	1			 				· · · · · · · · · · · · · · · · · · ·	
		Tandem Switching Function Per MOU			OHD		0 0005507bk					 			 	·	
]	Multiple Tandem Switching, per MOU (applies to initial tandem										+	 				
		only)		!	OHD	i .	0.0005507		1		1		ĺ	{	ĺ	ŀ	i
		Tandem Intermediary Charge, per MOU*			OHD		0.0015										
		charge is applicable only to transit traffic and is applied in ad	dition t	o appli	cable switching and	Vor intercon	nection charges	3.									
	TRUNK	CHARGE															
ldash		Installation Trunk Side Service - per DS0			OHD	TPP++		334 94	56.98								
	L	Dedicated End Office Trunk Port Service-per DS0**			OHD	TDE0P	0 00									L	
		Dedicated End Office Trunk Port Service-per DS1**			0H1 OH1MS	TDE1P	0 00										
	L	Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDWOP	0 00				L						L
<u> </u>	ļ.,	Dedicated Tandem Trunk Port Service per DS1**		<u> </u>	OH1 OH1MS	TDW1P	0.00					1				l	
L		rate element is recovered on a per MOU basis and is included	in the	End O	fice Switching and	Tandem Swi	tching, per MO	U rate element	8								ļ
	COMM	ON TRANSPORT (Shared)	ļ							ļ				ļ			ļ <u>.</u>
		Common Transport - Per Mile, Per MOU		↓	OHD		0 0000032bk					4		ļ			<u> </u>
		Common Transport - Facilities Termination Per MOU		↓	OHD	 	0.0003748bk					4		ļ			↓
		CONNECTION (DEDICATED TRANSPORT)		—		_					<u> </u>	 		ļ	 		
	INTER	OFFICE CHANNEL - DEDICATED TRANSPORT				ļ	<u> </u>				<u> </u>			-	ļ		ļ
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			OHL, OHM	1L5NF	0 013										<u> </u>
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month			ОНЬ, ОНМ	1 <u>L5NF</u>	22.60	26.62									ļ
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month	ŀ		OHL, OHM	1L5NK	0.013										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month			OHL, OHM	1L5NK	15.61	26 62	-								
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month	1		OHL, OHM	1L5NK	0 013										
	 	Interoffice Channel - Dedicated Transport - 64 kbps - Facility	 	1	OTIE, OTIM	1122111	1					1			· · · · · · · · · · · · · · · · · · ·		
		Termination per month	<u> </u>		ОНЬ, ОНМ	1L5NK	15 61	26 62				ļ			<u> </u>		
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month		<u> </u>	OH1, OH1MS	1L5NL	0.2652				<u> </u>	ļ		ļ 			ļ
		Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month			OH1, OH1MS	†L5NL	70.47	79,44									<u> </u>
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			онз, онзмѕ	1L5NM	6.04										ļ
		Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			онз, онзмѕ	1L5NM	850 45	158 05							<u></u>		
	LOCAL	CHANNEL - DEDICATED TRANSPORT		T													<u> </u>
	1	Local Channel - Dedicated - 2-Wire Voice Grade per month		Г	OHL, OHM	TEFV2	18 32	187.51	32 21	I				L	<u></u>	L	1
	T	Local Channel - Dedicated - 4-Wire Voice Grade per month		T	OHL, OHM	TEFV4	19.41	187.94	32 63		L						
		Local Channel - Dedicated - DS1 per month			OH1	TEFHG	39.18	172.34	149 27								
		Local Channel - Dedicated - DS3 Facility Termination per month			ОНЗ	TEFHJ	469.44	438.46	256.30								
	LOCAL	INTERCONNECTION MID-SPAN MEET		1		1											
		If Access service ride Mid-Span Meet, one-half the tariffed se	rvice Lo	cal Ch	annel rate is applica	able.											
	1	Local Channel - Dedicated - DS1 per month		Т	OH1MS	TEFHG	0.00	0.00									
		Local Channel - Dedicated - DS3 per month	1	T	OH3MS	TEFHJ	0.00	0.00							L		
	MULTI	PLEXERS	1	t	1	1											
<u> </u>	T	Channelization - DS1 to DS0 Channel System	1	1	OH1, OH1MS	SATN1	105 09	88.41	60.76								
	1	DS3 to DS1 Channel System per month	1	T	OH3, OH3MS	SATNS	201.48	172 99	91.25								
	 	DS3 Interface Unit (DS1 COCI) per month		T	OH1, OH1MS	SATCO	11.78	6.39	4.58		L			L			<u> </u>
	Notes:	If no rate is identified in the contract, the rates, terms, and c	onditio	ns for t			ill be as set for	th in applicab	e BellSouth ta	riff.				1			

LOCAL IN	TERCONNECTION - Mississippi													ment: 3	Exhil	bit; A
						1					Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
					ì						Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		l	1			Ì					Elec	Manually	Manual Svc		Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC	l		RATES(\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs.
		m				l.					per Lorr	por corr	Electronic-	Electronic-	Electronic-	Electronic-
		ŀ	1			İ					1					
					ŀ						1		1st	Add'I	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect	 		OSS	Rates(\$)	·	L
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN			SOMAN	SOMAN
		 	 			 	11131	Aug i	7 11 31	- Aug I	10020		- OOMIAN			
OCAL INTE	RCONNECTION (CALL TRANSPORT AND TERMINATION)	┼──	 	l		<u> </u>					1	<u> </u>	 			
	E: "bk" beside a rate indicates that the Parties have agreed to b	ll and k	een fo	that alament nursus	ent to the te	me and condit	one in Attach	nent 3			-	 	 		 	
	DEM SWITCHING	I	I	that element purous	I	IIIS AND CONCIL	Olio III Attocili	main Q.	l	-	+	1	 			
1/014	Tandem Switching Function Per MOU	 	-	OHD		0.0005379bk					+	 	 			—
	Multiple Tandem Switching, per MOU (applies to Intial tandem	-	├	OND		0.00055750K					+	 	 		 	
- 1	industrie randem Switching, per MOO (applies to initial taildem			ОНО	Į.	0.0005379						1			1	1
		1	-			0.0005379						 	 		 	
	Tandem Intermediary Charge, per MOU*	<u></u>	L	OHD								ļ				ļ
	is charge is applicable only to transit traffic and is applied in ad	dition to	o appii	cable switching and	or interconi	nection charge:	3.		L							
TRU	NK CHARGE		<u> </u>								ļ	ļ <u>.</u>				
	Installation Trunk Side Service - per DS0		↓	OHD	TPP++	ļ	334.11	56.98			<u> </u>				ļ	
	Dedicated End Office Trunk Port Service-per DS0**	L		OHD	TDE0P	0.00				1	<u> </u>	<u> </u>	1		ļ	ļ
i	Dedicated End Office Trunk Port Service-per DS1**		<u> </u>	0H1 OH1MS	TDE1P	0.00				1			L			
	Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	0 00						<u> </u>				<u> </u>
	Dedicated Tandem Trunk Port Service-per DS1**	1		OH1 OH1MS	TDW1P	0 00										i
" Th	is rate element is recovered on a per MOU basis and is include	in the	End O	ffice Switching and	Tandem Swi	tching, per MO	U rate element:	3			l					
COM	IMON TRANSPORT (Shared)															
	Common Transport - Per Mile, Per MOU		1	OHD		0 0000026bk					1					
	Common Transport - Facilities Termination Per MOU			OHD		0 0004541bk										
LOCAL INTE	RCONNECTION (DEDICATED TRANSPORT)		 	<u> </u>		TO BOOK IN THE REAL PROPERTY OF THE PERTY OF										
	ROFFICE CHANNEL - DEDICATED TRANSPORT		 		 						†					1
- 114112	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -		 		-				-						-	
	Per Mile per month		1	OHL, OHM	1L5NF	0.0098				ľ		i				
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -		┼	OFIC, OFIN	ILDINE	0.0036			-	 	 	 	 			
i		1	1	OHL, OHM	1L5NF	22.52	27 57		7 11		1					
	Facility Termination per month		 -	Unii, Uniii	ILDINE	22.52	2/ 3/					 	 		 	
- 1	Interoffice Channel - Dedicated Transport - 56 kbps - per mile										1	i			ļ	
	per month	<u> </u>		OHL, OHM	1L5NK	0.0098					<u> </u>	 			 	
- 1	Interoffice Channel - Dedicated Transport - 56 kbps - Facility	1	1		l					1	1	l l	1		1	
	Termination per month			OHL, OHM	1L5NK	15 68	27.57		7.11						 	
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile				1				ĺ		1		į.	ŀ		
ŀ	per month			OHL, OHM	1L5NK	0 0098		<u> </u>				<u> </u>	1		<u> </u>	
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility		T]	ł	i	1	i	1	1	1
ı	Termination per month			OHL, OHM	1L5NK	15.68	27.57		7 11					<u> </u>		
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per		1											1		İ
	month	1		OH1, OH1MS	1L5NL	0.201		1		i						
	Interoffice Channel - Dedicated Tranport - DS1 - Facility	 	+	0.111, 0.111110								T				1
	Termination per month		i	OH1, OH1MS	1L5NL	57.33	82 28		14.90	į	1				i	1
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per	 	+	OTTI, OTTIMO							1		[1	
1	imonth			онз, онзмѕ	1L5NM	4 76	ŀ						ļ	ŀ		1
			 	O113, O113W3	TEGISIO,	1 770	 			· · · · · · · · · · · · · · · · · · ·			<u> </u>			1
	Interoffice Channel - Dedicated Transport - DS3 - Facility	1	1	OUR OURSE	1L5NM	641.90	163.70	i	60.29	1	1	ľ			l	t
	Termination per month	1	—	OH3, OH3MS	ILSNM	641.90	163.70	 	00.25	 	 		 			
LOC	AL CHANNEL - DEDICATED TRANSPORT	ļ	<u> </u>	L		<u> </u>			37.79	3.30			 	 	 	
	Local Channel - Dedicated - 2-Wire Voice Grade per month		.	OHL, OHM	TEFV2	14.91	194.22	33.36				 	 	 		+
	Local Channel - Dedicated - 4-Wire Voice Grade per month	1	1	OHL, OHM	TEFV4	15.99	194.66	33.80	38.27				 	 	-	
	Local Channel - Dedicated - DS1 per month			OH1	TEFHG	36.83	178.50	154.61	22 89	15.74			 	 	 	+
			I					1		1	1		1		1	
ı	Local Channel - Dedicated - DS3 Facility Termination per month	1	L	ОНЗ	TEFHJ	413.87	454.13	264 47	123.23	86.19	4	ļ <u> </u>	 			+
LOC	AL INTERCONNECTION MID-SPAN MEET	1			<u> </u>					l	L	 _	1	ļ		
NOT	E: If Access service ride Mid-Span Meet, one-half the tariffed se	rvice Lo	cal Ch	annel rate is applica	ble.	1	l		[l	<u> </u>	<u> </u>	ļ			
- 101	Local Channel - Dedicated - DS1 per month	1	T	OH1MS	TEFHG	0.00	0.00	-				L	<u> </u>			
	Local Channel - Dedicated - DS3 per month	-	 	OH3MS	TEFHJ	0.00	0.00							l		
	TIPLEXERS	+	+	10	1	 	1	<u> </u>		1						
MUL		+	1-	OH1, OH1MS	SATN1	102.85	91.57	62 94	10.87	10 10	1	1	T			
	Channelization - DS1 to DS0 Channel System	+	+			170.63	179.17	94.52	34.30			1		1		
	DS3 to DS1 Channel System per month		4	OH3, OH3MS OH1, OH1MS	SATO	12.96				32,02						T
	DS3 Interface Unit (DS1 COCI) per month															

LOCAL	LINTE	RCONNECTION - North Carolina												Attachr			olt: A
				Γ								Svc Order	Svc Order	Incremental	Incremental	Incremental	Increment
	1		1	1	2000	ł						Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
	l		1	l	1 €	1						Elec	Manually	Manual Svc			Manual St
		D. 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	Interi	-	BCS	USOC			RATES(\$)								
ATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USUC	l		HW1 E3(3)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
	į.		'''		!	1						1		Electronic-	Electronic-	Electronic-	Electronic
	- 1		!				i					i	ł	1st	Add'l	Disc 1st	Disc Add'
	[<u>i</u>		<u> </u>							L	l			
							Rec	Nonrec	urring	Nonrecurrin	ng Disconnect				Rates(\$)		
				\vdash			1 Hec	First	Addil	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
			$\overline{}$	$\overline{}$								1					
OCAL	INTER	CONNECTION (CALL TRANSPORT AND TERMINATION)	 	${}^{+-}$		 						1				 	
		"bk" beside a rate indicates that the Parties have agreed to bi	II and k	een fo	that alament nursu	ant to the te	me and conditi	one in Attache	nant 2	<u> </u>	+	+	 	 		 	
		M SWITCHING	T and K	T QUE	Tittat eleliletit pursu	ant to the te	ins and conditi	One in Attacili	Hollic S.			 	 	 		ļ	
	IANDL	Tandem Switching Function Per MOU	 	├—	OHD		0.004000001-1-				+				 	 	
-				┼	UHU	ļ	0.0012000bk									ļ	
		Multiple Tandem Switching, per MOU (applies to intial tandem	ŀ	i							1	Į.	1	1	ļ	i	
		only)		L	OHD		0 0012				_i		l	<u> </u>		L	i
		Tandem Intermediary Charge, per MOU*			OHD		0 0015				T				İ		
	* This c	charge is applicable only to transit traffic and is applied in ad	dition to	o appli	cable switching and	Vor intercon	nection charges	i									
		CHARGE	1	Т.		T											
		Installation Trunk Side Service - per DS0	t	 	OHD	TPP++		333.54	56.88	1	T					T	
		Dedicated End Office Trunk Port Service-per DS0**	 		OHD	TDEOP	0.00	555.54	55.00		+	+	 	 	 	 	
	 	Dedicated End Office Trunk Port Service-per DS0**	 	 	OHI OHIMS	TDE 1P	0.00			 	+	+		 	 	 	
			<u> </u>							L	+	+	 		 	 	
		Dedicated Tandem Trunk Port Service-per DS0**	<u> </u>	1-	OHD	TDWOP	0.00						 			-	
		Dedicated Tandem Trunk Port Service-per DS1**	1		OH1 OH1MS	TDW1P	0 00				J	<u></u>	ļ.—.—				
	** This	rate element is recovered on a per MOU basis and is included	d in the	End O	ffice Switching and	Tandem Swi	tching, pe <u>r MO</u> l	J rate elements	3			1	L	<u> </u>			l
		ON TRANSPORT (Shared)	T	T													
		Common Transport - Per Mile, Per MOU			OHD	 	0 0000100bk										
-		Common Transport - Facilities Termination Per MOU		+	OHD	 	0.0003400bk				+			T			
OC 61	L TED	CONNECTION (DEDICATED TRANSPORT)	 	+	0.10		0.0000 TOODK				+		 		 	· · · · · · · · · · · · · · · · · · ·	1
			1		 											·	t
	INTER	OFFICE CHANNEL - DEDICATED TRANSPORT	Ĺ	↓	L	 								 		 	
	l	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -	1								1	1	1	1			
		Per Mile per month			OHL, OHM	1L5NF	0 0282				<u> </u>			ļ		ļ	
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -	1								ŀ				1		Ì
	l	Facility Termination per month			OHL, OHM	1L5NF	18 00	137.48	52.58					38.07	38.07		
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile				1										-	1
	ľ	per month	l	i .	OHL, OHM	1L5NK	0 0282			i	1	I	1	1	Į.	1	
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility		 	OTIL, OTHER	THOTAL	U OLOL					-					
	ł			1	0.11	AL END	17 40	137.48	52.58				1	38.07	38.07		
		Termination per month		 	ОНЦ ОНМ	1L5NK	17 40	137.48	52.56				 	30.07	00.07	 	
	1	Interoffice Channel - Dedicated Transport - 64 kbps - per mile	1		!			i	ļ		1		1	1	1	1	
	1	per month	l		OHL, OHM	1L5NK	0.0282		L				 		ļ		
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility								1	i			İ	1		
	ſ	Termination per month	í		OHL, OHM	1L5NK	17 40	137.48	52.58	ì	1	1	ł	38 07	38.07	l	<u> </u>
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per	 	+	0.12, 0.7	1											T
	1		l	1	OH1, OH1MS	1L5NL	0 5753	i		1			i	i	1		1
		month	├	+	Uni, Univis	TESINE	0 37 33			 					 		
		Interoffice Channel - Dedicated Tranport - DS1 - Facility	i		1				400 75	ŀ		1	1	38.07	38.07	1	1
	1	Termination per month	1		OH1, OH1MS	1L5NL	71,29	217.17	163.75			+	 -	36.07	33.07	 	+
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per	1	1		ł	1	1	l	1	1	1	ı	1	1	I	j
	l	month	ı	1	онз, онзмѕ	1L5NM	12.98	l	l	L		4. —	— —				
	 	Interoffice Channel - Dedicated Transport - DS3 - Facility	1		1			l			1	1	1	1	1	1	1
	1	Termination per month	1	1	онз. онзмв	1L5NM	720.38	794,94	579.55	I	1	_L		91.26	91 26	l	<u> </u>
			+	+	O TO, O TOMO	100.411	1										
	LOCAL	CHANNEL - DEDICATED TRANSPORT	↓	+	OHL, OHM	TEFV2	11,24	553,80	89.69		1	 	T	42 17	12.76		1
		Local Channel - Dedicated - 2-Wire Voice Grade per month	<u> </u>	-					92.67		+		 	42.17			
		Local Channel - Dedicated - 4-Wire Voice Grade per month	<u> </u>	1	OHL, OHM	TEFV4	12.03	562 23		 	+		+	86.15			
		Local Channel - Dedicated - DS1 per month			OH1	TEFHG	27.05	534.48	462.69	L		-	+	80.15	 		
	1						I -		i	1		1	1		1	1	i
	1	Local Channel - Dedicated - DS3 Facility Termination per month	1	1	онз	TEFHJ	298.92	438.46	256.30	1			.	56.25	56.25		
	LOCAL	INTERCONNECTION MID-SPAN MEET	 	+	 	1	1	1							L	L	1
	LOCAL	If Access service ride Mid-Span Meet, one-half the tariffed se	raice !	ocal Ci	annel rate le senlie	ahla	 		 	1					1		l
	NUTE:	If Access service ride Mid-Span Meet, one-half the tanned se	N VICE L	T	Tourne	TEFHG	0.00	0.00	 	 	 	1		86.15	1.77		
		Local Channel - Dedicated - DS1 per month	\leftarrow	┼	OH1MS			0.00		+	+	+	 	56.25			
		Local Channel - Dedicated - DS3 per month			OH3MS	TEFHJ	0.00	0,00	<u> </u>	 			+	- 55.25	T	 	1
	MULTI	PLEXERS			<u> </u>			ļ	 		+		+	24.77	8.16	 	+
	1	Channelization - DS1 to DS0 Channel System			OH1, OH1MS	SATN1	146.69										
	1	DS3 to DS1 Channel System per month	1	T	OH3, OH3MS	SATNS	233 10	403.97	234.40	L				24.78	7.42	·	
	+	DS3 Interface Unit (DS1 COCI) per month	1	+	OH1, OH1MS	SATCO	16 07	13.09	9.38				1		l.,		
		If no rate is identified in the contract, the rates, terms, and c			10.11, 0111110	13,1,00									7	1	1

OCAL INTI	RCONNECTION - South Carolina												Attach	ment: 3	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge
				ı		Rec	Nonred First	curring	Nonrecurring			COMAN	SOMAN	Rates(\$)	SOMAN	COMA
			1			-	FIRST	Add'l	First	Add'l	SUMEC	SUMAN	SUMAN	SOMAN	SUMAN	SOMA
CAL INTER	CONNECTION (CALL TRANSPORT AND TERMINATION)				-						 	 		-		├──
NOTE	"bk" beside a rate indicates that the Parties have agreed to bi	l and k	een for	that element nursu	ant to the te	rms and conditi	ons in Attach	ment 3		<u> </u>	 		 			
TAND	EM SWITCHING		1	That ordinant parag	T TO LING LO	I contain	ONS III ALLIQIII	HOIR O.		 	 			 		
1	Tandem Switching Function Per MOU		•	OHD	 	0.0007360bk						 	 	-		
	Multiple Tandem Switching, per MOU (applies to Intial tandem		_		f					-	1			 		\vdash
)	only)	1	i	ОНВ	1	0.000736				1	1	1	Į.	l		
	Tandem Intermediary Charge, per MOU*		1	ОНО	1	0.0015				T	t	<u> </u>	<u> </u>	·		-
* This	charge is applicable only to transit traffic and is applied in ad-	dition to	appli	cable switching and	or intercon	nection charges	3.	·			1			t		
TRUN	K CHARGE										1		1	1		
	Installation Trunk Side Service - per DS0			OHD	TPP++		335.14	57.16								
	Dedicated End Office Trunk Port Service-per DS0**			OHD	TDEOP	0.00					I					
	Dedicated End Office Trunk Port Service-per DS1**			0H1 OH1MS	TDE1P	0.00										
	Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	0.00	_									
	Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00										Ī.,
	rate element is recovered on a per MOU basis and is included	in the	End Of	fice Switching and	Tandem Swi	tching, per MO	J rate element	8								
COMM	ON TRANSPORT (Shared)								<u> </u>							
	Common Transport - Per Mile, Per MOU			OHD		0.0000045bk					L					
	Common Transport - Facilities Termination Per MOU		<u> </u>	OHD		0 0004095bk							l			↓
	CONNECTION (DEDICATED TRANSPORT)		ļ													4
INTER	OFFICE CHANNEL - DEDICATED TRANSPORT		ļ.—		1						<u> </u>		 			
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			ОНЬ, ОНМ	1L5NF	0 0167										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month			ОНЬ, ОНМ	1L5NF	24.30	40.63		16.77							
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			OHL, OHM	1L5NK	0.0167										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month			OHL, OHM	1L5NK	16.76	40.63		16.77							
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			OHL, OHM	1L5NK	0.0167										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month			OHL, OHM	1L5NK	16.76	40.63	-	16.77							
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per				1L5NL	0 3415	40.00		10.77					-		
	month Interoffice Channel - Dedicated Tranport - DS1 - Facility		-	OH1, OH1MS									-			
	Termination per month Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			OH1, OH1MS	1L5NL	77.14	89.47		16.39		-					
	month Interoffice Channel - Dedicated Transport - DS3 - Facility		_	OH3, OH3MS	1L5NM	8.02					 	 	 	-		├
LOCA	Termination per month L CHANNEL - DEDICATED TRANSPORT	ļ	⊢	OH3, OH3MS	1L5NM	880.65	279.37		60.33		 				<u> </u>	
1	Local Channel - Dedicated - 2-Wire Voice Grade per month	 	 	OHL, OHM	TEFV2	15.33	193.53	33.24	36.72	3 21						I
	Local Channel - Dedicated - 4-Wire Voice Grade per month	-	1	OHL, OHM	TEFV4	16.54	193.97	33.68	37.19		·		1			
	Local Channel - Dedicated - DS1 per month		1	OH1	TEFHG	42.62	177.87	154.06	22.24	15.30			1			
	Local Channel - Dedicated - DS3 Facility Termination per month			ОНЗ	TEFHJ	446.00	452.52	264.53	119.75	83.77				I		
LOCA	LINTERCONNECTION MID-SPAN MEET		1	1	1							,	1			
	If Access service ride Mid-Span Meet, one-half the tariffed ser	vice Lo	cal Ch	annel rate is applica	ble.									L		
	Local Channel - Dedicated - DS1 per month	1	1	IOH1MS	TEFHG	0.00	0.00				Τ				I	
\neg	Local Channel - Dedicated - DS3 per month	 	 	OH3MS	TEFHJ	0.00	0.00	Í		T T			L			1
MULT	PLEXERS	·	†	1	1				·	l						
	Channelization - DS1 to DS0 Channel System		 	IOH1, OH1MS	SATN1	107.57	91 24	62.71	10.56	9.81						
	DS3 to DS1 Channel System per month)	1	JOH3, OH3MS	SATNS	144 02	178 54	94 18	33 33	31.90						
	DS3 Interface Unit (DS1 COCI) per month		1	OH1, OH1MS	SATCO	8 64	6 59	4.73			1		(
	If no rate is identified in the contract, the rates, terms, and co		1	, = , =					184							1

LOCAL INTER	CONNECTION - Tennessee												Attachi	ment: 3	Exhil	bit: A
				- Property		T					Svc Order	Svc Order	Incremental	Incremental	Incremental	increment
1		1									Submitted	Submitted	Charge -	Charge -	Charge -	Charge
ŀ		١	l l	Same of the same o							Elec	Manually	Manual Svc		Manual Svc	
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc	i		RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs
	***************************************	m									percon	per Lon	Electronic-	Electronic-	Electronic-	
ł																Electronic
			1			ł							1st	Add'I	Disc 1st	Disc Add'
			 			 	Nonrecurring		Nonrecurring	Disconnect	 		OSS	Rates(\$)		
	·····		 			Rec	First	Add'I	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	· , · · ·		 			 	1113		11131		0020			- COMPAN	COMPAR	- COMPART
OCAL INTERCO	NNECTION (CALL TRANSPORT AND TERMINATION)					-					 					
	k" beside a rate indicates that the Parties have agreed to bi	ll and k	een for	that element nursus	ent to the te	rme and condit	ione in Attache	nent 3		-	 			-		
	SWITCHING	1	1	I de didinone paroas		I dila donai	I ALLEGIA	italia y.	-		+					+
	andem Switching Function Per MOU	 	 	OHD		0.0009778bk					 				 	
	ultiple Tandem Switching, per MOU (applies to initial tandem	 	+	One		0.00097760K	-				 					
	nly)	i		OHD	l	0.0009778					ľ					1
	andem Intermediary Charge, per MOU*			OHD	-	0.0009778					 					
	arge is applicable only to transit traffic and is applied in ad	dition t			or intercen		<u></u>				 					
TRUNK C	MADGE	T THE	n abbie	cable switching and	or interconi	nection charges	3. I					ļ				
	stallation Trunk Side Service - per DS0	1	+	OHD	TPP++	 	334.29	57.01			 	 	 		-	
	edicated End Office Trunk Port Service-per DS0**	 -	 	OHD	TDE0P	0 00	334.29	10.18	 		 	_	ļ	 	 	
	edicated End Office Trunk Port Service-per DS0** edicated End Office Trunk Port Service-per DS1**		 	IOHI OHIMS	TDE1P	0 00]	
	edicated Tandem Trunk Port Service-per DS0**	 	ł	OHD	TDW0P	0 00			ļ		 					
	edicated Tandem Trunk Port Service-per DS0**			OHI OHIMS	TDWIP	0 00			ļ			ļ	ļ			
		d In Abra	F-40								 					
	te element is recovered on a per MOU basis and is included TRANSPORT (Shared)	in the	Ena O	TICE SWITCHING AND	andem Swi	tching, per MO	U rate elements				 		 			
	ommon Transport - Per Mile, Per MOU	1		OHD		0.0000064bk					 					
	ommon Transport - Per Mile, Per MOU	 ——	 										 	 		+
1 100	ommon Transport - Facilities Termination Per MOU NNECTION (DEDICATED TRANSPORT)	ļ	_	OHD		0.0003871bk						1				
		 										 	ļ	ļ	-	+
	FICE CHANNEL - DEDICATED TRANSPORT	├	_								 		 			
	teroffice Channel - Dedicated Transport - 2-Wire Voice Grade -		1	l							1	1				
	er Mile per month		—	OHL, OHM	1L5NF	0.0174					 				 	ļ
	teroffice Channet - Dedicated Transport- 2- Wire Voice Grade -		i	l	i							ļ				1
	acılıty Termination per month			OHL, OHM	1L5NF	18.58	17.37		3.51							
	teroffice Channel - Dedicated Transport - 56 kbps - per mile	1		l	l							1				1
	er month		<u> </u>	OHL, OHM	1L5NK	0 0174					ļ					
	teroffice Channel - Dedicated Transport - 56 kbps - Facility		1	!	1	l.		_			1	1				1
	ermination per month	L	<u> </u>	OHL, OHM	1L5NK	17.98	17.37		3.51			<u> </u>				
Int	teroffice Channel - Dedicated Transport - 64 kbps - per mile		1	i			1					l				
	er month		1	OHL, OHM	1L5NK	0.0174								ļ		
In	teroffice Channel - Dedicated Transport - 64 kbps - Facility													1		
. T∈	ermination per month	ļ	1	OHL, OHM	1L5NK	17.98	17,37		3.51		1				ļ	
tn	teroffice Channel - Dedicated Channel - DS1 - Per Mile per		T										ļ		1	i .
l Im	nonth	1		OH1, OH1MS	fL5NL	0 3562			i		L			<u></u>		
In	iteroffice Channel - Dedicated Tranport - DS1 - Facility									•	-	1	1		1	
i ITe	ermination per month	1		OH1, OH1MS	1L5NL	77.86	76.27		14.99							
	iteroffice Channel - Dedicated Transport - DS3 - Per Mile per	I^{-}									1	į.			İ	ļ
l Im	onth	ĺ		OH3, OH3MS	1L5NM	2.34					l					
	iteroffice Channel - Dedicated Transport - DS3 - Facility													1		į
	ermination per month		1	онз, онзмѕ	1L5NM	848.99	176.56		105.91			i		l		
	HANNEL - DEDICATED TRANSPORT	1	+													L
	ocal Channel - Dedicated - 2-Wire Voice Grade per month		 	OHL, OHM	TEFV2	19 43	199.33	24.16	54.81	4.80	T					<u> </u>
	ocal Channel - Dedicated - 4-Wire Voice Grade per month	 	† 	OHL, OHM	TEFV4	20.56	201 53	24 83	55.52	5.51						
	ocal Channel - Dedicated - DS1 per month		+	OH1	TEFHG	40.99		233.26	33.18	22 30						l
	odal ornamio - pedicatod - po i poi monti	 	+	1	1	1					1					
	ocal Channet - Dedicated - DS3 Facility Termination per month			онз	TEFHJ	611.30	595.37	304.50	215.82	151.15	-1				L	.1
	NTERCONNECTION MID-SPAN MEET	 	+	55	1	1		2200			T					
NOTE: II	Access service ride Mid-Span Meet, one-half the tariffed se	rvice 1 c	cal Ch	ennel rete is annlica	hle	-										I
INUTE: IT	ocal Channel - Dedicated - DS1 per month		7	OH1MS	TEFHG	0.00	0.00			1						
			+	OH3MS	TEFHJ	0.00					1					T
	ocal Channel - Dedicated - DS3 per month	 	+	CITOWO	121110	1 0.00	- 0.00		 		1	T			T	
MULTIPL		 	+	OUT OUTE	SATN1	80 77	141 87	77,11	44,47	42 62			1	1		Τ
	hannelization - DS1 to DS0 Channel System	₩	+	OH1, OH1MS	SATNS	222 98	308 03	108 47		4 23			T	 	1	1
	S3 to DS1 Channel System per month	-	 	OH3, OH3MS				4.66		 	+		 		1	T
D:	S3 Interface Unit (DS1 COCI) per month no rate is identified in the contract, the rates, terms, and c	<u> </u>		OH1, OH1MS	SATCO	17.58	6 07				+	 	 	 	 	1
100 0 10	no mile is identified in the contract the rotes terms and c	ondition	na for t	ne specific service o	r function w	VIII De as set fo	rın ın applicabl	e ಶಈಗಿನಿಂಬಾಗಿ ಡಿ	perf,	1	1	I	J			

Attachment 4-Central Office

Page 1

Attachment 4

Physical Collocation

BELLSOUTH

PHYSICAL COLLOCATION

1. Scope of Attachment

- 1.1 The rates, terms, and conditions contained within this Attachment shall only apply when Delta Phones is physically collocated as a sole occupant or as a Host within a Premises location pursuant to this Attachment. BellSouth Premises include BellSouth Central Offices and Serving Wire Centers (hereinafter "Premises"). This Attachment is applicable to Premises owned or leased by BellSouth. However, if the Premises occupied by BellSouth is leased by BellSouth from a third party, special considerations and intervals may apply in addition to the terms and conditions of this Attachment.
- Right to Occupy. BellSouth shall offer to Delta Phones collocation on rates, terms, and conditions that are just, reasonable, non-discriminatory and consistent with the rules of the Federal Communications Commission ("FCC"). Subject to the rates, terms and conditions of this Attachment where space is available and it is technically feasible, BellSouth will allow Delta Phones to occupy that certain area designated by BellSouth within a BellSouth Premises, or on BellSouth property upon which the BellSouth Premises is located, of a size which is specified by Delta Phones and agreed to by BellSouth (hereinafter "Collocation Space"). The necessary rates, terms and conditions for BellSouth locations other than BellSouth Premises shall be negotiated upon request for collocation at such location(s).
- 1.2.1 Neither BellSouth nor any of BellSouth's affiliates may reserve space for future use on more preferential terms than those set forth below.
- 1.2.1.1 In all states other than Florida, the size specified by Delta Phones may contemplate a request for space sufficient to accommodate Delta Phones's growth within a two-year period.
- 1.2.1.2 In the state of Florida, the size specified by Delta Phones may contemplate a request for space sufficient to accommodate Delta Phones's growth within an eighteen (18) month period.
- 1.3 Space Allocation. BellSouth shall attempt to accommodate Delta Phones's requested preferences if any. In allocating Collocation Space, BellSouth shall not materially increase Delta Phones's cost or materially delay Delta Phones's occupation and use of the Collocation Space, shall not assign Collocation Space that will impair the quality of service or otherwise limit the service Delta Phones wishes to offer, and shall not reduce unreasonably the total space available for physical collocation or preclude unreasonably physical collocation within the Premises. Space shall not be available for collocation if it is: (a) physically occupied by non-obsolete equipment; (b) assigned to another collocator; (c) used to provide physical access to occupied space; (d) used to

enable technicians to work on equipment located within occupied space; (e) properly reserved for future use, either by BellSouth or by another carrier; or (f) essential for the administration and proper functioning of BellSouth's Premises. BellSouth may segregate Collocation Space and require separate entrances in accordance with FCC rules.

- 1.4 <u>Space Reclamation.</u> In the event of space exhaust within a Central Office Premises, BellSouth may include in its documentation for the Petition for Waiver filing any unutilized space in the Central Office Premises. Delta Phones will be responsible for any justification of unutilized space within its space, if the appropriate state commission requires such justification.
- 1.5 <u>Use of Space</u>. Delta Phones shall use the Collocation Space for the purposes of installing, maintaining and operating Delta Phones's equipment (to include testing and monitoring equipment) necessary for interconnection with BellSouth services and facilities or for accessing BellSouth unbundled network elements for the provision of telecommunications services, as specifically set forth in this Attachment. The Collocation Space may be used for no other purposes except as specifically described herein or in any amendment hereto.
- 1.6 <u>Rates and Charges</u>. Delta Phones agrees to pay the rates and charges identified in Exhibit C attached hereto.
- 1.7 If any due date contained in this Attachment falls on a weekend or National holiday, then the due date will be the next business day thereafter. For intervals of ten (10) days or less National holidays will be excluded.
- 1.8 The parties agree to comply with all applicable federal, state, county, local and administrative laws, rules, ordinances, regulations and codes in the performance of their obligations hereunder.

2. Space Availability Report

- 2.1 Space Availability Report. Upon request from Delta Phones, BellSouth will provide a written report ("Space Availability Report") describing in detail the space that is available for collocation and specifying the amount of Collocation Space available at the Premises requested, the number of collocators present at the Premises, any modifications in the use of the space since the last report on the Premises requested and the measures BellSouth is taking to make additional space available for collocation arrangements. A Space Availability Report does not reserve space at the Premises.
- 2.1.1 The request from Delta Phones for a Space Availability Report must be written and must include the Premises street address, as identified in the Local Exchange Routing Guide ("LERG"), and Common Language Location Identification ("CLLI") code of the Premises. CLLI code information is located in the National Exchange Carriers Association ("NECA") Tariff FCC No. 4.

2.1.2 BellSouth will respond to a request for a Space Availability Report for a particular Premises within ten (10) calendar days of receipt of such request. BellSouth will make best efforts to respond in ten (10) calendar days to such a request when the request includes from two (2) to five (5) Premises within the same state. The response time for requests of more than five (5) Premises shall be negotiated between the Parties. If BellSouth cannot meet the ten (10) calendar day response time, BellSouth shall notify Delta Phones and inform Delta Phones of the time frame under which it can respond.

3. Collocation Options

- 3.1 Cageless. BellSouth shall allow Delta Phones to collocate Delta Phones's equipment and facilities without requiring the construction of a cage or similar structure. BellSouth shall allow Delta Phones to have direct access to Delta Phones's equipment and facilities. BellSouth shall make cageless collocation available in single bay increments. Except where Delta Phones's equipment requires special technical considerations (e.g., special cable racking, isolated ground plane, etc.), BellSouth shall assign cageless Collocation Space in conventional equipment rack lineups where feasible. For equipment requiring special technical considerations, Delta Phones must provide the equipment layout, including spatial dimensions for such equipment pursuant to generic requirements contained in Telcordia GR-63-Core, and shall be responsible for compliance with all special technical requirements associated with such equipment.
- 3.2 Caged. At Delta Phones's expense, Delta Phones may arrange with a Supplier certified by BellSouth ("Certified Supplier") to construct a collocation arrangement enclosure in accordance with BellSouth's guidelines and specifications prior to starting equipment installation. BellSouth will provide guidelines and specifications upon request. Where local building codes require enclosure specifications more stringent than BellSouth's standard enclosure specification, Delta Phones and Delta Phones's Certified Supplier must comply with the more stringent local building code requirements. Delta Phones's Certified Supplier shall be responsible for filing and receiving any and all necessary permits and/or licenses for such construction. BellSouth shall cooperate with Delta Phones and provide, at Delta Phones's expense, the documentation, including existing building architectural drawings, enclosure drawings, and specifications required and necessary for Delta Phones to obtain the zoning, permits and/or other licenses. Delta Phones's Certified Supplier shall bill Delta Phones directly for all work performed for Delta Phones pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by Delta Phones's Certified Supplier. Delta Phones must provide the local BellSouth building contact with two Access Keys used to enter the locked enclosure. Except in case of emergency, BellSouth will not access Delta Phones's locked enclosure prior to notifying Delta Phones. Upon request, BellSouth shall construct the enclosure for Delta Phones.

- 3.2.1 BellSouth may elect to review Delta Phones's plans and specifications prior to allowing construction to start to ensure compliance with BellSouth's guidelines and specifications. Notification to Delta Phones indicating BellSouth's desire to execute this review will be provided in BellSouth's response to the Initial Application, if Delta Phones has indicated its desire to construct its own enclosure. If Delta Phones's Initial Application does not indicate its desire to construct its own enclosure, but its subsequent firm order does indicate its desire to construct its own enclosure, then notification to review will be given within ten (10) calendar days after the Firm Order date. BellSouth shall complete its review within fifteen (15) calendar days after the receipt of the plans and specifications. Regardless of whether or not BellSouth elects to review Delta Phones's plans and specifications, BellSouth reserves the right to inspect the enclosure after construction to make sure it is constructed according to the submitted plans and specifications and/or BellSouth's guidelines and specifications, as applicable. BellSouth shall require Delta Phones to remove or correct within seven (7) calendar days at Delta Phones's expense any structure that does not meet these plans and specifications or, where applicable, BellSouth guidelines and specifications.
- 3.3 Shared Caged Collocation. Delta Phones may allow other telecommunications carriers to share Delta Phones's caged collocation arrangement pursuant to terms and conditions agreed to by Delta Phones ("Host") and other telecommunications carriers ("Guests") and pursuant to this Section, except where the BellSouth Premises is located within a leased space and BellSouth is prohibited by said lease from offering such an option. Delta Phones shall notify BellSouth in writing upon execution of any agreement between the Host and its Guest within ten (10) calendar days of its execution and prior to any Firm Order. Further, such notice shall include the name of the Guest(s) and the term of the agreement, and shall contain a certification by Delta Phones that said agreement imposes upon the Guest(s) the same terms and conditions for Collocation Space as set forth in this Attachment between BellSouth and Delta Phones.
- 3.3.1 Delta Phones, as the Host, shall be the sole interface and responsible Party to BellSouth for the assessment and billing of rates and charges contained within this Attachment and for the purposes of ensuring that the safety and security requirements of this Attachment are fully complied with by the Guest(s), its employees and agents. BellSouth shall provide Delta Phones with a proration of the costs of the Collocation Space based on the number of collocators and the space used by each with a minimum charge of one (1) bay/rack per Host/Guest. In all states other than Florida, and in addition to the foregoing, Delta Phones shall be the responsible party to BellSouth for the purpose of submitting applications for initial and additional equipment of the Guest. In Florida the Guest may directly submit initial and additional equipment placement applications using the Host's access carrier name abbreviation (ACNA). A separate Guest application shall require the assessment of an Initial or Subsequent Application Fee, as set forth in Exhibit C, which will be billed to the Host on the date that BellSouth provides its written response ("Application Response").

- 3.3.2 Notwithstanding the foregoing, the Guest may arrange directly with BellSouth for the provision of the interconnecting facilities between BellSouth and the Guest and for the provision of the services and access to unbundled network elements. The bill for these interconnecting facilities, services and access to UNEs will be charged to the Guest pursuant to the applicable tariff or the Guest's Interconnection Agreement with BellSouth.
- 3.3.3 Delta Phones shall indemnify and hold harmless BellSouth from any and all claims, actions, causes of action, of whatever kind or nature arising out of the presence of Delta Phones's Guests in the Collocation Space except to the extent caused by BellSouth's sole negligence, gross negligence, or willful misconduct.
- 3.4 Adjacent Collocation. Subject to technical feasibility and space availability, BellSouth will permit adjacent collocation arrangements ("Adjacent Arrangement") on the Premises' property, where the Adjacent Arrangement does not interfere with access to existing or planned structures or facilities on the Premises property. The Adjacent Arrangement shall be constructed or procured by Delta Phones and in conformance with BellSouth's design and construction specifications. Further, Delta Phones shall construct, procure, maintain and operate said Adjacent Arrangement(s) pursuant to all of the rates, terms and conditions set forth in this Attachment.
- 3.4.1 Should Delta Phones elect Adjacent Collocation, Delta Phones must arrange with a Certified Supplier to construct an Adjacent Arrangement structure in accordance with BellSouth's guidelines and specifications. BellSouth will provide guidelines and specifications upon request. Where local building codes require enclosure specifications more stringent than BellSouth's standard specification, Delta Phones and Delta Phones's Certified Supplier must comply with the more stringent local building code requirements. Delta Phones's Certified Supplier shall be responsible for filing and receiving any and all necessary zoning, permits and/or licenses for such construction. Delta Phones's Certified Supplier shall bill Delta Phones directly for all work performed for Delta Phones pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by Delta Phones's Certified Supplier. Delta Phones must provide the local BellSouth building contact with two cards, keys or other access device used to enter the locked enclosure. Except in cases of emergency, BellSouth shall not access Delta Phones's locked enclosure prior to notifying Delta Phones.
- 3.4.2 Delta Phones must submit its plans and specifications to BellSouth with its Firm Order. BellSouth shall review Delta Phones's plans and specifications prior to construction of an Adjacent Arrangement(s) to ensure compliance with BellSouth's guidelines and specifications. BellSouth shall complete its review within fifteen (15) calendar days after receipt of plans and specifications. BellSouth may inspect the Adjacent Arrangement during and after construction to confirm it is constructed according to the submitted plans and specifications. BellSouth shall require Delta Phones to remove or correct within seven (7) calendar days at Delta Phones's expense

any structure that does not meet these plans and specifications or, where applicable, BellSouth's guidelines and specifications.

- 3.4.3 Delta Phones shall provide a concrete pad, the structure housing the arrangement, heating/ventilation/air conditioning ("HVAC"), lighting, and all facilities that connect the structure (i.e. racking, conduits, etc.) to the BellSouth point of demarcation. At Delta Phones's option, and where the local authority having jurisdiction permits, BellSouth shall provide an AC power source and access to physical collocation services and facilities subject to the same nondiscriminatory requirements as applicable to any other physical collocation arrangement. In Alabama and Louisiana, BellSouth will provide DC power to Adjacent Collocation sites where technically feasible, as that term has been defined by the FCC, and subject to individual case basis pricing. Delta Phones's Certified Supplier shall be responsible, at Delta Phones's expense, for filing and receiving any and all necessary zoning, permits and/or licenses for such arrangement. BellSouth shall allow Shared Caged Collocation within an Adjacent Arrangement pursuant to the terms and conditions set forth herein.
- 3.5 Co-Carrier Cross Connect (CCXC). The primary purpose of collocation is for a collocated telecommunications carrier to interconnect with BellSouth's network or to access BellSouth's unbundled network elements for the provision of telecommunications services within a BellSouth Premises. BellSouth will permit Delta Phones to interconnect between its virtual or physical collocation arrangements and those of another collocated telecommunications carrier within the same central office. Both Delta PhonesDelta Phones's agreement and the other collocated telecommunications carrier's agreement must contain rates, terms and conditions for CCXC language. At no point in time shall Delta Phones use the Collocation Space for the sole or primary purpose of cross connecting to other collocated telecommunications carriers.
- 3.5.1 Delta Phones must use a BellSouth Certified Supplier to place the CCXC. The CCXC shall be provisioned through facilities owned by Delta Phones. Such connections to other carriers may be made using either optical or electrical facilities. Delta Phones may deploy such optical or electrical connections directly between its own facilities and the facilities of other collocated telecommunications carriers without being routed through BellSouth equipment. Delta Phones may not self-provision CCXC on any BellSouth distribution frame, POT (Point of Termination) Bay, DSX (Digital System Cross-connect) or LGX (Light Guide Cross-connect). Delta Phones is responsible for ensuring the integrity of the signal.
- 3.5.2 Delta Phones shall be responsible for providing written authorization to BellSouth from the other collocated telecommunications carrier prior to installing the CCXC. Delta Phones-provisioned CCXC shall utilize common cable support structure. There will be a recurring charge per linear foot, per cable, of common cable support structure used. In the case of two contiguous caged collocation arrangements, Delta Phones may have the option of constructing its own dedicated support structure.

3.5.3 To order CCXCs Delta Phones must submit an Initial Application or Subsequent Application. If no modification to the Collocation Space is requested other than the placement of CCXCs, the Subsequent Application Fee for CCXC, as defined in Exhibit C, will apply. If modifications in addition to the placement of CCXCs are requested, the Initial Application or Subsequent Application Fee will apply. This non-recurring fee will be billed by BellSouth on the date that BellSouth provides an Application Response.

4. Occupancy

- 4.1 Occupancy. BellSouth will notify Delta Phones in writing that the Collocation Space is ready for occupancy ("Space Ready Date"). Delta Phones will schedule and complete an acceptance walk through of each Collocation Space with BellSouth within fifteen (15) calendar days of BellSouth's notifying Delta Phones that the Collocation Space is ready for occupancy. In the event that Delta Phones fails to complete an acceptance walk through within this fifteen (15) day interval, the Collocation Space shall be deemed accepted by Delta Phones. Billing will commence on the Space Ready Date or the date Delta PhonesDelta Phones accepts the space Delta Phones must notify ("Space Acceptance Date"), whichever is sooner. BellSouth in writing that collocation equipment installation is complete and is operational with BellSouth's network. BellSouth may, at its option, not accept orders for cross connects until receipt of such notice. For purposes of this paragraph, Delta Phones's telecommunications equipment will be deemed operational when crossconnected to BellSouth's network for the purpose of service provisioning.
- 4.2 <u>Termination of Occupancy</u>. In addition to any other provisions addressing termination of occupancy in this Agreement, Delta Phones may terminate occupancy in a particular Collocation Space by submitting a Subsequent Application requesting termination of occupancy. A Subsequent Application Fee will not apply for termination of occupancy. BellSouth may terminate Delta Phones's right to occupy the Collocation Space in the event Delta Phones fails to comply with any provision of this Agreement including the payment of applicable fees.

Upon termination of occupancy, Delta Phones at its expense shall remove its equipment and other property from the Collocation Space. Delta Phones shall have thirty (30) calendar days from the termination date to complete such removal, including the removal of all equipment and facilities of Delta Phones's Guests, unless Delta Phones's Guest has assumed responsibility for the Collocation Space housing the Guest's equipment and executed the documentation required by BellSouth prior to such removal date. Delta Phones shall continue payment of monthly fees to BellSouth until such date as Delta Phones, and if applicable Delta Phones's Guest, has fully vacated the Collocation Space and the Space Relinquish Form has been accepted by BellSouth. Should Delta Phones or Delta Phones's Guest fail to vacate the Collocation Space within thirty (30) calendar days from the termination date, BellSouth shall have the right to remove the equipment and dispose of the equipment

and other property of Delta Phones or Delta Phones's Guest(s), in any manner that BellSouth deems fit, at Delta Phones's expense and with no liability whatsoever for Delta Phones's property or Delta Phones's Guest(s)'s property. Upon termination of Delta Phones's right to occupy Collocation Space, the Collocation Space will revert back to BellSouth, and Delta Phones shall surrender such Collocation Space to BellSouth in the same condition as when first occupied by Delta Phones except for ordinary wear and tear, unless otherwise agreed to by the Parties. Delta Phones's BellSouth Certified Supplier shall be responsible for updating and making any necessary changes to BellSouth's records as required by BellSouth's guidelines and specifications including but not limited to Central Office Record Drawings and ERMA Records. Delta Phones shall be responsible for the cost of removing any enclosure, together with all support structures (e.g., racking, conduits, power cables, etc.), at the termination of occupancy and restoring the grounds to their original condition.

5. Use of Collocation Space

- 5.1 Equipment Type. BellSouth permits the collocation of any type of equipment necessary for interconnection to BellSouth's network or for access to BellSouth's unbundled network elements in the provision of telecommunications services, as the term "necessary" is defined by FCC 47 C.F.R. Section 51.323 (b). The primary purpose and function of any equipment collocated in a Premises must be for interconnection to BellSouth's network or for access to BellSouth's unbundled network elements in the provision of telecommunications services.
- 5.1.1 Examples of equipment that would not be considered necessary include but are not limited to: Traditional circuit switching equipment, equipment used exclusively for call-related databases, computer servers used exclusively for providing information services, operations support system (OSS) equipment used to support collocated telecommunications carrier network operations, equipment that generates customer orders, manages trouble tickets or inventory, or stores customer records in centralized databases, etc. BellSouth will determine upon receipt of an application if the requested equipment is necessary based on the criteria established by the FCC. Multifunctional equipment placed on BellSouth's Premises must not place any greater relative burden on BellSouth's property than comparable single-function equipment. BellSouth reserves the right to permit collocation of any equipment on a nondiscriminatory basis.
- 5.1.2 Such equipment must, at a minimum, meet the following Telcordia Network Equipment Building Systems (NEBS) General Equipment Requirements: Criteria Level 1 requirements as outlined in the Telcordia Special Report SR-3580, Issue 1; equipment design spatial requirements per GR-63-CORE, Section 2; thermal heat dissipation per GR-063-CORE, Section 4, Criteria 77-79; acoustic noise per GR-063-CORE, Section 4, Criterion 128, and National Electric Code standards. Except where otherwise required by a Commission, BellSouth shall comply with the applicable FCC rules relating to denial of collocation based on Delta Phones's failure to comply with this Section.

- 5.1.3 Delta Phones shall not request more DS0, DS1, DS3 and optical terminations for a collocation arrangement than the total port or termination capacity of the equipment physically installed in the arrangement. The total capacity of the equipment collocated in the arrangement will include equipment contained in the application in question as well as equipment already placed in the arrangement. If full network termination capacity of the equipment being installed is not requested in the application, additional network terminations for the installed equipment will require the submission of another application. In the event that Delta Phones submits an application for terminations that exceed the total capacity of the collocated equipment, Delta Phones will be informed of the discrepancy and will be required to submit a revision to the application.
- Delta Phones shall identify to BellSouth whenever Delta Phones submits a Method of Procedure ("MOP") adding equipment to Delta Phones's Collocation Space all entities that have an interest, secured and otherwise, in the equipment in Delta Phones's Collocation Space.
- 5.3 Delta Phones shall not use the Collocation Space for marketing purposes nor shall it place any identifying signs or markings outside the Collocation Space or on the grounds of the Premises.
- Delta Phones shall place a plaque or other identification affixed to Delta Phones's equipment necessary to identify Delta Phones's equipment, including a list of emergency contacts with telephone numbers.
- Entrance Facilities. Delta Phones may elect to place Delta Phones-owned or Delta 5.5 Phones-leased fiber entrance facilities into the Collocation Space. BellSouth will designate the point of interconnection in close proximity to the Premises building housing the Collocation Space, such as an entrance manhole or a cable vault, which are physically accessible by both Parties. Delta Phones will provide and place fiber cable at the point of entrance of sufficient length to be pulled through conduit and into the splice location. Delta Phones will provide and install a sufficient length of fire retardant riser cable, to which the entrance cable will be spliced by BellSouth, which will extend from the splice location to Delta Phones's equipment in the Collocation Space. In the event Delta Phones utilizes a non-metallic, riser-type entrance facility, a splice will not be required. Delta Phones must contact BellSouth for instructions prior to placing the entrance facility cable in the manhole. Delta Phones is responsible for maintenance of the entrance facilities. At Delta Phones's option BellSouth will accommodate where technically feasible a microwave entrance facility pursuant to separately negotiated terms and conditions. In the case of adjacent collocation, unless BellSouth determines that limited space is available for the entrance facilities, copper facilities may be used between the adjacent collocation arrangement and the central office demarcation point.

- Dual Entrance. BellSouth will provide at least two interconnection points at each Premises where there are at least two such interconnection points available and where capacity exists. Upon receipt of a request for physical collocation under this Attachment, BellSouth shall provide Delta Phones with information regarding BellSouth's capacity to accommodate dual entrance facilities. If conduit in the serving manhole(s) is available and is not reserved for another purpose for utilization within 12 months of the receipt of an application for collocation, BellSouth will make the requested conduit space available for installing a second entrance facility to Delta Phones's arrangement. The location of the serving manhole(s) will be determined at the sole discretion of BellSouth. Where dual entrance is not available due to lack of capacity, BellSouth will so state in the Application Response.
- Shared Use. Delta Phones may utilize spare capacity on an existing interconnector entrance facility for the purpose of providing an entrance facility to Delta Phones's collocation arrangement within the same BellSouth Premises. BellSouth shall allow the splice, provided that the fiber is non-working fiber. Delta Phones must arrange with BellSouth for BellSouth to splice the Delta Phones provided riser cable to the spare capacity on the entrance facility. The rates set forth in Exhibit C will apply. If Delta Phones desires to allow another telecommunications carrier to use its entrance facilities, additional rates, terms and conditions will apply and shall be negotiated between the Parties.
- Demarcation Point. BellSouth will designate the point(s) of demarcation between Delta Phones's equipment and/or network and BellSouth's network. Each Party will be responsible for maintenance and operation of all equipment/facilities on its side of the demarcation point. For 2-wire and 4-wire connections to BellSouth's network, the demarcation point shall be a common block on the BellSouth designated conventional distributing frame (CDF). Delta Phones shall be responsible for providing, and a supplier certified by BellSouth ("BellSouth Certified Supplier") shall be responsible for installing and properly labeling/stenciling the common block and necessary cabling pursuant to Section 7. For all other terminations BellSouth shall designate a demarcation point on a per arrangement basis. Delta Phones or its agent must perform all required maintenance to equipment/facilities on its side of the demarcation point, pursuant to Section 5.6, following, and may self-provision cross-connects that may be required within the Collocation Space to activate service requests.
- 5.6.1 In Tennessee, BellSouth will designate the point(s) of demarcation between Delta Phones's equipment and/or network and BellSouth's network. Each Party will be responsible for maintenance and operation of all equipment/facilities on its side of the demarcation point. For connections to BellSouth's network, the demarcation point shall be a Delta Phones provided Point of Termination Bay (POT Bay) in a common area within the Premises. Delta Phones shall be responsible for providing, and a supplier certified by BellSouth shall be responsible for installing and properly labeling/stenciling the POT Bay as well as installing the necessary cabling between Delta Phones's Collocation Space and the demarcation point. Delta Phones or its

agent must perform all required maintenance to equipment/facilities on its side of the demarcation point, pursuant to Section 5.6, following, and may self-provision cross-connects that may be required within the Collocation Space to activate service requests. BellSouth will negotiate alternative rates, terms and conditions related to the demarcation point in Tennessee in the event that Delta Phones desires to avoid the use of an intermediary device as contemplated by the Tennessee Regulatory Authority.

- Delta Phones's Equipment and Facilities. Delta Phones, or if required by this Attachment, Delta Phones's BellSouth Certified Supplier, is solely responsible for the design, engineering, installation, testing, provisioning, performance, monitoring, maintenance and repair of the equipment and facilities used by Delta Phones which must be performed in compliance with all applicable BellSouth policies and guidelines. Such equipment and facilities may include but are not limited to cable(s), equipment, and point of termination connections. Delta Phones and its selected BellSouth Certified Supplier must follow and comply with all BellSouth requirements outlined in BellSouth's TR 73503, TR 73519, TR 73572, and TR 73564.
- BellSouth's Access to Collocation Space. From time to time BellSouth may require access to the Collocation Space. BellSouth retains the right to access such space for the purpose of making BellSouth equipment and building modifications (e.g., running, altering or removing racking, ducts, electrical wiring, HVAC, and cables). BellSouth will give notice to Delta Phones at least forty-eight (48) hours before access to the Collocation Space is required. Delta Phones may elect to be present whenever BellSouth performs work in the Collocation Space. The Parties agree that Delta Phones will not bear any of the expense associated with this work.
- Access. Pursuant to Section 12, Delta Phones shall have access to the Collocation Space twenty-four (24) hours a day, seven (7) days a week. Delta Phones agrees to provide the name and social security number or date of birth or driver's license number of each employee, supplier, or agent of Delta Phones or Delta Phones's Guests provided with access keys or devices ("Access Keys") prior to the issuance of said Access Keys. Key acknowledgement forms must be signed by Delta Phones and returned to BellSouth Access Management within fifteen (15) calendar days of Delta Phones's receipt. Failure to return properly acknowledged forms will result in the holding of subsequent requests until acknowledgements are current. Access Keys shall not be duplicated under any circumstances. Delta Phones agrees to be responsible for all Access Keys and for the return of all said Access Keys in the possession of Delta Phones's employees, suppliers, Guests, or agents after termination of the employment relationship, contractual obligation with Delta Phones or upon the termination of this Attachment or the termination of occupancy of an individual collocation arrangement.
- 5.9.1 BellSouth will permit one accompanied site visit to Delta Phones's designated collocation arrangement location after receipt of the Bona Fide Firm Order (BFFO) without charge to Delta Phones. Delta Phones must submit to BellSouth the completed Access Control Request Form for all employees or agents requiring access to the BellSouth Premises a minimum of thirty (30) calendar days prior to the date

Delta Phones desires access to the Collocation Space. In order to permit reasonable access during construction of the Collocation Space, Delta Phones may submit such a request at any time subsequent to BellSouth's receipt of the BFFO. In the event Delta Phones desires access to the Collocation Space after submitting such a request but prior to access being approved, in addition to the first accompanied free visit, BellSouth shall permit Delta Phones to access the Collocation Space accompanied by a security escort at Delta Phones's expense. Delta Phones must request escorted access at least three (3) business days prior to the date such access is desired.

- 5.10 <u>Lost or Stolen Access Keys</u>. Delta Phones shall notify BellSouth in writing immediately in the case of lost or stolen Access Keys. Should it become necessary for BellSouth to re-key buildings or deactivate a card as a result of a lost Access Key(s) or for failure to return an Access Key(s), Delta Phones shall pay for all reasonable costs associated with the re-keying or deactivating the card.
- 5.11 Interference or Impairment. Notwithstanding any other provisions of this Attachment, Delta Phones shall not use any product or service provided under this Agreement, any other service related thereto or used in combination therewith, or place or use any equipment or facilities in any manner that 1) significantly degrades, interferes with or impairs service provided by BellSouth or by any other entity or any person's use of its telecommunications service; 2) endangers or damages the equipment, facilities or other property of BellSouth or of any other entity or person; 3) compromises the privacy of any communications; or 4) creates an unreasonable risk of injury or death to any individual or to the public. If BellSouth reasonably determines that any equipment or facilities of Delta Phones violates the provisions of this paragraph, BellSouth shall give written notice to Delta Phones, which notice shall direct Delta Phones to cure the violation within forty-eight (48) hours of Delta Phones's actual receipt of written notice or, at a minimum, to commence curative measures within twenty-four (24) hours and to exercise reasonable diligence to complete such measures as soon as possible thereafter. After receipt of the notice, the Parties agree to consult immediately and, if necessary, to inspect the arrangement.
- 5.11.1 Except in the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services, if Delta Phones fails to take curative action within forty-eight (48) hours or if the violation is of a character which poses an immediate and substantial threat of damage to property, injury or death to any person, or any other significant degradation, interference or impairment of BellSouth's or another entity's service, then and only in that event BellSouth may take such action as it deems appropriate to correct the violation, including without limitation the interruption of electrical power to Delta Phones's equipment. BellSouth will endeavor, but is not required, to provide notice to Delta Phones prior to taking such action and shall have no liability to Delta Phones for any damages arising from such action, except to the extent that such action by BellSouth constitutes willful misconduct.

- 5.11.2 For purposes of this Section, the term significantly degrade shall mean an action that noticeably impairs a service from a user's perspective. In the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services and Delta Phones fails to take curative action within forty-eight (48) hours then BellSouth will establish before the relevant Commission that the technology deployment is causing the significant degradation. Any claims of network harm presented to Delta Phones or, if subsequently necessary, the relevant Commission must be supported with specific and verifiable information. Where BellSouth demonstrates that a deployed technology is significantly degrading the performance of other advanced services or traditional voice band services, Delta Phones shall discontinue deployment of that technology and migrate its customers to technologies that will not significantly degrade the performance of other such services. Where the only degraded service itself is a known disturber, and the newly deployed technology satisfies at least one of the criteria for a presumption that is acceptable for deployment under Section 47 C.F.R. 51.230, the degraded service shall not prevail against the newly deployed technology.
- Personalty and its Removal. Facilities and equipment placed by Delta Phones in the Collocation Space shall not become a part of the Collocation Space, even if nailed, screwed or otherwise fastened to the Collocation Space, but shall retain their status as personal property and may be removed by Delta Phones at any time. Any damage caused to the Collocation Space by Delta Phones's employees, agents or representatives during the removal of such property shall be promptly repaired by Delta Phones at its expense.
- 5.12.1 If Delta Phones decides to remove equipment from its Collocation Space and the removal requires no physical changes, BellSouth will bill Delta Phones an Administrative Only Application Fee as set forth in Exhibit C for these charges. This non-recurring fee will be billed on the date that BellSouth provides an Application Response.
- Alterations. In no case shall Delta Phones or any person acting on behalf of Delta Phones make any rearrangement, modification, improvement, addition, or other alteration which could affect in any way space, power, HVAC, and/or safety considerations to the Collocation Space or the BellSouth Premises without the written consent of BellSouth, which consent shall not be unreasonably withheld. The cost of any such specialized alterations shall be paid by Delta Phones. Any such material rearrangement, modification, improvement, addition, or other alteration shall require a Subsequent Application and Subsequent Application Fee which will be billed by BellSouth on the date that BellSouth makes an Application Response.
- 5.14 <u>Janitorial Service</u>. Delta Phones shall be responsible for the general upkeep of the Collocation Space. Delta Phones shall arrange directly with a BellSouth Certified Supplier for janitorial services applicable to Caged Collocation Space. BellSouth shall provide a list of such suppliers on a site-specific basis upon request.

6. Ordering and Preparation of Collocation Space

- Should any state or federal regulatory agency impose procedures or intervals applicable to Delta Phones and BellSouth that are different from procedures or intervals set forth in this Section, whether now in effect or that become effective after execution of this Agreement, those procedures or intervals shall supersede the requirements set forth herein for that jurisdiction for all applications submitted for the first time after the effective date thereof.
- Initial Application. For Delta Phones or Delta Phones's Guest(s) initial equipment placement, Delta Phones shall submit to BellSouth a Physical Expanded Interconnection Application Document ("Initial Application"). The Initial Application is Bona Fide when it is complete and accurate, meaning that all required fields on the application are completed with the appropriate type of information. An application fee will apply which will be billed by BellSouth on the date that BellSouth makes an Application Response.
- 6.3 <u>Subsequent Application.</u> In the event Delta Phones or Delta Phones's Guest(s) desires to modify the use of the Collocation Space after a BFFO, Delta Phones shall complete an application detailing all information regarding the modification to the Collocation Space ("Subsequent Application"). The Subsequent Application is Bona Fide when it is complete and accurate, meaning that all required fields on the Subsequent Application are completed with the appropriate type of information. BellSouth shall determine what modifications, if any, to the Premises are required to accommodate the change requested by Delta Phones in the application. Such necessary modifications to the Premises may include, but are not limited to, floor loading changes, changes necessary to meet HVAC requirements, changes to power plant requirements, equipment additions, etc.
- 6.3.1 Subsequent Application Fee. The application fee paid by Delta Phones for its request to modify the use of the Collocation Space shall be dependent upon the level of assessment needed for the modification requested. The fee for a Subsequent Application where the modification requested has limited effect (e.g., requires labor expenditure but no capital expenditure by BellSouth) shall be the Subsequent Application Fee as set forth in Exhibit C. If the modification requires capital expenditure, an Initial Application Fee shall apply. This non-recurring fee will be billed on the date that BellSouth makes an Application Response.
- 6.4 Space Preferences. If Delta Phones has previously requested and received a Space Availability Report for the Premises, Delta Phones may submit up to three (3) space preferences on its application identifying specific space identification numbers as referenced on the Space Availability Report. In the event that BellSouth can-not accommodate the Delta Phones's preference(s), Delta Phones may elect to accept the space allocated by BellSouth or may cancel its application and submit another application requesting additional preferences, which will be treated as a new

application and an application fee will apply which will be billed by BellSouth on the date that BellSouth makes an Application Response.

- 6.5 Space Availability Notification.
- 6.5.1 Unless otherwise specified, BellSouth will respond to an application within ten (10) calendar days as to whether space is available or not available within a BellSouth Premises. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide, the items necessary to cause the application to become Bona Fide. If the amount of space requested is not available, BellSouth will notify Delta Phones of the amount of space that is available and no application fee shall apply. When BellSouth's response includes an amount of space less than that requested by Delta Phones or differently configured, Delta Phones must resubmit its application to reflect the actual space available.
- BellSouth will respond to a Florida application within fifteen (15) calendar days as to whether space is available or not available within a BellSouth Premises. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide, the items necessary to cause the application to become Bona Fide. If a lesser amount of space than requested is available, BellSouth will provide an Application Response for the amount of space that is available and an application fee will be billed by BellSouth on the date that BellSouth makes an Application Response. When BellSouth's Application Response includes an amount of space less than that requested by Delta Phones or differently configured, Delta Phones must amend its application to reflect the actual space available prior to submitting a BFFO.
- BellSouth will respond to a Louisiana application within ten (10) calendar days for space availability for one (1) to ten (10) applications; fifteen (15) calendar days for eleven (11) to twenty (20) applications; and for more than twenty (20) applications, it is increased by five (5) calendar days for every five additional applications received within five (5) business days. If the amount of space requested is not available, BellSouth will notify Delta Phones of the amount of space that is available and no application fee shall apply. When BellSouth's response includes an amount of space less than that requested by Delta Phones or differently configured, Delta Phones must resubmit its application to reflect the actual space available. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide, the items necessary to cause the application to become Bona Fide.
- 6.6 <u>Denial of Application</u>. If BellSouth notifies Delta Phones that no space is available ("Denial of Application"), BellSouth will not assess an Application Fee. After notifying Delta Phones that BellSouth has no available space in the requested Premises, BellSouth will allow Delta Phones, upon request, to tour the entire Premises within ten (10) calendar days of such Denial of Application. In order to schedule said tour within ten (10) calendar days, the request for a tour of the Premises must be received by BellSouth within five (5) calendar days of the Denial of Application.

- 6.7 Filing of Petition for Waiver. Upon Denial of Application, BellSouth will timely file a petition with the Commission pursuant to 47 U.S.C. § 251(c)(6). BellSouth shall provide to the Commission any information requested by that Commission. Such information shall include which space, if any, BellSouth or any of BellSouth's affiliates have reserved for future use and a detailed description of the specific future uses for which the space has been reserved. Subject to an appropriate nondisclosure agreement or provision, BellSouth shall permit Delta Phones to inspect any floor plans or diagrams that BellSouth provides to the Commission.
- Maiting List. On a first-come, first-served basis governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Premises is out of space, have submitted a Letter of Intent to collocate. BellSouth will notify the telecommunications carriers on the waiting list that can be accommodated by the amount of space that becomes available according to the position of the telecommunications carriers on said waiting list.
- In Florida, on a first-come, first-served basis governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Premises is out of space, have submitted a Letter of Intent to collocate. Sixty (60) calendar days prior to space becoming available, if known, BellSouth will notify the Florida PSC and the telecommunications carriers on the waiting list by mail when space becomes available according to the position of telecommunications carrier on said waiting list. If not known sixty (60) calendar days in advance, BellSouth shall notify the Florida PSC and the telecommunications carriers on the waiting list within two (2) business days of the determination that space is available. A telecommunications carrier that, upon denial of physical collocation, requests virtual collocation shall be automatically placed on the waiting list.
- When space becomes available, Delta Phones must submit an updated, complete, and correct application to BellSouth within thirty (30) calendar days of such notification. If Delta Phones has originally requested caged Collocation Space and cageless Collocation Space becomes available, Delta Phones may refuse such space and notify BellSouth in writing within that time that Delta Phones wants to maintain its place on the waiting list without accepting such space. Delta Phones may accept an amount of space less than its original request by submitting an application as set forth above, and upon request, may maintain its position on the waiting list for the remaining space that was initially requested. If Delta Phones does not submit such an application or notify BellSouth in writing as described above, BellSouth will offer such space to the next telecommunications carrier on the waiting list and remove Delta Phones from the waiting list. Upon request, BellSouth will advise Delta Phones as to its position on the list.
- 6.9 <u>Public Notification</u>. BellSouth will maintain on its Interconnection Services website a notification document that will indicate all Central Offices that are without available

space. BellSouth shall update such document within ten (10) calendar days of the date BellSouth becomes aware that there is insufficient space to accommodate physical collocation. BellSouth will also post a document on its Interconnection Services website that contains a general notice where space has become available in a Central Office previously on the space exhaust list.

- 6.10 Application Response.
- 6.10.1 In Alabama, when space has been determined to be available, BellSouth will provide an Application Response within thirty (30) calendar days of the receipt of a Bona Fide application, which will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and any other applicable space preparation fees, described in Section 8.
- 6.10.2 In North Carolina, when space has been determined to be available, BellSouth will provide an Application Response within twenty-three (23) business days of the receipt of a Bona Fide application, which will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and any other applicable space preparation fees, described in Section 8.
- 6.10.3 In Tennessee, BellSouth will provide an Application Response within fifteen (15) calendar days of receipt of a Bona Fide application. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee (Cageless and Virtual), and a firm price quote, based upon standardized pricing provided that Delta Phones has given BellSouth a forecast of Delta Phones's collocation needs at least ten (10) calendar days prior to submitting an application. If no forecast is provided by Delta Phones the interval for an Application Response will be thirty (30) calendar days.
- In Florida, within fifteen (15) calendar days of receipt of a Bona Fide application, when space has been determined to be available or when a lesser amount of space than that requested is available, then with respect to the space available, BellSouth will provide an Application Response including sufficient information to enable Delta Phones to place a Firm Order. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8. When Delta Phones submits ten (10) or more applications within ten (10) calendar days, the initial fifteen (15) day response period will increase by ten (10) calendar days for every additional ten (10) applications or fraction thereof.
- 6.10.5 In Georgia, Kentucky, Mississippi and South Carolina, when space has been determined to be available for caged or cageless arrangements, BellSouth will provide an Application Response within twenty (20) calendar days of receipt of a Bona Fide application. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and any other applicable space preparation fees, as described in Section 8.

In Louisiana, when space has been determined to be available, BellSouth will provide an Application Response within thirty (30) calendar days for one (1) to ten (10) applications; thirty-five (35) calendar days for eleven (11) to twenty (20) applications; and for requests of more than twenty (20) applications it is increased by five (5) calendar days for every five (5) applications received within five (5) business days. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8.

6.11 Application Modifications.

6.11.1 If a modification or revision is made to any information in the Bona Fide application prior to a BFFO, with the exception of modifications to Customer Information, Contact Information or Billing Contact Information, either at the request of Delta Phones or necessitated by technical considerations, said application shall be considered a new application and shall be handled as a new application with respect to response and provisioning intervals and BellSouth may charge Delta Phones an additional application fee. The fee for an application modification where the modification requested has limited effect (e.g., requires labor expenditure but no capital expenditure by BellSouth) shall be the Subsequent Application Fee as set forth in Exhibit C. A modification involving a capital expenditure by BellSouth shall require Delta Phones to submit the application with an Initial Application Fee. This non-recurring fee will be billed by BellSouth on the date that BellSouth provides an Application Response.

6.12 Bona Fide Firm Order.

- 6.12.1 In Kentucky and North Carolina, Delta Phones shall indicate its intent to proceed with equipment installation in a BellSouth Premises by submitting a Physical Expanded Interconnection Firm Order document ("Firm Order") to BellSouth. A Firm Order shall be considered Bona Fide when Delta Phones has completed the Application/Inquiry process described in Section 6, preceeding, and has submitted the Firm Order document indicating acceptance of the Application Response provided by BellSouth. The BFFO must be received by BellSouth no later than five (5) business days after BellSouth's Application Response to Delta Phones's Bona Fide application in order to receive the intervals set forth in Section 7. The BFFO must be received by BellSouth no later than thirty (30) calendar days after BellSouth's Application Response to Delta Phones's Bona Fide application or the application will expire. If the BFFO is received between the fifth business day and the thirtieth calendar day after the Application Response, then the intervals set forth in Section 7.1.1 will be extended day for day for each day after the fifth business day the BFFO is received until the application expires.
- 6.12.2 Except as otherwise provided, in all States that have ordered provisioning intervals but not addressed Firm Order intervals, the following shall apply. Delta Phones shall indicate its intent to proceed with equipment installation in a BellSouth Premises by

submitting a Firm Order to BellSouth. The BFFO must be received by BellSouth no later than thirty (30) calendar days after BellSouth's Application Response to Delta Phones's Bona Fide application or the application will expire.

6.12.3 BellSouth will establish a firm order date based upon the date BellSouth is in receipt of a BFFO. BellSouth will acknowledge the receipt of Delta Phones's BFFO within seven (7) calendar days of receipt indicating that the BFFO has been received. A BellSouth response to a BFFO will include a Firm Order Confirmation containing the firm order date. No revisions will be made to a BFFO.

7. Construction and Provisioning

- 7.1 <u>Construction and Provisioning Intervals</u>
- 7.1.1 In North Carolina, BellSouth will complete construction for collocation arrangements within seventy-six (76) business days from receipt of an application or as agreed to by the Parties. Under extraordinary conditions, BellSouth will complete construction for collocation arrangements within ninety-one (91) business days. Examples of extraordinary conditions include, but are not limited to, extended license or permitting intervals; major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. In the event Delta Phones submits a forecast as described in the following paragraph three (3) months or more prior to the application date, the above intervals shall apply. In the event Delta Phones submits such a forecast between two (2) months and three (3) months prior to the application date, the above intervals may be extended by one (1) additional month. In the event Delta Phones submits such a forecast less than two (2) months prior to the application date, the above intervals may be extended by sixty (60) calendar days. BellSouth will attempt to meet standard intervals for unforecasted requests and any interval adjustments will be discussed with Delta Phones at the time the application is received. Raw space, which is space lacking the necessary infrastructure to provide Collocation Space including but not limited to HVAC, Power, etc., conversion time frames fall outside the normal intervals and are negotiated on an individual case basis. Additionally, installations to existing collocation arrangements for line sharing or line splitting, which include adding cable, adding cable and splitter, and adding a splitter, will be forty five (45) business days from receipt of an application.
- 7.1.1.1 To be considered a timely and accurate forecast, Delta Phones must submit to BellSouth the CLEC Collocation Forecast Form, as set forth in Exhibit B attached hereto, containing the following information: Central Office/Serving Wire Center CLLI, number of Caged square feet and/or Cageless bays, number of DS0, DS1, DS3 frame terminations, number of fused amps and planned application date.

- 7.1.2 In Alabama, BellSouth will complete construction for caged collocation arrangements as soon as possible within a maximum of ninety (90) calendar days from receipt of a BFFO or as agreed to by the Parties. BellSouth will complete construction for cageless collocation arrangements when preconditioned space is available within thirty (30) calendar days from receipt of a BFFO (ordinary conditions) or as agreed to by the Parties. Under extraordinary conditions, BellSouth will complete construction for cageless collocation arrangements as soon as possible within a maximum of ninety (90) calendar days from receipt of a BFFO or as agreed to by the Parties. Preconditioned space is defined as when all infrastructure is in place and only a record change is required to show that the space has been assigned to Delta Phones. Ordinary conditions are defined as space available with only minor changes to support systems required, such as, but not limited to HVAC, cabling and the power plant(s). Extraordinary conditions are defined to include, but are not limited to, major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.
- 7.1.3 In Florida, BellSouth will complete construction for collocation arrangements as soon as possible and within a maximum of ninety (90) calendar days from receipt of a BFFO or as agreed to by the Parties. For changes to the Collocation Space after initial space completion ("Augmentation"), BellSouth will complete construction for collocation arrangements as soon as possible and within a maximum of forty-five (45) calendar days from receipt of a BFFO or as agreed to by the Parties. If BellSouth does not believe that construction will be completed within the relevant time frame and BellSouth and Delta Phones cannot agree upon a completion date, within forty-five (45) calendar days of receipt of the BFFO for an initial request, and within thirty (30) calendar days for Augmentations, BellSouth may seek an extension from the Florida Commission.
- 7.1.4 In Georgia, Kentucky, Mississippi and South Carolina, BellSouth will complete construction for caged collocation arrangements under ordinary conditions as soon as possible and within a maximum of ninety (90) calendar days from receipt of a BFFO or as agreed to by the Parties. BellSouth will complete construction for cageless collocation arrangements under ordinary conditions as soon as possible and within a maximum of sixty (60) calendar days from receipt of a BFFO and ninety (90) calendar days for extraordinary conditions or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). Extraordinary conditions are defined to include but are not limited to major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an

alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.

- 7.1.5 In Louisiana, BellSouth will complete construction for collocation arrangements under ordinary conditions as soon as possible and within a maximum of ninety (90) calendar days for caged and sixty (60) calendar days for cageless from receipt of a BFFO for an initial request, and within sixty (60) calendar days for an Augmentation, or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). BellSouth will complete construction of all other Collocation Space ("extraordinary conditions") within one hundred twenty (120) calendar days for caged and ninety (90) calendar days for cageless from the receipt of a BFFO. Examples of extraordinary conditions include but are not limited to, extended license or permitting intervals; major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.
- 7.1.6 In Tennessee, BellSouth will complete construction for collocation arrangements under ordinary conditions as follows: (i) for caged collocation arrangements, within a maximum of ninety (90) calendar days from receipt of a BFFO, or as agreed to by the Parties; (ii) for cageless collocation arrangements, within thirty (30) calendar days from receipt of a BFFO when there is conditioned space and Delta Phones installs the bays/racks. In no event shall the provisioning interval for cageless collocation exceed ninety (90) calendar days from the receipt of a BFFO, unless otherwise agreed to by the parties. Under extraordinary conditions, BellSouth may elect to renegotiate an alternative provisioning interval with Delta Phones or seek a waiver from this interval from the Commission. For the purpose of defining conditioned space as referenced in the Commission order setting intervals for cageless collocation in Tennessee, conditioned space is defined as follows: i) floor space must be available; ii) floor space must be equipped with adequate air conditioning to accommodate equipment listed on application; iii) Cable racking, any fiber duct, riser cable support structure and power cable support structure must be in place to support equipment listed on the application; and iv) power plant capacity at BDFB or main power board must be available. If LGX or DGX equipment is requested on the application and adequate existing capacity is not available then conditioned space is considered unavailable. If BellSouth is required by the application to place power cabling, conditioned space is considered unavailable.
- 7.2 <u>Joint Planning</u>. Joint planning between BellSouth and Delta Phones will commence within a maximum of twenty (20) calendar days from BellSouth's receipt of a BFFO. BellSouth will provide the preliminary design of the Collocation Space and the equipment configuration requirements as reflected in the Bona Fide application and

affirmed in the BFFO. The Collocation Space completion time period will be provided to Delta Phones during joint planning.

- 7.3 <u>Permits</u>. Each Party or its agents will diligently pursue filing for the permits required for the scope of work to be performed by that Party or its agents within ten (10) calendar days of the completion of finalized construction designs and specifications.
- Acceptance Walk Through. Delta Phones will schedule and complete an acceptance walk through of each Collocation Space with BellSouth within fifteen (15) calendar days of BellSouth's notifying Delta Phones that the Collocation Space is ready for occupancy (Space Ready Date). In the event that Delta Phones fails to complete an acceptance walk through within this fifteen (15) day interval, the Collocation Space shall be deemed accepted by Delta Phones. BellSouth will correct any deviations to Delta Phones's original or jointly amended requirements within seven (7) calendar days after the walk through, unless the Parties jointly agree upon a different time frame.
- 7.5 <u>Circuit Facility Assignments (CFAs).</u> Unless otherwise specified, BellSouth will provide CFAs to Delta Phones prior to the applicable provisioning interval set forth herein ("Provisioning Interval") for those Premises in which Delta Phones has a physical collocation arrangement with no POT bay or with a POT bay provided by BellSouth prior to 6/1/99. BellSouth cannot provide CFAs to Delta Phones prior to the Provisioning Interval for those Premises in which Delta Phones has a physical collocation arrangement with a POT bay provided by Delta Phones prior to 6/1/99 or a virtual collocation arrangement until Delta Phones provides BellSouth with the following information:

For Delta Phones-provided POT bay - a complete layout of the POT panels (equipment inventory update (EIU) form) showing locations, speeds, etc.

For virtual - a complete layout of Delta Phones's equipment (equipment inventory update (EIU) form), including the locations of the low speed ports and the specific frame terminations to which the equipment will be wired by Delta Phones's BellSouth Certified Supplier

BellSouth cannot begin work on the CFAs until the complete and accurate EIU form is received from Delta Phones. If this EIU is provided ten (10) calendar days prior to the Provisioning Interval, then CFAs will be made available by the Provisioning Interval. If this EIU is not received ten (10) calendar days prior to the Provisioning Interval, then the CFAs will be provided within ten (10) calendar days of receipt of the EIU.

- 7.5.1 BellSouth will bill Delta Phones a nonrecurring charge, as set forth in Exhibit C, each time Delta Phones requests a resend of its CFAs.
- 7.6 <u>Use of BellSouth Certified Supplier</u>. Delta Phones shall select a supplier which has been approved as a BellSouth Certified Supplier to perform all engineering and Version 2Q02: 5/31/02

installation work. Delta Phones and Delta Phones's BellSouth Certified Supplier must follow and comply with all BellSouth requirements outlined in BellSouth's TR 73503, TR 73519, TR 73572, and TR 73564. In some cases, Delta Phones must select separate BellSouth Certified Suppliers for transmission equipment, switching equipment and power equipment. BellSouth shall provide Delta Phones with a list of BellSouth Certified Suppliers upon request. The BellSouth Certified Supplier(s) shall be responsible for installing Delta Phones's equipment and components, extending power cabling to the BellSouth power distribution frame, performing operational tests after installation is complete, and notifying BellSouth's equipment engineers and Delta Phones upon successful completion of installation, etc. The BellSouth Certified Supplier shall bill Delta Phones directly for all work performed for Delta Phones pursuant to this Attachment, and BellSouth shall have no liability for nor responsibility to pay such charges imposed by the BellSouth Certified Supplier. BellSouth shall consider certifying Delta Phones or any supplier proposed by Delta Phones. All work performed by or for Delta Phones shall conform to generally accepted industry guidelines and standards.

- Alarm and Monitoring. BellSouth shall place environmental alarms in the Premises for the protection of BellSouth equipment and facilities. Delta Phones shall be responsible for placement, monitoring and removal of environmental and equipment alarms used to service Delta Phones's Collocation Space. Upon request, BellSouth will provide Delta Phones with applicable tariffed service(s) to facilitate remote monitoring of collocated equipment by Delta Phones. Both Parties shall use best efforts to notify the other of any verified environmental condition known to that Party.
- 7.8 Virtual to Physical Collocation Relocation. In the event physical Collocation Space was previously denied at a location due to technical reasons or space limitations, and physical Collocation Space has subsequently become available, Delta Phones may relocate its virtual collocation arrangements to physical collocation arrangements and pay the appropriate fees for physical collocation and for the rearrangement or reconfiguration of services terminated in the virtual collocation arrangement, as outlined in the appropriate BellSouth tariffs. In the event that BellSouth knows when additional space for physical collocation may become available at the location requested by Delta Phones, such information will be provided to Delta Phones in BellSouth's written denial of physical collocation. To the extent that (i) physical Collocation Space becomes available to Delta Phones within one hundred eighty (180) calendar days of BellSouth's written denial of Delta Phones's request for physical collocation, (ii) BellSouth had knowledge that the space was going to become available, and (iii) Delta Phones was not informed in the written denial that physical Collocation Space would become available within such one hundred eighty (180) calendar days, then Delta Phones may relocate its virtual collocation arrangement to a physical collocation arrangement and will receive a credit for any nonrecurring charges previously paid for such virtual collocation. Delta Phones must arrange with a BellSouth Certified Supplier for the relocation of equipment from its virtual Collocation Space to its physical Collocation Space and will bear the cost of such relocation.

- 7.8.1 In Alabama, BellSouth will complete a relocation from virtual collocation to cageless physical collocation within sixty (60) calendar days and from virtual collocation to caged physical collocation within ninety (90) calendar days.
- Virtual to Physical Conversion (In-Place). Virtual collocation arrangements may be converted to "in-place" physical arrangements if the potential conversion meets the following four criteria: 1) there is no change in the amount of equipment or the configuration of the equipment that was in the virtual collocation arrangement; 2) the conversion of the virtual collocation arrangement will not cause the equipment or the results of that conversion to be located in a space that BellSouth has reserved for its own future needs; 3) the converted arrangement does not limit BellSouth's ability to secure its own equipment and facilities due to the location of the virtual collocation arrangement; and 4) any changes to the arrangement can be accommodated by existing power, HVAC, and other requirements. Unless otherwise specified, BellSouth will complete virtual to in-place physical collocation conversions within sixty (60) calendar days. BellSouth will bill Delta Phones an Administrative Only Application Fee as set forth in Exhibit C for these charges on the date that BellSouth provides an Application Response.
- 7.9.1 In Alabama and Tennessee, BellSouth will complete Virtual to Physical Conversions (In Place) within thirty (30) calendar days.
- 7.10 <u>Cancellation</u>. If, at any time prior to space acceptance, Delta Phones cancels its order for the Collocation Space(s) ("Cancellation"), BellSouth will bill the applicable non-recurring rate for any and all work processes for which work has begun. In Georgia, if Delta Phones cancels its order for Collocation Space at any time prior to space acceptance, BellSouth will bill Delta Phones for all costs incurred prior to the date of Cancellation and for any costs incurred as a direct result of the Cancellation, not to exceed the total amount that would have been due had the order not been cancelled.
- 7.11 <u>Licenses.</u> Delta Phones, at its own expense, will be solely responsible for obtaining from governmental authorities, and any other appropriate agency, entity, or person, all rights, privileges, and licenses necessary or required to operate as a provider of telecommunications services to the public or to occupy the Collocation Space.
- 7.12 <u>Environmental Compliance.</u> The Parties agree to utilize and adhere to the Environmental Hazard Guidelines identified in Exhibit A attached hereto.

8. Rates and Charges

- 8.1 <u>Recurring Charges.</u> The recurring charges for space preparation begin on the Space Ready Date or on the date Delta Phones accepts the space, whichever is first.
- 8.2 <u>Application Fee.</u> BellSouth shall assess an application fee via a service order, which shall be issued at the time BellSouth responds that space is available pursuant to

- Section 6 (Application Response). Payment of said application fee will be due as dictated by Delta Phones's current billing cycle and is non-refundable.
- 8.2.1 In Tennessee the applicable application fee is the planning fee for both Initial Applications and Subsequent Applications placed by Delta Phones. This fee will be billed by Bellsouth on the date that BellSouth provides an Application Response.
- 8.3 Space Preparation. Space preparation fees consist of a nonrecurring charge for firm order processing and monthly recurring charges for central office modifications, assessed per arrangement, per square foot, and common systems modifications, assessed per arrangement, per square foot, for cageless collocation and per cage for caged collocation. Delta Phones shall remit payment of the nonrecurring firm order-processing fee coincident with submission of a BFFO. The charges recover the costs associated with preparing the Collocation Space, which includes survey, engineering of the Collocation Space, design and modification costs for network, building and support systems. In the event Delta Phones opts for cageless space, the space preparation fees will be assessed based on the total floor space dedicated to Delta Phones as prescribed in this Section.
- 8.4 <u>Cable Installation</u>. Cable Installation Fee(s) are assessed per entrance cable placed. This non-recurring fee will be billed by BellSouth upon receipt of the Delta Phones's BFFO.
- 8.5 Floor Space. The Floor Space Charge includes reasonable charges for lighting, HVAC, and other allocated expenses associated with maintenance of the Premises but does not include any power-related costs incurred by BellSouth. When the Collocation Space is enclosed, Delta Phones shall pay floor space charges based upon the number of square feet so enclosed. When the Collocation Space is not enclosed, Delta Phones shall pay floor space charges based upon the following floor space calculation: [(depth of the equipment lineup in which the rack is placed) + (0.5 x)maintenance aisle depth) + (0.5 x wiring aisle depth)] X (width of rack and spacers). For purposes of this calculation, the depth of the equipment lineup shall consider the footprint of equipment racks plus any equipment overhang. BellSouth will assign unenclosed Collocation Space in conventional equipment rack lineups where feasible. In the event Delta Phones's collocated equipment requires special cable racking, isolated grounding or other treatment which prevents placement within conventional equipment rack lineups, Delta Phones shall be required to request an amount of floor space sufficient to accommodate the total equipment arrangement.
- 8.6 Power. BellSouth shall make available –48 Volt (-48V) DC power for Delta Phones's Collocation Space at a BellSouth Power Board or BellSouth Battery Distribution Fuse Bay (BDFB) at Delta Phones's option within the Premises.
- 8.6.1 When obtaining power from a BDFB, fuses and power cables (A&B) must be engineered (sized), and installed by Delta Phones's BellSouth Certified Supplier.

 When obtaining power from a BellSouth power board, power cables (A&B) must be

engineered (sized), and installed by Delta Phones's BellSouth Certified Supplier. Delta Phones is responsible for contracting with a BellSouth Certified Supplier for power distribution feeder cable runs from a BellSouth BDFB or power board to Delta Phones's equipment. The determination of the BellSouth BDFB or BellSouth power board as the power source will be made at BellSouth's sole, but reasonable, discretion. The BellSouth Certified Supplier contracted by Delta Phones must provide BellSouth a copy of the engineering power specification prior to the day on which Delta Phones's equipment becomes operational. BellSouth will provide the common power feeder cable support structure between the BellSouth BDFB or power board and Delta Phones's arrangement area. Delta Phones shall contract with a BellSouth Certified Supplier who will be responsible for the following: dedicated power cable support structure within Delta Phones's arrangement, power cable feeds, and terminations of cable. Any terminations at a BellSouth power board must be performed by a BellSouth Certified Supplier. Delta Phones shall comply with all applicable National Electric Code (NEC), BellSouth TR73503, Telcordia and ANSI Standards regarding power cabling.

- 8.6.2 If Delta Phones elects to install its own DC Power Plant, BellSouth shall provide AC power to feed Delta Phones's DC Power Plant. Charges for AC power will be assessed per breaker ampere per month. Rates include the provision of commercial and standby AC power. When obtaining power from a BellSouth service panel, protection devices and power cables must be engineered (sized), and installed by Delta Phones's BellSouth Certified Supplier except that BellSouth shall engineer and install protection devices and power cables for Adjacent Collocation. Delta Phones's BellSouth Certified Supplier must also provide a copy of the engineering power specification prior to the equipment becoming operational. Charges for AC power shall be assessed pursuant to the rates specified in Exhibit C. AC power voltage and phase ratings shall be determined on a per location basis. At Delta Phones's option, Delta Phones may arrange for AC power in an Adjacent Collocation arrangement from a retail provider of electrical power.
- 8.6.3 In Tennessee, recurring charges for -48V DC power consumption will be assessed per ampere per month based upon the engineered and installed power feed fused ampere capacity. Rates include redundant feeder fuse positions (A&B) and common cable rack to Delta Phones's equipment or space enclosure. Delta Phones shall contract with a Certified Supplier who will be responsible for the following: dedicated power cable support structure within Delta Phones's arrangement and terminations of cable within the Collocation Space.
- 8.6.3.1 In Tennessee, non-recurring charges for –48V DC power distribution will be based on the common power feeder cable support structure between the BellSouth BDFB and Delta Phones's arrangement area.
- 8.6.4 In Alabama, Louisiana and South Carolina, Delta Phones has the option to purchase power directly from an electric utility company. Under such an option, Delta Phones is responsible for contracting with the electric utility company for its own power feed

and meter, and is financially responsible for purchasing all equipment necessary to accomplish the arrangement, including inverters, batteries, power boards, bus bars, BDFBs, backup power supplies and cabling. The actual work to install this arrangement must be performed by a BellSouth Certified Supplier hired by Delta Phones. Delta Phones's BellSouth Certified Supplier must comply with all applicable safety codes, including the National Electric Safety Codes, in installing this power arrangement. Any floor space, cable racking, etc utilized by Delta Phones in provisioning said power will be billed on an ICB basis.

- 8.6.5 If Delta Phones requests a reduction in the amount of power that BellSouth is currently providing Delta Phones must submit a Subsequent Application. If no modification to the Collocation Space is requested other than the reduction in power, the Subsequent Application Fee for Power Reduction as set forth in Exhibit C will apply. If modifications are requested in addition to the reduction of power the Subsequent Application Fee will apply. This non-recurring fee will be billed by BellSouth on the date that BellSouth provides an Application Response.
- 8.6.6 In Alabama, if Delta Phones is currently served from the BellSouth power board and requests that its power be reconfigured to connect to a BellSouth BDFB, in a specific central office, Delta Phones must submit a Subsequent Application. BellSouth will respond to such application within seven (7) calendar days and no application fee will apply.
- 8.7 Security Escort. A security escort will be required whenever Delta Phones or its approved agent desires access to the entrance manhole or must have access to the Premises after the one accompanied site visit allowed pursuant to Section 5 prior to completing BellSouth's Security Training requirements. Rates for a security escort are assessed according to the schedule appended hereto as Exhibit C beginning with the scheduled escort time. BellSouth will wait for one-half (1/2) hour after the scheduled time for such an escort and Delta Phones shall pay for such half-hour charges in the event Delta Phones fails to show up.
- 8.8 <u>Cable Record charges.</u> These charges apply for work required to build cable records in BellSouth systems. The VG/DS0 per cable record charge is for a maximum of 3600 records. The Fiber cable record charge is for a maximum of 99 records. These non-recurring fees will be billed upon receipt of Delta Phones's BFFO.
- 8.9 Other. If no rate is identified in the contract, the rate for the specific service or function will be negotiated by the Parties upon request by either Party.

9. Insurance

9.1 Delta Phones shall, at its sole cost and expense, procure, maintain, and keep in force insurance as specified in this Section and underwritten by insurance companies licensed to do business in the states applicable under this Attachment and having a Best's Insurance Rating of A-.

- 9.2 Delta Phones shall maintain the following specific coverage:
- 9.2.1 Commercial General Liability coverage in the amount of ten million dollars (\$10,000,000.00) or a combination of Commercial General Liability and Excess/Umbrella coverage totaling not less than ten million dollars (\$10,000,000.00). BellSouth shall be named as an Additional Insured on the Commercial General Liability policy as specified herein.
- 9.2.2 Statutory Workers Compensation coverage and Employers Liability coverage in the amount of one hundred thousand dollars (\$100,000.00) each accident, one hundred thousand dollars (\$100,000.00) each employee by disease, and five hundred thousand dollars (\$500,000.00) policy limit by disease.
- 9.2.3 All Risk Property coverage on a full replacement cost basis insuring all of Delta Phones's real and personal property situated on or within BellSouth's Central Office location(s).
- 9.2.4 Delta Phones may elect to purchase business interruption and contingent business interruption insurance, having been advised that BellSouth assumes no liability for loss of profit or revenues should an interruption of service occur.
- 9.3 The limits set forth in Section 9.2 above may be increased by BellSouth from time to time during the term of this Attachment upon thirty (30) calendar days notice to Delta Phones to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- 9.4 All policies purchased by Delta Phones shall be deemed to be primary and not contributing to or in excess of any similar coverage purchased by BellSouth. All insurance must be in effect on or before the date equipment is delivered to BellSouth's Premises and shall remain in effect for the term of this Attachment or until all Delta Phones's property has been removed from BellSouth's Premises, whichever period is longer. If Delta Phones fails to maintain required coverage, BellSouth may pay the premiums thereon and seek reimbursement of same from Delta Phones.
- 9.5 Delta Phones shall submit certificates of insurance reflecting the coverage required pursuant to this Section a minimum of ten (10) business days prior to the commencement of any work in the Collocation Space. Failure to meet this interval may result in construction and equipment installation delays. Delta Phones shall arrange for BellSouth to receive thirty (30) business days' advance notice of cancellation from Delta Phones's insurance company. Delta Phones shall forward a certificate of insurance and notice of cancellation/non-renewal to BellSouth at the following address:

BellSouth Telecommunications, Inc. Attn.: Risk Management Coordinator 17H53 BellSouth Center 675 W. Peachtree Street

Atlanta, Georgia 30375

- 9.6 Delta Phones must conform to recommendations made by BellSouth's fire insurance company to the extent BellSouth has agreed to, or shall hereafter agree to, such recommendations.
- 9.7 Self-Insurance. If Delta Phones's net worth exceeds five hundred million dollars (\$500,000,000), Delta Phones may elect to request self-insurance status in lieu of obtaining any of the insurance required in Sections 9.2.1 and 9.2.2. Delta Phones shall provide audited financial statements to BellSouth thirty (30) calendar days prior to the commencement of any work in the Collocation Space. BellSouth shall then review such audited financial statements and respond in writing to Delta Phones in the event that self-insurance status is not granted to Delta Phones. If BellSouth approves Delta Phones for self-insurance, Delta Phones shall annually furnish to BellSouth, and keep current, evidence of such net worth that is attested to by one of Delta Phones's corporate officers. The ability to self-insure shall continue so long as the Delta Phones meets all of the requirements of this Section. If Delta Phones subsequently no longer satisfies this Section, Delta Phones is required to purchase insurance as indicated by Sections 9.2.1 and 9.2.2.
- 9.8 The net worth requirements set forth in Section 9.7 may be increased by BellSouth from time to time during the term of this Attachment upon thirty (30) calendar days' notice to Delta Phones to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- 9.9 Failure to comply with the provisions of this Section will be deemed a material breach of this Attachment.

10. <u>Mechanics Liens</u>

10.1

If any mechanics lien or other liens shall be filed against property of either Party (BellSouth or Delta Phones), or any improvement thereon by reason of or arising out of any labor or materials furnished or alleged to have been furnished or to be furnished to or for the other Party or by reason of any changes, or additions to said property made at the request or under the direction of the other Party, the other Party directing or requesting those changes shall, within thirty (30) business days after receipt of written notice from the Party against whose property said lien has been filed, either pay such lien or cause the same to be bonded off the affected property in the manner provided by law. The Party causing said lien to be placed against the property of the other shall also defend, at its sole cost and expense, on behalf of the other, any action, suit or proceeding which may be brought for the enforcement of such liens and shall pay any damage and discharge any judgment entered thereon.

11. Inspections

11.1 BellSouth may conduct an inspection of Delta Phones's equipment and facilities in the Collocation Space(s) prior to the activation of facilities between Delta Phones's equipment and equipment of BellSouth. BellSouth may conduct an inspection if Delta Phones adds equipment and may otherwise conduct routine inspections at reasonable intervals mutually agreed upon by the Parties. BellSouth shall provide Delta Phones with a minimum of forty-eight (48) hours or two (2) business days, whichever is greater, advance notice of all such inspections. All costs of such inspection shall be borne by BellSouth.

12. Security and Safety Requirements

- Unless otherwise specified, Delta Phones will be required, at its own expense, to conduct a statewide investigation of criminal history records for each Delta Phones employee hired in the past five years being considered for work on the BellSouth Premises, for the states/counties where the Delta Phones employee has worked and lived for the past five years. Where state law does not permit statewide collection or reporting, an investigation of the applicable counties is acceptable. Delta Phones shall not be required to perform this investigation if an affiliated company of Delta Phones has performed an investigation of the Delta Phones employee seeking access, if such investigation meets the criteria set forth above. This requirement will not apply if Delta Phones has performed a pre-employment statewide investigation of criminal history records of the Delta Phones employee for the states/counties where the Delta Phones employee has worked and lived for the past five years or, where state law does not permit a statewide investigation, an investigation of the applicable counties.
- Delta Phones will be required to administer to its personnel assigned to the BellSouth Premises security training either provided by BellSouth, or meeting criteria defined by BellSouth.
- Delta Phones shall provide its employees and agents with picture identification, which must be worn and visible at all times while in the Collocation Space or other areas in or around the Premises. The photo identification card shall bear, at a minimum, the employee's name and photo and Delta Phones's name. BellSouth reserves the right to remove from its Premises any employee of Delta Phones not possessing identification issued by Delta Phones or who has violated any of BellSouth's policies as outlined in the CLEC Security Training documents. Delta Phones shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth Premises. Delta Phones shall be solely responsible for ensuring that any Guest of Delta Phones is in compliance with all subsections of this Section.
- 12.4 Delta Phones shall not assign to the BellSouth Premises any personnel with records of felony criminal convictions. Delta Phones shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions, except for misdemeanor

traffic violations, without advising BellSouth of the nature and gravity of the offense(s). BellSouth reserves the right to refuse building access to any Delta Phones personnel who have been identified to have misdemeanor criminal convictions. Notwithstanding the foregoing, in the event that Delta Phones chooses not to advise BellSouth of the nature and gravity of any misdemeanor conviction, Delta Phones may, in the alternative, certify to BellSouth that it shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions (other than misdemeanor traffic violations).

- 12.4.1 Delta Phones shall not knowingly assign to the BellSouth Premises any individual who was a former employee of BellSouth and whose employment with BellSouth was terminated for a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.
- 12.4.2 Delta Phones shall not knowingly assign to the BellSouth Premises any individual who was a former supplier of BellSouth and whose access to a BellSouth Premises was revoked due to commission of a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.
- For each Delta Phones employee or agent hired by Delta Phones within five years of being considered for work on the BellSouth Premises, who requires access to a BellSouth Premises pursuant to this Attachment, Delta Phones shall furnish BellSouth, prior to an employee or agent gaining such access, a certification that the aforementioned background check and security training were completed. The certification will contain a statement that no felony convictions were found and certifying that the security training was completed by the employee. If the employee's criminal history includes misdemeanor convictions, Delta Phones will disclose the nature of the convictions to BellSouth at that time. In the alternative, Delta Phones may certify to BellSouth that it shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions other than misdemeanor traffic violations.
- 12.5.1 For all other Delta Phones employees requiring access to a BellSouth Premises pursuant to this Attachment, Delta Phones shall furnish BellSouth, prior to an employee gaining such access, a certification that the employee is not subject to the requirements of Section 12.5 above and that security training was completed by the employee.
- At BellSouth's request, Delta Phones shall promptly remove from BellSouth's Premises any employee of Delta Phones BellSouth does not wish to grant access to its Premises 1) pursuant to any investigation conducted by BellSouth or 2) prior to the initiation of an investigation if an employee of Delta Phones is found interfering with the property or personnel of BellSouth or another collocated telecommunications carrier, provided that an investigation shall promptly be commenced by BellSouth.

- 12.7 Notification to BellSouth. BellSouth reserves the right to interview Delta Phones's employees, agents, or suppliers in the event of wrongdoing in or around BellSouth's property or involving BellSouth's or another telecommunications carrier's property or personnel, provided that BellSouth shall provide reasonable notice to Delta Phones's Security contact of such interview. Delta Phones and its suppliers shall reasonably cooperate with BellSouth's investigation into allegations of wrongdoing or criminal conduct committed by, witnessed by, or involving Delta Phones's employees, agents, or suppliers. Additionally, BellSouth reserves the right to bill Delta Phones for all reasonable costs associated with investigations involving its employees, agents, or suppliers if it is established and mutually agreed in good faith that Delta Phones's employees, agents, or suppliers are responsible for the alleged act. BellSouth shall bill Delta Phones for BellSouth property, which is stolen or damaged where an investigation determines the culpability of Delta Phones's employees, agents, or suppliers and where Delta Phones agrees, in good faith, with the results of such investigation. Delta Phones shall notify BellSouth in writing immediately in the event that Delta Phones discovers one of its employees already working on the BellSouth Premises is a possible security risk. Upon request of the other Party, the Party who is the employer shall discipline consistent with its employment practices, up to and including removal from BellSouth Premises, any employee found to have violated the security and safety requirements of this Section. Delta Phones shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth Premises.
- 12.8 <u>Use of Supplies</u>. Unauthorized use of equipment, supplies or other property by either Party, whether or not used routinely to provide telephone service will be strictly prohibited and handled appropriately. Costs associated with such unauthorized use may be charged to the offending Party, as may be all associated investigative costs.
- 12.9 <u>Use of Official Lines</u>. Except for non-toll calls necessary in the performance of their work, neither Party shall use the telephones of the other Party on the BellSouth Premises. Charges for unauthorized telephone calls may be charged to the offending Party, as may be all associated investigative costs.
- 12.10 <u>Accountability</u>. Full compliance with the Security requirements of this Section shall in no way limit the accountability of either Party to the other for the improper actions of its employees.


13. Destruction of Collocation Space

In the event a Collocation Space is wholly or partially damaged by fire, windstorm, tornado, flood or by similar causes to such an extent as to be rendered wholly unsuitable for Delta Phones's permitted use hereunder, then either Party may elect within ten (10) calendar days after such damage, to terminate occupancy of the damaged Collocation Space, and if either Party shall so elect, by giving the other written notice of termination, both Parties shall stand released of and from further

liability under the terms hereof. If the Collocation Space shall suffer only minor damage and shall not be rendered wholly unsuitable for Delta Phones's permitted use, or is damaged and the option to terminate is not exercised by either Party, BellSouth covenants and agrees to proceed promptly without expense to Delta Phones, except for improvements not the property of BellSouth, to repair the damage. BellSouth shall have a reasonable time within which to rebuild or make any repairs, and such rebuilding and repairing shall be subject to delays caused by storms, shortages of labor and materials, government regulations, strikes, walkouts, and causes beyond the control of BellSouth, which causes shall not be construed as limiting factors, but as exemplary only. Delta Phones may, at its own expense, accelerate the rebuild of its collocated space and equipment provided however that a BellSouth Certified Supplier is used and the necessary space preparation has been completed. If Delta Phones's acceleration of the project increases the cost of the project, then those additional charges will be incurred by Delta Phones. Where allowed and where practical, Delta Phones may erect a temporary facility while BellSouth rebuilds or makes repairs. In all cases where the Collocation Space shall be rebuilt or repaired, Delta Phones shall be entitled to an equitable abatement of rent and other charges, depending upon the unsuitability of the Collocation Space for Delta Phones's permitted use, until such Collocation Space is fully repaired and restored and Delta Phones's equipment installed therein (but in no event later than thirty (30) calendar days after the Collocation Space is fully repaired and restored). Where Delta Phones has placed an Adjacent Arrangement pursuant to Section 3, Delta Phones shall have the sole responsibility to repair or replace said Adjacent Arrangement provided herein. Pursuant to this Section, BellSouth will restore the associated services to the Adjacent Arrangement.

14. Eminent Domain

14.1



15. Nonexclusivity

Delta Phones understands that this Attachment is not exclusive and that BellSouth may enter into similar agreements with other Parties. Assignment of space pursuant to all

such agreements shall be determined by space availability and made on a first come, first served basis

ENVIRONMENTAL AND SAFETY PRINCIPLES

The following principles provide basic guidance on environmental and safety issues when applying for and establishing Physical Collocation arrangements.

1. GENERAL PRINCIPLES

- Compliance with Applicable Law. BellSouth and Delta Phones agree to comply with applicable federal, state, and local environmental and safety laws and regulations including U.S. Environmental Protection Agency (USEPA) regulations issued under the Clean Air Act (CAA), Clean Water Act (CWA), Resource Conservation and Recovery Act (RCRA), Comprehensive Environmental Response, Compensation and Liability Act (CERCLA), Superfund Amendments and Reauthorization Act (SARA), the Toxic Substances Control Act (TSCA), and OSHA regulations issued under the Occupational Safety and Health Act of 1970, as amended and NFPA and National Electrical Codes (NEC) and the NESC ("Applicable Laws"). Each Party shall notify the other if compliance inspections are conducted by regulatory agencies and/or citations are issued that relate to any aspect of this Attachment.
- Notice. BellSouth and Delta Phones shall provide notice to the other, including Material Safety Data Sheets (MSDSs), of known and recognized physical hazards or Hazardous Chemicals existing on site or brought on site. A Hazardous Chemical inventory list is posted on an OSHA Poster and updated annually at each Central Office. This Poster is normally located near the front entrance of the building or in the lounge area. Each Party is required to provide specific notice for known potential Imminent Danger conditions. Delta Phones should contact 1-800-743-6737 for any BellSouth MSDS required.
- Practices/Procedures. BellSouth may make available additional environmental control procedures for Delta Phones to follow when working at a BellSouth Premises (See Section 2, below). These practices/procedures will represent the regular work practices required to be followed by the employees and suppliers of BellSouth for environmental protection. Delta Phones will require its suppliers, agents and others accessing the BellSouth Premises to comply with these practices. Section 2 lists the Environmental categories where BST practices should be followed by Delta Phones when operating in the BellSouth Premises.
- 1.4 <u>Environmental and Safety Inspections</u>. BellSouth reserves the right to inspect the Delta Phones space with proper notification. BellSouth reserves the right to stop any Delta Phones work operation that imposes Imminent Danger to the environment, employees or other persons in the area or Premises.
- 1.5 <u>Hazardous Materials Brought On Site</u>. Any hazardous materials brought into, used, Version 2Q02: 05-31-02

stored or abandoned at the BellSouth Premises by Delta Phones are owned by Delta Phones. Delta Phones will indemnify BellSouth for claims, lawsuits or damages to persons or property caused by these materials. Without prior written BellSouth approval, no substantial new safety or environmental hazards can be created by Delta Phones or different hazardous materials used by Delta Phones at BellSouth Premises. Delta Phones must demonstrate adequate emergency response capabilities for its materials used or remaining at the BellSouth Premises.

- 1.6 <u>Spills and Releases</u>. When contamination is discovered at a BellSouth Premises, the Party discovering the condition must notify BellSouth. All Spills or Releases of regulated materials will immediately be reported by Delta Phones to BellSouth.
- 1.7 Coordinated Environmental Plans and Permits. BellSouth and Delta Phones will coordinate plans, permits or information required to be submitted to government agencies, such as emergency response plans, spill prevention control and countermeasures (SPCC) plans and community reporting. If fees are associated with filing, BellSouth and Delta Phones will develop a cost sharing procedure. If BellSouth's permit or EPA identification number must be used, Delta Phones must comply with all of BellSouth's permit conditions and environmental processes, including environmental "best management practices (BMP)" (see Section 2, below) and/or selection of BST disposition vendors and disposal sites.
- 1.8 Environmental and Safety Indemnification. BellSouth and Delta Phones shall indemnify, defend and hold harmless the other Party from and against any claims (including, without limitation, third-party claims for personal injury or death or real or personal property damage), judgments, damages (including direct and indirect damages and punitive damages), penalties, fines, forfeitures, costs, liabilities, interest and losses arising in connection with the violation or alleged violation of any Applicable Law or contractual obligation or the presence or alleged presence of contamination arising out of the acts or omissions of the indemnifying Party, its agents, suppliers, or employees concerning its operations at the Premises.

2. CATEGORIES FOR CONSIDERATION OF ENVIRONMENTAL ISSUES

When performing functions that fall under the following Environmental categories on BellSouth's Premises, Delta Phones agrees to comply with the applicable sections of the current issue of BellSouth's Environmental and Safety Methods and Procedures (M&Ps), incorporated herein by this reference. Delta Phones further agrees to cooperate with BellSouth to ensure that Delta Phones's employees, agents, and/or suppliers are knowledgeable of and satisfy those provisions of BellSouth's Environmental M&Ps which apply to the specific Environmental function being performed by Delta Phones, its employees, agents and/or suppliers.

Version 2002: 05-31-02

2.2 The most current version of the reference documentation must be requested from Delta Phones's BellSouth Account Team Collocation Coordinator (ATCC) Representative.

ENVIRONMENTAL CATEGORIES	ENVIRONMENTAL ISSUES	ADDRESSED BY THE FOLLOWING DOCUMENTATION			
Disposal of hazardous material or other regulated material	Compliance with all applicable local, state, & federal laws and regulations	Std T&C 450 Fact Sheet Series 17000 Std T&C 660-3			
(e.g., batteries, fluorescent tubes, solvents & cleaning	Pollution liability insurance				
materials)	EVET approval of supplier	Approved Environmental Vendor List (Contact ATCC Representative)			
Emergency response	Hazmat/waste release/spill fire safety emergency	Fact Sheet Series 17000 Building Emergency Operations Plan (EOP) (specific to and located on Premises)			
Contract labor/outsourcing for services with environmental implications	Compliance with all applicable local, state, & federal laws and regulations	Std T&C 450			
to be performed on BellSouth Premises (e.g., disposition of hazardous material/waste; maintenance of storage tanks)	Performance of services in accordance with BST's environmental M&Ps	Std T&C 450-B (Contact ATCC Representative for copy of appropriate E/S M&Ps.)			
	Insurance	Std T&C 660			
Transportation of hazardous material	Compliance with all applicable local, state, & federal laws and regulations	Std T&C 450 Fact Sheet Series 17000			
	Pollution liability insurance	Std T&C 660-3			
	EVET approval of supplier	Approved Environmental Vendor List (Contact ATCC Representative)			
Maintenance/operations work which may produce a waste	Compliance with all applicable local, state, & federal laws and regulations	Std T&C 450			

Version 2Q02: 05-31-02

Other maintenance work	Protection of BST employees and equipment	29CFR 1910.147 (OSHA Standard) 29CFR 1910 Subpart O (OSHA Standard)			
Janitorial services	All waste removal and disposal must conform to all applicable federal, state and local regulations	Procurement Manager (CRES Related Matters)-BST Supply Chain Services			
	All Hazardous Material and Waste	Fact Sheet Series 17000			
	Asbestos notification and protection of employees and equipment	GU-BTEN-001BT, Chapter 3 BSP 010-170-001BS (Hazcom)			
Manhole cleaning	Compliance with all applicable local, state, & federal laws and regulations	Std T&C 450 Fact Sheet 14050 BSP 620-145-011PR Issue A, August 1996			
	Pollution liability insurance	Std T&C 660-3			
	EVET approval of supplier	Approved Environmental Vendor List (Contact ATCC Representative)			
Removing or disturbing building materials that may contain asbestos	Asbestos work practices	GU-BTEN-001BT, Chapter 3 For questions regarding removing or disturbing materials that contain asbestos, call the BellSouth Building Service Center: AL, MS, TN, KY & LA (local area code) 557-6194 FL, GA, NC & SC (local area code) 780-2740			

3. **DEFINITIONS**

<u>Generator</u>. Under RCRA, the person whose act produces a Hazardous Waste, as defined in 40 CFR 261, or whose act first causes a Hazardous Waste to become subject to regulation. The Generator is legally responsible for the proper management and disposal of Hazardous Wastes in accordance with regulations.

Version 2Q02: 05-31-02

<u>Hazardous Chemical</u>. As defined in the U.S. Occupational Safety and Health (OSHA) hazard communication standard (29 CFR 1910.1200), any chemical which is a health hazard or physical hazard.

Hazardous Waste. As defined in Section 1004 of RCRA.

<u>Imminent Danger</u>. Any conditions or practices at a facility which are such that a danger exists which could reasonably be expected to cause immediate death or serious harm to people or immediate significant damage to the environment or natural resources.

Spill or Release. As defined in Section 101 of CERCLA.

4. ACRONYMS

ATCC - Account Team Collocation Coordinator

BST - BellSouth Telecommunications

<u>CRES</u> – Corporate Real Estate and Services (formerly PS&M)

<u>DEC/LDEC</u> - Department Environmental Coordinator/Local Department Environmental Coordinator

E/S – Environmental/Safety

EVET - Environmental Vendor Evaluation Team

<u>GU-BTEN-001BT</u> - BellSouth Environmental Methods and Procedures

NESC - National Electrical Safety Codes

P&SM - Property & Services Management

Std T&C - Standard Terms & Conditions

THREE MONTH CLEC COLLOCATION FORECAST

CLEC NAM	E	 			DATE _					
STATES	Central Offico/City		3015	ERRANIE ERRANIA (P ONS	CAMBIG BOOKERS ASTORS Lapped	BS:H Provided BDPB Amps Lord	Dissipation B'HE/Hôme	Entrance Facilities # sheaths & # fiber	Propositi Application	S(OTHES)
			70 v + 42		*** 1 ********************************	avith mea	surements équ	al to or less	s than the follo	owing; Wid

^{*}Standard bays are defined as racks, bays or cabinets, including equipment and cable, with measurements equal to or less than the following: Width 26", Depth - 12". The standard height for all collocated equipment bays in BellSouth is 7'.0".

Notes: Forecast information will be used for no other purpose than collocation planning.

Version 2Q02: 05-31-02

^{**} Any forecast for non-standard cageless bays must include an attachment describing the quantity and width and depth measurements.

Attachment 4

Remote Site Physical Collocation

BELLSOUTH

REMOTE SITE PHYSICAL COLLOCATION

1. Scope of Attachment

- 1.1 Scope of Attachment. The rates, terms, and conditions contained within this Attachment shall only apply when Delta Phones is occupying the Remote Collocation Space as a sole occupant or as a Host within a Remote Site Location pursuant to this Attachment.
- 1.2 Right to occupy. BellSouth shall offer to Delta Phones Remote Site Collocation on rates, terms, and conditions that are just, reasonable, non-discriminatory and consistent with the rules of the Federal Communications Commission ("FCC"). Subject to the rates, terms, and conditions of this Attachment where space is available and collocation is technically feasible, BellSouth will allow Delta Phones to occupy that certain area designated by BellSouth within a BellSouth Remote Site Location, or on BellSouth property upon which the BellSouth Remote Site Location is located, of a size, which is specified by Delta Phones and agreed to by BellSouth (hereinafter "Remote Collocation Space"). BellSouth Remote Site Locations include cabinets, huts, and controlled environmental vaults owned or leased by BellSouth that house BellSouth Network Facilities. To the extent this Attachment does not include all the necessary rates, terms and conditions for BellSouth remote locations other than cabinets, huts and controlled environmental vaults, the Parties will negotiate said rates, terms, and conditions upon request for collocation at BellSouth remote locations other than those specified above.

1.3 Space Reservation.

- 1.3.1 In all states other than Florida, the number of racks/bays specified by Delta Phones may contemplate a request for space sufficient to accommodate Delta Phones's growth within a two year period.
- 1.3.2 In the state of Florida, the number of racks/bays specified by Delta Phones may contemplate a request for space sufficient to accommodate Delta Phones's growth within an eighteen (18) month period.
- 1.3.3 Neither BellSouth nor any of BellSouth's affiliates may reserve space for future use on more preferential terms than those set forth above.
- 1.4 <u>Third Party Property.</u> If the Premises, or the property on which it is located, is leased by BellSouth from a Third Party or otherwise controlled by a Third Party, special

considerations and intervals may apply in addition to the terms and conditions of this Attachment. Additionally, where BellSouth notifies Delta Phones that BellSouth's agreement with a Third Party does not grant BellSouth the ability to provide access and use rights to others, upon Delta Phones's request, BellSouth will use its best efforts to obtain the owner's consent and to otherwise secure such rights for Delta Phones. Delta Phones agrees to reimburse BellSouth for the reasonable and demonstrable costs incurred by BellSouth in obtaining such rights for Delta Phones. In cases where a Third Party agreement does not grant BellSouth the right to provide access and use rights to others as contemplated by this Attachment and BellSouth, despite its best efforts, is unable to secure such access and use rights for Delta Phones as above, Delta Phones shall be responsible for obtaining such permission to access and use such property. BellSouth shall cooperate with Delta Phones in obtaining such permission.

- 1.5 <u>Space Reclamation</u>. In the event of space exhaust within a Remote Site Location, BellSouth may include in its documentation for the Petition for Waiver filing any unutilized space in the Remote Site Location. Delta Phones will be responsible for any justification of unutilized space within its Remote Collocation Space, if the appropriate state commission requires such justification.
- 1.6 <u>Use of Space.</u> Delta Phones shall use the Remote Collocation Space for the purposes of installing, maintaining and operating Delta Phones's equipment (to include testing and monitoring equipment) necessary for interconnection with BellSouth services and facilities or for accessing BellSouth unbundled network elements (UNEs) for the provision of telecommunications services, as specifically set forth in this Attachment. The Remote Collocation Space may be used for no other purposes except as specifically described herein or in any amendment hereto.
- 1.7 <u>Rates and charges</u>. Delta Phones agrees to pay the rates and charges identified in Exhibit C attached hereto.
- If any due date contained in this Attachment falls on a weekend or National holiday, then the due date will be the next business day thereafter. For intervals of ten (10) days or less National holidays will be excluded.
- 1.9 The Parties agree to comply with all applicable federal, state, county, local and administrative laws, rules, ordinances, regulations and codes in the performance of their obligations hereunder.

2. Space Availability Report

2.1 <u>Space Availability Report</u>. Upon request from Delta Phones, BellSouth will provide a written report ("Space Availability Report"), describing in detail the space that is available for collocation and specifying the amount of Remote Collocation Space available at the Remote Site Location requested, the number of collocators present at

the Remote Site Location, any modifications in the use of the space since the last report on the Remote Site Location requested and the measures BellSouth is taking to make additional space available for collocation arrangements. A Space Availability Report does not reserve space at the Remote Site Location.

- 2.1.1 The request from Delta Phones for a Space Availability Report must be written and must include the Common Language Location Identification ("CLLI") code for both the Remote Site Location and the serving central office. The CLLI code information for the serving central office is located in the National Exchange Carriers Association (NECA) Tariff FCC No. 4. If Delta Phones is unable to obtain the CLLI code from, for example, a site visit to the remote site, Delta Phones may request the CLLI code from BellSouth. To obtain a CLLI code for a remote site directly from BellSouth, Delta Phones should submit to BellSouth a Remote Site Interconnection Request for Remote Site CLLI Code prior to submitting its request for a Space Availability Report. Delta Phones should complete all the requested information and submit the Request with the applicable fee to BellSouth.
- 2.1.2 BellSouth will respond to a request for a Space Availability Report for a particular Remote Site Location within ten (10) calendar days of receipt of such request. BellSouth will make best efforts to respond in ten (10) calendar days to such a request when the request includes from two (2) to five (5) Remote Site Locations within the same state. The response time for requests of more than five (5) Remote Site Locations shall be negotiated between the Parties. If BellSouth cannot meet the ten (10) calendar day response time, BellSouth shall notify Delta Phones and inform Delta Phones of the time frame under which it can respond.
- 2.2 <u>Remote Terminal information.</u> Upon request, BellSouth will provide Delta Phones with the following information concerning BellSouth's remote terminals: (i) the address of the remote terminal; (ii) the CLLI code of the remote terminal; (iii) the carrier serving area of the remote terminal; (iv) the designation of which remote terminals subtend a particular central office; and (v) the number and address of customers that are served by a particular remote terminal.
- 2.2.1 BellSouth will provide this information on a first come, first served basis within thirty (30) calendar days of a Delta Phones request subject to the following conditions: (i) the information will only be provided on a CD in the same format in which it appears in BellSouth's systems; (ii) the information will only be provided for each serving wire center designated by Delta Phones, up to a maximum of thirty (30) wire centers per Delta Phones request per month per state, and up to for a maximum of 120 wire centers total per month per state for all CLECs; and (iii) Delta Phones agrees to pay the costs incurred by BellSouth in providing the information.

3. Collocation Options

- 3.1 <u>Cageless.</u> BellSouth shall allow Delta Phones to collocate Delta Phones's equipment and facilities without requiring the construction of a cage or similar structure. BellSouth shall allow Delta Phones to have direct access to Delta Phones's equipment and facilities. BellSouth shall make cageless collocation available in single rack/bay increments. Except where Delta Phones's equipment requires special technical considerations (e.g., special cable racking, isolated ground plane, etc.), BellSouth shall assign cageless Remote Collocation Space in conventional equipment rack lineups where feasible. For equipment requiring special technical considerations, Delta Phones must provide the equipment layout, including spatial dimensions for such equipment pursuant to generic requirements contained in Telcordia GR-63-Core, and shall be responsible for compliance with all special technical requirements associated with such equipment pursuant.
- 3.2 Caged. At Delta Phones's expense, Delta Phones may arrange with a Supplier certified by BellSouth ("Certified Supplier") to construct a collocation arrangement enclosure, where technically feasible as that term has been defined by the FCC, in accordance with BellSouth's guidelines and specifications prior to starting equipment installation. BellSouth will provide guidelines and specifications upon request. Delta Phones's Certified Supplier shall be responsible for filing and receiving any and all necessary permits and/or licenses for such construction. BellSouth shall cooperate with Delta Phones and provide, at Delta Phones's expense, the documentation, including existing building architectural drawings, enclosure drawings, and specifications required and necessary for Delta Phones to obtain the zoning, permits and/or other licenses. Delta Phones's Certified Supplier shall bill Delta Phones directly for all work performed for Delta Phones pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by Delta Phones's Certified Supplier. Delta Phones must provide the local BellSouth Remote Site Location contact with two Access Keys used to enter the locked enclosure. Except in case of emergency, BellSouth will not access Delta Phones's locked enclosure prior to notifying Delta Phones. Upon request, BellSouth shall construct the enclosure for Delta Phones.
- 3.2.1 BellSouth may elect to review Delta Phones's plans and specifications prior to allowing construction to start to ensure compliance with BellSouth's guidelines and specifications. Notification to Delta Phones indicating BellSouth's desire to execute this review will be provided in BellSouth's response to the Initial Application, if Delta Phones has indicated their desire to construct their own enclosure. If Delta Phones's Initial Application does not indicate their desire to construct their own enclosure, but their subsequent firm order does indicate their desire to construct their own enclosure, then notification to review will be given within ten (10) calendar days after the Firm Order date. BellSouth shall complete its review within fifteen (15) calendar days after the receipt of the plans and specifications. Regardless of whether or not BellSouth elects to review Delta Phones's plans and specifications, BellSouth reserves the right

to inspect the enclosure after construction to make sure it is constructed according to the submitted plans and specifications and/or BellSouth's guidelines and specifications, as applicable. BellSouth shall require Delta Phones to remove or correct within seven (7) calendar days at Delta Phones's expense any structure that does not meet these plans and specifications or, where applicable, BellSouth guidelines and specifications.

- 3.3 Shared Collocation. Delta Phones may allow other telecommunications carriers to share Delta Phones's Remote Collocation Space pursuant to terms and conditions agreed to by Delta Phones ("Host") and other telecommunications carriers ("Guests") and pursuant to this Section, except where the BellSouth Remote Site Location is located within a leased space and BellSouth is prohibited by said lease from offering such an option or is located on property for which BellSouth holds an easement and such easement does not permit such an option. Delta Phones shall notify BellSouth in writing upon execution of any agreement between the Host and its Guest within ten (10) calendar days of its execution and prior to any Firm Order. Further, such notice shall include the name of the Guest(s) and the term of the agreement, and shall contain a certification by Delta Phones that said agreement imposes upon the Guest(s) the same terms and conditions for Remote Collocation Space as set forth in this Attachment between BellSouth and Delta Phones.
- 3.3.1 Delta Phones, as the Host, shall be the sole interface and responsible Party to BellSouth for assessment of rates and charges contained within this Attachment and for the purposes of ensuring that the safety and security requirements of this Attachment are fully complied with by the Guest, its employees and agents. BellSouth shall provide Delta Phones with a proration of the costs of the Remote Collocation Space based on the number of collocators and the space used by each with a minimum charge of one (1) bay/rack per Host/Guest. In those instances where the Host permits a Guest to use a shelf within the Host's bay, BellSouth will not prorate the cost of the bay. In all states other than Florida, and in addition to the foregoing, Delta Phones shall be the responsible party to BellSouth for the purpose of submitting applications for initial and additional equipment placement of Guest. In Florida the Guest may directly submit initial and additional equipment placement applications using the Host's access carrier name abbreviation (ACNA). A separate Guest application shall require the assessment of an Initial or Subsequent Application Fee, as set forth in Exhibit C, which will be charged to the Host. BellSouth shall bill this non-recurring fee on the date that BellSouth provides it written response ("Application Response").
- 3.3.2 Notwithstanding the foregoing, the Guest may arrange directly with BellSouth for the provision of the interconnecting facilities between BellSouth and the Guest and for the provision of the services and access to unbundled network elements. The bill for these interconnecting facilities, services and access to UNEs will be charged to the Guest pursuant to the applicable tariff or the Guest's Interconnection Agreement with BellSouth.

- 3.3.3 Delta Phones shall indemnify and hold harmless BellSouth from any and all claims, actions, causes of action, of whatever kind or nature arising out of the presence of Delta Phones's Guests in the Remote Collocation Space except to the extent caused by BellSouth's sole negligence, gross negligence, or willful misconduct.
- Adjacent Collocation. Subject to technical feasibility and space availability, BellSouth will permit adjacent Remote Site collocation arrangements ("Remote Site Adjacent Arrangement") on the property on which the Remote Site is located, where the Remote Site Adjacent Arrangement does not interfere with access to existing or planned structures or facilities on the Remote Site Location property. The Remote Site Adjacent Arrangement shall be constructed or procured by Delta Phones and in conformance with BellSouth's design and construction specifications. Further, Delta Phones shall construct, procure, maintain and operate said Remote Site Adjacent Arrangement(s) pursuant to all of the terms and conditions set forth in this Attachment. Rates shall be negotiated at the time of the application for the Remote Site Adjacent Arrangement.
- 3.4.1 Should Delta Phones elect Adjacent Collocation, Delta Phones must arrange with a Certified Supplier to construct a Remote Site Adjacent Arrangement structure in accordance with BellSouth's guidelines and specifications. Where local building codes require enclosure specifications more stringent than BellSouth's standard specification, Delta Phones and Delta Phones's Certified Supplier must comply with local building code requirements. Delta Phones's Certified Supplier shall be responsible for filing and receiving any and all necessary zoning, permits and/or licenses for such construction. Delta Phones's Certified Supplier shall bill Delta Phones directly for all work performed for Delta Phones pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by Delta Phones's Certified Supplier. Delta Phones must provide the local BellSouth Remote Site Location contact with two cards, keys or other access device used to enter the locked enclosure. Except in cases of emergency, BellSouth shall not access Delta Phones's locked enclosure prior to notifying Delta Phones.
- 3.4.2 Delta Phones must submit its plans and specifications to BellSouth with its Firm Order. BellSouth shall review Delta Phones's plans and specifications prior to construction of a Remote Site Adjacent Arrangement(s) to ensure compliance with BellSouth's guidelines and specifications. BellSouth shall complete its review within fifteen (15) calendar days after receipt of plans and specifications. BellSouth may inspect the Remote Site Adjacent Arrangement(s) during and after construction to confirm it is constructed according to the submitted plans and specifications. BellSouth shall require Delta Phones to remove or correct within seven (7) calendar days at Delta Phones's expense any structure that does not meet these plans and specifications.
- 3.4.3 Delta Phones shall provide a concrete pad, the structure housing the arrangement, heating/ventilation/air conditioning ("HVAC"), lighting, and all facilities that connect

the structure (i.e. racking, conduits, etc.) to the BellSouth point of demarcation. At Delta Phones's option, and where the local authority having jurisdiction permits, BellSouth shall provide an AC power source and access to physical collocation services and facilities subject to the same nondiscriminatory requirements as applicable to any other physical collocation arrangement. In Alabama and Louisiana, BellSouth will provide DC power to Adjacent Collocation sites where technically feasible, as that term has been defined by the FCC, and subject to individual case basis pricing. Delta Phones's Certified Supplier shall be responsible, at Delta Phones's expense, for filing and receiving any and all necessary zoning, permits and/or licenses for such arrangement. BellSouth shall allow Shared Collocation within a Remote Site Adjacent Arrangement pursuant to the terms and conditions set forth herein.

- 3.5 Co-carrier cross-connect (CCXC). The primary purpose of collocation is for a collocated telecommunications carrier to interconnect with BellSouth's network or access to BellSouth's unbundled network elements for the provision of telecommunications services within a BellSouth Premises. BellSouth will permit Delta Phones to interconnect between its virtual or physical collocation arrangements and those of another collocated telecommunications carrier within the same remote site premises. Both Delta PhonesDelta Phones's agreement and the other collocated telecommunications carrier's agreement must contain rates, terms and conditions for CCXC language. At no point in time shall Delta Phones use the Remote Collocation Space for the sole or primary purpose of cross connecting to other collocated telecommunications carriers.
- 3.5.1 Delta Phones must use a BellSouth Certified Supplier to place the CCXC. The CCXC shall be provisioned through facilities owned by Delta Phones. Such connections to other carriers may be made using either optical or electrical facilities. Delta Phones may deploy such optical or electrical connections directly between its own facilities and the facilities of other collocated telecommunications carriers without being routed through BellSouth equipment. Delta Phones may not self-provision CCXC on any BellSouth distribution frame, P OT (Point of Termination) Bay, DSX (Digital System Cross-connect) or LGX (Light Guide Cross-connect). Delta Phones is responsible for ensuring the integrity of the signal.
- 3.5.2 Delta Phones shall be responsible for providing written authorization to BellSouth from the other collocated telecommunications carrier prior to installing the CCXC. Delta Phones-provisioned CCXC shall utilize common cable support structure.
- 3.5.3 To order CCXCs Delta Phones must submit an Initial Application or Subsequent Application. If no modification to the Remote Collocation Space is requested other than the placement of CCXCs, the Subsequent Application Fee for CCXC, as defined in Exhibit C, will apply. If modifications in addition to the placement of CCXCs are requested, the Initial Application or Subsequent Application Fee will apply. BellSouth will bill this non-recurring fee on the date that BellSouth provides an Application Response.

4. Occupancy

- 4.1 Occupancy. BellSouth will notify Delta Phones in writing that the Remote Collocation Space is ready for occupancy ("Space Ready Date"). Delta Phones will schedule and complete an acceptance walk through of each Remote Collocation Space with BellSouth within fifteen (15) calendar days of BellSouth's notifying Delta Phones that Remote Collocation Space is ready for occupancy ("Space Ready Date"). In the event that Delta Phones fails to complete an acceptance walk through within this fifteen (15) calendar day interval, the Remote Collocation Space shall be deemed accepted by Delta Phones. Billing will commence on the Space Ready Date or the date Delta PhonesDelta Phones accepts the space ("Space Acceptance Date"), whichever is sooner. Delta Phones must notify BellSouth in writing that collocation equipment installation is complete and is operational with BellSouth's network. BellSouth may, at its option, not accept orders for cross connects until receipt of such notice. For purposes of this paragraph, Delta Phones's telecommunications equipment will be deemed operational when cross-connected to BellSouth's network for the purpose of service provision.
- 4.2 <u>Termination of Occupancy</u>. In addition to any other provisions addressing termination of occupancy in this Attachment, Delta Phones may terminate occupancy in a particular Remote Collocation Space by submitting a Subsequent Application requesting termination of occupancy. A Subsequent Application Fee will not apply for termination of occupancy. BellSouth may terminate Delta Phones's right to occupy the Remote Collocation Space in the event Delta Phones fails to comply with any provision of this Agreement.
- Upon termination of occupancy, Delta Phones at its expense shall remove its 4.2.1 equipment and other property from the Remote Collocation Space. Delta Phones shall have thirty (30) calendar days from the termination date to complete such removal, including the removal of all equipment and facilities of Delta Phones's Guests, unless Delta Phones's Guest has assumed responsibility for the Remote Collocation Space housing the Guest's equipment and executed the documentation required by BellSouth prior to such removal date. Delta Phones shall continue payment of monthly fees to BellSouth until such date as Delta Phones, and if applicable Delta Phones's Guest, has fully vacated the Remote Collocation Space and the Space Relinquish Form has been accepted by BellSouth. Should Delta Phones or Delta Phones's Guest fail to vacate the Remote Collocation Space within thirty (30) calendar days from the termination date, BellSouth shall have the right to remove the equipment and dispose of the equipment and other property of Delta Phones or Delta Phones's Guest, in any manner that BellSouth deems fit, at Delta Phones's expense and with no liability whatsoever for Delta Phones or Delta Phones's Guest's property. Upon termination of Delta Phones's right to occupy Remote Collocation Space, the Remote Collocation Space will revert back to BellSouth, and Delta Phones shall surrender such Remote Collocation Space to BellSouth in the same condition as when first occupied by the Delta Phones except for ordinary wear and tear unless otherwise agreed to by the

Parties. For CEVs and huts Delta Phones's BellSouth Certified Supplier shall be responsible for updating and making any necessary changes to BellSouth's records as required by BellSouth's guidelines and specifications including but not limited to Record Drawings and ERMA Records. Delta Phones shall be responsible for the cost of removing any enclosure, together with all support structures (e.g., racking, conduits, power cables, etc.), at the termination of occupancy and restoring the grounds to their original condition.

5. <u>Use of Remote Collocation Space</u>

- 5.1 Equipment Type. BellSouth permits the collocation of any type of equipment necessary for interconnection to BellSouth's network or for access to BellSouth's unbundled network elements in the provision of telecommunications services, as the term "necessary" is defined by FCC 47 C.F.R. Section 51.323 (b). The primary purpose and function of any equipment collocated in a Remote Collocated Space must be for interconnection to BellSouth's network or for access to BellSouth's unbundled network elements in the provision of telecommunications services.
- 5.1.1 Examples of equipment that would not be considered necessary include but are not limited to: Traditional circuit switching equipment, equipment used exclusively for call-related databases, computer servers used exclusively for providing information services, operations support system (OSS) equipment used to support collocated telecommunications carrier network operations, equipment that generates customer orders, manages trouble tickets or inventory, or stores customer records in centralized databases, etc. BellSouth will determine upon receipt of an application if the requested equipment is necessary based on the criteria established by the FCC. Multifunctional equipment placed on BellSouth's Premises must not place any greater relative burden on BellSouth's property than comparable single-function equipment. BellSouth reserves the right to permit collocation of any equipment on a nondiscriminatory basis.
- 5.1.2 Such equipment must, at a minimum, meet the following Telcordia Network Equipment Building Systems (NEBS) General Equipment Requirements: Criteria Level 3 requirements as outlined in the Telcordia Special Report SR-3580, Issue 1; equipment design spatial requirements per GR-63-CORE, Section 2; thermal heat dissipation per GR-063-CORE, Section 4, Criteria 77-79; acoustic noise per GR-063-CORE, Section 4, Criterion 128, and National Electric Code standards. Except where otherwise required by a Commission, BellSouth shall comply with the applicable FCC rules relating to denial of collocation based on Delta Phones's failure to comply with this Section.
- 5.1.2.1 All Delta Phones equipment installation shall comply with BellSouth TR 73503-11h, "Grounding Engineering Procedures". Metallic cable sheaths and metallic strength members of optical fiber cables as well as the metallic cable sheaths of all copper conductor cables shall be bonded to the designated grounding bus for the Remote Site Location. All copper conductor pairs, working and non-working, shall be equipped

- with a solid state protector unit (over-voltage protection only) which has been listed by a nationally recognized testing laboratory.
- 5.1.3 Delta Phones shall identify to BellSouth whenever Delta Phones submits a Method of Procedure ("MOP") adding equipment to Delta Phones's Remote Collocation Space all entities that have an interest, secured or otherwise, in the equipment in Delta Phones's Remote Collocation Space.
- 5.2 Delta Phones shall not use the Remote Collocation Space for marketing purposes nor shall it place any identifying signs or markings in the area surrounding the Remote Collocation Space or on the grounds of the Remote Site Location.
- 5.3 Delta Phones shall place a plaque or other identification affixed to Delta Phones's equipment to identify Delta Phones's equipment, including a list of emergency contacts with telephone numbers.
- Entrance Facilities. Delta Phones may elect to place Delta Phones-owned or Delta Phones-leased fiber entrance facilities into the Remote Collocation Space. BellSouth will designate the point of interconnection at the Remote Site Location housing the Remote Collocation Space, which is physically accessible by both Parties. Delta Phones will provide and place copper cable through conduit from the Remote Collocation Space to the Feeder Distribution Interface to the splice location of sufficient length for splicing by BellSouth. Delta Phones must contact BellSouth for instructions prior to placing the entrance facility cable. Delta Phones is responsible for maintenance of the entrance facilities.
- Shared Use. Delta Phones may utilize spare capacity on an existing interconnector entrance facility for the purpose of providing an entrance facility to Delta Phones's collocation arrangement within the same BellSouth Remote Site Location. BellSouth shall allow splicing to the entrance facility, provided that the fiber is non-working fiber. The rates set forth in Exhibit C will apply. If Delta Phones desires to allow another telecommunications carrier to use its entrance facilities, additional rates, terms and conditions will apply and shall be negotiated between the Parties.
- Demarcation Point. BellSouth will designate the point(s) of demarcation between Delta Phones's equipment and/or network and BellSouth's network. Each Party will be responsible for maintenance and operation of all equipment/facilities on its side of the demarcation point. Delta Phones or its agent must perform all required maintenance to Delta Phones equipment/facilities on its side of the demarcation point, pursuant to Section 5.6, following.
- 5.6 <u>Delta Phones's Equipment and Facilities</u>. Delta Phones, or if required by this Attachment, Delta Phones's Certified Supplier, is solely responsible for the design, engineering, installation, testing, provisioning, performance, monitoring, maintenance and repair of the equipment and facilities used by Delta Phones which must be

performed in compliance with all applicable BellSouth policies and guidelines. Such equipment and facilities may include but are not limited to cable(s), equipment, and point of termination connections. Delta Phones and its selected Certified Supplier must follow and comply with all BellSouth requirements outlined in BellSouth's TR 73503, TR 73519, TR 73572, and TR 73564.

- 5.7 <u>BellSouth's Access to Remote Collocation Space</u>. From time to time BellSouth may require access to the Remote Collocation Space. BellSouth retains the right to access the Remote Collocation Space for the purpose of making BellSouth equipment and Remote Site Location modifications.
- 5.8 Access. Pursuant to Section 12, Delta Phones shall have access to the Remote Collocation Space twenty-four (24) hours a day, seven (7) days a week. Delta Phones agrees to provide the name and social security number or date of birth or driver's license number of each employee, supplier, or agents of Delta Phones or Delta Phones's Guests provided with access keys or devices ("Access Keys") prior to the issuance of said Access Keys. Key acknowledgement forms must be signed by Delta Phones and returned to BellSouth Access Management within fifteen (15) calendar days of Delta Phones's receipt. Failure to return properly acknowledged forms will result in the holding of subsequent requests until acknowledgements are current. Access Keys shall not be duplicated under any circumstances. Delta Phones agrees to be responsible for all Access Keys and for the return of all said Access Keys in the possession of Delta Phones's employees, suppliers, Guests, or agents after termination of the employment relationship, contractual obligation with Delta Phones or upon the termination of this Attachment or the termination of occupancy of an individual Remote Site collocation arrangement.
- 5.8.1 BellSouth will permit one accompanied site visit to Delta Phones's designated collocation arrangement location after receipt of the Bona Fide Firm Order (BFFO) without charge to Delta Phones. Delta Phones must submit to BellSouth the completed Access Control Request Form for all employees or agents requiring access to the BellSouth Remote Site Location a minimum of thirty (30) calendar days prior to the date Delta Phones desires access to the Remote Collocation Space. In order to permit reasonable access during construction of the Remote Collocation Space, Delta Phones may submit such a request at any time subsequent to BellSouth's receipt of the BFFO. In the event Delta Phones desires access to the Remote Collocation Space after submitting such a request but prior to access being approved, in addition to the first accompanied free visit, BellSouth shall permit Delta Phones to access the Remote Collocation Space accompanied by a security escort at Delta Phones's expense. Delta Phones must request escorted access at least three (3) business days prior to the date such access is desired.
- 5.9 <u>Lost or Stolen Access Keys.</u> Delta Phones shall notify BellSouth in writing immediately in the case of lost or stolen Access Keys. Should it become necessary for BellSouth to re-key Remote Site Locations or deactivate a card as a result of a lost

Access Key(s) or for failure to return an Access Key(s), Delta Phones shall pay for all reasonable costs associated with the re-keying or deactivating the card.

- 5.10 Interference or Impairment. Notwithstanding any other provisions of this Attachment, Delta Phones shall not use any product or service provided under this Agreement, any other service related thereto or used in combination therewith, or place or use any equipment and facilities in any manner that 1) significantly degrades, interferes with or impairs service provided by BellSouth or by any other entity or any person's use of its telecommunications service; 2) endangers or damages the equipment, facilities or other property of BellSouth or of any other entity or person; 3) compromises the privacy of any communications; or 4) creates an unreasonable risk of injury or death to any individual or to the public. If BellSouth reasonably determines that any equipment or facilities of Delta Phones violates the provisions of this paragraph, BellSouth shall give written notice to Delta Phones, which notice shall direct Delta Phones to cure the violation within forty-eight (48) hours of Delta Phones's actual receipt of written notice or, at a minimum, to commence curative measures within 24 hours and to exercise reasonable diligence to complete such measures as soon as possible thereafter. After receipt of the notice, the Parties agree to consult immediately and, if necessary, to inspect the arrangement.
- 5.10.1 Except in the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services, if Delta Phones fails to take curative action within 48 hours or if the violation is of a character which poses an immediate and substantial threat of damage to property, injury or death to any person, or any other significant degradation, interference or impairment of BellSouth's or any other entity's service, then and only in that event BellSouth may take such action as it deems appropriate to correct the violation, including without limitation the interruption of electrical power to Delta Phones's equipment. BellSouth will endeavor, but is not required, to provide notice to Delta Phones prior to taking such action and shall have no liability to Delta Phones for any damages arising from such action, except to the extent that such action by BellSouth constitutes willful misconduct.
- For purposes of this section, the term significantly degrade shall mean an action that noticeably impairs a service from a user's perspective. In the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services and Delta Phones fails to take curative action within 48 hours then BellSouth will establish before the relevant Commission that the technology deployment is causing the significant degradation. Any claims of network harm presented to Delta Phones or, if subsequently necessary, the relevant Commission must be supported with specific and verifiable information. Where BellSouth demonstrates that a deployed technology is significantly degrading the performance of other advanced services or traditional voice band services, Delta Phones shall discontinue deployment of that technology and migrate its customers to technologies that will not significantly degrade the performance of other such services.

Where the only degraded service itself is a known disturber, and the newly deployed technology satisfies at least one of the criteria for a presumption that is acceptable for deployment under Section 47 C.F.R. 51.230, the degraded service shall not prevail against the newly deployed technology.

- Personalty and its Removal. Facilities and equipment placed by Delta Phones in the Remote Collocation Space shall not become a part of the Remote Site Location, even if nailed, screwed or otherwise fastened to the Remote Collocation Space but shall retain their status as personalty and may be removed by Delta Phones at any time. Any damage caused to the Remote Collocation Space by Delta Phones's employees, agents or representatives shall be promptly repaired by Delta Phones at its expense.
- 5.11.1 If Delta Phones decides to remove equipment from its Remote Collocation Space and the removal requires no physical changes, BellSouth will bill Delta Phones an Administrative Only Application Fee as set forth in Exhibit C for these charges. This non-recurring fee will be billed on the date that BellSouth provides an Application Response.
- Alterations. In no case shall Delta Phones or any person acting on behalf of Delta Phones make any rearrangement, modification, improvement, addition, or other alteration which could affect in any way space, power, HVAC, and/or safety considerations to the Remote Collocation Space or the BellSouth Remote Site Location without the written consent of BellSouth, which consent shall not be unreasonably withheld. The cost of any specialized alterations shall be paid by Delta Phones. Any such material rearrangement, modification, improvement, addition, or other alteration shall require an application and Application Fee. BellSouth will bill the non-recurring fee on the date that BellSouth provides an Application Response.
- 5.13 <u>Upkeep of Remote Collocation Space</u>. Delta Phones shall be responsible for the general upkeep and cleaning of the Remote Collocation Space. Delta Phones shall be responsible for removing any Delta Phones debris from the Remote Collocation Space and from in and around the Remote Collocation Site on each visit.

6. Ordering and Preparation of Remote Collocation Space

- 6.1 Should any state or federal regulatory agency impose procedures or intervals applicable to Delta Phones and BellSouth that are different from procedures or intervals set forth in this Section, whether now in effect or that become effective after execution of this Agreement, those procedures or intervals shall supersede the requirements set forth herein for that jurisdiction for all applications submitted for the first time after the effective date thereof
- 6.2 <u>Initial Application</u>. For Delta Phones or Delta Phones's Guest(s) initial equipment placement, Delta Phones shall submit to BellSouth a Physical Expanded Interconnection Application Document ("Initial Application"). The application is Bona Fide when it is complete and accurate, meaning that all required fields on the application are completed with the appropriate type of information. An application fee

will apply which will be billed on the date that BellSouth provides an Application Response.

- 6.3 <u>Subsequent Application</u> In the event Delta Phones or Delta Phones's Guest(s) desires to modify the use of the Remote Collocation Space after a BFFO, Delta Phones shall complete an application detailing all information regarding the modification to the Remote Collocation Space ("Subsequent Application"). BellSouth shall determine what modifications, if any, to the Remote Site Location are required to accommodate the change requested by Delta Phones in the application. Such necessary modifications to the Remote Site Location may include, but are not limited to floor loading changes, changes necessary to meet HVAC requirements, changes to power plant requirements, equipment additions, etc.
- 6.3.1 Application Fee for Subsequent Application. The application fee paid by Delta Phones for its request to modify the use of the Collocation Space shall be a full Application Fee as set forth in Exhibit C. The Subsequent Application is Bona Fide when it is complete and accurate, meaning that all required fields on the application are completed with the appropriate type of information. BellSouth will bill the non-recurring fee on the date that BellSouth provides an Application Response.
- Availability of Space. Upon submission of an application, BellSouth will permit Delta Phones to physically collocate, pursuant to the terms of this Attachment, at any BellSouth Remote Site Location, unless BellSouth has determined that there is no space available due to space limitations or that Remote Site Collocation is not practical for technical reasons. In the event space is not immediately available at a Remote Site Location, BellSouth reserves the right to make additional space available, in which case the conditions in Section 7 shall apply, or BellSouth may elect to deny space in accordance with this Section in which case virtual or adjacent collocation options may be available. If the amount of space requested is not available, BellSouth will notify Delta Phones of the amount that is available.

6.5 Space Availability Notification.

- 6.5.1 Unless otherwise specified, BellSouth will respond to an application within ten (10) calendar days as to whether space is available or not available within a BellSouth Remote Site Location. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide the items necessary to cause the application to become Bona Fide. If the amount of space requested is not available, BellSouth will notify Delta Phones of the amount of space that is available and no Application Fee shall apply. When BellSouth's response includes an amount of space less than that requested by Delta Phones or differently configured, Delta Phones must resubmit its application to reflect the actual space available.
- 6.5.2 BellSouth will respond to a Florida application within fifteen (15) calendar days as to whether space is available or not available within a BellSouth Remote Site Location. BellSouth will also respond as to whether the application is Bona Fide and if it is not

Bona Fide the items necessary to cause the application to become Bona Fide. If a lesser amount of space than requested is available, BellSouth will provide an Application Response for the amount of space that is available and an Application Fee will be billed by BellSouth on the date that BellSouth provides an Application Response. When BellSouth's Application Response includes an amount of space less than that requested by Delta Phones or differently configured, Delta Phones must amend its application to reflect the actual space available prior to submitting a BFFO.

- BellSouth will respond to a Louisiana application within ten (10) calendar days for space availability for one (1) to ten (10) applications; fifteen (15) calendar days for eleven (11) to twenty (20) applications; and for more than twenty (20) applications, it is increased by five (5) calendar days for every five additional applications received within five (5) business days. If the amount of space requested is not available, BellSouth will notify Delta Phones of the amount of space that is available and no Application Fee will apply. When BellSouth's response includes an amount of space less than that requested by Delta Phones or differently configured, Delta Phones must resubmit its application to reflect the actual space available. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide the items necessary to cause the application to become Bona Fide.
- 6.6 Denial of Application. If BellSouth notifies Delta Phones that no space is available ("Denial of Application"), BellSouth will not assess an Application Fee. After notifying Delta Phones that BellSouth has no available space in the requested Remote Site Location, BellSouth will allow Delta Phones, upon request, to tour the Remote Site Location within ten (10) calendar days of such Denial of Application. In order to schedule said tour within ten (10) calendar days, the request for a tour of the Remote Site Location must be received by BellSouth within five (5) calendar days of the Denial of Application.
- 6.7 <u>Filing of Petition for Waiver</u>. Upon Denial of Application BellSouth will timely file a petition with the Commission pursuant to 47 U.S.C. § 251(c)(6). BellSouth shall provide to the Commission any information requested by that Commission. Such information shall include which space, if any, BellSouth or any of BellSouth's affiliates have reserved for future use and a detailed description of the specific future uses for which the space has been reserved. Subject to an appropriate nondisclosure agreement or provision, BellSouth shall permit Delta Phones to inspect any plans or diagrams that BellSouth provides to the Commission.
- Waiting List. On a first-come, first-served basis governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Remote Site Location is out of space, have submitted a Letter of Intent to collocate. BellSouth will notify the telecommunications carriers on the waiting list that can be accommodated by the amount of space that becomes available according to the position of the telecommunications carriers on said waiting list.

- 6.8.1 In Florida, on a first-come, first-served basis governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Remote Site Location is out of space, have submitted a Letter of Intent to collocate. Sixty (60) calendar days prior to space becoming available, if known, BellSouth will notify the Florida PSC and the telecommunications carriers on the waiting list by mail when space becomes available according to the position of telecommunications carrier on said waiting list. If not known sixty (60) calendar days in advance, BellSouth shall notify the Florida PSC and the telecommunications carriers on the waiting list within two business days of the determination that space is available. A telecommunications carrier that, upon denial of physical collocation, requests virtual collocation shall be automatically placed on the waiting list.
- 6.8.2 When space becomes available, Delta Phones must submit an updated, complete, and correct application to BellSouth within thirty (30) calendar days of such notification. If Delta Phones has originally requested caged Remote Collocation Space and cageless Remote Collocation Space becomes available, Delta Phones may refuse such space and notify BellSouth in writing within that time that Delta Phones wants to maintain its place on the waiting list without accepting such space. Delta Phones may accept an amount of space less than its original request by submitting an application as set forth above, and upon request, may maintain its position on the waiting list for the remaining space that was initially requested. If Delta Phones does not submit such an application or notify BellSouth in writing as described above, BellSouth will offer such space to the next telecommunications carrier on the waiting list and remove Delta Phones from the waiting list. Upon request, BellSouth will advise Delta Phones as to its position on the list.
- Public Notification. BellSouth will maintain on its Interconnection Services website a notification document that will indicate all Remote Site Locations that are without available space. BellSouth shall update such document within ten (10) calendar days of the date that BellSouth becomes aware that there is insufficient space to accommodate Remote Site Collocation. BellSouth will also post a document on its Interconnection Services website that contains a general notice where space has become available in a Remote Site Location previously on the space exhaust list.
- 6.10 Application Response.
- 6.10.1 In Alabama, when space has been determined to be available, BellSouth will provide an Application Response within thirty (30) calendar days of the receipt of a Bona Fide application, which will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and any other applicable space preparation fees, described in Section 8.
- 6.10.2 In North Carolina, when space has been determined to be available, BellSouth will provide an Application Response within twenty-three (23) business days of the receipt

of a Bona Fide application, which will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8.

- 6.10.3 In Tennessee, BellSouth will provide an Application Response within fifteen (15) calendar days of receipt of a Bona Fide application. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee (Cageless and Virtual), and a firm price quote based upon standardized pricing provided that Delta Phones has given BellSouth a forecast of Delta Phones's collocation needs at least ten (10) calendar days prior to submitting an application. If no forecast is provided by Delta Phones the interval for an Application Response will be thirty (30) calendar days.
- In Florida, within fifteen (15) calendar days of receipt of a Bona Fide application, when space has been determined to be available or when a lesser amount of space than that requested is available, then with respect to the space available, BellSouth will provide an Application Response including sufficient information to enable Delta Phones to place a Firm Order. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8. When Delta Phones submits ten (10) or more applications within ten (10) calendar days, the initial fifteen (15) day response period will increase by ten (10) calendar days for every additional ten (10) applications or fraction thereof.
- 6.10.5 In Georgia, Kentucky, Mississippi and South Carolina, when space has been determined to be available, BellSouth will provide an Application Response within twenty (20) calendar days of receipt of a Bona Fide application. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8.
- 6.10.6 In Louisiana, when space has been determined to be available, BellSouth will respond with an Application Response within thirty (30) calendar days for one (1) to ten (10) applications; thirty (35) calendar days for eleven (11) to twenty (20) applications; and for requests of more than twenty (20) applications, it is increased by five (5) calendar days for every five (5) applications received within five (5) business days. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8.
- 6.11 Application Modifications.
- 6.11.1 If a modification or revision is made to any information in the Bona Fide application prior to a BFFO, with the exception of modifications to Customer Information, Contact Information or Billing Contact Information, either at the request of Delta Phones or necessitated by technical considerations, said application shall be considered

a new application and shall be handled as a new application with respect to response and provisioning intervals and BellSouth will charge Delta Phones a full application fee as set forth in Exhibit C. BellSouth will bill the non-recurring fee on the date that BellSouth provides an Application Response.

- 6.12 <u>Bona Fide Firm Order.</u>
- 6.12.1 In Kentucky and North Carolina, Delta Phones shall indicate its intent to proceed with equipment installation in a BellSouth Remote Site Location by submitting a Physical Expanded Interconnection Firm Order document ("Firm Order") to BellSouth. A Firm Order shall be considered Bona Fide when Delta Phones has completed the Application/Inquiry process described in Section 6, preceding, and has submitted the Firm Order document indicating acceptance of the Application Response provided by BellSouth. The BFFO must be received by BellSouth no later than five (5) business days after BellSouth's Application Response to Delta Phones's Bona Fide application. The BFFO must be received by BellSouth no later than thirty (30) calendar days after BellSouth's Application Response to Delta Phones's Bona Fide application or the application will expire. If the BFFO is received between the fifth business day and the thirtieth calendar day after the Application Response, then the intervals set forth in 7.1.1 will be extended day for day for each day after the fifth business day the BFFO is received until the application expires.
- 6.12.2 Except as otherwise provided, in all States that have ordered provisioning intervals but not addressed Firm Order intervals, the following shall apply. Delta Phones shall indicate its intent to proceed with equipment installation in a BellSouth Remote Site Location by submitting a Firm Order to BellSouth. The BFFO must be received by BellSouth no later than thirty (30) calendar days after BellSouth's Application Response to Delta Phones's Bona Fide application or the application will expire.
- BellSouth will establish a firm order date based upon the date BellSouth is in receipt of a BFFO. BellSouth will acknowledge the receipt of Delta Phones's BFFO within seven (7) calendar days of receipt indicating that the BFFO has been received. A BellSouth response to a BFFO will include a Firm Order Confirmation containing the firm order date. No revisions will be made to a BFFO.

7. <u>Construction and Provisioning</u>

- 7.1 Construction and Provisioning Intervals.
- 7.1.1 In North Carolina, BellSouth will complete construction for collocation arrangements within seventy-six (76) business days from receipt of an application or as agreed to by the Parties. Under extraordinary conditions, BellSouth will complete construction for collocation arrangements within ninety-one (91) business days. Examples of extraordinary conditions include, but are not limited to, extended license or permitting intervals; major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA

compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. In the event Delta Phones submits a forecast as described in the following paragraph three (3) months or more prior to the application date, the above intervals shall apply. In the event Delta Phones submits such a forecast between two (2) months and three (3) months prior to the application date, the above intervals may be extended by one (1) additional month. In the event Delta Phones submits such a forecast less than two (2) months prior to the application date, the above intervals may be extended by sixty (60) calendar days. BellSouth will attempt to meet standard intervals for unforecasted requests and any interval adjustments will be discussed with Delta Phones at the time the application is received. Raw space, which is space lacking the necessary infrastructure to provide Remote Collocation Space including but not limited to HVAC, Power, etc., conversion time frames fall outside the normal intervals and are negotiated on an individual case basis. Additionally, installations to existing collocation arrangements for line sharing or line splitting, which include adding cable, adding cable and splitter, and adding a splitter, will be forty five (45) business days from receipt of an application.

- 7.1.1.1 To be considered a timely and accurate forecast, Delta Phones must submit to BellSouth the CLEC Remote Site Collocation Forecast Form, as set forth in Exhibit B attached hereto, containing the following information: Central Office/Serving Wire Center CLLI, Remote Site CLLI, number of Caged square feet and/or Cageless bays, number of DS0, DS1, DS3, STS-1, OC-3, OC-12, OC-48, and OC-192 frame terminations, number of fused amps and planned application date.
- 7.1.2 In Florida, BellSouth will complete construction for collocation arrangements as soon as possible and within a maximum of ninety (90) calendar days from receipt of a BFFO or as agreed to by the Parties. For changes to Remote Collocation Space after initial space completion ("Augmentation"), BellSouth will complete construction for collocation arrangements as soon as possible and within a maximum of forty-five (45) calendar days from receipt of a BFFO or as agreed to by the Parties. If BellSouth does not believe that construction will be completed within the relevant time frame and BellSouth and Delta Phones cannot agree upon a completion date, within forty-five (45) calendar days of receipt of the BFFO for an initial request, and within thirty (30) calendar days for Augmentations, BellSouth may seek an extension from the Florida Commission.
- 7.1.3 In Alabama, Georgia, Kentucky, Mississippi and South Carolina, BellSouth will complete construction for collocation arrangements under ordinary conditions as soon as possible and within a maximum of ninety (90) calendar days from receipt of a BFFO or as agreed to by the Parties. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.

- 7.1.4 In Louisiana, BellSouth will complete construction for collocation arrangements under ordinary conditions as soon as possible and within a maximum of ninety (90) calendar days from receipt of a BFFO for an initial request, and within 60 calendar days for an Augmentation, or as agreed to by the Parties. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.
- 7.1.5 In Tennessee, BellSouth will complete construction for collocation arrangements under Ordinary Conditions within a maximum of 90 calendar days from receipt of a BFFO, or as agreed to by the Parties. Under extraordinary conditions, BellSouth may elect to renegotiate an alternative provisioning interval with Delta Phones or seek a waiver from this interval from the Commission.
- 7.2 In the event BellSouth does not have space immediately available at a Remote Site Location, BellSouth may elect to make additional space available by, for example but not limited to, rearranging BellSouth facilities or constructing additional capacity. In such cases, the above intervals shall not apply and BellSouth will provision the Remote Collocation Space in a nondiscriminatory manner and at parity with BellSouth and will provide Delta Phones with the estimated completion date in its Response.
- 7.3 <u>Joint Planning</u>. Joint planning between BellSouth and Delta Phones will commence within a maximum of twenty (20) calendar days from BellSouth's receipt of a BFFO. BellSouth will provide the preliminary design of the Remote Collocation Space and the equipment configuration requirements as reflected in the Bona Fide application and affirmed in the BFFO. The Remote Collocation Space completion time period will be provided to Delta Phones during joint planning.
- 7.4 Permits. Each Party or its agents will diligently pursue filing for the permits required for the scope of work to be performed by that Party or its agents within ten (10) calendar days of the completion of finalized construction designs and specifications.
- Acceptance Walk Through. Delta Phones will schedule and complete an acceptance walk through of each Remote Collocation Space with BellSouth within fifteen (15) calendar days of BellSouth's notifying Delta Phones that the Remote Collocation Space is ready for occupancy ("Space Ready Date"). In the event that Delta Phones fails to complete an acceptance walk through within this fifteen (15) day interval, the Remote Collocation Space shall be deemed accepted by Delta Phones. BellSouth will correct any deviations to Delta Phones's original or jointly amended requirements within seven (7) calendar days after the walk through, unless the Parties jointly agree upon a different time frame.
- 7.6 <u>Use of BellSouth Certified Supplier</u>. Delta Phones shall select a supplier which has been approved by BellSouth to perform all engineering and installation work Delta Phones and Delta Phones's BellSouth Certified Supplier must follow and comply with all BellSouth requirements outlined in BellSouth's TR 73503, TR 73519, TR 73572,

and TR 73564. In some cases, Delta Phones must select separate BellSouth Certified Suppliers for transmission equipment, switching equipment and power equipment. BellSouth shall provide Delta Phones with a list of BellSouth Certified Suppliers upon request. The BellSouth Certified Supplier(s) shall be responsible for installing Delta Phones's equipment and components, extending power cabling to the BellSouth power distribution frame, performing operational tests after installation is complete, and notifying BellSouth's Outside Plant engineers and Delta Phones upon successful completion of installation. The BellSouth Certified Supplier shall bill Delta Phones directly for all work performed for Delta Phones pursuant to this Attachment, and BellSouth shall have no liability for nor responsibility to pay such charges imposed by the BellSouth Certified Supplier. BellSouth shall consider certifying Delta Phones or any supplier proposed by Delta Phones. All work performed by or for Delta Phones shall conform to generally accepted industry guidelines and standards.

- Alarm and Monitoring. BellSouth may place alarms in the Remote Site Location for the protection of BellSouth equipment and facilities. Delta Phones shall be responsible for placement, monitoring and removal of environmental and equipment alarms used to service Delta Phones's Remote Collocation Space. Upon request, BellSouth will provide Delta Phones with applicable tariffed service(s) to facilitate remote monitoring of collocated equipment by Delta Phones. Both Parties shall use best efforts to notify the other of any verified hazardous conditions known to that Party.
- 7.8 <u>Virtual Remote Site Collocation Relocation</u>. In the event physical Remote Collocation Space was previously denied at a Remote Site Location due to technical reasons or space limitations, and physical Remote Collocation Space has subsequently become available, Delta Phones may relocate its virtual Remote Site collocation arrangements to physical Remote Site collocation arrangements and pay the appropriate fees for physical Remote Site collocation and for the rearrangement or reconfiguration of services terminated in the virtual Remote Site collocation arrangement, as outlined in the appropriate BellSouth tariffs. In the event that BellSouth knows when additional space for physical Remote Site collocation may become available at the location requested by Delta Phones, such information will be provided to Delta Phones in BellSouth's written denial of physical Remote Site collocation. To the extent that (i) physical Remote Collocation Space becomes available to Delta Phones within one hundred eighty 180 calendar days of BellSouth's written denial of Delta Phones's request for physical collocation, (ii) BellSouth had knowledge that the space was going to become available, and (iii) Delta Phones was not informed in the written denial that physical Remote Collocation Space would become available within such one hundred eighty 180 calendar days, then Delta Phones may relocate its virtual Remote Site collocation arrangement to a physical Remote Site collocation arrangement and will receive a credit for any nonrecurring charges previously paid for such virtual Remote Site collocation. Delta Phones must arrange with a BellSouth Certified Supplier for the relocation of equipment from its virtual Remote Collocation Space to its physical Remote Collocation Space and will bear the cost of such relocation.

- 7.8.1 In Alabama, BellSouth will complete a relocation from virtual collocation to physical collocation within ninety (90) calendar days.
- 7.9 <u>Virtual to Physical Conversion (In-Place).</u> Virtual collocation arrangements may be converted to "in-place" physical arrangements if the potential conversion meets the following four criteria: 1) there is no change in the amount of equipment or the configuration of the equipment that was in the virtual collocation arrangement; 2) the conversion of the virtual collocation arrangement will not cause the equipment or the results of that conversion to be located in a space that BellSouth has reserved for its own future needs; 3) the converted arrangement does not limit BellSouth's ability to secure its own equipment and facilities due to the location of the virtual collocation arrangement; and 4) any changes to the arrangement can be accommodated by existing power, HVAC, and other requirements. Unless otherwise specified, BellSouth will complete virtual to in-place physical collocation conversions within sixty (60) calendar days. BellSouth will bill Delta Phones an Administrative Only Application Fee as set forth in Exhibit C for these charges on the date that BellSouth provides an Application Response.
- 7.9.1 In Alabama and Tennessee, BellSouth will complete Virtual to Physical Conversions (In Place) within thirty (30) calendar days.
- 7.10 <u>Cancellation</u>. If, at any time prior to space acceptance, Delta Phones cancels its order for the Remote Collocation Space(s) ("Cancellation"), BellSouth will bill the applicable non-recurring rate for any and all work processes for which work has begun. In Georgia, if Delta Phones cancels its order for Remote Collocation Space at any time prior to space acceptance, BellSouth will bill Delta Phones for all costs incurred prior to the date of Cancellation and for any costs incurred as a direct result of the Cancellation, not to exceed the total amount that would have been due had the order not been cancelled.
- 7.1 Licenses. Delta Phones, at its own expense, will be solely responsible for obtaining from governmental authorities, and any other appropriate agency, entity, or person, all rights, privileges, and licenses necessary or required to operate as a provider of telecommunications services to the public or to occupy the Remote Collocation Space.
- 7.12 <u>Environmental Hazard Guidelines</u>. The Parties agree to utilize and adhere to the Environmental Hazard Guidelines identified in Exhibit A attached hereto.

8. Rates and Charges

- 8.1 <u>Recurring Charges</u>. Recurring charges begin on the Space Ready Date, or on the date Delta Phones accepts the space, whichever is first.
- 8.2 <u>Application Fee</u>. BellSouth shall assess an Application Fee via a service order, which shall be issued at the time BellSouth responds that space is available pursuant to

- Section 2. Payment of said Application Fee will be due as dictated by Delta Phones's current billing cycle and is non-refundable.
- 8.2.1 In Tennessee the applicable Application Fee is the Planning Fee for both Initial Applications and Subsequent Applications placed by Delta Phones. BellSouth will bill the non-recurring fee on the date that BellSouth provides an Application Response.
- 8.3 Rack/Bay Space. The rack/bay space charge includes reasonable charges for air conditioning, ventilation and other allocated expenses associated with maintenance of the Remote Site Location, and includes amperage necessary to power Delta Phones's equipment. Delta Phones shall pay rack/bay space charges based upon the number of racks/bays requested. BellSouth will assign Remote Collocation Space in conventional remote site rack/bay lineups where feasible.
- 8.4 Power. BellSouth shall make available –48 Volt (-48V) DC power for Delta Phones's Remote Collocation Space at a BellSouth Power Board or BellSouth Battery Distribution Fuse Bay (BDFB) at Delta Phones's option within the Remote Site Location. The charge for power shall be assessed as part of the recurring charge for rack/bay space. If the power requirements for Delta Phones's equipment exceeds the capacity available, then such power requirements shall be assessed on an individual case basis.
- Adjacent Collocation Power. Charges for AC power will be assessed per breaker ampere per month. Rates include the provision of commercial and standby AC power, where available. When obtaining power from a BellSouth service panel, protection devices and power cables must be engineered (sized), and installed by Delta Phones's BellSouth Certified Supplier except that BellSouth shall engineer and install protection devices and power cables for Adjacent Collocation. Delta Phones's BellSouth Certified Supplier must also provide a copy of the engineering power specification prior to the equipment becoming operational. Charges for AC power shall be assessed pursuant to the rates specified in Exhibit C. AC power voltage and phase ratings shall be determined on a per location basis. At Delta Phones's option, Delta Phones may arrange for AC power in an Adjacent Collocation arrangement from a retail provider of electrical power.
- 8.5 <u>Security Escort</u>. A security escort will be required whenever Delta Phones or its approved agent desires access to the Remote Site Location after the one accompanied site visit allowed pursuant to Section 5 prior to completing BellSouth's Security Training requirements. Rates for a security escort are assessed according to the schedule appended hereto as Exhibit C beginning with the scheduled escort time. BellSouth will wait for one-half (1/2) hour after the scheduled time for such an escort and Delta Phones shall pay for such half-hour charges in the event Delta Phones fails to show up.

8.6 Other. If no rate is identified in the contract, the rate for the specific service or function will be negotiated by the Parties upon request by either Party.

9. Insurance

- 9.1 Delta Phones shall, at its sole cost and expense, procure, maintain, and keep in force insurance as specified in this Section and underwritten by insurance companies licensed to do business in the states applicable under this Attachment and having a Best's Insurance Rating of A-.
- 9.2 Delta Phones shall maintain the following specific coverage:
- 9.2.1 Commercial General Liability coverage in the amount of ten million dollars (\$10,000,000.00) or a combination of Commercial General Liability and Excess/Umbrella coverage totaling not less than ten million dollars (\$10,000,000.00). BellSouth shall be named as an Additional Insured on the Commercial General Liability policy as specified herein.
- 9.2.2 Statutory Workers Compensation coverage and Employers Liability coverage in the amount of one hundred thousand dollars (\$100,000.00) each accident, one hundred thousand dollars (\$100,000.00) each employee by disease, and five hundred thousand dollars (\$500,000.00) policy limit by disease.
- 9.2.3 All Risk Property coverage on a full replacement cost basis insuring all of Delta Phones's real and personal property situated on or within BellSouth's Remote Site Location.
- 9.2.4 Delta Phones may elect to purchase business interruption and contingent business interruption insurance, having been advised that BellSouth assumes no liability for loss of profit or revenues should an interruption of service occur.
- The limits set forth in Section 9.2 above may be increased by BellSouth from time to time during the term of this Attachment upon thirty (30) calendar days notice to Delta Phones to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- 9.4 All policies purchased by Delta Phones shall be deemed to be primary and not contributing to or in excess of any similar coverage purchased by BellSouth. All insurance must be in effect on or before the date equipment is delivered to BellSouth's Remote Site Location and shall remain in effect for the term of this Attachment or until all of Delta Phones's property has been removed from BellSouth's Remote Site Location, whichever period is longer. If Delta Phones fails to maintain required coverage, BellSouth may pay the premiums thereon and seek reimbursement of same from Delta Phones.

9.5 Delta Phones shall submit certificates of insurance reflecting the coverage required pursuant to this Section a minimum of ten (10) business days prior to the commencement of any work in the Remote Collocation Space. Failure to meet this interval may result in construction and equipment installation delays. Delta Phones shall arrange for BellSouth to receive thirty (30) business days' advance notice of cancellation from Delta Phones's insurance company. Delta Phones shall forward a certificate of insurance and notice of cancellation/non-renewal to BellSouth at the following address:

BellSouth Telecommunications, Inc. Attn.: Risk Management Coordinator 17H53 BellSouth Center 675 W. Peachtree Street Atlanta, Georgia 30375

- 9.6 Delta Phones must conform to recommendations made by BellSouth's fire insurance company to the extent BellSouth has agreed to, or shall hereafter agree to, such recommendations.
- 9.7 Self-Insurance. If Delta Phones's net worth exceeds five hundred million dollars (\$500,000,000), Delta Phones may elect to request self-insurance status in lieu of obtaining any of the insurance required in Sections 9.2.1 and 9.2.2. Delta Phones shall provide audited financial statements to BellSouth thirty (30) calendar days prior to the commencement of any work in the Remote Collocation Space. BellSouth shall then review such audited financial statements and respond in writing to Delta Phones in the event that self-insurance status is not granted to Delta Phones. If BellSouth approves Delta Phones for self-insurance, Delta Phones shall annually furnish to BellSouth, and keep current, evidence of such net worth that is attested to by one of Delta Phones's corporate officers. The ability to self-insure shall continue so long as Delta Phones meets all of the requirements of this Section. If Delta Phones subsequently no longer satisfies this Section, Delta Phones is required to purchase insurance as indicated by Sections 9.2.1 and Section 9.2.2.
- 9.8 The net worth requirements set forth in Section 9.7 may be increased by BellSouth from time to time during the term of this Attachment upon thirty (30) calendar days' notice to Delta Phones to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- 9.9 Failure to comply with the provisions of this Section will be deemed a material breach of this Attachment.

10. Mechanics Liens

10.1 If any mechanics lien or other liens shall be filed against property of either Party (BellSouth or Delta Phones), or any improvement thereon by reason of or arising out of any labor or materials furnished or alleged to have been furnished or to be furnished

to or for the other Party or by reason of any changes, or additions to said property made at the request or under the direction of the other Party, the other Party directing or requesting those changes shall, within thirty (30) business days after receipt of written notice from the Party against whose property said lien has been filed, either pay such lien or cause the same to be bonded off the affected property in the manner provided by law. The Party causing said lien to be placed against the property of the other shall also defend, at its sole cost and expense, on behalf of the other, any action, suit or proceeding which may be brought for the enforcement of such liens and shall pay any damage and discharge any judgment entered thereon.

11. <u>Inspections</u>

11.1 BellSouth may conduct an inspection of Delta Phones's equipment and facilities in the Remote Collocation Space(s) prior to the activation of facilities between Delta Phones's equipment and equipment of BellSouth. BellSouth may conduct an inspection if Delta Phones adds equipment and may otherwise conduct routine inspections at reasonable intervals mutually agreed upon by the Parties. BellSouth shall provide Delta Phones with a minimum of forty-eight (48) hours or two (2) business days, whichever is greater, advance notice of all such inspections. All costs of such inspection shall be borne by BellSouth.

12. Security and Safety Requirements

- Unless otherwise specified, Delta Phones will be required, at its own expense, to conduct a statewide investigation of criminal history records for each Delta Phones employee hired in the past five years being considered for work on the BellSouth Remote Site Location, for the states/counties where the Delta Phones employee has worked and lived for the past five years. Where state law does not permit statewide collection or reporting, an investigation of the applicable counties is acceptable. Delta Phones shall not be required to perform this investigation if an affiliated company of Delta Phones has performed an investigation of the Delta Phones employee seeking access, if such investigation meets the criteria set forth above. This requirement will not apply if Delta Phones has performed a pre-employment statewide investigation of criminal history records of the Delta Phones employee for the states/counties where the Delta Phones employee has worked and lived for the past five years or, where state law does not permit a statewide investigation, an investigation of the applicable counties.
- Delta Phones will be required to administer to their personnel assigned to the BellSouth Premises security training either provided by BellSouth, or meeting criteria defined by BellSouth.
- 12.3 Delta Phones shall provide its employees and agents with picture identification, which must be worn, and visible at all times while in the Remote Collocation Space or other areas in or around the Remote Site Location. The photo Identification card shall bear,

at a minimum, the employee's name and photo, and Delta Phones's name. BellSouth reserves the right to remove from its Remote Site Location any employee of Delta Phones not possessing identification issued by Delta Phones or who have violated any of BellSouth's policies as outlined in the CLEC Security Training documents. Delta Phones shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth Remote Site Location. Delta Phones shall be solely responsible for ensuring that any Guest of Delta Phones is in compliance with all subsections of this Section 12.

- Delta Phones shall not assign to the BellSouth Remote Site Location any personnel with records of felony criminal convictions. Delta Phones shall not assign to the BellSouth Remote Site Location any personnel with records of misdemeanor convictions, except for misdemeanor traffic violations, without advising BellSouth of the nature and gravity of the offense(s). BellSouth reserves the right to refuse access to any Delta Phones personnel who have been identified to have misdemeanor criminal convictions. Notwithstanding the foregoing, in the event that Delta Phones chooses not to advise BellSouth of the nature and gravity of any misdemeanor conviction, Delta Phones may, in the alternative, certify to BellSouth that it shall not assign to the BellSouth Remote Site Location any personnel with records of misdemeanor convictions (other than misdemeanor traffic violations).
- 12.4.1 Delta Phones shall not knowingly assign to the BellSouth Remote Site Location any individual who was a former employee of BellSouth and whose employment with BellSouth was terminated for a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.
- 12.4.2 Delta Phones shall not knowingly assign to the BellSouth Remote Site Location any individual who was a former supplier of BellSouth and whose access to a BellSouth Remote Site Location was revoked due to commission of a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.
- 12.5 For each Delta Phones employee or agent hired by Delta Phones within five years of being considered for work on the BellSouth Remote Site Location, who requires access to a BellSouth Remote Site Location pursuant to this Attachment, Delta Phones shall furnish BellSouth, prior to an employee gaining such access, a certification that the aforementioned background check and security training were completed. The certification will contain a statement that no felony convictions were found and certifying that the security training was completed by the employee. If the employee's criminal history includes misdemeanor convictions, Delta Phones will disclose the nature of the convictions to BellSouth at that time. In the alternative, Delta Phones may certify to BellSouth that it shall not assign to the BellSouth Remote Site Location any personnel with records of misdemeanor convictions other than misdemeanor traffic violations.

- 12.5.1 For all other Delta Phones employees requiring access to a BellSouth Remote Site Location pursuant to this Attachment, Delta Phones shall furnish BellSouth, prior to an employee gaining such access, a certification that the employee is not subject to the requirements of Section 12.5 above and that security training was completed by the employee.
- At BellSouth's request, Delta Phones shall promptly remove from BellSouth's Remote Site Location any employee of Delta Phones BellSouth does not wish to grant access to its Remote Site Location 1) pursuant to any investigation conducted by BellSouth or 2) prior to the initiation of an investigation if an employee of Delta Phones is found interfering with the property or personnel of BellSouth or another collocated telecommunications carrier, provided that an investigation shall promptly be commenced by BellSouth.
- Notification to BellSouth. BellSouth reserves the right to interview Delta Phones's 12.7 employees, agents, or suppliers in the event of wrongdoing in or around BellSouth's property or involving BellSouth's or another telecommunications carrier's property or personnel, provided that BellSouth shall provide reasonable notice to Delta Phones's Security contact of such interview. Delta Phones and its suppliers shall reasonably cooperate with BellSouth's investigation into allegations of wrongdoing or criminal conduct committed by, witnessed by, or involving Delta Phones's employees, agents, or suppliers. Additionally, BellSouth reserves the right to bill Delta Phones for all reasonable costs associated with investigations involving its employees, agents, or suppliers if it is established and mutually agreed in good faith that Delta Phones's employees, agents, or suppliers are responsible for the alleged act. BellSouth shall bill Delta Phones for BellSouth property, which is stolen or damaged where an investigation determines the culpability of Delta Phones's employees, agents, or suppliers and where Delta Phones agrees, in good faith, with the results of such investigation. Delta Phones shall notify BellSouth in writing immediately in the event that the Delta Phones discovers one of its employees already working on the BellSouth Remote Site Location is a possible security risk. Upon request of the other Party, the Party who is the employer shall discipline consistent with its employment practices, up to and including removal from BellSouth's Remote Site Location, any employee found to have violated the security and safety requirements of this section. Delta Phones shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth's Remote Site Location.
- 12.8 <u>Use of Supplies</u>. Unauthorized use of telecommunications equipment or supplies by either Party, whether or not used routinely to provide telephone service (e.g. plug-in cards,) will be strictly prohibited and handled appropriately. Costs associated with such unauthorized use may be charged to the offending Party, as may be all associated investigative costs.
- 12.9 <u>Use of Official Lines</u>. Except for non-toll calls necessary in the performance of their work, neither Party shall use the telephones of the other Party on the BellSouth

Remote Site Location. Charges for unauthorized telephone calls may be charged to the offending Party, as may be all associated investigative costs.

12.10 <u>Accountability</u>. Full compliance with the Security requirements of this Section shall in no way limit the accountability of either Party to the other for the improper actions of its employees.

13. Destruction of Remote Collocation Space

In the event a Remote Collocation Space is wholly or partially damaged by fire, 13.1 windstorm, tornado, flood or by similar causes to such an extent as to be rendered wholly unsuitable for Delta Phones's permitted use hereunder, then either Party may elect within ten (10) calendar days after such damage, to terminate this Attachment with respect to the affected Remote Collocation Space, and if either Party shall so elect, by giving the other written notice of termination, both Parties shall stand released of and from further liability under the terms hereof with respect to such Remote Collocation Space. If the Remote Collocation Space shall suffer only minor damage and shall not be rendered wholly unsuitable for Delta Phones's permitted use, or is damaged and the option to terminate is not exercised by either Party, BellSouth covenants and agrees to proceed promptly without expense to Delta Phones, except for improvements not the property of BellSouth, to repair the damage. BellSouth shall have a reasonable time within which to rebuild or make any repairs, and such rebuilding and repairing shall be subject to delays caused by storms, shortages of labor and materials, government regulations, strikes, walkouts, and causes beyond the control of BellSouth, which causes shall not be construed as limiting factors, but as exemplary only. Delta Phones may, at its own expense, accelerate the rebuild of its Remote Collocation Space and equipment provided however that a BellSouth Certified Supplier is used and the necessary space preparation has been completed. Rebuild of equipment must be performed by a BellSouth Certified Vendor. If Delta Phones's acceleration of the project increases the cost of the project, then those additional charges will be incurred by Delta Phones. Where allowed and where practical, Delta Phones may erect a temporary facility while BellSouth rebuilds or makes repairs. In all cases where the Remote Collocation Space shall be rebuilt or repaired, Delta Phones shall be entitled to an equitable abatement of rent and other charges, depending upon the unsuitability of the Remote Collocation Space for Delta Phones's permitted use, until such Remote Collocation Space is fully repaired and restored and Delta Phones's equipment installed therein (but in no event later than thirty (30) calendar days after the Remote Collocation Space is fully repaired and restored). Where Delta Phones has placed a Remote Site Adjacent Arrangement pursuant to Section 3, Delta Phones shall have the sole responsibility to repair or replace said Remote Site Adjacent Arrangement provided herein. Pursuant to this Section, BellSouth will restore the associated services to the Remote Site Adjacent Arrangement.

14. Eminent Domain

14.1 If the whole of a Remote Collocation Space or Remote Site Adjacent Arrangement shall be taken by any public authority under the power of eminent domain, then this Attachment shall terminate with respect to such Remote Collocation Space or Remote Site Adjacent Arrangement as of the day possession shall be taken by such public authority and rent and other charges for the Remote Collocation Space or Remote Site Adjacent Arrangement shall be paid up to that day with proportionate refund by BellSouth of such rent and charges as may have been paid in advance for a period subsequent to the date of the taking. If any part of the Remote Collocation Space or Remote Site Adjacent Arrangement shall be taken under eminent domain, BellSouth and Delta Phones shall each have the right to terminate this Attachment with respect to such Remote Collocation Space or Remote Site Adjacent Arrangement and declare the same null and void, by written notice of such intention to the other Party within ten (10) calendar days after such taking.

15. Nonexclusivity

Delta Phones understands that this Attachment is not exclusive and that BellSouth may enter into similar agreements with other Parties. Assignment of space pursuant to all such agreements shall be determined by space availability and made on a first come, first served basis.

ENVIRONMENTAL AND SAFETY PRINCIPLES

The following principles provide basic guidance on environmental and safety issues when applying for and establishing Physical Collocation arrangements.

1. GENERAL PRINCIPLES

- 1.1 Compliance with Applicable Law. BellSouth and Delta Phones agree to comply with applicable federal, state, and local environmental and safety laws and regulations including U.S. Environmental Protection Agency (USEPA) regulations issued under the Clean Air Act (CAA), Clean Water Act (CWA), Resource Conservation and Recovery Act (RCRA), Comprehensive Environmental Response, Compensation and Liability Act (CERCLA), Superfund Amendments and Reauthorization Act (SARA), the Toxic Substances Control Act (TSCA), and OSHA regulations issued under the Occupational Safety and Health Act of 1970, as amended and NFPA and National Electrical Codes (NEC) and the NESC ("Applicable Laws"). Each Party shall notify the other if compliance inspections are conducted by regulatory agencies and/or citations are issued that relate to any aspect of this Attachment.
- Notice. BellSouth and Delta Phones shall provide notice to the other, including Material Safety Data Sheets (MSDSs), of known and recognized physical hazards or Hazardous Chemicals existing on site or brought on site. A Hazardous Chemical inventory list is posted on an OSHA Poster and updated annually at each Central Office. This Poster is normally located near the front entrance of the building or in the lounge area. Each Party is required to provide specific notice for known potential Imminent Danger conditions. Delta Phones should contact 1-800-743-6737 for any BellSouth MSDS required.
- 1.3 Practices/Procedures. BellSouth may make available additional environmental control procedures for Delta Phones to follow when working at a BellSouth Remote Site Location (See Section 2, below). These practices/procedures will represent the regular work practices required to be followed by the employees and suppliers of BellSouth for environmental protection. Delta Phones will require its suppliers, agents and others accessing the BellSouth Remote Site Location to comply with these practices. Section 2 lists the Environmental categories where BST practices should be followed by Delta Phones when operating in the BellSouth Remote Site Location.
- 1.4 <u>Environmental and Safety Inspections</u>. BellSouth reserves the right to inspect the Delta Phones space with proper notification. BellSouth reserves the right to stop any Delta Phones work operation that imposes Imminent Danger to the environment, employees or other persons in the area or Remote Site Location.
- 1.5 <u>Hazardous Materials Brought On Site</u>. Any hazardous materials brought into, used, stored or abandoned at the BellSouth Remote Site Location by Delta Phones are owned by Delta Phones. Delta Phones will indemnify BellSouth for claims, lawsuits or Version 2002: 05/31/02

damages to persons or property caused by these materials. Without prior written BellSouth approval, no substantial new safety or environmental hazards can be created by Delta Phones or different hazardous materials used by Delta Phones at the BellSouth Remote Site Location. Delta Phones must demonstrate adequate emergency response capabilities for its materials used or remaining at the BellSouth Remote Site Location.

- 1.6 <u>Spills and Releases</u>. When contamination is discovered at a BellSouth Remote Site Location, the Party discovering the condition must notify BellSouth. All Spills or Releases of regulated materials will immediately be reported by Delta Phones to BellSouth.
- 1.7 Coordinated Environmental Plans and Permits. BellSouth and Delta Phones will coordinate plans, permits or information required to be submitted to government agencies, such as emergency response plans, spill prevention control and countermeasures (SPCC) plans and community reporting. If fees are associated with filing, BellSouth and Delta Phones will develop a cost sharing procedure. If BellSouth's permit or EPA identification number must be used, Delta Phones must comply with all of BellSouth's permit conditions and environmental processes, including environmental "best management practices (BMP)" (see Section 2, below) and/or selection of BST disposition vendors and disposal sites.
- Environmental and Safety Indemnification. BellSouth and Delta Phones shall indemnify, defend and hold harmless the other Party from and against any claims (including, without limitation, third-party claims for personal injury or death or real or personal property damage), judgments, damages, (including direct and indirect damages, and punitive damages), penalties, fines, forfeitures, costs, liabilities, interest and losses arising in connection with the violation or alleged violation of any Applicable Law or contractual obligation or the presence or alleged presence of contamination arising out of the acts or omissions of the indemnifying Party, its agents, suppliers, or employees concerning its operations at the Remote Site Location.

2. CATEGORIES FOR CONSIDERATION OF ENVIRONMENTAL ISSUES

- When performing functions that fall under the following Environmental categories on BellSouth's Remote Site Location, Delta Phones agrees to comply with the applicable sections of the current issue of BellSouth's Environmental and Safety Methods and Procedures (M&Ps), incorporated herein by this reference. Delta Phones further agrees to cooperate with BellSouth to ensure that Delta Phones's employees, agents, and/or suppliers are knowledgeable of and satisfy those provisions of BellSouth's Environmental M&Ps which apply to the specific Environmental function being performed by Delta Phones, its employees, agents and/or suppliers.
- 2.1.1 The most current version of reference documentation must be requested from Delta Phones's BellSouth Account Team Collocation Coordinator (ATCC) Representative.

ENVIRONMENTAL CATEGORIES	ENVIRONMENTAL ISSUES	ADDRESSED BY THE FOLLOWING DOCUMENTATION
Disposal of hazardous material or other regulated material (e.g., batteries, fluorescent	Compliance with all applicable local, state, & federal laws and regulations	Std T&C 450Fact Sheet Series 17000
tubes, solvents & cleaning materials)	Pollution liability insurance	• Std T&C 660-3
	EVET approval of supplier	Approved Environmental Vendor List (Contact ATCC Representative)
Emergency response	Hazmat/waste release/spill fire safety emergency	Fact Sheet Series 1700 Building Emergency Operations Plan (EOP) (specific to and located on Remote Site Location)
Contract labor/outsourcing for services with environmental implications to be performed	Compliance with all applicable local, state, & federal laws and regulations	• Std T&C 450
on BellSouth Remote Site Location (e.g., disposition of hazardous material/waste; maintenance of storage tanks)	Performance of services in accordance with BST's environmental M&Ps Insurance	 Std T&C 450-B (Contact ATCC Representative for copy of appropriate E/S M&Ps.)
		• Std T&C 660
Transportation of hazardous material	Compliance with all applicable local, state, & federal laws and regulations	Std T&C 450Fact Sheet Series 17000
	Pollution liability insurance	• Std T&C 660-3
	EVET approval of supplier	Approved Environmental Vendor List (Contact ATCC Representative)
Maintenance/operations work which may produce a waste	Compliance with all applicable local, state, & federal laws and	• Std T&C 450
Other maintenance work	regulations	
Other mannerative work	Protection of BST employees and equipment	 29CFR 1910.147 (OSHA Standard) 29CFR 1910 Subpart O (OSHA Standard)

		Page 33
Janitorial services	All waste removal and disposal must conform to all applicable federal, state and local regulations All Hazardous Material and Waste Asbestos notification and protection of employees and equipment	 -Procurement Manager (CRES Related Matters)-BST Supply Chain Services Fact Sheet Series 17000 GU-BTEN-001BT, Chapter 3 BSP 010-170-001BS (Hazcom)
Manhole cleaning	Compliance with all applicable local, state, & federal laws and regulations Pollution liability insurance EVET approval of supplier	 Std T&C 450 Fact Sheet 14050 BSP 620-145-011PR Issue A, August 1996 Std T&C 660-3 Approved Environmental Vendor List (Contact ATCC Representative)
Removing or disturbing building materials that may contain asbestos	Asbestos work practices	GU-BTEN-001BT, Chapter 3 For questions regarding removing or disturbing materials that contain asbestos, call the BellSouth Building Service Center: AL, MS, TN, KY & LA (local area code) 557-6194 FL, GA, NC & SC (local area code) 780-2740

3. **DEFINITIONS**

Generator. Under RCRA, the person whose act produces a Hazardous Waste, as defined in 40 CFR 261, or whose act first causes a Hazardous Waste to become subject to regulation. The Generator is legally responsible for the proper management and disposal of Hazardous Wastes in accordance with regulations.

<u>Hazardous Chemical</u>. As defined in the U.S. Occupational Safety and Health (OSHA) hazard communication standard (29 CFR 1910.1200), any chemical which is a health hazard or physical hazard.

Hazardous Waste. As defined in section 1004 of RCRA.

<u>Imminent Danger</u>. Any conditions or practices at a facility which are such that a danger exists which could reasonably be expected to cause immediate death or serious harm to people or immediate significant damage to the environment or natural resources.

Spill or Release. As defined in Section 101 of CERCLA.

4. ACRONYMS

ATCC - Account Team Collocation Coordinator

BST – BellSouth Telecommunications

CRES - Corporate Real Estate and Services (formerly PS&M)

<u>DEC/LDEC</u> - Department Environmental Coordinator/Local Department Environmental Coordinator

E/S - Environmental/Safety

EVET - Environmental Vendor Evaluation Team

GU-BTEN-001BT - BellSouth Environmental Methods and Procedures

NESC - National Electrical Safety Codes

P&SM - Property & Services Management

Std T&C - Standard Terms & Conditions

THREE-MONTH CLEC REMOTE SITE COLLOCATION FORECAST

	(a) Zevette Binder eggines Av. 190)	Entrance Garallines #26f Sheaths Response	Langoseri Angolteorior Bayra	
		-		

Note: Forecast information will be used for no other purpose than collocation planning.

OLLOCAT	10N - Alabama												Attachi	nent: 4	Exhi	bit: D
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)	1	1
		-	╄				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
HASICVI, CO	DLLOCATION	 	┿										ļ			ļ
III SICAL CI	Physical Collocation - Application Fee - Initial	\vdash	1	CLO	PE1BA		1,879.48	1,879.48	0.51	0.51				ļ	_	· · · · · · · · · · · · · · · · · · ·
	Physical Collocation - Application Fee - Subsequent		 	CLO	PE1CA		1,566 60	1,566.60	0.51	0.51	1			l		<u> </u>
	Physical Collocation - Cageless - Application Fee - Initial	1			PE1CH		1,205 26	1,205.26	0.51	0.51		 		<u> </u>		
	Physical Collocation Administrative Only - Application Fee	1	1	CLO	PE1BL		742.15	1,200.20	0.01	0,01	 		-			
	Physical Collocation - Space Preparation - Firm Order	1	1									<u> </u>			<u> </u>	· · · · · · · · · · · · · · · · · · ·
	Processing	1	1	CLO	PE1SJ))	600.71	600.71			ļ	ļ		}	}	}
	Physical Collocation - Space Preparation - C.O. Modification per square ft.			CLO	PE1SK	1.96									1	
	Physical Collocation - Space Preparation - Common Systems		1							,		}			T	1
	Modification per square ft - Cageless	1		CLO	PE1SL	2.62										
	Physical Collocation - Space Preparation - Common Systems	1		l									ļ	1	1	
	Modification per Cage	—	—	CLO	PE1SM	88.88										
	Physical Collocation - Cable Installation	-	1	CLO	PE1BD		859.71	859.71	22.49	22.49					ļ	ļ
	Physical Collocation - Floor Space per Sq. Ft.	-	-		PE1PJ	3.22							ļ			1
	Physical Collocation - Cable Support Structure	-	-	CLO	PE1CJ	17.11 14.97									-	ł
	Physical Collocation - Cageless - Cable Support Structure Physical Collocation - Power - 48V DC Power, per Fused Amp	-	-	CLO	PE1CJ PE1PL	7.83			_							-
-+	Physical Collocation - Power Reduction, Application Fee	 	+	CLO	PE1PR	7.03	399.51								-	1
	Physical Collocation - Power Reduction, Application Fee	-	 	CLO	PEIPR		399.51				_				ļ	·
	Physical Collocation - 120V, Single Phase Standby Power Rate		_	CLO	PE1FB	4.91						<u></u>				<u> </u>
_	Physical Collocation - 240V, Single Phase Standby Power Rate	<u> </u>	<u> </u>	CLO	PE1FD	9.84										
	Physical Collocation - 120V, Three Phase Standby Power Rate	<u> </u>		CLO	PE1FE	14.74	-			-					ļ	ļ
	Physical Collocation - 277V, Three Phase Standby Power Rate	ļ		CLO	PE1FG	34 06							<u> </u>	ļ	ļ	ļ
				UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, UDL, UNCVX,		0.00	40.00	44.00	6.03	5.44						
	Physical Collocation - 2-Wire Cross-Connects	·	-	UNLDX, UNCNX	PE1P2	0.03	12.30	11.80	6.03	5.44		-			_	
	Physical Collocation - 4-Wire Cross-Connects			CLO, UAL, UDL, UDN, UEA, UHL, UNCVX, UNCDX, UCL	PE1P4	0.05	12 39	11,87	6.39	5 73			-			
	Triyancai Odiobalidi 1 4 Wile Orosa Odifilotis			CLO.UEANL.UEQ.W DS1L,WDS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1,												
	Physical Collocation - DS1 Cross-Connects	1	1	UDL	PE1P1	1.11	22.03	15.93	6.40	5.79	l	l	l		<u> </u>	L
	priysical Conocalion - UST Cross-Connects			CLO, UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3,	TEIFT			75.55					-			
	Dhypinal Callegation DC2 Cross Connects	1	1	U1TS1,ULDS1, UNLD3, UDL	PE1P3	14.16	20.89	15.20	7.38	5.92	[l _	L			
	Physical Collocation - DS3 Cross-Connects			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3,	, E,1 3	176.10	20.00									
	Physical Collocation - 2-Fiber Cross-Connect	L	1.	UDL12, UDF	PE1F2	2.81	20 89	15.20	7.38	5,92		<u> </u>		ļ <u> </u>		
				CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3,			-									
l	Physical Collocation - Cageless - 2 Fiber Cross Connect		1	UDL12, UDF	PE1CK	2.84	20.89	15.20	7.38	5.92	L	L	1		1	

COLLOCAT	ON - Alabama													nent; 4		bit: D
CATEGORY	RATE ELEMENTS	Interi m	Zone	BČŠ	USOC			RATES(\$)				Submitted Manually	incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring		COME	SOMAN	OSS SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
			Ļ				First	Addʻl	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SUMAN	SOMAN
	Physical Collocation - 4-Fiber Cross-Connect			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1F4	4.99	25.55	19.86	9.71	8.25						
				CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3,						-						
	Physical Collocation - Cageless - 4-Fiber Cross-Connect		<u> </u>		PE1CL	5 69	25.55	19.86	9.71	8.25	ļ			ļ		
	Physical Collocation - Welded Wire Cage - First 100 Sq. Ft.		ļ		PE1BW	156.33							 		 	
	Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.		ļ	CLÓ	PE1CW	15.34					 		 		 	
	Physical Collocation - Security Access System - Security System per Central Office		<u> </u>	СГО	PE1AX	45.70										ļ
	Physical Collocation - Security Access System - New Access Card Activation, per Card		<u> </u>	сго	PE1A1	0 05	27.79	27.79								
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card			CLO	PE1AA		7 79	7.79								
	Physical Collocation - Security Access System - Replace Lost or		T													
	Stolen Card, per Card				PE1AR	ļ	22.78	22 78			 			 		+
	Physical Collocation - Secunty Access - Initial Key, per Key		<u> </u>	CLO	PE1AK	ļ	13.10	13.10						ļ- 		+
	Physical Collocation - Security Access - Key, Replace Lost or	l					40.40	13.10						1		
	Stolen Key, per Key		-	CLO	PE1AL PE1SR		13.10	1,075.17								
	Physical Collocation - Space Availability Report per premises POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, UDL, UNCVX, UNCDX, UNCNX	PE1PE	0.08	-	-								-
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, USL, UNCVX, UNCDX	PE1PF	0.17				-			-			
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, WDS1L, W DS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1	PE1PG	1.20										
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UDL, UULSX		10 67										
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF		36.40										

CATEGORY	iv - Adavania						-				Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Submitted Elec per LSR	Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring First	Disconnect Add'l	COMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B4	49 09	First	Add'I	riist	Audi	SOMEO	SOME	Sometic	John		
	Physical Collocation - Request Resend of CFA Information, per			21.0	DE 400		77.56						1	İ		
	OLLI	 	├	CLO	PE1C9 PE1CR		759.29	488.11	133.00	133.00			 			
	Nonrecurring Collocation Cable Records - per request	<u> </u>		<u> </u>	PEICH		733.23	400.11	100.00	100.00						
l c	cable record			CLO	PE1CD		326.92	326.92	189.12	189 12						ļ
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per										ļ		1		ļ	
	each 100 pair		L	CLO	PE1CO		4.81	4 81	5.90	5.90 2.76				 -		
	Nonrecurning Collocation Cable Records - DS1, per T1TIE	<u> </u>	<u> </u>	CLO	PE1C1		2.25	2.25 7.88	2.76 9.66	9.66	ļ					
	Nonrecurring Collocation Cable Records - DS3, per T3TIE		 	Cro	PE1C3		7.88	7.88	9.00	9 00					 	
	Nonrecurring Collocation Cable Records - Fiber Cable, per 99		1	cro	PE1CB		84 49	84.49	77.13	77.13				Į.		
	ber records Physical Collocation - Security Escort - Basic, per Half Hour		 	CLO.CLORS	PE1BT		16.93	10.73	77.10	770				· · · · · · · · · · · · · · · · · · ·		
P	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE1OT		22.05	13.86			<u> </u>			<u> </u>		
	Physical Collocation - Security Escort - Premium, per Half Hour			CLO,CLORS	PE1PT		27.17	16.98							<u> </u>	
	V to P Conversion, Per Customer Request-Voice Grade	ļ	_	CLO	PE1BV	33.00							 			
	V to P Conversion, Per Customer Request-DS0		<u> </u>	CLO	PE1BO PE1B1	33.00 52.00					 	 	 		1	
	V to P Conversion, Per Customer Request-DS1		∤	CLO CLO	PE183	52.00						1		 	† · · · · · · · · · · · · · · · · · · ·	
	V to P Conversion, Per Customer request-DS3	1	-	CLO	FEIDO	32.00						t — —				1
l life	V to P Conversion, Per Customer Request per VG Circuit Reconfigured	<u> </u>		CLO	PE1BR	23.00			l			ļ	 	 	ļ	
1	V to P Conversion, Per Customer Request per DS0 Circuit Reconfigured			CLO	PE1BP	23.00					ļ	<u> </u>				
F	V to P Conversion, Per Customer Request per DS1 Circuit Reconfigured	<u> </u>		CLO	PE1BS	33.00										
	V to P Conversion, Per Customer Request per DS3 Circuit Reconfigured			CLO	PE1BE	37.00								<u> </u>	 	
	V to P Conversion, Cable Pairs Assigned to Collo Space per 700 prs or fraction thereof			CLO	PE1B7	592 00							-			<u> </u>
 	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable										1			1	1	1
1 1 19	Support Structure, per cable, per linear ft.			CLO,UDF	PE1ES	0.0011			 			 	 	 	 	
1 1 10	Physical Collocation - Co-Carrier Cross Connects - Copper/Coas Cable Support Structure, per cable, per lin. ft			CLO, UE3, USL	PE1DS	0.0016					<u> </u>	ļ <u> </u>			<u> </u>	
	Physical Collocation - Co-Carner Cross Connects - Application Fee, per application		Ĭ	CLO	PE1DT		584.22							ļ		<u> </u>
PHYSICAL COL		1	\top								ļ			 		+
T I	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			UEPSR	PE1R2	0.03	12.30	11.80	6.03	5.44	Ì	15.66	-			
F	Wire Analog - Res Physical Collocation 2-Wire Cross Connect, Exchange Port 2-	 	† –	UEPSP	PE1R2	0.03	12.30	11.80		5.44		15.66				<u> </u>
	Wire Line Side PBX Trunk - Bus Physical Collocation 2-Wire Cross Connect, Exchange Port 2-	1	†-		PE1R2	0.03	12.30	11.80		5.44		15.66				
	Wire Voice Grade PBX Trunk - Res Physical Collocation 2-Wire Cross Connect, Exchange Port 2-	+	†	UEPSE				11.80		5.44		15 66				
1 1 1	Wire Analog - Bus Physical Collocation 2-Wire Cross Connect, Exchange Port 2-	┼	+	UEPSB	PE1R2	0 03	12.30	T .		5.44		15.66				
1 1 1	Wire ISDN Physical Collocation 2-Wire Cross Connect, Exchange Port 2-	\vdash	+-	UEPSX	PE1R2	0.03	12.30	11.80				15.66				
1 1 1	Wire ISDN Physical Collocation 4-Wire Cross Connect, Exchange Port 4-	 	-	UEPTX	PE1R2	0.03	12 30	11.80		5.44		15.66		+	1	
							12.39	11.87	6.39	5.73						

COLLOCA	TION - Alabama												Attachi			bit; D
		· ·		1		1					Svc Order	Svc Order	Incremental	Incremental	Incremental	Increment
		;	ļ								Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		l	ľ								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
onao		m		1		1					1 50	,	Electronic-	Electronic-	Electronic-	Electronic
	í	1	ſ	ĺ	(ł	ł	1st	Add'l	Disc 1st	Disc Add
						L					<u> </u>	L			Dido ide	Diac Add
						Rec	Nonrec		Nonrecurring		SOMEC	SOMAN	SOMAN	Rates(\$)	SOMAN	SOMAN
			┞				First	Add'l	First	Add'l	SOMEC	SUMAN	SUMAN	SOMAN	SOMAN	SUMAN
	Adjacent Collocation - Space Charge per Sq. Ft.		—	CLOAC	PE1JA	0.14										
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.	↓	—	CLOAC	PE1JC	5.41					ļ.——					
	Adjacent Collocation - 2-Wire Cross-Connects	L	↓_	CLOAC	PE1P2	0.02	12 30	11.80	6.03	5.44			<u> </u>			
1		ļ	1	UEA,UHL,UDL,UCL,	l	11]	J	}	1	l	l
	Adjacent Collocation - 4-Wire Cross-Connects	_	ļ	CLOAC	PE1P4	0 04	12 39	11.87	6 39	5 73						
	Adjacent Collocation - DS1 Cross-Connects			USL,CLOAC	PE1P1	1.03	22.03	15.93	6.40	5.79						
	Adjacent Collocation - DS3 Cross-Connects		<u> </u>	CLOAC	PE1P3	13.95	20.89	15 20	7.38	5.92		ļ				ļ
	Adjacent Collocation - 2-Fiber Cross-Connect		ļ	CLOAC	PE1F2	2.36	20.89	15 20	7.38	5.92			ļ <u>.</u>		ļ ———	
	Adjacent Collocation - 4-Fiber Cross-Connect		-	CLOAC	PE1F4	4.52	25.55	19.86	9.71	8.25	1	ļ <u> </u>				_
	Adjacent Collocation - Application Fee			CLOAC	PE1JB		1,576.69		0.51		<u> </u>					ļ
1 1	Adjacent Collocation - 120V, Single Phase Standby Power Rate	I	1	1	1	i					1	1		1	1	1
	per AC Breaker Amp			CLOAC	PE1FB	4 91					ļ				 	ļ
	Adjacent Collocation - 240V, Single Phase Standby Power Rate	1	1			ll					1	1	1	ĺ	1	1
	per AC Breaker Amp	ļ		CLOAC	PE1FD	9 84					ļ—					
	Adjacent Collocation - 120V, Three Phase Standby Power Rate	ì	i								1	1	!	l	1	1
	per AC Breaker Amp	<u> </u>	<u> </u>	CLOAC	PE1FE	14.74					 	 			ļ ———	
1 1	Adjacent Collocation - 277V, Three Phase Standby Power Rate	1		1		1					1	1	1		ļ	1
	per AC Breaker Amp		\vdash	CLOAC	PE1FG	34 06										
	Adjacent Collocation - DC power provisioning		↓	CLOAC			ICB				ļ				ļ	ļ.——
	Note: ICB means Individual Case Basis	<u> </u>	-		L						 				 	ļ
PHYSICAL (COLLOCATION IN THE REMOTE SITE	1	_		<u> </u>				- 100 00						 	
	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		307.70	307.70	168.22	168.22						
	Cabinet Space in the Remote Site per Bay/ Rack		_	CLORS	PE1RB	201.42					 				ļ	-
1 1		1	1	l		1	40.5	40.40					1	I	i	1
	Physical Collocation in the Remote Site - Security Access - Key	↓	-	CLORS	PE1RD_	ļ	13.10	13.10			 					+
1 1	Physical Collocation in the Remote Site - Space Availability	1	1	1	l	1					1		1		1	1
	Report per Premises Requested		↓	CLORS	PE1SR		115.87	115.87							 	+
1 1	Physical Collocation in the Remote Site - Remote Site CLLI		1	Í	l	(i				l	1	l	1	Į	1	ļ
LL_	Code Request, per CLLI Code Requested			CLORS	PE1RE	1	37.56	37.56	<u> </u>		+	+	 -	 	 	
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO	<u> </u>	┷-	CLORS	PEIRR	ļ——	233.38					 	 	 	 	+-
PHYSICAL	COLLOCATION IN THE REMOTE SITE - ADJACENT	↓	↓		 _	 					 -		 	 	+	+
		1	1	I	1				1		1	İ	ì	1		
	Remote Site-Adjacent Collocation - AC Power, per breaker amp		-	CLORS	PE1RS	6 27					+-				+	
		1	1	1	I				1	l		i		1	1	I
	Remote Site-Adjacent Collocation - Real Estate, per square foot	1		CLORS	PE1RT	0.134		755.00	·		+	 	+			+
	Remote Site-Adjacent Collocation-Application Fee	1	1	CLORS note site collocation	PE1RU		755.62	755.62					 		 	

COLLOCATI	ON - Florida													ment: 4		bit: D
			T								Svc Order	Svc Order	Incremental	Incremental	Incremental	incremental
			1								Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi	1								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			l .								}	l [*]	Electronic-	Electronic-	Electronic-	Electronic-
		1				}					}	 	1st	Lappy T	Diec 1et	Disc Add'i
		-					Name		Mannaumla	Disconnect			000	Rates(\$)	<u> </u>	
		-	-			Rec	First	Add'i	First	Add'l	SOMEC	SOMAN			SOMAN	SOMAN
 		 	+				Filast	Auu i	riibi	Auu	JOINEO	- OOMAN	JOHEN	SOME	COMPAN	COMPAR
PHYSICAL CO	LLOCATION		1												† 	<u> </u>
1	Physical Collocation - Application Fee - Initial		 	CLO	PE1BA		2,597 00		1.01							
	Physical Collocation - Application Fee - Subsequent		t	CLO	PE1CA		2,236.00		1.01							
	Physical Collocation Administrative Only - Application Fee		1	CLO	PE1BL		742.00							I	T	
	Physical Collocation - Space Preparation - Firm Order	Ι	T	1						1						
	Processing	.	1	CLO	PE1SJ		288.93					<u> </u>		\	<u> </u>	
!	Physical Collocation - Space Preparation - C.O. Modification per		1												1	1
	square ft.	ļ		CLO	PEISK	2.38									ļ	
	Physical Collocation - Space Preparation - Common Systems	l	1		1		i			1	1	1		1	ł	
<u> </u>	Modification per square ft Cageless		1	CLO	PEISL	2 96						 				
1	Physical Collocation - Space Preparation - Common Systems	1	1	CLO	PE1SM								1		1	1
l	Modification per Cage Physical Collocation - Cable Installation per Cable	├	1	Cro	PE1BD	92.55	4 750 00		45:16		 				 	+
	Physical Collocation - Cable Installation per Cable Physical Collocation - Floor Space per Sq. Ft.		-	CLO	PE1PJ	7.98	1,750.00		45:16			 	 	 		+
	Physical Collocation - Cable Support Structure	 	+	CFO	PE1PM	18.96		-							 	
	Physical Collocation - Power, per Fused Amp		 	CLO	PE1PL	7.80								 		
	Physical Collocation - Power Reduction, Application Fee	1-1-	1	CLO	PE1PR	7.00	399.43				1 11 1					
		-	1													1
1 1	Physical Collocation - 120V, Single Phase Standby Power Rate	į))cro	PE1FB	5,38					<u> </u>	<u> </u>				
		\vdash	\top								1					1
	Physical Collocation - 240V, Single Phase Standby Power Rate		1	CLO	PE1FD	10.77						<u> </u>				
		I	T	\					ł	i	1	1	ł	ł	i	
	Physical Collocation - 120V, Three Phase Standby Power Rate	<u> </u>		CLO	PE1FE	16 15					ļ		<u> </u>			
		ļ .	1					ĺ	[ĺ	ĺ	1	İ	1	1	
L	Physical Collocation - 277V, Three Phase Standby Power Rate	L		Cro	PETFG	37.30					 	 		ļ	 	
}])	ì	1	l	ì			[1	1	
		i	1	UEANL,UEA,UDN,U	•							1	1			i
			1	DC,UAL,UHL,UCL,U EQ, UDL, UNCVX,	t						1	1	1	1	1	1
	Sharanal Callanation - Calling Company]	1	UNLDX, UNCNX	PE1P2	0.0276	8.22	722	5.74	4.58		1		Į.	1	1
	Physical Collocation - 2-Wire Cross-Connects	1-	+	ICLO, UAL, UDL,	PEIPZ	9.9276	0:46	1 ==	8:79	4.36		1	1	1		
1 1		1	1	UDN, UEA, UHL,		į		į			l	1		1		1
1		1		UNCVX, UNCDX,		İ		i	ļ	ł	i	1	l .	1		1
	Physical Collocation - 4-Wire Cross-Connects	ļ	ļ	UCL	PE1P4	0 0662	8,42	7.36	5.90	4.66	į.		l		L	1
	Physical Conocanon - 4-Wile Cross-Connects	 	+	CLO,UEANL,UEQ,W	1	- USBE	J	1		1	ĺ		-	Ī	1	ì
1				DS1L,WDS1S, USL,							1		i	1		1
1 1				U1TD1, UXTD1,							1		ı	1	1	ĺ
1 1		i		UNC1X, ULDD1,		1			l		1				1	1
ł 1		i	i	USLEL, UNLD1,	l	1				1	1		!		1	1
l 1	Physical Collocation - DS1 Cross-Connects	I	1	UDL	PE1P1	1.32	27.77	15.52	5.93	4.77	 	 				+
F 1		1	1	CLO, UE3,U1TD3,		T		l	1		1	1	1	ĺ	{	1
		1		UXTD3, UXTS1,				ł		ı		1			1	1
i		1		UNC3X, UNCSX,	l						i	f	1	1	1	1
1				ULDD3,		1		ļ			1	1	· ·	i	1	1
				U1TS1,ULDS1,					l		l .	1	1	l	1	i
	Physical Collocation - DS3 Cross-Connects		+-	UNLD3, UDL	PE1P3	16.81	25.48	14.05	7.77	5.01		 	1		1	
1		1	ì	CLO, ULDO3,	1	į.	i	1	ĺ		1	1	1	1	ĺ	ļ
1 1		1	1	ULD12, ULD48,		}		-			1	i	1		1	1
1 1		İ	1	U1TO3, U1T12,				I			1		I	1	1	1
		1	1	U1T48, UDLO3,	PE1F2	3.34	41.94	30.52	13.91	11.16	1		ł	1	1	1
	Physical Collocation - 2-Fiber Cross-Connect	\leftarrow	+	UDL12, UDF	PEIPZ	3.34	41.94	30.52	13.81	1.0				1	1	
			1	CLO, ULDO3, ULD12, ULD48,	l	1			I	1	1	1	1	1	1	1
		1	1	U1TO3, U1T12,	l	1			1		i	1	I	1	1	1
1 1		1	1	U1T48, UDLO3,	l	1			1	1	1	1	1	1	1	1
1 1	Physical Collocation - 4-Fiber Cross-Connect	1	1	UDL12, UDF	PE1F4	5.92	51.90	39,87	18.29	15 54					_	
 	Physical Collocation - 4-Fiber Cross-Connect Physical Collocation - Welded Wire Cage - First 100 Sq. Ft.	+	-	CLO	PETBW	189.45	1								_	4
	Physical Collocation - Welded Wire Cage - Hist 100 Cq. Ft.	+	+	CLO	PETCW	18.58	1				1		<u> </u>	1	1	

COLLOCAT	ION - Florida													nent: 4		bit: D
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonreci		Nonrecurring			Loomin		Rates(\$)	001111	SOMAN
ļ	De la Collection Control Office Description		ļ				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Security System Per Central Office Per Assignable Sq. Ft			CLO	PE1AY_	0.0105										
	Physical Collocation - Security Access System - New Access Card Activation, per Card			CLO	PE1A1	0 0577	55.80									
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card			cro	PE1AA		15.65									
	Physical Collocation - Security Access System - Replace Lost or	l		CLO	PE1AR		45 75		i				1			
 	Stolen Card, per Card Physical Collocation - Security Access - Initial Key, per Key	 	+	CLO	PE1AK	 	26 30				 	 	 			
 	Physical Collocation - Security Access - Initial Key, per Key Physical Collocation - Security Access - Key, Replace Lost or		\vdash	1010	C LAIN	 	20.30				 	1	-			
i	Stolen Key, per Key			CLO	PE1AL		26 30		l			1	1	1		1
 	Physical Collocation - Space Availability Report per premises		 	CLO	PE1SR	 	2,159.00		· · · · · · · · · · · · · · · · · · ·		 	1	 	 		
	POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect,			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,UDL, UNCVX, UNCDX,			_,									
	per cross-connect		↓	UNCNX	PE1PE_	0.00	<u> </u>				 	 		 	ļ	
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, USL, UNCVX, UNCDX	PE1PF	0 00										
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, WDS1L, W DS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1	PE1PG	0.00	-	-								
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULD03, U1TS1, ULDS1, UNLD3, UDL, UDLSX	PE1PH	0.00							-			
	POT Bay Arrangements pnor to 6/1/99 - 2-Filber Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, ULDO3, ULD12, ULD48, U1T03, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B2	0.00										
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF		0.00										
	Physical Collocation - Request Resend of CFA Information, per				DE460	1]		ŀ	1	1		1	_
	CLĹI	ـــــ	 	CLO	PE1C9	 	77.54	980.22	267.08		+	 	 	 	1	1
	Nonrecurring Collocation Cable Records - per request	<u> </u>	4	CLO	PE1CR	 	1,525.00	980,22	207.08		+	+	 	\vdash	$\overline{}$	
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per cable record			CLO	PE1CD		656.50		379,78		<u> </u>			<u> </u>	-	
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per each 100 pair		-	cro	PE1CO		9.66	9.66	11.84	11.84	<u> </u>	<u> </u>	<u> </u>	L	l	<u> </u>

COLLOCAL	ION - Florida												Attach	nent: 4	Exhil	bit: D
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge -	Incrementa Charge -
						Rec	Nonrec			Disconnect			oss	Rates(\$)		
	Noncourses Collegenes Coble Beauty DOS TATIS				ļ		First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurning Collocation Cable Records - DS1, per T1TIE Nonrecurning Collocation Cable Records - DS3, per T3TIE		1	CLO	PE1C1		4.52	4 52	5.54	5.54	1					
	Nonrecurring Collocation Cable Records - Fiber Cable, per 99	ļ		CLO	PE1C3		15.82	15.82	19 40	19.40						
	fiber records			CLO	PE1CB		169.67	169.67	154.89	154.89						
	Physical Collocation - Security Escort - Basic, Per Quarter Hour			CLO	PE1BQ					l						
	Physical Collocation - Security Escort - Overtime, Per Quarter			CLO	PE18Q		10.89									
	Hour			CLO	PE10Q		13 64									
	Physical Collocation - Security Escort - Premium, Per Quarter	 -	-	000	7 2 100		13 64		-							
	Hour	ŀ		lcro	PE1PQ		16 40									
	Physical Collocation - Security Escort - Basic, per Half Hour			CLO,CLORS	PE1BT		33 99	21.54				<u> </u>			 	
ŀ												· · · · · ·				
	Physical Collocation - Security Escort - Overtime, per Half Hour	L	<u> </u>	CLO,CLORS	PE1OT		44.27	27 82							l	1
	Physical Collegator County Front Burning				L										I	
	Physical Collocation - Security Escort - Premium, per Half Hour V to P Conversion, Per Customer Request-Voice Grade			CLO,CLORS	PE1PT		54.55	34.10								
	V to P Conversion, Per Customer Request-DS0	<u> </u>		CLO	PE18V	33 00										
	V to P Conversion, Per Customer Request-DS1			CLO	PE180	33 00										
	V to P Conversion, Per Customer request-DS3	<u> </u>	<u> </u>	CLO	PE1B1	52 00					ļ					L
	V to P Conversion, Per Customer Request per VG Circuit			CLO	PE1B3	52.00					ļ	ļ				
	Reconfigured			CLO	PE1BR	23.00										
	V to P Conversion, Per Customer Request per DS0 Circuit Reconfigured		l i	CLO	1,500		ŀ				ŀ	!				1
	V to P Conversion, Per Customer Request per DS1 Circuit			CLO	PE1BP	23.00										
	Reconfigured			CLO	PE1BS	33 00		4 8								
	V to P Conversion, Per Customer Request per DS3 Circuit Reconfigured			CLO	PE1BE	37.00	-									
	V to P Conversion, Cable Pairs Assigned to Collo Space per 700			010	I CIDC	37.00										
	prs or fraction thereof			CLO	PE1B7	592.00	ł									1
	Physical Collocation - Co-Carner Cross Connects - Fiber Cable Support Structure, per cable, per linear ft.			CLO.UDF	PE1ES	0.001									***	
	Physical Collocation - Co-Carner Cross Connects - Copper/Coax															
ļ.	Cable Support Structure, per cable, per lin ft.] ,	CLO, UE3, USL	PE1D\$	0 0014	l				1					ı
	Physical Collocation - Co-Carner Cross Connects - Application				1											
ŀ	Fee, per application			CLO	PE1DT		584.11									ı
PHYSICAL CO																
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-				1											
	Wire Analog - Res			UEPSR	PE1R2	0.074	34.53	32.51				11.90				L
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															l .
	Wire Line Side PBX Trunk - Bus			UEPSP	PE1R2	0.074	34.53	32.51				11.90				⊢——
1	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			HEDOC								44.00				l .
	Wire Voice Grade PBX Trunk - Res		├	UEPSE	PE1R2	0.074	34.53	32.51				11.90				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Analog - Bus			UEPSB	PE1R2	0.074	34.53	32.51				11.90				1
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-		\vdash	QLF QD	IT E ITIE	0.074	34.33	32.31				11.00				
1	Wire ISDN			UEPSX	PE1R2	0.074	34.53	32.51				11.90				I
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			OLI ON	1 11.16	V.0/4	0-,30	JE.31				1,,,50				
	Wire ISDN			UEPTX	PE1R2	0.074	34.53	32.51				11 90				
	Physical Collocation 4-Wire Cross Connect, Exchange Port 4-															
	Wire ISDN DS1		اـــا	UEPEX	PE1R4_	0.148	34 54	32.53				11.90				
ADJACENT C	OLLOCATION															
	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.1635										
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	5.11										
	Adjacent Collocation - 2-Wire Cross-Connects			CLOAC	PE1P2	0.0213	24 69	23.69	11.77	10.62						<u> </u>
				UEA,UHL,UOL,UCL,												1
	Adjacent Collocation - 4-Wire Cross-Connects			CLOAC	PE1P4	0 0426	24.88	23.83	12.04	10 80						
	Adjacent Collocation - DS1 Cross-Connects			USL,CLOAC	PE1P1	1.22	44.24	31.98	12.07	10.91						
	Adjacent Collocation - DS3 Cross-Connects			CLOAC	PE1P3	16.56	41.94	30.52	13 91	11.15						
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F2	2.81	41.94	30 52	13 91	11.16	L					

COLLOCA	TION - Florida												Attach	ment: 4	Exhi	bit: D
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge - Manual Sv Order vs.
						Rec	Nonreci	urring	Nonrecurring	Disconnect	· · · · · ·		oss	Rates(\$)	L	
						1 Mec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1F4	5.36	51.30	39.87	18.29	15.54						1
	Adjacent Collocation - Application Fee			CLOAC	PE1JB		2,785.00		1.01					 		+
	Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1F8	5.38										
	Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FD	10.77										1
	Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FE	16.15										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FG	37.30										
	Adjacent Collocation - Cable Support Structure per Entrance Cable			CLOAC	PE1PM	18.96						-	-			1
PHYSICAL C	OLLOCATION IN THE REMOTE SITE					10.00			-							
	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		617.91		328 81		 					+
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	219.49										
	Physical Collocation in the Remote Site - Security Access - Key		<u></u> .	CLORS	PE1RD		26 30									
	Physical Collocation in the Remote Site - Space Availability Report per Premises Requested			CLORS	PE1SR		232.69									
	Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested			CLORS	PE1RE		75,41									
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		233 51			"	!			 		
HYSICAL C	OLLOCATION IN THE REMOTE SITE - ADJACENT															
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755 62	755.62			1					

COLLOCAT	ION - Georgia		-							nent: 4		oit: D				
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RATES(\$)			Submitted Elec		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Etectronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svi Order vs. Electronic Disc Add'l	
			-			Rec -	Nonrec First	urring Add'l	Nonrecurrir First	ng Disconnect Add'l	SOMEC	SOMAN		Rates(\$) SOMAN	SOMAN	SOMAN
										<u> </u>						
PHYSICAL CO		ļ	↓							<u> </u>			ļ	ļ	ļ	
	Physical Collocation - Application Fee - Initial	<u> </u>	ļ	CLO	PE1BA	<u> </u>	3,850.00	2 4 2 2 2 2		·				ļ		
 	Physical Collocation - Application Fee - Subsequent	<u> </u>	ļ	Cro	PE1CA PE1BL	<u> </u>	3,130.00 740.83	3,130 00	<u> </u>	 				ļ		
 	Physical Collocation Administrative Only - Application Fee Physical Collocation - Space Preparation Fee Per Square Ft.	-	} -	CLO	PEISS	 -	100.00	100.00	 	· ·	 		 	 		
 	Physical Collocation - Space Preparation - Firm Order	 	+	OLO	FE 133	 -	100.00	100.00			 				 	
1 1	Processing	1 1	ì	CLO	PE1SJ	1	1,187.00		i	1	1	ł		ļ		1
	Physical Collocation - Space Preparation - C.O. Modification per square ft			Cro	PE1SK	2.02										
	Physical Collocation - Space Preparation - Common Systems Modification per square ft - Cageless	1		CLO	PEISL	2.80										
	Physical Collocation - Space Preparation - Common Systems	1	1			 	<u>-</u>		T	1						
	Modification per Cage	1_1_	1	CLO	PE1SM	95.23			L		<u> </u>	ļ <u>.</u>	L	ļ		
	Physical Collocation - Cable Installation			CLO	PE1BD		2,750.00	2,750.00		ļ	ļ					ļ. <u>. </u>
	Physical Collocation - Floor Space per Sq. Ft.			CLO	PE1PJ	7 50			 	 	ļ	<u> </u>		ļ		
	Physical Collocation - Floor Space - Zone B per Sq. Ft.	<u> </u>	↓	CLO	PEIPK	6 75				 	ļ. —		 		 	
L	Physical Collocation - Cable Support Structure	1	 	CLO	PE1PM	13.35				 	 		ļ.———			
	Physical Collocation - Power -48V DC Power, per Fused Amp	 	 	CLO	PE1PL	8.06	And da			 	 		 	 		
	Physical Collocation - Power Reduction, Application Fee	—-	 	CLO	PE1PR	ļ	398.80		 		+		 	 	 	
	Physical Collocation - 120V, Single Phase Standby Power Rate	1	ļ	cro	PE1FB	5.52					ļ		ļ			ļ
	Physical Collocation - 240V, Single Phase Standby Power Rate	<u> </u>		CLO	PE1FD	11.05				<u> </u>				ļ		
	Physical Collocation - 120V, Three Phase Standby Power Rate		-	сго	PE1FE	16.58				<u> </u>	 	ļ	ļ	-	 	
	Physical Collocation - 277V, Three Phase Standby Power Rate	<u> </u>	_	CLO	PE1FG	38.27		-	ļ	ļ	ļ	ļ	 			
	Physical Collocation - 2-Wire Cross-Connects			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, UDL, UNCVX, UNLDX, UNCNX	PE1P2	0.30	12 60_	12.60					-			
	Physical Collocation - 4-Wire Cross-Connects			CLO, UAL, UDL, UDN, UEA, UHL, UNCVX, UNCDX, UCL	PE1P4	0.50	12.60	12.60								
				CLO,UEANL,UEQ,W DS1L,WDS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1,			see ou	27.00								
	Physical Collocation - DS1 Cross-Connects			UDL CLO, UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1,	PE1P1	8 00	155.00	27.00								
	Physical Collocation - DS3 Cross-Connects	-	┤—	JUNLD3, UDL CLO, ULDO3, ULD12, ULD48,	PE1P3	72.00	155.00	27.00		 						
	Physical Collocation - 2-Fiber Cross-Connect			U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1F2	2.8€	52.14	38.72								
	PHYSICAL CONOCATION - 2-PIDER CHOSS-COMPRECE			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3,			· · · · ·									
1 1	Physical Collocation - 4-Fiber Cross-Connect	1	1	UDL12, UDF	PE1F4	5.08	64 74	51.31	<u> </u>				<u> </u>			

COLLOCAT	ON - Georgia			<u>, </u>										ment: 4	Exhil	oit: D
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'i
						Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	OSS SOMAN	Rates(\$)	SOMAN	SOMAN
	Physical Collocation - Welded Wire Cage - First 100 Sq. Ft		L	CLO	PE1BW	161.27								500070	OUMAIN	SOMAN
	Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.	1	<u> </u>	CLO	PE1CW	15 82										
	Physical Collocation - Security System Per Central Office Per Assignable Sq. Ft. Physical Collocation - Security Access System - New Access			CLO	PE1AY	0 0172										
_	Card Activation, per Card			CLO	PE1A1	0.0607	46 20	46.20			İ					
	Physical Collocation - Security Access System - New Access Card Deactivation, per Card			CLO	PE1A4		8.72	8 72								
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card			CLO	PE1AA		15.40	15,40								
	Physical Collocation - Security Access System- Replace Lost or Stolen Card, per Card			cro	PE1AR		45.02	45.02								
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		26.16	26.16	<u> </u>		···					
	Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key			CLO	PE1AL		26.16	26 16								
	Physical Collocation - Space Availability Report per premises	-	⊢	CLO UEANL,UEA,UDN,U	PE1SR	 	2,148.00	2,148.00								
	POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect			DC,UAL,UHL,UCL,U EQ,CLO,UDL, UNCVX, UNCDX, UNCNX	IPE1PE	0.40										
	POT Bay Arrangements pnor to 6/1/99 - 4-Wire Cross-Connect, per cross-connect				PE1PF	1.20										
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, WDS1L, W DS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1	PE1PG	1.20										
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UDL, UDLSX	PE1PH	8.00							-			
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UUL12, UDF	PE1B2	38.79										
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE182	52.31		<u>-</u>								
	Physical Collocation - Request Resend of CFA Information, per CLLI			CLO	PE1C9		- 77,42									
	Nonrecurring Collocation Cable Records - per request	 	-	CLO	PEICR		1,706.00		 							

COLLOCAL	ION - Georgia												Attach	ment: 4	Exhil	bit: D
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(S)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.
						Rec	Nonrec			g Disconnect			OSS	Rates(\$)		
	Nonrecurring Collocation Cable Records • VG/DS0 Cable, per		 				First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1	cable record			CLO	PE1CD		922.38				1	1		i	1	
	Nonrecurning Collocation Cable Records - VG/DS0 Cable, per			0.0	1 2102		32E.00				├──					
	each 100 pair			CLO	PE1CO		18.00	18.00			1				Ì	
	Nonrecurring Collocation Cable Records - DS1, per T1TIE			CLO	PE1C1		8.43	8.43							·	
	Nonrecurring Collocation Cable Records - DS3, per T3TIE			CLO	PE1C3		29.49	29.49								
	Nonrecurring Collocation Cable Records - Fiber Cable, per 99	l														
	fiber records Physical Collocation - Security Escort - Basic, per Half Hour			CLO	PE1CB		278 61	278 61			İ				L	
	Physical Collocation - Security Escort - Basic, per Hair Hour			CLO,CLORS	PE1BT		41.00	25 00			ļ					
	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PETOT		48.00	30.00					ļ	ŀ		
			 	0-0,000/10			40.00	30.00			 			 		
	Physical Collocation - Security Escort - Premium, per Half Hour			CLO,CLORS	PE1PT		55.00	35.00		I				1		1
	V to P Conversion, Per Customer Request-Voice Grade		1	CLO	PE1BV	33 00					1					i
	V to P Conversion, Per Customer Request-DS0				PE1BO	33 00										
	V to P Conversion, Per Customer Request-DS1		ļ		PE1B1	52 00										
	V to P Conversion, Per Customer request-DS3		\vdash	CLO	PE1B3	52 00					ļ					
	V to P Conversion, Per Customer Request per VG Circuit Reconfigured		1 1	CLO	PE1BR					1					İ	
	V to P Conversion, Per Customer Request per DS0 Circuit		-	CEO	PETBR	23.00										
	Reconfigured		1	CLO	PE1BP	23.00				l .						1
	V to P Conversion, Per Customer Request per DS1 Circuit		-	020	FEIDF	23.00					ļ					
	Reconfigured		1	CLO	PE1BS	33.00				i	i					1
	V to P Conversion, Per Customer Request per DS3 Circuit					- 00.00										
	Reconfigured		l i	CLO	PE1BE	37.00					ľ			ļ	•	
	V to P Conversion, Cable Pairs Assigned to Collo Space per 700															
	prs or fraction thereof			CLO	PE1B7	592.00					1	L				
	Physical Collocation - Co-Carner Cross Connects - Fiber Cable		1					-								
	Support Structure, per cable, per linear ft			CLO,UDF	PE1ES	0 001					<u> </u>					
į į	Physical Collocation - Co-Carner Cross Connects - Copper/Coax			01.0.1150.1101							į	} ,				ł
	Cable Support Structure, per cable, per Iln. ft. Physical Collocation - Co-Carner Cross Connects - Application		1—	CLO, UE3, USL	PE1DS_	0.0015					ļ					<u> </u>
	Fee, per application		1	CLO	PE1DT		583.18				i				i	l
PHYSICAL CO	LI OCATION			CLO	FEIDI		300.10	-			 			 		
I	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-										·					
	Wire Analog - Res		1 '	UEP\$R	PE1R2	0.30	12.60	12.60		ŀ	l		18.94	8.42		
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-									T						
	Wire Line Side PBX Trunk - Bus			UEPSP	PE1R2	0.30	12 60	12.60			L		18.94	8.42	ļ	
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-		1			!						İ			!	
	Wire Voice Grade PBX Trunk - Res		├	UEPSE	PE1R2	0.30	12.60	12.60					18.94	8.42		
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			UEP\$8	PE1R2	0.30	12.60	12.60					18.94	8.42		İ
	Wire Analog - Bus Physical Collocation 2-Wire Cross Connect, Exchange Port 2-		-	UEPSB	FEINS	0,30	12.00	12.00			 		10.57	0.42		
	Wire ISDN			UEPSX	PE1R2	0.30	12.60	12.60					18.94	8.42		
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-		 			- 5.50		.2.50		<u> </u>	1					
	Wire ISDN		{	UEPTX	PE1R2	0.30	12.60	12.60		L	<u> </u>		18.94	8.42	<u></u> .	<u> </u>
	Physical Collocation 4-Wire Cross Connect, Exchange Port 4-															
	Wire ISDN DS1	L		UEPEX	PE1R4	0.50	12.60	12.60			<u> </u>		18.94	8.42		
ADJACENT CO										<u> </u>	1			<u> </u>	<u> </u>	
	Adjacent Collocation - Space Charge per Sq. Ft.		<u> </u>	CLOAC	PE1JA	0.2542					 					ļ
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.		<u> </u>	CLOAC	PE1JC	5.44	<u></u> _		11.80	10.67	<u> </u>	ļ		 		
	Adjacent Collocation - 2-Wire Cross-Connects		ļ	CLOAC	PE1P2	0.598	24.95	23.97	11.80	10.67	 	-			 	
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			UEA,UHL,UDL,UCL, CLOAC	PE1P4	0.1196	25 14	24,11	12.15	10 93						1
	Adjacent Collocation - 4-Wire Cross-Connects Adjacent Collocation - DS1 Cross-Connects	-			PE1P4	1.04	44 19	32.13	11.93	10.81			-			
	Adjacent Collocation - DS1 Cross-Connects Adjacent Collocation - DS3 Cross-Connects				PE1P3	14 12	41.93	30.69	13.71	11.04		-			l	
	Adjacent Collocation - DS3 Cross-Connects Adjacent Collocation - 2-Fiber Cross-Connect		 	CLOAC	PE1F2	2.39	41.93	30.69	13 71	11.05		———				
	Adjacent Collocation - 2-Fiber Cross-Connect	 	\vdash	CLOAC	PE1F4	4 57	51.14	39.90	17.96	15.29						
	Adjacent Collocation - Application Fee		1		PE1JB		1,555.00	22700			T					

OLLO	CATION - Georgia													ment: 4		ibit: D
CATEGO	RY RATE ELEMENTS	Interi m	Zone	BCS	usoc	RATES(\$)						Submitted	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge - Manual St Order vs
			1				Nonrec	urring	Nonrecurring Disconnect				OSS Rates(\$)			
						Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FB	5.39										1
	Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FD	10 79										
	Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FE	16 18										1
	Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FG	38.27						· · · · · · · · · · · · · · · · · · ·				1
	Adjacent Collocation - 240V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PEIJD	37.37									· ·	
PHYSICAL	L COLLOCATION IN THE REMOTE SITE															
	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		608.18	608 17	323.63	323.63						
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	224.82					ļ					
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		25.88	25.88							ĺ	
	Physical Collocation in the Remote Site - Space Availability Report per Premises Requested			CLORS	PE1SR		229.02	229.02								
	Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested			CLORS	PE1RE		74.22	74,22								
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1BB	-	232.88				· · · · · · · · · · · · · · · · · · ·				 	+
PHYSICAL	L COLLOCATION IN THE REMOTE SITE - ADJACENT										<u> </u>	-				
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27		· · · · · · · · · · · · · · · · · · ·								
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
	Remote Site-Adjacent Collocation-Application Fee OTE: If Security Escort and/or Add'l Engineering Fees become nece			CLORS	PE1RU		755 62	755.62								

Page 12 of 37

COLLOCAT	ION - Kentucky												Attachi	ment: 4	Exhil	bit: D
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec			Disconnect				Rates(\$)		
			-			1	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL CO	LLOCATION					 			···	 		-				
	Physical Collocation - Application Fee - Initial		+	CLO	PE1BA	 	3,773 54	3,773.54	1.01	1.01	 					
	Physical Collocation - Application Fee - Subsequent			CLO	PE1CA	 	3,145.35	3,145.35	1.01	1.01		-				
	Physical Collocation Administrative Only - Application Fee			CLO	PE18L		742 12									***************************************
	Physical Collocation - Space Preparation - Firm Order Processing			CLO	PE1SJ_		1,206.07	1,206.07								
	Physical Collocation - Space Preparation - C.O. Modification per square ft.			CLO	PE1SK	0.00										
	Physical Collocation - Space Preparation - Common Systems	<u> </u>		CLO	PEISK	2.32		··								ļ
1	Modification per square ft Cageless			CLO	PE1SL	3 26	i									
	Physical Collocation - Space Preparation - Common Systems Modification per Cage				PE1SM	110.57										
	Physical Collocation - Cable Installation	 		Cro	PE1BD	110.57	1,729.11		45.16		· · · · ·					
	Physical Collocation - Floor Space per Sq. Ft.		†	CLO	PE1PJ	7.99			-,0.10		l					
	Physical Collocation - Cable Support Structure		T	CLO	PE1PM	19.86										
	Physical Collocation - Power -48V DC Power, per Fused Amp			CLO	PE1PL	8.06										
	Physical Collocation - Power Reduction, Application Fee			CLO	PE1PR		399.50									
	Physical Collocation - 120V, Single Phase Standby Power Rate			CLO	PE1FB	5.44										
	Physical Collocation - 240V, Single Phase Standby Power Rate			CLO	PE1FD	10.88										
	Physical Collocation - 120V, Three Phase Standby Power Rate			CLO	PE1FE	16.32										
	Physical Collocation - 277V, Three Phase Standby Power Rate			CLO	PE1FG	37.68										
	Physical Collocation - 2-Wire Cross-Connects		<u> </u>		PE1P2	0.0333	24.68	23.68	12.14	10.95						
	Physical Collocation - 4-Wire Cross-Connects			CLO, UAL, UOL, UDN, UEA, UHL, UNCVX, UNCDX, UCL	PE1P4	0.0665	24.88	23.82	12.77	11.46						
	Physical Collocation - DS1 Cross-Connects			CLO, UEANL, UEQ, W DS1L, WDS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1, UDL	PE1P1	1.48	44.23	31.98	12.81	11.57						
	Physical Collocation - DS3 Cross-Connects			CLO, UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1, UNLD3, UDL	PE1P3	18.89	41.93	30.51	14.75	11 83						
	Physical Collocation - 2-Fiber Cross-Connect			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1F2	3.75	41 93	30.51	14.76	11 84						
				CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1F4	6 65	51 29	39.87	19.41	16,49						
	Physical Collocation - 4-Fiber Cross-Connect	├	+	CLO	PE1F4	184.97	5129	39.07	13.41	1	 	T				
 	Physical Collocation - Welded Wire Cage - First 100 Sq. Ft Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.	1	+	CLO	PE1CW	18.14			· · · · · · · · · · · · · · · · · · ·	i						

COLLOCATI	ON - Kentucky												Attachi	ment: 4	Exhit	oit: D
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sve Order vs. Electronic Disc Add'i
						Rec	Nonrec		Nonrecurring	Disconnect				Rates(\$)		
	Physical Calinophina Convents Access System Convents System		1			1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Security Access System - Security System per Central Office		l	CLO	PE1AX	76.10						1				
	Physical Collocation - Security Access System - New Access Card Activation, per Card			CLO	PE1A1	0.058	55.79	55.79								
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or			CLO	PE1AA	0.000	15.64	15.64								
	Stolen Card, per Card			CLO	PE1AR	1	45,74	45 74				1				
	Physical Collocation - Security Access - Initial Key, per Key		†	CLO	PETAK		26.29	26 29				ļ 				
	Physical Collocation - Security Access - Key, Replace Lost or															
	Stolen Key, per Key	ļ	<u> </u>	CLO	PE1AL		26.29	26 29				ļ				
	Physical Collocation - Space Availability Report per premises	 	 	CLO UEANL,UEA,UDN,U	PE1SR		2,158 67	2,158.67								
	POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect			DC,UAL,UHL,UCL,U EQ,CLO,UDL, UNCVX, UNCDX, UNCNX	PE1PE	0.113										
	POT Bay Arrangements pnor to 6/1/99 - 4-Wire Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, USL, UNCVX, UNCDX UEANL,UEA,UDN,U	PE1PF	0.23						-				
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect			DC,UAL,UHL,UCLU EQ,CLO,WDS1L,W DS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL,	PE1PG	1 60										
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UDL, UDLSX	PE1PH	14 23										
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1T03, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B2	48.57										-
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3,	PE184	65.50		-								
 	Physical Collocation - Request Resend of CFA Information, per	l				35.50					1	Γ				
	CLLI	<u> </u>	ļ	CLO	PE1C9		77.55		007.00			ļ <u>.</u>				
	Nonrecurring Collocation Cable Records - per request Nonrecurring Collocation Cable Records - VG/DS0 Cable, per				PE1CR		1,524.45	980.01	267.02							_
	cable record Nonrecurring Collocation Cable Records - VG/DS0 Cable, per	<u> </u>	↓ —	Cro	PE1CD	 	656.37	656.37	379.70			<u> </u>	· · · · · · · · · · · · · · · · · · ·			
	each 100 pair			CLO	PE1CO		9.65	9.65	11.84	11.84		<u></u>				

COLLOCAL	ION - Kentucky												Attach	ment: 4	Exhi	bit: D
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR		Charge - Manual Svo Order vs. Electronic- 1st	Incremental Charge -		Charge - Manual Svc Order vs.
			-			Rec	Nonrec			g Disconnect				Rates(\$)		
	Nonrecurring Collocation Cable Records - DS1, per T1TIE		-	CLO	PE1C1		First 4.52	Add'l 4.52	First 5.54	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Collocation Cable Records - DS3, per T3TIE			Cro	PE1C3		15 81	15.81	19.39	5 54 19.39	 			ļ		
	Nonrecurring Collocation Cable Records - Fiber Cable, per 99		 	020	1 2100		13 61	15.61	18.38	19.39				 		
	fiber records			CLO	PE1CB		169.63	169.63	154.85	154.85					ļ	
	Physical Collocation - Security Escort - Basic, per Half Hour			CLO,CLORS	PE1BT		33.98	21.53	134.00	134.03	 			 		
											1					
	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE10T		44.26	27.81	i	•	1					ĺ
														-		· · · · · · · · · · · · · · · · · · ·
	Physical Collocation - Security Escort - Premium, per Half Hour			CLO,CLORS	PE1PT		54.54	34.09	L					!	ŀ	1
 	V to P Conversion, Per Customer Request-Voice Grade V to P Conversion, Per Customer Request-DS0			CLO	PE1BV	33 00										
	V to P Conversion, Per Customer Request-DS0 V to P Conversion, Per Customer Request-DS1			CLO	PE1BO	33 00										
	V to P Conversion, Per Customer Request-DS1			CLO	PE1B1	52.00										
	V to P Conversion, Per Customer Request per VG Circuit			CLO	PE1B3	52.00										
i i	Reconfigured			CLO	PE1BR	23.00										
	V to P Conversion, Per Customer Request per DS0 Circuit			CLO	PEIDH	23.00					ļ					
	Reconfigured			CLO	PE1BP	23 00			Į.							
	V to P Conversion, Per Customer Request per DS1 Circuit			OLO	FEIDF	2300			<u> </u>							
1 1	Reconfigured			CLO	PE18S	33.00					l :					
	V to P Conversion, Per Customer Request per DS3 Circuit	·		020	, ,,,,,,	00.00		• .						 		
LL	Reconfigured			CLO	PE1BE	37.00					1	i				
	V to P Conversion, Cable Pairs Assigned to Collo Space per 700															
	prs or fraction thereof			CLO	PE1B7	592.00	J				l .			i		
	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable															
	Support Structure, per cable, per linear ft.			CLO,UDF	PE1ES	0 0012										
	Physical Collocation - Co-Carner Cross Connects - Copper/Coax															-
	Cable Support Structure, per cable, per lin. ft.			CLO, UE3, USL	PE1DS	0.0018										
1 1	Physical Collocation - Co-Carner Cross Connects - Application							-								
	Fee, per application			CLO	PE1DT		584 20				ļi					
PHYSICAL CO																
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Analog - Res		1	HEROR	 									!		
	Physical Collecation 2-Wire Cross Connect, Exchange Port 2-			UEPSR	PE1R2	0.0333	24.68	23.68	12.14	10.95		7.86				
i i	Wire Line Side PBX Trunk - Bus		1	UEPSP	PE1R2	0.0333	24.68	23.68	40.44	40.05		7 86				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			UEFOF	PETRZ	0.0333	24.08	23.08	12.14	10.95		7 86				
	Wire Voice Grade PBX Trunk - Res			UEPSE	PE1R2	0.0333	24.68	23.68	12.14	10.95	1	7.86				
-	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			OLFSE	FEIRE	0.0333	24.00	23.00	12.14	10.95		7.00				
1 1	Wire Analog - Bus			UEPSB	PE1R2	0 0333	24.68	23.68	12.14	10.95		7.86				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-	~		OLF 3D	reinz	0 0000	24.00	23.00	12.14	10.55		7.00				
1 1	Wire ISDN			UEPSX	PE1R2	0.0333	24.68	23.68	12.14	10.95		7.86		i		
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-		$\vdash \vdash$	OLI OX	1 - 11 12	0.0000	24.00	20.00	12.14	10.55		7.00				· · · · · · · · · · · · · · · · · · ·
1 1	Wire ISDN			UEPTX	PE1R2	0.0333	24.68	23.68	12.14	10.95		7.86				
 	Physical Collocation 4-Wire Cross Connect, Exchange Port 4-		\vdash	IA		5.0005	47.00	20.00	12.,4	10.00			•			
1 1	Wire ISDN DS1			UEPEX	PE1R4	1,48	44.23	31.98	12.81	11.57		7.86				
ADJACENT CO			\vdash	- · · · - · ·												
1.507.60	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.0173						Ť				
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	5.35										
	Adjacent Collocation - 2-Wire Cross-Connects			CLOAC	PE1P2	0.0258	24 68	23.68	12.14	10.95						
				UEA,UHL,UDL,UCL,												
LI	Adjacent Collocation - 4-Wire Cross-Connects			CLOAC	PE1P4	0.0515	24.88	23.82	12.77	11.46				L	<u> </u>	
	Adjacent Collocation - DS1 Cross-Connects			USL,CLOAC	PE1P1	1 37	44.23	31.98	12.81	11 57						
	Adjacent Collocation - DS3 Cross-Connects			CLOAC	PE1P3	18.61	41.93	30.51	14.75	11 83						
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F2	3.15	41 93	30.51	14.76	11.84						
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1F4	6.02	51 29	39.87	19.41	16.49						
	Adjacent Collocation - Application Fee			CLOAC	PE1JB		3,165.50		1.01							
	Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FB	5,44										
 	Adjacent Collocation - 240V, Single Phase Standby Power Rate		\vdash	CLOAC	LEILD	5,44		-								
1 1	per AC Breaker Amp			CLOAC	PE1FD	10.88					l l			1		

COLLOCAT	ON - Kentucky												Attachr			bit: D
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge -
							Nonrect	ırring	Nonrecurring	Disconnect				Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PÉ1FE	16.32										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FG_	37 68										
PHYSICAL CO	LLOCATION IN THE REMOTE SITE										1					
	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		617.78		338.89		<u> </u>	<u> </u>	<u> </u>			
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	219.67					ļ	<u> </u>	ļ			
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		26 29				ļ	ļ <u>.</u>	<u></u>			
	Physical Collocation in the Remote Site - Space Availability Report per Premises Requested			CLORS	PE1SR		232.64				<u> </u>					
	Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested			CLORS	PE1RE		75.40									
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		233.42				<u> </u>					
PHYSICAL CO	LLOCATION IN THE REMOTE SITE - ADJACENT										<u> </u>	 				
	Remote Site-Adjacent Collocation - AC Power, per breaker amp		<u> </u>	CLORS	PE1RS	6.27					ļ					
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134					<u> </u>					
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PETRU	<u> </u>	755 62	755.62								
NOTE	: If Security Escort and/or Add'l Engineering Fees become nec	essary	for rem	ote site collocation	, the Parties v	will negotiate ap	propriate rate	3			<u> </u>	<u> </u>	L		I	<u> </u>

ATEGORY												·				
	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(S)			ive Order iubmitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svo Order vs. Electronic- 1st	Charge - Janual Svc Order vs. Electronio- Add'l	Charge -	Increments Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonre			g Disconnect				Hates(\$)		
			\vdash				First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL CO	LLOCATION											ļ		ļ		
1113ICAL CO	Physical Collocation - Application Fee - Initial			CLO	PE1BA		1,837.24									-
	Physical Collocation - Application Fee - Subsequent			CLO	PE1CA		1,533.41			<u> </u>						ļ
	Physical Collocation Administrative Only - Application Fee		 		PE1BL		741 97									
	Physical Collocation - Space Preparation - Firm Order Processing			CLO			583.33						-			
	Physical Collocation - Space Preparation - C.O. Modification per square ft.			CLO	PE1SK	2.31	000,00									
	Physical Collocation - Space Preparation - Common Systems															
	Modification per square ft Cageless Physical Collocation - Space Preparation - Common Systems				PE1SL	2.70							 -			
	Modification per Cage			CLO	PE1SM	91.60										L
	Physical Collocation - Cable Installation	<u> </u>		CLO	PE1BD		841.54	841.54								
	Physical Collocation - Floor Space per Sq. Ft.	├			PE1PJ	5.30										ļ
	Physical Collocation - Cable Support Structure Physical Collocation - Power -48V DC Power, per Fused Amp				PE1PM PE1PL	18.31 8.32				<u> </u>						 -
	Physical Collocation - Power Reduction, Application Fee				PE1PR	0.32	398.88			 		 				ļ
	Physical Collocation - 120V, Single Phase Standby Power Rate				PE1FB	5.45	550,50	•	_							
	Physical Collocation - 240V, Single Phase Standby Power Rate			CLO	PE1FD	10.92				i						
	Physical Collocation - 120V, Three Phase Standby Power Rate			CLO	PE1FE	16.37										
	Physical Collocation - 277V, Three Phase Standby Power Rate				PE1FG	37.80									******	
	Physical Collocation - 2-Wire Cross-Connects				PE1P2	0.0318	11.94	11.46		=		_				
	Physical Collocation - 4-Wire Cross-Connects			CLO, UAL, UDL, UDN, UEA, UHL, UNCVX, UNCDX, UCL	PE1P4	0 0636	12.04	11.53								
	Physical Collocation - DS1 Cross-Connects			CLO,UEANL,UEQ,W DS1L,WDS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1, UDL,	PE1P1	1.04	21,39	15.47								
	Physical Collocation - DS3 Cross-Connects			CLO. UE3.U1TD3. UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1, UNLD3, UDL	PE1P3	13.21	20.28	14.7€								
	Physical Collocation - 2-Fiber Cross-Connect			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3,	PE1F2	2.62	20.28	14.76								
				CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3,												
	Physical Collocation - 4-Fiber Cross-Connect	l			PE1F4 PE18W	4 65 1 84.50	24.81	19.29			 	-	 	 		
	Physical Collocation - Welded Wire Cage - First 100 Sq. Ft.			CLO												

ATECONY RATE EL EMPITS Indied To Provide Collegate - Security System Provided Colle	COLLOCATI	ON - Louisiana												Attach	ment: 4	Exhil	bit: D
Page Add Piest Add Piest Add Piest Add SOME SOME SOME SOME	CATEGORY	RATE ELEMENTS		Zone	BCS	usoc						Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc Order vs, Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic-	Increment Charge -
Physical Collections - Security System Face Foreign Cliffor Pay Physical Collections - Security System - New Access Col. PE1AM 0.0279 77.0				-		-	Rec					001150	001111				
Priyetal Colonation - Sourty Access System-Administrative CLO PETAT 0.0579 27.66			_				 		Addi	First	Addi	SOMEC	SUMAN	SUMAN	SUMAN	SOMAN	SOMAN
Cond Activition, per Cord Col. PETAL Col.					CLO	PE1AY	0.0224			L		1		}			}
Project Coloration Sparity Access System-Administration Change Seating Access Crisis (no. 1969) Project Coloration (1969) Project Colo		Card Activation, per Card			CLO	PE1A1	0.0579	27.50									
Stote Card, per Card Clock		Change, existing Access Card, per Request, per State, per Card			CLO	PE1AA			7.74			,,,					
Physical Collegions - Security Access - King Report por 10 (CO PETAX 13.01 13.					CLO	PE1AR		22.64	22.64		l	Į.	ł				
Physical Coloron - Security Access - Key, Replace Losi of State (City, Iger Key) Fig.				t								 					
Physical Cidication - Space Availability Report per premises		Physical Collocation - Security Access - Key, Replace Lost or										<u> </u>					
DEANLINGLOUDED DOTAL METHOD DO			<u> </u>	ļ													<u> </u>
OCJUALUHILICUL ECOLOUGH, OCCUMULATION CELEF O.979		Physical Collocation - Space Availability Report per premises		\vdash		PE1SR	ļ	1,044.07	1,044.07			ļ					
POT Bay Arrangements prior to 61/99 - 4-Wire Gross-Connect, pet cross-connect POT Bay Arrangements prior to 61/99 - DS1 Cross-Connect, pet cross-connect POT Bay Arrangements prior to 61/99 - DS1 Cross-Connect, pet cross-connect POT Bay Arrangements prior to 61/99 - DS1 Cross-Connect, pet cross-connect POT Bay Arrangements prior to 61/99 - DS3 Cross-Connect, pet cross-connect POT Bay Arrangements prior to 61/99 - DS3 Cross-Connect, pet cross-connect POT Bay Arrangements prior to 61/99 - DS3 Cross-Connect, pet cross-connect POT Bay Arrangements prior to 61/99 - DS3 Cross-Connect, pet cross-connect POT Bay Arrangements prior to 61/99 - DS3 Cross-Connect, pet cross-connect POT Bay Arrangements prior to 61/99 - 2-Fiber Cross-Connect, pet cross-connect POT Bay Arrangements prior to 61/99 - 2-Fiber Cross-Connect, pet cross-connect POT Bay Arrangements prior to 61/99 - 2-Fiber Cross-Connect, pet cross-connect POT Bay Arrangements prior to 61/99 - 2-Fiber Cross-Connect, pet cross-connect pet cross-conn	:				DC,UAL,UHL,UCL,U EQ,CLO,UDL, UNCVX, UNCDX, UNCNX		0.079										
POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect					DC,UAL,UHL,UCL,U EQ,CLO, USL, UNCVX, UNCDX		0.158										-
DC.U.AL.UH.U.G.U E.C.(C.U.E.3, U1TD3, UXD2, UXD2, UXD2, UXD2, UXD2, UXD3, UXD2, UXD4, UXD2, UXD4, UXD2, UXD4, UXD2, UXD4, UXD2, UXD4, UXD2, UXD2, UXD4, UXD2, UXD					DC,UAL,UHL,UCL,U EQ,CLO,WDS1L,W DS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL,	PE1PG	1 12			:							
DC,UAL,UHL,UCL,U EQ,CLO, ULDOS, ULD12, ULD48, U1TO3, U1T12, UDF PE1B2 33.96 UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDOS, ULD12, ULD48, U1TO3, U1T12, UDF PE1B2 33.96 UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDOS, ULD12, ULD48, U1TO3, U1T12, UDF PE1B4 U1TO3, U1T12, UDF U1A48, ULD12, ULD48, ULD12, ULD48, ULD12, ULD48, ULD12, ULD48, ULD12, ULD48, ULD12, ULD48, ULD12, ULD48, ULD12, ULD48, ULD12, ULD48, ULD12, ULD48, ULD12, ULD48, ULD12, ULD48, ULD12, ULD48, ULD12, ULD48, ULD12, UDF PE1B4 45.80 UDL12, UDF PE1B4 45.80 UDL12, UDF PE1B4 ERCORD ER					DC,UAL,UHL,UCL,U EQ,CLO,UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDD3, U1TS1, ULDS1, UNLD3, UDL,	PE1PH	9.95							-		-	
UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UD14, UDLO3, UD14, UDLO3, UD14, UDLO3, UD14, UDLO3, UD14, UDC04, UD15, UD14, UD15, UD14, UD15, UD14, UD15, UD14, UD15, UD14, UD15, UD14, UD15,					DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3,		33.96										
Physical Collocation - Request Resend of CFA Information, per CLU PE1C9 77.43 Recurring Collocation Cable Records - per request CLO PE1CU 10.97 Recurring Collocation Cable Records - VG/DSO Cable, per cable		POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect,			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3,				-	:				-			
CLU CLO PETC9 77.43				†			1										
Recurring Collocation Cable Records - VG/DS0 Cable, per cable		CLLI						77.43									
					Cro	PE1CU	10.97			ļ							
record CLO PE1CE 5.29 -					сго	PE1CE	5.29					<u></u>					
Recurring Collocation Cable Records - VG/DS0 Cable, per each 100 pair CLO PE1CT 0.08					CLO	PE1CT	0.09										

COLLOCAT	ION - Louisiana												Attach	ment; 4	E-L	hit. D
			_	1	I	I					Suc Order	Suo Order	Incremental	Incremental		bit: D
ľ			1	Sec. 4.00	ĺ							Submitted			Incremental	
			l	100									Charge -	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc	ŀ		RATES(\$)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
		m		555	0000			100,120(4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
	1												1st	Add'i	Disc 1st	Disc Add'l
			$\overline{}$				Nonrec	numina.	Nonrecurrin	g Disconnect	-		000	Rates(\$)		<u> </u>
						Rec	First	Add'i	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	
	Recurring Collocation Cable Records - DS1, per T1TIE		-	CLO	PE1C2	0.04	11131	Auu	Filat	Auu	SOMEC	SUMAN	SUMAN	SUMAN	SUMAN	SOMAN
	Recurring Collocation Cable Records - DS3, per T3TIE		_	CLO	PE1C4	0.13										<u> </u>
	Recurring Collocation Cable Records - Fiber Cable, per 99 fiber		 			0.10										
	records		1	lcro	PE1CG	1.37			i	1		Į.				
	Physical Collocation - Security Escort - Basic, per Half Hour			CLO,CLORS	PE1BT	1.57	16.44	10 42	 							
							10.11				 					
	Physical Collocation - Security Escort - Overtime, per Half Hour		l	CLO,CLORS	PE1OT	1	21.41	13.45		l	i				1	
																
	Physical Collocation - Security Escort - Premium, per Half Hour		1	CLO,CLORS	PE1PT	ĺ	26.38	16 49		1	1					l
	V to P Conversion, Per Customer Request-Voice Grade			CLO	PE1BV	33 00				 	-					
	V to P Conversion, Per Customer Request-DS0			CLO	PE1BO	33.00			i							
	V to P Conversion, Per Customer Request-DS1			CLO	PE181	52.00										
	V to P Conversion, Per Customer request-DS3			CLO	PE1B3	52 00										
	V to P Conversion, Per Customer Request per VG Circuit									1				_		
<u> </u>	Reconfigured		<u> </u>	CLO	PE1BR	23.00				L	L					1
	V to P Conversion, Per Customer Request per DS0 Circuit															
	Reconfigured			CLO	PE1BP	23.00										1
1	V to P Conversion, Per Customer Request per DS1 Circuit		1													
<u> </u>	Reconfigured			CLO	PE1BS	33.00										l
	V to P Conversion, Per Customer Request per DS3 Circuit		!		İ											
	Reconfigured		-	CLO	PE1BE	37.00										
	V to P Conversion, Cable Pairs Assigned to Collo Space per 700			l												
	prs or fraction thereof		—	Cro	PE1B7	592.00										
	Physical Collocation - Co-Carner Cross Connects - Fiber Cable		1	01.0.1105					1							1
	Support Structure, per cable, per linear ft.		ļ	CLO,UDF	PE1ES	0.001										
	Physical Collocation - Co-Carner Cross Connects - Copper/Coax						-			1						1
	Cable Support Structure, per cable, per lin. It.			CLO, UE3, USL	PE1DS	0.0015										
l 1	Physical Collocation - Co-Carner Cross Connects - Application Fee, per application		1					_		1	i I					l
PHYSICAL CO				Cro	PE1DT_		583.30									
PHI SICAL CO	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-		_													
	Wire Analog - Res		1	UEPŠR	PE1R2	0.0040	44.04	44.40			1	45.00				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			UEPSH	PE1H2	0.0318	11 94	11 46		ļ		15.20				
	Wire Line Side PBX Trunk - Bus			UEPSP	PE1R2	0 0318	44.04	11.46		i		45.00				1
\vdash	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-		-	UEPSP.	PEIRZ	00018	11.94	11.46				15.20				
	Wire Voice Grade PBX Trunk - Res			UEPSE	PE1R2	0.0318	11.94	11.46				15.20				l
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			ULFOL	FEIRZ	0.0318	11.94	11.46				15.20				
1 1	Wire Analog - Bus			UEPSB	PE1R2	0.0318	11.94	11 46			[15.20				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			02.00	1112	0.0018	11.54	11 40			\vdash	10,20				
	Wire ISDN			UEPSX	PE1R2	0.0318	11.94	11 46	Ì	1		15 20				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			OLI OR		0.0016	11.04	1140				13 20				-
	Wire ISDN			UEPTX	PE1R2	0.0318	11.94	11.46		I		15.20				1
	Physical Collocation 4-Wire Cross Connect, Exchange Port 4-		 	0-11N		0.0010	11.54	11.40								
i	Wire ISDN DS1			UEPEX	PE1R4	0.0636	12.04	11.53				15.20	'			ŀ
ADJACENT CO			-			0.0000	.2.04	7,1,00		 						
NOUNCE IVI O	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.0552										
- 	Adjacent Collocation - Electrical Facility Charge per Linear Ft.				PE1JC	5 61							-			
	Adjacent Collocation - 2-Wire Cross-Connects				PE1P2	0 0245	11.94	11.46						-		
				UEA,UHL,UDL,UCL,		332.20										
	Adjacent Collocation - 4-Wire Cross-Connects				PE1P4	0.0491	12.04	11.53		I						l
	Adjacent Collocation - DS1 Cross-Connects				PE1P1	0.9605	21 39	15.47								
	Adjacent Collocation - DS3 Cross-Connects			CLOAC	PE1P3	13.01	20 28	14.76		1						
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F2	2 20	20.28	14.76								
	Adjacent Collocation - 4-Fiber Cross-Connect				PE1F4	4.21	24.81	19.29								
	Adjacent Collocation - Application Fee				PE1JB		1,543.20			1						
<u> </u>	Adjacent Collocation - 120V, Single Phase Standby Power Rate		_				.,5.0.20									
	per AC Breaker Amp			CLOAC	PE1FB	5 45				1						l
			· · · · · · · · · · · · · · · · · · ·					-							-	
	Adjacent Collocation - 240V, Single Phase Standby Power Rate															

COLLOCAT	ION - Louisiana			· · · · · · · · · · · · · · · · · · ·									Attach	nent: 4	Exhil	bit: D
CATEGORY	RATE ELEMENTS	interi m	Zone	BCS	usoc			RATES(S)				Submitted Manually	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'I
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Hec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FE	16.37										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate				1						1					
	per AC Breaker Amp		l	CLOAC	PE1FG	37.80					1			L		
PHYSICAL CO	DLLOCATION IN THE REMOTE SITE															
	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		298.80	298.80								
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	225.39										r
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		13.01	13 01								
	Physical Collocation in the Remote Site - Space Availability Report per Premises Requested			CLORS	PE1SR		112.52	112.52								
	Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested			CLORS	PE1RE		36.47	36.47								
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		233.21		_							<u> </u>
PHYSICAL CO	DLLOCATION IN THE REMOTE SITE - ADJACENT	l									ļ					
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU	1	755 62	755 62				ļ				
NOTE	: If Security Escort and/or Add'l Engineering Fees become nec	essary	for rem	ote site collocation	the Parties	will negotiate a	ppropriate rate	8.	l			<u> </u>				لــــا

COLLOCAT	ON - Mississippi													ment: 4	Exhi	bit: D
CATEGORY	RATE ELEMENTS	interi m	Zone	BCS	usoc			RATES(\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
			-			Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN		Rates(\$) SOMAN	SOMAN	SOMAN
PHYSICAL CO																
	Physical Collocation - Application Fee - Initial			CLO	PE1BA		1,890.38		0 51							
	Physical Collocation - Application Fee - Subsequent			CLO	PE1CA		1,575.69		0 51							
	Physical Collocation Administrative Only - Application Fee			CLO	PE1BL_		740.76									
	Physical Collocation - Space Preparation - Firm Order Processing			CLO	PE1SJ_		604.19									
	Physical Collocation - Space Preparation - C.O. Modification per square ft	1		CLO	PE1SK	2 30							_			
l	Physical Collocation - Space Preparation - Common Systems															
	Modification per square ft - Cageless Physical Collocation - Space Preparation - Common Systems	_'_	 	CLO	PE1SL	2.52										ļ
	Modification per Cage	!	<u> </u>	CLO	PE1SM	85.67							ļ		L	L
	Physical Collocation - Cable Installation			CLO	PE1BD	ļ	926.27	926.27	22 62							<u> </u>
	Physical Collocation - Floor Space per Sq. Ft.			CLO	PE1PJ	5.74					ļ		<u> </u>			
	Physical Collocation - Cable Support Structure Physical Collocation - Power -48V DC Power, per Fused Amp		-	CLO	PE1PM	17.42					-				ļ <u>.</u>	
	Physical Collocation - Power Reduction, Application Fee	+		CLO	PE1PL PE1PR	7.33										
	Physical Collocation - Fower Reduction, Application Fee	<u> </u>		CLU	PEIPH	 	398.76								ļ	
	Physical Collocation - 120V, Single Phase Standby Power Rate	. t		cro	PE1FB	5.29								ļ		<u> </u>
	Physical Collocation - 240V, Single Phase Standby Power Rate	ı		CLO	PE1FD	10.58				···-					<u> </u>	
	Physical Collocation - 120V, Three Phase Standby Power Rate	!_		СГО	PE1FE_	15.87										
	Physical Collocation - 277V, Three Phase Standby Power Rate	_ 1 _		CLO	PE1FG	36.65										
	Physical Collocation - 2-Wire Cross-Connects				PE1P2	0.0288	12 37	- 11.87	6.04	5.45						
				CLO, UAL, UDL, UDN, UEA, UHL, UNCVX, UNCDX,												
	Physical Collocation - 4-Wire Cross-Connects			UCL	PE1P4	0.0576	12.47	11.94	6 59	5.91				ļ		
	Physical Collocation - DS1 Cross-Connects			CLO, UEANL, UEQ, W DS1L, WDS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1, UDL	PE1P1	1.14	22.16	16.02	6.60	5.97						
				CLO, UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1,												
	Physical Collocation - DS3 Cross-Connects			UNLD3, UDL CLO, ULDO3, ULD12, ULD48,	PE1P3	14 49	21.01	15 29	7.61	6.10						
	Physical Collegeton, 3 Fiber Cross Connect			U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1F2	2.87	21.01	15.29	7.61	6.10						
	Physical Collocation - 2-Fiber Cross-Connect			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3,												
<u> </u>	Physical Collocation - 4-Fiber Cross-Connect	L		UDL12, UDF	PE1F4	5.10	25.70	19.97	10.01	8.50					 	
	Physical Collocation - Welded Wire Cage - First 100 Sq. Ft			CLO	PE1BW	183.20						<u> </u>		 		
	Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.			CLO	PE1CW	17,97			<u> </u>	L	<u> </u>	<u> </u>	<u> </u>	1	<u>1</u>	1

OLLOCAT	ION - Mississippi	. —												ment; 4		bit: D
ATEGORY	RATE ELEMENTS	Interi m	′one	BC\$	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
		-				Rec	Nonrec First	urring Add'l	Nonrecurrin First	g Disconnect Add'l	SOMEC	SOMAN	OSS SOMAN	Rates(\$)	SOMAN	SOMAN
	Physical Collocation - Security Access System - Security System		\vdash				1 11 21	AUUT	7 1101	Addi	30MLC	JUMAN	JOHIAN	JOMAN	JOMAN	SUMAN
	per Central Office Physical Collocation - Security Access System - New Access	1	—	CLO	E1AX	75.23										
	Card Activation, per Card	1	<u></u>	CLO	7E1A1	0.0576	27.95	27.95			l					1
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or			СГО	<u>'E1AA</u>		7.84	7.84								
_	Stolen Card, per Card			CLO	'E1AR		22.91	22 91				}	1	1	1	
	Physical Collocation - Security Access - Initial Key, per Key Physical Collocation - Security Access - Key, Replace Lost or			CLO	'E1AK		13.17	13.17								
	Stolen Key, per Key		1	ICLO	'E1AL		13,17	13.17	1		1	1	1			
	Physical Collocation - Space Availability Report per premises			CLO	EISA		1,081.40	1,081.40		 	 	 	 	 	 	\vdash
	POT Bay Arrangements pnor to 6/1/99 - 2-Wire Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, UDL, UNCVX, UNCDX, UNCNX	ř <u>E</u> 1PE	0.0867										
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, USL, UNCVX, UNCDX UEANL, UEA, UDN, U	'E1PF	0.1734										
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect			DC,UAL,UHL,UCL,U EQ,CLO,WDS1L,W DS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1	'E1PG	1.22									E	
	POT Bay Arrangements pnor to 6/1/99 - DS3 Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UDL, (UDLSX	! — —	10.91							-			
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect,			DEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3,												
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect			UDL12, UDF UEANLUEA UON.U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF		37.26 50.24		-					-			
	Physical Collocation - Request Resend of CFA Information, per		\vdash	Ī							1		I			
	CLU Callandra Callandra Cabla Barreta		L	CLO	E1C9		77.41	400.04	133,77	·				-		-
	Nonrecurring Collocation Cable Records - per request Nonrecurring Collocation Cable Records - VG/DS0 Cable, per	-		CLO	'E1CR		763.69	490.94	133.77		 	 	 	 	 	
	cable record			Cro	'E1CD		328.81		190,22	ļ	ļ				 	ļ
i	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per each 100 pair			CLO	'E1CO		4.84	4.84	5.93	5.93						

COLLOCAT	ON - Mississippi												Attachi	ment: 4	Exhil	bit; D
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
<u> </u>			ļ			Rec	Nonrec		Nonrecurring					Rates(\$)		
 	Nonrecurning Collocation Cable Records - DS1, per T1TIE	-		CLO	PE1C1	-	First 2 27	Add'l 2.27	First	Add'l 2.78		SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
 	Nonrecurring Collocation Cable Records - DS3, per T3TIE	 	} -	CLO	PE1C3	 	7 92	7.92	2.78 9.72	9.72				 		
	Nonrecurring Collocation Cable Records - Fiber Cable, per 99		 		12,00				5.72	5 12	 			 		
	fiber records			CLO	PE1CB	ļ j	84.98	84.98	77.58	77.58		,				
	Physical Collocation - Secunty Escort - Basic, per Half Hour			CLO,CLORS	PE1BT		17.02	10.79								
	Physical Collocation - Security Escort - Overtime, per Half Hour	ļ	ļ	CLO,CLORS	PE1OT		22.17	13 94			ļ					
	Physical Collocation - Security Escort - Premium, per Half Hour			CLO,CLORS	PE1PT		27.32	17.08			1			ļ		
	V to P Conversion, Per Customer Request-Voice Grade	 	 	CLO	PE1BV	33 00	27.02	17.00			 			f	 	
	V to P Conversion, Per Customer Request-DS0			CLO	PE1BO	33.00					T					†
	V to P Conversion, Per Customer Request-DS1			CLO	PE1B1	52 00					I					
	V to P Conversion, Per Customer request-DS3		<u> </u>	CLO	PE1B3	52 00					ļ <u> </u>		<u> </u>			ļ
	V to P Conversion, Per Customer Request per VG Circuit Reconfigured			сго	PE1BR	23 00					ļ . <u>.</u>					
	V to P Conversion, Per Customer Request per DS0 Circuit Reconfigured			CLO	PE1BP	23.00	! !						1	1		
	V to P Conversion, Per Customer Request per DS1 Circuit		1								<u> </u>					
	Reconfigured V to P Conversion, Per Customer Request per DS3 Circuit		-	CLO	PE1BS	33.00					<u> </u>					
	Reconfigured V to P Conversion, Cable Pairs Assigned to Collo Space per 700			CLO	PE1BE	37.00								ļ—		
	prs or fraction thereof		Ì	CLO	PE1B7	592.00	.						İ			
	Physical Collocation - Co-Carner Cross Connects - Fiber Cable Support Structure, per cable, per linear ft.			CLO,UDF	PE1ES	0 001										
	Physical Collocation - Co-Carner Cross Connects - Copper/Coax Cable Support Structure, per cable, per lin. ft.			CLO, UE3, USL	PE1DS	0 0015										
	Physical Collocation - Co-Carrier Cross Connects - Application Fee, per application			CLO	PE1DT		583.13									
PHYSICAL CO	LLOCATION	 	_	010	FEID!	 	300.10							 		<u> </u>
1	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-													1	1	
	Wire Analog - Res			UEPSR	PE1R2	0.0288	12.37	11 87	6 04	5.45	ļ	15.75		ļ		
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus			UEPSP	PE1R2	0.0288	12.37	11 87	6 04	5 45		15.75				ļ
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Voice Grade PBX Trunk - Res			UEPSÉ	PE1R2	0 0288	12.37	11.87	6.04	5.45		15,75	<u> </u>	ļ		
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Analog - Bus		1	UEPSB	PE1R2	0.0288	12.37	11.87	6.04	5.45		15.75		l		
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire ISDN			UEPSX	PE1R2	0.0288	12 37	11.87	6 04	5.45		15.75				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire ISDN			UEPTX	PE1R2	0.0288	12 37	11,87	6.04	5 45		15.75				<u> </u>
	Physical Collocation 4-Wire Cross Connect, Exchange Port 4- Wire ISDN DS1			UEPEX	PE1R4	0.0576	12.47	11.94	6 59	5.91	ļ	15.75				ļ
ADJACENT CO	DLLOCATION Tadianant Callegation Second Charge per Sc. Et	_	 	CLOAC	PE1JA	0.0678	-				+	 		1	1	
 	Adjacent Collocation - Space Charge per Sq. Ft. Adjacent Collocation - Electrical Facility Charge per Linear Ft.		+	CLOAC	PE1JC	4.68					 	†				
 	Adjacent Collocation - Electrical Facility Charge per Linear Ft. Adjacent Collocation - 2-Wire Cross-Connects	1	+	CLOAC	PE1P2	0.0223	12.37	11.87	6.04	5.45	İ					
	Augustic Collocation - 2-44116 Class-Collingua		\vdash	UEA,UHL,UDL,UCL,												
	Adjacent Collocation - 4-Wire Cross-Connects			CLOAC	PE1P4	0 0446	12 47	11.94	6.59	5.91				ļ	ļ	
	Adjacent Collocation - DS1 Cross-Connects			USL,CLOAC	PE1P1	1.05	22.16	16.02		5.97		 		 		
	Adjacent Collocation - DS3 Cross-Connects		↓	CLOAC	PE1P3	14 27	21.01 21.01	15 29 15.29		6.10 6.10			 	 	 	
	Adjacent Collocation - 2-Fiber Cross-Connect	<u> </u>	 	CLOAC	PE1F2 PE1F4	2.42 4.62	25.70	19.97		8 50		 	·	 	 	
	Adjacent Collocation - 4-Fiber Cross-Connect Adjacent Collocation - Application Fee	 	+-	CLOAC	PE1F4	4.02	1,585 83	18.81	0.51	- 0.00	 					
	Adjacent Collocation - Application Fee Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FB	5.29	.,500 00		1							
 	Adjacent Collocation - 240V, Single Phase Standby Power Rate	-	1													
	per AC Breaker Amp	<u> </u>	<u> </u>	CLOAC	PE1FD	10 58			<u> </u>	L	<u> </u>	L	L	1	1	

COLLOCAT	ON - Mississippi												Attach	ment; 4	Exhi	bit: D
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Charge -	Charge - Manual Svo Order vs.
							Nonrec	urring	Nonrecurring	Disconnect		·	OSS	Rates(\$)	L	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FE	15.87									- COMPAN	GOMPAT
	Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FG	36.65										
PHYSICAL CO	LLOCATION IN THE REMOTE SITE		l											 		
	Physical Collocation in the Remote Site - Application Fee	<u> </u>		CLORS	PE1RA		309.48		168 63					 		+
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	210.05								 	<u> </u>	
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		13.17	13.17								
	Physical Collocation in the Remote Site - Space Availability Report per Premises Requested			CLORS	PE1SR		116.54	116 54		<u> </u>						
	Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested			CLORS	PE1RE		37.77	37.77								
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PEIRR		233.14									
PHYSICAL CO	LLOCATION IN THE REMOTE SITE - ADJACENT														<u> </u>	
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62						l · · · · · · · · · · · · · · · · · · ·		
NOTE:	If Security Escort and/or Add'l Engineering Fees become nec	essary 1	or rem	ote site collocation	, the Parties v	vill negotiate ap	propriate rate	В.								1

Page 24 of 37

COLLOCAT	ION - North Carolina												Attach	ment: 4	Exhi	bit: D
CATEGORY	RATE ELEMENTS	Interi m	Zone	T BCS	usoc		Nonrec	RATES(\$)		ng Disconnect		Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
			├-			Rec	First	Add'1	First	Add'I	SOMEC	SOMAN	SOMAN	Rates(\$)	SOMAN	SOMAN
			1					*****		1	1 0020	- OOMIAIN		JUILAN	JOHNAIL	JOHAN
PHYSICAL CO	DLLOCATION									+	 					
	Physical Collocation - Application Fee - Initial -		+	CLO	PE1BA		3,850.00	3,850 00		+	 					ļ
	Physical Collocation - Application Fee - Subsequent			CLO	PE1CA		3,119 00	3,119.00		 	 		 			
	Physical Collocation Administrative Only - Application Fee		<u> </u>	CLO	PE1BL		741 44	0,7.0.00		1	+					
	Physical Collocation - Space Preparation - C.O. Modification per										+		·			
ŧ ŧ	square ft.	l i	Į.	CLO	PE1SK	1.57			ļ	1	1	l .	!		1	1
	Physical Collocation - Space Preparation - Common Systems	 	+	<u> </u>				·			+		 			
1 1	Modification per square ft Cageless	l ı	ŀ	cro	PE1SL	3 26		l .	!		ļ					
	Physical Collocation - Space Preparation - Common Systems	 	 	020						 						
i l	Modification per Cage	,		CFO	PE1SM	110.79			l		1					
	Space Preparation Fees - Power Per Nominal -48V Dc Amp	- i -	 	CLO	PEIFH	5.76				+	 		<u> </u>		ļ	
	Physical Collocation - Cable Installation	 	 	CLO	PE1BD	3.70	2,305.00	2,305.00		 						
	Physical Collocation - Floor Space per So. Ft.	 	 	Cro	PE1PJ	3 45	2,305.00	2,305.00		ļ.			 			
	Physical Collocation - Cable Support Structure	 	_	CLO	PE1PM	21.33					 	ļ. —			<u> </u>	
	Physical Collocation - Power -48V DC Power, per Fused Amp	H	 	Cro	PE1PL					 						
	Physical Collocation - Power Reduction, Application Fee	╁┼		CLO	PE1PR	8 50	399.13			 		ļ				
	1 Hysical Conocation - I ower neduction, Application Fee		 	CLO	PEIPA		399.13			 		 				
l I	Physical Collegation 4004 Cinale Phase Chardley Davies Bate	١.		0.0	DE45D					1		1				
	Physical Collocation - 120V, Single Phase Standby Power Rate	├ ─	 	Cro	PE1FB	5.50				ļ			<u> </u>	L	ļ	_
1 1	Obviolati Callanation CARL Carola Blanca Charles Borras Barra	١.	1						1	1	ì	ì	1	1	}	ì
	Physical Collocation - 240V, Single Phase Standby Power Rate		-	CLO	PE1FD	11.01				<u> </u>		ļ				
	Shark a Sallacation and an area of the sallacation and the sallaca	Ι.	1								l	l				
	Physical Collocation - 120V, Three Phase Standby Power Rate			CLO	PE1FE	<u>16 5</u> 1					ļ	ļ				l
1 1	B	١.				1			j			1			ļ	
	Physical Collocation - 277V, Three Phase Standby Power Rate	!_		CLO	PE1FG	38.12						L			L	
	Physical Collocation - 2-Wire Cross-Connects	I		UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, UDL, UNCVX, UNLDX, UNCNX	PE1P2	0.32	41.78	39.23								
l I				CLO, UAL, UDL,		1				1		İ		İ		
l I	1		ŀ	UDN, UEA, UHL,		1				1	1	l			i	
l I		l .	l	UNCVX, UNCDX,					ļ	1	1	ļ		,	ļ	l .
	Physical Collocation - 4-Wire Cross-Connects	Щ.		UCL	PE1P4	0.64	41.91	39.25		<u> </u>	└					
	Physical Collocation - DS1 Cross-Connects			CLO,UEANL,UEQ,W DS1L,WDS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1,	PE1P1	234	71.02	51.08								
 	1 Marie Companies - DOT Cross Contribute	 	\vdash	CLO, UE3,U1TD3,	F			500	1		1	1	i		1	†
	Physical Collocation - DS3 Cross-Connects	1		UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1, UNLD3, UDL	PE1P3	42.84	69.84	49.43								
	Physical Collocation - 2-Fiber Cross-Connect			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1F2	2.94	51.97	38.59								
				CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3,	DE454	5.00	04.70	, , , , , , , , , , , , , , , , , , ,								
	Physical Collocation - 4-Fiber Cross-Connect		 	UDL12, UDF	PE1F4	5 62	64.53	51.15	ļ — — —	+	 		ļ			
	Physical Collocation - Welded Wire Cage - First 100 Sq. Ft.		1		PE1BW	102.76				<u> </u>	 		ļ			
	Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.	1	1	CLO	PE1CW	10.44		_	l				L	L		L

COLLOCAT	FION - North Carolina												Attach	ment: 4	Exhil	oit: D
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manualty per LSR	incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec			g Disconnect			OSS	Rates(\$)		
	Physical Collocation - Security Access System - Security System	├─-					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	per Central Office Physical Collocation - Security Access System - New Access			CLO	PE1AX	41.03										
	Card Activation, per Card	ł		CLO	PE1A1	0.062	55.30	55.30	_							
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or			CLO	PE1AA		15.51	15.51								
	Stolen Card, per Card			CLO	PE1AR		45.34	45 34		1				ł		
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		26 18	26.18			<u> </u>					
	Physical Collocation - Security Access - Key, Replace Lost or															
	Stolen Key, per Key Physical Collocation - Space Availability Report per premises		-	CLO	PE1AL		26.18	26.18								
	Physical Collocation - Space Availability Report per premises		-	CLO UEANL,UEA,UDN,U	PE1SR		2,140.00	2,140.00		 	ļ					
	POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect			DC,UAL,UHL,UCL,U EQ,CLO,UDL, UNCVX, UNCDX, UNCNX	PE1PE	0.10										
	POT Bay Arrangements pnor to 6/1/99 - 4-Wire Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, USL, UNCVX, UNCDX UEANL, UEA, UDN, U	PE1PF	0.19	<u>-</u>									
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect			DC,UAL,UHL,UCL,U EQ,CLO,WDS1L,W DS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1	PE1PG	0.79										
	POT Bay Arrangements pnor to 6/1/99 - DS3 Cross-Connect, per cross-connect			UEANL, UEA, UDN, UDC, UAL, UHL, UCL, UEQ, CLO, UE3, U1TD3, UXTD3, UXTS1, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UDLS, UDLS, UDLS, UDLS, UDLS		4.85							-			
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect,			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3,												
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect,			UDL12, UDF UEANIL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3,	PE1B2	45 30 61.09		-								
	per cross-connect Physical Collocation - Request Resend of CFA Information, per	 	+-	UDL12, UDF	172104	61.09					 					
	CLĹI			CLO	PE1C9		77.48				<u> </u>			ļ		ļ
	Nonrecurring Collocation Cable Records - per request			CLO	PE1CR		1,707.00			ļ	 		ļ	 	 	
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per cable record			CLO	PE1CD		923 08				<u> </u>					
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per each 100 pair		•	CLO	PE1CO		18.02	18 02								

COLLOCAT	ON - North Carolina													nent: 4		bit: D
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Submitted Elec per LSR	Manually	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
			<u> </u>			Rec	Nonrec			g Disconnect				Rates(\$)	0011411	SOMAN
							First	Add'I	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SUMAN
L	Nonrecurring Collocation Cable Records - DS1, per T1TIE				PE1C1		8.43	8.43		ļ						
	Nonrecurring Collocation Cable Records - DS3, per T3TIE		-	CLO	PE1C3		29 51	29.51			 			ļ		
	Nonrecurring Collocation Cable Records - Fiber Cable, per 99 fiber records		1	CLO	PE1CB	i i	278 82	278.82		ļ		ì		!		
	Physical Collocation - Security Escort - Basic, per Half Hour		 		PE1BT		42 92	25 56		 	+		 			ł
	Physical Collocation - Security Escort - Basic, per Hair Hour		┼──	OLO, OLO HO	FEIDI		72.32	25 50		-	+	 	 	 		
1	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO.CLORS	PE1OT		54 51	32 44					l			
 			†							 			1			
1 1	Physical Collocation - Security Escort - Premium, per Half Hour			CLO,CLORS	PE1PT		66.10	39.32	i					İ		
	V to P Conversion, Per Customer Request-Voice Grade			CLO	PE1BV	33 00						I				
T	V to P Conversion, Per Customer Request-DS0			CLO	PE1BO	33 00				1	T					
	V to P Conversion, Per Customer Request-DS1	l	1	CLO	PE1B1	52.00										
	V to P Conversion, Per Customer request-DS3			CLO	PE1B3	52.00										<u> </u>
	V to P Conversion, Per Customer Request per VG Circuit	1											1	l	I	1
	Reconfigured	l <u>.</u> .	l	CLO	PE1BR	23 00							1			ļ
	V to P Conversion, Per Customer Request per DS0 Circuit													I	ł	1
	Reconfigured			CLO	PE1BP	23.00				ļ <u>.</u>		ļ	ļ- <i>-</i>			
	V to P Conversion, Per Customer Request per DS1 Circuit			1								İ	ł		İ	1
	Reconfigured	L	ــــــ	Cro	PE1BS	33.00			ļ	 	+	 	 			+
	V to P Conversion, Per Customer Request per DS3 Circuit			l								1				
	Reconfigured		 _ _ 	CLO	PE1BE	37.00				 	- -	 	 	-	 	
1	V to P Conversion, Cable Pairs Assigned to Collo Space per 700	i	1	CLO	PE187	592 00				1		1]		l	1
	prs or fraction thereof		-	ICTO	PE187	592.00				 			 	 		
	Physical Collocation - Co-Carner Cross Connects - Fiber Cable	1		CLO,UDF	PE1ES	0 0018					İ	1			Ì	
	Support Structure, per cable, per linear ft	!	ļ—	CLO,UDF	PETES	0 0018	-			 		 	 			
l	Physical Collocation - Co-Carner Cross Connects - Copper/Coax		i	CLO, UE3, USL	PE1DS	0.0027]	i	l .	1	1	
	Cable Support Structure, per cable, per lin. ft. Physical Collocation - Co-Carner Cross Connects - Application		+	000, 000, 000	FE IDO	0.0027		-								
1 1	Fee, per application	i	ŀ	lcro	PE1DT	!	583.66				1	1	l		}	
PHYSICAL CO				020	1 - 10 1											
PHYSICAL CC	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-	 	+						···	T						1
1 1	Wire Analog - Res	i		UEPSR	PE1R2	0.32	41.78	39.23			i	1	26.94	12.76		l
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-	-	+	OLI OII					-				1	1		1
1 1	Wire Line Side PBX Trunk - Bus	1		UEPSP	PE1R2	0 32	41 78	39 23	1				26 94	12.76	l	<u> </u>
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-		1	52. 5.		· · · · · · · · · · · · · · · · · · ·										1
	Wire Voice Grade PBX Trunk - Res			UEPSE	PE1R2	0.32	41.78	39.23		l		1	26.94	12.76		
 	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-		1	T									1		1	
	Wire Analog - Bus		1	UEPSB	PE1R2	0.32	41.78	39.23	<u> </u>	<u> </u>			26 94	12.76		
H-1	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-	i	1								1	1			1	1
	Wire ISDN	ŀ		UEPSX	PE1R2	0.32	41.78	39.23					26 94	12.76		
-	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-					"					ľ	1	l	40.00		
	Wire ISDN	1	1	UEPTX	PE1R2	0.32	41.78	39.23		<u> </u>		<u> </u>	26.94	12.76		
	Physical Collocation 4-Wire Cross Connect, Exchange Port 4-									1				10.76	1	
1	Wire ISDN DS1			UEPEX	PE1R4	0.64	41.91	39.25		ļ		ļ	26.94	12.76	_	
ADJACENT C	OLLOCATION									<u> </u>		ļ	ļ	 	 	
	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.179				-		 		 	 	
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	5 96		L							 	+
	Adjacent Collocation - 2-Wire Cross-Connects			CLOAC	PE1P2	0.32	41.78	39.23		ļ.——	+	 	 	 	 -	+
				UEA,UHL,UDL,UCL,		1	1		1	1	1	1		l .	Į.	1
1 1	Adjacent Collocation - 4-Wire Cross-Connects	<u> </u>		CLOAC	PE1P4	0.64	41.91	39 25		 		+	+	 	 	+-
	Adjacent Collocation - DS1 Cross-Connects			USL,CLOAC	PE1P1	2 34	71.02	51.08 49.43		 	+	+	1	1	 	1
	Adjacent Collocation - DS3 Cross-Connects			CLOAC	PÉ1P3	42.84	69.84				 	 	 		 	†
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F2	2.94	51.97	38 59		+	+	+	+	+	 	1
	Adjacent Collocation - 4-Fiber Cross-Connect		ļ	CLOAC	PE1F4	5.62	64.53	51.15	+	+	+	+		1	 	
	Adjacent Collocation - Application Fee			CLOAC	PE1JB	ļ	3,153 00	ļ	 	+	+		+	+	 	1
	Adjacent Collocation - 120V, Single Phase Standby Power Rate				DE455					1			i			
	per AC Breaker Amp	_	4—	CLOAC	PE1FB	5 50	ļ	 	+	+	+	†	1	1		1
	Adjacent Collocation - 240V, Single Phase Standby Power Rate	Į.		l.,		11.01					i	1	1	ĺ	i	1
	per AC Breaker Amp	1	1	ICLOAC	PE1FD	11,01		L	1			J				

COLLOCATI	ON - North Carolina												ment: 4		bit: D
											Submitted	Charge -	Charge -	Charge -	Incremental Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc	i		RATES(\$)		Elec per LSR		Manual Svc Order vs.	Manual Svc Order vs.	Manual Svc Order vs.	Manual Svc Order vs.
		m								,		Electronic-	Electronic-	Electronic- Disc 1st	Electronic- Disc Add'l
,			<u> </u>				Nonrec	uerina l	Nonrecurring Disconne	4	<u> </u>		Rates(\$)		0130 AUG 1
 		 	 		+	Rec	First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
 	Adjacent Collocation - 120V, Three Phase Standby Power Rate		 	ļ		 					-				1
1 1	Iper AC Breaker Amp	•		CLOAC	PE1FE	16.51	Ì						1]
-	Adjacent Collocation - 277V, Three Phase Standby Power Rate		1								1				
1 L	per AC Breaker Amp		1	CLOAC	PE1FG	38 12			<u></u>						
PHYSICAL CO	LLOCATION IN THE REMOTE SITE														
	Physical Collocation in the Remote Site - Application Fee	L		CLORS	PETRA		865.34	865.34							
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	254.02					↓		ļ		
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		26.06	26.06			ļ				
	Physical Collocation in the Remote Site - Space Availability Report per Premises Requested			CLORS	PE1SR		230.60	230.60			ļ				
	Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested			CLORS	PE1RE	1	74 74	74.74							
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		232.94					<u> </u>	ļ		ļ!
PHYSICAL CO	LLOCATION IN THE REMOTE SITE - ADJACENT											ļ <u> </u>	 		 _
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27					<u> </u>				
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PEIRT	0.134									
	Remote Site-Adjacent Collocation-Application Fee		I	CLORS	PE1RU		755.62	755.62				1	<u> </u>	<u> </u>	 /
NOTE:	If Security Escort and/or Add'l Engineering Fees become nec	essary	for rem	note site collocation	, the Parties	will negotiate ap	opropriate rate	6.				<u></u>	<u> </u>	L	

COLLOCAT	ION - South Carolina												Attach	ment: 4	Exhil	bit: D
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incrementa Charge - Manual Sw Order vs. Electronic Disc Add'l
		 	_			Rec	Nonrec First	Add'l	First	Disconnect Add'l	SOMEC	SOMAN	SOMAN	Rates(\$)	SOMAN	SOMAN
									1.1131	Augi	SOMEO	SOMAN	JUNIAN	SUMAN	SUMAN	SUMAN
PHYSICAL CO																
	Physical Collocation - Application Fee - Initial		 	CLO	PE1BA		1,883.67	1,883.67	0 51	0.51						
	Physical Collocation - Application Fee - Subsequent Physical Collocation Administrative Only - Application Fee	ļ	├	Cro	PE1CA	ļ.,	1,570.10	1,570.10	0.51	0.51						
	Physical Coffocation - Space Preparation - Firm Order Processing			CLO	PE1BL PE1SJ		743 66 602.05	602.05		<u></u>						
	Physical Collocation - Space Preparation - C.O. Modification per square ft.	Ċ		CLO	PE1SK	2.75	002.00	002.00								
	Physical Collocation - Space Preparation - Common Systems Modification per square ft - Cageless			CLO	PE1SL	3 24										
	Physical Collocation - Space Preparation - Common Systems Modification per Cage			CLO	PE1SM	110.16										
	Physical Collocation - Cable Installation	 	 	CLO	PE18D	110.16	794,22	794 22	22.54	22 54	<u> </u>					ļ
	Physical Collocation - Floor Space per Sq. Ft.	 	+	CLO	PE1PJ	3.95	194.22	134 22	22.54	22 54						
	Physical Collocation - Cable Support Structure		—	CLO	PE1PM	21.33										
	Physical Collocation - Power -48V DC Power, per Fused Amp			CLO	PE1PL	9.19										
	Physical Collocation - Power Reduction, Application Fee			CLO	PE1PR		400 33									
	Physical Collocation - 120V, Single Phase Standby Power Rate		<u> </u>	CLO	PE1FB	5.67										
_	Physical Collocation - 240V, Single Phase Standby Power Rate		ļ	сго	PE1FD	11.36										
	Physical Collocation - 120V, Three Phase Standby Power Rate		ļ	CLO	PE1FE	17.03										
	Physical Collocation - 277V, Three Phase Standby Power Rate			CLO	PE1FG	39 33	-									
	Physical Collocation - 2-Wire Cross-Connects			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, UDL, UNCVX, UNLDX, UNCNX	PE1P2	0.0341	12.32 ;	11.83	6.04	5.45						
	Physical Collocation - 4-Wire Cross-Connects			CLO, UAL, UDL, UDN, UEA, UHL, UNCVX, UNCDX, UCL	PE1P4	0.0682	12.42	11.90	6.40	5 74						
	Physical Collocation - DS1 Cross-Connects			CLO,UEANL,UEQ,W DS1L,WDS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1, UDL	PE1P1	1 12	22.08	15 96	6.42	5 80						
	Physical Collocation - DS3 Cross-Connects			CLO, UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1, UNLD3, UDL	PE1P3	14.21	20.94	15.23	7.39	5.93						
	Physical Collocation - 2-Fiber Cross-Connect			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1F2	2.82	20.94	15.23	7.40	5.93				-		
				CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3,												
	Physical Collocation - 4-Fiber Cross-Connect	L	ļ	UDL12, UDF	PE1F4	5 01	25.61	19.90	9.73	8.26	ļ					
	Physical Collocation - Welded Wire Cage - First 100 Sq. Ft. Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft	ļ		CLO	PE18W PE1CW	219 19 21.50					ļ					

Version 2Q02: 07/11/02

COLLOCAT	ION - South Carolina													nent: 4	Exhit	oit: D
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonrec			g Disconnect			OSS	Rates(\$)		
	Physical Collocation - Security Access System - Security System	\vdash	-		ļ		First	Add'i	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	per Central Office			CLO	PE1AX	74.72				ŀ	1					
	Physical Collocation - Security Access System - New Access Card Activation, per Card			CLO	PE1A1	0.0601	27.85	27.85								
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or			cro	PE1AA		7.81	7.81								
	Stolen Card, per Card			CLO	PETAR		22.83	22.83								
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK	 	13.13	13.13		 						
	Physical Collocation - Security Access - Key, Replace Lost or						10.10	13.13								
	Stolen Key, per Key			CLO	PE1AL		13.13	13.13								
	Physical Collocation - Space Availability Report per premises			CLO	PE1SR		1,077.57	1,077.57								
	POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, UDL, UNCVX, UNCDX, UNCNX	PE1PE											
	por cross-connect			UEANL,UEA,UDN,U	PEIPE	0.085				<u> </u>						
	POT Bay Arrangements pnor to 6/1/99 - 4-Wire Cross-Connect, per cross-connect			DC,UAL,UHL,UCL,U EQ,CLO, USL, UNCVX, UNCDX	PE1PF	0.1701										
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,WDS1L,W DS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1	PE1PG	1,20										
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect			UNEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, UE3, UNTD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, UNTS1, ULDS1, UNLD3, UDL, UDLSX	PE1PH	10.71		:								
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B2	36.55										
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B4	49.29		<u>-</u>								
	Physical Collocation - Request Resend of CFA Information, per															
	CLLI			CLO	PE1C9		77,71	489.20	400.00	133.29						
_	Nonrecurring Collocation Cable Records - per request Nonrecurring Collocation Cable Records - VG/DS0 Cable, per cable record			CLO	PE1CR PE1CD		760.98 327.65	489.20 327.65	133.29 189.54	189.54						
 	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per						_									
	each 100 pair			CLO	PE1CO		4.82	4.82	5 91	5.91	l					

COLLOCAT	ION - South Carolina													ment: 4	Exhit	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Manually	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec			g Disconnect				Rates(\$)		
						Hec	First	Addʻl	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Collocation Cable Records - DS1, per T1TIE		Ī	CLO	PE1C1		2.26	2.26	2.77	2.77						
	Nonrecurring Collocation Cable Records - DS3, per T3TIE			CLO	PE1C3		7.90	7 90	9 68	9 68						
	Nonrecurring Collocation Cable Records - Fiber Cable, per 99															
	fiber records			CLO	PE1CB_		84.68	84.68	77.30	77.30			İ			<u>.</u>
ļ	Physical Collocation - Security Escort - Basic, per Half Hour		ļ	CLO,CLORS	PE1BT		16 96	10 75			↓	<u> </u>			<u> </u>	
	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE1OT		22.10	13.89			ļ .					
1	Physical Collegation Convents Forced Draws and Holf House		l	CLO CLODO	PE1PT		07.00	17.00			1	ŀ				
\vdash	Physical Collocation - Security Escort - Premium, per Half Hour V to P Conversion, Per Customer Request-Voice Grade		\vdash	CLO,CLORS CLO	PE1BV	33.00	27.23	17.02	 		 	····	 		 	
	V to P Conversion, Per Customer Request-DS0		 	CLO	PE1BO	33.00					 	 	 	 	 	
 	V to P Conversion, Per Customer Request-DS1		 	Cro	PE1B1	52.00			i	· · · · · · · · · · · · · · · · · · ·	 	 	 		 	
	V to P Conversion, Per Customer request-DS3			CLO	PE1B3	52.00					 		1			
 	V to P Conversion, Per Customer Request per VG Circuit		t	1		 		-			1	†	1			l
	Reconfigured V to P Conversion, Per Customer Request per DS0 Circuit			Cro	PE1BR	23 00					<u> </u>	-	ļ			
 	Reconfigured IV to P Conversion, Per Customer Request per DS1 Circuit			CLO	PE1BP	23 00					ļ	ļ				
	Reconfigured			CLO	PE1BS	33.00										
	V to P Conversion, Per Customer Request per DS3 Circuit Reconfigured			CLO	PE1BE	37.00						<u> </u>	ļ			
	V to P Conversion, Cable Pairs Assigned to Collo Space per 700 prs or fraction thereof			CLO	PE1B7	592.00				· · · · · · · · · · · · · · · · · · ·						
	Physical Collocation - Co-Carner Cross Connects - Fiber Cable Support Structure, per cable, per linear ft.			CLO,UDF	PE1ES_	0.001							ļ.,			
	Physical Collocation - Co-Carner Cross Connects - Copper/Coax Cable Support Structure, per cable, per lin. ft.			CLO, UE3, USL	PE1DS	0.0015	-				<u>.</u>					
	Physical Collocation - Co-Carner Cross Connects - Application Fee, per application			CLO	PE1DT		584.42									
PHYSICAL CO									J					<u> </u>	ļ	
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-									l				ŧ	1	
	Wire Analog - Res			UEPSR	PE1R2	0.0341	12.32	11 83	6 04	5 45		15.69		 	 	1
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus			UEPSP	PE1R2	0 0341	12.32	11 83	6.04	5 45		15.69	ļ			
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Voice Grade PBX Trunk - Res			UEPSE	PE1R2	0 0341	12.32	11.83	6 04	5.45		15 69				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Analog - Bus			UEPSB	PE1R2	0.0341	12 32	11.83	6 04	5.45		15,69				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire ISDN			UEPSX	PE1R2	0.0341	12.32	11.83	6.04	5.45		15.69				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire ISDN			UEPTX	PE1R2	0.0341	12.32	11.83	6.04	5.45		15.69				
	Physical Collocation 4-Wire Cross Connect, Exchange Port 4- Wire ISDN DS1			UEPEX	PE1R4	1.12	22.08	15.96	6.42	5.80		15.69				
ADJACENT	OLLOCATION		1								<u> </u>	<u> </u>		1	_	ļ
ADOAGLITE	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.0939			L			<u> </u>		ļ	 	
 	Adjacent Collocation - Electrical Facility Charge per Linear Ft.	1	\top	CLOAC	PE1JC	6.40					1	 	ļ		 	ļ
	Adjacent Collocation - 2-Wire Cross-Connects			CLOAC	PE1P2	0.0264	12.32	11.83	6.04	5.45	 _	 	ļ	—	 	
	Adjacent Collocation - 4-Wire Cross-Connects			ÚEA,UHL,UDL,UCL, CLOAC	PE1P4	0 0527	12.42	11.90								
 	Adjacent Collocation - DS1 Cross-Connects			USL,CLOAC	PE1P1	1.03	22.08	15.96					ļ	<u> </u>		
 	Adjacent Collocation - DS3 Cross-Connects		t	CLOAC	PE1P3	14.00	20.94	15.23					ļ		+	
	Adjacent Collocation - 2-Fiber Cross-Connect		+	CLOAC	PE1F2	2 37	20 94	15.23					 			
	Adjacent Collocation - 4-Fiber Cross-Connect		1	CLOAC	PE1F4	4.53	25,61	19.90				ļ	 		+	
\vdash	Adjacent Collocation - Application Fee		\top	CLOAC	PE1JB		1,580.20		0.51	0.51	\bot		 		 	
	Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FB	5.67									ļ	
	Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp		1	CLOAC	PE1FD	11.36									<u> </u>	

COLLOCAT	ION - South Carolina												Attachr	nent: 4	Exhil	bit: D
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted		Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'i
						5	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FE	17.03										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FG	39.33										
PHYSICAL CO	DLLOCATION IN THE REMOTE SITE															
	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		308.38	308.38	168.60	168.60						
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	246.44						L				
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		13 13	13.13								
	Physical Collocation in the Remote Site - Space Availability Report per Premises Requested			CLORS	PE1SR		116.13	116.13								
	Physical Coflocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested			CLORS	PE1RE		37 64	37.64								
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		234.50									
PHYSICAL CO	DLLOCATION IN THE REMOTE SITE - ADJACENT												ļ			
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0 134										
	Remote Site-Adjacent Collocation-Application Fee		1	CLORS	PE1RU	L	755 62	755.62				ļ		L		
NOTE	: If Security Escort and/or Add'l Engineering Fees become nec	essary	for rem	ote site collocation	, the Parties v	will negotiate a	ppropriate rate	9.		l	L	L	L	L	l	

COLLOCA	TION - Tennessee												Attachr	ment: 4	Exhit	bit: D
COLLOCA	HON - Tennessee			***							Svc Order	Svc Order			Incremental	Incremental
		1	'								Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
i	1		i	المحريب والمراكب							Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Inter	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m	1								-	1	Electronic-	Electronic-	Electronic-	Electronic-
}			1			i					1	i	191	Aug I	D100 100	
L							N		Nonrecurring	Disconnect		<u> </u>	099	Rates(\$)	L.——	L
			ļ			Rec	Nonrecurring First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
L							FIISL	Auu i	- Filat	AGG1	QUILLO	- COMPAN	00		<u> </u>	
OHVEICAL C	OLLOCATION	├	 -								_					
THISICAL	Physical Collocation - Application Fee - Initial	 	+-	CLO	PE1BA		3,767.00	3,767 00				——				1
	Physical Collocation - Application Fee - Subsequent	 	 	CLO	PE1CA		3,140.00	3,140.00								
 	Physical Collocation Administrative Only - Application Fee	 	1	CLO	PE1BL		743 25									
	Physical Collocation - Space Preparation - Firm Order	<u> </u>	-													
1	Processing	1	1	ri n	DE101	i	1,204.00	1,204.00]	1	1	<u> </u>	<u> </u>	
	Physical Collocation - Space Preparation - C.O. Modification per			Ī		_					T .		1			
1 1	square ft.	1		ULU .	PE1SK											
	Physical Collocation - Space Preparation - Common Systems			1							1	1	i	1	}	1
1 1	Modification per square ft Cageless	1		CLO	PEISL	2.95										
	Physical Collocation - Space Preparation - Common Systems	Ī	T						1		1	1	l	l	ĺ	1
	Modification per Cage	11	<u> </u>	CLO	PE1SM	100.14									ļ	
	Physical Collocation - Cable installation			CLO	PE1BD		1,757.00	1,757.00							<u> </u>	
	Physical Collocation - Floor Space per Sq. Ft.	—		CLO	PE1PJ	6 75										
	Physical Collocation - Cable Support Structure	<u> </u>	1-	CLO	PE1PM	19.80					₩				 	+
	Physical Collocation - Power -48V DC Power, per Fused Amp	1!	-	CLO	PE1PL	8.87	100 10					-				
	Physical Collocation - Power Reduction, Application Fee			CLO	PE1PR	-	400.10		-		 	 	 			
	nu de la companya de	Ι.	1	CLO	PE1FB	5.60	1		1	1	1	1	ì	1	1	1
	Physical Collocation - 120V, Single Phase Standby Power Rate	- -	+	CLO	PETER	3.00								 		T
1 1	District College Name College Character Date	١.		CLO	PE1FD	11 22	1 1				1	1	1	1	J	
	Physical Collocation - 240V, Single Phase Standby Power Rate	 '	+	CLO	FLIFD											
1 1	Physical Collocation - 120V, Three Phase Standby Power Rate	1 .		CLO	PE1FE	16.82					1	1	ì	1	1	İ
	Physical Collocation - 120V, Three Phase Standby Fower Hate	+ '-	+-	000												
1 1	Physical Collocation - 277V, Three Phase Standby Power Rate	1 i		CLO	PE1FG	38.84	l - I					l	1			
	Physical Collocation - 2774, Times France Clarice y Tomes France		_									1	1	{	ţ	{
			1	UEANL, UEA, UDN, U	I	i	1 1	-	1	ĺ	i	1	1	1	}	1
1 1		ì	1	DC,UAL,UHL,UCL,U		1					1	Ì	1	1	1	1
1 1		1	1	EQ, UDL, UNCVX,	1		, ,			Į.	ļ	1	1	1	1	1
1 1	Physical Collocation - 2-Wire Cross-Connects	}	1	UNLDX, UNCNX	PE1P2	0 033	33 82	31.92			-	ļ <u> </u>		 	ļ	
				CLO, UAL, UDL,		1	ĺ		[]	l	i	1	1		l	1
1 1		1	I .	UDN, UEA, UHL,	ì				l		1	1	1	1	1	
1 1			1	JUNCVX, UNCDX,	ļ	l	1]		1	ļ	J	ļ	1	1
1 1	Physical Collocation - 4-Wire Cross-Connects			UCL	PE1P4	0.066	33.94	31.95			}	 		 		
				CLO,UEANL,UEQ,W	1	i		Ì		ì	i	ì	1	1	ì	ì
1 1			1	DS1L,WDS1S, USL,							1			1	1	
		1		U1TD1, UXTD1,								1	1		i	
1 1		1	1	UNC1X, ULDD1,	1	Į.	Į.					1	1	1		i
1 1		1	1	USLEL, UNLD1,	l	1	50.07	40.48	1	ļ	1	ļ			1	1
	Physical Collocation - DS1 Cross-Connects		-	UDL	PE1P1	1.51	53.27	40.16			+	 		<u> </u>	 	
		Į .	1	CLO, UE3,U1TD3,	l		i i	i		ĺ	ĺ	í	i	ĺ	i	i
l l		1		UXTD3, UXTS1,	i					ļ	1	1	1		1	1
1	1		l.	UNC3X, UNCSX	i			Ì	i		i		1		1	1
1 1		1		ULDD3,	1	1			1	l	1		1	1]	1
1		1		U1TS1,ULDS1,				38.89			1	1	1		ì	1
1	Physical Collocation - DS3 Cross-Connects	1	-	UNLD3, UDL	PE1P3	19,26	52.37	38.69			1	1	 		1	
		1	1	CLO, ULDO3,	1	1	}	[ì				1		1	1
		1		ULD12, ULD48, U1TO3, U1T12,	1	1	l	l				1	ł		1	1
1 1	1	j	1			1		l	1		1	i	1	1	1	
1 1		1	1	U1T48, UDLO3. UDL12, UDF	PE1F2	15.64	41.56	29.82	12.96	10.34	ıl	l	2.69	2.69	1.56	1.5
	Physical Collocation - 2-Fiber Cross-Connect	+		CLO, ULDO3,	I'E I'Z	15.04	71.50		1	1	1		T .	T		1 -
1 1	1	1	1	ULD12, ULD48,		1	1	l .	1	I	1	1	i	1		1
	•			IULUIZ, ULUTO,	1	1	i	I	1	1	1	1	1	1	1	1
			1		1	1	1	I		1	ı	1	1	1	1	
				U1TO3, U1T12,			1									
				U1TO3, U1T12, U1T48, UDLO3,	PF1F4	29.11	50.53	38.78	16.97	14.35			2 69	2.69	1.56	1.5
	Physical Collocation - 4-Fiber Cross-Connect Physical Collocation - Welded Wire Cage - First 100 Sq. Ft.			U1TO3, U1T12,	PE1F4	28,11 218,53		_38.78	16.97	14.3			2 69	2.69	1.56	1.5

COLLOCAT	ION - Tennessee												Attachi	ment: 4	Exhil	bit: D
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Menually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrecurring			Disconnect				Rates(\$)		T 6011411
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1 1	Physical Collocation - Security Access System - Security System per Central Office	1	1	CLO	PE1AX	55.99							1		1	
 	Physical Collocation - Security Access System - New Access	_	\vdash	CLO	PEIA	30.59				·	 		 		<u> </u>	
ļļ	Card Activation, per Card		1	CLO	PE1A1	0 059	55.67	55.67							<u> </u>	
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or			cro	PETAA		15.61	15 61								
1 1	Stolen Card, per Card		1	CLO	PE1AR		45 64	45 64				1	ļ			1
	Physical Collocation - Security Access - Initial Key, per Key	_	 	CLO	PE1AK	1	- 26.24	26 24								1
	Physical Collocation - Security Access - Key, Replace Lost or									-						
<u> </u>	Stolen Key, per Key	L	\vdash	CLO	PE1AL	ļ	26.24	26.24			 		 		 	+
	Physical Collocation - Space Availability Report per premises	1		CLO	PE1SR	 	2,027.00	2,154.00			 	-	 			
	POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, UDL, UNGVX, UNCDX, UNCNX	PE1PE	0 40										
	POT Bay Arrangements pnor to 6/1/99 - 4-Wire Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, USL, UNCVX, UNCDX	PE1PF	1.20										
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect			DC,UAL,UHL,UCL,U EQ,CLO,WDS1L,W DS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1	PE1PG	1.20										
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, UE3, UTTD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, UTTS1, ULDS1, UNLD3, UDL, UDLSX	PE1PH	8.00										
	POT Bay Arrangements prior to 6/1/99 - 2-Filber Cross-Connect,			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3,		90 70										
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect.			UDL12, UDF UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3,		38.79							-			
	per cross-connect	ļ	-	UDL12, UDF	PE1B4	52.31	 			 	 	 		1	1	+
1 1	Physical Collocation - Request Resend of CFA Information, per CLLI	1		Cro	PE1C9	L	77.67					↓ ——	 	 	┼	
 	Nonrecurring Collocation Cable Records - per request	t	\top	CLO	PE1CR		1,711.00				4			 	+	+
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per cable record			CLO	PE1CD		925.06					<u> </u>		_		
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per each 100 pair		1	CLO	PE1CO		18.05	18.05		1	<u></u>	<u> </u>				

COLLOCAT	ION - Tennessee												Attachr			bit: D
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order va. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
-1-						Rec	Nonrecurring	A -4 -411	Nonrecurrin First	g Disconnect Add'I	SOMEC	SOMAN	SOMAN	Rates(\$)	SOMAN	SOMAN
				101.0	PE1C1		First 8.45	Add'I 8.45	PIISL	Addi	SOMEC	JUMAN	COMPAN	- COMPAN		
	Nonrecurring Collocation Cable Records - DS1, per T1TIE Nonrecurring Collocation Cable Records - DS3, per T3TIE	-		CLO	PE1C3		29.57	29.57				 				
	Nonrecurring Collocation Cable Records - Dos, per 13 ne			-	1 2100			<u></u>								
	fiber records		1	Cro	PE1CB		279.42	279.42								
	Physical Collocation - Security Escort - Basic, per Half Hour			CLO,CLORS	PE1BT_		33 91	21.49						ļ.———		
	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE1OT		44.17	27. <u>76</u>			ļ	ļ				
	The state of the s		1	CLO,CLORS	PE1PT		54.42	34.02					1	l		
	Physical Collocation - Security Escort - Premium, per Half Hour V to P Conversion, Per Customer Request-Voice Grade		-	CLO	PE1BV	33 00							I			
 	V to P Conversion, Per Customer Request-DS0			CLO	PE1BO	33.00						ļ			ļ	├
	V to P Conversion, Per Customer Request-DS1		<u> </u>	CLO	PE1B1	52.00							l		<u> </u>	
	V to P Conversion, Per Customer request-DS3			CLO	PE1B3	52.00				<u> </u>	-				 	
	V to P Conversion, Per Customer Request per VG Circuit Reconfigured			CLO	PE1BR	23 00					ļ	<u> </u>	ļ		<u> </u>	ļ
	V to P Conversion, Per Customer Request per DS0 Circuit Reconfigured			CLO	PE1BP	23.00				ļ			ļ			ļ
	V to P Conversion, Per Customer Request per DS1 Circuit Reconfigured			CLO	PE1BS	33.00								<u> </u>	 	<u> </u>
	V to P Conversion, Per Customer Request per DS3 Circult Reconfigured		<u>. </u>	CLO	PE18E	37.00				ļ	<u> </u>	<u> </u>				
	V to P Conversion, Cable Pairs Assigned to Collo Space per 700 prs or fraction thereof			CLO	PE1B7	592.00						-	 -			
	Physical Caged Collocation-App Cost(Initial & sub)-Planning, per request			cro	PEIAC	16.16	2,903.66	2,903.66		ļ	 	 -	<u> </u>		 	
	Physical Caged Collocation-Space Prep-Grounding, per location		_	СГО	PE188	4 32				<u> </u>	ļ	 	 			
	Physical Caged Collocation-Space Prep-Power Delivery, per 40 amp Feed	L		сго	PEISN		142 40		<u> </u>			<u> </u>		 	 	
	Physical Caged Collocation-Space Prep-Power Delivery, per 100 amp Feed	L		СГО	PE1SO_		185.72				-	 		<u> </u>	+	 -
	Physical Caged Collocation-Space Prep-Power Delivery, per 200 amp Feed		<u> </u>	cro	PEISP		242 05					 	 -		 	 - -
	Physical Caged Collocation-Space Enclosure-Cage Preparation, per first 100 sq. ft.		<u> </u>	CLO	PE1S1	110.97				 		 		<u> </u>	 -	
	Phycical Caged Collocation-Space Enclosure-Cage Preparation2, per add/l 50 sq. ft		_	CLO	PE1S5	55 49			<u> </u>		-	 	 		-	
	Physical Caged collocation-Cable Installation-Entrance Fiber Structure, interduct per ft.	<u> </u>		CLO	PE1CP	0.0156					 				+	+
	Phycical Caged Collocation-Cable Installation-Entrance Fiber, per cable			сго	PE1CQ	2.56	944.27			-		+	<u> </u>	 	 	
	Physical Caged Collocation-Floor Space-Land & Buildings, per sq. ft.			CLO	PE1FS	5.94							 		 	+
	Physical Caged Collocation-Cable Support Structure-Cable Racking, per entrance cable		_	CLO	PE1CS	21.47			<u> </u>			+	 	 	 	+
	Physical Caged Collocation-Power-Power Construction, per amp			CLO	PE1PN	3 55			<u> </u>		-	ļ	 	 	 	+
	Physical Caged Collocation-Power-Power Consumption,per amp	I		CLO	PE1PO	2.03				 		 				+
	Physical Caged Collocation-2-wire Cross Connects-Voice Grade ckts. per ckt.	l		CLO	PE12C	0.0475	7.68					 	 		 	+
	Physical Caged Collocation-4-wire Cross Connects-Voice Grade Ckts, per ckt.			CLO	PE14C	0.0475	7.68		ļ					 	 	+
	Physical Caged Collocation-DS1 Cross Connects-connection to DCS, per ckt	1		cro	PE11S	7.68	41.65		ļ					 	-	+
	Physical Caged Collocation-DS1 Cross Connects-Connection to DSX, per ckt.	·		CLO	PE11X	0.38	41.65		ļ	ļ		 	 	 	 	
	Physical Caged Collocation-DS3 Cross Connects-Connection to DCS, per ckt)		CLO	PE13S	53.96	298.03		<u> </u>							

Physical Caged Colloc DSX, per ckt. Physical Caged Colloc DSX, per ckt. Physical Caged Colloc S Cards Physical Collocation - Support Structure, per Physical Collocation - Cable Support Structu Physical Collocation - Fee, per application Physical Collocation 2 Wire Analog - Res Physical Collocation 2 Wire Line Side PBX Tr Physical Collocation 2 Wire Voice Grade PBX Physical Collocation 2 Wire Analog - Bus Physical Collocation 2 Wire SDN Physical Collocation 2 Wire ISDN Physical Collocation 2 Wire ISDN Physical Collocation 2 Wire ISDN Physical Collocation 4 Wire ISDN DS1 ADJACENT COLLOCATION Adjacent Collocation - Per AC Breaker Amp Adjacent Collocation - Per AC Breaker	ennessee													ment: 4	Exhit	oit: D
DSX, per ckt. Physical Caged Colloc 5 Cards Physical Collocation - Support Structure, per Physical Collocation - Cable Support Structure, per Physical Collocation - Cable Support Structure Physical Collocation - Fee, per application Physical Collocation - Fee, per application Physical Collocation 2-Wire Analog - Res Physical Collocation 2-Wire Line Side PBX Tr. Physical Collocation 2-Wire Analog - Bus Physical Collocation 2-Wire Nanalog - Bus Physical Collocation 2-Wire ISDN Physical Collocation 2-Wire ISDN Physical Collocation 2-Wire ISDN Physical Collocation 2-Wire ISDN Physical Collocation 4-Wire ISDN DS1 ADJACENT COLLOCATION Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Per AC Breaker Amp Adjacent Collocation - Per AC Breaker	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sw Order vs. Electronic Disc Add'l
DSX, per ckt. Physical Caged Colloc 5 Cards Physical Collocation - Support Structure, per Physical Collocation - Cable Support Structure, per Physical Collocation - Cable Support Structure Physical Collocation - Fee, per application Physical Collocation - Gee, per application Physical Collocation 2-Wire Analog - Res Physical Collocation 2-Wire Line Side PBX Tr. Physical Collocation 2-Wire Analog - Bus Physical Collocation 2-Wire Nalog - Bus Physical Collocation 2-Wire ISDN Physical Collocation 2-Wire ISDN Physical Collocation 2-Wire ISDN Physical Collocation 2-Wire ISDN Physical Collocation 4-Wire ISDN DS1 ADJACENT COLLOCATION Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Per AC Breaker Amp Adjacent Collocation - Per AC Breaker A		I				Rec	Nonrecurring		Nonrecurring					Rates(\$)		
DSX, per ckt. Physical Caged Colloc 5 Cards Physical Collocation - Support Structure, per Physical Collocation - Cable Support Structure, per Physical Collocation - Cable Support Structure Physical Collocation - Fee, per application Physical Collocation - Fee, per application Physical Collocation 2-Wire Analog - Res Physical Collocation 2-Wire Line Side PBX Tr. Physical Collocation 2-Wire Analog - Bus Physical Collocation 2-Wire Nanalog - Bus Physical Collocation 2-Wire ISDN Physical Collocation 2-Wire ISDN Physical Collocation 2-Wire ISDN Physical Collocation 2-Wire ISDN Physical Collocation 4-Wire ISDN DS1 ADJACENT COLLOCATION Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Per AC Breaker Amp Adjacent Collocation - Per AC Breaker	10 10 1 10 10 10 10 10 10 10 10 10 10 10	ļ	ļ			1	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Physical Caged Colloc 5 Cards Physical Collocation - Support Structure, per Physical Collocation - Cable Support Structure Physical Collocation - Cable Support Structure Physical Collocation - PHYSICAL COLLOCATION PHYSICAL COLLOCATION Physical Collocation 2- Wire Analog - Res Physical Collocation 2- Wire Line Side PBX Tr Physical Collocation 2- Wire Voice Grade PBX Physical Collocation 2- Wire Side PBX Physical Collocation 2- Wire Side PBX Physical Collocation 2- Wire Side PBX Physical Collocation 2- Wire Side PBX Physical Collocation 2- Wire Side PBX Physical Collocation 2- Wire Side PBX Physical Collocation 4- Wire Side Collocation 4- Wire Side Collocation 4- Wire Side Collocation 4- Adjacent Collocation 4- Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Per AC Breaker Amp Adjacent Collocation	al Caged Collocation-DS3 Cross Connects-Connection to	1	1	cro ,	DE40V	0.00	000 00		!				}		ĺ	
S Cards Physical Collocation - Support Structure, per Physical Collocation - Cable Support Structur Physical Collocation - Fee, per application PHYSICAL COLLOCATION Physical Collocation 2- Wire Analog - Res Physical Collocation 2- Wire Line Side PBX Tr Physical Collocation 2- Wire Analog - Bus Physical Collocation 2- Wire Analog - Bus Physical Collocation 2- Wire SDN Physical Collocation 2- Wire SDN Physical Collocation 2- Wire ISDN Physical Collocation 2- Wire ISDN Physical Collocation 4- Wire ISDN Physical Collocation 4- Wire ISDN Adjacent Collocation 4- Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Per AC Breaker Amp	al Caged Collocation-Secunty Access-Access Cards, per		-	CLO	PE13X	9.32	298.03									
Support Structure, per Physical Collocation - Cable Support Structure Physical Collocation - Fee, per application - Fee, per application - Fee, per application - Physical Collocation - Wire Analog - Res Physical Collocation 2-Wire Line Side PBX Tri Physical Collocation 2-Wire Voice Grade PBX Physical Collocation 2-Wire Voice Grade PBX Physical Collocation 2-Wire SDN Physical Collocation 2-Wire ISDN Physical Collocation 2-Wire ISDN Physical Collocation 2-Wire ISDN Physical Collocation 4-Wire ISDN DS1 Physical Collocation 4-Wire ISDN DS1 Physical Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Per AC Breaker Amp Adjacent Collocation - Per AC Breaker			1	CLO	PE1A2	1	76.10				<u> </u>		}	ĺ	<u> </u>	
Physical Collocation - Cable Support Structu Physical Collocation - Fee, per application Physical Collocation 2 Wire Analog - Res Physical Collocation 2- Wire Line Side PBX Tr Physical Collocation 2- Wire Line Side PBX Tr Physical Collocation 2- Wire Voice Grade PBX Physical Collocation 2- Wire SDN Physical Collocation 2- Wire SDN Physical Collocation 2- Wire SDN Physical Collocation 2- Wire SDN Physical Collocation 4- Wire ISDN Adjacent Collocation 4- Wire ISDN DS1 Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Per AC Breaker Amp Adjacent Collocation - Per AC B	al Collocation - Co-Carner Cross Connects - Fiber Cable	1					19110		 							
Cable Support Structu Physical Collocation - Fee, per application PHYSICAL COLLOCATION Physical Collocation 2- Wire Analog - Res Physical Collocation 2- Wire Line Side PBX Tr Physical Collocation 2- Wire Line Side PBX Tr Physical Collocation 2- Wire Side PBX Tr Physical Collocation 2- Wire Analog - Bus Physical Collocation 2- Wire Side PBX Physical Collocation 2- Wire Side PBX Physical Collocation 2- Wire Side PBX Physical Collocation 2- Wire Side PBX Physical Collocation 2- Wire Side PBX Physical Collocation 4- Wire Side PBX Physical Collocation 4- Wire Side PBX Physical Collocation 4- Adjacent Collocation 4- Adjacent Collocation 1- Adjacent Collocation 1- Adjacent Collocation 1- Adjacent Collocation 1- Adjacent Collocation 1- Adjacent Collocation 1- Adjacent Collocation 1- Adjacent Collocation 1- Adjacent Collocation 1- Adjacent Collocation 1- Adjacent Collocation 1- Adjacent Collocation 1- Adjacent Collocation 1- Per AC Breaker Amp Adjacent Collocation 1- Per AC Breaker Amp Adjacent Collocation 1- Per AC Breaker Amp Adjacent Collocation 1- Per AC Breaker Amp Adjacent Collocation 1- Per AC Breaker Amp Adjacent Collocation 1- Per AC Breaker Amp Adjacent Collocation 1- Per AC Breaker Amp Adjacent Collocation 1- Per AC Breaker Amp Adjacent Collocation 1- Per AC Breaker Amp Adjacent Collocation 1- Physical	rt Structure, per cable, per linear ft.			CLO,UDF	PE1ES	0.0013			ll				1 .	l	L	
Physical Collocation - Fee, per application Fee, per application Physical Collocation 2- Wire Analog - Res Physical Collocation 2- Wire Line Side PBX Tr Physical Collocation 2- Wire Voice Grade PBX Physical Collocation 2- Wire Voice Grade PBX Physical Collocation 2- Wire SDN Physical Collocation 2- Wire ISDN Physical Collocation 2- Wire ISDN Physical Collocation 4- Wire ISDN DS1 ADJACENT COLOCATION Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Per AC Breaker Amp	al Collocation - Co-Carrier Cross Connects - Copper/Coax	·											1			
PHYSICAL COLLOCATION Physical Collocation 2- Wire Analog - Res Physical Collocation 2- Wire Line Side PBX Tr Physical Collocation 2- Wire Voice Grade PBX Physical Collocation 2- Wire Analog - Bus Physical Collocation 2- Wire SDN Physical Collocation 2- Wire ISDN Physical Collocation 4- Wire ISDN DS1 ADJACENT COLLOCATION Adjacent Collocation - Per AC Breaker Amp Adjacent Collocation - Per AC Breaker Amp	Support Structure, per cable, per lin. ft.	 -	-	CLO, UE3, USL	PE1DS	0.0019	ļ. —————		<u> </u>							
PHYSICAL COLLOCATION Physical Collocation 2 Wire Analog - Res Physical Collocation 2 Wire Line Side PBX Tr Physical Collocation 2 Wire Une Side PBX Tr Physical Collocation 2 Wire Voice Grade PBX Physical Collocation 2 Wire Analog - Bus Physical Collocation 2 Wire SDN Physical Collocation 2 Wire ISDN Physical Collocation 2 Wire ISDN Physical Collocation 4 Wire ISDN DS1 ADJACENT COLLOCATION Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Per AC Breaker Amp Adjacent C	at Collocation - Co-Carrier Cross Connects - Application	1	1	CLO	PE1DT		585.09						İ			
Physical Collocation 2- Wire Analog - Res Physical Collocation 2- Wire Line Side PBX Tr Physical Collocation 2- Wire Volce Grade PBX Physical Collocation 2- Wire Nalog - Bus Physical Collocation 2- Wire SDN Physical Collocation 2- Wire ISDN Physical Collocation 4- Wire ISDN DS1 ADJACENT COLLOCATION Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Per AC Breaker Amp	TION	 		CLO	FEIDI		363.09		 				-			
Physical Collocation 2- Wire Line Side PBX Tr Physical Collocation 2- Wire Voice Grade PBX Physical Collocation 2- Wire Analog - Bus Physical Collocation 2- Wire SDN Physical Collocation 2- Wire ISDN Physical Collocation 2- Wire ISDN Physical Collocation 4- Wire ISDN DS1 ADJACENT COLLOCATION Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Per AC Breaker Amp	al Collocation 2-Wire Cross Connect, Exchange Port 2-	1						-	 			<u> </u>				
Wire Line Side PBX Tr Physical Collocation 2- Wire Voice Grade PBX Physical Collocation 2- Wire Analog - Bus Physical Collocation 2- Wire ISDN Physical Collocation 2- Wire ISDN Physical Collocation 2- Wire ISDN Physical Collocation 4- Wire ISDN DS1 ADJACENT COLLOCATION Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Per AC Breaker Amp		<u></u>	L	UEPSR	PE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.4
Physical Collocation 2- Wire Volce Grade PBX Physical Collocation 2- Wire Analog - Bus Physical Collocation 2- Wire SDN Physical Collocation 2- Wire ISDN Physical Collocation 2- Wire ISDN Physical Collocation 4- Wire ISDN DS1 ADJACENT COLLOCATION Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Per AC Breaker Amp Adj	al Collocation 2-Wire Cross Connect, Exchange Port 2-															
Wire Voice Grade PBX Physical Collocation 2- Wire Analog - Bus Physical Collocation 2- Wire ISDN Physical Collocation 2- Wire ISDN Physical Collocation 4- Wire ISDN DS1 ADJACENT COLLOCATION Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Padjacent Collocation - Adjacent Collocation - Per AC Breaker Amp Adjacent Collocation - Per AC Breaker Amp Adjacent Collocation - Per AC Breaker Amp Adjacent Collocation - Per AC Breaker Amp Adjacent Collocation - Per AC Breaker Amp Adjacent Collocation - Per AC Breaker Amp Adjacent Collocation - Per AC Breaker Amp Adjacent Collocation - Per AC Breaker Amp Adjacent Collocation - Per AC Breaker Amp Adjacent Collocation - Per AC Breaker Amp Adjacent Collocation - Per AC Breaker Amp Adjacent Collocation - Per AC Breaker Amp Adjacent Collocation - Physical Collocation in Cabinet Space in the F		 	\vdash	UEPSP	PE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
Physical Collocation 2- Wire Analog - Bus Physical Collocation 2- Wire ISDN Physical Collocation 2- Wire ISDN Physical Collocation 4- Wire ISDN DS1 Physical Collocation 4- Wire ISDN DS1 ADJACENT COLLOCATION Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Per AC Breaker Amp Adjacent	al Collocation 2-Wire Cross Connect, Exchange Port 2-			UEPSE	PE1R2	0 30	19.20	19.20					20.35	10.54	13.32	1.40
Wire Analog - Bus Physical Collocation 2- Wire ISDN Physical Collocation 2- Wire ISDN Physical Collocation 2- Wire ISDN Physical Collocation 4- Wire ISDN DS1 ADJACENT COLLOCATION Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Per AC Breaker Amp Adjacent Collocation - Per AC Breaker Amp Adjacent Collocation - Per AC Breaker Amp Adjacent Collocation - Per AC Breaker Amp Adjacent Collocation - Per AC Breaker Amp Adjacent Collocation - Per AC Breaker Amp Adjacent Collocation in Physical Collocation in Physical Collocation in Report per Premises F Physical Collocation in Code Request, per CL	al Collocation 2-Wire Cross Connect, Exchange Port 2-	┼	!	UEFSE	PEIRZ	030	19.20	19.20	 			 	20.33	10.54	19.92	_ 1.44
Physical Collocation 2- Wire ISDN Physical Collocation 2- Wire ISDN Physical Collocation 4- Wire ISDN DS1 ADJACENT COLLOCATION Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - per AC Breaker Amp Adjacent Collocation - per AC Breaker Amp Adjacent Collocation - per AC Breaker Amp Adjacent Collocation - per AC Breaker Amp Adjacent Collocation - per AC Breaker Amp Adjacent Collocation - per AC Breaker Amp Adjacent Collocation in Physical Collocation in Cabinet Space in the F Physical Collocation in		1	1	UEPSB	PE1R2	0.30	19.20	19.20			į.		20.35	10.54	13.32	1,40
Physical Collocation 2 Wire ISDN Physical Collocation 4 Wire ISDN DS1 ADJACENT COLLOCATION Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Per AC Breaker Amp Adjacent Collocation - Per AC Breaker Amp Adjacent Collocation - Per AC Breaker Amp Adjacent Collocation - Per AC Breaker Amp Adjacent Collocation - Per AC Breaker Amp Adjacent Collocation - Per AC Breaker Amp Adjacent Collocation - Per AC Breaker Amp Adjacent Collocation - Per AC Breaker Amp Adjacent Collocation - Physical Collocation in Cabinet Space in the F Physical Collocation in Physical Collocation in Report per Premises F Physical Collocation in Code Request, per CL	al Collocation 2-Wire Cross Connect, Excharige Port 2-	1	1		·	<u> </u>										
Wire ISDN Physical Collocation 4 Wire ISDN DS1 ADJACENT COLLOCATION Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Per AC Breaker Amp Adjacent Collocation - Per AC Breaker Amp Adjacent Collocation - Per AC Breaker Amp Adjacent Collocation - Per AC Breaker Amp Adjacent Collocation - Physical Collocation in Cabinet Space in the F Physical Collocation in Physical Collocation in Report per Premises F Physical Collocation in Code Request, per Cl				UEPSX	PE1R2	0.30	19.20	19.20					20.35	10.54	13 32	1.40
Physical Collocation 4 Wire ISDN DS1 ADJACENT COLLOCATION Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Per AC Breaker Amp Adjacent Collocation - Per AC Breaker Amp Adjacent Collocation - Per AC Breaker Amp Adjacent Collocation - Per AC Breaker Amp Adjacent Collocation - Per AC Breaker Amp Adjacent Collocation - Per AC Breaker Amp Adjacent Collocation - Per AC Breaker Amp Adjacent Collocation - Per AC Breaker Amp Adjacent Collocation - Per AC Breaker Amp Adjacent Collocation - Per AC Breaker Amp Adjacent Collocation - Physical Collocation in	al Collocation 2-Wire Cross Connect, Exchange Port 2-	I										ļ				l
Wire ISDN DS1 ADJACENT COLLOCATION Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Per AC Breaker Amp Adjacent Collocation - Per AC Breaker Amp Adjacent Collocation - Per AC Breaker Amp Adjacent Collocation - Per AC Breaker Amp Adjacent Collocation - Per AC Breaker Amp Adjacent Collocation in Physical Collocation in Physical Collocation in Report per Premises F Physical Collocation in Report per Premises F Physical Collocation in Code Request, per Cl			1	UEPTX	PE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1 40
ADJACENT COLLOCATION Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - per AC Breaker Amp Adjacent Collocation - per AC Breaker Amp Adjacent Collocation - per AC Breaker Amp Adjacent Collocation - per AC Breaker Amp Adjacent Collocation in Physical Collocation in Cabinet Space in the F Physical Collocation in Physical Collocation in Report per Premises F Physical Collocation in Code Request, per Cl	al Collocation 4-Wire Cross Connect, Exchange Port 4-		1	UEPEX	PE1R4	0.50	19.20	19.20	1 1]		20.35	10.54	13.32	1 40
Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Per AC Breaker Amp Adjacent Collocation - Per AC Breaker Amp Adjacent Collocation - Per AC Breaker Amp Adjacent Collocation - Per AC Breaker Amp Adjacent Collocation - Per AC Breaker Amp Adjacent Collocation in Physical Collocation in Cabinet Space in the F Physical Collocation in Physical Collocation in Report per Premises F Physical Collocation in Code Request, per Cl		 	╁──	OLI CX	1 = 1117	0.50	13.20	10.20	-				20.00	1		
Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Per AC Breaker Amp Adjacent Collocation - Per AC Breaker Amp Adjacent Collocation - Per AC Breaker Amp Adjacent Collocation - Per AC Breaker Amp Adjacent Collocation - Per AC Breaker Amp Adjacent Collocation - Per AC Breaker Amp Adjacent Collocation - Per AC Breaker Amp Adjacent Collocation in Cabinet Space in the f Physical Collocation in Physical Collocation in Report per Premises F Physical Collocation in Code Request, per CL	nt Collocation - Space Charge per Sq. Ft.	 	1-	CLOAC	PĒĪJA	0.0656			1							
Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Per AC Breaker Amp Adjacent Collocation - Per AC Breaker Amp Adjacent Collocation - Per AC Breaker Amp Adjacent Collocation - Per AC Breaker Amp Adjacent Collocation - Per AC Breaker Amp Adjacent Collocation in Physical Collocation in Cabinet Space in the F Physical Collocation in Physical Collocation in Report per Premises F Physical Collocation in Code Request, per CL	int Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	5.53										
Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - per AC Breaker Amp Adjacent Collocation - per AC Breaker Amp Adjacent Collocation - per AC Breaker Amp Adjacent Collocation - per AC Breaker Amp Adjacent Collocation in Cabinet Space in the f Physical Collocation in Physical Collocation in Report per Premises F Physical Collocation in Code Request, per Cl	nt Collocation - 2-Wire Cross-Connects			CLOAC	PE1P2	0.034	11.12	10.18	11.33	10.23			1.77	1 77	1.12	1.1
Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - per AC Breaker Amp Adjacent Collocation - per AC Breaker Amp Adjacent Collocation - per AC Breaker Amp Adjacent Collocation - per AC Breaker Amp Adjacent Collocation in Cabinet Space in the f Physical Collocation in Physical Collocation in Report per Premises F Physical Collocation in Code Request, per Cl		1		UEA,UHL,UDL,UCL,	PE1P4		44.00	10 31	11 62	10 44			1,77	177	1.12	1,1
Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - per AC Breaker Amp Adjacent Collocation - per AC Breaker Amp Adjacent Collocation - per AC Breaker Amp Adjacent Collocation - per AC Breaker Amp Adjacent Collocation in Cabinet Space in the F Physical Collocation in Physical Collocation in Report per Premises F Physical Collocation in Code Request, per Cl	ent Collocation - 4-Wire Cross-Connects	+	-	CLOAC	PE1P1	0.33 1.70	11 30 28.39	16 88	11 65	10.54			1.77	1.77	1.12	1.1
Adjacent Collocation Adjacent Collocation Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - per AC Breaker Amp Adjacent Collocation - per AC Breaker Amp Adjacent Collocation - per AC Breaker Amp Adjacent Collocation - per AC Breaker Amp Adjacent Collocation in Per AC Breaker Amp Adjacent Collocation in Cabinet Space in the f Physical Collocation in Report per Premises F Physical Collocation in Code Request, per CL	int Collocation - DS1 Cross-Connects	1	+	USL,CLOAC CLOAC	PE1P3	19 03	26.23	15.51	13.40	10.77			1.77	1.77	1.12	1.1
Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - Adjacent Collocation - per AC Breaker Amp Adjacent Collocation - per AC Breaker Amp Adjacent Collocation - per AC Breaker Amp Adjacent Collocation - per AC Breaker Amp Adjacent Collocation - per AC Breaker Amp Adjacent Collocation in Cabinet Space in the f Physical Collocation in Physical Collocation in Report per Premises F Physical Collocation in Code Request, per Cl	ent Collocation - 2-Fiber Cross-Connect	 	+	CLOAC	PE1F2	3.49	26.23	15 51	13,41	10.78			1.77	1.77	1.12	1.13
Adjacent Collocation - Adjacent Collocation - per AC Breaker Amp Adjacent Collocation - per AC Breaker Amp Adjacent Collocation - per AC Breaker Amp Adjacent Collocation - per AC Breaker Amp Adjacent Collocation in Collocation in Cabinet Space in the f Physical Collocation in Physical Collocation in Report per Premises F Physical Collocation in Code Request, per Cl	ent Collocation - 4-Fiber Cross-Connect		1		PE1F4	6.50	29.75	19 02	17.60	14.97			1.77	1.77	1.12	1.13
per AC Breaker Amp Adjacent Collocation - per AC Breaker Amp Adjacent Collocation - per AC Breaker Amp Adjacent Collocation - per AC Breaker Amp Adjacent Collocation in Per AC Breaker Amp PHYSICAL COLLOCATION IN THE R Physical Collocation in Cabinet Space in the f Physical Collocation in Report per Premises F Physical Collocation in Code Request, per CL	nt Collocation - Application Fee			CLOAC	PE1J8		2,973.00		0.9475							
Adjacent Collocation - per AC Breaker Amp Adjacent Collocation - per AC Breaker Amp Adjacent Collocation - per AC Breaker Amp Adjacent Collocation - per AC Breaker Amp Adjacent Collocation in Cabinet Space in the f Physical Collocation in Physical Collocation in Report per Premises F Physical Collocation in Code Request, per CL	nt Collocation - 120V, Single Phase Standby Power Rate								j					1	ļ.	
per AC Breaker Amp Adjacent Collocation - per AC Breaker Amp Adjacent Collocation - per AC Breaker Amp Adjacent Collocation - per AC Breaker Amp PHYSICAL COLLOCATION IN THE R Physical Collocation in Cabinet Space in the F Physical Collocation in Physical Collocation in Report per Premises F Physical Collocation in Code Request, per CL		ļ	 	CLOAC	PE1FB	5.81	ļ						ļ			
Adjacent Collocation - per AC Breaker Amp Adjacent Collocation - per AC Breaker Amp Adjacent Collocation in Physical Collocation in Cabinet Space in the F Physical Collocation in Physical Collocation in Report per Premises F Physical Collocation in Code Request, per CL	ant Collocation - 240V, Single Phase Standby Power Rate		1	CLOAC	PE1FD	11.64			1							
per AC Breaker Amp Adjacent Collocation - per AC Breaker Amp PHYSICAL COLLOCATION IN THE R Physical Collocation in Cabinet Space in the f Physical Collocation in Physical Collocation in Report per Premises F Physical Collocation in Code Request, per Cl	Breaker Amp int Collocation - 120V, Three Phase Standby Power Rate	+	+	0.000		11.04	 					† · · · · · · · · · · · · · · · · · · ·	†	<u> </u>		i .
Adjacent Collocation - per AC Breaker Amp PHYSICAL COLLOCATION IN THE R Physical Collocation in Cabinet Space in the f Physical Collocation in Physical Collocation in Report per Premises F Physical Collocation in Code Request, per CL		1		CLOAC	PE1FE	17.45	1				L					
per AC Breaker Amp PHYSICAL COLLOCATION IN THE R Physical Collocation in Cabinet Space in the f Physical Collocation in Physical Collocation in Report per Premises F Physical Collocation in Code Request, per CL	ant Collocation - 277V, Three Phase Standby Power Rate	1	1	****												1
Physical Collocation in Cabinet Space in the f Physical Collocation in Physical Collocation in Report per Premises F Physical Collocation in Code Request, per Cl	Breaker Amp			CLOAC	PE1FG	40.30							<u> </u>	 		
Cabinet Space in the f Physical Collocation in Physical Collocation in Report per Premises F Physical Collocation in Code Request, per CL									670.70							
Physical Collocation in Physical Collocation in Report per Premises F Physical Collocation in Code Request, per CL	al Collocation in the Remote Site - Application Fee	₩	 	CLORS	PE1RA	220.41	580.20		312.76		 	 	 		 	
Physical Collocation in Report per Premises F Physical Collocation in Code Request, per CL	et Space in the Remote Site per Bay/ Rack	+	+	CLORS	PEIRB	220.41	1		 			 	 		<u> </u>	
Physical Collocation in Report per Premises F Physical Collocation in Code Request, per CL	at Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		24.69									<u> </u>
Report per Premises F Physical Collocation in Code Request, per CL	al Collocation in the Remote Site - Space Availability	1	1			 		<u>-</u>			T					
Physical Collocation in Code Request, per CL	per Premises Requested	<u></u>		CLORS	PE1SR	L	218.49		<u> </u>			ļ	ļ			L
	al Collocation in the Remote Site - Remote Site CLLI													1		
I Remote Site DLEC Da	Request, per CLLI Code Requested			CLORS	PE1RE	<u> </u>	70 81		ļ				 	1	 	
Tromote one belle bu	e Site DLEC Data (BRSDD), per Compact Disk, per CO	_	<u> </u>	CLORS	PE1RR	<u> </u>	234.15				 -	 	 	 	 	
PHYSICAL COLLOCATION IN THE R	TION IN THE REMOTE SITE - ADJACENT		+			ļ.———					 	-	 	 	 	
Domete Site Adicasa	a Cita Adiacont Collegation - AC Dawer per brooker ann	1	1	CLORS	PE1RS	6.27	1									L
memore Site-Adjacent	e Site-Adjacent Collocation - AC Power, per breaker amp	+	+	OLUNO .	LING	V.21	 								T	

COLLOCAT	ION - Tennessee			·									Attachn		Exhit	
COLLOCAT	ION - Tennessee		$\overline{}$	32.5							Svc Order	Svc Order	Incremental	Incremental	incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			1 1								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)			per LSR	perLSR	Order vs.	Order vs.	Order vs.	Order vs.
CATEGORY	HAIE ELEMENIS	m	20.10	550	5555			•••					Electronic-	Electronic-	Electronic-	Electronic-
		l									l		1st	Add'l	Disc 1st	Disc Add'l
		Ì	l												<u> </u>	
 			 		-		Nonrecurring	"	Nonrecurring	Disconnect				Rates(\$)		
 		 				Rec	First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
 	Remote Site-Adjacent Collocation-Application Fee	_	 	CLORS	PE1RU		755.62	755.62				I			<u></u>	
NOTE	If Security Escort and/or Add'l Engineering Fees become nec	essary				vill negotiate a	ppropriate rates	в.					L			<u> </u>

ATTACHMENT 5 ACCESS TO NUMBERS AND NUMBER PORTABILITY

TABLE OF CONTENTS

1.	NON-DISCRIMINATORY ACCESS TO TELEPHONE NUMBERS	3
2	LOCAL SERVICE PROVIDER NUMBER PORTABILITY - PERMANENT	
	DLUTION (LNP)	3
	OPERATIONAL SUPPORT SYSTEM (OSS) RATES	

ACCESS TO NUMBERS AND NUMBER PORTABILITY

1. NON-DISCRIMINATORY ACCESS TO TELEPHONE NUMBERS

- During the term of this Agreement, where Delta Phones is utilizing its own switch, Delta Phones shall contact the North American Numbering Plan Administrator, NeuStar, for the assignment of numbering resources. In order to be assigned a Central Office Code, Delta Phones will be required to complete the Central Office Code (NXX) Assignment Request and Confirmation Form (Code Request Form) in accordance with Industry Numbering Committee's Central Office Code (NXX) Assignment Guidelines (INC 95-0407-008).
- Where BellSouth provides local switching or resold services to Delta Phones, BellSouth will provide Delta Phones with on-line access to intermediate telephone numbers as defined by applicable FCC rules and regulations on a first come first served basis. Delta Phones acknowledges that such access to numbers shall be in accordance with the appropriate FCC rules and regulations. Delta Phones acknowledges that there may be instances where there is a shortage of telephone numbers in a particular rate center; and in such instances, BellSouth may request that Delta Phones return unused intermediate numbers to BellSouth. Delta Phones shall return unused intermediate numbers to BellSouth upon BellSouth's request. BellSouth shall make all such requests on a nondiscriminatory basis.
- 1.3 BellSouth will allow Delta Phones to designate up to 100 intermediate telephone numbers per rate center for Delta Phones's sole use. Assignment, reservation and use of telephone numbers shall be governed by applicable FCC rules and regulations. Delta Phones acknowledges that there may be instances where there is a shortage of telephone numbers in a particular rate center and BellSouth has the right to limit access to blocks of intermediate telephone numbers. These instances include: 1) where jeopardy status has been declared by the North American Numbering Plan (NANP) for a particular Numbering Plan Area (NPA); or 2) where a rate center has less than six months supply of numbering resources.

2. LOCAL SERVICE PROVIDER NUMBER PORTABILITY - PERMANENT SOLUTION (LNP)

- 2.1 The Parties will offer Number Portability in accordance with rules, regulations and guidelines adopted by the Commission, the FCC and industry fora.
- 2.2 <u>End User Line Charge</u>. Where Delta Phones subscribes to BellSouth's local switching, BellSouth shall bill and Delta Phones shall pay the end user line charge associated with implementing LNP as set forth in BellSouth's FCC Tariff No. 1.

This charge is not subject to the resale discount set forth in Attachment 1 of this Agreement.

- 2.3 To limit service outage, BellSouth and Delta Phones will adhere to the process flows and cutover guidelines for porting numbers as outlined in the LNP Reference Guide, as amended from time to time. The LNP Reference Guide, incorporated herein by reference, is accessible via the Internet at the following site: http://www.interconnection.bellsouth.com. All intervals referenced in the LNP Reference Guide shall apply to both BellSouth and Delta Phones.
- 2.4 The Parties will set Location Routing Number (LRN) unconditional or 10-digit triggers where applicable. Where triggers are set, the porting Party will remove the ported number at the same time the trigger is removed.
- A trigger order is a service order issued in advance of the porting of a number. A trigger order 1) initiates call queries to the AIN SS7 network in advance of the number being ported; and 2) provides for the new service provider to be in control of when a number ports.
- 2.6 Where triggers are not set, the Parties shall coordinate the porting of the number between service providers so as to minimize service interruptions to the end user.
- 2.7 BellSouth and Delta Phones will work cooperatively to implement changes to LNP process flows ordered by the FCC or as recommended by standard industry forums addressing LNP.

3. OPERATIONAL SUPPORT SYSTEM (OSS) RATES

3.1 The terms, conditions and rates for OSS are as set forth in Attachment 2.

Attachment 6

Pre-Ordering, Ordering, Provisioning, Maintenance and Repair

TABLE OF CONTENTS

1.	QUALITY OF PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR	.3
2.	ACCESS TO OPERATIONS SUPPORT SYSTEMS	3
3.	MISCELLANEOUS	5

PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR

1. QUALITY OF PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR

- 1.1 BellSouth shall provide pre-ordering, ordering, provisioning, and maintenance and repair services to Delta Phones that are equivalent to the pre-ordering, ordering, provisioning, and maintenance and repair services BellSouth provides to itself or any other CLEC, where technically feasible. The guidelines for pre-ordering, ordering, provisioning, and maintenance and repair are set forth in the various guides and business rules, as appropriate, and as they are amended from time to time during this Agreement. The guides and business rules are found at http://www.interconnection.bellsouth.com and are incorporated herein by reference.
- 1.2 For purposes of this Agreement, BellSouth's regular working hours for provisioning are defined as follows:

Monday – Friday – 8:00 a.m. – 5:00 p.m. (Excluding Holidays)
(Resale/UNE non-coordinated, coordinated orders and order coordinated-time specific)

Saturday - 8:00 a.m. – 5:00 p.m. (Excluding Holidays)
(Resale/UNE non-coordinated orders)

- 1.2.1 The above hours represent the hours, either Eastern or Central Time, of the location where the physical work is being performed.
- 1.2.2 To the extent Delta Phones requests provisioning of service to be performed outside BellSouth's regular working hours, or the work so requested requires BellSouth's technicians or Project Manager to work outside of regular working hours, overtime billing charges shall apply. Notwithstanding the foregoing, if such work is performed outside of regular working hours by a BellSouth technician or Project Manager during his or her scheduled shift and BellSouth does not incur any overtime charges in performing the work on behalf of Delta Phones, BellSouth will not assess Delta Phones additional charges beyond the rates and charges specified in this Agreement.

2. ACCESS TO OPERATIONS SUPPORT SYSTEMS

2.1 BellSouth shall provide Delta Phones access to operations support systems ("OSS") functions for pre-ordering, ordering, provisioning, maintenance and repair, and billing. BellSouth shall provide access to the OSS through manual and/or electronic interfaces as described in this Attachment. It is the sole

Version 2Q02: 05/31/02

responsibility of Delta Phones to obtain the technical capability to access and utilize BellSouth's OSS interfaces. Specifications for Delta Phones's access and use of BellSouth's electronic interfaces are set forth at www.interconnection.bellsouth.com and are incorporated herein by reference.

- 2.1.1 Pre-Ordering. In accordance with FCC and Commission rules and orders, BellSouth will provide electronic access to the following pre-ordering functions: service address validation, telephone number selection, service and feature availability, due date information, customer record information and loop makeup information. Access is provided through the Local Exchange Navigation System (LENS) interface and the Telecommunications Access Gateway (TAG) interface. Customer record information includes customer specific information in CRIS and RSAG. Delta Phones shall provide to BellSouth access to customer record information including circuit numbers associated with each telephone number where applicable. Delta Phones shall provide such information within four (4) hours after request via electronic access where available. If electronic access is not available, Delta Phones shall provide to BellSouth paper copies of customer record information including circuit numbers associated with each telephone number where applicable. If BellSouth requests the information before noon, the customer record information shall be provided the same day. If BellSouth requests the information after noon, the customer record information shall be provided by noon the following day.
- 2.1.2 The Parties agree not to view, copy, or otherwise obtain access to the customer record information of any customer without that customer's permission. Delta Phones will obtain access to customer record information only in strict compliance with applicable laws, rules, or regulations of the State in which the service is provided. BellSouth reserves the right to audit Delta Phones's access to customer record information. If a BellSouth audit of Delta Phones's access to customer record information reveals that Delta Phones is accessing customer record information without having obtained the proper End User authorization, BellSouth upon reasonable notice to Delta Phones may take corrective action, including but not limited to suspending or terminating Delta Phones's electronic access to BellSouth's OSS functionality. All such information obtained through an audit shall be deemed Information covered by the Proprietary and Confidential Information section in the General Terms and Conditions of this Agreement.
- 2.1.3 Service Ordering. BellSouth will make available the Electronic Data Interchange (EDI) interface and the TAG ordering interface for the purpose of exchanging order information, including order status and completion notification, for non-complex and certain complex resale requests and certain network elements. Delta Phones may integrate the EDI interface or the TAG ordering interface with the TAG pre-ordering interface. In addition, BellSouth will provide integrated pre-ordering and ordering capability through the LENS interface for non-complex and certain complex resale service requests and certain network element requests.

- 2.1.4 Maintenance and Repair. Delta Phones may report and monitor service troubles and obtain repair services from BellSouth via electronic interfaces. BellSouth provides several options for electronic trouble reporting. For exchange services, BellSouth will offer Delta Phones non-discriminatory access to the Trouble Analysis Facilitation Interface (TAFI). In addition, BellSouth will offer an industry standard, machine-to-machine Electronic Communications Trouble Administration (ECTA) Gateway interface. For designed services, BellSouth will provide nondiscriminatory trouble reporting via the ECTA Gateway. BellSouth will provide Delta Phones an estimated time to repair, an appointment time or a commitment time, as appropriate, on trouble reports. Requests for trouble repair will be billed in accordance with the provisions of this Attachment. BellSouth and Delta Phones agree to adhere to BellSouth's Operational Understanding, as amended from time to time during this Agreement and as incorporated herein by reference. The Operational Understanding may be accessed via the Internet at http://www.interconnection.bellsouth.com.
- 2.2 <u>Change Management</u>. BellSouth provides a collaborative process for change management of the electronic interfaces through the Change Control Process (CCP). Guidelines for this process are set forth in the CCP document as amended from time to time during this Agreement. The CCP document may be accessed via the Internet at http://www.interconnection.bellsouth.com.
- 2.3 <u>BellSouth's Versioning Policy for Electronic Interfaces.</u> BellSouth's Versioning Policy is part of the Change Control Process (CCP). Pursuant to the CCP, BellSouth will issue new software releases for new industry standards for its EDI and TAG electronic interfaces. The Versioning Policy, including the appropriate notification to Delta Phones, is set forth in the CCP document as amended from time to time during this Agreement. The CCP document may be accessed via the Internet at http://www.interconnection.bellsouth.com.
- 2.4 <u>Rates.</u> Charges for use of OSS shall be as set forth in Attachments 1 and 2 of this Agreement and are incorporated herein by reference.

3. MISCELLANEOUS

- Pending Orders. Orders placed in the hold or pending status by Delta Phones will be held for a maximum of thirty (30) days from the date the order is placed on hold. After such time, Delta Phones shall be required to submit a new service request. Incorrect or invalid requests returned to Delta Phones for correction or clarification will be held for thirty (30) days. If Delta Phones does not return a corrected request within thirty (30) days, BellSouth will cancel the request.
- 3.2 <u>Single Point of Contact</u>. Delta Phones will be the single point of contact with BellSouth for ordering activity for network elements and other services used by Delta Phones to provide services to its end users, except that BellSouth may accept a request directly from another CLEC, or BellSouth, acting with authorization of the affected end user. Delta Phones and BellSouth shall each

execute a blanket letter of authorization with respect to customer requests so that prior proof of end-user authorization will not be necessary with every request. The Parties shall each be entitled to adopt their own internal processes for verification of customer authorization for requests, provided, however, that such processes shall comply with applicable state and federal law including, until superseded, the FCC guidelines and orders applicable to Presubscribed Interexchange Carrier (PIC) changes, including Un-PIC. Pursuant to a request from another carrier, BellSouth may disconnect any network element being used by Delta Phones to provide service to that end user and may reuse such network elements or facilities to enable such other carrier to provide service to the end user. BellSouth will notify Delta Phones that such a request has been processed, but will not be required to notify Delta Phones in advance of such processing.

- 3.2.1 Neither BellSouth nor Delta Phones shall prevent or delay an end-user from migrating to another carrier because of unpaid bills, denied service, or contract terms.
- 3.2.2 BellSouth shall provide access to customer service records (CSRs), Firm Order Confirmations (FOCs) and Local Service Request rejects within the intervals set forth in Attachment 9 of this Agreement.
- 3.2.3 Delta Phones shall return a FOC to BellSouth within thirty-six (36) hours after Delta Phones's receipt from BellSouth of a valid LSR.
- 3.2.4 Delta Phones shall provide a Reject Response to BellSouth within twenty-four (24) hours after BellSouth's submission of an LSR which is incomplete or incorrectly formatted.
- Use of Facilities. When a customer of Delta Phones elects to discontinue service and to transfer service to another local exchange carrier, including BellSouth, BellSouth shall have the right to reuse the facilities provided to Delta Phones by BellSouth. In addition, where BellSouth provides local switching, BellSouth may disconnect and reuse facilities when the facility is in a denied state and BellSouth has received a request to establish new service or transfer of service from a customer or a customer's CLEC at the same address served by the denied facility. BellSouth will notify Delta Phones that such a request has been processed after the disconnect order has been completed.
- 3.4 <u>Contact Numbers</u>. The Parties agree to provide one another with toll-free nation-wide (50 states) contact numbers for the purpose of ordering, provisioning and maintenance of services.
- 3.5 <u>Subscription Functions</u>. In cases where BellSouth performs subscription functions for an interexchange carrier ("IXC") (i.e. PIC and LPIC changes via Customer Account Record Exchange (CARE)), BellSouth will provide the affected IXCs with the Operating Company Number (OCN) of the local provider for the purpose

of obtaining end user billing account and other end user information required under subscription requirements.

- 3.6 Cancellation Charges. If Delta Phones cancels a request for network elements or other services, any costs incurred by BellSouth in conjunction with the provisioning of that request will be recovered in accordance with BellSouth's Private Line Tariff or BellSouth's FCC No. 1 Tariff, Section 5.4, as applicable. Notwithstanding the foregoing, if Delta Phones places an LSR based upon BellSouth's loop makeup information, and such information is inaccurate resulting in the inability of BellSouth to provision the network elements or services requested in accordance with the transmission characteristics of the network elements or services requested, cancellation charges described in this Section shall not apply. Where Delta Phones places a single LSR for multiple network elements or services based upon loop makeup information, and information as to some, but not all, of the network elements or services is inaccurate, if BellSouth cannot provision the network elements or services that were the subject of the inaccurate loop makeup information, Delta Phones may cancel its request for those network elements or services without incurring cancellation charges as described in this Section. In such instance, should Delta Phones elect to cancel the entire LSR, cancellation charges as described in this Section shall apply to those elements and services that were not the subject of inaccurate loop makeup.
- 3.7 <u>Service Date Advancement Charges (a.k.a. Expedites)</u>. For Service Date Advancement requests by Delta Phones, Service Date Advancement charges will apply for intervals less than the standard interval as outlined in the BellSouth Product and Services Interval Guide. The charges as outlined in BellSouth's FCC No. 1 Tariff, Section 5, will apply as applicable.

Attachment 7

Billing

TABLE OF CONTENTS

1.	PAYMENT AND BILLING ARRANGEMENTS	3
2.	BILLING DISPUTES	6
3.	RAO HOSTING	7
4.	OPTIONAL DAILY USAGE FILE	11
5.	ACCESS DAILY USAGE FILE	13
R۵	tos	Evhibit A

BILLING

1. PAYMENT AND BILLING ARRANGEMENTS

The terms and conditions set forth in this Attachment shall apply to all services ordered and provisioned pursuant to this Agreement.

- 1.1 <u>Billing</u>. BellSouth will bill through the Carrier Access Billing System (CABS), Tapestry and/or the Customer Records Information System (CRIS) depending on the particular service(s) provided to Delta Phones under this Agreement. BellSouth will format all bills in CBOS Standard or CLUB/EDI format, depending on the type of service provided. For those services where standards have not yet been developed, BellSouth's billing format will change as necessary when standards are finalized by the applicable industry forum.
- 1.1.1 For any service(s) BellSouth receives from Delta Phones, Delta Phones shall bill BellSouth in CABS format.
- 1.1.2 If either Party requests multiple billing media or additional copies of bills, the Billing Party will provide these at a reasonable cost.
- 1.1.3 Any switched access charges associated with interexchange carrier access to the resold local exchange lines will be billed by, and due to BellSouth.
- 1.1.4 BellSouth will render bills each month for resold lines on established bill days for each of Delta Phones's accounts. If either Party requests multiple billing media or additional copies of the bills, the Billing Party will provide these at a reasonable cost.
- 1.1.5 BellSouth will bill Delta Phones in advance for all resold services to be provided during the ensuing billing period except charges associated with service usage, which will be billed in arrears. Charges will be calculated on an individual End User account level, including, if applicable, any charge for usage or usage allowances. BellSouth will also bill Delta Phones, and Delta Phones will be responsible for and remit to BellSouth, all charges applicable to resold services including but not limited to 911 and E911 charges, End Users common line charges, federal subscriber line charges, telecommunications relay charges (TRS), and franchise fees.
- 1.1.6 BellSouth will not perform billing and collection services for Delta Phones as a result of the execution of this Agreement. All requests for billing services should be referred to the appropriate entity or operational group within BellSouth.
- 1.1.7 In the event that this Agreement or an amendment to this Agreement effects a rate change to recurring rate elements that are billed in advance, Bellsouth will make an adjustment to such recurring rates billed in advance and at the previously effective

rate. The adjustment shall reflect billing at the new rates from the Effective Date of the Agreement or amendment.

- 1.2 <u>Establishing Accounts</u>. After receiving certification as a local exchange carrier from the appropriate regulatory agency, Delta Phones will provide the appropriate BellSouth local contract manager the necessary documentation to enable BellSouth to establish accounts for Local Interconnection, Network Elements and Other Services, Collocation and/or resold services. Such documentation shall include the Application for Master Account, if applicable, proof of authority to provide telecommunications services, the appropriate Operating Company Number (OCN) assigned by the National Exchange Carriers Association (NECA), Carrier Identification Code (CIC), Group Access Code (GAC), Access Customer Name and Abbreviation (ACNA), as applicable, and a tax exemption certificate, if applicable.
- 1.2.1 Payment Responsibility. Payment of all charges will be the responsibility of Delta Phones. Delta Phones shall make payment to BellSouth for all services billed. Payments made by Delta Phones to BellSouth as payment on account will be credited to Delta Phones's accounts receivable master account. BellSouth will not become involved in billing disputes that may arise between Delta Phones and Delta Phones's customer.
- 1.3 Payment Due. Payment for services provided will be due on or before the next bill date and is payable in immediately available funds. Payment is considered to have been made when received by BellSouth.
- 1.4 If the payment due date falls on a Sunday or on a Holiday that is observed on a Monday, the payment due date shall be the first non-Holiday day following such Sunday or Holiday. If the payment due date falls on a Saturday or on a Holiday which is observed on Tuesday, Wednesday, Thursday, or Friday, the payment due date shall be the last non-Holiday day preceding such Saturday or Holiday. If payment is not received by the payment due date, a late payment charge, as set forth in Section 1.6, below, shall apply.
- 1.5 <u>Tax Exemption</u>. Upon BellSouth's receipt of tax exemption certificate, the total amount billed to Delta Phones will not include those taxes or fees from which Delta Phones is exempt. Delta Phones will be solely responsible for the computation, tracking, reporting and payment of all taxes and like fees associated with the services provided to the end user of Delta Phones.
- Late Payment. If any portion of the payment is received by BellSouth after the payment due date as set forth preceding, or if any portion of the payment is received by BellSouth in funds that are not immediately available to BellSouth, then a late payment charge shall be due to BellSouth. The late payment charge shall be the portion of the payment not received by the payment due date multiplied by a late factor and will be applied on a per bill basis. The late factor

shall be as set forth in Section A2 of the General Subscriber Services Tariff, Section B2 of the Private Line Service Tariff or Section E2 of the Intrastate Access Tariff, as appropriate. In addition to any applicable late payment charges, Delta Phones may be charged a fee for all returned checks as set forth in Section A2 of the General Subscriber Services Tariff or pursuant to the applicable state law.

- 1.7 <u>Discontinuing Service to Delta Phones</u>. The procedures for discontinuing service to Delta Phones are as follows:
- 1.7.1 BellSouth reserves the right to suspend or terminate service in the event of prohibited, unlawful or improper use of BellSouth facilities or service, abuse of BellSouth facilities, or any other violation or noncompliance by Delta Phones of the rules and regulations of BellSouth's tariffs.
- 1.7.2 BellSouth reserves the right to suspend or terminate service for nonpayment. If payment of amounts not subject to a billing dispute, as described in Section 2, is not received by the bill date in the month after the original bill date, BellSouth will provide written notice to Delta Phones that additional applications for service may be refused, that any pending orders for service may not be completed, and/or that access to ordering systems may be suspended if payment is not received by the fifteenth day following the date of the notice. In addition, BellSouth may, at the same time, provide written notice to the person designated by Delta Phones to receive notices of noncompliance that BellSouth may discontinue the provision of existing services to Delta Phones if payment is not received by the thirtieth day following the date of the initial notice.
- 1.7.3 In the case of such discontinuance, all billed charges, as well as applicable termination charges, shall become due.
- 1.7.4 If BellSouth does not discontinue the provision of the services involved on the date specified in the thirty days notice and Delta Phones's noncompliance continues, nothing contained herein shall preclude BellSouth's right to discontinue the provision of the services to Delta Phones without further notice.
- 1.7.5 Upon discontinuance of service on Delta Phones's account, service to Delta Phones's end users will be denied. BellSouth will reestablish service for Delta Phones upon payment of all past due charges and the appropriate connection fee subject to BellSouth's normal application procedures. Delta Phones is solely responsible for notifying the end user of the proposed service disconnection. If within fifteen (15) days after Delta Phones has been denied and no arrangements to reestablish service have been made consistent with this subsection, Delta Phones's service will be disconnected.
- 1.8 <u>Deposit Policy.</u> Delta Phones shall complete the BellSouth Credit Profile and provide information to BellSouth regarding credit worthiness. Based on the

results of the credit analysis, BellSouth reserves the right to secure the account with a suitable form of security deposit. Such security deposit shall take the form of cash, an Irrevocable Letter of Credit (BellSouth form), Surety Bond (BellSouth form) or, in BellSouth's sole discretion, some other form of security. Any such security deposit shall in no way release Delta Phones from its obligation to make complete and timely payments of its bill. Delta Phones shall pay any applicable deposits prior to the inauguration of service. If, in the sole opinion of BellSouth, circumstances so warrant and/or gross monthly billing has increased beyond the level initially used to determine the level of security deposit, BellSouth reserves the right to request additional security and/or file a Uniform Commercial Code (UCC-1) security interest in Delta Phones's "accounts receivables and proceeds." Interest on a security deposit, if provided in cash, shall accrue and be paid in accordance with the terms in the appropriate BellSouth tariff. Security deposits collected under this Section shall not exceed two months' estimated billing. In the event Delta Phones fails to remit to BellSouth any deposit requested pursuant to this Section, service to Delta Phones may be terminated in accordance with the terms of Section 1.7 of this Attachment, and any security deposits will be applied to Delta Phones's account(s). In the event Delta Phones defaults on its account, service to Delta Phones will be terminated and any security deposits will be applied to Delta Phones's account.

- Notices. Notwithstanding anything to the contrary in this Agreement, all bills and notices regarding billing matters, including notices relating to security deposits, disconnection of services for nonpayment of charges, and rejection of additional orders from Delta Phones, shall be forwarded to the individual and/or address provided by Delta Phones in establishment of its billing account(s) with BellSouth, or to the individual and/or address subsequently provided by Delta Phones as the contact for billing information. All monthly bills and notices described in this Section shall be forwarded to the same individual and/or address; provided, however, upon written notice from Delta Phones to BellSouth's billing organization, a final notice of disconnection of services purchased by Delta Phones under this Agreement shall be sent via certified mail to the individual(s) listed in the Notices provision of the General Terms and Conditions of this Agreement at least 30 days before BellSouth takes any action to terminate such services.
- 1.10 Rates. Rates for Optional Daily Usage File (ODUF), Access Daily Usage File (ADUF), and Centralized Message Distribution Service (CMDS) are set out in Exhibit A to this Attachment. If no rate is identified in this Attachment, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.

2. BILLING DISPUTES

2.1 Each Party agrees to notify the other Party in writing upon the discovery of a billing dispute. Delta Phones shall report all billing disputes to BellSouth using the Billing Adjustment Request Form (RF 1461) provided by BellSouth. In the event

of a billing dispute, the Parties will endeavor to resolve the dispute within sixty (60) calendar days of the notification date. If the Parties are unable within the 60 day period to reach resolution, then the aggrieved Party may pursue dispute resolution in accordance with the General Terms and Conditions of this Agreement.

- 2.2 For purposes of this Section 2, a billing dispute means a reported dispute of a specific amount of money actually billed by either Party. The dispute must be clearly explained by the disputing Party and supported by written documentation. which clearly shows the basis for disputing charges. By way of example and not by limitation, a billing dispute will not include the refusal to pay all or part of a bill or bills when no written documentation is provided to support the dispute, nor shall a billing dispute include the refusal to pay other amounts owed by the billed Party until the dispute is resolved. Claims by the billed Party for damages of any kind will not be considered a billing dispute for purposes of this Section. If the billing dispute is resolved in favor of the billing Party, the disputing Party will make immediate payment of any of the disputed amount owed to the billing Party or the billing Party shall have the right to pursue normal treatment procedures. Any credits due to the disputing Party, pursuant to the billing dispute, will be applied to the disputing Party's account by the billing Party immediately upon resolution of the dispute.
- 2.3 If a Party disputes a charge and does not pay such charge by the payment due date, or if a payment or any portion of a payment is received by either Party after the payment due date, or if a payment or any portion of a payment is received in funds which are not immediately available to the other Party, then a late payment charge and interest, where applicable, shall be assessed. For bills rendered by either Party for payment, the late payment charge for both Parties shall be calculated based on the portion of the payment not received by the payment due date multiplied by the late factor as set forth in the following BellSouth tariffs: for services purchased from the General Subscribers Services Tariff for purposes of resale and for ports and non-designed loops, Section A2 of the General Subscriber Services Tariff; for services purchased from the Private Line Tariff for purposes of resale, Section B2 of the Private Line Service Tariff; and for designed network elements and other services and local interconnection charges, Section E2 of the Access Service Tariff. The Parties shall assess interest on previously assessed late payment charges only in a state where it has the authority pursuant to its tariffs.

3. RAO HOSTING

3.1 RAO Hosting, Calling Card and Third Number Settlement System (CATS) and Non-Intercompany Settlement System (NICS) services provided to Delta Phones by BellSouth will be in accordance with the methods and practices regularly applied by BellSouth to its own operations during the term of this Agreement, including such revisions as may be made from time to time by BellSouth.

- 3.2 Delta Phones shall furnish all relevant information required by BellSouth for the provision of RAO Hosting, CATS and NICS.
- 3.3 Charges or credits, as applicable, will be applied by BellSouth to Delta Phones on a monthly basis in arrears. Amounts due (excluding adjustments) are payable within thirty (30) days of receipt of the billing statement.
- Delta Phones must have its own unique hosted RAO code. Where BellSouth is the selected CMDS interfacing host, Delta Phones must request that BellSouth establish a unique hosted RAO code for Delta Phones. Such request shall be in writing to the BellSouth RAO Hosting coordinator and must be submitted at least eight (8) weeks prior to provision of services pursuant to this Section. Services shall commence on a date mutually agreed by the Parties.
- 3.5 BellSouth will receive messages from Delta Phones that are to be processed by BellSouth, another LEC in the BellSouth region or a LEC outside the BellSouth region. Delta Phones shall send all messages to BellSouth no later than sixty (60) days after the message date.
- 3.6 BellSouth will perform invoice sequence checking, standard EMI format editing, and balancing of message data with the EMI trailer record counts on all data received from Delta Phones.
- 3.7 All data received from Delta Phones that is to be processed or billed by another LEC within the BellSouth region will be distributed to that LEC in accordance with the Agreement(s) in effect between BellSouth and the involved LEC.
- 3.8 All data received from Delta Phones that is to be placed on the CMDS network for distribution outside the BellSouth region will be handled in accordance with the agreement(s) in effect between BellSouth and its connecting contractor.
- 3.9 BellSouth will receive messages from the CMDS network that are destined to be processed by Delta Phones and will forward them to Delta Phones on a daily basis for processing.
- 3.10 Transmission of message data between BellSouth and Delta Phones will be via CONNECT:Direct.
- 3.10.1 Data circuits (private line or dial-up) will be required between BellSouth and Delta Phones for the purpose of data transmission. Where a dedicated line is required, Delta Phones will be responsible for ordering the circuit and coordinating the installation with BellSouth. Delta Phones is responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit data will be negotiated on a individual case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to Delta Phones. Additionally, all message toll charges associated with the use of the dial

circuit by Delta Phones will be the responsibility of Delta Phones. Associated equipment on the BellSouth end, including a modem, will be negotiated on a individual case basis between the Parties. All equipment, including modems and software, that is required on the Delta Phones end for the purpose of data transmission will be the responsibility of Delta Phones.

- 3.11 All messages and related data exchanged between BellSouth and Delta Phones will be formatted for EMI formatted records and packed between appropriate EMI header and trailer records in accordance with accepted industry standards.
- 3.12 Delta Phones will maintain recorded message detail necessary to recreate files provided to BellSouth for a period of three (3) calendar months beyond the related message dates.
- 3.13 Should it become necessary for Delta Phones to send data to BellSouth more than sixty (60) days past the message date(s), Delta Phones will notify BellSouth in advance of the transmission of the data. BellSouth will work with its connecting contractor and/or Delta Phones, where necessary, to notify all affected LECs.
- In the event that data to be exchanged between the two Parties should become lost or destroyed, the Party responsible for creating the data will make every effort to restore and retransmit such data. If the data cannot be retrieved, the Party responsible for losing or destroying the data will be liable to the other Party for any resulting lost revenue. Lost revenue may be a combination of revenues that could not be billed to the end users and associated access revenues. Both Parties will work together to estimate the revenue amount based upon historical data through a method mutually agreed upon. The resulting estimated revenue loss will be paid by the responsible Party to the other Party within three (3) calendar months of the resolution of the amount owed, or as mutually agreed upon by the Parties.
- Should an error be detected by the EMI format edits performed by BellSouth on data received from Delta Phones, the entire pack containing the affected data will not be processed by BellSouth. BellSouth will notify Delta Phones of the error. Delta Phones will correct the error(s) and will resend the entire pack to BellSouth for processing. In the event that an out-of-sequence condition occurs on subsequent packs, Delta Phones will resend these packs to BellSouth after the pack containing the error has been successfully reprocessed by BellSouth.
- 3.16 In association with message distribution service, BellSouth will provide Delta Phones with associated intercompany settlements reports (CATS and NICS) as appropriate.
- 3.17 Notwithstanding anything in this Agreement to the contrary, in no case shall either Party be liable to the other for any direct or consequential damages incurred as a result of the obligations set out in this Section 3.

- 3.18 Intercompany Settlements Messages
- 3.18.1 Intercompany Settlements Messages facilitate the settlement of revenues associated with traffic originated from or billed by Delta Phones as a facilities based provider of local exchange telecommunications services outside the BellSouth region. Only traffic that originates in one Bell operating territory and bills in another Bell operating territory is included. Traffic that originates and bills within the same Bell operating territory will be settled on a local basis between Delta Phones and the involved company(ies), unless that company is participating in NICS.
- 3.18.2 Both traffic that originates outside the BellSouth region by Delta Phones and is billed within the BellSouth region, and traffic that originates within the BellSouth region and is billed outside the BellSouth region by Delta Phones, is covered by CATS. Also covered is traffic that either is originated by or billed by Delta Phones, involves a company other than Delta Phones, qualifies for inclusion in the CATS settlement, and is not originated or billed within the BellSouth region (NICS).
- 3.18.3 Once Delta Phones is operating within the BellSouth territory, revenues associated with calls originated and billed within the BellSouth region will be settled via NICS.
- 3.18.4 BellSouth will receive the monthly NICS reports from Telcordia on behalf of Delta Phones. BellSouth will distribute copies of these reports to Delta Phones on a monthly basis.
- 3.18.5 BellSouth will receive the monthly CATS reports from Telcordia on behalf of Delta Phones. BellSouth will distribute copies of these reports to Delta Phones on a monthly basis.
- 3.18.6 BellSouth will collect the revenue earned by Delta Phones from the Bell operating company in whose territory the messages are billed via CATS, less a per message billing and collection fee of five cents (\$0.05), on behalf of Delta Phones. BellSouth will remit the revenue billed by Delta Phones to the Bell operating company in whose territory the messages originated, less a per message billing and collection fee of five cents (\$0.05), on behalf on Delta Phones. These two amounts will be netted together by BellSouth and the resulting charge or credit issued to Delta Phones via a monthly Carrier Access Billing System (CABS) miscellaneous bill.
- 3.18.7 BellSouth will collect the revenue earned by Delta Phones within the BellSouth territory from another CLEC also within the BellSouth territory (NICS) where the messages are billed, less a per message billing and collection fee of five cents (\$0.05), on behalf of Delta Phones. BellSouth will remit the revenue billed by Delta Phones within the BellSouth region to the CLEC also within the BellSouth

region, where the messages originated, less a per message billing and collection fee of five cents (\$0.05). These two amounts will be netted together by BellSouth and the resulting charge or credit issued to Delta Phones via a monthly CABS miscellaneous bill.

3.18.8 BellSouth and Delta Phones agree that monthly netted amounts of less than fifty dollars (\$50.00) will not be settled.

4. OPTIONAL DAILY USAGE FILE

- 4.1 Upon written request from Delta Phones, BellSouth will provide the Optional Daily Usage File (ODUF) service to Delta Phones pursuant to the terms and conditions set forth in this section.
- 4.2 Delta Phones shall furnish all relevant information required by BellSouth for the provision of the ODUF.
- 4.3 The ODUF feed will contain billable messages that were carried over the BellSouth Network and processed in the BellSouth Billing System, but billed to a Delta Phones customer.
- 4.4 Charges for the ODUF will appear on Delta Phoness' monthly bills. The charges are as set forth in Exhibit A to this Attachment.
- 4.5 The ODUF feed will contain both rated and unrated messages. All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.
- Messages that error in the billing system of Delta Phones will be the responsibility of Delta Phones. If, however, Delta Phones should encounter significant volumes of errored messages that prevent processing by Delta Phones within its systems, BellSouth will work with Delta Phones to determine the source of the errors and the appropriate resolution.
- 4.7 The following specifications shall apply to the ODUF feed.
- 4.7.1 ODUF Messages to be Transmitted
- 4.7.1.1 The following messages recorded by BellSouth will be transmitted to Delta Phones:
- 4.7.1.1.1 Message recording for per use/per activation type services (examples:

Three - Way Calling, Verify, Interrupt, Call Return, etc.)

- 4.7.1.1.2 Measured billable Local
- 4.7.1.1.3 Directory Assistance messages

4.7.1.1.4 IntraLATA Toll 4.7.1.1.5 WATS and 800 Service 4.7.1.1.6 N11 4.7.1.1.7 Information Service Provider Messages 4.7.1.1.8 Operator Services Messages 4.7.1.1.9 Operator Services Message Attempted Calls (Network Element only) Credit/Cancel Records 4.7.1.1.10 Usage for Voice Mail Message Service 4.7.1.1.11 Rated Incollects (messages BellSouth receives from other revenue accounting 4.7.1.2 offices) can also be on ODUF. Rated Incollects will be intermingled with BellSouth recorded rated and unrated usage. Rated Incollects will not be packed separately. 4.7.1.3 BellSouth will perform duplicate record checks on records processed to ODUF. Any duplicate messages detected will be deleted and not sent to Delta Phones. In the event that Delta Phones detects a duplicate on ODUF they receive from 4.7.1.4 BellSouth, Delta Phones will drop the duplicate message and will not return the duplicate to BellSouth. 4.7.2 **ODUF Physical File Characteristics** 4.7.2.1 ODUF will be distributed to Delta Phones via CONNECT:Direct or another mutually agreed medium. The ODUF feed will be a variable block format (2476) with a Logical Record Link (LRECL) of 2472. The data on the ODUF feed will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis Monday through Friday except holidays. Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one dataset per workday per OCN. 4.7.2.2 Data circuits (private line or dial-up) will be required between BellSouth and Delta Phones for the purpose of data transmission as set forth in Section 3.10.1 above. **ODUF Packing Specifications** 4.7.3 4.7.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.

The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to Delta Phones which BellSouth RAO that is sending the message. BellSouth and Delta Phones will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by Delta Phones and resend the data as appropriate.

The data will be packed using ATIS EMI records.

- 4.7.4 ODUF Pack Rejection
- 4.7.4.1 Delta Phones will notify BellSouth within one business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (i.e. out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI error codes will be used. Delta Phones will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to Delta Phones by BellSouth.
- 4.7.5 ODUF Control Data
- 4.7.5.1 Delta Phones will send one confirmation record per pack that is received from BellSouth. This confirmation record will indicate Delta Phones's receipt of the pack and acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by Delta Phones for reasons stated in the above section.
- 4.7.6 ODUF Testing
- 4.7.6.1 Upon request from Delta Phones, BellSouth shall send ODUF test files to Delta Phones. The Parties agree to review and discuss the ODUF content and/or format. For testing of usage results, BellSouth shall request that Delta Phones set up a production (live) file. The live test may consist of Delta Phones's employees making test calls for the types of services Delta Phones requests on ODUF. These test calls are logged by Delta Phones, and the logs are provided to BellSouth. These logs will be used to verify the files. Testing will be completed within 30 calendar days from the date on which the initial test file was sent.

5. ACCESS DAILY USAGE FILE

- 5.1 Upon written request from Delta Phones, BellSouth will provide the Access Daily Usage File (ADUF) service to Delta Phones pursuant to the terms and conditions set forth in this section.
- 5.2 Delta Phones shall furnish all relevant information required by BellSouth for the provision of ADUF.
- 5.3 ADUF will contain access messages associated with a port that Delta Phones has purchased from BellSouth

- Charges for ADUF will appear on Delta Phones's monthly bills. The charges are as set forth in Exhibit A to this Attachment. All messages will be in the standard ATIS EMI record format.
- Messages that error in the billing system of Delta Phones will be the responsibility of Delta Phones. If, however, Delta Phones should encounter significant volumes of errored messages that prevent processing by Delta Phones within its systems, BellSouth will work with Delta Phones to determine the source of the errors and the appropriate resolution.
- 5.6 ADUF Messages To Be Transmitted
- 5.6.1 The following messages recorded by BellSouth will be transmitted to Delta Phones:
- 5.6.1.1 Recorded originating and terminating interstate and intrastate access records associated with a port.
- 5.6.1.2 Recorded terminating access records for undetermined jurisdiction access records associated with a port.
- 5.6.2 BellSouth will perform duplicate record checks on records processed to ADUF. Any duplicate messages detected will be dropped and not sent to Delta Phones.
- 5.6.3 In the event that Delta Phones detects a duplicate on ADUF they receive from BellSouth, Delta Phones will drop the duplicate message and will not return the duplicate to BellSouth.
- 5.6.4 ADUF Physical File Characteristics
- ADUF will be distributed to Delta Phones via CONNECT:Direct or another mutually agreed medium. The ADUF feed will be a fixed block format (2476) with an LRECL of 2472. The data on the ADUF feed will be in a non-compacted EMI format (210 byte). It will be created on a daily basis Monday through Friday except holidays. Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one dataset per workday per OCN.
- Data circuits (private line or dial-up) will be required between BellSouth and Delta Phones for the purpose of data transmission as set forth in Section 3.10.1 above.
- 5.6.5 ADUF Packing Specifications
- 5.6.5.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.

The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to Delta Phones which BellSouth RAO is sending the message. BellSouth and Delta Phones will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by Delta Phones and resend the data as appropriate.

The data will be packed using ATIS EMI records.

- 5.6.6 ADUF Pack Rejection
- 5.6.6.1 Delta Phones will notify BellSouth within one business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (i.e. out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI error codes will be used. Delta Phones will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to Delta Phones by BellSouth.
- 5.6.7 ADUF Control Data
- Delta Phones will send one confirmation record per pack that is received from BellSouth. This confirmation record will indicate Delta Phones's receipt of the pack and acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by Delta Phones for reasons stated in the above section.
- 5.6.8 ADUF Testing
- 5.6.8.1 Upon request from Delta Phones, BellSouth shall send a test file of generic data to Delta Phones via Connect:Direct or Text File via E-Mail. The Parties agree to review and discuss the test file's content and/or format.

ODUF	ADUF	EODUF/CMDS - Alabama													ment: 7		bit: A
-																Incremental	
				l								Submitted			Charge -	Charge -	Charge -
			Interi			1						Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
1														Electronic-	Electronic-	Electronic-	Electronic-
1				(1	1st	Add'l	Disc 1st	Disc Add'l
-				 			Rec	Nonre	curring	Nonrecurring	Disconnect			OSS	Rates(\$)		
							Hec	First	Add'I	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				_									<u> </u>			<u> </u>	
ODUF/		EDUF/CMDS		L		L					1	<u> </u>	1				
		S DAILY USAGE FILE (ADUF)		_		<u> </u>						<u> </u>	l				
		ADUF: Message Processing, per message		<u> </u>		N/A	0.007037										
		ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.000113			[<u> </u>			i		
	OPTIO	NAL DAILY USAGE FILE (ODUF)		1.													
		ODUF: Recording, per message				N/A	0.000011										
		ODUF: Message Processing, per message				N/A	0.004101										
		ODUF: Message Processing, per Magnetic Tape provisioned				N/A	42 67										
		ODUF: Data Transmission (CONNECT.DIRECT), per message		1		N/A	0.000094			1					İ		
		ALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)	_	+		100	0.000004					 	_	 		 	
		CMDS: Message Processing, per message				N/A	0.004										
														ì	i	1	1
		CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0 001					_			 		
		CED OPTIONAL DAILY USAGE FILE (EODUF)										↓					
		EODUF: Message Processing, per message		L.,	<u> </u>	N/A	0.22		L.,			<u></u>			_		
	Notes:	If no rate is identified in the contract, the rate for the specific	servic	e or fu	nction will be as set	forth in appl	icable BellSout	h tariff or as r	egotiated by t	he Parties upo	n request by e	ither Party.	<u></u>	<u> </u>	<u></u>	.l	<u> </u>

ODUF/	ADUF.	/EODUF/CMDS - Florida				·					_			Attachi	ment: 7	Exhi	bit: A
CATEGO	DRY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svo Order vs.
							5	Nonre	curring	Nonrecurring	Disconnect			OSS	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUE/A	BUE/O	POUCOURA										ļ					
		EDUF/CMDS	ļ	\vdash						<u> </u>		ļ <u> </u>					l
L 4		S DAILY USAGE FILE (ADUF)								<u> </u>		<u> </u>					l
		ADUF: Message Processing, per message	<u> </u>	-		N/A	0.014391			<u> </u>		<u> </u>					<u> </u>
		ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00012973										
		NAL DAILY USAGE FILE (ODUF)															
		ODUF: Recording, per message				N/A	0.0000071							_			1
		ODUF: Message Processing, per message				N/A	0 006835			1		†*					
		ODUF Message Processing, per Magnetic Tape provisioned				N/A	48.96										
		ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00010811										
		ALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)								1							L
$\vdash \!$		CMDS: Message Processing, per message	<u> </u>	\vdash		N/A	0.004		ļ <u>.</u>	ļ	ļ						
		CMDS: Data Transmission (CONNECT.DIRECT), per message				N/A	0.001										
	ENHAN	ICED OPTIONAL DAILY USAGE FILE (EODUF)														I	
		EODUF: Message Processing, per message		1		N/A	0.229109										
	Notes:	If no rate is identified in the contract, the rate for the specific	service	or fun	ction will be as se	t forth in appl	icable BellSout	h tariff or as r	egotiated by t	he Parties upor	request by e	ither Party.					

CATEGORY	AATE ELEMENTS															
		Interi m	Zone	BCS	usoc			RATES(\$)			Submitted	Submitted Manually	Charge -	Charge -	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonre	curring	Nonrecurring	Disconnect			OSS	Rates(\$)	-	
						Hec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	F/OEDUF/CMDS										l	1				i
AC	CESS DAILY USAGE FILE (ADUF)	1				l										1
 _	ADUF: Message Processing, per message		1		N/A	0.0136327										
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.0000434										
OP	TIONAL DAILY USAGE FILE (ODUF)		I		1						T					
	ODUF: Recording, per message				N/A	0.0001275					T					
	ODUF: Message Processing, per message				N/A	0,0082548					T					1
	ODUF. Message Processing, per Magnetic Tape provisioned				N/A	28.85										
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.0000434										
CE	NTRALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)									l	I					
	CMDS: Message Processing, per message				N/A	0.004			L							
FN	CMDS: Data Transmission (CONNECT DIRECT), per message				N/A	0 001										
	EODUF: Message Processing, per message	\vdash	+-		N/A	0.0034555			 		 	 	-	 	-	
No	es: If no rate is identified in the contract, the rate for the specific	convic	or fun	ction will be so get			teriff or se r	eactisted by ti	he Perties upor	n request by e	ther Party	 	 		 	

ODUF/ADUF	/EODUF/CMDS - Kentucky												Attachi	ment: 7	Exhil	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Charge -	incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge - Manual Svc Order vs.	Charge - Manual Svo Order vs.
						Rec	Nonre	curring	Nonrecurring	Disconnect			OSS	Rates(\$)		
						nec	First	Addʻl	First	Addʻl	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
<u></u>					<u>.</u>											
ODUF/ADUF/O			ļ									l				
	SS DAILY USAGE FILE (ADUF)	L			<u> </u>							I				
	ADUF: Message Processing, per message	<u>L</u>			N/A	0 001857										
	ADUF: Data Transmission (CONNECT.DIRECT), per message				N/A	0.0001245				_		,			_	
OPTIO	NAL DAILY USAGE FILE (ODUF)		1.								1					
L	ODUF: Recording, per message				N/A	0.0000136										f
L	ODUF: Message Processing, per message				N/A	0.002506						1				<u> </u>
	ODUF: Message Processing, per Magnetic Tape provisioned		1		N/A	35.90										
	ODUF Data Transmission (CONNECT DIRECT), per message				N/A	0 00010372										
CENTE	ALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)	Ĺ														
1 —	CMDS: Message Processing, per message	<u> </u>			N/A	0.004						}				
	CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
	EODUF: Message Processing, per message		1		N/A	0.235889					-	 		 		
	If no rate is identified in the contract, the rate for the specific	condo	o or fur	otion will be so set			h tariff or on a	agatists d by th	o Portico upor	measurant by a	ther Porty	├──	L			
Tracios.	in no rate is recommed in the contract, the rate for the specific	SCIVIC	e vi lui	CUOII WIII DE AS SEL	iorar in appr	Capie Delibout	II LEST III OF HS II	egonated by tr	re raines upor	i iodaest by e	LINE Party.	L				

ODUF/ADUF	/EODUF/CMDS - Louisiana												Attach	ment: 7	Exhil	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BC\$	usoc			RATES(\$)				Submitted Manually	Charge -	Charge -	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
[[Rec	Nonre	curring	Nonrecurring	Disconnect			OSS	Rates(\$)		
						nec .	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/C											I. —					
ACCES	SS DAILY USAGE FILE (ADUF)	Γ									1	1				
	ADUF: Message Processing, per message				N/A	0.007983										
0.000	ADUF Data Transmission (CONNECT:DIRECT), per message				N/A	0.00012681										
	NAL DAILY USAGE FILE (ODUF)	├ ──	↓									Ļ				ļ
	ODUF: Recording, per message	└			N/A	0.0000117					<u> </u>	<u> </u>				L
	ODUF: Message Processing, per message				N/A	0.004641				i		l				
	ODUF: Message Processing, per Magnetic Tape provisioned	L			N/A	48.45						<u> </u>				
	ODUF: Data Transmission (CONNECT.DIRECT), per message				N/A	0.00010568										
CENT	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)	L	<u> </u>							<u> </u>		<u> </u>				
	CMDS: Message Processing, per message	L			N/A	0.004			ļ <u> </u>			L		l		
	CMDS: Data Transmission (CONNECT DIRECT), per message				N/A	0.001					ļ					<u> </u>
ENHA	ICED OPTIONAL DAILY USAGE FILE (EODUF) EODUF: Message Processing, per message	-	1	 	N/A	0.250015		-	 	ļ		 	 			
11242		L	1						L Bardian in a		Ab au Darte					
Notes:	If no rate is identified in the contract, the rate for the specific	SOLVIC	e or tui	nction will be as set	rorun in appi	capie bellSout	n tanit or as r	egotiated by t	ne rantes upo	n request by e	itner Party.	<u></u>		<u></u>	<u> </u>	<u> </u>

ODUF/ADUF	/EODUF/CMDS - Mississippi					* **							Attachr	nent: 7	Exhit	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	Constitution of the BCS	usoc			RATES(\$)			Submitted	Submitted Manually	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonre	curring	Nonrecurring	Disconnect				Rates(\$)		
						Nec P	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
<u> </u>					L	lI										
ODUF/ADUF/C			-								ļ			L		
ACCE	SS DAILY USAGE FILE (ADUF)													ļ <u> </u>		<u> </u>
	ADUF: Message Processing, per message				N/A	0.008087					ļ <u>.</u>					<u> </u>
	ADUF: Data Transmission (CONNECT.DIRECT), per message	l			N/A	0.00012803										
OPTIO	NAL DAILY USAGE FILE (ODUF)	I														
	ODUF: Recording, per message				N/A	0.0000063										
	ODUF: Message Processing, per message				N/A	0.004707										
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	49.04										
	ODUF: Data Transmission (CONNECT.DIRECT), per message				N/A	0 00010669										
CENTI	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)						·							<u> </u>		
	CMDS: Message Processing, per message				N/A	0 004								ļ <u> </u>		<u> </u>
	CMDS: Data Transmission (CONNECT DIRECT), per message	Ĺ			N/A	0.001										<u> </u>
ENHA	NCED OPTIONAL DAILY USAGE FILE (EODUF)	L	ļ			ļ					_		 			
	EODUF: Message Processing, per message	L		<u> </u>	N/A	0.250424		<u>L</u>		L	1		ļ			
Notes:	If no rate is identified in the contract, the rate for the specific	servic	e or fun	ction will be as set	forth in appl	icable BellSout	h tariff or as r	egotiated by t	he Parties upon	request by e	ither Party.	<u> </u>	L. <u></u>		L	<u> </u>

ODUF/ADU	F/EODUF/CMDS - North Carolina												Attach	ment: 7	Exhil	bit: A
CATEGORY	RATE ELEMENTS	interi m	Zone	BCS	usoc			RATES(\$)			Submitted	Submitted Manually	Charge -	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Nonre	curring	Nonrecurring	Disconnect			oss	Rates(\$)		_
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/O	DEDUE/CMDS		-			 		 	ļ		ļ	 	 			
	SS DAILY USAGE FILE (ADUF)	-	} 		 	 			}	 		 	 	}	 	
7002	ADUF: Message Processing, per message		-		N/A	0 01435			 		 	 		 	 	
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.0001277										
OPTIC	NAL DAILY USAGE FILE (ODUF)		نــــــــــــــــــــــــــــــــــــــ									l		1		
	ODUF. Recording, per message				N/A	0.0003					<u> </u>					
	ODUF Message Processing, per message				N/A	0.0032						<u> </u>	L			J
	ODUF. Message Processing, per Magnetic Tape provisioned				N/A	54.61						ļ				ļ
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00004										
CENT	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)				<u> </u>					<u> </u>		<u> </u>	·	<u> </u>	1	↓
<u></u>	CMDS: Message Processing, per message	<u> </u>	ļ		N/A	0.004			<u> </u>		 _	 	ļ	<u> </u>	 	
	CMDS: Data Transmission (CONNECT:DIRECT), per message		İ.,		N/A	0.001					l					
ENHA	NCED OPTIONAL DAILY USAGE FILE (EODUF)													1	L	
	EODUF: Message Processing, per message				N/A	0 2285406				L	L				L	<u> </u>
Notes	: If no rate is identified in the contract, the rate for the specific	serviç	or fur	ction will be as set	forth in appl	icable BellSout	h tariff or as r	egotiated by t	he Parties upo	n request by e	ither Party.	J		<u> </u>	L	L

ODUF/ADUF	F/EODUF/CMDS - South Carolina													ment: 7		bit; A
CATEGORY	RATE ELEMENTS	Interi m	Zone	Bes	usoc			RATES(\$)			Submitted Elec	Submitted	Charge -	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
T						_	Nonre	curring	Nonrecurring	Disconnect			0\$8	Rates(\$)		
			$\overline{}$		 	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		_	ļ													
ODUF/ADUF/C	DEDUF/CMDS															
ACCES	SS DAILY USAGE FILE (ADUF)		1													
	ADUF: Message Processing, per message				N/A	0.008061										L
	ADUF: Data Transmission (CONNECT DIRECT), per message				N/A	0.00013036										<u> </u>
OPTIO	NAL DAILY USAGE FILE (ODUF)										L					ļ
	ODUF: Recording, per message		İ		N/A	0.0000216										<u> </u>
	ODUF: Message Processing, per message				N/A	0.004704										
	ODUF: Message Processing, per Magnetic Tape provisioned	L			N/A	48 87										
	ODUF. Data Transmission (CONNECT:DIRECT), per message				N/A	0.00010863										
CENT	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)														ļ	↓
	CMDS ⁻ Message Processing, per message				N/A	0.004			Ļ		 	 		ļ		
	CMDS. Data Transmission (CONNECT DIRECT), per message				N/A	0.001										
ENHA	NCED OPTIONAL DAILY USAGE FILE (EODUF)		I									ļ				
	EODUF: Message Processing, per message	L			N/A	0 258301		L	<u> </u>	L	<u> </u>		<u> </u>	 	<u> </u>	
Notes:	: If no rate is identified in the contract, the rate for the specific	servic	e or fur	nction will be as set	forth in appl	icable BellSout	th tariff or as n	egotiated by t	he Parties upo	n request by e	ither Party.	<u> </u>	L	<u> </u>	L	<u> </u>

ODUF/ADUF	/EODUF/CMDS - Tennessee												Attachr			bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Syc Order Submitted Elec per LSR	Submitted		Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
			-				Nonrecurring		Nonrecurring	Disconnect			OSS	Rates(\$)		
						Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
			1													
ODUF/ADUF/C	DEDUF/CMDS															
ACCE	SS DAILY USAGE FILE (ADUF)															
	ADUF: Message Processing, per message				N/A	0.004										
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message				N/A	0.0000044										
	ODUF: Message Processing, per message				N/A	0.0027366										 _ _ _ _ _ _
	ODUF Message Processing, per Magnetic Tape provisioned				N/A	52.75						ļ				ļ
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.0000339										
CENTI	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)										L					ļ
	CMDS: Message Processing, per message	L	ــــــ	<u> </u>	N/A	0 004				<u> </u>						ļ
	CMDS. Data Transmission (CONNECT DIRECT), per message				N/A	0.001										
ENHA	NCED OPTIONAL DAILY USAGE FILE (EODUF)		ــــــ						ļ		├ ──					
	EODUF: Message Processing, per message				N/A	0.004			1 2 4	1	When Control					} -
Notes:	If no rate is identified in the contract, the rate for the specific	servic	e or fur	nction will be as set	forth in appl	icable BellSou	th tariff or as n	egotiated by t	ne Parties upor	n request by e	itner Party.	1	L	L	<u> </u>	لـــــــــــــــــــــــــــــــــــــ

Attachment 8

Rights-of-Way, Conduits and Pole Attachments

Rights-of-Way, Conduits and Pole Attachments

BellSouth will provide nondiscriminatory access to any pole, duct, conduit, or right-of-way owned or controlled by BellSouth pursuant to 47 U.S.C. § 224, as amended by the Act, pursuant to terms and conditions of a license agreement subsequently negotiated with BellSouth's Competitive Structure Provisioning Center.

Version 2Q02: 05/31/02

ATTACHMENT 9

PERFORMANCE MEASUREMENTS

PERFORMANCE MEASUREMENTS

Upon a particular Commission's issuance of an Order pertaining to Performance Measurements in a proceeding expressly applicable to all CLECs generally, BellSouth shall implement in that state such Performance Measurements as of the date specified by the Commission. Performance Measurements that have been Ordered in a particular state can currently be accessed via the internet at https://pmap.bellsouth.com. At the request of the Tennessee Regulatory Authority (TRA), the following Regional Service Quality Measurements (SQM) plan is being included as the performance measurements currently in place for the state of Tennessee. At such time that the TRA issues an Order pertaining to Performance Measurements, such Performance Measurements shall supersede the Regional SQM contained in the Agreement.

BellSouth Service Quality Measurement Plan (SQM)

Region Performance Metrics

Measurement Descriptions Version 0.06

Issue Date: June 4, 2002

Introduction

The BellSouth Service Quality Measurement Plan (SQM) describes in detail the measurements produced to evaluate the quality of service delivered to BellSouth's customers both wholesale and retail. The SQM was developed to respond to the requirements of the Communications Act of 1996 Section 251 (96 Act) which required BellSouth to provide non-discriminatory access to Competitive Local Exchange Carriers (CLEC)¹ and its Retail Customers. The reports produced by the SQM provide regulators, CLECs and BellSouth the information necessary to monitor the delivery of non-discriminatory access.

This plan results from the many divergent forces evolving from the 96 Act. The 96 Act, the Georgia Public Service Commission (GPSC) Order (Docket 7892-U 12/30/97), LCUG 1-7.0, the FCC's NPRM (CC Docket 98-56 RM9101 04/17/98), the Louisiana Public Service Commission (LPSC) Order (Docket U-22252 Subdocket C 04/19/98), numerous arbitration cases, LPSC sponsored collaborative workshops (10/98-02/00), and proceedings in Alabama, Mississippi, and North Carolina have and continue to influence the SQM.

The SQM and the reports flowing from it must change to reflect the dynamic requirements of the industry. New measurements are added as new products, systems, and processes are developed and fielded. New products and services are added as the markets for them develop and the processes stabilize. The measurements are also changed to reflect changes in systems, correct errors, and respond to both 3rd Party audit requirements and Commission requirements.

This document is intended for use by someone with knowledge of telecommunications industry, information technologies and a functional knowledge of the subject areas covered by the BellSouth Performance Measurements and the reports that flow from them.

Once it is approved, the most current copy of this document can be found on the web at URL: https://pmap.bellsouth.com in the Documentation Downloads folder.

Report Publication Dates

Each month, preliminary SQM reports will be posted to BellSouth's SQM web site (https://www.pmap.bellsouth.com) by 8:00 A.M. EST on the 21st day of each month or the first business day after the 21st. Final validated SQM reports will be posted by 8:00 A.M. on the last day of the month. Reports not posted by this time will be considered late for SEEM payment purposes. SEEM reports will posted on the 15th of the following month. Payments due will also be paid on the 15th of the following month. For instance: May data will be posted in preliminary SQM reports on June 21. Final validated SQM reports will be posted on the last day of June. Final validated SEEM reports will be posted and payments mailed on July 15th. In the event the 15th falls on a weekend or holiday, reports and payments will be posted/made the next business day.

issue Date: June 4, 2002

Alternative Local Exchange Companies (ALEC) and Competing Local Providers (CLP) are referred to as Competitive Local Exchange Carriers (CLEC) in this document.

Report Delivery Methods

CLEC SQM and SEEM reports will be considered delivered when posted to the web site. Commissions will be given access to the web site. In addition, a copy of the Monthly State Summary reports will be filed with the appropriate Commissions as soon as possible after the last day of each month.

Document Number: RGN-V005-122101

Contents

Section 1: Operations Support Systems (OSS)	1-1
OSS-1: Average Response Time and Response Interval (Pre-Ordering/ Ordering)	
OSS-2: Interface Availability (Pre-Ordering/Ordering)	
OSS-3: Interface Availability (Maintenance & Repair)	
OSS-4: Response Interval (Maintenance & Repair)	1-9
PO-1: Loop Makeup - Response Time – Manual	
PO-2: Loop Make Up - Response Time - Electronic	
Section 2: Ordering	2-1
O-1: Acknowledgement Message Timeliness	
O-2: Acknowledgement Message Completeness	
O-3: Percent Flow-Through Service Requests (Summary)	2-4
O-4: Percent Flow-Through Service Requests (Detail)	2-6
O-5: Flow-Through Error Analysis	2-9
O-6: CLEC LSR Information	
LSR Flow Through Matrix	
O-7: Percent Rejected Service Requests	2-14
O-8: Reject Interval	
O-9: Firm Order Confirmation Timeliness	
O-10: Service Inquiry with LSR Firm Order Confirmation (FOC) Response Time Manual	
O-11: Firm Order Confirmation and Reject Response Completeness	
O-12: Speed of Answer in Ordering Center	
O-13: LNP-Percent Rejected Service Requests	
O-14: LNP-Reject Interval Distribution & Average Reject Interval	2-29
O-15: LNP-Firm Order Confirmation Timeliness Interval Distribution & Firm Order Confirm	
Average Interval	2-32
Section 3: Provisioning	3-1
P-1: Mean Held Order Interval & Distribution Intervals	3-1
P-2: Average Jeopardy Notice Interval & Percentage of Orders Given Jeopardy Notices	
P-3: Percent Missed Installation Appointments	
P-4: Average Completion Interval (OCI) & Order Completion Interval Distribution	3-8
P-5: Average Completion Notice Interval	
P-6: % Completions/Attempts without Notice or < 24 hours Notice	
P-7: Coordinated Customer Conversions Interval	
P-7A: Coordinated Customer Conversions - Hot Cut Timeliness% Within Interval and Average	
Interval	
P-7B: Coordinated Customer Conversions – Average Recovery Time	3-19
P-7C: Hot Cut Conversions - % Provisioning Troubles Received Within 7 days of a complete	èd
Service Order	
P-8: Cooperative Acceptance Testing - % of xDSL Loops Tested	3-23
P-9: % Provisioning Troubles within 30 days of Service Order Completion	3-25
P-10: Total Service Order Cycle Time (TSOCT)	
P-11: Service Order Accuracy	
P-12: LNP-Percent Missed Installation Appointments	
P-13: LNP-Average Disconnect Timeliness Interval & Disconnect Timeliness Interval Distrib	ution

	3-34
P-14: LNP-Total Service Order Cycle Time (TSOCT)	3-36
Section 4: Section 4: Maintenance & Repair	4-1
M&R-1: Missed Repair Appointments	4-1
M&R-2: Customer Trouble Report Rate	
M&R-3: Maintenance Average Duration	
M&R-4: Percent Repeat Troubles within 30 Days	
M&R-5: Out of Service (OOS) > 24 Hours	
M&R-6: Average Answer Time – Repair Centers	
M&R-7: Mean Time To Notify CLEC of Network Outages	
Section 5: Billing	5-1
B-1: Invoice Accuracy	
B2: Mean Time to Deliver Invoices	
B3: Usage Data Delivery Accuracy	
B4: Usage Data Delivery Completeness	
B5: Usage Data Delivery Timeliness	
B6: Mean Time to Deliver Usage	
B7: Recurring Charge Completeness	
B8: Non-Recurring Charge Completeness	
Section 6: Operator Services And Directory Assistance	6-1
OS-1: Speed to Answer Performance/Average Speed to Answer - Toll	
OS-2: Speed to Answer Performance/Percent Answered with "X" Seconds - Toll	6-2
DA-1: Speed to Answer Performance/Average Speed to Answer - Directory Assistan	
DA-2: Speed to Answer Performance/Percent Answered within "X" Seconds - Direct	
(DA)	
Section 7: Database Update Information	7-1
D-1: Average Database Update Interval	
D-2: Percent Database Update Accuracy	
D-3: Percent NXXs and LRNs Loaded by the LERG Effective Date	
Section 8: E911	
E-1: Timeliness	
E-2: Accuracy	
E-3: Mean Interval	
Section 9: Trunk Group Performance	
TGP-1: Trunk Group Performance-Aggregate	
TGP-2: Trunk Group Performance-CLEC Specific	
Section 10: Collocation	
C-1: Collocation Average Response Time	
C-2: Collocation Average Arrangement Time	
C-3: Collocation Percent of Due Dates Missed	
Section 11: Change Management	11-4
CM-1: Timeliness of Change Management Notices	
CM-2: Change Management Notice Average Delay Days	11-5

CM-3: Timeliness of Documents Associated with Change	
CM-5: Notification of CLEC Interface Outages	
Section 12: Bona Fide / New Business Request Process	12-1
BFR-1: Percentage of BFR/NBR Requests Processed Within 30 Business Days	
BFR-2: Percentage of Quotes Provided for Authorized BFR/NBR Requests Processed W (10/30/60) Business Days	ithin X
Appendix A: Reporting Scope	
A-1: Standard Service Groupings	
A-2: Standard Service Order Activities	
Appendix B: Glossary of Acronyms and Terms	1
Appendix C: BellSouth Audit Policy	

Section 1: Operations Support Systems (OSS)

OSS-1: Average Response Time and Response Interval (Pre-Ordering/ Ordering)

Definition

Average response time and response intervals are the average times and number of requests responded to within certain intervals for accessing legacy data associated with appointment scheduling, service & feature availability, address verification, request for Telephone numbers (TNs), and Customer Service Records (CSRs).

Exclusions

None

Business Rules

The average response time for retrieving pre-order/order information from a given legacy system is determined by summing the response times for all requests submitted to the legacy systems during the reporting period and dividing by the total number of legacy system requests for that month.

The response interval starts when the client application (LENS or TAG for CLECs and RNS or ROS for BellSouth) submits a request to the legacy system and ends when the appropriate response is returned to the client application. The number of accesses to the legacy systems during the reporting period which take less than 2.3 seconds, the number of accesses which take more than 6 seconds, and the number which are less than or equal to 6.3 seconds are also captured.

Calculation

Response Time = (a - b)

- a = Date & Time of Legacy Response
- b = Date & Time of Legacy Request

Average Response Time = c / d

- c = Sum of Response Times
- d = Number of Legacy Requests During the Reporting Period

Report Structure

- Not CLEC Specific
- Not Product/Service Specific
- Regional Level

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
• Legacy Contract (per reporting dimension)	 Legacy Contract (per reporting dimension)
Response Interval	 Response Interval
Regional Scope	Regional Scope

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
RSAG - Address (Regional Street Address Guide-	
Address) – stores street address information used to	
validate customer addresses. CLECs and BellSouth query	
this legacy system.	
• RSAG - TN (Regional Street Address Guide-Telephone	
number) – contains information about facilities available	
and telephone numbers working at a given address.	

- CLECs and BellSouth query this legacy system.
- ATLAS (Application for Telephone Number Load Administration and Selection) – acts as a warehouse for storing telephone numbers that are available for assignment by the system. It enables CLECs and BellSouth service reps to select and reserve telephone numbers. CLECs and BellSouth query this legacy system.
- COFFI (Central Office Feature File Interface) stores information about product and service offerings and availability. CLECs query this legacy system.
- DSAP (DOE Support Application) provides due date information. CLECs and BellSouth query this legacy system.
- HAL/CRIS (Hands-Off Assignment Logic/Customer Record Information System) – a system used to access the Business Office Customer Record Information System

 (BOCRIS). It allows BellSouth servers, including LENS, access to legacy systems. CLECs query this legacy system.
- P/SIMS (Product/Services Inventory Management system) – provides information on capacity, tariffs, inventory and service availability. CLECs query this legacy system.
- OASIS (Obtain Available Services Information Systems)
 Information on feature and rate availability. BellSouth queries this legacy system.

Table 1: Legacy System Access Times For RNS

System	Contract	Data	< 2.3 sec.	> 6 sec.	<= 6.3 sec.	Avg. Sec.	# of Calls
RSAG	RSAG-TN	Address	х	х	x	х	x
RSAG	RSAG-ADDR	Address	х	х	х	х	х
ATLAS	ATLAS-TN	TN	х	х	х	x	х
DSAP	DSAP	Schedule	х	x	х	х	х
CRIS	CRSACCTS	CSR	х	х	х	х	х
OASIS	OASISCAR	Feature/Service	х	х	х	х	х
OASIS	OASISLPC	Feature/Service	х	х	х	х	х
OASIS	OASISMTN	Feature/Service	х	х	Х	х	х
OASIS	OASISBIG	Feature/Service	х	х	х	х	х

Table 2: Legacy System Access Times For R0S

System	Contract	Data	< 2.3 sec.	> 6 sec.	<= 6.3 sec.	Avg. sec.	# of Calls
RSAG	RSAG-TN	Address	х	х	х	х	x
RSAG	RSAG-ADDR	Address	х	х	х	х	х
ATLAS	ATLAS-TN	TN	х	x	x	x	х
DSAP	DSAP	Schedule	х	x	х	х	х
CRIS	CRSOCSR	CSR	х	х	х	x	х
OASIS	OASISBIG	Feature/Service	х	x	x	x	X

Table 3: Legacy System Access Times For LENS

System	Contract	Data	< 2.3 sec.	> 6 sec.	<6.3 sec.	Avg. sec.	# of Calls
RSAG	RSAG-TN	Address	х	х	х	x	х
RSAG	RSAG-ADDR	Address	х	х	х	х	х
ATLAS	ATLAS-TN	TN	х	х	х	х	х
DSAP	DSAP	Schedule	х	х	х	х	х
HAL	HAL/CRIS	CSR	х	х	х	х	х
COFFI	COFFI/USOC	Feature/Service	х	x	х	х	х
P/SIMS	PSIMS/ORB	Feature/Service	х	х	х	х	х

Table 4: Legacy System Access Times For TAG

System	Contract	Data	< 2.3 sec.	> 6 sec.	<6.3 sec.	Avg. sec.	# of Calls
RSAG	RSAG-TN	Address	х	х	х	х	x
RSAG	RSAG-ADDR	Address	х	х	х	х	x
ATLAS	ATLAS-TN	TN	х	х	х	х	х
ATLAS	ATLAS-MLH	TN	х	х	х	х	х
ATLAS	ATLAS-DID	TN	х	х	х	х	х
DSAP	DSAP	Schedule	х	х	х	х	х
CRIS	CRSECSRL	CSR	х	х	х	х	х
CRIS	CRSECSR	CSR	х	х	х	х	х

SEEM Measure

SEEM Measure					
Yes	Tier I		,		
}	Tier II		'	X	

Note: CLEC specific data is not available in this measure. Queries of this sort do not have company specific signatures.

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
RSAG – Address (Regional Street Address Guide-	• Percent Response Received within 6.3 seconds: > 95%
Address) – stores street address information used to	• Parity + 2 seconds
validate customer addresses. CLECs and BellSouth query	
this legacy system.	
• RSAG + TN (Regional Street Address Guide-Telephone	
number) – contains information about facilities available	
and telephone numbers working at a given address.	
CLECs and BellSouth query this legacy system.	
ATLAS (Application for Telephone Number Load	
Administration and Selection) – acts as a warehouse for	
storing telephone numbers that are available for	
assignment by the system. It enables CLECs and	
BellSouth service reps to select and reserve telephone	
numbers. CLECs and BellSouth query this legacy system.	
• COFFI (Central Office Feature File Interface) – stores	
information about product and service offerings and	
availability. CLECs query this legacy system.	
• DSAP (DOE Support Application) – provides due date	
information. CLECs and BellSouth query this legacy	
system.	
• HAL/CRIS (Hands-Off Assignment Logic/Customer	
Record Information System) – a system used to access the	

Business Office Customer Record Information System (BOCRIS). It allows BellSouth servers, including LENS, access to legacy systems. CLECs query this legacy system.

- P/SIMS (Product/Services Inventory Management system) – provides information on capacity, tariffs, inventory and service availability. CLECs query this legacy system.
- OASIS (Obtain Available Services Information Systems)
 Information on feature and rate availability. BellSouth queries this legacy system.

SEEM OSS Legacy Systems

System	BellSouth	CLEC
	Telephone Number/Add	ress
RSAG-ADDR	RNS, ROS	TAG, LENS
RSAG-TN	RNS, ROS	TAG, LENS
ATLAS	RNS,ROS	TAG. LENS
	Appointment Scheduli	ing
DSAP	RNS, ROS	TAG, LENS
	CSR Data	
CRSACCTS	RNS	
CRSOCSR	ROS	
HAL/CRIS		LENS
CRSECSRL		TAG
CRSECSR		TAG
	Service/Feature Availab	oility
OASISBIG	RNS, ROS	
PSIMS/ORB		LENS

OSS-2: Interface Availability (Pre-Ordering/Ordering)

Definition

Percent of time applications are functionally available as compared to scheduled availability. Calculations are based upon availability of applications and interfacing applications utilized by CLECs for pre-ordering and ordering. "Functional Availability" is defined as the number of hours in the reporting period that the applications/interfaces are available to users. "Scheduled Availability" is defined as the number of hours in the reporting period that the applications/interfaces are scheduled to be available.

Scheduled availability is posted on the Interconnection web site: (www.interconnection.bellsouth.com/oss/oss_hour.html)

Exclusions

- CLEC-impacting troubles caused by factors outside of BellSouth's purview, e.g., troubles in customer equipment, troubles in networks owned by telecommunications companies other than BellSouth, etc.
- Degraded service, e.g., slow response time, loss of non-critical functionality, etc.

Business Rules

This measurement captures the functional availability of applications/interfaces as a percentage of scheduled availability for the same systems. Only full outages are included in the calculations for this measure. Full outages are defined as occurrences of either of the following:

- Application/interfacing application is down or totally inoperative.
- Application is totally inoperative for customers attempting to access or use the application. This includes transport outages when
 they may be directly associated with a specific application.

Comparison to an internal benchmark provides a vehicle for determining whether or not CLECs and retail BST entities are given comparable opportunities for use of pre-ordering and ordering systems.

Calculation

Interface Availability (Pre-Ordering/Ordering) = (a / b) X 100

- a = Functional Availability
- b = Scheduled Availability

Report Structure

- Not CLEC Specific
- Not Product/Service Specific
- Regional Level

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
• Legacy Contract Type (per reporting dimension)	Legacy Contract Type (per reporting dimension)
Regional Scope	Regional Scope
Hours of Downtime	Hours of Downtime

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Regional Level	• >= 99.5%

683 of 836

OSS Interface Availability

Application	Applicable to	% Availability
EDI	CLEC	x
TAG	CLEC	х
LENS	CLEC	x
LEO	CLEC	х
LESOG	CLEC	x
LNP Gateway	CLEC	x
COG	CLEC	Under Development
SOG	CLEC	Under Development
DOM	CLEC	Under Development
DOE	CLEC/BellSouth	х
SONGS	CLEC/BellSouth	х
ATLAS/COFFI	CLEC/BellSouth	х
BOCRIS	CLEC/BellSouth	х
DSAP	CLEC/BellSouth	х
RSAG	CLEC/BellSouth	x
SOCS	CLEC/BellSouth	x
CRIS	CLEC/BellSouth	x

SEEM Measure

SEEM Measure		
Yes	Tier I	
i	Tier II	X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
Regional Level	• >= 99.5%

SEEM OSS Interface Availability

Application	Applicable to	% Availability
EDI	CLEC	х
HAL	CLEC	x
LENS	CLEC	X
LEO Mainframe	CLEC	х
LESOG	CLEC	х
PSIMS	CLEC	х
TAG	CLEC	x

OSS-3: Interface Availability (Maintenance & Repair)

Definition

Percent of time applications are functionally available as compared to scheduled availability. Calculations are based upon availability of applications and interfacing applications utilized by CLECs for maintenance and repair. "Functional Availability" is defined as the number of hours in the reporting period that the applications/interfaces are available to users. "Scheduled Availability" is defined as the number of hours in the reporting period that the applications/interfaces are scheduled to be available.

Scheduled availability is posted on the Interconnection web site: (www.interconnection.bellsouth.com/oss/oss_hour.html)

Exclusions

- CLEC-impacting troubles caused by factors outside of BellSouth's purview, e.g., troubles in customer equipment, troubles in networks owned by telecommunications companies other than BellSouth, etc.
- Degraded service, e.g., slow response time, loss of non-critical functionality, etc.

Business Rules

This measurement captures the functional availability of applications/interfaces as a percentage of scheduled availability for the same systems. Only full outages are included in the calculations for this measure. Full outages are defined as occurrences of either of the following:

- Application/interfacing application is down or totally inoperative.
- Application is totally inoperative for customers attempting to access or use the application. This includes transport outages when
 they may be directly associated with a specific application.

Comparison to an internal benchmark provides a vehicle for determining whether or not CLECs and retail BST entities are given comparable opportunities for use of maintenance and repair systems.

Calculation

OSS Interface Availability (a / b) X 100

- a = Functional Availability
- b = Scheduled Availability

Report Structure

- Not CLEC Specific
- Not Product/Service Specific
- · Regional Level

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Availability of CLEC TAFI	Availability of BellSouth TAFI
 Availability of LMOS HOST, MARCH, SOCS, CRIS, 	Availability of LMOS HOST, MARCH, SOCS, CRIS,
PREDICTOR, LNP and OSPCM	PREDICTOR, LNP and OSPCM
• ECTA	

SQM Level of Disaggregation	SQM Analog/Benchmark
Regional Level	• >= 99.5%

OSS Interface Availability (M&R)

OSS Interface	% Availability
BST TAFI	х
CLEC TAFI	x
CLEC ECTA	x
BellSouth & CLEC	x
CRIS	x
LMOS HOST	х
LNP	x
MARCH	x
OSPCM	x
PREDICTOR	х
SOCS	x

SEEM Measure

SEEM Measure		
Yes	Tier I	
	Тіет II	X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
Regional Level	• >= 99.5%

OSS Interface Availability (M&R)

OSS Interface	% Availability
CLEC TAFI	х
CLEC ECTA	х

OSS-4: Response Interval (Maintenance & Repair)

Definition

The response intervals are determined by subtracting the time a request is received on the BellSouth side of the interface from the time the response is received from the legacy system. Percentages of requests falling into each interval category are reported, along with the actual number of requests falling into those categories.

Exclusions

None

Business Rules

This measure is designed to monitor the time required for the CLEC and BellSouth interface system to obtain from BellSouth's legacy systems the information required to handle maintenance and repair functions. The clock starts on the date and time when the request is received on the BellSouth side of the interface_and the clock stops when the response has been transmitted through that same point to the requester.

Note: The OSS Response Interval BellSouth Total Report is a combination of BellSouth Residence and Business Total.

Calculation

OSS Response Interval = (a - b)

- a = Ouery Response Date and Time
- b = Query Request Date and Time

Percent Response Interval (per category) = (c / d) X 100

- c = Number of Response Intervals in category "X"
- d = Number of Queries Submitted in the Reporting Period

where, "X" is <= 4, > 4 <= 10, <= 10, > 10, or > 30 seconds.

Report Structure

- Not CLEC Specific
- Not product/service specific
- Regional Level

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
CLEC-Transaction Intervals	BellSouth Business and Residential Transactions
	Intervals

[SQM Level of Disaggregation	SQM Analog/Benchmark
ļ	Regional Level	• Parity

Legacy System Access Times for M&R

System	BellSouth & CLEC	Count					
		<= 4	> 4 <= 10	<= 10	> 10	> 30	
CRIS	х	х	Х	Х	х	х	
DLETH	х	x	x	х	x	х	
DLR	х	х	X	х	X	х	
LMOS	X	X	X	х	X	x	
LMOSupd	x	х	X	х	X	x	
LNP	х	х	х	х	x	х	
MARCH	х	Х	Х	х	х	х	
OSPCM	х	х	X	Х	х	х	
Predictor	х	x	Х	Х	X	х	
SOCS	x	х	Х	х	х	х	
NIW	Х	х	X	Х	Х	х	

SEEM Measure

SEEM Measure				
No	Tier I			
	Tier II			

SEEM Disaggregation	SEEM Analog/Benchmark	
Not Applicable	Not Applicable	

PO-1: Loop Makeup - Response Time - Manual

Definition

This report measures the average interval and percent within the interval from the submission of a Manual Loop Makeup Service Inquiry (LMUSI) to the distribution of Loop Makeup information back to the CLEC.

Exclusions

- Inquiries, which are submitted electronically.
- Designated Holidays are excluded from the interval calculation.
- Weekend hours from 5:00PM Friday until 8:00AM Monday are excluded from the interval calculation.
- · Canceled Inquiries.

Business Rules

The CLEC Manual Loop Makeup Service Inquiry (LMUSI) process includes inquiries submitted via mail or FAX to BellSouth's Complex Resale Support Group (CRSG).

This measurement combines three intervals:

- 1. From receipt of the Service Inquiry for Loop Makeup to hand off to the Service Advocacy Center (SAC) for "Look-up."
- From SAC start date to SAC complete date.
- From SAC complete date to date the Complex Resale Support Group (CRSG) distributes loop makeup information back to the CLEC.

The "Receive Date" is defined as the date the Manual LMUSI is received by the CRSG. It is counted as day Zero. LMU "Return Date" is defined as the date the LMU information is sent back to the CLEC from BellSouth. The interval calculation is reset to Zero when a CLEC initiated change occurs on the Manual LMU request.

Note: The Loop Make Up Service Inquiry Form does not require the CLEC to furnish the type of Loop. The CLEC determines whether the loop makeup will support the type of service they wish to order or not and qualifies the loop. If the loop makeup will support the service, a firm order LSR is submitted by the CLEC.

Calculation

Response Interval = (a - b)

- a → Date and Time LMUSI returned to CLEC
- b \(\dagger Date and Time the LMUSI is received

Average Interval = (c / d)

- c = Sum of all Response Intervals
- d = Total Number of LMUSIs received within the reporting period

Percent within interval = $(e / f) \times 100$

- e = Total LMUSIs received within the interval
- f = Total Number of LMUSIs processed within the reporting period

689 of 836

Report Structure

- CLEC Aggregate
- CLEC Specific
- Geographic Scope
 - State
 - Region
- Interval for manual LMUs:
 - $0 \le 1 \text{ day}$
 - >1 <= 2 days
 - >2 <= 3 days
 - 0 <= 3 days
- >3 <= 6 days
- >6 <= 10 days
- > 10 days
- Average Interval in days

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable
Total Number of Inquiries	
SI Intervals	
State and Region	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• Loops	Benchmark
	• 95% <= 3 Business Days

SEEM Measure

SEEM Measure			
Yes	Tier I		X
	Tier II		X

SEEM Disaggregation	SEEM Analog/Benchmark
• Loops	Benchmark
,	• 95% <= 3 Business Days

PO-2: Loop Make Up - Response Time - Electronic

Definition

This report measures the average interval and the percent within the interval from the electronic submission of a Loop Makeup Service Inquiry (LMUSI) to the distribution of Loop Makeup information back to the CLEC.

Exclusions

- · Manually submitted inquiries.
- Designated Holidays are excluded from the interval calculation.
- · Canceled Requests.
- · Scheduled OSS Maintenance.

Business Rules

The response interval starts when the CLEC's Mechanized Loop Makeup Service Inquiry (LMUSI) is submitted electronically through the Operational Support Systems interface, LENS, TAG or RoboTAG. It ends when BellSouth's Loop Facility Assignment and Control System (LFACS) responds electronically to the CLEC with the requested Loop Makeup data via LENS, TAG or RoboTAG Interfaces.

Note: The Loop Make Up Service Inquiry Form does not require the CLEC to furnish the type of Loop. The CLEC determines whether the loop makeup will support the type of service they wish to order or not and qualifies the loop. If the loop makeup will support the service, a firm order LSR is submitted by the CLEC. EDI is not a pre-ordering system, and, therefore, is not applicable in this measure.

Calculation

Response Interval = (a - b)

- a = Date and Time LMUSI returned to CLEC
- b = Date and Time the LMUSI is received

Average Interval = (c / d)

- c = Sum of all response intervals
- d = Total Number of LMUSIs received within the reporting period

Percent within interval = $(e / f) \times 100$

- e = Total LMUSIs received within the interval
- f = Total Number of LMUSIs processed within the reporting period

Report Structure

- CLEC Aggregate
- CLEC Specific
- · Geographic Scope
 - State
 - Region
- Interval for electronic LMUs:
 - $0 \le 1$ minute
 - >1 <= 5 minutes
 - $0 \le 5$ minutes
 - $> 5 \le 8$ minutes
 - > 8 <= 15 minutes
 - > 15 minutes
- · Average Interval in minutes

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable

1-13

Legacy Contract	
Response Interval	
Regional Scope	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• Loops	Benchmark
1	• 90% <= 5 Minutes (05/01/01)
	• 95% <= 1 Minute (08/01/01)

SEEM Measure

SEEM Measure				
Yes	Tier I	X		
	Tier II	X		

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
• Loop	• 90% <= 5 Minutes (05/01/01)
	• 95% <= 1 Minute (08/01/01)

692 of 836

Section 2: Ordering

O-1: Acknowledgement Message Timeliness

Definition

This measurement provides the response interval from the time an LSR or transmission (may contain multiple LSRs from one or more CLECs in multiple states) is electronically submitted via EDI or TAG respectively until an acknowledgement notice is sent by the system.

Exclusions

· Scheduled OSS Maintenance

Business Rules

The process includes EDI & TAG system functional acknowledgements for all messages/Local Service Requests (LSRs) which are electronically submitted by the CLEC. Users of EDI may package many LSRs into one transmission which will receive the acknowledgement message. EDI users may place multiple LSRs in one "envelope" requesting service in one or more states which will mask the identity of the state and CLEC. The start time is the receipt time of the message at BellSouth's side of the interface (gateway). The end time is when the acknowledgement is transmitted by BellSouth at BellSouth's side of the interface (gateway). If more than one CLEC uses the same ordering center (aggregator), an Acknowledgement Message will be returned to the "Aggregator". However, BellSouth will not be able to determine which specific CLEC or state this message represented.

Calculation

Response Interval = (a - b)

- a = Date and Time Acknowledgement Notices returned to CLEC
- b = Date and Time messages/LSRs electronically submitted by the CLEC via EDI or TAG respectively

Average Response Interval = (c / d)

- c = Sum of all Response Intervals
- d = Total number of electronically submitted messages/LSRs received, from CLECs via EDI or TAG respectively, in the Reporting Period.

Reporting Structure

- CLEC Aggregate
- CLEC Specific/Aggregator
- Geographic Scope
 - Region
- · Electronically Submitted LSRs
- 0 <= 10 minutes
- >10 <= 20 minutes
- >20 <= 30 minutes
- $0 \le 30$ minutes
- >30 <= 45 minutes
- >45 <= 60 minutes >60 - <= 120 minutes
- >120 minutes
- · Average interval for electronically submitted messages/LSRs in minutes

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable
Record of Functional Acknowledgements	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• EDI	• EDI
	- 90% <= 30 minutes (05/01/01)
	- 95% <= 30 minutes (08/01/01)
• TAG	• TAG – 95% <= 30 minutes

SEEM Measure

	SEEM Measure	
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
• EDI	• EDI
	- 90% <= 30 minutes (05/01/01)
	- 95% <= 30 minutes (08/01/01)
• TAG	• TAG – 95% <= 30 minutes

O-2: Acknowledgement Message Completeness

Definition

This measurement provides the percent of transmissions/LSRs received via EDI or TAG respectively, which are acknowledged electronically.

Exclusions

- · Manually submitted LSRs
- · Scheduled OSS Maintenance

Business Rules

EDI and TAG send Functional Acknowledgements for all transmissions/LSRs, which are electronically submitted by a CLEC. Users of EDI may package many LSRs from multiple states in one transmission. If more than one CLEC uses the same ordering center, an Acknowledgement Message will be returned to the "Aggregator", however, BellSouth will not be able to determine which specific CLEC this message represented. The Acknowledgement Message is returned prior to the determination of whether the transmission/LSR will be partially mechanized or fully mechanized.

Calculation

Acknowledgement Completeness = (a / b) X 100

- a = Total number of Functional Acknowledgements returned in the reporting period for transmissions/LSRs electronically submitted by EDI or TAG respectively
- b = Total number of electronically submitted transmissions/LSRs received in the reporting period by EDI or TAG respectively

Report Structure

- CLEC Aggregate
- · CLEC Specific/Aggregator
- Geographic Scope
 - Region

Note: The Order calls for Mechanized, Partially Mechanized, and Totally Mechanized, however, the Acknowledgement message is generated before the system recognizes whether this electronic transmission will be partially or fully mechanized.

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable
Record of Functional Acknowledgements	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• EDI	• Benchmark: 100%
• TAG	

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
• EDI	Benchmark: 100%
• TAG	

O-3: Percent Flow-Through Service Requests (Summary)

Definition

The percentage of Local Service Requests (LSR) and LNP Local Service Requests (LNP LSRs) submitted electronically via the CLEC mechanized ordering process that flow through and reach a status for a FOC to be issued, without manual intervention.

Exclusions

- Fatal Rejects
- · Auto Clarification
- Manual Fallout
- CLEC System Fallout
- Scheduled OSS Maintenance

Business Rules

The CLEC mechanized ordering process includes all LSRs, including supplements (subsequent versions) which are submitted through one of the three gateway interfaces (TAG, EDI and LENS), that flow through and reach a status for a FOC to be issued, without manual intervention. These LSRs can be divided into two classes of service: Business and Residence, and two types of service: Resale, and Unbundled Network Elements (UNE). The CLEC mechanized ordering process does not include LSRs which are submitted manually (for example, fax and courier) or are not designed to flow through (for example, Manual Fallout.)

Definitions:

Fatal Rejects: Errors that prevent an LSR, submitted electronically by the CLEC, from being processed further. When an LSR is submitted by a CLEC, LEO/LNP Gateway will perform edit checks to ensure the data received is correctly formatted and complete. For example, if the PON field contains an invalid character, LEO/LNP Gateway will reject the LSR and the CLEC will receive a Fatal Reject.

Auto-Clarification: Clarifications that occur due to invalid data within the LSR. LESOG/LAUTO will perform data validity checks to ensure the data within the LSR is correct and valid. For example, if the address on the LSR is not valid according to RSAG, or if the LNP is not available for the NPA NXXX requested, the CLEC will receive an Auto-Clarification.

Manual Fallout: Planned Fallout that occur by design. Certain LSRs are designed to fallout of the Mechanized Order Process due to their complexity. These LSRs are manually processed by the LCSC. When a CLEC submits an LSR, LESOG/LAUTO will determine if the LSR should be forwarded to LCSC for manual handling. Following are the categories for Manual Fallout:

- 1. Complex*
- 2. Special pricing plans
- 3. Some Partial migrations
- 4. New telephone number not yet posted to BOCRIS
- 5. Pending order review required
- CSR inaccuracies such as invalid or missing CSR data in CRIS
- Denials-restore and conversion, or disconnect and conversion orders
- Class of service invalid in certain states with some types of service
- 10. Low volume such as activity type "T" (move)
- 11. More than 25 business lines, or more than 15 loops
- 12. Transfer of calls option for the CLEC end users
- 13. Directory Listings (Indentions and Captions)

- 7. Expedites (requested by the CLEC)
- *See LSR Flow-Through Matrix following O-6 for a list of services, including complex services, and whether LSRs issued for the services are eligible to flow through.

Total System Fallout: Errors that require manual review by the LSCS to determine if the error is caused by the CLEC, or is due to BellSouth system functionality. If it is determined the error is caused by the CLEC, the LSR will be sent back to the CLEC for clarification. If it is determined the error is BellSouth caused, the LCSC representative will correct the error, and the LSR will continue to be processed.

Z Status: LSRs that receive a supplemental LSR submission prior to final disposition of the original LSR.

Calculation

Percent Flow Through = a / [b - (c + d + e + f)] X 100

- a = The total number of LSRs that flow through LESOG/LAUTO and reach a status for a FOC to be issued
- b = the number of LSRs passed from LEO/LNP Gateway to LESOG/LAUTO
- c =the number of LSRs that fall out for manual processing
- d = the number of LSRs that are returned to the CLEC for clarification
- e = the number of LSRs that contain errors made by CLECs
- f = the number of LSRs that receive a Z status

Percent Achieved Flow Through = $a / [b-(c+d+e)] \times 100$

- a = the number of LSRs that flow through LESOG/LAUTO and reach a status for a FOC to be issued
- b = the number of LSRs passed from LEO/LNP Gateway to LESOG/LAUTO
- c = the number of LSRs that are returned to the CLEC for clarification
- d = the number of LSRs that contain errors made by CLECs
- e = the number of LSRs that receive Z status

Report Structure

- CLEC Aggregate
 - Region

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
• Total Number of LSRs Received, by Interface, by CLEC	Total Number of Errors By Type
- TAG	- Bellsouth System Error
- EDI	
- LENS	i i
Total Number of Errors by Type, by CLEC	
- Fatal Rejects	
- Auto Clarification	
- CLEC Caused System Fallout	'
Total Number of Errors by Error Code	
Total Fallout for Manual Processing	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark ²
Residence	Benchmark: 95%
Business	Benchmark: 90%
• UNE	Benchmark: 85%
• LNP	• Benchmark: 85%

SEEM Measure

SEEM Measure		
Yes	Tier I	
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark ³
Residence	Benchmark: 95%
Business	Benchmark: 90%
• UNE	Benchmark: 85%
• LNP	Benchmark: 85%

Benchmarks do not apply to the "Percent Achieved Flow Through."

Benchmarks do not apply to the "Percent Achieved Flow Through."

O-4: Percent Flow-Through Service Requests (Detail)

Definition

A detailed list, by CLEC, of the percentage of Local Service Requests (LSR) and LNP Local Service Requests (LNP LSRs) submitted electronically via the CLEC mechanized ordering process that flow through and reach a status for a FOC to be issued, without manual or human intervention.

Exclusions

- Fatal Rejects
- · Auto Clarification
- Manual Fallout
- CLEC System Fallout
- · Scheduled OSS Maintenance

Business Rules

The CLEC mechanized ordering process includes all LSRs, including supplements (subsequent versions) which are submitted through one of the three gateway interfaces (TAG, EDI, and LENS), that flow through and reach a status for a FOC to be issued, without manual intervention. These LSRs can be divided into two classes of service: Business and Residence, and three types of service: Resale, and Unbundled Network Elements (UNE). The CLEC mechanized ordering process does not include LSRs, which are submitted manually (for example, fax and courier) or are not designed to flow through (for example, Manual Fallout.)

Definitions:

Fatal Rejects: Errors that prevent an LSR, submitted electronically by the CLEC, from being processed further. When an LSR is submitted by a CLEC, LEO/LNP Gateway will perform edit checks to ensure the data received is correctly formatted and complete. For example, if the PON field contains an invalid character, LEO/LNP Gateway will reject the LSR and the CLEC will receive a Fatal Reject.

Auto-Clarification: Clarifications that occur due to invalid data within the LSR. LESOG/LAUTO will perform data validity checks to ensure the data within the LSR is correct and valid. For example, if the address on the LSR is not valid according to RSAG, or if the LNP is not available for the NPA NXXX requested, the CLEC will receive an Auto-Clarification.

Manual Fallout: Planned Fallout that occur by design. Certain LSRs are designed to fallout of the Mechanized Order Process due to their complexity. These LSRs are manually processed by the LCSC. When a CLEC submits an LSR, LESOG/LAUTO will determine if the LSR should be forwarded to LCSC for manual handling. Following are the categories for Manual Fallout:

- 1. Complex*
- 2. Special pricing plans
- 3. Some Partial migrations
- 4. New telephone number not yet posted to BOCRIS
- 5. Pending order review required
- 6. CSR inaccuracies such as invalid or missing CSR data in
- 7. Expedites (requested by the CLEC)

- Denials-restore and conversion, or disconnect and conversion orders
- Class of service invalid in certain states with some types of service
- 10. Low volume such as activity type "T" (move)
- 11. More than 25 business lines, or more than 15 loops
- 12. Transfer of calls option for the CLEC end users
- 13. Directory Listings (Indentions and Captions)

*See LSR Flow-Through Matrix following O-6 for a list of services, including complex services, and whether LSRs issued for the services are eligible to flow through.

Total System Fallout: Errors that require manual review by the LSCS to determine if the error is caused by the CLEC, or is due to BellSouth system functionality. If it is determined the error is caused by the CLEC, the LSR will be sent back to the CLEC for clarification. If it is determined the error is BellSouth caused, the LCSC representative will correct the error, and the LSR will continue to be processed.

Z Status: LSRs that receive a supplemental LSR submission prior to final disposition of the original LSR.

Calculation

Percent Flow Through = a / [b - (c + d + e + f)] X 100

- a = The total number of LSRs that flow through LESOG/LAUTO and reach a status for a FOC to be issued
- b = the number of LSRs passed from LEO/LNP Gateway to LESOG/LAUTO
- c = the number of LSRs that fall out for manual processing
- d = the number of LSRs that are returned to the CLEC for clarification
- e = the number of LSRs that contain errors made by CLECs
- f = the number of LSRs that receive a Z status

Percent Achieved Flow Through = $a / [b-(c+d+e)] \times 100$

- a = the number of LSRs that flow through LESOG/LAUTO and reach a status for a FOC to be issued
- b = the number of LSRs passed from LEO/LNP Gateway to LESOG/LAUTO
- c = the number of LSRs that are returned to the CLEC for clarification
- d = the number of LSRs that contain errors made by CLECs
- e = the number of LSRs that receive Z status

Report Structure

Provides the flow through percentage for each CLEC (by alias designation) submitting LSRs through the CLEC mechanized ordering process. The report provides the following:

- CLEC (by alias designation)
- Number of fatal rejects
- · Mechanized interface used
- · Total mechanized LSRs
- · Total manual fallout
- Number of auto clarifications returned to CLEC
- · Number of validated LSRs
- · Number of BellSouth caused fallout
- Number of CLEC caused fallout
- Number of Service Orders Issued
- Base calculation
- · CLEC error excluded calculation

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
• Total Number of LSRs Received, by Interface, by CLEC	Total Number of Errors by Type
- TAG	- Bellsouth System Error
- EDI	
- LENS	
• Total Number of Errors by Type, by CLEC	
- Fatal Rejects	
- Auto Clarification	
- CLEC Errors	
Total Number of Errors by Error Code	
Total Fallout for Manual Processing	

SQM Level of Disaggregation	SQM Analog/Benchmark⁴
Residence	• Benchmark: 95%
Business	Benchmark: 90%
• UNE	• Benchmark: 85%
• LNP	• Benchmark: 85%

Benchmarks do not apply to the "Percent Achieved Flow Through."

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark ⁵
Residence	Benchmark: 95%
Business	Benchmark: 90%
• UNE	Benchmark: 85%
• LNP	Benchmark: 85%

Benchmarks do not apply to the "Percent Achieved Flow Through."

O-5: Flow-Through Error Analysis

Definition

An analysis of each error type (by error code) that was experienced by the LSRs that did not flow through or reached a status for a FOC to be issued.

Exclusions

Each Error Analysis is error code specific, therefore exclusions are not applicable.

Business Rules

The CLEC mechanized ordering process includes all LSRs, including supplements (subsequent versions) which are submitted through one of the three gateway interfaces (TAG, EDI, and LENS), that flow through and reach a status for a FOC to be issued. The CLEC mechanized ordering process does not include LSRs which are submitted manually (for example, fax and courier).

Calculation

Total for each error type.

Report Structure

Provides an analysis of each error type (by error code). The report is in descending order by count of each error code and provides the following:

- Error Type (by error code)
- · Count of each error type
- · Percent of each error type
- Cumulative percent
- Error Description
- CLEC Caused Count of each error code
- · Percent of aggregate by CLEC caused count
- · Percent of CLEC caused count
- BellSouth Caused Count of each error code
- Percent of aggregate by BellSouth caused count
- · Percent of BellSouth by BellSouth caused count

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
Total Number of LSRs Received	 Total Number of Errors by Type (by error code)
• Total Number of Errors by Type (by error code)	- BellSouth System Error
- CLEC Caused Error	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Not Applicable	Not Applicable

SEEM Measure

	SEEM Measure		
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

O-6: CLEC LSR Information

Definition

A list with the flow through activity of LSRs by CC, PON and Ver, issued by each CLEC during the report period.

Exclusions

- Fatal Rejects
- · LSRs submitted manually

Business Rules

The CLEC mechanized ordering process includes all LSRs, including supplements (subsequent versions) which are submitted through one of the three gateway interfaces (TAG, EDI, and LENS), that flow through and reach a status for a FOC to be issued. The CLEC mechanized ordering process does not include LSRs which are submitted manually (for example, fax and courier).

Calculation

Not Applicable

Report Structure

Provides a list with the flow through activity of LSRs by CC, PON and Ver, issued by each CLEC during the report period with an explanation of the of the columns and content. This report is available on a CLEC specific basis. The report provides the following for each LSR.

- CC
- PON
- Ver
- Timestamp
- Type
- Err #
- Note or Error Description

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable
Record of LSRs Received by CC, PON and Ver	
• Record of Timestamp, Type, Err # and Note or Error	
Description for each LSR by CC, PON and Ver	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Not Applicable	Not Applicable

SEEM Measure

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

LSR Flow Through Matrix

Product	Product	Reqtype	ACT Type	F/T ³	Comple	Com	Planned	FDI	TAG	LEN
	Туре	1.04.750	AGI Type	'''	x		Fallout For		2	S ⁴
	,	}	1]	Service					
		<u>L</u>					Handling ¹			
2 wire analog DID trunk port	U,C	Α	N,T	No	UNE	Yes	NA	N	N	N
2 wire analog port	U	A	N,T	No	UNE	No	Yes	Y	Y	N
2 wire ISDN digital line	U,C	A	N,T	No	UNE	Yes	NA	N	N	N
2 wire ISDN digital loop	U,C	A	N,T	Yes	UNE	Yes	No	Y	Y	N
3 Way Calling	R,B	E,M	N,C,T,V,W	Yes	No	No	No	Y	Y	Y
4 wire analog voice grade loop	U,C	A	N,T	Yes	UNE	Yes	No	Y	Y	N
4 wire DSO & PRI digital loop	U,C	A	N,T	No	UNE	Yes	NA	N	N	N
4 wire DS1 & PRI digital loop	U,C	A	N,T	No	UNE	Yes	NA	N	N	N
4 wire ISDN DSI digital trunk ports	U,C	A	N,T	No	UNE	Yes	NA	N	N	N
Accupulse	С	E	N,C,T,V,W	No	Yes	Yes	NA	N	N	N
ADSL	R,B,C	E	V,W	No	UNE	No	No	Y	Y	N
Area Plus	R,B	E,M	N,C,T,V,W	Yes	No	No	No	Y	Y	Y
Basic Rate ISDN	U,C	A	N,T	No	Yes	Yes	Yes	Y	Y	N
Basic Rate ISDN 2 Wire	С	E	C, D,T,V,W	No	Yes	Yes	Yes	Y	Y	N
Basic Rate ISDN 2 Wire	С	Е	N,T	No	Yes	Yes	N/A	N	N	N
Basic Rate ISDN 2 Wire UNE P	С	M	N,C,D,V	No	YES	Yes	N/A	N	N	N
Analog Data/Private Line	С	E	N, C, T, V, W, D, P,	No	Yes	Yes	N/A	N	N	N
			Q							
Call Block	R,B	E,B,M	N,C,T,V,W	Yes	No	No	No	Y	Y	Y
Call Forwarding	R,B	_E,B,M	N,C,T,V,W	Yes	No	No	No	Y	Y	Y
Call Return	R,B	E,B,M	N,C,T,V,W	Yes	No	No	No	Y	Y	Y
Call Selector	R,B	E,B,M	N,C,T,V,W	Yes	No	No	No	Y	Y	Y
Call Tracing	R,B	E,B,M	N,C,T,V,W	Yes	No	No	No	Y	Y	Y
Call Waiting	R,B	E,B,M	N,C,T,V,W	Yes	No	No	No	Y	Y	Y
Call Waiting Deluxe	R,B	E,B,M	N,C,T,V,W	Yes	No	No	No	Y	Y	Y
Caller ID	R,B	E,B,M	N,C,T,V,W	Yes	No	No	No	Y	Y	Y
CENTREX	С	P	V,P	No	Yes	Yes	NA	N	N	N
DID ACT W	C	N	W	No	Yes	Yes	Yes	Y	Y	Y
Digital Data Transport	U	E	N,C,T,V,W	No	UNE	Yes	NA	N	N	N
Directory Listing Indentions	B,U	B,C,E,F, J,M,N	N,C,T,R,V,W,P,Q	No	No	No	Yes	Y	Y	Y
Directory Listings Captions	R,B,U	B,C,E,F, J,M,N	N,C,T,R,V,W,P,Q	No	No	Yes	Yes	Y	Y	Y
Directory Listings (simple)	R,B,U	B,C,E,F, J,M,N	N,C,T,R,V,W,P,Q	Yes	No	No	No	Y	Y	Y
DS3	U	A,M	N,C,V	No	UNE	Yes	NA	N	N	N
DS1Loop	U	A,M	N,C,V	Yes	UNE	Yes	No	Y	Y	N
DSO Loop	Ü	A, B	N,C,D,T,V	Yes	UNE	Yes	No	Y	Y	N
Enhanced Caller ID	R,B	E,M	C,D,N,T,V,W	Yes	No	No	No	Y	Y	Y
ESSX	С	P	C,D,T,V,S,B,W,L ,P,Q	No	Yes	Yes	NA	N	N	N
Flat Rate/Business	В	E, M	C,D,N,T,V,W	Yes	No	No	No	Y	Y	Y
Flat Rate/Residence	R	E, M	C,D,N,T,V,W	Yes	No	No	No	Y	Y	Y
FLEXSERV	С	Е	N,C,D,T,V,W,P,Q	No	Yes	Yes	NA	N	N	N
Frame Relay	C	Е	N,C,D,V,W	No	Yes	Yes	NA	N	N	N
FX	С	E	N,C,D,T,V,W,P,Q	No	Yes	Yes	NA	N	N	N
Ga. Community Calling	R,B	E, M	C,D,N,T,V,W	Yes	No	No	No	Y	Y	Y
HDSL	U	A	N,C,D	Yes	UNE	No	No	Y	Y	N
Hunting MLH	R,B	E, M	C,D,N,T,V,W	No	C/S4	C/S	Yes	Y	Y	N
Hunting Series Completion	R,B	E, M	C,D,N,T,V,W	Yes	C/S	C/S	No	Y	Ŷ	Y
INP to LNP Conversion	U	C	C	No	UNE	Yes	Yes	Y	Y	N

Type	Product	Product	Reqtype	ACT Type	F/T ³	Comple	Com	Planned	EDI	TAG	LEN
LightGate	110000			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				Fallout For			
LightGate		-				Service	Order			i	.
Line Sharing						<u> </u>		Handling ¹		<u></u> _	
Decal Number Portability	LightGate	C	E	N,C,D,T,V,W,P,Q	No		Yes			N	
LNP with Complex Listing	Line Sharing								_		
LNP with Partial Migration	Local Number Portability										
LNP with Complex Services											
DOP-HNP											
Description											
Measured Rate/Bus R.B E.M C.D.T.N.V.W Yes No No No Y Y Y Measured Rate/Res R.B E.M C.D.T.N.V.W Yes No No Y Y Y Y Megalink C E N.V.W.T.D.C.P.Q No Yes NA N Y											
Messured Rate/Res R,B E,M C,D,T,N,V,W Yes No No No Y Y Y Megalink C E N,V,W,T,D,C,P,Q No Yes Yes NA N Y <td></td>											
Megalink C E N,V,W,T,D,C,P,Q No Yes Yes NA N N Megalink-TI C E,M N,V,W,T,D,C,P,Q No Yes Yes NA N											
Megalink-T1 C E.M N,V,W,T,D,C,P,Q No Yes Yes NA N N N N M M N											
Memory Call R,B											
Memory Call Ans. Svc. R,B											
Multisery											
Native Mode LAN Interconnection C E N,C,D,V,W No Yes Yes NA N N N N N N N N											_
(NMLI)	Multiserv	С	P	W,L,P,Q	No		Yes	NA _	N	N	N
Optional Calling Plan R,B E, M N Yes No No No Y Y Y	Native Mode LAN Interconnection (NMLI)	С	E	N,C,D,V,W	No	Yes	Yes	NA	N	N	N
Package Complete Choice and Area R,B E, M N,T,C,V,W Yes No No No Y Y Y Pus P	Off-Prem Stations	C	Е	N,C,D,V,W,T,P,Q	No	Yes	Yes	NA		N	
Package/Complete Choice and Area R,B E,M N,T,C,V,W Yes No No No Y Y Y Plus		R,B	E, M		Yes	No	No	No	Y	Y	Y
Plus		R,B	E, M	N,T,C,V,W	Yes	No	No	No	Y	Y	Y
Pay Phone Provider	Plus					<u> </u>	l		<u> </u>	<u>L</u>	
PBX Standalone Port C F N,C,D No Yes Yes Y Y N PBX Trunks R,B E N,C,D,V,W,T,P,Q No Yes Yes Y Y N Port/Loop BXX U M A,C,D,V No No No Yes Y Y N Port/Loop Simple U M A,C,D,V Yes No No Yes Y Y N Perferred Call Forward R,B,U E C,D,T,N,V,W Yes No No No No No No Y Y Y Y Y R REF R.B E.M C,D,T,N,V,W Yes No No No No No No No No No No Y<	Pathlink Primary Rate ISDN				No					_	
PBX Trunks	Pay Phone Provider										
Port/Loop PBX U M A,C,D,V No No Yes Y Y N Port/Loop Simple U M A,C,D,V Yes No No Yes Y <t< td=""><td>PBX Standalone Port</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>	PBX Standalone Port										
Port/Loop Simple	PBX Trunks										
Preferred Call Forward R,B,U E C,D,T,N,V,W Yes No No Y Y Y RCF Basic R,B E N,D,W,T,F Yes No No No Y <td></td>											
RCF Basic R,B E N,D,W,T,F Yes No No No Y Y Y Remote Access to CF R,B E,M C,D,T,N,V,W Yes No No No Y											
Remote Access to CF R,B E,M C,D,T,N,V,W Yes No No No Y Y Y Repeat Dialing R,B E,M C,D,T,N,V,W Yes No No No Y <											
Repeat Dialing R,B E,M C,D,T,N,V,W Yes No No No Y Y Y Ringmaster R,B E,M C,D,T,N,V,W Yes No No No Y											
Ringmaster R,B											
Smartpath R,B E C,D,T,N,V,W No Yes Yes NA N N N SmartRING C E N,D,C,V,W No Yes Yes NA N <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td<>											
SmartRING C E N,D,C,V,W No Yes Yes NA N N N Speed Calling R,B E C,D,T,N,V,W Yes No No No Y											
Speed Calling R,B E C,D,T,N,V,W Yes No No Y X X X											-
Synchronet C E N Yes Yes Yes Y Y N Tie Lines C E N,C,D,V,W,T,P,Q No Yes Yes NA N <td></td>											
Tie Lines											
Touchtone R,B E C,D,T,N,V,W Yes No No Y <td></td>											
Unbundled Loop-Analog 2W, SL1, SL2 U A,B C,D,T,N,V,W Yes UNE No No Y Y Y WATS R,B E W,D No Yes Yes NA N<											
SL2 WATS R,B E W,D No Yes Yes NA N N N XDSL C,U A,B N,T,C,V,D Yes UNE No No Y Y N XDSL Extended LOOP C,U A,B N,T,C,V,D No UNE Yes NA N											
WATS R,B E W,D No Yes Yes NA N N N XDSL C,U A,B N,T,C,V,D Yes UNE No No Y Y N XDSL Extended LOOP C,U A,B N,T,C,V,D No UNE Yes NA N <		U	A,D	(,D,1,N,v,w	ies	UNE	NO	No	1	1	} *
XDSL C,U A,B N,T,C,V,D Yes UNE No No Y Y N XDSL Extended LOOP C,U A,B N,T,C,V,D No UNE Yes NA N		P B	F	WD	No	Ves	Yes	NA	N	T _N	TN
XDSL Extended LOOP C,U A,B N,T,C,V,D No UNE Yes NA N N N Collect Call Block R,B E N,T,C,V,W,D Yes No No No Y Y Y 900 Call Block R,B E N,T,C,V,W,D Yes No No No Y Y Y 3rd Party Call Block R,B E N,T,C,V,W,D Yes No No No Y Y Y Three Way Call Block R,B E N,T,C,V,W,D Yes No No No Y Y Y PIC/LPIC Change R,B E T,C,V, Yes No No No Y Y Y											
Collect Call Block R,B E N,T,C,V,W,D Yes No No No Y Y Y 900 Call Block R,B E N,T,C,V,W,D Yes No No No Y Y Y 3rd Party Call Block R,B E N,T,C,V,W,D Yes No No No Y Y Y Three Way Call Block R,B E N,T,C,V,W,D Yes No No No Y Y Y PIC/LPIC Change R,B E T,C,V, Yes No No No Y Y Y										_	
900 Call Block R,B E N,T,C,V,W,D Yes No No No Y Y Y 3rd Party Call Block R,B E N,T,C,V,W,D Yes No No No Y Y Y Three Way Call Block R,B E N,T,C,V,W,D Yes No No No Y Y Y PIC/LPIC Change R,B E T,C,V, Yes No No No Y Y Y											
3rd Party Call Block R,B E N,T,C,V,W,D Yes No No Y Y Y Three Way Call Block R,B E N,T,C,V,W,D Yes No No No Y Y Y PIC/LPIC Change R,B E T,C,V, Yes No No No Y Y Y											_
Three Way Call Block R.B E N.T.C.V.W.D Yes No No No Y Y Y PIC/LPIC Change R,B E T,C,V, Yes No No No Y Y Y Y											
PIC/LPIC Change R,B E T,C,V, Yes No No No Y Y Y					-						
* * 											_
	PIC/LPIC Freeze	R,B	E	N,T,C,V	Yes	No	No	No	Y	Y	Y

Note¹: Planned Fallout for Manual Handling denotes those services that are electronically submitted and are not intended to flow through due to the complexity of the service.

Note²: The TAG column includes those LSRs submitted via Robo TAG.

Note³: For all services that indicate 'No' for flow-through, the following reasons, in addition to errors or complex services, also prompt manual handling: Expedites from CLECs, special pricing plans, denials restore and conversion or disconnect and conversion both required, partial migrations (although conversions-as-is flow through for issue 9), class of service invalid in certain states with some TOS e.g. government, or cannot be changed when changing main TN on C activity, low volume e.g. activity type T=move, pending order review required, more than 25 business lines, CSR inaccuracies such as invalid or missing CSR data in CRIS, Directory listings – Indentions, Directory listings – Captions, transfer of calls option for CLEC end user – new TN not yet posted to BOCRIS. Many are unique to the CLEC environment.

Note⁴: Services with C/S in the Complex Service and/or the Complex Order columns can be either complex or simple.

Note⁵: EELs are manually ordered.

Note⁶: LSRs submitted for Resale Products and Services for which there is a temporary promotion or discount plan will be processed identically to those LSRs ordering the same Products or Services without a promotion or discount plan.

O-7: Percent Rejected Service Requests

Definition

Percent Rejected Service Request is the percent of total Local Service Requests (LSRs) received which are rejected due to error or omission. An LSR is considered valid when it is submitted by the CLEC and passes edit checks to insure the data received is correctly formatted and complete.

Exclusions

- · Service Requests canceled by the CLEC prior to being rejected/clarified.
- Scheduled OSS Maintenance

Business Rules

Fully Mechanized: An LSR is considered "rejected" when it is submitted electronically but does not pass LEO edit checks in the ordering systems (EDI, LENS, TAG, LEO, LESOG) and is returned to the CLEC without manual intervention. There are two types of "Rejects" in the Mechanized category:

A Fatal Reject occurs when a CLEC attempts to electronically submit an LSR but required fields are either not populated or incorrectly populated and the request is returned to the CLEC before it is considered a valid LSR.

Fatal rejects are reported in a separate column, and for informational purposes ONLY. Fatal rejects are excluded from the calculation of the percent of total LSRs rejected or the total number of rejected LSRs.

An Auto Clarification occurs when a valid LSR is electronically submitted but rejected from LESOG because it does not pass further edit checks for order accuracy.

Partially Mechanized: A valid LSR, which is electronically submitted (via EDI, LENS, TAG) but cannot be processed electronically and "falls out" for manual handling. It is then put into "clarification" and sent back (rejected) to the CLEC.

Total Mechanized: Combination of Fully Mechanized and Partially Mechanized LSRs electronically submitted by the CLEC.

Non-Mechanized: LSRs which are faxed or mailed to the LCSC for processing and "clarified" (rejected) back to the CLEC by the BellSouth service representative.

Interconnection Trunks: Interconnection Trunks are ordered on Access Service Requests (ASRs). ASRs are submitted to and processed by the Interconnection Purchasing Center (IPC). Trunk data is reported separately.

Calculation

Percent Rejected Service Requests = (a / b) X 100

- a = Total Number of Rejected Service Requests in the Reporting Period
- b = Total Number of Service Requests Received in the Reporting Period

Report Structure

- · Fully Mechanized, Partially Mechanized, Total Mechanized, Non-Mechanized
- · CLEC Specific
- CLEC Aggregate
- · Geographic Scope
- State
- Region
- · Product Specific Percent Rejected
- · Total Percent Rejected

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable
Total Number of LSRs	
Total Number of Rejects	
State and Region	
Total Number of ASRs (Trunks)	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Mechanized, Partially Mechanized and Non-Mechanized	Diagnostic
Resale - Residence	•
Resale - Business	
• Resale – Design (Special)	
Resale PBX	
Resale Centrex	
Resale ISDN	
• LNP (Standalone)	
• INP (Standalone)	
2W Analog Loop Design	
2W Analog Loop Non-Design	
2W Analog Loop With INP Design	
2W Analog Loop With INP Non-Design	1
2W Analog Loop With LNP Design	
2W Analog Loop With LNP Non-Design	
UNE Loop + Port Combinations	
Switch Ports	
UNE Combination Other	
• UNE xDSL (ADSL, HDSL, UCL)	
• Line Sharing	
UNE ISDN Loop	
UNE Other Design	
UNE Other Non-Design	
Local Interoffice Transport	
Local Interconnection Trunks	

SEEM Measure

SEEM Measure				
No	Tier I			
	Tier II			-

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

O-8: Reject Interval

Definition

Reject Interval is the average reject time from receipt of an LSR to the distribution of a Reject. An LSR is considered valid when it is submitted by the CLEC and passes edit checks to insure the data received is correctly formatted and complete.

Exclusions

- · Service Requests canceled by CLEC prior to being rejected/clarified
- Designated Holidays are excluded from the interval calculation
- · LSRs which are identified and classified as "Projects"
- The following hours for Partially mechanized and Non-mechanized LSRs are excluded from the interval calculation:

Residence Resale Group – Monday through Saturday 7:00PM until 7:00AM From 7:00 PM Saturday until 7:00 AM Monday

Business Resale, Complex, UNE Groups – Monday through Friday 6:00PM until 8:00AM From 6:00 PM Friday until 8:00 AM Monday.

The hours excluded will be altered to reflect changes in the Center operating hours. The LCSC will accept faxed LSRs only during posted hours of operation.

The interval will be the amount of time accrued from receipt of the LSR until normal closing of the center if an LSR is worked using overtime hours.

In the case of a Partially Mechanized LSR received and worked after normal business hours, the interval will be set at one (1) minute.

· Scheduled OSS Maintenance

Business Rules

Fully Mechanized: The elapsed time from receipt of a valid electronically submitted LSR (date and time stamp in EDI, LENS or TAG) until the LSR is rejected (date and time stamp or reject in EDI, TAG or LENS). Auto Clarifications are considered in the Fully Mechanized category.

Partially Mechanized: The elapsed time from receipt of a valid electronically submitted LSR (date and time stamp in EDI, LENS or TAG) until it falls out for manual handling. The stop time on partially mechanized LSRs is when the LCSC Service Representative clarifies the LSR back to the CLEC via LENS, EDI, or TAG.

Total Mechanized: Combination of Fully Mechanized and Partially Mechanized LSRs which are electronically submitted by the CLEC.

Non-Mechanized: The elapsed time from receipt of a valid LSR (date and time stamp of FAX or date and time mailed LSR is received in the LCSC) until notice of the reject (clarification) is returned to the CLEC via LON.

Interconnection Trunks: Interconnection Trunks are ordered on Access Service Requests (ASRs). ASRs are submitted to and processed by the Local Interconnection Service Center (LISC). Trunk data is reported separately. All interconnection trunks are counted in the non-mechanized category.

Calculation

Reject Interval = (a - b)

- a = Date and Time of Service Request Rejection
- b = Date and Time of Service Request Receipt

Average Reject Interval = (c / d)

- c = Sum of all Reject Intervals
- d = Number of Service Requests Rejected in Reporting Period

Report Structure

- CLEC Specific
- CLEC Aggregate
- Fully Mechanized, Partially Mechanized, Total Mechanized, Non-Mechanized
- Geographic Scope

- State
- Region
- Mechanized:
- $0 \le 4$ minutes
- >4 <= 8 minutes
- >8 <= 12 minutes
- >12 <= 60 minutes
- 0 <= 1 hour
- >1 <= 4 hours
- >4 <= 8 hours
- >8 <= 12 hours
- >12 <= 16 hours
- >16 <= 20 hours
- >20 <= 24 hours
- >24 hours
- · Partially Mechanized:
 - 0 <= 1 hour
 - >1 <= 4 hours
 - >4 <= 8 hours
 - >8 <= 10 hours
 - $0 \le 10 \text{ hours}$
- >10 <= 18 hours
- 0 <= 18 hours
- >18 <= 24 hours
- >24 hours
- · Non-mechanized:
- 0 <= 1 hour
- >1 <= 4 hours
- >4 <= 8 hours
- >8 <= 12 hours
- >12 <= 16 hours
- >16 <= 20 hours
- >20 <= 24 hours
- $0 \le 24 \text{ hours}$
- > 24 hours
- Trunks:
- <= 4 days
- >4 <= 8 days
- >8 <= 12 days >12 - <= 14 days
- >12 <= 14 days >14 <= 20 days
- >20 days

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable
Reject Interval	
Total Number of LSRs	
Total Number of Rejects	
State and Region	
Total Number of ASRs (Trunks)	

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale - Residence	Mechanized:
Resale - Business	- 97% <= I Hour
Resale - Design (Special)	Partially Mechanized:
Resale PBX	- 85% <= 24 hours
Resale Centrex	- 85% <= 18 Hours (05/01/01)

Resale ISDN	- 85% <= 10 Hours (08/01/01)
• LNP (Standalone)	• Non-Mechanized: - 85% <= 24 hours
• INP (Standalone)	
2W Analog Loop Design	
2W Analog Loop Non-Design	
2W Analog Loop With INP Design	
 2W Analog Loop With INP Non-Design 	
 2W Analog Loop With LNP Design 	
 2W Analog Loop With LNP Non-Design 	
 UNE Loop + Port Combinations 	
Switch Ports	
UNE Combination Other	
• UNE xDSL (ADSL, HDSL, UCL)	
• Line Sharing	
UNE ISDN Loops	,
UNE Other Non-Design	
Local Interoffice Transport	
UNE Other Design	
Local Interconnection Trunks	• Trunks: - 85% <= 4 Days

SEEM Measure

	SEEM Measure				
Yes	Tier I	X			
	Tier II	X			

SEEM Disaggregation	SEEM Analog/Benchmark
Fully Mechanized	• 97% <= 1 Hour
Partially Mechanized	• 85% <= 24 Hours
	• 85% <= 18 Hours (05/01/01)
	• 85% <= 10 Hours (08/01/01)
Non-Mechanized	• 85% <= 24 Hours

O-9: Firm Order Confirmation Timeliness

Definition

Interval for Return of a Firm Order Confirmation (FOC Interval) is the average response time from receipt of valid LSR to distribution of a Firm Order Confirmation.

Exclusions

- Rejected LSRs
- Designated Holidays are excluded from the interval calculation
- LSRs which are identified and classified as "Projects"
- The following hours for Partially Mechanized and Non-mechanized LSRs are excluded from the interval calculation:

Residence Resale Group – Monday through Saturday 7:00PM until 7:00AM From 7:00 PM Saturday until 7:00 AM Monday.

Business Resale, Complex, UNE Groups – Monday through Friday 6:00PM until 8:00AM From 6:00 PM Friday until 8:00 AM Monday.

The hours excluded will be altered to reflect changes in the Center operating hours. The LCSC will accept faxed LSRs only during posted hours of operation.

The interval will be the amount of time accrued from receipt of the LSR until normal closing of the center if an LSR is worked using overtime hours.

In the case of a Partially Mechanized LSR received and worked after normal business hours, the interval will be set at one (1) minute.

Scheduled OSS Maintenance

Business Rules

- Fully Mechanized: The elapsed time from receipt of a valid electronically submitted LSR (date and time stamp in EDI, LENS or TAG) until the LSR is processed, appropriate service orders are generated and a Firm Order Confirmation is returned to the CLEC via EDI, LENS or TAG.
- Partially Mechanized: The elapsed time from receipt of a valid electronically submitted LSR (date and time stamp in EDI, LENS, or TAG) which falls out for manual handling until appropriate service orders are issued by a BellSouth service representative via Direct Order Entry (DOE) or Service Order Negotiation Generation System (SONGS) to SOCS and a Firm Order Confirmation is returned to the CLEC via EDI, LENS, or TAG.
- Total Mechanized: Combination of Fully Mechanized and Partially Mechanized LSRs which are electronically submitted by the CLEC
- Non-Mechanized: The elapsed time from receipt of a valid paper LSR (date and time stamp of FAX or date and time paper LSRs received in LCSC) until appropriate service orders are issued by a BellSouth service representative via Direct Order Entry (DOE) or Service Order Negotiation Generation System (SONGS) to SOCS and a Firm Order Confirmation is sent to the CLEC via LON.
- Interconnection Trunks: Interconnection Trunks are ordered on Access Service Requests (ASRs). ASRs are submitted to and processed by the Local Interconnection Service Center (LISC). Trunk data is reported separately.

Calculation

Firm Order Confirmation Interval = (a - b)

- a = Date & Time of Firm Order Confirmation
- b = Date & Time of Service Request Receipt)

Average FOC Interval = (c / d)

- c = Sum of all FOC Intervals
- d = Total Number of Service Requests Confirmed in Reporting Period

FOC Interval Distribution (for each interval) = $(e / f) \times 100$

- e = Service Requests Confirmed in interval
- f = Total Service Requests Confirmed in the Reporting Period

Report Structure

- Fully Mechanized, Partially Mechanized, Total Mechanized, Non-Mechanized
 - CLEC Specific
 - CLEC Aggregate
- Geographic Scope
 - State
 - Region
- Fully Mechanized:
- $0 \leq 15$ minutes
- >15 <= 30 minutes
- >30 <= 45 minutes
- >45 <= 60 minutes
- >60 <= 90 minutes
- >90 <= 120 minutes
- >120 <= 180 minutes
- $0 \le 3 \text{ hours}$
- >3 <= 6 hours
- >6 <= 12 hours
- >12 <= 24 hours
- >24 <= 48 hours
- >48 hours
- Partially Mechanized:
 - $0 \le 4$ hours
 - >4 <= 8 hours
 - >8 <= 10 hours
 - 0 <= 10 hours
 - >10 <= 18 hours
 - 0 <= 18 hours
 - >18 <= 24 hours
 - 0 <= 24 hours
 - >24 <= 48 hours
- >48 hours
- Non-Mechanized:
 - 0 <= 4 hours
- >4 <= 8 hours
- >8 <= 12 hours
- >12 <= 16 hours >16 - <= 20 hours
- >20 <= 24 hours
- >24 <= 36 hours
- >24 <= 30 Hou.
- 0 <= 36 hours
- >36 <= 48 hours
- >48 hours
- Trunks:
 - 0 <= 5 days
- >5 <= 10 days
- 0 <= 10 days
- >10 <= 15 days
- >15 <= 20 days
- >20 days

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable
• Interval for FOC	
Total Number of LSRs	
State and Region	
Total Number of ASRs (Trunks)	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale – Residence	• Mechanized: - 95% <= 3 Hours
Resale – Business	Partially Mechanized:
• Resale – Design (Special)	- 85% <= 24 Hours
Resale PBX	- 85% <= 18 Hours (05/01/01)
Resale Centrex	- 85% <= 10 Hours (08/01/01)
Resale ISDN	• Non-mechanized: - 85% <= 36 Hours
• LNP (Standalone)	
• INP(Standalone)	
2W Analog Loop Design	
2W Analog Loop Non-Design	
2W Analog Loop With INP Design	
2W Analog Loop With INP Non-Design	
2W Analog Loop With LNP Design	
2W Analog Loop With LNP Non-Design	
• UNE Loop + Port Combinations	
• Switch Ports	
UNE Combination Other	
• UNE xDSL (ADSL, HDSL, UCL)	
Line Sharing	
UNE ISDN Loops	
UNE Other Design	
UNE Other Non-Design	
Local Interoffice Transport	
Local Interconnection Trunks	• Trunks: - 95% <= 10 Days

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
Fully Mechanized	• 95% <= 3 Hours
Partially Mechanized	• 85% <= 24 Hours
e or the state of	• 85% <= 18 Hours (05/01/01)
	• 85% <= 10 Hours (08/01/01)
Non-Mechanized	• 85% <= 36 Hours
IC Trunks	• 95% <= 10 Days

O-10: Service Inquiry with LSR Firm Order Confirmation (FOC) Response Time Manual⁶

Definition

This report measures the interval and the percent within the interval from the submission of a Service Inquiry (SI) with Firm Order LSR to the distribution of a Firm Order Confirmation (FOC).

Exclusions

- Designated Holidays are excluded from the interval calculation
- · Weekend hours from 5:00PM Friday until 8:00AM Monday are excluded from the interval calculation of the Service Inquiry
- · Canceled Requests
- · Electronically Submitted Requests
- · Scheduled OSS Maintenance

Business Rules

This measurement combines four intervals:

- 1. From receipt of Service Inquiry with LSR to hand off to the Service Advocacy Center (SAC) for Loop 'Look-up'.
- 2. From SAC start date to SAC complete date.
- 3. From SAC complete date to the Complex Resale Support Group (CRSG) complete date with hand off to LCSC.
- 4. From receipt of SI/LSR in the LCSC to Firm Order Confirmation.

Calculation

FOC Timeliness Interval = (a - b)

- a = Date and Time Firm Order Confirmation (FOC) for SI with LSR returned to CLEC
- b = Date and Time SI with LSR received

Average Interval = (c / d)

- c = Sum of all FOC Timeliness Intervals
- d = Total number of SIs with LSRs received in the reporting period

Percent Within Interval = (e / f) X 100

- e = Total number of Service Inquiries with LSRs received by the CRSG to distribution of FOC by the Local Carrier Service Center (LCSC)
- f = Total number of Service Inquiries with LSRs received in the reporting period

Report Structure

- · CLEC Aggregate
- CLEC Specific
- · Geographic Scope
 - State
 - Region
- Intervals
- $0 \le 3 \text{ days}$
- >3 <= 5 days 0 <= 5 days
- >5 <= 7 days
- >7 <= 10 days
- >10 <= 15 days
- >15 days

See O-9 for FOC Timeliness

• Average Interval measured in days

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable
Total Number of Requests	
• SI Intervals	
State and Region	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• xDSL (includes UNE unbundled ADSL, HDSL and UNE	• 95% Returned <= 5 Business days
Unbundled Copper Loops)	
Unbundled Interoffice Transport	

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

2-23

O-11: Firm Order Confirmation and Reject Response Completeness

Definition

A response is expected from BellSouth for every Local Service Request transaction (version). More than one response or differing responses per transaction is not expected. Firm Order Confirmation and Reject Response Completeness is the corresponding number of Local Service Requests received to the combination of Firm Order Confirmation and Reject Responses.

Exclusions

- · Service Requests canceled by the CLEC prior to FOC or Rejected/Clarified
- · Non-Mechanized LSRs
- · Scheduled OSS Maintenance

Business Rules

Mechanized – The number of FOCs or Auto Clarifications sent to the CLEC from LENS, EDI, TAG in response to electronically submitted LSRs (date and time stamp in LENS, EDI, TAG).

Partially Mechanized – The number of FOCs or Rejects sent to the CLEC from LENS, EDI, TAG in response to electronically submitted LSRs (date and time stamp in LENS, EDI, TAG), which fall out for manual handling by the LCSC personnel.

Total Mechanized - The number of the combination of Fully Mechanized and Partially Mechanized LSRs

Non-Mechanized - The number of FOCs or Rejects sent to the CLEC via FAX Server in response to manually submitted LSRs (date and time stamp in FAX Server).

Note: Manual (Non-Mechanized) LSRs have no version control by the very nature of the manual process, therefore, non-mechanized LSRs are not captured by this report.

For CLEC Results:

Firm Order Confirmation and Reject Response Completeness is determined in two dimensions:

Percent responses is determined by computing the number of Firm Order Confirmations and Rejects transmitted by BellSouth and dividing by the number of Local Service Requests (all versions) received in the reporting period.

Percent of multiple responses is determined by computing the number of Local Service Request unique versions receiving more than one Firm Order Confirmation, Reject or the combination of the two and dividing by the number of Local Service Requests (all versions) received in the reporting period.

Calculation

Single FOC/Reject Response Expected

Firm Order Confirmation / Reject Response Completeness = (a / b) X 100

- a = Total Number of Service Requests for which a Firm Order Confirmation or Reject is Sent
- b = Total Number of Service Requests Received in the Report Period

Multiple or Differing FOC / Reject Responses Not Expected

Response Completeness = $[(a + b) / c] \times 100$

- a = Total Number of Firm Order Confirmations Per LSR Version
- b = Total Number of Reject Responses Per LSR Version
- c = Total Number of Service Requests (All Versions) Received in the Reporting Period

Report Structure

Fully Mechanized, Partially Mechanized, Total Mechanized, Non-Mechanized

- · State and Region
- CLEC Specific
- CLEC Aggregate
- · BellSouth Specific

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable
• Reject Interval	
Total Number of LSRs	
Total Number of Rejects	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	• 95% Returned
Resale Business	
Resale Design	
• Resale PBX	
Resale Centrex	
• Resale ISDN	
• LNP (Standalone)	
• INP (Standalone)	
2W Analog Loop Design	
2W Analog Loop Non - Design	
2W Analog Loop With INP Design	
2W Analog Loop With INP Non - Design	
2W Analog Loop With LNP Design	
• 2W Analog Loop With LNP Non - Design	
UNE Loop and Port Combinations	(
• Switch Ports	
• UNE Combination Other	
• UNE xDSL (ADSL, HDSL, UCL)	t.
• Line Sharing	
• UNE ISDN Loops	
• UNE Other Design	
• UNE Other Non - Design	
Local Interoffice Transport	
Local Interconnection Trunks	

SEEM Measure



SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
Fully Mechanized	• 95% Returned

O-12: Speed of Answer in Ordering Center

Definition

Measures the average time a customer is in queue.

Exclusions

None

Business Rules

The clock starts when the appropriate option is selected (i.e., 1 for Resale Consumer, 2 for Resale Multiline, and 3 for UNE-LNP, etc.) and the call enters the queue for that particular group in the LCSC. The clock stops when a BellSouth service representative in the LCSC answers the call. The speed of answer is determined by measuring and accumulating the elapsed time from the entry of a CLEC call into the BellSouth automatic call distributor (ACD) until a service representative in BellSouth's Local Carrier Service Center (LCSC) answers the CLEC call.

Calculation

Speed of Answer in Ordering Center = (a / b)

- a = Total seconds in queue
- b = Total number of calls answered in the Reporting Period

Report Structure

Aggregate

- CLEC Local Carrier Service Center
- BellSouth
 - Business Service Center
 - Residence Service Center

Note: Combination of Residence Service Center and Business Service Center data.

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
 Mechanized tracking through LCSC Automatic Call 	Mechanized tracking through BellSouth Retail center
Distributor	support system.

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Aggregate	Parity with Retail
CLEC – Local Carrier Service Center	
BellSouth	
- Business Service Center	
- Residence Service Center	

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

O-13: LNP-Percent Rejected Service Requests

Definition

Percent Rejected Service Request is the percent of total Local Service Requests (LSRs) which are rejected due to error or omission. An LSR is considered valid when it is electronically submitted by the CLEC and passes LNP Gateway edit checks to insure the data received is correctly formatted and complete, i.e., fatal rejects are never accepted and, therefore, are not included.

Exclusions

- · Service Requests canceled by the CLEC
- Scheduled OSS Maintenance

Business Rules

An LSR is considered "rejected" when it is submitted electronically but does not pass edit checks in the ordering systems (EDI, TAG, LNP Gateway, LAUTO) and is returned to the CLEC without manual intervention.

Fully Mechanized: There are two types of "Rejects" in the Fully Mechanized category:

A Fatal Reject occurs when a CLEC attempts to electronically submit an LSR (via EDI or TAG) but required fields are not populated correctly and the request is returned to the CLEC.

Fatal rejects are reported in a separate column, and for informational purposes ONLY. They are not considered in the calculation of the percent of total LSRs rejected or the total number of rejected LSRs.

An Auto Clarification is a valid LSR which is electronically submitted (via EDI or TAG), but is rejected from LAUTO because it does not pass further edit checks for order accuracy. Auto Clarifications are returned without manual intervention.

Partially Mechanized: A valid LSR which is electronically submitted (via EDI or TAG), but cannot be processed electronically due to a CLEC error and "falls out" for manual handling. It is then put into "clarification", and sent back (rejected) to the CLEC.

Total Mechanized: Combination of Fully Mechanized and Partially Mechanized rejects.

Non-Mechanized: A valid LSR which is faxed or mailed to the BellSouth LCSC.

Calculation

LNP-Percent Rejected Service Requests = (a / b) X 100

- a = Number of Service Requests Rejected in the Reporting Period
- b = Number of Service Requests Received in the Reporting Period

Report Structure

- Fully Mechanized, Partially Mechanized, Total Mechanized, Non-Mechanized
- CLEC Specific
- CLEC Aggregate

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Not Applicable	Not Applicable

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• LNP	Diagnostic
• UNE Loop With LNP	

SEEM Measure

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation SEEM Analog/Benchmark		
Not Applicable	Not Applicable	

O-14: LNP-Reject Interval Distribution & Average Reject Interval

Definition

Reject Interval is the average reject time from receipt of an LSR to the distribution of a Reject. An LSR is considered valid when it is electronically submitted by the CLEC and passes LNP Gateway edit checks to insure the data received is correctly formatted and complete.

Exclusions

- · Service Requests canceled by the CLEC
- Designated Holidays are excluded from the interval calculation
- · LSRs which are identified and classified as "Projects"
- The following hours for Partially mechanized and Non-mechanized LSRs are excluded from the interval calculation:

Residence Resale Group – Monday through Saturday 7:00PM until 7:00AM From 7:00 PM Saturday until 7:00 AM Monday

Business Resale, Complex, UNE Groups – Monday through Friday 6:00PM until 8:00AM From 6:00 PM Friday until 8:00 AM Monday.

The hours excluded will be altered to reflect changes in the Center operating hours. The LCSC will accept faxed LSRs only during posted hours of operation.

The interval will be the amount of time accrued from receipt of the LSR until normal closing of the center if an LSR is worked using overtime hours.

In the case of a Partially Mechanized LSR received and worked after normal business hours, the interval will be set at one (1) minute.

Scheduled OSS Maintenance

Business Rules

The Reject interval is determined for each rejected LSR processed during the reporting period. The Reject interval is the elapsed time from when BellSouth receives LSR until that LSR is rejected back to the CLEC. Elapsed time for each LSR is accumulated for each reporting dimension. The accumulated time for each reporting dimension is then divided by the associated total number of rejected LSRs to produce the reject interval distribution.

An LSR is considered "rejected" when it is submitted electronically but does not pass edit checks in the ordering systems (EDI, TAG, LNP Gateway, LAUTO) and is returned to the CLEC without manual intervention.

Fully Mechanized: There are two types of "Rejects" in the Fully Mechanized category:

A Fatal Reject occurs when a CLEC attempts to electronically submit an LSR but required fields are not populated correctly and "the request is returned to the CLEC.

An Auto Clarification is a valid LSR which is electronically submitted (via EDI or TAG), but is rejected from LAUTO because it does not pass further edit checks for order accuracy. Auto Clarifications are returned without manual intervention.

Partially Mechanized: A valid LSR which electronically submitted (via EDI or TAG), but cannot be processed electronically due to a CLEC error and "falls out" for manual handling. It is then put into "clarification", and sent back to the CLEC.

Total Mechanized: Combination of Fully Mechanized and Partially Mechanized rejects.

Non-Mechanized: A valid LSR which is faxed or mailed to the BellSouth LCSC.

Calculation

Reject Interval = (a - b)

- a = Date & Time of Service Request Rejection
- b = Date & Time of Service Request Receipt

Average Reject Interval = (c / d)

- c = Sum of all Reject Intervals
- d = Total Number of Service Requests Rejected in Reporting Period

Reject Interval Distribution = (e / f) X 100

- e = Service Requests Rejected in reported interval
- f = Total Number of Service Requests Rejected in Reporting Period

Report Structure

Fully Mechanized, Partially Mechanized, Total Mechanized, Non-Mechanized

- CLEC Specific
- CLEC Aggregate
- State, Region
- Fully Mechanized:
- $0 \leq 4 \text{ minutes}$
- >4 <= 8 minutes
- >8 <= 12 minutes
- >12 <= 60 minutes
- 0 <= 1 hour
- >1 <= 4 hours
- >4 <= 8 hours
- >8 <= 12 hours
- >12 <= 16 hours
- >16 <= 20 hours
- >20 <= 24 hours
- > 24 hours
- · Partially Mechanized:
 - $0 \le 1 \text{ hour}$
- >1 <= 4 hours
- >4 <= 8 hours
- >8 <= 10 hours
- $0 \le 10 \text{ hours}$
- >10 <= 18 hours
- $0 \le 18 \text{ hours}$
- >18 <= 24 hours
- > 24 hours
- · Non-Mechanized:
- 0 <= 1 hour
- >1 <= 4 hours
- >4 <= 8 hours
- >8 <= 12 hours >12 - <= 16 hours
- >16 <= 20 hours
- >20 <= 24 hours $0 - \le 24 \text{ hours}$
- >24 hours
- · Average Interval in Days or Hours

Relating to CLEC Experience	Relating to BellSouth Performance	
Report Month	Not Applicable	
Reject Interval		
Total Number of LSRs		
Total number of Rejects		
State and Region		

SQM Level of Disaggregation	SQM Analog/Benchmark
• LNP	• Mechanized: 97% <= I Hour
UNE Loop with LNP	• Partially Mechanized: 85% <= 24 Hours
•	• Partially Mechanized: 85% <= 18 Hours (05/01/01)
	• Partially Mechanized: 85% <= 10 Hours (08/01/01)
	• Non-Mechanized: 85% <= 24 Hours

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark	
Not Applicable	Not Applicable	

O-15: LNP-Firm Order Confirmation Timeliness Interval Distribution & Firm Order Confirmation Average Interval

Definition

Interval for Return of a Firm Order Confirmation (FOC Interval) is the average response time from receipt of a valid LSR to distribution of a firm order confirmation.

Exclusions

- · Rejected LSRs
- Designated Holidays are excluded from the interval calculation
- LSRs which are identified and classified as "Projects"
- The following hours for Partially Mechanized and Non-mechanized LSRs are excluded from the interval calculation:

Residence Resale Group - Monday through Saturday 7:00PM until 7:00AM

From 7:00 PM Saturday until 7:00 AM Monday.

Business Resale, Complex, UNE Groups - Monday through Friday 6:00PM until 8:00AM

From 6:00 PM Friday until 8:00 AM Monday.

The hours excluded will be altered to reflect changes in the Center operating hours. The LCSC will accept faxed LSRs only during posted hours of operation.

The interval will be the amount of time accrued from receipt of the LSR until normal closing of the center if an LSR is worked using overtime hours.

In the case of a Partially Mechanized LSR received and worked after normal business hours, the interval will be set at one (1) minute.

· Scheduled OSS Maintenance

Business Rules

- Fully Mechanized: The elapsed time from receipt of a valid electronically submitted LSR (date and time stamp in EDI, LENS or TAG) until the LSR is processed, appropriate service orders are generated and a Firm Order Confirmation is returned to the CLEC via EDI, LENS or TAG.
- Partially Mechanized: The elapsed time from receipt of a valid electronically submitted LSR (date and time stamp in EDI, LENS, or TAG) which falls out for manual handling until appropriate service orders are issued by a BellSouth service representative via Direct Order Entry (DOE) or Service Order Negotiation Generation System (SONGS) to SOCS and a Firm Order Confirmation is returned to the CLEC via EDI, LENS, or TAG.
- Total Mechanized: Combination of Fully Mechanized and Partially Mechanized LSRs which are electronically submitted by the CLEC.
- Non-Mechanized: The elapsed time from receipt of a valid paper LSR (date and time stamp of FAX or date and time paper LSRs received in LCSC) until appropriate service orders are issued by a BellSouth service representative via Direct Order Entry (DOE) or Service Order Negotiation Generation System (SONGS) to SOCS and a Firm Order Confirmation is sent to the CLEC via LON.

Calculation

Firm Order Confirmation Interval = (a - b)

- a = Date & Time of Firm Order Confirmation
- b = Date & Time of Service Request Receipt)

Average FOC Interval = (c / d)

- c = Sum of all FOC Intervals
- d = Total Number of Service Requests Confirmed in Reporting Period

FOC Interval Distribution (for each interval) = (e / f) X 100

- e = Service Requests Confirmed in interval
- f = Total Service Requests Confirmed in the Reporting Period

Report Structure

Fully Mechanized, Partially Mechanized, Total Mechanized, Non-Mechanized

- CLEC Specific
- CLEC Aggregate
- · State and Region
- · Fully Mechanized:
- $0 \le 15 \text{ minutes}$
- >15 <= 30 minutes
- >30 <= 45 minutes
- >45 <= 60 minutes
- >60 <= 90 minutes
- >90 <= 120 minutes
- >120 <= 180 minutes
- 0 <= 3 hours
- >3 <= 6 hours
- >6 <= 12 hours
- >12 <= 24 hours
- >24 <= 48 hours
- >48 hours
- Partially Mechanized:
 - 0 <= 4 hours
 - >4 <= 8 hours
 - >8 <= 10 hours
 - $0 \le 10 \text{ hours}$
 - >10 <= 18 hours
 - $0 \le 18 \text{ hours}$
 - >18 <= 24 hours
 - $0 \le 24 \text{ hours}$
 - >24 <= 48 hours
 - > 48 hours
- Non-Mechanized:
 - 0 <= 4 hours
 - >4 <= 8 hours
 - >8 <= 12 hours
- >12 <= 16 hours >16 - <= 20 hours
- >20 <= 24 hours
- >24 <= 36 hours
- $0 \le 36 \text{ hours}$
- >36 -<= 48 hours
- >48 hours

Data Retained

Relating to CLEC Experience Relating to BellSouth Performa	
Report Month	Not Applicable
Total Number of LSRs	
Total Number of FOCs	
State and Region	

SQM Level of Disaggregation	• Mechanized: 95% <= 3 Hours	
• LNP		
UNE Loop with LNP	• Partially Mechanized: 85% <= 24 Hours	
	• Partially Mechanized: 85% <= 18 Hours (05/01/01)	
	 Partially Mechanized: 85% <= 10 Hours (08/01/01) 	
	• Non-Mechanized: 85% <= 36 hours	

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark	
Not Applicable	Not Applicable	

Section 3: Provisioning

P-1: Mean Held Order Interval & Distribution Intervals

Definition

When delays occur in completing CLEC orders, the average period that CLEC orders are held for BellSouth reasons, pending a delayed completion, should be no worse for the CLEC when compared to BellSouth delayed orders. Calculation of the interval is the total days orders are held and pending but not completed that have passed the currently committed due date; divided by the total number of held orders. This report is based on orders still pending, held and past their committed due date at the close of the reporting period. The distribution interval is based on the number of orders held and pending but not completed over 15 and 90 days. (Orders reported in the >90 day interval are also included in the >15 day interval.)

Exclusions

- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.)
- Disconnect (D) & From (F) orders
- Orders with appointment code of 'A' for Rural orders

Business Rules

Mean Held Order Interval: This metric is computed at the close of each report period. The held order interval is established by first identifying all orders, at the close of the reporting interval, that both have not been reported as completed in SOCS and have passed the currently committed due date for the order. For each such order, the number of calendar days between the earliest committed due date on which BellSouth had a company missed appointment and the close of the reporting period is established and represents the held order interval for that particular order. The held order interval is accumulated by the standard groupings, unless otherwise noted, and the reason for the order being held. The total number of days accumulated in a category is then divided by the number of held orders within the same category to produce the mean held order interval. The interval is by calendar days with no exclusions for Holidays or Sundays.

CLEC Specific reporting is by type of held order (facilities, equipment, other), total number of orders held, and the total and average days.

Held Order Distribution Interval: This measure provides data to report total days held and identifies these in categories of >15 days and > 90 days. (Orders counted in >90 days are also included in > 15 days).

Calculation

Mean Held Order Interval = a / b

- a = Sum of held-over-days for all Past Due Orders Held for the reporting period
- b \(\sum \) Number of Past Due Orders Held and Pending But Not Completed and past the committed due date

Held Order Distribution Interval (for each interval) = (c / d) X 100

- c = # of Orders Held for >= 15 days or # of Orders Held for >= 90 days
- d = Total # of Past Due Orders Held and Pending But Not Completed)

Report Structure

- CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate
- Circuit Breakout < 10, >= 10 (except trunks)

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance	
 Report Month CLEC Order Number and PON (PON) Order Submission Date (TICKET_ID) Committed Due Date (DD) Service Type (CLASS_SVC_DESC) Hold Reason Total Line/circuit Count Geographic Scope 	 Report Month BellSouth Order Number Order Submission Date Committed Due Date Service Type Hold Reason Total Line/circuit Count Geographic Scope 	
Note: Code in parentheses is the corresponding header found in the raw data file.		

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
• LNP (Standalone)	Retail Residence and Business (POTS)
• INP (Standalone)	Retail Residence and Business (POTS)
2W Analog Loop Design	Retail Residence and Business Dispatch
2W Analog Loop Non-Design	• Retail Residence and Business - POTS Excluding Switch-
	Based Orders
2W Analog Loop With LNP Design	Retail Residence and Business Dispatch
2W Analog Loop With LNP Non-Design	• Retail Residence and Business - POTS Excluding Switch-
	Based Orders
• 2W Analog Loop With INP-Design	Retail Residence and Business Dispatch
• 2W Analog Loop With INP Non-Design	• Retail Residence and Business - POTS Excluding Switch-
	Based Orders
• UNE Digital Loop < DS1	Retail Digital Loop < DS1
• UNE Digital Loop >= DS1	• Retail Digital Loop >= DS1
UNE Loop + Port Combinations	Retail Residence and Business
UNE Switch Ports	Retail Residence and Business (POTS)
UNE Combo Other	Retail Residence, Business and Design Dispatch
UNE xDSL (HDSL, ADSL and UCL)	ADSL Provided to Retail
• UNE ISDN	• Retail ISDN - BRI
UNE Line Sharing	ADSL Provided to Retail
• UNE Other Design	Retail Design
UNE Other Non-Design	Retail Residence and Business
• Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice
Local Interconnection Trunks	Parity with Retail

SEEM Measure

SEEM Measure				
No	Tier I	-		
	Tier II			

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

P-2: Average Jeopardy Notice Interval & Percentage of Orders Given Jeopardy Notices

Definition

When BellSouth can determine in advance that a committed due date is in jeopardy for facility delay, it will provide advance notice to the CLEC.

The interval is from the date/time the notice is released to the CLEC/BellSouth systems until 5pm on the commitment date of the order. The Percent of Orders is the percentage of orders given jeopardy notices for facility delay in the count of orders confirmed in the report period.

Exclusions

- · Orders held for CLEC end user reasons
- Disconnect (D) & From (F) orders
- Non-Dispatch Orders

Business Rules

When BellSouth can determine in advance that a committed due date is in jeopardy for facility delay, it will provide advance notice to the CLEC. The number of committed orders in a report period is the number of orders that have a due date in the reporting period. Jeopardy notices for interconnection trunks results are usually zero as these trunks seldom experience facility delays. The Committed due date is considered the Confirmed due date. This report measures dispatched orders only. If an order is originally sent as non-dispatch and it is determined there is a facility delay, the order is converted to a dispatch code so the facility problem can be corrected. It will remain coded dispatched until completion.

Calculation

Jeopardy Interval = a - b

- a = Date and Time of Jeopardy Notice
- b = Date and Time of Scheduled Due Date on Service Order

Average Jeopardy Interval = c / d

- c = Sum of all jeopardy intervals
- d = Number of Orders Notified of Jeopardy in Reporting Period

Percent of Orders Given Jeopardy Notice = (e / f) X 100

- e = Number of Orders Given Jeopardy Notices in Reporting Period
- f = Number of Orders Confirmed (due) in Reporting Period)

Report Structure

- CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate
- Dispatch Orders
- · Mechanized Orders
- · Non-Mechanized Orders

SQM Level of Disaggregation	SQM Analog/Benchmark
% Orders Given Jeopardy Notice	
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	• Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
LNP (Standalone)	Retail Residence and Business (POTS)
• INP (Standalone)	Retail Residence and Business (POTS)
2W Analog Loop Design	Retail Residence and Business Dispatch
2W Analog Loop Non-Design	Retail Residence and Business - (POTS Excluding
	Switch- Based Orders)
2W Analog Loop With LNP Design	Retail Residence and Business Dispatch
2W Analog Loop With LNP Non-Design	Retail Residence and Business - (POTS Excluding
	Switch- Based Orders)
2W Analog Loop With INP Design	Retail Residence and Business Dispatch
• 2W Analog Loop With INP Non-Design	• Retail Residence and Business (POTS Excluding Switch-
	Based Orders)
•UNE Digital Loop < DS1	• Retail Digital Loop < DS1
•UNE Digital Loop >= DS1	• Retail Digital Loop >= DS1
•UNE Loop + Port Combinations	Retail Business and Residence
•UNE Switch Ports	Retail Residence and Business (POTS)
•UNE Combo Other	Retail Residence, Business and Design Dispatch
•UNE xDSL (HDSL, ADSL and UCL)	ADSL Provided to Retail
•UNE ISDN	• Retail ISDN BRI
•UNE Line Sharing	ADSL Provided to Retail
•UNE Other Design	Retail Design
•UNE Other Non -Design	Retail Residence and Business
•Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice
•Local Interconnection Trunks	Parity with Retail
Average Jeopardy Notice Interval	• 95% >= 48 Hours

SEEM Measure

	SEEM Measure		
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

P-3: Percent Missed Installation Appointments

Definition

"Percent missed installation appointments" monitors the reliability of BellSouth commitments with respect to committed due dates to assure that the CLEC can reliably quote expected due dates to their retail customer as compared to BellSouth. This measure is the percentage of total orders processed for which BellSouth is unable to complete the service orders on the committed due dates and reported for Total misses and End User Misses.

Exclusions

- · Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders Test Orders, etc.)
- · Disconnect (D) & From (F) orders
- End User Misses on Local Interconnection Trunks

Business Rules

Percent Missed Installation Appointments (PMI) is the percentage of orders with completion dates in the reporting period that are past the original committed due date. Missed Appointments caused by end-user reasons will be included and reported separately. The first commitment date on the service order that is a missed appointment is the missed appointment code used for calculation whether it is a BellSouth missed appointment or an End User missed appointment. The "due date" is any time on the confirmed due date. Which means there cannot be a cutoff time for commitments, as certain types of orders are requested to be worked after standard business hours. Also, during Daylight Savings Time, field technicians are scheduled until 9PM in some areas and the customer is offered a greater range of intervals from which to select.

Calculation

Percent Missed Installation Appointments = (a / b) X 100

- a = Number of Orders with Completion date in Reporting Period past the Original Committed Due Date
- b = Number of Orders Completed in Reporting Period

Report Structure

- CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate
- Report in Categories of <10 lines/circuits >= 10 lines/circuits (except trunks)
- Dispatch/No Dispatch

Report Explanation: The difference between End User MA and Total MA is the result of BellSouth caused misses. Here, Total MA is the total percent of orders missed either by BellSouth or CLEC end user. The End User MA represents the percentage of orders missed by the CLEC or their end user.

Relating to CLEC Experience	Relating to BellSouth Performance
 Report Month CLEC Order Number and PON (PON) Committed Due Date (DD) Completion Date (CMPLTN DD) Status Type Status Notice Date Standard Order Activity Geographic Scope 	 Report Month BellSouth Order Number Committed Due Date (DD) Completion Date (CMPLTN DD) Status Type Status Notice Date Standard Order Activity Geographic Scope
Note: Code in parentheses is the corresponding header for in the raw data file.	ound

SQM LEVEL of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	• Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
• LNP (Standalone)	Retail Residence and Business (POTS)
• INP (Standalone)	Retail Residence and Business (POTS)
2W Analog Loop Design	Retail Residence and Business Dispatch
2W Analog Loop Non-Design	Retail Residence and Business - (POTS Excluding
	Switch-Based Orders)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
2W Analog Loop With LNP Design	Retail Residence and Business Dispatch
2W Analog Loop With LNP Non-Design	Retail Residence and Business - (POTS Excluding
	Switch-Based Orders)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
2W Analog Loop With INP Design	Retail Residence and Business Dispatch
2W Analog Loop With INP Non-Design	• Retail Residence and Business (POTS Excluding Switch-
	Based Orders)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
UNE Digital Loop < DS1	• Retail Digital Loop < DS1
• UNE Digital Loop >= DS1	• Retail Digital Loop >= DS1
UNE Loop + Port Combinations	Retail Residence and Business
- Dispatch Out	- Dispatch Out
- Non-Dispatch	- Non-Dispatch
- Dispatch In	- Dispatch In
- Switch-Based	- Switch-Based
UNE Switch Ports	Retail Residence and Business (POTS)
UNE Combo Other	Retail Residence, Business and Design Dispatch
	(Including Dispatch Out and Dispatch In)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
UNE xDSL (HDSL, ADSL and UCL)	ADSL Provided to Retail
UNE ISDN	Retail ISDN - BRI
UNE Line Sharing	ADSL Provided to Retail
UNE Other Design	Retail Design
UNE Other Non - Design	Retail Residence and Business
Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice
Local Interconnection Trunks	Parity with Retail

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
Resale POTS	Retail Residence and Business (POTS)
Resale Design	Retail Design
UNE Loop + Port Combinations	Retail Residence and Business
UNE Loops	Retail Residence and Business Dispatch
UNE xDSL	ADSL Provided to Retail
UNE Line Sharing	ADSL Provided to Retail
Local Interconnection Trunks	Parity with Retail

P-4: Average Completion Interval (OCI) & Order Completion Interval Distribution

Definition

The "average completion interval" measure monitors the interval of time it takes BellSouth to provide service for the CLEC or its own customers. The "Order Completion Interval Distribution" provides the percentages of orders completed within certain time periods. This report measures how well BellSouth meets the interval offered to customers on service orders.

Exclusions

- · Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.)
- Disconnect (D&F) orders (Except "D" orders associated with LNP Standalone)
- "L" Appointment coded orders (where the customer has requested a later than offered interval)

Business Rules

The actual completion interval is determined for each order processed during the reporting period. The completion interval is the elapsed time from when BellSouth issues a FOC or SOCS date time stamp receipt of an order from the CLEC to BellSouth's actual order completion date. This includes all delays for BellSouth's CLEC/End Users. The clock starts when a valid order number is assigned by SOCS and stops when the technician or system completes the order in SOCS. Elapsed time for each order is accumulated for each reporting dimension. The accumulated time for each reporting dimension is then divided by the associated total number of orders completed. Orders that are worked on zero due dates are calculated with a .33-day interval (8 hours) in order to report a portion of a day interval. These orders are issued and worked/completed on the same day. They can be either flow through orders (no field work-non-dispatched) or field orders (dispatched).

The interval breakout for UNE and Design is: 0.5 = 0.4.99, 5.10 = 5.9.99, 10.15 = 10.14.99, 15.20 = 15.19.99, 20.25 = 20.24.99, 25.30 = 25.29.99, 20.25 = 30 and greater.

Calculation

Completion Interval = (a - b)

- a = Completion Date
- b = Order Issue Date

Average Completion Interval = (c / d)

- c = Sum of all Completion Intervals
- d = Count of Orders Completed in Reporting Period

Order Completion Interval Distribution (for each interval) = $(e / f) \times 100$

- e = Service Orders Completed in "X" days
- f = Total Service Orders Completed in Reporting Period

Report Structure

- · CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate
- · Dispatch / No Dispatch categories applicable to all levels except trunks
- Residence & Business reported in day intervals = 0, 1, 2, 3, 4, 5, 5+
- UNE and Design reported in day intervals = 0-5, 5-10, 10-15, 15-20, 20-25, 25-30,>= 30
- All Levels are reported <10 line/circuits; >= 10 line/circuits (except trunks)
- · ISDN Orders included in Non-Design

	Relating to CLEC Experience	Relating to BellSouth Performance
İ	CLEC Company Name	Report MonthBellSouth Order Number

Application Date & Time (TICKET_ID)	Application Date & Time
Completion Date (CMPLTN_DT)	Order Completion Date & Time
Service Type (CLASS_SVC_DESC)	Service Type
Geographic Scope	Geographic Scope
Note: Code in parentheses is the corresponding header four in the raw data file.	d

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
• LNP (Standalone)	Retail Residence and Business (POTS)
• INP (Standalone)	Retail Residence and Business (POTS)
2W Analog Loop Design	Retail Residence and Business Dispatch
2W Analog Loop Non-Design	• Retail Residence and Business - (POTS Excluding Switch-
	Based Orders)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
2W Analog Loop With LNP Design	Retail Residence and Business Dispatch
2W Analog Loop With LNP Non-Design	Retail Residence and Business - (POTS Excluding Switch-
	Based Orders)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
2W Analog Loop With INP Design	Retail Residence and Business Dispatch
2W Analog Loop With INP Non-Design	Retail Residence and Business - (POTS Excluding Switch-
D:	Based Orders)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
UNE Digital Loop < DS1	• Retail Digital Loop < DS1
UNE Digital Loop >= DS1	Retail Digital Loop >= DS1 Retail Residence and Business
UNE Loop + Port Combinations	- Dispatch Out
- Dispatch Out	- Dispatch Out
- Non-Dispatch - Dispatch In	- Non-Dispatch - Dispatch In
- Dispatch in - Switch-Based	- Dispatch in - Switch-Based
UNE Switch Ports	Retail Residence and Business (POTS)
UNE Combo Other	Retail Residence, Business and Design Dispatch
• ONE COMBO Office	(Including Dispatch Out and Dispatch In)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
UNE xDSL (HDSL, ADSL and UCL) without	• 7 Days
conditioning	,,-
UNE xDSL (HDSL, ADSL and UCL) with conditioning	• 14 Days
• UNE ISDN	Retail ISDN BRI
• UNE Line Sharing	ADSL Provided to Retail
• UNE Other Design	• Retail Design
UNE Other Non-Design	Retail Residence and Business
Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice
Local Interconnection Trunks	Parity with Retail
	<u> </u>

SEEM Measure

SEEM Measure				
Yes	Tier I	X		
	Tier II X			

SEEM Disaggregation	SEEM Analog/Benchmark	
Resale POTS	Retail Residence and Business (POTS)	
Resale Design	Retail Design	
UNE Loop + Port Combinations	Retail Residence and Business	
UNE Loops	Retail Residence and Business Dispatch	
UNE xDSL without conditioning	• 7 Days	
UNE xDSL with conditioning	• 14 Days	
UNE Line Sharing	ADSL Provided to Retail	
Local Interconnection Trunks	Parity with Retail	

P-5: Average Completion Notice Interval

Definitions

The Completion Notice Interval is the elapsed time between the BellSouth reported completion of work and the issuance of a valid completion notice to the CLEC.

Exclusions

- · Cancelled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.)
- D&F orders (Exception: "D" orders associated with LNP Standalone)

Business Rules

Measurement on interval of completion date and time entered by a field technician on dispatched orders, and 5PM start time on the due date for non-dispatched orders; to the release of a notice to the CLEC/BellSouth of the completion status. The field technician notifies the CLEC the work was complete and then he/she enters the completion time stamp information in his/her computer. This information switches through to the SOCS systems either completing the order or rejecting the order to the Work Management Center (WMC). If the completion is rejected, it is manually corrected and then completed by the WMC. The notice is returned on each individual order.

The start time for all orders is the completion stamp either by the field technician or the 5PM due date stamp; the end time for mechanized orders is the time stamp the notice was transmitted to the CLEC interface (LENS, EDI, OR TAG). For non-mechanized orders the end timestamp will be timestamp of order update to C-SOTS system.

Calculation

Completion Notice Interval = (a - b)

- a = Date and Time of Notice of Completion
- b = Date and Time of Work Completion

Average Completion Notice Interval = c / d

- c = Sum of all Completion Notice Intervals
- d = Number of Orders with Notice of Completion in Reporting Period

Report Structure

- CLEC Specific
- CLEC Aggregate
- Bell South Aggregate
- Mechanized Orders
- · Non-Mechanized Orders
- Reporting intervals in Hours; 0, 1-2, 2-4, 4-8, 8-12, 12-24, >= 24 plus Overall Average Hour Interval (The categories are inclusive of these time intervals: 0-1 = 0.99; 1-2 =1-1.99; 2-4 = 2-3.99, etc.)
- Reported in categories of <10 line/circuits; >= 10 line/circuits (except trunks)

Relating to CLEC Experience	Relating to BellSouth Performance
 Report Month CLEC Order Number (so_nbr) Work Completion Date (cmpltn_dt) Work Completion Time Completion Notice Availability Date Completion Notice Availability Time Service Type Geographic Scope 	 Report Month BellSouth Order Number (so_nbr) Work Completion Date (cmpltn_dt) Work Completion Time Completion Notice Availability Date Completion Notice Availability Time Service Type Geographic Scope
Note: Code in parentheses is the corresponding header fou	NOTE: Code in parentheses is the corresponding header

in the raw data file.	found in the raw data file.

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	• Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
• LNP (Standalone)	Retail Residence and Business (POTS)
• INP (Standalone)	Retail Residence and Business (POTS)
2W Analog Loop Design	Retail Residence and Business Dispatch
2W Analog Loop Non-Design Dispatch	Retail Residence and Business - (POTS Excluding Switch- Based Orders) Dispatch
- Non-Dispatch (Dispatch In)	- Dispatch - Non-Dispatch (Dispatch In)
2W Analog Loop With LNP Design	Retail Residence and Business Dispatch
2W Analog Loop With LNP Non-Design 2W Analog Loop With LNP Non-Design	Retail Residence and Business Dispatch Retail Residence and Business - (POTS Excluding Switch-
2 W Analog Loop With Livi Non-Design	Based Orders)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
2W Analog Loop With INP Design	Retail Residence and Business Dispatch
2W Analog Loop With INP Non-Design	Retail Residence and Business (POTS Excluding Switch-
2 zamog zoop z zg.:	Based Orders)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
UNE Digital Loop < DS1	• Retail Digital Loop < DS1
• UNE Digital Loop >= DS1	• Retail Digital Loop >= DS1
UNE Loop + Port Combinations	Retail Residence and Business
- Dispatch Out	- Dispatch Out
- Non-Dispatch	- Non-Dispatch
- Dispatch In	- Dispatch In
- Switch-Based	- Switch-Based
UNE Switch Ports	Retail Residence and Business (POTS)
UNE Combo Other	• Retail Residence, Business and Design Dispatch (Including
	Dispatch Out and Dispatch In)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
UNE xDSL (HDSL, ADSL and UCL)	ADSL Provided to Retail
• UNE ISDN	Retail ISDN BRI
UNE Line Sharing	ADSL Provided to Retail
UNE Other Design	Retail Design
• UNE Other Non-Design	Retail Residence and Business
• Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice
Local Interconnection Trunks	Parity with Retail

SEEM Measure

	SEEM Measure			
No	Tier I			
	Tier II			

SEEM Disaggregation	SEEM Analog/Benchmark	
Not Applicable	Not Applicable	

P-6: % Completions/Attempts without Notice or < 24 hours Notice

Definition

This Report measures the interval from the FOC end timestamp on the LSR until 5:00 P.M. on the original committed due date of a service order. The purpose of this measure is to report if BellSouth is returning a FOC to the CLEC in time for the CLEC to notify their customer of the scheduled date.

Exclusions

"0" dated orders or any request where the subscriber requested an earlier due date of < 24 hours prior to the original commitment date, or any LSR received < 24 hours prior to the original commitment date.

Business Rules

For CLEC Results:

Calculation would exclude any successful or unsuccessful service delivery where the CLEC was informed at least 24 hours in advance. BellSouth may also exclude from calculation any LSRs received from the requesting CLEC with less than 24 hour notice prior to the commitment date.

For BellSouth Results:

BellSouth does not provide a FOC to its retail customers.

Calculation

Percent Completions or Attempts without Notice or with Less Than 24 Hours Notice = (a / b) X 100

- a = Completion Dispatches (Successful and Unsuccessful) With No FOC or FOC Received < 24 Hours of original Committed Due Date
- b = All Completions

Report Structure

- CLEC Specific
- CLEC Aggregate
- Dispatch /Non-Dispatch
- Total Orders FOC < 24 Hours
- Total Completed Service Orders
- % FOC < 24 Hours

Relating to CLEC Experience	Relating to BellSouth Performance
Committed Due Date (DD)	Not Applicable
FOC End Timestamp	
Report Month	
 CLEC Order Number and PON 	
Geographic Scope	
- State / Region	

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Diagnostic
Resale Business	
Resale Design	
• Resale PBX	
Resale Centrex	
Resale ISDN	'
• LNP (Standalone)	
• INP (Standalone)	
2W Analog Loop Design	
2W Analog Loop Non-Design	
2W Analog Loop With LNP-Design	
2W Analog Loop With LNP Non-Design	
2W Analog Loop With INP-Design	
• 2W Analog Loop With INP Non-Design	
• UNE Digital Loop < DS1	
• UNE Digital Loop >=DS1	
• UNE Loop + Port Combinations	
• UNE Switch ports	
UNE Combo Other	
 UNE xDSL (HDSL, ADSL and UCL) 	
• UNE ISDN	
UNE Line Sharing	
UNE Other Design	
• UNE Other Non -Design	
• Local Transport (Unbundled Interoffice Transport)	
Local Interconnection Trunks	

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark	
Not Applicable	Not Applicable	

SEEM Disaggregation	SEEM Analog/Benchmark	
Unbundled Loops	• 95% <= 15 minutes	

P-7A: Coordinated Customer Conversions – Hot Cut Timeliness% Within Interval and Average Interval

Definition

This category measures whether BellSouth begins the cut over of an unbundled loop on a coordinated and/or a time specific order at the CLEC requested start time. It measures the percentage of orders where the cut begins within 15 minutes of the requested start time of the order and the average interval.

Exclusions

- · Any order canceled by the CLEC will be excluded from this measurement
- · Delays caused by the CLEC
- Unbundled Loops where there is no existing subscriber loop and loops where coordination is not requested
- All unbundled loops on multiple loop orders after the first loop

Business Rules

This report measures whether BellSouth begins the cut over of an unbundled loop on a coordinated and/or a time specific order at the CLEC requested start time. The cut is considered on time if it starts 15 minutes before or after the requested start time. Using the scheduled time and the actual cut over start time, the measurement will calculate the percent within interval and the average interval. If a cut involves multiple lines, the cut will be considered "on time" if the first line is cut within the interval. <= 15 minutes includes intervals that began 15:00 minutes or less before the scheduled cut time and cuts that began 15 minutes or less after the scheduled cut time; >15 minutes, <= 30 minutes includes cuts within 15:00 – 30:00 minutes either prior to or after the scheduled cut time; >30 minutes includes cuts greater than 30:00 minutes either prior to or after the scheduled cut time.

Calculation

% within Interval = $(a/b) \times 100$

- a = Total Number of Coordinated Unbundled Loop Orders for the interval
- b = Total Number of Coordinated Unbundled Loop Orders for the reporting period

Interval = (c - d)

- c = Scheduled Time for Cross Connection of a Coordinated Unbundled Loop Order
- d = Actual Start Date and Time of a Coordinated Unbundled Loop Order

Average Interval = (e / f)

- · Sum of all Intervals
- Total Number of Coordinated Unbundled Loop Orders for the reporting period.

Report Structure

- CLEC Specific
- CLEC Aggregate

Reported in intervals of early, on time and late cuts % <=15 minutes; % >15 minutes, <= 30 minutes; % > 30 minutes, plus Overall Average Interval.

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	No BellSouth Analog exists
CLEC Order Number (so_nbr)	140 Delisoutii Alialog exists
Committed Due Date (DD)	
Service Type (CLASS_SVC_DESC)	
Cut over Scheduled Start Time	
Cut over Actual Start Time	
Total Conversions Orders	
Note: Code in parentheses is the corresponding header found in the raw data file.	

SQM Level of Disaggregation	SQM Analog/Benchmark
Product Reporting Level	• 95% Within + or – 15 minutes of Scheduled Start Time
- SL1 Time Specific	
- SL1 Non-Time Specific	
- SL2 Time Specific	
- SL2 Non-Time Specific	

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
UNE Loops	• 95% Within + or – 15 minutes of Scheduled Start time

P-7B: Coordinated Customer Conversions – Average Recovery Time

Definition

Measures the time between notification and resolution by BellSouth of a service outage found that can be isolated to the BellSouth side of the network. The time between notification and resolution by BellSouth must be measured to ensure that CLEC customers do not experience unjustifiable lengthy service outages during a Coordinated Customer Conversion. This report measures outages associated with Coordinated Customer Conversions prior to service order completion.

Exclusions

- Cut overs where service outages are due to CLEC caused reasons
- Cut overs where service outages are due to end-user caused reasons

Business Rules

Measures the outage duration time related to Coordinated Customer Conversions from the initial trouble notification until the trouble has been restored and the CLEC has been notified. The duration time is defined as the time from the initial trouble notification until the trouble has been restored and the CLEC has been notified. The interval is calculated on the total outage time for the circuits divided by the total number of outages restored during the report period to give the average outage duration.

Calculation

Recovery Time = (a - b)

- a = Date & Time That Trouble is Closed by CLEC
- b = Date & Time Initial Trouble is Opened with BellSouth

Average Recovery Time = (c / d)

- c = Sum of all the Recovery Times
- d = Number of Troubles Referred to the BellSouth

Report Structure

- CLEC Specific
- CLEC Aggregate

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	None
CLEC Company Name	None
CLEC Order Number (so_nbr)	
Committed Due Date (DD)	
Service Type (CLASS_SVC_DESC)	
CLEC Acceptance Conflict (CLEC_CONFLICT)	
CLEC Conflict Resolved (CLEC_RESOLVE)	
CLEC Conflict MFC (CLEC_CONFLICT_MFC)	
Total Conversion Orders	
Note: Code in parentheses is the corresponding header found	
in the raw data file.	

SQM Level of Disaggregation	SQM Analog/Benchmark
Unbundled Loops with INP/LNP	Diagnostic
Unbundled Loops without INP/LNP	

SEEM Measure

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

P-7C: Hot Cut Conversions - % Provisioning Troubles Received Within 7 days of a completed Service Order

Definition

Percent Provisioning Troubles received within 7 days of a completed service order associated with a Coordinated and Non-Coordinated Customer Conversion. Measures the quality and accuracy of Hot Cut Conversion Activities.

Exclusions

- · Any order canceled by the CLEC
- · Troubles caused by Customer Provided Equipment

Business Rules

Measures the quality and accuracy of completed service orders associated with Coordinated and Non-Coordinated Hot Cut Conversions. The first trouble report received on a circuit ID within 7 days following a service order completion is counted in this measure. Subsequent trouble reports are measured in Repeat Report Rate. Reports are calculated searching in the prior report period for completed Coordinated and Non-Coordinated Hot Cut Conversion service orders and following 7 days after the completion of the service order for a trouble report issue date.

Calculation

% Provisioning Troubles within 7 days of service order completion = (a / b) X 100

- a = The sum of all Hot Cut Circuits with a trouble within 7 days following service order(s) completion
- b = The total number of Hot Cut service order circuits completed in the previous report calendar month

Report Structure

- CLEC Specific
- CLEC Aggregate
- Dispatch/Non-Dispatch

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	No BellSouth Analog Exists
CLEC Order Number (so_nbr)	140 Delisoudi Alialog Exists
• PON	
Order Submission Date (TICKET_ID)	
Order Submission Time (TICKET_ID)	
• Status Type	
Status Notice Date	
Standard Order Activity	
Geographic Scope	
Total Conversion Circuits	
Note: Code in parentheses is the corresponding header found	
in the raw data file.	

SQM Disaggregation - Analog/Benchmark

	SQM Level of Disaggregation	SQM Analog/Benchmark
	UNE Loop Design	• <= 5%
l	UNE Loop Non-Design	

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
UNE Loops	• <= 5%

P-8: Cooperative Acceptance Testing - % of xDSL Loops Tested

Definition

The loop will be considered cooperatively tested when the BellSouth technician places a call to the CLEC representative to initiate cooperative testing and jointly performs the tests with the CLEC.

Exclusions

- Testing failures due to CLEC (incorrect contact number, CLEC not ready, etc.)
- xDSL lines with no request for cooperative testing

Business Rules

When a BellSouth technician finishes delivering an order for an xDSL loop where the CLEC order calls for cooperative testing at the customer's premise, the BellSouth technician is to call a toll free number to the CLEC testing center. The BellSouth technician and the CLEC representative at the center then test the line. As an example of the type of testing performed, the testing center may ask the technician to put a short on the line so that the center can run a test to see if it can identify the short.

Calculation

Cooperative Acceptance Testing - % of xDSL Loops Tested = (a / b) X 100

- a = Total number of successful xDSL cooperative tests for xDSL lines where cooperative testing was requested in the reporting period
- b = Total Number of xDSL line tests requested by the CLEC and scheduled in the reporting period

Report Structure

- CLEC Specific
- CLEC Aggregate
- Type of Loop tested

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance	
 Report Month CLEC Company Name (OCN) CLEC Order Number (so_nbr) and PON (PON) Committed Due Date (DD) Service Type (CLASS_SVC_DESC) Acceptance Testing Completed (ACCEPT_TESTING) Acceptance Testing Declined (ACCEPT_TESTING) Total xDSL Orders 	No BellSouth Analog Exists	
Note: Code in parentheses is the corresponding header found in the raw data file.		

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation:	SQM Analog/Benchmark:
UNE xDSL	• 95% of Lines Tested
- ADSL	
- HDSL	
- UCL	
- OTHER	

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark	
• UNE xDSL	• 95% of Lines Tested	

P-9: % Provisioning Troubles within 30 days of Service Order Completion

Definition

Percent Provisioning Troubles within 30 days of Service Order Completion measures the quality and accuracy of Service order activities.

Exclusions

- · Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.)
- D & F orders
- Trouble reports caused and closed out to Customer Provided Equipment (CPE)

Business Rules

Measures the quality and accuracy of completed orders. The first trouble report from a service order after completion is counted in this measure. Subsequent trouble reports are measured in Repeat Report Rate. Reports are calculated searching in the prior report period for completed service orders and following 30 days after completion of the service order for a trouble report issue date.

D & F orders are excluded as there is no subsequent activity following a disconnect.

Note: Standalone LNP historical data is not available in the maintenance systems (LMOS or WFA).

Calculation

% Provisioning Troubles within 30 days of Service Order Activity = (a / b) X 100

- a = Trouble reports on all completed orders 30 days following service order(s) completion
- b = All Service Orders completed in the previous report calendar month

Report Structure

- CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate
- Reported in categories of <10 line/circuits; >= 10 line/circuits (except trunks)
- Dispatch / No Dispatch (except trunks)

Relating to CLEC Experience	Relating to BellSouth Performance	
 Report Month CLEC Order Number and PON Order Submission Date (TICKET_ID) Order Submission Time (TICKET_ID) Status Type Status Notice Date Standard Order Activity Geographic Scope Note: Code in parentheses is the corresponding header found in the raw data file. 	 Report Month BellSouth Order Number Order Submission Date Order Submission Time Status Type Status Notice Date Standard Order Activity Geographic Scope 	

SQM Level of Disaggregation	SQM Analog/Benchmark			
Resale Residence	Retail Residence			
Resale Business	Retail Business			
Resale Design	Retail Design			
Resale PBX	• Retail PBX			
Resale Centrex	Retail Centrex			
Resale ISDN	Retail ISDN			
2W Analog Loop Design	Retail Residence and Business Dispatch			
2W Analog Loop Non-Design	• Retail Residence and Business - (POTS Excluding Switch-			
	Based Orders)			
- Dispatch	- Dispatch			
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)			
2W Analog Loop With LNP Design	Retail Residence and Business Dispatch			
2W Analog Loop With LNP Non-Design	• Retail Residence and Business - (POTS Excluding Switch-			
	Based Orders)			
- Dispatch	- Dispatch			
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)			
2W Analog Loop With INP Design	Retail Residence and Business Dispatch			
 2W Analog Loop With INP Non-Design 	 Retail Residence and Business (POTS - Excluding Switch 			
	Based Orders)			
- Dispatch	- Dispatch			
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)			
UNE Digital Loop < DS1	Retail Digital Loop < DS1			
• UNE Digital Loop >= DS1	• Retail Digital Loop >= DS1			
UNE xDSL (HDSL, ADSL and UCL)	ADSL provided to Retail			
UNE ISDN	Retail ISDN BRI			
UNE Line Sharing	ADSL Provided to Retail			
• INP (Standalone)	Retail Residence and Business (POTS)			
• LNP (Standalone)	Retail Residence and Business (POTS)			
UNE Loop + Port Combinations	Retail Residence and Business			
- Dispatch Out	- Dispatch Out			
- Non-Dispatch	- Non-Dispatch			
- Dispatch In	- Dispatch In			
- Switch-Based	- Switch-Based			
UNE Switch Ports	Retail Residence and Business (POTS)			
UNE Combo Other	Retail Residence, Business and Design Dispatch			
10 ₁₁ 444	(Including Dispatch Out and Dispatch In)			
- Dispatch	- Dispatch			
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)			
Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice			
UNE Other Non-Design	Retail Residence and Business			
UNE Other Design	Retail Design			
Local Interconnection Trunks	Parity with Retail			

SEEM Measure

	SEEM Measure			
Yes	Tier I	X		
İ	Tier II	X		

SEEM Disaggregation	SEEM Analog/Benchmark	
Resale POTS	Retail Residence and Business (POTS)	
Resale Design	Retail Design	
• UNE Loop + Port Combinations	Retail Residence and Business	
UNE Loops	Retail Residence and Business Dispatch	
• UNE xDSL	ADSL Provided to Retail	
UNE Line Sharing	ADSL Provided to Retail	
Local Interconnection Trunks	Parity with Retail	

P-10: Total Service Order Cycle Time (TSOCT)

Definition

This report measures the total service order cycle time from receipt of a valid service order request to the return of a completion notice to the CLEC Interface.

Exclusions

- · Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.)
- D (Disconnect Except "D" orders associated with LNP Standalone.) and F (From) orders. (From is disconnect side of a move order when the customer moves to a new address)
- "L" Appointment coded orders (where the customer has requested a later than offered interval)
- Orders with CLEC/Subscriber caused delays or CLEC/Subscriber requested due date changes

Business Rules

The interval is determined for each order processed during the reporting period. This measurement combines three reports: FOC Timeliness, Average Order Completion Interval and Average Completion Notice Interval. For UNE XDSL Loop, this measurement combines Service Inquiry Interval (SI), FOC Timeliness, Average Completion Interval, and Average Completion Notice Interval.

This interval starts with the receipt of a valid service order request and stops when a completion notice is sent to the CLEC Interface (LENS, TAG OR EDI) and the BellSouth Legacy Systems. Elapsed time for each order is accumulated for each reporting dimension. The accumulated time for each reporting dimension is then divided by the associated total number of orders completed. Orders that are worked on zero due dates are calculated with a .33 day interval (8 hours) in order to report a portion of a day interval. These orders are issued and worked/completed on same day. They can be either flow through orders (no field work-non-dispatched) or field orders (dispatched).

Reporting is by Fully Mechanized, Partially Mechanized and Non-Mechanized receipt of LSRs.

Calculation

Total Service Order Cycle Time = (a - b)

- a = Service Order Completion Notice Date
- b = Service Request Receipt Date

Average Total Service Order Cycle Time = (c / d)

- c = Sum of all Total Service Order Cycle Times
- d = Total Number Service Orders Completed in Reporting Period

Total Service Order Cycle Time Interval Distribution (for each interval) = (e / f) X 100

- e = Total Number of Service Requests Completed in "X" minutes/hours
- f = Total Number of Service Requests Received in Reporting Period

Report Structure

- CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate
- Fully Mechanized; Partially Mechanized; Non-Mechanized
- Report in categories of <10 line/circuits; >= 10 line/circuits (except trunks)
- Dispatch / No Dispatch categories applicable to all levels except trunks
- Intervals 0-5, 5-10, 10-15, 15-20, 20-25, 25-30, >= 30 Days. The interval breakout is: 0-5 = 0-4.99, 5-10 = 5-9.99, 10-15 = 10-14.99, 15-20 = 15-19.99, 20-25 = 20-24.99, 25-30 = 25-29.99, >= 30 = 30 and greater.

Relating to CLEC Experience	Relating to BellSouth Performance		
Report MonthInterval for FOC	Report Month BellSouth Order Number		

CLEC Company Name (OCN)	Order Submission Date & Time
• Order Number (PON)	Order Completion Date & Time
Submission Date & Time (TICKET_ID)	Service Type
Completion Date (CMPLTN_DT)	Geographic Scope
Completion Notice Date and Time	
Service Type (CLASS_SVC_DESC)	
Geographic Scope	
Note: Code in parentheses is the corresponding header found	
in the raw data file	

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Diagnostic
Resale Business	
Resale Design	
Resale PBX	
Resale Centrex	
Resale ISDN	
• LNP (Standalone)	
• INP (Standalone)	
2W Analog Loop Design	
2W Analog Loop Non-Design	
2W Analog Loop With LNP Design	
2W Analog Loop With LNP Non-Design	
UNE Switch Ports	
UNE Loop + Port Combinations	
UNE Combo Other	
• UNE xDSL (HDSL, ADSL and UCL)	
• UNE ISDN	
UNE Line Sharing	
UNE Other Design	
• UNE Other Non -Design	
• UNE Digital Loops < DS1	
• UNE Digital Loops >= DS1	
• Local Transport (Unbundled Interoffice Transport)	
Local Interconnection Trunks	

SEEM Measure

SEEM Measure				
No	Tier I			'
	Tier II			

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

P-11: Service Order Accuracy

Definition

The "service order accuracy" measurement measures the accuracy and completeness of a sample of BellSouth service orders by comparing what was ordered and what was completed.

Exclusions

- · Cancelled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.)
- D & F orders

Business Rules

A statistically valid sample of service orders, completed during a monthly reporting period, is compared to the original account profile and the order that the CLEC sent to BellSouth. An order is "completed without error" if all service attributes and account detail changes (as determined by comparing the original order) completely and accurately reflect the activity specified on the original order and any supplemental CLEC order. For both small and large sample sizes, when a Service Request cannot be matched with a corresponding Service Order, it will not be counted. For small sample sizes an effort will be made to replace the service request.

Calculation

Percent Service Order Accuracy = (a / b) X 100

- a = Orders Completed without Error
- b = Orders Completed in Reporting Period

Report Structure

- CLEC Aggregate
- Reported in categories of <10 line/circuits; >= 10 line/circuits
- Dispatch / No Dispatch

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	No BellSouth Analog Exist
CLEC Order Number and PON	
Local Service Request (LSR)	
Order Submission Date	
Committed Due Date	
Service Type	
Standard Order Activity	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	95% Accurate
Resale Business	
Resale Design (Specials)	
• UNE Specials (Design)	
• UNE (Non-Design)	
Local Interconnection Trunks	

SEEM Measure

SEEM Measure				
No	Tier I			
	Tier II			

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

P-12: LNP-Percent Missed Installation Appointments

Definition

"Percent missed installation appointments" monitors the reliability of BellSouth commitments with respect to committed due dates to assure that CLECs can reliably quote expected due dates to their retail customer as compared to BellSouth. This measure is the percentage of total orders processed for which BellSouth is unable to complete the service orders on the committed due dates and reported for total misses and End User Misses.

Exclusions

- · Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.) where identifiable

Business Rules

Percent Missed Installation Appointments (PMI) is the percentage of total orders processed for which BellSouth is unable to complete the service orders on the committed due dates. Missed Appointments caused by end-user reasons will be included and reported in a separate category. The first commitment date on the service order that is a missed appointment is the missed appointment code used for calculation whether it is a BellSouth missed appointment or an End User missed appointment. The "due date" is any time on the confirmed due date, which means there cannot be a cutoff time for commitments as certain types of orders are requested to be worked after standard business hours.

Calculation

LNP Percent Missed Installation Appointments = (a / b) X 100

- a = Number of Orders with Completion date in Reporting Period past the Original Committed Due Date
- b = Number of Orders Completed in Reporting Period

Report Structure

- CLEC Specific
- CLEC Aggregate
- Geographic Scope
 - State/Region
- Report in Categories of <10 lines/circuits >= 10 lines/circuits (except trunks)

Report explanation: Total Missed Appointments is the total percent of orders missed either by BellSouth or the CLEC end user. End User MA represents the percentage of orders missed by the CLEC end user. The difference between End User Missed Appointments and Total Missed Appointments is the result of BellSouth caused misses.

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable
CLEC Order Number and PON (PON)	Not Applicable
Committed Due Date (DD)	
Completion Date (CMPLTN DD)	
Status Type	
Status Notice Date	
Standard Order Activity	
Geographic Scope	
Note: Code in parentheses is the corresponding header found in the raw data file.	

SQM Level of Disaggregation	SQM Analog/Benchmark
• LNP	Retail Residence and Business (POTS)

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
• LNP	95% Due Dates Met ^a

^aDue to data structure issues, BellSouth is using a benchmark comparison for SEEM rather than the Truncated Z as stated in the Order.

P-13: LNP-Average Disconnect Timeliness Interval & Disconnect Timeliness Interval Distribution

Definition

Disconnect Timeliness is defined as the interval between the time ESI Number Manager receives the valid 'Number Ported' message from NPAC (signifying the CLEC 'Activate') until the time the Disconnect is completed in the Central Office switch. This interval effectively measures BellSouth responsiveness by isolating it from impacts that are caused by CLEC related activities.

Exclusions

- · Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.) where identifiable.

Business Rules

The Disconnect Timeliness interval is determined for each telephone number ported associated with a disconnect service order processed on an LSR during the reporting period. The Disconnect Timeliness interval is the elapsed time from when BellSouth receives a valid 'Number Ported' message in ESI Number Manager (signifying the CLEC 'Activate') for each telephone number ported until each telephone number on the service order is disconnected in the Central Office switch. Elapsed time for each ported telephone number is accumulated for each reporting dimension. The accumulated time for each reporting dimension is then divided by the total number of selected telephone numbers disconnected in the reporting period.

Calculation

Disconnect Timeliness Interval = (a - b)

- a = Completion Date and Time in Central Office switch for each number on disconnect order
- b = Valid 'Number Ported' message received date & time

Average Disconnect Timeliness Interval = (c / d)

- c = Sum of all Disconnect Timeliness Intervals
- d = Total Number of disconnected numbers completed in reporting period

Disconnect Timeliness Interval Distribution (for each interval) = (e / f) X 100

- e = Disconnected numbers completed in "X" days
- f = Total disconnect numbers completed in reporting period

Report Structure

- CLEC Specific
- CLEC Aggregate
- Geographic Scope
 - State, Region

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Order Number	Not Applicable
Telephone Number/Circuit Number	
Committed Due Date	
Receipt Date/Time (ESI Number Manager)	
Date/Time of Recent Change Notice	

SQM Level of Disaggregation	SQM Analog/Benchmark
• LNP	• 95% <= 15 Minutes

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
LNP Standalone	• 95% <= 15 Minutes

761 of 836

P-14: LNP-Total Service Order Cycle Time (TSOCT)

Definition

Total Service Order Cycle Time measures the interval from receipt of a valid service order request to the completion of the final service order associated with that service request.

Exclusions

- Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.) where identifiable
- "L" appointment coded orders (indicating the customer has requested a later than offered interval)
- "S" missed appointment coded orders (indicating subscriber missed appointments), except for "SP" codes (indicating subscriber prior due date requested). This would include "S" codes assigned to subsequent due date changes.

Business Rules

The interval is determined for each order processed during the reporting period. This measurement combines three reports: FOC Timeliness, Average Order Completion Interval and Average Completion Notice Interval.

This interval starts with the receipt of a valid service order request and stops when a completion notice is sent to the CLEC Interface (LENS, TAG OR EDI). Elapsed time for each order is accumulated for each reporting dimension. The accumulated time for each reporting dimension is then divided by the associated total number of orders completed. Orders that are worked on zero due dates are calculated with a .33 day interval (8 hours) in order to report a portion of a day interval. These orders are issued and worked/completed on the same day.

Reporting is by Fully Mechanized, Partially Mechanized and Non-Mechanized receipt of LSRs.

Calculation

Total Service Order Cycle Time = (a - b)

- a = Service Order Completion Notice Date
- b = Service Request Receipt Date

Average Total Service Order Cycle Time = (c / d)

- c = Sum of all Total Service Order Cycle Times
- d = Total Number Service Orders Completed in Reporting Period

Total Service Order Cycle Time Interval Distribution (for each interval) = (e / f) X 100

- e = Total Number of Service Orders Completed in "X" minutes/hours
- f = Total Number of Service Orders Received in Reporting Period

Report Structure

- CLEC Specific
- CLEC Aggregate
- Fully Mechanized; Partially Mechanized; Non-Mechanized
- Report in categories of < 10 lines/circuits; >= lines/circuits (except trunks)
- Intervals 0-5, 5-10, 10-15, 15-20, 20-25, 25-30, >= 30 Days. The interval breakout is: 0-5 = 0-4.99, 5-10 = 5-9.99, 10-15 = 10-14.99, 15-20 = 15-19.99, 20-25 = 20-24.99, 25-30 = 25-29.99, >= 30 = 30 and greater.

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	a Not Applicable
Interval for FOC	Not Applicable
CLEC Company Name (OCN)	
Order Number (PON)	
Submission Date & Time (TICKET_ID)	
Completion Date (CMPLTN_DT)	
Completion Notice Date and Time	

•	Service Type (CL	ASS_S	VC_D	ESC)
ı	a 11.0.	_		

Geographic Scope

Note: Code in parentheses is the corresponding header found in the raw data file

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• LNP	Diagnostic

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

Section 4: Section 4: Maintenance & Repair

M&R-1: Missed Repair Appointments

Definition

The percent of trouble reports not cleared by the committed date and time.

Exclusions

- Trouble tickets canceled at the CLEC request
- BellSouth trouble reports associated with internal or administrative service
- Customer Provided Equipment (CPE) troubles or CLEC Equipment Trouble

Business Rules

The negotiated commitment date and time is established when the repair report is received. The cleared time is the date and time that BellSouth personnel clear the trouble and closes the trouble report in his/her Computer Access Terminal (CAT) or workstation. If this is after the Commitment time, the report is flagged as a "Missed Commitment" or a missed repair appointment. When the data for this measure is collected for BellSouth and a CLEC, it can be used to compare the percentage of the time repair appointments are missed due to BellSouth reasons. (No access reports are not part of this measure because they are not a missed appointment.)

Note: Appointment intervals vary with force availability in the POTS environment. Specials and Trunk intervals are standard interval appointments of no greater than 24 hours. Standalone LNP historical data is not available in the maintenance systems (LMOS or WFA).

Calculation

Percentage of Missed Repair Appointments = (a / b) X 100

- a = Count of Customer Troubles Not Cleared by the Quoted Commitment Date and Time
- b = Total Trouble reports closed in Reporting Period

Report Structure

- · Dispatch/Non-Dispatch
- CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
To Dispersition and Cause (CAUCE CD & CAUCE DECC)	 Report Month BellSouth Company Code Submission Date & Time Completion Date Service Type Disposition and Cause (Non-Design /Non-Special Only) Trouble Code (Design and Trunking Services) Geographic Scope
in the raw data file.	Geographic Geope

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail business
Resale Design	Retail Design
Resale PBX	•
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
• LNP (Standalone) (Not Available in Maintenance)	Not Applicable
2W Analog Loop Design	Retail Residence & Business Dispatch
2W Analog Loop Non - Design	Retail Residence & Business (POTS) (Exclusion of
	Switch-Based Feature Troubles)
UNE Loop + Port Combinations	Retail Residence & Business
UNE Switch Ports	Retail Residence & Business (POTS)
UNE Combo Other	Retail Residence, Business and Design Dispatch
UNE xDSL (HDSL, ADSL and UCL)	ADSL Provided to Retail
UNE ISDN	• Retail ISDN – BRI
UNE Line Sharing	ADSL Provided to Retail
UNE Other Design	Retail Design
UNE Other Non - Design	Retail Residence & Business
Local Interconnection Trunks	Parity with Retail
Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
Resale POTS	Retail Residence and Business (POTS)
Resale Design	Retail Design
UNE Loop + Port Combinations	Retail Residence and Business
UNE Loops	Retail Residence and Business Dispatch
UNE xDSL	ADSL Provided to Retail
UNE Line Sharing	ADSL Provided to Retail
Local Interconnection Trunks	Parity with Retail

M&R-2: Customer Trouble Report Rate

Definition

Percent of initial and repeated customer direct or referred troubles reported within a calendar month per 100 lines/circuits in service.

Exclusions

- Trouble tickets canceled at the CLEC request
- · BellSouth trouble reports associated with internal or administrative service
- Customer Provided Equipment (CPE) troubles or CLEC Equipment Trouble

Business Rules

Customer Trouble Report Rate is computed by accumulating the number of maintenance initial and repeated trouble reports during the reporting period. The resulting number of trouble reports are divided by the total "number of service" lines, ports or combination that exist for the CLECs and BellSouth respectively at the end of the report month.

Calculation

Customer Trouble Report Rate = (a / b) X 100

- a = Count of Initial and Repeated Trouble Reports closed in the Current Period
- b = Number of Service Access Lines in service at End of the Report Period

Report Structure

- · Dispatch/Non-Dispatch
- CLEC Specific
- · CLEC Aggregate
- · BellSouth Aggregate

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
 CLEC Company Name Ticket Submission Date & Time (TICKET_ID) Ticket Completion Date (CMPLTN_DT) Service Type (CLASS_SVC_DESC) Disposition and Cause (CAUSE_CD & CAUSE_DESC) # Service Access Lines in Service at the end of period 	 Report Month BellSouth Company Code Ticket Submission Date & Time Ticket Completion Date Service Type Disposition and Cause (Non-Design /Non-Special Only) Trouble Code (Design and Trunking Services) # Service Access Lines in Service at the end of period Geographic Scope

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	• Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
• LNP (Standalone) (Not Available in Maintenance)	Not Applicable
2W Analog Loop Design	Retail Residence & Business Dispatch
2W Analog Loop Non - Design	Retail Residence & Business (POTS) (Exclusion of
	Switch-Based Feature Troubles)
UNE Loop + Port Combinations	Retail Residence & Business
UNE Switch Ports	Retail Residence & Business (POTS)
UNE Combo Other	Retail Residence, Business and Design Dispatch
UNE xDSL (HDSL, ADSL and UCL)	ADSL Provided to Retail
• UNE ISDN	Retail ISDN – BRI
UNE Line Sharing	ADSL Provided to Retail
UNE Other Design	Retail Design
UNE Other Non - Design	Retail Residence & Business
Local Interconnection Trunks	Parity with Retail
Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
Resale POTS	Retail Residence and Business (POTS)
Resale Design	Retail Design
UNE Loop + Port Combinations	Retail Residence and Business
UNE Loops	Retail Residence and Business Dispatch
UNE xDSL	ADSL Provided to Retail
UNE Line Sharing	ADSL Provided to Retail
Local Interconnection Trunks	Parity with Retail

M&R-3: Maintenance Average Duration

Definition

The Average duration of Customer Trouble Reports from the receipt of the Customer Trouble Report to the time the trouble report is cleared.

Exclusions

- · Trouble tickets canceled at the CLEC request
- · BellSouth trouble reports associated with internal or administrative service
- Customer Provided Equipment (CPE) troubles or CLEC Equipment Trouble

Business Rules

For Average Duration the clock starts on the date and time of the receipt of a correct repair request. The clock stops on the date and time the service is restored and the BellSouth or CLEC customer is notified (when the technician completes the trouble ticket on his/her CAT or work systems).

Calculation

Maintenance Duration = (a - b)

- a = Date and Time of Service Restoration
- b = Date and Time Trouble Ticket was Opened

Average Maintenance Duration = (c / d)

- c = Total of all maintenance durations in the reporting period
- d = Total Closed Troubles in the reporting period

Report Structure

- Dispatch/Non-Dispatch
- CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
 Report Month Total Tickets (LINE_NBR) CLEC Company Name Ticket Submission Date & Time (TICKET_ID) Ticket Completion Date (CMPLTN_DT) Service Type (CLASS_SVC_DESC) Disposition and Cause (CAUSE_CD & CAUSE_DESC) Geographic Scope Note: Code in parentheses is the corresponding header found in the raw data file. 	 Report Month Total Tickets BellSouth Company Code Ticket Submission Date Ticket Submission Time Ticket Completion Date Ticket Completion Time Total Duration Time Service Type Disposition and Cause (Non-Design /Non-Special Only) Trouble Code (Design and Trunking Services) Geographic Scope

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
LNP (Standalone) (Not Available in Maintenance)	Not Applicable
2W Analog Loop Design	Retail Residence & Business Dispatch
2W Analog Loop Non - Design	Retail Residence & Business (POTS) (Exclusion of
	Switch-Based Feature Troubles)
UNE Loop + Port Combinations	Retail Residence & Business
UNE Switch Ports	Retail Residence & Business (POTS)
UNE Combo Other	• Retail Residence, Business and Design Dispatch
UNE xDSL (HDSL, ADSL and UCL)	ADSL Provided to Retail
UNE ISDN	• Retail ISDN – BRI
UNE Line Sharing	ADSL Provided to Retail
UNE Other Design	Retail Design
UNE Other Non - Design	Retail Residence & Business
Local Interconnection Trunks	Parity with Retail
Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
Resale POTS	Retail Residence and Business (POTS)
Resale Design	Retail Design
UNE Loop + Port Combinations	Retail Residence and Business
UNE Loops	Retail Residence and Business Dispatch
UNE xDSL	ADSL Provided to Retail
UNE Line Sharing	ADSL Provided to Retail
Local Interconnection Trunks	Parity with Retail

M&R-4: Percent Repeat Troubles within 30 Days

Definition

Closed trouble reports on the same line/circuit as a previous trouble report received within 30 calendar days as a percent of total troubles closed reported

Exclusions

- Trouble tickets canceled at the CLEC request
- · BellSouth trouble reports associated with internal or administrative service
- Customer Provided Equipment (CPE) troubles or CLEC Equipment Trouble

Business Rules

Includes Customer trouble reports received within 30 days of an original Customer trouble report.

Calculation

Percent Repeat Troubles within 30 Days = (a / b) X 100

- a = Count of closed Customer Troubles where more than one trouble report was logged for the same service line within a continuous 30 days
- b = Total Trouble Reports Closed in Reporting Period

Report Structure

- Dispatch/Non-Dispatch
- CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
 Report Month Total Tickets (LINE_NBR) CLEC Company Name Ticket Submission Date & Time (TICKET_ID) Ticket Completion Date (CMPLTN_DT) Total and Percent Repeat Trouble Reports within 30 Days (TOT_REPEAT) Service Type Disposition and Cause (CAUSE_CD & CAUSE_DESC) Geographic Scope 	 Report Month Total Tickets BellSouth Company Code Ticket Submission Date Ticket Submission Time Ticket Completion Date Ticket Completion Time Total and Percent Repeat Trouble Reports within 30 Days Service Type
Note: Code in parentheses is the corresponding header found in the raw data file.	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
• LNP (Standalone) (Not Available in Maintenance)	Not Applicable
2W Analog Loop Design	Retail Residence & Business Dispatch
2W Analog Loop Non - Design	 Retail Residence & Business (POTS) (Exclusion of Switch-Based Feature Troubles)
UNE Loop + Port Combinations	Retail Residence & Business
UNE Switch Ports	Retail Residence and Business (POTS)
UNE Combo Other	Retail Residence, Business & Design Dispatch
UNE xDSL (HDSL, ADSL and UCL)	ADSL Provided to Retail
• UNE ISDN	• Retail ISDN – BRI
UNE Line Sharing	ADSL Provided to Retail
UNE Other Design	Retail Design
UNE Other Non - Design	Retail Residence & Business
Local Interconnection Trunks	Parity with Retail
• Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
Resale POTS	Retail Residence and Business (POTS)
Resale Design	Retail Design
UNE Loop + Port Combinations	Retail Residence and Business
UNE Loops	Retail Residence and Business Dispatch
UNE xDSL	ADSL Provided to Retail
UNE Line Sharing	ADSL Provided to Retail
Local Interconnection Trunks	Parity with Retail

M&R-5: Out of Service (OOS) > 24 Hours

Definition

For Out of Service Troubles (no dial tone, cannot be called or cannot call out) the percentage of Total OOS Troubles cleared in excess of 24 hours. (All design services are considered to be out of service).

Exclusions

- Trouble Reports canceled at the CLEC request
- BellSouth Trouble Reports associated with administrative service
- Customer Provided Equipment (CPE) Troubles or CLEC Equipment Troubles

Business Rules

Customer Trouble reports that are out of service and cleared in excess of 24 hours. The clock begins when the trouble report is created in LMOS/WFA and the trouble is counted if the elapsed time exceeds 24 hours.

Calculation

Out of Service (OOS) > 24 hours = $(a/b) \times 100$

- a = Total Cleared Troubles OOS > 24 Hours
- b = Total OOS Troubles in Reporting Period

Report Structure

- Dispatch/Non Dispatch
- CLEC Specific
- · BellSouth Aggregate
- CLEC Aggregate

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
 Report Month Total Tickets CLEC Company Name Ticket Submission Date & Time (TICKET_ID) Ticket Completion Date (CMPLTN_DT Percentage of Customer Troubles out of Service > 24 Hours (OOS>24_FLAG) Service type (CLASS_SVC_DESC) Disposition and Cause (CAUSE_CD & CAUSE-DESC) Geographic Scope Note: Code in parentheses is the corresponding header found in the raw data file. 	 Report Month Total Tickets BellSouth Company Code Ticket Submission Date Ticket Submission time Ticket Completion Date Ticket Completion Time Percent of Customer Troubles out of Service > 24 Hours Service type Disposition and Cause (Non-Design/Non-Special only) Trouble Code (Design and Trunking Services) Geographic Scope


SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
• LNP (Standalone) (Not Available in Maintenance)	Not Applicable
2W Analog Loop Design	Retail Residence & Business Dispatch
2W Analog Loop Non - Design	Retail Residence & Business (POTS) (Exclusion of
	Switch-Based Feature Troubles)
UNE Loop + Port Combinations	Retail Residence & Business
UNE Switch Ports	Retail Residence & Business (POTS)
UNE Combo Other	 Retail Residence, Business and Design Dispatch
UNE xDSL (HDSL, ADSL and UCL)	ADSL Provided to Retail
UNE ISDN	Retail ISDN – BRI
UNE Line Sharing	ADSL Provided to Retail
UNE Other Design	Retail Design
UNE Other Non - Design	Retail Residence & Business
Local Interconnection Trunks	Parity with Retail
Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable



M&R-6: Average Answer Time - Repair Centers

Definition

This measures the average time a customer is in queue when calling a BellSouth Repair Center.

Exclusions

None

Business Rules

The clock starts when a CLEC Representative or BellSouth customer makes a choice on the Repair Center's menu and is put in queue for the next repair attendant. The clock stops when the repair attendant answers the call (abandoned calls are not included).

Note: The Total Column is a combined BellSouth Residence and Business number.

Calculation

Answer Time for BellSouth Repair Centers = (a - b)

- a = Time BellSouth Repair Attendant Answers Call
- b = Time of entry into queue after ACD Selection

Average Answer Time for BellSouth Repair Centers = (c / d)

- c = Sum of all Answer Times
- d = Total number of calls by reporting period

Report Structure

- · CLEC Aggregate
- · BellSouth Aggregate

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
CLEC Average Answer Time	BellSouth Average Answer Time

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• Region. CLEC/BellSouth Service Centers and BellSouth	• For CLEC, Average Answer Times in UNE Center and
Repair Centers are regional.	BRMC are comparable to the Average Answer Times in
	the BellSouth Repair Centers.

SEEM Measure

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

M&R-7: Mean Time To Notify CLEC of Network Outages

Definition

This report measures the time it takes for the BellSouth Network Management Center (NMC) to notify the CLEC of major network outages.

Exclusions

None

Business Rules

BellSouth will inform the CLEC of any major network outages (key customer accounts) via a page or email. When the BellSouth NMC becomes aware of a network incident, the CLEC and BellSouth will be notified electronically. The notification time for each outage will be measured in minutes and divided by the number of outages for the reporting period. These are broadcast messages. It is up to those receiving the message to determine if they have customers affected by the incident.

The CLECs will be notified in accordance with the rules outlined in Appendix D of the CLEC "Customer Guide" which is published on the internet at: www.interconnection.bellsouth.com/guides/other_guides/other_guides/html/gopue/indexf.htm.

Calculation

Time to Notify CLEC = (a - b)

- a = Date and Time BellSouth Notified CLEC
- b = Date and Time BellSouth Detected Network Incident

Mean Time to Notify CLEC = (c / d)

- c = Sum of all Times to Notify CLEC
- d = Count of Network Incidents

Report Structure

- BellSouth Aggregate
- CLEC Aggregate
- CLEC Specific

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
Major Network Events	 Major Network Events
Date/Time of Incident	 Date/Time of Incident
Date/Time of Notification	Date/Time of Notification

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
BellSouth Aggregate	Parity by Design
CLEC Aggregate	
CLEC Specific	

SEEM Measure

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

Section 5: Billing

B-1: Invoice Accuracy

Definition

This measure provides the percentage of accuracy of the billing invoices rendered to CLECs during the current month.

Exclusions

- Adjustments not related to billing errors (e.g., credits for service outage, special promotion credits, adjustments to satisfy the customer)
- Test Accounts

Business Rules

The accuracy of billing invoices delivered by BellSouth to the CLEC must enable them to provide a degree of billing accuracy comparative to BellSouth bills rendered to retail customers of BellSouth. CLECs request adjustments on bills determined to be incorrect. The BellSouth Billing verification process includes manually analyzing a sample of local bills from each bill period. The bill verification process draws from a mix of different customer billing options and types of service. An end-to-end auditing process is performed for new products and services. Internal measurements and controls are maintained on all billing processes.

Calculation

Invoice Accuracy = $[(a - b) / a] \times 100$

- a = Absolute Value of Total Billed Revenues during current month
- b = Absolute Value of Billing Related Adjustments during current month

Report Structure

- CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate
- Geographic Scope
 - Region
 - State

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
Invoice Type	Retail Type
- UNE	- CRIS
- Resale	- CABS
- Interconnection	Total Billed Revenue
Total Billed Revenue	Billing Related Adjustments
Billing Related Adjustments	

SQM Level of Disaggregation	SQM Analog/Benchmark
Product/Invoice Type	CLEC Invoice Accuracy is comparable to BellSouth
- Resale	Invoice Accuracy
- UNE	
- Interconnection	

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
CLEC State	Parity With Retail
BellSouth State	

777 of 836

B2: Mean Time to Deliver Invoices

Definition

Bill Distribution is calculated as follows: CRIS BILLS-The number of workdays is reported for CRIS bills. This is calculated by counting the Bill Period date as the first work day. Weekends and holidays are excluded when counting workdays. J/N Bills are counted in the CRIS work day category for the purposes of the measurement since their billing account number (Q account) is provided from the CRIS system.

CABS BILLS-The number of calendar days is reported for CABS bills. This is calculated by counting the day following the Bill Period date as the first calendar day. Weekends and holidays are included when counting the calendar days.

Exclusions

Any invoices rejected due to formatting or content errors.

Business Rules

This report measures the mean interval for timeliness of billing records delivered to CLECs in an agreed upon format. CRIS-based invoices are measured in business days, and CABS-based invoices in calendar days.

Calculation

Invoice Timeliness = (a - b)

- a = Invoice Transmission Date
- b = Close Date of Scheduled Bill Cycle

Mean Time To Deliver Invoices = (c / d)

- c = Sum of all Invoice Timeliness intervals
- d = Count of Invoices Transmitted in Reporting Period

Report Structure

- CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate
- Geographic Scope
 - Region
 - State

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
Invoice Type	Invoice Type
- UNE	- CRIS
- Resale	- CABS
- Interconnection	Invoice Transmission Count
Invoice Transmission Count	Date of Scheduled Bill Close
Date of Scheduled Bill Close	

SQM Level of Disaggregation	SQM Analog/Benchmark
Product/Invoice Type	CRIS-based invoices will be released for delivery within
Resale	six (6) business days.
• UNE	• CABS-based invoices will be released for delivery within
Interconnection	eight (8) calendar days.
	 CLEC Average Delivery Intervals for both CRIS and
	CABS Invoices are comparable to BellSouth Average
	delivery for both systems.

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
CLEC State	Parity with Retail
- CRIS	
- CABS	
BellSouth Region	

779 of 836

B3: Usage Data Delivery Accuracy

Definition

This measurement captures the percentage of recorded usage that is delivered error free and in an acceptable format to the appropriate Competitive Local Exchange Carrier (CLEC). These percentages will provide the necessary data for use as a comparative measurement for BellSouth performance. This measurement captures Data Delivery Accuracy rather than the accuracy of the individual usage recording.

Exclusions

None

Business Rules

The accuracy of the data delivery of usage records delivered by BellSouth to the CLEC must enable them to provide a degree of accuracy comparative to BellSouth bills rendered to their retail customers. If errors are detected in the delivery process, they are investigated, evaluated and documented. Errors are corrected and the data retransmitted to the CLEC.

Calculation

Usage Data Delivery Accuracy = (a - b) / a X 100

- a = Total number of usage data packs sent during current month
- b = Total number of usage data packs requiring retransmission during current month

Report Structure

- · CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate
- · Geographic Scope
 - Region

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
Record Type	Record Type
- BellSouth Recorded	
- Non-BellSouth Recorded	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• Region	CLEC Usage Data Delivery Accuracy is comparable to
	BellSouth Usage Data Delivery Accuracy

SEEM Measure

SEEM Measure				
Yes	Tier I	X		
Tier II X				

SEEM Disaggregation	SEEM Analog/Benchmark
• CLEC State	Parity With Retail
BellSouth Region	

B4: Usage Data Delivery Completeness

Definition

This measurement provides percentage of complete and accurately recorded usage data (usage recorded by BellSouth and usage recorded by other companies and sent to BellSouth for billing) that is processed and transmitted to the CLEC within thirty (30) days of the message recording date. A parity measure is also provided showing completeness of BellSouth messages processed and transmitted via CMDS. BellSouth delivers its own retail usage from recording location to billing location via CMDS as well as delivering billing data to other companies. Timeliness, Completeness and Mean Time to Deliver Usage measures are reported on the same report.

Exclusions

None

Business Rules

The purpose of these measurements is to demonstrate the level of quality of usage data delivered to the appropriate CLEC. Method of delivery is at the option of the CLEC.

Calculation

Usage Data Delivery Completeness = $(a/b) \times 100$

- a = Total number of Recorded usage records delivered during current month that are within thirty (30) days of the message recording date
- b = Total number of Recorded usage records delivered during the current month

Report Structure

- CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate
- Region

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
Record Type	Record Type
- BellSouth Recorded	
- Non-BellSouth Recorded	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• Region	• CLEC Usage Data Delivery Completeness is comparable
	to BellSouth Usage Data Delivery Completeness

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

B5: Usage Data Delivery Timeliness

Definition

This measurement provides a percentage of recorded usage data (usage recorded by BellSouth and usage recorded by other companies and sent to BellSouth for billing) that is delivered to the appropriate CLEC within six (6) calendar days from the receipt of the initial recording. A parity measure is also provided showing timeliness of BellSouth messages processed and transmitted via CMDS. Timeliness, Completeness and Mean Time to Deliver Usage measures are reported on the same report.

Exclusions

None

Business Rules

The purpose of this measurement is to demonstrate the level of timeliness for processing and transmission of usage data delivered to the appropriate CLEC. The usage data will be mechanically transmitted or mailed to the CLEC data processing center once daily. The Timeliness interval of usage recorded by other companies is measured from the date BellSouth receives the records to the date BellSouth distributes to the CLEC. Method of delivery is at the option of the CLEC.

Calculation

Usage Data Delivery Timeliness Current month = (a / b) X 100

- a = Total number of usage records sent within six (6) calendar days from initial recording/receipt
- b = Total number of usage records sent

Report Structure

- CLEC Aggregate
- CLEC Specific
- BellSouth Aggregate
- Region

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
Record Type	Record Type
- BellSouth Recorded	
- Non-BellSouth Recorded	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• Region	CLEC Usage Data Delivery Timeliness is comparable to
	BellSouth Usage Data Delivery Timeliness

SEEM Measure

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

B6: Mean Time to Deliver Usage

Definition

This measurement provides the average time it takes to deliver Usage Records to a CLEC. A parity measure is also provided showing timeliness of BellSouth messages processed and transmitted via CMDS. Timeliness, Completeness and Mean Time to Deliver Usage measures are reported on the same report.

Exclusions

None

Business Rules

The purpose of this measurement is to demonstrate the average number of days it takes BellSouth to deliver Usage data to the appropriate CLEC. Usage data is mechanically transmitted or mailed to the CLEC data processing center once daily. Method of delivery is at the option of the CLEC.

Calculation

Mean Time to Deliver Usage = (a X b) / c

- a = Volume of Records Delivered
- b = Estimated number of days to deliver
- c = Total Record Volume Delivered

Note: Any usage record falling in the 30+ day interval will be added using an average figure of 31.5 days.

Report Structure

- CLEC Aggregate
- CLEC Specific
- BellSouth Aggregate
- Region

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
Record Type	Record Type
- Bell South Recorded	
- Non-BellSouth Recorded	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• Region	 Mean Time to Deliver Usage to CLEC is comparable to
	Mean Time to Deliver Usage to BellSouth.

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

B7: Recurring Charge Completeness

Definition

This measure captures percentage of fractional recurring charges appearing on the correct bill.

Exclusions

None

Business Rules

The effective date of the recurring charge must be within 30 days of the bill date for the charge to appear on the correct bill.

Calculation

Recurring Charge Completeness = (a / b) X 100

- a = Count of fractional recurring charges that are on the correct bill¹
- b = Total count of fractional recurring charges that are on the correct bill

Report Structure

- CLEC Specific
- · CLEC Aggregate
- · BellSouth Aggregate

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
Invoice Type	Retail Analog
Total Recurring Charges Billed	Total Recurring Charges Billed
Total Billed on Time	Total Billed on Time

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark	
Product/Invoice Type		
Resale	Parity	
• UNE	Benchmark 90%	
Interconnection	Benchmark 90%	

SEEM Measure

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

¹Correct bill = next available bill

B8: Non-Recurring Charge Completeness

Definition

This measure captures percentage of non-recurring charges appearing on the correct bill.

Exclusions

None

Business Rules

The effective date of the non-recurring charge must be within 30 days of the bill date for the charge to appear on the correct bill.

Calculation

Non-Recurring Charge Completeness = (a / b) X 100

- a = Count of non-recurring charges that are on the correct bill¹
- b = Total count of non-recurring charges that are on the correct bill

Report Structure

- CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
Invoice Type	Retail Analog
Total Non-recurring Charges Billed	 Total Non-recurring Charges Billed
Total Billed on Time	Total Billed on Time

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark	
Product/Invoice Type		
• Resale,	Parity	
• UNE	• Benchmark 90%	
• Interconnection	Benchmark 90%	

SEEM Measure

SEEM Measure				
No	Tier I			
	Tier II			

	SEEM Disaggregation	SEEM Analog/Benchmark
 Not Appl 	icable	Not Applicable

¹Correct bill = next available bill

Section 6: Operator Services Aectory Assistance

OS-1: Speed to Answer Performance/Avpeed to Answer - Toll

Definition

Measurement of the average time in seconds calls wait before answeperator.

Exclusions

None

Business Rules

The clock starts when the customer enters the queue and the clock3ellSouth representative answers the call or the customer abandons the call. The length of each call is determined using a scanning technique, and accumulating the elapsed time from the entry of a customer call into the BellSouth of system queue until the customer call is abandoned or transferred to BellSouth personnel assigned to handle calls for system makes no distinction between CLEC customers and BellSouth customers.

Calculation

Speed to Answer Performance/Average Speed to Answer - Tol

- a = Total queue time
- b = Total calls answered

Note: Total queue time includes time that answered calls wait in stime abandoned calls wait in queue prior to abandonment.

Report Structure

- · Reported for the aggregate of BellSouth and CLECs
 - State

Data Retained (on Aggregate Basis)

- For the items below, BellSouth's Performance Measurement Ar(PMAP) receives a final computation; therefore, no raw data file is available in PMAP
- Month
- Call Type (Toll)
- · Average Speed of Answer

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• None	sign

SEEM Measure

Γ			SEEM M
Γ	No	Tier I	
1		Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	ole

OS-2: Speed to Answer Performance/Percent Answered with "X" Seconds - Toll

Definition

Measurement of the percent of toll calls that are answered in less than ten seconds.

Exclusions

None

Business Rules

The clock starts when the customer enters the queue and the clock stops when a BellSouth representative answers the call or the customer abandons the call. The length of each call is determined by measuring, using a scanning technique, and accumulating the elapsed time from the entry of a customer call into the BellSouth call management system queue until the customer call is abandoned or transferred to BellSouth personnel assigned to handle calls for assistance. The system makes no distinction between CLEC customers and BellSouth customers.

Calculation

The Percent Answered within "X" Seconds measurement for toll is derived by using the BellCore Statistical Answer Conversion Tables, to convert the Average Speed to Answer measure into a percent of calls answered within "X" seconds. The BellCore Conversion Tables are specific to the defined parameters of work time, number of operators, max queue size and call abandonment rates.

Report Structure

- Reported for the aggregate of BellSouth and CLECs
 - State

Data Retained (on Aggregate Basis)

- For the items below, BellSouth's Performance Measurement Analysis Platform (PMAP) receives a final computation; therefore, no raw data file is available in PMAP
- Month
- Call Type (Toll)
- · Average Speed of Answer

SQM Disaggregation - Analog/Benchmark

1	S	QM Level of Disaggregation	SQM Analog/Benchmark
	• None		Parity by Design

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

DA-1: Speed to Answer Performance/Average Speed to Answer - Directory Assistance (DA)

Definition

Measurement of the average time in seconds calls wait before answered by a DA operator.

Exclusions

None

Business Rules

The clock starts when the customer enters the queue and the clock stops when a BellSouth representative answers the call or the customer abandons the call. The length of each call is determined by measuring, using a scanning technique, and accumulating the elapsed time from the entry of a customer call into the BellSouth call management system queue until the customer call is abandoned or transferred to BellSouth personnel assigned to handle calls for assistance. The system makes no distinction between CLEC customers and BellSouth customers.

Calculation

Speed to Answer Performance/Average Speed to Answer - Directory Assistance (DA) = a / b

- a = Total queue time
- b = Total calls answered

Note: Total queue time includes time that answered calls wait in queue as well as time abandoned calls wait in queue prior to abandonment.

Report Structure

- · Reported for the aggregate of BellSouth and CLECs
 - State

Data Retained (on Aggregate Basis)

- For the items below, BellSouth's Performance Measurement Analysis Platform (PMAP) receives a final computation; therefore, no raw data file is available in PMAP
- Month
- Call Type (DA)
- · Average Speed of Answer

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• None	Parity by Design

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

DA-2: Speed to Answer Performance/Percent Answered within "X" Seconds - Directory Assistance (DA)

Definition

Measurement of the percent of DA calls that are answered in less than twelve seconds.

Exclusions

None

Business Rules

The clock starts when the customer enters the queue and the clock stops when a BellSouth representative answers the call or the customer abandons the call. The length of each call is determined by measuring, using a scanning technique, and accumulating the elapsed time from the entry of a customer call into the BellSouth call management system queue until the customer call is abandoned or transferred to BellSouth personnel assigned to handle calls for assistance. The system makes no distinction between CLEC customers and BellSouth customers.

Calculation

The Percent Answered within "X" Seconds measurement for DA is derived by using the BellCore Statistical Answer Conversion Tables, to convert the Average Speed to Answer measure into a percent of calls answered within "X" seconds. The BellCore Conversion Tables are specific to the defined parameters of work time, number of operators, max queue size and call abandonment rates.

Report Structure

- · Reported for the aggregate of BellSouth and CLECs
 - State

Data Retained (on Aggregate Basis)

- For the items below, BellSouth's Performance Measurement Analysis Platform (PMAP) receives a final computation; therefore, no raw data file is available in PMAP.
- Month
- Call Type (DA)
- Average Speed of Answer

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• None	Parity by Design

SEEM Measure

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

Section 7: Database Update Information

D-1: Average Database Update Interval

Definition

This report measures the interval from receipt of the database change request to the completion of the update to the database for Line Information Database (LIDB), Directory Assistance and Directory Listings. For E-911, see Section 8.

Exclusions

- · Updates Canceled by the CLEC
- · Initial update when supplemented by CLEC
- · BellSouth updates associated with internal or administrative use of local services

Business Rules

The interval for this measure begins with the date and time stamp when a service order is completed and the completion notice is released to all systems to be updated with the order information including Directory Assistance, Directory Listings, and Line Information Database (LIDB). The end time stamp is the date and time of completion of updates to the system.

For BellSouth Results:

The BellSouth computation is identical to that for the CLEC with the clarifications noted below.

Other Clarifications and Qualification:

- For LIDB, the elapsed time for a BellSouth update is measured from the point in time when the BellSouth file maintenance process makes the LIDB update information available until the date and time reported by BellSouth that database updates are completed.
- Results for the CLECs are captured and reported at the update level by Reporting Dimension (see below).
- The Completion Date is the date upon which BellSouth issues the Update Completion Notice to the CLEC.
- If the CLEC initiates a supplement to the originally submitted update and the supplement reflects changes in customer requirements (rather than responding to BellSouth initiated changes), then the update submission date and time will be the date and time of BellSouth receipt of a syntactically correct update supplement. Update activities responding to BellSouth initiated changes will not result in changes to the update submission date and time used for the purposes of computing the update completion interval.
- Elapsed time is measured in hours and hundredths of hours rounded to the nearest tenth of an hour.
- Because this should be a highly automated process, the accumulation of elapsed time continues through off-schedule, weekends and holidays; however, scheduled maintenance windows are excluded.

Calculation

$Update\ Interval = (a - b)$

- a = Completion Date & Time of Database Update
- b = Submission Date and Time of Database Change

Average Update Interval = (c / d)

- c = Sum of all Update Intervals
- d = Total Number of Updates Completed During Reporting Period

Report Structure

- CLEC Specific (Under development)
- CLEC Aggregate
- BellSouth Aggregate

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Database File Submission Time	Database File Submission Time
Database File Update Completion Time	 Database File Update Completion Time
CLEC Number of Submissions	 BellSouth Number of Submissions
Total Number of Updates	Total Number of Updates

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation:	SQM Analog/Benchmark:
Database Type	Parity by Design
• LIDB	
Directory Listings	
Directory Assistance	

SEEM Measure

SEEM Measure				
No	Tier I			
	Tier II		,	

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

791 of 836

D-2: Percent Database Update Accuracy

Definition

This report measures the accuracy of database updates by BellSouth for Line Information Database (LIDB), Directory Assistance, and Directory Listings using a statistically valid sample of LSRs/Orders in a manual review. This manual review is not conducted on BellSouth Retail Orders.

Exclusions

- · Updates canceled by the CLEC
- · Initial update when supplemented by CLEC
- · CLEC orders that had CLEC errors
- · BellSouth updates associated with internal or administrative use of local services

Business Rules

For each update completed during the reporting period, the original update that the CLEC sent to BellSouth is compared to the database following completion of the update by BellSouth. An update is "completed without error" if the database completely and accurately reflects the activity specified on the original and supplemental update (order) submitted by the CLEC. Each database (LIDB, Directory Assistance, and Directory Listings) should be separately tracked and reported.

A statistically valid sample of CLEC Orders are pulled each month. That sample will be used to test the accuracy of the database update process. This is a manual process.

Calculation

Percent Update Accuracy = (a / b) X 100

- a = Number of Updates Completed Without Error
- b = Number Updates Completed

Report Structure

- CLEC Aggregate
- CLEC Specific (not available in this report)
- BellSouth Aggregate (not available in this report)

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
 Report Month CLEC Order Number (so_nbr) and PON (PON) Local Service Request (LSR) Order Submission Date Number of Orders Reviewed 	Not Applicable
Note: Code in parentheses is the corresponding header found in the raw data file.	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Database Type	• 95% Accurate
• LIDB	
Directory Assistance	
Directory Listings	

SEEM Measure

SEEM Measure				
No	Tier I			
	Tier II			

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

D-3: Percent NXXs and LRNs Loaded by the LERG Effective Date

Definition

Measurement of the percent of NXX(s) and Location Routing Numbers LRN(s) loaded in end office and/or tandem switches by the Local Exchange Routing Guide (LERG) effective date when facilities are in place. BellSouth has a single provisioning process for both NXX(s) and LRN(s). In this measure, BellSouth will identify whether or not a particular NXX has been flagged as LNP capable (set triggers for dips) by the LERG effective date.

An LRN is assigned by the owner of the switch and is placed into the software translations for every switch to be used as an administrative pointer to route NXX(s) in LNP capable switches. The LRN is a result of Local Number Porting and is housed in a national database provided by the Number Portability Administration Center (NPAC). The switch owner is responsible for notifying NPAC and requesting the effective date that will be reflected in the LERG. The national database downloads routing tables into BellSouth Service Control Point (SCP) regional databases, which are queried by switches when routing ported numbers.

The basic NXX routing process includes the addition of all NXX(s) in the response translations. This addition to response translations is what supports LRN routing. Routing instructions for all NXX(s), including LRN(s), are received from the Advance Routing & Trunking System (ARTS) and all routing, including response, is established based on the information contained in the Translation Work Instructions (TWINs) document.

Exclusions

- · Activation requests where the CLEC's interconnection arrangements and facilities are not in place by the LERG effective date
- · Expedite requests

Business Rules

Data for the initial NXX(s) and LRN(s) in a local calling area will be based on the LERG effective date or completion of the initial interconnection trunk group(s), whichever is longer. Data for additional NXX(s) in the local calling area will be based on the LERG effective date. The LERG effective date is loaded into the system at the request of the CLEC. It is contingent upon the CLEC to engineer, order, and install interconnection arrangements and facilities prior to that date.

The total Count of NXX(s) and LRN(s) that were scheduled to be loaded and those that were loaded by the LERG effective date in BellSouth switches will be captured in the Work Force Administration -Dispatch In database.

Calculation

Percent NXXs/LRNs Loaded and Tested Prior to the LERG Effective Date = (a / b) X 100

- a = Count of NXXs and LRNs loaded by the LERG effective date
- b = Total NXXs and LRNs scheduled to be loaded by the LERG effective date

Report Structure

- CLEC Specific
- CLEC Aggregate
- BellSouth (Not Applicable)

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Company Name	Not Applicable
Company Code	
NPA/NXX	
LERG Effective Date	
Loaded Date	

SQM Level of Disaggregation	SQM Analog/Benchmark
Geographic Scope	100% by LERG Effective Date
- Region	

SEEM Measure

SEEM Measure				
No	Tier I			
	Tier II			

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

795 of 836

Section 8: E911

E-1: Timeliness

Definition

Measures the percent of batch orders for E911 database updates (to CLEC resale and BellSouth retail records) processed successfully within a 24-hour period.

Exclusions

- · Any resale order canceled by a CLEC
- · Facilities-based CLEC orders

Business Rules

The 24-hour processing period is calculated based on the date and time processing starts on the batch orders and the date and time processing stops on the batch orders. Mechanical processing starts when SCC (the BellSouth E911 vendor) receives E911 files containing batch orders extracted from the BellSouth Service Order Control System (SOCS). Processing stops when SCC loads the individual records to the E911 database. The E911 database includes updates to the Automatic Location Identification (ALI) database. The system makes no distinction between CLEC resale records and BellSouth retail records.

Calculation

E911 Timeliness = (a / b) X 100

- a = Number of batch orders processed within 24 hours
- b = Total number of batch orders submitted

Report Structure

Reported for the aggregate of CLEC resale updates and BellSouth retail updates

- State
- Region

Data Retained

- Report month
- Aggregate data

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• None	Parity by Design

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

E-2: Accuracy

Definition

Measures the percent of E911 telephone number (TN) record updates (to CLEC resale and BellSouth retail records) processed successfully for E911 (including the Automatic Location Identification (ALI) database).

Exclusions

- · Any resale order canceled by a CLEC
- Facilities-based CLEC orders

Business Rules

Accuracy is based on the number of records processed without error at the conclusion of the processing cycle. Mechanical processing starts when SCC (the BellSouth E911 vendor) receives E911 files containing telephone number (TN) records extracted from BellSouth's Service Order Control System (SOCS). The system makes no distinction between CLEC resale records and BellSouth retail records.

Calculation

E911 Accuracy = (a / b) X 100

- a = Number of record individual updates processed with no errors
- b = Total number of individual record updates

Report Structure

Reported for the aggregate of CLEC resale updates and BellSouth retail updates

- State
- Region

Data Retained

- · Report month
- Aggregate data

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
None	Parity by Design

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

ſ	SEEM Disaggregation	SEEM Analog/Benchmark
Ī	Not Applicable	Not Applicable

797 of 836

E-3: Mean Interval

Definition

Measures the mean interval processing of E911 batch orders (to update CLEC resale and BellSouth retail records) including processing against the Automatic Location Identification (ALI) database.

Exclusions

- · Any resale order canceled by a CLEC
- · Facilities-based CLEC orders

Business Rules

The processing period is calculated based on the date and time processing starts on the batch orders and the date and time processing stops on the batch orders. Data is posted is 4-hour increments up to and beyond 24 hours. The system makes no distinction between CLEC resale records and BellSouth retail records.

Calculation

E911 Interval = (a - b)

- a = Date and time of batch order completion
- b = Date and time of batch order submission

E911 Mean Interval = (c/d)

- c = Sum of all E911 Intervals
- d = Number of batch orders completed

Report Structure

Reported for the aggregate of CLEC resale updates and BellSouth retail updates

- State
- Region

Data Retained

- Report month
- · Aggregate data

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• None	Parity by Design

SEEM Measure

SEEM Measure				
No	Tier I			
Tier II				

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

Section 9: Trunk Group Performance

TGP-1: Trunk Group Performance-Aggregate

Definition

The Trunk Group Performance report displays, over a reporting cycle, aggregate, average trunk group blocking data for each hour of each day of the reporting cycle, for both CLEC affecting and BellSouth affecting trunk groups.

Exclusions

- Trunk groups for which valid data is not available for an entire study period
- Duplicate trunk group information
- Trunk groups blocked due to CLEC network/equipment failure
- Trunk groups blocked due to CLEC delayed or refused orders
- Trunk groups blocked due to unanticipated significant increases in CLEC traffic
- Final groups actually overflowing, not blocked

Business Rules

The purpose of the Trunk Group Performance Report is to provide trunk blocking measurements on CLEC and BellSouth trunk groups for comparison only. It is not the intent of the report that it be used for network management and/or engineering.

Monthly Average Blocking:

- The reporting cycle includes both business and non-business days in a calendar month.
- Monthly average blocking values are calculated for each trunk group for each of the 24 time consistent hours across a reporting
 cycle.

Aggregate Monthly Blocking:

- Used to compare aggregate blocking across trunk groups which terminate traffic at CLEC points of presence versus BellSouth switches
- Aggregate monthly blocking data is calculated for each hour of the day across all trunk groups assigned to a category.

Trunk Categorization:

This report displays, over a reporting cycle, aggregate, average blocking data for each hour of a day. Therefore, for each reporting cycle, 24 blocking data points are generated for two aggregate groups of selected trunk groups. These groups are CLEC affecting and BellSouth affecting trunk groups. In order to assign trunk groups to each aggregate group, all trunk groups are first assigned to a category. A trunk group's end points and the type of traffic that is transmitted on it define a category. Selected categories of trunk groups are assigned to the aggregate groups so that trunk reports can be generated. The categories to which trunk groups have been assigned for this report are as follows.

Point R

BellSouth End Office

CLEC Affecting Categories:

	romeA	Folik B
Category 1:	BellSouth End Office	BellSouth Access Tandem
Category 3:	BellSouth End Office	CLEC Switch
Category 4:	BellSouth Local Tandem	CLEC Switch
Category 5:	BellSouth Access Tandem	CLEC Switch
Category 10:	BellSouth End Office	BellSouth Local Tandem
Category 16:	BellSouth Tandem	BellSouth Tandem
BellSouth Affecting Ca	tegories:	
	Point A	Point B

BellSouth End Office

Point A

Calculation

Category 9:

Monthly Average Blocking:

 For each hour of the day, each day's raw data are summed across all valid measurements days in a report cycle for blocked and attempted calls.

Version 0.06 RGN-005-122101 • The sum of the blocked calls is divided by the total number of calls attempted in a reporting period.

Aggregate Monthly Blocking:

- For each hour of the day, the monthly sums of the blocked and attempted calls from each trunk group are separately aggregated over all trunk groups within each assigned category.
- The total blocked calls is divided by the total call attempts within a group to calculate an aggregate monthly blocking for each assigned group.
- The result is an aggregate monthly average blocking value for each of the 24 hours by group.
- The difference between the CLEC and BellSouth affecting trunk groups are also calculated for each hour.

Report Structure

- CLEC Aggregate
- BellSouth Aggregate
 - State

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
Total Trunk Groups	Total Trunk Groups
Number of Trunk Groups by CLEC	Aggregate Hourly Blocking Per Trunk Group
Hourly Blocking Per Trunk Group	Hourly Usage Per Trunk Group
Hourly Usage Per Trunk Group	Hourly Call Attempts Per Trunk Group
Hourly Call Attempts Per Trunk Group	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
CLEC aggregate	Any 2 hour period in 24 hours where CLEC blockage
BellSouth aggregate	exceeds BellSouth blockage by more than 0.5% using
	trunk groups 1, 3, 4, 5, 10, 16 for CLECs and 9 for
	BellSouth

SEEM Measure

SEEM Measure			
Yes	Tier I		
	Tier II		X

SEEM Disaggregation	SEEM Analog/Benchmark
CLEC Aggregate	 Any 2 hour period in 24 hours where CLEC blockage
BellSouth Aggregate	exceeds BellSouth blockage by more than 0.5% using
	trunk groups 1,3,4,5,10,16 for CLECs and 9 for
	BellSouth

TGP-2: Trunk Group Performance-CLEC Specific

Definition

The Trunk Group Performance report displays, over a reporting cycle, aggregate, average trunk group blocking data for each hour of each day of the reporting cycle, for both CLEC affecting and BellSouth affecting trunk groups.

Exclusions

- Trunk Groups for which valid data is not available for an entire study period
- · Duplicate trunk group information
- Trunk groups blocked due to CLEC network/equipment failure
- Trunk groups blocked due to CLEC delayed or refused orders
- · Trunk groups blocked due to unanticipated significant increases in CLEC traffic
- · Final groups actually overflowing, not blocked

Business Rules

The purpose of the Trunk Group Performance Report is to provide trunk blocking measurements on CLEC and BellSouth trunk groups for comparison only. It is not the intent of the report that it be used for network management and/or engineering.

Monthly Average Blocking:

- The reporting cycle includes both business and non-business days in a calendar month.
- Monthly average blocking values are calculated for each trunk group for each of the 24 time consistent hours across a reporting cycle.

Aggregate Monthly Blocking:

- · Used to compare aggregate blocking across trunk groups which terminate traffic at CLEC points of presence versus BellSouth
- · Aggregate monthly blocking data is calculated for each hour of the day across all trunk groups assigned to a category.

Trunk Categorization:

• This report displays, over a reporting cycle, aggregate, average blocking data for each hour of a day. Therefore, for each reporting cycle, 24 blocking data points are generated for two aggregate groups of selected trunk groups. These groups are CLEC affecting and BellSouth affecting trunk groups. In order to assign trunk groups to each aggregate group, all trunk groups are first assigned to a category. A trunk group's end points and the type of traffic that is transmitted on it define a category. Selected categories of trunk groups are assigned to the aggregate groups so that trunk reports can be generated. The categories to which trunk groups have been assigned for this report are as follows.

CLEC Affecting Categories:

چ ^{ماسب} رس ال	Point A	Point B
Category 1:	BellSouth End Office	BellSouth Access Tandem
Category 3:	BellSouth End Office	CLEC Switch
Category 4:	BellSouth Local Tandem	CLEC Switch
Category 5:	BellSouth Access Tandem	CLEC Switch
Category 10:	BellSouth End Office	BellSouth Local Tandem
Category 16:	BellSouth Tandem	BellSouth Tandem
BellSouth Affecting	g Categories:	
	Point A	Point B
Category 9:	BellSouth End Office	BellSouth End Office

801 of 836

Calculation

Monthly Average Blocking:

- For each hour of the day, each day's raw data are summed across all valid measurements days in a report cycle for blocked and attempted calls.
- The sum of the blocked calls is divided by the total number of calls attempted in a reporting period.

Aggregate Monthly Blocking:

- For each hour of the day, the monthly sums of the blocked and attempted calls from each trunk group are separately aggregated over all trunk groups within each assigned category.
- The total blocked calls is divided by the total call attempts within a group to calculate an aggregate monthly blocking for each assigned group.
- The result is an aggregate monthly average blocking value for each of the 24 hours by group.
- The difference between the CLEC and BellSouth affecting trunk groups are also calculated for each hour.

Report Structure

- CLEC Specific
 - State

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
Total Trunk Groups	Total Trunk Groups
 Number of Trunk Groups by CLEC 	Aggregate Hourly Blocking Per Trunk Group
Hourly Blocking Per Trunk Group	Hourly Usage Per Trunk Group
Hourly Usage Per Trunk Group	Hourly Call Attempts Per Trunk Group
Hourly Call Attempts Per Trunk Group	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
CLEC Trunk Group	 Any 2 hour period in 24 hours where CLEC blockage exceeds BellSouth blockage by more than 0.5% using
	trunk groups 1, 3, 4, 5, 10, 16 for CLECs and 9 for BellSouth

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
CLEC Trunk Group	 Any 2 hour period in 24 hours where CLEC blockage
BellSouth Trunk Group	exceeds BellSouth blockage by more than 0.5% using
	trunk groups 1, 3, 4, 5, 10, 16 for CLECs and 9 for
	BellSouth

Section 10: Collocation

C-1: Collocation Average Response Time

Definition

Measures the average time (counted in calendar days) from the receipt of a complete and accurate collocation application (including receipt of application fee if required) to the date BellSouth returns a response electronically or in writing. Within 10 calendar days after having received a bona fide application for physical collocation, BellSouth must respond as to whether space is available or not.

Exclusions

Any application canceled by the CLEC.

Business Rules

The clock starts on the date that BellSouth receives a complete and accurate collocation application accompanied by the appropriate application fee if required. The clock stops on the date that BellSouth returns a response. The clock will restart upon receipt of changes to the original application request.

Calculation

Response Time = (a - b)

- a = Request Response Date
- b = Request Submission Date

Average Response Time = (c / d)

- c = Sum of all Response Times
- d = Count of Responses Returned within Reporting Period

Report Structure

- Individual CLEC (alias) Aggregate
- Aggregate of all CLECs

Data Retained

- · Report Period
- Aggregate Data

SQM Disaggregation - Analog/Benchmark

Level of Disaggregation	SQM Analog/Benchmark
• State	Virtual - 20 Calendar Days
Virtual-Initial	Physical Caged - 30 Calendar Days
Virtual-Augment	Physical Cageless - 30 Calendar Days
Physical Caged-Initial	
Physical Caged-Augment	
Physical-Cageless-Initial	
Physical Cageless-Augment	

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

C-2: Collocation Average Arrangement Time

Definition

Measures the average time (counted in calendar days) from receipt of a complete and accurate Bona Fide firm order (including receipt of appropriate fee if required) to the date BellSouth completes the collocation arrangement and notifies the CLEC.

Exclusions

- · Any Bona Fide firm order canceled by the CLEC
- · Any Bona Fide firm order with a CLEC-negotiated interval longer than the benchmark interval

Business Rules

The clock starts on the date that BellSouth receives a complete and accurate Bone Fide firm order accompanied by the appropriate fee. The clock stops on the date that BellSouth completes the collocation arrangement and notifies the CLEC.

Calculation

Arrangement Time = (a - b)

- a = Date Collocation Arrangement is Complete
- b = Date Order for Collocation Arrangement Submitted

Average Arrangement Time = (c / d)

- c = Sum of all Arrangement Times
- d = Total Number of Collocation Arrangements Completed during Reporting Period

Report Structure

- Individual CLEC (alias) Aggregate
- Aggregate of all CLECs

Data Retained

- Report Period
- Aggregate Data

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• State	Virtual - 50 Calendar Days (Ordinary)
• Virtual-Initial	 Virtual - 75 Calendar Days (Extraordinary)
Virtual-Augment	Physical Caged - 90 Calendar Days
Physical Caged-Initial	Physical Cageless - 60 Calendar Days (Ordinary)
Physical Caged-Augment	Physical Cageless - 90 Calendar Days (Extraordinary)
Physical Cageless-Initial	
Physical Cageless-Augment	

SEEM Measure

SEEM Measure				
No	Tier I			
	Tier II			

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

C-3: Collocation Percent of Due Dates Missed

Definition

Measures the percent of missed due dates for both virtual and physical collocation arrangements.

Exclusions

Any Bona Fide firm order canceled by the CLEC.

Business Rules

Percent Due Dates Missed is the percent of total collocation arrangements which BellSouth is unable to complete by end of the BellSouth committed due date. The clock starts on the date that BellSouth receives a complete and accurate Bona Fide firm order accompanied by the appropriate fee if required. The arrangement is considered a missed due date if it is not completed on or before the committed due date.

Calculation

% of Due Dates Missed = $(a/b) \times 100$

- a = Number of Completed Orders that were not completed within BellSouth Committed Due Date during Reporting Period
- b = Number of Orders Completed in Reporting Period

Report Structure

- Individual CLEC (alias) Aggregate
- · Aggregate of all CLECs

Data Retained

- Report Period
- Aggregate Data

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• State	• >= 95% on time
Virtual-Initial	
Virtual-Augment	
Physical Caged-Initial	
Physical Caged-Augment	
Physical Cageless-Initial	
Physical Cageless-Augment	

SEEM Measure

SEEM Measure			
Yes Tier I X			
Tier II X			

SEEM Disaggregation	SEEM Analog/Benchmark
All Collocation Arrangements	• >= 95% on time

Section 11: Change Management

CM-1: Timeliness of Change Management Notices

Definition

Measures whether CLECs receive required software release notices on time to prepare for BellSouth interface/system changes so CLEC interfaces are not impaired by change.

Exclusions

- Changes to release dates for reasons outside BellSouth control, such as the system software vendor changes. For example: a patch to fix a software problem.
- Type 6 Change Requests (Defects/Expedites), as defined by the Change Control Process (CCP)

Business Rules

This metric is designed to measure the percent of change management notices sent to the CLECs according to notification standards and time frames set forth in the Change Control Process. The CCP is used by BellSouth and the CLECs to manage requested changes to the BellSouth Local Interfaces.

The clock starts on the notification date. The clock stops on the software release date. When project events occur (scope changes, analysis information, etc.), the software release date may change. A revised notification would be required and the clock would restart. Based on release constraints for defects/expedites, notification may be less than the agreed upon interval in the CCP for new features.

Calculation

Timeliness of Change Management Notices = (a / b) X 100

- a = Total number of Change Management Notifications Sent Within Required Timeframes
- b = Total Number of Change Management Notifications Sent

Report Structure

· BellSouth Aggregate

Data Retained

- · Report Period
- Notice Date
- Release Date

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Region	• 95% >= 30 Days of Release

SEEM Measure

SEEM Measure		
Yes Tier I		
Tier II X		

SEEM Disaggregation	SEEM Analog/Benchmark
Region	• 95% >= 30 Days of Release

CM-2: Change Management Notice Average Delay Days

Definition

Measures the average delay days for change management system release notices sent outside the time frame set forth in the Change Control Process.

Exclusions

- Changes to release dates for reasons outside BellSouth control, such as the system software vendor changes. For example: a patch to fix a software problem
- Type 6 Change Requests (Defects/Expedites), as defined by the Change Control Process

Business Rules

This metric is designed to measure the percent of change management notices sent to the CLECs according to notification standards and time frames set forth in the Change Control Process. The CCP is used by BellSouth and the CLECs to manage requested changes to the BellSouth Local Interfaces.

The clock starts on the notification due date. The clock stops on the software release date. When project events occur (scope changes, analysis information, etc.), the software release date may change. A revised notification would be required and the clock would restart. Based on release constraints for defects/expedites, notification may be less than the agreed upon interval in the CCP for new features.

Calculation

Change Management Notice Delay Days = (a - b)

- a = Date Notice Sent
- b = Date Notice Due

Change Management Notice Average Delay Days = (c / d)

- c = Sum of all Change Management Notice Delay Days
- d = Total Number of Notices Sent Late

Report Structure

· BellSouth Aggregate

Data Retained

- Report Period
- Notice Date
- Release Date

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Region	• <= 8 Days

SEEM Measure

	SI	EM Meas	ure	
No	Tier I			
	Tier II			

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

CM-3: Timeliness of Documents Associated with Change

Definition

Measures whether CLECs received requirements or business rule documentation on time to prepare for BellSouth interface/system changes so CLEC interfaces are not impaired by change.

Exclusions

- Documentation for release dates that slip less than 30 days for reasons outside BellSouth control, such as changes due to Regulatory mandate or CLEC request
- Type 6 Change Requests (Defects/Expedites), as defined by the Change Control Process

Business Rules

This metric is designed to measure the percent of requirements or business rule documentation sent to the CLECs according to documentation standards and timeframes set forth in the Change Control Process. The CCP is used by BellSouth and the CLECs to manage requested changes to the BellSouth Local Interfaces.

The clock starts on the business rule documentation release date. The clock stops on the software release date. When project events occur (scope changes, analysis information, etc.), the software release date may change. Revisions to documentation could be required and the clock would restart.

Calculation

Timeliness of Documents Associated with Change = (a / b) X 100

- a = Change Management Documentation Sent Within Required Timeframes after Notices
- b = Total Number of Change Management Documentation Sent

Report Structure

• BellSouth Aggregate

Data Retained

- · Report Period
- Notice Date
- · Release Date

SQM Disaggregation - Analog/Benchmark

SQM Analog/Benchmark
 95% >= 30 days if new features coding is required 95% >= 5 days for documentation defects, corrections or clarifications

SEEM Measure

	SEEM Measure		
Yes	Tier I		
	Tier II	X	

SEEM Disaggregation	SEEM Analog/Benchmark
Region	• 95% >= 30 days of the change

CM-4: Change Management Documentation Average Delay Days

Definition

Measures the average delay days for requirements or business rule documentation sent outside the time frames set forth in the Change Control Process.

Exclusions

- Documentation for release dates that slip less than 30 days for reasons outside BellSouth control, such as changes due to Regulatory mandate or CLEC request
- Type 6 Change Requests (Defects/Expedites), as defined by the Change Control Process

Business Rules

This metric is designed to measure the percent of requirements or business rule documentation sent to the CLECs according to documentation standards and time frames set forth in the Change Control Process. The CCP is used by BellSouth and the CLECs to manage requested changes to the BellSouth Local Interfaces.

The clock starts on the business rule documentation release date. The clock stops on the software release date. When project events occur (scope changes, analysis information, etc.), the software release date may change. Revisions to documentation could be required and the clock would restart.

Calculation

Change Management Documentation Delay Days = (a - b)

- a = Date Documentation Provided
- b = Date Documentation Due

Change Management Documentation Average Delay Days = (c / d)

- c = Sum of all CM Documentation Delay Days
- d = Total Change Management Documents Sent

Report Structure

· BellSouth Aggregate

Data Retained

- Report Period
- Notice Date
- Release Date

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• Region	• <= 8 Days

SEEM Measure

		SEEM Me	easure	
No	Tier I			
	Tier II			

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

CM-5: Notification of CLEC Interface Outages

Definition

Measures the time it takes BellSouth to notify the CLEC of an outage of an interface.

Exclusions

None

Business Rules

This measure is designed to notify the CLEC of interface outages within 15 minutes of BellSouth's verification that an outage has taken place. This metric will be expressed as a percentage.

Calculation

Notification of CLEC Interface Outages = (a / b) X 100

- a = Number of Interface Outages where CLECS are notified within 15 minutes
- b = Total Number of Interface Outages

Report Structure

• CLEC Aggregate

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Number of Interface Outages	Not Applicable
 Number of Notifications <= 15 minutes 	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• By interface type for all interfaces accessed by CLECs	• 97% in 15 Minutes

Interface	Applicable to	
EDI	CLEC	
CSOTS	CLEC	
LENS	CLEC	
TAG	CLEC	
ECTA	CLEC	
TAFI	CLEC/BellSouth	

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

Section 12: Bona Fide / New Business Request Process

BFR-1: Percentage of BFR/NBR Requests Processed Within 30 Business Days

Definition

Percentage of Bona Fide/New Business Requests processed within 30 business days for the development and purchases of network elements not currently offered.

Exclusions

· Any application cancelled by the CLEC

Business Rules

The clock starts when BellSouth receives a complete and accurate application. The clock stops when BellSouth completes application processing for Network Elements that are not operational at the time of the request.

Calculation

Percentage of BFR/NBR Requests Processed Within 30 Business Days = (a / b) X 100

- a = Count of number of requests processed within 30 days
- b = Total number of requests

Report Structure

- Individual CLEC (alias) Aggregate
- · Aggregate of all CLECs

Data Retained

- Report Period
- Aggregate Data

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• Region	• 90% <= 30 business days

SEEM Measure

	SEEM Measure				
No	Tier I				
	Tier II				

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

BFR-2: Percentage of Quotes Provided for Authorized BFR/NBR Requests Processed Within X (10/30/60) Business Days

Definition

Percentage of quotes provided in response to Bona Fide/New Business Requests within X (10/30/60) business days for network elements not currently offered.

Exclusions

· Requests that are subject to pending arbitration

Business Rules

The clock starts when BellSouth receives a complete and accurate application. The clock stops when BellSouth responds back to the application with a price quote.

Calculation

Percentage of Quotes Provided for Authorized BFR/NBR Requests Processed Within X (10/30/60) Business Days = (a / b) X 100

- a = Count of number of requests processed within "X" days
- b = Total number of requests where "X" = 10, 30, or 60 days

Report Structure

- · New Network Elements that are operational at the time of the request
- New Network Elements that are ordered by the FCC
- · New Network Elements that are not operational at the time of the request

Data Retained

- · Report Period
- Aggregate Data

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Region	• 90% <= 10/30/60 business days
	- Network Elements that are operational at the time of
	the request – 10 days
	- Network Elements that are Ordered by the FCC – 30
	days
	- New Network Elements - 90 days

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

Appendix A: Reporting Scope

A-1: Standard Service Groupings

See individual reports in the body of the SQM.

A-2: Standard Service Order Activities

These are the generic BellSouth/CLEC service order activities which are included in the Pre-Ordering, Ordering, and Provisioning sections of this document. It is not meant to indicate specific reporting categories.

Service Order Activity Types

- · Service Migrations Without Changes
- Service Migrations With Changes
- Move and Change Activities
- Service Disconnects (Unless noted otherwise)
- · New Service Installations

Pre-Ordering Query Types

- Address
- Telephone Number
- Appointment Scheduling
- · Customer Service Record
- Feature Availability
- · Service Inquiry

Maintenance Query Types:

TAFI - TAFI queries the systems below

- CRIS
- March
- Predictor
- LMOS
 - DLR
 - DLETH
 LMOSupd
- · LNF
- NIW
- OSPCM
- SOCS

Report Levels

- CLEC RESH
- CLEC State
- CLEC Region
- Aggregate CLEC State
- Aggregate CLEC Region
- · BellSouth State
- BellSouth Region

Appendix B: Glossary of Acronyms and Terms

Symbols used in calculations

A mathematical symbol representing the sum of a series of values following the symbol.

A mathematical operator representing subtraction.

A mathematical operator representing addition.

A mathematical operator representing division.

A mathematical symbol that indicates the metric on the left of the symbol is less than the metric on the right.

<=

A mathematical symbol that indicates the metric on the left of the symbol is less than or equal to the metric on the right.

A mathematical symbol that indicates the metric on the left of the symbol is greater than the metric on the right.

>=

A mathematical symbol that indicates the metric on the left of the symbol is greater than or equal to the metric on the right.

()
Parentheses, used to group mathematical operations which are completed before operations outside the parentheses.

Α

ACD

Automatic Call Distributor - A service that provides status monitoring of agents in a call center and routes high volume incoming telephone calls to available agents while collecting management information on both callers and attendants.

Aggregate

Sum total of all items in like category, e.g. CLEC aggregate equals the sum total of all CLECs' data for a given reporting level.

ALEC

Alternative Local Exchange Company = FL CLEC

ADSL

Asymmetrical Digital Subscriber Line

ASR

Access Service Request - A request for access service terminating delivery of carrier traffic into a Local Exchange Carrier's network.

ATLAS

Application for Telephone Number Load Administration System - The BellSouth Operations System used to administer the pool of available telephone numbers and to reserve selected numbers from the pool for use on pending service requests/service orders.

ATLASTN

ATLAS software contract for Telephone Number.

Auto Clarification

The number of LSRs that were electronically rejected from LESOG and electronically returned to the CLEC for correction.

В

BFR:

Bona Fide Request

BILLING

The process and functions by which billing data is collected and by which account information is processed in order to render accurate and timely billing.

BOCRIS

Business Office Customer Record Information System (Front-end to the CRIS database.)

BRI

Basic Rate ISDN

RRC

Business Repair Center - The BellSouth Business Systems trouble receipt center which serves business and CLEC customers.

BellSouth

BellSouth Telecommunications, Inc.

C

CABS

Carrier Access Billing System

CCC

Coordinated Customer Conversions

CCP

Change Control Process

Centrex

A business telephone service, offered by local exchange carriers, which is similar to a Private Branch Exchange (PBX) but the switching equipment is located in the telephone company Central Office (CO).

CKTID

A unique identifier for elements combined in a service configuration

CLEC

Competitive Local Exchange Carrier

CLP

Competitive Local Provider = NC CLEC

CM

Change Management

CMDS

Centralized Message Distribution System - Telcordia administered national system used to transfer specially formatted messages among companies.

COFFI

Central Office Feature File Interface - Provides information about USOCs and class of service. COFFI is a part of DOE/ SONGS. It indicates all services available to a customer.

COG

Corporate Gateway - Telcordia product designed for the electronic submission of xDSL Local Service Requests.

CRIS

Customer Record Information System - The BellSouth proprietary corporate database and billing system for non-access customers and services.

CRSACCTS

CRIS software contract for CSR information

CRSG

Complex Resale Support Group

C-SOTS

CLEC Service Order Tracking System

CSR

Customer Service Record

CTTG

Common Transport Trunk Group - Final trunk groups between BellSouth & Independent end offices and the BellSouth access tandems.

CWINS Center

Customer Wholesale Interconnection Network Services Center (formerly the UNE Center).

D

DA

Directory Assistance

Design

Design Service is defined as any Special or Plain Old Telephone Service Order which requires BellSouth Design Engineering Activities.

Disposition & Cause

Types of trouble conditions, e.g. No Trouble Found, Central Office Equipment, Customer Premises Equipment, etc.

DLETH

Display Lengthy Trouble History - A history report that gives all activity on a line record for trouble reports in LMOS.

DLR

Detail Line Record - All the basic information maintained on a line record in LMOS, e.g. name, address, facilities, features etc.

DS-0

The worldwide standard speed for one digital voice signal (64000 bps).

DS-1

24 DS-0s (1.544Mb/sec., i.e. carrier systems)

DOE

Direct Order Entry System - An internal BellSouth service order entry system used by BellSouth Service Representatives to input business service orders in BellSouth format.

DOM

Delivery Order Manager - Telcordia product designed for the electronic submission of xDSL Local Service Requests.

DSAP

DOE (Direct Order Entry) Support Application - The BellSouth Operations System which assists a Service Representative or similar carrier agent in negotiating service provisioning commitments for non-designed services and Unbundled Network Elements.

DSAPDDI

DSAP software contract for schedule information.

DSI

Digital Subscriber Line

DUI

Database Update Information

E

E911

Provides callers access to the applicable emergency services bureau by dialing a 3-digit universal telephone number.

EDI

Electronic Data Interchange - The computer-to-computer exchange of inter and/or intra-company business documents in a public standard format.

ESSX

BellSouth Centrex Service

F

Fatal Reject

LSRs electronically rejected from LEO, which checks to see of the LSR has all the required fields correctly populated.

Flow-Through

In the context of this document, LSRs submitted electronically via the CLEC mechanized ordering process that flow through to the BellSouth OSS without manual or human intervention.

FOC

Firm Order Confirmation - A notification returned to the CLEC confirming that the LSR has been received and accepted, including the specified commitment date.

FX

Foreign Exchange

GН



HAL

"Hands Off" Assignment Logic - Front end access and error resolution logic used in interfacing BellSouth Operations Systems such as ATLAS, BOCRIS, LMOS, PSIMS, RSAG and SOCS.

HALCRIS

HAL software contract for CSR information

HDSI

High Density Subscriber Loop/Line

IJK

ILEC

Incumbent Local Exchange Company

INP

Interim Number Portability

ISDN

Integrated Services Digital Network

IPC

Interconnection Purchasing Center

L

LAN

Local Area Network

LAUTO

The automatic processor in the LNP Gateway that validates LSRs and issues service orders.

LCSC

Local Carrier Service Center - The BellSouth center which is dedicated to handling CLEC LSRs, ASRs, and Preordering transactions along with associated expedite requests and escalations.

Legacy System

Term used to refer to BellSouth Operations Support Systems (see OSS)

LENS

Local Exchange Negotiation System - The BellSouth LAN/web server/OS application developed to provide both preordering and ordering electronic interface functions for CLECs.

LEO

Local Exchange Ordering - A BellSouth system which accepts the output of EDI, applies edit and formatting checks, and reformats the Local Service Requests in BellSouth Service Order format.

LERG

Local Exchange Routing Guide

LESOG

Local Exchange Service Order Generator - A BellSouth system which accepts the service order output of LEO and enters the Service Order into the Service Order Control System using terminal emulation technology.

LFACS

Loop Facilities Assessment and Control System

LIDB

Line Information Database

LISC

Local Interconnection Service Center - The center that issues trunk orders.

LMOS

Loop Maintenance Operations System - A BellSouth Operations System that stores the assignment and selected account information for use by downstream OSS and BellSouth personnel during provisioning and maintenance activities.

LMOS HOST

LMOS host computer

LMOSupd

LMOS updates

LMU

Loop Make-up

LMUS

Loop Make-up Service Inquiry

LNP

Local Number Portability - In the context of this document, the capability for a subscriber to retain his current telephone number as he transfers to a different local service provider.

Loops

Transmission paths from the central office to the customer premises.

LRN

Location Routing Number

LSR

Local Service Request - A request for local resale service or unbundled network elements from a CLEC.

M

Maintenance & Repair

The process and function by which trouble reports are passed to BellSouth and by which the related service problems are resolved.

MARCH

BellSouth Operations System which accepts service orders, interprets the coding contained in the service order image, and constructs the specific switching system Recent Change command messages for input into end office switches.

N

NBR

New Business Request

NC

"No Circuits" - All circuits busy announcement.

NIW

Network Information Warehouse

NMLI

Native Mode LAN Interconnection

NPA

Numbering Plan Area

NXX

The "exchange" portion of a telephone number.

0

OASIS

Obtain Availability Services Information System - A BellSouth front-end processor, which acts as an interface between COFFI and RNS. This system takes the USOCs in COFFI and translates them to English for display in RNS.

OASISBSN

OASIS software contract for feature/service

OASISCAR

OASIS software contract for feature/service

OASISLPC

OASIS software contract for feature/service

OASISMTN

OASIS software contract for feature/service

OASISNET

OASIS software contract for feature/service

OASISOCP

OASIS software contract for feature/service

ORDERING

The process and functions by which resale services or unbundled network elements are ordered from BellSouth as well as the process by which an LSR or ASR is placed with BellSouth.

OSPCM

Outside Plant Contract Management System - Provides Scheduling Information.

OSS

Operations Support System - A support system or database which is used to mechanize the flow or performance of work. The term is used to refer to the overall system consisting of hardware complex, computer operating system(s), and application which is used to provide the support functions.

Out Of Service

Customer has no dial tone and cannot call out.

P

PMAP

Performance Measurement Analysis Platform

PMOAP

Performance Measurement Quality Assurance Plan

PON

Purchase Order Number

POTS

Plain Old Telephone Service

PREDICTOR

The BellSouth Operations system which is used to administer proactive maintenance and rehabilitation activities on outside plant facilities, provide access to selected work groups (e.g. RRC & BRC) to Mechanized Loop Testing and switching system I/O ports, and provide certain information regarding the attributes and capabilities of outside plant facilities.

Preordering

The process and functions by which vital information is obtained, verified, or validated prior to placing a service request.

PRI

Primary Rate ISDN

Provisioning

The process and functions by which necessary work is performed to activate a service requested via an LSR or ASR and to initiate the proper billing and accounting functions.

PSIMS

Product/Service Inventory Management System - A BellSouth database Operations System which contains availability information on switching system features and capabilities and on BellSouth service availability. This database is used to verify the availability of a feature or service in an NXX prior to making a commitment to the customer.

PSIMSORB

PSIMS software contract for feature/service.

QR

RNS

Regional Negotiation System - An internal BellSouth service order entry system used by BellSouth Consumer Services to input service orders in BellSouth format.

ROS

Regional Ordering System

RRC

Residence Repair Center - The BellSouth Consumer Services trouble receipt center which serves residential customers.

RSAG

Regional Street Address Guide - The BellSouth database, which contains street addresses validated to be accurate with state and local governments.

RSAGADDR

RSAG software contract for address search.

RSAGTN

RSAG software contract for telephone number search.

S

SAC

Service Advocacy Center

SEEM

Self Effectuating Enforcement Mechanism

SOCS

Service Order Control System - The BellSouth Operations System which routes service order images among BellSouth drop points and BellSouth Operations Systems during the service provisioning process.

SOG

Service Order Generator - Telcordia product designed to generate a service order for xDSL.

SOIR

Service Order Interface Record - any change effecting activity to a customer account by service order that impacts 911/E911

SONGS

Service Order Negotiation and Generation System.

T

TAFI

Trouble Analysis Facilitation Interface - The BellSouth Operations System that supports trouble receipt center personnel in taking and handling customer trouble reports.

TAG

Telecommunications Access Gateway – TAG was designed to provide an electronic interface, or machine-to-machine interface for the bi-directional flow of information between BellSouth's OSSs and participating CLECs.

TN

Telephone Number

Total Manual Fallout

The number of LSRs which are entered electronically but require manual entering into a service order generator.

UV

UNE

Unbundled Network Element

UCL

Unbundled Copper Link

USOC

Universal Service Order Code

WXYZ

WATS

Wide Area Telephone Service

WFA

Work Force Administration

WMC

Work Management Center

WTN


Working Telephone Number.

Appendix C: Appendix C: BellSouth Audit Policy

BellSouth currently provides many CLECs with certain audit rights as a part of their individual interconnection agreements. However, it is not reasonable for BellSouth to undergo an audit of the SQM for every CLEC with which it has a contract. BellSouth has developed a proposed Audit Plan for use by the parties to an audit. If requested by a Public Service Commission or by a CLEC exercising contractual audit rights, BellSouth will agree to undergo a comprehensive audit of the aggregate level reports for both BellSouth and the CLEC(s) each of the next five (5) years (2001-2005) to be conducted by an independent third party. The results of that audit will be made available to all the parties subject to proper safeguards to protect proprietary information. This aggregate level audit includes the following specifications:

- 1. The cost shall be borne 50% by BellSouth and 50% by the CLEC or CLECs.
- 2. The independent third party auditor shall be selected with input from BellSouth, the PSC, if applicable, and the CLEC(s).
- 3. BellSouth, the PSC and the CLEC(s) shall jointly determine the scope of the audit.

BellSouth reserves the right to make changes to this audit policy as growth and changes in the industry dictate.



Attachment 10

BellSouth Disaster Recovery Plan

<u>CON</u>	<u>rents</u>	<u>5</u>		PAGE
1.0	Purpo	se		2
2.0	-	Point of	Contact	2
3.0	Identifying the Problem			2
	3.1	Site Co		3
	3.2	Enviro	nmental Concerns	4
4.0	The E	The Emergency Control Center (ECC)		
5.0	Recovery Procedures			5
		CLEC (5
	5.2	BellSou	oth Outage	5
			Loss of Central Office	6
		5.2.2	Loss of a Central Office with Serving Wire Center Functions	6
		5.2.3	Loss of a Central Office with Tandem Functions	6
		5.2.4	Loss of a Facility Hub	6
	5.3	Combin	ned Outage (CLEC and BellSouth Equipment)	7
6.0	T1 Ide	entificatio	on Procedures	7
7.0	Acron	yms		8

1.0 PURPOSE

In the unlikely event of a disaster occurring that affects BellSouth's long-term ability to deliver traffic to a Competitive Local Exchange Carrier (CLEC), general procedures have been developed to hasten the recovery process. Since each location is different and could be affected by an assortment of potential problems, a detailed recovery plan is impractical. However, in the process of reviewing recovery activities for specific locations, some basic procedures emerge that appear to be common in most cases.

These general procedures should apply to any disaster that affects the delivery of traffic for an extended time period. Each CLEC will be given the same consideration during an outage and service will be restored as quickly as possible.

This document will cover the basic recovery procedures that would apply to every CLEC.

2.0 SINGLE POINT OF CONTACT

When a problem is experienced, regardless of the severity, the BellSouth Network Management Center (NMC) will observe traffic anomalies and begin monitoring the situation. Controls will be appropriately applied to insure the sanity of BellSouth's network; and, in the event that a switch or facility node is lost, the NMC will attempt to circumvent the failure using available reroutes.

BellSouth's NMC will remain in control of the restoration efforts until the problem has been identified as being a long-term outage. At that time, the NMC will contact BellSouth's Emergency Control Center (ECC) and relinquish control of the recovery efforts. Even though the ECC may take charge of the situation, the NMC will continue to monitor the circumstances and restore traffic as soon as damaged network elements are revitalized.

The telephone number for the BellSouth Network Management Center in Atlanta, as published in Telcordia's National Network Management Directory, is 404-321-2516.

1 IDENTIFYING THE PROBLEM

During the early stages of problem detection, the NMC will be able to tell which CLECs are affected by the catastrophe. Further analysis and/or first hand observation will determine if the disaster has affected CLEC equipment only; BellSouth equipment only or a combination. The initial restoration activity will be largely determined by the equipment that is affected.

Once the nature of the disaster is determined and after verifying the cause of the problem, the NMC will initiate reroutes and/or transfers that are jointly agreed upon by the affected CLECs' Network Management Center and the BellSouth NMC. The type and percentage of controls used will depend upon available network capacity. Controls necessary to stabilize the situation will be invoked and the NMC will attempt to re-establish as much traffic as possible.

For long-term outages, recovery efforts will be coordinated by the Emergency Control Center (ECC). Traffic controls will continue to be applied by the NMC until facilities are re-established. As equipment is made available for service, the ECC will instruct the NMC to begin removing the controls and allow traffic to resume.

3.1 SITE CONTROL

In the total loss of building use scenario, what likely exists will be a smoking pile of rubble. This rubble will contain many components that could be dangerous. It could also contain any personnel on the premises at the time of the disaster. For these reasons, the local fire marshal with the assistance of the police will control the site until the building is no longer a threat to surrounding properties and the companies have secured the site from the general public.

During this time, the majority owner of the building should be arranging for a demolition contractor to mobilize to the site with the primary objective of reaching the cable entrance facility for a damage assessment. The results of this assessment would then dictate immediate plans for restoration, both short term and permanent.

In a less catastrophic event, i.e., the building is still standing and the cable entrance facility is usable, the situation is more complex. The site will initially be controlled by local authorities until the threat to adjacent property has diminished. Once the site is returned to the control of the companies, the following events should occur.

An initial assessment of the main building infrastructure systems (mechanical, electrical, fire and life safety, elevators, and others) will establish building needs. Once these needs are determined, the majority owner should lead the building restoration efforts. There may be situations where the site will not be totally restored within the confines of the building. The companies must individually determine their needs and jointly assess the cost of permanent restoration to determine the overall plan of action.

Multiple restoration trailers from each company will result in the need for designated space and installation order. This layout and control is required to maximize the amount of restoration equipment that can be placed at the site, and the priority of placements.

Care must be taken in this planning to insure other restoration efforts have logistical access to the building. Major components of telephone and building equipment will need to be removed and replaced. A priority for this equipment must also be jointly established to facilitate overall site restoration. (Example: If the AC switchgear has sustained damage, this would be of the highest priority in order to regain power, lighting, and HVAC throughout the building.)

If the site will not accommodate the required restoration equipment, the companies would then need to quickly arrange with local authorities for street closures, rights of way or other possible options available.

3.2 ENVIRONMENTAL CONCERNS

In the worse case scenario, many environmental concerns must be addressed. Along with the police and fire marshal, the state environmental protection department will be on site to monitor the situation.

Items to be concerned with in a large central office building could include:

- 1. Emergency engine fuel supply. Damage to the standby equipment and the fuel handling equipment could have created "spill" conditions that have to be handled within state and federal regulations.
- 2. Asbestos containing materials that may be spread throughout the wreckage. Asbestos could be in many components of building, electrical, mechanical, outside plant distribution, and telephone systems.
- 3. Lead and acid. These materials could be present in potentially large quantities depending upon the extent of damage to the power room.
- 4. Mercury and other regulated compounds resident in telephone equipment.
- 5. Other compounds produced by the fire or heat.

Once a total loss event occurs at a large site, local authorities will control immediate clean up (water placed on the wreckage by the fire department) and site access.

At some point, the companies will become involved with local authorities in the overall planning associated with site clean up and restoration. Depending on the clean up approach taken, delays in the restoration of several hours to several days may occur.

In a less severe disaster, items listed above are more defined and can be addressed individually depending on the damage.

In each case, the majority owner should coordinate building and environmental restoration as well as maintain proper planning and site control.

4.0 THE EMERGENCY CONTROL CENTER (ECC)

The ECC is located in the Colonnade Building in Birmingham, Alabama. During an emergency, the ECC staff will convene a group of pre-selected experts to inventory the damage and initiate corrective actions. These experts have regional access to BellSouth's personnel and equipment and will assume control of the restoration activity anywhere in the nine-state area.

In the past, the ECC has been involved with restoration activities resulting from hurricanes, ice storms and floods. They have demonstrated their capabilities during these calamities as well as

during outages caused by human error or equipment failures. This group has an excellent record of restoring service as quickly as possible.

During a major disaster, the ECC may move emergency equipment to the affected location, direct recovery efforts of local personnel and coordinate service restoration activities with the CLECs. The ECC will attempt to restore service as quickly as possible using whatever means is available; leaving permanent solutions, such as the replacement of damaged buildings or equipment, for local personnel to administer.

Part of the ECC's responsibility, after temporary equipment is in place, is to support the NMC efforts to return service to the CLECs. Once service has been restored, the ECC will return control of the network to normal operational organizations. Any long-term changes required after service is restored will be made in an orderly fashion and will be conducted as normal activity.

5.0 RECOVERY PROCEDURES

The nature and severity of any disaster will influence the recovery procedures. One crucial factor in determining how BellSouth will proceed with restoration is whether or not BellSouth's equipment is incapacitated. Regardless of who's equipment is out of service, BellSouth will move as quickly as possible to aid with service recovery; however, the approach that will be taken may differ depending upon the location of the problem.

5.1 CLEC OUTAGE

For a problem limited to one CLEC (or a building with multiple CLECs), BellSouth has several options available for restoring service quickly. For those CLECs that have agreements with other CLECs, BellSouth can immediately start directing traffic to a provisional CLEC for completion. This alternative is dependent upon BellSouth having concurrence from the affected CLECs.

Whether or not the affected CLECs have requested a traffic transfer to another CLEC will not impact BellSouth's resolve to re-establish traffic to the original destination as quickly as possible.

5.2 BELLSOUTH OUTAGE

Because BellSouth's equipment has varying degrees of impact on the service provided to the CLECs, restoring service from damaged BellSouth equipment is different. The outage will probably impact a number of Carriers simultaneously. However, the ECC will be able to initiate immediate actions to correct the problem.

A disaster involving any of BellSouth's equipment locations could impact the CLECs, some more than others. A disaster at a Central Office (CO) would only impact the delivery of traffic to and from that one location, but the incident could affect many Carriers. If the Central Office is a Serving Wire Center (SWC), then traffic from the entire area to those Carriers served from that switch would also be impacted. If the switch functions as an Access Tandem, or there is a tandem in the building, traffic from every CO to every CLEC could be interrupted. A disaster that destroys a facility hub could disrupt various traffic flows, even though the switching equipment may be unaffected.

The NMC would be the first group to observe a problem involving BellSouth's equipment. Shortly after a disaster, the NMC will begin applying controls and finding re-routes for the

completion of as much traffic as possible. These reroutes may involve delivering traffic to alternate Carriers upon receiving approval from the CLECs involved. In some cases, changes in translations will be required. If the outage is caused by the destruction of equipment, then the ECC will assume control of the restoration.

5.2.1 Loss of a Central Office

When BellSouth loses a Central Office, the ECC will

- a) Place specialists and emergency equipment on notice;
- b) Inventory the damage to determine what equipment and/or functions are lost;
- c) Move containerized emergency equipment and facility equipment to the stricken area, if necessary;
- d) Begin reconnecting service for Hospitals, Police and other emergency agencies; and
- e) Begin restoring service to CLECs and other customers.

5.2.2 Loss of a Central Office with Serving Wire Center Functions

The loss of a Central Office that also serves as a Serving Wire Center (SWC) will be restored as described in Section 5.2.1.

5.2.3 Loss of a Central Office with Tandem Functions

When BellSouth loses a Central Office building that serves as an Access Tandem and as a SWC, the ECC will

- a) Place specialists and emergency equipment on notice;
- b) Inventory the damage to determine what equipment and/or functions are lost;
 - c) Move containerized emergency equipment and facility equipment to the stricken area, if necessary;
 - d) Begin reconnecting service for Hospitals, Police and other emergency agencies;
 - e) Re-direct as much traffic as possible to the alternate access tandem (if available) for delivery to those CLECs utilizing a different location as a SWC;
 - f) Begin aggregating traffic to a location near the damaged building. From this location, begin re-establishing trunk groups to the CLECs for the delivery of traffic normally found on the direct trunk groups. (This aggregation point may be the alternate access tandem location or another CO on a primary facility route.)
 - g) Begin restoring service to CLECs and other customers.

5.2.4 Loss of a Facility Hub

In the event that BellSouth loses a facility hub, the recovery process is much the same as above. Once the NMC has observed the problem and administered the appropriate controls, the ECC will assume authority for the repairs. The recovery effort will include

- ----a) Placing specialists and emergency equipment on notice;
 - b) Inventorying the damage to determine what equipment and/or functions are lost;
 - c) Moving containerized emergency equipment to the stricken area, if necessary;
 - d) Reconnecting service for Hospitals, Police and other emergency agencies; and
 - e) Restoring service to CLECs and other customers. If necessary, BellSouth will aggregate the traffic at another location and build temporary facilities. This alternative would be viable for a location that is destroyed and building repairs are required.

5.3 COMBINED OUTAGE (CLEC AND BELLSOUTH EQUIPMENT)

In some instances, a disaster may impact BellSouth's equipment as well as the CLECs'. This situation will be handled in much the same way as described in Section 5.2.3. Since BellSouth and the CLECs will be utilizing temporary equipment, close coordination will be required.

6.0 T1 IDENTIFICATION PROCEDURES

During the restoration of service after a disaster, BellSouth may be forced to aggregate traffic for delivery to a CLEC. During this process, T1 traffic may be consolidated onto DS3s and may become unidentifiable to the Carrier. Because resources will be limited, BellSouth may be forced to "package" this traffic entirely differently then normally received by the CLECs. Therefore, a method for identifying the T1 traffic on the DS3s and providing the information to the Carriers is required.

7.0 ACRONYMS

CO - Central Office (BellSouth)

DS3 - Facility that carries 28 T1s (672 circuits)

ECC - Emergency Control Center (BellSouth)

CLEC - Competitive Local Exchange Carrier

NMC - Network Management Center

SWC - Serving Wire Center (BellSouth switch)

T1 - Facility that carries 24 circuits

Hurricane Information

During a hurricane, BellSouth will make every effort to keep CLECs updated on the status of our network. Information centers will be set up throughout BellSouth Telecommunications. These centers are not intended to be used for escalations, but rather to keep the CLEC informed of network related issues, area damages and dispatch conditions, etc.

Hurricane-related information can also be found on line at http://www.interconnection.bellsouth.com/network/disaster/dis_resp.htm. Information concerning Mechanized Disaster Reports can also be found at this website by clicking on CURRENT MDR REPORTS or by going directly to http://www.interconnection.bellsouth.com/network/disaster/mdrs.htm.

BST Disaster Management Plan

BellSouth maintenance centers have geographical and redundant communication capabilities. In the event of a disaster removing any maintenance center from service another geographical center would assume maintenance responsibilities. The contact numbers will not change and the transfer will be transparent to the CLEC.

Attachment 11

Bona Fide Request and New Business Requests Process

BONA FIDE REQUEST AND NEW BUSINESS REQUESTS PROCESS

Version 2Q02: 05/31/02

- The Parties agree that Delta Phones is entitled to order any Network Element, Interconnection option, service option or Resale Service required to be made available by the Communications Act of 1934, as modified by the Telecommunications Act of 1996 (the "Act"), FCC requirements or State Commission requirements. Delta Phones also shall be permitted to request the development of new or revised facilities or service options which are not required by the Act. Procedures applicable to requesting the addition of such facilities or service options are specified in this Attachment 11.
- 2.0 Bona Fide Requests ("BFR") are to be used when Delta Phones makes a request of BellSouth to provide a new or modified network element, interconnection option, or other service option pursuant to the Act that was not previously included in the Agreement. New Business Requests ("NBRs") are to be used when Delta Phones makes a request of BellSouth to provide a new or custom capability or function to meet Delta Phones's business needs that was not previously included in the Agreement.
- 3.0 A BFR or a NBR shall be submitted in writing by Delta Phones and shall specifically identify the required service date, technical requirements, space requirements and/or such specifications that clearly define the request such that BellSouth has sufficient information to analyze and prepare a response. Such a request also shall include a Delta Phones's designation of the request as being (i) pursuant to the Telecommunications Act of 1996 (i.e. a "BFR") or (ii) pursuant to the needs of the business (i.e. a "NBR"). The request shall be sent to Delta Phones's Local Contract Manager.
- Within thirty (30) business days of its receipt of a BFR or NBR from Delta Phones, BellSouth shall respond to Delta Phones by providing a preliminary analysis of such Interconnection, Network Element, or other facility or service option that is the subject of the BFR or NBR. The preliminary analysis shall confirm that BellSouth will either offer access to the Interconnection, Network Element, or other facility or service option, or provide an explanation of why it is not technically feasible and/or why the request does not qualify as an Interconnection or Network Element or is otherwise not required to be provided under the Act. However, if the preliminary analysis is determined to be of such complexity that it causes BellSouth to expend inordinate resources, a fee will be levied upon Delta Phones and collected prior to the beginning of the preliminary analysis and the thirty (30) business days will begin upon receipt of the fee. In addition to the preliminary analysis, an explanation of the fee will be provided.

- 5.0 Delta Phones may cancel a BFR or NBR at any time. If Delta Phones cancels the request more than three (3) business days after submitting it, Delta Phones shall pay BellSouth's reasonable and demonstrable costs of processing and/or implementing the BFR or NBR up to the date of cancellation. If Delta Phones does not cancel a BFR or NBR, Delta Phones shall pay BellSouth's reasonable and demonstrable costs of processing and implementing the request.
- 6.0 BellSouth shall propose a firm price quote and a detailed implementation plan for BFRs within thirty (30) business days of Delta Phones's acceptance of the preliminary analysis. BellSouth shall propose a firm price and a detailed implementation plan for NBRs within sixty (60) business days of Delta Phones's acceptance of the preliminary analysis.
- 7.0 If Delta Phones accepts the preliminary analysis, BellSouth shall proceed with Delta Phones's BFR or NBR, and Delta Phones agrees to pay the non-refundable amount identified in the preliminary analysis for the initial work required to develop the project plan, create the design parameters, and establish all activities and resources required to complete the BFR or NBR. These costs will be referred to as "development" costs. The development costs identified in the preliminary analysis are fixed. If Delta Phones cancels a BFR or NBR after BellSouth has received Delta Phones's acceptance of the preliminary analysis, Delta Phones agrees to pay BellSouth the reasonable, demonstrable, and actual costs, if any, directly related to complying with Delta Phones's BFR or NBR up to the date of cancellation, to the extent such costs were not included in the non-refundable amount set forth above.
- 8.0 If Delta Phones believes that BellSouth's firm price quote is not consistent with the requirements of the Act, Delta Phones may seek FCC or state Commission arbitration of its request, as appropriate. Any such arbitration applicable to Network Elements and/or Interconnection shall be conducted in accordance with standards prescribed in Section 252 of the Act.
- 9.0 Unless Delta Phones agrees otherwise, all prices shall be consistent with the pricing principles of the Act, FCC and/or the State Commission.
- 10.0 If either Party to a BFR or NBR believes that the other Party is not requesting, negotiating, or processing the Bona Fide Request in good faith, or disputes a determination, or price or cost quote, such Party may seek FCC or state Commission resolution of the dispute, as appropriate.
- Upon agreement to the terms of a BFR or NBR, an amendment to the Agreement may be required.