



Kenneth M. Rubin, Esq.
Senior Counsel
Florida Power & Light Company
700 Universe Boulevard
Juno Beach, FL 33408-0420
(561) 691-2512
(561) 691-7135 (Facsimile)
E-mail: ken.rubin@fpl.com

March 23, 2012

VIA HAND DELIVERY

Ms. Cindy Miller
Florida Public Service Commission
Office of General Counsel
2540 Shumard Oak Boulevard
Tallahassee, FL 32399-0850

RECEIVED-FPSC
MAR 23 PM 3:23
COMMISSION
CLERK

Re: UNDOCKETED - Initiation of Rulemaking to Amend Rules 25-6.050
and 25.6.100, F.A.C.

Dear Ms. Miller:

I am writing on behalf of Florida Power and Light Company (FPL) to request that a rule development workshop be conducted in connection with the above-referenced rule amendments that were the subject of the undocketed Notice of Development of Rulemaking issued March 9, 2012. FPL wishes to present comments and seek clarification regarding various aspects of the rules as they currently appear, as well as the amendments to those rules proposed in the March 9, 2012 Notice. The requested rule development workshop will enable all affected persons to provide meaningful input that will be helpful to the Staff and the Commission in considering the proposed rule amendments.

With reference to Rule 25-6.050, F.A.C., FPL will present comments and suggest a simple clarification to Staff's proposed language which would fully address FPL's concerns regarding the proposed amendment to the rule. With the understanding that other parties may suggest additional language and address other aspects of the rule, the language that FPL offers has been added in red below, as follows:

25-6.050 Location of Meters.

The utility shall designate to an applicant or its customers the location for meter placement. Locations of meters should be easily accessible for reading, testing, and making necessary adjustments and repairs. If a customer requests a different location, and the requested location is acceptable to the utility, the customer is responsible for all additional costs resulting from the relocation request.

DOCUMENT NUMBER-DATE


01746 MAR 23 2012

FPSC-COMMISSION CLERK

With reference to Rule 25-6.100(2)(j), F.A.C., FPL would simply like to confirm that Staff agrees that FPL's use of a post office box as the Company's address adequately meets the requirements of the first portion of the proposed amendment to the rule. Additionally, FPL seeks to confirm that the intent of the second portion of the proposed amendment is to require the utility to allow customers to call the toll free number (identified on the customer bill) to obtain all locations where they can pay their utility bills without incurring a surcharge or fee, rather than requiring the identification of those locations on the actual customer bill.

Thank you for your assistance in connection with this matter.

Sincerely,



Kenneth M. Rubin
Senior Counsel

cc: Ann Cole, Director
Office of Commission Clerk