OFFICE OF AUDITING & PERFORMANCE ANALYSIS DALE MAILHOT DIRECTOR (850) 413-6854

COMMISSIONERS: RONALD A. BRISÉ, CHAIRMAN LISA POLAK EDGAR ART GRAHAM EDUARDO E. BALBIS JULIE I. BROWN



Hublic Service Commission

January 4, 2013

Ms. Paula K. Brown Peoples Gas System Post Office Box 111 Tampa, FL 33601-0111

Re: Docket No. 130004-GU; A3e Natural Gas Conservation Cost Recovery; Audit Control No: 13-004-2-1

Dear Ms. Brown:

The Florida Public Service Commission will conduct an audit, in accordance with Commission audit procedures. Access will be requested to documents and records of the utility and, if necessary, supporting records for affiliate company transactions that affect regulated operations. Staff auditors may also request to review the utility's external audit working papers for the most recent independent audit. Ms. Linda Hill-Slaughter, the Tampa district office supervisor, will coordinate this audit. Ms. Hill-Slaughter can be reached at (813) 637-8672. Questions regarding the audit or audit staff should be directed to the district supervisor or to me. My phone number is (850) 413-6416.

The Audit Access to Records rule for each industry states: "In those instances where the utility disagrees with the auditor's assessment of a reasonable response time to the audit request, the utility shall first attempt to discuss the disagreement with the auditor and reach an acceptable revised date. If agreement cannot be reached, the utility shall discuss the issue with successive levels of supervisors at the Commission until an agreement is reached."

A formal report is expected to be issued for internal Commission use on June 1, 2013. A copy of the final report will be sent by electronic mail to the company liaison listed on the Commission Mailing Directory, unless an alternate email is provided to audit staff.

Sincerely,

Lynn M. Deamer, Chief of Auditing

Lym m down

Office of Auditing and Performance Analysis

LD:th

cc:

Office of Auditing and Performance Analysis (File Folder)

Office of Commission Clerk