FILED 9/20/2019 DOCUMENT NO. 08903-2019 FPSC - COMMISSION CLERK



Public Service Commission

CAPITAL CIRCLE OFFICE CENTER • 2540 SHUMARD OAK BOULEVARD TALLAHASSEE, FLORIDA 32399-0850

-M-E-M-O-R-A-N-D-U-M-

DATE:	September 20, 2019			
то:	Office of Commission C	lerk (Teitzman)		
FROM:	Division of Economics (Office of the General Co			
RE:		I – Petition for approval of 2019 revisions to under ariffs, by Gulf Power Company.	rground	1
AGENDA:	10/03/19 – Regular Ager	nda – Tariff Filing – Interested Persons May Partici	1-3	and and
COMMISSI	ONERS ASSIGNED:	All Commissioners	019 SEP	RECEIVED-FPSC
PREHEAR	ING OFFICER:	Administrative	P 20	JAE
CRITICAL	DATES:	12/01/19 (8-Month Effective Date)	AM S	TP
SPECIAL I	NSTRUCTIONS:	None	9: 48	SC.

Case Background

On April 1, 2019, Gulf Power Company (Gulf or utility) filed a petition for approval of revisions to its underground residential distribution (URD) tariffs. The URD tariffs apply to new residential subdivisions and represent the additional costs Gulf incurs to provide underground distribution service in place of overhead service. The proposed URD tariffs (legislative version) are contained in Attachment A to the recommendation. Gulf's current URD charges were approved in Order No. PSC-2017-0356-TRF-EI.¹

¹ Order No. PSC-2017-0356-TRF-EI, issued September 20, 2017, in Docket No. 20170074-EI, *In re: Petition for approval of 2017 revisions to underground residential distribution tariffs, by Gulf Power Company.*

Docket No. 20190078-EI Date: September 20, 2019

The Commission suspended Gulf's proposed tariffs by Order No. PSC-2019-0214-PCO-EI.² Gulf responded to staff's first data request on June 20, 2019. The Commission has jurisdiction over this matter pursuant to Sections 366.03, 366.04, 366.05, 366.06, Florida Statutes (F.S.).

² Order No. PSC-2019-0214-PCO-EI, issued June 3, 2019, in Docket No. 20190078-EI, In re: Petition for approval of 2019 revisions to underground residential distribution tariffs, by Gulf Power Company.

Discussion of Issues

Issue 1: Should the Commission approve Gulf's proposed URD tariffs and associated charges?

Recommendation: Yes, the Commission should approve Gulf's proposed URD tariffs and associated charges, as shown in Attachment A, effective October 3, 2019. (Coston, Draper)

Staff Analysis: Rule 25-6.078, Florida Administrative Code (F.A.C.), specifies investorowned utilities' (IOU) responsibilities for filing updated URD tariffs. Gulf filed the instant petition pursuant to subsection (3) of the rule, which requires IOUs to file supporting data and analyses for updated URD tariffs if the cost varies from the Commission-approved differential by more than ten percent. On October 30, 2018, Gulf informed the Commission that its differential for the low density subdivision increased by 14 percent from the differential approved in the 2017 order.

The URD tariffs provide charges for underground service in new residential subdivisions and represent the additional costs, if any, the utility incurs to provide underground service in place of overhead service. The cost of standard overhead construction is recovered through base rates from all ratepayers. In lieu of overhead construction, customers have the option of requesting underground facilities. Any additional cost is paid by the customer as contribution-in-aid-of construction (CIAC). Typically, the URD customer is the developer of a subdivision.

Gulf's URD charges are based on two standard model subdivisions: a 210-lot low density subdivision and a 176-lot high density subdivision. While actual construction may differ from the model subdivisions, the model subdivisions are designed to reflect average overhead and underground subdivisions.

Table 1-1 shows the current and proposed URD differentials for the low and high density subdivisions. The charges shown are per-lot charges. Gulf's URD tariffs also provide for reduced charges if the customer chooses to supply and/or install the primary and secondary trench and duct system.

Type of Subdivision	Current URD Differential	Proposed URD Differential
Low Density	\$498	\$568
High Density	\$562	\$609

Table 1-1Comparison of URD Differential per Lot

Source: Commission Order PSC-2017-0356-TRF-EI and 2019 Petition.

As shown in Table 1-1, the proposed URD differentials show an increase for both model subdivisions. The calculations of the proposed URD charges include (1) updated labor and material costs along with the associated loading factors and (2) operational costs. These costs are discussed below.

Labor and Material Costs

The installation costs of both underground and overhead facilities include the labor and material costs to provide primary, secondary, and service distribution lines, as well as transformers. The costs of poles are specific to overhead service, while the costs of trenching and backfilling are specific to underground service. Utilities are required, by Rule 25-6.078(5) F.A.C., to use current labor and materials costs in calculating its underground and overhead differential.

Gulf stated that there have not been any design changes to either the low or high density subdivision since 2015. The mix of Gulf employee and contractor labor remains the same as it was in 2017. Gulf employees continue to perform distribution construction activities. However, contract labor is also utilized to perform distribution overhead construction. Both Gulf and contractor labor rates have increase as specified in their respective contracts. Table 1-2 below compares total 2017 and 2019 per-lot labor and material costs for the two subdivisions.

Labor and Material Costs per Lot			
	2017 Costs	2019 Costs	Difference
Low Density			
Underground Labor/Material Costs	\$2,460	\$2,749	\$289
Overhead Labor/Material Costs	\$1,740	\$1,972	\$232
Per lot Differential	\$720	\$777	\$57
High Density		• • • • • • • • • • • • • • • • • • •	
Underground Labor/Material Costs	\$1,976	\$2,198	\$222
Overhead Labor/Material Costs	\$1,352	\$1,528	\$176
Per lot Differential	\$624	\$670	\$46

	Table 1	-2		
Labor and	Material	Costs	per	Lot

Source: Commission Order PSC-2017-0356-TRF-EI and 2019 Petition.

As Table 1-2 shows, there has been an increase in underground and overhead labor and material costs. Gulf explained that the increase is due to increases in its direct labor rate, material costs, and engineering and supervision overhead for both labor and materials. Specifically, labor costs have increased approximately 20 percent for both overhead and underground since 2017.

Operational Costs

Rule 25-6.078(4), F.A.C., requires that the differences in net present value (NPV) of operational costs between overhead and underground systems, including average historical storm restoration costs over the life of the facilities, be included in the URD charge. The inclusion of the operational cost is intended to capture longer term costs and benefits of undergrounding.

Operational costs include operations and maintenance costs and capital costs and represent the cost differential between maintaining and operating an underground versus an overhead system over the life of the facilities. The inclusion of the storm restoration cost in the URD differential lowers the differential, since an underground distribution system generally incurs less damage than an overhead system as a result of a storm and, therefore, less restoration costs when compared to an overhead system. Gulf's operational costs, last updated for the 2017 filing

Issue 1

represent a five-year average of historical operational costs (2013-2017). The methodology used by Gulf for calculating the NPV of operational costs was approved in Order No. PSC-12-0531-TRF-EI.³ Gulf's NPV calculation used a 32-year life of the facilities and a 7.35 percent discount rate. Staff notes that operational costs may vary in amount for different IOUs as a result of differences in size of service territory, miles of coastline, regions subject to extreme winds, age of the distribution system, or construction standards.

Gulf's combined non-storm operational costs and avoided storm costs have decreased slightly for both overhead and underground since 2017. In the low density model, the combined cost differential is -\$209, as compared to -\$222 in 2017. For the high density model, the combined cost differential is -\$61, as compared to -\$62 in 2017. Overhead operational costs for both subdivisions are higher than underground operational costs. Therefore, the inclusion of the operational costs results in a reduction to the pre-operational differential.

Gulf states that hurricane Michael storm costs are not included in the calculations of avoided storm costs in this filing. Staff notes that Rule 25-6.078(3), F.A.C., requires IOUs to file with the Office of Commission Clerk in the undocketed filings by October 15 of each year an updated calculation of the low density subdivision using current costs. If the calculated cost differential varies from the Commission-approved differential by more than ten percent, the utility is required to file a petition for updated URD tariffs on or before April 1 of the following year.

Table 1-3 presents the pre-operational, non-storm operational, and the avoided storm restoration cost differentials between overhead and underground systems. As noted above, the operational cost differentials are slightly lower than in the 2017. Overall, the proposed URD differential increase is related to the pre-operational labor and materials.

		ational 0036 Diffe	ential per Lot	
Type of Subdivision	Pre-Operational (A)	Non-storm Operational costs (B)	Avoided Storm costs (C)	Proposed URD Differentials (A)+(B)+(C)
Low Density	\$777	(\$174)	(\$35)	\$568
High Density	\$670	(\$43)	(\$18)	\$609

Table 1-3NPV of Operational Costs Differential per Lot

Source: 2019 Petition and Staff Data Requests.

Conclusion

Staff has reviewed Gulf's proposed URD tariffs and associated charges, its accompanying work papers, and responses to staff's data requests. Staff believes the proposed URD tariffs and associated charges are reasonable. Staff recommends approval of Gulf's proposed URD tariffs and associated charges, as shown in Attachment A, effective October 3, 2019.

³ Order No. PSC-12-0531-TRF-EI, issued October 4, 2012, in Docket No. 120075-EI, In re: Request by Gulf Power Company to modify its underground residential differential tariffs.

Issue 2: Should this docket be closed?

Recommendation: If Issue 1 is approved and a protest is filed within 21 days of the issuance of the order, the tariffs should remain in effect, with any revenues held subject to refund, pending resolution of the protest. If no timely protest is filed, this docket should be closed upon the issuance of a consummating order. (Schrader)

Staff Analysis: If Issue 1 is approved and a protest is filed within 21 days of the issuance of the order, the tariffs should remain in effect, with any revenues held subject to refund, pending resolution of the protest. If no timely protest is filed, this docket should be closed upon the issuance of a consummating order.

I

I

G	ulf I	Power'	Section No. IV Fifteenth- <u>Sixteenth</u> Revised S Canceling Fourteenth- <u>Fifteent</u>	iheet No. 4.25 hRevised Shee	t No. 4.25
			PAGE;	EFFECTIV	E DATE
6.2.8	Comp during but al	any's distribution facilities the construction of the pro	<u>UIPMENT</u> . The Applicant shall be once installed, are not damaged, o sject. This responsibility shall exten Should damage occur, the Applicar	lestroyed, or othe	erwise distur
6.2.9	PAYN of app	<u>IENT OF CHARGES</u> . The licable charges, if any, has	Company shall not be obligated to been completed.	install any faciliti	ies until paym
		<u>6.3 UNDERG</u> NEV	ROUND DISTRIBUTION FACILITIE VRESIDENTIAL SUBDIVISIONS	ES FOR	
6.3.1	Comp	any rules and procedures.	proper application and compliance the Company will install undergrout lential subdivisions of five (5) or mo	nd distribution fa	it with applica cilities to prov
6.3.2	<u>CONT</u> (a)	RIBUTION BY APPLICAN Prior to such installations, t	T. the Applicant and the Company will f installation, and the Applicant will	enter into an am	eement outlin ay the Comp
		Option		Low Density <u>Subdivision</u> (\$ per lot)	High Densit <u>Subdivision</u> (\$ per lot)
		1. Gulf supplies and insta and service trench, due	uis all primary, secondary, ct, and cable.	\$498 <u>568</u>	\$562 <u>609</u>
		 Applicant installs prima and duct system. Guff secondary duct and su duct. Gulf supplies and secondary, and service 	supplies primary and pplies and installs service d installs primary,	\$ 307<u>349</u>	\$4 <u>28455</u>
		 Applicant supplies and secondary trench and and secondary cable. service duct and cable. 	duct. Gulf supplies primary Gulf supplies and installs	\$ 181<u>209</u>	\$ 327<u>344</u>
		All construction done by the installations must be appro	e Applicant must meet the Company ved by the Company's authorized n	y's specification: epresentative.	3. A(I
		services (see "Three Pha requiring 120/240 volt op:	o pay a charge per foot and a cost se Lift Station" charts below) for an delta, 120/208 volt wye, or 27 each three phase service. This a (a) above.	three phase co 7/480 volt wve	service in n

Gulf Pow	Ninol	on No. IV leenth-Twentjeth Revised Sh seling Eighloonth-<u>Nineleenth</u>	
		PAGE	EFFECTIVE DATE
6.3.2 (continued)			
THREE PHASE LIF	T STATION		
	DE 3 PH SVC TO LIFT STATION	WIN TYPICAL SUBDIVISION	- OPTION 1
CUSTOMER REQU	EST: 120/208 or 277/480		
MOTOR SIZE		ABLE UNDERGROUND FACI	
< 5HP	SINGLE PHASE \$21.7025 87 per ft	TWO PHASES \$15-1817.77 per ft	THREE PHASES
	plus 3ph padmount br,	plus 3ph padmount br.	\$0 cost per ft plus 3ph padmount t
	pad, and ug service	pad, and ug service	pad, and ug service
	minus one oh transformer.	minus one oh transformer.	minus one oh transform
	cutout, arrester, and service	cutout, arrester, and service	cutout, arrester, and se
6HP < X < 25HP	\$ 8.88<u>11 58</u> per ft	\$10.8012.86 per ft	\$0 cost per ft
	plus 3ph padmount br,	plus 3ph padmount bx,	plus 3ph padmount t
	pad, and ug service	pad, and ug service	pad, and ug service
	minus 2 ch transformers,	minus 2 oh transformers,	minus 2 oh transforme
	2 cutouts, 2 arresters, and	2 cutouts, 2 arresters, and	2 cutouts, 2 arresters, a
> orlup	service	service	service
> 25HP	\$4.54 <u>6 67</u> per ft	\$2-36 <u>3 47</u> per ft	\$0 cost per ft
	plus 3ph padmount br,	plus 3ph padmount br,	plus 3ph padmount t
	pad, and ug service minus 3 ch transformers.	pad, and ug service minus 3 oh transformers,	pad, and ug service
)	3 cutouts, 3 arresters,	3 cutouts, 3 arresters,	minus 3 ch transforme 3 cutouts, 3 arrester
	cluster mt, and service	cluster mt, and service	cluster mit, and service
			Contraction of the
CUSTOMER REQU	EST: 120/240 OPEN DELTA		
		ABLE UNDERGROUND FACIL	ITIES
MOTOR SIZE	SINGLE PHASE	TWO PHASES	THREE PHASES
< 5HP	\$10.89 <u>13.01</u> per ft	\$0 cost per ft	\$0 cost per ft
	plus 2 padmount br,	plus 2 padmount br,	plus 2 padmount tx
	2 pads, and ug service minus one oh transformer.	2 pads, and ug service minus one oh transformer.	2 pads, and ug servic
	cutout, arrester, and service	cutout, arrester, and service	minus one oh transform cutout, arrester, and ser
6HP < X < 25HP	\$2.15 <u>3.20</u> per ft	\$0 cost per ft	\$0 cost per ft
	plus 2 padmount br,	plus 2 padmount bx,	plus 2 padmount br,
	2 pads, and ug service	2 pads, and ug service	2 pads, and ug servic
	minus 2 oh transformers,	minus 2 oh transformers,	minus 2 oh transforma
	2 cutouts, 2 arresters, and	2 cutouts, 2 arresters, and	2 cutouts, 2 arresters, a
	service	service	service
> 25HP	\$2.15 <u>3 20</u> per it	\$0 cost per ft	\$0 cost per ft
	plus 2 padmount tx, 2 pads, and ug service	plus 2 padmount bx,	plus 2 padmount br,
	minus 2 oh transformers,	2 pads, and up service minus 2 ch transformers,	2 pads, and ug servic
	2 cutouts, 2 arresters,	2 cutouts, 2 arresters,	minus 2 oh transforme 2 cutouts, 2 arresters

1

I

l

ł

Gulf Pow	/er'	Section No. IV Seventh- <u>Eighth</u> Revised Canceling Sixth- <u>Seventh</u>	Sheet No. 4.26.1 LRevised Sheet No. 4.26
		PAGE	EFFECTIVE DATE
3.2 (continued)			
. ,			
THREE PHASE LIF COSTS TO PROVID	T STATION DE 3 PH SVC TO LIFT STATION	WIN TYPICAL SUBDIVISION	
CUSTOMER REQU	EST: 120/208 or 277/480		
		ABLE UNDERGROUND FACIL	
MOTOR SIZE	SINGLE PHASE	TWO PHASES	THREE PHASES
< SHP	\$20 08 <u>25 03</u> per ft	\$14.79 <u>17.32</u> per ft	\$0 cost per ft
	plus 3ph padmount br,	plus 3ph pedmount br,	plus 3ph padmount br,
	pad, and ug service	pad, and ug service	pad, and ug service
	minus one oh transformer,	minus one oh transformer,	minus one oh transforme
6HP < X < 25HP	cutout, arrester, and service \$8-1610.74 per ft	cutout, arrester, and service	cutout, arrester, and serv
VIN - A - ZONF	plus 3ph padmount tx.	\$10.41 <u>12.41</u> per ft	\$0 cost per ft
	pad, and ug service	plus 3ph padmount bx,	plus 3ph padmount br,
	minus 2 oh transformers.	pad, and ug service minus 2 ch transformers,	pad, and ug service
	2 cutouts, 2 arresters, and	2 cutouts, 2 arresters, and	minus 2 oh transformen 2 cutouts, 2 arresters, ar
	service	service	2 culturs, 2 arresters, a service
> 25HP	\$3.78 <u>5 83</u> per ft	\$1.973.02 per ft	\$0 cost per ft
	plus 3ph padmount by	plus 3ph padmount br.	plus 3ph padmount br,
	pad, and ug service	pad, and ug service	pad, and ug service
	minus 3 ch transformers.	minus 3 ch transformers.	minus 3 ch transformen
	3 cutouts, 3 arresters,	3 cutouts, 3 arresters,	3 cutouts, 3 arresters,
	cluster mt, and service	cluster mt, and service	cluster mt, and service
ار او	2011年,建設在2014年的中国 1911年,1911年1月1日 1911年日日日日日日日日日日日日日日日日日日日日日日日日日日日日日日日日		
CUSTOMER REQU	EST: 120/240 OPEN DELTA		
	AVAIL	ABLE UNDERGROUND FACIL	ITIES
MOTOR SIZE	SINGLE PHASE	TWO PHASES	THREE PHASES
	\$ 10.57<u>12.62</u> per ft	\$0 cost per ft	\$0 cost per ft
< 5HP			
	plus 2 padmount tx,	plus 2 padmount tx,	plus 2 padmount tx,
	plus 2 padmount tx, 2 pads, and ug service	2 pads, and ug service	2 pads, and ug service
	plus 2 padmount tx, 2 pads, and ug service minus one ch transformer,	2 pads, and ug service minus one on transformer,	2 pads, and ug service minus one oh transforme
< 5HP	plus 2 padmount tx, 2 pads, and ug service minus one oh transformer, cutout, arrester, and service	2 pads, and ug service minus one oh transformer, cutout, arrester, and service	2 pads, and ug service minus one oh transforme cutout, arrester, and servi
	plus 2 padmount tx, 2 pads, and ug service minus one oh transformer, cutout, arrester, and service \$1.842.81 per ft	2 pads, and ug service minus one oh transformer, cutout, arrester, and service \$0 cost per ft	2 pads, and ug service minus one oh transforme cutout, arrester, and service \$0 cost per ft
< 5HP	plus 2 padmount tx, 2 pads, and ug service minus one oh transformer, cutout, arrester, and service \$1.842 81 per ft plus 2 padmount tx,	2 pads, and ug service minus one oh transformer, cutout, arrester, and service \$0 cost per ft plus 2 padmount tx,	2 pads, and ug service minus ane oh transforme cutout, arrester, and servi \$0 cost per ft plus 2 padmount br,
< 5HP	plus 2 padmount tx, 2 pads, and ug service minus one oh transformer, cutout, arrester, and service \$1.842.81 per ft plus 2 padmount tx, 2 pads, and ug service	2 pads, and ug service minus one oh transformer, cutout, arrester, and service \$0 cost per ft plus 2 padmount bx, 2 pads, and ug service	2 pads, and ug service minus ane ch transforme cutout, arrester, and servi \$0 cost per ft plus 2 padmount bt, 2 pads, and ug service
< 5HP	plus 2 padmount tx, 2 pads, and ug service minus one oh transformer, cutout, arrester, and service \$1.842 81 per ft plus 2 padmount tx, 2 pads, and ug service minus 2 oh transformers,	2 pads, and ug service minus one oh transformer, cutout, arrester, and service \$0 cost per ft plus 2 padmount tx, 2 pads, and ug service minus 2 oh transformers,	2 pads, and ug service minus one ch transforma cutout, arrester, and servi \$0 cost per fi plus 2 padmount br, 2 pads, and ug service minus 2 oh transformers
< 5HP	plus 2 padmount tx, 2 pads, and ug service minus one oh transformer, cutout, arrester, and service \$1.842_81 per ft plus 2 padmount tx, 2 pads, and ug service minus 2 oh transformers, 2 cutouts, 2 arresters, and	2 pads, and ug service minus one oh transformer, cutout, arrester, and service \$0 cost per ft plus 2 padmount tx, 2 pads, and ug service minus 2 oh transformers, 2 cutouts, 2 arresters, and	2 pads, and ug service minus one oh transforma cutout, arrester, and servi \$0 cost per fit plus 2 padmount bx, 2 pads, and ug service minus 2 oh transformers 2 cutouts, 2 erresters, ar
< 5HP 6HP < X < 26HP	plus 2 padmount tx, 2 pads, and ug service minus one oh transformer, cutout, arrester, and service \$1.842_81 per ft plus 2 padmount tx, 2 pads, and ug service minus 2 oh transformers, 2 cutouts, 2 arrestars, and service	2 pads, and ug service minus one oh transformer, cutout, arrester, and service \$0 cost per ft plus 2 padmount bx, 2 pads, and ug service minus 2 oh transformers, 2 cutouts, 2 arresters, and service	2 pads, and ug service minus one ch transforma cutout, arrester, and servi \$0 cost per fi plus 2 padmount br, 2 pads, and ug service minus 2 oh transformers 2 cutouts, 2 arresters, an service
< 5HP	plus 2 padmount tx, 2 pads, and ug service minus one oh transformer, cutout, arrester, and service \$1.842_81 per ft plus 2 padmount tx, 2 pads, and ug service minus 2 oh transformers, 2 cutouts, 2 arrestars, and <u>service</u> \$1.842_81 per ft	2 pads, and ug service minus one oh transformer, cutout, arrester, and service \$0 cost per ft plus 2 padmount tx, 2 pads, and ug service minus 2 oh transformers, 2 cutouts, 2 arresters, and service \$0 cost per ft	2 pads, and ug service minus one ch transforma cutout, arrester, and servi \$0 cost per fi plus 2 padmount br, 2 pads, and ug service minus 2 oh transformers 2 cutouts, 2 arresters, an service \$0 cost per fi
< 5HP 6HP < X < 26HP	plus 2 padmount tx, 2 pads, and ug service minus one oh transformer, cutout, arrester, and service \$1.842.81 per ft plus 2 padmount tx, 2 pads, and ug service minus 2 oh transformers, 2 cutouts, 2 arresters, and <u>service</u> \$1.842.81 per ft plus 2 padmount tx,	2 pads, and ug service minus one oh transformer, cutout, arrester, and service \$0 cost per ft plus 2 padmount tx, 2 pads, and ug service minus 2 oh transformers, 2 cutouts, 2 arresters, and service \$0 cost per ft plus 2 padmount tx,	2 pads, and ug service minus one oh transforma cutout, arrester, and servi \$0 cost per fi plus 2 padmount bx, 2 pads, and ug service minus 2 oh transformers 2 cutouts, 2 arresters, ar service \$0 cost per fi plus 2 padmount bx,
< 5HP 6HP < X < 26HP	plus 2 padmount tx, 2 pads, and ug service minus one of transformer, cutout, arrester, and service \$1.842_81 per ft plus 2 padmount tx, 2 pads, and ug service minus 2 of transformers, 2 cutouts, 2 arresters, and <u>service</u> \$1.842_81 per ft plus 2 padmount tx, 2 pads, and ug service	2 pads, and ug service minus one oh transformer, cutout, arrester, and service \$0 cost per ft plus 2 padmount tx, 2 pads, and ug service minus 2 oh transformers, 2 cutouts, 2 arresters, and service \$0 cost per ft plus 2 padmount tx, 2 pads, and ug service	2 pads, and ug service minus one oh transforma cutout, arrester, and service \$0 cost per fi plus 2 padmount tx, 2 pads, and ug service minus 2 oh transformers 2 cutouts, 2 arresters, ar service \$0 cost per fi plus 2 padmount tx, 2 pads, and ug service
< 5HP 6HP < X < 26HP	plus 2 padmount tx, 2 pads, and ug service minus one oh transformer, cutout, arrester, and service \$1.842.81 per ft plus 2 padmount tx, 2 pads, and ug service minus 2 oh transformers, 2 cutouts, 2 arresters, and <u>service</u> \$1.842.81 per ft plus 2 padmount tx,	2 pads, and ug service minus one oh transformer, cutout, arrester, and service \$0 cost per ft plus 2 padmount tx, 2 pads, and ug service minus 2 oh transformers, 2 cutouts, 2 arresters, and service \$0 cost per ft plus 2 padmount tx,	2 pads, and ug service minus one ch transforma cutout, arrester, and servi \$0 cost per fi plus 2 padmount br, 2 pads, and ug service minus 2 oh transformers 2 cutouts, 2 arresters, an service \$0 cost per fi

l

|

I

I

1

.

Guif Power'		Section No. IV Seventh-<u>Eighth</u> Revised Sheet No. 4.26.2 Canceling Sixth-<u>Seventh</u> Revised Sheet No. 4.26.		
		PAGE	EFFECTIVE DATE	
3.2 (continued)				
THREE PHASE LIF	TSTATION			
COSTS TO PROVI	DE 3 PH SVC TO LIFT STATION	WIN TYPICAL SUBDIVISION	- OPTION 3	
CUSTOMER REQU	IEST: 120/208 or 277/480			
MOTOR SIZE		LABLE UNDERGROUND FACIL		
< 5HP	SINGLE PHASE	TWO PHASES	THREE PHASES	
S oru−	\$18.26 <u>21.94</u> per ft	\$13-43 <u>15 77</u> per ft	\$0 cost per ft	
	plus 3ph padmount br, pad, and ug service	plus 3ph padmount tx,	plus 3ph padmount b	
	minus one oh transformer.	pad, and ug service minus one oh transformer.	pad, and ug service minus one oh transform	
	cutout, arrester, and service	cutout, arrester, and service	cutout, arrester, and se	
5HP < X < 25HP	\$5.44 <u>7 65</u> per ft	\$9-0510.86 per ft	\$0 cost per ft	
	plus 3ph padmount br.	plus 3ph padmount tx,	plus 3ph padmount b	
	pad, and un service	pad, and ug service	pad, and ug service	
	minus 2 oh transformers.	minus 2 oh transformers.	minus 2 oh transforme	
	2 cutouts, 2 arresters, and	2 cutouts, 2 arresters, and	2 cutouts, 2 arresters, a	
	service	service	service	
> 25HP	\$1.072.74 per ft	\$0-641.47 per ft	S0 cost per ft	
	plus 3ph padmount br,	plus 3ph padmount bx,	plus 3ph padmount b	
	pad, and ug service	pad, and up service	pad, and ug service	
	minus 3 ch transformers,	minus 3 oh transformers,	minus 3 oh transforme	
	3 cutouts, 3 arresters,	3 cutouts, 3 arresters,	3 cutouts, 3 arresters	
	cluster mt, and service	cluster mt, and service	cluster mt, and servic	
CUSTOMER REQU	EST: 120/240 OPEN DELTA			
		ABLE UNDERGROUND FACIL		
MOTOR SIZE	SINGLE PHASE	TWO PHASES	THREE PHASES	
< 6HP	\$9.24 <u>11.08</u> per ft	\$0 cost per ft	\$0 cost per it	
	plus 2 padmount br,	plus 2 padmount br,	plus 2 padmount bx,	
	2 pads, and ug service	2 pads, and ug service	2 pads, and ug servic	
	minus one oh transformer, cutout, arrester, and service	minus one oh transformer,	minus one oh transform	
5HP < X < 25HP	\$0.461.27 per ft	cutout, arrester, and service	cutout, arrester, and ser	
WITH A V A BOUT	plus 2 padmount br,	\$0 cost per ft plus 2 padmount br,	\$0 cost per ft	
	2 pads, and up service	2 pads, and ug service	plus 2 padmount br,	
	minus 2 ch transformers.	minus 2 oh transformers.	2 pads, and ug servic minus 2 oh transforme	
	2 cutouts, 2 arresters, and	2 cutouts, 2 arresters, and	2 cutouts, 2 arresters, a	
		service	Service	
> 25HP	service		\$0 cost per ft	
> 25HP	<u>service</u> \$0.48 <u>1.27</u> per ft	\$0 cost per ft	SO cost per ft plus 2 padmount tx.	
> 25HP	service	\$0 cost par ft plus 2 padmount br,	plus 2 padmount br,	
> 25HP	<u>service</u> \$9.48 <u>1.27</u> per ft plus 2 padmount br,	\$0 cost per ft	plus 2 padmount bx, 2 pads, and ug servic	
> 25HP	service \$0.481.27 per ft plus 2 padmount tx, 2 pads, and ug service	\$0 cost per ft plus 2 padmount br, 2 pads, and ug service	\$0 cost per ft plus 2 padmount br, 2 pads, and ug servic minus 2 ch transforme 2 cutouts, 2 arresters	