OKALOOSA WATERWORKS, INC.

July 13, 2020

Office of Commission Clerk Florida Public Service Commission Public Service Commission 2540 Shumard Oak Blvd. Tallahassee, FL 32399

Re: Docket No. 20200155-WU - Application for certificate to operate water utility in Okaloosa County by Okaloosa Waterworks, Inc. – Response to Staff Deficiency Letter

Dear Commission Clerk,

Okaloosa Waterworks, Inc. (Okaloosa) hereby provides its response to Staff's Deficiency Letter dated Jun 30, 2020.

- 1. **Proof of Noticing** See attached Late Filed Exhibit J Affidavit of Noticing and Affidavit of Publication
- 2. Financial Ability This was filed on July 6, 2020. See Document Nos. 0320-2020 and 0321-2020.
- Reports See attached Secondary standard test results also 2019 Consumer Confidence Report
- 4. **System Maps** See attached map showing the water treatment plants and distribution system. This was obtained from both Polyengineering Inc., and the FDEP. Also attached is the territory map previously provided which was compiled by USWSC. There is not a map that includes both and it would be cost prohibited to attempt to compile one. All asbuilts were submitted to and approved by the FDEP. The FDEP recently sent the following link to their Oculus site that includes all previous documents. If Okaloosa were to be required to obtain these from Polyengineering, this would have to be paid for by the utility and pass onto the customers. Okaloosa believes it has met the requirements of the rule.

See:

CLK

	https://depedms.dep.state.fl.us:443/Oculus/servlet/shell?command=hitlist&	[freeT	[ext=]	&[
	folderName=]&[profile=Permitting Authorization]&[creator=]&[entityTy	pe=an	y & CI	rea
COM	tedDateTo=]&[catalog=32]&[searchBy=Profile]&[sortBy=Document+DateTo=]&	[e]&[c:	reated	Da_
AFD	te=]&{County= EQ_OKALOOSA}&{District= EQ_NWD}&{Facility-	13	C	FF
	Site+ID= EQ_1464068}		-	5
APA			7	
ECO		1.7	7	Ţ
ENG) 2 map			**	7
GCL			-	0
IDNA	4020 Cross Rayou Boulevard & New Port Pichey El 24652			

Tel: (866) 753-8292 Fax: (727) 848-7701

Page 2 of 2 Okaloosa Waterworks, Inc.

Respectfully Submitted,

Troy Rendell Vice President

Investor Owned Utilities

// for Okaloosa Waterworks, Inc.

BEFORE THE FLORIDA PUBLIC SERVICE COMMISSION

In re: Application for certificate to operate water utility in Okaloosa County and application for pass through increase of regulatory assessment fees, by Okaloosa Waterworks, Inc.

DOCKET NO. 20200155-WU

FILED: July 13, 2020

AFFIDAVIT

Late Filed Exhibit J to Application

STATE OF FLORIDA: COUNTY OF PASCO:

BEFORE ME, the undersigned authority, personally appeared Troy Rendell, who after being duly sworn, deposes and says:

- That I, Troy Rendell, am the Authorized Representative of Okaloosa Waterworks, Inc..
- 2. That I hereby affirm that on July 7, 2020 mailed the Certificate Notice to the customers of Okaloosa Waterworks, Inc. in Okaloosa County, FL. In accordance with Rule 25-30.030 (6) in Okaloosa Waterworks, Inc.'s Application for Approval for certificate to operate water utility in Okaloosa County, Florida.
- 3. That I hereby affirm that on July 7, 2020 did send by regular U.S. Mail, a copy of the notice attached hereto to each of the utilities, governmental bodies, agencies, and municipalities, in according with the list provided by the Florida Public Service Commission.
 - 4. Further, Affiant sayeth not.


TROY RENDELL

STATE OF FLORIDA: COUNTY OF PASCO:

Subscribed and sworn to before me this 13th Day of July 2020, by Troy Rendell, who is personally known to me.

OTARY PUBLE

My Commission Expires:



NOTICE OF APPLICATION FOR ORIGINAL WATER CERTIFICATE OF AUTHORIZATION FOR EXISTING UTILITY CURRENTLY CHARGING FOR WATER SERVICE.

DOCKET NO. 20200155-WU

Application for certificate to operate water utility in Okaloosa County and application for pass through increase of regulatory assessment fees, by Okaloosa Waterworks, Inc.

DATE OF NOTICE - July 6, 2020

Notice is hereby given that Okaloosa Waterworks, Inc. has filed an Application for original water certificate of authorization for existing utility currently charging for service in Okaloosa County Florida pursuant to Section 367.031; 367.045; and 367.081, Florida Statutes, and Rule 24-30.034, Florida Administrative Code.

WATER SERVICE TERRITORY LEGAL DESCRIPTION

All of Section 26, Township 6 North, Range 25 West, Section 25, Township 6 North, Range 25 West, Section 30, Township 6 North, Range 24 West, Section 29, Township 6 North, Range 24 West, Section 28, Township 6 North, Range 24 West, Section 27, Township 6 North, Range 24 West, Section 26, Township 6 North, Range 24 West, Section 25, Township 6 North, Range 24 West, the Northwest ¼ of the Northwest ¼ of the Southwest ¼ of the Southwest ¼ of the Southwest ¼ of Section 30, Township 6 North, Range 23 West.

All of Section 35, Township 6 North, Range 25 West, Section 36, Township 6 North, Range 25 West, Section 31, Township 6 North, Range 24 West, Section 32, Township 6 North, Range 24 West, Section 33, Township 6 North, Range 24 West, Section 34, Township 6 North, Range 24 West, Section 35, Township 6 North, Range 24 West, Section 36, Township 6 North, Range 24 West, the Northwest ¼ of the Northwest ¼ of the Southwest ¼ of the Southwest ¼ of the Southwest ¼ of Section 31, Township 6 North, Range 23 West.

All of Section 02, Township 5 North, Range 25 West, Section 01, Township 5 North, Range 25 West, Section 06, Township 5 North, Range 24 West, Section 05, Township 5 North, Range 24 West, Section 04, Township 5 North, Range 24 West, Section 03, Township 5 North, Range 24 West, Section 02, Township 5 North, Range 24 West, Section 01, Township 5 North, Range 24 West, the Northwest ¼ of the Northwest ¼ of the Southwest ¼ of the Southwest ¼ of the Southwest ¼ of Section 06, Township 5 North, Range 23 West.

All of Section 11, Township 5 North, Range 25 West, Section 12, Township 5 North, Range 25 West, Section 07, Township 5 North, Range 24 West, Section 08, Township 5 North, Range 24 West, Section 09, Township 5 North, Range 24 West, Section 10, Township 5 North, Range 24 West, Section 11, Township 5 North, Range 24 West, Section 12, Township 5 North, Range 24 West, the Northwest ½ of the Northwest ½ of the Southwest ¼ of the Southwest ¼ of the Southwest ¼ of Section 07, Township 5 North, Range 23 West.

All of Section 14, Township 5 North, Range 25 West, Section 13, Township 5 North, Range 25 West, Section 18, Township 5 North, Range 24 West, Section 17, Township 5 North, Range 24 West, Section 16, Township 5 North, Range 24 West, Section 15, Township 5 North, Range 24 West, Section 14, Township 5 North, Range 24 West, Section 13, Township 5 North, Range 24 West, the Northwest 1/4 of the Northwest 1/4, the Southwest 1/4 of the Southwest 1/4 of Section 18, Township 5 North, Range 23 West.

All of Section 23, Township 5 North, Range 25 West, Section 24, Township 5 North, Range 25 West, Section 19, Township 5 North, Range 24 West, Section 20, Township 5 North, Range 24 West, Section 21, Township 5 North, Range 24 West, Section 22, Township 5 North, Range 24 West, Section 23, Township 5 North, Range 24 West, Section 24, Township 5 North, Range 24 West, the Northwest ¼ of the Northwest ¼ of the Northwest ¼ of the Southwest ¼ of the Southwest ¼ of Section 19, Township 5 North, Range 23 West.

All of Section 26, Township 5 North, Range 25 West, Section 25, Township 5 North, Range 25 West, Section 30, Township 5 North, Range 24 West, Section 29, Township 5 North, Range 24 West, Section 28, Township 5 North, Range 24 West, Section 27, Township 5 North, Range 24 West, Section 26, Township 5 North, Range 24 West, Section 25, Township 5 North, Range 24 West, the Northwest ¼ of the Northwest ¼ of the Southwest ¼ of the Southwest ¼ of the Southwest ¼ of the Southwest ¼ of Section 30, Township 5 North, Range 23 West., Okaloosa County, Florida.

Common Street Names Affected by Transfer: Hwy 189N; Hwy C-180; Red Barrow Rd; Thames Rd; Sunny Barrow Rd; Mormon Temple Rd; Tommy Steele Rd; Peacock Rd; State Line Rd; Grady Baggett Rd; Jordon Rd; Nana Rd; Horse Creek Rd; Mountain City Rd., all in Blackman, Florida.

For more information concerning this notice, please contact the Utility at the address below.

Okaloosa Waterworks, Inc. c/o 4939 Cross Bayou Blvd. New Port Richey, FL 34652 Office (727) 848-8292 Fax: (727) 848-7701

E-mail: trendell@uswatercorp.net

Any objection to the said application must be made in writing <u>and filed</u> with the Office of Commission Clerk, Florida Public Service Commission, 2540 Shumard Oak Boulevard, Tallahassee, Florida 32399-0850, no later than thirty (30) days after the last date that the notice was mailed or published, whichever is later.

CRESTVIEW

CRESTVIEW NEWS BULLETIN EXTRA Published Bi-Weekly Crestview, Okaloosa County, Florida

STATE OF FLORIDA COUNTY OF OKALOOSA

Before the undersigned authority personally appeared Ashley Davis, who on oath says that she is Receptionist of the Crestview News Bulletin, a bi-weekly newspaper published at Crestview in Okaloosa County, Florida; that the attached copy of advertisement, being a

Legal # 02020228

NOTICE OF APPLICATION FOR ORIGINAL WATER CERTIFICATE OF AUTHORIZATION FOR EXISTING UTILITY

in the matter of

US WATER SERVICES CORP.

in the Okaloosa County Court, was published in said newspaper in the issues of

07/11/2020

Affiant further says that the said Crestview News Bulletin is a newspaper published at Crestview in said Okaloosa County, Florida, and that the said newspaper has heretofore been continuously published in said Okaloosa County, Florida, each week and has been entered as periodicals matter at the post office in Crestview, in said Okaloosa County, Florida, for a period of 1 year next preceding the first publication of the attached copy of advertisement; and affiant further says that she has neither paid nor promised any person, firm or corporation any discount, rebate, commission or refund for the purpose of securing this advertisement for publication in the said newspaper.

3worn to and subscribed before me this 1st day of July, 2020 by Ashley Davis, \underline{X} who is personally known to me or who as produced identification.

NOTICE OF APPLICA-TION FOR ORIGINAL WATER CERTIFICATE OF AUTHORIZATION FOR EXISTING UTIL CHARGING FOR WATER SERVICE.

DOCKET 20200155-WU

Application for certificate to operate water utility in Okaloosa County and application for pass through in-crease of regulatory as-sessment fees, by Okaloosa Waterworks,

DATE OF NOTICE June XX, 2020

Notice is hereby given that Okaloosa Water-works, Inc. has filed an Application for original water certificate of auwater certificate of authorization for existing utility currently charging for service in Okaloosa County Florida pursuant to Section 367.031; 367.045; and 367.081, Florida Statutes, and Rule 24-30.034, Florida Administrative Code.

WATER SERVICE TERRITORY LEGAL DESCRIPTION

All of Section 26, Township 6 North, Range 25 West, Section 25, Township 6 North, Range 25 West, Section 30, Township 6 North, Range 24 West, Section 29, Township 6 North, Range 24 West, Section 28, Township 6 North, Range 24 West, Section 27, Township 6 North, Range 24 West, Section 26, Township 6 North, Range 24 West, Section 25, Township 6 North, Range 24 West, Section 25, Township 6 North, Range 24 West, Section 25, Township 6 North, Range 24 West,

the Northwest 1/4 of the Northwest 4 of the 4, the 4 of the Southwest 14 Northwest ¼, the Northwest ¼ of the Southwest ¼ and the Southwest ¼ of Section 30, Township 6 North, Range 23 West.

All of Section 35. All of Section 35, Township 6 North, Range 25 West, Section 36, Township 6 North, Range 25 West, Section 31, Township 6 North, Range 24 West, Section 32, Township 6 North, Range 24 West, Section 33, Township 6 North, Range 24 West, Section 34, Township 6 North, Range 24 West, Section 34, Township 6 North, Range 24 West, Section 34, Township 6 North, Range 24 West, Range 24 West. Section 34, Township 6
North, Range 24 West,
Section 35, Township 6
North, Range 24 West,
Section 36, Township 6
North, Range 24 West,
the Northwest ¼ of the
Northwest ¼ of the
Northwest ¼ of the
Northwest ¼ of the
Southwest ¼ and the
Southwest ¼ of the
Southwest ¾ of the
Southwest ¼ of the
Southwest ¾ of the North, Range 23 West.

All of Section Township 5 North, Range 25 West, Sec-tion 01, Township 5 tion 01, Township 5 North, Range 25 West, Section 06, Township 5 North, Range 24 West, Section 05, Township 5 North, Range 24 West, Section 04, Township 5 North, Range 24 West, Section 03, Township 5 North, Range 24 West, Section 02, Township 5 North, Range 24 West, Section 02, Township 5 North, Range 24 West, Section 01, Township 5 North, Range 24 West, Section 01, Township 5 North, Range 24 West, the Northwest ¼ of the Northwest ¼ of the Southwest ¼ of Section 06, Township 5 North, Range 23 West.

All of Section 11,
Township 5 North,
Range 25 West, Section 12, Township 5
North, Range 25 West,
Section 07, Township 5
North, Range 24 West,
Section 08, Township 5
North, Range 24 West,
Section 09, Township 5
North, Range 24 West,
Section 10, Township 5
North, Range 24 West,
Section 11, Township 5
North, Range 24 West,
Section 11, Township 5
North, Range 24 West,
Section 12, Township 5

North, Range 24 West, the Northwest 1/4, the Southwest 1/4, the Northwest 1/4 of the Northwest 1/4 of the Southwest 1/4 of the Southwest 1/4 of Section 07, Township 5 North, Range 23 West.

All of Section 14, Township 5 North, Range 25 West, Section 13, Township 5 North, Range 25 West, Section 18, Township 5 North, Range 24 West, Section 17, Township 5 North, Range 24 West, Section 16, Township 5 North, Range 24 West, Section 14, Township 5 North, Range 24 West, Section 14, Township 5 North, Range 24 West, Section 14, Township 5 North, Range 24 West, Section 17, Township 5 North, Range 24 West, Section 18, Township 5 North, Range 24 West, Section 19, Township 5 North, Range 24 West, Section 19, Township 5 North, Range 24 West, Section 19, Township 5 North, Range 24 West, the Northwest 1/2 of the North, Range 24 West, the Northwest ¼ of the Northwest 1/4, the Southwest ¼ of the Northwest ¼ of the Southwest ¼ of the Southwest ¼ of the Southwest ¼ of Section 18, Township 5 North, Range 23 West.

All of Section 23, Township 5 North, Range 25 West, Sec-tion 24, Township 5 North, Range 25 West, Section 19, Township 5 North, Range 24 West, Section 21, Township 5 North, Range 24 West, Section 21, Township 5 North, Range 24 West, Section 22, Township 5 North, Range 24 West, Section 23, Township 5 North, Range 24 West, Section 23, Township 5 North, Range-24 West, Section 24, Township 5 North, Range 24 West, the Northwest 1/4, the Southwest 1/4 of the Northwest 1/4 of the Northwest 1/4 of the Southwest 1/4 of Section 19, Township 5 North, Range 23 West. North, Range 23 West.

All of Section 26, Township 5 North, Range 25 West, Section 25, Township 5 North, Range 25 West, Section 30, Township 5 North, Range 24 West, Section 29, Township 5 North, Range 24 West, Section 27, Township 5 North, Range 24 West, Section 27, Township 5 North, Range 24 West, Section 28, Township 5 Section 28, Township 5 Section 26, Township 5 North, Range 24 West,

Section 25, Township 5
North, Range 24 West,
the Northwest ¼ of the
Northwest 1/4, the
Southwest ¼ of the
Northwest ¼ of the
Northwest ¼ of the
Southwest ¼ and the
Southwest ¼ of the
Southwest ¼ of the
Southwest ¼ of Sec Section 25, Township 5 North, Range 23 West. Okaloosa County, Flor

Common Street Names Affected by Transfer Hwy 189N; Hwy C-180 Red Barrow Rd Thames Rd; Sunny Thames Rd; Sunny
Barrow Rd; Mormor
Temple Rd; Tommy
Steele Rd; Peacock
Rd; State Line Rd
Grady Baggett Rd
Jordon Rd; Nana Rd
Horse Creek Rd
Mountain City Rd Mountain City Rd., in Blackman, Florida.

For more informatio concerning this notice please contact the Util ity at the address be

Okaloosa Waterworks c/o 4939 Cross Bayo

Blvd.
New Port Richey, F
34652
Office (727) 848-8292
Fax: (727) 848-7701
E _ m i i i
trendell@uswater corp.net

Any objection to th said application must be made in writing an filed with the Office of Commission Clerk Florida Public Service Florida Public Servic Commission, 254 Shumard Oak Boule yard, Tallahassee, Flo ida 32399-0850, n later than thirty (3) days after the last day that the notice wa mailed or publisher whichever is later. 7/11/2020 2020228

CAROLYN V. BARNES MY COMMISSION # GG 259443 EXPIRES: November 12, 2022 Bonded Thru Notary Public Underwriters Notary Public

PUBLIC WATER SYSTEM INFORMATION (to be completed by	sampler - please type or print legibly)
System Name: Blackman Community	PWS I.D. #: 1464068
System Type (check one):	Non-transient Non-community Transient Non-community
Address: 7626 Hwy 189 N	
City: Baker, FL	ZIP Code: <u>32531</u>
Phone # <u>(850)537-2527</u> Fax #:	E-Mail Address: bcwsinc@gmail.com
SAMPLE INFORMATION (to be completed by sampler)	
Sample Number: <u>35394864001</u> Sample D	Pate: <u>5/29/2018</u> Sample Time: <u>1:20</u> AM (PM) (Circle One)
Sample Location (be specific): Well 1 EP	Location Code:
Disinfectant Residual (Required when reporting results for trihalomethanes a	nd haloacetic acids): mg/L Field pH:8.0
Sample Type (Check Only One)	Reason(s) for Sample (Check all that apply)
Distribution	X Routine Compliance with 62-550 Replacement (of Invalidated Sample)
X Entry Point (to Distribution)	Confirmation of MCL Exceedance* Special (not for compliance with 62-550)
Plant Tap (not for compliance with 62-550)	Confirmation of Multiple Sites** Clearance (permitting)
Raw (at well or intake)	Other:
Max Residence Time	Sampling Procedure Used or Other Comments:
Ave Residence Time	
Near First Customer	
	*See 62-550.500(6) for requirements and restrictions. And 62-550.512(3) for nitrate or nitrite exceedances. **See 62-550.550(4) for requirements and attach a results page for each site.
	SAMPLER CERTIFICATION
1.	, do HEREBY CERTIFY
(Print Name)	(Print Title)
that the above public water system and sample collection informa	tion is complete and correct.
Signature:	Date:
Certified Operator #:Phone #:	Sampler's Fax #:
Sampler's E-mail:	

Reporting Format 62-550.730 Effective January 1995, Revised December 2012

LABORATORY CERTIFICATION INFORMATION (to be comp	pleted by lab - please type o	or print legibly)		
Lab Name: Pace Analytical Services, Inc. Florida Do	OH Certification #: E830	79	_Certification Expiration Da	te: 6/30/2018
	ATTAC	CH CURRENT DOH A	NALYTE SHEET*	
Address: 8 East Tower Circle, Ormond Beach, FL 32174	Phone	e# <u>(386) 672-5668</u>		
Were any analyses subcontracted? X Yes No If yes	s, please provide DOH certi	fication numbers(s):		
A STATE OF THE STA	ATTA	CH DOH ANALYTE S	HEET FOR EACH SUBCONT	RACTED LAB*
ANALYSIS INFORMATION (to be completed by lab)	Date Sample(s) Received:	5/30/2018		
PWS ID (From Page1): 1464068S	Sample Number (From Page1)	: <u>35394864001</u> La	ab Assigned Report # or Joh	D: 35394864001
Group(s) Analyzed & Results attached for compliance with Cha	apter 62-550, F.A.C. (Check	all that apply):		
X All Except Asbestos All 30 X A	X Trib	tion Byproducts nalomethanes loacetic Acids lorite	Radionuclides X Single Sample Qtrly Composite**	Secondaries X All 14 Partial
	LAB CERTIFICA	ATION		
I, Sakina Mckenzie (Print Name) that all attached analytical data are correct and unless noted meet all	requirements of the National I	Project Man (Print Title	e)	do HEREBY CERTIFY
Signature: Sa on on a	roquirements of the Hatterian			(, , _ , , , , , , , , , , , , , , , ,
Signature:		Date:	06/18/2018	
 * Failure to provide a valid and current Florida DOH lab certification is possible enforcement against the public water system for failture to ** Please provide radiological sample dates & locations for each quarter 	o sample, and may result in no rter.	tification of the DOH B	ureau of Laboratory Services.	ejection of the report,
CONFIRMATION & NOTIFICATION NON-DETECTS ARE TO BE REPORTED AS THE				entable.)
COMPLIANCE DETERMINATION (to be completed by DEP o			DDE OF WILL A STOCKED	eptable.,
Sample Collection & Analysis Satisfactory: Yes No	Re	placement Sample of	or Report Requested (circle o	r highlight group(s) above)
Person Notified:Da	ate Notified:	DEP/DOH Review	wing Official:	
Reporting Format 62-550.730 Effective January 1995, Revised December 2012	Page 2 of 8			

INORGANIC CONTAMINANTS 62-550.310(1)

Report Number / Job ID: 35394864001

PWS ID (From Page 1): 1464068

Contam	Contam Name	MCL	Units	Analysis Result	Qualifier*	Analytical Method	Lab MDL	Analysis Date	Analysis Time	DOH Lab Certification #
1040	Nitrate as N	10	mg/L	0.025	U	EPA 353.2	0.025	05/30/2018	18:01	E83079
1041	Nitrite as N	1	mg/L	0.025	U	EPA 353.2	0.025	05/30/2018	18:01	E83079
1005	Arsenic	0.010	mg/L	0.0023		EPA 200.8	0.00050	06/05/2018	10:25	E83079
1010	Barium	2	mg/L	0.0060	1	EPA 200.7	0.0050	06/05/2018	23:13	E83079
1015	Cadmium	0.005	mg/L	0.00050	U	EPA 200.7	0.00050	06/05/2018	23:13	E83079
1020	Chromium	0.1	mg/L	0.0025	U	EPA 200.7	0.0025	06/05/2018	23:13	E83079
1024	Cyanide	0.2	mg/L	0.0050	U	EPA 335.4	0.0050	06/08/2018	10:23	E83079
1025	Fluoride	4.0	mg/L	0.14		EPA 300.0	0.034	06/04/2018	20:20	E83079
1030	Lead	0.015	mg/L	0.00050	U	EPA 200.8	0.00050	06/05/2018	10:25	E83079
1035	Mercury	0.002	mg/L	0.00010	U	EPA 245.1	0.00010	05/31/2018	20:43	E83079
1036	Nickel	0.1	mg/L	0.0025	U	EPA 200.7	0.0025	06/05/2018	23:13	E83079
1045	Selenium	0.05	mg/L	0.00050	U	EPA 200.8	0.00050	06/05/2018	10:25	E83079
1052	Sodium	160	mg/L	4.0		EPA 200.7	0.50	06/05/2018	23:13	E83079
1074	Antimony	0.006	mg/L	0.00050	U	EPA 200.8	0.00050	06/05/2018	10:25	E83079
1075	Beryllium	0.004	mg/L	0.00050	U	EPA 200.7	0.00050	06/05/2018	23:13	E83079
1085	Thallium	0.002	mg/L	0.00050	U	EPA 200.8	0.00050	06/05/2018	10:25	E83079
1094	Asbestos	7 MFL	MFL							

Reporting Format 62-550.730 Effective January 1995, Revised December 2012

Page 3 of 8

^{*}Results must be reported with appropriate qualifiers in accordance with Florida Administrative Code Rule 62-160, Table 1. Results qualified with A, F, H, N, O, T, Z, ?, *, are unacceptable for compliance with 62-550. Results qualified with a J, Q, R, or Y must be accompanied by written justification and will be evaluated on a case by case basis. To avoid a monitoring violation, unacceptable results must be replaced with acceptable results from samples collected during the same monitoring period.

SECONDARY CONTAMINANTS 62-550.320

Report Number / Job ID: 35394864001

PWS ID (From Page 1): 1464068

Contam	Contam Name	MCL	Units	Analysis Result	Qualifier*	Analytical Method	Lab MDL	Analysis Date	Analysis Time	DOH Lab Certification #
1002	Aluminum	0.2	mg/L	0.050	U	EPA 200.7	0.050	06/05/2018	23:13	E83079
1017	Chloride	250	mg/L	3.8	I	EPA 300.0	2.5	06/04/2018	20:20	E83079
1022	Copper	1	mg/L	0.00093	U	EPA 200.8	0.00093	06/05/2018	10:25	E83079
1025	Fluoride	2.0	mg/L	0.14		EPA 300.0	0.034	06/04/2018	20:20	E83079
1028	Iron	0.3	mg/L	0.18		EPA 200.7	0.020	06/05/2018	23:13	E83079
1032	Manganese	0.05	mg/L	0.0026	1	EPA 200.7	0.0025	06/05/2018	23:13	E83079
1050	Silver	0.1	mg/L	0.0025	U	EPA 200.7	0.0025	06/08/2018	15:42	E83079
1055	Sulfate	250	mg/L	5.6		EPA 300.0	2.5	06/04/2018	20:20	E83079
1095	Zinc	5	mg/L	0.010	U	EPA 200.7	0.010	06/05/2018	23:13	E83079
1905	Color	15	units	5.0		SM2120B-01	5.0	05/31/2018	12:09	E83079
1920	Odor	3	TON	2.0		SM 2150B	1.0	05/30/2018	13:08	E83079
1925	рН	6.5 - 8.5	Std. Units	7.7	Q	SM 4500-H+B	0.10	05/31/2018	09:36	E83079
1930	Total Dissolved Solids	500	mg/L	149		SM 2540C	5.0	06/01/2018	10:40	E83079
2905	Foaming Agents	0.5	mg/L	0.099	U,J	SM 5540C	0.099	05/30/2018	15:59	E83079

Q - Sample held beyond the accepted holding time.

J - Estimated value. Batch accepted based on LCS recovery.

DISINFECTION BYPRODUCTS 62-550.310(3)

Report Number / Job ID: 3539	4864001
Disinfect Residual (mg/L):	
PWS ID (From Page 1): 1464	068

Contam	Contam Name	MCL	Units	Analysis Result	Qualifier*	Analytical Method	Lab MDL	Regulatory MRL**	Analysis Date	Analysis Time	DOH Lab Certification #
1009	Chlorite	1000	ug/L					20***			
1011	Bromate	10	ug/L					5.0 or 1.0****			

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier*	Analytical Method	Lab MDL	Regulatory MRL**	Analysis Date	Analysis Time	DOH Lab Certification #
2450	Monochloroacetic Acid	N/A	ug/L					2.0			
2451	Dichloroacetic Acid	N/A	ug/L					1.0			
2452	Trichloroacetic Acid	N/A	ug/L					1.0			
2453	Monobromoacetic Acid	N/A	ug/L					1.0			
2454	Dibromoacetic Acid	N/A	ug/L					1.0			
2456	Total Haloacetic Acids (HAA5)	60	ug/L								

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier*	Analytical Method	Lab MDL	Regulatory MRL**	Analysis Date	Analysis Time	DOH Lab Certification #
2941	Chloroform	N/A	ug/L					1.0			
2942	Bromoform	N/A	ug/L					1.0			
2943	Bromodichloromethane	N/A	ug/L					1.0			
2944	Dibromochloromethane	N/A	ug/L					1.0			
2950	Total Trihalomethanes (TTHM)	80	ug/L	0.32	U	EPA 524.2	0.32		06/05/2018	16:54	E83079

Laboratories are required to adhere to the minimum reporting level (MRL) requirements of 40 CFR 141.131(b)(2)(iv).

NOTE: Do not round values. Report results to the accuracy, precision, and sensitivity of the analytical method used.

Reporting Format 62-550.730 Effective January 1995, Revised December 2012

Page 5 of 8

Applicable to monitoring as prescribed in 40 CFR 141.132.(b)(2)(i)(B) and (b)(2)(ii).

^{****} Laboratories that use EPA Methods 317.0 Revision 2.0, 326.0 or 321.8 must meet a 1.0 µg/L MRL for bromate.

^{*}Results must be reported with appropriate qualifiers in accordance with Florida Administrative Code Rule 62-160, Table 1. Results qualified with A, F, H, N, O, T, Z, ?, *, are unacceptable for compliance with 62-550. Results qualified with a J, Q, R, or Y must be accompanied by written justification and will be evaluated on a case by case basis. To avoid a monitoring violation, unacceptable results must be replaced with acceptable results from samples collected during the same monitoring period.

RADIONUCLIDES 62-550.310(6)

Report Number / Job ID: 35394864001

PWS ID (From Page 1): 1464068

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier*	Analytical Method	Lab MDL	RDL	Analysis Error	Analysis Date	Analysis Time	DOH Lab Certification #
4000	Gross Alpha (Excl Uranium)	15	pCi/L					3				
4002	Gross Alpha (Incl Uranium)	***	pCi/L	1.85	U	EPA 900.0	1.85	3	0.692	06/11/2018	19:18	E87683
4000	Combined Uranium****	20	pCi/L		541			.67			ı	
	(U-234, U-235, & U-238)	30	ug/L					1				
4020	Radium-226		-0://	0.857	U	EPA 903.1	0.857	1	0.413	06/12/2018	21:45	E87683
4030	Radium-228	5	pCi/L	0.847	U	EPA 904.0	0.847	1	0.416	06/11/2018	11:29	E87683

^{**} If the result exceeds 5 pCi/L, a measurement for radium-226 is required. Uranium is reported separately under Contam ID 4006.

^{***} If the results exceed 5 pCi/L, a measurement for radium-226 is required. If the results exceed 15 pCi/L, a measurement for Combined Uranium must be reported separately. The DEP/DOH will subtract the U value from the Gross Alpha (ID 4002) to determine compliance with MCL for Gross Alpha (Excl. U) of 15pCi/L. If the result for ID 4002 Gross Alpha (Including Uranium) does not exceed 15pCi/L, Combined Uranium need not be measured nor reported.

^{****} If using Uranium testing methods ASTM D5174 or EPA 200.8 only, then Analysis Error need not be reported.

VOLATILE ORGANICS 62-550.310(4)(a)

Report Number / Job ID: 35394864001

PWS ID (From Page 1): 1464068

Contam	Contam Name	MCL	Units	Analysis Result	Qualifier*	Analytical Method	Lab MDL	RDL	Analysis Date	Analysis Time	DOH Lab Certification #
2378	1,2,4-Trichlorobenzene	70	ug/L	0.41	U	EPA 524.2	0.41	0.5	06/05/2018	16:54	E83079
2380	cis-1,2-Dichloroethylene	70	ug/L	0.25	U	EPA 524.2	0.25	0.5	06/05/2018	16:54	E83079
2955	Xylenes (total)	10,000	ug/L	0.25	U	EPA 524.2	0.25	0.5	06/05/2018	16:54	E83079
2964	Dichloromethane	5	ug/L	0.44	U	EPA 524.2	0.44	0.5	06/05/2018	16:54	E83079
2968	o-Dichlorobenzene	600	ug/L	0.25	U	EPA 524.2	0.25	0.5	06/05/2018	16:54	E83079
2969	para-Dichlorobenzene	75	ug/L	0.25	U	EPA 524.2	0.25	0.5	06/05/2018	16:54	E83079
2976	Vinyl chloride	1	ug/L	0.39	U	EPA 524.2	0.39	0.5	06/05/2018	16:54	E83079
2977	1,1-Dichloroethylene	7	ug/L	0.25	U	EPA 524.2	0.25	0.5	06/05/2018	16:54	E83079
2979	trans-1,2-Dichloroethylene	100	ug/L	0.25	U	EPA 524.2	0.25	0.5	06/05/2018	16:54	E83079
2980	1,2-Dichloroethane	3	ug/L	0.25	U	EPA 524.2	0.25	0.5	06/05/2018	16:54	E83079
2981	1,1,1-Trichloroethane	200	ug/L	0.25	U	EPA 524.2	0.25	0.5	06/05/2018	16:54	E83079
2982	Carbon tetrachloride	3	ug/L	0.25	U	EPA 524.2	0.25	0.5	06/05/2018	16:54	E83079
2983	1,2-Dichloropropane	5	ug/L	0.25	U	EPA 524.2	0.25	0.5	06/05/2018	16:54	E83079
2984	Trichloroethylene	3	ug/L	0.25	U	EPA 524.2	0.25	0.5	06/05/2018	16:54	E83079
2985	1,1,2-Trichloroethane	5	ug/L	0.25	U	EPA 524.2	0.25	0.5	06/05/2018	16:54	E83079
2987	Tetrachloroethylene	3	ug/L	0.25	U	EPA 524.2	0.25	0.5	06/05/2018	16:54	E83079
2989	Monochlorobenzene	100	ug/L	0.25	U	EPA 524.2	0.25	0.5	06/05/2018	16:54	E83079
2990	Benzene	1	ug/L	0.25	U	EPA 524.2	0.25	0.5	06/05/2018	16:54	E83079
2991	Toluene	1,000	ug/L	0.25	U	EPA 524.2	0.25	0.5	06/05/2018	16:54	E83079
2992	Ethylbenzene	700	ug/L	0.25	U	EPA 524.2	0.25	0.5	06/05/2018	16:54	E83079
2996	Styrene	100	ug/L	0.25	U	EPA 524.2	0.25	0.5	06/05/2018	16:54	E83079

NOTE: Results indicating non-detection with a reported lab MDL > .5 µg/L will not be accepted for compliance.

Reporting Format 62-550.730 Effective January 1995, Revised December 2012

^{*}Results must be reported with appropriate qualifiers in accordance with Florida Administrative Code Rule 62-160, Table 1. Results qualified with A, F, H, N, O, T, Z, ?, *, are unacceptable for compliance with 62-550. Results qualified with a J, Q, R, or Y must be accompanied by written justification and will be evaluated on a case by case basis. To avoid a monitoring violation, unacceptable results must be replaced with acceptable results from samples collected during the same monitoring period.

OTHER CONTAMINANTS

Report Number / Job ID: 35394864001

PWS ID (From Page 1): 1464068

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier*	Analytical Method	Lab MDL	Analysis Date	Analysis Time	DOH Lab Certification #
	pH		units	7.7		SM2120B-01		05/31/2018	12:09	E83079

Reporting Format 62-550.730 Effective January 1995, Revised December 2012

Page 8 of 8

^{*}Results must be reported with appropriate qualifiers in accordance with Florida Administrative Code Rule 62-160, Table 1. Results qualified with A, F, H, N, O, T, Z, ?, *, are unacceptable for compliance with 62-550. Results qualified with a J, Q, R, or Y must be accompanied by written justification and will be evaluated on a case by case basis. To avoid a monitoring violation, unacceptable results must be replaced with acceptable results from samples collected during the same monitoring period.





June 13, 2018

Ms. Jennifer Boone **Future Laboratories** 5756 Stewart Street Milton, FL 32570

RE: Project: Blackman 2018 Chem Pace Project No.: 35394864

Dear Ms. Boone:

Enclosed are the analytical results for sample(s) received by the laboratory on May 30, 2018. The results relate only to the samples included in this report. Results reported herein conform to the most current, applicable TNI/NELAC standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Jeff Baylor for

Jeff Baylor

Sakina Mckenzie sakina.mckenzie@pacelabs.com

(386)672-5668

Project Manager

Enclosures







CERTIFICATIONS

Project:

Blackman 2018 Chem

Pace Project No.:

35394864

Pennsylvania Certification IDs

1638 Roseytown Rd Suites 2,3&4, Greensburg, PA 15601

ANAB DOD-ELAP Rad Accreditation #: L2417

Alabama Certification #: 41590 Arizona Certification #: AZ0734

Arkansas Certification

California Certification #: 04222CA Colorado Certification #: PA01547 Connecticut Certification #: PH-0694

Delaware Certification EPA Region 4 DW Rad

Florida/TNI Certification #: E87683 Georgia Certification #: C040

Guam Certification Hawaii Certification Idaho Certification Illinois Certification Indiana Certification Iowa Certification #: 391

Kansas/TNI Certification #: E-10358 Kentucky Certification #: KY90133 KY WW Permit #: KY0098221 KY WW Permit #: KY0000221

Louisiana DHH/TNI Certification #: LA180012 Louisiana DEQ/TNI Certification #: 4086

Maine Certification #: 2017020 Maryland Certification #: 308

Massachusetts Certification #: M-PA1457 Michigan/PADEP Certification #: 9991 Missouri Certification #: 235

Montana Certification #: Cert0082 Nebraska Certification #: NE-OS-29-14 Nevada Certification #: PA014572018-1 New Hampshire/TNI Certification #: 297617

New Jersey/TNI Certification #: PA051 New Mexico Certification #: PA01457 New York/TNI Certification #: 10888 North Carolina Certification #: 42706

North Dakota Certification #: R-190 Ohio EPA Rad Approval: #41249

Oregon/TNI Certification #: PA200002-010 Pennsylvania/TNI Certification #: 65-00282 Puerto Rico Certification #: PA01457 Rhode Island Certification #: 65-00282

South Dakota Certification
Tennessee Certification #: 02867

Tennessee Certification #: 02867
Texas/TNI Certification #: T104704188-17-3
Utah/TNI Certification #: PA014572017-9
USDA Soil Permit #: P330-17-00091
Vermont Dept. of Health: ID# VT-0282
Virgin Island/PADEP Certification
Virginia/VELAP Certification #: 9526
Washington Certification #: C868
West Virginia DEP Certification #: 143

West Virginia DHHR Certification #: 9964C Wisconsin Approve List for Rad Wyoming Certification #: 8TMS-L

Ormond Beach Certification IDs

8 East Tower Circle, Ormond Beach, FL 32174

Alabama Certification #: 41320 Connecticut Certification #: PH-0216

Delaware Certification: FL NELAC Reciprocity

Florida Certification #: E83079 Georgia Certification #: 955

Guam Certification: FL NELAC Reciprocity Hawaii Certification: FL NELAC Reciprocity

Illinois Certification #: 200068

Indiana Certification: FL NELAC Reciprocity

Kansas Certification #: E-10383 Kentucky Certification #: 90050

Louisiana Certification #: FL NELAC Reciprocity Louisiana Environmental Certificate #: 05007

Maryland Certification: #346 Michigan Certification #: 9911

Mississippi Certification: FL NELAC Reciprocity

Missouri Certification #: 236 Montana Certification #: Cert 0074 Nebraska Certification: NE-OS-28-14 Nevada Certification: FL NELAC Reciprocity

New Hampshire Certification #: 2958

New Jersey Certification #: FL022 New York Certification #: 11608

North Carolina Environmental Certificate #: 667

North Carolina Certification #: 12710
Oklahoma Certification #: D9947
Pennsylvania Certification #: 68-00547
Puerto Rico Certification #: FL01264
South Carolina Certification: #96042001
Tennessee Certification #: TN02974
Texas Certification: FL NELAC Reciprocity

US Virgin Islands Certification: FL NELAC Reciprocity

Virginia Environmental Certification #: 460165 Wyoming Certification: FL NELAC Reciprocity

West Virginia Certification #: 9962C Wisconsin Certification #: 399079670

Wyoming (EPA Region 8): FL NELAC Reciprocity

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.





SAMPLE SUMMARY

Project:

Blackman 2018 Chem

Pace Project No.:

35394864



SAMPLE ANALYTE COUNT

Project:

Blackman 2018 Chem

Pace Project No.:

35394864

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
35394864001	Well 1 EP	EPA 200.7	LEC, SC1	11	PASI-O
		EPA 200.8	FDV	6	PASI-O
		EPA 245.1	AMS	1	PASI-O
		EPA 524.2	JLR	25	PASI-O
		EPA 900.0	NEG	1	PASI-PA
		EPA 903.1	KAC	1	PASI-PA
		EPA 904.0	JLW	1	PASI-PA
		SM2120B-01	AGS	2	PASI-O
		SM 2150B	SEW	2	PASI-O
		SM 2540C	MAJ	1	PASI-O
		SM 4500-H+B	KEK	1	PASI-O
		SM 5540C	CLL	2	PASI-O
		EPA 300.0	CMD	3	PASI-O
	44	EPA 335.4	BMU	1	PASI-O
		EPA 353.2	JDW	2	PASI-O

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project:

Blackman 2018 Chem

Pace Project No.: 35394864

Sample: We <mark>ll 1 EP</mark>	Lab ID:	35394864001	Collected	1: 05/29/18	13:20	Received: 05/3	30/18 11:30 IVIa	trix: Drinking \	valei
Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qua
200.7 MET ICP, Drinking Water	Analytical	Method: EPA 2	00.7 Prepa	ration Meth	od: EPA	A 200.7			
Aluminum	0.050 U	mg/L	0.10	0.050	1	06/04/18 23:42	06/05/18 23:13		
Barium	0.0060 I	mg/L	0.010	0.0050	1	06/04/18 23:42	06/05/18 23:13		
Beryllium	0.00050 U	mg/L	0.0010	0.00050	1	06/04/18 23:42	06/05/18 23:13	7440-41-7	
Cadmium	0.00050 U	mg/L	0.0010	0.00050	1	06/04/18 23:42	06/05/18 23:13		
	0.0025 U	mg/L	0.0050	0.0025	1	06/04/18 23:42	06/05/18 23:13	7440-47-3	
Chromium	0.18	mg/L	0.040	0.020	1	06/04/18 23:42	06/05/18 23:13	7439-89-6	
ron	0.0026 I	mg/L	0.0050	0.0025	1	06/04/18 23:42	06/05/18 23:13	7439-96-5	
Manganese	0.0025 U	mg/L	0.0050	0.0025	1	06/04/18 23:42	06/05/18 23:13	7440-02-0	
Nickel	0.0025 U	mg/L	0.0050	0.0025	1	06/07/18 15:00	06/08/18 15:42		
Silver	4.0		1.0	0.50	1	06/04/18 23:42	06/05/18 23:13		
Sodium		mg/L	0.020	0.010	1		06/05/18 23:13		
Zinc	0.010 U	mg/L							
200.8 MET ICPMS Drinking Water	Analytica	Method: EPA	200.8 Prepa	aration Meth	od: EP	A 200.8			
Antimony	0.00050 U	mg/L	0.0010	0.00050	1	06/04/18 23:45	06/05/18 10:25		
Arsenic	0.0023	mg/L	0.0010	0.00050	1	06/04/18 23:45	06/05/18 10:25		
	0.00093 U	mg/L	0.0010	0.00093	1	06/04/18 23:45			
Copper	0.00050 U	mg/L	0.0010	0.00050	1	06/04/18 23:45	06/05/18 10:25	7439-92-1	
Lead	0.00050 U	mg/L	0.0010	0.00050	1	06/04/18 23:45	06/05/18 10:25	7782-49-2	
Selenium Thallium	0.00050 U	mg/L	0.0010	0.00050	1	06/04/18 23:45	06/05/18 10:25	7440-28-0	
		al Method: EPA		aration Meth	od: EF	PA 245.1			
245.1 Mercury	9 9 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			0.00010	1		05/31/18 20:43	7439-97-6	
Mercury	0.00010 U	mg/L	0.00020	0.00010		05/51/10 14.20	00/01/10 20/10	19.488.181.103	
524.2 MSV	Analytica	al Method: EPA	524.2						
Benzene	0.25 U	ug/L	0.50	0.25	1		06/05/18 16:54		
Carbon tetrachloride	0.25 U	ug/L	0.50	0.25	1		06/05/18 16:54		
Chlorobenzene	0.25 U	ug/L	0.50	0.25	1		06/05/18 16:54		
1,2-Dichlorobenzene	0.25 U	ug/L	0.50	0.25	1		06/05/18 16:54		
1,4-Dichlorobenzene	0.25 U	ug/L	0.50	0.25	1		06/05/18 16:54		
1,2-Dichloroethane	0.25 U	ug/L	0.50	0.25	1		06/05/18 16:54		
1,1-Dichloroethene	0.25 U	ug/L	0.50	0.25	1		06/05/18 16:54		
cis-1,2-Dichloroethene	0.25 U	ug/L	0.50	0.25	1		06/05/18 16:54		
trans-1,2-Dichloroethene	0.25 U	ug/L	0.50	0.25	1		06/05/18 16:54		
1,2-Dichloropropane	0.25 U	ug/L	0.50	0.25	1		06/05/18 16:54	78-87-5	
Ethylbenzene	0.25 U	ug/L	0.50	0.25	1		06/05/18 16:54		
Methylene Chloride	0.44 U		0.50	0.44	1		06/05/18 16:54		
A STATE OF THE STA	0.25 U		0.50	0.25	1		06/05/18 16:54		
Styrene Tetrachloroethene	0.25 U		0.50	0.25	1		06/05/18 16:54		
Toluene	0.25 U		0.50	0.25	1		06/05/18 16:54	1 108-88-3	
Total Trihalomethanes (Calc.)	0.32 U		1.0	0.32	1		06/05/18 16:54		
	0.41 U	(F)	0.50	0.41	1		06/05/18 16:54	4 120-82-1	
1,2,4-Trichlorobenzene	0.41 U		0.50	0.25			06/05/18 16:54		
1,1,1-Trichloroethane	0.25 U	-	0.50	0.25			06/05/18 16:5		
1,1,2-Trichloroethane			0.50	0.25			06/05/18 16:5		
Trichloroethene	0.25 U		0.50				06/05/18 16:5		
Vinyl chloride	0.39 U		0.50				06/05/18 16:5		
Xylene (Total)	0.25 U	ug/L	0.50	0,20			375015C-5C		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project:

Blackman 2018 Chem

Pace Project No.:

35394864

Sample: Well 1 EP	Lab ID:	35394864001	Collected	d: 05/29/1	8 13:20	Received: 05	5/30/18 11:30 N	Matrix: Drinking	Water
Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
524.2 MSV	Analytical	Method: EPA 5	24.2						
Surrogates									
4-Bromofluorobenzene (S)	98	%	70-130		1		06/05/19 10:5	1 100 00 1	
Toluene-d8 (S)	100	%	70-130		1		06/05/18 16:54 06/05/18 16:54		Υ
1,2-Dichloroethane-d4 (S)	107	%	70-130		1		06/05/18 16:54		
2120B App <mark>arent Colo</mark> r	Analytical	Method: SM212	20B-01					TO SHOW THE	
Apparent Color	5.0	units	5.0	5.0	1		05/31/18 12:09	1	
Н	7.7	units			1		05/31/18 12:09		
150B Threshold Odor Number	Analytical	Method: SM 21	50B						
emperature, Water (C)	39.6	deg C			1		05/00/40 40 00		
hreshold Odor Number	2.0	TON	1.0	1.0	1		05/30/18 13:08 05/30/18 13:08		
540C Total Dissolved Solids	Analytical	Method: SM 254	10C				00/00/10 10:00	,	
otal Dissolved Solids	149	mg/L	5.0	5.0	1		06/01/18 10:40		
500H+ pH, Electrometric	Analytical	Method: SM 450	00-H+B				22121114 19119		
H at 25 Degrees C	7.7	Std. Units	0.10	0.10	1		05/31/18 09:36		Q
540C MBAS Surfactants	Analytical	Method: SM 554	IOC Prepar	ation Meth	od: SM	5540C	CONTRACTOR CONTRACTOR		•
AS Molecular Weight, g/mol	320								
IBAS, Calculated as LAS	0.099 U	mg/L	0.20	0.099	1	05/30/18 15:00	05/30/18 15:59		
00.0 IC Anions 28 Days				0.099	1	05/30/18 15:00	05/30/18 15:59		J(M1)
	Analytical	Method: EPA 30	0.0						
hloride	3.8 1	mg/L	5.0	2.5	1		06/04/18 20:20	16887-00-6	
luoride	0.14	mg/L	0.050	0.034	1		06/04/18 20:20		
ulfate	5.6	mg/L	5.0	2.5	1		06/04/18 20:20		
35.4 Cyani <mark>d</mark> e, Total	Analytical I	Method: EPA 33	5.4 Prepara	ation Metho	od: EPA	335.4			
yanide	0.0050 U	mg/L	0.010	0.0050		06/07/18 07:10	06/08/18 10:23	57-12-5	
53.2 Nitrogen, NO2/NO3 unpres	Analytical N	Method: EPA 353	3.2						
itrogen, Nit <mark>r</mark> ate	0.025 U	mg/L	0.050	0.025	1		05/00/40 40 5	ryanana ar	
itrogen, Nitrite	0.025 U	mg/L	0.050	0.025	1		05/30/18 18:01		
3757 10			0.000	0.025	1		05/30/18 18:01	14797-65-0	



Project:

Blackman 2018 Chem

Pace Project No .:

35394864

QC Batch:

451191

Analysis Method: Analysis Description: EPA 245.1

QC Batch Method: EPA 245.1

245.1 Mercury

35394864001 Associated Lab Samples:

METHOD BLANK: 2444307

Matrix: Water

Associated Lab Samples:

35394864001

Blank Result

Reporting Limit

MDL Analyzed Qualifiers

Mercury

0.00010 U

0.00020

0.00010 05/31/18 19:52

LABORATORY CONTROL SAMPLE:

Parameter

Parameter

Parameter

MATRIX SPIKE & MATRIX SPIKE DUPLICATE:

MATRIX SPIKE & MATRIX SPIKE DUPLICATE:

Parameter

2444308

Units

mg/L

Units

mg/L

2076817001

Result

265281001

Result

Spike Conc.

MS

Spike

Conc.

.002

.002

LCS Result

LCS % Rec

100

% Rec Limits

85-115

Qualifiers

Mercury

Units

Units

mg/L

2444309

.002

Spike

Conc.

2444310 MSD

MS

Result

0.0020

2444312

0.0020

MSD

Result

0.0019

MS % Rec

MSD % Rec

% Rec Limits

70-130

Max RPD RPD Qual

> 3 20

Mercury

mg/L < 0.00010

2444311

ND

MS MSD

MS

MSD MS MSD

% Rec Max

> Qual 20 J(M1),

Mercury

Spike Conc.

.008

Spike Conc.

Result

.008

Result 0.0066 0.0049

% Rec

% Rec

60

RPD RPD Limits 70-130 29

J(R1)



Project:

Blackman 2018 Chem

Pace Project No.:

35394864

QC Batch:

452094

EPA 200.7

Analysis Method:

EPA 200.7

Analysis Description:

200.7 MET Drinking Water

METHOD BLANK: 2448593

QC Batch Method:

Associated Lab Samples:

Associated Lab Samples:

35394864001

35394864001

Matrix: Water

Blank Reporting Parameter Units Result Limit MDL Analyzed Qualifiers Aluminum 0.050 U mg/L 0.10 0.050 06/05/18 22:44 Barium mg/L 0.0050 U 0.010 0.0050 06/05/18 22:44 Beryllium mg/L 0.00050 U 0.0010 0.00050 06/05/18 22:44 Cadmium mg/L 0.00050 U 0.0010 0.00050 06/05/18 22:44 Chromium mg/L 0.0025 U 0.0050 0.0025 06/05/18 22:44 Iron mg/L 0.020 U 0.040 0.020 06/05/18 22:44 Manganese mg/L 0.0025 U 0.0050 0.0025 06/05/18 22:44 Nickel mg/L 0.0025 U 0.0050 0.0025 06/05/18 22:44 Sodium mg/L 0.50 U 1.0 0.50 06/05/18 22:44 Zinc mg/L 0.010 U 0.020 0.010 06/05/18 22:44

LABORATO	RY CONTROL SAMPLE:	2448594						
	Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers	
Aluminum		mg/L	2.5	2.5	100	85-115		
Barium		mg/L	.25	0.25	98	85-115		
Beryllium		mg/L	.025	0.025	98	85-115		
Cadmium		mg/L	.025	0.025	101	85-115		
Chromium		mg/L	.25	0.25	101	85-115		
Iron		mg/L	2.5	2.5	100	85-115		
Manganese		mg/L	.25	0.25	101	85-115		
Nickel		mg/L	.25	0.25	102	85-115		
Sodium		mg/L	12.5	12.3	98	85-115		
Zinc		mg/L	1.2	1.3	101	85-115		

MATRIX SPIKE & MATRIX	SPIKE DUPLIC	CATE: 24485	95		2448596							
Parameter	Units	35394978001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec	RPD	Max RPD	Qual
Aluminum	mg/L	0.050 U	2.5	2.5	2.5	2.5	98	98	70-130	0	20	
Barium	mg/L	0.0057	.25	.25	0.25	0.25	99	99	70-130	0	20	
Beryllium	mg/L	0.00050 U	.025	.025	0.025	0.025	100	100	70-130	-	20	
Cadmium	mg/L	0.00050 U	.025	.025	0.025	0.025	100	99	70-130	0	20	
Chromium	mg/L	0.0025 U	.25	.25	0.25	0.25	101	101	70-130	0	20	
Iron	mg/L	0.020 U	2.5	2.5	2.5	2.6	102	102	70-130	0	20	
Manganese	mg/L	0.0025 U	.25	.25	0.25	0.25	100	100	70-130	0	20	
Nickel	mg/L	0.0025 U	.25	.25	0.25	0.25	99	99	70-130	0	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.



Project:

Blackman 2018 Chem

Pace Project No.:

35394864

MATRIX SPIKE & MATRIX	SPIKE DUPLI	CATE: 24485	95		2448596							
Parameter	Units	35394978001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec	RPD	Max RPD	Qual
Sodium Zinc	mg/L mg/L	7.0 0.010 U	12.5 1.2	12.5 1.2	19.6 1.3	19.6 1.3	101 100	101 100	70-130 70-130	0	20	



Project:

Blackman 2018 Chem

Pace Project No.:

35394864

QC Batch:

QC Batch Method:

452942

EPA 200.7

Analysis Method:

EPA 200.7

Analysis Description:

200.7 MET Drinking Water

METHOD BLANK: 2453400

Matrix: Water

Associated Lab Samples:

Associated Lab Samples:

35394864001

35394864001

Blank Result

0.0025 U

Reporting

Limit

0.0050

MDL

102

0.0025

Analyzed 06/08/18 15:23 Qualifiers

Silver

Silver

LABORATORY CONTROL SAMPLE:

Parameter

2453401

Units

mg/L

Spike Conc.

LCS Result

LCS % Rec % Rec Limits

Qualifiers

Parameter

MATRIX SPIKE & MATRIX SPIKE DUPLICATE:

Parameter

mg/L

0.0025 U

2453402

Units

2453403

0.026

MS

.025

.025

MSD Spike

MS

MSD

MS % Rec

MSD % Rec

85-115

% Rec Limits

Max RPD

Silver

35394861001 Units Result

mg/L

Spike Conc.

Conc. .025

Result Result 0.027 0.027

106

107

RPD 70-130

Qual 20



Project:

Blackman 2018 Chem

Pace Project No.:

35394864

QC Batch:

452095

Analysis Method:

EPA 200.8

QC Batch Method:

EPA 200.8

Analysis Description:

200.8 MET Drinking Water

METHOD BLANK: 2448599

Matrix: Water

Associated Lab Samples:

Associated Lab Samples:

35394864001

35394864001

Parameter		Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Antimony		mg/L	0.00050 U	0.0010	0.00050	06/05/18 09:58	
Arsenic		mg/L	0.00050 U	0.0010	0.00050	06/06/18 09:11	
Copper		mg/L	0.00093 U	0.0010	0.00093	06/06/18 09:11	
_ead		mg/L	0.00050 U	0.0010	0.00050	06/06/18 09:11	
Selenium		mg/L	0.00050 U	0.0010	0.00050	06/05/18 09:58	
Thallium		mg/L	0.00050 U	0.0010	0.00050	06/05/18 09:58	

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Antimony	mg/L	.05	0.052	103	85-115	
Arsenic	mg/L	.05	0.052	104	85-115	
Copper	mg/L	.05	0.053	105	85-115	
Lead	mg/L	.05	0.051	102	85-115	
Selenium	mg/L	.05	0.052	105	85-115	
Thallium	mg/L	.05	0.049	99	85-115	

MATRIX SPIKE & MATRIX	SPIKE DUPLIC	ATE: 244860	01		2448602							
Parameter	Units	35394972001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Antimony	mg/L	0.56 I ug/L	.05	.05	0.051	0.052	101	102	70-130	1	20	
Arsenic	mg/L	11.1 ug/L	.05	.05	0.063	0.064	105	105	70-130	1	20	
Copper	mg/L	0.065	.05	.05	0.12	0.12	110	109	70-130	0	20	
Lead	mg/L	0.0049	.05	.05	0.057	0.056	104	103	70-130	1	20	
Selenium	mg/L	0.50 U ug/L	.05	.05	0.049	0.051	98	101	70-130	3	20	
Thallium	mg/L	0.50 U ug/L	.05	.05	0.050	0.050	99	100	70-130	1	20	

MATRIX S	PIKE & MATRIX SP	IKE DUPLIC	CATE: 24486	03		2448604							
	Parameter	Units	35395467001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Antimony		mg/L	<0.00050	.05	.05	0.051	0.050	101	101	70-130	0	20	
Arsenic		mg/L	0.0020	.05	.05	0.054	0.054	104	103	70-130	0	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.



Project:

Blackman 2018 Chem

Pace Project No.:

35394864

MATRIX SPIKE & MATRIX	SPIKE DUPLIC	CATE: 244860	03		2448604							
Parameter	Units	35395467001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec	RPD	Max RPD	Qual
ST WITH STREET STREET			CONTRACTOR OF THE PARTY OF THE	.05	0.052	0.052	103	103	70-130			
Copper	mg/L	<0.00093	.05		G70000000							
Lead	mg/L	< 0.00050	.05	.05	0.051	0.051	102	102	70-130			
Selenium	mg/L	< 0.00050	.05	.05	0.050	0.050	100	100	70-130	0	20	
Thallium	mg/L	< 0.00050	.05	.05	0.050	0.051	101	101	70-130	1	20	



Project:

Blackman 2018 Chem

Pace Project No.:

35394864

QC Batch:

452335

EPA 524.2

Analysis Method:

EPA 524.2

QC Batch Method:

Analysis Description:

524.2 MSV

Associated Lab Samples: 35394864001

METHOD BLANK: 2449754

Matrix: Water

Associated Lab Samples: 35394864001

	1200	Blank	Reporting	MDI	A 1	0 - 116
Parameter	Units	Result	Limit	MDL	Analyzed	Qualifiers
1,1,1-Trichloroethane	ug/L	0.25 U	0.50	0.25	06/05/18 16:30	
1,1,2-Trichloroethane	ug/L	0.25 U	0.50	0.25	06/05/18 16:30	
1,1-Dichloroethene	ug/L	0.25 U	0.50	0.25	06/05/18 16:30	
1,2,4-Trichlorobenzene	ug/L	0.41 U	0.50	0.41	06/05/18 16:30	
1,2-Dichlorobenzene	ug/L	0.25 U	0.50	0.25	06/05/18 16:30	
1,2-Dichloroethane	ug/L	0.25 U	0.50	0.25	06/05/18 16:30	
1,2-Dichloropropane	ug/L	0.25 U	0.50	0.25	06/05/18 16:30	
1,4-Dichlorobenzene	ug/L	0.25 U	0.50	0.25	06/05/18 16:30	
Benzene	ug/L	0.25 U	0.50	0.25	06/05/18 16:30	
Carbon tetrachloride	ug/L	0.25 U	0.50	0.25	06/05/18 16:30	
Chlorobenzene	ug/L	0.25 U	0.50	0.25	06/05/18 16:30	
cis-1,2-Dichloroethene	ug/L	0.25 U	0.50	0.25	06/05/18 16:30	
Ethylbenzene	ug/L	0.25 U	0.50	0.25	06/05/18 16:30	
Methylene Chloride	ug/L	0.44 U	0.50	0.44	06/05/18 16:30	
Styrene	ug/L	0.25 U	0.50	0.25	06/05/18 16:30	
Tetrachloroethene	ug/L	0.25 U	0.50	0.25	06/05/18 16:30	
Toluene	ug/L	0.25 U	0.50	0.25	06/05/18 16:30	
Total Trihalomethanes (Calc.)	ug/L	0.32 U	1.0	0.32	06/05/18 16:30	
trans-1,2-Dichloroethene	ug/L	0.25 U	0.50	0.25	06/05/18 16:30	
Trichloroethene	ug/L	0.25 U	0.50	0.25	06/05/18 16:30	
Vinyl chloride	ug/L	0.39 U	0.50	0.39	06/05/18 16:30	
Xylene (Total)	ug/L	0.25 U	0.50	0.25	06/05/18 16:30	
1,2-Dichloroethane-d4 (S)	%	104	70-130		06/05/18 16:30	
4-Bromofluorobenzene (S)	%	97	70-130		06/05/18 16:30	
Toluene-d8 (S)	%	99	70-130		06/05/18 16:30	

LABORATORY CONTROL SAMPLE	& LCSD: 2449755		24	49756						
Section 1997	71.7	Spike	LCS	LCSD	LCS	LCSD	% Rec	DDD	Max	Ovelifiana
Parameter	Units	Conc.	Result	Result	% Rec	% Rec	Limits	RPD	RPD .	Qualifiers
1,1,1-Trichloroethane	ug/L	20	22.2	21.7	111	109	70-130	2	40	
1,1,2-Trichloroethane	ug/L	20	19.8	19.9	99	99	70-130	0	40	
1,1-Dichloroethene	ug/L	20	21.5	20.9	107	104	70-130	3	40	
1,2,4-Trichlorobenzene	ug/L	20	19.0	19.4	95	97	70-130	2	40	
1,2-Dichlorobenzene	ug/L	20	20.2	20.4	101	102	70-130	1	40	
1,2-Dichloroethane	ug/L	20	21.9	21.1	109	105	70-130	4	40	
1,2-Dichloropropane	ug/L	20	21.8	21.5	109	107	70-130	1	40	
1,4-Dichlorobenzene	ug/L	20	19.4	19.9	97	100	70-130	3	40	
Benzene	ug/L	20	22.3	22.4	112	112	70-130	0	40	
Carbon tetrachloride	ug/L	20	21.3	21.1	106	105	70-130	1	40	
Chlorobenzene	ug/L	20	20.1	20.4	100	102	70-130	2	40	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.



Project:

Blackman 2018 Chem

Pace Project No.:

Date: 06/13/2018 05:46 PM

35394864

LABORATORY CONTROL SAMPLE	& LCSD: 2449755		24	49756						
Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
cis-1,2-Dichloroethene	ug/L	20	21.3	22.1	107	110	70-130	3	40	
Ethylbenzene	ug/L	20	21.3	21.6	107	108	70-130	1	40	
Methylene Chloride	ug/L	20	23.7	24.3	119	121	70-130	2	40	
Styrene	ug/L	20	20.3	20.2	102	101	70-130	1	40	
Tetrachloroethene	ug/L	20	16.2	17.2	81	86	70-130	6	40	
Toluene	ug/L	20	20.4	20.6	102	103	70-130	1	40	
Total Trihalomethanes (Calc.)	ug/L	80	80.2	80.2	100	100	70-130	0	40	
trans-1,2-Dichloroethene	ug/L	20	21.8	22.1	109	110	70-130	1	40	
Trichloroethene	ug/L	20	22.5	22.6	112	113	70-130	1	40	
Vinyl chloride	ug/L	20	22.1	23.0	110	115	70-130	4	40	
Xylene (Total)	ug/L	60	61.4	61.9	102	103	70-130	1	40	
1,2-Dichloroethane-d4 (S)	%				100	97	70-130	- 2		
4-Bromofluorobenzene (S)	%				105	104	70-130			
Toluene-d8 (S)	%				101	102	70-130			



Project:

Blackman 2018 Chem

Pace Project No.:

35394864

QC Batch:

451207

QC Batch Method:

Analysis Method:

SM2120B-01

SM2120B-01

Associated Lab Samples:

35394864001

Analysis Description:

2120B Color

METHOD BLANK: 2444347

Matrix: Water

Associated Lab Samples:

35394864001

Blank

5.5

Reporting

Limit

MDL

Analyzed Qualifiers

Apparent Color pH

Units

units

units

Result 5.0 U

5.0 5.0 05/31/18 12:06 05/31/18 12:06

SAMPLE DUPLICATE: 2444348

Parameter Units 35394864001 Result 5.0

Dup Result 5.0

RPD 0 Qualifiers

Date: 06/13/2018 05:46 PM

Apparent Color pH

Parameter

units units 7.7

7.7

0

Max

RPD

20



Project:

Blackman 2018 Chem

Pace Project No.:

35394864

QC Batch:

451004

SM 2150B

Analysis Method:

SM 2150B

35394864001

Analysis Description:

Threshold Odor Number

METHOD BLANK: 2442804

QC Batch Method:

Matrix: Water

Associated Lab Samples:

Associated Lab Samples:

35394864001

Blank

Reporting Limit

MDL

Analyzed Qualifiers

N2

Parameter Temperature, Water (C) Threshold Odor Number

Units deg C TON

Result 1.0 U

1.0

05/30/18 13:08 1.0 05/30/18 13:08

Max

SAMPLE DUPLICATE: 2443070

Parameter Temperature, Water (C)

35394864001 Result

Dup Result 39.6

RPD

0

RPD

Qualifiers

Threshold Odor Number

Units deg C TON

39.6 2.0

2.0

20 20 N2



Project:

Blackman 2018 Chem

Pace Project No.:

35394864

QC Batch:

451394

QC Batch Method:

SM 2540C

Analysis Method:

SM 2540C

Analysis Description:

2540C Total Dissolved Solids

METHOD BLANK: 2445251

Matrix: Water

Associated Lab Samples:

Associated Lab Samples:

35394864001

35394864001

Blank

Parameter

Units mg/L

Units

mg/L

Units

mg/L

mg/L

Reporting Limit

MDL

Analyzed

06/01/18 10:39

Qualifiers

Total Dissolved Solids

5.0 U

Result

5.0

5.0

4

5

LABORATORY CONTROL SAMPLE:

Parameter

2445252

Spike Conc.

LCS Result

LCS % Rec % Rec Limits

Qualifiers

5

5

Total Dissolved Solids

SAMPLE DUPLICATE: 2445253

265516001 Result

22.0

62.0

300

Dup Result

23.0

65.0

305

RPD

102

Max RPD

90-110

Qualifiers

SAMPLE DUPLICATE:

Total Dissolved Solids

Date: 06/13/2018 05:46 PM

Total Dissolved Solids

2445254

Parameter

Parameter

35394849002 Units Result

Dup Result

RPD

Max RPD

Qualifiers



Project:

Blackman 2018 Chem

Pace Project No.:

35394864

QC Batch:

451136

QC Batch Method:

SM 5540C

Analysis Method:

SM 5540C

Analysis Description:

5540C MBAS Surfactants

METHOD BLANK: 2444067

Matrix: Water

Associated Lab Samples:

Associated Lab Samples:

35394864001

35394864001

Blank

Result

Reporting

Limit

MDL

Analyzed 05/31/18 13:38 Qualifiers

LAS Molecular Weight, g/mol MBAS, Calculated as LAS

mg/L

Units

320 0.099 U

0.20

0.099

05/31/18 13:38

LABORATORY CONTROL SAMPLE: Parameter

Parameter

2444068

Spike Conc.

LCS Result

LCS % Rec % Rec Limits

Qualifiers

LAS Molecular Weight, g/mol MBAS, Calculated as LAS

mg/L

Units

.3

320 0.32

107

MS

Result

90-110

MATRIX SPIKE SAMPLE:

LAS Molecular Weight, g/mol

MBAS, Calculated as LAS

2444070

Units

mg/L

mg/L

35394864001 Result 0 U

0.099 U

Spike Conc.

.3

MS % Rec 320

% Rec Limits

Qualifiers

90-110 J(M1)

SAMPLE DUPLICATE:

Date: 06/13/2018 05:46 PM

Parameter LAS Molecular Weight, g/mol MBAS, Calculated as LAS

Parameter

2444069 Units

35394864001 Result 320

0.099 U

Dup Result 320

0.099 U

RPD

0.19 |

Max RPD

Qualifiers

20

57



Project:

Blackman 2018 Chem

Pace Project No.:

35394864

QC Batch:

451816

QC Batch Method: EPA 300.0 Analysis Method:

EPA 300.0

Associated Lab Samples: 35394864001

Analysis Description:

300.0 IC Anions

METHOD BLANK: 2447525

Matrix: Water

Associated Lab Samples: 35394864001

Date: 06/13/2018 05:46 PM

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Chloride	mg/L	2.5 U	5.0	2.5	06/04/18 10:21	
Fluoride	mg/L	0.034 U	0.050	0.034	06/04/18 10:21	
Sulfate	mg/L	2.5 U	5.0	2.5	06/04/18 10:21	

LABORATORY CONTROL SAMPLE:	2447526	Spike	LCS	LCS	% Rec		
Parameter	Units	Conc.	Result	% Rec	Limits	Qualifiers	ϵ
Chloride	mg/L	50	48.4	97	90-110		
Fluoride	mg/L	5	5.0	100	90-110		
Sulfate	mg/L	50	48.2	96	90-110		

MATRIX SPIKE & MATRIX SP	IKE DUPLICA	ATE: 24475	27		2447528							
		5394861001	MS Spike	MSD Spike	MS	MSD	MS	MSD	% Rec		Max	
Parameter	Units	Result	Conc.	Conc.	Result	Result	% Rec	% Rec	Limits	RPD	RPD	Qual
Chloride	mg/L	3.8 1	50	50	50.0	50.3	92	93	90-110	1	20	
Fluoride	mg/L	0.14	5	5	5.0	5.0	96	97	90-110	0	20	
Sulfate	mg/L	5.6	50	50	52.0	52.1	93	93	90-110	0	20	

MATRIX SPIKE & MATRIX SI	PIKE DUPLICA	TE: 24475	29		2447530							
Parameter	3 Units	5395525002 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Chloride	mg/L	78.8	50	50	127	127	96	97	90-110	0	20	L
Fluoride	mg/L	0.16	5	5	4.4	4.5	85	86	90-110	1	20	J(M1)
Sulfate	mg/L	17.3	50	50	60.3	60.7	86	87	90-110	1	20	J(M1)

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.



Project:

Blackman 2018 Chem

Pace Project No.:

35394864

QC Batch:

452204

QC Batch Method: Associated Lab Samples:

Analysis Method:

EPA 335.4

Parameter

Parameter

EPA 335.4

Analysis Description:

335.4 Cyanide, Total

METHOD BLANK: 2449139

Matrix: Water

Associated Lab Samples:

35394864001

35394864001

Blank Result

0.0050 U

Reporting Limit

0.010

MDL

0.0050

Analyzed 06/08/18 10:01 Qualifiers

Cyanide

LABORATORY CONTROL SAMPLE:

2449140

Spike

LCS Result

LCS % Rec % Rec Limits

Qualifiers

Cyanide

Parameter

Parameter

Units mg/L

35394789002

35395428001

Result

0.0050 U

Result

0.0050 U

Units

mg/L

Units

mg/L

Units

mg/L

Conc. .05

0.051

2449142

MS

Result

0.017

101 90-110

MATRIX SPIKE & MATRIX SPIKE DUPLICATE:

2449141

Spike

Conc.

.025

.025

MS

MSD

Conc.

Spike

.025

.025

MSD

Result

0.017

MS % Rec

MSD % Rec

% Rec Limits

90-110

Max **RPD** RPD

Qual

Qual

20 J(M1)

MATRIX SPIKE & MATRIX SPIKE DUPLICATE:

Cyanide

2449143

MS

MSD

2449144

MS

MSD

% Rec Max

Cyanide

Spike Conc.

Spike Conc.

MS Result

0.024

MSD Result 0.026

% Rec % Rec 94

101

RPD Limits **RPD** 20 90-110



Project:

Blackman 2018 Chem

Pace Project No.:

35394864

QC Batch:

451094

QC Batch Method: Associated Lab Samples:

EPA 353.2

Analysis Method:

EPA 353.2

Analysis Description:

353.2 Nitrate + Nitrite, Unpres.

METHOD BLANK: 2443454

Matrix: Water

Associated Lab Samples:

35394864001

35394864001

Blank

Result

Reporting Limit

MDL Analyzed Qualifiers

Nitrogen, Nitrate Nitrogen, Nitrite

Nitrogen, Nitrite

Nitrogen, Nitrite

Units mg/L mg/L

0.025 U 0.025 U

0.050 0.050 0.025 05/30/18 17:28 0.025 05/30/18 17:28

LABORATORY CONTROL SAMPLE:

Parameter

Parameter

2443455

Units

mg/L

Units

mg/L

Spike Conc.

LCS Result

LCS % Rec

% Rec Limits

90-110

Qualifiers

MATRIX SPIKE SAMPLE:

2443459

Parameter

35394891002 Result

0.025 U

1

Spike Conc.

Dup

1.0

MS Result

101

MS % Rec % Rec Limits

Qualifiers

90-110 J(M1)

SAMPLE DUPLICATE:

Date: 06/13/2018 05:46 PM

2443458

Parameter Units Nitrogen, Nitrate mg/L Nitrogen, Nitrite mg/L

35394891002 Result

0.025 U

0.025 U

Result 0.025 U 0.025 U RPD

0.90

Max RPD

Qualifiers

20 20

88



ANALYTICAL RESULTS - RADIOCHEMISTRY

Project:

Blackman 2018 Chem

Pace Project No.:

35394864

Sample: Well 1 EP PWS:	Lab ID: 35394 Site ID:	4864001 Collected: 05/29/18 13:20 Sample Type:	Received:	05/30/18 11:30	Matrix: Drinking Water
Parameters	Method	Act ± Unc (MDC) Carr Trac	Units	Analyzed	CAS No. Qual
Gross Alpha	EPA 900.0	1.85U ± 0.692 (1.85) C:NA T:NA	pCi/L	06/11/18 19:18	12587-46-1
Radium-226	EPA 903.1	0.857U ± 0.413 (0.857) C:NA T:81%	pCi/L	06/12/18 21:45	5 13982-63-3
Radium-228	EPA 904.0	0.847U ± 0.416 (0.847) C:75% T:86%	pCi/L	06/11/18 11:29	15262-20-1





QUALITY CONTROL - RADIOCHEMISTRY

Project:

Blackman 2018 Chem

Pace Project No.:

35394864

QC Batch:

301261

QC Batch Method:

EPA 900.0

Analysis Method:

EPA 900.0

Analysis Description:

900.0 Gross Alpha/Beta

METHOD BLANK: 1474094

Matrix: Water

Associated Lab Samples:

Associated Lab Samples:

35394864001

35394864001

Parameter

Act ± Unc (MDC) Carr Trac

Units

Analyzed

Qualifiers

Gross Alpha

-0.092 ± 0.196 (0.571) C:NA T:NA

pCi/L

06/11/18 19:29

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.





QUALITY CONTROL - RADIOCHEMISTRY

Project:

Blackman 2018 Chem

Pace Project No.:

35394864

QC Batch:

301192

Analysis Method:

EPA 903.1

QC Batch Method: EPA 903.1

METHOD BLANK: 1473734

Analysis Description:

903.1 Radium-226

Associated Lab Samples:

35394864001

Matrix: Water

Associated Lab Samples:

35394864001

Parameter

Act ± Unc (MDC) Carr Trac

Units

Analyzed

Qualifiers

Radium-226

0.244 ± 0.422 (0.755) C:NA T:85%

pCi/L

06/12/18 20:45





QUALITY CONTROL - RADIOCHEMISTRY

Project:

Blackman 2018 Chem

Pace Project No.:

35394864

QC Batch:

301193

Analysis Method:

EPA 904.0

QC Batch Method:

EPA 904.0

Analysis Description:

904.0 Radium 228

Associated Lab Samples:

35394864001

Matrix: Water

Associated Lab Samples:

METHOD BLANK: 1473735

35394864001

Parameter

Act ± Unc (MDC) Carr Trac

Units

Analyzed

Qualifiers

Radium-228

0.493 ± 0.359 (0.690) C:75% T:81%

pCi/L

06/11/18 11:26



QUALIFIERS

Project:

Blackman 2018 Chem

Pace Project No.:

35394864

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Act - Activity

Unc - Uncertainty: SDWA = 1.96 sigma count uncertainty, all other matrices = Expanded Uncertainty (95% confidence interval). Gamma Spec = Expanded Uncertainty (95.4% Confidence Interval)

(MDC) - Minimum Detectable Concentration

Trac - Tracer Recovery (%)

Carr - Carrier Recovery (%)

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

LABORATORIES

PASI-O Pace Analytical Services - Ormond Beach

PASI-PA Pace Analytical Services - Greensburg

ANALYTE QUALIFIERS

Date: 06/13/2018 05:46 PM

The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.

U Compound was analyzed for but not detected.

J(M1) Estimated Value, Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS)

recovery

J(R1) Estimated Value. RPD value was outside control limits.

L Off-scale high. Actual value is known to be greater than value given.

N2 The lab does not hold NELAC/TNI accreditation for this parameter.

Q Sample held beyond the accepted holding time. Analysis initiated more than 15 minutes after sample collection.

Y The laboratory analysis was from an improperly preserved sample.



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project:

Blackman 2018 Chem

Pace Project No.: 35394864

Date: 06/13/2018 05:46 PM

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytica Batch
35394864001	Well 1 EP	EPA 200.7	452094	EPA 200.7	452120
35394864001	Well 1 EP	EPA 200.7	452942	EPA 200.7	453019
35394864001	Well 1 EP	EPA 200.8	452095	EPA 200.8	452119
35394864001	Well 1 EP	EPA 245.1	451191	EPA 245.1	451395
35394864001	Well 1 EP	EPA 524.2	452335		
35394864001	Well 1 EP	EPA 900.0	301261		
35394864001	Well 1 EP	EPA 903.1	301192		
35394864001	Well 1 EP	EPA 904.0	301193		
35394864001	Well 1 EP	SM2120B-01	451207		
35394864001	Well 1 EP	SM 2150B	451004		
35394864001	Well 1 EP	SM 2540C	451394		
35394864001	Well 1 EP	SM 4500-H+B	451176		
35394864001	Well 1 EP	SM 5540C	451136	SM 5540C	451765
35394864001	Well 1 EP	EPA 300.0	451816		
35394864001	Well 1 EP	EPA 335.4	452204	EPA 335.4	453099
35394864001	Well 1 EP	EPA 353.2	451094		
394864001	Well 1 EP	EPA 353.2	451094		

WO#:35394864



CHAIN-OF-CUSTODY / Analytical Request Document
The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately:

Section / Regulred	i Client Information				باهدا	any	mation;						ce Info	ormati	on:			*	ALL PARTY OF	4			a I			J.		F	age :	1	Of	1
Company			F	Report To:	Jenr	nifer E	Boone					Atten]		4				
Address:	5756 Slewart Street			Сору То:									any N	lame:																		
Milton, Fl							**************************************					Addre					····									35.5			Regul	rtory Agen	y gardonsi	lg to a spirit
	tuturelebsinc@gmail.com			Purchase Or Project Name					So, Rads.	1000			Quote		2001				1.0		-1-1-					<u> </u>	State 1			/ Location	n Validade an	1, 112
Phone:	850-910-3490 Fa ed Due Date:	IX.		roject #:	J.	Blac	Kman 441	1000; YU	90+1(808 ,	<u>wo</u> u			Profile					a.mcke d 10, l				,com,				SATIS	100 1		out	, Location		
· icqocsio	oo oak.		<u>-</u>	10,1-1-1-							-				-100	-		10,	T.	14		eque	rted /	naly	is Fi	tere	(Y/N)	Weyner-	and the said	stance of the Al	ario-	
			MATRIX	CODE	a to left	CaCOMP)		COLLE	CTED		ĕ			Pro	ser	vativ	/es		₹,	-												
	SAMPLE ID)	Drietling Wate Water Waste Water Product Solf-Solid	WT WW P	(see valid codes to left)	(G-GRAB C	STA	.RT	EI	(D	SAMPLE TEMP AT COLLECTION	65							Test	200.7 ICP Melais, 200.8, Hg		TDS, MBAS, Color, Anions,							(N/N)			
	One Character per bo (A-Z, 0-9 / , -)		Oil Wipe Air	SL OL WP AR OT							MP AT	AMER	g						12	智		S, Col	١,	. .		9) light			
ITEM#	Sample lds must be un	ique	Other Tissue	OT TS	MATRIX CODE	SAMPLE TYPE	DATE	TIME	DATE	TIME	SAMPLE TE	# OF CONTAINERS	Unpreserved	HNOS	달	NaOH	Ne2S203	Methanol	Analyses	200.7 ICP	Cyanide	TDS, MBA	Odor	Radium 226	Radium 228	Gross Alpha			Residual Chlorine (Y/N)			
	Well 1		ET	PI	W		5/29/18	1320							1,70				Τ	X		Y		\sqrt{x}	_	χ	П					
2						1	75-71-				T		1			П		T	1	۲	-	Ħ	Ť	Ť		Ť	H					
3					T						<u> </u>	H	T	╅		П	\top	十	1	T			1	Ť	T		\Box		\Box		V	
					T							H	十	十	I^-	П		┪	1				\top			I^-	H	\dagger	\Box			······································
à đị			······································		T	П						H	T	╁				\top	1	T			十	十	十	┢	一十	+	\square			
- 5 -10					t	$\vdash \vdash$:			H	\dashv	十	H		\dashv	十	1	\vdash			\top	╁	十	<u> </u>	H	1	H			
6					f	H				***************************************	┢	H		十	L	Н	\top	+	1	H			\dagger	+	╁	T		+	Ħ			
					十	Н					\vdash	H			I	Н	-	\dashv	1	H	H		十	+	╁	\vdash	\vdash	+	H			
8	AND THE PROPERTY OF THE PROPER	,			╁	H					<u> </u>	H	1	+	-		\dashv	+	1	\vdash		H	\dashv	+	╁		$\vdash \uparrow$	+	H			
9-					╁	H						Н	+	+-	 -		_	╁	1	┢		H	+	╁	╁	十	H	┪	H		*	
10					H						_	H	+	+	\vdash		\dashv		┨	H			\dashv	\dagger	-	╁	\vdash		+1			
-11 					╁						-	H	\dashv	1	╂				┨	<u> </u>	\vdash	\vdash	+		╁	+	\vdash	┪	H	<u> </u>		
ا 12	ADDITIONAL COM	MENTS			RELIN	IQUISI	HED BY / A	FFILIATIO	ng ja	DATE			IME	£ 35%		Sogi	ACCE	TED 8	I Y/A	FFUL	TION	ili.		d	DAT	 E	1	L ME		SAMPLE	CONDITIONS	
SUCCT V	OLOS: ODOR, pH, Nitrate/Nitrite, ME	*** COLOD *	<u> </u>	TAY	1				egarii Chilinina	3/28	118	14	51	E 25,0	-1 · 14 ·	act ngang	24 .4.	# (14. K	, becoming	-		iń.			i, spaile	agarlat erig	o participa				in the set of the	S1. Q83 V
SHORT R	OLUG. ODON, PIN, INSUREMENTALING, IME	ma, dulun, A	January Contract of the Contra	11)		11	J.	tto.	Sin	5/19	The second		30	下	Ì	72	٢,	〕	7	30	<u>بر</u>		•	3/2	4/1	Y .	143	50	\vdash			
				Des	1		2/	500	he ?	29/	8		00	V	L	<i>]</i>].	ر	5	7	7	P	AC	E	Ŕ	R	Irs		30	P.E	IV	N	У
				0)	_															•			<u> </u>				,	1338	*		
Page 28 of 2								1	R NAME.	ALC: THE	5. U.S.			da.	A. Sig	Po	\overline{H}	er er	15 < 0	n.))		### \$	YTE	i ju		e Sam S		J ≡.	ved on	ð	les
8 of 2								SIG	NATURE	of SAMP	LER:		ud	ما	Ŧ	े बर्	ter	Su	<u>, </u>	Ĺ	DAT	E Sjo	73	91	18	7			TEMP in C	Recei (X/N)	Custody Sealed Cooler (Y/N)	Samp Intact (YN)



Project Manager Review:

Document Name: Sample Condition Upon Receipt Form Document No.: F-FL-C-007 rev. 13

Document Revised: May 30, 2018 Issuing Authority: Pace Florida Quality Office

Project #

WO#:35394864

Project Manager: PN: SMM CLIENT: FUTLAB

Due Date: 06/13/18

Date and Initials of person:

Examining contents:
Label:
Deliver:
pH:

Client:			Deliver:
Thermometer Used:	Date: 5/30/1	F Time: 113	0 Initials: K[3]
State of Origin:	☐ For W <u>V</u>	projects, all containers verified	to ≤6 °C
Cooler #1 Temp.*C O. (Visual)	- r	()	Samples on ice, cooling process has begun
Cooler #2 Temp.*C O.3 (Visual)			Samples on ice, cooling process has begun
Cooler #3 Temp.*C (Visual)	(Correction Factor)		Samples on ice, cooling process has begun
Cooler #4 Temp.*C(Visual)		•	Samples on ice, cooling process has begun
Cooler #5 Temp.*C(Visual)	,	•	Samples on ice, cooling process has begun
Cooler #6 Temp.*C(Visual)		, , , , , , , , , , , , , , , , , , , ,	Samples on ice, cooling process has begun
	ISPS Client Cority Overnight Standard		☐ Other
Billing:	er 🗆 Third Party	☐ Credit Card ☐	ู้ U⊓known
Tracking # 4278 3971	_ 1 /	0 ~~-/	2075
			70.70
Custody Seal on Cooler/Box Present:	No Seals i	ntact: Yes No	Ice: (Vet Blue Dry None
Packing Material Bubble Wrap Bubbl	e Bags □None □O	other	
Samples shorted to lab (If Yes, complete)	Shorted Date:	Shorted	Time: 1150 aty: 20dox
		Comments:	
Chain of Custody Present	ØÝes □ No □N/A		
Chain of Custody Filled Out	ZYes □ No □N/A		
Relinquished Signature & Sampler Name COC	ZYes □ No □N/A		
Samples Arrived within Hold Time	ØYes □ No □N/A		
Rush TAT requested on COC	□Yes ØNo □N/A		
Sufficient Volume	DYES □ No □N/A		
Correct Containers Used	ZYes 🗆 No 🗆 N/A		
Containers Intact	ZYes □ No □N/A		
Sample Labels match COC (sample IDs & date/time of collection)	ØYes □ No □N/A		
All containers needing acid/base preservation have been			eservation Information:
checked. All Containers needing preservation are found to be in	" /	Preservative: Lot #/Trace #:_	
compliance with EPA recommendation:	ZYes □ No □N/A		Time:
Exceptions: VOA, Coliform, TOC, O&G Headspace in VOA Vials? (>6mm):	GYes ☑ No ☐N/A	H (18615)	
Trip Blank Present:	□Yes □ No ZN/A		
Client Notification/ Resolution: Person Contacted:		Date/Time:	
Comments/ Resolution (use back for additional	al comments):		

Date:



2019 Annual Drinking Water Quality Report BLACKMAN COMMUNITY WATER SYSTEM

We are pleased to report that our drinking water meets all federal and state requirements.

We're very pleased to provide you with this year's Annual Water Quality Report. We want to keep you informed about the excellent water and services we have delivered to you over the past year. Our goal is and always has been, to provide to you a safe and dependable supply of drinking water. Our water source is ground water from 2 wells which are shown on our data table. However, at the present time we are only using well #1. The wells draw from the Floridan Aquifer. Because of the excellent quality of our water, the only treatment required is chlorine for disinfection purposes. If you have any questions about this report or concerning your water quality, please contact Wanda Patterson at (850)603-2802. We encourage our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the 2nd Monday in each month at 6:30PM at the Blackman Community Center.

In the table on the following page, you may find unfamiliar terms and abbreviations. To help you better understand these terms we've provided the following definitions:

Maximum Contaminant Level or MCL: The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal or MCLG: The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Action Level (AL): The concentration of a contaminant which, if exceeded, triggers treatment or other requirements that a water system must follow.

Picocurie per liter (pCi/L) - measure of the radioactivity in water.

"ND" means not detected and indicates that the substance was not found by laboratory analysis.

Parts per million (ppm) or Milligrams per liter (mg/l) – one part by weight of analyte to 1 million parts by weight of the water sample.

Parts per billion (ppb) or Micrograms per liter ($\mu g/l$) — one part by weight of analyte to 1 billion parts by weight of the water sample.

Maximum residual disinfectant level or MRDL: The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum residual disinfectant level goal or MRDLG: The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Blackman Community Water System has been routinely monitoring for contaminants in your drinking water according to Federal and State laws, rules, and regulations. Except where indicated otherwise, this report is based on the results of our monitoring for the period of January 1 to December 31, 2019. Data obtained before January 1, 2019 and presented in this report are from the most recent testing done in accordance with the laws, rules, and regulations.

2019 TEST RESULTS TABLE

Contaminant and Unit of Measurement	Dates of sampling	MCL Violation	Level	1	ge of	MCL	G	MCL	.3	kely Source of
Witasur Cincin	(mo./yr.)	Y/N	Detected	Kes	ults					Contamination
Fluoride (ppm)	Mar & May 2018	N	0.15	0.14	-0.15	4		4.0	dischar alumin additive	n of natural deposits; ge from fertilizer and um factories. Water which promotes strong in at the optimum level of 0.7 ppm
Sodium (ppm)	Mar & May 2018	N	4.7	3.9	-4.7	N/A		160	Salt wat	er intrusion, leaching from soil
Arsenic (ppb)	Mar & May 2018	N	5.7	2.3	-5.7	0		10	runoff f from g	of natural deposits; rom orchards; runoff lass and electronics oduction wastes
Barium (ppm)	Mar & May 2018	N	0.0066	1)58- 066	2		2	Dischar discharge	ge of drilling wastes; from metal refineries of natural deposits
Lead (point of entry) (ppb)	Mar & May 2018	N	1.2	ND		0		15	Resid pollution and paint;	ue from man-made such as auto emission lead pipe, casing, an solder
T 1 1 C			y e gala	i de d		d Parking				Section 18 March 18 18
Lead and Coppe	r (lap wa	iter)			`	wayondd				
Contaminant and Unit of Measurement	Dates of sampling (mo./yr.)	AL Exceeded (Y/N)	90th Percentile Result	sampl excee	o. of ing sites ding the AL	МС	CLG	AL (Actio	n L	ikely Source of Contamination
Copper (tap water) (ppm)	Jun – Sep 17	N	0.0063	•	0	1	.3	1.3	plumbi natur	rosion of household ng systems; erosion o al deposits; leaching wood preservatives
								1.3		
Stage 2 Disinfect	ants and I	Disinfect	ion By-	Prod	ucts					
Disinfectant or Contaminant and Unit of Measurement	Dates of sampling (mo./yr.)	MCL or MRDL Violation Y/	Level Detecte		ange of Results		CLG or RDLG		MCL or MRDL	Likely Source of Contamination
Chlorine (ppm) Stage 1	Jan-Dec 19	N	0.244	2 0	2 - 0.3	MR	DLG =	4 M	IRDL = 4.0	Water additive used to control microbes
Haloacetic Acids (five) (HAA5) (ppb)	Aug-19	N	1.5		NA		NA	1	MCL = 60	By-product of drinking water disinfection
TTHM [Total trihalomethanes] (ppb)	Aug-19	N	10.7	-	NA	ŀ	NA		MCL = 80	By-product of drinking water disinfection
			1.5	5		1.1	Tip II		斯女式5 4	Zit ali pilkanek 🔝 🗎
Radioactive Conta	minants									
Contaminant and Unit of Measurement	Dates of sampling (mo/yr)	MCI Violati Y/N	ion De	evel tected	Rang Resu		MCL	.G	MCL	Likely Source of Contamination
Radium 226 + 228 or combined radium (pCi/L)	Mar & Ma 2018	y N	0	.697 .	ND-0	.697	. 0		5	Erosion of natural deposits

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Contaminants that may be present in source water include:

- (A) Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- (B) Inorganic contaminants, such as salts and metals, which can be naturally-occurring or result from urban storm water runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.
- (C) Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm water runoff, and residential uses.
- (D) Organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff, and septic systems.
- (E) Radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, the EPA prescribes regulations, which limit the amount of certain contaminants in water provided by public water systems. The Food and Drug Administration (FDA) regulations establish limits for contaminants in bottled water, which must provide the same protection for public health.

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

In 2018 The Department of Environmental Protection performed a Source Water Assessment on our system. The assessment was conducted to provide information about any potential sources of contamination in the vicinity of our wells. There are no sources of contamination identified for this system. The assessment results are available on the FDEP Source Water Assessment and Protection Program website at www.dep.state.fl.us/swapp or they can be obtained from Blackman Community Water System at 537-2527.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline (800-426-4791).

In the wake of the recent national events, Blackman Community Water System is aware of elevated concern about lead levels in drinking water. We want to reassure you that our most recent lead and copper testing has shown our levels to be well within Federal limits. If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Blackman Community Water System is responsible for providing high quality drinking water but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead.

We at Blackman Community Water System, Inc., would like you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to insuring the quality of your water. If you have any questions or concerns, please feel free to call any of the numbers listed above.