

Brian Schultz

From: Brian Schultz on behalf of Records Clerk
Sent: Monday, January 04, 2021 8:43 AM
To: 'John Foster'
Cc: Consumer Contact
Subject: RE: Docket # 20200226-SU PENDING aPLICATION

Good Morning, John Foster

We will be placing your comments below in consumer correspondence in Docket No. 20200226-SU and forwarding your comments to the Office of Consumer Assistance and Outreach.

Sincerely,

Brian Schultz

Commission Deputy Clerk II
Florida Public Service Commission
2540 Shumard Oak Boulevard
Tallahassee, Florida 32399
850.413.6770

PLEASE NOTE: Florida has a very broad public records law. Most written communications to or from state officials regarding state business are considered to be public records and will be made available to the public and the media upon request. Therefore, your e-mail message may be subject to public disclosure.

From: John Foster <john@pathfindergroupus.com>
Sent: Monday, January 04, 2021 8:18 AM
To: Records Clerk <CLERK@PSC.STATE.FL.US>
Subject: Docket # 20200226-SU PENDING aPLICATION

January 3, 2021

John P. Foster
Partner LGC, LLC
Dock 40
Little Gasparilla Island

c/o John P. Foster
4202 Water Oaks Lane
Tampa Fl. 33618

TO: clerk@psc.state.fl.us

SUBJECT: Docket #20200226-SU

To Whom It May Concern,

I am writing to you as a property owner on Little Gasparilla Island, which is within the service area contained in the application from Environmental Utilities, LLC [EU] for central sewer. I object to EU's request for the bifurcation of the certificate and rate-making proceedings and I object to the granting of a temporary waiver of Rule 25-30.033(1)(p) and (q). Given the inadequate information regarding the applicant's financial strength and management experience as well as the costs to all concerned who are involved with this project, the applicant's request for a waiver should be denied. In today's environment of transparency, I would be surprised if it were to be considered.


As a property owner in the proposed service area, it is important to have all of the relevant information regarding the proposed central sewer, including the proposed rates, connection fees and the type of system intended for installation. I therefore request that EU's request for bifurcation and a temporary waiver be denied.

Sincerely,

John P. Foster
Partner LGC, LLC
Dock 40

john@pathfindergroupus.com

Book a call or meeting [HERE](#)



John Foster | MBA | PathFinder Group
| Family Business Consulting
| **Tampa.** (813)716-2286
| e. john@pathfindergroupus.com | w. www.pathfindergroupus.com

