

Maria Jose Moncada Senior Attorney Florida Power & Light Company 700 Universe Boulevard Juno Beach, FL 33408-0420 (561) 304-5795 (561) 691-7135 (Facsimile) E-mail: maria.moncada@fpl.com

April 1, 2021

-VIA ELECTRONIC FILING -

Adam Teitzman Commission Clerk Florida Public Service Commission 2540 Shumard Oak Blvd. Tallahassee, FL 32399-0850

Re: Docket No. 20210007-EI

Dear Mr. Teitzman:

I attach for electronic filing in the above docket (i) Florida Power & Light Company's ("FPL") Petition for Approval of Environmental Cost Recovery True-Up for the Period Ending December 2020, (ii) the prepared testimony and exhibits of FPL witnesses Renae B. Deaton and Michael W. Sole.

Please contact me if you have or your Staff has any questions regarding this filing.

Sincerely,

s/ Maria Jose Moncada
Maria Jose Moncada

Attachments

cc: Counsel for Parties of Record (w/ attachments)

Florida Power & Light Company

BEFORE THE FLORIDA PUBLIC SERVICE COMMISSION

Docket No: 20210007-EI

In re: Environmental Cost Recovery Clause

Filed: April 1, 2021

PETITION FOR APPROVAL OF ENVIRONMENTAL COST RECOVERY TRUE-UP FOR THE PERIOD ENDING DECEMBER 2020

Florida Power & Light Company ("FPL") hereby petitions this Commission for approval

of FPL's Environmental Cost Recovery Clause ("ECRC") final true-up over-recovery amount of

\$19,421,091, including interest, for the period January 2020 through December 2020 and an

over-recovery of \$14,657,307 as the final net true-up amount for the same period. In support of

this petition, FPL incorporates the prepared written testimony and exhibits of witnesses Renae B.

Deaton and Michael W. Sole.

1. The calculation and the supporting documentation for FPL's final net true-up

amount for the period ending December 2020 are contained in the prepared testimony and

exhibit of FPL witness Renae B. Deaton.

2. In Order No. PSC-2020-0433-FOF-EI, dated November 13, 2020, the

Commission approved an over-recovery of \$4,763,785, including interest, as the actual/estimated

ECRC true-up for the period January 2020 through December 2020.

1

- 3. The final true-up for the period January 2020 through December 2020 is an over-recovery of \$19,421,091.
- 4. The final true-up over-recovery for the period January 2020 through December 2020 of \$19,421,091 minus the actual/estimated end-of-period over-recovery for the same period of \$4,763,785 results in the final net true-up over-recovery for the period January 2020 through December 2020 of \$14,657,307.
- 5. Mr. Sole's testimony supports the explanations for significant variances in project costs associated with O&M expenses and capital investments, which support FPL's ECRC final true-up for the period January 2020 to December 2020.
- 6. In Order No. PSC-2020-0433-FOF-EI, the Commission deferred to this docket FPL's request for approval of a modification to the Turkey Point Cooling Canal Monitoring Plan Project. Mr. Sole's testimony presents for Commission review and approval this modification to the Turkey Point Cooling Canal Monitoring Plan Project, addressing recent regulatory actions and environmental compliance activities undertaken by FPL pursuant to this project.

WHEREFORE, Florida Power & Light Company respectfully requests the Commission to approve an ECRC final true-up over-recovery amount of \$19,421,091, including interest and an over-recovery amount of \$14,657,307 as the final net true-up for the period January 2020

through December 2020, and that the Commission approve FPL's request for modification to the Turkey Point Cooling Canal Monitoring Plan Project.

Respectfully submitted,

R. Wade Litchfield, Esq.
Vice President and General Counsel
Maria Jose Moncada
Senior Attorney
David M. Lee
Senior Attorney
Florida Power & Light Company
700 Universe Boulevard
Juno Beach, Florida 33408-0420
Telephone: 561-304-5795

Fax: 561-691-7135

By: s/ Maria Jose Moncada

Maria Jose Moncada Florida Bar No. 0773301

CERTIFICATE OF SERVICE Docket No. 20210007-EI

I HEREBY CERTIFY that a true and correct copy of the foregoing has been furnished

by electronic service on this <u>1st</u> day of April 2021 to the following:

Charles Murphy

Office of General Counsel

Florida Public Service Commission 2540 Shumard Oak Boulevard Tallahassee, FL 32399-0850 aweisenf@psc.state.fl.us cmurphy@psc.state.fl.us

Russell A. Badders Vice President & General Counsel One Energy Place Pensacola, FL 32520-0100 russell.badders@nexteraenergy.com **Attorney for Gulf Power Company**

Paula Brown
Tampa Electric Company
P.O. Box 111
Tampa, FL 33601-0111
(813) 228-1444
(813) 228-1770
regdept@tecoenergy.com

James D. Beasley, Esq.
J. Jeffrey Wahlen, Esq.
Ausley & McMullen
P.O. Box 391
Tallahassee, FL 32302
jbeasley@ausley.com
jwahlen@ausley.com

Attorneys for Tampa Electric Company

Richard Gentry
Patricia A. Christensen
Charles J. Rehwinkel
Mireille Fall-Fry
Stephanie Morse
Anastacia Pirrello

Office of Public Counsel

c/o The Florida Legislature 111 West Madison St., Room 812 Tallahassee, FL 32399-1400 gentry.richard@leg.state.fl.us christensen.patty@leg.state.fl.us rehwinkel.charles@leg.state.fl.us fall-fry.mireille@leg.state.fl.us morse.stephanie@leg.state.fl.us pirrello.anastacia@leg.state.fl.us

Dianne M. Triplett 299 First Avenue North St. Petersburg, FL 33701 Dianne.triplett@duke-energy.com

Matthew R. Bernier, Esq. 106 East College Avenue, Suite 800 Tallahassee, FL 32301 Matthew.bernier@duke-energy.com **Attorneys for Duke Energy Florida** Jon C. Moyle, Jr.
Moyle Law Firm, P.A.
118 North Gadsden Street
Tallahassee, FL 32301
jmoyle@moylelaw.com
mqualls@moylelaw.com
Attorneys for Florida Industrial Power
Group

James W. Brew
Laura Wynn Baker
Stone Mattheis Xenopoulos & Brew, P.C.
1025 Thomas Jefferson Street, NW
Eighth Floor, West Tower
Washington, DC 20007
jbrew@smxblaw.com
lwb@smxblaw.com
Attorneys for PCS Phosphate-White

Attorneys for PCS Phosphate-White Springs

By: <u>s/ Maria Jose Moncada</u>

Maria Jose Moncada

Florida Bar No. 0773301

1		BEFORE THE FLORIDA PUBLIC SERVICE COMMISSION
2		FLORIDA POWER & LIGHT COMPANY
3		TESTIMONY OF RENAE B. DEATON
4		DOCKET NO. 20210007-EI
5		APRIL 1, 2021
6		
7	Q.	Please state your name and address.
8	A.	My name is Renae B. Deaton. My business address is Florida Power & Light
9		Company, 700 Universe Boulevard, Juno Beach, Florida 33408.
10	Q.	By whom are you employed and in what capacity?
11	A.	I am employed by Florida Power & Light Company ("FPL" or the "Company") as
12		the Senior Director of Clause Recovery and Wholesale Rates, Regulatory & State
13		Governmental Affairs.
14	Q.	Please describe your educational background and professional experience.
15	A.	I hold a Bachelor of Science in Business Administration and a Master of Business
16		Administration from Charleston Southern University. I have over 30 years'
17		experience in retail and wholesale regulatory affairs, rate design and cost of service.
18		Since joining FPL in 1998, I have held various positions in the rates and regulatory
19		areas. Prior to my current position, I held the positions of Senior Manager of Cost of
20		Service and Load Research and Senior Manager of Rate Design in the Rates and
21		Tariffs Department. In 2016, I assumed my current position, where my duties
22		include providing direction as to the appropriateness of inclusion of costs through a
23		cost recovery clause and the overall preparation and filing of all cost recovery clause

documents including testimony and discovery. Prior to joining FPL, I was employed at the South Carolina Public Service Authority (d/b/a Santee Cooper) for fourteen years, where I held a variety of positions in the Corporate Forecasting, Rates, and Marketing Department and in generation plant operations. As part of the various roles I have held with FPL, I have testified before this Commission on rate design and cost of service in base rate and clause recovery dockets. I have also testified before the Federal Energy Regulatory Commission supporting rates for wholesale power sales agreements and Open Access Transmission Tariffs.

9 Q. What is the purpose of your testimony?

1

2

3

4

5

6

7

8

- 10 A. The purpose of my testimony is to present for Commission review and approval the
 11 Environmental Cost Recovery Clause ("ECRC") final net true-up amount associated
 12 with FPL's environmental compliance activities for the period January 2020 through
 13 December 2020.
- Q. Have you prepared or caused to be prepared under your direction, supervisionor control an exhibit in this proceeding?
- 16 A. Yes, I have. My Exhibit RBD-1 consists of nine forms.
- Form 42-1A reflects the final net true-up for the period January 2020 through

 December 2020.
- Form 42-2A provides the final true-up calculation for the period.
- Form 42-3A provides the calculation of the interest provision for the period.
- Form 42-4A provides the calculation of variances between actual and actual/
 estimated costs for O&M activities for the period.

1	•	Form 42-5A provides a summary of actual monthly costs for O&M activities in
2		the period.

- Form 42-6A provides the calculation of variances between actual and actual/estimated revenue requirements for capital investment projects for the period.
- Form 42-7A provides a summary of actual monthly revenue requirements for the period for capital investment projects.
- Form 42-8A provides the calculation of depreciation and amortization expense and return on capital investment for each capital investment project. Pages 69 through 72 provide the beginning of period and end of period depreciable base by production plant name, unit or plant account and applicable depreciation rate or amortization period for each capital investment project for the period.
- Form 42-9A presents the capital structures, components and cost rates relied upon to calculate the rate of return applied to capital investments and working capital amounts included for recovery through the ECRC for the period.

Q. What is the source of the data that you present by way of testimony or exhibits in this proceeding?

A. Unless otherwise indicated, the data are taken from the books and records of FPL.

The books and records are kept in the regular course of FPL's business in accordance with Generally Accepted Accounting Principles and practices, and with the provisions of the Uniform System of Accounts as prescribed by this Commission.

Q. Please explain the calculation of the final net true-up amount.

A. Form 42-1A, entitled "Calculation of the Final True-up Amount" shows the calculation of the final net true-up for the period January 2020 through December 2020, an over-recovery of \$14,657,307, which FPL is requesting be included in the calculation of the ECRC factors for the January 2022 through December 2022 period.

6

7

8

9

10

11

12

The actual end-of-period over-recovery for the period January 2020 through December 2020 of \$19,421,091 (shown on Form 42-1A, Line 3) minus the actual/estimated end-of-period over-recovery for the same period of \$4,763,785 (shown on Form 42-1A, Line 6) results in the final net true-up over-recovery for the period January 2020 through December 2020 (shown on Form 42-1A, Line 7) of \$14,657,307.

- 13 Q. Have you provided a schedule showing the calculation of the end-of-period true-14 up amount?
- 15 A. Yes. Form 42-2A, entitled "Calculation of the Final True-up Amount," shows the
 16 calculation of the end-of-period true-up over-recovery amount of \$19,421,091 for the
 17 period January 2020 through December 2020. The \$19,205,214 over-recovery
 18 shown on line 5 plus the interest provision of \$215,878 shown on line 6, which is
 19 calculated on Form 42-3A, results in the final over-recovery of \$19,421,091 shown
 20 on line 11.
- Q. Are all costs listed in Forms 42-4A through 42-8A attributable to environmental compliance projects approved by the Commission?
- 23 A. Yes.

1	Q.	How did actual project O&M and capital revenue requirements for January
2		2020 through December 2020 compare with FPL's actual/estimated amounts as
3		presented in previous testimony and exhibits?
4	A.	Form 42-4A shows that the variance in total actual project O&M was \$11,368,227 or

A. Form 42-4A shows that the variance in total actual project O&M was \$11,368,227 or 27.6% lower than projected. Form 42-6A shows a minor variance in total actual revenue requirements (return on capital investments, depreciation, amortization and income taxes) associated with the project capital investments of \$122,450 or 0.08% higher than projected. Individual project variances are provided on Forms 42-4A and 42-6A. Actual revenue requirements for each capital project for the period January 2020 through December 2020 are provided on Form 42-8A, pages 14 through 68. Explanations for significant variances in project costs are addressed by FPL witness Sole.

Q. Does this conclude your testimony?

14 A. Yes.

JANUARY 2020 THROUGH DECEMBER 2020

	2020
1. Over/(Under) Recovery for the Current Period (Form 42-2A, Line 5)	\$19,205,214
2. Interest Provision (Form 42-2A, Line 6)	\$215,878
3. Total	\$19,421,091
4. Actual/Estimated Over/(Under) Recovery for the Same Period ^(a)	\$4,556,972
5. Interest Provision	\$206,813
6. Total	\$4,763,785
7. Net True-Up for the period	\$14,657,307

⁽a) Approved in Order No. PSC-2020-0433-FOF-EI issued on November 13, 2020

JANUARY 2020 THROUGH DECEMBER 2020

	January Actual	February Actual	March Actual	April Actual	May Actual	June Actual	July Actual	August Actual	September Actual	October Actual	November Actual	December Actual	Total
ECRC Revenues (net of Revenue Taxes) True up Provision (9)	\$11,896,518	\$10,915,932	\$11,468,761	\$13,476,593	\$13,484,729	\$14,961,745	\$16,605,020	\$16,764,613	\$16,589,736	\$14,802,906	\$13,882,212	\$11,582,062	\$166,430,827
2. True-up Provision (b)	\$2,442,450	\$2,442,450	\$2,442,450	\$2,442,450	\$2,442,450	\$2,442,450	\$2,442,450	\$2,442,450	\$2,442,450	\$2,442,450	\$2,442,450	\$2,442,450	\$29,309,402
3. ECRC Revenues Applicable to Period (Lines 1 + 2)	\$14,338,969	\$13,358,383	\$13,911,211	\$15,919,043	\$15,927,179	\$17,404,195	\$19,047,470	\$19,207,063	\$19,032,186	\$17,245,357	\$16,324,662	\$14,024,512	\$195,740,229
4. Jurisdictional ECRC Costs													
a. O&M Activities (Form 42-5A-2, Line 9)	\$2,659,886	\$3,252,500	\$2,187,838	\$2,533,824	\$2,586,271	\$1,826,076	\$2,329,491	\$2,503,771	\$1,782,402	\$2,414,464	\$2,335,254	\$2,161,583	\$28,573,360
b. Capital Investment Projects (Form 42-7A-2, Line 8)	\$12,370,558	\$12,356,337	\$12,349,948	\$12,342,143	\$12,341,323	\$12,380,741	\$12,323,789	\$12,314,310	\$12,302,372	\$12,289,285	\$12,273,762	\$12,317,088	\$147,961,656
c. Total Jurisdictional ECRC Costs	\$15,030,444	\$15,608,836	\$14,537,786	\$14,875,968	\$14,927,594	\$14,206,817	\$14,653,280	\$14,818,081	\$14,084,774	\$14,703,749	\$14,609,016	\$14,478,671	\$176,535,015
5. Over/(Under) Recovery (Line 3 - Line 4c)	(\$691,475)	(\$2,250,454)	(\$626,575)	\$1,043,075	\$999,585	\$3,197,378	\$4,394,190	\$4,388,982	\$4,947,412	\$2,541,608	\$1,715,647	(\$454,159)	\$19,205,214
6. Interest Provision (Form 42-3A, Line 10)	\$56,297	\$50,631	\$53,633	\$30,231	\$1,783	\$2,645	\$3,158	\$3,353	\$3,576	\$3,244	\$3,829	\$3,495	\$215,878
7. Prior Periods True-Up to be (Collected)/Refunded	\$29,309,402	\$26,231,773	\$21,589,500	\$18,574,108	\$17,204,964	\$15,763,882	\$16,521,455	\$18,476,354	\$20,426,240	\$22,934,778	\$23,037,180	\$22,314,205	\$29,309,402
a. Deferred True-Up (Form 42-1A, Line 7) (c)	\$14,087,943	\$14,087,943	\$14,087,943	\$14,087,943	\$14,087,943	\$14,087,943	\$14,087,943	\$14,087,943	\$14,087,943	\$14,087,943	\$14,087,943	\$14,087,943	
8. True-Up Collected /(Refunded) (See Line 2)	(\$2,442,450)	(\$2,442,450)	(\$2,442,450)	(\$2,442,450)	(\$2,442,450)	(\$2,442,450)	(\$2,442,450)	(\$2,442,450)	(\$2,442,450)	(\$2,442,450)	(\$2,442,450)	(\$2,442,450)	(\$29,309,402)
9. End of Period True-Up (Lines 5+6+7+7a+8)	\$40,319,717	\$35,677,443	\$32,662,051	\$31,292,907	\$29,851,825	\$30,609,399	\$32,564,297	\$34,514,183	\$37,022,721	\$37,125,123	\$36,402,149	\$33,509,035	\$19,421,091
10. Adjustments to Period Total True-Up Including Interest	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
11. End of Period Total Net True-Up (Lines 9+10)	\$40,319,717	\$35,677,443	\$32,662,051	\$31,292,907	\$29,851,825	\$30,609,399	\$32,564,297	\$34,514,183	\$37,022,721	\$37,125,123	\$36,402,149	\$33,509,035	\$19,421,091

⁽b) As approved in Order No. PSC-2020-0433-FOF-EI issued on November 13, 2020

 $^{^{\}mbox{\scriptsize (c)}}$ From FPL's 2019 Final True-up filed on April 1,2020.

				JANUARY 2020	THROUGH DE	CEMBER 2020							
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
	Jan - 2020	Feb - 2020	Mar - 2020	Apr - 2020	May - 2020	Jun - 2020	Jul - 2020	Aug - 2020	Sep - 2020	Oct - 2020	Nov - 2020	Dec - 2020	Total
1. Beginning True-Up Amount (Form 42-2A, Lines 7 + 7a + 10)	\$43,397,345	\$40,319,716	\$35,677,443	\$32,662,051	\$31,292,907	\$29,851,825	\$30,609,399	\$32,564,297	\$34,514,183	\$37,022,721	\$37,125,123	\$36,402,149	N/A
2. Ending True-Up Amount before Interest (Line 1 + Form 42-2A, Lines 5 + 8)	\$40,263,419	\$35,626,812	\$32,608,418	\$31,262,676	\$29,850,042	\$30,606,754	\$32,561,139	\$34,510,829	\$37,019,145	\$37,121,879	\$36,398,319	\$33,505,539	N/A
3. Total of Beginning & Ending True-Up (Lines 1 + 2)	\$83,660,764	\$75,946,528	\$68,285,861	\$63,924,727	\$61,142,949	\$60,458,579	\$63,170,537	\$67,075,126	\$71,533,328	\$74,144,600	\$73,523,442	\$69,907,688	N/A
4. Average True-Up Amount (Line 3 x 1/2)	\$41,830,382	\$37,973,264	\$34,142,931	\$31,962,363	\$30,571,475	\$30,229,290	\$31,585,269	\$33,537,563	\$35,766,664	\$37,072,300	\$36,761,721	\$34,953,844	N/A
5. Interest Rate (First Day of Reporting Month)	1.59000%	1.64000%	1.56000%	2.21000%	0.06000%	0.08000%	0.13000%	0.11000%	0.13000%	0.11000%	0.10000%	0.15000%	N/A
6. Interest Rate (First Day of Subsequent Month)	1.64000%	1.56000%	2.21000%	0.06000%	0.08000%	0.13000%	0.11000%	0.13000%	0.11000%	0.10000%	0.15000%	0.09000%	N/A
7. Total of Beginning & Ending Interest Rates (Lines 5 + 6)	3.23000%	3.20000%	3.77000%	2.27000%	0.14000%	0.21000%	0.24000%	0.24000%	0.24000%	0.21000%	0.25000%	0.24000%	N/A
8. Average Interest Rate (Line 7 x 1/2)	1.61500%	1.60000%	1.88500%	1.13500%	0.07000%	0.10500%	0.12000%	0.12000%	0.12000%	0.10500%	0.12500%	0.12000%	N/A
9. Monthly Average Interest Rate (Line 8 x 1/12)	0.13458%	0.13333%	0.15708%	0.09458%	0.00583%	0.00875%	0.01000%	0.01000%	0.01000%	0.00875%	0.01042%	0.01000%	N/A
10. Interest Provision for the Month (Line 4 x Line 9)	\$56,297	\$50,631	\$53,633	\$30,231	\$1,783	\$2,645	\$3,159	\$3,354	\$3,577	\$3,244	\$3,829	\$3,495	\$215,878

JANUARY 2020 THROUGH DECEMBER 2020 VARIANCE REPORT OF O&M ACTIVITES

(1)	(2)	(3)	(4)	(5)
O&M Projects	ECRC - 2020	ECRC - 2020	Dif. ECRC - 2020 Actual/Estimated (c)	% Dif. ECRC - 2020 Actual/Estimated (d)
	Filial True-Op (a)	Actual/Estimated (b)	Actual/Estimated (c)	Actual/Estimated (u)
4. A. O	*	* 457.004	***	40.00/
- Air Operating Permit Fees	\$224,690	\$157,384	\$67,306	42.8%
a - Continuous Emission Monitoring Systems	\$300,873	\$384,047	(\$83,174)	(21.7%)
a - Maintenance of Stationary Above Ground Fuel Storage Tanks	\$236,354	\$511,197	(\$274,843)	(53.8%)
a - Oil Spill Clean-up/Response Equipment	\$273,692	\$360,809	(\$87,118)	(24.1%)
NA-Amortization of Gains on Sales of Emissions Allowances	(\$141)	(\$73)	(\$68)	92.4%
4 - NPDES Permit Fees	\$69,200	\$69,200	\$0	0.0%
9a - Substation Pollutant Discharge Prevention & Removal - Distribution	\$3,846,300	\$3,556,993	\$289,307	8.1%
9b - Substation Pollutant Discharge Prevention & Removal - Transmission	\$1,285,445	\$1,285,675	(\$230)	(0.0%)
1 - St. Lucie Turtle Nets	\$326,110	\$299,282	\$26,828	9.0%
2 - Pipeline Integrity Management	\$65,345	\$327,500	(\$262,155)	(80.0%)
3 - SPCC - Spill Prevention, Control & Countermeasures	\$937,644	\$785,841	\$151,803	19.3%
4 - Manatee Reburn	\$26,086	\$23,672	\$2,414	10.2%
7 - Lowest Quality Water Source	\$107,889	\$107,675	\$214	0.2%
8 - CWA 316(b) Phase II Rule	\$896,307	\$1,068,913	(\$172,606)	(16.1%)
9 - SCR Consumables	\$526,381	\$637,223	(\$110,842)	(17.4%)
1 - Clean Air Interstate Rule (CAIR) Compliance	\$3,872,787	\$3,833,259	\$39,527	1.0%
3 - MATS Project	\$1,441,750	\$1,888,540	(\$446,790)	(23.7%)
5 - Martin Plant Drinking Water System Compliance	\$8,629	\$10,492	(\$1,863)	(17.8%)
7 - DeSoto Next Generation Solar Energy Center	\$557,431	\$670,971	(\$113,540)	(16.9%)
8 - Space Coast Next Generation Solar Energy Center	\$198,383	\$268,593	(\$70,210)	(26.1%)
9 - Martin Next Generation Solar Energy Center	\$4,861,127	\$4,747,474	\$113,652	2.4%
1 - Manatee Temporary Heating System	\$120,038	\$152,070	(\$32,032)	(21.1%)
2 - Turkey Point Cooling Canal Monitoring Plan	\$9,321,841	\$19,694,511	(\$10,372,669)	(52.7%)
5 - 800 MW Unit ESP	\$35,744	\$154,969	(\$119,225)	(76.9%)
7 - NPDES Permit Renewal Requirements	\$205,440	\$93,797	\$111,643	119.0%
8 - Industrial Boiler MACT	\$1,804	\$32,668	(\$30,865)	(94.5%)
0 - Steam Electric Effluent Guidelines Revised Rules	\$5,258	\$4,608	\$650	14.1%
1 - Gopher Tortoise Relocations	\$31,388	\$28,732	\$2,656	9.2%
23-Protected Species Project	\$38,000	\$34,000	\$4,000	11.8%
Fotal	29,821,795	41,190,022	(11,368,227)	(27.60%)

⁽a) The 12-Month Totals on Form 42-5A

⁽b) The approved amount in accordance with FPSC Order No. PSC-2020-0433-FOF-EI

⁽c) Column (2) - Column (3)

⁽d) Column (4) / Column (3)

JANUARY 2020 THROUGH DECEMBER 2020 VARIANCE REPORT OF O&M ACTIVITES (1) (2) (3) (4) (5)

	ECRC - 2020 Final True-Up (a)		Dif. ECRC - 2020 % D Actual/Estimated (c) Actu	if. ECRC - 2020 al/Estimated (d)
2. Total of O&M Activities	\$29,821,795	\$41,190,022	(\$11,368,227)	(27.60%)
Recoverable Costs Allocated to Energy	\$16,143,742	\$27,286,411	(\$11,142,670)	(40.84%)
4a. Recoverable Costs Allocated to CP Demand	\$9,831,881	\$10,346,618	(\$514,737)	(4.97%)
4b. Recoverable Costs Allocated to GCP Demand	\$3,846,172	\$3,556,993	\$289,179	8.13%
5. Jurisdictional Energy Recoverable Costs	\$15,458,461	\$26,137,392	(\$10,678,931)	(40.86%)
6a. Jurisdictional CP Demand Recoverable Costs	\$9,268,726	\$9,750,876	(\$482,150)	(4.94%)
6b. Jurisdictional GCP Demand Recoverable Costs	\$3,846,172	\$3,556,993	\$289,179	8.13%
7. Total Jurisdictional Recoverable Costs for O&M Activities	\$28,573,360	\$39,445,262	(\$10,871,902)	(27.56%)

⁽a) The 12-Month Totals on Form 42-5A

⁽b) The approved amount in accordance with FPSC Order No. PSC-2020-0433-FOF-EI

⁽c) Column (2) - Column (3)

⁽d) Column (4) / Column (3)

				JANUARY 202	THROUGH DE	CEMBER 2020								
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
O&M Projects	Strata	Jan - 2020	Feb - 2020	Mar - 2020	Apr - 2020	May - 2020	Jun - 2020	Jul - 2020	Aug - 2020	Sep - 2020	Oct - 2020	Nov - 2020	Dec - 2020	2020
1 - Air Operating Permit Fees	Base	\$11,135	\$11,135	\$11,135	\$11,135	\$11,135	\$11,135	\$11,135	\$11,135	\$11,135	\$11,135	\$11,135	\$11,135	\$133,620
1 - Air Operating Permit Fees	Intermediate	\$1,800	\$1,800	\$2,158	\$4,645	\$4,645	\$4,645	\$9,713	\$9,713	\$9,713	\$9,713	\$9,713	\$9,713	\$77,971
1 - Air Operating Permit Fees	Peaking	\$263	\$263	(\$28,063)	\$263	\$263	\$263	\$6,641	\$6,641	\$6,641	\$6,641	\$6,641	\$6,641	\$13,100
3a - Continuous Emission Monitoring Systems	Intermediate	\$78,268	\$10,799	\$16,018	\$34,346	\$23,563	\$15,576	(\$9,310)	\$19,461	\$2,942	\$7,810	\$13,582	\$38,148	\$251,203
3a - Continuous Emission Monitoring Systems	Peaking	\$34,861	\$1,197	(\$263)	\$325	\$191	\$0	\$292	\$125	\$228	\$8,246	\$3,838	\$631	\$49,671
5a - Maintenance of Stationary Above Ground Fuel Storage Tanks	Base	\$0	\$0	\$5,846	\$0	\$0	\$0	\$0	\$8,025	\$0	\$0	\$0	\$0	\$13,871
5a - Maintenance of Stationary Above Ground Fuel Storage Tanks	Intermediate	\$1,185	\$3,027	\$7,152	\$187	\$2,685	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$14,236
5a - Maintenance of Stationary Above Ground Fuel Storage Tanks	Peaking	\$1,914	\$3,846	\$0	\$1,403	\$5,043	\$2,750	\$0	\$101	\$0	\$8,378	\$194,023	(\$9,211)	\$208,247
8a - Oil Spill Clean-up/Response Equipment	Base	\$0	\$0	\$0	\$55	(\$55)	\$0	\$0	\$0	\$0	\$0	\$0	\$0	(\$1)
8a - Oil Spill Clean-up/Response Equipment	Intermediate	(\$2,610)	\$862	\$1,597	\$784	\$238	\$2,737	\$0	\$5,314	\$4,192	\$4,015	\$3,849	\$9,128	\$30,107
8a - Oil Spill Clean-up/Response Equipment	Peaking	(\$21,118)	\$6,974	\$12,920	\$6,632	\$1,637	\$22,148	\$0	\$42,995	\$33,916	\$32,482	\$31,142	\$73,858	\$243,586
14 - NPDES Permit Fees	Base	\$11,500	\$2,585	\$0	\$0	(\$2,585)	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$11,500
14 - NPDES Permit Fees	Intermediate	\$28,260	\$0	\$0	\$0	\$0	\$0	\$0	\$7,500	\$0	(\$7,500)	\$0	\$0	\$28,260
14 - NPDES Permit Fees	Peaking	\$29,440	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$29,440
19a - Substation Pollutant Discharge Prevention & Removal - Distribution	Distribution	\$260,603	\$484,062	\$496,230	\$674,771	\$350,779	\$239,671	\$196,729	\$171,615	\$63,718	\$361,284	\$139,656	\$407,055	\$3,846,172
19a - Substation Pollutant Discharge Prevention & Removal - Distribution	Transmission	\$0	\$0	\$0	\$0	\$0	\$128	\$0	\$0	\$0	\$0	\$0	\$0	\$128
19b - Substation Pollutant Discharge Prevention & Removal - Transmission	Transmission	\$13,313	\$72,809	\$77,617	\$221,174	\$397,476	\$65,820	\$49,159	\$117,647	\$19,194	\$56,578	\$131,125	\$63,533	\$1,285,445
21 - St. Lucie Turtle Nets	Base	(\$12,785)	\$15,475	\$6,510	\$48,406	\$26,775	\$18,578	\$92,766	\$22,155	\$18,848	\$33,555	\$23,540	\$32,286	\$326,110
NA-Amortization of Gains on Sales of Emissions Allowances	Base	(\$1)	(\$1)	(\$1)	\$0	\$0	(\$3)	\$0	\$0	(\$3)	\$0	\$0	(\$3)	(\$13)
NA-Amortization of Gains on Sales of Emissions Allowances	Intermediate	(\$4)	(\$4)	(\$4)	\$0	\$0	(\$19)	\$0	\$0	(\$43)	\$0	\$0	(\$12)	(\$87)
NA-Amortization of Gains on Sales of Emissions Allowances	Peaking	(\$2)	(\$2)	(\$2)	\$0	\$0	(\$6)	\$0	\$0	(\$22)	\$0	\$0	(\$6)	(\$41)
22 - Pipeline Integrity Management	Intermediate	\$0	\$12	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$27,060	\$41	\$0	\$27,114
22 - Pipeline Integrity Management	Peaking	\$0	\$18	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$38,155	\$59	\$0	\$38,231
23 - SPCC - Spill Prevention, Control & Countermeasures	Distribution	\$51,630	\$61,863	\$68,510	\$73,741	\$41,884	\$93,947	\$54,329	\$44,900	\$19,975	\$148,917	\$56,183	\$44,761	\$760,639
23 - SPCC - Spill Prevention, Control & Countermeasures	Intermediate	\$0	\$1,408	\$4,192	\$1,965	(\$5,156)	\$7,094	\$5,825	\$2,271	\$924	\$3,770	\$0	\$3,017	\$25,309
23 - SPCC - Spill Prevention, Control & Countermeasures	Peaking	\$0	\$680	\$24	\$0	\$164	\$1,761	\$1,430	\$883	\$0	\$450	\$0	\$165	\$5,557
23 - SPCC - Spill Prevention, Control & Countermeasures	Transmission	\$9,165	\$27,525	\$8,049	\$11,735	\$9,896	\$11,959	\$8,659	\$9,463	\$5,136	\$16,189	\$17,533	\$10,831	\$146,139
24 - Manatee Reburn	Peaking	\$3,165	\$15,302	\$96	\$4,887	\$222	\$91	\$0	\$0	\$0	\$0	\$2,323	\$0	\$26,086
27 - Lowest Quality Water Source	Intermediate	\$11,398	\$8,826	\$9,007	\$8,042	\$7,957	\$8,526	\$9,342	\$9,736	\$8,486	\$8,751	\$8,826	\$8,993	\$107,889
28 - CWA 316(b) Phase II Rule	Base	\$6,484	\$5,648	\$6,547	\$19,138	\$4,956	\$30,221	\$10,876	\$12,602	\$16,277	\$14,917	\$42,473	\$34,830	\$204,968
28 - CWA 316(b) Phase II Rule	Intermediate	\$66,524	\$62,577	\$94,433	\$57,257	\$91,533	\$68,452	\$52,562	\$47,417	\$78,625	\$31,667	\$26,909	\$9,204	\$687,160
28 - CWA 316(b) Phase II Rule	Peaking	\$376	(\$6,073)	\$692	\$721	\$5,868	\$472	\$344	\$336	\$342	\$429	\$304	\$369	\$4,179
29 - SCR Consumables	Intermediate	\$153,282	\$5,143	\$15,013	\$15,180	\$20,556	\$29,448	\$34,991	\$46,678	\$39,745	\$9,018	\$116,319	\$41,009	\$526,381
31 - Clean Air Interstate Rule (CAIR) Compliance	Base	\$276,381	\$295,376	\$317,954	\$439,096	\$427,619	\$391,699	\$258,877	\$311,738	\$269,152	\$332,622	\$200,827	\$221,134	\$3,742,476
31 - Clean Air Interstate Rule (CAIR) Compliance	Peaking	\$9,444	\$9,577	\$14,040	\$16,046	\$10,050	\$10,012	\$9,913	\$10,478	\$10,492	\$10,601	\$10,168	\$9,491	\$130,311
33 - MATS Project	Base	\$278,093	\$36,242	\$61,096	\$56,985	\$119,863	\$2,153	\$209,878	\$174,737	\$162,435	\$91,081	\$69,348	\$179,839	\$1,441,750
35 - Martin Plant Drinking Water System Compliance	Peaking	\$0	\$2,673	\$2,607	\$2,713	\$0	\$37	\$0	\$0	\$0	\$600	\$0	\$0	\$8,629
37 - DeSoto Next Generation Solar Energy Center	Solar	\$42,764	\$39,408	\$29,698	\$48,240	(\$5,725)	\$69,647	\$93,696	\$54,745	\$38,231	\$63,641	\$42,054	\$41,033	\$557,431
38 - Space Coast Next Generation Solar Energy Center	Solar	\$17,828	\$21,617	\$16,657	\$37,522	\$9,725	\$22,952	\$16,667	\$8,349	\$5,389	\$9,632	\$10,174	\$21,871	\$198,383
39 - Martin Next Generation Solar Energy Center	Intermediate	\$432,285	\$1,166,061	\$76,194	\$328,349	\$306,532	\$337,067	\$360,295	\$348,082	\$307,672	\$287,430	\$585,006	\$326,154	\$4,861,127
41 - Manatee Temporary Heating System	Intermediate	\$20,365	(\$6,821)	\$7,301	(\$174)	\$45,264	\$3,740	\$12,289	\$0	\$9,023	\$25,102	\$0	\$3,949	\$120,038
42 - Turkey Point Cooling Canal Monitoring Plan	Base	\$925,279	\$1,002,025	\$906,034	\$502,844	\$772,915	\$424,065	\$933,675	\$1,080,672	\$714,587	\$832,706	\$626,035	\$603,710	\$9,324,545
42 - Turkey Point Cooling Canal Monitoring Plan	Intermediate	\$0	\$2,935	\$0	\$3,473	\$4,941	\$6,535	(\$21,517)	\$0	\$929	\$0	\$0	\$0	(\$2,704)
45 - 800 MW Unit ESP	Peaking	\$360	\$32,144	\$0	\$107	\$50	\$324	\$0	\$455	\$966	\$0	\$1,338	\$0	\$35,744
47 - NPDES Permit Renewal Requirements	Base	\$35,262	(\$2,778)	\$12,587	(\$997)	\$13,499	\$0	\$5,228	\$0	\$0	\$5,969	\$68,135	\$36,067	\$172,972
47 - NPDES Permit Renewal Requirements	Intermediate	\$0	\$0	\$7,450	\$2,513	\$8,512	\$0	\$0	\$0	\$7,401	\$2,688	\$0	\$3,904	\$32,468
48 - Industrial Boiler MACT	Base	\$0	\$45	\$0	\$0	\$27	\$0	\$0	\$0	\$0	\$0	\$0	\$217	\$289
48 - Industrial Boiler MACT	Peaking	\$0	\$235	\$0	\$0	\$141	\$0	\$0	\$0	\$0	\$0	\$0	\$1,139	\$1,515
50 - Steam Electric Effluent Guidelines Revised Rules	Base	\$229	\$1,695	\$238	\$19	\$2,033	\$0	\$104	\$0	\$0	\$0	\$0	\$0	\$4,319
50 - Steam Electric Effluent Guidelines Revised Rules	Peaking	\$393	\$0	\$0	\$0	\$0	\$0	\$546	\$0	\$0	\$0	\$0	\$0	\$939
51 - Gopher Tortoise Relocations	Peaking	\$0	\$0	\$0	\$0	\$0	\$0	\$15,883	\$0	\$0	\$15,505	\$0	\$0	\$31,388
123-Protected Species Project	Intermediate	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$34,000	\$0	\$0	\$0	\$4,000	\$38,000
	Total	\$2,776,728	\$3,398,190	\$2,267,268	\$2,633,528	\$2,715,114	\$1,904,104	\$2,431,016	\$2,619,970	\$1,865,767	\$2,509,233	\$2,452,298	\$2,248,580	\$29,821,795

JANUARY 2020 THROUGH DECEMBER 2020 O&M ACTIVITIES

		Monthly Data	Jurisdictio		Me	thod of Classifica	tion
O&M Project	Strata	Twelve Month Total	Jurisdictional Factor	Juris Twelve Month Amount	Energy	CP Demand	GCP Demand
- Air Operating Permit Fees	Base	\$133,620	95.8799%	\$128,115	\$128,115	\$0	\$0
- Air Operating Permit Fees	Intermediate	\$77,971	94.2430%	\$73,482	\$73,482	\$0	\$0
- Air Operating Permit Fees	Peaking	\$13,100	95.1325%	\$12,462	\$12,462	\$0	\$0
a - Continuous Emission Monitoring Systems	Intermediate	\$251,203	94.2430%	\$236,741	\$236,741	\$0	\$0
a - Continuous Emission Monitoring Systems	Peaking	\$49,671	95.1325%	\$47,253	\$47,253	\$0	\$0
a - Maintenance of Stationary Above Ground Fuel Storage Tanks	Base	\$13,871	95.7922%	\$13,287	\$0	\$13,287	\$0
a - Maintenance of Stationary Above Ground Fuel Storage Tanks	Intermediate	\$14,236	94.1569%	\$13,404	\$0	\$13,404	\$0
a - Maintenance of Stationary Above Ground Fuel Storage Tanks	Peaking	\$208,247	95.0455%	\$197,929	\$0	\$197,929	\$0
a - Oil Spill Clean-up/Response Equipment	Base	(\$1)	95.8799%	(\$1)	(\$1)	\$0	\$0
a - Oil Spill Clean-up/Response Equipment	Intermediate	\$30,107	94.2430%	\$28,373	\$28,373	\$0	\$0
a - Oil Spill Clean-up/Response Equipment	Peaking	\$243,586	95.1325%	\$231,729	\$231,729	\$0	\$0
4 - NPDES Permit Fees	Base	\$11,500	95.7922%	\$11,016	\$0	\$11,016	\$0
4 - NPDES Permit Fees	Intermediate	\$28,260	94.1569%	\$26,609	\$0	\$26,609	\$0
4 - NPDES Permit Fees	Peaking	\$29,440	95.0455%	\$27,981	\$0	\$27,981	\$0
9a - Substation Pollutant Discharge Prevention & Removal - Distribution	Distribution	\$3,846,172	100.0000%	\$3,846,172	\$0	\$0	\$3,846,172
9a - Substation Pollutant Discharge Prevention & Removal - Distribution	Transmission	\$128	89.9387%	\$115	\$0	\$115	\$0,040,172
9b - Substation Pollutant Discharge Prevention & Removal - Transmission	Transmission	\$1,285,445	89.9387%	\$1,156,113	\$0	\$1,156,113	\$0
1 - St. Lucie Turtle Nets	Base	\$326,110	95.7922%	\$312,388	\$0	\$312,388	\$0
A-Amortization of Gains on Sales of Emissions Allowances	Base	(\$13)	95.8799%	(\$13)	(\$13)	\$0	\$0
IA-Amortization of Gains on Sales of Emissions Allowances	Intermediate	(\$87)	94.2430%	(\$82)	(\$82)	\$0	\$0
IA-Amortization of Gains on Sales of Emissions Allowances	Peaking	(\$41)	95.1325%	(\$39)	(\$39)	\$0	\$0
2 - Pipeline Integrity Management	Intermediate	\$27,114	94.1569%	\$25,529	\$0	\$25,529	\$0
2 - Pipeline Integrity Management	Peaking	\$38,231	95.0455%	\$36,337	\$0	\$36,337	\$0
3 - SPCC - Spill Prevention, Control & Countermeasures	Intermediate	\$25,309	94.1569%	\$23,830	\$0	\$23,830	\$0
3 - SPCC - Spill Prevention, Control & Countermeasures	Peaking	\$5,557	95.0455%	\$5,282	\$0	\$5,282	\$0
3 - SPCC - Spill Prevention, Control & Countermeasures	Distribution	\$760,639	100.0000%	\$760,639	\$0	\$760,639	\$0
3 - SPCC - Spill Prevention, Control & Countermeasures	Transmission	\$146,139	89.9387%	\$131,435	\$0	\$131,435	\$0
4 - Manatee Reburn	Peaking	\$26,086	95.1325%	\$24,816	\$24,816	\$0	\$0
7 - Lowest Quality Water Source	Intermediate	\$107,889	94.1569%	\$101,585	\$0	\$101,585	\$0
8 - CWA 316(b) Phase II Rule	Base	\$204,968	95.7922%	\$196,343	\$0	\$196,343	\$0
8 - CWA 316(b) Phase II Rule	Intermediate	\$687,160	94.1569%	\$647,008	\$0	\$647,008	\$0
8 - CWA 316(b) Phase II Rule	Peaking	\$4,179	95.0455%	\$3,972	\$0	\$3,972	\$0
9 - SCR Consumables	Intermediate	\$526,381	94.2430%	\$496,078	\$496,078	\$0	\$0
1 - Clean Air Interstate Rule (CAIR) Compliance	Base	\$3,742,476	95.8799%	\$3,588,282	\$3,588,282	\$0	\$0
1 - Clean Air Interstate Rule (CAIR) Compliance	Peaking	\$130,311	95.1325%	\$123,968	\$123,968	\$0	\$0
3 - MATS Project	Base	\$1,441,750	95.8799%	\$1,382,349	\$1,382,349	\$0	\$0
5 - Martin Plant Drinking Water System Compliance	Peaking	\$8,629	95.0455%	\$8,202	\$0	\$8,202	\$0
7 - DeSoto Next Generation Solar Energy Center	Solar	\$557,431	95.7922%	\$533,976	\$0	\$533,976	\$0
8 - Space Coast Next Generation Solar Energy Center	Solar	\$198,383	95.7922%	\$190,035	\$0	\$190,035	\$0
9 - Martin Next Generation Solar Energy Center	Intermediate	\$4,861,127	94.1569%	\$4,577,086	\$0	\$4,577,086	\$0
1 - Manatee Temporary Heating System	Intermediate	\$120,038	94.2430%	\$113,127	\$113,127	\$0	\$0
2 - Turkey Point Cooling Canal Monitoring Plan	Base	\$9,324,545	95.8799%	\$8,940,364	\$8,940,364	\$0	\$0
2 - Turkey Point Cooling Canal Monitoring Plan	Intermediate	(\$2,704)	94.2430%	(\$2,548)	(\$2,548)	\$0	\$0
5 - 800 MW Unit ESP	Peaking	\$35,744	95.1325%	\$34,004	\$34,004	\$0	\$0
7 - NPDES Permit Renewal Requirements	Base	\$172,972	95.7922%	\$165,694	\$0	\$165,694	\$0
7 - NPDES Permit Renewal Requirements	Intermediate	\$32,468	94.1569%	\$30,571	\$0	\$30,571	\$0
8 - Industrial Boiler MACT	Base	\$289	95.7922%	\$276	\$0	\$276	\$0
8 - Industrial Boiler MACT	Peaking	\$1,515	95.0455%	\$1,440	\$0	\$1,440	\$0
0 - Steam Electric Effluent Guidelines Revised Rules	Base	\$4,319	95.7922%	\$4,137	\$0	\$4,137	\$0
0 - Steam Electric Effluent Guidelines Revised Rules	Peaking	\$939	95.0455%	\$893	\$0	\$893	\$0
	Peaking	\$31,388	95.0455%	\$29,833	\$0	\$29,833	\$0
1 - Gopher Tortoise Relocations							
1 - Gopher Tortoise Relocations 23-Protected Species Project	Intermediate	\$38,000	94.1569%	\$35,780	\$0	\$35,780	\$0

JANUARY 2020 THROUGH DECEMBER 2020 O&M ACTIVITIES

	January Actual	February Actual	March Actual	April Actual	May Actual	June Actual	July Actual	August Actual	September Actual	October Actual	November Actual	December Actual	2020
2. Total of O&M Activities	\$2,776,728	\$3,398,190	\$2,267,268	\$2,633,528	\$2,715,114	\$1,904,104	\$2,431,016	\$2,619,970	\$1,865,767	\$2,509,233	\$2,452,298	\$2,248,580	\$29,821,795
Recoverable Costs Allocated to Energy - Base	\$1,490,886	\$1,344,777	\$1,296,218	\$1,010,115	\$1,331,477	\$829,049	\$1,413,565	\$1,578,283	\$1,157,305	\$1,267,543	\$907,345	\$1,015,815	\$14,642,377
Recoverable Costs Allocated to Energy - Intermediate	\$251,101	\$14,714	\$42,082	\$58,254	\$99,207	\$62,664	\$26,165	\$81,166	\$66,501	\$55,657	\$143,463	\$101,936	\$1,002,909
Recoverable Costs Allocated to Energy - Peaking	\$26,973	\$65,455	(\$1,273)	\$28,260	\$12,413	\$32,833	\$16,846	\$60,695	\$52,221	\$57,969	\$55,450	\$90,614	\$498,456
Recoverable Costs Jurisdictionalized on 12 CP Demand - Transmission	\$22,477	\$100,335	\$85,667	\$232,909	\$407,372	\$77,906	\$57,818	\$127,110	\$24,329	\$72,767	\$148,658	\$74,363	\$1,431,712
Recoverable Costs Jurisdictionalized on 12 CP Demand - Production - Base	\$40,690	\$22,671	\$31,728	\$66,567	\$44,705	\$48,799	\$108,974	\$42,783	\$35,125	\$54,440	\$134,148	\$103,399	\$734,029
Recoverable Costs Jurisdictionalized on 12 CP Demand - Production - Interm.	\$539,653	\$1,241,911	\$198,427	\$398,313	\$412,061	\$421,139	\$428,025	\$449,006	\$403,108	\$353,865	\$620,782	\$355,271	\$5,821,561
Recoverable Costs Jurisdictionalized on 12 CP Demand - Production - Peaking	\$32,123	\$1,378	\$3,323	\$4,837	\$11,216	\$5,020	\$18,202	\$1,320	\$342	\$63,518	\$194,386	(\$7,537)	\$328,126
Recoverable Costs Jurisdictionalized on 12 CP Demand - Production - Solar	\$60,592	\$61,024	\$46,355	\$85,762	\$4,000	\$92,599	\$110,363	\$63,094	\$43,620	\$73,274	\$52,227	\$62,904	\$755,814
Recoverable Costs Jurisdictionalized on 12 CP Demand - Distribution	\$51,630	\$61,863	\$68,510	\$73,741	\$41,884	\$93,947	\$54,329	\$44,900	\$19,975	\$148,917	\$56,183	\$44,761	\$760,639
5. Recoverable Costs Jurisdictionalized on GCP Demand - Distribution	\$260,603	\$484,062	\$496,230	\$674,771	\$350,779	\$239,671	\$196,729	\$171,615	\$63,718	\$361,284	\$139,656	\$407,055	\$3,846,172
Retail Production Energy Jurisdictional Factor - Base	95.87989%	95.87989%	95.87989%	95.87989%	95.87989%	95.87989%	95.87989%	95.87989%	95.87989%	95.87989%	95.87989%	95.87989%	
Retail Production Energy Jurisdictional Factor - Intermediate	94.24302%	94.24302%	94.24302%	94.24302%	94.24302%	94.24302%	94.24302%	94.24302%	94.24302%	94.24302%	94.24302%	94.24302%	
Retail Production Energy Jurisdictional Factor - Peaking	95.13247%	95.13247%	95.13247%	95.13247%	95.13247%	95.13247%	95.13247%	95.13247%	95.13247%	95.13247%	95.13247%	95.13247%	
Retail Production Energy Jurisdictional Factor - Solar	95.87989%	95.87989%	95.87989%	95.87989%	95.87989%	95.87989%	95.87989%	95.87989%	95.87989%	95.87989%	95.87989%	95.87989%	
7. Retail Distribution Demand Jurisdictional Factor	100.00000%	100.00000%	100.00000%	100.00000%	100.00000%	100.00000%	100.00000%	100.00000%	100.00000%	100.00000%	100.00000%	100.00000%	
Retail Transmission Demand Jurisdictional Factor	89.93869%	89.93869%	89.93869%	89.93869%	89.93869%	89.93869%	89.93869%	89.93869%	89.93869%	89.93869%	89.93869%	89.93869%	
Retail Production Demand Jurisdictional Factor - Base	95.79223%	95.79223%	95.79223%	95.79223%	95.79223%	95.79223%	95.79223%	95.79223%	95.79223%	95.79223%	95.79223%	95.79223%	
Retail Production Demand Jurisdictional Factor - Intermediate	94.15685%	94.15685%	94.15685%	94.15685%	94.15685%	94.15685%	94.15685%	94.15685%	94.15685%	94.15685%	94.15685%	94.15685%	
Retail Production Demand Jurisdictional Factor - Peaking	95.04549%	95.04549%	95.04549%	95.04549%	95.04549%	95.04549%	95.04549%	95.04549%	95.04549%	95.04549%	95.04549%	95.04549%	
Retail Production Demand Jurisdictional Factor - Solar	95.79223%	95.79223%	95.79223%	95.79223%	95.79223%	95.79223%	95.79223%	95.79223%	95.79223%	95.79223%	95.79223%	95.79223%	
Jurisdictional Recoverable Costs- Transmission	\$20,216	\$90,240	\$77,048	\$209,475	\$366,385	\$70,068	\$52,001	\$114,321	\$21,882	\$65,446	\$133,701	\$66,881	\$1,287,663
Jurisdictional Recoverable Costs - Production - Base	\$1,468,438	\$1,311,088	\$1,273,205	\$1,032,263	\$1,319,443	\$841,636	\$1,459,713	\$1,554,238	\$1,143,270	\$1,267,468	\$998,465	\$1,073,010	\$14,742,239
Jurisdictional Recoverable Costs - Production - Intermediate	\$744,766	\$1,183,212	\$226,493	\$429,940	\$481,480	\$455,588	\$427,673	\$499,263	\$442,227	\$385,641	\$719,713	\$430,579	\$6,426,573
Jurisdictional Recoverable Costs - Production - Peaking	\$56,191	\$63,579	\$1,948	\$31,482	\$22,469	\$36,006	\$33,327	\$58,995	\$50,004	\$115,518	\$237,506	\$79,039	\$786,063
Jurisdictional Recoverable Costs - Production - Solar	\$58,042	\$58,457	\$44,405	\$82,154	\$3,831	\$89,161	\$105,719	\$60,439	\$41,327	\$70,191	\$50,030	\$60,257	\$724,011
Jurisdictional Recoverable Costs - Distribution	\$312,233	\$545,925	\$564,740	\$748,511	\$392,663	\$333,618	\$251,058	\$216,515	\$83,693	\$510,200	\$195,840	\$451,816	\$4,606,811
Total Jurisdictional Recoverable Costs for O&M Activities	\$2,659,886	\$3,252,499	\$2,187,838	\$2,533,824	\$2,586,271	\$1,826,076	\$2,329,490	\$2,503,771	\$1,782,402	\$2,414,464	\$2,335,253	\$2,161,583	\$28,573,360

JANUARY 2020 THROUGH DECEMBER 2020 VARIANCE REPORT OF CAPITAL INVESTMENT PROJECTS - RECOVERABLE COSTS

(1) (2) (3) (4) (5)

Capital Projects	ECRC - 2020 Final True-Up	ECRC - 2020 Actual/Estimated Filing	Dif. ECRC - 2020 Actual/Estimated (c)	% Dif. ECRC - 2020 Actual/Estimated (d)
02 - Low NOX Burner Technology	\$57,069	\$57,069	\$0	0.00%
03 - Continuous Emission Monitoring Systems	\$467,882	\$467,855	\$27	0.01%
05 - Maintenance of Stationary Above Ground Fuel Storage Tanks	\$1,643,393	\$1,660,195	(\$16,801)	-1.01%
07 - Relocate Turbine Lube Oil Underground Piping to Above Ground	\$1,535	\$1,535	\$0	0.00%
08 - Oil Spill Clean-up/Response Equipment	\$195,425	\$195,267	\$157	0.08%
10 - Relocate Storm Water Runoff	\$6,215	\$6,215	\$0	0.00%
NA-Amortization of Gains on Sales of Emissions Allowances	(\$17)	(\$17)	\$0	-2.32%
12 - Scherer Discharge Pipeline	\$33,749	\$33,749	\$0	0.00%
20 - Wastewater Discharge Elimination & Reuse	\$42,408	\$42,408	\$0	0.00%
21 - St. Lucie Turtle Nets	\$734,751	\$734,751	\$0	0.00%
22 - Pipeline Integrity Management	\$263,403	\$263,403	\$0	0.00%
23 - SPCC - Spill Prevention, Control & Countermeasures	\$2,203,072	\$2,221,898	(\$18,826)	-0.85%
24 - Manatee Reburn	\$2,979,301	\$2,979,301	\$0	0.00%
26 - UST Remove/Replacement	\$6,651	\$6,651	\$0	0.00%
28 - CWA 316(b) Phase II Rule	\$77,810	\$77,810	\$0	0.00%
31 - Clean Air Interstate Rule (CAIR) Compliance	\$45,141,533	\$45,144,078	(\$2,545)	-0.01%
33 - MATS Project	\$9,423,322	\$9,423,322	\$0	0.00%
34 - St Lucie Cooling Water System Inspection & Maintenance	\$354,914	\$354,911	\$2	0.00%
35 - Martin Plant Drinking Water System Compliance	\$18,962	\$20,188	(\$1,225)	-6.07%
36 - Low-Level Radioactive Waste Storage	\$1,653,138	\$1,653,138	\$0	0.00%
37 - DeSoto Next Generation Solar Energy Center	\$11,943,610	\$11,943,760	(\$150)	0.00%
38 - Space Coast Next Generation Solar Energy Center	\$5,561,299	\$5,561,296	\$3	0.00%
39 - Martin Next Generation Solar Energy Center	\$34,081,894	\$34,080,447	\$1,447	0.00%
41 - Manatee Temporary Heating System	\$3,338,561	\$3,338,462	\$100	0.00%
42 - Turkey Point Cooling Canal Monitoring Plan	\$6,111,236	\$6,058,054	\$53,182	0.88%
44 - Martin Plant Barley Barber Swamp Iron Mitigation	\$14,606	\$14,606	\$0	0.00%
45 - 800 MW Unit ESP	\$18,821,762	\$18,821,748	\$14	0.00%
47 - NPDES Permit Renewal Requirements	\$43,368	\$53,039	(\$9,671)	-18.23%
50 - Steam Electric Effluent Guidelines Revised Rules	\$100,275	\$99,788	\$487	0.49%
54 - Coal Combustion Residuals	\$10,067,637	\$9,951,398	\$116,239	1.17%
123-The Protected Species Project	\$10	\$0	\$10	0.00%
Total	\$155,388,774	\$155,266,324	\$122,450	0.08%

⁽a) The 12-Month Totals on Form 42-5A

⁽b) The approved amount in accordance with FPSC Order No. PSC-2020-0433-FOF-EI

⁽c) Column (2) - Column (3)

⁽d) Column (4) / Column (3)

RECOVERY CLAUSE CALCULATION OF THE FINAL TRUE-UP AMOUNT FOR THE PERIOD

JANUARY 2020 THROUGH DECEMBER 2020 VARIANCE REPORT OF CAPITAL INVESTMENT PROJECTS - RECOVERABLE COSTS

(1) (2) (3) (4) (5)

	ECRC - 2020 Final True-Up (a)	ECRC - 2020 Actual/Estimated (b)	Dif. ECRC - 2020 Actual/Estimated (c)	% Dif. ECRC - 2020 Actual/Estimated (d)
2. Total Investment Projects - Recoverable Costs	\$155,388,774	\$155,266,324	(\$122,450)	(0.08%)
3. Recoverable Costs Allocated to Energy	\$3,504,235	\$3,504,208	(\$27)	(0.00%)
4. Recoverable Costs Allocated to Demand	\$151,884,539	\$151,762,116	(\$122,423)	(0.08%)
5. Jurisdictional Energy Recoverable Costs	\$13,076,503	\$13,066,647	(\$9,856)	(0.08%)
8. Jurisdictional Demand Recoverable Costs	\$134,885,152	\$134,776,648	(\$108,504)	(0.08%)
9. Total Jurisdictional Recoverable Costs for Investment Projects	\$147,961,655	\$147,843,295	(\$118,360)	(0.08%)

⁽a) The 12-Month Totals on Form 42-7A

 $^{^{(\!\}text{b}\!)}$ The approved amount in accordance with FPSC Order No. PSC-2020-0433-FOF-EI

⁽c) Column (2) - Column (3)

⁽d) Column (4) / Column (3)

JANUARY 2020 THROUGH DECEMBER 2020 CAPITAL INVESTMENT PROJECTS-RECOVERABLE COSTS

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
Capital Investment Projects (a)	Strata	Jan - 2020	Feb - 2020	Mar - 2020	Apr - 2020	May - 2020	Jun - 2020	Jul - 2020	Aug - 2020	Sep - 2020	Oct - 2020	Nov - 2020	Dec - 2020	Twelve Month Amount
02 - Low NOX Burner Technology	Peaking	\$4,876	\$4,855	\$4,834	\$4,813	\$4,792	\$4,771	\$4,740	\$4,719	\$4,698	\$4,678	\$4,657	\$4,636	\$57,069
03 - Continuous Emission Monitoring Systems	Base	\$2,350	\$2,342	\$2,334	\$2,326	\$2,318	\$2,310	\$2,294	\$2,286	\$2,278	\$2,271	\$2,263	\$2,255	\$27,625
03 - Continuous Emission Monitoring Systems	Intermediate	\$23,271	\$23,203	\$23,134	\$23,065	\$22,997	\$22,930	\$22,777	\$22,710	\$22,643	\$22,576	\$22,508	\$22,441	\$274,257
03 - Continuous Emission Monitoring Systems	Peaking	\$14,089	\$14,047	\$14,005	\$13,963	\$13,921	\$13,879	\$13,787	\$13,745	\$13,704	\$13,662	\$13,620	\$13,579	\$166,000
05 - Maintenance of Stationary Above Ground Fuel Storage Tanks	Base	\$150	\$150	\$150	\$150	\$150	\$150	\$149	\$149	\$149	\$149	\$149	\$149	\$1,797
05 - Maintenance of Stationary Above Ground Fuel Storage Tanks	General	\$58,947	\$58,908	\$58,869	\$58,822	\$58,775	\$58,729	\$58,339	\$58,290	\$58,242	\$58,194	\$58,145	\$58,099	\$702,358
05 - Maintenance of Stationary Above Ground Fuel Storage Tanks	Intermediate	\$19,065	\$19,004	\$18,944	\$18,883	\$18,823	\$18,762	\$18,638	\$18,578	\$18,518	\$18,378	\$18,239	\$18,180	\$224,012
05 - Maintenance of Stationary Above Ground Fuel Storage Tanks	Peaking	\$60,970	\$60,741	\$60,511	\$60,282	\$60,053	\$59,824	\$59,427	\$59,199	\$58,971	\$58,684	\$58,396	\$58,169	\$715,226
07 - Relocate Turbine Lube Oil Underground Piping to Above Ground	Base	\$133	\$132	\$131	\$130	\$129	\$128	\$128	\$127	\$126	\$125	\$124	\$123	\$1,535
08 - Oil Spill Clean-up/Response Equipment	Distribution	\$22	\$22	\$22	\$22	\$22	\$22	\$22	\$22	\$22	\$22	\$22	\$22	\$265
08 - Oil Spill Clean-up/Response Equipment	General	\$28	\$28	\$28	\$28	\$28	\$28	\$27	\$27	\$27	\$27	\$27	\$27	\$330
08 - Oil Spill Clean-up/Response Equipment	Intermediate	\$9,426	\$10,347	\$10,334	\$10,308	\$10,292	\$10,422	\$10,543	\$10,566	\$10,552	\$10,571	\$10,745	\$11,499	\$125,605
08 - Oil Spill Clean-up/Response Equipment	Peaking	\$5,975	\$5,866	\$5,852	\$5,829	\$5,806	\$5,784	\$5,745	\$5,723	\$5,700	\$5,677	\$5,655	\$5,612	\$69,225
10 - Relocate Storm Water Runoff	Base	\$527	\$526	\$524	\$523	\$521	\$520	\$516	\$515	\$513	\$512	\$510	\$509	\$6,215
NA-Amortization of Gains on Sales of Emissions Allowances	Base	(\$2)	(\$2)	(\$1)	(\$1)	(\$1)	(\$2)	(\$2)	(\$2)	(\$1)	(\$1)	(\$1)	(\$1)	(\$17)
12 - Scherer Discharge Pipeline	Base	\$2,864	\$2,856	\$2,847	\$2,839	\$2,830	\$2,822	\$2,803	\$2,795	\$2,786	\$2,778	\$2,769	\$2,761	\$33,749
20 - Wastewater Discharge Elimination & Reuse	Peaking	\$3,546	\$3,546	\$3,546	\$3,546	\$3,546	\$3,546	\$3,522	\$3,522	\$3,522	\$3,522	\$3,522	\$3,522	\$42,408
21 - St. Lucie Turtle Nets	Base	\$61,864	\$61,778	\$61,692	\$61,605	\$61,519	\$61,432	\$61,025	\$60,939	\$60,853	\$60,767	\$60,681	\$60,595	\$734,751
22 - Pipeline Integrity Management	Intermediate	\$11,911	\$11,888	\$11,866	\$11,843	\$11,821	\$11,798	\$11,720	\$11,697	\$11,675	\$11,653	\$11,630	\$11,608	\$141,109
22 - Pipeline Integrity Management	Peaking	\$10,324	\$10,304	\$10,285	\$10,265	\$10,245	\$10,225	\$10,157	\$10,137	\$10,118	\$10,098	\$10,078	\$10,058	\$122,293
23 - SPCC - Spill Prevention, Control & Countermeasures	Base	\$28,795	\$28,713	\$28,631	\$28,549	\$28,467	\$28,385	\$28,197	\$28,116	\$28,034	\$27,953	\$27,871	\$27,790	\$339,502
23 - SPCC - Spill Prevention, Control & Countermeasures	Distribution	\$22,279	\$22,245	\$22,212	\$22,179	\$22,161	\$22,142	\$21,995	\$21,963	\$21,930	\$22,062	\$22,238	\$22,248	\$265,654
23 - SPCC - Spill Prevention, Control & Countermeasures	General	\$910	\$909	\$908	\$907	\$905	\$904	\$898	\$897	\$896	\$895	\$893	\$892	\$10,814
23 - SPCC - Spill Prevention, Control & Countermeasures	Intermediate	\$56,442	\$56,637	\$56,829	\$56,675	\$56,520	\$56,509	\$56,281	\$56,134	\$56,132	\$56,107	\$56,071	\$56,090	\$676,427
23 - SPCC - Spill Prevention, Control & Countermeasures	Peaking	\$45,833	\$45,859	\$45,712	\$45,565	\$45,400	\$45,169	\$44,807	\$44,649	\$44,599	\$44,518	\$44,429	\$44,396	\$540,937
23 - SPCC - Spill Prevention, Control & Countermeasures	Transmission	\$31,134	\$31,088	\$31,047	\$31,002	\$30,958	\$30,914	\$30,710	\$30,665	\$30,621	\$30,577	\$30,533	\$30,489	\$369,738
24 - Manatee Reburn	Peaking	\$253,352	\$252,500	\$251,649	\$250,797	\$249,946	\$249,094	\$247,442	\$246,596	\$245,750	\$244,904	\$244,058	\$243,212	\$2,979,301
26 - UST Remove/Replacement	General	\$561	\$560	\$559	\$558	\$557	\$556	\$552	\$551	\$550	\$550	\$549	\$548	\$6,651
28 - CWA 316(b) Phase II Rule	Intermediate	\$6,563	\$6,552	\$6,540	\$6,529	\$6,517	\$6,506	\$6,462	\$6,451	\$6,440	\$6,428	\$6,417	\$6,405	\$77,810
31 - Clean Air Interstate Rule (CAIR) Compliance	Base	\$3,044,156	\$3,039,240	\$3,038,950	\$3,038,692	\$3,034,338	\$3,029,846	\$3,010,323	\$3,005,529	\$3,000,757	\$2,995,908	\$2,990,845	\$2,987,988	\$36,216,575
31 - Clean Air Interstate Rule (CAIR) Compliance	Distribution	\$9	\$9	\$9	\$9	\$9	\$9	\$9	\$9	\$9	\$9	\$8	\$8	\$103
31 - Clean Air Interstate Rule (CAIR) Compliance	Intermediate	\$9,563	\$9,546	\$9,530	\$9,514	\$9,498	\$9,481	\$9,418	\$9,402	\$9,386	\$9,370	\$9,354	\$9,338	\$113,401
31 - Clean Air Interstate Rule (CAIR) Compliance	Peaking	\$743,837	\$742,414	\$740,991	\$739,567	\$738,144	\$736,721	\$731,831	\$730,417	\$729,004	\$727,590	\$726,176	\$724,763	\$8,811,455
33 - MATS Project	Base	\$783,097	\$781,508	\$795,626	\$793,928	\$792,230	\$790,531	\$785,285	\$783,597	\$781,910	\$780,223	\$778,536	\$776,849	\$9,423,322
34 - St Lucie Cooling Water System Inspection & Maintenance	Base	\$29,675	\$29,675	\$29,675	\$29,675	\$29,675	\$29,675	\$29,477	\$29,477	\$29,478	\$29,478	\$29,478	\$29,478	\$354,914
35 - Martin Plant Drinking Water System Compliance	Intermediate	\$971	\$970	\$968	\$966	\$964	\$962	\$956	\$954	\$952	\$810	\$668	\$668	\$10,809
35 - Martin Plant Drinking Water System Compliance	Peaking	\$733	\$731	\$730	\$729	\$727	\$726	\$721	\$720	\$718	\$611	\$504	\$504	\$8,154
36 - Low-Level Radioactive Waste Storage	Base	\$139,550	\$139,284	\$139,017	\$138,751	\$138,485	\$138,218	\$137,301	\$137,036	\$136,771	\$136,506	\$136,242	\$135,977	\$1,653,138
37 - DeSoto Next Generation Solar Energy Center	Solar	\$1,018,746	\$1,015,486	\$1,012,372	\$1,009,098	\$1,005,634	\$1,002,315	\$988,163	\$984,772	\$981,526	\$978,338	\$975,150	\$972,008	\$11,943,610
38 - Space Coast Next Generation Solar Energy Center	Solar	\$473,913	\$472,478	\$471,046	\$469,611	\$468,172	\$466,737	\$460,436	\$458,852	\$457,217	\$455,683	\$454,274	\$452,879	\$5,561,299
39 - Martin Next Generation Solar Energy Center	Intermediate	\$2,890,502	\$2,884,352	\$2,879,010	\$2,873,516	\$2,866,652	\$2,860,158	\$2,821,076	\$2,814,622	\$2,807,750	\$2,801,040	\$2,794,844	\$2,788,373	\$34,081,894
41 - Manatee Temporary Heating System	Distribution	\$1,518	\$1,518	\$1,518	\$1,518	\$1,518	\$1,518	\$1,508	\$1,508	\$1,508	\$1,508	\$1,508	\$1,508	\$18,161
41 - Manatee Temporary Heating System	Intermediate	\$154,039	\$153,729	\$153,095	\$152,462	\$265,674	\$277,668	\$275,834	\$274,531	\$273,230	\$271,931	\$270,631	\$269,331	\$2,792,155
41 - Manatee Temporary Heating System	Peaking	\$129,531	\$129,147	\$128,475	\$127,803	\$13,289	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$528,245
42 - Turkey Point Cooling Canal Monitoring Plan	Base	\$462,688	\$468,459	\$470,238	\$474,505	\$429,258	\$383,856	\$387,967	\$396,590	\$404,962	\$411,793	\$416,456	\$512,722	\$5,219,496
42 - Turkey Point Cooling Canal Monitoring Plan	Intermediate	\$0	\$0	\$0	\$0	\$63,923	\$128,182	\$127,758	\$127,575	\$127,355	\$127,182	\$127,005	\$62,761	\$891,741
44 - Martin Plant Barley Barber Swamp Iron Mitigation	Intermediate	\$703	\$701	\$700	\$699	\$697	\$696	\$691	\$690	\$689	\$688	\$686	\$685	\$8,325
44 - Martin Plant Barley Barber Swamp Iron Mitigation	Peaking	\$530	\$529	\$528	\$527	\$526	\$525	\$522	\$521	\$520	\$519	\$518	\$517	\$6,280
45 - 800 MW Unit ESP	Intermediate	\$719	\$716	\$713	\$711	\$708	\$705	\$701	\$698	\$695	\$693	\$690	\$687	\$8,436
45 - 800 MW Unit ESP	Peaking	\$1,585,780	\$1,583,754	\$1,581,832	\$1,578,958	\$1,576,081	\$1,573,204	\$1,562,763	\$1,559,906	\$1,557,049	\$1,554,191	\$1,551,333	\$1,548,476	
47 - NPDES Permit Renewal Requirements 50 - Steam Electric Effluent Guidelines Revised Rules	Base Base	\$0 \$6.556	\$0 \$6.658	\$0 \$6.867	\$0 \$7.245	\$8 \$7.736	\$585 \$8,212	\$2,786 \$8.507	\$5,965 \$8,730	\$7,452 \$9,273	\$7,453 \$9.793	\$7,557 \$10,068	\$11,563 \$10,630	\$43,368 \$100,275
		\$6,556 \$777.438	\$6,658 \$778.972	,			\$8,212 \$834.867	\$8,507 \$875.614	\$8,730 \$879.399	\$9,273 \$882.357		\$10,068 \$891.030	,	
54 - Coal Combustion Residuals 123-Protected Species Project	Base Intermediate	\$777,438 \$0	\$778,972 \$0	\$772,783 \$0	\$779,875 \$0	\$787,503 \$0	\$834,867 \$0	\$875,614 \$0	\$879,399 \$0	\$882,357 \$0	\$887,108 \$0	\$891,030 \$0	\$920,693 \$10	\$10,067,637 \$10
125-Fibitotiou opedies Pibjedi	Total	\$12,990,460	\$12,975,480	\$12,968,667	\$12,960,359	\$12,961,467	\$13,003,657	\$12,943,349	\$12,933,269	\$12,920,618	\$12,906,757	\$12,890,363	\$12,934,329	
	IUIAI	φ1∠,99U,46U	\$12,975,48U	φ1∠,908,00/	\$12,90U,359	\$1∠,961,46/	\$13,UU3,03/	⊕1∠,943,349	⊉1∠,933,269	φ1∠,9∠U,618	\$12,9U6,757	⊕1∠,69U,363	\$12,934,329	\$100,068,774

⁽a) Each project's Total Recoverable Costs on Form 42-8A, Line 9.

JANUARY 2020 THROUGH DECEMBER 2020 CAPITAL INVESTMENT PROJECTS-RECOVERABLE COSTS

		Monthly Data	Jurisdictio	onalization	Method of Cla	assification	_
Capital Project (a)	Strata	Twelve Month Total	Jurisdictional Factor	Juris Twelve Month Amount	CP Demand	Energy	
02 - Low NOX Burner Technology	Peaking	\$57,069	95.1325%	\$54,291	\$0	\$54,291	
03 - Continuous Emission Monitoring Systems	Base	\$27,625	95.8799%	\$26,486	\$0	\$26,486	
03 - Continuous Emission Monitoring Systems	Intermediate	\$274,257	94.2430%	\$258,468	\$0	\$258,468	
03 - Continuous Emission Monitoring Systems	Peaking	\$166,000	95.1325%	\$157,920	\$0	\$157,920	
05 - Maintenance of Stationary Above Ground Fuel Storage Tanks	Base	\$1,797	95.7922%	\$1,721	\$1,589	\$132	
05 - Maintenance of Stationary Above Ground Fuel Storage Tanks	General	\$702,358	96.9124%	\$680,672	\$628,312	\$52,359	
05 - Maintenance of Stationary Above Ground Fuel Storage Tanks	Intermediate	\$224,012	94.1569%	\$210,923	\$194,698	\$16,225	
05 - Maintenance of Stationary Above Ground Fuel Storage Tanks	Peaking	\$715,226	95.0455%	\$679,790	\$627,499	\$52,292	
07 - Relocate Turbine Lube Oil Underground Piping to Above Ground	Base	\$1,535	95.7922%	\$1,471	\$1,358	\$113	
08 - Oil Spill Clean-up/Response Equipment	Distribution	\$265	100.0000%	\$265	\$245	\$20	
08 - Oil Spill Clean-up/Response Equipment	General	\$330	96.9124%	\$320	\$295	\$25	
08 - Oil Spill Clean-up/Response Equipment	Intermediate	\$125,605	94.1569%	\$118,265	\$109,168	\$9,097	
08 - Oil Spill Clean-up/Response Equipment	Peaking	\$69,225	95.0455%	\$65,795	\$60,734	\$5,061	
		\$6,215	95.7922%				
10 - Relocate Storm Water Runoff	Base		95.7922%	\$5,953	\$5,495	\$458	
12 - Scherer Discharge Pipeline	Base	\$33,749		\$32,329	\$29,842	\$2,487	
20 - Wastewater Discharge Elimination & Reuse	Peaking	\$42,408	95.0455%	\$40,307	\$37,207	\$3,101	
21 - St. Lucie Turtle Nets	Base	\$734,751	95.7922%	\$703,834	\$649,693	\$54,141	
22 - Pipeline Integrity Management	Intermediate	\$141,109	94.1569%	\$132,864	\$122,644	\$10,220	
22 - Pipeline Integrity Management	Peaking	\$122,293	95.0455%	\$116,234	\$107,293	\$8,941	
23 - SPCC - Spill Prevention, Control & Countermeasures	Base	\$339,502	95.7922%	\$325,217	\$300,200	\$25,017	
23 - SPCC - Spill Prevention, Control & Countermeasures	Distribution	\$265,654	100.0000%	\$265,654	\$245,219	\$20,435	
23 - SPCC - Spill Prevention, Control & Countermeasures	General	\$10,814	96.9124%	\$10,480	\$9,674	\$806	
23 - SPCC - Spill Prevention, Control & Countermeasures	Intermediate	\$676,427	94.1569%	\$636,902	\$587,910	\$48,992	
23 - SPCC - Spill Prevention, Control & Countermeasures	Peaking	\$540,937	95.0455%	\$514,136	\$474,587	\$39,549	
23 - SPCC - Spill Prevention, Control & Countermeasures	Transmission	\$369,738	89.9387%	\$332,538	\$306,958	\$25,580	
24 - Manatee Plant Reburn	Peaking	\$2,979,301	95.1325%	\$2,834,282	\$0	\$2,834,282	
26 - UST Remove/Replacement	General	\$6,651	96.9124%	\$6,446	\$5,950	\$496	
28 - CWA 316(b) Phase II Rule	Intermediate	\$77,810	94.1569%	\$73,264	\$67,628	\$5,636	
31 - Clean Air Interstate Rule (CAIR) Compliance	Base	\$36,216,575	95.7922%	\$34,692,653	\$32,023,988	\$2,668,666	
31 - Clean Air Interstate Rule (CAIR) Compliance	Distribution	\$103	100.0000%	\$103	\$95	\$8	
31 - Clean Air Interstate Rule (CAIR) Compliance	Intermediate	\$113,401	94.1569%	\$106,775	\$98,561	\$8,213	
31 - Clean Air Interstate Rule (CAIR) Compliance	Peaking	\$8,811,455	95.0455%	\$8,374,890	\$7,730,668	\$644,222	
33 - MATS Project	Base	\$9,423,322	95.7922%	\$9,026,807	\$8,332,437	\$694,370	
34 - St Lucie Cooling Water System Inspection & Maintenance	Base	\$354,914	95.7922%	\$339,979	\$313,827	\$26,152	
35 - Martin Plant Drinking Water System Compliance	Intermediate	\$10,809	94.1569%	\$10,177	\$9,394	\$783	
35 - Martin Plant Drinking Water System Compliance	Peaking	\$8,154	95.0455%	\$7,750	\$7,154	\$596	
36 - Low-Level Radioactive Waste Storage	Base	\$1,653,138	95.7922%	\$1,583,578	\$1,461,764	\$121,814	
37 - DeSoto Next Generation Solar Energy Center	Solar	\$11,943,610	95.7922%	\$11,441,050	\$10,560,969	\$880,081	
38 - Space Coast Next Generation Solar Energy Center	Solar	\$5,561,299	95.7922%	\$5,327,292	\$4,917,500	\$409,792	
39 - Martin Next Generation Solar Energy Center	Intermediate	\$34,081,894	94.1569%	\$32,090,455	\$29,621,958	\$2,468,497	
41 - Manatee Temporary Heating System	Distribution	\$18,161	100.0000%	\$18,161	\$16,764	\$1,397	
41 - Manatee Temporary Heating System	Intermediate	\$2,792,155	94.1569%	\$2,629,005	\$2,426,774	\$202,231	
41 - Manatee Temporary Heating System	Peaking	\$528,245	95.0455%	\$502,073	\$463,452	\$38,621	
42 - Turkey Point Cooling Canal Monitoring Plan	Base	\$5,219,496	95.7922%	\$4,999,870	\$4,615,264	\$384,605	
42 - Turkey Point Cooling Canal Monitoring Plan	Intermediate	\$891,741	94.1569%	\$839,636	\$775,048	\$64,587	
44 - Martin Plant Barley Barber Swamp Iron Mitigation	Intermediate	\$8,325	94.1569%	\$7,839	\$7,839	\$04,387	
44 - Martin Plant Barley Barber Swamp Iron Mitigation	Peaking	\$6,280	95.0455%		\$5,969	\$0	
44 - Martin Plant Barley Barber Swamp Iron Mitigation 45 - 800 MW Unit ESP	Intermediate	\$8,436	95.0455%	\$5,969 \$7,943	\$5,969 \$7,943	\$0 \$0	
						\$0 \$0	
45 - 800 MW Unit ESP	Peaking	\$18,813,326	95.0455%	\$17,881,218	\$17,881,218		
47 - NPDES Permit Renewal Requirements	Base	\$43,368	95.7922%	\$41,543	\$41,543	\$0	
50 - Steam Electric Effluent Guidelines Revised Rules	Base	\$100,275	95.7922%	\$96,055	\$88,666	\$7,389	
54 - Coal Combustion Residuals	Base	\$10,067,637	95.7922%	\$9,644,011	\$8,902,164	\$741,847	
NA-Amortization of Gains on Sales of Emissions Allowances	Base	(\$17)	95.7922%	(\$16)	(\$16)	\$0	
123-The Protected Species Project	Intermediate	\$10	94.1569%	\$9	\$9	\$0	
	Total	\$155,388,774		\$147,961,655	\$134,885,151	\$13,076,502	

⁽a) Each project's Total Recoverable Costs on Form 42-8A, Line 9.

JANUARY 2020 THROUGH DECEMBER 2020 CAPITAL INVESTMENT PROJECTS-RECOVERABLE COSTS

RAD - ECRC - 42 - 7A - 2	Jan - 2020	Feb - 2020	Mar - 2020	Apr - 2020	May - 2020	Jun - 2020	Jul - 2020	Aug - 2020	Sep - 2020	Oct - 2020	Nov - 2020	Dec - 2020	2020
2. Total of Capital Investment Projects	\$12,990,460	\$12,975,480	\$12,968,667	\$12,960,359	\$12,961,467	\$13,003,657	\$12,943,349	\$12,933,269	\$12,920,618	\$12,906,757	\$12,890,363	\$12,934,329	\$155,388,774
Recoverable Costs Jurisdictionalized on Energy - Base	\$2,348	\$2,340	\$2,332	\$2,324	\$2,316	\$2,308	\$2,293	\$2,285	\$2,277	\$2,269	\$2,261	\$2,254	\$27,608
Recoverable Costs Jurisdictionalized on Energy - Intermediate	\$23,271	\$23,203	\$23,134	\$23,065	\$22,997	\$22,930	\$22,777	\$22,710	\$22,643	\$22,576	\$22,508	\$22,441	\$274,257
Recoverable Costs Jurisdictionalized on Energy - Peaking	\$272,317	\$271,402	\$270,488	\$269,573	\$268,659	\$267,745	\$265,969	\$265,060	\$264,152	\$263,244	\$262,335	\$261,427	\$3,202,370
4. Recoverable Costs Jurisdictionalized on 12 CP Demand - Transmission	\$31,134	\$31,088	\$31,047	\$31,002	\$30,958	\$30,914	\$30,710	\$30,665	\$30,621	\$30,577	\$30,533	\$30,489	\$369,738
Recoverable Costs Jurisdictionalized on 12 CP Demand - Production - Base	\$5,337,494	\$5,337,950	\$5,347,133	\$5,356,467	\$5,312,849	\$5,309,228	\$5,330,077	\$5,338,963	\$5,345,421	\$5,350,545	\$5,352,318	\$5,477,827	\$64,196,272
Recoverable Costs Jurisdictionalized on 12 CP Demand - Production - Interm.	\$3,159,903	\$3,154,442	\$3,148,529	\$3,142,105	\$3,312,089	\$3,381,849	\$3,340,078	\$3,331,899	\$3,323,374	\$3,314,849	\$3,306,980	\$3,235,634	\$39,151,732
Recoverable Costs Jurisdictionalized on 12 CP Demand - Production - Peaking	\$2,587,060	\$2,582,891	\$2,578,461	\$2,573,071	\$2,453,817	\$2,435,723	\$2,419,495	\$2,414,794	\$2,410,200	\$2,405,409	\$2,400,612	\$2,396,017	\$29,657,550
Recoverable Costs Jurisdictionalized on 12 CP Demand - Production - Solar	\$1,492,660	\$1,487,964	\$1,483,418	\$1,478,708	\$1,473,806	\$1,469,052	\$1,448,600	\$1,443,624	\$1,438,744	\$1,434,021	\$1,429,424	\$1,424,887	\$17,504,908
Recoverable Costs Jurisdictionalized on 12 CP Demand - General	\$60,446	\$60,404	\$60,364	\$60,314	\$60,265	\$60,217	\$59,817	\$59,766	\$59,716	\$59,665	\$59,614	\$59,566	\$720,154
Recoverable Costs Jurisdictionalized on 12 CP Demand - Distribution	\$23,828	\$23,795	\$23,762	\$23,728	\$23,710	\$23,691	\$23,534	\$23,502	\$23,469	\$23,601	\$23,777	\$23,787	\$284,184
Retail Production Energy Jurisdictional Factor - Base	95.87989%	95.87989%	95.87989%	95.87989%	95.87989%	95.87989%	95.87989%	95.87989%	95.87989%	95.87989%	95.87989%	95.87989%	
Retail Production Energy Jurisdictional Factor - Intermediate	94.24302%	94.24302%	94.24302%	94.24302%	94.24302%	94.24302%	94.24302%	94.24302%	94.24302%	94.24302%	94.24302%	94.24302%	
Retail Production Energy Jurisdictional Factor - Peaking	95.13247%	95.13247%	95.13247%	95.13247%	95.13247%	95.13247%	95.13247%	95.13247%	95.13247%	95.13247%	95.13247%	95.13247%	
6. Retail Transmission Demand Jurisdictional Factor	89.93869%	89.93869%	89.93869%	89.93869%	89.93869%	89.93869%	89.93869%	89.93869%	89.93869%	89.93869%	89.93869%	89.93869%	
Retail Production Demand Jurisdictional Factor - Base	95.79220%	95.79220%	95.79220%	95.79220%	95.79220%	95.79220%	95.79220%	95.79220%	95.79220%	95.79220%	95.79220%	95.79220%	
Retail Production Demand Jurisdictional Factor - Intermediate	94.15690%	94.15690%	94.15690%	94.15690%	94.15690%	94.15690%	94.15690%	94.15690%	94.15690%	94.15690%	94.15690%	94.15690%	
Retail Production Demand Jurisdictional Factor - Peaking	95.04549%	95.04549%	95.04549%	95.04549%	95.04549%	95.04549%	95.04549%	95.04549%	95.04549%	95.04549%	95.04549%	95.04549%	
Retail Production Demand Jurisdictional Factor - Solar	95.79220%	95.79223%	95.79223%	95.79223%	95.79223%	95.79223%	95.79223%	95.79223%	95.79223%	95.79223%	95.79223%	95.79223%	
Retail Production Demand Jurisdictional Factor - General	96.91235%	96.91235%	96.91235%	96.91235%	96.91235%	96.91235%	96.91235%	96.91235%	96.91235%	96.91235%	96.91235%	96.91235%	
Retail Distribution Demand Jurisdictional Factor	100.00000%	100.00000%	100.00000%	100.00000%	100.00000%	100.00000%	100.00000%	100.00000%	100.00000%	100.00000%	100.00000%	100.00000%	
7. Jurisdictional Recoverable Costs - Transmission	\$28,001	\$27,960	\$27,923	\$27,883	\$27,843	\$27,804	\$27,620	\$27,580	\$27,540	\$27,501	\$27,461	\$27,421	\$332,538
Jurisdictional Recoverable Costs - Production - Base	\$5,115,154	\$5,115,583	\$5,124,372	\$5,133,306	\$5,091,515	\$5,088,040	\$5,107,997	\$5,116,501	\$5,122,680	\$5,127,581	\$5,129,271	\$5,249,492	\$61,521,492
Jurisdictional Recoverable Costs - Production - Intermediate	\$2,997,198	\$2,991,992	\$2,986,360	\$2,980,246	\$3,140,234	\$3,205,854	\$3,166,380	\$3,158,616	\$3,150,526	\$3,142,436	\$3,134,962	\$3,067,722	\$37,122,525
Jurisdictional Recoverable Costs - Production - Peaking	\$2,717,946	\$2,713,114	\$2,708,033	\$2,702,040	\$2,587,825	\$2,569,758	\$2,552,644	\$2,547,311	\$2,542,081	\$2,536,663	\$2,531,240	\$2,526,008	\$31,234,662
Jurisdictional Recoverable Costs - Production - Solar	\$1,429,852	\$1,425,354	\$1,420,999	\$1,416,487	\$1,411,791	\$1,407,237	\$1,387,646	\$1,382,879	\$1,378,204	\$1,373,681	\$1,369,277	\$1,364,931	\$16,768,337
Jurisdictional Recoverable Costs - General	\$58,579	\$58,539	\$58,500	\$58,452	\$58,405	\$58,357	\$57,970	\$57,921	\$57,872	\$57,823	\$57,774	\$57,727	\$697,918
Jurisdictional Recoverable Costs - Distribution	\$23,828	\$23,795	\$23,762	\$23,728	\$23,710	\$23,691	\$23,534	\$23,502	\$23,469	\$23,601	\$23,777	\$23,787	\$284,184
Total Jurisdictional Recoverable Costs for Capital Investment Activities	\$12,370,558	\$12,356,337	\$12,349,948	\$12,342,143	\$12,341,323	\$12,380,741	\$12,323,789	\$12,314,310	\$12,302,372	\$12,289,285	\$12,273,762	\$12,317,088	\$147,961,655

JANUARY 2020 THROUGH DECEMBER 2020

	Beginning of Period Amount	January Actual	February Actual	March Actual	April Actual	May Actual	June Actual	July Actual	August Actual	September Actual	October Actual	November Actual	December Actual	Twelve Month Amount
02 - Low NOX Burner Technology														
Peaking														
1. Investments														
a. Expenditures/Additions		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
b. Clearings to Plant		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
c. Retirements		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Other (a)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
2. Plant-In-Service/Depreciation Base (b)														
3a. Less: Accumulated Depreciation	(\$0)	(\$0)	(\$0)	(\$0)	(\$0)	(\$0)	(\$0)	(\$0)	(\$0)	(\$0)	(\$0)	(\$0)	(\$0)	
3b. Less: Capital Recovery Unamortized Balance	(\$263,079)	(\$259,947)	(\$256,815)	(\$253,683)	(\$250,552)	(\$247,420)	(\$244,288)	(\$241,156)	(\$238,024)	(\$234,892)	(\$231,760)	(\$228,628)	(\$225,496)	
CWIP Non-Interest Bearing	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	
5. Net Investment (Lines 2 - 3 + 4)	\$263,079	\$259,948	\$256,816	\$253,684	\$250,552	\$247,420	\$244,288	\$241,156	\$238,024	\$234,892	\$231,760	\$228,629	\$225,497	
6. Average Net Investment		\$261,514	\$258,382	\$255,250	\$252,118	\$248,986	\$245,854	\$242,722	\$239,590	\$236,458	\$233,326	\$230,195	\$227,063	
7. Return on Average Net Investment														
a. Equity Component grossed up for taxes (c)(h)		\$1,450	\$1,432	\$1,415	\$1,398	\$1,380	\$1,363	\$1,334	\$1,317	\$1,300	\$1,282	\$1,265	\$1,248	\$16,183
b. Debt Component (Line 6 x debt rate x 1/12) (d)(\$294	\$291	\$287	\$284	\$280	\$277	\$274	\$270	\$267	\$263	\$260	\$256	\$3,303
8. Investment Expenses														
a. Depreciation (e)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
b. Amortization (f)		\$3,132	\$3,132	\$3,132	\$3,132	\$3,132	\$3,132	\$3,132	\$3,132	\$3,132	\$3,132	\$3,132	\$3,132	\$37,583
c. Dismantlement (g)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Property Expenses		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
e. Other		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
9. Total System Recoverable Costs (Lines 7 & 8)		\$4,876	\$4,855	\$4,834	\$4,813	\$4,792	\$4,771	\$4,740	\$4,719	\$4,698	\$4,678	\$4,657	\$4,636	\$57,069

⁽a) Applicable to reserve salvage and removal cost

⁽b) Applicable beginning of period and end of period depreciable base by production plant name(s), unit(s), or plant account(s). See Form 42-8A, pages 69-72.

⁽c) The Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%. The Equity Component for the Jan. - Jun. 2020 period is 5.0206%, based on May 2019

Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. – Dec. 2020 period is 4.9781% based on the May 2020 Earning Surveillance Report and reflects a 10.55% return on equity.

⁽d) The Debt Component for the Jan. – Jun. 2020 period is 1.3507% is based on the May 2019 Earning Surveillance Report and the Debt Component for

the Jul. – Dec. 2020 period is 1.3538% based on the May 2019 Earning Surveillance Report.

⁽e) Applicable depreciation rate or rates. See Form 42-8A, pages 69-72.

⁽f) Applicable amortization period(s). See Form 42-8A, pages 69-72.

⁽g) Dismantlement only applies to Solar projects - DeSoto (37), NASA (38) & Martin (39).

⁽h) For solar projects the return on investment calculation is comprised of two parts:

Return on the Average Net Investment: See footnotes (b) and (c).

Return on the Average Unamortized ITC Balance:

Equity Component: Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%; the Equity Component for the Jan. – Jun. 2020 period of 6.604% based on the May 2019 Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. – Dec. 2020 period of 6.362% based on the May 2020 Earning Surveillance Report reflects a 10.55% return on equity.

Debt Component: the Debt Component for the Jan. - Jun. 2020 period of 1.661% based on the May 2019 Earning Surveillance Report and the Debt Component for the

Jul. – Dec. 2020 period of 1.657% based on the May 2020 Earning Surveillance Report.

JANUARY 2020 THROUGH DECEMBER 2020

	Beginning of Period Amount	January Actual	February Actual	March Actual	April Actual	May Actual	June Actual	July Actual	August Actual	September Actual	October Actual	November Actual	December Actual	Twelve Month Amount
03 - Continuous Emission Monitoring Systems														
Base														
1. Investments														
 a. Expenditures/Additions 		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
b. Clearings to Plant		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
c. Retirements		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Other (a)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
2. Plant-In-Service/Depreciation Base (b)	\$515,653	\$515,653	\$515,653	\$515,653	\$515,653	\$515,653	\$515,653	\$515,653	\$515,653	\$515,653	\$515,653	\$515,653	\$515,653	
3a. Less: Accumulated Depreciation	\$405,100	\$406,298	\$407,497	\$408,696	\$409,895	\$411,094	\$412,293	\$413,492	\$414,691	\$415,890	\$417,089	\$418,287	\$419,486	
3b. Less: Capital Recovery Unamortized Balance	(\$62,603)	(\$62,603)	(\$62,603)	(\$62,603)	(\$62,603)	(\$62,603)	(\$62,603)	(\$62,603)	(\$62,603)	(\$62,603)	(\$62,603)	(\$62,603)	(\$62,603)	
CWIP Non-Interest Bearing	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	
5. Net Investment (Lines 2 - 3 + 4)	\$173,157	\$171,958	\$170,759	\$169,560	\$168,361	\$167,162	\$165,963	\$164,764	\$163,565	\$162,366	\$161,168	\$159,969	\$158,770	
6. Average Net Investment		\$172,557	\$171,358	\$170,159	\$168,960	\$167,761	\$166,563	\$165,364	\$164,165	\$162,966	\$161,767	\$160,568	\$159,369	
7. Return on Average Net Investment														
a. Equity Component grossed up for taxes (c)(h)		\$956	\$950	\$943	\$937	\$930	\$923	\$909	\$902	\$896	\$889	\$883	\$876	\$10,994
b. Debt Component (Line 6 x debt rate x 1/12) (d)((\$194	\$193	\$192	\$190	\$189	\$187	\$187	\$185	\$184	\$183	\$181	\$180	\$2,244
8. Investment Expenses														
a. Depreciation (e)		\$1,199	\$1,199	\$1,199	\$1,199	\$1,199	\$1,199	\$1,199	\$1,199	\$1,199	\$1,199	\$1,199	\$1,199	\$14,387
b. Amortization (f)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
c. Dismantlement (g)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Property Expenses		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
e. Other		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
9. Total System Recoverable Costs (Lines 7 & 8)		\$2,350	\$2,342	\$2,334	\$2,326	\$2,318	\$2,310	\$2,294	\$2,286	\$2,278	\$2,271	\$2,263	\$2,255	\$27,625

⁽a) Applicable to reserve salvage and removal cost

Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. - Dec. 2020 period is 4.9781% based on the May 2020 Earning Surveillance Report and reflects a 10.55% return on equity.

Return on the Average Net Investment: See footnotes (b) and (c).

Return on the Average Unamortized ITC Balance:

Equity Component: Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%; the Equity Component for the Jan. – Jun. 2020 period of 6.604% based on the May 2019 Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. – Dec. 2020 period of 6.362% based on the May 2020 Earning Surveillance Report reflects a 10.55% return on equity.

Debt Component: the Debt Component for the Jan. – Jun. 2020 period of 1.661% based on the May 2019 Earning Surveillance Report and the Debt Component for the

⁽b) Applicable beginning of period and end of period depreciable base by production plant name(s), unit(s), or plant account(s). See Form 42-8A, pages 69-72.

⁽c) The Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%. The Equity Component for the Jan. – Jun. 2020 period is 5.0206%, based on May 2019

⁽d) The Debt Component for the Jan. - Jun. 2020 period is 1.3507% is based on the May 2019 Earning Surveillance Report and the Debt Component for

the Jul. - Dec. 2020 period is 1.3538% based on the May 2019 Earning Surveillance Report.

⁽e) Applicable depreciation rate or rates. See Form 42-8A, pages 69-72.

⁽f) Applicable amortization period(s). See Form 42-8A, pages 69-72.

⁽g) Dismantlement only applies to Solar projects - DeSoto (37), NASA (38) & Martin (39).

⁽h) For solar projects the return on investment calculation is comprised of two parts:

JANUARY 2020 THROUGH DECEMBER 2020

	Beginning of Period Amount	January Actual	February Actual	March Actual	April Actual	May Actual	June Actual	July Actual	August Actual	September Actual	October Actual	November Actual	December Actual	Twelve Month Amount
03 - Continuous Emission Monitoring Systems														
Intermediate														
1. Investments														
a. Expenditures/Additions		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
b. Clearings to Plant		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
c. Retirements		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Other (a)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
2. Plant-In-Service/Depreciation Base (b)	\$2,290,617	\$2,290,617	\$2,290,617	\$2,290,167	\$2,290,167	\$2,290,167	\$2,290,167	\$2,290,167	\$2,290,167	\$2,290,167	\$2,290,167	\$2,290,167	\$2,290,167	
3a. Less: Accumulated Depreciation	\$521,499	\$529,234	\$536,970	\$544,706	\$552,442	\$560,178	\$567,914	\$575,650	\$583,386	\$591,122	\$598,858	\$606,594	\$614,329	
3b. Less: Capital Recovery Unamortized Balance	(\$203,055)	(\$200,638)	(\$198,221)	(\$195,803)	(\$193,386)	(\$190,969)	(\$188,552)	(\$186,134)	(\$183,717)	(\$181,300)	(\$178,882)	(\$176,465)	(\$174,048)	
CWIP Non-Interest Bearing	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	
5. Net Investment (Lines 2 - 3 + 4)	\$1,972,174	\$1,962,021	\$1,951,868	\$1,941,264	\$1,931,111	\$1,920,957	\$1,910,804	\$1,900,651	\$1,890,498	\$1,880,344	\$1,870,191	\$1,860,038	\$1,849,885	
6. Average Net Investment		\$1,967,097	\$1,956,944	\$1,946,566	\$1,936,187	\$1,926,034	\$1,915,881	\$1,905,728	\$1,895,574	\$1,885,421	\$1,875,268	\$1,865,115	\$1,854,961	
7. Return on Average Net Investment														
a. Equity Component grossed up for taxes (c)(h)		\$10,904	\$10,847	\$10,790	\$10,732	\$10,676	\$10,620	\$10,474	\$10,418	\$10,363	\$10,307	\$10,251	\$10,195	\$126,578
b. Debt Component (Line 6 x debt rate x 1/12) (d)(\$2,214	\$2,203	\$2,191	\$2,179	\$2,168	\$2,157	\$2,150	\$2,139	\$2,127	\$2,116	\$2,104	\$2,093	\$25,840
8. Investment Expenses														
a. Depreciation (e)		\$7,736	\$7,736	\$7,736	\$7,736	\$7,736	\$7,736	\$7,736	\$7,736	\$7,736	\$7,736	\$7,736	\$7,736	\$92,831
b. Amortization (f)		\$2,417	\$2,417	\$2,417	\$2,417	\$2,417	\$2,417	\$2,417	\$2,417	\$2,417	\$2,417	\$2,417	\$2,417	\$29,008
c. Dismantlement (g)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Property Expenses		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
e. Other		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
9. Total System Recoverable Costs (Lines 7 & 8)		\$23,271	\$23,203	\$23,134	\$23,065	\$22,997	\$22,930	\$22,777	\$22,710	\$22,643	\$22,576	\$22,508	\$22,441	\$274,257

⁽a) Applicable to reserve salvage and removal cost

Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. - Dec. 2020 period is 4.9781% based on the May 2020 Earning Surveillance Report and reflects a 10.55% return on equity.

Return on the Average Net Investment: See footnotes (b) and (c).

Return on the Average Unamortized ITC Balance:

Equity Component: Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%; the Equity Component for the Jan. – Jun. 2020 period of 6.604% based on the May 2019 Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. – Dec. 2020 period of 6.362% based on the May 2020 Earning Surveillance Report reflects a 10.55% return on equity.

Debt Component: the Debt Component for the Jan. – Jun. 2020 period of 1.661% based on the May 2019 Earning Surveillance Report and the Debt Component for the

⁽b) Applicable beginning of period and end of period depreciable base by production plant name(s), unit(s), or plant account(s). See Form 42-8A, pages 69-72.

⁽c) The Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%. The Equity Component for the Jan. – Jun. 2020 period is 5.0206%, based on May 2019

⁽d) The Debt Component for the Jan. - Jun. 2020 period is 1.3507% is based on the May 2019 Earning Surveillance Report and the Debt Component for

the Jul. - Dec. 2020 period is 1.3538% based on the May 2019 Earning Surveillance Report.

⁽e) Applicable depreciation rate or rates. See Form 42-8A, pages 69-72.

⁽f) Applicable amortization period(s). See Form 42-8A, pages 69-72.

⁽g) Dismantlement only applies to Solar projects - DeSoto (37), NASA (38) & Martin (39).

⁽h) For solar projects the return on investment calculation is comprised of two parts:

JANUARY 2020 THROUGH DECEMBER 2020

	Beginning of Period Amount	January Actual	February Actual	March Actual	April Actual	May Actual	June Actual	July Actual	August Actual	September Actual	October Actual	November Actual	December Actual	Twelve Month Amount
03 - Continuous Emission Monitoring Systems														
Peaking														
1. Investments														
 a. Expenditures/Additions 		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
b. Clearings to Plant		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
c. Retirements		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Other (a)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
2. Plant-In-Service/Depreciation Base (b)	\$1,201,724	\$1,201,724	\$1,201,724	\$1,201,724	\$1,201,724	\$1,201,724	\$1,201,724	\$1,201,724	\$1,201,724	\$1,201,724	\$1,201,724	\$1,201,724	\$1,201,724	
3a. Less: Accumulated Depreciation	\$176,873	\$181,410	\$185,946	\$190,483	\$195,020	\$199,556	\$204,093	\$208,629	\$213,166	\$217,702	\$222,239	\$226,776	\$231,312	
3b. Less: Capital Recovery Unamortized Balance	(\$147,463)	(\$145,708)	(\$143,952)	(\$142,197)	(\$140,441)	(\$138,686)	(\$136,930)	(\$135,175)	(\$133,419)	(\$131,664)	(\$129,908)	(\$128,153)	(\$126,397)	
CWIP Non-Interest Bearing	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	
5. Net Investment (Lines 2 - 3 + 4)	\$1,172,313	\$1,166,021	\$1,159,729	\$1,153,437	\$1,147,145	\$1,140,853	\$1,134,561	\$1,128,269	\$1,121,977	\$1,115,685	\$1,109,393	\$1,103,101	\$1,096,808	
6. Average Net Investment		\$1,169,167	\$1,162,875	\$1,156,583	\$1,150,291	\$1,143,999	\$1,137,707	\$1,131,415	\$1,125,123	\$1,118,831	\$1,112,539	\$1,106,247	\$1,099,955	
7. Return on Average Net Investment														
a. Equity Component grossed up for taxes (c)(h)		\$6,481	\$6,446	\$6,411	\$6,376	\$6,341	\$6,306	\$6,218	\$6,184	\$6,149	\$6,115	\$6,080	\$6,046	\$75,153
b. Debt Component (Line 6 x debt rate x 1/12) (d)(\$1,316	\$1,309	\$1,302	\$1,295	\$1,288	\$1,281	\$1,276	\$1,269	\$1,262	\$1,255	\$1,248	\$1,241	\$15,342
8. Investment Expenses														
a. Depreciation (e)		\$4,537	\$4,537	\$4,537	\$4,537	\$4,537	\$4,537	\$4,537	\$4,537	\$4,537	\$4,537	\$4,537	\$4,537	\$54,439
b. Amortization (f)		\$1,756	\$1,756	\$1,756	\$1,756	\$1,756	\$1,756	\$1,756	\$1,756	\$1,756	\$1,756	\$1,756	\$1,756	\$21,066
c. Dismantlement (g)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Property Expenses		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
e. Other		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
9. Total System Recoverable Costs (Lines 7 & 8)		\$14,089	\$14,047	\$14,005	\$13,963	\$13,921	\$13,879	\$13,787	\$13,745	\$13,704	\$13,662	\$13,620	\$13,579	\$166,000

⁽a) Applicable to reserve salvage and removal cost

Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. – Dec. 2020 period is 4.9781% based on the May 2020 Earning Surveillance Report and reflects a 10.55% return on equity.

Return on the Average Unamortized ITC Balance:

Equity Component: Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%; the Equity Component for the Jan. – Jun. 2020 period of 6.604% based on the May 2019 Earning Surveillance Report

and reflects a 10.55% return on equity, and the Equity Component for the Jul. - Dec. 2020 period of 6.362% based on the May 2020 Earning Surveillance Report reflects a 10.55% return on equity.

Debt Component: the Debt Component for the Jan. – Jun. 2020 period of 1.661% based on the May 2019 Earning Surveillance Report and the Debt Component for the

⁽b) Applicable beginning of period and end of period depreciable base by production plant name(s), unit(s), or plant account(s). See Form 42-8A, pages 69-72.

⁽c) The Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%. The Equity Component for the Jan. – Jun. 2020 period is 5.0206%, based on May 2019

⁽d) The Debt Component for the Jan. - Jun. 2020 period is 1.3507% is based on the May 2019 Earning Surveillance Report and the Debt Component for

the Jul. - Dec. 2020 period is 1.3538% based on the May 2019 Earning Surveillance Report.

⁽e) Applicable depreciation rate or rates. See Form 42-8A, pages 69-72.

⁽f) Applicable amortization period(s). See Form 42-8A, pages 69-72.

⁽g) Dismantlement only applies to Solar projects - DeSoto (37), NASA (38) & Martin (39).

⁽h) For solar projects the return on investment calculation is comprised of two parts:

Return on the Average Net Investment: See footnotes (b) and (c).

JANUARY 2020 THROUGH DECEMBER 2020

	Beginning of Period Amount	January Actual	February Actual	March Actual	April Actual	May Actual	June Actual	July Actual	August Actual	September Actual	October Actual	November Actual	December Actual	Twelve Month Amount
95 - Maintenance of Stationary Above Ground Fuel Storage	Tanks													
Base														
1. Investments														
a. Expenditures/Additions		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
b. Clearings to Plant		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
c. Retirements		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Other (a)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
Plant-In-Service/Depreciation Base (b)														
3a. Less: Accumulated Depreciation														
3b. Less: Capital Recovery Unamortized Balance	(\$22,529)	(\$22,529)	(\$22,529)	(\$22,529)	(\$22,529)	(\$22,529)	(\$22,529)	(\$22,529)	(\$22,529)	(\$22,529)	(\$22,529)	(\$22,529)	(\$22,529)	
CWIP Non-Interest Bearing	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	
5. Net Investment (Lines 2 - 3 + 4)	\$22,529	\$22,529	\$22,529	\$22,529	\$22,529	\$22,529	\$22,529	\$22,529	\$22,529	\$22,529	\$22,529	\$22,529	\$22,529	
6. Average Net Investment		\$22,529	\$22,529	\$22,529	\$22,529	\$22,529	\$22,529	\$22,529	\$22,529	\$22,529	\$22,529	\$22,529	\$22,529	
7. Return on Average Net Investment														
a. Equity Component grossed up for taxes (c)(h)		\$125	\$125	\$125	\$125	\$125	\$125	\$124	\$124	\$124	\$124	\$124	\$124	\$1,492
b. Debt Component (Line 6 x debt rate x 1/12) (d)	(\$25	\$25	\$25	\$25	\$25	\$25	\$25	\$25	\$25	\$25	\$25	\$25	\$305
8. Investment Expenses														
a. Depreciation (e)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
b. Amortization (f)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
c. Dismantlement (g)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Property Expenses		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
e. Other		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
9. Total System Recoverable Costs (Lines 7 & 8)		\$150	\$150	\$150	\$150	\$150	\$150	\$149	\$149	\$149	\$149	\$149	\$149	\$1,797

⁽a) Applicable to reserve salvage and removal cost

Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. - Dec. 2020 period is 4.9781% based on the May 2020 Earning Surveillance Report and reflects a 10.55% return on equity.

Return on the Average Net Investment: See footnotes (b) and (c).

Return on the Average Unamortized ITC Balance:

Equity Component: Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%; the Equity Component for the Jan. – Jun. 2020 period of 6.604% based on the May 2019 Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. – Dec. 2020 period of 6.362% based on the May 2020 Earning Surveillance Report reflects a 10.55% return on equity.

Debt Component: the Debt Component for the Jan. – Jun. 2020 period of 1.661% based on the May 2019 Earning Surveillance Report and the Debt Component for the

⁽b) Applicable beginning of period and end of period depreciable base by production plant name(s), unit(s), or plant account(s). See Form 42-8A, pages 69-72.

⁽c) The Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%. The Equity Component for the Jan. – Jun. 2020 period is 5.0206%, based on May 2019

⁽d) The Debt Component for the Jan. - Jun. 2020 period is 1.3507% is based on the May 2019 Earning Surveillance Report and the Debt Component for

the Jul. - Dec. 2020 period is 1.3538% based on the May 2019 Earning Surveillance Report.

⁽e) Applicable depreciation rate or rates. See Form 42-8A, pages 69-72.

⁽f) Applicable amortization period(s). See Form 42-8A, pages 69-72.

⁽g) Dismantlement only applies to Solar projects - DeSoto (37), NASA (38) & Martin (39).

⁽h) For solar projects the return on investment calculation is comprised of two parts:

JANUARY 2020 THROUGH DECEMBER 2020

	Beginning of Period Amount	January Actual	February Actual	March Actual	April Actual	May Actual	June Actual	July Actual	August Actual	September Actual	October Actual	November Actual	December Actual	Twelve Month Amount
05 - Maintenance of Stationary Above Ground Fuel Storage	Tanks													
General														
1. Investments														
a. Expenditures/Additions		\$292	\$2,520	\$517	\$0	\$585	\$0	\$0	\$0	\$0	\$0	\$0	\$556	\$4,470
b. Clearings to Plant		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
c. Retirements		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Other (a)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
2. Plant-In-Service/Depreciation Base (b)	\$5,837,840	\$5,837,840	\$5,837,840	\$5,837,840	\$5,837,840	\$5,837,840	\$5,837,840	\$5,837,840	\$5,837,840	\$5,837,840	\$5,837,840	\$5,837,840	\$5,837,840	
3a. Less: Accumulated Depreciation	\$472,135	\$479,433	\$486,730	\$494,027	\$501,325	\$508,622	\$515,919	\$523,216	\$530,514	\$537,811	\$545,108	\$552,406	\$559,703	
4. CWIP Non-Interest Bearing	\$2,382,912	\$2,383,205	\$2,385,725	\$2,386,242	\$2,386,242	\$2,386,827	\$2,386,827	\$2,386,827	\$2,386,827	\$2,386,827	\$2,386,827	\$2,386,827	\$2,387,383	
5. Net Investment (Lines 2 - 3 + 4)	\$7,748,617	\$7,741,612	\$7,736,835	\$7,730,055	\$7,722,757	\$7,716,045	\$7,708,748	\$7,701,450	\$7,694,153	\$7,686,856	\$7,679,558	\$7,672,261	\$7,665,520	
6. Average Net Investment		\$7,745,114	\$7,739,223	\$7,733,445	\$7,726,406	\$7,719,401	\$7,712,396	\$7,705,099	\$7,697,802	\$7,690,504	\$7,683,207	\$7,675,910	\$7,668,890	
7. Return on Average Net Investment														
a. Equity Component grossed up for taxes (c)(h)		\$42,932	\$42,899	\$42,867	\$42,828	\$42,789	\$42,750	\$42,348	\$42,308	\$42,268	\$42,228	\$42,188	\$42,149	\$510,555
b. Debt Component (Line 6 x debt rate x 1/12) (d)(\$8,718	\$8,711	\$8,705	\$8,697	\$8,689	\$8,681	\$8,693	\$8,685	\$8,676	\$8,668	\$8,660	\$8,652	\$104,235
8. Investment Expenses														
a. Depreciation (e)		\$7,297	\$7,297	\$7,297	\$7,297	\$7,297	\$7,297	\$7,297	\$7,297	\$7,297	\$7,297	\$7,297	\$7,297	\$87,568
b. Amortization (f)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
c. Dismantlement (g)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Property Expenses		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
e. Other		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
9. Total System Recoverable Costs (Lines 7 & 8)		\$58,947	\$58,908	\$58,869	\$58,822	\$58,775	\$58,729	\$58,339	\$58,290	\$58,242	\$58,194	\$58,145	\$58,099	\$702,358

⁽a) Applicable to reserve salvage and removal cost

⁽b) Applicable beginning of period and end of period depreciable base by production plant name(s), unit(s), or plant account(s). See Form 42-8A, pages 69-72.

⁽c) The Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%. The Equity Component for the Jan. – Jun. 2020 period is 5.0206%, based on May 2019

Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. – Dec. 2020 period is 4.9781% based on the May 2020 Earning Surveillance Report and reflects a 10.55% return on equity.

⁽d) The Debt Component for the Jan. – Jun. 2020 period is 1.3507% is based on the May 2019 Earning Surveillance Report and the Debt Component for

the Jul. - Dec. 2020 period is 1.3538% based on the May 2019 Earning Surveillance Report.

⁽e) Applicable depreciation rate or rates. See Form 42-8A, pages 69-72.

⁽f) Applicable amortization period(s). See Form 42-8A, pages 69-72.

⁽g) Dismantlement only applies to Solar projects - DeSoto (37), NASA (38) & Martin (39).

⁽h) For solar projects the return on investment calculation is comprised of two parts:

For solar projects the return on investment calculation is comprised of to Return on the Average Net Investment: See footnotes (b) and (c).

Return on the Average Unamortized ITC Balance:

Equity Component: Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%; the Equity Component for the Jan. – Jun. 2020 period of 6.604% based on the May 2019 Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. – Dec. 2020 period of 6.362% based on the May 2020 Earning Surveillance Report reflects a 10.55% return on equity.

Debt Component: the Debt Component for the Jan. - Jun. 2020 period of 1.661% based on the May 2019 Earning Surveillance Report and the Debt Component for the

Jul. – Dec. 2020 period of 1.657% based on the May 2020 Earning Surveillance Report.

JANUARY 2020 THROUGH DECEMBER 2020

	Beginning of eriod Amount	January Actual	February Actual	March Actual	April Actual	May Actual	June Actual	July Actual	August Actual	September Actual	October Actual	November Actual	December Actual	Twelve Month Amount
05 - Maintenance of Stationary Above Ground Fuel Storage Tan	nks													
Intermediate														
1. Investments														
a. Expenditures/Additions		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
b. Clearings to Plant		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	(\$76,136)	\$0	\$0	(\$76,136)
c. Retirements		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	(\$76,136)	\$0	\$0	(\$76,136)
d. Other (a)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
2. Plant-In-Service/Depreciation Base (b)	\$2,290,632	\$2,290,632	\$2,290,632	\$2,290,632	\$2,290,632	\$2,290,632	\$2,290,632	\$2,290,632	\$2,290,632	\$2,290,632	\$2,214,496	\$2,214,496	\$2,214,496	
3a. Less: Accumulated Depreciation	\$1,046,857	\$1,052,825	\$1,058,792	\$1,064,759	\$1,070,726	\$1,076,693	\$1,082,660	\$1,088,627	\$1,094,594	\$1,100,561	\$1,030,312	\$1,036,120	\$1,041,927	
3b. Less: Capital Recovery Unamortized Balance	(\$259,817)	(\$256,716)	(\$253,615)	(\$250,514)	(\$247,413)	(\$244,312)	(\$241,211)	(\$238,110)	(\$235,009)	(\$231,908)	(\$228,807)	(\$225,706)	(\$222,605)	
CWIP Non-Interest Bearing	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	
5. Net Investment (Lines 2 - 3 + 4)	\$1,503,592	\$1,494,524	\$1,485,456	\$1,476,388	\$1,467,319	\$1,458,251	\$1,449,183	\$1,440,115	\$1,431,047	\$1,421,979	\$1,412,991	\$1,404,083	\$1,395,175	
6. Average Net Investment		\$1,499,058	\$1,489,990	\$1,480,922	\$1,471,854	\$1,462,785	\$1,453,717	\$1,444,649	\$1,435,581	\$1,426,513	\$1,417,485	\$1,408,537	\$1,399,629	
7. Return on Average Net Investment														
a. Equity Component grossed up for taxes (c)(h)		\$8,309	\$8,259	\$8,209	\$8,159	\$8,108	\$8,058	\$7,940	\$7,890	\$7,840	\$7,791	\$7,742	\$7,693	\$95,998
b. Debt Component (Line 6 x debt rate x 1/12) (d)(\$1,687	\$1,677	\$1,667	\$1,657	\$1,647	\$1,636	\$1,630	\$1,620	\$1,609	\$1,599	\$1,589	\$1,579	\$19,597
8. Investment Expenses														
a. Depreciation (e)		\$5,967	\$5,967	\$5,967	\$5,967	\$5,967	\$5,967	\$5,967	\$5,967	\$5,967	\$5,887	\$5,807	\$5,807	\$71,206
b. Amortization (f)		\$3,101	\$3,101	\$3,101	\$3,101	\$3,101	\$3,101	\$3,101	\$3,101	\$3,101	\$3,101	\$3,101	\$3,101	\$37,212
c. Dismantlement (g)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Property Expenses		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
e. Other		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
9. Total System Recoverable Costs (Lines 7 & 8)		\$19,065	\$19,004	\$18,944	\$18,883	\$18,823	\$18,762	\$18,638	\$18,578	\$18,518	\$18,378	\$18,239	\$18,180	\$224,012

⁽a) Applicable to reserve salvage and removal cost

Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. - Dec. 2020 period is 4.9781% based on the May 2020 Earning Surveillance Report and reflects a 10.55% return on equity.

Return on the Average Net Investment: See footnotes (b) and (c).

Return on the Average Unamortized ITC Balance:

Equity Component: Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%; the Equity Component for the Jan. – Jun. 2020 period of 6.604% based on the May 2019 Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. – Dec. 2020 period of 6.362% based on the May 2020 Earning Surveillance Report reflects a 10.55% return on equity.

Debt Component: the Debt Component for the Jan. – Jun. 2020 period of 1.661% based on the May 2019 Earning Surveillance Report and the Debt Component for the

⁽b) Applicable beginning of period and end of period depreciable base by production plant name(s), unit(s), or plant account(s). See Form 42-8A, pages 69-72.

⁽c) The Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%. The Equity Component for the Jan. – Jun. 2020 period is 5.0206%, based on May 2019

⁽d) The Debt Component for the Jan. - Jun. 2020 period is 1.3507% is based on the May 2019 Earning Surveillance Report and the Debt Component for

the Jul. - Dec. 2020 period is 1.3538% based on the May 2019 Earning Surveillance Report.

⁽e) Applicable depreciation rate or rates. See Form 42-8A, pages 69-72.

⁽f) Applicable amortization period(s). See Form 42-8A, pages 69-72.

⁽g) Dismantlement only applies to Solar projects - DeSoto (37), NASA (38) & Martin (39).

⁽h) For solar projects the return on investment calculation is comprised of two parts:

JANUARY 2020 THROUGH DECEMBER 2020

	Beginning of Period Amount	January Actual	February Actual	March Actual	April Actual	May Actual	June Actual	July Actual	August Actual	September Actual	October Actual	November Actual	December Actual	Twelve Month Amount
05 - Maintenance of Stationary Above Ground Fuel Storage T	anks													
Peaking														
1. Investments														
a. Expenditures/Additions		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
b. Clearings to Plant		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	(\$57,436)	\$0	\$0	(\$57,436)
c. Retirements		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	(\$57,436)	\$0	\$0	(\$57,436)
d. Other (a)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
2. Plant-In-Service/Depreciation Base (b)	\$3,516,550	\$3,516,550	\$3,516,550	\$3,516,550	\$3,516,550	\$3,516,550	\$3,516,550	\$3,516,550	\$3,516,550	\$3,516,550	\$3,459,114	\$3,459,114	\$3,459,114	
3a. Less: Accumulated Depreciation	\$1,461,603	\$1,472,778	\$1,483,953	\$1,495,129	\$1,506,304	\$1,517,480	\$1,528,655	\$1,539,831	\$1,551,006	\$1,562,181	\$1,515,861	\$1,526,915	\$1,537,970	
3b. Less: Capital Recovery Unamortized Balance	(\$1,949,792)	(\$1,926,589)	(\$1,903,387)	(\$1,880,184)	(\$1,856,981)	(\$1,833,778)	(\$1,810,575)	(\$1,787,373)	(\$1,764,170)	(\$1,740,967)	(\$1,717,764)	(\$1,694,561)	(\$1,671,358)	
CWIP Non-Interest Bearing	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	
5. Net Investment (Lines 2 - 3 + 4)	\$4,004,740	\$3,970,362	\$3,935,984	\$3,901,605	\$3,867,227	\$3,832,849	\$3,798,471	\$3,764,092	\$3,729,714	\$3,695,336	\$3,661,018	\$3,626,760	\$3,592,503	
6. Average Net Investment		\$3,987,551	\$3,953,173	\$3,918,794	\$3,884,416	\$3,850,038	\$3,815,660	\$3,781,281	\$3,746,903	\$3,712,525	\$3,678,177	\$3,643,889	\$3,609,631	
7. Return on Average Net Investment														
a. Equity Component grossed up for taxes (c)(h)		\$22,103	\$21,913	\$21,722	\$21,532	\$21,341	\$21,150	\$20,783	\$20,594	\$20,405	\$20,216	\$20,027	\$19,839	\$251,624
b. Debt Component (Line 6 x debt rate x 1/12) (d)(\$4,488	\$4,450	\$4,411	\$4,372	\$4,334	\$4,295	\$4,266	\$4,227	\$4,188	\$4,150	\$4,111	\$4,072	\$51,365
8. Investment Expenses														
a. Depreciation (e)		\$11,175	\$11,175	\$11,175	\$11,175	\$11,175	\$11,175	\$11,175	\$11,175	\$11,175	\$11,115	\$11,055	\$11,055	\$133,804
b. Amortization (f)		\$23,203	\$23,203	\$23,203	\$23,203	\$23,203	\$23,203	\$23,203	\$23,203	\$23,203	\$23,203	\$23,203	\$23,203	\$278,434
c. Dismantlement (g)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Property Expenses		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
e. Other		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
9. Total System Recoverable Costs (Lines 7 & 8)	•	\$60,970	\$60,741	\$60,511	\$60,282	\$60,053	\$59,824	\$59,427	\$59,199	\$58,971	\$58,684	\$58,396	\$58,169	\$715,226

⁽a) Applicable to reserve salvage and removal cost

Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. - Dec. 2020 period is 4.9781% based on the May 2020 Earning Surveillance Report and reflects a 10.55% return on equity.

Return on the Average Unamortized ITC Balance:

Equity Component: Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%; the Equity Component for the Jan. – Jun. 2020 period of 6.604% based on the May 2019 Earning Surveillance Report

and reflects a 10.55% return on equity, and the Equity Component for the Jul. - Dec. 2020 period of 6.362% based on the May 2020 Earning Surveillance Report reflects a 10.55% return on equity.

Debt Component: the Debt Component for the Jan. – Jun. 2020 period of 1.661% based on the May 2019 Earning Surveillance Report and the Debt Component for the

⁽b) Applicable beginning of period and end of period depreciable base by production plant name(s), unit(s), or plant account(s). See Form 42-8A, pages 69-72.

⁽c) The Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%. The Equity Component for the Jan. – Jun. 2020 period is 5.0206%, based on May 2019

⁽d) The Debt Component for the Jan. - Jun. 2020 period is 1.3507% is based on the May 2019 Earning Surveillance Report and the Debt Component for

the Jul. - Dec. 2020 period is 1.3538% based on the May 2019 Earning Surveillance Report.

⁽e) Applicable depreciation rate or rates. See Form 42-8A, pages 69-72.

⁽f) Applicable amortization period(s). See Form 42-8A, pages 69-72.

⁽g) Dismantlement only applies to Solar projects - DeSoto (37), NASA (38) & Martin (39).

⁽h) For solar projects the return on investment calculation is comprised of two parts:

Return on the Average Net Investment: See footnotes (b) and (c).

JANUARY 2020 THROUGH DECEMBER 2020

	Beginning of Period Amount	January Actual	February Actual	March Actual	April Actual	May Actual	June Actual	July Actual	August Actual	September Actual	October Actual	November Actual	December Actual	Twelve Month Amount
07 - Relocate Turbine Lube Oil Underground Piping to Abov	e Ground													
Base														
1. Investments														
a. Expenditures/Additions		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
b. Clearings to Plant		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
c. Retirements		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Other (a)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
2. Plant-In-Service/Depreciation Base (b)	\$31,030	\$31,030	\$31,030	\$31,030	\$31,030	\$31,030	\$31,030	\$31,030	\$31,030	\$31,030	\$31,030	\$31,030	\$31,030	
3a. Less: Accumulated Depreciation	\$30,869	\$31,001	\$31,133	\$31,265	\$31,397	\$31,529	\$31,662	\$31,794	\$31,926	\$32,058	\$32,190	\$32,322	\$32,454	
CWIP Non-Interest Bearing	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	
5. Net Investment (Lines 2 - 3 + 4)	\$161	\$29	(\$103)	(\$235)	(\$367)	(\$499)	(\$632)	(\$764)	(\$896)	(\$1,028)	(\$1,160)	(\$1,292)	(\$1,424)	
6. Average Net Investment		\$95	(\$37)	(\$169)	(\$301)	(\$433)	(\$566)	(\$698)	(\$830)	(\$962)	(\$1,094)	(\$1,226)	(\$1,358)	
7. Return on Average Net Investment														
a. Equity Component grossed up for taxes (c)(h)		\$1	(\$0)	(\$1)	(\$2)	(\$2)	(\$3)	(\$4)	(\$5)	(\$5)	(\$6)	(\$7)	(\$7)	(\$42)
b. Debt Component (Line 6 x debt rate x 1/12) (d)(\$0	(\$0)	(\$0)	(\$0)	(\$0)	(\$1)	(\$1)	(\$1)	(\$1)	(\$1)	(\$1)	(\$2)	(\$9)
8. Investment Expenses														
a. Depreciation (e)		\$132	\$132	\$132	\$132	\$132	\$132	\$132	\$132	\$132	\$132	\$132	\$132	\$1,586
b. Amortization (f)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
c. Dismantlement (g)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Property Expenses		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
e. Other		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
9. Total System Recoverable Costs (Lines 7 & 8)		\$133	\$132	\$131	\$130	\$129	\$128	\$128	\$127	\$126	\$125	\$124	\$123	\$1,535

⁽a) Applicable to reserve salvage and removal cost

⁽b) Applicable beginning of period and end of period depreciable base by production plant name(s), unit(s), or plant account(s). See Form 42-8A, pages 69-72.

⁽c) The Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%. The Equity Component for the Jan. – Jun. 2020 period is 5.0206%, based on May 2019

Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. - Dec. 2020 period is 4.9781% based on the May 2020 Earning Surveillance Report and reflects a 10.55% return on equity.

⁽d) The Debt Component for the Jan. – Jun. 2020 period is 1.3507% is based on the May 2019 Earning Surveillance Report and the Debt Component for

the Jul. - Dec. 2020 period is 1.3538% based on the May 2019 Earning Surveillance Report.

⁽e) Applicable depreciation rate or rates. See Form 42-8A, pages 69-72.

⁽f) Applicable amortization period(s). See Form 42-8A, pages 69-72.

⁽g) Dismantlement only applies to Solar projects - DeSoto (37), NASA (38) & Martin (39).

⁽h) For solar projects the return on investment calculation is comprised of two parts:

Return on the Average Net Investment: See footnotes (b) and (c).

Return on the Average Unamortized ITC Balance:

Equity Component: Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%; the Equity Component for the Jan. – Jun. 2020 period of 6.604% based on the May 2019 Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. – Dec. 2020 period of 6.362% based on the May 2020 Earning Surveillance Report reflects a 10.55% return on equity.

Debt Component: the Debt Component for the Jan. - Jun. 2020 period of 1.661% based on the May 2019 Earning Surveillance Report and the Debt Component for the

Jul. – Dec. 2020 period of 1.657% based on the May 2020 Earning Surveillance Report.

JANUARY 2020 THROUGH DECEMBER 2020

	Beginning of Period Amount	January Actual	February Actual	March Actual	April Actual	May Actual	June Actual	July Actual	August Actual	September Actual	October Actual	November Actual	December Actual	Twelve Month Amount
08 - Oil Spill Clean-up/Response Equipment														
Distribution														
1. Investments														
a. Expenditures/Additions		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
b. Clearings to Plant		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
c. Retirements		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Other (a)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
2. Plant-In-Service/Depreciation Base (b)	\$2,995	\$2,995	\$2,995	\$2,995	\$2,995	\$2,995	\$2,995	\$2,995	\$2,995	\$2,995	\$2,995	\$2,995	\$2,995	
3a. Less: Accumulated Depreciation	\$389	\$394	\$399	\$404	\$409	\$414	\$419	\$424	\$429	\$434	\$439	\$444	\$449	
CWIP Non-Interest Bearing	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	
5. Net Investment (Lines 2 - 3 + 4)	\$2,607	\$2,602	\$2,597	\$2,592	\$2,587	\$2,582	\$2,577	\$2,572	\$2,567	\$2,562	\$2,557	\$2,552	\$2,547	
6. Average Net Investment		\$2,604	\$2,599	\$2,594	\$2,589	\$2,584	\$2,579	\$2,574	\$2,569	\$2,564	\$2,559	\$2,554	\$2,549	
7. Return on Average Net Investment														
a. Equity Component grossed up for taxes (c)(h)		\$14	\$14	\$14	\$14	\$14	\$14	\$14	\$14	\$14	\$14	\$14	\$14	\$171
b. Debt Component (Line 6 x debt rate x 1/12) (d)(\$3	\$3	\$3	\$3	\$3	\$3	\$3	\$3	\$3	\$3	\$3	\$3	\$35
8. Investment Expenses														
a. Depreciation (e)		\$5	\$5	\$5	\$5	\$5	\$5	\$5	\$5	\$5	\$5	\$5	\$5	\$60
b. Amortization (f)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
c. Dismantlement (g)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Property Expenses		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
e. Other		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
9. Total System Recoverable Costs (Lines 7 & 8)		\$22	\$22	\$22	\$22	\$22	\$22	\$22	\$22	\$22	\$22	\$22	\$22	\$265

⁽a) Applicable to reserve salvage and removal cost

Return on the Average Net Investment: See footnotes (b) and (c).

Return on the Average Unamortized ITC Balance:

⁽b) Applicable beginning of period and end of period depreciable base by production plant name(s), unit(s), or plant account(s). See Form 42-8A, pages 69-72.

⁽c) The Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%. The Equity Component for the Jan. – Jun. 2020 period is 5.0206%, based on May 2019

Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. – Dec. 2020 period is 4.9781% based on the May 2020 Earning Surveillance Report and reflects a 10.55% return on equity.

⁽d) The Debt Component for the Jan. – Jun. 2020 period is 1.3507% is based on the May 2019 Earning Surveillance Report and the Debt Component for

the Jul. - Dec. 2020 period is 1.3538% based on the May 2019 Earning Surveillance Report.

⁽e) Applicable depreciation rate or rates. See Form 42-8A, pages 69-72.

⁽f) Applicable amortization period(s). See Form 42-8A, pages 69-72.

⁽g) Dismantlement only applies to Solar projects - DeSoto (37), NASA (38) & Martin (39).

⁽h) For solar projects the return on investment calculation is comprised of two parts:

Equity Component: Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%; the Equity Component for the Jan. – Jun. 2020 period of 6.604% based on the May 2019 Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. – Dec. 2020 period of 6.362% based on the May 2020 Earning Surveillance Report reflects a 10.55% return on equity.

Debt Component: the Debt Component for the Jan. - Jun. 2020 period of 1.661% based on the May 2019 Earning Surveillance Report and the Debt Component for the

JANUARY 2020 THROUGH DECEMBER 2020

	Beginning of Period Amount	January Actual	February Actual	March Actual	April Actual	May Actual	June Actual	July Actual	August Actual	September Actual	October Actual	November Actual	December Actual	Twelve Month Amount
08 - Oil Spill Clean-up/Response Equipment														
General														
1. Investments														
 a. Expenditures/Additions 		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
b. Clearings to Plant		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
c. Retirements		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Other (a)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
2. Plant-In-Service/Depreciation Base (b)	\$4,413	\$4,413	\$4,413	\$4,413	\$4,413	\$4,413	\$4,413	\$4,413	\$4,413	\$4,413	\$4,413	\$4,413	\$4,413	
3a. Less: Accumulated Depreciation	\$1,069	\$1,075	\$1,080	\$1,086	\$1,091	\$1,097	\$1,102	\$1,108	\$1,114	\$1,119	\$1,125	\$1,130	\$1,136	
CWIP Non-Interest Bearing	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	
5. Net Investment (Lines 2 - 3 + 4)	\$3,343	\$3,338	\$3,332	\$3,327	\$3,321	\$3,316	\$3,310	\$3,305	\$3,299	\$3,294	\$3,288	\$3,283	\$3,277	
6. Average Net Investment		\$3,341	\$3,335	\$3,330	\$3,324	\$3,319	\$3,313	\$3,308	\$3,302	\$3,296	\$3,291	\$3,285	\$3,280	
7. Return on Average Net Investment														
a. Equity Component grossed up for taxes (c)(h)		\$19	\$18	\$18	\$18	\$18	\$18	\$18	\$18	\$18	\$18	\$18	\$18	\$219
b. Debt Component (Line 6 x debt rate x 1/12) (d)(\$4	\$4	\$4	\$4	\$4	\$4	\$4	\$4	\$4	\$4	\$4	\$4	\$45
8. Investment Expenses														
a. Depreciation (e)		\$6	\$6	\$6	\$6	\$6	\$6	\$6	\$6	\$6	\$6	\$6	\$6	\$66
b. Amortization (f)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
c. Dismantlement (g)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Property Expenses		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
e. Other		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
9. Total System Recoverable Costs (Lines 7 & 8)		\$28	\$28	\$28	\$28	\$28	\$28	\$27	\$27	\$27	\$27	\$27	\$27	\$330

⁽a) Applicable to reserve salvage and removal cost

⁽b) Applicable beginning of period and end of period depreciable base by production plant name(s), unit(s), or plant account(s). See Form 42-8A, pages 69-72.

⁽c) The Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%. The Equity Component for the Jan. – Jun. 2020 period is 5.0206%, based on May 2019

Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. - Dec. 2020 period is 4.9781% based on the May 2020 Earning Surveillance Report and reflects a 10.55% return on equity.

⁽d) The Debt Component for the Jan. – Jun. 2020 period is 1.3507% is based on the May 2019 Earning Surveillance Report and the Debt Component for

the Jul. - Dec. 2020 period is 1.3538% based on the May 2019 Earning Surveillance Report.

⁽e) Applicable depreciation rate or rates. See Form 42-8A, pages 69-72.

⁽f) Applicable amortization period(s). See Form 42-8A, pages 69-72.

⁽g) Dismantlement only applies to Solar projects - DeSoto (37), NASA (38) & Martin (39).

⁽h) For solar projects the return on investment calculation is comprised of two parts:

Return on the Average Net Investment: See footnotes (b) and (c).

Return on the Average Unamortized ITC Balance:

Equity Component: Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%; the Equity Component for the Jan. – Jun. 2020 period of 6.604% based on the May 2019 Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. – Dec. 2020 period of 6.362% based on the May 2020 Earning Surveillance Report reflects a 10.55% return on equity.

Debt Component: the Debt Component for the Jan. - Jun. 2020 period of 1.661% based on the May 2019 Earning Surveillance Report and the Debt Component for the

Jul. – Dec. 2020 period of 1.657% based on the May 2020 Earning Surveillance Report.

JANUARY 2020 THROUGH DECEMBER 2020

	Beginning of Period Amount	January Actual	February Actual	March Actual	April Actual	May Actual	June Actual	July Actual	August Actual	September Actual	October Actual	November Actual	December Actual	Twelve Month Amount
08 - Oil Spill Clean-up/Response Equipment														
Intermediate														
1. Investments														
a. Expenditures/Additions		\$318,963	\$3,773	\$974	\$0	\$4,088	\$43,441	\$14,095	\$1,596	\$2,788	\$4,231	\$49,226	\$31,714	\$474,888
b. Clearings to Plant		(\$21,141)	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$5,655	\$0	\$117,883	\$102,397
c. Retirements		(\$21,141)	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	(\$4,473)	(\$25,613)
d. Other (a)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
2. Plant-In-Service/Depreciation Base (b)	\$515,580	\$494,439	\$494,439	\$494,439	\$494,439	\$494,439	\$494,439	\$494,439	\$494,439	\$494,439	\$500,094	\$500,094	\$617,977	
3a. Less: Accumulated Depreciation	\$8,720	(\$7,938)	(\$3,581)	\$776	\$5,132	\$9,489	\$13,846	\$18,203	\$22,560	\$26,917	\$31,281	\$35,650	\$35,658	
3b. Less: Capital Recovery Unamortized Balance	\$154	\$152	\$150	\$148	\$146	\$145	\$143	\$141	\$139	\$137	\$135	\$134	\$132	
CWIP Non-Interest Bearing	\$77,572	\$396,534	\$400,308	\$401,282	\$401,282	\$405,369	\$448,811	\$462,905	\$464,501	\$467,289	\$471,520	\$520,746	\$552,460	
5. Net Investment (Lines 2 - 3 + 4)	\$584,278	\$898,760	\$898,178	\$894,797	\$890,441	\$890,174	\$929,260	\$939,000	\$936,240	\$934,673	\$940,197	\$985,055	\$1,134,647	
6. Average Net Investment		\$741,519	\$898,469	\$896,487	\$892,619	\$890,308	\$909,717	\$934,130	\$937,620	\$935,457	\$937,435	\$962,626	\$1,059,851	
7. Return on Average Net Investment														
a. Equity Component grossed up for taxes (c)(h)		\$4,110	\$4,980	\$4,969	\$4,948	\$4,935	\$5,043	\$5,134	\$5,153	\$5,141	\$5,152	\$5,291	\$5,825	\$60,682
b. Debt Component (Line 6 x debt rate x 1/12) (d)	(\$835	\$1,011	\$1,009	\$1,005	\$1,002	\$1,024	\$1,054	\$1,058	\$1,055	\$1,058	\$1,086	\$1,196	\$12,392
8. Investment Expenses														
a. Depreciation (e)		\$4,483	\$4,357	\$4,357	\$4,357	\$4,357	\$4,357	\$4,357	\$4,357	\$4,357	\$4,363	\$4,370	\$4,480	\$52,552
b. Amortization (f)		(\$2)	(\$2)	(\$2)	(\$2)	(\$2)	(\$2)	(\$2)	(\$2)	(\$2)	(\$2)	(\$2)	(\$2)	(\$22)
c. Dismantlement (g)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Property Expenses		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
e. Other		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
9. Total System Recoverable Costs (Lines 7 & 8)		\$9,426	\$10,347	\$10,334	\$10,308	\$10,292	\$10,422	\$10,543	\$10,566	\$10,552	\$10,571	\$10,745	\$11,499	\$125,605

⁽a) Applicable to reserve salvage and removal cost

Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. - Dec. 2020 period is 4.9781% based on the May 2020 Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. - Dec. 2020 period is 4.9781% based on the May 2020 Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. - Dec. 2020 period is 4.9781% based on the May 2020 Earning Surveillance Report and reflects a 10.55% return on equity.

Return on the Average Net Investment: See footnotes (b) and (c).

Return on the Average Unamortized ITC Balance:

Equity Component: Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%; the Equity Component for the Jan. – Jun. 2020 period of 6.604% based on the May 2019 Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. – Dec. 2020 period of 6.362% based on the May 2020 Earning Surveillance Report reflects a 10.55% return on equity.

Debt Component: the Debt Component for the Jan. – Jun. 2020 period of 1.661% based on the May 2019 Earning Surveillance Report and the Debt Component for the

⁽b) Applicable beginning of period and end of period depreciable base by production plant name(s), unit(s), or plant account(s). See Form 42-8A, pages 69-72.

⁽c) The Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%. The Equity Component for the Jan. – Jun. 2020 period is 5.0206%, based on May 2019

⁽d) The Debt Component for the Jan. - Jun. 2020 period is 1.3507% is based on the May 2019 Earning Surveillance Report and the Debt Component for

the Jul. - Dec. 2020 period is 1.3538% based on the May 2019 Earning Surveillance Report.

⁽e) Applicable depreciation rate or rates. See Form 42-8A, pages 69-72.

⁽f) Applicable amortization period(s). See Form 42-8A, pages 69-72.

⁽g) Dismantlement only applies to Solar projects - DeSoto (37), NASA (38) & Martin (39).

⁽h) For solar projects the return on investment calculation is comprised of two parts:

	Beginning of Period Amount	January Actual	February Actual	March Actual	April Actual	May Actual	June Actual	July Actual	August Actual	September Actual	October Actual	November Actual	December Actual	Twelve Month Amount
08 - Oil Spill Clean-up/Response Equipment														
Peaking														
1. Investments														
 a. Expenditures/Additions 		\$0	\$2,555	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$2,555
b. Clearings to Plant		(\$15,948)	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	(\$3,391)	(\$19,340)
c. Retirements		(\$15,948)	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	(\$3,374)	(\$19,322)
d. Other (a)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
2. Plant-In-Service/Depreciation Base (b)	\$454,472	\$438,523	\$438,523	\$438,523	\$438,523	\$438,523	\$438,523	\$438,523	\$438,523	\$438,523	\$438,523	\$438,523	\$435,132	
3a. Less: Accumulated Depreciation	\$132,037	\$119,593	\$123,002	\$126,411	\$129,820	\$133,229	\$136,638	\$140,047	\$143,456	\$146,865	\$150,274	\$153,683	\$153,698	
CWIP Non-Interest Bearing	\$49,927	\$49,927	\$52,481	\$52,481	\$52,481	\$52,481	\$52,481	\$52,481	\$52,481	\$52,481	\$52,481	\$52,481	\$52,481	
5. Net Investment (Lines 2 - 3 + 4)	\$372,361	\$368,857	\$368,003	\$364,594	\$361,185	\$357,776	\$354,367	\$350,958	\$347,549	\$344,140	\$340,731	\$337,322	\$333,916	
6. Average Net Investment		\$370,609	\$368,430	\$366,298	\$362,889	\$359,480	\$356,071	\$352,662	\$349,253	\$345,844	\$342,435	\$339,026	\$335,619	
7. Return on Average Net Investment														
a. Equity Component grossed up for taxes (c)(h)		\$2,054	\$2,042	\$2,030	\$2,012	\$1,993	\$1,974	\$1,938	\$1,920	\$1,901	\$1,882	\$1,863	\$1,845	\$23,453
b. Debt Component (Line 6 x debt rate x 1/12) (d)(\$417	\$415	\$412	\$408	\$405	\$401	\$398	\$394	\$390	\$386	\$382	\$379	\$4,788
8. Investment Expenses														
a. Depreciation (e)		\$3,504	\$3,409	\$3,409	\$3,409	\$3,409	\$3,409	\$3,409	\$3,409	\$3,409	\$3,409	\$3,409	\$3,389	\$40,983
b. Amortization (f)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
c. Dismantlement (g)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Property Expenses		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
e. Other		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
9. Total System Recoverable Costs (Lines 7 & 8)		\$5,975	\$5,866	\$5,852	\$5,829	\$5,806	\$5,784	\$5,745	\$5,723	\$5,700	\$5,677	\$5,655	\$5,612	\$69,225

⁽a) Applicable to reserve salvage and removal cost

⁽b) Applicable beginning of period and end of period depreciable base by production plant name(s), unit(s), or plant account(s). See Form 42-8A, pages 69-72.

⁽c) The Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%. The Equity Component for the Jan. - Jun. 2020 period is 5.0206%, based on May 2019

Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. – Dec. 2020 period is 4.9781% based on the May 2020 Earning Surveillance Report and reflects a 10.55% return on equity.

⁽d) The Debt Component for the Jan. – Jun. 2020 period is 1.3507% is based on the May 2019 Earning Surveillance Report and the Debt Component for

the Jul. – Dec. 2020 period is 1.3538% based on the May 2019 Earning Surveillance Report.

⁽e) Applicable depreciation rate or rates. See Form 42-8A, pages 69-72.

⁽f) Applicable amortization period(s). See Form 42-8A, pages 69-72.

⁽g) Dismantlement only applies to Solar projects - DeSoto (37), NASA (38) & Martin (39).

⁽h) For solar projects the return on investment calculation is comprised of two parts:

Return on the Average Net Investment: See footnotes (b) and (c).

Return on the Average Unamortized ITC Balance:

Equity Component: Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%; the Equity Component for the Jan. – Jun. 2020 period of 6.604% based on the May 2019 Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. – Dec. 2020 period of 6.362% based on the May 2020 Earning Surveillance Report reflects a 10.55% return on equity.

Debt Component: the Debt Component for the Jan. - Jun. 2020 period of 1.661% based on the May 2019 Earning Surveillance Report and the Debt Component for the

Jul. - Dec. 2020 period of 1.657% based on the May 2020 Earning Surveillance Report.

	Beginning of Period Amount	January Actual	February Actual	March Actual	April Actual	May Actual	June Actual	July Actual	August Actual	September Actual	October Actual	November Actual	December Actual	Twelve Month Amount
10 - Relocate Storm Water Runoff														
Base														
1. Investments														
a. Expenditures/Additions		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
b. Clearings to Plant		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
c. Retirements		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Other (a)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
2. Plant-In-Service/Depreciation Base (b)	\$117,794	\$117,794	\$117,794	\$117,794	\$117,794	\$117,794	\$117,794	\$117,794	\$117,794	\$117,794	\$117,794	\$117,794	\$117,794	
3a. Less: Accumulated Depreciation	\$71,778	\$71,999	\$72,220	\$72,441	\$72,662	\$72,883	\$73,103	\$73,324	\$73,545	\$73,766	\$73,987	\$74,208	\$74,429	
CWIP Non-Interest Bearing	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	
5. Net Investment (Lines 2 - 3 + 4)	\$46,016	\$45,795	\$45,574	\$45,353	\$45,132	\$44,911	\$44,690	\$44,470	\$44,249	\$44,028	\$43,807	\$43,586	\$43,365	
6. Average Net Investment		\$45,905	\$45,684	\$45,463	\$45,243	\$45,022	\$44,801	\$44,580	\$44,359	\$44,138	\$43,917	\$43,697	\$43,476	
7. Return on Average Net Investment														
a. Equity Component grossed up for taxes (c)(h)		\$254	\$253	\$252	\$251	\$250	\$248	\$245	\$244	\$243	\$241	\$240	\$239	\$2,960
b. Debt Component (Line 6 x debt rate x 1/12) (d)(\$52	\$51	\$51	\$51	\$51	\$50	\$50	\$50	\$50	\$50	\$49	\$49	\$604
8. Investment Expenses														
a. Depreciation (e)		\$221	\$221	\$221	\$221	\$221	\$221	\$221	\$221	\$221	\$221	\$221	\$221	\$2,650
b. Amortization (f)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
c. Dismantlement (g)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Property Expenses		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
e. Other		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
9. Total System Recoverable Costs (Lines 7 & 8)		\$527	\$526	\$524	\$523	\$521	\$520	\$516	\$515	\$513	\$512	\$510	\$509	\$6,215

⁽a) Applicable to reserve salvage and removal cost

⁽b) Applicable beginning of period and end of period depreciable base by production plant name(s), unit(s), or plant account(s). See Form 42-8A, pages 69-72.

⁽c) The Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%. The Equity Component for the Jan. - Jun. 2020 period is 5.0206%, based on May 2019

Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. – Dec. 2020 period is 4.9781% based on the May 2020 Earning Surveillance Report and reflects a 10.55% return on equity.

⁽d) The Debt Component for the Jan. – Jun. 2020 period is 1.3507% is based on the May 2019 Earning Surveillance Report and the Debt Component for

the Jul. - Dec. 2020 period is 1.3538% based on the May 2019 Earning Surveillance Report.

⁽e) Applicable depreciation rate or rates. See Form 42-8A, pages 69-72.

⁽f) Applicable amortization period(s). See Form 42-8A, pages 69-72.

⁽g) Dismantlement only applies to Solar projects - DeSoto (37), NASA (38) & Martin (39).

⁽h) For solar projects the return on investment calculation is comprised of two parts:

Return on the Average Net Investment: See footnotes (b) and (c).

Return on the Average Unamortized ITC Balance:

Equity Component: Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%; the Equity Component for the Jan. – Jun. 2020 period of 6.604% based on the May 2019 Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. – Dec. 2020 period of 6.362% based on the May 2020 Earning Surveillance Report reflects a 10.55% return on equity.

Debt Component: the Debt Component for the Jan. – Jun. 2020 period of 1.661% based on the May 2019 Earning Surveillance Report and the Debt Component for the

Jul. – Dec. 2020 period of 1.657% based on the May 2020 Earning Surveillance Report.

	Beginning of Period Amount	January Actual	February Actual	March Actual	April Actual	May Actual	June Actual	July Actual	August Actual	September Actual	October Actual	November Actual	December Actual	Twelve Month Amount
12 - Scherer Discharge Pipeline														
Base														
1. Investments														
a. Expenditures/Additions		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
b. Clearings to Plant		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
c. Retirements		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Other (a)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
2. Plant-In-Service/Depreciation Base (b)	\$854,324	\$854,324	\$854,324	\$854,324	\$854,324	\$854,324	\$854,324	\$854,324	\$854,324	\$854,324	\$854,324	\$854,324	\$854,324	
3a. Less: Accumulated Depreciation	\$615,029	\$616,302	\$617,574	\$618,847	\$620,120	\$621,392	\$622,665	\$623,937	\$625,210	\$626,483	\$627,755	\$629,028	\$630,300	
CWIP Non-Interest Bearing	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	
5. Net Investment (Lines 2 - 3 + 4)	\$239,294	\$238,022	\$236,749	\$235,477	\$234,204	\$232,931	\$231,659	\$230,386	\$229,114	\$227,841	\$226,568	\$225,296	\$224,023	
6. Average Net Investment		\$238,658	\$237,386	\$236,113	\$234,840	\$233,568	\$232,295	\$231,023	\$229,750	\$228,477	\$227,205	\$225,932	\$224,660	
7. Return on Average Net Investment														
a. Equity Component grossed up for taxes (c)(h)		\$1,323	\$1,316	\$1,309	\$1,302	\$1,295	\$1,288	\$1,270	\$1,263	\$1,256	\$1,249	\$1,242	\$1,235	\$15,345
b. Debt Component (Line 6 x debt rate x 1/12) (d)(\$269	\$267	\$266	\$264	\$263	\$261	\$261	\$259	\$258	\$256	\$255	\$253	\$3,133
8. Investment Expenses														
a. Depreciation (e)		\$1,273	\$1,273	\$1,273	\$1,273	\$1,273	\$1,273	\$1,273	\$1,273	\$1,273	\$1,273	\$1,273	\$1,273	\$15,271
b. Amortization (f)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
c. Dismantlement (g)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Property Expenses		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
e. Other		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
9. Total System Recoverable Costs (Lines 7 & 8)		\$2,864	\$2,856	\$2,847	\$2,839	\$2,830	\$2,822	\$2,803	\$2,795	\$2,786	\$2,778	\$2,769	\$2,761	\$33,749

⁽a) Applicable to reserve salvage and removal cost

⁽b) Applicable beginning of period and end of period depreciable base by production plant name(s), unit(s), or plant account(s). See Form 42-8A, pages 69-72.

⁽c) The Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%. The Equity Component for the Jan. - Jun. 2020 period is 5.0206%, based on May 2019

Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. – Dec. 2020 period is 4.9781% based on the May 2020 Earning Surveillance Report and reflects a 10.55% return on equity.

⁽d) The Debt Component for the Jan. – Jun. 2020 period is 1.3507% is based on the May 2019 Earning Surveillance Report and the Debt Component for

the Jul. - Dec. 2020 period is 1.3538% based on the May 2019 Earning Surveillance Report.

⁽e) Applicable depreciation rate or rates. See Form 42-8A, pages 69-72.

⁽f) Applicable amortization period(s). See Form 42-8A, pages 69-72.

⁽g) Dismantlement only applies to Solar projects - DeSoto (37), NASA (38) & Martin (39).

⁽h) For solar projects the return on investment calculation is comprised of two parts:

Return on the Average Net Investment: See footnotes (b) and (c).

Return on the Average Unamortized ITC Balance:

Equity Component: Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%; the Equity Component for the Jan. – Jun. 2020 period of 6.604% based on the May 2019 Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. – Dec. 2020 period of 6.362% based on the May 2020 Earning Surveillance Report reflects a 10.55% return on equity.

Debt Component: the Debt Component for the Jan. – Jun. 2020 period of 1.661% based on the May 2019 Earning Surveillance Report and the Debt Component for the

 $[\]label{eq:Juli-Dec.} \textit{Jul.} - \textit{Dec.} \ \textit{2020 period of 1.657\% based on the May 2020 Earning Surveillance Report.}$

	Beginning of Period Amount	January Actual	February Actual	March Actual	April Actual	May Actual	June Actual	July Actual	August Actual	September Actual	October Actual	November Actual	December Actual	Twelve Month Amount
20 - Wastewater Discharge Elimination & Reuse														
Peaking														
1. Investments														
a. Expenditures/Additions		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
b. Clearings to Plant		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
c. Retirements		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Other (a)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
2. Plant-In-Service/Depreciation Base (b)														
3a. Less: Accumulated Depreciation	(\$531,712)	(\$531,712)	(\$531,712)	(\$531,712)	(\$531,712)	(\$531,712)	(\$531,712)	(\$531,712)	(\$531,712)	(\$531,712)	(\$531,712)	(\$531,712)	(\$531,712)	
CWIP Non-Interest Bearing	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	
5. Net Investment (Lines 2 - 3 + 4)	\$531,712	\$531,712	\$531,712	\$531,712	\$531,712	\$531,712	\$531,712	\$531,712	\$531,712	\$531,712	\$531,712	\$531,712	\$531,712	
6. Average Net Investment		\$531,712	\$531,712	\$531,712	\$531,712	\$531,712	\$531,712	\$531,712	\$531,712	\$531,712	\$531,712	\$531,712	\$531,712	
7. Return on Average Net Investment														
a. Equity Component grossed up for taxes (c)(h)		\$2,947	\$2,947	\$2,947	\$2,947	\$2,947	\$2,947	\$2,922	\$2,922	\$2,922	\$2,922	\$2,922	\$2,922	\$35,218
b. Debt Component (Line 6 x debt rate x 1/12) (d)(\$598	\$598	\$598	\$598	\$598	\$598	\$600	\$600	\$600	\$600	\$600	\$600	\$7,190
8. Investment Expenses														
a. Depreciation (e)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
b. Amortization (f)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
c. Dismantlement (g)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Property Expenses		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
e. Other		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
9. Total System Recoverable Costs (Lines 7 & 8)		\$3,546	\$3,546	\$3,546	\$3,546	\$3,546	\$3,546	\$3,522	\$3,522	\$3,522	\$3,522	\$3,522	\$3,522	\$42,408

⁽a) Applicable to reserve salvage and removal cost

⁽b) Applicable beginning of period and end of period depreciable base by production plant name(s), unit(s), or plant account(s). See Form 42-8A, pages 69-72.

⁽c) The Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%. The Equity Component for the Jan. - Jun. 2020 period is 5.0206%, based on May 2019

Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. – Dec. 2020 period is 4.9781% based on the May 2020 Earning Surveillance Report and reflects a 10.55% return on equity.

⁽d) The Debt Component for the Jan. – Jun. 2020 period is 1.3507% is based on the May 2019 Earning Surveillance Report and the Debt Component for

the Jul. - Dec. 2020 period is 1.3538% based on the May 2019 Earning Surveillance Report.

⁽e) Applicable depreciation rate or rates. See Form 42-8A, pages 69-72.

⁽f) Applicable amortization period(s). See Form 42-8A, pages 69-72.

⁽g) Dismantlement only applies to Solar projects - DeSoto (37), NASA (38) & Martin (39).

⁽h) For solar projects the return on investment calculation is comprised of two parts:

Return on the Average Net Investment: See footnotes (b) and (c).

Return on the Average Unamortized ITC Balance:

Equity Component: Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%; the Equity Component for the Jan. – Jun. 2020 period of 6.604% based on the May 2019 Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. – Dec. 2020 period of 6.362% based on the May 2020 Earning Surveillance Report reflects a 10.55% return on equity.

Debt Component: the Debt Component for the Jan. – Jun. 2020 period of 1.661% based on the May 2019 Earning Surveillance Report and the Debt Component for the

 $[\]label{eq:Juli-Dec.} \textit{Jul.} - \textit{Dec.} \ \textit{2020 period of 1.657\% based on the May 2020 Earning Surveillance Report.}$

	Beginning of Period Amount	January Actual	February Actual	March Actual	April Actual	May Actual	June Actual	July Actual	August Actual	September Actual	October Actual	November Actual	December Actual	Twelve Month Amount
21 - St. Lucie Turtle Nets														
Base														
1. Investments														
a. Expenditures/Additions		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
b. Clearings to Plant		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
c. Retirements		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Other (a)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
2. Plant-In-Service/Depreciation Base (b)	\$6,909,559	\$6,909,559	\$6,909,559	\$6,909,559	\$6,909,559	\$6,909,559	\$6,909,559	\$6,909,559	\$6,909,559	\$6,909,559	\$6,909,559	\$6,909,559	\$6,909,559	
3a. Less: Accumulated Depreciation	(\$431,076)	(\$418,121)	(\$405,165)	(\$392,210)	(\$379,255)	(\$366,299)	(\$353,344)	(\$340,388)	(\$327,433)	(\$314,477)	(\$301,522)	(\$288,567)	(\$275,611)	
CWIP Non-Interest Bearing	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	
5. Net Investment (Lines 2 - 3 + 4)	\$7,340,635	\$7,327,679	\$7,314,724	\$7,301,769	\$7,288,813	\$7,275,858	\$7,262,902	\$7,249,947	\$7,236,991	\$7,224,036	\$7,211,081	\$7,198,125	\$7,185,170	
6. Average Net Investment		\$7,334,157	\$7,321,202	\$7,308,246	\$7,295,291	\$7,282,335	\$7,269,380	\$7,256,425	\$7,243,469	\$7,230,514	\$7,217,558	\$7,204,603	\$7,191,647	
7. Return on Average Net Investment														
a. Equity Component grossed up for taxes (c)(h)		\$40,654	\$40,582	\$40,510	\$40,438	\$40,366	\$40,295	\$39,882	\$39,811	\$39,740	\$39,669	\$39,598	\$39,526	\$481,071
b. Debt Component (Line 6 x debt rate x 1/12) (d)(\$8,255	\$8,241	\$8,226	\$8,212	\$8,197	\$8,182	\$8,187	\$8,172	\$8,157	\$8,143	\$8,128	\$8,114	\$98,214
8. Investment Expenses														
a. Depreciation (e)		\$12,955	\$12,955	\$12,955	\$12,955	\$12,955	\$12,955	\$12,955	\$12,955	\$12,955	\$12,955	\$12,955	\$12,955	\$155,465
b. Amortization (f)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
c. Dismantlement (g)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Property Expenses		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
e. Other		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
9. Total System Recoverable Costs (Lines 7 & 8)		\$61,864	\$61,778	\$61,692	\$61,605	\$61,519	\$61,432	\$61,025	\$60,939	\$60,853	\$60,767	\$60,681	\$60,595	\$734,751

- (a) Applicable to reserve salvage and removal cost
- (b) Applicable beginning of period and end of period depreciable base by production plant name(s), unit(s), or plant account(s). See Form 42-8A, pages 69-72.
- (c) The Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%. The Equity Component for the Jan. Jun. 2020 period is 5.0206%, based on May 2019
- Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. Dec. 2020 period is 4.9781% based on the May 2020 Earning Surveillance Report and reflects a 10.55% return on equity.
- (d) The Debt Component for the Jan. Jun. 2020 period is 1.3507% is based on the May 2019 Earning Surveillance Report and the Debt Component for
- the Jul. Dec. 2020 period is 1.3538% based on the May 2019 Earning Surveillance Report.
- (e) Applicable depreciation rate or rates. See Form 42-8A, pages 69-72.
- (f) Applicable amortization period(s). See Form 42-8A, pages 69-72.
- (g) Dismantlement only applies to Solar projects DeSoto (37), NASA (38) & Martin (39).
- (h) For solar projects the return on investment calculation is comprised of two parts:
- Return on the Average Net Investment: See footnotes (b) and (c).
- Return on the Average Unamortized ITC Balance:
- Equity Component: Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%; the Equity Component for the Jan. Jun. 2020 period of 6.604% based on the May 2019 Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. Dec. 2020 period of 6.362% based on the May 2020 Earning Surveillance Report reflects a 10.55% return on equity.
- Debt Component: the Debt Component for the Jan. Jun. 2020 period of 1.661% based on the May 2019 Earning Surveillance Report and the Debt Component for the
- $\label{eq:Juli-Dec.} \textit{Jul.} \textit{Dec.} \ \textit{2020 period of 1.657\% based on the May 2020 Earning Surveillance Report.}$

	Beginning of Period Amount	January Actual	February Actual	March Actual	April Actual	May Actual	June Actual	July Actual	August Actual	September Actual	October Actual	November Actual	December Actual	Twelve Month Amount
22 - Pipeline Integrity Management														
Intermediate														
1. Investments														
a. Expenditures/Additions		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
b. Clearings to Plant		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
c. Retirements		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Other (a)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
2. Plant-In-Service/Depreciation Base (b)	\$1,544,262	\$1,544,262	\$1,544,262	\$1,544,262	\$1,544,262	\$1,544,262	\$1,544,262	\$1,544,262	\$1,544,262	\$1,544,262	\$1,544,262	\$1,544,262	\$1,544,262	
3a. Less: Accumulated Depreciation	\$263,059	\$266,437	\$269,815	\$273,193	\$276,571	\$279,949	\$283,327	\$286,705	\$290,083	\$293,461	\$296,839	\$300,217	\$303,596	
CWIP Non-Interest Bearing	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	
5. Net Investment (Lines 2 - 3 + 4)	\$1,281,203	\$1,277,825	\$1,274,447	\$1,271,069	\$1,267,691	\$1,264,312	\$1,260,934	\$1,257,556	\$1,254,178	\$1,250,800	\$1,247,422	\$1,244,044	\$1,240,666	
6. Average Net Investment		\$1,279,514	\$1,276,136	\$1,272,758	\$1,269,380	\$1,266,002	\$1,262,623	\$1,259,245	\$1,255,867	\$1,252,489	\$1,249,111	\$1,245,733	\$1,242,355	
7. Return on Average Net Investment														
a. Equity Component grossed up for taxes (c)(h)		\$7,092	\$7,074	\$7,055	\$7,036	\$7,018	\$6,999	\$6,921	\$6,902	\$6,884	\$6,865	\$6,847	\$6,828	\$83,521
b. Debt Component (Line 6 x debt rate x 1/12) (d)(\$1,440	\$1,436	\$1,433	\$1,429	\$1,425	\$1,421	\$1,421	\$1,417	\$1,413	\$1,409	\$1,405	\$1,402	\$17,051
8. Investment Expenses														
a. Depreciation (e)		\$3,378	\$3,378	\$3,378	\$3,378	\$3,378	\$3,378	\$3,378	\$3,378	\$3,378	\$3,378	\$3,378	\$3,378	\$40,537
b. Amortization (f)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
c. Dismantlement (g)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Property Expenses		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
e. Other		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
9. Total System Recoverable Costs (Lines 7 & 8)		\$11,911	\$11,888	\$11,866	\$11,843	\$11,821	\$11,798	\$11,720	\$11,697	\$11,675	\$11,653	\$11,630	\$11,608	\$141,109

⁽a) Applicable to reserve salvage and removal cost

⁽b) Applicable beginning of period and end of period depreciable base by production plant name(s), unit(s), or plant account(s). See Form 42-8A, pages 69-72.

⁽c) The Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%. The Equity Component for the Jan. – Jun. 2020 period is 5.0206%, based on May 2019

Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. - Dec. 2020 period is 4.9781% based on the May 2020 Earning Surveillance Report and reflects a 10.55% return on equity.

⁽d) The Debt Component for the Jan. – Jun. 2020 period is 1.3507% is based on the May 2019 Earning Surveillance Report and the Debt Component for

the Jul. - Dec. 2020 period is 1.3538% based on the May 2019 Earning Surveillance Report.

⁽e) Applicable depreciation rate or rates. See Form 42-8A, pages 69-72.

⁽f) Applicable amortization period(s). See Form 42-8A, pages 69-72.

⁽g) Dismantlement only applies to Solar projects - DeSoto (37), NASA (38) & Martin (39).

⁽h) For solar projects the return on investment calculation is comprised of two parts:

Return on the Average Net Investment: See footnotes (b) and (c).

Return on the Average Unamortized ITC Balance:

Equity Component: Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%; the Equity Component for the Jan. – Jun. 2020 period of 6.604% based on the May 2019 Earning Surveillance Report

and reflects a 10.55% return on equity, and the Equity Component for the Jul. - Dec. 2020 period of 6.362% based on the May 2020 Earning Surveillance Report reflects a 10.55% return on equity.

Debt Component: the Debt Component for the Jan. - Jun. 2020 period of 1.661% based on the May 2019 Earning Surveillance Report and the Debt Component for the

Jul. - Dec. 2020 period of 1.657% based on the May

	Beginning of Period Amount	January Actual	February Actual	March Actual	April Actual	May Actual	June Actual	July Actual	August Actual	September Actual	October Actual	November Actual	December Actual	Twelve Month Amount
22 - Pipeline Integrity Management														
Peaking														
1. Investments														
a. Expenditures/Additions		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
b. Clearings to Plant		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
c. Retirements		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Other (a)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
2. Plant-In-Service/Depreciation Base (b)	\$1,328,530	\$1,328,530	\$1,328,530	\$1,328,530	\$1,328,530	\$1,328,530	\$1,328,530	\$1,328,530	\$1,328,530	\$1,328,530	\$1,328,530	\$1,328,530	\$1,328,530	
3a. Less: Accumulated Depreciation	\$225,796	\$228,777	\$231,757	\$234,737	\$237,718	\$240,698	\$243,679	\$246,659	\$249,640	\$252,620	\$255,601	\$258,581	\$261,561	
CWIP Non-Interest Bearing	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	
5. Net Investment (Lines 2 - 3 + 4)	\$1,102,734	\$1,099,753	\$1,096,773	\$1,093,792	\$1,090,812	\$1,087,831	\$1,084,851	\$1,081,870	\$1,078,890	\$1,075,910	\$1,072,929	\$1,069,949	\$1,066,968	
6. Average Net Investment		\$1,101,243	\$1,098,263	\$1,095,282	\$1,092,302	\$1,089,322	\$1,086,341	\$1,083,361	\$1,080,380	\$1,077,400	\$1,074,419	\$1,071,439	\$1,068,459	
7. Return on Average Net Investment														
a. Equity Component grossed up for taxes (c)(h)		\$6,104	\$6,088	\$6,071	\$6,055	\$6,038	\$6,022	\$5,954	\$5,938	\$5,922	\$5,905	\$5,889	\$5,872	\$71,858
b. Debt Component (Line 6 x debt rate x 1/12) (d)(\$1,240	\$1,236	\$1,233	\$1,229	\$1,226	\$1,223	\$1,222	\$1,219	\$1,216	\$1,212	\$1,209	\$1,205	\$14,670
8. Investment Expenses														
a. Depreciation (e)		\$2,980	\$2,980	\$2,980	\$2,980	\$2,980	\$2,980	\$2,980	\$2,980	\$2,980	\$2,980	\$2,980	\$2,980	\$35,765
b. Amortization (f)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
c. Dismantlement (g)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Property Expenses		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
e. Other		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
9. Total System Recoverable Costs (Lines 7 & 8)		\$10,324	\$10,304	\$10,285	\$10,265	\$10,245	\$10,225	\$10,157	\$10,137	\$10,118	\$10,098	\$10,078	\$10,058	\$122,293

⁽a) Applicable to reserve salvage and removal cost

⁽b) Applicable beginning of period and end of period depreciable base by production plant name(s), unit(s), or plant account(s). See Form 42-8A, pages 69-72.

⁽c) The Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%. The Equity Component for the Jan. - Jun. 2020 period is 5.0206%, based on May 2019

Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. – Dec. 2020 period is 4.9781% based on the May 2020 Earning Surveillance Report and reflects a 10.55% return on equity.

⁽d) The Debt Component for the Jan. – Jun. 2020 period is 1.3507% is based on the May 2019 Earning Surveillance Report and the Debt Component for

the Jul. - Dec. 2020 period is 1.3538% based on the May 2019 Earning Surveillance Report.

⁽e) Applicable depreciation rate or rates. See Form 42-8A, pages 69-72.

⁽f) Applicable amortization period(s). See Form 42-8A, pages 69-72.

⁽g) Dismantlement only applies to Solar projects - DeSoto (37), NASA (38) & Martin (39).

⁽h) For solar projects the return on investment calculation is comprised of two parts:

Return on the Average Net Investment: See footnotes (b) and (c).

Return on the Average Unamortized ITC Balance:

Equity Component: Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%; the Equity Component for the Jan. – Jun. 2020 period of 6.604% based on the May 2019 Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. – Dec. 2020 period of 6.362% based on the May 2020 Earning Surveillance Report reflects a 10.55% return on equity.

Debt Component: the Debt Component for the Jan. - Jun. 2020 period of 1.661% based on the May 2019 Earning Surveillance Report and the Debt Component for the

Jul. - Dec. 2020 period of 1.657% based on the May 2020 Earning Surveillance Report.

	Beginning of Period Amount	January Actual	February Actual	March Actual	April Actual	May Actual	June Actual	July Actual	August Actual	September Actual	October Actual	November Actual	December Actual	Twelve Month Amount
23 - SPCC - Spill Prevention, Control & Countermeasures														
Base														
1. Investments														
 a. Expenditures/Additions 		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
b. Clearings to Plant		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
c. Retirements		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Other (a)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
2. Plant-In-Service/Depreciation Base (b)	\$3,245,435	\$3,245,435	\$3,245,435	\$3,245,435	\$3,245,435	\$3,245,435	\$3,245,435	\$3,245,435	\$3,245,435	\$3,245,435	\$3,245,435	\$3,245,435	\$3,245,435	
3a. Less: Accumulated Depreciation	\$765,827	\$778,128	\$790,429	\$802,729	\$815,030	\$827,331	\$839,632	\$851,933	\$864,234	\$876,534	\$888,835	\$901,136	\$913,437	
CWIP Non-Interest Bearing	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	
5. Net Investment (Lines 2 - 3 + 4)	\$2,479,608	\$2,467,307	\$2,455,006	\$2,442,705	\$2,430,404	\$2,418,103	\$2,405,803	\$2,393,502	\$2,381,201	\$2,368,900	\$2,356,599	\$2,344,298	\$2,331,998	
6. Average Net Investment		\$2,473,457	\$2,461,156	\$2,448,856	\$2,436,555	\$2,424,254	\$2,411,953	\$2,399,652	\$2,387,351	\$2,375,051	\$2,362,750	\$2,350,449	\$2,338,148	
7. Return on Average Net Investment														
a. Equity Component grossed up for taxes (c)(h)		\$13,711	\$13,642	\$13,574	\$13,506	\$13,438	\$13,370	\$13,189	\$13,121	\$13,054	\$12,986	\$12,918	\$12,851	\$159,359
b. Debt Component (Line 6 x debt rate x 1/12) (d)(\$2,784	\$2,770	\$2,756	\$2,743	\$2,729	\$2,715	\$2,707	\$2,693	\$2,680	\$2,666	\$2,652	\$2,638	\$32,533
8. Investment Expenses														
a. Depreciation (e)		\$12,301	\$12,301	\$12,301	\$12,301	\$12,301	\$12,301	\$12,301	\$12,301	\$12,301	\$12,301	\$12,301	\$12,301	\$147,610
b. Amortization (f)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
c. Dismantlement (g)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Property Expenses		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
e. Other		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
9. Total System Recoverable Costs (Lines 7 & 8)		\$28,795	\$28,713	\$28,631	\$28,549	\$28,467	\$28,385	\$28,197	\$28,116	\$28,034	\$27,953	\$27,871	\$27,790	\$339,502

⁽a) Applicable to reserve salvage and removal cost

⁽b) Applicable beginning of period and end of period depreciable base by production plant name(s), unit(s), or plant account(s). See Form 42-8A, pages 69-72.

⁽c) The Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%. The Equity Component for the Jan. – Jun. 2020 period is 5.0206%, based on May 2019

Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. - Dec. 2020 period is 4.9781% based on the May 2020 Earning Surveillance Report and reflects a 10.55% return on equity.

⁽d) The Debt Component for the Jan. – Jun. 2020 period is 1.3507% is based on the May 2019 Earning Surveillance Report and the Debt Component for

the Jul. - Dec. 2020 period is 1.3538% based on the May 2019 Earning Surveillance Report.

⁽e) Applicable depreciation rate or rates. See Form 42-8A, pages 69-72.

⁽f) Applicable amortization period(s). See Form 42-8A, pages 69-72.

⁽g) Dismantlement only applies to Solar projects - DeSoto (37), NASA (38) & Martin (39).

⁽h) For solar projects the return on investment calculation is comprised of two parts:

Return on the Average Net Investment: See footnotes (b) and (c).

Return on the Average Unamortized ITC Balance:

Equity Component: Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%; the Equity Component for the Jan. – Jun. 2020 period of 6.604% based on the May 2019 Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. – Dec. 2020 period of 6.362% based on the May 2020 Earning Surveillance Report reflects a 10.55% return on equity.

Debt Component: the Debt Component for the Jan. - Jun. 2020 period of 1.661% based on the May 2019 Earning Surveillance Report and the Debt Component for the

Jul. – Dec. 2020 period of 1.657% based on the May 2020 Earning Surveillance Report.

	Beginning of Period Amount	January Actual	February Actual	March Actual	April Actual	May Actual	June Actual	July Actual	August Actual	September Actual	October Actual	November Actual	December Actual	Twelve Month Amount
23 - SPCC - Spill Prevention, Control & Countermeasures														
Distribution														
1. Investments														
a. Expenditures/Additions		\$0	\$0	\$0	\$0	(\$20,503)	\$0	\$0	\$210	\$0	(\$125)	(\$60,505)	\$0	(\$80,923)
b. Clearings to Plant		\$0	\$0	\$0	\$0	\$20,503	\$0	\$0	\$0	\$0	\$41,041	\$60,505	\$0	\$122,048
c. Retirements		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Other (a)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
Plant-In-Service/Depreciation Base (b)	\$3,406,962	\$3,406,962	\$3,406,962	\$3,406,962	\$3,406,962	\$3,427,465	\$3,427,465	\$3,427,465	\$3,427,465	\$3,427,465	\$3,468,506	\$3,529,010	\$3,529,010	
3a. Less: Accumulated Depreciation	\$981,017	\$986,000	\$990,983	\$995,967	\$1,000,950	\$1,005,948	\$1,010,961	\$1,015,974	\$1,020,987	\$1,026,000	\$1,031,043	\$1,036,160	\$1,041,321	
CWIP Non-Interest Bearing	\$170,083	\$170,083	\$170,083	\$170,083	\$170,083	\$149,580	\$149,580	\$149,580	\$149,790	\$149,790	\$149,665	\$89,160	\$89,160	
5. Net Investment (Lines 2 - 3 + 4)	\$2,596,028	\$2,591,045	\$2,586,062	\$2,581,078	\$2,576,095	\$2,571,097	\$2,566,084	\$2,561,071	\$2,556,268	\$2,551,255	\$2,587,128	\$2,582,011	\$2,576,850	•
6. Average Net Investment		\$2,593,536	\$2,588,553	\$2,583,570	\$2,578,587	\$2,573,596	\$2,568,591	\$2,563,578	\$2,558,670	\$2,553,761	\$2,569,191	\$2,584,569	\$2,579,430	
7. Return on Average Net Investment														
a. Equity Component grossed up for taxes (c)(h)		\$14,376	\$14,349	\$14,321	\$14,293	\$14,266	\$14,238	\$14,090	\$14,063	\$14,036	\$14,121	\$14,205	\$14,177	\$170,534
b. Debt Component (Line 6 x debt rate x 1/12) (d)(\$2,919	\$2,914	\$2,908	\$2,902	\$2,897	\$2,891	\$2,892	\$2,887	\$2,881	\$2,899	\$2,916	\$2,910	\$34,816
8. Investment Expenses														
a. Depreciation (e)		\$4,983	\$4,983	\$4,983	\$4,983	\$4,998	\$5,013	\$5,013	\$5,013	\$5,013	\$5,043	\$5,117	\$5,161	\$60,304
b. Amortization (f)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
c. Dismantlement (g)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Property Expenses		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
e. Other		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
9. Total System Recoverable Costs (Lines 7 & 8)		\$22,279	\$22,245	\$22,212	\$22,179	\$22,161	\$22,142	\$21,995	\$21,963	\$21,930	\$22,062	\$22,238	\$22,248	\$265,654

⁽a) Applicable to reserve salvage and removal cost

⁽b) Applicable beginning of period and end of period depreciable base by production plant name(s), unit(s), or plant account(s). See Form 42-8A, pages 69-72.

⁽c) The Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%. The Equity Component for the Jan. – Jun. 2020 period is 5.0206%, based on May 2019

Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. - Dec. 2020 period is 4.9781% based on the May 2020 Earning Surveillance Report and reflects a 10.55% return on equity.

⁽d) The Debt Component for the Jan. – Jun. 2020 period is 1.3507% is based on the May 2019 Earning Surveillance Report and the Debt Component for

the Jul. - Dec. 2020 period is 1.3538% based on the May 2019 Earning Surveillance Report.

⁽e) Applicable depreciation rate or rates. See Form 42-8A, pages 69-72.

⁽f) Applicable amortization period(s). See Form 42-8A, pages 69-72.

⁽g) Dismantlement only applies to Solar projects - DeSoto (37), NASA (38) & Martin (39).

⁽h) For solar projects the return on investment calculation is comprised of two parts:

Return on the Average Net Investment: See footnotes (b) and (c).

Return on the Average Unamortized ITC Balance:

Equity Component: Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%; the Equity Component for the Jan. – Jun. 2020 period of 6.604% based on the May 2019 Earning Surveillance Report

and reflects a 10.55% return on equity, and the Equity Component for the Jul. - Dec. 2020 period of 6.362% based on the May 2020 Earning Surveillance Report reflects a 10.55% return on equity.

Debt Component: the Debt Component for the Jan. - Jun. 2020 period of 1.661% based on the May 2019 Earning Surveillance Report and the Debt Component for the

Jul. – Dec. 2020 period of 1.657% based on the May 2020 Earning Surveillance Report.

	Beginning of Period Amount	January Actual	February Actual	March Actual	April Actual	May Actual	June Actual	July Actual	August Actual	September Actual	October Actual	November Actual	December Actual	Twelve Month Amount
23 - SPCC - Spill Prevention, Control & Countermeasures														
General														
1. Investments														
a. Expenditures/Additions		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
b. Clearings to Plant		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
c. Retirements		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Other (a)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
2. Plant-In-Service/Depreciation Base (b)	\$146,691	\$146,691	\$146,691	\$146,691	\$146,691	\$146,691	\$146,691	\$146,691	\$146,691	\$146,691	\$146,691	\$146,691	\$146,691	
3a. Less: Accumulated Depreciation	\$37,593	\$37,776	\$37,960	\$38,143	\$38,326	\$38,510	\$38,693	\$38,876	\$39,060	\$39,243	\$39,426	\$39,610	\$39,793	
CWIP Non-Interest Bearing	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	
5. Net Investment (Lines 2 - 3 + 4)	\$109,098	\$108,915	\$108,732	\$108,548	\$108,365	\$108,182	\$107,998	\$107,815	\$107,632	\$107,448	\$107,265	\$107,082	\$106,898	
6. Average Net Investment		\$109,007	\$108,823	\$108,640	\$108,457	\$108,273	\$108,090	\$107,907	\$107,723	\$107,540	\$107,357	\$107,173	\$106,990	
7. Return on Average Net Investment														
a. Equity Component grossed up for taxes (c)(h)		\$604	\$603	\$602	\$601	\$600	\$599	\$593	\$592	\$591	\$590	\$589	\$588	\$7,153
b. Debt Component (Line 6 x debt rate x 1/12) (d)(\$123	\$122	\$122	\$122	\$122	\$122	\$122	\$122	\$121	\$121	\$121	\$121	\$1,460
8. Investment Expenses														
a. Depreciation (e)		\$183	\$183	\$183	\$183	\$183	\$183	\$183	\$183	\$183	\$183	\$183	\$183	\$2,200
b. Amortization (f)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
c. Dismantlement (g)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Property Expenses		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
e. Other		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
9. Total System Recoverable Costs (Lines 7 & 8)		\$910	\$909	\$908	\$907	\$905	\$904	\$898	\$897	\$896	\$895	\$893	\$892	\$10,814

⁽a) Applicable to reserve salvage and removal cost

⁽b) Applicable beginning of period and end of period depreciable base by production plant name(s), unit(s), or plant account(s). See Form 42-8A, pages 69-72.

⁽c) The Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%. The Equity Component for the Jan. – Jun. 2020 period is 5.0206%, based on May 2019

Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. – Dec. 2020 period is 4.9781% based on the May 2020 Earning Surveillance Report and reflects a 10.55% return on equity.

⁽d) The Debt Component for the Jan. – Jun. 2020 period is 1.3507% is based on the May 2019 Earning Surveillance Report and the Debt Component for

the Jul. - Dec. 2020 period is 1.3538% based on the May 2019 Earning Surveillance Report.

⁽e) Applicable depreciation rate or rates. See Form 42-8A, pages 69-72.

⁽f) Applicable amortization period(s). See Form 42-8A, pages 69-72.

⁽g) Dismantlement only applies to Solar projects - DeSoto (37), NASA (38) & Martin (39).

⁽h) For solar projects the return on investment calculation is comprised of two parts:

Return on the Average Net Investment: See footnotes (b) and (c).

Return on the Average Unamortized ITC Balance:

Equity Component: Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%; the Equity Component for the Jan. – Jun. 2020 period of 6.604% based on the May 2019 Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. – Dec. 2020 period of 6.362% based on the May 2020 Earning Surveillance Report reflects a 10.55% return on equity.

Debt Component: the Debt Component for the Jan. - Jun. 2020 period of 1.661% based on the May 2019 Earning Surveillance Report and the Debt Component for the

Jul. - Dec. 2020 period of 1.657% based on the May 2020 Earning Surveillance Report.

JANUARY 2020 THROUGH DECEMBER 2020

	Beginning of Period Amount	January Actual	February Actual	March Actual	April Actual	May Actual	June Actual	July Actual	August Actual	September Actual	October Actual	November Actual	December Actual	Twelve Month Amount
23 - SPCC - Spill Prevention, Control & Countermeasures														
Intermediate														
1. Investments														
a. Expenditures/Additions		\$0	(\$286,434)	\$0	\$0	\$0	\$43,154	\$1,166	\$929	\$44,831	\$1,856	\$41,785	\$10,225	(\$142,488)
b. Clearings to Plant		\$0	\$286,434	\$0	\$0	\$0	\$0	\$0	\$0	\$0	(\$12,430)	\$0	\$0	\$274,004
c. Retirements		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	(\$12,430)	\$0	\$0	(\$12,430)
d. Other (a)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
2. Plant-In-Service/Depreciation Base (b)	\$4,983,517	\$4,983,517	\$5,269,951	\$5,269,951	\$5,269,951	\$5,269,951	\$5,269,951	\$5,269,951	\$5,269,951	\$5,269,951	\$5,257,521	\$5,257,521	\$5,257,521	
3a. Less: Accumulated Depreciation	\$770,353	\$782,234	\$794,461	\$807,035	\$819,609	\$832,182	\$844,756	\$857,330	\$869,903	\$882,477	\$882,594	\$895,113	\$907,633	
3b. Less: Capital Recovery Unamortized Balance	(\$888,453)	(\$877,839)	(\$867,224)	(\$856,610)	(\$845,995)	(\$835,381)	(\$824,767)	(\$814,152)	(\$803,538)	(\$792,924)	(\$782,309)	(\$771,695)	(\$761,081)	
4. CWIP Non-Interest Bearing	\$0	\$0	(\$286,434)	(\$286,434)	(\$286,434)	(\$286,434)	(\$243,280)	(\$242,114)	(\$241,185)	(\$196,354)	(\$194,498)	(\$152,713)	(\$142,488)	
5. Net Investment (Lines 2 - 3 + 4)	\$5,101,617	\$5,079,121	\$5,056,279	\$5,033,091	\$5,009,903	\$4,986,715	\$5,006,682	\$4,984,660	\$4,962,401	\$4,984,044	\$4,962,738	\$4,981,389	\$4,968,480	
6. Average Net Investment		\$5,090,369	\$5,067,700	\$5,044,685	\$5,021,497	\$4,998,309	\$4,996,699	\$4,995,671	\$4,973,530	\$4,973,222	\$4,973,391	\$4,972,064	\$4,974,934	
7. Return on Average Net Investment														
a. Equity Component grossed up for taxes (c)(h)		\$28,216	\$28,091	\$27,963	\$27,834	\$27,706	\$27,697	\$27,457	\$27,335	\$27,334	\$27,335	\$27,327	\$27,343	\$331,638
b. Debt Component (Line 6 x debt rate x 1/12) (d)((\$5,730	\$5,704	\$5,678	\$5,652	\$5,626	\$5,624	\$5,636	\$5,611	\$5,611	\$5,611	\$5,609	\$5,613	\$67,706
8. Investment Expenses														
a. Depreciation (e)		\$11,881	\$12,228	\$12,574	\$12,574	\$12,574	\$12,574	\$12,574	\$12,574	\$12,574	\$12,547	\$12,520	\$12,520	\$149,710
b. Amortization (f)		\$10,614	\$10,614	\$10,614	\$10,614	\$10,614	\$10,614	\$10,614	\$10,614	\$10,614	\$10,614	\$10,614	\$10,614	\$127,372
c. Dismantlement (g)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Property Expenses		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
e. Other		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
9. Total System Recoverable Costs (Lines 7 & 8)		\$56,442	\$56,637	\$56,829	\$56,675	\$56,520	\$56,509	\$56,281	\$56,134	\$56,132	\$56,107	\$56,071	\$56,090	\$676,427

⁽a) Applicable to reserve salvage and removal cost

Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. - Dec. 2020 period is 4.9781% based on the May 2020 Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. - Dec. 2020 period is 4.9781% based on the May 2020 Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. - Dec. 2020 period is 4.9781% based on the May 2020 Earning Surveillance Report and reflects a 10.55% return on equity.

Return on the Average Net Investment: See footnotes (b) and (c).

Return on the Average Unamortized ITC Balance:

Equity Component: Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%; the Equity Component for the Jan. – Jun. 2020 period of 6.604% based on the May 2019 Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. – Dec. 2020 period of 6.362% based on the May 2020 Earning Surveillance Report reflects a 10.55% return on equity.

Debt Component: the Debt Component for the Jan. – Jun. 2020 period of 1.661% based on the May 2019 Earning Surveillance Report and the Debt Component for the

⁽b) Applicable beginning of period and end of period depreciable base by production plant name(s), unit(s), or plant account(s). See Form 42-8A, pages 69-72.

⁽c) The Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%. The Equity Component for the Jan. – Jun. 2020 period is 5.0206%, based on May 2019

⁽d) The Debt Component for the Jan. - Jun. 2020 period is 1.3507% is based on the May 2019 Earning Surveillance Report and the Debt Component for

the Jul. - Dec. 2020 period is 1.3538% based on the May 2019 Earning Surveillance Report.

⁽e) Applicable depreciation rate or rates. See Form 42-8A, pages 69-72.

⁽f) Applicable amortization period(s). See Form 42-8A, pages 69-72.

⁽g) Dismantlement only applies to Solar projects - DeSoto (37), NASA (38) & Martin (39).

⁽h) For solar projects the return on investment calculation is comprised of two parts:

JANUARY 2020 THROUGH DECEMBER 2020

	Beginning of Period Amount	January Actual	February Actual	March Actual	April Actual	May Actual	June Actual	July Actual	August Actual	September Actual	October Actual	November Actual	December Actual	Twelve Month Amount
23 - SPCC - Spill Prevention, Control & Countermeasures														
Peaking														
1. Investments														
a. Expenditures/Additions		\$57,253	\$0	\$5,255	\$0	\$0	(\$19,642)	\$880	\$701	\$33,820	\$1,400	\$31,522	\$7,713	\$118,902
b. Clearings to Plant		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	(\$15,820)	\$0	\$0	(\$15,820)
c. Retirements		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	(\$15,820)	\$0	\$0	(\$15,820)
d. Other (a)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
2. Plant-In-Service/Depreciation Base (b)	\$3,078,932	\$3,078,932	\$3,078,932	\$3,078,932	\$3,078,932	\$3,078,932	\$3,078,932	\$3,078,932	\$3,078,932	\$3,078,932	\$3,063,112	\$3,063,112	\$3,063,112	
3a. Less: Accumulated Depreciation	\$1,305,659	\$1,317,361	\$1,329,063	\$1,340,765	\$1,352,467	\$1,364,169	\$1,375,871	\$1,387,573	\$1,399,275	\$1,410,977	\$1,406,824	\$1,418,458	\$1,430,091	
3b. Less: Capital Recovery Unamortized Balance	(\$1,097,801)	(\$1,084,770)	(\$1,071,738)	(\$1,058,706)	(\$1,045,675)	(\$1,032,643)	(\$1,019,612)	(\$1,006,580)	(\$993,549)	(\$980,517)	(\$967,486)	(\$954,454)	(\$941,423)	
4. CWIP Non-Interest Bearing	\$276,713	\$333,967	\$333,967	\$339,221	\$339,221	\$339,221	\$319,580	\$320,459	\$321,160	\$354,980	\$356,380	\$387,902	\$395,615	
5. Net Investment (Lines 2 - 3 + 4)	\$3,147,787	\$3,180,307	\$3,155,574	\$3,136,095	\$3,111,362	\$3,086,628	\$3,042,253	\$3,018,399	\$2,994,366	\$3,003,453	\$2,980,153	\$2,987,010	\$2,970,059	
6. Average Net Investment		\$3,164,047	\$3,167,940	\$3,145,834	\$3,123,728	\$3,098,995	\$3,064,440	\$3,030,326	\$3,006,383	\$2,998,909	\$2,991,803	\$2,983,582	\$2,978,535	
7. Return on Average Net Investment														
a. Equity Component grossed up for taxes (c)(h)		\$17,538	\$17,560	\$17,438	\$17,315	\$17,178	\$16,986	\$16,655	\$16,524	\$16,482	\$16,443	\$16,398	\$16,370	\$202,889
b. Debt Component (Line 6 x debt rate x 1/12) (d)(\$3,561	\$3,566	\$3,541	\$3,516	\$3,488	\$3,449	\$3,419	\$3,392	\$3,383	\$3,375	\$3,366	\$3,360	\$41,418
8. Investment Expenses														
a. Depreciation (e)		\$11,702	\$11,702	\$11,702	\$11,702	\$11,702	\$11,702	\$11,702	\$11,702	\$11,702	\$11,668	\$11,633	\$11,633	\$140,252
b. Amortization (f)		\$13,032	\$13,032	\$13,032	\$13,032	\$13,032	\$13,032	\$13,032	\$13,032	\$13,032	\$13,032	\$13,032	\$13,032	\$156,378
c. Dismantlement (g)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Property Expenses		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
e. Other		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
9. Total System Recoverable Costs (Lines 7 & 8)		\$45,833	\$45,859	\$45,712	\$45,565	\$45,400	\$45,169	\$44,807	\$44,649	\$44,599	\$44,518	\$44,429	\$44,396	\$540,937

⁽a) Applicable to reserve salvage and removal cost

Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. - Dec. 2020 period is 4.9781% based on the May 2020 Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. - Dec. 2020 period is 4.9781% based on the May 2020 Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. - Dec. 2020 period is 4.9781% based on the May 2020 Earning Surveillance Report and reflects a 10.55% return on equity.

Return on the Average Net Investment: See footnotes (b) and (c).

Return on the Average Unamortized ITC Balance:

Equity Component: Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%; the Equity Component for the Jan. – Jun. 2020 period of 6.604% based on the May 2019 Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. – Dec. 2020 period of 6.362% based on the May 2020 Earning Surveillance Report reflects a 10.55% return on equity.

Debt Component: the Debt Component for the Jan. – Jun. 2020 period of 1.661% based on the May 2019 Earning Surveillance Report and the Debt Component for the

⁽b) Applicable beginning of period and end of period depreciable base by production plant name(s), unit(s), or plant account(s). See Form 42-8A, pages 69-72.

⁽c) The Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%. The Equity Component for the Jan. – Jun. 2020 period is 5.0206%, based on May 2019

⁽d) The Debt Component for the Jan. - Jun. 2020 period is 1.3507% is based on the May 2019 Earning Surveillance Report and the Debt Component for

the Jul. - Dec. 2020 period is 1.3538% based on the May 2019 Earning Surveillance Report.

⁽e) Applicable depreciation rate or rates. See Form 42-8A, pages 69-72.

⁽f) Applicable amortization period(s). See Form 42-8A, pages 69-72.

⁽g) Dismantlement only applies to Solar projects - DeSoto (37), NASA (38) & Martin (39).

⁽h) For solar projects the return on investment calculation is comprised of two parts:

	Beginning of Period Amount	January Actual	February Actual	March Actual	April Actual	May Actual	June Actual	July Actual	August Actual	September Actual	October Actual	November Actual	December Actual	Twelve Month Amount
23 - SPCC - Spill Prevention, Control & Countermeasures														
Transmission														
1. Investments														
a. Expenditures/Additions		(\$1,413)	\$1,413	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
b. Clearings to Plant		\$0	(\$297)	\$0	\$0	\$0	\$146	\$0	\$0	\$0	\$0	\$0	\$0	(\$151)
c. Retirements		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Other (a)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
2. Plant-In-Service/Depreciation Base (b)	\$4,118,429	\$4,118,429	\$4,118,132	\$4,118,132	\$4,118,132	\$4,118,132	\$4,118,278	\$4,118,278	\$4,118,278	\$4,118,278	\$4,118,278	\$4,118,278	\$4,118,278	
3a. Less: Accumulated Depreciation	\$445,391	\$452,058	\$458,724	\$465,389	\$472,055	\$478,721	\$485,387	\$492,053	\$498,719	\$505,385	\$512,051	\$518,717	\$525,383	
CWIP Non-Interest Bearing	\$0	(\$1,413)	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	
5. Net Investment (Lines 2 - 3 + 4)	\$3,673,038	\$3,664,958	\$3,659,409	\$3,652,743	\$3,646,077	\$3,639,411	\$3,632,891	\$3,626,225	\$3,619,559	\$3,612,893	\$3,606,227	\$3,599,561	\$3,592,895	
6. Average Net Investment		\$3,668,998	\$3,662,184	\$3,656,076	\$3,649,410	\$3,642,744	\$3,636,151	\$3,629,558	\$3,622,892	\$3,616,226	\$3,609,560	\$3,602,894	\$3,596,228	
7. Return on Average Net Investment														
a. Equity Component grossed up for taxes (c)(h)		\$20,337	\$20,300	\$20,266	\$20,229	\$20,192	\$20,155	\$19,949	\$19,912	\$19,875	\$19,839	\$19,802	\$19,765	\$240,621
b. Debt Component (Line 6 x debt rate x 1/12) (d)(\$4,130	\$4,122	\$4,115	\$4,108	\$4,100	\$4,093	\$4,095	\$4,087	\$4,080	\$4,072	\$4,065	\$4,057	\$49,125
8. Investment Expenses														
a. Depreciation (e)		\$6,666	\$6,666	\$6,666	\$6,666	\$6,666	\$6,666	\$6,666	\$6,666	\$6,666	\$6,666	\$6,666	\$6,666	\$79,992
b. Amortization (f)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
c. Dismantlement (g)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Property Expenses		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
e. Other		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
9. Total System Recoverable Costs (Lines 7 & 8)		\$31,134	\$31,088	\$31,047	\$31,002	\$30,958	\$30,914	\$30,710	\$30,665	\$30,621	\$30,577	\$30,533	\$30,489	\$369,738

⁽a) Applicable to reserve salvage and removal cost

⁽b) Applicable beginning of period and end of period depreciable base by production plant name(s), unit(s), or plant account(s). See Form 42-8A, pages 69-72.

⁽c) The Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%. The Equity Component for the Jan. - Jun. 2020 period is 5.0206%, based on May 2019

Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. – Dec. 2020 period is 4.9781% based on the May 2020 Earning Surveillance Report and reflects a 10.55% return on equity.

⁽d) The Debt Component for the Jan. – Jun. 2020 period is 1.3507% is based on the May 2019 Earning Surveillance Report and the Debt Component for

the Jul. – Dec. 2020 period is 1.3538% based on the May 2019 Earning Surveillance Report.

⁽e) Applicable depreciation rate or rates. See Form 42-8A, pages 69-72.

⁽f) Applicable amortization period(s). See Form 42-8A, pages 69-72.

⁽g) Dismantlement only applies to Solar projects - DeSoto (37), NASA (38) & Martin (39).

⁽h) For solar projects the return on investment calculation is comprised of two parts:

Return on the Average Net Investment: See footnotes (b) and (c).

Return on the Average Unamortized ITC Balance:

Equity Component: Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%; the Equity Component for the Jan. – Jun. 2020 period of 6.604% based on the May 2019 Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. – Dec. 2020 period of 6.362% based on the May 2020 Earning Surveillance Report reflects a 10.55% return on equity.

Debt Component: the Debt Component for the Jan. - Jun. 2020 period of 1.661% based on the May 2019 Earning Surveillance Report and the Debt Component for the

Jul. – Dec. 2020 period of 1.657% based on the May 2020 Earning Surveillance Report.

	Beginning of Period Amount	January Actual	February Actual	March Actual	April Actual	May Actual	June Actual	July Actual	August Actual	September Actual	October Actual	November Actual	December Actual	Twelve Month Amount
24 - Manatee Plant Reburn														
Peaking														
1. Investments														
a. Expenditures/Additions		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
b. Clearings to Plant		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
c. Retirements		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Other (a)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
2. Plant-In-Service/Depreciation Base (b)	\$31,863,719	\$31,863,719	\$31,863,719	\$31,863,719	\$31,863,719	\$31,863,719	\$31,863,719	\$31,863,719	\$31,863,719	\$31,863,719	\$31,863,719	\$31,863,719	\$31,863,719	
3a. Less: Accumulated Depreciation	\$12,957,135	\$13,084,831	\$13,212,527	\$13,340,223	\$13,467,920	\$13,595,616	\$13,723,312	\$13,851,008	\$13,978,705	\$14,106,401	\$14,234,097	\$14,361,793	\$14,489,489	
CWIP Non-Interest Bearing	(\$0)	(\$0)	(\$0)	(\$0)	(\$0)	(\$0)	(\$0)	(\$0)	(\$0)	(\$0)	(\$0)	(\$0)	(\$0)	
5. Net Investment (Lines 2 - 3 + 4)	\$18,906,584	\$18,778,888	\$18,651,191	\$18,523,495	\$18,395,799	\$18,268,103	\$18,140,407	\$18,012,710	\$17,885,014	\$17,757,318	\$17,629,622	\$17,501,925	\$17,374,229	
6. Average Net Investment		\$18,842,736	\$18,715,039	\$18,587,343	\$18,459,647	\$18,331,951	\$18,204,255	\$18,076,558	\$17,948,862	\$17,821,166	\$17,693,470	\$17,565,774	\$17,438,077	
7. Return on Average Net Investment														
a. Equity Component grossed up for taxes (c)(h)		\$104,446	\$103,739	\$103,031	\$102,323	\$101,615	\$100,907	\$99,352	\$98,650	\$97,948	\$97,246	\$96,544	\$95,842	\$1,201,643
b. Debt Component (Line 6 x debt rate x 1/12) (d)(\$21,209	\$21,066	\$20,922	\$20,778	\$20,634	\$20,491	\$20,394	\$20,250	\$20,106	\$19,962	\$19,818	\$19,674	\$245,303
8. Investment Expenses														
a. Depreciation (e)		\$127,696	\$127,696	\$127,696	\$127,696	\$127,696	\$127,696	\$127,696	\$127,696	\$127,696	\$127,696	\$127,696	\$127,696	\$1,532,355
b. Amortization (f)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
c. Dismantlement (g)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Property Expenses		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
e. Other		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
9. Total System Recoverable Costs (Lines 7 & 8)		\$253,352	\$252,500	\$251,649	\$250,797	\$249,946	\$249,094	\$247,442	\$246,596	\$245,750	\$244,904	\$244,058	\$243,212	\$2,979,301

⁽a) Applicable to reserve salvage and removal cost

⁽b) Applicable beginning of period and end of period depreciable base by production plant name(s), unit(s), or plant account(s). See Form 42-8A, pages 69-72.

⁽c) The Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%. The Equity Component for the Jan. - Jun. 2020 period is 5.0206%, based on May 2019

Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. – Dec. 2020 period is 4.9781% based on the May 2020 Earning Surveillance Report and reflects a 10.55% return on equity.

⁽d) The Debt Component for the Jan. – Jun. 2020 period is 1.3507% is based on the May 2019 Earning Surveillance Report and the Debt Component for

the Jul. - Dec. 2020 period is 1.3538% based on the May 2019 Earning Surveillance Report.

⁽e) Applicable depreciation rate or rates. See Form 42-8A, pages 69-72.

⁽f) Applicable amortization period(s). See Form 42-8A, pages 69-72.

⁽g) Dismantlement only applies to Solar projects - DeSoto (37), NASA (38) & Martin (39).

⁽h) For solar projects the return on investment calculation is comprised of two parts:

Return on the Average Net Investment: See footnotes (b) and (c).

Return on the Average Unamortized ITC Balance:

Equity Component: Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%; the Equity Component for the Jan. – Jun. 2020 period of 6.604% based on the May 2019 Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. – Dec. 2020 period of 6.362% based on the May 2020 Earning Surveillance Report reflects a 10.55% return on equity.

Debt Component: the Debt Component for the Jan. – Jun. 2020 period of 1.661% based on the May 2019 Earning Surveillance Report and the Debt Component for the

 $[\]label{eq:Juli-Dec.} \textit{Jul.} - \textit{Dec.} \ \textit{2020 period of 1.657\% based on the May 2020 Earning Surveillance Report.}$

	Beginning of Period Amount	January Actual	February Actual	March Actual	April Actual	May Actual	June Actual	July Actual	August Actual	September Actual	October Actual	November Actual	December Actual	Twelve Month Amount
26 - UST Remove/Replacement														
General														
1. Investments														
a. Expenditures/Additions		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
b. Clearings to Plant		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
c. Retirements		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Other (a)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
Plant-In-Service/Depreciation Base (b)	\$115,447	\$115,447	\$115,447	\$115,447	\$115,447	\$115,447	\$115,447	\$115,447	\$115,447	\$115,447	\$115,447	\$115,447	\$115,447	
3a. Less: Accumulated Depreciation	\$52,903	\$53,047	\$53,192	\$53,336	\$53,480	\$53,625	\$53,769	\$53,913	\$54,057	\$54,202	\$54,346	\$54,490	\$54,635	
CWIP Non-Interest Bearing	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	
5. Net Investment (Lines 2 - 3 + 4)	\$62,544	\$62,399	\$62,255	\$62,111	\$61,966	\$61,822	\$61,678	\$61,534	\$61,389	\$61,245	\$61,101	\$60,956	\$60,812	•
6. Average Net Investment		\$62,472	\$62,327	\$62,183	\$62,039	\$61,894	\$61,750	\$61,606	\$61,461	\$61,317	\$61,173	\$61,028	\$60,884	
7. Return on Average Net Investment														
a. Equity Component grossed up for taxes (c)(h)		\$346	\$345	\$345	\$344	\$343	\$342	\$339	\$338	\$337	\$336	\$335	\$335	\$4,085
b. Debt Component (Line 6 x debt rate x 1/12) (d)		\$70	\$70	\$70	\$70	\$70	\$70	\$70	\$69	\$69	\$69	\$69	\$69	\$834
8. Investment Expenses														
a. Depreciation (e)		\$144	\$144	\$144	\$144	\$144	\$144	\$144	\$144	\$144	\$144	\$144	\$144	\$1,732
b. Amortization (f)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
c. Dismantlement (g)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Property Expenses		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
e. Other		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
9. Total System Recoverable Costs (Lines 7 & 8)		\$561	\$560	\$559	\$558	\$557	\$556	\$552	\$551	\$550	\$550	\$549	\$548	\$6,651

⁽a) Applicable to reserve salvage and removal cost

⁽b) Applicable beginning of period and end of period depreciable base by production plant name(s), unit(s), or plant account(s). See Form 42-8A, pages 69-72.

⁽c) The Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%. The Equity Component for the Jan. - Jun. 2020 period is 5.0206%, based on May 2019

Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. – Dec. 2020 period is 4.9781% based on the May 2020 Earning Surveillance Report and reflects a 10.55% return on equity.

⁽d) The Debt Component for the Jan. – Jun. 2020 period is 1.3507% is based on the May 2019 Earning Surveillance Report and the Debt Component for

the Jul. – Dec. 2020 period is 1.3538% based on the May 2019 Earning Surveillance Report.

⁽e) Applicable depreciation rate or rates. See Form 42-8A, pages 69-72.

⁽f) Applicable amortization period(s). See Form 42-8A, pages 69-72.

⁽g) Dismantlement only applies to Solar projects - DeSoto (37), NASA (38) & Martin (39).

⁽h) For solar projects the return on investment calculation is comprised of two parts:

Return on the Average Net Investment: See footnotes (b) and (c).

Return on the Average Unamortized ITC Balance:

Equity Component: Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%; the Equity Component for the Jan. – Jun. 2020 period of 6.604% based on the May 2019 Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. – Dec. 2020 period of 6.362% based on the May 2020 Earning Surveillance Report reflects a 10.55% return on equity.

Debt Component: the Debt Component for the Jan. – Jun. 2020 period of 1.661% based on the May 2019 Earning Surveillance Report and the Debt Component for the

Jul. – Dec. 2020 period of 1.657% based on the May 2020 Earning Surveillance Report.

	Beginning of Period Amount	January Actual	February Actual	March Actual	April Actual	May Actual	June Actual	July Actual	August Actual	September Actual	October Actual	November Actual	December Actual	Twelve Month Amount
28 - CWA 316(b) Phase II Rule														
Intermediate														
1. Investments														
a. Expenditures/Additions		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
b. Clearings to Plant		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
c. Retirements		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Other (a)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
2. Plant-In-Service/Depreciation Base (b)	\$771,310	\$771,310	\$771,310	\$771,310	\$771,310	\$771,310	\$771,310	\$771,310	\$771,310	\$771,310	\$771,310	\$771,310	\$771,310	
3a. Less: Accumulated Depreciation	\$45,515	\$47,244	\$48,973	\$50,702	\$52,431	\$54,160	\$55,889	\$57,618	\$59,347	\$61,076	\$62,805	\$64,535	\$66,264	
CWIP Non-Interest Bearing	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	
5. Net Investment (Lines 2 - 3 + 4)	\$725,795	\$724,066	\$722,337	\$720,608	\$718,879	\$717,150	\$715,421	\$713,692	\$711,963	\$710,234	\$708,505	\$706,776	\$705,047	•
6. Average Net Investment		\$724,931	\$723,202	\$721,473	\$719,744	\$718,014	\$716,285	\$714,556	\$712,827	\$711,098	\$709,369	\$707,640	\$705,911	
7. Return on Average Net Investment														
a. Equity Component grossed up for taxes (c)(h)		\$4,018	\$4,009	\$3,999	\$3,990	\$3,980	\$3,970	\$3,927	\$3,918	\$3,908	\$3,899	\$3,889	\$3,880	\$47,388
b. Debt Component (Line 6 x debt rate x 1/12) (d)(\$816	\$814	\$812	\$810	\$808	\$806	\$806	\$804	\$802	\$800	\$798	\$796	\$9,674
8. Investment Expenses														
a. Depreciation (e)		\$1,729	\$1,729	\$1,729	\$1,729	\$1,729	\$1,729	\$1,729	\$1,729	\$1,729	\$1,729	\$1,729	\$1,729	\$20,748
b. Amortization (f)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
c. Dismantlement (g)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Property Expenses		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
e. Other		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
9. Total System Recoverable Costs (Lines 7 & 8)		\$6,563	\$6,552	\$6,540	\$6,529	\$6,517	\$6,506	\$6,462	\$6,451	\$6,440	\$6,428	\$6,417	\$6,405	\$77,810

⁽a) Applicable to reserve salvage and removal cost

⁽b) Applicable beginning of period and end of period depreciable base by production plant name(s), unit(s), or plant account(s). See Form 42-8A, pages 69-72.

⁽c) The Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%. The Equity Component for the Jan. - Jun. 2020 period is 5.0206%, based on May 2019

Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. – Dec. 2020 period is 4.9781% based on the May 2020 Earning Surveillance Report and reflects a 10.55% return on equity.

⁽d) The Debt Component for the Jan. – Jun. 2020 period is 1.3507% is based on the May 2019 Earning Surveillance Report and the Debt Component for

the Jul. - Dec. 2020 period is 1.3538% based on the May 2019 Earning Surveillance Report.

⁽e) Applicable depreciation rate or rates. See Form 42-8A, pages 69-72.

⁽f) Applicable amortization period(s). See Form 42-8A, pages 69-72.

⁽g) Dismantlement only applies to Solar projects - DeSoto (37), NASA (38) & Martin (39).

⁽h) For solar projects the return on investment calculation is comprised of two parts:

Return on the Average Net Investment: See footnotes (b) and (c).

Return on the Average Unamortized ITC Balance:

Equity Component: Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%; the Equity Component for the Jan. – Jun. 2020 period of 6.604% based on the May 2019 Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. – Dec. 2020 period of 6.362% based on the May 2020 Earning Surveillance Report reflects a 10.55% return on equity.

Debt Component: the Debt Component for the Jan. - Jun. 2020 period of 1.661% based on the May 2019 Earning Surveillance Report and the Debt Component for the

 $[\]label{eq:Juli-Dec.} \textit{Jul.} - \textit{Dec.} \ \textit{2020 period of 1.657\% based on the May 2020 Earning Surveillance Report.}$

JANUARY 2020 THROUGH DECEMBER 2020

	Beginning of Period Amount	January Actual	February Actual	March Actual	April Actual	May Actual	June Actual	July Actual	August Actual	September Actual	October Actual	November Actual	December Actual	Twelve Month Amount
31 - Clean Air Interstate Rule (CAIR) Compliance														
Base														
1. Investments														
a. Expenditures/Additions		\$0	\$0	\$0	\$1,637,989	\$159,296	\$87,244	\$91,279	\$55,525	\$97,362	\$32,422	\$32,647	(\$2,193,764)	\$0
b. Clearings to Plant		(\$0)	\$92,532	\$1,076,639	(\$1,169,171)	\$0	\$0	(\$268)	\$0	\$0	\$0	\$0	\$2,240,564	\$2,240,296
c. Retirements		\$0	\$0	\$0	\$0	\$0	\$0	(\$268)	\$0	\$0	\$0	\$0	\$0	(\$268)
d. Other (a)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	
2. Plant-In-Service/Depreciation Base (b)	\$359,943,378	\$359,943,378	\$360,035,910	\$361,112,549	\$359,943,378	\$359,943,378	\$359,943,378	\$359,943,110	\$359,943,110	\$359,943,110	\$359,943,110	\$359,943,110	\$362,183,674	
3a. Less: Accumulated Depreciation	\$65,990,209	\$66,787,065	\$67,584,011	\$68,382,087	\$69,180,073	\$69,976,929	\$70,773,786	\$71,570,372	\$72,367,225	\$73,164,078	\$73,960,931	\$74,757,784	\$75,556,803	
3b. Less: Capital Recovery Unamortized Balance	(\$43,439,531)	(\$43,439,531)	(\$43,439,531)	(\$43,439,531)	(\$43,439,531)	(\$43,439,531)	(\$43,439,531)	(\$43,439,531)	(\$43,439,531)	(\$43,439,531)	(\$43,439,531)	(\$43,439,531)	(\$43,439,531)	
CWIP Non-Interest Bearing	\$0	\$0	\$0	\$0	\$1,637,989	\$1,797,285	\$1,884,529	\$1,975,807	\$2,031,333	\$2,128,695	\$2,161,117	\$2,193,764	\$0	
5. Net Investment (Lines 2 - 3 + 4)	\$337,392,700	\$336,595,843	\$335,891,430	\$336,169,993	\$335,840,824	\$335,203,264	\$334,493,652	\$333,788,076	\$333,046,748	\$332,347,257	\$331,582,826	\$330,818,620	\$330,066,401	
6. Average Net Investment		\$336,994,272	\$336,243,637	\$336,030,711	\$336,005,409	\$335,522,044	\$334,848,458	\$334,140,864	\$333,417,412	\$332,697,003	\$331,965,042	\$331,200,723	\$330,442,510	
7. Return on Average Net Investment														
a. Equity Component grossed up for taxes (c)(h)		\$1,867,979	\$1,863,818	\$1,862,638	\$1,862,498	\$1,859,818	\$1,856,085	\$1,836,491	\$1,832,515	\$1,828,555	\$1,824,532	\$1,820,331	\$1,816,164	\$22,131,425
b. Debt Component (Line 6 x debt rate x 1/12) (d)(\$379,321	\$378,476	\$378,236	\$378,208	\$377,664	\$376,905	\$376,978	\$376,162	\$375,349	\$374,523	\$373,661	\$372,805	\$4,518,286
8. Investment Expenses														
a. Depreciation (e)		\$796,856	\$796,946	\$798,076	\$797,986	\$796,856	\$796,856	\$796,855	\$796,853	\$796,853	\$796,853	\$796,853	\$799,019	\$9,566,863
b. Amortization (f)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
c. Dismantlement (g)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Property Expenses		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
e. Other		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
9. Total System Recoverable Costs (Lines 7 & 8)		\$3,044,156	\$3,039,240	\$3,038,950	\$3,038,692	\$3,034,338	\$3,029,846	\$3,010,323	\$3,005,529	\$3,000,757	\$2,995,908	\$2,990,845	\$2,987,988	\$36,216,575

⁽a) Applicable to reserve salvage and removal cost

Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. - Dec. 2020 period is 4.9781% based on the May 2020 Earning Surveillance Report and reflects a 10.55% return on equity.

Return on the Average Net Investment: See footnotes (b) and (c).

Return on the Average Unamortized ITC Balance:

Equity Component: Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%; the Equity Component for the Jan. – Jun. 2020 period of 6.604% based on the May 2019 Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. – Dec. 2020 period of 6.362% based on the May 2020 Earning Surveillance Report reflects a 10.55% return on equity.

Debt Component: the Debt Component for the Jan. – Jun. 2020 period of 1.661% based on the May 2019 Earning Surveillance Report and the Debt Component for the

⁽b) Applicable beginning of period and end of period depreciable base by production plant name(s), unit(s), or plant account(s). See Form 42-8A, pages 69-72.

⁽c) The Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%. The Equity Component for the Jan. – Jun. 2020 period is 5.0206%, based on May 2019

⁽d) The Debt Component for the Jan. - Jun. 2020 period is 1.3507% is based on the May 2019 Earning Surveillance Report and the Debt Component for

the Jul. - Dec. 2020 period is 1.3538% based on the May 2019 Earning Surveillance Report.

⁽e) Applicable depreciation rate or rates. See Form 42-8A, pages 69-72.

⁽f) Applicable amortization period(s). See Form 42-8A, pages 69-72.

⁽g) Dismantlement only applies to Solar projects - DeSoto (37), NASA (38) & Martin (39).

⁽h) For solar projects the return on investment calculation is comprised of two parts:

	Beginning of Period Amount	January Actual	February Actual	March Actual	April Actual	May Actual	June Actual	July Actual	August Actual	September Actual	October Actual	November Actual	December Actual	Twelve Month Amount
31 - Clean Air Interstate Rule (CAIR) Compliance														
Distribution														
1. Investments														
a. Expenditures/Additions		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
b. Clearings to Plant		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
c. Retirements		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Other (a)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
2. Plant-In-Service/Depreciation Base (b)	\$1,313	\$1,313	\$1,313	\$1,313	\$1,313	\$1,313	\$1,313	\$1,313	\$1,313	\$1,313	\$1,313	\$1,313	\$1,313	
3a. Less: Accumulated Depreciation	\$426	\$429	\$432	\$435	\$438	\$440	\$443	\$446	\$449	\$452	\$454	\$457	\$460	
CWIP Non-Interest Bearing	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	
5. Net Investment (Lines 2 - 3 + 4)	\$886	\$884	\$881	\$878	\$875	\$872	\$869	\$867	\$864	\$861	\$858	\$855	\$853	•
6. Average Net Investment		\$885	\$882	\$879	\$877	\$874	\$871	\$868	\$865	\$862	\$860	\$857	\$854	
7. Return on Average Net Investment														
a. Equity Component grossed up for taxes (c)(h)		\$5	\$5	\$5	\$5	\$5	\$5	\$5	\$5	\$5	\$5	\$5	\$5	\$58
b. Debt Component (Line 6 x debt rate x 1/12) (d)		\$1	\$1	\$1	\$1	\$1	\$1	\$1	\$1	\$1	\$1	\$1	\$1	\$12
8. Investment Expenses														
a. Depreciation (e)		\$3	\$3	\$3	\$3	\$3	\$3	\$3	\$3	\$3	\$3	\$3	\$3	\$34
b. Amortization (f)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
c. Dismantlement (g)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Property Expenses		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
e. Other		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
9. Total System Recoverable Costs (Lines 7 & 8)		\$9	\$9	\$9	\$9	\$9	\$9	\$9	\$9	\$9	\$9	\$8	\$8	\$103

⁽a) Applicable to reserve salvage and removal cost

⁽b) Applicable beginning of period and end of period depreciable base by production plant name(s), unit(s), or plant account(s). See Form 42-8A, pages 69-72.

⁽c) The Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%. The Equity Component for the Jan. – Jun. 2020 period is 5.0206%, based on May 2019

Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. - Dec. 2020 period is 4.9781% based on the May 2020 Earning Surveillance Report and reflects a 10.55% return on equity.

⁽d) The Debt Component for the Jan. – Jun. 2020 period is 1.3507% is based on the May 2019 Earning Surveillance Report and the Debt Component for

the Jul. - Dec. 2020 period is 1.3538% based on the May 2019 Earning Surveillance Report.

⁽e) Applicable depreciation rate or rates. See Form 42-8A, pages 69-72.

⁽f) Applicable amortization period(s). See Form 42-8A, pages 69-72.

⁽g) Dismantlement only applies to Solar projects - DeSoto (37), NASA (38) & Martin (39).

⁽h) For solar projects the return on investment calculation is comprised of two parts:

Return on the Average Net Investment: See footnotes (b) and (c).

Return on the Average Unamortized ITC Balance:

Equity Component: Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%; the Equity Component for the Jan. – Jun. 2020 period of 6.604% based on the May 2019 Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. – Dec. 2020 period of 6.362% based on the May 2020 Earning Surveillance Report reflects a 10.55% return on equity.

Debt Component: the Debt Component for the Jan. - Jun. 2020 period of 1.661% based on the May 2019 Earning Surveillance Report and the Debt Component for the

Jul. – Dec. 2020 period of 1.657% based on the May 2020 Earning Surveillance Report.

	Beginning of Period Amount	January Actual	February Actual	March Actual	April Actual	May Actual	June Actual	July Actual	August Actual	September Actual	October Actual	November Actual	December Actual	Twelve Month Amount
31 - Clean Air Interstate Rule (CAIR) Compliance														
Intermediate														
1. Investments														
a. Expenditures/Additions		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
b. Clearings to Plant		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
c. Retirements		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Other (a)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
2. Plant-In-Service/Depreciation Base (b)	\$1,278,330	\$1,278,330	\$1,278,330	\$1,278,330	\$1,278,330	\$1,278,330	\$1,278,330	\$1,278,330	\$1,278,330	\$1,278,330	\$1,278,330	\$1,278,330	\$1,278,330	
3a. Less: Accumulated Depreciation	\$208,356	\$210,792	\$213,227	\$215,663	\$218,098	\$220,533	\$222,969	\$225,404	\$227,840	\$230,275	\$232,711	\$235,146	\$237,582	
CWIP Non-Interest Bearing	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	
5. Net Investment (Lines 2 - 3 + 4)	\$1,069,974	\$1,067,538	\$1,065,103	\$1,062,667	\$1,060,232	\$1,057,797	\$1,055,361	\$1,052,926	\$1,050,490	\$1,048,055	\$1,045,619	\$1,043,184	\$1,040,748	
6. Average Net Investment		\$1,068,756	\$1,066,321	\$1,063,885	\$1,061,450	\$1,059,014	\$1,056,579	\$1,054,143	\$1,051,708	\$1,049,273	\$1,046,837	\$1,044,402	\$1,041,966	
7. Return on Average Net Investment														
a. Equity Component grossed up for taxes (c)(h)		\$5,924	\$5,911	\$5,897	\$5,884	\$5,870	\$5,857	\$5,794	\$5,780	\$5,767	\$5,754	\$5,740	\$5,727	\$69,904
b. Debt Component (Line 6 x debt rate x 1/12) (d)(\$1,203	\$1,200	\$1,198	\$1,195	\$1,192	\$1,189	\$1,189	\$1,187	\$1,184	\$1,181	\$1,178	\$1,176	\$14,271
8. Investment Expenses														
a. Depreciation (e)		\$2,435	\$2,435	\$2,435	\$2,435	\$2,435	\$2,435	\$2,435	\$2,435	\$2,435	\$2,435	\$2,435	\$2,435	\$29,225
b. Amortization (f)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
c. Dismantlement (g)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Property Expenses		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
e. Other		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
9. Total System Recoverable Costs (Lines 7 & 8)		\$9,563	\$9,546	\$9,530	\$9,514	\$9,498	\$9,481	\$9,418	\$9,402	\$9,386	\$9,370	\$9,354	\$9,338	\$113,401

⁽a) Applicable to reserve salvage and removal cost

⁽b) Applicable beginning of period and end of period depreciable base by production plant name(s), unit(s), or plant account(s). See Form 42-8A, pages 69-72.

⁽c) The Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%. The Equity Component for the Jan. – Jun. 2020 period is 5.0206%, based on May 2019

Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. - Dec. 2020 period is 4.9781% based on the May 2020 Earning Surveillance Report and reflects a 10.55% return on equity.

⁽d) The Debt Component for the Jan. – Jun. 2020 period is 1.3507% is based on the May 2019 Earning Surveillance Report and the Debt Component for

the Jul. - Dec. 2020 period is 1.3538% based on the May 2019 Earning Surveillance Report.

⁽e) Applicable depreciation rate or rates. See Form 42-8A, pages 69-72.

⁽f) Applicable amortization period(s). See Form 42-8A, pages 69-72.

⁽g) Dismantlement only applies to Solar projects - DeSoto (37), NASA (38) & Martin (39).

⁽h) For solar projects the return on investment calculation is comprised of two parts:

Return on the Average Net Investment: See footnotes (b) and (c).

Return on the Average Unamortized ITC Balance:

Equity Component: Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%; the Equity Component for the Jan. – Jun. 2020 period of 6.604% based on the May 2019 Earning Surveillance Report

and reflects a 10.55% return on equity, and the Equity Component for the Jul. - Dec. 2020 period of 6.362% based on the May 2020 Earning Surveillance Report reflects a 10.55% return on equity.

Debt Component: the Debt Component for the Jan. - Jun. 2020 period of 1.661% based on the May 2019 Earning Surveillance Report and the Debt Component for the

Jul. – Dec. 2020 period of 1.657% based on the May 2020 Earning Surveillance Report.

JANUARY 2020 THROUGH DECEMBER 2020

	Beginning of Period Amount	January Actual	February Actual	March Actual	April Actual	May Actual	June Actual	July Actual	August Actual	September Actual	October Actual	November Actual	December Actual	Twelve Month Amount
31 - Clean Air Interstate Rule (CAIR) Compliance														
Peaking														
1. Investments														
 a. Expenditures/Additions 		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
b. Clearings to Plant		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
c. Retirements		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Other (a)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
2. Plant-In-Service/Depreciation Base (b)	\$55,890,251	\$55,890,251	\$55,890,251	\$55,890,251	\$55,890,251	\$55,890,251	\$55,890,251	\$55,890,251	\$55,890,251	\$55,890,251	\$55,890,251	\$55,890,251	\$55,890,251	
3a. Less: Accumulated Depreciation	(\$23,703,096)	(\$23,490,331)	(\$23,277,566)	(\$23,064,801)	(\$22,852,035)	(\$22,639,270)	(\$22,426,505)	(\$22,213,740)	(\$22,000,974)	(\$21,788,209)	(\$21,575,444)	(\$21,362,679)	(\$21,149,914)	
3b. Less: Capital Recovery Unamortized Balance	(\$53,967)	(\$53,325)	(\$52,682)	(\$52,040)	(\$51,397)	(\$50,755)	(\$50,112)	(\$49,470)	(\$48,827)	(\$48,185)	(\$47,542)	(\$46,900)	(\$46,257)	
CWIP Non-Interest Bearing	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	
5. Net Investment (Lines 2 - 3 + 4)	\$79,647,314	\$79,433,906	\$79,220,499	\$79,007,091	\$78,793,683	\$78,580,275	\$78,366,868	\$78,153,460	\$77,940,052	\$77,726,645	\$77,513,237	\$77,299,829	\$77,086,422	
6. Average Net Investment		\$79,540,610	\$79,327,202	\$79,113,795	\$78,900,387	\$78,686,979	\$78,473,572	\$78,260,164	\$78,046,756	\$77,833,349	\$77,619,941	\$77,406,533	\$77,193,125	
7. Return on Average Net Investment														
a. Equity Component grossed up for taxes (c)(h)		\$440,898	\$439,715	\$438,532	\$437,349	\$436,167	\$434,984	\$430,130	\$428,957	\$427,784	\$426,611	\$425,439	\$424,266	\$5,190,833
b. Debt Component (Line 6 x debt rate x 1/12) (d)(\$89,531	\$89,291	\$89,050	\$88,810	\$88,570	\$88,330	\$88,293	\$88,052	\$87,812	\$87,571	\$87,330	\$87,089	\$1,059,729
8. Investment Expenses														
a. Depreciation (e)		\$212,765	\$212,765	\$212,765	\$212,765	\$212,765	\$212,765	\$212,765	\$212,765	\$212,765	\$212,765	\$212,765	\$212,765	\$2,553,183
b. Amortization (f)		\$642	\$642	\$642	\$642	\$642	\$642	\$642	\$642	\$642	\$642	\$642	\$642	\$7,710
c. Dismantlement (g)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Property Expenses		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
e. Other		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
9. Total System Recoverable Costs (Lines 7 & 8)		\$743,837	\$742,414	\$740,991	\$739,567	\$738,144	\$736,721	\$731,831	\$730,417	\$729,004	\$727,590	\$726,176	\$724,763	\$8,811,455

⁽a) Applicable to reserve salvage and removal cost

Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. – Dec. 2020 period is 4.9781% based on the May 2020 Earning Surveillance Report and reflects a 10.55% return on equity.

Return on the Average Unamortized ITC Balance:

Equity Component: Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%; the Equity Component for the Jan. – Jun. 2020 period of 6.604% based on the May 2019 Earning Surveillance Report

and reflects a 10.55% return on equity, and the Equity Component for the Jul. - Dec. 2020 period of 6.362% based on the May 2020 Earning Surveillance Report reflects a 10.55% return on equity.

Debt Component: the Debt Component for the Jan. – Jun. 2020 period of 1.661% based on the May 2019 Earning Surveillance Report and the Debt Component for the

⁽b) Applicable beginning of period and end of period depreciable base by production plant name(s), unit(s), or plant account(s). See Form 42-8A, pages 69-72.

⁽c) The Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%. The Equity Component for the Jan. – Jun. 2020 period is 5.0206%, based on May 2019

⁽d) The Debt Component for the Jan. - Jun. 2020 period is 1.3507% is based on the May 2019 Earning Surveillance Report and the Debt Component for

the Jul. - Dec. 2020 period is 1.3538% based on the May 2019 Earning Surveillance Report.

⁽e) Applicable depreciation rate or rates. See Form 42-8A, pages 69-72.

⁽f) Applicable amortization period(s). See Form 42-8A, pages 69-72.

⁽g) Dismantlement only applies to Solar projects - DeSoto (37), NASA (38) & Martin (39).

⁽h) For solar projects the return on investment calculation is comprised of two parts:

Return on the Average Net Investment: See footnotes (b) and (c).

JANUARY 2020 THROUGH DECEMBER 2020

	Beginning of Period Amount	January Actual	February Actual	March Actual	April Actual	May Actual	June Actual	July Actual	August Actual	September Actual	October Actual	November Actual	December Actual	Twelve Month Amount
33 - MATS Project														
Base														
1. Investments														
a. Expenditures/Additions		(\$70,751)	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	(\$0)	(\$70,751)
b. Clearings to Plant		(\$3,443,476)	\$3,514,226	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$70,751
c. Retirements		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Other (a)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
2. Plant-In-Service/Depreciation Base (b)	\$109,260,738	\$105,817,263	\$109,331,489	\$109,331,489	\$109,331,489	\$109,331,489	\$109,331,489	\$109,331,489	\$109,331,489	\$109,331,489	\$109,331,489	\$109,331,489	\$109,331,489	
3a. Less: Accumulated Depreciation	\$27,669,247	\$27,919,758	\$28,170,352	\$28,425,031	\$28,679,710	\$28,934,389	\$29,189,068	\$29,443,747	\$29,698,426	\$29,953,105	\$30,207,784	\$30,462,463	\$30,717,142	
3b. Less: Capital Recovery Unamortized Balance	(\$84,067)	(\$84,067)	(\$84,067)	(\$84,067)	(\$84,067)	(\$84,067)	(\$84,067)	(\$84,067)	(\$84,067)	(\$84,067)	(\$84,067)	(\$84,067)	(\$84,067)	
4. CWIP Non-Interest Bearing	\$70,755	\$4	\$4	\$4	\$4	\$4	\$4	\$4	\$4	\$4	\$4	\$4	\$4	
5. Net Investment (Lines 2 - 3 + 4)	\$81,746,314	\$77,981,576	\$81,245,208	\$80,990,529	\$80,735,850	\$80,481,171	\$80,226,492	\$79,971,813	\$79,717,134	\$79,462,455	\$79,207,776	\$78,953,097	\$78,698,418	
6. Average Net Investment		\$79,863,945	\$79,613,392	\$81,117,869	\$80,863,190	\$80,608,511	\$80,353,832	\$80,099,153	\$79,844,474	\$79,589,795	\$79,335,116	\$79,080,437	\$78,825,758	
7. Return on Average Net Investment														
a. Equity Component grossed up for taxes (c)(h)		\$442,691	\$441,302	\$449,641	\$448,229	\$446,818	\$445,406	\$440,238	\$438,838	\$437,438	\$436,038	\$434,639	\$433,239	\$5,294,516
b. Debt Component (Line 6 x debt rate x 1/12) (d)(\$89,895	\$89,613	\$91,306	\$91,020	\$90,733	\$90,446	\$90,368	\$90,081	\$89,793	\$89,506	\$89,219	\$88,931	\$1,080,910
8. Investment Expenses														
a. Depreciation (e)		\$250,512	\$250,594	\$254,679	\$254,679	\$254,679	\$254,679	\$254,679	\$254,679	\$254,679	\$254,679	\$254,679	\$254,679	\$3,047,896
b. Amortization (f)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
c. Dismantlement (g)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Property Expenses		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
e. Other		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
9. Total System Recoverable Costs (Lines 7 & 8)		\$783,097	\$781,508	\$795,626	\$793,928	\$792,230	\$790,531	\$785,285	\$783,597	\$781,910	\$780,223	\$778,536	\$776,849	\$9,423,322

⁽a) Applicable to reserve salvage and removal cost

Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. - Dec. 2020 period is 4.9781% based on the May 2020 Earning Surveillance Report and reflects a 10.55% return on equity.

Return on the Average Net Investment: See footnotes (b) and (c).

Return on the Average Unamortized ITC Balance:

Equity Component: Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%; the Equity Component for the Jan. – Jun. 2020 period of 6.604% based on the May 2019 Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. – Dec. 2020 period of 6.362% based on the May 2020 Earning Surveillance Report reflects a 10.55% return on equity.

Debt Component: the Debt Component for the Jan. – Jun. 2020 period of 1.661% based on the May 2019 Earning Surveillance Report and the Debt Component for the

⁽b) Applicable beginning of period and end of period depreciable base by production plant name(s), unit(s), or plant account(s). See Form 42-8A, pages 69-72.

⁽c) The Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%. The Equity Component for the Jan. – Jun. 2020 period is 5.0206%, based on May 2019

⁽d) The Debt Component for the Jan. - Jun. 2020 period is 1.3507% is based on the May 2019 Earning Surveillance Report and the Debt Component for

the Jul. - Dec. 2020 period is 1.3538% based on the May 2019 Earning Surveillance Report.

⁽e) Applicable depreciation rate or rates. See Form 42-8A, pages 69-72.

⁽f) Applicable amortization period(s). See Form 42-8A, pages 69-72.

⁽g) Dismantlement only applies to Solar projects - DeSoto (37), NASA (38) & Martin (39).

⁽h) For solar projects the return on investment calculation is comprised of two parts:

	Beginning of Period Amount	January Actual	February Actual	March Actual	April Actual	May Actual	June Actual	July Actual	August Actual	September Actual	October Actual	November Actual	December Actual	Twelve Month Amount
- St Lucie Cooling Water System Inspection & Maintenar	ce													
Base														
1. Investments														
a. Expenditures/Additions		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$96	\$0	\$0	\$0	\$96
b. Clearings to Plant		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
c. Retirements		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Other (a)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
Plant-In-Service/Depreciation Base (b)														
3a. Less: Accumulated Depreciation														
CWIP Non-Interest Bearing	\$4,449,846	\$4,449,846	\$4,449,846	\$4,449,846	\$4,449,846	\$4,449,846	\$4,449,846	\$4,449,846	\$4,449,846	\$4,449,942	\$4,449,942	\$4,449,942	\$4,449,942	
5. Net Investment (Lines 2 - 3 + 4)	\$4,449,846	\$4,449,846	\$4,449,846	\$4,449,846	\$4,449,846	\$4,449,846	\$4,449,846	\$4,449,846	\$4,449,846	\$4,449,942	\$4,449,942	\$4,449,942	\$4,449,942	
6. Average Net Investment		\$4,449,846	\$4,449,846	\$4,449,846	\$4,449,846	\$4,449,846	\$4,449,846	\$4,449,846	\$4,449,846	\$4,449,894	\$4,449,942	\$4,449,942	\$4,449,942	
7. Return on Average Net Investment														
a. Equity Component grossed up for taxes (c)(h)		\$24,666	\$24,666	\$24,666	\$24,666	\$24,666	\$24,666	\$24,457	\$24,457	\$24,457	\$24,458	\$24,458	\$24,458	\$294,739
b. Debt Component (Line 6 x debt rate x 1/12) (d)(\$5,009	\$5,009	\$5,009	\$5,009	\$5,009	\$5,009	\$5,020	\$5,020	\$5,020	\$5,020	\$5,020	\$5,020	\$60,175
8. Investment Expenses														
a. Depreciation (e)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
b. Amortization (f)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
c. Dismantlement (g)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Property Expenses		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
e. Other		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
9. Total System Recoverable Costs (Lines 7 & 8)		\$29,675	\$29,675	\$29,675	\$29,675	\$29,675	\$29,675	\$29,477	\$29,477	\$29,478	\$29,478	\$29,478	\$29,478	\$354,914

⁽a) Applicable to reserve salvage and removal cost

⁽b) Applicable beginning of period and end of period depreciable base by production plant name(s), unit(s), or plant account(s). See Form 42-8A, pages 69-72.

⁽c) The Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%. The Equity Component for the Jan. - Jun. 2020 period is 5.0206%, based on May 2019

Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. - Dec. 2020 period is 4.9781% based on the May 2020 Earning Surveillance Report and reflects a 10.55% return on equity.

⁽d) The Debt Component for the Jan. – Jun. 2020 period is 1.3507% is based on the May 2019 Earning Surveillance Report and the Debt Component for

the Jul. - Dec. 2020 period is 1.3538% based on the May 2019 Earning Surveillance Report.

⁽e) Applicable depreciation rate or rates. See Form 42-8A, pages 69-72.

⁽f) Applicable amortization period(s). See Form 42-8A, pages 69-72.

⁽g) Dismantlement only applies to Solar projects - DeSoto (37), NASA (38) & Martin (39).

⁽h) For solar projects the return on investment calculation is comprised of two parts:

Return on the Average Net Investment: See footnotes (b) and (c).

Return on the Average Unamortized ITC Balance:

Equity Component: Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%; the Equity Component for the Jan. – Jun. 2020 period of 6.604% based on the May 2019 Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. – Dec. 2020 period of 6.362% based on the May 2020 Earning Surveillance Report reflects a 10.55% return on equity.

Debt Component: the Debt Component for the Jan. - Jun. 2020 period of 1.661% based on the May 2019 Earning Surveillance Report and the Debt Component for the

 $[\]label{eq:Jule_Jule} \textit{Jul.} - \textit{Dec. } 2020 \ \textit{period of } 1.657\% \ \textit{based on the May } 2020 \ \textit{Earning Surveillance Report.}$

	Beginning of Period Amount	January Actual	February Actual	March Actual	April Actual	May Actual	June Actual	July Actual	August Actual	September Actual	October Actual	November Actual	December Actual	Twelve Month Amount
35 - Martin Plant Drinking Water System Compliance														
Intermediate														
1. Investments														
a. Expenditures/Additions		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
b. Clearings to Plant		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	(\$134,173)	\$0	\$0	(\$134,173)
c. Retirements		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	(\$134,173)	\$0	\$0	(\$134,173)
d. Other (a)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
2. Plant-In-Service/Depreciation Base (b)	\$134,173	\$134,173	\$134,173	\$134,173	\$134,173	\$134,173	\$134,173	\$134,173	\$134,173	\$134,173				
3a. Less: Accumulated Depreciation	\$30,605	\$30,887	\$31,169	\$31,451	\$31,732	\$32,014	\$32,296	\$32,578	\$32,859	\$33,141	(\$100,891)	(\$100,891)	(\$100,891)	
CWIP Non-Interest Bearing	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	
5. Net Investment (Lines 2 - 3 + 4)	\$103,568	\$103,286	\$103,004	\$102,722	\$102,440	\$102,159	\$101,877	\$101,595	\$101,313	\$101,032	\$100,891	\$100,891	\$100,891	
6. Average Net Investment		\$103,427	\$103,145	\$102,863	\$102,581	\$102,300	\$102,018	\$101,736	\$101,454	\$101,173	\$100,961	\$100,891	\$100,891	
7. Return on Average Net Investment														
a. Equity Component grossed up for taxes (c)(h)		\$573	\$572	\$570	\$569	\$567	\$565	\$559	\$558	\$556	\$555	\$555	\$555	\$6,753
b. Debt Component (Line 6 x debt rate x 1/12) (d)(\$116	\$116	\$116	\$115	\$115	\$115	\$115	\$114	\$114	\$114	\$114	\$114	\$1,379
8. Investment Expenses														
a. Depreciation (e)		\$282	\$282	\$282	\$282	\$282	\$282	\$282	\$282	\$282	\$141	\$0	\$0	\$2,677
b. Amortization (f)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
c. Dismantlement (g)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Property Expenses		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
e. Other		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
9. Total System Recoverable Costs (Lines 7 & 8)		\$971	\$970	\$968	\$966	\$964	\$962	\$956	\$954	\$952	\$810	\$668	\$668	\$10,809

⁽a) Applicable to reserve salvage and removal cost

⁽b) Applicable beginning of period and end of period depreciable base by production plant name(s), unit(s), or plant account(s). See Form 42-8A, pages 69-72.

⁽c) The Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%. The Equity Component for the Jan. – Jun. 2020 period is 5.0206%, based on May 2019

Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. – Dec. 2020 period is 4.9781% based on the May 2020 Earning Surveillance Report and reflects a 10.55% return on equity.

⁽d) The Debt Component for the Jan. – Jun. 2020 period is 1.3507% is based on the May 2019 Earning Surveillance Report and the Debt Component for

the Jul. - Dec. 2020 period is 1.3538% based on the May 2019 Earning Surveillance Report.

⁽e) Applicable depreciation rate or rates. See Form 42-8A, pages 69-72.

⁽f) Applicable amortization period(s). See Form 42-8A, pages 69-72.

⁽g) Dismantlement only applies to Solar projects - DeSoto (37), NASA (38) & Martin (39).

⁽h) For solar projects the return on investment calculation is comprised of two parts:

Return on the Average Net Investment: See footnotes (b) and (c).

Return on the Average Unamortized ITC Balance:

Equity Component: Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%; the Equity Component for the Jan. – Jun. 2020 period of 6.604% based on the May 2019 Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. – Dec. 2020 period of 6.362% based on the May 2020 Earning Surveillance Report reflects a 10.55% return on equity.

Debt Component: the Debt Component for the Jan. - Jun. 2020 period of 1.661% based on the May 2019 Earning Surveillance Report and the Debt Component for the

Jul. - Dec. 2020 period of 1.657% based on the May 2020 Earning Surveillance Report.

	Beginning of Period Amount	January Actual	February Actual	March Actual	April Actual	May Actual	June Actual	July Actual	August Actual	September Actual	October Actual	November Actual	December Actual	Twelve Month Amount
35 - Martin Plant Drinking Water System Compliance														
Peaking														
1. Investments														
a. Expenditures/Additions		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
b. Clearings to Plant		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	(\$101,218)	\$0	\$0	(\$101,218)
c. Retirements		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	(\$101,218)	\$0	\$0	(\$101,218)
d. Other (a)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
2. Plant-In-Service/Depreciation Base (b)	\$101,218	\$101,218	\$101,218	\$101,218	\$101,218	\$101,218	\$101,218	\$101,218	\$101,218	\$101,218				
3a. Less: Accumulated Depreciation	\$23,088	\$23,301	\$23,513	\$23,726	\$23,938	\$24,151	\$24,364	\$24,576	\$24,789	\$25,001	(\$76,111)	(\$76,111)	(\$76,111)	
CWIP Non-Interest Bearing	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	
5. Net Investment (Lines 2 - 3 + 4)	\$78,130	\$77,917	\$77,705	\$77,492	\$77,280	\$77,067	\$76,855	\$76,642	\$76,429	\$76,217	\$76,111	\$76,111	\$76,111	
6. Average Net Investment		\$78,024	\$77,811	\$77,598	\$77,386	\$77,173	\$76,961	\$76,748	\$76,536	\$76,323	\$76,164	\$76,111	\$76,111	
7. Return on Average Net Investment														
a. Equity Component grossed up for taxes (c)(h)		\$432	\$431	\$430	\$429	\$428	\$427	\$422	\$421	\$419	\$419	\$418	\$418	\$5,094
b. Debt Component (Line 6 x debt rate x 1/12) (d)(\$88	\$88	\$87	\$87	\$87	\$87	\$87	\$86	\$86	\$86	\$86	\$86	\$1,040
8. Investment Expenses														
a. Depreciation (e)		\$213	\$213	\$213	\$213	\$213	\$213	\$213	\$213	\$213	\$106	\$0	\$0	\$2,019
b. Amortization (f)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
c. Dismantlement (g)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Property Expenses		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
e. Other		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
9. Total System Recoverable Costs (Lines 7 & 8)		\$733	\$731	\$730	\$729	\$727	\$726	\$721	\$720	\$718	\$611	\$504	\$504	\$8,154

- (a) Applicable to reserve salvage and removal cost
- (b) Applicable beginning of period and end of period depreciable base by production plant name(s), unit(s), or plant account(s). See Form 42-8A, pages 69-72.
- (c) The Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%. The Equity Component for the Jan. Jun. 2020 period is 5.0206%, based on May 2019
- Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. Dec. 2020 period is 4.9781% based on the May 2020 Earning Surveillance Report and reflects a 10.55% return on equity.
- (d) The Debt Component for the Jan. Jun. 2020 period is 1.3507% is based on the May 2019 Earning Surveillance Report and the Debt Component for
- the Jul. Dec. 2020 period is 1.3538% based on the May 2019 Earning Surveillance Report.
- (e) Applicable depreciation rate or rates. See Form 42-8A, pages 69-72.
- (f) Applicable amortization period(s). See Form 42-8A, pages 69-72.
- (g) Dismantlement only applies to Solar projects DeSoto (37), NASA (38) & Martin (39).
- (h) For solar projects the return on investment calculation is comprised of two parts:
- Return on the Average Net Investment: See footnotes (b) and (c).
- Return on the Average Unamortized ITC Balance:
- Equity Component: Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%; the Equity Component for the Jan. Jun. 2020 period of 6.604% based on the May 2019 Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. Dec. 2020 period of 6.362% based on the May 2020 Earning Surveillance Report reflects a 10.55% return on equity.
- Debt Component: the Debt Component for the Jan. Jun. 2020 period of 1.661% based on the May 2019 Earning Surveillance Report and the Debt Component for the
- $\label{eq:Jule-Dec.2020} \textit{Jul.} \textit{Dec. 2020 period of } 1.657\% \ \textit{based on the May 2020 Earning Surveillance Report.}$

	Beginning of Period Amount	January Actual	February Actual	March Actual	April Actual	May Actual	June Actual	July Actual	August Actual	September Actual	October Actual	November Actual	December Actual	Twelve Month Amount
36 - Low-Level Radioactive Waste Storage														
Base														
1. Investments														
a. Expenditures/Additions		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
b. Clearings to Plant		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
c. Retirements		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Other (a)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
2. Plant-In-Service/Depreciation Base (b)	\$17,456,804	\$17,456,804	\$17,456,804	\$17,456,804	\$17,456,804	\$17,456,804	\$17,456,804	\$17,456,804	\$17,456,804	\$17,456,804	\$17,456,804	\$17,456,804	\$17,456,804	
3a. Less: Accumulated Depreciation	\$2,502,548	\$2,542,506	\$2,582,465	\$2,622,424	\$2,662,383	\$2,702,342	\$2,742,300	\$2,782,259	\$2,822,218	\$2,862,177	\$2,902,136	\$2,942,094	\$2,982,053	
CWIP Non-Interest Bearing	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	
5. Net Investment (Lines 2 - 3 + 4)	\$14,954,256	\$14,914,297	\$14,874,338	\$14,834,380	\$14,794,421	\$14,754,462	\$14,714,503	\$14,674,544	\$14,634,586	\$14,594,627	\$14,554,668	\$14,514,709	\$14,474,750	
6. Average Net Investment		\$14,934,277	\$14,894,318	\$14,854,359	\$14,814,400	\$14,774,441	\$14,734,483	\$14,694,524	\$14,654,565	\$14,614,606	\$14,574,647	\$14,534,689	\$14,494,730	
7. Return on Average Net Investment														
a. Equity Component grossed up for taxes (c)(h)		\$82,782	\$82,560	\$82,339	\$82,117	\$81,896	\$81,674	\$80,763	\$80,544	\$80,324	\$80,105	\$79,885	\$79,665	\$974,653
b. Debt Component (Line 6 x debt rate x 1/12) (d)(\$16,810	\$16,765	\$16,720	\$16,675	\$16,630	\$16,585	\$16,578	\$16,533	\$16,488	\$16,443	\$16,398	\$16,353	\$198,979
8. Investment Expenses														
a. Depreciation (e)		\$39,959	\$39,959	\$39,959	\$39,959	\$39,959	\$39,959	\$39,959	\$39,959	\$39,959	\$39,959	\$39,959	\$39,959	\$479,506
b. Amortization (f)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
c. Dismantlement (g)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Property Expenses		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
e. Other		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
9. Total System Recoverable Costs (Lines 7 & 8)		\$139,550	\$139,284	\$139,017	\$138,751	\$138,485	\$138,218	\$137,301	\$137,036	\$136,771	\$136,506	\$136,242	\$135,977	\$1,653,138

⁽a) Applicable to reserve salvage and removal cost

⁽b) Applicable beginning of period and end of period depreciable base by production plant name(s), unit(s), or plant account(s). See Form 42-8A, pages 69-72.

⁽c) The Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%. The Equity Component for the Jan. - Jun. 2020 period is 5.0206%, based on May 2019

Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. – Dec. 2020 period is 4.9781% based on the May 2020 Earning Surveillance Report and reflects a 10.55% return on equity.

⁽d) The Debt Component for the Jan. – Jun. 2020 period is 1.3507% is based on the May 2019 Earning Surveillance Report and the Debt Component for

the Jul. – Dec. 2020 period is 1.3538% based on the May 2019 Earning Surveillance Report.

⁽e) Applicable depreciation rate or rates. See Form 42-8A, pages 69-72.

⁽f) Applicable amortization period(s). See Form 42-8A, pages 69-72.

⁽g) Dismantlement only applies to Solar projects - DeSoto (37), NASA (38) & Martin (39).

⁽h) For solar projects the return on investment calculation is comprised of two parts:

Return on the Average Net Investment: See footnotes (b) and (c).

Return on the Average Unamortized ITC Balance:

Equity Component: Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%; the Equity Component for the Jan. – Jun. 2020 period of 6.604% based on the May 2019 Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. – Dec. 2020 period of 6.362% based on the May 2020 Earning Surveillance Report reflects a 10.55% return on equity.

Debt Component: the Debt Component for the Jan. – Jun. 2020 period of 1.661% based on the May 2019 Earning Surveillance Report and the Debt Component for the

 $[\]label{eq:Jule-Dec.2020} \textit{Jul.} - \textit{Dec. 2020 period of } 1.657\% \ \textit{based on the May 2020 Earning Surveillance Report.}$

JANUARY 2020 THROUGH DECEMBER 2020

	Beginning of Period Amount	January Actual	February Actual	March Actual	April Actual	May Actual	June Actual	July Actual	August Actual	September Actual	October Actual	November Actual	December Actual	Twelve Month Amount
37 - DeSoto Next Generation Solar Energy Center														
Solar														
1. Investments														
a. Expenditures/Additions		\$0	\$1,062	\$1,208	\$5,083	\$47	\$0	\$0	\$0	\$0	(\$7,409)	\$0	\$0	(\$9)
b. Clearings to Plant		(\$1,886)	(\$1,454)	\$9,909	(\$32,614)	(\$5,129)	(\$5,547)	(\$17,386)	(\$8,446)	\$0	(\$8,638)	\$0	\$2,267	(\$68,924)
c. Retirements		(\$1,886)	(\$1,454)	\$0	(\$32,614)	(\$5,129)	(\$5,547)	(\$17,386)	(\$11,560)	\$0	(\$16,380)	\$0	\$0	(\$91,957)
d. Other (a)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
Plant-In-Service/Depreciation Base (b)	\$153,561,354	\$153,559,468	\$153,558,013	\$153,567,922	\$153,535,308	\$153,530,179	\$153,524,632	\$153,507,246	\$153,498,800	\$153,498,800	\$153,490,163	\$153,490,163	\$153,492,429	
3a. Less: Accumulated Depreciation	\$52,081,935	\$52,525,767	\$52,969,983	\$53,415,717	\$53,828,725	\$54,268,953	\$54,708,658	\$55,136,346	\$55,569,624	\$56,014,369	\$56,442,709	\$56,887,403	\$57,332,110	
CWIP Non-Interest Bearing	\$10	\$10	\$1,072	\$2,280	\$7,363	\$7,410	\$7,410	\$7,410	\$7,410	\$7,410	\$1	\$1	\$1	
5. Net Investment (Lines 2 - 3 + 4)	\$101,479,428	\$101,033,711	\$100,589,102	\$100,154,485	\$99,713,947	\$99,268,637	\$98,823,384	\$98,378,310	\$97,936,587	\$97,491,841	\$97,047,455	\$96,602,761	\$96,160,320	
6. Average Net Investment		\$101,256,570	\$100,811,406	\$100,371,794	\$99,934,216	\$99,491,292	\$99,046,011	\$98,600,847	\$98,157,448	\$97,714,214	\$97,269,648	\$96,825,108	\$96,381,540	
a. Average ITC Balance		\$28,990,785	\$28,868,719	\$28,746,653	\$28,624,587	\$28,502,521	\$28,380,455	\$28,258,389	\$28,136,323	\$28,014,257	\$27,892,191	\$27,770,125	\$27,648,059	
7. Return on Average Net Investment														
a. Equity Component grossed up for taxes (c)(h)		\$611,952	\$609,271	\$606,621	\$603,982	\$601,314	\$598,632	\$585,104	\$582,481	\$579,858	\$577,228	\$574,599	\$571,974	\$7,103,018
b. Debt Component (Line 6 x debt rate x 1/12) (d)(\$121,471	\$120,939	\$120,412	\$119,888	\$119,358	\$118,825	\$118,380	\$117,848	\$117,318	\$116,785	\$116,253	\$115,722	\$1,423,200
8. Investment Expenses														
a. Depreciation (e)		\$433,531	\$433,484	\$433,547	\$433,435	\$433,170	\$433,065	\$432,887	\$432,651	\$432,559	\$432,533	\$432,507	\$432,520	\$5,195,888
b. Amortization (f)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
c. Dismantlement (g)		\$12,187	\$12,187	\$12,187	\$12,187	\$12,187	\$12,187	\$12,187	\$12,187	\$12,187	\$12,187	\$12,187	\$12,187	\$146,244
d. Property Expenses		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
e. Other		(\$160,395)	(\$160,395)	(\$160,395)	(\$160,395)	(\$160,395)	(\$160,395)	(\$160,395)	(\$160,395)	(\$160,395)	(\$160,395)	(\$160,395)	(\$160,395)	(\$1,924,740)
9. Total System Recoverable Costs (Lines 7 & 8)		\$1,018,746	\$1,015,486	\$1,012,372	\$1,009,098	\$1,005,634	\$1,002,315	\$988,163	\$984,772	\$981,526	\$978,338	\$975,150	\$972,008	\$11,943,610

⁽a) Applicable to reserve salvage and removal cost

Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. – Dec. 2020 period is 4.9781% based on the May 2020 Earning Surveillance Report and reflects a 10.55% return on equity.

Return on the Average Unamortized ITC Balance:

Equity Component: Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%; the Equity Component for the Jan. – Jun. 2020 period of 6.604% based on the May 2019 Earning Surveillance Report

and reflects a 10.55% return on equity, and the Equity Component for the Jul. - Dec. 2020 period of 6.362% based on the May 2020 Earning Surveillance Report reflects a 10.55% return on equity.

Debt Component: the Debt Component for the Jan. – Jun. 2020 period of 1.661% based on the May 2019 Earning Surveillance Report and the Debt Component for the

⁽b) Applicable beginning of period and end of period depreciable base by production plant name(s), unit(s), or plant account(s). See Form 42-8A, pages 69-72.

⁽c) The Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%. The Equity Component for the Jan. – Jun. 2020 period is 5.0206%, based on May 2019

⁽d) The Debt Component for the Jan. - Jun. 2020 period is 1.3507% is based on the May 2019 Earning Surveillance Report and the Debt Component for

the Jul. - Dec. 2020 period is 1.3538% based on the May 2019 Earning Surveillance Report.

⁽e) Applicable depreciation rate or rates. See Form 42-8A, pages 69-72.

⁽f) Applicable amortization period(s). See Form 42-8A, pages 69-72.

⁽g) Dismantlement only applies to Solar projects - DeSoto (37), NASA (38) & Martin (39).

⁽h) For solar projects the return on investment calculation is comprised of two parts:

Return on the Average Net Investment: See footnotes (b) and (c).

JANUARY 2020 THROUGH DECEMBER 2020

	Beginning of Period Amount	January Actual	February Actual	March Actual	April Actual	May Actual	June Actual	July Actual	August Actual	September Actual	October Actual	November Actual	December Actual	Twelve Month Amount
38 - Space Coast Next Generation Solar Energy Center														
Solar														
1. Investments														
a. Expenditures/Additions		\$0	\$0	\$1,110	(\$871)	\$0	\$0	\$0	(\$339)	\$0	\$667	\$0	(\$664)	(\$98)
b. Clearings to Plant		\$0	\$0	\$0	\$0	\$0	\$0	(\$8,680)	(\$11,560)	(\$14,962)	\$0	\$0	\$1,105	(\$34,097)
c. Retirements		\$0	\$0	\$0	\$0	\$0	\$0	(\$8,680)	(\$11,560)	(\$14,962)	\$0	\$0	\$0	(\$35,202)
d. Other (a)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
2. Plant-In-Service/Depreciation Base (b)	\$70,591,411	\$70,591,411	\$70,591,411	\$70,591,411	\$70,591,411	\$70,591,411	\$70,591,411	\$70,582,731	\$70,571,171	\$70,556,209	\$70,556,209	\$70,556,209	\$70,557,314	
3a. Less: Accumulated Depreciation	\$23,056,153	\$23,256,037	\$23,455,921	\$23,655,805	\$23,855,688	\$24,055,572	\$24,255,456	\$24,446,587	\$24,634,670	\$24,819,130	\$25,018,427	\$25,217,724	\$25,417,036	
CWIP Non-Interest Bearing	\$98	\$98	\$98	\$1,208	\$337	\$337	\$337	\$337	(\$2)	(\$2)	\$664	\$664	\$0	
5. Net Investment (Lines 2 - 3 + 4)	\$47,535,356	\$47,335,472	\$47,135,588	\$46,936,815	\$46,736,060	\$46,536,176	\$46,336,292	\$46,136,481	\$45,936,499	\$45,737,077	\$45,538,446	\$45,339,149	\$45,140,278	
6. Average Net Investment		\$47,435,414	\$47,235,530	\$47,036,201	\$46,836,437	\$46,636,118	\$46,436,234	\$46,236,386	\$46,036,490	\$45,836,788	\$45,637,762	\$45,438,798	\$45,239,714	
a. Average ITC Balance		\$12,438,795	\$12,387,606	\$12,336,417	\$12,285,228	\$12,234,039	\$12,182,850	\$12,131,661	\$12,080,472	\$12,029,283	\$11,978,094	\$11,926,905	\$11,875,716	
7. Return on Average Net Investment														
a. Equity Component grossed up for taxes (c)(h)		\$284,683	\$283,485	\$282,291	\$281,094	\$279,894	\$278,697	\$272,660	\$271,483	\$270,307	\$269,135	\$267,963	\$266,791	\$3,308,481
b. Debt Component (Line 6 x debt rate x 1/12) (d)(\$56,610	\$56,372	\$56,134	\$55,896	\$55,657	\$55,419	\$55,228	\$54,990	\$54,752	\$54,514	\$54,277	\$54,039	\$663,888
8. Investment Expenses														
a. Depreciation (e)		\$195,492	\$195,492	\$195,492	\$195,492	\$195,492	\$195,492	\$195,419	\$195,251	\$195,030	\$194,905	\$194,905	\$194,920	\$2,343,381
b. Amortization (f)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
c. Dismantlement (g)		\$4,392	\$4,392	\$4,392	\$4,392	\$4,392	\$4,392	\$4,392	\$4,392	\$4,392	\$4,392	\$4,392	\$4,392	\$52,704
d. Property Expenses		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
e. Other		(\$67,263)	(\$67,263)	(\$67,263)	(\$67,263)	(\$67,263)	(\$67,263)	(\$67,263)	(\$67,263)	(\$67,263)	(\$67,263)	(\$67,263)	(\$67,263)	(\$807,156)
9. Total System Recoverable Costs (Lines 7 & 8)		\$473,913	\$472,478	\$471,046	\$469,611	\$468,172	\$466,737	\$460,436	\$458,852	\$457,217	\$455,683	\$454,274	\$452,879	\$5,561,299

⁽a) Applicable to reserve salvage and removal cost

Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. - Dec. 2020 period is 4.9781% based on the May 2020 Earning Surveillance Report and reflects a 10.55% return on equity.

Return on the Average Unamortized ITC Balance:

Equity Component: Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%; the Equity Component for the Jan. – Jun. 2020 period of 6.604% based on the May 2019 Earning Surveillance Report

and reflects a 10.55% return on equity, and the Equity Component for the Jul. - Dec. 2020 period of 6.362% based on the May 2020 Earning Surveillance Report reflects a 10.55% return on equity.

Debt Component: the Debt Component for the Jan. – Jun. 2020 period of 1.661% based on the May 2019 Earning Surveillance Report and the Debt Component for the

⁽b) Applicable beginning of period and end of period depreciable base by production plant name(s), unit(s), or plant account(s). See Form 42-8A, pages 69-72.

⁽c) The Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%. The Equity Component for the Jan. – Jun. 2020 period is 5.0206%, based on May 2019

⁽d) The Debt Component for the Jan. - Jun. 2020 period is 1.3507% is based on the May 2019 Earning Surveillance Report and the Debt Component for

the Jul. - Dec. 2020 period is 1.3538% based on the May 2019 Earning Surveillance Report.

⁽e) Applicable depreciation rate or rates. See Form 42-8A, pages 69-72.

⁽f) Applicable amortization period(s). See Form 42-8A, pages 69-72.

⁽g) Dismantlement only applies to Solar projects - DeSoto (37), NASA (38) & Martin (39).

⁽h) For solar projects the return on investment calculation is comprised of two parts:

Return on the Average Net Investment: See footnotes (b) and (c).

JANUARY 2020 THROUGH DECEMBER 2020

	Beginning of Period Amount	January Actual	February Actual	March Actual	April Actual	May Actual	June Actual	July Actual	August Actual	September Actual	October Actual	November Actual	December Actual	Twelve Month Amount
39 - Martin Next Generation Solar Energy Center														
Intermediate														
1. Investments														
a. Expenditures/Additions		(\$1,781,021)	\$71,071	\$403,010	\$129,180	\$28,970	\$170,413	\$187,431	\$43,345	\$113,110	\$57,046	\$128,375	(\$75,003)	(\$524,072)
b. Clearings to Plant		\$569,415	\$61,820	\$6,695	(\$95,126)	\$95,461	\$17,202	\$3,005	\$66,146	(\$111,918)	\$49,239	\$192,506	\$80,426	\$934,872
c. Retirements		(\$1,335,220)	\$0	\$0	(\$95,126)	\$0	\$0	\$0	\$0	(\$112,500)	(\$53,358)	(\$5,262)	(\$84,085)	(\$1,685,551)
d. Other (a)		(\$22,956)	(\$9,668)	(\$50,264)	(\$24,333)	(\$24,724)	(\$21,028)	(\$30,381)	(\$36,334)	(\$22,260)	(\$40,833)	\$147,141	(\$18,902)	(\$154,542)
2. Plant-In-Service/Depreciation Base (b)	\$426,051,646	\$426,621,061	\$426,682,881	\$426,822,005	\$426,726,879	\$426,822,340	\$426,839,542	\$426,842,547	\$426,908,694	\$426,796,776	\$426,846,015	\$427,038,521	\$427,118,948	
3a. Less: Accumulated Depreciation	\$114,083,425	\$113,801,837	\$114,869,514	\$115,896,677	\$116,854,539	\$117,907,137	\$118,963,619	\$120,010,824	\$121,052,160	\$121,995,014	\$122,978,364	\$124,198,082	\$125,173,264	
CWIP Non-Interest Bearing	\$2,298,671	\$517,650	\$588,721	\$991,730	\$1,120,910	\$1,149,881	\$1,320,294	\$1,507,725	\$1,551,070	\$1,664,181	\$1,721,226	\$1,849,602	\$1,774,599	
5. Net Investment (Lines 2 - 3 + 4)	\$314,266,891	\$313,336,874	\$312,402,088	\$311,917,058	\$310,993,250	\$310,065,084	\$309,196,218	\$308,339,449	\$307,407,604	\$306,465,942	\$305,588,878	\$304,690,041	\$303,720,282	
Average Net Investment		\$313,801,882	\$312,869,481	\$312,159,573	\$311,455,154	\$310,529,167	\$309,630,651	\$308,767,833	\$307,873,526	\$306,936,773	\$306,027,410	\$305,139,459	\$304,205,162	
a. Average ITC Balance		\$86,221,201	\$85,877,403	\$85,533,605	\$85,189,807	\$84,846,009	\$84,502,211	\$84,158,413	\$83,814,615	\$83,470,817	\$83,127,019	\$82,783,221	\$82,439,423	
7. Return on Average Net Investment														
a. Equity Component grossed up for taxes (c)(h)		\$1,890,153	\$1,884,384	\$1,879,848	\$1,875,342	\$1,869,608	\$1,864,027	\$1,825,630	\$1,820,190	\$1,814,516	\$1,808,992	\$1,803,587	\$1,797,926	\$22,134,202
b. Debt Component (Line 6 x debt rate x 1/12) (d)(\$375,512	\$374,374	\$373,486	\$372,604	\$371,473	\$370,373	\$369,610	\$368,514	\$367,371	\$366,258	\$365,169	\$364,028	\$4,438,773
8. Investment Expenses														
a. Depreciation (e)		\$1,027,033	\$1,027,790	\$1,027,872	\$1,027,766	\$1,027,767	\$1,027,954	\$1,028,031	\$1,028,114	\$1,028,059	\$1,027,986	\$1,028,284	\$1,028,614	\$12,335,271
b. Amortization (f)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
c. Dismantlement (g)		\$49,555	\$49,555	\$49,555	\$49,555	\$49,555	\$49,555	\$49,555	\$49,555	\$49,555	\$49,555	\$49,555	\$49,555	\$594,660
d. Property Expenses		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
e. Other		(\$451,751)	(\$451,751)	(\$451,751)	(\$451,751)	(\$451,751)	(\$451,751)	(\$451,751)	(\$451,751)	(\$451,751)	(\$451,751)	(\$451,751)	(\$451,751)	(\$5,421,012)
9. Total System Recoverable Costs (Lines 7 & 8)		\$2,890,502	\$2,884,352	\$2.879.010	\$2.873.516	\$2.866.652	\$2,860,158	\$2.821.076	\$2.814.622	\$2.807.750	\$2.801.040	\$2,794,844	\$2,788,373	\$34.081.894

⁽a) Applicable to reserve salvage and removal cost

Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. - Dec. 2020 period is 4.9781% based on the May 2020 Earning Surveillance Report and reflects a 10.55% return on equity.

Return on the Average Unamortized ITC Balance:

⁽b) Applicable beginning of period and end of period depreciable base by production plant name(s), unit(s), or plant account(s). See Form 42-8A, pages 69-72.

⁽c) The Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%. The Equity Component for the Jan. – Jun. 2020 period is 5.0206%, based on May 2019

⁽d) The Debt Component for the Jan. - Jun. 2020 period is 1.3507% is based on the May 2019 Earning Surveillance Report and the Debt Component for

the Jul. - Dec. 2020 period is 1.3538% based on the May 2019 Earning Surveillance Report.

⁽e) Applicable depreciation rate or rates. See Form 42-8A, pages 69-72.

⁽f) Applicable amortization period(s). See Form 42-8A, pages 69-72.

⁽g) Dismantlement only applies to Solar projects - DeSoto (37), NASA (38) & Martin (39).

⁽h) For solar projects the return on investment calculation is comprised of two parts:

Return on the Average Net Investment: See footnotes (b) and (c).

Equity Component: Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%; the Equity Component for the Jan. – Jun. 2020 period of 6.604% based on the May 2019 Earning Surveillance Report

and reflects a 10.55% return on equity, and the Equity Component for the Jul. - Dec. 2020 period of 6.362% based on the May 2020 Earning Surveillance Report reflects a 10.55% return on equity.

Debt Component: the Debt Component for the Jan. - Jun. 2020 period of 1.661% based on the May 2019 Earning Surveillance Report and the Debt Component for the

Jul. - Dec. 2020 period of 1.657% based on the May 2020 Earning Surveillance Report.

	Beginning of Period Amount	January Actual	February Actual	March Actual	April Actual	May Actual	June Actual	July Actual	August Actual	September Actual	October Actual	November Actual	December Actual	Twelve Month Amount
41 - Manatee Temporary Heating System														
Distribution														
1. Investments														
a. Expenditures/Additions		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
b. Clearings to Plant		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
c. Retirements		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Other (a)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
2. Plant-In-Service/Depreciation Base (b)	\$1,417,015	\$1,417,015	\$1,417,015	\$1,417,015	\$1,417,015	\$1,417,015	\$1,417,015	\$1,417,015	\$1,417,015	\$1,417,015	\$1,417,015	\$1,417,015	\$1,417,015	
3a. Less: Accumulated Depreciation	\$1,189,310	\$1,189,310	\$1,189,310	\$1,189,310	\$1,189,310	\$1,189,310	\$1,189,310	\$1,189,310	\$1,189,310	\$1,189,310	\$1,189,310	\$1,189,310	\$1,189,310	
CWIP Non-Interest Bearing	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	
5. Net Investment (Lines 2 - 3 + 4)	\$227,705	\$227,705	\$227,705	\$227,705	\$227,705	\$227,705	\$227,705	\$227,705	\$227,705	\$227,705	\$227,705	\$227,705	\$227,705	
6. Average Net Investment		\$227,705	\$227,705	\$227,705	\$227,705	\$227,705	\$227,705	\$227,705	\$227,705	\$227,705	\$227,705	\$227,705	\$227,705	
7. Return on Average Net Investment														
a. Equity Component grossed up for taxes (c)(h)		\$1,262	\$1,262	\$1,262	\$1,262	\$1,262	\$1,262	\$1,252	\$1,252	\$1,252	\$1,252	\$1,252	\$1,252	\$15,082
b. Debt Component (Line 6 x debt rate x 1/12) (d)(\$256	\$256	\$256	\$256	\$256	\$256	\$257	\$257	\$257	\$257	\$257	\$257	\$3,079
8. Investment Expenses														
a. Depreciation (e)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
b. Amortization (f)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
c. Dismantlement (g)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Property Expenses		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
e. Other		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
9. Total System Recoverable Costs (Lines 7 & 8)		\$1,518	\$1,518	\$1,518	\$1,518	\$1,518	\$1,518	\$1,508	\$1,508	\$1,508	\$1,508	\$1,508	\$1,508	\$18,161

⁽a) Applicable to reserve salvage and removal cost

⁽b) Applicable beginning of period and end of period depreciable base by production plant name(s), unit(s), or plant account(s). See Form 42-8A, pages 69-72.

⁽c) The Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%. The Equity Component for the Jan. – Jun. 2020 period is 5.0206%, based on May 2019

Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. - Dec. 2020 period is 4.9781% based on the May 2020 Earning Surveillance Report and reflects a 10.55% return on equity.

⁽d) The Debt Component for the Jan. – Jun. 2020 period is 1.3507% is based on the May 2019 Earning Surveillance Report and the Debt Component for

the Jul. - Dec. 2020 period is 1.3538% based on the May 2019 Earning Surveillance Report.

⁽e) Applicable depreciation rate or rates. See Form 42-8A, pages 69-72.

⁽f) Applicable amortization period(s). See Form 42-8A, pages 69-72.

⁽g) Dismantlement only applies to Solar projects - DeSoto (37), NASA (38) & Martin (39).

⁽h) For solar projects the return on investment calculation is comprised of two parts:

Return on the Average Net Investment: See footnotes (b) and (c).

Return on the Average Unamortized ITC Balance:

Equity Component: Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%; the Equity Component for the Jan. – Jun. 2020 period of 6.604% based on the May 2019 Earning Surveillance Report

and reflects a 10.55% return on equity, and the Equity Component for the Jul. - Dec. 2020 period of 6.362% based on the May 2020 Earning Surveillance Report reflects a 10.55% return on equity.

Debt Component: the Debt Component for the Jan. - Jun. 2020 period of 1.661% based on the May 2019 Earning Surveillance Report and the Debt Component for the

Jul. – Dec. 2020 period of 1.657% based on the May 2020 Earning Surveillance Report.

	Beginning of Period Amount	January Actual	February Actual	March Actual	April Actual	May Actual	June Actual	July Actual	August Actual	September Actual	October Actual	November Actual	December Actual	Twelve Month Amount
41 - Manatee Temporary Heating System														
Intermediate														
1. Investments														
a. Expenditures/Additions		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
b. Clearings to Plant		\$36,256	\$28	\$431	\$79	\$4,439,770	\$0	\$43	\$0	\$0	\$74	\$0	\$0	\$4,476,682
c. Retirements		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Other (a)		\$0	\$0	\$0	\$0	\$453,549	\$0	\$863	\$0	\$0	\$0	\$0	\$0	\$454,412
2. Plant-In-Service/Depreciation Base (b)	\$13,096,633	\$13,132,888	\$13,132,917	\$13,133,348	\$13,133,427	\$17,573,197	\$17,573,831	\$17,573,875	\$17,573,875	\$17,573,875	\$17,573,949	\$17,573,949	\$17,573,949	
3a. Less: Accumulated Depreciation	\$4,246,609	\$4,341,827	\$4,437,249	\$4,532,673	\$4,628,098	\$5,277,965	\$5,474,293	\$5,671,491	\$5,867,826	\$6,064,162	\$6,260,498	\$6,456,835	\$6,653,173	
CWIP Non-Interest Bearing	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	
5. Net Investment (Lines 2 - 3 + 4)	\$8,850,024	\$8,791,062	\$8,695,667	\$8,600,675	\$8,505,329	\$12,295,232	\$12,099,539	\$11,902,384	\$11,706,048	\$11,509,713	\$11,313,451	\$11,117,114	\$10,920,776	
6. Average Net Investment		\$8,820,543	\$8,743,364	\$8,648,171	\$8,553,002	\$10,400,280	\$12,197,385	\$12,000,961	\$11,804,216	\$11,607,881	\$11,411,582	\$11,215,282	\$11,018,945	
7. Return on Average Net Investment														
a. Equity Component grossed up for taxes (c)(h)		\$48,893	\$48,465	\$47,937	\$47,410	\$57,649	\$67,611	\$65,959	\$64,878	\$63,799	\$62,720	\$61,641	\$60,562	\$697,524
b. Debt Component (Line 6 x debt rate x 1/12) (d)(\$9,928	\$9,842	\$9,734	\$9,627	\$11,707	\$13,729	\$13,539	\$13,318	\$13,096	\$12,875	\$12,653	\$12,432	\$142,480
8. Investment Expenses														
a. Depreciation (e)		\$95,218	\$95,423	\$95,424	\$95,425	\$196,318	\$196,327	\$196,335	\$196,336	\$196,336	\$196,336	\$196,337	\$196,337	\$1,952,151
b. Amortization (f)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
c. Dismantlement (g)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Property Expenses		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
e. Other		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
9. Total System Recoverable Costs (Lines 7 & 8)		\$154,039	\$153,729	\$153,095	\$152,462	\$265,674	\$277,668	\$275,834	\$274,531	\$273,230	\$271,931	\$270,631	\$269,331	\$2,792,155

⁽a) Applicable to reserve salvage and removal cost

⁽b) Applicable beginning of period and end of period depreciable base by production plant name(s), unit(s), or plant account(s). See Form 42-8A, pages 69-72.

⁽c) The Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%. The Equity Component for the Jan. – Jun. 2020 period is 5.0206%, based on May 2019

Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. - Dec. 2020 period is 4.9781% based on the May 2020 Earning Surveillance Report and reflects a 10.55% return on equity.

⁽d) The Debt Component for the Jan. - Jun. 2020 period is 1.3507% is based on the May 2019 Earning Surveillance Report and the Debt Component for

the Jul. – Dec. 2020 period is 1.3538% based on the May 2019 Earning Surveillance Report.

⁽e) Applicable depreciation rate or rates. See Form 42-8A, pages 69-72.

⁽f) Applicable amortization period(s). See Form 42-8A, pages 69-72.

⁽g) Dismantlement only applies to Solar projects - DeSoto (37), NASA (38) & Martin (39).

⁽h) For solar projects the return on investment calculation is comprised of two parts:

Return on the Average Net Investment: See footnotes (b) and (c).

Return on the Average Unamortized ITC Balance:

Equity Component: Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%; the Equity Component for the Jan. – Jun. 2020 period of 6.604% based on the May 2019 Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. – Dec. 2020 period of 6.362% based on the May 2020 Earning Surveillance Report reflects a 10.55% return on equity.

Debt Component: the Debt Component for the Jan. - Jun. 2020 period of 1.661% based on the May 2019 Earning Surveillance Report and the Debt Component for the

Jul. - Dec. 2020 period of 1.657% based on the May 2020 Earning Surveillance Report.

	Beginning of Period Amount	January Actual	February Actual	March Actual	April Actual	May Actual	June Actual	July Actual	August Actual	September Actual	October Actual	November Actual	December Actual	Twelve Month Amount
41 - Manatee Temporary Heating System														
Peaking														
1. Investments														
a. Expenditures/Additions	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
b. Clearings to Plant	\$0	\$19,549	\$36	\$0	\$101	(\$4,439,156)	\$0	\$0	\$0	\$0	\$0	\$0	\$0	(\$4,419,469)
c. Retirements	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Other (a)	\$0	\$0	\$0	\$0	\$0	(\$453,549)	\$0	\$0	\$0	\$0	\$0	\$0	\$0	(\$453,549)
Plant-In-Service/Depreciation Base (b)	\$4,419,469	\$4,439,019	\$4,439,055	\$4,439,055	\$4,439,156									
3a. Less: Accumulated Depreciation	\$50,221	\$150,886	\$251,773	\$352,660	\$453,549	(\$0)	(\$0)	(\$0)	(\$0)	(\$0)	(\$0)	(\$0)	(\$0)	
CWIP Non-Interest Bearing	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	
5. Net Investment (Lines 2 - 3 + 4)	\$4,369,248	\$4,288,133	\$4,187,282	\$4,086,395	\$3,985,607	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	
6. Average Net Investment		\$4,328,691	\$4,237,708	\$4,136,838	\$4,036,001	\$1,992,803	\$0	\$0	\$0	\$0	\$0	\$0	\$0	
7. Return on Average Net Investment														
a. Equity Component grossed up for taxes (c)(h)	\$0	\$23,994	\$23,490	\$22,931	\$22,372	\$11,046	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$103,833
b. Debt Component (Line 6 x debt rate x 1/12) (d)(\$0	\$4,872	\$4,770	\$4,656	\$4,543	\$2,243	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$21,085
8. Investment Expenses														
a. Depreciation (e)	\$0	\$100,665	\$100,887	\$100,888	\$100,889	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$403,328
b. Amortization (f)	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
c. Dismantlement (g)	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Property Expenses	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
e. Other	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
9. Total System Recoverable Costs (Lines 7 & 8)	\$0	\$129,531	\$129,147	\$128,475	\$127,803	\$13,289	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$528,245

⁽a) Applicable to reserve salvage and removal cost

⁽b) Applicable beginning of period and end of period depreciable base by production plant name(s), unit(s), or plant account(s). See Form 42-8A, pages 69-72.

⁽c) The Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%. The Equity Component for the Jan. – Jun. 2020 period is 5.0206%, based on May 2019

Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. - Dec. 2020 period is 4.9781% based on the May 2020 Earning Surveillance Report and reflects a 10.55% return on equity.

⁽d) The Debt Component for the Jan. - Jun. 2020 period is 1.3507% is based on the May 2019 Earning Surveillance Report and the Debt Component for

the Jul. – Dec. 2020 period is 1.3538% based on the May 2019 Earning Surveillance Report.

⁽e) Applicable depreciation rate or rates. See Form 42-8A, pages 69-72.

⁽f) Applicable amortization period(s). See Form 42-8A, pages 69-72.

⁽g) Dismantlement only applies to Solar projects - DeSoto (37), NASA (38) & Martin (39).

⁽h) For solar projects the return on investment calculation is comprised of two parts:

Return on the Average Net Investment: See footnotes (b) and (c).

Return on the Average Unamortized ITC Balance:

Equity Component: Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%; the Equity Component for the Jan. – Jun. 2020 period of 6.604% based on the May 2019 Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. – Dec. 2020 period of 6.362% based on the May 2020 Earning Surveillance Report reflects a 10.55% return on equity.

Debt Component: the Debt Component for the Jan. - Jun. 2020 period of 1.661% based on the May 2019 Earning Surveillance Report and the Debt Component for the

Jul. – Dec. 2020 period of 1.657% based on the May 2020 Earning Surveillance Report.

	Beginning of Period Amount	January Actual	February Actual	March Actual	April Actual	May Actual	June Actual	July Actual	August Actual	September Actual	October Actual	November Actual	December Actual	Twelve Month Amount
41 - Manatee Temporary Heating System														
Transmission														
1. Investments														
a. Expenditures/Additions		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
b. Clearings to Plant		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
c. Retirements		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Other (a)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
2. Plant-In-Service/Depreciation Base (b)	\$276,404	\$276,404	\$276,404	\$276,404	\$276,404	\$276,404	\$276,404	\$276,404	\$276,404	\$276,404	\$276,404	\$276,404	\$276,404	
3a. Less: Accumulated Depreciation	\$276,404	\$276,404	\$276,404	\$276,404	\$276,404	\$276,404	\$276,404	\$276,404	\$276,404	\$276,404	\$276,404	\$276,404	\$276,404	
CWIP Non-Interest Bearing	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	
5. Net Investment (Lines 2 - 3 + 4)	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	
6. Average Net Investment		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	
7. Return on Average Net Investment														
a. Equity Component grossed up for taxes (c)(h)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
b. Debt Component (Line 6 x debt rate x 1/12) (d)(\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
8. Investment Expenses														
a. Depreciation (e)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
b. Amortization (f)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
c. Dismantlement (g)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Property Expenses		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
e. Other		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
9. Total System Recoverable Costs (Lines 7 & 8)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0

- (a) Applicable to reserve salvage and removal cost
- (b) Applicable beginning of period and end of period depreciable base by production plant name(s), unit(s), or plant account(s). See Form 42-8A, pages 69-72.
- (c) The Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%. The Equity Component for the Jan. Jun. 2020 period is 5.0206%, based on May 2019
- Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. Dec. 2020 period is 4.9781% based on the May 2020 Earning Surveillance Report and reflects a 10.55% return on equity.
- (d) The Debt Component for the Jan. Jun. 2020 period is 1.3507% is based on the May 2019 Earning Surveillance Report and the Debt Component for
- the Jul. Dec. 2020 period is 1.3538% based on the May 2019 Earning Surveillance Report.
- (e) Applicable depreciation rate or rates. See Form 42-8A, pages 69-72.
- (f) Applicable amortization period(s). See Form 42-8A, pages 69-72.
- (g) Dismantlement only applies to Solar projects DeSoto (37), NASA (38) & Martin (39).
- (h) For solar projects the return on investment calculation is comprised of two parts:
- Return on the Average Net Investment: See footnotes (b) and (c).
- Return on the Average Unamortized ITC Balance:
- Equity Component: Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%; the Equity Component for the Jan. Jun. 2020 period of 6.604% based on the May 2019 Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. Dec. 2020 period of 6.362% based on the May 2020 Earning Surveillance Report reflects a 10.55% return on equity.
- Debt Component: the Debt Component for the Jan. Jun. 2020 period of 1.661% based on the May 2019 Earning Surveillance Report and the Debt Component for the
- Jul. Dec. 2020 period of 1.657% based on the May 2020 Earning Surveillance Report.

	Beginning of Period Amount	January Actual	February Actual	March Actual	April Actual	May Actual	June Actual	July Actual	August Actual	September Actual	October Actual	November Actual	December Actual	Twelve Month Amount
42 - Turkey Point Cooling Canal Monitoring Plan														
Base														
1. Investments														
a. Expenditures/Additions		\$550,722	\$350,772	\$396,584	\$1,096,833	(\$14,453,196)	\$1,050,400	\$959,988	(\$1,112,658)	\$883,797	(\$5,540)	\$186,136	(\$5,677,345)	(\$15,773,508)
b. Clearings to Plant		\$714,322	\$0	\$0	\$0	\$0	\$0	\$0	\$1,904,966	\$4,781	\$430,715	\$13,138	\$20,732,087	\$23,800,010
c. Retirements		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Other (a)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
2. Plant-In-Service/Depreciation Base (b)	\$40,096,965	\$40,811,287	\$40,811,287	\$40,811,287	\$40,811,287	\$40,811,287	\$40,811,287	\$40,811,287	\$42,716,253	\$42,721,035	\$43,151,750	\$43,164,888	\$63,896,975	
3a. Less: Accumulated Depreciation	\$3,321,476	\$3,427,236	\$3,534,089	\$3,640,942	\$3,747,794	\$3,854,647	\$3,961,500	\$4,068,352	\$4,178,744	\$4,292,683	\$4,409,866	\$4,530,433	\$4,697,694	
CWIP Non-Interest Bearing	\$16,168,005	\$16,718,726	\$17,069,499	\$17,466,083	\$18,562,916	\$4,109,720	\$5,160,120	\$6,120,108	\$5,007,449	\$5,891,246	\$5,885,706	\$6,071,842	\$394,497	
5. Net Investment (Lines 2 - 3 + 4)	\$52,943,494	\$54,102,777	\$54,346,697	\$54,636,429	\$55,626,409	\$41,066,360	\$42,009,908	\$42,863,042	\$43,544,959	\$44,319,597	\$44,627,589	\$44,706,297	\$59,593,778	
6. Average Net Investment		\$53,523,136	\$54,224,737	\$54,491,563	\$55,131,419	\$48,346,384	\$41,538,134	\$42,436,475	\$43,204,001	\$43,932,278	\$44,473,593	\$44,666,943	\$52,150,038	
7. Return on Average Net Investment														
a. Equity Component grossed up for taxes (c)(h)		\$296,682	\$300,571	\$302,050	\$305,597	\$267,987	\$230,248	\$233,238	\$237,456	\$241,459	\$244,434	\$245,497	\$286,625	\$3,191,842
b. Debt Component (Line 6 x debt rate x 1/12) (d)(\$60,246	\$61,035	\$61,336	\$62,056	\$54,419	\$46,755	\$47,877	\$48,743	\$49,564	\$50,175	\$50,393	\$58,836	\$651,435
8. Investment Expenses														
a. Depreciation (e)		\$105,760	\$106,853	\$106,853	\$106,853	\$106,853	\$106,853	\$106,853	\$110,391	\$113,939	\$117,184	\$120,566	\$167,262	\$1,376,219
b. Amortization (f)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
c. Dismantlement (g)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Property Expenses		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
e. Other		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
9. Total System Recoverable Costs (Lines 7 & 8)		\$462,688	\$468,459	\$470,238	\$474,505	\$429,258	\$383,856	\$387,967	\$396,590	\$404,962	\$411,793	\$416,456	\$512,722	\$5,219,496

⁽a) Applicable to reserve salvage and removal cost

⁽b) Applicable beginning of period and end of period depreciable base by production plant name(s), unit(s), or plant account(s). See Form 42-8A, pages 69-72.

⁽c) The Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%. The Equity Component for the Jan. – Jun. 2020 period is 5.0206%, based on May 2019

Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. - Dec. 2020 period is 4.9781% based on the May 2020 Earning Surveillance Report and reflects a 10.55% return on equity.

⁽d) The Debt Component for the Jan. – Jun. 2020 period is 1.3507% is based on the May 2019 Earning Surveillance Report and the Debt Component for

the Jul. - Dec. 2020 period is 1.3538% based on the May 2019 Earning Surveillance Report.

⁽e) Applicable depreciation rate or rates. See Form 42-8A, pages 69-72.

⁽f) Applicable amortization period(s). See Form 42-8A, pages 69-72.

⁽g) Dismantlement only applies to Solar projects - DeSoto (37), NASA (38) & Martin (39).

⁽h) For solar projects the return on investment calculation is comprised of two parts:

Return on the Average Net Investment: See footnotes (b) and (c).

Return on the Average Unamortized ITC Balance:

Equity Component: Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%; the Equity Component for the Jan. – Jun. 2020 period of 6.604% based on the May 2019 Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. – Dec. 2020 period of 6.362% based on the May 2020 Earning Surveillance Report reflects a 10.55% return on equity.

Debt Component: the Debt Component for the Jan. - Jun. 2020 period of 1.661% based on the May 2019 Earning Surveillance Report and the Debt Component for the

Jul. - Dec. 2020 period of 1.657% based on the May 2020 Earning Surveillance Report.

JANUARY 2020 THROUGH DECEMBER 2020

	Beginning of Period Amount	January Actual	February Actual	March Actual	April Actual	May Actual	June Actual	July Actual	August Actual	September Actual	October Actual	November Actual	December Actual	Twelve Month Amount
42 - Turkey Point Cooling Canal Monitoring Plan														
Intermediate														
1. Investments														
a. Expenditures/Additions		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
b. Clearings to Plant		\$0	\$0	\$0	\$0	\$14,859,266	\$100,289	(\$593)	\$2,720	(\$9,028)	\$13,490	(\$9,802)	(\$14,956,343)	\$0
c. Retirements		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Other (a)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
2. Plant-In-Service/Depreciation Base (b)						\$14,859,266	\$14,959,555	\$14,958,963	\$14,961,683	\$14,952,654	\$14,966,144	\$14,956,343		
3a. Less: Accumulated Depreciation						\$14,426	\$43,375	\$72,421	\$101,469	\$130,511	\$159,557	\$188,607	\$203,127	
CWIP Non-Interest Bearing	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	
5. Net Investment (Lines 2 - 3 + 4)	\$0	\$0	\$0	\$0	\$0	\$14,844,840	\$14,916,180	\$14,886,542	\$14,860,214	\$14,822,144	\$14,806,587	\$14,767,736	(\$203,127)	
6. Average Net Investment		\$0	\$0	\$0	\$0	\$7,422,420	\$14,880,510	\$14,901,361	\$14,873,378	\$14,841,179	\$14,814,366	\$14,787,162	\$7,282,305	
7. Return on Average Net Investment														
a. Equity Component grossed up for taxes (c)(h)		\$0	\$0	\$0	\$0	\$41,143	\$82,484	\$81,900	\$81,746	\$81,569	\$81,422	\$81,273	\$40,025	\$571,562
b. Debt Component (Line 6 x debt rate x 1/12) (d)(I	n)	\$0	\$0	\$0	\$0	\$8,355	\$16,750	\$16,812	\$16,780	\$16,744	\$16,714	\$16,683	\$8,216	\$117,052
8. Investment Expenses														
a. Depreciation (e)		\$0	\$0	\$0	\$0	\$14,426	\$28,949	\$29,046	\$29,048	\$29,042	\$29,046	\$29,050	\$14,520	\$203,127
b. Amortization (f)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
c. Dismantlement (g)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Property Expenses		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
e. Other		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
9. Total System Recoverable Costs (Lines 7 & 8)		\$0	\$0	\$0	\$0	\$63,923	\$128,182	\$127,758	\$127,575	\$127,355	\$127,182	\$127,005	\$62,761	\$891,741

- (a) Applicable to reserve salvage and removal cost
- (b) Applicable beginning of period and end of period depreciable base by production plant name(s), unit(s), or plant account(s). See Form 42-8A, pages 69-72.
- (c) The Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%. The Equity Component for the Jan. Jun. 2020 period is 5.0206%, based on May 2019

Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. – Dec. 2020 period is 4.9781% based on the May 2020 Earning Surveillance Report and reflects a 10.55% return on equity.

- (d) The Debt Component for the Jan. Jun. 2020 period is 1.3507% is based on the May 2019 Earning Surveillance Report and the Debt Component for
- the Jul. Dec. 2020 period is 1.3538% based on the May 2019 Earning Surveillance Report.
- (e) Applicable depreciation rate or rates. See Form 42-8A, pages 69-72.
- (f) Applicable amortization period(s). See Form 42-8A, pages 69-72.
- (g) Dismantlement only applies to Solar projects DeSoto (37), NASA (38) & Martin (39).
- (h) For solar projects the return on investment calculation is comprised of two parts:

Return on the Average Net Investment: See footnotes (b) and (c).

Return on the Average Unamortized ITC Balance:

Equity Component: Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%; the Equity Component for the Jan. – Jun. 2020 period of 6.604% based on the May 2019 Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. – Dec. 2020 period of 6.362% based on the May 2020 Earning Surveillance Report reflects a 10.55% return on equity.

Debt Component: the Debt Component for the Jan. – Jun. 2020 period of 1.661% based on the May 2019 Earning Surveillance Report and the Debt Component for the

	Beginning of Period Amount	January Actual	February Actual	March Actual	April Actual	May Actual	June Actual	July Actual	August Actual	September Actual	October Actual	November Actual	December Actual	Twelve Month Amount
44 - Martin Plant Barley Barber Swamp Iron Mitigation														
Intermediate														
1. Investments														
a. Expenditures/Additions		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
b. Clearings to Plant		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
c. Retirements		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Other (a)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
2. Plant-In-Service/Depreciation Base (b)	\$93,890	\$93,890	\$93,890	\$93,890	\$93,890	\$93,890	\$93,890	\$93,890	\$93,890	\$93,890	\$93,890	\$93,890	\$93,890	
3a. Less: Accumulated Depreciation	\$17,993	\$18,190	\$18,388	\$18,585	\$18,782	\$18,979	\$19,176	\$19,373	\$19,571	\$19,768	\$19,965	\$20,162	\$20,359	
CWIP Non-Interest Bearing	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	
5. Net Investment (Lines 2 - 3 + 4)	\$75,896	\$75,699	\$75,502	\$75,305	\$75,108	\$74,910	\$74,713	\$74,516	\$74,319	\$74,122	\$73,925	\$73,727	\$73,530	
6. Average Net Investment		\$75,798	\$75,601	\$75,403	\$75,206	\$75,009	\$74,812	\$74,615	\$74,418	\$74,220	\$74,023	\$73,826	\$73,629	
7. Return on Average Net Investment														
a. Equity Component grossed up for taxes (c)(h)		\$420	\$419	\$418	\$417	\$416	\$415	\$410	\$409	\$408	\$407	\$406	\$405	\$4,949
b. Debt Component (Line 6 x debt rate x 1/12) (d)		\$85	\$85	\$85	\$85	\$84	\$84	\$84	\$84	\$84	\$84	\$83	\$83	\$1,010
8. Investment Expenses														
a. Depreciation (e)		\$197	\$197	\$197	\$197	\$197	\$197	\$197	\$197	\$197	\$197	\$197	\$197	\$2,366
b. Amortization (f)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
c. Dismantlement (g)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Property Expenses		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
e. Other		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
9. Total System Recoverable Costs (Lines 7 & 8)		\$703	\$701	\$700	\$699	\$697	\$696	\$691	\$690	\$689	\$688	\$686	\$685	\$8,325

⁽a) Applicable to reserve salvage and removal cost

⁽b) Applicable beginning of period and end of period depreciable base by production plant name(s), unit(s), or plant account(s). See Form 42-8A, pages 69-72.

⁽c) The Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%. The Equity Component for the Jan. – Jun. 2020 period is 5.0206%, based on May 2019

Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. – Dec. 2020 period is 4.9781% based on the May 2020 Earning Surveillance Report and reflects a 10.55% return on equity.

⁽d) The Debt Component for the Jan. – Jun. 2020 period is 1.3507% is based on the May 2019 Earning Surveillance Report and the Debt Component for

the Jul. - Dec. 2020 period is 1.3538% based on the May 2019 Earning Surveillance Report.

⁽e) Applicable depreciation rate or rates. See Form 42-8A, pages 69-72.

⁽f) Applicable amortization period(s). See Form 42-8A, pages 69-72.

⁽g) Dismantlement only applies to Solar projects - DeSoto (37), NASA (38) & Martin (39).

⁽h) For solar projects the return on investment calculation is comprised of two parts:

Return on the Average Net Investment: See footnotes (b) and (c).

Return on the Average Unamortized ITC Balance:

Equity Component: Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%; the Equity Component for the Jan. – Jun. 2020 period of 6.604% based on the May 2019 Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. – Dec. 2020 period of 6.362% based on the May 2020 Earning Surveillance Report reflects a 10.55% return on equity.

Debt Component: the Debt Component for the Jan. - Jun. 2020 period of 1.661% based on the May 2019 Earning Surveillance Report and the Debt Component for the

Jul. - Dec. 2020 period of 1.657% based on the May 2020 Earning Surveillance Report.

	Beginning of Period Amount	January Actual	February Actual	March Actual	April Actual	May Actual	June Actual	July Actual	August Actual	September Actual	October Actual	November Actual	December Actual	Twelve Month Amount
44 - Martin Plant Barley Barber Swamp Iron Mitigation														
Peaking														
1. Investments														
a. Expenditures/Additions		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
b. Clearings to Plant		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
c. Retirements		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Other (a)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
2. Plant-In-Service/Depreciation Base (b)	\$70,829	\$70,829	\$70,829	\$70,829	\$70,829	\$70,829	\$70,829	\$70,829	\$70,829	\$70,829	\$70,829	\$70,829	\$70,829	
3a. Less: Accumulated Depreciation	\$13,574	\$13,723	\$13,871	\$14,020	\$14,169	\$14,318	\$14,466	\$14,615	\$14,764	\$14,913	\$15,061	\$15,210	\$15,359	
CWIP Non-Interest Bearing	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	
5. Net Investment (Lines 2 - 3 + 4)	\$57,255	\$57,106	\$56,958	\$56,809	\$56,660	\$56,511	\$56,363	\$56,214	\$56,065	\$55,916	\$55,768	\$55,619	\$55,470	•
6. Average Net Investment		\$57,181	\$57,032	\$56,883	\$56,734	\$56,586	\$56,437	\$56,288	\$56,140	\$55,991	\$55,842	\$55,693	\$55,545	
7. Return on Average Net Investment														
a. Equity Component grossed up for taxes (c)(h)		\$317	\$316	\$315	\$314	\$314	\$313	\$309	\$309	\$308	\$307	\$306	\$305	\$3,733
b. Debt Component (Line 6 x debt rate x 1/12) (d)	(\$64	\$64	\$64	\$64	\$64	\$64	\$64	\$63	\$63	\$63	\$63	\$63	\$762
8. Investment Expenses														
a. Depreciation (e)		\$149	\$149	\$149	\$149	\$149	\$149	\$149	\$149	\$149	\$149	\$149	\$149	\$1,785
b. Amortization (f)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
c. Dismantlement (g)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Property Expenses		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
e. Other		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
9. Total System Recoverable Costs (Lines 7 & 8)		\$530	\$529	\$528	\$527	\$526	\$525	\$522	\$521	\$520	\$519	\$518	\$517	\$6,280

⁽a) Applicable to reserve salvage and removal cost

⁽b) Applicable beginning of period and end of period depreciable base by production plant name(s), unit(s), or plant account(s). See Form 42-8A, pages 69-72.

⁽c) The Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%. The Equity Component for the Jan. - Jun. 2020 period is 5.0206%, based on May 2019

Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. – Dec. 2020 period is 4.9781% based on the May 2020 Earning Surveillance Report and reflects a 10.55% return on equity.

⁽d) The Debt Component for the Jan. – Jun. 2020 period is 1.3507% is based on the May 2019 Earning Surveillance Report and the Debt Component for

the Jul. – Dec. 2020 period is 1.3538% based on the May 2019 Earning Surveillance Report.

⁽e) Applicable depreciation rate or rates. See Form 42-8A, pages 69-72.

⁽f) Applicable amortization period(s). See Form 42-8A, pages 69-72.

⁽g) Dismantlement only applies to Solar projects - DeSoto (37), NASA (38) & Martin (39).

⁽h) For solar projects the return on investment calculation is comprised of two parts:

Return on the Average Net Investment: See footnotes (b) and (c).

Return on the Average Unamortized ITC Balance:

Equity Component: Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%; the Equity Component for the Jan. – Jun. 2020 period of 6.604% based on the May 2019 Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. – Dec. 2020 period of 6.362% based on the May 2020 Earning Surveillance Report reflects a 10.55% return on equity.

Debt Component: the Debt Component for the Jan. – Jun. 2020 period of 1.661% based on the May 2019 Earning Surveillance Report and the Debt Component for the

 $[\]label{eq:Jule-Dec.2020} \textit{Jul.} - \textit{Dec. 2020 period of } 1.657\% \ \textit{based on the May 2020 Earning Surveillance Report.}$

JANUARY 2020 THROUGH DECEMBER 2020

	Beginning of Period Amount	January Actual	February Actual	March Actual	April Actual	May Actual	June Actual	July Actual	August Actual	September Actual	October Actual	November Actual	December Actual	Twelve Month Amount
45 - 800 MW Unit ESP														
Intermediate														
1. Investments														
a. Expenditures/Additions		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
b. Clearings to Plant		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
c. Retirements		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Other (a)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
2. Plant-In-Service/Depreciation Base (b)	\$63,759	\$63,759	\$63,759	\$63,759	\$63,759	\$63,759	\$63,759	\$63,759	\$63,759	\$63,759	\$63,759	\$63,759	\$63,759	
3a. Less: Accumulated Depreciation	\$16,482	\$16,887	\$17,292	\$17,697	\$18,102	\$18,506	\$18,911	\$19,316	\$19,721	\$20,126	\$20,531	\$20,936	\$21,340	
CWIP Non-Interest Bearing	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	
5. Net Investment (Lines 2 - 3 + 4)	\$47,276	\$46,872	\$46,467	\$46,062	\$45,657	\$45,252	\$44,847	\$44,442	\$44,038	\$43,633	\$43,228	\$42,823	\$42,418	
6. Average Net Investment		\$47,074	\$46,669	\$46,264	\$45,859	\$45,455	\$45,050	\$44,645	\$44,240	\$43,835	\$43,430	\$43,025	\$42,620	
7. Return on Average Net Investment														
a. Equity Component grossed up for taxes (c)(h)		\$261	\$259	\$256	\$254	\$252	\$250	\$245	\$243	\$241	\$239	\$236	\$234	\$2,971
b. Debt Component (Line 6 x debt rate x 1/12) (d)(\$53	\$53	\$52	\$52	\$51	\$51	\$50	\$50	\$49	\$49	\$49	\$48	\$606
8. Investment Expenses														
a. Depreciation (e)		\$405	\$405	\$405	\$405	\$405	\$405	\$405	\$405	\$405	\$405	\$405	\$405	\$4,858
b. Amortization (f)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
c. Dismantlement (g)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Property Expenses		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
e. Other		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
9. Total System Recoverable Costs (Lines 7 & 8)		\$719	\$716	\$713	\$711	\$708	\$705	\$701	\$698	\$695	\$693	\$690	\$687	\$8,436

⁽a) Applicable to reserve salvage and removal cost

⁽b) Applicable beginning of period and end of period depreciable base by production plant name(s), unit(s), or plant account(s). See Form 42-8A, pages 69-72.

⁽c) The Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%. The Equity Component for the Jan. – Jun. 2020 period is 5.0206%, based on May 2019

Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. – Dec. 2020 period is 4.9781% based on the May 2020 Earning Surveillance Report and reflects a 10.55% return on equity.

⁽d) The Debt Component for the Jan. – Jun. 2020 period is 1.3507% is based on the May 2019 Earning Surveillance Report and the Debt Component for

the Jul. - Dec. 2020 period is 1.3538% based on the May 2019 Earning Surveillance Report.

⁽e) Applicable depreciation rate or rates. See Form 42-8A, pages 69-72.

⁽f) Applicable amortization period(s). See Form 42-8A, pages 69-72.

⁽g) Dismantlement only applies to Solar projects - DeSoto (37), NASA (38) & Martin (39).

⁽h) For solar projects the return on investment calculation is comprised of two parts:

Return on the Average Net Investment: See footnotes (b) and (c).

Return on the Average Unamortized ITC Balance:

Equity Component: Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%; the Equity Component for the Jan. – Jun. 2020 period of 6.604% based on the May 2019 Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. – Dec. 2020 period of 6.362% based on the May 2020 Earning Surveillance Report reflects a 10.55% return on equity.

Debt Component: the Debt Component for the Jan. - Jun. 2020 period of 1.661% based on the May 2019 Earning Surveillance Report and the Debt Component for the

Jul. - Dec. 2020 period of 1.657% based on the May 2020 Earning Surveillance Report.

JANUARY 2020 THROUGH DECEMBER 2020

	Beginning of Period Amount	January Actual	February Actual	March Actual	April Actual	May Actual	June Actual	July Actual	August Actual	September Actual	October Actual	November Actual	December Actual	Twelve Month Amount
45 - 800 MW Unit ESP														
Peaking														
1. Investments														
a. Expenditures/Additions		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
b. Clearings to Plant		\$0	\$404,851	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$404,851
c. Retirements		\$0	\$404,851	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$404,851
d. Other (a)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
2. Plant-In-Service/Depreciation Base (b)	\$107,963,814	\$107,963,814	\$108,368,665	\$108,369,392	\$108,369,392	\$108,369,392	\$108,369,392	\$108,369,392	\$108,369,392	\$108,369,392	\$108,369,392	\$108,369,392	\$108,369,392	
3a. Less: Accumulated Depreciation	(\$65,627,065)	(\$65,197,468)	(\$64,362,179)	(\$63,930,791)	(\$63,499,404)	(\$63,068,016)	(\$62,636,628)	(\$62,205,241)	(\$61,773,853)	(\$61,342,466)	(\$60,911,078)	(\$60,479,690)	(\$60,048,303)	
CWIP Non-Interest Bearing	(\$378)	(\$378)	(\$378)	(\$378)	(\$378)	(\$378)	(\$378)							
5. Net Investment (Lines 2 - 3 + 4)	\$173,590,500	\$173,160,904	\$172,730,466	\$172,299,805	\$171,868,418	\$171,437,030	\$171,005,643	\$170,574,633	\$170,143,245	\$169,711,858	\$169,280,470	\$168,849,083	\$168,417,695	
6. Average Net Investment		\$173,375,702	\$172,945,685	\$172,515,135	\$172,084,112	\$171,652,724	\$171,221,336	\$170,790,138	\$170,358,939	\$169,927,552	\$169,496,164	\$169,064,776	\$168,633,389	
7. Return on Average Net Investment														
a. Equity Component grossed up for taxes (c)(h)		\$961,032	\$958,648	\$956,262	\$953,872	\$951,481	\$949,090	\$938,690	\$936,320	\$933,949	\$931,578	\$929,207	\$926,836	\$11,326,963
b. Debt Component (Line 6 x debt rate x 1/12) (d)(\$195,152	\$194,668	\$194,183	\$193,698	\$193,212	\$192,727	\$192,685	\$192,199	\$191,712	\$191,226	\$190,739	\$190,252	\$2,312,453
		0	0	0	0	0	0	0	0	0	0	0	0	0
8. Investment Expenses		0	0	0	0	0	0	0	0	0	0	0	0	0
a. Depreciation (e)		\$429,597	\$430,438	\$431,388	\$431,388	\$431,388	\$431,388	\$431,388	\$431,388	\$431,388	\$431,388	\$431,388	\$431,388	\$5,173,911
b. Amortization (f)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
c. Dismantlement (g)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Property Expenses		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
e. Other		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
9. Total System Recoverable Costs (Lines 7 & 8)		\$1,585,780	\$1,583,754	\$1,581,832	\$1,578,958	\$1,576,081	\$1,573,204	\$1,562,763	\$1,559,906	\$1,557,049	\$1,554,191	\$1,551,333	\$1,548,476	\$18,813,326

⁽a) Applicable to reserve salvage and removal cost

⁽b) Applicable beginning of period and end of period depreciable base by production plant name(s), unit(s), or plant account(s). See Form 42-8A, pages 69-72.

⁽c) The Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%. The Equity Component for the Jan. - Jun. 2020 period is 5.0206%, based on May 2019

Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. - Dec. 2020 period is 4.9781% based on the May 2020 Earning Surveillance Report and reflects a 10.55% return on equity.

⁽d) The Debt Component for the Jan. – Jun. 2020 period is 1.3507% is based on the May 2019 Earning Surveillance Report and the Debt Component for

the Jul. - Dec. 2020 period is 1.3538% based on the May 2019 Earning Surveillance Report.

⁽e) Applicable depreciation rate or rates. See Form 42-8A, pages 69-72.

⁽f) Applicable amortization period(s). See Form 42-8A, pages 69-72.

⁽g) Dismantlement only applies to Solar projects - DeSoto (37), NASA (38) & Martin (39).

⁽h) For solar projects the return on investment calculation is comprised of two parts:

Return on the Average Net Investment: See footnotes (b) and (c).

Return on the Average Unamortized ITC Balance:

Equity Component: Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%; the Equity Component for the Jan. – Jun. 2020 period of 6.604% based on the May 2019 Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. – Dec. 2020 period of 6.362% based on the May 2020 Earning Surveillance Report reflects a 10.55% return on equity.

Debt Component: the Debt Component for the Jan. – Jun. 2020 period of 1.661% based on the May 2019 Earning Surveillance Report and the Debt Component for the

 $[\]label{eq:Jule_Jule} \textit{Jul.} - \textit{Dec. } \textit{2020 period of } \textit{1.657\% based on the May 2020 Earning Surveillance Report.}$

JANUARY 2020 THROUGH DECEMBER 2020

	Beginning of Period Amount	January Actual	February Actual	March Actual	April Actual	May Actual	June Actual	July Actual	August Actual	September Actual	October Actual	November Actual	December Actual	Twelve Month Amount
47 - NPDES Permit Renewal Requirements														
Base														
1. Investments														
a. Expenditures/Additions	\$0	\$0	\$0	\$0	\$0	\$2,266	\$135,188	\$494,739	\$464,995	(\$15,958)	\$16,156	\$15,414	\$1,193,846	\$2,306,647
b. Clearings to Plant	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
c. Retirements	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Other (a)	\$0	\$0	\$0	\$0	\$0	\$0	(\$0)	(\$1)	(\$1)	\$0	\$0	(\$0)	(\$1)	(\$3)
2. Plant-In-Service/Depreciation Base (b)														
3a. Less: Accumulated Depreciation							(\$0)	(\$1)	(\$1)	(\$1)	(\$1)	(\$1)	(\$3)	
CWIP Non-Interest Bearing	\$0	\$0	\$0	\$0	\$0	\$2,266	\$173,192	\$667,931	\$1,132,926	\$1,116,968	\$1,133,125	\$1,148,539	\$2,342,385	
5. Net Investment (Lines 2 - 3 + 4)	\$0	\$0	\$0	\$0	\$0	\$2,266	\$173,193	\$667,932	\$1,132,927	\$1,116,970	\$1,133,126	\$1,148,540	\$2,342,388	
6. Average Net Investment		\$0	\$0	\$0	\$0	\$1,133	\$87,729	\$420,562	\$900,430	\$1,124,949	\$1,125,048	\$1,140,833	\$1,745,464	
7. Return on Average Net Investment														
a. Equity Component grossed up for taxes (c)(h)		\$0	\$0	\$0	\$0	\$6	\$486	\$2,311	\$4,949	\$6,183	\$6,183	\$6,270	\$9,593	\$35,983
b. Debt Component (Line 6 x debt rate x 1/12) (d)(l	h)	\$0	\$0	\$0	\$0	\$1	\$99	\$474	\$1,016	\$1,269	\$1,269	\$1,287	\$1,969	\$7,385
8. Investment Expenses														
a. Depreciation (e)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
b. Amortization (f)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
c. Dismantlement (g)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Property Expenses		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
e. Other		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
9. Total System Recoverable Costs (Lines 7 & 8)		\$0	\$0	\$0	\$0	\$8	\$585	\$2,786	\$5,965	\$7,452	\$7,453	\$7,557	\$11,563	\$43,368

- (a) Applicable to reserve salvage and removal cost
- (b) Applicable beginning of period and end of period depreciable base by production plant name(s), unit(s), or plant account(s). See Form 42-8A, pages 69-72.
- (c) The Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%. The Equity Component for the Jan. Jun. 2020 period is 5.0206%, based on May 2019

Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. - Dec. 2020 period is 4.9781% based on the May 2020 Earning Surveillance Report and reflects a 10.55% return on equity.

- (d) The Debt Component for the Jan. Jun. 2020 period is 1.3507% is based on the May 2019 Earning Surveillance Report and the Debt Component for
- the Jul. Dec. 2020 period is 1.3538% based on the May 2019 Earning Surveillance Report.
- (e) Applicable depreciation rate or rates. See Form 42-8A, pages 69-72.
- (f) Applicable amortization period(s). See Form 42-8A, pages 69-72.
- (g) Dismantlement only applies to Solar projects DeSoto (37), NASA (38) & Martin (39).
- (h) For solar projects the return on investment calculation is comprised of two parts:

Return on the Average Net Investment: See footnotes (b) and (c).

Return on the Average Unamortized ITC Balance:

Equity Component: Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%; the Equity Component for the Jan. – Jun. 2020 period of 6.604% based on the May 2019 Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. – Dec. 2020 period of 6.362% based on the May 2020 Earning Surveillance Report reflects a 10.55% return on equity.

Debt Component: the Debt Component for the Jan. – Jun. 2020 period of 1.661% based on the May 2019 Earning Surveillance Report and the Debt Component for the

JANUARY 2020 THROUGH DECEMBER 2020

	Beginning of Period Amount	January Actual	February Actual	March Actual	April Actual	May Actual	June Actual	July Actual	August Actual	September Actual	October Actual	November Actual	December Actual	Twelve Month Amount
50 - Steam Electric Effluent Guidelines Revised Rules														
Base														
1. Investments														
a. Expenditures/Additions	\$0	\$0	\$30,395	\$32,458	\$81,005	\$66,088	\$76,833	\$28,563	\$38,794	\$124,988	\$32,077	\$51,000	\$118,719	\$680,920
b. Clearings to Plant	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
c. Retirements	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Other (a)	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
2. Plant-In-Service/Depreciation Base (b)														
3a. Less: Accumulated Depreciation														
CWIP Non-Interest Bearing	\$983,131	\$983,131	\$1,013,526	\$1,045,984	\$1,126,989	\$1,193,077	\$1,269,910	\$1,298,472	\$1,337,267	\$1,462,255	\$1,494,332	\$1,545,332	\$1,664,051	
5. Net Investment (Lines 2 - 3 + 4)	\$983,131	\$983,131	\$1,013,526	\$1,045,984	\$1,126,989	\$1,193,077	\$1,269,910	\$1,298,472	\$1,337,267	\$1,462,255	\$1,494,332	\$1,545,332	\$1,664,051	
6. Average Net Investment		\$983,131	\$998,328	\$1,029,755	\$1,086,486	\$1,160,033	\$1,231,493	\$1,284,191	\$1,317,870	\$1,399,761	\$1,478,293	\$1,519,832	\$1,604,691	
7. Return on Average Net Investment														
a. Equity Component grossed up for taxes (c)(h)		\$5,450	\$5,534	\$5,708	\$6,022	\$6,430	\$6,826	\$7,058	\$7,243	\$7,693	\$8,125	\$8,353	\$8,820	\$83,263
b. Debt Component (Line 6 x debt rate x 1/12) (d)(f	n)	\$1,107	\$1,124	\$1,159	\$1,223	\$1,306	\$1,386	\$1,449	\$1,487	\$1,579	\$1,668	\$1,715	\$1,810	\$17,012
8. Investment Expenses														
a. Depreciation (e)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
b. Amortization (f)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
c. Dismantlement (g)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Property Expenses		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
e. Other		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
9. Total System Recoverable Costs (Lines 7 & 8)		\$6,556	\$6,658	\$6,867	\$7,245	\$7,736	\$8,212	\$8,507	\$8,730	\$9,273	\$9,793	\$10,068	\$10,630	\$100,275

⁽a) Applicable to reserve salvage and removal cost

Return on the Average Net Investment: See footnotes (b) and (c).

Return on the Average Unamortized ITC Balance:

Equity Component: Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%; the Equity Component for the Jan. – Jun. 2020 period of 6.604% based on the May 2019 Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. – Dec. 2020 period of 6.362% based on the May 2020 Earning Surveillance Report reflects a 10.55% return on equity.

Debt Component: the Debt Component for the Jan. – Jun. 2020 period of 1.661% based on the May 2019 Earning Surveillance Report and the Debt Component for the

⁽b) Applicable beginning of period and end of period depreciable base by production plant name(s), unit(s), or plant account(s). See Form 42-8A, pages 69-72.

⁽c) The Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%. The Equity Component for the Jan. – Jun. 2020 period is 5.0206%, based on May 2019

Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. - Dec. 2020 period is 4.9781% based on the May 2020 Earning Surveillance Report and reflects a 10.55% return on equity.

⁽d) The Debt Component for the Jan. - Jun. 2020 period is 1.3507% is based on the May 2019 Earning Surveillance Report and the Debt Component for

the Jul. – Dec. 2020 period is 1.3538% based on the May 2019 Earning Surveillance Report.

⁽e) Applicable depreciation rate or rates. See Form 42-8A, pages 69-72.

⁽f) Applicable amortization period(s). See Form 42-8A, pages 69-72.

⁽g) Dismantlement only applies to Solar projects - DeSoto (37), NASA (38) & Martin (39).

⁽h) For solar projects the return on investment calculation is comprised of two parts:

JANUARY 2020 THROUGH DECEMBER 2020

	Beginning of Period Amount	January Actual	February Actual	March Actual	April Actual	May Actual	June Actual	July Actual	August Actual	September Actual	October Actual	November Actual	December Actual	Twelve Month Amount
54 - Coal Combustion Residuals														
Base														
1. Investments														
a. Expenditures/Additions		\$3,516,164	(\$2,840,848)	\$1,724,261	\$1,142,026	\$1,361,035	(\$33,962,298)	\$835,515	\$684,800	\$585,752	\$1,226,178	\$335,663	(\$28,234,940)	(\$53,626,692)
b. Clearings to Plant		\$0	\$0	\$0	\$0	\$0	\$34,895,696	\$0	\$0	\$0	\$0	\$0	\$0	\$34,895,696
c. Retirements		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Other (a)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
2. Plant-In-Service/Depreciation Base (b)	\$46,922,718	\$46,922,718	\$46,922,718	\$46,398,629	\$46,398,629	\$46,398,629	\$81,294,324	\$81,294,324	\$81,294,324	\$81,294,324	\$81,294,324	\$81,294,324	\$109,696,378	
3a. Less: Accumulated Depreciation	\$1,871,389	\$1,979,044	\$2,086,698	\$2,194,352	\$2,302,006	\$2,409,661	\$2,557,881	\$2,746,668	\$2,935,455	\$3,124,242	\$3,313,028	\$3,501,815	\$3,719,947	
3b. Less: Capital Recovery Unamortized Balance	(\$55,250)	(\$55,250)	(\$55,250)	(\$55,250)	(\$55,250)	(\$55,250)	(\$55,250)	(\$55,250)	(\$55,250)	(\$55,250)	(\$55,250)	(\$55,250)	(\$55,250)	
4. CWIP Non-Interest Bearing	\$53,626,692	\$57,142,856	\$54,302,008	\$56,026,269	\$57,168,294	\$58,529,330	\$24,567,032	\$25,402,547	\$26,087,347	\$26,673,099	\$27,899,277	\$28,234,940	(\$0)	
5. Net Investment (Lines 2 - 3 + 4)	\$98,733,270	\$102,141,780	\$99,193,278	\$100,285,795	\$101,320,167	\$102,573,548	\$103,358,725	\$104,005,453	\$104,501,466	\$104,898,432	\$105,935,823	\$106,082,699	\$106,031,681	
6. Average Net Investment		\$100,437,525	\$100,667,529	\$99,739,537	\$100,802,981	\$101,946,857	\$102,966,137	\$103,682,089	\$104,253,460	\$104,699,949	\$105,417,127	\$106,009,261	\$106,057,190	
7. Return on Average Net Investment														
a. Equity Component grossed up for taxes (c)(h)		\$556,731	\$558,006	\$552,862	\$558,757	\$565,097	\$570,747	\$569,853	\$572,993	\$575,447	\$579,389	\$582,644	\$582,907	\$6,825,435
b. Debt Component (Line 6 x debt rate x 1/12) (d)(\$113,052	\$113,311	\$112,267	\$113,464	\$114,751	\$115,899	\$116,974	\$117,619	\$118,122	\$118,932	\$119,600	\$119,654	\$1,393,645
8. Investment Expenses														
a. Depreciation (e)		\$107,654	\$107,654	\$107,654	\$107,654	\$107,654	\$148,221	\$188,787	\$188,787	\$188,787	\$188,787	\$188,787	\$218,132	\$1,848,558
b. Amortization (f)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
c. Dismantlement (g)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Property Expenses		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
e. Other		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
9. Total System Recoverable Costs (Lines 7 & 8)		\$777,438	\$778,972	\$772,783	\$779,875	\$787,503	\$834,867	\$875,614	\$879,399	\$882,357	\$887,108	\$891,030	\$920,693	\$10,067,637

⁽a) Applicable to reserve salvage and removal cost

Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. - Dec. 2020 period is 4.9781% based on the May 2020 Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. - Dec. 2020 period is 4.9781% based on the May 2020 Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. - Dec. 2020 period is 4.9781% based on the May 2020 Earning Surveillance Report and reflects a 10.55% return on equity.

Return on the Average Net Investment: See footnotes (b) and (c).

Return on the Average Unamortized ITC Balance:

Equity Component: Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%; the Equity Component for the Jan. – Jun. 2020 period of 6.604% based on the May 2019 Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. – Dec. 2020 period of 6.362% based on the May 2020 Earning Surveillance Report reflects a 10.55% return on equity.

Debt Component: the Debt Component for the Jan. – Jun. 2020 period of 1.661% based on the May 2019 Earning Surveillance Report and the Debt Component for the

⁽b) Applicable beginning of period and end of period depreciable base by production plant name(s), unit(s), or plant account(s). See Form 42-8A, pages 69-72.

⁽c) The Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%. The Equity Component for the Jan. – Jun. 2020 period is 5.0206%, based on May 2019

⁽d) The Debt Component for the Jan. - Jun. 2020 period is 1.3507% is based on the May 2019 Earning Surveillance Report and the Debt Component for

the Jul. - Dec. 2020 period is 1.3538% based on the May 2019 Earning Surveillance Report.

⁽e) Applicable depreciation rate or rates. See Form 42-8A, pages 69-72.

⁽f) Applicable amortization period(s). See Form 42-8A, pages 69-72.

⁽g) Dismantlement only applies to Solar projects - DeSoto (37), NASA (38) & Martin (39).

⁽h) For solar projects the return on investment calculation is comprised of two parts:

JANUARY 2020 THROUGH DECEMBER 2020

	Beginning of Period Amount	January Actual	February Actual	March Actual	April Actual	May Actual	June Actual	July Actual	August Actual	September Actual	October Actual	November Actual	December Actual	Twelve Month Amount
123-The Protected Species Project														
Intermediate														
1. Investments														
a. Expenditures/Additions	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$3,012	\$3,012
b. Clearings to Plant	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
c. Retirements	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Other (a)	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
2. Plant-In-Service/Depreciation Base (b)														
3a. Less: Accumulated Depreciation														
CWIP Non-Interest Bearing	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$3,012	
5. Net Investment (Lines 2 - 3 + 4)	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$3,012	
6. Average Net Investment													\$1,506	
7. Return on Average Net Investment														
a. Equity Component grossed up for taxes (c)(h)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$8	\$8
b. Debt Component (Line 6 x debt rate x 1/12) (d)(f	1)	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$2	\$2
8. Investment Expenses														
a. Depreciation (e)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
b. Amortization (f)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
c. Dismantlement (g)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
d. Property Expenses		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
e. Other		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
9. Total System Recoverable Costs (Lines 7 & 8)		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$10	\$10

- (a) Applicable to reserve salvage and removal cost
- (b) Applicable beginning of period and end of period depreciable base by production plant name(s), unit(s), or plant account(s). See Form 42-8A, pages 69-72.
- (c) The Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%. The Equity Component for the Jan. Jun. 2020 period is 5.0206%, based on May 2019

Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. - Dec. 2020 period is 4.9781% based on the May 2020 Earning Surveillance Report and reflects a 10.55% return on equity.

- (d) The Debt Component for the Jan. Jun. 2020 period is 1.3507% is based on the May 2019 Earning Surveillance Report and the Debt Component for
- the Jul. Dec. 2020 period is 1.3538% based on the May 2019 Earning Surveillance Report.
- (e) Applicable depreciation rate or rates. See Form 42-8A, pages 69-72.
- (f) Applicable amortization period(s). See Form 42-8A, pages 69-72.
- (g) Dismantlement only applies to Solar projects DeSoto (37), NASA (38) & Martin (39).
- (h) For solar projects the return on investment calculation is comprised of two parts:

Return on the Average Net Investment: See footnotes (b) and (c).

Return on the Average Unamortized ITC Balance:

Equity Component: Gross-up factor for taxes is 1/0.75478, which reflects the Federal Income Tax Rate of 21%; the Equity Component for the Jan. – Jun. 2020 period of 6.604% based on the May 2019 Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. – Dec. 2020 period of 6.362% based on the May 2020 Earning Surveillance Report reflects a 10.55% return on equity.

Debt Component: the Debt Component for the Jan. – Jun. 2020 period of 1.661% based on the May 2019 Earning Surveillance Report and the Debt Component for the

JANUARY 2020 THROUGH DECEMBER 2020

	Beginning of Period Amount	January Actual	February Actual	March Actual	April Actual	May Actual	June Actual	July Actual	August Actual	September Actual	October Actual	November Actual	December Actual	Twelve Month Amount
1 Working Capital Dr (Cr)														
a. 158.100 Allowance Inventory	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	
· ·										* -				
b. 158.200 Allowances Withheld	\$0	\$0	\$0		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	
c. 182.300 Other Regulatory Assets-Losses	\$0	\$0	\$0	• •	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	
d 254.900Other Regulatory Liabilities-Gains	(\$242)	(\$235)	(\$228)	(\$220)	(\$220)	(\$227)	(\$240)	(\$235)	(\$235)	(\$166)	(\$166)	(\$166)	(\$144)
2 Total Working Capital	(\$242)	(\$235)	(\$228)	(\$220)	(\$220)	(\$227)	(\$240)	(\$235)	(\$235)	(\$166)	(\$166)	(\$166)	(\$144	<u>)</u>
3 Average Net Working Capital Balance		(\$238)	(\$231)	(\$224)	(\$220)	(\$223)	(\$233)	(\$237)	(\$235)	(\$201)	(\$166)	(\$166)	(\$155)
4 Return on Average Net Working Capital Balance														
a. Equity Component grossed up for taxes	(\$1)	(\$1)	(\$1)	(\$1)	(\$1)	(\$1)	(\$1)	(\$1)	(\$1)	(\$1)	(\$1)	(\$1)	(\$1)
b. Debt Component	(\$0)	(\$0)	(\$0)	(\$0)	(\$0)	(\$0)	(\$0)	(\$0)	(\$0)	(\$0)	(\$0)	(\$0)	(\$0)
5. Total Return Component	(\$2)	(\$2)	(\$2)	(\$1)	(\$1)	(\$1)	(\$2)	(\$2)	(\$2)	(\$1)	(\$1)	(\$1)	(\$1	(\$17)
6. Expense Dr (Cr)														
a. 411.800 Gains from Dispositions of Allowances	(\$44)	(\$7)	(\$7)	(\$7)			(\$28)			(\$68))		(\$22)
b. 411.900 Losses from Dispositions of Allowances	\$0	\$0	\$0		\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	
c. 509.000 Allowance Expense	\$0	\$0	\$0		\$0	\$0	\$0	\$0	\$0	\$0		\$0		
7. Net Expense (Lines 6a+6b+6c)	(\$44)	(\$7)	(\$7)		**	**	(\$28)	***	***	(\$68)	**	**	(\$22	
8. Total System Recoverable Expenses (Lines 5+7)	(\$46)	(\$9)	(\$9)	(\$9)	(\$1)	(\$1)	(\$30)	(\$2)	(\$2)	(\$70)	(\$1)	(\$1)	(\$23)

⁽a) The Gross-up factor for taxes is 1/0.74655, which reflects the Federal Income Tax Rate of 21%. The Equity Component for the Jan. – Jun. 2020 period is 5.0206%, based on May 2019

Earning Surveillance Report and reflects a 10.55% return on equity, and the Equity Component for the Jul. – Dec. 2020 period is 4.9781% based on the May 2019 Earning Surveillance Report and reflects a 10.55% return on equity.

⁽b) The Debt Component for the Jan. – Jun. 2020 period is 1.3507% is based on the May 2019 Earning Surveillance Report and the Debt Component for the Jul. – Dec. 2020 period is 1.3538% based on the May 2020 Earning Surveillance Report.

⁽c) Line 8a times Line 9

⁽d) Line 8b times Line 10

⁽e) Line 5 is reported on Capital Schedule

⁽f) Line 7 is reported on O&M Schedule

2020 Depreciation Schedule FORM 42-8A

Project	Function	Unit	Utility	DEPR RATE	12/1/2019	12/1/2020
002-LOW NOX BURNER TECHNOLOGY	02 - Steam Generation Plant	Turkey Pt U1	31200	0.00%	0	-
002-LOW NOX BURNER TECHNOLOGY Total		,			0	-
003-CONTINUOUS EMISSION MONITORING	02 - Steam Generation Plant	Manatee Comm	31200	7.62%	65,605	65,605
003-CONTINUOUS EMISSION MONITORING	02 - Steam Generation Plant	Manatee U1	31100	1.74%	56,430	56,430
003-CONTINUOUS EMISSION MONITORING	02 - Steam Generation Plant	Manatee U1	31200	4.64%	424,505	424,505
003-CONTINUOUS EMISSION MONITORING	02 - Steam Generation Plant	Manatee U2	31100	1.83%	56,333	56,333
003-CONTINUOUS EMISSION MONITORING	02 - Steam Generation Plant	Manatee U2	31200	4.99%	468,728	468,728
003-CONTINUOUS EMISSION MONITORING	02 - Steam Generation Plant	Martin Comm	31200	4.45%		-
003-CONTINUOUS EMISSION MONITORING	02 - Steam Generation Plant	Martin Comm	31650	5-Year		-
003-CONTINUOUS EMISSION MONITORING	02 - Steam Generation Plant	Martin Comm	31670	7-Year		-
003-CONTINUOUS EMISSION MONITORING	02 - Steam Generation Plant	Martin U1	31100	2.68%		-
003-CONTINUOUS EMISSION MONITORING	02 - Steam Generation Plant	Martin U1	31200	4.53%		-
003-CONTINUOUS EMISSION MONITORING	02 - Steam Generation Plant	Martin U2	31100	2.39%		
003-CONTINUOUS EMISSION MONITORING	02 - Steam Generation Plant	Martin U2	31200	4.64%	F4F (F2	515,653
003-CONTINUOUS EMISSION MONITORING 003-CONTINUOUS EMISSION MONITORING	02 - Steam Generation Plant 02 - Steam Generation Plant	Scherer U4 SJRPP - Comm	31200 31100	2.79% 1.09%	515,653	515,053
003-CONTINUOUS EMISSION MONITORING	02 - Steam Generation Plant	SJRPP - Comm	31200	1.44%		-
003-CONTINUOUS EMISSION MONITORING	02 - Steam Generation Plant	Turkey Pt Comm	31100	0.00%		
003-CONTINUOUS EMISSION MONITORING	02 - Steam Generation Plant	Turkey Pt Comm	31200	0.00%		
003-CONTINUOUS EMISSION MONITORING	02 - Steam Generation Plant	Turkey Pt U1	31200	0.00%		-
003-CONTINUOUS EMISSION MONITORING	05 - Other Generation Plant	FtLauderdale Comm	34100	2.20%		
003-CONTINUOUS EMISSION MONITORING	05 - Other Generation Plant	FtLauderdale Comm	34500	1.60%		-
003-CONTINUOUS EMISSION MONITORING	05 - Other Generation Plant	FtLauderdale GTs	34300	8.25%	10,225	10,225
003-CONTINUOUS EMISSION MONITORING	05 - Other Generation Plant	FtLauderdale U4	34300	4.11%		
003-CONTINUOUS EMISSION MONITORING	05 - Other Generation Plant	FtLauderdale U5	34300	5.00%		-
003-CONTINUOUS EMISSION MONITORING	05 - Other Generation Plant	FtMyers U2	34300	3.46%	365,000	365,000
003-CONTINUOUS EMISSION MONITORING	05 - Other Generation Plant	FtMyers U3 SC Peaker	34100	3.38%	6,098	6,098
003-CONTINUOUS EMISSION MONITORING	05 - Other Generation Plant	FtMyers U3 SC Peaker	34300	4.54%	141,021	141,02
003-CONTINUOUS EMISSION MONITORING	05 - Other Generation Plant	Manatee U3	34300	3.35%	87,691	87,69
003-CONTINUOUS EMISSION MONITORING	05 - Other Generation Plant	Martin U3	34300	4.49%	615,469	615,469
003-CONTINUOUS EMISSION MONITORING	05 - Other Generation Plant	Martin U4	34300	3.92%	598,036	598,030
003-CONTINUOUS EMISSION MONITORING	05 - Other Generation Plant	Martin U8	34300	3.37%	13,693	13,693
003-CONTINUOUS EMISSION MONITORING 003-CONTINUOUS EMISSION MONITORING	05 - Other Generation Plant 05 - Other Generation Plant	Sanford U4 Sanford U5	34300 34300	4.00% 4.12%	310,021 273,035	310,02: 273,03
003-CONTINUOUS EMISSION MONITORING Total	03 - Other Generation Flant	Salliolu OS	34300	4.12/0	4,007,544	4,007,544
005-MAINTENANCE OF ABOVE GROUND FUEL TANKS	02 - Steam Generation Plant	Manatee Comm	31100	3.17%	3,111,263	3,111,263
005-MAINTENANCE OF ABOVE GROUND FUEL TANKS	02 - Steam Generation Plant	Manatee Comm	31200	7.62%	174,543	174,543
005-MAINTENANCE OF ABOVE GROUND FUEL TANKS	02 - Steam Generation Plant	Manatee U1	31200	4.64%	104,845	104,845
005-MAINTENANCE OF ABOVE GROUND FUEL TANKS	02 - Steam Generation Plant	Manatee U2	31200	4.99%	127,429	127,42
005-MAINTENANCE OF ABOVE GROUND FUEL TANKS	02 - Steam Generation Plant	Martin Comm	31100	2.52%	198,665	65,09
005-MAINTENANCE OF ABOVE GROUND FUEL TANKS	02 - Steam Generation Plant	Martin Comm	31200	4.45%		-
005-MAINTENANCE OF ABOVE GROUND FUEL TANKS	02 - Steam Generation Plant	Martin U1	31100	2.68%		-
005-MAINTENANCE OF ABOVE GROUND FUEL TANKS	02 - Steam Generation Plant	Martin U2	31100	2.39%		-
005-MAINTENANCE OF ABOVE GROUND FUEL TANKS	02 - Steam Generation Plant	SJRPP - Comm	31100	1.09%		-
005-MAINTENANCE OF ABOVE GROUND FUEL TANKS	02 - Steam Generation Plant	SJRPP - Comm	31200	1.44%		-
005-MAINTENANCE OF ABOVE GROUND FUEL TANKS	02 - Steam Generation Plant	Turkey Pt Comm	31100	0.00%		-
005-MAINTENANCE OF ABOVE GROUND FUEL TANKS	05 - Other Generation Plant	FtLauderdale Comm	34200	3.09%	898,111	898,11
005-MAINTENANCE OF ABOVE GROUND FUEL TANKS	05 - Other Generation Plant	FtLauderdale GTs	34200	4.73%	584,290	584,29
005-MAINTENANCE OF ABOVE GROUND FUEL TANKS	05 - Other Generation Plant	FtMyers GTs	34200	7.84%	133,479	133,479
005-MAINTENANCE OF ABOVE GROUND FUEL TANKS	05 - Other Generation Plant	FtMyers U3 SC Peaker	34200	3.58%	18,616	18,61
005-MAINTENANCE OF ABOVE GROUND FUEL TANKS	05 - Other Generation Plant	Martin Comm	34200	2.42%	455,941	455,94
005-MAINTENANCE OF ABOVE GROUND FUEL TANKS	05 - Other Generation Plant	PtEverglades GTs	34200	0.00%	F 027 040	
005-MAINTENANCE OF ABOVE GROUND FUEL TANKS	08 - General Plant	General Plant	39000	1.50%	5,837,840	5,837,84
005-MAINTENANCE OF ABOVE GROUND FUEL TANKS Total 007-RELOCATE TURBINE LUBE OIL PIPING	02 Nuclear Constraint No.	Strucio III	32300	5.11%	11,645,022 31,030	11,511,45 0 31,030
007-RELOCATE TURBINE LUBE OIL PIPING 007-RELOCATE TURBINE LUBE OIL PIPING Total	03 - Nuclear Generation Plant	StLucie U1	32300	5.1176	31,030 31,030	31,030
007-KELUCATE TUKBINE LUBE UIL PIPING TOTAL	1	1		l .	31,030	31,030

		1		ı	1	
Project	Function	Unit	Utility	DEPR RATE	12/1/2019	12/1/2020
008-OIL SPILL CLEANUP/RESPONSE EQUIPMENT	02 - Steam Generation Plant	Manatee Comm	31100	3.17%	46,882	46,882
008-OIL SPILL CLEANUP/RESPONSE EQUIPMENT	02 - Steam Generation Plant	Manatee Comm	31670	7-Year		
008-OIL SPILL CLEANUP/RESPONSE EQUIPMENT	02 - Steam Generation Plant	Martin Comm	31600	3.79%		-
008-OIL SPILL CLEANUP/RESPONSE EQUIPMENT	02 - Steam Generation Plant	Martin Comm	31650	5-Year	227,249	227,249
008-OIL SPILL CLEANUP/RESPONSE EQUIPMENT	02 - Steam Generation Plant	Martin Comm	31670	7-Year	298,813	253,877
008-OIL SPILL CLEANUP/RESPONSE EQUIPMENT	02 - Steam Generation Plant	Turkey Pt Comm	31100	0.00%		
008-OIL SPILL CLEANUP/RESPONSE EQUIPMENT	05 - Other Generation Plant	CapeCanaveral U1CC	34100	2.69%		128,024
008-OIL SPILL CLEANUP/RESPONSE EQUIPMENT	05 - Other Generation Plant	FtLauderdale Comm	34100	2.20%	358,636	358,605
008-OIL SPILL CLEANUP/RESPONSE EQUIPMENT	05 - Other Generation Plant	FtMyers Comm	34650	5-Year	22.550	
008-OIL SPILL CLEANUP/RESPONSE EQUIPMENT 008-OIL SPILL CLEANUP/RESPONSE EQUIPMENT	05 - Other Generation Plant 05 - Other Generation Plant	PtEverglades U5 Riviera Comm	34100 34650	2.64%	22,550	22,550
008-OIL SPILL CLEANUP/RESPONSE EQUIPMENT	05 - Other Generation Plant	Sanford Comm	34100	2.40%	15,922	15,922
008-OIL SPILL CLEANUP/RESPONSE EQUIPMENT	07 - Distribution Plant - Electric	Mass Distribution Plant	36670	2.00%	2,995	2,995
008-OIL SPILL CLEANUP/RESPONSE EQUIPMENT	08 - General Plant	General Plant	39000	1.50%	4,413	4,413
008-OIL SPILL CLEANUP/RESPONSE EQUIPMENT	08 - General Plant	General Plant	39190	3-Year	4,415	-,-12
008-OIL SPILL CLEANUP/RESPONSE EQUIPMENT Total	oo denerar ranc	OCTOTAL FIGURE	33130	3 1001	977,460	1,060,517
010-REROUTE STORMWATER RUNOFF	03 - Nuclear Generation Plant	StLucie Comm	32100	2.25%	117,794	117,794
010-REROUTE STORMWATER RUNOFF Total					117,794	117,794
012-SCHERER DISCHARGE PIPELINE	02 - Steam Generation Plant	Scherer Comm	31100	1.51%	524,873	524,873
012-SCHERER DISCHARGE PIPELINE	02 - Steam Generation Plant	Scherer Comm	31200	2.23%	328,762	328,762
012-SCHERER DISCHARGE PIPELINE	02 - Steam Generation Plant	Scherer Comm	31400	2.08%	689	689
012-SCHERER DISCHARGE PIPELINE Total					854,324	854,324
020-WASTEWATER/STORMWATER DISCH ELIMINATION	02 - Steam Generation Plant	Martin U1	31200	4.53%		
020-WASTEWATER/STORMWATER DISCH ELIMINATION	02 - Steam Generation Plant	Martin U2	31200	4.64%		-
020-WASTEWATER/STORMWATER DISCH ELIMINATION Total						
021-ST.LUCIE TURTLE NETS	03 - Nuclear Generation Plant	StLucie Comm	32100	2.25%	6,909,559	6,909,559
021-ST.LUCIE TURTLE NETS Total					6,909,559	6,909,559
022-PIPELINE INTEGRITY MANAGEMENT	02 - Steam Generation Plant	Manatee Comm	31100	3.17%	601,217	601,217
022-PIPELINE INTEGRITY MANAGEMENT	02 - Steam Generation Plant	Martin Comm	31100	2.52%	2,271,574	2,271,574
022-PIPELINE INTEGRITY MANAGEMENT Total					2,872,791	2,872,791
023-SPILL PREVENTION CLEAN-UP & COUNTERMEASURES	02 - Steam Generation Plant	Manatee Comm	31100	3.17%	1,243,306	1,243,306
023-SPILL PREVENTION CLEAN-UP & COUNTERMEASURES	02 - Steam Generation Plant	Manatee Comm	31200	7.62%	33,272	33,272
023-SPILL PREVENTION CLEAN-UP & COUNTERMEASURES	02 - Steam Generation Plant	Manatee Comm	31500	2.34%	26,325	26,325
023-SPILL PREVENTION CLEAN-UP & COUNTERMEASURES	02 - Steam Generation Plant	Manatee U1	31200	4.64%	45,750	45,750
023-SPILL PREVENTION CLEAN-UP & COUNTERMEASURES	02 - Steam Generation Plant	Manatee U2	31200	4.99%	37,431	37,431
023-SPILL PREVENTION CLEAN-UP & COUNTERMEASURES	02 - Steam Generation Plant	Martin Comm	31100	2.52%	37,158	37,158
023-SPILL PREVENTION CLEAN-UP & COUNTERMEASURES	02 - Steam Generation Plant	Martin Comm	31500	3.57%		-
023-SPILL PREVENTION CLEAN-UP & COUNTERMEASURES	02 - Steam Generation Plant	Turkey Pt Comm	31100	0.00%		
023-SPILL PREVENTION CLEAN-UP & COUNTERMEASURES	03 - Nuclear Generation Plant	StLucie U1	32300	5.11%	712,225	712,225
023-SPILL PREVENTION CLEAN-UP & COUNTERMEASURES	03 - Nuclear Generation Plant	StLucie U1	32400	3.20%	745,335	745,335
023-SPILL PREVENTION CLEAN-UP & COUNTERMEASURES	03 - Nuclear Generation Plant	StLucie U2	32300	3.86%	552,390	552,390
023-SPILL PREVENTION CLEAN-UP & COUNTERMEASURES	03 - Nuclear Generation Plant	Turkey Pt Comm	32100	3.13%	990,124	990,124
023-SPILL PREVENTION CLEAN-UP & COUNTERMEASURES 023-SPILL PREVENTION CLEAN-UP & COUNTERMEASURES	03 - Nuclear Generation Plant 05 - Other Generation Plant	Turkey Pt Comm	32570 34100	7-Year 2.20%	245,362 189,219	245,362 189,219
		FtLauderdale Comm				
023-SPILL PREVENTION CLEAN-UP & COUNTERMEASURES 023-SPILL PREVENTION CLEAN-UP & COUNTERMEASURES	05 - Other Generation Plant 05 - Other Generation Plant	FtLauderdale Comm FtLauderdale Comm	34200 34300	3.09% 5.20%	1,480,169 28,250	1,480,169
023-SPILL PREVENTION CLEAN-UP & COUNTERMEASURES 023-SPILL PREVENTION CLEAN-UP & COUNTERMEASURES	05 - Other Generation Plant	FtLauderdale Comm	34100	4.18%	28,250	
023-SPILL PREVENTION CLEAN-UP & COUNTERWIEASURES	05 - Other Generation Plant	FtLauderdale GTs	34200	4.73%	513,250	513,250
023-SPILL PREVENTION CLEAN-UP & COUNTERMEASURES	05 - Other Generation Plant	FtMyers GTs	34100	7.40%	98,715	98,715
023-SPILL PREVENTION CLEAN-UP & COUNTERMEASURES	05 - Other Generation Plant	FtMyers GTs	34200	7.84%	629,983	629,983
023-SPILL PREVENTION CLEAN-UP & COUNTERMEASURES	05 - Other Generation Plant	FtMyers GTs	34500	7.77%	12.430	12.430
023-SPILL PREVENTION CLEAN-UP & COUNTERMEASURES	05 - Other Generation Plant	FtMyers U2	34300	3.46%	49,727	49,727
023-SPILL PREVENTION CLEAN-UP & COUNTERMEASURES	05 - Other Generation Plant	FtMyers U3 SC Peaker	34500	3.40%	12,430	12,430
023-SPILL PREVENTION CLEAN-UP & COUNTERMEASURES	05 - Other Generation Plant	Martin Comm	34100	2.24%	523,498	523,498
023-SPILL PREVENTION CLEAN-UP & COUNTERMEASURES	05 - Other Generation Plant	Martin U8	34200	2.70%	84,868	84,868
023-SPILL PREVENTION CLEAN-UP & COUNTERMEASURES	05 - Other Generation Plant	PtEverglades Comm	34200	2.90%	2,728,283	2,728,283
023-SPILL PREVENTION CLEAN-UP & COUNTERMEASURES	05 - Other Generation Plant	PtEverglades GTs	34100	0.00%		-
023-SPILL PREVENTION CLEAN-UP & COUNTERMEASURES	05 - Other Generation Plant	PtEverglades GTs	34200	0.00%		-
023-SPILL PREVENTION CLEAN-UP & COUNTERMEASURES	05 - Other Generation Plant	PtEverglades GTs	34500	0.00%		
023-SPILL PREVENTION CLEAN-UP & COUNTERMEASURES	05 - Other Generation Plant	PtEverglades U5	34200	2.90%		286,434
023-SPILL PREVENTION CLEAN-UP & COUNTERMEASURES	05 - Other Generation Plant	Sanford Comm	34100	2.40%	288,383	288,383
023-SPILL PREVENTION CLEAN-UP & COUNTERMEASURES	06 - Transmission Plant - Electric	Radial	35200	1.70%	6,946	6,946
023-SPILL PREVENTION CLEAN-UP & COUNTERMEASURES	06 - Transmission Plant - Electric	Transmission Plant - Electric	35200	1.70%	1,142,640	1,142,640
023-SPILL PREVENTION CLEAN-UP & COUNTERMEASURES	06 - Transmission Plant - Electric	Transmission Plant - Electric	35300	2.04%	2,903,187	2,903,037
023-SPILL PREVENTION CLEAN-UP & COUNTERMEASURES	06 - Transmission Plant - Electric	Transmission Plant - Electric	35800	1.87%	65,655	65,655
023-SPILL PREVENTION CLEAN-UP & COUNTERMEASURES	07 - Distribution Plant - Electric	Mass Distribution Plant	36100	1.75%	3,336,463	3,458,511
023-SPILL PREVENTION CLEAN-UP & COUNTERMEASURES	07 - Distribution Plant - Electric	Mass Distribution Plant	36670	2.00%	70,499	70,499
023-SPILL PREVENTION CLEAN-UP & COUNTERMEASURES	08 - General Plant	General Plant	39000	1.50%	146,691	146,691
023-SPILL PREVENTION CLEAN-UP & COUNTERMEASURES Total					18,979,966	19,360,047

			l	l		
Project	Function	Unit	Utility	DEPR RATE	12/1/2019	12/1/2020
024-GAS REBURN	02 - Steam Generation Plant	Manatee U1	31200	4.64%	16,470,024	16,470,024
024-GAS REBURN	02 - Steam Generation Plant	Manatee U2	31200	4.99%	15,393,694	15,393,694
024-GAS REBURN Total					31,863,719	31,863,719
026-UST REPLACEMENT/REMOVAL	08 - General Plant	General Plant	39000	1.50%	115,447	115,447
026-UST REPLACEMENT/REMOVAL Total					115,447	115,447
028-CWA 316B PHASE II RULE	05 - Other Generation Plant	CapeCanaveral Comm	34100	2.69%	771,310	771,310
028-CWA 316B PHASE II RULE Total					771,310	771,310
031-CLEAN AIR INTERSTATE RULE-CAIR	02 - Steam Generation Plant	Manatee Comm	31100	3.17%	102,052	102,052
031-CLEAN AIR INTERSTATE RULE-CAIR	02 - Steam Generation Plant	Manatee U1	31200	4.64%	20,059,060	20,059,060
031-CLEAN AIR INTERSTATE RULE-CAIR	02 - Steam Generation Plant	Manatee U1	31400	4.03%	7,240,124	7,240,124
031-CLEAN AIR INTERSTATE RULE-CAIR	02 - Steam Generation Plant	Manatee U2	31200	4.99%	20,457,354	20,457,354
031-CLEAN AIR INTERSTATE RULE-CAIR	02 - Steam Generation Plant	Manatee U2	31400	3.72%	7,905,907	7,905,907
031-CLEAN AIR INTERSTATE RULE-CAIR	02 - Steam Generation Plant	Martin Comm	31200	4.45%		-
031-CLEAN AIR INTERSTATE RULE-CAIR	02 - Steam Generation Plant	Martin Comm	31400	3.48%		-
031-CLEAN AIR INTERSTATE RULE-CAIR	02 - Steam Generation Plant	Martin U1	31200	4.53%		-
031-CLEAN AIR INTERSTATE RULE-CAIR	02 - Steam Generation Plant	Martin U1	31400	3.35%		-
031-CLEAN AIR INTERSTATE RULE-CAIR	02 - Steam Generation Plant	Martin U2	31200	4.64%		-
031-CLEAN AIR INTERSTATE RULE-CAIR	02 - Steam Generation Plant	Martin U2	31400	4.79%		-
031-CLEAN AIR INTERSTATE RULE-CAIR	02 - Steam Generation Plant	Scherer Comm U3&4	31200	2.32%	3,179,403	5,419,967
031-CLEAN AIR INTERSTATE RULE-CAIR	02 - Steam Generation Plant	Scherer U4	31100	2.30%	82,366,984	82,366,984
031-CLEAN AIR INTERSTATE RULE-CAIR	02 - Steam Generation Plant	Scherer U4	31200	2.79%	254,475,936	254,475,936
031-CLEAN AIR INTERSTATE RULE-CAIR	02 - Steam Generation Plant	Scherer U4	31400	1.89%	(94,224)	(94,224)
031-CLEAN AIR INTERSTATE RULE-CAIR	02 - Steam Generation Plant	Scherer U4	31500	2.49%	19,615,426	19,615,426
031-CLEAN AIR INTERSTATE RULE-CAIR	02 - Steam Generation Plant	Scherer U4	31600	1.88%	399,586	399,586
031-CLEAN AIR INTERSTATE RULE-CAIR	02 - Steam Generation Plant	Scherer U4	31670	7-Year	268	-
031-CLEAN AIR INTERSTATE RULE-CAIR	02 - Steam Generation Plant	SJRPP - Comm SJRPP - Comm	31200 31500	1.44%		-
031-CLEAN AIR INTERSTATE RULE-CAIR 031-CLEAN AIR INTERSTATE RULE-CAIR	02 - Steam Generation Plant			1.30%		-
031-CLEAN AIR INTERSTATE RULE-CAIR	02 - Steam Generation Plant 05 - Other Generation Plant	SJRPP - Comm FtLauderdale GTs	31600 34300	1.31% 8.25%	110,242	110.242
031-CLEAN AIR INTERSTATE RULE-CAIR	05 - Other Generation Plant 05 - Other Generation Plant	FtMvers GTs	34300	8.25%	57.855	57.855
031-CLEAN AIR INTERSTATE RULE-CAIR	05 - Other Generation Plant 05 - Other Generation Plant	Markin Correct	34300	2.24%	699,143	699,143
031-CLEAN AIR INTERSTATE RULE-CAIR	05 - Other Generation Plant	Martin Comm	34300	2.56%	244,343	244,343
031-CLEAN AIR INTERSTATE RULE-CAIR	05 - Other Generation Plant	Martin Comm	34500	2.56%	292,499	292,499
031-CLEAN AIR INTERSTATE ROLE-CAIR	05 - Other Generation Plant	PtEverglades GTs	34300	0.00%	232,433	232,433
031-CLEAN AIR INTERSTATE RULE-CAIR	07 - Distribution Plant - Electric	Mass Distribution Plant	36500	2.57%	1,313	1,313
031-CLEAN AIR INTERSTATE ROLE-CAIR 031-CLEAN AIR INTERSTATE RULE-CAIR Total	07 - Distribution Flant - Electric	IVIASS DISCIDUCION FIANC	30300	2.37%	417.113.272	419.353.567
033-CLEAN AIR MERCURY RULE-CAMR	02 - Steam Generation Plant	Scherer Comm U3&4	31200	2.32%	(1,234,037)	(1,234,037)
033-CLEAN AIR MERCURY RULE-CAMR	02 - Steam Generation Plant	Scherer U4	31100	2.30%	(1,234,037)	(1,234,037)
033-CLEAN AIR MERCURY RULE-CAMR	02 - Steam Generation Plant	Scherer U4	31200	2.79%	110,494,775	110,565,526
033-CLEAN AIR MERCURY RULE-CAMR	02 - Steam Generation Plant	Scherer U4	31500	2.49%	, , ,	-
033-CLEAN AIR MERCURY RULE-CAMR	02 - Steam Generation Plant	SJRPP - Comm	31200	1.44%		-
033-CLEAN AIR MERCURY RULE-CAMR Total					109.260.738	109,331,489
035-MARTIN PLANT DRINKING WATER COMP	02 - Steam Generation Plant	Martin Comm	31100	2.52%	235,391	
035-MARTIN PLANT DRINKING WATER COMP Total					235,391	-
036-LOW LEV RADI WSTE-LLW	03 - Nuclear Generation Plant	StLucie Comm	32100	2.25%	7,601,405	7,601,405
036-LOW LEV RADI WSTE-LLW	03 - Nuclear Generation Plant	Turkey Pt Comm	32100	3.13%	9,855,399	9,855,399
036-LOW LEV RADI WSTE-LLW Total					17,456,804	17,456,804
037-DE SOTO SOLAR PROJECT	05 - Other Generation Plant	Desoto Solar	34000	0.00%	255,507	255,507
037-DE SOTO SOLAR PROJECT	05 - Other Generation Plant	Desoto Solar	34100	3.49%	5,263,916	5,263,916
037-DE SOTO SOLAR PROJECT	05 - Other Generation Plant	Desoto Solar	34300	3.36%	115,292,583	115,295,697
037-DE SOTO SOLAR PROJECT	05 - Other Generation Plant	Desoto Solar	34500	3.65%	26,746,246	26,746,246
037-DE SOTO SOLAR PROJECT	05 - Other Generation Plant	Desoto Solar	34630	3-Year	15,749	7,279
037-DE SOTO SOLAR PROJECT	05 - Other Generation Plant	Desoto Solar	34650	5-Year	51,031	24,247
037-DE SOTO SOLAR PROJECT	05 - Other Generation Plant	Desoto Solar	34670	7-Year	182,866	154,715
037-DE SOTO SOLAR PROJECT	06 - Transmission Plant - Electric	TransGeneratorLead	35300	2.04%	308,244	308,244
037-DE SOTO SOLAR PROJECT	06 - Transmission Plant - Electric	Transmission Plant - Electric	35200	1.70%	7,427	7,427
037-DE SOTO SOLAR PROJECT	06 - Transmission Plant - Electric	Transmission Plant - Electric	35300	2.04%	695,782	687,149
037-DE SOTO SOLAR PROJECT	06 - Transmission Plant - Electric	Transmission Plant - Electric	35310	2.64%	1,695,869	1,695,869
037-DE SOTO SOLAR PROJECT	06 - Transmission Plant - Electric	Transmission Plant - Electric	35500	2.32%	394,418	394,418
037-DE SOTO SOLAR PROJECT	06 - Transmission Plant - Electric	Transmission Plant - Electric	35600	2.38%	191,358	191,358
037-DE SOTO SOLAR PROJECT	07 - Distribution Plant - Electric	Mass Distribution Plant	36100	1.75%	540,994	540,994
037-DE SOTO SOLAR PROJECT	07 - Distribution Plant - Electric	Mass Distribution Plant	36200	1.90%	1,890,938	1,890,938
037-DE SOTO SOLAR PROJECT	08 - General Plant	General Plant	39220	10.00%	28,426	28,426
037-DE SOTO SOLAR PROJECT	08 - General Plant	General Plant	39720	7-Year		-
037-DE SOTO SOLAR PROJECT Total		ļ	l	ļ	153,561,354	153,492,429

1989 MAY CORD YOUR PROPEY 10.000						1	
1989 MAY CORD YOUR PROPEY 10.000							
38 ANGLE COLON FLOOR FROME OF	Project	Function	Unit	Utility	DEPR RATE	12/1/2019	12/1/2020
BERNATE CORT SOLAR PRODUCT	038-SPACE COAST SOLAR PROJECT	01 - Intangible Plant	Intangible Plant	30300	various	6,359,027	6,359,027
BIR PART COST SOUR PRODECT							3,893,263
188 PAPE COST SOAR PROTECT							51,550,587
18.9 MART COUNT SOUR PROTECT			<u> </u>			6,126,699	6,126,699
SERRIFFIC DISTRICT St. Teammon Plant District State Sport Control Sp						25 202	1,105
1889 AND COATS SOUR PRODECT						33,202	
138 MARCH COURT SQUAR PROTECT 00 - Trensmission Plant - Elevert 13500 1.056 1.338.099 1.338						789,138	789,138
BIS SHAP CORT SOAR PROTECT	038-SPACE COAST SOLAR PROJECT	06 - Transmission Plant - Electric	Transmission Plant - Electric	35300	2.04%	139,391	139,391
38.994CC COST 500AF PRODECT 07 - Destribution Plant 2000 1.006	038-SPACE COAST SOLAR PROJECT	06 - Transmission Plant - Electric	Transmission Plant - Electric	35310	2.64%	1,328,699	1,328,699
BIS SHAPE COAST SOUR PROTECT 06 - General Pinet General Finet 3920 3009 31,008	038-SPACE COAST SOLAR PROJECT	07 - Distribution Plant - Electric	Mass Distribution Plant	36100	1.75%	274,858	274,858
Bill SHAME COLORS SOLAR PROJECT Discourage Discoura							62,689
DBS-MARTH SOLAR PROJECT So. Other Generation Fluet Marrin Solar 34000 2.05% 20,54% 23,54% 23,05						31,858	31,858
SIMMANTIN SOLAR PRODECT		08 - General Plant	General Plant	39720	/-year	70 501 411	70 557 34
Separating South Product So. Other Generation Paint Marin Solar 34100 2.99% 397,8622 32,97% 398,8668 398,8667 398,8668 398,8667 398,8668 398,8667 398,8668 398,867 398,8668 398,8667 398,8668 398,867 398,8668 398,867 398,8668 398,867 398,8668 398,867 398,8668 398,867 398,8668 398,867 398,8		05 - Other Generation Plant	Martin Solar	34000	0.00%		216,844
SIGNAMENT SCAR PROJECT							20,798,049
DEMANTE SOLAR PROJECT 05 - Other Generation Plant Martin Solar 3400 2.99% 4,127.852 4,177							399,689,021
DIAMARTIN SOLAR PROJECT DS. Cheer Generation Paint Martin Solar 34600 7-Year 13,081 15,000 20,0							4,177,638
298.984878 SOLAR PROJECT 05. Other Generation Float Martin Solar 3400 3.37% 423,138 130 299.984878 SOLAR PROJECT 06. Transmission Flust - Electric 740,000	039-MARTIN SOLAR PROJECT	05 - Other Generation Plant	Martin Solar	34600	2.85%		56,448
Description	039-MARTIN SOLAR PROJECT	05 - Other Generation Plant	Martin Solar	34650	5-Year		-
Description							150,046
DEMANDER SOLAR PROJECT 05 - Transmission Plant - Electric 05 - Destribution Plant - Electric 07 - Destribution Plant - Electric 08 - Destribution Plant 08 - Destribution P							423,126
DEMARTIS SOLAR PROJECT							603,692
209 MARTIN SCAAR PROJECT						364,159	364,159
2099 MARTH SOLAR PROJECT 07 - Distribution Plant Electric Mass Distribution Plant 3920 1,09% 2,728 2,2099 MARTH SOLAR PROJECT 08 - General Plant 3920 1,00% 12,110 12,						04.476	- 04 470
1938-MARTH SOLAR PROJECT 08 - General Plant General Plant 39220 10.00% 121,101 121, 2039-MARTH SOLAR PROJECT 08 - General Plant 39240 2.63% 332,822 332,323 338, 38, 38, 39, 39, 39, 39, 39, 39, 39, 39, 39, 39							94,476
DIAMARTIN SOLAR PROJECT DIS-GENERAL PRINT General Plant 39240 2,035 332,682 332,093 383,09							121,101
DBS-MARTIN SQUAR PROJECT 09 - General Pient General Flent 39200 7-Year							332,682
Disparent No.LAR PROJECT 08 - General Plant General Plant 39420 7-Year							88,938
							-
DSI_PPV_MANATE HATING SYSTEM	039-MARTIN SOLAR PROJECT	08 - General Plant	General Plant	39720	7-Year		-
Data Park MANATEE HEATING SYSTEM 05 - Other Generation Plant Davia Beach (C U7 34800 3.46% 5.581,733 5,663	039-MARTIN SOLAR PROJECT Total					426,184,075	427,118,948
D34-PPW MANATEE HEATING SYSTEM	041-PRV MANATEE HEATING SYSTEM	05 - Other Generation Plant	CapeCanaveral Comm	34300	0.00%	4,042,459	4,042,459
Dot-PPV MANATE HEATING SYSTEM							7,927,943
201-PPW MANATEE HEATING SYSTEM							5,603,547
201-PRV_MANATEE HEATING SYSTEM							276,404
132-PPV MANATEE HEATING SYSTEM							73,267
D31_PPV MANATEE HEATING SYSTEM 07 - Distribution Plant - Electric Mass Distribution Plant 36600 various 307,399 307, 307, 309, 307, 309, 307, 309, 307, 309, 307, 309, 307, 309, 307, 309, 307, 309, 307, 309, 307, 309, 309, 309, 309, 309, 309, 309, 309							137,247
DAL-PRY MANATEE HEATING SYSTEM							36,431
D41-PRY MANATEE HEATING SYSTEM							307,599
041-PRV MANATEE HEATING SYSTEM 07 - Distribution Plant - Electric Mass Distribution Plant 36910 various 607							221,326
19,209,521 19,267,	041-PRV MANATEE HEATING SYSTEM	07 - Distribution Plant - Electric	Mass Distribution Plant	36760	various	168,995	168,995
042-PTN COOLING CANAL MONITORING SYS 03 - Nuclear Generation Plant Turkey Pt Comm 3200 3.13% 39,915,222 62,314, 042-PTN COOLING CANAL MONITORING SYS 03 - Nuclear Generation Plant Turkey Pt Comm 32500 3.67% 181,743 1,037, 042-PTN COOLING CANAL MONITORING SYS 03 - Nuclear Generation Plant Turkey Pt Comm 32500 5.7% 181,743 1,037, 042-PTN COOLING CANAL MONITORING SYS 03 - Nuclear Generation Plant Turkey Pt Comm 32500 5.7% 181,743 1,037, 042-PTN COOLING CANAL MONITORING SYS Total 40,096,965 63,896, 044-Barley Barber Swamp Iron Mitiga 02 - Steam Generation Plant Martin Comm 31100 2.52% 164,719 164, 045-Barley Barber Swamp Iron Mitiga Total 164,719 164, 045-Barley Barber Swamp Iron Mitiga Marker U1 31200 4.64% 4.485, 045-Barley Barber Swamp Iron Mitiga Marker U1 31500 3.12% 1.021, 045-Barley Marker Marker Marker U1 31500 3.12% 1.021, 045-Barley Marker Marker Marker U2 31500 4.48% 4.793,798 4.793,798 4.793,798 1.793, 045-Barley Marker Marker Marker U2 31500 4.48% 4.793,798 4.793,798 1.794, 045-Barley Marker Marker Marker U2 31500 3.12% 1.024, 045-Barley Marker U1 31500 3.12% 1.024, 045-Barley Marker	041-PRV MANATEE HEATING SYSTEM	07 - Distribution Plant - Electric	Mass Distribution Plant	36910	various	607	607
042-PTN COOLING CANAL MONITORING SYS 03 - Nuclear Generation Plant Turkey Pt Comm 32500 3.67% 181,743 1.037, 042-PTN COOLING CANAL MONITORING SYS 03 - Nuclear Generation Plant Turkey Pt Comm 32550 5-Year 5-44, 042-PTN COOLING CANAL MONITORING SYS Total 104,095,955 5-844, 044-Barley Barber Swamp Iron Mitiga 02 - Steam Generation Plant Martin Comm 31100 2.52% 164,719 164, 044-Barley Barber Swamp Iron Mitiga 02 - Steam Generation Plant Martin Comm 31100 2.52% 164,719 164, 045-800 MW UNIT ESP PROJECT 02 - Steam Generation Plant Manatee Comm 31200 7.62% 153,660							19,267,368
042-PTN COOLING CANAL MONITORING SYS 03 - Nuclear Generation Plant Turkey Pt Comm 32550 S-Year 544,							62,314,631
042-PTN COOLING CANAL MONITORING SYS Total 043-Bardey Barber Swamp Iron Mitiga 02 - Steam Generation Plant Martin Comm 31100 2.52% 164,719 164,						181,743	1,037,522
044-Barley Barber Swamp Iron Mitiga 02 - Steam Generation Plant Martin Comm 31100 2.52% 164,719 164,		us - Nuclear Generation Plant	Turkey Pt Comm	32550	5-Year	40.000.00	544,822
164,719 164,		02 - Steam Generation Plant	Martin Comm	31100	2 52%		63,896,975 164,719
045-800 MW UNIT ESP PROJECT 02 - Steam Generation Plant Manatee Comm 31200 7.62% 153,660 153 045-800 MW UNIT ESP PROJECT 02 - Steam Generation Plant Manatee U1 31200 4.64% 44,854,496 44,848 045-800 MW UNIT ESP PROJECT 02 - Steam Generation Plant Manatee U1 31500 4.11% 4,524,074 4,524 045-800 MW UNIT ESP PROJECT 02 - Steam Generation Plant Manatee U1 31600 3.91% 1,021,918 1,021,918 045-800 MW UNIT ESP PROJECT 02 - Steam Generation Plant Manatee U2 31500 4.48% 4,793,798 4,793,045-800 MW UNIT ESP PROJECT 02 - Steam Generation Plant Manatee U2 31500 4.48% 4,793,798 4,793,798 045-800 MW UNIT ESP PROJECT 02 - Steam Generation Plant Manatee U2 31500 4.48% 4,793,798 4,793,798 045-800 MW UNIT ESP PROJECT 02 - Steam Generation Plant Martin U1 31500 4.79% 1,174,454 1,174,454 045-800 MW UNIT ESP PROJECT 02 - Steam Generation Plant Martin U1 31500 3.12% 045-800 MW UNIT ESP PROJECT 02 - Steam Generation Plant Martin U1 31500 3.12% 045-800 MW UNIT ESP PROJECT 02 - Steam Generation Plant Martin U2 31500	· · · · · ·	OL Steam Generation Flant	worth Comm	31100	2.3270		164,719
045-800 MW UNIT ESP PROJECT 02 - Steam Generation Plant Manatee U1 31200 4.64% 44,854,496 44,485 045-800 MW UNIT ESP PROJECT 02 - Steam Generation Plant Manatee U1 31500 4.11% 4,524,074 4,524 045-800 MW UNIT ESP PROJECT 02 - Steam Generation Plant Manatee U1 31500 3.91% 1,021,918 1,022,918 1,022,918 4,028,908 4,028,908 4,028,908 4,028,908 4,028,908 4,028,908 4,028,908 4,028,908 4,028,908 4,028,908 4,028,908 4,028,908 4,028,908	045-800 MW UNIT ESP PROJECT	02 - Steam Generation Plant	Manatee Comm	31200	7.62%		153,660
045-800 MW UNIT ESP PROJECT 02 - Steam Generation Plant Manatee U1 31600 3.91% 1,021,918	045-800 MW UNIT ESP PROJECT	02 - Steam Generation Plant	Manatee U1	31200	4.64%	44,854,496	44,485,716
045-800 MW UNIT ESP PROJECT 02 - Steam Generation Plant Manatee U2 31200 4.99% 51,505,899 52,279, 045-800 MW UNIT ESP PROJECT 02 - Steam Generation Plant Manatee U2 31500 4.48% 4,793,798 4,793, 045-800 MW UNIT ESP PROJECT 02 - Steam Generation Plant Manatee U2 31500 4.29% 1,174,454 1,174, 045							4,524,074 1,021,918
045-800 MW UNIT ESP PROJECT 02 - Steam Generation Plant Manatee U2 31500 4.48% 4,793,798 4,793, 045-800 MW UNIT ESP PROJECT 02 - Steam Generation Plant Marin U1 31200 4.53% 1,174,454 1,174,0045-800 MW UNIT ESP PROJECT 02 - Steam Generation Plant Martin U1 31500 3.12% 045-800 MW UNIT ESP PROJECT 02 - Steam Generation Plant Martin U1 31500 3.12% 045-800 MW UNIT ESP PROJECT 02 - Steam Generation Plant Martin U1 31500 3.81% 045-800 MW UNIT ESP PROJECT 02 - Steam Generation Plant Martin U2 31500 4.64% 045-800 MW UNIT ESP PROJECT 02 - Steam Generation Plant Martin U2 31500 4.64% 045-800 MW UNIT ESP PROJECT 02 - Steam Generation Plant Martin U2 31500 4.64% 045-800 MW UNIT ESP PROJECT 02 - Steam Generation Plant Martin U2 31500 4.31% 045-800 MW UNIT ESP PROJECT 02 - Steam Generation Plant Martin U2 31500 4.31% 045-800 MW UNIT ESP PROJECT 02 - Steam Generation Plant Martin U2 31500 4.31% 045-800 MW UNIT ESP PROJECT 02 - Steam Generation Plant Martin U2 31500 4.31% 045-800 MW UNIT ESP PROJECT 02 - Steam Generation Plant Martin U2 31500 4.31% 045-800 MW UNIT ESP PROJECT 02 - Steam Generation Plant Stucie Comm 31600 4.31% 045-800 MW UNIT ESP PROJECT 02 - Steam Generation Plant Stucie Comm 31100 1.51% 045-800 MW UNIT ESP PROJECT 055-800 MW UNIT ESP PROJEC							52,279,530
045-800 MW UNIT ESP PROJECT 02 - Steam Generation Plant Marin U1 31200 4.53% 045-800 MW UNIT ESP PROJECT 02 - Steam Generation Plant Marin U1 31200 4.53% 045-800 MW UNIT ESP PROJECT 02 - Steam Generation Plant Marin U1 31500 3.12% 045-800 MW UNIT ESP PROJECT 02 - Steam Generation Plant Marin U1 31500 3.12% 045-800 MW UNIT ESP PROJECT 02 - Steam Generation Plant Marin U1 31500 3.81% 045-800 MW UNIT ESP PROJECT 02 - Steam Generation Plant Marin U2 31200 4.64% 045-800 MW UNIT ESP PROJECT 02 - Steam Generation Plant Marin U2 31200 4.64% 045-800 MW UNIT ESP PROJECT 02 - Steam Generation Plant Marin U2 31500 3.56% 045-800 MW UNIT ESP PROJECT 02 - Steam Generation Plant Marin U2 31500 4.31% 045-800 MW UNIT ESP PROJECT 02 - Steam Generation Plant Marin U2 31500 4.31% 045-800 MW UNIT ESP PROJECT 03 - Steam Generation Plant Marin U2 31500 4.31% 047-NPDES Permit Renewal Requirement 03 - Nuclear Generation Plant Marin U2 31500 4.31% 047-NPDES Permit Renewal Requirement 03 - Nuclear Generation Plant Marin U2 31500 54-Coal Combustion Residuals 02 - Steam Generation Plant Scherer Comm 3100 1.51% 208,650 208,054-Coal Combustion Residuals 02 - Steam Generation Plant Scherer Comm U38.4 31200 2.79% 46,189,978 90,735,054-Coal Combustion Residuals 02 - Steam Generation Plant Scherer U4 31200 2.79% 46,189,978 90,735,054-Coal Combustion Residuals 02 - Steam Generation Plant Scherer U4 31200 2.79% 46,189,978 90,735,054-Coal Combustion Residuals 02 - Steam Generation Plant Scherer U4 31200 2.79% 46,189,978 90,735,054-Coal Combustion Residuals 02 - Steam Generation Plant Scherer U4 31200 2.79% 46,189,978 90,735,054-Coal Combustion Residuals 02 - Steam Generation Plant Scherer U4 31200 2.79% 46,189,978 90,735,054-Coal Combustion Residuals 02 - Steam Generation Plant Scherer U4 31200 2.79% 46,189,978 90,735,054-Coal Combustion Residuals 02 - Steam Generation Plant Scherer U4 31200 2.79% 46,189,978 90,735,054-Coal Combustion Residuals 02 - Steam Generation Plant Scherer U4 31200 2.79% 46,189,978 90,735,054-Coal Combustion Residuals 02 - St							4,793,798
045-800 MW UNIT ESP PROJECT 02 - Steam Generation Plant Martin U1 31500 3.12% 045-800 MW UNIT ESP PROJECT 02 - Steam Generation Plant Martin U1 31600 3.81% 045-800 MW UNIT ESP PROJECT 02 - Steam Generation Plant Martin U2 31200 4.64% 045-800 MW UNIT ESP PROJECT 02 - Steam Generation Plant Martin U2 31500 3.56% 045-800 MW UNIT ESP PROJECT 02 - Steam Generation Plant Martin U2 31500 4.31% 045-800 MW UNIT ESP PROJECT 02 - Steam Generation Plant Martin U2 31600 4.31% 047-NPDES Permit Renewal Requirement 03 - Nuclear Generation Plant Stlucie Comm 32300 7.22% 047-NPDES Permit Renewal Requirement Total 03 - Nuclear Generation Plant Scherer Comm 31100 1.51% 208,650 208,650 054-Coal Combustion Residuals 02 - Steam Generation Plant Scherer Comm 31100 1.51% 208,650 208,650 054-Coal Combustion Residuals 02 - Steam Generation Plant Scherer Comm U38.4 31200 2.79% 46,189,978 90,735, 054-Coal Combustion Residuals 02 - Steam Generation Plant SiRPP - Comm 31100 1.09% 46,398,629 109,696,		02 - Steam Generation Plant				1,174,454	1,174,45
D45-800 MW UNIT ESP PROJECT 02 - Steam Generation Plant Martin U1 31600 3.81% D45-800 MW UNIT ESP PROJECT 02 - Steam Generation Plant Martin U2 31200 4.64% D45-800 MW UNIT ESP PROJECT 02 - Steam Generation Plant Martin U2 31500 3.56% D45-800 MW UNIT ESP PROJECT 02 - Steam Generation Plant Martin U2 31600 4.31% D45-800 MW UNIT ESP PROJECT Total 02 - Steam Generation Plant Martin U2 31600 4.31% D47-NPDES Permit Renewal Requirement 03 - Nuclear Generation Plant Stucie Comm 32300 7.22% D47-NPDES Permit Renewal Requirement Total 108,028,300 108,433 D54-Coal Combustion Residuals 02 - Steam Generation Plant Scherer Comm 31100 1.51% 20,8650 20,8 D54-Coal Combustion Residuals 02 - Steam Generation Plant Scherer Comm U38.4 31200 2.32% 18,751 D54-Coal Combustion Residuals 02 - Steam Generation Plant Scherer Comm U38.4 31200 2.79% 46,189,978 90,735, D54-Coal Combustion Residuals 02 - Steam Generation Plant							-
045-800 MW UNIT ESP PROJECT 02 - Steam Generation Plant Martin U2 31200 4.64% 045-800 MW UNIT ESP PROJECT 02 - Steam Generation Plant Martin U2 31500 3.56% 045-800 MW UNIT ESP PROJECT 02 - Steam Generation Plant Martin U2 31500 4.31% 1045-800 MW UNIT ESP PROJECT 02 - Steam Generation Plant Martin U2 31500 4.31% 105,028,300 108,433, 047-NPDES Permit Renewal Requirement 03 - Nuclear Generation Plant Stucie Comm 3200 7.22% 105,400 Combustion Residuals 02 - Steam Generation Plant Scherer Comm 31100 1.51% 208,650 208,650 624 Coal Combustion Residuals 02 - Steam Generation Plant Scherer Comm 13100 2.32% 18,751,054-Coal Combustion Residuals 02 - Steam Generation Plant Scherer Comm 13100 2.79% 46,189,978 90,735,054-Coal Combustion Residuals 02 - Steam Generation Plant Scherer U4 31200 2.79% 46,189,978 90,735,054-Coal Combustion Residuals 02 - Steam Generation Plant SiRPP - Comm 31100 1.09% 46,398,629 109,696,							
Agricult		02 - Steam Generation Plant	Martin U2				
045-800 MW UNIT ESP PROJECT Total 03 - Nuclear Generation Plant Stucie Comm 32300 7.22%		02 - Steam Generation Plant					
047-NPDES Permit Renewal Requirement 03 - Nuclear Generation Plant Stucie Comm 32300 7.22%		02 - Steam Generation Plant	Martin U2	31600	4.31%	109 029 200	109 422 151
047-NPDES Permit Renewal Requirement Total		03 - Nuclear Generation Plant	StLucie Comm	32300	7.22%	108,028,300	108,433,15
054-Coal Combustion Residuals 02 - Steam Generation Plant Scherer Comm U3&4 31200 2.32% 18,751,054-Coal Combustion Residuals 054-Coal Combustion Residuals 02 - Steam Generation Plant Scherer U4 31200 2.79% 46,189,978 90,735,054-Coal Combustion Residuals 054-Coal Combustion Residuals 02 - Steam Generation Plant SIRPP - Comm 31100 1.09% 46,388,629 109,696,054-Coal Combustion Residuals Total	047-NPDES Permit Renewal Requirement Total						-
054-Coal Combustion Residuals 02 - Steam Generation Plant Scherer U4 31200 2.79% 46,189,978 90,735, 054-Coal Combustion Residuals 02 - Steam Generation Plant SIRPP - Comm 31100 1.09% 46,398,629 109,696, 054-Coal Combustion Residuals Total 46,398,629 109,696, 109,696						208,650	208,650
054-Coal Combustion Residuals 02 - Steam Generation Plant SJRPP - Comm 31100 1.09% 46,398,629 109,696,						46.189.978	18,751,873 90,735,853
054-Coal Combustion Residuals Total 46,398,629 109,696,						10,203,570	
Grand Total 1,487,447,141 1,578,244,							109,696,378 1,578,244,673

ENVIRONMENTAL COST RECOVERY CLAUSE CALCULATION OF THE FINAL TRUE-UP AMOUNT FOR THE PERIOD

FORM 42-9A

FLORIDA POWER & LIGHT COMPANY COST RECOVERY CLAUSES

Fouity @ 10 55%

CAPITAL STRUCTURE AND COST RATES PER MAY 2019 EARNINGS SURVEILLANCE REPORT

Equity @ 10.55%		MAY 2019 EARNINGS	SURVEILLANCE REPORT	<u>[</u>	
					PRE-TAX
	ADJUSTED		MIDPOINT	WEIGHTED	WEIGHTED
	RETAIL	RATIO	COST RATES	COST	COST
LONG TERM DEBT	10,490,880,245	28.119%	4.44%	1.25%	1.25%
SHORT_TERM_DEBT	669,988,433	1.796%	3.62%	0.06%	0.06%
PREFERRED_STOCK	0	0.000%	0.00%	0.00%	0.00%
CUSTOMER_DEPOSITS	403,097,747	1.080%	2.11%	0.02%	0.02%
COMMON_EQUITY	17,554,936,062	47.053%	10.55%	4.96%	6.65%
DEFERRED_INCOME_TAX	7,870,776,333	21.096%	0.00%	0.00%	0.00%
INVESTMENT_TAX_CREDITS					
ZERO COST	0	0.000%	0.00%	0.00%	0.00%
WEIGHTED COST	319,453,350	0.856%	8.26%	0.07%	0.09%
TOTAL	\$37,309,132,171	100.00%		6.37%	6 8.08%
101112	ψ37,303,132,171	100.0070		0.577	,

	CALCULATION OF THI	E WEIGHTED COST FOR CO	ONVERTIBLE INVESTME	ENT TAX CREDITS (C-ITC) (a)
	ADJUSTED		COST	WEIGHTED	PRE TAX
	RETAIL	RATIO	RATE	COST	COST
LONG TERM DEBT	\$10,490,880,245	37.41%	4.441%	1.661%	1.661%
PREFERRED STOCK	0	0.00%	0.000%	0.000%	0.000%
COMMON EQUITY	17,554,936,062	62.59%	10.550%	6.604%	8.846%
TOTAL RATIO	\$28,045,816,308	100.00%		8.265%	10.507%

DEBT COMPONENTS:	
LONG TERM DEBT	1.2488%
SHORT TERM DEBT	0.0649%
CUSTOMER DEPOSITS	0.0228%
TAX CREDITS -WEIGHTED	0.0142%
TOTAL DEBT	1.3507%
EQUITY COMPONENTS:	
PREFERRED STOCK	0.0000%
COMMON EQUITY	4.9641%
TAX CREDITS -WEIGHTED	0.0565%
TOTAL EQUITY	5.0206%
TOTAL	6.3713%
PRE-TAX EQUITY	6.7251%
PRE-TAX TOTAL	8.0758%

Note:

(a) This capital structure applies only to Convertible Investment Tax Credit (C-ITC)

ENVIRONMENTAL COST RECOVERY CLAUSE CALCULATION OF THE FINAL TRUE-UP AMOUNT FOR THE PERIOD

FORM 42-9A

FLORIDA POWER & LIGHT COMPANY COST RECOVERY CLAUSES

Equity @ 10.55%

CAPITAL STRUCTURE AND COST RATES PER MAY 2020 EARNINGS SURVEILLANCE REPORT

Equity @ 10.55%		MAT 2020 EARNINGS	SURVEILLANCE REPORT		
	ADHICTED		MIDDOINT	WEIGHTED	PRE-TAX WEIGHTED
	ADJUSTED		MIDPOINT	WEIGHTED	
	RETAIL	RATIO	COST RATES	COST	COST
LONG TERM DEBT	12,539,092,665	30.643%	4.17%	1.28%	1.28%
SHORT_TERM_DEBT	462,827,285	1.131%	3.16%	0.04%	0.04%
PREFERRED_STOCK	0	0.000%	0.00%	0.00%	0.00%
CUSTOMER_DEPOSITS	420,293,246	1.027%	2.12%	0.02%	0.02%
COMMON_EQUITY	19,050,189,760	46.554%	10.55%	4.91%	6.51%
DEFERRED_INCOME_TAX	8,019,547,167	19.598%	0.00%	0.00%	0.00%
INVESTMENT_TAX_CREDITS					
ZERO COST	0	0.000%	0.00%	0.00%	0.00%
WEIGHTED COST	428,551,760	1.047%	8.02%	0.08%	0.11%
TOTAL	\$40,920,501,883	100.00%		6.33%	7.95%

	CALCULATION OF THE	E WEIGHTED COST FOR CO	INVERTIBLE INVESTME	NT TAX CREDITS (C-ITC)	(a)
	ADJUSTED		COST	WEIGHTED	PRE TAX
	RETAIL	RATIO	RATE	COST	COST
LONG TERM DEBT	\$12,539,092,665	39.69%	4.174%	1.657%	1.6579
PREFERRED STOCK	0	0.00%	0.000%	0.000%	0.0009
COMMON EQUITY	19,050,189,760	60.31%	10.550%	6.362%	8.4299
TOTAL RATIO	\$31,589,282,425	100.00%		8.019%	10.086%

TOTAL DEBT	1.3538%
TAX CREDITS -WEIGHTED	0.0174%
CUSTOMER DEPOSITS	0.0218%
SHORT TERM DEBT	0.0357%
LONG TERM DEBT	1.2789%

PREFERRED STOCK	0.0000%
COMMON EQUITY	4.9115%
TAX CREDITS -WEIGHTED	0.0666%
TOTAL POLITICAL	
TOTAL EQUITY	4.9781%
TOTAL EQUITY TOTAL	4.9781% 6.3319%
TOTAL	6.3319%

Note:

(a) This capital structure applies only to Convertible Investment Tax Credit (C-ITC)

1		BEFORE THE FLORIDA PUBLIC SERVICE COMMISSION
2		FLORIDA POWER & LIGHT COMPANY
3		TESTIMONY OF MICHAEL W. SOLE
4		DOCKET NO. 20210007- EI
5		APRIL 1, 2021
6		
7	Q.	Please state your name and address.
8	A.	My name is Michael W. Sole and my business address is 700 Universe Boulevard,
9		Juno Beach, Florida 33408.
10	Q.	By whom are you employed and in what capacity?
11	A.	I am employed by NextEra Energy, Inc. ("NEE") as Vice President of
12		Environmental Services.
13	Q.	Please describe your educational background and professional experience.
14	A.	I received a Bachelor of Science degree in Marine Biology from the Florida Institute
15		of Technology in 1986. I served as an Officer in the United States Marine Corps
16		from 1985 through 1990, attaining the rank of Captain. I was employed by the
17		Florida Department of Environmental Protection ("FDEP") in multiple roles from
18		1990 to 2010 and served as the Secretary of the FDEP from 2007-2010. I have been
19		employed by NEE or its subsidiary Florida Power & Light Company ("FPL" or the
20		"Company") since 2010. In November 2016, I assumed the position of Vice
21		President of Environmental Services for NEE. In that role, I am responsible for
22		FPL's environmental licensing and compliance efforts for the Company. In May

1		2017, I was appointed by Governor Scott to the Florida Fish and Wildlife
2		Conservation Commission ("FWC").
3	Q.	What is the purpose of your testimony in this proceeding?
4	A.	The purpose of my testimony is to explain the reasons for significant variances in
5		costs associated with operation & maintenance ("O&M") expenses and capital
6		investments which support FPL's Environmental Cost Recovery Clause ("ECRC")
7		final true-up for the period of January 2020 through December 2020. Additionally,
8		my testimony provides a status update for the Turkey Point Cooling Canal
9		Monitoring Plan ("Cooling Canal") Project, addresses recent regulatory actions and
10		environmental compliance activities undertaken by FPL pursuant to this project,
11		and presents for Commission review and approval a modification to the Cooling
12		Canal Project.
13	Q.	Have you prepared, or caused to be prepared under your direction,
14		supervision, or control, any exhibits in this proceeding?
15	A.	Yes. I am sponsoring the following exhibits:
16		• MWS-1 – 2015 Miami-Dade County Department of Environmental
17		Resource Management ("MDC") Consent Agreement
18		• MWS-2 – June 2016 FDEP Consent Order
19		• MWS-3 – 2016 MDC Consent Agreement Addendum
20		• MWS-4 – 2019 MDC Consent Agreement Addendum
21		• MWS-5 – July 2020 Supplemental Salinity Management Plan
22		 MWS-6 – May 6, 2005 NPDES/IWW Permit Number FL0001562

1		• MWS-7 - FDEP's April 13, 2020 Notice of Intent to Issue Permit
2		FL0001562
3		• MWS-8 - FDEP's April 25, 2016 Notice of Violation and Orders for
4		Corrective Action
5		
6		Variance Explanations
7	Q.	How did actual project O&M and capital revenue requirements for January
8		2020 through December 2020 compare with FPL's actual/estimated amounts
9		as presented in Docket No. 20200007-EI?
10	A.	Form 42-4A shows that the variance in total actual project O&M was \$11.4 million
11		or 27.6% lower than projected, and Form 42-6A shows that the variance in total
12		actual revenue requirements associated with the project capital investments (return
13		on capital investments, depreciation, amortization, and income taxes) were \$122.5
14		thousand or 0.08% higher than projected. Individual project variances are provided
15		on Forms 42-4A and 42-6A. Actual revenue requirements for each capital project
16		for the period January 2020 through December 2020 are provided on Form 42-8A,
17		pages 14 through 68. The calculation of actual revenue requirements is sponsored
18		by FPL witness Renae B. Deaton.
19	Q.	Please explain the reasons for the significant variances in project capital
20		revenue requirements and O&M.
21	A.	There were no significant variances in capital revenue requirements for this period.
22		The significant variances in FPL's 2020 actual O&M expenses from
23		actual/estimated amounts are associated with the following projects.

1	O&M Variance Explanations
2	
3	Project 1. Air Operating Permit Fees
4	Project expenditures are \$67,306 or 42.8% higher than estimated. The variance is
5	primarily due to higher than projected gas and oil fuel usage, which resulted in
6	increased air operating permit fees for 2020.
7	
8	Project 3. Continuous Emissions Monitoring Systems (CEMS)
9	Project expenditures are \$83,174 or 21.7% lower than estimated. The variance is
10	primarily due to lower than projected CEMS maintenance costs at Manatee and
11	Sanford plants.
12	
13	Project 5a. Maintenance of Stationary Above Ground Fuel Storage Tanks
14	Project expenditures are \$274,843 or 53.8% lower than estimated. The variance is
15	primarily due to cancellation of all major oil storage tank maintenance projects a
16	Manatee Units 1&2 as a result of their retirement.
17	
18	Project 8a. Oil Spill Clean-up/Response Equipment
19	Project expenditures were \$87,118 or 24.1% lower than estimated. The decrease
20	was primarily due to deferment of retainer fees associated with a pending oil spil
21	removal organization contract. Additionally, COVID-19 related supply chair
22	delays of planned equipment and material purchases was a significant factor in the
23	lower than projected expenditures.

Project 22. Pipeline Integrity Management

Project expenditures were \$262,155 or 80% lower than estimated. The variance is primarily due to use of an alternate technology to perform the Manatee Plant pipeline integrity inspection. Planned use of inline inspection was replaced by use of an alternate test that was less costly but still met the requirements for compliance with the Department of Transportation Pipeline and Hazardous Materials Safety Administration regulations.

Project 23. Spill Prevention, Control and Countermeasures ("SPCC")

Project expenditures were \$151,803 or 19.3% higher than estimated. The variance is primarily due to increased repairs of broken SPCC oil diversionary structures at 40 sites, as well as other repairs at various FPL substation facilities.

Project 28. Clean Water Act ("CWA") 316(b) Phase II Rule

Project expenditures were \$172,606 or 16.1% lower than estimated. The variance is primarily due to contractor work associated with required studies for St. Lucie Nuclear Plant being moved from 2020 to 2021 to prioritize the completion of studies associated with other facilities that had earlier permit application deadlines. Also, the projected work for Cape Canaveral Energy Center, Ft. Myers Plant, Ft. Lauderdale Plant, and Port Everglades Energy Center was completed under budget.

Project 29. Selective Catalytic Reduction ("SCR") Consumables

Project Expenditures were \$110,842 or 17.4% lower than estimated. The variance is due to lower than expected equipment repair costs at Manatee Plant following an inspection, and delayed in-person training sessions that were not completed in 2020 as a result of COVID-19 restrictions. The training sessions are expected to be completed in 2021.

Project 33. Mercury and Air Toxics Standards ("MATS")

Project expenditures are \$446,790 or 23.7% lower than estimated. The variance is primarily due to lower use of powdered activated carbon consumption for mercury control on Scherer Unit 4 as a result of running the plant less than forecasted for economic reasons.

Project 37. DeSoto Next Generation Solar Energy Center

Project expenditures are \$113,540 or 16.9% lower than estimated. The variance is primarily due to process changes requiring less full-time employee support to the Desoto site, resulting in the redeployment of resources in support of other sites and capital projects. In addition, planned contractor services scheduled for the end of the year have been postponed.

Project 38. Space Coast Next Generation Solar Energy Center

Project expenditures are \$70,210 or 26.1% lower than estimated. The variance is due to the delay of panel replacement and hurricane hardening projects during

1 supplier negotiations. FPL intends to complete installation of deferred panel 2 installations in 2021. 3 4 Project 42. **Turkey Point Cooling Canal Monitoring Plan** 5 Project expenditures were \$10,372,669 or 52.7% lower than estimated. The 6 variance is primarily due to increased efficiencies (new cooling canal system 7 sediment removal and thermal efficiency strategy), lower equipment repair costs 8 for monitoring equipment, and decreased monitoring and reporting costs due to 9 hiring field staff to replace more expensive contractors. 10 800 MW Unit Electrostatic Precipitator ("ESP") 11 Project 45. Project expenditures were \$119,225 or 76.9% lower than estimated. The variance 12 13 is due to lower than projected maintenance following a planned inspection of the 14 ESP system at Manatee Plant. 15 16 Project 47. **National Pollution Discharge Elimination System ("NPDES")** 17 **Permit Renewal Requirements** 18 Project expenditures were \$111,643 or 119% higher than estimated. The variance 19 is primarily due to St. Lucie Nuclear Plant inadvertently including costs associated 20 with chemicals, which are normally recovered through base rates, in an ECRC

7

recoverable account. A correction will be reflected in April 2021.

21

22

Cooling Canal Project Regulatory Compliance

Q.	Please provide an	update on	the status	of the	Cooling	Canal Pro	ject.
----	-------------------	-----------	------------	--------	---------	-----------	-------

FPL remains in compliance with all regulatory requirements associated with the Cooling Canal Project. In July 2020, FPL submitted a supplemental salinity management plan to the FDEP to further assist with achieving and maintaining the 2016 FDEP Consent Order's annual average salinity threshold of at or below 34 practical salinity units ("PSU") for the Turkey Point Cooling Canal System ("CCS"). FPL's freshening actions have been effective in moderating CCS salinity, but additional freshening is needed. To date, freshening has reduced CCS salinity by over 20 PSU on average from levels that would have occurred had freshening measures not been implemented. The average annual salinity remains above 34 PSU, but it is trending downward. For example, the average CCS salinity for June 1, 2020 through March 18, 2021 (281 days, or 77%, into the current compliance year) is 38.5 PSU, the lowest recorded salinity for this time of the year in the tenyear period of record.

A.

The 2016 Consent Order contemplated additional measures might be needed to achieve the salinity threshold and provided a process for FPL to submit a plan detailing those measures. The plan is undergoing permitting with the FDEP, and FPL expects permit issuance in the second quarter of 2021. FPL is also currently in the process of renewing its NPDES/IWW Permit for the Turkey Point facility. FDEP noticed an intent to issue a permit in April 2020, but administrative challenges were filed, resulting in litigation concerning the issuance of the final

1	permit. The hearing was held in January 2021, and a final decision is expected in
2	the third quarter of 2021. Since the NPDES/IWW permit is an integral piece of
3	FPL's compliance with the 2016 Consent Order, FPL is requesting the Commission
1	approve a modification to the Cooling Canal Project to include costs associated
5	with litigating the NPDES/IWW permit challenges.

- 6 Q. Please summarize FPL's regulatory compliance activities related to the
 7 Cooling Canal Project since your testimony in Docket No. 20170007-EI.
- A. FPL continues to move forward with compliance and implementation of actions associated with activities required under the 2015 MDC Consent Agreement, the 2016 Consent Order, and the 2016 and 2019 addenda to the 2015 MDC Consent Agreement (attached as MWS-1 through MWS-4, respectively). FPL has remained in compliance with all regulatory environmental requirements imposed by these agreements.

14 Q. What are the specific environmental objectives of the 2016 Consent Order?

- 15 A. The three objectives of the 2016 Consent Order are to cease discharges from the
 16 CCS that impair the reasonable beneficial use of adjacent G-II groundwater to the
 17 west of the CCS, prevent releases of groundwater from the CCS to surface waters
 18 connected to Biscayne Bay that result in exceedances of surface water quality
 19 standards, and mitigate impacts related to historic operation of the CCS.
- Q. Is FPL in compliance with all actionable items required in the 2016 Consent
 Order?
- 22 A. Yes. FPL has substantially accomplished the objectives of the 2016 Consent Order 23 and continues successful execution on all requirements within it.

Q. Please describe the activities FPL has taken since 2016 to achieve compliance with the 2016 Consent Order's objective to cease discharges from the CCS that impair the reasonable and beneficial use of adjacent G-II groundwaters.

Under the 2016 Consent Order, FPL is required to achieve an average annual salinity of the CCS surface waters at or below 34 PSU, develop and submit a thermal efficiency plan, and implement a Recovery Well System ("RWS"). FPL has undertaken significant activities since 2016 to achieve compliance. FPL has licensed and constructed six low salinity Floridan aquifer freshening wells, modified the site license to authorize the use of up to 14 million gallons per day ("MGD") of low salinity Floridan aquifer water to replace water lost to evaporation and reduce CCS salinity, and has implemented the approved CCS salinity reduction plan continuously since November 28, 2016. These wells have positively impacted the CCS by moderating salinity concentrations. FPL also optimized our existing Floridan allocation, as allowed under the site license, by diverting an estimated 7 MGD of the unutilized portion of Turkey Point Units 1-5 Floridan process water allocation to the CCS to aid in salinity reduction. FPL also constructed an additional low salinity Floridan aquifer well to provide additional freshening water for the CCS.

19

20

21

22

23

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

A.

In addition, FPL has been implementing the Thermal Efficiency Plan as required by the 2016 Consent Order since it received FDEP's approval on July 7, 2017. The annual average thermal efficiency has been maintained above the 2016 Consent Order target level of 70% since implementing the plan. The annual average thermal

1 efficiency was 84.6%, 85.1%, 85.0%, and 86.0% for years 2017, 2018, 2019, and 2020 respectively.

3

4

5

6

7

8

9

- As required by the 2016 Consent Order, FPL permitted and constructed an RWS, which became operational on May 15, 2018. After the first two-and-a-half years of operations and based on the results of the second Continuous Surface Electromagnetic Mapping survey, the RWS has reduced the hypersaline plume volume by 34%. The results indicate the RWS is functioning as designed and is on
- 10 Q. The 2016 Consent Order includes an average annual salinity threshold for the
 11 CCS surface waters at or below 34 PSU to be achieved by November 28, 2020.
 12 Did FPL achieve this salinity threshold by that date?

track to achieve the objectives outlined in the 2016 Consent Order.

A. No. While CCS annual salinity levels have been moderated due to freshening activities, cooling canal salinity did not meet the average annual salinity threshold of 34 PSU by November 28, 2020. However, as referenced above, the average CCS salinity for June 1, 2020 through March 18, 2021 (281 days, or 77%, into the current compliance year) is 38.5 PSU, the lowest recorded salinity for this time of the year in the period of record.

19 Q. Why was the salinity threshold not achieved?

A. Cooling canal salinity is affected by many factors. During most of the freshening timeframe since 2016, the cooling canals experienced lower than average rainfall, which resulted in CCS evaporation exceeding freshwater inputs (rainfall plus

1 freshening) for numerous months each year. When evaporation exceeds freshwater 2 inputs, CCS salinity increases.

3 Q. Are there other factors impacting the ability to meet the salinity threshold?

4

5

7

9

11

14

15

16

17

18

19

20

21

- A. Yes, the original freshening model utilized data collected from 2010-2012, which was the best available data at the time the salinity management plan was developed. 6 FPL now has a longer data record that represents a wider range of hydrologic conditions. CCS salinity responses have shown that offsetting evaporative losses is 8 more beneficial on a monthly basis, rather than on an annual average basis. These data also indicate that additional freshening is needed during low rainfall months 10 to prevent the CCS salinity from rising. By stabilizing CCS salinity during dry times using greater volumes of freshening water, combined with wet season 12 rainfall, the CCS salinity levels are anticipated to achieve the 34 PSU annual 13 average salinity threshold.
 - Does the 2016 Consent Order address what FPL is required to do when the Q. average annual salinity of the CCS surface waters is not at or below 34 PSU at the completion of the fourth year of freshening activities?
 - Yes. The 2016 Consent Order recognizes that additional measures might be needed A. and provides a process to supplement CCS salinity reduction measures to achieve the salinity threshold. As set forth in the 2016 Consent Order, within 30 days of the date to reach the required threshold (November 28, 2020), FPL must submit a plan to the FDEP detailing additional measures, and a timeframe for those measures, that FPL will implement to achieve the required salinity threshold.

- Q. Since the salinity threshold was not met, what actions is FPL taking pursuant to the 2016 Consent Order?
- A. In July 2020, ahead of the December 28, 2020 deadline, FPL submitted a supplemental salinity management plan to FDEP outlining the actions FPL will take to achieve the threshold. The proposed activities included optimizing FPL's existing freshening wellfield operations and seeking an increase to the wellfield's
- Q. Please describe what activities have occurred since FPL submitted its
 supplemental salinity management plan to FDEP.

water use allocation. A copy of the plan is included as Exhibit MWS-5.

- 10 A. FPL has taken steps to optimize its existing freshening wellfield operations to reach
 11 the full permitted allocation of 14 MGD. Wellfield production was increased
 12 through well acidization treatments and installation of a pump and motor on one
 13 well. FPL also submitted a petition to FDEP to modify its Site Certification License
 14 to implement the plan and increase the wellfield's water use allocation. As part of
 15 the permitting process, FPL will work with FDEP and other agencies to further
 16 reduce CCS salinity, and additional measures may be required as a result.
- 17 Q. Is it common for environmental remediation activities and costs to evolve over 18 time?
- 19 A. Yes. Remediation practices rely on monitoring the actual responses in the
 20 environment to identify the level of success and, where applicable, when
 21 appropriate adjustments are needed. The ability to monitor and adjust remediation
 22 activities is an integral activity in ensuring projects meet environmental goals
 23 considering the numerous variables and assumptions inherent in the initial design.

1 <u>Cooling Canal Project Background</u>

- 2 Q. Has FPL submitted updates to the Commission regarding the scope and costs
- 3 of the Cooling Canal Project since it was approved in Order No. PSC-09-0759-
- **4 FOF-EI?**
- 5 A. Yes. Throughout the period since the Cooling Canal Project was approved,
- 6 including in my current testimony, FPL has filed updates concerning the Cooling
- 7 Canal Project. As required, FPL has annually filed all cost data concerning the
- 8 project, including information relating to actual and estimated costs, and final true-
- 9 up amounts. FPL has also filed project description and progress reports annually
- to provide the Commission with information concerning project accomplishments
- and expenditures. FPL also discussed regulatory actions and compliance activities
- related to the Cooling Canal Project at length in testimony filed in Docket Nos.
- 13 160007-EI and 20170007-EI. Finally, FPL provided an update to project costs and
- expenditures in Docket No. 20180007-EI.
- 15 Q. What were FPL's actual 2020 costs associated with required Cooling Canal
- 16 **Project activities?**
- 17 A. In 2020, FPL incurred \$7.4 million in capital expenditures and \$9.3 million in
- O&M expenses for the Cooling Canal Project.
- 19 Q. What is FPL's current estimate of 2021 costs associated with required Cooling
- 20 Canal Project activities?
- 21 A. In 2021, FPL estimates that it will incur approximately \$9.8 million in capital
- 22 expenditures and \$9.7 million in O&M expenses for the Cooling Canal Project
- 23 activities.

1	Q.	How much costs were incurred in 2020 for Cooling Canal Project compliance
2		related to additional actions needed to achieve the CCS salinity threshold?
3	A.	FPL incurred \$7.1 million on additional actions needed to achieve the CCS salinity
4		threshold, including actions to optimize its existing Floridan allocations for
5		freshening and for process water at Turkey Point Units 1-5 and to prepare for and
6		seek the requested increase in water use allocation.
7	Q.	Going forward, how much does FPL expect to incur on Cooling Canal Project
8		compliance related to the supplemental salinity management plan?
9	A.	Since the ultimate solution for the supplemental salinity management plan is yet to
10		be approved by FDEP, total estimated costs are not known. The associated agencies
11		are reviewing the site license modification, and FPL and the agencies are working
12		through the permitting process.
13		
14		However, based on the actions identified in FPL's July 30, 2020 letter and the
15		petition for site license modification to FDEP, preliminary estimates of capital
16		investment costs associated with further optimizing and increasing the wellfield's
17		water use allocation are \$3.5 million. Preliminary O&M expenses are \$11.7 million
18		over the remaining approximately 30-year expected operation of the wellfield.
19		Depending on what solution is ultimately required, FPL may incur additional costs
20		associated with the design, permitting, testing, and implementation of that solution.
21		FPL will provide updated estimates in its regular filings once they are available.

1		National Pollution Discharge Elimination System/Industrial Wastewater
2		Permit Renewal
3	Q.	Does FPL hold environmental permits that apply to operation of the CCS?
4	A.	Yes, the CCS is a permitted industrial wastewater ("IWW") facility. FPL is the
5		permittee and operates the CCS under NPDES/IWW Permit Number FL0001562.
6		The Environmental Protection Agency ("EPA") issued the facility's initial permit
7		on September 23, 1973. The Florida Department of Environmental Regulation
8		(now FDEP) issued an IWW permit on October 15, 1982. These permits were
9		combined following the delegation of the NPDES program from EPA to the FDEP
10		on May 1, 1995. The permit has been timely renewed by the facility, as required,
11		and the current version of the permit was approved in 2005. A copy of the current
12		permit is attached as Exhibit MWS-6.
13	Q.	Is FPL currently in the process of applying for renewal of the NPDES/IWW
14		permit for Turkey Point?
15	A.	Yes, FPL is currently in the process of renewing its NPDES/IWW Permit for the
16		Turkey Point facility. On October 22, 2009, prior to the expiration of the current
17		permit, FPL timely filed its application for renewal of the permit. The current
18		permit, approved in 2005, has been administratively extended since 2010 while
19		FPL's application for renewal is pending approval by FDEP.
20	Q.	Please describe the status of the application.
21	A.	On April 13, 2020, the FDEP noticed an intent to issue a permit for the Turkey
22		Point facility, finding that, based upon the application and supplemental

information, FPL provided reasonable assurances that the wastewater treatment and

effluent disposal facilities at Turkey Point complied with the appropriate provisions of Chapter 403 of the Florida Statutes and Title 62 of the Florida Administrative Code (F.A.C.). A copy of FDEP's notice of intent to issue a permit is attached as Exhibit MWS-7. These provisions include a determination that the issuance of the permit will not cause a violation of the groundwater quality standards or criteria nor impair the designated use of contiguous surface waters (see Exhibit MWS-7, Conditions I.1 and I.2).

On June 4, 2020, the Florida Keys Aqueduct Authority ("FKAA") and the Florida Keys Fishing Guides Association ("FKFGA") filed administrative petitions challenging the permit and requesting formal administrative hearing and denial of the permit. Monroe County also intervened and became a petitioner. The Administrative Law Judge ("ALJ") held a two-week hearing ending on January 29, 2021. FPL expects a Recommended Order from the ALJ in the second quarter of 2021 and a Final Order from FDEP in the third quarter.

16 Q. Are the NPDES/IWW Permit and the 2016 Consent Order interrelated?

- 17 A. Yes. The 2016 Consent Order was a direct result of the FDEP's April 25, 2016
 18 Notice of Violation and Orders for Corrective Action ("NOV"). Paragraph 18 of
 19 the NOV specifically identifies a violation of 403.161(1)(b), F.S., for failing to
 20 comply with Condition IV.1 of the NPDES/IWW Permit. A copy of the April 25,
 21 2016 NOV is attached as Exhibit MWS-8.
- Q. Does the challenge of the NPDES/IWW Permit impact FPL's ability to comply with the 2016 Consent Order?

A. Yes. The NPDES/IWW permit is an integral piece of FPL's compliance with the 2016 Consent Order. The 2016 Consent Order presumes continued authorization of the CCS. Further, the proposed NPDES/IWW permit specifically incorporates certain 2016 Consent Order deadlines related to retraction of the hypersaline plume as well as monitoring and reporting requirements. These 2016 Consent Order conditions will be enforceable by FDEP, and potentially third parties, when the permit is issued. The specific conditions added from the 2016 Consent Order into the permit by FDEP include:

- On page 18 of the permit, FDEP added three conditions (VI (8), VI (9) and VI (10)) verbatim from the 2016 Consent Order directly into the permit. These conditions include the requirement for FPL to 'halt the westward migration of the hypersaline plume from the CCS within three years of the commencement of the remediation project (May 15, 2018).' These conditions also require that FPL 'retract the hypersaline plume to the L-31E canal within ten years of the commencement of the remediation project (May 15, 2018).'
- FDEP added Condition I.1., on page 2, which requires that FPL discharges to groundwater shall not cause a violation of the groundwater quality standards. FDEP inserts a footnote, number 1, to clarify that this condition is being satisfied by the remedial actions and timelines for achieving compliance with groundwater minimum criteria in the Consent Order. In other words, without the 2016 Consent Order, FDEP would not have reasonable assurance regarding groundwater quality criteria, and FDEP would not be able to issue the permit.
- In condition II.B.4, on page 10, FDEP cites the 2016 Consent Order as the basis

- 1 for the monitoring and reporting requirements for analyzing salinity levels in the CCS. 2
- 3 In condition II.D.20, on page 17, FDEP cites the 2016 Consent Order for the 4 proper selection of laboratories to analyze samples.
 - In Condition VIII.D.4, on page 27, FDEP specifically states that 'the permittee (FPL) and the Department entered into a Consent Order (OGC File #16-0241) on June 20, 2016. The Department may revise the permit to include certain provisions of the Consent Order upon its completion.' This is a reopener clause that allows FDEP to revise the permit to include certain provisions of the 2016 Consent Order upon its completion.

11

12

13

14

15

16

17

18

21

5

6

7

8

9

- As is evident from the number of conditions imposed by FDEP in the permit, or taken directly by FDEP from the 2016 Consent Order, the permit and the 2016 Consent Order are closely related and rely upon each other to allow for operation of the CCS and implementation of the remedial actions under the 2016 Consent Order.
- Please describe the administrative challenges filed by FKAA, FKFGA, and Q. Monroe County.
- 19 A. FKAA, FKFGA, and Monroe County challenged whether FPL had provided 20 reasonable assurances that FPL can satisfy FDEP's regulatory requirements to receive the permit. Many of the petitioners' allegations are based on the 2016 22 Consent Order, and a significant portion of the hearing focused on FPL's ability to 23 comply with the 2016 Consent Order. The petitioners' primary argument was that

the remedial actions required by the 2016 Consent Order are not working and therefore FPL is not entitled to the permit. If the ALJ found that FPL is violating groundwater standards or impairing the beneficial use of surface water, FPL may be required to amend the terms of the 2016 Consent Order. Third parties may then be able to challenge the revised 2016 Consent Order. The re-litigation of the 2016 Consent Order could result in the imposition of additional requirements on FPL under an "Amended Consent Order" to perform additional actions associated with the CCS. This could result in regulatory conflicts with the 2016 Consent Order, which in turn could result in additional requirements and costs associated with the CCS and the Cooling Canal Project. Therefore, litigating the NPDES/IWW permit challenges is required to defend the 2016 Consent Order and to ensure compliance with the 2016 Consent Order, while reducing risk for unnecessary and costly new requirements.

14 Q. Is FPL requesting a modification to the Cooling Canal Project?

- 15 A. Yes. Since FPL must defend its NPDES/IWW permit through administrative
 16 litigation in order to remain in compliance, FPL is requesting the Commission
 17 approve a modification to the Cooling Canal Project to include costs associated
 18 with litigating the NPDES/IWW permit challenges.
- 19 Q. How much does FPL expect to spend on costs associated with the 20 NPDES/IWW permit litigation?
- A. In 2020, FPL incurred \$1 million in O&M costs related to the NPDES/IWW permit litigation. In 2021, FPL expects to incur approximately \$800,000 in O&M costs related to the NPDES/IWW permit litigation. FPL's estimated costs for 2021 do

- 1 not include any costs that would result from an appeal of the ALJ's Order. FPL is
- 2 only seeking ECRC recovery for litigation costs associated with the NPDES/IWW
- 3 permit that were performed following its July 31, 2020 filing in Docket 20200007-
- 4 EI.
- 5 Q. Is FPL recovering the costs associated with the NPDES/IWW permit litigation
- 6 activities through any other mechanism?
- 7 A. No.
- 8 Q. How does the net overall projected cost of the Cooling Canal Project today
- 9 compare to the projected costs presented in Docket 20170007-EI?
- 10 A. The net overall projected cost of the Cooling Canal Project presented in Docket
- 11 20170017-EI and approved in Order No. PSC-2018-0014-FOF-EI has not
- increased.
- 13 Q. Does this conclude your testimony?
- 14 A. Yes.

MIAMI-DADE COUNTY, through its DEPARTMENT OF REGULATORY AND ECONOMIC RESOURCES, DIVISION OF ENVIRONMENTAL RESOURCES MANAGEMENT,

CONSENT AGREEMENT

Complainant,

٧.

FLORIDA POWER & LIGHT COMPANY,

Respondent.

This Consent Agreement, entered into by and between the Complainant, MIAMI-DADE COUNTY, through its DEPARTMENT OF REGULATORY AND ECONOMIC RESOURCES, DIVISION OF ENVIRONMENTAL RESOURCES MANAGEMENT ("DERM"), and the Respondent FLORIDA POWER & LIGHT COMPANY ("FPL"), pursuant to Section 24-7(15)(c) of the Code of Miami-Dade County, shall serve to redress alleged violations of Chapter 24 of the Code of Miami-Dade County located near, surrounding, or in the vicinity of the Cooling Canal System located at Turkey Point on FPL's property, as further described herein, in Miami-Dade County, Florida.

DERM and FPL enter into the following Consent Agreement:

FINDINGS OF FACT

- DERM is a division of Miami-Dade County, a political subdivision of the State of Florida, which is empowered to control and prohibit pollution and protect the environment within Miami-Dade County pursuant to Article VIII, Section 6 of the Florida Constitution, the Miami-Dade County Home Rule Charter and Section 403.182 of the Florida Statutes.
- Florida Power & Light Company ("FPL") is the owner and operator of the Turkey Point Power Plant, and FPL is the owner and operator of approximately a 5,900-acre network of unlined canals (the "Cooling Canal System" or "CCS") on the FPL property described in the map in Exhibit A (the "Property").

- In 1971, FPL signed a Consent Decree with the U.S. Department of Justice that required the construction, after permitting, of a closed-loop cooling configuration, with no discharge to surface waters.
- 4. The Florida Department of Pollution Control (later to become the Florida Department of Environmental Protection), in 1971, issued Construction Permit No. IC-1286 for the CCS. In 1972, Dade County issued Zoning Use Permit No. W-49833 for the excavation of the proposed Alternate Cooling Water Return Canal. FPL represents that in 1973, the construction of the CCS was completed; and the CCS was closed from the surface waters of both Biscayne Bay and Card Sound, becoming a closed-loop system.
- An approximate 18 foot deep interceptor ditch located along the west side of the CCS was designed
 and constructed to create a hydraulic barrier to keep water in the CCS from migrating inland or
 westward.
- 6. In 1972, FPL entered into an agreement with the Central and Southern Florida Flood Control District (later to become the South Florida Water Management District or "District") addressing the operations and impacts of the CCS. The agreement has been updated several times, with the most recent version being the Fifth Supplemental Agreement between the District and FPL entered into on October 16, 2009 ("Fifth Supplemental Agreement") which included an extensive monitoring program for the CCS, entitled the Turkey Point Plant Groundwater, Surface Water and Ecological Monitoring Plan ("2009 Monitoring Plan"), incorporated as Exhibit A of the Fifth Supplemental Agreement.
- 7. In a letter dated April 16, 2013, the District notified FPL of their determination that saline water from the CCS has moved westward of the L-31E Canal in excess of those amounts that would have occurred without the existence of the CCS, and pursuant to the provisions of the Fifth Supplemental Agreement, initiated consultation with FPL for the mitigation, abatement or remediation of the saline water movement.
- 8. DERM issued a Notice of Violation dated October 2, 2015 (the "NOV") to FPL, alleging violations of Chapter 24 of the Code of Miami-Dade County, for alleged violations of County water quality standards and criteria in groundwater attributable to FPL's actions, and specifically for groundwaters outside the boundaries of FPL's Cooling Canal System and beyond the boundaries of the Property.

- The phrase "hypersaline water" as used herein is defined as water that exceeds 19,000 mg/L chlorides.
- 10. DERM maintains there is hypersaline water attributable to FPL's actions in the groundwaters outside the boundaries of the Property, which exceeds County water quality standards and criteria. FPL acknowledges the presence of hypersaline water in certain areas outside the boundaries of the Property. For waters that do not reach the level of hypersalinity, DERM and FPL do not agree on the applicable "background" standards for chlorides.
- 11. In 2013 and 2014, FPL experienced water quality issues within the CCS, including increases in temperature and salinity, and FPL sought approvals from various regulatory agencies for actions to improve the water quality within the CCS.
- 12. DEP issued an Administrative Order, No. 14-0741, on December 23, 2014, requiring FPL to, among other things, reduce and maintain the annual average salinity of the CCS at a practical salinity of 34, and that Administrative Order is currently the subject of an Administrative Hearing.
- 13. Both DERM and FPL agree and acknowledge that it would be beneficial to improve the water quality within the Cooling Canal System itself, and FPL has already undertaken some efforts to improve the CCS water quality.
- 14. This Consent Agreement requires FPL to take action to address the County's alleged violations of County water quality standards and criteria in groundwaters outside the CCS as described in the NOV. As part of these actions, this Consent Agreement also requires FPL to take into account its efforts to improve CCS water quality and the potential and actual impacts of such actions on water resources outside the CCS, to not cause or contribute to (i) the exacerbation of alleged violations of County water quality standards or criteria or (ii) future violations of County water quality standards or criteria in the groundwaters or surface waters outside the CCS.
- FPL hereby agrees to the terms of this Consent Agreement without admitting the allegations made by the above-mentioned NOV.

16. In an effort to expeditiously resolve this matter and to ensure compliance with Chapter 24 of the Code of Miami-Dade County, and to avoid time consuming and costly litigation, the parties hereto agree to the following, and it is ORDERED:

REQUIREMENTS

17. FPL shall undertake the following activities to specifically address water quality impacts associated with the CCS, as alleged in the NOV. The objective of this Consent Agreement will be for FPL to demonstrate a statistically valid reduction in the salt mass and volumetric extent of hypersaline water (as represented by chloride concentrations above 19,000 mg/L) in groundwater west and north of FPL's property without creating adverse environmental impacts. A further objective of this Consent Agreement is to reduce the rate of, and, as an ultimate goal, arrest migration of hypersaline groundwater. Recognizing other factors beyond FPL's control may influence movement of groundwater in the surficial aquifer, FPL shall reasonably take into account such factors when developing and implementing remedial actions to minimize the timeframe for achieving compliance with this Consent Agreement.

a. Abatement.

- i. DERM acknowledges that FPL is planning to undertake the following:
 - pursue permitting, construction and operation of up to six Upper Floridan Aquifer System wells in accordance with the Site Certification Modification that is the subject of DOAH Case No. 15-1559EPP.
 - continue the use of the existing marine wells (SW-1, SW-2, and PW-1) as a short term resource to lower and maintain salinities. FPL shall work to avoid the use of the marine wells, except under extraordinary circumstances.
 - 3. continue operation of the authorized L-31E canal pumps as a short term resource only, in accordance with the terms and conditions of the applicable approvals. FPL acknowledges that the use of water from the L-31E canal is intended only as a short term resource to lower CCS salinity. FPL anticipates the need for this resource for the next two years to reduce salinity as it transitions into the long term resources that are intended to maintain the lower salinity in the CCS. FPL acknowledges that additional regulatory

approvals will be required for continuation of this activity beyond the expiration of the existing approvals.

- ii. FPL shall evaluate alternative water sources to offset the CCS water deficit and reduce chloride concentration in the CCS, and as a means of abating the westward movement of CCS groundwater. FPL will consider the practicality and appropriateness of using reclaimed wastewater from the Miami-Dade County South District Waste Water Treatment Plant as an alternative water source. FPL will provide DERM a summary of its Alternative Water Supply plan within 180 days of executing the Consent Agreement. FPL recognizes the importance and potential for reuse water, and FPL will make good faith efforts to implement the use of reuse water where practicable.
- iii. FPL shall also conduct a review of the Interceptor Ditch operations to determine if current design and/or operations can be practicably modified to improve its function recognizing the current status of the CCS and surrounding wetlands. FPL will provide a summary of its Interceptor Ditch Review within 180 days of executing the Consent Agreement.
- iv. The alternative water sources and any modifications to Interceptor Ditch design or operation shall be authorized through the appropriate regulatory processes and shall be demonstrated to not create adverse impacts to surface waters, groundwater, wetland or other environmental resources consistent with the Fifth Supplemental Agreement.
- b. <u>Remediation</u>. FPL shall develop and implement the following actions to intercept, capture, contain, and retract hypersaline groundwater (groundwater with a chloride concentration of greater than 19,000 mg/L) to the Property boundary to achieve the objectives of this Consent Agreement.
 - i. Phase 1. FPL shall design, permit, and construct a Biscayne Aquifer Recovery Well System (RWS) based on the results of a variable density dependent groundwater model which shall be sufficient to support the design of the RWS to intercept, capture, and contain the hypersaline plume; support authorization through the appropriate regulatory processes; and demonstrate that it will not create adverse

impacts to groundwater, wetland (hydroperiod or water-stage), or other environmental resources. Final operation and design will be informed by an Aquifer Performance Test (APT). FPL shall provide its design and supporting information for the Recovery Well System and associated monitoring wells for DERM review and approval within 180 days of executing the Consent Agreement. FPL shall proceed with implementation within one year of executing the Consent Agreement, subject to regulatory timelines not in FPL's control. The initial design will be based on up to 12 MGD disposal capacity recognizing existing on-site capability. Efficacy of this design constraint will be reviewed in Phases 2, 3, and 4.

- ii. Phase 2. FPL shall operate the RWS in accordance with all local, state, and federal regulatory requirements, collect data as required by the monitoring program, and employ the data to inform and reduce the uncertainty of the groundwater model. Status and efficacy of the system operation in meeting the objectives of this Consent Agreement and results of continued groundwater model refinement will be provided in the annual reports required in Paragraph 17d.
- iii. Phase 3. After five years, FPL shall evaluate the effectiveness of the RWS in achieving the goal to intercept, capture, contain, and ultimately retract the hypersaline groundwater plume. This evaluation shall include estimated milestones and be based on the results of the monitoring data and refined groundwater/surfacewater model, which will be submitted to DERM. If the analysis indicates that the RWS is not anticipated to achieve the goal to intercept, capture, contain, and ultimately retract the hypersaline groundwater plume, FPL shall make recommendations for modifications to the project components and/or designs to ensure the ability of the system to achieve the objectives of the Consent Agreement. The evaluation and any proposed revisions shall be submitted to DERM for review and approval.
- iv. Phase 4. After ten years, FPL shall review the results of the activities and progress to achieve the objectives of this Consent Agreement, and this evaluation shall be submitted to DERM. If monitoring demonstrates that the activities are not achieving the objectives of this Consent Agreement, FPL shall revise the project components and/or designs to ensure the ability of the system to achieve the objectives of this

Consent Agreement. The proposed revisions shall be submitted to DERM for review and approval.

- Regional Hydrologic Improvement Projects. In addition, FPL agrees to undertake the following:
 - i. Raise control elevations in the Everglades Mitigation Bank. Within 30 days of the effective date of this Consent Agreement, FPL shall raise the control elevations of the FPL Everglades Mitigation Bank ("EMB") culvert weirs to no lower than 0.2 feet lower than the 2.4 foot trigger of the S-20 structure and shall maintain this elevation. After the first year of operation, FPL shall evaluate the change in control elevation, in regards to improvements in salinity, water quality, and lift in the area, and if FPL determines that the change in control elevations is not effective, or that FPL is negatively impacted in receiving mitigation credits as a result of this action, FPL will consult with DERM and propose potential alternatives.
 - iii. Fill portions of the Model Lands North Canal within the Everglades Mitigation Bank. Within 30 days of the effective date of the Consent Agreement, FPL shall seek all necessary regulatory approvals to place excavated fill from the adjoining roadway into the Model Lands North Canal within FPL's Everglades Mitigation Bank. Upon issuance of such regulatory approvals, FPL shall, starting on the east end, fill the Model Lands North Canal. This Consent Agreement only requires FPL to fill to the extent the fill is available from the adjoining roadway permitted to be degraded.
 - iii. If the District determines that flowage easements are needed from FPL in order to increase the operational stages of the S-20 water control structure as planned and approved by CERP, FPL agrees to provide such flowage easements for FPL owned land within the Everglades Mitigation Bank, in favor of the District within six months of the determination.
 - iv. FPL acknowledges the benefit of hydrologic restoration projects contemplated by the Comprehensive Everglades Restoration Project ("CERP"), as well as other government entities, adjacent and to the west of the CCS in controlling movement of hypersaline and saline waters in the Biscayne Aquifer. FPL commits to working with

local, state and federal agencies to facilitate implementation of these projects to promote improved hydrologic conditions.

- d. Monitoring and Reporting. FPL shall conduct monitoring to evaluate the progress made in achieving the objectives of this Consent Agreement. This includes actions that result from satisfying the abatement, remediation and hydrologic improvement components of this Consent Agreement. FPL shall initiate the monitoring and reporting requirements identified below within 30 days of executing the Consent Agreement. The monitoring shall include the following:
 - FPL shall facilitate DERM access to all data from continuous electronically monitored stations.
 - ii. FPL shall continue to provide monthly and quarterly reports substantially consistent with those required in M-D Class I permit CLI-2014-0312, beyond the expiration of the permit.
 - iii. FPL shall employ Continuous Surface Electromagnetic Mapping (CSEM) methods to assess the location and orientation of the hypersaline plume west and north of the CCS.
 - iv. FPL shall add three groundwater monitoring clusters (shallow, mid and deep) to monitor groundwater conditions in the model lands basin. The well clusters shall be similar in design and function to existing groundwater monitoring wells in the region as part of the CCS monitoring program, and shall be geographically located in consultation with DERM.
 - v. FPL shall submit annual reports providing an evaluation of progress in achieving the objectives of this Consent Agreement, status of implementing projects identified above, and the results of monitoring to determine the impacts of these activities. Recommendations for refinements to the activities will be included in the annual report. This may include deletions of monitoring that is demonstrated to no longer be needed, or additional monitoring that is warranted based on observations.

SAFETY PRECAUTIONS

18. FPL shall maintain the subject property during the pendency of this Consent Agreement in a manner which shall not pose a hazard or threat to the public at large or the environment and shall not cause a nuisance or sanitary nuisance as set forth in Chapter 24 of the Code of Miami-Dade County, Florida.

VIOLATION OF REQUIREMENTS

19. This Consent Agreement constitutes a lawful order of the DERM Director and is enforceable in a civil court of competent jurisdiction. Violation of any requirement of this Consent Agreement may result in enforcement action by DERM. Each violation of any of the terms and conditions of this Consent Agreement by FPL shall constitute a separate offense.

SETTLEMENT COSTS

- 20. FPL hereby certifies that it has the financial ability to comply with the terms and conditions herein and to comply with the payment of settlement costs specified in this Agreement.
- 21. DERM has determined that due to the administrative costs incurred by DERM for this matter, a settlement of \$30,000.00 is appropriate. FPL shall, within sixty (60) days of the effective date of this Consent Agreement, submit to DERM a check in the amount of \$30,000.00 for full settlement payment. The payment shall be made payable to Miami-Dade County and sent to the Division of Environmental Resources Management, c/o Barbara Brown, 701 NW 1st Court, 6th Floor, Miami, FL 33136-3912.
- 22. In the event that FPL fails to submit, modify, implement, obtain, provide, operate and/or complete those items listed in paragraph 17 herein, FPL shall pay DERM a civil penalty of one hundred dollars (\$100.00) per day for each day of non-compliance and FPL may be subject to enforcement action in a court of competent jurisdiction for such failure pursuant to those provisions set forth in Chapter 24 of the Code of Miami-Dade County. Any such payments shall be made by FPL to DERM within ten days of receipt of written notification and shall be sent to the Division of Environmental Resources Management, 701 NW 1st Court, 6th Floor, Miami, FL 33136-3912.

GENERAL PROVISIONS

- 23. FPL shall allow any duly authorized representative of DERM, with reasonable notification, to enter and inspect the CCS, Floridan wells, extraction wells, or any other relevant facilities, at any reasonable time for the purpose of ascertaining the state of compliance with the terms and conditions of this Consent Agreement. DERM shall comply with the plant safety and security precautions. FPL shall provide and maintain a point of contact at the Turkey Point Power Plant to assist DERM in accessing the facilities to be inspected.
- 24. On a quarterly basis (January, April, July, and October), DERM may collect surface and/or groundwater samples at the discretion of DERM at various monitoring locations in accordance with monitoring referenced in Paragraph 17 above.
- 25. FPL and DERM agree to cooperate and use best efforts moving forward related to this Consent Agreement.
- 26. Disputes related to or arising out of this Consent Agreement shall be construed consistent with the laws of the State of Florida and the United States, as applicable, and shall be filed in the state or federal courts of the State of Florida, as appropriate. Proceedings shall take place exclusively in the Circuit Court for Miami-Dade County, Florida or the United States District Court for the Southern District of Florida.
- 27. In consideration of the complete and timely performance by FPL of the obligations contained in this Consent Agreement, DERM waives its rights to seek judicial imposition of damages or civil penalties for the matters alleged in Notice of Violation and Consent Agreement.
- 28. Where FPL cannot meet timetables or conditions due to circumstances beyond FPL's control, FPL shall provide written documentation to DERM which shall substantiate that the cause(s) for delay or non-compliance was not reasonably in FPL's control. DERM shall make a determination of the reasonableness of the delay for the purpose of continued enforcement pursuant to paragraph 22 of this Consent Agreement.
- 29. DERM expressly reserves the right to initiate appropriate legal action to prevent or prohibit future violations of applicable laws, regulations, and ordinances or the rules promulgated thereunder.

- 30. Entry of this Consent Agreement does not relieve FPL of the responsibility to comply with applicable federal, state or local laws, regulations, and ordinances.
- 31. FPL acknowledges that this Consent Agreement is within the jurisdiction of Miami-Dade County. Nothing in this Consent Agreement is intended to expand, nor shall this Consent Agreement be construed to expand, the regulatory authority or jurisdiction of Miami-Dade County.
- 32. This Consent Agreement shall neither be evidence of a prior violation of this Chapter nor shall it be deemed to impose any limitation upon any investigation or action by DERM in the enforcement of Chapter 24 of the Code of Miami-Dade County.
- 33. This Consent Agreement shall become effective upon the date of execution by the DERM Director, or the Director's designee.

DOTOBER 6, 2015

Date


Eric E. Silagy President & CEO Florida Power & Light Company 700 Universe Boulevard Juno Beach, FL 33408 Respondent

Before me, the undersigned authority, personally appeared _____, who after being duly sworn, deposes and says that they have read and agreed to the foregoing.

Subscribe and sworn to before me this day of October, 2015 by

Eric Silagy (name of affiant).

Personally known or Produced Identification (Check one)	:
Type of Identification Produced:	LISA GROVE MY COMMISSION # FF 154741 EXPIRES: December 14, 2016 Booded Thru Budget Notary Services
Sold Public Signature	Lisa Grove Notary Public Printed Name
DO NOT WRITE BELOW THIS LINE	E – GOVERNMENT USE ONLY
OCT 7 7015 Date	Ilee N. Hefty, DERM Director Miami-Dade County
Witness	Barbara Brown Witness



BEFORE THE STATE OF FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

STATE OF FLORIDA DEPARTMENT)	IN THE OFFICE OF THE
OF ENVIRONMENTAL PROTECTION)	SOUTHEAST DISTRICT
v.)	
)	OGC FILE NO. 16-0241
FLORIDA POWER & LIGHT)	
COMPANY,)	
)	
)	
	_)	

CONSENT ORDER

This Consent Order ("Order") is entered into between the State of Florida

Department of Environmental Protection ("Department") and Florida Power & Light

Company ("Respondent" or "FPL") to reach settlement of certain matters at issue

between the Department and Respondent.

The Department finds:

- 1. The Department is the administrative agency of the State of Florida having the power and duty to protect Florida's air and water resources and to administer and enforce the provisions of Chapter 403, Florida Statutes ("F.S."), and the rules promulgated and authorized in Title 62, Florida Administrative Code ("F.A.C."). The Department has jurisdiction over the matters addressed in this Order.
 - 2. FPL is a "person" as defined under Section 403.031(5), F.S.

Docket No. 20210007-EI June 2016 FDEP Consent Order Exhibit MWS-2, Page 2 of 27

DEP vs. Florida Power & Light Company Consent Order OGC No. 16-0241 Page 2

- 3. FPL owns and operates a cooling canal system ("CCS"), an approximately 5,900-acre network of unlined canals at Turkey Point Power Plant. FPL began construction of the CCS in 1972. Turkey Point originally obtained cooling water for the facility by drawing surface water from an intake channel connected to Biscayne Bay, and discharging that water, after it had been heated, into Biscayne Bay and Card Sound through a series of discharge canals. In 1971, FPL entered into a Final Judgment with the U.S. Department of Justice that required the permitting, construction, operation, and maintenance of a closed-loop cooling canal configuration with limitations on makeup and blowdown water.
- 4. FPL is the permittee and operates the CCS under National Pollutant Discharge Elimination System/Industrial Wastewater Permit Number FL0001562 (the "Permit"). This Permit is issued pursuant to the federal NPDES program and Florida industrial wastewater permitting program. The Permit authorizes wastewater discharges from the generating units through two internal outfalls into the CCS. The Permit does not authorize direct discharges to surface waters of the state. The Permit authorizes discharges from the CCS into Class G-III groundwater which is part of the surficial aquifer system. Condition IV.1 of the Permit provides that discharges to groundwater shall not cause a violation of the minimum criteria for ground water specified in Rules 62-520.400, F.A.C. and 62-520.430, F.A.C. Rule 62-520.400, F.A.C., provides that discharges to ground water shall not impair the reasonable and beneficial use of adjacent waters, either ground or surface.

Docket No. 20210007-EI June 2016 FDEP Consent Order Exhibit MWS-2, Page 3 of 27

DEP vs. Florida Power & Light Company Consent Order OGC No. 16-0241

Page 3

5. Turkey Point Power Plant Units 3 through 5 are licensed under the Florida Power Plant Siting Act, Chapter 403, Part II, F.S. Those units operate in accordance with the conditions of certification in their license, PA 03-45. Condition of Certification X requires FPL to execute a 5th Supplemental Agreement with the South Florida Water Management District ("SFWMD") and to revise FPL's monitoring obligations, which resulted in the Turkey Point Plant Groundwater, Surface Water and Ecological Monitoring Plan, as amended, ("2009 Monitoring Plan") incorporated as Exhibit A to the Fifth Supplemental Agreement between the South Florida Water Management District and FPL entered on October 16, 2009.

- 6. Historical data show that, when the CCS was constructed in the 1970's, saline water had already intruded inland along the coast due to many factors such as freshwater withdrawals, drought, drainage and flood control structures, and other human activities. To date, the relative contributions of the different factors toward westward movement of the saltwater interface have not been fully identified.
- 7. FPL provided information on action they have already taken on several fronts to address the broader regional risks and the many causes of saltwater intrusion. In 2010, FPL installed a gated culvert approximately 3.8 miles inland of Biscayne Bay in the Card Sound Road Canal to eliminate an unrestricted inland conveyance of saltwater from the bay. Also, in 2014, FPL installed a broad, fix crested weir in the S-20 Discharge Canal to prevent the historic migration of bay saltwater up to the S-20 Canal.

- 8. The phrase "hypersaline water/plume" as used in this Order means water that exceeds 19,000 mg/L chlorides. The term "saltwater interface" ("SWI") as used in this Order means the intersection of class G-II and G-III groundwaters.
- 9. The CCS includes an approximately 18 foot deep interceptor ditch along the western edge of the CCS. As approved and constructed, the interceptor ditch system has been effective at restricting the westward movement of the saline water from the CCS in the upper portion of the aquifer but has not restricted the westward movement of saline waters into the deeper portions of the aquifer. Saline water from the CCS has moved, at depth, westward of the L-31E Canal in excess of those amounts that would have occurred without the existence of the CCS.
- 10. The Department issued an Administrative Order (OGC No. 14-0741) to FPL related to the CCS at Turkey Point on December 23, 2014 and made final by an Order of the Department issued on April 21, 2016. The Administrative Order requires FPL to reduce the salinity in the CCS. This Consent Order supersedes all of the requirements of that Administrative Order.
- 11. FPL conducted or implemented dredging, vegetation control, water stage management, and chemical additives to the CCS to maintain the thermal efficiency of the system and to control salinity and temperature.
- 12. Elevated salinity levels in the CCS cause, or at a minimum contribute to, the hypersaline discharges into the groundwater. Reducing the CCS surface water salinity from an elevated base salinity condition will require certain measures such as a greater

Docket No. 20210007-EI June 2016 FDEP Consent Order Exhibit MWS-2, Page 5 of 27

DEP vs. Florida Power & Light Company Consent Order OGC No. 16-0241

Page 5

addition of relatively fresher water, removal of salt mass from the CCS, and management

of CCS inflows and outflows. Ambient weather factors, such as precipitation amounts,

temperatures, and regional water levels can also affect CCS salinity levels.

13. On October 7, 2015, FPL entered into a Consent Agreement with Miami-

Dade County to resolve a Notice of Violation from the County dated October 2, 2015.

Pursuant to paragraph 17 of the Consent Agreement, the objective is for FPL to

demonstrate a statistically valid reduction in the salt mass and volumetric extent of the

hypersaline water (as represented by chloride concentrations above 19,000 mg/L) in

groundwater west and north of FPL's property without creating adverse environmental

impacts. A further objective of the Consent Agreement is to reduce the rate of and, as an

ultimate goal, arrest migration of hypersaline groundwater.

14. On April 25, 2016, the Department issued a Notice of Violation (OGC File

No.: 16-0241) ("NOV") to FPL stating that the CCS is the major contributing cause to the

continuing westward movement of the saline water interface, and that the discharge of

hypersaline water contributes to saltwater intrusion. In the NOV, the Department found

that saltwater intrusion into the area west of the CCS is impairing the reasonable and

beneficial use of adjacent G-II groundwater in that area. FPL has operated the CCS under

regulatory approvals, and the Department has not previously issued FPL either a

Warning Letter or a Notice of Violation concerning FPL's operation of the CCS.

15. On April 25, 2016, the Department issued a Warning Letter, #WL 16-

000151W13SED, to FPL concerning sampling events that indicated that ground water

Docket No. 20210007-EI June 2016 FDEP Consent Order Exhibit MWS-2, Page 6 of 27

DEP vs. Florida Power & Light Company

Consent Order OGC No. 16-0241

Page 6

originating from beneath the CCS is reaching tidal surface waters connected to Biscayne

Bay in artificial deep channels immediately adjacent to the CCS. The Warning Letter

requested that FPL provide facts to assist in determining whether any violations of

Florida law have occurred.

16. The NOV directed FPL to enter into consultations to develop a consent

order to, at a minimum, remediate the CCS contribution to the hypersaline plume, reduce

the size of the hypersaline plume, and prevent future harm to waters of the State. FPL

entered into consultations with the Department as required by the Orders for Corrective

action in the NOV. The consultations resulted in resolutions to address the violations

alleged in the NOV and issues raised in the Warning Letter, as memorialized in this

Order.

17. On May 16, 2016, FPL submitted to the Department the nutrient monitoring

results from certain surface water monitoring stations in deep channels adjacent to the

CCS for total nitrogen, total phosphorous, TKN, and chlorophyll a. The Department

reviewed the information by FPL and determined that no exceedances of surface water

quality standards were detected in Biscayne Bay monitoring. This Order is intended to

minimize the potential for future exceedances.

18. This Order and FPL's compliance with the requirements set forth in this

Order address issues identified in the Department's Warning Letter, Administrative

Order and NOV.

Docket No. 20210007-EI June 2016 FDEP Consent Order Exhibit MWS-2, Page 7 of 27

DEP vs. Florida Power & Light Company

Consent Order OGC No. 16-0241

Page 7

Respondent and the Department mutually agree and it is

ORDERED:

19. The first objective of this Order is for FPL to cease discharges from the CCS

that impair the reasonable and beneficial use of the adjacent G-II ground waters to the

west of the CCS in violation of Condition IV.1 of the Permit and Rule 62-520.400, F.A.C.

FPL shall accomplish this first objective by undertaking freshening activities as

authorized in the Turkey Point site certification, by eliminating the CCS contribution to

the hypersaline plume, by maintaining the average annual salinity of the CCS at or below

34 Practical Salinity Units ("PSU"), by halting the westward migration of hypersaline

water from the CCS, and by reducing the westward extent of the hypersaline plume to

the L-31E within 10 years, thereby removing its influence on the saltwater interface,

without creating adverse environmental impacts. The second objective of this Order is

for FPL to prevent releases of groundwater from the CCS to surface waters connected to

Biscayne Bay that result in exceedances of surface water quality standards in Biscayne

Bay. FPL shall accomplish this second objective primarily by undertaking restoration

projects in the Turtle Point Canal and Barge Basin area. The third objective of this Order

is for FPL to provide mitigation for impacts related to the historic operation of the CCS,

including but not limited to the hypersaline plume and its influence on the saltwater

interface.

20. To achieve the first objective of this Order, FPL shall:

Docket No. 20210007-EI June 2016 FDEP Consent Order Exhibit MWS-2, Page 8 of 27

DEP vs. Florida Power & Light Company Consent Order OGC No. 16-0241

Page 8

a. Achieve a CCS average annual salinity of at or below 34 PSU ("threshold") at the completion of the fourth year of freshening activities, which are authorized by the Turkey Point site certification modification. If FPL fails to reach an annual average salinity of at or below 34 PSU by the end of the fourth year of freshening activities, within 30 days of failing to reach the required threshold, FPL shall submit a plan to the Department detailing additional measures, and a timeframe, that FPL will implement to achieve the threshold. Subsequent to attaining the threshold in the manner set forth above, if FPL fails more than once in a 3 year period to maintain an average

annual salinity of at or below 34 PSU, FPL shall submit, within 60 days of reporting the

average annual salinity, a plan containing additional measures that FPL shall implement

b. Submit a thermal efficiency plan within 180 days of the effective date of the Order that shall include a detailed description for the CCS to achieve a minimum of 70 percent thermal efficiency. This efficiency plan shall address water stage management, vegetation control, dredging, chemical additives to the CCS for facility operation, and upset recovery. FPL shall implement the efficiency plan within 90 days

of being instructed to do so by the Department.

to achieve the threshold salinity level.

c. Implement a remediation project that shall include a recovery well system that will halt the westward migration of hypersaline water from the CCS within 3 years and reduce the westward extent of the hypersaline plume to the L-31E canal within 10 years without adverse environmental impacts.

Docket No. 20210007-EI June 2016 FDEP Consent Order Exhibit MWS-2, Page 9 of 27

DEP vs. Florida Power & Light Company Consent Order OGC No. 16-0241 Page 9

i. Within 30 days of the effective date of this Order, provide the

Department with available detailed plans for this remediation project, including

supporting data, that are designed to halt the westward migration of the hypersaline

plume within 3 years of commencement of the remediation project and retract the

hypersaline plume to the L-31E canal within 10 years of the commencement of the

remediation project. Location, volume and movement of the hypersaline plume shall be

determined by Continuous Surface Electromagnetic Mapping ("CSEM") technology as

detailed below.

ii. Apply for appropriate regulatory approvals within 90 days of

the effective date of this Order and begin construction of this remediation project within

30 days after receipt of all necessary regulatory approvals. FPL shall advise the

Department of any modifications to the submitted plans that result from regulatory

reviews. FPL shall commence the operation of this remediation project upon completion

of construction. FPL shall provide the Department with written notice of the date FPL

commenced operation of this remediation project.

iii. For determining compliance, the westward migration of the

hypersaline plume shall be deemed halted if the third CSEM survey shows no net

increase in hypersaline water volume and no net westward movement in the leading

edge of the hypersaline plume.

iv. To ensure overall remediation objectives are attained in a

timely manner, if the second CSEM survey indicates that the net westward migration of

Docket No. 20210007-EI June 2016 FDEP Consent Order Exhibit MWS-2, Page 10 of 27

DEP vs. Florida Power & Light Company

Consent Order OGC No. 16-0241

Page 10

the hypersaline plume is not being halted, then, within 180 days of the second CSEM

survey, FPL shall develop and submit for approval to the Department a plan with specific

actions to achieve the objectives of the remediation project. If the third CSEM survey still

indicates the net westward migration of the hypersaline plume has not halted, FPL shall

implement the approved additional measures within 30 days after submittal of the third

CSEM report to the Department.

v. At the conclusion of the fifth year of operation of the

remediation project, FPL shall evaluate and report to the Department, within 60 days, the

effectiveness of the system in retracting the hypersaline plume to the L-31E canal within

10 years. If this report shows the remediation project will not retract the hypersaline

plume to the L-31E canal within 10 years due to adverse environmental impacts of

remedial measures or other technical issues, FPL shall provide an alternate plan for

Department review and approval. FPL shall begin implementing the alternate plan

within 30 days of receipt of notice that the alternate plan has been approved.

21. To achieve the second objective of this Order, FPL shall:

a. Complete Barge Basin and Turtle Point Canal restoration projects

within 2 years of receiving the final regulatory approval. Within 60 days of the effective

date of this Order, FPL shall provide the Department with a detailed plan and design of

the restoration projects to prevent releases of groundwater from the CCS to surface

waters connected to Biscayne Bay that result in exceedances of surface water quality

standards in Biscayne Bay. Not more than 90 days after the effective date of this Order,

Docket No. 20210007-EI June 2016 FDEP Consent Order Exhibit MWS-2, Page 11 of 27

DEP vs. Florida Power & Light Company

Consent Order OGC No. 16-0241

Page 11

FPL shall prepare and submit permit applications to relevant regulatory agencies

(including the Department, the United States Army Corp of Engineers, and Miami-Dade

County, as necessary) to address the restoration of the Turtle Point Canal and Barge

Basin. Project success shall be based on full project completion and monitoring results of

surface water sampling sites TPBBSW-4, TPBBSW-10, and TPBBSW-7T.

b. Within 90 days of the effective date of this Order, submit a detailed

report outlining the potential sources of the nutrients found in the CCS, including

chemical products used for plant operations. The report shall include a plan for

minimizing nutrient levels in the CCS, which shall be implemented within 90 days after

being instructed to do so by the Department.

c. Within 120 days of the effective date of this Order, conduct a

thorough inspection of the CCS periphery including all dams, dikes, berms, and

appurtenant structures using sound engineering judgment and best practices. FPL shall

submit a detailed report to the Department of the inspection results, including underlying

data. The inspection must be conducted by an independent qualified Florida licensed

professional engineer. The term qualified means having successfully completed the Mine

Safety and Health Administration Qualification for Impoundment Inspection course in

addition to the Annual Retraining for Impoundment Qualification, or equivalent

qualifications. The engineer shall also review available documentation and include in the

report any actions necessary to ensure the integrity of the CCS. If the inspection identifies

a material breach or structural defect in a peripheral levee of the CCS, FPL shall, within

Docket No. 20210007-EI June 2016 FDEP Consent Order Exhibit MWS-2, Page 12 of 27

DEP vs. Florida Power & Light Company Consent Order OGC No. 16-0241

Page 12

60 days, submit a detailed description of the plan to address any material breaches or

structural defects. FPL shall implement the plans to address any material breaches or

structural defects within 60 days of the report mandated under this paragraph.

22. If FPL seeks renewal of the Combined License for either Unit 3 or 4 from

the Nuclear Regulatory Commission, FPL shall provide the Department any information

provided to the NRC detailing the future operating viability, including environmental

and natural resource impacts, of the CCS and any potential alternative cooling

technologies during the second renewal period.

23. To achieve the third objective of this Order, FPL shall undertake the

following:

a. Complete an analysis, within 2 years from the effective date of this

Order, with input from the Department and other agencies as selected by the

Department, using the variable density three dimensional groundwater model

developed under the Miami-Dade County Consent Agreement, that seeks to allocate

relative contributions of other entities or factors to the movement of the SWI.

b. Enter into an agreement within 1 year with SFWMD, if SFWMD

requests, to convey to SFWMD, FPL property interests in essential properties within the

Biscayne Bay Coastal Wetlands Phase I project to facilitate the Comprehensive

Everglades Restoration Plan in exchange for payment based on a jointly approved

appraisal process or other mutually agreeable considerations. (See Attachment A).

Page 13

c. Deposit \$1.5 million into a Florida Department of Financial Services escrow account in accordance with an escrow agreement signed by FPL, the Department and the Florida Department of Financial Services. The escrow account shall be used to finance projects in the Turkey Point region that support mitigation of saltwater intrusion.

d. Conduct grab sampling within 90 days of the effective date of this Order, to improve trend analysis in Biscayne Bay and Card Sound surface waters, every two months, taking both top and bottom samples, for two years from the effective date of this Order at six sites as shown in Attachment B. The parameters sampled shall be: temperature, conductivity, pH, dissolved oxygen, turbidity, salinity, tritium, ammonia, nitrate + nitrite, total Kjedahl nitrogen, orthophosphate, total phosphorus, chlorophyll-a, total depth, and Secchi disk depth.

MONITORING REQUIREMENTS

- 24. Quality assurance and quality control for all monitoring requirements under this Order shall be achieved by compliance with the Quality Assurance Project Plan under the 2009 Monitoring Plan.
- 25. FPL shall timely apply for all regulatory approvals necessary for compliance with the monitoring requirements in this Order.
- 26. FPL shall continue to implement the monitoring program for the CCS, the 2009 Monitoring Plan, until such time as a monitoring plan is enacted pursuant to Section 403.087, F.S.

Docket No. 20210007-EI June 2016 FDEP Consent Order Exhibit MWS-2, Page 14 of 27

DEP vs. Florida Power & Light Company Consent Order OGC No. 16-0241

Page 14

27. In addition to the monitoring requirements contained in the 2009

Monitoring Plan, FPL shall, within 90 days of the effective date of this Order, request or

apply for regulatory approval to:

a. Obtain monitoring data from the USGS for the following wells for

inclusion in the monitoring database: G-3946-S, G-3946-D, G-3900, G-3976, G-3966, and

G-3699.

b. Install and monitor, consistent with the parameters and frequency

set forth in the 2009 Monitoring Plan, a new 3 well cluster at G-3164. Construction shall

commence within 180 days of FPL's receipt of all necessary regulatory approvals for the

installation of the wells.

c. Replace and monitor, consistent with the parameters and frequency

set forth in the 2009 Monitoring Plan well TPGW-8S. Construction shall commence

within 180 days of FPL's receipt of all regulatory approvals necessary for compliance with

this requirement.

d. Install and monitor, consistent with the parameters and frequency

set forth in the 2009 Monitoring Plan a new deep well (to be designated as TPGW-20)

located at the City of Homestead baseball complex, east of Kingman Road (SW 152nd

Ave.) near the western parking area. Construction shall commence within 180 days of

FPL's receipt of all regulatory approvals necessary for compliance with this requirement.

The deep well will have a screened interval open to the deep high flow interval identified

in the same manner as those described in the 2009 Monitoring Plan.

- 28. FPL shall expand the 2009 Monitoring Plan database to include all additional water monitoring data related to this Order required by all other governmental agencies and entities, including but not limited to the SFWMD, Nuclear Regulatory Commission, Miami-Dade County and the Florida Department of Health, as well as all monitoring data that is required in this Order.
- 29. In addition to the other monitoring requirements in this Order and for purposes of monitoring progress toward achievement of the hypersaline plume retraction, including determining whether the westward migration of the hypersaline plume has been halted and determining the rate of decline of saline levels in the CCS surface waters over time, the following monitoring requirements shall be met:
- FPL shall conduct and report to the Department a baseline CSEM a. survey of the hypersaline plume after freshening activities are in operation but before the complete recovery well system begins operation. This will be the "Baseline Survey."
- b. FPL shall conduct a CSEM survey within 30 days after the first year of recovery well operations and report the results to the Department.
- FPL shall conduct a CSEM survey within 30 days after the second year of recovery well operations and report the results to the Department. This survey shall be the second CSEM survey.
- FPL shall conduct a CSEM survey within 30 days after the third year d. of recovery well operations and report the results to the Department. This survey shall be the third CSEM survey.

- e. FPL shall conduct and report to the Department subsequent CSEM surveys of the hypersaline plume 2 years after the third CSEM survey and every 2 years thereafter.
- f. FPL shall monitor average weekly mass removal of salt as represented by total dissolved solids ("TDS"), by monitoring flow rate and weekly average TDS of the full extraction system, beginning at the time of commencement of the hypersaline plume remediation project operation.
- g. FPL shall monitor average weekly chloride concentration of extracted water for the full extraction system, beginning at the time of commencement of the hypersaline plume remediation project operation.
- h. FPL shall monitor average daily volume of hypersaline water extraction for the full extraction system, from beginning at the time of commencement of the Plume Extraction operation.
- i. FPL shall maintain records of the operation of each extraction well (pump operation parameters such as: pump status, RPM, flow rate; water quality parameters such as salinity and TDS) and make such records available for review by the Department upon request, with reasonable notice.
- j. FPL shall, when monitoring the salinity levels in the CCS, utilize all available monitoring resources in the CCS to obtain the average annual salinity rate. Specific monitoring points may not be excluded from the calculation unless such exclusion is allowed by the Department based upon a scientific reason. For the purposes

Page 17

of determining average annual salinities for the CCS, FPL shall use qualified hourly data (pursuant to the approved 2009 Monitoring Plan QAPP) from each of the CCS monitoring sites TPSWCCS-1, 2, 3, 4, 5, 6, and 7 collected beginning at 00:00 through 23:59 each day. The qualified hourly data for the day will be summed and divided by the number of qualified hourly values for the station that day. Stations with fewer than 12 qualified hourly data values in a given day shall not be used in the calculation of the CCS daily average. The daily averages for all qualified stations (up to seven per day) for a given day will be summed and divided by the number of qualified stations for that day to produce a qualified CCS daily average salinity value. The average annual salinity is calculated by summing the qualified CCS daily average salinity values from June 1st through May 31st and dividing the value by the number of days in the year.

- k. FPL shall monitor TPBBSW7T consistent with the parameters and frequency in the 2009 Monitoring Plan.
- 30. FPL will take reasonable actions to select appropriate laboratories with sufficient capacity to avoid delay in receiving results due to backlogs. If such delay occurs, FPL will make reasonable efforts to resolve those delays.

REPORTING REQUIREMENTS

- 31. The Annual Monitoring Report required by the 2009 Monitoring Plan shall be expanded to include:
 - a. All additional water monitoring data required under this Order.

- b. All additional water monitoring data related to this Order required by all other governmental agencies or entities, including but not limited to the SFWMD, Nuclear Regulatory Commission, Miami-Dade County, and the Florida Department of Health, as well as all monitoring data that is required in this Order.
 - c. A reporting of the average annual salinity of the CCS waters.
- 32. FPL shall provide a report to the Department at the conclusion of the year-long control elevation project described in paragraph 17 of the Miami-Dade Consent Agreement detailing the results of the year-long raise in control elevations in the Everglades Mitigation Bank.
- 33. FPL shall provide the Department a copy of all reports/summaries/reviews required under any other agreements with any other agency, such as the reports/ summaries/ reviews required by the Miami-Dade Consent Agreement.

NOTICES

- 34. FPL shall allow all authorized representatives of the Department access to the Facility at reasonable times for the purpose of determining compliance with the terms of this Order and the rules and statutes administered by the Department.
- 35. This Order supersedes all the requirements of the Administrative Order related to the CCS at Turkey Point. Upon execution of this Order, the DEP Administrative Order (OGC No. 14-0741) is hereby rescinded.

Page 19

36. If any event, including administrative or judicial challenges by third parties unaffiliated with FPL, occurs which causes delay or the reasonable likelihood of delay in complying with the requirements of this Order, FPL shall have the burden of proving the delay was or will be caused by circumstances beyond the reasonable control of FPL and could not have been or cannot be overcome by FPL's due diligence. Neither economic circumstances nor the failure of a contractor, subcontractor, materialman, or other agent (collectively referred to as "contractor") to whom responsibility for performance is delegated to meet contractually imposed deadlines shall be considered circumstances beyond the control of FPL (unless the cause of the contractor's late performance was also beyond the contractor's control). Failure of regulatory agencies to issue required permits consistent with this Order shall be considered a circumstance beyond the control of FPL if FPL acted with due diligence in the permit application process. Upon occurrence of an event causing delay, or upon becoming aware of a potential for delay, FPL shall notify the Department within 2 working days and shall, within seven calendar days notify the Department in writing of (a) the anticipated length and cause of the delay, (b) the measures taken or to be taken to prevent or minimize the delay, and (c) the timetable by which FPL intends to implement these measures. If the parties can agree that the delay or anticipated delay has been or will be caused by circumstances beyond the reasonable control of FPL, the time for performance hereunder shall be extended. The agreement to extend compliance must identify the provision or provisions extended, the new compliance date or dates, and the additional measures FPL must take to avoid or

Docket No. 20210007-EI June 2016 FDEP Consent Order Exhibit MWS-2, Page 20 of 27

DEP vs. Florida Power & Light Company

Consent Order OGC No. 16-0241

Page 20

minimize the delay, if any. Failure of FPL to comply with the notice requirements of this

paragraph in a timely manner constitutes a waiver of FPL's right to request an extension

of time for compliance for those circumstances.

37. The Department, for and in consideration of the complete and timely

performance by FPL of all the obligations agreed to in this Order, hereby conditionally

waives its right to seek judicial imposition of damages, civil penalties, or injunctive relief

for the violations described in the Notice of Violation and above up to the date of the

filing of this Order. This waiver is conditioned upon FPL's complete compliance with all

of the terms of this Order.

38. This Order is a settlement of the Department's civil and administrative

authority arising under Florida law to resolve the matters addressed herein. This Order

is not a settlement of any criminal liabilities which may arise under Florida law, nor is it

a settlement of any violation which may be prosecuted criminally or civilly under federal

law. Entry of this Order does not relieve FPL of the need to comply with applicable

federal, state, or local laws, rules, or ordinances.

39. The Department hereby expressly reserves the right to initiate appropriate

legal action to address any violations of statutes or rules administered by the Department

that are not specifically resolved by this Order.

40. FPL is fully aware that a violation of the terms of this Order may subject

FPL to judicial imposition of damages, civil penalties up to \$10,000.00 per day per

violation, and criminal penalties.

- 41. FPL acknowledges and waives its right to an administrative hearing pursuant to sections 120.569 and 120.57, F.S., on the terms of this Order. FPL also acknowledges and waives its right to appeal the terms of this Order pursuant to section 120.68, F.S.
- 42. Electronic signatures or other versions of the parties' signatures, such as .pdf or facsimile, shall be valid and have the same force and effect as originals. No modifications of the terms of this Order will be effective until reduced to writing, executed by both FPL and the Department, and filed with the clerk of the Department.
- 43. The terms and conditions set forth in this Order may be enforced in a court of competent jurisdiction pursuant to sections 120.69 and 403.121, F.S. Failure to comply with the terms of this Order constitutes a violation of section 403.161(l)(b), F.S.
- 44. This Order is a final order of the Department pursuant to section 120.52(7), F.S., and it is final and effective on the date filed with the Clerk of the Department unless a Petition for Administrative Hearing is filed in accordance with Chapter 120, F.S.
- 45. When FPL demonstrates to the Department that it has fulfilled the requirements of this Order, the Department shall notify FPL in writing that all requirements of this Order are terminated except for the requirement to maintain the average annual salinity of the CCS at or below 34 PSU until an average annual salinity of the CCS is designated in a Department permit issued subsequent to the effective date of this Order.

- 46. Upon the timely filing of a petition, this Order will not be effective until further order of the Department.
- 47. FPL shall publish the following notice in a newspaper of daily circulation in Miami-Dade County, Florida. The notice shall be published one time only within 30 days of the effective date of the Order. FPL shall provide a certified copy of the published notice to the Department within 10 days of publication.

STATE OF FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION NOTICE OF CONSENT ORDER

The Department of Environmental Protection ("Department") gives notice of agency action of entering into a Consent Order with FPL pursuant to section 120.57(4), F.S. The Consent Order addresses the westward migration of hypersaline water from the Turkey Point Facility and potential releases to deep channels on the eastern and southern side of the Facility. The Consent Order is available for public inspection during normal business hours, 8:00 a.m. to 5:00 p.m., Monday through Friday, except legal holidays, at the Department of Environmental Protection Office of General Counsel, 3900 Commonwealth Boulevard, Tallahassee, Florida 32399-3000.

Persons who are not parties to this Consent Order, but whose substantial interests are affected by it, have a right to petition for an administrative hearing under sections 120.569 and 120.57, F.S. Because the administrative hearing process is designed to formulate final agency action, the filing of a petition concerning this Consent Order

means that the Department's final action may be different from the position it has taken in the Consent Order.

The petition for administrative hearing must contain all of the following information:

- a) The OGC Number assigned to this Consent Order;
- b) The name, address, and telephone number of each petitioner; the name, address, and telephone number of the petitioner's representative, if any, which shall be the address for service purposes during the course of the proceeding;
- An explanation of how the petitioner's substantial interests will be affected by the Consent Order;
- A statement of when and how the petitioner received notice of the Consent Order;
- e) Either a statement of all material facts disputed by the petitioner or a statement that the petitioner does not dispute any material facts;
- A statement of the specific facts the petitioner contends warrant reversal or modification of the Consent Order;
- A statement of the rules or statutes the petitioner contends require reversal or modification of the Consent Order; and

Docket No. 20210007-EI June 2016 FDEP Consent Order Exhibit MWS-2, Page 24 of 27

DEP vs. Florida Power & Light Company Consent Order OGC No. 16-0241 Page 24

> A statement of the relief sought by the petitioner, stating precisely the action petitioner wishes the Department to take with respect to the Consent Order.

The petition must be filed (<u>received</u>) at the Department's Office of General Counsel, 3900 Commonwealth Boulevard, MS# 35, Tallahassee, Florida 32399-3000 within 21 days of receipt of this notice. A copy of the petition must also be mailed at the time of filing Division of Water Resource Management, Industrial Wastewater Program at 2600 Blair Stone Road, Mail Station 3545, Tallahassee, Florida 32399-2400. Failure to file a petition within the 21-day period constitutes a person's waiver of the right to request an administrative hearing and to participate as a party to this proceeding under sections 120.569 and 120.57, F.S. Before the deadline for filing a petition, a person whose substantial interests are affected by this Consent Order may choose to pursue mediation as an alternative remedy under section 120.573, F.S. Choosing mediation will not adversely affect such person's right to request an administrative hearing if mediation does not result in a settlement. Additional information about mediation is provided in section 120.573, F.S. and Rule 62-110.106(12), Florida Administrative Code.

FOR THE RESPONDENT:

Randall R. LaBauve

Vice-President, Environmental Services

Florida Power & Light Company

700 Universe Boulevard

Juno Beach, FL 33408

DONE AND ORDERED this 20th day of June, 2016, in Tallahassee, Florda.

STATE OF FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

John A. Coates, P.E.

John A. Conta

Date

Director, Division of Water Resource Management


Filed, on this date, pursuant to section 120.52, F.S., with the designated Department Clerk, receipt of which is hereby acknowledged.


Copies furnished to:

Clerk

Lea Crandall, Agency Clerk Mail Station 35

Attachment A







Department of Regulatory and Economic Resources

Environmental Resources Management 701 NW 1st Court, 6th Floor Miami, Florida 33136-3912 T 305-372-6902 F 305-372-6630

miamidade.gov

August 15, 2016

Randall R. LaBauve, Vice President Environmental Services NextEra Energy, Inc. 700 Universe Blvd. Juno Beach, Florida 33408 Certified Mail No. 7009 0080 0000 1050 8141 Return Receipt Requested

Re:

Consent Agreement Addendum for the FPL Turkey Point power plant facility located at, near or in the vicinity of 9700 SW 344 Street, Unincorporated, Miami-Dade County, Florida.

Dear Mr. LaBauve:

Enclosed you will find an original of the above-referenced Consent Agreement Addendum which was executed today, August 15, 2016. Be advised that the date of execution initiates specific time periods with which FPL must comply as described in the Addendum.

If you have any questions concerning the above, please contact me at 305-372-6514 or email brownb@miamidade.gov. Thank you for your assistance in this matter.

Sincerely,

Barbara Brown

Special Projects Administrator

Regulatory Services

Enclosure

ec: Abbie Schwaderer-Raurell - CAO

Delivering Excellence Every Day

ADDENDUM 1 TO THE OCTOBER 7, 2015 CONSENT AGREEMENT BETWEEN MIAMI-DADE COUNTY DEPARTMENT OF REGULATORY AND ECONOMIC RESOURCES, DIVISION OF ENVIRONMENTAL RESOURCES MANAGEMENT AND FLORIDA POWER & LIGHT COMPANY

This Consent Agreement Addendum 1, entered into by and between Miami-Dade County Department of Regulatory and Economic Resources, Division of Environmental Resources Management (hereinafter referred to as "DERM"), and Florida Power & Light Company, (hereinafter referred to as "Respondent"), pursuant to Section 24-7(15)(c) of Chapter 24 of the Code of Miami-Dade County, shall serve to amend the October 7, 2015 Consent Agreement (Attachment 1) executed for the Turkey Point power plant facility and Cooling Canal System (CCS) located at, near or in the vicinity of 9700 SW 344 Street, Unincorporated, Miami-Dade County, Florida (DERM IW-3, IW-16, IW5-6229, DWO-10, CLI-2014-0312, HWR-851).

Subsequent to the Consent Agreement executed on October 7, 2015, a review of sampling data submitted by FPL and water quality sampling conducted by DERM revealed levels of ammonia as N exceeding the water quality standards set forth in Section 24-42(4) and clean-up target levels in Section 24-44(2)(f)(v)1, which constitutes water pollution as defined in Section 24-5 of the Code of Miami-Dade County. These results include ammonia as N in samples collected from surface water monitoring stations tidally connected to Biscayne Bay including, but not limited to, TPBBSW-7 and TPBBSW-8. This Consent Agreement requires FPL to take action to address the County's alleged violations of water quality standards and cleanup target levels relating to the exceedance of ammonia.

DERM and the Respondent agree to add Paragraph 34 to the October 7, 2015 Consent Agreement to address the referenced ammonia violations as follows:

34. Addendum 1.

- a. Within thirty (30) days of the execution of Addendum 1 of this Consent Agreement, the Respondent shall submit a Site Assessment Plan to DERM for review and approval which shall allow for the identification of the source(s) of the ammonia exceedances and the delineation of the vertical and horizontal extent of the subject ammonia exceedances in surface water. Said plan shall be adequate to address the ammonia exceedances to the surface waters surrounding the facility, including but not limited to, waters tidally connected to Biscayne Bay.
- b. Within sixty (60) days of DERM's approval of the Site Assessment Plan, the Respondent shall implement said plan and submit to DERM a Site Assessment Report for review and approval or approval with modifications which shall address the requirements of Item (a) above. The SAR shall include copies of the laboratory analytical reports, sampling logs, chain of custody forms and other information in accordance with the DERM approved Site Assessment Plan. All data submitted shall be in final form and no estimates or preliminary data will be accepted. All appropriate QA/QC documentation shall be submitted with the analytical results. In addition, all testing results submitted to DERM in response to this Addendum may be listed using the data form attached (Attachment 2).

- c. Within ninety (90) days of approval of the Site Assessment Report, the Respondent shall submit to DERM for review and approval a Corrective Action Plan (CAP) prepared by a State of Florida registered professional engineer which, shall include, but not be limited to, the following:
 - i. Design of an environmental restoration plan to correct the exceedences of ammonia standards and criteria,
 - Details of proposed process modifications or changes in operational systems to manage and control the source(s) of ammonia to prevent future violations of the provisions of Chapter 24 at the subject facility,
 - Physical, structural, or hydraulic modifications in the area of the CCS and adjacent surface waters to eliminate the contributions of CCS waters to the surface waters of Miami-Dade County, and
 - iv. A time table for implementation and completion of the Corrective Action Plan.
- d. Upon approval of the CAP, the Respondent shall implement said CAP in accordance with the approved timetable in order to cease discharges from the Turkey Point facility that cause or contribute to ammonia exceedances in violation of County water quality standards, cleanup target levels or which cause water pollution.
- e. Within thirty (30) days of the execution of Addendum 1 to this Consent Agreement, the Respondent shall pay DERM administrative costs in the amount of five thousand dollars (\$5,000.00). The payment shall be made payable to Miami-Dade County and sent to DERM, 701 NW 1st Court, 6th Floor, Miami, Florida 33136, Attention: Barbara Brown.

All other provisions of the October 7, 2015 Consent Agreement shall remain unchanged and in full force and effect for the duration of that Agreement.

This Consent Agreement Addendum 1 and the provisions herein shall become effective upon execution by the Director of DERM or the Director's designee.

[REMAINDER OF PAGE INTENTIONALLY BLANK; SIGNATURES APPEAR ON FOLLOWING PAGE]

8/12/2016 Date	Signature Randall R. La Bauve Print Name and Title
Notary Public State of Florida Fannie Strickland My Commission FF 992597 Expires 05/15/2020	Florida Power & Light Company 700 Universe Boulevard Juno Beach, FL 33408 Respondent
Before me, the undersigned authority, personally appea	
who after being duly sworn, deposes and says that he ha	
Subscribed and sworn to before me this 12th day of 18 (Name of affiant)	4 Ligust 20 LD by
Personally Known or Produced Identification (Check One)	
Type of Identification Produced: Notary Public	
DO NOT WRITE BELOW THIS	LINE OFFICE USE ONLY
8-15-2016 Date	Lee N. Hefty, Director Environmental Resources Management
Barbara Brown Witness	Witness

Page 3 of 3

FPI. Addendum 1 to 10/7/2015 CA

MIAMI-DADE COUNTY, through its DEPARTMENT OF REGULATORY AND ECONOMIC RESOURCES, DIVISION OF ENVIRONMENTAL RESOURCES MANAGEMENT,

CONSENT AGREEMENT

Complainant,

V.

FLORIDA POWER & LIGHT COMPANY,

Respondent.

This Consent Agreement, entered into by and between the Complainant, MIAMI-DADE COUNTY, through its DEPARTMENT OF REGULATORY AND ECONOMIC RESOURCES, DIVISION OF ENVIRONMENTAL RESOURCES MANAGEMENT ("DERM"), and the Respondent FLORIDA POWER & LIGHT COMPANY ("FPL"), pursuant to Section 24-7(15)(c) of the Code of Miami-Dade County, shall serve to redress alleged violations of Chapter 24 of the Code of Miami-Dade County located near, surrounding, or in the vicinity of the Cooling Canal System located at Turkey Point on FPL's property, as further described herein, in Miami-Dade County, Florida.

DERM and FPL enter into the following Consent Agreement:

FINDINGS OF FACT

- DERM is a division of Miami-Dade County, a political subdivision of the State of Florida, which is empowered to control and prohibit pollution and protect the environment within Miami-Dade County pursuant to Article VIII, Section 6 of the Florida Constitution, the Miami-Dade County Home Rule Charter and Section 403.182 of the Florida Statutes.
- Florida Power & Light Company ("FPL") is the owner and operator of the Turkey Point Power Plant, and FPL is the owner and operator of approximately a 5,900-acre network of unlined canals (the "Cooling Canal System" or "CCS") on the FPL property described in the map in Exhibit A (the "Property").

- 3. In 1971, FPL signed a Consent Decree with the U.S. Department of Justice that required the construction, after permitting, of a closed-loop cooling configuration, with no discharge to surface waters.
- 4. The Florida Department of Pollution Control (later to become the Florida Department of Environmental Protection), in 1971, issued Construction Permit No. IC-1286 for the CCS. In 1972, Dade County issued Zoning Use Permit No. W-49833 for the excavation of the proposed Alternate Cooling Water Return Canal. FPL represents that in 1973, the construction of the CCS was completed; and the CCS was closed from the surface waters of both Biscayne Bay and Card Sound, becoming a closed-loop system.
- An approximate 18 foot deep interceptor ditch located along the west side of the CCS was designed and constructed to create a hydraulic barrier to keep water in the CCS from migrating inland or westward.
- 6. In 1972, FPL entered into an agreement with the Central and Southern Florida Flood Control District (later to become the South Florida Water Management District or "District") addressing the operations and impacts of the CCS. The agreement has been updated several times, with the most recent version being the Fifth Supplemental Agreement between the District and FPL entered into on October 16, 2009 ("Fifth Supplemental Agreement") which included an extensive monitoring program for the CCS, entitled the Turkey Point Plant Groundwater, Surface Water and Ecological Monitoring Plan ("2009 Monitoring Plan"), incorporated as Exhibit A of the Fifth Supplemental Agreement.
- 7. In a letter dated April 16, 2013, the District notified FPL of their determination that saline water from the CCS has moved westward of the L-31E Canal in excess of those amounts that would have occurred without the existence of the CCS, and pursuant to the provisions of the Fifth Supplemental Agreement, initiated consultation with FPL for the mitigation, abatement or remediation of the saline water movement.
- 8. DERM issued a Notice of Violation dated October 2, 2015 (the "NOV") to FPL, alleging violations of Chapter 24 of the Code of Miami-Dade County, for alleged violations of County water quality standards and criteria in groundwater attributable to FPL's actions, and specifically for groundwaters outside the boundaries of FPL's Cooling Canal System and beyond the boundaries of the Property.

- The phrase "hypersaline water" as used herein is defined as water that exceeds 19,000 mg/L chlorides.
- 10. DERM maintains there is hypersaline water attributable to FPL's actions in the groundwaters outside the boundaries of the Property, which exceeds County water quality standards and criteria. FPL acknowledges the presence of hypersaline water in certain areas outside the boundaries of the Property. For waters that do not reach the level of hypersalinity, DERM and FPL do not agree on the applicable "background" standards for chlorides.
- 11. In 2013 and 2014, FPL experienced water quality issues within the CCS, including increases in temperature and salinity, and FPL sought approvals from various regulatory agencies for actions to improve the water quality within the CCS.
- 12. DEP issued an Administrative Order, No. 14-0741, on December 23, 2014, requiring FPL to, among other things, reduce and maintain the annual average salinity of the CCS at a practical salinity of 34, and that Administrative Order is currently the subject of an Administrative Hearing.
- 13. Both DERM and FPL agree and acknowledge that it would be beneficial to improve the water quality within the Cooling Canal System itself, and FPL has already undertaken some efforts to improve the CCS water quality.
- 14. This Consent Agreement requires FPL to take action to address the County's alleged violations of County water quality standards and criteria in groundwaters outside the CCS as described in the NOV. As part of these actions, this Consent Agreement also requires FPL to take into account its efforts to improve CCS water quality and the potential and actual impacts of such actions on water resources outside the CCS, to not cause or contribute to (i) the exacerbation of alleged violations of County water quality standards or criteria or (ii) future violations of County water quality standards or criteria in the groundwaters or surface waters outside the CCS.
- 15. FPL hereby agrees to the terms of this Consent Agreement without admitting the allegations made by the above-mentioned NOV.

16. In an effort to expeditiously resolve this matter and to ensure compliance with Chapter 24 of the Code of Miami-Dade County, and to avoid time consuming and costly litigation, the parties hereto agree to the following, and it is ORDERED;

REQUIREMENTS

17. FPL shall undertake the following activities to specifically address water quality impacts associated with the CCS, as alleged in the NOV. The objective of this Consent Agreement will be for FPL to demonstrate a statistically valid reduction in the salt mass and volumetric extent of hypersaline water (as represented by chloride concentrations above 19,000 mg/L) in groundwater west and north of FPL's property without creating adverse environmental impacts. A further objective of this Consent Agreement is to reduce the rate of, and, as an ultimate goal, arrest migration of hypersaline groundwater. Recognizing other factors beyond FPL's control may influence movement of groundwater in the surficial aquifer, FPL shall reasonably take into account such factors when developing and implementing remedial actions to minimize the timeframe for achieving compliance with this Consent Agreement.

a. Abatement.

- i. DERM acknowledges that FPL is planning to undertake the following:
 - pursue permitting, construction and operation of up to six Upper Floridan Aquifer System wells in accordance with the Site Certification Modification that is the subject of DOAH Case No. 15-1559EPP.
 - continue the use of the existing marine wells (SW-1, SW-2, and PW-1) as a short term resource to lower and maintain salinities. FPL shall work to avoid the use of the marine wells, except under extraordinary circumstances.
 - 3. continue operation of the authorized L-31E canal pumps as a short term resource only, in accordance with the terms and conditions of the applicable approvals. FPL acknowledges that the use of water from the L-31E canal is intended only as a short term resource to lower CCS salinity. FPL anticipates the need for this resource for the next two years to reduce salinity as it transitions into the long term resources that are intended to maintain the lower salinity in the CCS. FPL acknowledges that additional regulatory

approvals will be required for continuation of this activity beyond the expiration of the existing approvals.

- ii. FPL shall evaluate alternative water sources to offset the CCS water deficit and reduce chloride concentration in the CCS, and as a means of abating the westward movement of CCS groundwater. FPL will consider the practicality and appropriateness of using reclaimed wastewater from the Miami-Dade County South District Waste Water Treatment Plant as an alternative water source. FPL will provide DERM a summary of its Alternative Water Supply plan within 180 days of executing the Consent Agreement. FPL recognizes the importance and potential for reuse water, and FPL will make good faith efforts to implement the use of reuse water where practicable.
- iii, FPL shall also conduct a review of the Interceptor Ditch operations to determine if current design and/or operations can be practicably modified to improve its function recognizing the current status of the CCS and surrounding wetlands. FPL will provide a summary of its Interceptor Ditch Review within 180 days of executing the Consent Agreement.
- iv. The alternative water sources and any modifications to Interceptor Ditch design or operation shall be authorized through the appropriate regulatory processes and shall be demonstrated to not create adverse impacts to surface waters, groundwater, wetland or other environmental resources consistent with the Fifth Supplemental Agreement.
- b. Remediation. FPL shall develop and implement the following actions to intercept, capture, contain, and retract hypersaline groundwater (groundwater with a chloride concentration of greater than 19,000 mg/L) to the Property boundary to achieve the objectives of this Consent Agreement.
 - i. Phase I. FPL shall design, permit, and construct a Biscayne Aquifer Recovery Well System (RWS) based on the results of a variable density dependent groundwater model which shall be sufficient to support the design of the RWS to intercept, capture, and contain the hypersaline plume; support authorization through the appropriate regulatory processes; and demonstrate that it will not create adverse

impacts to groundwater, wetland (hydroperiod or water-stage), or other environmental resources. Final operation and design will be informed by an Aquifer Performance Test (APT). FPL shall provide its design and supporting information for the Recovery Well System and associated monitoring wells for DERM review and approval within 180 days of executing the Consent Agreement. FPL shall proceed with implementation within one year of executing the Consent Agreement, subject to regulatory timelines not in FPL's control. The initial design will be based on up to 12 MGD disposal capacity recognizing existing on-site capability. Efficacy of this design constraint will be reviewed in Phases 2, 3, and 4.

- ii. Phase 2. FPL shall operate the RWS in accordance with all local, state, and federal regulatory requirements, collect data as required by the monitoring program, and employ the data to inform and reduce the uncertainty of the groundwater model. Status and efficacy of the system operation in meeting the objectives of this Consent Agreement and results of continued groundwater model refinement will be provided in the annual reports required in Paragraph 17d.
- iii. Phase 3. After five years, FPL shall evaluate the effectiveness of the RWS in achieving the goal to intercept, capture, contain, and ultimately retract the hypersaline groundwater plume. This evaluation shall include estimated milestones and be based on the results of the monitoring data and refined groundwater/surfacewater model, which will be submitted to DERM. If the analysis indicates that the RWS is not anticipated to achieve the goal to intercept, capture, contain, and ultimately retract the hypersaline groundwater plume, FPL shall make recommendations for modifications to the project components and/or designs to ensure the ability of the system to achieve the objectives of the Consent Agreement. The evaluation and any proposed revisions shall be submitted to DERM for review and approval.
- iv. Phase 4. After ten years, FPL shall review the results of the activities and progress to achieve the objectives of this Consent Agreement, and this evaluation shall be submitted to DERM. If monitoring demonstrates that the activities are not achieving the objectives of this Consent Agreement, FPL shall revise the project components and/or designs to ensure the ability of the system to achieve the objectives of this

Consent Agreement. The proposed revisions shall be submitted to DERM for review and approval.

- c. Regional Hydrologic Improvement Projects. In addition, FPL agrees to undertake the following:
 - i. Raise control elevations in the Everglades Mitigation Bank. Within 30 days of the effective date of this Consent Agreement, FPL shall raise the control elevations of the FPL Everglades Mitigation Bank ("EMB") culvert weirs to no lower than 0.2 feet lower than the 2.4 foot trigger of the S-20 structure and shall maintain this elevation. After the first year of operation, FPL shall evaluate the change in control elevation, in regards to improvements in salinity, water quality, and lift in the area, and if FPL determines that the change in control elevations is not effective, or that FPL is negatively impacted in receiving mitigation credits as a result of this action, FPL will consult with DERM and propose potential alternatives.
 - ii. Fill portions of the Model Lands North Canal within the Everglades Mitigation Bank. Within 30 days of the effective date of the Consent Agreement, FPL shall seek all necessary regulatory approvals to place excavated fill from the adjoining roadway into the Model Lands North Canal within FPL's Everglades Mitigation Bank. Upon issuance of such regulatory approvals, FPL shall, starting on the east end, fill the Model Lands North Canal. This Consent Agreement only requires FPL to fill to the extent the fill is available from the adjoining roadway permitted to be degraded.
 - iii. If the District determines that flowage easements are needed from FPL in order to increase the operational stages of the S-20 water control structure as planned and approved by CERP, FPL agrees to provide such flowage easements for FPL owned land within the Everglades Mitigation Bank, in favor of the District within six months of the determination.
 - iv. FPL acknowledges the benefit of hydrologic restoration projects contemplated by the Comprehensive Everglades Restoration Project ("CERP"), as well as other government entities, adjacent and to the west of the CCS in controlling movement of hypersaline and saline waters in the Biscayne Aquifer. FPL commits to working with

local, state and federal agencies to facilitate implementation of these projects to promote improved hydrologic conditions.

- d. Monitoring and Reporting. FPL shall conduct monitoring to evaluate the progress made in achieving the objectives of this Consent Agreement. This includes actions that result from satisfying the abatement, remediation and hydrologic improvement components of this Consent Agreement. FPL shall initiate the monitoring and reporting requirements identified below within 30 days of executing the Consent Agreement. The monitoring shall include the following:
 - i. FPL shall facilitate DERM access to all data from continuous electronically monitored stations.
 - FPL shall continue to provide monthly and quarterly reports substantially consistent with those required in M-D Class I permit CLI-2014-0312, beyond the expiration of the permit.
 - iii. FPL shall employ Continuous Surface Electromagnetic Mapping (CSEM) methods to assess the location and orientation of the hypersaline plume west and north of the CCS.
 - iv. FPL shall add three groundwater monitoring clusters (shallow, mid and deep) to monitor groundwater conditions in the model lands basin. The well clusters shall be similar in design and function to existing groundwater monitoring wells in the region as part of the CCS monitoring program, and shall be geographically located in consultation with DERM.
 - v. FPL shall submit annual reports providing an evaluation of progress in achieving the objectives of this Consent Agreement, status of implementing projects identified above, and the results of monitoring to determine the impacts of these activities. Recommendations for refinements to the activities will be included in the annual report. This may include deletions of monitoring that is demonstrated to no longer be needed, or additional monitoring that is warranted based on observations.

SAFETY PRECAUTIONS

18. FPL shall maintain the subject property during the pendency of this Consent Agreement in a manner which shall not pose a hazard or threat to the public at large or the environment and shall not cause a nuisance or sanitary nuisance as set forth in Chapter 24 of the Code of Miami-Dade County, Florida,

VIOLATION OF REQUIREMENTS

19. This Consent Agreement constitutes a lawful order of the DERM Director and is enforceable in a civil court of competent jurisdiction. Violation of any requirement of this Consent Agreement may result in enforcement action by DERM. Each violation of any of the terms and conditions of this Consent Agreement by FPL shall constitute a separate offense.

SETTLEMENT COSTS

- 20. FPL hereby certifies that it has the financial ability to comply with the terms and conditions herein and to comply with the payment of settlement costs specified in this Agreement.
- 21. DERM has determined that due to the administrative costs incurred by DERM for this matter, a settlement of \$30,000.00 is appropriate. FPL shall, within sixty (60) days of the effective date of this Consent Agreement, submit to DERM a check in the amount of \$30,000.00 for full settlement payment. The payment shall be made payable to Miami-Dade County and sent to the Division of Environmental Resources Management, c/o Barbara Brown, 701 NW 1st Court, 6th Floor, Miami, FL 33136-3912.
- 22. In the event that FPL fails to submit, modify, implement, obtain, provide, operate and/or complete those items listed in paragraph 17 herein, FPL shall pay DERM a civil penalty of one hundred dollars (\$100.00) per day for each day of non-compliance and FPL may be subject to enforcement action in a court of competent jurisdiction for such failure pursuant to those provisions set forth in Chapter 24 of the Code of Miami-Dade County. Any such payments shall be made by FPL to DERM within ten days of receipt of written notification and shall be sent to the Division of Environmental Resources Management, 701 NW 1st Court, 6th Floor, Miami, FL 33136-3912.

GENERAL PROVISIONS

- 23. FPL shall allow any duly authorized representative of DERM, with reasonable notification, to enter and inspect the CCS, Floridan wells, extraction wells, or any other relevant facilities, at any reasonable time for the purpose of ascertaining the state of compliance with the terms and conditions of this Consent Agreement. DERM shall comply with the plant safety and security precautions. FPL shall provide and maintain a point of contact at the Turkey Point Power Plant to assist DERM in accessing the facilities to be inspected.
- 24. On a quarterly basis (January, April, July, and October), DERM may collect surface and/or groundwater samples at the discretion of DERM at various monitoring locations in accordance with monitoring referenced in Paragraph 17 above.
- 25. FPL and DERM agree to cooperate and use best efforts moving forward related to this Consent Agreement.
- 26. Disputes related to or arising out of this Consent Agreement shall be construed consistent with the laws of the State of Florida and the United States, as applicable, and shall be filed in the state or federal courts of the State of Florida, as appropriate. Proceedings shall take place exclusively in the Circuit Court for Miami-Dade County, Florida or the United States District Court for the Southern District of Florida.
- 27. In consideration of the complete and timely performance by FPL of the obligations contained in this Consent Agreement, DERM waives its rights to seek judicial imposition of damages or civil penalties for the matters alleged in Notice of Violation and Consent Agreement.
- 28. Where FPL cannot meet timetables or conditions due to circumstances beyond FPL's control, FPL shall provide written documentation to DERM which shall substantiate that the cause(s) for delay or non-compliance was not reasonably in FPL's control. DERM shall make a determination of the reasonableness of the delay for the purpose of continued enforcement pursuant to paragraph 22 of this Consent Agreement.
- 29. DERM expressly reserves the right to initiate appropriate legal action to prevent or prohibit future violations of applicable laws, regulations, and ordinances or the rules promulgated thereunder.

- 30. Entry of this Consent Agreement does not relieve FPL of the responsibility to comply with applicable federal, state or local laws, regulations, and ordinances.
- 31. FPL acknowledges that this Consent Agreement is within the jurisdiction of Miami-Dade County.

 Nothing in this Consent Agreement is intended to expand, nor shall this Consent Agreement be construed to expand, the regulatory authority or jurisdiction of Miami-Dade County.
- 32. This Consent Agreement shall neither be evidence of a prior violation of this Chapter nor shall it be deemed to impose any limitation upon any investigation or action by DERM in the enforcement of Chapter 24 of the Code of Miami-Dade County.
- 33. This Consent Agreement shall become effective upon the date of execution by the DERM Director, or the Director's designee.

DoTOBINZ 6, 2015


Date

Eric E. Silagy
President & CEO
Florida Power & Light Company
700 Universe Boulevard
Juno Beach, FL 33408
Respondent

Before me, the undersigned authority, personally appeared <u>Fric Silagy</u>, who after being duly sworn, deposes and says that they have read and agreed to the foregoing.

Subscribe and sworn to before me this <u>6</u>th day of <u>October</u>, 2015 by (name of affiant).

	4
Personally known or Produced Identification (Check one)	
Type of Identification Produced:	LISA GROVE MY COMMISSION # FF 154741 ** EXPIRES: December 14, 2018 Booked Thru Bookel Holbry Strikes
Lisa Grove	LISA Grove
Notary Public Signature	Notary Public Printed Name
DO NOT WRITE BELOW THIS LIN	E – GOVERNMENT USE ONLY
Oct 7, 7015 Date	J.ee N. Hefty, DERM Director Miami-Dade County
Witness	Barbara Brown Witness



AMMONIA, UNIONIZED NH ₃ (mg/L)																	
UNIO UNIO NH ₃ (\perp	_		_		-		 	\dashv
AMMONIA, IONIZED NH ₄ (mg/L)																	
AMMONIA as N, (TOTAL AMMONIA NH3+NHJ) (mg/L)																	
CRBIDITY (NTU)																	
TOTAL DISSOLVED SOLIDS																	
SPECIFIC TOTAL CONDUCTANCE DISSOLVED (umhos/cm) SOLIDS																	
SALINITY (PSU)																	
OXYGEN (mg/L)											,						
EIELD PH				_	_												_
ODIUM (mg/l.)																	
COPPER SODIUM (mg/L) (mg/L)																	
ORTHO- PHOSPHATE as P, DISSOLVED (mg/L)																	
PHOSPHORUS as P (mg/L)																	
NITRATE NITRITE as N (mg/L)																	
NITROGEN, KJELDAHL (mg/L)																	
SULFATE (mg/L)																	
CHLORIDE (mg/L)																	
снцокорнуц снцокире a (mg/n³) (mg/l)																	
ANALYTICAL METHOD USED														L			
FIELD TEMPERATURE (0°)																į	
ZECONDS																	
COLLECTION DATE & TIME																	
MONITORING LOCATION (SAMPLE ID)																	

FPL TURKEY POINT SAMPLING RESULTS

ADDENDUM 2 TO THE OCTOBER 7, 2015 CONSENT AGREEMENT

BETWEEN

MIAMI-DADE COUNTY DEPARTMENT OF REGULATORY AND ECONOMIC RESOURCES, DIVISION OF ENVIRONMENTAL RESOURCES MANAGEMENT AND

FLORIDA POWER & LIGHT COMPANY

This Consent Agreement Addendum 2, entered into by and between Miami-Dade County Department of Regulatory and Economic Resources, Division of Environmental Resources Management (hereinafter referred to as "DERM"), and Florida Power & Light Company, (hereinafter referred to as "Respondent"), pursuant to Section 24-7(15)(c) of Chapter 24 of the Code of Miami-Dade County, shall serve to amend the October 7, 2015 Consent Agreement (Attachment 1) executed for the Turkey Point power plant facility and Cooling Canal System (CCS) located at, near or in the vicinity of 9700 SW 344 Street, Unincorporated, Miami-Dade County, Florida.

This Consent Agreement Addendum 2 serves to incorporate a revised Consent Agreement monitoring program. Therefore, DERM and the Respondent agree to modify Paragraph 17(d)(ii) of the October 7, 2015 Consent Agreement as follows:

ii. FPL shall monitor surface water and groundwater and perform ecological porewater monitoring as summarized in Exhibit B-Monitoring Network matrix effective October 1, 2018, which is attached hereto and made a part hereof. FPL shall facilitate DERM access, via FPL's EDMS, to data from all continuously electronically monitored stations pursuant to the revised Consent Agreement monitoring program. Additionally, analytical data shall be made available via FPL's EDMS within thirty (30) days of completion of laboratory QA/QC and data validation activities. FPL shall incorporate data from the revised monitoring program into the annual report required pursuant to Section 17.d.v of the October 7, 2015 Consent Agreement.

DERM and the Respondent also agree to modify Paragraph 17(d)(v) of the October 7, 2015 Consent Agreement as follows:

v. FPL shall submit annual reports providing an evaluation of progress in achieving the objectives of this Consent Agreement as amended, status of implementing projects identified above, and the results of monitoring to determine the impacts of these activities, including, for example, but not limited to, the information specified in item D of DERM's September 29, 2016 letter and any other applicable requirements resulting from the Consent Agreement Addendum dated August 15, 2016. Recommendations for refinements to the activities will be included in the annual report. This may include deletions of monitoring that is demonstrated to no longer be needed, or additional monitoring that is warranted based on observations. Any recommendations for refinement require DERM's approval prior to implementation.

All other provisions of the October 7, 2015 Consent Agreement and the August 15, 2016 Consent Agreement Addendum 1 shall remain unchanged and in full force and effect

[REMAINDER OF PAGE INTENTIONALLY BLANK; SIGNATURES APPEAR ON FOLLOWING PAGE]

8/14/2019 Date	MIN. Set— Signature
	Michael W. Sole V.P. Env. Print Name and Title
	Florida Power & Light Company 700 Universe Boulevard Juno Beach, FL 33408
Before me, the undersigned authority, personally appeared	ed,
who after being duly sworn, deposes and says that he has Subscribed and sworn to before me this 4th day of Name of affiant) Personally Known or Produced Identification (Check One)	s read the foregoing. August, 20_19_by
Notary Public Notary Public Notary Public Notary Public Stricki My Commission Expires 05/15/2	land
DO NOT WRITE BELOW THIS LI	INE OFFICE USE ONLY
8 - 20 - 2019 Date	Lee N. Hefty, Director Environmental Resources Management
Witness	Witness

Page 2 of 2

FPL Addendum 2 to 10/7/2015 CA

N A	Quarterly	NA	Quarterly	N A	orny: Chemical parameters at 60 cm (where 60 cm cannot be attained,	Porewater	F1-F5
					Physical parameters collected at 0, 30		
\vdash	Monthly	NA	Monthly	Hourly(3)	В	Surface Water	TPSWC-9(4)
Н	Monthly	NA	Monthly	Hourly(3)	В	Surface Water	TPBBSW-7T
for Turt	is the relocated station f	Discontinued effective 11/6/18 with commencement of Turtle Point canal restoration project. Station TPSWC-9 is the relocated station for Turtle Point canal	ent of Turtle Point canal	18 with commenceme	Discontinued effective 11/6/		TPBBSW-7B
L	Monthly	NA	Monthly	Hourly(3)	Т, В	Surface Water	TPBBSW-6
	Monthly	NA	Monthly	Hourly(3)	В	Surface Water	TPBBSW-4
	Monthly(2)	NA	Monthly	Hourly	T	Surface Water	TPSWCCS-6
	Monthly(2)	NA	Monthly	Hourly	В	Surface Water	TPSWCCS-1
	Monthly	NA	Monthly	Hourly(3)	В	Surface Water	TPSWTESTC-1
	Monthly(2)	NA	Monthly	Hourly(1)	Т, В	Surface Water	TPSWID-3
1	Monthly(2)	NA	Monthly	Hourly(1)	Т, В	Surface Water	TPSWID-2
	Monthly(2)	NA	Monthly	Hourly(1)	T, B	Surface Water	TPSWID-1
	Monthly(2)	NA	Monthly	Hourly(1)	T, B	Surface Water	TPSWC-5
F	Monthly(2)	NA	Monthly	Hourly(1)	T, B	Surface Water	TPSWC-4
	Monthly	NA	Monthly	Hourly(1)	Т, В	Surface Water	TPSWC-3
	Monthly	NA	Monthly	Hourly(1)	Т, В	Surface Water	TPSWC-2
-	Monthly	ZA	Monthly	Hourly(1)	1, 8	Surface Water	IPSWC-I
	NA	Quarterly	Quarterly	NA	18 ft, 58 ft	Groundwater	G-28
	NA	Quarterly	Quarterly	NA	18 ft, 58 ft	Groundwater	G-21
	NA	Quarterly	Quarterly	NA	18 ft, 58 ft	Groundwater	L-5
	NA	Quarterly	Quarterly	NA	18 ft, 58 ft	Groundwater	L-3
NA	NA	Quarterly	Quarterly	Hourly	S, M, D	Groundwater	TPGW-19
NA	NA	Quarterly	Quarterly	Hourly	S, M, D	Groundwater	TPGW-18
	NA	Quarterly	Quarterly	Hourly	S, M, D	Groundwater	TPGW-17
	NA	Quarterly	Quarterly	Hourly	S, M, D	Groundwater	TPGW-16
	NA	Quarterly	Quarterly	Hourly	S, M, D	Groundwater	TPGW-15
NA.	NA	Quarterly	Quarterly	Hourly	S, M, D	Groundwater	TPGW-14
	NA	Quarterly	Quarterly	Hourly	S, M, D	Groundwater	TPGW-13
NA	NA	Quarterly	Quarterly	Hourly	s, M, D	Groundwater	TPGW-12
	NA.	Quarterly	Quarterly	Hourly	s, M, D	Groundwater	TPGW-11
	NA	Quarterly	Quarterly	Hourly	S, M, D	Groundwater	TPGW-10
	cie	wells to be ilialification obeimple and accessible	ve is c		-1.	Groundwater	TPGW-9
-		Qualitariy	radicelly (1100114	S 185 F	Groundwater	TDGW-9
	NA	Qualitariy	Quarterly	Liberty	0 M D	Groundwater	TBGW-7
NA NA	NA	Quarterly	Quarterly	EGUIV	s, M, D	Groundwater	TROW-S
l	200	Chairent	Charles A	House	5 K 7	Glodiandra	TDCW/ F
	Z Z	Qualitarily	Quarterly	Hourly	2 S. S. S.	Groundwater	TPGW-A
+		Charterly	Quarterly	Hourly	^ M D	Groundwater	TPGW-3
1	NA	Ollarterly	Ouarterly	Hourly	S. M. D	Groundwater	TPGW-2
	NA	Quarterly	Quarterly	Hourly	S, M, D	Groundwater	TPGW-1
Analytic Lab Parameter: Chlorophyll a	Tritium, TAN, NH4, NH3, Nitrite/Nitrate, TKN, TN, TP, and OP	,o	Conductivity, Salinity, pH, Dissolved Oxygen, and Turbidity	Specific Conductivity, Salinity and Stage	Sample Depth	Matrix	Station
c Surface water	Surface Water Analytic	Groundwater Analytic Lab	Temperature,	Parameters:			

Note (3) Water elevation	Note (2) Sample collecti	Note (1) Water elevation	Wells	Groundwater Influent												Station Matrix
Water elevation data not collected	on for Cu analysis on	ns are measured fron		NA												Sample Depth
	Sample collection for Cu analysis one-week following any application of copper sulfate in the CCS, then monthly until tw	Water elevations are measured from the top sampling interval only.		Hourly				Stage	Salt Mass and	Volume, Flow,	Dissolved Solids,	Salinity, Total	Conductivity,	Specific	Parameters:	Automated
	application of copper	erval only.		Quarterly					Turbidity®	Oxygen, and	Dissolved	Salinity, pH,	Conductivity,	Specific	Temperature,	Field Analytical:
	sulfate in the CCS, the			Quarterly	Phosphorus	Nitrogen, Total	Kjeldahl	Nitrogen, Total	Nitrate, Total	Nitrite &	Ammonium Ion,	Ammonia,	Chloride ions,	Parameters	Analytical	Laboratory
,	en monthly until two n			NA					QP	TKN, TN, TP, and	Nitrite/Nitrate,	NH4, NH3,	Na, Tritium, TAN,	Parameters: Cl,	Analytic Lab	Surface Water
	vo months after last treatment.			NA					,				Chlorophyll a	Parameter:	Analytic Lab	Surface water
	ment.			NA	wells)	series	(for L & G	ft intervals	Cond. @ 1	Temp, Sp.	wells);	Series	for TPGW	(deep well	Logging	Induction

Note (3) Note (4) Note (5) Note (6) Parameters for Groundwater Recovery Well are different from those for Groundwater and Surface Water Frequency of monitoring may be adjusted, with DERM's approval, if there is minimal variation between RWS wells. Water elevation data not collected.
Replacement station for TPBBSW-7B



July 30, 2020

Mr. John J. Truitt Deputy Secretary of Regulatory Programs Florida Department of Environmental Protection 3900 Commonwealth Boulevard Tallahassee, Florida 32399-3000

RE: Consent Order OGC File No. 16-0241 P. 20.a. Supplemental Salinity Management Plan

Dear Mr. Truitt:

The 2016 Consent Order ("CO") between Florida Power & Light Company ("FPL") and the Florida Department of Environmental Protection ("Department") outlines three objectives: (1) cease discharges from the Cooling Canal System ("CCS") that impair the reasonable and beneficial use of the adjacent G-II groundwater to the west of the CCS; (2) prevent releases of groundwater from the CCS to surface waters connected to Biscayne Bay that result in exceedances of surface water quality standards in the Bay; and (3) provide mitigation for impacts related to historic operation of the CCS. Since 2016, FPL has substantially accomplished the objectives of the CO and continues successful execution on all requirements within it. This letter serves to update the Department on FPL's successes under the CO and to provide a supplemental salinity management plan pursuant to condition 20.a that outlines additional measures, and timeframes, FPL will implement to achieve the salinity threshold.

Successes

Over the past year, FPL accomplished several milestones associated with the second and third objectives of the CO. Pursuant to objective two, we completed the Turtle Point and Barge Basin restoration project in May 2020. More than 200,000 cubic yards of clean beach quality sand was placed within the canals to restore the canal bathymetry and improve natural tidal circulation. In addition, more than 1,700 mangroves were planted in the newly created ~0.8-acre mangrove habitat within the Turtle Point canal. The mangrove habitat will provide additional foraging, breeding, and spawning habitat and improve the overall coastal ecosystem. Pursuant to objective three, FPL entered into an agreement with the South Florida Water Management District in April 2018 to convey to the District FPL property interests within the Biscayne Bay Coastal Wetlands Comprehensive Everglades Restoration Project footprint. In December 2019, several of those properties were conveyed to the District.

FPL has also accomplished a number of milestones associated with the CO's first objective. The CO includes a number of activities intended to accomplish this objective: freshening; eliminating the CCS contribution to the hypersaline plume; maintaining the average annual salinity of the CCS at or below 34 Practical Salinity Units ("PSU"); halting the westward migration of hypersaline water from the CCS; and reducing the westward extent of the hypersaline plume to the L-31E within 10 years.

To halt and retract the hypersaline groundwater west of the CCS, FPL constructed a recovery well system ("RWS") and began utilizing 10 wells in May 2018 to extract 15 MGD of hypersaline water. The RWS functions as a hydrological barrier that prevents the net movement of additional water from the CCS to locations in the

Florida Power & Light Company

aquifer west of the CCS. The RWS also functions to remove hypersaline water that migrated west of the CCS prior to installation of the recovery wells. After one year of operation, Continuous Surface Electromagnetic Mapping ("CSEM") showed a 22% reduction in the total volume of the hypersaline groundwater west and north of the CCS. As a result of all of FPL's actions, including interim extraction, FPL has removed over 8.4 billion pounds of salt from the Biscayne Aquifer since 2016.

To freshen the CCS, FPL installed five artesian-flowing Upper Floridan Aquifer wells to provide up to 14 MGD of brackish water to the CCS. In recent months, FPL also received approval to utilize a portion of Turkey Point Units 1-5's existing process water allocation to provide up to an additional 7 MGD of brackish Floridan Aquifer water to aid in CCS salinity reduction. These freshening measures have been instrumental in moderating CCS salinity over the three-and-a-half year freshening timeframe. Results from the agency-approved water and salt budget modeling show that the freshening to date has been effective in reducing the salinity in the CCS by over 20 PSU from levels that would have occurred had freshening measures not been implemented.

Supplemental Salinity Management Plan & Timeframes

Although FPL's freshening actions have been effective in moderating CCS salinity, we expect the average annual salinity to be above 34 PSU by November 28, 2020, the CO's timeframe for achieving the salinity threshold. CCS salinity is influenced by many factors, including, but not limited to, rainfall, air temperatures, and CCS evaporation rates. The CO recognizes these factors and includes a process to supplement CCS salinity reduction measures to achieve the salinity threshold. Specifically, CO Paragraph 20.a. indicates if FPL does not reach an average annual salinity of 34 PSU by the end of the fourth freshening year (November 28, 2020) then FPL must submit a plan within 30 days (December 28, 2020) detailing additional measures, and a timeframe, that will be implemented to achieve the salinity threshold. Therefore, and in advance of the December deadline, we are providing factors that affected CCS salinity during the freshening period and additional measures, and timeframes, FPL is undertaking to achieve the 34 PSU threshold ("Supplemental Salinity Management Plan" or "Plan"). FPL believes this Plan will increase CCS resilience and provide the much-needed operational flexibility to address variable conditions like rainfall and air temperature to achieve 34 PSU.

The salinity management plan originally presented to the Department in 2013 included an estimated freshening volume of 14 MGD of brackish groundwater needed to offset annual average CCS evaporative losses. The water and salt budget model used to support the initial freshening estimate utilized the best data available at the time, collected between 2010-2012. FPL now has a data record that covers a longer time period (2010-2019) and represents a wider range of hydrologic conditions. CCS salinity responses have shown that offsetting evaporative losses is more beneficial on a monthly basis, rather than on an annual average basis as used in the original modeling. By providing sufficient freshening to prevent dry season CCS salinity increases, combined with wet season surpluses, the net annual salinity will decrease in accordance with the requirements of the CO.

FPL analyzed the longer data record and utilized the agency-approved water and salt budget model to determine the additional brackish water beyond current allocations needed to offset evaporative losses and meet the CO's 34 PSU salinity threshold. We plan to undertake a number of actions as part of this Supplemental Salinity Management Plan to achieve the threshold and increase CCS resiliency.

In the near-term, we are maximizing our existing infrastructure and water use allocations to increase freshening volumes within permitted limits. Natural artesian pressure is currently producing approximately 11 of the 14 MGD allocation. Well maintenance was performed on four wells between March 2019 and May 2019 to improve well performance. Between 70% and 79% of the original well capacity was obtained from the effort, but more production is needed to reach 14 MGD. Therefore, FPL plans to install pumps on the permitted wells to reach the full allocation and provide an additional 3 MGD for CCS freshening by the end of the year.

FPL also plans to request a site certification modification to increase our brackish water allocation by 16 MGD, bringing the total freshening capacity to 30 MGD. This would include a monthly max allocation of 34 MGD

Page 3

to provide operational flexibility to offset monthly CCS evaporative losses. To inform the updated freshening volume needs, FPL evaluated the use of 30 MGD brackish water using the water and salt budget model. Absent a significant drought, the model indicates the 34 PSU annual average salinity threshold would be met by the end of the second year of freshening assuming similar hydrologic conditions to the dry conditions that occurred at the CCS in 2017 and 2018. Rainfall in South Florida is highly variable both seasonally and interannually. The previous nine-year record shows a wide range for rainfall year-to-year for any given month. In addition, review of nine years of monthly CCS rainfall and evaporation water budget data indicates evaporation exceeded rainfall by over 30 MGD 25% of the time in the period of record analyzed; therefore, the max month allocation of 34 MGD will allow for dynamic management of the allocation to offset the variation in monthly evaporative losses. The Plan considers natural variability and accordingly provides FPL operational flexibility to address changing conditions while improving CCS resiliency.

As part of the planning process, FPL examined whether the additional freshening would have any impact on seepage rates from the CCS. FPL used the agency-approved variable density flow and salt transport groundwater model for the calculations. The assessment determined that the increased freshening would result in a 0.1-foot stage increase in the CCS. However, as a result of the reduced fluid density of the 34 PSU CCS water, seepage rates to both the east and west will in fact be decreased compared with current conditions. The additional freshening will therefore have a positive impact on remediation of the hypersaline plume and will not hinder FPL's ability to meet its obligations under the CO to reduce the westward extent of the hypersaline plume to the L-31E within 10 years. The additional freshening will, as the modeling indicates, clearly help to remediate the hypersaline plume.

FPL is mindful of its water use and is using the lowest water quality source available (brackish water identified as an alternative water supply source by the South Florida Water Management District) for freshening, process, and cooling water purposes at Turkey Point. We are requesting the use of additional brackish water because we believe it is the best solution to manage salinity and will not negatively impact existing legal users. FPL will include a water conservation plan in our site certification modification that will adjust the amount of brackish water use once the 34 PSU threshold is achieved. FPL has also continued to build the foundation for a partnership with Miami-Dade County to treat up to 15 MGD of reclaimed water at Turkey Point for the Unit 5 cooling towers (see June 2020 Miami-Dade Board of County Commissioners Resolution No. R-579-20). This opportunity will help Miami-Dade County meet state reuse requirements while also replacing the brackish Floridan groundwater as a primary source for Unit 5 cooling purposes, reducing Unit 5 groundwater withdrawals. This will offset site-wide use of brackish water.

FPL is proud of our successes in implementing the Consent Order. As contemplated by the CO, we have used the over 4.5 million data points gathered annually to analyze the outcomes of our actions and make adjustments as necessary. We believe the supplemental actions we are undertaking and proposing will allow us to achieve our remaining targets under the CO, and we are proud of Turkey Point's safe delivery of greenhouse gas free power for almost fifty years.

FPL intends to submit the site certification modification application in the third quarter of 2020 and expects to complete permitting and implement the increased freshening allocation in the second quarter of 2021. As part of the application, we will provide additional back-up information, including updated data and models, to support the request. We would like to meet with the Department to discuss the Plan in preparation for our site certification modification request. If these discussions yield additional measures, FPL will update the Department prior to the December 28, 2020 deadline.

Should you have any questions, please do not hesitate to call me at 561-691-2406.

Page 4

Sincerely,

Danielle L. Hall Environmental Services Manager

CC: Marc Harris, FDEP Allan Stodghill, FDEP Cindy Mulkey, FDEP Lee Hefty, MDC

Drew Bartlett, SFWMD



Department of Environmental Protection

Jeb Bush Governor Twin Towers Office Building 2600 Blair Stone Road Tallahassee, Florida 32399-2400

Colleen M. Castille Secretary

In the Matter of an Application for Permit by:

CERTIFIED MAIL
RETURN RECIEPT REQUESTED

Turkey Point Power Plant 9760 S.W. 344 Street Florida City, FL 34428 DEP File # FL0001562-004-IW1N/NR Miami-Dade County Florida Power & Light Company

Attention: Mr. Terry O. Jones

NOTICE OF PERMIT

Enclosed is Permit Number FL0001562, issued under Section 403.0885, Florida Statutes and DEP Chapter 62-620, Florida Administrative Code, authorizing renewal of a "No Discharge" NPDES permit for internal discharge to an onsite closed-loop recirculating cooling canal system at the Turkey Point Power Plant located at 9670 S.W. 344 Street, Florida City, Miami-Dade County, Florida.

Any party to this order (permit) has the right to seek judicial review of the permit under section 120.68 of the Florida Statutes, by the filing of a Notice of Appeal under rule 9.110 of the Florida Rules of Appellate Procedure, with the Clerk of the Department of Environmental Protection, Office of General Counsel, Mail Station 35, 3900 Commonwealth Boulevard, Tallahassee, Florida 32399-3000 and by filing a copy of the notice of appeal accompanied by the applicable filing fees with the appropriate district court of appeal. The notice of appeal must be filed within thirty days after this notice is filed with the Clerk of the Department.

Executed in Tallahassee, Florida.

STATE OF FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

Mimi Drew

Director

Division of Water Resource Management 2600 Blair Stone Road

Tallahassee, FL 32399-2400

(850) 245-8336

"More Protection, Less Process"

Printed on recycled paper.

FPL Turkey Point Power Plant Permit Number FL0001562

* *

Page 2

FILING AND ACKNOWLEDGMENT

FILED, on this date, under Section 120.52, Florida Statutes, with the designated deputy clerk, receipt of which is hereby acknowledged. S. Shields 15-13-05
Clerk Date

Copies furnished to:

Roosevelt Childress, EPA Chairman, Miami-Dade County Board of Commissioners Tim Powell, P.E., DEP SED, West Palm Beach Buck Oven, P.E., DEP Tallahassee Betsy Hewitt, DEP Tallahassee (w/o enclosure)

SECOND AMENDMENT TO THE FACT SHEET

DATE: January 28, 2004

۱.

. .

PERMIT NUMBER: FL0001562

PERMITTEE: Florida Power & Light Company

Turkey Point Power Plant

The following minor corrections have been made to the proposed permit. None of these corrections alter any of the discharge limitations monitoring requirements in the permit.

1. Permittee Comments

The Permittee requested the following minor corrections to the permit.

Typographical errors in the Draft Permit: The Applicant pointed out several typographical errors by the Department which are not listed in the items below. The Department has corrected these errors, which were non-substantive and did not affect any permit limitations or monitoring requirements.

Condition I.A.6.&7. The Permittee pointed out that that previous permits did not include these conditions, which refer to floating foam and visible sheen on surface waters of the state due to discharge of wastewater. The Permittee noted that the conditions are not appropriate because the facility does not discharge to surface waters. The Department concurs, and notes that it included the conditions in error. The conditions have been deleted from the final permit.

STATE OF FLORIDA INDUSTRIAL WASTEWATER FACILITY PERMIT

PERMITTEE:

1,

Florida Power & Light Company 9760 S.W. 344 Street Florida City, FL 33035 PERMIT NUMBER: PA FILE NUMBER: ISSUANCE DATE:

EXPIRATION DATE:

FL0001562 (Major) FL0001562-004-IW1N

May 6, 2005 May 5, 2010

RESPONSIBLE AUTHORITY:

Mr. Terry O. Jones Vice President

FACILITY:

FPL Turkey Point Power Plant 9760 S.W. 344 Street Florida City, FL 33035 Dade County

Latitude: See Note Below Longitude: See Note Below

Note: Latitude and longitude are not shown at Permittee's request, for purposes of Homeland Security pursuant to federal regulations found at 18 CFR 388.113(c)(i) and (ii) and by Presidential Directive dated December 17, 2003.

This permit is issued under the provisions of Chapter 403, Florida Statutes (F.S.) and applicable rules of the Florida Administrative Code (F.A.C.), and constitutes authorization to discharge to waters of the state under the National Pollutant Discharge Elimination System (NPDES). The above named permittee is hereby authorized to operate the facilities shown on the application and other documents attached hereto or on file with the Department and made a part hereof and specifically described as follows:

The facility consists of four steam-electric generating units: Two fossil fuel oil-fired units (Units 1&2) and two nuclear units (Units 3&4). Units 1&2 each have a continuous generating capability of 404 megawatts (MW), and Units 3&4 each have a continuous generating capability of 693 MW.

WASTEWATER TREATMENT:

Wastewater from the Turkey Point facility consists of a non-contact once-through condenser cooling water (OTCW), auxiliary equipment cooling water (AECW), low-volume waste (LVW), and stormwater. LVW consists of chemical treatment system wastewater, boiler blowdown, reverse osmosis concentrate, condensate polishing system backwash water, and other process wastestreams. Stormwater includes stormwater associated with industrial activity and stormwater not associated with industrial activity.

OTCW and AECW discharge to the facility's approximately 6,700 acre onsite closed loop cooling canal system. LVW, equipment area stormwater, and non-equipment area stormwater/drainage discharge either directly to the onsite closed loop cooling canal system or indirectly to the same system via solids settling basins and/or neutralization basin. The cooling canal system is not lined, and therefore, discharges to Class G-III groundwater. The cooling canal system does not discharge to surface waters of the state.

PERMITTEE: PERMIT NUMBER: FL0001562

Florida Power & Light Company Issuance date: May 6, 2005 9760 S.W. 344 Street Expiration date: May 5, 2010 Florida City, FL 33035

EFFLUENT DISPOSAL:

Surface Water Discharge:

This permit does not authorize discharge to surface waters of the state.

Internal Outfalls:

. L.

This permit authorizes discharge from existing internal outfalls I-001 and I-002 to the facility's onsite closed loop cooling canal system.

Groundwater Discharge

This permit authorizes an existing discharge from the onsite closed loop cooling canal system to the surficial aquifer which is a Class G-III groundwater.

IN ACCORDANCE WITH: The limitations, monitoring requirements and other conditions as set forth in Part I through Part VIII on pages 3 through 14 of this permit.

PERMITTEE: PERMIT NUMBER: FL0001562

Florida Power & Light Company
9760 S.W. 344 Street
Florida City, FL 33035

Issuance date: May 6, 2005
Expiration date: May 5, 2010

I. Effluent Limitations and Monitoring Requirements

A. Surface Water Discharges

- L

- 1. This permit does not authorize discharge to surface waters of the state.
- 2. During the period beginning on the issuance date and lasting through the expiration date of this permit, the permittee is authorized to discharge non process wastewater consisting of non-contact once-through condenser cooling water (OTCW), non-contact auxiliary equipment cooling water (AECW), and other wastestreams (as indicated in the permit renewal application) from Internal Outfall I-001 to the onsite feeder canal within the facility's onsite closed loop cooling canal system. Such discharge shall be limited and monitored by the permittee as specified below:

	Di	scharge Limitatio	ns	Monitori	ng Requirements	
Parameters (units)	Maximum Daily Average	Daily Maximum	Daily Minimum	Monitoring Frequency	Sample Type	Sample Point
Temperature (F), Water (DEG.F)		Report		Monthly	Instantaneous	OUI-1
Solids, Total Suspended (MG/L)		Report		Quarterly	Grab	OUI-1
pH (SU)		Report	Report	Quarterly	Grab	OUI-1
Salinity (PPT)		Report		Quarterly	Grab	OUI-1
Specific Conductance (UMHO/CM)		Report		Quarterly	Grab	OUI-1
Copper, Total Recoverable (UG/L)		Report		Semiannually	Grab	OUI-1
Iron, Total Recoverable (MG/L)		Report		Semiannually	Grab	OUI-1
Zinc, Total Recoverable (UG/L)		Report		Semiannually	Grab	OUI-1

3. Effluent samples shall be taken at the monitoring site locations listed in permit condition I.A.2. and as described below:

Sample Point	Description of Monitoring Location
OUI-1	Cooling water discharge prior to entering the feeder canal within the closed loop cooling canal
	system

PERMITTEE:

PERMIT NUMBER:

FL0001562

Florida Power & Light Company 9760 S.W. 344 Street Florida City, FL 33035 Issuance date: Expiration date:

May 6, 2005

May 5, 2010

4. During the period beginning on the issuance date and lasting through the expiration date of this permit, the permittee is authorized to discharge process wastewater and stormwater from Internal Outfall I-002 into the facility's onsite closed loop cooling canal system. Such discharge shall be limited and monitored by the permittee as specified below:

	Di	scharge Limitation	ıs	Monitori	ng Requirements	
Parameters (units)	Monthly Average	Daily Maximum	Daily Minimum	Monitoring Frequency	Sample Type	Sample Point
Solids, Total Suspended (MG/L)		Report		Semiannually	Grab	OUI-2
PH (SU)		Report	Report	Monthly	Grab	OUI-2
Specific Conductance (UMHO/CM)		Report		Quarterly	Grab	OUI-2
Lead, Total Recoverable (UG/L)		Report		Semiannually	Grab	OUI-2
Oil and Grease (MG/L)		Report		Semiannually	Grab	OUI-2
Copper, Total Recoverable (UG/L)		Report		Semiannually	Grab	OUI-2
Zinc, Total Recoverable (UG/L)		Report		Semiannually	Grab	OUI-2

5. Effluent samples shall be taken at the monitoring site locations listed in permit condition I.A.4. and as described below:

Sample Point	Description of Monitoring Location
OUI-2	discharge from the two solids settling basins or neutralization basin prior to mixing with water in the closed loop cooling canal system

B. Underground Injection Control Systems

 This section is not applicable to this permit. Discharge by underground injection is regulated under permit UC-13-277655.

C. Land Application Systems

1. This section is not applicable to this facility.

D. Other Methods of Disposal or Recycling

1. There shall be no discharge of industrial wastewater from this facility to ground or surface waters, except as authorized by this permit.

E. Other Limitations and Monitoring and Reporting Requirements

Monitoring requirements under this permit are effective on the first day of the second month following permit
issuance. Until such time, the permittee shall continue to monitor and report in accordance with previously
effective permit requirements, if any. During the period of operation authorized by this permit, the permittee
shall complete and submit to the Southeast District Office Discharge Monitoring Reports (DMRs) in accordance

PERMITTEE: PERMIT NUMBER: FL0001562

. .

Florida Power & Light Company Issuance date: May 6, 2005 9760 S.W. 344 Street Expiration date: May 5, 2010 Florida City, FL 33035

with the frequencies specified by the REPORT type (i.e., monthly, toxicity, quarterly, semiannual, annual, etc.) indicated on the DMR forms attached to this permit. Monitoring results for each monitoring period shall be submitted in accordance with the associated DMR due dates below.

REPORT Type	Monitoring Period	DMR Due Date
on DMR		
Monthly or Toxicity	first day of month - last day of month	28 th day of following month
Quarterly	January 1 - March 31	April 28
	April 1 – June 30	July 28
	July 1 – September 30	October 28
	October 1 – December 31	January 28
Semiannual	January 1 – June 30	July 28
	July 1 – December 31	January 28
Annual	January 1 – December 31	January 28

DMRs shall be submitted for each required monitoring period including months of no discharge.

The permittee shall make copies of the attached DMR form(s) and shall submit the completed DMR form(s) to the Department's Southeast District Office at the address specified in Permit Condition I.E.2.

 Unless specified otherwise in this permit, all reports and notifications required by this permit, including twentyfour hour notifications, shall be submitted to or reported to the Southeast District Office at the address specified below:

> Southeast District Office 400 North Congress, Suite 200 West Palm Beach, FL 33401-3303

Phone Number - (561) 681-6702

- 3. All reports and other information shall be signed in accordance with requirements of Rule 62-620.305, F.A.C.
- 4. The permittee shall provide safe access points for obtaining representative samples which are required by this permit.
- 5. If there is no discharge from the facility on a day scheduled for sampling, the sample shall be collected on the day of the next discharge.
- 6. Bypasses subject to General Conditions VIII.20 and VIII.22 shall be monitored or estimated daily, or as approved by the Department for flow and other parameters required for the specific outfall that is bypassed. Monitoring results shall be reported to the Department.
- There shall be no discharge of polychlorinated biphenyl compounds such as those commonly used for transformer fluid.
- 8. This permit authorizes the use of the following biocides, or their generic equivalents, in various closed cooling water systems without limitations or monitoring; NALCO 7338, NALCO 7330, NALCO 7348, BULAB 6001/6002, BETZ POWERLINE 3610. The Permittee shall notify the Department if there is a discharge of any of these products into the closed cycle cooling canal system in other than de-minimus amounts which contain concentrations of active ingredients above the MDLs for those ingredients.

Florida Power & Light Company
9760 S.W. 344 Street
Florida City, FL 33035

Issuance date:
Expiration date:
May 6, 2005
May 5, 2010

9. A permit revision from the Department shall be required prior to the use of any biocide or chemical additive, which may be toxic to aquatic life, (except as authorized elsewhere in this permit) in the cooling water system or any other portion of the industrial wastewater system. The permit revision request shall include:

- a. Name and general composition of biocide or chemical
- b. Frequencies of use
- c. Quantities to be used
- d. Proposed effluent concentrations
- e. Acute and/or chronic toxicity data (laboratory reports shall be prepared according to Section 12 of EPA document no. EPA/600/4-90/027 entitled, Methods for Measuring the Acute Toxicity of Effluents and Receiving Waters for Freshwater and Marine Organisms, or most current addition.)
 - f. Product data sheet
 - g. Product label

The Department shall review the above information to determine if a major or minor permit revision is necessary. Discharge associated with the use of such biocide or chemical is not authorized without prior authorization by the Department. Permit revisions shall be processed in accordance with the requirements of Chapter 62-620, F.A.C.

- 10. Discharge of any product registered under the Federal Insecticide, Fungicide, and Rodenticide Act to any waste stream which ultimately may be released to waters of the State is prohibited unless specifically authorized elsewhere in this permit. This requirement is not applicable to products used for lawn and agricultural purposes or to the use of herbicides if used in accordance with labeled instructions and any applicable State permit.
- 11. Hydrazine and Monoethanolamine (ETA) Monitoring Requirements
 - a) Discharge of hydrazine, carbohydrazide, dimethylamine, and monoethanolamine (ETA) in the boiler or steam generator blowdown is authorized without limitation or monitoring requirements.
 - b) Hydrazine from plant layup water during overhauls and/or refueling outages shall be measured at the outlet from the unit being serviced. Sampling shall be once per day of discharge by grab sample at the maximum expected concentration. Results of sampling will be submitted to the Department upon request. To determine the hydrazine concentration being discharged to the cooling canal system, the following equation shall be used:

(B/S) Blowdown Flow x (B/S) Hydrazine Concentration = Hydrazine concentration at the closed cycle cooling canal system

Where (B/S) refers to boiler or steam generator

In the event that any value exceeds 3.4 mg/l, the permittee shall immediately modify its release pattern and resample. The Department's Southeast District office will be notified of the situation within five days.

- 12. Molybdate, Tolytriazole, and Nitrite Discharge Requirements The discharge of molybdate, tolytriazole, and nitrite to the closed cycle recirculating cooling canal system during maintenance of the auxiliary closed water system is allowed without limitations and monitoring requirements.
- 13. Non-discharging/Closed Loop Vehicle Wash Recycle System Requirements
 - a) No discharge of recycle system wastewater, including filter backwash water, is authorized to surface water or to ground water.

Florida Power & Light Company
9760 S.W. 344 Street
Florida City, FL 33035

Issuance date:
Expiration date:
May 6, 2005
May 5, 2010

b) The rainwater diversion system shall be operated in accordance with the facility's Best Management Practice Procedure as indicated on amended drawing No. 297-036, Alternate No. 6, signed and sealed 4/23/99.

- c) A placard shall be conspicuously posted in the area of the non-discharging/closed loop recycle equipment which indicates the proper operation of the rainwater diversion system i.e. TRUCK WASH RAINWATER VALVE OPERATING PROCEDURE as indicated on amended drawing No. 297-036 Alternate No. 6, signed and sealed 4/23/99.
- d) Spent process wastewater shall be disposed of at a Department permitted wastewater treatment facility which is capable of treating the wastewater.
- e) Any oil collected from the oil/water separator shall be disposed by a licensed used oil recycler in accordance with Florida Administrative Code 62-710 or otherwise recycled on site through Department approved methods and procedures.
- f) Any accidental discharge to ground water or surface water shall be reported to the Southeast District office.
- 14. Notwithstanding any other requirements of this "No Discharge" permit, the permittee shall comply with all applicable provisions of the Final Judgement dated September 10, 1971, in Civil Action Number 70-328-CA issued by the U.S. District Judge C. Clyde Atkins of the Southern District of Florida.

II. Industrial Sludge Management Requirements

A. Basic Management Requirements

- 1. Sludge or other solids generated from the facility shall be reused, reclaimed, or otherwise disposed of in accordance with the requirements of Chapter 62-701, F.A.C.
- 2. The permittee shall keep records at the facility of the amount of sludge or residuals disposed, transported, or incinerated. If a person other than the permittee is responsible for sludge transporting, disposal, or incineration, the permittee shall also keep the following records:
 - a. name, address and telephone number of any transporter, and any manifests or bill of lading used;
 - b. name and location of the site of disposal, treatment or incineration;
 - c. name, address, and telephone number of the entity responsible for the disposal, treatment, or incineration site.

III. Ground Water Monitoring Requirements

1. This section is not applicable to this facility.

IV. Other Land Application Requirements

1. The Permittee's discharge to ground water shall not cause a violation of the minimum criteria for ground water specified in Rule 62-520.400, F.A.C. and 62-520.430, F.A.C.

Florida Power & Light Company Issuance date: May 6, 2005 9760 S.W. 344 Street Expiration date: May 5, 2010

Florida City, FL 33035

V. Operation and Maintenance Requirements

A. Operation of Treatment and Disposal Facilities

- 1. The permittee shall ensure that the operation of this facility is as described in the application and supporting documents.
- 2. The operation of the pollution control facilities described in this permit shall be under the supervision of a person who is qualified by formal training and/or practical experience in the field of water pollution control.

B. Record keeping Requirements:

- 1. The permittee shall maintain the following records on the site of the permitted facility and make them available for inspection:
 - a. Records of all compliance monitoring information, including all calibration and maintenance records and all original strip chart recordings for continuous monitoring instrumentation, including, if applicable, a copy of the laboratory certification showing the certification number of the laboratory, for at least three years from the date the sample or measurement was taken;
 - b. Copies of all reports, other than those required in items a. and f. of this section, required by the permit for at least three years from the date the report was prepared, unless otherwise specified by Department rule;
 - Records of all data, including reports and documents used to complete the application for the permit for at least three years from the date the application was filed, unless otherwise specified by Department rule;
 - d. A copy of the current permit;
 - e. A copy of any required record drawings;
 - f. Copies of the logs and schedules showing plant operations and equipment maintenance for three years from the date on the logs or schedule.

VI. Schedules

1. The permittee shall achieve compliance with the other conditions of this permit as follows:

2. No later than 14 calendar days following a date identified in the above schedule(s) of compliance, the permittee shall submit either a report of progress or, in the case of specific actions being required by an identified date, a written notice of compliance or noncompliance. In the latter case, the notice shall include the cause of noncompliance, any remedial actions taken, and the probability of meeting the next scheduled requirement.

VII. Other Specific Conditions

A. Specific Conditions Applicable to All Permits

1. Drawings, plans, documents or specifications submitted by the permittee, not attached hereto, but retained on file at the Southeast District Office, are made a part hereof.

Florida Power & Light Company Issuance date: May 6, 2005 9760 S.W. 344 Street Expiration date: May 5, 2010

Florida City, FL 33035

2. Where required by Chapter 471 (P.E.) or Chapter 492 (P.G.) Florida Statutes, applicable portions of reports to be submitted under this permit, shall be signed and sealed by the professional(s) who prepared them.

3. This permit satisfies Industrial Wastewater program permitting requirements only and does not authorize operation of this facility prior to obtaining any other permits required by local, state or federal agencies.

B. Specific Conditions Related to Construction

1. This section is not applicable to this facility.

C. Duty to Reapply

- 1. The permittee shall submit an application to renew this permit at least 180 days before the expiration date of this permit.
- 2. The permittee shall apply for renewal of this permit on the appropriate form listed in Rule 62-620.910, F.A.C., and in the manner established in Chapter 62-620, F.A.C., and the Department of Environmental Protection Guide to Wastewater Permitting including submittal of the appropriate processing fee set forth in Rule 62-4.050, F.A.C.
- 3. An application filed in accordance with subsections 1. and 2. of this part shall be considered timely and sufficient. When an application for renewal of a permit is timely and sufficient, the existing permit shall not expire until the Department has taken final action on the application for renewal or until the last day for seeking judicial review of the agency order or a later date fixed by order of the reviewing court.
- 4. The late submittal of a renewal application shall be considered timely and sufficient for the purpose of extending the effectiveness of the expiring permit only if it is submitted and made complete before the expiration date.

D. Specific Conditions Related to Existing Manufacturing, Commercial, Mining, and Silviculture Wastewater Facilities or Activities

- 1. Existing manufacturing, commercial, mining, and silvicultural wastewater facilities or activities that discharge into surface waters shall notify the Department as soon as they know or have reason to believe:
 - a. That any activity has occurred or will occur which would result in the discharge, on a routine or frequent basis, of any toxic pollutant which is not limited in the permit, if that discharge will exceed the highest of the following levels
 - (1) One hundred micrograms per liter,
 - (2) Two hundred micrograms per liter for acrolein and acrylonitrile; five hundred micrograms per liter for 2,4-dinitrophenol and for 2-methyl-4,6-dinitrophenol; and one milligram per liter for antimony, or
 - (3) Five times the maximum concentration value reported for that pollutant in the permit application.
 - b. That any activity has occurred or will occur which would result in any discharge, on a non-routine or infrequent basis, of a toxic pollutant which is not limited in the permit, if that discharge will exceed the highest of the following levels
 - (1) Five hundred micrograms per liter,
 - (2) One milligram per liter for antimony, or
 - (3) Ten times the maximum concentration value reported for that pollutant in the permit application.

E. Reopener Clause

Florida Power & Light Company
9760 S.W. 344 Street
Florida City, FL 33035

Issuance date:
Expiration date:
May 6, 2005
May 5, 2010

1. The permit shall be revised, or alternatively, revoked and reissued in accordance with the provisions contained in Rules 62-620.325 and 62-620.345 F.A.C., if applicable, or to comply with any applicable effluent standard or limitation issued or approved under Sections 301(b)(2)(C) and (D), 304(b)(2) and 307(a)(2) of the Clean Water Act (the Act), as amended, if the effluent standards, limitations, or water quality standards so issued or approved:

- a. Contains different conditions or is otherwise more stringent than any condition in the permit/or;
- b. Controls any pollutant not addressed in the permit.

The permit as revised or reissued under this paragraph shall contain any other requirements then applicable.

- 2. The permit may be reopened to adjust effluent limitations or monitoring requirements should future Water Quality Based Effluent Limitation determinations, water quality studies, DEP approved changes in water quality standards, or other information show a need for a different limitation or monitoring requirement.
- 3. The Department may develop a Total Maximum Daily Load (TMDL) during the life of the permit. Once a TMDL has been established and adopted by rule, the Department shall revise this permit to incorporate the final findings of the TMDL.

VIII. General Conditions

- The terms, conditions, requirements, limitations and restrictions set forth in this permit are binding and enforceable pursuant to Chapter 403, F.S. Any permit noncompliance constitutes a violation of Chapter 403, F.S., and is grounds for enforcement action, permit termination, permit revocation and reissuance, or permit revision. [62-620.610(1), F.A.C.]
- 2. This permit is valid only for the specific processes and operations applied for and indicated in the approved drawings or exhibits. Any unauthorized deviation from the approved drawings, exhibits, specifications or conditions of this permit constitutes grounds for revocation and enforcement action by the Department. [62-620.610(2), F.A.C.]
- 3. As provided in Subsection 403.087(6), F.S., the issuance of this permit does not convey any vested rights or any exclusive privileges. Neither does it authorize any injury to public or private property or any invasion of personal rights, nor authorize any infringements of federal, state, or local laws or regulations. This permit is not a waiver of or approval of any other Department permit or authorization that may be required for other aspects of the total project which are not addressed in this permit. [62-620.610(3), F.A.C.]
- 4. This permit conveys no title to land or water, does not constitute state recognition or acknowledgment of title, and does not constitute authority for the use of submerged lands unless herein provided and the necessary title or leasehold interests have been obtained from the State. Only the Trustees of the Internal Improvement Trust Fund may express State opinion as to title. [62-620.610(4), F.A.C.]
- 5. This permit does not relieve the permittee from liability and penalties for harm or injury to human health or welfare, animal or plant life, or property caused by the construction or operation of this permitted source; nor does it allow the permittee to cause pollution in contravention of Florida Statutes and Department rules, unless specifically authorized by an order from the Department. The permittee shall take all reasonable steps to minimize or prevent any discharge, reuse of reclaimed water, or residuals use or disposal in violation of this permit which has a reasonable likelihood of adversely affecting human health or the environment. It shall not be

Florida Power & Light Company
9760 S.W. 344 Street
Florida City, FL 33035

Issuance date: May 6, 2005
Expiration date: May 5, 2010

a defense for a permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this permit. [62-620.610(5), F.A.C.]

- 6. If the permittee wishes to continue an activity regulated by this permit after its expiration date, the permittee shall apply for and obtain a new permit. [62-620.610(6), F.A.C.]
- 7. The permittee shall at all times properly operate and maintain the facility and systems of treatment and control, and related appurtenances, that are installed and used by the permittee to achieve compliance with the conditions of this permit. This provision includes the operation of backup or auxiliary facilities or similar systems when necessary to maintain or achieve compliance with the conditions of the permit. [62-620.610(7), F.A.C.]
- 8. This permit may be modified, revoked and reissued, or terminated for cause. The filing of a request by the permittee for a permit revision, revocation and reissuance, or termination, or a notification of planned changes or anticipated noncompliance does not stay any permit condition. [62-620.610(8), F.A.C.]
- 9. The permittee, by accepting this permit, specifically agrees to allow authorized Department personnel, including an authorized representative of the Department and authorized EPA personnel, when applicable, upon presentation of credentials or other documents as may be required by law, and at reasonable times, depending upon the nature of the concern being investigated, to
 - Enter upon the permittee's premises where a regulated facility, system, or activity is located or conducted, or where records shall be kept under the conditions of this permit;
 - b. Have access to and copy any records that shall be kept under the conditions of this permit;
 - c. Inspect the facilities, equipment, practices, or operations regulated or required under this permit; and
 - d. Sample or monitor any substances or parameters at any location necessary to assure compliance with this permit or Department rules.

[62-620.610(9), F.A.C.]

- 10. In accepting this permit, the permittee understands and agrees that all records, notes, monitoring data, and other information relating to the construction or operation of this permitted source which are submitted to the Department may be used by the Department as evidence in any enforcement case involving the permitted source arising under the Florida Statutes or Department rules, except as such use is proscribed by Section 403.111, Florida Statutes, or Rule 62-620.302, F.A.C. Such evidence shall only be used to the extent that it is consistent with the Florida Rules of Civil Procedure and applicable evidentiary rules. [62-620.610(10), F.A.C.]
- 11. When requested by the Department, the permittee shall within a reasonable time provide any information required by law which is needed to determine whether there is cause for revising, revoking and reissuing, or terminating this permit, or to determine compliance with the permit. The permittee shall also provide to the Department upon request copies of records required by this permit to be kept. If the permittee becomes aware of relevant facts that were not submitted or were incorrect in the permit application or in any report to the Department, such facts or information shall be promptly submitted or corrections promptly reported to the Department. [62-620.610(11), F.A.C.]
- 12. Unless specifically stated otherwise in Department rules, the permittee, in accepting this permit, agrees to comply with changes in Department rules and Florida Statutes after a reasonable time for compliance; provided however, the permittee does not waive any other rights granted by Florida Statutes or Department rules. A reasonable time for compliance with a new or amended surface water quality standard, other than those standards addressed in Rule 62-302.500, F.A.C., shall include a reasonable time to obtain or be denied a mixing zone for the new or amended standard. [62-620.610(12), F.A.C.]
- 13. The permittee, in accepting this permit, agrees to pay the applicable regulatory program and surveillance fee in accordance with Rule 62-4.052, F.A.C. [62-620.610(13), F.A.C.]

May 6, 2005 May 5, 2010

PERMITTEE: PERMIT NUMBER: FL0001562

Florida Power & Light Company
9760 S.W. 344 Street
Florida City, FL 33035

Issuance date:
Expiration date:

14. This permit is transferable only upon Department approval in accordance with Rule 62-620.340, F.A.C. The permittee shall be liable for any noncompliance of the permitted activity until the Department approves the transfer. [62-620.610(14), F.A.C.]

- 15. The permittee shall give the Department written notice at least 60 days before inactivation or abandonment of a wastewater facility and shall specify what steps will be taken to safeguard public health and safety during and following inactivation or abandonment. [62-620.610(15), F.A.C.]
- 16. The permittee shall apply for a revision to the Department permit in accordance with Rule 62-620.300, F.A.C., and the Department of Environmental Protection Guide to Wastewater Permitting at least 90 days before construction of any planned substantial modifications to the permitted facility is to commence or with Rule 62-620.325(2), F.A.C., for minor modifications to the permitted facility. A revised permit shall be obtained before construction begins except as provided in Rule 62-620.300, F.A.C. [62-620.610(16), F.A.C.]
- 17. The permittee shall give advance notice to the Department of any planned changes in the permitted facility or activity which may result in noncompliance with permit requirements. The permittee shall be responsible for any and all damages which may result from the changes and may be subject to enforcement action by the Department for penalties or revocation of this permit. The notice shall include the following information:
 - a. A description of the anticipated noncompliance;
 - b. The period of the anticipated noncompliance, including dates and times; and
 - c. Steps being taken to prevent future occurrence of the noncompliance. [62-620.610(17), F.A.C.]
- 18. Sampling and monitoring data shall be collected and analyzed in accordance with Rule 62-4.246, Chapters 62-160 and 62-601, F.A.C., and 40 CFR 136, as appropriate.
 - a. Monitoring results shall be reported at the intervals specified elsewhere in this permit and shall be reported on a Discharge Monitoring Report (DMR), DEP Form 62-620.910(10).
 - b. If the permittee monitors any contaminate more frequently than required by the permit, using Department approved test procedures, the results of this monitoring shall be included in the calculation and reporting of the data submitted in the DMR.
 - c. Calculations for all limitations which require averaging of measurements shall use an arithmetic mean unless otherwise specified in this permit.
 - d. Any laboratory test required by this permit shall be performed by a laboratory that has been certified by the Department of Health (DOH) under Chapter 64E-1, F.A.C., where such certification is required by Rule 62-160.300(4), F.A.C. The laboratory must be certified for any specific method and analyte combination that is used to comply with this permit. For domestic wastewater facilities, the on-site test procedures specified in Rule 62-160.300(4), F.A.C., shall be performed by a laboratory certified test for those parameters or under the direction of an operator certified under Chapter 62-602, F.A.C.
 - e. Fields activities including on-site tests and sample collection, whether performed by a laboratory or a certified operator, must follow the applicable procedures described in DEP-SOP-001/01 (January 2002). Alternate field procedures and laboratory methods may be used where they have been approved according to the requirements of Rules 62-160.220, 62-160.330, and 62-160.600, F.A.C. [62-620.610(18), F.A.C.]
- 19. Reports of compliance or noncompliance with, or any progress reports on, interim and final requirements contained in any compliance schedule detailed elsewhere in this permit shall be submitted no later than 14 days following each schedule date. [62-620.610(19), F.A.C.]
- 20. The permittee shall report to the Department's Southeast District Office any noncompliance which may endanger health or the environment. Any information shall be provided orally within 24 hours from the time the permittee becomes aware of the circumstances. A written submission shall also be provided within five days of

Florida Power & Light Company
9760 S.W. 344 Street
Florida City, FL 33035

Issuance date:
Expiration date:
May 6, 2005
May 5, 2010

the time the permittee becomes aware of the circumstances. The written submission shall contain: a description of the noncompliance and its cause; the period of noncompliance including exact dates and time, and if the noncompliance has not been corrected, the anticipated time it is expected to continue; and steps taken or planned to reduce, eliminate, and prevent recurrence of the noncompliance.

a. The following shall be included as information which must be reported within 24 hours under this condition:

- (1) Any unanticipated bypass which causes any reclaimed water or effluent to exceed any permit limitation or results in an unpermitted discharge,
- (2) Any upset which causes any reclaimed water or the effluent to exceed any limitation in the permit,
- (3) Violation of a maximum daily discharge limitation for any of the pollutants specifically listed in the permit for such notice, and
- (4) Any unauthorized discharge to surface or ground waters.
- b. Oral reports as required by this subsection shall be provided as follows:
 - (1) For unauthorized releases or spills of untreated or treated wastewater reported pursuant to subparagraph a.4 that are in excess of 1,000 gallons per incident, or where information indicates that public health or the environment will be endangered, oral reports shall be provided to the Department by calling the STATE WARNING POINT TOLL FREE NUMBER (800) 320-0519, as soon as practical, but no later than 24 hours from the time the permittee becomes aware of the discharge. The permittee, to the extent known, shall provide the following information to the State Warning Point:
 - (a) Name, address, and telephone number of person reporting;
 - (b) Name, address, and telephone number of permittee or responsible person for the discharge;
 - (c) Date and time of the discharge and status of discharge (ongoing or ceased);
 - (d) Characteristics of the wastewater spilled or released (untreated or treated, industrial or domestic wastewater):
 - (e) Estimated amount of the discharge;
 - (f) Location or address of the discharge;
 - (g) Source and cause of the discharge;
 - (h) Whether the discharge was contained on-site, and cleanup actions taken to date;
 - (i) Description of area affected by the discharge, including name of water body affected, if any; and
 - (j) Other persons or agencies contacted.
 - (2) Oral reports, not otherwise required to be provided pursuant to subparagraph b(1) above, shall be provided to Department's Southeast District Office within 24 hours from the time the permittee becomes aware of the circumstances.
- c. If the oral report has been received within 24 hours, the noncompliance has been corrected, and the noncompliance did not endanger health or the environment, the Department's Southeast District Office shall waive the written report.

[62-620.610(20), F.A.C.]

- 21. The permittee shall report all instances of noncompliance not reported under Conditions VIII. 18 and 19 of this permit at the time monitoring reports are submitted. This report shall contain the same information required by Condition VIII. 20. of this permit. [62-620.610(21), F.A.C.]
- 22. Bypass Provisions.
 - a. Bypass is prohibited, and the Department may take enforcement action against a permittee for bypass, unless the permittee affirmatively demonstrates that:
 - (1) Bypass was unavoidable to prevent loss of life, personal injury, or severe property damage; and
 - (2) There were no feasible alternatives to the bypass, such as the use of auxiliary treatment facilities, retention of untreated wastes, or maintenance during normal periods of equipment downtime. This condition is not satisfied if adequate back-up equipment should have been installed in the exercise of reasonable engineering judgment to prevent a bypass which occurred during normal periods of equipment downtime or preventative maintenance; and
 - (3) The permittee submitted notices as required under Condition VIII.22.b. of this permit.

Florida Power & Light Company 9760 S.W. 344 Street Florida City, FL 33035 Issuance date: May 6, 2005 Expiration date: May 5, 2010

b. If the permittee knows in advance of the need for a bypass, it shall submit prior notice to the Department, if possible at least 10 days before the date of the bypass. The permittee shall submit notice of an unanticipated bypass within 24 hours of learning about the bypass as required in Condition VIII.20. of this permit. A notice shall include a description of the bypass and its cause; the period of the bypass, including exact dates and times; if the bypass has not been corrected, the anticipated time it is expected to continue; and the steps taken or planned to reduce, eliminate, and prevent recurrence of the bypass.

- c. The Department shall approve an anticipated bypass, after considering its adverse effect, if the permittee demonstrates that it will meet the three conditions listed in Condition VIII.22 a. (1) through (3) of this permit.
- d. A permittee may allow any bypass to occur which does not cause reclaimed water or effluent limitations to be exceeded if it is for essential maintenance to assure efficient operation. These bypasses are not subject to the provision of Condition VIII.22.a. through c. of this permit. [62-620.610(22), F.A.C.]

23. Upset Provisions

- a. A permittee who wishes to establish the affirmative defense of upset shall demonstrate, through properly signed contemporaneous operating logs, or other relevant evidence that:
 - (1) An upset occurred and that the permittee can identify the cause(s) of the upset;
 - (2) The permitted facility was at the time being properly operated;
 - (3) The permittee submitted notice of the upset as required in Condition VIII.20. of this permit; and
 - (4) The permittee complied with any remedial measures required under Condition VIII.5. of this permit.
- b. In any enforcement proceeding, the permittee seeking to establish the occurrence of an upset has the burden of proof.
- c. Before an enforcement proceeding is instituted, no representation made during the Department review of a claim that noncompliance was caused by an upset is final agency action subject to judicial review. [62-620.610(23), F.A.C.]

Executed in Tallahassee, Florida.

STATE OF FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

Mımı A. Drew

Director, Division of Water Resource Management

2600 Blair Stone Road

Tallahassee, Florida 32399-2400

(850) 245-8592

DEPARTMENT OF ENVIRONMENTAL PROTECTION DISCHARGE MONITORING REPORT - PART A

PERMITTEE NAME:	this report to: Department of Florida Power & Light Co.		PERMIT NUMBER FL0001562							
MAILING ADDRESS:	9760 S.W. 344 Street Florida City, FL 33035		LIMIT: CLASS SIZE:				REPORT: Monthly GROUP: Industrial			•
FACILITY: LOCATION:	FPL Turkey Point Power F 9760 S.W. 344 Street Florida City, FL 33035	MONITORING MONITORING		BER: I-001	once through conde	nser cooling	water			
COUNTY:	Dade		NO DISCHARO MONITORING		rom:	То	recorder de de de de la constante de la consta			
Parameter Quantity or Loading		Units	Quali	ity or Concentra	ation	Units	No. Ex.	Frequency of Analysis	Sample Type	
Temperature (F), Water	Sample Measurement									
PARM Code 00011 P Mon. Site No. OUI-1	Requirement					Report (Day.Max.)	DEG.F		Monthly	Instantaneous
	Sample Measurement Permit									
illing i salah jarah salah	Requirement Sample									
	Measurement Permit		//							
	Requirement Sample Measurement									
	Permit Requirement									
	Sample Measurement									
	Permit Requirement Sample									
	Measurement Permit Requirement									
e information submitte	law that this document and	all attachments were prepared un the person or persons who manage I am aware that there are significa	e the system, or those pe	rsons directly re	esponsible for gathe	ering the informatio	n, the inforn	nation su	bmitted is, to the	ne best of my
III COMMINICATION CONTROL CONT	PAL EXECUTIVE OFFICER O	P ALITHODIZED AGENT	SIGNATURE OF PRIN	CIPAL EXECUT	IVE OFFICED OF AL	THORIZED AGENT	7	TELEPH	ONE NO DA	ATE (YY/MM/DD)

DEPARTMENT OF ENVIRONMENTAL PROTECTION DISCHARGE MONITORING REPORT - PART A When Completed mail this report to: Department of Environmental Protection, Wastewater Compliance Evaluation Section, MS 3551, 2600 Blair Stone Road, Tallahassee, FL 32399-2400 PERMIT NUMBER FL0001562 PERMITTEE NAME: Florida Power & Light Company MAILING ADDRESS: 9760 S.W. 344 Street Florida City, FL 33035 REPORT: LIMIT: Final Quarterly GROUP: Industrial CLASS SIZE: Major FACILITY: FPL Turkey Point Power Plant 9760 S.W. 344 Street LOCATION: MONITORING GROUP NUMBER: I-001 Florida City, FL 33035 MONITORING GROUP DESC: non-contact once through condenser cooling water COUNTY: Dade NO DISCHARGE FROM SITE: MONITORING PERIOD From: Parameter Quantity or Loading Units Quality or Concentration Units No. Frequency of Sample Type Analysis Ex. Solids, Total Suspended Sample Measurement PARM Code 00530 P Permit Report MG/L Quarterly Grab (Day.Max.) Mon. Site No. OUI-1 Requirement Sample Measurement PARM Code 00400 P Permit Report Report SU Quarterly Grab Mon. Site No. OUI-1 Requirement (Day.Min.) (Day.Max.) Salinity Sample Measurement PARM Code 00480 P Permit Report PPT Quarterly Grab Mon. Site No. OUI-1 (Day.Max.) Requirement Specific Conductance Sample Measurement PARM Code 00095 P Report UMHO/ Quarterly Grab Permit CM Mon. Site No. OUI-1 Requirement (Day.Max.) Sample Measurement Permit Requirement Sample Measurement Permit Requirement I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations. NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT TELEPHONE NO DATE (YY/MM/DD)

DEPARTMENT OF ENVIRONMENTAL PROTECTION DISCHARGE MONITORING REPORT - PART A When Completed mail this report to: Department of Environmental Protection, Wastewater Compliance Evaluation Section, MS 3551, 2600 Blair Stone Road, Tallahassee, FL 32399-2400 PERMIT NUMBER FL0001562 PERMITTEE NAME: Florida Power & Light Company MAILING ADDRESS: 9760 S.W. 344 Street Semiannual Florida City, FL 33035 REPORT: LIMIT: Final GROUP: Industrial CLASS SIZE: Major FACILITY: FPL Turkey Point Power Plant LOCATION: 9760 S.W. 344 Street MONITORING GROUP NUMBER: I-001 Florida City, FL 33035 MONITORING GROUP DESC: non-contact once through condenser cooling water COUNTY: Dade NO DISCHARGE FROM SITE: MONITORING PERIOD From: Frequency of Sample Type Parameter Quantity or Loading Units **Quality or Concentration** Units No. Analysis Ex. Copper, Total Recoverable Sample Measurement PARM Code 01119 P UG/L Permit Report Semiannually Grab Mon. Site No. OUI-1 Requirement (Day.Max.) Iron, Total Recoverable Sample Measurement PARM Code 00980 P Permit MG/L Report Semiannually Grab Mon. Site No. OUI-1 Requirement (Day.Max.) Zinc, Total Recoverable Sample Measurement UG/L PARM Code 01094 P Permit Report Semiannually Grab Mon. Site No. OUI-1 Requirement (Day.Max.) Sample Measurement Permit Requirement Sample Measurement Permit Requirement Sample Measurement Permit Requirement I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations. NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT TELEPHONE NO DATE (YY/MM/DD)

DEPARTMENT OF ENVIRONMENTAL PROTECTION DISCHARGE MONITORING REPORT - PART A When Completed mail this report to: Department of Environmental Protection, Wastewater Compliance Evaluation Section, MS 3551, 2600 Blair Stone Road, Tallahassee, FL 32399-2400 FL0001562 PERMITTEE NAME: Florida Power & Light Company PERMIT NUMBER MAILING ADDRESS: 9760 S.W. 344 Street Florida City, FL 33035 REPORT: Monthly LIMIT: Final GROUP: CLASS SIZE: Major Industrial FACILITY: FPL Turkey Point Power Plant LOCATION: 9760 S.W. 344 Street MONITORING GROUP NUMBER: I-002 Florida City, FL 33035 MONITORING GROUP DESC: low volume wastewater (LVW) and equipment area stormwater discharged COUNTY: Dade NO DISCHARGE FROM SITE: MONITORING PERIOD Parameter Quantity or Loading Units Quality or Concentration Units No. Frequency of Sample Type Analysis Ex. рН Sample Measurement PARM Code 00400 P Permit Report Report SU Monthly Grab Mon. Site No. OUI-002 Requirement (Day.Min.) (Day.Max.) Sample Measurement Permit Requirement I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations. NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT TELEPHONE NO DATE (YY/MM/DD)

DEPARTMENT OF ENVIRONMENTAL PROTECTION DISCHARGE MONITORING REPORT - PART A

PERMITTEE NAME:	this report to: Departn Florida Power & Ligh	t Company		PERMIT NU		FL0001562						
MAILING ADDRESS	: 9760 S.W. 344 Street Florida City, FL 3303			LIMIT: CLASS SIZI	LIMIT: CLASS SIZE:		Final R Major C		:	Quarterly Industrial		
FACILITY: LOCATION:	•				MONITORING GROUP NUMBER: 1-002 MONITORING GROUP DESC: low volume wastewater (LVW) and equipment area stormwater discharged							
COUNTY:	Dade				ARGE FROM SITE		To	<u> </u>				
Parameter Quantity or Loading		Units	Qua	lity or Concent	ration	Units	No. Ex.	Frequency of Analysis	Sample Type			
Specific Conductance	Sample Measurem	ent					Report	UMHO/		Quarterly	Grab	
PARM Code 00095 I Mon. Site No. OUI-002		nt					(Day.Max.)	CM		Quarterity		
non, one ivo. Oct-002	Sample Measurem											
	Permit Requireme	ent										
	Sample Measurem	ent										
	Permit Requireme	ent										
	Sample Measuren	ent										
	Permit Requirem	ent										
	Sample Measuren	ent										
	Permit Requirem Sample	ent										
	Measuren Permit	nent										
	Requirem											
	of law that this documented. Based on my inquitrue, accurate, and comp											
	CIPAL EXECUTIVE OFFICE			ISIGNATURE OF	PRINCIPAL EXECU	TIVE OFFICER OR	AUTHORIZED AGEN	Т	TELEP	HONE NO	ATE (YY/MM/DD)	
NAME/IIILE OF PRINC	IPAL EXECUTIVE OFFIC	ER OR AUTHOR	IZED AGENT	BIGITATI CILE OF					†			

DEPARTMENT OF ENVIRONMENTAL PROTECTION DISCHARGE MONITORING REPORT - PART A When Completed mail this report to: Department of Environmental Protection, Wastewater Compliance Evaluation Section, MS 3551, 2600 Blair Stone Road, Tallahassee, FL 32399-2400 PERMITTEE NAME: Florida Power & Light Company PERMIT NUMBER FL0001562 MAILING ADDRESS: 9760 S.W. 344 Street Florida City, FL 33035 LIMIT: Final REPORT: Semiannual GROUP: CLASS SIZE: Major Industrial FACILITY: FPL Turkey Point Power Plant LOCATION: 9760 S.W. 344 Street MONITORING GROUP NUMBER: I-002 Florida City, FL 33035 MONITORING GROUP DESC: low volume wastewater (LVW) and equipment area stormwater discharged COUNTY: Dade NO DISCHARGE FROM SITE: MONITORING PERIOD Parameter Quantity or Loading Units Quality or Concentration Units No. Frequency of Sample Type Analysis Ex. Solids, Total Suspended Sample Measurement PARM Code 00530 P Permit Report MG/L Semiannually Grab Requirement Mon. Site No. OUI-002 (Day.Max.) Lead, Total Recoverable Sample Measurement PARM Code 01114 P Permit Report UG/L Semiannually Grab Mon. Site No. OUI-002 Requirement (Day.Max.) Oil and Grease Sample Measurement PARM Code 00556 P Permit Report MG/L Semiannually Grab Mon. Site No. OUI-002 Requirement (Day.Max.) Copper, Total Recoverable Sample Measurement PARM Code 01119 P Permit Report UG/L Semiannually Grab Mon. Site No. OUI-002 Requirement (Day.Max.) Zinc, Total Recoverable Sample Measurement UG/L PARM Code 01094 P Permit Report Semiannually Grab Mon. Site No. OUI-002 Requirement (Day.Max.) Sample Measurement Permit Requirement I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations. NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT TELEPHONE NO DATE (YY/MM/DD)

INSTRUCTIONS FOR COMPLETING THE WASTEWATER DISCHARGE MONITORING REPORT

Read these instructions as well as the SUPPLEMENTAL INSTRUCTIONS FOR COMPLETING THE WASTEWATER DISCHARGE MONITORING REPORT before completing the DMR. Hard copies and/or electronic copies of the required parts of the DMR were provided with the permit. All required information shall be completed in full and typed or printed in ink. A signed, original DMR shall be mailed to the address printed on the DMR by the 28th of the month following the monitoring period.

The DMR consists of three parts--A, B, and D--all of which may or may not be applicable to every facility. Facilities may have one or more Part A's for reporting effluent or reclaimed water data. All domestic wastewater facilities will have a Part B for reporting daily sample results. Part D is used for reporting ground water monitoring well data.

When results are not available, the following codes should be used on parts A and D of the DMR and an explanation provided where appropriate. Note: Codes used on Part B for raw data are different.

CODE	DESCRIPTION/INSTRUCTIONS
ANC	Analysis not conducted.
DRY	Dry Well
FLD	Flood disaster.
IFS	Insufficient flow for sampling.
LS	Lost sample.
MNR	Monitoring not required this period.

CODE	DESCRIPTION/INSTRUCTIONS
NOD	No discharge from/to site.
OPS	Operations were shutdown so no sample could be taken.
OTH	Other. Please enter an explanation of why monitoring data were not available.
SEF	Sampling equipment failure.
I	

When reporting analytical results that fall below a laboratory's reported method detection limits or practical quantification limits, the following instructions should be used:

- 1. Results greater than or equal to the PQL shall be reported as the measured quantity.
- 2. Results less than the PQL and greater than or equal to the MDL shall be reported as the laboratory's MDL value. These values shall be deemed equal to the MDL when necessary to calculate an average for that parameter and when determining compliance with permit limits.
- 3. Results less than the MDL shall be reported by entering a less than sign ("<") followed by the laboratory's MDL value, e.g. < 0.001. A value of one-half the MDL or one-half the effluent limit, whichever is lower, shall be used for that sample when necessary to calculate an average for that parameter. Values less than the MDL are considered to demonstrate compliance with an effluent limitation.

PART A -DISCHARGE MONITORING REPORT (DMR)

Part A of the DMR is comprised of one or more sections, each having its own header information. Facility information is preprinted in the header as well as the monitoring group number, whether the limits and monitoring requirements are interim or final, and the required submittal frequency (e.g. monthly, annually, quarterly, etc.). Submit Part A based on the required reporting frequency in the header and the instructions shown in the permit. The following should be completed by the permittee or authorized representative:

No Discharge From Site: Check this box if no discharge occurs and, as a result, there are no data or codes to be entered for all of the parameters on the DMR for the entire monitoring group number; however, if the monitoring group includes other monitoring locations (e.g., influent sampling), the "NOD" code should be used to individually denote those parameters for which there was no discharge.

Monitoring Period: Enter the month, day, and year for the first and last day of the monitoring period (i.e. the month, the quarter, the year, etc.) during which the data on this report were collected and analyzed.

Sample Measurement: Before filling in sample measurements in the table, check to see that the data collected correspond to the limit indicated on the DMR (i.e. interim or final) and that the data correspond to the monitoring group number in the header. Enter the data or calculated results for each parameter on this row in the non-shaded area above the limit. Be sure the result being entered corresponds to the appropriate statistical base code (e.g. annual average, monthly average, single sample maximum, etc.) and units.

No. Ex.: Enter the number of sample measurements during the monitoring period that exceeded the permit limit for each parameter in the non-shaded area. If none, enter zero.

Frequency of Analysis: The shaded areas in this column contain the minimum number of times the measurement is required to be made according to the permit. Enter the actual number of times the measurement was made in the space above the shaded area.

Sample Type: The shaded areas in this column contain the type of sample (e.g. grab, composite, continuous) required by the permit. Enter the actual sample type that was taken in the space above the shaded area.

Signature: This report must be signed in accordance with Rule 62-620.305, F.A.C. Type or print the name and title of the signing official. Include the telephone number where the official may be reached in the event there are questions concerning this report. Enter the date when the report is signed.

Comment and Explanation of Any Violations: Use this area to explain any exceedances, any upset or by-pass events, or other items which require explanation. If more space is needed, reference all attachments in this area.

PART B - DAILY SAMPLE RESULTS

Monitoring Period: Enter the month, day, and year for the first and last day of the monitoring period (i.e. the month, the quarter, the year, etc.) during which the data on this report were collected and analyzed.

Daily Monitoring Results: Transfer all analytical data from your facility's laboratory or a contract laboratory's data sheets for all day(s) that samples were collected. Record the data in the units indicated. Table 1 in Chapter 62-160, F.A.C., contains a complete list of all the data qualifier codes that your laboratory may use when reporting analytical results. However, when transferring numerical results onto Part B of the DMR, only the following data qualifier codes should be used and an explanation provided where appropriate.

CODE	DESCRIPTION/INSTRUCTIONS
<	The compound was analyzed for but not detected.
Α	Value reported is the mean (average) of two or more determinations.
J	Estimated value, value not accurate.
Q	Sample held beyond the actual holding time.
Y	Laboratory analysis was from an unpreserved or improperly preserved sample.

Add the results to get the Total and divide by the number of days in the month to get the Monthly Average.

Plant Staffing: List the name, certificate number, and class of all state certified operators operating the facility during the monitoring period. Use additional sheets as necessary.

PART D - GROUND WATER MONITORING REPORT

Monitoring Period: Enter the month, day, and year for the first and last day of the monitoring period (i.e. the month, the quarter, the year, etc.) during which the data on this report were collected and analyzed.

Date Sample Obtained: Enter the date the sample was taken. Also, check whether or not the well was purged before sampling.

Time Sample Obtained: Enter the time the sample was taken.

Sample Measurement: Record the results of the analysis. If the result was below the minimum detection limit, indicate that.

Detection Limits: Record the detection limits of the analytical methods used.

Analysis Method: Indicate the analytical method used. Record the method number from Chapter 62-160 or Chapter 62-601, F.A.C., or from other sources.

Sampling Equipment Used: Indicate the procedure used to collect the sample (e.g. airlift, bucket/bailer, centrifugal pump, etc.)

Samples Filtered: Indicate whether the sample obtained was filtered by laboratory (L), filtered in field (F), or unfiltered (N).

Signature: This report must be signed in accordance with Rule 62-620.305, F.A.C. Type or print the name and title of the signing official. Include the telephone number where the official may be reached in the event there are questions concerning this report. Enter the date when the report is signed.

Comments and Explanation: Use this space to make any comments on or explanations of results that are unexpected. If more space is needed, reference all attachments in this area.

SPECIAL INSTRUCTIONS FOR LIMITED WET WEATHER DISCHARGES

Flow (Limited Wet Weather Discharge): Enter the measured average flow rate during the period of discharge or divide gallons discharged by duration of discharge (converted into days). Record in million gallons per day (MGD).

Flow (Upstream): Enter the average flow rate in the receiving stream upstream from the point of discharge for the period of discharge. The average flow rate can be calculated based on two measurements; one made at the start and one made at the end of the discharge period. Measurements are to be made at the upstream gauging station described in the permit.

Actual Stream Dilution Ratio: To calculate the Actual Stream Dilution Ratio, divide the average upstream flow rate by the average flow rate. Enter the Actual Stream Dilution Ratio accurate to the nearest 0.1.

No. of Days the SDF > Stream Dilution Ratio: For each day of discharge, compare the minimum Stream Dilution Factor (SDF) from the permit to the calculated Stream Dilution Ratio. On Part B of the DMR, enter an asterisk (*) if the SDF is greater than the Stream Dilution Ratio on any day of discharge. On Part A of the DMR, add up the days with an "*" and record the total number of days the Stream Dilution Factor was greater than the Stream Dilution Ratio.

CBOD₅: Enter the average CBOD₅ of the reclaimed water discharged during the period shown in duration of discharge.

TKN: Enter the average TKN of the reclaimed water discharged during the period shown in duration of discharge.

Actual Rainfall: Enter the actual rainfall for each day on Part B. Enter the actual cumulative rainfall to date for this calendar year and the actual total monthly rainfall on Part A. The cumulative rainfall to date for this calendar year is the total amount of rain, in inches, that has been recorded since January 1 of the current year through the month for which this DMR contains data.

Rainfall During Average Rainfall Year: On Part A, enter the total monthly rainfall during the average rainfall year and the cumulative rainfall for the average rainfall year. The cumulative rainfall for the average rainfall year is the amount of rain, in inches, which fell during the average rainfall year from January through the month for which this DMR contains data.

No. of Days LWWD Activated During Calendar Year: Enter the cumulative number of days that the limited wet weather discharge was activated since January 1 of the current year.

Reason for Discharge: Attach to the DMR a brief explanation of the factors contributing to the need to activate the limited wet weather discharge.



FLORIDA DEPARTMENT OF Environmental Protection

Tallahassee Office 2600 Blair Stone Road, M.S. 3545 Tallahassee, Florida 32399-2400 Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

April 13, 2020

SENT BY EMAIL TO:

(Brian.Stamp@fpl.com)

In the Matter of an Application for Permit by:

Florida Power & Light Company Mr. Brian Stamp Plant Turkey Nuclear General Manager 9760 SW 344 Street Florida City, Florida 33035 Miami-Dade County Turkey Point Power Plant NPDES Permit No. FL0001562 PA File No. FL0001562-012-IW1N

INTENT TO ISSUE

The Department of Environmental Protection gives notice of its intent to issue a permit (copy of conditions attached) for the proposed project as detailed in the application specified above, for the reasons stated below.

The applicant, Florida Power & Light Company, applied on October 22, 2009, to the Department of Environmental Protection for a permit to operate wastewater treatment and effluent disposal facilities at Turkey Point Power Plant. The facility is located at 9760 SW 344 Street, Florida City, Florida 33035 in Miami-Dade County, Florida.

The Department has permitting jurisdiction under Chapter 403, Florida Statutes (F.S.), and applicable rules of the Florida Administrative Code (F.A.C.). The project is not exempt from permitting procedures. The Department has determined that a wastewater permit is required for the proposed work.

Based upon the application and supplemental information, the Department has determined that the applicant has provided reasonable assurance that the above described wastewater project complies with the applicable provisions of Chapter 403, F.S., and Title 62 of the F.A.C.

Under Section 403.815, F.S., and Rule 62-110.106, F.A.C., you (the applicant) are required to publish at your own expense the enclosed Notice of Intent to Issue Permit. The notice must be published one time only within 30 days of receipt of this intent to issue in the legal ad section of a newspaper of general circulation in the area affected. For the purpose of this rule, "publication in a newspaper of general circulation in the area affected" means publication in a newspaper meeting the requirements of Sections 50.011 and 50.031, F.S., in the county where the activity is to take place. Where there is more than one newspaper of general circulation in the county, the newspaper used should be one with significant

Florida Power & Light Company Turkey Point Power Plant, FL0001562 Page 2 of 4

circulation in the area that may be affected by the permit. If you are uncertain that a newspaper meets these requirements, please contact the Department at the address or telephone number listed below. The applicant must provide proof of publication to the Department's Wastewater Management Program, 2600 Blair Stone Road, M.S. 3545, Tallahassee, Florida 32399-2400 within two weeks of publication. Failure to publish the notice and provide proof of publication within the allotted time may result in the denial of the permit under Rule 62-110.106(11), F.A.C.

NOTICE OF RIGHTS

The Department will issue the permit unless a petition for an administrative hearing is timely filed under Sections 120.569 and 120.57, F.S., before the deadline for filing a petition. On the filing of a timely and sufficient petition, this action will not be final and effective until further order of the Department. Because the administrative hearing process is designed to formulate final agency action, the hearing process may result in a modification of the agency action or even denial of the application.

Petition for Administrative Hearing

A person whose substantial interests are affected by the Department's action may petition for an administrative proceeding (hearing) under Sections 120.569 and 120.57, F.S. Pursuant to Rules 28-106.201 and 28-106.301, F.A.C., a petition for an administrative hearing must contain the following information:

- (a) The name and address of each agency affected and each agency's file or identification number, if known:
- (b) The name, address, any e-mail address, any facsimile number, and telephone number of the petitioner, if the petitioner is not represented by an attorney or a qualified representative; the name, address, and telephone number of the petitioner's representative, if any, which shall be the address for service purposes during the course of the proceeding; and an explanation of how the petitioner's substantial interests will be affected by the agency determination;
- (c) A statement of when and how the petitioner received notice of the agency decision;
- (d) A statement of all disputed issues of material fact. If there are none, the petition must so indicate;
- (e) A concise statement of the ultimate facts alleged, including the specific facts that the petitioner contends warrant reversal or modification of the agency's proposed action;
- (f) A statement of the specific rules or statutes that the petitioner contends require reversal or modification of the agency's proposed action, including an explanation of how the alleged facts relate to the specific rules or statutes; and
- (g) A statement of the relief sought by the petitioner, stating precisely the action that the petitioner wishes the agency to take with respect to the agency's proposed action.

The petition must be filed (received by the Clerk) in the Office of General Counsel of the Department at 3900 Commonwealth Boulevard, Mail Station 35, Tallahassee, Florida 32399-3000, or via electronic correspondence at Agency_Clerk@dep.state.fl.us. Also, a copy of the petition shall be mailed to the applicant at the address indicated above at the time of filing.

Time Period for Filing a Petition

In accordance with Rule 62-110.106(3), F.A.C., petitions for an administrative hearing by the applicant and persons entitled to written notice under Section 120.60(3), F.S., must be filed within 14 days of receipt of this written notice. Petitions filed by any persons other than the applicant, and other than those entitled to written notice under Section 120.60(3), F.S., must be filed within 14 days of publication of

Page 3 of 4

Florida Power & Light Company Turkey Point Power Plant, FL0001562

the notice or within 14 days of receipt of the written notice, whichever occurs first. The failure to file a petition within the appropriate time period shall constitute a waiver of that person's right to request an administrative determination (hearing) under Sections 120.569 and 120.57, F.S., or to intervene in this proceeding and participate as a party to it. Any subsequent intervention (in a proceeding initiated by another party) will be only at the discretion of the presiding officer upon the filing of a motion in compliance with Rule 28-106.205, F.A.C.

Extension of Time

Under Rule 62-110.106(4), F.A.C., a person whose substantial interests are affected by the Department's action may also request an extension of time to file a petition for an administrative hearing. The Department may, for good cause shown, grant the request for an extension of time. Requests for extension of time must be filed with the Office of General Counsel of the Department at 3900 Commonwealth Boulevard, Mail Station 35, Tallahassee, Florida 32399-3000, or via electronic correspondence at Agency Clerk@dep.state.fl.us, before the deadline for filing a petition for an administrative hearing. A timely request for extension of time shall toll the running of the time period for filing a petition until the request is acted upon.

Mediation

Mediation is not available in this proceeding.

EXECUTION AND CLERKING

Executed in Tallahassee, Florida.

STATE OF FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

Benjamin M. Melnick

Director

Division of Water Resource Management

Attachment(s):

- 1. Proposed Permit No. FL0001562
- 2. Notice of Intent to Issue Permit for newspaper publication
- 3. Discharge Monitoring Report
- 4. Fact Sheet

CERTIFICATE OF SERVICE

The undersigned duly designated deputy clerk hereby certifies that this document and all attachments were sent on the filing date below to the following listed persons:

Page 4 of 4

Florida Power & Light Company Turkey Point Power Plant, FL0001562

Danielle Hall, Environmental Services Manager, FPL (danielle.hall@fpl.com)

EPA Region 4 (<u>r4npdespermits@epa.gov</u>)

Karrie-Jo Shell, Power Plant NPDES Permits, EPA Region 4 (shell.karrie-Jo@epa.gov)

Lee Hefty, Director, Division of Regulatory and Economic Resources, Miami-Dade DERM (heftyl@miamidade.gov)

Terrie Bates, Director, Water Resources Division, SFWMD (tbates@sfwmd.gov)

Audrey M. Edmonson, Chairman, Board of Miami-Dade County Commissioners (district3@miamidade.gov)

FWC, Conservation Planning Services (fwcconservationplanningservices@myfwc.com)

Charles Calleson, U.S. Fish and Wildlife Service (charles_calleson@fws.gov)

Nick Farmer, Ph.D., National Marine Fisheries Service (nick.farmer@noaa.gov)

Joe Heublein, National Marine Fisheries Service (joe.heublein@noaa.gov)

Penelope Del Bene, Superintendent, Biscayne National Park, National Park Service (penelope_delbene@nps.gov)

Florida Department of Economic Opportunity, State Land Planning Agency (dcppermits@deo.myflorida.com)

Florida Department of State, Bureau of Historic Preservation (compliancepermits@dos.state.fl.us)

U.S. Army Corps of Engineers (james.j.mcadams@usace.army.mil)

Jason Andreotta, Director, Southeast District, FDEP (jason.andreotta@floridadep.gov)

Kent Edwards, Program Administrator, Southeast District, FDEP (kent.edwards@floridadep.gov)

Cindy Mulkey, Program Administrator, Siting Coordination Office, FDEP (cindy.mulkey@floridadep.gov)

FILING AND ACKNOWLEDGMENT

Thirty Shields

FILED, on this date, pursuant to Section 120.52, F. S., with the designated Department Clerk, receipt of which is hereby acknowledged.

April 13, 2020

Date

STATE OF FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION NOTICE OF INTENT TO ISSUE PERMIT

The Department of Environmental Protection gives notice of its intent to issue a permit to Florida Power & Light Company for the Turkey Point Power Plant. This permit authorizes the permittee to operate wastewater treatment and effluent disposal facilities at the Turkey Point Power Plant. The facility is located at 9760 SW 344 Street, Florida City, Florida 33035 in Miami-Dade County, Florida. The Department has assigned permit file number FL0001562-012-IW1N to the proposed project.

The intent to issue and application file are available for public inspection during normal business hours, 8:00 a.m. to 5:00 p.m., Monday through Friday, except legal holidays, at the Department's Wastewater Management Program, 2600 Blair Stone Road, M.S. 3545, Tallahassee, Florida 32399-2400, at phone number (850)245-8589.

NOTICE OF RIGHTS

The Department will issue the permit unless a petition for an administrative hearing is timely filed under Sections 120.569 and 120.57, F.S., before the deadline for filing a petition. On the filing of a timely and sufficient petition, this action will not be final and effective until further order of the Department. Because the administrative hearing process is designed to formulate final agency action, the hearing process may result in a modification of the agency action or even denial of the application.

Petition for Administrative Hearing

A person whose substantial interests are affected by the Department's action may petition for an administrative proceeding (hearing) under Sections 120.569 and 120.57, F.S. Pursuant to Rules 28-106.201 and 28-106.301, F.A.C., a petition for an administrative hearing must contain the following information:

- (a) The name and address of each agency affected and each agency's file or identification number, if known;
- (b) The name, address, any e-mail address, any facsimile number, and telephone number of the petitioner, if the petitioner is not represented by an attorney or a qualified representative; the name, address, and telephone number of the petitioner's representative, if any, which shall be the address for service purposes during the course of the proceeding; and an explanation of how the petitioner's substantial interests will be affected by the agency determination;
- (c) A statement of when and how the petitioner received notice of the Department's agency decision:
- (d) A statement of all disputed issues of material fact. If there are none, the petition must so indicate;
- (e) A concise statement of the ultimate facts alleged, including the specific facts that the petitioner contends warrant reversal or modification of the agency's proposed action;

- (f) A statement of the specific rules or statutes the petitioner contends require reversal or modification of the agency's proposed action, including an explanation of how the alleged facts relate to the specific rules or statutes; and
- (g) A statement of the relief sought by the petitioner, stating precisely the action that the petitioner wishes the agency to take with respect to the agency's proposed action. The petition must be filed (received by the Clerk) in the Office of General Counsel of the Department at 3900 Commonwealth Boulevard, Mail Station 35, Tallahassee, Florida 32399-3000, or via electronic correspondence at Agency_Clerk@dep.state.fl.us. Also, a copy of the petition shall be mailed to the applicant at the address indicated above at the time of filing.

Time Period for Filing a Petition

Petitions filed by any persons other than the applicant, and other than those entitled to written notice under Section 120.60(3), F.S., must be filed within 14 days of publication of the notice or within 14 days of receipt of the written notice, whichever occurs first. The failure to file a petition within the appropriate time period shall constitute a waiver of that person's right to request an administrative determination (hearing) under Sections 120.569 and 120.57, F.S., or to intervene in this proceeding and participate as a party to it. Any subsequent intervention (in a proceeding initiated by another party) will be only at the discretion of the presiding officer upon the filing of a motion in compliance with Rule 28-106.205, F.A.C.

Extension of Time

Under Rule 62-110.106(4), F.A.C., a person whose substantial interests are affected by the Department's action may also request an extension of time to file a petition for an administrative hearing. The Department may, for good cause shown, grant the request for an extension of time. Requests for extension of time must be filed with the Office of General Counsel of the Department at 3900 Commonwealth Boulevard, Mail Station 35, Tallahassee, Florida 32399-3000, or via electronic correspondence at Agency_clerk@dep.state.fl.us, before the deadline for filing a petition for an administrative hearing. A timely request for extension of time shall toll the running of the time period for filing a petition until the request is acted upon.

Mediation

Mediation is not available in this proceeding.

STATE OF FLORIDA INDUSTRIAL WASTEWATER FACILITY PERMIT

PERMITTEE:

Florida Power & Light Company (FPL) 9760 S.W. 344 Street Florida City, Florida 33035

PERMIT NUMBER: FL0001562 (Major) FILE NUMBER: FL0001562-012-IW1N

ISSUANCE DATE: PROPOSED EXPIRATION DATE: PROPOSED

RESPONSIBLE OFFICIAL:

Brian Stamp Point Turkey Nuclear (PTN) General Manager

FACILITY:

FPL Turkey Point Power Plant 9760 SW 344 Street Florida City, Florida 33035 Miami-Dade County

Latitude: 25° 26' 09" N Longitude: 80° 19' 51" W

This permit is issued under the provisions of Chapter 403, Florida Statutes (F.S.) and applicable rules of the Florida Administrative Code (F.A.C.), and authorizes discharges explicitly expressed in this permit. The above-named permittee is hereby authorized to operate the facilities shown on the application and other documents attached hereto or on file with the Department and made a part hereof and specifically described as follows:

FACILITY DESCRIPTION:

Turkey Point (Figure 1) is located on approximately 11,000 acres in unincorporated southeast Miami-Dade County about 25 miles south of Miami and about nine miles east of Florida City and Homestead. Biscayne National Park lies adjacent to northeastern and eastern portions of the facility. The Biscayne Bay Aquatic Preserve is north northeast and southeast of the facility. Everglades National Park is to the south and west (Figure 2). The boundaries of the facility governed by this permit are provided in Figure 3. A map showing the boundaries of the Turkey Point facility, Biscayne National Park, and Biscayne Bay Aquatic Preserve is attached to this permit.

Several canals are in close proximity to the facility. West of the facility are the South Florida Water Management District (SFWMD) L-31E Canal, the historic C-106 Canal (Model Lands North Canal), and the historic C-107 Canal (Model Lands South Canal). Southeast of the facility is the Card Sound Canal and southwest and south is the SFWMD S-20 Discharge Canal. The remnant canals at Turtle Point and the Barge Basin are located east northeast and northeast of the facility, respectively.

The facility consists of three electrical generating units: two nuclear units (Units 3 and 4) and one natural gas-fired combined cycle unit (Unit 5). Units 3, 4, and 5 began commercial operation in 1972, 1973, and 2007, respectively. Units 3 and 4 each have a nominal capacity of 815 Megawatts (MW) and Unit 5 has a nominal capacity of 1209 MW. Units 3, 4 and 5 are also regulated under the Florida Electrical Power Plant Siting Act (License No. PA03-045).

FPL owns and operates a cooling canal system (CCS) at the facility, which provides wastewater treatment and effluent disposal for Units 3, 4, and 5. The CCS provides a heat removal function for the cooling water from Units 3 and 4. The heated water generated by operation of Units 3 and 4 is discharged to the recirculating CCS and returned to Units 3 and 4. The temperature of the water returned to Units 3 and 4 is regulated by the U.S. Nuclear Regulatory Commission under the Atomic Energy Act. Groundwater withdrawals from the Floridan aquifer is the source of cooling water for Unit 5, and is authorized under License No. PA03-045.

WASTEWATER TREATMENT:

Stormwater and wastewater associated with power generation and ancillary activities are released to the CCS, which discharges to groundwater beneath the system.

FACILITY: Turkey Point Power Plant EXPIRATION DATE:

Stormwater runoff associated with loading and unloading operations, outdoor storage, outdoor process activities, and ancillary maintenance activities is directed toward and released into the CCS. The quantities of stormwater generated from these activities are dependent on many variables, including the length and intensity of the storm event. Wastewater generated by Units 3 and 4 includes intermittent chemical volume control system including wet lay-up, feedwater condensate including wet lay-up, on-line chemical analyzer, steam generator blowdown, condensate polisher backwash, reverse osmosis reject, circulating water pumps seal water, alternate flow from the circulating water pump seal water tank, non-equipment area stormwater, maintenance/wash through equipment area/closed cooling water system maintenance, plant intake screen wash, and non-contact once-through condenser cooling water (OTCW).

Wastewater generated by Unit 5 includes cooling water, emergency generator backup cooling water, non-equipment area stormwater, equipment area stormwater and plant drains following oil/water separation, and wastewater sump discharge which includes heat recovery steam generator blowdown, wastewater treatment system blowdown, and cooling water treatment reject.

REUSE OR DISPOSAL:

Groundwater Discharge: The CCS is not lined, and is authorized to discharge to Class G-III groundwater. Groundwater monitoring requirements for this facility are in accordance with Section I of this permit. The discharge shall meet the Class G-III groundwater standards of Rule 62-520.430, F.A.C. In addition, the discharge shall not impair the reasonable and beneficial use of adjacent waters beyond the facility boundary in Figure 3 in accordance with Rule 62-520.400(1)(f), F.A.C. The 1972 Environmental Impact Statement acknowledges that some seepage of water from the CCS may reach surface waters. To the extent that such seepage occurs, it shall not cause or contribute to a violation of the surface water quality standards or criteria in Chapter 62-302, F.A.C. This authorization to discharge shall not be deemed to pre-empt or prohibit the regulatory implementation, adoption, continuation or enforcement of standards or criteria established by a local government through a local pollution control program.

Surface Water Discharges: This permit does not authorize surface water discharges from the CCS through a point source to surface waters of the State.

Internal Outfall I-001: An existing permitted outfall that discharges plant process wastewater to the facility's on-site CCS.

Groundwater Monitoring Group G-001: A new permitted series that monitors groundwater.

Surface Water Monitoring Group D-01A: A new permitted series of surface water monitoring sites in Biscayne Bay, L-31E canal, S-20 canal and Card Sound canal that monitors surface waters.

Porewater Monitoring Group D-02A: A new permitted series of porewater (free water present in sediments) monitoring sites in coastal marine wetlands north, east, and south of the facility's onsite CCS.

Stormwater Discharges: This permit authorizes stormwater to be released to the facility's on-site CCS. Stormwater will intermittently include wash-down water consisting of potable water with no additives.

IN ACCORDANCE WITH: The limitations, monitoring requirements and other conditions as set forth in Part I through Part IX on pages 2 through 44 of this permit.

I. GROUNDWATER MONITORING REQUIREMENTS

1. The permittee's discharges to groundwater shall not cause a violation of the groundwater quality standards or criteria specified in Rules 62-520.400, 62-520.420 and 62-520.430, F.A.C., in adjacent groundwaters. ¹ Compliance with this requirement shall be achieved in accordance with the Compliance Schedule in Section VI.8 - 10 of this permit as supplemented by the groundwater well monitoring in this Section.

¹ Consent Order OGC File Number 16-0241, paragraphs 19 and 20 stipulate remedial actions and timelines for achieving compliance with groundwater minimum criteria of Rule 62-520.400, F.A.C.

FACILITY: Turkey Point Power Plant EXPIRATION DATE:

2. The permittee's discharges to groundwater shall not impair the designated use of contiguous surface waters.² [62-520.310(2)]

3. During the period of operation authorized by this permit, the permittee shall sample groundwater from the Biscayne aquifer from the following monitoring wells, designated as **Groundwater Monitoring Group G-001**, as described below:

Monitoring Well	Description of Monitoring Location		Latituo	de]	Longitude		
ID		0	'	"	0	'	"	
TPGW-1S	West of Canal L-31E, west of northwest corner of the CCS (shallow)	25	26	4.7	80	21	15.8	
TPGW-1M	West of Canal L-31E, west of northwest corner of the CCS (intermediate)	25	26	4.7	80	21	15.8	
TPGW-1D	West of Canal L-31E, west of northwest corner of the CCS (deep)	25	26	4.7	80	21	15.8	
TPGW-2S	West of the south-central portion of the CCS (shallow)	25	22	54.2	80	22	11.4	
TPGW2M	West of the south-central portion of the CCS (intermediate)	25	22	54.2	80	22	11.4	
TPGW-2D	West of the south-central portion of the CCS (deep)	25	22	54.2	80	22	11.4	
TPGW-3S	South of the CCS (shallow)	25	20	42.1	80	20	51.9	
TPGW-3M	South of the CCS (intermediate)	25	20	42.1	80	20	51.9	
TPGW-3D	South of the CCS (deep)	25	20	42.1	80	20	51.9	
TPGW-4S	Southwest Model Lands, at Tallahassee Road (shallow)	25	22	12.0	80	24	44.1	
TPGW-4M	Southwest Model Lands, at Tallahassee Road (intermediate)	25	22	12.0	80	24	44.1	
TPGW-4D	Southwest Model Lands, at Tallahassee Road (deep)	25	22	12.0	80	24	44.1	
TPGW-5S	Northwest Model Lands – east of Tallahassee Road (shallow)	25	25	23.9	80	24	13.3	
TPGW-5M	Northwest Model Lands – east of Tallahassee Road (intermediate)	25	25	23.9	80	24	13.3	
TPGW-5D	Northwest Model Lands – east of Tallahassee Road (deep)	25	25	23.9	80	24	13.3	
TPGW-6S	Northwest of the CCS, east of Homestead – Miami Speedway (shallow)	25	27	20.3	80	23	13.0	
TPGW-6M	Northwest of the CCS, east of Homestead – Miami Speedway (intermediate)	25	27	20.3	80	23	13.0	
TPGW-6D	Northwest of the CCS, east of Homestead – Miami Speedway (deep)	25	27	20.3	80	23	13.0	
TPGW-7S	Northwest Model Lands (shallow)	25	26	02.5	80	25	40.7	
TPGW-7M	Northwest Model Lands (intermediate)	25	26	02.5	80	25	40.7	
TPGW-7D	Northwest Model Lands (deep)	25	26	02.5	80	25	40.7	
TPGW-8S	West central Model Lands (shallow)	25	24	36.4	80	27	08.7	
TPGW-8M	West central Model Lands (intermediate)	25	24	36.4	80	27	08.7	
TPGW-8D	West central Model Lands (deep)	25	24	36.4	80	27	08.7	
TPGW-9S	West of Card Sound Canal Road, southwest of CCS (shallow)	25	22	28.6	80	28	41.9	
TPGW-9M	West of Card Sound Canal Road, southwest of CCS (intermediate)	25	22	28.6	80	28	41.9	
TPGW-9D	West of Card Sound Canal Road, southwest of CCS (deep)	25	22	28.6	80	28	41.9	
TPGW-10S	Biscayne Bay, channel entrance to Barge Basin (shallow)	25	26	27.4	80	19	29.0	
TPGW-10M	Biscayne Bay, channel entrance to Barge Basin (intermediate)	25	26	27.4	80	19	29.0	
TPGW-10D	Biscayne Bay, channel entrance to Barge Basin (deep)	25	26	27.4	80	19	29.0	
TPGW-11S	Biscayne Bay, east of the CCS (shallow)	25	23	49.4	80	18	15.0	
TPGW-11M	Biscayne Bay, east of the CCS (intermediate)	25	23	49.4	80	18	15.0	
TPGW-11D	Biscayne Bay, east of the CCS (deep)	25	23	49.4	80	18	15.0	
TPGW-12S	North of the CCS (shallow)	25	26	55.4	80	20	22.9	
TPGW-12M	North of the CCS (intermediate)	25	26	55.4	80	20	22.9	
TPGW-12D	North of the CCS (deep)	25	26	55.4	80	20	22.9	
TPGW-13S	In the central portion of the CCS (shallow)	25	23	39.0	80	21	07.1	
TPGW-13M	In the central portion of the CCS (intermediate)	25	23	39.0	80	21	07.1	
TPGW-13D	In the central portion of the CCS (deep)	25	23	39.0	80	21	07.1	
TPGW-14S	Biscayne Bay, southeast of the CCS (shallow)	25	21	15.5	80	19	34.5	
TPGW-14M	Biscayne Bay, southeast of the CCS (intermediate)	25	21	15.5	80	19	34.5	
TPGW-14D	Biscayne Bay, southeast of the CCS (deep)	25	21	15.5	80	19	34.5	
TPGW-15S	Northwest corner of CCS (shallow)	25	25	56.9	80	21	2.5	
11011-130	1101th west collict of CCS (shallow)	23	23	50.9	30	∠1	۵.3	

⁻

 $^{^2}$ Consent Order OGC File Number 16-0241, paragraphs 19 and 21 stipulate actions and timelines to prevent violations subsection 62-520.310(2), F.A.C.

Turkey Point Power Plant FACILITY: EXPIRATION DATE:

Monitoring Well	Description of Monitoring Location		Latitude		Longit		ude
ID		0	'	"	0	'	"
TPGW-15M	Northwest corner of CCS (intermediate)	25	25	56.9	80	21	2.5
TPGW-15D	Northwest corner of CCS (deep)	25	25	56.9	80	21	2.5
TPGW-16S	East of the south-central portion of the CCS (shallow)	25	22	37.7	80	19	53.8
TPGW-16M	East of the south-central portion of the CCS (intermediate)	25	22	37.7	80	19	53.8
TPGW-16D	East of the south-central portion of the CCS (deep)	25	22	37.7	80	19	53.8
TPGW-17S	East of the L-31E canal, adjacent to S-20 structure (shallow)	25	22	1.4	80	22	32.2
TPGW-17M	East of the L-31E canal, adjacent to S-20 structure (intermediate)	25	22	1.4	80	22	32.2
TPGW-17D	East of the L-31E canal, adjacent to S-20 structure (deep)	25	22	1.4	80	22	32.2
TPGW-18S	Model Lands, west of L-3 (shallow)	25	25	12.5	80	22	17.8
TPGW-18M	Model Lands, west of L-3 (intermediate)	25	25	12.5	80	22	17.8
TPGW-18D	Model Lands, west of L-3 (deep)	25	25	12.5	80	22	17.8
TPGW-19S	Model Lands, north of Florida City Canal (shallow)	25	26	54.2	80	21	31.33
TPGW-19M	Model Lands, north of Florida City Canal (intermediate)	25	26	54.2	80	21	31.33
TPGW-19D	Model Lands, north of Florida City Canal (deep)	25	26	54.2	80	21	31.33
TPGW-20D	Adjacent to City of Homestead baseball complex	25	27	9.99	80	26	0.5
TPGW-21S	Converted USGS well G-3164 (shallow)	25	25	20.2	80	26	10
TPGW-21M	Converted USGS well G-3164 (intermediate)	25	25	20.2	80	26	10
TPGW-21D	Converted USGS well G-3164 (deep)	25	25	20.2	80	19	10
L-3	East of the L-31E canal, north-central portion of the CCS (Not Automated). This well is an open-hole well, monitored at approximately 18 feet and 58 feet below land surface.	25	25	09.7	80	21	28.7
L-5	East of the L-31E canal, south-central portion of the CCS (Not Automated). This well is an open-hole well, monitored at approximately 18 feet and 58 feet below land surface.	25	23	20.9	80	22	07.3
G-28	Tallahassee Rd, south of Model Lands basin (Not Automated). This well is an open-hole well, monitored at approximately 18 feet and 58 feet below land surface.	25	23	25.5	80	24	43.6
G-21	Tallahassee Rd, north of Model Lands basin (Not Automated). This well is an open-hole well, monitored at approximately 18 feet and 58 feet below land surface.	25	25	34.8	80	24	42.9

[62-520.600]

4. The following parameters shall be analyzed for monitoring wells identified in Permit Condition I.3. Results shall be reported in accordance with Permit Conditions II.D.3:

Parameter*	Units	Sample Type	Monitoring Frequency
Temperature	Deg F	Automated**	Quarterly
Water Level Relative to NAVD	ft	Automated	Quarterly
Specific Conductance	umhos/cm	Automated**	Quarterly
Salinity	PSU	Automated	Quarterly
Fluid Density	g/cm ³	Automated	Quarterly
pН	s.u.	Grab	Quarterly
Solids, Total Dissolved (TDS)	mg/L	Grab	Quarterly
Chloride (as Cl)	mg/L	Grab	Quarterly
Sodium, Total	mg/L	Grab	Quarterly
Calcium, Total	mg/L	Grab	Quarterly
Potassium, Total	mg/L	Grab	Quarterly
Iron, Total Recoverable	mg/L	Grab	Quarterly
Tritium ³	pCi/L	Grab	Quarterly

³ The permittee shall submit a summary of at least the latest twelve months of tritium results available by August 31 of each year in lieu of submitting the results on a discharge monitoring report.

FACILITY: Turkey Point Power Plant EXPIRATION DATE:

Parameter*	Units	Sample Type	Monitoring
			Frequency
Nitrogen, Ammonia, Total (as N)	mg/L	Grab	Quarterly
Ammonium ion (NH ₄ ⁺)	mg/L	Grab	Quarterly
Ammonia, Total Unionized (as NH ₃)	mg/L	Grab	Quarterly
Nitrite plus Nitrate, Total (as N)	mg/L	Grab	Quarterly
Nitrogen, Kjeldahl, Total (as N)	mg/L	Grab	Quarterly
Nitrogen, Total	mg/L	Grab	Quarterly
Phosphorus, Total (as P)	mg/L	Grab	Quarterly
Phosphate, Ortho (as PO ₄)	mg/L	Grab	Quarterly
Boron, Total Recoverable	mg/L	Grab	Semi-Annually
Magnesium, Total Recoverable	mg/L	Grab	Semi-Annually
Sulfate, Total	mg/L	Grab	Semi-Annually
Sulfide	mg/L	Grab	Semi-Annually

[62-520.600(11)(b)]

- ** Because L and G wells are not automated, automated parameters shall be collected as grab samples on a quarterly basis. In addition, quarterly temperature and specific conductance profiles shall be collected at 1-foot intervals.
- 5. Monitoring wells TPGW-1, 4, 5, 6, 17, 18, and 19 shall serve to aid in the determination of the success of the retraction of the hypersaline plume, as set out in Section VI of this permit.
- 6. In accordance with Chapter 62-160, F.A.C., records of the sampling protocol shall be maintained on-site for each monitoring well. This record shall include water level, total depth of the well, volume of water in the well, volume of water removed (during analytic sampling), stabilization documentation including pH, conductivity, and temperature; time interval of purging; time sample is taken; and device(s) used for purging (including discharge rate) and sampling. All records shall be kept on site and made available to the Department upon request.
- 7. In the event the water quality monitoring shows an exceedance of the applicable water quality standards for Nitrite plus Nitrate, Total (as N), the permittee shall arrange for a confirmation re-sampling within 15 days after the permittee's receipt of laboratory results. If the initial results demonstrate or the re-sampling confirms groundwater exceedances, the permittee shall notify the Department in writing within 14 days of this finding and the permittee shall be required to implement Department-approved corrective action to address the water quality violation and/or impacts within the timetable provided by the Department.
- 8. During well sampling, water levels shall be measured on the sample day and recorded prior to evacuating the wells or collecting samples. Water level, top of well casing and land surface elevations at each well site, at a precision of plus or minus 0.01 feet using a consistent, nationally recognized datum, shall be reported on each analysis report. Prior to sampling, the field parameters shall be stabilized from each well. Sampling and purging methods in the SOPs, as allowed in Chapter 62-160, F.A.C., must be used. [62-520.600(11)(c)]
- Analyses shall be conducted on unfiltered samples, unless filtered samples have been approved by the Department's Southeast District Office as being more representative of groundwater conditions. [62-520.310(5)]
- 10. If any monitoring well becomes damaged or inoperable, the permittee shall notify the Department's Southeast District Office immediately and a detailed written report shall follow within seven days. The written report shall detail what problem has occurred and remedial measures that have been taken to prevent recurrence. All monitoring well design and replacement shall be approved by the Department's Southeast District Office prior to installation. [62-520.600(6)(1)]

^{*}The above listed parameters are report except for Nitrite plus Nitrate, Total (as N), which has a limit of 10 mg/L in samples collected from monitoring wells TPGW-L3-18, and TPGW-L5-18.

FACILITY: Turkey Point Power Plant EXPIRATION DATE:

11. All wells shall be plugged and abandoned in accordance with subsection 62-532.500(5), F.A.C., unless future use is intended. [62-532.500(5)]

12. The permittee shall provide verbal notice to the Department as soon as practical after discovery of a sinkhole within an area for the management or application of wastewater or sludge. In accordance with permit condition IX.20, the permittee shall immediately implement measures to control the entry of contaminants into waters.

II. SURFACE WATER EFFLUENT LIMITATIONS AND MONITORING REQUIREMENTS

A. Surface Water Monitoring

- 1. Point source discharges, as defined in subsection 62-620.200(37), F.A.C., from the facility to surface waters of the State are not authorized under this permit.
- 2. The discharges approved by this permit shall not cause or contribute to a violation of the surface water quality standards or criteria in Rule 62-302, F.A.C.
- 3. The permittee shall not increase the temperature of the surrounding surface water bodies beyond the CCS periphery so as to cause substantial damage or harm to the aquatic life or vegetation therein or interfere with beneficial uses assigned to the surface water bodies. [62-302.520(1)(a)]
- 4. During the period of operation authorized by this permit, the permittee shall sample surface waters at surface water monitoring sites, designated as **Surface Water Monitoring Group D-01A**, as specified below and reported in accordance with Permit Condition II.D.3:

					Monitoring Requi	rements		
Parameter	Units	Max/ Min	Limit	Statistical Basis	Frequency of Analysis	Sample Type	Monitoring Site Number	Notes
Temperature, Water	Deg F	Max Max	Report Report	Daily Maximum Monthly Average	Monthly	In situ	SWD-2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12	
pН	s.u.	Max Min	Report Report	Daily Maximum Daily Minimum	Quarterly	Grab or In situ	SWD-2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12	
Solids, Total Dissolved (TDS)	mg/L	Max	Report	Daily Maximum	Quarterly	Grab	SWD-2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12	
				Daily Maximum	Monthly	In situ	SWD- 8, 9, 10, 11, 12	
Salinity	PSU	Max	Report	Monthly Average	Monthly	Calculated	SWD-1	
				Monthly Average	Monthly	In situ	SWD-8, 9, 10, 11, 12	
Specific Conductance	umhos/cm	Max	Report	Daily Maximum	Quarterly	In situ	SWD-2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12	
Turbidity	NTU	Max	Report	Daily Maximum	Quarterly	Grab	SWD-8, 9, 10, 11, 12	
Nitrogen, Ammonia, Total (as N)	mg/L	Max	Report	Daily Maximum	Quarterly	Grab	SWD-2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12	
Ammonia, Total Unionized (as NH ₃)	mg/L	Max	Report	Daily Maximum	Quarterly	Calculated	SWD-2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12	
Ammonium ion (NH ₄ ⁺)	mg/L	Max	Report	Daily Maximum	Quarterly	Calculated	SWD-2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12	
Nitrite plus Nitrate, Total (as N)	mg/L	Max	Report	Daily Maximum	Quarterly	Grab	SWD-2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12	
Nitrogen, Kjeldahl, Total (as N)	mg/L	Max	Report	Daily Maximum	Quarterly	Grab	SWD-2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12	

FACILITY: Turkey Point Power Plant EXPIRATION DATE:

Monitoring Requirements Max/ Frequency of Monitoring Parameter Units Min Limit Statistical Basis Analysis Sample Type Site Number Notes SWD-2, 3, 4, 5, 6, Nitrogen, Total Max Report Single Sample Calculated mg/L Quarterly 7, 8, 9, 10, 11, 12 SWD-2, 3, 4, 5, 6, Phosphate, Ortho Max Grab mg/L Report Daily Maximum Quarterly (as PO₄) 7, 8, 9, 10, 11, 12 SWD-2, 3, 4, 5, 6, Phosphorous, Total mg/L Max Report Single Sample Quarterly Grab 7, 8, 9, 10, 11, 12 SWD-2, 3, 4, 5, 6, Chlorophyll a $\mu g/L$ Max Report Daily Maximum Quarterly Grab 7, 8, 9, 10, 11, 12 Copper, Total SWD-2, 3, 4, 5, 6, Daily Maximum Quarterly $\mu g/L$ Max Report Grab Recoverable 7, 8, 9, 10, 11, 12 SWD-2, 3, 4, 5, 6, Iron, Total Recoverable mg/L Max Report Daily Maximum Quarterly Grab 7, 8, 9<u>, 10, 11, 12</u> SWD-2, 3, 4, 5, 6, Zinc, Total Recoverable $\mu g/L$ Max Report Daily Maximum Quarterly Grab 7, 8, 9, 10, 11, 12 Boron, Total SWD-2, 3, 4, 5, 6, Quarterly Grab mg/L Max Report Daily Maximum Recoverable 7, 8, 9, 10, 11, 12 SWD-2, 3, 4, 5, 6, Daily Maximum Quarterly Grab Chlorides (as Cl) 7, 8, 9, 10, 11, 12 mg/L Max Report Monthly Average Monthly Calculated SWD-1 Magnesium, Total SWD-2, 3, 4, 5, 6, mg/L Max Report Daily Maximum Quarterly Grab 7, 8, 9, 10, 11, 12 Recoverable Sodium, Total SWD-2, 3, 4, 5, 6, mg/L Max Report Daily Maximum Quarterly Grab Recoverable 7, 8, 9, 10, 11, 12 SWD-2, 3, 4, 5, 6, Sulfate, Total mg/L Max Report Daily Maximum Quarterly Grab 7, 8, 9, 10, 11, 12 SWD-2, 3, 4, 5, 6, Tritium⁴ pCi/L Max Report Daily Maximum Quarterly Grab 7, 8, 9, 10, 11, 12

5. Surface water samples shall be taken at the monitoring locations described below for the parameters listed in Permit Condition II.A.4.:

Monitoring Site Number	Sample Station ID	Location	Latitude		Latitude		Longitude		
Site Number			0	,	"	0	1	"	
SWD-1		The average of the following six salinity and chlorides monitoring locations in Biscayne Bay (TPBBSW-3, TPBBSW-4, TPBBSW-5, TPBBSW-7, TPBBSW-10, TPBBSW-14).							
SWD-2	TPBBSW-3 (bottom	Biscayne Bay							
	and top)		25	23	49.38	80	18	14.82	
SWD-3	TPBBSW-4 (bottom	Biscayne Bay							
	and top)		25	20	40.34	80	19	43.90	
SWD-4	TPBBSW-5 (bottom	Biscayne Bay							
	and top)		25	19	13.69	80	22	1.70	
SWD-5	TPBBSW-7T (bottom	Biscayne Bay near Turtle Point Canal Dam	25	25	9.99	80	19	42.15	
	and top)								
SWD-6	TPBBSW-10 (bottom	Biscayne Bay							
	and top)		25	26	27.83	80	19	22.92	
SWD-7	TPBBSW-14 (bottom	Biscayne Bay							
	and top)	, ,	25	25	15.50	80	19	34.50	

⁴ The permittee shall submit a summary of at least the latest twelve months of tritium results available by August of each year in lieu of submitting the results on a discharge monitoring report.

FACILITY: Turkey Point Power Plant EXPIRATION DATE:

SWD-8	TPSWC-1B (bottom)	L-31E Canal						
	TPSWC-1T (top)		25	25	58.44	80	21	11.87
SWD-9	TPSWC-2B (bottom)	L-31E Canal						
	TPSWC-2T (top)		25	24	21.20	80	21	46.30
SWD-10	TPSWC-3B (bottom)	L-31E Canal						
	TPSWC-3T (top)		25	22	10.47	80	22	33.00
SWD-11	TPSWC-4B (bottom)	S-20 Canal	25	21	24.10	80	22	3.00
	TPSWC-4T (top)							
SWD-12	TPSWC-5B (bottom)	Card Sound Canal at Hotel 2 Dam						
	TPSWC-5T (top)		25	21	24.62	80	20	18.70

6. Top samples shall be collected 0.5 m below the water surface. Bottom samples shall be collected 0.5 m above the sediment. Bottom samples may be modified to avoid sediment in samples.

B. Internal Outfalls

1. During the period beginning on the issuance date and lasting through the expiration date of this permit, the permittee is authorized to release non-process wastewater, consisting of OTCW, AECW, cooling tower blowdown, LVW, and stormwater. LVW consists of chemical treatment system wastewater, heat recovery steam generator blowdown, reverse osmosis concentrate, and condensate polishing system backwash water. Stormwater from equipment and containment areas is treated via oil/water separators prior to entering the CCS, as indicated in the permit renewal application, from Internal Outfall I-001 to the on-site feeder canal within the CCS. Such releases shall be limited and monitored by the permittee as specified below and reported in accordance with Permit Condition II.D.3:

			Efflue	ent Limitations	Monitoring Requirements			
Parameter	Units	Max/ Min	Limit	Statistical Basis	Frequency of Analysis	Sample Type	Monitoring Site Number	Notes
Temperature, Water	Deg F	Max Max	Report Report	Daily Maximum Monthly Average	Monthly	In situ	OUI-1	
Solids, Total Suspended	mg/L	Max	Report	Daily Maximum	Quarterly	Grab	OUI-1	
Biochemical Oxygen Demand (BOD)	mg/L	Max	Report	Daily Maximum	Monthly	Grab	CAL-1	
Dissolved Oxygen (DO), % Saturation	Percent	Min	Report	Monthly Average	Monthly	Calculated	CAL-1	
Oxygen Reduction Potential	mv	Max	Report	Daily Maximum	Monthly	Meter	CAL-1	
рН	s.u.	Max Min	Report Report	Daily Maximum Daily Minimum	Quarterly	Grab	OUI-1	
Color	PCU	Max	Report	Daily Maximum	Monthly	Grab	OUI-1	
Solids, Total Dissolved	mg/L	Max	Report	Daily Maximum	Quarterly	Grab	OUI-1	
				Daily Maximum	Monthly	Grab	CAL-1	See
Salinity	PSU	Max	Report	Monthly Average	Monthly	Grab	CAL-1	II.B.4
			Report	Annual Average	Daily	Grab	CAL-1	
Specific Conductance	μmhos/c m	Max	Report	Daily Maximum	Quarterly	Grab	CAL-1	
Turbidity	NTU	Max	Report	Daily Maximum	Quarterly	Grab	CAL-2	
Nitrogen, Ammonia, Total (as N)	mg/L	Max	Report	Daily Maximum	Quarterly	Grab	OUI-1, CAL-1	
Ammonia, Total Unionized (as NH ₃)	mg/L	Max	Report	Daily Maximum	Quarterly	Grab	OUI-1, CAL-1	
Ammonium ion (NH ₄ ⁺)	mg/L	Max	Report	Daily Maximum	Quarterly	Grab	OUI-1, CAL-1	

FACILITY: Turkey Point Power Plant EXPIRATION DATE:

			Efflue	ent Limitations	N	Monitoring Requirements		
Parameter	Units	Max/ Min	Limit	Statistical Basis	Frequency of Analysis	Sample Type	Monitoring Site Number	Notes
Nitrite plus Nitrate, Total (as N)	mg/L	Max	Report	Daily Maximum	Quarterly	Grab	OUI-1, CAL-1	
Nitrogen, Kjeldahl, Total (as N)	mg/L	Max	Report	Daily Maximum	Quarterly	Grab	OUI-1, CAL-1	
Nitrogen, Total	mg/L	Max	Report	Single Sample	Quarterly	Calculated	OUI-1, CAL-1	
Phosphate, Ortho (as PO ₄)	mg/L	Max	Report	Daily Maximum	Quarterly	Grab	OUI-1, CAL-1	
Phosphorous, Total	mg/L	Max	Report	Single Sample	Quarterly	Grab	OUI-1, CAL-1	
Chlorophyll a	μg/L	Max	Report	Daily Maximum	Quarterly	Grab	OUI-1, CAL-1	
Copper, Total Recoverable	μg/L	Max	Report	Daily Maximum	Semi- annually	Grab	OUI-1, CAL-1	
Iron, Total Recoverable	mg/L	Max	Report	Daily Maximum	Semi- annually	Grab	OUI-1, CAL-1	
Zinc, Total Recoverable	μg/L	Max	Report	Daily Maximum	Semi- annually	Grab	OUI-1, CAL-1	
Boron, Total Recoverable	mg/L	Max	Report	Daily Maximum	Semi- annually	Grab	OUI-1	
Chlorides (as Cl)	mg/L	Max	Report	Daily Maximum	Quarterly	Grab	OUI-1	
Magnesium, Total Recoverable	mg/L	Max	Report	Daily Maximum	Semi- annually	Grab	OUI-1	
Sodium, Total Recoverable	mg/L	Max	Report	Daily Maximum	Quarterly	Grab	OUI-1	
Sulfate, Total	mg/L	Max	Report	Daily Maximum	Semi- annually	Grab	OUI-1	
Sulfide, Total	mg/L	Max	Report	Daily Maximum	Quarterly	Grab	CAL-1	
Tritium ⁵	pCi/L	Max	Report	Daily Maximum	Quarterly	Grab	OUI-1	

2. Samples shall be taken at the monitoring locations described below for the parameters listed in Permit Condition II.B.1.:

Monitoring Site	Sample Station ID	Location		Latitue	de		Long	itude
Number	ID.		О	,	"	0	,	"
OUI-1	-	Cooling water discharge prior to entering the feeder canal to						
		the CCS	25	26	00.60	80	20	15.64
CAL-1			Average	of CO	CS monitori	ng site	s OUI-	2, -3, -4, -5,
			-6, -7, a	nd -8.				
CAL-2			Average	of CO	CS monitori	ng site	s OUI-	2, -4, -7,
			and -8.					
OUI-2	TPSWCCS-1	Northwest corner of the CCS	25	25	56.0	80	21	00.8
OUI-3	TPSWCCS-2	Central portion of the CCS	25	23	39.0	80	21	06.7
OUI-4	TPSWCCS-3	Southwestern portion of the CCS	25	21	52.4	80	22	02.4
OUI-5	TPSWCCS-4	Southern portion of the CCS near the Hotel 2 Dam	25	21	25.3	80	20	23.1
OUI-6	TPSWCCS-5	East-central portion of the CCS	25	23	18.4	80	19	54.4
OUI-7	TPSWCCS-6	Northeastern portion of the CCS	25	25	56.2	80	19	40.2
OUI-8	TPSWCCS-7	West-central portion of the CCS	25	24	07.6	80	21	39.4

⁵ The permittee shall submit a summary of at least the latest twelve months of tritium results available by August of each year in lieu of submitting the results on a discharge monitoring report.

FACILITY: Turkey Point Power Plant EXPIRATION DATE:

3. The daily salinity readings from the CCS shall be compiled each quarter to create a quarterly average for each of the CCS. The automated hourly data as well as the analytical results from the existing individual stations shall be made available via FPL's EDMS.

- 4. FPL shall, when monitoring the salinity levels in the CCS, utilize all available monitoring resources in the CCS to obtain the average annual salinity rate. Specific monitoring points may not be excluded from the calculation unless such exclusion is allowed by the Department based upon a scientific reason. For the purposes of determining average annual salinities for the CCS, FPL shall use qualified hourly data (pursuant to the approved 2009 Monitoring Plan QAPP) from each of the CCS monitoring sites TPSWCCS-1, 2, 3, 4, 5, 6, and 7 collected beginning at 00:00 through 23:59 each day. The qualified hourly data for the day will be summed and divided by the number of qualified hourly values for the station that day. Stations with fewer than 12 qualified hourly data values in a given day shall not be used in the calculation of the CCS daily average. The daily averages for all qualified stations (up to seven per day) for a given day will be summed and divided by the number of qualified stations for that day to produce a qualified CCS daily average salinity value. The average annual salinity is calculated by summing the qualified CCS daily average salinity values from June 1st through May 31st and dividing the value by the number of days in the year. [Consent Order OGC File Number 16-0241, paragraph 29.j]
- 5. The permittee shall submit to the Tallahassee Wastewater Management Program a copy of the Turkey Point Annual Crocodile Monitoring Report, and a copy of the Ecological Monitoring section and associated data contained in the Turkey Point Plant Annual Monitoring Report required by Conditions XVII.C and X, respectively, of the Conditions of Certification (License No. PA 03-45). In addition, the permittee shall provide a copy of comments or findings to the Department upon request.

C. Porewater Monitoring

1. During the period of operation authorized by this permit, the permittee shall sample porewater (free water present in sediments) from coastal marine wetlands north, east, and south of the CCS from monitoring sites, designated as **Porewater Outfall D-02A**, at locations described below in accordance with the protocols set forth in FPL's Quality Assurance Project Plan dated 2013:

Porewater Monitoring ID	Description of Monitoring Location		Description of Monitoring Location Latitude			Longitude		
PW M1-2	Coastal marine wetlands; ½ mile north of power block	25	26	49.8	80	19	57.7	
PW M2-2	Coastal marine wetlands; east of CCS, 2 miles south of power block	25	24	18.8	80	19	47.6	
PW M3-2	Coastal marine wetlands; east of CCS, 3.4 miles south of power block	25	23	4.2	80	19	40.6	
PW M4-2	Coastal marine wetlands; southeast corner of CCS	25	21	16.8	80	19	44.9	
PW M5-2	Coastal marine wetlands; south of CCS	25	20	56	80	20	33	

FACILITY: Turkey Point Power Plant EXPIRATION DATE:

PW M6-1	Coastal marine wetlands; west of Card Sound Road (background location)	25	17	40.1	80	23	46.8	
---------	---	----	----	------	----	----	------	--

2. During the period of operation authorized by this permit, the permittee shall sample porewater as specified below and reported in accordance with Permit Condition II.D.3.

Parameter*	Units	Sample Type	Monitoring Frequency
Temperature	Deg F	Grab	Semi-Annually
рН	s.u.	Grab	Semi-Annually
Specific Conductance	μmhos/cm	Grab	Semi-Annually
Salinity	PSU	Grab	Semi-Annually
Fluid Density	g/ml	Grab	Semi-Annually
Solids, Total Dissolved (TDS)	mg/L	Grab	Semi-Annually
Chloride (as Cl)	mg/L	Grab	Semi-Annually
Sodium, Total Recoverable	mg/L	Grab	Semi-Annually
Calcium, Total Recoverable	mg/L	Grab	Semi-Annually
Potassium, Total	mg/L	Grab	Semi-Annually
Boron, Total Recoverable	mg/L	Grab	Semi-Annually
Copper, Total Recoverable	ug/L	Grab	Semi-Annually
Iron, Total Recoverable	mg/L	Grab	Semi-Annually
Magnesium, Total Recoverable	mg/L	Grab	Semi-Annually

FACILITY: Turkey Point Power Plant EXPIRATION DATE:

Zinc, Total Recoverable	ug/L	Grab	Semi-Annually
Sulfate, Total	mg/L	Grab	Semi-Annually
Tritium ⁵	pCi/L	Grab	Semi-Annually
Nitrogen, Ammonia, Total (as N)	mg/L	Grab	Semi-Annually
Ammonium ion (as NH ₄)	mg/L	Grab	Semi-Annually
Ammonia, Total Unionized (as NH ₃)	mg/L	Grab	Semi-Annually
Nitrite plus Nitrate, Total (as N)	mg/L	Grab	Semi-Annually
Nitrogen, Kjeldahl, Total (as N)	mg/L	Grab	Semi-Annually
Nitrogen, Total (as N)	mg/L	Grab	Semi-Annually
Phosphorus, Total (as P)	mg/L	Grab	Semi-Annually
Phosphate, Ortho (as PO ₄)	mg/L	Grab	Semi-Annually

D. Other Limitations and Monitoring and Reporting Requirements

- 1. The sample collection, analytical test methods, and method detection limits (MDLs) applicable to this permit shall be conducted using a sufficiently sensitive method to ensure compliance with applicable water quality standards and effluent limitations and shall be in accordance with a Department-approved methodology or in accordance with Rule 62-4.246, Chapters 62-160 and 62-601, F.A.C., and 40 CFR 136, as appropriate. The list of Department established analytical methods, and corresponding MDLs and PQLs (practical quantitation limits), which is titled "FAC 62-4 MDL/PQL Table (April 26, 2006)" is available at http://www.dep.state.fl.us/labs/library/index.htm. The MDLs and PQLs as described in this list shall constitute the minimum acceptable MDL/PQL values and the Department shall not accept results for which the laboratory's MDLs or PQLs are greater than those described above unless alternate MDLs and/or PQLs have been specifically approved by the Department for this permit. Any method included in the list may be used for reporting as long as it meets the following requirements:
 - a. The laboratory's reported MDL and PQL values for the particular method must be equal or less than the corresponding method values specified in the Department's approved MDL and PQL list;
 - b. The laboratory reported MDL for the specific parameter is less than or equal to the permit limit or the applicable water quality criteria, if any, stated in Chapter 62-302, F.A.C. Parameters that are listed as "report only" in the permit shall use methods that provide an MDL, which is equal to or less than the applicable water quality criteria stated in Chapter 62-302, F.A.C.; and

FACILITY: Turkey Point Power Plant EXPIRATION DATE:

c. If the MDLs for all methods available in the approved list are above the stated permit limit or applicable water quality criteria for that parameter, then the method with the lowest stated MDL shall be used.

When the analytical results are below method detection or practical quantitation limits, the permittee shall report the actual laboratory MDL and/or PQL values for the analyses that were performed following the instructions on the applicable discharge monitoring report.

Where necessary, the permittee may request approval of alternate methods or for alternative MDLs or PQLs for any approved analytical method. Approval of alternate laboratory MDLs or PQLs are not necessary if the laboratory reported MDLs and PQLs are less than or equal to the permit limit or the applicable water quality criteria, if any, stated in Chapter 62-302, F.A.C. Approval of an analytical method not included in the above-referenced list is not necessary if the analytical method is approved in accordance with 40 CFR 136 or deemed acceptable by the Department. [62-4.246, 62-160]

- 2. The permittee shall provide safe access points for obtaining representative influent and effluent samples which are required by this permit. [62-620.320(6)]
- 3. Monitoring requirements under this permit are effective on the first day of the second month following the effective date of the permit. Until such time, the permittee shall continue to monitor and report in accordance with previously effective permit requirements, if any. During the period of operation authorized by this permit, the permittee shall complete and submit to the Department Discharge Monitoring Reports (DMRs) in accordance with the frequencies specified by the REPORT type (i.e., monthly, quarterly, semiannual, annual, etc.) indicated on the DMR forms attached to this permit. Unless specified otherwise in this permit, monitoring results for each monitoring period shall be submitted in accordance with the associated DMR due dates below. DMRs shall be submitted for each required monitoring period including periods of no release of wastewater.

1	1	
-		٠.

REPORT Type on DMR	Monitoring Period	Submit by
Monthly	first day of month – last day of month	28 th day of following month
Quarterly	January 1 - March 31 April 1 – June 30 July 1 – September 30 October 1 – December 31	April 28 July 28 October 28 January 28
Semiannual	January 1 – June 30 July 1 – December 31	July 28 January 28
Annual	January 1 – December 31	January 28

The permittee shall use the electronic DMR system approved by the Department (EzDMR) and shall electronically submit the sample results as an attachment to the EzDMR submittal, in accordance with Permit Condition I.C.3., using the DEP Business Portal at http://www.fldepportal.com/go/, unless the permittee has a waiver from the Department in accordance with 40 CFR 127.15. Reports shall be submitted to the Department by the twenty-eighth (28th) of the month following the month of operation.

[62-620.610(18)]

5. Unless specified otherwise in this permit, all reports and other information required by this permit, including 24-hour notifications, shall be submitted to or reported to, as appropriate, the Department's Southeast District Office at the address specified below:

Florida Department of Environmental Protection Southeast District 3301 Gun Club Road, MSC7210-1 West Palm Beach, Florida 33406

Phone Number - (561) 681-6600

FACILITY: Turkey Point Power Plant EXPIRATION DATE:

FAX Number - (561) 681-6755 (All FAX copies shall be followed by original copies.)

[62-620.305]

6. All reports and other information shall be signed in accordance with the requirements of Rules 62-620.305 and 62-620.310, F.A.C. [62-620.305, 62-620.310]

- 7. If there is no release of wastewater from internal outfall I-001 on a day when the facility would normally sample, the sample shall be collected on the day of the next release. [62-620.320(6)]
- 8. Wastewater shall not contain components that, alone or in combination with other substances or in combination with other components of the discharge:
 - a. Settle to form putrescent deposits; or
 - b. Float as debris, scum, oil, or other matter in such amounts as to form nuisances; or
 - c. Produce color, odor, turbidity, or other conditions in such degree as to create a nuisance; or
 - d. Are acutely toxic; or
 - e. Are present in concentrations which are carcinogenic, mutagenic, or teratogenic to human beings or to significant, locally occurring, wildlife or aquatic species; or
 - f. Pose a serious danger to the public health, safety, or welfare.

[62-620.320(6), 62-302.500(1)]

- 9. There shall be no release of polychlorinated biphenyl (PCB) compounds such as those commonly used for transformer fluid to the waters of the State or the CCS. The permittee shall dispose of all known PCB equipment, articles, and wastes either in accordance with:
 - a. Department-issued permits governing soil thermal treatment (Chapter 62-713, F.A.C.) or Department-approved landfills provided the PCB concentrations meet the Florida landfill's permitted limit when concentrations are less than 50 ppm; or
 - b. 40 CFR 761 when concentrations are greater than or equal to 50 ppm.

[40 CFR Part 423.12(b)(2)]

- 10. Discharge of any product registered under the Federal Insecticide, Fungicide, and Rodenticide Act to any waste stream that ultimately may be released to the CCS or waters of the State is prohibited unless specifically authorized elsewhere in a permit; except this requirement is not applicable to products used for lawn and agricultural purposes or to the use of herbicides if used in accordance with labeled instructions and any applicable State permit. In the event the permittee proposes to use water treatment chemicals, biocides, corrosion inhibitors, or additives not authorized in this permit, or not previously reported to the Department, that ultimately may be released to the CCS or waters of the State, the permittee shall notify the Department in writing a minimum of thirty (30) days prior to instituting the use of such product. The product shall not be used prior to a determination by the Department that a permit revision is not required or prior to Department approval. Such notification shall include:
 - a. Name and general composition of biocide or chemical
 - b. Frequencies of use
 - c. Quantities to be used
 - d. Proposed effluent concentrations
 - e. Acute and/or chronic toxicity data (laboratory reports shall be prepared, depending on the test type, according to Section 12 of EPA document no. EPA-821-R-02-012 entitled, Methods for Measuring the Acute Toxicity of Effluents and Receiving Waters for Freshwater and Marine Organisms, Section 10 of EPA document no. EPA-821-R-02-013 entitled, Short-term Methods for Estimating the Chronic Toxicity of Effluents and Receiving Waters to Freshwater Organisms or Section 10 of EPA document no. EPA-821-

FACILITY: Turkey Point Power Plant EXPIRATION DATE:

R-02-014 entitled, Short-term Methods for Estimating the Chronic Toxicity of Effluents and Receiving Waters to Marine and Estuarine Organisms, or most current addition)

f. Product data sheet

g. Product label

A revision to this permit is not necessary for use of products equivalent to those authorized in this permit provided the equivalent products consist of the same active ingredients and the product is applied at the same location with the same or lower concentrations of the active ingredients at the outfall. The permittee is responsible for maintaining documentation on-site which demonstrates equivalency of any new water treatment products from another vendor or manufacturer with a different product name from those listed above.

- 11. Discharge of any waste resulting from the combustion of toxic, hazardous, or metal cleaning wastes to any waste stream which ultimately reaches the CCS or waters of the State is prohibited, unless specifically authorized elsewhere in this permit.
- 12. The permittee shall not store soil or other similar erodible materials in a manner in which off-site runoff is uncontrolled, nor shall construction activities be conducted in a manner which produces uncontrolled off-site runoff unless such uncontrolled runoff has been specifically approved by the Department. "Uncontrolled" shall mean without sedimentation basin or other controls approved by the Department.
- 13. The permittee shall operate and maintain loading and unloading facilities in such a manner in order to preclude spillage of chemicals, etc., used at the facility, and shall take all actions necessary to clean-up and control any such spill which may occur.
- 14. Any water drained from the fuel oil storage tanks or other water which meets the definition of "Petroleum Contact Water" as defined in subsection 62-740.030(1), F.A.C., shall be disposed at a Department-approved facility in accordance with Chapter 62-740, F.A.C.
- 15. The permittee is authorized to utilize the following water treatment chemicals and biocides, or their equivalents, in the cooling water systems and other wastewater streams:

Chemical Name	Purpose	Dosage (mg/L)	Units Treated	Frequency
Hydrazine	Normal Operation Oxygen Scavenger	40 - 500	3, 4	Daily
Hydrazine	Wet Layup Oxygen Scavenger	25 - 300	3, 4	Outages Only
Carbohydrazide	Oxygen Scavenger	25 - 100	3, 4	Outages Only
Carbohydrazide	Oxygen Scavenger	60 - 700	3, 4	Daily
Dimethylamine	pH Control	0.1 - 1.0	3, 4	Daily
Monoethanolamine	pH Control	3 - 6	3, 4	Daily
Lithium Hydroxide	pH Control for Reactor Coolant System	0 - 6	3, 4	As Needed
ROClean P111	Reverse Osmosis Membrane Cleaning	150 - 300	5	Batch
Sodium Molybdate	Corrosion Inhibitor – Recirculating Cooling	160 - 1000	All	As Needed
	System			
Tolytriazole	Corrosion Inhibitor – Copper Control	10 - 100	All	As Needed
Sodium Nitrite	Corrosion Inhibitor – Recirculating Cooling	50 - 1500	3, 4	As Needed
	System			
Sodium Hydroxide	pH Control - Recirculating Cooling System	Maintain pH 8.5 - 11	3, 4	As Needed
Sodium Hydroxide	Reverse Osmosis Operation	Maintain pH of 9.06	5	Monthly, Batch
Sodium Hydroxide	Reverse Osmosis pH Control	Maintain pH > 8.1	3, 4	Daily
Sodium Hypochlorite 12%	Cooling Tower Biocide	Maintain 0.2 - 1	5	Daily
	_	residual		_
Sodium Hypochlorite	Disinfectant/Oxidizer	1-2	Plant General	As Needed
			Use	
Sodium Hypochlorite	Oxidize Organics	1-2	Cooling Canals	As Needed
Versene 100 (EDTA)	Reverse Osmosis Membrane Cleaning	3000 - 5200	5	Batch
Citric Acid	Reverse Osmosis Membrane Cleaning	30,000	5	Batch
Hypersperse MDC704i	Reverse Osmosis Membrane Cleaning	2.5	5	Daily

FACILITY: Turkey Point Power Plant EXPIRATION DATE:

Chemical Name	Purpose	Dosage (mg/L)	Units Treated	Frequency
ENDCOR UAN 9766 (Molybdate)	Auxiliary Equipment Cooling Water System	5 gal./mo. (solid)	5	As Needed
AZ8101 (Tolytriazole)	Auxiliary Equipment Cooling Water System	2.5 gal./mo. (solid)	5	As Needed
OPTISPERSE HP3100	Boiler Drum Corrosion Inhibitor	2 - 3	5	Daily
DEPOSITROL PY5200	Cooling Tower Deposit Control	1.3	5	Daily
DEPOSITROL BL5400	Cooling Tower Scale Inhibitor	0.75	5	Daily
Ammonium Hydroxide	pH Control	3 - 20	3, 4	Daily
Ammonium Hydroxide	Condensate and Feedwater pH Control	Maintain pH of 9.68	5	Daily
OPTISPERSE PWR6600	Iron Oxide Dispersant in Steam Gen.	0 - 1	3, 4	Outages Only
OPTISPERSE PWR6600	Iron Oxide Dispersant in Steam Gen.	< 10 ppb	3, 4	Daily
VITEC 3000	Reverse Osmosis Antiscalant – potable water supply	3	3, 4	Batch
Sodium Bisulfite 40%	Reverse Osmosis Dechlorination	2-3/1-2	3, 4	Daily
Sodium Bisulfite 40%	Dechlorination	1-2	Cooling Canals, Plant General Use	As Needed
Hydrogen Peroxide 50%	Reverse Osmosis Hydrogen Sulfide Mitigation – Well Water	7-10	3, 4	Daily
Vitec 5100	Reverse Osmosis Antiscalant	5	3, 4	Daily
Vitec 1000	Reverse Osmosis Antiscalant	2	3, 4	Daily
Wood Flour	Condenser Tube Leak Temporary Repair	200 lb/min. (Max.) Less than 1000 lb/wk	3, 4	As Needed
Quaternary Ammonium Salt	Biological Fouling Control - Recirculating Cooling System	6 - 12	3, 4	As Needed
Gluteraldehyde	Biological Fouling Control - Recirculating Cooling System	250-500	3, 4	As Needed
MBC 215 (Isothiazolin)	Biological Fouling Control - Recirculating Cooling System	15	3, 4	As Needed
Sodium Dichromate	Corrosion Inhibitor for Emergency Diesel Gen Recirculating Cooling System	3500 - 4500	3, 4	As Needed
Sulfuric Acid 98%	pH Control for Water Treatment Plant to Degas CO ₂	Maintain pH 6 - 7	3, 4	Daily
Sulfuric Acid	Cooling Tower pH Control	350	5	Daily
Boric Acid	Process Chemical for Chemical Volume Control System	0 - 2600	3, 4	As Needed
Aluminum-based Flocculents (such as Liquid Alum, Green Bullet, WALLFLOC 5050, or Equivalent)	Coagulation of Algae and Nutrients	250 (Max.)	Cooling Canals	As Needed
Xanthene Dyes or Equivalent (Yellow, Green, Red, or Violet Dyes)	Dye Studies for Leaks or Flow Monitoring	1	Plant General Use	As Needed
Optisperse PWR6000	Dispersant	≤ 20 ppb daily use ≤ 1 mg/l during outages	3, 4	Daily

16. Hydrazine from plant layup water during overhauls and/or refueling outages shall be measured at the outlet from the unit being serviced. Sampling shall be once per day of discharge by grab sample at the maximum expected concentration. Results of sampling will be submitted to the Department upon request. To determine the hydrazine concentration being released to the CCS, the following equation shall be used:

(B/S) Blowdown Flow x (B/S) Hydrazine Concentration = Hydrazine concentration at the recirculating
Once-through Cooling Water Flow cycle cooling canal system

^{*}Where (B/S) refers to boiler or steam generator

FACILITY: Turkey Point Power Plant EXPIRATION DATE:

In the event that any value exceeds 3.4 mg/L, the permittee shall immediately modify its release pattern and resample. The Department's Southeast District Office shall be notified of the situation in accordance with permit condition IX.20.

- 17. Non-discharging/Closed Loop Vehicle Wash Recycle System Requirements.
 - a. No discharge of recycle system wastewater, including filter backwash water, is authorized to waters of the State or to groundwater.
 - b. The operation of the rainwater diversion system, oil/water separator, and placard posting shall be addressed and included in the facility's Best Management Practices Pollution Prevention Plan (PLAN) in accordance with permit condition VII.
- 18. Nothing in this permit authorizes take for the purposes of the permittee's compliance with the federal Endangered Species Act. [40 CFR 125.98(b)(1)]
- 19. A revision to this permit is not necessary for the following activities:
 - a. Structural changes that do not change the quality, nature, or quantity of the discharge of wastes or that do not cause water pollution to Waters of the State; and
 - b. Construction, replacement or repair of components at the facility which does not change the permitted treatment works or the terms and conditions of this permit.

Records of these activities shall be kept by the permittee (activity description, start date and length of activity). The documentation shall be kept on-site in accordance with Permit Condition V.2, and made available to Department staff upon request. [62-620.200(26)(a) and (b)]

20. The facility will take reasonable actions to select appropriate laboratories with sufficient capacity to avoid delay in receiving results due to backlogs. If such delay occurs, the facility will make reasonable efforts to resolve those delays. [Consent Order OGC File Number 16-0241, paragraph 30]

III. SLUDGE, SOLIDS, AND VEGETATIVE MATTER MANAGEMENT REQUIREMENTS

- 1. The permittee shall be responsible for proper treatment, management, use, and disposal of its sludges. [62-620.320(6)]
- 2. Storage, transportation, and disposal of sludge/solids characterized as hazardous waste shall be in accordance with requirements of Chapter 62-730, F.A.C. [62-730]
- 3. Sludge or other solids generated from the facility shall be reused, reclaimed, or otherwise disposed of in accordance with the requirements of Chapter 62-701, F.A.C. Disposal of sludge in a solid waste disposal facility shall be in accordance with the requirements of Chapter 62-701, F.A.C. [62-701]
- 4. Vegetation and materials removed from intake screens and vegetation, sediments and sludge excavated from the CCS or basins must be properly stored on-site until they are disposed in accordance with requirements in Chapter 62-701, F.A.C., and other applicable State and Federal requirements. Vegetation and materials shall be handled and managed in accordance to the Best Management Practices Plan in Section VII of this permit.
- 5. The permittee shall keep records of the amount of industrial sludge, solids, and vegetative matter disposed, transported, or incinerated. If a person other than the permittee is responsible for sludge transporting, disposal, or incineration, the permittee shall also keep the following records:
 - a. name, address and telephone number of any transporter, and any manifests or bill of lading used;
 - b. name and location of the site of disposal, treatment or incineration;
 - c. name, address, and telephone number of the entity responsible for the disposal, treatment, or incineration site.

FACILITY: Turkey Point Power Plant EXPIRATION DATE:

IV. ADDITIONAL LAND APPLICATION REQUIREMENTS

Section IV is not applicable to this facility.

V. CONSTRUCTION, OPERATION AND MAINTENANCE REQUIREMENTS

1. During the period of operation authorized by this permit, the wastewater facilities shall be operated under the supervision of a person who is qualified by formal training and/or practical experience in the field of water pollution control. [62-620.320(6)]

- The permittee shall maintain the following records and make them available for inspection on the site of the permitted facility.
 - a. Records of all compliance monitoring information, including all calibration and maintenance records and all
 original strip chart recordings for continuous monitoring instrumentation, including, if applicable, a copy of the
 laboratory certification showing the certification number of the laboratory, for at least three years from the date
 the sample or measurement was taken;
 - b. Copies of all reports required by the permit for at least three years from the date the report was prepared;
 - c. Records of all data, including reports and documents, used to complete the application for this permit for at least three years from the date the application was filed;
 - d. Records of all disposal of vegetation and materials removed from intake screens and vegetation, sediments and sludge removed from wastewater and stormwater basins;
 - e. A copy of the current permit;
 - f. A copy of any required record drawings;
 - g. Copies of the logs and schedules showing plant operations and equipment maintenance for three years from the date of the logs or schedules; and
 - h. All pertinent impoundment permits, design, construction, operation, and maintenance information, including but not limited to, plans, geotechnical and structural integrity studies, copies of permits, associated certifications by qualified, State-registered professional engineer, and regulatory approvals.

[62-620.350]

3. During the period of operation authorized by this permit, the wastewater facility shall, as part of the regular maintenance schedule, review the structural integrity of all outfalls, including all outfalls which have been taken out of service.

VI. SCHEDULES

1. The following improvement actions shall be completed according to the following schedule. The Plan shall be prepared and implemented in accordance with Part VII of this permit.

Improvement Action	Completion Date		
Develop Best Management Practices Plan (Plan)	Effective date of permit plus 18 months		
2. Implement Plan	Effective date of permit plus 30 months		
3. Plan Summary	Effective date of permit plus 3 years		

2. If the permittee plans to continue operation of this wastewater facility after the expiration date of this permit, the permittee shall submit an application for renewal no later than one-hundred and eighty days (180) prior to the expiration date of this permit. Application shall be made using the appropriate forms listed in Rule 62-620.910, F.A.C., including submittal of the appropriate processing fee set forth in Rule 62-4.050, F.A.C.

[62-620.335(1) and (2)]

FACILITY: Turkey Point Power Plant EXPIRATION DATE:

3. The permittee shall submit to the Department's Tallahassee Wastewater Management Program an annual report by August of each year as described in permit condition VIII.G.1. Where required by Chapter 471 (P.E.) or Chapter 492 (P.G.) F.S., applicable portions of the report shall be signed and sealed by the professional(s) who prepared them.

- 4. The facility shall submit annually by August of each year, following permit issuance, a nutrient monitoring summary report based on 12 months of groundwater, surface water, and CCS monitoring data to the Department's Tallahassee Wastewater Management Program. Where required by Chapter 471 (P.E.) or Chapter 492 (P.G.) F.S., applicable portions of the report shall be signed and sealed by the professional(s) who prepared them. The report shall include by station and depth where specified:
 - a. Annual geometric mean (AGM) concentrations by nutrient parameter;
 - b. Arithmetic mean;
 - c. Percentiles including 25th, 75th, and 90th, number of samples collected by parameter; and
 - d. Evaluation of trends over the period of record by parameter.
- 5. In lieu of submitting the results on a discharge monitoring report, the permittee shall submit to the Department's Tallahassee Wastewater Management Program and Southeast District Office a summary of at least the latest twelve months of tritium results for all locations where tritium is monitored by August of each year. Where required by Chapter 471 (P.E.) or Chapter 492 (P.G.) F.S., applicable portions of the report shall be signed and sealed by the professional(s) who prepared them.
- 6. In lieu of submitting the results on a discharge monitoring report, the permittee shall submit to the Department's Tallahassee Wastewater Management Program and Southeast District Office a summary of at least the latest twelve months for all parameters listed in permit condition I.4 in all wells listed in permit condition I.3 by August of each year. Where required by Chapter 471 (P.E.) or Chapter 492 (P.G.) F.S., applicable portions of the report shall be signed and sealed by the professional(s) who prepared them.
- 7. The permittee shall notify the Department's Tallahassee Wastewater Management Program following completion of the scheduled January 1, 2019 demolition and fill of the solids settling basins that formerly serviced Units 1 and 2.
- 8. The phrase "hypersaline water" as used in this permit means water that exceeds 19,000 mg/L chlorides. Location, volume and movement of the hypersaline plume shall be determined by Continuous Surface Electromagnetic Mapping ("CSEM") technology, as supplemented by data from the groundwater monitoring wells in Section I.
- 9. The permittee shall halt the westward migration of the hypersaline plume from the CCS within three years of the commencement of the remediation project (May 15, 2018). For determining compliance, the westward migration of the hypersaline plume shall be deemed halted if the third CSEM survey shows no net increase in hypersaline water volume and no net westward movement in the leading edge of the hypersaline plume. To ensure overall remediation objectives are attained in a timely manner, if the second CSEM survey indicates that the net westward migration of the hypersaline plume is not being halted, then, within 180 days of the second CSEM survey, the permittee shall develop and submit for approval to the Department a plan with specific actions to achieve the objectives of the remediation project. If the third CSEM survey still indicates the net westward migration of the hypersaline plume has not halted, the permittee shall implement the approved additional measures consistent with the Department approved schedule.
- 10. The permittee shall retract the hypersaline plume to the L-31E canal within ten years of the commencement of the remediation project (May 15, 2018). At the conclusion of the fifth year of operation of the remediation project (May 16, 2023), the permittee shall evaluate and report to the Department, within 180 days, the effectiveness of the system in retracting the hypersaline plume to the L-31E canal within 10 years. If this report shows the remediation project will not retract the hypersaline plume to the L-31E canal within 10 years due to adverse environmental impacts of remedial measures or other technical issues, the permittee shall provide an alternate plan for Department review and approval. The permittee shall begin implementing the alternate plan in accordance with the Department approved schedule.

FACILITY: Turkey Point Power Plant EXPIRATION DATE:

VII. BEST MANAGEMENT PRACTICES PLAN (PLAN)

A. General

Through implementation of the Plan the permittee shall prevent or minimize the generation and the potential for the release of pollutants (including mercury, copper, iron, zinc, and nutrients) from facility operations (including spillage, leaks, and material and waste handling and storage activities) to industrial wastewater and stormwater. The permittee must implement the provisions of the Plan required under this Part as a condition of this permit.

In accordance with Section 304(e) and 402(a)(2) of the Clean Water Act (CWA) as amended, 33 U.S.C. §§ 1251 et seq., and the Pollution Prevention Act of 1990, 42 U.S.C. §§ 13101-13109, the permittee must develop and implement the Plan for the facility covered by this permit, prepared in accordance with good engineering practices and in accordance with the factors outlined in 40 CFR §125.3(d)(2) or (3) as appropriate. Paragraph 62-620.100(3)(m), F.A.C., incorporates by reference 40 CFR 122.44(k), which contains guidelines for requiring Best Management Practices (BMPs) for facilities and activities regulated under Section 403.0885, F.S.

- 1. The Plan shall include industrial wastewater and stormwater BMPs. The Plan shall be consistent with the objectives in VII.B, Industrial Wastewater Best Management Practices, and VII.C, Stormwater Best Management Practices, and the general guidance contained in the publications entitled <u>Guidance Manual for Developing Best Management Practices (BMPs)</u> [EPA 833-B-93-004, October 1993]; <u>Developing Your Stormwater Pollution Prevention Plan: A Guide for Industrial Operators</u> [EPA 833-B-09-002, February 2009] or any subsequent revisions to these guidance documents.
- 2. The Plan shall specify the individual(s) or position(s) within the facility organization as members of a Plan Team that are responsible for developing the Plan and assisting the facility or operations manager in its implementation, maintenance, and revision. The Plan shall clearly identify the responsibilities of each team member. The activities and responsibilities of the team shall address all aspects of the facility's Plan.
- 3. The Plan shall be documented in narrative form, shall include any necessary plot plans, drawings or maps, and shall be developed in accordance with good engineering practices. The Plan shall be organized and written with the following structure:
 - a. Name and location of the facility.
 - b. Statement of Plan policy.
 - c. Structure, functions, and Standard Operating Procedures (SOPs) of the Plan committee.
 - d. Specific industrial wastewater and stormwater management practices and SOPs, including, but not limited to, the following:
 - 1. modification of equipment, facilities, technology, processes, and procedures,
 - 2. reformulation or redesign of products,
 - 3. substitution of materials, and
 - 4. improvement in management, inventory control, materials handling or general operational phases of the facility.
 - e. Risk identification and assessment.
 - Reporting of Plan incidents.
 - g. Materials compatibility.
 - h. Good housekeeping.
 - i. Preventative maintenance.
 - j. Inspections and records.
 - k. Security.
 - 1. Employee training. The Plan shall identify periodic dates for training.
- 4. The Plan shall contain a written statement from corporate or facility management indicating management's commitment to the goals of the Plan program. The statement shall be publicized or made known to all facility employees. Management shall also provide training the individuals responsible for implementing the Plan.
- 5. The Plan shall be developed and implemented in accordance with the schedule contained in Part VI of this permit.

FACILITY: Turkey Point Power Plant EXPIRATION DATE:

6. The Plan shall be signed by the permittee or their duly authorized representative in accordance with paragraphs 62-620.305(2)(a) and (b), F.A.C. The Plan shall be reviewed by appropriate facility staff and management. Where required by Chapter 471 (P.E.) or Chapter 492 (P.G.) F.S., applicable portions of the Plan shall be signed and sealed by the professional(s) who prepared them.

- 7. The permittee shall amend the Plan whenever there is a change in the facility or in the operation of the facility which materially increases the generation of pollutants or their release or potential release to industrial wastewater or stormwater. The permittee shall also amend the Plan, as appropriate, when plant operations covered by the Plan change. Any such changes to the Plan shall be consistent with the objectives and specific requirements listed below. All changes in the Plan shall be reported to the Department in writing.
- 8. At any time, if the Plan proves to be ineffective in achieving the general objective of preventing and minimizing the generation of pollutants and their release and potential release to industrial wastewater and stormwater or the specific requirements listed below, this permit or the Plan shall incorporate revised Plan requirements.
- 9. Progress/update reports documenting schedules and implementation of the Plan shall be maintained at the facility. The reports shall discuss whether implementation schedules were met and revise any schedules, as necessary. The Plan shall also be updated as necessary and the attainment or progress made toward specific pollutant reduction targets documented. Results of completed waste minimization assessment (WMA) studies shall be discussed. Results of any ongoing WMA studies, as well as any additional schedules for implementation of waste reduction practices, shall be included.
- 10. The permittee shall maintain the Plan, Progress/Update Reports, and other documents associated with the Plan at the facility and shall make these documents available to the Department upon request. All offices of the permittee which are required to maintain a copy of this NPDES permit shall also maintain a copy of the Plan.
- 11. The Department may notify the permittee at any time that the Plan does not meet one or more of the minimum requirements of this Part. Such notification shall identify those provisions of this permit which are not being met by the Plan, and identify which provisions of the Plan requires modifications in order to meet the minimum requirements of the Plan. Upon such notification, the permittee shall amend the Plan and shall submit to the Department a written certification that the requested changes have been made. Unless otherwise provided by the Department, the permittee shall have 30 days after such notification to make the changes necessary.

B. Industrial Wastewater Best Management Practices

- 1. The permittee shall develop and amend, as needed, the Plan consistent with the following objectives for the control of pollutants:
 - a. The number and quantity of pollutants and the toxicity of effluent generated, discharged or potentially discharged at the facility shall be minimized by the permittee to the extent feasible by managing each influent waste stream in the most appropriate manner.
 - b. Under the Plan, and any SOPs included in the Plan, the permittee shall ensure proper operation and maintenance of the treatment facility.
 - c. The permittee shall establish specific objectives for the control of pollutants by conducting the following evaluations:
 - (1) Each facility component or system shall be examined for its waste minimization opportunities and its potential for causing a release of amounts of pollutants to industrial wastewater and stormwater due to equipment failure, improper operation, and natural phenomena such as rain or adverse weather, etc. The examination shall include all normal operations and ancillary activities including but not limited to material storage areas, plant site runoff, in-plant transfer, process and material handling areas, loading or unloading operations, spillage or leaks, sludge and waste disposal, and drainage from raw material storage, as applicable.
 - (2) Where experience indicates a reasonable potential for equipment failure (e.g., a tank overflow or leakage), natural condition (e.g., precipitation), or other circumstances to result in amounts of pollutants reaching surface waters, the program should include a prediction of the direction, rate of

FACILITY: Turkey Point Power Plant EXPIRATION DATE:

flow and total quantity of pollutants which could be discharged from the facility as a result of each condition or circumstance.

2. The Industrial Wastewater BMPs component of the Plan shall include, at a minimum, the following items:

a. A WMA for this facility to determine actions that could be taken to reduce waste loadings and chemical losses to all wastewater and/or stormwater streams as described Part VII.B.3, Required Components of a WMA, of this permit. It shall address both short-term and long-term opportunities for minimizing waste generation at this facility, utilizing at a minimum, applicable criteria selected from Part VII.B.3, particularly for high volume and/or high toxicity components of wastewater and stormwater streams. Initially, the WMA should focus primarily on actions that could be implemented quickly, thereby realizing tangible benefits to surface water quality. Long term goals and actions pertaining to waste reduction shall include investigation of the feasibility of eliminating toxic chemical use, instituting process changes, raw material replacements, etc.

The permittee shall implement each waste reduction practice recommended by the WMA as soon as practicable. Any waste reduction practices which are identified but will not be implemented shall be described in the required progress/update reports, along with the factors inhibiting their adoption. Any waste reduction practices which cannot be implemented immediately shall be described in the Plan and included in a schedule of implementation.

The permit issuing authority does not herein establish a time limit for completion of the WMA; the study may be conducted throughout the term of this permit. However, a suggested target completion date is six months after the effective date of this permit, so that the WMA results and recommended waste reduction practices may be incorporated into the Plan. Continual studies toward minimizing waste are encouraged.

Practices which reduce pollutant loading in wastewater or stormwater discharges with a consequent increase in solid hazardous waste generation, decrease in air quality, or adverse effect to groundwater shall not be considered waste reduction for the purposes of this assessment.

b. Specific BMPs to meet the objectives identified in Part VII.B.1 of this section, addressing each component or system capable of generating or causing a release of amounts of pollutants, and identifying specific preventative or remedial measures to be implemented.

3. Required Components of a WMA

- a. The WMA shall include an overall plant water balance, as well as internal water balances, as necessary. This information shall be used to determine any opportunities for water conservation or reuse/recycling and to determine if and where leakages might occur.
- b. A materials and risk assessment shall be developed and shall include the following:
 - 1. Identification of the types and quantities of materials used or manufactured (including by products produced) at the facility;
 - 2. Identification of the location and types of materials management activities which occur at the facility;
 - 3. An evaluation of the following aspects of materials compatibility: containment and storage practices for chemicals, container compatibility, chemical mixing procedures; potential mixing or compatibility problems; and specific prohibitions regarding mixing of chemicals;
 - Technical information on human health and ecological effects of toxic or hazardous chemicals
 presently used or manufactured (including by products produced) or planned for future use or
 production; and
 - 5. Analyses of chemical use and waste generation, including overall plant material balances and as necessary, internal process balances, for all pollutants. (When actual measurements of the quantity of a chemical entering a wastewater or stormwater stream are not readily available, reasonable estimates should be made based on best engineering judgment.) The analyses shall address reasons for using particular chemicals, and measures or estimates of the actual and potential chemical discharges via wastewater, wastewater sludge, stormwater, air, solid waste or hazardous waste media.
- c. The WMA shall include, at a minimum, the following means of reducing pollutant discharges in wastewater streams or of otherwise minimizing wastes:

FACILITY: Turkey Point Power Plant EXPIRATION DATE:

(1) Process related source reduction measures, including any or all of the following, as appropriate:

- (a) Production process changes;
- (b) Improved process controls;
- (c) Reduction of off specification materials;
- (d) Reduction in use of toxic or hazardous materials;
- (e) Chemical modifications and/or material purification;
- (f) Chemical substitution employing non-toxic or less toxic alternatives;
- (g) Equipment upgrades or modifications or changes in equipment use; and
- (h) Implementation of the Turkey Point CCS Nutrient Management Plan (September 16, 2016), including annual reporting on progress.
- (2) Housekeeping/operational changes, including waste stream segregation, inventory control, spill and leak prevention, equipment maintenance; and employee training in areas of material management and pollution prevention, good housekeeping, and spill prevention and response;
- (3) In process recycling, on-site recycling and/or off-site recycling of materials;
- (4) Following all source reduction and recycling practices, wastewater treatment process changes, including the use of new or improved treatment methods, such that treatment by products are less toxic to aquatic or human life; and
- (5) Other means as agreed upon by the permit issuing authority and the permittee.
- d. For stormwater discharges and instances where stormwater enters the wastewater treatment/disposal system or is otherwise commingled with wastewater, the WMA shall evaluate the following potential sources of stormwater contamination, at a minimum:
 - (1) Loading, unloading and transfer areas for dry bulk materials or liquids;
 - (2) Outdoor storage of raw materials or products;
 - (3) Outdoor manufacturing or processing activities;
 - (4) Dust or particulate generating processes; and
 - (5) On-site waste and/or sludge disposal practices.

The likelihood of stormwater contact in these areas and the potential for spills from these areas shall be considered in the evaluation. The history of leaks or spills of toxic or hazardous pollutants shall also be considered. Recommendations for changes to current practices which would reduce the potential for stormwater contamination from these areas shall be made, as necessary.

C. Stormwater Best Management Practices

- 1. Stormwater BMPs components of the Plan shall include, at a minimum, the following items:
 - a. A description of potential sources which may reasonably be expected to add pollutants to stormwater discharges from separate stormwater conveyances at the facility. The Plan shall identify all activities and materials that may potentially be pollutant sources. The Plan shall include, at a minimum:
 - (1) Drainage
 - (a) A site map indicating an outline of the portions of the drainage area of each stormwater outfall that are within the facility boundaries, each existing structural control measure to reduce pollutants in stormwater runoff, surface water bodies, locations where materials are exposed to precipitation, locations where spills or leaks identified under Item VII.C.1.a.(3) have occurred, and the locations of the following activities where such activities are exposed to precipitation: fueling stations; vehicle and equipment maintenance and/or cleaning areas; loading/unloading areas; locations used for the treatment, storage or disposal of wastes; liquid storage tanks; processing areas; and storage areas.
 - (b) For each area of the facility that generates stormwater discharges associated with industrial activity with a reasonable potential for containing pollutants, a prediction of the direction of flow, and an identification of the types of pollutants which are likely to be present in stormwater discharges associated with industrial activity. Factors to consider include the toxicity of chemical; quantity of chemicals used, produced or discharged; the likelihood of contact with stormwater; and

FACILITY: Turkey Point Power Plant EXPIRATION DATE:

history of leaks or spills of toxic or hazardous pollutants. Flows with a potential for causing erosion shall be identified.

- (2) An inventory of the types of materials handled at the site that potentially may be exposed to precipitation. Such inventory shall include a narrative description of materials that have been handled, treated, stored or disposed in a manner to allow exposure to stormwater between the time of three years prior to the effective date of this permit and the present; method and location of on-site storage or disposal; materials management practices employed to minimize contact of materials with stormwater runoff between the time of three years prior to the effective date of this permit and the present; the location and a description of existing structural and non-structural control measures to reduce pollutants in stormwater runoff; and a description of any treatment the stormwater receives.
- (3) A list of spills and leaks of toxic or hazardous pollutants that occurred at areas that are exposed to precipitation or that otherwise drain to a stormwater conveyance at the facility after the date of three years prior to the effective date of this permit. Such a list shall be updated as appropriate during the term of this permit.
- (4) A summary of existing discharge sampling data describing pollutants in stormwater discharges from the facility, including a summary of sampling data collected during the term of this permit.
- (5) A narrative description of the potential pollutant sources from the following activities if applicable: loading and unloading operations; outdoor storage activities; outdoor manufacturing or processing activities; dust or particulate generating processes; loading/unloading areas; and on-site waste disposal practices. The description shall specifically list any potential source of pollutants at the site and for each potential source, any pollutant or pollutant parameter (e.g. biochemical oxygen demand, etc.) of concern shall be identified.
- b. A description of stormwater management controls appropriate for the facility and implement such controls. The appropriateness and priorities of controls in the Plan shall reflect identified potential sources of pollutants at the facility. The description of stormwater management controls shall address the following minimum components, including a schedule for implementing such controls:
 - (1) Good housekeeping requires the maintenance of areas that may contribute pollutants to stormwater discharges in a clean, orderly manner.
 - (2) A preventive maintenance program shall involve timely inspection and maintenance of stormwater management devices (e.g. cleaning oil/water separators, catch basins) as well as inspecting and testing facility equipment and systems to uncover conditions that could cause breakdowns or failures resulting in discharges of pollutants to surface waters, and ensuring appropriate maintenance of such equipment and systems.
 - (3) Areas where potential spills that can contribute pollutants to stormwater discharges can occur and their accompanying drainage points shall be identified clearly in the Plan. Where appropriate, specifying material handling procedures, storage requirements, and use of equipment such as diversion valves in the Plan should be considered. Procedures for cleaning up spills shall be identified in the Plan and made available to the appropriate personnel. The necessary equipment to implement a cleanup should be available to personnel.
 - (4) In addition to or as part of the comprehensive site evaluation required under paragraph VII.C.1.c of this section, qualified facility personnel shall be identified to inspect designated equipment and areas of the facility at appropriate intervals specified in the Plan. A set of tracking or follow-up procedures shall be used to ensure that appropriate actions are taken in response to the inspections. Records of inspections shall be maintained.
 - (5) Employee training programs shall inform personnel responsible for implementing activities identified in the Plan or otherwise responsible for stormwater management at all levels of responsibility of the components and goals of the Plan. Training should address topics such material management and pollution prevention, good housekeeping and spill prevention and response. The Plan shall identify periodic dates for such training.
 - (6) A description of incidents (such as spills, or other discharges), along with other information describing the quality and quantity of stormwater discharges shall be included in the Plan required under this part.

FACILITY: Turkey Point Power Plant EXPIRATION DATE:

Inspections and maintenance activities shall be documented and records of such activities shall be incorporated into the Plan.

- (7) Non-Stormwater Discharges
 - (a) The Plan shall include a certification that each "stormwater-only" discharge authorized under this permit has been tested or evaluated for the presence of non-stormwater discharges. (This section is not applicable to those discharges authorized under this permit that have been identified in the application as having non-stormwater components.) The certification shall include the identification of potential sources of non-stormwater at the site, a description of the results of any test and/or evaluation for the presence of non-stormwater discharges, the evaluation criteria or testing method used, the date of any testing and/or evaluation, and the on-site drainage points that were directly observed during the test. Such certification may not be feasible if the facility operating the stormwater discharge associated with industrial activity does not have access to an outfall, manhole, or other point of access to the ultimate conduit that receives the discharge. In such cases, the source identification section of the Plan shall indicate why the certification required by this part was not feasible, along with the identification of potential sources of non-stormwater at the site. A discharger that is unable to provide the certification required by this paragraph must notify the Department in accordance with paragraph VII.C.1.b.(7)(c) below.
 - (b) Except for flows from fire-fighting activities, sources of authorized non-stormwater discharges that are combined with stormwater discharges associated with industrial activity must be identified in the Plan. The Plan shall identify and ensure the implementation of appropriate pollution prevention measures for the non-stormwater component(s) of the discharge.
 - (c) Failure to Certify. Any facility that is unable to provide the certification required (testing for non-stormwater discharges), must notify the Department. If the failure to certify is caused by the inability to perform adequate tests or evaluations, such notification shall describe: the procedure of any test conducted for the presence of non-stormwater discharges; the results of such test or other relevant observations; potential sources of non-stormwater discharges to the storm sewer; and why adequate tests for such storm sewers were not feasible. Non-stormwater discharges to surface waters of the State which are not authorized by an NPDES permit are unlawful, and must be terminated or dischargers must submit appropriate NPDES permit application forms.
- (8) The Plan shall identify areas which, due to topography, activities, or other factors, have a high potential for soil erosion, and identify structural, vegetative, and/or stabilization measures to be used to limit erosion.
- (9) The Plan shall contain a narrative consideration of the appropriateness of traditional stormwater management practices (practices other than those which control the generation or source(s) of pollutants) used to divert, infiltrate, reuse, or otherwise manage stormwater runoff in a manner that reduces pollutants in stormwater discharges from the site. The Plan shall provide that those measures that the permittee determines to be reasonable and appropriate shall be implemented and maintained. The potential of various sources at the facility to contribute pollutants to stormwater discharges associated with industrial activity shall be considered when determining reasonable and appropriate measures. Appropriate measures may include: vegetative swales and practices; reuse of collected stormwater (such as for a process or as an irrigation source); inlet controls (such as oil/water separators); infiltration devices; and, detention or retention devices.
- c. A Comprehensive Site Compliance Evaluation. Qualified personnel shall conduct site compliance evaluations at appropriate intervals specified in the Plan, but in no case less than once a year. Such evaluations shall provide:
 - (1) Areas contributing to a stormwater discharge associated with industrial activity shall be visually inspected for evidence of, or the potential for, pollutants entering the drainage system. Measures to reduce pollutant loadings shall be evaluated to determine whether they are adequate and properly implemented in accordance with the terms of this permit or whether additional control measures are needed. Structural stormwater management measures, sediment and erosion control measures, and other structural pollution prevention measures identified in the Plan shall be observed to ensure that they are operating correctly. A visual inspection of equipment needed to implement the Plan, such as spill response equipment, shall be made.
 - (2) Based on the results of the inspection, the description of potential pollutant sources identified in the Plan in accordance with paragraph VII.C.1.a.(5) of this section and pollution prevention measures and

FACILITY: Turkey Point Power Plant EXPIRATION DATE:

controls identified in the Plan in accordance with paragraph VII.C.1.b of this section shall be revised as appropriate within two weeks of such inspection and shall provide for implementation of any changes to the Plan in a timely manner, but in no case more than twelve weeks after the inspection.

- (3) A report summarizing the scope of the inspection, personnel making the inspection, the date(s) of the inspection, observations relating to the implementation of the Plan and actions taken shall be made and retained as part of the Plan. The report shall identify any incidents of non-compliance, and corrective actions taken. Where a report does not identify any incidents of non-compliance, the report shall contain a certification that the facility is in compliance with the Plan and this permit. The report shall be signed in accordance with paragraph VII.A.6 of this section.
- d. Consistency with other plans. The Plan may reference the existence of other plans for Spill Prevention Control and Countermeasure (SPCC), plans developed for the facility under section 311 of the CWA or BMP Programs otherwise required by an NPDES permit for the facility if such requirement is incorporated into the Plan.

VIII. OTHER SPECIFIC CONDITIONS

A. Specific Conditions Applicable to All Permits

- 1. Where required by Chapter 471 (P.E.) or Chapter 492 (P.G.), F.S., applicable portions of reports that must be submitted under this permit shall be signed and sealed by a State-registered professional engineer or professional geologist, as appropriate. [62-620.310(4)]
- 2. Drawings, plans, documents or specifications submitted by the permittee, not attached hereto, but retained on file at the Department's Wastewater Management Program in Tallahassee, are made a part hereof.
- 3. This permit satisfies Wastewater Management Program permitting requirements only and does not authorize operation of this facility prior to obtaining any other permits required by local, state or federal agencies.

B. Specific Conditions Related to Existing Manufacturing, Commercial, Mining, and Silviculture Wastewater Facilities or Activities

- 1. Existing manufacturing, commercial, mining, and silvicultural wastewater facilities or activities that discharge into surface waters shall notify the Department as soon as they know or have reason to believe:
 - a. That any activity has occurred or will occur which would result in the discharge, on a routine or frequent basis, of any toxic pollutant which is not limited in the permit, if that discharge will exceed the highest of the following levels;
 - (1) One hundred micrograms per liter,
 - (2) Two hundred micrograms per liter for acrolein and acrylonitrile; five hundred micrograms per liter for 2, 4-dinitrophenol and for 2-methyl-4, 6-dinitrophenol; and one milligram per liter for antimony, or
 - (3) Five times the maximum concentration value reported for that pollutant in the permit application; or
 - b. That any activity has occurred or will occur which would result in any discharge, on a non-routine or infrequent basis, of a toxic pollutant which is not limited in the permit, if that discharge will exceed the highest of the following levels:
 - (1) Five hundred micrograms per liter,
 - (2) One milligram per liter for antimony, or
 - (3) Ten times the maximum concentration value reported for that pollutant in the permit application.

[62-620.625(1)]

C. Duty to Reapply

- 1. The permittee is not authorized to release wastewater into the CCS after the expiration date of this permit, unless:
 - a. the permittee has applied for renewal of this permit at least 180 days before the expiration date (**Month, Day, Year**) using the appropriate forms listed in Rule 62-620.910, F.A.C., and in the manner established in

FACILITY: Turkey Point Power Plant EXPIRATION DATE:

the Department of Environmental Protection Guide to Permitting Wastewater Facilities or Activities Under Chapter 62-620, F.A.C., including submittal of the appropriate processing fee set forth in Rule 62-4.050, F.A.C.; or

b. the permittee has made complete the application for renewal of this permit before the permit expiration date.

[62-620.335(1)-(4)]

- 2. When publishing Notice of Draft and Notice of Intent in accordance with Rules 62-110.106 and 62-620.550, F.A.C., the permittee shall publish the notice at its expense in a newspaper of general circulation in the county or counties in which the activity is to take place either
 - a. Within thirty days after the permittee has received a notice; or
 - b. Within thirty days after final agency action.

Failure to publish a notice is a violation of this permit.

D. Reopener Clauses

- 1. The permit shall be revised, or alternatively, revoked and reissued in accordance with the provisions contained in Rules 62-620.325 and 62-620.345 F.A.C., if applicable, or to comply with any applicable effluent standard or limitation issued or approved under Sections 301(b)(2)(C) and (D), 304(b)(2) and 307(a)(2) of the CWA, as amended, if the effluent standards, limitations, or water quality standards so issued or approved:
 - a. Contains different conditions or is otherwise more stringent than any condition in the permit/or;
 - b. Controls any pollutant not addressed in the permit.

The permit as revised or reissued under this paragraph shall contain any other requirements then applicable.

- 2. The permit may be reopened to adjust effluent limitations or monitoring requirements should future Water Quality Based Effluent Limitation determinations, water quality studies, Department approved changes in water quality standards, EPA established Total Maximum Daily Loads (TMDLs), or other information show a need for a different limitation, monitoring requirement, or more stringent requirements.
- 3. The Department or EPA may develop a TMDL during the life of the permit. Once a TMDL has been established and adopted by rule, the Department shall revise this permit to incorporate the final findings of the TMDL.
- 4. The permittee and the Department entered into a Consent Order (OGC File #16-0241) on June 20, 2016. The Department may revise the permit to include certain provisions of the Consent Order upon its completion.

E. Impoundment Design, Construction, Operation, and Maintenance

- 1. All impoundments used to hold or treat wastewater and stormwater, including the CCS, shall be designed, constructed, operated, and maintained to prevent the discharge of pollutants to waters of the State, except as authorized under this permit.
- 2. Design, construction, operation, and maintenance of any impoundment shall be in accordance with all relevant State and Federal regulations and shall be certified by a qualified, State-registered professional engineer and permitted and inspected by the appropriate agency prior to use. When practicable, piezometers or other instrumentation shall be installed as a means to aid monitoring of impoundment integrity.
- 3. In addition to other regular maintenance activities conduction for the CCS, which for the purposes of this section is considered an impoundment, the perimeter berms and slopes shall be maintained to protect the structural

FACILITY: Turkey Point Power Plant EXPIRATION DATE:

integrity. This may include removal of trees greater than 4 inches in diameter. Vegetation and materials shall be handled and managed in accordance to the Best Management Practices Plan in Section VII of this permit.

F. Impoundment Inspections

1. The CCS periphery including the three small dams (Hotel 2, Turtle Point Canal, and the Cellular Cofferdam) shall be inspected above and below the surface waterline for the entire perimeter at a minimum of once every five years by an independent qualified, State-registered professional engineer. The three dams and all other aspects of the perimeter impoundments shall be inspected annually by a qualified, State-registered professional engineer. The term qualified means having successfully completed the Mine Safety and Health Administration Qualification for Impoundment Inspection course in addition to the Annual Retraining for Impoundment Qualification, or equivalent Qualifications. Additional inspections by qualified personnel shall be done within 7 days after large or extended rain events (i.e., 10-year, 24-hour precipitation event).

2. Inspections shall, at a minimum, include observations of dams, including the three dams (Hotel 2, Turtle Point Canal and the Cellular Cofferdam) of the CCS, dikes and toe areas for erosion, corrosion, cracks or bulges, seepage, wet or soft soil, changes in geometry, the depth and elevation of the impounded water, sediment or slurry, freeboard, changes in vegetation such as overly lush, dead or unnaturally tilted vegetation, and any other changes which may indicate a potential compromise to impoundment integrity.

To monitor function of the cathodic protection system, suggested operation and maintenance practices described in the Operation and Maintenance Manual accompanying these devices shall be followed.

In addition, the CCS shall be monitored in the months of April and August of each year to determine its thermal efficiency. The thermal efficiency in the CCS shall be calculated as described in the Turkey Point Cooling Canal System Thermal Efficiency Plan. If the permittee fails to achieve a minimum annual average of 70 percent, the permittee shall, within 30 days of discovering that the thermal efficiency is below the threshold, commence actions prescribed in the Turkey Point Cooling Canal System Thermal Efficiency Plan. If the permittee fails to reach the threshold by the following annual report, within 30 days, the permittee shall notify the Tallahassee Wastewater Management Program of additional measures to be taken, and a timeframe for achieving the threshold. The Turkey Point Cooling Canal System Thermal Efficiency Plan shall be updated to include the additional measures.

The findings of each inspection including thermal efficiency, shall be documented in a written annual inspection report as described in permit condition VIII.G.1 below.

- 3. Remediation Measures. Within 24 hours of discovering changes that indicate a potential compromise to the structural integrity or the efficient operation of the CCS, the permittee shall begin procedures to remediate the problem. Adherence to the six components of the Turkey Point Cooling Canal System Thermal Efficiency Plan dated December 14, 2016, shall be incorporated into the facility's best management practices.
- 4. Within 5 days of discovering any changes in the CCS that indicate a potential compromise to the structural integrity or operation, the permittee must notify the Department in writing describing the findings of the inspection, corrective measures taken since discovery of the change, other planned corrective measures and the expected outcomes. Failure to do so will be a violation of this permit.
- 5. Other issues which may have long term impacts on impoundment integrity, such as trees growing on the CCS perimeter impoundment or banks or vegetation blocking canals or spillways, shall be cleared within a timely manner to ensure operational integrity, but no later than 6 months from first observation. In addition, the CCS impoundment shall be maintained to prevent the growth, accumulation, or spread of any plant species.
- 6. During routine operational and maintenance activities around the CCS, periodic observation of the perimeter should continue reporting noted defects.

G. Reporting and Recordkeeping Requirements

FACILITY: Turkey Point Power Plant EXPIRATION DATE:

In accordance with schedule item VI.4 the permittee shall submit an annual report of all impoundment
inspections and maintenance activities, including corrective actions made in response to inspections,
summarizing findings of all monitoring activities including the annual thermal efficiency evaluation of the CCS,
remediation measures pertaining to the structural integrity, design, construction, and operation and maintenance
of the CCS, and all other activities undertaken to repair or maintain the CCS and other impoundments.

- 2. In accordance with Section 403.077, F.S., unauthorized releases or spills reportable to the StateWatch Office pursuant to permit condition IX.20 shall also be reported to the Department within 24 hours from the time the permittee becomes aware of the discharge. The permittee shall provide to the Department information reported to the State Watch Office. Notice of unauthorized releases or spills may be provided to the Department through the Department's Public Notice of Pollution web page at https://floridadep.gov/pollutionnotice.
 - a. If, after providing notice pursuant to paragraph (2) above, the permittee determines that a reportable unauthorized release or spill did not occur or that an amendment to the notice is warranted, the permittee may submit a letter to the Department documenting such determination.
 - b. If, after providing notice pursuant to paragraph (2) above, the permittee discovers that a reportable unauthorized release or spill has migrated outside the property boundaries of the installation, the permittee must provide an additional notice to the Department that the release has migrated outside the property boundaries within 24 hours after its discovery of the migration outside of the property boundaries.

H. Specific Conditions Related to Preservation of State Historical Resources

- 1. If prehistoric or historic artifacts, such as pottery or ceramics, projectile points, dugout canoes, metal implements, historic building materials, or any other physical remains that could be associated with Native American, early European, or American settlement are discovered at any time within the project site area, the permittee shall immediately notify the Florida Department of State, Division of Historical Resources, Compliance Review Section at (850) 245-6333, to determine appropriate action.
- 2. In the event that unmarked human remains are encountered during permitted activities, all work shall stop immediately and the proper authorities notified in accordance with Section 872.05, Florida Statutes.

I. Other Noncompliance Reporting Requirements

- 1. In accordance with Section 403.077, F.S., unauthorized releases or spills reportable to the State Watch Office pursuant to Permit Condition IX.20.b.1. shall also be reported to the Department within 24 hours from the time the permittee becomes aware of the discharge. The permittee shall provide to the Department information reported to the State Watch Office. Notice of unauthorized releases or spills may be provided to the Department through the Department's Public Notice of Pollution web page at https://floridadep.gov/pollutionnotice.
 - a. If, after providing notice pursuant to paragraph 1 above, the permittee determines that a reportable unauthorized release or spill did not occur or that an amendment to the notice is warranted, the permittee may submit additional notice to the Department documenting such determination.
 - b. If, after providing notice pursuant to paragraph 1 above, the permittee discovers that a reportable unauthorized release or spill has migrated outside the property boundaries of the installation, the permittee must provide an additional notice to the Department that the release has migrated outside the property boundaries within 24 hours after its discovery of the migration outside of the property boundaries. [62-620.100(3)] [403.077, F.S.]

IX. GENERAL CONDITIONS

1. The terms, conditions, requirements, limitations and restrictions set forth in this permit are binding and enforceable pursuant to Chapter 403, Florida Statutes. Any permit noncompliance constitutes a violation of Chapter 403, Florida Statutes, and is grounds for enforcement action, permit termination, permit revocation and reissuance, or permit revision. [62-620.610(1)]

FACILITY: Turkey Point Power Plant EXPIRATION DATE:

2. This permit is valid only for the specific processes and operations applied for and indicated in the approved drawings or exhibits. Any unauthorized deviations from the approved drawings, exhibits, specifications or conditions of this permit constitutes grounds for revocation and enforcement action by the Department. [62-620.610(2)]

- 3. As provided in Section 403.087(7), F.S., the issuance of this permit does not convey any vested rights or any exclusive privileges. Neither does it authorize any injury to public or private property or any invasion of personal rights, nor authorize any infringement of federal, state, or local laws or regulations. This permit is not a waiver of or approval of any other Department permit or authorization that may be required for other aspects of the total project which are not addressed in this permit. [62-620.610(3)]
- 4. This permit conveys no title to land or water, does not constitute state recognition or acknowledgment of title, and does not constitute authority for the use of submerged lands unless herein provided and the necessary title or leasehold interests have been obtained from the State. Only the Trustees of the Internal Improvement Trust Fund may express State opinion as to title. [62-620.610(4)]
- 5. This permit does not relieve the permittee from liability and penalties for harm or injury to human health or welfare, animal or plant life, or property caused by the construction or operation of this permitted source; nor does it allow the permittee to cause pollution in contravention of Florida Statutes and Department rules, unless specifically authorized by an order from the Department. The permittee shall take all reasonable steps to minimize or prevent any discharge, reuse of reclaimed water, or residuals use or disposal in violation of this permit which has a reasonable likelihood of adversely affecting human health or the environment. It shall not be a defense for a permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this permit. [62-620.610(5)]
- 6. If the permittee plans to continue an activity regulated by this permit after its expiration date, the permittee shall apply for and obtain a new permit. [62-620.610(6)]
- 7. The permittee shall at all times properly operate and maintain the facility and systems of treatment and control, and related appurtenances, that are installed and used by the permittee to achieve compliance with the conditions of this permit. This provision includes the operation of backup or auxiliary facilities or similar systems when necessary to maintain or achieve compliance with the conditions of the permit. [62-620.610(7)]
- 8. This permit may be modified, revoked and reissued, or terminated for cause. The filing of a request by the permittee for a permit revision, revocation and reissuance, or termination, or a notification of planned changes or anticipated noncompliance does not stay any permit condition. [62-620.610(8)]
- 9. The permittee, by accepting this permit, specifically agrees to allow authorized Department personnel, including an authorized representative of the Department and authorized EPA personnel, when applicable, upon presentation of credentials or other documents as may be required by law, and at reasonable times, depending upon the nature of the concern being investigated, to:
 - a. Enter upon the permittee's premises where a regulated facility, system, or activity is located or conducted, or where records shall be kept under the conditions of this permit;
 - b. Have access to and copy any records that shall be kept under the conditions of this permit;
 - c. Inspect the facilities, equipment, practices, or operations regulated or required under this permit; and
 - d. Sample or monitor any substances or parameters at any location necessary to assure compliance with this permit or Department rules.

[62-620.610(9)]

10. In accepting this permit, the permittee understands and agrees that all records, notes, monitoring data, and other information relating to the construction or operation of this permitted source which are submitted to the Department may be used by the Department as evidence in any enforcement case involving the permitted source arising under the Florida Statutes or Department rules, except as such use is proscribed by Section 403.111, F.S., or Rule 62-

FACILITY: Turkey Point Power Plant EXPIRATION DATE:

620.302, F.A.C. Such evidence shall only be used to the extent that it is consistent with the Florida Rules of Civil Procedure and applicable evidentiary rules. [62-620.610(10)]

- 11. When requested by the Department, the permittee shall within a reasonable time provide any information required by law which is needed to determine whether there is cause for revising, revoking and reissuing, or terminating this permit, or to determine compliance with the permit. The permittee shall also provide to the Department upon request copies of records required by this permit to be kept. If the permittee becomes aware of relevant facts that were not submitted or were incorrect in the permit application or in any report to the Department, such facts or information shall be promptly submitted or corrections promptly reported to the Department. [62-620.610(11)]
- 12. Unless specifically stated otherwise in Department rules, the permittee, in accepting this permit, agrees to comply with changes in Department rules and Florida Statutes after a reasonable time for compliance; provided, however, the permittee does not waive any other rights granted by Florida Statutes or Department rules. A reasonable time for compliance with a new or amended surface water quality standard, other than those standards addressed in Rule 62-302.500, F.A.C., shall include a reasonable time to obtain or be denied a mixing zone for the new or amended standard. [62-620.610(12)]
- 13. The permittee, in accepting this permit, agrees to pay the applicable regulatory program and surveillance fee in accordance with Rule 62-4.052, F.A.C. [62-620.610(13)]
- 14. This permit is transferable only upon Department approval in accordance with Rule 62-620.340, F.A.C. The permittee shall be liable for any noncompliance of the permitted activity until the transfer is approved by the Department. [62-620.610(14)]
- 15. The permittee shall give the Department written notice at least 60 days before inactivation or abandonment of a wastewater facility or activity and shall specify what steps will be taken to safeguard public health and safety during and following inactivation or abandonment. [62-620.610(15)]
- 16. The permittee shall apply for a revision to the Department permit in accordance with Rule 62-620.300, F.A.C., and the Department of Environmental Protection Guide to Permitting Wastewater Facilities or Activities Under Chapter 62-620, F.A.C., at least 90 days before construction of any planned substantial modifications to the permitted facility is to commence or with subsection 62-620.325(2), F.A.C., for minor modifications to the permitted facility. A revised permit shall be obtained before construction begins except as provided in Rule 62-620.300, F.A.C. [62-620.610(16)]
- 17. The permittee shall give advance notice to the Department of any planned changes in the permitted facility or activity which may result in noncompliance with permit requirements. The permittee shall be responsible for any and all damages which may result from the changes and may be subject to enforcement action by the Department for penalties or revocation of this permit. The notice shall include the following information:
 - a. A description of the anticipated noncompliance;
 - b. The period of the anticipated noncompliance, including dates and times; and
 - c. Steps being taken to prevent future occurrence of the noncompliance.

[62-620.610(17)]

- 18. Sampling and monitoring data shall be collected and analyzed in accordance with Rule 62-4.246 and Chapters 62-160, 62-601, and 62-610, F.A.C., and 40 CFR 136, as appropriate.
 - a. Monitoring results shall be reported at the intervals specified elsewhere in this permit and shall be reported on a DMR, DEP Form 62-620.910(10), or as specified elsewhere in the permit.
 - b. If the permittee monitors any contaminant more frequently than required by the permit, using Department approved test procedures, the results of this monitoring shall be included in the calculation and reporting of the data submitted in the DMR.
 - c. Calculations for all limitations which require averaging of measurements shall use an arithmetic mean unless otherwise specified in this permit.

FACILITY: Turkey Point Power Plant EXPIRATION DATE:

d. Except as specifically provided in Rule 62-160.300, F.A.C., any laboratory test required by this permit shall be performed by a laboratory that has been certified by the Department of Health Environmental Laboratory Certification Program (DOH ELCP). Such certification shall be for the matrix, test method and analyte(s) being measured to comply with this permit.

- e. Field activities including on-site tests and sample collection shall follow the applicable standard operating procedures described in DEP-SOP-001/01 adopted by reference in Chapter 62-160, F.A.C.
- f. Alternate field procedures and laboratory methods may be used where they have been approved in accordance with Rules 62-160.220, and 62-160.330, F.A.C.

[62-620.610(18)]

- 19. Reports of compliance or noncompliance with, or any progress reports on, interim and final requirements contained in any compliance schedule detailed elsewhere in this permit shall be submitted no later than 14 days following each schedule date. [62-620.610(19)]
- 20. The permittee shall report to the Department's Southeast District Office any noncompliance which may endanger health or the environment. Any information shall be provided orally within 24 hours from the time the permittee becomes aware of the circumstances. A written submission shall also be provided within five days of the time the permittee becomes aware of the circumstances. The written submission shall contain: a description of the noncompliance and its cause; the period of noncompliance including exact dates and time, and if the noncompliance has not been corrected, the anticipated time it is expected to continue; and steps taken or planned to reduce, eliminate, and prevent recurrence of the noncompliance.
 - a. The following shall be included as information which must be reported within 24 hours under this condition:
 - (1) Any unanticipated bypass which causes any reclaimed water or effluent to exceed any permit limitation or results in an unpermitted discharge,
 - (2) Any upset which causes any reclaimed water or the effluent to exceed any limitation in the permit,
 - (3) Violation of a maximum daily discharge limitation for any of the pollutants specifically listed in the permit for such notice, and
 - (4) Any unauthorized discharge to surface or groundwaters.
 - b. Oral reports as required by this subsection shall be provided as follows:
 - (1) For unauthorized releases or spills of treated or untreated wastewater reported pursuant to subparagraph 20(a).4. that are in excess of 1,000 gallons per incident, or where information indicates that public health or the environment will be endangered, oral reports shall be provided to the STATE WATCH POINT OFFICE TOLL FREE NUMBER (800) 320-0519, as soon as practical, but no later than 24 hours from the time the permittee becomes aware of the discharge. The permittee, to the extent known, shall provide the following information to the State Watch Point:
 - (a) Name, address, and telephone number of person reporting;
 - (b) Name, address, and telephone number of permittee or responsible person for the discharge;
 - (c) Date and time of the discharge and status of discharge (ongoing or ceased);
 - (d) Characteristics of the wastewater spilled or released (untreated or treated, industrial or domestic wastewater);
 - (e) Estimated amount of the discharge;
 - (f) Location or address of the discharge;
 - (g) Source and cause of the discharge;
 - (h) Whether the discharge was contained on-site, and cleanup actions taken to date;
 - (i) Description of area affected by the discharge, including name of water body affected, if any; and
 - (i) Other persons or agencies contacted.
 - (2) Oral reports, not otherwise required to be provided pursuant to subparagraph 20.b.1 above, shall be provided to the Department's Southeast District Office within 24 hours from the time the permittee becomes aware of the circumstances.
 - c. If the oral report has been received within 24 hours, the noncompliance has been corrected, and the noncompliance did not endanger health or the environment, the Department's Southeast District Office shall waive the written report.

FACILITY: Turkey Point Power Plant EXPIRATION DATE:

[62-620.610(20)]

21. The permittee shall report all instances of noncompliance not reported under Permit Conditions IX. 17, 18 or 19 of this permit at the time monitoring reports are submitted. This report shall contain the same information required by Permit Condition IX.20 of this permit. [62-620.610(21)]

22. Bypass Provisions.

- a. "Bypass" means the intentional diversion of waste streams from any portion of a treatment works.
- b. Bypass is prohibited, and the Department may take enforcement action against a permittee for bypass, unless the permittee affirmatively demonstrates that:
 - (1) Bypass was unavoidable to prevent loss of life, personal injury, or severe property damage; and
 - (2) There were no feasible alternatives to the bypass, such as the use of auxiliary treatment facilities, retention of untreated wastes, or maintenance during normal periods of equipment downtime. This condition is not satisfied if adequate back-up equipment should have been installed in the exercise of reasonable engineering judgment to prevent a bypass which occurred during normal periods of equipment downtime or preventive maintenance; and
 - (3) The permittee submitted notices as required under Permit Condition IX.22.c. of this permit.
- c. If the permittee knows in advance of the need for a bypass, it shall submit prior notice to the Department, if possible at least 10 days before the date of the bypass. The permittee shall submit notice of an unanticipated bypass within 24 hours of learning about the bypass as required in Permit Condition IX.20. of this permit. A notice shall include a description of the bypass and its cause; the period of the bypass, including exact dates and times; if the bypass has not been corrected, the anticipated time it is expected to continue; and the steps taken or planned to reduce, eliminate, and prevent recurrence of the bypass.
- d. The Department shall approve an anticipated bypass, after considering its adverse effect, if the permittee demonstrates that it will meet the three conditions listed in Permit Condition IX. 22.b.1 through 3 of this permit.
- e. A permittee may allow any bypass to occur which does not cause reclaimed water or effluent limitations to be exceeded if it is for essential maintenance to assure efficient operation. These bypasses are not subject to the provisions of Permit Condition IX.22.a. through c. of this permit.

[62-620.610(22)]

23. Upset Provisions.

- a. "Upset" means an exceptional incident in which there is unintentional and temporary noncompliance with technology-based effluent limitations because of factors beyond the reasonable control of the permittee.
 - (1) An upset does not include noncompliance caused by operational error, improperly designed treatment facilities, inadequate treatment facilities, lack of preventive maintenance, careless or improper operation.
 - (2) An upset constitutes an affirmative defense to an action brought for noncompliance with technology based permit effluent limitations if the requirements of upset provisions of Rule 62-620.610, F.A.C., are met.
- b. A permittee who wishes to establish the affirmative defense of upset shall demonstrate, through properly signed contemporaneous operating logs, or other relevant evidence that:
 - (1) An upset occurred and that the permittee can identify the cause(s) of the upset;
 - (2) The permitted facility was at the time being properly operated;
 - (3) The permittee submitted notice of the upset as required in Permit Condition IX.20, of this permit; and
 - (4) The permittee complied with any remedial measures required under Permit Condition IX.20. of this permit.
- In any enforcement proceeding, the burden of proof for establishing the occurrence of an upset rests with the
 permittee.
- d. Before an enforcement proceeding is instituted, no representation made during the Department review of a claim that noncompliance was caused by an upset is final agency action subject to judicial review.

[62-620.610(23)]

Executed in Tallahassee, Florida.

PERMITTEE: Florida Power & Light Company (FPL)

FACILITY: Turkey Point Power Plant PERMIT NUMBER:

FL0001562 (Major)

EXPIRATION DATE:

STATE OF FLORIDA DEPARTMENTOF ENVIRONMENTAL PROTECTION

Benjamin M. Melnick Director

Division of Water Resource Management

PERMITTEE: Florida Power & Light Company (FPL) PERMIT NUMBER: FL0001562 (Major) EXPIRATION DATE:

FACILITY: Turkey Point Power Plant


FPL Turkey Point Location Map Homestead Turkey Point Florida City Copyright 2 2013 National Georg

PERMITTEE: Florida Power & Light Company (FPL)

FACILITY: Turkey Point Power Plant

PERMIT NUMBER: EXPIRATION DATE:

FL0001562 (Major)



Path: P:\Projects\ArcPro\Requests\WAFR\Turkey_Point\Turkey_Point.apm

FACILITY: Turkey Point Power Plant EXPIRATION DATE:




Figure 3
FPL Turkey Point Property Boundary

PERMITTEE: Florida Power & Light Company (FPL) FACILITY: Turkey Point Power Plant

PERMIT NUMBER: EXPIRATION DATE:

FL0001562 (Major)

Figure 4. FPL Turkey Point Power Plant Units 3 & 4 Flow Diagram



PERMITTEE: FACILITY:


Florida Power & Light Company (FPL)

Turkey Point Power Plant

PERMIT NUMBER: EXPIRATION DATE:

FL0001562 (Major)

Figure 5. FPL Turkey Point Power Plant Unit 5 Flow Diagram



PERMITTEE: Florida Power & Light Company (FPL)

FACILITY: Turkey Point Power Plant

PERMIT NUMBER: EXPIRATION DATE:

FL0001562 (Major)



Figure 6. FPL Turkey Point Power Plant Groundwater, Surface Water, and Porewater Monitoring Locations

Document Path, PtProjectsWicPro RequestsWASRV alkey_PointVisikey_Point.agrx

FACILITY: Turkey Point Power Plant EXPIRATION DATE:




Figure 7. FPL Turkey Point Power Plant Surface Water Monitoring Locations

 $P_{MA} \circ P_{A}P_{M}|_{COUNT}A \circ P_{A}O(R_{COMCANA}) WAFR(To +bey_Point(To+bey_Roint) appears$

FACILITY: Turkey Point Power Plant


EXPIRATION DATE:

Figure 8 .Coastal Mangrove Porewater Monitoring Locations Mangrove Transects Miles PERMITTEE: Florida Power & Light Company (FPL) PERMIT NUMBER: FL000

FACILITY: Turkey Point Power Plant


PERMIT NUMBER: EXPIRATION DATE:

FL0001562 (Major)



PERMITTEE: Florida Power & Light Company (FPL) PERMIT NUMBER: FL0001562 (Major) FACILITY: Turkey Point Power Plant EXPIRATION DATE:

Figure 10. South Central and Card Sound Bay Segments



FACT SHEET FOR STATE OF FLORIDA INDUSTRIAL WASTEWATER FACILITY PERMIT

PERMIT NUMBER: FL0001562 (Major)

NAME OF PERMITTEE: Florida Power & Light Company (FPL)

FACILITY NAME: Turkey Point Power Plant

FACILITY LOCATION: 9760 SW 344th St, Florida City, Florida 33035

Miami-Dade County

PERMIT WRITERS: Frank Wall, Engineering Specialist IV

Allan Stodghill, P.G., Professional Geologist II

Marc Harris, P.E., Program Administrator

Addendum to Factsheet – The public comment period for the Notice of Draft began on January 15, 2019. During the comment period, the Department received requests to extend the comment period beyond 30 days. A public notice announcing a public meeting was published in the Miami Herald on April 4, 2019. The public meeting was held on May 7, 2019, in Homestead. During the meeting the public had the opportunity to discuss their concerns directly with the Department and FPL representatives. The Department accepted additional comments from the public on the day of the meeting until close of business May 21, 2019. As a result of the comments received and the input from the public meeting, the draft permit was revised as follows:

- 1. The facility description section of the permit was updated to more accurately reflect facility operations and surrounding locations along the facility boundaries. Figure 2 was updated with a map showing the boundaries of Biscayne National Park, Biscayne Bay Aquatic Preserve, and Everglades National Park. Figure 3 was replaced with a map showing the boundaries of the Turkey Point facility. Under the wastewater treatment section, the sentence referring to discharges from the facility to surface waters of the State was removed to provide clarity to authorized discharges explicitly expressed in the permit.
- 2. A statement was added to the reuse or disposal groundwater discharge section of the permit regarding Miami-Dade County's regulatory authority under the County's Home Charter Rule. Minor descriptive changes to this section were also provided for clarification.
- 3. Monitoring group D-02A was revised from surface water to porewater in the reuse or disposal section and permit condition II.C.1. The groundwater monitoring group G-001 descriptor "outfall" was replaced with "series".
- 4. Permit condition I.1. The condition was expanded to include reference to Rule 62-520.420, F.A.C., adjacent groundwaters, and compliance schedule items.
- 5. Footnote 2. The footnote was revised by removal of "remedial" and "for achieving compliance with this condition of" as they are not indicative of the requirements of paragraphs 19 and 21 of Consent Order 16-0241.
- 6. Permit condition I.4. The table was expanded to include monitoring for sulfide. Table note "*" well references were revised from TPGW-1 and TPGW-18 to TPGW-L3-18 and TPGW-L5-18. Table note "**" was expanded to clarify sampling frequency and sample collection. Reference to table note "**" was included for the specific conductance. Additionally, the monitoring frequency for temperature was revised from hourly to quarterly consistent with the clarification to note "**".

- 7. New permit condition I.5. The condition was added to the permit which identifies monitoring wells TPGW- 1, 4, 5, 6, 17, 18, and 19 used to assist in the determination of the extent of retraction of the hypersaline plume.
- 8. Permit condition I.7. For clarification, the parameter "N" was revised to Nitrite plus Nitrate, Total (as N). The condition was expanded requiring the facility to implement Department-approved corrective action to address water quality violation and/or impacts within a timetable provided by the Department.
- 9. New permit condition II.A.2. The permit condition prohibits the facility from causing or contributing to a violation of the surface water quality standards or criteria in Rule 62-302, F.A.C.
- 10. Permit condition II.A.4 (Formerly II.A.3). The table was updated to require all parameters to be monitored at SWD-8, SWD-9, SWD-10, SWD-11, and SWD-12, where applicable. Sample type was updated for all instances of Instantaneous to In situ based on comments provided by the facility. Total sodium was revised to total recoverable sodium. For NPDES permitting the two may be used interchangeably.
- 11. Permit condition II.B.1. Sample type was updated for temperature from Instantaneous to In situ based on comments provided by the facility. Total sodium was revised to total recoverable sodium. For NPDES permitting the two may be used interchangeably. Monitoring site OUI-2 was removed from salinity as the value is capture in the calculation provided by CAL-1.
- 12. Permit condition II.B.3. The permit condition was expanded requiring automated hourly data and analytical results from existing individual stations be made available via FPL's EDMS. Reference to Biscayne Bay is not applicable to this permit condition and was therefore removed. The monthly requirement to compile and create an average was revised to quarterly.
- 13. Permit condition II.B.5. The permit condition was revised to require submittal of copies of comments or findings based on report and data submittals reviewed by other agencies to the Department upon request.
- 14. Permit condition II.C.2. Total sodium and total calcium were revised to total recoverable sodium and calcium. For NPDES permitting the two may be used interchangeably. Fluid density units were revised from g/cm3 to g/ml as the two are identical.
- 15. Permit condition II.D.1. Sentence 1 was revised to include reference to a "Department-approved methodology".
- 16. Permit condition II.D.8. This condition was revised to include a new subsection b regarding the formation of nuisances, and reference to Rule 62-302.500(1), F.A.C.
- 17. Permit condition II.D.10. The introductory sentence was revised to include, "Discharge of" and "this requirement is not applicable to", for the purpose of additional clarification.
- 18. Permit condition II.D.15 and footnote 6. The facility was first authorized approval to trial use Optisperse PWR6600 for six months in August of 2018. Additional six-month trials were approved following the initial request. Based on the information provided, Optisperse was added to the approved chemical list of permit condition II.D.15. The facility also indicated that it was no longer trialing anodamine. Based on these changes, footnote 6 is no longer applicable, and hence was removed from the proposed permit.
- 19. Permit condition II.D.19.a. The condition was revised to include reference to Waters of the State.
- 20. Permit condition III.4. The permit condition was expanded requiring vegetation and materials be handled and managed in accordance with the Best Management Practices Plan in Section VII of the permit.
- 21. Schedule item VI.4. The annual nutrient monitoring summary report submittal requirement to begin the third year following permit issuance was removed, and the requirement that it be based on 24 months of data was revised to 12 months of data.

- 22. New schedule items VI.8-10. The new schedule items refer to the hypersaline plume management compliance requirements.
- 23. New permit condition VII.B.3.c.(1)(h). This is a new required component of the waste minimization assessment (WMA) of the Best Management Practices Plan that requires implementation of the Turkey Point CCS Nutrient Management Plan (September 16, 2016), including submittal of annual progress reports.
- 24. Permit condition VIII.E.3. The permit condition was expanded requiring vegetation and materials be handled and managed in accordance with the Best Management Practices Plan in Section VII of the permit.
- 25. Permit condition VIII.F.1. The sentence, "All impoundments other than the CCS shall be inspected at least monthly by qualified personnel.", was removed as the remaining portions of the permit condition provide coverage for the impoundment inspections. The facility indicated that no other impoundments exist at the facility.
- 26. Permit condition VIII.F.5. The permit condition regarding impoundment inspections was expanded requiring maintenance to prevent the growth, accumulation, or spread of any plant species that impact structural integrity of the impoundments. The timeframe was revised to be timely, but no later than 6 months.
- 27. New Section VIII.I. A new standard permit condition VIII.I.1 was added to the permit requiring notification of unauthorized releases or spills be provided to the Department through the Department's Public Notice of Pollution web page.
- 28. The compliance submittal month was revised from November to August 31st throughout the permit.

Changes as described above to the permit are hereby noted as corresponding changes to the Fact Sheet where applicable.

At the request of the facility, updates and clarifications to the Fact Sheet are identified by italics and underline, while deletions are identified by strikethrough as shown below.

Abbreviations and Acronyms

AADF Annual Average Daily Flow AGM Annual geometric mean BPJ Best Professional Judgement CCS Cooling Canal System

CO Consent Order
Deg F Degrees Fahrenheit

EPA United States Environmental Protection Agency

Ft Feet

F.A.C. Florida Administrative Code FPL Florida Power & Light Company

F.S. Florida Statutes

g/cm³ Grams per cubic centimeter ICW Intake Cooling Water

MW Megawatts

ug/L Microgram per liter
umhos/cm Micromhos per centimeter
mg/L Milligrams per liter

MGD Million Gallons per Day

NPDES National Pollutant Discharge Elimination System

NTU Nephelometric Turbidity Unit

NAICS North American Industry Classification System

NAVD North American Vertical Datum

NOV Notice of Violation

OGC Office of General Counsel
OTCW Once-through Cooling Water
OFW Outstanding Florida Water

pCi/L Picocuries per liter
PCU Platinum-Cobalt Unit
PSU Practical Salinity Unit
P.E. Professional Engineer
P.G. Professional Geologist

SFWMD South Florida Water Management District

SIC Standard Industrial Classification

s.u. Standard Units

TDS Total Dissolved Solids
TMDL Total Maximum Daily Load
USGS United States Geological Survey

BACKGROUND

1. CHRONOLOGY OF APPLICATION

File Number: FL0001562-012-IW1N

Application Submittal Date: October 22, 2009

Additional Information: March 12th, June 1st, August 16th, September 16th & December 13th, 2010;

September 30th, 2016; February 10th & 22nd, April 24th, May 5th, August 16th & 29th & October 16th, 2017; August 3rd, September 11th & 14th, October 29th,

November 5th, December 4th, 2018, and other dates.

Notice of Draft: January 2, 2019 (issued); January 15, 2019 (published)

Public Meeting: April 4, 2019 (published); May 7, 2019 (public meeting); May 21, 2019

(comment period closed)

2. FACILITY DESCRIPTION

Standard Industrial Classification (SIC) Code: 4911 - Electrical Generation.

316(b): The facility does not have any cooling water intake structures, and therefore, is not subject to Section 316(b) of the Clean Water Act.

North American Industry Classification System (NAICS): 221112 - Fossil Fuel Electric Power Generation, 221113 – Nuclear Electric Power Generation.

Existing Cooling Canal System Permitted Capacity: 2763 Million Gallons per Day (MGD) Annual Average Daily Flow (AADF)

Proposed Increase in Permitted Capacity: No increase

Proposed Total Permitted Capacity: 2763 MGD AADF

The Turkey Point facility, which began operation in 1967, is located on approximately 11,000 acres in unincorporated southeast Miami-Dade County about 25 miles south of Miami and about nine miles east of Florida City and Homestead (See Figure 1, FPL Turkey Point Location Map). Biscayne National Park, established in 1980, lies adjacent to eastern portions of the facility. The Biscayne Bay Aquatic Preserve, established in 1974, is southeast of the facility. Everglades National Park, established in 1934, is to the south and west (see Figure 2, Turkey Point Power Plant, National Parks, and Aquatic Preserve).

West of the facility are the South Florida Water Management District (SFWMD) L-31E Canal, the historic C-106 Canal (Model Lands North Canal), and the historic C-107 Canal (Model Lands South Canal). Southeast of the facility is the Card Sound <u>Discharge</u> Canal and southwest and south is the SFWMD S-20 Discharge Canal. The remnant canals at Turtle Point and the Barge Basin are located east northeast and northeast of the facility, respectively (see Figure 3, Turkey Point Power Plant Internal Outfall and Dam Structures and Adjacent Canals).

The facility consists of three electrical generating units: two nuclear units (Units 3 and 4) and one natural gas-fired combined cycle unit (Unit 5). Units 3, 4, and 5 began commercial operation in 1972, 1973, and 2007, respectively. Units 3 and 4 each have a nominal capacity of 815 Megawatts (MW) and Unit 5 has a nominal capacity of 1209 MW. Units 3, 4 and 5 are also regulated under the Florida Electrical Power Plant Siting Act (License No. PA03-045).

FPL owns and operates a recirculating cooling canal system (CCS) at the facility <u>that began permitted operation in 1973</u>. The CCS provides a heat removal function for the cooling water from Units 3 and 4. Unit 5 dissipates heat through cooling tower cells. The heated water generated by operation of Units 3 and 4 is released to the recirculating CCS and returned to Units 3 and 4. The temperature of the water entering Units 3 and 4 is regulated by the U.S. Nuclear Regulatory Commission under the Atomic Energy Act. Groundwater withdrawals from the Floridan aquifer is the source of cooling water for Unit 5, and is authorized under License No. PA03-045. Groundwater from the Floridan aquifer is also used as makeup water to help offset evaporation within the CCS.

The facility, as originally designed and constructed, included a once-through cooling water (OTCW) system (i.e., point source discharge of heated wastewater to surface waters). The facility obtained cooling water by drawing surface water from an intake channel connected to Biscayne Bay, and discharged the heated wastewater into Biscayne Bay and Card Sound through a series of discharge canals. FPL was required to construct the CCS to satisfy a 1971 consent judgment with the U.S. Department of Justice. The judgment required the permitting, construction, operation, and maintenance of the CCS as a recirculating cooling water system (i.e., no point source discharges of heated wastewater to surface waters). In addition, the judgment allowed FPL to directly discharge CCS water through the Card Sound *Discharge* Canal to Card Sound, provided the discharge met the stipulated requirements in the judgement. This allowance was to prevent the excessive concentration of salt in the CCS water.

In 1972, the U.S. Atomic Energy Commission prepared an environmental impact statement (EIS) with respect to the construction of the cooling canal system. The EIS indicated that water from the CCS would discharge to groundwater and that some of that groundwater could seep into adjacent surface waters (Biscayne Bay and Card Sound). The EIS acknowledged the potential for minimal adverse impacts on flora (red mangroves) and fauna (shallow benthic communities). The approach to groundwater seepage set forth in the draft permit is *in the EIS was* to monitor the effects of groundwater seepage and address any adverse environmental impacts that may develop.

The construction of the CCS <u>began in 1972</u> was completed in August 1973. <u>Construction was completed and operations permitted in 1973</u>. The CCS became fully operational in 1978 and <u>The CCS</u> occupies an area approximately 2 miles wide by 5 miles long. This area includes a network of 168 miles of earthen canals covering approximately 6,900 acres of which 4,370 acres are water surface. The circulation route from the plant discharge to plant intake is 13.2 miles and takes approximately 44 hours to complete. The CCS canals are excavated into the native rock and the underlying surficial aquifer, which is <u>part of</u> the Biscayne aquifer.

The CCS perimeter berms were constructed using structural road base material and excavated rock fill. Berm widths around the perimeter of the CCS range from about 25 feet to over 100 feet, with an average width of about 50 feet. Interior berms separating the canal sections are primarily covered with deposited excavated soils from the CCS canals.

The perimeter includes three small, manmade dams: two earthen dams each with an internal cement bentonite slurry wall (Hotel 2 north of Card Sound <u>Discharge</u> Canal and one located at Turtle Point); and a cellular cofferdam located near the plant in the Barge Basin.

In September 2016, the CCS periphery including dams, dikes, berms, and appurtenant structures were inspected by an independent qualified safety professional in accordance with the Department's Consent Order (CO) (OGC No. 16-0241) that was issued in June 2016. For more information on the CO, see Part II Section 3 of this Fact Sheet. The cofferdam was inspected both above and below the waterline. No structural defects or breaches were identified in the resulting report, dated September 2016, submitted by FPL to the Department. The report did, however, include recommendations for maintaining and protecting the long-term integrity of the CCS. In early 2018, FPL completed a number of the recommendations, including: (1) repair of the tie rods, walers, steel corrosion, and crest road on the barge canal cofferdam; (2) backfill of the old C-107 canal (now S-20 Discharge Canal) cut on the CCS side of bank; (3) stabilization of slopes (both sides) for the Hotel 2 dam; and (4) removal of trees greater than 4 inches in diameter from perimeter berm slopes.

In addition, the report included recommendations to inspect: (1) the CCS once every five years for the entire perimeter; and (2) the four small dams annually. Section VIII of the draft permit requires inspection of the CCS periphery, including the three dams, above and below the surface waterline for the entire perimeter by an independent qualified, State-registered professional engineer on a five-year basis and annually by a qualified, State-registered professional engineer. The term qualified means having successfully completed the Mine Safety and Health Administration Qualification for Impoundment Inspection course in addition to the Annual Retraining for Impoundment Qualification, or equivalent qualifications.

Furthermore, the draft permit requires FPL to submit to the Department an annual report of all impoundment inspections and maintenance activities, including corrective actions made in response to inspections, summarizing findings of all monitoring activities including the annual thermal efficiency evaluation of the CCS, remediation measures pertaining to the structural integrity, design, construction, and operation and maintenance of the CCS, and all other activities undertaken to repair or maintain the CCS.

The Department's CO requires the CCS to achieve a minimum 70 percent thermal efficiency and to control temperature and salinity. FPL has submitted a thermal efficiency plan to address water stage management, vegetation control, dredging, chemical additives to the CCS for facility operation, and upset recovery. FPL is implementing the efficiency plan and has been able to achieve greater than 70 percent thermal efficiency, and following permit issuance is required, under Section VIII of this draft permit, to monitor the thermal efficiency of the CCS in the months of April and August of each year.

Based on monitoring results, FPL <u>locations were</u> identified in the Turtle Point Canal and Barge Basin locations where water originating from the CCS <u>may could have</u> reach<u>ed</u> tidal surface waters connected to Biscayne Bay. The CO requires FPL to conduct restoration projects in the above canal and basin area to prevent releases of groundwater from the CCS to surface waters connected to Biscayne Bay that result in exceedances of surface water quality standards in Biscayne Bay. The restoration projects are on schedule to be completed in accordance with the schedule prescribed in the CO. The Turtle Point Canal restoration project is complete, and the Barge Basin restoration project is on schedule to be completed in accordance with the schedule prescribed in the CO.

The CCS is unlined, and therefore, discharges to the Biscayne aquifer beneath the CCS. The Biscayne aquifer has an approximate depth of 100 feet below land surface on the westside of the CCS and an approximate depth of 130 feet on the east side out in the Bay. Groundwater beneath the CCS is Class G-III, non-potable water with a total dissolved solids (TDS) content of 10,000 milligrams per liter (mg/L) or greater.

Class G-III groundwater is also present west (inland) of the CCS, at depth within the Biscayne aquifer. Present above this inland Class G-III groundwater is Class G-II groundwater, potable water that has a TDS content of less than 10,000 mg/L. Class G-II groundwater lies to the west, northwest, north of the CCS. For purposes of this permit the contact or intersection of Class G-III and Class G-III groundwater is called a "saltwater interface".

Saline water from the CCS has moved, at depth, westward of the L-31E Canal in excess of those amounts that would have occurred without the existence of the CCS. Elevated salinity levels in the CCS cause, or at a minimum contribute to, the hypersaline discharges into the groundwater. The CO requires FPL to cease discharges from the CCS that impair the reasonable and beneficial use of the adjacent Class G-II groundwaters to the west of the CCS. FPL is currently conducting remedial activities to address hypersaline waters that have extended beyond the facility's western boundaries for which the compliance point is identified as the L-31E Canal per the CO.

3. RETIREMENT OF UNITS 1 AND 2

Former Units 1 and 2 began operation in 1967 and 1968, respectively. These units were converted from generation mode to synchronous condenser mode to provide voltage support to the transmission system in 2017 and 2011, respectively. The converted units do not generate wastewater. However, stormwater run-off from the units is covered under this permit.

Process wastewater and stormwater associated with Units 1 and 2 were released to the CCS through an internal outfall designated as outfall I-002. Outfall I-002 piping from the basins to the CCS <u>has been removed</u>. is scheduled for removal by January 1, 2019. Piping to the basins has already been capped. Therefore, internal outfall I-002 has been removed from the draft permit.

4. DESCRIPTION OF WASTEWATER

Stormwater and wastewater associated with power generation and ancillary activities are released to the CCS. Point source discharges, as defined in Rule 62-620.200(37), F.A.C., from the facility to surface waters of the State are not authorized under this draft permit.

Stormwater runoff associated with loading and unloading operations, outdoor storage, outdoor process activities, and ancillary maintenance activities is directed toward the CCS. The quantities of stormwater generated from these activities are dependent on many variables, including the length and intensity of the storm event. Stormwater may come into contact with petroleum, oil, and lubricants used in industrial equipment which may leak onto impervious areas and become entrained in stormwater runoff. Stormwater may also come into contact with petroleum products, heavy metals, salts, anti-freeze and other automotive fluids which may be present at the onsite closed-loop vehicle wash area and vehicle access areas. Maintenance that consists of earth disturbance activities may also be a significant source of sediment. This draft permit requires development and implementation of a Best Management Practices Plan (see Section II.2.c.).

Wastewater generated by Units 3 and 4 (see flow diagram in Figure 4) includes intermittent chemical volume control system including wet lay-up, feedwater condensate including wet lay-up, on-line chemical analyzer, steam generator blowdown, condensate polisher backwash, reverse osmosis reject, circulating water pumps seal water, alternate flow from the circulating water pump seal water tank, non-equipment area stormwater, maintenance/wash through equipment area/closed cooling water system maintenance, plant intake screen wash, and non-contact once-through cooling water (OTCW), which is denoted as condenser and intake cooling water (ICW) on the figure.

Wastewater generated by Unit 5 (see flow diagram Figure 5) includes cooling water, emergency generator backup cooling water, non-equipment area stormwater, equipment area stormwater and plant drains following oil/water separation, and wastewater sump discharge which includes heat recovery steam generator blowdown, wastewater treatment system blowdown, and cooling water treatment reject.

I. PURPOSE

This is a renewal of the existing individual industrial wastewater discharge permit No. FL0001562 for the Turkey Point Power Plant. *This permit has been renewed in various forms since the early 1970s when the CCS became operational*. The objective of this permit is to ensure the cooling canal system (CCS) water does not impair designated uses of adjacent surface waters and groundwater as defined in Chapters 62-302, and 62-520, F.A.C. Elements of the draft permit are as follows.

1. DISCHARGES AND MONITORING

a. Internal Outfall and CCS

Wastewater enters the CCS at Internal Outfall I-001 (see Figure 3), which is the only permitted outfall authorized by this permit. This permit retains previous monitoring requirements for Internal Outfall I-001. This permit also includes additional monitoring at Internal Outfall I-001 and locations within the CCS, as well as locations beyond the CCS, necessary to characterize wastewater for evaluation of CCS wastewater beyond the facility boundaries. The 1972 Environmental Impact Statement acknowledges that some seepage of water from the CCS may reach surface waters. To the extent that such seepage occurs, it shall not cause or contribute to a violation of the surface water quality standards in Chapter 62-302, F.A.C. (see Tables II.1 and II.2 and Figure 6, Turkey Point Power Plant Groundwater, Surface Water, and Porewater Monitoring Locations, Figure 7, Turkey Point Power Plant Surface Water Monitoring

Locations, Figure 8, Coastal Mangrove Porewater Monitoring Locations, and Figure 9, Turkey Point Power Plant Groundwater Monitoring Locations).

Table II.1 Monitoring Locations Within the Cooling Canal System

OUI - Sampling location for internal outfall designated as I-001. TPSWCCS - Turkey Point Surface Water Cooling Canal System.

Sample Station ID	Location	Latitude		Longitude		ude	
ID		0	1	"	0	1	"
OUI-1	Cooling water discharge prior to entering the						
	feeder canal to the CCS	25	26	00.60	80	20	15.64
TPSWCCS-1	Northwest corner of the CCS	25	25	56.0	80	21	00.8
TPSWCCS-2	Central portion of the CCS	25	23	39.0	80	21	06.7
TPSWCCS-3	Southwestern portion of the CCS	25	21	52.4	80	22	02.4
TPSWCCS-4	Southern portion of the CCS near the Hotel 2						
	Dam	25	21	25.3	80	20	23.1
TPSWCCS-5	East-central portion of the CCS	25	23	18.4	80	19	54.4
TPSWCCS-6	Northeastern portion of the CCS	25	25	56.2	80	19	40.2
TPSWCCS-7	West-central portion of the CCS	25	24	07.6	80	21	39.4

Table II.2 Parameters monitored in the Cooling Canal System

Parameter	Units	Rationale
Temperature, Water	Deg F	62-4.070, and 62-620.320, F.A.C. (BPJ)
Solids, Total Suspended	mg/L	62-4.070, and 62-620.320, F.A.C. (BPJ)
Biochemical Oxygen Demand (BOD)	mg/L	62-4.070, and 62-620.320, F.A.C. (BPJ)
Dissolved Oxygen (DO), % Saturation	percent	62-4.070, and 62-620.320, F.A.C. (BPJ)
Oxygen Reduction Potential	mv	62-4.070, and 62-620.320, F.A.C. (BPJ)
рН	s.u.	62-4.070, and 62-620.320, F.A.C. (BPJ)
Color	PCU	62-4.070, and 62-620.320, F.A.C. (BPJ)
Solids, Total Dissolved	mg/L	62-4.070, and 62-620.320, F.A.C. (BPJ)
Salinity	PSU	62-4.070, and 62-620.320, F.A.C. (BPJ)
Specific Conductance	umhos/cm	62-4.070, and 62-620.320, F.A.C. (BPJ)
Turbidity	NTU	62-4.070, and 62-620.320, F.A.C. (BPJ)
Nitrogen, Ammonia, Total (as N)	mg/L	62-4.070, and 62-620.320, F.A.C. (BPJ)
Ammonia, Total Unionized (as NH ₃)	mg/L	62-4.070, and 62-620.320, F.A.C. (BPJ)
Ammonium ion (NH ₄ ⁺)	mg/L	62-4.070, and 62-620.320, F.A.C. (BPJ)
Nitrite plus Nitrate, Total (as N)	mg/L	62-4.070, and 62-620.320, F.A.C. (BPJ)
Nitrogen, Kjeldahl, Total (as N)	mg/L	62-4.070, and 62-620.320, F.A.C. (BPJ)
Nitrogen, Total	mg/L	62-4.070, and 62-620.320, F.A.C. (BPJ)
Phosphate, Ortho (as PO ₄)	mg/L	62-4.070, and 62-620.320, F.A.C. (BPJ)
Phosphorous, Total	mg/L	62-4.070, and 62-620.320, F.A.C. (BPJ)
Chlorophyll a	ug/L	62-4.070, and 62-620.320, F.A.C. (BPJ)
Copper, Total Recoverable	ug/L	62-4.070, and 62-620.320, F.A.C. (BPJ)
Iron, Total Recoverable	mg/L	62-4.070, and 62-620.320, F.A.C. (BPJ)
Zinc, Total Recoverable	ug/L	62-4.070, and 62-620.320, F.A.C. (BPJ)
Boron, Total Recoverable	mg/L	62-4.070, and 62-620.320, F.A.C. (BPJ)
Chlorides (as Cl)	mg/L	62-4.070, and 62-620.320, F.A.C. (BPJ)
Magnesium, Total Recoverable	mg/L	62-4.070, and 62-620.320, F.A.C. (BPJ)

Parameter	Units	Rationale
Sodium, Total	mg/L	62-4.070, and 62-620.320, F.A.C. (BPJ)
Sulfate, Total	mg/L	62-4.070, and 62-620.320, F.A.C. (BPJ)
Sulfide, Total	mg/L	62-4.070, and 62-620.320, F.A.C. (BPJ)
Tritium	pCi/L	62-4.070, and 62-620.320, F.A.C. (BPJ)

b. Groundwater Monitoring (Groundwater Monitoring Group G-001)

Under this permit, CCS discharges to groundwater, both at and beyond the facility, will be monitored using a network of sixty-five monitoring wells (see Figure 9). The Biscayne aquifer will be monitored both laterally and vertically, with monitoring wells set in shallow, intermediate and deep zones. As shown in Figure 9, the network includes groundwater monitoring wells located in Biscayne Bay, the CCS, near the facility perimeter, and westward, or inland, of the facility.

During the period of operation authorized by this permit, FPL shall sample groundwater from the Biscayne aquifer from the following monitoring wells:

Table II.3 Groundwater Monitoring Well Locations

TPGW - Turkey Point Groundwater.

S - shallow, M - intermediate, and D - deep monitoring zones.

G-wells: Monitoring wells installed in 1972. L-wells: Monitoring wells installed in 1974.

Monitoring Well ID	Description of Monitoring Location	Latitude		ide Lo		Longitude	
		0	'	"	0	'	"
TPGW-1S	West of Canal L-31E, west of northwest corner of the CCS (shallow)	25	26	4.7	80	21	15.8
TPGW-1M	West of Canal L-31E, west of northwest corner of the CCS						
	(intermediate)	25	26	4.7	80	21	15.8
TPGW-1D	West of Canal L-31E, west of northwest corner of the CCS (deep)	25	26	4.7	80	21	15.8
TPGW-2S	West of the south-central portion of the CCS (shallow)	25	22	54.2	80	22	11.4
TPGW2M	West of the south-central portion of the CCS (intermediate)	25	22	54.2	80	22	11.4
TPGW-2D	West of the south-central portion of the CCS (deep)	25	22	54.2	80	22	11.4
TPGW-3S	South of the CCS (shallow)	25	20	42.1	80	20	51.9
TPGW-3M	South of the CCS (intermediate)	25	20	42.1	80	20	51.9
TPGW-3D	South of the CCS (deep)	25	20	42.1	80	20	51.9
TPGW-4S	Southwest Model Lands, at Tallahassee Road (shallow)	25	22	12.0	80	24	44.1
TPGW-4M	Southwest Model Lands, at Tallahassee Road (intermediate)	25	22	12.0	80	24	44.1
TPGW-4D	Southwest Model Lands, at Tallahassee Road (deep)	25	22	12.0	80	24	44.1
TPGW-5S	Northwest Model Lands – east of Tallahassee Road (shallow)	25	25	23.9	80	24	13.3
TPGW-5M	Northwest Model Lands – east of Tallahassee Road (intermediate)	25	25	23.9	80	24	13.3
TPGW-5D	Northwest Model Lands – east of Tallahassee Road (deep)	25	25	23.9	80	24	13.3
TPGW-6S	Northwest of the CCS, east of Homestead – Miami Speedway						
	(shallow)	25	27	20.3	80	23	13.0
TPGW-6M	Northwest of the CCS, east of Homestead – Miami Speedway						
	(intermediate)	25	27	20.3	80	23	13.0
TPGW-6D	Northwest of the CCS, east of Homestead – Miami Speedway (deep)	25	27	20.3	80	23	13.0
TPGW-7S	Northwest Model Lands (shallow)	25	26	02.5	80	25	40.7
TPGW-7M	Northwest Model Lands (intermediate)	25	26	02.5	80	25	40.7
TPGW-7D	Northwest Model Lands (deep)	25	26	02.5	80	25	40.7
TPGW-8S	West central Model Lands (shallow)	25	24	36.4	80	27	08.7
TPGW-8M	West central Model Lands (intermediate)	25	24	36.4	80	27	08.7
TPGW-8D	West central Model Lands (deep)	25	24	36.4	80	27	08.7

Monitoring Well ID	oring Well ID Description of Monitoring Location Latitude		itude Lon			ngitude	
		0	1	"	0	,	"
TPGW-9S	West of Card Sound Canal Road, southwest of CCS (shallow)	25	22	28.6	80	28	41.9
TPGW-9M	West of Card Sound Canal Road, southwest of CCS (intermediate)	25	22	28.6	80	28	41.9
TPGW-9D	West of Card Sound Canal Road, southwest of CCS (deep)	25	22	28.6	80	28	41.9
TPGW-10S	Biscayne Bay, channel entrance to Barge Basin (shallow)	25	26	27.4	80	19	29.0
TPGW-10M	Biscayne Bay, channel entrance to Barge Basin (intermediate)	25	26	27.4	80	19	29.0
TPGW-10D	Biscayne Bay, channel entrance to Barge Basin (deep)	25	26	27.4	80	19	29.0
TPGW-11S	Biscayne Bay, east of the CCS (shallow)	25	23	49.4	80	18	15.0
TPGW-11M	Biscayne Bay, east of the CCS (intermediate)	25	23	49.4	80	18	15.0
TPGW-11D	Biscayne Bay, east of the CCS (deep)	25	23	49.4	80	18	15.0
TPGW-12S	North of the CCS (shallow)	25	26	55.4	80	20	22.9
TPGW-12M	North of the CCS (intermediate)	25	26	55.4	80	20	22.9
TPGW-12D	North of the CCS (deep)	25	26	55.4	80	20	22.9
TPGW-13S	In the central portion of the CCS (shallow)	25	23	39.0	80	21	07.1
TPGW-13M	In the central portion of the CCS (intermediate)	25	23	39.0	80	21	07.1
TPGW-13D	In the central portion of the CCS (deep)	25	23	39.0	80	21	07.1
TPGW-14S	Biscayne Bay, southeast of the CCS (shallow)	25	21	15.5	80	19	34.5
TPGW-14M	Biscayne Bay, southeast of the CCS (intermediate)	25	21	15.5	80	19	34.5
TPGW-14D	Biscayne Bay, southeast of the CCS (deep)	25	21	15.5	80	19	34.5
TPGW-15S	Northwest corner of CCS (shallow)	25	25	56.9	80	21	2.5
TPGW-15M	Northwest corner of CCS (intermediate)	25	25	56.9	80	21	2.5
TPGW-15D	Northwest corner of CCS (deep)	25	25	56.9	80	21	2.5
TPGW-16S	East of the south-central portion of the CCS (shallow)	25	22	37.7	80	19	53.8
TPGW-16M	East of the south-central portion of the CCS (intermediate)	25	22	37.7	80	19	53.8
TPGW-16D	East of the south-central portion of the CCS (deep)	25	22	37.7	80	19	53.8
TPGW-17S	East of the L-31E canal, adjacent to S-20 structure (shallow)	25	22	71.4	80	22	53.2
TPGW-17M	East of the L-31E canal, adjacent to S-20 structure (intermediate)	25	22	1.4	80	22	32.2
TPGW-17D	East of the L-31E canal, adjacent to S-20 structure (deep)	25	22	1.4	80	22	32.2
TPGW-18S	Model Lands, west of L-3 (shallow)	25	25	12.5	80	22	17.8
TPGW-18M	Model Lands, west of L-3 (intermediate)	25	25	12.5	80	22	17.8
TPGW-18D	Model Lands, west of L-3 (deep)	25	25	12.5	80	22	17.8
TPGW-19S	Model Lands, north of Florida City Canal (shallow)	25	26	54.2	80	21	31.3
TPGW-19M	Model Lands, north of Florida City Canal (intermediate)	25	26	54.2	80	21	31.3
TPGW-19D	Model Lands, north of Florida City Canal (deep)	25	26	54.2	80	21	31.3
TPGW-20D	Adjacent to City of Homestead baseball complex	25	27	19.9	80	26	10.5
TPGW-21S	Converted USGS well G-3164 (shallow)	25	25	20.2	80	26	10.5
TPGW-21M	Converted USGS well G-3164 (intermediate)	25	25	20.2	80	26	10
TPGW-21D	Converted USGS well G-3164 (deep)	25	25	20.2	80	19	10
L-3	East of the L-31E canal, north-central portion of the CCS (Not	23	23	20.2	- 00	1)	10
L-3	Automated). This well is an open-hole well, monitored at						
	approximately 18 feet and 58 feet below land surface.	25	25	09.7	80	21	28.7
L-5	East of the L-31E canal, south-central portion of the CCS (Not			07.7	- 00		20.7
20	Automated). This well is an open-hole well, monitored at						
	approximately 18 feet and 58 feet below land surface.	25	23	20.9	80	22	7.3
G-28	Tallahassee Rd, south of Model Lands basin (Not Automated). This						
	well is an open-hole well, monitored at approximately 18 feet and 58						
	feet below land surface.	25	23	25.5	80	24	43.6
G-21	Tallahassee Rd, north of Model Lands basin (Not Automated). This						
	well is an open-hole well, monitored at approximately 18 feet and 58						
	feet below land surface.	25	25	34.8	80	24	42.9

Under the FPL Turkey Point Power Plant Groundwater, Surface Water, and Ecological Monitoring Plan, which began in 2009, FPL conducted an assessment regarding the identification of potential tracer monitoring parameters for use in determining the occurrence of CCS waters in the region. FPL documented their findings in the August 2011

annual monitoring report submitted to SFWMD and the Department. Based on these findings, the Department identified tritium in conjunction with major seawater ions and other constituents to be monitored as a means of fingerprinting to be used by FPL in identifying CCS waters in the region. The wells in Table II.3 above shall be monitored for the following parameters.

Table II.4 Parameters monitored in Groundwater

Parameter	Units	Rationale
Temperature	Deg F	62-520, F.A.C.
Water Level Relative to NAVD	ft	62-520, F.A.C.
Specific Conductance	umhos/cm	62-520, F.A.C.
Salinity	PSU	62-520, F.A.C.
Fluid Density	g/cm ³	62-520, F.A.C.
рН	s.u.	62-520, F.A.C.
Solids, Total Dissolved (TDS)	mg/L	62-520, F.A.C.
Chloride (as Cl)	mg/L	62-520, F.A.C.
Sodium, Total	mg/L	62-520, F.A.C.
Calcium, Total	mg/L	62-520, F.A.C.
Potassium, Total	mg/L	62-520, F.A.C.
Iron, Total Recoverable	mg/L	62-520, F.A.C.
Tritium	pCi/L	Tracer (BPJ)
Nitrogen, Ammonia, Total (as N)	mg/L	62-520, F.A.C.
Ammonium ion (NH ₄ ⁺)	mg/L	62-520, F.A.C.
Ammonia, Total Unionized (as NH ₃)	mg/L	62-520, F.A.C.
Nitrite plus Nitrate, Total (as N)	mg/L	62-520, F.A.C.
Nitrogen, Kjeldahl, Total (as N)	mg/L	62-520, F.A.C.
Nitrogen, Total	mg/L	62-520, F.A.C.
Phosphorus, Total (as P)	mg/L	62-520, F.A.C.
Phosphate, Ortho (as PO ₄)	mg/L	62-520, F.A.C.
Boron, Total Recoverable	mg/L	62-520, F.A.C.
Magnesium, Total Recoverable	mg/L	62-520, F.A.C.
Sulfate, Total	mg/L	62-520, F.A.C.

The above listed parameters are report only except for Nitrite plus Nitrate, Total (as N), which has a limit of 10 mg/L in samples collected from monitoring wells TPGW-1, and TPGW-18.

Tritium will be collected quarterly and is being monitored as a tracer for identifying contributions of CCS water to the Biscayne aquifer.

In addition, permit condition II.D.8 prohibits the discharge of nuisance, acutely toxic, carcinogenic, mutagenic, teratogenic, and dangerous components in accordance with Rules 62-520.400, and 62-520.430, F.A.C.

c. <u>Surface Water Monitoring (Biscayne Bay, L-31E Canal, S-20 Discharge Canal, Card Sound Discharge Canal)</u> (Surface Water Monitoring Group D-01A)

Surface water monitoring as shown in Table II.5 is required in this permit to confirm that discharge from the CCS to groundwater does not impair the designated use of contiguous surface waters pursuant to Rule 62-520.310(2), F.A.C. Therefore, the same parameters are monitored in the CCS and surface waters of the State as discussed below.

Biscayne Bay is subject to the estuary-specific numeric nutrient criteria in Paragraph 62-302.532(1)(h), F.A.C. The Department updated the 303d lists of impaired waters in June 2017, identifying the majority of Biscayne Bay, including the South Central Biscayne Bay segments east of the facility as impaired for nutrients based on chlorophyll *a* levels. Section 403.067, F.S., implements section 303(d) of the Clean Water Act, and requires the Department to develop lists of impaired waters, and to develop Total Maximum Daily Loads (TMDL) for those waters. The Card

Sound segment of Biscayne Bay to the south of the facility is not identified as impaired for nutrients. Biscayne Bay is not identified as impaired for any other parameters and has not been previously identified as impaired for nutrients. Figure 10 provides a map of Biscayne Bay showing South Central and Card Sound bay segments.

In accordance with Paragraphs 62-302.700(9)(h)5, F.A.C., (Biscayne Bay, Cape Florida) and 62-302.700(9)(h)6, F.A.C., (Biscayne Bay, Card Sound) Biscayne Bay is an Outstanding Florida Water (OFW), and parts of the South Central and Card Sound bay segments are within the Biscayne Bay Aquatic Preserve. "Outstanding Florida Waters" means waters designated by the Environmental Regulation Commission as worthy of special protection because of their natural attributes as defined by Rule 62-302.200(26), F.A.C. Additionally, in accordance with Paragraph 62-302.700(9)(a)1, F.A.C., Biscayne National Park is an OFW and encompasses much of the Biscayne Bay estuary. Biscayne National Park is also an Outstanding National Resource Water in accordance with Paragraph 62-302.700(10)(a)1, F.A.C. "Outstanding National Resources Waters" means waters designated by the Environmental Regulation Commission that are of such exceptional recreational or ecological significance that water quality should be maintained and protected as defined by Rule 62-302.200(27), F.A.C.

The L-31E canal is approximately parallel to the western boundary of the CCS, and the S-20 Discharge Canal is parallel to the southwest and south sides of the CCS. These canals are controlled by the SFWMD. Salinity in the canals fluctuates seasonally.

The L-31E canal was primarily constructed as a barrier to prevent salinity intrusion to locations west of the canal. The L-31E canal collects water from other drainage canals in the area. The L-31E canal discharges into Biscayne Bay through the S-20 Discharge Canal.

Table II.5 Surface Water Monitoring Locations

TPBBSW - Turkey Point Biscayne Bay Surface Water.

TPSWC - Adjacent Surface Water Canals.

T - Top samples, B - Bottom samples.

Sample Station ID	Location	Latitude		Longitude		ude	
		0	•	"	0	'	"
TPBBSW-3	Biscayne Bay	25	23	49.38	80	18	14.82
TPBBSW-4	Biscayne Bay	25	20	40.34	80	19	43.90
TPBBSW-5	Biscayne Bay	25	19	13.69	80	22	1.70
TPBBSW-7T	Biscayne Bay near Turtle Point	25	25	9.99	80	19	42.15
	Canal Dam						
TPBBSW 8	Terminus of Barge Canal	25	25	12.61	80	19	29.89
TPBBSW-10	Biscayne Bay	25	26	27.83	80	19	22.92
TPBBSW-14	Biscayne Bay	25	25	15.50	80	19	34.50
TPSWC-1B	L-31E Canal						
TPSWC-1T		25	25	58.44	80	21	11.87
TPSWC-2B	L-31E Canal						
TPSWC-2T		25	24	21.20	80	21	46.30
TPSWC-3B	L-31E Canal						
TPSWC-3T		25	22	10.47	80	22	33.00
TPSWC-4B	S-20 Canal	25	21	24.10	80	22	3.00
TPSWC-4T							
TPSWC-5B	Card Sound <u>Discharge</u> Canal at						
TPSWC-5T	Hotel 2 Dam	25	21	24.62	80	20	18.70

Table II.6 Parameters monitored in Surface Waters

Parameter	Units	Rationale
Temperature, Water	Deg F	62-4.070, and 62-620.320, F.A.C. (BPJ)
pН	s.u.	62-4.070, and 62-620.320, F.A.C. (BPJ)
Solids, Total Dissolved (TDS)	mg/L	62-4.070, and 62-620.320, F.A.C. (BPJ)
Salinity	PSU	62-4.070, and 62-620.320, F.A.C. (BPJ)
Specific Conductance	umhos/ cm	62-4.070, and 62-620.320, F.A.C. (BPJ)
Turbidity	NTU	62-4.070, and 62-620.320, F.A.C. (BPJ)
Nitrogen, Ammonia, Total (as N)	mg/L	62-4.070, and 62-620.320, F.A.C. (BPJ)
Ammonia, Total Unionized (as NH ₃)	mg/L	62-4.070, and 62-620.320, F.A.C. (BPJ)
Ammonium ion (NH ₄ ⁺)	mg/L	62-4.070, and 62-620.320, F.A.C. (BPJ)
Nitrite plus Nitrate, Total (as N)	mg/L	62-4.070, and 62-620.320, F.A.C. (BPJ)
Nitrogen, Kjeldahl, Total (as N)	mg/L	62-4.070, and 62-620.320, F.A.C. (BPJ)
Nitrogen, Total	mg/L	62-4.070, and 62-620.320, F.A.C. (BPJ)
Phosphate, Ortho (as PO ₄)	mg/L	62-4.070, and 62-620.320, F.A.C. (BPJ)
Phosphorous, Total	mg/L	62-4.070, and 62-620.320, F.A.C. (BPJ)
Chlorophyll a	ug/L	62-4.070, and 62-620.320, F.A.C. (BPJ)
Copper, Total Recoverable	ug/L	62-4.070, and 62-620.320, F.A.C. (BPJ)
Iron, Total Recoverable	mg/L	62-4.070, and 62-620.320, F.A.C. (BPJ)
Zinc, Total Recoverable	ug/L	62-4.070, and 62-620.320, F.A.C. (BPJ)
Boron, Total Recoverable	mg/L	62-4.070, and 62-620.320, F.A.C. (BPJ)
Chlorides (as Cl)	mg/L	62-4.070, and 62-620.320, F.A.C. (BPJ)
Magnesium, Total Recoverable	mg/L	62-4.070, and 62-620.320, F.A.C. (BPJ)
Sodium, Total	mg/L	62-4.070, and 62-620.320, F.A.C. (BPJ)
Sulfate, Total	mg/L	62-4.070, and 62-620.320, F.A.C. (BPJ)
Tritium	pCi/L	62-4.070, and 62-620.320, F.A.C. (BPJ)

d. Porewater Monitoring

Table II.7 Porewater Monitoring Locations (Surface Water Monitoring Group D-02A)

During the period of operation authorized by this permit, the permittee shall sample porewater (free water present in sediments) from coastal marine wetlands north, east, and south of the CCS from locations described below in accordance with the protocols set forth in FPL's Quality Assurance Project Plan dated 2013:

Porewater Monitoring ID	Description of Monitoring Location		Latitude		I	ongitud	e
PW M1-2	Coastal marine wetlands; ½ mile north of power block	25	26	49.8	80	19	57.7
PW M2-2	Coastal marine wetlands; east of CCS, 2 miles south of power block	25	24	18.8	80	19	47.6
PW M3-2	Coastal marine wetlands; east of CCS, 3.4 miles south of power block	25	23	4.2	80	19	40.6

PW M4-2	Coastal marine wetlands; southeast corner of CCS	25	21	16.8	80	19	44.9
PW M5-2	Coastal marine wetlands; south of CCS	25	20	56	80	20	33
PW M6-1	Coastal marine wetlands; west of Card Sound Road (background location)	25	17	40.1	80	23	46.8

Table II.8 Parameters monitored in Porewater

Parameter	Units	Sample Type	Monitoring Frequency
Temperature	Deg F	Grab	Semi-Annually
pН	s.u.	Grab	Semi-Annually
Specific Conductance	μmhos/cm	Grab	Semi-Annually
Salinity	PSU	Grab	Semi-Annually
Fluid Density	g/cm ³	Grab	Semi-Annually
Solids, Total Dissolved (TDS)	mg/L	Grab	Semi-Annually
Chloride (as Cl)	mg/L	Grab	Semi-Annually
Sodium, Total	mg/L	Grab	Semi-Annually
Calcium, Total	mg/L	Grab	Semi-Annually
Potassium, Total	mg/L	Grab	Semi-Annually
Boron, Total Recoverable	mg/L	Grab	Semi-Annually
Copper, Total Recoverable	ug/L	Grab	Semi-Annually

Iron, Total Recoverable	mg/L	Grab	Semi-Annually
Zinc, Total Recoverable	ug/L	Grab	Semi-Annually
Magnesium, Total Recoverable	mg/L	Grab	Semi-Annually
Sulfate, Total	mg/L	Grab	Semi-Annually
Tritium	pCi/L	Grab	Semi-Annually
Nitrogen, Ammonia, Total (as N)	mg/L	Grab	Semi-Annually
Ammonium ion (as NH ₄)	mg/L	Grab	Semi-Annually
Ammonia, Total Unionized (as NH ₃)	mg/L	Grab	Semi-Annually
Nitrite plus Nitrate, Total (as N)	mg/L	Grab	Semi-Annually
Nitrogen, Kjeldahl, Total (as N)	mg/L	Grab	Semi-Annually
Nitrogen, Total (as N)	mg/L	Grab	Semi-Annually
Phosphorus, Total (as P)	mg/L	Grab	Semi-Annually
Phosphate, Ortho (as PO ₄)	mg/L	Grab	Semi-Annually

2. <u>NEW PERMIT CONDITIONS</u>

a. Nutrient Monitoring and Annual Reporting

The draft permit requires FPL to submit an annual nutrient monitoring summary report based on at least 24 months of groundwater, surface water, and CCS monitoring data to the Department. The report is to be submitted by November <u>August 31st</u> of each year, commencing in the third year following permit issuance. Where required by Chapter 471 (P.E.) or Chapter 492 (P.G.), Florida Statute, applicable portions of the report must be signed and sealed by the professional(s) who prepared them. The report is required to include by station and depth where specified:

- a. Annual geometric mean (AGM) concentrations by nutrient parameter;
- b. Arithmetic mean;
- c. Percentiles including 25th, 75th, and 90th, number of samples collected by parameter; and

d. Evaluation of trends over the period of record by parameter.

b. <u>Impoundment Conditions</u>

FPL is required to properly operate and maintain all treatment and control facilities used to achieve compliance with this permit. Impoundments, including the CCS, used to treat or store wastewater are considered to be treatment and control facilities and are subject to the operation and maintenance requirements in this permit.

The permit includes new requirements to address impoundment construction, operation, and maintenance, including periodic inspections by trained personnel who are knowledgeable in impoundment design and safety. In addition, annual inspections by qualified responsible officials are required. Increased monitoring is required after large precipitation events, when there is an increased stress to impoundments and a greater potential for impacts on integrity. In response to any changes, such as cracks, erosion, bulges, and changes in seepage that may compromise their integrity, FPL is also required to respond in a timely manner. The permit requires documenting the results of the annual inspections and reporting the remedial activities taken, as well as timely reporting of changes to integrity and associated corrective actions.

The permittee shall take actions that will allow the thermal efficiency of the CCS to achieve a minimum annual average of 70 percent. The CCS shall be monitored at an annual average of its thermal efficiency determined, as is prescribed in the Turkey Point Thermal Efficiency Plan. The findings of each inspection including thermal efficiency shall be documented in a written annual inspection report as described in permit condition VIII.G.1.

c. Best Management Practices Plan

FPL is required to develop and implement a Best Management Practices Plan (Plan) to prevent or minimize the generation and the potential for the release of pollutants (including mercury per Rule 62-304.900, F.A.C., copper, iron, zinc, and nutrients) from facility operations (including spillage, leaks, and material and waste handling and storage activities) to industrial wastewater and stormwater in the CCS. FPL must develop and implement provisions of the Plan in accordance with Section VII of the permit.

e. Monitoring

The draft permit requires FPL to monitor groundwater, surface water, and porewater (see Figure 6). Groundwater monitoring consists of an existing network of sixty-five monitoring wells (see Figure 9). The Biscayne aquifer will be monitored both laterally and vertically, with monitoring wells set in shallow, intermediate and deep zones. As shown in Figure 9, the network includes groundwater monitoring wells located in Biscayne Bay, the CCS, near the facility perimeter, and westward, or inland, of the facility.

The surface watering monitoring consists of 20 monitoring sites – six in canals adjacent to the CCS, seven within the CCS, and seven in Biscayne Bay (see Figure 7). The previous permit included one of the monitoring sites in the CCS. The other nineteen monitoring sites are existing from other monitoring programs, and were selected to be included in this draft permit. Parameters include temperature, total suspended solids, pH, salinity, specific conductance, copper, iron and zinc.

Porewater monitoring consists of six sites located in coastal mangroves (see Figure 8). One site is located to establish background conditions. The other five are located to establish water quality conditions north, east and south of the CCS. The six porewater sites are existing from other monitoring programs, and were selected to be included in this draft permit. Parameters monitored at the porewater and surface water sites are the same. The draft permit requires FPL to take action to lower copper, iron, zinc and nitrate and nitrite in the CCS water if the levels reach certain thresholds.

3. CONSENT ORDER (OGC File No. 16-0241)

On June 20, 2016, FPL entered into a Consent Order (CO) with the Department to resolve a Notice of Violation (NOV) dated April 25, 2016. The CO finds found that elevated salinity levels in the CCS cause, or at a minimum contribute to, hypersaline discharges into the groundwater. The CO also found that \(\frac{\psi}{2}\) the CCS is was the major continuing cause of the westward movement of the saltwater interface (the intersection of Class G-II and G-III groundwaters), and that the discharge of hypersaline water contributes to saltwater intrusion. (The phrase "hypersaline" as used in the CO means water that exceeds 19,000 mg/L of chlorides). The CO found that Ssaltwater intrusion into the area west of the CCS is was impairing the reasonable and beneficial use of adjacent G-II groundwater in that area. The CO stipulates remedial actions and timelines for achieving compliance with the following objectives:

- a. cease discharges from the CCS that impair the reasonable and beneficial use of the adjacent Class G-II ground waters to the west of the CCS in violation of Condition I.1 (formerly Condition IV.1) of the Permit and Rule 62-520.400, F.A.C.:
- b. prevent releases of groundwater from the CCS to surface waters connected to Biscayne Bay that result in exceedances of surface water quality standards; and
- c. provide mitigation for impacts related to the historic operation of the CCS, including but not limited to the hypersaline plume and its influence on the saltwater interface.

After FPL has demonstrated to the Department that it has fulfilled the requirements of the CO, all requirements of the CO will be terminated except for the requirement to maintain the average annual salinity of the CCS at or below 34 practical salinity until an average annual salinity of the CCS is designated in a Department permit.

4. THE ADMINISTRATIVE RECORD

The administrative record including application, draft permit, fact sheet, public notice (after release), comments received and additional information is available for public inspection during normal business hours at the location specified in Section 8. Copies will be provided at a minimal charge per page.

5. PROPOSED SCHEDULE FOR PERMIT ISSUANCE

Draft Permit and Public Notice to Applicant and U.S. Environmental Protection Agency (EPA) January 2, 2019

Public Comment Period Beginning: February 1, 2019

Ending: March 3, 2019

Notice of Intent to Issue April 2, 2019

Notice of Permit Issuance April 23, 2019

6. DEPARTMENTOF ENVIRONMENTAL PROTECTION CONTACT

Additional information concerning the permit and proposed schedule for permit issuance may be obtained during normal business hours from:

Marc Harris, P.E.
Department of Environmental Protection
Bob Martinez Center
2600 Blair Stone Road, Mail Station 3545
Tallahassee, Florida 32399-2400
Telephone Number: (850) 245-8589

Fax Number: (850) 245-8669

7. PROCEDURES FOR THE FORMULATION OF FINAL DETERMINATIONS

a. Public Comment Period

The Department of Environmental Protection proposes to issue a wastewater facility permit to this applicant subject to the aforementioned effluent limitations and conditions. This decision is tentative and open to comment from the public.

Interested persons are invited to submit written comments regarding permit issuance on the draft permit limitations and conditions to the following address:

Department of Environmental Protection 2600 Blair Stone Road Mail Station 3545 Tallahassee, Florida 32399-2400 Attn.: Marc Harris, P.E.

All comments received within 30 days following the date of public notice, pursuant to Rule 62-620.550, F.A.C., will be considered in the formulation of the final decision with regard to permit issuance.

Any interested person may submit written comments on the Department's proposed permitting decision or may submit a written request for a public meeting to the address specified above, in accordance with Rule 62-620.555, F.A.C. The comments or request for a public meeting must contain the information set forth below and must be received in the above address of the Department within 30 days of receipt or publication of the public notice. Failure to submit comments or request a public meeting within this time period will constitute a waiver of any right such person may have to submit comments or request a public meeting under Rule 62-620.555, F.A.C.

The comments or request for a public meeting shall contain the following information:

- (1) The commenter's name, address and telephone number, the applicant's name and address, the Department Permit File Number and the county in which the project is proposed;
- (2) A statement of how and when notice of the draft permit was received;
- (3) A description of any changes the commenter proposes for the draft permit;
- (4) A full explanation of the factual and legal reasons for each proposed change to the draft permit; and
- (5) A request that a public meeting be scheduled (if applicable) including a statement of the nature of the issues proposed to be raised at the meeting.

b. Public Meeting

The Department will hold a public meeting if there is a significant degree of public interest in the draft permit or if it determines that useful information and data may be obtained thereby. Public notice of such a meeting shall be published by the applicant at least 30 days prior to the meeting.

If a public meeting is scheduled the public comment period is extended until the close of the public meeting. If a public meeting is held any person may submit oral or written statements and data at the meeting on the Department's proposed action.

c. Issuance of the Permit

The Department will make its decision regarding permit issuance after consideration of all written comments, including comments from the EPA on surface water discharge (NPDES) aspects of the draft or proposed permit; the requirements of Chapter 403, F.S., and appropriate rules; and, if a public meeting is held, after consideration of all comments, statements and data presented at the public meeting. The Department will respond to all significant comments in writing. The Department's response to significant comments will be included in the administrative record of the permit and will be available for public inspection at the above address of the Department.

Unless a request for an administrative hearing, or an extension of time to file a petition for an administrative hearing, pursuant to Chapter 120, F.S., as indicated in d. below, is granted, the Department will take final agency action by issuing the permit or denying the permit application. If an administrative hearing is convened, final agency action will be based on the outcome of the hearing.

d. Administrative Hearing

A person whose substantial interests are affected by the Department's proposed permitting decision has the opportunity to petition for an administrative proceeding (hearing) to challenge the Department's decision in accordance with Section 120.57, F.S.

An administrative hearing is an evidentiary proceeding in which evidence is presented by testimony and exhibits before an independent hearing officer. The result of an administrative hearing is the issuance of the hearing officer's recommended order to the Department, including the hearing officer's findings of fact, based on the evidence presented at the hearing. The Department will issue a final order, granting or denying the permit, based on the hearing officer's recommended order.

The petition for an administrative hearing must contain the information set forth below and must be filed (received) in the Office of General Counsel of the Department at 3900 Commonwealth Boulevard, Tallahassee, Florida 32399-3000, within 14 days of publication of notice of agency action or within 14 days of personal receipt of notice of agency action, whichever occurs first. The petitioner is to mail a copy of the petition to the applicant at the time of filing. Failure to file a petition within this time period will constitute a waiver of any right such person may have to request an administrative determination (hearing) under section 120.57, F.S. The petition is to contain the following information:

- (1) The name, address and telephone number of each petitioner, the applicant's name and address, the Department Permit File Number and the county in which the project is proposed;
- (2) A statement of how and when each petitioner received notice of the Department's action or proposed action;
- (3) A statement of how each petitioner's substantial interests are affected by the Department's action or proposed action;
- (4) A statement of the material facts which the petitioner contends warrant reversal or modification of the Department's action or proposed action;
- (5) A statement of which rules or statutes petitioner contends require reversal or modification of the Department's action or proposed action; and
- (6) A statement of the relief sought by the petitioner, stating precisely the action the petitioner wants the Department to take with respect to the Department's action or proposed action.

If a petition is filed, the administrative hearing process is designed to formulate agency action. Accordingly, the Department's final action may be different from the position taken by it in the notice of agency action. Persons whose substantial interests will be affected by any decision of the Department on the application have the right to petition to become a party to the proceeding, regardless of their agreement or disagreement with the Department's proposed action indicated in the notice of agency action.

DEPARTMENT OF ENVIRONMENTAL PROTECTION DISCHARGE MONITORING REPORT - PART A

When Completed submit this report to: http://www.fldepportal.com/go/

PERMITTEE NAME:	FPL	PERMIT NUMBER:	FL0001562-012-IW1N		
MAILING ADDRESS:	700 Universe Blvd				
	Juno Beach, Florida 33408-	LIMIT:	Final	REPORT FREQUENCY:	Monthly
		CLASS SIZE:	MA	PROGRAM:	Industrial

FACILITY: FPL Turkey Point Plant MONITORING GROUP NUMBER: D-01A 9700 SW 344th St MONITORING GROUP DESCRIPTION: A new permitted series of surface water monitoring sites in Biscayne Bay, L-31E canal, S-20 canal and Card Sound canal that monitors surface waters.

Homestead, FL 33035-1800 RE-SUBMITTED DMR:

COUNTY: Miami-Dade MONITORING PERIOD From: To: ________
OFFICE: Tallahassee

	1								l de v	-	~
Parameter		Quantity of	or Loading	Units	Qı	uality or Concentrati	ion	Units	No. Ex.	Frequency of Analysis	Sample Type
Temperature (F), Water (Top)	Sample Measurement								LA.	Anarysis	
PARM Code 00011 6 Mon. Site No. SWD-2	Permit Requirement					Report (Mo.Avg.)	Report (Day.Max.)	Deg F		Monthly	In Situ
Temperature (F), Water (Bottom)	Sample Measurement										
PARM Code 00011 P Mon. Site No. SWD-2	Permit Requirement					Report (Mo.Avg.)	Report (Day.Max.)	Deg F		Monthly	In Situ
Temperature (F), Water (Top)	Sample Measurement										
PARM Code 00011 Q Mon. Site No. SWD-3	Permit Requirement					Report (Mo.Avg.)	Report (Day.Max.)	Deg F		Monthly	In Situ
Temperature (F), Water (Bottom)	Sample Measurement				Y						
PARM Code 00011 R Mon. Site No. SWD-3	Permit Requirement					Report (Mo.Avg.)	Report (Day.Max.)	Deg F		Monthly	In Situ
Temperature (F), Water (Top)	Sample Measurement			/							
PARM Code 00011 S Mon. Site No. SWD-4	Permit Requirement					Report (Mo.Avg.)	Report (Day.Max.)	Deg F		Monthly	In Situ
Temperature (F), Water (Bottom)	Sample Measurement		4								
PARM Code 00011 T Mon. Site No. SWD-4	Permit Requirement					Report (Mo.Avg.)	Report (Day.Max.)	Deg F		Monthly	In Situ

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE (mm/dd/yyyy)

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here):

FACILITY:	FPL Turkey Point Plant	MONITORING GROUP	D-01A			PERMIT NUMBER: FL0001562-012-IW1N
		NUMBER:		4		
		MONITORING PERIOD	From:	4	To:	

Parameter		Quantity of	r Loading	Units	Qı	uality or Concentrati	ion	Units	No. Ex.	Frequency of Analysis	Sample Type
Temperature (F), Water (Top)	Sample Measurement										
PARM Code 00011 U Mon. Site No. SWD-5	Permit Requirement					Report (Mo.Avg.)	Report (Day.Max.)	Deg F		Monthly	In Situ
Temperature (F), Water (Bottom)	Sample Measurement										
PARM Code 00011 V Mon. Site No. SWD-5	Permit Requirement					Report (Mo.Avg.)	Report (Day.Max.)	Deg F		Monthly	In Situ
Temperature (F), Water (Top)	Sample Measurement										
PARM Code 00011 W Mon. Site No. SWD-6	Permit Requirement					Report (Mo.Avg.)	Report (Day.Max.)	Deg F		Monthly	In Situ
Temperature (F), Water (Bottom)	Sample Measurement										
PARM Code 00011 1 Mon. Site No. SWD-6	Permit Requirement					Report (Mo.Avg.)	Report (Day.Max.)	Deg F		Monthly	In Situ
Temperature (F), Water (Top)	Sample Measurement										
PARM Code 00011 5 Mon. Site No. SWD-7	Permit Requirement					Report (Mo.Avg.)	Report (Day.Max.)	Deg F		Monthly	In Situ
Temperature (F), Water (Bottom)	Sample Measurement										
PARM Code 00011 A Mon. Site No. SWD-7	Permit Requirement					Report (Mo.Avg.)	Report (Day.Max.)	Deg F		Monthly	In Situ
Temperature (F), Water (Top)	Sample Measurement										
PARM Code 00011 B Mon. Site No. SWD-8	Permit Requirement					Report (Mo.Avg.)	Report (Day.Max.)	Deg F		Monthly	In Situ
Temperature (F), Water (Bottom)	Sample Measurement		All Van								
PARM Code 00011 G Mon. Site No. SWD-8	Permit Requirement					Report (Mo.Avg.)	Report (Day.Max.)	Deg F		Monthly	In Situ
Temperature (F), Water (Top)	Sample Measurement										
PARM Code 00011 7 Mon. Site No. SWD-9	Permit Requirement					Report (Mo.Avg.)	Report (Day.Max.)	Deg F		Monthly	In Situ
Temperature (F), Water (Bottom)	Sample Measurement										
PARM Code 00011 I Mon. Site No. SWD-9	Permit Requirement					Report (Mo.Avg.)	Report (Day.Max.)	Deg F		Monthly	In Situ

FACILITY:	FPL Turkey Point Plant	MONITORING GROUP	D-01A		PERMIT NUMBER: FLO	0001562-012-IW1N
		NUMBER:		4		
		MONITORING PERIOD	From:		To:	

Parameter		Quantity of	Loading	Units	Qı	uality or Concentrati	on	Units	No.	Frequency of	Sample Type
T (F) W((T)	G 1					411			Ex.	Analysis	
Temperature (F), Water (Top)	Sample Measurement										
PARM Code 00011 J	Permit					Report	Report	Deg F		Monthly	In Situ
Mon. Site No. SWD-10	Requirement					(Mo.Avg.)	(Day.Max.)				
Temperature (F), Water (Bottom)	Sample Measurement										
PARM Code 00011 K	Permit					Report	Report	Deg F		Monthly	In Situ
Mon. Site No. SWD-10	Requirement					(Mo.Avg.)	(Day.Max.)				
Temperature (F), Water (Top)	Sample										
	Measurement										
PARM Code 00011 Y	Permit					Report	Report	Deg F		Monthly	In Situ
Mon. Site No. SWD-11	Requirement					(Mo.Avg.)	(Day.Max.)				
Temperature (F), Water (Bottom)	Sample										
	Measurement					1000					
PARM Code 00011 0	Permit					Report	Report	Deg F		Monthly	In Situ
Mon. Site No. SWD-11	Requirement					(Mo.Avg.)	(Day.Max.)				
Temperature (F), Water (Top)	Sample										
1, , , , , , , , , , , , , , , , , , ,	Measurement			4							
PARM Code 00011 2	Permit			-		Report	Report	Deg F		Monthly	In Situ
Mon. Site No. SWD-12	Requirement					(Mo.Avg.)	(Day.Max.)				
Temperature (F), Water (Bottom)	Sample										
	Measurement										
PARM Code 00011 3	Permit					Report	Report	Deg F		Monthly	In Situ
Mon. Site No. SWD-12	Requirement					(Mo.Avg.)	(Day.Max.)				
Salinity (Top)	Sample Measurement					` '					
PARM Code 00480 6	Permit					Report	Report	ppt		Monthly	In Situ
Mon. Site No. SWD-8	Requirement					(Mo.Avg.)	(Day.Max.)	**			
Salinity (Bottom)	Sample Measurement		All Value								
PARM Code 00480 P	Permit					Report	Report	ppt		Monthly	In Situ
Mon. Site No. SWD-8	Requirement					(Mo.Avg.)	(Day.Max.)				
Salinity (Top)	Sample Measurement		M 41			\	, , , , , , , , , , , , , , , , , , , ,				
PARM Code 00480 Q	Permit					Report	Report	ppt		Monthly	In Situ
Mon. Site No. SWD-9	Requirement					(Mo.Avg.)	(Day.Max.)				
Salinity (Bottom)	Sample Measurement			1							
PARM Code 00480 R	Permit					Report	Report	ppt		Monthly	In Situ
Mon. Site No. SWD-9	Requirement					(Mo.Avg.)	(Day.Max.)				

FACILITY:	FPL Turkey Point Plant	MONITORING GROUP	D-01A	PERMIT NUMBER: FL0001562-012-IW1N
		NUMBER:		
		MONITORING PERIOD	From:	To:

		•						•			
Parameter		Quantity of	or Loading	Units	Q	uality or Concentrati	on	Units	No. Ex.	Frequency of Analysis	Sample Type
Salinity (Top)	Sample Measurement										
PARM Code 00480 S Mon. Site No. SWD-10	Permit Requirement					Report (Mo.Avg.)	Report (Day.Max.)	ppt		Monthly	In Situ
Salinity (Bottom)	Sample Measurement										
PARM Code 00480 T Mon. Site No. SWD-10	Permit Requirement					Report (Mo.Avg.)	Report (Day.Max.)	ppt		Monthly	In Situ
Salinity (Top)	Sample Measurement						, ,				
PARM Code 00480 U Mon. Site No. SWD-11	Permit Requirement					Report (Mo.Avg.)	Report (Day.Max.)	ppt		Monthly	In Situ
Salinity (Bottom)	Sample Measurement										
PARM Code 00480 V Mon. Site No. SWD-11	Permit Requirement					Report (Mo.Avg.)	Report (Day.Max.)	ppt		Monthly	In Situ
Salinity (Top)	Sample Measurement										
PARM Code 00480 W Mon. Site No. SWD-12	Permit Requirement					Report (Mo.Avg.)	Report (Day.Max.)	ppt		Monthly	In Situ
Salinity (Bottom)	Sample Measurement						(= 1)				
PARM Code 00480 1 Mon. Site No. SWD-12	Permit Requirement					Report (Mo.Avg.)	Report (Day.Max.)	ppt		Monthly	In Situ
Salinity	Sample Measurement					(11 18)					
PARM Code 00480 5 Mon. Site No. SWD-1	Permit Requirement						Report (Mo.Avg.)	ppt		Monthly	Calculated
Chloride (as Cl)	Sample Measurement										
PARM Code 00940 6 Mon. Site No. SWD-1	Permit Requirement						Report (Mo.Avg.)	mg/L		Monthly	Calculated
10.5112	requirement						(1110.111 g.)				
	· 1		400	100							
			THE STATE OF THE S								
						Į.					

DEPARTMENT OF ENVIRONMENTAL PROTECTION DISCHARGE MONITORING REPORT - PART A

When Completed submit this report to: http://www.fldepportal.com/go/

PERMITTEE NAME:	FPL	PERMIT NUMBER:	FL0001562-012-IW1N		
MAILING ADDRESS:	700 Universe Blvd				
	Juno Beach, Florida 33408-	LIMIT:	Final	REPORT FREQUENCY:	Quarterly
		CLASS SIZE:	MA	PROGRAM:	Industrial
FACILITY:	FPL Turkey Point Plant	MONITORING GROUP NUMBER:	D-01A		
LOCATION:	9700 SW 344th St	MONITORING GROUP DESCRIPTION:		ace water monitoring sites in B	
		4	canal, S-20 canal and Card So	und canal that monitors surface	waters.
	Homestead, FL 33035-1800	RE-SUBMITTED DMR:	1) 4111		
		NO DISCHARGE FROM SITE:	4111		
COUNTY:	Miami-Dade	MONITORING PERIOD From:	То:		
OFFICE:	Tallahassee				

Parameter		Quantity of	or Loading	Units	Q	uality or Concentrati	on	Units	No. Ex.	Frequency of Analysis	Sample Type
рН (Тор)	Sample Measurement										
PARM Code 00400 6 Mon. Site No. SWD-2	Permit Requirement				Report (Day.Min.)		Report (Day.Max.)	s.u.		Quarterly	In Situ
pH (Bottom)	Sample Measurement										
PARM Code 00400 P Mon. Site No. SWD-2	Permit Requirement				Report (Day.Min.)		Report (Day.Max.)	s.u.		Quarterly	In Situ
pH (Top)	Sample Measurement			4							
PARM Code 00400 Q Mon. Site No. SWD-3	Permit Requirement				Report (Day.Min.)		Report (Day.Max.)	s.u.		Quarterly	In Situ
pH (Bottom)	Sample Measurement				Y		•				
PARM Code 00400 R Mon. Site No. SWD-3	Permit Requirement				Report (Day.Min.)		Report (Day.Max.)	s.u.		Quarterly	In Situ
pH (Top)	Sample Measurement										
PARM Code 00400 S Mon. Site No. SWD-4	Permit Requirement				Report (Day.Min.)		Report (Day.Max.)	s.u.		Quarterly	In Situ
pH (Bottom)	Sample Measurement										
PARM Code 00400 T Mon. Site No. SWD-4	Permit Requirement				Report (Day.Min.)		Report (Day.Max.)	s.u.		Quarterly	In Situ

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE (mm/dd/yyyy)

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here):

FACILITY:	FPL Turkey Point Plant	MONITORING GROUP	D-01A	F	PERMIT NUMBER: FL0001562-012-IW1N
		NUMBER:	_	_	
		MONITORING PERIOD	From:	To:	

Parameter		Quantity o	r Loading	Units	Units Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
рН (Тор)	Sample Measurement										
PARM Code 00400 U Mon. Site No. SWD-5	Permit Requirement				Report (Day.Min.)		Report (Day.Max.)	s.u.		Quarterly	In Situ
pH (Bottom)	Sample Measurement										
PARM Code 00400 V Mon. Site No. SWD-5	Permit Requirement				Report (Day.Min.)		Report (Day.Max.)	s.u.		Quarterly	In Situ
рН (Тор)	Sample Measurement						(.,, ,	All			
PARM Code 00400 W Mon. Site No. SWD-6	Permit Requirement				Report (Day.Min.)		Report (Day.Max.)	s.u.		Quarterly	In Situ
pH (Bottom)	Sample Measurement										
PARM Code 00400 1 Mon. Site No. SWD-6	Permit Requirement				Report (Day.Min.)		Report (Day.Max.)	s.u.		Quarterly	In Situ
pH (Top)	Sample Measurement										
PARM Code 00400 5 Mon. Site No. SWD-7	Permit Requirement				Report (Day.Min.)		Report (Day.Max.)	s.u.		Quarterly	In Situ
pH (Bottom)	Sample Measurement										
PARM Code 00400 A Mon. Site No. SWD-7	Permit Requirement				Report (Day.Min.)		Report (Day.Max.)	s.u.		Quarterly	In Situ
pH (Top)	Sample Measurement										
PARM Code 00400 B Mon. Site No. SWD-8	Permit Requirement				Report (Day.Min.)		Report (Day.Max.)	s.u.		Quarterly	In Situ
pH (Bottom)	Sample Measurement										
PARM Code 00400 G Mon. Site No. SWD-8	Permit Requirement				Report (Day.Min.)		Report (Day.Max.)	s.u.		Quarterly	In Situ
pH (Top)	Sample Measurement										
PARM Code 00400 7 Mon. Site No. SWD-9	Permit Requirement				Report (Day.Min.)		Report (Day.Max.)	s.u.		Quarterly	In Situ
pH (Bottom)	Sample Measurement			4	, , ,		, , ,				
PARM Code 00400 I Mon. Site No. SWD-9	Permit Requirement				Report (Day.Min.)		Report (Day.Max.)	s.u.		Quarterly	In Situ

FACILITY:	FPL Turkey Point Plant	MONITORING GROUP	D-01A		PE	ERMIT NUMBER: F	L0001562-012-IW1N
		NUMBER:					
		MONITORING PERIOD	From:	4	To:		

Parameter		Quantity of	r Loading	Units	Q	uality or Concentrat	ion	Units	No. Ex.	Frequency of Analysis	Sample Type
pH (Top)	Sample Measurement										
PARM Code 00400 J Mon. Site No. SWD-10	Permit Requirement				Report (Day.Min.)		Report (Day.Max.)	s.u.		Quarterly	In Situ
pH (Bottom)	Sample Measurement										
PARM Code 00400 K Mon. Site No. SWD-10	Permit Requirement				Report (Day.Min.)		Report (Day.Max.)	s.u.		Quarterly	In Situ
pH (Top)	Sample Measurement										
PARM Code 00400 Y Mon. Site No. SWD-11	Permit Requirement				Report (Day.Min.)		Report (Day.Max.)	s.u.		Quarterly	In Situ
pH (Bottom)	Sample Measurement										
PARM Code 00400 0 Mon. Site No. SWD-11	Permit Requirement				Report (Day.Min.)		Report (Day.Max.)	s.u.		Quarterly	In Situ
pH (Top)	Sample Measurement										
PARM Code 00400 2 Mon. Site No. SWD-12	Permit Requirement				Report (Day.Min.)		Report (Day.Max.)	s.u.		Quarterly	In Situ
pH (Bottom)	Sample Measurement										
PARM Code 00400 3 Mon. Site No. SWD-12	Permit Requirement				Report (Day.Min.)		Report (Day.Max.)	s.u.		Quarterly	In Situ
Solids, Total Dissolved (TDS) (Top)	Sample Measurement										
PARM Code 70295 6 Mon. Site No. SWD-2	Permit Requirement		Annual An				Report (Day.Max.)	mg/L		Quarterly	Grab
Solids, Total Dissolved (TDS) (Bottom)	Sample Measurement										
PARM Code 70295 P Mon. Site No. SWD-2	Permit Requirement	Name of the last o	Interior Contract Con				Report (Day.Max.)	mg/L		Quarterly	Grab
Solids, Total Dissolved (TDS) (Top)	Sample Measurement										
PARM Code 70295 Q Mon. Site No. SWD-3	Permit Requirement		Wales to the last of the last	Amp			Report (Day.Max.)	mg/L		Quarterly	Grab
Solids, Total Dissolved (TDS) (Bottom)	Sample Measurement										
PARM Code 70295 R Mon. Site No. SWD-3	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab

FACILITY:	FPL Turkey Point Plant	MONITORING GROUP	D-01A		PERMIT NUMBER: FL0001562-012-IW1N
		NUMBER: MONITORING PERIOD	From:	To	
		MONTORINGTERIOD	1 10111.	 10.	

Parameter		Quantity of	or Loading	Units	Q	uality or Concentrati	on	Units	No. Ex.	Frequency of Analysis	Sample Type
Solids, Total Dissolved (TDS) (Top)	Sample Measurement										
PARM Code 70295 S Mon. Site No. SWD-4	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Solids, Total Dissolved (TDS) (Bottom)	Sample Measurement										
PARM Code 70295 T Mon. Site No. SWD-4	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Solids, Total Dissolved (TDS) (Top)	Sample Measurement						(= 11)	All			
PARM Code 70295 U Mon. Site No. SWD-5	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Solids, Total Dissolved (TDS) (Bottom)	Sample Measurement										
PARM Code 70295 V Mon. Site No. SWD-5	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Solids, Total Dissolved (TDS) (Top)	Sample Measurement										
PARM Code 70295 W Mon. Site No. SWD-6	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Solids, Total Dissolved (TDS) (Bottom)	Sample Measurement										
PARM Code 70295 1 Mon. Site No. SWD-6	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Solids, Total Dissolved (TDS) (Top)	Sample Measurement										
PARM Code 70295 5 Mon. Site No. SWD-7	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Solids, Total Dissolved (TDS) (Bottom)	Sample Measurement										
PARM Code 70295 A Mon. Site No. SWD-7	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Solids, Total Dissolved (TDS) (Top)	Sample Measurement										
PARM Code 70295 B Mon. Site No. SWD-8	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Solids, Total Dissolved (TDS) (Bottom)	Sample Measurement										
PARM Code 70295 G Mon. Site No. SWD-8	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab

FACILITY:	FPL Turkey Point Plant	MONITORING GROUP	D-01A	PERMIT NUMBER: FL0001562-012-IW1N
		NUMBER: MONITORING PERIOD	From:	То:

Parameter		Quantity of	Loading	Units	Qı	uality or Concentrati	ion	Units	No. Ex.	Frequency of Analysis	Sample Type
Solids, Total Dissolved (TDS)	Sample						William .				
(Top)	Measurement					407	4000				~ .
PARM Code 70295 7	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-9	Requirement						(Day.Max.)				
Solids, Total Dissolved (TDS)	Sample Measurement										
(Bottom) PARM Code 70295 I	Permit				-	· ·	Report	mg/L		0 1	Grab
Mon. Site No. SWD-9	Requirement						(Day.Max.)	mg/L		Quarterly	Grab
Solids, Total Dissolved (TDS)	Sample				40000		(Day.Max.)	4	<i>y</i>		
(Top)	Measurement							4000			
PARM Code 70295 J	Permit				400		D	mg/L		0	Grab
Mon. Site No. SWD-10							Report (Day.Max.)	mg/L		Quarterly	Grab
Solids, Total Dissolved (TDS)	Requirement Sample					10000	(Day.Max.)				
	Measurement										
(Bottom) PARM Code 70295 K	Permit					-	Report	mg/L		Ossantanles	Grab
Mon. Site No. SWD-10	Requirement						(Day.Max.)	mg/L		Quarterly	Grab
Solids, Total Dissolved (TDS)	Sample			_		1000	(Day.Max.)				
(Top)	Measurement										
PARM Code 70295 Y	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-11	Requirement						(Day.Max.)	mg/L		Quarterry	Giao
Solids, Total Dissolved (TDS)	Sample						(Day.Max.)				
(Bottom)	Measurement										
PARM Code 70295 0	Permit		400000				Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-11	Requirement						(Day.Max.)	g/2		Quarterry	Giao
Solids, Total Dissolved (TDS)	Sample		4111				(Day.iviax.)				
(Top)	Measurement	4111	, W								
PARM Code 70295 2	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-12	Requirement						(Day.Max.)			Quarterry	O.u.o
Solids, Total Dissolved (TDS)	Sample										
(Bottom)	Measurement		All III								
PARM Code 70295 3	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-12	Requirement						(Day.Max.)			` '	
Specific Conductance (Top)	Sample						, , , ,				
	Measurement	1									
PARM Code 00095 6	Permit						Report	umhos/cm		Quarterly	In Situ
Mon. Site No. SWD-2	Requirement						(Day.Max.)				
Specific Conductance (Bottom)	Sample										
	Measurement										
PARM Code 00095 P	Permit						Report	umhos/cm		Quarterly	In Situ
Mon. Site No. SWD-2	Requirement						(Day.Max.)				

FACILITY:	FPL Turkey Point Plant	MONITORING GROUP	D-01A	PERMIT NUMBER: FL0001562-012-IW1N
		NUMBER:		
		MONITORING PERIOD	From:	To:

Parameter		Quantity or Loading			Units Quality or Concentration					Frequency of	Sample Type
r ai anietei		Quantity 0	Loading	Units	Q	uanty of Concentrati		Units	No. Ex.	Analysis	Sample Type
Specific Conductance (Top)	Sample									i	
	Measurement					417					
PARM Code 00095 Q	Permit						Report	umhos/cm		Quarterly	In Situ
Mon. Site No. SWD-3	Requirement						(Day.Max.)				
Specific Conductance (Bottom)	Sample Measurement										
PARM Code 00095 R Mon. Site No. SWD-3	Permit Requirement						Report (Day.Max.)	umhos/cm		Quarterly	In Situ
Specific Conductance (Top)	Sample Measurement										
PARM Code 00095 S	Permit						Report	umhos/cm		Quarterly	In Situ
Mon. Site No. SWD-4	Requirement						(Day.Max.)				
Specific Conductance (Bottom)	Sample Measurement										
PARM Code 00095 T	Permit						Report	umhos/cm		Quarterly	In Situ
Mon. Site No. SWD-4	Requirement						(Day.Max.)			-	
Specific Conductance (Top)	Sample										
	Measurement			_							
PARM Code 00095 U	Permit						Report	umhos/cm		Quarterly	In Situ
Mon. Site No. SWD-5	Requirement						(Day.Max.)				
Specific Conductance (Bottom)	Sample Measurement										
PARM Code 00095 V	Permit						Report	umhos/cm		Quarterly	In Situ
Mon. Site No. SWD-5	Requirement						(Day.Max.)				
Specific Conductance (Top)	Sample Measurement										
PARM Code 00095 W Mon. Site No. SWD-6	Permit Requirement						Report (Day.Max.)	umhos/cm		Quarterly	In Situ
Specific Conductance (Bottom)	Sample Measurement		4				(= u)				
PARM Code 00095 1	Permit						Report	umhos/cm		Quarterly	In Situ
Mon. Site No. SWD-6	Requirement						(Day.Max.)			(
Specific Conductance (Top)	Sample Measurement		W A								
PARM Code 00095 5	Permit						Report	umhos/cm		Quarterly	In Situ
Mon. Site No. SWD-7	Requirement						(Day.Max.)			, , , ,	
Specific Conductance (Bottom)	Sample Measurement										
PARM Code 00095 A Mon. Site No. SWD-7	Permit Requirement						Report (Day.Max.)	umhos/cm		Quarterly	In Situ
MIOII. SHE INO. SWD-/	Requirement						(Day.Max.)				

FACILITY:	FPL Turkey Point Plant	MONITORING GROUP	D-01A	PERMIT NUMBER: FL0001562-012-IW1N
		NUMBER:		
		MONITORING PERIOD	From:	To:

Parameter		Quantity o	r Loading	Units	Qi	uality or Concentrati	on	Units	No. Ex.	Frequency of Analysis	Sample Type
Specific Conductance (Top)	Sample Measurement										
PARM Code 00095 B Mon. Site No. SWD-8	Permit Requirement						Report (Day.Max.)	umhos/cm		Quarterly	In Situ
Specific Conductance (Bottom)	Sample Measurement										
PARM Code 00095 G Mon. Site No. SWD-8	Permit Requirement						Report (Day.Max.)	umhos/cm		Quarterly	In Situ
Specific Conductance (Top)	Sample Measurement							All			
PARM Code 00095 7 Mon. Site No. SWD-9	Permit Requirement						Report (Day.Max.)	umhos/cm		Quarterly	In Situ
Specific Conductance (Bottom)	Sample Measurement										
PARM Code 00095 I Mon. Site No. SWD-9	Permit Requirement						Report (Day.Max.)	umhos/cm		Quarterly	In Situ
Specific Conductance (Top)	Sample Measurement										
PARM Code 00095 J Mon. Site No. SWD-10	Permit Requirement						Report (Day.Max.)	umhos/cm		Quarterly	In Situ
Specific Conductance (Bottom)	Sample Measurement										
PARM Code 00095 K Mon. Site No. SWD-10	Permit Requirement						Report (Day.Max.)	umhos/cm		Quarterly	In Situ
Specific Conductance (Top)	Sample Measurement										
PARM Code 00095 Y Mon. Site No. SWD-11	Permit Requirement						Report (Day.Max.)	umhos/cm		Quarterly	In Situ
Specific Conductance (Bottom)	Sample Measurement		All Van								
PARM Code 00095 0 Mon. Site No. SWD-11	Permit Requirement						Report (Day.Max.)	umhos/cm		Quarterly	In Situ
Specific Conductance (Top)	Sample Measurement										
PARM Code 00095 2 Mon. Site No. SWD-12	Permit Requirement						Report (Day.Max.)	umhos/cm		Quarterly	In Situ
Specific Conductance (Bottom)	Sample Measurement										
PARM Code 00095 3 Mon. Site No. SWD-12	Permit Requirement						Report (Day.Max.)	umhos/cm		Quarterly	In Situ

FACILITY:	FPL Turkey Point Plant	MONITORING GROUP	D-01A	PERMIT NUMBER: FL0001562-012-IW1N
		NUMBER:		
		MONITORING PERIOD	From:	To:

Parameter		Quantity o	r Loading	Units	Q	uality or Concentrati	ion	Units	No. Ex.	Frequency of Analysis	Sample Type
Turbidity (Top)	Sample Measurement										
PARM Code 00070 6 Mon. Site No. SWD-8	Permit Requirement						Report (Day.Max.)	NTU		Quarterly	Grab
Turbidity (Bottom)	Sample Measurement										
PARM Code 00070 P Mon. Site No. SWD-8	Permit Requirement						Report (Day.Max.)	NTU		Quarterly	Grab
Turbidity (Top)	Sample Measurement										
PARM Code 00070 Q Mon. Site No. SWD-9	Permit Requirement						Report (Day.Max.)	NTU		Quarterly	Grab
Turbidity (Bottom)	Sample Measurement			P							
PARM Code 00070 R Mon. Site No. SWD-9	Permit Requirement						Report (Day.Max.)	NTU		Quarterly	Grab
Turbidity (Top)	Sample Measurement										
PARM Code 00070 S Mon. Site No. SWD-10	Permit Requirement						Report (Day.Max.)	NTU		Quarterly	Grab
Turbidity (Bottom)	Sample Measurement										
PARM Code 00070 T Mon. Site No. SWD-10	Permit Requirement						Report (Day.Max.)	NTU		Quarterly	Grab
Turbidity (Top)	Sample Measurement										
PARM Code 00070 U Mon. Site No. SWD-11	Permit Requirement						Report (Day.Max.)	NTU		Quarterly	Grab
Turbidity (Bottom)	Sample Measurement		All Van								
PARM Code 00070 V Mon. Site No. SWD-11	Permit Requirement						Report (Day.Max.)	NTU		Quarterly	Grab
Turbidity (Top)	Sample Measurement										
PARM Code 00070 W Mon. Site No. SWD-12	Permit Requirement						Report (Day.Max.)	NTU		Quarterly	Grab
Turbidity (Bottom)	Sample Measurement										
PARM Code 00070 1 Mon. Site No. SWD-12	Permit Requirement						Report (Day.Max.)	NTU		Quarterly	Grab

FACILITY:	FPL Turkey Point Plant	MONITORING GROUP	D-01A	PERMIT NUMBER: FL0001562-012-IW1N
		NUMBER:		
		MONITORING DEDIOD	Erom:	To:

Parameter		Quantity of	or Loading	Units	Q	uality or Concentrati	on	Units	No. Ex.	Frequency of Analysis	Sample Type
Nitrogen, Ammonia, Total (as N) (Top)	Sample Measurement										
PARM Code 00610 6 Mon. Site No. SWD-2	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Nitrogen, Ammonia, Total (as N) (Bottom)	Sample Measurement										
PARM Code 00610 P Mon. Site No. SWD-2	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Nitrogen, Ammonia, Total (as N) (Top)	Sample Measurement								,		
PARM Code 00610 Q Mon. Site No. SWD-3	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Nitrogen, Ammonia, Total (as N) (Bottom)	Sample Measurement										
PARM Code 00610 R Mon. Site No. SWD-3	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Nitrogen, Ammonia, Total (as N) (Top)	Sample Measurement										
PARM Code 00610 S Mon. Site No. SWD-4	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Nitrogen, Ammonia, Total (as N) (Bottom)	Sample Measurement										
PARM Code 00610 T Mon. Site No. SWD-4	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Nitrogen, Ammonia, Total (as N) (Top)	Sample Measurement										
PARM Code 00610 U Mon. Site No. SWD-5	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Nitrogen, Ammonia, Total (as N) (Bottom)	Sample Measurement										
PARM Code 00610 V Mon. Site No. SWD-5	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Nitrogen, Ammonia, Total (as N) (Top)	Sample Measurement										
PARM Code 00610 W Mon. Site No. SWD-6	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Nitrogen, Ammonia, Total (as N) (Bottom)	Sample Measurement										
PARM Code 00610 1 Mon. Site No. SWD-6	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab

FACILITY:	FPL Turkey Point Plant	MONITORING GROUP	D-01A	PERMIT NUMBER: FL0001562-012-IW1N
		NUMBER:		
		MONITORING PERIOD	From:	To:

Parameter		Quantity of	or Loading	Units	Q	uality or Concentrati	on	Units	No. Ex.	Frequency of Analysis	Sample Type
Nitrogen, Ammonia, Total (as N) (Top)	Sample Measurement										
PARM Code 00610 5 Mon. Site No. SWD-7	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Nitrogen, Ammonia, Total (as N) (Bottom)	Sample Measurement										
PARM Code 00610 A Mon. Site No. SWD-7	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Nitrogen, Ammonia, Total (as N) (Top)	Sample Measurement						\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	All			
PARM Code 00610 B Mon. Site No. SWD-8	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Nitrogen, Ammonia, Total (as N) (Bottom)	Sample Measurement										
PARM Code 00610 G Mon. Site No. SWD-8	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Nitrogen, Ammonia, Total (as N) (Top)	Sample Measurement										
PARM Code 00610 7 Mon. Site No. SWD-9	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Nitrogen, Ammonia, Total (as N) (Bottom)	Sample Measurement										
PARM Code 00610 I Mon. Site No. SWD-9	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Nitrogen, Ammonia, Total (as N) (Top)	Sample Measurement										
PARM Code 00610 J Mon. Site No. SWD-10	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Nitrogen, Ammonia, Total (as N) (Bottom)	Sample Measurement										
PARM Code 00610 K Mon. Site No. SWD-10	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Nitrogen, Ammonia, Total (as N) (Top)	Sample Measurement										
PARM Code 00610 Y Mon. Site No. SWD-11	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Nitrogen, Ammonia, Total (as N) (Bottom)	Sample Measurement										
PARM Code 00610 0 Mon. Site No. SWD-11	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab

FACILITY:	FPL Turkey Point Plant	MONITORING GROUP	D-01A		PERMIT NUMBER: FL0001562-012-IW1N
		NUMBER:	_		
		MONITORING PERIOD	From:	 To:	

Parameter		Quantity of	or Loading	Units	Q	uality or Concentrati	on	Units	No. Ex.	Frequency of Analysis	Sample Type
Nitrogen, Ammonia, Total (as N)	Sample						WHID.				
(Top)	Measurement										
PARM Code 00610 2	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-12	Requirement						(Day.Max.)			, ,	
Nitrogen, Ammonia, Total (as N)	Sample						THE PERSON NAMED IN				
(Bottom)	Measurement						4110				
PARM Code 00610 3	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-12	Requirement						(Day.Max.)				
Ammonia, Unionized (as NH3)	Sample										
(Top)	Measurement										
PARM Code 00619 6	Permit						Report	mg/L		Quarterly	Calculated
Mon. Site No. SWD-2	Requirement						(Day.Max.)				
Ammonia, Unionized (as NH3)	Sample										
(Bottom)	Measurement										
PARM Code 00619 P	Permit						Report	mg/L		Quarterly	Calculated
Mon. Site No. SWD-2	Requirement						(Day.Max.)				
Ammonia, Unionized (as NH3)	Sample										
(Top)	Measurement			■							
PARM Code 00619 Q	Permit						Report	mg/L		Quarterly	Calculated
Mon. Site No. SWD-3	Requirement						(Day.Max.)				
Ammonia, Unionized (as NH3)	Sample										
(Bottom)	Measurement										
PARM Code 00619 R	Permit						Report	mg/L		Quarterly	Calculated
Mon. Site No. SWD-3	Requirement						(Day.Max.)			, ,	
Ammonia, Unionized (as NH3)	Sample										
(Top)	Measurement		h. W								
PARM Code 00619 S	Permit						Report	mg/L		Quarterly	Calculated
Mon. Site No. SWD-4	Requirement						(Day.Max.)				
Ammonia, Unionized (as NH3)	Sample										
(Bottom)	Measurement		THE RESERVE OF THE PERSON OF T								
PARM Code 00619 T	Permit						Report	mg/L		Quarterly	Calculated
Mon. Site No. SWD-4	Requirement						(Day.Max.)				
Ammonia, Unionized (as NH3)	Sample										•
(Top)	Measurement										
PARM Code 00619 U	Permit						Report	mg/L		Quarterly	Calculated
Mon. Site No. SWD-5	Requirement						(Day.Max.)				
Ammonia, Unionized (as NH3)	Sample		All D								
(Bottom)	Measurement		188								
PARM Code 00619 V	Permit						Report	mg/L		Quarterly	Calculated
Mon. Site No. SWD-5	Requirement						(Day.Max.)				

FACILITY:	FPL Turkey Point Plant	MONITORING GROUP	D-01A	PERMIT NUMBER: FL0001562-012-IW1N
		NUMBER:		
		MONITORING DEDIOD	Erom:	To:

Parameter		Quantity of	r Loading	Units	Qı	uality or Concentrati	on	Units	No. Ex.	Frequency of Analysis	Sample Type
Ammonia, Unionized (as NH3)	Sample										
(Top)	Measurement										
PARM Code 00619 W	Permit						Report	mg/L		Quarterly	Calculated
Mon. Site No. SWD-6	Requirement						(Day.Max.)				
Ammonia, Unionized (as NH3)	Sample										
(Bottom)	Measurement						4111				
PARM Code 00619 1	Permit						Report	mg/L		Quarterly	Calculated
Mon. Site No. SWD-6	Requirement						(Day.Max.)				
Ammonia, Unionized (as NH3)	Sample							41111	r		
(Top)	Measurement										
PARM Code 00619 5	Permit						Report	mg/L		Quarterly	Calculated
Mon. Site No. SWD-7	Requirement						(Day.Max.)				
Ammonia, Unionized (as NH3)	Sample					1000					
(Bottom)	Measurement										
PARM Code 00619 A	Permit						Report	mg/L		Quarterly	Calculated
Mon. Site No. SWD-7	Requirement						(Day.Max.)				
Ammonia, Unionized (as NH3)	Sample					-					
(Top)	Measurement										
PARM Code 00619 B	Permit						Report	mg/L		Quarterly	Calculated
Mon. Site No. SWD-8	Requirement						(Day.Max.)				
Ammonia, Unionized (as NH3)	Sample										
(Bottom)	Measurement										
PARM Code 00619 G	Permit						Report	mg/L		Quarterly	Calculated
Mon. Site No. SWD-8	Requirement						(Day.Max.)				
Ammonia, Unionized (as NH3)	Sample	411		l							
(Top)	Measurement										
PARM Code 00619 7	Permit						Report	mg/L		Quarterly	Calculated
Mon. Site No. SWD-9	Requirement						(Day.Max.)				
Ammonia, Unionized (as NH3)	Sample		400								
(Bottom)	Measurement		NIIIK								
PARM Code 00619 I	Permit						Report	mg/L		Quarterly	Calculated
Mon. Site No. SWD-9	Requirement						(Day.Max.)				
Ammonia, Unionized (as NH3)	Sample										
(Top)	Measurement										
PARM Code 00619 J	Permit						Report	mg/L		Quarterly	Calculated
Mon. Site No. SWD-10	Requirement						(Day.Max.)				
Ammonia, Unionized (as NH3)	Sample										
(Bottom)	Measurement							<u> </u>			
PARM Code 00619 K	Permit						Report	mg/L		Quarterly	Calculated
Mon. Site No. SWD-10	Requirement						(Day.Max.)				

FACILITY:	FPL Turkey Point Plant	MONITORING GROUP	D-01A	PERMIT NUMBER: FL0001562-012-IW1N
		NUMBER:		
		MONITODING DEDICE	Erom	To:

Parameter	1	Quantity o	r I codina	Units	0	uality or Concentrati	ion	Units	No.	Frequency of	Sample Type
Parameter		Quantity o	r Loading	Units	Q	uanty of Concentrati	loir	Units	Ex.	Analysis	Sample Type
Ammonia, Unionized (as NH3)	Sample										
(Top)	Measurement					4	4111				
PARM Code 00619 Y	Permit						Report	mg/L		Quarterly	Calculated
Mon. Site No. SWD-11	Requirement						(Day.Max.)				
Ammonia, Unionized (as NH3)	Sample						411				
(Top)	Measurement										
PARM Code 00619 0	Permit						Report	mg/L		Quarterly	Calculated
Mon. Site No. SWD-11	Requirement						(Day.Max.)				
Ammonia, Unionized (as NH3)	Sample										
(Bottom)	Measurement										
PARM Code 00619 2	Permit						Report	mg/L		Quarterly	Calculated
Mon. Site No. SWD-12	Requirement						(Day.Max.)				
Ammonia, Unionized (as NH3)	Sample					1000					
(Bottom)	Measurement										
PARM Code 00619 3	Permit						Report	mg/L		Quarterly	Calculated
Mon. Site No. SWD-12	Requirement						(Day.Max.)				
Nitrogen, Ammonia, Total (as	Sample										
NH4) (Top)	Measurement			_							
PARM Code 71845 6	Permit						Report	mg/L		Quarterly	Calculated
Mon. Site No. SWD-2	Requirement						(Day.Max.)				
Nitrogen, Ammonia, Total (as	Sample										
NH4) (Bottom)	Measurement										
PARM Code 71845 P	Permit						Report	mg/L		Quarterly	Calculated
Mon. Site No. SWD-2	Requirement						(Day.Max.)				
Nitrogen, Ammonia, Total (as	Sample	4111		l							
NH4) (Top)	Measurement										
PARM Code 71845 Q	Permit						Report	mg/L		Quarterly	Calculated
Mon. Site No. SWD-3	Requirement		-				(Day.Max.)				
Nitrogen, Ammonia, Total (as	Sample		All Paris								
NH4) (Bottom)	Measurement		7000				_	_			
PARM Code 71845 R	Permit						Report	mg/L		Quarterly	Calculated
Mon. Site No. SWD-3	Requirement						(Day.Max.)				
Nitrogen, Ammonia, Total (as	Sample										
NH4) (Top)	Measurement		, , , , , , , , , , , , , , , , , , ,					σ.		0 1	0.1.1
PARM Code 71845 S	Permit						Report	mg/L		Quarterly	Calculated
Mon. Site No. SWD-4	Requirement		THE RESERVE OF THE PERSON NAMED IN COLUMN 1	-			(Day.Max.)				
Nitrogen, Ammonia, Total (as	Sample		1111	-							
NH4) (Bottom)	Measurement						D (/1		0 1	01.1.1
PARM Code 71845 T	Permit						Report	mg/L		Quarterly	Calculated
Mon. Site No. SWD-4	Requirement						(Day.Max.)				

FACILITY:	FPL Turkey Point Plant	MONITORING GROUP	D-01A	PERMIT NUMBER: FL0001562-012-IW1N
		NUMBER:		
		MONITORING PERIOD	Erom:	To:

Parameter		Quantity o	r Loading	Units	Q	uality or Concentrati	on	Units	No. Ex.	Frequency of Analysis	Sample Type
Nitrogen, Ammonia, Total (as NH4) (Top)	Sample Measurement										
PARM Code 71845 U Mon. Site No. SWD-5	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Calculated
Nitrogen, Ammonia, Total (as NH4) (Bottom)	Sample Measurement										
PARM Code 71845 V Mon. Site No. SWD-5	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Calculated
Nitrogen, Ammonia, Total (as NH4) (Top)	Sample Measurement										
PARM Code 71845 W Mon. Site No. SWD-6	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Calculated
Nitrogen, Ammonia, Total (as NH4) (Bottom)	Sample Measurement										
PARM Code 71845 1 Mon. Site No. SWD-6	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Calculated
Nitrogen, Ammonia, Total (as NH4) (Top)	Sample Measurement										
PARM Code 71845 5 Mon. Site No. SWD-7	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Calculated
Nitrogen, Ammonia, Total (as NH4) (Bottom)	Sample Measurement										
PARM Code 71845 A Mon. Site No. SWD-7	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Calculated
Nitrogen, Ammonia, Total (as NH4) (Top)	Sample Measurement										
PARM Code 71845 B Mon. Site No. SWD-8	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Calculated
Nitrogen, Ammonia, Total (as NH4) (Bottom)	Sample Measurement		400								
PARM Code 71845 G Mon. Site No. SWD-8	Permit Requirement			and.			Report (Day.Max.)	mg/L		Quarterly	Calculated
Nitrogen, Ammonia, Total (as NH4) (Top)	Sample Measurement										
PARM Code 71845 7 Mon. Site No. SWD-9	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Calculated
Nitrogen, Ammonia, Total (as NH4) (Bottom)	Sample Measurement										
PARM Code 71845 I Mon. Site No. SWD-9	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Calculated

FACILITY:	FPL Turkey Point Plant	MONITORING GROUP	D-01A			PERMIT NUMBER: FL0001562-012-IW1N
		NUMBER:		4		
		MONITORING PERIOD	From:	4	To:	

Parameter		Quantity o	Loading	Units	Qı	uality or Concentrati	on	Units	No. Ex.	Frequency of Analysis	Sample Type
Nitrogen, Ammonia, Total (as	Sample								LA.	7 Mary 513	
NH4) (Top)	Measurement					407	4111				
PARM Code 71845 J	Permit						Report	mg/L		Quarterly	Calculated
Mon. Site No. SWD-10	Requirement						(Day.Max.)			, ,	
Nitrogen, Ammonia, Total (as	Sample						- This				
NH4) (Bottom)	Measurement						4111				
PARM Code 71845 K	Permit						Report	mg/L		Quarterly	Calculated
Mon. Site No. SWD-10	Requirement						(Day.Max.)				
Nitrogen, Ammonia, Total (as	Sample										
NH4) (Top)	Measurement							1			
PARM Code 71845 Y	Permit						Report	mg/L		Quarterly	Calculated
Mon. Site No. SWD-11	Requirement						(Day.Max.)				
Nitrogen, Ammonia, Total (as	Sample										
NH4) (Bottom)	Measurement										
PARM Code 71845 0	Permit						Report	mg/L		Quarterly	Calculated
Mon. Site No. SWD-11	Requirement						(Day.Max.)				
Nitrogen, Ammonia, Total (as	Sample					-					
NH4) (Top)	Measurement			_							
PARM Code 71845 2	Permit						Report	mg/L		Quarterly	Calculated
Mon. Site No. SWD-12	Requirement						(Day.Max.)			-	
Nitrogen, Ammonia, Total (as	Sample					-					
NH4) (Bottom)	Measurement										
PARM Code 71845 3	Permit						Report	mg/L		Quarterly	Calculated
Mon. Site No. SWD-12	Requirement						(Day.Max.)				
Nitrite plus Nitrate, Total 1 det. (as	Sample		411								
N) (Top)	Measurement		h. W								
PARM Code 00630 6	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-2	Requirement						(Day.Max.)				
Nitrite plus Nitrate, Total 1 det. (as	Sample		4111								
N) (Bottom)	Measurement		A HILL								
PARM Code 00630 P	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-2	Requirement						(Day.Max.)				
Nitrite plus Nitrate, Total 1 det. (as	Sample										
N) (Top)	Measurement										
PARM Code 00630 Q	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-3	Requirement						(Day.Max.)				
Nitrite plus Nitrate, Total 1 det. (as	Sample										
N) (Bottom)	Measurement										
PARM Code 00630 R	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-3	Requirement						(Day.Max.)				

FACILITY:	FPL Turkey Point Plant	MONITORING GROUP	D-01A	PERMIT NUMBER: FL0001562-012-IW1N
		NUMBER:		
		MONITORING PERIOD	From:	To:

Parameter		Quantity of	r Loading	Units	Qı	uality or Concentrati	on	Units	No. Ex.	Frequency of Analysis	Sample Type
Nitrite plus Nitrate, Total 1 det. (as N) (Top)	Sample Measurement								Z.i.	Timelyon	
PARM Code 00630 S Mon. Site No. SWD-4	Permit Requirement					4	Report (Day.Max.)	mg/L		Quarterly	Grab
Nitrite plus Nitrate, Total 1 det. (as N) (Bottom)							(Day in All)				
PARM Code 00630 T Mon. Site No. SWD-4	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
	_						(Buy intain)	All			
PARM Code 00630 U Mon. Site No. SWD-5	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Nitrite plus Nitrate, Total 1 det. (as N) (Bottom)											
PARM Code 00630 V Mon. Site No. SWD-5	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Nitrite plus Nitrate, Total 1 det. (as N) (Top)											
PARM Code 00630 W Mon. Site No. SWD-6	Permit Requirement					,	Report (Day.Max.)	mg/L		Quarterly	Grab
Nitrite plus Nitrate, Total 1 det. (as N) (Bottom)											
PARM Code 00630 1 Mon. Site No. SWD-6	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Nitrite plus Nitrate, Total 1 det. (as N) (Top)	Sample Measurement										
PARM Code 00630 5 Mon. Site No. SWD-7	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Nitrite plus Nitrate, Total 1 det. (as N) (Bottom)	Sample Measurement										
PARM Code 00630 A Mon. Site No. SWD-7	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Nitrite plus Nitrate, Total 1 det. (as N) (Top)	Sample Measurement		1								
PARM Code 00630 B Mon. Site No. SWD-8	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Nitrite plus Nitrate, Total 1 det. (as N) (Bottom)	Sample Measurement		M								
PARM Code 00630 G Mon. Site No. SWD-8	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab

FACILITY:	FPL Turkey Point Plant	MONITORING GROUP	D-01A	PERMIT NUMBER: FL0001562-012-IW1N
		NUMBER:		
		MONITODING DEDIOD	Erom:	To:

Parameter		Quantity o	Loading	Units	Qı	uality or Concentrati	on	Units	No. Ex.	Frequency of Analysis	Sample Type
Nitrite plus Nitrate, Total 1 det. (as N) (Top)	Sample Measurement										
PARM Code 00630 7 Mon. Site No. SWD-9	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Nitrite plus Nitrate, Total 1 det. (as	Sample						(Day.Wax.)				
N) (Bottom) PARM Code 00630 I	Measurement Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-9	Requirement						(Day.Max.)				
Nitrite plus Nitrate, Total 1 det. (as N) (Top)	Sample Measurement										
PARM Code 00630 J Mon. Site No. SWD-10	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Nitrite plus Nitrate, Total 1 det. (as N) (Bottom)											
PARM Code 00630 K Mon. Site No. SWD-10	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
	Sample Measurement										
PARM Code 00630 Y Mon. Site No. SWD-11	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Nitrite plus Nitrate, Total 1 det. (as	Sample						(Day.Max.)				
N) (Bottom) PARM Code 00630 0 Mon. Site No. SWD-11	Measurement Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Nitrite plus Nitrate, Total 1 det. (as N) (Top)	Sample Measurement										
PARM Code 00630 2 Mon. Site No. SWD-12	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Nitrite plus Nitrate, Total 1 det. (as N) (Bottom)	Sample Measurement		All Van								
PARM Code 00630 3 Mon. Site No. SWD-12	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Nitrogen, Kjeldahl, Total (as N) (Top)	Sample Measurement		W A								
PARM Code 00625 6 Mon. Site No. SWD-2	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Nitrogen, Kjeldahl, Total (as N) (Bottom)	Sample Measurement		VIII	4			(Duy.inux.)				
PARM Code 00625 P Mon. Site No. SWD-2	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab

FACILITY:	FPL Turkey Point Plant	MONITORING GROUP	D-01A	PERMIT NUMBER: FL0001562-012-IW
		NUMBER:		
		MONITORING PERIOD	From:	To:

Parameter		Quantity of	or Loading	Units	Q	uality or Concentrat	on	Units	No. Ex.	Frequency of Analysis	Sample Type
Nitrogen, Kjeldahl, Total (as N)	Sample										
(Top)	Measurement					4	4111				
PARM Code 00625 Q	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-3	Requirement						(Day.Max.)				
Nitrogen, Kjeldahl, Total (as N)	Sample										
(Bottom)	Measurement										
PARM Code 00625 R	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-3	Requirement						(Day.Max.)				
Nitrogen, Kjeldahl, Total (as N)	Sample										
(Top)	Measurement				7 100						
PARM Code 00625 S	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-4	Requirement						(Day.Max.)				
Nitrogen, Kjeldahl, Total (as N)	Sample										
(Bottom)	Measurement										
PARM Code 00625 T	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-4	Requirement						(Day.Max.)				
Nitrogen, Kjeldahl, Total (as N)	Sample										
(Top)	Measurement			4							
PARM Code 00625 U	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-5	Requirement						(Day.Max.)				
Nitrogen, Kjeldahl, Total (as N)	Sample						•				
(Bottom)	Measurement										
PARM Code 00625 V	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-5	Requirement						(Day.Max.)				
Nitrogen, Kjeldahl, Total (as N)	Sample	4					•				
(Top)	Measurement		h. W								
PARM Code 00625 W	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-6	Requirement						(Day.Max.)				
Nitrogen, Kjeldahl, Total (as N)	Sample										
(Bottom)	Measurement		All III								
PARM Code 00625 1	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-6	Requirement						(Day.Max.)				
Nitrogen, Kjeldahl, Total (as N)	Sample										
(Top)	Measurement	*									
PARM Code 00625 5	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-7	Requirement						(Day.Max.)				
Nitrogen, Kjeldahl, Total (as N)	Sample			4							
(Bottom)	Measurement		VIII I								
PARM Code 00625 A	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-7	Requirement						(Day.Max.)			-	

FACILITY:	FPL Turkey Point Plant	MONITORING GROUP	D-01A		PERMIT NUMBER: FL0001562-012-IW1N
		NUMBER: MONITORING PERIOD	From:	To	
		MONTORINGTERIOD	1 10111.	 10.	

Parameter		Quantity of	or Loading	Units	Q	uality or Concentrat	ion	Units	No. Ex.	Frequency of Analysis	Sample Type
Nitrogen, Kjeldahl, Total (as N)	Sample						WILLIAM TO THE PARTY OF THE PAR				
(Top)	Measurement						All D				
PARM Code 00625 B	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-8	Requirement						(Day.Max.)				
Nitrogen, Kjeldahl, Total (as N)	Sample										
(Bottom)	Measurement										
PARM Code 00625 G	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-8	Requirement						(Day.Max.)				
Nitrogen, Kjeldahl, Total (as N)	Sample										
(Top)	Measurement										
PARM Code 00625 7	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-9	Requirement						(Day.Max.)				
Nitrogen, Kjeldahl, Total (as N)	Sample						•				
(Bottom)	Measurement										
PARM Code 00625 I	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-9	Requirement						(Day.Max.)				
Nitrogen, Kjeldahl, Total (as N)	Sample										
(Top)	Measurement			4							
PARM Code 00625 J	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-10	Requirement						(Day.Max.)				
Nitrogen, Kjeldahl, Total (as N)	Sample						•				
(Bottom)	Measurement										
PARM Code 00625 K	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-10	Requirement						(Day.Max.)				
Nitrogen, Kjeldahl, Total (as N)	Sample	4									
(Top)	Measurement		h. W								
PARM Code 00625 Y	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-11	Requirement						(Day.Max.)				
Nitrogen, Kjeldahl, Total (as N)	Sample										
(Bottom)	Measurement		All III								
PARM Code 00625 0	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-11	Requirement						(Day.Max.)				
Nitrogen, Kjeldahl, Total (as N)	Sample										_
(Top)	Measurement	*									
PARM Code 00625 2	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-12	Requirement						(Day.Max.)				
Nitrogen, Kjeldahl, Total (as N)	Sample			4							
(Bottom)	Measurement		VIII I								
PARM Code 00625 3	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-12	Requirement						(Day.Max.)			-	

FACILITY:	FPL Turkey Point Plant	MONITORING GROUP	D-01A		PERMIT NUMBER: FL0001562-012-IW11
		NUMBER:		4	
		MONITORING PERIOD	From:	T	To:

Parameter	1	0	. T d'	T.T., i.e.	Units Quality or Concentration					E	C1- T
Parameter		Quantity o	r Loading	Units	Ų	uality or Concentrati	ion	Units	No. Ex.	Frequency of Analysis	Sample Type
Nitrogen, Total (Top)	Sample Measurement										
PARM Code 00600 6 Mon. Site No. SWD-2	Permit Requirement						Report (Max.)	mg/L		Quarterly	Calculated
Nitrogen, Total (Bottom)	Sample Measurement						(Max.)				
PARM Code 00600 P Mon. Site No. SWD-2	Permit Requirement						Report (Max.)	mg/L		Quarterly	Calculated
Nitrogen, Total (Top)	Sample Measurement										
PARM Code 00600 Q Mon. Site No. SWD-3	Permit Requirement						Report (Max.)	mg/L		Quarterly	Calculated
Nitrogen, Total (Bottom)	Sample Measurement										
PARM Code 00600 R Mon. Site No. SWD-3	Permit Requirement						Report (Max.)	mg/L		Quarterly	Calculated
Nitrogen, Total (Top)	Sample Measurement										
PARM Code 00600 S Mon. Site No. SWD-4	Permit Requirement						Report (Max.)	mg/L		Quarterly	Calculated
Nitrogen, Total (Bottom)	Sample Measurement										
PARM Code 00600 T Mon. Site No. SWD-4	Permit Requirement						Report (Max.)	mg/L		Quarterly	Calculated
Nitrogen, Total (Top)	Sample Measurement										
PARM Code 00600 U Mon. Site No. SWD-5	Permit Requirement						Report (Max.)	mg/L		Quarterly	Calculated
Nitrogen, Total (Bottom)	Sample Measurement										
PARM Code 00600 V Mon. Site No. SWD-5	Permit Requirement						Report (Max.)	mg/L		Quarterly	Calculated
Nitrogen, Total (Top)	Sample Measurement										
PARM Code 00600 W Mon. Site No. SWD-6	Permit Requirement						Report (Max.)	mg/L		Quarterly	Calculated
Nitrogen, Total (Bottom)	Sample Measurement										
PARM Code 00600 1 Mon. Site No. SWD-6	Permit Requirement						Report (Max.)	mg/L		Quarterly	Calculated

FACILITY:	FPL Turkey Point Plant	MONITORING GROUP	D-01A	PERMIT NUMBER: FL	.0001562-012-IW1N
		NUMBER:	_	_	
		MONITORING PERIOD	From:	Го:	

Parameter		Quantity o	r Loading	Units	Q	uality or Concentrati	on	Units	No.	Frequency of	Sample Type
			Ü			4			Ex.	Analysis	
Nitrogen, Total (Top)	Sample Measurement										
PARM Code 00600 5 Mon. Site No. SWD-7	Permit Requirement						Report (Max.)	mg/L		Quarterly	Calculated
Nitrogen, Total (Bottom)	Sample Measurement										
PARM Code 00600 A Mon. Site No. SWD-7	Permit Requirement						Report (Max.)	mg/L		Quarterly	Calculated
Nitrogen, Total (Top)	Sample Measurement										
PARM Code 00600 B Mon. Site No. SWD-8	Permit Requirement						Report (Max.)	mg/L		Quarterly	Calculated
Nitrogen, Total (Bottom)	Sample Measurement										
PARM Code 00600 G Mon. Site No. SWD-8	Permit Requirement						Report (Max.)	mg/L		Quarterly	Calculated
Nitrogen, Total (Top)	Sample Measurement										
PARM Code 00600 7 Mon. Site No. SWD-9	Permit Requirement						Report (Max.)	mg/L		Quarterly	Calculated
Nitrogen, Total (Bottom)	Sample Measurement										
PARM Code 00600 I Mon. Site No. SWD-9	Permit Requirement						Report (Max.)	mg/L		Quarterly	Calculated
Nitrogen, Total (Top)	Sample Measurement										
PARM Code 00600 J Mon. Site No. SWD-10	Permit Requirement						Report (Max.)	mg/L		Quarterly	Calculated
Nitrogen, Total (Bottom)	Sample Measurement										
PARM Code 00600 K Mon. Site No. SWD-10	Permit Requirement						Report (Max.)	mg/L		Quarterly	Calculated
Nitrogen, Total (Top)	Sample Measurement		1								
PARM Code 00600 Y Mon. Site No. SWD-11	Permit Requirement	_					Report (Max.)	mg/L		Quarterly	Calculated
Nitrogen, Total (Bottom)	Sample Measurement										
PARM Code 00600 0 Mon. Site No. SWD-11	Permit Requirement						Report (Max.)	mg/L		Quarterly	Calculated

FACILITY:	FPL Turkey Point Plant	MONITORING GROUP	D-01A	PERMIT NUMBER: FL0001562-012-IW1N
		NUMBER:		
		MONITORING PERIOD	From:	To:

Parameter		Quantity or Loading Units Quality or Conce			uality or Concentrati	on	Units	No.	Frequency of	Sample Type	
			C		`	1			Ex.	Analysis	1 71
Nitrogen, Total (Top)	Sample Measurement										
PARM Code 00600 2 Mon. Site No. SWD-12	Permit Requirement						Report (Max.)	mg/L		Quarterly	Calculated
Nitrogen, Total (Bottom)	Sample Measurement										
PARM Code 00600 3 Mon. Site No. SWD-12	Permit Requirement						Report (Max.)	mg/L		Quarterly	Calculated
Phosphate, Ortho (as PO4) (Top)	Sample Measurement							All			
PARM Code 00660 6 Mon. Site No. SWD-2	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Phosphate, Ortho (as PO4) (Bottom)	Sample Measurement										
PARM Code 00660 P Mon. Site No. SWD-2	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Phosphate, Ortho (as PO4) (Top)	Sample Measurement			1							
PARM Code 00660 Q Mon. Site No. SWD-3	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Phosphate, Ortho (as PO4) (Bottom)	Sample Measurement										
PARM Code 00660 R Mon. Site No. SWD-3	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Phosphate, Ortho (as PO4) (Top)	Sample Measurement										
PARM Code 00660 S Mon. Site No. SWD-4	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Phosphate, Ortho (as PO4) (Bottom)	Sample Measurement		4								
PARM Code 00660 T Mon. Site No. SWD-4	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Phosphate, Ortho (as PO4) (Top)	Sample Measurement										
PARM Code 00660 U Mon. Site No. SWD-5	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Phosphate, Ortho (as PO4) (Bottom)	Sample Measurement		M								
PARM Code 00660 V Mon. Site No. SWD-5	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab

FACILITY:	FPL Turkey Point Plant	MONITORING GROUP	D-01A	PERMIT NUMBER: FL0001562-012-IW1N
		NUMBER: MONITORING PERIOD	From:	То:

Parameter		Quantity o	r Loading	Units	Q	uality or Concentrati	ion	Units	No. Ex.	Frequency of Analysis	Sample Type
Phosphate, Ortho (as PO4) (Top)	Sample Measurement										
PARM Code 00660 W Mon. Site No. SWD-6	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Phosphate, Ortho (as PO4) (Bottom)	Sample Measurement						(Dayman)				
PARM Code 00660 1 Mon. Site No. SWD-6	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Phosphate, Ortho (as PO4) (Top)	Sample Measurement						(Buy.iviax.)	Alli			
PARM Code 00660 5 Mon. Site No. SWD-7	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Phosphate, Ortho (as PO4) (Bottom)	Sample Measurement										
PARM Code 00660 A Mon. Site No. SWD-7	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Phosphate, Ortho (as PO4) (Top)	Sample Measurement			-							
PARM Code 00660 B Mon. Site No. SWD-8	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Phosphate, Ortho (as PO4) (Bottom)	Sample Measurement										
PARM Code 00660 G Mon. Site No. SWD-8	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Phosphate, Ortho (as PO4) (Top)	Sample Measurement										
PARM Code 00660 7 Mon. Site No. SWD-9	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Phosphate, Ortho (as PO4) (Bottom)	Sample Measurement		All Van								
PARM Code 00660 I Mon. Site No. SWD-9	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Phosphate, Ortho (as PO4) (Top)	Sample Measurement										
PARM Code 00660 J Mon. Site No. SWD-10	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Phosphate, Ortho (as PO4) (Bottom)	Sample Measurement										
PARM Code 00660 K Mon. Site No. SWD-10	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab

FACILITY:	FPL Turkey Point Plant	MONITORING GROUP	D-01A	PERMIT NUMBER: FL0001562-012-IW1N
		NUMBER:		
		MONITORING PERIOD	From:	To:

Parameter		Quantity or Loading			Units Quality or Concentration				No.	Frequency of	Sample Type
Farameter		Quantity 0	Loading	Ullits	Q	uanty of Concentrati		Units	Ex.	Analysis	Sample Type
Phosphate, Ortho (as PO4) (Top)	Sample										
	Measurement						All I				
PARM Code 00660 Y	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-11	Requirement						(Day.Max.)				
Phosphate, Ortho (as PO4)	Sample										
(Bottom)	Measurement										
PARM Code 00660 0	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-11	Requirement						(Day.Max.)				
Phosphate, Ortho (as PO4) (Top)	Sample								ľ		
	Measurement										
PARM Code 00660 2	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-12	Requirement						(Day.Max.)				
Phosphate, Ortho (as PO4)	Sample					1000					
(Bottom)	Measurement										
PARM Code 00660 3	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-12	Requirement						(Day.Max.)				
Phosphorus, Total (as P) (Top)	Sample										
	Measurement			_							
PARM Code 00665 6	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-2	Requirement						(Max.)				
Phosphorus, Total (as P) (Bottom)	Sample										
	Measurement										
PARM Code 00665 P	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-2	Requirement						(Max.)				
Phosphorus, Total (as P) (Top)	Sample			l							
	Measurement										
PARM Code 00665 Q	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-3	Requirement						(Max.)				
Phosphorus, Total (as P) (Bottom)	Sample		All Paris								
	Measurement		THE RESERVE TO SERVE								
PARM Code 00665 R	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-3	Requirement						(Max.)				
Phosphorus, Total (as P) (Top)	Sample Measurement										
PARM Code 00665 S	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-4	Requirement						(Max.)	9		Quarterry	0140
Phosphorus, Total (as P) (Bottom)	Sample			4		İ	(
(Bottom)	Measurement										
PARM Code 00665 T	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-4	Requirement						(Max.)			` ,	

FACILITY:	FPL Turkey Point Plant	MONITORING GROUP	D-01A			PERMIT NUMBER: FL0001562-012-IW1N
		NUMBER:		4		
		MONITORING PERIOD	From:		To:	

Parameter		Quantity o	r Loading	Units	Qı	uality or Concentrati	ion	Units	No. Ex.	Frequency of Analysis	Sample Type
Phosphorus, Total (as P) (Top)	Sample Measurement										
PARM Code 00665 U Mon. Site No. SWD-5	Permit Requirement						Report (Max.)	mg/L		Quarterly	Grab
	Sample Measurement										
PARM Code 00665 V Mon. Site No. SWD-5	Permit Requirement						Report (Max.)	mg/L		Quarterly	Grab
Phosphorus, Total (as P) (Top)	Sample Measurement							All			
PARM Code 00665 W Mon. Site No. SWD-6	Permit Requirement						Report (Max.)	mg/L		Quarterly	Grab
Phosphorus, Total (as P) (Bottom)	Sample Measurement										
PARM Code 00665 1 Mon. Site No. SWD-6	Permit Requirement						Report (Max.)	mg/L		Quarterly	Grab
Phosphorus, Total (as P) (Top)	Sample Measurement										
PARM Code 00665 5 Mon. Site No. SWD-7	Permit Requirement						Report (Max.)	mg/L		Quarterly	Grab
Phosphorus, Total (as P) (Bottom)	Sample Measurement										
PARM Code 00665 A Mon. Site No. SWD-7	Permit Requirement						Report (Max.)	mg/L		Quarterly	Grab
Phosphorus, Total (as P) (Top)	Sample Measurement										
PARM Code 00665 B Mon. Site No. SWD-8	Permit Requirement						Report (Max.)	mg/L		Quarterly	Grab
•	Sample Measurement		4								
PARM Code 00665 G Mon. Site No. SWD-8	Permit Requirement						Report (Max.)	mg/L		Quarterly	Grab
Phosphorus, Total (as P) (Top)	Sample Measurement										
PARM Code 00665 7 Mon. Site No. SWD-9	Permit Requirement						Report (Max.)	mg/L		Quarterly	Grab
Phosphorus, Total (as P) (Bottom)	Sample Measurement										
PARM Code 00665 I Mon. Site No. SWD-9	Permit Requirement						Report (Max.)	mg/L		Quarterly	Grab

FACILITY:	FPL Turkey Point Plant	MONITORING GROUP	D-01A	PERMIT NUMBER: FL0001562-012-IW1N
		NUMBER:		
		MONITORING PERIOD	From:	To:

Parameter		Quantity o	r Loadina	Unite	Units Quality or Concentration				No.	Frequency of	Sample Type
1 arameter		Quantity	Loading	Omis	V	uanty of Concentrat		Units	Ex.	Analysis	Sample Type
Phosphorus, Total (as P) (Top)	Sample										
	Measurement					417	All I				
PARM Code 00665 J	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-10	Requirement						(Max.)				
Phosphorus, Total (as P) (Bottom)	Sample Measurement										
PARM Code 00665 K Mon. Site No. SWD-10	Permit Requirement						Report (Max.)	mg/L		Quarterly	Grab
Phosphorus, Total (as P) (Top)	Sample Measurement										
PARM Code 00665 Y	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-11	Requirement						(Max.)				
Phosphorus, Total (as P) (Bottom)	Sample Measurement										
PARM Code 00665 0	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-11	Requirement						(Max.)				
Phosphorus, Total (as P) (Top)	Sample					-					
	Measurement			■							
PARM Code 00665 2	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-12	Requirement						(Max.)				
Phosphorus, Total (as P) (Bottom)	Sample Measurement										
PARM Code 00665 3	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-12	Requirement						(Max.)				
Chlorophyll a (Top)	Sample Measurement										
PARM Code 32230 6 Mon. Site No. SWD-2	Permit Requirement						Report (Day.Max.)	ug/L		Quarterly	Grab
Chlorophyll a (Bottom)	Sample Measurement		All Van								
PARM Code 32230 P	Permit						Report	ug/L		Quarterly	Grab
Mon. Site No. SWD-2	Requirement						(Day.Max.)	_		` ,	
Chlorophyll a (Top)	Sample Measurement										
PARM Code 32230 Q	Permit						Report	ug/L		Quarterly	Grab
Mon. Site No. SWD-3	Requirement						(Day.Max.)				
Chlorophyll a (Bottom)	Sample Measurement										
PARM Code 32230 R Mon. Site No. SWD-3	Permit Requirement						Report (Day.Max.)	ug/L		Quarterly	Grab

FACILITY:	FPL Turkey Point Plant	MONITORING GROUP	D-01A	PERMIT NUMBER: FL0001562-012-IW1N
		NUMBER:		
		MONITORING PERIOD	From:	To:

Parameter		Quantity o	u I oodina	Units		uality or Concentrat		Units	No.	Frequency of	Sample Type
Parameter		Qualitity 0	Loading	Units	Q	uanty of Concentrat	OIP	Units	Ex.	Analysis	Sample Type
Chlorophyll a (Top)	Sample						WIII.			i	
	Measurement					4					
PARM Code 32230 S	Permit						Report	ug/L		Quarterly	Grab
Mon. Site No. SWD-4	Requirement						(Day.Max.)				
Chlorophyll a (Bottom)	Sample Measurement										
PARM Code 32230 T Mon. Site No. SWD-4	Permit Requirement						Report (Day.Max.)	ug/L		Quarterly	Grab
Chlorophyll a (Top)	Sample Measurement							All			
PARM Code 32230 U	Permit						Report	ug/L		Quarterly	Grab
Mon. Site No. SWD-5	Requirement						(Day.Max.)			, , , ,	
Chlorophyll a (Bottom)	Sample Measurement										
PARM Code 32230 V	Permit						Report	ug/L		Quarterly	Grab
Mon. Site No. SWD-5	Requirement						(Day.Max.)			, ,	
Chlorophyll a (Top)	Sample										
	Measurement										
PARM Code 32230 W	Permit						Report	ug/L		Quarterly	Grab
Mon. Site No. SWD-6	Requirement						(Day.Max.)				
Chlorophyll a (Bottom)	Sample Measurement										
PARM Code 32230 1	Permit						Report	ug/L		Quarterly	Grab
Mon. Site No. SWD-6	Requirement						(Day.Max.)				
Chlorophyll a (Top)	Sample Measurement										
PARM Code 32230 5 Mon. Site No. SWD-7	Permit Requirement						Report (Day.Max.)	ug/L		Quarterly	Grab
Chlorophyll a (Bottom)	Sample Measurement		All Van								
PARM Code 32230 A	Permit						Report	ug/L		Quarterly	Grab
Mon. Site No. SWD-7	Requirement						(Day.Max.)				
Chlorophyll a (Top)	Sample Measurement										
PARM Code 32230 B	Permit						Report	ug/L		Quarterly	Grab
Mon. Site No. SWD-8	Requirement						(Day.Max.)	_		ì	
Chlorophyll a (Bottom)	Sample Measurement										
PARM Code 32230 G Mon. Site No. SWD-8	Permit Requirement						Report (Day.Max.)	ug/L		Quarterly	Grab

FACILITY:	FPL Turkey Point Plant	MONITORING GROUP	D-01A	PERMIT NUMBER: FL0001562-012-IW1N
		NUMBER:		
		MONITORING PERIOD	From:	To:

Parameter		Quantity o	r Loading	Units	Units Quality or Concentration			Units	No.	Frequency of	Sample Type
									Ex.	Analysis	
Chlorophyll a (Top)	Sample Measurement										
PARM Code 32230 7 Mon. Site No. SWD-9	Permit Requirement						Report (Day.Max.)	ug/L		Quarterly	Grab
Chlorophyll a (Bottom)	Sample Measurement										
PARM Code 32230 I Mon. Site No. SWD-9	Permit Requirement						Report (Day.Max.)	ug/L		Quarterly	Grab
Chlorophyll a (Top)	Sample Measurement										
PARM Code 32230 J Mon. Site No. SWD-10	Permit Requirement						Report (Day.Max.)	ug/L		Quarterly	Grab
Chlorophyll a (Bottom)	Sample Measurement										
PARM Code 32230 K Mon. Site No. SWD-10	Permit Requirement						Report (Day.Max.)	ug/L		Quarterly	Grab
Chlorophyll a (Top)	Sample Measurement			-							
PARM Code 32230 Y Mon. Site No. SWD-11	Permit Requirement						Report (Day.Max.)	ug/L		Quarterly	Grab
Chlorophyll a (Bottom)	Sample Measurement										
PARM Code 32230 0 Mon. Site No. SWD-11	Permit Requirement						Report (Day.Max.)	ug/L		Quarterly	Grab
Chlorophyll a (Top)	Sample Measurement										
PARM Code 32230 2 Mon. Site No. SWD-12	Permit Requirement						Report (Day.Max.)	ug/L		Quarterly	Grab
Chlorophyll a (Bottom)	Sample Measurement		400								
PARM Code 32230 3 Mon. Site No. SWD-12	Permit Requirement						Report (Day.Max.)	ug/L		Quarterly	Grab
Copper, Total Recoverable (Top)	Sample Measurement										
PARM Code 01119 6 Mon. Site No. SWD-2	Permit Requirement						Report (Day.Max.)	ug/L		Quarterly	Grab
Copper, Total Recoverable (Bottom)	Sample Measurement										
PARM Code 01119 P Mon. Site No. SWD-2	Permit Requirement						Report (Day.Max.)	ug/L		Quarterly	Grab

FACILITY:	FPL Turkey Point Plant	MONITORING GROUP	D-01A	PERMIT NUMBER: FL0001562-012-IW1N
		NUMBER:		
		MONITORING PERIOD	From:	To:

Copper, Total Recoverable (Top) Measurement Permit Report Quarterly Grab	В.	1	0 11	T 1:	TT :	0	Ti C		TT 14	N.Y	F 6	G 1 T
Measurement	Parameter		Quantity o	r Loading	Units	Ų	uality or Concentrati	on	Units	No. Ex.	Frequency of Analysis	Sample Type
PARM Code 01119 Q Permit Requirement Quarterly Grab	Copper, Total Recoverable (Top)											
Mon. Site No. SWD-3 Copper, Total Recoverable Copper, Total Recoverabl								4111				
Supple S	PARM Code 01119 Q								ug/L		Quarterly	Grab
Bottom Measurement Permit Report Day,Max. D								(Day.Max.)				
PARM Code 01119 R Requirement Report Requirement Report R												
Mon. Site No. SWD-3 Requirement Copper, Total Recoverable (Top) Sample Measurement Requirement Report Upt. Quarterly Grab Copper, Total Recoverable (Top) Sample Measurement Requirement Requirement Report Upt. Quarterly Grab Copper, Total Recoverable (Top) Sample Requirement Requirement Report Upt. Quarterly Grab Copper, Total Recoverable (Top) Sample Requirement Report Upt. Quarterly Grab Copper, Total Recoverable (Top) Sample Resourcement Requirement Report Upt. Quarterly Grab Copper, Total Recoverable (Top) Sample Resourcement Report Upt. Quarterly Grab Copper, Total Recoverable (Top) Sample Resourcement Report Upt. Quarterly Grab Copper, Total Recoverable (Top) Sample Resourcement Report Upt. Quarterly Grab Copper, Total Recoverable (Top) Sample Resourcement Report Upt. Quarterly Grab Copper, Total Recoverable (Top) Sample Resourcement Report Upt. Quarterly Grab Copper, Total Recoverable (Top) Sample Resourcement Requirement Report Upt. Quarterly Grab Copper, Total Recoverable (Top) Sample Requirement Report Upt. Quarterly Grab Copper, Total Recoverable Requirement Requirement Report Upt. Quarterly Grab Copper, Total Recoverable Requirement Requirement Report Upt. Quarterly Grab Copper, Total Recoverable Requirement Requirement Report Upt. Quarterly Grab Copper, Total Recoverable Requirement Requirement Report Upt. Quarterly Grab Copper, Total Recoverable Requirement Requirement Report Upt. Quarterly Grab Copper, Total Recoverable Requirement Requirement Report Upt. Quarterly Grab Requirement Requirement Report Upt. Quarterly Grab Requirement Report Upt.	(Bottom)							4111				
Copper, Total Recoverable (Top) Sample Measurement									ug/L		Quarterly	Grab
Measurement								(Day.Max.)				
PARM Code 01119 S Permit Requirement Report Ug/L Quarterly Grab	Copper, Total Recoverable (Top)								Allih	ľ		
Mon. Site No. SWD-4 Requirement Report Requirement Report Requirement Report												
Copper, Total Recoverable Sample Measurement Requirement Report Ug/L Quarterly Grab									ug/L		Quarterly	Grab
Bottom Measurement Permit Report Quarterly Grab								(Day.Max.)				
PARM Code 01119 T Requirement Report Requirement							1000					
Mon. Site No. SWD-4 Copper, Total Recoverable (Top) Sample Measurement Permit Mon. Site No. SWD-5 Copper, Total Recoverable Bottom) Mon. Site No. SWD-5 Copper, Total Recoverable Bottom) Mon. Site No. SWD-5 Copper, Total Recoverable Bottom) Mon. Site No. SWD-5 Copper, Total Recoverable Copper, Total Recoverable Copper, Total Recoverable Copper, Total Recoverable Measurement Mon. Site No. SWD-5 Copper, Total Recoverable Mon. Site No. SWD-6 Copper, Total Recoverable Mon. Site No. SWD-6 Copper, Total Recoverable Measurement Mon. Site No. SWD-7 Requirement Measurement Me												
Copper, Total Recoverable (Top) Measurement Requirement Requirem									ug/L		Quarterly	Grab
Measurement Permit Report Ug/L Quarterly Grab (Day.Max.) PARM Code 01119 U Report (Day.Max.) Sample Measurement Measurement (Day.Max.) Measurement Measurement Measurement (Day.Max.) Mon. Site No. SWD-5 Copper, Total Recoverable (Top) Measurement Mon. Site No. SWD-5 Copper, Total Recoverable (Top) Measurement Mon. Site No. SWD-6 Copper, Total Recoverable (Top) Measurement Measureme								(Day.Max.)				
PARM Code 01119 U Report (Day.Max.) Copper, Total Recoverable Bottom) PARM Code 01119 W Requirement Copper, Total Recoverable Massurement PARM Code 01119 W Requirement Copper, Total Recoverable Mon. Site No. SWD-5 Copper, Total Recoverable Mon. Site No. SWD-6 Copper, Total Recoverable Mon. Site No. SWD-7 Requirement Copper, Total Recoverable Measurement Mon. Site No. SWD-7 Requirement Copper, Total Recoverable Measurement Copper, Total Recoverable (Top)												
Mon. Site No. SWD-5 Copper, Total Recoverable Bottom) PARM Code 01119 V Permit Requirement Copper, Total Recoverable (Top) Measurement PARM Code 01119 W Permit Requirement Copper, Total Recoverable (Top) Mon. Site No. SWD-6 Copper, Total Recoverable Bottom) PARM Code 01119 I Requirement Report (Day.Max.) Report (Day.Max.) Report (Day.Max.) Report (Day.Max.) Grab Copper, Total Recoverable Bottom) PARM Code 01119 5 Permit Requirement Report (Day.Max.) Report ug/L Quarterly Grab Copper, Total Recoverable (Top) Requirement Report (Day.Max.) Report ug/L Quarterly Grab Measurement Report ug/L Quarterly Grab												
Copper, Total Recoverable (Bottom) PARM Code 01119 V Permit Requirement Copper, Total Recoverable (Top) PARM Code 01119 W Permit Requirement Report (Day,Max.) Grab Report (Day,Max.) Report (Day,M									ug/L		Quarterly	Grab
Bottom Measurement Parmit Report ug/L Quarterly Grab								(Day.Max.)				
PARM Code 01119 V Mon. Site No. SWD-5 Requirement Copper, Total Recoverable (Top) PARM Code 01119 W Mon. Site No. SWD-6 Permit Requirement Requirement Report (Day.Max.)												
Mon. Site No. SWD-5 Requirement Copper, Total Recoverable (Top) PARM Code 01119 W Mon. Site No. SWD-6 Requirement Bottom) PARM Code 01119 1 Permit Report Mon. Site No. SWD-6 Requirement Report Mon. Site No. SWD-6 Requirement Requirement Report Mon. Site No. SWD-7 Requirement Report Mon. Site N												
Copper, Total Recoverable (Top) PARM Code 01119 W Mon. Site No. SWD-6 Requirement Copper, Total Recoverable (Bottom) PARM Code 01119 1 Permit Requirement Copper, Total Recoverable (Bottom) PARM Code 01119 1 Permit Requirement Copper, Total Recoverable (Top) Measurement Copper, Total Recoverable (Top) Copper, Total Recoverable (Top) Measurement PARM Code 01119 5 Permit Requirement Copper, Total Recoverable Measurement PARM Code 01119 5 Permit Requirement Report (Day.Max.) Report (Day.Max.) Copper, Total Recoverable (Day.Max.) Report (Day.Max.) Report (Day.Max.) Grab Mon. Site No. SWD-7 Requirement Report (Day.Max.) Report (Day.Max.) Report (Day.Max.) Copper, Total Recoverable (Bottom) Resourement Report Report (Day.Max.) Report (Day.Max.) Copper, Total Recoverable (Day.Max.) Report (Day.Max.) Report (Day.Max.) Copper, Total Recoverable (Day.Max.)									ug/L		Quarterly	Grab
Measurement PARM Code 01119 W Mon. Site No. SWD-6 Copper, Total Recoverable Bottom) PARM Code 01119 1 Measurement PARM Code 01119 1 Measurement PARM Code 01119 1 Measurement PARM Code 01119 5 PARM Code 01119 6 PARM Code 01119 7 PARM Code 01119 6 PARM Code 01119 7 PARM Code 01119 8 PARM Code 01119 8 PARM Code 01119 A PARM Code 01119 A PErmit PARM Code 01119								(Day.Max.)				
Mon. Site No. SWD-6 Requirement Copper, Total Recoverable (Bottom) Measurement PARM Code 01119 1 Permit Mon. Site No. SWD-6 Requirement Copper, Total Recoverable (Top) Measurement Measur	Copper, Total Recoverable (Top)											
Mon. Site No. SWD-6 Requirement Copper, Total Recoverable (Bottom) Measurement	PARM Code 01119 W	Permit						Report	ug/L		Quarterly	Grab
(Bottom) Measurement Report (Day.Max.) PARM Code 01119 1 Permit Requirement (Day.Max.) Copper, Total Recoverable (Top) Measurement Requirement Requirement (Day.Max.) PARM Code 01119 5 Permit Requirement (Day.Max.) PARM Code 01119 5 Requirement (Day.Max.) Copper, Total Recoverable (Day.Max.) Copper, Total Recoverable (Day.Max.) Copper, Total Recoverable (Day.Max.) Report ug/L Quarterly Grab (Day.Max.) Copper, Total Recoverable (Day.Max.) Report ug/L Quarterly Grab (Recoverable (Day.Max.))	Mon. Site No. SWD-6	Requirement							-		, ,	
PARM Code 01119 1 Permit Requirement	Copper, Total Recoverable	Sample										
Mon. Site No. SWD-6 Requirement Copper, Total Recoverable (Top) PARM Code 01119 5 Requirement Mon. Site No. SWD-7 Requirement Copper, Total Recoverable Measurement Mon. Site No. SWD-7 Requirement Copper, Total Recoverable Bottom Measurement Report Ug/L Quarterly Grab PARM Code 01119 A Permit Report Ug/L Quarterly Grab	(Bottom)	Measurement										
Copper, Total Recoverable (Top) PARM Code 01119 5 Permit Requirement Copper, Total Recoverable (Day.Max.) Sample (Bottom) PARM Code 01119 A Permit Report (Day.Max.) Report (Day.Max.) Requirement Report (Day.Max.)	PARM Code 01119 1							Report	ug/L		Quarterly	Grab
Measurement	Mon. Site No. SWD-6	Requirement						(Day.Max.)				
PARM Code 01119 5 Permit Requirement Report ug/L Quarterly Grab Mon. Site No. SWD-7 Requirement Sample (Bottom) Measurement PARM Code 01119 A Permit Report ug/L Quarterly Grab	Copper, Total Recoverable (Top)											
Mon. Site No. SWD-7 Requirement (Day.Max.) Copper, Total Recoverable (Bottom) PARM Code 01119 A Permit (Report ug/L Quarterly Grab	PARM Code 01119 5							Report	ug/L		Quarterly	Grah
Copper, Total Recoverable (Bottom) Measurement PARM Code 01119 A Permit Report ug/L Quarterly Grab											Quarterry	00
(Bottom) Measurement Report ug/L Quarterly Grab				ALIAN A	4			(24) 111411)				
PARM Code 01119 A Permit Report ug/L Quarterly Grab	(Bottom)											
	PARM Code 01119 A							Report	ug/L		Ouarterly	Grab
	Mon. Site No. SWD-7	Requirement						(Day.Max.)			Quarterry	00

FACILITY:	FPL Turkey Point Plant	MONITORING GROUP	D-01A	PERMIT NUMBER: FL0001562-012-IW1N
		NUMBER:		
		MONITORING PERIOD	From:	To

Parameter		Quantity o	r Loading	Units	Qı	uality or Concentrati	on	Units	No.	Frequency of	Sample Type
									Ex.	Analysis	
Copper, Total Recoverable (Top)	Sample Measurement										
PARM Code 01119 B Mon. Site No. SWD-8	Permit Requirement						Report (Day.Max.)	ug/L		Quarterly	Grab
Copper, Total Recoverable (Bottom)	Sample Measurement						(Buyinaki)				
PARM Code 01119 G Mon. Site No. SWD-8	Permit Requirement						Report (Day.Max.)	ug/L		Quarterly	Grab
Copper, Total Recoverable (Top)	Sample Measurement										
PARM Code 01119 7 Mon. Site No. SWD-9	Permit Requirement						Report (Day.Max.)	ug/L		Quarterly	Grab
Copper, Total Recoverable (Bottom)	Sample Measurement	_			_					_	_
PARM Code 01119 I Mon. Site No. SWD-9	Permit Requirement						Report (Day.Max.)	ug/L		Quarterly	Grab
Copper, Total Recoverable (Top)	Sample Measurement										
PARM Code 01119 J Mon. Site No. SWD-10	Permit Requirement					,	Report (Day.Max.)	ug/L		Quarterly	Grab
Copper, Total Recoverable (Bottom)	Sample Measurement										
PARM Code 01119 K Mon. Site No. SWD-10	Permit Requirement						Report (Day.Max.)	ug/L		Quarterly	Grab
Copper, Total Recoverable (Top)	Sample Measurement										
PARM Code 01119 Y Mon. Site No. SWD-11	Permit Requirement						Report (Day.Max.)	ug/L		Quarterly	Grab
Copper, Total Recoverable (Bottom)	Sample Measurement		All								
PARM Code 01119 0 Mon. Site No. SWD-11	Permit Requirement						Report (Day.Max.)	ug/L		Quarterly	Grab
Copper, Total Recoverable (Top)	Sample Measurement										
PARM Code 01119 2 Mon. Site No. SWD-12	Permit Requirement						Report (Day.Max.)	ug/L		Quarterly	Grab
Copper, Total Recoverable (Bottom)	Sample Measurement										
PARM Code 01119 3 Mon. Site No. SWD-12	Permit Requirement						Report (Day.Max.)	ug/L		Quarterly	Grab

FACILITY:	FPL Turkey Point Plant	MONITORING GROUP	D-01A	PERMIT NUMBER: FL0001562-012-IW1N
		NUMBER:		
		MONITORING PERIOD	From:	To:

Parameter		Quantity o	r I codina	Unite	Units Quality or Concentration				No.	Frequency of	Sample Type
r ai ainetei		Quantity 0	Loading	Units	Q	uanty of Concentrati	OII	Units	Ex.	Analysis	Sample Type
Iron, Total Recoverable (Top)	Sample										
	Measurement										
PARM Code 00980 6	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-2	Requirement						(Day.Max.)				
Iron, Total Recoverable (Bottom)	Sample Measurement										
PARM Code 00980 P Mon. Site No. SWD-2	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Iron, Total Recoverable (Top)	Sample Measurement							All			
PARM Code 00980 Q	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-3	Requirement						(Day.Max.)				
Iron, Total Recoverable (Bottom)	Sample Measurement										
PARM Code 00980 R	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-3	Requirement						(Day.Max.)				
Iron, Total Recoverable (Top)	Sample					-					
	Measurement										
PARM Code 00980 S	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-4	Requirement						(Day.Max.)				
Iron, Total Recoverable (Bottom)	Sample										
	Measurement										
PARM Code 00980 T	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-4	Requirement						(Day.Max.)				
Iron, Total Recoverable (Top)	Sample Measurement										
PARM Code 00980 U Mon. Site No. SWD-5	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Iron, Total Recoverable (Bottom)	Sample Measurement										
PARM Code 00980 V	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-5	Requirement						(Day.Max.)				
Iron, Total Recoverable (Top)	Sample Measurement										
PARM Code 00980 W	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-6	Requirement						(Day.Max.)			, ,	
Iron, Total Recoverable (Bottom)	Sample Measurement		All								
PARM Code 00980 1 Mon. Site No. SWD-6	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab

FACILITY:	FPL Turkey Point Plant	MONITORING GROUP	D-01A			PERMIT NUMBER: FL0001562-012-IW1N
		NUMBER:		4		
		MONITORING PERIOD	From:	4	To:	

Parameter		Quantity o	r Loading	Units	Qı	uality or Concentrati	ion	Units	No. Ex.	Frequency of Analysis	Sample Type
Iron, Total Recoverable (Top)	Sample Measurement									j	
PARM Code 00980 5 Mon. Site No. SWD-7	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Iron, Total Recoverable (Bottom)	Sample Measurement										
PARM Code 00980 A Mon. Site No. SWD-7	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Iron, Total Recoverable (Top)	Sample Measurement										
PARM Code 00980 B Mon. Site No. SWD-8	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Iron, Total Recoverable (Bottom)	Sample Measurement										
PARM Code 00980 G Mon. Site No. SWD-8	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Iron, Total Recoverable (Top)	Sample Measurement										
PARM Code 00980 7 Mon. Site No. SWD-9	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Iron, Total Recoverable (Bottom)	Sample Measurement										
PARM Code 00980 I Mon. Site No. SWD-9	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Iron, Total Recoverable (Top)	Sample Measurement										
PARM Code 00980 J Mon. Site No. SWD-10	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Iron, Total Recoverable (Bottom)	Sample Measurement		400								
PARM Code 00980 K Mon. Site No. SWD-10	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Iron, Total Recoverable (Top)	Sample Measurement										
PARM Code 00980 Y Mon. Site No. SWD-11	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Iron, Total Recoverable (Bottom)	Sample Measurement										
PARM Code 00980 0 Mon. Site No. SWD-11	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab

FACILITY:	FPL Turkey Point Plant	MONITORING GROUP	D-01A	PERMIT NUMBER: FL0001562-0)12-IW1N
		NUMBER:			
		MONITORING PERIOD	From:	To:	

Parameter		Quantity o	r Loadina	Units	0	uality or Concentrat	ion	Units	No.	Frequency of	Sample Type
1 arameter		Quantity	Loading	Omts	V	uanty of Concentrat		Onits	Ex.	Analysis	Sample Type
Iron, Total Recoverable (Top)	Sample										
	Measurement					417	All D				
PARM Code 00980 2	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-12	Requirement						(Day.Max.)				
Iron, Total Recoverable (Bottom)	Sample Measurement					\					
PARM Code 00980 3 Mon. Site No. SWD-12	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Zinc, Total Recoverable (Top)	Sample Measurement										
PARM Code 01094 6	Permit						Report	ug/L		Quarterly	Grab
Mon. Site No. SWD-2	Requirement						(Day.Max.)				
Zinc, Total Recoverable (Bottom)	Sample Measurement										
PARM Code 01094 P	Permit						Report	ug/L		Quarterly	Grab
Mon. Site No. SWD-2	Requirement						(Day.Max.)				
Zinc, Total Recoverable (Top)	Sample										
	Measurement			_							
PARM Code 01094 Q	Permit						Report	ug/L		Quarterly	Grab
Mon. Site No. SWD-3	Requirement						(Day.Max.)				
Zinc, Total Recoverable (Bottom)	Sample Measurement										
PARM Code 01094 R	Permit						Report	ug/L		Quarterly	Grab
Mon. Site No. SWD-3	Requirement						(Day.Max.)				
Zinc, Total Recoverable (Top)	Sample Measurement										
PARM Code 01094 S Mon. Site No. SWD-4	Permit Requirement						Report (Day.Max.)	ug/L		Quarterly	Grab
Zinc, Total Recoverable (Bottom)	Sample Measurement		All Van								
PARM Code 01094 T	Permit						Report	ug/L		Quarterly	Grab
Mon. Site No. SWD-4	Requirement						(Day.Max.)				
Zinc, Total Recoverable (Top)	Sample Measurement		1								
PARM Code 01094 U	Permit						Report	ug/L		Quarterly	Grab
Mon. Site No. SWD-5	Requirement						(Day.Max.)				
Zinc, Total Recoverable (Bottom)	Sample Measurement										
PARM Code 01094 V Mon. Site No. SWD-5	Permit Requirement		-				Report (Day.Max.)	ug/L		Quarterly	Grab

FACILITY:	FPL Turkey Point Plant	MONITORING GROUP	D-01A	PERMIT NUMBER: FL0001562-012-IW1N
		NUMBER:		
		MONITORING PERIOD	From:	To:

Parameter	1	Quantity o	"I codina	Units		uality or Concentrati		Units	No.	Frequency of	Sample Type
Parameter		Quantity o	r Loading	Units	Q	uanty of Concentrati	OIF	Units	Ex.	Analysis	Sample Type
Zinc, Total Recoverable (Top)	Sample										
	Measurement					417	THE				
PARM Code 01094 W	Permit						Report	ug/L		Quarterly	Grab
Mon. Site No. SWD-6	Requirement						(Day.Max.)				
Zinc, Total Recoverable (Bottom)	Sample Measurement										
PARM Code 01094 1 Mon. Site No. SWD-6	Permit Requirement						Report (Day.Max.)	ug/L		Quarterly	Grab
Zinc, Total Recoverable (Top)	Sample Measurement							All I			
PARM Code 01094 5	Permit						Report	ug/L		Quarterly	Grab
Mon. Site No. SWD-7	Requirement						(Day.Max.)			,	
Zinc, Total Recoverable (Bottom)	Sample Measurement										
PARM Code 01094 A	Permit						Report	ug/L		Quarterly	Grab
Mon. Site No. SWD-7	Requirement						(Day.Max.)				
Zinc, Total Recoverable (Top)	Sample					-					
	Measurement			■							
PARM Code 01094 B	Permit						Report	ug/L		Quarterly	Grab
Mon. Site No. SWD-8	Requirement						(Day.Max.)				
Zinc, Total Recoverable (Bottom)	Sample Measurement										
PARM Code 01094 G	Permit						Report	ug/L		Quarterly	Grab
Mon. Site No. SWD-8	Requirement						(Day.Max.)	_			
Zinc, Total Recoverable (Top)	Sample Measurement										
PARM Code 01094 7 Mon. Site No. SWD-9	Permit Requirement						Report (Day.Max.)	ug/L		Quarterly	Grab
Zinc, Total Recoverable (Bottom)	Sample Measurement		All Van								
PARM Code 01094 I	Permit						Report	ug/L		Quarterly	Grab
Mon. Site No. SWD-9	Requirement						(Day.Max.)			ì	
Zinc, Total Recoverable (Top)	Sample Measurement						· -				
PARM Code 01094 J	Permit						Report	ug/L		Quarterly	Grab
Mon. Site No. SWD-10	Requirement						(Day.Max.)				
Zinc, Total Recoverable (Bottom)	Sample Measurement										
PARM Code 01094 K Mon. Site No. SWD-10	Permit Requirement						Report (Day.Max.)	ug/L		Quarterly	Grab

FACILITY:	FPL Turkey Point Plant	MONITORING GROUP	D-01A	PERMIT NUMBER: FL0001562-012-IW1N
		NUMBER:		
		MONITORING PERIOD	From:	10:

Parameter		Quantity of	r Loading	Units	Q	uality or Concentrati	on	Units	No. Ex.	Frequency of	Sample Type
Zinc, Total Recoverable (Top)	Sample								EX.	Analysis	
Zinc, Total Recoverable (Top)	Measurement										
PARM Code 01094 Y	Permit					400	Report	ug/L		Quarterly	Grab
Mon. Site No. SWD-11	Requirement						(Day.Max.)			Quarterry	Giao
Zinc, Total Recoverable (Bottom)	Sample										
, , , , , , , , , , , , , , , , , , , ,	Measurement										
PARM Code 01094 0	Permit						Report	ug/L		Quarterly	Grab
Mon. Site No. SWD-11	Requirement						(Day.Max.)				
Zinc, Total Recoverable (Top)	Sample							All b	ľ		
	Measurement				7 700						
PARM Code 01094 2	Permit						Report	ug/L		Quarterly	Grab
Mon. Site No. SWD-12	Requirement						(Day.Max.)				
Zinc, Total Recoverable (Bottom)	Sample										
	Measurement										
PARM Code 01094 3	Permit						Report	ug/L		Quarterly	Grab
Mon. Site No. SWD-12	Requirement						(Day.Max.)				
Boron, Total Recoverable (Top)	Sample										
	Measurement										
PARM Code 00999 6	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-2	Requirement						(Day.Max.)				
Boron, Total Recoverable (Bottom)											
	Measurement										
PARM Code 00999 P	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-2	Requirement				_		(Day.Max.)				
Boron, Total Recoverable (Top)	Sample Measurement		, W								
PARM Code 00999 Q	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-3	Requirement						(Day.Max.)				
Boron, Total Recoverable (Bottom)	Sample Measurement		All Van								
PARM Code 00999 R	Permit		-	7			Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-3	Requirement						(Day.Max.)	_		,	
Boron, Total Recoverable (Top)	Sample Measurement		W A								
PARM Code 00999 S	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-4	Requirement						(Day.Max.)			Quarterry	00
Boron, Total Recoverable (Bottom)	Sample		VIIIA	-			(Dujinian)				
DADMG LOODOO T	Measurement						D (0 1	0.1
PARM Code 00999 T	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-4	Requirement						(Day.Max.)				

FACILITY:	FPL Turkey Point Plant	MONITORING GROUP	D-01A	PERMIT NUMBER: FL0001562-012-IW1N
		NUMBER:		
		MONITORING PERIOD	From:	To:

Parameter		Quantity of	r Loading	Units	Qı	uality or Concentrati	ion	Units	No. Ex.	Frequency of Analysis	Sample Type
Boron, Total Recoverable (Top)	Sample Measurement										
PARM Code 00999 U Mon. Site No. SWD-5	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Boron, Total Recoverable (Bottom)	Sample Measurement										
PARM Code 00999 V Mon. Site No. SWD-5	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Boron, Total Recoverable (Top)	Sample Measurement										
PARM Code 00999 W Mon. Site No. SWD-6	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Boron, Total Recoverable (Bottom)											
PARM Code 00999 1 Mon. Site No. SWD-6	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Boron, Total Recoverable (Top)	Sample Measurement										
PARM Code 00999 5 Mon. Site No. SWD-7	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Boron, Total Recoverable (Bottom)	Sample Measurement										
PARM Code 00999 A Mon. Site No. SWD-7	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Boron, Total Recoverable (Top)	Sample Measurement										
PARM Code 00999 B Mon. Site No. SWD-8	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
	Sample Measurement		All Van								
	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Boron, Total Recoverable (Top)	Sample Measurement										
	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
, , , ,	Sample Measurement										
PARM Code 00999 I Mon. Site No. SWD-9	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab

FACILITY:	FPL Turkey Point Plant	MONITORING GROUP	D-01A			PERMIT NUMBER: FL0001562-012-IW1N
		NUMBER:		4		
		MONITORING PERIOD	From:	4	To:	

Parameter		Quantity o	r Loading	Units	Q	uality or Concentrati	on	Units	No. Ex.	Frequency of Analysis	Sample Type
Boron, Total Recoverable (Top)	Sample Measurement									Ĭ	
PARM Code 00999 J Mon. Site No. SWD-10	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Boron, Total Recoverable (Bottom)											
PARM Code 00999 K Mon. Site No. SWD-10	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Boron, Total Recoverable (Top)	Sample Measurement							All			
PARM Code 00999 Y Mon. Site No. SWD-11	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Boron, Total Recoverable (Bottom)	Sample Measurement										
PARM Code 00999 0 Mon. Site No. SWD-11	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Boron, Total Recoverable (Top)	Sample Measurement			-							
PARM Code 00999 2 Mon. Site No. SWD-12	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Boron, Total Recoverable (Bottom)	Sample Measurement										
PARM Code 00999 3 Mon. Site No. SWD-12	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Chloride (as Cl) (Top)	Sample Measurement										
PARM Code 00940 6 Mon. Site No. SWD-2	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Chloride (as Cl) (Bottom)	Sample Measurement		All Van								
PARM Code 00940 P Mon. Site No. SWD-2	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Chloride (as Cl) (Top)	Sample Measurement										
PARM Code 00940 Q Mon. Site No. SWD-3	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Chloride (as Cl) (Bottom)	Sample Measurement										
PARM Code 00940 R Mon. Site No. SWD-3	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab

FACILITY:	FPL Turkey Point Plant	MONITORING GROUP	D-01A	PERMIT NUMBER: FL0001562-012-IW1N
		NUMBER:		
		MONITORING PERIOD	From:	To:

Parameter		Quantity o	Quality or Loading Units Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type		
Chloride (as Cl) (Top)	Sample Measurement								Ĭ	
PARM Code 00940 S Mon. Site No. SWD-4	Permit Requirement					Report (Day.Max.)	mg/L		Quarterly	Grab
Chloride (as Cl) (Bottom)	Sample Measurement									
PARM Code 00940 T Mon. Site No. SWD-4	Permit Requirement					Report (Day.Max.)	mg/L		Quarterly	Grab
Chloride (as Cl) (Top)	Sample Measurement									
PARM Code 00940 U Mon. Site No. SWD-5	Permit Requirement					Report (Day.Max.)	mg/L		Quarterly	Grab
Chloride (as Cl) (Bottom)	Sample Measurement									
PARM Code 00940 V Mon. Site No. SWD-5	Permit Requirement					Report (Day.Max.)	mg/L		Quarterly	Grab
Chloride (as Cl) (Top)	Sample Measurement									
PARM Code 00940 W Mon. Site No. SWD-6	Permit Requirement					Report (Day.Max.)	mg/L		Quarterly	Grab
Chloride (as Cl) (Bottom)	Sample Measurement									
PARM Code 00940 1 Mon. Site No. SWD-6	Permit Requirement					Report (Day.Max.)	mg/L		Quarterly	Grab
Chloride (as Cl) (Top)	Sample Measurement									
PARM Code 00940 5 Mon. Site No. SWD-7	Permit Requirement					Report (Day.Max.)	mg/L		Quarterly	Grab
Chloride (as Cl) (Bottom)	Sample Measurement		All Van							
PARM Code 00940 A Mon. Site No. SWD-7	Permit Requirement					Report (Day.Max.)	mg/L		Quarterly	Grab
Chloride (as Cl) (Top)	Sample Measurement									
PARM Code 00940 B Mon. Site No. SWD-8	Permit Requirement					Report (Day.Max.)	mg/L		Quarterly	Grab
Chloride (as Cl) (Bottom)	Sample Measurement									
PARM Code 00940 G Mon. Site No. SWD-8	Permit Requirement					Report (Day.Max.)	mg/L		Quarterly	Grab

FACILITY:	FPL Turkey Point Plant	MONITORING GROUP	D-01A			PERMIT NUMBER: FL0001562-012-IW1N
		NUMBER:		4		
		MONITORING PERIOD	From:	4	To:	

Parameter		Quantity of	or Loading	Units	Q	ion	Units	No.	Frequency of	Sample Type	
			_				III).		Ex.	Analysis	
Chloride (as Cl) (Top)	Sample Measurement										
PARM Code 00940 7 Mon. Site No. SWD-9	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Chloride (as Cl) (Bottom)	Sample Measurement										
PARM Code 00940 I Mon. Site No. SWD-9	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Chloride (as Cl) (Top)	Sample Measurement							All			
PARM Code 00940 J Mon. Site No. SWD-10	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Chloride (as Cl) (Bottom)	Sample Measurement										
PARM Code 00940 K Mon. Site No. SWD-10	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Chloride (as Cl) (Top)	Sample Measurement			4							
PARM Code 00940 Y Mon. Site No. SWD-11	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Chloride (as Cl) (Bottom)	Sample Measurement										
PARM Code 00940 0 Mon. Site No. SWD-11	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Chloride (as Cl) (Top)	Sample Measurement										
PARM Code 00940 2 Mon. Site No. SWD-12	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Chloride (as Cl) (Bottom)	Sample Measurement										
PARM Code 00940 3 Mon. Site No. SWD-12	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Magnesium, Total Recoverable (Top)	Sample Measurement										
PARM Code 00921 6 Mon. Site No. SWD-2	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Magnesium, Total Recoverable (Bottom)	Sample Measurement										
PARM Code 00921 P Mon. Site No. SWD-2	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab

FACILITY:	FPL Turkey Point Plant	MONITORING GROUP	D-01A	PERMIT NUMBER: FL0001562-012-IW1N
		NUMBER:		
		MONITORING PERIOD	From:	To:

Parameter	1	Quantity of	"I codina	Units		uality or Concentrati		Units	No.	Frequency of	Sample Type
Parameter		Quantity	r Loading	Ullits	Q	uanty of Concentrati	loli	Units	Ex.	Analysis	Sample Type
Magnesium, Total Recoverable	Sample										
(Top)	Measurement						All I				
PARM Code 00921 Q	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-3	Requirement						(Day.Max.)				
Magnesium, Total Recoverable	Sample										
(Bottom)	Measurement						The state of the s				
PARM Code 00921 R	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-3	Requirement						(Day.Max.)				
Magnesium, Total Recoverable	Sample							411117	ľ		
(Top)	Measurement										
PARM Code 00921 S	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-4	Requirement						(Day.Max.)				
Magnesium, Total Recoverable	Sample					10000					
(Bottom)	Measurement										
PARM Code 00921 T	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-4	Requirement						(Day.Max.)				
Magnesium, Total Recoverable	Sample										
(Top)	Measurement										
PARM Code 00921 U	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-5	Requirement						(Day.Max.)				
Magnesium, Total Recoverable	Sample										
(Bottom)	Measurement										
PARM Code 00921 V	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-5	Requirement						(Day.Max.)				
Magnesium, Total Recoverable	Sample										
(Top)	Measurement										
PARM Code 00921 W	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-6	Requirement						(Day.Max.)				
Magnesium, Total Recoverable	Sample										
(Bottom)	Measurement										
PARM Code 00921 1	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-6	Requirement						(Day.Max.)				
Magnesium, Total Recoverable	Sample										
(Top)	Measurement										
PARM Code 00921 5	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-7	Requirement						(Day.Max.)				
Magnesium, Total Recoverable	Sample										
(Bottom)	Measurement					<u> </u>	<u> </u>			<u> </u>	
PARM Code 00921 A	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-7	Requirement						(Day.Max.)				

FACILITY:	FPL Turkey Point Plant	MONITORING GROUP	D-01A	PERMIT NUMBER: FL0001562-012-IW1N
		NUMBER:		
		MONITODING DEDIOD	Erom:	To:

Parameter		Quantity o	Loading	Units	Qı	uality or Concentrati	ion	Units	No. Ex.	Frequency of Analysis	Sample Type
Magnesium, Total Recoverable (Top)	Sample Measurement										
PARM Code 00921 B Mon. Site No. SWD-8	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Magnesium, Total Recoverable (Bottom)	Sample Measurement						(Day.iviax.)				
PARM Code 00921 G Mon. Site No. SWD-8	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Magnesium, Total Recoverable (Top)	Sample Measurement						(Day.iviax.)	All			
PARM Code 00921 7 Mon. Site No. SWD-9	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Magnesium, Total Recoverable (Bottom)	Sample Measurement						, , ,				
PARM Code 00921 I Mon. Site No. SWD-9	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Magnesium, Total Recoverable (Top)	Sample Measurement										
PARM Code 00921 J Mon. Site No. SWD-10	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Magnesium, Total Recoverable (Bottom)	Sample Measurement										
PARM Code 00921 K Mon. Site No. SWD-10	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Magnesium, Total Recoverable (Top)	Sample Measurement										
PARM Code 00921 Y Mon. Site No. SWD-11	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Magnesium, Total Recoverable (Bottom)	Sample Measurement		411								
PARM Code 00921 0 Mon. Site No. SWD-11	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Magnesium, Total Recoverable (Top)	Sample Measurement										
PARM Code 00921 2 Mon. Site No. SWD-12	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Magnesium, Total Recoverable (Bottom)	Sample Measurement										
PARM Code 00921 3 Mon. Site No. SWD-12	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab

FACILITY:	FPL Turkey Point Plant	MONITORING GROUP	D-01A	PERMIT NUMBER: FL0001562-012-IW1N
		NUMBER:		
		MONITORING PERIOD	From:	To:

Т.	1	0 11	T 1:	TT :	0	Ti C		TT 14	N.Y	F 6	C 1 T
Parameter		Quantity o	r Loading	Units	Q	uality or Concentrati	on	Units	No. Ex.	Frequency of Analysis	Sample Type
Sodium, Total Recoverable (Top)	Sample										
	Measurement					417	THE				
PARM Code 00923 6	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-2	Requirement						(Day.Max.)				
Sodium, Total Recoverable	Sample										
(Bottom)	Measurement						4111				
PARM Code 00923 P	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-2	Requirement						(Day.Max.)				
Sodium, Total Recoverable (Top)	Sample							41111	ľ		
	Measurement										
PARM Code 00923 Q	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-3	Requirement						(Day.Max.)				
Sodium, Total Recoverable	Sample					1000					
(Bottom)	Measurement										
PARM Code 00923 R	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-3	Requirement						(Day.Max.)				
Sodium, Total Recoverable (Top)	Sample										
	Measurement										
PARM Code 00923 S	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-4	Requirement						(Day.Max.)				
Sodium, Total Recoverable	Sample										
(Bottom)	Measurement										
PARM Code 00923 T	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-4	Requirement						(Day.Max.)				
Sodium, Total Recoverable (Top)	Sample Measurement										
PARM Code 00923 U	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-5	Requirement						(Day.Max.)				
Sodium, Total Recoverable	Sample										
(Bottom)	Measurement										
PARM Code 00923 V	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-5	Requirement						(Day.Max.)				
Sodium, Total Recoverable (Top)	Sample Measurement										
PARM Code 00923 W	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-6	Requirement						(Day.Max.)			ì	
Sodium, Total Recoverable	Sample			4							
(Bottom)	Measurement										
PARM Code 00923 1	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-6	Requirement						(Day.Max.)			` .	

FACILITY:	FPL Turkey Point Plant	MONITORING GROUP	D-01A	PERMIT NUMBER: FL0001562-012-IW1N
		NUMBER:		
		MONITORING PERIOD	From:	To:

D	1	O	. T 4:	TT-:4-	0	1:t Ctt		TT-:4-	NI.	F	C1- T
Parameter		Quantity o	r Loading	Units	Q	uality or Concentrati	on	Units	No. Ex.	Frequency of Analysis	Sample Type
Sodium, Total Recoverable (Top)	Sample										
	Measurement						4111				
PARM Code 00923 5	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-7	Requirement						(Day.Max.)				
Sodium, Total Recoverable	Sample										
(Bottom)	Measurement						4111				
PARM Code 00923 A	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-7	Requirement						(Day.Max.)				
Sodium, Total Recoverable (Top)	Sample							41111	ľ		
	Measurement										
PARM Code 00923 B	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-8	Requirement						(Day.Max.)				
Sodium, Total Recoverable	Sample					1000					
(Bottom)	Measurement										
PARM Code 00923 G	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-8	Requirement						(Day.Max.)				
Sodium, Total Recoverable (Top)	Sample										
	Measurement										
PARM Code 00923 7	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-9	Requirement						(Day.Max.)				
Sodium, Total Recoverable	Sample										
(Bottom)	Measurement										
PARM Code 00923 I	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-9	Requirement						(Day.Max.)				
Sodium, Total Recoverable (Top)	Sample Measurement										
PARM Code 00923 J	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-10	Requirement						(Day.Max.)				
Sodium, Total Recoverable	Sample										
(Bottom)	Measurement		A COURT								
PARM Code 00923 K	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-10	Requirement						(Day.Max.)				
Sodium, Total Recoverable (Top)	Sample Measurement										
PARM Code 00923 Y	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-11	Requirement						(Day.Max.)			,	
Sodium, Total Recoverable	Sample						· • •				
(Bottom)	Measurement		WIN								
PARM Code 00923 0	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-11	Requirement						(Day.Max.)				

FACILITY:	FPL Turkey Point Plant	MONITORING GROUP	D-01A	PERMIT NUMBER	R: FL0001562-012-IW1N
		NUMBER:			
		MONITORING PERIOD	From:	To:	

Parameter		Quantity of	r Loading	Units	Qı	uality or Concentrati	on	Units	No. Ex.	Frequency of Analysis	Sample Type
Sodium, Total Recoverable (Top)	Sample Measurement										
PARM Code 00923 2 Mon. Site No. SWD-12	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Sodium, Total Recoverable	Sample						(Day.Max.)				
(Bottom)	Measurement										
PARM Code 00923 3 Mon. Site No. SWD-12	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
							(Day.Max.)	1	r		
Sulfate, Total (Top)	Sample Measurement										
PARM Code 00945 6	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-2	Requirement						(Day.Max.)				
Sulfate, Total (Bottom)	Sample Measurement										
PARM Code 00945 P	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-2	Requirement						(Day.Max.)			Quarterry	Grao
Sulfate, Total (Top)	Sample					-	(= 11) 1.71111111				
,	Measurement			_							
PARM Code 00945 Q	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-3	Requirement						(Day.Max.)				
Sulfate, Total (Bottom)	Sample					-					
	Measurement										
PARM Code 00945 R	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-3	Requirement						(Day.Max.)				
Sulfate, Total (Top)	Sample Measurement										
PARM Code 00945 S Mon. Site No. SWD-4	Permit						Report (Day.Max.)	mg/L		Quarterly	Grab
	Requirement		400				(Day.Max.)				
Sulfate, Total (Bottom)	Sample Measurement										
PARM Code 00945 T	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-4	Requirement						(Day.Max.)				
Sulfate, Total (Top)	Sample Measurement										
PARM Code 00945 U	Permit						Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-5	Requirement						(Day.Max.)	Ü		Q	
Sulfate, Total (Bottom)	Sample Measurement						, ,				
PARM Code 00945 V	Permit		VIIII				Report	mg/L		Quarterly	Grab
Mon. Site No. SWD-5	Requirement						(Day.Max.)				

FACILITY:	FPL Turkey Point Plant	MONITORING GROUP	D-01A	PERMI	T NUMBER: FL0001562-012-IW1N
		NUMBER:	_		
		MONITORING PERIOD	From:	То:	

Parameter		Quantity or	Loading	Units	Qı	uality or Concentrati	ion	Units	No. Ex.	Frequency of Analysis	Sample Type
Sulfate, Total (Top)	Sample Measurement										
PARM Code 00945 W Mon. Site No. SWD-6	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Sulfate, Total (Bottom)	Sample Measurement										
PARM Code 00945 1 Mon. Site No. SWD-6	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Sulfate, Total (Top)	Sample Measurement							All			
PARM Code 00945 5 Mon. Site No. SWD-7	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Sulfate, Total (Bottom)	Sample Measurement										
PARM Code 00945 A Mon. Site No. SWD-7	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Sulfate, Total (Top)	Sample Measurement										
PARM Code 00945 B Mon. Site No. SWD-8	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Sulfate, Total (Bottom)	Sample Measurement										
PARM Code 00945 G Mon. Site No. SWD-8	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Sulfate, Total (Top)	Sample Measurement										
PARM Code 00945 7 Mon. Site No. SWD-9	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Sulfate, Total (Bottom)	Sample Measurement		All Van								
PARM Code 00945 I Mon. Site No. SWD-9	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Sulfate, Total (Top)	Sample Measurement										
PARM Code 00945 J Mon. Site No. SWD-10	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Sulfate, Total (Bottom)	Sample Measurement										
PARM Code 00945 K Mon. Site No. SWD-10	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab

FACILITY:	FPL Turkey Point Plant	MONITORING GROUP	D-01A		PERMIT NUMBER: FL0001562-012-IW11
		NUMBER: MONITORING PERIOD	Erom:	Т	Po:
		MONITORING FERIOD	From:		10:

Parameter		Quantity or Loading		Units	Units Quality or Concentration			Units	No.	Frequency of	Sample Type
T diameter		Quantity	7 Louding	Cinto		attacky or concentration		Cinto	Ex.	Analysis	Sample Type
Sulfate, Total (Top)	Sample Measurement										
PARM Code 00945 Y Mon. Site No. SWD-11	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Sulfate, Total (Bottom)	Sample Measurement										
PARM Code 00945 0 Mon. Site No. SWD-11	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Sulfate, Total (Top)	Sample Measurement										
PARM Code 00945 2 Mon. Site No. SWD-12	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Sulfate, Total (Bottom)	Sample Measurement										
PARM Code 00945 3 Mon. Site No. SWD-12	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Turbidity	Sample Measurement										
PARM Code 00070 5 Mon. Site No. SWD-11	Permit Requirement						Report (Day.Max.)	NTU		Quarterly	Grab
						*					
				,							
			NIIK.								

DEPARTMENT OF ENVIRONMENTAL PROTECTION DISCHARGE MONITORING REPORT - PART A

When Completed submit th	nis report to: http://www.fldepportal.com/go/				
PERMITTEE NAME:	FPL	PERMIT NUMBER:	FL0001562-012-IW1N		
MAILING ADDRESS:	700 Universe Blvd				
	Juno Beach, Florida 33408-	LIMIT:	Final	REPORT FREQUENCY:	Semi-annually
		CLASS SIZE:	MA	PROGRAM:	Industrial
FACILITY:	FPL Turkey Point Plant	MONITORING GROUP NUMBER:	D-02A		
LOCATION:	9700 SW 344th St	MONITORING GROUP DESCRIPTION:	A new permitted series of pore	water (free water present in sec	diments) monitoring si
		40	in coastal marine wetlands nor	th, east, and south of the facility	y s onsite CCS.
	Homestead, FL 33035-1800	RE-SUBMITTED DMR:	1) 1111		
		NO DISCHARGE FROM SITE:			
COUNTY:	Miami-Dade	MONITORING PERIOD From:	To:		
OFFICE:	Tallahassee				
		MONITORING PERIOD From:	To:		

Parameter		Quantity of	or Loading	Units	Qu	uality or Concentrati	on	Units	No. Ex.	Frequency of Analysis	Sample Type
Temperature (F), Water	Sample Measurement										
PARM Code 00011 P Mon. Site No. OTH-1	Permit Requirement						Report (Day.Max.)	Deg F		Semi-Annually; twice per year	Grab
Temperature (F), Water	Sample Measurement										
PARM Code 00011 Q Mon. Site No. OTH-2	Permit Requirement						Report (Day.Max.)	Deg F		Semi-Annually; twice per year	Grab
Temperature (F), Water	Sample Measurement			4							
PARM Code 00011 R Mon. Site No. OTH-3	Permit Requirement						Report (Day.Max.)	Deg F		Semi-Annually; twice per year	Grab
Temperature (F), Water	Sample Measurement				Y						
PARM Code 00011 S Mon. Site No. OTH-4	Permit Requirement					-	Report (Day.Max.)	Deg F		Semi-Annually; twice per year	Grab
Temperature (F), Water	Sample Measurement			y							
PARM Code 00011 T Mon. Site No. OTH-5	Permit Requirement						Report (Day.Max.)	Deg F		Semi-Annually; twice per year	Grab
Temperature (F), Water	Sample Measurement		4								
PARM Code 00011 U Mon. Site No. OTH-6	Permit Requirement						Report (Day.Max.)	Deg F		Semi-Annually; twice per year	Grab

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE (mm/dd/yyyy)
	<i>y</i>			

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here):

FACILITY:	FPL Turkey Point Plant	MONITORING GROUP	D-02A	PERMIT NUMBER: FL0001562-012-IW1N
		NUMBER:		
		MONITORING PERIOD	From:	To:

Parameter		Quantity of	r Loading	Units	Qi	uality or Concentrati	ion	Units	No.	Frequency of	Sample Type
						41			Ex.	Analysis	
pH	Sample Measurement										
PARM Code 00400 P	Permit				Report		Report	s.u.		Semi-Annually;	Grab
Mon. Site No. OTH-1	Requirement				(Day.Min.)		(Day.Max.)			twice per year	
рН	Sample Measurement										
PARM Code 00400 Q	Permit				Report		Report	s.u.		Semi-Annually;	Grab
Mon. Site No. OTH-2	Requirement				(Day.Min.)		(Day.Max.)			twice per year	
pН	Sample										
	Measurement										
PARM Code 00400 R	Permit				Report		Report	s.u.		Semi-Annually;	Grab
Mon. Site No. OTH-3	Requirement				(Day.Min.)		(Day.Max.)			twice per year	
pH	Sample					1000					
	Measurement										
PARM Code 00400 S	Permit				Report		Report	s.u.		Semi-Annually;	Grab
Mon. Site No. OTH-4	Requirement				(Day.Min.)		(Day.Max.)			twice per year	
pH	Sample										
	Measurement			_							
PARM Code 00400 T	Permit				Report		Report	s.u.		Semi-Annually;	Grab
Mon. Site No. OTH-5	Requirement				(Day.Min.)		(Day.Max.)			twice per year	
pН	Sample										
	Measurement										
PARM Code 00400 U	Permit				Report		Report	s.u.		Semi-Annually;	Grab
Mon. Site No. OTH-6	Requirement				(Day.Min.)		(Day.Max.)			twice per year	
Specific Conductance	Sample Measurement										
PARM Code 00095 P	Permit						Report	umhos/cm		Semi-Annually;	Grab
Mon. Site No. OTH-1	Requirement						(Day.Max.)			twice per year	
Specific Conductance	Sample Measurement		All Van								
PARM Code 00095 Q	Permit						Report	umhos/cm		Semi-Annually;	Grab
Mon. Site No. OTH-2	Requirement						(Day.Max.)			twice per year	
Specific Conductance	Sample Measurement										
PARM Code 00095 R	Permit						Report	umhos/cm		Semi-Annually;	Grab
Mon. Site No. OTH-3	Requirement						(Day.Max.)			twice per year	0.00
Specific Conductance	Sample			4100			(= 25) ::: 22:: 1)			F-1- J-541	
r	Measurement										
PARM Code 00095 S	Permit						Report	umhos/cm		Semi-Annually;	Grab
Mon. Site No. OTH-4	Requirement						(Day.Max.)			twice per year	

From:

FACILITY: FPL Turkey Point Plant MONITORING GROUP D-02A PERMIT NUMBER: FL0001562-012-IW1N NUMBER: MONITORING PERIOD

Parameter		Quantity	or Loading	Units	Q	uality or Concentration	on	Units	No. Ex.	Frequency of Analysis	Sample Type
Specific Conductance	Sample Measurement										
PARM Code 00095 T Mon. Site No. OTH-5	Permit Requirement						Report (Day.Max.)	umhos/cm		Semi-Annually; twice per year	Grab
Specific Conductance	Sample Measurement										
PARM Code 00095 U Mon. Site No. OTH-6	Permit Requirement						Report (Day.Max.)	umhos/cm		Semi-Annually; twice per year	Grab
Salinity	Sample Measurement										
PARM Code 00480 P Mon. Site No. OTH-1	Permit Requirement						Report (Day.Max.)	ppt		Semi-Annually; twice per year	Grab
Salinity	Sample Measurement										
PARM Code 00480 Q Mon. Site No. OTH-2	Permit Requirement						Report (Day.Max.)	ppt		Semi-Annually; twice per year	Grab
Salinity	Sample Measurement										
PARM Code 00480 R Mon. Site No. OTH-3	Permit Requirement						Report (Day.Max.)	ppt		Semi-Annually; twice per year	Grab
Salinity	Sample Measurement						, ,				
PARM Code 00480 S Mon. Site No. OTH-4	Permit Requirement						Report (Day.Max.)	ppt		Semi-Annually; twice per year	Grab
Salinity	Sample Measurement	4	N V				•				
PARM Code 00480 T Mon. Site No. OTH-5	Permit Requirement						Report (Day.Max.)	ppt		Semi-Annually; twice per year	Grab
Salinity	Sample Measurement						•				
PARM Code 00480 U Mon. Site No. OTH-6	Permit Requirement						Report (Day.Max.)	ppt		Semi-Annually; twice per year	Grab
Fluid Density	Sample Measurement										
PARM Code 71820 P Mon. Site No. OTH-1	Permit Requirement						Report (Day.Max.)	g/ml		Semi-Annually; twice per year	Grab
Fluid Density	Sample Measurement										
PARM Code 71820 Q Mon. Site No. OTH-2	Permit Requirement						Report (Day.Max.)	g/ml		Semi-Annually; twice per year	Grab
Fluid Density	Sample Measurement										
PARM Code 71820 R Mon. Site No. OTH-3	Permit Requirement		_				Report (Day.Max.)	g/ml		Semi-Annually; twice per year	Grab
Fluid Density	Sample Measurement										
PARM Code 71820 S Mon. Site No. OTH-4	Permit Requirement						Report (Day.Max.)	g/ml		Semi-Annually; twice per year	Grab

Parameter		Quantity	or Loading	Units	Q	uality or Concentration	on	Units	No. Ex.	Frequency of Analysis	Sample Type
Fluid Density	Sample Measurement										
PARM Code 71820 T Mon. Site No. OTH-5	Permit Requirement						Report (Day.Max.)	g/ml		Semi-Annually; twice per year	Grab
Fluid Density	Sample Measurement						•				
PARM Code 71820 U Mon. Site No. OTH-6	Permit Requirement						Report (Day.Max.)	g/ml		Semi-Annually; twice per year	Grab
Solids, Total Dissolved (TDS)	Sample Measurement						400				
PARM Code 70295 P Mon. Site No. OTH-1	Permit Requirement						Report (Day.Max.)	mg/L		Semi-Annually; twice per year	Grab
Solids, Total Dissolved (TDS)	Sample Measurement										
PARM Code 70295 Q Mon. Site No. OTH-2	Permit Requirement						Report (Day.Max.)	mg/L		Semi-Annually; twice per year	Grab



FACILITY:	FPL Turkey Point Plant	MONITORING GROUP	D-02A	PERMIT NUMBER: FL0001562-012-IW1N
		NUMBER:		
		MONITORING PERIOD	From:	To:

Parameter		Quantity or	u I aadina	Units	0	uality or Concentrati		Units	No.	Frequency of	Commis Trins
		Quantity of	Loading	Units	Q	uanty of Concentrati	OIF	Units	Ex.	Analysis	Sample Type
Solids, Total Dissolved (TDS)	Sample Measurement										
PARM Code 70295 R	Permit						Report	mg/L		Semi-Annually;	Grab
Mon. Site No. OTH-3	Requirement						(Day.Max.)			twice per year	
Solids, Total Dissolved (TDS)	Sample Measurement										
PARM Code 70295 S	Permit						Report	mg/L		Semi-Annually;	Grab
Mon. Site No. OTH-4	Requirement						(Day.Max.)			twice per year	
Solids, Total Dissolved (TDS)	Sample Measurement										
PARM Code 70295 T	Permit						Report	mg/L		Semi-Annually;	Grab
Mon. Site No. OTH-5	Requirement						(Day.Max.)			twice per year	
Solids, Total Dissolved (TDS)	Sample Measurement						· •				
PARM Code 70295 U	Permit						Report	mg/L		Semi-Annually;	Grab
Mon. Site No. OTH-6	Requirement						(Day.Max.)			twice per year	Giub
Chloride (as Cl)	Sample						(Day in lain)			twice per year	
(0.)	Measurement			4							
PARM Code 00940 P	Permit			-		,	Report	mg/L		Semi-Annually;	Grab
Mon. Site No. OTH-1	Requirement						(Day.Max.)	_		twice per year	
Chloride (as Cl)	Sample										
, í	Measurement										
PARM Code 00940 Q	Permit						Report	mg/L		Semi-Annually;	Grab
Mon. Site No. OTH-2	Requirement						(Day.Max.)			twice per year	
Chloride (as Cl)	Sample Measurement										
PARM Code 00940 R	Permit						Report	mg/L		Semi-Annually;	Grab
Mon. Site No. OTH-3	Requirement						(Day.Max.)			twice per year	
Chloride (as Cl)	Sample Measurement										
PARM Code 00940 S	Permit						Report	mg/L		Semi-Annually;	Grab
Mon. Site No. OTH-4	Requirement						(Day.Max.)			twice per year	
Chloride (as Cl)	Sample Measurement										
PARM Code 00940 T	Permit						Report	mg/L		Semi-Annually;	Grab
Mon. Site No. OTH-5	Requirement						(Day.Max.)			twice per year	
Chloride (as Cl)	Sample Measurement										
PARM Code 00940 U	Permit						Report	mg/L		Semi-Annually;	Grab
Mon. Site No. OTH-6	Requirement						(Day.Max.)			twice per year	

FACILITY:	FPL Turkey Point Plant	MONITORING GROUP	D-02A	PERMIT NUMBER: FL0001562-012-IW1N
		NUMBER:		
		MONITORING PERIOD	From:	To:

Parameter		Quantity of	Loading	Units	Q	uality or Concentrati	ion	Units	No. Ex.	Frequency of Analysis	Sample Type
Sodium, Total Recoverable	Sample Measurement										
PARM Code 00923 P Mon. Site No. OTH-1	Permit Requirement						Report (Day.Max.)	mg/L		Semi-Annually; twice per year	Grab
Sodium, Total Recoverable	Sample Measurement										
PARM Code 00923 Q Mon. Site No. OTH-2	Permit Requirement						Report (Day.Max.)	mg/L		Semi-Annually; twice per year	Grab
Sodium, Total Recoverable	Sample Measurement]
PARM Code 00923 R Mon. Site No. OTH-3	Permit Requirement						Report (Day.Max.)	mg/L		Semi-Annually; twice per year	Grab
Sodium, Total Recoverable	Sample Measurement										
PARM Code 00923 S Mon. Site No. OTH-4	Permit Requirement						Report (Day.Max.)	mg/L		Semi-Annually; twice per year	Grab
Sodium, Total Recoverable	Sample Measurement										<u> </u>
PARM Code 00923 T Mon. Site No. OTH-5	Permit Requirement						Report (Day.Max.)	mg/L		Semi-Annually; twice per year	Grab
Sodium, Total Recoverable	Sample Measurement										<u> </u>
PARM Code 00923 U Mon. Site No. OTH-6	Permit Requirement						Report (Day.Max.)	mg/L		Semi-Annually; twice per year	Grab
Calcium, Total Recoverable	Sample Measurement										
PARM Code 00918 P Mon. Site No. OTH-1	Permit Requirement						Report (Day.Max.)	mg/L		Semi-Annually; twice per year	Grab
Calcium, Total Recoverable	Sample Measurement		All Van								
PARM Code 00918 Q Mon. Site No. OTH-2	Permit Requirement		Marian. Annual Company				Report (Day.Max.)	mg/L		Semi-Annually; twice per year	Grab
Calcium, Total Recoverable	Sample Measurement										<u> </u>
PARM Code 00918 R Mon. Site No. OTH-3	Permit Requirement		Wilder Co.				Report (Day.Max.)	mg/L		Semi-Annually; twice per year	Grab
Calcium, Total Recoverable	Sample Measurement										<u> </u>
PARM Code 00918 S Mon. Site No. OTH-4	Permit Requirement						Report (Day.Max.)	mg/L		Semi-Annually; twice per year	Grab

FACILITY:	FPL Turkey Point Plant	MONITORING GROUP	D-02A	PERMIT NUMBER: FL0001562-012-IW1N
		NUMBER:		
		MONITORING PERIOD	From:	To:

Parameter		Quantity o	r Loading	Units	Q	uality or Concentrati	ion	Units	No. Ex.	Frequency of Analysis	Sample Type
Calcium, Total Recoverable	Sample Measurement								231.	Timiyoto	
PARM Code 00918 T Mon. Site No. OTH-5	Permit Requirement						Report (Day.Max.)	mg/L		Semi-Annually; twice per year	Grab
Calcium, Total Recoverable	Sample Measurement										
PARM Code 00918 U Mon. Site No. OTH-6	Permit Requirement						Report (Day.Max.)	mg/L		Semi-Annually; twice per year	Grab
Potassium, Total	Sample Measurement										
PARM Code 00937 P Mon. Site No. OTH-1	Permit Requirement						Report (Day.Max.)	mg/L		Semi-Annually; twice per year	Grab
Potassium, Total	Sample Measurement										
PARM Code 00937 Q Mon. Site No. OTH-2	Permit Requirement						Report (Day.Max.)	mg/L		Semi-Annually; twice per year	Grab
Potassium, Total	Sample Measurement										
PARM Code 00937 R Mon. Site No. OTH-3	Permit Requirement						Report (Day.Max.)	mg/L		Semi-Annually; twice per year	Grab
Potassium, Total	Sample Measurement										
PARM Code 00937 S Mon. Site No. OTH-4	Permit Requirement						Report (Day.Max.)	mg/L		Semi-Annually; twice per year	Grab
Potassium, Total	Sample Measurement										
PARM Code 00937 T Mon. Site No. OTH-5	Permit Requirement						Report (Day.Max.)	mg/L		Semi-Annually; twice per year	Grab
Potassium, Total	Sample Measurement		All Van								
PARM Code 00937 U Mon. Site No. OTH-6	Permit Requirement						Report (Day.Max.)	mg/L		Semi-Annually; twice per year	Grab
Boron, Total Recoverable	Sample Measurement										
PARM Code 00999 P Mon. Site No. OTH-1	Permit Requirement						Report (Day.Max.)	mg/L		Semi-Annually; twice per year	Grab
Boron, Total Recoverable	Sample Measurement										
PARM Code 00999 Q Mon. Site No. OTH-2	Permit Requirement						Report (Day.Max.)	mg/L		Semi-Annually; twice per year	Grab

FACILITY:	FPL Turkey Point Plant	MONITORING GROUP	D-02A	PERMIT NUMBER: FL0001562-012-IW1N
		NUMBER:		
		MONITORING PERIOD	From:	To:

Parameter		Quantity of	r Loading	Units	Q	uality or Concentrati	ion	Units	No.	Frequency of	Sample Type
									Ex.	Analysis	ļ
Boron, Total Recoverable	Sample Measurement						Wh.				
PARM Code 00999 R Mon. Site No. OTH-3	Permit Requirement						Report (Day.Max.)	mg/L		Semi-Annually; twice per year	Grab
Boron, Total Recoverable	Sample Measurement										
PARM Code 00999 S Mon. Site No. OTH-4	Permit Requirement						Report (Day.Max.)	mg/L		Semi-Annually; twice per year	Grab
Boron, Total Recoverable	Sample Measurement							Alb			
PARM Code 00999 T Mon. Site No. OTH-5	Permit Requirement						Report (Day.Max.)	mg/L		Semi-Annually; twice per year	Grab
Boron, Total Recoverable	Sample Measurement										
PARM Code 00999 U Mon. Site No. OTH-6	Permit Requirement						Report (Day.Max.)	mg/L		Semi-Annually; twice per year	Grab
Copper, Total Recoverable	Sample Measurement			4							
PARM Code 01119 P Mon. Site No. OTH-1	Permit Requirement						Report (Day.Max.)	ug/L		Semi-Annually; twice per year	Grab
Copper, Total Recoverable	Sample Measurement										
PARM Code 01119 Q Mon. Site No. OTH-2	Permit Requirement						Report (Day.Max.)	ug/L		Semi-Annually; twice per year	Grab
Copper, Total Recoverable	Sample Measurement										
PARM Code 01119 R Mon. Site No. OTH-3	Permit Requirement						Report (Day.Max.)	ug/L		Semi-Annually; twice per year	Grab
Copper, Total Recoverable	Sample Measurement		All Van								
PARM Code 01119 S Mon. Site No. OTH-4	Permit Requirement						Report (Day.Max.)	ug/L		Semi-Annually; twice per year	Grab
Copper, Total Recoverable	Sample Measurement										
PARM Code 01119 T Mon. Site No. OTH-5	Permit Requirement						Report (Day.Max.)	ug/L		Semi-Annually; twice per year	Grab
Copper, Total Recoverable	Sample Measurement		M								
PARM Code 01119 U Mon. Site No. OTH-6	Permit Requirement						Report (Day.Max.)	ug/L		Semi-Annually; twice per year	Grab

FACILITY:	FPL Turkey Point Plant	MONITORING GROUP	D-02A		I	PERMIT NUMBER: FL0001562-012-IW1N
		NUMBER:		4		
		MONITORING PERIOD	From:	4	To:	

D		0 11	T 1:	TT :		Ti. C		** **	Lxr	Г с	0 1 7
Parameter		Quantity o	r Loading	Units	Q	uality or Concentrat	ion	Units	No. Ex.	Frequency of Analysis	Sample Type
Iron, Total Recoverable	Sample										
	Measurement						All I				
PARM Code 00980 P	Permit						Report	mg/L		Semi-Annually;	Grab
Mon. Site No. OTH-1	Requirement						(Day.Max.)			twice per year	
Iron, Total Recoverable	Sample Measurement										
PARM Code 00980 Q Mon. Site No. OTH-2	Permit						Report (Day.Max.)	mg/L		Semi-Annually;	Grab
	Requirement				40000		(Day.Max.)	1		twice per year	
Iron, Total Recoverable	Sample Measurement										
PARM Code 00980 R	Permit						Report	mg/L		Semi-Annually;	Grab
Mon. Site No. OTH-3	Requirement						(Day.Max.)			twice per year	
Iron, Total Recoverable	Sample Measurement										
PARM Code 00980 S	Permit						Report	mg/L		Semi-Annually;	Grab
Mon. Site No. OTH-4	Requirement						(Day.Max.)			twice per year	
Iron, Total Recoverable	Sample					-					
	Measurement			■							
PARM Code 00980 T	Permit						Report	mg/L		Semi-Annually;	Grab
Mon. Site No. OTH-5	Requirement						(Day.Max.)			twice per year	
Iron, Total Recoverable	Sample										
	Measurement										
PARM Code 00980 U	Permit						Report	mg/L		Semi-Annually;	Grab
Mon. Site No. OTH-6	Requirement						(Day.Max.)			twice per year	
Magnesium, Total Recoverable	Sample Measurement										
PARM Code 00921 P	Permit						Report	mg/L		Semi-Annually;	Grab
Mon. Site No. OTH-1	Requirement						(Day.Max.)			twice per year	
Magnesium, Total Recoverable	Sample Measurement										
PARM Code 00921 Q	Permit						Report	mg/L		Semi-Annually;	Grab
Mon. Site No. OTH-2	Requirement						(Day.Max.)			twice per year	
Magnesium, Total Recoverable	Sample Measurement										
PARM Code 00921 R	Permit						Report	mg/L		Semi-Annually;	Grab
Mon. Site No. OTH-3	Requirement						(Day.Max.)			twice per year	
Magnesium, Total Recoverable	Sample Measurement			4							
PARM Code 00921 S	Permit						Report	mg/L		Semi-Annually;	Grab
Mon. Site No. OTH-4	Requirement						(Day.Max.)			twice per year	

FACILITY:	FPL Turkey Point Plant	MONITORING GROUP	D-02A	PERMIT NUMBER: FL0001562-0	012-IW1N
		NUMBER:		A	
		MONITORING PERIOD	From:	To:	

Parameter		Quantity of	r I oading	Unite	Units Quality or Concentration			Units	No.	Frequency of	Sample Type
1 arameter		Quantity of	Loading	Oilles	Q.	uanty of Concentrati	OII .	Omts	Ex.	Analysis	Sample Type
Magnesium, Total Recoverable	Sample									•	
	Measurement						4111				
PARM Code 00921 T	Permit						Report	mg/L		Semi-Annually;	Grab
Mon. Site No. OTH-5	Requirement						(Day.Max.)			twice per year	
Magnesium, Total Recoverable	Sample						4111				
	Measurement						4111				
PARM Code 00921 U	Permit						Report	mg/L		Semi-Annually;	Grab
Mon. Site No. OTH-6	Requirement						(Day.Max.)			twice per year	
Zinc, Total Recoverable	Sample							41111			
	Measurement										
PARM Code 01094 P	Permit						Report	ug/L		Semi-Annually;	Grab
Mon. Site No. OTH-1	Requirement						(Day.Max.)			twice per year	
Zinc, Total Recoverable	Sample					1000					
	Measurement										
PARM Code 01094 Q	Permit						Report	ug/L		Semi-Annually;	Grab
Mon. Site No. OTH-2	Requirement						(Day.Max.)			twice per year	
Zinc, Total Recoverable	Sample										
	Measurement										
PARM Code 01094 R	Permit						Report	ug/L		Semi-Annually;	Grab
Mon. Site No. OTH-3	Requirement						(Day.Max.)			twice per year	
Zinc, Total Recoverable	Sample										
	Measurement										
PARM Code 01094 S	Permit						Report	ug/L		Semi-Annually;	Grab
Mon. Site No. OTH-4	Requirement						(Day.Max.)			twice per year	
Zinc, Total Recoverable	Sample	411									
	Measurement										
PARM Code 01094 T	Permit						Report	ug/L		Semi-Annually;	Grab
Mon. Site No. OTH-5	Requirement						(Day.Max.)			twice per year	
Zinc, Total Recoverable	Sample										
	Measurement		A HILK								
PARM Code 01094 U	Permit						Report	ug/L		Semi-Annually;	Grab
Mon. Site No. OTH-6	Requirement						(Day.Max.)			twice per year	
Sulfate, Total	Sample Measurement										
PARM Code 00945 P	Permit						Report	mg/L		Semi-Annually;	Grab
Mon. Site No. OTH-1	Requirement						(Day.Max.)	_		twice per year	
Sulfate, Total	Sample			41"							
,	Measurement		1111								
PARM Code 00945 Q	Permit						Report	mg/L		Semi-Annually;	Grab
Mon. Site No. OTH-2	Requirement						(Day.Max.)			twice per year	

FACILITY:	FPL Turkey Point Plant	MONITORING GROUP	D-02A			PERMIT NUMBER: FL0001562-012-IW1N
		NUMBER:		4		
		MONITORING PERIOD	From:		To:	

Parameter		Quantity of	r Loading	Units	0	uality or Concentrat	ion	Units	No.	Frequency of	Sample Type
		Ç	8			,			Ex.	Analysis	7 71
Sulfate, Total	Sample										
PARM Code 00945 R	Measurement Permit					407	Denest	mg/L		C A 11	Grab
Mon. Site No. OTH-3	Requirement						Report (Day.Max.)	mg/L		Semi-Annually; twice per year	Grab
Sulfate, Total	Sample					A 1	(Day.iviax.)			twice per year	
Surface, Total	Measurement						4110				
PARM Code 00945 S	Permit						Report	mg/L		Semi-Annually;	Grab
Mon. Site No. OTH-4	Requirement						(Day.Max.)			twice per year	
Sulfate, Total	Sample							AIII	P		
	Measurement				7						
PARM Code 00945 T	Permit						Report	mg/L		Semi-Annually;	Grab
Mon. Site No. OTH-5	Requirement						(Day.Max.)			twice per year	
Sulfate, Total	Sample										
PARM Code 00945 U	Measurement Permit					1000	Report	mg/L		Semi-Annually;	Grab
Mon. Site No. OTH-6	Requirement						(Day.Max.)	IIIg/L		twice per year	Grab
Nitrogen, Ammonia, Total (as N)	Sample						(Day.iviax.)			twice per year	
Tvittogen, Animoma, Total (as iv)	Measurement			_							
PARM Code 00610 P	Permit			_		,	Report	mg/L		Semi-Annually;	Grab
Mon. Site No. OTH-1	Requirement						(Day.Max.)			twice per year	Orac
Nitrogen, Ammonia, Total (as N)	Sample						(= 11) 11 11 11 1			The party can	
	Measurement										
PARM Code 00610 Q	Permit						Report	mg/L		Semi-Annually;	Grab
Mon. Site No. OTH-2	Requirement						(Day.Max.)			twice per year	
Nitrogen, Ammonia, Total (as N)	Sample	411		l							
	Measurement										
PARM Code 00610 R	Permit						Report	mg/L		Semi-Annually;	Grab
Mon. Site No. OTH-3	Requirement						(Day.Max.)			twice per year	
Nitrogen, Ammonia, Total (as N)	Sample Measurement		All Van		Manual Property						
PARM Code 00610 S	Permit						Report	mg/L		Semi-Annually;	Grab
Mon. Site No. OTH-4	Requirement						(Day.Max.)			twice per year	
Nitrogen, Ammonia, Total (as N)	Sample						`			,	
	Measurement										
PARM Code 00610 T	Permit						Report	mg/L		Semi-Annually;	Grab
Mon. Site No. OTH-5	Requirement						(Day.Max.)			twice per year	
Nitrogen, Ammonia, Total (as N)	Sample Measurement										
PARM Code 00610 U	Permit		-				Report	mg/L		Semi-Annually;	Grab
Mon. Site No. OTH-6	Requirement						(Day.Max.)			twice per year	

FACILITY:	FPL Turkey Point Plant	MONITORING GROUP	D-02A	PERMIT NUMBER: FL0001562-012-IW1N
		NUMBER:		
		MONITORING PERIOD	From:	To:

Parameter		Quantity or	Loading	Units	O	uality or Concentrati	on	Units	No.	Frequency of	Sample Type
T direction		Quantity of	20441115	Cinto	~	unity of concentration		Cinto	Ex.	Analysis	Sumple Type
Nitrogen, Ammonia, Total (as	Sample										
NH4)	Measurement						THE				
PARM Code 71845 P	Permit						Report	mg/L		Semi-Annually;	Grab
Mon. Site No. OTH-1	Requirement						(Day.Max.)			twice per year	
Nitrogen, Ammonia, Total (as	Sample						400				
NH4)	Measurement						THE PERSON NAMED IN				
PARM Code 71845 Q	Permit						Report	mg/L		Semi-Annually;	Grab
Mon. Site No. OTH-2	Requirement						(Day.Max.)	4		twice per year	
Nitrogen, Ammonia, Total (as	Sample							All the	1		
NH4)	Measurement						-			~	
PARM Code 71845 R	Permit						Report	mg/L		Semi-Annually;	Grab
Mon. Site No. OTH-3	Requirement					-	(Day.Max.)			twice per year	
Nitrogen, Ammonia, Total (as	Sample										
NH4)	Measurement					-	D (/T		G : A 11	0.1
PARM Code 71845 S Mon. Site No. OTH-4	Permit						Report	mg/L		Semi-Annually;	Grab
	Requirement Sample			_		-	(Day.Max.)			twice per year	
Nitrogen, Ammonia, Total (as NH4)	Measurement										
PARM Code 71845 T	Permit						Report	mg/L		Semi-Annually;	Grab
Mon. Site No. OTH-5	Requirement						(Day.Max.)	mg/L		twice per year	Grab
Nitrogen, Ammonia, Total (as	Sample						(Day.Max.)			twice per year	
NH4)	Measurement										
PARM Code 71845 U	Permit		400000				Report	mg/L		Semi-Annually;	Grab
Mon. Site No. OTH-6	Requirement						(Day.Max.)	g.L		twice per year	Giao
Ammonia, Unionized (as NH3)	Sample						(Duy iii iuiii)			twice per year	
ramiona, emonizea (as 1415)	Measurement		, W								
PARM Code 00619 P	Permit						Report	mg/L		Semi-Annually;	Grab
Mon. Site No. OTH-1	Requirement						(Day.Max.)			twice per year	
Ammonia, Unionized (as NH3)	Sample										
	Measurement		All III								
PARM Code 00619 Q	Permit	_					Report	mg/L		Semi-Annually;	Grab
Mon. Site No. OTH-2	Requirement						(Day.Max.)			twice per year	
Ammonia, Unionized (as NH3)	Sample										
	Measurement										
PARM Code 00619 R	Permit						Report	mg/L		Semi-Annually;	Grab
Mon. Site No. OTH-3	Requirement						(Day.Max.)			twice per year	
Ammonia, Unionized (as NH3)	Sample		All I								
	Measurement								<u> </u>		
PARM Code 00619 S	Permit						Report	mg/L		Semi-Annually;	Grab
Mon. Site No. OTH-4	Requirement						(Day.Max.)			twice per year	

FACILITY:	FPL Turkey Point Plant	MONITORING GROUP	D-02A	PERMIT NUMBER: FL0001562-012-IW	1N
		NUMBER:			
		MONITORING PERIOD	From:	To:	

Parameter		Quantity of	r Loading	Units	Qı	uality or Concentrati	ion	Units	No. Ex.	Frequency of Analysis	Sample Type
Ammonia, Unionized (as NH3)	Sample Measurement										
PARM Code 00619 T Mon. Site No. OTH-5	Permit Requirement						Report (Day.Max.)	mg/L		Semi-Annually; twice per year	Grab
Ammonia, Unionized (as NH3)	Sample Measurement										
PARM Code 00619 U Mon. Site No. OTH-6	Permit Requirement						Report (Day.Max.)	mg/L		Semi-Annually; twice per year	Grab
Nitrite plus Nitrate, Total 1 det. (as N)	Sample Measurement							All			
PARM Code 00630 P Mon. Site No. OTH-1	Permit Requirement						Report (Day.Max.)	mg/L		Semi-Annually; twice per year	Grab
N)	Sample Measurement										
PARM Code 00630 Q Mon. Site No. OTH-2	Permit Requirement						Report (Day.Max.)	mg/L		Semi-Annually; twice per year	Grab
Nitrite plus Nitrate, Total 1 det. (as N)	Sample Measurement										
PARM Code 00630 R Mon. Site No. OTH-3	Permit Requirement						Report (Day.Max.)	mg/L		Semi-Annually; twice per year	Grab
Nitrite plus Nitrate, Total 1 det. (as N)	Sample Measurement										
PARM Code 00630 S Mon. Site No. OTH-4	Permit Requirement						Report (Day.Max.)	mg/L		Semi-Annually; twice per year	Grab
Nitrite plus Nitrate, Total 1 det. (as N)	Sample Measurement										
PARM Code 00630 T Mon. Site No. OTH-5	Permit Requirement		Total Control of the				Report (Day.Max.)	mg/L		Semi-Annually; twice per year	Grab
Nitrite plus Nitrate, Total 1 det. (as N)	Sample Measurement		All Van								
	Permit Requirement			liik.			Report (Day.Max.)	mg/L		Semi-Annually; twice per year	Grab
Nitrogen, Kjeldahl, Total (as N)	Sample Measurement										
PARM Code 00625 P Mon. Site No. OTH-1	Permit Requirement						Report (Day.Max.)	mg/L		Semi-Annually; twice per year	Grab
Nitrogen, Kjeldahl, Total (as N)	Sample Measurement		W								
PARM Code 00625 Q Mon. Site No. OTH-2	Permit Requirement						Report (Day.Max.)	mg/L		Semi-Annually; twice per year	Grab

FACILITY:	FPL Turkey Point Plant	MONITORING GROUP	D-02A	PERMIT NUMBER: FL0001562-012-IW1N
		NUMBER:		
		MONITORING PERIOD	From:	To:


Parameter		Quantity of	r Loading	Units	Q	uality or Concentrati	ion	Units	No.	Frequency of	Sample Type
						411			Ex.	Analysis	
Nitrogen, Kjeldahl, Total (as N)	Sample Measurement						Wh.				
PARM Code 00625 R Mon. Site No. OTH-3	Permit Requirement						Report (Day.Max.)	mg/L		Semi-Annually; twice per year	Grab
Nitrogen, Kjeldahl, Total (as N)	Sample Measurement						(Buyinaan)			twice per year	
PARM Code 00625 S Mon. Site No. OTH-4	Permit Requirement						Report (Day.Max.)	mg/L		Semi-Annually; twice per year	Grab
Nitrogen, Kjeldahl, Total (as N)	Sample Measurement										
PARM Code 00625 T Mon. Site No. OTH-5	Permit Requirement						Report (Day.Max.)	mg/L		Semi-Annually; twice per year	Grab
Nitrogen, Kjeldahl, Total (as N)	Sample Measurement										
PARM Code 00625 U Mon. Site No. OTH-6	Permit Requirement						Report (Day.Max.)	mg/L		Semi-Annually; twice per year	Grab
Nitrogen, Total	Sample Measurement										
PARM Code 00600 P Mon. Site No. OTH-1	Permit Requirement						Report (Day.Max.)	mg/L		Semi-Annually; twice per year	Grab
Nitrogen, Total	Sample Measurement										
PARM Code 00600 Q Mon. Site No. OTH-2	Permit Requirement						Report (Day.Max.)	mg/L		Semi-Annually; twice per year	Grab
Nitrogen, Total	Sample Measurement										
PARM Code 00600 R Mon. Site No. OTH-3	Permit Requirement						Report (Day.Max.)	mg/L		Semi-Annually; twice per year	Grab
Nitrogen, Total	Sample Measurement		All Van								
PARM Code 00600 S Mon. Site No. OTH-4	Permit Requirement						Report (Day.Max.)	mg/L		Semi-Annually; twice per year	Grab
Nitrogen, Total	Sample Measurement										
PARM Code 00600 T Mon. Site No. OTH-5	Permit Requirement						Report (Day.Max.)	mg/L		Semi-Annually; twice per year	Grab
Nitrogen, Total	Sample Measurement										
PARM Code 00600 U Mon. Site No. OTH-6	Permit Requirement						Report (Day.Max.)	mg/L		Semi-Annually; twice per year	Grab

FACILITY:	FPL Turkey Point Plant	MONITORING GROUP	D-02A		PERMIT	Γ NUMBER: FL0001562-012-IV	W1N
		NUMBER:					
		MONITORING PERIOD	From:	411	To:		

Parameter		Quantity or	Loading	Units	Q	uality or Concentrati	on	Units	No. Ex.	Frequency of Analysis	Sample Type
Phosphorus, Total (as P)	Sample								EX.	Allalysis	
(/ (/	Measurement						4111				
PARM Code 00665 P	Permit						Report	mg/L		Semi-Annually;	Grab
Mon. Site No. OTH-1	Requirement						(Day.Max.)			twice per year	
Phosphorus, Total (as P)	Sample Measurement										
PARM Code 00665 Q	Permit						Report	mg/L		Semi-Annually;	Grab
Mon. Site No. OTH-2	Requirement						(Day.Max.)			twice per year	
Phosphorus, Total (as P)	Sample Measurement							All			
PARM Code 00665 R	Permit						Report	mg/L		Semi-Annually;	Grab
Mon. Site No. OTH-3	Requirement						(Day.Max.)			twice per year	Giuo
Phosphorus, Total (as P)	Sample					1000	(= 1.)			, , , , , , , , , , , , , , , , , , ,	
,	Measurement					1000					
PARM Code 00665 S	Permit						Report	mg/L		Semi-Annually;	Grab
Mon. Site No. OTH-4	Requirement						(Day.Max.)			twice per year	
Phosphorus, Total (as P)	Sample										
• , , ,	Measurement										
PARM Code 00665 T	Permit						Report	mg/L		Semi-Annually;	Grab
Mon. Site No. OTH-5	Requirement						(Day.Max.)			twice per year	
Phosphorus, Total (as P)	Sample										
	Measurement										
PARM Code 00665 U	Permit						Report	mg/L		Semi-Annually;	Grab
Mon. Site No. OTH-6	Requirement						(Day.Max.)			twice per year	
Phosphate, Ortho (as P)	Sample Measurement										
PARM Code 70507 P	Permit						Report	mg/L		Semi-Annually;	Grab
Mon. Site No. OTH-1	Requirement						(Day.Max.)			twice per year	
Phosphate, Ortho (as P)	Sample Measurement		All Van								
PARM Code 70507 Q	Permit						Report	mg/L		Semi-Annually;	Grab
Mon. Site No. OTH-2	Requirement						(Day.Max.)			twice per year	
Phosphate, Ortho (as P)	Sample Measurement										
PARM Code 70507 R	Permit						Report	mg/L		Semi-Annually;	Grab
Mon. Site No. OTH-3	Requirement						(Day.Max.)			twice per year	
Phosphate, Ortho (as P)	Sample Measurement						,				
PARM Code 70507 S	Permit						Report	mg/L		Semi-Annually;	Grab
Mon. Site No. OTH-4	Requirement						(Day.Max.)			twice per year	

FACILITY:	FPL Turkey Point Plant	MONITORING GROUP	D-02A	PERMIT NUMBER: FL0001562-012-IW1N
		NUMBER:	_	_
		MONITORING PERIOD	From:	To:

	Quantity o	r Loading	Units	Q	uality or Concentrati	on	Units	No. Ex.	Frequency of Analysis	Sample Type
Sample Measurement										
Permit						Report (Day.Max.)	mg/L		Semi-Annually; twice per year	Grab
Sample Measurement										
Permit Requirement						Report (Day.Max.)	mg/L		Semi-Annually; twice per year	Grab
							THID			
						•				
			-							
					,					
	4									
			y							
		-	-							
		4111								
	Measurement Permit Requirement Sample Measurement Permit Requirement	Measurement Permit Requirement Sample Measurement Permit	Measurement Permit Requirement Sample Measurement Permit Requirement Requirement Requirement Report (Day.Max.) Report (Day.Max.)	Measurement Permit Requirement Sample Measurement Permit Requirement Report (Day,Max.)	Sample Measurement Permit Requirement Report (Day.Max.)	Sample Measurement Permit Requirement Permit Requirement Permit Requirement Permit Requirement Permit Requirement Requirement Report (Day.Max.) Max.				



DEPARTMENT OF ENVIRONMENTAL PROTECTION DISCHARGE MONITORING REPORT - PART A

FL0001562-012-IW1N PERMITTEE NAME: PERMIT NUMBER: MAILING ADDRESS: 700 Universe Blvd Juno Beach, Florida 33408-REPORT FREQUENCY: LIMIT: Final Monthly CLASS SIZE: MA PROGRAM: Industrial MONITORING GROUP NUMBER: I-001 FACILITY: FPL Turkey Point Plant

LOCATION: 9700 SW 344th St MONITORING GROUP DESCRIPTION: Once-through non-contact cooling water and other wastewater to the closed cooling canal system.

Homestead, FL 33035-1800 RE-SUBMITTED DMR:

COUNTY: Miami-Dade MONITORING PERIOD From:

Tallahassee

Units Units Parameter Quantity or Loading Quality or Concentration No. Frequency of Sample Type Ex Analysis Temperature (F), Water Sample Measurement PARM Code 00011 P Permit Deg F Monthly Report In Situ Report Mon. Site No. OUI-1 Requirement (Mo.Avg.) (Dav.Max.) Biochemical Oxygen Demand-5 Sample Measurement PARM Code 00310 P Permit Report mg/L Monthly Grab Mon. Site No. CAL-1 Requirement (Day.Max.) Oxygen, Dissolved Percent Sample Saturation Measurement Permit PARM Code 00301 P Report percent Monthly Calculated (Min.Mo.Avg.) Mon. Site No. CAL-1 Requirement Oxidation-Reduction Potential Sample Measurement PARM Code 00090 P Permit Report mV Monthly Meter Mon. Site No. CAL-1 Requirement (Day.Max.) Color Sample Measurement PARM Code 00080 P PCU Permit Report Monthly Grab Mon. Site No. OUI-1 (Day.Max.) Requirement Salinity Sample Measurement PARM Code 00480 P Permit Report ppt Monthly Grab Mon. Site No. CAL-1 (Day.Max.) Requirement

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE (mm/dd/yyyy)

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here):

When Completed submit this report to: http://www.fldepportal.com/go/

FACILITY:	FPL Turkey Point Plant	MONITORING GROUP	I-001	PERMIT NUMBER: FL0001562-012-IW1N
		NUMBER: MONITORING PERIOD	From:	To:
		MONITORING FERIOD	From:	10.

Parameter		Quantity of	or Loading	Units	Qı	nality or Concentrati	on	Units	No. Ex.	Frequency of Analysis	Sample Type
Salinity	Sample Measurement										
PARM Code 00480 R Mon. Site No. CAL-1	Permit Requirement						Report (Mo.Avg.)	ppt		Monthly	Grab
Salinity	Sample Measurement										
PARM Code 00480 Y Mon. Site No. CAL-1	Permit Requirement					Report (An.Avg.)		ppt		Daily; 24 hours	Grab
								VIIII)			
								-			
						٠					

DEPARTMENT OF ENVIRONMENTAL PROTECTION DISCHARGE MONITORING REPORT - PART A

When Completed submit this report to: http://www.fldepportal.com/go/

PERMITTEE NAME: FPL PERMIT NUMBER: FL0001562-012-IW1N
MAILING ADDRESS: 700 Universe Blvd

Juno Beach, Florida 33408
LIMIT: Final REPORT FREQUENCY: Quarterly CLASS SIZE: MA PROGRAM: Industrial

FACILITY: FPL Turkey Point Plant MONITORING GROUP NUMBER: 1-001
LOCATION: 9700 SW 344th St MONITORING GROUP DESCRIPTION: Once-through non-contact cooling water and other wastewater to the closed cooling

canal system.

Homestead, FL 33035-1800 RE-SUBMITTED DMR: NO DISCHARGE FROM SITE:

	•										
Parameter		Quantity of	or Loading	Units	Qı	uality or Concentrat	ion	Units	No. Ex.	Frequency of Analysis	Sample Type
Solids, Total Suspended	Sample Measurement										
PARM Code 00530 P Mon. Site No. OUI-1	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
pН	Sample Measurement										
PARM Code 00400 P Mon. Site No. OUI-1	Permit Requirement				Report (Day.Min.)		Report (Day.Max.)	s.u.		Quarterly	Grab
Solids, Total Dissolved (TDS)	Sample Measurement			_							
PARM Code 70295 P Mon. Site No. OUI-1	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Specific Conductance	Sample Measurement				Y						
PARM Code 00095 P Mon. Site No. CAL-1	Permit Requirement						Report (Day.Max.)	umhos/cm		Quarterly	Grab
Turbidity	Sample Measurement										
PARM Code 00070 P Mon. Site No. CAL-2	Permit Requirement						Report (Day.Max.)	NTU		Quarterly	Grab
Nitrogen, Ammonia, Total (as N)	Sample Measurement					_				_	_
PARM Code 00610 P Mon. Site No. OUI-1	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE (mm/dd/yyyy)

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here):

FACILITY:	FPL Turkey Point Plant	MONITORING GROUP	I-001	PERMIT NUMBER: FL0001562-012-IW1N
		NUMBER:		
		MONITORING PERIOD	From:	To:

Parameter		Quantity of	or Loading	Units	Q	uality or Concentrati	on	Units	No. Ex.	Frequency of Analysis	Sample Type
Nitrogen, Ammonia, Total (as N)	Sample Measurement										
PARM Code 00610 Q Mon. Site No. CAL-1	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Ammonia, Unionized (as NH3)	Sample Measurement										
PARM Code 00619 P Mon. Site No. OUI-1	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Ammonia, Unionized (as NH3)	Sample Measurement						, ,,,	All			
PARM Code 00619 Q Mon. Site No. CAL-1	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Nitrogen, Ammonia, Total (as NH4)	Sample Measurement										
PARM Code 71845 P Mon. Site No. OUI-1	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Nitrogen, Ammonia, Total (as NH4)	Sample Measurement										
PARM Code 71845 Q Mon. Site No. CAL-1	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Nitrite plus Nitrate, Total 1 det. (as N)	Sample Measurement										
PARM Code 00630 P Mon. Site No. OUI-1	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Nitrite plus Nitrate, Total 1 det. (as N)	Sample Measurement										
PARM Code 00630 Q Mon. Site No. CAL-1	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Nitrogen, Kjeldahl, Total (as N)	Sample Measurement										
PARM Code 00625 P Mon. Site No. OUI-1	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Nitrogen, Kjeldahl, Total (as N)	Sample Measurement										
PARM Code 00625 Q Mon. Site No. CAL-1	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Nitrogen, Total	Sample Measurement										
PARM Code 00600 P Mon. Site No. OUI-1	Permit Requirement						Report (Max.)	mg/L		Quarterly	Calculated

FACILITY:	FPL Turkey Point Plant	MONITORING GROUP	I-001	PERMIT NUMBER: FL0001562-012-IW1N
		NUMBER:		
		MONITORING PERIOD	From:	To:

Parameter		Quantity o	r Loading	Units	Q	uality or Concentrati	on	Units	No. Ex.	Frequency of Analysis	Sample Type
Nitrogen, Total	Sample Measurement								LA.	Marysis	
PARM Code 00600 Q Mon. Site No. CAL-1	Permit Requirement					4	Report (Max.)	mg/L		Quarterly	Calculated
Phosphate, Ortho (as PO4)	Sample Measurement										
PARM Code 00660 P Mon. Site No. OUI-1	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Phosphate, Ortho (as PO4)	Sample Measurement										
PARM Code 00660 Q Mon. Site No. CAL-1	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Phosphorus, Total (as P)	Sample Measurement										
PARM Code 00665 P Mon. Site No. OUI-1	Permit Requirement						Report (Max.)	mg/L		Quarterly	Grab
Phosphorus, Total (as P)	Sample Measurement										
PARM Code 00665 Q Mon. Site No. CAL-1	Permit Requirement						Report (Max.)	mg/L		Quarterly	Grab
Chlorophyll a	Sample Measurement										
PARM Code 32230 P Mon. Site No. OUI-1	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Chlorophyll a	Sample Measurement										
PARM Code 32230 Q Mon. Site No. CAL-1	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Chloride (as Cl)	Sample Measurement		4								
PARM Code 00940 P Mon. Site No. OUI-1	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Sodium, Total Recoverable	Sample Measurement										
PARM Code 00923 P Mon. Site No. OUI-1	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab
Sulfide, Total	Sample Measurement										
PARM Code 00745 P Mon. Site No. CAL-1	Permit Requirement						Report (Day.Max.)	mg/L		Quarterly	Grab

DEPARTMENT OF ENVIRONMENTAL PROTECTION DISCHARGE MONITORING REPORT - PART A

FL0001562-012-IW1N PERMITTEE NAME: PERMIT NUMBER: MAILING ADDRESS: 700 Universe Blvd Juno Beach, Florida 33408-REPORT FREQUENCY: LIMIT: Final Semi-annually CLASS SIZE: MA PROGRAM: Industrial FACILITY: MONITORING GROUP NUMBER: I-001 FPL Turkey Point Plant LOCATION: 9700 SW 344th St MONITORING GROUP DESCRIPTION: Once-through non-contact cooling water and other wastewater to the closed cooling canal system. Homestead, FL 33035-1800 RE-SUBMITTED DMR:

COUNTY: Miami-Dade MONITORING PERIOD From: To: _______
OFFICE: Tallahassee

D .	1	0 ()	Y 1'	TT 1.		Ti C A		1	Jan T	г с	C 1 T
Parameter		Quantity of	or Loading	Units	Qı	uality or Concentrat	ion	Units	No.	Frequency of	Sample Type
							1		Ex.	Analysis	
Copper, Total Recoverable	Sample Measurement										
PARM Code 01119 P Mon. Site No. OUI-1	Permit Requirement						Report (Day.Max.)	mg/L		Semi-Annually; twice per year	Grab
Copper, Total Recoverable	Sample Measurement										
PARM Code 01119 Q Mon. Site No. CAL-1	Permit Requirement						Report (Day.Max.)	mg/L		Semi-Annually; twice per year	Grab
Iron, Total Recoverable	Sample Measurement			4							
PARM Code 00980 P Mon. Site No. OUI-1	Permit Requirement						Report (Day.Max.)	mg/L		Semi-Annually; twice per year	Grab
Iron, Total Recoverable	Sample Measurement				Y						
PARM Code 00980 Q Mon. Site No. CAL-1	Permit Requirement						Report (Day.Max.)	mg/L		Semi-Annually; twice per year	Grab
Zinc, Total Recoverable	Sample Measurement										
PARM Code 01094 P Mon. Site No. OUI-1	Permit Requirement						Report (Day.Max.)	ug/L		Semi-Annually; twice per year	Grab
Zinc, Total Recoverable	Sample Measurement										
PARM Code 01094 Q Mon. Site No. CAL-1	Permit Requirement						Report (Day.Max.)	mg/L		Semi-Annually; twice per year	Grab

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE (mm/dd/yyyy)

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here):

When Completed submit this report to: http://www.fldepportal.com/go/

FACILITY: FPL Turkey Point Plant	MONITORING GROUP	I-001	PERMIT NUMBER: FL0001562-012-IW1N
	NUMBER: MONITORING PERIOD	From:	То:

Parameter		Quantity of	or I cading	Units	0	uality or Concentrati	on	Units	No.	Frequency of	Sample Type
I didilictor		Quantity	. Louding	Cinto		ann, or concentrati		Cinto	Ex.	Analysis	Sumple Type
Boron, Total Recoverable	Sample Measurement									,	
PARM Code 00999 P Mon. Site No. OUI-1	Permit Requirement						Report (Day.Max.)	mg/L		Semi-Annually; twice per year	Grab
Magnesium, Total Recoverable	Sample Measurement										1
PARM Code 00921 P Mon. Site No. OUI-1	Permit Requirement						Report (Day.Max.)	mg/L		Semi-Annually; twice per year	Grab
Sulfate, Total	Sample Measurement								r		1
PARM Code 00945 P Mon. Site No. OUI-1	Permit Requirement						Report (Day.Max.)	mg/L		Semi-Annually; twice per year	Grab
				,							
		Annua			_						

INSTRUCTIONS FOR COMPLETING THE WASTEWATER DISCHARGE MONITORING REPORT

Read these instructions before completing the DMR. Hard copies and/or electronic copies of the required parts of the DMR were provided with the permit. All required information shall be completed in full and typed or printed in ink. A signed, original DMR shall be mailed to the address printed on the DMR by the 28th of the month following the monitoring period. Facilities who submit their DMR(s) electronically through eDMR do not need to submit a hardcopy DMR. The DMR shall not be submitted before the end of the monitoring period.

The DMR consists of three parts--A, B, and D--all of which may or may not be applicable to every facilities may have one or more Part A's for reporting effluent or reclaimed water data. All domestic wastewater facilities will have a Part B for reporting daily sample results. Part D is used for reporting ground water monitoring well data.

When results are not available, the following codes should be used on parts A and D of the DMR and an explanation provided where appropriate. Note: Codes used on Part B for raw data are different.

CODE	DESCRIPTION/INSTRUCTIONS
ANC	Analysis not conducted.
DRY	Dry Well
FLD	Flood disaster.
IFS	Insufficient flow for sampling.
LS	Lost sample.
MNR	Monitoring not required this period.

CODE	DESCRIPTION/INSTRUCTIONS
NOD	No discharge from/to site.
OPS	Operations were shutdown so no sample could be taken.
OTH	Other. Please enter an explanation of why monitoring data were not available.
SEF	Sampling equipment failure.

When reporting analytical results that fall below a laboratory's reported method detection limits or practical quantification limits, the following instructions should be used, unless indicated otherwise in the permit or on the DMR:

- 1. Results greater than or equal to the PQL shall be reported as the measured quantity.
- 2. Results less than the PQL and greater than or equal to the MDL shall be reported as the laboratory's MDL value. These values shall be deemed equal to the MDL when necessary to calculate an average for that parameter and when determining compliance with permit limits.
- 3. Results less than the MDL shall be reported by entering a less than sign ("<") followed by the laboratory's MDL value, e.g. < 0.001. A value of one-half the MDL or one-half the effluent limit, whichever is lower, shall be used for that sample when necessary to calculate an average for that parameter. Values less than the MDL are considered to demonstrate compliance with an effluent limitation.

PART A -DISCHARGE MONITORING REPORT (DMR)

Part A of the DMR is comprised of one or more sections, each having its own header information. Facility information is preprinted in the header as well as the monitoring group number, whether the limits and monitoring requirements are interim or final, and the required submittal frequency (e.g., monthly, annually, quarterly, etc.). Submit Part A based on the required reporting frequency in the header and the instructions shown in the permit. The following should be completed by the permittee or authorized representative:

Resubmitted DMR: Check this box if this DMR is being re-submitted because there was information missing from or information that needed correction on a previously submitted DMR. The information that is being revised should be clearly noted on the re-submitted DMR (e.g. highlight, circle, etc.)

No Discharge From Site: Check this box if no discharge occurs and, as a result, there are no data or codes to be entered for all of the parameters on the DMR for the entire monitoring group number; however, if the monitoring group includes other monitoring locations (e.g., influent sampling), the "NOD" code should be used to individually denote those parameters for which there was no discharge.

Monitoring Period: Enter the month, day, and year for the first and last day of the monitoring period (i.e. the month, the quarter, the year, etc.) during which the data on this report were collected and analyzed.

Sample Measurement: Before filling in sample measurements in the table, check to see that the data collected correspond to the limit indicated on the DMR (i.e. interim or final) and that the data correspond to the monitoring group number in the header. Enter the data or calculated results for each parameter on this row in the non-shaded area above the limit. Be sure the result being entered corresponds to the appropriate statistical base code (e.g. annual average, monthly average, single sample maximum, etc.) and units. Data qualifier codes are not to be reported on Part A.

No. Ex.: Enter the number of sample measurements during the monitoring period that exceeded the permit limit for each parameter in the non-shaded area. If none, enter zero.

Frequency of Analysis: The shaded areas in this column contain the minimum number of times the measurement is required to be made according to the permit. Enter the actual number of times the measurement was made in the space above the shaded area.

Sample Type: The shaded areas in this column contain the type of sample (e.g. grab, composite, continuous) required by the permit. Enter the actual sample type that was taken in the space above the shaded area.

Signature: This report must be signed in accordance with Rule 62-620.305, F.A.C. Type or print the name and title of the signing official. Include the telephone number where the official may be reached in the event there are questions concerning this report. Enter the date when the report is signed.

Comment and Explanation of Any Violations: Use this area to explain any exceedances, any upset or by-pass events, or other items which require explanation. If more space is needed, reference all attachments in this area.

PART B - DAILY SAMPLE RESULTS

Monitoring Period: Enter the month, day, and year for the first and last day of the monitoring period (i.e. the month, the quarter, the year, etc.) during which the data on this report were collected and analyzed. Daily Monitoring Results: Transfer all analytical data from your facility's laboratory or a contract laboratory's data sheets for all day(s) that samples were collected. Record the data in the units indicated. Table 1 in Chapter 62-160,

F.A.C., contains a complete list of all the data qualifier codes that your laboratory may use when reporting analytical results. However, when transferring numerical results onto Part B of the DMR, only the following data qualifier

codes should be used and an explanation provided where appropriate.

CODE	DESCRIPTION/INSTRUCTIONS						
<	The compound was analyzed for but not detected.						
A	Value reported is the mean (average) of two or more determinations.						
J	Estimated value, value not accurate.						
Q	Sample held beyond the actual holding time.						
Y	Laboratory analysis was from an unpreserved or improperly preserved sample.						

To calculate the monthly average, add each reported value to get a total. For flow, divide this total by the number of days in the month. For all other parameters, divide the total by the number of observations.

Plant Staffing: List the name, certificate number, and class of all state certified operators operating the facility during the monitoring period. Use additional sheets as necessary.

PART D - GROUND WATER MONITORING REPORT

Monitoring Period: Enter the month, day, and year for the first and last day of the monitoring period (i.e. the month, the quarter, the year, etc.) during which the data on this report were collected and analyzed.

Date Sample Obtained: Enter the date the sample was taken. Also, check whether or not the well was purged before sampling.

Time Sample Obtained: Enter the time the sample was taken.

Sample Measurement: Record the results of the analysis. If the result was below the minimum detection limit, indicate that. Data qualifier codes are not to be reported on Part D.

Detection Limits: Record the detection limits of the analytical methods used.

Analysis Method: Indicate the analytical method used. Record the method number from Chapter 62-160 or Chapter 62-601, F.A.C., or from other sources.

Sampling Equipment Used: Indicate the procedure used to collect the sample (e.g. airlift, bucket/bailer, centrifugal pump, etc.)

Samples Filtered: Indicate whether the sample obtained was filtered by laboratory (L), filtered in field (F), or unfiltered (N).

Signature: This report must be signed in accordance with Rule 62-620.305, F.A.C. Type or print the name and title of the signing official. Include the telephone number where the official may be reached in the event there are questions concerning this report. Enter the date when the report is signed.

Comments and Explanation: Use this space to make any comments on or explanations of results that are unexpected. If more space is needed, reference all attachments in this area.

SPECIAL INSTRUCTIONS FOR LIMITED WET WEATHER DISCHARGES

Flow (Limited Wet Weather Discharge): Enter the measured average flow rate during the period of discharge or divide gallons discharged by duration of discharge (converted into days). Record in million gallons per day (MGD). Flow (Upstream): Enter the average flow rate in the receiving stream upstream from the point of discharge for the period of discharge. The average flow rate can be calculated based on two measurements; one made at the start and one made at the end of the discharge period. Measurements are to be made at the upstream gauging station described in the permit.

Actual Stream Dilution Ratio: To calculate the Actual Stream Dilution Ratio, divide the average upstream flow rate by the average discharge flow rate. Enter the Actual Stream Dilution Ratio accurate to the nearest 0.1.

No. of Days the SDF > Stream Dilution Ratio: For each day of discharge, compare the minimum Stream Dilution Factor (SDF) from the permit to the calculated Stream Dilution Ratio. On Part B of the DMR, enter an asterisk (*) if the SDF is greater than the Stream Dilution Ratio on any day of discharge. On Part A of the DMR, add up the days with an "*" and record the total number of days the Stream Dilution Factor was greater than the Stream

CBOD₅: Enter the average CBOD₅ of the reclaimed water discharged during the period shown in duration of discharge.

TKN: Enter the average TKN of the reclaimed water discharged during the period shown in duration of discharge.

Actual Rainfall: Enter the actual rainfall for each day on Part B. Enter the actual cumulative rainfall to date for this calendar year and the actual total monthly rainfall on Part A. The cumulative rainfall to date for this calendar year is the total amount of rain, in inches, that has been recorded since January 1 of the current year through the month for which this DMR contains data.

Rainfall During Average Rainfall Year: On Part A, enter the total monthly rainfall during the average rainfall year and the cumulative rainfall for the average rainfall year. The cumulative rainfall for the average rainfall year. the amount of rain, in inches, which fell during the average rainfall year from January through the month for which this DMR contains data.

No. of Days LWWD Activated During Calendar Year: Enter the cumulative number of days that the limited wet weather discharge was activated since January 1 of the current year.

Reason for Discharge: Attach to the DMR a brief explanation of the factors contributing to the need to activate the limited wet weather discharge.

BEFORE THE STATE OF FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

STATE OF FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION,

IN THE OFFICE OF THE SOUTHEAST DISTRICT

Petitioner,

v. OGC File No.: 16-0241

FLORIDA POWER & LIGHT COMPANY, INC.,

Responden	it.	

NOTICE OF VIOLATION AND ORDERS FOR CORRECTIVE ACTION

To: Florida Power & Light Company, Inc. c/o J. E. Leon, Registered Agent 4200 West Flagler Street Suite 2113
Miami, Florida 33134

Certified Return Receipt No. 7013 2630 0001 2651 6074

Pursuant to the authority of section 403.121(2), Florida Statutes, the State of Florida Department of Environmental Protection (Department) gives notice to Florida Power & Light Company, Inc. (Respondent) of the following findings of fact and conclusions of law with respect to violations of chapter 403, Florida Statutes.

FINDINGS OF FACT

 The Department is the administrative agency of the State of Florida having the power and duty to protect Florida's air and water resources and to administer and enforce the provisions of chapter 403, Florida Statutes, and the rules promulgated thereunder in title 62, Florida Administrative Code.

- 2. Respondent is an active Florida corporation, registered to conduct business in the State of Florida. Respondent is a regulated Florida Utility providing electric service to 4.7 million customers in 35 counties.
- 3. Respondent owns and operates the Turkey Point Power Plant located on approximately 9,400 acres in unincorporated Miami-Dade County, Florida along the coastline adjacent to Biscayne Bay (Turkey Point), with a permitted address of 9670 S.W. 344 Street, Florida City, Miami-Dade County, Florida.
- 4. Turkey Point consists of five electrical generating units and also includes a cooling canal system (CCS). The CCS is made up of a 5,900-acre network of canals providing a heat removal function for the five electrical generating units.
- Respondent is the permittee of National Pollutant Discharge Elimination
 System Industrial Wastewater Permit Number FL0001562 (Permit). Respondent
 operates the CCS under the Permit.
- The CCS canals are unlined and have a direct connection to the groundwater.
- 7. On or about December 23, 2014, the Department issued an Administrative Order related to the CCS at Turkey Point.
- 8. On or about February 9, 2015, the Administrative Order was petitioned and subsequently referred to the Division of Administrative Hearings (DOAH) (Consolidated Case Numbers 15-1746 and 15-1747).

- On February 15, 2016, the Administrative Law Judge issued a
 Recommended Order in DOAH Case Numbers 15-1746 and 15-1747 (Recommended Order).
- 10. On April 21, 2016, the Recommended Order, as modified in part, was adopted by the Department in Final Order Number 16-0111.
- 11. The following findings in the Final Order are hereby incorporated in this Notice of Violation:
 - a. The CCS is the major contributing cause to the continuing westward movement of the saline water interface;
 - The CCS groundwater discharge of hypersaline water contributes to saltwater intrusion;
 - Rule 62-520.400, Florida Administrative Code, prohibits a discharge in concentrations that impair the reasonable and beneficial use of adjacent waters;
 - d. Saltwater intrusion into the area west of the CCS is impairing the reasonable and beneficial use of adjacent G-II groundwater and therefore, is a violation of the minimum criteria for groundwater in rule 62-520.400, Florida Administrative Code.
- 12. Condition IV. 1. of the Permit requires that Respondent's discharge to groundwater shall not cause a violation of the minimum criteria for groundwater as specified in rules 62-520.400 and 62-520.430, Florida Administrative Code.
 - 13. Section 403.161(1)(b), Florida Statutes, states, in part, it is a violation to fail

to comply with a permit issued by the Department.

CONCLUSIONS OF LAW

- 14. The Department has evaluated the Findings of Fact with regard to the requirements of chapter 403, Florida Statutes, and title 62, Florida Administrative Code. Based on the foregoing facts, the Department has made the following conclusions of law.
 - 15. Respondent is a "person" as defined in section 403.031(5), Florida Statutes.
 - 16. Respondent is the permittee of the Permit.
 - 17. Respondent operates the CCS under the Permit.
- 18. The facts set forth above constitute a violation of section 403.161(1)(b), Florida Statutes, for failing to comply with Condition IV. 1. of the Permit.

ORDERS FOR CORRECTIVE ACTION

19. The Department has alleged that the activities related in the Findings of Fact constitute violations of Florida law. The Orders for Corrective Action state what you, Respondent, must do in order to correct and redress the violations alleged in this Notice. The Department will adopt the Orders for Corrective Action as part of its Final Order in this case unless Respondent either files a timely petition for a formal hearing or informal proceeding, pursuant to section 403.121(2)(c), Florida Statutes, or files written notice with the Department opting out of this administrative process, pursuant to section 403.121(2)(c), Florida Statutes (See Notice of Rights.) If Respondent fails to comply with the corrective actions ordered by the Final Order, the Department is authorized to file suit seeking judicial enforcement of the Department's Order pursuant

to sections 120.69, 403.121, and 403.131, Florida Statutes.

- 20. Pursuant to the authority of sections 403.061(8) and 403.121, Florida
 Statutes, the Department proposes to adopt in its Final Order in this case the following specific corrective actions that will redress the alleged violations.
- 21. Within 21 days of the effective date of this Order, Respondent shall enter into consultations with the Department to address abatement and remediation measures necessary to address the violation set forth above. At the start of this consultation, Respondent shall provide the following information/data to the Department:
 - All final studies and analyses of the effects of the CCS on ground waters.
 - All final studies and analyses regarding abatement, remediation,
 modeling and/or prevention of the hypersaline plume, to which the
 CCS contributes.
- 22. Respondent and Department shall attempt to enter into an agreeable consent order or equivalent that incorporates corrective actions to abate and remediate the effects of the violation listed above. The consent order or equivalent shall, at a minimum, delineate actions to abate the CCS contribution to the hypersaline plume, reduce the size of the hypersaline plume, and prevent future harm to waters of the State.
- 23. If parties are unable to enter into a consent order or equivalent incorporating the terms described above, within 60 days of the effective date of this

Order, the Department may issue a comprehensive management plan to, at a minimum, abate the CCS contribution to the hypersaline plume, reduce the size of the hypersaline plume, and prevent future harm to waters of the State. Respondent shall implement the comprehensive management plan as issued by the Department.

24. Except as otherwise provided, all submittals required by this Order shall be sent to Elsa Potts, Program Administrator Water Resource Management, Department of Environmental Protection, 2600 Blair Stone Road, Tallahassee, Florida 32399-2400.

NOTICE OF RIGHTS

25. Respondent's rights to negotiate, litigate or transfer this action are set forth below.

Right to Negotiate

26. This matter may be resolved if the Department and Respondent enter into a consent order, in accordance with section 120.57(4), Florida Statutes, upon such terms and conditions as may be mutually agreeable.

Right to Request a Hearing

27. Respondent has the right to a formal administrative hearing pursuant to sections 120.569, 120.57(1), and 403.121(2), Florida Statutes, if Respondent disputes issues of material fact raised by this Notice of Violation and Orders for Corrective Action (Notice). At a formal hearing, Respondent will have the opportunity to be represented by counsel or other qualified representative, to present evidence and argument on all issues involved, to conduct cross-examination and submit rebuttal evidence, to submit proposed findings of fact and orders, and to file exceptions to any

order or administrative law judge's recommended order.

- 28. Respondent has the right to an informal administrative proceeding pursuant to sections 120.569 and 120.57(2), Florida Statutes, if Respondent does not dispute issues of material fact raised by this Notice. If an informal proceeding is held, Respondent will have the opportunity to be represented by counsel or other qualified representative, to present to the agency written or oral evidence in opposition to the Department's proposed action, or to present a written statement challenging the grounds upon which the Department is justifying its proposed action.
- 29. If Respondent desires a formal hearing or an informal proceeding,
 Respondent must file a written responsive pleading entitled "Petition for
 Administrative Proceeding" within 20 days of receipt of this Notice. The petition must
 be in the form required by rule 28-106.2015, Florida Administrative Code.
 - (a) The Department's Notice identification number and the county in which the subject matter or activity is located;
 - (b) The name, address, and telephone number, and facsimile number (if any) of each respondent;
 - (c) The name, address, telephone number, and facsimile number of the attorney or qualified representative of respondent, if any, upon whom service of pleadings and other papers shall be made;
 - (d) A statement of when respondent received the Notice; and
 - (e) A statement requesting an administrative hearing identifying those material facts that are in dispute. If there are none, the petition must so indicate.

A petition is filed when it is <u>received</u> by the Department's Office of General Counsel, 3900 Commonwealth Boulevard, MS-35, Tallahassee, Florida, 32399-3000.

Right to Request Mediation

30. Respondent may request mediation after filing a petition for hearing. Requesting mediation will not adversely affect the right to a hearing if mediation does not result in a settlement. The mediation will be held if the parties enter a written agreement, which is described below, within 30 days after receipt of the Notice. The mediation must be completed within 60 days of the agreement unless the parties otherwise agree.

The agreement to mediate must include the following:

- (a) The names, addresses, and telephone numbers of any persons who may attend the mediation;
- (b) The name, address, and telephone number of the mediator selected by the parties, or a provision for selecting a mediator within a specified time;
 - (c) The agreed allocation of the costs and fees associated with the mediation;
- (d) The agreement of the parties on the confidentiality of discussions and documents introduced during mediation;
- (e) The date, time, and place of the first mediation session, or a deadline for holding the first session, if no mediator has yet been chosen;
- (f) The name of each party's representative who shall have authority to settle or recommend settlement; and
 - (g) The signatures of all parties or their authorized representatives.

As provided in section 120.573 of the Florida Statutes, the timely agreement of all parties to mediate will toll the time limitations imposed by sections 120.569 and 120.57 for requesting and holding an administrative hearing. Unless otherwise agreed by the parties, the mediation must be concluded within sixty days of the execution of the

agreement. If mediation results in settlement of the administrative dispute, the Department must enter a final order incorporating the agreement of the parties. Persons whose substantial interests will be affected by such a modified final decision of the Department have a right to petition for a hearing only in accordance with the requirements for such petitions set forth above, and must therefore file their petitions within 21 days of receipt of this notice. If mediation terminates without settlement of the dispute, the Department shall notify the Respondent in writing that the administrative hearing processes under sections 120.569 and 120.57 remain available for disposition of the dispute, and the notice will specify the deadlines that then will apply for challenging the agency action and electing remedies under those two statutes.

Waivers

31. Respondent will waive the right to a formal hearing or an informal proceeding if a petition is not filed with the Department within 20 days of receipt of this Notice. These time limits may be varied only by written consent of the Department.

General Provisions

- 32. The allegations of this Notice together with the Orders for Corrective Action will be adopted by the Department in a Final Order if Respondent fails to timely file a petition for a formal hearing or informal proceeding, pursuant to section 403.121, Florida Statutes. A Final Order will constitute a full and final adjudication of the matters alleged in this Notice.
- 33. If Respondent fails to comply with the Final Order, the Department is authorized to file suit in circuit court seeking a mandatory injunction to compel compliance with the Order, pursuant to sections 120.69, 403.121 and 403.131, Florida Statutes. The Department may also seek to recover damages, all costs of litigation including reasonable attorney's fees and expert witness fees, and civil penalties of not more than \$10,000 day for each day that Respondent has failed to comply with the Final Order.

Docket No. 20210007-EI FDEP's April 25, 2016 Notice of Violation and Orders for Corrective Action Exhibit MWS-8, Page 10 of 11

- 34. The Department is not barred by the issuance of this Notice from maintaining an independent action in circuit court with respect to the alleged violations. If such action is warranted, the Department may seek injunctive relief, damages, civil penalties of not more than \$10,000 per day, and all costs of litigation.
- 35. Copies of Department rules referenced in this Notice may be examined at any Department Office or may be obtained by written request to the person listed on the last page of this Notice.

DATED this 25th day of April, 2016.

STATE OF FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

Frederick L. Aschauer, Jr., Director Division of Water Resource Management

Copies furnished to: Larry Morgan, OGC Enforcement Section Mail Station 35

IN THE TOTAL	4209	(Domestic Mail O	ServiceTM D MAILTM REC nly; No Insurance Co ation visit our website	Coverage Provided)
STICKER AT TOP OF ENVELOPE TO THE ENTIRE AT THE THE DIMENSION ADDITION AND AT THE DIMENSION	1630 0001 2651 1630 0001 2651	Postage Certified Fee Return Receipt Fee (Endorsement Required) Restricted Delivery Fee (Endorsement Required) Total Postage & Fees	\$	Postmark Here
E LAG	7013 5 7013 2	Street Ant No.	orida Power & Ligh c/o J.E. Leon, Reg 200 West Flagler S Miami, FL	gistered Agent treet, Suite 2113

SENDER: COMPLETE THIS SECTION		COMPLETE THIS SECTION ON DELIVERY	
 Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. Print your name and address on the reverse so that we can return the card to you. Attach this card to the back of the mailpiece, 		A. Signature	☐ Agent ☐ Addressee
		B. Received by (Printed Name)	C. Date of Delivery
or on the front if space permits. 1. Article Addressed to:		D. Is delivery address different from item 1? Yes If YES, enter delivery address below: No	
Florida Power & Light C	Company, Inc.	A	
Florida Power & Light C c/o J.E. Leon, Regist 4200 West Flagler Stre Miami, FL 33	ered Agent et, Suite 2113	3. Service Type Z Certified Mail Registered Return Insured Mail C.O.D.	s Mail Receipt for Merchandise
c/o J.E. Leon, Regist	ered Agent et, Suite 2113	☐ Certified Mail ☐ Express☐ Registered ☐ Return	Receipt for Merchandise