STATE OF FLORIDA

COMMISSIONERS:
ANDREW GILES FAY, CHAIRMAN
ART GRAHAM
GARY F. CLARK
MIKE LA ROSA
GABRIELLA PASSIDOMO



Office of the General Counsel Keith C. Hetrick General Counsel (850) 413-6199

Public Service Commission

July 18, 2022

J.Jeffry Wahlen, Esq. Malcolm N. Means, Esq. Ausley McMullen Post Office Box 391 Tallahassee, FL. 32302 jwahlen@ausley.com mmeans@ausley.com STAFF'S SECOND DATA REQUEST VIA EMAIL

RE: Docket No. 20220122-EI – Petition for limited proceeding rate increase to implement return on equity provisions in 2021 agreement, by Tampa Electric Company.

Dear Mr. Wahlen and Mr. Means:

By this letter, the Commission staff requests that Tampa Electric Company (TECO) provide responses to the following data requests:

- 1. Refer to Exhibit 3 of the petition, Bate Stamp Page 26. Please provide TECO's proforma monthly weather normalization adjustments to revenues for the period January 2017 to date.
- 2. Refer to TECO's response to Staff Data Request 1, No. 5.c., the Petition Exhibit 2, Page 3 of 4, and TECO's response to Staff's First Data Request, No. 4.a. BSC 9Q4aMonteCarlo DegreeDays.xlsx, tab "Data" and "Summary".
 - a. Has TECO determined whether the monthly normal CDD and HDD data appearing in Exhibit 2 reflects trend (increasing, decreasing) over the 20 year period of 2001 through 2020? Please explain.
 - b. Does TECO expect any historical trend identified in response to Question 2.a. to persist in future years?
 - c. How, if at all, did TECO's method of normalizing sales and revenues for weather take into account any trend identified in response to Question 2.a? If not, why not?

PSC Website: http://www.floridapsc.com

Internet E-mail: contact@psc.state.fl.us

- 3. Refer to TECO's response to Staff's First Data Request, No. 5.c.
 - a. Is TECO aware of any electric utilities that use alternatives to simple averaging of historical CDD and HDD weather data to calculate weather normals (e.g. weighting, trending, etc.) in order to take into account weather trends? If so, please identify such utilities and describe the methods used.
 - b. Please explain methods known to TECO for historical trends in weather data (CDD and HDD) to be used to project future sales and revenues.
- 4. Refer to TECO's Petition, Exhibit 2 and its response to Staff's First Data Request, No. 4.a., Excel File "BS_9Q4aMonteCarlo_DegreeDays.xlsx, tab "Summary", Columns P through AD. Please explain why TECO used Monte Carlo Simulations to adjust its historical monthly NOAA-sourced CDD and HDD data that was used to adjust sales and revenue in its Petition.
- 5. Please refer to TECO's response to Staff's First Data Request, No. 4.a., Excel File "BS_9Q4aMonteCarlo_DegreeDays.xlsx", tab "DATA", and NOAA's historical climatological data for March 2010 the Company relied upon for calculating weather normals in this proceeding.
 - a. Please reconcile the apparent anomalies between the historical NOAA CDD and HDD values for March 2010 in the amount of 21.5 for CDDs and 125.5 for HDDs (calculated below in staff's Excel screenshot) and TECO's historical CDD and HDD values for that same time period (8 for CDD's and 62 for HDD's).
 - b. Please explain any other anomolies that may exist for monthly CDD and HDD data within the 20 year period used to calculate normal weather.

Please file all responses electronically no later than the close of business on Friday, July 22, 2022 via the Commission's website at www.floridapsc.com, by selecting the Clerk's Office tab and Electronic Filing Web Form. Please feel free to call me at (850) 413-6856 if you have any questions.

Sincerely,

/s/ Ryan Sandy
Ryan Sandy
Senior Attorney

RPS/ds

cc: Office of Commission Clerk

Staff's Second Data Request July 18, 2022 Page 3

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service
Current Location: Elev: 6 ft. Lat: 27.9633* N Lon: -82.5400* W

Station: TAMPA INTERNATIONAL AIRPORT, FL US USW00012842

Record of Climatological Observations

These data are quality controlled and may not be identical to the original observations. Generated on 07/14/2022 National Centers for Environmental Information 151 Patton Avenue Asheville, North Carolina 28801

Observation Time Temperature: Unknown Observation Time Precipitation: 2400

	M o n t	D a y	T	emperature (F)		Precipitation					Evaporation Soil Temperature (F)						
Y			24 Hrs. Ending at Observation Time			24 Hour Amounts Ending at At Obs. Observation Time Time						4 in. Depth			8 in. Depth			
e a r			Max.	Min.	At Obs.	Rain, Melted Snow, Etc. (in)	F a g	Snow, Ice Pellets, Hail (in)	F a g	Snow, Ice Pellets, Hail, Ice on Ground (in)	24 Hour Wind Movement (mi)	Amount of Evap. (in)	Ground Cover (see *)	Max.	Min.	Ground Cover (see *)	Max.	Min.
010	03	01	69	43		0.00		0.0		0.0								
010	03	02	68	55		0.72		0.0		0.0								
010	03	03	58	47		T	Ų.	0.0		0.0								
010	03	04	55	44	1	0.00		0.0		0.0								
010	03	05	61	40		0.00		0.0		0.0								
010	03	06	65	42		0.00		0.0		0.0								
010	03	07	67	40		0.00		0.0		0.0								
2010	03	08	69	44		0.00		0.0		0.0								
2010	03	09	70	53		0.00		0.0		0.0								
2010	03	10	79	57		0.00		0.0		0.0								
010	03	11	74	64		0.14		0.0		0.0								
010	03	12	65	62		2.12		0.0		0.0								
010	03	13	72	58		0.00		0.0		0.0								
2010	03	14	70	59		0.00		0.0		0.0								
2010	03	15	70	56		0.00		0.0		0.0								
2010	03	16	65	52		0.00		0.0		0.0								
010	03	17	67	53	9	T		0.0		0.0								
010	03	18	65	53		T		0.0		0.0								
2010	03	19	71	55		0.00		0.0		0.0								
010	03	20	73	52		0.00		0.0		0.0								
010	03	21	70	59		0.43		0.0		0.0								
010	03	22	71	58		T		0.0		0.0								
010	03	23	67	55		0.00		0.0		0.0	l)							
010	03	24	77	51		0.00		0.0		0.0								
010	03	25	77	62		0.65		0.0		0.0								
010	03	26	75	58		T		0.0		0.0								
010	03	27	83	56		0.00		0.0		0.0								
010	03	28	73	65		0.97		0.0		0.0		î î						
010	03	29	69	57		0.85		0.0		0.0								
010	03	30	73	57		0.00		0.0		0.0								
010	03	31	72	55		0.00		0.0		0.0								

CDDs and HDDs Based on NOAA Temperature Data (calculated by staff)

Year	Month	Day	Maxtemp	Min temp	Avg temp	CDD's	HDD's
2010	3	1	69	43	56	0	9
2010	3	2	68	55	61.5	0	3.5
2010	3	3	58	47	52.5	0	12.5
2010	3	4	55	44	49.5	0	15.5
2010	3	5	61	40	50.5	0	14.5
2010	3	6	65	42	53.5	0	11.5
2010	3	7	67	40	53.5	0	11.5
2010	3	8	69	44	56.5	0	8.5
2010	3	9	70	53	61.5	0	3.5
2010	3	10	79	57	68	3	0
2010	3	11	74	64	69	4	0
2010	3	12	65	62	63.5	0	1.5
2010	3	13	72	58	65	0	0
2010	3	14	70	59	64.5	0	0.5
2010	3	15	70	56	63	0	2
2010	3	16	65	52	58.5	0	6.5
2010	3	17	67	53	60	0	5
2010	3	18	65	53	59	0	6
2010	3	19	71	55	63	0	2
2010	3	20	73	52	62.5	0	2.5
2010	3	21	70	59	64.5	0	0.5
2010	3	22	71	58	64.5	0	0.5
2010	3	23	67	55	61	0	4
2010	3	24	77	51	64	0	1
2010	3	25	77	62	69.5	4.5	0
2010	3	26	75	58	66.5	1.5	0
2010	3	27	83	56	69.5	4.5	0
2010	3	28	73	65	69	4	0
2010	3	29	69	57	63	0	2
2010	3	30	73	57	65	0	0
2010	3	31	72	55	63.5	0	1.5
Source:	NOAA Red	ord of				CDD's	HDD's
Climatilogi	cal Observ	ations - f	March 2010)	TOTAL	21.5	125.5

A	A	В	С	D	E	F	G	Н	1	J	K	L	M	N	0
1			JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ОСТ	NOV	DEC	YTD
2		2020	59	91	54	2	0	0	0	C	0	0	0	73	279
3		2019	100	118	27	7	0	0	0		0	0	10	47	309
4		2018	165	81	41	32	0	0	0	(0	0	7	83	409
5		2017	49	59	21	17	0	0	0	(0	0	7	24	177
6	BILLING CYCLE	2016	76	164	76	11	0	0	0	(0	0	2	21	350
7	HDD (NOAA)	2015	99	155	85	10	0	0	0		0	0	1	7	357
8		2014	139	182	68	27	0	0	0	0	0	0	35	104	555
9		2013	97	84	118	64	0	0	0	C	0	0	3	42	408
10		2012	98	61	27	1	2	0	0		0	0	18	36	243
11		2011	300	176	55	12	0	0	0		0	0	6	26	575
12		2010	302	234	62	42	0	0	0		0	0	16	155	1003
13		2009	80	196	86	10	3	0	0		0	4	10	68	457
14		2008	107	84	62	26	8	0	0	0	0	0	18	115	420
15		2007	44	158	93	30	9	0	0	0	0	0	12	35	381
16		2006	171	143	76	31	0	0	0	C	0	0	14	64	499
17		2005	147	142	95	37	8	0	0		0	1	15	89	534
18		2004	192	171	92	24	5	0	0	C	0	0	0	63	547
19		2003	250	198	24	22	2	0	0	(0	0	2	107	605
20		2002	164	68	93	5	0	0	0		0	0	10	107	447
21		2001	312	157	52	29	4	0	0		0	0	10	8	572
22		2000	87	184	29	8	3	0	0		0	0	7	99	417
23		1999	114	52	89	16	9	0	0	C	0	1	13	48	342
24		1998	119	117	102	49	1	0	0	(0	0	3	15	406
25		1997	116	101	13	2	4	0	0		0	0	22	85	343

_d A	A B	C	D	E	F	G	Н	1	J	K	L	M	N	0
38		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YTD
39	2020	144	102	171	200	342	507	620	630	579	504	279	165	4518
40	2019	94	80	183	207	391	552	576	556	624	522	370	108	4263
41	2018	85	54	190	206	339	493	579	566	655	571	332	142	4292
42	2017	165	100	148	245	407	511	574	578	607	535	298	181	4349
43 BILLING	CYCLE 2016	75	35	83	235	332	482	581	580	595	522	318	195	4152
44 CDD (NO	DAA) 2015	82	18	145	309	407	513	577	520	567	478	401	134	4290
45	2014	82	43	75	130	312	465	559	555	563	423	188	89	3484
46	2013	95	89	69	163	320	477	527	562	565	464	278	171	3780
47	2012	93	88	190	318	364	490	513	560	555	458	219	96	3944
48	2011	11	33	115	221	386	501	575	611	589	435	210	157	3844
49	2010	36	17	8	110	337	533	580	603	569	456	272	120	3641
50	2009	93	36	78	229	340	456	563	553	548	489	307	131	3823
51	2008	115	71	94	182	308	501	503	483	513	445	232	76	3523
52	2007	75	37	88	192	301	432	555	566	612	494	232	158	3849
53	2006	27	30	69	172	312	449	525	543	528	456	253	149	3513
54	2005	60	28	55	138	196	429	530	583	602	498	245	105	3469
55	2004	34	31	86	117	283	512	549	509	529	435	280	125	3490
56	2003	13	17	166	201	360	501	549	551	521	424	322	111	3736
57	2002	79	104	80	275	337	485	534	553	553	529	301	54	3982
58	2001	38	70	136	152	261	479	551	540	564	375	234	213	3613
59	2000	71	32	132	220	322	535	531	530	550	437	233	96	3689
60	1999	94	118	48	187	308	479	519	599	553	445	242	127	3719
61	1998	91	42	70	182	311	545	621	552	581	476	291	249	4011
62	1997	78	75	242	252	281	467	568	533	556	437	189	76	3754