

FLORIDA PUBLIC SERVICE COMMISSION

Item 13

VOTE SHEET

August 4, 2026

FILED 8/4/2026

DOCUMENT NO. 04926-2026

FPSC - COMMISSION CLERK

Docket No. 20260012-WS – Application for revised service availability charges and policy for water and wastewater service in Duval, Baker, and Nassau Counties, by First Coast Regional Utilities, Inc.

Issue 1: Should FCRU's existing water and wastewater service availability charges and policy be revised, and if so, what are the appropriate charges?

Recommendation: Yes. FCRU's existing water and wastewater service availability charges and policy should be revised. Staff recommends that the Utility's requested main extension charges of \$759 for water and \$994 for wastewater and plant capacity charges of \$1,766 for water and \$9,281 for wastewater should be approved because it is reasonable and within the guidelines of Rule 25-30.580, Florida Administrative Code



APPROVED


COMMISSIONERS ASSIGNED: All Commissioners

COMMISSIONERS' SIGNATURES

MAJORITY

DISSENTING

REMARKS/DISSENTING COMMENTS:

Vote Sheet

August 4, 2026

Item 13

Docket No. 20260012-WS – Application for revised service availability charges and policy for water and wastewater service in Duval, Baker, and Nassau Counties, by First Coast Regional Utilities, Inc.

(Continued from previous page)

Issue 2: Should this docket be closed?

Recommendation: If a protest is filed within 21 days of the issuance date of the Order, the tariff should remain in effect with the charge held subject to refund pending resolution of the protest. If no timely protest is filed, a consummating order should be issued and, once staff verifies that the revised tariff sheet has been filed and the notice of the charge has been approved by staff and provided to property owners, the docket should be administratively closed.

APPROVED